Open Source Used In Crosswork Change Automation and Health Insights 4.4.0

Cisco Systems, Inc.
www.cisco.com

Cisco has more than 200 offices worldwide.
Addresses, phone numbers, and fax numbers
are listed on the Cisco website at
www.cisco.com/go/offices.

Text Part Number: 78EE117C99-1454469403

This document contains licenses and notices for open source software used in this product. With respect to the free/open source software listed in this document, if you have any questions or wish to receive a copy of any source code to which you may be entitled under the applicable free/open source license(s) (such as the GNU Lesser/General Public License), please contact us at external-opensource-requests@cisco.com.

In your requests please include the following reference number 78EE117C99-1454469403

Contents

1.33.1 Available under license

1.34 expat 2.2.9 1ubuntu0.4

1.34.1 Available under license

1.35 go-datemath 0.1.1-0.20200323150745-74ddef604fff

1.35.1 Available under license

1.36 grep 3.4 1

1.36.1 Available under license

1.37 util-linux 2.34 0.1ubuntu9.3

1.37.1 Available under license

1.38 jackc-pgtype 1.9.1

1.38.1 Available under license

1.39 pyparsing 2.4.6

1.39.1 Available under license

1.40 pyserial 3.5

1.40.1 Available under license

1.41 net-tools 1.60+git20180626.aebd88e 1ubuntu1

1.41.1 Available under license

1.42 grpc-go 1.35.0

1.42.1 Available under license

1.43 gorilla 1.8.0

1.43.1 Available under license

1.44 gopkg-in/macaron 1.3.9

1.44.1 Available under license

1.45 common 0.0.0-20201119133501-0619918236ec

1.45.1 Available under license

1.46 xorm.io-xorm 0.8.1

1.46.1 Available under license

1.47 jackc-pgio 1.0.0

1.47.1 Available under license

1.48 grafana-loki 1.6.2-0.20201026154740-6978ee5d7387

1.48.1 Available under license

1.49 x-crypto 0.0.0-20211115234514-b4de73f9ece8

1.49.1 Available under license

1.50 influxdata-influxdb-client-go 2.2.0

1.50.1 Available under license

1.51 gojsondiff 1.0.0

1.51.1 Available under license

1.52 vividcortex-mysqlerr 0.0.0-20170204212430-6c6b55f8796f

1.52.1 Available under license

1.53 x-term 0.0.0-20201126162022-7de9c90e9dd1

   1.53.1 Available under license

1.54 gnutls 3.6.13-2ubuntu1.6

   1.54.1 Available under license

1.55 go-socket-io 0.0.0-20170525141029-5447e71f36d3

   1.55.1 Available under license

1.56 curl 7.68.0 1ubuntu2.11

   1.56.1 Available under license

1.57 bash 5.0 6ubuntu1.2

   1.57.1 Available under license

1.58 msgpack 0.6.2

   1.58.1 Available under license

1.59 x-net 0.0.0-20211112202133-69e39bad7dc2

   1.59.1 Available under license

1.60 x-net 0.0.0-20220225172249-27dd8689420f

   1.60.1 Available under license

1.61 etcd-client-pkg 3.5.2

   1.61.1 Available under license

1.62 gomemcache 0.0.0-20190913173617-a41fca850d0b

   1.62.1 Available under license

1.63 golang-snappy 0.0.4

   1.63.1 Available under license

1.64 lib-pq 1.10.4

   1.64.1 Available under license

1.65 x-text 0.3.3

   1.65.1 Available under license

1.66 log-rotate 3.14.0 4ubuntu3

   1.66.1 Available under license

1.67 markupsafe 2.1.1

   1.67.1 Available under license

1.68 shortid 0.0.0-20171029131806-771a37caa5cf

   1.68.1 Available under license

1.69 rtmpdump 2.4+20151223.gitfa8646d.1-2build1

   1.69.1 Available under license

1.70 sqlite 3.34.0

   1.70.1 Available under license

1.71 cffi 1.15.0

   1.71.1 Available under license

1.72 prometheus-client 0.2.0

1.72.1 Available under license

1.73 go-macaron-gzip 0.0.0-20160222043647-cad1c6580a07

1.73.1 Available under license

1.74 gorilla 1.4.1

1.74.1 Available under license

1.75 progress 1.5

1.75.1 Available under license

1.76 go-macaron-inject 0.0.0-20160627170012-d8a0b8677191

1.76.1 Available under license

1.77 v1-gonum 0.6.0

1.77.1 Available under license

1.78 python 3.8.10

1.78.1 Available under license

1.79 go-jmespath 0.4.0

1.79.1 Available under license

1.80 heimdal 7.7.0+dfsg-1ubuntu1

1.80.1 Available under license

1.81 python-pip 20.0.2-5ubuntu1.6

1.81.1 Available under license

1.82 prometheus 1.8.2-0.20201014093524-73e2ce1bd643

1.82.1 Available under license

1.83 pretty 1.2.0

1.83.1 Available under license

1.84 python3-asn1crypto 0.24.0

1.84.1 Available under license

1.85 inject 0.0.0-20180706035515-f23751cae28b

1.85.1 Available under license

1.86 iotop 0.6-24-g733f3f8-1

1.86.1 Available under license

1.87 sergi-go-diff 1.0.0

1.87.1 Available under license

1.88 x-crypto 0.0.0-20220314234659-1baeb1ce4c0b

1.88.1 Available under license

1.89 prometheus-procfs 0.0.11

1.89.1 Available under license

1.90 sh 1.13.1

1.90.1 Available under license

1.91 urfave-cli 1.20.0

1.91.1 Available under license

1.169 gnutls 3.6.13-2ubuntu1.7

1.169.1 Available under license

1.170 webencodings 0.5.1

1.170.1 Available under license

1.171 modern-go-concurrent 0.0.0-20180306012644-bacd9c7ef1dd

1.171.1 Available under license

1.172 jinja2 2.10.2

1.172.1 Available under license

1.173 gmp 6.2.0+dfsg-4

1.173.1 Available under license

1.174 six 1.14.0

1.174.1 Available under license

1.175 base-files 11ubuntu5.5

1.175.1 Available under license

1.176 nghttp2 1.40.0-1build1

1.176.1 Available under license

1.177 x-term 0.0.0-20210927222741-03fcf44c2211

1.177.1 Available under license

1.178 golang-snappy 0.0.2

1.178.1 Available under license

1.179 gosimple-slug 1.9.0

1.179.1 Available under license

1.180 glibc 2.31-0ubuntu9.9

1.180.1 Available under license

1.181 robfig-cron 3.0.1

1.181.1 Available under license

1.182 hashicorp-go-version 1.2.1

1.182.1 Available under license

1.183 x-sync 0.0.0-20201020160332-67f06af15bc9

1.183.1 Available under license

1.184 x-crypto 0.0.0-20220926161630-eccd6366d1be

1.184.1 Available under license

1.185 dpkg 1.19.7ubuntu3

1.185.1 Available under license

1.186 jsonschema 3.2.0

1.186.1 Available under license

1.187 xorm.io-core 0.7.3

1.187.1 Available under license

1.188 go-cache 2.1.0+incompatible

1.188.1 Available under license

1.189 opentracing-contrib-go-observer 0.0.0-20170622124052-a52f23424492

1.189.1 Available under license

1.190 kerberos 1.17-6ubuntu4.1

1.190.1 Available under license

1.191 readline 8.0-4

1.191.1 Available under license

1.192 hashicorp-uuid 1.0.2

1.192.1 Available under license

1.193 google-uuid 1.1.5

1.193.1 Available under license

1.194 libsepol 3.0 1ubuntu0.1

1.194.1 Available under license

1.195 com 1.0.1

1.195.1 Available under license

1.196 apt 2.0.9

1.196.1 Available under license

1.197 python-stdlib-extensions 3.8.10-0ubuntu1~20.04

1.197.1 Available under license

1.198 go-immutable-radix 1.3.1

1.198.1 Available under license

1.199 antchfx-xmlquery 1.3.9

1.199.1 Available under license

1.200 sockjs 3.0.0

1.200.1 Available under license

1.201 pynacl 1.4.0

1.201.1 Available under license

1.202 ini 1.57.0

1.202.1 Available under license

1.203 golcs 0.0.0-20170316035057-ecda9a501e82

1.203.1 Available under license

1.204 queue 1.1.0

1.204.1 Available under license

1.205 htop 2.2.0 2build1

1.205.1 Available under license

1.206 centrifugal-centrifuge 0.13.0

1.206.1 Available under license

1.207 libgpg-error 1.37 1

1.207.1 Available under license

1.208 base-files 11ubuntu5.6

1.208.1 Available under license

1.209 libnsl 2.31

1.209.1 Available under license

1.210 brotli 1.0.7-6ubuntu0.1

1.210.1 Available under license

1.211 blang-semver 3.5.1+incompatible

1.211.1 Available under license

1.212 globalsign-mgo 0.0.0-20181015135952-eeefdecb41b8

1.212.1 Available under license

1.213 xz 5.2.4 1ubuntu1

1.213.1 Available under license

1.214 go-testing-interface 1.0.0

1.214.1 Available under license

1.215 cachecontrol 0.12.6

1.215.1 Available under license

1.216 tar 1.30+dfsg 7ubuntu0.20.04.2

1.216.1 Available under license

1.217 retrying 1.3.3

1.217.1 Available under license

1.218 looplab-fsm 0.0.0-20170404094036-bcc3636384ce

1.218.1 Available under license

1.219 libgcrypt 1.8.5 5ubuntu1.1

1.219.1 Available under license

1.220 libsodium 1.0.18

1.220.1 Available under license

1.221 markupsafe 2.0.1

1.221.1 Available under license

1.222 jackc-pgtype 1.10.0

1.222.1 Available under license

1.223 log15 0.0.0-20180818164646-67afb5ed74ec

1.223.1 Available under license

1.224 golang-lru 0.5.4

1.224.1 Available under license

1.225 aws-sdk-go 1.35.5

1.225.1 Available under license

1.226 x-crypto 0.0.0-20201208171446-5f87f3452ae9

1.226.1 Available under license

1.227 six 1.16.0

1.247 protobuf 1.27.1

1.247.1 Available under license

1.248 c-ares 1.17.0

1.248.1 Available under license

1.249 idna 3.3

1.249.1 Available under license

1.250 e2fsprogs 1.45.5 2ubuntu1

1.250.1 Available under license

1.251 cortexproject-cortex 1.4.1-0.20201022071705-85942c5703cf

1.251.1 Available under license

1.252 futures 3.1.1

1.252.1 Available under license

1.253 ubuntu-keyring 2020.02.11.4

1.253.1 Available under license

1.254 jackc-pgconn 1.9.1-0.20210724152538-d89c8390a530

1.254.1 Available under license

1.255 prometheus-node-exporter 1.0.0-rc.0.0.20200428091818-01054558c289

1.255.1 Available under license

1.256 libcap-ng 0.7.9 2.1build1

1.256.1 Available under license

1.257 python3.8 3.8.10-0ubuntu1~20.04.5

1.257.1 Available under license

1.258 berkeley-db 5.3.28+dfsg1-0.6ubuntu2

1.258.1 Available under license

1.259 systemd 245.4 4ubuntu3.15

1.259.1 Available under license

1.260 colorama 0.4.3

1.260.1 Available under license

1.261 decorator 5.1.0

1.261.1 Available under license

1.262 mime-support 3.64ubuntu1

1.262.1 Available under license

1.263 pyrsistent 0.18.0

1.263.1 Available under license

1.264 jcmturner-aescts 2.0.0

1.264.1 Available under license

1.265 netcat-openbsd 1.206 1ubuntu1

1.265.1 Available under license

1.266 packaging 16.8

1.266.1 Available under license

1.267 jackc-pgservicefile 0.0.0-20200714003250-2b9c44734f2b

1.267.1 Available under license

1.268 x-net 0.0.0-20220906165146-f3363e06e74c

1.268.1 Available under license

1.269 zlib 1.2.11.dfsg-2ubuntu1.3

1.269.1 Available under license

1.270 sqlite 3.31.1-4ubuntu0.4

1.270.1 Available under license

1.271 openzipkin-zipkin-go-opentracing 0.3.4

1.271.1 Available under license

1.272 go-resiliency 1.2.0

1.272.1 Available under license

1.273 pep517 0.8.2

1.273.1 Available under license

1.274 iconv 2.31

1.274.1 Available under license

1.275 modern-go-reflect2 1.0.1

1.275.1 Available under license

1.276 andybalholm-brotli 1.0.2

1.276.1 Available under license

1.277 apache-arrow-go-arrow 0.0.0-20200629181129-68b1273cbbf7

1.277.1 Available under license

1.278 libffi 3.3 4

1.278.1 Available under license

1.279 keyutils 1.6-6ubuntu1.1

1.279.1 Available under license

1.280 pcre 8.39

1.280.1 Available under license

1.281 cyrus-sasl 2.1.27+dfsg-2ubuntu0.1

1.281.1 Available under license

1.282 pam 1.3.1-5ubuntu4.3

1.282.1 Available under license

1.283 google-go-cmp 0.5.4

1.283.1 Available under license

1.284 psutil 5.6.7

1.284.1 Available under license

1.285 prometheus-common 0.32.1

1.285.1 Available under license

1.286 curl 7.68.0-1ubuntu2.13

1.286.1 Available under license

1.287 golang-genproto 0.0.0-20201022181438-0ff5f38871d5

1.287.1 Available under license

1.288 golang-set 1.7.1

1.288.1 Available under license

1.289 klauspost-compress 1.13.6

1.289.1 Available under license

1.290 x-xerrors 0.0.0-20200804184101-5ec99f83aff1

1.290.1 Available under license

1.291 zlib 1.2.11

1.291.1 Available under license

1.292 lib-pq 1.9.0

1.292.1 Available under license

1.293 toml 0.10.0

1.293.1 Available under license

1.294 cron 3.0pl1 136ubuntu1

1.294.1 Available under license

1.295 jaeger-lib 2.4.0+incompatible

1.295.1 Available under license

1.296 influxdb 1.9.4

1.296.1 Available under license

1.297 jsonpath-ng 1.4.3

1.297.1 Available under license

1.298 ansible 2.1

1.298.1 Available under license

1.299 pycparser 2.20

1.299.1 Available under license

1.300 go-zookeeper 0.0.0-20201211165307-7117e9ea2414

1.300.1 Available under license

1.301 base-passwd 3.5.47

1.301.1 Available under license

1.302 zlib 1.2.11.dfsg-2ubuntu1.2

1.302.1 Available under license

1.303 sanitized-anchor-name 1.0.0

1.303.1 Available under license

1.304 jackc-pgproto 2.2.0

1.304.1 Available under license

1.305 jackc-chunkreader 2.0.1

1.325 go-yaml 3.0.0-20200615113413-eeeca48fe776

1.325.1 Available under license

1.326 stack 1.8.0

1.326.1 Available under license

1.327 spew 1.1.1

1.327.1 Available under license

1.328 goprotobuf 1.5.2

1.328.1 Available under license

1.329 prometheus-procfs 0.2.0

1.329.1 Available under license

1.330 gokrb5 8.4.2

1.330.1 Available under license

1.331 influxdata-line-protocol 0.0.0-20200327222509-2487e7298839

1.331.1 Available under license

1.332 go-jose 2.5.1

1.332.1 Available under license

1.333 rainycape-unidecode 0.0.0-20150907023854-cb7f23ec59be

1.333.1 Available under license

1.334 libidn 2.2.0 2

1.334.1 Available under license

1.335 blackfriday 2.0.1

1.335.1 Available under license

1.336 gopkg.in-yaml cs.revision=069779ccd92cf15d69e7fdde1c6addb28ee6f0a6 build

1.336.1 Available under license

1.337 gogo-googleapis 1.1.0

1.337.1 Available under license

1.338 acl 2.2.53 6

1.338.1 Available under license

1.339 textfsm 1.1.2

1.339.1 Available under license

1.340 go-systemd 22.3.2

1.340.1 Available under license

1.341 go-isatty 0.0.12

1.341.1 Available under license

1.342 jackc-pgproto 2.1.1

1.342.1 Available under license

1.343 hashicorp-go-plugin 1.4.0

1.343.1 Available under license

1.344 xxhash 2.1.1

1.344.1 Available under license

1.345 pcre 10.34-7

1.345.1 Available under license

1.346 pyparsing 2.4.7

1.346.1 Available under license

1.347 jackc-pgx 4.12.1-0.20210724153913-640aa07df17c

1.347.1 Available under license

1.348 debconf 1.5.73

1.348.1 Available under license

1.349 logfmt 0.5.0

1.349.1 Available under license

1.350 idna 14.0.0

1.350.1 Available under license

1.351 hostname 3.23

1.351.1 Available under license

1.352 sarama 1.30.0

1.352.1 Available under license

1.353 robot-telemetry_proto 0.0.0-20210520062046-a73bb180cba4

1.353.1 Available under license

1.354 adduser 3.118ubuntu2

1.354.1 Available under license

1.355 x-sys 0.0.0-20211216021012-1d35b9e2eb4e

1.355.1 Available under license

1.356 gofpdf 1.10.1

1.356.1 Available under license

1.357 lockfile 0.12.2

1.357.1 Available under license

1.358 jcmturner-dnsutils 2.0.0

1.358.1 Available under license

1.359 jaeger-client-go 2.25.0+incompatible

1.359.1 Available under license

1.360 nettle 3.5.1+really3.5.1-2ubuntu0.2

1.360.1 Available under license

1.361 kafka-python 1.4.5

1.361.1 Available under license

1.362 kerberos 1.17-6ubuntu4.1

1.362.1 Available under license

1.363 beego 1.12.3

1.383 crewjam-saml 0.4.6-0.20201227203850-bca570abb2ce

1.383.1 Available under license

1.384 libpsl 0.21.0-1ubuntu1

1.384.1 Available under license

1.385 grpcio-tools 1.47.0

1.385.1 Available under license

1.386 toml 0.3.1

1.386.1 Available under license

1.387 chardet 3.0.4

1.387.1 Available under license

1.388 google-flatbuffers 1.11.0

1.388.1 Available under license

1.389 jackc-puddle 1.1.3

1.389.1 Available under license

1.390 file 5.38-4

1.390.1 Available under license

1.391 x-crypto 0.0.0-20220214200702-86341886e292

1.391.1 Available under license

1.392 logrus 1.8.1

1.392.1 Available under license

1.393 pkg_resources 0.0.0

1.393.1 Available under license

1.394 libyaml 0.2.5

1.394.1 Available under license

1.395 cheekybits-genny 1.0.0

1.395.1 Available under license

1.396 nuid 1.0.1

1.396.1 Available under license

1.397 tablewriter 0.0.4

1.397.1 Available under license

1.398 pcre 10.34-7ubuntu0.1

1.398.1 Available under license

1.399 klauspost-compress 1.9.7

1.399.1 Available under license

1.400 protobuf 3.19.1

1.400.1 Available under license

1.401 iputils 20190709-3

1.401.1 Available under license

1.402 gnupg 2.2.19-3ubuntu2.2

1.402.1 Available under license

1.403 mawk 1.3.4.20200120 2

1.403.1 Available under license

1.404 pierrec-lz4 2.6.1+incompatible

1.404.1 Available under license

1.405 jackc-pgconn 1.11.0

1.405.1 Available under license

1.406 bzip2 1.0.8 2

1.406.1 Available under license

1.407 pcre 8.39-12build1

1.407.1 Available under license

1.408 go-colorable 0.1.8

1.408.1 Available under license

1.409 jackc-pgx 4.15.0

1.409.1 Available under license

1.410 x-sys 0.0.0-20210823070655-63515b42dcdf

1.410.1 Available under license

1.411 gjson 1.11.0

1.411.1 Available under license

1.412 diffutils 3.7-3

1.412.1 Available under license

1.413 sed 4.7 1

1.413.1 Available under license

1.414 gomodule-redigo 2.0.0+incompatible

1.414.1 Available under license

1.415 yamux 0.0.0-20181012175058-2f1d1f20f75d

1.415.1 Available under license

1.416 mna-redisc 1.1.7

1.416.1 Available under license

1.417 open-ldap 2.4.49+dfsg-2ubuntu1.9

1.417.1 Available under license

1.418 html5lib 1.0.1

1.418.1 Available under license

1.419 go-sql-driver-mysql 1.5.0

1.419.1 Available under license

1.420 jackc-pgpassfile 1.0.0

1.420.1 Available under license

1.421 gopkg.in-yaml 2.4.0

1.421.1 Available under license

1.422 sercand-kuberesolver 2.4.0+incompatible

1.422.1 Available under license

1.423 golang 1.15.6

1.423.1 Available under license

1.424 fzambia-eagle 0.0.1

1.424.1 Available under license

1.425 fsnotify 1.5.1

1.425.1 Available under license

1.426 cdebconf 0.251ubuntu1

1.426.1 Available under license

1.427 gorilla 1.4.2

1.427.1 Available under license

1.428 golang-protobuf-extensions 1.0.1

1.428.1 Available under license

1.429 selinux 3.0-1build2

1.429.1 Available under license

1.430 gojsonschema 1.2.0

1.430.1 Available under license

1.431 x-oauth2 0.0.0-20200902213428-5d25da1a8d43

1.431.1 Available under license

1.432 cloud-google-com-go 0.70.0

1.432.1 Available under license

1.433 paramiko 2.11.0

1.433.1 Available under license

1.434 grpcio 1.47.0

1.434.1 Available under license

1.435 gopkg-in/ldap 3.0.2

1.435.1 Available under license

1.436 coreos-semver 0.3.0

1.436.1 Available under license

1.437 libcap 2.32-1

1.437.1 Available under license

1.438 golang 1.18.6

1.438.1 Available under license

1.439 zlib 1.2.12

1.439.1 Available under license

1.440 prometheus-procfs 0.6.0

1.440.1 Available under license

1.441 golang-genproto 0.0.0-20210716133855-ce7ef5c701ea

1.1 gosqlite 1.14.6

1.1.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Yasuhiro Matsumoto

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.2 trylock 0.0.0-20191027065348-ff7e133a5c54

1.2.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Alexander Morozov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.3 logrus 1.6.0

1.3.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Simon Eskildsen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.4 etree 1.1.0

1.4.1 Available under license :

Brett Vickers (beevik)

Felix Geisendrfer (felixge)

Kamil Kisiel (kisielk)

Graham King (grahamking)

Matt Smith (ma314smith)

Michal Jemala (michaljemala)

Nicolas Piganeau (npiganeau)

Chris Brown (ccbrown)

Earncef Sequeira (earncef)

Gabriel de Labachelerie (wuzuf)

Copyright 2015-2019 Brett Vickers. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY COPYRIGHT HOLDER ``AS IS'' AND ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDER OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR

PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.5 influxdb 1.9.5

1.5.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013-2018 InfluxData Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.6 nats.go 1.13.1-0.20211018182449-f2416a8b1483

1.6.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.7 google-uuid 1.3.0

1.7.1 Available under license :

Paul Borman <borman@google.com>

bmatsuo

shawnps

theory

jboverfelt

dsymonds

cd1

wallclockbuilder

dansouza

Copyright (c) 2009,2014 Google Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
  * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.8 lsb 11.1.0ubuntu2

1.8.1 Available under license :

Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: LSB implementation package

Files: *
Copyright: 2002-2010, Chris Lawrence <lawrencc@debian.org>
License: GPL-2

Files: init-functions.d/50-ubuntu-logging
Copyright: 2005-2011, Canonical Ltd.
License: GPL-2

Files: init-functions
Copyright: 2002-2009, Chris Lawrence <lawrencc@debian.org>
License: BSD-3-clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. Neither the name of the author nor the names of other contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.
.
THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS''
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: GPL-2
This program is free software; you can redistribute it
and/or modify it under the terms of the GNU General Public
License as published by the Free Software Foundation;
version 2 dated June 1991.
.
This program is distributed in the hope that it will be
useful, but WITHOUT ANY WARRANTY; without even the implied
warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR
PURPOSE. See the GNU General Public License for more
details.
.
You should have received a copy of the GNU General Public

License along with this package; if not, write to the Free
Software Foundation, Inc., 51 Franklin St, Fifth Floor,
Boston, MA 02110-1301 USA

.

On Debian systems, the full text of the GNU General Public
License version 2 can be found in the file
`/usr/share/common-licenses/GPL-2'.

1.9 google-api-go-client 0.33.0
1.9.1 Available under license :

This is the official list of people who can contribute
(and typically have contributed) code to the repository.
The AUTHORS file lists the copyright holders; this file
lists people. For example, Google employees are listed here
but not in AUTHORS, because Google holds the copyright.
#
The submission process automatically checks to make sure
that people submitting code are listed in this file (by email address).
#
Names should be added to this file only after verifying that
the individual or the individual's organization has agreed to
the appropriate Contributor License Agreement, found here:
#
https://cla.developers.google.com/about/google-individual
https://cla.developers.google.com/about/google-corporate
#
The CLA can be filled out on the web:
#
https://cla.developers.google.com/
#
When adding J Random Contributor's name to this file,
either J's name or J's organization's name should be
added to the AUTHORS file, depending on whether the
individual or corporate CLA was used.

Names should be added to this file like so:
Name <email address>
#
An entry with two email addresses specifies that the
first address should be used in the submit logs and
that the second address should be recognized as the
same person when interacting with Rietveld.

Please keep the list sorted.

Alain Vongsouvanhalainv <alainv@google.com>

Andrew Gerrand <adg@golang.org>

Brad Fitzpatrick <bradfitz@golang.org>

Eric Koleda <ekoleda+devrel@googlers.com>

Francesc Campoy <campoy@golang.org>

Garrick Evans <garrick@google.com>

Glenn Lewis <gmlewis@google.com>

Ivan Krasin <krasin@golang.org>

Jason Hall <jasonhall@google.com>

Johan Euphrosine <proppy@google.com>

Kostik Shtoyk <kostik@google.com>

Kunpei Sakai <namusyaka@gmail.com>

Matthew Dolan <dolan@lightstep.com>

Matthew Whisenhunt <matt.whisenhunt@gmail.com>

Michael McGreevy <mcgreevy@golang.org>

Nick Craig-Wood <nickcw@gmail.com>

Robbie Trencheny <me@robbiet.us>

Ross Light <light@google.com>

Sarah Adams <shadams@google.com>

Scott Van Woudenberg <scottvw@google.com>

Takashi Matsuo <tmatsuo@google.com>

```
// Copyright 2019 Google LLC.
// Use of this source code is governed by a BSD-style
// license that can be found in the LICENSE file.

package api

import (
 "bytes"
 "io/ioutil"
 "os"
 "path/filepath"
 "regexp"
 "testing"
)

// Files in this package use a BSD-style license.
var sentinel = regexp.MustCompile(`(//|#) Copyright \d\d\d\d (Google LLC|The Go Authors)(\.)*( All rights
reserved\.)*
(//|#) Use of this source code is governed by a BSD-style
(//|#) license that can be found in the LICENSE file.
`)
```

```go
const prefix = "// Copyright"

// A few files have to be skipped.
var skip = map[string]bool{
 "tools.go": true, // This file requires another comment above the license.
 "internal/third_party/uritemplates/uritemplates.go":     true, // This file is licensed to an individual.
 "internal/third_party/uritemplates/uritemplates_test.go": true, // This file is licensed to an individual.
}

// This test validates that all go files in the repo start with an appropriate license.
func TestLicense(t *testing.T) {
 err := filepath.Walk(".", func(path string, fi os.FileInfo, err error) error {
  if skip[path] {
   return nil
  }

  if err != nil {
   return err
  }

  if filepath.Ext(path) != ".go" && filepath.Ext(path) != ".sh" {
   return nil
  }

  src, err := ioutil.ReadFile(path)
  if err != nil {
   return nil
  }

  // Verify that the license is matched.
  if !sentinel.Match(src) {
   t.Errorf("%v: license header not present", path)
   return nil
  }

  // Also check it is at the top of .go files (but not .sh files, because they must have a shebang first).
  if filepath.Ext(path) == ".go" && !bytes.HasPrefix(src, []byte(prefix)) {
   t.Errorf("%v: license header not at the top", path)
  }
  return nil
 })
 if err != nil {
  t.Fatal(err)
 }
}
```

1.10 json-iterator-go 1.1.10

1.10.1 Available under license :

MIT License

Copyright (c) 2016 json-iterator

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.11 errors 0.9.1

1.11.1 Available under license :

Copyright (c) 2015, Dave Cheney <dave@cheney.net>
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
  list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.12 x-sys 0.0.0-20201022201747-fb209a7c41cd

1.12.1 Available under license :

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

   * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
   * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
This source code was written by the Go contributors.
The master list of contributors is in the main Go distribution,
visible at http://tip.golang.org/CONTRIBUTORS.

1.13 jcmturner-rpc 2.0.3

1.13.1 Available under license :

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
    stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
    that You distribute, all copyright, patent, trademark, and
    attribution notices from the Source form of the Work,
    excluding those notices that do not pertain to any part of
    the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
    distribution, then any Derivative Works that You distribute must
    include a readable copy of the attribution notices contained
    within such NOTICE file, excluding those notices that do not
    pertain to any part of the Derivative Works, in at least one
    of the following places: within a NOTICE text file distributed
    as part of the Derivative Works; within the Source form or
    documentation, if provided along with the Derivative Works; or,
    within a display generated by the Derivative Works, if and
    wherever such third-party notices normally appear. The contents
    of the NOTICE file are for informational purposes only and
    do not modify the License. You may add Your own attribution
    notices within Derivative Works that You distribute, alongside
    or as an addendum to the NOTICE text from the Work, provided
    that such additional attribution notices cannot be construed
    as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.14 color 1.10.0

1.14.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Yasuhiro Matsumoto

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
Copyright (c) Yasuhiro MATSUMOTO <mattn.jp@gmail.com>

MIT License (Expat)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated
documentation files (the "Software"), to deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit
persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the
Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
This source code was written by the Go contributors.
The master list of contributors is in the main Go distribution,
visible at http://tip.golang.org/CONTRIBUTORS.
The MIT License (MIT)

Copyright (c) 2013 Fatih Arslan

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of
the Software, and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER
IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

   * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
   * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.15 perl 5.30.0 9ubuntu0.2

1.15.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

 The license agreements of most software companies try to keep users
at the mercy of those companies. By contrast, our General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. The
General Public License applies to the Free Software Foundation's
software and to any other program whose authors commit to using it.
You can use it for your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Specifically, the General Public License is designed to make
sure that you have the freedom to give away or sell copies of free
software, that you receive source code or can get it if you want it,
that you can change the software or use pieces of it in new free
programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

 For example, if you distribute copies of a such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the

source code. And you must tell them their rights.

 We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

 Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

 The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License Agreement applies to any program or other work which
contains a notice placed by the copyright holder saying it may be
distributed under the terms of this General Public License. The
"Program", below, refers to any such program or work, and a "work based
on the Program" means either the Program or any work containing the
Program or a portion of it, either verbatim or with modifications. Each
licensee is addressed as "you".

 1. You may copy and distribute verbatim copies of the Program's source
code as you receive it, in any medium, provided that you conspicuously and
appropriately publish on each copy an appropriate copyright notice and
disclaimer of warranty; keep intact all the notices that refer to this
General Public License and to the absence of any warranty; and give any
other recipients of the Program a copy of this General Public License
along with the Program. You may charge a fee for the physical act of
transferring a copy.

 2. You may modify your copy or copies of the Program or any portion of
it, and copy and distribute such modifications under the terms of Paragraph
1 above, provided that you also do the following:

  a) cause the modified files to carry prominent notices stating that
  you changed the files and the date of any change; and

  b) cause the whole of any work that you distribute or publish, that
  in whole or in part contains the Program or any part thereof, either
  with or without modifications, to be licensed at no charge to all
  third parties under the terms of this General Public License (except
  that you may choose to grant warranty protection to some or all

third parties, at your option).

  c) If the modified program normally reads commands interactively when
  run, you must cause it, when started running for such interactive use
  in the simplest and most usual way, to print or display an
  announcement including an appropriate copyright notice and a notice
  that there is no warranty (or else, saying that you provide a
  warranty) and that users may redistribute the program under these
  conditions, and telling the user how to view a copy of this General
  Public License.

  d) You may charge a fee for the physical act of transferring a
  copy, and you may at your option offer warranty protection in
  exchange for a fee.

Mere aggregation of another independent work with the Program (or its
derivative) on a volume of a storage or distribution medium does not bring
the other work under the scope of these terms.

 3. You may copy and distribute the Program (or a portion or derivative of
it, under Paragraph 2) in object code or executable form under the terms of
Paragraphs 1 and 2 above provided that you also do one of the following:

  a) accompany it with the complete corresponding machine-readable
  source code, which must be distributed under the terms of
  Paragraphs 1 and 2 above; or,

  b) accompany it with a written offer, valid for at least three
  years, to give any third party free (except for a nominal charge
  for the cost of distribution) a complete machine-readable copy of the
  corresponding source code, to be distributed under the terms of
  Paragraphs 1 and 2 above; or,

  c) accompany it with the information you received as to where the
  corresponding source code may be obtained. (This alternative is
  allowed only for noncommercial distribution and only if you
  received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making
modifications to it. For an executable file, complete source code means
all the source code for all modules it contains; but, as a special
exception, it need not include source code for modules which are standard
libraries that accompany the operating system on which the executable
file runs, or for standard header files or definitions files that
accompany that operating system.

 4. You may not copy, modify, sublicense, distribute or transfer the
Program except as expressly provided under this General Public License.

Any attempt otherwise to copy, modify, sublicense, distribute or transfer
the Program is void, and will automatically terminate your rights to use
the Program under this License. However, parties who have received
copies, or rights to use copies, from you under this General Public
License will not have their licenses terminated so long as such parties
remain in full compliance.

  5. By copying, distributing or modifying the Program (or any work based
on the Program) you indicate your acceptance of this license to do so,
and all its terms and conditions.

  6. Each time you redistribute the Program (or any work based on the
Program), the recipient automatically receives a license from the original
licensor to copy, distribute or modify the Program subject to these
terms and conditions. You may not impose any further restrictions on the
recipients' exercise of the rights granted herein.

  7. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of the license which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
the license, you may choose any version ever published by the Free Software
Foundation.

  8. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

                NO WARRANTY

  9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,

REPAIR OR CORRECTION.

 10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to humanity, the best way to achieve this is to make it
free software which everyone can redistribute and change under these
terms.

 To do so, attach the following notices to the program. It is safest to
attach them to the start of each source file to most effectively convey
the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) 19yy <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 1, or (at your option)
    any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program; if not, write to the Free Software
    Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) 19xx name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the
appropriate parts of the General Public License. Of course, the
commands you use may be called something other than `show w' and `show
c'; they could even be mouse-clicks or menu items--whatever suits your
program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the
 program `Gnomovision' (a program to direct compilers to make passes
 at assemblers) written by James Hacker.

 <signature of Ty Coon>, 1 April 1989
 Ty Coon, President of Vice

That's all there is to it!
/*   doio.c
 *
 *   Copyright (C) 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000,
 *   2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008 by Larry Wall and others
 *
 *   You may distribute under the terms of either the GNU General Public
 *   License or the Artistic License, as specified in the README file.
 *
 */

                    The "Artistic License"

                       Preamble

The intent of this document is to state the conditions under which a
Package may be copied, such that the Copyright Holder maintains some
semblance of artistic control over the development of the package,
while giving the users of the package the right to use and distribute
the Package in a more-or-less customary fashion, plus the right to make
reasonable modifications.

Definitions:

"Package" refers to the collection of files distributed by the
Copyright Holder, and derivatives of that collection of files
created through textual modification.

"Standard Version" refers to such a Package if it has not been
modified, or has been modified in accordance with the wishes
of the Copyright Holder as specified below.

"Copyright Holder" is whoever is named in the copyright or
copyrights for the package.

"You" is you, if you're thinking about copying or distributing
this Package.

"Reasonable copying fee" is whatever you can justify on the
basis of media cost, duplication charges, time of people involved,
and so on. (You will not be required to justify it to the
Copyright Holder, but only to the computing community at large
as a market that must bear the fee.)

"Freely Available" means that no fee is charged for the item
itself, though there may be fees involved in handling the item.
It also means that recipients of the item may redistribute it
under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the
Standard Version of this Package without restriction, provided that you
duplicate all of the original copyright notices and associated disclaimers.

2. You may apply bug fixes, portability fixes and other modifications
derived from the Public Domain or from the Copyright Holder. A Package
modified in such a way shall still be considered the Standard Version.

3. You may otherwise modify your copy of this Package in any way, provided
that you insert a prominent notice in each changed file stating how and
when you changed that file, and provided that you do at least ONE of the
following:

  a) place your modifications in the Public Domain or otherwise make them
  Freely Available, such as by posting said modifications to Usenet or
  an equivalent medium, or placing the modifications on a major archive
  site such as uunet.uu.net, or by allowing the Copyright Holder to include
  your modifications in the Standard Version of the Package.

  b) use the modified Package only within your corporation or organization.

c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:

a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.

b) accompany the distribution with the machine-readable source of the Package with your modifications.

c) give non-standard executables non-standard names, and clearly document the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own. You may embed this Package's interpreter within an executable of yours (by linking); this shall be construed as a mere form of aggregation, provided that the complete Standard Version of the interpreter is so embedded.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whoever generated them, and may be sold commercially, and may be aggregated with this Package. If such scripts or library files are aggregated with this Package via the so-called "undump" or "unexec" methods of producing a binary executable image, then distribution of such an image shall neither be construed as a distribution of this Package nor shall it fall under the restrictions of Paragraphs 3 and 4, provided that you do not represent such an executable image as a Standard Version of this Package.

7. C subroutines (or comparably compiled subroutines in other languages) supplied by you and linked into this Package in order to

emulate subroutines and variables of the language defined by this
Package shall not be considered part of this Package, but are the
equivalent of input as in Paragraph 6, provided these subroutines do
not change the language in any way that would cause it to fail the
regression tests for the language.

8. Aggregation of this Package with a commercial distribution is always
permitted provided that the use of this Package is embedded; that is,
when no overt attempt is made to make this Package's interfaces visible
to the end user of the commercial distribution. Such use shall not be
construed as a distribution of this Package.

9. The name of the Copyright Holder may not be used to endorse or promote
products derived from this software without specific prior written permission.

10. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

                    The End
To give due honour to those who have made Perl 5 what it is today,
here are easily-from-changelogs-extractable people and their
(hopefully) current and preferred email addresses from the commits.
These people have either submitted patches or suggestions, or their bug
reports or comments have inspired the appropriate patches. Corrections,
additions, deletions welcome; send them to perlbug@perl.org, preferably
as the output of diff(1), diff -u or diff -c between the original and a
corrected version of this file.
#
The use of this database for anything else than Perl development
is strictly forbidden. (Passive distribution with the Perl source
code kit is, of course, allowed.)
#
This should contain the preferred addresses. Alternate addresses are in
Porting/checkAUTHORS.pl.
#
After editing, please run: make test_porting
--
A. C. Yardley   <yardley@tanet.net>
A. Sinan Unur   <nanis@cpan.org>
Aaron B. Dossett <aaron@iglou.com>
Aaron Crane   <arc@cpan.org>
Aaron J. Mackey   <ajm6q@virginia.edu>
Aaron Priven   <aaron@priven.com>
Aaron Trevena   <aaaron.trevena@gmail.com>
Abe Timmerman   <abe@ztreet.demon.nl>
Abhijit Menon-Sen <ams@toroid.org>
Abigail   <abigail@abigail.be>

Abir Viqar   <abiviq@hushmail.com>

Achim Bohnet   <ach@mpe.mpg.de>

Achim Gratz   <achim.gratz@stromeko.de>

Adam Flott   <adam@npjh.com>

Adam Kennedy   <adam@ali.as>

Adam Krolnik   <adamk@gypsy.cyrix.com>

Adam Milner   <carmiac@nmt.edu>

Adam Russell   <arussell@cs.uml.edu>

Adam Spiers

Adrian M. Enache   <enache@rdslink.ro>

Adriano Ferreira   <a.r.ferreira@gmail.com>

Akim Demaille   <akim@epita.fr>

Alain Barbet   <alian@cpan.org>

Alan Burlison   <Alan.Burlison@uk.sun.com>

Alan Champion   <achampio@lehman.com>

Alan Ferrency   <alan@pair.com>

Alan Grover   <awgrover@gmail.com>

Alan Grow   <agrow@thegotonerd.com>

Alan Haggai Alavi   <haggai@cpan.org>

Alan Harder   <Alan.Harder@Ebay.Sun.COM>

Alan Hourihane   <alanh@fairlite.co.uk>

Alan Modra

Alastair Douglas   <alastair.douglas@gmail.com>

Albert Chin-A-Young   <china@thewrittenword.com>

Albert Dvornik   <bert@alum.mit.edu>

Alberto Simões   <ambs@cpan.org>

Alessandro Forghieri   <alf@orion.it>

Alex Davies   <adavies@ptc.com>

Alex Gough   <alex@rcon.org>

Alex Solovey   <a.solovey@gmail.com>

Alex Vandiver   <alexmv@mit.edu>

Alex Waugh   <alex@alexwaugh.com>

Alexander Alekseev   <alex@alemate.ru>

Alexander Bluhm   <alexander_bluhm@genua.de>

Alexander D'Archangel   <darksuji@gmail.com>

Alexander Gernler   <alexander_gernler@genua.de>

Alexander Gough   <alex-p5p@earth.li>

Alexander Hartmaier   <abraxxa@cpan.org>

Alexander Klimov   <ask@wisdom.weizmann.ac.il>

Alexander Smishlajev   <als@turnhere.com>

Alexander Voronov   <alexander-voronov@yandex.ru>

Alexandr Ciornii   <alexchorny@gmail.com>

Alexandr Savca   <alexandr.savca89@gmail.com>

Alexandre (Midnite) Jousset <mid@gtmp.org>

Alexei Alexandrov   <alexei.alexandrov@gmail.com>

Alexey Mahotkin   <alexm@netli.com>

Alexey Toptygin   <alexeyt@freeshell.org>

Alexey Tourbin   <at@altlinux.ru>

Alexey V. Barantsev <barancev@kazbek.ispras.ru>

Ali Polatel <alip@exherbo.org>

Allen Smith <allens@cpan.org>

Ambrose Kofi Laing

Ammon Riley <ammon@rhythm.com>

Ananth Kesari <HYanantha@novell.com>

Anders Johnson <ajohnson@nvidia.com>

Andreas Guðmundsson <andreasg@nasarde.org>

Andreas Karrer <karrer@ife.ee.ethz.ch>

Andreas Klussmann <andreas@infosys.heitec.de>

Andreas König <a.koenig@mind.de>

Andreas Marienborg <andreas.marienborg@gmail.com>

Andreas Schwab <schwab@suse.de>

Andreas Voegele <andreas@andreasvoegele.com>

Andrei Yelistratov <andrew@sundale.net>

Andrej Borsenkow <Andrej.Borsenkow@mow.siemens.ru>

Andrew Bettison <andrewb@zip.com.au>

Andrew Burt <aburt@isis.cs.du.edu>

Andrew Cohen <cohen@andy.bu.edu>

andrew deryabin <djsf@technarchy.ru>

Andrew Fresh <afresh1@openbsd.org>

Andrew Hamm <AHamm@civica.com.au>

Andrew M. Langmead <aml@world.std.com>

Andrew Pimlott <pimlott@idiomtech.com>

Andrew Rodland <arodland@cpan.org>

Andrew Savige <ajsavige@yahoo.com.au>

Andrew Tam <andrewtam000@gmail.com>

Andrew Vignaux <ajv@nz.sangacorp.com>

Andrew Wilcox <awilcox@maine.com>

Andrey Sapozhnikov <sapa@icb.chel.su>

Andy Armstrong <andy@hexten.net>

Andy Broad <andy@broad.ology.org.uk>

Andy Bussey <andybussey@yahoo.co.uk>

Andy Dougherty <doughera@lafayette.edu>

Andy Lester <andy@petdance.com>

Anno Siegel <anno4000@lublin.zrz.tu-berlin.de>

Anthony David <adavid@netinfo.com.au>

Anthony Heading <anthony@ajrh.net>

Anton Berezin <tobez@tobez.org>

Anton Nikishaev <me@lelf.lu>

Anton Tagunov <tagunov@motor.ru>

Archer Sully <archer@meer.net>

Aristotle Pagaltzis <pagaltzis@gmx.de>

Arjen Laarhoven <arjen@nl.demon.net>

Arkturuz <arkturuz@gmail.com>

Arne Ahrend <aahrend@web.de>

Arnold D. Robbins <arnold@gnu.ai.mit.edu>

Art Green <Art_Green@mercmarine.com>

Art Haas   <ahaas@airmail.net>

Arthur Axel 'fREW' Schmidt <frioux@gmail.com>

Artiom Morozov   <artiom@phreaker.net>

Artur Bergman   <artur@contiller.se>

Arvan   <apritchard@zeus.com>

Ash Berlin   <ash@cpan.org>

Ask Bjørn Hansen <ask@develooper.com>

Audrey Tang   <cpan@audreyt.org>

Augustina Blair   <auggy@cpan.org>

Axel Boldt

Barrie Slaymaker   <barries@slaysys.com>

Barry Friedman

Bart Kedryna   <bkedryna@home.com>

Bas van Sisseren   <bas@quarantainenet.nl>

Beau Cox

Ben Carter   <bcarter@gumdrop.flyinganvil.org>

Ben Hengst   <notbenh@cpan.org>

Ben Morrow   <ben@morrow.me.uk>

Ben Okopnik   <ben@linuxgazette.net>

Ben Tilly   <ben_tilly@operamail.com>

Benjamin Goldberg   <goldbb2@earthlink.net>

Benjamin Holzman   <bah@ecnvantage.com>

Benjamin Low   <b.d.low@unsw.edu.au>

Benjamin Smith   <bsmith@cabbage.org.uk>

Benjamin Stuhl   <sho_pi@hotmail.com>

Benjamin Sugars   <bsugars@canoe.ca>

Bernard Quatermass   <bernard@quatermass.co.uk>

Bill Campbell   <bill@celestial.com>

Bill Glicker   <billg@burrelles.com>

Billy Constantine <wdconsta@cs.adelaide.edu.au>

Blair Zajac   <blair@orcaware.com>

Bo Borgerson   <gigabo@gmail.com>

Bo Johansson   <bo.johansso@lsn.se>

Bo Lindbergh   <blgl@stacken.kth.se>

Bob Dalgleish   <Robert.Dalgleish@sk.sympatico.ca>

Bob Ernst   <bobernst@cpan.org>

Bob Wilkinson   <bob@fourtheye.org>

Boris Ratner   <ratner2@gmail.com>

Boris Zentner   <bzm@2bz.de>

Boyd Gerber   <gerberb@zenez.com>

Brad Appleton   <bradapp@enteract.com>

Brad Gilbert   <b2gills@gmail.com>

Brad Howerter   <bhower@wgc.woodward.com>

Brad Hughes   <brad@tgsmc.com>

Brad Lanam   <bll@gentoo.com>

Bradley Dean   <bjdean@bjdean.id.au>

Bram   <perl-rt@wizbit.be>

Brandon Black   <blblack@gmail.com>

Brendan Byrd   <BBYRD@CPAN.org>

Brendan O'Dea   <bod@debian.org>

Breno G. de Oliveira   <garu@cpan.org>

Brent B. Powers   <powers@ml.com>

Brent Dax   <brentdax@cpan.org>

Brian Callaghan   <callagh@itginc.com>

Brian Carlson   <brian.carlson@cpanel.net>

Brian Childs   <brian@rentec.com>

Brian Clarke   <clarke@appliedmeta.com>

brian d foy   <brian.d.foy@gmail.com>

Brian Fraser   <fraserbn@gmail.com>

Brian Gottreu   <gottreu@gmail.com>

Brian Greenfield   <briang@cpan.org>

Brian Grossman

Brian Harrison   <brie@corp.home.net>

Brian Jepson   <bjepson@oreilly.com>

Brian Katzung

Brian McCauley   <nobull@mail.com>

Brian Phillips   <bphillips@cpan.org>

Brian Reichert   <reichert@internet.com>

Brian S. Cashman   <bsc@umich.edu>

Brian Strand   <bstrand@switchmanagement.com>

Brooks D Boyd

Bruce Barnett   <barnett@grymoire.crd.ge.com>

Bruce J. Keeler   <bkeelerx@iwa.dp.intel.com>

Bruce P. Schuck   <bruce@aps.org>

Bud Huff   <BAHUFF@us.oracle.com>

Byron Brummer   <byron@omix.com>

C Aditya   <caditya@novell.com>

Calle Dybedahl   <calle@lysator.liu.se>

Campo Weijerman   <rfc822@nl.ibm.com>

Carl Eklof   <CEklof@endeca.com>

Carl Hayter   <hayter@usc.edu>

Carl M. Fongheiser   <cmf@ins.infonet.net>

Carl Witty   <cwitty@newtonlabs.com>

Cary D. Renzema   <caryr@mxim.com>

Casey R. Tweten   <crt@kiski.net>

Casey West   <casey@geeknest.com>

Castor Fu

Chad Granum   <chad.granum@dreamhost.com>

Chaim Frenkel   <chaimf@pobox.com>

Charles Bailey   <bailey@newman.upenn.edu>

Charles F. Randall   <crandall@free.click-n-call.com>

Charles Lane   <lane@DUPHY4.Physics.Drexel.Edu>

Charles Randall   <cfriv@yahoo.com>

Charles Wilson   <cwilson@ece.gatech.edu>

Charlie Gonzalez   <itcharlie@gmail.com>

Chas. Owens   <chas.owens@gmail.com>

Chase Whitener   <cwhitener@gmail.com>

Chaskiel M Grundman

Chia-liang Kao   <clkao@clkao.org>

Chip Salzenberg   <chip@pobox.com>

Chip Turner   <cturner@redhat.com>

chocolateboy   <chocolateboy@chocolatey.com>

Chris Ball   <chris@cpan.org>

Chris 'BinGOs' Williams   <chris@bingosnet.co.uk>

Chris Bongaarts   <cab@tc.umn.edu>

Chris Dolan   <chris@chrisdolan.net>

Chris Faylor   <cgf@bbc.com>

Chris Heath   <chris@heathens.co.nz>

Chris Lamb   <lamby@debian.org>

Chris Lightfoot   <chris@ex-parrot.com>

Chris Nandor   <pudge@pobox.com>

Chris Pepper

Chris R. Donnelly   <chris.donnelly@vauto.com>

Chris Travers   <chris.travers@gmail.com>

Chris Tubutis   <chris@broadband.att.com>

Chris Wick   <cwick@lmc.com>

Chris Williams   <chrisw@netinfo.com.au>

Christian Burger   <burger@terra.mpikg-teltow.mpg.de>

Christian Hansen   <chansen@cpan.org>

Christian Kirsch   <ck@held.mind.de>

Christian Millour   <cm.perl@abtela.com>

Christian Winter   <bitpoet@linux-config.de>

Christoph Lamprecht   <ch.l.ngre@online.de>

Christophe Grosjean   <christophe.grosjean@gmail.com>

Christopher Chavez   <chrischavez@gmx.us>

Christopher Chan-Nui   <channui@austin.ibm.com>

Christopher Davis   <ckd@loiosh.kei.com>

Christopher J. Madsen   <perl@cjmweb.net>

chromatic   <chromatic@wgz.org>

Chuck Phillips   <perl@cadop.com>

Chun Bing Ge   <gecb@cn.ibm.com>

Chunhui Teng   <cteng@nortel.ca>

Claes Jacobsson   <claes@surfar.nu>

Clark Cooper   <coopercc@netheaven.com>

Claudio Ramirez   <nxadm@cpan.org>

Clinton A. Pierce   <clintp@geeksalad.org>

Colin Kuskie   <ckuskie@cadence.com>

Colin McMillen   <mcmi0073@tc.umn.edu>

Colin Meyer   <cmeyer@helvella.org>

Colin Newell   <colin.newell@gmail.com>

Colin Watson   <colinw@zeus.com>

Conrad Augustin

Conrad E. Kimball   <cek@tblv021.ca.boeing.com>

Craig A. Berry   <craigberry@mac.com>

Craig DeForest <zowie@euterpe.boulder.swri.edu>

Craig Milo Rogers <Rogers@ISI.EDU>

Curtis Jewell <perl@csjewell.fastmail.us>

Curtis Poe <cp@onsitetech.com>

Dabrien 'Dabe' Murphy <dabe@dabe.com>

Dagfinn Ilmari Mannsåker <ilmari@ilmari.org>

Dale Amon <amon@vnl.com>

Damian Conway <damian@conway.org>

Damon Atkins <Damon.Atkins@nabaus.com.au>

Dan Book <grinnz@grinnz.com>

Dan Boorstein <dan_boo@bellsouth.net>

Dan Brook <dbrook@easyspace.com>

Dan Collins <dcollinsn@gmail.com>

Dan Dascalescu <bigbang7@gmail.com>

Dan Dedrick <ddedrick@lexmark.com>

Dan Hale <danhale@us.ibm.com>

Dan Jacobson <jidanni@jidanni.org>

Dan Kogai <dankogai@dan.co.jp>

Dan Schmidt <dfan@harmonixmusic.com>

Dan Sugalski <dan@sidhe.org>

Daniel Berger <djberg86@attbi.com>

Daniel Chetlin <daniel@chetlin.com>

Daniel Dragan <bulk88@hotmail.com>

Daniel Frederick Crisman <daniel@crisman.org>

Daniel Grisinger <dgris@dimensional.com>

Daniel Kahn Gillmor <dkg@fifthhorseman.net>

Daniel Lieberman <daniel@bitpusher.com>

Daniel Muiño <dmuino@afip.gov.ar>

Daniel P. Berrange <dan@berrange.com>

Daniel Perrett <perrettdl@googlemail.com>

Daniel S. Lewart <lewart@uiuc.edu>

Daniel Yacob <perl@geez.org>

Danny R. Faught <faught@mailhost.rsn.hp.com>

Danny Sadinoff <danny-cpan@sadinoff.com>

Darin McBride <dmcbride@cpan.org>

Darrell Kindred <dkindred+@cmu.edu>

Darrell Schiebel <drs@nrao.edu>

Darren/Torin/Who Ever... <torin@daft.com>

Dave Bianchi

Dave Cross <dave@mag-sol.com>

Dave Hartnoll <Dave_Hartnoll@3b2.com>

Dave Liney <dave.liney@gbr.conoco.com>

Dave Nelson <David.Nelson@bellcow.com>

Dave Paris

Dave Rolsky <autarch@urth.org>

Dave Schweisguth <dcs@neutron.chem.yale.edu>

Dave Shariff Yadallee <doctor@doctor.nl2k.ab.ca>

David Billinghurst <David.Billinghurst@riotinto.com.au>

David Caldwell   <david@porkrind.org>

David Campbell

David Cannings   <lists@edeca.net>

David Cantrell   <david@cantrell.org.uk>

David Couture

David D. Kilzer   <ddkilzer@lubricants-oil.com>

David Denholm   <denholm@conmat.phys.soton.ac.uk>

David Dyck   <david.dyck@fluke.com>

David F. Haertig   <dfh@dwroll.lucent.com>

David Favor   <david@davidfavor.com>

David Feldman   <david.feldman@tudor.com>

David Fifield   <david@bamsoftware.com>

David Filo

David Formosa   <dformosa@dformosa.zeta.org.au>

David Gay   <dgay@acm.org>

David Glasser   <me@davidglasser.net>

David Golden   <dagolden@cpan.org>

David H. Adler   <dha@panix.com>

David H. Gutteridge   <dhgutteridge@sympatico.ca>

David Hammen   <hammen@gothamcity.jsc.nasa.gov>

David J. Fiander   <davidf@mks.com>

David Kerry   <davidk@tor.securecomputing.com>

David Landgren   <david@landgren.net>

David Leadbeater   <dgl@dgl.cx>

David M. Syzdek   <david@syzdek.net>

David Manura   <dm.list@math2.org>

David McLean   <davem@icc.gsfc.nasa.gov>

David Mitchell   <davem@iabyn.nospamdeletethisbit.com>

David Muir Sharnoff   <muir@idiom.com>

David Nicol   <whatever@davidnicol.com>

David R. Favor   <dfavor@austin.ibm.com>

David Sparks   <daves@ca.sophos.com>

David Starks-Browning   <dstarks@rc.tudelft.nl>

David Steinbrunner   <dsteinbrunner@pobox.com>

David Sundstrom   <sunds@asictest.sc.ti.com>

David Wheeler   <david@justatheory.com>

Davin Milun   <milun@cs.Buffalo.EDU>

Dean Roehrich   <roehrich@cray.com>

Dee Newcum   <perl.org@paperlined.org>

deekoo   <deekoo@tentacle.net>

Dennis Kaarsemaker   <dennis@booking.com>

Dennis Marsa   <dennism@cyrix.com>

Devin Heitmueller   <devin.heitmueller@gmail.com>

DH   <crazyinsomniac@yahoo.com>

Diab Jerius   <dj@head-cfa.harvard.edu>

dLux   <dlux@spam.sch.bme.hu>

Dmitri Tikhonov   <dmitri@cpan.org>

Dmitry Karasik   <dk@tetsuo.karasik.eu.org>

Dmitry Ulanov   <zprogd@gmail.com>

Dominic Dunlop   <domo@computer.org>

Dominic Hargreaves   <dom@earth.li>

Dominique Dumont   <Dominique_Dumont@grenoble.hp.com>

Dominique Quatravaux

Doug Bell   <madcityzen@gmail.com>

Doug Campbell   <soup@ampersand.com>

Doug MacEachern   <dougm@covalent.net>

Douglas Christopher Wilson <doug@somethingdoug.com>

Douglas E. Wegscheid   <dwegscheid@qtm.net>

Douglas Lankshear   <doug@lankshear.net>

Douglas Wilson   <dougw@cpan.org>

Dov Grobgeld   <dov@Orbotech.Co.IL>

Dr.Ruud   <rvtol+news@isolution.nl>

Drago Goricanec   <drago@raptor.otsd.ts.fujitsu.co.jp>

Drew Stephens   <drewgstephens@gmail.com>

Duke Leto   <jonathan@leto.net>

Duncan Findlay   <duncf@debian.org>

E. Choroba   <choroba@cpan.org>

Ed Avis   <eda@waniasset.com>

Ed J   <etj@cpan.org>

Ed Mooring   <mooring@Lynx.COM>

Ed Santiago   <esm@pobox.com>

Eddy Tan   <eddy.net@gmail.com>

Edgar Bering   <trizor@gmail.com>

Edmund Bacon

Edward Avis   <ed@membled.com>

Edward Moy   <emoy@apple.com>

Edward Peschko   <edwardp@excitehome.net>

Elaine -HFB- Ashton   <elaine@chaos.wustl.edu>

Elizabeth Mattijsen   <liz@dijkmat.nl>

Enrico Sorcinelli   <bepi@perl.it>

Eric Amick

Eric Arnold   <eric.arnold@sun.com>

Eric Bartley   <bartley@icd.cc.purdue.edu>

Eric Brine   <ikegami@adaelis.com>

Eric E. Coe   <Eric.Coe@oracle.com>

Eric Fifer   <egf7@columbia.edu>

Eric Herman   <eric@freesa.org>

Eric Melville

Eric Promislow   <ericp@ActiveState.com>

Erich Rickheit

Eryq   <eryq@zeegee.com>

Etienne Grossman   <etienne@isr.isr.ist.utl.pt>

Eugen Konkov   <kes-kes@yandex.ru>

Eugene Alterman   <Eugene.Alterman@bremer-inc.com>

Evan Miller   <eam@frap.net>

Evan Zacks   <zackse@cpan.org>

Fabien Tassin <tassin@eerie.fr>

Father Chrysostomos <sprout@cpan.org>

Felipe Gasper <felipe@felipegasper.com>

Felix Gallo <fgallo@etoys.com>

Fergal Daly <fergal@esatclear.ie>

Fingle Nark <finglenark@gmail.com>

Florent Guillaume

Florian Ragwitz <rafl@debian.org>

François Désarménien <desar@club-internet.fr>

François Perrad <francois.perrad@gadz.org>

Frank Crawford

Frank Ridderbusch <Frank.Ridderbusch@pdb.siemens.de>

Frank Tobin <ftobin@uiuc.edu>

Frank Wiegand <frank.wiegand@gmail.com>

Franklin Chen <chen@adi.com>

Franz Fasching <perldev@drfasching.com>

Frederic Briere <fbriere@fbriere.net>

Fréderic Chauveau <fmc@pasteur.fr>

Fyodor Krasnov <fyodor@aha.ru>

G. Del Merritt <del@intranetics.com>

Gabe Schaffer

Gabor Szabo <szabgab@gmail.com>

Garry T. Williams <garry@zvolve.com>

Gary Clark <GaryC@mail.jeld-wen.com>

Gary L. Armstrong

Gary Ng <71564.1743@compuserve.com>

Gavin Shelley <columbusmonkey@me.com>

Gene Sullivan <genesullivan50@yahoo.com>

Geoffrey F. Green <geoff-public@stuebegreen.com>

Geoffrey T. Dairiki <dairiki@dairiki.org>

Georg Schwarz <geos@epost.de>

George Greer <perl@greerga.m-l.org>

George Hartzell <georgewh@gene.com>

George Necula <necula@eecs.berkeley.edu>

Geraint A Edwards <gedge@serf.org>

Gerard Goossen <gerard@ggoossen.net>

Gerben Wierda <G.C.Th.Wierda@AWT.nl>

Gerd Knops <gerti@BITart.com>

Gerrit P. Haase <gp@familiehaase.de>

Gideon Israel Dsouza <gideon@cpan.org>

Giles Lean <giles@nemeton.com.au>

Gisle Aas <gisle@aas.no>

Glenn D. Golden <gdg@zplane.com>

Glenn Linderman <perl@nevcal.com>

Gordon J. Miller <gjm@cray.com>

Gordon Lack <gml4410@ggr.co.uk>

Goro Fuji <gfuji@cpan.org>

Grace Lee <grace@hal.com>

Graham Barr   <gbarr@pobox.com>

Graham Knop   <haarg@haarg.org>

Graham TerMarsch   <graham@howlingfrog.com>

Grant McLean   <grantm@cpan.org>

Greg Bacon   <gbacon@itsc.uah.edu>

Greg Chapman   <glc@well.com>

Greg Earle

Greg Kuperberg

Greg Matheson   <lang@ms.chinmin.edu.tw>

Greg Seibert   <seibert@Lynx.COM>

Greg Ward   <gward@ase.com>

Gregor Chrupala   <gregor.chrupala@star-group.net>

gregor herrmann   <gregoa@debian.org>

Gregory Martin Pfeil   <pfeilgm@technomadic.org>

Guenter Schmidt   <gsc@bruker.de>

Guido Flohr   <guido@imperia.net>

Guruprasad S   <SGURUPRASAD@novell.com>

Gurusamy Sarathy   <gsar@cpan.org>

Gustaf Neumann

Guy Decoux   <decoux@moulon.inra.fr>

Gwyn Judd   <b.judd@xtra.co.nz>

H.J. Lu   <hjl@nynexst.com>

H.Merijn Brand   <h.m.brand@xs4all.nl>

Hal Morris   <hom00@utsglobal.com>

Hal Pomeranz   <pomeranz@netcom.com>

Hallvard B Furuseth   <h.b.furuseth@usit.uio.no>

Hannu Napari   <Hannu.Napari@hut.fi>

Hans de Graaff   <J.J.deGraaff@twi.tudelft.nl>

Hans Dieter Pearcey   <hdp@pobox.com>

Hans Ginzel   <hans@kolej.mff.cuni.cz>

Hans Mulder   <hansmu@xs4all.nl>

Hans Ranke   <Hans.Ranke@ei.tum.de>

Harald Jörg   <Harald.Joerg@arcor.de>

Harmen   <harm@dds.nl>

Harmon S. Nine   <hnine@netarx.com>

Harri Pasanen   <harri.pasanen@trema.com>

Harry Edmon   <harry@atmos.washington.edu>

Hauke D   <haukex@zero-g.net>

Heiko Eissfeldt   <heiko.eissfeldt@hexco.de>

Helmut Jarausch   <jarausch@numa1.igpm.rwth-aachen.de>

Henrik Tougaard   <ht.000@foa.dk>

Herbert Breunung   <lichtkind@cpan.org>

Hernan Perez Masci   <hmasci@uolsinectis.com.ar>

Hershel Walters   <walters@smd4d.wes.army.mil>

Hio   <hio@hio.jp>

Hiroo Hayashi   <hiroo.hayashi@computer.org>

Hojung Youn   <amoc.yn@gmail.com>

Holger Bechtold

Hongwen Qiu   <qiuhongwen@gmail.com>

Horst von Brand   <vonbrand@sleipnir.valparaiso.cl>

Hrunting Jonhson

Hubert Feyrer   <hubert.feyrer@informatik.fh-regensburg.de>

Hugo van der Sanden   <hv@crypt.org>

Hunter Kelly   <retnuh@zule.pixar.com>

Huw Rogers   <count0@gremlin.straylight.co.jp>

Iain Truskett

Ian Goodacre   <ian.goodacre@xtra.co.nz>

Ian Maloney   <ian.malonet@ubs.com>

Ian Phillipps   <Ian.Phillipps@iname.com>

Ignasi Roca Carrió   <ignasi.roca@fujitsu-siemens.com>

Igor Sutton   <izut@cpan.org>

Igor Zaytsev   <igor.zaytsev@gmail.com>

Ilmari Karonen   <iltzu@sci.fi>

Ilya Martynov   <ilya@martynov.org>

Ilya N. Golubev   <gin@mo.msk.ru>

Ilya Sandler   <Ilya.Sandler@etak.com>

Ilya Zakharevich   <ilya@math.berkeley.edu>

Inaba Hiroto   <inaba@st.rim.or.jp>

Indy Singh   <indy@nusphere.com>

Ingo Weinhold   <ingo_weinhold@gmx.de>

Ingy döt Net   <ingy@ttul.org>

insecure   <insecure@mail.od.ua>

Irving Reid   <irving@tor.securecomputing.com>

Ivan Kurmanov   <kurmanov@openlib.org>

Ivan Pozdeev   <vano@mail.mipt.ru>

Ivan Tubert-Brohman   <itub@cpan.org>

J. David Blackstone   <jdb@dfwnet.sbms.sbc.com>

J. Nick Koston   <nick@cpanel.net>

J. van Krieken   <John.van.Krieken@ATComputing.nl>

Jacinta Richardson   <jarich@perltraining.com.au>

Jack Shirazi   <JackS@GemStone.com>

Jacques Germishuys   <jacquesg@striata.com>

Jacqui Caren   <Jacqui.Caren@ig.co.uk>

Jake Hamby   <jehamby@lightside.com>

Jakub Wilk   <jwilk@jwilk.net>

James   <james@rf.net>

James A. Duncan   <jduncan@fotango.com>

James Clarke   <jrtc27@jrtc27.com>

James E Keenan   <jkeenan@cpan.org>

James FitzGibbon   <james@ican.net>

James Jurach   <muaddib@erf.net>

James Mastros   <james@mastros.biz>

James McCoy   <vega.james@gmail.com>

James Raspass   <jraspass@gmail.com>

Jamshid Afshar

Jan D.   <jan.djarv@mbox200.swipnet.se>

Jan Dubois   <jan@jandubois.com>

Jan Pazdziora   <adelton@fi.muni.cz>

Jan Starzynski   <jan@planet.de>

Jan-Erik Karlsson   <trg@privat.utfors.se>

Jan-Pieter Cornet   <johnpc@xs4all.nl>

Jared Rhine   <jared@organic.com>

Jari Aalto   <jari.aalto@poboxes.com>

Jarkko Hietaniemi   <jhi@iki.fi>

Jasmine Ahuja   <jasmine.ahuja11@gmail.com>

Jasmine Ngan   <jasmine.ngan@outlook.com>

Jason A. Smith   <smithj4@rpi.edu>

Jason E. Stewart   <jason@openinformatics.com>

Jason Shirk

Jason Stewart   <jasons@cs.unm.edu>

Jason Varsoke   <jjv@caesun10.msd.ray.com>

Jay Hannah   <jhannah@mutationgrid.com>

Jay Rogers   <jay@rgrs.com>

JD Laub   <jdl@access-health.com>

Jeff Bouis

Jeff McDougal   <jmcdo@cris.com>

Jeff Okamoto   <okamoto@corp.hp.com>

Jeff Pinyan   <japhy@pobox.com>

Jeff Siegal   <jbs@eddie.mit.edu>

Jeff Urlwin   <jurlwin@access.digex.net>

Jeffrey Friedl   <jfriedl@regex.info>

Jeffrey S. Haemer   <jsh@woodcock.boulder.qms.com>

Jens Hamisch   <jens@Strawberry.COM>

Jens Stavnstrup   <js@ddre.dk>

Jens T. Berger Thielemann <jensthi@ifi.uio.no>

Jens Thomsen   <jens@fiend.cis.com>

Jens-Uwe Mager   <jum@helios.de>

Jeremy D. Zawodny   <jeremy@zawodny.com>

Jeremy H. Brown   <jhbrown@ai.mit.edu>

Jeremy Madea   <jmadea@inktomi.com>

Jerome Abela   <abela@hsc.fr>

Jerrad Pierce   <belg4mit@MIT.EDU>

Jerry D. Hedden   <jdhedden@cpan.org>

Jess Robinson   <castaway@desert-island.me.uk>

Jesse Glick   <jesse@sig.bsh.com>

Jesse Luehrs   <doy@tozt.net>

Jesse Vincent   <jesse@fsck.com>

Jesús Quiroga   <jquiroga@pobox.com>

Jilles Tjoelker   <jilles@stack.nl>

Jim Anderson   <jander@ml.com>

Jim Avera   <avera@hal.com>

Jim Balter

Jim Cromie   <jcromie@cpan.org>

Jim Meyering   <meyering@asic.sc.ti.com>

Jim Miner   <jfm@winternet.com>

Jim Richardson

Jim Schneider   <james.schneider@db.com>

Jirka Hruška   <jirka@fud.cz>

Joachim Huober

Joaquin Ferrero   <explorer@joaquinferrero.com>

Jochen Wiedmann   <joe@ispsoft.de>

Jody Belka   <dev-perl@pimb.org>

Joe Buehler   <jbuehler@hekimian.com>

Joe McMahon   <mcmahon@ibiblio.org>

Joe Orton   <jorton@redhat.com>

Joe Schaefer   <joe+perl@sunstarsys.com>

Joe Smith   <jsmith@inwap.com>

Joel Berger   <joel.a.berger@gmail.com>

Joel Rosi-Schwartz   <j.schwartz@agonet.it>

Joerg Porath   <Joerg.Porath@informatik.tu-chemnitz.de>

Joergen Haegg

Johan Holtman

Johan Vromans   <jvromans@squirrel.nl>

Johann Klasek   <jk@auto.tuwien.ac.at>

Johann 'Myrkraverk' Oskarsson   <johann@myrkraverk.com>

Johannes Plunien   <plu@pqpq.de>

John Bley   <jbb6@acpub.duke.edu>

John Borwick   <jhborwic@unity.ncsu.edu>

John Cerney   <j-cerney1@ti.com>

John D Groenveld   <groenvel@cse.psu.edu>

John E. Malmberg   <wb8tyw@qsl.net>

John Gardiner Myers   <jgmyers@proofpoint.com>

John Goodyear   <johngood@us.ibm.com>

John Hasstedt   <John.Hasstedt@sunysb.edu>

John Hawkinson   <jhawk@mit.edu>

John Heidemann   <johnh@isi.edu>

John Holdsworth   <coldwave@bigfoot.com>

John Hughes   <john@AtlanTech.COM>

John Kristian   <jmk2001@engineer.com>

John L. Allen   <allen@grumman.com>

John Lightsey   <jd@cpanel.net>

John Macdonald   <jmm@revenge.elegant.com>

John Malmberg   <wb8tyw@gmail.com>

John Nolan   <jpnolan@Op.Net>

John P. Linderman   <jpl.jpl@gmail.com>

John Peacock   <jpeacock@messagesystems.com>

John Pfuntner   <pfuntner@vnet.ibm.com>

John Poltorak   <jp@eyup.org>

John Q. Linux   <jql@accessone.com>

John Redford   <jmr@whirlwind.fmr.com>

John Rowe

John Salinas   <jsalinas@cray.com>

John SJ Anderson <genehack@genehack.org>

John Stoffel <jfs@fluent.com>

John Stumbles <jstumbles@bluearc.com>

John Tobey <jtobey@john-edwin-tobey.org>

John Wright <john@johnwright.org>

Johnny Lam <jlam@jgrind.org>

Jon Eveland <jweveland@yahoo.com>

Jon Gunnip <jongunnip@hotmail.com>

Jon Orwant <orwant@oreilly.com>

Jonathan Biggar <jon@sems.com>

Jonathan D Johnston <jdjohnston2@juno.com>

Jonathan Fine <jfine@borders.com>

Jonathan Hudson <jonathan.hudson@jrhudson.demon.co.uk>

Jonathan I. Kamens <jik@kamens.brookline.ma.us>

Jonathan Roy <roy@idle.com>

Jonathan Stowe <jns@integration-house.com>

Joost van Baal <J.E.vanBaal@uvt.nl>

Jörg Walter <jwalt@cpan.org>

Jos I. Boumans <kane@dwim.org>

Jose Auguste-Etienne <Jose.auguste-etienne@cgss-guyane.fr>

José Pedro Oliveira <jpo@di.uminho.pt>

Joseph N. Hall <joseph@cscaper.com>

Joseph S. Myers <jsm28@hermes.cam.ac.uk>

Joshua ben Jore <jjore@cpan.org>

Joshua Juran <jjuran@gmail.com>

Joshua Pritikin <joshua@paloalto.com>

Joshua Rodd <joshua@rodd.us>

JT McDuffie <jt@kpc.com>

Juan Gallego <Little.Boss@physics.mcgill.ca>

Juerd Waalboer <#####@juerd.nl>

Juha Laiho <juha.laiho@Elma.Net>

Julian Yip <julian@imoney.com>

juna <ggl.20.jj...@spamgourmet.com>

Jungshik Shin <jshin@mailaps.org>

Justin Banks <justinb@cray.com>

Ka-Ping Yee <kpyee@aw.sgi.com>

kafka <kafka@madrognon.net>

Kang-min Liu <gugod@gugod.org>

Kaoru Maeda <maeda@src.ricoh.co.jp>

Karen Etheridge <ether@cpan.org>

Karl Glazebrook <kgb@aaossz.aao.GOV.AU>

Karl Heuer <kwzh@gnu.org>

Karl Simon Berg <karl@it.kth.se>

Karl Williamson <khw@cpan.org>

Karsten Sperling <spiff@phreax.net>

Karthik Rajagopalan <rajagopa@pauline.schrodinger.com>

Kaveh Ghazi <ghazi@caip.rutgers.edu>

KAWAI Takanori <GCD00051@nifty.ne.jp>

Kay Röpke   <kroepke@dolphin-services.de>

Keedi Kim   <keedi@cpan.org>

Keith Neufeld   <neufeld@fast.pvi.org>

Keith Thompson   <Keith.S.Thompson@gmail.com>

Ken Brown   <kbrown@cornell.edu>

Ken Cotterill   <kencotterill@netspace.net.au>

Ken Estes   <estes@ms.com>

Ken Fox   <kfox@ford.com>

Ken Hirsch   <kenhirsch@ftml.net>

Ken MacLeod   <ken@bitsko.slc.ut.us>

Ken Neighbors

Ken Shan   <ken@digitas.harvard.edu>

Ken Williams   <ken@mathforum.org>

Kenichi Ishigaki   <ishigaki@cpan.org>

Kenneth Albanowski   <kjahds@kjahds.com>

Kenneth Duda   <kjd@cisco.com>

Kent Fredric   <kentfredric@gmail.com>

Keong Lim   <Keong.Lim@sr.com.au>

Kevin Brintnall   <kbrint@rufus.net>

Kevin Chase   <kevincha99@hotmail.com>

kevin dawson   <bowtie@cpan.org>

Kevin Falcone   <falcone@bestpractical.com>

Kevin J. Woolley   <kjw@pathillogical.com>

Kevin O'Gorman   <kevin.kosman@nrc.com>

Kevin Ruscoe   <Kevin.Ruscoe@ubsw.com>

Kevin Ryde   <user42@zip.com.au>

Kevin White   <klwhite@magnus.acs.ohio-state.edu>

Kim Frutiger

Kingpin   <mthurn@copper.dulles.tasc.com>

Kirrily Robert   <skud@infotrope.net>

Kiyotaka Sakai   <ksakai@netwk.ntt-at.co.jp>

kmx   <kmx@volny.cz>

Kragen Sitaker   <kragen@pobox.com>

Krishna Sethuraman   <krishna@sgi.com>

Kriton Kyrimis   <kyrimis@princeton.edu>

Kurt D. Starsinic   <kstar@wolfetech.com>

Kyriakos Georgiou

Lajos Veres   <vlajos@gmail.com>

Larry Parmelee   <parmelee@CS.Cornell.EDU>

Larry Schuler

Larry Schwimmer   <rosebud@cyclone.Stanford.EDU>

Larry Shatzer   <fugazi@zyx.net>

Larry W. Virden   <lvirden@cas.org>

Larry Wall   <larry@wall.org>

Lars D   <daxim@cpan.org>

Lars Hecking   <lhecking@nmrc.ucc.ie>

Larwan Berke   <apocal@cpan.org>

Laszlo Molnar   <laszlo.molnar@eth.ericsson.se>

Laurent Dami   <dami@cpan.org>

Leif Huhn   <leif@hale.dkstat.com>

Len Johnson   <lenjay@ibm.net>

Leo Lapworth   <leo@cuckoo.org>

Leon Brocard   <acme@astray.com>

Leon Timmermans   <fawaka@gmail.com>

Les Peters   <lpeters@aol.net>

Lesley Binks   <lesley.binks@gmail.com>

Lincoln D. Stein   <lstein@cshl.org>

Lionel Cons   <lionel.cons@cern.ch>

Louis Strous   <louis.strous@gmail.com>

Lubomir Rintel   <lkundrak@v3.sk>

Luc St-Louis   <luc.st-louis@ca.transport.bombardier.com>

Luca Fini

Lucas Holt   <luke@foolishgames.com>

Ludovic E. R. Tolhurst-Cleaver   <camel@ltcdev.com>

Lukas Mai   <l.mai@web.de>

Luke Closs   <lukec@cpan.org>

Luke Ross   <lukeross@gmail.com>

Lupe Christoph   <lupe@lupe-christoph.de>

Luther Huffman   <lutherh@stratcom.com>

Maik Hentsche   <maik@mm-double.de>

Major Sébastien   <sebastien.major@crdp.ac-caen.fr>

Makoto MATSUSHITA   <matusita@ics.es.osaka-u.ac.jp>

Malcolm Beattie   <mbeattie@sable.ox.ac.uk>

Manuel Valente   <mvalente@idealx.com>

Marc Green   <marcgreen@cpan.org>

Marc Lehmann   <pcg@goof.com>

Marc Paquette   <Marc.Paquette@Softimage.COM>

Marc Simpson   <marc@0branch.com>

Marc-Philip Werner   <marc-philip.werner@sap.com>

Marcel Grünauer   <marcel@codewerk.com>

Marco Fontani   <MFONTANI@cpan.org>

Marco Peereboom   <marco@conformal.com>

Marcus Holland-Moritz   <mhx-perl@gmx.net>

Marek Rouchal   <marek.rouchal@infineon.com>

Mark A Biggar   <mab@wdl.loral.com>

Mark A. Hershberger   <mah@everybody.org>

Mark A. Stratman   <stratman@gmail.com>

Mark Aufflick   <mark@aufflick.com>

Mark Bixby   <mark@bixby.org>

Mark Dickinson   <dickins3@fas.harvard.edu>

Mark Dootson   <mdootson@cpan.org>

Mark Fowler   <mark@twoshortplanks.com>

Mark Hanson

Mark J. Reed   <mreed@strange.turner.com>

Mark Jason Dominus   <mjd@plover.com>

Mark K Trettin   <mkt@lucent.com>

Mark Kaehny   <kaehny@execpc.com>

Mark Kettenis   <kettenis@wins.uva.nl>

Mark Klein   <mklein@dis.com>

Mark Knutsen   <knutsen@pilot.njin.net>

Mark Kvale   <kvale@phy.ucsf.edu>

Mark Leighton Fisher   <markleightonfisher@gmail.com>

Mark Mielke   <mark@mark.mielke.cc>

Mark Murray   <mark@grondar.za>

Mark Overmeer   <mark@overmeer.net>

Mark P. Lutz   <mark.p.lutz@boeing.com>

Mark Pease   <peasem@primenet.com>

Mark Pizzolato   <mark@infocomm.com>

Mark R. Levinson   <mrl@isc.upenn.edu>

Mark Stosberg   <mark@summersault.com>

Marko Asplund   <aspa@merlot.kronodoc.fi>

Markus Jansen   <Markus.Jansen@ericsson.com>

Marnix van Ammers   <marnix@gmail.com>

Martien Verbruggen   <mgjv@comdyn.com.au>

Martijn Koster   <mak@excitecorp.com>

Martijn Lievaart   <m@rtij.nl>

Martin Hasch   <mhasch@cpan.org>

Martin Husemann   <martin@duskware.de>

Martin J. Bligh   <mbligh@us.ibm.com>

Martin Jost   <Martin.Jost@icn.siemens.de>

Martin Lichtin   <lichtin@bivio.com>

Martin McGrath   <mcgrath.martin@gmail.com>

Martin Plechsmid   <plechsmi@karlin.mff.cuni.cz>

Martin Pool   <mbp@samba.org>

Martti Rahkila   <martti.rahkila@hut.fi>

Marty Lucich   <marty@netcom.com>

Marty Pauley   <marty+p5p@kasei.com>

Martyn Pearce   <martyn@inpharmatica.co.uk>

Marvin Humphrey   <marvin@rectangular.com>

Masahiro KAJIURA   <masahiro.kajiura@toshiba.co.jp>

Mashrab Kuvatov   <kmashrab@uni-bremen.de>

Matthias Bethke   <matthias@towiski.de>

Mathias Koerber   <mathias@dnssec1.singnet.com.sg>

Mathieu Arnold   <m@absolight.fr>

Mats Peterson   <mats@sm6sxl.net>

Matsumoto Yasuhiro   <mattn.jp@gmail.com>

Matt Johnson   <matt.w.johnson@gmail.com>

Matt Kimball

Matt Kraai   <kraai@ftbfs.org>

Matt S Trout   <mst@shadowcat.co.uk>

Matt Sergeant   <matt@sergeant.org>

Matt Taggart   <taggart@debian.org>

Matthew Black   <black@csulb.edu>

Matthew Green   <mrg@splode.eterna.com.au>

Matthew Horsfall <wolfsage@gmail.com>

Matthew Sachs <matthewg@zevils.com>

Matthew T Harden <mthard@mthard1.monsanto.com>

Matthias Ulrich Neeracher <neeracher@mac.com>

Matthias Urlichs <smurf@noris.net>

Matthijs van Duin <xmath@cpan.org>

Mattia Barbon <mbarbon@dsi.unive.it>

Maurizio Loreti <maurizio.loreti@pd.infn.it>

Max Baker <max@warped.org>

Max Maischein <corion@corion.net>

Maxwell Carey <maxwellhaydn@gmail.com>

Merijn Broeren <merijnb@iloquent.nl>

Michael A Chase <mchase@ix.netcom.com>

Michael Breen <perl@mbreen.com>

Michael Bunk <bunk@iat.uni-leipzig.de>

Michael Carman <mjcarman@home.com>

Michael Cook <mcook@cognex.com>

Michael Cummings <mcummings@gentoo.org>

Michael De La Rue <mikedlr@tardis.ed.ac.uk>

Michael Engel <engel@nms1.cc.huji.ac.il>

Michael Fig <michael@liveblockauctions.com>

Michael G Schwern <schwern@pobox.com>

Michael H. Moran <mhm@austin.ibm.com>

Michael King <mike808@users.sourceforge.net>

Michael Lemke <lemkemch@t-online.de>

Michael Mahan <mahanm@nextwork.rose-hulman.edu>

Michael Parker <michael.parker@st.com>

Michael Schroeder <Michael.Schroeder@informatik.uni-erlangen.de>

Michael Somos <somos@grail.cba.csuohio.edu>

Michael Stevens <mstevens@etla.org>

Michael van Elst <mlelstv@serpens.de>

Michael Witten <mfwitten@gmail.com>

Michele Sardo

Mik Firestone <fireston@lexmark.com>

Mike Doherty <mike@mikedoherty.ca>

Mike Fletcher <fletch@phydeaux.org>

Mike Giroux <rmgiroux@acm.org>

Mike Guy <mjtg@cam.ac.uk>

Mike Heins <mike@bill.iac.net>

Mike Hopkirk <hops@sco.com>

Mike Kelly <pioto@pioto.org>

Mike Mestnik <MMestnik@rustconsulting.com>

Mike Pomraning <mjp@pilcrow.madison.wi.us>

Mike Rogers

Mike Schilli <m@perlmeister.com>

Mike Sheldrake <mike@sheldrake.net>

Mike Stok <mike@stok.co.uk>

Mike W Ellwood <mwe@rl.ac.uk>

Mikhail Zabaluev   <mhz@alt-linux.org>

Milosz Tanski   <mtanski@gridapp.com>

Milton L. Hankins   <mlh@swl.msd.ray.com>

Misty De Meo   <mistydemeo@github.com>

Mohammed El-Afifi   <mohammed_elafifi@yahoo.com>

Moritz Lenz   <moritz@casella.verplant.org>

Moshe Kaminsky   <kaminsky@math.huji.ac.il>

Mottaqui Karim   <taqqui.karim@gmail.com>

Mr. Nobody   <mrnobo1024@yahoo.com>

Murray Nesbitt   <murray@nesbitt.ca>

Nathan Glenn   <garfieldnate@gmail.com>

Nathan Kurz   <nate@valleytel.net>

Nathan Torkington   <gnat@frii.com>

Nathan Trapuzzano   <nbtrap@nbtrap.com>

Neale Ferguson   <neale@VMA.TABNSW.COM.AU>

Neil Bowers   <neil@bowers.com>

Neil Watkiss   <neil.watkiss@sophos.com>

Neil Williams   <codehelp@debian.org>

Nicholas Clark   <nick@ccl4.org>

Nicholas Oxhøj

Nicholas Perez   <nperez@cpan.org>

Nick Cleaton   <nick@cleaton.net>

Nick Duffek

Nick Gianniotis

Nick Ing-Simmons

Nick Johnston   <nickjohnstonsky@gmail.com>

Nick Logan   <ugexe@cpan.org>

Nick Williams   <Nick.Williams@morganstanley.com>

Nicolas Kaiser   <nikai@nikai.net>

Nicolas R.   <atoomic@cpan.org>

Niels Thykier   <niels@thykier.net>

Nigel Sandever   <njsandever@hotmail.com>

Niko Tyni   <ntyni@debian.org>

Nikola Knezevic   <indy@tesla.rcub.bg.ac.yu>

Nikola Milutinovic

Nikolai Eipel   <eipel@web.de>

Noah   <sitz@onastick.net>

Nobuhiro Iwamatsu

Noirin Shirley   <colmsbook@nerdchic.net>

Norbert Pueschel   <pueschel@imsdd.meb.uni-bonn.de>

Norio Suzuki   <kipp@shonanblue.ne.jp>

Norman Koch   <kochnorman@rocketmail.com>

Norton T. Allen   <allen@huarp.harvard.edu>

Nuno Carvalho   <mestre.smash@gmail.com>

Offer Kaye   <offer.kaye@gmail.com>

Olaf Flebbe   <o.flebbe@science-computing.de>

Olaf Titz   <olaf@bigred.inka.de>

Oleg Nesterov   <oleg@redhat.com>

Olivier Blin   <blino@mandriva.com>

Olivier Mengué   <dolmen@cpan.org>

Olivier Thauvin   <olivier.thauvin@aerov.jussieu.fr>

Olli Savia

Ollivier Robert   <roberto@keltia.freenix.fr>

Osvaldo Villalon   <ovillalon@dextratech.com>

Owain G. Ainsworth   <oga@nicotinebsd.org>

Owen Taylor   <owt1@cornell.edu>

Pali   <pali@cpan.org>

Papp Zoltan   <padre@elte.hu>

parv   <parv@pair.com>

Pascal Rigaux   <pixel@mandriva.com>

Patrick Donelan   <pat@patspam.com>

Patrick Dugnolle   <patrick.dugnolle@bnpparibas.com>

Patrick Hayes   <Patrick.Hayes.CAP_SESA@renault.fr>

Patrick O'Brien   <pdo@cs.umd.edu>

Patrik Hägglund   <patrik.h.hagglund@ericsson.com>

Pau Amma   <pauamma@gundo.com>

Paul A Sand   <pas@unh.edu>

Paul Boven   <p.boven@sara.nl>

Paul David Fardy   <pdf@morgan.ucs.mun.ca>

Paul Eggert   <eggert@twinsun.com>

Paul Evans   <leonerd@leonerd.org.uk>

Paul Fenwick   <pjf@perltraining.com.au>

Paul Gaborit   <paul.gaborit@enstimac.fr>

Paul Green   <Paul.Green@stratus.com>

Paul Hoffman   <phoffman@proper.com>

Paul Holser   <Paul.Holser.pholser@nortelnetworks.com>

Paul Johnson   <paul@pjcj.net>

Paul Lindner   <lindner@inuus.com>

Paul Marquess   <paul.marquess@btinternet.com>

Paul Moore   <Paul.Moore@uk.origin-it.com>

Paul Rogers   <Paul.Rogers@Central.Sun.COM>

Paul Saab   <ps@yahoo-inc.com>

Paul Schinder   <schinder@pobox.com>

Paul Szabo   <psz@maths.usyd.edu.au>

Pavel Kakovský   <kan@dcit.cz>

Pavel Zakouril   <Pavel.Zakouril@mff.cuni.cz>

Pedro Felipe Horrillo Guerra <pancho@pancho.name>

Per Einar Ellefsen   <per.einar@skynet.be>

Perlover   <perlover@perlover.com>

Pete Peterson   <petersonp@genrad.com>

Peter Avalos   <peter@theshell.com>

Peter BARABAS

Peter Chines   <pchines@nhgri.nih.gov>

Peter Dintelmann   <Peter.Dintelmann@Dresdner-Bank.com>

Peter E. Yee   <yee@trident.arc.nasa.gov>

Peter Gessner   <peter.gessner@post.rwth-aachen.de>

Peter Gordon <peter@valor.com>

Peter Haworth <pmh@edison.ioppublishing.com>

Peter J. Farley III <pjfarley@banet.net>

Peter J. Holzer <hjp@hjp.at>

Peter Jaspers-Fayer

Peter John Acklam <pjacklam@online.no>

Peter Martini <PeterCMartini@GMail.com>

Peter O'Gorman <peter@pogma.com>

Peter Prymmer <PPrymmer@factset.com>

Peter Rabbitson <ribasushi@cpan.org>

Peter Scott <Peter@PSDT.com>

Peter Valdemar Mørch <pm@capmon.dk>

Peter van Heusden <pvh@junior.uwc.ac.za>

Peter Wolfe <wolfe@teloseng.com>

Petr Písa <ppisar@redhat.com>

Petter Reinholdtsen <pere@hungry.com>

Phil Lobbes <phil@perkpartners.com>

Phil Monsen <philip.monsen@pobox.com>

Phil Pearl (Lobbes) <plobbes@gmail.com>

Philip Boulain <philip.boulain@smoothwall.net>

Philip Guenther <guenther@openbsd.org>

Philip Hazel <ph10@cus.cam.ac.uk>

Philip M. Gollucci <pgollucci@p6m7g8.com>

Philip Newton <pne@cpan.org>

Philippe Bruhat (BooK) <book@cpan.org>

Philippe M. Chiasson <gozer@ActiveState.com>

Pierre Bogossian <bogossian@mail.com>

Piers Cawley <pdcawley@bofh.org.uk>

Pino Toscano <pino@debian.org>

Piotr Fusik <pfusik@op.pl>

Piotr Klaban <makler@oryl.man.torun.pl>

Piotr Roszatycki <piotr.roszatycki@gmail.com>

Pip Cet <pipcet@gmail.com>

Pradeep Hodigere <phodigere@yahoo.com>

Prymmer/Kahn <pvhp@best.com>

Quentin Fennessy <quentin@arrakeen.amd.com>

Radu Greab <radu@netsoft.ro>

Rafael Garcia-Suarez <rgs@consttype.org>

Rainer Keuchel <keuchel@allgeier.com>

Rainer Orth <ro@TechFak.Uni-Bielefeld.DE>

Rainer Tammer <tammer@tammer.net>

Rajesh Mandalemula <rajesh.mandalemula@deshaw.com>

Rajesh Vaidheeswarran <rv@gnu.org>

Ralf S. Engelschall <rse@engelschall.com>

Randal L. Schwartz <merlyn@stonehenge.com>

Randall Gellens <randy@qualcomm.com>

Randolf Werner <randolf.werner@sap.com>

Randy J. Ray <rjray@redhat.com>

Randy Stauner   <rwstauner@cpan.org>

Randy W. Sims

Raphael Manfredi   <Raphael.Manfredi@pobox.com>

Raul Dias   <raul@dias.com.br>

Raymund Will   <ray@caldera.de>

Redvers Davies   <red@criticalintegration.com>

Reini Urban   <rurban@cpan.org>

Renee Baecker   <module@renee-baecker.de>

Reuben Thomas   <rrt@sc3d.org>

Rex Dieter   <rdieter@math.unl.edu>

Rhesa Rozendaal   <perl@rhesa.com>

Ricardo Signes   <rjbs@cpan.org>

Rich Morin   <rdm@cfcl.com>

Rich Rauenzahn   <rrauenza@hp.com>

Rich Salz   <rsalz@bbn.com>

Richard A. Wells   <Rwells@uhs.harvard.edu>

Richard Clamp   <richardc@unixbeard.net>

Richard Foley   <richard.foley@rfi.net>

Richard Hatch   <rhatch@austin.ibm.com>

Richard Hitt   <rbh00@utsglobal.com>

Richard Kandarian   <richard.kandarian@lanl.gov>

Richard L. England   <richard_england@mentorg.com>

Richard L. Maus, Jr.   <rmaus@monmouth.com>

Richard Leach   <rich+perl@hyphen-dash-hyphen.info>

Richard Levitte   <levitte@openssl.org>

Richard Möhn   <richard.moehn@fu-berlin.de>

Richard Ohnemus   <richard_ohnemus@dallas.csd.sterling.com>

Richard Soderberg   <p5-authors@crystalflame.net>

Richard Yeh   <rcyeh@cco.caltech.edu>

Rick Delaney   <rick@consumercontact.com>

Rick Pluta

Rick Smith   <ricks@sd.znet.com>

Rickard Westman

Rob Brown   <bbb@cpan.org>

Rob Henderson   <robh@cs.indiana.edu>

Rob Hoelz   <rob@hoelz.ro>

Rob Napier   <rnapier@employees.org>

Robert May   <robertmay@cpan.org>

Robert Millan   <rmh@debian.org>

Robert Partington   <rjp@riffraff.plig.net>

Robert Sanders   <Robert.Sanders@linux.org>

Robert Sebastian Gerus   <arachnist@gmail.com>

Robert Spier   <rspier@pobox.com>

Roberto C. Sanchez   <roberto@connexer.com>

Robin Barker   <RMBarker@cpan.org>

Robin Houston   <robin@cpan.org>

Rocco Caputo   <troc@netrus.net>

Roderick Schertler   <roderick@argon.org>

Rodger Anderson   <rodger@boi.hp.com>

Rodolfo Carvalho   <rhcarvalho@gmail.com>

Ronald F. Guilmette   <rfg@monkeys.com>

Ronald J. Kimball   <rjk@linguist.dartmouth.edu>

Ronald Schmidt   <RonaldWS@aol.com>

Rostislav Skudnov   <skrostislav@gmail.com>

Ruben Schattevoy   <schattev@imb-jena.de>

Rudolph Todd Maceyko   <rm55+@pitt.edu>

Rujith S. de Silva   <desilva@netbox.com>

Ruslan Zakirov   <ruz@bestpractical.com>

Russ Allbery   <rra@stanford.edu>

Russel O'Connor   <roconnor@world.std.com>

Russell Fulton   <russell@ccu1.auckland.ac.nz>

Russell Mosemann   <mose@ccsn.edu>

Ryan Herbert   <rherbert@sycamorehq.com>

Ryan Voots   <simcop2387@simcop2387.info>

Salvador Fandiño   <sfandino@yahoo.com>

Salvador Ortiz Garcia   <sog@msg.com.mx>

Sam Kimbrel   <kimbrel@me.com>

Sam Tregar   <sam@tregar.com>

Sam Vilain   <sam@vilain.net>

Samuel Thibault   <sthibault@debian.org>

Samuli Kärkkäinen   <skarkkai@woods.iki.fi>

Sawyer X   <xsawyerx@cpan.org>

Schuyler Erle   <schuyler@oreilly.com>

Scott A Crosby   <scrosby@cs.rice.edu>

Scott Bronson   <bronson@rinspin.com>

Scott Gifford   <sgifford@tir.com>

Scott Henry   <scotth@sgi.com>

Scott L. Miller   <Scott.L.Miller@Compaq.com>

Scott Lanning   <lannings@who.int>

Scott Wiersdorf   <scott@perlcode.org>

Sean Boudreau   <seanb@qnx.com>

Sean Dague   <sean@dague.net>

Sean Davis   <dive@ender.com>

Sean M. Burke   <sburke@cpan.org>

Sean Robinson   <robinson_s@sc.maricopa.edu>

Sean Sheedy   <seans@ncube.com>

Sebastian Schmidt   <yath@yath.de>

Sebastian Steinlechner   <steinlechner@gmx.net>

Sebastian Wittmeier   <Sebastian.Wittmeier@ginko.de>

Sébastien Aperghis-Tramoni <saper@cpan.org>

Sebastien Barre   <Sebastien.Barre@utc.fr>

Sergey Alekseev   <varnie29a@mail.ru>

Sergey Aleynikov   <sergey.aleynikov@gmail.com>

Sérgio Durigan Júnior   <sergiodj@linux.vnet.ibm.com>

Shawn   <svicalifornia@gmail.com>

Shawn M Moore   <sartak@gmail.com>

Sherm Pendley   <sherm@dot-app.org>

Shigeya Suzuki   <shigeya@wide.ad.jp>

Shimpei Yamashita   <shimpei@socrates.patnet.caltech.edu>

Shinya Hayakawa   <hayakawa@livedoor.jp>

Shirakata Kentaro   <argrath@ub32.org>

Shishir Gundavaram   <shishir@ruby.ora.com>

Shlomi Fish   <shlomif@cpan.org>

Shoichi Kaji   <skaji@cpan.org>

Simon Cozens   <simon@netthink.co.uk>

Simon Glover   <scog@roe.ac.uk>

Simon Leinen

Simon Parsons   <S.Parsons@ftel.co.uk>

Simon Schubert   <corecode@fs.ei.tum.de>

Sinan Unur   <sinan@unur.com>

Sisyphus   <sisyphus@cpan.org>

Slaven Rezic   <slaven@rezic.de>

Smylers   <smylers@stripey.com>

Solar Designer   <solar@openwall.com>

Spider Boardman   <spider@orb.nashua.nh.us>

Spiros Denaxas   <s.denaxas@gmail.com>

Sreeji K Das   <sreeji_k@yahoo.com>

Stanislaw Pusep   <stas@sysd.org>

Stas Bekman   <stas@stason.org>

Stefan Seifert   <nine@detonation.org>

Steffen Müller   <smueller@cpan.org>

Steffen Schwigon   <ss5@renormalist.net>

Steffen Ullrich   <coyote.frank@gmx.net>

Stepan Kasal   <skasal@redhat.com>

Stéphane Payrard   <stef@mongueurs.net>

Stephanie Beals   <bealzy@us.ibm.com>

Stephen Bennett   <sbp@exherbo.com>

Stephen Clouse   <stephenc@theiqgroup.com>

Stephen McCamant   <smcc@mit.edu>

Stephen O. Lidie   <lusol@turkey.cc.Lehigh.EDU>

Stephen Oberholtzer   <oliverklozoff@gmail.com>

Stephen P. Potter   <spp@ds.net>

Stephen Zander   <gibreel@pobox.com>

Stevan Little   <stevan@cpan.org>

Steve A Fink   <sfink@cs.berkeley.edu>

Steve Grazzini   <grazz@pobox.com>

Steve Hay   <steve.m.hay@googlemail.com>

Steve Kelem   <steve.kelem@xilinx.com>

Steve McDougall   <swmcd@world.std.com>

Steve Nielsen   <spn@enteract.com>

Steve Pearlmutter

Steve Peters   <steve@fisharerojo.org>

Steve Purkis   <Steve.Purkis@multimap.com>

Steve Vinoski

Steven Hirsch   <hirschs@btv.ibm.com>

Steven Humphrey   <catchperl@33k.co.uk>

Steven Knight   <knight@theopera.baldmt.citilink.com>

Steven Morlock   <newspost@morlock.net>

Steven N. Hirsch <hirschs@stargate.btv.ibm.com>

Steven Parkes   <parkes@sierravista.com>

Steven Schubiger <schubiger@cpan.org>

Stian Seeberg   <sseeberg@nimsoft.no>

Sullivan Beck   <sbeck@cpan.org>

Sven Strickroth   <sven.strickroth@tu-clausthal.de>

Sven Verdoolaege   <skimo@breughel.ufsia.ac.be>

syber   <syber@crazypanda.ru>

SynaptiCAD, Inc.   <sales@syncad.com>

Tadeusz Sonierz   <tadeusz.sosnierz@onet.pl>

Takis Psarogiannakopoulos <takis@xfree86.org>

Taro KAWAGISHI

Tassilo von Parseval   <tassilo.parseval@post.rwth-aachen.de>

Tatsuhiko Miyagawa   <miyagawa@bulknews.net>

Ted Ashton   <ashted@southern.edu>

Ted Law   <tedlaw@cibcwg.com>

Tels   <nospam-abuse@bloodgate.com>

Teun Burgers   <burgers@ecn.nl>

Thad Floryan   <thad@thadlabs.com>

Theo Buehler   <theo@math.ethz.ch>

Thomas Bowditch   <bowditch@inmet.com>

Thomas Conté   <tom@fr.uu.net>

Thomas Dorner   <Thomas.Dorner@start.de>

Thomas Kofler

Thomas König

Thomas Pfau   <pfau@nbpfaus.net>

Thomas Sibley   <tsibley@cpan.org>

Thomas Wegner   <wegner_thomas@yahoo.com>

Thorsten Glaser   <tg@mirbsd.org>

Tim Adye   <T.J.Adye@rl.ac.uk>

Tim Ayers   <tayers@bridge.com>

Tim Bunce   <Tim.Bunce@pobox.com>

Tim Conrow   <tim@spindrift.srl.caltech.edu>

Tim Freeman   <tfreeman@infoseek.com>

Tim Jenness   <tjenness@cpan.org>

Tim Mooney   <mooney@dogbert.cc.ndsu.NoDak.edu>

Tim Sweetman   <tim@aldigital.co.uk>

Tim Witham   <twitham@pcocd2.intel.com>

Timothe Litt   <litt@acm.org>

Timur I. Bakeyev   <bsdi@listserv.bat.ru>

Tina Müller   <cpan2@tinita.de>

Tkil   <tkil@reptile.scrye.com>

Tobias Leich   <email@froggs.de>

Toby Inkster   <mail@tobyinkster.co.uk>

Todd C. Miller   <Todd.Miller@courtesan.com>

Todd Rinaldo   <toddr@cpan.org>

Todd T. Fries   <todd@fries.int.mrleng.com>

Todd Vierling   <tv@duh.org>

Tokuhiro Matsuno   <tokuhirom@gmail.com>

Tom Bates   <tom_bates@att.net>

Tom Brown   <thecap@peach.ece.utexas.edu>

Tom Christiansen   <tchrist@perl.com>

Tom Dinger

Tom Horsley   <Tom.Horsley@mail.ccur.com>

Tom Hughes   <tom@compton.nu>

Tom Hukins   <tom@eborcom.com>

Tom Phoenix   <rootbeer@teleport.com>

Tom Spindler   <dogcow@isi.net>

Tom Wyant   <wyant@cpan.org>

Tomasz Konojacki   <me@xenu.pl>

Tomoyuki Sadahiro   <BQW10602@nifty.com>

Ton Hospel   <cpan@ton.iguana.be>

Tony Bowden   <tony@kasei.com>

Tony Camas

Tony Cook   <tony@develop-help.com>

Tony Sanders   <sanders@bsdi.com>

Tor Lillqvist   <tml@hemuli.tte.vtt.fi>

Torsten Foertsch   <torsten.foertsch@gmx.net>

Torsten Schönfeld   <kaffeetisch@gmx.de>

Trevor Blackwell   <tlb@viaweb.com>

Tsutomu IKEGAMI   <t-ikegami@aist.go.jp>

Tuomas J. Lukka   <tjl@lukka.student.harvard.edu>

Tye McQueen   <tye@metronet.com>

Ulrich Habel   <rhaen@NetBSD.org>

Ulrich Kunitz   <kunitz@mai-koeln.com>

Ulrich Pfeifer   <pfeifer@wait.de>

Unicode Consortium   <unicode.org>

Vadim Konovalov   <vkonovalov@lucent.com>

Valeriy E. Ushakov   <uwe@ptc.spbu.ru>

Vernon Lyon   <vlyon@cpan.org>

Victor Adam   <victor@drawall.cc>

Victor Efimov   <victor@vsespb.ru>

Viktor Turskyi   <koorchik@gmail.com>

Ville Skyttä   <scop@cs132170.pp.htv.fi>

Vincent Pit   <perl@profvince.com>

Vishal Bhatia   <vishal@deja.com>

Vitali Peil   <vitali.peil@uni-bielefeld.de>

Vlad Harchev   <hvv@hippo.ru>

Vladimir Alexiev   <vladimir@cs.ualberta.ca>

Vladimir Marek   <vlmarek@volny.cz>

Vladimir Timofeev   <vovkasm@gmail.com>

Volker Schatz   <perldoc@volkerschatz.com>

W. Geoffrey Rommel <grommel@sears.com>

W. Phillip Moore <wpm@ms.com>

Wallace Reis <wreis@cpan.org>

Walt Mankowski <waltman@pobox.com>

Walter Briscoe <w.briscoe@ponl.com>

Warren Hyde <whyde@pezz.sps.mot.com>

Warren Jones <wjones@tc.fluke.com>

Wayne Berke <berke@panix.com>

Wayne Scott <wscott@ichips.intel.com>

Wayne Thompson <Wayne.Thompson@Ebay.sun.com>

Wilfredo Sánchez <wsanchez@mit.edu>

William J. Middleton <William.Middleton@oslo.mobil.telenor.no>

William Mann <wmann@avici.com>

William Middleton <wmiddlet@adobe.com>

William R Ward <hermit@BayView.COM>

William Setzer <William_Setzer@ncsu.edu>

William Williams <biwillia@cisco.com>

William Yardley <perlbug@veggiechinese.net>

Winfried König <win@in.rhein-main.de>

Wolfgang Laun <Wolfgang.Laun@alcatel.at>

Wolfram Humann <w.c.humann@arcor.de>

Xavier Noria <fxn@hashref.com>

YAMASHINA Hio <hio@ymir.co.jp>

Yaroslav Kuzmin <ykuzmin@rocketsoftware.com>

Yary Hluchan

Yasushi Nakajima <sey@jkc.co.jp>

Yitzchak Scott-Thoennes <sthoenna@efn.org>

Yutaka OIWA <oiwa@is.s.u-tokyo.ac.jp>

Yutaka OKAIE

Yutao Feng

Yuval Kogman <nothingmuch@woobling.org>

Yves Orton <demerphq@gmail.com>

Zachary Miller <zcmiller@simon.er.usgs.gov>

Zachary Storer <zacts.3.14159@gmail.com>

Zak B. Elep <zakame@zakame.net>

Zbynek Vyskovsky <kvr@centrum.cz>

Zefram <zefram@fysh.org>

Zsbán Ambrus <ambrus@math.bme.hu>

Ævar Arnfjörð Bjarmason <avar@cpan.org>

1.16 nkeys 0.3.0

1.16.1 Available under license :

Apache License

Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A

PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.17 procps 3.3.16-1ubuntu2.3

1.17.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

 Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

 Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

 The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

  b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

  c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

 3. You may copy and distribute the Program (or a work based on it,

under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable
source code, which must be distributed under the terms of Sections
1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three
years, to give any third party, for a charge no more than your
cost of physically performing source distribution, a complete
machine-readable copy of the corresponding source code, to be
distributed under the terms of Sections 1 and 2 above on a medium
customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer
to distribute corresponding source code. (This alternative is
allowed only for noncommercial distribution and only if you
received the program in object code or executable form with such
an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering
access to copy from a designated place, then offering equivalent
access to copy the source code from the same place counts as
distribution of the source code, even though third parties are not
compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense or distribute the Program is
void, and will automatically terminate your rights under this License.
However, parties who have received copies, or rights, from you under
this License will not have their licenses terminated so long as such
parties remain in full compliance.

5. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Program or its derivative works. These actions are

prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Program (or any work based on the
Program), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the
Program), the recipient automatically receives a license from the
original licensor to copy, distribute or modify the Program subject to
these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties to
this License.

 7. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Program at all. For example, if a patent
license would not permit royalty-free redistribution of the Program by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to
apply and the section as a whole is intended to apply in other
circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system, which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

 8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the

original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

 10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

			NO WARRANTY

 11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

 12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License along
    with this program; if not, write to the Free Software Foundation, Inc.,
    51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

    Gnomovision version 69, Copyright (C) year name of author
    Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if

necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the program
 `Gnomovision' (which makes passes at compilers) written by James Hacker.

 <signature of Ty Coon>, 1 April 1989
 Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.

<div align="center">

GNU LIBRARY GENERAL PUBLIC LICENSE
Version 2, June 1991

</div>

Copyright (C) 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the library GPL. It is
numbered 2 because it goes with version 2 of the ordinary GPL.]

<div align="center">

Preamble

</div>

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

 This license, the Library General Public License, applies to some
specially designated Free Software Foundation software, and to any
other libraries whose authors decide to use it. You can use it for
your libraries, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if
you distribute copies of the library, or if you modify it.

For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link a program with the library, you must provide
complete object files to the recipients so that they can relink them
with the library, after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

Our method of protecting your rights has two steps: (1) copyright
the library, and (2) offer you this license which gives you legal
permission to copy, distribute and/or modify the library.

Also, for each distributor's protection, we want to make certain
that everyone understands that there is no warranty for this free
library. If the library is modified by someone else and passed on, we
want its recipients to know that what they have is not the original
version, so that any problems introduced by others will not reflect on
the original authors' reputations.

Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that companies distributing free
software will individually obtain patent licenses, thus in effect
transforming the program into proprietary software. To prevent this,
we have made it clear that any patent must be licensed for everyone's
free use or not licensed at all.

Most GNU software, including some libraries, is covered by the ordinary
GNU General Public License, which was designed for utility programs. This
license, the GNU Library General Public License, applies to certain
designated libraries. This license is quite different from the ordinary
one; be sure to read it in full, and don't assume that anything in it is
the same as in the ordinary license.

The reason we have a separate public license for some libraries is that
they blur the distinction we usually make between modifying or adding to a
program and simply using it. Linking a program with a library, without
changing the library, is in some sense simply using the library, and is
analogous to running a utility program or application program. However, in
a textual and legal sense, the linked executable is a combined work, a
derivative of the original library, and the ordinary General Public License
treats it as such.

Because of this blurred distinction, using the ordinary General
Public License for libraries did not effectively promote software
sharing, because most developers did not use the libraries. We
concluded that weaker conditions might promote sharing better.

However, unrestricted linking of non-free programs would deprive the

users of those programs of all benefit from the free status of the
libraries themselves. This Library General Public License is intended to
permit developers of non-free programs to use free libraries, while
preserving your freedom as a user of such programs to change the free
libraries that are incorporated in them. (We have not seen how to achieve
this as regards changes in header files, but we have achieved it as regards
changes in the actual functions of the Library.) The hope is that this
will lead to faster development of free libraries.

 The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, while the latter only
works together with the library.

 Note that it is possible for a library to be covered by the ordinary
General Public License rather than by this special one.

GNU LIBRARY GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License Agreement applies to any software library which
contains a notice placed by the copyright holder or other authorized
party saying it may be distributed under the terms of this Library
General Public License (also called "this License"). Each licensee is
addressed as "you".

 A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

 The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated
straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

 "Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means
all the source code for all modules it contains, plus any associated
interface definition files, plus the scripts used to control compilation
and installation of the library.

 Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running a program using the Library is not restricted, and output from

such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

 1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

 You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

  a) The modified work must itself be a software library.

  b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

  c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

  d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

  (For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in

themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

 Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

 4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

 5. A program that contains no derivative of any portion of the

Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also compile or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under

Sections 1 and 2 above); and, if the work is an executable linked
with the Library, with the complete machine-readable "work that
uses the Library", as object code and/or source code, so that the
user can modify the Library and then relink to produce a modified
executable containing the modified Library. (It is understood
that the user who changes the contents of definitions files in the
Library will not necessarily be able to recompile the application
to use the modified definitions.)

b) Accompany the work with a written offer, valid for at
least three years, to give the same user the materials
specified in Subsection 6a, above, for a charge no more
than the cost of performing this distribution.

c) If distribution of the work is made by offering access to copy
from a designated place, offer equivalent access to copy the above
specified materials from the same place.

d) Verify that the user has already received a copy of these
materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the
Library" must include any data and utility programs needed for
reproducing the executable from it. However, as a special exception,
the source code distributed need not include anything that is normally
distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies
the executable.

It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.

7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work
based on the Library, uncombined with any other library
facilities. This must be distributed under the terms of the
Sections above.

b) Give prominent notice with the combined library of the fact
    that part of it is a work based on the Library, and explaining
    where to find the accompanying uncombined form of the same work.

  8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

  9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

  10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties to
this License.

  11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply,
and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any

such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

  12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

  13. The Free Software Foundation may publish revised and/or new
versions of the Library General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

  14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

<p align="center">NO WARRANTY</p>

  15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY

KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

 16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

 If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

 To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

    <one line to give the library's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This library is free software; you can redistribute it and/or
    modify it under the terms of the GNU Library General Public
    License as published by the Free Software Foundation; either
    version 2 of the License, or (at your option) any later version.

    This library is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
    Library General Public License for more details.

    You should have received a copy of the GNU Library General Public
    License along with this library; if not, write to the Free Software
    Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the
 library `Frob' (a library for tweaking knobs) written by James Random Hacker.

 <signature of Ty Coon>, 1 April 1990
 Ty Coon, President of Vice

That's all there is to it!

1.18 distlib 0.3.0

1.18.1 Available under license :

A. HISTORY OF THE SOFTWARE
==========================

Python was created in the early 1990s by Guido van Rossum at Stichting
Mathematisch Centrum (CWI, see http://www.cwi.nl) in the Netherlands
as a successor of a language called ABC. Guido remains Python's
principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for
National Research Initiatives (CNRI, see http://www.cnri.reston.va.us)
in Reston, Virginia where he released several versions of the
software.

In May 2000, Guido and the Python core development team moved to
BeOpen.com to form the BeOpen PythonLabs team. In October of the same
year, the PythonLabs team moved to Digital Creations (now Zope
Corporation, see http://www.zope.com). In 2001, the Python Software
Foundation (PSF, see http://www.python.org/psf/) was formed, a
non-profit organization created specifically to own Python-related
Intellectual Property. Zope Corporation is a sponsoring member of
the PSF.

All Python releases are Open Source (see http://www.opensource.org for
the Open Source Definition). Historically, most, but not all, Python
releases have also been GPL-compatible; the table below summarizes
the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)

```
0.9.0 thru 1.2          1991-1995  CWI        yes
1.3 thru 1.5.2  1.2     1995-1999  CNRI       yes
1.6          1.5.2    2000      CNRI      no
2.0          1.6      2000      BeOpen.com no
1.6.1        1.6      2001      CNRI      yes (2)
2.1          2.0+1.6.1  2001    PSF        no
2.0.1        2.0+1.6.1  2001    PSF        yes
2.1.1        2.1+2.0.1  2001    PSF        yes
2.2          2.1.1    2001      PSF        yes
2.1.2        2.1.1    2002      PSF        yes
2.1.3        2.1.2    2002      PSF        yes
2.2.1        2.2      2002      PSF        yes
2.2.2        2.2.1    2002      PSF        yes
2.2.3        2.2.2    2003      PSF        yes
2.3          2.2.2    2002-2003  PSF        yes
2.3.1        2.3      2002-2003  PSF        yes
2.3.2        2.3.1    2002-2003  PSF        yes
2.3.3        2.3.2    2002-2003  PSF        yes
2.3.4        2.3.3    2004      PSF        yes
2.3.5        2.3.4    2005      PSF        yes
2.4          2.3      2004      PSF        yes
2.4.1        2.4      2005      PSF        yes
2.4.2        2.4.1    2005      PSF        yes
2.4.3        2.4.2    2006      PSF        yes
2.4.4        2.4.3    2006      PSF        yes
2.5          2.4      2006      PSF        yes
2.5.1        2.5      2007      PSF        yes
2.5.2        2.5.1    2008      PSF        yes
2.5.3        2.5.2    2008      PSF        yes
2.6          2.5      2008      PSF        yes
2.6.1        2.6      2008      PSF        yes
2.6.2        2.6.1    2009      PSF        yes
2.6.3        2.6.2    2009      PSF        yes
2.6.4        2.6.3    2009      PSF        yes
2.6.5        2.6.4    2010      PSF        yes
3.0          2.6      2008      PSF        yes
3.0.1        3.0      2009      PSF        yes
3.1          3.0.1    2009      PSF        yes
3.1.1        3.1      2009      PSF        yes
3.1.2        3.1      2010      PSF        yes
3.2          3.1      2010      PSF        yes
```

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under
   the GPL. All Python licenses, unlike the GPL, let you distribute
   a modified version without making your changes open source. The

GPL-compatible licenses make it possible to combine Python with
other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible,
because its license has a choice of law clause. According to
CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1
is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's
direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON
===

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2
----

1. This LICENSE AGREEMENT is between the Python Software Foundation
("PSF"), and the Individual or Organization ("Licensee") accessing and
otherwise using this software ("Python") in source or binary form and
its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby
grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce,
analyze, test, perform and/or display publicly, prepare derivative works,
distribute, and otherwise use Python alone or in any derivative version,
provided, however, that PSF's License Agreement and PSF's notice of copyright,
i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010
Python Software Foundation; All Rights Reserved" are retained in Python alone or
in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on
or incorporates Python or any part thereof, and wants to make
the derivative work available to others as provided herein, then
Licensee hereby agrees to include in any such work a brief summary of
the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS"
basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON
FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS
A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON,

OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material
breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any
relationship of agency, partnership, or joint venture between PSF and
Licensee. This License Agreement does not grant permission to use PSF
trademarks or trade name in a trademark sense to endorse or promote
products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee
agrees to be bound by the terms and conditions of this License
Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an
office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the
Individual or Organization ("Licensee") accessing and otherwise using
this software in source or binary form and its associated
documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License
Agreement, BeOpen hereby grants Licensee a non-exclusive,
royalty-free, world-wide license to reproduce, analyze, test, perform
and/or display publicly, prepare derivative works, distribute, and
otherwise use the Software alone or in any derivative version,
provided, however, that the BeOpen Python License is retained in the
Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS"
basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE
SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS
AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY
DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material

breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at http://www.pythonlabs.com/logos.html may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1
----

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: http://hdl.handle.net/1895.22/1013".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of

the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS"
basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON
1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS
A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1,
OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material
breach of its terms and conditions.

7. This License Agreement shall be governed by the federal
intellectual property law of the United States, including without
limitation the federal copyright law, and, to the extent such
U.S. federal law does not apply, by the law of the Commonwealth of
Virginia, excluding Virginia's conflict of law provisions.
Notwithstanding the foregoing, with regard to derivative works based
on Python 1.6.1 that incorporate non-separable material that was
previously distributed under the GNU General Public License (GPL), the
law of the Commonwealth of Virginia shall govern this License
Agreement only as to issues arising under or with respect to
Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this
License Agreement shall be deemed to create any relationship of
agency, partnership, or joint venture between CNRI and Licensee. This
License Agreement does not grant permission to use CNRI trademarks or
trade name in a trademark sense to endorse or promote products or
services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying,
installing or otherwise using Python 1.6.1, Licensee agrees to be
bound by the terms and conditions of this License Agreement.

    ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Permission to use, copy, modify, and distribute this software and its

documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the name of Stichting Mathematisch
Centrum or CWI not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior
permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE
FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
======================
Distutils2 Contributors
======================

The Distutils2 project was started by Tarek Ziad and is currently
maintained by ric Araujo. Many people have contributed to the project.

distlib has started off using some of the code from distutil2.

If you're making a patch, please add your name below in alphabetical order,
and welcome into the Fellowship of the Packaging!

Thanks to:

- Rajiv Abraham
- Ali Afshar
- David Barnett
- Pior Bastida
- Anthony Baxter
- Erik Bray
- C. Titus Brown
- Francisco Martn Brugu
- Nicolas Cadou
- Godefroid Chapelle
- Julien Courteau
- Christophe Combelles
- Jason R. Coombs
- Pierre-Yves David
- Ned Deily
- Konrad Delong
- Josip Djolonga
- John Edmonds
- Andr Espaze

- Boris Feld
- Andrew Francis
- Hallvard B Furuseth
- Patrice Gauthier
- Yannick Gingras
- Filip Gruszczyski
- Walker Hale IV
- Alexandre Hamelin
- Kelsey Hightower
- Thomas Holmes
- Preston Holmes
- Christian Hudon
- Julien Jehannet
- Jeremy Kloth
- Thomas Kluyver
- Amos Latteier
- Mathieu Leduc-Hamel
- Pierre Paul Lefebvre
- Tshepang Lekhonkhobe
- Alain Leufroy
- Janusz Lewandowski
- Martin von Lwis
- Hugo Lopes Tavares
- Guillermo Lpez-Anglada
- Justin Love
- Simon Mathieu
- Carl Meyer
- Alexis Mtaireau
- Julien Miotte
- Zubin Mithra
- Derek McTavish Mounce
- Paul Moore
- Michael Mulich
- Louis Munro
- Gal Pasgrimaud
- George Peristerakis
- Mathieu Perreault
- Guillaume Pratte
- Sean Reifschneider
- Antoine Reversat
- Arc Riley
- C. Anthony Risinger
- Elson Rodriguez
- Luis Rojas
- Erik Rose
- Brian Rosner
- Vinay Sajip
- Victor Stinner

- Alexandre Vassalotti

- Nadeem Vawda

Copyright (C) 2013 by Test User.

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the name of Vinay Sajip
not be used in advertising or publicity pertaining to distribution
of the software without specific, written prior permission.

VINAY SAJIP DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING
ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL
VINAY SAJIP BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR
ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN
AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR
IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
BSD-licensed.

1.19 vixie-cron 3.0pl1-136ubuntu1

1.19.1 Available under license :

No license file was found, but licenses were detected in source scan.

.\" Copyright (c) 1989 The Regents of the University of California.

.\" All rights reserved.

.\"

.\" This code is derived from software contributed to Berkeley by

.\" Paul Vixie.

.\"

.\" Redistribution and use in source and binary forms are permitted

.\" provided that the above copyright notice and this paragraph are

.\" duplicated in all such forms and that any documentation,

.\" advertising materials, and other materials related to such

.\" distribution and use acknowledge that the software was developed

.\" by the University of California, Berkeley. The name of the

.\" University may not be used to endorse or promote products derived

.\" from this software without specific prior written permission.

.\" THIS SOFTWARE IS PROVIDED ``AS IS'' AND WITHOUT ANY EXPRESS OR

.\" IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED

.\" WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

.\"

.\" @(#)bitstring.3 5.1 (Berkeley) 12/13/89

.\"

Found in path(s):

* /opt/cola/permits/1029757352_1619638247.49/0/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/bitstring.3
No license file was found, but licenses were detected in source scan.

* All rights reserved
* Distribute freely, except: don't remove my name from the source or

Found in path(s):
* /opt/cola/permits/1029757352_1619638247.49/0/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/Makefile
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 1988 The Regents of the University of California.
* All rights reserved.
*
* This code is derived from software written by Ken Arnold and
* published in UNIX Review, Vol. 6, No. 8.
*
* Redistribution and use in source and binary forms are permitted
* provided that the above copyright notice and this paragraph are
* duplicated in all such forms and that any documentation,
* advertising materials, and other materials related to such
* distribution and use acknowledge that the software was developed
* by the University of California, Berkeley. The name of the
* University may not be used to endorse or promote products derived
* from this software without specific prior written permission.
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND WITHOUT ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED
* WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.
*
*/

Found in path(s):
* /opt/cola/permits/1029757352_1619638247.49/0/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/popen.c
No license file was found, but licenses were detected in source scan.

/* Copyright 1988,1990,1993,1994 by Paul Vixie
* All rights reserved
*
* Distribute freely, except: don't remove my name from the source or
* documentation (don't take credit for my work), mark your changes (don't
* get me blamed for your possible bugs), don't alter or remove this
* notice. May be sold if buildable source is provided to buyer. No
* warrantee of any kind, express or implied, is included with this
* software; use at your own risk, responsibility for damages (if any) to
* anyone resulting from the use of this software rests entirely with the
* user.
*
* Send bug reports, bug fixes, enhancements, requests, flames, etc., and

Found in path(s):
* /opt/cola/permits/1029757352_1619638247.49/0/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/database.c
* /opt/cola/permits/1029757352_1619638247.49/0/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/misc.c
* /opt/cola/permits/1029757352_1619638247.49/0/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/job.c
* /opt/cola/permits/1029757352_1619638247.49/0/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/compat.c
* /opt/cola/permits/1029757352_1619638247.49/0/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/do_command.c
* /opt/cola/permits/1029757352_1619638247.49/0/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/user.c
* /opt/cola/permits/1029757352_1619638247.49/0/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/config.h
* /opt/cola/permits/1029757352_1619638247.49/0/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/entry.c
* /opt/cola/permits/1029757352_1619638247.49/0/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/cron.h
* /opt/cola/permits/1029757352_1619638247.49/0/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/crontab.c
* /opt/cola/permits/1029757352_1619638247.49/0/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/env.c
* /opt/cola/permits/1029757352_1619638247.49/0/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/cron.c
No license file was found, but licenses were detected in source scan.

$Id: INSTALL,v 2.5 1994/01/15 20:43:43 vixie Exp $

Read the comments at the top of the Makefile, then edit the area marked
'configurable stuff'.

Edit config.h. The stuff I expect you to change is down a bit from the
top of the file, but it's clearly marked. Also look at pathnames.h.

You don't have to create the /var/cron or /var/cron/tabs directories, since
both the daemon and the `crontab' program will do this the first time they
run if they don't exist. You do need to have a /var, though -- just "mkdir
/var" if you don't have one, or you can "mkdir /usr/var; ln -s /usr/var /var"

if you expect your /var to have a lot of stuff in it.

You will also need /usr/local/etc and /usr/local/bin directories unless you change the Makefile. These will have to be created by hand, but if you are a long-time Usenet user you probably have them already. /usr/local/man is where I keep my man pages, but I have the source for `man' and you probably do not. Therefore you may have to put the man pages into /usr/man/manl, which will be hard since there will be name collisions. (Note that the man command was originally written by Bill Joy before he left Berkeley, and it contains no AT&T code, so it is in UUNET's archive of freely-distributable BSD code.)

LINUX note: /usr/include/paths.h on some linux systems shows _PATH_SENDMAIL
 to be /usr/bin/sendmail even though sendmail is installed in /usr/lib.
 you should check this out.

say:
 make all

su and say:
 make install

Note that if I can get you to "su and say" something just by asking, you have a very serious security problem on your system and you should look into it.

Edit your /usr/lib/crontab file into little pieces -- see the CONVERSION file for help on this.

Use the `crontab' command to install all the little pieces you just created. Some examples (see below before trying any of these!)

 crontab -u uucp -r /usr/lib/uucp/crontab.src
 crontab -u news -r /usr/lib/news/crontab.src
 crontab -u root -r /usr/adm/crontab.src

Notes on above examples: (1) the .src files are copied at the time the command is issued; changing the source files later will have no effect until they are reinstalled with another `crontab -r' command.  (2) The crontab command will affect the crontab of the person using the command unless `-u USER' is given; `-u' only works for root.  When using most `su' commands under most BSD's, `crontab' will still think of you as yourself even though you may think of yourself as root -- so use `-u' liberally. (3) the `-r' option stands for `replace'; check the man page for crontab(1) for other possibilities.

Kill your existing cron daemon -- do `ps aux' and look for /etc/cron.

Edit your /etc/rc or /etc/rc.local, looking for the line that starts up

/etc/cron. Comment it out and add a line to start the new cron daemon
-- usually /usr/local/etc/cron, unless you changed it in the Makefile.

Start up this cron daemon yourself as root. Just type /usr/local/etc/cron
(or whatever); no '&' is needed since the daemon forks itself and the
process you executed returns immediately.

ATT notes: for those people unfortunate enough to be stuck on a AT&T UNIX,
you will need the public-domain "libndir", found in the B News source and in
any comp.sources.unix archive. You will also need to hack the code some.

Found in path(s):
* /opt/cola/permits/1029757352_1619638247.49/0/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/INSTALL
No license file was found, but licenses were detected in source scan.

.\"/* Copyright 1988,1990,1993 by Paul Vixie
.\" * All rights reserved
.\" *
.\" * Distribute freely, except: don't remove my name from the source or
.\" * documentation (don't take credit for my work), mark your changes (don't
.\" * get me blamed for your possible bugs), don't alter or remove this
.\" * notice. May be sold if buildable source is provided to buyer. No
.\" * warrantee of any kind, express or implied, is included with this
.\" * software; use at your own risk, responsibility for damages (if any) to
.\" * anyone resulting from the use of this software rests entirely with the
.\" * user.
.\" *
.\" * Send bug reports, bug fixes, enhancements, requests, flames, etc., and
.\" * I'll try to keep a version up to date. I can be reached as follows:
.\" * Paul Vixie   <paul@vix.com>   uunet!decwrl!vixie!paul
.\" */
.\"
.\" $Id: crontab.1,v 2.4 1993/12/31 10:47:33 vixie Exp $
.\"

Found in path(s):
* /opt/cola/permits/1029757352_1619638247.49/0/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/crontab.1
No license file was found, but licenses were detected in source scan.

/* Copyright 1993,1994 by Paul Vixie
* All rights reserved
*
* Distribute freely, except: don't remove my name from the source or
* documentation (don't take credit for my work), mark your changes (don't
* get me blamed for your possible bugs), don't alter or remove this
* notice. May be sold if buildable source is provided to buyer. No
* warrantee of any kind, express or implied, is included with this
* software; use at your own risk, responsibility for damages (if any) to

* anyone resulting from the use of this software rests entirely with the
* user.
*
* Send bug reports, bug fixes, enhancements, requests, flames, etc., and
* I'll try to keep a version up to date. I can be reached as follows:
* Paul Vixie   <paul@vix.com>   uunet!decwrl!vixie!paul
*/

Found in path(s):
* /opt/cola/permits/1029757352_1619638247.49/0/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/compat.h
* /opt/cola/permits/1029757352_1619638247.49/0/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/pathnames.h
* /opt/cola/permits/1029757352_1619638247.49/0/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/externs.h
No license file was found, but licenses were detected in source scan.

.\"/* Copyright 1988,1990,1993 by Paul Vixie
.\" * All rights reserved
.\" *
.\" * Distribute freely, except: don't remove my name from the source or
.\" * documentation (don't take credit for my work), mark your changes (don't
.\" * get me blamed for your possible bugs), don't alter or remove this
.\" * notice. May be sold if buildable source is provided to buyer. No
.\" * warrantee of any kind, express or implied, is included with this
.\" * software; use at your own risk, responsibility for damages (if any) to
.\" * anyone resulting from the use of this software rests entirely with the
.\" * user.
.\" *
.\" * Send bug reports, bug fixes, enhancements, requests, flames, etc., and
.\" * I'll try to keep a version up to date. I can be reached as follows:
.\" * Paul Vixie   <paul@vix.com>   uunet!decwrl!vixie!paul
.\" */
.\"
.\" $Id: cron.8,v 2.2 1993/12/28 08:34:43 vixie Exp $
.\"

Found in path(s):
* /opt/cola/permits/1029757352_1619638247.49/0/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/cron.8
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 1989 The Regents of the University of California.
* All rights reserved.
*
* This code is derived from software contributed to Berkeley by
* Paul Vixie.
*
* Redistribution and use in source and binary forms are permitted
* provided that the above copyright notice and this paragraph are
* duplicated in all such forms and that any documentation,

* advertising materials, and other materials related to such
* distribution and use acknowledge that the software was developed
* by the University of California, Berkeley. The name of the
* University may not be used to endorse or promote products derived
* from this software without specific prior written permission.
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND WITHOUT ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED
* WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.
*
* @(#)bitstring.h 5.2 (Berkeley) 4/4/90
*/

Found in path(s):
* /opt/cola/permits/1029757352_1619638247.49/0/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/bitstring.h
No license file was found, but licenses were detected in source scan.

.\"/* Copyright 1988,1990,1993,1994 by Paul Vixie
.\" * All rights reserved
.\" *
.\" * Distribute freely, except: don't remove my name from the source or
.\" * documentation (don't take credit for my work), mark your changes (don't
.\" * get me blamed for your possible bugs), don't alter or remove this
.\" * notice. May be sold if buildable source is provided to buyer. No
.\" * warrantee of any kind, express or implied, is included with this
.\" * software; use at your own risk, responsibility for damages (if any) to
.\" * anyone resulting from the use of this software rests entirely with the
.\" * user.
.\" *
.\" * Send bug reports, bug fixes, enhancements, requests, flames, etc., and
.\" * I'll try to keep a version up to date. I can be reached as follows:
.\" * Paul Vixie   <paul@vix.com>   uunet!decwrl!vixie!paul
.\" */
.\"
.\" $Id: crontab.5,v 2.4 1994/01/15 20:43:43 vixie Exp $
.\"

Found in path(s):
* /opt/cola/permits/1029757352_1619638247.49/0/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/crontab.5
No license file was found, but licenses were detected in source scan.

#/* Copyright 1988,1990,1993 by Paul Vixie
* All rights reserved
*
* Distribute freely, except: don't remove my name from the source or
* documentation (don't take credit for my work), mark your changes (don't
* get me blamed for your possible bugs), don't alter or remove this
* notice. May be sold if buildable source is provided to buyer. No
* warrantee of any kind, express or implied, is included with this

Vixie Cron V3.0
December 27, 1993
[V2.2 was some time in 1992]
[V2.1 was May 29, 1991]
[V2.0 was July 5, 1990]
[V2.0-beta was December 9, 1988]
[V1.0 was May 6, 1987]
Paul Vixie

This is a version of 'cron' that is known to run on BSD 4.[23] systems. It
is functionally based on the SysV cron, which means that each user can have
their own crontab file (all crontab files are stored in a read-protected
directory, usually /var/cron/tabs). No direct support is provided for
'at'; you can continue to run 'atrun' from the crontab as you have been
doing. If you don't have atrun (i.e., System V) you are in trouble.

A messages is logged each time a command is executed; also, the files
"allow" and "deny" in /var/cron can be used to control access to the
"crontab" command (which installs crontabs). It hasn't been tested on
SysV, although some effort has gone into making the port an easy one.

This is more or less the copyright that USENET contributed software usually
has. Since ATT couldn't use this version if they had to freely distribute
source, and since I'd love to see them use it, I'll offer some rediculously
low license fee just to have them take it. In the unlikely event that they
do this, I will continue to support and distribute the pseudo-PD version, so
please, don't flame me for wanting my work to see a wider distribution.

To use this: Sorry, folks, there is no cutesy 'Configure' script. You'll
have to go edit a couple of files... So, here's the checklist:

 Read all the FEATURES, INSTALL, and CONVERSION files
 Edit config.h
 Edit Makefile
  (both of these files have instructions inside; note that
   some things in config.h are definable in Makefile and are
   therefore surrounded by #ifndef...#endif)
 'make'
 'su' and 'make install'

(you may have to install the man pages by hand)

kill your existing cron process

(actually you can run your existing cron if you want, but why?)

build new crontabs using /usr/lib/{crontab,crontab.local}

(either put them all in "root"'s crontab, or divide it up

and rip out all the 'su' commands, collapse the lengthy

lists into ranges with steps -- basically, this step is

as much work as you want to make it)

start up the new cron

(must be done as root)

watch it. test it with 'crontab -r' and watch the daemon track your

changes.

if you like it, change your /etc/{rc,rc.local} to use it instead of

the old one.

$Id: README,v 2.3 1993/12/28 08:34:43 vixie Exp $

Found in path(s):

* /opt/cola/permits/1029757352_1619638247.49/0/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/README

1.20 x-text 0.3.7

1.20.1 Available under license :

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

   * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
   * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This source code was written by the Go contributors.

The master list of contributors is in the main Go distribution,

visible at http://tip.golang.org/CONTRIBUTORS.

1.21 benbjohnson-clock 0.0.0-20161215174838-7dc76406b6d3

1.21.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Ben Johnson

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.22 bash 5.0 6ubuntu1.1

1.22.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you have
certain responsibilities if you distribute copies of the software, or if
you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must pass on to the recipients the same
freedoms that you received. You must make sure that they, too, receive
or can get the source code. And you must show them these terms so they
know their rights.

Developers that use the GNU GPL protect your rights with two steps:
(1) assert copyright on the software, and (2) offer you this License
giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains
that there is no warranty for this free software. For both users' and
authors' sake, the GPL requires that modified versions be marked as
changed, so that their problems will not be attributed erroneously to
authors of previous versions.

Some devices are designed to deny users access to install or run
modified versions of the software inside them, although the manufacturer
can do so. This is fundamentally incompatible with the aim of
protecting users' freedom to change the software. The systematic
pattern of such abuse occurs in the area of products for individuals to
use, which is precisely where it is most unacceptable. Therefore, we
have designed this version of the GPL to prohibit the practice for those
products. If such problems arise substantially in other domains, we

stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2)

tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

  1. Source Code.

 The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

 A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

 The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

 The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

 The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

 The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

 All rights granted under this License are granted for the term of
copyright on the Program, and are irrevocable provided the stated
conditions are met. This License explicitly affirms your unlimited
permission to run the unmodified Program. The output from running a
covered work is covered by this License only if the output, given its
content, constitutes a covered work. This License acknowledges your
rights of fair use or other equivalent, as provided by copyright law.

 You may make, run and propagate covered works that you do not
convey, without conditions so long as your license otherwise remains
in force. You may convey covered works to others for the sole purpose
of having them make modifications exclusively for you, or provide you
with facilities for running those works, provided that you comply with
the terms of this License in conveying all material for which you do
not control copyright. Those thus making or running the covered works
for you must do so exclusively on your behalf, under your direction
and control, on terms that prohibit them from making any copies of
your copyrighted material outside their relationship with you.

 Conveying under any other circumstances is permitted solely under
the conditions stated below. Sublicensing is not allowed; section 10
makes it unnecessary.

 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

 No covered work shall be deemed part of an effective technological
measure under any applicable law fulfilling obligations under article
11 of the WIPO copyright treaty adopted on 20 December 1996, or
similar laws prohibiting or restricting circumvention of such
measures.

 When you convey a covered work, you waive any legal power to forbid
circumvention of technological measures to the extent such circumvention
is effected by exercising rights under this License with respect to
the covered work, and you disclaim any intention to limit operation or
modification of the work as a means of enforcing, against the work's
users, your or third parties' legal rights to forbid circumvention of
technological measures.

 4. Conveying Verbatim Copies.

 You may convey verbatim copies of the Program's source code as you
receive it, in any medium, provided that you conspicuously and
appropriately publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;

keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License,

in one of these ways:

a) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by the
Corresponding Source fixed on a durable physical medium
customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by a
written offer, valid for at least three years and valid for as
long as you offer spare parts or customer support for that product
model, to give anyone who possesses the object code either (1) a
copy of the Corresponding Source for all the software in the
product that is covered by this License, on a durable physical
medium customarily used for software interchange, for a price no
more than your reasonable cost of physically performing this
conveying of source, or (2) access to copy the
Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the
written offer to provide the Corresponding Source. This
alternative is allowed only occasionally and noncommercially, and
only if you received the object code with such an offer, in accord
with subsection 6b.

d) Convey the object code by offering access from a designated
place (gratis or for a charge), and offer equivalent access to the
Corresponding Source in the same way through the same place at no
further charge. You need not require recipients to copy the
Corresponding Source along with the object code. If the place to
copy the object code is a network server, the Corresponding Source
may be on a different server (operated by you or a third party)
that supports equivalent copying facilities, provided you maintain
clear directions next to the object code saying where to find the
Corresponding Source. Regardless of what server hosts the
Corresponding Source, you remain obligated to ensure that it is
available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided
you inform other peers where the object code and Corresponding
Source of the work are being offered to the general public at no
charge under subsection 6d.

A separable portion of the object code, whose source code is excluded
from the Corresponding Source as a System Library, need not be
included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any

tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

 "Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

 If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

 The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

 Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

 7. Additional Terms.

 "Additional permissions" are terms that supplement the terms of this

License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

 When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

 Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

  a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or

  b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

  c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

  d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

  e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

  f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

 All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this

License, you may add to a covered work material governed by the terms
of that license document, provided that the further restriction does
not survive such relicensing or conveying.

 If you add terms to a covered work in accord with this section, you
must place, in the relevant source files, a statement of the
additional terms that apply to those files, or a notice indicating
where to find the applicable terms.

 Additional terms, permissive or non-permissive, may be stated in the
form of a separately written license, or stated as exceptions;
the above requirements apply either way.

 8. Termination.

 You may not propagate or modify a covered work except as expressly
provided under this License. Any attempt otherwise to propagate or
modify it is void, and will automatically terminate your rights under
this License (including any patent licenses granted under the third
paragraph of section 11).

 However, if you cease all violation of this License, then your
license from a particular copyright holder is reinstated (a)
provisionally, unless and until the copyright holder explicitly and
finally terminates your license, and (b) permanently, if the copyright
holder fails to notify you of the violation by some reasonable means
prior to 60 days after the cessation.

 Moreover, your license from a particular copyright holder is
reinstated permanently if the copyright holder notifies you of the
violation by some reasonable means, this is the first time you have
received notice of violation of this License (for any work) from that
copyright holder, and you cure the violation prior to 30 days after
your receipt of the notice.

 Termination of your rights under this section does not terminate the
licenses of parties who have received copies or rights from you under
this License. If your rights have been terminated and not permanently
reinstated, you do not qualify to receive new licenses for the same
material under section 10.

 9. Acceptance Not Required for Having Copies.

 You are not required to accept this License in order to receive or
run a copy of the Program. Ancillary propagation of a covered work
occurring solely as a consequence of using peer-to-peer transmission
to receive a copy likewise does not require acceptance. However,
nothing other than this License grants you permission to propagate or

modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and

propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may

otherwise be available to you under applicable patent law.

  12. No Surrender of Others' Freedom.

 If conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot convey a
covered work so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you may
not convey it at all. For example, if you agree to terms that obligate you
to collect a royalty for further conveying from those to whom you convey
the Program, the only way you could satisfy both those terms and this
License would be to refrain entirely from conveying the Program.

  13. Use with the GNU Affero General Public License.

 Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

  14. Revised Versions of this License.

 The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

 Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

 If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

 Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any

author or copyright holder as a result of your choosing to follow a
later version.

15. Disclaimer of Warranty.

 THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

 IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE
USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD
PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

 If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

                    END OF TERMS AND CONDITIONS

             How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation, either version 3 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

 If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

  <program> Copyright (C) <year> <name of author>
  This program comes with ABSOLUTELY NO WARRANTY; for details type 'show w'.
  This is free software, and you are welcome to redistribute it
  under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

 You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

 The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<http://www.gnu.org/philosophy/why-not-lgpl.html>.

1.23 ipaddr 2.2.0

1.23.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the

editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
    Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
    stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
    that You distribute, all copyright, patent, trademark, and
    attribution notices from the Source form of the Work,
    excluding those notices that do not pertain to any part of
    the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
    distribution, then any Derivative Works that You distribute must
    include a readable copy of the attribution notices contained
    within such NOTICE file, excluding those notices that do not
    pertain to any part of the Derivative Works, in at least one
    of the following places: within a NOTICE text file distributed
    as part of the Derivative Works; within the Source form or
    documentation, if provided along with the Derivative Works; or,
    within a display generated by the Derivative Works, if and
    wherever such third-party notices normally appear. The contents
    of the NOTICE file are for informational purposes only and
    do not modify the License. You may add Your own attribution
    notices within Derivative Works that You distribute, alongside
    or as an addendum to the NOTICE text from the Work, provided
    that such additional attribution notices cannot be construed
    as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the

1.24 importlib-metadata 4.8.1

1.24.1 Available under license :

1.25 apache-thrift 0.13.0

1.25.1 Available under license :

as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is

linked with the Library has the freedom and the wherewithal to run
that program using a modified version of the Library.

  The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, whereas the latter must
be combined with the library in order to run.

   GNU LESSER GENERAL PUBLIC LICENSE
  TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

  0. This License Agreement applies to any software library or other
program which contains a notice placed by the copyright holder or
other authorized party saying it may be distributed under the terms of
this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

  A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

  The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated
straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

  "Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means
all the source code for all modules it contains, plus any associated
interface definition files, plus the scripts used to control compilation
and installation of the library.

  Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running a program using the Library is not restricted, and output from
such a program is covered only if its contents constitute a work based
on the Library (independent of the use of the Library in a tool for
writing it). Whether that is true depends on what the Library does
and what the program that uses the Library does.

  1. You may copy and distribute verbatim copies of the Library's
complete source code as you receive it, in any medium, provided that
you conspicuously and appropriately publish on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact

all the notices that refer to this License and to the absence of any
warranty; and distribute a copy of this License along with the
Library.

 You may charge a fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a
fee.

 2. You may modify your copy or copies of the Library or any portion
of it, thus forming a work based on the Library, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) The modified work must itself be a software library.

  b) You must cause the files modified to carry prominent notices
  stating that you changed the files and the date of any change.

  c) You must cause the whole of the work to be licensed at no
  charge to all third parties under the terms of this License.

  d) If a facility in the modified Library refers to a function or a
  table of data to be supplied by an application program that uses
  the facility, other than as an argument passed when the facility
  is invoked, then you must make a good faith effort to ensure that,
  in the event an application does not supply such function or
  table, the facility still operates, and performs whatever part of
  its purpose remains meaningful.

  (For example, a function in a library to compute square roots has
  a purpose that is entirely well-defined independent of the
  application. Therefore, Subsection 2d requires that any
  application-supplied function or table used by this function must
  be optional: if the application does not supply it, the square
  root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Library,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest

your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

 Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

 4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

 5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

 However, linking a "work that uses the Library" with the Library
creates an executable that is a derivative of the Library (because it
contains portions of the Library), rather than a "work that uses the
library". The executable is therefore covered by this License.

Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file
that is part of the Library, the object code for the work may be a
derivative work of the Library even though the source code is not.
Whether this is true is especially significant if the work can be
linked without the Library, or if the work is itself a library. The
threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data
structure layouts and accessors, and small macros and small inline
functions (ten lines or less in length), then the use of the object
file is unrestricted, regardless of whether it is legally a derivative
work. (Executables containing this object code plus portions of the
Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may
distribute the object code for the work under the terms of Section 6.
Any executables containing that work also fall under Section 6,
whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or
link a "work that uses the Library" with the Library to produce a
work containing portions of the Library, and distribute that work
under terms of your choice, provided that the terms permit
modification of the work for the customer's own use and reverse
engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the
Library is used in it and that the Library and its use are covered by
this License. You must supply a copy of this License. If the work
during execution displays copyright notices, you must include the
copyright notice for the Library among them, as well as a reference
directing the user to the copy of this License. Also, you must do one
of these things:

a) Accompany the work with the complete corresponding
machine-readable source code for the Library including whatever
changes were used in the work (which must be distributed under
Sections 1 and 2 above); and, if the work is an executable linked
with the Library, with the complete machine-readable "work that
uses the Library", as object code and/or source code, so that the
user can modify the Library and then relink to produce a modified
executable containing the modified Library. (It is understood
that the user who changes the contents of definitions files in the
Library will not necessarily be able to recompile the application
to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the
Library. A suitable mechanism is one that (1) uses at run time a
copy of the library already present on the user's computer system,
rather than copying library functions into the executable, and (2)
will operate properly with a modified version of the library, if
the user installs one, as long as the modified version is
interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at
least three years, to give the same user the materials
specified in Subsection 6a, above, for a charge no more
than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy
from a designated place, offer equivalent access to copy the above
specified materials from the same place.

e) Verify that the user has already received a copy of these
materials or that you have already sent this user a copy.

 For an executable, the required form of the "work that uses the
Library" must include any data and utility programs needed for
reproducing the executable from it. However, as a special exception,
the materials to be distributed need not include anything that is
normally distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies
the executable.

 It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.

 7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work
based on the Library, uncombined with any other library
facilities. This must be distributed under the terms of the
Sections above.

b) Give prominent notice with the combined library of the fact

that part of it is a work based on the Library, and explaining
where to find the accompanying uncombined form of the same work.

 8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

 9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

 10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties with
this License.

 11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply,
and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the

integrity of the free software distribution system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

 12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

 13. The Free Software Foundation may publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

 14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

    NO WARRANTY

 15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE

IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

 16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

 END OF TERMS AND CONDITIONS

 How to Apply These Terms to Your New Libraries

 If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

 To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

 <one line to give the library's name and a brief idea of what it does.>
 Copyright (C) <year> <name of author>

 This library is free software; you can redistribute it and/or
 modify it under the terms of the GNU Lesser General Public
 License as published by the Free Software Foundation; either
 version 2.1 of the License, or (at your option) any later version.

 This library is distributed in the hope that it will be useful,
 but WITHOUT ANY WARRANTY; without even the implied warranty of
 MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
 Lesser General Public License for more details.

 You should have received a copy of the GNU Lesser General Public
 License along with this library; if not, write to the Free Software
 Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the
 library `Frob' (a library for tweaking knobs) written by James Random Hacker.

 <signature of Ty Coon>, 1 April 1990
 Ty Coon, President of Vice

That's all there is to it!
This package was debianized by Thrift Developer's <dev@thrift.apache.org>.

This package and the Debian packaging is licensed under the Apache License, see `/usr/share/common-licenses/Apache-2.0'.

The following information was copied from Apache Thrift LICENSE file.

SOFTWARE DISTRIBUTED WITH THRIFT:

The Apache Thrift software includes a number of subcomponents with separate copyright notices and license terms. Your use of the source code for the these subcomponents is subject to the terms and conditions of the following licenses.

Portions of the following files are licensed under the MIT License:

 lib/erl/src/Makefile.am

Please see doc/otp-base-license.txt for the full terms of this license.

The following files contain some portions of code contributed under the Thrift Software License (see doc/old-thrift-license.txt), and relicensed under the Apache 2.0 License:

 compiler/cpp/Makefile.am
 compiler/cpp/src/generate/t_cpp_generator.cc
 compiler/cpp/src/generate/t_csharp_generator.cc
 compiler/cpp/src/generate/t_erl_generator.cc
 compiler/cpp/src/generate/t_hs_generator.cc
 compiler/cpp/src/generate/t_java_generator.cc

compiler/cpp/src/generate/t_ocaml_generator.cc

compiler/cpp/src/generate/t_perl_generator.cc

compiler/cpp/src/generate/t_php_generator.cc

compiler/cpp/src/generate/t_py_generator.cc

compiler/cpp/src/generate/t_rb_generator.cc

compiler/cpp/src/generate/t_st_generator.cc

compiler/cpp/src/generate/t_xsd_generator.cc

compiler/cpp/src/main.cc

compiler/cpp/src/parse/t_field.h

compiler/cpp/src/parse/t_program.h

compiler/cpp/src/platform.h

compiler/cpp/src/thriftl.ll

compiler/cpp/src/thrifty.yy

lib/csharp/src/Protocol/TBinaryProtocol.cs

lib/csharp/src/Protocol/TField.cs

lib/csharp/src/Protocol/TList.cs

lib/csharp/src/Protocol/TMap.cs

lib/csharp/src/Protocol/TMessage.cs

lib/csharp/src/Protocol/TMessageType.cs

lib/csharp/src/Protocol/TProtocol.cs

lib/csharp/src/Protocol/TProtocolException.cs

lib/csharp/src/Protocol/TProtocolFactory.cs

lib/csharp/src/Protocol/TProtocolUtil.cs

lib/csharp/src/Protocol/TSet.cs

lib/csharp/src/Protocol/TStruct.cs

lib/csharp/src/Protocol/TType.cs

lib/csharp/src/Server/TServer.cs

lib/csharp/src/Server/TSimpleServer.cs

lib/csharp/src/Server/TThreadPoolServer.cs

lib/csharp/src/TApplicationException.cs

lib/csharp/src/Thrift.csproj

lib/csharp/src/Thrift.sln

lib/csharp/src/TProcessor.cs

lib/csharp/src/Transport/TServerSocket.cs

lib/csharp/src/Transport/TServerTransport.cs

lib/csharp/src/Transport/TSocket.cs

lib/csharp/src/Transport/TStreamTransport.cs

lib/csharp/src/Transport/TTransport.cs

lib/csharp/src/Transport/TTransportException.cs

lib/csharp/src/Transport/TTransportFactory.cs

lib/csharp/ThriftMSBuildTask/Properties/AssemblyInfo.cs

lib/csharp/ThriftMSBuildTask/ThriftBuild.cs

lib/csharp/ThriftMSBuildTask/ThriftMSBuildTask.csproj

lib/rb/lib/thrift.rb

lib/st/README

lib/st/thrift.st

test/OptionalRequiredTest.cpp

test/OptionalRequiredTest.thrift

test/ThriftTest.thrift

For the aclocal/ax_boost_base.m4 and contrib/fb303/aclocal/ax_boost_base.m4 components:

Copyright (c) 2007 Thomas Porschberg <thomas@randspringer.de>
#
Copying and distribution of this file, with or without
modification, are permitted in any medium without royalty provided
the copyright notice and this notice are preserved.

For the compiler/cpp/src/md5.[ch] components:

/*
 Copyright (C) 1999, 2000, 2002 Aladdin Enterprises. All rights reserved.

 This software is provided 'as-is', without any express or implied
 warranty. In no event will the authors be held liable for any damages
 arising from the use of this software.

 Permission is granted to anyone to use this software for any purpose,
 including commercial applications, and to alter it and redistribute it
 freely, subject to the following restrictions:

 1. The origin of this software must not be misrepresented; you must not
    claim that you wrote the original software. If you use this software
    in a product, an acknowledgment in the product documentation would be
    appreciated but is not required.
 2. Altered source versions must be plainly marked as such, and must not be
    misrepresented as being the original software.
 3. This notice may not be removed or altered from any source distribution.

 L. Peter Deutsch
 ghost@aladdin.com

*/

For the lib/rb/setup.rb: Copyright (c) 2000-2005 Minero Aoki,
lib/ocaml/OCamlMakefile and lib/ocaml/README-OCamlMakefile components:
    Copyright (C) 1999 - 2007 Markus Mottl

Licensed under the terms of the GNU Lesser General Public License 2.1
(see doc/lgpl-2.1.txt for the full terms of this license)
Tue Oct 24 12:28:44 CDT 2006

Copyright (c) <2006> <Martin J. Logan, Erlware>

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software (OTP Base, fslib, G.A.S) and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,
INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A
PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE
OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Licensed to the Apache Software Foundation (ASF) under one
or more contributor license agreements. See the NOTICE file
distributed with this work for additional information
regarding copyright ownership. The ASF licenses this file
to you under the Apache License, Version 2.0 (the
"License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing,
software distributed under the License is distributed on an
"AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
KIND, either express or implied. See the License for the
specific language governing permissions and limitations
under the License.
Apache Thrift
Copyright (C) 2006 - 2019, The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of

the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
    distribution, then any Derivative Works that You distribute must
    include a readable copy of the attribution notices contained
    within such NOTICE file, excluding those notices that do not
    pertain to any part of the Derivative Works, in at least one
    of the following places: within a NOTICE text file distributed
    as part of the Derivative Works; within the Source form or
    documentation, if provided along with the Derivative Works; or,
    within a display generated by the Derivative Works, if and
    wherever such third-party notices normally appear. The contents
    of the NOTICE file are for informational purposes only and
    do not modify the License. You may add Your own attribution
    notices within Derivative Works that You distribute, alongside
    or as an addendum to the NOTICE text from the Work, provided
    that such additional attribution notices cannot be construed
    as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and
limitations under the License.

SOFTWARE DISTRIBUTED WITH THRIFT:

The Apache Thrift software includes a number of subcomponents with
separate copyright notices and license terms. Your use of the source
code for the these subcomponents is subject to the terms and
conditions of the following licenses.

Portions of the following files are licensed under the MIT License:

  lib/erl/src/Makefile.am

Please see doc/otp-base-license.txt for the full terms of this license.

For the aclocal/ax_boost_base.m4 and contrib/fb303/aclocal/ax_boost_base.m4 components:

Copyright (c) 2007 Thomas Porschberg <thomas@randspringer.de>
#
Copying and distribution of this file, with or without
modification, are permitted in any medium without royalty provided
the copyright notice and this notice are preserved.

For the lib/nodejs/lib/thrift/json_parse.js:

/*
  json_parse.js
  2015-05-02
  Public Domain.
  NO WARRANTY EXPRESSED OR IMPLIED. USE AT YOUR OWN RISK.

*/
(By Douglas Crockford <douglas@crockford.com>)

                    Apache License
                Version 2.0, January 2004
              http://www.apache.org/licenses/

   TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

   1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
    distribution, then any Derivative Works that You distribute must
    include a readable copy of the attribution notices contained
    within such NOTICE file, excluding those notices that do not
    pertain to any part of the Derivative Works, in at least one
    of the following places: within a NOTICE text file distributed
    as part of the Derivative Works; within the Source form or
    documentation, if provided along with the Derivative Works; or,
    within a display generated by the Derivative Works, if and
    wherever such third-party notices normally appear. The contents
    of the NOTICE file are for informational purposes only and
    do not modify the License. You may add Your own attribution
    notices within Derivative Works that You distribute, alongside
    or as an addendum to the NOTICE text from the Work, provided
    that such additional attribution notices cannot be construed
    as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and

limitations under the License.

1.26 cpp 10.3.0-1ubuntu1~20.04

1.26.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

   a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
   b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
   c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather,

the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

  a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
  b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
  c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the

conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF

ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY
COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE
PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL,
SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY
TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING
RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF
THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER
PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.
END OF TERMS AND CONDITIONS

1.27 go.uber.org/atomi 1.7.0

1.27.1 Available under license :

Copyright (c) 2016 Uber Technologies, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.28 profile 1.6.0

1.28.1 Available under license :

Copyright (c) 2013 Dave Cheney. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.29 antchfx-xpath 1.2.0

1.29.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.30 netmiko 2.4.1

1.30.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Kirk Byers

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all

copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.31 scp 0.14.1

1.31.1 Available under license :

This library is free software; you can redistribute it and/or

modify it under the terms of the GNU Lesser General Public

License as published by the Free Software Foundation; either

version 2.1 of the License, or (at your option) any later version.

#

This library is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU

Lesser General Public License for more details.

#

You should have received a copy of the GNU Lesser General Public

License along with this library; if not, write to the Free Software

Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

1.32 typing-extensions 3.10.0.2

1.32.1 Available under license :

A. HISTORY OF THE SOFTWARE

==========================

Python was created in the early 1990s by Guido van Rossum at Stichting

Mathematisch Centrum (CWI, see http://www.cwi.nl) in the Netherlands

as a successor of a language called ABC. Guido remains Python's

principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for

National Research Initiatives (CNRI, see http://www.cnri.reston.va.us)
in Reston, Virginia where he released several versions of the
software.

In May 2000, Guido and the Python core development team moved to
BeOpen.com to form the BeOpen PythonLabs team. In October of the same
year, the PythonLabs team moved to Digital Creations (now Zope
Corporation, see http://www.zope.com). In 2001, the Python Software
Foundation (PSF, see http://www.python.org/psf/) was formed, a
non-profit organization created specifically to own Python-related
Intellectual Property. Zope Corporation is a sponsoring member of
the PSF.

All Python releases are Open Source (see http://www.opensource.org for
the Open Source Definition). Historically, most, but not all, Python
releases have also been GPL-compatible; the table below summarizes
the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under
    the GPL. All Python licenses, unlike the GPL, let you distribute
    a modified version without making your changes open source. The
    GPL-compatible licenses make it possible to combine Python with
    other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible,
    because its license has a choice of law clause. According to
    CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1
    is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's
direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

==

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2
----

1. This LICENSE AGREEMENT is between the Python Software Foundation
("PSF"), and the Individual or Organization ("Licensee") accessing and
otherwise using this software ("Python") in source or binary form and
its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby
grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce,
analyze, test, perform and/or display publicly, prepare derivative works,
distribute, and otherwise use Python alone or in any derivative version,
provided, however, that PSF's License Agreement and PSF's notice of copyright,
i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010,
2011, 2012, 2013, 2014 Python Software Foundation; All Rights Reserved" are
retained in Python alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on
or incorporates Python or any part thereof, and wants to make
the derivative work available to others as provided herein, then
Licensee hereby agrees to include in any such work a brief summary of
the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS"
basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON
FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS
A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON,
OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material
breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any
relationship of agency, partnership, or joint venture between PSF and
Licensee. This License Agreement does not grant permission to use PSF
trademarks or trade name in a trademark sense to endorse or promote
products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee
agrees to be bound by the terms and conditions of this License
Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an
office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the
Individual or Organization ("Licensee") accessing and otherwise using
this software in source or binary form and its associated
documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License
Agreement, BeOpen hereby grants Licensee a non-exclusive,
royalty-free, world-wide license to reproduce, analyze, test, perform
and/or display publicly, prepare derivative works, distribute, and
otherwise use the Software alone or in any derivative version,
provided, however, that the BeOpen Python License is retained in the
Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS"
basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE
SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS
AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY
DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material
breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all
respects by the law of the State of California, excluding conflict of
law provisions. Nothing in this License Agreement shall be deemed to
create any relationship of agency, partnership, or joint venture
between BeOpen and Licensee. This License Agreement does not grant
permission to use BeOpen trademarks or trade names in a trademark
sense to endorse or promote products or services of Licensee, or any
third party. As an exception, the "BeOpen Python" logos available at

http://www.pythonlabs.com/logos.html may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1
----

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: http://hdl.handle.net/1895.22/1013".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON

1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS
A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1,
OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material
breach of its terms and conditions.

7. This License Agreement shall be governed by the federal
intellectual property law of the United States, including without
limitation the federal copyright law, and, to the extent such
U.S. federal law does not apply, by the law of the Commonwealth of
Virginia, excluding Virginia's conflict of law provisions.
Notwithstanding the foregoing, with regard to derivative works based
on Python 1.6.1 that incorporate non-separable material that was
previously distributed under the GNU General Public License (GPL), the
law of the Commonwealth of Virginia shall govern this License
Agreement only as to issues arising under or with respect to
Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this
License Agreement shall be deemed to create any relationship of
agency, partnership, or joint venture between CNRI and Licensee. This
License Agreement does not grant permission to use CNRI trademarks or
trade name in a trademark sense to endorse or promote products or
services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying,
installing or otherwise using Python 1.6.1, Licensee agrees to be
bound by the terms and conditions of this License Agreement.

    ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam,
The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the name of Stichting Mathematisch
Centrum or CWI not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior
permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND

FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.33 python-certifi 2019.11.28

1.33.1 Available under license :

This packge contains a modified version of ca-bundle.crt:

ca-bundle.crt -- Bundle of CA Root Certificates

Certificate data from Mozilla as of: Thu Nov 3 19:04:19 2011#
This is a bundle of X.509 certificates of public Certificate Authorities
(CA). These were automatically extracted from Mozilla's root certificates
file (certdata.txt). This file can be found in the mozilla source tree:
http://mxr.mozilla.org/mozilla/source/security/nss/lib/ckfw/builtins/certdata.txt?raw=1#
It contains the certificates in PEM format and therefore
can be directly used with curl / libcurl / php_curl, or with
an Apache+mod_ssl webserver for SSL client authentication.
Just configure this file as the SSLCACertificateFile.#

***** BEGIN LICENSE BLOCK *****
This Source Code Form is subject to the terms of the Mozilla Public License,
v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain
one at http://mozilla.org/MPL/2.0/.

***** END LICENSE BLOCK *****
@(#) $RCSfile: certdata.txt,v $ $Revision: 1.80 $ $Date: 2011/11/03 15:11:58 $

1.34 expat 2.2.9 1ubuntu0.4

1.34.1 Available under license :

Format: http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: Expat
Upstream-Contact: Sebastian Pipping <sebastian@pipping.org>
Source: https://github.com/libexpat/libexpat
Copyright: Copyright (C) Expat maintainers

Files: *
Copyright:
Copyright (C) 1998-2000 Thai Open Source Software Center Ltd and Clark Cooper
Copyright (C) 2001-2017 Expat maintainers
License: MIT

1.35 go-datemath 0.1.1-0.20200323150745-74ddef604fff

1.35.1 Available under license :

Copyright (c) 2019, Timber Technologies, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose
with or without fee is hereby granted, provided that the above copyright notice
and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH
REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT,
INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM
LOSS
OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF
THIS SOFTWARE.

1.36 grep 3.4 1

1.36.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <https://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not

price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official

standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose

of having them make modifications exclusively for you, or provide you
with facilities for running those works, provided that you comply with
the terms of this License in conveying all material for which you do
not control copyright. Those thus making or running the covered works
for you must do so exclusively on your behalf, under your direction
and control, on terms that prohibit them from making any copies of
your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under
the conditions stated below. Sublicensing is not allowed; section 10
makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological
measure under any applicable law fulfilling obligations under article
11 of the WIPO copyright treaty adopted on 20 December 1996, or
similar laws prohibiting or restricting circumvention of such
measures.

When you convey a covered work, you waive any legal power to forbid
circumvention of technological measures to the extent such circumvention
is effected by exercising rights under this License with respect to
the covered work, and you disclaim any intention to limit operation or
modification of the work as a means of enforcing, against the work's
users, your or third parties' legal rights to forbid circumvention of
technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you
receive it, in any medium, provided that you conspicuously and
appropriately publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey,
and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to
produce it from the Program, in the form of source code under the
terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent notices stating that you modified

it, and giving a relevant date.

b) The work must carry prominent notices stating that it is
released under this License and any conditions added under section
7. This requirement modifies the requirement in section 4 to
"keep intact all notices".

c) You must license the entire work, as a whole, under this
License to anyone who comes into possession of a copy. This
License will therefore apply, along with any applicable section 7
additional terms, to the whole of the work, and all its parts,
regardless of how they are packaged. This License gives no
permission to license the work in any other way, but it does not
invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display
Appropriate Legal Notices; however, if the Program has interactive
interfaces that do not display Appropriate Legal Notices, your
work need not make them do so.

 A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

 6. Conveying Non-Source Forms.

 You may convey a covered work in object code form under the terms
of sections 4 and 5, provided that you also convey the
machine-readable Corresponding Source under the terms of this License,
in one of these ways:

 a) Convey the object code in, or embodied in, a physical product
 (including a physical distribution medium), accompanied by the
 Corresponding Source fixed on a durable physical medium
 customarily used for software interchange.

 b) Convey the object code in, or embodied in, a physical product
 (including a physical distribution medium), accompanied by a
 written offer, valid for at least three years and valid for as
 long as you offer spare parts or customer support for that product
 model, to give anyone who possesses the object code either (1) a
 copy of the Corresponding Source for all the software in the

product that is covered by this License, on a durable physical
medium customarily used for software interchange, for a price no
more than your reasonable cost of physically performing this
conveying of source, or (2) access to copy the
Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the
written offer to provide the Corresponding Source. This
alternative is allowed only occasionally and noncommercially, and
only if you received the object code with such an offer, in accord
with subsection 6b.

d) Convey the object code by offering access from a designated
place (gratis or for a charge), and offer equivalent access to the
Corresponding Source in the same way through the same place at no
further charge. You need not require recipients to copy the
Corresponding Source along with the object code. If the place to
copy the object code is a network server, the Corresponding Source
may be on a different server (operated by you or a third party)
that supports equivalent copying facilities, provided you maintain
clear directions next to the object code saying where to find the
Corresponding Source. Regardless of what server hosts the
Corresponding Source, you remain obligated to ensure that it is
available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided
you inform other peers where the object code and Corresponding
Source of the work are being offered to the general public at no
charge under subsection 6d.

 A separable portion of the object code, whose source code is excluded
from the Corresponding Source as a System Library, need not be
included in conveying the object code work.

 A "User Product" is either (1) a "consumer product", which means any
tangible personal property which is normally used for personal, family,
or household purposes, or (2) anything designed or sold for incorporation
into a dwelling. In determining whether a product is a consumer product,
doubtful cases shall be resolved in favor of coverage. For a particular
product received by a particular user, "normally used" refers to a
typical or common use of that class of product, regardless of the status
of the particular user or of the way in which the particular user
actually uses, or expects or is expected to use, the product. A product
is a consumer product regardless of whether the product has substantial
commercial, industrial or non-consumer uses, unless such uses represent
the only significant mode of use of the product.

 "Installation Information" for a User Product means any methods,

procedures, authorization keys, or other information required to install
and execute modified versions of a covered work in that User Product from
a modified version of its Corresponding Source. The information must
suffice to ensure that the continued functioning of the modified object
code is in no case prevented or interfered with solely because
modification has been made.

 If you convey an object code work under this section in, or with, or
specifically for use in, a User Product, and the conveying occurs as
part of a transaction in which the right of possession and use of the
User Product is transferred to the recipient in perpetuity or for a
fixed term (regardless of how the transaction is characterized), the
Corresponding Source conveyed under this section must be accompanied
by the Installation Information. But this requirement does not apply
if neither you nor any third party retains the ability to install
modified object code on the User Product (for example, the work has
been installed in ROM).

 The requirement to provide Installation Information does not include a
requirement to continue to provide support service, warranty, or updates
for a work that has been modified or installed by the recipient, or for
the User Product in which it has been modified or installed. Access to a
network may be denied when the modification itself materially and
adversely affects the operation of the network or violates the rules and
protocols for communication across the network.

 Corresponding Source conveyed, and Installation Information provided,
in accord with this section must be in a format that is publicly
documented (and with an implementation available to the public in
source code form), and must require no special password or key for
unpacking, reading or copying.

 7. Additional Terms.

 "Additional permissions" are terms that supplement the terms of this
License by making exceptions from one or more of its conditions.
Additional permissions that are applicable to the entire Program shall
be treated as though they were included in this License, to the extent
that they are valid under applicable law. If additional permissions
apply only to part of the Program, that part may be used separately
under those permissions, but the entire Program remains governed by
this License without regard to the additional permissions.

 When you convey a copy of a covered work, you may at your option
remove any additional permissions from that copy, or from any part of
it. (Additional permissions may be written to require their own
removal in certain cases when you modify the work.) You may place
additional permissions on material, added by you to a covered work,

for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or

b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an

organization, or merging organizations. If propagation of a covered
work results from an entity transaction, each party to that
transaction who receives a copy of the work also receives whatever
licenses to the work the party's predecessor in interest had or could
give under the previous paragraph, plus a right to possession of the
Corresponding Source of the work from the predecessor in interest, if
the predecessor has it or can get it with reasonable efforts.

 You may not impose any further restrictions on the exercise of the
rights granted or affirmed under this License. For example, you may
not impose a license fee, royalty, or other charge for exercise of
rights granted under this License, and you may not initiate litigation
(including a cross-claim or counterclaim in a lawsuit) alleging that
any patent claim is infringed by making, using, selling, offering for
sale, or importing the Program or any portion of it.

 11. Patents.

 A "contributor" is a copyright holder who authorizes use under this
License of the Program or a work on which the Program is based. The
work thus licensed is called the contributor's "contributor version".

 A contributor's "essential patent claims" are all patent claims
owned or controlled by the contributor, whether already acquired or
hereafter acquired, that would be infringed by some manner, permitted
by this License, of making, using, or selling its contributor version,
but do not include claims that would be infringed only as a
consequence of further modification of the contributor version. For
purposes of this definition, "control" includes the right to grant
patent sublicenses in a manner consistent with the requirements of
this License.

 Each contributor grants you a non-exclusive, worldwide, royalty-free
patent license under the contributor's essential patent claims, to
make, use, sell, offer for sale, import and otherwise run, modify and
propagate the contents of its contributor version.

 In the following three paragraphs, a "patent license" is any express
agreement or commitment, however denominated, not to enforce a patent
(such as an express permission to practice a patent or covenant not to
sue for patent infringement). To "grant" such a patent license to a
party means to make such an agreement or commitment not to enforce a
patent against the party.

 If you convey a covered work, knowingly relying on a patent license,
and the Corresponding Source of the work is not available for anyone
to copy, free of charge and under the terms of this License, through a
publicly available network server or other readily accessible means,

then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

 Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

 14. Revised Versions of this License.

 The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

 Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

 If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

 Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

 15. Disclaimer of Warranty.

 THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

 IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE
USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD
PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

 If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

                    END OF TERMS AND CONDITIONS

            How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software: you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation, either version 3 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program. If not, see <https://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

 If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

  <program> Copyright (C) <year> <name of author>
  This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
  This is free software, and you are welcome to redistribute it
  under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

 You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<https://www.gnu.org/licenses/>.

 The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<https://www.gnu.org/licenses/why-not-lgpl.html>.

1.37 util-linux 2.34 0.1ubuntu9.3

1.37.1 Available under license :

/*
* Copyright (c) 1989 The Regents of the University of California.
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. All advertising materials mentioning features or use of this software
*   must display the following acknowledgement:
* This product includes software developed by the University of

1999-2002 Transmeta Corporation

1999, 2000, 2002-2009, 2010, 2011, 2012, 2014 Red Hat, Inc.

2000 Werner Almesberger

2004-2006 Michael Holzt, kju -at- fqdn.org

2005 Adrian Bunk

2007-2014 Karel Zak <kzak@redhat.com>

2007, 2011 SuSE LINUX Products GmbH

2008 Cai Qian <qcai@redhat.com>

2008 Hayden A. James (hayden.james@gmail.com)

2008 James Youngman <jay@gnu.org>

2008 Roy Peled, the.roy.peled -at- gmail.com

2009 Mikhail Gusarov <dottedmag@dottedmag.net>

2010, 2011, 2012 Davidlohr Bueso <dave@gnu.org>

2010 Jason Borden <jborden@bluehost.com>A

2010 Hajime Taira <htaira@redhat.com>

2010 Masatake Yamato <yamato@redhat.com>

2011 IBM Corp.

2012 Andy Lutomirski <luto@amacapital.net>

2012 Lennart Poettering

2012 Sami Kerola <kerolasa@iki.fi>

2012 Cody Maloney <cmaloney@theoreticalchaos.com>

2012 Werner Fink <werner@suse.de>

2013,2014 Ondrej Oprala <ooprala@redhat.com>

License: GPL-2+

Files: schedutils/ionice.c
Copyright: 2005 Jens Axboe <jens@axboe.dk>
License: GPL-2

Files: schedutils/chrt.c
    schedutils/taskset.c
Copyright: 2004 Robert Love <rml@tech9.net>
        2010 Karel Zak <kzak@redhat.com>
License: GPL-2

Files: disk-utils/raw.c
Copyright: 1999, 2000, Red Hat Software
License: GPL-2

Files: sys-utils/nsenter.c
Copyright: 2012-2013 Eric Biederman <ebiederm@xmission.com>
License: GPL-2

Files: disk-utils/mkfs.minix.c
    disk-utils/mkswap.c
Copyright: 1991, 1992 Linus Torvalds
License: GPL-2

Files: lib/at.c
    lib/blkdev.c
    lib/loopdev.c
    lib/sysfs.c
    lib/ttyutils.c
    lib/xgetpass.c
    misc-utils/mcookie.c
    sys-utils/setsid.c
    text-utils/line.c
Copyright: n/a
License: public-domain

Files: login-utils/vipw.c
    misc-utils/cal.c
    misc-utils/kill.c
    misc-utils/logger.c
    misc-utils/look.c
    misc-utils/whereis.c
    sys-utils/renice.c
    term-utils/mesg.c
    term-utils/script.c
    term-utils/ttymsg.c
    term-utils/wall.c
    term-utils/write.c
    text-utils/col.c
    text-utils/colcrt.c
    text-utils/colrm.c
    text-utils/column.c
    text-utils/hexdump.c
    text-utils/hexdump.h
    text-utils/hexdump-conv.c
    text-utils/hexdump-display.c
    text-utils/hexdump-parse.c
    text-utils/rev.c
    text-utils/ul.c
Copyright: 1980, 1983, 1987, 1988, 1989, 1990, 1991, 1992, 1993, 1994
        The Regents of the University of California
    2014 Sami Kerola <kerolasa@iki.fi>
    2014 Karel Zak <kzak@redhat.com>
License: BSD-4-clause

Files: text-utils/tailf.c
Copyright: 1996, 2003 Rickard E. Faith (faith@acm.org)
License: MIT

Files: sys-utils/flock.c
Copyright: 2003-2005 H. Peter Anvin
License: MIT

Files: text-utils/pg.c
Copyright: 2000-2001 Gunnar Ritter
License: BSD-2-clause

Files: login-utils/last-deprecated.c
Copyright: 1987 Regents of the University of California
License: BSD-2-clause

Files: login-utils/login.c
Copyright: 1980, 1987, 1988 The Regents of the University of California.
      2011 Karel Zak <kzak@redhat.com>
License: BSD-2-clause

Files: login-utils/logindefs.c
Copyright: 2003, 2004, 2005 Thorsten Kukuk
License: BSD-3-clause

Files: libuuid/*
    libuuid/src/*
    libuuid/man/*
Copyright: 1996, 1997, 1998, 1999, 2007 Theodore Ts'o.
      1999 Andreas Dilger (adilger@enel.ucalgary.ca)
License: BSD-3-clause

Files: lib/procutils.c
    include/xalloc.h
Copyright: 2010, 2011 Davidlohr Bueso <dave@gnu.org>
License: LGPL-2+

Files: */colors.*
Copyright: 2012 Ondrej Oprala <ooprala@redhat.com>
      2012-2014 Karel Zak <kzak@redhat.com>
License: LGPL-2+

Files: login-utils/setpwnam.h
    login-utils/setpwnam.c
Copyright: 1994 Martin Schulze <joey@infodrom.north.de>
      1994 Salvatore Valente <svalente@mit.edu>
License: LGPL-2+

Files: libfdisk/*
    libfdisk/src/*
Copyright: 2007-2013 Karel Zak <kzak@redhat.com>
      2012 Davidlohr Bueso <dave@gnu.org>
License: LGPL-2.1+

Files: lib/cpuset.c

```
    */match.*
    lib/canonicalize.c
    include/at.h
Copyright: 2008-2009, 2010, 2011, 2012 Karel Zak <kzak@redhat.com>
License: LGPL-2.1+


Files: */mbsalign.*
Copyright: 2009-2010 Free Software Foundation, Inc.
        2010-2013 Karel Zak <kzak@redhat.com>
License: LGPL-2.1+


Files: */readutmp.*
Copyright: 1992-2007, 2009-2014 Free Software Foundation, Inc.
License: GPL-3+


Files: */timeutils.*
Copyright: 2010 Lennart Poettering
License: LGPL-2.1+


Files: include/list.h
Copyright: 2008 Karel Zak <kzak@redhat.com>
        1999-2008 by Theodore Ts'o
License: LGPL


Files: libblkid/*
    libblkid/src/*
    libblkid/samples/*
    libblkid/src/partitions/*
    libblkid/src/superblocks/*
    libblkid/src/topology/*
Copyright: 1999, 2001 Andries Brouwer
        1995, 1995, 1996, 1997, 1999, 2000, 2001, 2002, 2003, 2004
            Theodore Ts'o.
    2001 Andreas Dilger (adilger@turbolinux.com)
    2004-2008 Kay Sievers <kay.sievers@vrfy.org>
    2008-2013 Karel Zak <kzak@redhat.com>
    2009 Bastian Friedrich <bastian.friedrich@collax.com>
    2009 Corentin Chary <corentincj@iksaif.net>
    2009 Mike Hommey <mh@glandium.org>
    2009 Red Hat, Inc.
    2009-2010 Andreas Dilger <adilger@sun.com>
    2010 Andrew Nayenko <resver@gmail.com>
    2010 Jeroen Oortwijn <oortwijn@gmail.com>
    2010 Jiro SEKIBA <jir@unicus.jp>
    2011 Philipp Marek <philipp.marek@linbit.com>
    2012 Milan Broz <mbroz@redhat.com>
    2013 Alejandro Martinez Ruiz <alex@nowcomputing.com>
    2013 Eric Sandeen <sandeen@redhat.com>
```

2013 Rolf Fokkens <rolf@fokkens.nl>
2013 Zeeshan Ali (Khattak) <zeeshanak@gnome.org>
License: LGPL-2.1+

Files: include/cpuset.h
    lib/randutils.c
Copyright: *unknown*
License: LGPL

Files: misc-utils/blkid.c
Copyright: 2001 Andreas Dilger
License: LGPL

Files: libmount/*
    libmount/src/*
Copyright: 2008-2012 Karel Zak <kzak@redhat.com>
License: LGPL-2.1+

Files: libmount/python/*
Copyright: 2013, Red Hat, Inc.
License: LGPL-3+

Files: libsmartcols/*
Copyright: 2009-2014 Karel Zak <kzak@redhat.com>
        2014 Ondrej Oprala <ooprala@redhat.com>
License: LGPL

Files: debian/*
Copyright: Guy Maor <maor@debian.org>
        Sean 'Shaleh' Perry <shaleh@debian.org>
        Adrian Bunk <bunk@stusta.de>
        LaMont Jones <lamont@debian.org>
    2014 Andreas Henriksson <andreas@fatal.se>
License: GPL-2+

License: public-domain
The files tagged with this license contains the following paragraphs:
.
No copyright is claimed. This code is in the public domain; do with
it what you wish.
.
Written by Karel Zak <kzak@redhat.com>

License: GPL-2
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License, v2, as
published by the Free Software Foundation

.

This program is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the

GNU General Public License for more details.

.

You should have received a copy of the GNU General Public License along

with this program; if not, write to the Free Software Foundation, Inc.,

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

.

On Debian systems, the complete text of the GNU General Public

License version 2 can be found in `/usr/share/common-licenses/GPL-2'.

License: GPL-2+

This program is free software; you can redistribute it and/or modify

it under the terms of the GNU General Public License as published by

the Free Software Foundation; either version 2 of the License, or

(at your option) any later version.

.

This program is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the

GNU General Public License for more details.

.

You should have received a copy of the GNU General Public License along

with this program; if not, write to the Free Software Foundation, Inc.,

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

.

On Debian systems, the complete text of the GNU General Public

License version 2 can be found in `/usr/share/common-licenses/GPL-2'.

License: GPL-3+

This program is free software: you can redistribute it and/or modify

it under the terms of the GNU General Public License as published by

the Free Software Foundation; either version 3 of the License, or

(at your option) any later version.

.

This program is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the

GNU General Public License for more details.

.

You should have received a copy of the GNU General Public License

along with this program. If not, see <http://www.gnu.org/licenses/>.

.

On Debian systems, the complete text of the GNU General Public

License version 3 can be found in `/usr/share/common-licenses/GPL-3'.

License: BSD-2-clause

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

License: BSD-3-clause

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:
.
1) Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
.
2) Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.
.
3) Neither the name of the ORGANIZATION nor the names of its contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.
.
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

License: BSD-4-clause

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software
   must display the following acknowledgement:

This product includes software developed by the University of
California, Berkeley and its contributors.
4. Neither the name of the University nor the names of its contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.
.
THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

License: LGPL
This file may be redistributed under the terms of the
GNU Lesser General Public License.
.
On Debian systems, the complete text of the GNU Lesser General Public
License can be found in /usr/share/common-licenses/LGPL.

License: LGPL-2+
This program is free software: you can redistribute it and/or modify
it under the terms of the GNU Lesser General Public License as published by
the Free Software Foundation, either version 2 of the License, or
(at your option) any later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU Lesser General Public License for more details.
.
You should have received a copy of the GNU Lesser General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.
.
The complete text of the GNU Lesser General Public License
can be found in /usr/share/common-licenses/LGPL-2 file.

License: LGPL-2.1+
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU Lesser General Public License as published by
the Free Software Foundation; either version 2.1, or (at your option)
any later version.
.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU Lesser General Public License for more details.
.

You should have received a copy of the GNU Lesser General Public License along
with this program; if not, write to the Free Software Foundation,
Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.
.

On Debian systems, the complete text of the GNU Lesser General Public
License version 2.1 can be found in /usr/share/common-licenses/LGPL-2.1.

License: LGPL-3+
This package is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 3 of the License, or (at your option) any later version.
.

This package is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.
.

You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.
.

On Debian systems, the complete text of the GNU Lesser General
Public License can be found in "/usr/share/common-licenses/LGPL-3".

License: MIT
Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation files
(the "Software"), to deal in the Software without restriction,
including without limitation the rights to use, copy, modify, merge,
publish, distribute, sublicense, and/or sell copies of the Software,
and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:
.

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.
.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS
BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN
ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE

SOFTWARE.
WEV @@ WEV[B "1

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

 This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

 When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

 To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

 For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free

software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not

covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If

identifiable sections of that work are not derived from the Library,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

 Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

 4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

 However, linking a "work that uses the Library" with the Library
creates an executable that is a derivative of the Library (because it
contains portions of the Library), rather than a "work that uses the
library". The executable is therefore covered by this License.
Section 6 states terms for distribution of such executables.

 When a "work that uses the Library" uses material from a header file
that is part of the Library, the object code for the work may be a
derivative work of the Library even though the source code is not.
Whether this is true is especially significant if the work can be
linked without the Library, or if the work is itself a library. The
threshold for this to be true is not precisely defined by law.

 If such an object file uses only numerical parameters, data
structure layouts and accessors, and small macros and small inline
functions (ten lines or less in length), then the use of the object
file is unrestricted, regardless of whether it is legally a derivative
work. (Executables containing this object code plus portions of the
Library will still fall under Section 6.)

 Otherwise, if the work is a derivative of the Library, you may
distribute the object code for the work under the terms of Section 6.
Any executables containing that work also fall under Section 6,
whether or not they are linked directly with the Library itself.

 6. As an exception to the Sections above, you may also combine or
link a "work that uses the Library" with the Library to produce a
work containing portions of the Library, and distribute that work
under terms of your choice, provided that the terms permit
modification of the work for the customer's own use and reverse
engineering for debugging such modifications.

 You must give prominent notice with each copy of the work that the
Library is used in it and that the Library and its use are covered by
this License. You must supply a copy of this License. If the work
during execution displays copyright notices, you must include the
copyright notice for the Library among them, as well as a reference
directing the user to the copy of this License. Also, you must do one
of these things:

  a) Accompany the work with the complete corresponding

machine-readable source code for the Library including whatever
changes were used in the work (which must be distributed under
Sections 1 and 2 above); and, if the work is an executable linked
with the Library, with the complete machine-readable "work that
uses the Library", as object code and/or source code, so that the
user can modify the Library and then relink to produce a modified
executable containing the modified Library. (It is understood
that the user who changes the contents of definitions files in the
Library will not necessarily be able to recompile the application
to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the
Library. A suitable mechanism is one that (1) uses at run time a
copy of the library already present on the user's computer system,
rather than copying library functions into the executable, and (2)
will operate properly with a modified version of the library, if
the user installs one, as long as the modified version is
interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at
least three years, to give the same user the materials
specified in Subsection 6a, above, for a charge no more
than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy
from a designated place, offer equivalent access to copy the above
specified materials from the same place.

e) Verify that the user has already received a copy of these
materials or that you have already sent this user a copy.

 For an executable, the required form of the "work that uses the
Library" must include any data and utility programs needed for
reproducing the executable from it. However, as a special exception,
the materials to be distributed need not include anything that is
normally distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies
the executable.

 It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.

 7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library

facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

  a) Accompany the combined library with a copy of the same work
  based on the Library, uncombined with any other library
  facilities. This must be distributed under the terms of the
  Sections above.

  b) Give prominent notice with the combined library of the fact
  that part of it is a work based on the Library, and explaining
  where to find the accompanying uncombined form of the same work.

 8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

 9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

 10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties with
this License.

 11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by

all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply,
and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

  12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

  13. The Free Software Foundation may publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

  14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our

decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE
LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE
LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING
RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A
FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF
SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest
possible use to the public, we recommend making it free software that
everyone can redistribute and change. You can do so by permitting
redistribution under these terms (or, alternatively, under the terms of the
ordinary General Public License).

To apply these terms, attach the following notices to the library. It is
safest to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

    <one line to give the library's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This library is free software; you can redistribute it and/or
    modify it under the terms of the GNU Lesser General Public
    License as published by the Free Software Foundation; either

version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!
GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it

if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

  To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

  For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

  We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

  Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

  Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

  The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

  0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not

covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices
  stating that you changed the files and the date of any change.

  b) You must cause any work that you distribute or publish, that in
  whole or in part contains or is derived from the Program or any
  part thereof, to be licensed as a whole at no charge to all third
  parties under the terms of this License.

  c) If the modified program normally reads commands interactively
  when run, you must cause it, when started running for such
  interactive use in the most ordinary way, to print or display an
  announcement including an appropriate copyright notice and a
  notice that there is no warranty (or else, saying that you provide
  a warranty) and that users may redistribute the program under
  these conditions, and telling the user how to view a copy of this
  License. (Exception: if the Program itself is interactive but
  does not normally print such an announcement, your work based on
  the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of

this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

  a) Accompany it with the complete corresponding machine-readable
  source code, which must be distributed under the terms of Sections
  1 and 2 above on a medium customarily used for software interchange; or,

  b) Accompany it with a written offer, valid for at least three
  years, to give any third party, for a charge no more than your
  cost of physically performing source distribution, a complete
  machine-readable copy of the corresponding source code, to be
  distributed under the terms of Sections 1 and 2 above on a medium
  customarily used for software interchange; or,

  c) Accompany it with the information you received as to the offer
  to distribute corresponding source code. (This alternative is
  allowed only for noncommercial distribution and only if you
  received the program in object code or executable form with such
  an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering
access to copy from a designated place, then offering equivalent
access to copy the source code from the same place counts as

distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

 5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

 7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any

such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system, which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

  8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

  9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

  10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

                    NO WARRANTY

  11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF

MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

 12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License along
    with this program; if not, write to the Free Software Foundation, Inc.,
    51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this

when it starts in an interactive mode:

    Gnomovision version 69, Copyright (C) year name of author
    Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

    Yoyodyne, Inc., hereby disclaims all copyright interest in the program
    `Gnomovision' (which makes passes at compilers) written by James Hacker.

    <signature of Ty Coon>, 1 April 1989
    Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, and the entire permission notice in its entirety,
   including the disclaimer of warranties.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote
   products derived from this software without specific prior
   written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OF
WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT
OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF

LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE
USE OF THIS SOFTWARE, EVEN IF NOT ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.

x   ?"U@,5 @mISmIN<GimCN7g1u|E
43mI,5WEV @@ WEV   @mImImIAmImImI0mImImI*mImI
A0mImImI...
lost+found...

;9GimCN7g

!"#$%&'()*+,-
./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\]^_`abcdefghijklmnopqrstuvwxyz{|}~

!"#$%&'()*+,-
./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\]^_`abcdefghijklmnopqrstuvwxyz{|}~

!"#$%&'()*+,-
./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\]^_`abcdefghijklmnopqrstuvwxyz{|}~

!"#$%&'()*+,-
./0123456789:;<=>?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\]^_`abcdefghijklmnopqrstuvwxyz{|}~WEV @@
WEV[B "1
This library is free software; you can redistribute it and/or
modify it under the terms of the Modified BSD License.

The complete text of the license is available in the
../Documentation/licenses/COPYING.BSD-3-Clause file.
This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later
version.

The complete text of the license is available in the
../Documentation/licenses/COPYING.LGPL-2.1-or-later
Permission to use, copy, modify, and/or distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF
OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.38 jackc-pgtype 1.9.1

1.38.1 Available under license :

Copyright (c) 2013-2021 Jack Christensen

MIT License

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.39 pyparsing 2.4.6

1.39.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,

TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.40 pyserial 3.5

1.40.1 Available under license :

Copyright (c) 2001-2020 Chris Liechti <cliechti@gmx.net>
All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

 * Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.

 * Redistributions in binary form must reproduce the above
   copyright notice, this list of conditions and the following
   disclaimer in the documentation and/or other materials provided
   with the distribution.

 * Neither the name of the copyright holder nor the names of its
   contributors may be used to endorse or promote products derived
   from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Note:
Individual files contain the following tag instead of the full license text.

  SPDX-License-Identifier: BSD-3-Clause

This enables machine processing of license information based on the SPDX License Identifiers that are here available: http://spdx.org/licenses/

1.41 net-tools 1.60+git20180626.aebd88e 1ubuntu1

1.41.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

 Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

 The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion

of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable

source code, which must be distributed under the terms of Sections
1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three
years, to give any third party, for a charge no more than your
cost of physically performing source distribution, a complete
machine-readable copy of the corresponding source code, to be
distributed under the terms of Sections 1 and 2 above on a medium
customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer
to distribute corresponding source code. (This alternative is
allowed only for noncommercial distribution and only if you
received the program in object code or executable form with such
an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering
access to copy from a designated place, then offering equivalent
access to copy the source code from the same place counts as
distribution of the source code, even though third parties are not
compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense or distribute the Program is
void, and will automatically terminate your rights under this License.
However, parties who have received copies, or rights, from you under
this License will not have their licenses terminated so long as such
parties remain in full compliance.

 5. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Program or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Program (or any work based on the
Program), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying

the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates

the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License along
    with this program; if not, write to the Free Software Foundation, Inc.,
    51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

    Gnomovision version 69, Copyright (C) year name of author
    Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the program
 `Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: net-tools
Upstream-Contact: Phil Blundell <philb@gnu.org>
          Bernd Eckenfels <net-tools@lina.inka.de>
Source: http://sourceforge.net/projects/net-tools/

Files: *
Copyright: 1988-1994 MicroWalt Corporation
 1995-1996 Bernd Eckenfels
 1997-2000 Andi Kleen
 1997-2000 Donald Becker
License: GPL-2+

Files: debian/*
Copyright: 2008-2009 Luk Claes, Martn Ferrari
 2000-2007 Bernd Eckenfels
 2000 Anthony Towns
License: GPL-2+
Comment:
It is assumed that all contributors put their work under the same license
as the module itself.

Files: debian/iptunnel.8
Copyright: 2018 Sergio Durigan Junior
License: GPL-2+

License: GPL-2+
The copyright attribution has been derived from individual files' text, but
each file may have different copyright holders, and some may be missing. See
the source code for details.
.
This program is free software; you can redistribute it and/or modify it under
the terms of the GNU General Public License as published by the Free
Software Foundation; either version 2 of the License, or (at your option)
any later version.
.
On Debian GNU/Linux systems, the complete text of the GNU General Public
License can be found in `/usr/share/common-licenses/GPL-2'

1.42 grpc-go 1.35.0

1.42.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
   Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
   stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
   that You distribute, all copyright, patent, trademark, and
   attribution notices from the Source form of the Work,
   excluding those notices that do not pertain to any part of
   the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
   distribution, then any Derivative Works that You distribute must
   include a readable copy of the attribution notices contained
   within such NOTICE file, excluding those notices that do not
   pertain to any part of the Derivative Works, in at least one
   of the following places: within a NOTICE text file distributed
   as part of the Derivative Works; within the Source form or
   documentation, if provided along with the Derivative Works; or,
   within a display generated by the Derivative Works, if and
   wherever such third-party notices normally appear. The contents
   of the NOTICE file are for informational purposes only and
   do not modify the License. You may add Your own attribution
   notices within Derivative Works that You distribute, alongside
   or as an addendum to the NOTICE text from the Work, provided
   that such additional attribution notices cannot be construed
   as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade

names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.43 gorilla 1.8.0

1.43.1 Available under license :

Copyright (c) 2012-2018 The Gorilla Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
  * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.44 gopkg-in/macaron 1.3.9

1.44.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and
distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright
owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities
that control, are controlled by, or are under common control with that entity.
For the purposes of this definition, "control" means (i) the power, direct or
indirect, to cause the direction or management of such entity, whether by
contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising
permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including
but not limited to software source code, documentation source, and configuration
files.

"Object" form shall mean any form resulting from mechanical transformation or
translation of a Source form, including but not limited to compiled object code,
generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made
available under the License, as indicated by a copyright notice that is included
in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that
is based on (or derived from) the Work and for which the editorial revisions,
annotations, elaborations, or other modifications represent, as a whole, an
original work of authorship. For the purposes of this License, Derivative Works
shall not include works that remain separable from, or merely link (or bind by
name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution.

You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions.

Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks.

This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty.

Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are

solely responsible for determining the appropriateness of using or
redistributing the Work and assume any risks associated with Your exercise of
permissions under this License.

8. Limitation of Liability.

In no event and under no legal theory, whether in tort (including negligence),
contract, or otherwise, unless required by applicable law (such as deliberate
and grossly negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special, incidental,
or consequential damages of any character arising as a result of this License or
out of the use or inability to use the Work (including but not limited to
damages for loss of goodwill, work stoppage, computer failure or malfunction, or
any and all other commercial damages or losses), even if such Contributor has
been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability.

While redistributing the Work or Derivative Works thereof, You may choose to
offer, and charge a fee for, acceptance of support, warranty, indemnity, or
other liability obligations and/or rights consistent with this License. However,
in accepting such obligations, You may act only on Your own behalf and on Your
sole responsibility, not on behalf of any other Contributor, and only if You
agree to indemnify, defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason of your
accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate
notice, with the fields enclosed by brackets "[]" replaced with your own
identifying information. (Don't include the brackets!) The text should be
enclosed in the appropriate comment syntax for the file format. We also
recommend that a file or class name and description of purpose be included on
the same "printed page" as the copyright notice for easier identification within
third-party archives.

Copyright 2014 The Macaron Authors

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.45 common 0.0.0-20201119133501-0619918236ec

1.45.1 Available under license :

Common libraries shared by Prometheus Go components.
Copyright 2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (http://soundcloud.com/).
                    Apache License
                Version 2.0, January 2004
              http://www.apache.org/licenses/

   TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

   1. Definitions.

      "License" shall mean the terms and conditions for use, reproduction,
      and distribution as defined by Sections 1 through 9 of this document.

      "Licensor" shall mean the copyright owner or entity authorized by
      the copyright owner that is granting the License.

      "Legal Entity" shall mean the union of the acting entity and all
      other entities that control, are controlled by, or are under common
      control with that entity. For the purposes of this definition,
      "control" means (i) the power, direct or indirect, to cause the
      direction or management of such entity, whether by contract or
      otherwise, or (ii) ownership of fifty percent (50%) or more of the
      outstanding shares, or (iii) beneficial ownership of such entity.

      "You" (or "Your") shall mean an individual or Legal Entity
      exercising permissions granted by this License.

      "Source" form shall mean the preferred form for making modifications,
      including but not limited to software source code, documentation
      source, and configuration files.

      "Object" form shall mean any form resulting from mechanical
      transformation or translation of a Source form, including but
      not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.46 xorm.io-xorm 0.8.1

1.46.1 Available under license :

AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.47 jackc-pgio 1.0.0

1.47.1 Available under license :

Copyright (c) 2019 Jack Christensen

MIT License

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.48 grafana-loki 1.6.2-0.20201026154740-6978ee5d7387

1.48.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Microsoft Corporation

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

The MIT License (MIT)

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

This is the official list of people who can contribute
(and typically have contributed) code to the repository.
The AUTHORS file lists the copyright holders; this file
lists people. For example, Google employees are listed here
but not in AUTHORS, because Google holds the copyright.
#
The submission process automatically checks to make sure
that people submitting code are listed in this file (by email address).
#
Names should be added to this file only after verifying that
the individual or the individual's organization has agreed to

the appropriate Contributor License Agreement, found here:
#
https://cla.developers.google.com/about/google-individual
https://cla.developers.google.com/about/google-corporate
#
The CLA can be filled out on the web:
#
https://cla.developers.google.com/
#
When adding J Random Contributor's name to this file,
either J's name or J's organization's name should be
added to the AUTHORS file, depending on whether the
individual or corporate CLA was used.

Names should be added to this file like so:
Name <email address>
#
An entry with two email addresses specifies that the
first address should be used in the submit logs and
that the second address should be recognized as the
same person when interacting with Rietveld.

Please keep the list sorted.

Alain Vongsouvanhalainv <alainv@google.com>
Andrew Gerrand <adg@golang.org>
Brad Fitzpatrick <bradfitz@golang.org>
Eric Koleda <ekoleda+devrel@googlers.com>
Francesc Campoy <campoy@golang.org>
Garrick Evans <garrick@google.com>
Glenn Lewis <gmlewis@google.com>
Ivan Krasin <krasin@golang.org>
Jason Hall <jasonhall@google.com>
Johan Euphrosine <proppy@google.com>
Kostik Shtoyk <kostik@google.com>
Kunpei Sakai <namusyaka@gmail.com>
Matthew Dolan <dolan@lightstep.com>
Matthew Whisenhunt <matt.whisenhunt@gmail.com>
Michael McGreevy <mcgreevy@golang.org>
Nick Craig-Wood <nickcw@gmail.com>
Robbie Trencheny <me@robbiet.us>
Ross Light <light@google.com>
Sarah Adams <shadams@google.com>
Scott Van Woudenberg <scottvw@google.com>
Takashi Matsuo <tmatsuo@google.com>
Copyright (c) 2005-2008 Dustin Sallings <dustin@spy.net>

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

<http://www.opensource.org/licenses/mit-license.php>
Copyright (c) 2013 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
  * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Docker
Copyright 2012-2015 Docker, Inc.

This product includes software developed at Docker, Inc. (https://www.docker.com).

The following is courtesy of our legal counsel:

Use and transfer of Docker may be subject to certain restrictions by the
United States and other governments.
It is your responsibility to ensure that your use and/or transfer does not
violate applicable laws.

For more information, please see https://www.bis.doc.gov

See also https://www.apache.org/dev/crypto.html and/or seek legal counsel.
This is the official list of people who can contribute
(and typically have contributed) code to the Snappy-Go repository.
The AUTHORS file lists the copyright holders; this file
lists people. For example, Google employees are listed here
but not in AUTHORS, because Google holds the copyright.
#
The submission process automatically checks to make sure
that people submitting code are listed in this file (by email address).
#
Names should be added to this file only after verifying that
the individual or the individual's organization has agreed to
the appropriate Contributor License Agreement, found here:
#
http://code.google.com/legal/individual-cla-v1.0.html
http://code.google.com/legal/corporate-cla-v1.0.html
#
The agreement for individuals can be filled out on the web.
#
When adding J Random Contributor's name to this file,
either J's name or J's organization's name should be
added to the AUTHORS file, depending on whether the
individual or corporate CLA was used.

Names should be added to this file like so:
Name <email address>

Please keep the list sorted.

Damian Gryski <dgryski@gmail.com>
Jan Mercl <0xjnml@gmail.com>
Jonathan Swinney <jswinney@amazon.com>
Kai Backman <kaib@golang.org>
Klaus Post <klauspost@gmail.com>
Marc-Antoine Ruel <maruel@chromium.org>
Nigel Tao <nigeltao@golang.org>

Rob Pike <r@golang.org>
Rodolfo Carvalho <rhcarvalho@gmail.com>
Russ Cox <rsc@golang.org>
Sebastien Binet <seb.binet@gmail.com>
MinIO Cloud Storage, (C) 2014-2020 MinIO, Inc.

This product includes software developed at MinIO, Inc.
(https://min.io/).

The MinIO project contains unmodified/modified subcomponents too with
separate copyright notices and license terms. Your use of the source
code for these subcomponents is subject to the terms and conditions
of Apache License Version 2.0
The MIT License (MIT)

Copyright (c) 2014 Sam Ghods

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

Copyright (c) 2012 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.

* Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

                    Apache License
                Version 2.0, January 2004
              http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

   "License" shall mean the terms and conditions for use, reproduction,
   and distribution as defined by Sections 1 through 9 of this document.

   "Licensor" shall mean the copyright owner or entity authorized by
   the copyright owner that is granting the License.

   "Legal Entity" shall mean the union of the acting entity and all
   other entities that control, are controlled by, or are under common
   control with that entity. For the purposes of this definition,
   "control" means (i) the power, direct or indirect, to cause the
   direction or management of such entity, whether by contract or
   otherwise, or (ii) ownership of fifty percent (50%) or more of the
   outstanding shares, or (iii) beneficial ownership of such entity.

   "You" (or "Your") shall mean an individual or Legal Entity
   exercising permissions granted by this License.

   "Source" form shall mean the preferred form for making modifications,
   including but not limited to software source code, documentation
   source, and configuration files.

   "Object" form shall mean any form resulting from mechanical
   transformation or translation of a Source form, including but
   not limited to compiled object code, generated documentation,
   and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "{}"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright 2016 The OpenTracing Authors

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

```go
package api

import (
 "io/ioutil"
 "strings"
 "time"
)

type License struct {
 // The unique identifier of the license
 LicenseID string `json:"license_id"`

 // The customer ID associated with the license
 CustomerID string `json:"customer_id"`

 // If set, an identifier that should be used to lock the license to a
 // particular site, cluster, etc.
 InstallationID string `json:"installation_id"`

 // The time at which the license was issued
 IssueTime time.Time `json:"issue_time"`

 // The time at which the license starts being valid
 StartTime time.Time `json:"start_time"`
```

```go
	// The time after which the license expires
	ExpirationTime time.Time `json:"expiration_time"`

	// The time at which the license ceases to function and can
	// no longer be used in any capacity
	TerminationTime time.Time `json:"termination_time"`

	// The product the license is valid for
	Product string `json:"product"`

	// License Specific Flags
	Flags map[string]interface{} `json:"flags"`

	// Modules is a list of the licensed enterprise modules
	Modules []string `json:"modules"`

	// List of features enabled by the license
	Features []string `json:"features"`
}

type LicenseReply struct {
	Valid    bool
	License  *License
	Warnings []string
}

func (op *Operator) LicenseGet(q *QueryOptions) (*LicenseReply, error) {
	var reply LicenseReply
	if _, err := op.c.query("/v1/operator/license", &reply, q); err != nil {
		return nil, err
	} else {
		return &reply, nil
	}
}

func (op *Operator) LicenseGetSigned(q *QueryOptions) (string, error) {
	r := op.c.newRequest("GET", "/v1/operator/license")
	r.params.Set("signed", "1")
	r.setQueryOptions(q)
	_, resp, err := requireOK(op.c.doRequest(r))
	if err != nil {
		return "", err
	}
	defer resp.Body.Close()

	data, err := ioutil.ReadAll(resp.Body)
	if err != nil {
```

```go
    return "", err
  }

  return string(data), nil
}

// LicenseReset will reset the license to the builtin one if it is still valid.
// If the builtin license is invalid, the current license stays active.
func (op *Operator) LicenseReset(opts *WriteOptions) (*LicenseReply, error) {
 var reply LicenseReply
 r := op.c.newRequest("DELETE", "/v1/operator/license")
 r.setWriteOptions(opts)
 _, resp, err := requireOK(op.c.doRequest(r))
 if err != nil {
  return nil, err
 }
 defer resp.Body.Close()

 if err := decodeBody(resp, &reply); err != nil {
  return nil, err
 }

 return &reply, nil
}

func (op *Operator) LicensePut(license string, opts *WriteOptions) (*LicenseReply, error) {
 var reply LicenseReply
 r := op.c.newRequest("PUT", "/v1/operator/license")
 r.setWriteOptions(opts)
 r.body = strings.NewReader(license)
 _, resp, err := requireOK(op.c.doRequest(r))
 if err != nil {
  return nil, err
 }
 defer resp.Body.Close()

 if err := decodeBody(resp, &reply); err != nil {
  return nil, err
 }

 return &reply, nil
}
```

* Redistributions of source code must retain the above copyright notice, this
 list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice,
 this list of conditions and the following disclaimer in the documentation
 and/or other materials provided with the distribution.

* Neither the name of the copyright holder nor the names of its
 contributors may be used to endorse or promote products derived from
 this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

  "License" shall mean the terms and conditions for use, reproduction,
  and distribution as defined by Sections 1 through 9 of this document.

  "Licensor" shall mean the copyright owner or entity authorized by
  the copyright owner that is granting the License.

  "Legal Entity" shall mean the union of the acting entity and all
  other entities that control, are controlled by, or are under common
  control with that entity. For the purposes of this definition,
  "control" means (i) the power, direct or indirect, to cause the
  direction or management of such entity, whether by contract or
  otherwise, or (ii) ownership of fifty percent (50%) or more of the
  outstanding shares, or (iii) beneficial ownership of such entity.

  "You" (or "Your") shall mean an individual or Legal Entity
  exercising permissions granted by this License.

  "Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright 2017 Sercan Degirmenci

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
MIT License

Copyright (c) 2015 Dmitri Shuralyov

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Mozilla Public License Version 2.0
==================================

1. Definitions

1.1. "Contributor"
    means each individual or legal entity that creates, contributes to
    the creation of, or owns Covered Software.

1.2. "Contributor Version"
    means the combination of the Contributions of others (if any) used
    by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"
    means Covered Software of a particular Contributor.

1.4. "Covered Software"
    means Source Code Form to which the initial Contributor has attached
    the notice in Exhibit A, the Executable Form of such Source Code
    Form, and Modifications of such Source Code Form, in each case
    including portions thereof.

1.5. "Incompatible With Secondary Licenses"
    means

    (a) that the initial Contributor has attached the notice described
        in Exhibit B to the Covered Software; or

    (b) that the Covered Software was made available under the terms of
        version 1.1 or earlier of the License, but not also under the
        terms of a Secondary License.

1.6. "Executable Form"
    means any form of the work other than Source Code Form.

1.7. "Larger Work"
    means a work that combines Covered Software with other material, in
    a separate file or files, that is not Covered Software.

1.8. "License"
    means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"
means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor
means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"
means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"
means the form of the work preferred for making modifications.

1.14. "You" (or "Your")
means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark)
   Licensable by such Contributor to use, reproduce, make available,
   modify, display, perform, distribute, and otherwise exploit its
   Contributions, either on an unmodified basis, with Modifications, or
   as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer
   for sale, have made, import, and otherwise transfer either its
   Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution
become effective for each Contribution on the date the Contributor first
distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under
this License. No additional rights or licenses will be implied from the
distribution or licensing of Covered Software under this License.
Notwithstanding Section 2.1(b) above, no patent license is granted by a
Contributor:

(a) for any code that a Contributor has removed from Covered Software;
   or

(b) for infringements caused by: (i) Your and any other third party's
   modifications of Covered Software, or (ii) the combination of its
   Contributions with other software (except as part of its Contributor
   Version); or

(c) under Patent Claims infringed by Covered Software in the absence of
   its Contributions.

This License does not grant any rights in the trademarks, service marks,
or logos of any Contributor (except as may be necessary to comply with
the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to
distribute the Covered Software under a subsequent version of this
License (see Section 10.2) or under the terms of a Secondary License (if
permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its
Contributions are its original creation(s) or it has sufficient rights
to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under
applicable copyright doctrines of fair use, fair dealing, or other
equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted
in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any
Modifications that You create or to which You contribute, must be under
the terms of this License. You must inform recipients that the Source
Code Form of the Covered Software is governed by the terms of this
License, and how they can obtain a copy of this License. You may not
attempt to alter or restrict the recipients' rights in the Source Code
Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code
    Form, as described in Section 3.1, and You must inform recipients of
    the Executable Form how they can obtain a copy of such Source Code
    Form by reasonable means in a timely manner, at a charge no more
    than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this
    License, or sublicense it under different terms, provided that the
    license for the Executable Form does not attempt to limit or alter
    the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice,
provided that You also comply with the requirements of this License for

the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become

compliant, then the rights granted under this License from a particular
Contributor are reinstated (a) provisionally, unless and until such
Contributor explicitly and finally terminates Your grants, and (b) on an
ongoing basis, if such Contributor fails to notify You of the
non-compliance by some reasonable means prior to 60 days after You have
come back into compliance. Moreover, Your grants from a particular
Contributor are reinstated on an ongoing basis if such Contributor
notifies You of the non-compliance by some reasonable means, this is the
first time You have received notice of non-compliance with this License
from such Contributor, and You become compliant prior to 30 days after
Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent
infringement claim (excluding declaratory judgment actions,
counter-claims, and cross-claims) alleging that a Contributor Version
directly or indirectly infringes any patent, then the rights granted to
You by any and all Contributors for the Covered Software under Section
2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all
end user license agreements (excluding distributors and resellers) which
have been validly granted by You or Your distributors under this License
prior to termination shall survive termination.

```
************************************************************************
*                                                                    *
*  6. Disclaimer of Warranty                                         *
*  -------------------------                                         *
*                                                                    *
*  Covered Software is provided under this License on an "as is"     *
*  basis, without warranty of any kind, either expressed, implied, or *
*  statutory, including, without limitation, warranties that the      *
*  Covered Software is free of defects, merchantable, fit for a       *
*  particular purpose or non-infringing. The entire risk as to the    *
*  quality and performance of the Covered Software is with You.       *
*  Should any Covered Software prove defective in any respect, You    *
*  (not any Contributor) assume the cost of any necessary servicing,  *
*  repair, or correction. This disclaimer of warranty constitutes an  *
*  essential part of this License. No use of any Covered Software is   *
*  authorized under this License except under this disclaimer.        *
*                                                                    *
************************************************************************


************************************************************************
*                                                                    *
*  7. Limitation of Liability                                        *
*  --------------------------                                        *
*                                                                    *
```

```
  *  Under no circumstances and under no legal theory, whether tort     *
  *  (including negligence), contract, or otherwise, shall any          *
  *  Contributor, or anyone who distributes Covered Software as         *
  *  permitted above, be liable to You for any direct, indirect,        *
  *  special, incidental, or consequential damages of any character     *
  *  including, without limitation, damages for lost profits, loss of   *
  *  goodwill, work stoppage, computer failure or malfunction, or any   *
  *  and all other commercial damages or losses, even if such party     *
  *  shall have been informed of the possibility of such damages. This  *
  *  limitation of liability shall not apply to liability for death or   *
  *  personal injury resulting from such party's negligence to the      *
  *  extent applicable law prohibits such limitation. Some              *
  *  jurisdictions do not allow the exclusion or limitation of          *
  *  incidental or consequential damages, so this exclusion and         *
  *  limitation may not apply to You.                                   *
  *                                                                     *
  ***********************************************************************
```

8. Litigation

Any litigation relating to this License may be brought only in the
courts of a jurisdiction where the defendant maintains its principal
place of business and such litigation shall be governed by laws of that
jurisdiction, without reference to its conflict-of-law provisions.
Nothing in this Section shall prevent a party's ability to bring
cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject
matter hereof. If any provision of this License is held to be
unenforceable, such provision shall be reformed only to the extent
necessary to make it enforceable. Any law or regulation which provides
that the language of a contract shall be construed against the drafter
shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section
10.3, no one other than the license steward has the right to modify or
publish new versions of this License. Each version will be given a
distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version
of the License under which You originally received the Covered Software,
or under the terms of any subsequent version published by the license
steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to
create a new license for such software, you may create and use a
modified version of this License if you rename the license and remove
any references to the name of the license steward (except to note that
such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary
Licenses

If You choose to distribute Source Code Form that is Incompatible With
Secondary Licenses under the terms of this version of the License, the
notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

 This Source Code Form is subject to the terms of the Mozilla Public
 License, v. 2.0. If a copy of the MPL was not distributed with this
 file, You can obtain one at http://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular
file, then You may include the notice in a location (such as a LICENSE
file in a relevant directory) where a recipient would be likely to look
for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

 This Source Code Form is "Incompatible With Secondary Licenses", as
 defined by the Mozilla Public License, v. 2.0.

                        Apache License
                  Version 2.0, January 2004
                http://www.apache.org/licenses/

  TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and
       attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Copyright (C) 2014 Alec Thomas

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
MIT License

Copyright (c) 2016 json-iterator

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
Copyright (c) 2013, Patrick Mezard
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

   Redistributions of source code must retain the above copyright

notice, this list of conditions and the following disclaimer.
   Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
   The names of its contributors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright (c) 2018 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

   * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
   * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
The MIT License (MIT)

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and
distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright
owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities
that control, are controlled by, or are under common control with that entity.
For the purposes of this definition, "control" means (i) the power, direct or
indirect, to cause the direction or management of such entity, whether by
contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising
permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including
but not limited to software source code, documentation source, and configuration
files.

"Object" form shall mean any form resulting from mechanical transformation or

translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was

submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution.

You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and
You must cause any modified files to carry prominent notices stating that You changed the files; and
You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.
You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions.

Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks.

This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty.

Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability.

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability.

While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be

enclosed in the appropriate comment syntax for the file format. We also
recommend that a file or class name and description of purpose be included on
the same "printed page" as the copyright notice for easier identification within
third-party archives.

   Copyright 2014 Unknwon

   Licensed under the Apache License, Version 2.0 (the "License");
   you may not use this file except in compliance with the License.
   You may obtain a copy of the License at

     http://www.apache.org/licenses/LICENSE-2.0

   Unless required by applicable law or agreed to in writing, software
   distributed under the License is distributed on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
   See the License for the specific language governing permissions and
   limitations under the License.
Copyright 2012-2013 Rackspace, Inc.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use
this file except in compliance with the License. You may obtain a copy of the
License at

 http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software distributed
under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY KIND, either express or implied. See the License for the
specific language governing permissions and limitations under the License.

   Apache License
                Version 2.0, January 2004
              http://www.apache.org/licenses/

 TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

 1. Definitions.

   "License" shall mean the terms and conditions for use, reproduction,
   and distribution as defined by Sections 1 through 9 of this document.

   "Licensor" shall mean the copyright owner or entity authorized by
   the copyright owner that is granting the License.

   "Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and
       attribution notices from the Source form of the Work,
       excluding those notices that do not pertain to any part of
       the Derivative Works; and

   (d) If the Work includes a "NOTICE" text file as part of its
       distribution, then any Derivative Works that You distribute must
       include a readable copy of the attribution notices contained
       within such NOTICE file, excluding those notices that do not
       pertain to any part of the Derivative Works, in at least one
       of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A

PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright 2016-2017 The New York Times Company

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

The MIT License (MIT)

Copyright (c) 2015 Klaus Post

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

The MIT License (MIT)

Copyright (c) 2013 Armon Dadgar

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of
the Software, and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER
IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2013 The Gorilla WebSocket Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License

Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "{ }"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright 2015, Google Inc
Copyright 2018, GoGo Authors

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
(The MIT License)

Copyright (c) 2017 marvin + konsorten GmbH (open-source@konsorten.de)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated
documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit
persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the
Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,
INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A
PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN
AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
  * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
The MIT License (MIT)

Copyright (c) 2015 Xiang Li

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
Copyright (c) 2013 Michael Hendricks

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Anton Povarov <anton.povarov@gmail.com>
Brian Goff <cpuguy83@gmail.com>
Clayton Coleman <ccoleman@redhat.com>
Denis Smirnov <denis.smirnov.91@gmail.com>
DongYun Kang <ceram1000@gmail.com>
Dwayne Schultz <dschultz@pivotal.io>
Georg Apitz <gapitz@pivotal.io>
Gustav Paul <gustav.paul@gmail.com>
Johan Brandhorst <johan.brandhorst@gmail.com>
John Shahid <jvshahid@gmail.com>
John Tuley <john@tuley.org>
Laurent <laurent@adyoulike.com>
Patrick Lee <patrick@dropbox.com>
Peter Edge <peter.edge@gmail.com>
Roger Johansson <rogeralsing@gmail.com>
Sam Nguyen <sam.nguyen@sendgrid.com>
Sergio Arbeo <serabe@gmail.com>
Stephen J Day <stephen.day@docker.com>
Tamir Duberstein <tamird@gmail.com>
Todd Eisenberger <teisenberger@dropbox.com>
Tormod Erevik Lea <tormodlea@gmail.com>
Vyacheslav Kim <kane@sendgrid.com>
Walter Schulze <awalterschulze@gmail.com>
Copyright (c) 2016 Uber Technologies, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
  * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

As this is fork of the official Go code the same license applies.
Extensions of the original work are copyright (c) 2011 Miek Gieben
Copyright (c) 2017 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer

in the documentation and/or other materials provided with the
distribution.
   * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright (c) 2013 The github.com/go-redis/redis Authors.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

   * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

                        Apache License
                  Version 2.0, January 2004
                http://www.apache.org/licenses/

   TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

   1. Definitions.

      "License" shall mean the terms and conditions for use, reproduction,
      and distribution as defined by Sections 1 through 9 of this document.

      "Licensor" shall mean the copyright owner or entity authorized by
      the copyright owner that is granting the License.

      "Legal Entity" shall mean the union of the acting entity and all
      other entities that control, are controlled by, or are under common
      control with that entity. For the purposes of this definition,
      "control" means (i) the power, direct or indirect, to cause the
      direction or management of such entity, whether by contract or
      otherwise, or (ii) ownership of fifty percent (50%) or more of the
      outstanding shares, or (iii) beneficial ownership of such entity.

      "You" (or "Your") shall mean an individual or Legal Entity
      exercising permissions granted by this License.

      "Source" form shall mean the preferred form for making modifications,
      including but not limited to software source code, documentation
      source, and configuration files.

      "Object" form shall mean any form resulting from mechanical
      transformation or translation of a Source form, including but
      not limited to compiled object code, generated documentation,
      and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Copyright 2015 Microsoft Corporation

Configurable modular Prometheus exporter for various node metrics.
Copyright 2013-2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (http://soundcloud.com/).

The following components are included in this product:

wifi
https://github.com/mdlayher/wifi

This product includes software developed at CoreOS, Inc. (http://www.coreos.com/).
The MIT License (MIT)

Copyright (c) 2013 Mitchell Hashimoto

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Attribution-ShareAlike 4.0 International

===

Creative Commons Corporation ("Creative Commons") is not a law firm and does not provide legal services or legal advice. Distribution of Creative Commons public licenses does not create a lawyer-client or other relationship. Creative Commons makes its licenses and related information available on an "as-is" basis. Creative Commons gives no warranties regarding its licenses, any material licensed under their terms and conditions, or any related information. Creative Commons disclaims all liability for damages resulting from their use to the fullest extent possible.

Using Creative Commons Public Licenses

Creative Commons public licenses provide a standard set of terms and conditions that creators and other rights holders may use to share original works of authorship and other material subject to copyright and certain other rights specified in the public license below. The following considerations are for informational purposes only, are not exhaustive, and do not form part of our licenses.

   Considerations for licensors: Our public licenses are

intended for use by those authorized to give the public permission to use material in ways otherwise restricted by copyright and certain other rights. Our licenses are irrevocable. Licensors should read and understand the terms and conditions of the license they choose before applying it. Licensors should also secure all rights necessary before applying our licenses so that the public can reuse the material as expected. Licensors should clearly mark any material not subject to the license. This includes other CC-licensed material, or material used under an exception or limitation to copyright. More considerations for licensors: wiki.creativecommons.org/Considerations_for_licensors

Considerations for the public: By using one of our public licenses, a licensor grants the public permission to use the licensed material under specified terms and conditions. If the licensor's permission is not necessary for any reason--for example, because of any applicable exception or limitation to copyright--then that use is not regulated by the license. Our licenses grant only permissions under copyright and certain other rights that a licensor has authority to grant. Use of the licensed material may still be restricted for other reasons, including because others have copyright or other rights in the material. A licensor may make special requests, such as asking that all changes be marked or described. Although not required by our licenses, you are encouraged to respect those requests where reasonable. More_considerations for the public: wiki.creativecommons.org/Considerations_for_licensees

===

Creative Commons Attribution-ShareAlike 4.0 International Public License

By exercising the Licensed Rights (defined below), You accept and agree to be bound by the terms and conditions of this Creative Commons Attribution-ShareAlike 4.0 International Public License ("Public License"). To the extent this Public License may be interpreted as a contract, You are granted the Licensed Rights in consideration of Your acceptance of these terms and conditions, and the Licensor grants You such rights in consideration of benefits the Licensor receives from making the Licensed Material available under these terms and conditions.

Section 1 -- Definitions.

a. Adapted Material means material subject to Copyright and Similar
   Rights that is derived from or based upon the Licensed Material
   and in which the Licensed Material is translated, altered,
   arranged, transformed, or otherwise modified in a manner requiring
   permission under the Copyright and Similar Rights held by the
   Licensor. For purposes of this Public License, where the Licensed
   Material is a musical work, performance, or sound recording,
   Adapted Material is always produced where the Licensed Material is
   synched in timed relation with a moving image.

b. Adapter's License means the license You apply to Your Copyright
   and Similar Rights in Your contributions to Adapted Material in
   accordance with the terms and conditions of this Public License.

c. BY-SA Compatible License means a license listed at
   creativecommons.org/compatiblelicenses, approved by Creative
   Commons as essentially the equivalent of this Public License.

d. Copyright and Similar Rights means copyright and/or similar rights
   closely related to copyright including, without limitation,
   performance, broadcast, sound recording, and Sui Generis Database
   Rights, without regard to how the rights are labeled or
   categorized. For purposes of this Public License, the rights
   specified in Section 2(b)(1)-(2) are not Copyright and Similar
   Rights.

e. Effective Technological Measures means those measures that, in the
   absence of proper authority, may not be circumvented under laws
   fulfilling obligations under Article 11 of the WIPO Copyright
   Treaty adopted on December 20, 1996, and/or similar international
   agreements.

f. Exceptions and Limitations means fair use, fair dealing, and/or
   any other exception or limitation to Copyright and Similar Rights
   that applies to Your use of the Licensed Material.

g. License Elements means the license attributes listed in the name
   of a Creative Commons Public License. The License Elements of this
   Public License are Attribution and ShareAlike.

h. Licensed Material means the artistic or literary work, database,
   or other material to which the Licensor applied this Public
   License.

i. Licensed Rights means the rights granted to You subject to the
   terms and conditions of this Public License, which are limited to
   all Copyright and Similar Rights that apply to Your use of the
   Licensed Material and that the Licensor has authority to license.

j. Licensor means the individual(s) or entity(ies) granting rights
   under this Public License.

k. Share means to provide material to the public by any means or
   process that requires permission under the Licensed Rights, such
   as reproduction, public display, public performance, distribution,
   dissemination, communication, or importation, and to make material
   available to the public including in ways that members of the
   public may access the material from a place and at a time
   individually chosen by them.

l. Sui Generis Database Rights means rights other than copyright
   resulting from Directive 96/9/EC of the European Parliament and of
   the Council of 11 March 1996 on the legal protection of databases,
   as amended and/or succeeded, as well as other essentially
   equivalent rights anywhere in the world.

m. You means the individual or entity exercising the Licensed Rights
   under this Public License. Your has a corresponding meaning.

Section 2 -- Scope.

a. License grant.

   1. Subject to the terms and conditions of this Public License,
      the Licensor hereby grants You a worldwide, royalty-free,
      non-sublicensable, non-exclusive, irrevocable license to
      exercise the Licensed Rights in the Licensed Material to:

      a. reproduce and Share the Licensed Material, in whole or
         in part; and

      b. produce, reproduce, and Share Adapted Material.

   2. Exceptions and Limitations. For the avoidance of doubt, where
      Exceptions and Limitations apply to Your use, this Public
      License does not apply, and You do not need to comply with
      its terms and conditions.

   3. Term. The term of this Public License is specified in Section
      6(a).

   4. Media and formats; technical modifications allowed. The
      Licensor authorizes You to exercise the Licensed Rights in
      all media and formats whether now known or hereafter created,
      and to make technical modifications necessary to do so. The

Licensor waives and/or agrees not to assert any right or authority to forbid You from making technical modifications necessary to exercise the Licensed Rights, including technical modifications necessary to circumvent Effective Technological Measures. For purposes of this Public License, simply making modifications authorized by this Section 2(a)(4) never produces Adapted Material.

5. Downstream recipients.

   a. Offer from the Licensor -- Licensed Material. Every recipient of the Licensed Material automatically receives an offer from the Licensor to exercise the Licensed Rights under the terms and conditions of this Public License.

   b. Additional offer from the Licensor -- Adapted Material. Every recipient of Adapted Material from You automatically receives an offer from the Licensor to exercise the Licensed Rights in the Adapted Material under the conditions of the Adapter's License You apply.

   c. No downstream restrictions. You may not offer or impose any additional or different terms or conditions on, or apply any Effective Technological Measures to, the Licensed Material if doing so restricts exercise of the Licensed Rights by any recipient of the Licensed Material.

6. No endorsement. Nothing in this Public License constitutes or may be construed as permission to assert or imply that You are, or that Your use of the Licensed Material is, connected with, or sponsored, endorsed, or granted official status by, the Licensor or others designated to receive attribution as provided in Section 3(a)(1)(A)(i).

b. Other rights.

1. Moral rights, such as the right of integrity, are not licensed under this Public License, nor are publicity, privacy, and/or other similar personality rights; however, to the extent possible, the Licensor waives and/or agrees not to assert any such rights held by the Licensor to the limited extent necessary to allow You to exercise the Licensed Rights, but not otherwise.

2. Patent and trademark rights are not licensed under this Public License.

3. To the extent possible, the Licensor waives any right to
   collect royalties from You for the exercise of the Licensed
   Rights, whether directly or through a collecting society
   under any voluntary or waivable statutory or compulsory
   licensing scheme. In all other cases the Licensor expressly
   reserves any right to collect such royalties.

Section 3 -- License Conditions.

Your exercise of the Licensed Rights is expressly made subject to the
following conditions.

 a. Attribution.

   1. If You Share the Licensed Material (including in modified
      form), You must:

      a. retain the following if it is supplied by the Licensor
         with the Licensed Material:

         i. identification of the creator(s) of the Licensed
            Material and any others designated to receive
            attribution, in any reasonable manner requested by
            the Licensor (including by pseudonym if
            designated);

         ii. a copyright notice;

         iii. a notice that refers to this Public License;

         iv. a notice that refers to the disclaimer of
             warranties;

         v. a URI or hyperlink to the Licensed Material to the
            extent reasonably practicable;

      b. indicate if You modified the Licensed Material and
         retain an indication of any previous modifications; and

      c. indicate the Licensed Material is licensed under this
         Public License, and include the text of, or the URI or
         hyperlink to, this Public License.

   2. You may satisfy the conditions in Section 3(a)(1) in any
      reasonable manner based on the medium, means, and context in
      which You Share the Licensed Material. For example, it may be

reasonable to satisfy the conditions by providing a URI or
hyperlink to a resource that includes the required
information.

   3. If requested by the Licensor, You must remove any of the
   information required by Section 3(a)(1)(A) to the extent
   reasonably practicable.

 b. ShareAlike.

   In addition to the conditions in Section 3(a), if You Share
   Adapted Material You produce, the following conditions also apply.

   1. The Adapter's License You apply must be a Creative Commons
   license with the same License Elements, this version or
   later, or a BY-SA Compatible License.

   2. You must include the text of, or the URI or hyperlink to, the
   Adapter's License You apply. You may satisfy this condition
   in any reasonable manner based on the medium, means, and
   context in which You Share Adapted Material.

   3. You may not offer or impose any additional or different terms
   or conditions on, or apply any Effective Technological
   Measures to, Adapted Material that restrict exercise of the
   rights granted under the Adapter's License You apply.

Section 4 -- Sui Generis Database Rights.

Where the Licensed Rights include Sui Generis Database Rights that
apply to Your use of the Licensed Material:

 a. for the avoidance of doubt, Section 2(a)(1) grants You the right
    to extract, reuse, reproduce, and Share all or a substantial
    portion of the contents of the database;

 b. if You include all or a substantial portion of the database
    contents in a database in which You have Sui Generis Database
    Rights, then the database in which You have Sui Generis Database
    Rights (but not its individual contents) is Adapted Material,

    including for purposes of Section 3(b); and
 c. You must comply with the conditions in Section 3(a) if You Share
    all or a substantial portion of the contents of the database.

For the avoidance of doubt, this Section 4 supplements and does not
replace Your obligations under this Public License where the Licensed

Rights include other Copyright and Similar Rights.

Section 5 -- Disclaimer of Warranties and Limitation of Liability.

 a. UNLESS OTHERWISE SEPARATELY UNDERTAKEN BY THE LICENSOR, TO THE
    EXTENT POSSIBLE, THE LICENSOR OFFERS THE LICENSED MATERIAL AS-IS
    AND AS-AVAILABLE, AND MAKES NO REPRESENTATIONS OR WARRANTIES OF
    ANY KIND CONCERNING THE LICENSED MATERIAL, WHETHER EXPRESS,
    IMPLIED, STATUTORY, OR OTHER. THIS INCLUDES, WITHOUT LIMITATION,
    WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR
    PURPOSE, NON-INFRINGEMENT, ABSENCE OF LATENT OR OTHER DEFECTS,
    ACCURACY, OR THE PRESENCE OR ABSENCE OF ERRORS, WHETHER OR NOT
    KNOWN OR DISCOVERABLE. WHERE DISCLAIMERS OF WARRANTIES ARE NOT
    ALLOWED IN FULL OR IN PART, THIS DISCLAIMER MAY NOT APPLY TO YOU.

 b. TO THE EXTENT POSSIBLE, IN NO EVENT WILL THE LICENSOR BE LIABLE
    TO YOU ON ANY LEGAL THEORY (INCLUDING, WITHOUT LIMITATION,
    NEGLIGENCE) OR OTHERWISE FOR ANY DIRECT, SPECIAL, INDIRECT,
    INCIDENTAL, CONSEQUENTIAL, PUNITIVE, EXEMPLARY, OR OTHER LOSSES,
    COSTS, EXPENSES, OR DAMAGES ARISING OUT OF THIS PUBLIC LICENSE OR
    USE OF THE LICENSED MATERIAL, EVEN IF THE LICENSOR HAS BEEN
    ADVISED OF THE POSSIBILITY OF SUCH LOSSES, COSTS, EXPENSES, OR
    DAMAGES. WHERE A LIMITATION OF LIABILITY IS NOT ALLOWED IN FULL OR
    IN PART, THIS LIMITATION MAY NOT APPLY TO YOU.

 c. The disclaimer of warranties and limitation of liability provided
    above shall be interpreted in a manner that, to the extent
    possible, most closely approximates an absolute disclaimer and
    waiver of all liability.

Section 6 -- Term and Termination.

 a. This Public License applies for the term of the Copyright and
    Similar Rights licensed here. However, if You fail to comply with
    this Public License, then Your rights under this Public License
    terminate automatically.

 b. Where Your right to use the Licensed Material has terminated under
    Section 6(a), it reinstates:

      1. automatically as of the date the violation is cured, provided
         it is cured within 30 days of Your discovery of the
         violation; or

      2. upon express reinstatement by the Licensor.

For the avoidance of doubt, this Section 6(b) does not affect any right the Licensor may have to seek remedies for Your violations of this Public License.

c. For the avoidance of doubt, the Licensor may also offer the Licensed Material under separate terms or conditions or stop distributing the Licensed Material at any time; however, doing so will not terminate this Public License.

d. Sections 1, 5, 6, 7, and 8 survive termination of this Public License.

Section 7 -- Other Terms and Conditions.

a. The Licensor shall not be bound by any additional or different terms or conditions communicated by You unless expressly agreed.

b. Any arrangements, understandings, or agreements regarding the Licensed Material not stated herein are separate from and independent of the terms and conditions of this Public License.

Section 8 -- Interpretation.

a. For the avoidance of doubt, this Public License does not, and shall not be interpreted to, reduce, limit, restrict, or impose conditions on any use of the Licensed Material that could lawfully be made without permission under this Public License.

b. To the extent possible, if any provision of this Public License is deemed unenforceable, it shall be automatically reformed to the minimum extent necessary to make it enforceable. If the provision cannot be reformed, it shall be severed from this Public License without affecting the enforceability of the remaining terms and conditions.

c. No term or condition of this Public License will be waived and no failure to comply consented to unless expressly agreed to by the Licensor.

d. Nothing in this Public License constitutes or may be interpreted as a limitation upon, or waiver of, any privileges and immunities that apply to the Licensor or You, including from the legal processes of any jurisdiction or authority.

==

tomb - support for clean goroutine termination in Go.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:
  * Redistributions of source code must retain the above copyright
    notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above copyright
    notice, this list of conditions and the following disclaimer in the
    documentation and/or other materials provided with the distribution.
  * Neither the name of the copyright holder nor the
    names of its contributors may be used to endorse or promote products
    derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL <COPYRIGHT HOLDER> BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Common libraries shared by Prometheus Go components.
Copyright 2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (http://soundcloud.com/).
Copyright (c) 2016 Felix Geisendrfer (felix@debuggable.com)

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
MIT License

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2012, Martin Angers

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of the author nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The MIT License (MIT)

Copyright (c) 2015 Peter Bourgon

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
The MIT License (MIT)

Copyright 2015 Hewlett Packard Enterprise Development LP
Copyright (c) 2014 ActiveState

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:
The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Data model artifacts for Prometheus.
Copyright 2012-2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (http://soundcloud.com/).
The MIT License

Copyright (c) 2018, InfluxData Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

ISC License

Copyright (c) 2016-2017 Uber Technologies, Inc.

Prometheus instrumentation library for Go applications
Copyright 2012-2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (http://soundcloud.com/).

The following components are included in this product:

perks - a fork of https://github.com/bmizerany/perks

Alex A. Skinner

Andrew Tunnell-Jones

Ask Bjrn Hansen

Dave Cheney

Dusty Wilson

Marek Majkowski

Peter van Dijk

Omri Bahumi

Alex Sergeyev
James Hartig

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This project is covered by two different licenses: MIT and Apache.

MIT License

The following files were ported to Go from C files of libyaml, and thus are still covered by their original MIT license, with the additional copyright staring in 2011 when the project was ported over:

    apic.go emitterc.go parserc.go readerc.go scannerc.go
    writerc.go yamlh.go yamlprivateh.go

Copyright (c) 2006-2010 Kirill Simonov
Copyright (c) 2006-2011 Kirill Simonov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License

All the remaining project files are covered by the Apache license:

Copyright (c) 2011-2019 Canonical Ltd

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
MIT License

Copyright (c) 2017 Sean Chittenden
Copyright (c) 2016 Alex Dadgar

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====

Bits of Go-lang's `once.Do()` were cribbed and reused here, too.

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

   * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
   * Neither the name of Google Inc. nor the names of its

contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright (c) 2017-2019, Francisco Souza
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

 * Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
 * Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Squirrel
The Masterminds
Copyright (C) 2014-2015, Lann Martin
Copyright (C) 2015-2016, Google
Copyright (C) 2015, Matt Farina and Matt Butcher

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
MIT License

Copyright (c) 2017 HashiCorp

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and
       attribution notices from the Source form of the Work,
       excluding those notices that do not pertain to any part of
       the Derivative Works; and

   (d) If the Work includes a "NOTICE" text file as part of its
       distribution, then any Derivative Works that You distribute must
       include a readable copy of the attribution notices contained
       within such NOTICE file, excluding those notices that do not
       pertain to any part of the Derivative Works, in at least one
       of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright 2016 Microsoft Corporation

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
The list of people who have contributed code to the cmux repository.
#
Auto-generated with:
git log --oneline --pretty=format:'%an <%aE>' | sort -u
#
Andreas Jaekle <andreas@jaekle.net>

Dmitri Shuralyov <shurcooL@gmail.com>

Ethan Mosbaugh <emosbaugh@gmail.com>

Soheil Hassas Yeganeh <soheil.h.y@gmail.com>

Soheil Hassas Yeganeh <soheil@cs.toronto.edu>

Tamir Duberstein <tamir@cockroachlabs.com>

Tamir Duberstein <tamird@gmail.com>

Copyright (c) 2011-2013, 'pq' Contributors

Portions Copyright (C) 2011 Blake Mizerany

(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
The MIT License (MIT)

MIT License

modification, are permitted provided that the following conditions are met:

    * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
    * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
    * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

```
// Copyright 2015 go-swagger maintainers
//
// Licensed under the Apache License, Version 2.0 (the "License");
// you may not use this file except in compliance with the License.
// You may obtain a copy of the License at
//
//    http://www.apache.org/licenses/LICENSE-2.0
//
// Unless required by applicable law or agreed to in writing, software
// distributed under the License is distributed on an "AS IS" BASIS,
// WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
// See the License for the specific language governing permissions and
// limitations under the License.

package spec

import (
 "encoding/json"

 "github.com/go-openapi/swag"
)

// License information for the exposed API.
//
```

```
// For more information: http://goo.gl/8us55a#licenseObject
type License struct {
 LicenseProps
 VendorExtensible
}

type LicenseProps struct {
 Name string `json:"name,omitempty"`
 URL  string `json:"url,omitempty"`
}

func (l *License) UnmarshalJSON(data []byte) error {
 if err := json.Unmarshal(data, &l.LicenseProps); err != nil {
  return err
 }
 return json.Unmarshal(data, &l.VendorExtensible)
}

func (l License) MarshalJSON() ([]byte, error) {
 b1, err := json.Marshal(l.LicenseProps)
 if err != nil {
  return nil, err
 }
 b2, err := json.Marshal(l.VendorExtensible)
 if err != nil {
  return nil, err
 }
 return swag.ConcatJSON(b1, b2), nil
}
```

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and
       attribution notices from the Source form of the Work,
       excluding those notices that do not pertain to any part of
       the Derivative Works; and

   (d) If the Work includes a "NOTICE" text file as part of its
       distribution, then any Derivative Works that You distribute must
       include a readable copy of the attribution notices contained
       within such NOTICE file, excluding those notices that do not
       pertain to any part of the Derivative Works, in at least one
       of the following places: within a NOTICE text file distributed
       as part of the Derivative Works; within the Source form or
       documentation, if provided along with the Derivative Works; or,
       within a display generated by the Derivative Works, if and
       wherever such third-party notices normally appear. The contents
       of the NOTICE file are for informational purposes only and
       do not modify the License. You may add Your own attribution
       notices within Derivative Works that You distribute, alongside
       or as an addendum to the NOTICE text from the Work, provided
       that such additional attribution notices cannot be construed
       as modifying the License.

   You may add Your own copyright statement to Your modifications and
   may provide additional or different license terms and conditions
   for use, reproduction, or distribution of Your modifications, or
   for any such Derivative Works as a whole, provided Your use,
   reproduction, and distribution of the Work otherwise complies with
   the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Copyright (c) 2012 Dave Grijalva

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated
documentation files (the "Software"), to deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit
persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the
Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,
INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A
PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN
AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2009,2014 Google Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
  * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from

this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright (C) 2016 Travis Cline

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
The following files were ported to Go from C files of libyaml, and thus are still covered by their original copyright and license:

    apic.go
    emitterc.go
    parserc.go
    readerc.go
    scannerc.go
    writerc.go
    yamlh.go
    yamlprivateh.go

Copyright (c) 2006 Kirill Simonov

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do

so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
Docker
Copyright 2012-2017 Docker, Inc.

This product includes software developed at Docker, Inc. (https://www.docker.com).

This product contains software (https://github.com/creack/pty) developed
by Keith Rarick, licensed under the MIT License.

The following is courtesy of our legal counsel:

Use and transfer of Docker may be subject to certain restrictions by the
United States and other governments.
It is your responsibility to ensure that your use and/or transfer does not
violate applicable laws.

For more information, please see https://www.bis.doc.gov

See also https://www.apache.org/dev/crypto.html and/or seek legal counsel.
The MIT License (MIT)

Copyright (c) 2013 Fatih Arslan

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of
the Software, and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR

People who have agreed to one of the CLAs and can contribute patches.
The AUTHORS file lists the copyright holders; this file
lists people. For example, Google employees are listed here
but not in AUTHORS, because Google holds the copyright.
#
https://developers.google.com/open-source/cla/individual
https://developers.google.com/open-source/cla/corporate
#
Names should be added to this file as:
Name <email address>
Raul Silvera <rsilvera@google.com>
Tipp Moseley <tipp@google.com>
Hyoun Kyu Cho <netforce@google.com>
Martin Spier <spiermar@gmail.com>
Taco de Wolff <tacodewolff@gmail.com>
Andrew Hunter <andrewhhunter@gmail.com>

The Prometheus systems and service monitoring server

This product includes software developed at
SoundCloud Ltd. (https://soundcloud.com/).

The following components are included in this product:

Bootstrap
https://getbootstrap.com
Copyright 2011-2014 Twitter, Inc.
Licensed under the MIT License

bootstrap3-typeahead.js
https://github.com/bassjobsen/Bootstrap-3-Typeahead
Original written by @mdo and @fat
Copyright 2014 Bass Jobsen @bassjobsen
Licensed under the Apache License, Version 2.0

fuzzy
https://github.com/mattyork/fuzzy
Original written by @mattyork
Copyright 2012 Matt York
Licensed under the MIT License

bootstrap-datetimepicker.js
https://github.com/Eonasdan/bootstrap-datetimepicker
Copyright 2015 Jonathan Peterson (@Eonasdan)
Licensed under the MIT License

moment.js
https://github.com/moment/moment/
Copyright JS Foundation and other contributors
Licensed under the MIT License

Rickshaw
https://github.com/shutterstock/rickshaw
Copyright 2011-2014 by Shutterstock Images, LLC
See https://github.com/shutterstock/rickshaw/blob/master/LICENSE for license details

mustache.js
https://github.com/janl/mustache.js
Copyright 2009 Chris Wanstrath (Ruby)
Copyright 2010-2014 Jan Lehnardt (JavaScript)
Copyright 2010-2015 The mustache.js community
Licensed under the MIT License

jQuery
https://jquery.org

Copyright jQuery Foundation and other contributors
Licensed under the MIT License

Protocol Buffers for Go with Gadgets
https://github.com/gogo/protobuf/
Copyright (c) 2013, The GoGo Authors.
See source code for license details.

Go support for leveled logs, analogous to
https://code.google.com/p/google-glog/
Copyright 2013 Google Inc.
Licensed under the Apache License, Version 2.0

Support for streaming Protocol Buffer messages for the Go language (golang).
https://github.com/mattproud/golang_protobuf_extensions
Copyright 2013 Matt T. Proud
Licensed under the Apache License, Version 2.0

DNS library in Go
https://miek.nl/2014/august/16/go-dns-package/
Copyright 2009 The Go Authors, 2011 Miek Gieben
See https://github.com/miekg/dns/blob/master/LICENSE for license details.

LevelDB key/value database in Go
https://github.com/syndtr/goleveldb
Copyright 2012 Suryandaru Triandana
See https://github.com/syndtr/goleveldb/blob/master/LICENSE for license details.

gosnappy - a fork of code.google.com/p/snappy-go
https://github.com/syndtr/gosnappy
Copyright 2011 The Snappy-Go Authors
See https://github.com/syndtr/gosnappy/blob/master/LICENSE for license details.

go-zookeeper - Native ZooKeeper client for Go
https://github.com/samuel/go-zookeeper
Copyright (c) 2013, Samuel Stauffer <samuel@descolada.com>
See https://github.com/samuel/go-zookeeper/blob/master/LICENSE for license details.

Time series compression algorithm from Facebook's Gorilla paper
https://github.com/dgryski/go-tsz
Copyright (c) 2015,2016 Damian Gryski <damian@gryski.com>
See https://github.com/dgryski/go-tsz/blob/master/LICENSE for license details.

We also use code from a large number of npm packages. For details, see:
- https://github.com/prometheus/prometheus/blob/master/web/ui/react-app/package.json
- https://github.com/prometheus/prometheus/blob/master/web/ui/react-app/package-lock.json
- The individual package licenses as copied from the node_modules directory can be found in
 the npm_licenses.tar.bz2 archive in release tarballs and Docker images.

Paul Borman <borman@google.com>

bmatsuo

shawnps

theory

jboverfelt

dsymonds

cd1

wallclockbuilder

dansouza

Prometheus Alertmanager

Copyright 2013-2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (http://soundcloud.com/).

The following components are included in this product:

Bootstrap

http://getbootstrap.com

Copyright 2011-2014 Twitter, Inc.

Licensed under the MIT License

bootstrap-datetimepicker.js

http://www.eyecon.ro/bootstrap-datepicker

Copyright 2012 Stefan Petre

Licensed under the Apache License, Version 2.0

The MIT License (MIT)

Copyright (c) 2014 Simon Eskildsen

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Mozilla Public License, version 2.0

1. Definitions

1.1. "Contributor"

   means each individual or legal entity that creates, contributes to the
   creation of, or owns Covered Software.

1.2. "Contributor Version"

   means the combination of the Contributions of others (if any) used by a
   Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

   means Covered Software of a particular Contributor.

1.4. "Covered Software"

   means Source Code Form to which the initial Contributor has attached the
   notice in Exhibit A, the Executable Form of such Source Code Form, and
   Modifications of such Source Code Form, in each case including portions
   thereof.

1.5. "Incompatible With Secondary Licenses"
   means

   a. that the initial Contributor has attached the notice described in
      Exhibit B to the Covered Software; or

   b. that the Covered Software was made available under the terms of
      version 1.1 or earlier of the License, but not also under the terms of
      a Secondary License.

1.6. "Executable Form"

   means any form of the work other than Source Code Form.

1.7. "Larger Work"

   means a work that combines Covered Software with other material, in a
   separate file or files, that is not Covered Software.

1.8. "License"

   means this document.

1.9. "Licensable"

   means having the right to grant, to the maximum extent possible, whether
   at the time of the initial grant or subsequently, any and all of the
   rights conveyed by this License.

1.10. "Modifications"

   means any of the following:

   a. any file in Source Code Form that results from an addition to,
      deletion from, or modification of the contents of Covered Software; or

   b. any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

   means any patent claim(s), including without limitation, method,
   process, and apparatus claims, in any patent Licensable by such
   Contributor that would be infringed, but for the grant of the License,
   by the making, using, selling, offering for sale, having made, import,
   or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

   means either the GNU General Public License, Version 2.0, the GNU Lesser
   General Public License, Version 2.1, the GNU Affero General Public
   License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

   means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

   means an individual or a legal entity exercising rights under this
   License. For legal entities, "You" includes any entity that controls, is
   controlled by, or is under common control with You. For purposes of this
   definition, "control" means (a) the power, direct or indirect, to cause
   the direction or management of such entity, whether by contract or
   otherwise, or (b) ownership of more than fifty percent (50%) of the
   outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

a. under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

a. for any code that a Contributor has removed from Covered Software; or

b. for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its
Contributions are its original creation(s) or it has sufficient rights to
grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under
applicable copyright doctrines of fair use, fair dealing, or other
equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in
Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any
Modifications that You create or to which You contribute, must be under
the terms of this License. You must inform recipients that the Source
Code Form of the Covered Software is governed by the terms of this
License, and how they can obtain a copy of this License. You may not
attempt to alter or restrict the recipients' rights in the Source Code
Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

a. such Covered Software must also be made available in Source Code Form,
   as described in Section 3.1, and You must inform recipients of the
   Executable Form how they can obtain a copy of such Source Code Form by
   reasonable means in a timely manner, at a charge no more than the cost
   of distribution to the recipient; and

b. You may distribute such Executable Form under the terms of this
   License, or sublicense it under different terms, provided that the
   license for the Executable Form does not attempt to limit or alter the
   recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant,

then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6. Disclaimer of Warranty

Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from

such party's negligence to the extent applicable law prohibits such
limitation. Some jurisdictions do not allow the exclusion or limitation of
incidental or consequential damages, so this exclusion and limitation may
not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts
of a jurisdiction where the defendant maintains its principal place of
business and such litigation shall be governed by laws of that
jurisdiction, without reference to its conflict-of-law provisions. Nothing
in this Section shall prevent a party's ability to bring cross-claims or
counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject
matter hereof. If any provision of this License is held to be
unenforceable, such provision shall be reformed only to the extent
necessary to make it enforceable. Any law or regulation which provides that
the language of a contract shall be construed against the drafter shall not
be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section
10.3, no one other than the license steward has the right to modify or
publish new versions of this License. Each version will be given a
distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version
of the License under which You originally received the Covered Software,
or under the terms of any subsequent version published by the license
steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to
create a new license for such software, you may create and use a
modified version of this License if you rename the license and remove
any references to the name of the license steward (except to note that
such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary
    Licenses If You choose to distribute Source Code Form that is
    Incompatible With Secondary Licenses under the terms of this version of
    the License, the notice described in Exhibit B of this License must be
    attached.

Exhibit A - Source Code Form License Notice

    This Source Code Form is subject to the
    terms of the Mozilla Public License, v.
    2.0. If a copy of the MPL was not
    distributed with this file, You can
    obtain one at
    http://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular file,
then You may include the notice in a location (such as a LICENSE file in a
relevant directory) where a recipient would be likely to look for such a
notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

    This Source Code Form is "Incompatible
    With Secondary Licenses", as defined by
    the Mozilla Public License, v. 2.0.
The MIT License (MIT)

Copyright (c) 2012-2015 Ugorji Nwoke.
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE

SOFTWARE.

/*
* MinIO Go Library for Amazon S3 Compatible Cloud Storage
* Copyright 2020 MinIO, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

package minio

import (
 "bytes"
 "context"
 "encoding/xml"

```
    "fmt"
    "net/http"
    "net/url"

    "github.com/minio/minio-go/v7/pkg/s3utils"
)

// objectLegalHold - object legal hold specified in
// https://docs.aws.amazon.com/AmazonS3/latest/API/archive-RESTObjectPUTLegalHold.html
type objectLegalHold struct {
    XMLNS    string         `xml:"xmlns,attr,omitempty"`
    XMLName  xml.Name       `xml:"LegalHold"`
    Status   LegalHoldStatus `xml:"Status,omitempty"`
}

// PutObjectLegalHoldOptions represents options specified by user for PutObjectLegalHold call
type PutObjectLegalHoldOptions struct {
    VersionID string
    Status    *LegalHoldStatus
}

// GetObjectLegalHoldOptions represents options specified by user for GetObjectLegalHold call
type GetObjectLegalHoldOptions struct {
    VersionID string
}

// LegalHoldStatus - object legal hold status.
type LegalHoldStatus string

const (
    // LegalHoldEnabled indicates legal hold is enabled
    LegalHoldEnabled LegalHoldStatus = "ON"

    // LegalHoldDisabled indicates legal hold is disabled
    LegalHoldDisabled LegalHoldStatus = "OFF"
)

func (r LegalHoldStatus) String() string {
    return string(r)
}

// IsValid - check whether this legal hold status is valid or not.
func (r LegalHoldStatus) IsValid() bool {
    return r == LegalHoldEnabled || r == LegalHoldDisabled
}

func newObjectLegalHold(status *LegalHoldStatus) (*objectLegalHold, error) {
    if status == nil {
```

```go
	return nil, fmt.Errorf("Status not set")
	}
	if !status.IsValid() {
	return nil, fmt.Errorf("invalid legal hold status `%v`", status)
	}
	legalHold := &objectLegalHold{
	Status: *status,
	}
	return legalHold, nil
}

// PutObjectLegalHold : sets object legal hold for a given object and versionID.
func (c Client) PutObjectLegalHold(ctx context.Context, bucketName, objectName string, opts PutObjectLegalHoldOptions) error {
	// Input validation.
	if err := s3utils.CheckValidBucketName(bucketName); err != nil {
	return err
	}

	if err := s3utils.CheckValidObjectName(objectName); err != nil {
	return err
	}

	// Get resources properly escaped and lined up before
	// using them in http request.
	urlValues := make(url.Values)
	urlValues.Set("legal-hold", "")

	if opts.VersionID != "" {
	urlValues.Set("versionId", opts.VersionID)
	}

	lh, err := newObjectLegalHold(opts.Status)
	if err != nil {
	return err
	}

	lhData, err := xml.Marshal(lh)
	if err != nil {
	return err
	}

	reqMetadata := requestMetadata{
	bucketName:     bucketName,
	objectName:     objectName,
	queryValues:    urlValues,
	contentBody:    bytes.NewReader(lhData),
	contentLength:  int64(len(lhData)),
```

```go
  contentMD5Base64: sumMD5Base64(lhData),
  contentSHA256Hex: sum256Hex(lhData),
 }

 // Execute PUT Object Legal Hold.
 resp, err := c.executeMethod(ctx, http.MethodPut, reqMetadata)
 defer closeResponse(resp)
 if err != nil {
  return err
 }
 if resp != nil {
  if resp.StatusCode != http.StatusOK && resp.StatusCode != http.StatusNoContent {
   return httpRespToErrorResponse(resp, bucketName, objectName)
  }
 }
 return nil
}

// GetObjectLegalHold gets legal-hold status of given object.
func (c Client) GetObjectLegalHold(ctx context.Context, bucketName, objectName string, opts
GetObjectLegalHoldOptions) (status *LegalHoldStatus, err error) {
 // Input validation.
 if err := s3utils.CheckValidBucketName(bucketName); err != nil {
  return nil, err
 }

 if err := s3utils.CheckValidObjectName(objectName); err != nil {
  return nil, err
 }
 urlValues := make(url.Values)
 urlValues.Set("legal-hold", "")

 if opts.VersionID != "" {
  urlValues.Set("versionId", opts.VersionID)
 }

 // Execute GET on bucket to list objects.
 resp, err := c.executeMethod(ctx, http.MethodGet, requestMetadata{
  bucketName:       bucketName,
  objectName:       objectName,
  queryValues:      urlValues,
  contentSHA256Hex: emptySHA256Hex,
 })
 defer closeResponse(resp)
 if err != nil {
  return nil, err
 }
 if resp != nil {
```

```
if resp.StatusCode != http.StatusOK {
  return nil, httpRespToErrorResponse(resp, bucketName, objectName)
 }
}
lh := &objectLegalHold{}
if err = xml.NewDecoder(resp.Body).Decode(lh); err != nil {
 return nil, err
}

 return &lh.Status, nil
}
```

this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright 2009 The Go Authors. All rights reserved. Use of this source code is governed by a BSD-style license that can be found in the LICENSE file. Extensions of the original work are copyright (c) 2011 Miek Gieben

Copyright 2011 Miek Gieben. All rights reserved. Use of this source code is governed by a BSD-style license that can be found in the LICENSE file.

Copyright 2014 CloudFlare. All rights reserved. Use of this source code is governed by a BSD-style license that can be found in the LICENSE file.
Apache License
                    Version 2.0, January 2004
                http://www.apache.org/licenses/

 TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

 1. Definitions.

   "License" shall mean the terms and conditions for use, reproduction,
   and distribution as defined by Sections 1 through 9 of this document.

   "Licensor" shall mean the copyright owner or entity authorized by
   the copyright owner that is granting the License.

   "Legal Entity" shall mean the union of the acting entity and all
   other entities that control, are controlled by, or are under common
   control with that entity. For the purposes of this definition,
   "control" means (i) the power, direct or indirect, to cause the
   direction or management of such entity, whether by contract or
   otherwise, or (ii) ownership of fifty percent (50%) or more of the
   outstanding shares, or (iii) beneficial ownership of such entity.

   "You" (or "Your") shall mean an individual or Legal Entity
   exercising permissions granted by this License.

   "Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "{}"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Weave
Copyright 2016 Weaveworks Ltd.
This product includes software developed at Weaveworks Ltd.
The MIT License (MIT)

Copyright (c) 2016 Taihei Morikuni

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Microsoft Azure-SDK-for-Go

Copyright 2014-2017 Microsoft

This product includes software developed at
the Microsoft Corporation (https://www.microsoft.com).
Copyright (c) Yasuhiro MATSUMOTO <mattn.jp@gmail.com>

MIT License (Expat)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Original Work
Copyright (c) 2016 Matthias Kadenbach
https://github.com/mattes/migrate

Modified Work
Copyright (c) 2018 Dale Hui
https://github.com/golang-migrate/migrate

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Docker
Copyright 2012-2015 Docker, Inc.

This product includes software developed at Docker, Inc. (https://www.docker.com).

This product contains software (https://github.com/kr/pty) developed
by Keith Rarick, licensed under the MIT License.

The following is courtesy of our legal counsel:

Use and transfer of Docker may be subject to certain restrictions by the
United States and other governments.
It is your responsibility to ensure that your use and/or transfer does not
violate applicable laws.

For more information, please see https://www.bis.doc.gov

See also https://www.apache.org/dev/crypto.html and/or seek legal counsel.
Copyright (c) 2012, 2013 Ugorji Nwoke.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
 this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
 this list of conditions and the following disclaimer in the documentation
 and/or other materials provided with the distribution.
* Neither the name of the author nor the names of its contributors may be used
 to endorse or promote products derived from this software
 without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR

ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License

Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
    Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
    stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
    that You distribute, all copyright, patent, trademark, and
    attribution notices from the Source form of the Work,
    excluding those notices that do not pertain to any part of
    the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
    distribution, then any Derivative Works that You distribute must
    include a readable copy of the attribution notices contained
    within such NOTICE file, excluding those notices that do not
    pertain to any part of the Derivative Works, in at least one
    of the following places: within a NOTICE text file distributed
    as part of the Derivative Works; within the Source form or
    documentation, if provided along with the Derivative Works; or,
    within a display generated by the Derivative Works, if and
    wherever such third-party notices normally appear. The contents
    of the NOTICE file are for informational purposes only and
    do not modify the License. You may add Your own attribution
    notices within Derivative Works that You distribute, alongside
    or as an addendum to the NOTICE text from the Work, provided
    that such additional attribution notices cannot be construed
    as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade

names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Copyright 2012 Matt T. Proud (matt.proud@gmail.com)

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and
       attribution notices from the Source form of the Work,
       excluding those notices that do not pertain to any part of
       the Derivative Works; and

   (d) If the Work includes a "NOTICE" text file as part of its
       distribution, then any Derivative Works that You distribute must
       include a readable copy of the attribution notices contained
       within such NOTICE file, excluding those notices that do not
       pertain to any part of the Derivative Works, in at least one
       of the following places: within a NOTICE text file distributed
       as part of the Derivative Works; within the Source form or
       documentation, if provided along with the Derivative Works; or,
       within a display generated by the Derivative Works, if and
       wherever such third-party notices normally appear. The contents
       of the NOTICE file are for informational purposes only and
       do not modify the License. You may add Your own attribution
       notices within Derivative Works that You distribute, alongside
       or as an addendum to the NOTICE text from the Work, provided
       that such additional attribution notices cannot be construed
       as modifying the License.

   You may add Your own copyright statement to Your modifications and
   may provide additional or different license terms and conditions
   for use, reproduction, or distribution of Your modifications, or
   for any such Derivative Works as a whole, provided Your use,
   reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Copyright The containerd Authors

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
The MIT License

Copyright (c) 2014 Benedikt Lang <github at benediktlang.de>

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
MIT No Attribution

Permission is hereby granted, free of charge, to any person obtaining a copy of this
software and associated documentation files (the "Software"), to deal in the Software
without restriction, including without limitation the rights to use, copy, modify,
merge, publish, distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,
INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A
PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT

HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Mozilla Public License, version 2.0

1. Definitions

1.1. Contributor

   means each individual or legal entity that creates, contributes to the
   creation of, or owns Covered Software.

1.2. Contributor Version

   means the combination of the Contributions of others (if any) used by a
   Contributor and that particular Contributors Contribution.

1.3. Contribution

   means Covered Software of a particular Contributor.

1.4. Covered Software

   means Source Code Form to which the initial Contributor has attached the
   notice in Exhibit A, the Executable Form of such Source Code Form, and
   Modifications of such Source Code Form, in each case including portions
   thereof.

1.5. Incompatible With Secondary Licenses
   means

   a. that the initial Contributor has attached the notice described in
      Exhibit B to the Covered Software; or

   b. that the Covered Software was made available under the terms of version
      1.1 or earlier of the License, but not also under the terms of a
      Secondary License.

1.6. Executable Form

   means any form of the work other than Source Code Form.

1.7. Larger Work

   means a work that combines Covered Software with other material, in a separate
   file or files, that is not Covered Software.

1.8. License

means this document.

1.9. Licensable

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. Modifications

means any of the following:

a. any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

b. any new file in Source Code Form that contains any Covered Software.

1.11. Patent Claims of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. Secondary License

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. Source Code Form

means the form of the work preferred for making modifications.

1.14. You (or Your)

means an individual or a legal entity exercising rights under this License. For legal entities, You includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

a. under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

a. for any code that a Contributor has removed from Covered Software; or

b. for infringements caused by: (i) Your and any other third partys modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted

under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

a. such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

b. You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice,

provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor

explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6. Disclaimer of Warranty

Covered Software is provided under this License on an as is basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such partys negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts of
a jurisdiction where the defendant maintains its principal place of business
and such litigation shall be governed by laws of that jurisdiction, without
reference to its conflict-of-law provisions. Nothing in this Section shall
prevent a partys ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter
hereof. If any provision of this License is held to be unenforceable, such
provision shall be reformed only to the extent necessary to make it
enforceable. Any law or regulation which provides that the language of a
contract shall be construed against the drafter shall not be used to construe
this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section
10.3, no one other than the license steward has the right to modify or
publish new versions of this License. Each version will be given a
distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of
the License under which You originally received the Covered Software, or
under the terms of any subsequent version published by the license
steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to
create a new license for such software, you may create and use a modified
version of this License if you rename the license and remove any
references to the name of the license steward (except to note that such
modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses
If You choose to distribute Source Code Form that is Incompatible With
Secondary Licenses under the terms of this version of the License, the
notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the
terms of the Mozilla Public License, v.
2.0. If a copy of the MPL was not
distributed with this file, You can
obtain one at
http://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular file, then
You may include the notice in a location (such as a LICENSE file in a relevant
directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - Incompatible With Secondary Licenses Notice

This Source Code Form is Incompatible
With Secondary Licenses, as defined by
the Mozilla Public License, v. 2.0.
Copyright 2018 Weaveworks. All rights reserved.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
The MIT License (MIT)

Copyright (c) 2015 Bitly

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2014 Alex Saskevich

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
procfs provides functions to retrieve system, kernel and process
metrics from the pseudo-filesystem proc.

Copyright 2014-2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (http://soundcloud.com/).

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

  "License" shall mean the terms and conditions for use, reproduction,
  and distribution as defined by Sections 1 through 9 of this document.

  "Licensor" shall mean the copyright owner or entity authorized by
  the copyright owner that is granting the License.

  "Legal Entity" shall mean the union of the acting entity and all
  other entities that control, are controlled by, or are under common
  control with that entity. For the purposes of this definition,
  "control" means (i) the power, direct or indirect, to cause the
  direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Copyright 2015 Docker, Inc.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

                     Apache License
                Version 2.0, January 2004
              https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

   "License" shall mean the terms and conditions for use, reproduction,
   and distribution as defined by Sections 1 through 9 of this document.

   "Licensor" shall mean the copyright owner or entity authorized by
   the copyright owner that is granting the License.

   "Legal Entity" shall mean the union of the acting entity and all
   other entities that control, are controlled by, or are under common
   control with that entity. For the purposes of this definition,
   "control" means (i) the power, direct or indirect, to cause the
   direction or management of such entity, whether by contract or
   otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable

copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and
       attribution notices from the Source form of the Work,
       excluding those notices that do not pertain to any part of
       the Derivative Works; and

   (d) If the Work includes a "NOTICE" text file as part of its
       distribution, then any Derivative Works that You distribute must
       include a readable copy of the attribution notices contained
       within such NOTICE file, excluding those notices that do not
       pertain to any part of the Derivative Works, in at least one
       of the following places: within a NOTICE text file distributed
       as part of the Derivative Works; within the Source form or
       documentation, if provided along with the Derivative Works; or,
       within a display generated by the Derivative Works, if and
       wherever such third-party notices normally appear. The contents
       of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright
 notice, this list of conditions and the following disclaimer in the
 documentation and/or other materials provided with the distribution.
* Neither the name of the author nor the
 names of its contributors may be used to endorse or promote products
 derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL <COPYRIGHT HOLDER> BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
CoreOS Project
Copyright 2018 CoreOS, Inc

This product includes software developed at CoreOS, Inc.
(http://www.coreos.com/).
Copyright 2015 James Saryerwinnie

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
./tools/integration/assert.sh is a copy of

 https://github.com/lehmannro/assert.sh/blob/master/assert.sh

Since it was imported from its original source, it has only received
cosmetic modifications. As it is licensed under the LGPL-3, here's the
license text in its entirety:

GNU LESSER GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

 This version of the GNU Lesser General Public License incorporates
the terms and conditions of version 3 of the GNU General Public
License, supplemented by the additional permissions listed below.

 0. Additional Definitions.

 As used herein, "this License" refers to version 3 of the GNU Lesser
General Public License, and the "GNU GPL" refers to version 3 of the GNU
General Public License.

 "The Library" refers to a covered work governed by this License,
other than an Application or a Combined Work as defined below.

 An "Application" is any work that makes use of an interface provided
by the Library, but which is not otherwise based on the Library.
Defining a subclass of a class defined by the Library is deemed a mode
of using an interface provided by the Library.

 A "Combined Work" is a work produced by combining or linking an
Application with the Library. The particular version of the Library
with which the Combined Work was made is also called the "Linked
Version".

 The "Minimal Corresponding Source" for a Combined Work means the
Corresponding Source for the Combined Work, excluding any source code
for portions of the Combined Work that, considered in isolation, are
based on the Application, and not on the Linked Version.

 The "Corresponding Application Code" for a Combined Work means the
object code and/or source code for the Application, including any data
and utility programs needed for reproducing the Combined Work from the
Application, but excluding the System Libraries of the Combined Work.

 1. Exception to Section 3 of the GNU GPL.

 You may convey a covered work under sections 3 and 4 of this License
without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

 If you modify a copy of the Library, and, in your modifications, a
facility refers to a function or data to be supplied by an Application
that uses the facility (other than as an argument passed when the
facility is invoked), then you may convey a copy of the modified
version:

  a) under this License, provided that you make a good faith effort to
  ensure that, in the event an Application does not supply the
  function or data, the facility still operates, and performs
  whatever part of its purpose remains meaningful, or

  b) under the GNU GPL, with none of the additional permissions of
  this License applicable to that copy.

 3. Object Code Incorporating Material from Library Header Files.

 The object code form of an Application may incorporate material from
a header file that is part of the Library. You may convey such object
code under terms of your choice, provided that, if the incorporated
material is not limited to numerical parameters, data structure
layouts and accessors, or small macros, inline functions and templates
(ten or fewer lines in length), you do both of the following:

  a) Give prominent notice with each copy of the object code that the
  Library is used in it and that the Library and its use are
  covered by this License.

  b) Accompany the object code with a copy of the GNU GPL and this license
  document.

 4. Combined Works.

 You may convey a Combined Work under terms of your choice that,
taken together, effectively do not restrict modification of the
portions of the Library contained in the Combined Work and reverse
engineering for debugging such modifications, if you also do each of
the following:

  a) Give prominent notice with each copy of the Combined Work that
  the Library is used in it and that the Library and its use are
  covered by this License.

  b) Accompany the Combined Work with a copy of the GNU GPL and this license
  document.

  c) For a Combined Work that displays copyright notices during

execution, include the copyright notice for the Library among
these notices, as well as a reference directing the user to the
copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this
License, and the Corresponding Application Code in a form
suitable for, and under terms that permit, the user to
recombine or relink the Application with a modified version of
the Linked Version to produce a modified Combined Work, in the
manner specified by section 6 of the GNU GPL for conveying
Corresponding Source.

1) Use a suitable shared library mechanism for linking with the
Library. A suitable mechanism is one that (a) uses at run time
a copy of the Library already present on the user's computer
system, and (b) will operate properly with a modified version
of the Library that is interface-compatible with the Linked
Version.

e) Provide Installation Information, but only if you would otherwise
be required to provide such information under section 6 of the
GNU GPL, and only to the extent that such information is
necessary to install and execute a modified version of the
Combined Work produced by recombining or relinking the
Application with a modified version of the Linked Version. (If
you use option 4d0, the Installation Information must accompany
the Minimal Corresponding Source and Corresponding Application
Code. If you use option 4d1, you must provide the Installation
Information in the manner specified by section 6 of the GNU GPL
for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the
Library side by side in a single library together with other library
facilities that are not Applications and are not covered by this
License, and convey such a combined library under terms of your
choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based
on the Library, uncombined with any other library facilities,
conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it
is a work based on the Library, and explaining where to find the
accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

 The Free Software Foundation may publish revised and/or new versions
of the GNU Lesser General Public License from time to time. Such new
versions will be similar in spirit to the present version, but may
differ in detail to address new problems or concerns.

 Each version is given a distinguishing version number. If the
Library as you received it specifies that a certain numbered version
of the GNU Lesser General Public License "or any later version"
applies to it, you have the option of following the terms and
conditions either of that published version or of any later version
published by the Free Software Foundation. If the Library as you
received it does not specify a version number of the GNU Lesser
General Public License, you may choose any version of the GNU Lesser
General Public License ever published by the Free Software Foundation.

 If the Library as you received it specifies that a proxy can decide
whether future versions of the GNU Lesser General Public License shall
apply, that proxy's public statement of acceptance of any version is
permanent authorization for you to choose that version for the
Library.

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

 1. Definitions.

  "License" shall mean the terms and conditions for use, reproduction,
  and distribution as defined by Sections 1 through 9 of this document.

  "Licensor" shall mean the copyright owner or entity authorized by
  the copyright owner that is granting the License.

  "Legal Entity" shall mean the union of the acting entity and all
  other entities that control, are controlled by, or are under common
  control with that entity. For the purposes of this definition,
  "control" means (i) the power, direct or indirect, to cause the
  direction or management of such entity, whether by contract or
  otherwise, or (ii) ownership of fifty percent (50%) or more of the
  outstanding shares, or (iii) beneficial ownership of such entity.

  "You" (or "Your") shall mean an individual or Legal Entity
  exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and
       attribution notices from the Source form of the Work,
       excluding those notices that do not pertain to any part of
       the Derivative Works; and

   (d) If the Work includes a "NOTICE" text file as part of its
       distribution, then any Derivative Works that You distribute must
       include a readable copy of the attribution notices contained
       within such NOTICE file, excluding those notices that do not
       pertain to any part of the Derivative Works, in at least one
       of the following places: within a NOTICE text file distributed
       as part of the Derivative Works; within the Source form or
       documentation, if provided along with the Derivative Works; or,
       within a display generated by the Derivative Works, if and
       wherever such third-party notices normally appear. The contents
       of the NOTICE file are for informational purposes only and
       do not modify the License. You may add Your own attribution
       notices within Derivative Works that You distribute, alongside
       or as an addendum to the NOTICE text from the Work, provided
       that such additional attribution notices cannot be construed

as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Copyright 2013-2018 Docker, Inc.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

                          Apache License
                     Version 2.0, January 2004
                    http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

  "License" shall mean the terms and conditions for use, reproduction,
  and distribution as defined by Sections 1 through 9 of this document.

  "Licensor" shall mean the copyright owner or entity authorized by
  the copyright owner that is granting the License.

  "Legal Entity" shall mean the union of the acting entity and all
  other entities that control, are controlled by, or are under common
  control with that entity. For the purposes of this definition,
  "control" means (i) the power, direct or indirect, to cause the
  direction or management of such entity, whether by contract or
  otherwise, or (ii) ownership of fifty percent (50%) or more of the
  outstanding shares, or (iii) beneficial ownership of such entity.

  "You" (or "Your") shall mean an individual or Legal Entity
  exercising permissions granted by this License.

  "Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.
Copyright (C) 2012 by Nick Craig-Wood http://www.craig-wood.com/nick/

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and
distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright
owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities
that control, are controlled by, or are under common control with that entity.
For the purposes of this definition, "control" means (i) the power, direct or
indirect, to cause the direction or management of such entity, whether by
contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising
permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including

but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have

made, use, offer to sell, sell, import, and otherwise transfer the Work, where
such license applies only to those patent claims licensable by such Contributor
that are necessarily infringed by their Contribution(s) alone or by combination
of their Contribution(s) with the Work to which such Contribution(s) was
submitted. If You institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work or a
Contribution incorporated within the Work constitutes direct or contributory
patent infringement, then any patent licenses granted to You under this License
for that Work shall terminate as of the date such litigation is filed.

4. Redistribution.

You may reproduce and distribute copies of the Work or Derivative Works thereof
in any medium, with or without modifications, and in Source or Object form,
provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of
this License; and
You must cause any modified files to carry prominent notices stating that You
changed the files; and
You must retain, in the Source form of any Derivative Works that You distribute,
all copyright, patent, trademark, and attribution notices from the Source form
of the Work, excluding those notices that do not pertain to any part of the
Derivative Works; and
If the Work includes a "NOTICE" text file as part of its distribution, then any
Derivative Works that You distribute must include a readable copy of the
attribution notices contained within such NOTICE file, excluding those notices
that do not pertain to any part of the Derivative Works, in at least one of the
following places: within a NOTICE text file distributed as part of the
Derivative Works; within the Source form or documentation, if provided along
with the Derivative Works; or, within a display generated by the Derivative
Works, if and wherever such third-party notices normally appear. The contents of
the NOTICE file are for informational purposes only and do not modify the
License. You may add Your own attribution notices within Derivative Works that
You distribute, alongside or as an addendum to the NOTICE text from the Work,
provided that such additional attribution notices cannot be construed as
modifying the License.
You may add Your own copyright statement to Your modifications and may provide
additional or different license terms and conditions for use, reproduction, or
distribution of Your modifications, or for any such Derivative Works as a whole,
provided Your use, reproduction, and distribution of the Work otherwise complies
with the conditions stated in this License.

5. Submission of Contributions.

Unless You explicitly state otherwise, any Contribution intentionally submitted
for inclusion in the Work by You to the Licensor shall be under the terms and
conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of
any separate license agreement you may have executed with Licensor regarding
such Contributions.

6. Trademarks.

This License does not grant permission to use the trade names, trademarks,
service marks, or product names of the Licensor, except as required for
reasonable and customary use in describing the origin of the Work and
reproducing the content of the NOTICE file.

7. Disclaimer of Warranty.

Unless required by applicable law or agreed to in writing, Licensor provides the
Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied,
including, without limitation, any warranties or conditions of TITLE,
NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are
solely responsible for determining the appropriateness of using or
redistributing the Work and assume any risks associated with Your exercise of
permissions under this License.

8. Limitation of Liability.

In no event and under no legal theory, whether in tort (including negligence),
contract, or otherwise, unless required by applicable law (such as deliberate
and grossly negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special, incidental,
or consequential damages of any character arising as a result of this License or
out of the use or inability to use the Work (including but not limited to
damages for loss of goodwill, work stoppage, computer failure or malfunction, or
any and all other commercial damages or losses), even if such Contributor has
been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability.

While redistributing the Work or Derivative Works thereof, You may choose to
offer, and charge a fee for, acceptance of support, warranty, indemnity, or
other liability obligations and/or rights consistent with this License. However,
in accepting such obligations, You may act only on Your own behalf and on Your
sole responsibility, not on behalf of any other Contributor, and only if You
agree to indemnify, defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason of your
accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate
notice, with the fields enclosed by brackets "[]" replaced with your own
identifying information. (Don't include the brackets!) The text should be
enclosed in the appropriate comment syntax for the file format. We also
recommend that a file or class name and description of purpose be included on
the same "printed page" as the copyright notice for easier identification within
third-party archives.

  Copyright [yyyy] [name of copyright owner]

  Licensed under the Apache License, Version 2.0 (the "License");
  you may not use this file except in compliance with the License.
  You may obtain a copy of the License at

    http://www.apache.org/licenses/LICENSE-2.0

  Unless required by applicable law or agreed to in writing, software
  distributed under the License is distributed on an "AS IS" BASIS,
  WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
  See the License for the specific language governing permissions and
  limitations under the License.

                   Apache License
                      Version 2.0, January 2004
                    http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

   "License" shall mean the terms and conditions for use, reproduction,
   and distribution as defined by Sections 1 through 9 of this document.

   "Licensor" shall mean the copyright owner or entity authorized by
   the copyright owner that is granting the License.

   "Legal Entity" shall mean the union of the acting entity and all
   other entities that control, are controlled by, or are under common
   control with that entity. For the purposes of this definition,
   "control" means (i) the power, direct or indirect, to cause the
   direction or management of such entity, whether by contract or
   otherwise, or (ii) ownership of fifty percent (50%) or more of the
   outstanding shares, or (iii) beneficial ownership of such entity.

   "You" (or "Your") shall mean an individual or Legal Entity
   exercising permissions granted by this License.

   "Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Copyright (c) 2012 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

   * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
   * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Copyright 2016 The Linux Foundation.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
BSD 3-Clause License

Copyright (c) 2013, Julien Schmidt
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this
   list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice,
   this list of conditions and the following disclaimer in the documentation
   and/or other materials provided with the distribution.

3. Neither the name of the copyright holder nor the names of its
   contributors may be used to endorse or promote products derived from
   this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE

OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The MIT License (MIT)

SOFTWARE.
Copyright (c) 2015, Pierre Curto
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
  list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.

* Neither the name of xxHash nor the names of its
  contributors may be used to endorse or promote products derived from
  this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright (c) 2014-2016 The godo AUTHORS. All rights reserved.

MIT License

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION

OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====================
Portions of the client are based on code at:
https://github.com/google/go-github/

Copyright (c) 2013 The go-github AUTHORS. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

   * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
   * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.49 x-crypto 0.0.0-20211115234514-b4de73f9ece8

1.49.1 Available under license :

This source code was written by the Go contributors.
The master list of contributors is in the main Go distribution,
visible at https://tip.golang.org/CONTRIBUTORS.
Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are

met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
  * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.50 influxdata-influxdb-client-go 2.2.0
1.50.1 Available under license :

MIT License

Copyright (c) 2018 Sebastian Czoch

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE

SOFTWARE.

1.51 gojsondiff 1.0.0

1.51.1 Available under license :

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

golcs - https://github.com/yudai/golcs

The MIT License (MIT)

Copyright (c) 2015 Iwasaki Yudai

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

cli.go - https://github.com/urfave/cli

Copyright (C) 2013 Jeremy Saenz
All Rights Reserved.

MIT LICENSE

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

ginkgo - https://github.com/onsi/ginkgo

Copyright (c) 2013-2014 Onsi Fakhouri

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

gomega - https://github.com/onsi/gomega

Copyright (c) 2013-2014 Onsi Fakhouri

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.52 vividcortex-mysqlerr 0.0.0-20170204212430-6c6b55f8796f

1.52.1 Available under license :

MIT License

Copyright (c) 2017 VividCortex

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.53 x-term 0.0.0-20201126162022-7de9c90e9dd1

1.53.1 Available under license :

This source code was written by the Go contributors.
The master list of contributors is in the main Go distribution,
visible at http://tip.golang.org/CONTRIBUTORS.
Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

  * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
  * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.54 gnutls 3.6.13-2ubuntu1.6

1.54.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 1992-2015 by Bruce Korb - all rights reserved
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

              Preamble

 The GNU General Public License is a free, copyleft license for software and other kinds of works.

 The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to

your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source

form of a work.

 A "Standard Interface" means an interface that either is an official
standard defined by a recognized standards body, or, in the case of
interfaces specified for a particular programming language, one that
is widely used among developers working in that language.

 The "System Libraries" of an executable work include anything, other
than the work as a whole, that (a) is included in the normal form of
packaging a Major Component, but which is not part of that Major
Component, and (b) serves only to enable use of the work with that
Major Component, or to implement a Standard Interface for which an
implementation is available to the public in source code form. A
"Major Component", in this context, means a major essential component
(kernel, window system, and so on) of the specific operating system
(if any) on which the executable work runs, or a compiler used to
produce the work, or an object code interpreter used to run it.

 The "Corresponding Source" for a work in object code form means all
the source code needed to generate, install, and (for an executable
work) run the object code and to modify the work, including scripts to
control those activities. However, it does not include the work's
System Libraries, or general-purpose tools or generally available free
programs which are used unmodified in performing those activities but
which are not part of the work. For example, Corresponding Source
includes interface definition files associated with source files for
the work, and the source code for shared libraries and dynamically
linked subprograms that the work is specifically designed to require,
such as by intimate data communication or control flow between those
subprograms and other parts of the work.

 The Corresponding Source need not include anything that users
can regenerate automatically from other parts of the Corresponding
Source.

 The Corresponding Source for a work in source code form is that
same work.

 2. Basic Permissions.

 All rights granted under this License are granted for the term of
copyright on the Program, and are irrevocable provided the stated
conditions are met. This License explicitly affirms your unlimited
permission to run the unmodified Program. The output from running a
covered work is covered by this License only if the output, given its
content, constitutes a covered work. This License acknowledges your
rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not
convey, without conditions so long as your license otherwise remains
in force. You may convey covered works to others for the sole purpose
of having them make modifications exclusively for you, or provide you
with facilities for running those works, provided that you comply with
the terms of this License in conveying all material for which you do
not control copyright. Those thus making or running the covered works
for you must do so exclusively on your behalf, under your direction
and control, on terms that prohibit them from making any copies of
your copyrighted material outside their relationship with you.

 Conveying under any other circumstances is permitted solely under
the conditions stated below. Sublicensing is not allowed; section 10
makes it unnecessary.

 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

 No covered work shall be deemed part of an effective technological
measure under any applicable law fulfilling obligations under article
11 of the WIPO copyright treaty adopted on 20 December 1996, or
similar laws prohibiting or restricting circumvention of such
measures.

 When you convey a covered work, you waive any legal power to forbid
circumvention of technological measures to the extent such circumvention
is effected by exercising rights under this License with respect to
the covered work, and you disclaim any intention to limit operation or
modification of the work as a means of enforcing, against the work's
users, your or third parties' legal rights to forbid circumvention of
technological measures.

 4. Conveying Verbatim Copies.

 You may convey verbatim copies of the Program's source code as you
receive it, in any medium, provided that you conspicuously and
appropriately publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

 You may charge any price or no price for each copy that you convey,
and you may offer support or warranty protection for a fee.

 5. Conveying Modified Source Versions.

 You may convey a work based on the Program, or the modifications to
produce it from the Program, in the form of source code under the

terms of section 4, provided that you also meet all of these conditions:

  a) The work must carry prominent notices stating that you modified
  it, and giving a relevant date.

  b) The work must carry prominent notices stating that it is
  released under this License and any conditions added under section
  7. This requirement modifies the requirement in section 4 to
  "keep intact all notices".

  c) You must license the entire work, as a whole, under this
  License to anyone who comes into possession of a copy. This
  License will therefore apply, along with any applicable section 7
  additional terms, to the whole of the work, and all its parts,
  regardless of how they are packaged. This License gives no
  permission to license the work in any other way, but it does not
  invalidate such permission if you have separately received it.

  d) If the work has interactive user interfaces, each must display
  Appropriate Legal Notices; however, if the Program has interactive
  interfaces that do not display Appropriate Legal Notices, your
  work need not make them do so.

 A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

 6. Conveying Non-Source Forms.

 You may convey a covered work in object code form under the terms
of sections 4 and 5, provided that you also convey the
machine-readable Corresponding Source under the terms of this License,
in one of these ways:

  a) Convey the object code in, or embodied in, a physical product
  (including a physical distribution medium), accompanied by the
  Corresponding Source fixed on a durable physical medium
  customarily used for software interchange.

  b) Convey the object code in, or embodied in, a physical product
  (including a physical distribution medium), accompanied by a
  written offer, valid for at least three years and valid for as

long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

 A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

 A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent

the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of

it. (Additional permissions may be written to require their own
removal in certain cases when you modify the work.) You may place
additional permissions on material, added by you to a covered work,
for which you have or can give appropriate copyright permission.

 Notwithstanding any other provision of this License, for material you
add to a covered work, you may (if authorized by the copyright holders of
that material) supplement the terms of this License with terms:

  a) Disclaiming warranty or limiting liability differently from the
  terms of sections 15 and 16 of this License; or

  b) Requiring preservation of specified reasonable legal notices or
  author attributions in that material or in the Appropriate Legal
  Notices displayed by works containing it; or

  c) Prohibiting misrepresentation of the origin of that material, or
  requiring that modified versions of such material be marked in
  reasonable ways as different from the original version; or

  d) Limiting the use for publicity purposes of names of licensors or
  authors of the material; or

  e) Declining to grant rights under trademark law for use of some
  trade names, trademarks, or service marks; or

  f) Requiring indemnification of licensors and authors of that
  material by anyone who conveys the material (or modified versions of
  it) with contractual assumptions of liability to the recipient, for
  any liability that these contractual assumptions directly impose on
  those licensors and authors.

 All other non-permissive additional terms are considered "further
restrictions" within the meaning of section 10. If the Program as you
received it, or any part of it, contains a notice stating that it is
governed by this License along with a term that is a further
restriction, you may remove that term. If a license document contains
a further restriction but permits relicensing or conveying under this
License, you may add to a covered work material governed by the terms
of that license document, provided that the further restriction does
not survive such relicensing or conveying.

 If you add terms to a covered work in accord with this section, you
must place, in the relevant source files, a statement of the
additional terms that apply to those files, or a notice indicating
where to find the applicable terms.

 Additional terms, permissive or non-permissive, may be stated in the

form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license,

and the Corresponding Source of the work is not available for anyone
to copy, free of charge and under the terms of this License, through a
publicly available network server or other readily accessible means,
then you must either (1) cause the Corresponding Source to be so
available, or (2) arrange to deprive yourself of the benefit of the
patent license for this particular work, or (3) arrange, in a manner
consistent with the requirements of this License, to extend the patent
license to downstream recipients. "Knowingly relying" means you have
actual knowledge that, but for the patent license, your conveying the
covered work in a country, or your recipient's use of the covered work
in a country, would infringe one or more identifiable patents in that
country that you have reason to believe are valid.

 If, pursuant to or in connection with a single transaction or
arrangement, you convey, or propagate by procuring conveyance of, a
covered work, and grant a patent license to some of the parties
receiving the covered work authorizing them to use, propagate, modify
or convey a specific copy of the covered work, then the patent license
you grant is automatically extended to all recipients of the covered
work and works based on it.

 A patent license is "discriminatory" if it does not include within
the scope of its coverage, prohibits the exercise of, or is
conditioned on the non-exercise of one or more of the rights that are
specifically granted under this License. You may not convey a covered
work if you are a party to an arrangement with a third party that is
in the business of distributing software, under which you make payment
to the third party based on the extent of your activity of conveying
the work, and under which the third party grants, to any of the
parties who would receive the covered work from you, a discriminatory
patent license (a) in connection with copies of the covered work
conveyed by you (or copies made from those copies), or (b) primarily
for and in connection with specific products or compilations that
contain the covered work, unless you entered into that arrangement,
or that patent license was granted, prior to 28 March 2007.

 Nothing in this License shall be construed as excluding or limiting
any implied license or other defenses to infringement that may
otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

 If conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot convey a
covered work so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you may
not convey it at all. For example, if you agree to terms that obligate you

to collect a royalty for further conveying from those to whom you convey
the Program, the only way you could satisfy both those terms and this
License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

 Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

14. Revised Versions of this License.

 The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

 Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

 If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

 Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

15. Disclaimer of Warranty.

 THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR

PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) by Bruce Korb - all rights reserved

    This program is free software: you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation, either version 3 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program. If not, see <https://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

 If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

    <program> Copyright (C) by Bruce Korb - all rights reserved
    This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

 You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<https://www.gnu.org/licenses/>.

 The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<https://www.gnu.org/philosophy/why-not-lgpl.html>.
LICENSING
=========

Since GnuTLS version 3.1.10, the core library is released under
the GNU Lesser General Public License (LGPL) version 2.1 or later
(see doc/COPYING.LESSER for the license terms).

The GNU LGPL applies to the main GnuTLS library, while the
included applications as well as gnutls-openssl
library are under the GNU GPL version 3. The gnutls library is
located in the lib/ and libdane/ directories, while the applications
in src/ and, the gnutls-openssl library is at extra/.

The documentation in doc/ is under the GNU FDL license 1.3.

Note, however, that the nettle and the gmp libraries which are

GnuTLS dependencies, they are distributed under a LGPLv3+ or GPLv2+ dual
license. As such binaries linking to them need to adhere to either LGPLv3+
or the GPLv2+ license.

For any copyright year range specified as YYYY-ZZZZ in this package
note that the range specifies every single year in that closed interval.

                    GNU GENERAL PUBLIC LICENSE
                      Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <https://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

                        Preamble

 The GNU General Public License is a free, copyleft license for
software and other kinds of works.

 The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

 To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you have
certain responsibilities if you distribute copies of the software, or if
you modify it: responsibilities to respect the freedom of others.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must pass on to the recipients the same
freedoms that you received. You must make sure that they, too, receive
or can get the source code. And you must show them these terms so they
know their rights.

 Developers that use the GNU GPL protect your rights with two steps:
(1) assert copyright on the software, and (2) offer you this License
giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without
permission, would make you directly or secondarily liable for
infringement under applicable copyright law, except executing it on a
computer or modifying a private copy. Propagation includes copying,
distribution (with or without modification), making available to the
public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other
parties to make or receive copies. Mere interaction with a user through
a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices"
to the extent that it includes a convenient and prominently visible
feature that (1) displays an appropriate copyright notice, and (2)
tells the user that there is no warranty for the work (except to the
extent that warranties are provided), that licensees may convey the
work under this License, and how to view a copy of this License. If
the interface presents a list of user commands or options, such as a
menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work
for making modifications to it. "Object code" means any non-source
form of a work.

A "Standard Interface" means an interface that either is an official
standard defined by a recognized standards body, or, in the case of
interfaces specified for a particular programming language, one that
is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other
than the work as a whole, that (a) is included in the normal form of
packaging a Major Component, but which is not part of that Major
Component, and (b) serves only to enable use of the work with that
Major Component, or to implement a Standard Interface for which an
implementation is available to the public in source code form. A
"Major Component", in this context, means a major essential component
(kernel, window system, and so on) of the specific operating system
(if any) on which the executable work runs, or a compiler used to
produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all
the source code needed to generate, install, and (for an executable
work) run the object code and to modify the work, including scripts to
control those activities. However, it does not include the work's
System Libraries, or general-purpose tools or generally available free

programs which are used unmodified in performing those activities but
which are not part of the work. For example, Corresponding Source
includes interface definition files associated with source files for
the work, and the source code for shared libraries and dynamically
linked subprograms that the work is specifically designed to require,
such as by intimate data communication or control flow between those
subprograms and other parts of the work.

The Corresponding Source need not include anything that users
can regenerate automatically from other parts of the Corresponding
Source.

The Corresponding Source for a work in source code form is that
same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of
copyright on the Program, and are irrevocable provided the stated
conditions are met. This License explicitly affirms your unlimited
permission to run the unmodified Program. The output from running a
covered work is covered by this License only if the output, given its
content, constitutes a covered work. This License acknowledges your
rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not
convey, without conditions so long as your license otherwise remains
in force. You may convey covered works to others for the sole purpose
of having them make modifications exclusively for you, or provide you
with facilities for running those works, provided that you comply with
the terms of this License in conveying all material for which you do
not control copyright. Those thus making or running the covered works
for you must do so exclusively on your behalf, under your direction
and control, on terms that prohibit them from making any copies of
your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under
the conditions stated below. Sublicensing is not allowed; section 10
makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological
measure under any applicable law fulfilling obligations under article
11 of the WIPO copyright treaty adopted on 20 December 1996, or
similar laws prohibiting or restricting circumvention of such
measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

  6. Conveying Non-Source Forms.

 You may convey a covered work in object code form under the terms
of sections 4 and 5, provided that you also convey the
machine-readable Corresponding Source under the terms of this License,
in one of these ways:

  a) Convey the object code in, or embodied in, a physical product
  (including a physical distribution medium), accompanied by the
  Corresponding Source fixed on a durable physical medium
  customarily used for software interchange.

  b) Convey the object code in, or embodied in, a physical product
  (including a physical distribution medium), accompanied by a
  written offer, valid for at least three years and valid for as
  long as you offer spare parts or customer support for that product
  model, to give anyone who possesses the object code either (1) a
  copy of the Corresponding Source for all the software in the
  product that is covered by this License, on a durable physical
  medium customarily used for software interchange, for a price no
  more than your reasonable cost of physically performing this
  conveying of source, or (2) access to copy the
  Corresponding Source from a network server at no charge.

  c) Convey individual copies of the object code with a copy of the
  written offer to provide the Corresponding Source. This
  alternative is allowed only occasionally and noncommercially, and
  only if you received the object code with such an offer, in accord
  with subsection 6b.

  d) Convey the object code by offering access from a designated
  place (gratis or for a charge), and offer equivalent access to the
  Corresponding Source in the same way through the same place at no
  further charge. You need not require recipients to copy the
  Corresponding Source along with the object code. If the place to
  copy the object code is a network server, the Corresponding Source
  may be on a different server (operated by you or a third party)
  that supports equivalent copying facilities, provided you maintain

clear directions next to the object code saying where to find the
Corresponding Source. Regardless of what server hosts the
Corresponding Source, you remain obligated to ensure that it is
available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided
you inform other peers where the object code and Corresponding
Source of the work are being offered to the general public at no
charge under subsection 6d.

A separable portion of the object code, whose source code is excluded
from the Corresponding Source as a System Library, need not be
included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any
tangible personal property which is normally used for personal, family,
or household purposes, or (2) anything designed or sold for incorporation
into a dwelling. In determining whether a product is a consumer product,
doubtful cases shall be resolved in favor of coverage. For a particular
product received by a particular user, "normally used" refers to a
typical or common use of that class of product, regardless of the status
of the particular user or of the way in which the particular user
actually uses, or expects or is expected to use, the product. A product
is a consumer product regardless of whether the product has substantial
commercial, industrial or non-consumer uses, unless such uses represent
the only significant mode of use of the product.

"Installation Information" for a User Product means any methods,
procedures, authorization keys, or other information required to install
and execute modified versions of a covered work in that User Product from
a modified version of its Corresponding Source. The information must
suffice to ensure that the continued functioning of the modified object
code is in no case prevented or interfered with solely because
modification has been made.

If you convey an object code work under this section in, or with, or
specifically for use in, a User Product, and the conveying occurs as
part of a transaction in which the right of possession and use of the
User Product is transferred to the recipient in perpetuity or for a
fixed term (regardless of how the transaction is characterized), the
Corresponding Source conveyed under this section must be accompanied
by the Installation Information. But this requirement does not apply
if neither you nor any third party retains the ability to install
modified object code on the User Product (for example, the work has
been installed in ROM).

The requirement to provide Installation Information does not include a
requirement to continue to provide support service, warranty, or updates

for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or

b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some
trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that
material by anyone who conveys the material (or modified versions of
it) with contractual assumptions of liability to the recipient, for
any liability that these contractual assumptions directly impose on
those licensors and authors.

All other non-permissive additional terms are considered "further
restrictions" within the meaning of section 10. If the Program as you
received it, or any part of it, contains a notice stating that it is
governed by this License along with a term that is a further
restriction, you may remove that term. If a license document contains
a further restriction but permits relicensing or conveying under this
License, you may add to a covered work material governed by the terms
of that license document, provided that the further restriction does
not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you
must place, in the relevant source files, a statement of the
additional terms that apply to those files, or a notice indicating
where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the
form of a separately written license, or stated as exceptions;
the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly
provided under this License. Any attempt otherwise to propagate or
modify it is void, and will automatically terminate your rights under
this License (including any patent licenses granted under the third
paragraph of section 11).

However, if you cease all violation of this License, then your
license from a particular copyright holder is reinstated (a)
provisionally, unless and until the copyright holder explicitly and
finally terminates your license, and (b) permanently, if the copyright
holder fails to notify you of the violation by some reasonable means
prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is
reinstated permanently if the copyright holder notifies you of the
violation by some reasonable means, this is the first time you have
received notice of violation of this License (for any work) from that
copyright holder, and you cure the violation prior to 30 days after

your receipt of the notice.

Termination of your rights under this section does not terminate the
licenses of parties who have received copies or rights from you under
this License. If your rights have been terminated and not permanently
reinstated, you do not qualify to receive new licenses for the same
material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or
run a copy of the Program. Ancillary propagation of a covered work
occurring solely as a consequence of using peer-to-peer transmission
to receive a copy likewise does not require acceptance. However,
nothing other than this License grants you permission to propagate or
modify any covered work. These actions infringe copyright if you do
not accept this License. Therefore, by modifying or propagating a
covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically
receives a license from the original licensors, to run, modify and
propagate that work, subject to this License. You are not responsible
for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an
organization, or substantially all assets of one, or subdividing an
organization, or merging organizations. If propagation of a covered
work results from an entity transaction, each party to that
transaction who receives a copy of the work also receives whatever
licenses to the work the party's predecessor in interest had or could
give under the previous paragraph, plus a right to possession of the
Corresponding Source of the work from the predecessor in interest, if
the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the
rights granted or affirmed under this License. For example, you may
not impose a license fee, royalty, or other charge for exercise of
rights granted under this License, and you may not initiate litigation
(including a cross-claim or counterclaim in a lawsuit) alleging that
any patent claim is infringed by making, using, selling, offering for
sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this
License of the Program or a work on which the Program is based. The

work thus licensed is called the contributor's "contributor version".

 A contributor's "essential patent claims" are all patent claims
owned or controlled by the contributor, whether already acquired or
hereafter acquired, that would be infringed by some manner, permitted
by this License, of making, using, or selling its contributor version,
but do not include claims that would be infringed only as a
consequence of further modification of the contributor version. For
purposes of this definition, "control" includes the right to grant
patent sublicenses in a manner consistent with the requirements of
this License.

 Each contributor grants you a non-exclusive, worldwide, royalty-free
patent license under the contributor's essential patent claims, to
make, use, sell, offer for sale, import and otherwise run, modify and
propagate the contents of its contributor version.

 In the following three paragraphs, a "patent license" is any express
agreement or commitment, however denominated, not to enforce a patent
(such as an express permission to practice a patent or covenant not to
sue for patent infringement). To "grant" such a patent license to a
party means to make such an agreement or commitment not to enforce a
patent against the party.

 If you convey a covered work, knowingly relying on a patent license,
and the Corresponding Source of the work is not available for anyone
to copy, free of charge and under the terms of this License, through a
publicly available network server or other readily accessible means,
then you must either (1) cause the Corresponding Source to be so
available, or (2) arrange to deprive yourself of the benefit of the
patent license for this particular work, or (3) arrange, in a manner
consistent with the requirements of this License, to extend the patent
license to downstream recipients. "Knowingly relying" means you have
actual knowledge that, but for the patent license, your conveying the
covered work in a country, or your recipient's use of the covered work
in a country, would infringe one or more identifiable patents in that
country that you have reason to believe are valid.

 If, pursuant to or in connection with a single transaction or
arrangement, you convey, or propagate by procuring conveyance of, a
covered work, and grant a patent license to some of the parties
receiving the covered work authorizing them to use, propagate, modify
or convey a specific copy of the covered work, then the patent license
you grant is automatically extended to all recipients of the covered
work and works based on it.

 A patent license is "discriminatory" if it does not include within
the scope of its coverage, prohibits the exercise of, or is

conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the

Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

 If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

 Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

 15. Disclaimer of Warranty.

 THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

 16. Limitation of Liability.

 IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE
USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD
PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES.

 17. Interpretation of Sections 15 and 16.

 If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a

copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software: you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation, either version 3 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program. If not, see <https://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

    <program> Copyright (C) <year> <name of author>
    This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see

<https://www.gnu.org/licenses/>.

 The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<https://www.gnu.org/philosophy/why-not-lgpl.html>.

The "inih" library is distributed under the New BSD license:

Copyright (c) 2009, Ben Hoyt
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:
   * Redistributions of source code must retain the above copyright
     notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above copyright
     notice, this list of conditions and the following disclaimer in the
     documentation and/or other materials provided with the distribution.
   * Neither the name of Ben Hoyt nor the names of its contributors
     may be used to endorse or promote products derived from this software
     without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY BEN HOYT "AS IS" AND ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL BEN HOYT BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
   GNU LESSER GENERAL PUBLIC LICENSE
       Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
   51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

   Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the
library, and (2) we offer you this license, which gives you legal
permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that
there is no warranty for the free library. Also, if the library is
modified by someone else and passed on, the recipients should know
that what they have is not the original version, so that the original
author's reputation will not be affected by problems that might be
introduced by others.

Finally, software patents pose a constant threat to the existence of
any free program. We wish to make sure that a company cannot
effectively restrict the users of a free program by obtaining a

restrictive license from a patent holder. Therefore, we insist that
any patent license obtained for a version of the library must be
consistent with the full freedom of use specified in this license.

 Most GNU software, including some libraries, is covered by the
ordinary GNU General Public License. This license, the GNU Lesser
General Public License, applies to certain designated libraries, and
is quite different from the ordinary General Public License. We use
this license for certain libraries in order to permit linking those
libraries into non-free programs.

 When a program is linked with a library, whether statically or using
a shared library, the combination of the two is legally speaking a
combined work, a derivative of the original library. The ordinary
General Public License therefore permits such linking only if the
entire combination fits its criteria of freedom. The Lesser General
Public License permits more lax criteria for linking other code with
the library.

 We call this license the "Lesser" General Public License because it
does Less to protect the user's freedom than the ordinary General
Public License. It also provides other free software developers Less
of an advantage over competing non-free programs. These disadvantages
are the reason we use the ordinary General Public License for many
libraries. However, the Lesser license provides advantages in certain
special circumstances.

 For example, on rare occasions, there may be a special need to
encourage the widest possible use of a certain library, so that it becomes
a de-facto standard. To achieve this, non-free programs must be
allowed to use the library. A more frequent case is that a free
library does the same job as widely used non-free libraries. In this
case, there is little to gain by limiting the free library to free
software only, so we use the Lesser General Public License.

 In other cases, permission to use a particular library in non-free
programs enables a greater number of people to use a large body of
free software. For example, permission to use the GNU C Library in
non-free programs enables many more people to use the whole GNU
operating system, as well as its variant, the GNU/Linux operating
system.

 Although the Lesser General Public License is Less protective of the
users' freedom, it does ensure that the user of a program that is
linked with the Library has the freedom and the wherewithal to run
that program using a modified version of the Library.

 The precise terms and conditions for copying, distribution and

modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, whereas the latter must
be combined with the library in order to run.

  GNU LESSER GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License Agreement applies to any software library or other
program which contains a notice placed by the copyright holder or
other authorized party saying it may be distributed under the terms of
this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

 A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

 The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated
straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

 "Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means
all the source code for all modules it contains, plus any associated
interface definition files, plus the scripts used to control compilation
and installation of the library.

 Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running a program using the Library is not restricted, and output from
such a program is covered only if its contents constitute a work based
on the Library (independent of the use of the Library in a tool for
writing it). Whether that is true depends on what the Library does
and what the program that uses the Library does.

 1. You may copy and distribute verbatim copies of the Library's
complete source code as you receive it, in any medium, provided that
you conspicuously and appropriately publish on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact
all the notices that refer to this License and to the absence of any
warranty; and distribute a copy of this License along with the
Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

 Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

 4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

 5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

 However, linking a "work that uses the Library" with the Library
creates an executable that is a derivative of the Library (because it
contains portions of the Library), rather than a "work that uses the
library". The executable is therefore covered by this License.
Section 6 states terms for distribution of such executables.

 When a "work that uses the Library" uses material from a header file
that is part of the Library, the object code for the work may be a

derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

 If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

 Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

 6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

 You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

  a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

  b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2)

will operate properly with a modified version of the library, if
the user installs one, as long as the modified version is
interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at
least three years, to give the same user the materials
specified in Subsection 6a, above, for a charge no more
than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy
from a designated place, offer equivalent access to copy the above
specified materials from the same place.

e) Verify that the user has already received a copy of these
materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the
Library" must include any data and utility programs needed for
reproducing the executable from it. However, as a special exception,
the materials to be distributed need not include anything that is
normally distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies
the executable.

It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.

7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work
based on the Library, uncombined with any other library
facilities. This must be distributed under the terms of the
Sections above.

b) Give prominent notice with the combined library of the fact
that part of it is a work based on the Library, and explaining
where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute

the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

  9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

  10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties with
this License.

  11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply,
and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that

system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

  12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

  13. The Free Software Foundation may publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

  14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

    NO WARRANTY

  15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE
LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE
LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING
RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A
FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF
SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest
possible use to the public, we recommend making it free software that
everyone can redistribute and change. You can do so by permitting
redistribution under these terms (or, alternatively, under the terms of the
ordinary General Public License).

To apply these terms, attach the following notices to the library. It is
safest to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

    <one line to give the library's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This library is free software; you can redistribute it and/or
    modify it under the terms of the GNU Lesser General Public
    License as published by the Free Software Foundation; either
    version 2.1 of the License, or (at your option) any later version.

    This library is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
    Lesser General Public License for more details.

    You should have received a copy of the GNU Lesser General Public
    License along with this library; if not, write to the Free Software
    Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if

necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the
 library `Frob' (a library for tweaking knobs) written by James Random Hacker.

 <signature of Ty Coon>, 1 April 1990
 Ty Coon, President of Vice

That's all there is to it!
###
Constant-time SSSE3 AES core implementation.
version 0.1
##
By Mike Hamburg (Stanford University), 2009
Public domain.
##
For details see http://shiftleft.org/papers/vector_aes/ and
http://crypto.stanford.edu/vpaes/.
#
*** This file is auto-generated ***
#
    GNU LESSER GENERAL PUBLIC LICENSE
              Version 3, 29 June 2007

Copyright (C) 1992-2015 by Bruce Korb - all rights reserved
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

 This version of the GNU Lesser General Public License incorporates
the terms and conditions of version 3 of the GNU General Public
License, supplemented by the additional permissions listed below.

 0. Additional Definitions.

 As used herein, "this License" refers to version 3 of the GNU Lesser
General Public License, and the "GNU GPL" refers to version 3 of the GNU
General Public License.

 "The Library" refers to a covered work governed by this License,
other than an Application or a Combined Work as defined below.

 An "Application" is any work that makes use of an interface provided
by the Library, but which is not otherwise based on the Library.
Defining a subclass of a class defined by the Library is deemed a mode
of using an interface provided by the Library.

 A "Combined Work" is a work produced by combining or linking an

Application with the Library. The particular version of the Library
with which the Combined Work was made is also called the "Linked
Version".

 The "Minimal Corresponding Source" for a Combined Work means the
Corresponding Source for the Combined Work, excluding any source code
for portions of the Combined Work that, considered in isolation, are
based on the Application, and not on the Linked Version.

 The "Corresponding Application Code" for a Combined Work means the
object code and/or source code for the Application, including any data
and utility programs needed for reproducing the Combined Work from the
Application, but excluding the System Libraries of the Combined Work.

 1. Exception to Section 3 of the GNU GPL.

 You may convey a covered work under sections 3 and 4 of this License
without being bound by section 3 of the GNU GPL.

 2. Conveying Modified Versions.

 If you modify a copy of the Library, and, in your modifications, a
facility refers to a function or data to be supplied by an Application
that uses the facility (other than as an argument passed when the
facility is invoked), then you may convey a copy of the modified
version:

  a) under this License, provided that you make a good faith effort to
  ensure that, in the event an Application does not supply the
  function or data, the facility still operates, and performs
  whatever part of its purpose remains meaningful, or

  b) under the GNU GPL, with none of the additional permissions of
  this License applicable to that copy.

 3. Object Code Incorporating Material from Library Header Files.

 The object code form of an Application may incorporate material from
a header file that is part of the Library. You may convey such object
code under terms of your choice, provided that, if the incorporated
material is not limited to numerical parameters, data structure
layouts and accessors, or small macros, inline functions and templates
(ten or fewer lines in length), you do both of the following:

  a) Give prominent notice with each copy of the object code that the
  Library is used in it and that the Library and its use are
  covered by this License.

b) Accompany the object code with a copy of the GNU GPL and this license
document.

4. Combined Works.

 You may convey a Combined Work under terms of your choice that,
taken together, effectively do not restrict modification of the
portions of the Library contained in the Combined Work and reverse
engineering for debugging such modifications, if you also do each of
the following:

 a) Give prominent notice with each copy of the Combined Work that
 the Library is used in it and that the Library and its use are
 covered by this License.

 b) Accompany the Combined Work with a copy of the GNU GPL and this license
 document.

 c) For a Combined Work that displays copyright notices during
 execution, include the copyright notice for the Library among
 these notices, as well as a reference directing the user to the
 copies of the GNU GPL and this license document.

 d) Do one of the following:

 0) Convey the Minimal Corresponding Source under the terms of this
 License, and the Corresponding Application Code in a form
 suitable for, and under terms that permit, the user to
 recombine or relink the Application with a modified version of
 the Linked Version to produce a modified Combined Work, in the
 manner specified by section 6 of the GNU GPL for conveying
 Corresponding Source.

 1) Use a suitable shared library mechanism for linking with the
 Library. A suitable mechanism is one that (a) uses at run time
 a copy of the Library already present on the user's computer
 system, and (b) will operate properly with a modified version
 of the Library that is interface-compatible with the Linked
 Version.

 e) Provide Installation Information, but only if you would otherwise
 be required to provide such information under section 6 of the
 GNU GPL, and only to the extent that such information is
 necessary to install and execute a modified version of the
 Combined Work produced by recombining or relinking the
 Application with a modified version of the Linked Version. (If
 you use option 4d0, the Installation Information must accompany
 the Minimal Corresponding Source and Corresponding Application

Code. If you use option 4d1, you must provide the Installation
Information in the manner specified by section 6 of the GNU GPL
for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the
Library side by side in a single library together with other library
facilities that are not Applications and are not covered by this
License, and convey such a combined library under terms of your
choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based
on the Library, uncombined with any other library facilities,
conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it
is a work based on the Library, and explaining where to find the
accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions
of the GNU Lesser General Public License from time to time. Such new
versions will be similar in spirit to the present version, but may
differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the
Library as you received it specifies that a certain numbered version
of the GNU Lesser General Public License "or any later version"
applies to it, you have the option of following the terms and
conditions either of that published version or of any later version
published by the Free Software Foundation. If the Library as you
received it does not specify a version number of the GNU Lesser
General Public License, you may choose any version of the GNU Lesser
General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide
whether future versions of the GNU Lesser General Public License shall
apply, that proxy's public statement of acceptance of any version is
permanent authorization for you to choose that version for the
Library.
Copyright (C) 1992-2015 by Bruce Korb - all rights reserved
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.

---

2. Redistributions in binary form must reproduce the above
   copyright notice, this list of conditions and the following
   disclaimer in the documentation and/or other materials provided
   with the distribution.

3. The name of the author may not be used to endorse or promote
   products derived from this software without specific prior
   written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING
IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.
==
Written by Andy Polyakov <appro@fy.chalmers.se> for the OpenSSL
project. The module is, however, dual licensed under OpenSSL and
CRYPTOGAMS licenses depending on where you obtain it. For further
details see https://www.openssl.org/~appro/cryptogams/.
==

Copyright (c) 2006-2012, CRYPTOGAMS by <appro@openssl.org>
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

   * Redistributions of source code must retain copyright notices,
this list of conditions and the following disclaimer.

   * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials
provided with the distribution.

   * Neither the name of the CRYPTOGAMS nor the names of its
copyright holder and contributors may be used to endorse or
promote products derived from this software without specific
prior written permission.

ALTERNATIVELY, provided that this notice is retained in full, this
product may be distributed under the terms of the GNU General Public
License (GPL), in which case the provisions of the GPL apply INSTEAD OF
those given above.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
########################################################################
## Constant-time SSSE3 AES core implementation.
## version 0.1
##
## By Mike Hamburg (Stanford University), 2009
## Public domain.
##
## For details see https://shiftleft.org/papers/vector_aes/ and
## https://crypto.stanford.edu/vpaes/.
#
# Copyright (C) 2011-2013 Free Software Foundation, Inc.
# Copyright (C) 2013 Nikos Mavrogiannopoulos
#
# Author: Nikos Mavrogiannopoulos
#
# This file is part of GnuTLS.
#
# The GnuTLS is free software; you can redistribute it and/or
# modify it under the terms of the GNU Lesser General Public License
# as published by the Free Software Foundation; either version 2.1 of
# the License, or (at your option) any later version.
#
# This library is distributed in the hope that it will be useful, but
# WITHOUT ANY WARRANTY; without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.  See the GNU
# Lesser General Public License for more details.
#
# You should have received a copy of the GNU Lesser General Public License
# along with this program.  If not, see <https://www.gnu.org/licenses/>.
#
```

the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.
Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights
(defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of
authorship and/or a database (each, a "Work").

Certain owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons
of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of
infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form
whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute
to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific
works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or
compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of
Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the
Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and
intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or
neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to,
the following:

  the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
  moral rights retained by the original author(s) and/or performer(s);
  publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
  rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a),
below;
  rights protecting the extraction, dissemination, use and reuse of data in a Work;
  database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of
11 March 1996 on the legal protection of databases, and under any national implementation thereof, including any
amended or successor version of such directive); and
  other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any
national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

4. Limitations and Disclaimers.

   No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.
   Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.
   Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.
   Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

1.55 go-socket-io 0.0.0-20170525141029-5447e71f36d3

1.55.1 Available under license :

Copyright (c) 2014-2014 Googol Lee <i@googol.im>

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.56 curl 7.68.0 1ubuntu2.11

1.56.1 Available under license :

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1996 - 2020, Daniel Stenberg, <daniel@haxx.se>, and many
contributors, see the THANKS file.

All rights reserved.

Permission to use, copy, modify, and distribute this software for any purpose
with or without fee is hereby granted, provided that the above copyright
notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN
NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR
OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE
OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not
be used in advertising or otherwise to promote the sale, use or other dealings
in this Software without prior written authorization of the copyright holder.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: curl
Source: http://curl.haxx.se

Files: *
Copyright: 1996-2015, Daniel Stenberg <daniel@haxx.se>
License: curl

Files: lib/vtls/sectransp.*
Copyright: 2012-2014, Nick Zitzmann <nickzman@gmail.com>
2012-2019, Daniel Stenberg <daniel@haxx.se>
License: curl

Files: lib/curl_rtmp.*
Copyright: 2010, Howard Chu <hyc@highlandsun.com>
License: curl

Files: lib/vtls/schannel.*
Copyright: 2012-2014, Marc Hoersken <info@marc-hoersken.de>
2012, Mark Salisbury <mark.salisbury@hp.com>
2012-2015, Daniel Stenberg <daniel@haxx.se>
License: curl

Files: lib/inet_pton.c
lib/inet_ntop.c
Copyright: 1996-2001 Internet Software Consortium
License: ISC

Files: lib/krb5.c
lib/security.c
Copyright: 2004-2015 Daniel Stenberg
1995-1999 Kungliga Tekniska Hgskolan
License: BSD-3-Clause

Files: lib/md4.c
Copyright: 2001, Solar Designer <solar@openwall.com>
License: public-domain

Files: lib/openldap.*
Copyright: 2011-2015, Daniel Stenberg <daniel@haxx.se>
2010, Howard Chu <hyc@openldap.org>
License: curl

Files: lib/vtls/polarssl.*
Copyright: 2010-2011, Hoi-Ho Chan <hoiho.chan@gmail.com>

2012-2015, Daniel Stenberg <daniel@haxx.se>

License: curl

Files: lib/socks_gssapi.c

lib/socks_sspi.*

Copyright: 2009, 2011, Markus Moeller, <markus_moeller@compuserve.com>

2012-2015, Daniel Stenberg, <daniel@haxx.se>

License: curl

Files: tests/certs/scripts/genroot.sh

tests/certs/scripts/genserv.sh

Copyright: 2000-2009, EdelWeb for EdelKey and OpenEvidence

License: curl

Files: tests/server/tftpd.c

Copyright: 1983 Regents of the University of California

License: BSD-4-Clause

Files: tests/server/fake_ntlm.c

Copyright: 2010, Mandy Wu <mandy.wu@intel.com>

2011-2013, Daniel Stenberg <daniel@haxx.se>

License: curl

Files: docs/examples/fopen.c

Copyright: 2003, Simtec Electronics

License: BSD-3-Clause

Files: docs/examples/rtsp.c

Copyright: 2011, Jim Hollinger

License: BSD-3-Clause

Files: docs/examples/curlgtk.c

Copyright: 2003, The OpenEvidence Project

License: curl

Files: docs/examples/curlx.c

Copyright: 2003, The OpenEvidence Project

License: other

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions

are met:

.

1. Redistributions of source code must retain the above copyright

   notice, this list of conditions, the following disclaimer,

   and the original OpenSSL and SSLeay Licences below.

.

2. Redistributions in binary form must reproduce the above copyright

   notice, this list of conditions, the following disclaimer

and the original OpenSSL and SSLeay Licences below in
the documentation and/or other materials provided with the
distribution.
.

3. All advertising materials mentioning features or use of this
   software must display the following acknowledgments:
   "This product includes software developed by the Openevidence Project
   for use in the OpenEvidence Toolkit. (http://www.openevidence.org/)"
   This product includes software developed by the OpenSSL Project
   for use in the OpenSSL Toolkit (http://www.openssl.org/)"
   This product includes cryptographic software written by Eric Young
   (eay@cryptsoft.com). This product includes software written by Tim
   Hudson (tjh@cryptsoft.com)."
.

4. The names "OpenEvidence Toolkit" and "OpenEvidence Project" must not be
   used to endorse or promote products derived from this software without
   prior written permission. For written permission, please contact
   openevidence-core@openevidence.org.
.

5. Products derived from this software may not be called "OpenEvidence"
   nor may "OpenEvidence" appear in their names without prior written
   permission of the OpenEvidence Project.
.

6. Redistributions of any form whatsoever must retain the following
   acknowledgments:
   "This product includes software developed by the OpenEvidence Project
   for use in the OpenEvidence Toolkit (http://www.openevidence.org/)
   This product includes software developed by the OpenSSL Project
   for use in the OpenSSL Toolkit (http://www.openssl.org/)"
   This product includes cryptographic software written by Eric Young
   (eay@cryptsoft.com). This product includes software written by Tim
   Hudson (tjh@cryptsoft.com)."
.

THIS SOFTWARE IS PROVIDED BY THE OpenEvidence PROJECT ``AS IS'' AND ANY
EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenEvidence PROJECT OR
ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

Files: src/macos/src/macos_main.cpp
Copyright: 2001, Eric Lavigne

License: other
Permission is granted to anyone to use this software for any purpose on any computer system, and to redistribute it freely, subject to the following restrictions: - The author is not responsible for the consequences of use of this software, no matter how awful, even if they arise from defects in it. - The origin of this software must not be misrepresented, either by explicit claim or by omission. - You are allowed to distributed modified copies of the software, in source and binary form, provided they are marked plainly as altered versions, and are not misrepresented as being the original software.

Files: debian/*
Copyright: 2000-2010, Domenico Andreoli <cavok@debian.org>
2010-2011, Ramakrishnan Muthukrishnan <rkrishnan@debian.org>
2011, Alessandro Ghedini <ghedo@debian.org>
License: curl

License: curl
All rights reserved.
.
Permission to use, copy, modify, and distribute this software for any purpose
with or without fee is hereby granted, provided that the above copyright
notice and this permission notice appear in all copies.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN
NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR
OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE
OR OTHER DEALINGS IN THE SOFTWARE.
.
Except as contained in this notice, the name of a copyright holder shall not
be used in advertising or otherwise to promote the sale, use or other dealings
in this Software without prior written authorization of the copyright holder.

License: BSD-3-Clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
.
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
.
3. Neither the name of the Institute nor the names of its contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.

.

THIS SOFTWARE IS PROVIDED BY THE INSTITUTE AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE INSTITUTE OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

License: BSD-4-Clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
.

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
.

3. Neither the name of the Institute nor the names of its contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.
.

4. Neither the name of the <organization> nor the
   names of its contributors may be used to endorse or promote products
   derived from this software without specific prior written permission.
.

THIS SOFTWARE IS PROVIDED BY THE INSTITUTE AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE INSTITUTE OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

License: ISC
Permission to use, copy, modify, and/or distribute this software for any
purpose with or without fee is hereby granted, provided that the above

copyright notice and this permission notice appear in all copies.

.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF
OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
License Mixing

==============

libcurl can be built to use a fair amount of various third party libraries,
libraries that are written and provided by other parties that are distributed
using their own licenses. Even libcurl itself contains code that may cause
problems to some. This document attempts to describe what licenses libcurl and
the other libraries use and what possible dilemmas linking and mixing them all
can lead to for end users.

I am not a lawyer and this is not legal advice!

One common dilemma is that [GPL](https://www.gnu.org/licenses/gpl.html)
licensed code is not allowed to be linked with code licensed under the
[Original BSD license](https://spdx.org/licenses/BSD-4-Clause.html) (with the
announcement clause). You may still build your own copies that use them all,
but distributing them as binaries would be to violate the GPL license - unless
you accompany your license with an
[exception](https://www.gnu.org/licenses/gpl-faq.html#GPLIncompatibleLibs). This
particular problem was addressed when the [Modified BSD
license](https://opensource.org/licenses/BSD-3-Clause) was created, which does
not have the announcement clause that collides with GPL.

libcurl

Uses an [MIT style license](https://curl.haxx.se/docs/copyright.html) that is
very liberal.

OpenSSL

(May be used for SSL/TLS support) Uses an Original BSD-style license with an
announcement clause that makes it "incompatible" with GPL. You are not
allowed to ship binaries that link with OpenSSL that includes GPL code
(unless that specific GPL code includes an exception for OpenSSL - a habit
that is growing more and more common). If OpenSSL's licensing is a problem
for you, consider using another TLS library.

GnuTLS

(May be used for SSL/TLS support) Uses the
[LGPL](https://www.gnu.org/licenses/lgpl.html) license. If this is a problem
for you, consider using another TLS library. Also note that GnuTLS itself
depends on and uses other libs (libgcrypt and libgpg-error) and they too are
LGPL- or GPL-licensed.

WolfSSL

(May be used for SSL/TLS support) Uses the GPL license or a proprietary
license. If this is a problem for you, consider using another TLS library.

NSS

(May be used for SSL/TLS support) Is covered by the
[MPL](https://www.mozilla.org/MPL/) license, the GPL license and the LGPL
license. You may choose to license the code under MPL terms, GPL terms, or
LGPL terms. These licenses grant you different permissions and impose
different obligations. You should select the license that best meets your
needs.

mbedTLS

(May be used for SSL/TLS support) Uses the [Apache 2.0
license](https://opensource.org/licenses/Apache-2.0) or the GPL license.
You may choose to license the code under Apache 2.0 terms or GPL terms.
These licenses grant you different permissions and impose different
obligations. You should select the license that best meets your needs.

BoringSSL

(May be used for SSL/TLS support) As an OpenSSL fork, it has the same
license as that.

libressl

(May be used for SSL/TLS support) As an OpenSSL fork, it has the same
license as that.

BearSSL

(May be used for SSL/TLS support) Uses an MIT license that is very liberal
and imposes no restrictions on any other library or part you may link with.

c-ares

(Used for asynchronous name resolves) Uses an MIT license that is very
liberal and imposes no restrictions on any other library or part you may link
with.

zlib

(Used for compressed Transfer-Encoding support) Uses an MIT-style license that shouldn't collide with any other library.

MIT Kerberos

(May be used for GSS support) MIT licensed, that shouldn't collide with any other parts.

Heimdal

(May be used for GSS support) Heimdal is Original BSD licensed with the announcement clause.

GNU GSS

(May be used for GSS support) GNU GSS is GPL licensed. Note that you may not distribute binary curl packages that uses this if you build curl to also link and use any Original BSD licensed libraries!

libidn

(Used for IDNA support) Uses the GNU Lesser General Public License [3]. LGPL is a variation of GPL with slightly less aggressive "copyleft". This license requires more requirements to be met when distributing binaries, see the license for details. Also note that if you distribute a binary that includes this library, you must also include the full LGPL license text. Please properly point out what parts of the distributed package that the license addresses.

OpenLDAP

(Used for LDAP support) Uses a Modified BSD-style license. Since libcurl uses OpenLDAP as a shared library only, I have not heard of anyone that ships OpenLDAP linked with libcurl in an app.

libssh2

(Used for scp and sftp support) libssh2 uses a Modified BSD-style license.

1.57 bash 5.0 6ubuntu1.2

1.57.1 Available under license :

GNU Free Documentation License
Version 1.3, 3 November 2008

Copyright (C) 2000, 2001, 2002, 2007, 2008 Free Software Foundation, Inc.
   <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

0. PREAMBLE

The purpose of this License is to make a manual, textbook, or other
functional and useful document "free" in the sense of freedom: to
assure everyone the effective freedom to copy and redistribute it,
with or without modifying it, either commercially or noncommercially.
Secondarily, this License preserves for the author and publisher a way
to get credit for their work, while not being considered responsible
for modifications made by others.

This License is a kind of "copyleft", which means that derivative
works of the document must themselves be free in the same sense. It
complements the GNU General Public License, which is a copyleft
license designed for free software.

We have designed this License in order to use it for manuals for free
software, because free software needs free documentation: a free
program should come with manuals providing the same freedoms that the
software does. But this License is not limited to software manuals;
it can be used for any textual work, regardless of subject matter or
whether it is published as a printed book. We recommend this License
principally for works whose purpose is instruction or reference.

1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that
contains a notice placed by the copyright holder saying it can be
distributed under the terms of this License. Such a notice grants a
world-wide, royalty-free license, unlimited in duration, to use that
work under the conditions stated herein. The "Document", below,
refers to any such manual or work. Any member of the public is a
licensee, and is addressed as "you". You accept the license if you
copy, modify or distribute the work in a way requiring permission
under copyright law.

A "Modified Version" of the Document means any work containing the

Document or a portion of it, either copied verbatim, or with
modifications and/or translated into another language.

A "Secondary Section" is a named appendix or a front-matter section of
the Document that deals exclusively with the relationship of the
publishers or authors of the Document to the Document's overall
subject (or to related matters) and contains nothing that could fall
directly within that overall subject. (Thus, if the Document is in
part a textbook of mathematics, a Secondary Section may not explain
any mathematics.) The relationship could be a matter of historical
connection with the subject or with related matters, or of legal,
commercial, philosophical, ethical or political position regarding
them.

The "Invariant Sections" are certain Secondary Sections whose titles
are designated, as being those of Invariant Sections, in the notice
that says that the Document is released under this License. If a
section does not fit the above definition of Secondary then it is not
allowed to be designated as Invariant. The Document may contain zero
Invariant Sections. If the Document does not identify any Invariant
Sections then there are none.

The "Cover Texts" are certain short passages of text that are listed,
as Front-Cover Texts or Back-Cover Texts, in the notice that says that
the Document is released under this License. A Front-Cover Text may
be at most 5 words, and a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy,
represented in a format whose specification is available to the
general public, that is suitable for revising the document
straightforwardly with generic text editors or (for images composed of
pixels) generic paint programs or (for drawings) some widely available
drawing editor, and that is suitable for input to text formatters or
for automatic translation to a variety of formats suitable for input
to text formatters. A copy made in an otherwise Transparent file
format whose markup, or absence of markup, has been arranged to thwart
or discourage subsequent modification by readers is not Transparent.
An image format is not Transparent if used for any substantial amount
of text. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain
ASCII without markup, Texinfo input format, LaTeX input format, SGML
or XML using a publicly available DTD, and standard-conforming simple
HTML, PostScript or PDF designed for human modification. Examples of
transparent image formats include PNG, XCF and JPG. Opaque formats
include proprietary formats that can be read and edited only by
proprietary word processors, SGML or XML for which the DTD and/or
processing tools are not generally available, and the

machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only.

The "Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

The "publisher" means any person or entity that distributes copies of the Document to the public.

A section "Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as "Acknowledgements", "Dedications", "Endorsements", or "History".) To "Preserve the Title" of such a section when you modify the Document means that it remains a section "Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

3. COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the

Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

4. MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

A. Use in the Title Page (and on the covers, if any) a title distinct
   from that of the Document, and from those of previous versions
   (which should, if there were any, be listed in the History section
   of the Document). You may use the same title as a previous version

if the original publisher of that version gives permission.

B. List on the Title Page, as authors, one or more persons or entities
responsible for authorship of the modifications in the Modified
Version, together with at least five of the principal authors of the
Document (all of its principal authors, if it has fewer than five),
unless they release you from this requirement.

C. State on the Title page the name of the publisher of the
Modified Version, as the publisher.

D. Preserve all the copyright notices of the Document.

E. Add an appropriate copyright notice for your modifications
adjacent to the other copyright notices.

F. Include, immediately after the copyright notices, a license notice
giving the public permission to use the Modified Version under the
terms of this License, in the form shown in the Addendum below.

G. Preserve in that license notice the full lists of Invariant Sections
and required Cover Texts given in the Document's license notice.

H. Include an unaltered copy of this License.

I. Preserve the section Entitled "History", Preserve its Title, and add
to it an item stating at least the title, year, new authors, and
publisher of the Modified Version as given on the Title Page. If
there is no section Entitled "History" in the Document, create one
stating the title, year, authors, and publisher of the Document as
given on its Title Page, then add an item describing the Modified
Version as stated in the previous sentence.

J. Preserve the network location, if any, given in the Document for
public access to a Transparent copy of the Document, and likewise
the network locations given in the Document for previous versions
it was based on. These may be placed in the "History" section.
You may omit a network location for a work that was published at
least four years before the Document itself, or if the original
publisher of the version it refers to gives permission.

K. For any section Entitled "Acknowledgements" or "Dedications",
Preserve the Title of the section, and preserve in the section all
the substance and tone of each of the contributor acknowledgements
and/or dedications given therein.

L. Preserve all the Invariant Sections of the Document,
unaltered in their text and in their titles. Section numbers
or the equivalent are not considered part of the section titles.

M. Delete any section Entitled "Endorsements". Such a section
may not be included in the Modified Version.

N. Do not retitle any existing section to be Entitled "Endorsements"
or to conflict in title with any Invariant Section.

O. Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or
appendices that qualify as Secondary Sections and contain no material
copied from the Document, you may at your option designate some or all
of these sections as invariant. To do this, add their titles to the

list of Invariant Sections in the Modified Version's license notice.
These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains
nothing but endorsements of your Modified Version by various
parties--for example, statements of peer review or that the text has
been approved by an organization as the authoritative definition of a
standard.

You may add a passage of up to five words as a Front-Cover Text, and a
passage of up to 25 words as a Back-Cover Text, to the end of the list
of Cover Texts in the Modified Version. Only one passage of
Front-Cover Text and one of Back-Cover Text may be added by (or
through arrangements made by) any one entity. If the Document already
includes a cover text for the same cover, previously added by you or
by arrangement made by the same entity you are acting on behalf of,
you may not add another; but you may replace the old one, on explicit
permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License
give permission to use their names for publicity for or to assert or
imply endorsement of any Modified Version.

5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this
License, under the terms defined in section 4 above for modified
versions, provided that you include in the combination all of the
Invariant Sections of all of the original documents, unmodified, and
list them all as Invariant Sections of your combined work in its
license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and
multiple identical Invariant Sections may be replaced with a single
copy. If there are multiple Invariant Sections with the same name but
different contents, make the title of each such section unique by
adding at the end of it, in parentheses, the name of the original
author or publisher of that section if known, or else a unique number.
Make the same adjustment to the section titles in the list of
Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled "History"
in the various original documents, forming one section Entitled
"History"; likewise combine any sections Entitled "Acknowledgements",
and any sections Entitled "Dedications". You must delete all sections
Entitled "Endorsements".

6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other
documents released under this License, and replace the individual
copies of this License in the various documents with a single copy
that is included in the collection, provided that you follow the rules
of this License for verbatim copying of each of the documents in all
other respects.

You may extract a single document from such a collection, and
distribute it individually under this License, provided you insert a
copy of this License into the extracted document, and follow this
License in all other respects regarding verbatim copying of that
document.

7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate
and independent documents or works, in or on a volume of a storage or
distribution medium, is called an "aggregate" if the copyright
resulting from the compilation is not used to limit the legal rights
of the compilation's users beyond what the individual works permit.
When the Document is included in an aggregate, this License does not
apply to the other works in the aggregate which are not themselves
derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these
copies of the Document, then if the Document is less than one half of
the entire aggregate, the Document's Cover Texts may be placed on
covers that bracket the Document within the aggregate, or the
electronic equivalent of covers if the Document is in electronic form.
Otherwise they must appear on printed covers that bracket the whole
aggregate.

8. TRANSLATION

Translation is considered a kind of modification, so you may
distribute translations of the Document under the terms of section 4.
Replacing Invariant Sections with translations requires special
permission from their copyright holders, but you may include
translations of some or all Invariant Sections in addition to the
original versions of these Invariant Sections. You may include a
translation of this License, and all the license notices in the
Document, and any Warranty Disclaimers, provided that you also include
the original English version of this License and the original versions

of those notices and disclaimers. In case of a disagreement between
the translation and the original version of this License or a notice
or disclaimer, the original version will prevail.

If a section in the Document is Entitled "Acknowledgements",
"Dedications", or "History", the requirement (section 4) to Preserve
its Title (section 1) will typically require changing the actual
title.

9. TERMINATION

You may not copy, modify, sublicense, or distribute the Document
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense, or distribute it is void, and
will automatically terminate your rights under this License.

However, if you cease all violation of this License, then your license
from a particular copyright holder is reinstated (a) provisionally,
unless and until the copyright holder explicitly and finally
terminates your license, and (b) permanently, if the copyright holder
fails to notify you of the violation by some reasonable means prior to
60 days after the cessation.

Moreover, your license from a particular copyright holder is
reinstated permanently if the copyright holder notifies you of the
violation by some reasonable means, this is the first time you have
received notice of violation of this License (for any work) from that
copyright holder, and you cure the violation prior to 30 days after
your receipt of the notice.

Termination of your rights under this section does not terminate the
licenses of parties who have received copies or rights from you under
this License. If your rights have been terminated and not permanently
reinstated, receipt of a copy of some or all of the same material does
not give you any rights to use it.

10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the
GNU Free Documentation License from time to time. Such new versions
will be similar in spirit to the present version, but may differ in
detail to address new problems or concerns. See
http://www.gnu.org/copyleft/.

Each version of the License is given a distinguishing version number.
If the Document specifies that a particular numbered version of this

License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation. If the Document specifies that a proxy can decide which future versions of this License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Document.

11. RELICENSING

"Massive Multiauthor Collaboration Site" (or "MMC Site") means any World Wide Web server that publishes copyrightable works and also provides prominent facilities for anybody to edit those works. A public wiki that anybody can edit is an example of such a server. A "Massive Multiauthor Collaboration" (or "MMC") contained in the site means any set of copyrightable works thus published on the MMC site.

"CC-BY-SA" means the Creative Commons Attribution-Share Alike 3.0 license published by Creative Commons Corporation, a not-for-profit corporation with a principal place of business in San Francisco, California, as well as future copyleft versions of that license published by that same organization.

"Incorporate" means to publish or republish a Document, in whole or in part, as part of another Document.

An MMC is "eligible for relicensing" if it is licensed under this License, and if all works that were first published under this License somewhere other than this MMC, and subsequently incorporated in whole or in part into the MMC, (1) had no cover texts or invariant sections, and (2) were thus incorporated prior to November 1, 2008.

The operator of an MMC Site may republish an MMC contained in the site under CC-BY-SA on the same site at any time before August 1, 2009, provided the MMC is eligible for relicensing.

ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

  Copyright (c) YEAR YOUR NAME.
   Permission is granted to copy, distribute and/or modify this document

under the terms of the GNU Free Documentation License, Version 1.3
or any later version published by the Free Software Foundation;
with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts.
A copy of the license is included in the section entitled "GNU
Free Documentation License".

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts,
replace the "with...Texts." line with this:

  with the Invariant Sections being LIST THEIR TITLES, with the
  Front-Cover Texts being LIST, and with the Back-Cover Texts being LIST.

If you have Invariant Sections without Cover Texts, or some other
combination of the three, merge those two alternatives to suit the
situation.

If your document contains nontrivial examples of program code, we
recommend releasing these examples in parallel under your choice of
free software license, such as the GNU General Public License,
to permit their use in free software.
       GNU GENERAL PUBLIC LICENSE
         Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

       Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid

anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

 We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

 Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

 Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

 The precise terms and conditions for copying, distribution and
modification follow.

    GNU GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).

Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

  b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

  c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest

your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

  a) Accompany it with the complete corresponding machine-readable
  source code, which must be distributed under the terms of Sections
  1 and 2 above on a medium customarily used for software interchange; or,

  b) Accompany it with a written offer, valid for at least three
  years, to give any third party, for a charge no more than your
  cost of physically performing source distribution, a complete
  machine-readable copy of the corresponding source code, to be
  distributed under the terms of Sections 1 and 2 above on a medium
  customarily used for software interchange; or,

  c) Accompany it with the information you received as to the offer
  to distribute corresponding source code. (This alternative is
  allowed only for noncommercial distribution and only if you
  received the program in object code or executable form with such
  an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering
access to copy from a designated place, then offering equivalent
access to copy the source code from the same place counts as
distribution of the source code, even though third parties are not
compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program

except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

 5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

 7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed

through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

 8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

 10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

   NO WARRANTY

 11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.

This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the program
 `Gnomovision' (which makes passes at compilers) written by James Hacker.

 <signature of Ty Coon>, 1 April 1989
 Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.

<div align="center">

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

</div>

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

<div align="center">

Preamble

</div>

 The GNU General Public License is a free, copyleft license for
software and other kinds of works.

 The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you

want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you have
certain responsibilities if you distribute copies of the software, or if
you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must pass on to the recipients the same
freedoms that you received. You must make sure that they, too, receive
or can get the source code. And you must show them these terms so they
know their rights.

Developers that use the GNU GPL protect your rights with two steps:
(1) assert copyright on the software, and (2) offer you this License
giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains
that there is no warranty for this free software. For both users' and
authors' sake, the GPL requires that modified versions be marked as
changed, so that their problems will not be attributed erroneously to
authors of previous versions.

Some devices are designed to deny users access to install or run
modified versions of the software inside them, although the manufacturer
can do so. This is fundamentally incompatible with the aim of
protecting users' freedom to change the software. The systematic
pattern of such abuse occurs in the area of products for individuals to
use, which is precisely where it is most unacceptable. Therefore, we
have designed this version of the GPL to prohibit the practice for those
products. If such problems arise substantially in other domains, we
stand ready to extend this provision to those domains in future versions
of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents.
States should not allow patents to restrict development and use of
software on general-purpose computers, but in those that do, we wish to
avoid the special danger that patents applied to a free program could
make it effectively proprietary. To prevent this, the GPL assures that
patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and
modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other
than the work as a whole, that (a) is included in the normal form of
packaging a Major Component, but which is not part of that Major
Component, and (b) serves only to enable use of the work with that
Major Component, or to implement a Standard Interface for which an
implementation is available to the public in source code form. A
"Major Component", in this context, means a major essential component
(kernel, window system, and so on) of the specific operating system
(if any) on which the executable work runs, or a compiler used to
produce the work, or an object code interpreter used to run it.

 The "Corresponding Source" for a work in object code form means all
the source code needed to generate, install, and (for an executable
work) run the object code and to modify the work, including scripts to
control those activities. However, it does not include the work's
System Libraries, or general-purpose tools or generally available free
programs which are used unmodified in performing those activities but
which are not part of the work. For example, Corresponding Source
includes interface definition files associated with source files for
the work, and the source code for shared libraries and dynamically
linked subprograms that the work is specifically designed to require,
such as by intimate data communication or control flow between those
subprograms and other parts of the work.

 The Corresponding Source need not include anything that users
can regenerate automatically from other parts of the Corresponding
Source.

 The Corresponding Source for a work in source code form is that
same work.

 2. Basic Permissions.

 All rights granted under this License are granted for the term of
copyright on the Program, and are irrevocable provided the stated
conditions are met. This License explicitly affirms your unlimited
permission to run the unmodified Program. The output from running a
covered work is covered by this License only if the output, given its
content, constitutes a covered work. This License acknowledges your
rights of fair use or other equivalent, as provided by copyright law.

 You may make, run and propagate covered works that you do not
convey, without conditions so long as your license otherwise remains
in force. You may convey covered works to others for the sole purpose
of having them make modifications exclusively for you, or provide you
with facilities for running those works, provided that you comply with
the terms of this License in conveying all material for which you do

not control copyright. Those thus making or running the covered works
for you must do so exclusively on your behalf, under your direction
and control, on terms that prohibit them from making any copies of
your copyrighted material outside their relationship with you.

 Conveying under any other circumstances is permitted solely under
the conditions stated below. Sublicensing is not allowed; section 10
makes it unnecessary.

 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

 No covered work shall be deemed part of an effective technological
measure under any applicable law fulfilling obligations under article
11 of the WIPO copyright treaty adopted on 20 December 1996, or
similar laws prohibiting or restricting circumvention of such
measures.

 When you convey a covered work, you waive any legal power to forbid
circumvention of technological measures to the extent such circumvention
is effected by exercising rights under this License with respect to
the covered work, and you disclaim any intention to limit operation or
modification of the work as a means of enforcing, against the work's
users, your or third parties' legal rights to forbid circumvention of
technological measures.

 4. Conveying Verbatim Copies.

 You may convey verbatim copies of the Program's source code as you
receive it, in any medium, provided that you conspicuously and
appropriately publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

 You may charge any price or no price for each copy that you convey,
and you may offer support or warranty protection for a fee.

 5. Conveying Modified Source Versions.

 You may convey a work based on the Program, or the modifications to
produce it from the Program, in the form of source code under the
terms of section 4, provided that you also meet all of these conditions:

  a) The work must carry prominent notices stating that you modified
  it, and giving a relevant date.

  b) The work must carry prominent notices stating that it is

released under this License and any conditions added under section
7. This requirement modifies the requirement in section 4 to
"keep intact all notices".

c) You must license the entire work, as a whole, under this
License to anyone who comes into possession of a copy. This
License will therefore apply, along with any applicable section 7
additional terms, to the whole of the work, and all its parts,
regardless of how they are packaged. This License gives no
permission to license the work in any other way, but it does not
invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display
Appropriate Legal Notices; however, if the Program has interactive
interfaces that do not display Appropriate Legal Notices, your
work need not make them do so.

A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms
of sections 4 and 5, provided that you also convey the
machine-readable Corresponding Source under the terms of this License,
in one of these ways:

a) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by the
Corresponding Source fixed on a durable physical medium
customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by a
written offer, valid for at least three years and valid for as
long as you offer spare parts or customer support for that product
model, to give anyone who possesses the object code either (1) a
copy of the Corresponding Source for all the software in the
product that is covered by this License, on a durable physical
medium customarily used for software interchange, for a price no
more than your reasonable cost of physically performing this

conveying of source, or (2) access to copy the
Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the
written offer to provide the Corresponding Source. This
alternative is allowed only occasionally and noncommercially, and
only if you received the object code with such an offer, in accord
with subsection 6b.

d) Convey the object code by offering access from a designated
place (gratis or for a charge), and offer equivalent access to the
Corresponding Source in the same way through the same place at no
further charge. You need not require recipients to copy the
Corresponding Source along with the object code. If the place to
copy the object code is a network server, the Corresponding Source
may be on a different server (operated by you or a third party)
that supports equivalent copying facilities, provided you maintain
clear directions next to the object code saying where to find the
Corresponding Source. Regardless of what server hosts the
Corresponding Source, you remain obligated to ensure that it is
available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided
you inform other peers where the object code and Corresponding
Source of the work are being offered to the general public at no
charge under subsection 6d.

 A separable portion of the object code, whose source code is excluded
from the Corresponding Source as a System Library, need not be
included in conveying the object code work.

 A "User Product" is either (1) a "consumer product", which means any
tangible personal property which is normally used for personal, family,
or household purposes, or (2) anything designed or sold for incorporation
into a dwelling. In determining whether a product is a consumer product,
doubtful cases shall be resolved in favor of coverage. For a particular
product received by a particular user, "normally used" refers to a
typical or common use of that class of product, regardless of the status
of the particular user or of the way in which the particular user
actually uses, or expects or is expected to use, the product. A product
is a consumer product regardless of whether the product has substantial
commercial, industrial or non-consumer uses, unless such uses represent
the only significant mode of use of the product.

 "Installation Information" for a User Product means any methods,
procedures, authorization keys, or other information required to install
and execute modified versions of a covered work in that User Product from
a modified version of its Corresponding Source. The information must

suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

 If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

 The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

 Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

 7. Additional Terms.

 "Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

 When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

 Notwithstanding any other provision of this License, for material you

add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

  a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or

  b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

  c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

  d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

  e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

  f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

 All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

 If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

 Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

 8. Termination.

 You may not propagate or modify a covered work except as expressly

provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever

licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner

consistent with the requirements of this License, to extend the patent
license to downstream recipients. "Knowingly relying" means you have
actual knowledge that, but for the patent license, your conveying the
covered work in a country, or your recipient's use of the covered work
in a country, would infringe one or more identifiable patents in that
country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or
arrangement, you convey, or propagate by procuring conveyance of, a
covered work, and grant a patent license to some of the parties
receiving the covered work authorizing them to use, propagate, modify
or convey a specific copy of the covered work, then the patent license
you grant is automatically extended to all recipients of the covered
work and works based on it.

A patent license is "discriminatory" if it does not include within
the scope of its coverage, prohibits the exercise of, or is
conditioned on the non-exercise of one or more of the rights that are
specifically granted under this License. You may not convey a covered
work if you are a party to an arrangement with a third party that is
in the business of distributing software, under which you make payment
to the third party based on the extent of your activity of conveying
the work, and under which the third party grants, to any of the
parties who would receive the covered work from you, a discriminatory
patent license (a) in connection with copies of the covered work
conveyed by you (or copies made from those copies), or (b) primarily
for and in connection with specific products or compilations that
contain the covered work, unless you entered into that arrangement,
or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting
any implied license or other defenses to infringement that may
otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot convey a
covered work so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you may
not convey it at all. For example, if you agree to terms that obligate you
to collect a royalty for further conveying from those to whom you convey
the Program, the only way you could satisfy both those terms and this
License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

  14. Revised Versions of this License.

 The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

 Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

 If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

 Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

  15. Disclaimer of Warranty.

 THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

  16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE
USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD
PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

 If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software: you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation, either version 3 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

 If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

    <program> Copyright (C) <year> <name of author>
    This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

 You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

 The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<http://www.gnu.org/philosophy/why-not-lgpl.html>.
@c The GNU Free Documentation License.
@center Version 1.3, 3 November 2008

@c This file is intended to be included within another document,
@c hence no sectioning command or @node.

@display
Copyright @copyright{} 2000, 2001, 2002, 2007, 2008 Free Software Foundation, Inc.
@uref{http://fsf.org/}

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.
@end display

@enumerate 0
@item
PREAMBLE

The purpose of this License is to make a manual, textbook, or other
functional and useful document @dfn{free} in the sense of freedom: to
assure everyone the effective freedom to copy and redistribute it,
with or without modifying it, either commercially or noncommercially.
Secondarily, this License preserves for the author and publisher a way

to get credit for their work, while not being considered responsible
for modifications made by others.

This License is a kind of ``copyleft'', which means that derivative
works of the document must themselves be free in the same sense. It
complements the GNU General Public License, which is a copyleft
license designed for free software.

We have designed this License in order to use it for manuals for free
software, because free software needs free documentation: a free
program should come with manuals providing the same freedoms that the
software does. But this License is not limited to software manuals;
it can be used for any textual work, regardless of subject matter or
whether it is published as a printed book. We recommend this License
principally for works whose purpose is instruction or reference.

@item
APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that
contains a notice placed by the copyright holder saying it can be
distributed under the terms of this License. Such a notice grants a
world-wide, royalty-free license, unlimited in duration, to use that
work under the conditions stated herein. The ``Document'', below,
refers to any such manual or work. Any member of the public is a
licensee, and is addressed as ``you''. You accept the license if you
copy, modify or distribute the work in a way requiring permission
under copyright law.

A ``Modified Version'' of the Document means any work containing the
Document or a portion of it, either copied verbatim, or with
modifications and/or translated into another language.

A ``Secondary Section'' is a named appendix or a front-matter section
of the Document that deals exclusively with the relationship of the
publishers or authors of the Document to the Document's overall
subject (or to related matters) and contains nothing that could fall
directly within that overall subject. (Thus, if the Document is in
part a textbook of mathematics, a Secondary Section may not explain
any mathematics.) The relationship could be a matter of historical
connection with the subject or with related matters, or of legal,
commercial, philosophical, ethical or political position regarding
them.

The ``Invariant Sections'' are certain Secondary Sections whose titles
are designated, as being those of Invariant Sections, in the notice
that says that the Document is released under this License. If a
section does not fit the above definition of Secondary then it is not

allowed to be designated as Invariant. The Document may contain zero
Invariant Sections. If the Document does not identify any Invariant
Sections then there are none.

The ``Cover Texts'' are certain short passages of text that are listed,
as Front-Cover Texts or Back-Cover Texts, in the notice that says that
the Document is released under this License. A Front-Cover Text may
be at most 5 words, and a Back-Cover Text may be at most 25 words.

A ``Transparent'' copy of the Document means a machine-readable copy,
represented in a format whose specification is available to the
general public, that is suitable for revising the document
straightforwardly with generic text editors or (for images composed of
pixels) generic paint programs or (for drawings) some widely available
drawing editor, and that is suitable for input to text formatters or
for automatic translation to a variety of formats suitable for input
to text formatters. A copy made in an otherwise Transparent file
format whose markup, or absence of markup, has been arranged to thwart
or discourage subsequent modification by readers is not Transparent.
An image format is not Transparent if used for any substantial amount
of text. A copy that is not ``Transparent'' is called ``Opaque''.

Examples of suitable formats for Transparent copies include plain
@sc{ascii} without markup, Texinfo input format, La@TeX{} input
format, @acronym{SGML} or @acronym{XML} using a publicly available
@acronym{DTD}, and standard-conforming simple @acronym{HTML},
PostScript or @acronym{PDF} designed for human modification. Examples
of transparent image formats include @acronym{PNG}, @acronym{XCF} and
@acronym{JPG}. Opaque formats include proprietary formats that can be
read and edited only by proprietary word processors, @acronym{SGML} or
@acronym{XML} for which the @acronym{DTD} and/or processing tools are
not generally available, and the machine-generated @acronym{HTML},
PostScript or @acronym{PDF} produced by some word processors for
output purposes only.

The ``Title Page'' means, for a printed book, the title page itself,
plus such following pages as are needed to hold, legibly, the material
this License requires to appear in the title page. For works in
formats which do not have any title page as such, ``Title Page'' means
the text near the most prominent appearance of the work's title,
preceding the beginning of the body of the text.

The ``publisher'' means any person or entity that distributes copies
of the Document to the public.

A section ``Entitled XYZ'' means a named subunit of the Document whose
title either is precisely XYZ or contains XYZ in parentheses following
text that translates XYZ in another language. (Here XYZ stands for a

specific section name mentioned below, such as ``Acknowledgements'',
``Dedications'', ``Endorsements'', or ``History''.)  To ``Preserve the Title''
of such a section when you modify the Document means that it remains a
section ``Entitled XYZ'' according to this definition.

The Document may include Warranty Disclaimers next to the notice which
states that this License applies to the Document. These Warranty
Disclaimers are considered to be included by reference in this
License, but only as regards disclaiming warranties: any other
implication that these Warranty Disclaimers may have is void and has
no effect on the meaning of this License.

@item
VERBATIM COPYING

You may copy and distribute the Document in any medium, either
commercially or noncommercially, provided that this License, the
copyright notices, and the license notice saying this License applies
to the Document are reproduced in all copies, and that you add no other
conditions whatsoever to those of this License. You may not use
technical measures to obstruct or control the reading or further
copying of the copies you make or distribute. However, you may accept
compensation in exchange for copies. If you distribute a large enough
number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and
you may publicly display copies.

@item
COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have
printed covers) of the Document, numbering more than 100, and the
Document's license notice requires Cover Texts, you must enclose the
copies in covers that carry, clearly and legibly, all these Cover
Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on
the back cover. Both covers must also clearly and legibly identify
you as the publisher of these copies. The front cover must present
the full title with all words of the title equally prominent and
visible. You may add other material on the covers in addition.
Copying with changes limited to the covers, as long as they preserve
the title of the Document and satisfy these conditions, can be treated
as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit
legibly, you should put the first ones listed (as many as fit
reasonably) on the actual cover, and continue the rest onto adjacent
pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

@item
MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

@enumerate A
@item
Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.

@item
List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.

@item
State on the Title page the name of the publisher of the Modified Version, as the publisher.

@item

Preserve all the copyright notices of the Document.

@item
Add an appropriate copyright notice for your modifications
adjacent to the other copyright notices.

@item
Include, immediately after the copyright notices, a license notice
giving the public permission to use the Modified Version under the
terms of this License, in the form shown in the Addendum below.

@item
Preserve in that license notice the full lists of Invariant Sections
and required Cover Texts given in the Document's license notice.

@item
Include an unaltered copy of this License.

@item
Preserve the section Entitled ``History'', Preserve its Title, and add
to it an item stating at least the title, year, new authors, and
publisher of the Modified Version as given on the Title Page. If
there is no section Entitled ``History'' in the Document, create one
stating the title, year, authors, and publisher of the Document as
given on its Title Page, then add an item describing the Modified
Version as stated in the previous sentence.

@item
Preserve the network location, if any, given in the Document for
public access to a Transparent copy of the Document, and likewise
the network locations given in the Document for previous versions
it was based on. These may be placed in the ``History'' section.
You may omit a network location for a work that was published at
least four years before the Document itself, or if the original
publisher of the version it refers to gives permission.

@item
For any section Entitled ``Acknowledgements'' or ``Dedications'', Preserve
the Title of the section, and preserve in the section all the
substance and tone of each of the contributor acknowledgements and/or
dedications given therein.

@item
Preserve all the Invariant Sections of the Document,
unaltered in their text and in their titles. Section numbers
or the equivalent are not considered part of the section titles.

@item

Delete any section Entitled ``Endorsements''. Such a section
may not be included in the Modified Version.

@item
Do not retitle any existing section to be Entitled ``Endorsements'' or
to conflict in title with any Invariant Section.

@item
Preserve any Warranty Disclaimers.
@end enumerate

If the Modified Version includes new front-matter sections or
appendices that qualify as Secondary Sections and contain no material
copied from the Document, you may at your option designate some or all
of these sections as invariant. To do this, add their titles to the
list of Invariant Sections in the Modified Version's license notice.
These titles must be distinct from any other section titles.

You may add a section Entitled ``Endorsements'', provided it contains
nothing but endorsements of your Modified Version by various
parties---for example, statements of peer review or that the text has
been approved by an organization as the authoritative definition of a
standard.

You may add a passage of up to five words as a Front-Cover Text, and a
passage of up to 25 words as a Back-Cover Text, to the end of the list
of Cover Texts in the Modified Version. Only one passage of
Front-Cover Text and one of Back-Cover Text may be added by (or
through arrangements made by) any one entity. If the Document already
includes a cover text for the same cover, previously added by you or
by arrangement made by the same entity you are acting on behalf of,
you may not add another; but you may replace the old one, on explicit
permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License
give permission to use their names for publicity for or to assert or
imply endorsement of any Modified Version.

@item
COMBINING DOCUMENTS

You may combine the Document with other documents released under this
License, under the terms defined in section 4 above for modified
versions, provided that you include in the combination all of the
Invariant Sections of all of the original documents, unmodified, and
list them all as Invariant Sections of your combined work in its
license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled ``History'' in the various original documents, forming one section Entitled ``History''; likewise combine any sections Entitled ``Acknowledgements'', and any sections Entitled ``Dedications''. You must delete all sections Entitled ``Endorsements.''

@item
COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

@item
AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an ``aggregate'' if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

@item
TRANSLATION

Translation is considered a kind of modification, so you may
distribute translations of the Document under the terms of section 4.
Replacing Invariant Sections with translations requires special
permission from their copyright holders, but you may include
translations of some or all Invariant Sections in addition to the
original versions of these Invariant Sections. You may include a
translation of this License, and all the license notices in the
Document, and any Warranty Disclaimers, provided that you also include
the original English version of this License and the original versions
of those notices and disclaimers. In case of a disagreement between
the translation and the original version of this License or a notice
or disclaimer, the original version will prevail.

If a section in the Document is Entitled ``Acknowledgements'',
``Dedications'', or ``History'', the requirement (section 4) to Preserve
its Title (section 1) will typically require changing the actual
title.

@item
TERMINATION

You may not copy, modify, sublicense, or distribute the Document
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense, or distribute it is void, and
will automatically terminate your rights under this License.

However, if you cease all violation of this License, then your license
from a particular copyright holder is reinstated (a) provisionally,
unless and until the copyright holder explicitly and finally
terminates your license, and (b) permanently, if the copyright holder
fails to notify you of the violation by some reasonable means prior to
60 days after the cessation.

Moreover, your license from a particular copyright holder is
reinstated permanently if the copyright holder notifies you of the
violation by some reasonable means, this is the first time you have
received notice of violation of this License (for any work) from that
copyright holder, and you cure the violation prior to 30 days after
your receipt of the notice.

Termination of your rights under this section does not terminate the
licenses of parties who have received copies or rights from you under
this License. If your rights have been terminated and not permanently
reinstated, receipt of a copy of some or all of the same material does

not give you any rights to use it.

@item
FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions
of the GNU Free Documentation License from time to time. Such new
versions will be similar in spirit to the present version, but may
differ in detail to address new problems or concerns. See
@uref{http://www.gnu.org/copyleft/}.

Each version of the License is given a distinguishing version number.
If the Document specifies that a particular numbered version of this
License ``or any later version'' applies to it, you have the option of
following the terms and conditions either of that specified version or
of any later version that has been published (not as a draft) by the
Free Software Foundation. If the Document does not specify a version
number of this License, you may choose any version ever published (not
as a draft) by the Free Software Foundation. If the Document
specifies that a proxy can decide which future versions of this
License can be used, that proxy's public statement of acceptance of a
version permanently authorizes you to choose that version for the
Document.

@item
RELICENSING

``Massive Multiauthor Collaboration Site'' (or ``MMC Site'') means any
World Wide Web server that publishes copyrightable works and also
provides prominent facilities for anybody to edit those works. A
public wiki that anybody can edit is an example of such a server. A
``Massive Multiauthor Collaboration'' (or ``MMC'') contained in the
site means any set of copyrightable works thus published on the MMC
site.

``CC-BY-SA'' means the Creative Commons Attribution-Share Alike 3.0
license published by Creative Commons Corporation, a not-for-profit
corporation with a principal place of business in San Francisco,
California, as well as future copyleft versions of that license
published by that same organization.

``Incorporate'' means to publish or republish a Document, in whole or
in part, as part of another Document.

An MMC is ``eligible for relicensing'' if it is licensed under this
License, and if all works that were first published under this License
somewhere other than this MMC, and subsequently incorporated in whole
or in part into the MMC, (1) had no cover texts or invariant sections,

and (2) were thus incorporated prior to November 1, 2008.

The operator of an MMC Site may republish an MMC contained in the site
under CC-BY-SA on the same site at any time before August 1, 2009,
provided the MMC is eligible for relicensing.

@end enumerate

@page
@heading ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of
the License in the document and put the following copyright and
license notices just after the title page:

@smallexample
@group
 Copyright (C) @var{year} @var{your name}.
 Permission is granted to copy, distribute and/or modify this document
 under the terms of the GNU Free Documentation License, Version 1.3
 or any later version published by the Free Software Foundation;
 with no Invariant Sections, no Front-Cover Texts, and no Back-Cover
 Texts. A copy of the license is included in the section entitled ``GNU
 Free Documentation License''.
@end group
@end smallexample

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts,
replace the ``with@dots{}Texts.'' line with this:

@smallexample
@group
  with the Invariant Sections being @var{list their titles}, with
  the Front-Cover Texts being @var{list}, and with the Back-Cover Texts
  being @var{list}.
@end group
@end smallexample

If you have Invariant Sections without Cover Texts, or some other
combination of the three, merge those two alternatives to suit the
situation.

If your document contains nontrivial examples of program code, we
recommend releasing these examples in parallel under your choice of
free software license, such as the GNU General Public License,
to permit their use in free software.

@c Local Variables:

@c ispell-local-pdict: "ispell-dict"
@c End:
Unless otherwise stated, all files in this directory are Copyright (C)
1991,1992,1993,1994,1995,1996,1997,1998,1999,2000,2001,2002,2003,
2004,2005,2006,2007,2008,2009,2010,2011
Free Software Foundation, Inc.

See the file COPYING in the bash distribution root directory for copying
and usage restrictions.

The file ifs-posix.tests is Copyright (C) 2005 Glen Fowler.
This is Debian GNU/Linux's prepackaged version of the FSF's GNU Bash,
the Bourne Again SHell.

This package was put together by Matthias Klose <doko@debian.org>, from
the following sources:

 bash: ftp.gnu.org:/pub/gnu/bash/bash-4.3.tar.gz

Bash homepage: http://tiswww.case.edu/php/chet/bash/bashtop.html

Copyright (C) 1987-2014 Free Software Foundation, Inc.

Bash is free software; you can redistribute it and/or modify it under
the terms of the GNU General Public License as published by the Free
Software Foundation; either version 3, or (at your option) any later
version.

Bash is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
for more details.

You should have received a copy of the GNU General Public License
along with Bash. If not, see <http://www.gnu.org/licenses/>.
On Debian systems, the complete text of the GNU General Public License
can be found in `/usr/share/common-licenses/GPL-3'.

The Free Software Foundation has exempted Bash from the requirement of
Paragraph 2c of the General Public License. This is to say, there is
no requirement for Bash to print a notice when it is started
interactively in the usual way. We made this exception because users
and standards expect shells not to print such messages. This
exception applies to any program that serves as a shell and that is
based primarily on Bash as opposed to other GNU software.

Files with other copyright statement than: Copyright FSF, License GPL

----

doc/FAQ ("the Bash FAQ")

This document is Copyright 1995-2005 by Chester Ramey.

Permission is hereby granted, without written agreement and
without license or royalty fees, to use, copy, and distribute
this document for any purpose, provided that the above copyright
notice appears in all copies of this document and that the
contents of this document remain unaltered.

doc/bashref.texi ("Bash Reference Manual"):

Copyright (c) 1988-2014 Free Software Foundation, Inc.

Permission is granted to make and distribute verbatim copies of
this manual provided the copyright notice and this permission notice
are preserved on all copies.

Permission is granted to copy, distribute and/or modify this document
under the terms of the GNU Free Documentation License, Version 1.3 or
any later version published by the Free Software Foundation; with no
Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts.
A copy of the license is included in the section entitled
``GNU Free Documentation License''.

lib/readline/doc/rlman.texi (part of the GNU Readline Library manual)

Copyright (c) 1988-2014 Free Software Foundation, Inc.

Permission is granted to copy, distribute and/or modify this document
under the terms of the GNU Free Documentation License, Version 1.3 or
any later version published by the Free Software Foundation; with no
Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts.
A copy of the license is included in the section entitled
``GNU Free Documentation License''.

lib/readline/doc/rltech.texi (part of the GNU Readline Library manual)

Copyright (C) 1988-2014 Free Software Foundation, Inc.

Permission is granted to make and distribute verbatim copies of
this manual provided the copyright notice and this permission notice
pare preserved on all copies.

Permission is granted to process this file through TeX and print the
results, provided the printed document carries copying permission
notice identical to this one except for the removal of this paragraph
(this paragraph not being relevant to the printed manual).

Permission is granted to copy and distribute modified versions of this
manual under the conditions for verbatim copying, provided that the entire
resulting derived work is distributed under the terms of a permission
notice identical to this one.

Permission is granted to copy and distribute translations of this manual
into another language, under the above conditions for modified versions,
except that this permission notice may be stated in a translation approved
by the Foundation.

lib/readline/doc/rluser.texi (part of the GNU Readline Library manual)

Copyright (C) 1988-2014 Free Software Foundation, Inc.

Authored by Brian Fox and Chet Ramey.

Permission is granted to process this file through Tex and print the
results, provided the printed document carries copying permission notice
identical to this one except for the removal of this paragraph (this
paragraph not being relevant to the printed manual).

Permission is granted to make and distribute verbatim copies of this manual
provided the copyright notice and this permission notice are preserved on
all copies.

Permission is granted to copy and distribute modified versions of this
manual under the conditions for verbatim copying, provided also that the
GNU Copyright statement is available to the distributee, and provided that
the entire resulting derived work is distributed under the terms of a
permission notice identical to this one.

Permission is granted to copy and distribute translations of this manual
into another language, under the above conditions for modified versions.

readline/doc/history.texi (GNU History Library Manual)

Copyright (C) 1988-2014 Free Software Foundation, Inc.
Authored by Brian Fox and Chet Ramey.

Permission is granted to copy, distribute and/or modify this document
under the terms of the GNU Free Documentation License, Version 1.3 or

any later version published by the Free Software Foundation; with no
Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts.
A copy of the license is included in the section entitled
``GNU Free Documentation License''.

readline/doc/{hstech,hsuser}.texi (GNU History Library Manual)

Copyright (C) 1988-2014 Free Software Foundation, Inc.
Authored by Brian Fox and Chet Ramey.

Permission is granted to make and distribute verbatim copies of this manual
provided the copyright notice and this permission notice are preserved on
all copies.

Permission is granted to process this file through Tex and print the
results, provided the printed document carries copying permission notice
identical to this one except for the removal of this paragraph (this
paragraph not being relevant to the printed manual).

Permission is granted to copy and distribute modified versions of this
manual under the conditions for verbatim copying, provided also that the
GNU Copyright statement is available to the distributee, and provided that
the entire resulting derived work is distributed under the terms of a
permission notice identical to this one.

Permission is granted to copy and distribute translations of this manual
into another language, under the above conditions for modified versions.

lib/sh/inet_aton.c:

* Copyright (c) 1983, 1990, 1993
*   The Regents of the University of California. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. All advertising materials mentioning features or use of this software
*   must display the following acknowledgement:
*   This product includes software developed by the University of
*   California, Berkeley and its contributors.
* 4. Neither the name of the University nor the names of its contributors
*   may be used to endorse or promote products derived from this software

1.58 msgpack 0.6.2

1.58.1 Available under license :

Copyright (C) 2008-2011 INADA Naoki <songofacandy@gmail.com>

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.59 x-net 0.0.0-20211112202133-69e39bad7dc2

1.59.1 Available under license :

\# This source code was written by the Go contributors.
\# The master list of contributors is in the main Go distribution,
\# visible at http://tip.golang.org/CONTRIBUTORS.
Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

   * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
   * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.60 x-net 0.0.0-20220225172249-27dd8689420f

1.60.1 Available under license :

This source code was written by the Go contributors.
The master list of contributors is in the main Go distribution,
visible at http://tip.golang.org/CONTRIBUTORS.
Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

   * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
   * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.61 etcd-client-pkg 3.5.2

1.61.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

1.62 gomemcache 0.0.0-20190913173617-a41fca850d0b

1.62.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

   "License" shall mean the terms and conditions for use, reproduction,
   and distribution as defined by Sections 1 through 9 of this document.

   "Licensor" shall mean the copyright owner or entity authorized by
   the copyright owner that is granting the License.

   "Legal Entity" shall mean the union of the acting entity and all
   other entities that control, are controlled by, or are under common
   control with that entity. For the purposes of this definition,
   "control" means (i) the power, direct or indirect, to cause the
   direction or management of such entity, whether by contract or
   otherwise, or (ii) ownership of fifty percent (50%) or more of the
   outstanding shares, or (iii) beneficial ownership of such entity.

   "You" (or "Your") shall mean an individual or Legal Entity
   exercising permissions granted by this License.

   "Source" form shall mean the preferred form for making modifications,
   including but not limited to software source code, documentation
   source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or

for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.63 golang-snappy 0.0.4

1.63.1 Available under license :

```
# This is the official list of people who can contribute
# (and typically have contributed) code to the Snappy-Go repository.
# The AUTHORS file lists the copyright holders; this file
# lists people.  For example, Google employees are listed here
# but not in AUTHORS, because Google holds the copyright.
#
# The submission process automatically checks to make sure
# that people submitting code are listed in this file (by email address).
#
# Names should be added to this file only after verifying that
# the individual or the individual's organization has agreed to
# the appropriate Contributor License Agreement, found here:
#
#    http://code.google.com/legal/individual-cla-v1.0.html
#    http://code.google.com/legal/corporate-cla-v1.0.html
```

#
The agreement for individuals can be filled out on the web.
#
When adding J Random Contributor's name to this file,
either J's name or J's organization's name should be
added to the AUTHORS file, depending on whether the
individual or corporate CLA was used.

Names should be added to this file like so:
Name <email address>

Please keep the list sorted.

Damian Gryski <dgryski@gmail.com>
Jan Mercl <0xjnml@gmail.com>
Kai Backman <kaib@golang.org>
Marc-Antoine Ruel <maruel@chromium.org>
Nigel Tao <nigeltao@golang.org>
Rob Pike <r@golang.org>
Rodolfo Carvalho <rhcarvalho@gmail.com>
Russ Cox <rsc@golang.org>
Sebastien Binet <seb.binet@gmail.com>
Copyright (c) 2011 The Snappy-Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
  * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE

1.64 lib-pq 1.10.4

1.64.1 Available under license :

```
//go:build go1.10
// +build go1.10

package pq

import (
 "context"
 "database/sql/driver"
)

// NoticeHandler returns the notice handler on the given connection, if any. A
// runtime panic occurs if c is not a pq connection. This is rarely used
// directly, use ConnectorNoticeHandler and ConnectorWithNoticeHandler instead.
func NoticeHandler(c driver.Conn) func(*Error) {
 return c.(*conn).noticeHandler
}

// SetNoticeHandler sets the given notice handler on the given connection. A
// runtime panic occurs if c is not a pq connection. A nil handler may be used
// to unset it. This is rarely used directly, use ConnectorNoticeHandler and
// ConnectorWithNoticeHandler instead.
//
// Note: Notice handlers are executed synchronously by pq meaning commands
// won't continue to be processed until the handler returns.
func SetNoticeHandler(c driver.Conn, handler func(*Error)) {
 c.(*conn).noticeHandler = handler
}

// NoticeHandlerConnector wraps a regular connector and sets a notice handler
// on it.
type NoticeHandlerConnector struct {
 driver.Connector
 noticeHandler func(*Error)
}

// Connect calls the underlying connector's connect method and then sets the
// notice handler.
func (n *NoticeHandlerConnector) Connect(ctx context.Context) (driver.Conn, error) {
 c, err := n.Connector.Connect(ctx)
 if err == nil {
  SetNoticeHandler(c, n.noticeHandler)
 }
```

```
  return c, err
 }


// ConnectorNoticeHandler returns the currently set notice handler, if any. If
// the given connector is not a result of ConnectorWithNoticeHandler, nil is
// returned.
func ConnectorNoticeHandler(c driver.Connector) func(*Error) {
 if c, ok := c.(*NoticeHandlerConnector); ok {
  return c.noticeHandler
 }
 return nil
}


// ConnectorWithNoticeHandler creates or sets the given handler for the given
// connector. If the given connector is a result of calling this function
// previously, it is simply set on the given connector and returned. Otherwise,
// this returns a new connector wrapping the given one and setting the notice
// handler. A nil notice handler may be used to unset it.
//
// The returned connector is intended to be used with database/sql.OpenDB.
//
// Note: Notice handlers are executed synchronously by pq meaning commands
// won't continue to be processed until the handler returns.
func ConnectorWithNoticeHandler(c driver.Connector, handler func(*Error)) *NoticeHandlerConnector {
 if c, ok := c.(*NoticeHandlerConnector); ok {
  c.noticeHandler = handler
  return c
 }
 return &NoticeHandlerConnector{Connector: c, noticeHandler: handler}
}
```

1.65 x-text 0.3.3

1.65.1 Available under license :

This source code was written by the Go contributors.

The master list of contributors is in the main Go distribution,

visible at http://tip.golang.org/CONTRIBUTORS.

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are

met:

  * Redistributions of source code must retain the above copyright

notice, this list of conditions and the following disclaimer.

  * Redistributions in binary form must reproduce the above

copyright notice, this list of conditions and the following disclaimer

in the documentation and/or other materials provided with the

distribution.

  * Neither the name of Google Inc. nor the names of its

contributors may be used to endorse or promote products derived from

this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT

OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,

SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT

LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE

OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.66 log-rotate 3.14.0 4ubuntu3

1.66.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies

of this license document, but changing it is not allowed.

Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

 We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

 Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

 Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

 The precise terms and conditions for copying, distribution and

modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion
of it, thus forming a work based on the Program, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices
  stating that you changed the files and the date of any change.

  b) You must cause any work that you distribute or publish, that in
  whole or in part contains or is derived from the Program or any
  part thereof, to be licensed as a whole at no charge to all third
  parties under the terms of this License.

  c) If the modified program normally reads commands interactively
  when run, you must cause it, when started running for such

interactive use in the most ordinary way, to print or display an
announcement including an appropriate copyright notice and a
notice that there is no warranty (or else, saying that you provide
a warranty) and that users may redistribute the program under
these conditions, and telling the user how to view a copy of this
License. (Exception: if the Program itself is interactive but
does not normally print such an announcement, your work based on
the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

  a) Accompany it with the complete corresponding machine-readable
  source code, which must be distributed under the terms of Sections
  1 and 2 above on a medium customarily used for software interchange; or,

  b) Accompany it with a written offer, valid for at least three
  years, to give any third party, for a charge no more than your
  cost of physically performing source distribution, a complete
  machine-readable copy of the corresponding source code, to be
  distributed under the terms of Sections 1 and 2 above on a medium
  customarily used for software interchange; or,

  c) Accompany it with the information you received as to the offer
  to distribute corresponding source code. (This alternative is
  allowed only for noncommercial distribution and only if you
  received the program in object code or executable form with such

an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not

excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Program at all. For example, if a patent
license would not permit royalty-free redistribution of the Program by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to
apply and the section as a whole is intended to apply in other
circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system, which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

 8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify

it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: logrotate
Upstream-Contact: https://github.com/logrotate/logrotate/issues
Source: https://github.com/logrotate/logrotate

Files: *

Copyright: 1999-2017 Erik Troan, Preston Brown, Elliot Lee, Miloslav Trmac,

Dan Walsh, Peter Vrabec, Jesse Keating, Tomas Smetana

and Kamil Dudka

License: GPL-2

Files: debian/*

Copyright: 1999 Joseph Carter

?-2017 Paul Martin <pm@debian.org>

License: GPL-2

License: GPL-2

This program is free software; you can redistribute it

and/or modify it under the terms of the GNU General Public

License as published by the Free Software Foundation; either

version 2 of the License, or (at your option) any later

version.

.

This program is distributed in the hope that it will be

useful, but WITHOUT ANY WARRANTY; without even the implied

warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR

PURPOSE. See the GNU General Public License for more

details.

.

You should have received a copy of the GNU General Public

License along with this package; if not, write to the Free

Software Foundation, Inc., 51 Franklin St, Fifth Floor,

Boston, MA 02110-1301 USA

.

On Debian systems, the full text of the GNU General Public

License version 2 can be found in the file

`/usr/share/common-licenses/GPL-2'.

1.67 markupsafe 2.1.1

1.67.1 Available under license :

No license file was found, but licenses were detected in source scan.

Copyright 2010 Pallets

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are

met:

1. Redistributions of source code must retain the above copyright

notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
    notice, this list of conditions and the following disclaimer in the
    documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holder nor the names of its
    contributors may be used to endorse or promote products derived from
    this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED
TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):
* /opt/cola/permits/1288546271_1649055323.54/0/markupsafe-2-1-1-tar-gz/MarkupSafe-2.1.1/LICENSE.rst
No license file was found, but licenses were detected in source scan.

[metadata]
name = MarkupSafe
version = attr: markupsafe.__version__
url = https://palletsprojects.com/p/markupsafe/
project_urls =
 Donate = https://palletsprojects.com/donate
 Documentation = https://markupsafe.palletsprojects.com/
 Changes = https://markupsafe.palletsprojects.com/changes/
 Source Code = https://github.com/pallets/markupsafe/
 Issue Tracker = https://github.com/pallets/markupsafe/issues/
 Twitter = https://twitter.com/PalletsTeam
 Chat = https://discord.gg/pallets
license = BSD-3-Clause
license_files = LICENSE.rst
author = Armin Ronacher
author_email = armin.ronacher@active-4.com
maintainer = Pallets
maintainer_email = contact@palletsprojects.com
description = Safely add untrusted strings to HTML/XML markup.
long_description = file: README.rst
long_description_content_type = text/x-rst
classifiers =
 Development Status :: 5 - Production/Stable
 Environment :: Web Environment

Intended Audience :: Developers
License :: OSI Approved :: BSD License
Operating System :: OS Independent
Programming Language :: Python
Topic :: Internet :: WWW/HTTP :: Dynamic Content
Topic :: Text Processing :: Markup :: HTML

```
[options]
packages = find:
package_dir = = src
include_package_data = True
python_requires = >= 3.7

[options.packages.find]
where = src

[tool:pytest]
testpaths = tests
filterwarnings =
 error

[coverage:run]
branch = True
source =
 markupsafe
 tests

[coverage:paths]
source =
 src
 */site-packages

[flake8]
select = B, E, F, W, B9, ISC
ignore =
 E203
 E501
 E722
 W503
max-line-length = 80

[mypy]
files = src/markupsafe
python_version = 3.7
show_error_codes = True
disallow_subclassing_any = True
disallow_untyped_calls = True
disallow_untyped_defs = True
```

disallow_incomplete_defs = True
no_implicit_optional = True
local_partial_types = True
no_implicit_reexport = True
strict_equality = True
warn_redundant_casts = True
warn_unused_configs = True
warn_unused_ignores = True
warn_return_any = True
warn_unreachable = True

[egg_info]
tag_build =
tag_date = 0

Found in path(s):
* /opt/cola/permits/1288546271_1649055323.54/0/markupsafe-2-1-1-tar-gz/MarkupSafe-2.1.1/setup.cfg
No license file was found, but licenses were detected in source scan.

Metadata-Version: 2.1
Name: MarkupSafe
Version: 2.1.1
Summary: Safely add untrusted strings to HTML/XML markup.
Home-page: https://palletsprojects.com/p/markupsafe/
Author: Armin Ronacher
Author-email: armin.ronacher@active-4.com
Maintainer: Pallets
Maintainer-email: contact@palletsprojects.com
License: BSD-3-Clause
Project-URL: Donate, https://palletsprojects.com/donate
Project-URL: Documentation, https://markupsafe.palletsprojects.com/
Project-URL: Changes, https://markupsafe.palletsprojects.com/changes/
Project-URL: Source Code, https://github.com/pallets/markupsafe/
Project-URL: Issue Tracker, https://github.com/pallets/markupsafe/issues/
Project-URL: Twitter, https://twitter.com/PalletsTeam
Project-URL: Chat, https://discord.gg/pallets
Platform: UNKNOWN
Classifier: Development Status :: 5 - Production/Stable
Classifier: Environment :: Web Environment
Classifier: Intended Audience :: Developers
Classifier: License :: OSI Approved :: BSD License
Classifier: Operating System :: OS Independent
Classifier: Programming Language :: Python
Classifier: Topic :: Internet :: WWW/HTTP :: Dynamic Content
Classifier: Topic :: Text Processing :: Markup :: HTML
Requires-Python: >=3.7
Description-Content-Type: text/x-rst
License-File: LICENSE.rst

MarkupSafe
==========

MarkupSafe implements a text object that escapes characters so it is
safe to use in HTML and XML. Characters that have special meanings are
replaced so that they display as the actual characters. This mitigates
injection attacks, meaning untrusted user input can safely be displayed
on a page.

Installing

Install and update using `pip`_:

.. code-block:: text

    pip install -U MarkupSafe

.. _pip: https://pip.pypa.io/en/stable/getting-started/

Examples

.. code-block:: pycon

    >>> from markupsafe import Markup, escape

    >>> # escape replaces special characters and wraps in Markup
    >>> escape("<script>alert(document.cookie);</script>")
    Markup('<script>alert(document.cookie);</script>')

    >>> # wrap in Markup to mark text "safe" and prevent escaping
    >>> Markup("Hello")
    Markup('hello')

    >>> escape(Markup("Hello"))
    Markup('hello')

    >>> # Markup is a str subclass
    >>> # methods and operators escape their arguments
    >>> template = Markup("Hello {name}")
    >>> template.format(name='"World"')
    Markup('Hello "World"')

Donate

The Pallets organization develops and supports MarkupSafe and other
popular packages. In order to grow the community of contributors and
users, and allow the maintainers to devote more time to the projects,
`please donate today`_.

.. _please donate today: https://palletsprojects.com/donate

Links

- Documentation: https://markupsafe.palletsprojects.com/
- Changes: https://markupsafe.palletsprojects.com/changes/
- PyPI Releases: https://pypi.org/project/MarkupSafe/
- Source Code: https://github.com/pallets/markupsafe/
- Issue Tracker: https://github.com/pallets/markupsafe/issues/
- Website: https://palletsprojects.com/p/markupsafe/
- Twitter: https://twitter.com/PalletsTeam
- Chat: https://discord.gg/pallets

Found in path(s):
* /opt/cola/permits/1288546271_1649055323.54/0/markupsafe-2-1-1-tar-gz/MarkupSafe-2.1.1/src/MarkupSafe.egg-info/PKG-INFO
* /opt/cola/permits/1288546271_1649055323.54/0/markupsafe-2-1-1-tar-gz/MarkupSafe-2.1.1/PKG-INFO

1.68 shortid 0.0.0-20171029131806-771a37caa5cf

1.68.1 Available under license :

MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this
software and associated documentation files (the "Software"), to deal in the Software
without restriction, including without limitation the rights to use, copy, modify,
merge, publish, distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to the following
conditions:

The above copyright notice and this permission notice shall be included in all copies
or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,
INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A

PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.69 rtmpdump 2.4+20151223.gitfa8646d.1-2build1

1.69.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

                    Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

 This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

 When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

 To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these

rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

 For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

 We protect your rights with a two-step method: (1) we copyright the
library, and (2) we offer you this license, which gives you legal
permission to copy, distribute and/or modify the library.

 To protect each distributor, we want to make it very clear that
there is no warranty for the free library. Also, if the library is
modified by someone else and passed on, the recipients should know
that what they have is not the original version, so that the original
author's reputation will not be affected by problems that might be
introduced by others.

 Finally, software patents pose a constant threat to the existence of
any free program. We wish to make sure that a company cannot
effectively restrict the users of a free program by obtaining a
restrictive license from a patent holder. Therefore, we insist that
any patent license obtained for a version of the library must be
consistent with the full freedom of use specified in this license.

 Most GNU software, including some libraries, is covered by the
ordinary GNU General Public License. This license, the GNU Lesser
General Public License, applies to certain designated libraries, and
is quite different from the ordinary General Public License. We use
this license for certain libraries in order to permit linking those
libraries into non-free programs.

 When a program is linked with a library, whether statically or using
a shared library, the combination of the two is legally speaking a
combined work, a derivative of the original library. The ordinary
General Public License therefore permits such linking only if the
entire combination fits its criteria of freedom. The Lesser General
Public License permits more lax criteria for linking other code with
the library.

 We call this license the "Lesser" General Public License because it
does Less to protect the user's freedom than the ordinary General
Public License. It also provides other free software developers Less
of an advantage over competing non-free programs. These disadvantages

are the reason we use the ordinary General Public License for many
libraries. However, the Lesser license provides advantages in certain
special circumstances.

 For example, on rare occasions, there may be a special need to
encourage the widest possible use of a certain library, so that it becomes
a de-facto standard. To achieve this, non-free programs must be
allowed to use the library. A more frequent case is that a free
library does the same job as widely used non-free libraries. In this
case, there is little to gain by limiting the free library to free
software only, so we use the Lesser General Public License.

 In other cases, permission to use a particular library in non-free
programs enables a greater number of people to use a large body of
free software. For example, permission to use the GNU C Library in
non-free programs enables many more people to use the whole GNU
operating system, as well as its variant, the GNU/Linux operating
system.

 Although the Lesser General Public License is Less protective of the
users' freedom, it does ensure that the user of a program that is
linked with the Library has the freedom and the wherewithal to run
that program using a modified version of the Library.

 The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, whereas the latter must
be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License Agreement applies to any software library or other
program which contains a notice placed by the copyright holder or
other authorized party saying it may be distributed under the terms of
this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

 A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

 The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated

straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means
all the source code for all modules it contains, plus any associated
interface definition files, plus the scripts used to control compilation
and installation of the library.

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running a program using the Library is not restricted, and output from
such a program is covered only if its contents constitute a work based
on the Library (independent of the use of the Library in a tool for
writing it). Whether that is true depends on what the Library does
and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's
complete source code as you receive it, in any medium, provided that
you conspicuously and appropriately publish on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact
all the notices that refer to this License and to the absence of any
warranty; and distribute a copy of this License along with the
Library.

You may charge a fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a
fee.

2. You may modify your copy or copies of the Library or any portion
of it, thus forming a work based on the Library, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) The modified work must itself be a software library.

  b) You must cause the files modified to carry prominent notices
  stating that you changed the files and the date of any change.

  c) You must cause the whole of the work to be licensed at no
  charge to all third parties under the terms of this License.

  d) If a facility in the modified Library refers to a function or a
  table of data to be supplied by an application program that uses
  the facility, other than as an argument passed when the facility
  is invoked, then you must make a good faith effort to ensure that,
  in the event an application does not supply such function or
  table, the facility still operates, and performs whatever part of

its purpose remains meaningful.

(For example, a function in a library to compute square roots has
a purpose that is entirely well-defined independent of the
application. Therefore, Subsection 2d requires that any
application-supplied function or table used by this function must
be optional: if the application does not supply it, the square
root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Library,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

 Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

 4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form

under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

 5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

 However, linking a "work that uses the Library" with the Library
creates an executable that is a derivative of the Library (because it
contains portions of the Library), rather than a "work that uses the
library". The executable is therefore covered by this License.
Section 6 states terms for distribution of such executables.

 When a "work that uses the Library" uses material from a header file
that is part of the Library, the object code for the work may be a
derivative work of the Library even though the source code is not.
Whether this is true is especially significant if the work can be
linked without the Library, or if the work is itself a library. The
threshold for this to be true is not precisely defined by law.

 If such an object file uses only numerical parameters, data
structure layouts and accessors, and small macros and small inline
functions (ten lines or less in length), then the use of the object
file is unrestricted, regardless of whether it is legally a derivative
work. (Executables containing this object code plus portions of the
Library will still fall under Section 6.)

 Otherwise, if the work is a derivative of the Library, you may
distribute the object code for the work under the terms of Section 6.
Any executables containing that work also fall under Section 6,
whether or not they are linked directly with the Library itself.

 6. As an exception to the Sections above, you may also combine or
link a "work that uses the Library" with the Library to produce a
work containing portions of the Library, and distribute that work
under terms of your choice, provided that the terms permit
modification of the work for the customer's own use and reverse
engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the
Library is used in it and that the Library and its use are covered by
this License. You must supply a copy of this License. If the work
during execution displays copyright notices, you must include the
copyright notice for the Library among them, as well as a reference
directing the user to the copy of this License. Also, you must do one
of these things:

  a) Accompany the work with the complete corresponding
  machine-readable source code for the Library including whatever
  changes were used in the work (which must be distributed under
  Sections 1 and 2 above); and, if the work is an executable linked
  with the Library, with the complete machine-readable "work that
  uses the Library", as object code and/or source code, so that the
  user can modify the Library and then relink to produce a modified
  executable containing the modified Library. (It is understood
  that the user who changes the contents of definitions files in the
  Library will not necessarily be able to recompile the application
  to use the modified definitions.)

  b) Use a suitable shared library mechanism for linking with the
  Library. A suitable mechanism is one that (1) uses at run time a
  copy of the library already present on the user's computer system,
  rather than copying library functions into the executable, and (2)
  will operate properly with a modified version of the library, if
  the user installs one, as long as the modified version is
  interface-compatible with the version that the work was made with.

  c) Accompany the work with a written offer, valid for at
  least three years, to give the same user the materials
  specified in Subsection 6a, above, for a charge no more
  than the cost of performing this distribution.

  d) If distribution of the work is made by offering access to copy
  from a designated place, offer equivalent access to copy the above
  specified materials from the same place.

  e) Verify that the user has already received a copy of these
  materials or that you have already sent this user a copy.

 For an executable, the required form of the "work that uses the
Library" must include any data and utility programs needed for
reproducing the executable from it. However, as a special exception,
the materials to be distributed need not include anything that is
normally distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies

the executable.

 It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.

 7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

  a) Accompany the combined library with a copy of the same work
  based on the Library, uncombined with any other library
  facilities. This must be distributed under the terms of the
  Sections above.

  b) Give prominent notice with the combined library of the fact
  that part of it is a work based on the Library, and explaining
  where to find the accompanying uncombined form of the same work.

 8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

 9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

 10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties with
this License.

11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply,
and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

13. The Free Software Foundation may publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and

conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

  14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

                        NO WARRANTY

  15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE
LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

  16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE
LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING
RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A
FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF
SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGES.

                END OF TERMS AND CONDITIONS

           How to Apply These Terms to Your New Libraries

  If you develop a new library, and you want it to be of the greatest
possible use to the public, we recommend making it free software that
everyone can redistribute and change. You can do so by permitting
redistribution under these terms (or, alternatively, under the terms of the
ordinary General Public License).

  To apply these terms, attach the following notices to the library. It is

safest to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

    <one line to give the library's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This library is free software; you can redistribute it and/or
    modify it under the terms of the GNU Lesser General Public
    License as published by the Free Software Foundation; either
    version 2.1 of the License, or (at your option) any later version.

    This library is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
    Lesser General Public License for more details.

    You should have received a copy of the GNU Lesser General Public
    License along with this library; if not, write to the Free Software
    Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the
 library `Frob' (a library for tweaking knobs) written by James Random Hacker.

 <signature of Ty Coon>, 1 April 1990
 Ty Coon, President of Vice

That's all there is to it!
    GNU GENERAL PUBLIC LICENSE
      Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

    Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This

General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

 We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

 Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

 Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

 The precise terms and conditions for copying, distribution and
modification follow.

    GNU GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License applies to any program or other work which contains

a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices
  stating that you changed the files and the date of any change.

  b) You must cause any work that you distribute or publish, that in
  whole or in part contains or is derived from the Program or any
  part thereof, to be licensed as a whole at no charge to all third
  parties under the terms of this License.

  c) If the modified program normally reads commands interactively
  when run, you must cause it, when started running for such
  interactive use in the most ordinary way, to print or display an
  announcement including an appropriate copyright notice and a
  notice that there is no warranty (or else, saying that you provide
  a warranty) and that users may redistribute the program under
  these conditions, and telling the user how to view a copy of this
  License. (Exception: if the Program itself is interactive but

does not normally print such an announcement, your work based on
the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

  a) Accompany it with the complete corresponding machine-readable
  source code, which must be distributed under the terms of Sections
  1 and 2 above on a medium customarily used for software interchange; or,

  b) Accompany it with a written offer, valid for at least three
  years, to give any third party, for a charge no more than your
  cost of physically performing source distribution, a complete
  machine-readable copy of the corresponding source code, to be
  distributed under the terms of Sections 1 and 2 above on a medium
  customarily used for software interchange; or,

  c) Accompany it with the information you received as to the offer
  to distribute corresponding source code. (This alternative is
  allowed only for noncommercial distribution and only if you
  received the program in object code or executable form with such
  an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to

control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

 5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

 7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then

the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

 8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

 10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals

of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.

1.70 sqlite 3.34.0

1.70.1 Available under license :

public domain

1.71 cffi 1.15.0

1.71.1 Available under license :

Except when otherwise stated (look for LICENSE files in directories or
information at the beginning of each file) all software and
documentation is licensed as follows:

The MIT License

Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or
sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS IN THE SOFTWARE.

1.72 prometheus-client 0.2.0

1.72.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017 tweede golf

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.73 go-macaron-gzip 0.0.0-20160222043647-cad1c6580a07

1.73.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that

is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution.

You may reproduce and distribute copies of the Work or Derivative Works thereof
in any medium, with or without modifications, and in Source or Object form,
provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of
this License; and
You must cause any modified files to carry prominent notices stating that You
changed the files; and
You must retain, in the Source form of any Derivative Works that You distribute,
all copyright, patent, trademark, and attribution notices from the Source form
of the Work, excluding those notices that do not pertain to any part of the
Derivative Works; and
If the Work includes a "NOTICE" text file as part of its distribution, then any
Derivative Works that You distribute must include a readable copy of the
attribution notices contained within such NOTICE file, excluding those notices
that do not pertain to any part of the Derivative Works, in at least one of the
following places: within a NOTICE text file distributed as part of the
Derivative Works; within the Source form or documentation, if provided along
with the Derivative Works; or, within a display generated by the Derivative
Works, if and wherever such third-party notices normally appear. The contents of
the NOTICE file are for informational purposes only and do not modify the
License. You may add Your own attribution notices within Derivative Works that
You distribute, alongside or as an addendum to the NOTICE text from the Work,
provided that such additional attribution notices cannot be construed as
modifying the License.
You may add Your own copyright statement to Your modifications and may provide
additional or different license terms and conditions for use, reproduction, or
distribution of Your modifications, or for any such Derivative Works as a whole,
provided Your use, reproduction, and distribution of the Work otherwise complies
with the conditions stated in this License.

5. Submission of Contributions.

Unless You explicitly state otherwise, any Contribution intentionally submitted
for inclusion in the Work by You to the Licensor shall be under the terms and
conditions of this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify the terms of
any separate license agreement you may have executed with Licensor regarding
such Contributions.

6. Trademarks.

This License does not grant permission to use the trade names, trademarks,
service marks, or product names of the Licensor, except as required for
reasonable and customary use in describing the origin of the Work and
reproducing the content of the NOTICE file.

7. Disclaimer of Warranty.

Unless required by applicable law or agreed to in writing, Licensor provides the
Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied,
including, without limitation, any warranties or conditions of TITLE,
NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are
solely responsible for determining the appropriateness of using or
redistributing the Work and assume any risks associated with Your exercise of
permissions under this License.

8. Limitation of Liability.

In no event and under no legal theory, whether in tort (including negligence),
contract, or otherwise, unless required by applicable law (such as deliberate
and grossly negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special, incidental,
or consequential damages of any character arising as a result of this License or
out of the use or inability to use the Work (including but not limited to
damages for loss of goodwill, work stoppage, computer failure or malfunction, or
any and all other commercial damages or losses), even if such Contributor has
been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability.

While redistributing the Work or Derivative Works thereof, You may choose to
offer, and charge a fee for, acceptance of support, warranty, indemnity, or
other liability obligations and/or rights consistent with this License. However,
in accepting such obligations, You may act only on Your own behalf and on Your
sole responsibility, not on behalf of any other Contributor, and only if You
agree to indemnify, defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason of your
accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate
notice, with the fields enclosed by brackets "[]" replaced with your own
identifying information. (Don't include the brackets!) The text should be
enclosed in the appropriate comment syntax for the file format. We also
recommend that a file or class name and description of purpose be included on
the same "printed page" as the copyright notice for easier identification within
third-party archives.

   Copyright [yyyy] [name of copyright owner]

   Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.74 gorilla 1.4.1

1.74.1 Available under license :

Copyright (c) 2013 The Gorilla WebSocket Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

 Redistributions of source code must retain the above copyright notice, this
 list of conditions and the following disclaimer.

 Redistributions in binary form must reproduce the above copyright notice,
 this list of conditions and the following disclaimer in the documentation
 and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.75 progress 1.5

1.75.1 Available under license :

Copyright (c) 2012 Giorgos Verigakis <verigak@gmail.com>
#
Permission to use, copy, modify, and distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.
#

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF
OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.76 go-macaron-inject 0.0.0-20160627170012-d8a0b8677191

1.76.1 Available under license :

No license file was found, but licenses were detected in source scan.

License: ASL 2.0

Found in path(s):
* /opt/cola/permits/1213299335_1635451814.84/0/golang-github-go-macaron-inject-master-zip/golang-github-go-macaron-inject-master/golang-github-go-macaron-inject.spec

1.77 v1-gonum 0.6.0

1.77.1 Available under license :

Copyright ©2013 The Gonum Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:
   * Redistributions of source code must retain the above copyright
     notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above copyright
     notice, this list of conditions and the following disclaimer in the
     documentation and/or other materials provided with the distribution.
   * Neither the name of the Gonum project nor the names of its authors and
     contributors may be used to endorse or promote products derived from this
     software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE

OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.78 python 3.8.10

1.78.1 Available under license :

Copyright (c) 2002 Jorge Acereda <jacereda@users.sourceforge.net> &
Peter O'Gorman <ogorman@users.sourceforge.net>

Portions may be copyright others, see the AUTHORS file included with this
distribution.

Maintained by Peter O'Gorman <ogorman@users.sourceforge.net>

Bug Reports and other queries should go to <ogorman@users.sourceforge.net>

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Additional Conditions for this Windows binary build

This program is linked with and uses Microsoft Distributable Code,
copyrighted by Microsoft Corporation. The Microsoft Distributable Code
is embedded in each .exe, .dll and .pyd file as a result of running
the code through a linker.

If you further distribute programs that include the Microsoft
Distributable Code, you must comply with the restrictions on
distribution specified by Microsoft. In particular, you must require

distributors and external end users to agree to terms that protect the
Microsoft Distributable Code at least as much as Microsoft's own
requirements for the Distributable Code. See Microsoft's documentation
(included in its developer tools and on its website at microsoft.com)
for specific details.

Redistribution of the Windows binary build of the Python interpreter
complies with this agreement, provided that you do not:

- alter any copyright, trademark or patent notice in Microsoft's
Distributable Code;

- use Microsoft's trademarks in your programs' names or in a way that
suggests your programs come from or are endorsed by Microsoft;

- distribute Microsoft's Distributable Code to run on a platform other
than Microsoft operating systems, run-time technologies or application
platforms; or

- include Microsoft Distributable Code in malicious, deceptive or
unlawful programs.

These restrictions apply only to the Microsoft Distributable Code as
defined above, not to Python itself or any programs running on the
Python interpreter. The redistribution of the Python interpreter and
libraries is governed by the Python Software License included with this
file, or by other licenses as marked.
X Window System License - X11R6.4

Copyright (c) 1998 The Open Group

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR

OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall
not be used in advertising or otherwise to promote the sale, use or
other dealings in this Software without prior written authorization
from The Open Group.

X Window System is a trademark of The Open Group
libffi - Copyright (c) 1996-2003 Red Hat, Inc.

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
``Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED ``AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL CYGNUS SOLUTIONS BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.
Copyright (c) 1998-2000 Thai Open Source Software Center Ltd and Clark Cooper
Copyright (c) 2001-2017 Expat maintainers

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE

SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

A. HISTORY OF THE SOFTWARE
==========================

Python was created in the early 1990s by Guido van Rossum at Stichting
Mathematisch Centrum (CWI, see http://www.cwi.nl) in the Netherlands
as a successor of a language called ABC. Guido remains Python's
principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for
National Research Initiatives (CNRI, see http://www.cnri.reston.va.us)
in Reston, Virginia where he released several versions of the
software.

In May 2000, Guido and the Python core development team moved to
BeOpen.com to form the BeOpen PythonLabs team. In October of the same
year, the PythonLabs team moved to Digital Creations, which became
Zope Corporation. In 2001, the Python Software Foundation (PSF, see
https://www.python.org/psf/) was formed, a non-profit organization
created specifically to own Python-related Intellectual Property.
Zope Corporation was a sponsoring member of the PSF.

All Python releases are Open Source (see http://www.opensource.org for
the Open Source Definition). Historically, most, but not all, Python
releases have also been GPL-compatible; the table below summarizes
the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under
    the GPL. All Python licenses, unlike the GPL, let you distribute
    a modified version without making your changes open source. The
    GPL-compatible licenses make it possible to combine Python with

other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible,
   because its license has a choice of law clause. According to
   CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1
   is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's
direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON
==

Python software and documentation are licensed under the
Python Software Foundation License Version 2.

Starting with Python 3.8.6, examples, recipes, and other code in
the documentation are dual licensed under the PSF License Version 2
and the Zero-Clause BSD license.

Some software incorporated into Python is under different licenses.
The licenses are listed with code falling under that license.

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2
----

1. This LICENSE AGREEMENT is between the Python Software Foundation
("PSF"), and the Individual or Organization ("Licensee") accessing and
otherwise using this software ("Python") in source or binary form and
its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby
grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce,
analyze, test, perform and/or display publicly, prepare derivative works,
distribute, and otherwise use Python alone or in any derivative version,
provided, however, that PSF's License Agreement and PSF's notice of copyright,
i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010,
2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021 Python Software Foundation;
All Rights Reserved" are retained in Python alone or in any derivative version
prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on
or incorporates Python or any part thereof, and wants to make
the derivative work available to others as provided herein, then
Licensee hereby agrees to include in any such work a brief summary of
the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR

IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE
SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS
AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY
DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material
breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all
respects by the law of the State of California, excluding conflict of
law provisions. Nothing in this License Agreement shall be deemed to
create any relationship of agency, partnership, or joint venture
between BeOpen and Licensee. This License Agreement does not grant
permission to use BeOpen trademarks or trade names in a trademark
sense to endorse or promote products or services of Licensee, or any
third party. As an exception, the "BeOpen Python" logos available at
http://www.pythonlabs.com/logos.html may be used according to the
permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee
agrees to be bound by the terms and conditions of this License
Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1
----

1. This LICENSE AGREEMENT is between the Corporation for National
Research Initiatives, having an office at 1895 Preston White Drive,
Reston, VA 20191 ("CNRI"), and the Individual or Organization
("Licensee") accessing and otherwise using Python 1.6.1 software in
source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI
hereby grants Licensee a nonexclusive, royalty-free, world-wide
license to reproduce, analyze, test, perform and/or display publicly,
prepare derivative works, distribute, and otherwise use Python 1.6.1
alone or in any derivative version, provided, however, that CNRI's
License Agreement and CNRI's notice of copyright, i.e., "Copyright (c)
1995-2001 Corporation for National Research Initiatives; All Rights
Reserved" are retained in Python 1.6.1 alone or in any derivative
version prepared by Licensee. Alternately, in lieu of CNRI's License
Agreement, Licensee may substitute the following text (omitting the

quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: http://hdl.handle.net/1895.22/1013".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam,
The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the name of Stichting Mathematisch
Centrum or CWI not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior
permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE
FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ZERO-CLAUSE BSD LICENSE FOR CODE IN THE PYTHON DOCUMENTATION

Permission to use, copy, modify, and/or distribute this software for any
purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH
REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT,
INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM
LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR
OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THIS SOFTWARE.
This license applies to the bootstrapper application that is embedded within the installer. It has no impact on the
licensing for the rest of the installer or Python itself, as no code covered by this license exists in any other part of the
product.

Microsoft Reciprocal License (MS-RL)

This license governs use of the accompanying software. If you use the software, you accept this license. If you do not accept the license, do not use the software.

1. Definitions

The terms "reproduce," "reproduction," "derivative works," and "distribution" have the same meaning here as under U.S. copyright law.

A "contribution" is the original software, or any additions or changes to the software.

A "contributor" is any person that distributes its contribution under this license.

"Licensed patents" are a contributor's patent claims that read directly on its contribution.

2. Grant of Rights

(A) Copyright Grant- Subject to the terms of this license, including the license conditions and limitations in section 3, each contributor grants you a non-exclusive, worldwide, royalty-free copyright license to reproduce its contribution, prepare derivative works of its contribution, and distribute its contribution or any derivative works that you create.

(B) Patent Grant- Subject to the terms of this license, including the license conditions and limitations in section 3, each contributor grants you a non-exclusive, worldwide, royalty-free license under its licensed patents to make, have made, use, sell, offer for sale, import, and/or otherwise dispose of its contribution in the software or derivative works of the contribution in the software.

3. Conditions and Limitations

(A) Reciprocal Grants- For any file you distribute that contains code from the software (in source code or binary format), you must provide recipients the source code to that file along with a copy of this license, which license will govern that file. You may license other files that are entirely your own work and do not contain code from the software under any terms you choose.

(B) No Trademark License- This license does not grant you rights to use any contributors' name, logo, or trademarks.

(C) If you bring a patent claim against any contributor over patents that you claim are infringed by the software, your patent license from such contributor to the software ends automatically.

(D) If you distribute any portion of the software, you must retain all copyright, patent, trademark, and attribution notices that are present in the software.

(E) If you distribute any portion of the software in source code form, you may do so only under this license by including a complete copy of this license with your distribution. If you distribute any portion of the software in compiled or object code form, you may only do so under a license that complies with this license.

(F) The software is licensed "as-is." You bear the risk of using it. The contributors give no express warranties, guarantees or conditions. You may have additional consumer rights under your local laws which this license cannot change. To the extent permitted under your local laws, the contributors exclude the implied warranties of merchantability, fitness for a particular purpose and non-infringement.

1.79 go-jmespath 0.4.0

1.79.1 Available under license :

MIT License

Copyright (c) 2012-2018 Mat Ryer and Tyler Bunnell

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
Copyright 2015 James Saryerwinnie

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.80 heimdal 7.7.0+dfsg-1ubuntu1

1.80.1 Available under license :

Copyright (c) 1995 - 2014 Kungliga Tekniska Hgskolan
(Royal Institute of Technology, Stockholm, Sweden).
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
 notice, this list of conditions and the following disclaimer in the
 documentation and/or other materials provided with the distribution.

3. Neither the name of the Institute nor the names of its contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE INSTITUTE AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE INSTITUTE OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

Please see info documentation for the complete list of licenses.
Copyright (c) 1992, 1993
The Regents of the University of California. All rights reserved.

This code is derived from software contributed to Berkeley by
Christos Zoulas of Cornell University.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

```
@macro copynext{}
@vskip 20pt plus 1fil
@end macro

@macro copyrightstart{}
@end macro

@macro copyrightend{}
@end macro


@node  Copyrights and Licenses, , Acknowledgments, Top
@comment  node-name,  next,  previous,  up
@appendix Copyrights and Licenses

@heading Kungliga Tekniska Hgskolan

@copyrightstart
@verbatim

Copyright (c) 1997-2011 Kungliga Tekniska Hgskolan
(Royal Institute of Technology, Stockholm, Sweden).
All rights reserved.

Portions Copyright (c) 2009 Apple Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

3. Neither the name of the Institute nor the names of its contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE INSTITUTE AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED.  IN NO EVENT SHALL THE INSTITUTE OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
```

OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

@end verbatim
@copynext

@heading Massachusetts Institute of Technology

The parts of the libtelnet that handle Kerberos.

@verbatim

Copyright (C) 1990 by the Massachusetts Institute of Technology

Export of this software from the United States of America may
require a specific license from the United States Government.
It is the responsibility of any person or organization contemplating
export to obtain such a license before exporting.

WITHIN THAT CONSTRAINT, permission to use, copy, modify, and
distribute this software and its documentation for any purpose and
without fee is hereby granted, provided that the above copyright
notice appear in all copies and that both that copyright notice and
this permission notice appear in supporting documentation, and that
the name of M.I.T. not be used in advertising or publicity pertaining
to distribution of the software without specific, written prior
permission. M.I.T. makes no representations about the suitability of
this software for any purpose. It is provided "as is" without express
or implied warranty.

@end verbatim
@copynext

@heading The Regents of the University of California

The parts of the libroken, most of libtelnet, telnet, ftp,
and popper.

@verbatim

Copyright (c) 1988, 1990, 1993
   The Regents of the University of California. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions

are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

3. Neither the name of the University nor the names of its contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

@end verbatim
@copynext

@heading The Regents of the University of California.

libedit

@verbatim

Copyright (c) 1992, 1993
The Regents of the University of California. All rights reserved.

This code is derived from software contributed to Berkeley by
Christos Zoulas of Cornell University.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

3. Neither the name of the University nor the names of its contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

@end verbatim
@copynext

@heading TomsFastMath / LibTomMath

Tom's fast math (bignum support) and LibTomMath

@verbatim

LibTomMath is hereby released into the Public Domain.

@end verbatim

@copynext

@heading Doug Rabson

GSS-API mechglue layer.

@verbatim

Copyright (c) 2005 Doug Rabson
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

@end verbatim
@copynext

@heading PADL Software Pty Ltd

@table @asis
@item GSS-API CFX, SPNEGO, naming extensions, API extensions.
@item KCM credential cache.
@item HDB LDAP backend.
@end table

@verbatim

Copyright (c) 2003-2011, PADL Software Pty Ltd.
Copyright (c) 2004, Andrew Bartlett.
Copyright (c) 2003 - 2008, Kungliga Tekniska Hgskolan
Copyright (c) 2015, Timothy Pearson.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

3. Neither the name of PADL Software nor the names of its contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY PADL SOFTWARE AND CONTRIBUTORS ``AS IS'' AND

ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL PADL SOFTWARE OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

@end verbatim
@copynext

@heading Marko Kreen

Fortuna in libhcrypto

@verbatim

Copyright (c) 2005 Marko Kreen
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

@end verbatim
@copynext

@heading NTT (Nippon Telegraph and Telephone Corporation)

Camellia in libhcrypto

@verbatim

@end verbatim
@copynext

@heading The NetBSD Foundation, Inc.

vis.c in libroken

@verbatim

documentation and/or other materials provided with the distribution.

@end verbatim
@copynext

@heading Vincent Rijmen, Antoon Bosselaers, Paulo Barreto

AES in libhcrypto

@verbatim

rijndael-alg-fst.c

@version 3.0 (December 2000)

Optimised ANSI C code for the Rijndael cipher (now AES)

@author Vincent Rijmen <vincent.rijmen@esat.kuleuven.ac.be>
@author Antoon Bosselaers <antoon.bosselaers@esat.kuleuven.ac.be>
@author Paulo Barreto <paulo.barreto@terra.com.br>

This code is hereby placed in the public domain.

@end verbatim

@copynext

@heading Apple, Inc

kdc/announce.c

@verbatim

Copyright (c) 2008 Apple Inc. All Rights Reserved.

Export of this software from the United States of America may require
a specific license from the United States Government. It is the
responsibility of any person or organization contemplating export to
obtain such a license before exporting.

WITHIN THAT CONSTRAINT, permission to use, copy, modify, and
distribute this software and its documentation for any purpose and
without fee is hereby granted, provided that the above copyright
notice appear in all copies and that both that copyright notice and
this permission notice appear in supporting documentation, and that
the name of Apple Inc. not be used in advertising or publicity pertaining
to distribution of the software without specific, written prior
permission. Apple Inc. makes no representations about the suitability of
this software for any purpose. It is provided "as is" without express
or implied warranty.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND WITHOUT ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED
WARRANTIES OF MERCHANTIBILITY AND FITNESS FOR A PARTICULAR PURPOSE.

@end verbatim

@copynext

@heading Richard Outerbridge

DES core in libhcrypto

@verbatim

D3DES (V5.09) -

A portable, public domain, version of the Data Encryption Standard.

Written with Symantec's THINK (Lightspeed) C by Richard Outerbridge.
Thanks to: Dan Hoey for his excellent Initial and Inverse permutation
code; Jim Gillogly & Phil Karn for the DES key schedule code; Dennis
Ferguson, Eric Young and Dana How for comparing notes; and Ray Lau,

for humouring me on.

Copyright (c) 1988,1989,1990,1991,1992 by Richard Outerbridge.
(GEnie : OUTER; CIS : [71755,204]) Graven Imagery, 1992.

@end verbatim

@copynext

@heading Secure Endpoints Inc

Windows support

@verbatim

Copyright (c) 2009-2015, Secure Endpoints Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

- Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright
 notice, this list of conditions and the following disclaimer in
 the documentation and/or other materials provided with the
 distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

@end verbatim

@copynext

@heading Novell, Inc

lib/hcrypto/test_dh.c

@verbatim

@end verbatim

@copyrightend

1.81 python-pip 20.0.2-5ubuntu1.6

1.81.1 Available under license :

Copyright (c) 2012 Giorgos Verigakis <verigak@gmail.com>

#

Permission to use, copy, modify, and distribute this software for any

purpose with or without fee is hereby granted, provided that the above

copyright notice and this permission notice appear in all copies.

#

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES

WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF

MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR

ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES

WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN

ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF

OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The MIT License (MIT)

Copyright (c) 2017 Thomas Kluyver

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in

all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN

THE SOFTWARE.

Copyright (C) 2016 Jason R Coombs <jaraco@jaraco.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of

this software and associated documentation files (the "Software"), to deal in

the Software without restriction, including without limitation the rights to

use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies

of the Software, and to permit persons to whom the Software is furnished to do

so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all

copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This is the MIT license

Copyright (c) 2010 ActiveState Software Inc.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2010-2020 Benjamin Peterson

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of
the Software, and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER
IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

  Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

 This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

 When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

 To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

 For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

 We protect your rights with a two-step method: (1) we copyright the
library, and (2) we offer you this license, which gives you legal
permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of

free software. For example, permission to use the GNU C Library in
non-free programs enables many more people to use the whole GNU
operating system, as well as its variant, the GNU/Linux operating
system.

 Although the Lesser General Public License is Less protective of the
users' freedom, it does ensure that the user of a program that is
linked with the Library has the freedom and the wherewithal to run
that program using a modified version of the Library.

 The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, whereas the latter must
be combined with the library in order to run.

  GNU LESSER GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License Agreement applies to any software library or other
program which contains a notice placed by the copyright holder or
other authorized party saying it may be distributed under the terms of
this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

 A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

 The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated
straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

 "Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means
all the source code for all modules it contains, plus any associated
interface definition files, plus the scripts used to control compilation
and installation of the library.

 Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running a program using the Library is not restricted, and output from
such a program is covered only if its contents constitute a work based
on the Library (independent of the use of the Library in a tool for

writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you

distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

 Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

 4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

 5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a

work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

 However, linking a "work that uses the Library" with the Library
creates an executable that is a derivative of the Library (because it
contains portions of the Library), rather than a "work that uses the
library". The executable is therefore covered by this License.
Section 6 states terms for distribution of such executables.

 When a "work that uses the Library" uses material from a header file
that is part of the Library, the object code for the work may be a
derivative work of the Library even though the source code is not.
Whether this is true is especially significant if the work can be
linked without the Library, or if the work is itself a library. The
threshold for this to be true is not precisely defined by law.

 If such an object file uses only numerical parameters, data
structure layouts and accessors, and small macros and small inline
functions (ten lines or less in length), then the use of the object
file is unrestricted, regardless of whether it is legally a derivative
work. (Executables containing this object code plus portions of the
Library will still fall under Section 6.)

 Otherwise, if the work is a derivative of the Library, you may
distribute the object code for the work under the terms of Section 6.
Any executables containing that work also fall under Section 6,
whether or not they are linked directly with the Library itself.

 6. As an exception to the Sections above, you may also combine or
link a "work that uses the Library" with the Library to produce a
work containing portions of the Library, and distribute that work
under terms of your choice, provided that the terms permit
modification of the work for the customer's own use and reverse
engineering for debugging such modifications.

 You must give prominent notice with each copy of the work that the
Library is used in it and that the Library and its use are covered by
this License. You must supply a copy of this License. If the work
during execution displays copyright notices, you must include the
copyright notice for the Library among them, as well as a reference
directing the user to the copy of this License. Also, you must do one
of these things:

  a) Accompany the work with the complete corresponding
  machine-readable source code for the Library including whatever
  changes were used in the work (which must be distributed under
  Sections 1 and 2 above); and, if the work is an executable linked
  with the Library, with the complete machine-readable "work that

uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

 For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

 It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

 7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work
based on the Library, uncombined with any other library
facilities. This must be distributed under the terms of the
Sections above.

b) Give prominent notice with the combined library of the fact
that part of it is a work based on the Library, and explaining
where to find the accompanying uncombined form of the same work.

 8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

 9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

 10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties with
this License.

 11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply,
and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

  12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

  13. The Free Software Foundation may publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

  14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

    <one line to give the library's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This library is free software; you can redistribute it and/or
    modify it under the terms of the GNU Lesser General Public
    License as published by the Free Software Foundation; either
    version 2.1 of the License, or (at your option) any later version.

    This library is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!
No-notice MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
Copyright (c) 2010 Jonathan Hartley
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
  list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.

* Neither the name of the copyright holders, nor those of its contributors
 may be used to endorse or promote products derived from this software without
 specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

   END OF TERMS AND CONDITIONS

This software is made available under the terms of *either* of the licenses
found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made
under the terms of *both* these licenses.

Copyright (c) 2012 by Simon Sapin.

Some rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
    notice, this list of conditions and the following disclaimer.

  * Redistributions in binary form must reproduce the above
    copyright notice, this list of conditions and the following
    disclaimer in the documentation and/or other materials provided
    with the distribution.

  * The names of the contributors may not be used to endorse or
    promote products derived from this software without specific
    prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

A. HISTORY OF THE SOFTWARE
==========================

contextlib2 is a derivative of the contextlib module distributed by the PSF
as part of the Python standard library. According, it is itself redistributed
under the PSF license (reproduced in full below). As the contextlib module
was added only in Python 2.5, the licenses for earlier Python versions are
not applicable and have not been included.

Python was created in the early 1990s by Guido van Rossum at Stichting
Mathematisch Centrum (CWI, see http://www.cwi.nl) in the Netherlands
as a successor of a language called ABC. Guido remains Python's

principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see http://www.cnri.reston.va.us) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations (now Zope Corporation, see http://www.zope.com). In 2001, the Python Software Foundation (PSF, see http://www.python.org/psf/) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation is a sponsoring member of the PSF.

All Python releases are Open Source (see http://www.opensource.org for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases that included the contextlib module.

Release	Derived from	Year	Owner	GPL-compatible? (1)
2.5	2.4	2006	PSF	yes
2.5.1	2.5	2007	PSF	yes
2.5.2	2.5.1	2008	PSF	yes
2.5.3	2.5.2	2008	PSF	yes
2.6	2.5	2008	PSF	yes
2.6.1	2.6	2008	PSF	yes
2.6.2	2.6.1	2009	PSF	yes
2.6.3	2.6.2	2009	PSF	yes
2.6.4	2.6.3	2009	PSF	yes
2.6.5	2.6.4	2010	PSF	yes
3.0	2.6	2008	PSF	yes
3.0.1	3.0	2009	PSF	yes
3.1	3.0.1	2009	PSF	yes
3.1.1	3.1	2009	PSF	yes
3.1.2	3.1.1	2010	PSF	yes
3.1.3	3.1.2	2010	PSF	yes
3.1.4	3.1.3	2011	PSF	yes
3.2	3.1	2011	PSF	yes
3.2.1	3.2	2011	PSF	yes
3.2.2	3.2.1	2011	PSF	yes
3.3	3.2	2012	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under
    the GPL. All Python licenses, unlike the GPL, let you distribute
    a modified version without making your changes open source. The
    GPL-compatible licenses make it possible to combine Python with
    other software that is released under the GPL; the others don't.

Thanks to the many outside volunteers who have worked under Guido's
direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON
===

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2
----

1. This LICENSE AGREEMENT is between the Python Software Foundation
("PSF"), and the Individual or Organization ("Licensee") accessing and
otherwise using this software ("Python") in source or binary form and
its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby
grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce,
analyze, test, perform and/or display publicly, prepare derivative works,
distribute, and otherwise use Python alone or in any derivative version,
provided, however, that PSF's License Agreement and PSF's notice of copyright,
i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010,
2011 Python Software Foundation; All Rights Reserved" are retained in Python
alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on
or incorporates Python or any part thereof, and wants to make
the derivative work available to others as provided herein, then
Licensee hereby agrees to include in any such work a brief summary of
the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS"
basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON
FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS
A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON,
OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.
Apache License

Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "{}"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Copyright (C) 2008-2011 INADA Naoki <songofacandy@gmail.com>

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
A. HISTORY OF THE SOFTWARE
==========================

Python was created in the early 1990s by Guido van Rossum at Stichting
Mathematisch Centrum (CWI, see http://www.cwi.nl) in the Netherlands
as a successor of a language called ABC. Guido remains Python's
principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for
National Research Initiatives (CNRI, see http://www.cnri.reston.va.us)
in Reston, Virginia where he released several versions of the
software.

In May 2000, Guido and the Python core development team moved to

BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations (now Zope Corporation, see http://www.zope.com). In 2001, the Python Software Foundation (PSF, see http://www.python.org/psf/) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation is a sponsoring member of the PSF.

All Python releases are Open Source (see http://www.opensource.org for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.2	2.1.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2.1	2.2	2002	PSF	yes
2.2.2	2.2.1	2002	PSF	yes
2.2.3	2.2.2	2003	PSF	yes
2.3	2.2.2	2002-2003	PSF	yes
2.3.1	2.3	2002-2003	PSF	yes
2.3.2	2.3.1	2002-2003	PSF	yes
2.3.3	2.3.2	2002-2003	PSF	yes
2.3.4	2.3.3	2004	PSF	yes
2.3.5	2.3.4	2005	PSF	yes
2.4	2.3	2004	PSF	yes
2.4.1	2.4	2005	PSF	yes
2.4.2	2.4.1	2005	PSF	yes
2.4.3	2.4.2	2006	PSF	yes
2.4.4	2.4.3	2006	PSF	yes
2.5	2.4	2006	PSF	yes
2.5.1	2.5	2007	PSF	yes
2.5.2	2.5.1	2008	PSF	yes
2.5.3	2.5.2	2008	PSF	yes
2.6	2.5	2008	PSF	yes
2.6.1	2.6	2008	PSF	yes
2.6.2	2.6.1	2009	PSF	yes

2.6.3	2.6.2	2009	PSF	yes
2.6.4	2.6.3	2009	PSF	yes
2.6.5	2.6.4	2010	PSF	yes
3.0	2.6	2008	PSF	yes
3.0.1	3.0	2009	PSF	yes
3.1	3.0.1	2009	PSF	yes
3.1.1	3.1	2009	PSF	yes
3.1.2	3.1	2010	PSF	yes
3.2	3.1	2010	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under
   the GPL. All Python licenses, unlike the GPL, let you distribute
   a modified version without making your changes open source. The
   GPL-compatible licenses make it possible to combine Python with
   other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible,
   because its license has a choice of law clause. According to
   CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1
   is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's
direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON
===

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2
----

1. This LICENSE AGREEMENT is between the Python Software Foundation
("PSF"), and the Individual or Organization ("Licensee") accessing and
otherwise using this software ("Python") in source or binary form and
its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby
grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce,
analyze, test, perform and/or display publicly, prepare derivative works,
distribute, and otherwise use Python alone or in any derivative version,
provided, however, that PSF's License Agreement and PSF's notice of copyright,
i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010
Python Software Foundation; All Rights Reserved" are retained in Python alone or
in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on

or incorporates Python or any part thereof, and wants to make
the derivative work available to others as provided herein, then
Licensee hereby agrees to include in any such work a brief summary of
the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS"
basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON
FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS
A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON,
OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material
breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any
relationship of agency, partnership, or joint venture between PSF and
Licensee. This License Agreement does not grant permission to use PSF
trademarks or trade name in a trademark sense to endorse or promote
products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee
agrees to be bound by the terms and conditions of this License
Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an
office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the
Individual or Organization ("Licensee") accessing and otherwise using
this software in source or binary form and its associated
documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License
Agreement, BeOpen hereby grants Licensee a non-exclusive,
royalty-free, world-wide license to reproduce, analyze, test, perform
and/or display publicly, prepare derivative works, distribute, and
otherwise use the Software alone or in any derivative version,
provided, however, that the BeOpen Python License is retained in the

Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at http://www.pythonlabs.com/logos.html may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1
----

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c)

1995-2001 Corporation for National Research Initiatives; All Rights
Reserved" are retained in Python 1.6.1 alone or in any derivative
version prepared by Licensee. Alternately, in lieu of CNRI's License
Agreement, Licensee may substitute the following text (omitting the
quotes): "Python 1.6.1 is made available subject to the terms and
conditions in CNRI's License Agreement. This Agreement together with
Python 1.6.1 may be located on the Internet using the following
unique, persistent identifier (known as a handle): 1895.22/1013. This
Agreement may also be obtained from a proxy server on the Internet
using the following URL: http://hdl.handle.net/1895.22/1013".

3. In the event Licensee prepares a derivative work that is based on
or incorporates Python 1.6.1 or any part thereof, and wants to make
the derivative work available to others as provided herein, then
Licensee hereby agrees to include in any such work a brief summary of
the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS"
basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON
1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS
A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1,
OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material
breach of its terms and conditions.

7. This License Agreement shall be governed by the federal
intellectual property law of the United States, including without
limitation the federal copyright law, and, to the extent such
U.S. federal law does not apply, by the law of the Commonwealth of
Virginia, excluding Virginia's conflict of law provisions.
Notwithstanding the foregoing, with regard to derivative works based
on Python 1.6.1 that incorporate non-separable material that was
previously distributed under the GNU General Public License (GPL), the
law of the Commonwealth of Virginia shall govern this License
Agreement only as to issues arising under or with respect to
Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this
License Agreement shall be deemed to create any relationship of
agency, partnership, or joint venture between CNRI and Licensee. This
License Agreement does not grant permission to use CNRI trademarks or
trade name in a trademark sense to endorse or promote products or
services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying,
installing or otherwise using Python 1.6.1, Licensee agrees to be
bound by the terms and conditions of this License Agreement.

   ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam,
The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the name of Stichting Mathematisch
Centrum or CWI not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior
permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE
FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
Copyright 2018 Kenneth Reitz

 Licensed under the Apache License, Version 2.0 (the "License");
 you may not use this file except in compliance with the License.
 You may obtain a copy of the License at

   https://www.apache.org/licenses/LICENSE-2.0

 Unless required by applicable law or agreed to in writing, software
 distributed under the License is distributed on an "AS IS" BASIS,
 WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 See the License for the specific language governing permissions and
 limitations under the License.
MIT License

Copyright (c) 2008-2019 Andrey Petrov and contributors (see CONTRIBUTORS.txt)

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all

copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This packge contains a modified version of ca-bundle.crt:

ca-bundle.crt -- Bundle of CA Root Certificates

Certificate data from Mozilla as of: Thu Nov 3 19:04:19 2011#

This is a bundle of X.509 certificates of public Certificate Authorities

(CA). These were automatically extracted from Mozilla's root certificates

file (certdata.txt). This file can be found in the mozilla source tree:

http://mxr.mozilla.org/mozilla/source/security/nss/lib/ckfw/builtins/certdata.txt?raw=1#

It contains the certificates in PEM format and therefore

can be directly used with curl / libcurl / php_curl, or with

an Apache+mod_ssl webserver for SSL client authentication.

Just configure this file as the SSLCACertificateFile.#

***** BEGIN LICENSE BLOCK *****

This Source Code Form is subject to the terms of the Mozilla Public License,

v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain

one at http://mozilla.org/MPL/2.0/.

***** END LICENSE BLOCK *****

@(#) $RCSfile: certdata.txt,v $ $Revision: 1.80 $ $Date: 2011/11/03 15:11:58 $

Copyright (c) 2006-2013 James Graham and other contributors

Permission is hereby granted, free of charge, to any person obtaining

a copy of this software and associated documentation files (the

"Software"), to deal in the Software without restriction, including

without limitation the rights to use, copy, modify, merge, publish,

distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to

the following conditions:

The above copyright notice and this permission notice shall be

included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Copyright 2015 Eric Larson

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied.

See the License for the specific language governing permissions and
limitations under the License.
Copyright (c) Donald Stufft and individual contributors.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

  1. Redistributions of source code must retain the above copyright notice,
     this list of conditions and the following disclaimer.

  2. Redistributions in binary form must reproduce the above copyright
     notice, this list of conditions and the following disclaimer in the
     documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This package is a modified version of cpython's ipaddress module.
It is therefore distributed under the PSF license, as follows:

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2
----

1. This LICENSE AGREEMENT is between the Python Software Foundation
("PSF"), and the Individual or Organization ("Licensee") accessing and
otherwise using this software ("Python") in source or binary form and
its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby
grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce,
analyze, test, perform and/or display publicly, prepare derivative works,
distribute, and otherwise use Python alone or in any derivative version,
provided, however, that PSF's License Agreement and PSF's notice of copyright,
i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010,
2011, 2012, 2013, 2014 Python Software Foundation; All Rights Reserved" are
retained in Python alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on
or incorporates Python or any part thereof, and wants to make
the derivative work available to others as provided herein, then
Licensee hereby agrees to include in any such work a brief summary of
the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS"
basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON
FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS
A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON,
OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material
breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any
relationship of agency, partnership, or joint venture between PSF and
Licensee. This License Agreement does not grant permission to use PSF
trademarks or trade name in a trademark sense to endorse or promote
products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee

agrees to be bound by the terms and conditions of this License
Agreement.

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2008-2019 The pip developers (see AUTHORS.txt file)

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of

the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and
limitations under the License.

1.82 prometheus 1.8.2-0.20201014093524-73e2ce1bd643

1.82.1 Available under license :

Copyright 2009 The Go Authors. All rights reserved. Use of this source code
is governed by a BSD-style license that can be found in the LICENSE file.
Extensions of the original work are copyright (c) 2011 Miek Gieben

Copyright 2011 Miek Gieben. All rights reserved. Use of this source code is
governed by a BSD-style license that can be found in the LICENSE file.

Copyright 2014 CloudFlare. All rights reserved. Use of this source code is
governed by a BSD-style license that can be found in the LICENSE file.
Copyright (C) 2013 Blake Mizerany

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
The MIT License (MIT)

Copyright (c) 2014 Chris Hines

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Copyright (c) 2012 Pter Surnyi. Portions Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

  * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
  * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright (c) 2016 Mail.Ru Group

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

   * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
   * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright 2014, Google Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

   * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
   * Neither the name of Google Inc. nor the names of its

contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright (c) 2011 The Snappy-Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
  * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
The following files were ported to Go from C files of libyaml, and thus
are still covered by their original copyright and license:

  apic.go
  emitterc.go
  parserc.go
  readerc.go

scannerc.go

writerc.go

yamlh.go

yamlprivateh.go

Copyright (c) 2006 Kirill Simonov

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
The MIT License (MIT)

Copyright (c) 2015 Peter Bourgon

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
Copyright (c) 2015, Gengo, Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

  * Redistributions of source code must retain the above copyright notice,
    this list of conditions and the following disclaimer.

  * Redistributions in binary form must reproduce the above copyright notice,
    this list of conditions and the following disclaimer in the documentation
    and/or other materials provided with the distribution.

  * Neither the name of Gengo, Inc. nor the names of its
    contributors may be used to endorse or promote products derived from this
    software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright (c) 2011 Google Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
  * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
The Prometheus systems and service monitoring server
Copyright 2012-2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (http://soundcloud.com/).

The following components are included in this product:

Bootstrap
http://getbootstrap.com
Copyright 2011-2014 Twitter, Inc.
Licensed under the MIT License

bootstrap3-typeahead.js
https://github.com/bassjobsen/Bootstrap-3-Typeahead
Original written by @mdo and @fat
Copyright 2014 Bass Jobsen @bassjobsen
Licensed under the Apache License, Version 2.0

fuzzy
https://github.com/mattyork/fuzzy
Original written by @mattyork
Copyright 2012 Matt York
Licensed under the MIT License

bootstrap-datetimepicker.js
https://github.com/Eonasdan/bootstrap-datetimepicker
Copyright 2015 Jonathan Peterson (@Eonasdan)
Licensed under the MIT License

moment.js
https://github.com/moment/moment/
Copyright JS Foundation and other contributors
Licensed under the MIT License

Rickshaw
https://github.com/shutterstock/rickshaw
Copyright 2011-2014 by Shutterstock Images, LLC
See https://github.com/shutterstock/rickshaw/blob/master/LICENSE for license details

mustache.js
https://github.com/janl/mustache.js
Copyright 2009 Chris Wanstrath (Ruby)
Copyright 2010-2014 Jan Lehnardt (JavaScript)

Copyright 2010-2015 The mustache.js community
Licensed under the MIT License

jQuery
https://jquery.org
Copyright jQuery Foundation and other contributors
Licensed under the MIT License

Protocol Buffers for Go with Gadgets
http://github.com/gogo/protobuf/
Copyright (c) 2013, The GoGo Authors.
See source code for license details.

Go support for leveled logs, analogous to
https://code.google.com/p/google-glog/
Copyright 2013 Google Inc.
Licensed under the Apache License, Version 2.0

Support for streaming Protocol Buffer messages for the Go language (golang).
https://github.com/matttproud/golang_protobuf_extensions
Copyright 2013 Matt T. Proud
Licensed under the Apache License, Version 2.0

DNS library in Go
http://miek.nl/posts/2014/Aug/16/go-dns-package/
Copyright 2009 The Go Authors, 2011 Miek Gieben
See https://github.com/miekg/dns/blob/master/LICENSE for license details.

LevelDB key/value database in Go
https://github.com/syndtr/goleveldb
Copyright 2012 Suryandaru Triandana
See https://github.com/syndtr/goleveldb/blob/master/LICENSE for license details.

gosnappy - a fork of code.google.com/p/snappy-go
https://github.com/syndtr/gosnappy
Copyright 2011 The Snappy-Go Authors
See https://github.com/syndtr/gosnappy/blob/master/LICENSE for license details.

go-zookeeper - Native ZooKeeper client for Go
https://github.com/samuel/go-zookeeper
Copyright (c) 2013, Samuel Stauffer <samuel@descolada.com>
See https://github.com/samuel/go-zookeeper/blob/master/LICENSE for license details.
Copyright (c) 2012-2013 Dave Collins <dave@davec.name>

Permission to use, copy, modify, and distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and
       attribution notices from the Source form of the Work,
       excluding those notices that do not pertain to any part of
       the Derivative Works; and

   (d) If the Work includes a "NOTICE" text file as part of its
       distribution, then any Derivative Works that You distribute must
       include a readable copy of the attribution notices contained
       within such NOTICE file, excluding those notices that do not
       pertain to any part of the Derivative Works, in at least one
       of the following places: within a NOTICE text file distributed
       as part of the Derivative Works; within the Source form or
       documentation, if provided along with the Derivative Works; or,
       within a display generated by the Derivative Works, if and
       wherever such third-party notices normally appear. The contents
       of the NOTICE file are for informational purposes only and
       do not modify the License. You may add Your own attribution
       notices within Derivative Works that You distribute, alongside
       or as an addendum to the NOTICE text from the Work, provided
       that such additional attribution notices cannot be construed
       as modifying the License.

   You may add Your own copyright statement to Your modifications and
   may provide additional or different license terms and conditions
   for use, reproduction, or distribution of Your modifications, or
   for any such Derivative Works as a whole, provided Your use,
   reproduction, and distribution of the Work otherwise complies with
   the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright 2014 The Kubernetes Authors.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Copyright (c) 2012 The Go Authors. All rights reserved.
Copyright (c) 2012 fsnotify Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

   * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
   * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
// Copyright 2015 go-swagger maintainers
//
// Licensed under the Apache License, Version 2.0 (the "License");

```
// you may not use this file except in compliance with the License.
// You may obtain a copy of the License at
//
//    http://www.apache.org/licenses/LICENSE-2.0
//
// Unless required by applicable law or agreed to in writing, software
// distributed under the License is distributed on an "AS IS" BASIS,
// WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
// See the License for the specific language governing permissions and
// limitations under the License.

package spec

// License information for the exposed API.
//
// For more information: http://goo.gl/8us55a#licenseObject
type License struct {
 Name string `json:"name,omitempty"`
 URL  string `json:"url,omitempty"`
}
```

Apache License
                Version 2.0, January 2004
              http://www.apache.org/licenses/

 TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

 1. Definitions.

   "License" shall mean the terms and conditions for use, reproduction,
   and distribution as defined by Sections 1 through 9 of this document.

   "Licensor" shall mean the copyright owner or entity authorized by
   the copyright owner that is granting the License.

   "Legal Entity" shall mean the union of the acting entity and all
   other entities that control, are controlled by, or are under common
   control with that entity. For the purposes of this definition,
   "control" means (i) the power, direct or indirect, to cause the
   direction or management of such entity, whether by contract or
   otherwise, or (ii) ownership of fifty percent (50%) or more of the
   outstanding shares, or (iii) beneficial ownership of such entity.

   "You" (or "Your") shall mean an individual or Legal Entity
   exercising permissions granted by this License.

   "Source" form shall mean the preferred form for making modifications,
   including but not limited to software source code, documentation
   source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "{}"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
This is the official list of people who can contribute
(and typically have contributed) code to the Snappy-Go repository.
The AUTHORS file lists the copyright holders; this file
lists people. For example, Google employees are listed here
but not in AUTHORS, because Google holds the copyright.
#
The submission process automatically checks to make sure
that people submitting code are listed in this file (by email address).
#
Names should be added to this file only after verifying that
the individual or the individual's organization has agreed to
the appropriate Contributor License Agreement, found here:
#
http://code.google.com/legal/individual-cla-v1.0.html
http://code.google.com/legal/corporate-cla-v1.0.html
#
The agreement for individuals can be filled out on the web.
#
When adding J Random Contributor's name to this file,

either J's name or J's organization's name should be
added to the AUTHORS file, depending on whether the
individual or corporate CLA was used.

Names should be added to this file like so:
Name <email address>

Please keep the list sorted.

Damian Gryski <dgryski@gmail.com>
Jan Mercl <0xjnml@gmail.com>
Kai Backman <kaib@golang.org>
Marc-Antoine Ruel <maruel@chromium.org>
Nigel Tao <nigeltao@golang.org>
Rob Pike <r@golang.org>
Rodolfo Carvalho <rhcarvalho@gmail.com>
Russ Cox <rsc@golang.org>
Sebastien Binet <seb.binet@gmail.com>
The MIT License (MIT)

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
   distribution, then any Derivative Works that You distribute must
   include a readable copy of the attribution notices contained
   within such NOTICE file, excluding those notices that do not
   pertain to any part of the Derivative Works, in at least one
   of the following places: within a NOTICE text file distributed
   as part of the Derivative Works; within the Source form or
   documentation, if provided along with the Derivative Works; or,
   within a display generated by the Derivative Works, if and
   wherever such third-party notices normally appear. The contents
   of the NOTICE file are for informational purposes only and
   do not modify the License. You may add Your own attribution
   notices within Derivative Works that You distribute, alongside
   or as an addendum to the NOTICE text from the Work, provided
   that such additional attribution notices cannot be construed
   as modifying the License.

   You may add Your own copyright statement to Your modifications and
   may provide additional or different license terms and conditions
   for use, reproduction, or distribution of Your modifications, or
   for any such Derivative Works as a whole, provided Your use,
   reproduction, and distribution of the Work otherwise complies with
   the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "{}"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and

limitations under the License.
Copyright (c) 2013 Joshua Tacoma

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of
the Software, and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER
IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Copyright (c) 2013, Samuel Stauffer <samuel@descolada.com>
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.
* Neither the name of the author nor the
  names of its contributors may be used to endorse or promote products
  derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL <COPYRIGHT HOLDER> BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
    that You distribute, all copyright, patent, trademark, and
    attribution notices from the Source form of the Work,
    excluding those notices that do not pertain to any part of
    the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
    distribution, then any Derivative Works that You distribute must
    include a readable copy of the attribution notices contained
    within such NOTICE file, excluding those notices that do not
    pertain to any part of the Derivative Works, in at least one
    of the following places: within a NOTICE text file distributed
    as part of the Derivative Works; within the Source form or
    documentation, if provided along with the Derivative Works; or,
    within a display generated by the Derivative Works, if and
    wherever such third-party notices normally appear. The contents
    of the NOTICE file are for informational purposes only and
    do not modify the License. You may add Your own attribution
    notices within Derivative Works that You distribute, alongside
    or as an addendum to the NOTICE text from the Work, provided
    that such additional attribution notices cannot be construed
    as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright 2016 Microsoft Corporation

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

CockroachDB Community License Agreement

Please read this CockroachDB Community License Agreement (the "Agreement")
carefully before using CockroachDB (as defined below), which is offered by
Cockroach Labs, Inc. or its affiliated Legal Entities ("Cockroach Labs").

By downloading CockroachDB or using it in any manner, You agree that You have
read and agree to be bound by the terms of this Agreement. If You are
accessing CockroachDB on behalf of a Legal Entity, You represent and warrant
that You have the authority to agree to these terms on its behalf and the
right to bind that Legal Entity to this Agreement. Use of CockroachDB is
expressly conditioned upon Your assent to all the terms of this Agreement, to
the exclusion of all other terms.

1. Definitions. In addition to other terms defined elsewhere in this

Agreement, the terms below have the following meanings.

(a) "CockroachDB" shall mean the SQL database software provided by Cockroach Labs, including both CockroachDB Community and CockroachDB Enterprise editions, as defined below.

(b) "CockroachDB Community Edition" shall mean the open source version of CockroachDB, available free of charge at

https://github.com/cockroachdb/cockroach

(c) "CockroachDB Enterprise Edition" shall mean the additional features made available by Cockroach Labs, the use of which is subject to additional terms set out below.

(d) "Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted Cockroach Labs for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to Cockroach Labs or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, Cockroach Labs for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

(e) "Contributor" shall mean any copyright owner or individual or Legal Entity authorized by the copyright owner, other than Cockroach Labs, from whom Cockroach Labs receives a Contribution that Cockroach Labs subsequently incorporates within the Work.

(f) "Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work, such as a translation, abridgement, condensation, or any other recasting, transformation, or adaptation for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

(g) "Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management

of such entity, whether by contract or otherwise, or (ii) ownership of
fifty percent (50%) or more of the outstanding shares, or (iii)
beneficial ownership of such entity.

(h) "License" shall mean the terms and conditions for use, reproduction, and
distribution of a Work as defined by this Agreement.

(i) "Licensor" shall mean Cockroach Labs or a Contributor, as applicable.

(j) "Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but not
limited to compiled object code, generated documentation, and
conversions to other media types.

(k) "Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation source,
and configuration files.

(l) "Third Party Works" shall mean Works, including Contributions, and other
technology owned by a person or Legal Entity other than Cockroach Labs,
as indicated by a copyright notice that is included in or attached to
such Works or technology.

(m) "Work" shall mean the work of authorship, whether in Source or Object
form, made available under a License, as indicated by a copyright notice
that is included in or attached to the work.

(n) "You" (or "Your") shall mean an individual or Legal Entity exercising
permissions granted by this License.

2. Licenses.

(a) License to CockroachDB Community Edition. The License for CockroachDB
Community Edition is the Apache License, Version 2.0 ("Apache License").
The Apache License includes a grant of patent license, as well as
redistribution rights that are contingent on several requirements.
Please see

http://www.apache.org/licenses/LICENSE-2.0

for full terms. CockroachDB Community Edition is a no-cost, entry-level
license and as such, contains the following disclaimers: NOTWITHSTANDING
ANYTHING TO THE CONTRARY HEREIN, COCKROACHDB COMMUNITY EDITION IS
PROVIDED "AS IS" AND "AS AVAILABLE", AND ALL EXPRESS OR IMPLIED
WARRANTIES ARE EXCLUDED AND DISCLAIMED, INCLUDING WITHOUT LIMITATION THE
IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE,
NON-INFRINGEMENT, AND ANY WARRANTIES ARISING BY STATUTE OR OTHERWISE IN
LAW OR FROM COURSE OF DEALING, COURSE OF PERFORMANCE, OR USE IN TRADE.

For clarity, the terms of this Agreement, other than the relevant definitions in Section 1 and this Section 2(a) do not apply to CockroachDB Community Edition.

(b) License to CockroachDB Enterprise Edition.

  i Grant of Copyright License: Subject to the terms of this Agreement, Licensor hereby grants to You a worldwide, non-exclusive, non-transferable limited license to reproduce, prepare Enterprise Derivative Works (as defined below) of, publicly display, publicly perform, sublicense, and distribute CockroachDB Enterprise Edition for Your business purposes, for so long as You are not in violation of this Section 2(b) and are current on all payments required by Section 4 below.

  ii Grant of Patent License: Subject to the terms of this Agreement, Licensor hereby grants to You a worldwide, non-exclusive, non-transferable limited patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer CockroachDB Enterprise Edition, where such license applies only to those patent claims licensable by Licensor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

  iii License to Third Party Works: From time to time Cockroach Labs may use, or provide You access to, Third Party Works in connection CockroachDB Enterprise Edition. You acknowledge and agree that in addition to this Agreement, Your use of Third Party Works is subject to all other terms and conditions set forth in the License provided with or contained in such Third Party Works. Some Third Party Works may be licensed to You solely for use with CockroachDB Enterprise Edition under the terms of a third party License, or as otherwise notified by Cockroach Labs, and not under the terms of this Agreement. You agree that the owners and third party licensors of Third Party Works are intended third party beneficiaries to this Agreement.

3. Support. From time to time, in its sole discretion, Cockroach Labs may offer professional services or support for CockroachDB, which may now or in the future be subject to additional fees.

4. Fees for CockroachDB Enterprise Edition or CockroachDB Support.

(a) Fees. The License to CockroachDB Enterprise Edition is conditioned upon Your payment of the fees specified on

https://cockroachlabs.com/pricing

which You agree to pay to Cockroach Labs in accordance with the payment terms set out on that page. Any professional services or support for CockroachDB may also be subject to Your payment of fees, which will be specified by Cockroach Labs when you sign up to receive such professional services or support. Cockroach Labs reserves the right to change the fees at any time with prior written notice; for recurring fees, any such adjustments will take effect as of the next pay period.

(b) Overdue Payments and Taxes. Overdue payments are subject to a service charge equal to the lesser of 1.5% per month or the maximum legal interest rate allowed by law, and You shall pay all Cockroach Labs reasonable costs of collection, including court costs and attorneys fees. Fees are stated and payable in U.S. dollars and are exclusive of all sales, use, value added and similar taxes, duties, withholdings and other governmental assessments (but excluding taxes based on Cockroach Labs income) that may be levied on the transactions contemplated by this Agreement in any jurisdiction, all of which are Your responsibility unless you have provided Cockroach Labs with a valid tax-exempt certificate.

(c) Record-keeping and Audit. If fees for CockroachDB Enterprise Edition are based on the number of cores or servers running on CockroachDB Enterprise Edition or another use-based unit of measurement, You must maintain complete and accurate records with respect to Your use of CockroachDB Enterprise Edition and will provide such records to Cockroach Labs for inspection or audit upon Cockroach Labs reasonable request. If an inspection or audit uncovers additional usage by You for which fees are owed under this Agreement, then You shall pay for such additional usage at Cockroach Labs then-current rates.

5. Trial License. If You have signed up for a trial or evaluation of CockroachDB Enterprise Edition, Your License to CockroachDB Enterprise Edition is granted without charge for the trial or evaluation period specified when You signed up, or if no term was specified, for thirty (30) calendar days, provided that Your License is granted solely for purposes of Your internal evaluation of CockroachDB Enterprise Edition during the trial or evaluation period (a "Trial License"). You may not use CockroachDB Enterprise Edition under a Trial License more than once in any twelve (12) month period. Cockroach Labs may revoke a Trial License at any time and for any reason. Sections 3, 4, 9 and 11 of this Agreement do not apply to Trial Licenses.

6. Redistribution. You may reproduce and distribute copies of the Work or
   Derivative Works thereof in any medium, with or without modifications, and
   in Source or Object form, provided that You meet the following conditions:

   (a) You must give any other recipients of the Work or Derivative Works a
       copy of this License; and

   (b) You must cause any modified files to carry prominent notices stating
       that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works that You
       distribute, all copyright, patent, trademark, and attribution notices
       from the Source form of the Work, excluding those notices that do not
       pertain to any part of the Derivative Works; and

   (d) If the Work includes a "NOTICE" text file as part of its distribution,
       then any Derivative Works that You distribute must include a readable
       copy of the attribution notices contained within such NOTICE file,
       excluding those notices that do not pertain to any part of the
       Derivative Works, in at least one of the following places: within a
       NOTICE text file distributed as part of the Derivative Works; within the
       Source form or documentation, if provided along with the Derivative
       Works; or, within a display generated by the Derivative Works, if and
       wherever such third-party notices normally appear. The contents of the
       NOTICE file are for informational purposes only and do not modify the
       License. You may add Your own attribution notices within Derivative
       Works that You distribute, alongside or as an addendum to the NOTICE
       text from the Work, provided that such additional attribution notices
       cannot be construed as modifying the License.

       You may add Your own copyright statement to Your modifications and may
       provide additional or different license terms and conditions for use,
       reproduction, or distribution of Your modifications, or for any such
       Derivative Works as a whole, provided Your use, reproduction, and
       distribution of the Work otherwise complies with the conditions stated
       in this License.

   (e) Enterprise Derivative Works: Derivative Works of CockroachDB Enterprise
       Edition ("Enterprise Derivative Works") may be made, reproduced and
       distributed in any medium, with or without modifications, in Source or
       Object form, provided that each Enterprise Derivative Work will be
       considered to include a License to CockroachDB Enterprise Edition and
       thus will be subject to the payment of fees to Cockroach Labs by any
       user of the Enterprise Derivative Work.

7. Submission of Contributions. Unless You explicitly state otherwise, any
   Contribution intentionally submitted for inclusion in CockroachDB by You to
   Cockroach Labs shall be under the terms and conditions of

https://cla-assistant.io/cockroachdb/cockroach

(which is based off of the Apache License), without any additional terms or conditions, payments of royalties or otherwise to Your benefit. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement You may have executed with Cockroach Labs regarding such Contributions.

8. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

9. Limited Warranty.

  (a) Warranties. Cockroach Labs warrants to You that: (i) CockroachDB Enterprise Edition will materially perform in accordance with the applicable documentation for ninety (90) days after initial delivery to You; and (ii) any professional services performed by Cockroach Labs under this Agreement will be performed in a workmanlike manner, in accordance with general industry standards.

  (b) Exclusions. Cockroach Labs warranties in this Section 9 do not extend to problems that result from: (i) Your failure to implement updates issued by Cockroach Labs during the warranty period; (ii) any alterations or additions (including Enterprise Derivative Works and Contributions) to CockroachDB not performed by or at the direction of Cockroach Labs; (iii) failures that are not reproducible by Cockroach Labs; (iv) operation of CockroachDB Enterprise Edition in violation of this Agreement or not in accordance with its documentation; (v) failures caused by software, hardware or products not licensed or provided by Cockroach Labs hereunder; or (vi) Third Party Works.

  (c) Remedies. In the event of a breach of a warranty under this Section 9, Cockroach Labs will, at its discretion and cost, either repair, replace or re-perform the applicable Works or services or refund a portion of fees previously paid to Cockroach Labs that are associated with the defective Works or services. This is Your exclusive remedy, and Cockroach Labs sole liability, arising in connection with the limited warranties herein.

10. Disclaimer of Warranty. Except as set out in Section 9, unless required by applicable law, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, arising out of course of dealing, course of performance, or usage in trade, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT,

MERCHANTABILITY, CORRECTNESS, RELIABILITY, or FITNESS FOR A PARTICULAR PURPOSE, all of which are hereby disclaimed. You are solely responsible for determining the appropriateness of using or redistributing Works and assume any risks associated with Your exercise of permissions under the applicable License for such Works.

11. Limited Indemnity.

(a) Indemnity. Cockroach Labs will defend, indemnify and hold You harmless against any third party claims, liabilities or expenses incurred (including reasonable attorneys fees), as well as amounts finally awarded in a settlement or a non-appealable judgement by a court ("Losses"), to the extent arising from any claim or allegation by a third party that CockroachDB Enterprise Edition infringes or misappropriates a valid United States patent, copyright or trade secret right of a third party; provided that You give Cockroach Labs: (i) prompt written notice of any such claim or allegation; (ii) sole control of the defense and settlement thereof; and (iii) reasonable cooperation and assistance in such defense or settlement. If any Work within CockroachDB Enterprise Edition becomes or, in Cockroach Labs opinion, is likely to become, the subject of an injunction, Cockroach Labs may, at its option, (A) procure for You the right to continue using such Work, (B) replace or modify such Work so that it becomes non-infringing without substantially compromising its functionality, or, if (A) and (B) are not commercially practicable, then (C) terminate Your license to the allegedly infringing Work and refund to You a prorated portion of the prepaid and unearned fees for such infringing Work. The foregoing states the entire liability of Cockroach Labs with respect to infringement of patents, copyrights, trade secrets or other intellectual property rights.

(b) Exclusions. The foregoing obligations shall not apply to: (i) Works modified by any party other than Cockroach Labs (including Enterprise Derivative Works and Contributions), if the alleged infringement relates to such modification, (ii) Works combined or bundled with any products, processes or materials not provided by Cockroach Labs where the alleged infringement relates to such combination, (iii) use of a version of CockroachDB Enterprise Edition other than the version that was current at the time of such use, as long as a non-infringing version had been released, (iv) any Works created to Your specifications, (v) infringement or misappropriation of any proprietary right in which You have an interest, or (vi) Third Party Works. You will defend, indemnify and hold Cockroach Labs harmless against any Losses arising from any such claim or allegation, subject to conditions reciprocal to those in Section 11(a).

12. Limitation of Liability. In no event and under no legal or equitable theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts), and notwithstanding anything in this Agreement to the contrary, shall Licensor or any Contributor be liable to You for (i) any amounts in excess, in the aggregate, of the fees paid by You to Cockroach Labs under this Agreement in the twelve (12) months preceding the date the first cause of liability arose), or (ii) any indirect, special, incidental, punitive, exemplary, reliance, or consequential damages of any character arising as a result of this Agreement or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, profits, data or data use, work stoppage, computer failure or malfunction, cost of procurement of substitute goods, technology or services, or any and all other commercial damages or losses), even if such Licensor or Contributor has been advised of the possibility of such damages. THESE LIMITATIONS SHALL APPLY NOTWITHSTANDING THE FAILURE OF THE ESSENTIAL PURPOSE OF ANY LIMITED REMEDY.

13. Accepting Warranty or Additional Liability. While redistributing Works or Derivative Works thereof, and without limiting your obligations under Section 6, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold Cockroach Labs and each other Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

14. General.

(a) Relationship of Parties. You and Cockroach Labs are independent contractors, and nothing herein shall be deemed to constitute either party as the agent or representative of the other or both parties as joint venturers or partners for any purpose.

(b) Export Control. You shall comply with the U.S. Foreign Corrupt Practices Act and all applicable export laws, restrictions and regulations of the U.S. Department of Commerce, and any other applicable U.S. and foreign authority.

(c) Assignment. This Agreement and the rights and obligations herein may not be assigned or transferred, in whole or in part, by You without the prior written consent of Cockroach Labs. Any assignment in violation of this provision is void. This Agreement shall be binding upon, and inure to the benefit of, the successors and permitted assigns of the parties.

(d) Governing Law. This Agreement shall be governed by and construed under the laws of the State of New York and the United States without regard to conflicts of laws provisions thereof, and without regard to the

Uniform Computer Information Transactions Act.

(e) Attorneys Fees. In any action or proceeding to enforce rights under
this Agreement, the prevailing party shall be entitled to recover its
costs, expenses and attorneys fees.

(f) Severability. If any provision of this Agreement is held to be invalid,
illegal or unenforceable in any respect, that provision shall be limited
or eliminated to the minimum extent necessary so that this Agreement
otherwise remains in full force and effect and enforceable.

(g) Entire Agreement; Waivers; Modification. This Agreement constitutes the
entire agreement between the parties relating to the subject matter
hereof and supersedes all proposals, understandings, or discussions,
whether written or oral, relating to the subject matter of this
Agreement and all past dealing or industry custom. The failure of either
party to enforce its rights under this Agreement at any time for any
period shall not be construed as a waiver of such rights. No changes,
modifications or waivers to this Agreement will be effective unless in
writing and signed by both parties.

AWS SDK for Go

Copyright 2015 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Copyright 2014-2015 Stripe, Inc.

The MIT License (MIT)

Copyright (c) 2015 go-logfmt

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

Go support for Protocol Buffers - Google's data interchange format

Copyright 2010 The Go Authors. All rights reserved.

https://github.com/golang/protobuf

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

   * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
   * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright (c) 2012,2013 Ernest Micklei

MIT License

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2014 Sam Ghods

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

Copyright (c) 2012 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

   * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
   * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

                        Apache License
                    Version 2.0, January 2004
                  http://www.apache.org/licenses/

 TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

  1. Definitions.

    "License" shall mean the terms and conditions for use, reproduction,
    and distribution as defined by Sections 1 through 9 of this document.

    "Licensor" shall mean the copyright owner or entity authorized by
    the copyright owner that is granting the License.

    "Legal Entity" shall mean the union of the acting entity and all
    other entities that control, are controlled by, or are under common
    control with that entity. For the purposes of this definition,
    "control" means (i) the power, direct or indirect, to cause the
    direction or management of such entity, whether by contract or
    otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and
       attribution notices from the Source form of the Work,
       excluding those notices that do not pertain to any part of
       the Derivative Works; and

   (d) If the Work includes a "NOTICE" text file as part of its
       distribution, then any Derivative Works that You distribute must
       include a readable copy of the attribution notices contained
       within such NOTICE file, excluding those notices that do not
       pertain to any part of the Derivative Works, in at least one
       of the following places: within a NOTICE text file distributed
       as part of the Derivative Works; within the Source form or
       documentation, if provided along with the Derivative Works; or,
       within a display generated by the Derivative Works, if and
       wherever such third-party notices normally appear. The contents
       of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

and/or other materials provided with the distribution.

* Neither the name of go-stdlib nor the names of its
  contributors may be used to endorse or promote products derived from
  this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
The list of people who have contributed code to the cmux repository.
#
Auto-generated with:
git log --oneline --pretty=format:'%an <%aE>' | sort -u
#
Dmitri Shuralyov <shurcooL@gmail.com>
Ethan Mosbaugh <emosbaugh@gmail.com>
Soheil Hassas Yeganeh <soheil.h.y@gmail.com>
Soheil Hassas Yeganeh <soheil@cs.toronto.edu>
Tamir Duberstein <tamir@cockroachlabs.com>
Tamir Duberstein <tamird@gmail.com>
Extensions of the original work are copyright (c) 2011 Miek Gieben

As this is fork of the official Go code the same license applies:

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
  * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Alex A. Skinner
Andrew Tunnell-Jones
Ask Bjrn Hansen
Dave Cheney
Dusty Wilson
Marek Majkowski
Peter van Dijk
Omri Bahumi
Alex Sergeyev

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
The MIT License (MIT)

Copyright (c) 2013-2015 Errplane Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Copyright 2015 James Saryerwinnie

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and
       attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Copyright 2012 Matt T. Proud (matt.proud@gmail.com)

Copyright (c) 2015, Dave Cheney <dave@cheney.net>

All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
 list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice,
 this list of conditions and the following disclaimer in the documentation
 and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2009 The oauth2 Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
  * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,

SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

List

- bootstrap 3.3.5 [MIT LICENSE](https://github.com/twbs/bootstrap/blob/master/LICENSE)
- collectd.org [ISC LICENSE](https://github.com/collectd/go-collectd/blob/master/LICENSE)
- github.com/BurntSushi/toml [WTFPL LICENSE](https://github.com/BurntSushi/toml/blob/master/COPYING)
- github.com/bmizerany/pat [MIT LICENSE](https://github.com/bmizerany/pat#license)
- github.com/boltdb/bolt [MIT LICENSE](https://github.com/boltdb/bolt/blob/master/LICENSE)
- github.com/cespare/xxhash [MIT LICENSE](https://github.com/cespare/xxhash/blob/master/LICENSE.txt)
- github.com/davecgh/go-spew/spew [ISC LICENSE](https://github.com/davecgh/go-spew/blob/master/LICENSE)
- github.com/dgrijalva/jwt-go [MIT LICENSE](https://github.com/dgrijalva/jwt-go/blob/master/LICENSE)
- github.com/dgryski/go-bits [MIT LICENSE](https://github.com/dgryski/go-bits/blob/master/LICENSE)
- github.com/dgryski/go-bitstream [MIT LICENSE](https://github.com/dgryski/go-bitstream/blob/master/LICENSE)
- github.com/gogo/protobuf/proto [BSD LICENSE](https://github.com/gogo/protobuf/blob/master/LICENSE)
- github.com/golang/snappy [BSD LICENSE](https://github.com/golang/snappy/blob/master/LICENSE)
- github.com/influxdata/usage-client [MIT LICENSE](https://github.com/influxdata/usage-client/blob/master/LICENSE.txt)
- github.com/jwilder/encoding [MIT LICENSE](https://github.com/jwilder/encoding/blob/master/LICENSE)
- github.com/paulbellamy/ratecounter [MIT LICENSE](https://github.com/paulbellamy/ratecounter/blob/master/LICENSE)
- github.com/peterh/liner [MIT LICENSE](https://github.com/peterh/liner/blob/master/COPYING)
- github.com/rakyll/statik [APACHE LICENSE](https://github.com/rakyll/statik/blob/master/LICENSE)
- github.com/retailnext/hllpp [BSD LICENSE](https://github.com/retailnext/hllpp/blob/master/LICENSE)
- github.com/uber-go/atomic [MIT LICENSE](https://github.com/uber-go/atomic/blob/master/LICENSE.txt)
- github.com/uber-go/zap [MIT LICENSE](https://github.com/uber-go/zap/blob/master/LICENSE.txt)
- glyphicons [LICENSE](http://glyphicons.com/license/)
- golang.org/x/crypto [BSD LICENSE](https://github.com/golang/crypto/blob/master/LICENSE)
- jquery 2.1.4 [MIT LICENSE](https://github.com/jquery/jquery/blob/master/LICENSE.txt)
- react 0.13.3 [BSD LICENSE](https://github.com/facebook/react/blob/master/LICENSE)

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and
distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright
owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution.

You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and
You must cause any modified files to carry prominent notices stating that You changed the files; and
You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions.

Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks.

This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty.

Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability.

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability.

While redistributing the Work or Derivative Works thereof, You may choose to

offer, and charge a fee for, acceptance of support, warranty, indemnity, or
other liability obligations and/or rights consistent with this License. However,
in accepting such obligations, You may act only on Your own behalf and on Your
sole responsibility, not on behalf of any other Contributor, and only if You
agree to indemnify, defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason of your
accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate
notice, with the fields enclosed by brackets "[]" replaced with your own
identifying information. (Don't include the brackets!) The text should be
enclosed in the appropriate comment syntax for the file format. We also
recommend that a file or class name and description of purpose be included on
the same "printed page" as the copyright notice for easier identification within
third-party archives.

   Copyright [yyyy] [name of copyright owner]

   Licensed under the Apache License, Version 2.0 (the "License");
   you may not use this file except in compliance with the License.
   You may obtain a copy of the License at

     http://www.apache.org/licenses/LICENSE-2.0

   Unless required by applicable law or agreed to in writing, software
   distributed under the License is distributed on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
   See the License for the specific language governing permissions and
   limitations under the License.
Data model artifacts for Prometheus.
Copyright 2012-2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (http://soundcloud.com/).
The MIT License (MIT)

Copyright (c) 2013-2016 Errplane Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of
the Software, and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER
IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Copyright (c) 2012 - 2013 Mat Ryer and Tyler Bunnell

Please consider promoting this project if you find it useful.

Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without restriction,
including without limitation the rights to use, copy, modify, merge,
publish, distribute, sublicense, and/or sell copies of the Software,
and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT
OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE
OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Copyright 2012-2013 Rackspace, Inc.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use
this file except in compliance with the License. You may obtain a copy of the
License at

 http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software distributed
under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY KIND, either express or implied. See the License for the
specific language governing permissions and limitations under the License.

   Apache License

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

DISCLAIMED. IN NO EVENT SHALL JULIEN SCHMIDT BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright (c) 2016 Caleb Spare

MIT License

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Prometheus instrumentation library for Go applications
Copyright 2012-2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (http://soundcloud.com/).

The following components are included in this product:

perks - a fork of https://github.com/bmizerany/perks
https://github.com/beorn7/perks
Copyright 2013-2015 Blake Mizerany, Bjrn Rabenstein
See https://github.com/beorn7/perks/blob/master/README.md for license details.

Go support for Protocol Buffers - Google's data interchange format
http://github.com/golang/protobuf/
Copyright 2010 The Go Authors
See source code for license details.

Support for streaming Protocol Buffer messages for the Go language (golang).
https://github.com/matttproud/golang_protobuf_extensions
Copyright 2013 Matt T. Proud
Licensed under the Apache License, Version 2.0

An "Application" is any work that makes use of an interface provided
by the Library, but which is not otherwise based on the Library.
Defining a subclass of a class defined by the Library is deemed a mode
of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an
Application with the Library. The particular version of the Library
with which the Combined Work was made is also called the "Linked
Version".

The "Minimal Corresponding Source" for a Combined Work means the
Corresponding Source for the Combined Work, excluding any source code
for portions of the Combined Work that, considered in isolation, are
based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the
object code and/or source code for the Application, including any data
and utility programs needed for reproducing the Combined Work from the
Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License
without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a
facility refers to a function or data to be supplied by an Application
that uses the facility (other than as an argument passed when the
facility is invoked), then you may convey a copy of the modified
version:

a) under this License, provided that you make a good faith effort to
ensure that, in the event an Application does not supply the
function or data, the facility still operates, and performs
whatever part of its purpose remains meaningful, or

b) under the GNU GPL, with none of the additional permissions of
this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from
a header file that is part of the Library. You may convey such object
code under terms of your choice, provided that, if the incorporated
material is not limited to numerical parameters, data structure
layouts and accessors, or small macros, inline functions and templates

(ten or fewer lines in length), you do both of the following:

   a) Give prominent notice with each copy of the object code that the
   Library is used in it and that the Library and its use are
   covered by this License.

   b) Accompany the object code with a copy of the GNU GPL and this license
   document.

  4. Combined Works.

   You may convey a Combined Work under terms of your choice that,
   taken together, effectively do not restrict modification of the
   portions of the Library contained in the Combined Work and reverse
   engineering for debugging such modifications, if you also do each of
   the following:

   a) Give prominent notice with each copy of the Combined Work that
   the Library is used in it and that the Library and its use are
   covered by this License.

   b) Accompany the Combined Work with a copy of the GNU GPL and this license
   document.

   c) For a Combined Work that displays copyright notices during
   execution, include the copyright notice for the Library among
   these notices, as well as a reference directing the user to the
   copies of the GNU GPL and this license document.

   d) Do one of the following:

      0) Convey the Minimal Corresponding Source under the terms of this
      License, and the Corresponding Application Code in a form
      suitable for, and under terms that permit, the user to
      recombine or relink the Application with a modified version of
      the Linked Version to produce a modified Combined Work, in the
      manner specified by section 6 of the GNU GPL for conveying
      Corresponding Source.

      1) Use a suitable shared library mechanism for linking with the
      Library. A suitable mechanism is one that (a) uses at run time
      a copy of the Library already present on the user's computer
      system, and (b) will operate properly with a modified version
      of the Library that is interface-compatible with the Linked
      Version.

   e) Provide Installation Information, but only if you would otherwise
   be required to provide such information under section 6 of the

GNU GPL, and only to the extent that such information is
necessary to install and execute a modified version of the
Combined Work produced by recombining or relinking the
Application with a modified version of the Linked Version. (If
you use option 4d0, the Installation Information must accompany
the Minimal Corresponding Source and Corresponding Application
Code. If you use option 4d1, you must provide the Installation
Information in the manner specified by section 6 of the GNU GPL
for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the
Library side by side in a single library together with other library
facilities that are not Applications and are not covered by this
License, and convey such a combined library under terms of your
choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based
on the Library, uncombined with any other library facilities,
conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it
is a work based on the Library, and explaining where to find the
accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions
of the GNU Lesser General Public License from time to time. Such new
versions will be similar in spirit to the present version, but may
differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the
Library as you received it specifies that a certain numbered version
of the GNU Lesser General Public License "or any later version"
applies to it, you have the option of following the terms and
conditions either of that published version or of any later version
published by the Free Software Foundation. If the Library as you
received it does not specify a version number of the GNU Lesser
General Public License, you may choose any version of the GNU Lesser
General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide
whether future versions of the GNU Lesser General Public License shall
apply, that proxy's public statement of acceptance of any version is
permanent authorization for you to choose that version for the
Library.

procfs provides functions to retrieve system, kernel and process
metrics from the pseudo-filesystem proc.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing

the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Mozilla Public License, version 2.0

1. Definitions

1.1. Contributor

  means each individual or legal entity that creates, contributes to the
  creation of, or owns Covered Software.

1.2. Contributor Version

  means the combination of the Contributions of others (if any) used by a
  Contributor and that particular Contributors Contribution.

1.3. Contribution

  means Covered Software of a particular Contributor.

1.4. Covered Software

  means Source Code Form to which the initial Contributor has attached the
  notice in Exhibit A, the Executable Form of such Source Code Form, and
  Modifications of such Source Code Form, in each case including portions

thereof.

1.5. Incompatible With Secondary Licenses
means

    a. that the initial Contributor has attached the notice described in
      Exhibit B to the Covered Software; or

    b. that the Covered Software was made available under the terms of version
      1.1 or earlier of the License, but not also under the terms of a
      Secondary License.

1.6. Executable Form

  means any form of the work other than Source Code Form.

1.7. Larger Work

  means a work that combines Covered Software with other material, in a separate
  file or files, that is not Covered Software.

1.8. License

  means this document.

1.9. Licensable

  means having the right to grant, to the maximum extent possible, whether at the
  time of the initial grant or subsequently, any and all of the rights conveyed by
  this License.

1.10. Modifications

  means any of the following:

    a. any file in Source Code Form that results from an addition to, deletion
      from, or modification of the contents of Covered Software; or

    b. any new file in Source Code Form that contains any Covered Software.

1.11. Patent Claims of a Contributor

  means any patent claim(s), including without limitation, method, process,
  and apparatus claims, in any patent Licensable by such Contributor that
  would be infringed, but for the grant of the License, by the making,
  using, selling, offering for sale, having made, import, or transfer of
  either its Contributions or its Contributor Version.

1.12. Secondary License

   means either the GNU General Public License, Version 2.0, the GNU Lesser
   General Public License, Version 2.1, the GNU Affero General Public
   License, Version 3.0, or any later versions of those licenses.

1.13. Source Code Form

   means the form of the work preferred for making modifications.

1.14. You (or Your)

   means an individual or a legal entity exercising rights under this
   License. For legal entities, You includes any entity that controls, is
   controlled by, or is under common control with You. For purposes of this
   definition, control means (a) the power, direct or indirect, to cause
   the direction or management of such entity, whether by contract or
   otherwise, or (b) ownership of more than fifty percent (50%) of the
   outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

   Each Contributor hereby grants You a world-wide, royalty-free,
   non-exclusive license:

   a. under intellectual property rights (other than patent or trademark)
      Licensable by such Contributor to use, reproduce, make available,
      modify, display, perform, distribute, and otherwise exploit its
      Contributions, either on an unmodified basis, with Modifications, or as
      part of a Larger Work; and

   b. under Patent Claims of such Contributor to make, use, sell, offer for
      sale, have made, import, and otherwise transfer either its Contributions
      or its Contributor Version.

2.2. Effective Date

   The licenses granted in Section 2.1 with respect to any Contribution become
   effective for each Contribution on the date the Contributor first distributes
   such Contribution.

2.3. Limitations on Grant Scope

   The licenses granted in this Section 2 are the only rights granted under this
   License. No additional rights or licenses will be implied from the distribution

or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

a. for any code that a Contributor has removed from Covered Software; or

b. for infringements caused by: (i) Your and any other third partys modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form

of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

a. such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

b. You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support,

indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6. Disclaimer of Warranty

Covered Software is provided under this License on an as is basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects,

merchantable, fit for a particular purpose or non-infringing. The entire
risk as to the quality and performance of the Covered Software is with You.
Should any Covered Software prove defective in any respect, You (not any
Contributor) assume the cost of any necessary servicing, repair, or
correction. This disclaimer of warranty constitutes an essential part of this
License. No use of any Covered Software is authorized under this License
except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including
negligence), contract, or otherwise, shall any Contributor, or anyone who
distributes Covered Software as permitted above, be liable to You for any
direct, indirect, special, incidental, or consequential damages of any
character including, without limitation, damages for lost profits, loss of
goodwill, work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses, even if such party shall have been
informed of the possibility of such damages. This limitation of liability
shall not apply to liability for death or personal injury resulting from such
partys negligence to the extent applicable law prohibits such limitation.
Some jurisdictions do not allow the exclusion or limitation of incidental or
consequential damages, so this exclusion and limitation may not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts of
a jurisdiction where the defendant maintains its principal place of business
and such litigation shall be governed by laws of that jurisdiction, without
reference to its conflict-of-law provisions. Nothing in this Section shall
prevent a partys ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter
hereof. If any provision of this License is held to be unenforceable, such
provision shall be reformed only to the extent necessary to make it
enforceable. Any law or regulation which provides that the language of a
contract shall be construed against the drafter shall not be used to construe
this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section
10.3, no one other than the license steward has the right to modify or
publish new versions of this License. Each version will be given a

distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of
the License under which You originally received the Covered Software, or
under the terms of any subsequent version published by the license
steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to
create a new license for such software, you may create and use a modified
version of this License if you rename the license and remove any
references to the name of the license steward (except to note that such
modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses
If You choose to distribute Source Code Form that is Incompatible With
Secondary Licenses under the terms of this version of the License, the
notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the
terms of the Mozilla Public License, v.
2.0. If a copy of the MPL was not
distributed with this file, You can
obtain one at
http://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular file, then
You may include the notice in a location (such as a LICENSE file in a relevant
directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - Incompatible With Secondary Licenses Notice

This Source Code Form is Incompatible
With Secondary Licenses, as defined by
the Mozilla Public License, v. 2.0.
Mozilla Public License, version 2.0

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"
means

a. that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

b. that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

   means any of the following:

   a. any file in Source Code Form that results from an addition to,
      deletion from, or modification of the contents of Covered Software; or

   b. any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

   means any patent claim(s), including without limitation, method,
   process, and apparatus claims, in any patent Licensable by such
   Contributor that would be infringed, but for the grant of the License,
   by the making, using, selling, offering for sale, having made, import,
   or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

   means either the GNU General Public License, Version 2.0, the GNU Lesser
   General Public License, Version 2.1, the GNU Affero General Public
   License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

   means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

   means an individual or a legal entity exercising rights under this
   License. For legal entities, "You" includes any entity that controls, is
   controlled by, or is under common control with You. For purposes of this
   definition, "control" means (a) the power, direct or indirect, to cause
   the direction or management of such entity, whether by contract or
   otherwise, or (b) ownership of more than fifty percent (50%) of the
   outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

   Each Contributor hereby grants You a world-wide, royalty-free,
   non-exclusive license:

   a. under intellectual property rights (other than patent or trademark)
      Licensable by such Contributor to use, reproduce, make available,
      modify, display, perform, distribute, and otherwise exploit its

Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

a. for any code that a Contributor has removed from Covered Software; or

b. for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

a. such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

b. You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of

the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the

non-compliance by some reasonable means, this is the first time You have
received notice of non-compliance with this License from such
Contributor, and You become compliant prior to 30 days after Your receipt
of the notice.

5.2. If You initiate litigation against any entity by asserting a patent
infringement claim (excluding declaratory judgment actions,
counter-claims, and cross-claims) alleging that a Contributor Version
directly or indirectly infringes any patent, then the rights granted to
You by any and all Contributors for the Covered Software under Section
2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user
license agreements (excluding distributors and resellers) which have been
validly granted by You or Your distributors under this License prior to
termination shall survive termination.

6. Disclaimer of Warranty

Covered Software is provided under this License on an "as is" basis,
without warranty of any kind, either expressed, implied, or statutory,
including, without limitation, warranties that the Covered Software is free
of defects, merchantable, fit for a particular purpose or non-infringing.
The entire risk as to the quality and performance of the Covered Software
is with You. Should any Covered Software prove defective in any respect,
You (not any Contributor) assume the cost of any necessary servicing,
repair, or correction. This disclaimer of warranty constitutes an essential
part of this License. No use of any Covered Software is authorized under
this License except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including
negligence), contract, or otherwise, shall any Contributor, or anyone who
distributes Covered Software as permitted above, be liable to You for any
direct, indirect, special, incidental, or consequential damages of any
character including, without limitation, damages for lost profits, loss of
goodwill, work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses, even if such party shall have been
informed of the possibility of such damages. This limitation of liability
shall not apply to liability for death or personal injury resulting from
such party's negligence to the extent applicable law prohibits such
limitation. Some jurisdictions do not allow the exclusion or limitation of
incidental or consequential damages, so this exclusion and limitation may
not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the
terms of the Mozilla Public License, v.
2.0. If a copy of the MPL was not
distributed with this file, You can
obtain one at
http://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular file,
then You may include the notice in a location (such as a LICENSE file in a
relevant directory) where a recipient would be likely to look for such a
notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible
With Secondary Licenses", as defined by
the Mozilla Public License, v. 2.0.

Common libraries shared by Prometheus Go components.
Copyright 2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (http://soundcloud.com/).
Copyright (C) 2014 Alec Thomas

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
The MIT License (MIT)

Copyright (c) 2016 The OpenTracing Authors

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
The MIT License (MIT)

Copyright (c) 2015 Damian Gryski <damian@gryski.com>

This version of the GNU Lesser General Public License incorporates
the terms and conditions of version 3 of the GNU General Public
License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser
General Public License, and the "GNU GPL" refers to version 3 of the GNU
General Public License.

"The Library" refers to a covered work governed by this License,
other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided
by the Library, but which is not otherwise based on the Library.
Defining a subclass of a class defined by the Library is deemed a mode
of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an
Application with the Library. The particular version of the Library
with which the Combined Work was made is also called the "Linked
Version".

The "Minimal Corresponding Source" for a Combined Work means the
Corresponding Source for the Combined Work, excluding any source code
for portions of the Combined Work that, considered in isolation, are
based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the
object code and/or source code for the Application, including any data
and utility programs needed for reproducing the Combined Work from the
Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License
without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a
facility refers to a function or data to be supplied by an Application
that uses the facility (other than as an argument passed when the
facility is invoked), then you may convey a copy of the modified

version:

a) under this License, provided that you make a good faith effort to
ensure that, in the event an Application does not supply the
function or data, the facility still operates, and performs
whatever part of its purpose remains meaningful, or

b) under the GNU GPL, with none of the additional permissions of
this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from
a header file that is part of the Library. You may convey such object
code under terms of your choice, provided that, if the incorporated
material is not limited to numerical parameters, data structure
layouts and accessors, or small macros, inline functions and templates
(ten or fewer lines in length), you do both of the following:

a) Give prominent notice with each copy of the object code that the
Library is used in it and that the Library and its use are
covered by this License.

b) Accompany the object code with a copy of the GNU GPL and this license
document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that,
taken together, effectively do not restrict modification of the
portions of the Library contained in the Combined Work and reverse
engineering for debugging such modifications, if you also do each of
the following:

a) Give prominent notice with each copy of the Combined Work that
the Library is used in it and that the Library and its use are
covered by this License.

b) Accompany the Combined Work with a copy of the GNU GPL and this license
document.

c) For a Combined Work that displays copyright notices during
execution, include the copyright notice for the Library among
these notices, as well as a reference directing the user to the
copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this
License, and the Corresponding Application Code in a form
suitable for, and under terms that permit, the user to
recombine or relink the Application with a modified version of
the Linked Version to produce a modified Combined Work, in the
manner specified by section 6 of the GNU GPL for conveying
Corresponding Source.

1) Use a suitable shared library mechanism for linking with the
Library. A suitable mechanism is one that (a) uses at run time
a copy of the Library already present on the user's computer
system, and (b) will operate properly with a modified version
of the Library that is interface-compatible with the Linked
Version.

e) Provide Installation Information, but only if you would otherwise
be required to provide such information under section 6 of the
GNU GPL, and only to the extent that such information is
necessary to install and execute a modified version of the
Combined Work produced by recombining or relinking the
Application with a modified version of the Linked Version. (If
you use option 4d0, the Installation Information must accompany
the Minimal Corresponding Source and Corresponding Application
Code. If you use option 4d1, you must provide the Installation
Information in the manner specified by section 6 of the GNU GPL
for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the
Library side by side in a single library together with other library
facilities that are not Applications and are not covered by this
License, and convey such a combined library under terms of your
choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based
on the Library, uncombined with any other library facilities,
conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it
is a work based on the Library, and explaining where to find the
accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions
of the GNU Lesser General Public License from time to time. Such new
versions will be similar in spirit to the present version, but may

differ in detail to address new problems or concerns.

 Each version is given a distinguishing version number. If the
Library as you received it specifies that a certain numbered version
of the GNU Lesser General Public License "or any later version"
applies to it, you have the option of following the terms and
conditions either of that published version or of any later version
published by the Free Software Foundation. If the Library as you
received it does not specify a version number of the GNU Lesser
General Public License, you may choose any version of the GNU Lesser
General Public License ever published by the Free Software Foundation.

 If the Library as you received it specifies that a proxy can decide
whether future versions of the GNU Lesser General Public License shall
apply, that proxy's public statement of acceptance of any version is
permanent authorization for you to choose that version for the
Library.
Protocol Buffers for Go with Gadgets

Copyright (c) 2013, The GoGo Authors. All rights reserved.
http://github.com/gogo/protobuf

Go support for Protocol Buffers - Google's data interchange format

Copyright 2010 The Go Authors. All rights reserved.
https://github.com/golang/protobuf

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

   * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
   * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

1.83 pretty 1.2.0

1.83.1 Available under license :

MIT License

1.84 python3-asn1crypto 0.24.0

1.84.1 Available under license :

Copyright (c) 2015-2017 Will Bond <will@wbond.net>

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.85 inject 0.0.0-20180706035515-f23751cae28b

1.85.1 Available under license :

MIT License

Copyright (c) 2013-present, Facebook, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.86 iotop 0.6-24-g733f3f8-1

1.86.1 Available under license :

GNU GENERAL PUBLIC LICENSE
   Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

    Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Library General Public License instead.) You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

 We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,

distribute and/or modify the software.

 Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

 Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

 The precise terms and conditions for copying, distribution and
modification follow.

    GNU GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion
of it, thus forming a work based on the Program, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

   a) You must cause the modified files to carry prominent notices
   stating that you changed the files and the date of any change.

   b) You must cause any work that you distribute or publish, that in
   whole or in part contains or is derived from the Program or any
   part thereof, to be licensed as a whole at no charge to all third
   parties under the terms of this License.

   c) If the modified program normally reads commands interactively
   when run, you must cause it, when started running for such
   interactive use in the most ordinary way, to print or display an
   announcement including an appropriate copyright notice and a
   notice that there is no warranty (or else, saying that you provide
   a warranty) and that users may redistribute the program under
   these conditions, and telling the user how to view a copy of this
   License. (Exception: if the Program itself is interactive but
   does not normally print such an announcement, your work based on
   the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable
source code, which must be distributed under the terms of Sections
1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three
years, to give any third party, for a charge no more than your
cost of physically performing source distribution, a complete
machine-readable copy of the corresponding source code, to be
distributed under the terms of Sections 1 and 2 above on a medium
customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer
to distribute corresponding source code. (This alternative is
allowed only for noncommercial distribution and only if you
received the program in object code or executable form with such
an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering
access to copy from a designated place, then offering equivalent
access to copy the source code from the same place counts as
distribution of the source code, even though third parties are not
compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense or distribute the Program is
void, and will automatically terminate your rights under this License.
However, parties who have received copies, or rights, from you under
this License will not have their licenses terminated so long as such
parties remain in full compliance.

 5. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Program or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Program (or any work based on the

Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

 7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

 8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding

those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

 10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

   NO WARRANTY

 11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

 12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

   END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program; if not, write to the Free Software
    Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

    Gnomovision version 69, Copyright (C) year name of author
    Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

1.87 sergi-go-diff 1.0.0

1.87.1 Available under license :

This is the official list of people who can contribute
(and typically have contributed) code to the go-diff
repository.
#
The AUTHORS file lists the copyright holders; this file
lists people. For example, ACME Inc. employees would be listed here
but not in AUTHORS, because ACME Inc. would hold the copyright.
#
When adding J Random Contributor's name to this file,
either J's name or J's organization's name should be
added to the AUTHORS file.
#
Names should be added to this file like so:
Name <email address>
#
Please keep the list sorted.

Danny Yoo <dannyyoo@google.com>
James Kolb <jkolb@google.com>
Jonathan Amsterdam <jba@google.com>
Markus Zimmermann <markus.zimmermann@nethead.at> <markus.zimmermann@symflower.com>
<zimmski@gmail.com>
Matt Kovars <akaskik@gmail.com>
rjan Persson <orjan@spotify.com>
Osman Masood <oamasood@gmail.com>
Robert Carlsen <rwcarlsen@gmail.com>
Rory Flynn <roryflynn@users.noreply.github.com>
Sergi Mansilla <sergi.mansilla@gmail.com>
Shatrugna Sadhu <ssadhu@apcera.com>
Shawn Smith <shawnpsmith@gmail.com>
Stas Maksimov <maksimov@gmail.com>

1.88 x-crypto 0.0.0-20220314234659-1baeb1ce4c0b

1.88.1 Available under license :

1.89 prometheus-procfs 0.0.11

1.89.1 Available under license :

procfs provides functions to retrieve system, kernel and process metrics from the pseudo-filesystem proc.

Copyright 2014-2015 The Prometheus Authors

This product includes software developed at SoundCloud Ltd. (http://soundcloud.com/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.90 sh 1.13.1

1.90.1 Available under license :

Copyright (C) 2011-2012 by Andrew Moffat

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

1.91 urfave-cli 1.20.0

1.91.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Licensed to Jasig under one or more contributor license

* agreements. See the NOTICE file distributed with this work

* for additional information regarding copyright ownership.

* Jasig licenses this file to you under the Apache License,

* Version 2.0 (the "License"); you may not use this file

* except in compliance with the License. You may obtain a

* copy of the License at the following location:

*

*   http://www.apache.org/licenses/LICENSE-2.0

*

* Unless required by applicable law or agreed to in writing,

* software distributed under the License is distributed on an

* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY

* KIND, either express or implied. See the License for the

* specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /opt/cola/permits/1212966988_1633989798.74/0/cas-client-support-saml-3-4-1-sources-jar/org/jasig/cas/client/validation/Saml11TicketValidationFilter.java

* /opt/cola/permits/1212966988_1633989798.74/0/cas-client-support-saml-3-4-1-sources-jar/org/jasig/cas/client/util/SamlUtils.java

* /opt/cola/permits/1212966988_1633989798.74/0/cas-client-support-saml-3-4-1-sources-jar/org/jasig/cas/client/validation/Saml11TicketValidator.java

* /opt/cola/permits/1212966988_1633989798.74/0/cas-client-support-saml-3-4-1-sources-jar/org/jasig/cas/client/authentication/Saml11AuthenticationFilter.java

1.92 prometheus-procfs 0.7.3

1.92.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
   Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
    stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
    that You distribute, all copyright, patent, trademark, and
    attribution notices from the Source form of the Work,
    excluding those notices that do not pertain to any part of
    the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
    distribution, then any Derivative Works that You distribute must
    include a readable copy of the attribution notices contained
    within such NOTICE file, excluding those notices that do not
    pertain to any part of the Derivative Works, in at least one
    of the following places: within a NOTICE text file distributed
    as part of the Derivative Works; within the Source form or
    documentation, if provided along with the Derivative Works; or,
    within a display generated by the Derivative Works, if and
    wherever such third-party notices normally appear. The contents
    of the NOTICE file are for informational purposes only and
    do not modify the License. You may add Your own attribution
    notices within Derivative Works that You distribute, alongside
    or as an addendum to the NOTICE text from the Work, provided
    that such additional attribution notices cannot be construed
    as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
procfs provides functions to retrieve system, kernel and process
metrics from the pseudo-filesystem proc.

Copyright 2014-2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (http://soundcloud.com/).

1.93 go-storage 1.12.0
1.93.1 Available under license :
The MIT License (MIT)

Copyright (c) 2014 Thiago Avelino

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.94 python-setuptools 44.0.0

1.94.1 Available under license :

Copyright (C) 2016 Jason R Coombs <jaraco@jaraco.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.95 felixge-httpsnoop 1.0.1

1.95.1 Available under license :

Copyright (c) 2016 Felix Geisendrfer (felix@debuggable.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.96 etcd 3.5.2

1.96.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You

meet the following conditions:

(a) You must give any other recipients of the Work or
    Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
    stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
    that You distribute, all copyright, patent, trademark, and
    attribution notices from the Source form of the Work,
    excluding those notices that do not pertain to any part of
    the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
    distribution, then any Derivative Works that You distribute must
    include a readable copy of the attribution notices contained
    within such NOTICE file, excluding those notices that do not
    pertain to any part of the Derivative Works, in at least one
    of the following places: within a NOTICE text file distributed
    as part of the Derivative Works; within the Source form or
    documentation, if provided along with the Derivative Works; or,
    within a display generated by the Derivative Works, if and
    wherever such third-party notices normally appear. The contents
    of the NOTICE file are for informational purposes only and
    do not modify the License. You may add Your own attribution
    notices within Derivative Works that You distribute, alongside
    or as an addendum to the NOTICE text from the Work, provided
    that such additional attribution notices cannot be construed
    as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

1.97 gogo-status 1.0.3

1.97.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

   "License" shall mean the terms and conditions for use, reproduction,
   and distribution as defined by Sections 1 through 9 of this document.

   "Licensor" shall mean the copyright owner or entity authorized by
   the copyright owner that is granting the License.

   "Legal Entity" shall mean the union of the acting entity and all
   other entities that control, are controlled by, or are under common
   control with that entity. For the purposes of this definition,
   "control" means (i) the power, direct or indirect, to cause the
   direction or management of such entity, whether by contract or
   otherwise, or (ii) ownership of fifty percent (50%) or more of the
   outstanding shares, or (iii) beneficial ownership of such entity.

   "You" (or "Your") shall mean an individual or Legal Entity
   exercising permissions granted by this License.

   "Source" form shall mean the preferred form for making modifications,
   including but not limited to software source code, documentation
   source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.98 bramvdbogaerde-go-scp 0.0.0-20181214203537-0959688e0628

1.98.1 Available under license :

Mozilla Public License Version 2.0
==================================

1. Definitions

1.1. "Contributor"
   means each individual or legal entity that creates, contributes to
   the creation of, or owns Covered Software.

1.2. "Contributor Version"
   means the combination of the Contributions of others (if any) used

by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"
   means Covered Software of a particular Contributor.

1.4. "Covered Software"
   means Source Code Form to which the initial Contributor has attached
   the notice in Exhibit A, the Executable Form of such Source Code
   Form, and Modifications of such Source Code Form, in each case
   including portions thereof.

1.5. "Incompatible With Secondary Licenses"
   means

   (a) that the initial Contributor has attached the notice described
       in Exhibit B to the Covered Software; or

   (b) that the Covered Software was made available under the terms of
       version 1.1 or earlier of the License, but not also under the
       terms of a Secondary License.

1.6. "Executable Form"
   means any form of the work other than Source Code Form.

1.7. "Larger Work"
   means a work that combines Covered Software with other material, in
   a separate file or files, that is not Covered Software.

1.8. "License"
   means this document.

1.9. "Licensable"
   means having the right to grant, to the maximum extent possible,
   whether at the time of the initial grant or subsequently, any and
   all of the rights conveyed by this License.

1.10. "Modifications"
   means any of the following:

   (a) any file in Source Code Form that results from an addition to,
       deletion from, or modification of the contents of Covered
       Software; or

   (b) any new file in Source Code Form that contains any Covered
       Software.

1.11. "Patent Claims" of a Contributor
   means any patent claim(s), including without limitation, method,

process, and apparatus claims, in any patent Licensable by such
Contributor that would be infringed, but for the grant of the
License, by the making, using, selling, offering for sale, having
made, import, or transfer of either its Contributions or its
Contributor Version.

1.12. "Secondary License"
means either the GNU General Public License, Version 2.0, the GNU
Lesser General Public License, Version 2.1, the GNU Affero General
Public License, Version 3.0, or any later versions of those
licenses.

1.13. "Source Code Form"
means the form of the work preferred for making modifications.

1.14. "You" (or "Your")
means an individual or a legal entity exercising rights under this
License. For legal entities, "You" includes any entity that
controls, is controlled by, or is under common control with You. For
purposes of this definition, "control" means (a) the power, direct
or indirect, to cause the direction or management of such entity,
whether by contract or otherwise, or (b) ownership of more than
fifty percent (50%) of the outstanding shares or beneficial
ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free,
non-exclusive license:

(a) under intellectual property rights (other than patent or trademark)
    Licensable by such Contributor to use, reproduce, make available,
    modify, display, perform, distribute, and otherwise exploit its
    Contributions, either on an unmodified basis, with Modifications, or
    as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer
    for sale, have made, import, and otherwise transfer either its
    Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution
become effective for each Contribution on the date the Contributor first
distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

(a) for any code that a Contributor has removed from Covered Software; or

(b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

(c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any
Modifications that You create or to which You contribute, must be under
the terms of this License. You must inform recipients that the Source
Code Form of the Covered Software is governed by the terms of this
License, and how they can obtain a copy of this License. You may not
attempt to alter or restrict the recipients' rights in the Source Code
Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code
    Form, as described in Section 3.1, and You must inform recipients of
    the Executable Form how they can obtain a copy of such Source Code
    Form by reasonable means in a timely manner, at a charge no more
    than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this
    License, or sublicense it under different terms, provided that the
    license for the Executable Form does not attempt to limit or alter
    the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice,
provided that You also comply with the requirements of this License for
the Covered Software. If the Larger Work is a combination of Covered
Software with a work governed by one or more Secondary Licenses, and the
Covered Software is not Incompatible With Secondary Licenses, this
License permits You to additionally distribute such Covered Software
under the terms of such Secondary License(s), so that the recipient of
the Larger Work may, at their option, further distribute the Covered
Software under the terms of either this License or such Secondary
License(s).

3.4. Notices

You may not remove or alter the substance of any license notices
(including copyright notices, patent notices, disclaimers of warranty,
or limitations of liability) contained within the Source Code Form of
the Covered Software, except that You may alter any license notices to
the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to

You by any and all Contributors for the Covered Software under Section
2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all
end user license agreements (excluding distributors and resellers) which
have been validly granted by You or Your distributors under this License
prior to termination shall survive termination.

```
**************************************************************************
*                                      *
*  6. Disclaimer of Warranty                   *
*  -------------------------                   *
*                                      *
*  Covered Software is provided under this License on an "as is"    *
*  basis, without warranty of any kind, either expressed, implied, or *
*  statutory, including, without limitation, warranties that the    *
*  Covered Software is free of defects, merchantable, fit for a     *
*  particular purpose or non-infringing. The entire risk as to the   *
*  quality and performance of the Covered Software is with You.     *
*  Should any Covered Software prove defective in any respect, You    *
*  (not any Contributor) assume the cost of any necessary servicing,  *
*  repair, or correction. This disclaimer of warranty constitutes an  *
*  essential part of this License. No use of any Covered Software is   *
*  authorized under this License except under this disclaimer.      *
*                                      *
**************************************************************************

**************************************************************************
*                                      *
*  7. Limitation of Liability                   *
*  --------------------------                   *
*                                      *
*  Under no circumstances and under no legal theory, whether tort    *
*  (including negligence), contract, or otherwise, shall any       *
*  Contributor, or anyone who distributes Covered Software as       *
*  permitted above, be liable to You for any direct, indirect,      *
*  special, incidental, or consequential damages of any character    *
*  including, without limitation, damages for lost profits, loss of   *
*  goodwill, work stoppage, computer failure or malfunction, or any   *
*  and all other commercial damages or losses, even if such party    *
*  shall have been informed of the possibility of such damages. This  *
*  limitation of liability shall not apply to liability for death or  *
*  personal injury resulting from such party's negligence to the     *
*  extent applicable law prohibits such limitation. Some         *
*  jurisdictions do not allow the exclusion or limitation of       *
*  incidental or consequential damages, so this exclusion and      *
*  limitation may not apply to You.                  *
*                                      *
```

****

8. Litigation

Any litigation relating to this License may be brought only in the
courts of a jurisdiction where the defendant maintains its principal
place of business and such litigation shall be governed by laws of that
jurisdiction, without reference to its conflict-of-law provisions.
Nothing in this Section shall prevent a party's ability to bring
cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject
matter hereof. If any provision of this License is held to be
unenforceable, such provision shall be reformed only to the extent
necessary to make it enforceable. Any law or regulation which provides
that the language of a contract shall be construed against the drafter
shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section
10.3, no one other than the license steward has the right to modify or
publish new versions of this License. Each version will be given a
distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version
of the License under which You originally received the Covered Software,
or under the terms of any subsequent version published by the license
steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to
create a new license for such software, you may create and use a
modified version of this License if you rename the license and remove
any references to the name of the license steward (except to note that
such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary

Licenses

If You choose to distribute Source Code Form that is Incompatible With
Secondary Licenses under the terms of this version of the License, the
notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

  This Source Code Form is subject to the terms of the Mozilla Public
  License, v. 2.0. If a copy of the MPL was not distributed with this
  file, You can obtain one at http://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular
file, then You may include the notice in a location (such as a LICENSE
file in a relevant directory) where a recipient would be likely to look
for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

  This Source Code Form is "Incompatible With Secondary Licenses", as
  defined by the Mozilla Public License, v. 2.0.

1.99 python 3.8.2 0ubuntu2

1.99.1 Available under license :

Copyright (c) 2002 Jorge Acereda <jacereda@users.sourceforge.net> &
              Peter O'Gorman <ogorman@users.sourceforge.net>

Portions may be copyright others, see the AUTHORS file included with this
distribution.

Maintained by Peter O'Gorman <ogorman@users.sourceforge.net>

Bug Reports and other queries should go to <ogorman@users.sourceforge.net>

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Additional Conditions for this Windows binary build

This program is linked with and uses Microsoft Distributable Code,
copyrighted by Microsoft Corporation. The Microsoft Distributable Code
is embedded in each .exe, .dll and .pyd file as a result of running
the code through a linker.

If you further distribute programs that include the Microsoft
Distributable Code, you must comply with the restrictions on
distribution specified by Microsoft. In particular, you must require
distributors and external end users to agree to terms that protect the
Microsoft Distributable Code at least as much as Microsoft's own
requirements for the Distributable Code. See Microsoft's documentation
(included in its developer tools and on its website at microsoft.com)
for specific details.

Redistribution of the Windows binary build of the Python interpreter
complies with this agreement, provided that you do not:

- alter any copyright, trademark or patent notice in Microsoft's
Distributable Code;

- use Microsoft's trademarks in your programs' names or in a way that
suggests your programs come from or are endorsed by Microsoft;

- distribute Microsoft's Distributable Code to run on a platform other
than Microsoft operating systems, run-time technologies or application
platforms; or

- include Microsoft Distributable Code in malicious, deceptive or
unlawful programs.

These restrictions apply only to the Microsoft Distributable Code as
defined above, not to Python itself or any programs running on the

Python interpreter. The redistribution of the Python interpreter and
libraries is governed by the Python Software License included with this
file, or by other licenses as marked.
X Window System License - X11R6.4

Copyright (c) 1998 The Open Group

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall
not be used in advertising or otherwise to promote the sale, use or
other dealings in this Software without prior written authorization
from The Open Group.

X Window System is a trademark of The Open Group
libffi - Copyright (c) 1996-2003 Red Hat, Inc.

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
``Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED ``AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL CYGNUS SOLUTIONS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 1998-2000 Thai Open Source Software Center Ltd and Clark Cooper
Copyright (c) 2001-2017 Expat maintainers

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

A. HISTORY OF THE SOFTWARE
==========================

Python was created in the early 1990s by Guido van Rossum at Stichting
Mathematisch Centrum (CWI, see http://www.cwi.nl) in the Netherlands
as a successor of a language called ABC. Guido remains Python's
principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for
National Research Initiatives (CNRI, see http://www.cnri.reston.va.us)
in Reston, Virginia where he released several versions of the
software.

In May 2000, Guido and the Python core development team moved to
BeOpen.com to form the BeOpen PythonLabs team. In October of the same
year, the PythonLabs team moved to Digital Creations, which became
Zope Corporation. In 2001, the Python Software Foundation (PSF, see
https://www.python.org/psf/) was formed, a non-profit organization
created specifically to own Python-related Intellectual Property.
Zope Corporation was a sponsoring member of the PSF.

All Python releases are Open Source (see http://www.opensource.org for
the Open Source Definition). Historically, most, but not all, Python

releases have also been GPL-compatible; the table below summarizes
the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under
    the GPL. All Python licenses, unlike the GPL, let you distribute
    a modified version without making your changes open source. The
    GPL-compatible licenses make it possible to combine Python with
    other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible,
    because its license has a choice of law clause. According to
    CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1
    is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's
direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON
===

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2
----

1. This LICENSE AGREEMENT is between the Python Software Foundation
("PSF"), and the Individual or Organization ("Licensee") accessing and
otherwise using this software ("Python") in source or binary form and
its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby
grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce,

analyze, test, perform and/or display publicly, prepare derivative works,
distribute, and otherwise use Python alone or in any derivative version,
provided, however, that PSF's License Agreement and PSF's notice of copyright,
i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010,
2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020 Python Software Foundation;
All Rights Reserved" are retained in Python alone or in any derivative version
prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on
or incorporates Python or any part thereof, and wants to make
the derivative work available to others as provided herein, then
Licensee hereby agrees to include in any such work a brief summary of
the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS"
basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON
FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS
A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON,
OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material
breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any
relationship of agency, partnership, or joint venture between PSF and
Licensee. This License Agreement does not grant permission to use PSF
trademarks or trade name in a trademark sense to endorse or promote
products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee
agrees to be bound by the terms and conditions of this License
Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an
office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the
Individual or Organization ("Licensee") accessing and otherwise using

this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at http://www.pythonlabs.com/logos.html may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1
----

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization

("Licensee") accessing and otherwise using Python 1.6.1 software in
source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI
hereby grants Licensee a nonexclusive, royalty-free, world-wide
license to reproduce, analyze, test, perform and/or display publicly,
prepare derivative works, distribute, and otherwise use Python 1.6.1
alone or in any derivative version, provided, however, that CNRI's
License Agreement and CNRI's notice of copyright, i.e., "Copyright (c)
1995-2001 Corporation for National Research Initiatives; All Rights
Reserved" are retained in Python 1.6.1 alone or in any derivative
version prepared by Licensee. Alternately, in lieu of CNRI's License
Agreement, Licensee may substitute the following text (omitting the
quotes): "Python 1.6.1 is made available subject to the terms and
conditions in CNRI's License Agreement. This Agreement together with
Python 1.6.1 may be located on the Internet using the following
unique, persistent identifier (known as a handle): 1895.22/1013. This
Agreement may also be obtained from a proxy server on the Internet
using the following URL: http://hdl.handle.net/1895.22/1013".

3. In the event Licensee prepares a derivative work that is based on
or incorporates Python 1.6.1 or any part thereof, and wants to make
the derivative work available to others as provided herein, then
Licensee hereby agrees to include in any such work a brief summary of
the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS"
basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON
1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS
A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1,
OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material
breach of its terms and conditions.

7. This License Agreement shall be governed by the federal
intellectual property law of the United States, including without
limitation the federal copyright law, and, to the extent such
U.S. federal law does not apply, by the law of the Commonwealth of
Virginia, excluding Virginia's conflict of law provisions.
Notwithstanding the foregoing, with regard to derivative works based
on Python 1.6.1 that incorporate non-separable material that was

previously distributed under the GNU General Public License (GPL), the
law of the Commonwealth of Virginia shall govern this License
Agreement only as to issues arising under or with respect to
Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this
License Agreement shall be deemed to create any relationship of
agency, partnership, or joint venture between CNRI and Licensee. This
License Agreement does not grant permission to use CNRI trademarks or
trade name in a trademark sense to endorse or promote products or
services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying,
installing or otherwise using Python 1.6.1, Licensee agrees to be
bound by the terms and conditions of this License Agreement.

    ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam,
The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the name of Stichting Mathematisch
Centrum or CWI not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior
permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE
FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
This license applies to the bootstrapper application that is embedded within the installer. It has no impact on the
licensing for the rest of the installer or Python itself, as no code covered by this license exists in any other part of the
product.

Microsoft Reciprocal License (MS-RL)

This license governs use of the accompanying software. If you use the software, you accept this license. If you do

not accept the license, do not use the software.

1. Definitions
The terms "reproduce," "reproduction," "derivative works," and "distribution" have the same meaning here as under U.S. copyright law.
A "contribution" is the original software, or any additions or changes to the software.
A "contributor" is any person that distributes its contribution under this license.
"Licensed patents" are a contributor's patent claims that read directly on its contribution.

2. Grant of Rights
(A) Copyright Grant- Subject to the terms of this license, including the license conditions and limitations in section 3, each contributor grants you a non-exclusive, worldwide, royalty-free copyright license to reproduce its contribution, prepare derivative works of its contribution, and distribute its contribution or any derivative works that you create.
(B) Patent Grant- Subject to the terms of this license, including the license conditions and limitations in section 3, each contributor grants you a non-exclusive, worldwide, royalty-free license under its licensed patents to make, have made, use, sell, offer for sale, import, and/or otherwise dispose of its contribution in the software or derivative works of the contribution in the software.

3. Conditions and Limitations
(A) Reciprocal Grants- For any file you distribute that contains code from the software (in source code or binary format), you must provide recipients the source code to that file along with a copy of this license, which license will govern that file. You may license other files that are entirely your own work and do not contain code from the software under any terms you choose.
(B) No Trademark License- This license does not grant you rights to use any contributors' name, logo, or trademarks.
(C) If you bring a patent claim against any contributor over patents that you claim are infringed by the software, your patent license from such contributor to the software ends automatically.
(D) If you distribute any portion of the software, you must retain all copyright, patent, trademark, and attribution notices that are present in the software.
(E) If you distribute any portion of the software in source code form, you may do so only under this license by including a complete copy of this license with your distribution. If you distribute any portion of the software in compiled or object code form, you may only do so under a license that complies with this license.
(F) The software is licensed "as-is." You bear the risk of using it. The contributors give no express warranties, guarantees or conditions. You may have additional consumer rights under your local laws which this license cannot change. To the extent permitted under your local laws, the contributors exclude the implied warranties of merchantability, fitness for a particular purpose and non-infringement.

1.100 go-engine-io 0.0.0-20200527182501-e01fec600c76

1.100.1 Available under license :

Copyright (c) 2014-2014 Googol Lee <i@googol.im>

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions

are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.101 promrus 1.2.0

1.101.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

   "License" shall mean the terms and conditions for use, reproduction,
   and distribution as defined by Sections 1 through 9 of this document.

   "Licensor" shall mean the copyright owner or entity authorized by
   the copyright owner that is granting the License.

   "Legal Entity" shall mean the union of the acting entity and all
   other entities that control, are controlled by, or are under common
   control with that entity. For the purposes of this definition,
   "control" means (i) the power, direct or indirect, to cause the
   direction or management of such entity, whether by contract or
   otherwise, or (ii) ownership of fifty percent (50%) or more of the
   outstanding shares, or (iii) beneficial ownership of such entity.

   "You" (or "Your") shall mean an individual or Legal Entity
   exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and
       attribution notices from the Source form of the Work,
       excluding those notices that do not pertain to any part of
       the Derivative Works; and

   (d) If the Work includes a "NOTICE" text file as part of its
       distribution, then any Derivative Works that You distribute must
       include a readable copy of the attribution notices contained
       within such NOTICE file, excluding those notices that do not
       pertain to any part of the Derivative Works, in at least one
       of the following places: within a NOTICE text file distributed
       as part of the Derivative Works; within the Source form or
       documentation, if provided along with the Derivative Works; or,
       within a display generated by the Derivative Works, if and
       wherever such third-party notices normally appear. The contents
       of the NOTICE file are for informational purposes only and
       do not modify the License. You may add Your own attribution
       notices within Derivative Works that You distribute, alongside
       or as an addendum to the NOTICE text from the Work, provided
       that such additional attribution notices cannot be construed

as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "{}"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Common libraries shared by Prometheus Go components.

This product includes software developed at
SoundCloud Ltd. (http://soundcloud.com/).
This source code was written by the Go contributors.
The master list of contributors is in the main Go distribution,

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

   "License" shall mean the terms and conditions for use, reproduction,
   and distribution as defined by Sections 1 through 9 of this document.

   "Licensor" shall mean the copyright owner or entity authorized by
   the copyright owner that is granting the License.

   "Legal Entity" shall mean the union of the acting entity and all
   other entities that control, are controlled by, or are under common
   control with that entity. For the purposes of this definition,
   "control" means (i) the power, direct or indirect, to cause the
   direction or management of such entity, whether by contract or
   otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and
       attribution notices from the Source form of the Work,
       excluding those notices that do not pertain to any part of
       the Derivative Works; and

   (d) If the Work includes a "NOTICE" text file as part of its
       distribution, then any Derivative Works that You distribute must
       include a readable copy of the attribution notices contained
       within such NOTICE file, excluding those notices that do not
       pertain to any part of the Derivative Works, in at least one
       of the following places: within a NOTICE text file distributed
       as part of the Derivative Works; within the Source form or
       documentation, if provided along with the Derivative Works; or,
       within a display generated by the Derivative Works, if and
       wherever such third-party notices normally appear. The contents
       of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Copyright 2012 Matt T. Proud (matt.proud@gmail.com)
The MIT License (MIT)

Copyright (c) 2014 Simon Eskildsen

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
Data model artifacts for Prometheus.
Copyright 2012-2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (http://soundcloud.com/).
ISC License

Copyright (c) 2012-2016 Dave Collins <dave@davec.name>

Permission to use, copy, modify, and distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF
OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
Go support for Protocol Buffers - Google's data interchange format

Copyright 2010 The Go Authors. All rights reserved.
https://github.com/golang/protobuf

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
  * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from

https://github.com/beorn7/perks

Copyright 2013-2015 Blake Mizerany, Bjrn Rabenstein

See https://github.com/beorn7/perks/blob/master/README.md for license details.

Go support for Protocol Buffers - Google's data interchange format

http://github.com/golang/protobuf/

Copyright 2010 The Go Authors

See source code for license details.

Support for streaming Protocol Buffer messages for the Go language (golang).

https://github.com/matttproud/golang_protobuf_extensions

Copyright 2013 Matt T. Proud

Licensed under the Apache License, Version 2.0

procfs provides functions to retrieve system, kernel and process

metrics from the pseudo-filesystem proc.

Copyright 2014-2015 The Prometheus Authors

This product includes software developed at

SoundCloud Ltd. (http://soundcloud.com/).

1.102 dlintw-goconf 0.0.0-20120228082610-dcc070983490

1.102.1 Available under license :

NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.103 golang-genproto 0.0.0-20210602131652-f16073e35f0c

1.103.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and
       attribution notices from the Source form of the Work,
       excluding those notices that do not pertain to any part of
       the Derivative Works; and

   (d) If the Work includes a "NOTICE" text file as part of its
       distribution, then any Derivative Works that You distribute must
       include a readable copy of the attribution notices contained
       within such NOTICE file, excluding those notices that do not
       pertain to any part of the Derivative Works, in at least one
       of the following places: within a NOTICE text file distributed
       as part of the Derivative Works; within the Source form or
       documentation, if provided along with the Derivative Works; or,
       within a display generated by the Derivative Works, if and
       wherever such third-party notices normally appear. The contents
       of the NOTICE file are for informational purposes only and
       do not modify the License. You may add Your own attribution
       notices within Derivative Works that You distribute, alongside
       or as an addendum to the NOTICE text from the Work, provided
       that such additional attribution notices cannot be construed
       as modifying the License.

   You may add Your own copyright statement to Your modifications and
   may provide additional or different license terms and conditions
   for use, reproduction, or distribution of Your modifications, or
   for any such Derivative Works as a whole, provided Your use,
   reproduction, and distribution of the Work otherwise complies with
   the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.104 facebookgo-stats 0.0.0-20180706035515-f23751cae28b

1.104.1 Available under license :

MIT License

Copyright (c) 2013-present, Facebook, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.105 libbsd 0.10.0 1

1.105.1 Available under license :

Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/

Files:
*
Copyright:
Copyright 2004-2006, 2008-2018 Guillem Jover <guillem@hadrons.org>
License: BSD-3-clause

Files:
man/arc4random.3bsd
man/tree.3bsd
Copyright:
Copyright 1997 Niels Provos <provos@physnet.uni-hamburg.de>
All rights reserved.
License: BSD-4-clause-Niels-Provos
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software
   must display the following acknowledgement:
     This product includes software developed by Niels Provos.
4. The name of the author may not be used to endorse or promote products
   derived from this software without specific prior written permission.
.
THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files:
man/getprogname.3bsd
Copyright:

include/bsd/netinet/ip_icmp.h
include/bsd/sys/bitstring.h
include/bsd/sys/queue.h
include/bsd/sys/time.h
include/bsd/timeconv.h
include/bsd/vis.h
man/bitstring.3bsd
man/errc.3bsd
man/explicit_bzero.3bsd
man/fgetln.3bsd
man/fgetwln.3bsd
man/fpurge.3bsd
man/funopen.3bsd
man/getbsize.3bsd
man/heapsort.3bsd
man/nlist.3bsd
man/queue.3bsd
man/radixsort.3bsd
man/reallocarray.3bsd
man/reallocf.3bsd
man/setmode.3bsd
man/strmode.3bsd
man/strnstr.3bsd
man/strtoi.3bsd
man/strtou.3bsd
man/unvis.3bsd
man/vis.3bsd
man/wcslcpy.3bsd
src/getbsize.c
src/heapsort.c
src/merge.c
src/nlist.c
src/radixsort.c
src/setmode.c
src/strmode.c
src/strnstr.c
src/strtoi.c
src/strtou.c
src/unvis.c
Copyright:
Copyright 1980, 1982, 1986, 1989-1994

   The Regents of the University of California. All rights reserved.
Copyright 2001 Mike Barcroft <mike@FreeBSD.org>
.

Some code is derived from software contributed to Berkeley by
the American National Standards Committee X3, on Information
Processing Systems.
.

Some code is derived from software contributed to Berkeley by
Peter McIlroy.
.

Some code is derived from software contributed to Berkeley by
Ronnie Kon at Mindcraft Inc., Kevin Lew and Elmer Yglesias.
.

Some code is derived from software contributed to Berkeley by
Dave Borman at Cray Research, Inc.
.

Some code is derived from software contributed to Berkeley by
Paul Vixie.
.

Some code is derived from software contributed to Berkeley by
Chris Torek.
.

Copyright UNIX System Laboratories, Inc.
All or some portions of this file are derived from material licensed
to the University of California by American Telephone and Telegraph
Co. or Unix System Laboratories, Inc. and are reproduced herein with
the permission of UNIX System Laboratories, Inc.
License: BSD-3-clause-Regents

Files:
src/vis.c
Copyright:
Copyright 1989, 1993
   The Regents of the University of California. All rights reserved.
.

Copyright 1999, 2005 The NetBSD Foundation, Inc.
All rights reserved.
License: BSD-3-clause-Regents and BSD-2-clause-NetBSD

Files:
include/bsd/libutil.h
Copyright:
Copyright 1996 Peter Wemm <peter@FreeBSD.org>.
All rights reserved.
Copyright 2002 Networks Associates Technology, Inc.
All rights reserved.
License: BSD-3-clause-author

Files:
man/timeradd.3bsd
Copyright:
Copyright 2009 Jukka Ruohonen <jruohonen@iki.fi>
Copyright 1999 Kelly Yancey <kbyanc@posi.net>
All rights reserved.
License: BSD-3-clause-John-Birrell

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. Neither the name of the author nor the names of any co-contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.
.

THIS SOFTWARE IS PROVIDED BY JOHN BIRRELL AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

Files:
man/setproctitle.3bsd
Copyright:
Copyright 1995 Peter Wemm <peter@FreeBSD.org>
All rights reserved.
License: BSD-5-clause-Peter-Wemm
Redistribution and use in source and binary forms, with or without
modification, is permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice immediately at the beginning of the file, without modification,
   this list of conditions, and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. This work was done expressly for inclusion into FreeBSD. Other use
   is permitted provided this notation is included.
4. Absolutely no warranty of function or purpose is made by the author
   Peter Wemm.
5. Modifications may be freely made to this file providing the above
   conditions are met.

Files:
include/bsd/stringlist.h

man/fmtcheck.3bsd
man/humanize_number.3bsd
man/stringlist.3bsd
man/timeval.3bsd
src/fmtcheck.c
src/humanize_number.c
src/stringlist.c
src/strtonum.c
Copyright:

Files:
include/bsd/sys/endian.h
man/byteorder.3bsd
man/closefrom.3bsd
man/expand_number.3bsd
man/flopen.3bsd
man/getpeereid.3bsd
man/pidfile.3bsd
src/expand_number.c
src/hash/sha512.h
src/hash/sha512c.c
src/pidfile.c
src/reallocf.c
src/timeconv.c
Copyright:

Files:
src/flopen.c
Copyright:

notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
.

Files:
include/bsd/sys/tree.h
man/fparseln.3bsd
src/fparseln.c
Copyright:
License: BSD-2-clause-author

Files:
include/bsd/readpassphrase.h
man/readpassphrase.3bsd
man/strlcpy.3bsd
man/strtonum.3bsd
src/arc4random.c
src/arc4random_linux.h
src/arc4random_openbsd.h
src/arc4random_uniform.c
src/arc4random_unix.h
src/arc4random_win.h
src/closefrom.c
src/getentropy_aix.c
src/getentropy_bsd.c
src/getentropy_hpux.c
src/getentropy_hurd.c
src/getentropy_linux.c
src/getentropy_osx.c
src/getentropy_solaris.c
src/getentropy_win.c
src/readpassphrase.c

src/reallocarray.c

src/strlcat.c

src/strlcpy.c

Copyright:

Copyright 2004 Ted Unangst and Todd Miller

.

Copyright 1996 David Mazieres <dm@uun.org>

Copyright 1998, 2000-2002, 2004-2005, 2007, 2010, 2012-2015

  Todd C. Miller <Todd.Miller@courtesan.com>

Copyright 2004 Ted Unangst

Copyright 2008 Damien Miller <djm@openbsd.org>

Copyright 2008 Otto Moerbeek <otto@drijf.net>

Copyright 2013 Markus Friedl <markus@openbsd.org>

Copyright 2014 Bob Beck <beck@obtuse.com>

Copyright 2014 Brent Cook <bcook@openbsd.org>

Copyright 2014 Pawel Jakub Dawidek <pjd@FreeBSD.org>

Copyright 2014 Theo de Raadt <deraadt@openbsd.org>

Copyright 2015 Michael Felt <aixtools@gmail.com>

Copyright 2015 Guillem Jover <guillem@hadrons.org>

License: ISC

Files:

src/inet_net_pton.c

Copyright:

Copyright 1996 by Internet Software Consortium.

License: ISC-Original

ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS
SOFTWARE.

Files:
src/setproctitle.c
Copyright:
Copyright 2010 William Ahern
Copyright 2012 Guillem Jover <guillem@hadrons.org>
License: Expat
Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to permit
persons to whom the Software is furnished to do so, subject to the
following conditions:
.
The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN
NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR
OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE
USE OR OTHER DEALINGS IN THE SOFTWARE.

Files:
include/bsd/md5.h
src/hash/md5.c
Copyright:
None
License: public-domain-Colin-Plumb
This code implements the MD5 message-digest algorithm.
The algorithm is due to Ron Rivest. This code was
written by Colin Plumb in 1993, no copyright is claimed.
This code is in the public domain; do with it what you wish.

Files:
src/explicit_bzero.c
src/chacha_private.h
Copyright:
None
License: public-domain
Public domain.

Files:

man/mdX.3bsd
src/hash/md5hl.c
src/hash/helper.c
Copyright:
None
License: Beerware
"THE BEER-WARE LICENSE" (Revision 42):
<phk@login.dkuug.dk> wrote this file. As long as you retain this notice you
can do whatever you want with this stuff. If we meet some day, and you think
this stuff is worth it, you can buy me a beer in return.   Poul-Henning Kamp

License: BSD-3-clause-Regents
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.
.
THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

License: BSD-3-clause-author
Redistribution and use in source and binary forms, with or without
modification, is permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote
   products derived from this software without specific prior written
   permission.

.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

License: BSD-3-clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
   derived from this software without specific prior written permission.
.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS;
OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF
ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-2-clause-NetBSD
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
.

THIS SOFTWARE IS PROVIDED BY THE NETBSD FOUNDATION, INC. AND CONTRIBUTORS
``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED

TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE FOUNDATION OR CONTRIBUTORS
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

License: BSD-2-clause-author

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-2-clause

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

1.106 packaging 20.3

1.106.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

This software is made available under the terms of *either* of the licenses
found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made
under the terms of *both* these licenses.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
   this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.107 urfave-cli 2.3.0

1.107.1 Available under license :

MIT License

Copyright (c) 2016 Jeremy Saenz & Contributors

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.108 inotify 0.2.10

1.108.1 Available under license :

No license file was found, but licenses were detected in source scan.

License: GPL 2

Found in path(s):
* /opt/cola/permits/1154551203_1618864476.63/0/inotify-0-2-10-tar-gz/inotify-0.2.10/inotify.egg-info/PKG-INFO
* /opt/cola/permits/1154551203_1618864476.63/0/inotify-0-2-10-tar-gz/inotify-0.2.10/PKG-INFO

1.109 wget 1.20.3 1ubuntu2

1.109.1 Available under license :

This package was debianized by

Christian Schwarz <schwarz@monet.m.isar.de> on Mon, 18 Nov 1996 00:59:57 +0100

J. Ramos Goncalves <ramos@debian.org> on Thu, 13 Feb 1997 23:15:18 +0000

Nicols Lichtmaier <nick@debian.org> on Sat, 18 Oct 1997 21:23:12 -0300

Nol Kthe <noel@debian.org> on Mon, 18 Feb 2002 09:53:00 +0100

It was downloaded from ftp://ftp.gnu.org/gnu/wget/
 Homepage: http://www.gnu.org/directory/wget.html
   http://www.gnu.org/software/wget/wget.html

Upstream Author: Giuseppe Scrivano <gscrivano@gnu.org>

Copyright: (C) 2007 Free Software Foundation, Inc.

Released under the terms of the GPL; see
/usr/share/common-licenses/GPL-3.

"In addition, as a special exception, the Free Software Foundation
gives permission to link the code of its release of Wget with the
OpenSSL project's "OpenSSL" library (or with modified versions of it
that use the same license as the "OpenSSL" library), and distribute
the linked executables. You must obey the GNU General Public License
in all respects for all of the code used other than "OpenSSL". If you
modify this file, you may extend this exception to your version of the
file, but you are not obligated to do so. If you do not wish to do
so, delete this exception statement from your version."

The wget(1) manpage and the wget info page are distributed under the
terms of the GNU Free Documentation License ; see
/usr/share/common-licenses/GFDL-1.2
                GNU GENERAL PUBLIC LICENSE
                 Version 3, 29 June 2007

Preamble

 The GNU General Public License is a free, copyleft license for
software and other kinds of works.

 The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

 To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you have
certain responsibilities if you distribute copies of the software, or if
you modify it: responsibilities to respect the freedom of others.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must pass on to the recipients the same
freedoms that you received. You must make sure that they, too, receive
or can get the source code. And you must show them these terms so they
know their rights.

 Developers that use the GNU GPL protect your rights with two steps:
(1) assert copyright on the software, and (2) offer you this License
giving you legal permission to copy, distribute and/or modify it.

 For the developers' and authors' protection, the GPL clearly explains
that there is no warranty for this free software. For both users' and
authors' sake, the GPL requires that modified versions be marked as
changed, so that their problems will not be attributed erroneously to
authors of previous versions.

 Some devices are designed to deny users access to install or run

modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

 Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

 The precise terms and conditions for copying, distribution and modification follow.

                    TERMS AND CONDITIONS

 0. Definitions.

 "This License" refers to version 3 of the GNU General Public License.

 "Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

 "The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

 To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

 A "covered work" means either the unmodified Program or a work based on the Program.

 To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other
parties to make or receive copies. Mere interaction with a user through
a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices"
to the extent that it includes a convenient and prominently visible
feature that (1) displays an appropriate copyright notice, and (2)
tells the user that there is no warranty for the work (except to the
extent that warranties are provided), that licensees may convey the
work under this License, and how to view a copy of this License. If
the interface presents a list of user commands or options, such as a
menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work
for making modifications to it. "Object code" means any non-source
form of a work.

A "Standard Interface" means an interface that either is an official
standard defined by a recognized standards body, or, in the case of
interfaces specified for a particular programming language, one that
is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other
than the work as a whole, that (a) is included in the normal form of
packaging a Major Component, but which is not part of that Major
Component, and (b) serves only to enable use of the work with that
Major Component, or to implement a Standard Interface for which an
implementation is available to the public in source code form. A
"Major Component", in this context, means a major essential component
(kernel, window system, and so on) of the specific operating system
(if any) on which the executable work runs, or a compiler used to
produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all
the source code needed to generate, install, and (for an executable
work) run the object code and to modify the work, including scripts to
control those activities. However, it does not include the work's
System Libraries, or general-purpose tools or generally available free
programs which are used unmodified in performing those activities but
which are not part of the work. For example, Corresponding Source
includes interface definition files associated with source files for
the work, and the source code for shared libraries and dynamically
linked subprograms that the work is specifically designed to require,
such as by intimate data communication or control flow between those
subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you
receive it, in any medium, provided that you conspicuously and
appropriately publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey,
and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to
produce it from the Program, in the form of source code under the
terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent notices stating that you modified
it, and giving a relevant date.

b) The work must carry prominent notices stating that it is
released under this License and any conditions added under section
7. This requirement modifies the requirement in section 4 to
"keep intact all notices".

c) You must license the entire work, as a whole, under this
License to anyone who comes into possession of a copy. This
License will therefore apply, along with any applicable section 7
additional terms, to the whole of the work, and all its parts,
regardless of how they are packaged. This License gives no
permission to license the work in any other way, but it does not
invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display
Appropriate Legal Notices; however, if the Program has interactive
interfaces that do not display Appropriate Legal Notices, your
work need not make them do so.

A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other

parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no

charge under subsection 6d.

  A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

  A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

  "Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

  If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

  The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

  Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly

documented (and with an implementation available to the public in
source code form), and must require no special password or key for
unpacking, reading or copying.

  7. Additional Terms.

 "Additional permissions" are terms that supplement the terms of this
License by making exceptions from one or more of its conditions.
Additional permissions that are applicable to the entire Program shall
be treated as though they were included in this License, to the extent
that they are valid under applicable law. If additional permissions
apply only to part of the Program, that part may be used separately
under those permissions, but the entire Program remains governed by
this License without regard to the additional permissions.

 When you convey a copy of a covered work, you may at your option
remove any additional permissions from that copy, or from any part of
it. (Additional permissions may be written to require their own
removal in certain cases when you modify the work.) You may place
additional permissions on material, added by you to a covered work,
for which you have or can give appropriate copyright permission.

 Notwithstanding any other provision of this License, for material you
add to a covered work, you may (if authorized by the copyright holders of
that material) supplement the terms of this License with terms:

  a) Disclaiming warranty or limiting liability differently from the
  terms of sections 15 and 16 of this License; or

  b) Requiring preservation of specified reasonable legal notices or
  author attributions in that material or in the Appropriate Legal
  Notices displayed by works containing it; or

  c) Prohibiting misrepresentation of the origin of that material, or
  requiring that modified versions of such material be marked in
  reasonable ways as different from the original version; or

  d) Limiting the use for publicity purposes of names of licensors or
  authors of the material; or

  e) Declining to grant rights under trademark law for use of some
  trade names, trademarks, or service marks; or

  f) Requiring indemnification of licensors and authors of that
  material by anyone who conveys the material (or modified versions of
  it) with contractual assumptions of liability to the recipient, for
  any liability that these contractual assumptions directly impose on
  those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or
run a copy of the Program. Ancillary propagation of a covered work
occurring solely as a consequence of using peer-to-peer transmission
to receive a copy likewise does not require acceptance. However,
nothing other than this License grants you permission to propagate or
modify any covered work. These actions infringe copyright if you do
not accept this License. Therefore, by modifying or propagating a
covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically
receives a license from the original licensors, to run, modify and
propagate that work, subject to this License. You are not responsible
for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an
organization, or substantially all assets of one, or subdividing an
organization, or merging organizations. If propagation of a covered
work results from an entity transaction, each party to that
transaction who receives a copy of the work also receives whatever
licenses to the work the party's predecessor in interest had or could
give under the previous paragraph, plus a right to possession of the
Corresponding Source of the work from the predecessor in interest, if
the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the
rights granted or affirmed under this License. For example, you may
not impose a license fee, royalty, or other charge for exercise of
rights granted under this License, and you may not initiate litigation
(including a cross-claim or counterclaim in a lawsuit) alleging that
any patent claim is infringed by making, using, selling, offering for
sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this
License of the Program or a work on which the Program is based. The
work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims
owned or controlled by the contributor, whether already acquired or
hereafter acquired, that would be infringed by some manner, permitted
by this License, of making, using, or selling its contributor version,
but do not include claims that would be infringed only as a
consequence of further modification of the contributor version. For

purposes of this definition, "control" includes the right to grant
patent sublicenses in a manner consistent with the requirements of
this License.

 Each contributor grants you a non-exclusive, worldwide, royalty-free
patent license under the contributor's essential patent claims, to
make, use, sell, offer for sale, import and otherwise run, modify and
propagate the contents of its contributor version.

 In the following three paragraphs, a "patent license" is any express
agreement or commitment, however denominated, not to enforce a patent
(such as an express permission to practice a patent or covenant not to
sue for patent infringement). To "grant" such a patent license to a
party means to make such an agreement or commitment not to enforce a
patent against the party.

 If you convey a covered work, knowingly relying on a patent license,
and the Corresponding Source of the work is not available for anyone
to copy, free of charge and under the terms of this License, through a
publicly available network server or other readily accessible means,
then you must either (1) cause the Corresponding Source to be so
available, or (2) arrange to deprive yourself of the benefit of the
patent license for this particular work, or (3) arrange, in a manner
consistent with the requirements of this License, to extend the patent
license to downstream recipients. "Knowingly relying" means you have
actual knowledge that, but for the patent license, your conveying the
covered work in a country, or your recipient's use of the covered work
in a country, would infringe one or more identifiable patents in that
country that you have reason to believe are valid.

 If, pursuant to or in connection with a single transaction or
arrangement, you convey, or propagate by procuring conveyance of, a
covered work, and grant a patent license to some of the parties
receiving the covered work authorizing them to use, propagate, modify
or convey a specific copy of the covered work, then the patent license
you grant is automatically extended to all recipients of the covered
work and works based on it.

 A patent license is "discriminatory" if it does not include within
the scope of its coverage, prohibits the exercise of, or is
conditioned on the non-exercise of one or more of the rights that are
specifically granted under this License. You may not convey a covered
work if you are a party to an arrangement with a third party that is
in the business of distributing software, under which you make payment
to the third party based on the extent of your activity of conveying
the work, and under which the third party grants, to any of the
parties who would receive the covered work from you, a discriminatory
patent license (a) in connection with copies of the covered work

conveyed by you (or copies made from those copies), or (b) primarily
for and in connection with specific products or compilations that
contain the covered work, unless you entered into that arrangement,
or that patent license was granted, prior to 28 March 2007.

 Nothing in this License shall be construed as excluding or limiting
any implied license or other defenses to infringement that may
otherwise be available to you under applicable patent law.

 12. No Surrender of Others' Freedom.

 If conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot convey a
covered work so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you may
not convey it at all. For example, if you agree to terms that obligate you
to collect a royalty for further conveying from those to whom you convey
the Program, the only way you could satisfy both those terms and this
License would be to refrain entirely from conveying the Program.

 13. Use with the GNU Affero General Public License.

 Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

 14. Revised Versions of this License.

 The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

 Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

 Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

 15. Disclaimer of Warranty.

 THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

 16. Limitation of Liability.

 IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE
USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD
PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES.

 17. Interpretation of Sections 15 and 16.

 If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

                    END OF TERMS AND CONDITIONS

            How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it

free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software: you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation, either version 3 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program. If not, see <https://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

 If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

    <program> Copyright (C) <year> <name of author>
    This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

 You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<https://www.gnu.org/licenses/>.

 The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<https://www.gnu.org/philosophy/why-not-lgpl.html>.

1.110 pcre 8.39-12ubuntu0.1

1.110.1 Available under license :

PCRE LICENCE

PCRE is a library of functions to support regular expressions whose syntax
and semantics are as close as possible to those of the Perl 5 language.

Release 8 of PCRE is distributed under the terms of the "BSD" licence, as
specified below. The documentation for PCRE, supplied in the "doc"
directory, is distributed under the same terms as the software itself. The data
in the testdata directory is not copyrighted and is in the public domain.

The basic library functions are written in C and are freestanding. Also
included in the distribution is a set of C++ wrapper functions, and a
just-in-time compiler that can be used to optimize pattern matching. These
are both optional features that can be omitted when the library is built.

THE BASIC LIBRARY FUNCTIONS

Written by: Philip Hazel
Email local part: ph10
Email domain: cam.ac.uk

University of Cambridge Computing Service,
Cambridge, England.

Copyright (c) 1997-2016 University of Cambridge
All rights reserved.

PCRE JUST-IN-TIME COMPILATION SUPPORT

Written by: Zoltan Herczeg
Email local part: hzmester
Emain domain: freemail.hu

Copyright(c) 2010-2016 Zoltan Herczeg
All rights reserved.

STACK-LESS JUST-IN-TIME COMPILER

Written by: Zoltan Herczeg
Email local part: hzmester
Emain domain: freemail.hu

THE C++ WRAPPER FUNCTIONS

Contributed by: Google Inc.

THE "BSD" LICENCE

End

PCRE LICENCE

Please see the file LICENCE in the PCRE distribution for licensing details.

End

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.111 getsentry-sentry-go 0.9.0

1.111.1 Available under license :

Copyright (c) 2019 Sentry (https://sentry.io) and individual contributors.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the
following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following
disclaimer.
* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.112 appdirs 1.4.3

1.112.1 Available under license :

This is the MIT license

Copyright (c) 2010 ActiveState Software Inc.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.113 cpp 9.4.0-1ubuntu1~20.04.1

1.113.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Library General Public License instead.) You can apply it to
your programs, too.

  When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

  To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

  For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

  We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

  Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

  Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

  The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion
of it, thus forming a work based on the Program, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices
  stating that you changed the files and the date of any change.

  b) You must cause any work that you distribute or publish, that in
  whole or in part contains or is derived from the Program or any
  part thereof, to be licensed as a whole at no charge to all third
  parties under the terms of this License.

  c) If the modified program normally reads commands interactively
  when run, you must cause it, when started running for such
  interactive use in the most ordinary way, to print or display an

announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

 3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

  a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

  b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

  c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

 5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

 7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot

distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Program at all. For example, if a patent
license would not permit royalty-free redistribution of the Program by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to
apply and the section as a whole is intended to apply in other
circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system, which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

 8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by

the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

This program, "bzip2", the associated library "libbzip2", and all
documentation, are copyright (C) 1996-2010 Julian R Seward. All

rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.

2. The origin of this software must not be misrepresented; you must
   not claim that you wrote the original software. If you use this
   software in a product, an acknowledgment in the product
   documentation would be appreciated but is not required.

3. Altered source versions must be plainly marked as such, and must
   not be misrepresented as being the original software.

4. The name of the author may not be used to endorse or promote
   products derived from this software without specific prior written
   permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS
OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, jseward@bzip.org
bzip2/libbzip2 version 1.0.6 of 6 September 2010

----
libffi - Copyright (c) 1996-2014 Anthony Green, Red Hat, Inc and others.
See source files for details.

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
``Software''), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED ``AS IS'', WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

 For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

 We protect your rights with a two-step method: (1) we copyright the
library, and (2) we offer you this license, which gives you legal
permission to copy, distribute and/or modify the library.

 To protect each distributor, we want to make it very clear that
there is no warranty for the free library. Also, if the library is
modified by someone else and passed on, the recipients should know
that what they have is not the original version, so that the original
author's reputation will not be affected by problems that might be
introduced by others.

 Finally, software patents pose a constant threat to the existence of
any free program. We wish to make sure that a company cannot
effectively restrict the users of a free program by obtaining a
restrictive license from a patent holder. Therefore, we insist that
any patent license obtained for a version of the library must be
consistent with the full freedom of use specified in this license.

 Most GNU software, including some libraries, is covered by the
ordinary GNU General Public License. This license, the GNU Lesser
General Public License, applies to certain designated libraries, and
is quite different from the ordinary General Public License. We use
this license for certain libraries in order to permit linking those
libraries into non-free programs.

 When a program is linked with a library, whether statically or using
a shared library, the combination of the two is legally speaking a
combined work, a derivative of the original library. The ordinary
General Public License therefore permits such linking only if the
entire combination fits its criteria of freedom. The Lesser General
Public License permits more lax criteria for linking other code with
the library.

 We call this license the "Lesser" General Public License because it
does Less to protect the user's freedom than the ordinary General
Public License. It also provides other free software developers Less
of an advantage over competing non-free programs. These disadvantages

are the reason we use the ordinary General Public License for many
libraries. However, the Lesser license provides advantages in certain
special circumstances.

 For example, on rare occasions, there may be a special need to
encourage the widest possible use of a certain library, so that it
becomes a de-facto standard. To achieve this, non-free programs must
be allowed to use the library. A more frequent case is that a free
library does the same job as widely used non-free libraries. In this
case, there is little to gain by limiting the free library to free
software only, so we use the Lesser General Public License.

 In other cases, permission to use a particular library in non-free
programs enables a greater number of people to use a large body of
free software. For example, permission to use the GNU C Library in
non-free programs enables many more people to use the whole GNU
operating system, as well as its variant, the GNU/Linux operating
system.

 Although the Lesser General Public License is Less protective of the
users' freedom, it does ensure that the user of a program that is
linked with the Library has the freedom and the wherewithal to run
that program using a modified version of the Library.

 The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, whereas the latter must
be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License Agreement applies to any software library or other
program which contains a notice placed by the copyright holder or
other authorized party saying it may be distributed under the terms of
this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

 A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

 The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated

straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

 "Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

 Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

 1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

 You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

  a) The modified work must itself be a software library.

  b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

  c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

  d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of

its purpose remains meaningful.

(For example, a function in a library to compute square roots has
a purpose that is entirely well-defined independent of the
application. Therefore, Subsection 2d requires that any
application-supplied function or table used by this function must
be optional: if the application does not supply it, the square
root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Library,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

 Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

 4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form

under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

 5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

 However, linking a "work that uses the Library" with the Library
creates an executable that is a derivative of the Library (because it
contains portions of the Library), rather than a "work that uses the
library". The executable is therefore covered by this License.
Section 6 states terms for distribution of such executables.

 When a "work that uses the Library" uses material from a header file
that is part of the Library, the object code for the work may be a
derivative work of the Library even though the source code is not.
Whether this is true is especially significant if the work can be
linked without the Library, or if the work is itself a library. The
threshold for this to be true is not precisely defined by law.

 If such an object file uses only numerical parameters, data
structure layouts and accessors, and small macros and small inline
functions (ten lines or less in length), then the use of the object
file is unrestricted, regardless of whether it is legally a derivative
work. (Executables containing this object code plus portions of the
Library will still fall under Section 6.)

 Otherwise, if the work is a derivative of the Library, you may
distribute the object code for the work under the terms of Section 6.
Any executables containing that work also fall under Section 6,
whether or not they are linked directly with the Library itself.

 6. As an exception to the Sections above, you may also combine or
link a "work that uses the Library" with the Library to produce a
work containing portions of the Library, and distribute that work
under terms of your choice, provided that the terms permit
modification of the work for the customer's own use and reverse
engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies

the executable.

It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.

7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work
based on the Library, uncombined with any other library
facilities. This must be distributed under the terms of the
Sections above.

b) Give prominent notice with the combined library of the fact
that part of it is a work based on the Library, and explaining
where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties with
this License.

11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to
apply, and the section as a whole is intended to apply in other
circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License
may add an explicit geographical distribution limitation excluding those
countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and

"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

  14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

                        NO WARRANTY

  15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE
LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

  16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE
LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING
RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A
FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF
SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGES.

                END OF TERMS AND CONDITIONS

           How to Apply These Terms to Your New Libraries

  If you develop a new library, and you want it to be of the greatest
possible use to the public, we recommend making it free software that
everyone can redistribute and change. You can do so by permitting
redistribution under these terms (or, alternatively, under the terms
of the ordinary General Public License).

To apply these terms, attach the following notices to the library.
It is safest to attach them to the start of each source file to most
effectively convey the exclusion of warranty; and each file should
have at least the "copyright" line and a pointer to where the full
notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or
your school, if any, to sign a "copyright disclaimer" for the library,
if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James
Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!
Copyright 1992, 1993, 1994 Henry Spencer. All rights reserved.
This software is not subject to any license of the American Telephone
and Telegraph Company or of the Regents of the University of California.

Permission is granted to anyone to use this software for any purpose on
any computer system, and to alter it and redistribute it, subject
to the following restrictions:

1. The author is not responsible for the consequences of use of this
   software, no matter how awful, even if they arise from flaws in it.

2. The origin of this software must not be misrepresented, either by

  explicit claim or by omission. Since few users ever read sources,

  credits must appear in the documentation.

3. Altered versions must be plainly marked as such, and must not be

  misrepresented as being the original software. Since few users

  ever read sources, credits must appear in the documentation.

4. This notice may not be removed or altered.

@ignore

@c Set file name and title for man page.

@setfilename gpl

@settitle GNU General Public License

@c man begin SEEALSO

gfdl(7), fsf-funding(7).

@c man end
@c man begin COPYRIGHT
Copyright @copyright{} 2007 Free Software Foundation, Inc.

Everyone is permitted to copy and distribute verbatim copies of this
license document, but changing it is not allowed.
@c man end
@end ignore
@node Copying
@c man begin DESCRIPTION
@unnumbered GNU General Public License
@center Version 3, 29 June 2007

@c This file is intended to be included in another file.

@display
Copyright @copyright{} 2007 Free Software Foundation, Inc. @url{http://fsf.org/}

Everyone is permitted to copy and distribute verbatim copies of this
license document, but changing it is not allowed.
@end display

@heading Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom
to share and change all versions of a program--to make sure it remains
free software for all its users. We, the Free Software Foundation,
use the GNU General Public License for most of our software; it
applies also to any other work released this way by its authors. You
can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you
have certain responsibilities if you distribute copies of the
software, or if you modify it: responsibilities to respect the freedom
of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

@heading TERMS AND CONDITIONS

@enumerate 0
@item Definitions.

``This License'' refers to version 3 of the GNU General Public License.

``Copyright'' also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

``The Program'' refers to any copyrightable work licensed under this
License. Each licensee is addressed as ``you''.  ``Licensees'' and
``recipients'' may be individuals or organizations.

To ``modify'' a work means to copy from or adapt all or part of the work
in a fashion requiring copyright permission, other than the making of
an exact copy. The resulting work is called a ``modified version'' of
the earlier work or a work ``based on'' the earlier work.

A ``covered work'' means either the unmodified Program or a work based
on the Program.

To ``propagate'' a work means to do anything with it that, without
permission, would make you directly or secondarily liable for
infringement under applicable copyright law, except executing it on a
computer or modifying a private copy. Propagation includes copying,
distribution (with or without modification), making available to the
public, and in some countries other activities as well.

To ``convey'' a work means any kind of propagation that enables other
parties to make or receive copies. Mere interaction with a user
through a computer network, with no transfer of a copy, is not
conveying.

An interactive user interface displays ``Appropriate Legal Notices'' to
the extent that it includes a convenient and prominently visible
feature that (1) displays an appropriate copyright notice, and (2)
tells the user that there is no warranty for the work (except to the
extent that warranties are provided), that licensees may convey the
work under this License, and how to view a copy of this License. If
the interface presents a list of user commands or options, such as a
menu, a prominent item in the list meets this criterion.

@item Source Code.

The ``source code'' for a work means the preferred form of the work for
making modifications to it. ``Object code'' means any non-source form
of a work.

A ``Standard Interface'' means an interface that either is an official
standard defined by a recognized standards body, or, in the case of
interfaces specified for a particular programming language, one that
is widely used among developers working in that language.

The ``System Libraries'' of an executable work include anything, other
than the work as a whole, that (a) is included in the normal form of
packaging a Major Component, but which is not part of that Major

Component, and (b) serves only to enable use of the work with that
Major Component, or to implement a Standard Interface for which an
implementation is available to the public in source code form. A
``Major Component'', in this context, means a major essential component
(kernel, window system, and so on) of the specific operating system
(if any) on which the executable work runs, or a compiler used to
produce the work, or an object code interpreter used to run it.

The ``Corresponding Source'' for a work in object code form means all
the source code needed to generate, install, and (for an executable
work) run the object code and to modify the work, including scripts to
control those activities. However, it does not include the work's
System Libraries, or general-purpose tools or generally available free
programs which are used unmodified in performing those activities but
which are not part of the work. For example, Corresponding Source
includes interface definition files associated with source files for
the work, and the source code for shared libraries and dynamically
linked subprograms that the work is specifically designed to require,
such as by intimate data communication or control flow between those
subprograms and other parts of the work.

The Corresponding Source need not include anything that users can
regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same
work.

@item Basic Permissions.

All rights granted under this License are granted for the term of
copyright on the Program, and are irrevocable provided the stated
conditions are met. This License explicitly affirms your unlimited
permission to run the unmodified Program. The output from running a
covered work is covered by this License only if the output, given its
content, constitutes a covered work. This License acknowledges your
rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey,
without conditions so long as your license otherwise remains in force.
You may convey covered works to others for the sole purpose of having
them make modifications exclusively for you, or provide you with
facilities for running those works, provided that you comply with the
terms of this License in conveying all material for which you do not
control copyright. Those thus making or running the covered works for
you must do so exclusively on your behalf, under your direction and
control, on terms that prohibit them from making any copies of your
copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

@item Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

@item Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

@item Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

@enumerate a
@item
The work must carry prominent notices stating that you modified it, and giving a relevant date.

@item
The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This

requirement modifies the requirement in section 4 to ``keep intact all
notices''.

@item
You must license the entire work, as a whole, under this License to
anyone who comes into possession of a copy. This License will
therefore apply, along with any applicable section 7 additional terms,
to the whole of the work, and all its parts, regardless of how they
are packaged. This License gives no permission to license the work in
any other way, but it does not invalidate such permission if you have
separately received it.

@item
If the work has interactive user interfaces, each must display
Appropriate Legal Notices; however, if the Program has interactive
interfaces that do not display Appropriate Legal Notices, your work
need not make them do so.
@end enumerate

A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution medium, is called an
``aggregate'' if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

@item Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of
sections 4 and 5, provided that you also convey the machine-readable
Corresponding Source under the terms of this License, in one of these
ways:

@enumerate a
@item
Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by the
Corresponding Source fixed on a durable physical medium customarily
used for software interchange.

@item
Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by a written
offer, valid for at least three years and valid for as long as you
offer spare parts or customer support for that product model, to give

anyone who possesses the object code either (1) a copy of the
Corresponding Source for all the software in the product that is
covered by this License, on a durable physical medium customarily used
for software interchange, for a price no more than your reasonable
cost of physically performing this conveying of source, or (2) access
to copy the Corresponding Source from a network server at no charge.

@item
Convey individual copies of the object code with a copy of the written
offer to provide the Corresponding Source. This alternative is
allowed only occasionally and noncommercially, and only if you
received the object code with such an offer, in accord with subsection
6b.

@item
Convey the object code by offering access from a designated place
(gratis or for a charge), and offer equivalent access to the
Corresponding Source in the same way through the same place at no
further charge. You need not require recipients to copy the
Corresponding Source along with the object code. If the place to copy
the object code is a network server, the Corresponding Source may be
on a different server (operated by you or a third party) that supports
equivalent copying facilities, provided you maintain clear directions
next to the object code saying where to find the Corresponding Source.
Regardless of what server hosts the Corresponding Source, you remain
obligated to ensure that it is available for as long as needed to
satisfy these requirements.

@item
Convey the object code using peer-to-peer transmission, provided you
inform other peers where the object code and Corresponding Source of
the work are being offered to the general public at no charge under
subsection 6d.

@end enumerate

A separable portion of the object code, whose source code is excluded
from the Corresponding Source as a System Library, need not be
included in conveying the object code work.

A ``User Product'' is either (1) a ``consumer product'', which means any
tangible personal property which is normally used for personal,
family, or household purposes, or (2) anything designed or sold for
incorporation into a dwelling. In determining whether a product is a
consumer product, doubtful cases shall be resolved in favor of
coverage. For a particular product received by a particular user,
``normally used'' refers to a typical or common use of that class of
product, regardless of the status of the particular user or of the way

in which the particular user actually uses, or expects or is expected
to use, the product. A product is a consumer product regardless of
whether the product has substantial commercial, industrial or
non-consumer uses, unless such uses represent the only significant
mode of use of the product.

``Installation Information'' for a User Product means any methods,
procedures, authorization keys, or other information required to
install and execute modified versions of a covered work in that User
Product from a modified version of its Corresponding Source. The
information must suffice to ensure that the continued functioning of
the modified object code is in no case prevented or interfered with
solely because modification has been made.

If you convey an object code work under this section in, or with, or
specifically for use in, a User Product, and the conveying occurs as
part of a transaction in which the right of possession and use of the
User Product is transferred to the recipient in perpetuity or for a
fixed term (regardless of how the transaction is characterized), the
Corresponding Source conveyed under this section must be accompanied
by the Installation Information. But this requirement does not apply
if neither you nor any third party retains the ability to install
modified object code on the User Product (for example, the work has
been installed in ROM).

The requirement to provide Installation Information does not include a
requirement to continue to provide support service, warranty, or
updates for a work that has been modified or installed by the
recipient, or for the User Product in which it has been modified or
installed. Access to a network may be denied when the modification
itself materially and adversely affects the operation of the network
or violates the rules and protocols for communication across the
network.

Corresponding Source conveyed, and Installation Information provided,
in accord with this section must be in a format that is publicly
documented (and with an implementation available to the public in
source code form), and must require no special password or key for
unpacking, reading or copying.

@item Additional Terms.

``Additional permissions'' are terms that supplement the terms of this
License by making exceptions from one or more of its conditions.
Additional permissions that are applicable to the entire Program shall
be treated as though they were included in this License, to the extent
that they are valid under applicable law. If additional permissions
apply only to part of the Program, that part may be used separately

under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

@enumerate a
@item
Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or

@item
Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

@item
Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

@item
Limiting the use for publicity purposes of names of licensors or authors of the material; or

@item
Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

@item
Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.
@end enumerate

All other non-permissive additional terms are considered ``further restrictions'' within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is

governed by this License along with a term that is a further
restriction, you may remove that term. If a license document contains
a further restriction but permits relicensing or conveying under this
License, you may add to a covered work material governed by the terms
of that license document, provided that the further restriction does
not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you
must place, in the relevant source files, a statement of the
additional terms that apply to those files, or a notice indicating
where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the
form of a separately written license, or stated as exceptions; the
above requirements apply either way.

@item Termination.

You may not propagate or modify a covered work except as expressly
provided under this License. Any attempt otherwise to propagate or
modify it is void, and will automatically terminate your rights under
this License (including any patent licenses granted under the third
paragraph of section 11).

However, if you cease all violation of this License, then your license
from a particular copyright holder is reinstated (a) provisionally,
unless and until the copyright holder explicitly and finally
terminates your license, and (b) permanently, if the copyright holder
fails to notify you of the violation by some reasonable means prior to
60 days after the cessation.

Moreover, your license from a particular copyright holder is
reinstated permanently if the copyright holder notifies you of the
violation by some reasonable means, this is the first time you have
received notice of violation of this License (for any work) from that
copyright holder, and you cure the violation prior to 30 days after
your receipt of the notice.

Termination of your rights under this section does not terminate the
licenses of parties who have received copies or rights from you under
this License. If your rights have been terminated and not permanently
reinstated, you do not qualify to receive new licenses for the same
material under section 10.

@item Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run
a copy of the Program. Ancillary propagation of a covered work

occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

@item Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An ``entity transaction'' is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

@item Patents.

A ``contributor'' is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's ``contributor version''.

A contributor's ``essential patent claims'' are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, ``control'' includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free
patent license under the contributor's essential patent claims, to
make, use, sell, offer for sale, import and otherwise run, modify and
propagate the contents of its contributor version.

In the following three paragraphs, a ``patent license'' is any express
agreement or commitment, however denominated, not to enforce a patent
(such as an express permission to practice a patent or covenant not to
sue for patent infringement). To ``grant'' such a patent license to a
party means to make such an agreement or commitment not to enforce a
patent against the party.

If you convey a covered work, knowingly relying on a patent license,
and the Corresponding Source of the work is not available for anyone
to copy, free of charge and under the terms of this License, through a
publicly available network server or other readily accessible means,
then you must either (1) cause the Corresponding Source to be so
available, or (2) arrange to deprive yourself of the benefit of the
patent license for this particular work, or (3) arrange, in a manner
consistent with the requirements of this License, to extend the patent
license to downstream recipients. ``Knowingly relying'' means you have
actual knowledge that, but for the patent license, your conveying the
covered work in a country, or your recipient's use of the covered work
in a country, would infringe one or more identifiable patents in that
country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or
arrangement, you convey, or propagate by procuring conveyance of, a
covered work, and grant a patent license to some of the parties
receiving the covered work authorizing them to use, propagate, modify
or convey a specific copy of the covered work, then the patent license
you grant is automatically extended to all recipients of the covered
work and works based on it.

A patent license is ``discriminatory'' if it does not include within the
scope of its coverage, prohibits the exercise of, or is conditioned on
the non-exercise of one or more of the rights that are specifically
granted under this License. You may not convey a covered work if you
are a party to an arrangement with a third party that is in the
business of distributing software, under which you make payment to the
third party based on the extent of your activity of conveying the
work, and under which the third party grants, to any of the parties
who would receive the covered work from you, a discriminatory patent
license (a) in connection with copies of the covered work conveyed by
you (or copies made from those copies), or (b) primarily for and in
connection with specific products or compilations that contain the
covered work, unless you entered into that arrangement, or that patent
license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting
any implied license or other defenses to infringement that may
otherwise be available to you under applicable patent law.

@item No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot convey
a covered work so as to satisfy simultaneously your obligations under
this License and any other pertinent obligations, then as a
consequence you may not convey it at all. For example, if you agree
to terms that obligate you to collect a royalty for further conveying
from those to whom you convey the Program, the only way you could
satisfy both those terms and this License would be to refrain entirely
from conveying the Program.

@item Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

@item Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions
of the GNU General Public License from time to time. Such new
versions will be similar in spirit to the present version, but may
differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies that a certain numbered version of the GNU General Public
License ``or any later version'' applies to it, you have the option of
following the terms and conditions either of that numbered version or
of any later version published by the Free Software Foundation. If
the Program does not specify a version number of the GNU General
Public License, you may choose any version ever published by the Free
Software Foundation.

If the Program specifies that a proxy can decide which future versions
of the GNU General Public License can be used, that proxy's public
statement of acceptance of a version permanently authorizes you to

choose that version for the Program.

Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

@item Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM ``AS IS'' WITHOUT
WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND
PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE
DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR
CORRECTION.

@item Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR
CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES
ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT
NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR
LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM
TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER
PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

@item Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

@end enumerate

@heading END OF TERMS AND CONDITIONS

@heading How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it

free software which everyone can redistribute and change under these
terms.

To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the ``copyright'' line and a pointer to where the full notice is found.

@smallexample
@var{one line to give the program's name and a brief idea of what it does.}
Copyright (C) @var{year} @var{name of author}

This program is free software: you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation, either version 3 of the License, or (at
your option) any later version.

This program is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program. If not, see @url{http://www.gnu.org/licenses/}.
@end smallexample

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

@smallexample
@var{program} Copyright (C) @var{year} @var{name of author}
This program comes with ABSOLUTELY NO WARRANTY; for details type @samp{show w}.
This is free software, and you are welcome to redistribute it
under certain conditions; type @samp{show c} for details.
@end smallexample

The hypothetical commands @samp{show w} and @samp{show c} should show
the appropriate parts of the General Public License. Of course, your
program's commands might be different; for a GUI interface, you would
use an ``about box''.

You should also get your employer (if you work as a programmer) or school,
if any, to sign a ``copyright disclaimer'' for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
@url{http://www.gnu.org/licenses/}.

The GNU General Public License does not permit incorporating your
program into proprietary programs. If your program is a subroutine
library, you may consider it more useful to permit linking proprietary
applications with the library. If this is what you want to do, use
the GNU Lesser General Public License instead of this License. But
first, please read @url{http://www.gnu.org/philosophy/why-not-lgpl.html}.
@c man end
Copyright (C) 2005, 2006 Free Software Foundation, Inc.
The files gnupng and gnu.eps are part of GNU Modula-2.

GNU Modula-2 is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 3, or (at your option)
any later version.

GNU Modula-2 is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

You should have received a copy of the GNU General Public License
along with gm2; see the file COPYING. If not, write to the Free
Software Foundation, 51 Franklin Street, Fifth Floor, Boston, MA
02110-1301, USA.
Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization
obtaining a copy of the software and accompanying documentation covered by
this license (the "Software") to use, reproduce, display, distribute,
execute, and transmit the Software, and to prepare derivative works of the
Software, and to permit third-parties to whom the Software is furnished to
do so, all subject to the following:

The copyright notices in the Software and this entire statement, including
the above license grant, this restriction and the following disclaimer,
must be included in all copies of the Software, in whole or in part, and
all derivative works of the Software, unless such copies or derivative
works are solely in the form of machine-executable object code generated by
a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT
SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE
FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS IN THE SOFTWARE.

```
==============================================================================
```
The LLVM Project is under the Apache License v2.0 with LLVM Exceptions:
```
==============================================================================
```

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or
    Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
    stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
    that You distribute, all copyright, patent, trademark, and
    attribution notices from the Source form of the Work,
    excluding those notices that do not pertain to any part of
    the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
    distribution, then any Derivative Works that You distribute must
    include a readable copy of the attribution notices contained
    within such NOTICE file, excluding those notices that do not
    pertain to any part of the Derivative Works, in at least one
    of the following places: within a NOTICE text file distributed
    as part of the Derivative Works; within the Source form or
    documentation, if provided along with the Derivative Works; or,
    within a display generated by the Derivative Works, if and
    wherever such third-party notices normally appear. The contents
    of the NOTICE file are for informational purposes only and
    do not modify the License. You may add Your own attribution
    notices within Derivative Works that You distribute, alongside
    or as an addendum to the NOTICE text from the Work, provided
    that such additional attribution notices cannot be construed
    as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

---- LLVM Exceptions to the Apache 2.0 License ----

As an exception, if, as a result of your compiling your source code, portions
of this Software are embedded into an Object form of such source code, you
may redistribute such embedded portions in such Object form without complying
with the conditions of Sections 4(a), 4(b) and 4(d) of the License.

In addition, if you combine or link compiled forms of this Software with
software that is licensed under the GPLv2 ("Combined Software") and if a
court of competent jurisdiction determines that the patent provision (Section
3), the indemnity provision (Section 9) or other Section of the License
conflicts with the conditions of the GPLv2, you may retroactively and
prospectively choose to deem waived or otherwise exclude such Section(s) of
the License, but only in their entirety and only with respect to the Combined
Software.

==
Software from third parties included in the LLVM Project:
==
The LLVM Project contains third party software which is under different license
terms. All such code will be identified clearly using at least one of two
mechanisms:
1) It will be in a separate directory tree with its own `LICENSE.txt` or
 `LICENSE` file at the top containing the specific license and restrictions
 which apply to that software, or
2) It will contain specific license and restriction terms at the top of every
 file.

==
Legacy LLVM License (https://llvm.org/docs/DeveloperPolicy.html#legacy):
==

The software contained in this directory tree is dual licensed under both the

University of Illinois "BSD-Like" license and the MIT license. As a user of
this code you may choose to use it under either license. As a contributor,
you agree to allow your code to be used under both.

Full text of the relevant licenses is included below.

==

University of Illinois/NCSA
Open Source License

Copyright (c) 2017-2019 by the contributors listed in CREDITS.TXT

All rights reserved.

Developed by:
   Threading Runtimes Team
   Intel Corporation
   http://www.intel.com

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal with
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

   * Redistributions of source code must retain the above copyright notice,
     this list of conditions and the following disclaimers.

   * Redistributions in binary form must reproduce the above copyright notice,
     this list of conditions and the following disclaimers in the
     documentation and/or other materials provided with the distribution.

   * Neither the names of Intel Corporation Threading Runtimes Team nor the
     names of its contributors may be used to endorse or promote products
     derived from this Software without specific prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
CONTRIBUTORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS WITH THE
SOFTWARE.

==

   GNU LESSER GENERAL PUBLIC LICENSE
       Version 2.1, February 1999

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

   Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

 This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

 When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

 To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

 For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

 We protect your rights with a two-step method: (1) we copyright the
library, and (2) we offer you this license, which gives you legal
permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of

free software. For example, permission to use the GNU C Library in
non-free programs enables many more people to use the whole GNU
operating system, as well as its variant, the GNU/Linux operating
system.

 Although the Lesser General Public License is Less protective of the
users' freedom, it does ensure that the user of a program that is
linked with the Library has the freedom and the wherewithal to run
that program using a modified version of the Library.

 The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, whereas the latter must
be combined with the library in order to run.

  GNU LESSER GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License Agreement applies to any software library or other
program which contains a notice placed by the copyright holder or
other authorized party saying it may be distributed under the terms of
this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

 A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

 The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated
straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

 "Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means
all the source code for all modules it contains, plus any associated
interface definition files, plus the scripts used to control compilation
and installation of the library.

 Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running a program using the Library is not restricted, and output from
such a program is covered only if its contents constitute a work based
on the Library (independent of the use of the Library in a tool for

writing it). Whether that is true depends on what the Library does
and what the program that uses the Library does.

  1. You may copy and distribute verbatim copies of the Library's
complete source code as you receive it, in any medium, provided that
you conspicuously and appropriately publish on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact
all the notices that refer to this License and to the absence of any
warranty; and distribute a copy of this License along with the
Library.

  You may charge a fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a
fee.

  2. You may modify your copy or copies of the Library or any portion
of it, thus forming a work based on the Library, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) The modified work must itself be a software library.

  b) You must cause the files modified to carry prominent notices
  stating that you changed the files and the date of any change.

  c) You must cause the whole of the work to be licensed at no
  charge to all third parties under the terms of this License.

  d) If a facility in the modified Library refers to a function or a
  table of data to be supplied by an application program that uses
  the facility, other than as an argument passed when the facility
  is invoked, then you must make a good faith effort to ensure that,
  in the event an application does not supply such function or
  table, the facility still operates, and performs whatever part of
  its purpose remains meaningful.

  (For example, a function in a library to compute square roots has
  a purpose that is entirely well-defined independent of the
  application. Therefore, Subsection 2d requires that any
  application-supplied function or table used by this function must
  be optional: if the application does not supply it, the square
  root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Library,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you

distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

 Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

 4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

 5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a

work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

 However, linking a "work that uses the Library" with the Library
creates an executable that is a derivative of the Library (because it
contains portions of the Library), rather than a "work that uses the
library". The executable is therefore covered by this License.
Section 6 states terms for distribution of such executables.

 When a "work that uses the Library" uses material from a header file
that is part of the Library, the object code for the work may be a
derivative work of the Library even though the source code is not.
Whether this is true is especially significant if the work can be
linked without the Library, or if the work is itself a library. The
threshold for this to be true is not precisely defined by law.

 If such an object file uses only numerical parameters, data
structure layouts and accessors, and small macros and small inline
functions (ten lines or less in length), then the use of the object
file is unrestricted, regardless of whether it is legally a derivative
work. (Executables containing this object code plus portions of the
Library will still fall under Section 6.)

 Otherwise, if the work is a derivative of the Library, you may
distribute the object code for the work under the terms of Section 6.
Any executables containing that work also fall under Section 6,
whether or not they are linked directly with the Library itself.

 6. As an exception to the Sections above, you may also combine or
link a "work that uses the Library" with the Library to produce a
work containing portions of the Library, and distribute that work
under terms of your choice, provided that the terms permit
modification of the work for the customer's own use and reverse
engineering for debugging such modifications.

 You must give prominent notice with each copy of the work that the
Library is used in it and that the Library and its use are covered by
this License. You must supply a copy of this License. If the work
during execution displays copyright notices, you must include the
copyright notice for the Library among them, as well as a reference
directing the user to the copy of this License. Also, you must do one
of these things:

  a) Accompany the work with the complete corresponding
  machine-readable source code for the Library including whatever
  changes were used in the work (which must be distributed under
  Sections 1 and 2 above); and, if the work is an executable linked
  with the Library, with the complete machine-readable "work that

uses the Library", as object code and/or source code, so that the
user can modify the Library and then relink to produce a modified
executable containing the modified Library. (It is understood
that the user who changes the contents of definitions files in the
Library will not necessarily be able to recompile the application
to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the
Library. A suitable mechanism is one that (1) uses at run time a
copy of the library already present on the user's computer system,
rather than copying library functions into the executable, and (2)
will operate properly with a modified version of the library, if
the user installs one, as long as the modified version is
interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at
least three years, to give the same user the materials
specified in Subsection 6a, above, for a charge no more
than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy
from a designated place, offer equivalent access to copy the above
specified materials from the same place.

e) Verify that the user has already received a copy of these
materials or that you have already sent this user a copy.

 For an executable, the required form of the "work that uses the
Library" must include any data and utility programs needed for
reproducing the executable from it. However, as a special exception,
the materials to be distributed need not include anything that is
normally distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies
the executable.

 It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.

 7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work
based on the Library, uncombined with any other library
facilities. This must be distributed under the terms of the
Sections above.

b) Give prominent notice with the combined library of the fact
that part of it is a work based on the Library, and explaining
where to find the accompanying uncombined form of the same work.

 8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

 9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

 10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties with
this License.

 11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

  12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

  13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

  14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE
LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE
LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING
RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A
FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF
SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest
possible use to the public, we recommend making it free software that
everyone can redistribute and change. You can do so by permitting
redistribution under these terms (or, alternatively, under the terms of the
ordinary General Public License).

To apply these terms, attach the following notices to the library. It is
safest to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

    <one line to give the library's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This library is free software; you can redistribute it and/or
    modify it under the terms of the GNU Lesser General Public
    License as published by the Free Software Foundation; either
    version 2.1 of the License, or (at your option) any later version.

    This library is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!
The libgloss subdirectory is a collection of software from several sources.

Each file may have its own copyright/license that is embedded in the source
file. Unless otherwise noted in the body of the source file(s), the following copyright
notices will apply to the contents of the libgloss subdirectory:

(1) Red Hat Incorporated

Copyright (c) 1994-2009 Red Hat, Inc. All rights reserved.

This copyrighted material is made available to anyone wishing to use, modify,
copy, or redistribute it subject to the terms and conditions of the BSD
License.   This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY expressed or implied, including the implied warranties
of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. A copy of this license
is available at http://www.opensource.org/licenses. Any Red Hat trademarks that
are incorporated in the source code or documentation are not subject to the BSD
License and may only be used or replicated with the express permission of
Red Hat, Inc.

(2) University of California, Berkeley

Copyright (c) 1981-2000 The Regents of the University of California.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
  this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.
* Neither the name of the University nor the names of its contributors may
  be used to endorse or promote products derived from this software without
  specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED.
IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY
OF SUCH DAMAGE.

(3) DJ Delorie

Copyright (C) 1993 DJ Delorie
All rights reserved.

Redistribution, modification, and use in source and binary forms is permitted
provided that the above copyright notice and following paragraph are
duplicated in all such forms.

This file is distributed WITHOUT ANY WARRANTY; without even the implied
warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

(4) (formerly GPL for fr30)

The GPL is no longer applicable to the fr30 platform. The piece of
code (syscalls.c) referencing the GPL has been officially relicensed.

(5) Advanced Micro Devices

Copyright 1989, 1990 Advanced Micro Devices, Inc.

This software is the property of Advanced Micro Devices, Inc (AMD) which
specifically grants the user the right to modify, use and distribute this
software provided this notice is not removed or altered. All other rights
are reserved by AMD.

AMD MAKES NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, WITH REGARD TO THIS
SOFTWARE. IN NO EVENT SHALL AMD BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL
DAMAGES IN CONNECTION WITH OR ARISING FROM THE FURNISHING, PERFORMANCE, OR
USE OF THIS SOFTWARE.

So that all may benefit from your experience, please report any problems
or suggestions about this software to the 29K Technical Support Center at
800-29-29-AMD (800-292-9263) in the USA, or 0800-89-1131 in the UK, or
0031-11-1129 in Japan, toll free. The direct dial number is 512-462-4118.

Advanced Micro Devices, Inc.
29K Support Products
Mail Stop 573
5900 E. Ben White Blvd.
Austin, TX 78741
800-292-9263

(6) - Analog Devices, Inc. (bfin-* targets)

Copyright (C) 2006, 2008, 2009, 2011, 2012 Analog Devices, Inc.

The authors hereby grant permission to use, copy, modify, distribute,
and license this software and its documentation for any purpose, provided
that existing copyright notices are retained in all copies and that this
notice is included verbatim in any distributions. No written agreement,
license, or royalty fee is required for any of the authorized uses.
Modifications to this software may be copyrighted by their authors
and need not follow the licensing terms described here, provided that
the new terms are clearly indicated on the first page of each file where
they apply.

(7) University of Utah and the Computer Systems Laboratory (CSL)
   [applies only to hppa*-*-pro* targets]
Copyright (c) 1990,1994 The University of Utah and
the Computer Systems Laboratory (CSL). All rights reserved.

Permission to use, copy, modify and distribute this software is hereby
granted provided that (1) source code retains these copyright, permission,
and disclaimer notices, and (2) redistributions including binaries
reproduce the notices in supporting documentation, and (3) all advertising
materials mentioning features or use of this software display the following
acknowledgement: ``This product includes software developed by the
Computer Systems Laboratory at the University of Utah.''

THE UNIVERSITY OF UTAH AND CSL ALLOW FREE USE OF THIS SOFTWARE IN ITS "AS
IS" CONDITION. THE UNIVERSITY OF UTAH AND CSL DISCLAIM ANY LIABILITY OF
ANY KIND FOR ANY DAMAGES WHATSOEVER RESULTING FROM THE USE OF THIS SOFTWARE.

CSL requests users of this software to return to csl-dist@cs.utah.edu any
improvements that they make and grant CSL redistribution rights.

(8) Sun Microsystems

Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

Developed at SunPro, a Sun Microsystems, Inc. business.
Permission to use, copy, modify, and distribute this
software is freely granted, provided that this notice is preserved.

(9) Hewlett Packard

(c) Copyright 1986 HEWLETT-PACKARD COMPANY

To anyone who acknowledges that this file is provided "AS IS"
without any express or implied warranty:

permission to use, copy, modify, and distribute this file
for any purpose is hereby granted without fee, provided that
the above copyright notice and this notice appears in all
copies, and that the name of Hewlett-Packard Company not be
used in advertising or publicity pertaining to distribution
of the software without specific, written prior permission.
Hewlett-Packard Company makes no representations about the
suitability of this software for any purpose.

(10) Hans-Peter Nilsson

Copyright (C) 2001 Hans-Peter Nilsson

Permission to use, copy, modify, and distribute this software is
freely granted, provided that the above copyright notice, this notice
and the following disclaimer are preserved with no changes.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND WITHOUT ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE.

(11) IBM Corp. spu processor (only spu-* targets)

(C) Copyright IBM Corp. 2005, 2006

All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

   * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
   * Neither the name of IBM nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

(12) Jon Beniston (only lm32-* targets)

Contributed by Jon Beniston <jon@beniston.com>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:
1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

(13) - Xilinx, Inc. (microblaze-* and powerpc-* targets)

Copyright (c) 2004, 2009 Xilinx, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

1. Redistributions source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

3. Neither the name of Xilinx nor the names of its contributors may be
used to endorse or promote products derived from this software without
specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER AND CONTRIBUTORS "AS
IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED
TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

(14) - National Semiconductor Corporation

Copyright (c) 2004 National Semiconductor Corporation

The authors hereby grant permission to use, copy, modify, distribute,
and license this software and its documentation for any purpose, provided
that existing copyright notices are retained in all copies and that this
notice is included verbatim in any distributions. No written agreement,
license, or royalty fee is required for any of the authorized uses.
Modifications to this software may be copyrighted by their authors
and need not follow the licensing terms described here, provided that
the new terms are clearly indicated on the first page of each file where
they apply.

(15) - CodeSourcery, Inc. (tic6x-* targets)

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:
   * Redistributions of source code must retain the above copyright
     notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above copyright
     notice, this list of conditions and the following disclaimer in the
     documentation and/or other materials provided with the distribution.
   * Neither the name of CodeSourcery nor the
     names of its contributors may be used to endorse or promote products
     derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY CODESOURCERY, INC. ``AS IS'' AND ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL CODESOURCERY BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

(16) - GPL with exception (sparc-*leon*, crx-*, cr16-* targets only)

Copyright (C) 1992 Free Software Foundation, Inc.
Written By David Vinayak Henkel-Wallace, June 1992

This file is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License as published by the
Free Software Foundation; either version 2, or (at your option) any
later version.

In addition to the permissions in the GNU General Public License, the
Free Software Foundation gives you unlimited permission to link the
compiled version of this file with other programs, and to distribute
those programs without any restriction coming from the use of this
file. (The General Public License restrictions do apply in other
respects; for example, they cover modification of the file, and
distribution when not linked into another program.)

This file is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU

General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; see the file COPYING. If not, write to
the Free Software Foundation, 59 Temple Place - Suite 330,
Boston, MA 02111-1307, USA.

As a special exception, if you link this library with files
compiled with GCC to produce an executable, this does not cause
the resulting executable to be covered by the GNU General Public License.
This exception does not however invalidate any other reasons why
the executable file might be covered by the GNU General Public License.

(17) - Adapteva, Inc. (epiphany-* targets)

Copyright (c) 2011, Adapteva, Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:
* Redistributions of source code must retain the above copyright notice, this
  list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.
* Neither the name of Adapteva nor the names of its contributors may be used
  to endorse or promote products derived from this software without specific
  prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

(18) - Rolls-Royce Controls and Data Services Limited (visium-* targets)

Copyright (c) 2015 Rolls-Royce Controls and Data Services Limited.
All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

 * Redistributions of source code must retain the above copyright notice,
   this list of conditions and the following disclaimer.
 * Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
 * Neither the name of Rolls-Royce Controls and Data Services Limited nor
   the names of its contributors may be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

(19) - FTDI (ft32-* targets)

Copyright (C) 2014 FTDI (support@ftdichip.com)

The authors hereby grant permission to use, copy, modify, distribute,
and license this software and its documentation for any purpose, provided
that existing copyright notices are retained in all copies and that this
notice is included verbatim in any distributions. No written agreement,
license, or royalty fee is required for any of the authorized uses.
Modifications to this software may be copyrighted by their authors
and need not follow the licensing terms described here, provided that
the new terms are clearly indicated on the first page of each file where
they apply.

(20) - Synopsys Inc (arc-* targets)

Copyright (c) 2015, Synopsys, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1) Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

2) Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation

and/or other materials provided with the distribution.

3) Neither the name of the Synopsys, Inc., nor the names of its contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

(21) BSD-2-Clause-FreeBSD (pru-* targets)

SPDX-License-Identifier: BSD-2-Clause-FreeBSD

Copyright (c) 2018-2019 Dimitar Dimitrov <dimitar@dinux.eu>
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
DRuntime: Runtime Library for the D Programming Language
===

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization
obtaining a copy of the software and accompanying documentation covered by
this license (the "Software") to use, reproduce, display, distribute,
execute, and transmit the Software, and to prepare derivative works of the
Software, and to permit third-parties to whom the Software is furnished to
do so, all subject to the following:

The copyright notices in the Software and this entire statement, including
the above license grant, this restriction and the following disclaimer,
must be included in all copies of the Software, in whole or in part, and
all derivative works of the Software, unless such copies or derivative
works are solely in the form of machine-executable object code generated by
a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT
SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE
FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS IN THE SOFTWARE.
The newlib subdirectory is a collection of software from several sources.

Each file may have its own copyright/license that is embedded in the source
file. Unless otherwise noted in the body of the source file(s), the following copyright
notices will apply to the contents of the newlib subdirectory:

(1) Red Hat Incorporated

Copyright (c) 1994-2009 Red Hat, Inc. All rights reserved.

This copyrighted material is made available to anyone wishing to use,
modify, copy, or redistribute it subject to the terms and conditions
of the BSD License.   This program is distributed in the hope that
it will be useful, but WITHOUT ANY WARRANTY expressed or implied,
including the implied warranties of MERCHANTABILITY or FITNESS FOR
A PARTICULAR PURPOSE. A copy of this license is available at
http://www.opensource.org/licenses. Any Red Hat trademarks that are
incorporated in the source code or documentation are not subject to
the BSD License and may only be used or replicated with the express
permission of Red Hat, Inc.

(2) University of California, Berkeley

Copyright (c) 1981-2000 The Regents of the University of California.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

  * Redistributions of source code must retain the above copyright notice,
    this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above copyright notice,
    this list of conditions and the following disclaimer in the documentation
    and/or other materials provided with the distribution.
  * Neither the name of the University nor the names of its contributors
    may be used to endorse or promote products derived from this software
    without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED.
IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY
OF SUCH DAMAGE.

(3) David M. Gay (AT&T 1991, Lucent 1998)

The author of this software is David M. Gay.

Copyright (c) 1991 by AT&T.

Permission to use, copy, modify, and distribute this software for any
purpose without fee is hereby granted, provided that this entire notice
is included in all copies of any software which is or includes a copy
or modification of this software and in all copies of the supporting
documentation for such software.

THIS SOFTWARE IS BEING PROVIDED "AS IS", WITHOUT ANY EXPRESS OR IMPLIED
WARRANTY. IN PARTICULAR, NEITHER THE AUTHOR NOR AT&T MAKES ANY
REPRESENTATION OR WARRANTY OF ANY KIND CONCERNING THE MERCHANTABILITY
OF THIS SOFTWARE OR ITS FITNESS FOR ANY PARTICULAR PURPOSE.

The author of this software is David M. Gay.

Copyright (C) 1998-2001 by Lucent Technologies

(4) Advanced Micro Devices

(5)

(6)

(7) Sun Microsystems

Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

Developed at SunPro, a Sun Microsystems, Inc. business.
Permission to use, copy, modify, and distribute this
software is freely granted, provided that this notice is preserved.

(8) Hewlett Packard

(c) Copyright 1986 HEWLETT-PACKARD COMPANY

To anyone who acknowledges that this file is provided "AS IS"
without any express or implied warranty:
    permission to use, copy, modify, and distribute this file
for any purpose is hereby granted without fee, provided that
the above copyright notice and this notice appears in all
copies, and that the name of Hewlett-Packard Company not be
used in advertising or publicity pertaining to distribution
of the software without specific, written prior permission.
Hewlett-Packard Company makes no representations about the
suitability of this software for any purpose.

(9) Hans-Peter Nilsson

Copyright (C) 2001 Hans-Peter Nilsson

Permission to use, copy, modify, and distribute this software is
freely granted, provided that the above copyright notice, this notice
and the following disclaimer are preserved with no changes.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND WITHOUT ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE.

(10) Stephane Carrez (m68hc11-elf/m68hc12-elf targets only)

Copyright (C) 1999, 2000, 2001, 2002 Stephane Carrez (stcarrez@nerim.fr)

The authors hereby grant permission to use, copy, modify, distribute,
and license this software and its documentation for any purpose, provided
that existing copyright notices are retained in all copies and that this
notice is included verbatim in any distributions. No written agreement,

license, or royalty fee is required for any of the authorized uses.
Modifications to this software may be copyrighted by their authors
and need not follow the licensing terms described here, provided that
the new terms are clearly indicated on the first page of each file where
they apply.

(11) Christopher G. Demetriou

Copyright (c) 2001 Christopher G. Demetriou
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

(12) SuperH, Inc.

Copyright 2002 SuperH, Inc. All rights reserved

This software is the property of SuperH, Inc (SuperH) which specifically
grants the user the right to modify, use and distribute this software
provided this notice is not removed or altered. All other rights are
reserved by SuperH.

SUPERH MAKES NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, WITH REGARD TO
THIS SOFTWARE. IN NO EVENT SHALL SUPERH BE LIABLE FOR INDIRECT, SPECIAL,
INCIDENTAL OR CONSEQUENTIAL DAMAGES IN CONNECTION WITH OR ARISING FROM
THE FURNISHING, PERFORMANCE, OR USE OF THIS SOFTWARE.

So that all may benefit from your experience, please report any problems

or suggestions about this software to the SuperH Support Center via
e-mail at softwaresupport@superh.com .

SuperH, Inc.
405 River Oaks Parkway
San Jose
CA 95134
USA

(13) Royal Institute of Technology

Copyright (c) 1999 Kungliga Tekniska Hgskolan
(Royal Institute of Technology, Stockholm, Sweden).
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

3. Neither the name of KTH nor the names of its contributors may be
   used to endorse or promote products derived from this software without
   specific prior written permission.

THIS SOFTWARE IS PROVIDED BY KTH AND ITS CONTRIBUTORS ``AS IS'' AND ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL KTH OR ITS CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF
ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

(14) Alexey Zelkin

Copyright (c) 2000, 2001 Alexey Zelkin <phantom@FreeBSD.org>
All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

(15) Andrey A. Chernov

Copyright (C) 1997 by Andrey A. Chernov, Moscow, Russia.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

(16) FreeBSD

Copyright (c) 1997-2002 FreeBSD Project.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

(17) S. L. Moshier

Author: S. L. Moshier.

Copyright (c) 1984,2000 S.L. Moshier

Permission to use, copy, modify, and distribute this software for any
purpose without fee is hereby granted, provided that this entire notice
is included in all copies of any software which is or includes a copy
or modification of this software and in all copies of the supporting
documentation for such software.

THIS SOFTWARE IS BEING PROVIDED "AS IS", WITHOUT ANY EXPRESS OR IMPLIED
WARRANTY. IN PARTICULAR, THE AUTHOR MAKES NO REPRESENTATION
OR WARRANTY OF ANY KIND CONCERNING THE MERCHANTABILITY OF THIS
SOFTWARE OR ITS FITNESS FOR ANY PARTICULAR PURPOSE.

(18) Citrus Project

Copyright (c)1999 Citrus Project,
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions

are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

(19) Todd C. Miller

Copyright (c) 1998 Todd C. Miller <Todd.Miller@courtesan.com>
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS;
OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF
ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

(20) DJ Delorie (i386 / arm)
Copyright (C) 1991 DJ Delorie

(21) Free Software Foundation LGPL License (*-linux* targets only)

(22) Xavier Leroy LGPL License (i[3456]86-*-linux* targets only)

(23) Intel (i960)

Intel hereby grants you permission to copy, modify, and distribute this
software and its documentation. Intel grants this permission provided
that the above copyright notice appears in all copies and that both the
copyright notice and this permission notice appear in supporting
documentation. In addition, Intel grants this permission provided that
you prominently mark as "not part of the original" any modifications
made to this software or documentation, and that the name of Intel
Corporation not be used in advertising or publicity pertaining to
distribution of the software or the documentation without specific,
written prior permission.

Intel Corporation provides this AS IS, WITHOUT ANY WARRANTY, EXPRESS OR
IMPLIED, INCLUDING, WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY
OR FITNESS FOR A PARTICULAR PURPOSE. Intel makes no guarantee or
representations regarding the use of, or the results of the use of,
the software and documentation in terms of correctness, accuracy,
reliability, currentness, or otherwise; and you rely on the software,
documentation and results solely at your own risk.

IN NO EVENT SHALL INTEL BE LIABLE FOR ANY LOSS OF USE, LOSS OF BUSINESS,
LOSS OF PROFITS, INDIRECT, INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES
OF ANY KIND. IN NO EVENT SHALL INTEL'S TOTAL LIABILITY EXCEED THE SUM
PAID TO INTEL FOR THE PRODUCT LICENSED HEREUNDER.

(24) Hewlett-Packard (hppa targets only)

(c) Copyright 1986 HEWLETT-PACKARD COMPANY

To anyone who acknowledges that this file is provided "AS IS"
without any express or implied warranty:
   permission to use, copy, modify, and distribute this file
for any purpose is hereby granted without fee, provided that
the above copyright notice and this notice appears in all
copies, and that the name of Hewlett-Packard Company not be
used in advertising or publicity pertaining to distribution
of the software without specific, written prior permission.
Hewlett-Packard Company makes no representations about the
suitability of this software for any purpose.

(25) Henry Spencer (only *-linux targets)

Copyright 1992, 1993, 1994 Henry Spencer. All rights reserved.
This software is not subject to any license of the American Telephone
and Telegraph Company or of the Regents of the University of California.

Permission is granted to anyone to use this software for any purpose on
any computer system, and to alter it and redistribute it, subject
to the following restrictions:

1. The author is not responsible for the consequences of use of this
   software, no matter how awful, even if they arise from flaws in it.

2. The origin of this software must not be misrepresented, either by
   explicit claim or by omission. Since few users ever read sources,
   credits must appear in the documentation.

3. Altered versions must be plainly marked as such, and must not be
   misrepresented as being the original software. Since few users
   ever read sources, credits must appear in the documentation.

4. This notice may not be removed or altered.

(26) Mike Barcroft

(27) Konstantin Chuguev (--enable-newlib-iconv)

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

iconv (Charset Conversion Library) v2.0

(28) Artem Bityuckiy (--enable-newlib-iconv)

Copyright (c) 2003, Artem B. Bityuckiy, SoftMine Corporation.
Rights transferred to Franklin Electronic Publishers.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

(29) IBM, Sony, Toshiba (only spu-* targets)

(C) Copyright 2001,2006,

International Business Machines Corporation,

Sony Computer Entertainment, Incorporated,

Toshiba Corporation,

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

  * Redistributions of source code must retain the above copyright notice,
    this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above copyright
    notice, this list of conditions and the following disclaimer in the
    documentation and/or other materials provided with the distribution.
  * Neither the names of the copyright holders nor the names of their
    contributors may be used to endorse or promote products derived from this
    software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

(30) - Alex Tatmanjants (targets using libc/posix)

Copyright (c) 1995 Alex Tatmanjants <alex@elvisti.kiev.ua>
 at Electronni Visti IA, Kiev, Ukraine.
  All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions

are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

(31) - M. Warner Losh (targets using libc/posix)

Copyright (c) 1998, M. Warner Losh <imp@freebsd.org>
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

(32) - Andrey A. Chernov (targets using libc/posix)

Copyright (C) 1996 by Andrey A. Chernov, Moscow, Russia.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

(33) - Daniel Eischen (targets using libc/posix)

Copyright (c) 2001 Daniel Eischen <deischen@FreeBSD.org>.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

(34) - Jon Beniston (only lm32-* targets)

Contributed by Jon Beniston <jon@beniston.com>

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

(35) - Arm Ltd

Copyright (c) 2009-2018 Arm Ltd
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the company may not be used to endorse or promote
   products derived from this software without specific prior written
   permission.

THIS SOFTWARE IS PROVIDED BY ARM LTD ``AS IS'' AND ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL ARM LTD BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED
TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

(36) - Xilinx, Inc. (microblaze-* and powerpc-* targets)

Copyright (c) 2004, 2009 Xilinx, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name of Xilinx nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

(37) Texas Instruments Incorporated (tic6x-*, *-tirtos targets)

Copyright (c) 1996-2010,2014 Texas Instruments Incorporated
http://www.ti.com/

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

   Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

   Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Texas Instruments Incorporated nor the names
of its contributors may be used to endorse or promote products
derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

(38) National Semiconductor (cr16-* and crx-* targets)

Copyright (c) 2004 National Semiconductor Corporation

The authors hereby grant permission to use, copy, modify, distribute,
and license this software and its documentation for any purpose, provided
that existing copyright notices are retained in all copies and that this
notice is included verbatim in any distributions. No written agreement,
license, or royalty fee is required for any of the authorized uses.
Modifications to this software may be copyrighted by their authors
and need not follow the licensing terms described here, provided that
the new terms are clearly indicated on the first page of each file where
they apply.

(39) - Adapteva, Inc. (epiphany-* targets)

Copyright (c) 2011, Adapteva, Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:
* Redistributions of source code must retain the above copyright notice, this
  list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.
* Neither the name of Adapteva nor the names of its contributors may be used
  to endorse or promote products derived from this software without specific
  prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND

ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

(40) - Altera Corportion (nios2-* targets)

Copyright (c) 2003 Altera Corporation
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

  o Redistributions of source code must retain the above copyright
    notice, this list of conditions and the following disclaimer.
  o Redistributions in binary form must reproduce the above copyright
    notice, this list of conditions and the following disclaimer in the
    documentation and/or other materials provided with the distribution.
  o Neither the name of Altera Corporation nor the names of its
    contributors may be used to endorse or promote products derived from
    this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY ALTERA CORPORATION, THE COPYRIGHT HOLDER,
AND ITS CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS
OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR
TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE
USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

(41) Ed Schouten - Free BSD

Copyright (c) 2008 Ed Schouten <ed@FreeBSD.org>
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

(42) - Rolls-Royce Controls and Data Services Limited (visium-* targets)

Copyright (c) 2015 Rolls-Royce Controls and Data Services Limited.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

 * Redistributions of source code must retain the above copyright notice,
   this list of conditions and the following disclaimer.
 * Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
 * Neither the name of Rolls-Royce Controls and Data Services Limited nor
   the names of its contributors may be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

(43) - FTDI (ft32-* targets)

Copyright (C) 2014 FTDI (support@ftdichip.com)

The authors hereby grant permission to use, copy, modify, distribute,
and license this software and its documentation for any purpose, provided
that existing copyright notices are retained in all copies and that this
notice is included verbatim in any distributions. No written agreement,
license, or royalty fee is required for any of the authorized uses.
Modifications to this software may be copyrighted by their authors
and need not follow the licensing terms described here, provided that
the new terms are clearly indicated on the first page of each file where
they apply.

(44) - Synopsys Inc (arc-* targets)

Copyright (c) 2015, Synopsys, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1) Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

2) Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

3) Neither the name of the Synopsys, Inc., nor the names of its contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

(45) Phoenix Systems - Phoenix-RTOS targets

Copyright (c) 2016 Phoenix Systems
All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

(46) embedded brains - RTEMS targets

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

(47) John Baldwin - RTEMS targets

Copyright (c) 2015 John Baldwin <jhb@FreeBSD.org>.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. Neither the name of the author nor the names of its contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

(48) Jeffrey Roberson - RTEMS targets

Copyright (c) 2008, Jeffrey Roberson <jeff@freebsd.org>
All rights reserved.

Copyright (c) 2008 Nokia Corporation
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice unmodified, this list of conditions, and the following
   disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

(49) - SiFive Inc. (riscv-* targets)

Copyright (c) 2017 SiFive Inc. All rights reserved.

This copyrighted material is made available to anyone wishing to use,
modify, copy, or redistribute it subject to the terms and conditions
of the FreeBSD License.   This program is distributed in the hope that
it will be useful, but WITHOUT ANY WARRANTY expressed or implied,
including the implied warranties of MERCHANTABILITY or FITNESS FOR
A PARTICULAR PURPOSE. A copy of this license is available at
http://www.opensource.org/licenses.

(50) Michael R. Neilly (riscv-* targets)

(c) Copyright 2017 Michael R. Neilly
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

* Neither the names of the copyright holders nor the names of their
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;

LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN
ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

(51) Mentor Graphics (amdgcn-* targets)

Copyright (c) 2014-2017 Mentor Graphics.

The authors hereby grant permission to use, copy, modify, distribute,
and license this software and its documentation for any purpose, provided
that existing copyright notices are retained in all copies and that this
notice is included verbatim in any distributions. No written agreement,
license, or royalty fee is required for any of the authorized uses.
Modifications to this software may be copyrighted by their authors
and need not follow the licensing terms described here, provided that
the new terms are clearly indicated on the first page of each file where
they apply.

(52) BSD-2-Clause-FreeBSD (pru-* targets)

SPDX-License-Identifier: BSD-2-Clause-FreeBSD

Copyright (c) 2018-2019 Dimitar Dimitrov <dimitar@dinux.eu>
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 GNU Free Documentation License
   Version 1.2, November 2002

0. PREAMBLE

The purpose of this License is to make a manual, textbook, or other
functional and useful document "free" in the sense of freedom: to
assure everyone the effective freedom to copy and redistribute it,
with or without modifying it, either commercially or noncommercially.
Secondarily, this License preserves for the author and publisher a way
to get credit for their work, while not being considered responsible
for modifications made by others.

This License is a kind of "copyleft", which means that derivative
works of the document must themselves be free in the same sense. It
complements the GNU General Public License, which is a copyleft
license designed for free software.

We have designed this License in order to use it for manuals for free
software, because free software needs free documentation: a free
program should come with manuals providing the same freedoms that the
software does. But this License is not limited to software manuals;
it can be used for any textual work, regardless of subject matter or
whether it is published as a printed book. We recommend this License
principally for works whose purpose is instruction or reference.

1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that
contains a notice placed by the copyright holder saying it can be
distributed under the terms of this License. Such a notice grants a
world-wide, royalty-free license, unlimited in duration, to use that
work under the conditions stated herein. The "Document", below,
refers to any such manual or work. Any member of the public is a
licensee, and is addressed as "you". You accept the license if you
copy, modify or distribute the work in a way requiring permission
under copyright law.

A "Modified Version" of the Document means any work containing the
Document or a portion of it, either copied verbatim, or with
modifications and/or translated into another language.

A "Secondary Section" is a named appendix or a front-matter section of
the Document that deals exclusively with the relationship of the
publishers or authors of the Document to the Document's overall subject
(or to related matters) and contains nothing that could fall directly
within that overall subject. (Thus, if the Document is in part a
textbook of mathematics, a Secondary Section may not explain any
mathematics.) The relationship could be a matter of historical
connection with the subject or with related matters, or of legal,
commercial, philosophical, ethical or political position regarding
them.

The "Invariant Sections" are certain Secondary Sections whose titles
are designated, as being those of Invariant Sections, in the notice
that says that the Document is released under this License. If a
section does not fit the above definition of Secondary then it is not
allowed to be designated as Invariant. The Document may contain zero
Invariant Sections. If the Document does not identify any Invariant
Sections then there are none.

The "Cover Texts" are certain short passages of text that are listed,
as Front-Cover Texts or Back-Cover Texts, in the notice that says that
the Document is released under this License. A Front-Cover Text may
be at most 5 words, and a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy,
represented in a format whose specification is available to the
general public, that is suitable for revising the document
straightforwardly with generic text editors or (for images composed of
pixels) generic paint programs or (for drawings) some widely available
drawing editor, and that is suitable for input to text formatters or
for automatic translation to a variety of formats suitable for input
to text formatters. A copy made in an otherwise Transparent file
format whose markup, or absence of markup, has been arranged to thwart
or discourage subsequent modification by readers is not Transparent.
An image format is not Transparent if used for any substantial amount
of text. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain
ASCII without markup, Texinfo input format, LaTeX input format, SGML
or XML using a publicly available DTD, and standard-conforming simple
HTML, PostScript or PDF designed for human modification. Examples of
transparent image formats include PNG, XCF and JPG. Opaque formats
include proprietary formats that can be read and edited only by
proprietary word processors, SGML or XML for which the DTD and/or
processing tools are not generally available, and the
machine-generated HTML, PostScript or PDF produced by some word
processors for output purposes only.

The "Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

A section "Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as "Acknowledgements", "Dedications", "Endorsements", or "History".) To "Preserve the Title" of such a section when you modify the Document means that it remains a section "Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

3. COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present

the full title with all words of the title equally prominent and
visible. You may add other material on the covers in addition.
Copying with changes limited to the covers, as long as they preserve
the title of the Document and satisfy these conditions, can be treated
as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit
legibly, you should put the first ones listed (as many as fit
reasonably) on the actual cover, and continue the rest onto adjacent
pages.

If you publish or distribute Opaque copies of the Document numbering
more than 100, you must either include a machine-readable Transparent
copy along with each Opaque copy, or state in or with each Opaque copy
a computer-network location from which the general network-using
public has access to download using public-standard network protocols
a complete Transparent copy of the Document, free of added material.
If you use the latter option, you must take reasonably prudent steps,
when you begin distribution of Opaque copies in quantity, to ensure
that this Transparent copy will remain thus accessible at the stated
location until at least one year after the last time you distribute an
Opaque copy (directly or through your agents or retailers) of that
edition to the public.

It is requested, but not required, that you contact the authors of the
Document well before redistributing any large number of copies, to give
them a chance to provide you with an updated version of the Document.

4. MODIFICATIONS

You may copy and distribute a Modified Version of the Document under
the conditions of sections 2 and 3 above, provided that you release
the Modified Version under precisely this License, with the Modified
Version filling the role of the Document, thus licensing distribution
and modification of the Modified Version to whoever possesses a copy
of it. In addition, you must do these things in the Modified Version:

A. Use in the Title Page (and on the covers, if any) a title distinct
   from that of the Document, and from those of previous versions
   (which should, if there were any, be listed in the History section
   of the Document). You may use the same title as a previous version
   if the original publisher of that version gives permission.
B. List on the Title Page, as authors, one or more persons or entities
   responsible for authorship of the modifications in the Modified
   Version, together with at least five of the principal authors of the
   Document (all of its principal authors, if it has fewer than five),
   unless they release you from this requirement.

C. State on the Title page the name of the publisher of the
  Modified Version, as the publisher.
D. Preserve all the copyright notices of the Document.
E. Add an appropriate copyright notice for your modifications
  adjacent to the other copyright notices.
F. Include, immediately after the copyright notices, a license notice
  giving the public permission to use the Modified Version under the
  terms of this License, in the form shown in the Addendum below.
G. Preserve in that license notice the full lists of Invariant Sections
  and required Cover Texts given in the Document's license notice.
H. Include an unaltered copy of this License.
I. Preserve the section Entitled "History", Preserve its Title, and add
  to it an item stating at least the title, year, new authors, and
  publisher of the Modified Version as given on the Title Page. If
  there is no section Entitled "History" in the Document, create one
  stating the title, year, authors, and publisher of the Document as
  given on its Title Page, then add an item describing the Modified
  Version as stated in the previous sentence.
J. Preserve the network location, if any, given in the Document for
  public access to a Transparent copy of the Document, and likewise
  the network locations given in the Document for previous versions
  it was based on. These may be placed in the "History" section.
  You may omit a network location for a work that was published at
  least four years before the Document itself, or if the original
  publisher of the version it refers to gives permission.
K. For any section Entitled "Acknowledgements" or "Dedications",
  Preserve the Title of the section, and preserve in the section all
  the substance and tone of each of the contributor acknowledgements
  and/or dedications given therein.
L. Preserve all the Invariant Sections of the Document,
  unaltered in their text and in their titles. Section numbers
  or the equivalent are not considered part of the section titles.
M. Delete any section Entitled "Endorsements". Such a section
  may not be included in the Modified Version.
N. Do not retitle any existing section to be Entitled "Endorsements"
  or to conflict in title with any Invariant Section.
O. Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or
appendices that qualify as Secondary Sections and contain no material
copied from the Document, you may at your option designate some or all
of these sections as invariant. To do this, add their titles to the
list of Invariant Sections in the Modified Version's license notice.
These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains
nothing but endorsements of your Modified Version by various
parties--for example, statements of peer review or that the text has

been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled "History" in the various original documents, forming one section Entitled "History"; likewise combine any sections Entitled "Acknowledgements", and any sections Entitled "Dedications". You must delete all sections Entitled "Endorsements".

6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in

the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an "aggregate" if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

8. TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled "Acknowledgements", "Dedications", or "History", the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

9. TERMINATION

You may not copy, modify, sublicense, or distribute the Document except
as expressly provided for under this License. Any other attempt to
copy, modify, sublicense or distribute the Document is void, and will
automatically terminate your rights under this License. However,
parties who have received copies, or rights, from you under this
License will not have their licenses terminated so long as such
parties remain in full compliance.

10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions
of the GNU Free Documentation License from time to time. Such new
versions will be similar in spirit to the present version, but may
differ in detail to address new problems or concerns. See
http://www.gnu.org/copyleft/.

Each version of the License is given a distinguishing version number.
If the Document specifies that a particular numbered version of this
License "or any later version" applies to it, you have the option of
following the terms and conditions either of that specified version or
of any later version that has been published (not as a draft) by the
Free Software Foundation. If the Document does not specify a version
number of this License, you may choose any version ever published (not
as a draft) by the Free Software Foundation.

ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of
the License in the document and put the following copyright and
license notices just after the title page:

  Copyright (c) YEAR YOUR NAME.
  Permission is granted to copy, distribute and/or modify this document
  under the terms of the GNU Free Documentation License, Version 1.2
  or any later version published by the Free Software Foundation;
  with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts.
  A copy of the license is included in the section entitled "GNU
  Free Documentation License".

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts,
replace the "with...Texts." line with this:

with the Invariant Sections being LIST THEIR TITLES, with the
Front-Cover Texts being LIST, and with the Back-Cover Texts being LIST.

If you have Invariant Sections without Cover Texts, or some other
combination of the three, merge those two alternatives to suit the
situation.

If your document contains nontrivial examples of program code, we
recommend releasing these examples in parallel under your choice of
free software license, such as the GNU General Public License,
to permit their use in free software.
GCC RUNTIME LIBRARY EXCEPTION

Version 3.1, 31 March 2009

Copyright (C) 2009 Free Software Foundation, Inc. <http://fsf.org/>

Everyone is permitted to copy and distribute verbatim copies of this
license document, but changing it is not allowed.

This GCC Runtime Library Exception ("Exception") is an additional
permission under section 7 of the GNU General Public License, version
3 ("GPLv3"). It applies to a given file (the "Runtime Library") that
bears a notice placed by the copyright holder of the file stating that
the file is governed by GPLv3 along with this Exception.

When you use GCC to compile a program, GCC may combine portions of
certain GCC header files and runtime libraries with the compiled
program. The purpose of this Exception is to allow compilation of
non-GPL (including proprietary) programs to use, in this way, the
header files and runtime libraries covered by this Exception.

0. Definitions.

A file is an "Independent Module" if it either requires the Runtime
Library for execution after a Compilation Process, or makes use of an
interface provided by the Runtime Library, but is not otherwise based
on the Runtime Library.

"GCC" means a version of the GNU Compiler Collection, with or without
modifications, governed by version 3 (or a specified later version) of
the GNU General Public License (GPL) with the option of using any
subsequent versions published by the FSF.

"GPL-compatible Software" is software whose conditions of propagation,
modification and use would permit combination with GCC in accord with
the license of GCC.

"Target Code" refers to output from any compiler for a real or virtual
target processor architecture, in executable form or suitable for
input to an assembler, loader, linker and/or execution
phase. Notwithstanding that, Target Code does not include data in any
format that is used as a compiler intermediate representation, or used
for producing a compiler intermediate representation.

The "Compilation Process" transforms code entirely represented in
non-intermediate languages designed for human-written code, and/or in
Java Virtual Machine byte code, into Target Code. Thus, for example,
use of source code generators and preprocessors need not be considered
part of the Compilation Process, since the Compilation Process can be
understood as starting with the output of the generators or
preprocessors.

A Compilation Process is "Eligible" if it is done using GCC, alone or
with other GPL-compatible software, or if it is done without using any
work based on GCC. For example, using non-GPL-compatible Software to
optimize any GCC intermediate representations would not qualify as an
Eligible Compilation Process.

1. Grant of Additional Permission.

You have permission to propagate a work of Target Code formed by
combining the Runtime Library with Independent Modules, even if such
propagation would otherwise violate the terms of GPLv3, provided that
all Target Code was generated by Eligible Compilation Processes. You
may then convey such a combination under terms of your choice,
consistent with the licensing of the Independent Modules.

2. No Weakening of GCC Copyleft.

The availability of this Exception does not imply any general
presumption that third-party software is unaffected by the copyleft
requirements of the license of GCC.

       GNU LESSER GENERAL PUBLIC LICENSE
                   Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

 This version of the GNU Lesser General Public License incorporates
the terms and conditions of version 3 of the GNU General Public
License, supplemented by the additional permissions listed below.

 0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser
General Public License, and the "GNU GPL" refers to version 3 of the GNU
General Public License.

"The Library" refers to a covered work governed by this License,
other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided
by the Library, but which is not otherwise based on the Library.
Defining a subclass of a class defined by the Library is deemed a mode
of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an
Application with the Library. The particular version of the Library
with which the Combined Work was made is also called the "Linked
Version".

The "Minimal Corresponding Source" for a Combined Work means the
Corresponding Source for the Combined Work, excluding any source code
for portions of the Combined Work that, considered in isolation, are
based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the
object code and/or source code for the Application, including any data
and utility programs needed for reproducing the Combined Work from the
Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License
without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a
facility refers to a function or data to be supplied by an Application
that uses the facility (other than as an argument passed when the
facility is invoked), then you may convey a copy of the modified
version:

a) under this License, provided that you make a good faith effort to
ensure that, in the event an Application does not supply the
function or data, the facility still operates, and performs
whatever part of its purpose remains meaningful, or

b) under the GNU GPL, with none of the additional permissions of
this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

 The object code form of an Application may incorporate material from
a header file that is part of the Library. You may convey such object
code under terms of your choice, provided that, if the incorporated
material is not limited to numerical parameters, data structure
layouts and accessors, or small macros, inline functions and templates
(ten or fewer lines in length), you do both of the following:

 a) Give prominent notice with each copy of the object code that the
 Library is used in it and that the Library and its use are
 covered by this License.

 b) Accompany the object code with a copy of the GNU GPL and this license
 document.

 4. Combined Works.

 You may convey a Combined Work under terms of your choice that,
taken together, effectively do not restrict modification of the
portions of the Library contained in the Combined Work and reverse
engineering for debugging such modifications, if you also do each of
the following:

 a) Give prominent notice with each copy of the Combined Work that
 the Library is used in it and that the Library and its use are
 covered by this License.

 b) Accompany the Combined Work with a copy of the GNU GPL and this license
 document.

 c) For a Combined Work that displays copyright notices during
 execution, include the copyright notice for the Library among
 these notices, as well as a reference directing the user to the
 copies of the GNU GPL and this license document.

 d) Do one of the following:

    0) Convey the Minimal Corresponding Source under the terms of this
    License, and the Corresponding Application Code in a form
    suitable for, and under terms that permit, the user to
    recombine or relink the Application with a modified version of
    the Linked Version to produce a modified Combined Work, in the
    manner specified by section 6 of the GNU GPL for conveying
    Corresponding Source.

    1) Use a suitable shared library mechanism for linking with the

Library. A suitable mechanism is one that (a) uses at run time
a copy of the Library already present on the user's computer
system, and (b) will operate properly with a modified version
of the Library that is interface-compatible with the Linked
Version.

e) Provide Installation Information, but only if you would otherwise
be required to provide such information under section 6 of the
GNU GPL, and only to the extent that such information is
necessary to install and execute a modified version of the
Combined Work produced by recombining or relinking the
Application with a modified version of the Linked Version. (If
you use option 4d0, the Installation Information must accompany
the Minimal Corresponding Source and Corresponding Application
Code. If you use option 4d1, you must provide the Installation
Information in the manner specified by section 6 of the GNU GPL
for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the
Library side by side in a single library together with other library
facilities that are not Applications and are not covered by this
License, and convey such a combined library under terms of your
choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based
on the Library, uncombined with any other library facilities,
conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it
is a work based on the Library, and explaining where to find the
accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions
of the GNU Lesser General Public License from time to time. Such new
versions will be similar in spirit to the present version, but may
differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the
Library as you received it specifies that a certain numbered version
of the GNU Lesser General Public License "or any later version"
applies to it, you have the option of following the terms and
conditions either of that published version or of any later version
published by the Free Software Foundation. If the Library as you
received it does not specify a version number of the GNU Lesser

General Public License, you may choose any version of the GNU Lesser
General Public License ever published by the Free Software Foundation.

  If the Library as you received it specifies that a proxy can decide
whether future versions of the GNU Lesser General Public License shall
apply, that proxy's public statement of acceptance of any version is
permanent authorization for you to choose that version for the
Library.

                 GNU GENERAL PUBLIC LICENSE
                    Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

                        Preamble

  The GNU General Public License is a free, copyleft license for
software and other kinds of works.

  The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

  When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

  To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you have
certain responsibilities if you distribute copies of the software, or if
you modify it: responsibilities to respect the freedom of others.

  For example, if you distribute copies of such a program, whether
gratis or for a fee, you must pass on to the recipients the same
freedoms that you received. You must make sure that they, too, receive
or can get the source code. And you must show them these terms so they
know their rights.

  Developers that use the GNU GPL protect your rights with two steps:

(1) assert copyright on the software, and (2) offer you this License
giving you legal permission to copy, distribute and/or modify it.

 For the developers' and authors' protection, the GPL clearly explains
that there is no warranty for this free software. For both users' and
authors' sake, the GPL requires that modified versions be marked as
changed, so that their problems will not be attributed erroneously to
authors of previous versions.

 Some devices are designed to deny users access to install or run
modified versions of the software inside them, although the manufacturer
can do so. This is fundamentally incompatible with the aim of
protecting users' freedom to change the software. The systematic
pattern of such abuse occurs in the area of products for individuals to
use, which is precisely where it is most unacceptable. Therefore, we
have designed this version of the GPL to prohibit the practice for those
products. If such problems arise substantially in other domains, we
stand ready to extend this provision to those domains in future versions
of the GPL, as needed to protect the freedom of users.

 Finally, every program is threatened constantly by software patents.
States should not allow patents to restrict development and use of
software on general-purpose computers, but in those that do, we wish to
avoid the special danger that patents applied to a free program could
make it effectively proprietary. To prevent this, the GPL assures that
patents cannot be used to render the program non-free.

 The precise terms and conditions for copying, distribution and
modification follow.

                   TERMS AND CONDITIONS

 0. Definitions.

 "This License" refers to version 3 of the GNU General Public License.

 "Copyright" also means copyright-like laws that apply to other kinds of
works, such as semiconductor masks.

 "The Program" refers to any copyrightable work licensed under this
License. Each licensee is addressed as "you". "Licensees" and
"recipients" may be individuals or organizations.

 To "modify" a work means to copy from or adapt all or part of the work
in a fashion requiring copyright permission, other than the making of an
exact copy. The resulting work is called a "modified version" of the
earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to

control those activities. However, it does not include the work's
System Libraries, or general-purpose tools or generally available free
programs which are used unmodified in performing those activities but
which are not part of the work. For example, Corresponding Source
includes interface definition files associated with source files for
the work, and the source code for shared libraries and dynamically
linked subprograms that the work is specifically designed to require,
such as by intimate data communication or control flow between those
subprograms and other parts of the work.

 The Corresponding Source need not include anything that users
can regenerate automatically from other parts of the Corresponding
Source.

 The Corresponding Source for a work in source code form is that
same work.

 2. Basic Permissions.

 All rights granted under this License are granted for the term of
copyright on the Program, and are irrevocable provided the stated
conditions are met. This License explicitly affirms your unlimited
permission to run the unmodified Program. The output from running a
covered work is covered by this License only if the output, given its
content, constitutes a covered work. This License acknowledges your
rights of fair use or other equivalent, as provided by copyright law.

 You may make, run and propagate covered works that you do not
convey, without conditions so long as your license otherwise remains
in force. You may convey covered works to others for the sole purpose
of having them make modifications exclusively for you, or provide you
with facilities for running those works, provided that you comply with
the terms of this License in conveying all material for which you do
not control copyright. Those thus making or running the covered works
for you must do so exclusively on your behalf, under your direction
and control, on terms that prohibit them from making any copies of
your copyrighted material outside their relationship with you.

 Conveying under any other circumstances is permitted solely under
the conditions stated below. Sublicensing is not allowed; section 10
makes it unnecessary.

 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

 No covered work shall be deemed part of an effective technological
measure under any applicable law fulfilling obligations under article
11 of the WIPO copyright treaty adopted on 20 December 1996, or
similar laws prohibiting or restricting circumvention of such

measures.

 When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

 4. Conveying Verbatim Copies.

 You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

 You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

 5. Conveying Modified Source Versions.

 You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

  a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

  b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

  c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

  d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your

work need not make them do so.

A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms
of sections 4 and 5, provided that you also convey the
machine-readable Corresponding Source under the terms of this License,
in one of these ways:

a) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by the
Corresponding Source fixed on a durable physical medium
customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by a
written offer, valid for at least three years and valid for as
long as you offer spare parts or customer support for that product
model, to give anyone who possesses the object code either (1) a
copy of the Corresponding Source for all the software in the
product that is covered by this License, on a durable physical
medium customarily used for software interchange, for a price no
more than your reasonable cost of physically performing this
conveying of source, or (2) access to copy the
Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the
written offer to provide the Corresponding Source. This
alternative is allowed only occasionally and noncommercially, and
only if you received the object code with such an offer, in accord
with subsection 6b.

d) Convey the object code by offering access from a designated
place (gratis or for a charge), and offer equivalent access to the
Corresponding Source in the same way through the same place at no
further charge. You need not require recipients to copy the
Corresponding Source along with the object code. If the place to
copy the object code is a network server, the Corresponding Source

may be on a different server (operated by you or a third party)
that supports equivalent copying facilities, provided you maintain
clear directions next to the object code saying where to find the
Corresponding Source. Regardless of what server hosts the
Corresponding Source, you remain obligated to ensure that it is
available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided
you inform other peers where the object code and Corresponding
Source of the work are being offered to the general public at no
charge under subsection 6d.

 A separable portion of the object code, whose source code is excluded
from the Corresponding Source as a System Library, need not be
included in conveying the object code work.

 A "User Product" is either (1) a "consumer product", which means any
tangible personal property which is normally used for personal, family,
or household purposes, or (2) anything designed or sold for incorporation
into a dwelling. In determining whether a product is a consumer product,
doubtful cases shall be resolved in favor of coverage. For a particular
product received by a particular user, "normally used" refers to a
typical or common use of that class of product, regardless of the status
of the particular user or of the way in which the particular user
actually uses, or expects or is expected to use, the product. A product
is a consumer product regardless of whether the product has substantial
commercial, industrial or non-consumer uses, unless such uses represent
the only significant mode of use of the product.

 "Installation Information" for a User Product means any methods,
procedures, authorization keys, or other information required to install
and execute modified versions of a covered work in that User Product from
a modified version of its Corresponding Source. The information must
suffice to ensure that the continued functioning of the modified object
code is in no case prevented or interfered with solely because
modification has been made.

 If you convey an object code work under this section in, or with, or
specifically for use in, a User Product, and the conveying occurs as
part of a transaction in which the right of possession and use of the
User Product is transferred to the recipient in perpetuity or for a
fixed term (regardless of how the transaction is characterized), the
Corresponding Source conveyed under this section must be accompanied
by the Installation Information. But this requirement does not apply
if neither you nor any third party retains the ability to install
modified object code on the User Product (for example, the work has
been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or

b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or

authors of the material; or

e) Declining to grant rights under trademark law for use of some
trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that
material by anyone who conveys the material (or modified versions of
it) with contractual assumptions of liability to the recipient, for
any liability that these contractual assumptions directly impose on
those licensors and authors.

All other non-permissive additional terms are considered "further
restrictions" within the meaning of section 10. If the Program as you
received it, or any part of it, contains a notice stating that it is
governed by this License along with a term that is a further
restriction, you may remove that term. If a license document contains
a further restriction but permits relicensing or conveying under this
License, you may add to a covered work material governed by the terms
of that license document, provided that the further restriction does
not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you
must place, in the relevant source files, a statement of the
additional terms that apply to those files, or a notice indicating
where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the
form of a separately written license, or stated as exceptions;
the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly
provided under this License. Any attempt otherwise to propagate or
modify it is void, and will automatically terminate your rights under
this License (including any patent licenses granted under the third
paragraph of section 11).

However, if you cease all violation of this License, then your
license from a particular copyright holder is reinstated (a)
provisionally, unless and until the copyright holder explicitly and
finally terminates your license, and (b) permanently, if the copyright
holder fails to notify you of the violation by some reasonable means
prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is
reinstated permanently if the copyright holder notifies you of the
violation by some reasonable means, this is the first time you have

received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within
the scope of its coverage, prohibits the exercise of, or is
conditioned on the non-exercise of one or more of the rights that are
specifically granted under this License. You may not convey a covered
work if you are a party to an arrangement with a third party that is
in the business of distributing software, under which you make payment
to the third party based on the extent of your activity of conveying
the work, and under which the third party grants, to any of the
parties who would receive the covered work from you, a discriminatory
patent license (a) in connection with copies of the covered work
conveyed by you (or copies made from those copies), or (b) primarily
for and in connection with specific products or compilations that
contain the covered work, unless you entered into that arrangement,
or that patent license was granted, prior to 28 March 2007.

 Nothing in this License shall be construed as excluding or limiting
any implied license or other defenses to infringement that may
otherwise be available to you under applicable patent law.

 12. No Surrender of Others' Freedom.

 If conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot convey a
covered work so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you may
not convey it at all. For example, if you agree to terms that obligate you
to collect a royalty for further conveying from those to whom you convey
the Program, the only way you could satisfy both those terms and this
License would be to refrain entirely from conveying the Program.

 13. Use with the GNU Affero General Public License.

 Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

 14. Revised Versions of this License.

 The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

  If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

  Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

  15. Disclaimer of Warranty.

  THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

  16. Limitation of Liability.

  IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE
USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD
PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES.

  17. Interpretation of Sections 15 and 16.

  If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates

an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software: you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation, either version 3 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

 If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

    <program> Copyright (C) <year> <name of author>
    This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

 You should also get your employer (if you work as a programmer) or school,

if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

 The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<http://www.gnu.org/philosophy/why-not-lgpl.html>.
@c The GNU General Public License.
@center Version 3, 29 June 2007

@c This file is intended to be included within another document,
@c hence no sectioning command or @node.

@display
Copyright @copyright{} 2007 Free Software Foundation, Inc. @url{http://fsf.org/}

Everyone is permitted to copy and distribute verbatim copies of this
license document, but changing it is not allowed.
@end display

@heading Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom
to share and change all versions of a program---to make sure it remains
free software for all its users. We, the Free Software Foundation,
use the GNU General Public License for most of our software; it
applies also to any other work released this way by its authors. You
can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you
have certain responsibilities if you distribute copies of the
software, or if you modify it: responsibilities to respect the freedom

of others.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must pass on to the recipients the same
freedoms that you received. You must make sure that they, too,
receive or can get the source code. And you must show them these
terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:
(1) assert copyright on the software, and (2) offer you this License
giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains
that there is no warranty for this free software. For both users' and
authors' sake, the GPL requires that modified versions be marked as
changed, so that their problems will not be attributed erroneously to
authors of previous versions.

Some devices are designed to deny users access to install or run
modified versions of the software inside them, although the
manufacturer can do so. This is fundamentally incompatible with the
aim of protecting users' freedom to change the software. The
systematic pattern of such abuse occurs in the area of products for
individuals to use, which is precisely where it is most unacceptable.
Therefore, we have designed this version of the GPL to prohibit the
practice for those products. If such problems arise substantially in
other domains, we stand ready to extend this provision to those
domains in future versions of the GPL, as needed to protect the
freedom of users.

Finally, every program is threatened constantly by software patents.
States should not allow patents to restrict development and use of
software on general-purpose computers, but in those that do, we wish
to avoid the special danger that patents applied to a free program
could make it effectively proprietary. To prevent this, the GPL
assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and
modification follow.

@heading TERMS AND CONDITIONS

@enumerate 0
@item Definitions.

``This License'' refers to version 3 of the GNU General Public License.

``Copyright'' also means copyright-like laws that apply to other kinds

of works, such as semiconductor masks.

``The Program'' refers to any copyrightable work licensed under this License. Each licensee is addressed as ``you''. ``Licensees'' and ``recipients'' may be individuals or organizations.

To ``modify'' a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a ``modified version'' of the earlier work or a work ``based on'' the earlier work.

A ``covered work'' means either the unmodified Program or a work based on the Program.

To ``propagate'' a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To ``convey'' a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays ``Appropriate Legal Notices'' to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

@item Source Code.

The ``source code'' for a work means the preferred form of the work for making modifications to it. ``Object code'' means any non-source form of a work.

A ``Standard Interface'' means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The ``System Libraries'' of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of

packaging a Major Component, but which is not part of that Major
Component, and (b) serves only to enable use of the work with that
Major Component, or to implement a Standard Interface for which an
implementation is available to the public in source code form. A
``Major Component'', in this context, means a major essential component
(kernel, window system, and so on) of the specific operating system
(if any) on which the executable work runs, or a compiler used to
produce the work, or an object code interpreter used to run it.

The ``Corresponding Source'' for a work in object code form means all
the source code needed to generate, install, and (for an executable
work) run the object code and to modify the work, including scripts to
control those activities. However, it does not include the work's
System Libraries, or general-purpose tools or generally available free
programs which are used unmodified in performing those activities but
which are not part of the work. For example, Corresponding Source
includes interface definition files associated with source files for
the work, and the source code for shared libraries and dynamically
linked subprograms that the work is specifically designed to require,
such as by intimate data communication or control flow between those
subprograms and other parts of the work.

The Corresponding Source need not include anything that users can
regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same
work.

@item Basic Permissions.

All rights granted under this License are granted for the term of
copyright on the Program, and are irrevocable provided the stated
conditions are met. This License explicitly affirms your unlimited
permission to run the unmodified Program. The output from running a
covered work is covered by this License only if the output, given its
content, constitutes a covered work. This License acknowledges your
rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey,
without conditions so long as your license otherwise remains in force.
You may convey covered works to others for the sole purpose of having
them make modifications exclusively for you, or provide you with
facilities for running those works, provided that you comply with the
terms of this License in conveying all material for which you do not
control copyright. Those thus making or running the covered works for
you must do so exclusively on your behalf, under your direction and
control, on terms that prohibit them from making any copies of your
copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

@item Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

@item Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

@item Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

@enumerate a
@item
The work must carry prominent notices stating that you modified it, and giving a relevant date.

@item
The work must carry prominent notices stating that it is released

under this License and any conditions added under section 7. This
requirement modifies the requirement in section 4 to ``keep intact all
notices''.

@item
You must license the entire work, as a whole, under this License to
anyone who comes into possession of a copy. This License will
therefore apply, along with any applicable section 7 additional terms,
to the whole of the work, and all its parts, regardless of how they
are packaged. This License gives no permission to license the work in
any other way, but it does not invalidate such permission if you have
separately received it.

@item
If the work has interactive user interfaces, each must display
Appropriate Legal Notices; however, if the Program has interactive
interfaces that do not display Appropriate Legal Notices, your work
need not make them do so.
@end enumerate

A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution medium, is called an
``aggregate'' if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

@item Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of
sections 4 and 5, provided that you also convey the machine-readable
Corresponding Source under the terms of this License, in one of these
ways:

@enumerate a
@item
Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by the
Corresponding Source fixed on a durable physical medium customarily
used for software interchange.

@item
Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by a written
offer, valid for at least three years and valid for as long as you

offer spare parts or customer support for that product model, to give
anyone who possesses the object code either (1) a copy of the
Corresponding Source for all the software in the product that is
covered by this License, on a durable physical medium customarily used
for software interchange, for a price no more than your reasonable
cost of physically performing this conveying of source, or (2) access
to copy the Corresponding Source from a network server at no charge.

@item
Convey individual copies of the object code with a copy of the written
offer to provide the Corresponding Source. This alternative is
allowed only occasionally and noncommercially, and only if you
received the object code with such an offer, in accord with subsection
6b.

@item
Convey the object code by offering access from a designated place
(gratis or for a charge), and offer equivalent access to the
Corresponding Source in the same way through the same place at no
further charge. You need not require recipients to copy the
Corresponding Source along with the object code. If the place to copy
the object code is a network server, the Corresponding Source may be
on a different server (operated by you or a third party) that supports
equivalent copying facilities, provided you maintain clear directions
next to the object code saying where to find the Corresponding Source.
Regardless of what server hosts the Corresponding Source, you remain
obligated to ensure that it is available for as long as needed to
satisfy these requirements.

@item
Convey the object code using peer-to-peer transmission, provided you
inform other peers where the object code and Corresponding Source of
the work are being offered to the general public at no charge under
subsection 6d.

@end enumerate

A separable portion of the object code, whose source code is excluded
from the Corresponding Source as a System Library, need not be
included in conveying the object code work.

A ``User Product'' is either (1) a ``consumer product'', which means any
tangible personal property which is normally used for personal,
family, or household purposes, or (2) anything designed or sold for
incorporation into a dwelling. In determining whether a product is a
consumer product, doubtful cases shall be resolved in favor of
coverage. For a particular product received by a particular user,
``normally used'' refers to a typical or common use of that class of

product, regardless of the status of the particular user or of the way
in which the particular user actually uses, or expects or is expected
to use, the product. A product is a consumer product regardless of
whether the product has substantial commercial, industrial or
non-consumer uses, unless such uses represent the only significant
mode of use of the product.

``Installation Information'' for a User Product means any methods,
procedures, authorization keys, or other information required to
install and execute modified versions of a covered work in that User
Product from a modified version of its Corresponding Source. The
information must suffice to ensure that the continued functioning of
the modified object code is in no case prevented or interfered with
solely because modification has been made.

If you convey an object code work under this section in, or with, or
specifically for use in, a User Product, and the conveying occurs as
part of a transaction in which the right of possession and use of the
User Product is transferred to the recipient in perpetuity or for a
fixed term (regardless of how the transaction is characterized), the
Corresponding Source conveyed under this section must be accompanied
by the Installation Information. But this requirement does not apply
if neither you nor any third party retains the ability to install
modified object code on the User Product (for example, the work has
been installed in ROM).

The requirement to provide Installation Information does not include a
requirement to continue to provide support service, warranty, or
updates for a work that has been modified or installed by the
recipient, or for the User Product in which it has been modified or
installed. Access to a network may be denied when the modification
itself materially and adversely affects the operation of the network
or violates the rules and protocols for communication across the
network.

Corresponding Source conveyed, and Installation Information provided,
in accord with this section must be in a format that is publicly
documented (and with an implementation available to the public in
source code form), and must require no special password or key for
unpacking, reading or copying.

@item Additional Terms.

``Additional permissions'' are terms that supplement the terms of this
License by making exceptions from one or more of its conditions.
Additional permissions that are applicable to the entire Program shall
be treated as though they were included in this License, to the extent
that they are valid under applicable law. If additional permissions

apply only to part of the Program, that part may be used separately
under those permissions, but the entire Program remains governed by
this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option
remove any additional permissions from that copy, or from any part of
it. (Additional permissions may be written to require their own
removal in certain cases when you modify the work.) You may place
additional permissions on material, added by you to a covered work,
for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you
add to a covered work, you may (if authorized by the copyright holders
of that material) supplement the terms of this License with terms:

@enumerate a
@item
Disclaiming warranty or limiting liability differently from the terms
of sections 15 and 16 of this License; or

@item
Requiring preservation of specified reasonable legal notices or author
attributions in that material or in the Appropriate Legal Notices
displayed by works containing it; or

@item
Prohibiting misrepresentation of the origin of that material, or
requiring that modified versions of such material be marked in
reasonable ways as different from the original version; or

@item
Limiting the use for publicity purposes of names of licensors or
authors of the material; or

@item
Declining to grant rights under trademark law for use of some trade
names, trademarks, or service marks; or

@item
Requiring indemnification of licensors and authors of that material by
anyone who conveys the material (or modified versions of it) with
contractual assumptions of liability to the recipient, for any
liability that these contractual assumptions directly impose on those
licensors and authors.
@end enumerate

All other non-permissive additional terms are considered ``further
restrictions'' within the meaning of section 10. If the Program as you

received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

@item Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

@item Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run

a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

@item Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An ``entity transaction'' is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

@item Patents.

A ``contributor'' is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's ``contributor version''.

A contributor's ``essential patent claims'' are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, ``control'' includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a ``patent license'' is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement).  To ``grant'' such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. ``Knowingly relying'' means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is ``discriminatory'' if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent

license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

@item No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

@item Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

@item Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License ``or any later version'' applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public

statement of acceptance of a version permanently authorizes you to
choose that version for the Program.

Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

@item Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM ``AS IS'' WITHOUT
WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND
PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE
DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR
CORRECTION.

@item Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR
CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES
ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT
NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR
LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM
TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER
PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

@item Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

@end enumerate

@heading END OF TERMS AND CONDITIONS

@heading How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest

possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these
terms.

To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the ``copyright'' line and a pointer to where the full notice is found.

@smallexample
@var{one line to give the program's name and a brief idea of what it does.}
Copyright (C) @var{year} @var{name of author}

This program is free software: you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation, either version 3 of the License, or (at
your option) any later version.

This program is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program. If not, see @url{http://www.gnu.org/licenses/}.
@end smallexample

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

@smallexample
@var{program} Copyright (C) @var{year} @var{name of author}
This program comes with ABSOLUTELY NO WARRANTY; for details type @samp{show w}.
This is free software, and you are welcome to redistribute it
under certain conditions; type @samp{show c} for details.
@end smallexample

The hypothetical commands @samp{show w} and @samp{show c} should show
the appropriate parts of the General Public License. Of course, your
program's commands might be different; for a GUI interface, you would
use an ``about box''.

You should also get your employer (if you work as a programmer) or school,
if any, to sign a ``copyright disclaimer'' for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
@url{http://www.gnu.org/licenses/}.

The GNU General Public License does not permit incorporating your
program into proprietary programs. If your program is a subroutine
library, you may consider it more useful to permit linking proprietary
applications with the library. If this is what you want to do, use
the GNU Lesser General Public License instead of this License. But
first, please read @url{http://www.gnu.org/philosophy/why-not-lgpl.html}.
This is the Debian GNU/Linux prepackaged version of the GNU compiler
collection, containing Ada, C, C++, D, Fortran 95, Go, Objective-C,
Objective-C++, and Modula-2 compilers, documentation, and support
libraries. In addition, Debian provides the gm2 compiler, either in
the same source package, or built from a separate same source package.
Packaging is done by the Debian GCC Maintainers
<debian-gcc@lists.debian.org>, with sources obtained from:

```
ftp://gcc.gnu.org/pub/gcc/releases/  (for full releases)
svn://gcc.gnu.org/svn/gcc/           (for prereleases)
ftp://sourceware.org/pub/newlib/     (for newlib)
git://git.savannah.gnu.org/gm2.git   (for Modula-2)
```

The current gcc-9 source package is taken from the SVN gcc-9-branch.

Changes: See changelog.Debian.gz

Debian splits the GNU Compiler Collection into packages for each language,
library, and documentation as follows:

Language	Compiler package	Library package	Documentation
Ada	gnat-9	libgnat-9	gnat-9-doc
BRIG	gccbrig-9	libhsail-rt0	
C	gcc-9		gcc-9-doc
C++	g++-9	libstdc++6	libstdc++6-9-doc
D	gdc-9		
Fortran 95	gfortran-9	libgfortran3	gfortran-9-doc
Go	gccgo-9	libgo0	
Objective C	gobjc-9	libobjc2	
Objective C++	gobjc++-9		
Modula-2	gm2-9	libgm2	

For some language run-time libraries, Debian provides source files,
development files, debugging symbols and libraries containing position-
independent code in separate packages:

Language	Sources	Development	Debugging	Position-Independent
C++			libstdc++6-9-dbg	libstdc++6-9-pic
D	libphobos-9-dev			

Additional packages include:

All languages:
libgcc1, libgcc2, libgcc4   GCC intrinsics (platform-dependent)
gcc-9-base   Base files common to all compilers
gcc-9-soft-float   Software floating point (ARM only)
gcc-9-source   The sources with patches

Ada:
libgnatvsn-dev, libgnatvsn9   GNAT version library

C:
cpp-9, cpp-9-doc   GNU C Preprocessor
libssp0-dev, libssp0   GCC stack smashing protection library
libquadmath0   Math routines for the __float128 type
fixincludes   Fix non-ANSI header files

C, C++ and Fortran 95:
libgomp1-dev, libgomp1 GCC OpenMP (GOMP) support library
libitm1-dev, libitm1 GNU Transactional Memory Library

Biarch support: On some 64-bit platforms which can also run 32-bit code,
Debian provides additional packages containing 32-bit versions of some
libraries. These packages have names beginning with 'lib32' instead of
'lib', for example lib32stdc++6. Similarly, on some 32-bit platforms which
can also run 64-bit code, Debian provides additional packages with names
beginning with 'lib64' instead of 'lib'. These packages contain 64-bit
versions of the libraries. (At this time, not all platforms and not all
libraries support biarch.) The license terms for these lib32 or lib64
packages are identical to the ones for the lib packages.

COPYRIGHT STATEMENTS AND LICENSING TERMS

GCC is Copyright (C) 1986, 1987, 1988, 1989, 1990, 1991, 1992, 1993, 1994,
1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007,
2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019
Free Software Foundation, Inc.

GCC is free software; you can redistribute it and/or modify it under
the terms of the GNU General Public License as published by the Free
Software Foundation; either version 3, or (at your option) any later
version.

GCC is distributed in the hope that it will be useful, but WITHOUT ANY
WARRANTY; without even the implied warranty of MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
for more details.

Files that have exception clauses are licensed under the terms of the
GNU General Public License; either version 3, or (at your option) any
later version.

On Debian GNU/Linux systems, the complete text of the GNU General
Public License is in `/usr/share/common-licenses/GPL', version 3 of this
license in `/usr/share/common-licenses/GPL-3'.

The following runtime libraries are licensed under the terms of the
GNU General Public License (v3 or later) with version 3.1 of the GCC
Runtime Library Exception (included in this file):

- libgcc (libgcc/, gcc/libgcc2.[ch], gcc/unwind*, gcc/gthr*,
  gcc/coretypes.h, gcc/crtstuff.c, gcc/defaults.h, gcc/dwarf2.h,
  gcc/emults.c, gcc/gbl-ctors.h, gcc/gcov-io.h, gcc/libgcov.c,
  gcc/tsystem.h, gcc/typeclass.h).
- libatomic
- libdecnumber
- libgomp
- libitm
- libssp
- libstdc++-v3
- libobjc
- libgfortran
- The libgnat-9 Ada support library and libgnatvsn library.
- Various config files in gcc/config/ used in runtime libraries.
- libvtv

The libbacktrace library is licensed under the following terms:

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  (1) Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.

  (2) Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in
  the documentation and/or other materials provided with the
  distribution.

  (3) The name of the author may not be used to
  endorse or promote products derived from this software without
  specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The libsanitizer libraries (libasan, liblsan, libtsan, libubsan) are licensed under the following terms:

Copyright (c) 2009-2014 by the LLVM contributors.

All rights reserved.

Developed by:

  LLVM Team

  University of Illinois at Urbana-Champaign

  http://llvm.org

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal with the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

  * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimers.

  * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimers in the documentation and/or other materials provided with the distribution.

  * Neither the names of the LLVM Team, University of Illinois at Urbana-Champaign, nor the names of its contributors may be used to endorse or promote products derived from this Software without specific prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE CONTRIBUTORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS WITH THE SOFTWARE.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The libffi library is licensed under the following terms:

libffi - Copyright (c) 1996-2003 Red Hat, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the ``Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED ``AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL CYGNUS SOLUTIONS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR

OTHER DEALINGS IN THE SOFTWARE.

The documentation is licensed under the GNU Free Documentation License (v1.2).
On Debian GNU/Linux systems, the complete text of this license is in
`/usr/share/common-licenses/GFDL-1.2'.

GCC RUNTIME LIBRARY EXCEPTION

Version 3.1, 31 March 2009

Copyright (C) 2009 Free Software Foundation, Inc. <http://fsf.org/>

Everyone is permitted to copy and distribute verbatim copies of this
license document, but changing it is not allowed.

This GCC Runtime Library Exception ("Exception") is an additional
permission under section 7 of the GNU General Public License, version
3 ("GPLv3"). It applies to a given file (the "Runtime Library") that
bears a notice placed by the copyright holder of the file stating that
the file is governed by GPLv3 along with this Exception.

When you use GCC to compile a program, GCC may combine portions of
certain GCC header files and runtime libraries with the compiled
program. The purpose of this Exception is to allow compilation of
non-GPL (including proprietary) programs to use, in this way, the
header files and runtime libraries covered by this Exception.

0. Definitions.

A file is an "Independent Module" if it either requires the Runtime
Library for execution after a Compilation Process, or makes use of an
interface provided by the Runtime Library, but is not otherwise based
on the Runtime Library.

"GCC" means a version of the GNU Compiler Collection, with or without
modifications, governed by version 3 (or a specified later version) of
the GNU General Public License (GPL) with the option of using any
subsequent versions published by the FSF.

"GPL-compatible Software" is software whose conditions of propagation,
modification and use would permit combination with GCC in accord with
the license of GCC.

"Target Code" refers to output from any compiler for a real or virtual
target processor architecture, in executable form or suitable for
input to an assembler, loader, linker and/or execution

phase. Notwithstanding that, Target Code does not include data in any
format that is used as a compiler intermediate representation, or used
for producing a compiler intermediate representation.

The "Compilation Process" transforms code entirely represented in
non-intermediate languages designed for human-written code, and/or in
Java Virtual Machine byte code, into Target Code. Thus, for example,
use of source code generators and preprocessors need not be considered
part of the Compilation Process, since the Compilation Process can be
understood as starting with the output of the generators or
preprocessors.

A Compilation Process is "Eligible" if it is done using GCC, alone or
with other GPL-compatible software, or if it is done without using any
work based on GCC. For example, using non-GPL-compatible Software to
optimize any GCC intermediate representations would not qualify as an
Eligible Compilation Process.

1. Grant of Additional Permission.

You have permission to propagate a work of Target Code formed by
combining the Runtime Library with Independent Modules, even if such
propagation would otherwise violate the terms of GPLv3, provided that
all Target Code was generated by Eligible Compilation Processes. You
may then convey such a combination under terms of your choice,
consistent with the licensing of the Independent Modules.

2. No Weakening of GCC Copyleft.

The availability of this Exception does not imply any general
presumption that third-party software is unaffected by the copyleft
requirements of the license of GCC.

libquadmath/*.[hc]:

  Copyright (C) 2010 Free Software Foundation, Inc.
  Written by Francois-Xavier Coudert <fxcoudert@gcc.gnu.org>
  Written by Tobias Burnus <burnus@net-b.de>

This file is part of the libiberty library.
Libiberty is free software; you can redistribute it and/or
modify it under the terms of the GNU Library General Public
License as published by the Free Software Foundation; either
version 2 of the License, or (at your option) any later version.

Libiberty is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Library General Public License for more details.

libquadmath/math:

atanq.c, expm1q.c, j0q.c, j1q.c, log1pq.c, logq.c:
  Copyright 2001 by Stephen L. Moshier <moshier@na-net.ornl.gov>

  This library is free software; you can redistribute it and/or
  modify it under the terms of the GNU Lesser General Public
  License as published by the Free Software Foundation; either
  version 2.1 of the License, or (at your option) any later version.

  This library is distributed in the hope that it will be useful,
  but WITHOUT ANY WARRANTY; without even the implied warranty of
  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
  Lesser General Public License for more details.

coshq.c, erfq.c, jnq.c, lgammaq.c, powq.c, roundq.c:
  Changes for 128-bit __float128 are
  Copyright (C) 2001 Stephen L. Moshier <moshier@na-net.ornl.gov>
  and are incorporated herein by permission of the author. The author
  reserves the right to distribute this material elsewhere under different
  copying permissions. These modifications are distributed here under
  the following terms:

  This library is free software; you can redistribute it and/or
  modify it under the terms of the GNU Lesser General Public
  License as published by the Free Software Foundation; either
  version 2.1 of the License, or (at your option) any later version.

  This library is distributed in the hope that it will be useful,
  but WITHOUT ANY WARRANTY; without even the implied warranty of
  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
  Lesser General Public License for more details.

ldexpq.c:
  * Conversion to long double by Ulrich Drepper,
  * Cygnus Support, drepper@cygnus.com.

cosq_kernel.c, expq.c, sincos_table.c, sincosq.c, sincosq_kernel.c,
sinq_kernel.c, truncq.c:
  Copyright (C) 1997, 1999 Free Software Foundation, Inc.

  The GNU C Library is free software; you can redistribute it and/or
  modify it under the terms of the GNU Lesser General Public
  License as published by the Free Software Foundation; either
  version 2.1 of the License, or (at your option) any later version.

The GNU C Library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

isinfq.c:
* Written by J.T. Conklin <jtc@netbsd.org>.
* Change for long double by Jakub Jelinek <jj@ultra.linux.cz>
* Public domain.

llroundq.c, lroundq.c, tgammaq.c:
Copyright (C) 1997, 1999, 2002, 2004 Free Software Foundation, Inc.
This file is part of the GNU C Library.
Contributed by Ulrich Drepper <drepper@cygnus.com>, 1997 and
        Jakub Jelinek <jj@ultra.linux.cz>, 1999.

The GNU C Library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

The GNU C Library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

log10q.c:
Cephes Math Library Release 2.2: January, 1991
Copyright 1984, 1991 by Stephen L. Moshier
Adapted for glibc November, 2001

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

remaining files:

* Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.
*
* Developed at SunPro, a Sun Microsystems, Inc. business.
* Permission to use, copy, modify, and distribute this

* software is freely granted, provided that this notice
* is preserved.

gcc/go/gofrontend, libgo:

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
  * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

D:
gdc-9   GNU D Compiler
libphobos-9-dev   D standard runtime library

The D source package is made up of the following components.

The D front-end for GCC:
- d/*

Copyright (C) 2004-2007 David Friedman
Modified by Vincenzo Ampolo, Michael Parrot, Iain Buclaw, (C) 2009, 2010

This program is free software; you can redistribute it and/or modify

it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

On Debian GNU/Linux systems, the complete text of the GNU General
Public License is in `/usr/share/common-licenses/GPL', version 2 of this
license in `/usr/share/common-licenses/GPL-2'.

The DMD Compiler implementation of the D programming language:
- d/dmd/*

Copyright (c) 1999-2010 by Digital Mars
All Rights Reserved
written by Walter Bright
http://www.digitalmars.com
License for redistribution is by either the Artistic License or
the GNU General Public License (v1).

On Debian GNU/Linux systems, the complete text of the GNU General
Public License is in `/usr/share/common-licenses/GPL', the Artistic
license in `/usr/share/common-licenses/Artistic'.

The Zlib data compression library:
- d/phobos/etc/c/zlib/*

(C) 1995-2004 Jean-loup Gailly and Mark Adler

 This software is provided 'as-is', without any express or implied
 warranty. In no event will the authors be held liable for any damages
 arising from the use of this software.

 Permission is granted to anyone to use this software for any purpose,
 including commercial applications, and to alter it and redistribute it
 freely, subject to the following restrictions:

 1. The origin of this software must not be misrepresented; you must not
    claim that you wrote the original software. If you use this software
    in a product, an acknowledgment in the product documentation would be
    appreciated but is not required.
 2. Altered source versions must be plainly marked as such, and must not be
    misrepresented as being the original software.
 3. This notice may not be removed or altered from any source distribution.

The Phobos standard runtime library:
- d/phobos/*

Unless otherwise marked within the file, each file in the source
is under the following licenses:

Copyright (C) 2004-2005 by Digital Mars, www.digitalmars.com
Written by Walter Bright

This software is provided 'as-is', without any express or implied
warranty. In no event will the authors be held liable for any damages
arising from the use of this software.

Permission is granted to anyone to use this software for any purpose,
including commercial applications, and to alter it and redistribute it
freely, in both source and binary form, subject to the following
restrictions:

o The origin of this software must not be misrepresented; you must not
   claim that you wrote the original software. If you use this software
   in a product, an acknowledgment in the product documentation would be
   appreciated but is not required.
o Altered source versions must be plainly marked as such, and must not
   be misrepresented as being the original software.
o This notice may not be removed or altered from any source
   distribution.

By plainly marking modifications, something along the lines of adding to each
file that has been changed a "Modified by Foo Bar" line
underneath the "Written by" line would be adequate.

The libhsail-rt library is licensed under the following terms:

 Copyright (C) 2015-2017 Free Software Foundation, Inc.
 Contributed by Pekka Jaaskelainen <pekka.jaaskelainen@parmance.com>
 for General Processor Tech.

 Permission is hereby granted, free of charge, to any person obtaining a
 copy of this software and associated documentation files
 (the "Software"), to deal in the Software without restriction, including
 without limitation the rights to use, copy, modify, merge, publish,
 distribute, sublicense, and/or sell copies of the Software, and to
 permit persons to whom the Software is furnished to do so, subject to
 the following conditions:

 The above copyright notice and this permission notice shall be included
 in all copies or substantial portions of the Software.

 THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
 OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR
OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE
USE OR OTHER DEALINGS IN THE SOFTWARE.

libhsail-rt/rt/fp16.c is licensed under the following terms:

Copyright (C) 2008-2017 Free Software Foundation, Inc.
Contributed by CodeSourcery.

This file is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License as published by the
Free Software Foundation; either version 3, or (at your option) any
later version.

This file is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

Under Section 7 of GPL version 3, you are granted additional
permissions described in the GCC Runtime Library Exception, version
3.1, as published by the Free Software Foundation.

You should have received a copy of the GNU General Public License and
a copy of the GCC Runtime Library Exception along with this program;
see the files COPYING3 and COPYING.RUNTIME respectively. If not, see
<http://www.gnu.org/licenses/>.

gcc/gm2:
Copyright (C) 2007-2019 Free Software Foundation, Inc.
Contributed by Gaius Mulley <gaius@glam.ac.uk>.

This file is part of GNU Modula-2.

GNU Modula-2 is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 3, or (at your option)
any later version.

GNU Modula-2 is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

gcc/gm2/**/*.texi:
Copyright (C) 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010,

gcc/gm2/gm2-coroutines:

gcc/gm2/ulm-lib-gm2:

gcc/gm2/ulm-lib-gm2/std/M2RTS.mod:
gcc/gm2/ulm-lib-gm2/std/Storage.mod:
gcc/gm2/ulm-lib-gm2/std/RTExceptions.mod:

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

gcc/gm2/gm2-libs:
Copyright (C) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010
Free Software Foundation, Inc.

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

./gm2-libs/cbuiltin.def:
./gm2-libs/MathLib0.def:
./gm2-libs/SYSTEM.def:
./gm2-libs/sckt.def:
./gm2-libs/Indexing.def:
./gm2-libs/Builtins.mod:
./gm2-libs/SFIO.mod:
./gm2-libs/MathLib0.mod:
./gm2-libs/gdbif.mod:
./gm2-libs/M2EXCEPTION.mod:
./gm2-libs/SFIO.def:
./gm2-libs/StringConvert.mod:
./gm2-libs/StringConvert.def:
./gm2-libs/config-host.in:
./gm2-libs/Indexing.mod:
./gm2-libs/errno.def:

Copyright (C) 2001-2019 Free Software Foundation, Inc.
Contributed by Gaius Mulley <gaius.mulley@southwales.ac.uk>.

GNU Modula-2 is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 3, or (at your option)
any later version.

GNU Modula-2 is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

./gm2-libs/M2EXCEPTION.def:
Library module defined by the International Standard
Information technology - programming languages
BS ISO/IEC 10514-1:1996E Part 1: Modula-2, Base Language.

Copyright ISO/IEC (International Organization for Standardization
and International Electrotechnical Commission) 1996, 1997, 1998,
1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

gcc/gm2/gm2-libiberty/:
Copyright (C) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010
        Free Software Foundation, Inc.

GNU Modula-2 is free software; you can redistribute it and/or modify it under
the terms of the GNU General Public License as published by the Free
Software Foundation; either version 3, or (at your option) any later
version.

GNU Modula-2 is distributed in the hope that it will be useful, but WITHOUT ANY
WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
for more details.

gcc/gm2/gm2-libs-iso/:
This has a mix of licenses, both LGPL-2.1 and GPL-3.0, plus the apparently
unmodified definition modules from ISO/IEC.

gcc/gm2/gm2-libs-iso/*.def:

Library module defined by the International Standard
Information technology - programming languages
BS ISO/IEC 10514-1:1996E Part 1: Modula-2, Base Language.

Copyright ISO/IEC (International Organization for Standardization
and International Electrotechnical Commission) 1996, 1997, 1998,
1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

gcc/gm2/gm2-libs-iso/*.def:

Copyright (C) 2008, 2009, 2010 Free Software Foundation, Inc.

gcc/gm2/gm2-libs-iso/*.def:
This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

gcc/gm2/gm2-libs-iso/*.mod:

Copyright (C) 2012 Free Software Foundation, Inc.

GNU Modula-2 is free software; you can redistribute it and/or modify it under
the terms of the GNU General Public License as published by the Free
Software Foundation; either version 3, or (at your option) any later
version.

GNU Modula-2 is distributed in the hope that it will be useful, but WITHOUT ANY
WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
for more details.

gcc/gm2/gm2-libs-iso/*.mod:

Copyright (C) 2009, 2010 Free Software Foundation, Inc.

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

gcc/gm2/gm2-libs-min/*:
Copyright (C) 2001-2019 Free Software Foundation, Inc.
mix of GPL-3.0 and LGPL-3.0

gcc/gm2/gm2-libs-pim/*:
Copyright (C) 2001-2019 Free Software Foundation, Inc.
mix of GPL-3.0 and LGPL-2.1/3

gcc/gm2/gm2-libs-ch/*:
Copyright (C) 2001-2019 Free Software Foundation, Inc.
mix of GPL-3.0 and LGPL-2.1/3

gcc/gm2/examples:
Copyright (C) 2005-2015 Free Software Foundation, Inc.
Mix of LGPL-2.1 and GPL-3.0.

gcc/gm2/images:
GPL-3+

gcc/gm2/el/gm2-mode.el:
;; Everyone is granted permission to copy, modify and redistribute
;; GNU Emacs, but only under the conditions described in the
;; GNU Emacs General Public License.   A copy of this license is
;; supposed to have been given to you along with GNU Emacs so you
;; can know your rights and responsibilities. It should be in a
;; file named COPYING. Among other things, the copyright notice
;; and this notice must be preserved on all copies.

gcc/gm2/mc-boot/:
Copyright (C) 2001-2018 Free Software Foundation, Inc.
Contributed by Gaius Mulley <gaius@glam.ac.uk>.
Mix of GPL-3 and LGPL-2.1.

gcc/testsuite/gm2/:
Copyright (C) 2001-2019 Free Software Foundation, Inc.
Mix of GPL-2+ and GPL-3+

libgm2:

libgm2/libiso/:
Copyright (C) 2008, 2009, 2010 Free Software Foundation, Inc.

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

libgm2/libpim/:
Copyright (C) 2005-2014 Free Software Foundation, Inc.
Mix of LGPL-2.1, LGPL-3 and GPL-3.

libgm2/liblog/:
Copyright (C) 2005-2018 Free Software Foundation, Inc.
Mix of LGPL-2.1 and LGPL-3.

libgm2/libpth/:
Copyright: (C) 1999-2006 Ralf S. Engelschall <rse@gnu.org>
License: LGPL-2.1+

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Library General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.
.
This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Library General Public License for more details.

libgm2/libulm/:
Copyright (C) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010
         Free Software Foundation, Inc.

GNU Modula-2 is free software; you can redistribute it and/or modify it under
the terms of the GNU General Public License as published by the Free
Software Foundation; either version 3, or (at your option) any later
version.

GNU Modula-2 is distributed in the hope that it will be useful, but WITHOUT ANY
WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
for more details.

libgm2/libcor/:
Copyright (C) 2005-2019 Free Software Foundation, Inc.
Contributed by Gaius Mulley <gaius@glam.ac.uk>.

GNU Modula-2 is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 3, or (at your option)
any later version.

GNU Modula-2 is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

libgm2/libmin/:
Copyright (C) 2010, 2011, 2012, 2013 Free Software Foundation, Inc.

GNU Modula-2 is free software; you can redistribute it and/or modify it under
the terms of the GNU General Public License as published by the Free
Software Foundation; either version 3, or (at your option) any later
version.

GNU Modula-2 is distributed in the hope that it will be useful, but WITHOUT ANY
WARRANTY; without even the implied warranty of MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
for more details.

libgm2/p2c/:
Copyright (C) 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010
        Free Software Foundation, Inc.

GNU Modula-2 is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 3, or (at your option)
any later version.

GNU Modula-2 is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

newlib-X.Y.Z/:

Upstream Authors:
newlib@sources.redhat.com
Jeff Johnston <jjohnstn@redhat.com>
Tom Fitzsimmons <fitzsim@redhat.com>

The newlib subdirectory is a collection of software from several sources.
Each file may have its own copyright/license that is embedded in the source
file.

This list documents those licenses which are more restrictive than
a BSD-like license or require the copyright notice
to be duplicated in documentation and/or other materials associated with
the distribution. Certain licenses documented here only apply to
specific targets. Certain clauses only apply if you are building the
code as part of your binary.

Note that this list may omit certain licenses that
only pertain to the copying/modifying of the individual source code.
If you are distributing the source code, then you do not need to
worry about these omitted licenses, so long as you do not modify the
copyright information already in place.

Parts of this work are licensed under the terms of the GNU General
Public License. On Debian systems, the complete text of this license
can be found in /usr/share/common-licenses/GPL.

Parts of this work are licensed under the terms of the GNU Library
General Public License. On Debian systems, the complete text of this
license be found in /usr/share/common-licenses/LGPL.

(1) University of California, Berkeley

[1a]

Copyright (c) 1990 The Regents of the University of California.
All rights reserved.

Redistribution and use in source and binary forms are permitted
provided that the above copyright notice and this paragraph are
duplicated in all such forms and that any documentation,
and other materials related to such distribution and use
acknowledge that the software was developed
by the University of California, Berkeley. The name of the
University may not be used to endorse or promote products derived
from this software without specific prior written permission.
THIS SOFTWARE IS PROVIDED ``AS IS'' AND WITHOUT ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

[1b]

Copyright (c) 1990 The Regents of the University of California.
All rights reserved.

Redistribution and use in source and binary forms are permitted
provided that the above copyright notice and this paragraph are
duplicated in all such forms and that any documentation,
advertising materials, and other materials related to such
distribution and use acknowledge that the software was developed
by the University of California, Berkeley. The name of the
University may not be used to endorse or promote products derived
from this software without specific prior written permission.
THIS SOFTWARE IS PROVIDED ``AS IS'' AND WITHOUT ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

[1c]

Copyright (c) 1981, 1983, 1986, 1988, 1989, 1991, 1992, 1993, 1994
The Regents of the University of California.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software
   must display the following acknowledgement:
     This product includes software developed by the University of
     California, Berkeley and its contributors.
4. Neither the name of the University nor the names of its contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

[1d]

Copyright (c) 1988, 1990, 1993 Regents of the University of California.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT

LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

[1e]

[1f]

provided that: (1) source distributions retain this entire copyright
notice and comment, and (2) distributions including binaries display
the following acknowledgement: ``This product includes software
developed by the University of California, Berkeley and its contributors"
in the documentation or other materials provided with the distribution
and in all advertising materials mentioning features or use of this
software. Neither the name of the University nor the names of its
contributors may be used to endorse or promote products derived
from this software without specific prior written permission.
THIS SOFTWARE IS PROVIDED ``AS IS" AND WITHOUT ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

Please note that in some of the above alternate licenses, there is a
statement regarding that acknowledgement must be made in any
advertising materials for products using the code. This restriction
no longer applies due to the following license change:

 ftp://ftp.cs.berkeley.edu/pub/4bsd/README.Impt.License.Change

In some cases the defunct clause has been removed in modified newlib code and
in some cases, the clause has been left as-is.
----

(2) Cygwin (cygwin targets only)

Copyright 2001 Red Hat, Inc.

This software is a copyrighted work licensed under the terms of the
Cygwin license. Please consult the file "CYGWIN_LICENSE" for
details.

(3) David M. Gay at AT&T

The author of this software is David M. Gay.

Copyright (c) 1991 by AT&T.

Permission to use, copy, modify, and distribute this software for any
purpose without fee is hereby granted, provided that this entire notice
is included in all copies of any software which is or includes a copy
or modification of this software and in all copies of the supporting
documentation for such software.

THIS SOFTWARE IS BEING PROVIDED "AS IS", WITHOUT ANY EXPRESS OR IMPLIED
WARRANTY. IN PARTICULAR, NEITHER THE AUTHOR NOR AT&T MAKES ANY
REPRESENTATION OR WARRANTY OF ANY KIND CONCERNING THE MERCHANTABILITY

OF THIS SOFTWARE OR ITS FITNESS FOR ANY PARTICULAR PURPOSE.

(4) Advanced Micro Devices

Copyright 1989, 1990 Advanced Micro Devices, Inc.

This software is the property of Advanced Micro Devices, Inc (AMD) which
specifically grants the user the right to modify, use and distribute this
software provided this notice is not removed or altered. All other rights
are reserved by AMD.

AMD MAKES NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, WITH REGARD TO THIS
SOFTWARE. IN NO EVENT SHALL AMD BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL
DAMAGES IN CONNECTION WITH OR ARISING FROM THE FURNISHING, PERFORMANCE, OR
USE OF THIS SOFTWARE.

So that all may benefit from your experience, please report any problems
or suggestions about this software to the 29K Technical Support Center at
800-29-29-AMD (800-292-9263) in the USA, or 0800-89-1131 in the UK, or
0031-11-1129 in Japan, toll free. The direct dial number is 512-462-4118.

Advanced Micro Devices, Inc.
29K Support Products
Mail Stop 573
5900 E. Ben White Blvd.
Austin, TX 78741
800-292-9263

(5) C.W. Sandmann

Copyright (C) 1993 C.W. Sandmann

This file may be freely distributed as long as the author's name remains.

(6) Eric Backus

(C) Copyright 1992 Eric Backus

This software may be used freely so long as this copyright notice is
left intact. There is no warrantee on this software.

(7) Sun Microsystems

Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

Developed at SunPro, a Sun Microsystems, Inc. business.
Permission to use, copy, modify, and distribute this
software is freely granted, provided that this notice

is preserved.

(8) Hewlett Packard

(c) Copyright 1986 HEWLETT-PACKARD COMPANY

To anyone who acknowledges that this file is provided "AS IS"
without any express or implied warranty:
  permission to use, copy, modify, and distribute this file
for any purpose is hereby granted without fee, provided that
the above copyright notice and this notice appears in all
copies, and that the name of Hewlett-Packard Company not be
used in advertising or publicity pertaining to distribution
of the software without specific, written prior permission.
Hewlett-Packard Company makes no representations about the
suitability of this software for any purpose.

(9) Hans-Peter Nilsson

Copyright (C) 2001 Hans-Peter Nilsson

Permission to use, copy, modify, and distribute this software is
freely granted, provided that the above copyright notice, this notice
and the following disclaimer are preserved with no changes.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND WITHOUT ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE.

(10) Stephane Carrez (m68hc11-elf/m68hc12-elf targets only)

Copyright (C) 1999, 2000, 2001, 2002 Stephane Carrez (stcarrez@nerim.fr)

The authors hereby grant permission to use, copy, modify, distribute,
and license this software and its documentation for any purpose, provided
that existing copyright notices are retained in all copies and that this
notice is included verbatim in any distributions. No written agreement,
license, or royalty fee is required for any of the authorized uses.
Modifications to this software may be copyrighted by their authors
and need not follow the licensing terms described here, provided that
the new terms are clearly indicated on the first page of each file where
they apply.

(11) Christopher G. Demetriou

Copyright (c) 2001 Christopher G. Demetriou
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

(12) SuperH, Inc.

Copyright 2002 SuperH, Inc. All rights reserved

This software is the property of SuperH, Inc (SuperH) which specifically
grants the user the right to modify, use and distribute this software
provided this notice is not removed or altered. All other rights are
reserved by SuperH.

SUPERH MAKES NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, WITH REGARD TO
THIS SOFTWARE. IN NO EVENT SHALL SUPERH BE LIABLE FOR INDIRECT, SPECIAL,
INCIDENTAL OR CONSEQUENTIAL DAMAGES IN CONNECTION WITH OR ARISING FROM
THE FURNISHING, PERFORMANCE, OR USE OF THIS SOFTWARE.

So that all may benefit from your experience, please report any problems
or suggestions about this software to the SuperH Support Center via
e-mail at softwaresupport@superh.com .

SuperH, Inc.
405 River Oaks Parkway
San Jose
CA 95134
USA

(13) Royal Institute of Technology

Copyright (c) 1999 Kungliga Tekniska Hgskolan
(Royal Institute of Technology, Stockholm, Sweden).
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

3. Neither the name of KTH nor the names of its contributors may be
   used to endorse or promote products derived from this software without
   specific prior written permission.

THIS SOFTWARE IS PROVIDED BY KTH AND ITS CONTRIBUTORS ``AS IS'' AND ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL KTH OR ITS CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF
ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

(14) Alexey Zelkin

Copyright (c) 2000, 2001 Alexey Zelkin <phantom@FreeBSD.org>
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

(15) Andrey A. Chernov

Copyright (C) 1997 by Andrey A. Chernov, Moscow, Russia.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

(16) FreeBSD

Copyright (c) 1997-2002 FreeBSD Project.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

(17) S. L. Moshier

Author: S. L. Moshier.

Copyright (c) 1984,2000 S.L. Moshier

Permission to use, copy, modify, and distribute this software for any
purpose without fee is hereby granted, provided that this entire notice
is included in all copies of any software which is or includes a copy
or modification of this software and in all copies of the supporting
documentation for such software.

THIS SOFTWARE IS BEING PROVIDED "AS IS", WITHOUT ANY EXPRESS OR IMPLIED
WARRANTY. IN PARTICULAR, THE AUTHOR MAKES NO REPRESENTATION
OR WARRANTY OF ANY KIND CONCERNING THE MERCHANTABILITY OF THIS
SOFTWARE OR ITS FITNESS FOR ANY PARTICULAR PURPOSE.

(18) Citrus Project

Copyright (c)1999 Citrus Project,
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

(19) Todd C. Miller

Copyright (c) 1998 Todd C. Miller <Todd.Miller@courtesan.com>
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL
THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS;
OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF
ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

(20) DJ Delorie (i386)

Copyright (C) 1991 DJ Delorie
All rights reserved.

Redistribution and use in source and binary forms is permitted
provided that the above copyright notice and following paragraph are
duplicated in all such forms.

This file is distributed WITHOUT ANY WARRANTY; without even the implied
warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

(21) Free Software Foundation LGPL License (*-linux* targets only)

  Copyright (C) 1990-1999, 2000, 2001
  Free Software Foundation, Inc.
  This file is part of the GNU C Library.
  Contributed by Mark Kettenis <kettenis@phys.uva.nl>, 1997.

  The GNU C Library is free software; you can redistribute it and/or
  modify it under the terms of the GNU Lesser General Public
  License as published by the Free Software Foundation; either
  version 2.1 of the License, or (at your option) any later version.

  The GNU C Library is distributed in the hope that it will be useful,
  but WITHOUT ANY WARRANTY; without even the implied warranty of
  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
  Lesser General Public License for more details.

  You should have received a copy of the GNU Lesser General Public
  License along with the GNU C Library; if not, write to the Free
  Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA
  02110-1301 USA

(22) Xavier Leroy LGPL License (i[3456]86-*-linux* targets only)

Copyright (C) 1996 Xavier Leroy (Xavier.Leroy@inria.fr)

This program is free software; you can redistribute it and/or
modify it under the terms of the GNU Library General Public License
as published by the Free Software Foundation; either version 2
of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU Library General Public License for more details.

(23) Intel (i960)

Copyright (c) 1993 Intel Corporation

Intel hereby grants you permission to copy, modify, and distribute this
software and its documentation. Intel grants this permission provided
that the above copyright notice appears in all copies and that both the
copyright notice and this permission notice appear in supporting
documentation. In addition, Intel grants this permission provided that
you prominently mark as "not part of the original" any modifications
made to this software or documentation, and that the name of Intel
Corporation not be used in advertising or publicity pertaining to

distribution of the software or the documentation without specific,
written prior permission.

Intel Corporation provides this AS IS, WITHOUT ANY WARRANTY, EXPRESS OR
IMPLIED, INCLUDING, WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY
OR FITNESS FOR A PARTICULAR PURPOSE. Intel makes no guarantee or
representations regarding the use of, or the results of the use of,
the software and documentation in terms of correctness, accuracy,
reliability, currentness, or otherwise; and you rely on the software,
documentation and results solely at your own risk.

IN NO EVENT SHALL INTEL BE LIABLE FOR ANY LOSS OF USE, LOSS OF BUSINESS,
LOSS OF PROFITS, INDIRECT, INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES
OF ANY KIND. IN NO EVENT SHALL INTEL'S TOTAL LIABILITY EXCEED THE SUM
PAID TO INTEL FOR THE PRODUCT LICENSED HEREUNDER.

(24) Hewlett-Packard (hppa targets only)

(c) Copyright 1986 HEWLETT-PACKARD COMPANY

To anyone who acknowledges that this file is provided "AS IS"
without any express or implied warranty:
    permission to use, copy, modify, and distribute this file
for any purpose is hereby granted without fee, provided that
the above copyright notice and this notice appears in all
copies, and that the name of Hewlett-Packard Company not be
used in advertising or publicity pertaining to distribution
of the software without specific, written prior permission.
Hewlett-Packard Company makes no representations about the
suitability of this software for any purpose.

(25) Henry Spencer (only *-linux targets)

Copyright 1992, 1993, 1994 Henry Spencer. All rights reserved.
This software is not subject to any license of the American Telephone
and Telegraph Company or of the Regents of the University of California.

Permission is granted to anyone to use this software for any purpose on
any computer system, and to alter it and redistribute it, subject
to the following restrictions:

1. The author is not responsible for the consequences of use of this
   software, no matter how awful, even if they arise from flaws in it.

2. The origin of this software must not be misrepresented, either by
   explicit claim or by omission. Since few users ever read sources,
   credits must appear in the documentation.

3. Altered versions must be plainly marked as such, and must not be
   misrepresented as being the original software. Since few users
   ever read sources, credits must appear in the documentation.

4. This notice may not be removed or altered.

(26) Mike Barcroft

Copyright (c) 2001 Mike Barcroft <mike@FreeBSD.org>
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

(27) Konstantin Chuguev (--enable-newlib-iconv)

Copyright (c) 1999, 2000
   Konstantin Chuguev. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

iconv (Charset Conversion Library) v2.0

(27) Artem Bityuckiy (--enable-newlib-iconv)

Copyright (c) 2003, Artem B. Bityuckiy, SoftMine Corporation.
Rights transferred to Franklin Electronic Publishers.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

(28) Red Hat Incorporated

Unless otherwise stated in each remaining newlib file, the remaining
files in the newlib subdirectory default to the following copyright.
It should be noted that Red Hat Incorporated now owns copyrights
belonging to Cygnus Solutions and Cygnus Support.

Copyright (c) 1994, 1997, 2001, 2002, 2003, 2004 Red Hat Incorporated.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

  Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.

  Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.

  The name of Red Hat Incorporated may not be used to endorse
  or promote products derived from this software without specific
  prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL RED HAT INCORPORATED BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
GNU LIBRARY GENERAL PUBLIC LICENSE
****

                   Version 2, June 1991

  Copyright (C) 1991 Free Software Foundation, Inc.
  59 Temple Place -- Suite 330, Boston, MA 02111-1307, USA

  Everyone is permitted to copy and distribute verbatim copies
  of this license document, but changing it is not allowed.

  [This is the first released version of the library GPL. It is
   numbered 2 because it goes with version 2 of the ordinary GPL.]

Preamble
========

  The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

  This license, the Library General Public License, applies to some
specially designated Free Software Foundation software, and to any

other libraries whose authors decide to use it. You can use it for your libraries, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library, or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link a program with the library, you must provide complete object files to the recipients so that they can relink them with the library, after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

Our method of protecting your rights has two steps: (1) copyright the library, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the library.

Also, for each distributor's protection, we want to make certain that everyone understands that there is no warranty for this free library. If the library is modified by someone else and passed on, we want its recipients to know that what they have is not the original version, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that companies distributing free software will individually obtain patent licenses, thus in effect transforming the program into proprietary software. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License, which was designed for utility programs. This license, the GNU Library General Public License, applies to certain designated libraries. This license is quite different from the ordinary one; be sure to read it in full, and don't assume that anything in it is the same as in the ordinary license.

The reason we have a separate public license for some libraries is that they blur the distinction we usually make between modifying or adding to a program and simply using it. Linking a program with a library, without changing the library, is in some sense simply using the library, and is analogous to running a utility program or application program. However, in a textual and legal sense, the linked executable is a combined work, a derivative of the original library, and the ordinary General Public License treats it as such.

Because of this blurred distinction, using the ordinary General Public License for libraries did not effectively promote software sharing, because most developers did not use the libraries. We concluded that weaker conditions might promote sharing better.

However, unrestricted linking of non-free programs would deprive the users of those programs of all benefit from the free status of the libraries themselves. This Library General Public License is intended to permit developers of non-free programs to use free libraries, while preserving your freedom as a user of such programs to change the free libraries that are incorporated in them. (We have not seen how to achieve this as regards changes in header files, but we have achieved it as regards changes in the actual functions of the Library.) The hope is that this will lead to faster development of free libraries.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, while the latter only works together with the library.

Note that it is possible for a library to be covered by the ordinary General Public License rather than by this special one.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Library General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under

copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

  a. The modified work must itself be a software library.

  b. You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

  c. You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

  d. If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that

uses the facility, other than as an argument passed when the
facility is invoked, then you must make a good faith effort
to ensure that, in the event an application does not supply
such function or table, the facility still operates, and
performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots
has a purpose that is entirely well-defined independent of the
application. Therefore, Subsection 2d requires that any
application-supplied function or table used by this function
must be optional: if the application does not supply it, the
square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the
Library, and can be reasonably considered independent and separate
works in themselves, then this License, and its terms, do not
apply to those sections when you distribute them as separate
works. But when you distribute the same sections as part of a
whole which is a work based on the Library, the distribution of
the whole must be on the terms of this License, whose permissions
for other licensees extend to the entire whole, and thus to each
and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or
contest your rights to work written entirely by you; rather, the
intent is to exercise the right to control the distribution of
derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the
Library with the Library (or with a work based on the Library) on
a volume of a storage or distribution medium does not bring the
other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public
   License instead of this License to a given copy of the Library.
   To do this, you must alter all the notices that refer to this
   License, so that they refer to the ordinary GNU General Public
   License, version 2, instead of to this License. (If a newer
   version than version 2 of the ordinary GNU General Public License
   has appeared, then you can specify that version instead if you
   wish.) Do not make any other change in these notices.

   Once this change is made in a given copy, it is irreversible for
   that copy, so the ordinary GNU General Public License applies to
   all subsequent copies and derivative works made from that copy.

   This option is useful when you wish to copy part of the code of

the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also compile or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

  a. Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

  b. Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

  c. If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

  d. Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that

component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

    a. Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

    b. Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose

any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Library General Public License from time to time.

Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the
Library specifies a version number of this License which applies
to it and "any later version", you have the option of following
the terms and conditions either of that version or of any later
version published by the Free Software Foundation. If the Library
does not specify a license version number, you may choose any
version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the free
status of all derivatives of our free software and of promoting
the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE
LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT
WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT
NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE
QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE
LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY
SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY
MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE
LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL,
INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR
INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU
OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY
OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN
ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries
===

If you develop a new library, and you want it to be of the greatest
possible use to the public, we recommend making it free software that
everyone can redistribute and change. You can do so by permitting
redistribution under these terms (or, alternatively, under the terms of
the ordinary General Public License).

  To apply these terms, attach the following notices to the library.
It is safest to attach them to the start of each source file to most
effectively convey the exclusion of warranty; and each file should have
at least the "copyright" line and a pointer to where the full notice is
found.

    ONE LINE TO GIVE THE LIBRARY'S NAME AND AN IDEA OF WHAT IT DOES.
    Copyright (C) YEAR NAME OF AUTHOR

    This library is free software; you can redistribute it and/or modify it
    under the terms of the GNU Library General Public License as published
    by the Free Software Foundation; either version 2 of the License, or (at
    your option) any later version.

    This library is distributed in the hope that it will be useful, but
    WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
    Library General Public License for more details.

    You should have received a copy of the GNU General Public License along
    with this program; if not, write to the Free Software Foundation, Inc.,
    59 Temple Place, Suite 330, Boston, MA 02111-1307, USA.

  Also add information on how to contact you by electronic and paper
mail.

  You should also get your employer (if you work as a programmer) or
your school, if any, to sign a "copyright disclaimer" for the library,
if necessary. Here is a sample; alter the names:

  Yoyodyne, Inc., hereby disclaims all copyright interest in the library
  `Frob' (a library for tweaking knobs) written by James Random Hacker.

  SIGNATURE OF TY COON, 1 April 1990
  Ty Coon, President of Vice

That's all there is to it!

                 GNU LESSER GENERAL PUBLIC LICENSE
                     Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>

This version of the GNU Lesser General Public License incorporates
the terms and conditions of version 3 of the GNU General Public
License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser
General Public License, and the "GNU GPL" refers to version 3 of the GNU
General Public License.

"The Library" refers to a covered work governed by this License,
other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided
by the Library, but which is not otherwise based on the Library.
Defining a subclass of a class defined by the Library is deemed a mode
of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an
Application with the Library. The particular version of the Library
with which the Combined Work was made is also called the "Linked
Version".

The "Minimal Corresponding Source" for a Combined Work means the
Corresponding Source for the Combined Work, excluding any source code
for portions of the Combined Work that, considered in isolation, are
based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the
object code and/or source code for the Application, including any data
and utility programs needed for reproducing the Combined Work from the
Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License
without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a
facility refers to a function or data to be supplied by an Application
that uses the facility (other than as an argument passed when the
facility is invoked), then you may convey a copy of the modified

version:

  a) under this License, provided that you make a good faith effort to
  ensure that, in the event an Application does not supply the
  function or data, the facility still operates, and performs
  whatever part of its purpose remains meaningful, or

  b) under the GNU GPL, with none of the additional permissions of
  this License applicable to that copy.

 3. Object Code Incorporating Material from Library Header Files.

 The object code form of an Application may incorporate material from
a header file that is part of the Library. You may convey such object
code under terms of your choice, provided that, if the incorporated
material is not limited to numerical parameters, data structure
layouts and accessors, or small macros, inline functions and templates
(ten or fewer lines in length), you do both of the following:

  a) Give prominent notice with each copy of the object code that the
  Library is used in it and that the Library and its use are
  covered by this License.

  b) Accompany the object code with a copy of the GNU GPL and this license
  document.

 4. Combined Works.

 You may convey a Combined Work under terms of your choice that,
taken together, effectively do not restrict modification of the
portions of the Library contained in the Combined Work and reverse
engineering for debugging such modifications, if you also do each of
the following:

  a) Give prominent notice with each copy of the Combined Work that
  the Library is used in it and that the Library and its use are
  covered by this License.

  b) Accompany the Combined Work with a copy of the GNU GPL and this license
  document.

  c) For a Combined Work that displays copyright notices during
  execution, include the copyright notice for the Library among
  these notices, as well as a reference directing the user to the
  copies of the GNU GPL and this license document.

  d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this
License, and the Corresponding Application Code in a form
suitable for, and under terms that permit, the user to
recombine or relink the Application with a modified version of
the Linked Version to produce a modified Combined Work, in the
manner specified by section 6 of the GNU GPL for conveying
Corresponding Source.

1) Use a suitable shared library mechanism for linking with the
Library. A suitable mechanism is one that (a) uses at run time
a copy of the Library already present on the user's computer
system, and (b) will operate properly with a modified version
of the Library that is interface-compatible with the Linked
Version.

e) Provide Installation Information, but only if you would otherwise
be required to provide such information under section 6 of the
GNU GPL, and only to the extent that such information is
necessary to install and execute a modified version of the
Combined Work produced by recombining or relinking the
Application with a modified version of the Linked Version. (If
you use option 4d0, the Installation Information must accompany
the Minimal Corresponding Source and Corresponding Application
Code. If you use option 4d1, you must provide the Installation
Information in the manner specified by section 6 of the GNU GPL
for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the
Library side by side in a single library together with other library
facilities that are not Applications and are not covered by this
License, and convey such a combined library under terms of your
choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based
on the Library, uncombined with any other library facilities,
conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it
is a work based on the Library, and explaining where to find the
accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions
of the GNU Lesser General Public License from time to time. Such new
versions will be similar in spirit to the present version, but may

differ in detail to address new problems or concerns.

 Each version is given a distinguishing version number. If the
Library as you received it specifies that a certain numbered version
of the GNU Lesser General Public License "or any later version"
applies to it, you have the option of following the terms and
conditions either of that published version or of any later version
published by the Free Software Foundation. If the Library as you
received it does not specify a version number of the GNU Lesser
General Public License, you may choose any version of the GNU Lesser
General Public License ever published by the Free Software Foundation.

 If the Library as you received it specifies that a proxy can decide
whether future versions of the GNU Lesser General Public License shall
apply, that proxy's public statement of acceptance of any version is
permanent authorization for you to choose that version for the
Library.
==
compiler_rt License
==

The compiler_rt library is dual licensed under both the University of Illinois
"BSD-Like" license and the MIT license. As a user of this code you may choose
to use it under either license. As a contributor, you agree to allow your code
to be used under both.

Full text of the relevant licenses is included below.

==

University of Illinois/NCSA
Open Source License

Copyright (c) 2009-2012 by the contributors listed in CREDITS.TXT

All rights reserved.

Developed by:

  LLVM Team

  University of Illinois at Urbana-Champaign

  http://llvm.org

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal with
the Software without restriction, including without limitation the rights to

use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

  * Redistributions of source code must retain the above copyright notice,
    this list of conditions and the following disclaimers.

  * Redistributions in binary form must reproduce the above copyright notice,
    this list of conditions and the following disclaimers in the
    documentation and/or other materials provided with the distribution.

  * Neither the names of the LLVM Team, University of Illinois at
    Urbana-Champaign, nor the names of its contributors may be used to
    endorse or promote products derived from this Software without specific
    prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
CONTRIBUTORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS WITH THE
SOFTWARE.

==

Copyright (c) 2009-2012 by the contributors listed in CREDITS.TXT

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

==
Copyrights and Licenses for Third Party Software Distributed with LLVM:

==

The LLVM software contains code written by third parties. Such software will

have its own individual LICENSE.TXT file in the directory in which it appears.

This file will describe the copyrights, license, and restrictions which apply

to that code.

The disclaimer of warranty in the University of Illinois Open Source License

applies to all code in the LLVM Distribution, and nothing in any of the

other licenses gives permission to use the names of the LLVM Team or the

University of Illinois to endorse or promote products derived from this

Software.

The following pieces of software have additional or alternate copyrights,

licenses, and/or restrictions:

Program   Directory

-------   ---------

mach_override   lib/interception/mach_override

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization

obtaining a copy of the software and accompanying documentation covered by

this license (the "Software") to use, reproduce, display, distribute,

execute, and transmit the Software, and to prepare derivative works of the

Software, and to permit third-parties to whom the Software is furnished to

do so, all subject to the following:

The copyright notices in the Software and this entire statement, including

the above license grant, this restriction and the following disclaimer,

must be included in all copies of the Software, in whole or in part, and

all derivative works of the Software, unless such copies or derivative

works are solely in the form of machine-executable object code generated by

a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT

SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE

FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE,

ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER

DEALINGS IN THE SOFTWARE.

1.114 python-certifi 2021.10.8

1.114.1 Available under license :

This package contains a modified version of ca-bundle.crt:

ca-bundle.crt -- Bundle of CA Root Certificates

Certificate data from Mozilla as of: Thu Nov 3 19:04:19 2011#
This is a bundle of X.509 certificates of public Certificate Authorities
(CA). These were automatically extracted from Mozilla's root certificates
file (certdata.txt). This file can be found in the mozilla source tree:
http://mxr.mozilla.org/mozilla/source/security/nss/lib/ckfw/builtins/certdata.txt?raw=1#
It contains the certificates in PEM format and therefore
can be directly used with curl / libcurl / php_curl, or with
an Apache+mod_ssl webserver for SSL client authentication.
Just configure this file as the SSLCACertificateFile.#

***** BEGIN LICENSE BLOCK *****
This Source Code Form is subject to the terms of the Mozilla Public License,
v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain
one at http://mozilla.org/MPL/2.0/.

***** END LICENSE BLOCK *****
@(#) $RCSfile: certdata.txt,v $ $Revision: 1.80 $ $Date: 2011/11/03 15:11:58 $

1.115 gojsonpointer 0.0.0-20180127040702-4e3ac2762d5f

1.115.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and
       attribution notices from the Source form of the Work,
       excluding those notices that do not pertain to any part of
       the Derivative Works; and

   (d) If the Work includes a "NOTICE" text file as part of its
       distribution, then any Derivative Works that You distribute must
       include a readable copy of the attribution notices contained
       within such NOTICE file, excluding those notices that do not
       pertain to any part of the Derivative Works, in at least one
       of the following places: within a NOTICE text file distributed
       as part of the Derivative Works; within the Source form or
       documentation, if provided along with the Derivative Works; or,

within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright 2015 xeipuuv

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.116 prometheus-common 0.9.1

1.116.1 Available under license :

Common libraries shared by Prometheus Go components.
Copyright 2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (http://soundcloud.com/).

Apache License

Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

1.117 gosnmp 1.32.0

1.117.1 Available under license :

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
  * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.118 zipp 3.6.0

1.118.1 Available under license :

Copyright Jason R. Coombs

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to
deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or
sell copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS

IN THE SOFTWARE.

1.119 gzip 1.10 0ubuntu4.1

1.119.1 Available under license :

This package is maintained for Debian by Bdale Garbee <bdale@gag.com>, and
was built from the sources found at:

ftp://ftp.gnu.org/gnu/gzip/

Copyright (C) 1999, 2001-2002, 2006-2007, 2009-2010 Free Software Foundation,
Inc.
Copyright (C) 1992-1993 Jean-loup Gailly

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 3, or (at your option)
any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software Foundation,
Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA. */

On Debian GNU/Linux systems, the complete text of the GNU General
Public License can be found in `/usr/share/common-licenses/GPL'.
                    GNU GENERAL PUBLIC LICENSE
                       Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

                        Preamble

 The GNU General Public License is a free, copyleft license for
software and other kinds of works.

 The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the

GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that

patents cannot be used to render the program non-free.

 The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

 0. Definitions.

 "This License" refers to version 3 of the GNU General Public License.

 "Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

 "The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

 To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

 A "covered work" means either the unmodified Program or a work based on the Program.

 To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

 To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

 An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

 1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your

rights of fair use or other equivalent, as provided by copyright law.

 You may make, run and propagate covered works that you do not
convey, without conditions so long as your license otherwise remains
in force. You may convey covered works to others for the sole purpose
of having them make modifications exclusively for you, or provide you
with facilities for running those works, provided that you comply with
the terms of this License in conveying all material for which you do
not control copyright. Those thus making or running the covered works
for you must do so exclusively on your behalf, under your direction
and control, on terms that prohibit them from making any copies of
your copyrighted material outside their relationship with you.

 Conveying under any other circumstances is permitted solely under
the conditions stated below. Sublicensing is not allowed; section 10
makes it unnecessary.

 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

 No covered work shall be deemed part of an effective technological
measure under any applicable law fulfilling obligations under article
11 of the WIPO copyright treaty adopted on 20 December 1996, or
similar laws prohibiting or restricting circumvention of such
measures.

 When you convey a covered work, you waive any legal power to forbid
circumvention of technological measures to the extent such circumvention
is effected by exercising rights under this License with respect to
the covered work, and you disclaim any intention to limit operation or
modification of the work as a means of enforcing, against the work's
users, your or third parties' legal rights to forbid circumvention of
technological measures.

 4. Conveying Verbatim Copies.

 You may convey verbatim copies of the Program's source code as you
receive it, in any medium, provided that you conspicuously and
appropriately publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

 You may charge any price or no price for each copy that you convey,
and you may offer support or warranty protection for a fee.

 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

  a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

  b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

  c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

  d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

 A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

 6. Conveying Non-Source Forms.

 You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

  a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

  b) Convey the object code in, or embodied in, a physical product

(including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

 A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

 A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product

is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or

b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the
form of a separately written license, or stated as exceptions;
the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly
provided under this License. Any attempt otherwise to propagate or
modify it is void, and will automatically terminate your rights under
this License (including any patent licenses granted under the third
paragraph of section 11).

However, if you cease all violation of this License, then your
license from a particular copyright holder is reinstated (a)
provisionally, unless and until the copyright holder explicitly and
finally terminates your license, and (b) permanently, if the copyright
holder fails to notify you of the violation by some reasonable means
prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is
reinstated permanently if the copyright holder notifies you of the
violation by some reasonable means, this is the first time you have
received notice of violation of this License (for any work) from that
copyright holder, and you cure the violation prior to 30 days after
your receipt of the notice.

Termination of your rights under this section does not terminate the
licenses of parties who have received copies or rights from you under
this License. If your rights have been terminated and not permanently
reinstated, you do not qualify to receive new licenses for the same
material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or
run a copy of the Program. Ancillary propagation of a covered work
occurring solely as a consequence of using peer-to-peer transmission
to receive a copy likewise does not require acceptance. However,
nothing other than this License grants you permission to propagate or
modify any covered work. These actions infringe copyright if you do
not accept this License. Therefore, by modifying or propagating a
covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically
receives a license from the original licensors, to run, modify and

propagate that work, subject to this License. You are not responsible
for enforcing compliance by third parties with this License.

 An "entity transaction" is a transaction transferring control of an
organization, or substantially all assets of one, or subdividing an
organization, or merging organizations. If propagation of a covered
work results from an entity transaction, each party to that
transaction who receives a copy of the work also receives whatever
licenses to the work the party's predecessor in interest had or could
give under the previous paragraph, plus a right to possession of the
Corresponding Source of the work from the predecessor in interest, if
the predecessor has it or can get it with reasonable efforts.

 You may not impose any further restrictions on the exercise of the
rights granted or affirmed under this License. For example, you may
not impose a license fee, royalty, or other charge for exercise of
rights granted under this License, and you may not initiate litigation
(including a cross-claim or counterclaim in a lawsuit) alleging that
any patent claim is infringed by making, using, selling, offering for
sale, or importing the Program or any portion of it.

 11. Patents.

 A "contributor" is a copyright holder who authorizes use under this
License of the Program or a work on which the Program is based. The
work thus licensed is called the contributor's "contributor version".

 A contributor's "essential patent claims" are all patent claims
owned or controlled by the contributor, whether already acquired or
hereafter acquired, that would be infringed by some manner, permitted
by this License, of making, using, or selling its contributor version,
but do not include claims that would be infringed only as a
consequence of further modification of the contributor version. For
purposes of this definition, "control" includes the right to grant
patent sublicenses in a manner consistent with the requirements of
this License.

 Each contributor grants you a non-exclusive, worldwide, royalty-free
patent license under the contributor's essential patent claims, to
make, use, sell, offer for sale, import and otherwise run, modify and
propagate the contents of its contributor version.

 In the following three paragraphs, a "patent license" is any express
agreement or commitment, however denominated, not to enforce a patent
(such as an express permission to practice a patent or covenant not to
sue for patent infringement). To "grant" such a patent license to a
party means to make such an agreement or commitment not to enforce a
patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this

License and any other pertinent obligations, then as a consequence you may
not convey it at all. For example, if you agree to terms that obligate you
to collect a royalty for further conveying from those to whom you convey
the Program, the only way you could satisfy both those terms and this
License would be to refrain entirely from conveying the Program.

  13. Use with the GNU Affero General Public License.

 Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

  14. Revised Versions of this License.

 The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

 Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

 If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

 Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

  15. Disclaimer of Warranty.

 THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

  16. Limitation of Liability.

  IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE
USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD
PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES.

  17. Interpretation of Sections 15 and 16.

  If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

                    END OF TERMS AND CONDITIONS

            How to Apply These Terms to Your New Programs

  If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

  To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software: you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation, either version 3 of the License, or
    (at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<http://www.gnu.org/philosophy/why-not-lgpl.html>.

1.120 glob 0.2.3

1.120.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Sergey Kamardin

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

1.121 protobuf 1.27.1

1.121.1 Available under license :

1.122 idna 2.8

1.122.1 Available under license :

No license file was found, but licenses were detected in source scan.

License

Copyright (c) 2013-2018, Kim Davies. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

#. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.

#. Redistributions in binary form must reproduce the above
   copyright notice, this list of conditions and the following
   disclaimer in the documentation and/or other materials provided with
   the distribution.

#. Neither the name of the copyright holder nor the names of the
   contributors may be used to endorse or promote products derived
   from this software without specific prior written permission.

#. THIS SOFTWARE IS PROVIDED BY THE CONTRIBUTORS "AS IS" AND ANY
   EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
   IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
   PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR
   CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
   SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
   LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
   DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
   THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
   (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE
   USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
   DAMAGE.

Portions of the codec implementation and unit tests are derived from the
Python standard library, which carries the `Python Software Foundation
License <https://docs.python.org/2/license.html>`_:

   Copyright (c) 2001-2014 Python Software Foundation; All Rights Reserved

Portions of the unit tests are derived from the Unicode standard, which
is subject to the Unicode, Inc. License Agreement:

Found in path(s):
* /opt/cola/permits/1110810307_1606855956.29/0/kjd-idna-v2-8-0-g1cdf175-1-tar-gz/kjd-idna-375dc46/LICENSE.rst
No license file was found, but licenses were detected in source scan.

"""
A library to support the Internationalised Domain Names in Applications
(IDNA) protocol as specified in RFC 5890 et.al. This new methodology,
known as IDNA 2008, can generate materially different results to the

previous standard. The library can act as a drop-in replacement for
the "encodings.idna" module.
"""

```python
import io, sys
from setuptools import setup


def main():

    python_version = sys.version_info[:2]
    if python_version < (2,7):
        raise SystemExit("Sorry, Python 2.7 or newer required")

    package_data = {}
    exec(open('idna/package_data.py').read(), package_data)

    arguments = {
        'name': 'idna',
        'packages': ['idna'],
        'version': package_data['__version__'],
        'description': 'Internationalized Domain Names in Applications (IDNA)',
        'long_description': io.open("README.rst", encoding="UTF-8").read(),
        'author': 'Kim Davies',
        'author_email': 'kim@cynosure.com.au',
        'license': 'BSD-like',
        'url': 'https://github.com/kjd/idna',
        'classifiers': [
            'Development Status :: 5 - Production/Stable',
            'Intended Audience :: Developers',
            'Intended Audience :: System Administrators',
            'License :: OSI Approved :: BSD License',
            'Operating System :: OS Independent',
            'Programming Language :: Python',
            'Programming Language :: Python :: 2',
            'Programming Language :: Python :: 2.7',
            'Programming Language :: Python :: 3',
            'Programming Language :: Python :: 3.4',
            'Programming Language :: Python :: 3.5',
            'Programming Language :: Python :: 3.6',
            'Topic :: Internet :: Name Service (DNS)',
            'Topic :: Software Development :: Libraries :: Python Modules',
            'Topic :: Utilities',
        ],
        'python_requires': '>=2.7, !=3.0.*, !=3.1.*, !=3.2.*, !=3.3.*',
        'test_suite': 'tests',
    }
```

```
    setup(**arguments)


if __name__ == '__main__':
    main()
```

Found in path(s):

* /opt/cola/permits/1110810307_1606855956.29/0/kjd-idna-v2-8-0-g1cdf175-1-tar-gz/kjd-idna-375dc46/setup.py

1.123 apt 2.0.6

1.123.1 Available under license :

Apt is copyright 1997, 1998, 1999 Jason Gunthorpe and others.

Apt is currently developed by APT Development Team <deity@lists.debian.org>.

License: GPLv2+

  This program is free software; you can redistribute it and/or modify

  it under the terms of the GNU General Public License as published by

  the Free Software Foundation; either version 2 of the License, or

  (at your option) any later version.

  This program is distributed in the hope that it will be useful,

  but WITHOUT ANY WARRANTY; without even the implied warranty of

  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the

  GNU General Public License for more details.

  You should have received a copy of the GNU General Public License

  along with this program; if not, write to the Free Software

  Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA.

See /usr/share/common-licenses/GPL-2, or

<http://www.gnu.org/copyleft/gpl.txt> for the terms of the latest version

of the GNU General Public License.

                  GNU GENERAL PUBLIC LICENSE

                    Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies

of this license document, but changing it is not allowed.

                        Preamble

  The licenses for most software are designed to take away your

freedom to share and change it. By contrast, the GNU General Public

License is intended to guarantee your freedom to share and change free

software--to make sure the software is free for all its users. This

General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

 We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

 Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

 Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

 The precise terms and conditions for copying, distribution and
modification follow.

          GNU GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License applies to any program or other work which contains

a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices
  stating that you changed the files and the date of any change.

  b) You must cause any work that you distribute or publish, that in
  whole or in part contains or is derived from the Program or any
  part thereof, to be licensed as a whole at no charge to all third
  parties under the terms of this License.

  c) If the modified program normally reads commands interactively
  when run, you must cause it, when started running for such
  interactive use in the most ordinary way, to print or display an
  announcement including an appropriate copyright notice and a
  notice that there is no warranty (or else, saying that you provide
  a warranty) and that users may redistribute the program under
  these conditions, and telling the user how to view a copy of this
  License. (Exception: if the Program itself is interactive but

does not normally print such an announcement, your work based on
the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

  a) Accompany it with the complete corresponding machine-readable
  source code, which must be distributed under the terms of Sections
  1 and 2 above on a medium customarily used for software interchange; or,

  b) Accompany it with a written offer, valid for at least three
  years, to give any third party, for a charge no more than your
  cost of physically performing source distribution, a complete
  machine-readable copy of the corresponding source code, to be
  distributed under the terms of Sections 1 and 2 above on a medium
  customarily used for software interchange; or,

  c) Accompany it with the information you received as to the offer
  to distribute corresponding source code. (This alternative is
  allowed only for noncommercial distribution and only if you
  received the program in object code or executable form with such
  an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to

control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

 5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

 7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then

the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals

of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.

1.124 x-net 0.0.0-20220927171203-f486391704dc

1.124.1 Available under license :

met:

   * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
   * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.125 libunistring 0.9.10 2

1.125.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

 This version of the GNU Lesser General Public License incorporates
the terms and conditions of version 3 of the GNU General Public
License, supplemented by the additional permissions listed below.

 0. Additional Definitions.

 As used herein, "this License" refers to version 3 of the GNU Lesser
General Public License, and the "GNU GPL" refers to version 3 of the GNU
General Public License.

 "The Library" refers to a covered work governed by this License,
other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided
by the Library, but which is not otherwise based on the Library.
Defining a subclass of a class defined by the Library is deemed a mode
of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an
Application with the Library. The particular version of the Library
with which the Combined Work was made is also called the "Linked
Version".

The "Minimal Corresponding Source" for a Combined Work means the
Corresponding Source for the Combined Work, excluding any source code
for portions of the Combined Work that, considered in isolation, are
based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the
object code and/or source code for the Application, including any data
and utility programs needed for reproducing the Combined Work from the
Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License
without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a
facility refers to a function or data to be supplied by an Application
that uses the facility (other than as an argument passed when the
facility is invoked), then you may convey a copy of the modified
version:

a) under this License, provided that you make a good faith effort to
ensure that, in the event an Application does not supply the
function or data, the facility still operates, and performs
whatever part of its purpose remains meaningful, or

b) under the GNU GPL, with none of the additional permissions of
this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from
a header file that is part of the Library. You may convey such object
code under terms of your choice, provided that, if the incorporated
material is not limited to numerical parameters, data structure

layouts and accessors, or small macros, inline functions and templates
(ten or fewer lines in length), you do both of the following:

  a) Give prominent notice with each copy of the object code that the
  Library is used in it and that the Library and its use are
  covered by this License.

  b) Accompany the object code with a copy of the GNU GPL and this license
  document.

 4. Combined Works.

 You may convey a Combined Work under terms of your choice that,
taken together, effectively do not restrict modification of the
portions of the Library contained in the Combined Work and reverse
engineering for debugging such modifications, if you also do each of
the following:

  a) Give prominent notice with each copy of the Combined Work that
  the Library is used in it and that the Library and its use are
  covered by this License.

  b) Accompany the Combined Work with a copy of the GNU GPL and this license
  document.

  c) For a Combined Work that displays copyright notices during
  execution, include the copyright notice for the Library among
  these notices, as well as a reference directing the user to the
  copies of the GNU GPL and this license document.

  d) Do one of the following:

    0) Convey the Minimal Corresponding Source under the terms of this
    License, and the Corresponding Application Code in a form
    suitable for, and under terms that permit, the user to
    recombine or relink the Application with a modified version of
    the Linked Version to produce a modified Combined Work, in the
    manner specified by section 6 of the GNU GPL for conveying
    Corresponding Source.

    1) Use a suitable shared library mechanism for linking with the
    Library. A suitable mechanism is one that (a) uses at run time
    a copy of the Library already present on the user's computer
    system, and (b) will operate properly with a modified version
    of the Library that is interface-compatible with the Linked
    Version.

  e) Provide Installation Information, but only if you would otherwise

be required to provide such information under section 6 of the
GNU GPL, and only to the extent that such information is
necessary to install and execute a modified version of the
Combined Work produced by recombining or relinking the
Application with a modified version of the Linked Version. (If
you use option 4d0, the Installation Information must accompany
the Minimal Corresponding Source and Corresponding Application
Code. If you use option 4d1, you must provide the Installation
Information in the manner specified by section 6 of the GNU GPL
for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the
Library side by side in a single library together with other library
facilities that are not Applications and are not covered by this
License, and convey such a combined library under terms of your
choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based
on the Library, uncombined with any other library facilities,
conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it
is a work based on the Library, and explaining where to find the
accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions
of the GNU Lesser General Public License from time to time. Such new
versions will be similar in spirit to the present version, but may
differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the
Library as you received it specifies that a certain numbered version
of the GNU Lesser General Public License "or any later version"
applies to it, you have the option of following the terms and
conditions either of that published version or of any later version
published by the Free Software Foundation. If the Library as you
received it does not specify a version number of the GNU Lesser
General Public License, you may choose any version of the GNU Lesser
General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide
whether future versions of the GNU Lesser General Public License shall
apply, that proxy's public statement of acceptance of any version is
permanent authorization for you to choose that version for the

Library.

<inline>GNU GENERAL PUBLIC LICENSE</inline>
Version 3, 29 June 2007

Preamble

 The GNU General Public License is a free, copyleft license for
software and other kinds of works.

 The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

 To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you have
certain responsibilities if you distribute copies of the software, or if
you modify it: responsibilities to respect the freedom of others.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must pass on to the recipients the same
freedoms that you received. You must make sure that they, too, receive
or can get the source code. And you must show them these terms so they
know their rights.

 Developers that use the GNU GPL protect your rights with two steps:
(1) assert copyright on the software, and (2) offer you this License
giving you legal permission to copy, distribute and/or modify it.

 For the developers' and authors' protection, the GPL clearly explains
that there is no warranty for this free software. For both users' and
authors' sake, the GPL requires that modified versions be marked as
changed, so that their problems will not be attributed erroneously to

authors of previous versions.

Some devices are designed to deny users access to install or run
modified versions of the software inside them, although the manufacturer
can do so. This is fundamentally incompatible with the aim of
protecting users' freedom to change the software. The systematic
pattern of such abuse occurs in the area of products for individuals to
use, which is precisely where it is most unacceptable. Therefore, we
have designed this version of the GPL to prohibit the practice for those
products. If such problems arise substantially in other domains, we
stand ready to extend this provision to those domains in future versions
of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents.
States should not allow patents to restrict development and use of
software on general-purpose computers, but in those that do, we wish to
avoid the special danger that patents applied to a free program could
make it effectively proprietary. To prevent this, the GPL assures that
patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and
modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of
works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this
License. Each licensee is addressed as "you". "Licensees" and
"recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work
in a fashion requiring copyright permission, other than the making of an
exact copy. The resulting work is called a "modified version" of the
earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based
on the Program.

To "propagate" a work means to do anything with it that, without
permission, would make you directly or secondarily liable for
infringement under applicable copyright law, except executing it on a
computer or modifying a private copy. Propagation includes copying,

distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require,

such as by intimate data communication or control flow between those subprograms and other parts of the work.

  The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

  The Corresponding Source for a work in source code form is that same work.

  2. Basic Permissions.

  All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

  You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

  Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

  3. Protecting Users' Legal Rights From Anti-Circumvention Law.

  No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

  When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's

users, your or third parties' legal rights to forbid circumvention of technological measures.

  4. Conveying Verbatim Copies.

  You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

  You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

  5. Conveying Modified Source Versions.

  You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

  a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

  b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

  c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

  d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

  A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not

used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

  6. Conveying Non-Source Forms.

  You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

    a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

    b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

    c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

    d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided
you inform other peers where the object code and Corresponding
Source of the work are being offered to the general public at no
charge under subsection 6d.

A separable portion of the object code, whose source code is excluded
from the Corresponding Source as a System Library, need not be
included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any
tangible personal property which is normally used for personal, family,
or household purposes, or (2) anything designed or sold for incorporation
into a dwelling. In determining whether a product is a consumer product,
doubtful cases shall be resolved in favor of coverage. For a particular
product received by a particular user, "normally used" refers to a
typical or common use of that class of product, regardless of the status
of the particular user or of the way in which the particular user
actually uses, or expects or is expected to use, the product. A product
is a consumer product regardless of whether the product has substantial
commercial, industrial or non-consumer uses, unless such uses represent
the only significant mode of use of the product.

"Installation Information" for a User Product means any methods,
procedures, authorization keys, or other information required to install
and execute modified versions of a covered work in that User Product from
a modified version of its Corresponding Source. The information must
suffice to ensure that the continued functioning of the modified object
code is in no case prevented or interfered with solely because
modification has been made.

If you convey an object code work under this section in, or with, or
specifically for use in, a User Product, and the conveying occurs as
part of a transaction in which the right of possession and use of the
User Product is transferred to the recipient in perpetuity or for a
fixed term (regardless of how the transaction is characterized), the
Corresponding Source conveyed under this section must be accompanied
by the Installation Information. But this requirement does not apply
if neither you nor any third party retains the ability to install
modified object code on the User Product (for example, the work has
been installed in ROM).

The requirement to provide Installation Information does not include a
requirement to continue to provide support service, warranty, or updates
for a work that has been modified or installed by the recipient, or for
the User Product in which it has been modified or installed. Access to a
network may be denied when the modification itself materially and
adversely affects the operation of the network or violates the rules and
protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or

b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of

it) with contractual assumptions of liability to the recipient, for
any liability that these contractual assumptions directly impose on
those licensors and authors.

All other non-permissive additional terms are considered "further
restrictions" within the meaning of section 10. If the Program as you
received it, or any part of it, contains a notice stating that it is
governed by this License along with a term that is a further
restriction, you may remove that term. If a license document contains
a further restriction but permits relicensing or conveying under this
License, you may add to a covered work material governed by the terms
of that license document, provided that the further restriction does
not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you
must place, in the relevant source files, a statement of the
additional terms that apply to those files, or a notice indicating
where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the
form of a separately written license, or stated as exceptions;
the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly
provided under this License. Any attempt otherwise to propagate or
modify it is void, and will automatically terminate your rights under
this License (including any patent licenses granted under the third
paragraph of section 11).

However, if you cease all violation of this License, then your
license from a particular copyright holder is reinstated (a)
provisionally, unless and until the copyright holder explicitly and
finally terminates your license, and (b) permanently, if the copyright
holder fails to notify you of the violation by some reasonable means
prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is
reinstated permanently if the copyright holder notifies you of the
violation by some reasonable means, this is the first time you have
received notice of violation of this License (for any work) from that
copyright holder, and you cure the violation prior to 30 days after
your receipt of the notice.

Termination of your rights under this section does not terminate the
licenses of parties who have received copies or rights from you under
this License. If your rights have been terminated and not permanently

reinstated, you do not qualify to receive new licenses for the same
material under section 10.

9. Acceptance Not Required for Having Copies.

 You are not required to accept this License in order to receive or
run a copy of the Program. Ancillary propagation of a covered work
occurring solely as a consequence of using peer-to-peer transmission
to receive a copy likewise does not require acceptance. However,
nothing other than this License grants you permission to propagate or
modify any covered work. These actions infringe copyright if you do
not accept this License. Therefore, by modifying or propagating a
covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

 Each time you convey a covered work, the recipient automatically
receives a license from the original licensors, to run, modify and
propagate that work, subject to this License. You are not responsible
for enforcing compliance by third parties with this License.

 An "entity transaction" is a transaction transferring control of an
organization, or substantially all assets of one, or subdividing an
organization, or merging organizations. If propagation of a covered
work results from an entity transaction, each party to that
transaction who receives a copy of the work also receives whatever
licenses to the work the party's predecessor in interest had or could
give under the previous paragraph, plus a right to possession of the
Corresponding Source of the work from the predecessor in interest, if
the predecessor has it or can get it with reasonable efforts.

 You may not impose any further restrictions on the exercise of the
rights granted or affirmed under this License. For example, you may
not impose a license fee, royalty, or other charge for exercise of
rights granted under this License, and you may not initiate litigation
(including a cross-claim or counterclaim in a lawsuit) alleging that
any patent claim is infringed by making, using, selling, offering for
sale, or importing the Program or any portion of it.

11. Patents.

 A "contributor" is a copyright holder who authorizes use under this
License of the Program or a work on which the Program is based. The
work thus licensed is called the contributor's "contributor version".

 A contributor's "essential patent claims" are all patent claims
owned or controlled by the contributor, whether already acquired or
hereafter acquired, that would be infringed by some manner, permitted

by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying

the work, and under which the third party grants, to any of the
parties who would receive the covered work from you, a discriminatory
patent license (a) in connection with copies of the covered work
conveyed by you (or copies made from those copies), or (b) primarily
for and in connection with specific products or compilations that
contain the covered work, unless you entered into that arrangement,
or that patent license was granted, prior to 28 March 2007.

 Nothing in this License shall be construed as excluding or limiting
any implied license or other defenses to infringement that may
otherwise be available to you under applicable patent law.

 12. No Surrender of Others' Freedom.

 If conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot convey a
covered work so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you may
not convey it at all. For example, if you agree to terms that obligate you
to collect a royalty for further conveying from those to whom you convey
the Program, the only way you could satisfy both those terms and this
License would be to refrain entirely from conveying the Program.

 13. Use with the GNU Affero General Public License.

 Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

 14. Revised Versions of this License.

 The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

 Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the

GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

 If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

 Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

 15. Disclaimer of Warranty.

 THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

 16. Limitation of Liability.

 IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE
USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD
PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES.

 17. Interpretation of Sections 15 and 16.

 If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

                    END OF TERMS AND CONDITIONS

            How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software: you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation, either version 3 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

    <program> Copyright (C) <year> <name of author>
    This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with

the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<http://www.gnu.org/philosophy/why-not-lgpl.html>.
@c The GNU General Public License.
@center Version 3, 29 June 2007

@c This file is intended to be included within another document,
@c hence no sectioning command or @node.

@display
Copyright @copyright{} 2007 Free Software Foundation, Inc. @url{http://fsf.org/}

Everyone is permitted to copy and distribute verbatim copies of this
license document, but changing it is not allowed.
@end display

@heading Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom
to share and change all versions of a program---to make sure it remains
free software for all its users. We, the Free Software Foundation,
use the GNU General Public License for most of our software; it
applies also to any other work released this way by its authors. You
can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you
have certain responsibilities if you distribute copies of the
software, or if you modify it: responsibilities to respect the freedom
of others.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must pass on to the recipients the same
freedoms that you received. You must make sure that they, too,
receive or can get the source code. And you must show them these
terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:
(1) assert copyright on the software, and (2) offer you this License
giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains
that there is no warranty for this free software. For both users' and
authors' sake, the GPL requires that modified versions be marked as
changed, so that their problems will not be attributed erroneously to
authors of previous versions.

Some devices are designed to deny users access to install or run
modified versions of the software inside them, although the
manufacturer can do so. This is fundamentally incompatible with the
aim of protecting users' freedom to change the software. The
systematic pattern of such abuse occurs in the area of products for
individuals to use, which is precisely where it is most unacceptable.
Therefore, we have designed this version of the GPL to prohibit the
practice for those products. If such problems arise substantially in
other domains, we stand ready to extend this provision to those
domains in future versions of the GPL, as needed to protect the
freedom of users.

Finally, every program is threatened constantly by software patents.
States should not allow patents to restrict development and use of
software on general-purpose computers, but in those that do, we wish
to avoid the special danger that patents applied to a free program
could make it effectively proprietary. To prevent this, the GPL
assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and
modification follow.

@heading TERMS AND CONDITIONS

@enumerate 0
@item Definitions.

``This License'' refers to version 3 of the GNU General Public License.

``Copyright'' also means copyright-like laws that apply to other kinds
of works, such as semiconductor masks.

``The Program'' refers to any copyrightable work licensed under this
License. Each licensee is addressed as ``you''. ``Licensees'' and
``recipients'' may be individuals or organizations.

To ``modify'' a work means to copy from or adapt all or part of the work

in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a ``modified version'' of the earlier work or a work ``based on'' the earlier work.

A ``covered work'' means either the unmodified Program or a work based on the Program.

To ``propagate'' a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To ``convey'' a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays ``Appropriate Legal Notices'' to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

@item Source Code.

The ``source code'' for a work means the preferred form of the work for making modifications to it. ``Object code'' means any non-source form of a work.

A ``Standard Interface'' means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The ``System Libraries'' of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A ``Major Component'', in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to

produce the work, or an object code interpreter used to run it.

The ``Corresponding Source'' for a work in object code form means all
the source code needed to generate, install, and (for an executable
work) run the object code and to modify the work, including scripts to
control those activities. However, it does not include the work's
System Libraries, or general-purpose tools or generally available free
programs which are used unmodified in performing those activities but
which are not part of the work. For example, Corresponding Source
includes interface definition files associated with source files for
the work, and the source code for shared libraries and dynamically
linked subprograms that the work is specifically designed to require,
such as by intimate data communication or control flow between those
subprograms and other parts of the work.

The Corresponding Source need not include anything that users can
regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same
work.

@item Basic Permissions.

All rights granted under this License are granted for the term of
copyright on the Program, and are irrevocable provided the stated
conditions are met. This License explicitly affirms your unlimited
permission to run the unmodified Program. The output from running a
covered work is covered by this License only if the output, given its
content, constitutes a covered work. This License acknowledges your
rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey,
without conditions so long as your license otherwise remains in force.
You may convey covered works to others for the sole purpose of having
them make modifications exclusively for you, or provide you with
facilities for running those works, provided that you comply with the
terms of this License in conveying all material for which you do not
control copyright. Those thus making or running the covered works for
you must do so exclusively on your behalf, under your direction and
control, on terms that prohibit them from making any copies of your
copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the
conditions stated below. Sublicensing is not allowed; section 10
makes it unnecessary.

@item Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

@item Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

@item Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

@enumerate a
@item
The work must carry prominent notices stating that you modified it, and giving a relevant date.

@item
The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to ``keep intact all notices''.

@item
You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will

therefore apply, along with any applicable section 7 additional terms,
to the whole of the work, and all its parts, regardless of how they
are packaged. This License gives no permission to license the work in
any other way, but it does not invalidate such permission if you have
separately received it.

@item
If the work has interactive user interfaces, each must display
Appropriate Legal Notices; however, if the Program has interactive
interfaces that do not display Appropriate Legal Notices, your work
need not make them do so.
@end enumerate

A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution medium, is called an
``aggregate'' if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

@item Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of
sections 4 and 5, provided that you also convey the machine-readable
Corresponding Source under the terms of this License, in one of these
ways:

@enumerate a
@item
Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by the
Corresponding Source fixed on a durable physical medium customarily
used for software interchange.

@item
Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by a written
offer, valid for at least three years and valid for as long as you
offer spare parts or customer support for that product model, to give
anyone who possesses the object code either (1) a copy of the
Corresponding Source for all the software in the product that is
covered by this License, on a durable physical medium customarily used
for software interchange, for a price no more than your reasonable
cost of physically performing this conveying of source, or (2) access
to copy the Corresponding Source from a network server at no charge.

@item
Convey individual copies of the object code with a copy of the written
offer to provide the Corresponding Source. This alternative is
allowed only occasionally and noncommercially, and only if you
received the object code with such an offer, in accord with subsection
6b.

@item
Convey the object code by offering access from a designated place
(gratis or for a charge), and offer equivalent access to the
Corresponding Source in the same way through the same place at no
further charge. You need not require recipients to copy the
Corresponding Source along with the object code. If the place to copy
the object code is a network server, the Corresponding Source may be
on a different server (operated by you or a third party) that supports
equivalent copying facilities, provided you maintain clear directions
next to the object code saying where to find the Corresponding Source.
Regardless of what server hosts the Corresponding Source, you remain
obligated to ensure that it is available for as long as needed to
satisfy these requirements.

@item
Convey the object code using peer-to-peer transmission, provided you
inform other peers where the object code and Corresponding Source of
the work are being offered to the general public at no charge under
subsection 6d.

@end enumerate

A separable portion of the object code, whose source code is excluded
from the Corresponding Source as a System Library, need not be
included in conveying the object code work.

A ``User Product'' is either (1) a ``consumer product'', which means any
tangible personal property which is normally used for personal,
family, or household purposes, or (2) anything designed or sold for
incorporation into a dwelling. In determining whether a product is a
consumer product, doubtful cases shall be resolved in favor of
coverage. For a particular product received by a particular user,
``normally used'' refers to a typical or common use of that class of
product, regardless of the status of the particular user or of the way
in which the particular user actually uses, or expects or is expected
to use, the product. A product is a consumer product regardless of
whether the product has substantial commercial, industrial or
non-consumer uses, unless such uses represent the only significant
mode of use of the product.

``Installation Information'' for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

@item Additional Terms.

``Additional permissions'' are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own

removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

@enumerate a
@item
Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or

@item
Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

@item
Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

@item
Limiting the use for publicity purposes of names of licensors or authors of the material; or

@item
Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

@item
Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.
@end enumerate

All other non-permissive additional terms are considered ``further restrictions'' within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

@item Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

@item Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

@item Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An ``entity transaction'' is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

@item Patents.

A ``contributor'' is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's ``contributor version''.

A contributor's ``essential patent claims'' are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, ``control'' includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a ``patent license'' is any express

agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To ``grant'' such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. ``Knowingly relying'' means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is ``discriminatory'' if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

@item No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

@item Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

@item Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License ``or any later version'' applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

@item Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM ``AS IS'' WITHOUT
WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND
PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE
DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR
CORRECTION.

@item Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR
CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES
ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT
NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR
LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM
TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER
PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

@item Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

@end enumerate

@heading END OF TERMS AND CONDITIONS

@heading How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these
terms.

To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least

the ``copyright'' line and a pointer to where the full notice is found.

@smallexample
@var{one line to give the program's name and a brief idea of what it does.}
Copyright (C) @var{year} @var{name of author}

This program is free software: you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation, either version 3 of the License, or (at
your option) any later version.

This program is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program. If not, see @url{http://www.gnu.org/licenses/}.
@end smallexample

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

@smallexample
@var{program} Copyright (C) @var{year} @var{name of author}
This program comes with ABSOLUTELY NO WARRANTY; for details type @samp{show w}.
This is free software, and you are welcome to redistribute it
under certain conditions; type @samp{show c} for details.
@end smallexample

The hypothetical commands @samp{show w} and @samp{show c} should show
the appropriate parts of the General Public License. Of course, your
program's commands might be different; for a GUI interface, you would
use an ``about box''.

You should also get your employer (if you work as a programmer) or school,
if any, to sign a ``copyright disclaimer'' for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
@url{http://www.gnu.org/licenses/}.

The GNU General Public License does not permit incorporating your
program into proprietary programs. If your program is a subroutine
library, you may consider it more useful to permit linking proprietary
applications with the library. If this is what you want to do, use
the GNU Lesser General Public License instead of this License. But
first, please read @url{http://www.gnu.org/philosophy/why-not-lgpl.html}.

@c The GNU Free Documentation License.
@center Version 1.3, 3 November 2008

@c This file is intended to be included within another document,
@c hence no sectioning command or @node.

@display
Copyright @copyright{} 2000, 2001, 2002, 2007, 2008 Free Software Foundation, Inc.
@uref{http://fsf.org/}

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.
@end display

@enumerate 0
@item
PREAMBLE

The purpose of this License is to make a manual, textbook, or other
functional and useful document @dfn{free} in the sense of freedom: to
assure everyone the effective freedom to copy and redistribute it,
with or without modifying it, either commercially or noncommercially.
Secondarily, this License preserves for the author and publisher a way
to get credit for their work, while not being considered responsible
for modifications made by others.

This License is a kind of ``copyleft'', which means that derivative
works of the document must themselves be free in the same sense. It
complements the GNU General Public License, which is a copyleft
license designed for free software.

We have designed this License in order to use it for manuals for free
software, because free software needs free documentation: a free
program should come with manuals providing the same freedoms that the
software does. But this License is not limited to software manuals;
it can be used for any textual work, regardless of subject matter or
whether it is published as a printed book. We recommend this License
principally for works whose purpose is instruction or reference.

@item
APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that
contains a notice placed by the copyright holder saying it can be
distributed under the terms of this License. Such a notice grants a
world-wide, royalty-free license, unlimited in duration, to use that
work under the conditions stated herein. The ``Document'', below,
refers to any such manual or work. Any member of the public is a

licensee, and is addressed as ``you''. You accept the license if you
copy, modify or distribute the work in a way requiring permission
under copyright law.

A ``Modified Version'' of the Document means any work containing the
Document or a portion of it, either copied verbatim, or with
modifications and/or translated into another language.

A ``Secondary Section'' is a named appendix or a front-matter section
of the Document that deals exclusively with the relationship of the
publishers or authors of the Document to the Document's overall
subject (or to related matters) and contains nothing that could fall
directly within that overall subject. (Thus, if the Document is in
part a textbook of mathematics, a Secondary Section may not explain
any mathematics.) The relationship could be a matter of historical
connection with the subject or with related matters, or of legal,
commercial, philosophical, ethical or political position regarding
them.

The ``Invariant Sections'' are certain Secondary Sections whose titles
are designated, as being those of Invariant Sections, in the notice
that says that the Document is released under this License. If a
section does not fit the above definition of Secondary then it is not
allowed to be designated as Invariant. The Document may contain zero
Invariant Sections. If the Document does not identify any Invariant
Sections then there are none.

The ``Cover Texts'' are certain short passages of text that are listed,
as Front-Cover Texts or Back-Cover Texts, in the notice that says that
the Document is released under this License. A Front-Cover Text may
be at most 5 words, and a Back-Cover Text may be at most 25 words.

A ``Transparent'' copy of the Document means a machine-readable copy,
represented in a format whose specification is available to the
general public, that is suitable for revising the document
straightforwardly with generic text editors or (for images composed of
pixels) generic paint programs or (for drawings) some widely available
drawing editor, and that is suitable for input to text formatters or
for automatic translation to a variety of formats suitable for input
to text formatters. A copy made in an otherwise Transparent file
format whose markup, or absence of markup, has been arranged to thwart
or discourage subsequent modification by readers is not Transparent.
An image format is not Transparent if used for any substantial amount
of text. A copy that is not ``Transparent'' is called ``Opaque''.

Examples of suitable formats for Transparent copies include plain
@sc{ascii} without markup, Texinfo input format, La@TeX{} input
format, @acronym{SGML} or @acronym{XML} using a publicly available

@acronym{DTD}, and standard-conforming simple @acronym{HTML},
PostScript or @acronym{PDF} designed for human modification. Examples
of transparent image formats include @acronym{PNG}, @acronym{XCF} and
@acronym{JPG}. Opaque formats include proprietary formats that can be
read and edited only by proprietary word processors, @acronym{SGML} or
@acronym{XML} for which the @acronym{DTD} and/or processing tools are
not generally available, and the machine-generated @acronym{HTML},
PostScript or @acronym{PDF} produced by some word processors for
output purposes only.

The ``Title Page'' means, for a printed book, the title page itself,
plus such following pages as are needed to hold, legibly, the material
this License requires to appear in the title page. For works in
formats which do not have any title page as such, ``Title Page'' means
the text near the most prominent appearance of the work's title,
preceding the beginning of the body of the text.

The ``publisher'' means any person or entity that distributes copies
of the Document to the public.

A section ``Entitled XYZ'' means a named subunit of the Document whose
title either is precisely XYZ or contains XYZ in parentheses following
text that translates XYZ in another language. (Here XYZ stands for a
specific section name mentioned below, such as ``Acknowledgements'',
``Dedications'', ``Endorsements'', or ``History''.) To ``Preserve the Title''
of such a section when you modify the Document means that it remains a
section ``Entitled XYZ'' according to this definition.

The Document may include Warranty Disclaimers next to the notice which
states that this License applies to the Document. These Warranty
Disclaimers are considered to be included by reference in this
License, but only as regards disclaiming warranties: any other
implication that these Warranty Disclaimers may have is void and has
no effect on the meaning of this License.

@item
VERBATIM COPYING

You may copy and distribute the Document in any medium, either
commercially or noncommercially, provided that this License, the
copyright notices, and the license notice saying this License applies
to the Document are reproduced in all copies, and that you add no other
conditions whatsoever to those of this License. You may not use
technical measures to obstruct or control the reading or further
copying of the copies you make or distribute. However, you may accept
compensation in exchange for copies. If you distribute a large enough
number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

@item
COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

@item
MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution

and modification of the Modified Version to whoever possesses a copy
of it. In addition, you must do these things in the Modified Version:

@enumerate A
@item
Use in the Title Page (and on the covers, if any) a title distinct
from that of the Document, and from those of previous versions
(which should, if there were any, be listed in the History section
of the Document). You may use the same title as a previous version
if the original publisher of that version gives permission.

@item
List on the Title Page, as authors, one or more persons or entities
responsible for authorship of the modifications in the Modified
Version, together with at least five of the principal authors of the
Document (all of its principal authors, if it has fewer than five),
unless they release you from this requirement.

@item
State on the Title page the name of the publisher of the
Modified Version, as the publisher.

@item
Preserve all the copyright notices of the Document.

@item
Add an appropriate copyright notice for your modifications
adjacent to the other copyright notices.

@item
Include, immediately after the copyright notices, a license notice
giving the public permission to use the Modified Version under the
terms of this License, in the form shown in the Addendum below.

@item
Preserve in that license notice the full lists of Invariant Sections
and required Cover Texts given in the Document's license notice.

@item
Include an unaltered copy of this License.

@item
Preserve the section Entitled ``History'', Preserve its Title, and add
to it an item stating at least the title, year, new authors, and
publisher of the Modified Version as given on the Title Page. If
there is no section Entitled ``History'' in the Document, create one
stating the title, year, authors, and publisher of the Document as
given on its Title Page, then add an item describing the Modified

Version as stated in the previous sentence.

@item
Preserve the network location, if any, given in the Document for
public access to a Transparent copy of the Document, and likewise
the network locations given in the Document for previous versions
it was based on. These may be placed in the ``History'' section.
You may omit a network location for a work that was published at
least four years before the Document itself, or if the original
publisher of the version it refers to gives permission.

@item
For any section Entitled ``Acknowledgements'' or ``Dedications'', Preserve
the Title of the section, and preserve in the section all the
substance and tone of each of the contributor acknowledgements and/or
dedications given therein.

@item
Preserve all the Invariant Sections of the Document,
unaltered in their text and in their titles. Section numbers
or the equivalent are not considered part of the section titles.

@item
Delete any section Entitled ``Endorsements''. Such a section
may not be included in the Modified Version.

@item
Do not retitle any existing section to be Entitled ``Endorsements'' or
to conflict in title with any Invariant Section.

@item
Preserve any Warranty Disclaimers.
@end enumerate

If the Modified Version includes new front-matter sections or
appendices that qualify as Secondary Sections and contain no material
copied from the Document, you may at your option designate some or all
of these sections as invariant. To do this, add their titles to the
list of Invariant Sections in the Modified Version's license notice.
These titles must be distinct from any other section titles.

You may add a section Entitled ``Endorsements'', provided it contains
nothing but endorsements of your Modified Version by various
parties---for example, statements of peer review or that the text has
been approved by an organization as the authoritative definition of a
standard.

You may add a passage of up to five words as a Front-Cover Text, and a

passage of up to 25 words as a Back-Cover Text, to the end of the list
of Cover Texts in the Modified Version. Only one passage of
Front-Cover Text and one of Back-Cover Text may be added by (or
through arrangements made by) any one entity. If the Document already
includes a cover text for the same cover, previously added by you or
by arrangement made by the same entity you are acting on behalf of,
you may not add another; but you may replace the old one, on explicit
permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License
give permission to use their names for publicity for or to assert or
imply endorsement of any Modified Version.

@item
COMBINING DOCUMENTS

You may combine the Document with other documents released under this
License, under the terms defined in section 4 above for modified
versions, provided that you include in the combination all of the
Invariant Sections of all of the original documents, unmodified, and
list them all as Invariant Sections of your combined work in its
license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and
multiple identical Invariant Sections may be replaced with a single
copy. If there are multiple Invariant Sections with the same name but
different contents, make the title of each such section unique by
adding at the end of it, in parentheses, the name of the original
author or publisher of that section if known, or else a unique number.
Make the same adjustment to the section titles in the list of
Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled ``History''
in the various original documents, forming one section Entitled
``History''; likewise combine any sections Entitled ``Acknowledgements'',
and any sections Entitled ``Dedications''. You must delete all
sections Entitled ``Endorsements.''

@item
COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents
released under this License, and replace the individual copies of this
License in the various documents with a single copy that is included in
the collection, provided that you follow the rules of this License for
verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute

it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

@item
AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an ``aggregate'' if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

@item
TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled ``Acknowledgements'', ``Dedications'', or ``History'', the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

@item
TERMINATION

You may not copy, modify, sublicense, or distribute the Document
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense, or distribute it is void, and
will automatically terminate your rights under this License.

However, if you cease all violation of this License, then your license
from a particular copyright holder is reinstated (a) provisionally,
unless and until the copyright holder explicitly and finally
terminates your license, and (b) permanently, if the copyright holder
fails to notify you of the violation by some reasonable means prior to
60 days after the cessation.

Moreover, your license from a particular copyright holder is
reinstated permanently if the copyright holder notifies you of the
violation by some reasonable means, this is the first time you have
received notice of violation of this License (for any work) from that
copyright holder, and you cure the violation prior to 30 days after
your receipt of the notice.

Termination of your rights under this section does not terminate the
licenses of parties who have received copies or rights from you under
this License. If your rights have been terminated and not permanently
reinstated, receipt of a copy of some or all of the same material does
not give you any rights to use it.

@item
FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions
of the GNU Free Documentation License from time to time. Such new
versions will be similar in spirit to the present version, but may
differ in detail to address new problems or concerns. See
@uref{http://www.gnu.org/copyleft/}.

Each version of the License is given a distinguishing version number.
If the Document specifies that a particular numbered version of this
License ``or any later version'' applies to it, you have the option of
following the terms and conditions either of that specified version or
of any later version that has been published (not as a draft) by the
Free Software Foundation. If the Document does not specify a version
number of this License, you may choose any version ever published (not
as a draft) by the Free Software Foundation. If the Document
specifies that a proxy can decide which future versions of this
License can be used, that proxy's public statement of acceptance of a
version permanently authorizes you to choose that version for the
Document.

@item

RELICENSING

``Massive Multiauthor Collaboration Site'' (or ``MMC Site'') means any
World Wide Web server that publishes copyrightable works and also
provides prominent facilities for anybody to edit those works. A
public wiki that anybody can edit is an example of such a server. A
``Massive Multiauthor Collaboration'' (or ``MMC'') contained in the
site means any set of copyrightable works thus published on the MMC
site.

``CC-BY-SA'' means the Creative Commons Attribution-Share Alike 3.0
license published by Creative Commons Corporation, a not-for-profit
corporation with a principal place of business in San Francisco,
California, as well as future copyleft versions of that license
published by that same organization.

``Incorporate'' means to publish or republish a Document, in whole or
in part, as part of another Document.

An MMC is ``eligible for relicensing'' if it is licensed under this
License, and if all works that were first published under this License
somewhere other than this MMC, and subsequently incorporated in whole
or in part into the MMC, (1) had no cover texts or invariant sections,
and (2) were thus incorporated prior to November 1, 2008.

The operator of an MMC Site may republish an MMC contained in the site
under CC-BY-SA on the same site at any time before August 1, 2009,
provided the MMC is eligible for relicensing.

@end enumerate

@page
@heading ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of
the License in the document and put the following copyright and
license notices just after the title page:

@smallexample
@group
 Copyright (C) @var{year} @var{your name}.
 Permission is granted to copy, distribute and/or modify this document
 under the terms of the GNU Free Documentation License, Version 1.3
 or any later version published by the Free Software Foundation;
 with no Invariant Sections, no Front-Cover Texts, and no Back-Cover
 Texts. A copy of the license is included in the section entitled ``GNU
 Free Documentation License''.
@end group

@end smallexample

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts,
replace the ``with@dots{}Texts.'' line with this:

@smallexample
@group
  with the Invariant Sections being @var{list their titles}, with
  the Front-Cover Texts being @var{list}, and with the Back-Cover Texts
  being @var{list}.
@end group
@end smallexample

If you have Invariant Sections without Cover Texts, or some other
combination of the three, merge those two alternatives to suit the
situation.

If your document contains nontrivial examples of program code, we
recommend releasing these examples in parallel under your choice of
free software license, such as the GNU General Public License,
to permit their use in free software.

@c Local Variables:
@c ispell-local-pdict: "ispell-dict"
@c End:

1.126 future 0.18.2

1.126.1 Available under license :

Copyright (c) 2010 by Armin Ronacher.

Some rights reserved.

Redistribution and use in source and binary forms of the theme, with or
without modification, are permitted provided that the following conditions
are met:

* Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above
 copyright notice, this list of conditions and the following
 disclaimer in the documentation and/or other materials provided
 with the distribution.

* The names of the contributors may not be used to endorse or
 promote products derived from this software without specific

prior written permission.

We kindly ask you to only use these themes in an unmodified manner just
for Flask and Flask-related products, not for unrelated projects. If you
like the visual style and want to use it for your own projects, please
consider making some larger changes to the themes (such as changing
font faces, sizes, colors or margins).

THIS THEME IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS THEME, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.
Copyright (c) 2013-2019 Python Charmers Pty Ltd, Australia

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.127 x-time-rate 0.0.0-20200630173020-3af7569d3a1e

1.127.1 Available under license :

```
# This source code was written by the Go contributors.
# The master list of contributors is in the main Go distribution,
# visible at http://tip.golang.org/CONTRIBUTORS.
```

1.128 x-sys 0.0.0-20220728004956-3c1f35247d10

1.128.1 Available under license :

this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.129 libtasn 4.16.0-2

1.129.1 Available under license :

@c The GNU Free Documentation License.
@center Version 1.3, 3 November 2008

@c This file is intended to be included within another document,
@c hence no sectioning command or @node.

@display
Copyright @copyright{} 2000, 2001, 2002, 2007, 2008 Free Software Foundation, Inc.
@uref{http://fsf.org/}

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.
@end display

@enumerate 0
@item
PREAMBLE

The purpose of this License is to make a manual, textbook, or other
functional and useful document @dfn{free} in the sense of freedom: to
assure everyone the effective freedom to copy and redistribute it,
with or without modifying it, either commercially or noncommercially.
Secondarily, this License preserves for the author and publisher a way
to get credit for their work, while not being considered responsible
for modifications made by others.

This License is a kind of ``copyleft'', which means that derivative
works of the document must themselves be free in the same sense. It
complements the GNU General Public License, which is a copyleft
license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

@item
APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The ``Document'', below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as ``you''. You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A ``Modified Version'' of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A ``Secondary Section'' is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The ``Invariant Sections'' are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The ``Cover Texts'' are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may

A ``Transparent'' copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not ``Transparent'' is called ``Opaque''.

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, La@TeX{} input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG@. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only.

The ``Title Page'' means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, ``Title Page'' means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

The ``publisher'' means any person or entity that distributes copies of the Document to the public.

A section ``Entitled XYZ'' means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as ``Acknowledgements'', ``Dedications'', ``Endorsements'', or ``History''.) To ``Preserve the Title'' of such a section when you modify the Document means that it remains a section ``Entitled XYZ'' according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty

Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

@item
VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

@item
COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material.

If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

@item
MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

@enumerate A
@item
Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.

@item
List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.

@item
State on the Title page the name of the publisher of the Modified Version, as the publisher.

@item
Preserve all the copyright notices of the Document.

@item
Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.

@item

Include, immediately after the copyright notices, a license notice
giving the public permission to use the Modified Version under the
terms of this License, in the form shown in the Addendum below.

@item
Preserve in that license notice the full lists of Invariant Sections
and required Cover Texts given in the Document's license notice.

@item
Include an unaltered copy of this License.

@item
Preserve the section Entitled ``History'', Preserve its Title, and add
to it an item stating at least the title, year, new authors, and
publisher of the Modified Version as given on the Title Page. If
there is no section Entitled ``History'' in the Document, create one
stating the title, year, authors, and publisher of the Document as
given on its Title Page, then add an item describing the Modified
Version as stated in the previous sentence.

@item
Preserve the network location, if any, given in the Document for
public access to a Transparent copy of the Document, and likewise
the network locations given in the Document for previous versions
it was based on. These may be placed in the ``History'' section.
You may omit a network location for a work that was published at
least four years before the Document itself, or if the original
publisher of the version it refers to gives permission.

@item
For any section Entitled ``Acknowledgements'' or ``Dedications'', Preserve
the Title of the section, and preserve in the section all the
substance and tone of each of the contributor acknowledgements and/or
dedications given therein.

@item
Preserve all the Invariant Sections of the Document,
unaltered in their text and in their titles. Section numbers
or the equivalent are not considered part of the section titles.

@item
Delete any section Entitled ``Endorsements''. Such a section
may not be included in the Modified Version.

@item
Do not retitle any existing section to be Entitled ``Endorsements'' or
to conflict in title with any Invariant Section.

@item
Preserve any Warranty Disclaimers.
@end enumerate

If the Modified Version includes new front-matter sections or
appendices that qualify as Secondary Sections and contain no material
copied from the Document, you may at your option designate some or all
of these sections as invariant. To do this, add their titles to the
list of Invariant Sections in the Modified Version's license notice.
These titles must be distinct from any other section titles.

You may add a section Entitled ``Endorsements'', provided it contains
nothing but endorsements of your Modified Version by various
parties---for example, statements of peer review or that the text has
been approved by an organization as the authoritative definition of a
standard.

You may add a passage of up to five words as a Front-Cover Text, and a
passage of up to 25 words as a Back-Cover Text, to the end of the list
of Cover Texts in the Modified Version. Only one passage of
Front-Cover Text and one of Back-Cover Text may be added by (or
through arrangements made by) any one entity. If the Document already
includes a cover text for the same cover, previously added by you or
by arrangement made by the same entity you are acting on behalf of,
you may not add another; but you may replace the old one, on explicit
permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License
give permission to use their names for publicity for or to assert or
imply endorsement of any Modified Version.

@item
COMBINING DOCUMENTS

You may combine the Document with other documents released under this
License, under the terms defined in section 4 above for modified
versions, provided that you include in the combination all of the
Invariant Sections of all of the original documents, unmodified, and
list them all as Invariant Sections of your combined work in its
license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and
multiple identical Invariant Sections may be replaced with a single
copy. If there are multiple Invariant Sections with the same name but
different contents, make the title of each such section unique by
adding at the end of it, in parentheses, the name of the original
author or publisher of that section if known, or else a unique number.
Make the same adjustment to the section titles in the list of

Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled ``History''
in the various original documents, forming one section Entitled
``History''; likewise combine any sections Entitled ``Acknowledgements'',
and any sections Entitled ``Dedications''. You must delete all
sections Entitled ``Endorsements.''

@item
COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents
released under this License, and replace the individual copies of this
License in the various documents with a single copy that is included in
the collection, provided that you follow the rules of this License for
verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute
it individually under this License, provided you insert a copy of this
License into the extracted document, and follow this License in all
other respects regarding verbatim copying of that document.

@item
AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate
and independent documents or works, in or on a volume of a storage or
distribution medium, is called an ``aggregate'' if the copyright
resulting from the compilation is not used to limit the legal rights
of the compilation's users beyond what the individual works permit.
When the Document is included in an aggregate, this License does not
apply to the other works in the aggregate which are not themselves
derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these
copies of the Document, then if the Document is less than one half of
the entire aggregate, the Document's Cover Texts may be placed on
covers that bracket the Document within the aggregate, or the
electronic equivalent of covers if the Document is in electronic form.
Otherwise they must appear on printed covers that bracket the whole
aggregate.

@item
TRANSLATION

Translation is considered a kind of modification, so you may
distribute translations of the Document under the terms of section 4.
Replacing Invariant Sections with translations requires special

permission from their copyright holders, but you may include
translations of some or all Invariant Sections in addition to the
original versions of these Invariant Sections. You may include a
translation of this License, and all the license notices in the
Document, and any Warranty Disclaimers, provided that you also include
the original English version of this License and the original versions
of those notices and disclaimers. In case of a disagreement between
the translation and the original version of this License or a notice
or disclaimer, the original version will prevail.

If a section in the Document is Entitled ``Acknowledgements'',
``Dedications'', or ``History'', the requirement (section 4) to Preserve
its Title (section 1) will typically require changing the actual
title.

@item
TERMINATION

You may not copy, modify, sublicense, or distribute the Document
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense, or distribute it is void, and
will automatically terminate your rights under this License.

However, if you cease all violation of this License, then your license
from a particular copyright holder is reinstated (a) provisionally,
unless and until the copyright holder explicitly and finally
terminates your license, and (b) permanently, if the copyright holder
fails to notify you of the violation by some reasonable means prior to
60 days after the cessation.

Moreover, your license from a particular copyright holder is
reinstated permanently if the copyright holder notifies you of the
violation by some reasonable means, this is the first time you have
received notice of violation of this License (for any work) from that
copyright holder, and you cure the violation prior to 30 days after
your receipt of the notice.

Termination of your rights under this section does not terminate the
licenses of parties who have received copies or rights from you under
this License. If your rights have been terminated and not permanently
reinstated, receipt of a copy of some or all of the same material does
not give you any rights to use it.

@item
FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions
of the GNU Free Documentation License from time to time. Such new

versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See @uref{http://www.gnu.org/copyleft/}.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License ``or any later version'' applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation. If the Document specifies that a proxy can decide which future versions of this License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Document.

@item
RELICENSING

``Massive Multiauthor Collaboration Site'' (or ``MMC Site'') means any World Wide Web server that publishes copyrightable works and also provides prominent facilities for anybody to edit those works. A public wiki that anybody can edit is an example of such a server. A ``Massive Multiauthor Collaboration'' (or ``MMC'') contained in the site means any set of copyrightable works thus published on the MMC site.

``CC-BY-SA'' means the Creative Commons Attribution-Share Alike 3.0 license published by Creative Commons Corporation, a not-for-profit corporation with a principal place of business in San Francisco, California, as well as future copyleft versions of that license published by that same organization.

``Incorporate'' means to publish or republish a Document, in whole or in part, as part of another Document.

An MMC is ``eligible for relicensing'' if it is licensed under this License, and if all works that were first published under this License somewhere other than this MMC, and subsequently incorporated in whole or in part into the MMC, (1) had no cover texts or invariant sections, and (2) were thus incorporated prior to November 1, 2008.

The operator of an MMC Site may republish an MMC contained in the site under CC-BY-SA on the same site at any time before August 1, 2009, provided the MMC is eligible for relicensing.

@end enumerate

@page
@heading ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of
the License in the document and put the following copyright and
license notices just after the title page:

@smallexample
@group
 Copyright (C) @var{year} @var{your name}.
 Permission is granted to copy, distribute and/or modify this document
 under the terms of the GNU Free Documentation License, Version 1.3
 or any later version published by the Free Software Foundation;
 with no Invariant Sections, no Front-Cover Texts, and no Back-Cover
 Texts. A copy of the license is included in the section entitled ``GNU
 Free Documentation License''.
@end group
@end smallexample

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts,
replace the ``with@dots{}Texts.''@: line with this:

@smallexample
@group
  with the Invariant Sections being @var{list their titles}, with
  the Front-Cover Texts being @var{list}, and with the Back-Cover Texts
  being @var{list}.
@end group
@end smallexample

If you have Invariant Sections without Cover Texts, or some other
combination of the three, merge those two alternatives to suit the
situation.

If your document contains nontrivial examples of program code, we
recommend releasing these examples in parallel under your choice of
free software license, such as the GNU General Public License,
to permit their use in free software.

@c Local Variables:
@c ispell-local-pdict: "ispell-dict"
@c End:
                    GNU LESSER GENERAL PUBLIC LICENSE
                        Version 2.1, February 1999

 Copyright (C) 1991, 1999 Free Software Foundation, Inc.
 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

 This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

 When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

 To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

 For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

 We protect your rights with a two-step method: (1) we copyright the
library, and (2) we offer you this license, which gives you legal
permission to copy, distribute and/or modify the library.

 To protect each distributor, we want to make it very clear that
there is no warranty for the free library. Also, if the library is

modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating

system.

Although the Lesser General Public License is Less protective of the
users' freedom, it does ensure that the user of a program that is
linked with the Library has the freedom and the wherewithal to run
that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, whereas the latter must
be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other
program which contains a notice placed by the copyright holder or
other authorized party saying it may be distributed under the terms of
this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated
straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means
all the source code for all modules it contains, plus any associated
interface definition files, plus the scripts used to control compilation
and installation of the library.

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running a program using the Library is not restricted, and output from
such a program is covered only if its contents constitute a work based
on the Library (independent of the use of the Library in a tool for
writing it). Whether that is true depends on what the Library does
and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the

entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

 Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

 4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

 5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

 When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

 If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

 Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

 6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

 You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

  a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood

that the user who changes the contents of definitions files in the
Library will not necessarily be able to recompile the application
to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the
Library. A suitable mechanism is one that (1) uses at run time a
copy of the library already present on the user's computer system,
rather than copying library functions into the executable, and (2)
will operate properly with a modified version of the library, if
the user installs one, as long as the modified version is
interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at
least three years, to give the same user the materials
specified in Subsection 6a, above, for a charge no more
than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy
from a designated place, offer equivalent access to copy the above
specified materials from the same place.

e) Verify that the user has already received a copy of these
materials or that you have already sent this user a copy.

 For an executable, the required form of the "work that uses the
Library" must include any data and utility programs needed for
reproducing the executable from it. However, as a special exception,
the materials to be distributed need not include anything that is
normally distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies
the executable.

 It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.

 7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work
based on the Library, uncombined with any other library

facilities. This must be distributed under the terms of the
Sections above.

b) Give prominent notice with the combined library of the fact
that part of it is a work based on the Library, and explaining
where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties with
this License.

11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply,
and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

  12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

  13. The Free Software Foundation may publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

  14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

                    NO WARRANTY

  15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO

WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

 16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

 If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

 To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

    <one line to give the library's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This library is free software; you can redistribute it and/or
    modify it under the terms of the GNU Lesser General Public
    License as published by the Free Software Foundation; either
    version 2.1 of the License, or (at your option) any later version.

    This library is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
    Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you have
certain responsibilities if you distribute copies of the software, or if

you modify it: responsibilities to respect the freedom of others.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must pass on to the recipients the same
freedoms that you received. You must make sure that they, too, receive
or can get the source code. And you must show them these terms so they
know their rights.

 Developers that use the GNU GPL protect your rights with two steps:
(1) assert copyright on the software, and (2) offer you this License
giving you legal permission to copy, distribute and/or modify it.

 For the developers' and authors' protection, the GPL clearly explains
that there is no warranty for this free software. For both users' and
authors' sake, the GPL requires that modified versions be marked as
changed, so that their problems will not be attributed erroneously to
authors of previous versions.

 Some devices are designed to deny users access to install or run
modified versions of the software inside them, although the manufacturer
can do so. This is fundamentally incompatible with the aim of
protecting users' freedom to change the software. The systematic
pattern of such abuse occurs in the area of products for individuals to
use, which is precisely where it is most unacceptable. Therefore, we
have designed this version of the GPL to prohibit the practice for those
products. If such problems arise substantially in other domains, we
stand ready to extend this provision to those domains in future versions
of the GPL, as needed to protect the freedom of users.

 Finally, every program is threatened constantly by software patents.
States should not allow patents to restrict development and use of
software on general-purpose computers, but in those that do, we wish to
avoid the special danger that patents applied to a free program could
make it effectively proprietary. To prevent this, the GPL assures that
patents cannot be used to render the program non-free.

 The precise terms and conditions for copying, distribution and
modification follow.

                    TERMS AND CONDITIONS

 0. Definitions.

 "This License" refers to version 3 of the GNU General Public License.

 "Copyright" also means copyright-like laws that apply to other kinds of
works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an

implementation is available to the public in source code form. A
"Major Component", in this context, means a major essential component
(kernel, window system, and so on) of the specific operating system
(if any) on which the executable work runs, or a compiler used to
produce the work, or an object code interpreter used to run it.

 The "Corresponding Source" for a work in object code form means all
the source code needed to generate, install, and (for an executable
work) run the object code and to modify the work, including scripts to
control those activities. However, it does not include the work's
System Libraries, or general-purpose tools or generally available free
programs which are used unmodified in performing those activities but
which are not part of the work. For example, Corresponding Source
includes interface definition files associated with source files for
the work, and the source code for shared libraries and dynamically
linked subprograms that the work is specifically designed to require,
such as by intimate data communication or control flow between those
subprograms and other parts of the work.

 The Corresponding Source need not include anything that users
can regenerate automatically from other parts of the Corresponding
Source.

 The Corresponding Source for a work in source code form is that
same work.

 2. Basic Permissions.

 All rights granted under this License are granted for the term of
copyright on the Program, and are irrevocable provided the stated
conditions are met. This License explicitly affirms your unlimited
permission to run the unmodified Program. The output from running a
covered work is covered by this License only if the output, given its
content, constitutes a covered work. This License acknowledges your
rights of fair use or other equivalent, as provided by copyright law.

 You may make, run and propagate covered works that you do not
convey, without conditions so long as your license otherwise remains
in force. You may convey covered works to others for the sole purpose
of having them make modifications exclusively for you, or provide you
with facilities for running those works, provided that you comply with
the terms of this License in conveying all material for which you do
not control copyright. Those thus making or running the covered works
for you must do so exclusively on your behalf, under your direction
and control, on terms that prohibit them from making any copies of
your copyrighted material outside their relationship with you.

 Conveying under any other circumstances is permitted solely under

the conditions stated below. Sublicensing is not allowed; section 10
makes it unnecessary.

  3. Protecting Users' Legal Rights From Anti-Circumvention Law.

  No covered work shall be deemed part of an effective technological
measure under any applicable law fulfilling obligations under article
11 of the WIPO copyright treaty adopted on 20 December 1996, or
similar laws prohibiting or restricting circumvention of such
measures.

  When you convey a covered work, you waive any legal power to forbid
circumvention of technological measures to the extent such circumvention
is effected by exercising rights under this License with respect to
the covered work, and you disclaim any intention to limit operation or
modification of the work as a means of enforcing, against the work's
users, your or third parties' legal rights to forbid circumvention of
technological measures.

  4. Conveying Verbatim Copies.

  You may convey verbatim copies of the Program's source code as you
receive it, in any medium, provided that you conspicuously and
appropriately publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

  You may charge any price or no price for each copy that you convey,
and you may offer support or warranty protection for a fee.

  5. Conveying Modified Source Versions.

  You may convey a work based on the Program, or the modifications to
produce it from the Program, in the form of source code under the
terms of section 4, provided that you also meet all of these conditions:

    a) The work must carry prominent notices stating that you modified
    it, and giving a relevant date.

    b) The work must carry prominent notices stating that it is
    released under this License and any conditions added under section
    7. This requirement modifies the requirement in section 4 to
    "keep intact all notices".

    c) You must license the entire work, as a whole, under this
    License to anyone who comes into possession of a copy. This

License will therefore apply, along with any applicable section 7
additional terms, to the whole of the work, and all its parts,
regardless of how they are packaged. This License gives no
permission to license the work in any other way, but it does not
invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display
Appropriate Legal Notices; however, if the Program has interactive
interfaces that do not display Appropriate Legal Notices, your
work need not make them do so.

 A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

 6. Conveying Non-Source Forms.

 You may convey a covered work in object code form under the terms
of sections 4 and 5, provided that you also convey the
machine-readable Corresponding Source under the terms of this License,
in one of these ways:

  a) Convey the object code in, or embodied in, a physical product
  (including a physical distribution medium), accompanied by the
  Corresponding Source fixed on a durable physical medium
  customarily used for software interchange.

  b) Convey the object code in, or embodied in, a physical product
  (including a physical distribution medium), accompanied by a
  written offer, valid for at least three years and valid for as
  long as you offer spare parts or customer support for that product
  model, to give anyone who possesses the object code either (1) a
  copy of the Corresponding Source for all the software in the
  product that is covered by this License, on a durable physical
  medium customarily used for software interchange, for a price no
  more than your reasonable cost of physically performing this
  conveying of source, or (2) access to copy the
  Corresponding Source from a network server at no charge.

  c) Convey individual copies of the object code with a copy of the
  written offer to provide the Corresponding Source. This
  alternative is allowed only occasionally and noncommercially, and

only if you received the object code with such an offer, in accord
with subsection 6b.

d) Convey the object code by offering access from a designated
place (gratis or for a charge), and offer equivalent access to the
Corresponding Source in the same way through the same place at no
further charge. You need not require recipients to copy the
Corresponding Source along with the object code. If the place to
copy the object code is a network server, the Corresponding Source
may be on a different server (operated by you or a third party)
that supports equivalent copying facilities, provided you maintain
clear directions next to the object code saying where to find the
Corresponding Source. Regardless of what server hosts the
Corresponding Source, you remain obligated to ensure that it is
available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided
you inform other peers where the object code and Corresponding
Source of the work are being offered to the general public at no
charge under subsection 6d.

A separable portion of the object code, whose source code is excluded
from the Corresponding Source as a System Library, need not be
included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any
tangible personal property which is normally used for personal, family,
or household purposes, or (2) anything designed or sold for incorporation
into a dwelling. In determining whether a product is a consumer product,
doubtful cases shall be resolved in favor of coverage. For a particular
product received by a particular user, "normally used" refers to a
typical or common use of that class of product, regardless of the status
of the particular user or of the way in which the particular user
actually uses, or expects or is expected to use, the product. A product
is a consumer product regardless of whether the product has substantial
commercial, industrial or non-consumer uses, unless such uses represent
the only significant mode of use of the product.

"Installation Information" for a User Product means any methods,
procedures, authorization keys, or other information required to install
and execute modified versions of a covered work in that User Product from
a modified version of its Corresponding Source. The information must
suffice to ensure that the continued functioning of the modified object
code is in no case prevented or interfered with solely because
modification has been made.

If you convey an object code work under this section in, or with, or
specifically for use in, a User Product, and the conveying occurs as

part of a transaction in which the right of possession and use of the
User Product is transferred to the recipient in perpetuity or for a
fixed term (regardless of how the transaction is characterized), the
Corresponding Source conveyed under this section must be accompanied
by the Installation Information. But this requirement does not apply
if neither you nor any third party retains the ability to install
modified object code on the User Product (for example, the work has
been installed in ROM).

The requirement to provide Installation Information does not include a
requirement to continue to provide support service, warranty, or updates
for a work that has been modified or installed by the recipient, or for
the User Product in which it has been modified or installed. Access to a
network may be denied when the modification itself materially and
adversely affects the operation of the network or violates the rules and
protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided,
in accord with this section must be in a format that is publicly
documented (and with an implementation available to the public in
source code form), and must require no special password or key for
unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this
License by making exceptions from one or more of its conditions.
Additional permissions that are applicable to the entire Program shall
be treated as though they were included in this License, to the extent
that they are valid under applicable law. If additional permissions
apply only to part of the Program, that part may be used separately
under those permissions, but the entire Program remains governed by
this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option
remove any additional permissions from that copy, or from any part of
it. (Additional permissions may be written to require their own
removal in certain cases when you modify the work.) You may place
additional permissions on material, added by you to a covered work,
for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you
add to a covered work, you may (if authorized by the copyright holders of
that material) supplement the terms of this License with terms:

a) Disclaiming warranty or limiting liability differently from the
terms of sections 15 and 16 of this License; or

b) Requiring preservation of specified reasonable legal notices or
author attributions in that material or in the Appropriate Legal
Notices displayed by works containing it; or

c) Prohibiting misrepresentation of the origin of that material, or
requiring that modified versions of such material be marked in
reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or
authors of the material; or

e) Declining to grant rights under trademark law for use of some
trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that
material by anyone who conveys the material (or modified versions of
it) with contractual assumptions of liability to the recipient, for
any liability that these contractual assumptions directly impose on
those licensors and authors.

All other non-permissive additional terms are considered "further
restrictions" within the meaning of section 10. If the Program as you
received it, or any part of it, contains a notice stating that it is
governed by this License along with a term that is a further
restriction, you may remove that term. If a license document contains
a further restriction but permits relicensing or conveying under this
License, you may add to a covered work material governed by the terms
of that license document, provided that the further restriction does
not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you
must place, in the relevant source files, a statement of the
additional terms that apply to those files, or a notice indicating
where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the
form of a separately written license, or stated as exceptions;
the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly
provided under this License. Any attempt otherwise to propagate or
modify it is void, and will automatically terminate your rights under
this License (including any patent licenses granted under the third
paragraph of section 11).

However, if you cease all violation of this License, then your

license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the

rights granted or affirmed under this License. For example, you may
not impose a license fee, royalty, or other charge for exercise of
rights granted under this License, and you may not initiate litigation
(including a cross-claim or counterclaim in a lawsuit) alleging that
any patent claim is infringed by making, using, selling, offering for
sale, or importing the Program or any portion of it.

  11. Patents.

 A "contributor" is a copyright holder who authorizes use under this
License of the Program or a work on which the Program is based. The
work thus licensed is called the contributor's "contributor version".

 A contributor's "essential patent claims" are all patent claims
owned or controlled by the contributor, whether already acquired or
hereafter acquired, that would be infringed by some manner, permitted
by this License, of making, using, or selling its contributor version,
but do not include claims that would be infringed only as a
consequence of further modification of the contributor version. For
purposes of this definition, "control" includes the right to grant
patent sublicenses in a manner consistent with the requirements of
this License.

 Each contributor grants you a non-exclusive, worldwide, royalty-free
patent license under the contributor's essential patent claims, to
make, use, sell, offer for sale, import and otherwise run, modify and
propagate the contents of its contributor version.

 In the following three paragraphs, a "patent license" is any express
agreement or commitment, however denominated, not to enforce a patent
(such as an express permission to practice a patent or covenant not to
sue for patent infringement). To "grant" such a patent license to a
party means to make such an agreement or commitment not to enforce a
patent against the party.

 If you convey a covered work, knowingly relying on a patent license,
and the Corresponding Source of the work is not available for anyone
to copy, free of charge and under the terms of this License, through a
publicly available network server or other readily accessible means,
then you must either (1) cause the Corresponding Source to be so
available, or (2) arrange to deprive yourself of the benefit of the
patent license for this particular work, or (3) arrange, in a manner
consistent with the requirements of this License, to extend the patent
license to downstream recipients. "Knowingly relying" means you have
actual knowledge that, but for the patent license, your conveying the
covered work in a country, or your recipient's use of the covered work
in a country, would infringe one or more identifiable patents in that
country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or
arrangement, you convey, or propagate by procuring conveyance of, a
covered work, and grant a patent license to some of the parties
receiving the covered work authorizing them to use, propagate, modify
or convey a specific copy of the covered work, then the patent license
you grant is automatically extended to all recipients of the covered
work and works based on it.

A patent license is "discriminatory" if it does not include within
the scope of its coverage, prohibits the exercise of, or is
conditioned on the non-exercise of one or more of the rights that are
specifically granted under this License. You may not convey a covered
work if you are a party to an arrangement with a third party that is
in the business of distributing software, under which you make payment
to the third party based on the extent of your activity of conveying
the work, and under which the third party grants, to any of the
parties who would receive the covered work from you, a discriminatory
patent license (a) in connection with copies of the covered work
conveyed by you (or copies made from those copies), or (b) primarily
for and in connection with specific products or compilations that
contain the covered work, unless you entered into that arrangement,
or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting
any implied license or other defenses to infringement that may
otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot convey a
covered work so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you may
not convey it at all. For example, if you agree to terms that obligate you
to collect a royalty for further conveying from those to whom you convey
the Program, the only way you could satisfy both those terms and this
License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,

section 13, concerning interaction through a network will apply to the
combination as such.

14. Revised Versions of this License.

 The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

 Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

 If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

 Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

15. Disclaimer of Warranty.

 THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

 IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE
USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD

PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

 If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

                    END OF TERMS AND CONDITIONS

            How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software: you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation, either version 3 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

 If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

    <program> Copyright (C) <year> <name of author>

This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

 You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

 The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<http://www.gnu.org/philosophy/why-not-lgpl.html>.
LICENSING
=========

The libtasn1 library is released under the GNU Lesser General Public
License (LGPL) version 2.1 or later; see [COPYING.LESSER](doc/COPYING.LESSER)
for the license terms.

The GNU LGPL applies to the main libtasn1 library, while the
included applications library are under the GNU GPL version 3.
The libtasn1 library is located in the lib directory, while the applications
in src/.

The documentation in doc/ is under the GNU FDL license 1.3.

For any copyright year range specified as YYYY-ZZZZ in this package
note that the range specifies every single year in that closed interval.

1.130 go-kit 0.10.0

1.130.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Simon Eskildsen

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
The MIT License (MIT)

Copyright (c) 2015 Peter Bourgon

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.131 go-redis-redis 5.2.9

1.131.1 Available under license :

Copyright (c) 2013 The github.com/go-redis/redis Authors.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

1.132 python-certifi 2021.10.08

1.132.1 Available under license :

This package contains a modified version of ca-bundle.crt:

ca-bundle.crt -- Bundle of CA Root Certificates

Certificate data from Mozilla as of: Thu Nov 3 19:04:19 2011#
This is a bundle of X.509 certificates of public Certificate Authorities
(CA). These were automatically extracted from Mozilla's root certificates
file (certdata.txt). This file can be found in the mozilla source tree:
http://mxr.mozilla.org/mozilla/source/security/nss/lib/ckfw/builtins/certdata.txt?raw=1#
It contains the certificates in PEM format and therefore
can be directly used with curl / libcurl / php_curl, or with
an Apache+mod_ssl webserver for SSL client authentication.
Just configure this file as the SSLCACertificateFile.#

***** BEGIN LICENSE BLOCK *****
This Source Code Form is subject to the terms of the Mozilla Public License,
v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain
one at http://mozilla.org/MPL/2.0/.

***** END LICENSE BLOCK *****
@(#) $RCSfile: certdata.txt,v $ $Revision: 1.80 $ $Date: 2011/11/03 15:11:58 $

1.133 go-sourcemap-sourcemap 2.1.3+incompatible

1.133.1 Available under license :

1.134 coreutils 8.30 3ubuntu2

1.134.1 Available under license :

GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that

patents cannot be used to render the program non-free.

 The precise terms and conditions for copying, distribution and
modification follow.

TERMS AND CONDITIONS

 0. Definitions.

 "This License" refers to version 3 of the GNU General Public License.

 "Copyright" also means copyright-like laws that apply to other kinds of
works, such as semiconductor masks.

 "The Program" refers to any copyrightable work licensed under this
License. Each licensee is addressed as "you". "Licensees" and
"recipients" may be individuals or organizations.

 To "modify" a work means to copy from or adapt all or part of the work
in a fashion requiring copyright permission, other than the making of an
exact copy. The resulting work is called a "modified version" of the
earlier work or a work "based on" the earlier work.

 A "covered work" means either the unmodified Program or a work based
on the Program.

 To "propagate" a work means to do anything with it that, without
permission, would make you directly or secondarily liable for
infringement under applicable copyright law, except executing it on a
computer or modifying a private copy. Propagation includes copying,
distribution (with or without modification), making available to the
public, and in some countries other activities as well.

 To "convey" a work means any kind of propagation that enables other
parties to make or receive copies. Mere interaction with a user through
a computer network, with no transfer of a copy, is not conveying.

 An interactive user interface displays "Appropriate Legal Notices"
to the extent that it includes a convenient and prominently visible
feature that (1) displays an appropriate copyright notice, and (2)
tells the user that there is no warranty for the work (except to the
extent that warranties are provided), that licensees may convey the
work under this License, and how to view a copy of this License. If
the interface presents a list of user commands or options, such as a
menu, a prominent item in the list meets this criterion.

 1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your

rights of fair use or other equivalent, as provided by copyright law.

  You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

  Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

  3. Protecting Users' Legal Rights From Anti-Circumvention Law.

  No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

  When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

  4. Conveying Verbatim Copies.

  You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

  You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

  5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

  a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

  b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

  c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

  d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

 A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

  6. Conveying Non-Source Forms.

 You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

  a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

  b) Convey the object code in, or embodied in, a physical product

(including a physical distribution medium), accompanied by a
written offer, valid for at least three years and valid for as
long as you offer spare parts or customer support for that product
model, to give anyone who possesses the object code either (1) a
copy of the Corresponding Source for all the software in the
product that is covered by this License, on a durable physical
medium customarily used for software interchange, for a price no
more than your reasonable cost of physically performing this
conveying of source, or (2) access to copy the
Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the
written offer to provide the Corresponding Source. This
alternative is allowed only occasionally and noncommercially, and
only if you received the object code with such an offer, in accord
with subsection 6b.

d) Convey the object code by offering access from a designated
place (gratis or for a charge), and offer equivalent access to the
Corresponding Source in the same way through the same place at no
further charge. You need not require recipients to copy the
Corresponding Source along with the object code. If the place to
copy the object code is a network server, the Corresponding Source
may be on a different server (operated by you or a third party)
that supports equivalent copying facilities, provided you maintain
clear directions next to the object code saying where to find the
Corresponding Source. Regardless of what server hosts the
Corresponding Source, you remain obligated to ensure that it is
available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided
you inform other peers where the object code and Corresponding
Source of the work are being offered to the general public at no
charge under subsection 6d.

 A separable portion of the object code, whose source code is excluded
from the Corresponding Source as a System Library, need not be
included in conveying the object code work.

 A "User Product" is either (1) a "consumer product", which means any
tangible personal property which is normally used for personal, family,
or household purposes, or (2) anything designed or sold for incorporation
into a dwelling. In determining whether a product is a consumer product,
doubtful cases shall be resolved in favor of coverage. For a particular
product received by a particular user, "normally used" refers to a
typical or common use of that class of product, regardless of the status
of the particular user or of the way in which the particular user
actually uses, or expects or is expected to use, the product. A product

is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

  a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or

  b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

  c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

  d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

  e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

  f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the
form of a separately written license, or stated as exceptions;
the above requirements apply either way.

  8. Termination.

  You may not propagate or modify a covered work except as expressly
provided under this License. Any attempt otherwise to propagate or
modify it is void, and will automatically terminate your rights under
this License (including any patent licenses granted under the third
paragraph of section 11).

  However, if you cease all violation of this License, then your
license from a particular copyright holder is reinstated (a)
provisionally, unless and until the copyright holder explicitly and
finally terminates your license, and (b) permanently, if the copyright
holder fails to notify you of the violation by some reasonable means
prior to 60 days after the cessation.

  Moreover, your license from a particular copyright holder is
reinstated permanently if the copyright holder notifies you of the
violation by some reasonable means, this is the first time you have
received notice of violation of this License (for any work) from that
copyright holder, and you cure the violation prior to 30 days after
your receipt of the notice.

  Termination of your rights under this section does not terminate the
licenses of parties who have received copies or rights from you under
this License. If your rights have been terminated and not permanently
reinstated, you do not qualify to receive new licenses for the same
material under section 10.

  9. Acceptance Not Required for Having Copies.

  You are not required to accept this License in order to receive or
run a copy of the Program. Ancillary propagation of a covered work
occurring solely as a consequence of using peer-to-peer transmission
to receive a copy likewise does not require acceptance. However,
nothing other than this License grants you permission to propagate or
modify any covered work. These actions infringe copyright if you do
not accept this License. Therefore, by modifying or propagating a
covered work, you indicate your acceptance of this License to do so.

  10. Automatic Licensing of Downstream Recipients.

  Each time you convey a covered work, the recipient automatically
receives a license from the original licensors, to run, modify and

propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this

License and any other pertinent obligations, then as a consequence you may
not convey it at all. For example, if you agree to terms that obligate you
to collect a royalty for further conveying from those to whom you convey
the Program, the only way you could satisfy both those terms and this
License would be to refrain entirely from conveying the Program.

  13. Use with the GNU Affero General Public License.

 Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

  14. Revised Versions of this License.

 The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

 Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

 If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

 Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

  15. Disclaimer of Warranty.

 THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

 16. Limitation of Liability.

 IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE
USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD
PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES.

 17. Interpretation of Sections 15 and 16.

 If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

                    END OF TERMS AND CONDITIONS

            How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software: you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation, either version 3 of the License, or
    (at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

 If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

 <program> Copyright (C) <year> <name of author>
 This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
 This is free software, and you are welcome to redistribute it
 under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

 You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

 The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<http://www.gnu.org/philosophy/why-not-lgpl.html>.

1.135 rcrowley-go-metrics 0.0.0-20201227073835-cf1acfcdf475

1.135.1 Available under license :

Copyright 2012 Richard Crowley. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

1. Redistributions of source code must retain the above copyright
    notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided
with the distribution.

THIS SOFTWARE IS PROVIDED BY RICHARD CROWLEY ``AS IS'' AND ANY EXPRESS
OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL RICHARD CROWLEY OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.

The views and conclusions contained in the software and documentation
are those of the authors and should not be interpreted as representing
official policies, either expressed or implied, of Richard Crowley.

1.136 russellhaering-goxmldsig 1.1.0
1.136.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing

the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify,

defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

1.137 mattetti-filebuffer 1.0.1

1.137.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Matt Aimonetti

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all

copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE

SOFTWARE.

1.138 audit 2.8.5-2ubuntu6

1.138.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies

of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations
below.

When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the
library, and (2) we offer you this license, which gives you legal
permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that
there is no warranty for the free library. Also, if the library is
modified by someone else and passed on, the recipients should know

that what they have is not the original version, so that the original
author's reputation will not be affected by problems that might be
introduced by others.
^L
 Finally, software patents pose a constant threat to the existence of
any free program. We wish to make sure that a company cannot
effectively restrict the users of a free program by obtaining a
restrictive license from a patent holder. Therefore, we insist that
any patent license obtained for a version of the library must be
consistent with the full freedom of use specified in this license.

 Most GNU software, including some libraries, is covered by the
ordinary GNU General Public License. This license, the GNU Lesser
General Public License, applies to certain designated libraries, and
is quite different from the ordinary General Public License. We use
this license for certain libraries in order to permit linking those
libraries into non-free programs.

 When a program is linked with a library, whether statically or using
a shared library, the combination of the two is legally speaking a
combined work, a derivative of the original library. The ordinary
General Public License therefore permits such linking only if the
entire combination fits its criteria of freedom. The Lesser General
Public License permits more lax criteria for linking other code with
the library.

 We call this license the "Lesser" General Public License because it
does Less to protect the user's freedom than the ordinary General
Public License. It also provides other free software developers Less
of an advantage over competing non-free programs. These disadvantages
are the reason we use the ordinary General Public License for many
libraries. However, the Lesser license provides advantages in certain
special circumstances.

 For example, on rare occasions, there may be a special need to
encourage the widest possible use of a certain library, so that it
becomes
a de-facto standard. To achieve this, non-free programs must be
allowed to use the library. A more frequent case is that a free
library does the same job as widely used non-free libraries. In this
case, there is little to gain by limiting the free library to free
software only, so we use the Lesser General Public License.

 In other cases, permission to use a particular library in non-free
programs enables a greater number of people to use a large body of
free software. For example, permission to use the GNU C Library in
non-free programs enables many more people to use the whole GNU
operating system, as well as its variant, the GNU/Linux operating

system.

Although the Lesser General Public License is Less protective of the
users' freedom, it does ensure that the user of a program that is
linked with the Library has the freedom and the wherewithal to run
that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, whereas the latter must
be combined with the library in order to run.
^L
GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other
program which contains a notice placed by the copyright holder or
other authorized party saying it may be distributed under the terms of
this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated
straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means
all the source code for all modules it contains, plus any associated
interface definition files, plus the scripts used to control
compilation
and installation of the library.

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running a program using the Library is not restricted, and output from
such a program is covered only if its contents constitute a work based
on the Library (independent of the use of the Library in a tool for
writing it). Whether that is true depends on what the Library does
and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's
complete source code as you receive it, in any medium, provided that
you conspicuously and appropriately publish on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact
all the notices that refer to this License and to the absence of any
warranty; and distribute a copy of this License along with the
Library.

 You may charge a fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a
fee.

 2. You may modify your copy or copies of the Library or any portion
of it, thus forming a work based on the Library, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) The modified work must itself be a software library.

  b) You must cause the files modified to carry prominent notices
  stating that you changed the files and the date of any change.

  c) You must cause the whole of the work to be licensed at no
  charge to all third parties under the terms of this License.

  d) If a facility in the modified Library refers to a function or a
  table of data to be supplied by an application program that uses
  the facility, other than as an argument passed when the facility
  is invoked, then you must make a good faith effort to ensure that,
  in the event an application does not supply such function or
  table, the facility still operates, and performs whatever part of
  its purpose remains meaningful.

  (For example, a function in a library to compute square roots has
  a purpose that is entirely well-defined independent of the
  application. Therefore, Subsection 2d requires that any
  application-supplied function or table used by this function must
  be optional: if the application does not supply it, the square
  root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Library,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of

this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.
^L
 Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

 4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

 5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.
^L
6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified

executable containing the modified Library. (It is understood
that the user who changes the contents of definitions files in the
Library will not necessarily be able to recompile the application
to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the
Library. A suitable mechanism is one that (1) uses at run time a
copy of the library already present on the user's computer system,
rather than copying library functions into the executable, and (2)
will operate properly with a modified version of the library, if
the user installs one, as long as the modified version is
interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at
least three years, to give the same user the materials
specified in Subsection 6a, above, for a charge no more
than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy
from a designated place, offer equivalent access to copy the above
specified materials from the same place.

e) Verify that the user has already received a copy of these
materials or that you have already sent this user a copy.

 For an executable, the required form of the "work that uses the
Library" must include any data and utility programs needed for
reproducing the executable from it. However, as a special exception,
the materials to be distributed need not include anything that is
normally distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies
the executable.

 It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.
^L
 7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

 a) Accompany the combined library with a copy of the same work

based on the Library, uncombined with any other library
facilities. This must be distributed under the terms of the
Sections above.

b) Give prominent notice with the combined library of the fact
that part of it is a work based on the Library, and explaining
where to find the accompanying uncombined form of the same work.

  8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

  9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

  10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties with
this License.
^L
  11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to

apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

  12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

  13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.
^L
  14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

                    NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

^L

How to Apply These Terms to Your New Libraries

 If you develop a new library, and you want it to be of the greatest
possible use to the public, we recommend making it free software that
everyone can redistribute and change. You can do so by permitting
redistribution under these terms (or, alternatively, under the terms
of the ordinary General Public License).

 To apply these terms, attach the following notices to the library.
It is safest to attach them to the start of each source file to most
effectively convey the exclusion of warranty; and each file should
have at least the "copyright" line and a pointer to where the full
notice is found.

  <one line to give the library's name and a brief idea of what it
does.>
  Copyright (C) <year> <name of author>

  This library is free software; you can redistribute it and/or
  modify it under the terms of the GNU Lesser General Public
  License as published by the Free Software Foundation; either
  version 2 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper
mail.

You should also get your employer (if you work as a programmer) or
your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James
Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!
    GNU GENERAL PUBLIC LICENSE
       Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
   59 Temple Place, Suite 330, Boston, MA 02111-1307 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

    Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Library General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for

this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

  To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

  For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

  We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

  Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

  Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

  The precise terms and conditions for copying, distribution and
modification follow.

    GNU GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

  0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

  b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

  c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based

on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

  a) Accompany it with the complete corresponding machine-readable
  source code, which must be distributed under the terms of Sections
  1 and 2 above on a medium customarily used for software interchange; or,

  b) Accompany it with a written offer, valid for at least three
  years, to give any third party, for a charge no more than your
  cost of physically performing source distribution, a complete
  machine-readable copy of the corresponding source code, to be
  distributed under the terms of Sections 1 and 2 above on a medium
  customarily used for software interchange; or,

  c) Accompany it with the information you received as to the offer
  to distribute corresponding source code. (This alternative is
  allowed only for noncommercial distribution and only if you
  received the program in object code or executable form with such
  an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering
access to copy from a designated place, then offering equivalent

access to copy the source code from the same place counts as
distribution of the source code, even though third parties are not
compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense or distribute the Program is
void, and will automatically terminate your rights under this License.
However, parties who have received copies, or rights, from you under
this License will not have their licenses terminated so long as such
parties remain in full compliance.

 5. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Program or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Program (or any work based on the
Program), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the
Program), the recipient automatically receives a license from the
original licensor to copy, distribute or modify the Program subject to
these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties to
this License.

 7. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Program at all. For example, if a patent
license would not permit royalty-free redistribution of the Program by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to
apply and the section as a whole is intended to apply in other
circumstances.

It is not the purpose of this section to induce you to infringe any

patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system, which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

 8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

 10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

   NO WARRANTY

 11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED

OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

 12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

    END OF TERMS AND CONDITIONS

   How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program; if not, write to the Free Software
    Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

1.139 openssl 1.1.1f-1ubuntu2.16

1.139.1 Notifications :

This product includes software written by Tim Hudson (tjh@cryptsoft.com).
This product includes cryptographic software written by Eric Young (eay@cryptsoft.com).
This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit
(http://www.openssl.org/)

1.139.2 Available under license :

/*
* Copyright 2012-2018 The OpenSSL Project Authors. All Rights Reserved.
*
* Licensed under the OpenSSL license (the "License"). You may not use
* this file except in compliance with the License. You can obtain a copy
* in the file LICENSE in the source distribution or at
* https://www.openssl.org/source/license.html
*/

LICENSE ISSUES
==============

The OpenSSL toolkit stays under a double license, i.e. both the conditions of
the OpenSSL License and the original SSLeay license apply to the toolkit.
See below for the actual license texts.

OpenSSL License

```
/* ====================================================================
 * Copyright (c) 1998-2019 The OpenSSL Project.  All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 *    notice, this list of conditions and the following disclaimer.
 *
 * 2. Redistributions in binary form must reproduce the above copyright
 *    notice, this list of conditions and the following disclaimer in
 *    the documentation and/or other materials provided with the
 *    distribution.
 *
 * 3. All advertising materials mentioning features or use of this
 *    software must display the following acknowledgment:
 *    "This product includes software developed by the OpenSSL Project
 *    for use in the OpenSSL Toolkit. (http://www.openssl.org/)"
 *
 * 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
 *    endorse or promote products derived from this software without
 *    prior written permission. For written permission, please contact
 *    openssl-core@openssl.org.
 *
 * 5. Products derived from this software may not be called "OpenSSL"
 *    nor may "OpenSSL" appear in their names without prior written
 *    permission of the OpenSSL Project.
 *
 * 6. Redistributions of any form whatsoever must retain the following
 *    acknowledgment:
 *    "This product includes software developed by the OpenSSL Project
 *    for use in the OpenSSL Toolkit (http://www.openssl.org/)"
 *
 * THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND ANY
 * EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
```

```
* PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL THE OpenSSL PROJECT OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
* ====================================================================
*
* This product includes cryptographic software written by Eric Young
* (eay@cryptsoft.com).  This product includes software written by Tim
* Hudson (tjh@cryptsoft.com).
*
*/

Original SSLeay License
-----------------------

/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
* All rights reserved.
*
* This package is an SSL implementation written
* by Eric Young (eay@cryptsoft.com).
* The implementation was written so as to conform with Netscapes SSL.
*
* This library is free for commercial and non-commercial use as long as
* the following conditions are aheared to.  The following conditions
* apply to all code found in this distribution, be it the RC4, RSA,
* lhash, DES, etc., code; not just the SSL code.  The SSL documentation
* included with this distribution is covered by the same copyright terms
* except that the holder is Tim Hudson (tjh@cryptsoft.com).
*
* Copyright remains Eric Young's, and as such any Copyright notices in
* the code are not to be removed.
* If this package is used in a product, Eric Young should be given attribution
* as the author of the parts of the library used.
* This can be in the form of a textual message at program startup or
* in documentation (online or textual) provided with the package.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the copyright
*    notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in the
```

```
*    documentation and/or other materials provided with the distribution.
* 3. All advertising materials mentioning features or use of this software
*    must display the following acknowledgement:
*    "This product includes cryptographic software written by
*     Eric Young (eay@cryptsoft.com)"
*    The word 'cryptographic' can be left out if the rouines from the library
*    being used are not cryptographic related :-).
* 4. If you include any Windows specific code (or a derivative thereof) from
*    the apps directory (application code) you must include an acknowledgement:
*    "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"
*
* THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS'' AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED.  IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* The licence and distribution terms for any publically available version or
* derivative of this code cannot be changed.  i.e. this code cannot simply be
* copied and put under another distribution licence
* [including the GNU Public Licence.]
*/
        GNU GENERAL PUBLIC LICENSE
           Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
                  59 Temple Place - Suite 330, Boston, MA
                  02111-1307, USA.
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.


        Preamble

 The licenses for most software are designed to take away your
freedom to share and change it.  By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users.  This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it.  (Some other Free Software Foundation software is covered by
the GNU Library General Public License instead.)  You can apply it to
your programs, too.
```

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it,

either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices
  stating that you changed the files and the date of any change.

  b) You must cause any work that you distribute or publish, that in
  whole or in part contains or is derived from the Program or any
  part thereof, to be licensed as a whole at no charge to all third
  parties under the terms of this License.

  c) If the modified program normally reads commands interactively
  when run, you must cause it, when started running for such
  interactive use in the most ordinary way, to print or display an
  announcement including an appropriate copyright notice and a
  notice that there is no warranty (or else, saying that you provide
  a warranty) and that users may redistribute the program under
  these conditions, and telling the user how to view a copy of this
  License. (Exception: if the Program itself is interactive but
  does not normally print such an announcement, your work based on
  the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program,

and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

  a) Accompany it with the complete corresponding machine-readable
  source code, which must be distributed under the terms of Sections
  1 and 2 above on a medium customarily used for software interchange; or,

  b) Accompany it with a written offer, valid for at least three
  years, to give any third party, for a charge no more than your
  cost of physically performing source distribution, a complete
  machine-readable copy of the corresponding source code, to be
  distributed under the terms of Sections 1 and 2 above on a medium
  customarily used for software interchange; or,

  c) Accompany it with the information you received as to the offer
  to distribute corresponding source code. (This alternative is
  allowed only for noncommercial distribution and only if you
  received the program in object code or executable form with such
  an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component

itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

 5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

 7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to

apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) 19yy <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program; if not, write to the Free Software

Foundation, Inc., 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

    Gnomovision version 69, Copyright (C) 19yy name of author
    Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the program
 `Gnomovision' (which makes passes at compilers) written by James Hacker.

 <signature of Ty Coon>, 1 April 1989
 Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

    The "Artistic License"

    Preamble

The intent of this document is to state the conditions under which a
Package may be copied, such that the Copyright Holder maintains some
semblance of artistic control over the development of the package,
while giving the users of the package the right to use and distribute
the Package in a more-or-less customary fashion, plus the right to make
reasonable modifications.

Definitions:

"Package" refers to the collection of files distributed by the
Copyright Holder, and derivatives of that collection of files
created through textual modification.

"Standard Version" refers to such a Package if it has not been
modified, or has been modified in accordance with the wishes
of the Copyright Holder as specified below.

"Copyright Holder" is whoever is named in the copyright or
copyrights for the package.

"You" is you, if you're thinking about copying or distributing
this Package.

"Reasonable copying fee" is whatever you can justify on the
basis of media cost, duplication charges, time of people involved,
and so on. (You will not be required to justify it to the
Copyright Holder, but only to the computing community at large
as a market that must bear the fee.)

"Freely Available" means that no fee is charged for the item
itself, though there may be fees involved in handling the item.
It also means that recipients of the item may redistribute it
under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the
Standard Version of this Package without restriction, provided that you
duplicate all of the original copyright notices and associated disclaimers.

2. You may apply bug fixes, portability fixes and other modifications
derived from the Public Domain or from the Copyright Holder. A Package
modified in such a way shall still be considered the Standard Version.

3. You may otherwise modify your copy of this Package in any way, provided
that you insert a prominent notice in each changed file stating how and
when you changed that file, and provided that you do at least ONE of the
following:

  a) place your modifications in the Public Domain or otherwise make them
  Freely Available, such as by posting said modifications to Usenet or
  an equivalent medium, or placing the modifications on a major archive
  site such as uunet.uu.net, or by allowing the Copyright Holder to include
  your modifications in the Standard Version of the Package.

  b) use the modified Package only within your corporation or organization.

  c) rename any non-standard executables so the names do not conflict

with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:

a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.

b) accompany the distribution with the machine-readable source of the Package with your modifications.

c) give non-standard executables non-standard names, and clearly document the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own. You may embed this Package's interpreter within an executable of yours (by linking); this shall be construed as a mere form of aggregation, provided that the complete Standard Version of the interpreter is so embedded.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whoever generated them, and may be sold commercially, and may be aggregated with this Package. If such scripts or library files are aggregated with this Package via the so-called "undump" or "unexec" methods of producing a binary executable image, then distribution of such an image shall neither be construed as a distribution of this Package nor shall it fall under the restrictions of Paragraphs 3 and 4, provided that you do not represent such an executable image as a Standard Version of this Package.

7. C subroutines (or comparably compiled subroutines in other languages) supplied by you and linked into this Package in order to emulate subroutines and variables of the language defined by this

Package shall not be considered part of this Package, but are the
equivalent of input as in Paragraph 6, provided these subroutines do
not change the language in any way that would cause it to fail the
regression tests for the language.

8. Aggregation of this Package with a commercial distribution is always
permitted provided that the use of this Package is embedded; that is,
when no overt attempt is made to make this Package's interfaces visible
to the end user of the commercial distribution. Such use shall not be
construed as a distribution of this Package.

9. The name of the Copyright Holder may not be used to endorse or promote
products derived from this software without specific prior written permission.

10. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED
WARRANTIES OF MERCHANTIBILITY AND FITNESS FOR A PARTICULAR PURPOSE.

   The End

1.140 python-requests 2.22.0

1.140.1 Available under license :

Copyright 2018 Kenneth Reitz

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.141 ansible-base 2.10.14

1.141.1 Available under license :

This package was debianized by Henry Graham (hzgraham) <Henry.Graham@mail.wvu.edu> on
Tue, 17 Apr 2012 12:19:47 -0400.

It was downloaded from https://github.com/ansible/ansible.git

Copyright: Henry Graham (hzgraham) <Henry.Graham@mail.wvu.edu>

License:

This package is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; version 2 dated June, 1991.

This package is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this package; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301,
USA.

On Debian systems, the complete text of the GNU General
Public License can be found in `/usr/share/common-licenses/GPL'.
bugfixes:
 - "Prevent templating unused variables for {% include %} (https://github.com/ansible/ansible/issues/68699)"
PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2
----

1. This LICENSE AGREEMENT is between the Python Software Foundation
("PSF"), and the Individual or Organization ("Licensee") accessing and
otherwise using this software ("Python") in source or binary form and
its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby
grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce,
analyze, test, perform and/or display publicly, prepare derivative works,
distribute, and otherwise use Python alone or in any derivative version,
provided, however, that PSF's License Agreement and PSF's notice of copyright,
i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010,
2011, 2012, 2013, 2014, 2015, 2016, 2017 Python Software Foundation; All Rights
Reserved" are retained in Python alone or in any derivative version prepared by
Licensee.

3. In the event Licensee prepares a derivative work that is based on
or incorporates Python or any part thereof, and wants to make
the derivative work available to others as provided herein, then
Licensee hereby agrees to include in any such work a brief summary of
the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS"
basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND

DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON
FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS
A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON,
OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material
breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any
relationship of agency, partnership, or joint venture between PSF and
Licensee. This License Agreement does not grant permission to use PSF
trademarks or trade name in a trademark sense to endorse or promote
products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee
agrees to be bound by the terms and conditions of this License
Agreement.

                    GNU GENERAL PUBLIC LICENSE
                       Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

                         Preamble

 The GNU General Public License is a free, copyleft license for
software and other kinds of works.

 The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you have
certain responsibilities if you distribute copies of the software, or if
you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must pass on to the recipients the same
freedoms that you received. You must make sure that they, too, receive
or can get the source code. And you must show them these terms so they
know their rights.

Developers that use the GNU GPL protect your rights with two steps:
(1) assert copyright on the software, and (2) offer you this License
giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains
that there is no warranty for this free software. For both users' and
authors' sake, the GPL requires that modified versions be marked as
changed, so that their problems will not be attributed erroneously to
authors of previous versions.

Some devices are designed to deny users access to install or run
modified versions of the software inside them, although the manufacturer
can do so. This is fundamentally incompatible with the aim of
protecting users' freedom to change the software. The systematic
pattern of such abuse occurs in the area of products for individuals to
use, which is precisely where it is most unacceptable. Therefore, we
have designed this version of the GPL to prohibit the practice for those
products. If such problems arise substantially in other domains, we
stand ready to extend this provision to those domains in future versions
of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents.
States should not allow patents to restrict development and use of
software on general-purpose computers, but in those that do, we wish to
avoid the special danger that patents applied to a free program could
make it effectively proprietary. To prevent this, the GPL assures that
patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and
modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other

than the work as a whole, that (a) is included in the normal form of
packaging a Major Component, but which is not part of that Major
Component, and (b) serves only to enable use of the work with that
Major Component, or to implement a Standard Interface for which an
implementation is available to the public in source code form. A
"Major Component", in this context, means a major essential component
(kernel, window system, and so on) of the specific operating system
(if any) on which the executable work runs, or a compiler used to
produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all
the source code needed to generate, install, and (for an executable
work) run the object code and to modify the work, including scripts to
control those activities. However, it does not include the work's
System Libraries, or general-purpose tools or generally available free
programs which are used unmodified in performing those activities but
which are not part of the work. For example, Corresponding Source
includes interface definition files associated with source files for
the work, and the source code for shared libraries and dynamically
linked subprograms that the work is specifically designed to require,
such as by intimate data communication or control flow between those
subprograms and other parts of the work.

The Corresponding Source need not include anything that users
can regenerate automatically from other parts of the Corresponding
Source.

The Corresponding Source for a work in source code form is that
same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of
copyright on the Program, and are irrevocable provided the stated
conditions are met. This License explicitly affirms your unlimited
permission to run the unmodified Program. The output from running a
covered work is covered by this License only if the output, given its
content, constitutes a covered work. This License acknowledges your
rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not
convey, without conditions so long as your license otherwise remains
in force. You may convey covered works to others for the sole purpose
of having them make modifications exclusively for you, or provide you
with facilities for running those works, provided that you comply with
the terms of this License in conveying all material for which you do
not control copyright. Those thus making or running the covered works
for you must do so exclusively on your behalf, under your direction

and control, on terms that prohibit them from making any copies of
your copyrighted material outside their relationship with you.

 Conveying under any other circumstances is permitted solely under
the conditions stated below. Sublicensing is not allowed; section 10
makes it unnecessary.

 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

 No covered work shall be deemed part of an effective technological
measure under any applicable law fulfilling obligations under article
11 of the WIPO copyright treaty adopted on 20 December 1996, or
similar laws prohibiting or restricting circumvention of such
measures.

 When you convey a covered work, you waive any legal power to forbid
circumvention of technological measures to the extent such circumvention
is effected by exercising rights under this License with respect to
the covered work, and you disclaim any intention to limit operation or
modification of the work as a means of enforcing, against the work's
users, your or third parties' legal rights to forbid circumvention of
technological measures.

 4. Conveying Verbatim Copies.

 You may convey verbatim copies of the Program's source code as you
receive it, in any medium, provided that you conspicuously and
appropriately publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

 You may charge any price or no price for each copy that you convey,
and you may offer support or warranty protection for a fee.

 5. Conveying Modified Source Versions.

 You may convey a work based on the Program, or the modifications to
produce it from the Program, in the form of source code under the
terms of section 4, provided that you also meet all of these conditions:

  a) The work must carry prominent notices stating that you modified
  it, and giving a relevant date.

  b) The work must carry prominent notices stating that it is
  released under this License and any conditions added under section
  7. This requirement modifies the requirement in section 4 to

"keep intact all notices".

c) You must license the entire work, as a whole, under this
License to anyone who comes into possession of a copy. This
License will therefore apply, along with any applicable section 7
additional terms, to the whole of the work, and all its parts,
regardless of how they are packaged. This License gives no
permission to license the work in any other way, but it does not
invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display
Appropriate Legal Notices; however, if the Program has interactive
interfaces that do not display Appropriate Legal Notices, your
work need not make them do so.

A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms
of sections 4 and 5, provided that you also convey the
machine-readable Corresponding Source under the terms of this License,
in one of these ways:

a) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by the
Corresponding Source fixed on a durable physical medium
customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by a
written offer, valid for at least three years and valid for as
long as you offer spare parts or customer support for that product
model, to give anyone who possesses the object code either (1) a
copy of the Corresponding Source for all the software in the
product that is covered by this License, on a durable physical
medium customarily used for software interchange, for a price no
more than your reasonable cost of physically performing this
conveying of source, or (2) access to copy the
Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because

modification has been made.

 If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

 The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

 Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

 7. Additional Terms.

 "Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

 When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

 Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or

b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under

this License (including any patent licenses granted under the third paragraph of section 11).

 However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

 Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

 Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

 9. Acceptance Not Required for Having Copies.

 You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

 10. Automatic Licensing of Downstream Recipients.

 Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

 An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the

Corresponding Source of the work from the predecessor in interest, if
the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the
rights granted or affirmed under this License. For example, you may
not impose a license fee, royalty, or other charge for exercise of
rights granted under this License, and you may not initiate litigation
(including a cross-claim or counterclaim in a lawsuit) alleging that
any patent claim is infringed by making, using, selling, offering for
sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this
License of the Program or a work on which the Program is based. The
work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims
owned or controlled by the contributor, whether already acquired or
hereafter acquired, that would be infringed by some manner, permitted
by this License, of making, using, or selling its contributor version,
but do not include claims that would be infringed only as a
consequence of further modification of the contributor version. For
purposes of this definition, "control" includes the right to grant
patent sublicenses in a manner consistent with the requirements of
this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free
patent license under the contributor's essential patent claims, to
make, use, sell, offer for sale, import and otherwise run, modify and
propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express
agreement or commitment, however denominated, not to enforce a patent
(such as an express permission to practice a patent or covenant not to
sue for patent infringement). To "grant" such a patent license to a
party means to make such an agreement or commitment not to enforce a
patent against the party.

If you convey a covered work, knowingly relying on a patent license,
and the Corresponding Source of the work is not available for anyone
to copy, free of charge and under the terms of this License, through a
publicly available network server or other readily accessible means,
then you must either (1) cause the Corresponding Source to be so
available, or (2) arrange to deprive yourself of the benefit of the
patent license for this particular work, or (3) arrange, in a manner
consistent with the requirements of this License, to extend the patent
license to downstream recipients. "Knowingly relying" means you have

actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed

under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

  14. Revised Versions of this License.

  The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

  Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

  If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

  Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

  15. Disclaimer of Warranty.

  THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

  16. Limitation of Liability.

  IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS

THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

 If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software: you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation, either version 3 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

    <program> Copyright (C) <year> <name of author>
    This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

  You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

  The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<http://www.gnu.org/philosophy/why-not-lgpl.html>.
Apache License
                        Version 2.0, January 2004
                     http://www.apache.org/licenses/

  TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

  1. Definitions.

    "License" shall mean the terms and conditions for use, reproduction,
    and distribution as defined by Sections 1 through 9 of this document.

    "Licensor" shall mean the copyright owner or entity authorized by
    the copyright owner that is granting the License.

    "Legal Entity" shall mean the union of the acting entity and all
    other entities that control, are controlled by, or are under common
    control with that entity. For the purposes of this definition,
    "control" means (i) the power, direct or indirect, to cause the
    direction or management of such entity, whether by contract or
    otherwise, or (ii) ownership of fifty percent (50%) or more of the
    outstanding shares, or (iii) beneficial ownership of such entity.

    "You" (or "Your") shall mean an individual or Legal Entity
    exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "{}"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Redistribution and use in source and binary forms, with or without modification, are permitted provided that the
following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following
disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS
OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT
NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES
OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.142 sqlx 1.3.4

1.142.1 Available under license :

Copyright (c) 2013, Jason Moiron

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.143 prometheus-common 0.15.0

1.143.1 Available under license :

Common libraries shared by Prometheus Go components.

Copyright 2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (http://soundcloud.com/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and
       attribution notices from the Source form of the Work,
       excluding those notices that do not pertain to any part of
       the Derivative Works; and

   (d) If the Work includes a "NOTICE" text file as part of its
       distribution, then any Derivative Works that You distribute must
       include a readable copy of the attribution notices contained
       within such NOTICE file, excluding those notices that do not
       pertain to any part of the Derivative Works, in at least one
       of the following places: within a NOTICE text file distributed
       as part of the Derivative Works; within the Source form or
       documentation, if provided along with the Derivative Works; or,
       within a display generated by the Derivative Works, if and
       wherever such third-party notices normally appear. The contents
       of the NOTICE file are for informational purposes only and
       do not modify the License. You may add Your own attribution
       notices within Derivative Works that You distribute, alongside
       or as an addendum to the NOTICE text from the Work, provided
       that such additional attribution notices cannot be construed
       as modifying the License.

   You may add Your own copyright statement to Your modifications and
   may provide additional or different license terms and conditions
   for use, reproduction, or distribution of Your modifications, or
   for any such Derivative Works as a whole, provided Your use,
   reproduction, and distribution of the Work otherwise complies with
   the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.144 init-system-helpers 1.57

1.144.1 Available under license :

Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/

Files: *
Copyright: 2013 Michael Stapelberg
License: BSD-3-clause

Files: debian/*
Copyright: 2013 Michael Stapelberg <stapelberg@debian.org>
License: BSD-3-clause

Files: script/service man8/service.rst
Copyright: 2006 Red Hat, Inc
2008 Canonical Ltd
License: GPL-2+

Files: script/invoke-rc.d man8/invoke-rc.d.rst
Copyright: 2000,2001 Henrique de Moraes Holschuh <hmh@debian.org>
License: GPL-2+

Files: script/update-rc.d man8/update-rc.d.rst
Copyright: 1997-2005 Miquel van Smoorenburg <miquels@cistron.nl>
Members of the pkg-sysvinit project
License: GPL-2+

1.145 openssl 3.0.5

1.145.1 Available under license :

This software is copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software; you can redistribute it and/or modify it under
the same terms as the Perl 5 programming language system itself.

Terms of the Perl programming language system itself

a) the GNU General Public License as published by the Free
   Software Foundation; either version 1, or (at your option) any
   later version, or
b) the "Artistic License"

--- The GNU General Public License, Version 1, February 1989 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

 The GNU General Public License, Version 1, February 1989

                    GNU GENERAL PUBLIC LICENSE
                     Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

                    Preamble

 The license agreements of most software companies try to keep users
at the mercy of those companies. By contrast, our General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. The
General Public License applies to the Free Software Foundation's
software and to any other program whose authors commit to using it.
You can use it for your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Specifically, the General Public License is designed to make
sure that you have the freedom to give away or sell copies of free
software, that you receive source code or can get it if you want it,
that you can change the software or use pieces of it in new free

programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

 For example, if you distribute copies of a such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must tell them their rights.

 We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

 Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

 The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License Agreement applies to any program or other work which
contains a notice placed by the copyright holder saying it may be
distributed under the terms of this General Public License. The
"Program", below, refers to any such program or work, and a "work based
on the Program" means either the Program or any work containing the
Program or a portion of it, either verbatim or with modifications. Each
licensee is addressed as "you".

 1. You may copy and distribute verbatim copies of the Program's source
code as you receive it, in any medium, provided that you conspicuously and
appropriately publish on each copy an appropriate copyright notice and
disclaimer of warranty; keep intact all the notices that refer to this
General Public License and to the absence of any warranty; and give any
other recipients of the Program a copy of this General Public License
along with the Program. You may charge a fee for the physical act of
transferring a copy.

 2. You may modify your copy or copies of the Program or any portion of
it, and copy and distribute such modifications under the terms of Paragraph

1 above, provided that you also do the following:

a) cause the modified files to carry prominent notices stating that
you changed the files and the date of any change; and

b) cause the whole of any work that you distribute or publish, that
in whole or in part contains the Program or any part thereof, either
with or without modifications, to be licensed at no charge to all
third parties under the terms of this General Public License (except
that you may choose to grant warranty protection to some or all
third parties, at your option).

c) If the modified program normally reads commands interactively when
run, you must cause it, when started running for such interactive use
in the simplest and most usual way, to print or display an
announcement including an appropriate copyright notice and a notice
that there is no warranty (or else, saying that you provide a
warranty) and that users may redistribute the program under these
conditions, and telling the user how to view a copy of this General
Public License.

d) You may charge a fee for the physical act of transferring a
copy, and you may at your option offer warranty protection in
exchange for a fee.

Mere aggregation of another independent work with the Program (or its
derivative) on a volume of a storage or distribution medium does not bring
the other work under the scope of these terms.

 3. You may copy and distribute the Program (or a portion or derivative of
it, under Paragraph 2) in object code or executable form under the terms of
Paragraphs 1 and 2 above provided that you also do one of the following:

a) accompany it with the complete corresponding machine-readable
source code, which must be distributed under the terms of
Paragraphs 1 and 2 above; or,

b) accompany it with a written offer, valid for at least three
years, to give any third party free (except for a nominal charge
for the cost of distribution) a complete machine-readable copy of the
corresponding source code, to be distributed under the terms of
Paragraphs 1 and 2 above; or,

c) accompany it with the information you received as to where the
corresponding source code may be obtained. (This alternative is
allowed only for noncommercial distribution and only if you
received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making
modifications to it. For an executable file, complete source code means
all the source code for all modules it contains; but, as a special
exception, it need not include source code for modules which are standard
libraries that accompany the operating system on which the executable
file runs, or for standard header files or definitions files that
accompany that operating system.

 4. You may not copy, modify, sublicense, distribute or transfer the
Program except as expressly provided under this General Public License.
Any attempt otherwise to copy, modify, sublicense, distribute or transfer
the Program is void, and will automatically terminate your rights to use
the Program under this License. However, parties who have received
copies, or rights to use copies, from you under this General Public
License will not have their licenses terminated so long as such parties
remain in full compliance.

 5. By copying, distributing or modifying the Program (or any work based
on the Program) you indicate your acceptance of this license to do so,
and all its terms and conditions.

 6. Each time you redistribute the Program (or any work based on the
Program), the recipient automatically receives a license from the original
licensor to copy, distribute or modify the Program subject to these
terms and conditions. You may not impose any further restrictions on the
recipients' exercise of the rights granted herein.

 7. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of the license which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
the license, you may choose any version ever published by the Free Software
Foundation.

 8. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to humanity, the best way to achieve this is to make it
free software which everyone can redistribute and change under these
terms.

To do so, attach the following notices to the program. It is safest to
attach them to the start of each source file to most effectively convey
the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) 19yy <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 1, or (at your option)
    any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) 19xx name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the
appropriate parts of the General Public License. Of course, the
commands you use may be called something other than `show w' and `show
c'; they could even be mouse-clicks or menu items--whatever suits your
program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (a program to direct compilers to make passes
at assemblers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

That's all there is to it!

--- The Artistic License 1.0 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The Artistic License 1.0

The Artistic License

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

 - "Package" refers to the collection of files distributed by the Copyright
   Holder, and derivatives of that collection of files created through
   textual modification.
 - "Standard Version" refers to such a Package if it has not been modified,
   or has been modified in accordance with the wishes of the Copyright
   Holder.
 - "Copyright Holder" is whoever is named in the copyright or copyrights for
   the package.
 - "You" is you, if you're thinking about copying or distributing this Package.
 - "Reasonable copying fee" is whatever you can justify on the basis of media
   cost, duplication charges, time of people involved, and so on. (You will
   not be required to justify it to the Copyright Holder, but only to the
   computing community at large as a market that must bear the fee.)
 - "Freely Available" means that no fee is charged for the item itself, though
   there may be fees involved in handling the item. It also means that
   recipients of the item may redistribute it under the same conditions they
   received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.

2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.

3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:

 a) place your modifications in the Public Domain or otherwise make them
    Freely Available, such as by posting said modifications to Usenet or an
    equivalent medium, or placing the modifications on a major archive site
    such as ftp.uu.net, or by allowing the Copyright Holder to include your
    modifications in the Standard Version of the Package.

 b) use the modified Package only within your corporation or organization.

 c) rename any non-standard executables so the names do not conflict with
    standard executables, which must also be provided, and provide a separate

manual page for each non-standard executable that clearly documents how it differs from the Standard Version.

 d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:

 a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.

 b) accompany the distribution with the machine-readable source of the Package with your modifications.

 c) accompany any non-standard executables with their corresponding Standard Version executables, giving the non-standard executables non-standard names, and clearly documenting the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.

 d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whomever generated them, and may be sold commercially, and may be aggregated with this Package.

7. C or perl subroutines supplied by you and linked into this Package shall not be considered part of this Package.

8. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

9. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTIBILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

                    Apache License

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.146 xorm.io-builder 0.3.6

1.146.1 Available under license :

* Neither the name of the {organization} nor the names of its
 contributors may be used to endorse or promote products derived from
 this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.147 centrifugal-protocol 0.3.4
1.147.1 Available under license :
MIT License

Copyright (c) 2020 Centrifugal

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.148 libxcrypt 4.4.10-10ubuntu4

1.148.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

 This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

 When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

 To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

 For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free
programs enables a greater number of people to use a large body of
free software. For example, permission to use the GNU C Library in
non-free programs enables many more people to use the whole GNU
operating system, as well as its variant, the GNU/Linux operating
system.

Although the Lesser General Public License is Less protective of the
users' freedom, it does ensure that the user of a program that is
linked with the Library has the freedom and the wherewithal to run
that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, whereas the latter must
be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other
program which contains a notice placed by the copyright holder or
other authorized party saying it may be distributed under the terms of
this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated
straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means
all the source code for all modules it contains, plus any associated
interface definition files, plus the scripts used to control compilation
and installation of the library.

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of

running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

  1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

  You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

  2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

    a) The modified work must itself be a software library.

    b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

    c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

    d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

    (For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library,

and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

 Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

 4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

 However, linking a "work that uses the Library" with the Library
creates an executable that is a derivative of the Library (because it
contains portions of the Library), rather than a "work that uses the
library". The executable is therefore covered by this License.
Section 6 states terms for distribution of such executables.

 When a "work that uses the Library" uses material from a header file
that is part of the Library, the object code for the work may be a
derivative work of the Library even though the source code is not.
Whether this is true is especially significant if the work can be
linked without the Library, or if the work is itself a library. The
threshold for this to be true is not precisely defined by law.

 If such an object file uses only numerical parameters, data
structure layouts and accessors, and small macros and small inline
functions (ten lines or less in length), then the use of the object
file is unrestricted, regardless of whether it is legally a derivative
work. (Executables containing this object code plus portions of the
Library will still fall under Section 6.)

 Otherwise, if the work is a derivative of the Library, you may
distribute the object code for the work under the terms of Section 6.
Any executables containing that work also fall under Section 6,
whether or not they are linked directly with the Library itself.

 6. As an exception to the Sections above, you may also combine or
link a "work that uses the Library" with the Library to produce a
work containing portions of the Library, and distribute that work
under terms of your choice, provided that the terms permit
modification of the work for the customer's own use and reverse
engineering for debugging such modifications.

 You must give prominent notice with each copy of the work that the
Library is used in it and that the Library and its use are covered by
this License. You must supply a copy of this License. If the work
during execution displays copyright notices, you must include the
copyright notice for the Library among them, as well as a reference
directing the user to the copy of this License. Also, you must do one
of these things:

  a) Accompany the work with the complete corresponding
  machine-readable source code for the Library including whatever

changes were used in the work (which must be distributed under
Sections 1 and 2 above); and, if the work is an executable linked
with the Library, with the complete machine-readable "work that
uses the Library", as object code and/or source code, so that the
user can modify the Library and then relink to produce a modified
executable containing the modified Library. (It is understood
that the user who changes the contents of definitions files in the
Library will not necessarily be able to recompile the application
to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the
Library. A suitable mechanism is one that (1) uses at run time a
copy of the library already present on the user's computer system,
rather than copying library functions into the executable, and (2)
will operate properly with a modified version of the library, if
the user installs one, as long as the modified version is
interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at
least three years, to give the same user the materials
specified in Subsection 6a, above, for a charge no more
than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy
from a designated place, offer equivalent access to copy the above
specified materials from the same place.

e) Verify that the user has already received a copy of these
materials or that you have already sent this user a copy.

 For an executable, the required form of the "work that uses the
Library" must include any data and utility programs needed for
reproducing the executable from it. However, as a special exception,
the materials to be distributed need not include anything that is
normally distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies
the executable.

 It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.

 7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined

library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

  a) Accompany the combined library with a copy of the same work
  based on the Library, uncombined with any other library
  facilities. This must be distributed under the terms of the
  Sections above.

  b) Give prominent notice with the combined library of the fact
  that part of it is a work based on the Library, and explaining
  where to find the accompanying uncombined form of the same work.

 8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

 9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

 10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties with
this License.

 11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then

the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

  12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

  13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

  14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status

of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

                    NO WARRANTY

 15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE
LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

 16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE
LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING
RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A
FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF
SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGES.

                END OF TERMS AND CONDITIONS

           How to Apply These Terms to Your New Libraries

 If you develop a new library, and you want it to be of the greatest
possible use to the public, we recommend making it free software that
everyone can redistribute and change. You can do so by permitting
redistribution under these terms (or, alternatively, under the terms of the
ordinary General Public License).

 To apply these terms, attach the following notices to the library. It is
safest to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

    <one line to give the library's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This library is free software; you can redistribute it and/or
    modify it under the terms of the GNU Lesser General Public
    License as published by the Free Software Foundation; either
    version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the
 library `Frob' (a library for tweaking knobs) written by James Random Hacker.

 <signature of Ty Coon>, 1 April 1990
 Ty Coon, President of Vice

That's all there is to it!

1.149 urllib3 1.26.10

1.149.1 Available under license :

MIT License

Copyright (c) 2008-2020 Andrey Petrov and contributors (see CONTRIBUTORS.txt)

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE

SOFTWARE.

1.150 jinja2 3.0.2

1.150.1 Available under license :

No license file was found, but licenses were detected in source scan.

Copyright 2007 Pallets

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

1. Redistributions of source code must retain the above copyright
    notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
    notice, this list of conditions and the following disclaimer in the
    documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holder nor the names of its
    contributors may be used to endorse or promote products derived from
    this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED
TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):
* /opt/cola/permits/1210557185_1633418177.62/0/jinja2-3-0-2-tar-gz/Jinja2-3.0.2/LICENSE.rst
No license file was found, but licenses were detected in source scan.

[metadata]
name = Jinja2
version = attr: jinja2.__version__
url = https://palletsprojects.com/p/jinja/
project_urls =
 Donate = https://palletsprojects.com/donate
 Documentation = https://jinja.palletsprojects.com/

```
    Changes = https://jinja.palletsprojects.com/changes/
    Source Code = https://github.com/pallets/jinja/
    Issue Tracker = https://github.com/pallets/jinja/issues/
    Twitter = https://twitter.com/PalletsTeam
    Chat = https://discord.gg/pallets
license = BSD-3-Clause
license_files = LICENSE.rst
author = Armin Ronacher
author_email = armin.ronacher@active-4.com
maintainer = Pallets
maintainer_email = contact@palletsprojects.com
description = A very fast and expressive template engine.
long_description = file: README.rst
long_description_content_type = text/x-rst
classifiers =
    Development Status :: 5 - Production/Stable
    Environment :: Web Environment
    Intended Audience :: Developers
    License :: OSI Approved :: BSD License
    Operating System :: OS Independent
    Programming Language :: Python
    Topic :: Internet :: WWW/HTTP :: Dynamic Content
    Topic :: Text Processing :: Markup :: HTML

[options]
packages = find:
package_dir = = src
include_package_data = true
python_requires = >= 3.6

[options.packages.find]
where = src

[options.entry_points]
babel.extractors =
    jinja2 = jinja2.ext:babel_extract[i18n]

[tool:pytest]
testpaths = tests
filterwarnings =
    error
    ignore:The loop argument:DeprecationWarning:asyncio[.]base_events:542

[coverage:run]
branch = True
source =
    jinja2
    tests
```

```
[coverage:paths]
source =
 src
 */site-packages

[flake8]
select = B, E, F, W, B9, ISC
ignore =
 E203
 E501
 E722
 W503
max-line-length = 80
per-file-ignores =
 src/jinja2/__init__.py: F401

[mypy]
files = src/jinja2
python_version = 3.6
disallow_subclassing_any = True
disallow_untyped_calls = True
disallow_untyped_defs = True
disallow_incomplete_defs = True
no_implicit_optional = True
local_partial_types = True
no_implicit_reexport = True
strict_equality = True
warn_redundant_casts = True
warn_unused_configs = True
warn_unused_ignores = True
warn_return_any = True
warn_unreachable = True

[mypy-jinja2.defaults]
no_implicit_reexport = False

[mypy-markupsafe]
no_implicit_reexport = False

[egg_info]
tag_build =
tag_date = 0
```

Found in path(s):
* /opt/cola/permits/1210557185_1633418177.62/0/jinja2-3-0-2-tar-gz/Jinja2-3.0.2/setup.cfg
No license file was found, but licenses were detected in source scan.

Metadata-Version: 2.1
Name: Jinja2
Version: 3.0.2
Summary: A very fast and expressive template engine.
Home-page: https://palletsprojects.com/p/jinja/
Author: Armin Ronacher
Author-email: armin.ronacher@active-4.com
Maintainer: Pallets
Maintainer-email: contact@palletsprojects.com
License: BSD-3-Clause
Project-URL: Donate, https://palletsprojects.com/donate
Project-URL: Documentation, https://jinja.palletsprojects.com/
Project-URL: Changes, https://jinja.palletsprojects.com/changes/
Project-URL: Source Code, https://github.com/pallets/jinja/
Project-URL: Issue Tracker, https://github.com/pallets/jinja/issues/
Project-URL: Twitter, https://twitter.com/PalletsTeam
Project-URL: Chat, https://discord.gg/pallets
Platform: UNKNOWN
Classifier: Development Status :: 5 - Production/Stable
Classifier: Environment :: Web Environment
Classifier: Intended Audience :: Developers
Classifier: License :: OSI Approved :: BSD License
Classifier: Operating System :: OS Independent
Classifier: Programming Language :: Python
Classifier: Topic :: Internet :: WWW/HTTP :: Dynamic Content
Classifier: Topic :: Text Processing :: Markup :: HTML
Requires-Python: >=3.6
Description-Content-Type: text/x-rst
Provides-Extra: i18n
License-File: LICENSE.rst

Jinja
=====

Jinja is a fast, expressive, extensible templating engine. Special
placeholders in the template allow writing code similar to Python
syntax. Then the template is passed data to render the final document.

It includes:

- Template inheritance and inclusion.
- Define and import macros within templates.
- HTML templates can use autoescaping to prevent XSS from untrusted
  user input.
- A sandboxed environment can safely render untrusted templates.
- AsyncIO support for generating templates and calling async
  functions.
- I18N support with Babel.

-   Templates are compiled to optimized Python code just-in-time and cached, or can be compiled ahead-of-time.
-   Exceptions point to the correct line in templates to make debugging easier.
-   Extensible filters, tests, functions, and even syntax.

Jinja's philosophy is that while application logic belongs in Python if possible, it shouldn't make the template designer's job difficult by restricting functionality too much.

Installing

Install and update using `pip`_:

.. code-block:: text

   $ pip install -U Jinja2

.. _pip: https://pip.pypa.io/en/stable/getting-started/

In A Nutshell

.. code-block:: jinja

  {% extends "base.html" %}
  {% block title %}Members{% endblock %}
  {% block content %}

   {% for user in users %}
     {{ user.username }}
   {% endfor %}

  {% endblock %}

Donate

The Pallets organization develops and supports Jinja and other popular packages. In order to grow the community of contributors and users, and allow the maintainers to devote more time to the projects, `please donate today`_.

.. _please donate today: https://palletsprojects.com/donate

Links

- Documentation: https://jinja.palletsprojects.com/
- Changes: https://jinja.palletsprojects.com/changes/
- PyPI Releases: https://pypi.org/project/Jinja2/
- Source Code: https://github.com/pallets/jinja/
- Issue Tracker: https://github.com/pallets/jinja/issues/
- Website: https://palletsprojects.com/p/jinja/
- Twitter: https://twitter.com/PalletsTeam
- Chat: https://discord.gg/pallets

Found in path(s):
* /opt/cola/permits/1210557185_1633418177.62/0/jinja2-3-0-2-tar-gz/Jinja2-3.0.2/PKG-INFO
* /opt/cola/permits/1210557185_1633418177.62/0/jinja2-3-0-2-tar-gz/Jinja2-3.0.2/src/Jinja2.egg-info/PKG-INFO

1.151 gopkg-in/mail 2.3.1

1.151.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Alexandre Cesaro

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of
the Software, and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER
IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.152 grpc-go 1.42.0

1.152.1 Available under license :

Copyright 2014 gRPC authors.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

                    Apache License
              Version 2.0, January 2004
              http://www.apache.org/licenses/

   TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

   1. Definitions.

      "License" shall mean the terms and conditions for use, reproduction,
      and distribution as defined by Sections 1 through 9 of this document.

      "Licensor" shall mean the copyright owner or entity authorized by
      the copyright owner that is granting the License.

      "Legal Entity" shall mean the union of the acting entity and all
      other entities that control, are controlled by, or are under common
      control with that entity. For the purposes of this definition,
      "control" means (i) the power, direct or indirect, to cause the
      direction or management of such entity, whether by contract or
      otherwise, or (ii) ownership of fifty percent (50%) or more of the
      outstanding shares, or (iii) beneficial ownership of such entity.

      "You" (or "Your") shall mean an individual or Legal Entity
      exercising permissions granted by this License.

      "Source" form shall mean the preferred form for making modifications,
      including but not limited to software source code, documentation
      source, and configuration files.

      "Object" form shall mean any form resulting from mechanical
      transformation or translation of a Source form, including but
      not limited to compiled object code, generated documentation,
      and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.153 gnupg 2.2.19 3ubuntu2.1
1.153.1 Available under license :
LICENSE TERMS

Copyright (c) 2000, Dimitrios Souflis
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

Neither the name of Dimitrios Souflis nor the names of the
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

Here is a list with collected copyright notices. For details see the
description of each individual package. [Compiled by wk 2017-11-07]

GNUPG is

LIBGCRYPT is

LIBGPG-ERROR is

Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License
along with this program; if not, see <http://www.gnu.org/licenses/>.

LIBASSUAN is

Copyright (C) 1992-2013 Free Software Foundation, Inc.
Copyright (C) 1994 X Consortium
Copyright (C) 2000 Werner Koch (dd9jn)
Copyright (C) 2001-2016 g10 Code GmbH
Copyright (C) 2004 Simon Josefsson

Assuan is free software; you can redistribute it and/or modify it
under the terms of the GNU Lesser General Public License as
published by the Free Software Foundation; either version 2.1 of
the License, or (at your option) any later version.

Assuan is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this program; if not, see <http://www.gnu.org/licenses/>.

LIBKSBA is

Copyright (C) 2001, 2002, 2003, 2004, 2005, 2006, 2010, 2011
          2012, 2013, 2014, 2015 g10 Code GmbH
Copyright (C) 2001, 2002, 2003, 2007 Free Software Foundation, Inc.
Copyright (C) 2000, 2001 Fabio Fiorina

The library and the header files are distributed under the following
terms (LGPLv3+/GPLv2+):

KSBA is free software; you can redistribute it and/or modify
it under the terms of either

  - the GNU Lesser General Public License as published by the Free
    Software Foundation; either version 3 of the License, or (at
    your option) any later version.

or

  - the GNU General Public License as published by the Free

Software Foundation; either version 2 of the License, or (at
your option) any later version.

or both in parallel, as here.

KSBA is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY
or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public
License for more details.

The other parts (e.g. manual, build system, tests) are distributed
under the following terms (GPLv3):

KSBA is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 3 of the License, or
(at your option) any later version.

KSBA is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

NPTH is

Copyright (C) 2011, 2012, 2014, 2015, 2017 g10 Code GmbH

nPth is free software; you can redistribute it and/or modify
it under the terms of the GNU Lesser General Public License as
published by the Free Software Foundation; either version 2.1 of
the License, or (at your option) any later version.

nPth is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See
the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this program; if not, see <https://www.gnu.org/licenses/>.

NTBTLS is

Copyright (C) 2006-2014 Brainspark B.V.
Copyright (C) 2014-2017 g10 Code GmbH

NTBTLS is free software; you can redistribute it and/or modify

it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 3 of the License, or
(at your option) any later version.

NTBTLS is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, see <http://www.gnu.org/licenses/>.

PINENTRY is

Copyright (C) 1999 Robert Bihlmeyer <robbe@orcus.priv.at>
Copyright (C) 2001-2004, 2007-2008, 2010, 2015-2016 g10 Code GmbH
Copyright (C) 2002, 2008 Klarlvdalens Datakonsult AB (KDAB)
Copyright (C) 2004 by Albrecht Dre <albrecht.dress@arcor.de>
Copyright 2007 Ingo Klcker
Copyright (C) 2014 Serge Voilokov
Copyright (C) 2015 Daiki Ueno
Copyright (C) 2015 Daniel Kahn Gillmor <dkg@fifthhorseman.net>
Copyright 2016 Intevation GmbH

PINENTRY is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

PINENTRY is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, see <https://www.gnu.org/licenses/>.

GPGME is

Copyright (C) 1991-2013 Free Software Foundation, Inc.
Copyright (C) 2000-2001 Werner Koch
Copyright (C) 2001-2017 g10 Code GmbH
Copyright (C) 2002 Klarlvdalens Datakonsult AB
Copyright (C) 2004-2008 Igor Belyi
Copyright (C) 2002 John Goerzen
Copyright (C) 2014, 2015 Martin Albrecht

Copyright (C) 2015 Ben McGinnes
Copyright (C) 2015-2016 Bundesamt fr Sicherheit in der Informationstechnik
Copyright (C) 2016 Intevation GmbH

GPGME is free software; you can redistribute it and/or modify it
under the terms of the GNU Lesser General Public License as
published by the Free Software Foundation; either version 2.1 of
the License, or (at your option) any later version.

GPGME is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License
along with this program; if not, see <http://www.gnu.org/licenses/>.

NSIS is

Copyright 1999-2009 Nullsoft and Contributors
Copyright 2002-2008 Amir Szekely
Copyright 2003 Ramon

This license applies to everything in the NSIS package, except where
otherwise noted.

This software is provided 'as-is', without any express or implied
warranty. In no event will the authors be held liable for any
damages arising from the use of this software.

Permission is granted to anyone to use this software for any
purpose, including commercial applications, and to alter it and
redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must
   not claim that you wrote the original software. If you use this
   software in a product, an acknowledgment in the product
   documentation would be appreciated but is not required.

2. Altered source versions must be plainly marked as such, and must
   not be misrepresented as being the original software.

3. This notice may not be removed or altered from any source
   distribution.

The user interface used with the installer is

Copyright 2002-2009 Joost Verburg

[It is distributed along with NSIS and the same conditions as stated
 above apply]

TinySCHEME is part of the GnuPG package and is

Copyright (c) 2000, Dimitrios Souflis
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

Neither the name of Dimitrios Souflis nor the names of the
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

LIBDNS is part of the GnuPG package and is

Copyright (c) 2008, 2009, 2010, 2012-2016 William Ahern

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to permit

persons to whom the Software is furnished to do so, subject to the
following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN
NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR
OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE
USE OR OTHER DEALINGS IN THE SOFTWARE.

ZLIB is

(C) 1995-2013 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied
warranty. In no event will the authors be held liable for any damages
arising from the use of this software.

Permission is granted to anyone to use this software for any purpose,
including commercial applications, and to alter it and redistribute it
freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not
   claim that you wrote the original software. If you use this software
   in a product, an acknowledgment in the product documentation would be
   appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be
   misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly   Mark Adler
jloup@gzip.org   madler@alumni.caltech.edu

BZIP2 is

This program, "bzip2", the associated library "libbzip2", and all
documentation, are copyright (C) 1996-2010 Julian R Seward. All
rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.

2. The origin of this software must not be misrepresented; you must
   not claim that you wrote the original software. If you use this
   software in a product, an acknowledgment in the product
   documentation would be appreciated but is not required.

3. Altered source versions must be plainly marked as such, and must
   not be misrepresented as being the original software.

4. The name of the author may not be used to endorse or promote
   products derived from this software without specific prior written
   permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS
OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

SQLITE has

been put into the public-domain by its author D. Richard Hipp:
The author disclaims copyright to this source code. In place of
a legal notice, here is a blessing:

   May you do good and not evil.
   May you find forgiveness for yourself and forgive others.
   May you share freely, never taking more than you give.
[Note that only a few files are distributed under this license.]

Creative Commons Legal Code

CC0 1.0 Universal

   CREATIVE COMMONS CORPORATION IS NOT A LAW FIRM AND DOES NOT PROVIDE
   LEGAL SERVICES. DISTRIBUTION OF THIS DOCUMENT DOES NOT CREATE AN
   ATTORNEY-CLIENT RELATIONSHIP. CREATIVE COMMONS PROVIDES THIS
   INFORMATION ON AN "AS-IS" BASIS. CREATIVE COMMONS MAKES NO WARRANTIES

REGARDING THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER, AND DISCLAIMS LIABILITY FOR DAMAGES RESULTING FROM THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER.

Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

 i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
ii. moral rights retained by the original author(s) and/or performer(s);
iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
 v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation

thereof, including any amended or successor version of such
directive); and

vii. other similar, equivalent or corresponding rights throughout the
world based on applicable law or treaty, and any national
implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention
of, applicable law, Affirmer hereby overtly, fully, permanently,
irrevocably and unconditionally waives, abandons, and surrenders all of
Affirmer's Copyright and Related Rights and associated claims and causes
of action, whether now known or unknown (including existing as well as
future claims and causes of action), in the Work (i) in all territories
worldwide, (ii) for the maximum duration provided by applicable law or
treaty (including future time extensions), (iii) in any current or future
medium and for any number of copies, and (iv) for any purpose whatsoever,
including without limitation commercial, advertising or promotional
purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each
member of the public at large and to the detriment of Affirmer's heirs and
successors, fully intending that such Waiver shall not be subject to
revocation, rescission, cancellation, termination, or any other legal or
equitable action to disrupt the quiet enjoyment of the Work by the public
as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason
be judged legally invalid or ineffective under applicable law, then the
Waiver shall be preserved to the maximum extent permitted taking into
account Affirmer's express Statement of Purpose. In addition, to the
extent the Waiver is so judged Affirmer hereby grants to each affected
person a royalty-free, non transferable, non sublicensable, non exclusive,
irrevocable and unconditional license to exercise Affirmer's Copyright and
Related Rights in the Work (i) in all territories worldwide, (ii) for the
maximum duration provided by applicable law or treaty (including future
time extensions), (iii) in any current or future medium and for any number
of copies, and (iv) for any purpose whatsoever, including without
limitation commercial, advertising or promotional purposes (the
"License"). The License shall be deemed effective as of the date CC0 was
applied by Affirmer to the Work. Should any part of the License for any
reason be judged legally invalid or ineffective under applicable law, such
partial invalidity or ineffectiveness shall not invalidate the remainder
of the License, and in such case Affirmer hereby affirms that he or she
will not (i) exercise any of his or her remaining Copyright and Related
Rights in the Work or (ii) assert any associated claims and causes of
action with respect to the Work, in either case contrary to Affirmer's
express Statement of Purpose.

4. Limitations and Disclaimers.

a. No trademark or patent rights held by Affirmer are waived, abandoned,

surrendered, licensed or otherwise affected by this document.
b. Affirmer offers the Work as-is and makes no representations or
warranties of any kind concerning the Work, express, implied,
statutory or otherwise, including without limitation warranties of
title, merchantability, fitness for a particular purpose, non
infringement, or the absence of latent or other defects, accuracy, or
the present or absence of errors, whether or not discoverable, all to
the greatest extent permissible under applicable law.
c. Affirmer disclaims responsibility for clearing rights of other persons
that may apply to the Work or any use thereof, including without
limitation any person's Copyright and Related Rights in the Work.
Further, Affirmer disclaims responsibility for obtaining any necessary
consents, permissions or other rights required for any use of the
Work.
d. Affirmer understands and acknowledges that Creative Commons is not a
party to this document and has no duty or obligation with respect to
this CC0 or use of the Work.
[Note that only a few files are distributed under this license.]

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations
below.

When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that

you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

 To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

 For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

 We protect your rights with a two-step method: (1) we copyright the
library, and (2) we offer you this license, which gives you legal
permission to copy, distribute and/or modify the library.

 To protect each distributor, we want to make it very clear that
there is no warranty for the free library. Also, if the library is
modified by someone else and passed on, the recipients should know
that what they have is not the original version, so that the original
author's reputation will not be affected by problems that might be
introduced by others.
^L
 Finally, software patents pose a constant threat to the existence of
any free program. We wish to make sure that a company cannot
effectively restrict the users of a free program by obtaining a
restrictive license from a patent holder. Therefore, we insist that
any patent license obtained for a version of the library must be
consistent with the full freedom of use specified in this license.

 Most GNU software, including some libraries, is covered by the
ordinary GNU General Public License. This license, the GNU Lesser
General Public License, applies to certain designated libraries, and
is quite different from the ordinary General Public License. We use
this license for certain libraries in order to permit linking those
libraries into non-free programs.

 When a program is linked with a library, whether statically or using
a shared library, the combination of the two is legally speaking a
combined work, a derivative of the original library. The ordinary
General Public License therefore permits such linking only if the

entire combination fits its criteria of freedom. The Lesser General
Public License permits more lax criteria for linking other code with
the library.

We call this license the "Lesser" General Public License because it
does Less to protect the user's freedom than the ordinary General
Public License. It also provides other free software developers Less
of an advantage over competing non-free programs. These disadvantages
are the reason we use the ordinary General Public License for many
libraries. However, the Lesser license provides advantages in certain
special circumstances.

For example, on rare occasions, there may be a special need to
encourage the widest possible use of a certain library, so that it
becomes a de-facto standard. To achieve this, non-free programs must
be allowed to use the library. A more frequent case is that a free
library does the same job as widely used non-free libraries. In this
case, there is little to gain by limiting the free library to free
software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free
programs enables a greater number of people to use a large body of
free software. For example, permission to use the GNU C Library in
non-free programs enables many more people to use the whole GNU
operating system, as well as its variant, the GNU/Linux operating
system.

Although the Lesser General Public License is Less protective of the
users' freedom, it does ensure that the user of a program that is
linked with the Library has the freedom and the wherewithal to run
that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, whereas the latter must
be combined with the library in order to run.
^L
                GNU LESSER GENERAL PUBLIC LICENSE
   TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

  0. This License Agreement applies to any software library or other
program which contains a notice placed by the copyright holder or
other authorized party saying it may be distributed under the terms of
this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

  A "library" means a collection of software functions and/or data

prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

  a) The modified work must itself be a software library.

  b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

  c) You must cause the whole of the work to be licensed at no

charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a
table of data to be supplied by an application program that uses
the facility, other than as an argument passed when the facility
is invoked, then you must make a good faith effort to ensure that,
in the event an application does not supply such function or
table, the facility still operates, and performs whatever part of
its purpose remains meaningful.

(For example, a function in a library to compute square roots has
a purpose that is entirely well-defined independent of the
application. Therefore, Subsection 2d requires that any
application-supplied function or table used by this function must
be optional: if the application does not supply it, the square
root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Library,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.
^L
 Once this change is made in a given copy, it is irreversible for

that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

 4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

 5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

 However, linking a "work that uses the Library" with the Library
creates an executable that is a derivative of the Library (because it
contains portions of the Library), rather than a "work that uses the
library". The executable is therefore covered by this License.
Section 6 states terms for distribution of such executables.

 When a "work that uses the Library" uses material from a header file
that is part of the Library, the object code for the work may be a
derivative work of the Library even though the source code is not.
Whether this is true is especially significant if the work can be
linked without the Library, or if the work is itself a library. The
threshold for this to be true is not precisely defined by law.

 If such an object file uses only numerical parameters, data
structure layouts and accessors, and small macros and small inline
functions (ten lines or less in length), then the use of the object
file is unrestricted, regardless of whether it is legally a derivative
work. (Executables containing this object code plus portions of the
Library will still fall under Section 6.)

 Otherwise, if the work is a derivative of the Library, you may
distribute the object code for the work under the terms of Section 6.
Any executables containing that work also fall under Section 6,

whether or not they are linked directly with the Library itself.
^L
 6. As an exception to the Sections above, you may also combine or
link a "work that uses the Library" with the Library to produce a
work containing portions of the Library, and distribute that work
under terms of your choice, provided that the terms permit
modification of the work for the customer's own use and reverse
engineering for debugging such modifications.

 You must give prominent notice with each copy of the work that the
Library is used in it and that the Library and its use are covered by
this License. You must supply a copy of this License. If the work
during execution displays copyright notices, you must include the
copyright notice for the Library among them, as well as a reference
directing the user to the copy of this License. Also, you must do one
of these things:

  a) Accompany the work with the complete corresponding
  machine-readable source code for the Library including whatever
  changes were used in the work (which must be distributed under
  Sections 1 and 2 above); and, if the work is an executable linked
  with the Library, with the complete machine-readable "work that
  uses the Library", as object code and/or source code, so that the
  user can modify the Library and then relink to produce a modified
  executable containing the modified Library. (It is understood
  that the user who changes the contents of definitions files in the
  Library will not necessarily be able to recompile the application
  to use the modified definitions.)

  b) Use a suitable shared library mechanism for linking with the
  Library. A suitable mechanism is one that (1) uses at run time a
  copy of the library already present on the user's computer system,
  rather than copying library functions into the executable, and (2)
  will operate properly with a modified version of the library, if
  the user installs one, as long as the modified version is
  interface-compatible with the version that the work was made with.

  c) Accompany the work with a written offer, valid for at least
  three years, to give the same user the materials specified in
  Subsection 6a, above, for a charge no more than the cost of
  performing this distribution.

  d) If distribution of the work is made by offering access to copy
  from a designated place, offer equivalent access to copy the above
  specified materials from the same place.

  e) Verify that the user has already received a copy of these
  materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the
Library" must include any data and utility programs needed for
reproducing the executable from it. However, as a special exception,
the materials to be distributed need not include anything that is
normally distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies
the executable.

 It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.
^L
 7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

  a) Accompany the combined library with a copy of the same work
  based on the Library, uncombined with any other library
  facilities. This must be distributed under the terms of the
  Sections above.

  b) Give prominent notice with the combined library of the fact
  that part of it is a work based on the Library, and explaining
  where to find the accompanying uncombined form of the same work.

 8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

 9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties with
this License.
^L
11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to
apply, and the section as a whole is intended to apply in other
circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License
may add an explicit geographical distribution limitation excluding those
countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.
^L
14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE
LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE
LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING
RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A
FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF
SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGES.

END OF TERMS AND CONDITIONS
^L

How to Apply These Terms to Your New Libraries

 If you develop a new library, and you want it to be of the greatest
possible use to the public, we recommend making it free software that
everyone can redistribute and change. You can do so by permitting
redistribution under these terms (or, alternatively, under the terms
of the ordinary General Public License).

 To apply these terms, attach the following notices to the library.
It is safest to attach them to the start of each source file to most
effectively convey the exclusion of warranty; and each file should
have at least the "copyright" line and a pointer to where the full
notice is found.

    <one line to give the library's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This library is free software; you can redistribute it and/or
    modify it under the terms of the GNU Lesser General Public
    License as published by the Free Software Foundation; either
    version 2.1 of the License, or (at your option) any later version.

    This library is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
    Lesser General Public License for more details.

    You should have received a copy of the GNU Lesser General Public
    License along with this library; if not, write to the Free Software
    Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or
your school, if any, to sign a "copyright disclaimer" for the library,
if necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the
 library `Frob' (a library for tweaking knobs) written by James
 Random Hacker.

 <signature of Ty Coon>, 1 April 1990
 Ty Coon, President of Vice

That's all there is to it!

    GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you have
certain responsibilities if you distribute copies of the software, or if
you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must pass on to the recipients the same
freedoms that you received. You must make sure that they, too, receive
or can get the source code. And you must show them these terms so they
know their rights.

Developers that use the GNU GPL protect your rights with two steps:
(1) assert copyright on the software, and (2) offer you this License
giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains
that there is no warranty for this free software. For both users' and
authors' sake, the GPL requires that modified versions be marked as
changed, so that their problems will not be attributed erroneously to
authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

 You may convey verbatim copies of the Program's source code as you
receive it, in any medium, provided that you conspicuously and
appropriately publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

 You may charge any price or no price for each copy that you convey,
and you may offer support or warranty protection for a fee.

 5. Conveying Modified Source Versions.

 You may convey a work based on the Program, or the modifications to
produce it from the Program, in the form of source code under the
terms of section 4, provided that you also meet all of these conditions:

  a) The work must carry prominent notices stating that you modified
  it, and giving a relevant date.

  b) The work must carry prominent notices stating that it is
  released under this License and any conditions added under section
  7. This requirement modifies the requirement in section 4 to
  "keep intact all notices".

  c) You must license the entire work, as a whole, under this
  License to anyone who comes into possession of a copy. This
  License will therefore apply, along with any applicable section 7
  additional terms, to the whole of the work, and all its parts,
  regardless of how they are packaged. This License gives no
  permission to license the work in any other way, but it does not
  invalidate such permission if you have separately received it.

  d) If the work has interactive user interfaces, each must display
  Appropriate Legal Notices; however, if the Program has interactive
  interfaces that do not display Appropriate Legal Notices, your
  work need not make them do so.

 A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work

in an aggregate does not cause this License to apply to the other
parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms
of sections 4 and 5, provided that you also convey the
machine-readable Corresponding Source under the terms of this License,
in one of these ways:

a) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by the
Corresponding Source fixed on a durable physical medium
customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by a
written offer, valid for at least three years and valid for as
long as you offer spare parts or customer support for that product
model, to give anyone who possesses the object code either (1) a
copy of the Corresponding Source for all the software in the
product that is covered by this License, on a durable physical
medium customarily used for software interchange, for a price no
more than your reasonable cost of physically performing this
conveying of source, or (2) access to copy the
Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the
written offer to provide the Corresponding Source. This
alternative is allowed only occasionally and noncommercially, and
only if you received the object code with such an offer, in accord
with subsection 6b.

d) Convey the object code by offering access from a designated
place (gratis or for a charge), and offer equivalent access to the
Corresponding Source in the same way through the same place at no
further charge. You need not require recipients to copy the
Corresponding Source along with the object code. If the place to
copy the object code is a network server, the Corresponding Source
may be on a different server (operated by you or a third party)
that supports equivalent copying facilities, provided you maintain
clear directions next to the object code saying where to find the
Corresponding Source. Regardless of what server hosts the
Corresponding Source, you remain obligated to ensure that it is
available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided
you inform other peers where the object code and Corresponding

Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided,

in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

  7. Additional Terms.

 "Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

 When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

 Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

  a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or

  b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

  c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

  d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

  e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

  f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further
restrictions" within the meaning of section 10. If the Program as you
received it, or any part of it, contains a notice stating that it is
governed by this License along with a term that is a further
restriction, you may remove that term. If a license document contains
a further restriction but permits relicensing or conveying under this
License, you may add to a covered work material governed by the terms
of that license document, provided that the further restriction does
not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you
must place, in the relevant source files, a statement of the
additional terms that apply to those files, or a notice indicating
where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the
form of a separately written license, or stated as exceptions;
the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly
provided under this License. Any attempt otherwise to propagate or
modify it is void, and will automatically terminate your rights under
this License (including any patent licenses granted under the third
paragraph of section 11).

However, if you cease all violation of this License, then your
license from a particular copyright holder is reinstated (a)
provisionally, unless and until the copyright holder explicitly and
finally terminates your license, and (b) permanently, if the copyright
holder fails to notify you of the violation by some reasonable means
prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is
reinstated permanently if the copyright holder notifies you of the
violation by some reasonable means, this is the first time you have
received notice of violation of this License (for any work) from that
copyright holder, and you cure the violation prior to 30 days after
your receipt of the notice.

Termination of your rights under this section does not terminate the
licenses of parties who have received copies or rights from you under
this License. If your rights have been terminated and not permanently
reinstated, you do not qualify to receive new licenses for the same
material under section 10.

9. Acceptance Not Required for Having Copies.

 You are not required to accept this License in order to receive or
run a copy of the Program. Ancillary propagation of a covered work
occurring solely as a consequence of using peer-to-peer transmission
to receive a copy likewise does not require acceptance. However,
nothing other than this License grants you permission to propagate or
modify any covered work. These actions infringe copyright if you do
not accept this License. Therefore, by modifying or propagating a
covered work, you indicate your acceptance of this License to do so.

 10. Automatic Licensing of Downstream Recipients.

 Each time you convey a covered work, the recipient automatically
receives a license from the original licensors, to run, modify and
propagate that work, subject to this License. You are not responsible
for enforcing compliance by third parties with this License.

 An "entity transaction" is a transaction transferring control of an
organization, or substantially all assets of one, or subdividing an
organization, or merging organizations. If propagation of a covered
work results from an entity transaction, each party to that
transaction who receives a copy of the work also receives whatever
licenses to the work the party's predecessor in interest had or could
give under the previous paragraph, plus a right to possession of the
Corresponding Source of the work from the predecessor in interest, if
the predecessor has it or can get it with reasonable efforts.

 You may not impose any further restrictions on the exercise of the
rights granted or affirmed under this License. For example, you may
not impose a license fee, royalty, or other charge for exercise of
rights granted under this License, and you may not initiate litigation
(including a cross-claim or counterclaim in a lawsuit) alleging that
any patent claim is infringed by making, using, selling, offering for
sale, or importing the Program or any portion of it.

 11. Patents.

 A "contributor" is a copyright holder who authorizes use under this
License of the Program or a work on which the Program is based. The
work thus licensed is called the contributor's "contributor version".

 A contributor's "essential patent claims" are all patent claims
owned or controlled by the contributor, whether already acquired or
hereafter acquired, that would be infringed by some manner, permitted
by this License, of making, using, or selling its contributor version,
but do not include claims that would be infringed only as a

consequence of further modification of the contributor version. For
purposes of this definition, "control" includes the right to grant
patent sublicenses in a manner consistent with the requirements of
this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free
patent license under the contributor's essential patent claims, to
make, use, sell, offer for sale, import and otherwise run, modify and
propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express
agreement or commitment, however denominated, not to enforce a patent
(such as an express permission to practice a patent or covenant not to
sue for patent infringement). To "grant" such a patent license to a
party means to make such an agreement or commitment not to enforce a
patent against the party.

If you convey a covered work, knowingly relying on a patent license,
and the Corresponding Source of the work is not available for anyone
to copy, free of charge and under the terms of this License, through a
publicly available network server or other readily accessible means,
then you must either (1) cause the Corresponding Source to be so
available, or (2) arrange to deprive yourself of the benefit of the
patent license for this particular work, or (3) arrange, in a manner
consistent with the requirements of this License, to extend the patent
license to downstream recipients. "Knowingly relying" means you have
actual knowledge that, but for the patent license, your conveying the
covered work in a country, or your recipient's use of the covered work
in a country, would infringe one or more identifiable patents in that
country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or
arrangement, you convey, or propagate by procuring conveyance of, a
covered work, and grant a patent license to some of the parties
receiving the covered work authorizing them to use, propagate, modify
or convey a specific copy of the covered work, then the patent license
you grant is automatically extended to all recipients of the covered
work and works based on it.

A patent license is "discriminatory" if it does not include within
the scope of its coverage, prohibits the exercise of, or is
conditioned on the non-exercise of one or more of the rights that are
specifically granted under this License. You may not convey a covered
work if you are a party to an arrangement with a third party that is
in the business of distributing software, under which you make payment
to the third party based on the extent of your activity of conveying
the work, and under which the third party grants, to any of the
parties who would receive the covered work from you, a discriminatory

patent license (a) in connection with copies of the covered work
conveyed by you (or copies made from those copies), or (b) primarily
for and in connection with specific products or compilations that
contain the covered work, unless you entered into that arrangement,
or that patent license was granted, prior to 28 March 2007.

  Nothing in this License shall be construed as excluding or limiting
any implied license or other defenses to infringement that may
otherwise be available to you under applicable patent law.

  12. No Surrender of Others' Freedom.

  If conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot convey a
covered work so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you may
not convey it at all. For example, if you agree to terms that obligate you
to collect a royalty for further conveying from those to whom you convey
the Program, the only way you could satisfy both those terms and this
License would be to refrain entirely from conveying the Program.

  13. Use with the GNU Affero General Public License.

  Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

  14. Revised Versions of this License.

  The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

  Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE
USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD
PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest

possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software: you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation, either version 3 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program. If not, see <https://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

 If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

    <program> Copyright (C) <year> <name of author>
    This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

 You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<https://www.gnu.org/licenses/>.

 The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read

<https://www.gnu.org/philosophy/why-not-lgpl.html>.
                    GNU GENERAL PUBLIC LICENSE
                      Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

                      Preamble

  The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

  When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

  To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

  For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

  We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

  Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original

authors' reputations.

 Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

 The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion
of it, thus forming a work based on the Program, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices

stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

 3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your

cost of physically performing source distribution, a complete
machine-readable copy of the corresponding source code, to be
distributed under the terms of Sections 1 and 2 above on a medium
customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer
to distribute corresponding source code. (This alternative is
allowed only for noncommercial distribution and only if you
received the program in object code or executable form with such
an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering
access to copy from a designated place, then offering equivalent
access to copy the source code from the same place counts as
distribution of the source code, even though third parties are not
compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense or distribute the Program is
void, and will automatically terminate your rights under this License.
However, parties who have received copies, or rights, from you under
this License will not have their licenses terminated so long as such
parties remain in full compliance.

 5. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Program or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Program (or any work based on the
Program), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the
Program), the recipient automatically receives a license from the
original licensor to copy, distribute or modify the Program subject to

these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

 7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

 8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to

address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

 10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

                    NO WARRANTY

 11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

 12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

                 END OF TERMS AND CONDITIONS

          How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License along
    with this program; if not, write to the Free Software Foundation, Inc.,
    51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

    Gnomovision version 69, Copyright (C) year name of author
    Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

  Yoyodyne, Inc., hereby disclaims all copyright interest in the program
  `Gnomovision' (which makes passes at compilers) written by James Hacker.

  <signature of Ty Coon>, 1 April 1989
  Ty Coon, President of Vice

This General Public License does not permit incorporating your program into

proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.
[Note that only a few files are distributed under this license.]

GNU LESSER GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <https://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or

b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the Combined Work with a copy of the GNU GPL and this license document.

c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.

d) Do one of the following:

   0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

   1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

 You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it
is a work based on the Library, and explaining where to find the
accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions
of the GNU Lesser General Public License from time to time. Such new
versions will be similar in spirit to the present version, but may
differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the
Library as you received it specifies that a certain numbered version
of the GNU Lesser General Public License "or any later version"
applies to it, you have the option of following the terms and
conditions either of that published version or of any later version
published by the Free Software Foundation. If the Library as you
received it does not specify a version number of the GNU Lesser
General Public License, you may choose any version of the GNU Lesser
General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide
whether future versions of the GNU Lesser General Public License shall
apply, that proxy's public statement of acceptance of any version is
permanent authorization for you to choose that version for the
Library.
COPYING.other   -*- org -*-
#+TITLE: List of code with permissive licenses as used by GnuPG.
#+STARTUP: showall

* DNS resolver (dirmngr/dns.c)

dns.c - Recursive, Reentrant DNS Resolver.

Copyright (c) 2008, 2009, 2010, 2012-2016 William Ahern

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to permit
persons to whom the Software is furnished to do so, subject to the
following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN
NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR
OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE
USE OR OTHER DEALINGS IN THE SOFTWARE.

* TinySCHEME (tests/gpgscm/LICENSE.TinySCHEME)

Copyright (c) 2000, Dimitrios Souflis
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

Neither the name of Dimitrios Souflis nor the names of the
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.154 e2fsprogs 1.45.5 2ubuntu1.1

1.154.1 Available under license :

This is the Debian GNU/Linux prepackaged version of the static EXT2
file system consistency checker (e2fsck.static). The EXT2 utilities
were written by Theodore Ts'o <tytso@mit.edu> and Remy Card
<card@masi.ibp.fr>.

Sources were obtained from http://sourceforge.net/projects/e2fsprogs

#
This is a Makefile stub which handles the creation of BSD shared
libraries.
#
In order to use this stub, the following makefile variables must be defined.
#
BSDLIB_VERSION = 1.0
BSDLIB_IMAGE = libce
BSDLIB_MYDIR = et
BSDLIB_INSTALL_DIR = $(SHLIBDIR)
#

all:: image

real-subdirs:: Makefile
 @echo " MKDIR pic"
 @mkdir -p pic

BSD_LIB = $(BSDLIB_IMAGE).so.$(BSDLIB_VERSION)
BSDLIB_PIC_FLAG = -fpic

image: $(BSD_LIB)

$(BSD_LIB): $(OBJS)
 (cd pic; ld -Bshareable -o $(BSD_LIB) $(LDFLAGS_SHLIB) $(OBJS))
 $(MV) pic/$(BSD_LIB) .
 $(RM) -f ../$(BSD_LIB)

```
(cd ..; $(LN) $(LINK_BUILD_FLAGS) \
 `echo $(my_dir) | sed -e 's;lib/;;'`/$(BSD_LIB) $(BSD_LIB))

install-shlibs install:: $(BSD_LIB)
 @echo " INSTALL_PROGRAM $(BSDLIB_INSTALL_DIR)/$(BSD_LIB)"
 @$(INSTALL_PROGRAM) $(BSD_LIB) \
  $(DESTDIR)$(BSDLIB_INSTALL_DIR)/$(BSD_LIB)
 @-$(LDCONFIG)

install-strip: install

install-shlibs-strip:: install-shlibs

uninstall-shlibs uninstall::
 $(RM) -f $(DESTDIR)$(BSDLIB_INSTALL_DIR)/$(BSD_LIB)

clean::
 $(RM) -rf pic
 $(RM) -f $(BSD_LIB)
 $(RM) -f ../$(BSD_LIB)
```
This package was added to the e2fsprogs debian source package by
Theodore Ts'o <tytso@mit.edu> on Sat Mar 15 15:33:37 EST 2003

It is part of the main e2fsprogs distribution, which can be found at:

 http://sourceforge.net/projects/e2fsprogs

Upstream Author: Theodore Ts'o <tytso@mit.edu>

Copyright:

Copyright (C) 1999, 2001 by Andries Brouwer
Copyright (C) 1999, 2000, 2003 by Theodore Ts'o

You are free to distribute this software under the terms of the GNU
Lesser (Library) General Public License.

On Debian systems, the complete text of the GNU Lesser (Library)
General Public License can be found in /usr/share/common-licenses/LGPL-2.
This package was added to the e2fsprogs debian source package by
Theodore Ts'o <tytso@mit.edu> on Fri Dec 14 22:24:35 EST 2007

It is part of the main e2fsprogs distribution, which can be found at:

 http://sourceforge.net/projects/e2fsprogs

Upstream Author: Theodore Ts'o <tytso@mit.edu>

Copyright:

Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007 by
Theodore Ts'o

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, and the entire permission notice in its entirety,
   including the disclaimer of warranties.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote
   products derived from this software without specific prior
   written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OF
WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT
OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE
USE OF THIS SOFTWARE, EVEN IF NOT ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, and the entire permission notice in its entirety,
   including the disclaimer of warranties.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote
   products derived from this software without specific prior
   written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OF
WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

This is the Debian GNU/Linux prepackaged version of the translation
files of the EXT2 file system utilities. The EXT2 utilities were
written by Theodore Ts'o <tytso@mit.edu> and Remy Card
<card@masi.ibp.fr>.

Sources were obtained from http://sourceforge.net/projects/e2fsprogs

Upstream Author: Theodore Ts'o <tytso@mit.edu>

Copyright notice:

Index: tdbsa/tdb.c
===
--- tdbsa.orig/tdb.c
+++ tdbsa/tdb.c
@@ -4,11 +4,11 @@ Rev: 23371
Last Changed Date: 2007-06-06 20:14:06 -0400 (Wed, 06 Jun 2007)
*/
 /*
- Unix SMB/CIFS implementation.
+   trivial database library - standalone version

- trivial database library - private includes
-
- Copyright (C) Andrew Tridgell   2005
+ Copyright (C) Andrew Tridgell   1999-2005
+ Copyright (C) Jeremy Allison   2000-2006

+   Copyright (C) Paul `Rusty' Russell   2000

    ** NOTE! The following LGPL license applies to the tdb
    ** library. This does NOT imply that all of Samba is released
This is the Debian GNU/Linux prepackaged version of the EXT2 file
system utilities (e2fsck, mke2fs, etc.). The EXT2 utilities were
written by Theodore Ts'o <tytso@mit.edu> and Remy Card <card@masi.ibp.fr>.

Sources were obtained from http://sourceforge.net/projects/e2fsprogs

Packaging is Copyright (c) 2003-2007 Theodore Ts'o <tytso@mit.edu>
      Copyright (c) 1997-2003 Yann Dirson <dirson@debian.org>
   Copyright (c) 2001 Alcove <http://www.alcove.com/>
   Copyright (c) 1997 Klee Dienes
   Copyright (c) 1995-1996 Michael Nonweiler <mrn20@cam.ac.uk>

Upstream Author: Theodore Ts'o <tytso@mit.edu>

Copyright notice:

This package, the EXT2 filesystem utilities, are made available under
the GNU General Public License version 2, with the exception of the
lib/ext2fs and lib/e2p libraries, which are made available under the
GNU Library General Public License Version 2, the lib/uuid library
which is made available under a BSD-style license and the lib/et and
lib/ss libraries which are made available under an MIT-style license.

 Copyright (c) 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000,
 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008 by Theodore Ts'o

On Debian GNU systems, the complete text of the GNU General Public
License can be found in `/usr/share/common-licenses/GPL-2'. The
complete text of the GNU Library General Public License can be found
in '/usr/share/common-licenses/LGPL-2'.

The license used for lib/et and lib/ss libraries is:

 Copyright 1987 by the Student Information Processing Board
 of the Massachusetts Institute of Technology

 Permission to use, copy, modify, and distribute this software and
 its documentation for any purpose is hereby granted, provided that
 the names of M.I.T. and the M.I.T. S.I.P.B. not be used in
 advertising or publicity pertaining to distribution of the software
 without specific, written prior permission. M.I.T. and the
 M.I.T. S.I.P.B. make no representations about the suitability of
 this software for any purpose. It is provided "as is" without

express or implied warranty.

The license used for lib/uuid is:

  Redistribution and use in source and binary forms, with or without
  modification, are permitted provided that the following conditions
  are met:
  1. Redistributions of source code must retain the above copyright
     notice, and the entire permission notice in its entirety,
     including the disclaimer of warranties.
  2. Redistributions in binary form must reproduce the above copyright
     notice, this list of conditions and the following disclaimer in the
     documentation and/or other materials provided with the distribution.
  3. The name of the author may not be used to endorse or promote
     products derived from this software without specific prior
     written permission.

  THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESS OR IMPLIED
  WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
  OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OF
  WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE
  LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
  CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT
  OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
  BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
  LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
  (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE
  USE OF THIS SOFTWARE, EVEN IF NOT ADVISED OF THE POSSIBILITY OF SUCH
  DAMAGE.

This package, the EXT2 filesystem utilities, are made available under
the GNU Public License version 2, with the exception of the lib/ext2fs
and lib/e2p libraries, which are made available under the GNU Library
General Public License Version 2, the lib/uuid library which is made
available under a BSD-style license and the lib/et and lib/ss
libraries which are made available under an MIT-style license. Please
see lib/uuid/COPYING for more details for the license for the files
comprising the libuuid library, and the source file headers of the
libet and libss libraries for more information.

The most recent officially distributed version can be found at
http://e2fsprogs.sourceforge.net. If you need to make a distribution,
that's the one you should use. If there is some reason why you'd like
a more recent version that is still in ALPHA testing (i.e., either
using the "WIP" test distributions or one from the hg or git
repository from the development branch, please contact me
(tytso@mit.edu) before you ship. The release schedules for this
package are flexible, if you give me enough lead time.

Theodore Ts'o

23-June-2007

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Library General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

 Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

 The precise terms and conditions for copying, distribution and
modification follow.

    GNU GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion

of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable

source code, which must be distributed under the terms of Sections
1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three
years, to give any third party, for a charge no more than your
cost of physically performing source distribution, a complete
machine-readable copy of the corresponding source code, to be
distributed under the terms of Sections 1 and 2 above on a medium
customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer
to distribute corresponding source code. (This alternative is
allowed only for noncommercial distribution and only if you
received the program in object code or executable form with such
an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering
access to copy from a designated place, then offering equivalent
access to copy the source code from the same place counts as
distribution of the source code, even though third parties are not
compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense or distribute the Program is
void, and will automatically terminate your rights under this License.
However, parties who have received copies, or rights, from you under
this License will not have their licenses terminated so long as such
parties remain in full compliance.

 5. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Program or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Program (or any work based on the
Program), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying

the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

 7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

 8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates

the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program; if not, write to the Free Software
    Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

    Gnomovision version 69, Copyright (C) year name of author
    Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the program

`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

GNU LIBRARY GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the library GPL. It is
numbered 2 because it goes with version 2 of the ordinary GPL.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Library General Public License, applies to some
specially designated Free Software Foundation software, and to any
other libraries whose authors decide to use it. You can use it for
your libraries, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if
you distribute copies of the library, or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link a program with the library, you must provide complete object files to the recipients so that they can relink them with the library, after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

Our method of protecting your rights has two steps: (1) copyright the library, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the library.

Also, for each distributor's protection, we want to make certain that everyone understands that there is no warranty for this free library. If the library is modified by someone else and passed on, we want its recipients to know that what they have is not the original version, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that companies distributing free software will individually obtain patent licenses, thus in effect transforming the program into proprietary software. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License, which was designed for utility programs. This license, the GNU Library General Public License, applies to certain designated libraries. This license is quite different from the ordinary one; be sure to read it in full, and don't assume that anything in it is the same as in the ordinary license.

The reason we have a separate public license for some libraries is that they blur the distinction we usually make between modifying or adding to a program and simply using it. Linking a program with a library, without changing the library, is in some sense simply using the library, and is analogous to running a utility program or application program. However, in a textual and legal sense, the linked executable is a combined work, a derivative of the original library, and the ordinary General Public License treats it as such.

Because of this blurred distinction, using the ordinary General Public License for libraries did not effectively promote software sharing, because most developers did not use the libraries. We concluded that weaker conditions might promote sharing better.

However, unrestricted linking of non-free programs would deprive the

users of those programs of all benefit from the free status of the
libraries themselves. This Library General Public License is intended to
permit developers of non-free programs to use free libraries, while
preserving your freedom as a user of such programs to change the free
libraries that are incorporated in them. (We have not seen how to achieve
this as regards changes in header files, but we have achieved it as regards
changes in the actual functions of the Library.) The hope is that this
will lead to faster development of free libraries.

 The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, while the latter only
works together with the library.

 Note that it is possible for a library to be covered by the ordinary
General Public License rather than by this special one.

   GNU LIBRARY GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License Agreement applies to any software library which
contains a notice placed by the copyright holder or other authorized
party saying it may be distributed under the terms of this Library
General Public License (also called "this License"). Each licensee is
addressed as "you".

 A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

 The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated
straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

 "Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means
all the source code for all modules it contains, plus any associated
interface definition files, plus the scripts used to control compilation
and installation of the library.

 Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running a program using the Library is not restricted, and output from

such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

 1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

 You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

  a) The modified work must itself be a software library.

  b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

  c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

  d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

  (For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in

themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

 Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

 4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

 5. A program that contains no derivative of any portion of the

Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

 However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

 When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

 If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

 Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

 6. As an exception to the Sections above, you may also compile or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

 You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

  a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under

Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

c) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

d) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact
that part of it is a work based on the Library, and explaining
where to find the accompanying uncombined form of the same work.

  8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

  9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

  10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties to
this License.

  11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply,
and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any

such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

 12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

 13. The Free Software Foundation may publish revised and/or new
versions of the Library General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

 14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

    NO WARRANTY

 15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY

KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

 16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

   END OF TERMS AND CONDITIONS

     How to Apply These Terms to Your New Libraries

 If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

 To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

    <one line to give the library's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This library is free software; you can redistribute it and/or
    modify it under the terms of the GNU Library General Public
    License as published by the Free Software Foundation; either
    version 2 of the License, or (at your option) any later version.

    This library is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
    Library General Public License for more details.

    You should have received a copy of the GNU Library General Public
    License along with this library; if not, write to the Free Software
    Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the
 library `Frob' (a library for tweaking knobs) written by James Random Hacker.

 <signature of Ty Coon>, 1 April 1990
 Ty Coon, President of Vice

That's all there is to it!
This package was added to the e2fsprogs debian source package by
Theodore Ts'o <tytso@mit.edu> on Sat Mar 15 15:33:37 EST 2003

It is part of the main e2fsprogs distribution, which can be found at:

 http://sourceforge.net/projects/e2fsprogs

Upstream Author: Theodore Ts'o <tytso@mit.edu>

Copyright:

Copyright (C) 1999, 2000, 2003, 2004 by Theodore Ts'o

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, and the entire permission notice in its entirety,
   including the disclaimer of warranties.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote
   products derived from this software without specific prior
   written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OF
WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT
OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF

LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE
USE OF THIS SOFTWARE, EVEN IF NOT ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.
This is the Debian GNU/Linux prepackaged version of the ss
command-line interface parsing library. It is currently
distributed together with the EXT2 file system utilities, which are
otherwise packaged as "e2fsprogs".

This package was put together by Yann Dirson <dirson@debian.org>,
from sources obtained from a mirror of:
tsx-11.mit.edu:/pub/linux/packages/ext2fs/

From the original distribution:

Copyright 1987, 1988 by the Student Information Processing Board
 of the Massachusetts Institute of Technology

Permission to use, copy, modify, and distribute this software
and its documentation for any purpose and without fee is
hereby granted, provided that the above copyright notice
appear in all copies and that both that copyright notice and
this permission notice appear in supporting documentation,
and that the names of M.I.T. and the M.I.T. S.I.P.B. not be
used in advertising or publicity pertaining to distribution
of the software without specific, written prior permission.
M.I.T. and the M.I.T. S.I.P.B. make no representations about
the suitability of this software for any purpose. It is
provided "as is" without express or implied warranty.
This is the Debian GNU/Linux prepackaged version of the Common Error
Description library. It is currently distributed together with the EXT2 file
system utilities, which are otherwise packaged as "e2fsprogs".

This package was put together by Yann Dirson <dirson@debian.org>,
from sources obtained from a mirror of:
tsx-11.mit.edu:/pub/linux/packages/ext2fs/

From the original distribution:

Copyright 1987, 1988 by the Student Information Processing Board
 of the Massachusetts Institute of Technology

Permission to use, copy, modify, and distribute this software
and its documentation for any purpose and without fee is
hereby granted, provided that the above copyright notice
appear in all copies and that both that copyright notice and
this permission notice appear in supporting documentation,
and that the names of M.I.T. and the M.I.T. S.I.P.B. not be

used in advertising or publicity pertaining to distribution
of the software without specific, written prior permission.
M.I.T. and the M.I.T. S.I.P.B. make no representations about
the suitability of this software for any purpose. It is
provided "as is" without express or implied warranty.
EXT2ED is hereby placed under the terms of the GNU General Public License.
Follows the GNU license.

Gadi Oxman, August 1995

        GNU GENERAL PUBLIC LICENSE
           Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
                     675 Mass Ave, Cambridge, MA 02139, USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

          Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Library General Public License instead.) You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their

rights.

 We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

 Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

 Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

 The precise terms and conditions for copying, distribution and
modification follow.

  GNU GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License

along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion
of it, thus forming a work based on the Program, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

   a) You must cause the modified files to carry prominent notices
   stating that you changed the files and the date of any change.

   b) You must cause any work that you distribute or publish, that in
   whole or in part contains or is derived from the Program or any
   part thereof, to be licensed as a whole at no charge to all third
   parties under the terms of this License.

   c) If the modified program normally reads commands interactively
   when run, you must cause it, when started running for such
   interactive use in the most ordinary way, to print or display an
   announcement including an appropriate copyright notice and a
   notice that there is no warranty (or else, saying that you provide
   a warranty) and that users may redistribute the program under
   these conditions, and telling the user how to view a copy of this
   License. (Exception: if the Program itself is interactive but
   does not normally print such an announcement, your work based on
   the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not

signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

 7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER

PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

   END OF TERMS AND CONDITIONS

 Appendix: How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

  <one line to give the program's name and a brief idea of what it does.>
  Copyright (C) 19yy <name of author>

  This program is free software; you can redistribute it and/or modify
  it under the terms of the GNU General Public License as published by
  the Free Software Foundation; either version 2 of the License, or
  (at your option) any later version.

  This program is distributed in the hope that it will be useful,
  but WITHOUT ANY WARRANTY; without even the implied warranty of
  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
  GNU General Public License for more details.

  You should have received a copy of the GNU General Public License
  along with this program; if not, write to the Free Software
  Foundation, Inc., 675 Mass Ave, Cambridge, MA 02139, USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

  Gnomovision version 69, Copyright (C) 19yy name of author
  Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
  This is free software, and you are welcome to redistribute it
  under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the program
 `Gnomovision' (which makes passes at compilers) written by James Hacker.

 <signature of Ty Coon>, 1 April 1989
 Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

1.155 klauspost-compress 1.13.6
1.155.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Klaus Post

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
Copyright 2016 The filepathx Authors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated
documentation files (the "Software"), to deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit
persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

  * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
  * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This is the official list of people who can contribute
(and typically have contributed) code to the Snappy-Go repository.
The AUTHORS file lists the copyright holders; this file
lists people. For example, Google employees are listed here
but not in AUTHORS, because Google holds the copyright.
#
The submission process automatically checks to make sure
that people submitting code are listed in this file (by email address).
#
Names should be added to this file only after verifying that
the individual or the individual's organization has agreed to

                    Apache License
                Version 2.0, January 2004
              http://www.apache.org/licenses/

  TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

  1. Definitions.

    "License" shall mean the terms and conditions for use, reproduction,
    and distribution as defined by Sections 1 through 9 of this document.

    "Licensor" shall mean the copyright owner or entity authorized by
    the copyright owner that is granting the License.

    "Legal Entity" shall mean the union of the acting entity and all
    other entities that control, are controlled by, or are under common
    control with that entity. For the purposes of this definition,
    "control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and
       attribution notices from the Source form of the Work,
       excluding those notices that do not pertain to any part of
       the Derivative Works; and

   (d) If the Work includes a "NOTICE" text file as part of its
       distribution, then any Derivative Works that You distribute must
       include a readable copy of the attribution notices contained
       within such NOTICE file, excluding those notices that do not
       pertain to any part of the Derivative Works, in at least one
       of the following places: within a NOTICE text file distributed
       as part of the Derivative Works; within the Source form or
       documentation, if provided along with the Derivative Works; or,
       within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright 2016-2017 The New York Times Company

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Copyright (c) 2016 Caleb Spare

MIT License

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

   * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
   * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files: gzhttp/*

Apache License
Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
   that You distribute, all copyright, patent, trademark, and
   attribution notices from the Source form of the Work,
   excluding those notices that do not pertain to any part of
   the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
   distribution, then any Derivative Works that You distribute must
   include a readable copy of the attribution notices contained
   within such NOTICE file, excluding those notices that do not
   pertain to any part of the Derivative Works, in at least one
   of the following places: within a NOTICE text file distributed
   as part of the Derivative Works; within the Source form or
   documentation, if provided along with the Derivative Works; or,
   within a display generated by the Derivative Works, if and
   wherever such third-party notices normally appear. The contents
   of the NOTICE file are for informational purposes only and
   do not modify the License. You may add Your own attribution
   notices within Derivative Works that You distribute, alongside
   or as an addendum to the NOTICE text from the Work, provided
   that such additional attribution notices cannot be construed
   as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright 2016-2017 The New York Times Company

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Files: s2/cmd/internal/readahead/*

The MIT License (MIT)

Files: snappy/*
Files: internal/snapref/*

in the documentation and/or other materials provided with the
distribution.
 * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files: s2/cmd/internal/filepathx/*

Copyright 2016 The filepathx Authors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated
documentation files (the "Software"), to deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit
persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the
Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,
INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A
PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN
AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Copyright (c) 2011 The Snappy-Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

 * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
 * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer

in the documentation and/or other materials provided with the
distribution.

* Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.156 clockwork 0.2.2

1.156.1 Available under license :

No license file was found, but licenses were detected in source scan.

Clockwork - a clock process to replace cron
===

Cron is non-ideal for running scheduled application tasks, especially in an app
deployed to multiple machines. [More details.](http://adam.heroku.com/past/2010/4/13/rethinking_cron/)

Clockwork is a cron replacement. It runs as a lightweight, long-running Ruby
process which sits alongside your web processes (Mongrel/Thin) and your worker
processes (DJ/Resque/Minion/Stalker) to schedule recurring work at particular
times or dates. For example, refreshing feeds on an hourly basis, or send
reminder emails on a nightly basis, or generating invoices once a month on the
1st.

Quickstart

Create clock.rb:

```
  require 'clockwork'
  include Clockwork

  handler do |job|
    puts "Running #{job}"
  end
```

```
every(10.seconds, 'frequent.job')
every(3.minutes, 'less.frequent.job')
every(1.hour, 'hourly.job')

every(1.day, 'midnight.job', :at => '00:00')
```

Run it with the clockwork binary:

```
$ clockwork clock.rb
[2010-05-25 18:16:46 -0700] Starting clock for 4 events: [ frequent.job less.frequent.job hourly.job midnight.job ]
[2010-05-25 18:16:46 -0700] -> frequent.job
```

Use with queueing

The clock process only makes sense as a place to schedule work to be done, not
to do the work. It avoids locking by running as a single process, but this
makes it impossible to parallelize. For doing the work, you should be using a
job queueing system, such as
[Delayed Job](http://www.therailsway.com/2009/7/22/do-it-later-with-delayed-job),
[Beanstalk/Stalker](http://adam.heroku.com/past/2010/4/24/beanstalk_a_simple_and_fast_queueing_backend/),
[RabbitMQ/Minion](http://adamblog.heroku.com/past/2009/9/28/background_jobs_with_rabbitmq_and_minion/),
or
[Resque](http://github.com/blog/542-introducing-resque). This design allows a
simple clock process with no locks, but also offers near infinite horizontal
scalability.

For example, if you're using Beanstalk/Staker:

```
require 'stalker'

handler { |job| Stalker.enqueue(job) }

every(1.hour, 'feeds.refresh')
every(1.day, 'reminders.send', :at => '01:30')
```

Using a queueing system which doesn't require that your full application be
loaded is preferable, because the clock process can keep a tiny memory
footprint. If you're using DJ or Resque, however, you can go ahead and load
your full application enviroment, and use per-event blocks to call DJ or Resque
enqueue methods. For example, with DJ/Rails:

```
require 'config/boot'
require 'config/environment'

every(1.hour, 'feeds.refresh') { Feed.send_later(:refresh) }
every(1.day, 'reminders.send', :at => '01:30') { Reminder.send_later(:send_reminders) }
```

Anatomy of a clock file
----

clock.rb is standard Ruby. Since we include the Clockwork module (the
clockwork binary does this automatically, or you can do it explicitly), this
exposes a small DSL ("handler" and "every") to define the handler for events,
and then the events themselves.

The handler typically looks like this:

```
handler { |job| enqueue_your_job(job) }
```

This block will be invoked every time an event is triggered, with the job name
passed in. In most cases, you should be able to pass the job name directly
through to your queueing system.

The second part of the file are the events, which roughly resembles a crontab:

```
every(5.minutes, 'thing.do')
every(1.hour, 'otherthing.do')
```

In the first line of this example, an event will be triggered once every five
minutes, passing the job name 'thing.do' into the handler. The handler shown
above would thus call enqueue_your_job('thing.do').

You can also pass a custom block to the handler, for job queueing systems that
rely on classes rather than job names (i.e. DJ and Resque). In this case, you
need not define a general event handler, and instead provide one with each
event:

```
every(5.minutes, 'thing.do') { Thing.send_later(:do) }
```

If you provide a custom handler for the block, the job name is used only for
logging.

You can also use blocks to do more complex checks:

```
every(1.day, 'check.leap.year') do
  Stalker.enqueue('leap.year.party') if Time.now.year % 4 == 0
end
```

In production

Only one clock process should ever be running across your whole application
deployment. For example, if your app is running on three VPS machines (two app
servers and one database), your app machines might have the following process

topography:

* App server 1: 3 web (thin start), 3 workers (rake jobs:work), 1 clock (clockwork clock.rb)
* App server 2: 3 web (thin start), 3 workers (rake jobs:work)

You should use Monit, God, Upstart, or Inittab to keep your clock process
running the same way you keep your web and workers running.

Meta

Created by Adam Wiggins

Inspired by [rufus-scheduler](http://rufus.rubyforge.org/rufus-scheduler/) and [http://github.com/bvandenbos/resque-scheduler](resque-scehduler)

Design assistance from Peter van Hardenberg and Matthew Soldo

Patches contributed by Mark McGranaghan

Released under the MIT License: http://www.opensource.org/licenses/mit-license.php

http://github.com/adamwiggins/clockwork

Found in path(s):
* /opt/cola/permits/1215783807_1634571130.71/0/clockwork-0-2-2-2-gem/data-tar-gz/README.md

1.157 gopkg.in-yaml GOAMD64=v1 build

1.157.1 Available under license :

Copyright 2011-2016 Canonical Ltd.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

                    Apache License
                Version 2.0, January 2004

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
    that You distribute, all copyright, patent, trademark, and
    attribution notices from the Source form of the Work,
    excluding those notices that do not pertain to any part of
    the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
    distribution, then any Derivative Works that You distribute must
    include a readable copy of the attribution notices contained
    within such NOTICE file, excluding those notices that do not
    pertain to any part of the Derivative Works, in at least one
    of the following places: within a NOTICE text file distributed
    as part of the Derivative Works; within the Source form or
    documentation, if provided along with the Derivative Works; or,
    within a display generated by the Derivative Works, if and
    wherever such third-party notices normally appear. The contents
    of the NOTICE file are for informational purposes only and
    do not modify the License. You may add Your own attribution
    notices within Derivative Works that You distribute, alongside
    or as an addendum to the NOTICE text from the Work, provided
    that such additional attribution notices cannot be construed
    as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "{}"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
The following files were ported to Go from C files of libyaml, and thus
are still covered by their original copyright and license:

    apic.go
    emitterc.go
    parserc.go
    readerc.go
    scannerc.go
    writerc.go
    yamlh.go
    yamlprivateh.go

Copyright (c) 2006 Kirill Simonov

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.158 libsepol 3.0 1

1.158.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE
         Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

 This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

 When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

 To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

 For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

 We protect your rights with a two-step method: (1) we copyright the
library, and (2) we offer you this license, which gives you legal
permission to copy, distribute and/or modify the library.

 To protect each distributor, we want to make it very clear that
there is no warranty for the free library. Also, if the library is

modified by someone else and passed on, the recipients should know
that what they have is not the original version, so that the original
author's reputation will not be affected by problems that might be
introduced by others.

Finally, software patents pose a constant threat to the existence of
any free program. We wish to make sure that a company cannot
effectively restrict the users of a free program by obtaining a
restrictive license from a patent holder. Therefore, we insist that
any patent license obtained for a version of the library must be
consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the
ordinary GNU General Public License. This license, the GNU Lesser
General Public License, applies to certain designated libraries, and
is quite different from the ordinary General Public License. We use
this license for certain libraries in order to permit linking those
libraries into non-free programs.

When a program is linked with a library, whether statically or using
a shared library, the combination of the two is legally speaking a
combined work, a derivative of the original library. The ordinary
General Public License therefore permits such linking only if the
entire combination fits its criteria of freedom. The Lesser General
Public License permits more lax criteria for linking other code with
the library.

We call this license the "Lesser" General Public License because it
does Less to protect the user's freedom than the ordinary General
Public License. It also provides other free software developers Less
of an advantage over competing non-free programs. These disadvantages
are the reason we use the ordinary General Public License for many
libraries. However, the Lesser license provides advantages in certain
special circumstances.

For example, on rare occasions, there may be a special need to
encourage the widest possible use of a certain library, so that it becomes
a de-facto standard. To achieve this, non-free programs must be
allowed to use the library. A more frequent case is that a free
library does the same job as widely used non-free libraries. In this
case, there is little to gain by limiting the free library to free
software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free
programs enables a greater number of people to use a large body of
free software. For example, permission to use the GNU C Library in
non-free programs enables many more people to use the whole GNU
operating system, as well as its variant, the GNU/Linux operating

system.

Although the Lesser General Public License is Less protective of the
users' freedom, it does ensure that the user of a program that is
linked with the Library has the freedom and the wherewithal to run
that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, whereas the latter must
be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other
program which contains a notice placed by the copyright holder or
other authorized party saying it may be distributed under the terms of
this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated
straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means
all the source code for all modules it contains, plus any associated
interface definition files, plus the scripts used to control compilation
and installation of the library.

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running a program using the Library is not restricted, and output from
such a program is covered only if its contents constitute a work based
on the Library (independent of the use of the Library in a tool for
writing it). Whether that is true depends on what the Library does
and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the

entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

 Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

 4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

 5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

 When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

 If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

 Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

 6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

 You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

 a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood

that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

 For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

 It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

 7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library

facilities. This must be distributed under the terms of the
Sections above.

b) Give prominent notice with the combined library of the fact
that part of it is a work based on the Library, and explaining
where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties with
this License.

11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply,
and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

 12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

 13. The Free Software Foundation may publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

 14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

  NO WARRANTY

 15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO

WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

 16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

 END OF TERMS AND CONDITIONS

 How to Apply These Terms to Your New Libraries

 If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

 To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

    <one line to give the library's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This library is free software; you can redistribute it and/or
    modify it under the terms of the GNU Lesser General Public
    License as published by the Free Software Foundation; either
    version 2.1 of the License, or (at your option) any later version.

    This library is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
    Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

1.159 grafana-grafana-plugin-model 0.0.0-20190930120109-1fc953a61fb4

1.159.1 Available under license :

Mozilla Public License, version 2.0

1. Definitions

1.1. Contributor

   means each individual or legal entity that creates, contributes to the
   creation of, or owns Covered Software.

1.2. Contributor Version

   means the combination of the Contributions of others (if any) used by a
   Contributor and that particular Contributors Contribution.

1.3. Contribution

   means Covered Software of a particular Contributor.

1.4. Covered Software

   means Source Code Form to which the initial Contributor has attached the
   notice in Exhibit A, the Executable Form of such Source Code Form, and
   Modifications of such Source Code Form, in each case including portions
   thereof.

1.5. Incompatible With Secondary Licenses
  means

  a. that the initial Contributor has attached the notice described in
     Exhibit B to the Covered Software; or

  b. that the Covered Software was made available under the terms of version
     1.1 or earlier of the License, but not also under the terms of a
     Secondary License.

1.6. Executable Form

  means any form of the work other than Source Code Form.

1.7. Larger Work

  means a work that combines Covered Software with other material, in a separate
  file or files, that is not Covered Software.

1.8. License

  means this document.

1.9. Licensable

  means having the right to grant, to the maximum extent possible, whether at the
  time of the initial grant or subsequently, any and all of the rights conveyed by
  this License.

1.10. Modifications

  means any of the following:

  a. any file in Source Code Form that results from an addition to, deletion
     from, or modification of the contents of Covered Software; or

  b. any new file in Source Code Form that contains any Covered Software.

1.11. Patent Claims of a Contributor

  means any patent claim(s), including without limitation, method, process,
  and apparatus claims, in any patent Licensable by such Contributor that
  would be infringed, but for the grant of the License, by the making,
  using, selling, offering for sale, having made, import, or transfer of
  either its Contributions or its Contributor Version.

1.12. Secondary License

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. Source Code Form

means the form of the work preferred for making modifications.

1.14. You (or Your)

means an individual or a legal entity exercising rights under this License. For legal entities, You includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

a. under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section

2.1(b) above, no patent license is granted by a Contributor:

a. for any code that a Contributor has removed from Covered Software; or

b. for infringements caused by: (i) Your and any other third partys modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how

they can obtain a copy of this License. You may not attempt to alter or
restrict the recipients rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

a. such Covered Software must also be made available in Source Code Form,
   as described in Section 3.1, and You must inform recipients of the
   Executable Form how they can obtain a copy of such Source Code Form by
   reasonable means in a timely manner, at a charge no more than the cost
   of distribution to the recipient; and

b. You may distribute such Executable Form under the terms of this License,
   or sublicense it under different terms, provided that the license for
   the Executable Form does not attempt to limit or alter the recipients
   rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice,
provided that You also comply with the requirements of this License for the
Covered Software. If the Larger Work is a combination of Covered Software
with a work governed by one or more Secondary Licenses, and the Covered
Software is not Incompatible With Secondary Licenses, this License permits
You to additionally distribute such Covered Software under the terms of
such Secondary License(s), so that the recipient of the Larger Work may, at
their option, further distribute the Covered Software under the terms of
either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including
copyright notices, patent notices, disclaimers of warranty, or limitations
of liability) contained within the Source Code Form of the Covered
Software, except that You may alter any license notices to the extent
required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support,
indemnity or liability obligations to one or more recipients of Covered
Software. However, You may do so only on Your own behalf, and not on behalf
of any Contributor. You must make it absolutely clear that any such
warranty, support, indemnity, or liability obligation is offered by You
alone, and You hereby agree to indemnify every Contributor for any
liability incurred by such Contributor as a result of warranty, support,
indemnity or liability terms You offer. You may include additional

disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6. Disclaimer of Warranty

Covered Software is provided under this License on an as is basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire

risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such partys negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a partys ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of
the License under which You originally received the Covered Software, or
under the terms of any subsequent version published by the license
steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to
create a new license for such software, you may create and use a modified
version of this License if you rename the license and remove any
references to the name of the license steward (except to note that such
modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses
If You choose to distribute Source Code Form that is Incompatible With
Secondary Licenses under the terms of this version of the License, the
notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the
terms of the Mozilla Public License, v.
2.0. If a copy of the MPL was not
distributed with this file, You can
obtain one at
http://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular file, then
You may include the notice in a location (such as a LICENSE file in a relevant
directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - Incompatible With Secondary Licenses Notice

This Source Code Form is Incompatible
With Secondary Licenses, as defined by
the Mozilla Public License, v. 2.0.
The MIT License (MIT)

Copyright (c) 2016 Mitchell Hashimoto

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
Copyright 2010 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

   * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
   * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Mozilla Public License, version 2.0

1. Definitions

1.1. "Contributor"

   means each individual or legal entity that creates, contributes to the

creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"
means

a. that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

b. that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

   a. any file in Source Code Form that results from an addition to,
      deletion from, or modification of the contents of Covered Software; or

   b. any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

   means any patent claim(s), including without limitation, method,
   process, and apparatus claims, in any patent Licensable by such
   Contributor that would be infringed, but for the grant of the License,
   by the making, using, selling, offering for sale, having made, import,
   or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

   means either the GNU General Public License, Version 2.0, the GNU Lesser
   General Public License, Version 2.1, the GNU Affero General Public
   License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

   means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

   means an individual or a legal entity exercising rights under this
   License. For legal entities, "You" includes any entity that controls, is
   controlled by, or is under common control with You. For purposes of this
   definition, "control" means (a) the power, direct or indirect, to cause
   the direction or management of such entity, whether by contract or
   otherwise, or (b) ownership of more than fifty percent (50%) of the
   outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

   Each Contributor hereby grants You a world-wide, royalty-free,
   non-exclusive license:

   a. under intellectual property rights (other than patent or trademark)
      Licensable by such Contributor to use, reproduce, make available,
      modify, display, perform, distribute, and otherwise exploit its
      Contributions, either on an unmodified basis, with Modifications, or

as part of a Larger Work; and

b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

a. for any code that a Contributor has removed from Covered Software; or

b. for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

a. such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

b. You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered

Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have

received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6. Disclaimer of Warranty

Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts

of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the
terms of the Mozilla Public License, v.
2.0. If a copy of the MPL was not
distributed with this file, You can
obtain one at
http://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular file,
then You may include the notice in a location (such as a LICENSE file in a
relevant directory) where a recipient would be likely to look for such a
notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible
With Secondary Licenses", as defined by
the Mozilla Public License, v. 2.0.
This source code was written by the Go contributors.
The master list of contributors is in the main Go distribution,
visible at http://tip.golang.org/CONTRIBUTORS.
Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

   * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
   * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE

OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License

Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
    Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
    stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
    that You distribute, all copyright, patent, trademark, and
    attribution notices from the Source form of the Work,
    excluding those notices that do not pertain to any part of
    the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
    distribution, then any Derivative Works that You distribute must
    include a readable copy of the attribution notices contained
    within such NOTICE file, excluding those notices that do not
    pertain to any part of the Derivative Works, in at least one
    of the following places: within a NOTICE text file distributed
    as part of the Derivative Works; within the Source form or
    documentation, if provided along with the Derivative Works; or,
    within a display generated by the Derivative Works, if and
    wherever such third-party notices normally appear. The contents
    of the NOTICE file are for informational purposes only and
    do not modify the License. You may add Your own attribution
    notices within Derivative Works that You distribute, alongside
    or as an addendum to the NOTICE text from the Work, provided
    that such additional attribution notices cannot be construed
    as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
MIT License

Copyright (c) 2017 HashiCorp

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

                    Apache License
                Version 2.0, January 2004
              http://www.apache.org/licenses/

   TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

   1. Definitions.

      "License" shall mean the terms and conditions for use, reproduction,
      and distribution as defined by Sections 1 through 9 of this document.

      "Licensor" shall mean the copyright owner or entity authorized by
      the copyright owner that is granting the License.

      "Legal Entity" shall mean the union of the acting entity and all
      other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and
       attribution notices from the Source form of the Work,
       excluding those notices that do not pertain to any part of
       the Derivative Works; and

   (d) If the Work includes a "NOTICE" text file as part of its
       distribution, then any Derivative Works that You distribute must
       include a readable copy of the attribution notices contained
       within such NOTICE file, excluding those notices that do not
       pertain to any part of the Derivative Works, in at least one
       of the following places: within a NOTICE text file distributed
       as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.160 fdisk 2.34.0

1.160.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original

authors' reputations.

 Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

 The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion
of it, thus forming a work based on the Program, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices

stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in
whole or in part contains or is derived from the Program or any
part thereof, to be licensed as a whole at no charge to all third
parties under the terms of this License.

c) If the modified program normally reads commands interactively
when run, you must cause it, when started running for such
interactive use in the most ordinary way, to print or display an
announcement including an appropriate copyright notice and a
notice that there is no warranty (or else, saying that you provide
a warranty) and that users may redistribute the program under
these conditions, and telling the user how to view a copy of this
License. (Exception: if the Program itself is interactive but
does not normally print such an announcement, your work based on
the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable
source code, which must be distributed under the terms of Sections
1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three
years, to give any third party, for a charge no more than your

cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

 5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to

these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties to
this License.

  7. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Program at all. For example, if a patent
license would not permit royalty-free redistribution of the Program by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to
apply and the section as a whole is intended to apply in other
circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system, which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

  8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

  9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to

address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

 10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

			NO WARRANTY

 11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

 12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

		END OF TERMS AND CONDITIONS

	How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License along
    with this program; if not, write to the Free Software Foundation, Inc.,
    51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

    Gnomovision version 69, Copyright (C) year name of author
    Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the program
 `Gnomovision' (which makes passes at compilers) written by James Hacker.

 <signature of Ty Coon>, 1 April 1989
 Ty Coon, President of Vice

This General Public License does not permit incorporating your program into

proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.

1.161 grpc-ecosystem-go-grpc-middleware 1.2.1

1.161.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and
       attribution notices from the Source form of the Work,
       excluding those notices that do not pertain to any part of
       the Derivative Works; and

   (d) If the Work includes a "NOTICE" text file as part of its
       distribution, then any Derivative Works that You distribute must
       include a readable copy of the attribution notices contained
       within such NOTICE file, excluding those notices that do not
       pertain to any part of the Derivative Works, in at least one
       of the following places: within a NOTICE text file distributed
       as part of the Derivative Works; within the Source form or
       documentation, if provided along with the Derivative Works; or,
       within a display generated by the Derivative Works, if and
       wherever such third-party notices normally appear. The contents
       of the NOTICE file are for informational purposes only and
       do not modify the License. You may add Your own attribution
       notices within Derivative Works that You distribute, alongside
       or as an addendum to the NOTICE text from the Work, provided
       that such additional attribution notices cannot be construed
       as modifying the License.

   You may add Your own copyright statement to Your modifications and
   may provide additional or different license terms and conditions
   for use, reproduction, or distribution of Your modifications, or
   for any such Derivative Works as a whole, provided Your use,
   reproduction, and distribution of the Work otherwise complies with
   the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"

replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.162 deepmap-oapi-codegen 1.3.13
1.162.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

   "License" shall mean the terms and conditions for use, reproduction,
   and distribution as defined by Sections 1 through 9 of this document.

   "Licensor" shall mean the copyright owner or entity authorized by
   the copyright owner that is granting the License.

   "Legal Entity" shall mean the union of the acting entity and all
   other entities that control, are controlled by, or are under common
   control with that entity. For the purposes of this definition,
   "control" means (i) the power, direct or indirect, to cause the
   direction or management of such entity, whether by contract or
   otherwise, or (ii) ownership of fifty percent (50%) or more of the
   outstanding shares, or (iii) beneficial ownership of such entity.

   "You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and
       attribution notices from the Source form of the Work,
       excluding those notices that do not pertain to any part of
       the Derivative Works; and

   (d) If the Work includes a "NOTICE" text file as part of its
       distribution, then any Derivative Works that You distribute must
       include a readable copy of the attribution notices contained
       within such NOTICE file, excluding those notices that do not
       pertain to any part of the Derivative Works, in at least one
       of the following places: within a NOTICE text file distributed
       as part of the Derivative Works; within the Source form or
       documentation, if provided along with the Derivative Works; or,
       within a display generated by the Derivative Works, if and
       wherever such third-party notices normally appear. The contents
       of the NOTICE file are for informational purposes only and
       do not modify the License. You may add Your own attribution
       notices within Derivative Works that You distribute, alongside
       or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.163 xxhash 2.1.2

1.163.1 Available under license :

Copyright (c) 2016 Caleb Spare

MIT License

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.164 prometheus-common 0.26.0

1.164.1 Available under license :

Common libraries shared by Prometheus Go components.
Copyright 2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (http://soundcloud.com/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.165 go-runewidth 0.0.9

1.165.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Yasuhiro Matsumoto

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.166 golang-sql-civil 0.0.0-20190719163853-cb61b32ac6fe

1.166.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.167 go-xerial-snappy 0.0.0-20180814174437-776d5712da21

1.167.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Evan Huus

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.168 libseccomp 2.5.1-1ubuntu1~20.04.2

1.168.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

 This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

 When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

 To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these

rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

 For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

 We protect your rights with a two-step method: (1) we copyright the
library, and (2) we offer you this license, which gives you legal
permission to copy, distribute and/or modify the library.

 To protect each distributor, we want to make it very clear that
there is no warranty for the free library. Also, if the library is
modified by someone else and passed on, the recipients should know
that what they have is not the original version, so that the original
author's reputation will not be affected by problems that might be
introduced by others.

 Finally, software patents pose a constant threat to the existence of
any free program. We wish to make sure that a company cannot
effectively restrict the users of a free program by obtaining a
restrictive license from a patent holder. Therefore, we insist that
any patent license obtained for a version of the library must be
consistent with the full freedom of use specified in this license.

 Most GNU software, including some libraries, is covered by the
ordinary GNU General Public License. This license, the GNU Lesser
General Public License, applies to certain designated libraries, and
is quite different from the ordinary General Public License. We use
this license for certain libraries in order to permit linking those
libraries into non-free programs.

 When a program is linked with a library, whether statically or using
a shared library, the combination of the two is legally speaking a
combined work, a derivative of the original library. The ordinary
General Public License therefore permits such linking only if the
entire combination fits its criteria of freedom. The Lesser General
Public License permits more lax criteria for linking other code with
the library.

 We call this license the "Lesser" General Public License because it
does Less to protect the user's freedom than the ordinary General
Public License. It also provides other free software developers Less
of an advantage over competing non-free programs. These disadvantages

are the reason we use the ordinary General Public License for many
libraries. However, the Lesser license provides advantages in certain
special circumstances.

 For example, on rare occasions, there may be a special need to
encourage the widest possible use of a certain library, so that it becomes
a de-facto standard. To achieve this, non-free programs must be
allowed to use the library. A more frequent case is that a free
library does the same job as widely used non-free libraries. In this
case, there is little to gain by limiting the free library to free
software only, so we use the Lesser General Public License.

 In other cases, permission to use a particular library in non-free
programs enables a greater number of people to use a large body of
free software. For example, permission to use the GNU C Library in
non-free programs enables many more people to use the whole GNU
operating system, as well as its variant, the GNU/Linux operating
system.

 Although the Lesser General Public License is Less protective of the
users' freedom, it does ensure that the user of a program that is
linked with the Library has the freedom and the wherewithal to run
that program using a modified version of the Library.

 The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, whereas the latter must
be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License Agreement applies to any software library or other
program which contains a notice placed by the copyright holder or
other authorized party saying it may be distributed under the terms of
this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

 A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

 The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated

straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of

its purpose remains meaningful.

(For example, a function in a library to compute square roots has
a purpose that is entirely well-defined independent of the
application. Therefore, Subsection 2d requires that any
application-supplied function or table used by this function must
be optional: if the application does not supply it, the square
root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Library,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

 Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

 4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form

under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

 5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

 However, linking a "work that uses the Library" with the Library
creates an executable that is a derivative of the Library (because it
contains portions of the Library), rather than a "work that uses the
library". The executable is therefore covered by this License.
Section 6 states terms for distribution of such executables.

 When a "work that uses the Library" uses material from a header file
that is part of the Library, the object code for the work may be a
derivative work of the Library even though the source code is not.
Whether this is true is especially significant if the work can be
linked without the Library, or if the work is itself a library. The
threshold for this to be true is not precisely defined by law.

 If such an object file uses only numerical parameters, data
structure layouts and accessors, and small macros and small inline
functions (ten lines or less in length), then the use of the object
file is unrestricted, regardless of whether it is legally a derivative
work. (Executables containing this object code plus portions of the
Library will still fall under Section 6.)

 Otherwise, if the work is a derivative of the Library, you may
distribute the object code for the work under the terms of Section 6.
Any executables containing that work also fall under Section 6,
whether or not they are linked directly with the Library itself.

 6. As an exception to the Sections above, you may also combine or
link a "work that uses the Library" with the Library to produce a
work containing portions of the Library, and distribute that work
under terms of your choice, provided that the terms permit
modification of the work for the customer's own use and reverse
engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies

the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply,
and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

13. The Free Software Foundation may publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and

conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

  14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

                  NO WARRANTY

  15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE
LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

  16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE
LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING
RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A
FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF
SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGES.

1.169 gnutls 3.6.13-2ubuntu1.7

1.169.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 1992-2015 by Bruce Korb - all rights reserved
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you have
certain responsibilities if you distribute copies of the software, or if
you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must pass on to the recipients the same
freedoms that you received. You must make sure that they, too, receive
or can get the source code. And you must show them these terms so they
know their rights.

Developers that use the GNU GPL protect your rights with two steps:
(1) assert copyright on the software, and (2) offer you this License
giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains
that there is no warranty for this free software. For both users' and
authors' sake, the GPL requires that modified versions be marked as
changed, so that their problems will not be attributed erroneously to
authors of previous versions.

Some devices are designed to deny users access to install or run
modified versions of the software inside them, although the manufacturer
can do so. This is fundamentally incompatible with the aim of
protecting users' freedom to change the software. The systematic
pattern of such abuse occurs in the area of products for individuals to
use, which is precisely where it is most unacceptable. Therefore, we

have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices"

to the extent that it includes a convenient and prominently visible
feature that (1) displays an appropriate copyright notice, and (2)
tells the user that there is no warranty for the work (except to the
extent that warranties are provided), that licensees may convey the
work under this License, and how to view a copy of this License. If
the interface presents a list of user commands or options, such as a
menu, a prominent item in the list meets this criterion.

 1. Source Code.

 The "source code" for a work means the preferred form of the work
for making modifications to it. "Object code" means any non-source
form of a work.

 A "Standard Interface" means an interface that either is an official
standard defined by a recognized standards body, or, in the case of
interfaces specified for a particular programming language, one that
is widely used among developers working in that language.

 The "System Libraries" of an executable work include anything, other
than the work as a whole, that (a) is included in the normal form of
packaging a Major Component, but which is not part of that Major
Component, and (b) serves only to enable use of the work with that
Major Component, or to implement a Standard Interface for which an
implementation is available to the public in source code form. A
"Major Component", in this context, means a major essential component
(kernel, window system, and so on) of the specific operating system
(if any) on which the executable work runs, or a compiler used to
produce the work, or an object code interpreter used to run it.

 The "Corresponding Source" for a work in object code form means all
the source code needed to generate, install, and (for an executable
work) run the object code and to modify the work, including scripts to
control those activities. However, it does not include the work's
System Libraries, or general-purpose tools or generally available free
programs which are used unmodified in performing those activities but
which are not part of the work. For example, Corresponding Source
includes interface definition files associated with source files for
the work, and the source code for shared libraries and dynamically
linked subprograms that the work is specifically designed to require,
such as by intimate data communication or control flow between those
subprograms and other parts of the work.

 The Corresponding Source need not include anything that users
can regenerate automatically from other parts of the Corresponding
Source.

 The Corresponding Source for a work in source code form is that

same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice;

keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

  You may charge any price or no price for each copy that you convey,
and you may offer support or warranty protection for a fee.

  5. Conveying Modified Source Versions.

  You may convey a work based on the Program, or the modifications to
produce it from the Program, in the form of source code under the
terms of section 4, provided that you also meet all of these conditions:

    a) The work must carry prominent notices stating that you modified
    it, and giving a relevant date.

    b) The work must carry prominent notices stating that it is
    released under this License and any conditions added under section
    7. This requirement modifies the requirement in section 4 to
    "keep intact all notices".

    c) You must license the entire work, as a whole, under this
    License to anyone who comes into possession of a copy. This
    License will therefore apply, along with any applicable section 7
    additional terms, to the whole of the work, and all its parts,
    regardless of how they are packaged. This License gives no
    permission to license the work in any other way, but it does not
    invalidate such permission if you have separately received it.

    d) If the work has interactive user interfaces, each must display
    Appropriate Legal Notices; however, if the Program has interactive
    interfaces that do not display Appropriate Legal Notices, your
    work need not make them do so.

  A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

  6. Conveying Non-Source Forms.

  You may convey a covered work in object code form under the terms

of sections 4 and 5, provided that you also convey the
machine-readable Corresponding Source under the terms of this License,
in one of these ways:

  a) Convey the object code in, or embodied in, a physical product
  (including a physical distribution medium), accompanied by the
  Corresponding Source fixed on a durable physical medium
  customarily used for software interchange.

  b) Convey the object code in, or embodied in, a physical product
  (including a physical distribution medium), accompanied by a
  written offer, valid for at least three years and valid for as
  long as you offer spare parts or customer support for that product
  model, to give anyone who possesses the object code either (1) a
  copy of the Corresponding Source for all the software in the
  product that is covered by this License, on a durable physical
  medium customarily used for software interchange, for a price no
  more than your reasonable cost of physically performing this
  conveying of source, or (2) access to copy the
  Corresponding Source from a network server at no charge.

  c) Convey individual copies of the object code with a copy of the
  written offer to provide the Corresponding Source. This
  alternative is allowed only occasionally and noncommercially, and
  only if you received the object code with such an offer, in accord
  with subsection 6b.

  d) Convey the object code by offering access from a designated
  place (gratis or for a charge), and offer equivalent access to the
  Corresponding Source in the same way through the same place at no
  further charge. You need not require recipients to copy the
  Corresponding Source along with the object code. If the place to
  copy the object code is a network server, the Corresponding Source
  may be on a different server (operated by you or a third party)
  that supports equivalent copying facilities, provided you maintain
  clear directions next to the object code saying where to find the
  Corresponding Source. Regardless of what server hosts the
  Corresponding Source, you remain obligated to ensure that it is
  available for as long as needed to satisfy these requirements.

  e) Convey the object code using peer-to-peer transmission, provided
  you inform other peers where the object code and Corresponding
  Source of the work are being offered to the general public at no
  charge under subsection 6d.

 A separable portion of the object code, whose source code is excluded
from the Corresponding Source as a System Library, need not be
included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this
License by making exceptions from one or more of its conditions.
Additional permissions that are applicable to the entire Program shall
be treated as though they were included in this License, to the extent
that they are valid under applicable law. If additional permissions
apply only to part of the Program, that part may be used separately
under those permissions, but the entire Program remains governed by
this License without regard to the additional permissions.

 When you convey a copy of a covered work, you may at your option
remove any additional permissions from that copy, or from any part of
it. (Additional permissions may be written to require their own
removal in certain cases when you modify the work.) You may place
additional permissions on material, added by you to a covered work,
for which you have or can give appropriate copyright permission.

 Notwithstanding any other provision of this License, for material you
add to a covered work, you may (if authorized by the copyright holders of
that material) supplement the terms of this License with terms:

  a) Disclaiming warranty or limiting liability differently from the
  terms of sections 15 and 16 of this License; or

  b) Requiring preservation of specified reasonable legal notices or
  author attributions in that material or in the Appropriate Legal
  Notices displayed by works containing it; or

  c) Prohibiting misrepresentation of the origin of that material, or
  requiring that modified versions of such material be marked in
  reasonable ways as different from the original version; or

  d) Limiting the use for publicity purposes of names of licensors or
  authors of the material; or

  e) Declining to grant rights under trademark law for use of some
  trade names, trademarks, or service marks; or

  f) Requiring indemnification of licensors and authors of that
  material by anyone who conveys the material (or modified versions of
  it) with contractual assumptions of liability to the recipient, for
  any liability that these contractual assumptions directly impose on
  those licensors and authors.

 All other non-permissive additional terms are considered "further
restrictions" within the meaning of section 10. If the Program as you
received it, or any part of it, contains a notice stating that it is
governed by this License along with a term that is a further

restriction, you may remove that term. If a license document contains
a further restriction but permits relicensing or conveying under this
License, you may add to a covered work material governed by the terms
of that license document, provided that the further restriction does
not survive such relicensing or conveying.

 If you add terms to a covered work in accord with this section, you
must place, in the relevant source files, a statement of the
additional terms that apply to those files, or a notice indicating
where to find the applicable terms.

 Additional terms, permissive or non-permissive, may be stated in the
form of a separately written license, or stated as exceptions;
the above requirements apply either way.

 8. Termination.

 You may not propagate or modify a covered work except as expressly
provided under this License. Any attempt otherwise to propagate or
modify it is void, and will automatically terminate your rights under
this License (including any patent licenses granted under the third
paragraph of section 11).

 However, if you cease all violation of this License, then your
license from a particular copyright holder is reinstated (a)
provisionally, unless and until the copyright holder explicitly and
finally terminates your license, and (b) permanently, if the copyright
holder fails to notify you of the violation by some reasonable means
prior to 60 days after the cessation.

 Moreover, your license from a particular copyright holder is
reinstated permanently if the copyright holder notifies you of the
violation by some reasonable means, this is the first time you have
received notice of violation of this License (for any work) from that
copyright holder, and you cure the violation prior to 30 days after
your receipt of the notice.

 Termination of your rights under this section does not terminate the
licenses of parties who have received copies or rights from you under
this License. If your rights have been terminated and not permanently
reinstated, you do not qualify to receive new licenses for the same
material under section 10.

 9. Acceptance Not Required for Having Copies.

 You are not required to accept this License in order to receive or
run a copy of the Program. Ancillary propagation of a covered work
occurring solely as a consequence of using peer-to-peer transmission

to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

 Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

 An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

 You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

 A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

 A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

 Each contributor grants you a non-exclusive, worldwide, royalty-free

patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

 In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

 If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

 If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

 A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting
any implied license or other defenses to infringement that may
otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot convey a
covered work so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you may
not convey it at all. For example, if you agree to terms that obligate you
to collect a royalty for further conveying from those to whom you convey
the Program, the only way you could satisfy both those terms and this
License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

15. Disclaimer of Warranty.

 THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

 IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE
USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD
PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

 If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

                    END OF TERMS AND CONDITIONS

            How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least

the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) by Bruce Korb - all rights reserved

    This program is free software: you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation, either version 3 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program. If not, see <https://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

 If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

    <program> Copyright (C) by Bruce Korb - all rights reserved
    This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

 You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<https://www.gnu.org/licenses/>.

 The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<https://www.gnu.org/philosophy/why-not-lgpl.html>.
LICENSING
=========

Since GnuTLS version 3.1.10, the core library is released under
the GNU Lesser General Public License (LGPL) version 2.1 or later

(see doc/COPYING.LESSER for the license terms).

The GNU LGPL applies to the main GnuTLS library, while the
included applications as well as gnutls-openssl
library are under the GNU GPL version 3. The gnutls library is
located in the lib/ and libdane/ directories, while the applications
in src/ and, the gnutls-openssl library is at extra/.

The documentation in doc/ is under the GNU FDL license 1.3.

Note, however, that the nettle and the gmp libraries which are
GnuTLS dependencies, they are distributed under a LGPLv3+ or GPLv2+ dual
license. As such binaries linking to them need to adhere to either LGPLv3+
or the GPLv2+ license.

For any copyright year range specified as YYYY-ZZZZ in this package
note that the range specifies every single year in that closed interval.

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <https://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

 The GNU General Public License is a free, copyleft license for
software and other kinds of works.

 The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

 To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you have

certain responsibilities if you distribute copies of the software, or if
you modify it: responsibilities to respect the freedom of others.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must pass on to the recipients the same
freedoms that you received. You must make sure that they, too, receive
or can get the source code. And you must show them these terms so they
know their rights.

 Developers that use the GNU GPL protect your rights with two steps:
(1) assert copyright on the software, and (2) offer you this License
giving you legal permission to copy, distribute and/or modify it.

 For the developers' and authors' protection, the GPL clearly explains
that there is no warranty for this free software. For both users' and
authors' sake, the GPL requires that modified versions be marked as
changed, so that their problems will not be attributed erroneously to
authors of previous versions.

 Some devices are designed to deny users access to install or run
modified versions of the software inside them, although the manufacturer
can do so. This is fundamentally incompatible with the aim of
protecting users' freedom to change the software. The systematic
pattern of such abuse occurs in the area of products for individuals to
use, which is precisely where it is most unacceptable. Therefore, we
have designed this version of the GPL to prohibit the practice for those
products. If such problems arise substantially in other domains, we
stand ready to extend this provision to those domains in future versions
of the GPL, as needed to protect the freedom of users.

 Finally, every program is threatened constantly by software patents.
States should not allow patents to restrict development and use of
software on general-purpose computers, but in those that do, we wish to
avoid the special danger that patents applied to a free program could
make it effectively proprietary. To prevent this, the GPL assures that
patents cannot be used to render the program non-free.

 The precise terms and conditions for copying, distribution and
modification follow.

TERMS AND CONDITIONS

 0. Definitions.

 "This License" refers to version 3 of the GNU General Public License.

 "Copyright" also means copyright-like laws that apply to other kinds of
works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that

Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

  a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

  b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

  c) You must license the entire work, as a whole, under this

License to anyone who comes into possession of a copy. This
License will therefore apply, along with any applicable section 7
additional terms, to the whole of the work, and all its parts,
regardless of how they are packaged. This License gives no
permission to license the work in any other way, but it does not
invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display
Appropriate Legal Notices; however, if the Program has interactive
interfaces that do not display Appropriate Legal Notices, your
work need not make them do so.

A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms
of sections 4 and 5, provided that you also convey the
machine-readable Corresponding Source under the terms of this License,
in one of these ways:

a) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by the
Corresponding Source fixed on a durable physical medium
customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by a
written offer, valid for at least three years and valid for as
long as you offer spare parts or customer support for that product
model, to give anyone who possesses the object code either (1) a
copy of the Corresponding Source for all the software in the
product that is covered by this License, on a durable physical
medium customarily used for software interchange, for a price no
more than your reasonable cost of physically performing this
conveying of source, or (2) access to copy the
Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the
written offer to provide the Corresponding Source. This

alternative is allowed only occasionally and noncommercially, and
only if you received the object code with such an offer, in accord
with subsection 6b.

d) Convey the object code by offering access from a designated
place (gratis or for a charge), and offer equivalent access to the
Corresponding Source in the same way through the same place at no
further charge. You need not require recipients to copy the
Corresponding Source along with the object code. If the place to
copy the object code is a network server, the Corresponding Source
may be on a different server (operated by you or a third party)
that supports equivalent copying facilities, provided you maintain
clear directions next to the object code saying where to find the
Corresponding Source. Regardless of what server hosts the
Corresponding Source, you remain obligated to ensure that it is
available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided
you inform other peers where the object code and Corresponding
Source of the work are being offered to the general public at no
charge under subsection 6d.

 A separable portion of the object code, whose source code is excluded
from the Corresponding Source as a System Library, need not be
included in conveying the object code work.

 A "User Product" is either (1) a "consumer product", which means any
tangible personal property which is normally used for personal, family,
or household purposes, or (2) anything designed or sold for incorporation
into a dwelling. In determining whether a product is a consumer product,
doubtful cases shall be resolved in favor of coverage. For a particular
product received by a particular user, "normally used" refers to a
typical or common use of that class of product, regardless of the status
of the particular user or of the way in which the particular user
actually uses, or expects or is expected to use, the product. A product
is a consumer product regardless of whether the product has substantial
commercial, industrial or non-consumer uses, unless such uses represent
the only significant mode of use of the product.

 "Installation Information" for a User Product means any methods,
procedures, authorization keys, or other information required to install
and execute modified versions of a covered work in that User Product from
a modified version of its Corresponding Source. The information must
suffice to ensure that the continued functioning of the modified object
code is in no case prevented or interfered with solely because
modification has been made.

 If you convey an object code work under this section in, or with, or

specifically for use in, a User Product, and the conveying occurs as
part of a transaction in which the right of possession and use of the
User Product is transferred to the recipient in perpetuity or for a
fixed term (regardless of how the transaction is characterized), the
Corresponding Source conveyed under this section must be accompanied
by the Installation Information. But this requirement does not apply
if neither you nor any third party retains the ability to install
modified object code on the User Product (for example, the work has
been installed in ROM).

 The requirement to provide Installation Information does not include a
requirement to continue to provide support service, warranty, or updates
for a work that has been modified or installed by the recipient, or for
the User Product in which it has been modified or installed. Access to a
network may be denied when the modification itself materially and
adversely affects the operation of the network or violates the rules and
protocols for communication across the network.

 Corresponding Source conveyed, and Installation Information provided,
in accord with this section must be in a format that is publicly
documented (and with an implementation available to the public in
source code form), and must require no special password or key for
unpacking, reading or copying.

 7. Additional Terms.

 "Additional permissions" are terms that supplement the terms of this
License by making exceptions from one or more of its conditions.
Additional permissions that are applicable to the entire Program shall
be treated as though they were included in this License, to the extent
that they are valid under applicable law. If additional permissions
apply only to part of the Program, that part may be used separately
under those permissions, but the entire Program remains governed by
this License without regard to the additional permissions.

 When you convey a copy of a covered work, you may at your option
remove any additional permissions from that copy, or from any part of
it. (Additional permissions may be written to require their own
removal in certain cases when you modify the work.) You may place
additional permissions on material, added by you to a covered work,
for which you have or can give appropriate copyright permission.

 Notwithstanding any other provision of this License, for material you
add to a covered work, you may (if authorized by the copyright holders of
that material) supplement the terms of this License with terms:

  a) Disclaiming warranty or limiting liability differently from the
  terms of sections 15 and 16 of this License; or

---

b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that

country that you have reason to believe are valid.

 If, pursuant to or in connection with a single transaction or
arrangement, you convey, or propagate by procuring conveyance of, a
covered work, and grant a patent license to some of the parties
receiving the covered work authorizing them to use, propagate, modify
or convey a specific copy of the covered work, then the patent license
you grant is automatically extended to all recipients of the covered
work and works based on it.

 A patent license is "discriminatory" if it does not include within
the scope of its coverage, prohibits the exercise of, or is
conditioned on the non-exercise of one or more of the rights that are
specifically granted under this License. You may not convey a covered
work if you are a party to an arrangement with a third party that is
in the business of distributing software, under which you make payment
to the third party based on the extent of your activity of conveying
the work, and under which the third party grants, to any of the
parties who would receive the covered work from you, a discriminatory
patent license (a) in connection with copies of the covered work
conveyed by you (or copies made from those copies), or (b) primarily
for and in connection with specific products or compilations that
contain the covered work, unless you entered into that arrangement,
or that patent license was granted, prior to 28 March 2007.

 Nothing in this License shall be construed as excluding or limiting
any implied license or other defenses to infringement that may
otherwise be available to you under applicable patent law.

 12. No Surrender of Others' Freedom.

 If conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot convey a
covered work so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you may
not convey it at all. For example, if you agree to terms that obligate you
to collect a royalty for further conveying from those to whom you convey
the Program, the only way you could satisfy both those terms and this
License would be to refrain entirely from conveying the Program.

 13. Use with the GNU Affero General Public License.

 Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,

but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

 14. Revised Versions of this License.

 The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

 Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

 If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

 Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

 15. Disclaimer of Warranty.

 THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

 16. Limitation of Liability.

 IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE
USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF

DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

 If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software: you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation, either version 3 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program. If not, see <https://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

 If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

 You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<https://www.gnu.org/licenses/>.

 The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<https://www.gnu.org/philosophy/why-not-lgpl.html>.

The "inih" library is distributed under the New BSD license:

Copyright (c) 2009, Ben Hoyt
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:
    * Redistributions of source code must retain the above copyright
      notice, this list of conditions and the following disclaimer.
    * Redistributions in binary form must reproduce the above copyright
      notice, this list of conditions and the following disclaimer in the
      documentation and/or other materials provided with the distribution.
    * Neither the name of Ben Hoyt nor the names of its contributors
      may be used to endorse or promote products derived from this software
      without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY BEN HOYT "AS IS" AND ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL BEN HOYT BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the

library, and (2) we offer you this license, which gives you legal
permission to copy, distribute and/or modify the library.

 To protect each distributor, we want to make it very clear that
there is no warranty for the free library. Also, if the library is
modified by someone else and passed on, the recipients should know
that what they have is not the original version, so that the original
author's reputation will not be affected by problems that might be
introduced by others.

 Finally, software patents pose a constant threat to the existence of
any free program. We wish to make sure that a company cannot
effectively restrict the users of a free program by obtaining a
restrictive license from a patent holder. Therefore, we insist that
any patent license obtained for a version of the library must be
consistent with the full freedom of use specified in this license.

 Most GNU software, including some libraries, is covered by the
ordinary GNU General Public License. This license, the GNU Lesser
General Public License, applies to certain designated libraries, and
is quite different from the ordinary General Public License. We use
this license for certain libraries in order to permit linking those
libraries into non-free programs.

 When a program is linked with a library, whether statically or using
a shared library, the combination of the two is legally speaking a
combined work, a derivative of the original library. The ordinary
General Public License therefore permits such linking only if the
entire combination fits its criteria of freedom. The Lesser General
Public License permits more lax criteria for linking other code with
the library.

 We call this license the "Lesser" General Public License because it
does Less to protect the user's freedom than the ordinary General
Public License. It also provides other free software developers Less
of an advantage over competing non-free programs. These disadvantages
are the reason we use the ordinary General Public License for many
libraries. However, the Lesser license provides advantages in certain
special circumstances.

 For example, on rare occasions, there may be a special need to
encourage the widest possible use of a certain library, so that it becomes
a de-facto standard. To achieve this, non-free programs must be
allowed to use the library. A more frequent case is that a free
library does the same job as widely used non-free libraries. In this
case, there is little to gain by limiting the free library to free
software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free
programs enables a greater number of people to use a large body of
free software. For example, permission to use the GNU C Library in
non-free programs enables many more people to use the whole GNU
operating system, as well as its variant, the GNU/Linux operating
system.

Although the Lesser General Public License is Less protective of the
users' freedom, it does ensure that the user of a program that is
linked with the Library has the freedom and the wherewithal to run
that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, whereas the latter must
be combined with the library in order to run.

  GNU LESSER GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License Agreement applies to any software library or other
program which contains a notice placed by the copyright holder or
other authorized party saying it may be distributed under the terms of
this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated
straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means
all the source code for all modules it contains, plus any associated
interface definition files, plus the scripts used to control compilation
and installation of the library.

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running a program using the Library is not restricted, and output from

such a program is covered only if its contents constitute a work based
on the Library (independent of the use of the Library in a tool for
writing it). Whether that is true depends on what the Library does
and what the program that uses the Library does.

  1. You may copy and distribute verbatim copies of the Library's
complete source code as you receive it, in any medium, provided that
you conspicuously and appropriately publish on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact
all the notices that refer to this License and to the absence of any
warranty; and distribute a copy of this License along with the
Library.

  You may charge a fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a
fee.

  2. You may modify your copy or copies of the Library or any portion
of it, thus forming a work based on the Library, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) The modified work must itself be a software library.

  b) You must cause the files modified to carry prominent notices
  stating that you changed the files and the date of any change.

  c) You must cause the whole of the work to be licensed at no
  charge to all third parties under the terms of this License.

  d) If a facility in the modified Library refers to a function or a
  table of data to be supplied by an application program that uses
  the facility, other than as an argument passed when the facility
  is invoked, then you must make a good faith effort to ensure that,
  in the event an application does not supply such function or
  table, the facility still operates, and performs whatever part of
  its purpose remains meaningful.

  (For example, a function in a library to compute square roots has
  a purpose that is entirely well-defined independent of the
  application. Therefore, Subsection 2d requires that any
  application-supplied function or table used by this function must
  be optional: if the application does not supply it, the square
  root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Library,
and can be reasonably considered independent and separate works in

themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

  3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

  Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

  This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

  4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

  If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

  5. A program that contains no derivative of any portion of the

Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under

Sections 1 and 2 above); and, if the work is an executable linked
with the Library, with the complete machine-readable "work that
uses the Library", as object code and/or source code, so that the
user can modify the Library and then relink to produce a modified
executable containing the modified Library. (It is understood
that the user who changes the contents of definitions files in the
Library will not necessarily be able to recompile the application
to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the
Library. A suitable mechanism is one that (1) uses at run time a
copy of the library already present on the user's computer system,
rather than copying library functions into the executable, and (2)
will operate properly with a modified version of the library, if
the user installs one, as long as the modified version is
interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at
least three years, to give the same user the materials
specified in Subsection 6a, above, for a charge no more
than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy
from a designated place, offer equivalent access to copy the above
specified materials from the same place.

e) Verify that the user has already received a copy of these
materials or that you have already sent this user a copy.

 For an executable, the required form of the "work that uses the
Library" must include any data and utility programs needed for
reproducing the executable from it. However, as a special exception,
the materials to be distributed need not include anything that is
normally distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies
the executable.

 It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.

 7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on

the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

  a) Accompany the combined library with a copy of the same work
  based on the Library, uncombined with any other library
  facilities. This must be distributed under the terms of the
  Sections above.

  b) Give prominent notice with the combined library of the fact
  that part of it is a work based on the Library, and explaining
  where to find the accompanying uncombined form of the same work.

 8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

 9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

 10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties with
this License.

 11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to

refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing

and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE
LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE
LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING
RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A
FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF
SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest
possible use to the public, we recommend making it free software that
everyone can redistribute and change. You can do so by permitting
redistribution under these terms (or, alternatively, under the terms of the
ordinary General Public License).

To apply these terms, attach the following notices to the library. It is
safest to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

    <one line to give the library's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This library is free software; you can redistribute it and/or
    modify it under the terms of the GNU Lesser General Public
    License as published by the Free Software Foundation; either
    version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!
##
Constant-time SSSE3 AES core implementation.
version 0.1
##
By Mike Hamburg (Stanford University), 2009
Public domain.
##
For details see http://shiftleft.org/papers/vector_aes/ and
http://crypto.stanford.edu/vpaes/.
#
*** This file is auto-generated ***
#

GNU LESSER GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

This version of the GNU Lesser General Public License incorporates
the terms and conditions of version 3 of the GNU General Public
License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser
General Public License, and the "GNU GPL" refers to version 3 of the GNU
General Public License.

"The Library" refers to a covered work governed by this License,
other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided
by the Library, but which is not otherwise based on the Library.
Defining a subclass of a class defined by the Library is deemed a mode
of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an
Application with the Library. The particular version of the Library
with which the Combined Work was made is also called the "Linked
Version".

The "Minimal Corresponding Source" for a Combined Work means the
Corresponding Source for the Combined Work, excluding any source code
for portions of the Combined Work that, considered in isolation, are
based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the
object code and/or source code for the Application, including any data
and utility programs needed for reproducing the Combined Work from the
Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License
without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a
facility refers to a function or data to be supplied by an Application
that uses the facility (other than as an argument passed when the
facility is invoked), then you may convey a copy of the modified
version:

a) under this License, provided that you make a good faith effort to
ensure that, in the event an Application does not supply the
function or data, the facility still operates, and performs
whatever part of its purpose remains meaningful, or

b) under the GNU GPL, with none of the additional permissions of
this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

  The object code form of an Application may incorporate material from
a header file that is part of the Library. You may convey such object
code under terms of your choice, provided that, if the incorporated
material is not limited to numerical parameters, data structure
layouts and accessors, or small macros, inline functions and templates
(ten or fewer lines in length), you do both of the following:

  a) Give prominent notice with each copy of the object code that the
  Library is used in it and that the Library and its use are
  covered by this License.

  b) Accompany the object code with a copy of the GNU GPL and this license
  document.

  4. Combined Works.

  You may convey a Combined Work under terms of your choice that,
taken together, effectively do not restrict modification of the
portions of the Library contained in the Combined Work and reverse
engineering for debugging such modifications, if you also do each of
the following:

  a) Give prominent notice with each copy of the Combined Work that
  the Library is used in it and that the Library and its use are
  covered by this License.

  b) Accompany the Combined Work with a copy of the GNU GPL and this license
  document.

  c) For a Combined Work that displays copyright notices during
  execution, include the copyright notice for the Library among
  these notices, as well as a reference directing the user to the
  copies of the GNU GPL and this license document.

  d) Do one of the following:

    0) Convey the Minimal Corresponding Source under the terms of this
    License, and the Corresponding Application Code in a form
    suitable for, and under terms that permit, the user to
    recombine or relink the Application with a modified version of
    the Linked Version to produce a modified Combined Work, in the
    manner specified by section 6 of the GNU GPL for conveying
    Corresponding Source.

    1) Use a suitable shared library mechanism for linking with the
    Library. A suitable mechanism is one that (a) uses at run time

a copy of the Library already present on the user's computer
system, and (b) will operate properly with a modified version
of the Library that is interface-compatible with the Linked
Version.

e) Provide Installation Information, but only if you would otherwise
be required to provide such information under section 6 of the
GNU GPL, and only to the extent that such information is
necessary to install and execute a modified version of the
Combined Work produced by recombining or relinking the
Application with a modified version of the Linked Version. (If
you use option 4d0, the Installation Information must accompany
the Minimal Corresponding Source and Corresponding Application
Code. If you use option 4d1, you must provide the Installation
Information in the manner specified by section 6 of the GNU GPL
for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the
Library side by side in a single library together with other library
facilities that are not Applications and are not covered by this
License, and convey such a combined library under terms of your
choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based
on the Library, uncombined with any other library facilities,
conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it
is a work based on the Library, and explaining where to find the
accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions
of the GNU Lesser General Public License from time to time. Such new
versions will be similar in spirit to the present version, but may
differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the
Library as you received it specifies that a certain numbered version
of the GNU Lesser General Public License "or any later version"
applies to it, you have the option of following the terms and
conditions either of that published version or of any later version
published by the Free Software Foundation. If the Library as you
received it does not specify a version number of the GNU Lesser
General Public License, you may choose any version of the GNU Lesser

General Public License ever published by the Free Software Foundation.

 If the Library as you received it specifies that a proxy can decide
whether future versions of the GNU Lesser General Public License shall
apply, that proxy's public statement of acceptance of any version is
permanent authorization for you to choose that version for the
Library.
Copyright (C) 1992-2015 by Bruce Korb - all rights reserved
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

  1. Redistributions of source code must retain the above copyright
     notice, this list of conditions and the following disclaimer.

  2. Redistributions in binary form must reproduce the above
     copyright notice, this list of conditions and the following
     disclaimer in the documentation and/or other materials provided
     with the distribution.

  3. The name of the author may not be used to endorse or promote
     products derived from this software without specific prior
     written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING
IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.
==
Written by Andy Polyakov <appro@fy.chalmers.se> for the OpenSSL
project. The module is, however, dual licensed under OpenSSL and
CRYPTOGAMS licenses depending on where you obtain it. For further
details see https://www.openssl.org/~appro/cryptogams/.
==

Copyright (c) 2006-2012, CRYPTOGAMS by <appro@openssl.org>
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

##
Constant-time SSSE3 AES core implementation.
version 0.1
##
By Mike Hamburg (Stanford University), 2009
Public domain.
##
For details see https://shiftleft.org/papers/vector_aes/ and
https://crypto.stanford.edu/vpaes/.
#
Copyright (C) 2011-2013 Free Software Foundation, Inc.
Copyright (C) 2013 Nikos Mavrogiannopoulos
#
Author: Nikos Mavrogiannopoulos
#
This file is part of GnuTLS.
#

THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
#
*** This file is auto-generated ***
#
The MIT License (MIT)

Copyright (c) 2016 Wrymouth Innovation Ltd

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.
Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights
(defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of
authorship and/or a database (each, a "Work").

Certain owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons
of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of
infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form
whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute
to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific
works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or
compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of
Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the
Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and
intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or
neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to,

the following:

 the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
 moral rights retained by the original author(s) and/or performer(s);
 publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
 rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
 rights protecting the extraction, dissemination, use and reuse of data in a Work;
 database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and
 other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

4. Limitations and Disclaimers.

 No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.
 Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.

1.170 webencodings 0.5.1

1.170.1 Available under license :

No license file was found, but licenses were detected in source scan.

:license: BSD, see LICENSE for details.

Found in path(s):
* /opt/cola/permits/1401468445_1661617535.3616152/0/webencodings-0-5-1-1-tar-gz/webencodings-0.5.1/webencodings/labels.py
* /opt/cola/permits/1401468445_1661617535.3616152/0/webencodings-0-5-1-1-tar-gz/webencodings-0.5.1/webencodings/__init__.py
* /opt/cola/permits/1401468445_1661617535.3616152/0/webencodings-0-5-1-1-tar-gz/webencodings-0.5.1/webencodings/tests.py
* /opt/cola/permits/1401468445_1661617535.3616152/0/webencodings-0-5-1-1-tar-gz/webencodings-0.5.1/webencodings/x_user_defined.py
No license file was found, but licenses were detected in source scan.

```
from setuptools import setup, find_packages
import io
from os import path
import re


VERSION = re.search("VERSION = '([^']+)'", io.open(
    path.join(path.dirname(__file__), 'webencodings', '__init__.py'),
    encoding='utf-8'
).read().strip()).group(1)

LONG_DESCRIPTION = io.open(
    path.join(path.dirname(__file__), 'README.rst'),
    encoding='utf-8'
).read()


setup(
    name='webencodings',
    version=VERSION,
    url='https://github.com/SimonSapin/python-webencodings',
    license='BSD',
```

```
        author='Simon Sapin',
        author_email='simon.sapin@exyr.org',
        maintainer='Geoffrey Sneddon',
        maintainer_email='me@gsnedders.com',
        description='Character encoding aliases for legacy web content',
        long_description=LONG_DESCRIPTION,
        classifiers=[
            'Development Status :: 4 - Beta',
            'Intended Audience :: Developers',
            'License :: OSI Approved :: BSD License',
            'Programming Language :: Python',
            'Programming Language :: Python :: 2',
            'Programming Language :: Python :: 2.6',
            'Programming Language :: Python :: 2.7',
            'Programming Language :: Python :: 3',
            'Programming Language :: Python :: 3.3',
            'Programming Language :: Python :: 3.4',
            'Programming Language :: Python :: 3.5',
            'Programming Language :: Python :: 3.6',
            'Programming Language :: Python :: Implementation :: CPython',
            'Programming Language :: Python :: Implementation :: PyPy',
            'Topic :: Internet :: WWW/HTTP',
        ],
        packages=find_packages(),
    )
```

Found in path(s):
* /opt/cola/permits/1401468445_1661617535.3616152/0/webencodings-0-5-1-1-tar-gz/webencodings-
0.5.1/setup.py
No license file was found, but licenses were detected in source scan.

Metadata-Version: 1.1
Name: webencodings
Version: 0.5.1
Summary: Character encoding aliases for legacy web content
Home-page: https://github.com/SimonSapin/python-webencodings
Author: Geoffrey Sneddon
Author-email: me@gsnedders.com
License: BSD
Description: python-webencodings
        ===================

        This is a Python implementation of the `WHATWG Encoding standard
        <http://encoding.spec.whatwg.org/>`_.

        * Latest documentation: http://packages.python.org/webencodings/
        * Source code and issue tracker:
          https://github.com/gsnedders/python-webencodings

* PyPI releases: http://pypi.python.org/pypi/webencodings
* License: BSD
* Python 2.6+ and 3.3+

In order to be compatible with legacy web content
when interpreting something like ``Content-Type: text/html; charset=latin1``,
tools need to use a particular set of aliases for encoding labels
as well as some overriding rules.
For example, ``US-ASCII`` and ``iso-8859-1`` on the web are actually
aliases for ``windows-1252``, and an UTF-8 or UTF-16 BOM takes precedence
over any other encoding declaration.
The Encoding standard defines all such details so that implementations do
not have to reverse-engineer each other.

This module has encoding labels and BOM detection,
but the actual implementation for encoders and decoders is Python's.

Platform: UNKNOWN
Classifier: Development Status :: 4 - Beta
Classifier: Intended Audience :: Developers
Classifier: License :: OSI Approved :: BSD License
Classifier: Programming Language :: Python
Classifier: Programming Language :: Python :: 2
Classifier: Programming Language :: Python :: 2.6
Classifier: Programming Language :: Python :: 2.7
Classifier: Programming Language :: Python :: 3
Classifier: Programming Language :: Python :: 3.3
Classifier: Programming Language :: Python :: 3.4
Classifier: Programming Language :: Python :: 3.5
Classifier: Programming Language :: Python :: 3.6
Classifier: Programming Language :: Python :: Implementation :: CPython
Classifier: Programming Language :: Python :: Implementation :: PyPy
Classifier: Topic :: Internet :: WWW/HTTP

Found in path(s):
* /opt/cola/permits/1401468445_1661617535.3616152/0/webencodings-0-5-1-1-tar-gz/webencodings-
0.5.1/webencodings.egg-info/PKG-INFO
* /opt/cola/permits/1401468445_1661617535.3616152/0/webencodings-0-5-1-1-tar-gz/webencodings-0.5.1/PKG-
INFO
No license file was found, but licenses were detected in source scan.

"""

  webencodings.mklabels
  ~~~~~~~~~~~~~~~~~~~~~

  Regenarate the webencodings.labels module.

```
    :copyright: Copyright 2012 by Simon Sapin
    :license: BSD, see LICENSE for details.

"""

import json
try:
    from urllib import urlopen
except ImportError:
    from urllib.request import urlopen


def assert_lower(string):
    assert string == string.lower()
    return string


def generate(url):
    parts = ['''\
"""

    webencodings.labels
    ~~~~~~~~~~~~~~~~~~~

    Map encoding labels to their name.

    :copyright: Copyright 2012 by Simon Sapin
    :license: BSD, see LICENSE for details.

"""

# XXX Do not edit!
# This file is automatically generated by mklabels.py

LABELS = {
''']
    labels = [
        (repr(assert_lower(label)).lstrip('u'),
         repr(encoding['name']).lstrip('u'))
        for category in json.loads(urlopen(url).read().decode('ascii'))
        for encoding in category['encodings']
        for label in encoding['labels']]
    max_len = max(len(label) for label, name in labels)
    parts.extend(
        '    %s:%s %s,\n' % (label, ' ' * (max_len - len(label)), name)
        for label, name in labels)
    parts.append('}')
    return ''.join(parts)
```

```
if __name__ == '__main__':
    print(generate('http://encoding.spec.whatwg.org/encodings.json'))
```

Found in path(s):
* /opt/cola/permits/1401468445_1661617535.3616152/0/webencodings-0-5-1-1-tar-gz/webencodings-
0.5.1/webencodings/mklabels.py
No license file was found, but licenses were detected in source scan.

python-webencodings
===================

This is a Python implementation of the `WHATWG Encoding standard
<http://encoding.spec.whatwg.org/>`_.

* Latest documentation: http://packages.python.org/webencodings/
* Source code and issue tracker:
  https://github.com/gsnedders/python-webencodings
* PyPI releases: http://pypi.python.org/pypi/webencodings
* License: BSD
* Python 2.6+ and 3.3+

In order to be compatible with legacy web content
when interpreting something like ``Content-Type: text/html; charset=latin1``,
tools need to use a particular set of aliases for encoding labels
as well as some overriding rules.
For example, ``US-ASCII`` and ``iso-8859-1`` on the web are actually
aliases for ``windows-1252``, and an UTF-8 or UTF-16 BOM takes precedence
over any other encoding declaration.
The Encoding standard defines all such details so that implementations do
not have to reverse-engineer each other.

This module has encoding labels and BOM detection,
but the actual implementation for encoders and decoders is Python's.

Found in path(s):
* /opt/cola/permits/1401468445_1661617535.3616152/0/webencodings-0-5-1-1-tar-gz/webencodings-
0.5.1/README.rst

1.171 modern-go-concurrent 0.0.0-20180306012644-bacd9c7ef1dd

1.171.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
      stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
      that You distribute, all copyright, patent, trademark, and
      attribution notices from the Source form of the Work,
      excluding those notices that do not pertain to any part of
      the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
      distribution, then any Derivative Works that You distribute must
      include a readable copy of the attribution notices contained
      within such NOTICE file, excluding those notices that do not
      pertain to any part of the Derivative Works, in at least one
      of the following places: within a NOTICE text file distributed
      as part of the Derivative Works; within the Source form or
      documentation, if provided along with the Derivative Works; or,
      within a display generated by the Derivative Works, if and
      wherever such third-party notices normally appear. The contents
      of the NOTICE file are for informational purposes only and
      do not modify the License. You may add Your own attribution
      notices within Derivative Works that You distribute, alongside
      or as an addendum to the NOTICE text from the Work, provided
      that such additional attribution notices cannot be construed
      as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.172 jinja2 2.10.2
1.172.1 Available under license :

Found license 'General Public License 2.0' in ';; This program is free software; you can redistribute it and/or ;;
modify it under the terms of the GNU General Public License as ;; published by the Free Software Foundation;
either version 2, or ;; (at your option) any later version. ;; This program is distributed in the hope that it will be
useful, ;; but WITHOUT ANY WARRANTY; without even the implied warranty of ;; MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU ;; General Public License for more details. ;; You
should have received a copy of the GNU General Public License ;; along with this program; see the file COPYING.
If not, write to'

1.173 gmp 6.2.0+dfsg-4
1.173.1 Available under license :

            GNU GENERAL PUBLIC LICENSE
              Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

            Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not

price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

  To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

  For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

  We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

  Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

  Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

  The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

  0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in

the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices
  stating that you changed the files and the date of any change.

  b) You must cause any work that you distribute or publish, that in
  whole or in part contains or is derived from the Program or any
  part thereof, to be licensed as a whole at no charge to all third
  parties under the terms of this License.

  c) If the modified program normally reads commands interactively
  when run, you must cause it, when started running for such
  interactive use in the most ordinary way, to print or display an
  announcement including an appropriate copyright notice and a
  notice that there is no warranty (or else, saying that you provide
  a warranty) and that users may redistribute the program under
  these conditions, and telling the user how to view a copy of this
  License. (Exception: if the Program itself is interactive but
  does not normally print such an announcement, your work based on
  the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those

sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

 3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

  a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

  b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

  c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

 5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

 7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system, which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

 8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

 10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

 11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN

OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

 12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License along
    with this program; if not, write to the Free Software Foundation, Inc.,
    51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to

any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work

for making modifications to it. "Object code" means any non-source
form of a work.

 A "Standard Interface" means an interface that either is an official
standard defined by a recognized standards body, or, in the case of
interfaces specified for a particular programming language, one that
is widely used among developers working in that language.

 The "System Libraries" of an executable work include anything, other
than the work as a whole, that (a) is included in the normal form of
packaging a Major Component, but which is not part of that Major
Component, and (b) serves only to enable use of the work with that
Major Component, or to implement a Standard Interface for which an
implementation is available to the public in source code form. A
"Major Component", in this context, means a major essential component
(kernel, window system, and so on) of the specific operating system
(if any) on which the executable work runs, or a compiler used to
produce the work, or an object code interpreter used to run it.

 The "Corresponding Source" for a work in object code form means all
the source code needed to generate, install, and (for an executable
work) run the object code and to modify the work, including scripts to
control those activities. However, it does not include the work's
System Libraries, or general-purpose tools or generally available free
programs which are used unmodified in performing those activities but
which are not part of the work. For example, Corresponding Source
includes interface definition files associated with source files for
the work, and the source code for shared libraries and dynamically
linked subprograms that the work is specifically designed to require,
such as by intimate data communication or control flow between those
subprograms and other parts of the work.

 The Corresponding Source need not include anything that users
can regenerate automatically from other parts of the Corresponding
Source.

 The Corresponding Source for a work in source code form is that
same work.

 2. Basic Permissions.

 All rights granted under this License are granted for the term of
copyright on the Program, and are irrevocable provided the stated
conditions are met. This License explicitly affirms your unlimited
permission to run the unmodified Program. The output from running a
covered work is covered by this License only if the output, given its
content, constitutes a covered work. This License acknowledges your
rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not
convey, without conditions so long as your license otherwise remains
in force. You may convey covered works to others for the sole purpose
of having them make modifications exclusively for you, or provide you
with facilities for running those works, provided that you comply with
the terms of this License in conveying all material for which you do
not control copyright. Those thus making or running the covered works
for you must do so exclusively on your behalf, under your direction
and control, on terms that prohibit them from making any copies of
your copyrighted material outside their relationship with you.

  Conveying under any other circumstances is permitted solely under
the conditions stated below. Sublicensing is not allowed; section 10
makes it unnecessary.

  3. Protecting Users' Legal Rights From Anti-Circumvention Law.

  No covered work shall be deemed part of an effective technological
measure under any applicable law fulfilling obligations under article
11 of the WIPO copyright treaty adopted on 20 December 1996, or
similar laws prohibiting or restricting circumvention of such
measures.

  When you convey a covered work, you waive any legal power to forbid
circumvention of technological measures to the extent such circumvention
is effected by exercising rights under this License with respect to
the covered work, and you disclaim any intention to limit operation or
modification of the work as a means of enforcing, against the work's
users, your or third parties' legal rights to forbid circumvention of
technological measures.

  4. Conveying Verbatim Copies.

  You may convey verbatim copies of the Program's source code as you
receive it, in any medium, provided that you conspicuously and
appropriately publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

  You may charge any price or no price for each copy that you convey,
and you may offer support or warranty protection for a fee.

  5. Conveying Modified Source Versions.

  You may convey a work based on the Program, or the modifications to

produce it from the Program, in the form of source code under the
terms of section 4, provided that you also meet all of these conditions:

  a) The work must carry prominent notices stating that you modified
  it, and giving a relevant date.

  b) The work must carry prominent notices stating that it is
  released under this License and any conditions added under section
  7. This requirement modifies the requirement in section 4 to
  "keep intact all notices".

  c) You must license the entire work, as a whole, under this
  License to anyone who comes into possession of a copy. This
  License will therefore apply, along with any applicable section 7
  additional terms, to the whole of the work, and all its parts,
  regardless of how they are packaged. This License gives no
  permission to license the work in any other way, but it does not
  invalidate such permission if you have separately received it.

  d) If the work has interactive user interfaces, each must display
  Appropriate Legal Notices; however, if the Program has interactive
  interfaces that do not display Appropriate Legal Notices, your
  work need not make them do so.

 A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

 6. Conveying Non-Source Forms.

 You may convey a covered work in object code form under the terms
of sections 4 and 5, provided that you also convey the
machine-readable Corresponding Source under the terms of this License,
in one of these ways:

  a) Convey the object code in, or embodied in, a physical product
  (including a physical distribution medium), accompanied by the
  Corresponding Source fixed on a durable physical medium
  customarily used for software interchange.

  b) Convey the object code in, or embodied in, a physical product
  (including a physical distribution medium), accompanied by a

written offer, valid for at least three years and valid for as
long as you offer spare parts or customer support for that product
model, to give anyone who possesses the object code either (1) a
copy of the Corresponding Source for all the software in the
product that is covered by this License, on a durable physical
medium customarily used for software interchange, for a price no
more than your reasonable cost of physically performing this
conveying of source, or (2) access to copy the
Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the
written offer to provide the Corresponding Source. This
alternative is allowed only occasionally and noncommercially, and
only if you received the object code with such an offer, in accord
with subsection 6b.

d) Convey the object code by offering access from a designated
place (gratis or for a charge), and offer equivalent access to the
Corresponding Source in the same way through the same place at no
further charge. You need not require recipients to copy the
Corresponding Source along with the object code. If the place to
copy the object code is a network server, the Corresponding Source
may be on a different server (operated by you or a third party)
that supports equivalent copying facilities, provided you maintain
clear directions next to the object code saying where to find the
Corresponding Source. Regardless of what server hosts the
Corresponding Source, you remain obligated to ensure that it is
available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided
you inform other peers where the object code and Corresponding
Source of the work are being offered to the general public at no
charge under subsection 6d.

  A separable portion of the object code, whose source code is excluded
from the Corresponding Source as a System Library, need not be
included in conveying the object code work.

  A "User Product" is either (1) a "consumer product", which means any
tangible personal property which is normally used for personal, family,
or household purposes, or (2) anything designed or sold for incorporation
into a dwelling. In determining whether a product is a consumer product,
doubtful cases shall be resolved in favor of coverage. For a particular
product received by a particular user, "normally used" refers to a
typical or common use of that class of product, regardless of the status
of the particular user or of the way in which the particular user
actually uses, or expects or is expected to use, the product. A product
is a consumer product regardless of whether the product has substantial

commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option

remove any additional permissions from that copy, or from any part of
it. (Additional permissions may be written to require their own
removal in certain cases when you modify the work.) You may place
additional permissions on material, added by you to a covered work,
for which you have or can give appropriate copyright permission.

 Notwithstanding any other provision of this License, for material you
add to a covered work, you may (if authorized by the copyright holders of
that material) supplement the terms of this License with terms:

  a) Disclaiming warranty or limiting liability differently from the
  terms of sections 15 and 16 of this License; or

  b) Requiring preservation of specified reasonable legal notices or
  author attributions in that material or in the Appropriate Legal
  Notices displayed by works containing it; or

  c) Prohibiting misrepresentation of the origin of that material, or
  requiring that modified versions of such material be marked in
  reasonable ways as different from the original version; or

  d) Limiting the use for publicity purposes of names of licensors or
  authors of the material; or

  e) Declining to grant rights under trademark law for use of some
  trade names, trademarks, or service marks; or

  f) Requiring indemnification of licensors and authors of that
  material by anyone who conveys the material (or modified versions of
  it) with contractual assumptions of liability to the recipient, for
  any liability that these contractual assumptions directly impose on
  those licensors and authors.

 All other non-permissive additional terms are considered "further
restrictions" within the meaning of section 10. If the Program as you
received it, or any part of it, contains a notice stating that it is
governed by this License along with a term that is a further
restriction, you may remove that term. If a license document contains
a further restriction but permits relicensing or conveying under this
License, you may add to a covered work material governed by the terms
of that license document, provided that the further restriction does
not survive such relicensing or conveying.

 If you add terms to a covered work in accord with this section, you
must place, in the relevant source files, a statement of the
additional terms that apply to those files, or a notice indicating
where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible

for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may

not convey it at all. For example, if you agree to terms that obligate you
to collect a royalty for further conveying from those to whom you convey
the Program, the only way you could satisfy both those terms and this
License would be to refrain entirely from conveying the Program.

  13. Use with the GNU Affero General Public License.

  Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

  14. Revised Versions of this License.

  The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

  Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

  If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

  Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

  15. Disclaimer of Warranty.

  THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,

THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

  16. Limitation of Liability.

  IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE
USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD
PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES.

  17. Interpretation of Sections 15 and 16.

  If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

                     END OF TERMS AND CONDITIONS

            How to Apply These Terms to Your New Programs

  If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

  To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software: you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation, either version 3 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<http://www.gnu.org/philosophy/why-not-lgpl.html>.

                    GNU GENERAL PUBLIC LICENSE
                       Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

                    Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free

software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

 To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you have
certain responsibilities if you distribute copies of the software, or if
you modify it: responsibilities to respect the freedom of others.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must pass on to the recipients the same
freedoms that you received. You must make sure that they, too, receive
or can get the source code. And you must show them these terms so they
know their rights.

 Developers that use the GNU GPL protect your rights with two steps:
(1) assert copyright on the software, and (2) offer you this License
giving you legal permission to copy, distribute and/or modify it.

 For the developers' and authors' protection, the GPL clearly explains
that there is no warranty for this free software. For both users' and
authors' sake, the GPL requires that modified versions be marked as
changed, so that their problems will not be attributed erroneously to
authors of previous versions.

 Some devices are designed to deny users access to install or run
modified versions of the software inside them, although the manufacturer
can do so. This is fundamentally incompatible with the aim of
protecting users' freedom to change the software. The systematic
pattern of such abuse occurs in the area of products for individuals to
use, which is precisely where it is most unacceptable. Therefore, we
have designed this version of the GPL to prohibit the practice for those
products. If such problems arise substantially in other domains, we
stand ready to extend this provision to those domains in future versions
of the GPL, as needed to protect the freedom of users.

 Finally, every program is threatened constantly by software patents.
States should not allow patents to restrict development and use of
software on general-purpose computers, but in those that do, we wish to
avoid the special danger that patents applied to a free program could

make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work
for making modifications to it. "Object code" means any non-source
form of a work.

 A "Standard Interface" means an interface that either is an official
standard defined by a recognized standards body, or, in the case of
interfaces specified for a particular programming language, one that
is widely used among developers working in that language.

 The "System Libraries" of an executable work include anything, other
than the work as a whole, that (a) is included in the normal form of
packaging a Major Component, but which is not part of that Major
Component, and (b) serves only to enable use of the work with that
Major Component, or to implement a Standard Interface for which an
implementation is available to the public in source code form. A
"Major Component", in this context, means a major essential component
(kernel, window system, and so on) of the specific operating system
(if any) on which the executable work runs, or a compiler used to
produce the work, or an object code interpreter used to run it.

 The "Corresponding Source" for a work in object code form means all
the source code needed to generate, install, and (for an executable
work) run the object code and to modify the work, including scripts to
control those activities. However, it does not include the work's
System Libraries, or general-purpose tools or generally available free
programs which are used unmodified in performing those activities but
which are not part of the work. For example, Corresponding Source
includes interface definition files associated with source files for
the work, and the source code for shared libraries and dynamically
linked subprograms that the work is specifically designed to require,
such as by intimate data communication or control flow between those
subprograms and other parts of the work.

 The Corresponding Source need not include anything that users
can regenerate automatically from other parts of the Corresponding
Source.

 The Corresponding Source for a work in source code form is that
same work.

 2. Basic Permissions.

 All rights granted under this License are granted for the term of
copyright on the Program, and are irrevocable provided the stated
conditions are met. This License explicitly affirms your unlimited
permission to run the unmodified Program. The output from running a
covered work is covered by this License only if the output, given its

content, constitutes a covered work. This License acknowledges your
rights of fair use or other equivalent, as provided by copyright law.

 You may make, run and propagate covered works that you do not
convey, without conditions so long as your license otherwise remains
in force. You may convey covered works to others for the sole purpose
of having them make modifications exclusively for you, or provide you
with facilities for running those works, provided that you comply with
the terms of this License in conveying all material for which you do
not control copyright. Those thus making or running the covered works
for you must do so exclusively on your behalf, under your direction
and control, on terms that prohibit them from making any copies of
your copyrighted material outside their relationship with you.

 Conveying under any other circumstances is permitted solely under
the conditions stated below. Sublicensing is not allowed; section 10
makes it unnecessary.

 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

 No covered work shall be deemed part of an effective technological
measure under any applicable law fulfilling obligations under article
11 of the WIPO copyright treaty adopted on 20 December 1996, or
similar laws prohibiting or restricting circumvention of such
measures.

 When you convey a covered work, you waive any legal power to forbid
circumvention of technological measures to the extent such circumvention
is effected by exercising rights under this License with respect to
the covered work, and you disclaim any intention to limit operation or
modification of the work as a means of enforcing, against the work's
users, your or third parties' legal rights to forbid circumvention of
technological measures.

 4. Conveying Verbatim Copies.

 You may convey verbatim copies of the Program's source code as you
receive it, in any medium, provided that you conspicuously and
appropriately publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

 You may charge any price or no price for each copy that you convey,
and you may offer support or warranty protection for a fee.

 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to
produce it from the Program, in the form of source code under the
terms of section 4, provided that you also meet all of these conditions:

  a) The work must carry prominent notices stating that you modified
  it, and giving a relevant date.

  b) The work must carry prominent notices stating that it is
  released under this License and any conditions added under section
  7. This requirement modifies the requirement in section 4 to
  "keep intact all notices".

  c) You must license the entire work, as a whole, under this
  License to anyone who comes into possession of a copy. This
  License will therefore apply, along with any applicable section 7
  additional terms, to the whole of the work, and all its parts,
  regardless of how they are packaged. This License gives no
  permission to license the work in any other way, but it does not
  invalidate such permission if you have separately received it.

  d) If the work has interactive user interfaces, each must display
  Appropriate Legal Notices; however, if the Program has interactive
  interfaces that do not display Appropriate Legal Notices, your
  work need not make them do so.

 A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

  6. Conveying Non-Source Forms.

 You may convey a covered work in object code form under the terms
of sections 4 and 5, provided that you also convey the
machine-readable Corresponding Source under the terms of this License,
in one of these ways:

  a) Convey the object code in, or embodied in, a physical product
  (including a physical distribution medium), accompanied by the
  Corresponding Source fixed on a durable physical medium
  customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by a
written offer, valid for at least three years and valid for as
long as you offer spare parts or customer support for that product
model, to give anyone who possesses the object code either (1) a
copy of the Corresponding Source for all the software in the
product that is covered by this License, on a durable physical
medium customarily used for software interchange, for a price no
more than your reasonable cost of physically performing this
conveying of source, or (2) access to copy the
Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the
written offer to provide the Corresponding Source. This
alternative is allowed only occasionally and noncommercially, and
only if you received the object code with such an offer, in accord
with subsection 6b.

d) Convey the object code by offering access from a designated
place (gratis or for a charge), and offer equivalent access to the
Corresponding Source in the same way through the same place at no
further charge. You need not require recipients to copy the
Corresponding Source along with the object code. If the place to
copy the object code is a network server, the Corresponding Source
may be on a different server (operated by you or a third party)
that supports equivalent copying facilities, provided you maintain
clear directions next to the object code saying where to find the
Corresponding Source. Regardless of what server hosts the
Corresponding Source, you remain obligated to ensure that it is
available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided
you inform other peers where the object code and Corresponding
Source of the work are being offered to the general public at no
charge under subsection 6d.

 A separable portion of the object code, whose source code is excluded
from the Corresponding Source as a System Library, need not be
included in conveying the object code work.

 A "User Product" is either (1) a "consumer product", which means any
tangible personal property which is normally used for personal, family,
or household purposes, or (2) anything designed or sold for incorporation
into a dwelling. In determining whether a product is a consumer product,
doubtful cases shall be resolved in favor of coverage. For a particular
product received by a particular user, "normally used" refers to a
typical or common use of that class of product, regardless of the status
of the particular user or of the way in which the particular user

actually uses, or expects or is expected to use, the product. A product
is a consumer product regardless of whether the product has substantial
commercial, industrial or non-consumer uses, unless such uses represent
the only significant mode of use of the product.

"Installation Information" for a User Product means any methods,
procedures, authorization keys, or other information required to install
and execute modified versions of a covered work in that User Product from
a modified version of its Corresponding Source. The information must
suffice to ensure that the continued functioning of the modified object
code is in no case prevented or interfered with solely because
modification has been made.

If you convey an object code work under this section in, or with, or
specifically for use in, a User Product, and the conveying occurs as
part of a transaction in which the right of possession and use of the
User Product is transferred to the recipient in perpetuity or for a
fixed term (regardless of how the transaction is characterized), the
Corresponding Source conveyed under this section must be accompanied
by the Installation Information. But this requirement does not apply
if neither you nor any third party retains the ability to install
modified object code on the User Product (for example, the work has
been installed in ROM).

The requirement to provide Installation Information does not include a
requirement to continue to provide support service, warranty, or updates
for a work that has been modified or installed by the recipient, or for
the User Product in which it has been modified or installed. Access to a
network may be denied when the modification itself materially and
adversely affects the operation of the network or violates the rules and
protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided,
in accord with this section must be in a format that is publicly
documented (and with an implementation available to the public in
source code form), and must require no special password or key for
unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this
License by making exceptions from one or more of its conditions.
Additional permissions that are applicable to the entire Program shall
be treated as though they were included in this License, to the extent
that they are valid under applicable law. If additional permissions
apply only to part of the Program, that part may be used separately
under those permissions, but the entire Program remains governed by
this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option
remove any additional permissions from that copy, or from any part of
it. (Additional permissions may be written to require their own
removal in certain cases when you modify the work.) You may place
additional permissions on material, added by you to a covered work,
for which you have or can give appropriate copyright permission.

 Notwithstanding any other provision of this License, for material you
add to a covered work, you may (if authorized by the copyright holders of
that material) supplement the terms of this License with terms:

  a) Disclaiming warranty or limiting liability differently from the
  terms of sections 15 and 16 of this License; or

  b) Requiring preservation of specified reasonable legal notices or
  author attributions in that material or in the Appropriate Legal
  Notices displayed by works containing it; or

  c) Prohibiting misrepresentation of the origin of that material, or
  requiring that modified versions of such material be marked in
  reasonable ways as different from the original version; or

  d) Limiting the use for publicity purposes of names of licensors or
  authors of the material; or

  e) Declining to grant rights under trademark law for use of some
  trade names, trademarks, or service marks; or

  f) Requiring indemnification of licensors and authors of that
  material by anyone who conveys the material (or modified versions of
  it) with contractual assumptions of liability to the recipient, for
  any liability that these contractual assumptions directly impose on
  those licensors and authors.

 All other non-permissive additional terms are considered "further
restrictions" within the meaning of section 10. If the Program as you
received it, or any part of it, contains a notice stating that it is
governed by this License along with a term that is a further
restriction, you may remove that term. If a license document contains
a further restriction but permits relicensing or conveying under this
License, you may add to a covered work material governed by the terms
of that license document, provided that the further restriction does
not survive such relicensing or conveying.

 If you add terms to a covered work in accord with this section, you
must place, in the relevant source files, a statement of the
additional terms that apply to those files, or a notice indicating

where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically

receives a license from the original licensors, to run, modify and
propagate that work, subject to this License. You are not responsible
for enforcing compliance by third parties with this License.

 An "entity transaction" is a transaction transferring control of an
organization, or substantially all assets of one, or subdividing an
organization, or merging organizations. If propagation of a covered
work results from an entity transaction, each party to that
transaction who receives a copy of the work also receives whatever
licenses to the work the party's predecessor in interest had or could
give under the previous paragraph, plus a right to possession of the
Corresponding Source of the work from the predecessor in interest, if
the predecessor has it or can get it with reasonable efforts.

 You may not impose any further restrictions on the exercise of the
rights granted or affirmed under this License. For example, you may
not impose a license fee, royalty, or other charge for exercise of
rights granted under this License, and you may not initiate litigation
(including a cross-claim or counterclaim in a lawsuit) alleging that
any patent claim is infringed by making, using, selling, offering for
sale, or importing the Program or any portion of it.

 11. Patents.

 A "contributor" is a copyright holder who authorizes use under this
License of the Program or a work on which the Program is based. The
work thus licensed is called the contributor's "contributor version".

 A contributor's "essential patent claims" are all patent claims
owned or controlled by the contributor, whether already acquired or
hereafter acquired, that would be infringed by some manner, permitted
by this License, of making, using, or selling its contributor version,
but do not include claims that would be infringed only as a
consequence of further modification of the contributor version. For
purposes of this definition, "control" includes the right to grant
patent sublicenses in a manner consistent with the requirements of
this License.

 Each contributor grants you a non-exclusive, worldwide, royalty-free
patent license under the contributor's essential patent claims, to
make, use, sell, offer for sale, import and otherwise run, modify and
propagate the contents of its contributor version.

 In the following three paragraphs, a "patent license" is any express
agreement or commitment, however denominated, not to enforce a patent
(such as an express permission to practice a patent or covenant not to
sue for patent infringement). To "grant" such a patent license to a
party means to make such an agreement or commitment not to enforce a

patent against the party.

 If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

 If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

 A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

 Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

 12. No Surrender of Others' Freedom.

 If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a

covered work so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you may
not convey it at all. For example, if you agree to terms that obligate you
to collect a royalty for further conveying from those to whom you convey
the Program, the only way you could satisfy both those terms and this
License would be to refrain entirely from conveying the Program.

  13. Use with the GNU Affero General Public License.

  Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

  14. Revised Versions of this License.

  The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

  Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

  If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

  Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

  15. Disclaimer of Warranty.

  THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT

HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

 IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE
USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD
PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

 If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

                    END OF TERMS AND CONDITIONS

            How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software: you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation, either version 3 of the License, or
    (at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program. If not, see <https://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

 If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

  <program> Copyright (C) <year> <name of author>
  This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
  This is free software, and you are welcome to redistribute it
  under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

 You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<https://www.gnu.org/licenses/>.

 The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<https://www.gnu.org/philosophy/why-not-lgpl.html>.
    GNU LESSER GENERAL PUBLIC LICENSE
             Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

 This version of the GNU Lesser General Public License incorporates
the terms and conditions of version 3 of the GNU General Public
License, supplemented by the additional permissions listed below.

 0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser
General Public License, and the "GNU GPL" refers to version 3 of the GNU
General Public License.

"The Library" refers to a covered work governed by this License,
other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided
by the Library, but which is not otherwise based on the Library.
Defining a subclass of a class defined by the Library is deemed a mode
of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an
Application with the Library. The particular version of the Library
with which the Combined Work was made is also called the "Linked
Version".

The "Minimal Corresponding Source" for a Combined Work means the
Corresponding Source for the Combined Work, excluding any source code
for portions of the Combined Work that, considered in isolation, are
based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the
object code and/or source code for the Application, including any data
and utility programs needed for reproducing the Combined Work from the
Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License
without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a
facility refers to a function or data to be supplied by an Application
that uses the facility (other than as an argument passed when the
facility is invoked), then you may convey a copy of the modified
version:

a) under this License, provided that you make a good faith effort to
ensure that, in the event an Application does not supply the
function or data, the facility still operates, and performs
whatever part of its purpose remains meaningful, or

b) under the GNU GPL, with none of the additional permissions of
this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

 The object code form of an Application may incorporate material from
a header file that is part of the Library. You may convey such object
code under terms of your choice, provided that, if the incorporated
material is not limited to numerical parameters, data structure
layouts and accessors, or small macros, inline functions and templates
(ten or fewer lines in length), you do both of the following:

  a) Give prominent notice with each copy of the object code that the
  Library is used in it and that the Library and its use are
  covered by this License.

  b) Accompany the object code with a copy of the GNU GPL and this license
  document.

 4. Combined Works.

 You may convey a Combined Work under terms of your choice that,
taken together, effectively do not restrict modification of the
portions of the Library contained in the Combined Work and reverse
engineering for debugging such modifications, if you also do each of
the following:

  a) Give prominent notice with each copy of the Combined Work that
  the Library is used in it and that the Library and its use are
  covered by this License.

  b) Accompany the Combined Work with a copy of the GNU GPL and this license
  document.

  c) For a Combined Work that displays copyright notices during
  execution, include the copyright notice for the Library among
  these notices, as well as a reference directing the user to the
  copies of the GNU GPL and this license document.

  d) Do one of the following:

    0) Convey the Minimal Corresponding Source under the terms of this
    License, and the Corresponding Application Code in a form
    suitable for, and under terms that permit, the user to
    recombine or relink the Application with a modified version of
    the Linked Version to produce a modified Combined Work, in the
    manner specified by section 6 of the GNU GPL for conveying
    Corresponding Source.

    1) Use a suitable shared library mechanism for linking with the
    Library. A suitable mechanism is one that (a) uses at run time

a copy of the Library already present on the user's computer
system, and (b) will operate properly with a modified version
of the Library that is interface-compatible with the Linked
Version.

e) Provide Installation Information, but only if you would otherwise
be required to provide such information under section 6 of the
GNU GPL, and only to the extent that such information is
necessary to install and execute a modified version of the
Combined Work produced by recombining or relinking the
Application with a modified version of the Linked Version. (If
you use option 4d0, the Installation Information must accompany
the Minimal Corresponding Source and Corresponding Application
Code. If you use option 4d1, you must provide the Installation
Information in the manner specified by section 6 of the GNU GPL
for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the
Library side by side in a single library together with other library
facilities that are not Applications and are not covered by this
License, and convey such a combined library under terms of your
choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based
on the Library, uncombined with any other library facilities,
conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it
is a work based on the Library, and explaining where to find the
accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions
of the GNU Lesser General Public License from time to time. Such new
versions will be similar in spirit to the present version, but may
differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the
Library as you received it specifies that a certain numbered version
of the GNU Lesser General Public License "or any later version"
applies to it, you have the option of following the terms and
conditions either of that published version or of any later version
published by the Free Software Foundation. If the Library as you
received it does not specify a version number of the GNU Lesser
General Public License, you may choose any version of the GNU Lesser

General Public License ever published by the Free Software Foundation.

 If the Library as you received it specifies that a proxy can decide
whether future versions of the GNU Lesser General Public License shall
apply, that proxy's public statement of acceptance of any version is
permanent authorization for you to choose that version for the
Library.

1.174 six 1.14.0

1.174.1 Available under license :

Copyright (c) 2010-2020 Benjamin Peterson

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of
the Software, and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER
IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
The primary author and maintainer of six is Benjamin Peterson. He would like to
acknowledge the following people who submitted bug reports, pull requests, and
otherwise worked to improve six:

Marc Abramowitz
immerrr again
Alexander Artemenko
Aymeric Augustin
Lee Ball
Ben Bariteau
Ned Batchelder
Wouter Bolsterlee
Brett Cannon
Jason R. Coombs
Julien Danjou
Ben Darnell
Ben Davis
Jon Dufresne

Tim Graham

Thomas Grainger

Max Grender-Jones

Joshua Harlow

Toshiki Kataoka

Hugo van Kemenade

Anselm Kruis

Ivan Levkivskyi

Alexander Lukanin

James Mills

Jordan Moldow

Berker Peksag

Sridhar Ratnakumar

Erik Rose

Mirko Rossini

Peter Ruibal

Miroslav Shubernetskiy

Eli Schwartz

Anthony Sottile

Jonathan Vanasco

Lucas Wiman

Jingxin Zhu

If you think you belong on this list, please let me know! --Benjamin

1.175 base-files 11ubuntu5.5

1.175.1 Available under license :

FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

GNU LIBRARY GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the library GPL. It is
numbered 2 because it goes with version 2 of the ordinary GPL.]

Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

 This license, the Library General Public License, applies to some
specially designated Free Software Foundation software, and to any
other libraries whose authors decide to use it. You can use it for
your libraries, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if
you distribute copies of the library, or if you modify it.

 For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link a program with the library, you must provide
complete object files to the recipients so that they can relink them
with the library, after making changes to the library and recompiling

it. And you must show them these terms so they know their rights.

 Our method of protecting your rights has two steps: (1) copyright
the library, and (2) offer you this license which gives you legal
permission to copy, distribute and/or modify the library.

 Also, for each distributor's protection, we want to make certain
that everyone understands that there is no warranty for this free
library. If the library is modified by someone else and passed on, we
want its recipients to know that what they have is not the original
version, so that any problems introduced by others will not reflect on
the original authors' reputations.

 Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that companies distributing free
software will individually obtain patent licenses, thus in effect
transforming the program into proprietary software. To prevent this,
we have made it clear that any patent must be licensed for everyone's
free use or not licensed at all.

 Most GNU software, including some libraries, is covered by the ordinary
GNU General Public License, which was designed for utility programs. This
license, the GNU Library General Public License, applies to certain
designated libraries. This license is quite different from the ordinary
one; be sure to read it in full, and don't assume that anything in it is
the same as in the ordinary license.

 The reason we have a separate public license for some libraries is that
they blur the distinction we usually make between modifying or adding to a
program and simply using it. Linking a program with a library, without
changing the library, is in some sense simply using the library, and is
analogous to running a utility program or application program. However, in
a textual and legal sense, the linked executable is a combined work, a
derivative of the original library, and the ordinary General Public License
treats it as such.

 Because of this blurred distinction, using the ordinary General
Public License for libraries did not effectively promote software
sharing, because most developers did not use the libraries. We
concluded that weaker conditions might promote sharing better.

 However, unrestricted linking of non-free programs would deprive the
users of those programs of all benefit from the free status of the
libraries themselves. This Library General Public License is intended to
permit developers of non-free programs to use free libraries, while
preserving your freedom as a user of such programs to change the free
libraries that are incorporated in them. (We have not seen how to achieve
this as regards changes in header files, but we have achieved it as regards

changes in the actual functions of the Library.) The hope is that this will lead to faster development of free libraries.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, while the latter only works together with the library.

Note that it is possible for a library to be covered by the ordinary General Public License rather than by this special one.

GNU LIBRARY GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Library General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's

complete source code as you receive it, in any medium, provided that
you conspicuously and appropriately publish on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact
all the notices that refer to this License and to the absence of any
warranty; and distribute a copy of this License along with the
Library.

 You may charge a fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a
fee.

 2. You may modify your copy or copies of the Library or any portion
of it, thus forming a work based on the Library, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) The modified work must itself be a software library.

  b) You must cause the files modified to carry prominent notices
  stating that you changed the files and the date of any change.

  c) You must cause the whole of the work to be licensed at no
  charge to all third parties under the terms of this License.

  d) If a facility in the modified Library refers to a function or a
  table of data to be supplied by an application program that uses
  the facility, other than as an argument passed when the facility
  is invoked, then you must make a good faith effort to ensure that,
  in the event an application does not supply such function or
  table, the facility still operates, and performs whatever part of
  its purpose remains meaningful.

  (For example, a function in a library to compute square roots has
  a purpose that is entirely well-defined independent of the
  application. Therefore, Subsection 2d requires that any
  application-supplied function or table used by this function must
  be optional: if the application does not supply it, the square
  root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Library,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote

it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

 Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

 4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

 5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

 However, linking a "work that uses the Library" with the Library

creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

 When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

 If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

 Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

 6. As an exception to the Sections above, you may also compile or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

 You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

  a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the

Library will not necessarily be able to recompile the application
to use the modified definitions.)

b) Accompany the work with a written offer, valid for at
least three years, to give the same user the materials
specified in Subsection 6a, above, for a charge no more
than the cost of performing this distribution.

c) If distribution of the work is made by offering access to copy
from a designated place, offer equivalent access to copy the above
specified materials from the same place.

d) Verify that the user has already received a copy of these
materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the
Library" must include any data and utility programs needed for
reproducing the executable from it. However, as a special exception,
the source code distributed need not include anything that is normally
distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies
the executable.

It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.

7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work
based on the Library, uncombined with any other library
facilities. This must be distributed under the terms of the
Sections above.

b) Give prominent notice with the combined library of the fact
that part of it is a work based on the Library, and explaining
where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any

attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

 9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

 10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

 11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing

to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

  12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

  13. The Free Software Foundation may publish revised and/or new versions of the Library General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

  14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

                    NO WARRANTY

  15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE
LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING
RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A
FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF
SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

 If you develop a new library, and you want it to be of the greatest
possible use to the public, we recommend making it free software that
everyone can redistribute and change. You can do so by permitting
redistribution under these terms (or, alternatively, under the terms of the
ordinary General Public License).

 To apply these terms, attach the following notices to the library. It is
safest to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

    <one line to give the library's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This library is free software; you can redistribute it and/or
    modify it under the terms of the GNU Library General Public
    License as published by the Free Software Foundation; either
    version 2 of the License, or (at your option) any later version.

    This library is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
    Library General Public License for more details.

    You should have received a copy of the GNU Library General Public
    License along with this library; if not, write to the Free Software
    Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

 We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,

distribute and/or modify the software.

 Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

 Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

 The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable
source code, which must be distributed under the terms of Sections
1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three
years, to give any third party, for a charge no more than your
cost of physically performing source distribution, a complete
machine-readable copy of the corresponding source code, to be
distributed under the terms of Sections 1 and 2 above on a medium
customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer
to distribute corresponding source code. (This alternative is
allowed only for noncommercial distribution and only if you
received the program in object code or executable form with such
an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering
access to copy from a designated place, then offering equivalent
access to copy the source code from the same place counts as
distribution of the source code, even though third parties are not
compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense or distribute the Program is
void, and will automatically terminate your rights under this License.
However, parties who have received copies, or rights, from you under
this License will not have their licenses terminated so long as such
parties remain in full compliance.

5. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Program or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Program (or any work based on the

Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

 7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

 8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding

those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

 10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

                    NO WARRANTY

 11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

 12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

                END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License along
    with this program; if not, write to the Free Software Foundation, Inc.,
    51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

    Gnomovision version 69, Copyright (C) year name of author
    Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.

<div style="text-align:center">

GNU GENERAL PUBLIC LICENSE
Version 1, February 1989

</div>

Copyright (C) 1989 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

 The license agreements of most software companies try to keep users
at the mercy of those companies. By contrast, our General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. The
General Public License applies to the Free Software Foundation's
software and to any other program whose authors commit to using it.
You can use it for your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Specifically, the General Public License is designed to make
sure that you have the freedom to give away or sell copies of free
software, that you receive source code or can get it if you want it,
that you can change the software or use pieces of it in new free
programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

 For example, if you distribute copies of a such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must tell them their rights.

We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any program or other work which
contains a notice placed by the copyright holder saying it may be
distributed under the terms of this General Public License. The
"Program", below, refers to any such program or work, and a "work based
on the Program" means either the Program or any work containing the
Program or a portion of it, either verbatim or with modifications. Each
licensee is addressed as "you".

1. You may copy and distribute verbatim copies of the Program's source
code as you receive it, in any medium, provided that you conspicuously and
appropriately publish on each copy an appropriate copyright notice and
disclaimer of warranty; keep intact all the notices that refer to this
General Public License and to the absence of any warranty; and give any
other recipients of the Program a copy of this General Public License
along with the Program. You may charge a fee for the physical act of
transferring a copy.

2. You may modify your copy or copies of the Program or any portion of
it, and copy and distribute such modifications under the terms of Paragraph
1 above, provided that you also do the following:

a) cause the modified files to carry prominent notices stating that
you changed the files and the date of any change; and

b) cause the whole of any work that you distribute or publish, that
in whole or in part contains the Program or any part thereof, either
with or without modifications, to be licensed at no charge to all
third parties under the terms of this General Public License (except
that you may choose to grant warranty protection to some or all
third parties, at your option).

c) If the modified program normally reads commands interactively when
run, you must cause it, when started running for such interactive use
in the simplest and most usual way, to print or display an
announcement including an appropriate copyright notice and a notice
that there is no warranty (or else, saying that you provide a
warranty) and that users may redistribute the program under these
conditions, and telling the user how to view a copy of this General
Public License.

d) You may charge a fee for the physical act of transferring a
copy, and you may at your option offer warranty protection in
exchange for a fee.

Mere aggregation of another independent work with the Program (or its
derivative) on a volume of a storage or distribution medium does not bring
the other work under the scope of these terms.

 3. You may copy and distribute the Program (or a portion or derivative of
it, under Paragraph 2) in object code or executable form under the terms of
Paragraphs 1 and 2 above provided that you also do one of the following:

a) accompany it with the complete corresponding machine-readable
source code, which must be distributed under the terms of
Paragraphs 1 and 2 above; or,

b) accompany it with a written offer, valid for at least three
years, to give any third party free (except for a nominal charge
for the cost of distribution) a complete machine-readable copy of the
corresponding source code, to be distributed under the terms of
Paragraphs 1 and 2 above; or,

c) accompany it with the information you received as to where the
corresponding source code may be obtained. (This alternative is
allowed only for noncommercial distribution and only if you
received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making
modifications to it. For an executable file, complete source code means
all the source code for all modules it contains; but, as a special
exception, it need not include source code for modules which are standard
libraries that accompany the operating system on which the executable
file runs, or for standard header files or definitions files that
accompany that operating system.

 4. You may not copy, modify, sublicense, distribute or transfer the
Program except as expressly provided under this General Public License.
Any attempt otherwise to copy, modify, sublicense, distribute or transfer
the Program is void, and will automatically terminate your rights to use

the Program under this License. However, parties who have received
copies, or rights to use copies, from you under this General Public
License will not have their licenses terminated so long as such parties
remain in full compliance.

 5. By copying, distributing or modifying the Program (or any work based
on the Program) you indicate your acceptance of this license to do so,
and all its terms and conditions.

 6. Each time you redistribute the Program (or any work based on the
Program), the recipient automatically receives a license from the original
licensor to copy, distribute or modify the Program subject to these
terms and conditions. You may not impose any further restrictions on the
recipients' exercise of the rights granted herein.

 7. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of the license which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
the license, you may choose any version ever published by the Free Software
Foundation.

 8. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

 9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to humanity, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) 19yy <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 1, or (at your option)
    any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program; if not, write to the Free Software
    Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

    Gnomovision version 69, Copyright (C) 19xx name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the
appropriate parts of the General Public License. Of course, the
commands you use may be called something other than `show w' and `show
c'; they could even be mouse-clicks or menu items--whatever suits your
program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the
 program `Gnomovision' (a program to direct compilers to make passes
 at assemblers) written by James Hacker.

 <signature of Ty Coon>, 1 April 1989
 Ty Coon, President of Vice

That's all there is to it!

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

           GNU GENERAL PUBLIC LICENSE
              Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

                Preamble

 The GNU General Public License is a free, copyleft license for
software and other kinds of works.

 The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to

your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

 To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you have
certain responsibilities if you distribute copies of the software, or if
you modify it: responsibilities to respect the freedom of others.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must pass on to the recipients the same
freedoms that you received. You must make sure that they, too, receive
or can get the source code. And you must show them these terms so they
know their rights.

 Developers that use the GNU GPL protect your rights with two steps:
(1) assert copyright on the software, and (2) offer you this License
giving you legal permission to copy, distribute and/or modify it.

 For the developers' and authors' protection, the GPL clearly explains
that there is no warranty for this free software. For both users' and
authors' sake, the GPL requires that modified versions be marked as
changed, so that their problems will not be attributed erroneously to
authors of previous versions.

 Some devices are designed to deny users access to install or run
modified versions of the software inside them, although the manufacturer
can do so. This is fundamentally incompatible with the aim of
protecting users' freedom to change the software. The systematic
pattern of such abuse occurs in the area of products for individuals to
use, which is precisely where it is most unacceptable. Therefore, we
have designed this version of the GPL to prohibit the practice for those
products. If such problems arise substantially in other domains, we
stand ready to extend this provision to those domains in future versions
of the GPL, as needed to protect the freedom of users.

 Finally, every program is threatened constantly by software patents.
States should not allow patents to restrict development and use of
software on general-purpose computers, but in those that do, we wish to
avoid the special danger that patents applied to a free program could
make it effectively proprietary. To prevent this, the GPL assures that
patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source

form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not
convey, without conditions so long as your license otherwise remains
in force. You may convey covered works to others for the sole purpose
of having them make modifications exclusively for you, or provide you
with facilities for running those works, provided that you comply with
the terms of this License in conveying all material for which you do
not control copyright. Those thus making or running the covered works
for you must do so exclusively on your behalf, under your direction
and control, on terms that prohibit them from making any copies of
your copyrighted material outside their relationship with you.

 Conveying under any other circumstances is permitted solely under
the conditions stated below. Sublicensing is not allowed; section 10
makes it unnecessary.

 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

 No covered work shall be deemed part of an effective technological
measure under any applicable law fulfilling obligations under article
11 of the WIPO copyright treaty adopted on 20 December 1996, or
similar laws prohibiting or restricting circumvention of such
measures.

 When you convey a covered work, you waive any legal power to forbid
circumvention of technological measures to the extent such circumvention
is effected by exercising rights under this License with respect to
the covered work, and you disclaim any intention to limit operation or
modification of the work as a means of enforcing, against the work's
users, your or third parties' legal rights to forbid circumvention of
technological measures.

 4. Conveying Verbatim Copies.

 You may convey verbatim copies of the Program's source code as you
receive it, in any medium, provided that you conspicuously and
appropriately publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

 You may charge any price or no price for each copy that you convey,
and you may offer support or warranty protection for a fee.

 5. Conveying Modified Source Versions.

 You may convey a work based on the Program, or the modifications to
produce it from the Program, in the form of source code under the

terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as

long as you offer spare parts or customer support for that product
model, to give anyone who possesses the object code either (1) a
copy of the Corresponding Source for all the software in the
product that is covered by this License, on a durable physical
medium customarily used for software interchange, for a price no
more than your reasonable cost of physically performing this
conveying of source, or (2) access to copy the
Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the
written offer to provide the Corresponding Source. This
alternative is allowed only occasionally and noncommercially, and
only if you received the object code with such an offer, in accord
with subsection 6b.

d) Convey the object code by offering access from a designated
place (gratis or for a charge), and offer equivalent access to the
Corresponding Source in the same way through the same place at no
further charge. You need not require recipients to copy the
Corresponding Source along with the object code. If the place to
copy the object code is a network server, the Corresponding Source
may be on a different server (operated by you or a third party)
that supports equivalent copying facilities, provided you maintain
clear directions next to the object code saying where to find the
Corresponding Source. Regardless of what server hosts the
Corresponding Source, you remain obligated to ensure that it is
available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided
you inform other peers where the object code and Corresponding
Source of the work are being offered to the general public at no
charge under subsection 6d.

 A separable portion of the object code, whose source code is excluded
from the Corresponding Source as a System Library, need not be
included in conveying the object code work.

 A "User Product" is either (1) a "consumer product", which means any
tangible personal property which is normally used for personal, family,
or household purposes, or (2) anything designed or sold for incorporation
into a dwelling. In determining whether a product is a consumer product,
doubtful cases shall be resolved in favor of coverage. For a particular
product received by a particular user, "normally used" refers to a
typical or common use of that class of product, regardless of the status
of the particular user or of the way in which the particular user
actually uses, or expects or is expected to use, the product. A product
is a consumer product regardless of whether the product has substantial
commercial, industrial or non-consumer uses, unless such uses represent

the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of

it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

 Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

  a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or

  b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

  c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

  d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

  e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

  f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

 All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

 If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

 Additional terms, permissive or non-permissive, may be stated in the

form of a separately written license, or stated as exceptions;
the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly
provided under this License. Any attempt otherwise to propagate or
modify it is void, and will automatically terminate your rights under
this License (including any patent licenses granted under the third
paragraph of section 11).

However, if you cease all violation of this License, then your
license from a particular copyright holder is reinstated (a)
provisionally, unless and until the copyright holder explicitly and
finally terminates your license, and (b) permanently, if the copyright
holder fails to notify you of the violation by some reasonable means
prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is
reinstated permanently if the copyright holder notifies you of the
violation by some reasonable means, this is the first time you have
received notice of violation of this License (for any work) from that
copyright holder, and you cure the violation prior to 30 days after
your receipt of the notice.

Termination of your rights under this section does not terminate the
licenses of parties who have received copies or rights from you under
this License. If your rights have been terminated and not permanently
reinstated, you do not qualify to receive new licenses for the same
material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or
run a copy of the Program. Ancillary propagation of a covered work
occurring solely as a consequence of using peer-to-peer transmission
to receive a copy likewise does not require acceptance. However,
nothing other than this License grants you permission to propagate or
modify any covered work. These actions infringe copyright if you do
not accept this License. Therefore, by modifying or propagating a
covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically
receives a license from the original licensors, to run, modify and
propagate that work, subject to this License. You are not responsible
for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license,

and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

 If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

 A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

 Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

 If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you

to collect a royalty for further conveying from those to whom you convey
the Program, the only way you could satisfy both those terms and this
License would be to refrain entirely from conveying the Program.

  13. Use with the GNU Affero General Public License.

 Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

  14. Revised Versions of this License.

 The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

 Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

 If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

 Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

  15. Disclaimer of Warranty.

 THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR

PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

 IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE
USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD
PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

 If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

                    END OF TERMS AND CONDITIONS

           How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software: you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation, either version 3 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<http://www.gnu.org/philosophy/why-not-lgpl.html>.

The "Artistic License"

Preamble

The intent of this document is to state the conditions under which a
Package may be copied, such that the Copyright Holder maintains some
semblance of artistic control over the development of the package,
while giving the users of the package the right to use and distribute
the Package in a more-or-less customary fashion, plus the right to make
reasonable modifications.

Definitions:

"Package" refers to the collection of files distributed by the
Copyright Holder, and derivatives of that collection of files
created through textual modification.

"Standard Version" refers to such a Package if it has not been
modified, or has been modified in accordance with the wishes
of the Copyright Holder as specified below.

"Copyright Holder" is whoever is named in the copyright or
copyrights for the package.

"You" is you, if you're thinking about copying or distributing
this Package.

"Reasonable copying fee" is whatever you can justify on the
basis of media cost, duplication charges, time of people involved,
and so on. (You will not be required to justify it to the
Copyright Holder, but only to the computing community at large
as a market that must bear the fee.)

"Freely Available" means that no fee is charged for the item
itself, though there may be fees involved in handling the item.
It also means that recipients of the item may redistribute it
under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the
Standard Version of this Package without restriction, provided that you
duplicate all of the original copyright notices and associated disclaimers.

2. You may apply bug fixes, portability fixes and other modifications
derived from the Public Domain or from the Copyright Holder. A Package
modified in such a way shall still be considered the Standard Version.

3. You may otherwise modify your copy of this Package in any way, provided
that you insert a prominent notice in each changed file stating how and
when you changed that file, and provided that you do at least ONE of the
following:

  a) place your modifications in the Public Domain or otherwise make them
  Freely Available, such as by posting said modifications to Usenet or
  an equivalent medium, or placing the modifications on a major archive
  site such as uunet.uu.net, or by allowing the Copyright Holder to include
  your modifications in the Standard Version of the Package.

  b) use the modified Package only within your corporation or organization.

  c) rename any non-standard executables so the names do not conflict
  with standard executables, which must also be provided, and provide

a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:

a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.

b) accompany the distribution with the machine-readable source of the Package with your modifications.

c) give non-standard executables non-standard names, and clearly document the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own. You may embed this Package's interpreter within an executable of yours (by linking); this shall be construed as a mere form of aggregation, provided that the complete Standard Version of the interpreter is so embedded.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whoever generated them, and may be sold commercially, and may be aggregated with this Package. If such scripts or library files are aggregated with this Package via the so-called "undump" or "unexec" methods of producing a binary executable image, then distribution of such an image shall neither be construed as a distribution of this Package nor shall it fall under the restrictions of Paragraphs 3 and 4, provided that you do not represent such an executable image as a Standard Version of this Package.

7. C subroutines (or comparably compiled subroutines in other languages) supplied by you and linked into this Package in order to emulate subroutines and variables of the language defined by this Package shall not be considered part of this Package, but are the

equivalent of input as in Paragraph 6, provided these subroutines do
not change the language in any way that would cause it to fail the
regression tests for the language.

8. Aggregation of this Package with a commercial distribution is always
permitted provided that the use of this Package is embedded; that is,
when no overt attempt is made to make this Package's interfaces visible
to the end user of the commercial distribution. Such use shall not be
construed as a distribution of this Package.

9. The name of the Copyright Holder may not be used to endorse or promote
products derived from this software without specific prior written permission.

10. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED
WARRANTIES OF MERCHANTIBILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End
                    GNU LESSER GENERAL PUBLIC LICENSE
                       Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates
the terms and conditions of version 3 of the GNU General Public
License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser
General Public License, and the "GNU GPL" refers to version 3 of the GNU
General Public License.

"The Library" refers to a covered work governed by this License,
other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided
by the Library, but which is not otherwise based on the Library.
Defining a subclass of a class defined by the Library is deemed a mode
of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an
Application with the Library. The particular version of the Library
with which the Combined Work was made is also called the "Linked
Version".

The "Minimal Corresponding Source" for a Combined Work means the
Corresponding Source for the Combined Work, excluding any source code
for portions of the Combined Work that, considered in isolation, are
based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the
object code and/or source code for the Application, including any data
and utility programs needed for reproducing the Combined Work from the
Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License
without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a
facility refers to a function or data to be supplied by an Application
that uses the facility (other than as an argument passed when the
facility is invoked), then you may convey a copy of the modified
version:

a) under this License, provided that you make a good faith effort to
ensure that, in the event an Application does not supply the
function or data, the facility still operates, and performs
whatever part of its purpose remains meaningful, or

b) under the GNU GPL, with none of the additional permissions of
this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from
a header file that is part of the Library. You may convey such object
code under terms of your choice, provided that, if the incorporated
material is not limited to numerical parameters, data structure
layouts and accessors, or small macros, inline functions and templates
(ten or fewer lines in length), you do both of the following:

a) Give prominent notice with each copy of the object code that the
Library is used in it and that the Library and its use are
covered by this License.

b) Accompany the object code with a copy of the GNU GPL and this license
document.

4. Combined Works.

 You may convey a Combined Work under terms of your choice that,
taken together, effectively do not restrict modification of the
portions of the Library contained in the Combined Work and reverse
engineering for debugging such modifications, if you also do each of
the following:

 a) Give prominent notice with each copy of the Combined Work that
 the Library is used in it and that the Library and its use are
 covered by this License.

 b) Accompany the Combined Work with a copy of the GNU GPL and this license
 document.

 c) For a Combined Work that displays copyright notices during
 execution, include the copyright notice for the Library among
 these notices, as well as a reference directing the user to the
 copies of the GNU GPL and this license document.

 d) Do one of the following:

 0) Convey the Minimal Corresponding Source under the terms of this
 License, and the Corresponding Application Code in a form
 suitable for, and under terms that permit, the user to
 recombine or relink the Application with a modified version of
 the Linked Version to produce a modified Combined Work, in the
 manner specified by section 6 of the GNU GPL for conveying
 Corresponding Source.

 1) Use a suitable shared library mechanism for linking with the
 Library. A suitable mechanism is one that (a) uses at run time
 a copy of the Library already present on the user's computer
 system, and (b) will operate properly with a modified version
 of the Library that is interface-compatible with the Linked
 Version.

 e) Provide Installation Information, but only if you would otherwise
 be required to provide such information under section 6 of the
 GNU GPL, and only to the extent that such information is
 necessary to install and execute a modified version of the
 Combined Work produced by recombining or relinking the
 Application with a modified version of the Linked Version. (If
 you use option 4d0, the Installation Information must accompany
 the Minimal Corresponding Source and Corresponding Application
 Code. If you use option 4d1, you must provide the Installation
 Information in the manner specified by section 6 of the GNU GPL
 for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the
Library side by side in a single library together with other library
facilities that are not Applications and are not covered by this
License, and convey such a combined library under terms of your
choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based
on the Library, uncombined with any other library facilities,
conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it
is a work based on the Library, and explaining where to find the
accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions
of the GNU Lesser General Public License from time to time. Such new
versions will be similar in spirit to the present version, but may
differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the
Library as you received it specifies that a certain numbered version
of the GNU Lesser General Public License "or any later version"
applies to it, you have the option of following the terms and
conditions either of that published version or of any later version
published by the Free Software Foundation. If the Library as you
received it does not specify a version number of the GNU Lesser
General Public License, you may choose any version of the GNU Lesser
General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide
whether future versions of the GNU Lesser General Public License shall
apply, that proxy's public statement of acceptance of any version is
permanent authorization for you to choose that version for the
Library.

1.176 nghttp2 1.40.0-1build1

1.176.1 Available under license :

LEGAL NOTICE INFORMATION

All the files in this distribution are covered under the MIT license

(see the file LICENSE) except some files mentioned below:
The MIT License

Copyright (c) 2012, 2014, 2015, 2016 Tatsuhiro Tsujikawa
Copyright (c) 2012, 2014, 2015, 2016 nghttp2 contributors

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
set yrange [0:]
set terminal pngcairo font 'Sans, 8' lw 1 size 1400,1024
set xtics rotate by -45
set style histogram errorbars gap 2 lw 1
set style fill solid border -1
Copyright (c) 2019 mruby developers

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS IN THE SOFTWARE.

If not otherwise noted, the extensions in this package are licensed under the following license.

Copyright (c) 2010 by the contributors (see AUTHORS file). All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.177 x-term 0.0.0-20210927222741-03fcf44c2211

1.177.1 Available under license :

This source code was written by the Go contributors.
The master list of contributors is in the main Go distribution,
visible at http://tip.golang.org/CONTRIBUTORS.
Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

   * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer

in the documentation and/or other materials provided with the
distribution.
   * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.178 golang-snappy 0.0.2

1.178.1 Available under license :

This is the official list of people who can contribute
(and typically have contributed) code to the Snappy-Go repository.
The AUTHORS file lists the copyright holders; this file
lists people. For example, Google employees are listed here
but not in AUTHORS, because Google holds the copyright.
#
The submission process automatically checks to make sure
that people submitting code are listed in this file (by email address).
#
Names should be added to this file only after verifying that
the individual or the individual's organization has agreed to
the appropriate Contributor License Agreement, found here:
#
http://code.google.com/legal/individual-cla-v1.0.html
http://code.google.com/legal/corporate-cla-v1.0.html
#
The agreement for individuals can be filled out on the web.
#
When adding J Random Contributor's name to this file,
either J's name or J's organization's name should be
added to the AUTHORS file, depending on whether the
individual or corporate CLA was used.

Names should be added to this file like so:
Name <email address>

Please keep the list sorted.

Damian Gryski <dgryski@gmail.com>
Jan Mercl <0xjnml@gmail.com>
Jonathan Swinney <jswinney@amazon.com>
Kai Backman <kaib@golang.org>
Klaus Post <klauspost@gmail.com>
Marc-Antoine Ruel <maruel@chromium.org>
Nigel Tao <nigeltao@golang.org>
Rob Pike <r@golang.org>
Rodolfo Carvalho <rhcarvalho@gmail.com>
Russ Cox <rsc@golang.org>
Sebastien Binet <seb.binet@gmail.com>
Copyright (c) 2011 The Snappy-Go Authors. All rights reserved.

1.179 gosimple-slug 1.9.0

1.179.1 Available under license :

Mozilla Public License Version 2.0
==================================

1. Definitions

1.1. "Contributor"
  means each individual or legal entity that creates, contributes to
  the creation of, or owns Covered Software.

1.2. "Contributor Version"
  means the combination of the Contributions of others (if any) used
  by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"
  means Covered Software of a particular Contributor.

1.4. "Covered Software"
  means Source Code Form to which the initial Contributor has attached
  the notice in Exhibit A, the Executable Form of such Source Code
  Form, and Modifications of such Source Code Form, in each case
  including portions thereof.

1.5. "Incompatible With Secondary Licenses"
  means

  (a) that the initial Contributor has attached the notice described
      in Exhibit B to the Covered Software; or

  (b) that the Covered Software was made available under the terms of
      version 1.1 or earlier of the License, but not also under the
      terms of a Secondary License.

1.6. "Executable Form"
  means any form of the work other than Source Code Form.

1.7. "Larger Work"
  means a work that combines Covered Software with other material, in
  a separate file or files, that is not Covered Software.

1.8. "License"
  means this document.

1.9. "Licensable"
  means having the right to grant, to the maximum extent possible,
  whether at the time of the initial grant or subsequently, any and
  all of the rights conveyed by this License.

1.10. "Modifications"
  means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor
means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"
means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"
means the form of the work preferred for making modifications.

1.14. "You" (or "Your")
means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer
  for sale, have made, import, and otherwise transfer either its
  Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution
become effective for each Contribution on the date the Contributor first
distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under
this License. No additional rights or licenses will be implied from the
distribution or licensing of Covered Software under this License.
Notwithstanding Section 2.1(b) above, no patent license is granted by a
Contributor:

(a) for any code that a Contributor has removed from Covered Software;
  or

(b) for infringements caused by: (i) Your and any other third party's
  modifications of Covered Software, or (ii) the combination of its
  Contributions with other software (except as part of its Contributor
  Version); or

(c) under Patent Claims infringed by Covered Software in the absence of
  its Contributions.

This License does not grant any rights in the trademarks, service marks,
or logos of any Contributor (except as may be necessary to comply with
the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to
distribute the Covered Software under a subsequent version of this
License (see Section 10.2) or under the terms of a Secondary License (if
permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its
Contributions are its original creation(s) or it has sufficient rights
to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code
    Form, as described in Section 3.1, and You must inform recipients of
    the Executable Form how they can obtain a copy of such Source Code
    Form by reasonable means in a timely manner, at a charge no more
    than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this
    License, or sublicense it under different terms, provided that the
    license for the Executable Form does not attempt to limit or alter
    the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary

License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor

notifies You of the non-compliance by some reasonable means, this is the
first time You have received notice of non-compliance with this License
from such Contributor, and You become compliant prior to 30 days after
Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent
infringement claim (excluding declaratory judgment actions,
counter-claims, and cross-claims) alleging that a Contributor Version
directly or indirectly infringes any patent, then the rights granted to
You by any and all Contributors for the Covered Software under Section
2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all
end user license agreements (excluding distributors and resellers) which
have been validly granted by You or Your distributors under this License
prior to termination shall survive termination.

```
************************************************************************
*                                      *
*  6. Disclaimer of Warranty                    *
*  -------------------------                  *
*                                      *
*  Covered Software is provided under this License on an "as is"   *
*  basis, without warranty of any kind, either expressed, implied, or  *
*  statutory, including, without limitation, warranties that the    *
*  Covered Software is free of defects, merchantable, fit for a    *
*  particular purpose or non-infringing. The entire risk as to the   *
*  quality and performance of the Covered Software is with You.     *
*  Should any Covered Software prove defective in any respect, You    *
*  (not any Contributor) assume the cost of any necessary servicing,  *
*  repair, or correction. This disclaimer of warranty constitutes an  *
*  essential part of this License. No use of any Covered Software is  *
*  authorized under this License except under this disclaimer.     *
*                                      *
************************************************************************

************************************************************************
*                                      *
*  7. Limitation of Liability                   *
*  -------------------------                  *
*                                      *
*  Under no circumstances and under no legal theory, whether tort    *
*  (including negligence), contract, or otherwise, shall any      *
*  Contributor, or anyone who distributes Covered Software as      *
*  permitted above, be liable to You for any direct, indirect,     *
*  special, incidental, or consequential damages of any character    *
*  including, without limitation, damages for lost profits, loss of   *
*  goodwill, work stoppage, computer failure or malfunction, or any   *
```

```
*   and all other commercial damages or losses, even if such party      *
*   shall have been informed of the possibility of such damages. This   *
*   limitation of liability shall not apply to liability for death or   *
*   personal injury resulting from such party's negligence to the       *
*   extent applicable law prohibits such limitation. Some               *
*   jurisdictions do not allow the exclusion or limitation of           *
*   incidental or consequential damages, so this exclusion and          *
*   limitation may not apply to You.                                    *
*                                                                       *
*************************************************************************
```

8. Litigation

Any litigation relating to this License may be brought only in the
courts of a jurisdiction where the defendant maintains its principal
place of business and such litigation shall be governed by laws of that
jurisdiction, without reference to its conflict-of-law provisions.
Nothing in this Section shall prevent a party's ability to bring
cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject
matter hereof. If any provision of this License is held to be
unenforceable, such provision shall be reformed only to the extent
necessary to make it enforceable. Any law or regulation which provides
that the language of a contract shall be construed against the drafter
shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section
10.3, no one other than the license steward has the right to modify or
publish new versions of this License. Each version will be given a
distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version
of the License under which You originally received the Covered Software,
or under the terms of any subsequent version published by the license
steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to
create a new license for such software, you may create and use a
modified version of this License if you rename the license and remove
any references to the name of the license steward (except to note that
such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary
Licenses

If You choose to distribute Source Code Form that is Incompatible With
Secondary Licenses under the terms of this version of the License, the
notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

  This Source Code Form is subject to the terms of the Mozilla Public
  License, v. 2.0. If a copy of the MPL was not distributed with this
  file, You can obtain one at http://mozilla.org/MPL/2.0/.

  If it is not possible or desirable to put the notice in a particular
  file, then You may include the notice in a location (such as a LICENSE
  file in a relevant directory) where a recipient would be likely to look
  for such a notice.

  You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

  This Source Code Form is "Incompatible With Secondary Licenses", as
  defined by the Mozilla Public License, v. 2.0.

1.180 glibc 2.31-0ubuntu9.9

1.180.1 Available under license :

/* Test program for the gcc interface.
   Copyright (C) 2000-2020 Free Software Foundation, Inc.
   This file is part of the GNU C Library.
   Contributed by Ulrich Drepper <drepper@cygnus.com>.

   The GNU C Library is free software; you can redistribute it and/or
   modify it under the terms of the GNU Lesser General Public
   License as published by the Free Software Foundation; either
   version 2.1 of the License, or (at your option) any later version.

The GNU C Library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with the GNU C Library; if not, see
<https://www.gnu.org/licenses/>. */

Copyright 1992, 1993, 1994, 1997 Henry Spencer. All rights reserved.
This software is not subject to any license of the American Telephone
and Telegraph Company or of the Regents of the University of California.

Permission is granted to anyone to use this software for any purpose on
any computer system, and to alter it and redistribute it, subject
to the following restrictions:

1. The author is not responsible for the consequences of use of this
   software, no matter how awful, even if they arise from flaws in it.

2. The origin of this software must not be misrepresented, either by
   explicit claim or by omission. Since few users ever read sources,
   credits must appear in the documentation.

3. Altered versions must be plainly marked as such, and must not be
   misrepresented as being the original software. Since few users
   ever read sources, credits must appear in the documentation.

4. This notice may not be removed or altered.

               GNU GENERAL PUBLIC LICENSE
                  Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

                        Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it,

either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

   a) You must cause the modified files to carry prominent notices
   stating that you changed the files and the date of any change.

   b) You must cause any work that you distribute or publish, that in
   whole or in part contains or is derived from the Program or any
   part thereof, to be licensed as a whole at no charge to all third
   parties under the terms of this License.

   c) If the modified program normally reads commands interactively
   when run, you must cause it, when started running for such
   interactive use in the most ordinary way, to print or display an
   announcement including an appropriate copyright notice and a
   notice that there is no warranty (or else, saying that you provide
   a warranty) and that users may redistribute the program under
   these conditions, and telling the user how to view a copy of this
   License. (Exception: if the Program itself is interactive but
   does not normally print such an announcement, your work based on
   the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program,

and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

  a) Accompany it with the complete corresponding machine-readable
  source code, which must be distributed under the terms of Sections
  1 and 2 above on a medium customarily used for software interchange; or,

  b) Accompany it with a written offer, valid for at least three
  years, to give any third party, for a charge no more than your
  cost of physically performing source distribution, a complete
  machine-readable copy of the corresponding source code, to be
  distributed under the terms of Sections 1 and 2 above on a medium
  customarily used for software interchange; or,

  c) Accompany it with the information you received as to the offer
  to distribute corresponding source code. (This alternative is
  allowed only for noncommercial distribution and only if you
  received the program in object code or executable form with such
  an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component

itself accompanies the executable.

If distribution of executable or object code is made by offering
access to copy from a designated place, then offering equivalent
access to copy the source code from the same place counts as
distribution of the source code, even though third parties are not
compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense or distribute the Program is
void, and will automatically terminate your rights under this License.
However, parties who have received copies, or rights, from you under
this License will not have their licenses terminated so long as such
parties remain in full compliance.

 5. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Program or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Program (or any work based on the
Program), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the
Program), the recipient automatically receives a license from the
original licensor to copy, distribute or modify the Program subject to
these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties to
this License.

 7. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Program at all. For example, if a patent
license would not permit royalty-free redistribution of the Program by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to

apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

 8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

 10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

                    NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

    Gnomovision version 69, Copyright (C) year name of author
    Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the program
 `Gnomovision' (which makes passes at compilers) written by James Hacker.

 <signature of Ty Coon>, 1 April 1989
 Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public

Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

 This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

 When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

 To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

 For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

 We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

 To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

 Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the
ordinary GNU General Public License. This license, the GNU Lesser
General Public License, applies to certain designated libraries, and
is quite different from the ordinary General Public License. We use
this license for certain libraries in order to permit linking those
libraries into non-free programs.

When a program is linked with a library, whether statically or using
a shared library, the combination of the two is legally speaking a
combined work, a derivative of the original library. The ordinary
General Public License therefore permits such linking only if the
entire combination fits its criteria of freedom. The Lesser General
Public License permits more lax criteria for linking other code with
the library.

We call this license the "Lesser" General Public License because it
does Less to protect the user's freedom than the ordinary General
Public License. It also provides other free software developers Less
of an advantage over competing non-free programs. These disadvantages
are the reason we use the ordinary General Public License for many
libraries. However, the Lesser license provides advantages in certain
special circumstances.

For example, on rare occasions, there may be a special need to
encourage the widest possible use of a certain library, so that it becomes
a de-facto standard. To achieve this, non-free programs must be
allowed to use the library. A more frequent case is that a free
library does the same job as widely used non-free libraries. In this
case, there is little to gain by limiting the free library to free
software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free
programs enables a greater number of people to use a large body of
free software. For example, permission to use the GNU C Library in
non-free programs enables many more people to use the whole GNU
operating system, as well as its variant, the GNU/Linux operating
system.

Although the Lesser General Public License is Less protective of the
users' freedom, it does ensure that the user of a program that is
linked with the Library has the freedom and the wherewithal to run
that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, whereas the latter must

be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other
program which contains a notice placed by the copyright holder or
other authorized party saying it may be distributed under the terms of
this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated
straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means
all the source code for all modules it contains, plus any associated
interface definition files, plus the scripts used to control compilation
and installation of the library.

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running a program using the Library is not restricted, and output from
such a program is covered only if its contents constitute a work based
on the Library (independent of the use of the Library in a tool for
writing it). Whether that is true depends on what the Library does
and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's
complete source code as you receive it, in any medium, provided that
you conspicuously and appropriately publish on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact
all the notices that refer to this License and to the absence of any
warranty; and distribute a copy of this License along with the
Library.

You may charge a fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a
fee.

2. You may modify your copy or copies of the Library or any portion
of it, thus forming a work based on the Library, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) The modified work must itself be a software library.

  b) You must cause the files modified to carry prominent notices
  stating that you changed the files and the date of any change.

  c) You must cause the whole of the work to be licensed at no
  charge to all third parties under the terms of this License.

  d) If a facility in the modified Library refers to a function or a
  table of data to be supplied by an application program that uses
  the facility, other than as an argument passed when the facility
  is invoked, then you must make a good faith effort to ensure that,
  in the event an application does not supply such function or
  table, the facility still operates, and performs whatever part of
  its purpose remains meaningful.

  (For example, a function in a library to compute square roots has
  a purpose that is entirely well-defined independent of the
  application. Therefore, Subsection 2d requires that any
  application-supplied function or table used by this function must
  be optional: if the application does not supply it, the square
  root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Library,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under

the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

 Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

 4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

 5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

 However, linking a "work that uses the Library" with the Library
creates an executable that is a derivative of the Library (because it
contains portions of the Library), rather than a "work that uses the
library". The executable is therefore covered by this License.
Section 6 states terms for distribution of such executables.

 When a "work that uses the Library" uses material from a header file
that is part of the Library, the object code for the work may be a
derivative work of the Library even though the source code is not.
Whether this is true is especially significant if the work can be
linked without the Library, or if the work is itself a library. The

threshold for this to be true is not precisely defined by law.

 If such an object file uses only numerical parameters, data
structure layouts and accessors, and small macros and small inline
functions (ten lines or less in length), then the use of the object
file is unrestricted, regardless of whether it is legally a derivative
work. (Executables containing this object code plus portions of the
Library will still fall under Section 6.)

 Otherwise, if the work is a derivative of the Library, you may
distribute the object code for the work under the terms of Section 6.
Any executables containing that work also fall under Section 6,
whether or not they are linked directly with the Library itself.

 6. As an exception to the Sections above, you may also combine or
link a "work that uses the Library" with the Library to produce a
work containing portions of the Library, and distribute that work
under terms of your choice, provided that the terms permit
modification of the work for the customer's own use and reverse
engineering for debugging such modifications.

 You must give prominent notice with each copy of the work that the
Library is used in it and that the Library and its use are covered by
this License. You must supply a copy of this License. If the work
during execution displays copyright notices, you must include the
copyright notice for the Library among them, as well as a reference
directing the user to the copy of this License. Also, you must do one
of these things:

  a) Accompany the work with the complete corresponding
  machine-readable source code for the Library including whatever
  changes were used in the work (which must be distributed under
  Sections 1 and 2 above); and, if the work is an executable linked
  with the Library, with the complete machine-readable "work that
  uses the Library", as object code and/or source code, so that the
  user can modify the Library and then relink to produce a modified
  executable containing the modified Library. (It is understood
  that the user who changes the contents of definitions files in the
  Library will not necessarily be able to recompile the application
  to use the modified definitions.)

  b) Use a suitable shared library mechanism for linking with the
  Library. A suitable mechanism is one that (1) uses at run time a
  copy of the library already present on the user's computer system,
  rather than copying library functions into the executable, and (2)
  will operate properly with a modified version of the library, if
  the user installs one, as long as the modified version is
  interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your

rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

 9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

 10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

 11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

  12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

  13. The Free Software Foundation may publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

  14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

                   NO WARRANTY

  15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE
LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

  16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY

AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

 If you develop a new library, and you want it to be of the greatest
possible use to the public, we recommend making it free software that
everyone can redistribute and change. You can do so by permitting
redistribution under these terms (or, alternatively, under the terms of the
ordinary General Public License).

 To apply these terms, attach the following notices to the library. It is
safest to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

    <one line to give the library's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This library is free software; you can redistribute it and/or
    modify it under the terms of the GNU Lesser General Public
    License as published by the Free Software Foundation; either
    version 2.1 of the License, or (at your option) any later version.

    This library is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
    Lesser General Public License for more details.

    You should have received a copy of the GNU Lesser General Public
    License along with this library; if not, write to the Free Software
    Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the

library `Frob' (a library for tweaking knobs) written by James Random Hacker.

 <signature of Ty Coon>, 1 April 1990
 Ty Coon, President of Vice

That's all there is to it!
This file contains the copying permission notices for various files in the
GNU C Library distribution that have copyright owners other than the Free
Software Foundation. These notices all require that a copy of the notice
be included in the accompanying documentation and be distributed with
binary distributions of the code, so be sure to include this file along
with any binary distributions derived from the GNU C Library.

All code incorporated from 4.4 BSD is distributed under the following
license:

Copyright (C) 1991 Regents of the University of California.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. [This condition was removed.]
4. Neither the name of the University nor the names of its contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

The DNS resolver code, taken from BIND 4.9.5, is copyrighted by UC
Berkeley, by Digital Equipment Corporation and by Internet Software

Consortium. The DEC portions are under the following license:

Portions Copyright (C) 1993 by Digital Equipment Corporation.

Permission to use, copy, modify, and distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies, and
that the name of Digital Equipment Corporation not be used in
advertising or publicity pertaining to distribution of the document or
software without specific, written prior permission.

THE SOFTWARE IS PROVIDED ``AS IS'' AND DIGITAL EQUIPMENT CORP.
DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL
DIGITAL EQUIPMENT CORPORATION BE LIABLE FOR ANY SPECIAL, DIRECT,
INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING
FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT,
NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION
WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The ISC portions are under the following license:

Portions Copyright (c) 1996-1999 by Internet Software Consortium.

Permission to use, copy, modify, and distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND INTERNET SOFTWARE CONSORTIUM DISCLAIMS
ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL INTERNET SOFTWARE
CONSORTIUM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL
DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR
PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS
ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS
SOFTWARE.

The Sun RPC support (from rpcsrc-4.0) is covered by the following
license:

Copyright (c) 2010, Oracle America, Inc.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
    notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above
   copyright notice, this list of conditions and the following
   disclaimer in the documentation and/or other materials
   provided with the distribution.
 * Neither the name of the "Oracle America, Inc." nor the names of its
   contributors may be used to endorse or promote products derived
   from this software without specific prior written permission.

 THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
 "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
 LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
 FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
 COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
 INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
 DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
 GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
 INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
 WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
 NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
 OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following CMU license covers some of the support code for Mach,
derived from Mach 3.0:

Mach Operating System
Copyright (C) 1991,1990,1989 Carnegie Mellon University
All Rights Reserved.

Permission to use, copy, modify and distribute this software and its
documentation is hereby granted, provided that both the copyright
notice and this permission notice appear in all copies of the
software, derivative works or modified versions, and any portions
thereof, and that both notices appear in supporting documentation.

CARNEGIE MELLON ALLOWS FREE USE OF THIS SOFTWARE IN ITS ``AS IS''
CONDITION. CARNEGIE MELLON DISCLAIMS ANY LIABILITY OF ANY KIND FOR
ANY DAMAGES WHATSOEVER RESULTING FROM THE USE OF THIS SOFTWARE.

Carnegie Mellon requests users of this software to return to

Software Distribution Coordinator
School of Computer Science
Carnegie Mellon University
Pittsburgh PA 15213-3890

or Software.Distribution@CS.CMU.EDU any improvements or
extensions that they make and grant Carnegie Mellon the rights to

redistribute these changes.

The file if_ppp.h is under the following CMU license:

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY CARNEGIE MELLON UNIVERSITY AND
CONTRIBUTORS ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE UNIVERSITY OR CONTRIBUTORS BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER
IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following license covers the files from Intel's "Highly Optimized
Mathematical Functions for Itanium" collection:

Intel License Agreement

Copyright (c) 2000, Intel Corporation

All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

* The name of Intel Corporation may not be used to endorse or promote
products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL INTEL OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The files inet/getnameinfo.c and sysdeps/posix/getaddrinfo.c are copyright
(C) by Craig Metz and are distributed under the following license:

/* The Inner Net License, Version 2.00

 The author(s) grant permission for redistribution and use in source and
binary forms, with or without modification, of the software and documentation
provided that the following conditions are met:

0. If you receive a version of the software that is specifically labelled
   as not being for redistribution (check the version message and/or README),
   you are not permitted to redistribute that version of the software in any
   way or form.
1. All terms of the all other applicable copyrights and licenses must be
   followed.
2. Redistributions of source code must retain the authors' copyright
   notice(s), this list of conditions, and the following disclaimer.
3. Redistributions in binary form must reproduce the authors' copyright
   notice(s), this list of conditions, and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
4. [The copyright holder has authorized the removal of this clause.]
5. Neither the name(s) of the author(s) nor the names of its contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY ITS AUTHORS AND CONTRIBUTORS ``AS IS'' AND ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE AUTHORS OR CONTRIBUTORS BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;

LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

 If these license terms cause you a real problem, contact the author. */

The file sunrpc/des_impl.c is copyright Eric Young:

Copyright (C) 1992 Eric Young
Collected from libdes and modified for SECURE RPC by Martin Kuck 1994
This file is distributed under the terms of the GNU Lesser General
Public License, version 2.1 or later - see the file COPYING.LIB for details.
If you did not receive a copy of the license with this program, please
see <https://www.gnu.org/licenses/> to obtain a copy.

The file inet/rcmd.c is under a UCB copyright and the following:

Copyright (C) 1998 WIDE Project.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. Neither the name of the project nor the names of its contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE PROJECT AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE PROJECT OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

The file posix/runtests.c is copyright Tom Lord:

Copyright 1995 by Tom Lord

All Rights Reserved

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the name of the copyright holder not be
used in advertising or publicity pertaining to distribution of the
software without specific, written prior permission.

Tom Lord DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE,
INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO
EVENT SHALL TOM LORD BE LIABLE FOR ANY SPECIAL, INDIRECT OR
CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF
USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR
OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THIS SOFTWARE.

The posix/rxspencer tests are copyright Henry Spencer:

Copyright 1992, 1993, 1994, 1997 Henry Spencer. All rights reserved.
This software is not subject to any license of the American Telephone
and Telegraph Company or of the Regents of the University of California.

Permission is granted to anyone to use this software for any purpose on
any computer system, and to alter it and redistribute it, subject
to the following restrictions:

1. The author is not responsible for the consequences of use of this
   software, no matter how awful, even if they arise from flaws in it.

2. The origin of this software must not be misrepresented, either by
   explicit claim or by omission. Since few users ever read sources,
   credits must appear in the documentation.

3. Altered versions must be plainly marked as such, and must not be
   misrepresented as being the original software. Since few users
   ever read sources, credits must appear in the documentation.

4. This notice may not be removed or altered.

The file posix/PCRE.tests is copyright University of Cambridge:

Copyright (c) 1997-2003 University of Cambridge

Permission is granted to anyone to use this software for any purpose on any
computer system, and to redistribute it freely, subject to the following

restrictions:

1. This software is distributed in the hope that it will be useful,
   but WITHOUT ANY WARRANTY; without even the implied warranty of
   MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

2. The origin of this software must not be misrepresented, either by
   explicit claim or by omission. In practice, this means that if you use
   PCRE in software that you distribute to others, commercially or
   otherwise, you must put a sentence like this

   Regular expression support is provided by the PCRE library package,
   which is open source software, written by Philip Hazel, and copyright
   by the University of Cambridge, England.

   somewhere reasonably visible in your documentation and in any relevant
   files or online help data or similar. A reference to the ftp site for
   the source, that is, to

   ftp://ftp.csx.cam.ac.uk/pub/software/programming/pcre/

   should also be given in the documentation. However, this condition is not
   intended to apply to whole chains of software. If package A includes PCRE,
   it must acknowledge it, but if package B is software that includes package
   A, the condition is not imposed on package B (unless it uses PCRE
   independently).

3. Altered versions must be plainly marked as such, and must not be
   misrepresented as being the original software.

4. If PCRE is embedded in any software that is released under the GNU
   General Purpose Licence (GPL), or Lesser General Purpose Licence (LGPL),
   then the terms of that licence shall supersede any condition above with
   which it is incompatible.

Files from Sun fdlibm are copyright Sun Microsystems, Inc.:

Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

Developed at SunPro, a Sun Microsystems, Inc. business.
Permission to use, copy, modify, and distribute this
software is freely granted, provided that this notice
is preserved.

Various long double libm functions are copyright Stephen L. Moshier:

Copyright 2001 by Stephen L. Moshier <moshier@na-net.ornl.gov>

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, see
<https://www.gnu.org/licenses/>. */
UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

   Unicode Data Files include all data files under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/, and
http://www.unicode.org/cldr/data/. Unicode Data Files do not include PDF
online code charts under the directory http://www.unicode.org/Public/.
Software includes any source code published in the Unicode Standard or under
the directories http://www.unicode.org/Public/,
http://www.unicode.org/reports/, and http://www.unicode.org/cldr/data/.

   NOTICE TO USER: Carefully read the following legal agreement. BY
DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES
("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND
AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF
YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA
FILES OR SOFTWARE.

   COPYRIGHT AND PERMISSION NOTICE

   Copyright 1991-2013 Unicode, Inc. All rights reserved. Distributed under
the Terms of Use in http://www.unicode.org/copyright.html.

   Permission is hereby granted, free of charge, to any person obtaining a
copy of the Unicode data files and any associated documentation (the "Data
Files") or Unicode software and any associated documentation (the "Software")
to deal in the Data Files or Software without restriction, including without
limitation the rights to use, copy, modify, merge, publish, distribute, and/or
sell copies of the Data Files or Software, and to permit persons to whom the
Data Files or Software are furnished to do so, provided that (a) the above
copyright notice(s) and this permission notice appear with all copies of the
Data Files or Software, (b) both the above copyright notice(s) and this
permission notice appear in associated documentation, and (c) there is clear
notice in each modified Data File or in the Software as well as in the
documentation associated with the Data File(s) or Software that the data or
software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY
KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD
PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN
THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR
PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS
ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE
DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall
not be used in advertising or otherwise to promote the sale, use or other
dealings in these Data Files or Software without prior written authorization
of the copyright holder.

1.181 robfig-cron 3.0.1

1.181.1 Available under license :

Copyright (C) 2012 Rob Figueiredo
All Rights Reserved.

MIT LICENSE

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of
the Software, and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER
IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.182 hashicorp-go-version 1.2.1

1.182.1 Available under license :

Mozilla Public License, version 2.0

1. Definitions

1.1. Contributor

   means each individual or legal entity that creates, contributes to the
   creation of, or owns Covered Software.

1.2. Contributor Version

   means the combination of the Contributions of others (if any) used by a
   Contributor and that particular Contributors Contribution.

1.3. Contribution

   means Covered Software of a particular Contributor.

1.4. Covered Software

   means Source Code Form to which the initial Contributor has attached the
   notice in Exhibit A, the Executable Form of such Source Code Form, and
   Modifications of such Source Code Form, in each case including portions
   thereof.

1.5. Incompatible With Secondary Licenses
   means

   a. that the initial Contributor has attached the notice described in
      Exhibit B to the Covered Software; or

   b. that the Covered Software was made available under the terms of version
      1.1 or earlier of the License, but not also under the terms of a
      Secondary License.

1.6. Executable Form

   means any form of the work other than Source Code Form.

1.7. Larger Work

   means a work that combines Covered Software with other material, in a separate
   file or files, that is not Covered Software.

1.8. License

   means this document.

1.9. Licensable

   means having the right to grant, to the maximum extent possible, whether at the
   time of the initial grant or subsequently, any and all of the rights conveyed by
   this License.

1.10. Modifications

   means any of the following:

   a. any file in Source Code Form that results from an addition to, deletion
      from, or modification of the contents of Covered Software; or

   b. any new file in Source Code Form that contains any Covered Software.

1.11. Patent Claims of a Contributor

   means any patent claim(s), including without limitation, method, process,
   and apparatus claims, in any patent Licensable by such Contributor that
   would be infringed, but for the grant of the License, by the making,
   using, selling, offering for sale, having made, import, or transfer of
   either its Contributions or its Contributor Version.

1.12. Secondary License

   means either the GNU General Public License, Version 2.0, the GNU Lesser
   General Public License, Version 2.1, the GNU Affero General Public
   License, Version 3.0, or any later versions of those licenses.

1.13. Source Code Form

   means the form of the work preferred for making modifications.

1.14. You (or Your)

   means an individual or a legal entity exercising rights under this
   License. For legal entities, You includes any entity that controls, is
   controlled by, or is under common control with You. For purposes of this
   definition, control means (a) the power, direct or indirect, to cause
   the direction or management of such entity, whether by contract or
   otherwise, or (b) ownership of more than fifty percent (50%) of the
   outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

a. under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

a. for any code that a Contributor has removed from Covered Software; or

b. for infringements caused by: (i) Your and any other third partys modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions
are its original creation(s) or it has sufficient rights to grant the
rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable
copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in
Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any
Modifications that You create or to which You contribute, must be under the
terms of this License. You must inform recipients that the Source Code Form
of the Covered Software is governed by the terms of this License, and how
they can obtain a copy of this License. You may not attempt to alter or
restrict the recipients rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

a. such Covered Software must also be made available in Source Code Form,
   as described in Section 3.1, and You must inform recipients of the
   Executable Form how they can obtain a copy of such Source Code Form by
   reasonable means in a timely manner, at a charge no more than the cost
   of distribution to the recipient; and

b. You may distribute such Executable Form under the terms of this License,
   or sublicense it under different terms, provided that the license for
   the Executable Form does not attempt to limit or alter the recipients
   rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice,
provided that You also comply with the requirements of this License for the
Covered Software. If the Larger Work is a combination of Covered Software

with a work governed by one or more Secondary Licenses, and the Covered
Software is not Incompatible With Secondary Licenses, this License permits
You to additionally distribute such Covered Software under the terms of
such Secondary License(s), so that the recipient of the Larger Work may, at
their option, further distribute the Covered Software under the terms of
either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including
copyright notices, patent notices, disclaimers of warranty, or limitations
of liability) contained within the Source Code Form of the Covered
Software, except that You may alter any license notices to the extent
required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support,
indemnity or liability obligations to one or more recipients of Covered
Software. However, You may do so only on Your own behalf, and not on behalf
of any Contributor. You must make it absolutely clear that any such
warranty, support, indemnity, or liability obligation is offered by You
alone, and You hereby agree to indemnify every Contributor for any
liability incurred by such Contributor as a result of warranty, support,
indemnity or liability terms You offer. You may include additional
disclaimers of warranty and limitations of liability specific to any
jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License
with respect to some or all of the Covered Software due to statute, judicial
order, or regulation then You must: (a) comply with the terms of this License
to the maximum extent possible; and (b) describe the limitations and the code
they affect. Such description must be placed in a text file included with all
distributions of the Covered Software under this License. Except to the
extent prohibited by statute or regulation, such description must be
sufficiently detailed for a recipient of ordinary skill to be able to
understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You
fail to comply with any of its terms. However, if You become compliant,
then the rights granted under this License from a particular Contributor
are reinstated (a) provisionally, unless and until such Contributor
explicitly and finally terminates Your grants, and (b) on an ongoing basis,
if such Contributor fails to notify You of the non-compliance by some

reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6. Disclaimer of Warranty

Covered Software is provided under this License on an as is basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such partys negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a partys ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses
If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

1.183 x-sync 0.0.0-20201020160332-67f06af15bc9

1.183.1 Available under license :

1.184 x-crypto 0.0.0-20220926161630-eccd6366d1be

1.184.1 Available under license :

1.185 dpkg 1.19.7ubuntu3

1.185.1 Available under license :

Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: dpkg

Files: *
Copyright:
Copyright 1994 Ian Murdock <imurdock@debian.org>
Copyright 1994 Matt Welsh <mdw@sunsite.unc.edu>
Copyright 1994 Carl Streeter <streeter@cae.wisc.edu>
Copyright 1994-1999, 2008 Ian Jackson <ijackson@chiark.greenend.org.uk>
Copyright 1995 Bruce Perens <bruce@pixar.com>
Copyright 1995-1996 Erick Branderhorst <branderhorst@heel.fgg.eur.nl>
Copyright 1996 Michael Shields <shields@crosslink.net>
Copyright 1996 Klee Dienes <klee@debian.org>
Copyright 1996 Kim-Minh Kaplan <kkaplan@cdfhp3.in2p3.fr>
Copyright 1996-1998 Miquel van Smoorenburg <miquels@cistron.nl>
Copyright 1997-1998 Charles Briscoe-Smith <cpbs@debian.org>
Copyright 1997-1998 Juho Vuori <javuori@cc.helsinki.fi>
Copyright 1998 Koichi Sekido <sekido@mbox.kyoto-inet.or.jp>
Copyright 1998 Jim Van Zandt <jrv@vanzandt.mv.com>
Copyright 1998 Juan Cespedes <cespedes@debian.org>
Copyright 1998 Nils Rennebarth <nils@debian.org>
Copyright 1998 Heiko Schlittermann <hs@schlittermann.de>
Copyright 1998-1999, 2001, 2003, 2006 Martin Schulze <joey@infodrom.org>
Copyright 1999 Roderick Shertler <roderick@argon.org>
Copyright 1999 Ben Collins <bcollins@debian.org>
Copyright 1999 Richard Kettlewell <rjk@sfere.greenend.org.uk>
Copyright 1999-2001 Marcus Brinkmann <brinkmd@debian.org>
Copyright 1999-2002 Wichert Akkerman <wakkerma@debian.org>
Copyright 2001, 2007, 2010 Joey Hess <joeyh@debian.org>
Copyright 2004-2005, 2007-2008, 2010 Canonical Ltd.
Copyright 2004-2005 Scott James Remnant <scott@netsplit.com>
Copyright 2006-2008 Frank Lichtenheld <djpig@debian.org>
Copyright 2006-2015 Guillem Jover <guillem@debian.org>
Copyright 2007-2012 Raphal Hertzog <hertzog@debian.org>
Copyright 2007 Nicolas Franois <nicolas.francois@centraliens.net>
Copyright 2007 Don Armstrong <don@donarmstrong.com>
Copyright 2007 Colin Watson <cjwatson@debian.org>
Copyright 2007, 2008 Tollef Fog Heen <tfheen@err.no>
Copyright 2008 Zack Weinberg <zackw@panix.com>
Copyright 2008 Pierre Habouzit <madcoder@debian.org>
Copyright 2009 Romain Francoise <rfrancoise@debian.org>
Copyright 2009-2010 Modestas Vainius <modax@debian.org>
Copyright 2009-2011 Kees Cook <kees@debian.org>
License: GPL-2+

Files:
lib/compat/getopt*

lib/compat/gettext.h

lib/compat/obstack.*

lib/compat/strnlen.c

Copyright:

Copyright 1987-2006 Free Software Foundation, Inc.

License: GPL-2+

Files:

dselect/methods/Dselect/Ftp.pm

dselect/methods/ftp/*

Copyright:

Copyright 1996 Andy Guy <awpguy@acs.ucalgary.ca>

Copyright 1998 Martin Schulze <joey@infodrom.org>

Copyright 1999-2001, 2005-2006, 2009 Raphal Hertzog <hertzog@debian.org>

License: GPL-2

Files:

scripts/Dpkg/Gettext.pm

Copyright:

Copyright 2000 Joey Hess <joeyh@debian.org>

Copyright 2007, 2009-2010, 2012-2015 Guillem Jover <guillem@debian.org>

License: BSD-2-clause

Files:

utils/start-stop-daemon.c

Copyright:

Copyright 1999 Marek Michalkiewicz <marekm@i17linuxb.ists.pwr.wroc.pl>

Copyright 1999 Christian Schwarz <schwarz@monet.m.isar.de>

Copyright 1999 Klee Dienes <klee@debian.org>

Copyright 1999 Ben Collins <bcollins@debian.org>

Copyright 1999-2002 Wichert Akkerman <wakkerma@debian.org>

Copyright 2000-2003 Adam Heath <doogie@debian.org>

Copyright 2001 Sontri Tomo Huynh <huynh.29@osu.edu>

Copyright 2001 Andreas Schuldei <andreas@schuldei.org>

Copyright 2001 Ian Jackson <ijackson@chiark.greenend.org.uk>

Copyright 2004-2005 Scott James Remnant <keybuk@debian.org>

Copyright 2006-2014 Guillem Jover <guillem@debian.org>

Copyright 2008 Samuel Thibault <samuel.thibault@ens-lyon.org>

Copyright 2008 Andreas Phlsson <andreas.pahlsson@xcerion.com>

Copyright 2009 Chris Coulson <chrisccoulson@googlemail.com>

Copyright 2012 Carsten Hey <carsten@debian.org>

Copyright 2014 Nir Soffer <nirs@hyperms.com>

License: public-domain-s-s-d

Written by Marek Michalkiewicz <marekm@i17linuxb.ists.pwr.wroc.pl>,

public domain. Based conceptually on start-stop-daemon.pl, by Ian

Jackson <ijackson@gnu.ai.mit.edu>. May be used and distributed

freely for any purpose. Changes by Christian Schwarz

<schwarz@monet.m.isar.de>, to make output conform to the Debian

Console Message Standard, also placed in public domain. Minor
changes by Klee Dienes <klee@debian.org>, also placed in the Public
Domain.
.

Changes by Ben Collins <bcollins@debian.org>, added --chuid, --background
and --make-pidfile options, placed in public domain as well.

Files: lib/compat/md5.*
Copyright:
Copyright 1993 Colin Plumb
License: public-domain-md5
This code implements the MD5 message-digest algorithm.
The algorithm is due to Ron Rivest. This code was
written by Colin Plumb in 1993, no copyright is claimed.
This code is in the public domain; do with it what you wish.
.

Equivalent code is available from RSA Data Security, Inc.
This code has been tested against that, and is equivalent,
except that you don't need to include two pages of legalese
with every copy.

License: GPL-2+
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.
.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.

You should have received a copy of the GNU General Public License
along with this program. If not, see <https://www.gnu.org/licenses/>.
Comment:
On Debian systems, the complete text of the GNU General Public License
can be found in /usr/share/common-licenses/GPL-2 or in the dpkg source
as the file COPYING.

License: GPL-2
This is free software; you can redistribute it and/or modify
it under the terms of version 2 of the GNU General Public
License version 2 as published by the Free Software Foundation.
.

This is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

.
You should have received a copy of the GNU General Public License
along with this program. If not, see <https://www.gnu.org/licenses/>.

License: BSD-2-clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
.
THIS SOFTWARE IS PROVIDED BY AUTHORS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHORS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.
        GNU GENERAL PUBLIC LICENSE
          Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

        Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for

this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

 We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

 Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

 Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

 The precise terms and conditions for copying, distribution and
modification follow.

    GNU GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based

on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

  a) Accompany it with the complete corresponding machine-readable
  source code, which must be distributed under the terms of Sections
  1 and 2 above on a medium customarily used for software interchange; or,

  b) Accompany it with a written offer, valid for at least three
  years, to give any third party, for a charge no more than your
  cost of physically performing source distribution, a complete
  machine-readable copy of the corresponding source code, to be
  distributed under the terms of Sections 1 and 2 above on a medium
  customarily used for software interchange; or,

  c) Accompany it with the information you received as to the offer
  to distribute corresponding source code. (This alternative is
  allowed only for noncommercial distribution and only if you
  received the program in object code or executable form with such
  an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering
access to copy from a designated place, then offering equivalent

access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

 5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

 7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any

patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system, which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

 8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

 10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

    NO WARRANTY

 11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED

OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

  12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

    END OF TERMS AND CONDITIONS

   How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License along
    with this program; if not, write to the Free Software Foundation, Inc.,
    51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

   Gnomovision version 69, Copyright (C) year name of author
   Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
   This is free software, and you are welcome to redistribute it
   under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the program
 `Gnomovision' (which makes passes at compilers) written by James Hacker.

 <signature of Ty Coon>, 1 April 1989
 Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.

1.186 jsonschema 3.2.0

1.186.1 Available under license :

Copyright (c) 2012 Julian Berman

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

1.187 xorm.io-core 0.7.3

1.187.1 Available under license :

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.188 go-cache 2.1.0+incompatible

1.188.1 Available under license :

This is a list of people who have contributed code to go-cache. They, or their employers, are the copyright holders of the contributed code. Contributed code is subject to the license restrictions listed in LICENSE (as they were when the code was contributed.)

Dustin Sallings <dustin@spy.net>
Jason Mooberry <jasonmoo@me.com>
Sergey Shepelev <temotor@gmail.com>
Alex Edwards <ajmedwards@gmail.com>
Copyright (c) 2012-2019 Patrick Mylund Nielsen and the go-cache contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.189 opentracing-contrib-go-observer 0.0.0-20170622124052-a52f23424492

1.189.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
    stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
    that You distribute, all copyright, patent, trademark, and
    attribution notices from the Source form of the Work,
    excluding those notices that do not pertain to any part of
    the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
    distribution, then any Derivative Works that You distribute must
    include a readable copy of the attribution notices contained
    within such NOTICE file, excluding those notices that do not
    pertain to any part of the Derivative Works, in at least one
    of the following places: within a NOTICE text file distributed
    as part of the Derivative Works; within the Source form or
    documentation, if provided along with the Derivative Works; or,
    within a display generated by the Derivative Works, if and
    wherever such third-party notices normally appear. The contents
    of the NOTICE file are for informational purposes only and
    do not modify the License. You may add Your own attribution
    notices within Derivative Works that You distribute, alongside
    or as an addendum to the NOTICE text from the Work, provided
    that such additional attribution notices cannot be construed
    as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "{}"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright (c) 2017 opentracing-contrib

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.190 kerberos 1.17-6ubuntu4.1

1.190.1 Available under license :

Apache Commons BCEL
Copyright 2004-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (https://www.apache.org/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,

defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.191 readline 8.0-4

1.191.1 Available under license :

GNU GENERAL PUBLIC LICENSE
    Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
  59 Temple Place, Suite 330, Boston, MA 02111-1307 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

    Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free

software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Library General Public License instead.) You can apply it to
your programs, too.

  When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

  To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

  For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

  We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

  Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

  Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

  The precise terms and conditions for copying, distribution and
modification follow.

    GNU GENERAL PUBLIC LICENSE
   TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion
of it, thus forming a work based on the Program, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices
  stating that you changed the files and the date of any change.

  b) You must cause any work that you distribute or publish, that in
  whole or in part contains or is derived from the Program or any
  part thereof, to be licensed as a whole at no charge to all third
  parties under the terms of this License.

  c) If the modified program normally reads commands interactively
  when run, you must cause it, when started running for such
  interactive use in the most ordinary way, to print or display an
  announcement including an appropriate copyright notice and a
  notice that there is no warranty (or else, saying that you provide
  a warranty) and that users may redistribute the program under
  these conditions, and telling the user how to view a copy of this

License. (Exception: if the Program itself is interactive but
does not normally print such an announcement, your work based on
the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

  a) Accompany it with the complete corresponding machine-readable
  source code, which must be distributed under the terms of Sections
  1 and 2 above on a medium customarily used for software interchange; or,

  b) Accompany it with a written offer, valid for at least three
  years, to give any third party, for a charge no more than your
  cost of physically performing source distribution, a complete
  machine-readable copy of the corresponding source code, to be
  distributed under the terms of Sections 1 and 2 above on a medium
  customarily used for software interchange; or,

  c) Accompany it with the information you received as to the offer
  to distribute corresponding source code. (This alternative is
  allowed only for noncommercial distribution and only if you
  received the program in object code or executable form with such
  an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any

associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering
access to copy from a designated place, then offering equivalent
access to copy the source code from the same place counts as
distribution of the source code, even though third parties are not
compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense or distribute the Program is
void, and will automatically terminate your rights under this License.
However, parties who have received copies, or rights, from you under
this License will not have their licenses terminated so long as such
parties remain in full compliance.

 5. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Program or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Program (or any work based on the
Program), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the
Program), the recipient automatically receives a license from the
original licensor to copy, distribute or modify the Program subject to
these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties to
this License.

 7. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Program at all. For example, if a patent
license would not permit royalty-free redistribution of the Program by

all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to
apply and the section as a whole is intended to apply in other
circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system, which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

 8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

 10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes

make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

   NO WARRANTY

 11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

 12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

   END OF TERMS AND CONDITIONS

   How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the program
 `Gnomovision' (which makes passes at compilers) written by James Hacker.

 <signature of Ty Coon>, 1 April 1989
 Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we

stand ready to extend this provision to those domains in future versions
of the GPL, as needed to protect the freedom of users.

 Finally, every program is threatened constantly by software patents.
States should not allow patents to restrict development and use of
software on general-purpose computers, but in those that do, we wish to
avoid the special danger that patents applied to a free program could
make it effectively proprietary. To prevent this, the GPL assures that
patents cannot be used to render the program non-free.

 The precise terms and conditions for copying, distribution and
modification follow.

                    TERMS AND CONDITIONS

 0. Definitions.

 "This License" refers to version 3 of the GNU General Public License.

 "Copyright" also means copyright-like laws that apply to other kinds of
works, such as semiconductor masks.

 "The Program" refers to any copyrightable work licensed under this
License. Each licensee is addressed as "you". "Licensees" and
"recipients" may be individuals or organizations.

 To "modify" a work means to copy from or adapt all or part of the work
in a fashion requiring copyright permission, other than the making of an
exact copy. The resulting work is called a "modified version" of the
earlier work or a work "based on" the earlier work.

 A "covered work" means either the unmodified Program or a work based
on the Program.

 To "propagate" a work means to do anything with it that, without
permission, would make you directly or secondarily liable for
infringement under applicable copyright law, except executing it on a
computer or modifying a private copy. Propagation includes copying,
distribution (with or without modification), making available to the
public, and in some countries other activities as well.

 To "convey" a work means any kind of propagation that enables other
parties to make or receive copies. Mere interaction with a user through
a computer network, with no transfer of a copy, is not conveying.

 An interactive user interface displays "Appropriate Legal Notices"
to the extent that it includes a convenient and prominently visible
feature that (1) displays an appropriate copyright notice, and (2)

tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

 All rights granted under this License are granted for the term of
copyright on the Program, and are irrevocable provided the stated
conditions are met. This License explicitly affirms your unlimited
permission to run the unmodified Program. The output from running a
covered work is covered by this License only if the output, given its
content, constitutes a covered work. This License acknowledges your
rights of fair use or other equivalent, as provided by copyright law.

 You may make, run and propagate covered works that you do not
convey, without conditions so long as your license otherwise remains
in force. You may convey covered works to others for the sole purpose
of having them make modifications exclusively for you, or provide you
with facilities for running those works, provided that you comply with
the terms of this License in conveying all material for which you do
not control copyright. Those thus making or running the covered works
for you must do so exclusively on your behalf, under your direction
and control, on terms that prohibit them from making any copies of
your copyrighted material outside their relationship with you.

 Conveying under any other circumstances is permitted solely under
the conditions stated below. Sublicensing is not allowed; section 10
makes it unnecessary.

 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

 No covered work shall be deemed part of an effective technological
measure under any applicable law fulfilling obligations under article
11 of the WIPO copyright treaty adopted on 20 December 1996, or
similar laws prohibiting or restricting circumvention of such
measures.

 When you convey a covered work, you waive any legal power to forbid
circumvention of technological measures to the extent such circumvention
is effected by exercising rights under this License with respect to
the covered work, and you disclaim any intention to limit operation or
modification of the work as a means of enforcing, against the work's
users, your or third parties' legal rights to forbid circumvention of
technological measures.

 4. Conveying Verbatim Copies.

 You may convey verbatim copies of the Program's source code as you
receive it, in any medium, provided that you conspicuously and
appropriately publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;

keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

 You may charge any price or no price for each copy that you convey,
and you may offer support or warranty protection for a fee.

 5. Conveying Modified Source Versions.

 You may convey a work based on the Program, or the modifications to
produce it from the Program, in the form of source code under the
terms of section 4, provided that you also meet all of these conditions:

  a) The work must carry prominent notices stating that you modified
  it, and giving a relevant date.

  b) The work must carry prominent notices stating that it is
  released under this License and any conditions added under section
  7. This requirement modifies the requirement in section 4 to
  "keep intact all notices".

  c) You must license the entire work, as a whole, under this
  License to anyone who comes into possession of a copy. This
  License will therefore apply, along with any applicable section 7
  additional terms, to the whole of the work, and all its parts,
  regardless of how they are packaged. This License gives no
  permission to license the work in any other way, but it does not
  invalidate such permission if you have separately received it.

  d) If the work has interactive user interfaces, each must display
  Appropriate Legal Notices; however, if the Program has interactive
  interfaces that do not display Appropriate Legal Notices, your
  work need not make them do so.

 A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

 6. Conveying Non-Source Forms.

 You may convey a covered work in object code form under the terms
of sections 4 and 5, provided that you also convey the
machine-readable Corresponding Source under the terms of this License,

in one of these ways:

  a) Convey the object code in, or embodied in, a physical product
  (including a physical distribution medium), accompanied by the
  Corresponding Source fixed on a durable physical medium
  customarily used for software interchange.

  b) Convey the object code in, or embodied in, a physical product
  (including a physical distribution medium), accompanied by a
  written offer, valid for at least three years and valid for as
  long as you offer spare parts or customer support for that product
  model, to give anyone who possesses the object code either (1) a
  copy of the Corresponding Source for all the software in the
  product that is covered by this License, on a durable physical
  medium customarily used for software interchange, for a price no
  more than your reasonable cost of physically performing this
  conveying of source, or (2) access to copy the
  Corresponding Source from a network server at no charge.

  c) Convey individual copies of the object code with a copy of the
  written offer to provide the Corresponding Source. This
  alternative is allowed only occasionally and noncommercially, and
  only if you received the object code with such an offer, in accord
  with subsection 6b.

  d) Convey the object code by offering access from a designated
  place (gratis or for a charge), and offer equivalent access to the
  Corresponding Source in the same way through the same place at no
  further charge. You need not require recipients to copy the
  Corresponding Source along with the object code. If the place to
  copy the object code is a network server, the Corresponding Source
  may be on a different server (operated by you or a third party)
  that supports equivalent copying facilities, provided you maintain
  clear directions next to the object code saying where to find the
  Corresponding Source. Regardless of what server hosts the
  Corresponding Source, you remain obligated to ensure that it is
  available for as long as needed to satisfy these requirements.

  e) Convey the object code using peer-to-peer transmission, provided
  you inform other peers where the object code and Corresponding
  Source of the work are being offered to the general public at no
  charge under subsection 6d.

 A separable portion of the object code, whose source code is excluded
from the Corresponding Source as a System Library, need not be
included in conveying the object code work.

 A "User Product" is either (1) a "consumer product", which means any

tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

 "Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

 If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

 The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

 Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

 7. Additional Terms.

 "Additional permissions" are terms that supplement the terms of this

License by making exceptions from one or more of its conditions.
Additional permissions that are applicable to the entire Program shall
be treated as though they were included in this License, to the extent
that they are valid under applicable law. If additional permissions
apply only to part of the Program, that part may be used separately
under those permissions, but the entire Program remains governed by
this License without regard to the additional permissions.

 When you convey a copy of a covered work, you may at your option
remove any additional permissions from that copy, or from any part of
it. (Additional permissions may be written to require their own
removal in certain cases when you modify the work.) You may place
additional permissions on material, added by you to a covered work,
for which you have or can give appropriate copyright permission.

 Notwithstanding any other provision of this License, for material you
add to a covered work, you may (if authorized by the copyright holders of
that material) supplement the terms of this License with terms:

  a) Disclaiming warranty or limiting liability differently from the
  terms of sections 15 and 16 of this License; or

  b) Requiring preservation of specified reasonable legal notices or
  author attributions in that material or in the Appropriate Legal
  Notices displayed by works containing it; or

  c) Prohibiting misrepresentation of the origin of that material, or
  requiring that modified versions of such material be marked in
  reasonable ways as different from the original version; or

  d) Limiting the use for publicity purposes of names of licensors or
  authors of the material; or

  e) Declining to grant rights under trademark law for use of some
  trade names, trademarks, or service marks; or

  f) Requiring indemnification of licensors and authors of that
  material by anyone who conveys the material (or modified versions of
  it) with contractual assumptions of liability to the recipient, for
  any liability that these contractual assumptions directly impose on
  those licensors and authors.

 All other non-permissive additional terms are considered "further
restrictions" within the meaning of section 10. If the Program as you
received it, or any part of it, contains a notice stating that it is
governed by this License along with a term that is a further
restriction, you may remove that term. If a license document contains
a further restriction but permits relicensing or conveying under this

License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or

modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

 Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

 An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

 You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

 A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

 A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

 Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and

propagate the contents of its contributor version.

 In the following three paragraphs, a "patent license" is any express
agreement or commitment, however denominated, not to enforce a patent
(such as an express permission to practice a patent or covenant not to
sue for patent infringement). To "grant" such a patent license to a
party means to make such an agreement or commitment not to enforce a
patent against the party.

 If you convey a covered work, knowingly relying on a patent license,
and the Corresponding Source of the work is not available for anyone
to copy, free of charge and under the terms of this License, through a
publicly available network server or other readily accessible means,
then you must either (1) cause the Corresponding Source to be so
available, or (2) arrange to deprive yourself of the benefit of the
patent license for this particular work, or (3) arrange, in a manner
consistent with the requirements of this License, to extend the patent
license to downstream recipients. "Knowingly relying" means you have
actual knowledge that, but for the patent license, your conveying the
covered work in a country, or your recipient's use of the covered work
in a country, would infringe one or more identifiable patents in that
country that you have reason to believe are valid.

 If, pursuant to or in connection with a single transaction or
arrangement, you convey, or propagate by procuring conveyance of, a
covered work, and grant a patent license to some of the parties
receiving the covered work authorizing them to use, propagate, modify
or convey a specific copy of the covered work, then the patent license
you grant is automatically extended to all recipients of the covered
work and works based on it.

 A patent license is "discriminatory" if it does not include within
the scope of its coverage, prohibits the exercise of, or is
conditioned on the non-exercise of one or more of the rights that are
specifically granted under this License. You may not convey a covered
work if you are a party to an arrangement with a third party that is
in the business of distributing software, under which you make payment
to the third party based on the extent of your activity of conveying
the work, and under which the third party grants, to any of the
parties who would receive the covered work from you, a discriminatory
patent license (a) in connection with copies of the covered work
conveyed by you (or copies made from those copies), or (b) primarily
for and in connection with specific products or compilations that
contain the covered work, unless you entered into that arrangement,
or that patent license was granted, prior to 28 March 2007.

 Nothing in this License shall be construed as excluding or limiting
any implied license or other defenses to infringement that may

otherwise be available to you under applicable patent law.

  12. No Surrender of Others' Freedom.

 If conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot convey a
covered work so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you may
not convey it at all. For example, if you agree to terms that obligate you
to collect a royalty for further conveying from those to whom you convey
the Program, the only way you could satisfy both those terms and this
License would be to refrain entirely from conveying the Program.

  13. Use with the GNU Affero General Public License.

 Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

  14. Revised Versions of this License.

 The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

 Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

 If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

 Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any

author or copyright holder as a result of your choosing to follow a
later version.

15. Disclaimer of Warranty.

 THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

 IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE
USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD
PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

 If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

                    END OF TERMS AND CONDITIONS

            How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation, either version 3 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

 If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

  <program> Copyright (C) <year> <name of author>
  This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
  This is free software, and you are welcome to redistribute it
  under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

 You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

 The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<http://www.gnu.org/philosophy/why-not-lgpl.html>.
@c The GNU Free Documentation License.
@center Version 1.3, 3 November 2008

@c This file is intended to be included within another document,
@c hence no sectioning command or @node.

@display

Copyright @copyright{} 2000, 2001, 2002, 2007, 2008 Free Software Foundation, Inc.
@uref{http://fsf.org/}

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.
@end display

@enumerate 0
@item
PREAMBLE

The purpose of this License is to make a manual, textbook, or other
functional and useful document @dfn{free} in the sense of freedom: to
assure everyone the effective freedom to copy and redistribute it,
with or without modifying it, either commercially or noncommercially.
Secondarily, this License preserves for the author and publisher a way
to get credit for their work, while not being considered responsible
for modifications made by others.

This License is a kind of ``copyleft'', which means that derivative
works of the document must themselves be free in the same sense. It
complements the GNU General Public License, which is a copyleft
license designed for free software.

We have designed this License in order to use it for manuals for free
software, because free software needs free documentation: a free
program should come with manuals providing the same freedoms that the
software does. But this License is not limited to software manuals;
it can be used for any textual work, regardless of subject matter or
whether it is published as a printed book. We recommend this License
principally for works whose purpose is instruction or reference.

@item
APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that
contains a notice placed by the copyright holder saying it can be
distributed under the terms of this License. Such a notice grants a
world-wide, royalty-free license, unlimited in duration, to use that
work under the conditions stated herein. The ``Document'', below,
refers to any such manual or work. Any member of the public is a
licensee, and is addressed as ``you''. You accept the license if you
copy, modify or distribute the work in a way requiring permission
under copyright law.

A ``Modified Version'' of the Document means any work containing the
Document or a portion of it, either copied verbatim, or with
modifications and/or translated into another language.

A ``Secondary Section'' is a named appendix or a front-matter section
of the Document that deals exclusively with the relationship of the
publishers or authors of the Document to the Document's overall
subject (or to related matters) and contains nothing that could fall
directly within that overall subject. (Thus, if the Document is in
part a textbook of mathematics, a Secondary Section may not explain
any mathematics.) The relationship could be a matter of historical
connection with the subject or with related matters, or of legal,
commercial, philosophical, ethical or political position regarding
them.

The ``Invariant Sections'' are certain Secondary Sections whose titles
are designated, as being those of Invariant Sections, in the notice
that says that the Document is released under this License. If a
section does not fit the above definition of Secondary then it is not
allowed to be designated as Invariant. The Document may contain zero
Invariant Sections. If the Document does not identify any Invariant
Sections then there are none.

The ``Cover Texts'' are certain short passages of text that are listed,
as Front-Cover Texts or Back-Cover Texts, in the notice that says that
the Document is released under this License. A Front-Cover Text may
be at most 5 words, and a Back-Cover Text may be at most 25 words.

A ``Transparent'' copy of the Document means a machine-readable copy,
represented in a format whose specification is available to the
general public, that is suitable for revising the document
straightforwardly with generic text editors or (for images composed of
pixels) generic paint programs or (for drawings) some widely available
drawing editor, and that is suitable for input to text formatters or
for automatic translation to a variety of formats suitable for input
to text formatters. A copy made in an otherwise Transparent file
format whose markup, or absence of markup, has been arranged to thwart
or discourage subsequent modification by readers is not Transparent.
An image format is not Transparent if used for any substantial amount
of text. A copy that is not ``Transparent'' is called ``Opaque''.

Examples of suitable formats for Transparent copies include plain
@sc{ascii} without markup, Texinfo input format, La@TeX{} input
format, @acronym{SGML} or @acronym{XML} using a publicly available
@acronym{DTD}, and standard-conforming simple @acronym{HTML},
PostScript or @acronym{PDF} designed for human modification. Examples
of transparent image formats include @acronym{PNG}, @acronym{XCF} and
@acronym{JPG}. Opaque formats include proprietary formats that can be
read and edited only by proprietary word processors, @acronym{SGML} or
@acronym{XML} for which the @acronym{DTD} and/or processing tools are
not generally available, and the machine-generated @acronym{HTML},

PostScript or @acronym{PDF} produced by some word processors for
output purposes only.

The ``Title Page'' means, for a printed book, the title page itself,
plus such following pages as are needed to hold, legibly, the material
this License requires to appear in the title page. For works in
formats which do not have any title page as such, ``Title Page'' means
the text near the most prominent appearance of the work's title,
preceding the beginning of the body of the text.

The ``publisher'' means any person or entity that distributes copies
of the Document to the public.

A section ``Entitled XYZ'' means a named subunit of the Document whose
title either is precisely XYZ or contains XYZ in parentheses following
text that translates XYZ in another language. (Here XYZ stands for a
specific section name mentioned below, such as ``Acknowledgements'',
``Dedications'', ``Endorsements'', or ``History''.)  To ``Preserve the Title''
of such a section when you modify the Document means that it remains a
section ``Entitled XYZ'' according to this definition.

The Document may include Warranty Disclaimers next to the notice which
states that this License applies to the Document. These Warranty
Disclaimers are considered to be included by reference in this
License, but only as regards disclaiming warranties: any other
implication that these Warranty Disclaimers may have is void and has
no effect on the meaning of this License.

@item
VERBATIM COPYING

You may copy and distribute the Document in any medium, either
commercially or noncommercially, provided that this License, the
copyright notices, and the license notice saying this License applies
to the Document are reproduced in all copies, and that you add no other
conditions whatsoever to those of this License. You may not use
technical measures to obstruct or control the reading or further
copying of the copies you make or distribute. However, you may accept
compensation in exchange for copies. If you distribute a large enough
number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and
you may publicly display copies.

@item
COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have

printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

@item
MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

@enumerate A
@item
Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions

(which should, if there were any, be listed in the History section
of the Document). You may use the same title as a previous version
if the original publisher of that version gives permission.

@item
List on the Title Page, as authors, one or more persons or entities
responsible for authorship of the modifications in the Modified
Version, together with at least five of the principal authors of the
Document (all of its principal authors, if it has fewer than five),
unless they release you from this requirement.

@item
State on the Title page the name of the publisher of the
Modified Version, as the publisher.

@item
Preserve all the copyright notices of the Document.

@item
Add an appropriate copyright notice for your modifications
adjacent to the other copyright notices.

@item
Include, immediately after the copyright notices, a license notice
giving the public permission to use the Modified Version under the
terms of this License, in the form shown in the Addendum below.

@item
Preserve in that license notice the full lists of Invariant Sections
and required Cover Texts given in the Document's license notice.

@item
Include an unaltered copy of this License.

@item
Preserve the section Entitled ``History'', Preserve its Title, and add
to it an item stating at least the title, year, new authors, and
publisher of the Modified Version as given on the Title Page. If
there is no section Entitled ``History'' in the Document, create one
stating the title, year, authors, and publisher of the Document as
given on its Title Page, then add an item describing the Modified
Version as stated in the previous sentence.

@item
Preserve the network location, if any, given in the Document for
public access to a Transparent copy of the Document, and likewise
the network locations given in the Document for previous versions
it was based on. These may be placed in the ``History'' section.

You may omit a network location for a work that was published at
least four years before the Document itself, or if the original
publisher of the version it refers to gives permission.

@item
For any section Entitled ``Acknowledgements'' or ``Dedications'', Preserve
the Title of the section, and preserve in the section all the
substance and tone of each of the contributor acknowledgements and/or
dedications given therein.

@item
Preserve all the Invariant Sections of the Document,
unaltered in their text and in their titles. Section numbers
or the equivalent are not considered part of the section titles.

@item
Delete any section Entitled ``Endorsements''. Such a section
may not be included in the Modified Version.

@item
Do not retitle any existing section to be Entitled ``Endorsements'' or
to conflict in title with any Invariant Section.

@item
Preserve any Warranty Disclaimers.
@end enumerate

If the Modified Version includes new front-matter sections or
appendices that qualify as Secondary Sections and contain no material
copied from the Document, you may at your option designate some or all
of these sections as invariant. To do this, add their titles to the
list of Invariant Sections in the Modified Version's license notice.
These titles must be distinct from any other section titles.

You may add a section Entitled ``Endorsements'', provided it contains
nothing but endorsements of your Modified Version by various
parties---for example, statements of peer review or that the text has
been approved by an organization as the authoritative definition of a
standard.

You may add a passage of up to five words as a Front-Cover Text, and a
passage of up to 25 words as a Back-Cover Text, to the end of the list
of Cover Texts in the Modified Version. Only one passage of
Front-Cover Text and one of Back-Cover Text may be added by (or
through arrangements made by) any one entity. If the Document already
includes a cover text for the same cover, previously added by you or
by arrangement made by the same entity you are acting on behalf of,
you may not add another; but you may replace the old one, on explicit

permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

@item
COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled ``History'' in the various original documents, forming one section Entitled ``History''; likewise combine any sections Entitled ``Acknowledgements'', and any sections Entitled ``Dedications''. You must delete all sections Entitled ``Endorsements.''

@item
COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

@item
AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate
and independent documents or works, in or on a volume of a storage or
distribution medium, is called an ``aggregate'' if the copyright
resulting from the compilation is not used to limit the legal rights
of the compilation's users beyond what the individual works permit.
When the Document is included in an aggregate, this License does not
apply to the other works in the aggregate which are not themselves
derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these
copies of the Document, then if the Document is less than one half of
the entire aggregate, the Document's Cover Texts may be placed on
covers that bracket the Document within the aggregate, or the
electronic equivalent of covers if the Document is in electronic form.
Otherwise they must appear on printed covers that bracket the whole
aggregate.

@item
TRANSLATION

Translation is considered a kind of modification, so you may
distribute translations of the Document under the terms of section 4.
Replacing Invariant Sections with translations requires special
permission from their copyright holders, but you may include
translations of some or all Invariant Sections in addition to the
original versions of these Invariant Sections. You may include a
translation of this License, and all the license notices in the
Document, and any Warranty Disclaimers, provided that you also include
the original English version of this License and the original versions
of those notices and disclaimers. In case of a disagreement between
the translation and the original version of this License or a notice
or disclaimer, the original version will prevail.

If a section in the Document is Entitled ``Acknowledgements'',
``Dedications'', or ``History'', the requirement (section 4) to Preserve
its Title (section 1) will typically require changing the actual
title.

@item
TERMINATION

You may not copy, modify, sublicense, or distribute the Document
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense, or distribute it is void, and
will automatically terminate your rights under this License.

However, if you cease all violation of this License, then your license
from a particular copyright holder is reinstated (a) provisionally,

unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, receipt of a copy of some or all of the same material does not give you any rights to use it.

@item
FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See @uref{http://www.gnu.org/copyleft/}.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License ``or any later version'' applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation. If the Document specifies that a proxy can decide which future versions of this License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Document.

@item
RELICENSING

``Massive Multiauthor Collaboration Site'' (or ``MMC Site'') means any World Wide Web server that publishes copyrightable works and also provides prominent facilities for anybody to edit those works. A public wiki that anybody can edit is an example of such a server. A ``Massive Multiauthor Collaboration'' (or ``MMC'') contained in the

site means any set of copyrightable works thus published on the MMC site.

``CC-BY-SA'' means the Creative Commons Attribution-Share Alike 3.0 license published by Creative Commons Corporation, a not-for-profit corporation with a principal place of business in San Francisco, California, as well as future copyleft versions of that license published by that same organization.

``Incorporate'' means to publish or republish a Document, in whole or in part, as part of another Document.

An MMC is ``eligible for relicensing'' if it is licensed under this License, and if all works that were first published under this License somewhere other than this MMC, and subsequently incorporated in whole or in part into the MMC, (1) had no cover texts or invariant sections, and (2) were thus incorporated prior to November 1, 2008.

The operator of an MMC Site may republish an MMC contained in the site under CC-BY-SA on the same site at any time before August 1, 2009, provided the MMC is eligible for relicensing.

@end enumerate

@page
@heading ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

@smallexample
@group
 Copyright (C) @var{year} @var{your name}.
 Permission is granted to copy, distribute and/or modify this document
 under the terms of the GNU Free Documentation License, Version 1.3
 or any later version published by the Free Software Foundation;
 with no Invariant Sections, no Front-Cover Texts, and no Back-Cover
 Texts. A copy of the license is included in the section entitled ``GNU
 Free Documentation License''.
@end group
@end smallexample

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the ``with@dots{}Texts.'' line with this:

@smallexample
@group

with the Invariant Sections being @var{list their titles}, with
the Front-Cover Texts being @var{list}, and with the Back-Cover Texts
being @var{list}.
@end group
@end smallexample

If you have Invariant Sections without Cover Texts, or some other
combination of the three, merge those two alternatives to suit the
situation.

If your document contains nontrivial examples of program code, we
recommend releasing these examples in parallel under your choice of
free software license, such as the GNU General Public License,
to permit their use in free software.

@c Local Variables:
@c ispell-local-pdict: "ispell-dict"
@c End:

1.192 hashicorp-uuid 1.0.2

1.192.1 Available under license :

Mozilla Public License, version 2.0

1. Definitions

1.1. "Contributor"

   means each individual or legal entity that creates, contributes to the
   creation of, or owns Covered Software.

1.2. "Contributor Version"

   means the combination of the Contributions of others (if any) used by a
   Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

   means Covered Software of a particular Contributor.

1.4. "Covered Software"

   means Source Code Form to which the initial Contributor has attached the
   notice in Exhibit A, the Executable Form of such Source Code Form, and
   Modifications of such Source Code Form, in each case including portions
   thereof.

1.5. "Incompatible With Secondary Licenses"
   means

   a. that the initial Contributor has attached the notice described in
      Exhibit B to the Covered Software; or

   b. that the Covered Software was made available under the terms of
      version 1.1 or earlier of the License, but not also under the terms of
      a Secondary License.

1.6. "Executable Form"

   means any form of the work other than Source Code Form.

1.7. "Larger Work"

   means a work that combines Covered Software with other material, in a
   separate file or files, that is not Covered Software.

1.8. "License"

   means this document.

1.9. "Licensable"

   means having the right to grant, to the maximum extent possible, whether
   at the time of the initial grant or subsequently, any and all of the
   rights conveyed by this License.

1.10. "Modifications"

   means any of the following:

   a. any file in Source Code Form that results from an addition to,
      deletion from, or modification of the contents of Covered Software; or

   b. any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

   means any patent claim(s), including without limitation, method,
   process, and apparatus claims, in any patent Licensable by such
   Contributor that would be infringed, but for the grant of the License,
   by the making, using, selling, offering for sale, having made, import,
   or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser
General Public License, Version 2.1, the GNU Affero General Public
License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this
License. For legal entities, "You" includes any entity that controls, is
controlled by, or is under common control with You. For purposes of this
definition, "control" means (a) the power, direct or indirect, to cause
the direction or management of such entity, whether by contract or
otherwise, or (b) ownership of more than fifty percent (50%) of the
outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free,
non-exclusive license:

a. under intellectual property rights (other than patent or trademark)
   Licensable by such Contributor to use, reproduce, make available,
   modify, display, perform, distribute, and otherwise exploit its
   Contributions, either on an unmodified basis, with Modifications, or
   as part of a Larger Work; and

b. under Patent Claims of such Contributor to make, use, sell, offer for
   sale, have made, import, and otherwise transfer either its
   Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution
become effective for each Contribution on the date the Contributor first
distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under
this License. No additional rights or licenses will be implied from the
distribution or licensing of Covered Software under this License.
Notwithstanding Section 2.1(b) above, no patent license is granted by a

Contributor:

a. for any code that a Contributor has removed from Covered Software; or

b. for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source

Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

a. such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

b. You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by

You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6. Disclaimer of Warranty

Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section
10.3, no one other than the license steward has the right to modify or
publish new versions of this License. Each version will be given a
distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version
of the License under which You originally received the Covered Software,
or under the terms of any subsequent version published by the license
steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to
create a new license for such software, you may create and use a
modified version of this License if you rename the license and remove
any references to the name of the license steward (except to note that
such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary
Licenses If You choose to distribute Source Code Form that is
Incompatible With Secondary Licenses under the terms of this version of
the License, the notice described in Exhibit B of this License must be
attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the
terms of the Mozilla Public License, v.
2.0. If a copy of the MPL was not
distributed with this file, You can
obtain one at
http://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular file,
then You may include the notice in a location (such as a LICENSE file in a
relevant directory) where a recipient would be likely to look for such a
notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible
With Secondary Licenses", as defined by

the Mozilla Public License, v. 2.0.

1.193 google-uuid 1.1.5

1.193.1 Available under license :

Paul Borman <borman@google.com>

bmatsuo

shawnps

theory

jboverfelt

dsymonds

cd1

wallclockbuilder

dansouza

Copyright (c) 2009,2014 Google Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

 * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
 * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
 * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.194 libsepol 3.0 1ubuntu0.1

1.194.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

 This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

 When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

 To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

 For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free
programs enables a greater number of people to use a large body of
free software. For example, permission to use the GNU C Library in
non-free programs enables many more people to use the whole GNU
operating system, as well as its variant, the GNU/Linux operating
system.

 Although the Lesser General Public License is Less protective of the
users' freedom, it does ensure that the user of a program that is
linked with the Library has the freedom and the wherewithal to run
that program using a modified version of the Library.

 The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, whereas the latter must
be combined with the library in order to run.

  GNU LESSER GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License Agreement applies to any software library or other
program which contains a notice placed by the copyright holder or
other authorized party saying it may be distributed under the terms of
this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

 A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

 The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated
straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

 "Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means
all the source code for all modules it contains, plus any associated
interface definition files, plus the scripts used to control compilation
and installation of the library.

 Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of

running a program using the Library is not restricted, and output from
such a program is covered only if its contents constitute a work based
on the Library (independent of the use of the Library in a tool for
writing it). Whether that is true depends on what the Library does
and what the program that uses the Library does.

 1. You may copy and distribute verbatim copies of the Library's
complete source code as you receive it, in any medium, provided that
you conspicuously and appropriately publish on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact
all the notices that refer to this License and to the absence of any
warranty; and distribute a copy of this License along with the
Library.

 You may charge a fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a
fee.

 2. You may modify your copy or copies of the Library or any portion
of it, thus forming a work based on the Library, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) The modified work must itself be a software library.

  b) You must cause the files modified to carry prominent notices
  stating that you changed the files and the date of any change.

  c) You must cause the whole of the work to be licensed at no
  charge to all third parties under the terms of this License.

  d) If a facility in the modified Library refers to a function or a
  table of data to be supplied by an application program that uses
  the facility, other than as an argument passed when the facility
  is invoked, then you must make a good faith effort to ensure that,
  in the event an application does not supply such function or
  table, the facility still operates, and performs whatever part of
  its purpose remains meaningful.

  (For example, a function in a library to compute square roots has
  a purpose that is entirely well-defined independent of the
  application. Therefore, Subsection 2d requires that any
  application-supplied function or table used by this function must
  be optional: if the application does not supply it, the square
  root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Library,

and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

 Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

 4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

 However, linking a "work that uses the Library" with the Library
creates an executable that is a derivative of the Library (because it
contains portions of the Library), rather than a "work that uses the
library". The executable is therefore covered by this License.
Section 6 states terms for distribution of such executables.

 When a "work that uses the Library" uses material from a header file
that is part of the Library, the object code for the work may be a
derivative work of the Library even though the source code is not.
Whether this is true is especially significant if the work can be
linked without the Library, or if the work is itself a library. The
threshold for this to be true is not precisely defined by law.

 If such an object file uses only numerical parameters, data
structure layouts and accessors, and small macros and small inline
functions (ten lines or less in length), then the use of the object
file is unrestricted, regardless of whether it is legally a derivative
work. (Executables containing this object code plus portions of the
Library will still fall under Section 6.)

 Otherwise, if the work is a derivative of the Library, you may
distribute the object code for the work under the terms of Section 6.
Any executables containing that work also fall under Section 6,
whether or not they are linked directly with the Library itself.

 6. As an exception to the Sections above, you may also combine or
link a "work that uses the Library" with the Library to produce a
work containing portions of the Library, and distribute that work
under terms of your choice, provided that the terms permit
modification of the work for the customer's own use and reverse
engineering for debugging such modifications.

 You must give prominent notice with each copy of the work that the
Library is used in it and that the Library and its use are covered by
this License. You must supply a copy of this License. If the work
during execution displays copyright notices, you must include the
copyright notice for the Library among them, as well as a reference
directing the user to the copy of this License. Also, you must do one
of these things:

  a) Accompany the work with the complete corresponding
  machine-readable source code for the Library including whatever

changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

 For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

 It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

 7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined

library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

    a) Accompany the combined library with a copy of the same work
    based on the Library, uncombined with any other library
    facilities. This must be distributed under the terms of the
    Sections above.

    b) Give prominent notice with the combined library of the fact
    that part of it is a work based on the Library, and explaining
    where to find the accompanying uncombined form of the same work.

 8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

 9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

 10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties with
this License.

 11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then

the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply,
and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

 12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

 13. The Free Software Foundation may publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

 14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the free status

of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

  NO WARRANTY

 15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE
LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

 16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE
LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING
RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A
FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF
SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGES.

  END OF TERMS AND CONDITIONS

   How to Apply These Terms to Your New Libraries

 If you develop a new library, and you want it to be of the greatest
possible use to the public, we recommend making it free software that
everyone can redistribute and change. You can do so by permitting
redistribution under these terms (or, alternatively, under the terms of the
ordinary General Public License).

 To apply these terms, attach the following notices to the library. It is
safest to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

  <one line to give the library's name and a brief idea of what it does.>
  Copyright (C) <year> <name of author>

  This library is free software; you can redistribute it and/or
  modify it under the terms of the GNU Lesser General Public
  License as published by the Free Software Foundation; either
  version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the
 library `Frob' (a library for tweaking knobs) written by James Random Hacker.

 <signature of Ty Coon>, 1 April 1990
 Ty Coon, President of Vice

That's all there is to it!
This is the Debian package for libsepol, and it is built from sources
obtained from http://userspace.selinuxproject.org/releases/current/devel/

This package was debianized by Russell Coker <russell@coker.com.au> on
Fri, 20 Aug 2004 17:26:18 +1000.

libsepol is
Copyright (C) 2003, 2004 Stephen Smalley <sds@epoch.ncsc.mil>
Copyright (C) 2003-2007 Red Hat, Inc.
Copyright (C) 2004, 2005 Trusted Computer Solutions, Inc.
Copyright (C) 2003-2008 Tresys Technology, LLC

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

On Debian GNU/Linux systems, the complete text of the Lesser GNU General
Public License can be found in `/usr/share/common-licenses/LGPL'.

This package is maintained by Manoj Srivastava <srivasta@debian.org>.

The Debian specific changes are 2005-2008, Manoj Srivastava
<srivasta@debian.org>, and distributed under the terms of the GNU
General Public License, version 2.

On Debian GNU/Linux systems, the complete text of the GNU General
Public License can be found in `/usr/share/common-licenses/GPL'.

A copy of the GNU General Public License is also available at
<URL:http://www.gnu.org/copyleft/gpl.html>. You may also obtain
it by writing to the Free Software Foundation, Inc., 51 Franklin
St, Fifth Floor, Boston, MA 02110-1301 USA

Manoj Srivastava <srivasta@debian.org>
arch-tag: d4250e44-a0e0-4ee0-adb9-2bd74f6eeb27

1.195 com 1.0.1

1.195.1 Available under license :

MIT License

Copyright (c) 2019 Eove

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.196 apt 2.0.9

1.196.1 Available under license :

Apt is copyright 1997, 1998, 1999 Jason Gunthorpe and others.

Apt is currently developed by APT Development Team <deity@lists.debian.org>.

License: GPLv2+

  This program is free software; you can redistribute it and/or modify
  it under the terms of the GNU General Public License as published by
  the Free Software Foundation; either version 2 of the License, or
  (at your option) any later version.

  This program is distributed in the hope that it will be useful,
  but WITHOUT ANY WARRANTY; without even the implied warranty of
  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
  GNU General Public License for more details.

  You should have received a copy of the GNU General Public License
  along with this program; if not, write to the Free Software
  Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA.

See /usr/share/common-licenses/GPL-2, or
<http://www.gnu.org/copyleft/gpl.txt> for the terms of the latest version
of the GNU General Public License.

                  GNU GENERAL PUBLIC LICENSE
                    Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

                    Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it,

either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices
  stating that you changed the files and the date of any change.

  b) You must cause any work that you distribute or publish, that in
  whole or in part contains or is derived from the Program or any
  part thereof, to be licensed as a whole at no charge to all third
  parties under the terms of this License.

  c) If the modified program normally reads commands interactively
  when run, you must cause it, when started running for such
  interactive use in the most ordinary way, to print or display an
  announcement including an appropriate copyright notice and a
  notice that there is no warranty (or else, saying that you provide
  a warranty) and that users may redistribute the program under
  these conditions, and telling the user how to view a copy of this
  License. (Exception: if the Program itself is interactive but
  does not normally print such an announcement, your work based on
  the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program,

and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

  a) Accompany it with the complete corresponding machine-readable
  source code, which must be distributed under the terms of Sections
  1 and 2 above on a medium customarily used for software interchange; or,

  b) Accompany it with a written offer, valid for at least three
  years, to give any third party, for a charge no more than your
  cost of physically performing source distribution, a complete
  machine-readable copy of the corresponding source code, to be
  distributed under the terms of Sections 1 and 2 above on a medium
  customarily used for software interchange; or,

  c) Accompany it with the information you received as to the offer
  to distribute corresponding source code. (This alternative is
  allowed only for noncommercial distribution and only if you
  received the program in object code or executable form with such
  an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component

itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

 5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

 7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to

apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License along
    with this program; if not, write to the Free Software Foundation, Inc.,

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

    Gnomovision version 69, Copyright (C) year name of author
    Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the program
 `Gnomovision' (which makes passes at compilers) written by James Hacker.

 <signature of Ty Coon>, 1 April 1989
 Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.

1.197 python-stdlib-extensions 3.8.10-0ubuntu1~20.04

1.197.1 Available under license :

No license file was found, but licenses were detected in source scan.

Copyright 2004-2005 Elemental Security, Inc. All Rights Reserved.
Copyright 2006 Google, Inc. All Rights Reserved.

Found in path(s):
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/lib2to3/pgen2/driver.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-

extensions-3.8.2/3.8/Lib/lib2to3/pgen2/driver.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/lib2to3/pgen2/driver.py

No license file was found, but licenses were detected in source scan.

Copyright 2004-2005 Elemental Security, Inc. All Rights Reserved.

Found in path(s):
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/lib2to3/pgen2/__init__.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/lib2to3/pgen2/grammar.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/lib2to3/pgen2/pgen.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/lib2to3/pgen2/parse.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/lib2to3/pgen2/parse.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/lib2to3/pgen2/literals.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/lib2to3/pgen2/__init__.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/lib2to3/pgen2/literals.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/lib2to3/pgen2/pgen.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/lib2to3/pgen2/parse.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/lib2to3/pgen2/conv.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/lib2to3/pgen2/grammar.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/lib2to3/pgen2/literals.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/lib2to3/pgen2/__init__.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/lib2to3/pgen2/conv.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/lib2to3/pgen2/conv.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/lib2to3/pgen2/grammar.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/lib2to3/pgen2/pgen.py

No license file was found, but licenses were detected in source scan.

Copyright 2006 Google, Inc. All Rights Reserved.

Found in path(s):

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/lib2to3/pygram.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/lib2to3/fixes/fix_print.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/lib2to3/fixes/fix_apply.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/lib2to3/refactor.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/lib2to3/patcomp.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/lib2to3/fixer_base.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/lib2to3/patcomp.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/lib2to3/fixes/fix_long.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/lib2to3/patcomp.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/lib2to3/tests/test_pytree.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/lib2to3/tests/pytree_idempotency.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/lib2to3/fixes/fix_execfile.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/lib2to3/fixes/fix_long.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/lib2to3/pytree.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/lib2to3/pytree.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/lib2to3/fixes/fix_repr.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/lib2to3/fixes/fix_exec.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/lib2to3/fixer_base.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/lib2to3/refactor.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/lib2to3/tests/pytree_idempotency.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/lib2to3/fixes/fix_ne.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/lib2to3/fixes/fix_has_key.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/lib2to3/fixes/fix_print.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-

extensions-3.8.2/3.8/Lib/lib2to3/fixes/fix_execfile.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/lib2to3/fixes/fix_repr.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/lib2to3/fixer_base.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/lib2to3/fixes/fix_has_key.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/lib2to3/fixes/fix_apply.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/lib2to3/refactor.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/lib2to3/tests/test_pytree.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/lib2to3/fixes/fix_repr.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/lib2to3/fixes/fix_apply.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/lib2to3/fixes/fix_long.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/lib2to3/fixes/fix_exec.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/lib2to3/pytree.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/lib2to3/tests/test_pytree.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/lib2to3/fixes/fix_print.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/lib2to3/fixes/fix_ne.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/lib2to3/tests/pytree_idempotency.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/lib2to3/pygram.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/lib2to3/pygram.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/lib2to3/fixes/fix_execfile.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/lib2to3/fixes/fix_ne.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/lib2to3/fixes/fix_has_key.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/lib2to3/fixes/fix_exec.py

No license file was found, but licenses were detected in source scan.

('binary-only', None,
"cannot supply both '--source-only' and '--binary-only'")
'License: ' + self.distribution.get_license(),

Found in path(s):
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/distutils/command/bdist_rpm.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/distutils/command/bdist_rpm.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/distutils/command/bdist_rpm.py
No license file was found, but licenses were detected in source scan.

Copyright 2006 Google, Inc. All Rights Reserved.
Licensed to PSF under a Contributor Agreement.

A grammar to describe tree matching patterns.
Not shown here:
- 'TOKEN' stands for any token (leaf node)
- 'any' stands for any node (leaf or interior)
With 'any' we can still specify the sub-structure.

The start symbol is 'Matcher'.

Matcher: Alternatives ENDMARKER

Alternatives: Alternative ('|' Alternative)*

Alternative: (Unit | NegatedUnit)+

Unit: [NAME '='] (STRING [Repeater]
        | NAME [Details] [Repeater]
        | '(' Alternatives ')' [Repeater]
        | '[' Alternatives ']'
)

NegatedUnit: 'not' (STRING | NAME [Details] | '(' Alternatives ')')

Repeater: '*' | '+' | '{' NUMBER [',' NUMBER] '}'

Details: '<' Alternatives '>'

Found in path(s):
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/lib2to3/PatternGrammar.txt
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/lib2to3/PatternGrammar.txt
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/lib2to3/PatternGrammar.txt
No license file was found, but licenses were detected in source scan.

```
/*********************************************************
```

Copyright (C) 1994 Steen Lumholt.

        All Rights Reserved

```
*********************************************************/
```

Found in path(s):
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Modules/_tkinter.c
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Modules/_tkinter.c
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Modules/_tkinter.c
No license file was found, but licenses were detected in source scan.

version.

Found in path(s):
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/distutils/command/bdist_wininst.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/distutils/command/bdist_msi.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/distutils/command/bdist_msi.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/distutils/cygwinccompiler.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/distutils/command/bdist_wininst.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/distutils/command/bdist_msi.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/distutils/command/bdist_wininst.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/distutils/cygwinccompiler.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/distutils/cygwinccompiler.py
No license file was found, but licenses were detected in source scan.

Copyright 2007 Google, Inc. All Rights Reserved.

Found in path(s):
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/lib2to3/fixes/fix_standarderror.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/lib2to3/fixes/fix_map.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/lib2to3/fixes/fix_xrange.py

* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/lib2to3/fixes/fix_xrange.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/lib2to3/fixes/fix_buffer.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/lib2to3/fixes/fix_dict.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/lib2to3/fixes/fix_buffer.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/lib2to3/fixes/fix_dict.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/lib2to3/fixes/fix_standarderror.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/lib2to3/fixes/fix_standarderror.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/lib2to3/fixes/fix_xrange.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/lib2to3/fixes/fix_map.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/lib2to3/fixes/fix_types.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/lib2to3/fixes/fix_types.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/lib2to3/fixes/fix_dict.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/lib2to3/fixes/fix_filter.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/lib2to3/fixes/fix_filter.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/lib2to3/fixes/fix_buffer.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/lib2to3/fixes/fix_types.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/lib2to3/fixes/fix_filter.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/lib2to3/fixes/fix_map.py
No license file was found, but licenses were detected in source scan.

executable.

Found in path(s):
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/distutils/spawn.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/distutils/spawn.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/distutils/spawn.py

No license file was found, but licenses were detected in source scan.

file.write('License: %s\n' % self.get_license())

Found in path(s):
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/distutils/dist.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/distutils/dist.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/distutils/dist.py
No license file was found, but licenses were detected in source scan.

All rights reserved.

Found in path(s):
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.6/Lib/lib2to3/pgen2/tokenize.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.8/Lib/lib2to3/pgen2/tokenize.py
* /opt/cola/permits/1168963812_1622802919.99/0/python3-stdlib-extensions-3-8-2-orig-tar-xz/python3-stdlib-extensions-3.8.2/3.7/Lib/lib2to3/pgen2/tokenize.py

1.198 go-immutable-radix 1.3.1

1.198.1 Available under license :

Mozilla Public License, version 2.0

1. Definitions

1.1. "Contributor"

   means each individual or legal entity that creates, contributes to the
   creation of, or owns Covered Software.

1.2. "Contributor Version"

   means the combination of the Contributions of others (if any) used by a
   Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

   means Covered Software of a particular Contributor.

1.4. "Covered Software"

   means Source Code Form to which the initial Contributor has attached the

notice in Exhibit A, the Executable Form of such Source Code Form, and
Modifications of such Source Code Form, in each case including portions
thereof.

1.5. "Incompatible With Secondary Licenses"
  means

  a. that the initial Contributor has attached the notice described in
     Exhibit B to the Covered Software; or

  b. that the Covered Software was made available under the terms of
     version 1.1 or earlier of the License, but not also under the terms of
     a Secondary License.

1.6. "Executable Form"

  means any form of the work other than Source Code Form.

1.7. "Larger Work"

  means a work that combines Covered Software with other material, in a
  separate file or files, that is not Covered Software.

1.8. "License"

  means this document.

1.9. "Licensable"

  means having the right to grant, to the maximum extent possible, whether
  at the time of the initial grant or subsequently, any and all of the
  rights conveyed by this License.

1.10. "Modifications"

  means any of the following:

  a. any file in Source Code Form that results from an addition to,
     deletion from, or modification of the contents of Covered Software; or

  b. any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

  means any patent claim(s), including without limitation, method,
  process, and apparatus claims, in any patent Licensable by such
  Contributor that would be infringed, but for the grant of the License,
  by the making, using, selling, offering for sale, having made, import,

or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser
General Public License, Version 2.1, the GNU Affero General Public
License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this
License. For legal entities, "You" includes any entity that controls, is
controlled by, or is under common control with You. For purposes of this
definition, "control" means (a) the power, direct or indirect, to cause
the direction or management of such entity, whether by contract or
otherwise, or (b) ownership of more than fifty percent (50%) of the
outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free,
non-exclusive license:

a. under intellectual property rights (other than patent or trademark)
   Licensable by such Contributor to use, reproduce, make available,
   modify, display, perform, distribute, and otherwise exploit its
   Contributions, either on an unmodified basis, with Modifications, or
   as part of a Larger Work; and

b. under Patent Claims of such Contributor to make, use, sell, offer for
   sale, have made, import, and otherwise transfer either its
   Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution
become effective for each Contribution on the date the Contributor first
distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

a. for any code that a Contributor has removed from Covered Software; or

b. for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

a. such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

b. You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support,

indemnity or liability obligations to one or more recipients of Covered
Software. However, You may do so only on Your own behalf, and not on
behalf of any Contributor. You must make it absolutely clear that any
such warranty, support, indemnity, or liability obligation is offered by
You alone, and You hereby agree to indemnify every Contributor for any
liability incurred by such Contributor as a result of warranty, support,
indemnity or liability terms You offer. You may include additional
disclaimers of warranty and limitations of liability specific to any
jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License
with respect to some or all of the Covered Software due to statute,
judicial order, or regulation then You must: (a) comply with the terms of
this License to the maximum extent possible; and (b) describe the
limitations and the code they affect. Such description must be placed in a
text file included with all distributions of the Covered Software under
this License. Except to the extent prohibited by statute or regulation,
such description must be sufficiently detailed for a recipient of ordinary
skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You
     fail to comply with any of its terms. However, if You become compliant,
     then the rights granted under this License from a particular Contributor
     are reinstated (a) provisionally, unless and until such Contributor
     explicitly and finally terminates Your grants, and (b) on an ongoing
     basis, if such Contributor fails to notify You of the non-compliance by
     some reasonable means prior to 60 days after You have come back into
     compliance. Moreover, Your grants from a particular Contributor are
     reinstated on an ongoing basis if such Contributor notifies You of the
     non-compliance by some reasonable means, this is the first time You have
     received notice of non-compliance with this License from such
     Contributor, and You become compliant prior to 30 days after Your receipt
     of the notice.

5.2. If You initiate litigation against any entity by asserting a patent
     infringement claim (excluding declaratory judgment actions,
     counter-claims, and cross-claims) alleging that a Contributor Version
     directly or indirectly infringes any patent, then the rights granted to
     You by any and all Contributors for the Covered Software under Section
     2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user
     license agreements (excluding distributors and resellers) which have been
     validly granted by You or Your distributors under this License prior to

termination shall survive termination.

6. Disclaimer of Warranty

Covered Software is provided under this License on an "as is" basis,
without warranty of any kind, either expressed, implied, or statutory,
including, without limitation, warranties that the Covered Software is free
of defects, merchantable, fit for a particular purpose or non-infringing.
The entire risk as to the quality and performance of the Covered Software
is with You. Should any Covered Software prove defective in any respect,
You (not any Contributor) assume the cost of any necessary servicing,
repair, or correction. This disclaimer of warranty constitutes an essential
part of this License. No use of any Covered Software is authorized under
this License except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including
negligence), contract, or otherwise, shall any Contributor, or anyone who
distributes Covered Software as permitted above, be liable to You for any
direct, indirect, special, incidental, or consequential damages of any
character including, without limitation, damages for lost profits, loss of
goodwill, work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses, even if such party shall have been
informed of the possibility of such damages. This limitation of liability
shall not apply to liability for death or personal injury resulting from
such party's negligence to the extent applicable law prohibits such
limitation. Some jurisdictions do not allow the exclusion or limitation of
incidental or consequential damages, so this exclusion and limitation may
not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts
of a jurisdiction where the defendant maintains its principal place of
business and such litigation shall be governed by laws of that
jurisdiction, without reference to its conflict-of-law provisions. Nothing
in this Section shall prevent a party's ability to bring cross-claims or
counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject
matter hereof. If any provision of this License is held to be
unenforceable, such provision shall be reformed only to the extent
necessary to make it enforceable. Any law or regulation which provides that
the language of a contract shall be construed against the drafter shall not
be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at http://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible
With Secondary Licenses", as defined by
the Mozilla Public License, v. 2.0.

1.199 antchfx-xmlquery 1.3.9

1.199.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.200 sockjs 3.0.0

1.200.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2011-2013 The original author or authors
* --
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* and Apache License v2.0 which accompanies this distribution.
*
*   The Eclipse Public License is available at
*   http://www.eclipse.org/legal/epl-v10.html
*
*   The Apache License v2.0 is available at
*   http://www.opensource.org/licenses/apache2.0.php
*
* You may elect to redistribute this code under either of these licenses.

*/

Found in path(s):
* /opt/cola/permits/1217182149_1635515105.41/0/vertx-sockjs-3-0-0-dev-preview1-sources-
jar/io/vertx/ext/sockjs/impl/WebSocketTransport.java
* /opt/cola/permits/1217182149_1635515105.41/0/vertx-sockjs-3-0-0-dev-preview1-sources-
jar/io/vertx/ext/sockjs/impl/XhrTransport.java
* /opt/cola/permits/1217182149_1635515105.41/0/vertx-sockjs-3-0-0-dev-preview1-sources-
jar/io/vertx/ext/sockjs/impl/Session.java
* /opt/cola/permits/1217182149_1635515105.41/0/vertx-sockjs-3-0-0-dev-preview1-sources-
jar/io/vertx/ext/sockjs/impl/JsonCodec.java
* /opt/cola/permits/1217182149_1635515105.41/0/vertx-sockjs-3-0-0-dev-preview1-sources-
jar/io/vertx/ext/sockjs/EventBusBridgeHook.java
* /opt/cola/permits/1217182149_1635515105.41/0/vertx-sockjs-3-0-0-dev-preview1-sources-
jar/io/vertx/ext/sockjs/impl/EventBusBridge.java
* /opt/cola/permits/1217182149_1635515105.41/0/vertx-sockjs-3-0-0-dev-preview1-sources-
jar/io/vertx/ext/sockjs/impl/RawWebSocketTransport.java
* /opt/cola/permits/1217182149_1635515105.41/0/vertx-sockjs-3-0-0-dev-preview1-sources-
jar/io/vertx/ext/sockjs/impl/TransportListener.java
* /opt/cola/permits/1217182149_1635515105.41/0/vertx-sockjs-3-0-0-dev-preview1-sources-
jar/io/vertx/ext/sockjs/impl/JsonPTransport.java
* /opt/cola/permits/1217182149_1635515105.41/0/vertx-sockjs-3-0-0-dev-preview1-sources-
jar/io/vertx/ext/sockjs/impl/BaseTransport.java
* /opt/cola/permits/1217182149_1635515105.41/0/vertx-sockjs-3-0-0-dev-preview1-sources-
jar/io/vertx/ext/sockjs/impl/HtmlFileTransport.java
* /opt/cola/permits/1217182149_1635515105.41/0/vertx-sockjs-3-0-0-dev-preview1-sources-
jar/io/vertx/ext/sockjs/impl/SockJSServerImpl.java
* /opt/cola/permits/1217182149_1635515105.41/0/vertx-sockjs-3-0-0-dev-preview1-sources-
jar/io/vertx/ext/sockjs/impl/SockJSSocketBase.java
* /opt/cola/permits/1217182149_1635515105.41/0/vertx-sockjs-3-0-0-dev-preview1-sources-
jar/io/vertx/ext/sockjs/SockJSSocket.java
* /opt/cola/permits/1217182149_1635515105.41/0/vertx-sockjs-3-0-0-dev-preview1-sources-
jar/io/vertx/ext/sockjs/Transport.java
* /opt/cola/permits/1217182149_1635515105.41/0/vertx-sockjs-3-0-0-dev-preview1-sources-
jar/io/vertx/ext/sockjs/impl/EventSourceTransport.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 Red Hat, Inc.
*
* All rights reserved. This program and the accompanying materials
* are made available under the terms of the Eclipse Public License v1.0
* and Apache License v2.0 which accompanies this distribution.
*
* The Eclipse Public License is available at
* http://www.eclipse.org/legal/epl-v10.html
*
* The Apache License v2.0 is available at

* http://www.opensource.org/licenses/apache2.0.php

*

* You may elect to redistribute this code under either of these licenses.

*/

Found in path(s):

* /opt/cola/permits/1217182149_1635515105.41/0/vertx-sockjs-3-0-0-dev-preview1-sources-jar/io/vertx/ext/sockjs/BridgeOptions.java

* /opt/cola/permits/1217182149_1635515105.41/0/vertx-sockjs-3-0-0-dev-preview1-sources-jar/io/vertx/ext/sockjs/SockJSServer.java

* /opt/cola/permits/1217182149_1635515105.41/0/vertx-sockjs-3-0-0-dev-preview1-sources-jar/io/vertx/ext/sockjs/SockJSServerOptions.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 Red Hat, Inc.

*

* Red Hat licenses this file to you under the Apache License, version 2.0

* (the "License"); you may not use this file except in compliance with the

* License. You may obtain a copy of the License at:

*

* http://www.apache.org/licenses/LICENSE-2.0

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /opt/cola/permits/1217182149_1635515105.41/0/vertx-sockjs-3-0-0-dev-preview1-sources-jar/ext-sockjs-js/sock_js_server.js

* /opt/cola/permits/1217182149_1635515105.41/0/vertx-sockjs-3-0-0-dev-preview1-sources-jar/io/vertx/groovy/ext/sockjs/SockJSServer.groovy

* /opt/cola/permits/1217182149_1635515105.41/0/vertx-sockjs-3-0-0-dev-preview1-sources-jar/ext-sockjs-js/sock_jsserver.js

* /opt/cola/permits/1217182149_1635515105.41/0/vertx-sockjs-3-0-0-dev-preview1-sources-jar/ext-sockjs-js/sock_jssocket.js

* /opt/cola/permits/1217182149_1635515105.41/0/vertx-sockjs-3-0-0-dev-preview1-sources-jar/io/vertx/groovy/ext/sockjs/SockJSSocket.groovy

* /opt/cola/permits/1217182149_1635515105.41/0/vertx-sockjs-3-0-0-dev-preview1-sources-jar/ext-sockjs-js/sock_js_socket.js

1.201 pynacl 1.4.0

1.201.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
    stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
    that You distribute, all copyright, patent, trademark, and
    attribution notices from the Source form of the Work,
    excluding those notices that do not pertain to any part of
    the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
    distribution, then any Derivative Works that You distribute must
    include a readable copy of the attribution notices contained
    within such NOTICE file, excluding those notices that do not
    pertain to any part of the Derivative Works, in at least one
    of the following places: within a NOTICE text file distributed
    as part of the Derivative Works; within the Source form or
    documentation, if provided along with the Derivative Works; or,
    within a display generated by the Derivative Works, if and
    wherever such third-party notices normally appear. The contents
    of the NOTICE file are for informational purposes only and
    do not modify the License. You may add Your own attribution
    notices within Derivative Works that You distribute, alongside
    or as an addendum to the NOTICE text from the Work, provided
    that such additional attribution notices cannot be construed
    as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A

PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special,

incidental, or consequential damages of any character arising as a

result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing

the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify,

defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

/*

* ISC License

*

* Copyright (c) 2013-2019

* Frank Denis <j at pureftpd dot org>

*

* Permission to use, copy, modify, and/or distribute this software for any

* purpose with or without fee is hereby granted, provided that the above

* copyright notice and this permission notice appear in all copies.

*

* THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES

* WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF

* MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR

* ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES

* WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN

* ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF

* OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

*/

1.202 ini 1.57.0

1.202.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and
distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright
owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities
that control, are controlled by, or are under common control with that entity.
For the purposes of this definition, "control" means (i) the power, direct or
indirect, to cause the direction or management of such entity, whether by
contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising
permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including
but not limited to software source code, documentation source, and configuration
files.

"Object" form shall mean any form resulting from mechanical transformation or
translation of a Source form, including but not limited to compiled object code,
generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made
available under the License, as indicated by a copyright notice that is included
in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that
is based on (or derived from) the Work and for which the editorial revisions,
annotations, elaborations, or other modifications represent, as a whole, an
original work of authorship. For the purposes of this License, Derivative Works
shall not include works that remain separable from, or merely link (or bind by
name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution.

You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of

this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions.

Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks.

This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty.

Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE,

NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability.

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability.

While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2014 Unknwon

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.203 golcs 0.0.0-20170316035057-ecda9a501e82

1.203.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Iwasaki Yudai

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.204 queue 1.1.0

1.204.1 Available under license :

University of Illinois/NCSA Open Source License

Copyright (c) 2018 University of Illinois Urbana-Champaign

All rights reserved.

Developed by: University of Illinois Urbana-Champaign students and faculty

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated
documentation files (the "Software"), to deal with the Software without restriction, including without limitation the

rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimers.
* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimers in the documentation and/or other materials provided with the distribution.
* Neither the names of University of Illinois Urbana-Champaign, nor the names of its contributors may be used to endorse or promote products derived from this Software without specific prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE CONTRIBUTORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS WITH THE SOFTWARE.

1.205 htop 2.2.0 2build1

1.205.1 Available under license :

Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: htop
Upstream-Contact: Hisham Muhammad <lode@gobolinux.org>
Source: http://hisham.hm/htop/releases/

Files: *
License: GPL-2+
Copyright: 2004-2018 Hisham Muhammad

Files: debian/*
License: GPL-2+
Copyright: 2016 Daniel Lange
          2018 Graham Inggs
          2008-2016 Eugene V. Lyubimkin
          2004-2008 Bartosz Fenski

License: GPL-2+
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.

You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.
.
On Debian systems, the full text of the GNU General Public
License version 2 can be found in the file
`/usr/share/common-licenses/GPL-2'.
    GNU GENERAL PUBLIC LICENSE
        Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
                    675 Mass Ave, Cambridge, MA 02139, USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

        Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Library General Public License instead.) You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

 We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion
of it, thus forming a work based on the Program, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

   a) You must cause the modified files to carry prominent notices
   stating that you changed the files and the date of any change.

   b) You must cause any work that you distribute or publish, that in
   whole or in part contains or is derived from the Program or any
   part thereof, to be licensed as a whole at no charge to all third
   parties under the terms of this License.

   c) If the modified program normally reads commands interactively
   when run, you must cause it, when started running for such
   interactive use in the most ordinary way, to print or display an
   announcement including an appropriate copyright notice and a
   notice that there is no warranty (or else, saying that you provide
   a warranty) and that users may redistribute the program under
   these conditions, and telling the user how to view a copy of this
   License. (Exception: if the Program itself is interactive but
   does not normally print such an announcement, your work based on
   the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable
source code, which must be distributed under the terms of Sections
1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three
years, to give any third party, for a charge no more than your
cost of physically performing source distribution, a complete
machine-readable copy of the corresponding source code, to be
distributed under the terms of Sections 1 and 2 above on a medium
customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer
to distribute corresponding source code. (This alternative is
allowed only for noncommercial distribution and only if you
received the program in object code or executable form with such
an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering
access to copy from a designated place, then offering equivalent
access to copy the source code from the same place counts as
distribution of the source code, even though third parties are not
compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense or distribute the Program is
void, and will automatically terminate your rights under this License.
However, parties who have received copies, or rights, from you under
this License will not have their licenses terminated so long as such
parties remain in full compliance.

 5. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Program or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Program (or any work based on the
Program), you indicate your acceptance of this License to do so, and

all its terms and conditions for copying, distributing or modifying
the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the
Program), the recipient automatically receives a license from the
original licensor to copy, distribute or modify the Program subject to
these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties to
this License.

 7. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Program at all. For example, if a patent
license would not permit royalty-free redistribution of the Program by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to
apply and the section as a whole is intended to apply in other
circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system, which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

 8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among

countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

 10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

    NO WARRANTY

 11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

 12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

    END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

   <one line to give the program's name and a brief idea of what it does.>
   Copyright (C) 19yy <name of author>

   This program is free software; you can redistribute it and/or modify
   it under the terms of the GNU General Public License as published by
   the Free Software Foundation; either version 2 of the License, or
   (at your option) any later version.

   This program is distributed in the hope that it will be useful,
   but WITHOUT ANY WARRANTY; without even the implied warranty of
   MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
   GNU General Public License for more details.

   You should have received a copy of the GNU General Public License
   along with this program; if not, write to the Free Software
   Foundation, Inc., 675 Mass Ave, Cambridge, MA 02139, USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

   Gnomovision version 69, Copyright (C) 19yy name of author
   Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
   This is free software, and you are welcome to redistribute it
   under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the program

`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

Appendix 2: Special exception concerning PLPA

In the following exception, "PLPA" means (i) code released by the Portable Linux Processor Affinity Project, or (ii) derivative works of such code, in both cases provided that the code is covered entirely by free software licensing terms.

As a special exception to the GNU GPL, the licensors of htop give you permission to combine GNU GPL-licensed code in htop (and derivative works of such code) with PLPA. You may copy and distribute such a combined work following the terms of the GNU GPL for htop and the applicable licenses of the version of PLPA used in your combined work, provided that you include the source code of such version of PLPA when and as the GNU GPL requires distribution of source code.

1.206 centrifugal-centrifuge 0.13.0
1.206.1 Available under license :

MIT License

Copyright (c) 2020 Centrifugal

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.207 libgpg-error 1.37 1

1.207.1 Available under license :

GNU GENERAL PUBLIC LICENSE
    Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
  51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

    Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Library General Public License instead.) You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

 We protect your rights with two steps: (1) copyright the software, and

(2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

 Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

 Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

 The precise terms and conditions for copying, distribution and modification follow.

   GNU GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and

you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of

Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable
source code, which must be distributed under the terms of Sections
1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three
years, to give any third party, for a charge no more than your
cost of physically performing source distribution, a complete
machine-readable copy of the corresponding source code, to be
distributed under the terms of Sections 1 and 2 above on a medium
customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer
to distribute corresponding source code. (This alternative is
allowed only for noncommercial distribution and only if you
received the program in object code or executable form with such
an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering
access to copy from a designated place, then offering equivalent
access to copy the source code from the same place counts as
distribution of the source code, even though third parties are not
compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense or distribute the Program is
void, and will automatically terminate your rights under this License.
However, parties who have received copies, or rights, from you under
this License will not have their licenses terminated so long as such
parties remain in full compliance.

5. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Program or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by

modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

  6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

  7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

  8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License

may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

 10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

   NO WARRANTY

 11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

 12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program; if not, write to the Free Software
    Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

    Gnomovision version 69, Copyright (C) year name of author
    Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if

necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the program
 `Gnomovision' (which makes passes at compilers) written by James Hacker.

 <signature of Ty Coon>, 1 April 1989
 Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the
library, and (2) we offer you this license, which gives you legal
permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that
there is no warranty for the free library. Also, if the library is
modified by someone else and passed on, the recipients should know
that what they have is not the original version, so that the original
author's reputation will not be affected by problems that might be
introduced by others.

Finally, software patents pose a constant threat to the existence of
any free program. We wish to make sure that a company cannot
effectively restrict the users of a free program by obtaining a
restrictive license from a patent holder. Therefore, we insist that
any patent license obtained for a version of the library must be
consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the
ordinary GNU General Public License. This license, the GNU Lesser
General Public License, applies to certain designated libraries, and
is quite different from the ordinary General Public License. We use
this license for certain libraries in order to permit linking those
libraries into non-free programs.

When a program is linked with a library, whether statically or using
a shared library, the combination of the two is legally speaking a
combined work, a derivative of the original library. The ordinary
General Public License therefore permits such linking only if the
entire combination fits its criteria of freedom. The Lesser General
Public License permits more lax criteria for linking other code with
the library.

We call this license the "Lesser" General Public License because it

does Less to protect the user's freedom than the ordinary General
Public License. It also provides other free software developers Less
of an advantage over competing non-free programs. These disadvantages
are the reason we use the ordinary General Public License for many
libraries. However, the Lesser license provides advantages in certain
special circumstances.

 For example, on rare occasions, there may be a special need to
encourage the widest possible use of a certain library, so that it
becomes a de-facto standard. To achieve this, non-free programs must
be allowed to use the library. A more frequent case is that a free
library does the same job as widely used non-free libraries. In this
case, there is little to gain by limiting the free library to free
software only, so we use the Lesser General Public License.

 In other cases, permission to use a particular library in non-free
programs enables a greater number of people to use a large body of
free software. For example, permission to use the GNU C Library in
non-free programs enables many more people to use the whole GNU
operating system, as well as its variant, the GNU/Linux operating
system.

 Although the Lesser General Public License is Less protective of the
users' freedom, it does ensure that the user of a program that is
linked with the Library has the freedom and the wherewithal to run
that program using a modified version of the Library.

 The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, whereas the latter must
be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License Agreement applies to any software library or other
program which contains a notice placed by the copyright holder or
other authorized party saying it may be distributed under the terms of
this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

 A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

 The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the

Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated
straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

 "Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means
all the source code for all modules it contains, plus any associated
interface definition files, plus the scripts used to control
compilation and installation of the library.

 Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running a program using the Library is not restricted, and output from
such a program is covered only if its contents constitute a work based
on the Library (independent of the use of the Library in a tool for
writing it). Whether that is true depends on what the Library does
and what the program that uses the Library does.

 1. You may copy and distribute verbatim copies of the Library's
complete source code as you receive it, in any medium, provided that
you conspicuously and appropriately publish on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact
all the notices that refer to this License and to the absence of any
warranty; and distribute a copy of this License along with the
Library.

 You may charge a fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a
fee.

 2. You may modify your copy or copies of the Library or any portion
of it, thus forming a work based on the Library, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) The modified work must itself be a software library.

  b) You must cause the files modified to carry prominent notices
  stating that you changed the files and the date of any change.

  c) You must cause the whole of the work to be licensed at no
  charge to all third parties under the terms of this License.

  d) If a facility in the modified Library refers to a function or a
  table of data to be supplied by an application program that uses
  the facility, other than as an argument passed when the facility

is invoked, then you must make a good faith effort to ensure that,
in the event an application does not supply such function or
table, the facility still operates, and performs whatever part of
its purpose remains meaningful.

(For example, a function in a library to compute square roots has
a purpose that is entirely well-defined independent of the
application. Therefore, Subsection 2d requires that any
application-supplied function or table used by this function must
be optional: if the application does not supply it, the square
root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Library,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

 Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library
creates an executable that is a derivative of the Library (because it
contains portions of the Library), rather than a "work that uses the
library". The executable is therefore covered by this License.
Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file
that is part of the Library, the object code for the work may be a
derivative work of the Library even though the source code is not.
Whether this is true is especially significant if the work can be
linked without the Library, or if the work is itself a library. The
threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data
structure layouts and accessors, and small macros and small inline
functions (ten lines or less in length), then the use of the object
file is unrestricted, regardless of whether it is legally a derivative
work. (Executables containing this object code plus portions of the
Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may
distribute the object code for the work under the terms of Section 6.
Any executables containing that work also fall under Section 6,
whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or
link a "work that uses the Library" with the Library to produce a
work containing portions of the Library, and distribute that work

under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

 You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

  a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

  b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

  c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

  d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

  e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

 For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is

normally distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies
the executable.

 It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.

 7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

  a) Accompany the combined library with a copy of the same work
  based on the Library, uncombined with any other library
  facilities. This must be distributed under the terms of the
  Sections above.

  b) Give prominent notice with the combined library of the fact
  that part of it is a work based on the Library, and explaining
  where to find the accompanying uncombined form of the same work.

 8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

 9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

 10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further

restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties with
this License.

11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to
apply, and the section as a whole is intended to apply in other
circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License
may add an explicit geographical distribution limitation excluding those
countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

 14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

NO WARRANTY

 15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE
LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

 16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE
LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING
RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A
FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF
SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

 If you develop a new library, and you want it to be of the greatest
possible use to the public, we recommend making it free software that
everyone can redistribute and change. You can do so by permitting

redistribution under these terms (or, alternatively, under the terms
of the ordinary General Public License).

 To apply these terms, attach the following notices to the library.
It is safest to attach them to the start of each source file to most
effectively convey the exclusion of warranty; and each file should
have at least the "copyright" line and a pointer to where the full
notice is found.

    <one line to give the library's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This library is free software; you can redistribute it and/or
    modify it under the terms of the GNU Lesser General Public
    License as published by the Free Software Foundation; either
    version 2.1 of the License, or (at your option) any later version.

    This library is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
    Lesser General Public License for more details.

    You should have received a copy of the GNU Lesser General Public
    License along with this library; if not, write to the Free Software
    Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or
your school, if any, to sign a "copyright disclaimer" for the library,
if necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the
 library `Frob' (a library for tweaking knobs) written by James
 Random Hacker.

 <signature of Ty Coon>, 1 April 1990
 Ty Coon, President of Vice

That's all there is to it!

1.208 base-files 11ubuntu5.6

1.208.1 Available under license :

                GNU LIBRARY GENERAL PUBLIC LICENSE
                   Version 2, June 1991

[This is the first released version of the library GPL. It is
numbered 2 because it goes with version 2 of the ordinary GPL.]

                   Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

 This license, the Library General Public License, applies to some
specially designated Free Software Foundation software, and to any
other libraries whose authors decide to use it. You can use it for

your libraries, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if
you distribute copies of the library, or if you modify it.

 For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link a program with the library, you must provide
complete object files to the recipients so that they can relink them
with the library, after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

 Our method of protecting your rights has two steps: (1) copyright
the library, and (2) offer you this license which gives you legal
permission to copy, distribute and/or modify the library.

 Also, for each distributor's protection, we want to make certain
that everyone understands that there is no warranty for this free
library. If the library is modified by someone else and passed on, we
want its recipients to know that what they have is not the original
version, so that any problems introduced by others will not reflect on
the original authors' reputations.

 Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that companies distributing free
software will individually obtain patent licenses, thus in effect
transforming the program into proprietary software. To prevent this,
we have made it clear that any patent must be licensed for everyone's
free use or not licensed at all.

 Most GNU software, including some libraries, is covered by the ordinary
GNU General Public License, which was designed for utility programs. This
license, the GNU Library General Public License, applies to certain
designated libraries. This license is quite different from the ordinary
one; be sure to read it in full, and don't assume that anything in it is
the same as in the ordinary license.

 The reason we have a separate public license for some libraries is that

they blur the distinction we usually make between modifying or adding to a
program and simply using it. Linking a program with a library, without
changing the library, is in some sense simply using the library, and is
analogous to running a utility program or application program. However, in
a textual and legal sense, the linked executable is a combined work, a
derivative of the original library, and the ordinary General Public License
treats it as such.

 Because of this blurred distinction, using the ordinary General
Public License for libraries did not effectively promote software
sharing, because most developers did not use the libraries. We
concluded that weaker conditions might promote sharing better.

 However, unrestricted linking of non-free programs would deprive the
users of those programs of all benefit from the free status of the
libraries themselves. This Library General Public License is intended to
permit developers of non-free programs to use free libraries, while
preserving your freedom as a user of such programs to change the free
libraries that are incorporated in them. (We have not seen how to achieve
this as regards changes in header files, but we have achieved it as regards
changes in the actual functions of the Library.) The hope is that this
will lead to faster development of free libraries.

 The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, while the latter only
works together with the library.

 Note that it is possible for a library to be covered by the ordinary
General Public License rather than by this special one.

GNU LIBRARY GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License Agreement applies to any software library which
contains a notice placed by the copyright holder or other authorized
party saying it may be distributed under the terms of this Library
General Public License (also called "this License"). Each licensee is
addressed as "you".

 A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

 The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under

copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

 "Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

 Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

 1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

 You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

  a) The modified work must itself be a software library.

  b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

  c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

  d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that,

in the event an application does not supply such function or
table, the facility still operates, and performs whatever part of
its purpose remains meaningful.

(For example, a function in a library to compute square roots has
a purpose that is entirely well-defined independent of the
application. Therefore, Subsection 2d requires that any
application-supplied function or table used by this function must
be optional: if the application does not supply it, the square
root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Library,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

 Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also compile or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit

modification of the work for the customer's own use and reverse engineering for debugging such modifications.

 You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

  a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

  b) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

  c) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

  d) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

 For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

 It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you

distribute.

7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

  a) Accompany the combined library with a copy of the same work
  based on the Library, uncombined with any other library
  facilities. This must be distributed under the terms of the
  Sections above.

  b) Give prominent notice with the combined library of the fact
  that part of it is a work based on the Library, and explaining
  where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties to
this License.

11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot

distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply,
and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

  12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

  13. The Free Software Foundation may publish revised and/or new
versions of the Library General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

  14. If you wish to incorporate parts of the Library into other free

programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

NO WARRANTY

 15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE
LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

 16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE
LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING
RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A
FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF
SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

 If you develop a new library, and you want it to be of the greatest
possible use to the public, we recommend making it free software that
everyone can redistribute and change. You can do so by permitting
redistribution under these terms (or, alternatively, under the terms of the
ordinary General Public License).

 To apply these terms, attach the following notices to the library. It is
safest to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

    <one line to give the library's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Library General Public
License as published by the Free Software Foundation; either
version 2 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Library General Public License for more details.

You should have received a copy of the GNU Library General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another

language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

  b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

  c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in

themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

  a) Accompany it with the complete corresponding machine-readable
  source code, which must be distributed under the terms of Sections
  1 and 2 above on a medium customarily used for software interchange; or,

  b) Accompany it with a written offer, valid for at least three
  years, to give any third party, for a charge no more than your
  cost of physically performing source distribution, a complete
  machine-readable copy of the corresponding source code, to be
  distributed under the terms of Sections 1 and 2 above on a medium
  customarily used for software interchange; or,

  c) Accompany it with the information you received as to the offer
  to distribute corresponding source code. (This alternative is
  allowed only for noncommercial distribution and only if you
  received the program in object code or executable form with such
  an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

 5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

 7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other

circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system, which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

 8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

 10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

 11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY

FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

 12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License along
    with this program; if not, write to the Free Software Foundation, Inc.,
    51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

    Gnomovision version 69, Copyright (C) year name of author
    Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

  Yoyodyne, Inc., hereby disclaims all copyright interest in the program
  `Gnomovision' (which makes passes at compilers) written by James Hacker.

  <signature of Ty Coon>, 1 April 1989
  Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.

                    GNU GENERAL PUBLIC LICENSE
                     Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc.
                51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

                    Preamble

  The license agreements of most software companies try to keep users
at the mercy of those companies. By contrast, our General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. The
General Public License applies to the Free Software Foundation's

software and to any other program whose authors commit to using it.
You can use it for your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Specifically, the General Public License is designed to make
sure that you have the freedom to give away or sell copies of free
software, that you receive source code or can get it if you want it,
that you can change the software or use pieces of it in new free
programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

 For example, if you distribute copies of a such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must tell them their rights.

 We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

 Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

 The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License Agreement applies to any program or other work which
contains a notice placed by the copyright holder saying it may be
distributed under the terms of this General Public License. The
"Program", below, refers to any such program or work, and a "work based
on the Program" means either the Program or any work containing the
Program or a portion of it, either verbatim or with modifications. Each
licensee is addressed as "you".

 1. You may copy and distribute verbatim copies of the Program's source
code as you receive it, in any medium, provided that you conspicuously and
appropriately publish on each copy an appropriate copyright notice and

disclaimer of warranty; keep intact all the notices that refer to this
General Public License and to the absence of any warranty; and give any
other recipients of the Program a copy of this General Public License
along with the Program. You may charge a fee for the physical act of
transferring a copy.

 2. You may modify your copy or copies of the Program or any portion of
it, and copy and distribute such modifications under the terms of Paragraph
1 above, provided that you also do the following:

  a) cause the modified files to carry prominent notices stating that
  you changed the files and the date of any change; and

  b) cause the whole of any work that you distribute or publish, that
  in whole or in part contains the Program or any part thereof, either
  with or without modifications, to be licensed at no charge to all
  third parties under the terms of this General Public License (except
  that you may choose to grant warranty protection to some or all
  third parties, at your option).

  c) If the modified program normally reads commands interactively when
  run, you must cause it, when started running for such interactive use
  in the simplest and most usual way, to print or display an
  announcement including an appropriate copyright notice and a notice
  that there is no warranty (or else, saying that you provide a
  warranty) and that users may redistribute the program under these
  conditions, and telling the user how to view a copy of this General
  Public License.

  d) You may charge a fee for the physical act of transferring a
  copy, and you may at your option offer warranty protection in
  exchange for a fee.

Mere aggregation of another independent work with the Program (or its
derivative) on a volume of a storage or distribution medium does not bring
the other work under the scope of these terms.

 3. You may copy and distribute the Program (or a portion or derivative of
it, under Paragraph 2) in object code or executable form under the terms of
Paragraphs 1 and 2 above provided that you also do one of the following:

  a) accompany it with the complete corresponding machine-readable
  source code, which must be distributed under the terms of
  Paragraphs 1 and 2 above; or,

  b) accompany it with a written offer, valid for at least three
  years, to give any third party free (except for a nominal charge
  for the cost of distribution) a complete machine-readable copy of the

corresponding source code, to be distributed under the terms of
Paragraphs 1 and 2 above; or,

c) accompany it with the information you received as to where the
corresponding source code may be obtained. (This alternative is
allowed only for noncommercial distribution and only if you
received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making
modifications to it. For an executable file, complete source code means
all the source code for all modules it contains; but, as a special
exception, it need not include source code for modules which are standard
libraries that accompany the operating system on which the executable
file runs, or for standard header files or definitions files that
accompany that operating system.

 4. You may not copy, modify, sublicense, distribute or transfer the
Program except as expressly provided under this General Public License.
Any attempt otherwise to copy, modify, sublicense, distribute or transfer
the Program is void, and will automatically terminate your rights to use
the Program under this License. However, parties who have received
copies, or rights to use copies, from you under this General Public
License will not have their licenses terminated so long as such parties
remain in full compliance.

 5. By copying, distributing or modifying the Program (or any work based
on the Program) you indicate your acceptance of this license to do so,
and all its terms and conditions.

 6. Each time you redistribute the Program (or any work based on the
Program), the recipient automatically receives a license from the original
licensor to copy, distribute or modify the Program subject to these
terms and conditions. You may not impose any further restrictions on the
recipients' exercise of the rights granted herein.

 7. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of the license which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
the license, you may choose any version ever published by the Free Software
Foundation.

8. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to humanity, the best way to achieve this is to make it
free software which everyone can redistribute and change under these
terms.

To do so, attach the following notices to the program. It is safest to
attach them to the start of each source file to most effectively convey
the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) 19yy <name of author>

This program is free software; you can redistribute it and/or modify

it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 1, or (at your option)
any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) 19xx name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the
appropriate parts of the General Public License. Of course, the
commands you use may be called something other than `show w' and `show
c'; they could even be mouse-clicks or menu items--whatever suits your
program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (a program to direct compilers to make passes
at assemblers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

That's all there is to it!

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by

applicable law.

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Preamble

 The GNU General Public License is a free, copyleft license for
software and other kinds of works.

 The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

 To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you have
certain responsibilities if you distribute copies of the software, or if
you modify it: responsibilities to respect the freedom of others.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must pass on to the recipients the same
freedoms that you received. You must make sure that they, too, receive
or can get the source code. And you must show them these terms so they
know their rights.

 Developers that use the GNU GPL protect your rights with two steps:
(1) assert copyright on the software, and (2) offer you this License
giving you legal permission to copy, distribute and/or modify it.

 For the developers' and authors' protection, the GPL clearly explains
that there is no warranty for this free software. For both users' and
authors' sake, the GPL requires that modified versions be marked as
changed, so that their problems will not be attributed erroneously to

authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying,

distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require,

such as by intimate data communication or control flow between those
subprograms and other parts of the work.

 The Corresponding Source need not include anything that users
can regenerate automatically from other parts of the Corresponding
Source.

 The Corresponding Source for a work in source code form is that
same work.

 2. Basic Permissions.

 All rights granted under this License are granted for the term of
copyright on the Program, and are irrevocable provided the stated
conditions are met. This License explicitly affirms your unlimited
permission to run the unmodified Program. The output from running a
covered work is covered by this License only if the output, given its
content, constitutes a covered work. This License acknowledges your
rights of fair use or other equivalent, as provided by copyright law.

 You may make, run and propagate covered works that you do not
convey, without conditions so long as your license otherwise remains
in force. You may convey covered works to others for the sole purpose
of having them make modifications exclusively for you, or provide you
with facilities for running those works, provided that you comply with
the terms of this License in conveying all material for which you do
not control copyright. Those thus making or running the covered works
for you must do so exclusively on your behalf, under your direction
and control, on terms that prohibit them from making any copies of
your copyrighted material outside their relationship with you.

 Conveying under any other circumstances is permitted solely under
the conditions stated below. Sublicensing is not allowed; section 10
makes it unnecessary.

 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

 No covered work shall be deemed part of an effective technological
measure under any applicable law fulfilling obligations under article
11 of the WIPO copyright treaty adopted on 20 December 1996, or
similar laws prohibiting or restricting circumvention of such
measures.

 When you convey a covered work, you waive any legal power to forbid
circumvention of technological measures to the extent such circumvention
is effected by exercising rights under this License with respect to
the covered work, and you disclaim any intention to limit operation or
modification of the work as a means of enforcing, against the work's

users, your or third parties' legal rights to forbid circumvention of technological measures.

  4. Conveying Verbatim Copies.

  You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

  You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

  5. Conveying Modified Source Versions.

  You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

   a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

   b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

   c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

   d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

  A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not

used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

  6. Conveying Non-Source Forms.

 You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

  a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

  b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

  c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

  d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided
you inform other peers where the object code and Corresponding
Source of the work are being offered to the general public at no
charge under subsection 6d.

A separable portion of the object code, whose source code is excluded
from the Corresponding Source as a System Library, need not be
included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any
tangible personal property which is normally used for personal, family,
or household purposes, or (2) anything designed or sold for incorporation
into a dwelling. In determining whether a product is a consumer product,
doubtful cases shall be resolved in favor of coverage. For a particular
product received by a particular user, "normally used" refers to a
typical or common use of that class of product, regardless of the status
of the particular user or of the way in which the particular user
actually uses, or expects or is expected to use, the product. A product
is a consumer product regardless of whether the product has substantial
commercial, industrial or non-consumer uses, unless such uses represent
the only significant mode of use of the product.

"Installation Information" for a User Product means any methods,
procedures, authorization keys, or other information required to install
and execute modified versions of a covered work in that User Product from
a modified version of its Corresponding Source. The information must
suffice to ensure that the continued functioning of the modified object
code is in no case prevented or interfered with solely because
modification has been made.

If you convey an object code work under this section in, or with, or
specifically for use in, a User Product, and the conveying occurs as
part of a transaction in which the right of possession and use of the
User Product is transferred to the recipient in perpetuity or for a
fixed term (regardless of how the transaction is characterized), the
Corresponding Source conveyed under this section must be accompanied
by the Installation Information. But this requirement does not apply
if neither you nor any third party retains the ability to install
modified object code on the User Product (for example, the work has
been installed in ROM).

The requirement to provide Installation Information does not include a
requirement to continue to provide support service, warranty, or updates
for a work that has been modified or installed by the recipient, or for
the User Product in which it has been modified or installed. Access to a
network may be denied when the modification itself materially and
adversely affects the operation of the network or violates the rules and
protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or

b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of

it) with contractual assumptions of liability to the recipient, for
any liability that these contractual assumptions directly impose on
those licensors and authors.

All other non-permissive additional terms are considered "further
restrictions" within the meaning of section 10. If the Program as you
received it, or any part of it, contains a notice stating that it is
governed by this License along with a term that is a further
restriction, you may remove that term. If a license document contains
a further restriction but permits relicensing or conveying under this
License, you may add to a covered work material governed by the terms
of that license document, provided that the further restriction does
not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you
must place, in the relevant source files, a statement of the
additional terms that apply to those files, or a notice indicating
where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the
form of a separately written license, or stated as exceptions;
the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly
provided under this License. Any attempt otherwise to propagate or
modify it is void, and will automatically terminate your rights under
this License (including any patent licenses granted under the third
paragraph of section 11).

However, if you cease all violation of this License, then your
license from a particular copyright holder is reinstated (a)
provisionally, unless and until the copyright holder explicitly and
finally terminates your license, and (b) permanently, if the copyright
holder fails to notify you of the violation by some reasonable means
prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is
reinstated permanently if the copyright holder notifies you of the
violation by some reasonable means, this is the first time you have
received notice of violation of this License (for any work) from that
copyright holder, and you cure the violation prior to 30 days after
your receipt of the notice.

Termination of your rights under this section does not terminate the
licenses of parties who have received copies or rights from you under
this License. If your rights have been terminated and not permanently

reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

 You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

 Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

 An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

 You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

 A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

 A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted

by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying

the work, and under which the third party grants, to any of the
parties who would receive the covered work from you, a discriminatory
patent license (a) in connection with copies of the covered work
conveyed by you (or copies made from those copies), or (b) primarily
for and in connection with specific products or compilations that
contain the covered work, unless you entered into that arrangement,
or that patent license was granted, prior to 28 March 2007.

 Nothing in this License shall be construed as excluding or limiting
any implied license or other defenses to infringement that may
otherwise be available to you under applicable patent law.

 12. No Surrender of Others' Freedom.

 If conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot convey a
covered work so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you may
not convey it at all. For example, if you agree to terms that obligate you
to collect a royalty for further conveying from those to whom you convey
the Program, the only way you could satisfy both those terms and this
License would be to refrain entirely from conveying the Program.

 13. Use with the GNU Affero General Public License.

 Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

 14. Revised Versions of this License.

 The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

 Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the

GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

 If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

 Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

 15. Disclaimer of Warranty.

 THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

 16. Limitation of Liability.

 IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE
USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD
PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES.

 17. Interpretation of Sections 15 and 16.

 If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

                     END OF TERMS AND CONDITIONS

            How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software: you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation, either version 3 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

 If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

    <program> Copyright (C) <year> <name of author>
    This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

 You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

 The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with

the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<http://www.gnu.org/philosophy/why-not-lgpl.html>.

    The "Artistic License"

    Preamble

The intent of this document is to state the conditions under which a
Package may be copied, such that the Copyright Holder maintains some
semblance of artistic control over the development of the package,
while giving the users of the package the right to use and distribute
the Package in a more-or-less customary fashion, plus the right to make
reasonable modifications.

Definitions:

 "Package" refers to the collection of files distributed by the
 Copyright Holder, and derivatives of that collection of files
 created through textual modification.

 "Standard Version" refers to such a Package if it has not been
 modified, or has been modified in accordance with the wishes
 of the Copyright Holder as specified below.

 "Copyright Holder" is whoever is named in the copyright or
 copyrights for the package.

 "You" is you, if you're thinking about copying or distributing
 this Package.

 "Reasonable copying fee" is whatever you can justify on the
 basis of media cost, duplication charges, time of people involved,
 and so on. (You will not be required to justify it to the
 Copyright Holder, but only to the computing community at large
 as a market that must bear the fee.)

 "Freely Available" means that no fee is charged for the item
 itself, though there may be fees involved in handling the item.
 It also means that recipients of the item may redistribute it
 under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the
Standard Version of this Package without restriction, provided that you
duplicate all of the original copyright notices and associated disclaimers.

2. You may apply bug fixes, portability fixes and other modifications
derived from the Public Domain or from the Copyright Holder. A Package
modified in such a way shall still be considered the Standard Version.

3. You may otherwise modify your copy of this Package in any way, provided
that you insert a prominent notice in each changed file stating how and
when you changed that file, and provided that you do at least ONE of the
following:

   a) place your modifications in the Public Domain or otherwise make them
   Freely Available, such as by posting said modifications to Usenet or
   an equivalent medium, or placing the modifications on a major archive
   site such as uunet.uu.net, or by allowing the Copyright Holder to include
   your modifications in the Standard Version of the Package.

   b) use the modified Package only within your corporation or organization.

   c) rename any non-standard executables so the names do not conflict
   with standard executables, which must also be provided, and provide
   a separate manual page for each non-standard executable that clearly
   documents how it differs from the Standard Version.

   d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or
executable form, provided that you do at least ONE of the following:

   a) distribute a Standard Version of the executables and library files,
   together with instructions (in the manual page or equivalent) on where
   to get the Standard Version.

   b) accompany the distribution with the machine-readable source of
   the Package with your modifications.

   c) give non-standard executables non-standard names, and clearly
   document the differences in manual pages (or equivalent), together
   with instructions on where to get the Standard Version.

   d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this
Package. You may charge any fee you choose for support of this
Package. You may not charge a fee for this Package itself. However,
you may distribute this Package in aggregate with other (possibly
commercial) programs as part of a larger (possibly commercial) software
distribution provided that you do not advertise this Package as a
product of your own. You may embed this Package's interpreter within

an executable of yours (by linking); this shall be construed as a mere
form of aggregation, provided that the complete Standard Version of the
interpreter is so embedded.

6. The scripts and library files supplied as input to or produced as
output from the programs of this Package do not automatically fall
under the copyright of this Package, but belong to whoever generated
them, and may be sold commercially, and may be aggregated with this
Package. If such scripts or library files are aggregated with this
Package via the so-called "undump" or "unexec" methods of producing a
binary executable image, then distribution of such an image shall
neither be construed as a distribution of this Package nor shall it
fall under the restrictions of Paragraphs 3 and 4, provided that you do
not represent such an executable image as a Standard Version of this
Package.

7. C subroutines (or comparably compiled subroutines in other
languages) supplied by you and linked into this Package in order to
emulate subroutines and variables of the language defined by this
Package shall not be considered part of this Package, but are the
equivalent of input as in Paragraph 6, provided these subroutines do
not change the language in any way that would cause it to fail the
regression tests for the language.

8. Aggregation of this Package with a commercial distribution is always
permitted provided that the use of this Package is embedded; that is,
when no overt attempt is made to make this Package's interfaces visible
to the end user of the commercial distribution. Such use shall not be
construed as a distribution of this Package.

9. The name of the Copyright Holder may not be used to endorse or promote
products derived from this software without specific prior written permission.

10. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED
WARRANTIES OF MERCHANTIBILITY AND FITNESS FOR A PARTICULAR PURPOSE.

  The End
            GNU LESSER GENERAL PUBLIC LICENSE
                Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

 This version of the GNU Lesser General Public License incorporates
the terms and conditions of version 3 of the GNU General Public

License, supplemented by the additional permissions listed below.

 0. Additional Definitions.

 As used herein, "this License" refers to version 3 of the GNU Lesser
General Public License, and the "GNU GPL" refers to version 3 of the GNU
General Public License.

 "The Library" refers to a covered work governed by this License,
other than an Application or a Combined Work as defined below.

 An "Application" is any work that makes use of an interface provided
by the Library, but which is not otherwise based on the Library.
Defining a subclass of a class defined by the Library is deemed a mode
of using an interface provided by the Library.

 A "Combined Work" is a work produced by combining or linking an
Application with the Library. The particular version of the Library
with which the Combined Work was made is also called the "Linked
Version".

 The "Minimal Corresponding Source" for a Combined Work means the
Corresponding Source for the Combined Work, excluding any source code
for portions of the Combined Work that, considered in isolation, are
based on the Application, and not on the Linked Version.

 The "Corresponding Application Code" for a Combined Work means the
object code and/or source code for the Application, including any data
and utility programs needed for reproducing the Combined Work from the
Application, but excluding the System Libraries of the Combined Work.

 1. Exception to Section 3 of the GNU GPL.

 You may convey a covered work under sections 3 and 4 of this License
without being bound by section 3 of the GNU GPL.

 2. Conveying Modified Versions.

 If you modify a copy of the Library, and, in your modifications, a
facility refers to a function or data to be supplied by an Application
that uses the facility (other than as an argument passed when the
facility is invoked), then you may convey a copy of the modified
version:

  a) under this License, provided that you make a good faith effort to
  ensure that, in the event an Application does not supply the
  function or data, the facility still operates, and performs
  whatever part of its purpose remains meaningful, or

b) under the GNU GPL, with none of the additional permissions of
this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from
a header file that is part of the Library. You may convey such object
code under terms of your choice, provided that, if the incorporated
material is not limited to numerical parameters, data structure
layouts and accessors, or small macros, inline functions and templates
(ten or fewer lines in length), you do both of the following:

a) Give prominent notice with each copy of the object code that the
Library is used in it and that the Library and its use are
covered by this License.

b) Accompany the object code with a copy of the GNU GPL and this license
document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that,
taken together, effectively do not restrict modification of the
portions of the Library contained in the Combined Work and reverse
engineering for debugging such modifications, if you also do each of
the following:

a) Give prominent notice with each copy of the Combined Work that
the Library is used in it and that the Library and its use are
covered by this License.

b) Accompany the Combined Work with a copy of the GNU GPL and this license
document.

c) For a Combined Work that displays copyright notices during
execution, include the copyright notice for the Library among
these notices, as well as a reference directing the user to the
copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this
License, and the Corresponding Application Code in a form
suitable for, and under terms that permit, the user to
recombine or relink the Application with a modified version of
the Linked Version to produce a modified Combined Work, in the
manner specified by section 6 of the GNU GPL for conveying

Corresponding Source.

1) Use a suitable shared library mechanism for linking with the
Library. A suitable mechanism is one that (a) uses at run time
a copy of the Library already present on the user's computer
system, and (b) will operate properly with a modified version
of the Library that is interface-compatible with the Linked
Version.

e) Provide Installation Information, but only if you would otherwise
be required to provide such information under section 6 of the
GNU GPL, and only to the extent that such information is
necessary to install and execute a modified version of the
Combined Work produced by recombining or relinking the
Application with a modified version of the Linked Version. (If
you use option 4d0, the Installation Information must accompany
the Minimal Corresponding Source and Corresponding Application
Code. If you use option 4d1, you must provide the Installation
Information in the manner specified by section 6 of the GNU GPL
for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the
Library side by side in a single library together with other library
facilities that are not Applications and are not covered by this
License, and convey such a combined library under terms of your
choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based
on the Library, uncombined with any other library facilities,
conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it
is a work based on the Library, and explaining where to find the
accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions
of the GNU Lesser General Public License from time to time. Such new
versions will be similar in spirit to the present version, but may
differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the
Library as you received it specifies that a certain numbered version
of the GNU Lesser General Public License "or any later version"
applies to it, you have the option of following the terms and

conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

 If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

1.209 libnsl 2.31

1.209.1 Available under license :

Copyright 1992, 1993, 1994, 1997 Henry Spencer. All rights reserved. This software is not subject to any license of the American Telephone and Telegraph Company or of the Regents of the University of California.

Permission is granted to anyone to use this software for any purpose on any computer system, and to alter it and redistribute it, subject to the following restrictions:

1. The author is not responsible for the consequences of use of this software, no matter how awful, even if they arise from flaws in it.

2. The origin of this software must not be misrepresented, either by explicit claim or by omission. Since few users ever read sources, credits must appear in the documentation.

3. Altered versions must be plainly marked as such, and must not be misrepresented as being the original software. Since few users ever read sources, credits must appear in the documentation.

4. This notice may not be removed or altered.
                    GNU GENERAL PUBLIC LICENSE
                       Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

                          Preamble

 The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public

License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

 We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

 Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

 Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

 The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices
  stating that you changed the files and the date of any change.

  b) You must cause any work that you distribute or publish, that in
  whole or in part contains or is derived from the Program or any
  part thereof, to be licensed as a whole at no charge to all third
  parties under the terms of this License.

  c) If the modified program normally reads commands interactively
  when run, you must cause it, when started running for such
  interactive use in the most ordinary way, to print or display an
  announcement including an appropriate copyright notice and a
  notice that there is no warranty (or else, saying that you provide
  a warranty) and that users may redistribute the program under

these conditions, and telling the user how to view a copy of this
License. (Exception: if the Program itself is interactive but
does not normally print such an announcement, your work based on
the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

  a) Accompany it with the complete corresponding machine-readable
  source code, which must be distributed under the terms of Sections
  1 and 2 above on a medium customarily used for software interchange; or,

  b) Accompany it with a written offer, valid for at least three
  years, to give any third party, for a charge no more than your
  cost of physically performing source distribution, a complete
  machine-readable copy of the corresponding source code, to be
  distributed under the terms of Sections 1 and 2 above on a medium
  customarily used for software interchange; or,

  c) Accompany it with the information you received as to the offer
  to distribute corresponding source code. (This alternative is
  allowed only for noncommercial distribution and only if you
  received the program in object code or executable form with such
  an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source

code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering
access to copy from a designated place, then offering equivalent
access to copy the source code from the same place counts as
distribution of the source code, even though third parties are not
compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense or distribute the Program is
void, and will automatically terminate your rights under this License.
However, parties who have received copies, or rights, from you under
this License will not have their licenses terminated so long as such
parties remain in full compliance.

 5. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Program or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Program (or any work based on the
Program), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the
Program), the recipient automatically receives a license from the
original licensor to copy, distribute or modify the Program subject to
these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties to
this License.

 7. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Program at all. For example, if a patent

license would not permit royalty-free redistribution of the Program by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to
apply and the section as a whole is intended to apply in other
circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system, which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

 8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

 10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free

Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

 11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

 12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the program
 `Gnomovision' (which makes passes at compilers) written by James Hacker.

 <signature of Ty Coon>, 1 April 1989
 Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.

               GNU LESSER GENERAL PUBLIC LICENSE
                   Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts

as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

 The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

 This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

 When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

 To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

 For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

 We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

 To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of
any free program. We wish to make sure that a company cannot
effectively restrict the users of a free program by obtaining a
restrictive license from a patent holder. Therefore, we insist that
any patent license obtained for a version of the library must be
consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the
ordinary GNU General Public License. This license, the GNU Lesser
General Public License, applies to certain designated libraries, and
is quite different from the ordinary General Public License. We use
this license for certain libraries in order to permit linking those
libraries into non-free programs.

When a program is linked with a library, whether statically or using
a shared library, the combination of the two is legally speaking a
combined work, a derivative of the original library. The ordinary
General Public License therefore permits such linking only if the
entire combination fits its criteria of freedom. The Lesser General
Public License permits more lax criteria for linking other code with
the library.

We call this license the "Lesser" General Public License because it
does Less to protect the user's freedom than the ordinary General
Public License. It also provides other free software developers Less
of an advantage over competing non-free programs. These disadvantages
are the reason we use the ordinary General Public License for many
libraries. However, the Lesser license provides advantages in certain
special circumstances.

For example, on rare occasions, there may be a special need to
encourage the widest possible use of a certain library, so that it becomes
a de-facto standard. To achieve this, non-free programs must be
allowed to use the library. A more frequent case is that a free
library does the same job as widely used non-free libraries. In this
case, there is little to gain by limiting the free library to free
software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free
programs enables a greater number of people to use a large body of
free software. For example, permission to use the GNU C Library in
non-free programs enables many more people to use the whole GNU
operating system, as well as its variant, the GNU/Linux operating
system.

Although the Lesser General Public License is Less protective of the
users' freedom, it does ensure that the user of a program that is

linked with the Library has the freedom and the wherewithal to run
that program using a modified version of the Library.

 The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, whereas the latter must
be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License Agreement applies to any software library or other
program which contains a notice placed by the copyright holder or
other authorized party saying it may be distributed under the terms of
this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

 A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

 The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated
straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

 "Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means
all the source code for all modules it contains, plus any associated
interface definition files, plus the scripts used to control compilation
and installation of the library.

 Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running a program using the Library is not restricted, and output from
such a program is covered only if its contents constitute a work based
on the Library (independent of the use of the Library in a tool for
writing it). Whether that is true depends on what the Library does
and what the program that uses the Library does.

 1. You may copy and distribute verbatim copies of the Library's
complete source code as you receive it, in any medium, provided that
you conspicuously and appropriately publish on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact

all the notices that refer to this License and to the absence of any
warranty; and distribute a copy of this License along with the
Library.

 You may charge a fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a
fee.

 2. You may modify your copy or copies of the Library or any portion
of it, thus forming a work based on the Library, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) The modified work must itself be a software library.

  b) You must cause the files modified to carry prominent notices
  stating that you changed the files and the date of any change.

  c) You must cause the whole of the work to be licensed at no
  charge to all third parties under the terms of this License.

  d) If a facility in the modified Library refers to a function or a
  table of data to be supplied by an application program that uses
  the facility, other than as an argument passed when the facility
  is invoked, then you must make a good faith effort to ensure that,
  in the event an application does not supply such function or
  table, the facility still operates, and performs whatever part of
  its purpose remains meaningful.

  (For example, a function in a library to compute square roots has
  a purpose that is entirely well-defined independent of the
  application. Therefore, Subsection 2d requires that any
  application-supplied function or table used by this function must
  be optional: if the application does not supply it, the square
  root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Library,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest

your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

 Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

 4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

 5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

 However, linking a "work that uses the Library" with the Library
creates an executable that is a derivative of the Library (because it
contains portions of the Library), rather than a "work that uses the
library". The executable is therefore covered by this License.

Section 6 states terms for distribution of such executables.

 When a "work that uses the Library" uses material from a header file
that is part of the Library, the object code for the work may be a
derivative work of the Library even though the source code is not.
Whether this is true is especially significant if the work can be
linked without the Library, or if the work is itself a library. The
threshold for this to be true is not precisely defined by law.

 If such an object file uses only numerical parameters, data
structure layouts and accessors, and small macros and small inline
functions (ten lines or less in length), then the use of the object
file is unrestricted, regardless of whether it is legally a derivative
work. (Executables containing this object code plus portions of the
Library will still fall under Section 6.)

 Otherwise, if the work is a derivative of the Library, you may
distribute the object code for the work under the terms of Section 6.
Any executables containing that work also fall under Section 6,
whether or not they are linked directly with the Library itself.

 6. As an exception to the Sections above, you may also combine or
link a "work that uses the Library" with the Library to produce a
work containing portions of the Library, and distribute that work
under terms of your choice, provided that the terms permit
modification of the work for the customer's own use and reverse
engineering for debugging such modifications.

 You must give prominent notice with each copy of the work that the
Library is used in it and that the Library and its use are covered by
this License. You must supply a copy of this License. If the work
during execution displays copyright notices, you must include the
copyright notice for the Library among them, as well as a reference
directing the user to the copy of this License. Also, you must do one
of these things:

  a) Accompany the work with the complete corresponding
  machine-readable source code for the Library including whatever
  changes were used in the work (which must be distributed under
  Sections 1 and 2 above); and, if the work is an executable linked
  with the Library, with the complete machine-readable "work that
  uses the Library", as object code and/or source code, so that the
  user can modify the Library and then relink to produce a modified
  executable containing the modified Library. (It is understood
  that the user who changes the contents of definitions files in the
  Library will not necessarily be able to recompile the application
  to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

 For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

 It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

 7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact

that part of it is a work based on the Library, and explaining
where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties with
this License.

11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply,
and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the

integrity of the free software distribution system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

 12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

 13. The Free Software Foundation may publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

 14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

                    NO WARRANTY

 15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE

IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE
LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

 16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE
LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING
RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A
FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF
SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

 If you develop a new library, and you want it to be of the greatest
possible use to the public, we recommend making it free software that
everyone can redistribute and change. You can do so by permitting
redistribution under these terms (or, alternatively, under the terms of the
ordinary General Public License).

 To apply these terms, attach the following notices to the library. It is
safest to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

 <one line to give the library's name and a brief idea of what it does.>
 Copyright (C) <year> <name of author>

 This library is free software; you can redistribute it and/or
 modify it under the terms of the GNU Lesser General Public
 License as published by the Free Software Foundation; either
 version 2.1 of the License, or (at your option) any later version.

 This library is distributed in the hope that it will be useful,
 but WITHOUT ANY WARRANTY; without even the implied warranty of
 MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
 Lesser General Public License for more details.

 You should have received a copy of the GNU Lesser General Public
 License along with this library; if not, write to the Free Software
 Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the
 library `Frob' (a library for tweaking knobs) written by James Random Hacker.

 <signature of Ty Coon>, 1 April 1990
 Ty Coon, President of Vice

That's all there is to it!
This file contains the copying permission notices for various files in the
GNU C Library distribution that have copyright owners other than the Free
Software Foundation. These notices all require that a copy of the notice
be included in the accompanying documentation and be distributed with
binary distributions of the code, so be sure to include this file along
with any binary distributions derived from the GNU C Library.

All code incorporated from 4.4 BSD is distributed under the following
license:

Copyright (C) 1991 Regents of the University of California.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. [This condition was removed.]
4. Neither the name of the University nor the names of its contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

The DNS resolver code, taken from BIND 4.9.5, is copyrighted by UC
Berkeley, by Digital Equipment Corporation and by Internet Software
Consortium. The DEC portions are under the following license:

Portions Copyright (C) 1993 by Digital Equipment Corporation.

Permission to use, copy, modify, and distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies, and
that the name of Digital Equipment Corporation not be used in
advertising or publicity pertaining to distribution of the document or
software without specific, written prior permission.

THE SOFTWARE IS PROVIDED ``AS IS'' AND DIGITAL EQUIPMENT CORP.
DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL
DIGITAL EQUIPMENT CORPORATION BE LIABLE FOR ANY SPECIAL, DIRECT,
INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING
FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT,
NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION
WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The ISC portions are under the following license:

Portions Copyright (c) 1996-1999 by Internet Software Consortium.

Permission to use, copy, modify, and distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND INTERNET SOFTWARE CONSORTIUM DISCLAIMS
ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL INTERNET SOFTWARE
CONSORTIUM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL
DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR
PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS
ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS
SOFTWARE.

The Sun RPC support (from rpcsrc-4.0) is covered by the following
license:

Copyright (c) 2010, Oracle America, Inc.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

   * Redistributions of source code must retain the above copyright
     notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above
     copyright notice, this list of conditions and the following
     disclaimer in the documentation and/or other materials
     provided with the distribution.
   * Neither the name of the "Oracle America, Inc." nor the names of its
     contributors may be used to endorse or promote products derived
     from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following CMU license covers some of the support code for Mach,
derived from Mach 3.0:

Mach Operating System
Copyright (C) 1991,1990,1989 Carnegie Mellon University
All Rights Reserved.

Permission to use, copy, modify and distribute this software and its
documentation is hereby granted, provided that both the copyright
notice and this permission notice appear in all copies of the
software, derivative works or modified versions, and any portions
thereof, and that both notices appear in supporting documentation.

CARNEGIE MELLON ALLOWS FREE USE OF THIS SOFTWARE IN ITS ``AS IS''
CONDITION. CARNEGIE MELLON DISCLAIMS ANY LIABILITY OF ANY KIND FOR
ANY DAMAGES WHATSOEVER RESULTING FROM THE USE OF THIS SOFTWARE.

Carnegie Mellon requests users of this software to return to

Software Distribution Coordinator
School of Computer Science
Carnegie Mellon University
Pittsburgh PA 15213-3890

or Software.Distribution@CS.CMU.EDU any improvements or
extensions that they make and grant Carnegie Mellon the rights to
redistribute these changes.

The file if_ppp.h is under the following CMU license:

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY CARNEGIE MELLON UNIVERSITY AND
CONTRIBUTORS ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE UNIVERSITY OR CONTRIBUTORS BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER
IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following license covers the files from Intel's "Highly Optimized
Mathematical Functions for Itanium" collection:

Intel License Agreement

Copyright (c) 2000, Intel Corporation

All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

* The name of Intel Corporation may not be used to endorse or promote
products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL INTEL OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The files inet/getnameinfo.c and sysdeps/posix/getaddrinfo.c are copyright
(C) by Craig Metz and are distributed under the following license:

/* The Inner Net License, Version 2.00

 The author(s) grant permission for redistribution and use in source and
binary forms, with or without modification, of the software and documentation
provided that the following conditions are met:

0. If you receive a version of the software that is specifically labelled
  as not being for redistribution (check the version message and/or README),
  you are not permitted to redistribute that version of the software in any
  way or form.
1. All terms of the all other applicable copyrights and licenses must be
  followed.
2. Redistributions of source code must retain the authors' copyright
  notice(s), this list of conditions, and the following disclaimer.
3. Redistributions in binary form must reproduce the authors' copyright
  notice(s), this list of conditions, and the following disclaimer in the
  documentation and/or other materials provided with the distribution.
4. [The copyright holder has authorized the removal of this clause.]
5. Neither the name(s) of the author(s) nor the names of its contributors
  may be used to endorse or promote products derived from this software
  without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY ITS AUTHORS AND CONTRIBUTORS ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHORS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

 If these license terms cause you a real problem, contact the author. */

The file sunrpc/des_impl.c is copyright Eric Young:

Copyright (C) 1992 Eric Young
Collected from libdes and modified for SECURE RPC by Martin Kuck 1994
This file is distributed under the terms of the GNU Lesser General
Public License, version 2.1 or later - see the file COPYING.LIB for details.
If you did not receive a copy of the license with this program, please
see <https://www.gnu.org/licenses/> to obtain a copy.

The file inet/rcmd.c is under a UCB copyright and the following:

Copyright (C) 1998 WIDE Project.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. Neither the name of the project nor the names of its contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE PROJECT AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE PROJECT OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT

LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

The file posix/runtests.c is copyright Tom Lord:

Copyright 1995 by Tom Lord

All Rights Reserved

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the name of the copyright holder not be
used in advertising or publicity pertaining to distribution of the
software without specific, written prior permission.

Tom Lord DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE,
INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO
EVENT SHALL TOM LORD BE LIABLE FOR ANY SPECIAL, INDIRECT OR
CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF
USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR
OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THIS SOFTWARE.

The posix/rxspencer tests are copyright Henry Spencer:

Copyright 1992, 1993, 1994, 1997 Henry Spencer. All rights reserved.
This software is not subject to any license of the American Telephone
and Telegraph Company or of the Regents of the University of California.

Permission is granted to anyone to use this software for any purpose on
any computer system, and to alter it and redistribute it, subject
to the following restrictions:

1. The author is not responsible for the consequences of use of this
   software, no matter how awful, even if they arise from flaws in it.

2. The origin of this software must not be misrepresented, either by
   explicit claim or by omission. Since few users ever read sources,
   credits must appear in the documentation.

3. Altered versions must be plainly marked as such, and must not be
   misrepresented as being the original software. Since few users
   ever read sources, credits must appear in the documentation.

4. This notice may not be removed or altered.

The file posix/PCRE.tests is copyright University of Cambridge:

Copyright (c) 1997-2003 University of Cambridge

Permission is granted to anyone to use this software for any purpose on any computer system, and to redistribute it freely, subject to the following restrictions:

1. This software is distributed in the hope that it will be useful,
   but WITHOUT ANY WARRANTY; without even the implied warranty of
   MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

2. The origin of this software must not be misrepresented, either by
   explicit claim or by omission. In practice, this means that if you use
   PCRE in software that you distribute to others, commercially or
   otherwise, you must put a sentence like this

   Regular expression support is provided by the PCRE library package,
   which is open source software, written by Philip Hazel, and copyright
   by the University of Cambridge, England.

   somewhere reasonably visible in your documentation and in any relevant
   files or online help data or similar. A reference to the ftp site for
   the source, that is, to

   ftp://ftp.csx.cam.ac.uk/pub/software/programming/pcre/

   should also be given in the documentation. However, this condition is not
   intended to apply to whole chains of software. If package A includes PCRE,
   it must acknowledge it, but if package B is software that includes package
   A, the condition is not imposed on package B (unless it uses PCRE
   independently).

3. Altered versions must be plainly marked as such, and must not be
   misrepresented as being the original software.

4. If PCRE is embedded in any software that is released under the GNU
   General Purpose Licence (GPL), or Lesser General Purpose Licence (LGPL),
   then the terms of that licence shall supersede any condition above with
   which it is incompatible.

Files from Sun fdlibm are copyright Sun Microsystems, Inc.:

Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

Developed at SunPro, a Sun Microsystems, Inc. business.
Permission to use, copy, modify, and distribute this

software is freely granted, provided that this notice
is preserved.

Various long double libm functions are copyright Stephen L. Moshier:

Copyright 2001 by Stephen L. Moshier <moshier@na-net.ornl.gov>

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, see
<https://www.gnu.org/licenses/>. */
UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

   Unicode Data Files include all data files under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/, and
http://www.unicode.org/cldr/data/. Unicode Data Files do not include PDF
online code charts under the directory http://www.unicode.org/Public/.
Software includes any source code published in the Unicode Standard or under
the directories http://www.unicode.org/Public/,
http://www.unicode.org/reports/, and http://www.unicode.org/cldr/data/.

   NOTICE TO USER: Carefully read the following legal agreement. BY
DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES
("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND
AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF
YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA
FILES OR SOFTWARE.

   COPYRIGHT AND PERMISSION NOTICE

   Copyright 1991-2013 Unicode, Inc. All rights reserved. Distributed under
the Terms of Use in http://www.unicode.org/copyright.html.

   Permission is hereby granted, free of charge, to any person obtaining a
copy of the Unicode data files and any associated documentation (the "Data
Files") or Unicode software and any associated documentation (the "Software")
to deal in the Data Files or Software without restriction, including without
limitation the rights to use, copy, modify, merge, publish, distribute, and/or
sell copies of the Data Files or Software, and to permit persons to whom the

Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

1.210 brotli 1.0.7-6ubuntu0.1

1.210.1 Available under license :

Copyright (c) 2009, 2010, 2013-2016 by the Brotli Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.211 blang-semver 3.5.1+incompatible

1.211.1 Available under license :

The MIT License

Copyright (c) 2014 Benedikt Lang <github at benediktlang.de>

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.212 globalsign-mgo 0.0.0-20181015135952-eeefdecb41b8

1.212.1 Available under license :

Copyright (c) 2012 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

   * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
   * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

mgo - MongoDB driver for Go

Copyright (c) 2010-2013 - Gustavo Niemeyer <gustavo@niemeyer.net>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

BSON library for Go

Copyright (c) 2010-2012 - Gustavo Niemeyer <gustavo@niemeyer.net>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice,

this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.213 xz 5.2.4 1ubuntu1

1.213.1 Available under license :

XZ Utils Licensing
==================

Different licenses apply to different files in this package. Here
is a rough summary of which licenses apply to which parts of this
package (but check the individual files to be sure!):

  - liblzma is in the public domain.

  - xz, xzdec, and lzmadec command line tools are in the public
    domain unless GNU getopt_long had to be compiled and linked
    in from the lib directory. The getopt_long code is under
    GNU LGPLv2.1+.

  - The scripts to grep, diff, and view compressed files have been
    adapted from gzip. These scripts and their documentation are
    under GNU GPLv2+.

  - All the documentation in the doc directory and most of the
    XZ Utils specific documentation files in other directories
    are in the public domain.

  - Translated messages are in the public domain.

  - The build system contains public domain files, and files that
    are under GNU GPLv2+ or GNU GPLv3+. None of these files end up
    in the binaries being built.

  - Test files and test code in the tests directory, and debugging

utilities in the debug directory are in the public domain.

 - The extra directory may contain public domain files, and files
   that are under various free software licenses.

You can do whatever you want with the files that have been put into
the public domain. If you find public domain legally problematic,
take the previous sentence as a license grant. If you still find
the lack of copyright legally problematic, you have too many
lawyers.

As usual, this software is provided "as is", without any warranty.

If you copy significant amounts of public domain code from XZ Utils
into your project, acknowledging this somewhere in your software is
polite (especially if it is proprietary, non-free software), but
naturally it is not legally required. Here is an example of a good
notice to put into "about box" or into documentation:

    This software includes code from XZ Utils <https://tukaani.org/xz/>.

The following license texts are included in the following files:
  - COPYING.LGPLv2.1: GNU Lesser General Public License version 2.1
  - COPYING.GPLv2: GNU General Public License version 2
  - COPYING.GPLv3: GNU General Public License version 3

Note that the toolchain (compiler, linker etc.) may add some code
pieces that are copyrighted. Thus, it is possible that e.g. liblzma
binary wouldn't actually be in the public domain in its entirety
even though it contains no copyrighted code from the XZ Utils source
package.

If you have questions, don't hesitate to ask the author(s) for more
information.
                    GNU GENERAL PUBLIC LICENSE
                      Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

                        Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This

General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains

a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices
  stating that you changed the files and the date of any change.

  b) You must cause any work that you distribute or publish, that in
  whole or in part contains or is derived from the Program or any
  part thereof, to be licensed as a whole at no charge to all third
  parties under the terms of this License.

  c) If the modified program normally reads commands interactively
  when run, you must cause it, when started running for such
  interactive use in the most ordinary way, to print or display an
  announcement including an appropriate copyright notice and a
  notice that there is no warranty (or else, saying that you provide
  a warranty) and that users may redistribute the program under
  these conditions, and telling the user how to view a copy of this
  License. (Exception: if the Program itself is interactive but

does not normally print such an announcement, your work based on
the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

  a) Accompany it with the complete corresponding machine-readable
  source code, which must be distributed under the terms of Sections
  1 and 2 above on a medium customarily used for software interchange; or,

  b) Accompany it with a written offer, valid for at least three
  years, to give any third party, for a charge no more than your
  cost of physically performing source distribution, a complete
  machine-readable copy of the corresponding source code, to be
  distributed under the terms of Sections 1 and 2 above on a medium
  customarily used for software interchange; or,

  c) Accompany it with the information you received as to the offer
  to distribute corresponding source code. (This alternative is
  allowed only for noncommercial distribution and only if you
  received the program in object code or executable form with such
  an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to

control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

 5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

 7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then

the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals

of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the

work under this License, and how to view a copy of this License. If
the interface presents a list of user commands or options, such as a
menu, a prominent item in the list meets this criterion.

 1. Source Code.

 The "source code" for a work means the preferred form of the work
for making modifications to it. "Object code" means any non-source
form of a work.

 A "Standard Interface" means an interface that either is an official
standard defined by a recognized standards body, or, in the case of
interfaces specified for a particular programming language, one that
is widely used among developers working in that language.

 The "System Libraries" of an executable work include anything, other
than the work as a whole, that (a) is included in the normal form of
packaging a Major Component, but which is not part of that Major
Component, and (b) serves only to enable use of the work with that
Major Component, or to implement a Standard Interface for which an
implementation is available to the public in source code form. A
"Major Component", in this context, means a major essential component
(kernel, window system, and so on) of the specific operating system
(if any) on which the executable work runs, or a compiler used to
produce the work, or an object code interpreter used to run it.

 The "Corresponding Source" for a work in object code form means all
the source code needed to generate, install, and (for an executable
work) run the object code and to modify the work, including scripts to
control those activities. However, it does not include the work's
System Libraries, or general-purpose tools or generally available free
programs which are used unmodified in performing those activities but
which are not part of the work. For example, Corresponding Source
includes interface definition files associated with source files for
the work, and the source code for shared libraries and dynamically
linked subprograms that the work is specifically designed to require,
such as by intimate data communication or control flow between those
subprograms and other parts of the work.

 The Corresponding Source need not include anything that users
can regenerate automatically from other parts of the Corresponding
Source.

 The Corresponding Source for a work in source code form is that
same work.

 2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by the
Corresponding Source fixed on a durable physical medium
customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by a
written offer, valid for at least three years and valid for as
long as you offer spare parts or customer support for that product
model, to give anyone who possesses the object code either (1) a
copy of the Corresponding Source for all the software in the
product that is covered by this License, on a durable physical
medium customarily used for software interchange, for a price no
more than your reasonable cost of physically performing this
conveying of source, or (2) access to copy the
Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the
written offer to provide the Corresponding Source. This
alternative is allowed only occasionally and noncommercially, and
only if you received the object code with such an offer, in accord
with subsection 6b.

d) Convey the object code by offering access from a designated
place (gratis or for a charge), and offer equivalent access to the
Corresponding Source in the same way through the same place at no
further charge. You need not require recipients to copy the
Corresponding Source along with the object code. If the place to
copy the object code is a network server, the Corresponding Source
may be on a different server (operated by you or a third party)
that supports equivalent copying facilities, provided you maintain
clear directions next to the object code saying where to find the
Corresponding Source. Regardless of what server hosts the
Corresponding Source, you remain obligated to ensure that it is
available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided
you inform other peers where the object code and Corresponding
Source of the work are being offered to the general public at no
charge under subsection 6d.

 A separable portion of the object code, whose source code is excluded
from the Corresponding Source as a System Library, need not be
included in conveying the object code work.

 A "User Product" is either (1) a "consumer product", which means any
tangible personal property which is normally used for personal, family,
or household purposes, or (2) anything designed or sold for incorporation

into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

 "Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

 If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

 The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

 Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

 7. Additional Terms.

 "Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall

be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

 When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

 Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

  a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or

  b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

  c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

  d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

  e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

  f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

 All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does

not survive such relicensing or conveying.

 If you add terms to a covered work in accord with this section, you
must place, in the relevant source files, a statement of the
additional terms that apply to those files, or a notice indicating
where to find the applicable terms.

 Additional terms, permissive or non-permissive, may be stated in the
form of a separately written license, or stated as exceptions;
the above requirements apply either way.

 8. Termination.

 You may not propagate or modify a covered work except as expressly
provided under this License. Any attempt otherwise to propagate or
modify it is void, and will automatically terminate your rights under
this License (including any patent licenses granted under the third
paragraph of section 11).

 However, if you cease all violation of this License, then your
license from a particular copyright holder is reinstated (a)
provisionally, unless and until the copyright holder explicitly and
finally terminates your license, and (b) permanently, if the copyright
holder fails to notify you of the violation by some reasonable means
prior to 60 days after the cessation.

 Moreover, your license from a particular copyright holder is
reinstated permanently if the copyright holder notifies you of the
violation by some reasonable means, this is the first time you have
received notice of violation of this License (for any work) from that
copyright holder, and you cure the violation prior to 30 days after
your receipt of the notice.

 Termination of your rights under this section does not terminate the
licenses of parties who have received copies or rights from you under
this License. If your rights have been terminated and not permanently
reinstated, you do not qualify to receive new licenses for the same
material under section 10.

 9. Acceptance Not Required for Having Copies.

 You are not required to accept this License in order to receive or
run a copy of the Program. Ancillary propagation of a covered work
occurring solely as a consequence of using peer-to-peer transmission
to receive a copy likewise does not require acceptance. However,
nothing other than this License grants you permission to propagate or
modify any covered work. These actions infringe copyright if you do
not accept this License. Therefore, by modifying or propagating a

covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

 If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

 If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

 A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

 Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

 If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

 13. Use with the GNU Affero General Public License.

 Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

 14. Revised Versions of this License.

 The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

 Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

 If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

 Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

 THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

 16. Limitation of Liability.

 IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE
USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD
PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES.

 17. Interpretation of Sections 15 and 16.

 If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

                    END OF TERMS AND CONDITIONS

            How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation, either version 3 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

 If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

 <program> Copyright (C) <year> <name of author>
 This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
 This is free software, and you are welcome to redistribute it
 under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

 You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

 The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<http://www.gnu.org/philosophy/why-not-lgpl.html>.

1.214 go-testing-interface 1.0.0

1.214.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Mitchell Hashimoto

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.215 cachecontrol 0.12.6

1.215.1 Available under license :

Copyright 2015 Eric Larson

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied.

See the License for the specific language governing permissions and
limitations under the License.

1.216 tar 1.30+dfsg 7ubuntu0.20.04.2

1.216.1 Available under license :

/* Per-directory exclusion files for tar.

  Copyright 2014, 2016-2017 Free Software Foundation, Inc.

  This file is part of GNU tar.

GNU tar is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 3 of the License, or
(at your option) any later version.

GNU tar is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.
*/

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you have
certain responsibilities if you distribute copies of the software, or if
you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must pass on to the recipients the same

freedoms that you received. You must make sure that they, too, receive
or can get the source code. And you must show them these terms so they
know their rights.

Developers that use the GNU GPL protect your rights with two steps:
(1) assert copyright on the software, and (2) offer you this License
giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains
that there is no warranty for this free software. For both users' and
authors' sake, the GPL requires that modified versions be marked as
changed, so that their problems will not be attributed erroneously to
authors of previous versions.

Some devices are designed to deny users access to install or run
modified versions of the software inside them, although the manufacturer
can do so. This is fundamentally incompatible with the aim of
protecting users' freedom to change the software. The systematic
pattern of such abuse occurs in the area of products for individuals to
use, which is precisely where it is most unacceptable. Therefore, we
have designed this version of the GPL to prohibit the practice for those
products. If such problems arise substantially in other domains, we
stand ready to extend this provision to those domains in future versions
of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents.
States should not allow patents to restrict development and use of
software on general-purpose computers, but in those that do, we wish to
avoid the special danger that patents applied to a free program could
make it effectively proprietary. To prevent this, the GPL assures that
patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and
modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of
works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this
License. Each licensee is addressed as "you". "Licensees" and
"recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work
in a fashion requiring copyright permission, other than the making of an
exact copy. The resulting work is called a "modified version" of the
earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based
on the Program.

To "propagate" a work means to do anything with it that, without
permission, would make you directly or secondarily liable for
infringement under applicable copyright law, except executing it on a
computer or modifying a private copy. Propagation includes copying,
distribution (with or without modification), making available to the
public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other
parties to make or receive copies. Mere interaction with a user through
a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices"
to the extent that it includes a convenient and prominently visible
feature that (1) displays an appropriate copyright notice, and (2)
tells the user that there is no warranty for the work (except to the
extent that warranties are provided), that licensees may convey the
work under this License, and how to view a copy of this License. If
the interface presents a list of user commands or options, such as a
menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work
for making modifications to it. "Object code" means any non-source
form of a work.

A "Standard Interface" means an interface that either is an official
standard defined by a recognized standards body, or, in the case of
interfaces specified for a particular programming language, one that
is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other
than the work as a whole, that (a) is included in the normal form of
packaging a Major Component, but which is not part of that Major
Component, and (b) serves only to enable use of the work with that
Major Component, or to implement a Standard Interface for which an
implementation is available to the public in source code form. A
"Major Component", in this context, means a major essential component
(kernel, window system, and so on) of the specific operating system
(if any) on which the executable work runs, or a compiler used to

produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not

invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display
Appropriate Legal Notices; however, if the Program has interactive
interfaces that do not display Appropriate Legal Notices, your
work need not make them do so.

A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

  6. Conveying Non-Source Forms.

 You may convey a covered work in object code form under the terms
of sections 4 and 5, provided that you also convey the
machine-readable Corresponding Source under the terms of this License,
in one of these ways:

  a) Convey the object code in, or embodied in, a physical product
  (including a physical distribution medium), accompanied by the
  Corresponding Source fixed on a durable physical medium
  customarily used for software interchange.

  b) Convey the object code in, or embodied in, a physical product
  (including a physical distribution medium), accompanied by a
  written offer, valid for at least three years and valid for as
  long as you offer spare parts or customer support for that product
  model, to give anyone who possesses the object code either (1) a
  copy of the Corresponding Source for all the software in the
  product that is covered by this License, on a durable physical
  medium customarily used for software interchange, for a price no
  more than your reasonable cost of physically performing this
  conveying of source, or (2) access to copy the
  Corresponding Source from a network server at no charge.

  c) Convey individual copies of the object code with a copy of the
  written offer to provide the Corresponding Source. This
  alternative is allowed only occasionally and noncommercially, and
  only if you received the object code with such an offer, in accord
  with subsection 6b.

  d) Convey the object code by offering access from a designated

place (gratis or for a charge), and offer equivalent access to the
Corresponding Source in the same way through the same place at no
further charge. You need not require recipients to copy the
Corresponding Source along with the object code. If the place to
copy the object code is a network server, the Corresponding Source
may be on a different server (operated by you or a third party)
that supports equivalent copying facilities, provided you maintain
clear directions next to the object code saying where to find the
Corresponding Source. Regardless of what server hosts the
Corresponding Source, you remain obligated to ensure that it is
available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided
you inform other peers where the object code and Corresponding
Source of the work are being offered to the general public at no
charge under subsection 6d.

A separable portion of the object code, whose source code is excluded
from the Corresponding Source as a System Library, need not be
included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any
tangible personal property which is normally used for personal, family,
or household purposes, or (2) anything designed or sold for incorporation
into a dwelling. In determining whether a product is a consumer product,
doubtful cases shall be resolved in favor of coverage. For a particular
product received by a particular user, "normally used" refers to a
typical or common use of that class of product, regardless of the status
of the particular user or of the way in which the particular user
actually uses, or expects or is expected to use, the product. A product
is a consumer product regardless of whether the product has substantial
commercial, industrial or non-consumer uses, unless such uses represent
the only significant mode of use of the product.

"Installation Information" for a User Product means any methods,
procedures, authorization keys, or other information required to install
and execute modified versions of a covered work in that User Product from
a modified version of its Corresponding Source. The information must
suffice to ensure that the continued functioning of the modified object
code is in no case prevented or interfered with solely because
modification has been made.

If you convey an object code work under this section in, or with, or
specifically for use in, a User Product, and the conveying occurs as
part of a transaction in which the right of possession and use of the
User Product is transferred to the recipient in perpetuity or for a
fixed term (regardless of how the transaction is characterized), the
Corresponding Source conveyed under this section must be accompanied

by the Installation Information. But this requirement does not apply
if neither you nor any third party retains the ability to install
modified object code on the User Product (for example, the work has
been installed in ROM).

 The requirement to provide Installation Information does not include a
requirement to continue to provide support service, warranty, or updates
for a work that has been modified or installed by the recipient, or for
the User Product in which it has been modified or installed. Access to a
network may be denied when the modification itself materially and
adversely affects the operation of the network or violates the rules and
protocols for communication across the network.

 Corresponding Source conveyed, and Installation Information provided,
in accord with this section must be in a format that is publicly
documented (and with an implementation available to the public in
source code form), and must require no special password or key for
unpacking, reading or copying.

 7. Additional Terms.

 "Additional permissions" are terms that supplement the terms of this
License by making exceptions from one or more of its conditions.
Additional permissions that are applicable to the entire Program shall
be treated as though they were included in this License, to the extent
that they are valid under applicable law. If additional permissions
apply only to part of the Program, that part may be used separately
under those permissions, but the entire Program remains governed by
this License without regard to the additional permissions.

 When you convey a copy of a covered work, you may at your option
remove any additional permissions from that copy, or from any part of
it. (Additional permissions may be written to require their own
removal in certain cases when you modify the work.) You may place
additional permissions on material, added by you to a covered work,
for which you have or can give appropriate copyright permission.

 Notwithstanding any other provision of this License, for material you
add to a covered work, you may (if authorized by the copyright holders of
that material) supplement the terms of this License with terms:

  a) Disclaiming warranty or limiting liability differently from the
  terms of sections 15 and 16 of this License; or

  b) Requiring preservation of specified reasonable legal notices or
  author attributions in that material or in the Appropriate Legal
  Notices displayed by works containing it; or

c) Prohibiting misrepresentation of the origin of that material, or
requiring that modified versions of such material be marked in
reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or
authors of the material; or

e) Declining to grant rights under trademark law for use of some
trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that
material by anyone who conveys the material (or modified versions of
it) with contractual assumptions of liability to the recipient, for
any liability that these contractual assumptions directly impose on
those licensors and authors.

All other non-permissive additional terms are considered "further
restrictions" within the meaning of section 10. If the Program as you
received it, or any part of it, contains a notice stating that it is
governed by this License along with a term that is a further
restriction, you may remove that term. If a license document contains
a further restriction but permits relicensing or conveying under this
License, you may add to a covered work material governed by the terms
of that license document, provided that the further restriction does
not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you
must place, in the relevant source files, a statement of the
additional terms that apply to those files, or a notice indicating
where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the
form of a separately written license, or stated as exceptions;
the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly
provided under this License. Any attempt otherwise to propagate or
modify it is void, and will automatically terminate your rights under
this License (including any patent licenses granted under the third
paragraph of section 11).

However, if you cease all violation of this License, then your
license from a particular copyright holder is reinstated (a)
provisionally, unless and until the copyright holder explicitly and
finally terminates your license, and (b) permanently, if the copyright
holder fails to notify you of the violation by some reasonable means

prior to 60 days after the cessation.

 Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

 Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

 9. Acceptance Not Required for Having Copies.

 You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

 10. Automatic Licensing of Downstream Recipients.

 Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

 An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

 You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that

any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties

receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

 A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

 Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

 12. No Surrender of Others' Freedom.

 If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

 13. Use with the GNU Affero General Public License.

 Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

 14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

 Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

 If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

 Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

 15. Disclaimer of Warranty.

 THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

 16. Limitation of Liability.

 IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE
USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD
PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

 If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

                    END OF TERMS AND CONDITIONS

            How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software: you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation, either version 3 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

 If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

    <program> Copyright (C) <year> <name of author>
    This program comes with ABSOLUTELY NO WARRANTY; for details type 'show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

 You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

 The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<http://www.gnu.org/philosophy/why-not-lgpl.html>.

Authors of GNU tar.

Public domain tar was written by John Gilmore, with contributions from
Henry Spencer, Fred Fish, Ian Darwin, Geoff Collyer, Stan Barber, Guy
Harris, Dave Brower, Richard Todd, Michael Rendell, Stu Heiss, and
Rich Salz.

The FSF version, named GNU tar, was derived from public domain tar by
Jay Fenlason and Joy Kendall. Amy Gorin and Melissa Weisshaus
contributed to the manual. GNU tar has been maintained in turn by
Thomas Bushnell BSG, François Pinard, Paul Eggert, and Sergey
Poznyakoff.

Many others have contributed to GNU tar; please see the files THANKS
and ChangeLog.

1.217 retrying 1.3.3

1.217.1 Available under license :

Copyright 2013 Ray Holder

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and
       attribution notices from the Source form of the Work,
       excluding those notices that do not pertain to any part of
       the Derivative Works; and

   (d) If the Work includes a "NOTICE" text file as part of its
       distribution, then any Derivative Works that You distribute must
       include a readable copy of the attribution notices contained
       within such NOTICE file, excluding those notices that do not
       pertain to any part of the Derivative Works, in at least one
       of the following places: within a NOTICE text file distributed
       as part of the Derivative Works; within the Source form or
       documentation, if provided along with the Derivative Works; or,
       within a display generated by the Derivative Works, if and
       wherever such third-party notices normally appear. The contents
       of the NOTICE file are for informational purposes only and
       do not modify the License. You may add Your own attribution
       notices within Derivative Works that You distribute, alongside
       or as an addendum to the NOTICE text from the Work, provided
       that such additional attribution notices cannot be construed
       as modifying the License.

   You may add Your own copyright statement to Your modifications and
   may provide additional or different license terms and conditions
   for use, reproduction, or distribution of Your modifications, or
   for any such Derivative Works as a whole, provided Your use,
   reproduction, and distribution of the Work otherwise complies with
   the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.218 looplab-fsm 0.0.0-20170404094036-bcc3636384ce

1.218.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and
distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright
owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities
that control, are controlled by, or are under common control with that entity.
For the purposes of this definition, "control" means (i) the power, direct or
indirect, to cause the direction or management of such entity, whether by
contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising
permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License.

Subject to the terms and conditions of this License, each Contributor hereby

grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution.

You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and
You must cause any modified files to carry prominent notices stating that You changed the files; and
You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.
You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions.

Unless You explicitly state otherwise, any Contribution intentionally submitted

for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks.

This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty.

Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability.

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability.

While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

   Copyright [yyyy] [name of copyright owner]

   Licensed under the Apache License, Version 2.0 (the "License");
   you may not use this file except in compliance with the License.
   You may obtain a copy of the License at

     http://www.apache.org/licenses/LICENSE-2.0

   Unless required by applicable law or agreed to in writing, software
   distributed under the License is distributed on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
   See the License for the specific language governing permissions and
   limitations under the License.

1.219 libgcrypt 1.8.5 5ubuntu1.1
1.219.1 Available under license :

This package was debianized by Ivo Timmermans <ivo@debian.org> on
Fri, 3 Aug 2001 10:02:38 +0200.
It was taken over by Matthias Urlichs <smurf@debian.org>, and is now
maintained by Andreas Metzler <ametzler@debian.org> Eric Dorland
<eric@debian.org>, James Westby <jw+debian@jameswestby.net>

It was downloaded from https://ftp.gnupg.org/gcrypt/libgcrypt/.

Up to end of 2012 libgcrypt copyright was owned solely by FSF, since then
contributions without copyright assignment to the FSF have been integrated.

Upstream Authors (from AUTHORS)
8X---
List of Copyright holders
=========================

 Copyright (C) 1989,1991-2019 Free Software Foundation, Inc.
 Copyright (C) 1994 X Consortium

Authors with a FSF copyright assignment
=====================================

LIBGCRYPT   Werner Koch   2001-06-07

Assigns past and future changes.

Assignment for future changes terminated on 2012-12-04.

wk@gnupg.org

Designed and implemented Libgcrypt.

GNUPG Matthew Skala   1998-08-10

Disclaims changes.

mskala@ansuz.sooke.bc.ca

Wrote cipher/twofish.c.

GNUPG Natural Resources Canada   1998-08-11

Disclaims changes by Matthew Skala.

GNUPG Michael Roth Germany   1998-09-17

Assigns changes.

mroth@nessie.de

Wrote cipher/des.c.

Changes and bug fixes all over the place.

GNUPG Niklas Hernaeus 1998-09-18

Disclaims changes.

nh@df.lth.se

Weak key patches.

GNUPG Rmi Guyomarch 1999-05-25

Assigns past and future changes. (g10/compress.c, g10/encr-data.c,

g10/free-packet.c, g10/mdfilter.c, g10/plaintext.c, util/iobuf.c)

rguyom@mail.dotcom.fr

ANY   g10 Code GmbH   2001-06-07
Assignment for future changes terminated on 2012-12-04.
Code marked with ChangeLog entries of g10 Code employees.

LIBGCRYPT Timo Schulz   2001-08-31
Assigns past and future changes.
twoaday@freakmail.de

LIBGCRYPT Simon Josefsson   2002-10-25
Assigns past and future changes to FSF (cipher/{md4,crc}.c, CTR mode,
CTS/MAC flags, self test improvements)
simon@josefsson.org

LIBGCRYPT Moritz Schulte 2003-04-17
Assigns past and future changes.
moritz@g10code.com

GNUTLS Nikolaos Mavrogiannopoulos 2003-11-22
nmav@gnutls.org
Original code for cipher/rfc2268.c.

LIBGCRYPT The Written Word 2005-04-15
Assigns past and future changes. (new: src/libgcrypt.pc.in,
src/Makefile.am, src/secmem.c, mpi/hppa1.1/mpih-mul3.S,
mpi/hppa1.1/udiv-qrnnd.S, mpi/hppa1.1/mpih-mul2.S,
mpi/hppa1.1/mpih-mul1.S, mpi/Makefile.am, tests/prime.c,
tests/register.c, tests/ac.c, tests/basic.c, tests/tsexp.c,
tests/keygen.c, tests/pubkey.c, configure.ac, acinclude.m4)

LIBGCRYPT   Brad Hards   2006-02-09
Assigns Past and Future Changes
bradh@frogmouth.net
(Added OFB mode. Changed cipher/cipher.c, test/basic.c doc/gcrypt.tex.
added SHA-224, changed cipher/sha256.c, added HMAC tests.)

LIBGCRYPT   Hye-Shik Chang   2006-09-07
Assigns Past and Future Changes
perky@freebsd.org
(SEED cipher)

LIBGCRYPT   Werner Dittmann 2009-05-20
Assigns Past and Future Changes
werner.dittmann@t-online.de
(mpi/amd64, tests/mpitests.c)

GNUPG   David Shaw

Assigns past and future changes.
dshaw@jabberwocky.com
(cipher/camellia-glue.c and related stuff)

LIBGCRYPT   Andrey Jivsov   2010-12-09
Assigns Past and Future Changes
openpgp@brainhub.org
(cipher/ecc.c and related files)

LIBGCRYPT   Ulrich Mller   2012-02-15
Assigns Past and Future Changes
ulm@gentoo.org
(Changes to cipher/idea.c and related files)

LIBGCRYPT   Vladimir Serbinenko 2012-04-26
Assigns Past and Future Changes
phcoder@gmail.com
(cipher/serpent.c)

Authors with a DCO
==================

Andrei Scherer <andsch@inbox.com>
2014-08-22:BF7CEF794F9.000003F0andsch@inbox.com:

Christian Aistleitner <christian@quelltextlich.at>
2013-02-26:20130226110144.GA12678@quelltextlich.at:

Christian Grothoff <christian@grothoff.org>
2013-03-21:514B5D8A.6040705@grothoff.org:

Dmitry Eremin-Solenikov <dbaryshkov@gmail.com>
2013-07-13:20130713144407.GA27334@fangorn.rup.mentorg.com:

Dmitry Kasatkin <dmitry.kasatkin@intel.com>
2012-12-14:50CAE2DB.80302@intel.com:

Jrmie Courrges-Anglas <jca@wxcvbn.org>
2016-05-26:87bn3ssqg0.fsf@ritchie.wxcvbn.org

Jussi Kivilinna <jussi.kivilinna@mbnet.fi>
2012-11-15:20121115172331.150537dzb5i6jmy8@www.dalek.fi:

Jussi Kivilinna <jussi.kivilinna@iki.fi>
2013-05-06:5186720A.4090101@iki.fi:

Markus Teich <markus dot teich at stusta dot mhn dot de>

2014-10-08:20141008180509.GA2770@trolle:

Mathias L. Baumann <mathias.baumann at sociomantic.com>
2017-01-30:07c06d79-0828-b564-d604-fd16c7c86ebe@sociomantic.com:

Milan Broz <gmazyland@gmail.com>
2014-01-13:52D44CC6.4050707@gmail.com:

Peter Wu <peter@lekensteyn.nl>
2015-07-22:20150722191325.GA8113@al:

Rafal Carr <funman@videolan.org>
2012-04-20:4F91988B.1080502@videolan.org:

Sergey V. <sftp.mtuci@gmail.com>
2013-11-07:2066221.5IYa7Yq760@darkstar:

Stephan Mueller <smueller@chronox.de>
2014-08-22:2008899.25OeoelVVA@myon.chronox.de:

Tom Mrz <tm@t8m.info>
2012-04-16:1334571250.5056.52.camel@vespa.frost.loc:

Vitezslav Cizek <vcizek@suse.com>
2015-11-05:20151105131424.GA32700@kolac.suse.cz

Werner Koch <wk@gnupg.org> (g10 Code GmbH)
2012-12-05:87obi8u4h2.fsf@vigenere.g10code.de:

More credits
============

Libgcrypt used to be part of GnuPG but has been taken out into its own
package on 2000-12-21.

Most of the stuff in mpi has been taken from an old GMP library
version by Torbjorn Granlund <tege@noisy.tmg.se>.

The files cipher/rndunix.c and cipher/rndw32.c are based on those
files from Cryptlib. Copyright Peter Gutmann, Paul Kendall, and Chris
Wedgwood 1996-1999.

The ECC code cipher/ecc.c was based on code by Sergi Blanch i Torne,
sergi at calcurco dot org.

The implementation of the Camellia cipher has been taken from the
original NTT provided GPL source.

The CAVS testing program tests/cavs_driver.pl is not to be considered
a part of libgcrypt proper. We distribute it merely for convenience.
It has a permissive license and is copyrighted by atsec information
security corporation. See the file for details.

The file salsa20.c is based on D.J. Bernstein's public domain code and
taken from Nettle. Copyright 2012 Simon Josefsson and Niels Mller.

This file is free software; as a special exception the author gives
unlimited permission to copy and/or distribute it, with or without
modifications, as long as this notice is preserved.

This file is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY, to the extent permitted by law; without even the
implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
8X---

License:

Most of the package is licensed under the GNU Lesser General Public
License (LGPL) version 2.1 (or later), except for helper and debugging
binaries. See below for details. The documentation is licensed under
the GPLv2 (or later), see below.

Excerpt from upstream's README:

  The library is distributed under the terms of the GNU Lesser
  General Public License (LGPL); see the file COPYING.LIB for the
  actual terms. The helper programs (e.g. gcryptrnd and getrandom)
  as well as the documentation are distributed under the terms of
  the GNU General Public License (GPL); see the file COPYING for the
  actual terms.

  This library used to be available under the GPL - this was changed
  with version 1.1.7 with the rationale that there are now many free
  crypto libraries available and many of them come with capabilities
  similar to Libcrypt. We decided that to foster the use of
  cryptography in Free Software an LGPLed library would make more
  sense because it avoids problems due to license incompatibilities
  between some Free Software licenses and the GPL.

  Please note that in many cases it is better for a library to be
  licensed under the GPL, so that it provides an advantage for free
  software projects. The Lesser GPL is so named because it does
  less to protect the freedom of the users of the code that it
  covers. See http://www.gnu.org/philosophy/why-not-lgpl.html for

more explanation.

An example of the license headers of the LGPL is

  Copyright (C) 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2006
            2007, 2008, 2009, 2010, 2011 Free Software Foundation, Inc.

  This file is part of Libgcrypt.

  Libgcrypt is free software; you can redistribute it and/or modify
  it under the terms of the GNU Lesser General Public License as
  published by the Free Software Foundation; either version 2.1 of
  the License, or (at your option) any later version.

  Libgcrypt is distributed in the hope that it will be useful,
  but WITHOUT ANY WARRANTY; without even the implied warranty of
  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
  GNU Lesser General Public License for more details.

  You should have received a copy of the GNU Lesser General Public
  License along with this program; if not, see <http://www.gnu.org/licenses/>.

On Debian GNU/Linux systems, the complete text of the GNU Lesser
General Public License can be found in
`/usr/share/common-licenses/LGPL';

The documentation licensed under the GPL

Copyright @copyright{} 2000, 2002, 2003, 2004, 2006, 2007, 2008, 2009, 2011, 2012 Free Software Foundation,
Inc. @*
Copyright @copyright{} 2012, 2013, 2016 2017 g10 Code GmbH

@quotation
Permission is granted to copy, distribute and/or modify this document
under the terms of the GNU General Public License as published by the
Free Software Foundation; either version 2 of the License, or (at your
option) any later version. The text of the license can be found in the
section entitled ``GNU General Public License''.

Further details on licensing:
From upstream's LICENSES file
8X--
Additional license notices for Libgcrypt.   -*- org -*-

This file contains the copying permission notices for various files in

the Libgcrypt distribution which are not covered by the GNU Lesser
General Public License (LGPL) or the GNU General Public License (GPL).

These notices all require that a copy of the notice be included
in the accompanying documentation and be distributed with binary
distributions of the code, so be sure to include this file along
with any binary distributions derived from the GNU C Library.

* BSD_3Clause

For files:
- cipher/sha256-avx-amd64.S
- cipher/sha256-avx2-bmi2-amd64.S
- cipher/sha256-ssse3-amd64.S
- cipher/sha512-avx-amd64.S
- cipher/sha512-avx2-bmi2-amd64.S
- cipher/sha512-ssse3-amd64.S

#+begin_quote
Copyright (c) 2012, Intel Corporation

All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the
  distribution.

* Neither the name of the Intel Corporation nor the names of its
  contributors may be used to endorse or promote products derived from
  this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY INTEL CORPORATION "AS IS" AND ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL INTEL CORPORATION OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF

LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
#+end_quote

For files:
 - random/jitterentropy-base.c
 - random/jitterentropy.h
 - random/rndjent.c (plus common Libgcrypt copyright holders)

#+begin_quote
* Copyright Stephan Mueller <smueller@chronox.de>, 2013
*
* License
* =======
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, and the entire permission notice in its entirety,
*   including the disclaimer of warranties.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote
*   products derived from this software without specific prior
*   written permission.
*
* ALTERNATIVELY, this product may be distributed under the terms of
* the GNU General Public License, in which case the provisions of the GPL are
* required INSTEAD OF the above restrictions. (This clause is
* necessary due to a potential bad interaction between the GPL and
* the restrictions contained in a BSD-style copyright.)
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESS OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OF
* WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT
* OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
* BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE
* USE OF THIS SOFTWARE, EVEN IF NOT ADVISED OF THE POSSIBILITY OF SUCH
* DAMAGE.

#+end_quote

* X License

 For files:
 - install.sh

#+begin_quote
 Copyright (C) 1994 X Consortium

 Permission is hereby granted, free of charge, to any person obtaining a copy
 of this software and associated documentation files (the "Software"), to
 deal in the Software without restriction, including without limitation the
 rights to use, copy, modify, merge, publish, distribute, sublicense, and/or
 sell copies of the Software, and to permit persons to whom the Software is
 furnished to do so, subject to the following conditions:

 The above copyright notice and this permission notice shall be included in
 all copies or substantial portions of the Software.

 THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
 IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
 FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
 X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN
 AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNEC-
 TION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

 Except as contained in this notice, the name of the X Consortium shall not
 be used in advertising or otherwise to promote the sale, use or other deal-
 ings in this Software without prior written authorization from the X Consor-
 tium.
#+end_quote

* Public domain

 For files:
 - cipher/arcfour-amd64.S

#+begin_quote
 Author: Marc Bevand <bevand_m (at) epita.fr>
 Licence: I hereby disclaim the copyright on this code and place it
 in the public domain.
#+end_quote

* OCB license 1

 For files:
 - cipher/cipher-ocb.c

#+begin_quote
OCB is covered by several patents but may be used freely by most
software. See http://web.cs.ucdavis.edu/~rogaway/ocb/license.htm .
In particular license 1 is suitable for Libgcrypt: See
http://web.cs.ucdavis.edu/~rogaway/ocb/license1.pdf for the full
license document; it basically says:

License 1 License for Open-Source Software Implementations of OCB
        (Jan 9, 2013)

Under this license, you are authorized to make, use, and
distribute open-source software implementations of OCB. This
license terminates for you if you sue someone over their
open-source software implementation of OCB claiming that you have
a patent covering their implementation.

License for Open Source Software Implementations of OCB
January 9, 2013

1 Definitions

1.1 Licensor means Phillip Rogaway.

1.2 Licensed Patents means any patent that claims priority to United
States Patent Application No. 09/918,615 entitled Method and Apparatus
for Facilitating Efficient Authenticated Encryption, and any utility,
divisional, provisional, continuation, continuations-in-part, reexamination,
reissue, or foreign counterpart patents that may issue with respect to the
aforesaid patent application. This includes, but is not limited to, United
States Patent No. 7,046,802; United States Patent No. 7,200,227; United
States Patent No. 7,949,129; United States Patent No. 8,321,675 ; and any
patent that issues out of United States Patent Application No. 13/669,114.

1.3 Use means any practice of any invention claimed in the Licensed Patents.

1.4 Software Implementation means any practice of any invention
claimed in the Licensed Patents that takes the form of software executing on
a user-programmable, general-purpose computer or that takes the form of a
computer-readable medium storing such software. Software Implementation does
not include, for example, application-specific integrated circuits (ASICs),
field-programmable gate arrays (FPGAs), embedded systems, or IP cores.

1.5 Open Source Software means software whose source code is published
and made available for inspection and use by anyone because either (a) the
source code is subject to a license that permits recipients to copy, modify,

and distribute the source code without payment of fees or royalties, or
(b) the source code is in the public domain, including code released for
public use through a CC0 waiver. All licenses certified by the Open Source
Initiative at opensource.org as of January 9, 2013 and all Creative Commons
licenses identified on the creativecommons.org website as of January 9,
2013, including the Public License Fallback of the CC0 waiver, satisfy these
requirements for the purposes of this license.

1.6 Open Source Software Implementation means a Software
Implementation in which the software implicating the Licensed Patents is
Open Source Software. Open Source Software Implementation does not include
any Software Implementation in which the software implicating the Licensed
Patents is combined, so as to form a larger program, with software that is
not Open Source Software.

2 License Grant

2.1 License. Subject to your compliance with the term s of this license,
including the restriction set forth in Section 2.2, Licensor hereby
grants to you a perpetual, worldwide, non-exclusive, non-transferable,
non-sublicenseable, no-charge, royalty-free, irrevocable license to practice
any invention claimed in the Licensed Patents in any Open Source Software
Implementation.

2.2 Restriction. If you or your affiliates institute patent litigation
(including, but not limited to, a cross-claim or counterclaim in a lawsuit)
against any entity alleging that any Use authorized by this license
infringes another patent, then any rights granted to you under this license
automatically terminate as of the date such litigation is filed.

3 Disclaimer
YOUR USE OF THE LICENSED PATENTS IS AT YOUR OWN RISK AND UNLESS REQUIRED
BY APPLICABLE LAW, LICENSOR MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY
KIND CONCERNING THE LICENSED PATENTS OR ANY PRODUCT EMBODYING ANY LICENSED
PATENT, EXPRESS OR IMPLIED, STATUT ORY OR OTHERWISE, INCLUDING, WITHOUT
LIMITATION, WARRANTIES OF TITLE, MERCHANTIBILITY, FITNESS FOR A PARTICULAR
PURPOSE, OR NONINFRINGEMENT. IN NO EVENT WILL LICENSOR BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE,
ARISING FROM OR RELATED TO ANY USE OF THE LICENSED PATENTS, INCLUDING,
WITHOUT LIMITATION, DIRECT, INDIRECT, INCIDENTAL, CONSEQUENTIAL, PUNITIVE
OR SPECIAL DAMAGES, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES PRIOR TO SUCH AN OCCURRENCE.
#+end_quote
8X---

On Debian GNU/Linux systems, the text of the GNU General Public License,
version 2 can be found in `/usr/share/common-licenses/GPL-2'.

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Library General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

 The precise terms and conditions for copying, distribution and
modification follow.

   GNU GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion
of it, thus forming a work based on the Program, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices
   stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

 3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete

machine-readable copy of the corresponding source code, to be
distributed under the terms of Sections 1 and 2 above on a medium
customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer
to distribute corresponding source code. (This alternative is
allowed only for noncommercial distribution and only if you
received the program in object code or executable form with such
an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering
access to copy from a designated place, then offering equivalent
access to copy the source code from the same place counts as
distribution of the source code, even though third parties are not
compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense or distribute the Program is
void, and will automatically terminate your rights under this License.
However, parties who have received copies, or rights, from you under
this License will not have their licenses terminated so long as such
parties remain in full compliance.

 5. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Program or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Program (or any work based on the
Program), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the
Program), the recipient automatically receives a license from the
original licensor to copy, distribute or modify the Program subject to
these terms and conditions. You may not impose any further

restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties to
this License.

7. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Program at all. For example, if a patent
license would not permit royalty-free redistribution of the Program by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to
apply and the section as a whole is intended to apply in other
circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system, which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

  10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

    NO WARRANTY

  11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

  12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

    END OF TERMS AND CONDITIONS

  How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

  To do so, attach the following notices to the program. It is safest

to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program; if not, write to the Free Software
    Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

    Gnomovision version 69, Copyright (C) year name of author
    Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the program
 `Gnomovision' (which makes passes at compilers) written by James Hacker.

 <signature of Ty Coon>, 1 April 1989
 Ty Coon, President of Vice

This General Public License does not permit incorporating your program into

proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.
/* hashtest.c - Check the hash functions
* Copyright (C) 2013 g10 Code GmbH
*
* This file is part of Libgcrypt.
*
* Libgcrypt is free software; you can redistribute it and/or modify
* it under the terms of the GNU Lesser General Public License as
* published by the Free Software Foundation; either version 2.1 of
* the License, or (at your option) any later version.
*
* Libgcrypt is distributed in the hope that it will be useful,
* but WITHOUT ANY WARRANTY; without even the implied warranty of
* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
* GNU Lesser General Public License for more details.
*
* You should have received a copy of the GNU Lesser General Public
* License along with this program; if not, see <http://www.gnu.org/licenses/>.
*/

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
   59 Temple Place, Suite 330, Boston, MA 02111-1307 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

 This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations

below.

 When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

 To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

 For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

 We protect your rights with a two-step method: (1) we copyright the
library, and (2) we offer you this license, which gives you legal
permission to copy, distribute and/or modify the library.

 To protect each distributor, we want to make it very clear that
there is no warranty for the free library. Also, if the library is
modified by someone else and passed on, the recipients should know
that what they have is not the original version, so that the original
author's reputation will not be affected by problems that might be
introduced by others.
^L
 Finally, software patents pose a constant threat to the existence of
any free program. We wish to make sure that a company cannot
effectively restrict the users of a free program by obtaining a
restrictive license from a patent holder. Therefore, we insist that
any patent license obtained for a version of the library must be
consistent with the full freedom of use specified in this license.

 Most GNU software, including some libraries, is covered by the
ordinary GNU General Public License. This license, the GNU Lesser
General Public License, applies to certain designated libraries, and
is quite different from the ordinary General Public License. We use
this license for certain libraries in order to permit linking those
libraries into non-free programs.

When a program is linked with a library, whether statically or using
a shared library, the combination of the two is legally speaking a
combined work, a derivative of the original library. The ordinary
General Public License therefore permits such linking only if the
entire combination fits its criteria of freedom. The Lesser General
Public License permits more lax criteria for linking other code with
the library.

We call this license the "Lesser" General Public License because it
does Less to protect the user's freedom than the ordinary General
Public License. It also provides other free software developers Less
of an advantage over competing non-free programs. These disadvantages
are the reason we use the ordinary General Public License for many
libraries. However, the Lesser license provides advantages in certain
special circumstances.

For example, on rare occasions, there may be a special need to
encourage the widest possible use of a certain library, so that it
becomes a de-facto standard. To achieve this, non-free programs must
be allowed to use the library. A more frequent case is that a free
library does the same job as widely used non-free libraries. In this
case, there is little to gain by limiting the free library to free
software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free
programs enables a greater number of people to use a large body of
free software. For example, permission to use the GNU C Library in
non-free programs enables many more people to use the whole GNU
operating system, as well as its variant, the GNU/Linux operating
system.

Although the Lesser General Public License is Less protective of the
users' freedom, it does ensure that the user of a program that is
linked with the Library has the freedom and the wherewithal to run
that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, whereas the latter must
be combined with the library in order to run.
^L
                    GNU LESSER GENERAL PUBLIC LICENSE
      TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

  0. This License Agreement applies to any software library or other
program which contains a notice placed by the copyright holder or
other authorized party saying it may be distributed under the terms of

this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

 A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

 The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated
straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

 "Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means
all the source code for all modules it contains, plus any associated
interface definition files, plus the scripts used to control
compilation and installation of the library.

 Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running a program using the Library is not restricted, and output from
such a program is covered only if its contents constitute a work based
on the Library (independent of the use of the Library in a tool for
writing it). Whether that is true depends on what the Library does
and what the program that uses the Library does.

 1. You may copy and distribute verbatim copies of the Library's
complete source code as you receive it, in any medium, provided that
you conspicuously and appropriately publish on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact
all the notices that refer to this License and to the absence of any
warranty; and distribute a copy of this License along with the
Library.

 You may charge a fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a
fee.

 2. You may modify your copy or copies of the Library or any portion
of it, thus forming a work based on the Library, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices
stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no
charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a
table of data to be supplied by an application program that uses
the facility, other than as an argument passed when the facility
is invoked, then you must make a good faith effort to ensure that,
in the event an application does not supply such function or
table, the facility still operates, and performs whatever part of
its purpose remains meaningful.

(For example, a function in a library to compute square roots has
a purpose that is entirely well-defined independent of the
application. Therefore, Subsection 2d requires that any
application-supplied function or table used by this function must
be optional: if the application does not supply it, the square
root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Library,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify

that version instead if you wish.) Do not make any other change in
these notices.
^L
 Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

 4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

 5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

 However, linking a "work that uses the Library" with the Library
creates an executable that is a derivative of the Library (because it
contains portions of the Library), rather than a "work that uses the
library". The executable is therefore covered by this License.
Section 6 states terms for distribution of such executables.

 When a "work that uses the Library" uses material from a header file
that is part of the Library, the object code for the work may be a
derivative work of the Library even though the source code is not.
Whether this is true is especially significant if the work can be
linked without the Library, or if the work is itself a library. The
threshold for this to be true is not precisely defined by law.

 If such an object file uses only numerical parameters, data
structure layouts and accessors, and small macros and small inline
functions (ten lines or less in length), then the use of the object
file is unrestricted, regardless of whether it is legally a derivative
work. (Executables containing this object code plus portions of the
Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.
^L
6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above

specified materials from the same place.

e) Verify that the user has already received a copy of these
materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the
Library" must include any data and utility programs needed for
reproducing the executable from it. However, as a special exception,
the materials to be distributed need not include anything that is
normally distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies
the executable.

It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.
^L
 7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work
based on the Library, uncombined with any other library
facilities. This must be distributed under the terms of the
Sections above.

b) Give prominent notice with the combined library of the fact
that part of it is a work based on the Library, and explaining
where to find the accompanying uncombined form of the same work.

 8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

 9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by

modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

  10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties with
this License.
^L
  11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to
apply, and the section as a whole is intended to apply in other
circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

  12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License

may add an explicit geographical distribution limitation excluding those
countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

  13. The Free Software Foundation may publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.
^L
  14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

                    NO WARRANTY

  15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE
LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

  16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE
LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING
RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A
FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF
SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH

DAMAGES.

                    END OF TERMS AND CONDITIONS
^L
          How to Apply These Terms to Your New Libraries

 If you develop a new library, and you want it to be of the greatest
possible use to the public, we recommend making it free software that
everyone can redistribute and change. You can do so by permitting
redistribution under these terms (or, alternatively, under the terms
of the ordinary General Public License).

 To apply these terms, attach the following notices to the library.
It is safest to attach them to the start of each source file to most
effectively convey the exclusion of warranty; and each file should
have at least the "copyright" line and a pointer to where the full
notice is found.

    <one line to give the library's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This library is free software; you can redistribute it and/or
    modify it under the terms of the GNU Lesser General Public
    License as published by the Free Software Foundation; either
    version 2.1 of the License, or (at your option) any later version.

    This library is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
    Lesser General Public License for more details.

    You should have received a copy of the GNU Lesser General Public
    License along with this library; if not, write to the Free Software
    Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or
your school, if any, to sign a "copyright disclaimer" for the library,
if necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the
 library `Frob' (a library for tweaking knobs) written by James
 Random Hacker.

 <signature of Ty Coon>, 1 April 1990
 Ty Coon, President of Vice

That's all there is to it!
Additional license notices for Libgcrypt.   -*- org -*-

This file contains the copying permission notices for various files in
the Libgcrypt distribution which are not covered by the GNU Lesser
General Public License (LGPL) or the GNU General Public License (GPL).

These notices all require that a copy of the notice be included
in the accompanying documentation and be distributed with binary
distributions of the code, so be sure to include this file along
with any binary distributions derived from the GNU C Library.

* BSD_3Clause

 For files:
 - cipher/sha256-avx-amd64.S
 - cipher/sha256-avx2-bmi2-amd64.S
 - cipher/sha256-ssse3-amd64.S
 - cipher/sha512-avx-amd64.S
 - cipher/sha512-avx2-bmi2-amd64.S
 - cipher/sha512-ssse3-amd64.S

#+begin_quote
 Copyright (c) 2012, Intel Corporation

 All rights reserved.

 Redistribution and use in source and binary forms, with or without
 modification, are permitted provided that the following conditions are
 met:

 * Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.

 * Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the
   distribution.

 * Neither the name of the Intel Corporation nor the names of its
   contributors may be used to endorse or promote products derived from
   this software without specific prior written permission.

 THIS SOFTWARE IS PROVIDED BY INTEL CORPORATION "AS IS" AND ANY
 EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR

PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL INTEL CORPORATION OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
#+end_quote

For files:
- random/jitterentropy-base.c
- random/jitterentropy.h
- random/rndjent.c (plus common Libgcrypt copyright holders)

#+begin_quote
* Copyright Stephan Mueller <smueller@chronox.de>, 2013
*
* License
* =======
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, and the entire permission notice in its entirety,
*   including the disclaimer of warranties.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote
*   products derived from this software without specific prior
*   written permission.
*
* ALTERNATIVELY, this product may be distributed under the terms of
* the GNU General Public License, in which case the provisions of the GPL are
* required INSTEAD OF the above restrictions. (This clause is
* necessary due to a potential bad interaction between the GPL and
* the restrictions contained in a BSD-style copyright.)
*
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESS OR IMPLIED
* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OF
* WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT
* OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR

* BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
* LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE
* USE OF THIS SOFTWARE, EVEN IF NOT ADVISED OF THE POSSIBILITY OF SUCH
* DAMAGE.
#+end_quote

* X License

 For files:
 - install.sh

#+begin_quote
 Copyright (C) 1994 X Consortium

 Permission is hereby granted, free of charge, to any person obtaining a copy
 of this software and associated documentation files (the "Software"), to
 deal in the Software without restriction, including without limitation the
 rights to use, copy, modify, merge, publish, distribute, sublicense, and/or
 sell copies of the Software, and to permit persons to whom the Software is
 furnished to do so, subject to the following conditions:

 The above copyright notice and this permission notice shall be included in
 all copies or substantial portions of the Software.

 THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
 IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
 FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
 X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN
 AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNEC-
 TION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

 Except as contained in this notice, the name of the X Consortium shall not
 be used in advertising or otherwise to promote the sale, use or other deal-
 ings in this Software without prior written authorization from the X Consor-
 tium.
#+end_quote

* Public domain

 For files:
 - cipher/arcfour-amd64.S

#+begin_quote
Author: Marc Bevand <bevand_m (at) epita.fr>
Licence: I hereby disclaim the copyright on this code and place it
in the public domain.
#+end_quote

* OCB license 1

 For files:
 - cipher/cipher-ocb.c

#+begin_quote
 OCB is covered by several patents but may be used freely by most
 software. See http://web.cs.ucdavis.edu/~rogaway/ocb/license.htm .
 In particular license 1 is suitable for Libgcrypt: See
 http://web.cs.ucdavis.edu/~rogaway/ocb/license1.pdf for the full
 license document; it basically says:

   License 1 License for Open-Source Software Implementations of OCB
        (Jan 9, 2013)

   Under this license, you are authorized to make, use, and
   distribute open-source software implementations of OCB. This
   license terminates for you if you sue someone over their
   open-source software implementation of OCB claiming that you have
   a patent covering their implementation.

License for Open Source Software Implementations of OCB
January 9, 2013

1 Definitions

1.1 Licensor means Phillip Rogaway.

1.2 Licensed Patents means any patent that claims priority to United
States Patent Application No. 09/918,615 entitled Method and Apparatus
for Facilitating Efficient Authenticated Encryption, and any utility,
divisional, provisional, continuation, continuations-in-part, reexamination,
reissue, or foreign counterpart patents that may issue with respect to the
aforesaid patent application. This includes, but is not limited to, United
States Patent No. 7,046,802; United States Patent No. 7,200,227; United
States Patent No. 7,949,129; United States Patent No. 8,321,675 ; and any
patent that issues out of United States Patent Application No. 13/669,114.

1.3 Use means any practice of any invention claimed in the Licensed Patents.

1.4 Software Implementation means any practice of any invention
claimed in the Licensed Patents that takes the form of software executing on
a user-programmable, general-purpose computer or that takes the form of a
computer-readable medium storing such software. Software Implementation does
not include, for example, application-specific integrated circuits (ASICs),

field-programmable gate arrays (FPGAs), embedded systems, or IP cores.

1.5 Open Source Software means software whose source code is published
and made available for inspection and use by anyone because either (a) the
source code is subject to a license that permits recipients to copy, modify,
and distribute the source code without payment of fees or royalties, or
(b) the source code is in the public domain, including code released for
public use through a CC0 waiver. All licenses certified by the Open Source
Initiative at opensource.org as of January 9, 2013 and all Creative Commons
licenses identified on the creativecommons.org website as of January 9,
2013, including the Public License Fallback of the CC0 waiver, satisfy these
requirements for the purposes of this license.

1.6 Open Source Software Implementation means a Software
Implementation in which the software implicating the Licensed Patents is
Open Source Software. Open Source Software Implementation does not include
any Software Implementation in which the software implicating the Licensed
Patents is combined, so as to form a larger program, with software that is
not Open Source Software.

2 License Grant

2.1 License. Subject to your compliance with the term s of this license,
including the restriction set forth in Section 2.2, Licensor hereby
grants to you a perpetual, worldwide, non-exclusive, non-transferable,
non-sublicenseable, no-charge, royalty-free, irrevocable license to practice
any invention claimed in the Licensed Patents in any Open Source Software
Implementation.

2.2 Restriction. If you or your affiliates institute patent litigation
(including, but not limited to, a cross-claim or counterclaim in a lawsuit)
against any entity alleging that any Use authorized by this license
infringes another patent, then any rights granted to you under this license
automatically terminate as of the date such litigation is filed.

3 Disclaimer
YOUR USE OF THE LICENSED PATENTS IS AT YOUR OWN RISK AND UNLESS REQUIRED
BY APPLICABLE LAW, LICENSOR MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY
KIND CONCERNING THE LICENSED PATENTS OR ANY PRODUCT EMBODYING ANY LICENSED
PATENT, EXPRESS OR IMPLIED, STATUT ORY OR OTHERWISE, INCLUDING, WITHOUT
LIMITATION, WARRANTIES OF TITLE, MERCHANTIBILITY, FITNESS FOR A PARTICULAR
PURPOSE, OR NONINFRINGEMENT. IN NO EVENT WILL LICENSOR BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE,
ARISING FROM OR RELATED TO ANY USE OF THE LICENSED PATENTS, INCLUDING,
WITHOUT LIMITATION, DIRECT, INDIRECT, INCIDENTAL, CONSEQUENTIAL, PUNITIVE
OR SPECIAL DAMAGES, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES PRIOR TO SUCH AN OCCURRENCE.
#+end_quote

1.220 libsodium 1.0.18

1.220.1 Available under license :

1.221 markupsafe 2.0.1

1.221.1 Available under license :

No license file was found, but licenses were detected in source scan.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):
* /opt/cola/permits/1166365833_1621397079.41/0/sailfishos-mirror-markupsafe-2-0-1-0-g7666dff-tar-gz/sailfishos-mirror-markupsafe-dfb5bc1/LICENSE.rst
No license file was found, but licenses were detected in source scan.

License :: OSI Approved :: BSD License

Found in path(s):
* /opt/cola/permits/1166365833_1621397079.41/0/sailfishos-mirror-markupsafe-2-0-1-0-g7666dff-tar-gz/sailfishos-mirror-markupsafe-dfb5bc1/setup.cfg

1.222 jackc-pgtype 1.10.0

1.222.1 Available under license :

Copyright (c) 2013-2021 Jack Christensen

MIT License

Permission is hereby granted, free of charge, to any person obtaining

a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.223 log15 0.0.0-20180818164646-67afb5ed74ec

1.223.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Simon Eskildsen

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
Aaron L <aaron@bettercoder.net>
Alan Shreve <alan@inconshreveable.com>
Andy Walker <walkeraj@gmail.com>

Andy Watson <andrewmoorewatson@gmail.com>

Carl Veazey <Carl_Veazey@cable.comcast.com>

Chris Hines <github@cs-guy.com>

Christoph Hack <christoph@tux21b.org>

Ciaran Downey <me@ciarand.me>

Dmitry Chestnykh <dmitry@codingrobots.com>

Evan Shaw <edsrzf@gmail.com>

Gonzalo Serrano <boikot@gmail.com>

Jeremy <jrbudnack@starkandwayne.com>

Jonathan Rudenberg <jonathan@titanous.com>

Kang Seong-Min <kang.seongmin@gmail.com>

Kevin Burke <kev@inburke.com>

Marc Abramowitz <marc@marc-abramowitz.com>

Nathan Baulch <nathan.baulch@gmail.com>

NotZippy <notzippy@gmail.com>

Pter Szilgyi <peterke@gmail.com>

Robert Egorov <robert.egorov@gmail.com>

Robert Starbuck <robstarbuck@gmail.com>

Robert Zaremba <robert.zaremba@scale-it.pl>

Sean Chittenden <sean@chittenden.org>

Spencer Nelson <s@spenczar.com>

Tomasz Grodzki <tg@users.noreply.github.com>

Trevor Gattis <github@trevorgattis.com>

Varun Agrawal <vagrawal@pindropsecurity.com>

Vincent Vanackere <vincent.vanackere@gmail.com>

Will McGovern <will@brkt.com>

Copyright 2014 Alan Shreve

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.224 golang-lru 0.5.4

1.224.1 Available under license :

Mozilla Public License, version 2.0

1. Definitions

1.1. "Contributor"

   means each individual or legal entity that creates, contributes to the
   creation of, or owns Covered Software.

1.2. "Contributor Version"

   means the combination of the Contributions of others (if any) used by a
   Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

   means Covered Software of a particular Contributor.

1.4. "Covered Software"

   means Source Code Form to which the initial Contributor has attached the
   notice in Exhibit A, the Executable Form of such Source Code Form, and
   Modifications of such Source Code Form, in each case including portions
   thereof.

1.5. "Incompatible With Secondary Licenses"
   means

   a. that the initial Contributor has attached the notice described in
      Exhibit B to the Covered Software; or

   b. that the Covered Software was made available under the terms of
      version 1.1 or earlier of the License, but not also under the terms of
      a Secondary License.

1.6. "Executable Form"

   means any form of the work other than Source Code Form.

1.7. "Larger Work"

   means a work that combines Covered Software with other material, in a
   separate file or files, that is not Covered Software.

1.8. "License"

   means this document.

1.9. "Licensable"

   means having the right to grant, to the maximum extent possible, whether
   at the time of the initial grant or subsequently, any and all of the

rights conveyed by this License.

1.10. "Modifications"

means any of the following:

    a. any file in Source Code Form that results from an addition to,
      deletion from, or modification of the contents of Covered Software; or

    b. any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

    means any patent claim(s), including without limitation, method,
    process, and apparatus claims, in any patent Licensable by such
    Contributor that would be infringed, but for the grant of the License,
    by the making, using, selling, offering for sale, having made, import,
    or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

    means either the GNU General Public License, Version 2.0, the GNU Lesser
    General Public License, Version 2.1, the GNU Affero General Public
    License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

    means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

    means an individual or a legal entity exercising rights under this
    License. For legal entities, "You" includes any entity that controls, is
    controlled by, or is under common control with You. For purposes of this
    definition, "control" means (a) the power, direct or indirect, to cause
    the direction or management of such entity, whether by contract or
    otherwise, or (b) ownership of more than fifty percent (50%) of the
    outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

    Each Contributor hereby grants You a world-wide, royalty-free,
    non-exclusive license:

    a. under intellectual property rights (other than patent or trademark)

Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

a. for any code that a Contributor has removed from Covered Software; or

b. for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to

grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under
applicable copyright doctrines of fair use, fair dealing, or other
equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in
Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any
Modifications that You create or to which You contribute, must be under
the terms of this License. You must inform recipients that the Source
Code Form of the Covered Software is governed by the terms of this
License, and how they can obtain a copy of this License. You may not
attempt to alter or restrict the recipients' rights in the Source Code
Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

a. such Covered Software must also be made available in Source Code Form,
   as described in Section 3.1, and You must inform recipients of the
   Executable Form how they can obtain a copy of such Source Code Form by
   reasonable means in a timely manner, at a charge no more than the cost
   of distribution to the recipient; and

b. You may distribute such Executable Form under the terms of this
   License, or sublicense it under different terms, provided that the
   license for the Executable Form does not attempt to limit or alter the
   recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice,
provided that You also comply with the requirements of this License for
the Covered Software. If the Larger Work is a combination of Covered
Software with a work governed by one or more Secondary Licenses, and the
Covered Software is not Incompatible With Secondary Licenses, this

License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into

compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6. Disclaimer of Warranty

Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts
of a jurisdiction where the defendant maintains its principal place of
business and such litigation shall be governed by laws of that
jurisdiction, without reference to its conflict-of-law provisions. Nothing
in this Section shall prevent a party's ability to bring cross-claims or
counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject
matter hereof. If any provision of this License is held to be
unenforceable, such provision shall be reformed only to the extent
necessary to make it enforceable. Any law or regulation which provides that
the language of a contract shall be construed against the drafter shall not
be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section
10.3, no one other than the license steward has the right to modify or
publish new versions of this License. Each version will be given a
distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version
of the License under which You originally received the Covered Software,
or under the terms of any subsequent version published by the license
steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to
create a new license for such software, you may create and use a
modified version of this License if you rename the license and remove
any references to the name of the license steward (except to note that
such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary
Licenses If You choose to distribute Source Code Form that is
Incompatible With Secondary Licenses under the terms of this version of
the License, the notice described in Exhibit B of this License must be
attached.

Exhibit A - Source Code Form License Notice

Exhibit B - "Incompatible With Secondary Licenses" Notice

1.225 aws-sdk-go 1.35.5

1.225.1 Available under license :

SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
AWS SDK for Go

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and
       attribution notices from the Source form of the Work,
       excluding those notices that do not pertain to any part of
       the Derivative Works; and

   (d) If the Work includes a "NOTICE" text file as part of its
       distribution, then any Derivative Works that You distribute must
       include a readable copy of the attribution notices contained
       within such NOTICE file, excluding those notices that do not
       pertain to any part of the Derivative Works, in at least one
       of the following places: within a NOTICE text file distributed
       as part of the Derivative Works; within the Source form or
       documentation, if provided along with the Derivative Works; or,
       within a display generated by the Derivative Works, if and
       wherever such third-party notices normally appear. The contents
       of the NOTICE file are for informational purposes only and
       do not modify the License. You may add Your own attribution
       notices within Derivative Works that You distribute, alongside
       or as an addendum to the NOTICE text from the Work, provided
       that such additional attribution notices cannot be construed
       as modifying the License.

   You may add Your own copyright statement to Your modifications and
   may provide additional or different license terms and conditions
   for use, reproduction, or distribution of Your modifications, or
   for any such Derivative Works as a whole, provided Your use,
   reproduction, and distribution of the Work otherwise complies with
   the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.226 x-crypto 0.0.0-20201208171446-5f87f3452ae9

1.226.1 Available under license :

This source code was written by the Go contributors.
The master list of contributors is in the main Go distribution,
visible at https://tip.golang.org/CONTRIBUTORS.
Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

   * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
   * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

1.227 six 1.16.0

1.227.1 Available under license :

The primary author and maintainer of six is Benjamin Peterson. He would like to acknowledge the following people who submitted bug reports, pull requests, and otherwise worked to improve six:

Marc Abramowitz

immerrr again

Alexander Artemenko

Aymeric Augustin

Lee Ball

Ben Bariteau

Ned Batchelder

Wouter Bolsterlee

Brett Cannon

Jason R. Coombs

Julien Danjou

Ben Darnell

Ben Davis

Jon Dufresne

Tim Graham

Thomas Grainger

Max Grender-Jones

Pierre Grimaud

Joshua Harlow

Toshiki Kataoka

Hugo van Kemenade

Anselm Kruis

Ivan Levkivskyi

Alexander Lukanin

James Mills

Jordan Moldow

Berker Peksag

Sridhar Ratnakumar

Erik Rose

Mirko Rossini

Peter Ruibal

Miroslav Shubernetskiy

Eli Schwartz

Anthony Sottile

Victor Stinner

Jonathan Vanasco

Lucas Wiman

Jingxin Zhu

If you think you belong on this list, please let me know! --Benjamin

1.228 testify 1.7.0

1.228.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and
       attribution notices from the Source form of the Work,
       excluding those notices that do not pertain to any part of
       the Derivative Works; and

   (d) If the Work includes a "NOTICE" text file as part of its
       distribution, then any Derivative Works that You distribute must
       include a readable copy of the attribution notices contained
       within such NOTICE file, excluding those notices that do not
       pertain to any part of the Derivative Works, in at least one
       of the following places: within a NOTICE text file distributed
       as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,

1.229 wheel 0.34.2

1.229.1 Available under license :

"wheel" copyright (c) 2012-2014 Daniel Holth <dholth@fastmail.fm> and
contributors.

The MIT License

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

1.230 attrs 22.1.0

1.230.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Hynek Schlawack and the attrs contributors

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE

SOFTWARE.

1.231 sensible-utils 0.0.12+nmu1

1.231.1 Available under license :

Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/

Upstream-Name: sensible-utils

Upstream-Contact: Anibal Monsalve Salazar <anibal@debian.org>

Source: https://alioth.debian.org/projects/collab-maint/sensible-utils.git

Files: *

Copyright: 2002-2009, Clint Adams <schizo@debian.org>

   2010- Anibal Monsalve Salazar <anibal@debian.org>

   2012, David Prvot <taffit@debian.org>

   2013, Thorsten Glaser

   2017, Jrmy Bobbio

   2017, Ximin Luo

   2017- Bastien Roucaris <rouca@debian.org>

License: GPL-2+

Files: sensible-editor*

Copyright: 1997, Guy Maor

2002, 2004, 2006, Clint Adams

2010- Anibal Monsalve Salazar <anibal@debian.org>

License: GPL-2+

Files: sensible-pager*

Copyright: 1997, 1998, Guy Maor

2004, Clint Adams

2010- Anibal Monsalve Salazar <anibal@debian.org>

License: GPL-2+

Files: sensible-browser*

Copyright: 2002, Joey Hess

2003, 2007, 2008, Clint Adams

2010- Anibal Monsalve Salazar <anibal@debian.org>

License: GPL-2+

Files: select-editor*

Copyright: 2009, Dustin Kirkland <kirkland@canonical.com>.

2010- Anibal Monsalve Salazar <anibal@debian.org>

License: GPL-2+

Files: man/Makefile.am

man/utf8toman.sed

Copyright: 2012-2017, Guillaume Jover

License: GPL-2+

Comment: Part of this are copied from dpkg

Files: man/po4a/cs*
Copyright: 2012, Michal Simunek
License: GPL-2+

Files: man/po4a/de*
Copyright: 2011, Helge Kreutzmann <debian@helgefjell.de>
License: GPL-2+

Files: man/po4a/fr*
Copyright: Nicolas Franois <nicolas.francois@centraliens.net>
License: GPL-2+

Files: man/po4a/es*
Copyright: 2010-2012, Omar Campagne
License: GPL-2+

Files: man/po4a/it*
Copyright: 2012, Beatrice Torracca
License: GPL-2+

Files: man/po4a/ja*
Copyright: 2010, Kurasawa Nozomu
License: GPL-2+

Files: man/po4a/pl*
Copyright: 2004, 2010, Robert Luberda <robert@debian.org>.
License: GPL-2+

Files: man/po4a/pt*
Copyright: 2014, Amrico Monteiro <a_monteiro@gmx.com>
License: GPL-2+

Files: aclocal.m4
Copyright: 1996-2017, Free Software Foundation, Inc.
License: All-permissive

Files: *Makefile.in
Copyright: 1994-2017, Free Software Foundation, Inc.
License: All-permissive

Files: configure
Copyright: 1992-1996, 1998-2012, Free Software Foundation, Inc.
License: configure
This configure script is free software; the Free Software Foundation
gives unlimited permission to copy, distribute and modify it.

Files: build-aux/missing
Copyright: 1996-2014, Free Software Foundation, Inc.
License: GPL-2+

Files: build-aux/install-sh
Copyright: 1994 X Consortium
License: installsh
Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to
deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or
sell copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:
.
The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN
AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNEC-
TION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
.
Except as contained in this notice, the name of the X Consortium shall not
be used in advertising or otherwise to promote the sale, use or other deal-
ings in this Software without prior written authorization from the X Consor-
tium.
.
FSF changes to this file are in the public domain.

License: GPL-2+
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.
.
On Debian systems, the full text of the GNU General Public
License version 2 can be found in the file

`/usr/share/common-licenses/GPL-2'.

License: All-permissive
This file is free software; the Free Software Foundation
gives unlimited permission to copy and/or distribute it,
with or without modifications, as long as this notice is preserved.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY, to the extent permitted by law; without
even the implied warranty of MERCHANTABILITY or FITNESS FOR A
PARTICULAR PURPOSE.

1.232 dash 0.5.10.2 6

1.232.1 Available under license :

Copyright jQuery Foundation and other contributors <https://jquery.org/>

Based on Underscore.js, copyright Jeremy Ashkenas,
DocumentCloud and Investigative Reporters & Editors <http://underscorejs.org/>

This software consists of voluntary contributions made by many
individuals. For exact contribution history, see the revision history
available at https://github.com/lodash/lodash

The following license applies to all parts of this software except as
documented below:

====

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code displayed within the prose of the documentation.

CC0: http://creativecommons.org/publicdomain/zero/1.0/

====

Files located in the node_modules and vendor directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

1.233 zap 1.17.0
1.233.1 Available under license :
Copyright (c) 2016-2017 Uber Technologies, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.234 libssh 0.9.3 2ubuntu2.2
1.234.1 Available under license :
MIT License

Copyright (c) 2017 Jan-Lukas Wynen

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: libssh
Upstream-Contact: libssh@libssh.org
          Andreas Schneider <asn@cryptomilk.org>
Source: https://git.libssh.org/projects/libssh.git

Files: *
Copyright: *No copyright*
License: LGPL-2.1+~OpenSSL
Comment:
Using license from COPYING file.

Files: include/libssh/auth.h
    include/libssh/bignum.h
    include/libssh/bind.h
    include/libssh/buffer.h
    include/libssh/channels.h
    include/libssh/crc32.h
    include/libssh/crypto.h
    include/libssh/dh.h
    include/libssh/ecdh.h
    include/libssh/ed25519.h
    include/libssh/gssapi.h
    include/libssh/kex.h
    include/libssh/keys.h
    include/libssh/legacy.h
    include/libssh/libcrypto.h
    include/libssh/libgcrypt.h
    include/libssh/libssh.h
    include/libssh/libsshpp.hpp
    include/libssh/messages.h

include/libssh/misc.h

include/libssh/packet.h

include/libssh/pcap.h

include/libssh/pki.h

include/libssh/pki_priv.h

include/libssh/poll.h

include/libssh/priv.h

include/libssh/scp.h

include/libssh/server.h

include/libssh/session.h

include/libssh/sftp.h

include/libssh/socket.h

include/libssh/string.h

include/libssh/threads.h

include/libssh/wrapper.h

src/auth1.c

src/base64.c

src/bignum.c

src/bind.c

src/buffer.c

src/client.c

src/connect.c

src/crc32.c

src/ecdh.c

src/error.c

src/gcrypt_missing.c

src/init.c

src/kex.c

src/kex1.c

src/legacy.c

src/libcrypto.c

src/libgcrypt.c

src/log.c

src/messages.c

src/packet.c

src/packet1.c

src/packet_cb.c

src/packet_crypt.c

src/pcap.c

src/pki_container_openssh.c

src/pki_ed25519.c

src/server.c

src/session.c

src/sftpserver.c

src/socket.c

src/string.c

src/threads.c

src/threads/pthread.c

src/wrapper.c

tests/benchmarks/bench_raw.c

tests/benchmarks/bench_scp.c

tests/benchmarks/bench_sftp.c

tests/benchmarks/benchmarks.c

tests/benchmarks/benchmarks.h

tests/benchmarks/latency.c

tests/client/torture_algorithms.c

tests/client/torture_auth.c

tests/client/torture_connect.c

tests/client/torture_knownhosts.c

tests/client/torture_session.c

tests/test_pcap.c

tests/test_socket.c

Copyright: 2003-2014, Aris Adamantiadis

License: LGPL-2.1+~OpenSSL

Files: examples/exec.c

examples/senddata.c

examples/CMakeLists.txt

include/libssh/ssh1.h

include/libssh/ssh2.h

tests/authentication.c

tests/benchmarks/bench1.sh

tests/benchmarks/bench2.sh

tests/chmodtest.c

tests/client/torture_proxycommand.c

tests/client/torture_sftp_dir.c

tests/client/torture_sftp_read.c

tests/cmdline.c

tests/connection.c

tests/generate.py

tests/sftp_stress/main.c

tests/test_exec.c

tests/test_ssh_bind_accept_fd.c

tests/test_tunnel.c

tests/tests.h

tests/unittests/torture_buffer.c

tests/unittests/torture_callbacks.c

tests/unittests/torture_channel.c

tests/unittests/torture_init.c

tests/unittests/torture_isipaddr.c

tests/unittests/torture_keyfiles.c

tests/unittests/torture_list.c

tests/unittests/torture_misc.c

tests/unittests/torture_options.c

tests/unittests/torture_pki.c

tests/unittests/torture_rand.c

Copyright: *No copyright*

License: LGPL-2.1+~OpenSSL

Comment:

Using license from COPYING file.

Files: examples/authentication.c

    examples/connect_ssh.c

    examples/examples_common.h

    examples/knownhosts.c

    examples/libssh_scp.c

    examples/libsshpp.cpp

    examples/libsshpp_noexcept.cpp

    examples/proxy.c

    examples/sample.c

    examples/samplesftp.c

    examples/samplesshd-cb.c

    examples/samplesshd-kbdint.c

    examples/scp_download.c

    examples/sshnetcat.c

Copyright: 2003-2013, Aris Adamantiadis

License: public-domain

You are free to copy this file, modify it in any way, consider it being public
domain. This does not apply to the rest of the library though, but it is
allowed to cut-and-paste working code from this file to any license of
program.

Files: src/external/curve25519_ref.c

    src/external/ed25519.c

    src/external/fe25519.c

    src/external/ge25519.c

    src/external/ge25519_base.data

    src/external/sc25519.c

Copyright: *No copyright*

License: public-domain

Copied from supercop project <https://bench.cr.yp.to/supercop.html>

Files: tests/pkd/pkd_client.h

    tests/pkd/pkd_daemon.c

    tests/pkd/pkd_daemon.h

    tests/pkd/pkd_hello.c

    tests/pkd/pkd_keyutil.c

    tests/pkd/pkd_keyutil.h

    tests/pkd/pkd_util.c

    tests/pkd/pkd_util.h

Copyright: 2014, Jon Simons

License: LGPL-2.1+~OpenSSL

Files: src/channels.c

src/channels1.c
src/gzip.c
src/known_hosts.c
src/misc.c
src/options.c
src/pki.c
src/pki_crypto.c
src/pki_gcrypt.c
src/sftp.c
Copyright: 2003-2013, Aris Adamantiadis
          2008-2013, Andreas Schneider <asn@cryptomilk.org>
License: LGPL-2.1+~OpenSSL

Files: include/libssh/agent.h
    include/libssh/options.h
    src/agent.c
    src/callbacks.c
    src/config.c
    tests/client/torture_forward.c
    tests/client/torture_request_env.c
    tests/torture.c
    tests/torture.c
    tests/torture.h
Copyright: 2008-2013, Andreas Schneider <asn@cryptomilk.org>
License: LGPL-2.1+~OpenSSL

Files: include/libssh/curve25519.h
    src/curve25519.c
Copyright: 2013, Aris Adamantiadis <aris@badcode.be>
License: LGPL-2.1
Comment:
Upstream has been notified about the license incongruity with
all the other files. (Is: LGPL-2.1, should be: LGPL-2.1+~OpenSSL).

Files: include/libssh/callbacks.h
    src/scp.c
Copyright: 2009, Aris Adamantiadis <aris@0xbadc0de.be>
License: LGPL-2.1+~OpenSSL

Files: src/match.c
Copyright: 1995, Tatu Ylonen <ylo@cs.hut.fi>, Espoo, Finland
          2000, Markus Friedl
License: BSD-2-clause

Files: include/libssh/knownhosts.h
Copyright: 2014, Aris Adamantiadis <aris@badcode.be>
License: LGPL-2.1
Comment:

File header gives 20014 as the copyright year. Assuming
a typo (20014 -> 2014).
.
Upstream has been notified about the license incongruity with
all the other files. (Is: LGPL-2.1, should be: LGPL-2.1+~OpenSSL).

Files: src/poll.c
Copyright: 2003-2013, Aris Adamantiadis
       2009, Aleksandar Kanchev
       2009-2013, Andreas Schneider <asn@cryptomilk.org>
License: LGPL-2.1+~OpenSSL

Files: src/dh.c
Copyright: 2003-2013, Aris Adamantiadis
       2009-2013, Andreas Schneider <asn@cryptomilk.org>
       2012, Dmitriy Kuznetsov <dk@yandex.ru>
License: LGPL-2.1+~OpenSSL

Files: src/auth.c
Copyright: 2003-2013, Aris Adamantiadis <aris@0xbadc0de.be>
       2008-2013, Andreas Schneider <asn@cryptomilk.org>
License: LGPL-2.1+~OpenSSL

Files: src/getpass.c
Copyright: 2011-2013, Andreas Schneider <asn@cryptomilk.org>
License: LGPL-2.1+~OpenSSL

Files: src/gssapi.c
Copyright: 2013, Aris Adamantiadis <aris@badcode.be>
License: LGPL-2.1+~OpenSSL

Files: cmake/Modules/DefineCMakeDefaults.cmake
     cmake/Modules/DefineCompilerFlags.cmake
     cmake/Modules/DefineInstallationPaths.cmake
     cmake/Modules/DefinePlatformDefaults.cmake
Copyright: *No copyright*
License: BSD-3-clause
Comment:
Using license from cmake/Modules/COPYING-CMAKE-SCRIPTS

Files: cmake/Modules/AddCMockaTest.cmake
     cmake/Modules/CheckCCompilerFlagSSP.cmake
     cmake/Modules/FindArgp.cmake
     cmake/Modules/FindCMocka.cmake
     cmake/Modules/FindGCrypt.cmake
     cmake/Modules/FindGSSAPI.cmake
     cmake/Modules/FindNaCl.cmake
     cmake/Modules/FindNSIS.cmake

cmake/Modules/MacroEnsureOutOfSourceBuild.cmake

cmake/Modules/UseDoxygen.cmake

Copyright: 2007-2010 Andreas Schneider

   2013, Aris Adamantiadis

   2006, Oswald Buddenhagen

   2006, Alexander Neundorf

   2006, Laurent Montel

   2006-2007 Wengo

   2007, Daniel Gollub

   2009-2011 Tobias Rautenkranz

License: BSD-3-clause

Files: debian/*

Copyright: 2005-2006, Jean-Philippe Garcia Ballester <giga@le-pec.org>

   2006-2016, Laurent Bigonville <bigon@debian.org>

   2014, Mike Gabriel <sunweaver@debian.org>

License: LGPL-2.1+~OpenSSL or BSD-2-clause or BSD-3-clause

License: LGPL-2.1+~OpenSSL

This library is free software; you can redistribute it and/or

modify it under the terms of the GNU Lesser General Public

License as published by the Free Software Foundation; either

version 2.1 of the License, or (at your option) any later version.

.

This library is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU

Lesser General Public License for more details.

.

You should have received a copy of the GNU Lesser General Public

License along with this library; if not, write to the Free Software

Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

.

On Debian systems, the complete text of the GNU Library General

Public License version 2.1 can be found in "/usr/share/common-licenses/LGPL-2.1".

.

In addition, as a special exception, the author of this

program gives permission to link the code of its

release with the OpenSSL project's "OpenSSL" library (or

with modified versions of it that use the same license as

the "OpenSSL" library), and distribute the linked

executables. You must obey the GNU General Public

License in all respects for all of the code used other

than "OpenSSL". If you modify this file, you may extend

this exception to your version of the file, but you are

not obligated to do so. If you do not wish to do so,

delete this exception statement from your version.

License: LGPL-2.1
This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License.
.
This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.
.
You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
.
On Debian systems, the complete text of the GNU Library General
Public License version 2.1 can be found in "/usr/share/common-licenses/LGPL-2.1".

License: BSD-2-clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
.
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
.
THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-3-clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
.
1. Redistributions of source code must retain the copyright
   notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
   derived from this software without specific prior written permission.
.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Some parts are under the BSDv2 License :

Copyright (c) 2000 Markus Friedl. All rights reserved.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
   GNU LESSER GENERAL PUBLIC LICENSE
       Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
   59 Temple Place, Suite 330, Boston, MA 02111-1307 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts

as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the
library, and (2) we offer you this license, which gives you legal
permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that
there is no warranty for the free library. Also, if the library is
modified by someone else and passed on, the recipients should know
that what they have is not the original version, so that the original
author's reputation will not be affected by problems that might be
introduced by others.

Finally, software patents pose a constant threat to the existence of
any free program. We wish to make sure that a company cannot
effectively restrict the users of a free program by obtaining a
restrictive license from a patent holder. Therefore, we insist that
any patent license obtained for a version of the library must be
consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the
ordinary GNU General Public License. This license, the GNU Lesser
General Public License, applies to certain designated libraries, and
is quite different from the ordinary General Public License. We use
this license for certain libraries in order to permit linking those
libraries into non-free programs.

When a program is linked with a library, whether statically or using
a shared library, the combination of the two is legally speaking a
combined work, a derivative of the original library. The ordinary
General Public License therefore permits such linking only if the
entire combination fits its criteria of freedom. The Lesser General
Public License permits more lax criteria for linking other code with
the library.

We call this license the "Lesser" General Public License because it
does Less to protect the user's freedom than the ordinary General
Public License. It also provides other free software developers Less
of an advantage over competing non-free programs. These disadvantages
are the reason we use the ordinary General Public License for many
libraries. However, the Lesser license provides advantages in certain
special circumstances.

For example, on rare occasions, there may be a special need to
encourage the widest possible use of a certain library, so that it becomes
a de-facto standard. To achieve this, non-free programs must be
allowed to use the library. A more frequent case is that a free
library does the same job as widely used non-free libraries. In this
case, there is little to gain by limiting the free library to free
software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free
programs enables a greater number of people to use a large body of
free software. For example, permission to use the GNU C Library in
non-free programs enables many more people to use the whole GNU
operating system, as well as its variant, the GNU/Linux operating
system.

Although the Lesser General Public License is Less protective of the
users' freedom, it does ensure that the user of a program that is

linked with the Library has the freedom and the wherewithal to run
that program using a modified version of the Library.

 The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, whereas the latter must
be combined with the library in order to run.

   GNU LESSER GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License Agreement applies to any software library or other
program which contains a notice placed by the copyright holder or
other authorized party saying it may be distributed under the terms of
this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

 A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

 The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated
straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

 "Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means
all the source code for all modules it contains, plus any associated
interface definition files, plus the scripts used to control compilation
and installation of the library.

 Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running a program using the Library is not restricted, and output from
such a program is covered only if its contents constitute a work based
on the Library (independent of the use of the Library in a tool for
writing it). Whether that is true depends on what the Library does
and what the program that uses the Library does.

 1. You may copy and distribute verbatim copies of the Library's
complete source code as you receive it, in any medium, provided that
you conspicuously and appropriately publish on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact

all the notices that refer to this License and to the absence of any
warranty; and distribute a copy of this License along with the
Library.

 You may charge a fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a
fee.

 2. You may modify your copy or copies of the Library or any portion
of it, thus forming a work based on the Library, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) The modified work must itself be a software library.

  b) You must cause the files modified to carry prominent notices
  stating that you changed the files and the date of any change.

  c) You must cause the whole of the work to be licensed at no
  charge to all third parties under the terms of this License.

  d) If a facility in the modified Library refers to a function or a
  table of data to be supplied by an application program that uses
  the facility, other than as an argument passed when the facility
  is invoked, then you must make a good faith effort to ensure that,
  in the event an application does not supply such function or
  table, the facility still operates, and performs whatever part of
  its purpose remains meaningful.

  (For example, a function in a library to compute square roots has
  a purpose that is entirely well-defined independent of the
  application. Therefore, Subsection 2d requires that any
  application-supplied function or table used by this function must
  be optional: if the application does not supply it, the square
  root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Library,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest

your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

 Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

 4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

 5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

 However, linking a "work that uses the Library" with the Library
creates an executable that is a derivative of the Library (because it
contains portions of the Library), rather than a "work that uses the
library". The executable is therefore covered by this License.

Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the
Library. A suitable mechanism is one that (1) uses at run time a
copy of the library already present on the user's computer system,
rather than copying library functions into the executable, and (2)
will operate properly with a modified version of the library, if
the user installs one, as long as the modified version is
interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at
least three years, to give the same user the materials
specified in Subsection 6a, above, for a charge no more
than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy
from a designated place, offer equivalent access to copy the above
specified materials from the same place.

e) Verify that the user has already received a copy of these
materials or that you have already sent this user a copy.

 For an executable, the required form of the "work that uses the
Library" must include any data and utility programs needed for
reproducing the executable from it. However, as a special exception,
the materials to be distributed need not include anything that is
normally distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies
the executable.

 It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.

 7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work
based on the Library, uncombined with any other library
facilities. This must be distributed under the terms of the
Sections above.

b) Give prominent notice with the combined library of the fact

that part of it is a work based on the Library, and explaining
where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties with
this License.

11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply,
and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the

integrity of the free software distribution system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

 12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

 13. The Free Software Foundation may publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

 14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

    NO WARRANTY

 15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE

IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE
LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

  16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE
LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING
RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A
FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF
SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGES.

     Linking with OpenSSL

  17. In addition, as a special exception, we give permission to link the code
of its release of libssh with the OpenSSL project's "OpenSSL" library (or with
modified versions of it that use the same license as the "OpenSSL" library),
and distribute the linked executables. You must obey the GNU Lesser General
Public License in all respects for all of the code used other than "OpenSSL".
If you modify this file, you may extend this exception to your version of the
file, but you are not obligated to do so. If you do not wish to do so, delete
this exception statement from your version.

     END OF TERMS AND CONDITIONS
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.235 sysv-init 2.96-2.1ubuntu1

1.235.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion
of it, thus forming a work based on the Program, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices
stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in
whole or in part contains or is derived from the Program or any
part thereof, to be licensed as a whole at no charge to all third
parties under the terms of this License.

c) If the modified program normally reads commands interactively
when run, you must cause it, when started running for such
interactive use in the most ordinary way, to print or display an
announcement including an appropriate copyright notice and a
notice that there is no warranty (or else, saying that you provide
a warranty) and that users may redistribute the program under
these conditions, and telling the user how to view a copy of this
License. (Exception: if the Program itself is interactive but
does not normally print such an announcement, your work based on
the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable
source code, which must be distributed under the terms of Sections
1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three
years, to give any third party, for a charge no more than your
cost of physically performing source distribution, a complete
machine-readable copy of the corresponding source code, to be
distributed under the terms of Sections 1 and 2 above on a medium
customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer
to distribute corresponding source code. (This alternative is
allowed only for noncommercial distribution and only if you
received the program in object code or executable form with such
an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering
access to copy from a designated place, then offering equivalent
access to copy the source code from the same place counts as
distribution of the source code, even though third parties are not
compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense or distribute the Program is
void, and will automatically terminate your rights under this License.
However, parties who have received copies, or rights, from you under
this License will not have their licenses terminated so long as such
parties remain in full compliance.

 5. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Program or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Program (or any work based on the
Program), you indicate your acceptance of this License to do so, and

all its terms and conditions for copying, distributing or modifying
the Program or works based on it.

  6. Each time you redistribute the Program (or any work based on the
Program), the recipient automatically receives a license from the
original licensor to copy, distribute or modify the Program subject to
these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties to
this License.

  7. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Program at all. For example, if a patent
license would not permit royalty-free redistribution of the Program by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to
apply and the section as a whole is intended to apply in other
circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system, which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

  8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among

countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

 10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

   NO WARRANTY

 11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

 12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

   END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

   <one line to give the program's name and a brief idea of what it does.>
   Copyright (C) <year> <name of author>

   This program is free software; you can redistribute it and/or modify
   it under the terms of the GNU General Public License as published by
   the Free Software Foundation; either version 2 of the License, or
   (at your option) any later version.

   This program is distributed in the hope that it will be useful,
   but WITHOUT ANY WARRANTY; without even the implied warranty of
   MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
   GNU General Public License for more details.

   You should have received a copy of the GNU General Public License along
   with this program; if not, write to the Free Software Foundation, Inc.,
   51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

   Gnomovision version 69, Copyright (C) year name of author
   Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
   This is free software, and you are welcome to redistribute it
   under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the program

`Gnomovision' (which makes passes at compilers) written by James Hacker.

 <signature of Ty Coon>, 1 April 1989
 Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.
Sysvinit is Copyright (C) 1991-2004 Miquel van Smoorenburg
  Updated Copyright (C) 2018 Jesse Smith

  This program is free software; you can redistribute it and/or modify
  it under the terms of the GNU General Public License as published by
  the Free Software Foundation; either version 2 of the License, or
  (at your option) any later version.

  This program is distributed in the hope that it will be useful,
  but WITHOUT ANY WARRANTY; without even the implied warranty of
  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
  GNU General Public License for more details.

  You should have received a copy of the GNU General Public License
  along with this program; if not, write to the Free Software
  Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

On Debian GNU/Linux systems, the complete text of the GNU General
Public License can be found in `/usr/share/common-licenses/GPL-2'.

  Send patches to sysvinit-devel@nongnu.org

1.236 fzambia-sentinel 1.1.0
1.236.1 Available under license :
Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

  "License" shall mean the terms and conditions for use, reproduction,
  and distribution as defined by Sections 1 through 9 of this document.

  "Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "{}"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.237 opentracing-go-stdlib 1.0.0

1.237.1 Available under license :

Apache License

Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

(a) You must give any other recipients of the Work or
    Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
    stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
    that You distribute, all copyright, patent, trademark, and
    attribution notices from the Source form of the Work,
    excluding those notices that do not pertain to any part of
    the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
    distribution, then any Derivative Works that You distribute must
    include a readable copy of the attribution notices contained
    within such NOTICE file, excluding those notices that do not
    pertain to any part of the Derivative Works, in at least one
    of the following places: within a NOTICE text file distributed
    as part of the Derivative Works; within the Source form or
    documentation, if provided along with the Derivative Works; or,
    within a display generated by the Derivative Works, if and
    wherever such third-party notices normally appear. The contents
    of the NOTICE file are for informational purposes only and
    do not modify the License. You may add Your own attribution
    notices within Derivative Works that You distribute, alongside
    or as an addendum to the NOTICE text from the Work, provided
    that such additional attribution notices cannot be construed
    as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

1.238 go-uuid 1.2.1-0.20181028125025-b2ce2384e17b

1.238.1 Available under license :

1.239 supervisor 4.2.0

1.239.1 Available under license :

This software is subject to the provisions of the license at http://www.repoze.org/LICENSE.txt . A copy of this license should accompany this distribution. THIS SOFTWARE IS PROVIDED "AS IS" AND ANY AND ALL EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF TITLE, MERCHANTABILITY, AGAINST INFRINGEMENT, AND FITNESS FOR A PARTICULAR PURPOSE.

medusa was (is?) Copyright (c) Sam Rushing.

http_client.py code Copyright (c) by Daniel Krech, http://eikeon.com/.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Supervisor is licensed under the following license:

A copyright notice accompanies this license document that identifies the copyright holders.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions in source code must retain the accompanying copyright notice, this list of conditions, and the following disclaimer.

2. Redistributions in binary form must reproduce the accompanying copyright notice, this list of conditions, and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Names of the copyright holders must not be used to endorse or promote products derived from this software without prior written permission from the copyright holders.

4. If any files are modified, you must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

Disclaimer

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS ``AS IS'' AND
ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
HOLDERS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED
TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR
TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF
THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

http_client.py code is based on code by Daniel Krech, which was
released under this license:

LICENSE AGREEMENT FOR RDFLIB 0.9.0 THROUGH 2.3.1

Copyright (c) 2002-2005, Daniel Krech, http://eikeon.com/
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided
with the distribution.

  * Neither the name of Daniel Krech nor the names of its
contributors may be used to endorse or promote products derived
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Medusa, the asynchronous communications framework upon which supervisor's server and client code is based, was created by Sam Rushing:

Medusa was once distributed under a 'free for non-commercial use' license, but in May of 2000 Sam Rushing changed the license to be identical to the standard Python license at the time. The standard Python license has always applied to the core components of Medusa, this change just frees up the rest of the system, including the http server, ftp server, utilities, etc. Medusa is therefore under the following license:

==============================
Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Sam Rushing not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

SAM RUSHING DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL SAM RUSHING BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
==============================
Medusa was once distributed under a 'free for non-commercial use' license, but in May of 2000 Sam Rushing changed the license to be identical to the standard Python license at the time. The standard Python license has always applied to the core components of Medusa, this change just frees up the rest of the system, including the http server, ftp server, utilities, etc. Medusa is therefore under the following license:

==============================
Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Sam Rushing not be used in advertising or publicity pertaining to distribution of the

software without specific, written prior permission.

SAM RUSHING DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL SAM RUSHING BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
==============================

Sam would like to take this opportunity to thank all of the folks who supported Medusa over the years by purchasing commercial licenses.

1.240 systemd 245.4-4ubuntu3.18

1.240.1 Available under license :

// Copyright 2014 The Chromium OS Authors. All rights reserved.
//
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions are
// met:
//
//   * Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
//   * Redistributions in binary form must reproduce the above
// copyright notice, this list of conditions and the following disclaimer
// in the documentation and/or other materials provided with the
// distribution.
//   * Neither the name of Google Inc. nor the names of its
// contributors may be used to endorse or promote products derived from
// this software without specific prior written permission.
//
// THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
// "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
// LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
// A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
// OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
// SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
// LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
// DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
// THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
// (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
// OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
       GNU GENERAL PUBLIC LICENSE
          Version 2, June 1991

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free

program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

 The precise terms and conditions for copying, distribution and
modification follow.

    GNU GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion
of it, thus forming a work based on the Program, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices
  stating that you changed the files and the date of any change.

  b) You must cause any work that you distribute or publish, that in
  whole or in part contains or is derived from the Program or any

part thereof, to be licensed as a whole at no charge to all third
parties under the terms of this License.

c) If the modified program normally reads commands interactively
when run, you must cause it, when started running for such
interactive use in the most ordinary way, to print or display an
announcement including an appropriate copyright notice and a
notice that there is no warranty (or else, saying that you provide
a warranty) and that users may redistribute the program under
these conditions, and telling the user how to view a copy of this
License. (Exception: if the Program itself is interactive but
does not normally print such an announcement, your work based on
the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable
source code, which must be distributed under the terms of Sections
1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three
years, to give any third party, for a charge no more than your
cost of physically performing source distribution, a complete
machine-readable copy of the corresponding source code, to be
distributed under the terms of Sections 1 and 2 above on a medium
customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer
to distribute corresponding source code. (This alternative is
allowed only for noncommercial distribution and only if you
received the program in object code or executable form with such
an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering
access to copy from a designated place, then offering equivalent
access to copy the source code from the same place counts as
distribution of the source code, even though third parties are not
compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense or distribute the Program is
void, and will automatically terminate your rights under this License.
However, parties who have received copies, or rights, from you under
this License will not have their licenses terminated so long as such
parties remain in full compliance.

5. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Program or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Program (or any work based on the
Program), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the
Program), the recipient automatically receives a license from the
original licensor to copy, distribute or modify the Program subject to
these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties to
this License.

7. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Program at all. For example, if a patent
license would not permit royalty-free redistribution of the Program by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to
apply and the section as a whole is intended to apply in other
circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system, which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any

later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

  10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

    NO WARRANTY

  11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

  12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

    END OF TERMS AND CONDITIONS

   How to Apply These Terms to Your New Programs

  If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

  To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.

1.241 mgo 0.0.0-20181015135952-eeefdecb41b8

1.241.1 Available under license :

Copyright (c) 2012 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

  * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
  * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
mgo - MongoDB driver for Go

Copyright (c) 2010-2013 - Gustavo Niemeyer <gustavo@niemeyer.net>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
BSON library for Go

Copyright (c) 2010-2012 - Gustavo Niemeyer <gustavo@niemeyer.net>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this
   list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice,
   this list of conditions and the following disclaimer in the documentation
   and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.242 go-macaron-binding 0.0.0-20190806013118-0b4f37bab25b

1.242.1 Available under license :

No license file was found, but licenses were detected in source scan.

License: ASL 2.0

Found in path(s):

1.243 uap-go 0.0.0-20190826212731-daf92ba38329

1.243.1 Available under license :

Apache License, Version 2.0
============================

Copyright 2009 Google Inc.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
The MIT License (MIT)
Copyright (c) 2013 Yihuan Zhou

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated
documentation files (the "Software"), to deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit
persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the
Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,
INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A
PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN
AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.244 go-mssqldb 0.0.0-20200910202707-1e08a3fab204

1.244.1 Available under license :

1.245 python-requests 2.26.0

1.245.1 Available under license :

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

1.246 bytebufferpool 1.0.0
1.246.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Aliaksandr Valialkin, VertaMedia

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.247 protobuf 1.27.1

1.247.1 Available under license :

This source code was written by the Go contributors.
The master list of contributors is in the main Go distribution,
visible at https://tip.golang.org/CONTRIBUTORS.
Copyright (c) 2018 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
  * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.248 c-ares 1.17.0

1.248.1 Available under license :

Copyright (C) 2004 by Daniel Stenberg et al

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted, provided
that the above copyright notice appear in all copies and that both that
copyright notice and this permission notice appear in supporting
documentation, and that the name of M.I.T. not be used in advertising or
publicity pertaining to distribution of the software without specific,
written prior permission. M.I.T. makes no representations about the

suitability of this software for any purpose. It is provided "as is"
without express or implied warranty.

1.249 idna 3.3

1.249.1 Available under license :

BSD 3-Clause License

Copyright (c) 2013-2021, Kim Davies
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this
   list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice,
   this list of conditions and the following disclaimer in the documentation
   and/or other materials provided with the distribution.

3. Neither the name of the copyright holder nor the names of its
   contributors may be used to endorse or promote products derived from
   this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.250 e2fsprogs 1.45.5 2ubuntu1

1.250.1 Available under license :

This is the Debian GNU/Linux prepackaged version of the static EXT2
file system consistency checker (e2fsck.static). The EXT2 utilities
were written by Theodore Ts'o <tytso@mit.edu> and Remy Card
<card@masi.ibp.fr>.

Sources were obtained from http://sourceforge.net/projects/e2fsprogs

#
This is a Makefile stub which handles the creation of BSD shared
libraries.
#
In order to use this stub, the following makefile variables must be defined.
#
BSDLIB_VERSION = 1.0
BSDLIB_IMAGE = libce
BSDLIB_MYDIR = et
BSDLIB_INSTALL_DIR = $(SHLIBDIR)
#

all:: image

real-subdirs:: Makefile
 @echo " MKDIR pic"
 @mkdir -p pic

BSD_LIB = $(BSDLIB_IMAGE).so.$(BSDLIB_VERSION)
BSDLIB_PIC_FLAG = -fpic

image: $(BSD_LIB)

$(BSD_LIB): $(OBJS)
 (cd pic; ld -Bshareable -o $(BSD_LIB) $(LDFLAGS_SHLIB) $(OBJS))
 $(MV) pic/$(BSD_LIB) .
 $(RM) -f ../$(BSD_LIB)
 (cd ..; $(LN) $(LINK_BUILD_FLAGS) \
  `echo $(my_dir) | sed -e 's;lib/;;'`/$(BSD_LIB) $(BSD_LIB))

install-shlibs install:: $(BSD_LIB)
 @echo " INSTALL_PROGRAM $(BSDLIB_INSTALL_DIR)/$(BSD_LIB)"
 @$(INSTALL_PROGRAM) $(BSD_LIB) \
  $(DESTDIR)$(BSDLIB_INSTALL_DIR)/$(BSD_LIB)
 @-$(LDCONFIG)

install-strip: install

install-shlibs-strip:: install-shlibs

uninstall-shlibs uninstall::
 $(RM) -f $(DESTDIR)$(BSDLIB_INSTALL_DIR)/$(BSD_LIB)

clean::
 $(RM) -rf pic
 $(RM) -f $(BSD_LIB)
 $(RM) -f ../$(BSD_LIB)
This package was added to the e2fsprogs debian source package by
Theodore Ts'o <tytso@mit.edu> on Sat Mar 15 15:33:37 EST 2003

It is part of the main e2fsprogs distribution, which can be found at:

 http://sourceforge.net/projects/e2fsprogs

Upstream Author: Theodore Ts'o <tytso@mit.edu>

Copyright:

Copyright (C) 1999, 2001 by Andries Brouwer
Copyright (C) 1999, 2000, 2003 by Theodore Ts'o

You are free to distribute this software under the terms of the GNU
Lesser (Library) General Public License.

On Debian systems, the complete text of the GNU Lesser (Library)
General Public License can be found in /usr/share/common-licenses/LGPL-2.
This package was added to the e2fsprogs debian source package by
Theodore Ts'o <tytso@mit.edu> on Fri Dec 14 22:24:35 EST 2007

It is part of the main e2fsprogs distribution, which can be found at:

 http://sourceforge.net/projects/e2fsprogs

Upstream Author: Theodore Ts'o <tytso@mit.edu>

Copyright:

Copyright (C) 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007 by

Theodore Ts'o

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, and the entire permission notice in its entirety,
   including the disclaimer of warranties.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote
   products derived from this software without specific prior
   written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OF
WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT
OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE
USE OF THIS SOFTWARE, EVEN IF NOT ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, and the entire permission notice in its entirety,
   including the disclaimer of warranties.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote
   products derived from this software without specific prior
   written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OF
WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT
OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF

LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE
USE OF THIS SOFTWARE, EVEN IF NOT ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.
This is the Debian GNU/Linux prepackaged version of the translation
files of the EXT2 file system utilities. The EXT2 utilities were
written by Theodore Ts'o <tytso@mit.edu> and Remy Card
<card@masi.ibp.fr>.

Sources were obtained from http://sourceforge.net/projects/e2fsprogs

Packaging is Copyright (c) 2003-2006 Theodore Ts'o <tytso@mit.edu>
        Copyright (c) 1997-2003 Yann Dirson <dirson@debian.org>
    Copyright (c) 2001 Alcove <http://www.alcove.com/>
    Copyright (c) 1997 Klee Dienes
    Copyright (c) 1995-1996 Michael Nonweiler <mrn20@cam.ac.uk>

Upstream Author: Theodore Ts'o <tytso@mit.edu>

Copyright notice:

This package, the EXT2 filesystem utilities, is protected by the GNU
General Public License.

 Copyright (c) 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000,
 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008 by Theodore Ts'o

On Debian GNU systems, the complete text of the GNU General
Public License can be found in `/usr/share/common-licenses/GPL-2'.
Index: tdbsa/tdb.c
===
--- tdbsa.orig/tdb.c
+++ tdbsa/tdb.c
@@ -4,11 +4,11 @@ Rev: 23371
Last Changed Date: 2007-06-06 20:14:06 -0400 (Wed, 06 Jun 2007)
*/
 /*
- Unix SMB/CIFS implementation.
+   trivial database library - standalone version

- trivial database library - private includes
-
- Copyright (C) Andrew Tridgell   2005
+   Copyright (C) Andrew Tridgell   1999-2005
+   Copyright (C) Jeremy Allison   2000-2006
+   Copyright (C) Paul `Rusty' Russell   2000

    ** NOTE! The following LGPL license applies to the tdb

** library. This does NOT imply that all of Samba is released
This is the Debian GNU/Linux prepackaged version of the EXT2 file
system utilities (e2fsck, mke2fs, etc.). The EXT2 utilities were
written by Theodore Ts'o <tytso@mit.edu> and Remy Card <card@masi.ibp.fr>.

Sources were obtained from http://sourceforge.net/projects/e2fsprogs

Packaging is Copyright (c) 2003-2007 Theodore Ts'o <tytso@mit.edu>
        Copyright (c) 1997-2003 Yann Dirson <dirson@debian.org>
      Copyright (c) 2001 Alcove <http://www.alcove.com/>
      Copyright (c) 1997 Klee Dienes
      Copyright (c) 1995-1996 Michael Nonweiler <mrn20@cam.ac.uk>

Upstream Author: Theodore Ts'o <tytso@mit.edu>

Copyright notice:

This package, the EXT2 filesystem utilities, are made available under
the GNU General Public License version 2, with the exception of the
lib/ext2fs and lib/e2p libraries, which are made available under the
GNU Library General Public License Version 2, the lib/uuid library
which is made available under a BSD-style license and the lib/et and
lib/ss libraries which are made available under an MIT-style license.

 Copyright (c) 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000,
 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008 by Theodore Ts'o

On Debian GNU systems, the complete text of the GNU General Public
License can be found in `/usr/share/common-licenses/GPL-2'. The
complete text of the GNU Library General Public License can be found
in '/usr/share/common-licenses/LGPL-2'.

The license used for lib/et and lib/ss libraries is:

 Copyright 1987 by the Student Information Processing Board
 of the Massachusetts Institute of Technology

 Permission to use, copy, modify, and distribute this software and
 its documentation for any purpose is hereby granted, provided that
 the names of M.I.T. and the M.I.T. S.I.P.B. not be used in
 advertising or publicity pertaining to distribution of the software
 without specific, written prior permission. M.I.T. and the
 M.I.T. S.I.P.B. make no representations about the suitability of
 this software for any purpose. It is provided "as is" without
 express or implied warranty.

The license used for lib/uuid is:

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, and the entire permission notice in its entirety,
   including the disclaimer of warranties.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote
   products derived from this software without specific prior
   written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OF
WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT
OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE
USE OF THIS SOFTWARE, EVEN IF NOT ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.
This package, the EXT2 filesystem utilities, are made available under
the GNU Public License version 2, with the exception of the lib/ext2fs
and lib/e2p libraries, which are made available under the GNU Library
General Public License Version 2, the lib/uuid library which is made
available under a BSD-style license and the lib/et and lib/ss
libraries which are made available under an MIT-style license. Please
see lib/uuid/COPYING for more details for the license for the files
comprising the libuuid library, and the source file headers of the
libet and libss libraries for more information.

The most recent officially distributed version can be found at
http://e2fsprogs.sourceforge.net. If you need to make a distribution,
that's the one you should use. If there is some reason why you'd like
a more recent version that is still in ALPHA testing (i.e., either
using the "WIP" test distributions or one from the hg or git
repository from the development branch, please contact me
(tytso@mit.edu) before you ship. The release schedules for this
package are flexible, if you give me enough lead time.

   Theodore Ts'o
   23-June-2007

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Library General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we

want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

 Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

 The precise terms and conditions for copying, distribution and
modification follow.

   GNU GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion
of it, thus forming a work based on the Program, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices
stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in
whole or in part contains or is derived from the Program or any
part thereof, to be licensed as a whole at no charge to all third
parties under the terms of this License.

c) If the modified program normally reads commands interactively
when run, you must cause it, when started running for such
interactive use in the most ordinary way, to print or display an
announcement including an appropriate copyright notice and a
notice that there is no warranty (or else, saying that you provide
a warranty) and that users may redistribute the program under
these conditions, and telling the user how to view a copy of this
License. (Exception: if the Program itself is interactive but
does not normally print such an announcement, your work based on
the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable
source code, which must be distributed under the terms of Sections
1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three
years, to give any third party, for a charge no more than your
cost of physically performing source distribution, a complete
machine-readable copy of the corresponding source code, to be
distributed under the terms of Sections 1 and 2 above on a medium
customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer
to distribute corresponding source code. (This alternative is
allowed only for noncommercial distribution and only if you
received the program in object code or executable form with such
an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering
access to copy from a designated place, then offering equivalent
access to copy the source code from the same place counts as
distribution of the source code, even though third parties are not
compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense or distribute the Program is
void, and will automatically terminate your rights under this License.
However, parties who have received copies, or rights, from you under
this License will not have their licenses terminated so long as such
parties remain in full compliance.

5. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Program or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Program (or any work based on the
Program), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the

Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

 7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

 8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions

of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

  10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

    NO WARRANTY

  11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

  12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

    END OF TERMS AND CONDITIONS

   How to Apply These Terms to Your New Programs

  If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it

free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

  <one line to give the program's name and a brief idea of what it does.>
  Copyright (C) <year> <name of author>

  This program is free software; you can redistribute it and/or modify
  it under the terms of the GNU General Public License as published by
  the Free Software Foundation; either version 2 of the License, or
  (at your option) any later version.

  This program is distributed in the hope that it will be useful,
  but WITHOUT ANY WARRANTY; without even the implied warranty of
  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
  GNU General Public License for more details.

  You should have received a copy of the GNU General Public License
  along with this program; if not, write to the Free Software
  Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

  Gnomovision version 69, Copyright (C) year name of author
  Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
  This is free software, and you are welcome to redistribute it
  under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the program
 `Gnomovision' (which makes passes at compilers) written by James Hacker.

 <signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

  GNU LIBRARY GENERAL PUBLIC LICENSE
       Version 2, June 1991

Copyright (C) 1991 Free Software Foundation, Inc.
      51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the library GPL. It is
numbered 2 because it goes with version 2 of the ordinary GPL.]

       Preamble

  The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

  This license, the Library General Public License, applies to some
specially designated Free Software Foundation software, and to any
other libraries whose authors decide to use it. You can use it for
your libraries, too.

  When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

  To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if
you distribute copies of the library, or if you modify it.

  For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source

code. If you link a program with the library, you must provide
complete object files to the recipients so that they can relink them
with the library, after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

 Our method of protecting your rights has two steps: (1) copyright
the library, and (2) offer you this license which gives you legal
permission to copy, distribute and/or modify the library.

 Also, for each distributor's protection, we want to make certain
that everyone understands that there is no warranty for this free
library. If the library is modified by someone else and passed on, we
want its recipients to know that what they have is not the original
version, so that any problems introduced by others will not reflect on
the original authors' reputations.

 Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that companies distributing free
software will individually obtain patent licenses, thus in effect
transforming the program into proprietary software. To prevent this,
we have made it clear that any patent must be licensed for everyone's
free use or not licensed at all.

 Most GNU software, including some libraries, is covered by the ordinary
GNU General Public License, which was designed for utility programs. This
license, the GNU Library General Public License, applies to certain
designated libraries. This license is quite different from the ordinary
one; be sure to read it in full, and don't assume that anything in it is
the same as in the ordinary license.

 The reason we have a separate public license for some libraries is that
they blur the distinction we usually make between modifying or adding to a
program and simply using it. Linking a program with a library, without
changing the library, is in some sense simply using the library, and is
analogous to running a utility program or application program. However, in
a textual and legal sense, the linked executable is a combined work, a
derivative of the original library, and the ordinary General Public License
treats it as such.

 Because of this blurred distinction, using the ordinary General
Public License for libraries did not effectively promote software
sharing, because most developers did not use the libraries. We
concluded that weaker conditions might promote sharing better.

 However, unrestricted linking of non-free programs would deprive the
users of those programs of all benefit from the free status of the
libraries themselves. This Library General Public License is intended to
permit developers of non-free programs to use free libraries, while

preserving your freedom as a user of such programs to change the free
libraries that are incorporated in them. (We have not seen how to achieve
this as regards changes in header files, but we have achieved it as regards
changes in the actual functions of the Library.) The hope is that this
will lead to faster development of free libraries.

  The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, while the latter only
works together with the library.

  Note that it is possible for a library to be covered by the ordinary
General Public License rather than by this special one.

   GNU LIBRARY GENERAL PUBLIC LICENSE
  TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

  0. This License Agreement applies to any software library which
contains a notice placed by the copyright holder or other authorized
party saying it may be distributed under the terms of this Library
General Public License (also called "this License"). Each licensee is
addressed as "you".

  A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

  The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated
straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

  "Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means
all the source code for all modules it contains, plus any associated
interface definition files, plus the scripts used to control compilation
and installation of the library.

  Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running a program using the Library is not restricted, and output from
such a program is covered only if its contents constitute a work based
on the Library (independent of the use of the Library in a tool for
writing it). Whether that is true depends on what the Library does

and what the program that uses the Library does.

 1. You may copy and distribute verbatim copies of the Library's
complete source code as you receive it, in any medium, provided that
you conspicuously and appropriately publish on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact
all the notices that refer to this License and to the absence of any
warranty; and distribute a copy of this License along with the
Library.

 You may charge a fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a
fee.

 2. You may modify your copy or copies of the Library or any portion
of it, thus forming a work based on the Library, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) The modified work must itself be a software library.

  b) You must cause the files modified to carry prominent notices
  stating that you changed the files and the date of any change.

  c) You must cause the whole of the work to be licensed at no
  charge to all third parties under the terms of this License.

  d) If a facility in the modified Library refers to a function or a
  table of data to be supplied by an application program that uses
  the facility, other than as an argument passed when the facility
  is invoked, then you must make a good faith effort to ensure that,
  in the event an application does not supply such function or
  table, the facility still operates, and performs whatever part of
  its purpose remains meaningful.

  (For example, a function in a library to compute square roots has
  a purpose that is entirely well-defined independent of the
  application. Therefore, Subsection 2d requires that any
  application-supplied function or table used by this function must
  be optional: if the application does not supply it, the square
  root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Library,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based

on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

 Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

 4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

 5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and

therefore falls outside the scope of this License.

 However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

 When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

 If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

 Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

 6. As an exception to the Sections above, you may also compile or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

 You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

  a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the

user can modify the Library and then relink to produce a modified
executable containing the modified Library. (It is understood
that the user who changes the contents of definitions files in the
Library will not necessarily be able to recompile the application
to use the modified definitions.)

b) Accompany the work with a written offer, valid for at
least three years, to give the same user the materials
specified in Subsection 6a, above, for a charge no more
than the cost of performing this distribution.

c) If distribution of the work is made by offering access to copy
from a designated place, offer equivalent access to copy the above
specified materials from the same place.

d) Verify that the user has already received a copy of these
materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the
Library" must include any data and utility programs needed for
reproducing the executable from it. However, as a special exception,
the source code distributed need not include anything that is normally
distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies
the executable.

It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.

7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work
based on the Library, uncombined with any other library
facilities. This must be distributed under the terms of the
Sections above.

b) Give prominent notice with the combined library of the fact
that part of it is a work based on the Library, and explaining
where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties to
this License.

11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply,
and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system which is
implemented by public license practices. Many people have made

generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

  12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

  13. The Free Software Foundation may publish revised and/or new
versions of the Library General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

  14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

    NO WARRANTY

  15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE

LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

 16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE
LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING
RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A
FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF
SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGES.

 END OF TERMS AND CONDITIONS

 How to Apply These Terms to Your New Libraries

 If you develop a new library, and you want it to be of the greatest
possible use to the public, we recommend making it free software that
everyone can redistribute and change. You can do so by permitting
redistribution under these terms (or, alternatively, under the terms of the
ordinary General Public License).

 To apply these terms, attach the following notices to the library. It is
safest to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

  <one line to give the library's name and a brief idea of what it does.>
  Copyright (C) <year> <name of author>

  This library is free software; you can redistribute it and/or
  modify it under the terms of the GNU Library General Public
  License as published by the Free Software Foundation; either
  version 2 of the License, or (at your option) any later version.

  This library is distributed in the hope that it will be useful,
  but WITHOUT ANY WARRANTY; without even the implied warranty of
  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
  Library General Public License for more details.

  You should have received a copy of the GNU Library General Public
  License along with this library; if not, write to the Free Software
  Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the
 library `Frob' (a library for tweaking knobs) written by James Random Hacker.

 <signature of Ty Coon>, 1 April 1990
 Ty Coon, President of Vice

That's all there is to it!
This package was added to the e2fsprogs debian source package by
Theodore Ts'o <tytso@mit.edu> on Sat Mar 15 15:33:37 EST 2003

It is part of the main e2fsprogs distribution, which can be found at:

 http://sourceforge.net/projects/e2fsprogs

Upstream Author: Theodore Ts'o <tytso@mit.edu>

Copyright:

Copyright (C) 1999, 2000, 2003, 2004 by Theodore Ts'o

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, and the entire permission notice in its entirety,
   including the disclaimer of warranties.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote
   products derived from this software without specific prior
   written permission.

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OF
WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT
OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE
USE OF THIS SOFTWARE, EVEN IF NOT ADVISED OF THE POSSIBILITY OF SUCH

DAMAGE.

This is the Debian GNU/Linux prepackaged version of the ss
command-line interface parsing library. It is currently
distributed together with the EXT2 file system utilities, which are
otherwise packaged as "e2fsprogs".

This package was put together by Yann Dirson <dirson@debian.org>,
from sources obtained from a mirror of:
tsx-11.mit.edu:/pub/linux/packages/ext2fs/

From the original distribution:

Copyright 1987, 1988 by the Student Information Processing Board
 of the Massachusetts Institute of Technology

Permission to use, copy, modify, and distribute this software
and its documentation for any purpose and without fee is
hereby granted, provided that the above copyright notice
appear in all copies and that both that copyright notice and
this permission notice appear in supporting documentation,
and that the names of M.I.T. and the M.I.T. S.I.P.B. not be
used in advertising or publicity pertaining to distribution
of the software without specific, written prior permission.
M.I.T. and the M.I.T. S.I.P.B. make no representations about
the suitability of this software for any purpose. It is
provided "as is" without express or implied warranty.

This is the Debian GNU/Linux prepackaged version of the Common Error
Description library. It is currently distributed together with the EXT2 file
system utilities, which are otherwise packaged as "e2fsprogs".

This package was put together by Yann Dirson <dirson@debian.org>,
from sources obtained from a mirror of:
tsx-11.mit.edu:/pub/linux/packages/ext2fs/

From the original distribution:

Copyright 1987, 1988 by the Student Information Processing Board
 of the Massachusetts Institute of Technology

Permission to use, copy, modify, and distribute this software
and its documentation for any purpose and without fee is
hereby granted, provided that the above copyright notice
appear in all copies and that both that copyright notice and
this permission notice appear in supporting documentation,
and that the names of M.I.T. and the M.I.T. S.I.P.B. not be
used in advertising or publicity pertaining to distribution
of the software without specific, written prior permission.
M.I.T. and the M.I.T. S.I.P.B. make no representations about

the suitability of this software for any purpose. It is
provided "as is" without express or implied warranty.
EXT2ED is hereby placed under the terms of the GNU General Public License.
Follows the GNU license.

Gadi Oxman, August 1995

    GNU GENERAL PUBLIC LICENSE
     Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
         675 Mass Ave, Cambridge, MA 02139, USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

    Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Library General Public License instead.) You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

 We protect your rights with two steps: (1) copyright the software, and

(2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

 Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

 Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

 The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and

you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion
of it, thus forming a work based on the Program, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices
  stating that you changed the files and the date of any change.

  b) You must cause any work that you distribute or publish, that in
  whole or in part contains or is derived from the Program or any
  part thereof, to be licensed as a whole at no charge to all third
  parties under the terms of this License.

  c) If the modified program normally reads commands interactively
  when run, you must cause it, when started running for such
  interactive use in the most ordinary way, to print or display an
  announcement including an appropriate copyright notice and a
  notice that there is no warranty (or else, saying that you provide
  a warranty) and that users may redistribute the program under
  these conditions, and telling the user how to view a copy of this
  License. (Exception: if the Program itself is interactive but
  does not normally print such an announcement, your work based on
  the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of

Sections 1 and 2 above provided that you also do one of the following:

  a) Accompany it with the complete corresponding machine-readable
  source code, which must be distributed under the terms of Sections
  1 and 2 above on a medium customarily used for software interchange; or,

  b) Accompany it with a written offer, valid for at least three
  years, to give any third party, for a charge no more than your
  cost of physically performing source distribution, a complete
  machine-readable copy of the corresponding source code, to be
  distributed under the terms of Sections 1 and 2 above on a medium
  customarily used for software interchange; or,

  c) Accompany it with the information you received as to the offer
  to distribute corresponding source code. (This alternative is
  allowed only for noncommercial distribution and only if you
  received the program in object code or executable form with such
  an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering
access to copy from a designated place, then offering equivalent
access to copy the source code from the same place counts as
distribution of the source code, even though third parties are not
compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense or distribute the Program is
void, and will automatically terminate your rights under this License.
However, parties who have received copies, or rights, from you under
this License will not have their licenses terminated so long as such
parties remain in full compliance.

 5. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Program or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by

modifying or distributing the Program (or any work based on the
Program), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Program or works based on it.

  6. Each time you redistribute the Program (or any work based on the
Program), the recipient automatically receives a license from the
original licensor to copy, distribute or modify the Program subject to
these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties to
this License.

  7. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Program at all. For example, if a patent
license would not permit royalty-free redistribution of the Program by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to
apply and the section as a whole is intended to apply in other
circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system, which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

  8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License

may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

 10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

   NO WARRANTY

 11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

 12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) 19yy <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program; if not, write to the Free Software
    Foundation, Inc., 675 Mass Ave, Cambridge, MA 02139, USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

    Gnomovision version 69, Copyright (C) 19yy name of author
    Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

1.251 cortexproject-cortex 1.4.1-0.20201022071705-85942c5703cf

1.251.1 Available under license :

Copyright (c) 2013 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

   * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
   * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
The MIT License (MIT)

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
The MIT License (MIT)

Copyright (c) 2014 Chris Hines

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
Copyright (c) 2016, The Gocql authors
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
 list of conditions and the following disclaimer.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Copyright (c) 2017-2019, Francisco Souza
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

 * Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
 * Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
MIT License

Copyright (c) 2019 Josh Bleecher Snyder

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all

copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

   * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
   * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2011 The Snappy-Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

   * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.

* Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
The MIT License (MIT)

Copyright (c) 2013 Ben Johnson

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of
the Software, and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER
IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Copyright (C) 2013-2018 by Maxim Bublis <b@codemonkey.ru>

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
The MIT License (MIT)

Copyright (c) 2015 Peter Bourgon

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
Prometheus Alertmanager
Copyright 2013-2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (http://soundcloud.com/).

The following components are included in this product:

Bootstrap
http://getbootstrap.com
Copyright 2011-2014 Twitter, Inc.
Licensed under the MIT License

bootstrap-datetimepicker.js
http://www.eyecon.ro/bootstrap-datepicker
Copyright 2012 Stefan Petre
Licensed under the Apache License, Version 2.0
                    Apache License
               Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
    that You distribute, all copyright, patent, trademark, and
    attribution notices from the Source form of the Work,
    excluding those notices that do not pertain to any part of
    the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
    distribution, then any Derivative Works that You distribute must
    include a readable copy of the attribution notices contained
    within such NOTICE file, excluding those notices that do not
    pertain to any part of the Derivative Works, in at least one
    of the following places: within a NOTICE text file distributed
    as part of the Derivative Works; within the Source form or
    documentation, if provided along with the Derivative Works; or,
    within a display generated by the Derivative Works, if and
    wherever such third-party notices normally appear. The contents
    of the NOTICE file are for informational purposes only and
    do not modify the License. You may add Your own attribution
    notices within Derivative Works that You distribute, alongside
    or as an addendum to the NOTICE text from the Work, provided
    that such additional attribution notices cannot be construed
    as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright 2021 Grafana Labs

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
BSD 3-Clause License

Copyright (c) 2013, Julien Schmidt
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this
   list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice,
   this list of conditions and the following disclaimer in the documentation
   and/or other materials provided with the distribution.

3. Neither the name of the copyright holder nor the names of its
   contributors may be used to endorse or promote products derived from
   this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright (c) 2012 The Go Authors. All rights reserved.
Copyright (c) 2012 fsnotify Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

   * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the

distribution.
  * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Apache License
                    Version 2.0, January 2004
                 http://www.apache.org/licenses/

  TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

  1. Definitions.

    "License" shall mean the terms and conditions for use, reproduction,
    and distribution as defined by Sections 1 through 9 of this document.

    "Licensor" shall mean the copyright owner or entity authorized by
    the copyright owner that is granting the License.

    "Legal Entity" shall mean the union of the acting entity and all
    other entities that control, are controlled by, or are under common
    control with that entity. For the purposes of this definition,
    "control" means (i) the power, direct or indirect, to cause the
    direction or management of such entity, whether by contract or
    otherwise, or (ii) ownership of fifty percent (50%) or more of the
    outstanding shares, or (iii) beneficial ownership of such entity.

    "You" (or "Your") shall mean an individual or Legal Entity
    exercising permissions granted by this License.

    "Source" form shall mean the preferred form for making modifications,
    including but not limited to software source code, documentation
    source, and configuration files.

    "Object" form shall mean any form resulting from mechanical
    transformation or translation of a Source form, including but
    not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
    Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
    stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
    that You distribute, all copyright, patent, trademark, and
    attribution notices from the Source form of the Work,
    excluding those notices that do not pertain to any part of
    the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
    distribution, then any Derivative Works that You distribute must
    include a readable copy of the attribution notices contained
    within such NOTICE file, excluding those notices that do not
    pertain to any part of the Derivative Works, in at least one
    of the following places: within a NOTICE text file distributed
    as part of the Derivative Works; within the Source form or
    documentation, if provided along with the Derivative Works; or,
    within a display generated by the Derivative Works, if and
    wherever such third-party notices normally appear. The contents
    of the NOTICE file are for informational purposes only and
    do not modify the License. You may add Your own attribution
    notices within Derivative Works that You distribute, alongside
    or as an addendum to the NOTICE text from the Work, provided
    that such additional attribution notices cannot be construed
    as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "{}"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

   Copyright {yyyy} {name of copyright owner}

   Licensed under the Apache License, Version 2.0 (the "License");
   you may not use this file except in compliance with the License.
   You may obtain a copy of the License at

      http://www.apache.org/licenses/LICENSE-2.0

   Unless required by applicable law or agreed to in writing, software
   distributed under the License is distributed on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
   See the License for the specific language governing permissions and
   limitations under the License.
MIT License

Copyright (c) 2017 HashiCorp

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
Mozilla Public License Version 2.0
==================================

1. Definitions

1.1. "Contributor"
  means each individual or legal entity that creates, contributes to
  the creation of, or owns Covered Software.

1.2. "Contributor Version"
  means the combination of the Contributions of others (if any) used
  by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"
  means Covered Software of a particular Contributor.

1.4. "Covered Software"
  means Source Code Form to which the initial Contributor has attached
  the notice in Exhibit A, the Executable Form of such Source Code
  Form, and Modifications of such Source Code Form, in each case
  including portions thereof.

1.5. "Incompatible With Secondary Licenses"
  means

  (a) that the initial Contributor has attached the notice described
      in Exhibit B to the Covered Software; or

  (b) that the Covered Software was made available under the terms of
      version 1.1 or earlier of the License, but not also under the
      terms of a Secondary License.

1.6. "Executable Form"
  means any form of the work other than Source Code Form.

1.7. "Larger Work"
  means a work that combines Covered Software with other material, in
  a separate file or files, that is not Covered Software.

1.8. "License"
  means this document.

1.9. "Licensable"
  means having the right to grant, to the maximum extent possible,
  whether at the time of the initial grant or subsequently, any and
  all of the rights conveyed by this License.

1.10. "Modifications"
  means any of the following:

(a) any file in Source Code Form that results from an addition to,
deletion from, or modification of the contents of Covered
Software; or

(b) any new file in Source Code Form that contains any Covered
Software.

1.11. "Patent Claims" of a Contributor
means any patent claim(s), including without limitation, method,
process, and apparatus claims, in any patent Licensable by such
Contributor that would be infringed, but for the grant of the
License, by the making, using, selling, offering for sale, having
made, import, or transfer of either its Contributions or its
Contributor Version.

1.12. "Secondary License"
means either the GNU General Public License, Version 2.0, the GNU
Lesser General Public License, Version 2.1, the GNU Affero General
Public License, Version 3.0, or any later versions of those
licenses.

1.13. "Source Code Form"
means the form of the work preferred for making modifications.

1.14. "You" (or "Your")
means an individual or a legal entity exercising rights under this
License. For legal entities, "You" includes any entity that
controls, is controlled by, or is under common control with You. For
purposes of this definition, "control" means (a) the power, direct
or indirect, to cause the direction or management of such entity,
whether by contract or otherwise, or (b) ownership of more than
fifty percent (50%) of the outstanding shares or beneficial
ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free,
non-exclusive license:

(a) under intellectual property rights (other than patent or trademark)
Licensable by such Contributor to use, reproduce, make available,
modify, display, perform, distribute, and otherwise exploit its
Contributions, either on an unmodified basis, with Modifications, or
as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer
   for sale, have made, import, and otherwise transfer either its
   Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution
become effective for each Contribution on the date the Contributor first
distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under
this License. No additional rights or licenses will be implied from the
distribution or licensing of Covered Software under this License.
Notwithstanding Section 2.1(b) above, no patent license is granted by a
Contributor:

(a) for any code that a Contributor has removed from Covered Software;
   or

(b) for infringements caused by: (i) Your and any other third party's
   modifications of Covered Software, or (ii) the combination of its
   Contributions with other software (except as part of its Contributor
   Version); or

(c) under Patent Claims infringed by Covered Software in the absence of
   its Contributions.

This License does not grant any rights in the trademarks, service marks,
or logos of any Contributor (except as may be necessary to comply with
the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to
distribute the Covered Software under a subsequent version of this
License (see Section 10.2) or under the terms of a Secondary License (if
permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its
Contributions are its original creation(s) or it has sufficient rights
to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered

Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular

Contributor are reinstated on an ongoing basis if such Contributor
notifies You of the non-compliance by some reasonable means, this is the
first time You have received notice of non-compliance with this License
from such Contributor, and You become compliant prior to 30 days after
Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent
infringement claim (excluding declaratory judgment actions,
counter-claims, and cross-claims) alleging that a Contributor Version
directly or indirectly infringes any patent, then the rights granted to
You by any and all Contributors for the Covered Software under Section
2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all
end user license agreements (excluding distributors and resellers) which
have been validly granted by You or Your distributors under this License
prior to termination shall survive termination.

```
************************************************************************
*                                    *
*  6. Disclaimer of Warranty                 *
*  -------------------------                  *
*                                    *
*  Covered Software is provided under this License on an "as is"    *
*  basis, without warranty of any kind, either expressed, implied, or *
*  statutory, including, without limitation, warranties that the     *
*  Covered Software is free of defects, merchantable, fit for a     *
*  particular purpose or non-infringing. The entire risk as to the    *
*  quality and performance of the Covered Software is with You.      *
*  Should any Covered Software prove defective in any respect, You    *
*  (not any Contributor) assume the cost of any necessary servicing,  *
*  repair, or correction. This disclaimer of warranty constitutes an  *
*  essential part of this License. No use of any Covered Software is  *
*  authorized under this License except under this disclaimer.      *
*                                    *
************************************************************************

************************************************************************
*                                    *
*  7. Limitation of Liability                 *
*  -------------------------                  *
*                                    *
*  Under no circumstances and under no legal theory, whether tort    *
*  (including negligence), contract, or otherwise, shall any       *
*  Contributor, or anyone who distributes Covered Software as       *
*  permitted above, be liable to You for any direct, indirect,      *
*  special, incidental, or consequential damages of any character    *
*  including, without limitation, damages for lost profits, loss of   *
```

```
*  goodwill, work stoppage, computer failure or malfunction, or any    *
*  and all other commercial damages or losses, even if such party      *
*  shall have been informed of the possibility of such damages. This   *
*  limitation of liability shall not apply to liability for death or    *
*  personal injury resulting from such party's negligence to the        *
*  extent applicable law prohibits such limitation. Some                *
*  jurisdictions do not allow the exclusion or limitation of            *
*  incidental or consequential damages, so this exclusion and           *
*  limitation may not apply to You.                                     *
*                                                                       *
*************************************************************************
```

8. Litigation

Any litigation relating to this License may be brought only in the
courts of a jurisdiction where the defendant maintains its principal
place of business and such litigation shall be governed by laws of that
jurisdiction, without reference to its conflict-of-law provisions.
Nothing in this Section shall prevent a party's ability to bring
cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject
matter hereof. If any provision of this License is held to be
unenforceable, such provision shall be reformed only to the extent
necessary to make it enforceable. Any law or regulation which provides
that the language of a contract shall be construed against the drafter
shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section
10.3, no one other than the license steward has the right to modify or
publish new versions of this License. Each version will be given a
distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version
of the License under which You originally received the Covered Software,
or under the terms of any subsequent version published by the license
steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to
create a new license for such software, you may create and use a
modified version of this License if you rename the license and remove
any references to the name of the license steward (except to note that
such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary
Licenses

If You choose to distribute Source Code Form that is Incompatible With
Secondary Licenses under the terms of this version of the License, the
notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

  This Source Code Form is subject to the terms of the Mozilla Public
  License, v. 2.0. If a copy of the MPL was not distributed with this
  file, You can obtain one at http://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular
file, then You may include the notice in a location (such as a LICENSE
file in a relevant directory) where a recipient would be likely to look
for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

  This Source Code Form is "Incompatible With Secondary Licenses", as
  defined by the Mozilla Public License, v. 2.0.
The MIT License (MIT)

Copyright (c) 2014 Mitchell Hashimoto

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
The Prometheus systems and service monitoring server
Copyright 2012-2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (https://soundcloud.com/).

The following components are included in this product:

Bootstrap
https://getbootstrap.com
Copyright 2011-2014 Twitter, Inc.
Licensed under the MIT License

bootstrap3-typeahead.js
https://github.com/bassjobsen/Bootstrap-3-Typeahead
Original written by @mdo and @fat
Copyright 2014 Bass Jobsen @bassjobsen
Licensed under the Apache License, Version 2.0

fuzzy
https://github.com/mattyork/fuzzy
Original written by @mattyork
Copyright 2012 Matt York
Licensed under the MIT License

bootstrap-datetimepicker.js
https://github.com/Eonasdan/bootstrap-datetimepicker
Copyright 2015 Jonathan Peterson (@Eonasdan)
Licensed under the MIT License

moment.js
https://github.com/moment/moment/

Copyright JS Foundation and other contributors

Licensed under the MIT License

Rickshaw

https://github.com/shutterstock/rickshaw

Copyright 2011-2014 by Shutterstock Images, LLC

See https://github.com/shutterstock/rickshaw/blob/master/LICENSE for license details

mustache.js

https://github.com/janl/mustache.js

Copyright 2009 Chris Wanstrath (Ruby)

Copyright 2010-2014 Jan Lehnardt (JavaScript)

Copyright 2010-2015 The mustache.js community

Licensed under the MIT License

jQuery

https://jquery.org

Copyright jQuery Foundation and other contributors

Licensed under the MIT License

Protocol Buffers for Go with Gadgets

https://github.com/gogo/protobuf/

Copyright (c) 2013, The GoGo Authors.

See source code for license details.

Go support for leveled logs, analogous to

https://code.google.com/p/google-glog/

Copyright 2013 Google Inc.

Licensed under the Apache License, Version 2.0

Support for streaming Protocol Buffer messages for the Go language (golang).

https://github.com/matttproud/golang_protobuf_extensions

Copyright 2013 Matt T. Proud

Licensed under the Apache License, Version 2.0

DNS library in Go

https://miek.nl/2014/august/16/go-dns-package/

Copyright 2009 The Go Authors, 2011 Miek Gieben

See https://github.com/miekg/dns/blob/master/LICENSE for license details.

LevelDB key/value database in Go

https://github.com/syndtr/goleveldb

Copyright 2012 Suryandaru Triandana

See https://github.com/syndtr/goleveldb/blob/master/LICENSE for license details.

gosnappy - a fork of code.google.com/p/snappy-go

https://github.com/syndtr/gosnappy

Copyright 2011 The Snappy-Go Authors

See https://github.com/syndtr/gosnappy/blob/master/LICENSE for license details.

go-zookeeper - Native ZooKeeper client for Go
https://github.com/samuel/go-zookeeper
Copyright (c) 2013, Samuel Stauffer <samuel@descolada.com>
See https://github.com/samuel/go-zookeeper/blob/master/LICENSE for license details.

Time series compression algorithm from Facebook's Gorilla paper
https://github.com/dgryski/go-tsz
Copyright (c) 2015,2016 Damian Gryski <damian@gryski.com>
See https://github.com/dgryski/go-tsz/blob/master/LICENSE for license details.

The Codicon icon font from Microsoft
https://github.com/microsoft/vscode-codicons
Copyright (c) Microsoft Corporation and other contributors
See https://github.com/microsoft/vscode-codicons/blob/main/LICENSE for license details.

We also use code from a large number of npm packages. For details, see:
- https://github.com/prometheus/prometheus/blob/main/web/ui/react-app/package.json
- https://github.com/prometheus/prometheus/blob/main/web/ui/react-app/package-lock.json
- The individual package licenses as copied from the node_modules directory can be found in
 the npm_licenses.tar.bz2 archive in release tarballs and Docker images.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify,

defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Copyright 2015 Docker, Inc.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

   https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

This is the official list of people who can contribute

(and typically have contributed) code to the Snappy-Go repository.

The AUTHORS file lists the copyright holders; this file

lists people. For example, Google employees are listed here

but not in AUTHORS, because Google holds the copyright.

#

The submission process automatically checks to make sure

that people submitting code are listed in this file (by email address).

#

Names should be added to this file only after verifying that

the individual or the individual's organization has agreed to

the appropriate Contributor License Agreement, found here:

#

http://code.google.com/legal/individual-cla-v1.0.html

http://code.google.com/legal/corporate-cla-v1.0.html

#

The agreement for individuals can be filled out on the web.

#

When adding J Random Contributor's name to this file,

either J's name or J's organization's name should be

added to the AUTHORS file, depending on whether the

individual or corporate CLA was used.

Names should be added to this file like so:

Name <email address>

Please keep the list sorted.

Alex Legg <alexlegg@google.com>
Damian Gryski <dgryski@gmail.com>
Eric Buth <eric@topos.com>
Jan Mercl <0xjnml@gmail.com>
Jonathan Swinney <jswinney@amazon.com>
Kai Backman <kaib@golang.org>
Klaus Post <klauspost@gmail.com>
Marc-Antoine Ruel <maruel@chromium.org>
Nigel Tao <nigeltao@golang.org>
Rob Pike <r@golang.org>
Rodolfo Carvalho <rhcarvalho@gmail.com>
Russ Cox <rsc@golang.org>
Sebastien Binet <seb.binet@gmail.com>

modification, are permitted provided that the following conditions are
met:

    * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
    * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
    * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Squirrel
The Masterminds
Copyright (C) 2014-2015, Lann Martin
Copyright (C) 2015-2016, Google
Copyright (C) 2015, Matt Farina and Matt Butcher

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is furnished
to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
The MIT License (MIT)

Copyright (c) 2017-2020 Damian Gryski <damian@gryski.com>

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

                         Apache License
                    Version 2.0, January 2004
                 http://www.apache.org/licenses/

   TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

   1. Definitions.

      "License" shall mean the terms and conditions for use, reproduction,
      and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Copyright 2011-2016 Canonical Ltd.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Data model artifacts for Prometheus.
Copyright 2012-2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (http://soundcloud.com/).

<div align="center">

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

</div>

 TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

 1. Definitions.

   "License" shall mean the terms and conditions for use, reproduction,
   and distribution as defined by Sections 1 through 9 of this document.

   "Licensor" shall mean the copyright owner or entity authorized by
   the copyright owner that is granting the License.

   "Legal Entity" shall mean the union of the acting entity and all
   other entities that control, are controlled by, or are under common
   control with that entity. For the purposes of this definition,
   "control" means (i) the power, direct or indirect, to cause the
   direction or management of such entity, whether by contract or
   otherwise, or (ii) ownership of fifty percent (50%) or more of the
   outstanding shares, or (iii) beneficial ownership of such entity.

   "You" (or "Your") shall mean an individual or Legal Entity
   exercising permissions granted by this License.

   "Source" form shall mean the preferred form for making modifications,
   including but not limited to software source code, documentation
   source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or

for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright 2017 Sercan Degirmenci

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

MIT License

Copyright (c) 2016 json-iterator

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE

SOFTWARE.

MinIO Cloud Storage, (C) 2014-2020 MinIO, Inc.

This product includes software developed at MinIO, Inc.
(https://min.io/).

The MinIO project contains unmodified/modified subcomponents too with
separate copyright notices and license terms. Your use of the source
code for these subcomponents is subject to the terms and conditions
of Apache License Version 2.0
Prometheus instrumentation library for Go applications
Copyright 2012-2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (http://soundcloud.com/).

The following components are included in this product:

perks - a fork of https://github.com/bmizerany/perks
https://github.com/beorn7/perks
Copyright 2013-2015 Blake Mizerany, Bjrn Rabenstein
See https://github.com/beorn7/perks/blob/master/README.md for license details.

Go support for Protocol Buffers - Google's data interchange format
http://github.com/golang/protobuf/
Copyright 2010 The Go Authors
See source code for license details.

Support for streaming Protocol Buffer messages for the Go language (golang).
https://github.com/matttproud/golang_protobuf_extensions
Copyright 2013 Matt T. Proud
Licensed under the Apache License, Version 2.0
AWS SDK for Go
Copyright 2015 Amazon.com, Inc. or its affiliates. All Rights Reserved.
Copyright 2014-2015 Stripe, Inc.
MIT License

Copyright (c) 2014-2015 Lann Martin

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all

copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and
       attribution notices from the Source form of the Work,
       excluding those notices that do not pertain to any part of
       the Derivative Works; and

   (d) If the Work includes a "NOTICE" text file as part of its
       distribution, then any Derivative Works that You distribute must
       include a readable copy of the attribution notices contained
       within such NOTICE file, excluding those notices that do not
       pertain to any part of the Derivative Works, in at least one
       of the following places: within a NOTICE text file distributed
       as part of the Derivative Works; within the Source form or
       documentation, if provided along with the Derivative Works; or,
       within a display generated by the Derivative Works, if and
       wherever such third-party notices normally appear. The contents
       of the NOTICE file are for informational purposes only and
       do not modify the License. You may add Your own attribution
       notices within Derivative Works that You distribute, alongside
       or as an addendum to the NOTICE text from the Work, provided
       that such additional attribution notices cannot be construed
       as modifying the License.

   You may add Your own copyright statement to Your modifications and
   may provide additional or different license terms and conditions
   for use, reproduction, or distribution of Your modifications, or
   for any such Derivative Works as a whole, provided Your use,
   reproduction, and distribution of the Work otherwise complies with
   the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Copyright 2015 Microsoft Corporation

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Common libraries shared by Prometheus Go components.
Copyright 2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (http://soundcloud.com/).
Copyright (C) 2014 Alec Thomas

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
This source code was written by the Go contributors.
The master list of contributors is in the main Go distribution,
visible at https://tip.golang.org/CONTRIBUTORS.
Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,

incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "{}"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright 2016 The OpenTracing Authors

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Copyright (c) 2011-2013, 'pq' Contributors
Portions Copyright (C) 2011 Blake Mizerany

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated

documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

ISC License

Alex A. Skinner
Andrew Tunnell-Jones
Ask Bjrn Hansen
Dave Cheney
Dusty Wilson
Marek Majkowski
Peter van Dijk
Omri Bahumi
Alex Sergeyev
James Hartig
Copyright 2016, Google Inc.
All rights reserved.
Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

  * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer

in the documentation and/or other materials provided with the
distribution.
  * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
The MIT License (MIT)

Copyright (c) 2014 Simon Eskildsen

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
The MIT License (MIT)

Original Work
Copyright (c) 2016 Matthias Kadenbach
https://github.com/mattes/migrate

Modified Work
Copyright (c) 2018 Dale Hui
https://github.com/golang-migrate/migrate

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
This source code was written by the Go contributors.
The master list of contributors is in the main Go distribution,
visible at http://tip.golang.org/CONTRIBUTORS.
Copyright (c) 2014 Naoya Inada <naoina@kuune.org>

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

                        Apache License
                  Version 2.0, January 2004
                http://www.apache.org/licenses/

   TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

   1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright 2016-2017 The New York Times Company

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and

limitations under the License.
The MIT License (MIT)

Copyright (c) 2018 Uber Technologies, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
  MIT License

Copyright (c) Microsoft Corporation. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE
Copyright 2009 The Go Authors. All rights reserved. Use of this source code
is governed by a BSD-style license that can be found in the LICENSE file.
Extensions of the original work are copyright (c) 2011 Miek Gieben

Copyright 2011 Miek Gieben. All rights reserved. Use of this source code is

People who have agreed to one of the CLAs and can contribute patches.
The AUTHORS file lists the copyright holders; this file
lists people. For example, Google employees are listed here
but not in AUTHORS, because Google holds the copyright.

https://developers.google.com/open-source/cla/individual

https://developers.google.com/open-source/cla/corporate

Names should be added to this file as:

Name <email address>

Raul Silvera <rsilvera@google.com>

Tipp Moseley <tipp@google.com>

Hyoun Kyu Cho <netforce@google.com>

Martin Spier <spiermar@gmail.com>

Taco de Wolff <tacodewolff@gmail.com>

Andrew Hunter <andrewhhunter@gmail.com>

Copyright Prometheus Team

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

Copyright (c) 2012-2018 The Gorilla Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are

met:

  * Redistributions of source code must retain the above copyright

notice, this list of conditions and the following disclaimer.

  * Redistributions in binary form must reproduce the above

copyright notice, this list of conditions and the following disclaimer

in the documentation and/or other materials provided with the

distribution.

  * Neither the name of Google Inc. nor the names of its

contributors may be used to endorse or promote products derived from

this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT

OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,

SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT

LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

(a) You must give any other recipients of the Work or
  Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
  stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
  that You distribute, all copyright, patent, trademark, and
  attribution notices from the Source form of the Work,
  excluding those notices that do not pertain to any part of
  the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
  distribution, then any Derivative Works that You distribute must
  include a readable copy of the attribution notices contained
  within such NOTICE file, excluding those notices that do not
  pertain to any part of the Derivative Works, in at least one
  of the following places: within a NOTICE text file distributed
  as part of the Derivative Works; within the Source form or
  documentation, if provided along with the Derivative Works; or,
  within a display generated by the Derivative Works, if and
  wherever such third-party notices normally appear. The contents
  of the NOTICE file are for informational purposes only and
  do not modify the License. You may add Your own attribution
  notices within Derivative Works that You distribute, alongside
  or as an addendum to the NOTICE text from the Work, provided
  that such additional attribution notices cannot be construed
  as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
  any Contribution intentionally submitted for inclusion in the Work
  by You to the Licensor shall be under the terms and conditions of
  this License, without any additional terms or conditions.
  Notwithstanding the above, nothing herein shall supersede or modify
  the terms of any separate license agreement you may have executed
  with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
  names, trademarks, service marks, or product names of the Licensor,
  except as required for reasonable and customary use in describing the
  origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

The following files were ported to Go from C files of libyaml, and thus
are still covered by their original copyright and license:

    apic.go
    emitterc.go
    parserc.go
    readerc.go
    scannerc.go
    writerc.go
    yamlh.go
    yamlprivateh.go

Copyright (c) 2006 Kirill Simonov

Permission is hereby granted, free of charge, to any person obtaining a copy of

this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
The MIT License (MIT)

Copyright (c) 2017 Jaime Pillora

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
MIT License

Copyright (c) 2014 mattn
Copyright (c) 2017 oliverpool
Copyright (c) 2019 Adele Reed

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
MIT License

Copyright (c) 2019 Denys Smirnov

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
Copyright (c) 2011 Google Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
  * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
MIT License

Copyright (c) 2012-2020 Mat Ryer, Tyler Bunnell and contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Copyright (c) 2017 Uber Technologies, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

<div align="center">

Apache License

Version 2.0, January 2004

http://www.apache.org/licenses/

</div>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "{}"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Copyright (c) Yasuhiro MATSUMOTO <mattn.jp@gmail.com>

MIT License (Expat)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated
documentation files (the "Software"), to deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit
persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the
Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,
INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A
PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN
AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Apache License
                Version 2.0, January 2004
            http://www.apache.org/licenses/

   TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

   1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2015, Google Inc
Copyright 2018, GoGo Authors

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and
limitations under the License.

```go
package api

import (
 "io/ioutil"
 "strings"
 "time"
)

type License struct {
 // The unique identifier of the license
 LicenseID string `json:"license_id"`

 // The customer ID associated with the license
 CustomerID string `json:"customer_id"`

 // If set, an identifier that should be used to lock the license to a
 // particular site, cluster, etc.
 InstallationID string `json:"installation_id"`

 // The time at which the license was issued
 IssueTime time.Time `json:"issue_time"`

 // The time at which the license starts being valid
 StartTime time.Time `json:"start_time"`

 // The time after which the license expires
 ExpirationTime time.Time `json:"expiration_time"`

 // The time at which the license ceases to function and can
 // no longer be used in any capacity
 TerminationTime time.Time `json:"termination_time"`

 // The product the license is valid for
 Product string `json:"product"`

 // License Specific Flags
 Flags map[string]interface{} `json:"flags"`

 // Modules is a list of the licensed enterprise modules
 Modules []string `json:"modules"`
```

```go
    // List of features enabled by the license
    Features []string `json:"features"`
}

type LicenseReply struct {
    Valid   bool
    License *License
    Warnings []string
}

func (op *Operator) LicenseGet(q *QueryOptions) (*LicenseReply, error) {
    var reply LicenseReply
    if _, err := op.c.query("/v1/operator/license", &reply, q); err != nil {
        return nil, err
    } else {
        return &reply, nil
    }
}

func (op *Operator) LicenseGetSigned(q *QueryOptions) (string, error) {
    r := op.c.newRequest("GET", "/v1/operator/license")
    r.params.Set("signed", "1")
    r.setQueryOptions(q)
    _, resp, err := requireOK(op.c.doRequest(r))
    if err != nil {
        return "", err
    }
    defer closeResponseBody(resp)

    data, err := ioutil.ReadAll(resp.Body)
    if err != nil {
        return "", err
    }

    return string(data), nil
}

// LicenseReset will reset the license to the builtin one if it is still valid.
// If the builtin license is invalid, the current license stays active.
//
// DEPRECATED: Consul 1.10 removes the corresponding HTTP endpoint as licenses
// are now set via agent configuration instead of through the API
func (op *Operator) LicenseReset(opts *WriteOptions) (*LicenseReply, error) {
    var reply LicenseReply
    r := op.c.newRequest("DELETE", "/v1/operator/license")
    r.setWriteOptions(opts)
    _, resp, err := requireOK(op.c.doRequest(r))
```

```
if err != nil {
 return nil, err
 }
 defer resp.Body.Close()
 if err := decodeBody(resp, &reply); err != nil {
 return nil, err
 }
 return &reply, nil
}

// LicensePut will configure the Consul Enterprise license for the target datacenter
//
// DEPRECATED: Consul 1.10 removes the corresponding HTTP endpoint as licenses
// are now set via agent configuration instead of through the API
func (op *Operator) LicensePut(license string, opts *WriteOptions) (*LicenseReply, error) {
 var reply LicenseReply
 r := op.c.newRequest("PUT", "/v1/operator/license")
 r.setWriteOptions(opts)
 r.body = strings.NewReader(license)
 _, resp, err := requireOK(op.c.doRequest(r))
 if err != nil {
 return nil, err
 }
 defer resp.Body.Close()

 if err := decodeBody(resp, &reply); err != nil {
 return nil, err
 }

 return &reply, nil
}
```
The MIT License (MIT)

Copyright (c) 2014 Harmen

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Configurable modular Prometheus exporter for various node metrics.
Copyright 2013-2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (http://soundcloud.com/).

The following components are included in this product:

wifi
https://github.com/mdlayher/wifi
Copyright 2016-2017 Matt Layher
Licensed under the MIT License

netlink
https://github.com/mdlayher/netlink
Copyright 2016-2017 Matt Layher
Licensed under the MIT License
Copyright (c) 2012 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

   * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
   * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and
distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright
owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities
that control, are controlled by, or are under common control with that entity.
For the purposes of this definition, "control" means (i) the power, direct or
indirect, to cause the direction or management of such entity, whether by
contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising
permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including
but not limited to software source code, documentation source, and configuration
files.

"Object" form shall mean any form resulting from mechanical transformation or
translation of a Source form, including but not limited to compiled object code,
generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made
available under the License, as indicated by a copyright notice that is included
in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that
is based on (or derived from) the Work and for which the editorial revisions,
annotations, elaborations, or other modifications represent, as a whole, an
original work of authorship. For the purposes of this License, Derivative Works
shall not include works that remain separable from, or merely link (or bind by
name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version
of the Work and any modifications or additions to that Work or Derivative Works
thereof, that is intentionally submitted to Licensor for inclusion in the Work
by the copyright owner or by an individual or Legal Entity authorized to submit
on behalf of the copyright owner. For the purposes of this definition,

"submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution.

You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and
You must cause any modified files to carry prominent notices stating that You changed the files; and
You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the

Derivative Works; and
If the Work includes a "NOTICE" text file as part of its distribution, then any
Derivative Works that You distribute must include a readable copy of the
attribution notices contained within such NOTICE file, excluding those notices
that do not pertain to any part of the Derivative Works, in at least one of the
following places: within a NOTICE text file distributed as part of the
Derivative Works; within the Source form or documentation, if provided along
with the Derivative Works; or, within a display generated by the Derivative
Works, if and wherever such third-party notices normally appear. The contents of
the NOTICE file are for informational purposes only and do not modify the
License. You may add Your own attribution notices within Derivative Works that
You distribute, alongside or as an addendum to the NOTICE text from the Work,
provided that such additional attribution notices cannot be construed as
modifying the License.
You may add Your own copyright statement to Your modifications and may provide
additional or different license terms and conditions for use, reproduction, or
distribution of Your modifications, or for any such Derivative Works as a whole,
provided Your use, reproduction, and distribution of the Work otherwise complies
with the conditions stated in this License.

5. Submission of Contributions.

Unless You explicitly state otherwise, any Contribution intentionally submitted
for inclusion in the Work by You to the Licensor shall be under the terms and
conditions of this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify the terms of
any separate license agreement you may have executed with Licensor regarding
such Contributions.

6. Trademarks.

This License does not grant permission to use the trade names, trademarks,
service marks, or product names of the Licensor, except as required for
reasonable and customary use in describing the origin of the Work and
reproducing the content of the NOTICE file.

7. Disclaimer of Warranty.

Unless required by applicable law or agreed to in writing, Licensor provides the
Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied,
including, without limitation, any warranties or conditions of TITLE,
NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are
solely responsible for determining the appropriateness of using or
redistributing the Work and assume any risks associated with Your exercise of
permissions under this License.

8. Limitation of Liability.

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability.

While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

The MIT License

Copyright (c) 2014 Benedikt Lang <github at benediktlang.de>

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
The MIT License (MIT)

Copyright (c) 2016 Yasuhiro Matsumoto

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
The MIT License (MIT)

Copyright (c) 2013 Armon Dadgar

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in

the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of
the Software, and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER
IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
The MIT License (MIT)

Copyright (c) 2015 go-logfmt

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
The MIT License

Copyright (c) 2014 Stretchr, Inc.
Copyright (c) 2017-2018 objx contributors

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all

copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
The MIT License (MIT)

Copyright 2015 Sony Corporation

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Paul Borman <borman@google.com>
bmatsuo
shawnps
theory
jboverfelt
dsymonds
cd1
wallclockbuilder
dansouza
Copyright (c) 2013 Michael Hendricks

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
The MIT License (MIT)

Copyright (c) 2014 Sam Ghods

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2012 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

   * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
   * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright (c) 2009,2014 Google Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

  * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
  * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

  "License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
The MIT License (MIT)
Copyright 2020 Felix Geisendrfer <felix@felixge.de>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the Software), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED AS IS, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
./tools/integration/assert.sh is a copy of

https://github.com/lehmannro/assert.sh/blob/master/assert.sh

Since it was imported from its original source, it has only received cosmetic modifications. As it is licensed under the LGPL-3, here's the license text in its entirety:

GNU LESSER GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates
the terms and conditions of version 3 of the GNU General Public
License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser
General Public License, and the "GNU GPL" refers to version 3 of the GNU
General Public License.

"The Library" refers to a covered work governed by this License,
other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided
by the Library, but which is not otherwise based on the Library.

Defining a subclass of a class defined by the Library is deemed a mode
of using an interface provided by the Library.

 A "Combined Work" is a work produced by combining or linking an
Application with the Library. The particular version of the Library
with which the Combined Work was made is also called the "Linked
Version".

 The "Minimal Corresponding Source" for a Combined Work means the
Corresponding Source for the Combined Work, excluding any source code
for portions of the Combined Work that, considered in isolation, are
based on the Application, and not on the Linked Version.

 The "Corresponding Application Code" for a Combined Work means the
object code and/or source code for the Application, including any data
and utility programs needed for reproducing the Combined Work from the
Application, but excluding the System Libraries of the Combined Work.

 1. Exception to Section 3 of the GNU GPL.

 You may convey a covered work under sections 3 and 4 of this License
without being bound by section 3 of the GNU GPL.

 2. Conveying Modified Versions.

 If you modify a copy of the Library, and, in your modifications, a
facility refers to a function or data to be supplied by an Application
that uses the facility (other than as an argument passed when the
facility is invoked), then you may convey a copy of the modified
version:

  a) under this License, provided that you make a good faith effort to
  ensure that, in the event an Application does not supply the
  function or data, the facility still operates, and performs
  whatever part of its purpose remains meaningful, or

  b) under the GNU GPL, with none of the additional permissions of
  this License applicable to that copy.

 3. Object Code Incorporating Material from Library Header Files.

 The object code form of an Application may incorporate material from
a header file that is part of the Library. You may convey such object
code under terms of your choice, provided that, if the incorporated
material is not limited to numerical parameters, data structure
layouts and accessors, or small macros, inline functions and templates
(ten or fewer lines in length), you do both of the following:

a) Give prominent notice with each copy of the object code that the
Library is used in it and that the Library and its use are
covered by this License.

b) Accompany the object code with a copy of the GNU GPL and this license
document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that,
taken together, effectively do not restrict modification of the
portions of the Library contained in the Combined Work and reverse
engineering for debugging such modifications, if you also do each of
the following:

a) Give prominent notice with each copy of the Combined Work that
the Library is used in it and that the Library and its use are
covered by this License.

b) Accompany the Combined Work with a copy of the GNU GPL and this license
document.

c) For a Combined Work that displays copyright notices during
execution, include the copyright notice for the Library among
these notices, as well as a reference directing the user to the
copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this
License, and the Corresponding Application Code in a form
suitable for, and under terms that permit, the user to
recombine or relink the Application with a modified version of
the Linked Version to produce a modified Combined Work, in the
manner specified by section 6 of the GNU GPL for conveying
Corresponding Source.

1) Use a suitable shared library mechanism for linking with the
Library. A suitable mechanism is one that (a) uses at run time
a copy of the Library already present on the user's computer
system, and (b) will operate properly with a modified version
of the Library that is interface-compatible with the Linked
Version.

e) Provide Installation Information, but only if you would otherwise
be required to provide such information under section 6 of the
GNU GPL, and only to the extent that such information is
necessary to install and execute a modified version of the

Combined Work produced by recombining or relinking the
Application with a modified version of the Linked Version. (If
you use option 4d0, the Installation Information must accompany
the Minimal Corresponding Source and Corresponding Application
Code. If you use option 4d1, you must provide the Installation
Information in the manner specified by section 6 of the GNU GPL
for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the
Library side by side in a single library together with other library
facilities that are not Applications and are not covered by this
License, and convey such a combined library under terms of your
choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based
on the Library, uncombined with any other library facilities,
conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it
is a work based on the Library, and explaining where to find the
accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions
of the GNU Lesser General Public License from time to time. Such new
versions will be similar in spirit to the present version, but may
differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the
Library as you received it specifies that a certain numbered version
of the GNU Lesser General Public License "or any later version"
applies to it, you have the option of following the terms and
conditions either of that published version or of any later version
published by the Free Software Foundation. If the Library as you
received it does not specify a version number of the GNU Lesser
General Public License, you may choose any version of the GNU Lesser
General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide
whether future versions of the GNU Lesser General Public License shall
apply, that proxy's public statement of acceptance of any version is
permanent authorization for you to choose that version for the
Library.
The MIT License (MIT)

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
     stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
     that You distribute, all copyright, patent, trademark, and
     attribution notices from the Source form of the Work,
     excluding those notices that do not pertain to any part of
     the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
     distribution, then any Derivative Works that You distribute must
     include a readable copy of the attribution notices contained
     within such NOTICE file, excluding those notices that do not
     pertain to any part of the Derivative Works, in at least one
     of the following places: within a NOTICE text file distributed
     as part of the Derivative Works; within the Source form or
     documentation, if provided along with the Derivative Works; or,
     within a display generated by the Derivative Works, if and
     wherever such third-party notices normally appear. The contents
     of the NOTICE file are for informational purposes only and
     do not modify the License. You may add Your own attribution
     notices within Derivative Works that You distribute, alongside
     or as an addendum to the NOTICE text from the Work, provided
     that such additional attribution notices cannot be construed
     as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

 Unless required by applicable law or agreed to in writing, software
 distributed under the License is distributed on an "AS IS" BASIS,
 WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 See the License for the specific language governing permissions and
 limitations under the License.
/*
* MinIO Go Library for Amazon S3 Compatible Cloud Storage
* Copyright 2020 MinIO, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

package minio

import (
 "bytes"
 "context"
 "encoding/xml"
 "fmt"
 "net/http"
 "net/url"

 "github.com/minio/minio-go/v7/pkg/s3utils"
)

// objectLegalHold - object legal hold specified in
// https://docs.aws.amazon.com/AmazonS3/latest/API/archive-RESTObjectPUTLegalHold.html
type objectLegalHold struct {
 XMLNS   string   `xml:"xmlns,attr,omitempty"`
 XMLName xml.Name   `xml:"LegalHold"`
 Status LegalHoldStatus `xml:"Status,omitempty"`
}

// PutObjectLegalHoldOptions represents options specified by user for PutObjectLegalHold call

```go
type PutObjectLegalHoldOptions struct {
 VersionID string
 Status    *LegalHoldStatus
}

// GetObjectLegalHoldOptions represents options specified by user for GetObjectLegalHold call
type GetObjectLegalHoldOptions struct {
 VersionID string
}

// LegalHoldStatus - object legal hold status.
type LegalHoldStatus string

const (
 // LegalHoldEnabled indicates legal hold is enabled
 LegalHoldEnabled LegalHoldStatus = "ON"

 // LegalHoldDisabled indicates legal hold is disabled
 LegalHoldDisabled LegalHoldStatus = "OFF"
)

func (r LegalHoldStatus) String() string {
 return string(r)
}

// IsValid - check whether this legal hold status is valid or not.
func (r LegalHoldStatus) IsValid() bool {
 return r == LegalHoldEnabled || r == LegalHoldDisabled
}

func newObjectLegalHold(status *LegalHoldStatus) (*objectLegalHold, error) {
 if status == nil {
  return nil, fmt.Errorf("Status not set")
 }
 if !status.IsValid() {
  return nil, fmt.Errorf("invalid legal hold status `%v`", status)
 }
 legalHold := &objectLegalHold{
  Status: *status,
 }
 return legalHold, nil
}

// PutObjectLegalHold : sets object legal hold for a given object and versionID.
func (c Client) PutObjectLegalHold(ctx context.Context, bucketName, objectName string, opts
PutObjectLegalHoldOptions) error {
 // Input validation.
 if err := s3utils.CheckValidBucketName(bucketName); err != nil {
```

```
    return err
  }

  if err := s3utils.CheckValidObjectName(objectName); err != nil {
   return err
  }

  // Get resources properly escaped and lined up before
  // using them in http request.
  urlValues := make(url.Values)
  urlValues.Set("legal-hold", "")

  if opts.VersionID != "" {
   urlValues.Set("versionId", opts.VersionID)
  }

  lh, err := newObjectLegalHold(opts.Status)
  if err != nil {
   return err
  }

  lhData, err := xml.Marshal(lh)
  if err != nil {
   return err
  }

  reqMetadata := requestMetadata{
   bucketName:      bucketName,
   objectName:      objectName,
   queryValues:     urlValues,
   contentBody:     bytes.NewReader(lhData),
   contentLength:   int64(len(lhData)),
   contentMD5Base64: sumMD5Base64(lhData),
   contentSHA256Hex: sum256Hex(lhData),
  }

  // Execute PUT Object Legal Hold.
  resp, err := c.executeMethod(ctx, http.MethodPut, reqMetadata)
  defer closeResponse(resp)
  if err != nil {
   return err
  }
  if resp != nil {
   if resp.StatusCode != http.StatusOK && resp.StatusCode != http.StatusNoContent {
    return httpRespToErrorResponse(resp, bucketName, objectName)
   }
  }
  return nil
```

```
}

// GetObjectLegalHold gets legal-hold status of given object.
func (c Client) GetObjectLegalHold(ctx context.Context, bucketName, objectName string, opts
GetObjectLegalHoldOptions) (status *LegalHoldStatus, err error) {
 // Input validation.
 if err := s3utils.CheckValidBucketName(bucketName); err != nil {
  return nil, err
 }

 if err := s3utils.CheckValidObjectName(objectName); err != nil {
  return nil, err
 }
 urlValues := make(url.Values)
 urlValues.Set("legal-hold", "")

 if opts.VersionID != "" {
  urlValues.Set("versionId", opts.VersionID)
 }

 // Execute GET on bucket to list objects.
 resp, err := c.executeMethod(ctx, http.MethodGet, requestMetadata{
  bucketName:      bucketName,
  objectName:      objectName,
  queryValues:     urlValues,
  contentSHA256Hex: emptySHA256Hex,
 })
 defer closeResponse(resp)
 if err != nil {
  return nil, err
 }
 if resp != nil {
  if resp.StatusCode != http.StatusOK {
   return nil, httpRespToErrorResponse(resp, bucketName, objectName)
  }
 }
 lh := &objectLegalHold{}
 if err = xml.NewDecoder(resp.Body).Decode(lh); err != nil {
  return nil, err
 }

 return &lh.Status, nil
}
```
Copyright (c) 2016 Uber Technologies, Inc.

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
The MIT License (MIT)

Copyright (c) 2014 Cenk Alt

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of
the Software, and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER
IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Copyright 2015 James Saryerwinnie

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

   "License" shall mean the terms and conditions for use, reproduction,
   and distribution as defined by Sections 1 through 9 of this document.

   "Licensor" shall mean the copyright owner or entity authorized by
   the copyright owner that is granting the License.

   "Legal Entity" shall mean the union of the acting entity and all
   other entities that control, are controlled by, or are under common
   control with that entity. For the purposes of this definition,
   "control" means (i) the power, direct or indirect, to cause the
   direction or management of such entity, whether by contract or
   otherwise, or (ii) ownership of fifty percent (50%) or more of the
   outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing

the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Copyright 2014-2016 Weaveworks Ltd.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and
distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright
owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities
that control, are controlled by, or are under common control with that entity.
For the purposes of this definition, "control" means (i) the power, direct or
indirect, to cause the direction or management of such entity, whether by
contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising
permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License.

Subject to the terms and conditions of this License, each Contributor hereby

grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution.

You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and
You must cause any modified files to carry prominent notices stating that You changed the files; and
You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.
You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions.

Unless You explicitly state otherwise, any Contribution intentionally submitted

for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks.

This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty.

Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability.

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability.

While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate
notice, with the fields enclosed by brackets "[]" replaced with your own
identifying information. (Don't include the brackets!) The text should be
enclosed in the appropriate comment syntax for the file format. We also
recommend that a file or class name and description of purpose be included on
the same "printed page" as the copyright notice for easier identification within
third-party archives.

   Copyright [yyyy] [name of copyright owner]

   Licensed under the Apache License, Version 2.0 (the "License");
   you may not use this file except in compliance with the License.
   You may obtain a copy of the License at

      http://www.apache.org/licenses/LICENSE-2.0

   Unless required by applicable law or agreed to in writing, software
   distributed under the License is distributed on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
   See the License for the specific language governing permissions and
   limitations under the License.
Copyright (c) 2013 The github.com/go-redis/redis Authors.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

   * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE

OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright (c) 2016 Caleb Spare

MIT License

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
CoreOS Project
Copyright 2018 CoreOS, Inc

This product includes software developed at CoreOS, Inc.
(http://www.coreos.com/).
procfs provides functions to retrieve system, kernel and process
metrics from the pseudo-filesystem proc.

Copyright 2014-2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (http://soundcloud.com/).
This is free and unencumbered software released into the public domain.

Anyone is free to copy, modify, publish, use, compile, sell, or
distribute this software, either in source code form or as a compiled
binary, for any purpose, commercial or non-commercial, and by any
means.

In jurisdictions that recognize copyright laws, the author or authors
of this software dedicate any and all copyright interest in the
software to the public domain. We make this dedication for the benefit
of the public at large and to the detriment of our heirs and
successors. We intend this dedication to be an overt act of
relinquishment in perpetuity of all present and future rights to this

software under copyright law.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

For more information, please refer to <http://unlicense.org/>
Mozilla Public License, version 2.0

1. Definitions

1.1. Contributor

   means each individual or legal entity that creates, contributes to the
   creation of, or owns Covered Software.

1.2. Contributor Version

   means the combination of the Contributions of others (if any) used by a
   Contributor and that particular Contributors Contribution.

1.3. Contribution

   means Covered Software of a particular Contributor.

1.4. Covered Software

   means Source Code Form to which the initial Contributor has attached the
   notice in Exhibit A, the Executable Form of such Source Code Form, and
   Modifications of such Source Code Form, in each case including portions
   thereof.

1.5. Incompatible With Secondary Licenses
   means

   a. that the initial Contributor has attached the notice described in
      Exhibit B to the Covered Software; or

   b. that the Covered Software was made available under the terms of version
      1.1 or earlier of the License, but not also under the terms of a
      Secondary License.

1.6. Executable Form

means any form of the work other than Source Code Form.

1.7. Larger Work

means a work that combines Covered Software with other material, in a separate
file or files, that is not Covered Software.

1.8. License

means this document.

1.9. Licensable

means having the right to grant, to the maximum extent possible, whether at the
time of the initial grant or subsequently, any and all of the rights conveyed by
this License.

1.10. Modifications

means any of the following:

a. any file in Source Code Form that results from an addition to, deletion
   from, or modification of the contents of Covered Software; or

b. any new file in Source Code Form that contains any Covered Software.

1.11. Patent Claims of a Contributor

means any patent claim(s), including without limitation, method, process,
and apparatus claims, in any patent Licensable by such Contributor that
would be infringed, but for the grant of the License, by the making,
using, selling, offering for sale, having made, import, or transfer of
either its Contributions or its Contributor Version.

1.12. Secondary License

means either the GNU General Public License, Version 2.0, the GNU Lesser
General Public License, Version 2.1, the GNU Affero General Public
License, Version 3.0, or any later versions of those licenses.

1.13. Source Code Form

means the form of the work preferred for making modifications.

1.14. You (or Your)

means an individual or a legal entity exercising rights under this
License. For legal entities, You includes any entity that controls, is

controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

a. under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

a. for any code that a Contributor has removed from Covered Software; or

b. for infringements caused by: (i) Your and any other third partys modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or

logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

a. such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

b. You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to

understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You
   fail to comply with any of its terms. However, if You become compliant,
   then the rights granted under this License from a particular Contributor
   are reinstated (a) provisionally, unless and until such Contributor
   explicitly and finally terminates Your grants, and (b) on an ongoing basis,
   if such Contributor fails to notify You of the non-compliance by some
   reasonable means prior to 60 days after You have come back into compliance.
   Moreover, Your grants from a particular Contributor are reinstated on an
   ongoing basis if such Contributor notifies You of the non-compliance by
   some reasonable means, this is the first time You have received notice of
   non-compliance with this License from such Contributor, and You become
   compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent
   infringement claim (excluding declaratory judgment actions, counter-claims,
   and cross-claims) alleging that a Contributor Version directly or
   indirectly infringes any patent, then the rights granted to You by any and
   all Contributors for the Covered Software under Section 2.1 of this License
   shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user
   license agreements (excluding distributors and resellers) which have been
   validly granted by You or Your distributors under this License prior to
   termination shall survive termination.

6. Disclaimer of Warranty

Covered Software is provided under this License on an as is basis, without
warranty of any kind, either expressed, implied, or statutory, including,
without limitation, warranties that the Covered Software is free of defects,
merchantable, fit for a particular purpose or non-infringing. The entire
risk as to the quality and performance of the Covered Software is with You.
Should any Covered Software prove defective in any respect, You (not any
Contributor) assume the cost of any necessary servicing, repair, or
correction. This disclaimer of warranty constitutes an essential part of this
License. No use of any Covered Software is authorized under this License
except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including
negligence), contract, or otherwise, shall any Contributor, or anyone who
distributes Covered Software as permitted above, be liable to You for any
direct, indirect, special, incidental, or consequential damages of any

character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such partys negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a partys ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any

references to the name of the license steward (except to note that such
modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses
If You choose to distribute Source Code Form that is Incompatible With
Secondary Licenses under the terms of this version of the License, the
notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the
terms of the Mozilla Public License, v.
2.0. If a copy of the MPL was not
distributed with this file, You can
obtain one at
http://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular file, then
You may include the notice in a location (such as a LICENSE file in a relevant
directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - Incompatible With Secondary Licenses Notice

This Source Code Form is Incompatible
With Secondary Licenses, as defined by
the Mozilla Public License, v. 2.0.

This project is covered by two different licenses: MIT and Apache.

MIT License

The following files were ported to Go from C files of libyaml, and thus
are still covered by their original MIT license, with the additional
copyright staring in 2011 when the project was ported over:

  apic.go emitterc.go parserc.go readerc.go scannerc.go
  writerc.go yamlh.go yamlprivateh.go

Copyright (c) 2006-2010 Kirill Simonov
Copyright (c) 2006-2011 Kirill Simonov

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do

so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

Apache License

All the remaining project files are covered by the Apache license:

Copyright (c) 2011-2019 Canonical Ltd

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
MIT License

Copyright (c) 2021 Go kit

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Mozilla Public License, version 2.0

1. Definitions

1.1. "Contributor"

   means each individual or legal entity that creates, contributes to the
   creation of, or owns Covered Software.

1.2. "Contributor Version"

   means the combination of the Contributions of others (if any) used by a
   Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

   means Covered Software of a particular Contributor.

1.4. "Covered Software"

   means Source Code Form to which the initial Contributor has attached the
   notice in Exhibit A, the Executable Form of such Source Code Form, and
   Modifications of such Source Code Form, in each case including portions
   thereof.

1.5. "Incompatible With Secondary Licenses"
   means

   a. that the initial Contributor has attached the notice described in
      Exhibit B to the Covered Software; or

   b. that the Covered Software was made available under the terms of
      version 1.1 or earlier of the License, but not also under the terms of
      a Secondary License.

1.6. "Executable Form"

   means any form of the work other than Source Code Form.

1.7. "Larger Work"

   means a work that combines Covered Software with other material, in a
   separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether
at the time of the initial grant or subsequently, any and all of the
rights conveyed by this License.

1.10. "Modifications"

means any of the following:

a. any file in Source Code Form that results from an addition to,
deletion from, or modification of the contents of Covered Software; or

b. any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method,
process, and apparatus claims, in any patent Licensable by such
Contributor that would be infringed, but for the grant of the License,
by the making, using, selling, offering for sale, having made, import,
or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser
General Public License, Version 2.1, the GNU Affero General Public
License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this
License. For legal entities, "You" includes any entity that controls, is
controlled by, or is under common control with You. For purposes of this
definition, "control" means (a) the power, direct or indirect, to cause
the direction or management of such entity, whether by contract or
otherwise, or (b) ownership of more than fifty percent (50%) of the
outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

a. under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

a. for any code that a Contributor has removed from Covered Software; or

b. for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this

License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

a. such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

b. You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6. Disclaimer of Warranty

Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been

informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that

such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the
terms of the Mozilla Public License, v.
2.0. If a copy of the MPL was not
distributed with this file, You can
obtain one at
http://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible
With Secondary Licenses", as defined by
the Mozilla Public License, v. 2.0.
This is the official list of people who can contribute
(and typically have contributed) code to the repository.
The AUTHORS file lists the copyright holders; this file
lists people. For example, Google employees are listed here
but not in AUTHORS, because Google holds the copyright.
#
The submission process automatically checks to make sure
that people submitting code are listed in this file (by email address).
#
Names should be added to this file only after verifying that
the individual or the individual's organization has agreed to
the appropriate Contributor License Agreement, found here:
#
https://cla.developers.google.com/about/google-individual
https://cla.developers.google.com/about/google-corporate
#
The CLA can be filled out on the web:
#
https://cla.developers.google.com/

#
When adding J Random Contributor's name to this file,
either J's name or J's organization's name should be
added to the AUTHORS file, depending on whether the
individual or corporate CLA was used.

Names should be added to this file like so:
Name <email address>
#
An entry with two email addresses specifies that the
first address should be used in the submit logs and
that the second address should be recognized as the
same person when interacting with Rietveld.

Please keep the list sorted.

Alain Vongsouvanhalainv <alainv@google.com>
Andrew Gerrand <adg@golang.org>
Brad Fitzpatrick <bradfitz@golang.org>
Eric Koleda <ekoleda+devrel@googlers.com>
Francesc Campoy <campoy@golang.org>
Garrick Evans <garrick@google.com>
Glenn Lewis <gmlewis@google.com>
Ivan Krasin <krasin@golang.org>
Jason Hall <jasonhall@google.com>
Johan Euphrosine <proppy@google.com>
Kostik Shtoyk <kostik@google.com>
Kunpei Sakai <namusyaka@gmail.com>
Matthew Dolan <dolan@lightstep.com>
Matthew Whisenhunt <matt.whisenhunt@gmail.com>
Michael McGreevy <mcgreevy@golang.org>
Nick Craig-Wood <nickcw@gmail.com>
Robbie Trencheny <me@robbiet.us>
Ross Light <light@google.com>
Sarah Adams <shadams@google.com>
Scott Van Woudenberg <scottvw@google.com>
Takashi Matsuo <tmatsuo@google.com>

documentation and/or other materials provided with the distribution.

The names of its contributors may not be used to endorse or promote
products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED
TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright (c) 2016 Felix Geisendrfer (felix@debuggable.com)

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
Copyright (c) 2005-2008 Dustin Sallings <dustin@spy.net>

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

<http://www.opensource.org/licenses/mit-license.php>
The MIT License (MIT)

Copyright (c) 2015 Michael McLoughlin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
The MIT License (MIT)

Copyright (c) 2013 Fatih Arslan

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN

Anton Povarov <anton.povarov@gmail.com>
Brian Goff <cpuguy83@gmail.com>
Clayton Coleman <ccoleman@redhat.com>
Denis Smirnov <denis.smirnov.91@gmail.com>
DongYun Kang <ceram1000@gmail.com>
Dwayne Schultz <dschultz@pivotal.io>
Georg Apitz <gapitz@pivotal.io>
Gustav Paul <gustav.paul@gmail.com>
Johan Brandhorst <johan.brandhorst@gmail.com>
John Shahid <jvshahid@gmail.com>
John Tuley <john@tuley.org>
Laurent <laurent@adyoulike.com>
Patrick Lee <patrick@dropbox.com>
Peter Edge <peter.edge@gmail.com>

Roger Johansson <rogeralsing@gmail.com>

Sam Nguyen <sam.nguyen@sendgrid.com>

Sergio Arbeo <serabe@gmail.com>

Stephen J Day <stephen.day@docker.com>

Tamir Duberstein <tamird@gmail.com>

Todd Eisenberger <teisenberger@dropbox.com>

Tormod Erevik Lea <tormodlea@gmail.com>

Vyacheslav Kim <kane@sendgrid.com>

Walter Schulze <awalterschulze@gmail.com>

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and
       attribution notices from the Source form of the Work,
       excluding those notices that do not pertain to any part of
       the Derivative Works; and

   (d) If the Work includes a "NOTICE" text file as part of its
       distribution, then any Derivative Works that You distribute must
       include a readable copy of the attribution notices contained
       within such NOTICE file, excluding those notices that do not
       pertain to any part of the Derivative Works, in at least one
       of the following places: within a NOTICE text file distributed
       as part of the Derivative Works; within the Source form or
       documentation, if provided along with the Derivative Works; or,
       within a display generated by the Derivative Works, if and
       wherever such third-party notices normally appear. The contents
       of the NOTICE file are for informational purposes only and
       do not modify the License. You may add Your own attribution
       notices within Derivative Works that You distribute, alongside
       or as an addendum to the NOTICE text from the Work, provided
       that such additional attribution notices cannot be construed
       as modifying the License.

   You may add Your own copyright statement to Your modifications and
   may provide additional or different license terms and conditions
   for use, reproduction, or distribution of Your modifications, or
   for any such Derivative Works as a whole, provided Your use,
   reproduction, and distribution of the Work otherwise complies with
   the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "{}"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright (c) 2018-2020, Dmitrij Koniajev (dimchansky@gmail.com)

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
MIT License

Copyright (c) 2017 Sean Chittenden
Copyright (c) 2016 Alex Dadgar

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

=====

Bits of Go-lang's `once.Do()` were cribbed and reused here, too.

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
  * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
// Copyright 2015 go-swagger maintainers
//
// Licensed under the Apache License, Version 2.0 (the "License");
// you may not use this file except in compliance with the License.
// You may obtain a copy of the License at
//
//   http://www.apache.org/licenses/LICENSE-2.0
//
// Unless required by applicable law or agreed to in writing, software
// distributed under the License is distributed on an "AS IS" BASIS,
// WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
// See the License for the specific language governing permissions and
// limitations under the License.

package spec

import (
 "encoding/json"

 "github.com/go-openapi/swag"
)

// License information for the exposed API.
//

```go
// For more information: http://goo.gl/8us55a#licenseObject
type License struct {
 LicenseProps
 VendorExtensible
 }

// LicenseProps holds the properties of a License object
type LicenseProps struct {
 Name string `json:"name,omitempty"`
 URL  string `json:"url,omitempty"`
 }

// UnmarshalJSON hydrates License from json
func (l *License) UnmarshalJSON(data []byte) error {
 if err := json.Unmarshal(data, &l.LicenseProps); err != nil {
  return err
 }
 return json.Unmarshal(data, &l.VendorExtensible)
 }

// MarshalJSON produces License as json
func (l License) MarshalJSON() ([]byte, error) {
 b1, err := json.Marshal(l.LicenseProps)
 if err != nil {
  return nil, err
 }
 b2, err := json.Marshal(l.VendorExtensible)
 if err != nil {
  return nil, err
 }
 return swag.ConcatJSON(b1, b2), nil
 }
```
CoreOS Project

Copyright 2014 CoreOS, Inc

This product includes software developed at CoreOS, Inc.
(http://www.coreos.com/).

1.252 futures 3.1.1

1.252.1 Available under license :

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2
----

1. This LICENSE AGREEMENT is between the Python Software Foundation
("PSF"), and the Individual or Organization ("Licensee") accessing and
otherwise using this software ("Python") in source or binary form and

its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF
hereby grants Licensee a nonexclusive, royalty-free, world-wide
license to reproduce, analyze, test, perform and/or display publicly,
prepare derivative works, distribute, and otherwise use Python
alone or in any derivative version, provided, however, that PSF's
License Agreement and PSF's notice of copyright, i.e., "Copyright (c)
2001, 2002, 2003, 2004, 2005, 2006 Python Software Foundation; All Rights
Reserved" are retained in Python alone or in any derivative version
prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on
or incorporates Python or any part thereof, and wants to make
the derivative work available to others as provided herein, then
Licensee hereby agrees to include in any such work a brief summary of
the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS"
basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON
FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS
A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON,
OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material
breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any
relationship of agency, partnership, or joint venture between PSF and
Licensee. This License Agreement does not grant permission to use PSF
trademarks or trade name in a trademark sense to endorse or promote
products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee
agrees to be bound by the terms and conditions of this License
Agreement.

1.253 ubuntu-keyring 2020.02.11.4

1.253.1 Available under license :

This is Ubuntu GNU's GnuPG keyrings of archive keys.

This package was originally put together by Michael Vogt
<michael.vogt@canonical.com>

The keys in the keyrings don't fall under any copyright. Everything
else in the package is covered by the GNU GPL.

Ubuntu support files Copyright (C) 2004 Michael Vogt <michael.vogt@canonical.com> based on the debian-keyring package maintained by James Troup

Ubuntu support files for ubuntu-keyring are free software; you can
redistribute them and/or modify them under the terms of the GNU
General Public License as published by the Free Software Foundation;
either version 2, or (at your option) any later version.

Ubuntu support files for ubuntu-keyring are distributed in the hope
that they will be useful, but WITHOUT ANY WARRANTY; without even the
implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR
PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License with
your Ubuntu system, in /usr/share/common-licenses/GPL, or with the
Ubuntu GNU ubuntu-keyring source package as the file COPYING. If not,
write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth
Floor, Boston, MA 02110-1301 USA.

1.254 jackc-pgconn 1.9.1-0.20210724152538-d89c8390a530

1.254.1 Available under license :

Copyright (c) 2019-2021 Jack Christensen

MIT License

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be

included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.255 prometheus-node-exporter 1.0.0-rc.0.0.20200428091818-01054558c289

1.255.1 Available under license :

Copyright (c) 2013 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

  * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
  * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
MIT License
==========

Copyright (C) 2017 Emanuele Rocca

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Copyright (c) 2016 Dominik Honnef

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
The MIT License (MIT)

Copyright (c) 2015 SoundCloud Ltd.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (C) 2013 Blake Mizerany

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

update-license

This is a small tool that updates the license header for Uber's open source Golang files.

Installation

```
go get go.uber.org/tools/update-license
```

Usage

```
update-license go_files...
```

Further Work

* Support more licenses by name (MIT, Apache 2.0, etc), file path, url (http GET)
* Support custom owner (not just "Uber Technologies, Inc.")
* Support more languages than go (cover go, java, js, py to start, along with LICENSE, LICENSE.txt)

* Talk about removing custom logic for header comments (ie `@generated`, `Code generated by`), it probably makes more sense just to put the license at the top
* Better detection support for existing licenses so they can be removed
* Verbose, dry run support
Copyright (c) 2016 Uber Technologies, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
The MIT License (MIT)

Copyright (c) 2013 TOML authors

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A

PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Staticcheck and its related tools make use of third party projects, either by reusing their code, or by statically linking them into resulting binaries. These projects are:

* The Go Programming Language - https://golang.org/

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

   * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
   * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

* github.com/BurntSushi/toml - https://github.com/BurntSushi/toml

The MIT License (MIT)

Copyright (c) 2013 TOML authors

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

* github.com/google/renameio - https://github.com/google/renameio

Copyright 2018 Google Inc.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

    http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

* github.com/kisielk/gotool https://github.com/kisielk/gotool

Copyright (c) 2013 Kamil Kisiel <kamil@kamilkisiel.net>

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including

without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

All the files in this distribution are covered under either the MIT
license (see the file LICENSE) except some files mentioned below.

match.go, match_test.go:

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
  * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

* github.com/rogpeppe/go-internal - https://github.com/rogpeppe/go-internal

* golang.org/x/mod/module - https://github.com/golang/mod

contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

* golang.org/x/tools/go/analysis - https://github.com/golang/tools

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

   * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
   * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright 2012 Matt T. Proud (matt.proud@gmail.com)
Copyright (c) 2015, Dave Cheney <dave@cheney.net>
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
 list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice,
 this list of conditions and the following disclaimer in the documentation
 and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
The following files were ported to Go from C files of libyaml, and thus
are still covered by their original copyright and license:

  apic.go
  emitterc.go
  parserc.go
  readerc.go
  scannerc.go
  writerc.go
  yamlh.go
  yamlprivateh.go

Copyright (c) 2006 Kirill Simonov

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

Brett Vickers (beevik)

Mikhail Salosin (AlphaB)

Anton Tolchanov (knyar)

Christopher Batey (chbatey)

Meng Zhuo (mengzhuo)

Leonid Evdokimov (darkk)

Ask Bjrn Hansen (abh)

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
  * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and
distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright
owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities
that control, are controlled by, or are under common control with that entity.
For the purposes of this definition, "control" means (i) the power, direct or
indirect, to cause the direction or management of such entity, whether by
contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising
permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License.

Subject to the terms and conditions of this License, each Contributor hereby

grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution.

You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and
You must cause any modified files to carry prominent notices stating that You changed the files; and
You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.
You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions.

Unless You explicitly state otherwise, any Contribution intentionally submitted

for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks.

This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty.

Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability.

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability.

While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate
notice, with the fields enclosed by brackets "[]" replaced with your own
identifying information. (Don't include the brackets!) The text should be
enclosed in the appropriate comment syntax for the file format. We also
recommend that a file or class name and description of purpose be included on
the same "printed page" as the copyright notice for easier identification within
third-party archives.

   Copyright [yyyy] [name of copyright owner]

   Licensed under the Apache License, Version 2.0 (the "License");
   you may not use this file except in compliance with the License.
   You may obtain a copy of the License at

     http://www.apache.org/licenses/LICENSE-2.0

   Unless required by applicable law or agreed to in writing, software
   distributed under the License is distributed on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
   See the License for the specific language governing permissions and
   limitations under the License.
Data model artifacts for Prometheus.
Copyright 2012-2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (http://soundcloud.com/).
The MIT License (MIT)

Copyright (c) 2017 Yasuhiro Matsumoto

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2017 Uber Technologies, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2016 Caleb Spare

MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Prometheus instrumentation library for Go applications
Copyright 2012-2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (http://soundcloud.com/).

The following components are included in this product:

perks - a fork of https://github.com/bmizerany/perks
https://github.com/beorn7/perks
Copyright 2013-2015 Blake Mizerany, Bjrn Rabenstein
See https://github.com/beorn7/perks/blob/master/README.md for license details.

Go support for Protocol Buffers - Google's data interchange format
http://github.com/golang/protobuf/
Copyright 2010 The Go Authors
See source code for license details.

Support for streaming Protocol Buffer messages for the Go language (golang).
https://github.com/matttproud/golang_protobuf_extensions
Copyright 2013 Matt T. Proud
Licensed under the Apache License, Version 2.0
CoreOS Project
Copyright 2018 CoreOS, Inc

This product includes software developed at CoreOS, Inc.
(http://www.coreos.com/).
procfs provides functions to retrieve system, kernel and process
metrics from the pseudo-filesystem proc.

Copyright 2014-2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (http://soundcloud.com/).
// Copyright (c) 2019 Uber Technologies, Inc.
//
// Permission is hereby granted, free of charge, to any person obtaining a copy
// of this software and associated documentation files (the "Software"), to deal
// in the Software without restriction, including without limitation the rights
// to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
// copies of the Software, and to permit persons to whom the Software is
// furnished to do so, subject to the following conditions:
//
// The above copyright notice and this permission notice shall be included in
// all copies or substantial portions of the Software.
//
// THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
// IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
// FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
// AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
// LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
// OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN

```go
// THE SOFTWARE.

package main

var licenseTemplates = map[string]string{
 "Apache-2.0": `// Copyright {{.Year}} {{.Owner}}
//
// Licensed under the Apache License, Version 2.0 (the "License");
// you may not use this file except in compliance with the License.
// You may obtain a copy of the License at
//
//    http://www.apache.org/licenses/LICENSE-2.0
//
// Unless required by applicable law or agreed to in writing, software
// distributed under the License is distributed on an "AS IS" BASIS,
// WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
// See the License for the specific language governing permissions and
// limitations under the License.`,
 "MIT": `// Copyright (c) {{.Year}} {{.Owner}}
//
// Permission is hereby granted, free of charge, to any person obtaining a copy
// of this software and associated documentation files (the "Software"), to deal
// in the Software without restriction, including without limitation the rights
// to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
// copies of the Software, and to permit persons to whom the Software is
// furnished to do so, subject to the following conditions:
//
// The above copyright notice and this permission notice shall be included in
// all copies or substantial portions of the Software.
//
// THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
// IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
// FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
// AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
// LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
// OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
// THE SOFTWARE.`,
}
```

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED
TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

<div align="center">

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

</div>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "{}"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Common libraries shared by Prometheus Go components.
Copyright 2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (http://soundcloud.com/).
Copyright (C) 2014 Alec Thomas

The MIT License (MIT)

Copyright (c) 2019 Daniel Hodges

MIT License
===========

Configurable modular Prometheus exporter for various node metrics.

This product includes software developed at
SoundCloud Ltd. (http://soundcloud.com/).

The following components are included in this product:

wifi
https://github.com/mdlayher/wifi

netlink
https://github.com/mdlayher/netlink

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. Copyright 2010 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

   * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
   * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. The MIT License (MIT)

Copyright (c) 2015 go-logfmt

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
MIT License
===========

Copyright (C) 2016-2017 Matt Layher

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated
documentation files (the "Software"), to deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit
persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the
Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,
INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A
PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN
AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
This source code was written by the Go contributors.
The master list of contributors is in the main Go distribution,
visible at http://tip.golang.org/CONTRIBUTORS.
MIT License
===========

Copyright (C) 2016-2019 Matt Layher

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated
documentation files (the "Software"), to deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit
persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the
Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,

INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A
PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN
AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
BSD 3-Clause License

Copyright (c) 2017, kadota kyohei
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
  list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.

* Neither the name of the copyright holder nor the names of its
  contributors may be used to endorse or promote products derived from
  this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.256 libcap-ng 0.7.9 2.1build1

1.256.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

 This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations
below.

 When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

 To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

 For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

 We protect your rights with a two-step method: (1) we copyright the
library, and (2) we offer you this license, which gives you legal
permission to copy, distribute and/or modify the library.

 To protect each distributor, we want to make it very clear that
there is no warranty for the free library. Also, if the library is
modified by someone else and passed on, the recipients should know
that what they have is not the original version, so that the original

author's reputation will not be affected by problems that might be introduced by others.
^L
 Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

 Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

 When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

 We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

 For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes
a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

 In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the
users' freedom, it does ensure that the user of a program that is
linked with the Library has the freedom and the wherewithal to run
that program using a modified version of the Library.

 The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, whereas the latter must
be combined with the library in order to run.
^L
GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License Agreement applies to any software library or other
program which contains a notice placed by the copyright holder or
other authorized party saying it may be distributed under the terms of
this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

 A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

 The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated
straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

 "Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means
all the source code for all modules it contains, plus any associated
interface definition files, plus the scripts used to control
compilation
and installation of the library.

 Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running a program using the Library is not restricted, and output from
such a program is covered only if its contents constitute a work based
on the Library (independent of the use of the Library in a tool for
writing it). Whether that is true depends on what the Library does
and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the

entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.
^L
 Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

 4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

 5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.
^L
6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood

that the user who changes the contents of definitions files in the
Library will not necessarily be able to recompile the application
to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the
Library. A suitable mechanism is one that (1) uses at run time a
copy of the library already present on the user's computer system,
rather than copying library functions into the executable, and (2)
will operate properly with a modified version of the library, if
the user installs one, as long as the modified version is
interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at
least three years, to give the same user the materials
specified in Subsection 6a, above, for a charge no more
than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy
from a designated place, offer equivalent access to copy the above
specified materials from the same place.

e) Verify that the user has already received a copy of these
materials or that you have already sent this user a copy.

 For an executable, the required form of the "work that uses the
Library" must include any data and utility programs needed for
reproducing the executable from it. However, as a special exception,
the materials to be distributed need not include anything that is
normally distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies
the executable.

 It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.
^L
 7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

 a) Accompany the combined library with a copy of the same work
based on the Library, uncombined with any other library

facilities. This must be distributed under the terms of the
Sections above.

b) Give prominent notice with the combined library of the fact
that part of it is a work based on the Library, and explaining
where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties with
this License.
^L
11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to
apply, and the section as a whole is intended to apply in other

circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

  12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License
may add an explicit geographical distribution limitation excluding those
countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

  13. The Free Software Foundation may publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.
^L
  14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

                    NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS
^L
How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

    <one line to give the library's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This library is free software; you can redistribute it and/or
    modify it under the terms of the GNU Lesser General Public
    License as published by the Free Software Foundation; either
    version 2 of the License, or (at your option) any later version.

    This library is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper
mail.

You should also get your employer (if you work as a programmer) or
your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James
Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

                  GNU LESSER GENERAL PUBLIC LICENSE
                      Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

(This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.)

                  Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better

strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of

this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

 A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

 The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated
straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

 "Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means
all the source code for all modules it contains, plus any associated
interface definition files, plus the scripts used to control compilation
and installation of the library.

 Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running a program using the Library is not restricted, and output from
such a program is covered only if its contents constitute a work based
on the Library (independent of the use of the Library in a tool for
writing it). Whether that is true depends on what the Library does
and what the program that uses the Library does.

 1. You may copy and distribute verbatim copies of the Library's
complete source code as you receive it, in any medium, provided that
you conspicuously and appropriately publish on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact
all the notices that refer to this License and to the absence of any
warranty; and distribute a copy of this License along with the
Library.

 You may charge a fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a
fee.

 2. You may modify your copy or copies of the Library or any portion
of it, thus forming a work based on the Library, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices
stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no
charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a
table of data to be supplied by an application program that uses
the facility, other than as an argument passed when the facility
is invoked, then you must make a good faith effort to ensure that,
in the event an application does not supply such function or
table, the facility still operates, and performs whatever part of
its purpose remains meaningful.

(For example, a function in a library to compute square roots has
a purpose that is entirely well-defined independent of the
application. Therefore, Subsection 2d requires that any
application-supplied function or table used by this function must
be optional: if the application does not supply it, the square
root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Library,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify

that version instead if you wish.) Do not make any other change in
these notices.

 Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

 4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

 5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

 However, linking a "work that uses the Library" with the Library
creates an executable that is a derivative of the Library (because it
contains portions of the Library), rather than a "work that uses the
library". The executable is therefore covered by this License.
Section 6 states terms for distribution of such executables.

 When a "work that uses the Library" uses material from a header file
that is part of the Library, the object code for the work may be a
derivative work of the Library even though the source code is not.
Whether this is true is especially significant if the work can be
linked without the Library, or if the work is itself a library. The
threshold for this to be true is not precisely defined by law.

 If such an object file uses only numerical parameters, data
structure layouts and accessors, and small macros and small inline
functions (ten lines or less in length), then the use of the object
file is unrestricted, regardless of whether it is legally a derivative
work. (Executables containing this object code plus portions of the
Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

 6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

 You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

 a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

 b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

 c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

 d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above

specified materials from the same place.

    e) Verify that the user has already received a copy of these
    materials or that you have already sent this user a copy.

  For an executable, the required form of the "work that uses the
Library" must include any data and utility programs needed for
reproducing the executable from it. However, as a special exception,
the materials to be distributed need not include anything that is
normally distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies
the executable.

  It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.

  7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

    a) Accompany the combined library with a copy of the same work
    based on the Library, uncombined with any other library
    facilities. This must be distributed under the terms of the
    Sections above.

    b) Give prominent notice with the combined library of the fact
    that part of it is a work based on the Library, and explaining
    where to find the accompanying uncombined form of the same work.

  8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

  9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by

modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

 10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties with
this License.

 11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply,
and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

 12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,

so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

 If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

 To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

    {description}
    Copyright (C) {year} {fullname}

    This library is free software; you can redistribute it and/or
    modify it under the terms of the GNU Lesser General Public
    License as published by the Free Software Foundation; either
    version 2.1 of the License, or (at your option) any later version.

    This library is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
    Lesser General Public License for more details.

    You should have received a copy of the GNU Lesser General Public
    License along with this library; if not, write to the Free Software
    Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301
    USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the
 library `Frob' (a library for tweaking knobs) written by James Random
 Hacker.

 {signature of Ty Coon}, 1 April 1990
 Ty Coon, President of Vice

That's all there is to it!

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Library General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

 The precise terms and conditions for copying, distribution and
modification follow.

   GNU GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion
of it, thus forming a work based on the Program, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices
   stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

 3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete

machine-readable copy of the corresponding source code, to be
distributed under the terms of Sections 1 and 2 above on a medium
customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer
to distribute corresponding source code. (This alternative is
allowed only for noncommercial distribution and only if you
received the program in object code or executable form with such
an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering
access to copy from a designated place, then offering equivalent
access to copy the source code from the same place counts as
distribution of the source code, even though third parties are not
compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense or distribute the Program is
void, and will automatically terminate your rights under this License.
However, parties who have received copies, or rights, from you under
this License will not have their licenses terminated so long as such
parties remain in full compliance.

 5. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Program or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Program (or any work based on the
Program), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the
Program), the recipient automatically receives a license from the
original licensor to copy, distribute or modify the Program subject to
these terms and conditions. You may not impose any further

restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties to
this License.

 7. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Program at all. For example, if a patent
license would not permit royalty-free redistribution of the Program by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to
apply and the section as a whole is intended to apply in other
circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system, which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

 8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

 10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

   NO WARRANTY

 11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

 12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

   END OF TERMS AND CONDITIONS

  How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest

to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program; if not, write to the Free Software
    Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

    Gnomovision version 69, Copyright (C) year name of author
    Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

  Yoyodyne, Inc., hereby disclaims all copyright interest in the program
  `Gnomovision' (which makes passes at compilers) written by James Hacker.

  <signature of Ty Coon>, 1 April 1989
  Ty Coon, President of Vice

This General Public License does not permit incorporating your program into

proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

1.257 python3.8 3.8.10-0ubuntu1~20.04.5

1.257.1 Available under license :

Copyright (c) 2002 Jorge Acereda <jacereda@users.sourceforge.net> &
     Peter O'Gorman <ogorman@users.sourceforge.net>

Portions may be copyright others, see the AUTHORS file included with this
distribution.

Maintained by Peter O'Gorman <ogorman@users.sourceforge.net>

Bug Reports and other queries should go to <ogorman@users.sourceforge.net>

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Additional Conditions for this Windows binary build

This program is linked with and uses Microsoft Distributable Code,
copyrighted by Microsoft Corporation. The Microsoft Distributable Code
is embedded in each .exe, .dll and .pyd file as a result of running
the code through a linker.

If you further distribute programs that include the Microsoft Distributable Code, you must comply with the restrictions on distribution specified by Microsoft. In particular, you must require distributors and external end users to agree to terms that protect the Microsoft Distributable Code at least as much as Microsoft's own requirements for the Distributable Code. See Microsoft's documentation (included in its developer tools and on its website at microsoft.com) for specific details.

Redistribution of the Windows binary build of the Python interpreter complies with this agreement, provided that you do not:

- alter any copyright, trademark or patent notice in Microsoft's Distributable Code;

- use Microsoft's trademarks in your programs' names or in a way that suggests your programs come from or are endorsed by Microsoft;

- distribute Microsoft's Distributable Code to run on a platform other than Microsoft operating systems, run-time technologies or application platforms; or

- include Microsoft Distributable Code in malicious, deceptive or unlawful programs.

These restrictions apply only to the Microsoft Distributable Code as defined above, not to Python itself or any programs running on the Python interpreter. The redistribution of the Python interpreter and libraries is governed by the Python Software License included with this file, or by other licenses as marked.

A. HISTORY OF THE SOFTWARE
==========================

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see http://www.cwi.nl) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see http://www.cnri.reston.va.us) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations, which became Zope Corporation. In 2001, the Python Software Foundation (PSF, see https://www.python.org/psf/) was formed, a non-profit organization

created specifically to own Python-related Intellectual Property.
Zope Corporation was a sponsoring member of the PSF.

All Python releases are Open Source (see http://www.opensource.org for
the Open Source Definition). Historically, most, but not all, Python
releases have also been GPL-compatible; the table below summarizes
the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under
    the GPL. All Python licenses, unlike the GPL, let you distribute
    a modified version without making your changes open source. The
    GPL-compatible licenses make it possible to combine Python with
    other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible,
    because its license has a choice of law clause. According to
    CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1
    is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's
direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON
===

Python software and documentation are licensed under the
Python Software Foundation License Version 2.

Starting with Python 3.8.6, examples, recipes, and other code in
the documentation are dual licensed under the PSF License Version 2

---

and the Zero-Clause BSD license.

Some software incorporated into Python is under different licenses.
The licenses are listed with code falling under that license.

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2
----

1. This LICENSE AGREEMENT is between the Python Software Foundation
("PSF"), and the Individual or Organization ("Licensee") accessing and
otherwise using this software ("Python") in source or binary form and
its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby
grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce,
analyze, test, perform and/or display publicly, prepare derivative works,
distribute, and otherwise use Python alone or in any derivative version,
provided, however, that PSF's License Agreement and PSF's notice of copyright,
i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010,
2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022 Python Software Foundation;
All Rights Reserved" are retained in Python alone or in any derivative version
prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on
or incorporates Python or any part thereof, and wants to make
the derivative work available to others as provided herein, then
Licensee hereby agrees to include in any such work a brief summary of
the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS"
basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON
FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS
A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON,
OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material
breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any
relationship of agency, partnership, or joint venture between PSF and
Licensee. This License Agreement does not grant permission to use PSF

trademarks or trade name in a trademark sense to endorse or promote
products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee
agrees to be bound by the terms and conditions of this License
Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an
office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the
Individual or Organization ("Licensee") accessing and otherwise using
this software in source or binary form and its associated
documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License
Agreement, BeOpen hereby grants Licensee a non-exclusive,
royalty-free, world-wide license to reproduce, analyze, test, perform
and/or display publicly, prepare derivative works, distribute, and
otherwise use the Software alone or in any derivative version,
provided, however, that the BeOpen Python License is retained in the
Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS"
basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE
SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS
AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY
DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material
breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all
respects by the law of the State of California, excluding conflict of
law provisions. Nothing in this License Agreement shall be deemed to
create any relationship of agency, partnership, or joint venture
between BeOpen and Licensee. This License Agreement does not grant
permission to use BeOpen trademarks or trade names in a trademark

sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at http://www.pythonlabs.com/logos.html may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1
----

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: http://hdl.handle.net/1895.22/1013".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

    ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE
FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ZERO-CLAUSE BSD LICENSE FOR CODE IN THE PYTHON DOCUMENTATION

Permission to use, copy, modify, and/or distribute this software for any
purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH
REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT,
INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM
LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR
OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THIS SOFTWARE.
X Window System License - X11R6.4

Copyright (c) 1998 The Open Group

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall
not be used in advertising or otherwise to promote the sale, use or
other dealings in this Software without prior written authorization
from The Open Group.

X Window System is a trademark of The Open Group
libffi - Copyright (c) 1996-2003 Red Hat, Inc.

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
``Software''), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED ``AS IS'', WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL CYGNUS SOLUTIONS BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.
Copyright (c) 1998-2000 Thai Open Source Software Center Ltd and Clark Cooper
Copyright (c) 2001-2019 Expat maintainers

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
This license applies to the bootstrapper application that is embedded within the installer. It has no impact on the
licensing for the rest of the installer or Python itself, as no code covered by this license exists in any other part of the
product.

Microsoft Reciprocal License (MS-RL)

This license governs use of the accompanying software. If you use the software, you accept this license. If you do not accept the license, do not use the software.

1. Definitions

The terms "reproduce," "reproduction," "derivative works," and "distribution" have the same meaning here as under U.S. copyright law.

A "contribution" is the original software, or any additions or changes to the software.

A "contributor" is any person that distributes its contribution under this license.

"Licensed patents" are a contributor's patent claims that read directly on its contribution.

2. Grant of Rights

(A) Copyright Grant- Subject to the terms of this license, including the license conditions and limitations in section 3, each contributor grants you a non-exclusive, worldwide, royalty-free copyright license to reproduce its contribution, prepare derivative works of its contribution, and distribute its contribution or any derivative works that you create.

(B) Patent Grant- Subject to the terms of this license, including the license conditions and limitations in section 3, each contributor grants you a non-exclusive, worldwide, royalty-free license under its licensed patents to make, have made, use, sell, offer for sale, import, and/or otherwise dispose of its contribution in the software or derivative works of the contribution in the software.

3. Conditions and Limitations

(A) Reciprocal Grants- For any file you distribute that contains code from the software (in source code or binary format), you must provide recipients the source code to that file along with a copy of this license, which license will govern that file. You may license other files that are entirely your own work and do not contain code from the software under any terms you choose.

(B) No Trademark License- This license does not grant you rights to use any contributors' name, logo, or trademarks.

(C) If you bring a patent claim against any contributor over patents that you claim are infringed by the software, your patent license from such contributor to the software ends automatically.

(D) If you distribute any portion of the software, you must retain all copyright, patent, trademark, and attribution notices that are present in the software.

(E) If you distribute any portion of the software in source code form, you may do so only under this license by including a complete copy of this license with your distribution. If you distribute any portion of the software in compiled or object code form, you may only do so under a license that complies with this license.

(F) The software is licensed "as-is." You bear the risk of using it. The contributors give no express warranties, guarantees or conditions. You may have additional consumer rights under your local laws which this license cannot change. To the extent permitted under your local laws, the contributors exclude the implied warranties of merchantability, fitness for a particular purpose and non-infringement.

1.258 berkeley-db 5.3.28+dfsg1-0.6ubuntu2

1.258.1 Available under license :

Copyright (c) 1996, 2013 Oracle and/or its affiliates. All rights reserved.

See the file LICENSE for redistribution information.

This software is copyrighted by Christian Werner <chw@ch-werner.de>

and other authors. The following terms apply to all files associated

with the software unless explicitly disclaimed in individual files.

The authors hereby grant permission to use, copy, modify, distribute,

and license this software and its documentation for any purpose, provided

that existing copyright notices are retained in all copies and that this

notice is included verbatim in any distributions. No written agreement,

license, or royalty fee is required for any of the authorized uses.

Modifications to this software may be copyrighted by their authors

and need not follow the licensing terms described here, provided that

the new terms are clearly indicated on the first page of each file where

they apply.

IN NO EVENT SHALL THE AUTHORS OR DISTRIBUTORS BE LIABLE TO ANY PARTY

FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES

ARISING OUT OF THE USE OF THIS SOFTWARE, ITS DOCUMENTATION, OR ANY

DERIVATIVES THEREOF, EVEN IF THE AUTHORS HAVE BEEN ADVISED OF THE

POSSIBILITY OF SUCH DAMAGE.

THE AUTHORS AND DISTRIBUTORS SPECIFICALLY DISCLAIM ANY WARRANTIES,

INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT. THIS SOFTWARE

IS PROVIDED ON AN "AS IS" BASIS, AND THE AUTHORS AND DISTRIBUTORS HAVE

NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR

MODIFICATIONS.

This software is copyrighted by Christian Werner <chw@ch-werner.de> and others.

The following terms apply to all files associated with the software

unless explicitly disclaimed in individual files.

The authors hereby grant permission to use, copy, modify, distribute,

and license this software and its documentation for any purpose, provided

that existing copyright notices are retained in all copies and that this

notice is included verbatim in any distributions. No written agreement,

license, or royalty fee is required for any of the authorized uses.

Modifications to this software may be copyrighted by their authors

and need not follow the licensing terms described here, provided that

the new terms are clearly indicated on the first page of each file where

they apply.

IN NO EVENT SHALL THE AUTHORS OR DISTRIBUTORS BE LIABLE TO ANY PARTY

FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES

ARISING OUT OF THE USE OF THIS SOFTWARE, ITS DOCUMENTATION, OR ANY

DERIVATIVES THEREOF, EVEN IF THE AUTHORS HAVE BEEN ADVISED OF THE

POSSIBILITY OF SUCH DAMAGE.

THE AUTHORS AND DISTRIBUTORS SPECIFICALLY DISCLAIM ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT. THIS SOFTWARE IS PROVIDED ON AN "AS IS" BASIS, AND THE AUTHORS AND DISTRIBUTORS HAVE NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.
NOTE

The license is based on the zlib/libpng license. For more details see http://www.opensource.org/licenses/zlib-license.html. The intent of the license is to:

- keep the license as simple as possible
- encourage the use of CuTest in both free and commercial applications
  and libraries
- keep the source code together
- give credit to the CuTest contributors for their work

If you ship CuTest in source form with your source distribution, the following license document must be included with it in unaltered form. If you find CuTest useful we would like to hear about it.

LICENSE

Copyright (c) 2003 Asim Jalis

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.

2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.

3. This notice may not be removed or altered from any source distribution.
/*-
* Id
*/

The following is the license that applies to this copy of the Berkeley DB
software. For a license to use the Berkeley DB software under conditions
other than those described here, or to purchase support for this software,
please contact Oracle at berkeleydb-info_us@oracle.com.

=-=
/*
* Copyright (c) 1990, 2013 Oracle and/or its affiliates. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. Redistributions in any form must be accompanied by information on
*   how to obtain complete source code for the DB software and any
*   accompanying software that uses the DB software. The source code
*   must either be included in the distribution or be available for no
*   more than the cost of distribution plus a nominal fee, and must be
*   freely redistributable under reasonable conditions. For an
*   executable file, complete source code means the source code for all
*   modules it contains. It does not include source code for modules or
*   files that typically accompany the major components of the operating
*   system on which the executable file runs.
*
* THIS SOFTWARE IS PROVIDED BY ORACLE ``AS IS'' AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
* WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR
* NON-INFRINGEMENT, ARE DISCLAIMED. IN NO EVENT SHALL ORACLE BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
* BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
* WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
* OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
* IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/
/*
* Copyright (c) 1990, 1993, 1994, 1995
* The Regents of the University of California. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

* 1. Redistributions of source code must retain the above copyright

*   notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

*   notice, this list of conditions and the following disclaimer in the

*   documentation and/or other materials provided with the distribution.

* 3. Neither the name of the University nor the names of its contributors

*   may be used to endorse or promote products derived from this software

*   without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND

* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE

* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS

* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT

* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY

* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

* SUCH DAMAGE.

*/

/*

* Copyright (c) 1995, 1996

* The President and Fellows of Harvard University. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

*   notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

*   notice, this list of conditions and the following disclaimer in the

*   documentation and/or other materials provided with the distribution.

* 3. Neither the name of the University nor the names of its contributors

*   may be used to endorse or promote products derived from this software

*   without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY HARVARD AND ITS CONTRIBUTORS ``AS IS'' AND

* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL HARVARD OR ITS CONTRIBUTORS BE LIABLE

* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS

* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT

* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY

* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

* SUCH DAMAGE.

```
*/
=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=-=
/***
* ASM: a very small and fast Java bytecode manipulation framework
* Copyright (c) 2000-2005 INRIA, France Telecom
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in the
*    documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
*    contributors may be used to endorse or promote products derived from
*    this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/
```

This package was debianized by Sam Clegg <samo@debian.org> on
Tue, 25 Jul 2006 11:43:45 +0100.

It was downloaded from <http://www.ch-werner.de/sqliteodbc/>

Upstream Author: Christian Werner <chw@ch-werner.de>

Copyright: Copyright (c) 2001-2011 Christian Werner <chw@ch-werner.de>
           OS/2 Port Copyright (c) 2004 Lorne R. Sunley <lsunley@mb.sympatico.ca>

License:

This software is copyrighted by Christian Werner <chw@ch-werner.de>
and other authors. The following terms apply to all files associated
with the software unless explicitly disclaimed in individual files.

The authors hereby grant permission to use, copy, modify, distribute,

and license this software and its documentation for any purpose, provided
that existing copyright notices are retained in all copies and that this
notice is included verbatim in any distributions. No written agreement,
license, or royalty fee is required for any of the authorized uses.
Modifications to this software may be copyrighted by their authors
and need not follow the licensing terms described here, provided that
the new terms are clearly indicated on the first page of each file where
they apply.

IN NO EVENT SHALL THE AUTHORS OR DISTRIBUTORS BE LIABLE TO ANY PARTY
FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES
ARISING OUT OF THE USE OF THIS SOFTWARE, ITS DOCUMENTATION, OR ANY
DERIVATIVES THEREOF, EVEN IF THE AUTHORS HAVE BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

THE AUTHORS AND DISTRIBUTORS SPECIFICALLY DISCLAIM ANY WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT. THIS SOFTWARE
IS PROVIDED ON AN "AS IS" BASIS, AND THE AUTHORS AND DISTRIBUTORS HAVE
NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR
MODIFICATIONS.

The Debian packaging is (C) 2006, Sam Clegg <samo@debian.org> and
is licensed under the GPL-3, see `/usr/share/common-licenses/GPL-3'.

1.259 systemd 245.4 4ubuntu3.15

1.259.1 Available under license :

// Copyright 2014 The Chromium OS Authors. All rights reserved.
//
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions are
// met:
//
//   * Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
//   * Redistributions in binary form must reproduce the above
// copyright notice, this list of conditions and the following disclaimer
// in the documentation and/or other materials provided with the
// distribution.
//   * Neither the name of Google Inc. nor the names of its
// contributors may be used to endorse or promote products derived from
// this software without specific prior written permission.
//
// THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
// "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
// LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

// A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
// OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
// SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
// LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
// DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
// THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
// (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
// OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

 We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,

distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion
of it, thus forming a work based on the Program, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices
stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in
whole or in part contains or is derived from the Program or any
part thereof, to be licensed as a whole at no charge to all third
parties under the terms of this License.

c) If the modified program normally reads commands interactively
when run, you must cause it, when started running for such
interactive use in the most ordinary way, to print or display an
announcement including an appropriate copyright notice and a
notice that there is no warranty (or else, saying that you provide
a warranty) and that users may redistribute the program under
these conditions, and telling the user how to view a copy of this
License. (Exception: if the Program itself is interactive but
does not normally print such an announcement, your work based on
the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable
source code, which must be distributed under the terms of Sections
1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three
years, to give any third party, for a charge no more than your
cost of physically performing source distribution, a complete
machine-readable copy of the corresponding source code, to be
distributed under the terms of Sections 1 and 2 above on a medium
customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer
to distribute corresponding source code. (This alternative is
allowed only for noncommercial distribution and only if you
received the program in object code or executable form with such
an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering
access to copy from a designated place, then offering equivalent
access to copy the source code from the same place counts as
distribution of the source code, even though third parties are not
compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense or distribute the Program is
void, and will automatically terminate your rights under this License.
However, parties who have received copies, or rights, from you under
this License will not have their licenses terminated so long as such
parties remain in full compliance.

 5. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Program or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Program (or any work based on the

Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding

those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

 10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

    NO WARRANTY

 11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

 12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

    END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License along
    with this program; if not, write to the Free Software Foundation, Inc.,
    51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

    Gnomovision version 69, Copyright (C) year name of author
    Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

 <signature of Ty Coon>, 1 April 1989
 Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: systemd
Upstream-Contact: systemd-devel@lists.freedesktop.org
Source: https://www.freedesktop.org/wiki/Software/systemd/

Files: *
Copyright: 2008-2015 Kay Sievers <kay@vrfy.org>
       2010-2015 Lennart Poettering
       2012-2015 Zbigniew Jdrzejewski-Szmek <zbyszek@in.waw.pl>
       2013-2015 Tom Gundersen <teg@jklm.no>
       2013-2015 Daniel Mack
       2010-2015 Harald Hoyer
       2013-2015 David Herrmann
       2013, 2014 Thomas H.P. Andersen
       2013, 2014 Daniel Buch
       2014 Susant Sahani
       2009-2015 Intel Corporation
       2000, 2005 Red Hat, Inc.
       2009 Alan Jenkins <alan-jenkins@tuffmail.co.uk>
       2010 ProFUSION embedded systems
       2010 Maarten Lankhorst
       1995-2004 Miquel van Smoorenburg
       1999 Tom Tromey
       2011 Michal Schmidt
       2012 B. Poettering
       2012 Holger Hans Peter Freyther
       2012 Dan Walsh
       2012 Roberto Sassu
       2013 David Strauss
       2013 Marius Vollmer
       2013 Jan Janssen
       2013 Simon Peeters
License: LGPL-2.1+

Files: src/basic/siphash24.h
    src/basic/siphash24.c
Copyright: 2012 Jean-Philippe Aumasson <jeanphilippe.aumasson@gmail.com>

2012 Daniel J. Bernstein <djb@cr.yp.to>

License: CC0-1.0

Files: src/basic/ioprio.h

Copyright: Jens Axboe <axboe@suse.de>

License: GPL-2

Files: src/shared/linux/*
    src/basic/linux/*

Copyright: 2004-2009 Red Hat, Inc.

      2011-2014 PLUMgrid

      2001-2003 Sistina Software (UK) Limited.

      2008 Ian Kent <raven@themaw.net>

      1998 David S. Miller >davem@redhat.com>

      2001 Jeff Garzik <jgarzik@pobox.com>

      2006-2010 Johannes Berg <johannes@sipsolutions.net

      2008 Michael Wu <flamingice@sourmilk.net>

      2008 Luis Carlos Cobo <luisca@cozybit.com>

      2008 Michael Buesch <m@bues.ch>

      2008, 2009 Luis R. Rodriguez <lrodriguez@atheros.com>

      2008 Jouni Malinen <jouni.malinen@atheros.com>

      2008 Colin McCabe <colin@cozybit.com>

      2018-2019 Intel Corporation

      2007 Oracle.

      2009 Wolfgang Grandegger <wg@grandegger.com>

      1999 Thomas Davis <tadavis@lbl.gov>

      2015 Sabrina Dubroca <sd@queasysnail.net>

      1999-2000 Maxim Krasnyansky <max_mk@yahoo.com>

      2015-2019 Jason A. Donenfeld <Jason@zx2c4.com>

License: GPL-2 with Linux-syscall-note exception

Files: src/basic/sparse-endian.h

Copyright: 2012 Josh Triplett <josh@joshtriplett.org>

License: Expat

Files: src/journal/lookup3.c
    src/journal/lookup3.h

Copyright: none

License: public-domain

You can use this free for any purpose. It's in the public domain. It has no warranty.

Files: src/udev/ata_id/ata_id.c
    src/udev/cdrom_id/cdrom_id.c
    src/udev/mtd_probe/mtd_probe.c
    src/udev/mtd_probe/mtd_probe.h
    src/udev/mtd_probe/probe_smartmedia.c
    src/udev/scsi_id/scsi.h

src/udev/scsi_id/scsi_id.c

src/udev/scsi_id/scsi_id.h

src/udev/scsi_id/scsi_serial.c

src/udev/udevadm.c

src/udev/udevadm-control.c

src/udev/udevadm.h

src/udev/udevadm-info.c

src/udev/udevadm-monitor.c

src/udev/udevadm-settle.c

src/udev/udevadm-test-builtin.c

src/udev/udevadm-test.c

src/udev/udevadm-trigger.c

src/udev/udevadm-util.c

src/udev/udevadm-util.h

src/udev/udev-builtin-blkid.c

src/udev/udev-builtin.h

src/udev/udev-builtin-input_id.c

src/udev/udev-builtin-kmod.c

src/udev/udev-builtin-path_id.c

src/udev/udev-builtin-uaccess.c

src/udev/udev-builtin-usb_id.c

src/udev/udev-ctrl.h

src/udev/udevd.c

src/udev/udev-event.c

src/udev/udev-event.h

src/udev/udev-node.c

src/udev/udev-node.h

src/udev/udev-rules.c

src/udev/udev-rules.h

src/udev/udev-watch.c

src/udev/udev-watch.h

src/udev/v4l_id/v4l_id.c

Copyright: 2003-2012 Kay Sievers <kay@vrfy.org>

2003-2004 Greg Kroah-Hartman <greg@kroah.com>

2004 Chris Friesen <chris_friesen@sympatico.ca>

2004, 2009, 2010 David Zeuthen <david@fubar.dk>

2005, 2006 SUSE Linux Products GmbH

2003 IBM Corp.

2007 Hannes Reinecke <hare@suse.de>

2009 Canonical Ltd.

2009 Scott James Remnant <scott@netsplit.com>

2009 Martin Pitt <martin.pitt@ubuntu.com>

2009 Piter Punk <piterpunk@slackware.com>

2009, 2010 Lennart Poettering

2009 Filippo Argiolas <filippo.argiolas@gmail.com>

2010 Maxim Levitsky

2011 ProFUSION embedded systems

2011 Karel Zak <kzak@redhat.com>

2014 Zbigniew Jdrzejewski-Szmek <zbyszek@in.waw.pl>

2014 David Herrmann <dh.herrmann@gmail.com>

2014 Carlos Garnacho <carlosg@gnome.org>

License: GPL-2+

Files: src/udev/scsi_id/*

Copyright: 2003 IBM Corp.

License: GPL-2+

Files: debian/*

Copyright: 2010-2013 Tollef Fog Heen <tfheen@debian.org>

2013-2018 Michael Biebl <biebl@debian.org>

2013 Michael Stapelberg <stapelberg@debian.org>

License: LGPL-2.1+

License: Expat

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to

deal in the Software without restriction, including without limitation the

rights to use, copy, modify, merge, publish, distribute, sublicense, and/or

sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in

all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING

FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS

IN THE SOFTWARE.

License: GPL-2

This program is free software; you can redistribute it and/or modify

it under the terms of the GNU General Public License as published by

the Free Software Foundation; version 2 of the License.

.

This program is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the

GNU General Public License for more details.

.

You should have received a copy of the GNU General Public License

along with this program; if not, write to the Free Software Foundation, Inc.,

51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA.

.

On Debian and systems the full text of the GNU General Public
License version 2 can be found in the file
`/usr/share/common-licenses/GPL-2`

License: GPL-2 with Linux-syscall-note exception
NOTE! This copyright does *not* cover user programs that use kernel services
by normal system calls - this is merely considered normal use of the kernel,
and does *not* fall under the heading of "derived work". Also note that the
GPL below is copyrighted by the Free Software Foundation, but the instance of
code that it refers to (the Linux kernel) is copyrighted by me and others who
actually wrote it.
.
Also note that the only valid version of the GPL as far as the kernel is
concerned is _this_ particular version of the license (ie v2, not v2.2 or v3.x
or whatever), unless explicitly otherwise stated.
.
Linus Torvalds
.
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; version 2 of the License.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA.
.
On Debian and systems the full text of the GNU General Public
License version 2 can be found in the file
`/usr/share/common-licenses/GPL-2`

License: GPL-2+
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2, or (at your option)
any later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation,

Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.

.

On Debian systems, the complete text of the GNU General Public License

version 2 can be found in /usr/share/common-licenses/GPL-2.

License: LGPL-2.1+

This program is free software; you can redistribute it and/or modify

it under the terms of the GNU Lesser General Public License as published by

the Free Software Foundation; either version 2.1, or (at your option)

any later version.

.

This program is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the

GNU Lesser General Public License for more details.

.

You should have received a copy of the GNU Lesser General Public License along

with this program; if not, write to the Free Software Foundation,

Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.

.

On Debian systems, the complete text of the GNU Lesser General Public

License version 2.1 can be found in /usr/share/common-licenses/LGPL-2.1.

License: CC0-1.0

To the extent possible under law, the author(s) have dedicated all copyright

and related and neighboring rights to this software to the public domain

worldwide. This software is distributed without any warranty.

.

You should have received a copy of the CC0 Public Domain Dedication along with

this software. If not, see <http://creativecommons.org/publicdomain/zero/1.0/>.

.

On Debian systems, the complete text of the CC0 1.0 Universal license can be

found in /usr/share/common-licenses/CC0-1.0.

1.260 colorama 0.4.3

1.260.1 Available under license :

Copyright (c) 2010 Jonathan Hartley

All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this

 list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice,

this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

* Neither the name of the copyright holders, nor those of its contributors
may be used to endorse or promote products derived from this software without
specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.261 decorator 5.1.0

1.261.1 Available under license :

Copyright (c) 2005-2018, Michele Simionato
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
Redistributions in bytecode form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in
the documentation and/or other materials provided with the
distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS
OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR
TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE
USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.

1.262 mime-support 3.64ubuntu1

1.262.1 Available under license :

Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Source: git://anonscm.debian.org/collab-maint/mime-support.git

Files: *
Copyright: public-domain
License: ad-hoc
This package was written by Brian White <bcwhite@pobox.com> and others.
It contains public information compiled from around the 'net and many people.
.
The "update-mime" program was written by Brian White and has been
placed in the public domain.

Files: mailcap.man
Copyright: (c) 1991 Bell Communications Research, Inc. (Bellcore)
License: Bellcore
Permission to use, copy, modify, and distribute this material
for any purpose and without fee is hereby granted, provided
that the above copyright notice and this permission notice
appear in all copies, and that the name of Bellcore not be
used in advertising or publicity pertaining to this
material without the specific, prior written permission
of an authorized representative of Bellcore. BELLCORE
MAKES NO REPRESENTATIONS ABOUT THE ACCURACY OR SUITABILITY
OF THIS MATERIAL FOR ANY PURPOSE. IT IS PROVIDED "AS IS",
WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES.
Comment: Author: Nathaniel S. Borenstein

1.263 pyrsistent 0.18.0

1.263.1 Available under license :

Copyright (c) 2021 Tobias Gustafsson

Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following
conditions:

The above copyright notice and this permission notice shall be

included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.264 jcmturner-aescts 2.0.0

1.264.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "{}"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

   Copyright {yyyy} {name of copyright owner}

   Licensed under the Apache License, Version 2.0 (the "License");
   you may not use this file except in compliance with the License.
   You may obtain a copy of the License at

      http://www.apache.org/licenses/LICENSE-2.0

   Unless required by applicable law or agreed to in writing, software
   distributed under the License is distributed on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
   See the License for the specific language governing permissions and
   limitations under the License.

1.265 netcat-openbsd 1.206 1ubuntu1

1.265.1 Available under license :

Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Source: http://www.openbsd.org/cgi-bin/cvsweb/src/usr.bin/nc/

Files: netcat.c
Copyright: 2001 Eric Jackson <ericj@monkey.org>
License: BSD-3-Clause

Files: nc.1
Copyright: 1996 David Sacerdote
License: BSD-3-Clause

Files: atomicio.*
Copyright: 2006 Damien Miller
       2005 Anil Madhavapeddy
       1995,1999 Theo de Raadt
License: BSD-2-Clause

Files: socks.c
Copyright: 1999 Niklas Hallqvist

2004, 2005 Damien Miller
License: BSD-2-Clause

Files: Makefile
Copyright: The OpenBSD project
License: BSD-3-Clause

Files: debian/*
Copyright: 2008, 2009, 2010 Decklin Foster <decklin@red-bean.com>
    2008, 2009, 2010 Soren Hansen <soren@ubuntu.com>
    2012 Aron Xu <aron@debian.org>
License: BSD-3-Clause

License: BSD-2-Clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
.
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
.
THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-3-Clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
.
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
   derived from this software without specific prior written permission.
.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.266 packaging 16.8
1.266.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

This software is made available under the terms of *either* of the licenses
found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made
under the terms of *both* these licenses.

Copyright (c) Donald Stufft and individual contributors.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
   this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.267 jackc-pgservicefile 0.0.0-20200714003250-2b9c44734f2b

1.267.1 Available under license :

Copyright (c) 2020 Jack Christensen

MIT License

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.268 x-net 0.0.0-20220906165146-f3363e06e74c

1.268.1 Available under license :

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

  * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
  * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.269 zlib 1.2.11.dfsg-2ubuntu1.3

1.269.1 Available under license :

Found license 'General Public License 2.0' in 'No. PKWare has apparently decided to keep that format proprietary, since 42. The match.asm code in contrib is under the GNU General Public License. GNU GPL?'

1.270 sqlite 3.31.1-4ubuntu0.4

1.270.1 Available under license :

Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/

Upstream-Name: sqlite3

Source: https://www.sqlite.org/cgi/src/dir?ci=trunk

Files: *

Copyright: D. Richard Hipp <drh@hwaci.com>

License: public-domain

The files listed have been put on the public domain by the sqlite3

contributors.

Files: debian/*

Copyright: 2006-   Laszlo Boszormenyi (GCS) <gcs@debian.org>,

2005-2006 Tomas Fasth <tomfa@debian.org>,

2001-2005 Andreas Rottmann <rotty@debian.org>

License: GPL-2+

This program is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 as published

by the Free Software Foundation.

.

This program is distributed in the hope that it will be useful, but

WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY

or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License

for more details.

.

You should have received a copy of the GNU General Public License along

with this package; if not, write to the Free Software Foundation, Inc.,

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

.

On Debian systems, the full text of the GNU General Public License

version 2 can be found in the file `/usr/share/common-licenses/GPL-2'.

1.271 openzipkin-zipkin-go-opentracing 0.3.4

1.271.1 Available under license :

Apache License

Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2017 The OpenZipkin Authors

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.272 go-resiliency 1.2.0

1.272.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Evan Huus

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.273 pep517 0.8.2

1.273.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017 Thomas Kluyver

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.274 iconv 2.31

1.274.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

 The GNU General Public License is a free, copyleft license for
software and other kinds of works.

 The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

 To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you have
certain responsibilities if you distribute copies of the software, or if
you modify it: responsibilities to respect the freedom of others.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must pass on to the recipients the same

freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work
in a fashion requiring copyright permission, other than the making of an
exact copy. The resulting work is called a "modified version" of the
earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based
on the Program.

To "propagate" a work means to do anything with it that, without
permission, would make you directly or secondarily liable for
infringement under applicable copyright law, except executing it on a
computer or modifying a private copy. Propagation includes copying,
distribution (with or without modification), making available to the
public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other
parties to make or receive copies. Mere interaction with a user through
a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices"
to the extent that it includes a convenient and prominently visible
feature that (1) displays an appropriate copyright notice, and (2)
tells the user that there is no warranty for the work (except to the
extent that warranties are provided), that licensees may convey the
work under this License, and how to view a copy of this License. If
the interface presents a list of user commands or options, such as a
menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work
for making modifications to it. "Object code" means any non-source
form of a work.

A "Standard Interface" means an interface that either is an official
standard defined by a recognized standards body, or, in the case of
interfaces specified for a particular programming language, one that
is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other
than the work as a whole, that (a) is included in the normal form of
packaging a Major Component, but which is not part of that Major
Component, and (b) serves only to enable use of the work with that
Major Component, or to implement a Standard Interface for which an
implementation is available to the public in source code form. A
"Major Component", in this context, means a major essential component
(kernel, window system, and so on) of the specific operating system
(if any) on which the executable work runs, or a compiler used to

produce the work, or an object code interpreter used to run it.

 The "Corresponding Source" for a work in object code form means all
the source code needed to generate, install, and (for an executable
work) run the object code and to modify the work, including scripts to
control those activities. However, it does not include the work's
System Libraries, or general-purpose tools or generally available free
programs which are used unmodified in performing those activities but
which are not part of the work. For example, Corresponding Source
includes interface definition files associated with source files for
the work, and the source code for shared libraries and dynamically
linked subprograms that the work is specifically designed to require,
such as by intimate data communication or control flow between those
subprograms and other parts of the work.

 The Corresponding Source need not include anything that users
can regenerate automatically from other parts of the Corresponding
Source.

 The Corresponding Source for a work in source code form is that
same work.

 2. Basic Permissions.

 All rights granted under this License are granted for the term of
copyright on the Program, and are irrevocable provided the stated
conditions are met. This License explicitly affirms your unlimited
permission to run the unmodified Program. The output from running a
covered work is covered by this License only if the output, given its
content, constitutes a covered work. This License acknowledges your
rights of fair use or other equivalent, as provided by copyright law.

 You may make, run and propagate covered works that you do not
convey, without conditions so long as your license otherwise remains
in force. You may convey covered works to others for the sole purpose
of having them make modifications exclusively for you, or provide you
with facilities for running those works, provided that you comply with
the terms of this License in conveying all material for which you do
not control copyright. Those thus making or running the covered works
for you must do so exclusively on your behalf, under your direction
and control, on terms that prohibit them from making any copies of
your copyrighted material outside their relationship with you.

 Conveying under any other circumstances is permitted solely under
the conditions stated below. Sublicensing is not allowed; section 10
makes it unnecessary.

 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not

invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display
Appropriate Legal Notices; however, if the Program has interactive
interfaces that do not display Appropriate Legal Notices, your
work need not make them do so.

A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms
of sections 4 and 5, provided that you also convey the
machine-readable Corresponding Source under the terms of this License,
in one of these ways:

a) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by the
Corresponding Source fixed on a durable physical medium
customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by a
written offer, valid for at least three years and valid for as
long as you offer spare parts or customer support for that product
model, to give anyone who possesses the object code either (1) a
copy of the Corresponding Source for all the software in the
product that is covered by this License, on a durable physical
medium customarily used for software interchange, for a price no
more than your reasonable cost of physically performing this
conveying of source, or (2) access to copy the
Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the
written offer to provide the Corresponding Source. This
alternative is allowed only occasionally and noncommercially, and
only if you received the object code with such an offer, in accord
with subsection 6b.

d) Convey the object code by offering access from a designated

place (gratis or for a charge), and offer equivalent access to the
Corresponding Source in the same way through the same place at no
further charge. You need not require recipients to copy the
Corresponding Source along with the object code. If the place to
copy the object code is a network server, the Corresponding Source
may be on a different server (operated by you or a third party)
that supports equivalent copying facilities, provided you maintain
clear directions next to the object code saying where to find the
Corresponding Source. Regardless of what server hosts the
Corresponding Source, you remain obligated to ensure that it is
available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided
you inform other peers where the object code and Corresponding
Source of the work are being offered to the general public at no
charge under subsection 6d.

 A separable portion of the object code, whose source code is excluded
from the Corresponding Source as a System Library, need not be
included in conveying the object code work.

 A "User Product" is either (1) a "consumer product", which means any
tangible personal property which is normally used for personal, family,
or household purposes, or (2) anything designed or sold for incorporation
into a dwelling. In determining whether a product is a consumer product,
doubtful cases shall be resolved in favor of coverage. For a particular
product received by a particular user, "normally used" refers to a
typical or common use of that class of product, regardless of the status
of the particular user or of the way in which the particular user
actually uses, or expects or is expected to use, the product. A product
is a consumer product regardless of whether the product has substantial
commercial, industrial or non-consumer uses, unless such uses represent
the only significant mode of use of the product.

 "Installation Information" for a User Product means any methods,
procedures, authorization keys, or other information required to install
and execute modified versions of a covered work in that User Product from
a modified version of its Corresponding Source. The information must
suffice to ensure that the continued functioning of the modified object
code is in no case prevented or interfered with solely because
modification has been made.

 If you convey an object code work under this section in, or with, or
specifically for use in, a User Product, and the conveying occurs as
part of a transaction in which the right of possession and use of the
User Product is transferred to the recipient in perpetuity or for a
fixed term (regardless of how the transaction is characterized), the
Corresponding Source conveyed under this section must be accompanied

by the Installation Information. But this requirement does not apply
if neither you nor any third party retains the ability to install
modified object code on the User Product (for example, the work has
been installed in ROM).

 The requirement to provide Installation Information does not include a
requirement to continue to provide support service, warranty, or updates
for a work that has been modified or installed by the recipient, or for
the User Product in which it has been modified or installed. Access to a
network may be denied when the modification itself materially and
adversely affects the operation of the network or violates the rules and
protocols for communication across the network.

 Corresponding Source conveyed, and Installation Information provided,
in accord with this section must be in a format that is publicly
documented (and with an implementation available to the public in
source code form), and must require no special password or key for
unpacking, reading or copying.

 7. Additional Terms.

 "Additional permissions" are terms that supplement the terms of this
License by making exceptions from one or more of its conditions.
Additional permissions that are applicable to the entire Program shall
be treated as though they were included in this License, to the extent
that they are valid under applicable law. If additional permissions
apply only to part of the Program, that part may be used separately
under those permissions, but the entire Program remains governed by
this License without regard to the additional permissions.

 When you convey a copy of a covered work, you may at your option
remove any additional permissions from that copy, or from any part of
it. (Additional permissions may be written to require their own
removal in certain cases when you modify the work.) You may place
additional permissions on material, added by you to a covered work,
for which you have or can give appropriate copyright permission.

 Notwithstanding any other provision of this License, for material you
add to a covered work, you may (if authorized by the copyright holders of
that material) supplement the terms of this License with terms:

  a) Disclaiming warranty or limiting liability differently from the
  terms of sections 15 and 16 of this License; or

  b) Requiring preservation of specified reasonable legal notices or
  author attributions in that material or in the Appropriate Legal
  Notices displayed by works containing it; or

c) Prohibiting misrepresentation of the origin of that material, or
requiring that modified versions of such material be marked in
reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or
authors of the material; or

e) Declining to grant rights under trademark law for use of some
trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that
material by anyone who conveys the material (or modified versions of
it) with contractual assumptions of liability to the recipient, for
any liability that these contractual assumptions directly impose on
those licensors and authors.

All other non-permissive additional terms are considered "further
restrictions" within the meaning of section 10. If the Program as you
received it, or any part of it, contains a notice stating that it is
governed by this License along with a term that is a further
restriction, you may remove that term. If a license document contains
a further restriction but permits relicensing or conveying under this
License, you may add to a covered work material governed by the terms
of that license document, provided that the further restriction does
not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you
must place, in the relevant source files, a statement of the
additional terms that apply to those files, or a notice indicating
where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the
form of a separately written license, or stated as exceptions;
the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly
provided under this License. Any attempt otherwise to propagate or
modify it is void, and will automatically terminate your rights under
this License (including any patent licenses granted under the third
paragraph of section 11).

However, if you cease all violation of this License, then your
license from a particular copyright holder is reinstated (a)
provisionally, unless and until the copyright holder explicitly and
finally terminates your license, and (b) permanently, if the copyright
holder fails to notify you of the violation by some reasonable means

prior to 60 days after the cessation.

 Moreover, your license from a particular copyright holder is
reinstated permanently if the copyright holder notifies you of the
violation by some reasonable means, this is the first time you have
received notice of violation of this License (for any work) from that
copyright holder, and you cure the violation prior to 30 days after
your receipt of the notice.

 Termination of your rights under this section does not terminate the
licenses of parties who have received copies or rights from you under
this License. If your rights have been terminated and not permanently
reinstated, you do not qualify to receive new licenses for the same
material under section 10.

 9. Acceptance Not Required for Having Copies.

 You are not required to accept this License in order to receive or
run a copy of the Program. Ancillary propagation of a covered work
occurring solely as a consequence of using peer-to-peer transmission
to receive a copy likewise does not require acceptance. However,
nothing other than this License grants you permission to propagate or
modify any covered work. These actions infringe copyright if you do
not accept this License. Therefore, by modifying or propagating a
covered work, you indicate your acceptance of this License to do so.

 10. Automatic Licensing of Downstream Recipients.

 Each time you convey a covered work, the recipient automatically
receives a license from the original licensors, to run, modify and
propagate that work, subject to this License. You are not responsible
for enforcing compliance by third parties with this License.

 An "entity transaction" is a transaction transferring control of an
organization, or substantially all assets of one, or subdividing an
organization, or merging organizations. If propagation of a covered
work results from an entity transaction, each party to that
transaction who receives a copy of the work also receives whatever
licenses to the work the party's predecessor in interest had or could
give under the previous paragraph, plus a right to possession of the
Corresponding Source of the work from the predecessor in interest, if
the predecessor has it or can get it with reasonable efforts.

 You may not impose any further restrictions on the exercise of the
rights granted or affirmed under this License. For example, you may
not impose a license fee, royalty, or other charge for exercise of
rights granted under this License, and you may not initiate litigation
(including a cross-claim or counterclaim in a lawsuit) alleging that

any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties

receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

 Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

 If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

 Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

 15. Disclaimer of Warranty.

 THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

 16. Limitation of Liability.

 IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE
USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD
PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

 If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

                    END OF TERMS AND CONDITIONS

            How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software: you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation, either version 3 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

 If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

    <program> Copyright (C) <year> <name of author>
    This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

 You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

 The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<http://www.gnu.org/philosophy/why-not-lgpl.html>.
    GNU LIBRARY GENERAL PUBLIC LICENSE
        Version 2, June 1991

Copyright (C) 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the library GPL. It is
numbered 2 because it goes with version 2 of the ordinary GPL.]

    Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

 This license, the Library General Public License, applies to some
specially designated Free Software Foundation software, and to any
other libraries whose authors decide to use it. You can use it for
your libraries, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if

you distribute copies of the library, or if you modify it.

 For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link a program with the library, you must provide
complete object files to the recipients so that they can relink them
with the library, after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

 Our method of protecting your rights has two steps: (1) copyright
the library, and (2) offer you this license which gives you legal
permission to copy, distribute and/or modify the library.

 Also, for each distributor's protection, we want to make certain
that everyone understands that there is no warranty for this free
library. If the library is modified by someone else and passed on, we
want its recipients to know that what they have is not the original
version, so that any problems introduced by others will not reflect on
the original authors' reputations.

 Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that companies distributing free
software will individually obtain patent licenses, thus in effect
transforming the program into proprietary software. To prevent this,
we have made it clear that any patent must be licensed for everyone's
free use or not licensed at all.

 Most GNU software, including some libraries, is covered by the ordinary
GNU General Public License, which was designed for utility programs. This
license, the GNU Library General Public License, applies to certain
designated libraries. This license is quite different from the ordinary
one; be sure to read it in full, and don't assume that anything in it is
the same as in the ordinary license.

 The reason we have a separate public license for some libraries is that
they blur the distinction we usually make between modifying or adding to a
program and simply using it. Linking a program with a library, without
changing the library, is in some sense simply using the library, and is
analogous to running a utility program or application program. However, in
a textual and legal sense, the linked executable is a combined work, a
derivative of the original library, and the ordinary General Public License
treats it as such.

 Because of this blurred distinction, using the ordinary General
Public License for libraries did not effectively promote software
sharing, because most developers did not use the libraries. We
concluded that weaker conditions might promote sharing better.

However, unrestricted linking of non-free programs would deprive the
users of those programs of all benefit from the free status of the
libraries themselves. This Library General Public License is intended to
permit developers of non-free programs to use free libraries, while
preserving your freedom as a user of such programs to change the free
libraries that are incorporated in them. (We have not seen how to achieve
this as regards changes in header files, but we have achieved it as regards
changes in the actual functions of the Library.) The hope is that this
will lead to faster development of free libraries.

The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, while the latter only
works together with the library.

Note that it is possible for a library to be covered by the ordinary
General Public License rather than by this special one.

GNU LIBRARY GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library which
contains a notice placed by the copyright holder or other authorized
party saying it may be distributed under the terms of this Library
General Public License (also called "this License"). Each licensee is
addressed as "you".

A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated
straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means
all the source code for all modules it contains, plus any associated
interface definition files, plus the scripts used to control compilation
and installation of the library.

Activities other than copying, distribution and modification are not

covered by this License; they are outside its scope. The act of
running a program using the Library is not restricted, and output from
such a program is covered only if its contents constitute a work based
on the Library (independent of the use of the Library in a tool for
writing it). Whether that is true depends on what the Library does
and what the program that uses the Library does.

 1. You may copy and distribute verbatim copies of the Library's
complete source code as you receive it, in any medium, provided that
you conspicuously and appropriately publish on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact
all the notices that refer to this License and to the absence of any
warranty; and distribute a copy of this License along with the
Library.

 You may charge a fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a
fee.

 2. You may modify your copy or copies of the Library or any portion
of it, thus forming a work based on the Library, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) The modified work must itself be a software library.

  b) You must cause the files modified to carry prominent notices
  stating that you changed the files and the date of any change.

  c) You must cause the whole of the work to be licensed at no
  charge to all third parties under the terms of this License.

  d) If a facility in the modified Library refers to a function or a
  table of data to be supplied by an application program that uses
  the facility, other than as an argument passed when the facility
  is invoked, then you must make a good faith effort to ensure that,
  in the event an application does not supply such function or
  table, the facility still operates, and performs whatever part of
  its purpose remains meaningful.

  (For example, a function in a library to compute square roots has
  a purpose that is entirely well-defined independent of the
  application. Therefore, Subsection 2d requires that any
  application-supplied function or table used by this function must
  be optional: if the application does not supply it, the square
  root function must still compute square roots.)

These requirements apply to the modified work as a whole. If

identifiable sections of that work are not derived from the Library,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

 Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

 4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

 However, linking a "work that uses the Library" with the Library
creates an executable that is a derivative of the Library (because it
contains portions of the Library), rather than a "work that uses the
library". The executable is therefore covered by this License.
Section 6 states terms for distribution of such executables.

 When a "work that uses the Library" uses material from a header file
that is part of the Library, the object code for the work may be a
derivative work of the Library even though the source code is not.
Whether this is true is especially significant if the work can be
linked without the Library, or if the work is itself a library. The
threshold for this to be true is not precisely defined by law.

 If such an object file uses only numerical parameters, data
structure layouts and accessors, and small macros and small inline
functions (ten lines or less in length), then the use of the object
file is unrestricted, regardless of whether it is legally a derivative
work. (Executables containing this object code plus portions of the
Library will still fall under Section 6.)

 Otherwise, if the work is a derivative of the Library, you may
distribute the object code for the work under the terms of Section 6.
Any executables containing that work also fall under Section 6,
whether or not they are linked directly with the Library itself.

 6. As an exception to the Sections above, you may also compile or
link a "work that uses the Library" with the Library to produce a
work containing portions of the Library, and distribute that work
under terms of your choice, provided that the terms permit
modification of the work for the customer's own use and reverse
engineering for debugging such modifications.

 You must give prominent notice with each copy of the work that the
Library is used in it and that the Library and its use are covered by
this License. You must supply a copy of this License. If the work
during execution displays copyright notices, you must include the
copyright notice for the Library among them, as well as a reference
directing the user to the copy of this License. Also, you must do one
of these things:

 a) Accompany the work with the complete corresponding

machine-readable source code for the Library including whatever
changes were used in the work (which must be distributed under
Sections 1 and 2 above); and, if the work is an executable linked
with the Library, with the complete machine-readable "work that
uses the Library", as object code and/or source code, so that the
user can modify the Library and then relink to produce a modified
executable containing the modified Library. (It is understood
that the user who changes the contents of definitions files in the
Library will not necessarily be able to recompile the application
to use the modified definitions.)

b) Accompany the work with a written offer, valid for at
least three years, to give the same user the materials
specified in Subsection 6a, above, for a charge no more
than the cost of performing this distribution.

c) If distribution of the work is made by offering access to copy
from a designated place, offer equivalent access to copy the above
specified materials from the same place.

d) Verify that the user has already received a copy of these
materials or that you have already sent this user a copy.

 For an executable, the required form of the "work that uses the
Library" must include any data and utility programs needed for
reproducing the executable from it. However, as a special exception,
the source code distributed need not include anything that is normally
distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies
the executable.

 It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.

 7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work
based on the Library, uncombined with any other library
facilities. This must be distributed under the terms of the

Sections above.

    b) Give prominent notice with the combined library of the fact
    that part of it is a work based on the Library, and explaining
    where to find the accompanying uncombined form of the same work.

 8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

 9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

 10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties to
this License.

 11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply,
and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

  12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

  13. The Free Software Foundation may publish revised and/or new
versions of the Library General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

  14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

    NO WARRANTY

  15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.

EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

 16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Libraries

 If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

 To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

    <one line to give the library's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This library is free software; you can redistribute it and/or
    modify it under the terms of the GNU Library General Public
    License as published by the Free Software Foundation; either
    version 2 of the License, or (at your option) any later version.

    This library is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
    Library General Public License for more details.

    You should have received a copy of the GNU Library General Public

License along with this library; if not, write to the Free
Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston,
MA 02110-1301, USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

1.275 modern-go-reflect2 1.0.1
1.275.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.276 andybalholm-brotli 1.0.2
1.276.1 Available under license :

Copyright (c) 2009, 2010, 2013-2016 by the Brotli Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

1.277 apache-arrow-go-arrow 0.0.0-20200629181129-68b1273cbbf7

1.277.1 Available under license :

```
==============================================================================
LLVM Release License
==============================================================================
University of Illinois/NCSA
Open Source License

Copyright (c) 2003-2018 University of Illinois at Urbana-Champaign.
All rights reserved.

Developed by:

    LLVM Team

    University of Illinois at Urbana-Champaign

    http://llvm.org

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal with
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

  * Redistributions of source code must retain the above copyright notice,
    this list of conditions and the following disclaimers.

  * Redistributions in binary form must reproduce the above copyright notice,
    this list of conditions and the following disclaimers in the
    documentation and/or other materials provided with the distribution.

  * Neither the names of the LLVM Team, University of Illinois at
    Urbana-Champaign, nor the names of its contributors may be used to
    endorse or promote products derived from this Software without specific
```

prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE CONTRIBUTORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS WITH THE SOFTWARE.

```
==============================================================================
Copyrights and Licenses for Third Party Software Distributed with LLVM:
==============================================================================
```

The LLVM software contains code written by third parties. Such software will
have its own individual LICENSE.TXT file in the directory in which it appears.
This file will describe the copyrights, license, and restrictions which apply
to that code.

The disclaimer of warranty in the University of Illinois Open Source License
applies to all code in the LLVM Distribution, and nothing in any of the
other licenses gives permission to use the names of the LLVM Team or the
University of Illinois to endorse or promote products derived from this
Software.

The following pieces of software have additional or alternate copyrights,
licenses, and/or restrictions:

```
Program             Directory
-------             ---------
Google Test         llvm/utils/unittest/googletest
OpenBSD regex       llvm/lib/Support/{reg*, COPYRIGHT.regex}
pyyaml tests        llvm/test/YAMLParser/{*.data, LICENSE.TXT}
ARM contributions   llvm/lib/Target/ARM/LICENSE.TXT
md5 contributions   llvm/lib/Support/MD5.cpp llvm/include/llvm/Support/MD5.h
```

                    Apache License
                Version 2.0, January 2004
            http://www.apache.org/licenses/

 TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

 1. Definitions.

   "License" shall mean the terms and conditions for use, reproduction,
   and distribution as defined by Sections 1 through 9 of this document.

   "Licensor" shall mean the copyright owner or entity authorized by
   the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,

incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

----

src/plasma/fling.cc and src/plasma/fling.h: Apache 2.0

src/plasma/thirdparty/dlmalloc.c: CC0

This is a version (aka dlmalloc) of malloc/free/realloc written by
Doug Lea and released to the public domain, as explained at
http://creativecommons.org/publicdomain/zero/1.0/ Send questions,
comments, complaints, performance data, etc to dl@cs.oswego.edu

----

src/plasma/common.cc (some portions)

Copyright (c) Austin Appleby (aappleby (AT) gmail)

Some portions of this file are derived from code in the MurmurHash project

All code is released to the public domain. For business purposes, Murmurhash is
under the MIT license.

https://sites.google.com/site/murmurhash/

----

src/arrow/util (some portions): Apache 2.0, and 3-clause BSD

Some portions of this module are derived from code in the Chromium project,
copyright (c) Google inc and (c) The Chromium Authors and licensed under the
Apache 2.0 License or the under the 3-clause BSD license:

 Copyright (c) 2013 The Chromium Authors. All rights reserved.

 Redistribution and use in source and binary forms, with or without
 modification, are permitted provided that the following conditions are
 met:

   * Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above
 copyright notice, this list of conditions and the following disclaimer
 in the documentation and/or other materials provided with the
 distribution.
   * Neither the name of Google Inc. nor the names of its
 contributors may be used to endorse or promote products derived from
 this software without specific prior written permission.

 THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
 "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
 LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
 A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT

This project includes code from Daniel Lemire's FrameOfReference project.

https://github.com/lemire/FrameOfReference/blob/6ccaf9e97160f9a3b299e23a8ef739e711ef0c71/src/bpacking.cpp

----

This project includes code from the TensorFlow project

This project includes code from the NumPy project.

https://github.com/numpy/numpy/blob/e1f191c46f2eebd6cb892a4bfe14d9dd43a06c4e/numpy/core/src/multiarray/multiarraymodule.c#L2910

https://github.com/numpy/numpy/blob/68fd82271b9ea5a9e50d4e761061dfcca851382a/numpy/core/src/multiarray/datetime.c

----

This project includes code from the Boost project

Boost Software License - Version 1.0 - August 17th, 2003

a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT
SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE
FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS IN THE SOFTWARE.

This project includes code from the FlatBuffers project

Copyright 2014 Google Inc.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

This project includes code from the tslib project

Copyright 2015 Microsoft Corporation. All rights reserved.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

This project includes code from the jemalloc project

https://github.com/jemalloc/jemalloc

This project includes code from the Go project, BSD 3-clause license + PATENTS
weak patent termination clause
(https://github.com/golang/go/blob/master/PATENTS).

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This project includes code from the hs2client

https://github.com/cloudera/hs2client

Copyright 2016 Cloudera Inc.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

The script ci/scripts/util_wait_for_it.sh has the following license

Copyright (c) 2016 Giles Hall

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The script r/configure has the following license (MIT)

Copyright (c) 2017, Jeroen Ooms and Jim Hester

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

----

cpp/src/arrow/util/logging.cc, cpp/src/arrow/util/logging.h and
cpp/src/arrow/util/logging-test.cc are adapted from
Ray Project (https://github.com/ray-project/ray) (Apache 2.0).

Copyright (c) 2016 Ray Project (https://github.com/ray-project/ray)

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

The files cpp/src/arrow/vendored/datetime/date.h, cpp/src/arrow/vendored/datetime/tz.h,
cpp/src/arrow/vendored/datetime/tz_private.h, cpp/src/arrow/vendored/datetime/ios.h,
cpp/src/arrow/vendored/datetime/ios.mm,
cpp/src/arrow/vendored/datetime/tz.cpp are adapted from
Howard Hinnant's date library (https://github.com/HowardHinnant/date)
It is licensed under MIT license.

The MIT License (MIT)
Copyright (c) 2015, 2016, 2017 Howard Hinnant
Copyright (c) 2016 Adrian Colomitchi
Copyright (c) 2017 Florian Dang
Copyright (c) 2017 Paul Thompson
Copyright (c) 2018 Tomasz Kamiski

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

The file cpp/src/arrow/util/utf8.h includes code adapted from the page
 https://bjoern.hoehrmann.de/utf-8/decoder/dfa/
with the following license (MIT)

Copyright (c) 2008-2009 Bjoern Hoehrmann <bjoern@hoehrmann.de>

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

The file cpp/src/arrow/vendored/string_view.hpp has the following license

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization
obtaining a copy of the software and accompanying documentation covered by
this license (the "Software") to use, reproduce, display, distribute,
execute, and transmit the Software, and to prepare derivative works of the
Software, and to permit third-parties to whom the Software is furnished to
do so, all subject to the following:

The copyright notices in the Software and this entire statement, including
the above license grant, this restriction and the following disclaimer,
must be included in all copies of the Software, in whole or in part, and
all derivative works of the Software, unless such copies or derivative
works are solely in the form of machine-executable object code generated by
a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT
SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE
FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS IN THE SOFTWARE.

The files in cpp/src/arrow/vendored/xxhash/ have the following license
(BSD 2-Clause License)

xxHash Library
Copyright (c) 2012-2014, Yann Collet

You can contact the author at :
- xxHash homepage: http://www.xxhash.com
- xxHash source repository : https://github.com/Cyan4973/xxHash

----

The files in cpp/src/arrow/vendored/double-conversion/ have the following license
(BSD 3-Clause License)

from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The files in cpp/src/arrow/vendored/uriparser/ have the following license
(BSD 3-Clause License)

uriparser - RFC 3986 URI parsing library

Copyright (C) 2007, Weijia Song <songweijia@gmail.com>
Copyright (C) 2007, Sebastian Pipping <sebastian@pipping.org>
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

  * Redistributions of source code must retain the above
    copyright notice, this list of conditions and the following
    disclaimer.

  * Redistributions in binary form must reproduce the above
    copyright notice, this list of conditions and the following
    disclaimer in the documentation and/or other materials
    provided with the distribution.

  * Neither the name of the <ORGANIZATION> nor the names of its
    contributors may be used to endorse or promote products
    derived from this software without specific prior written
    permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,

INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The files under dev/tasks/conda-recipes have the following license

BSD 3-clause license
Copyright (c) 2015-2018, conda-forge
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this
   list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice,
   this list of conditions and the following disclaimer in the documentation
   and/or other materials provided with the distribution.

3. Neither the name of the copyright holder nor the names of its contributors
   may be used to endorse or promote products derived from this software without
   specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The files in cpp/src/arrow/vendored/utf8cpp/ have the following license

Copyright 2006 Nemanja Trifunovic

Permission is hereby granted, free of charge, to any person or organization

obtaining a copy of the software and accompanying documentation covered by
this license (the "Software") to use, reproduce, display, distribute,
execute, and transmit the Software, and to prepare derivative works of the
Software, and to permit third-parties to whom the Software is furnished to
do so, all subject to the following:

The copyright notices in the Software and this entire statement, including
the above license grant, this restriction and the following disclaimer,
must be included in all copies of the Software, in whole or in part, and
all derivative works of the Software, unless such copies or derivative
works are solely in the form of machine-executable object code generated by
a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT
SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE
FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS IN THE SOFTWARE.

This project includes code from Apache Kudu.

* cpp/cmake_modules/CompilerInfo.cmake is based on Kudu's cmake_modules/CompilerInfo.cmake

Copyright: 2016 The Apache Software Foundation.
Home page: https://kudu.apache.org/
License: http://www.apache.org/licenses/LICENSE-2.0

This project includes code from Apache Impala (incubating), formerly
Impala. The Impala code and rights were donated to the ASF as part of the
Incubator process after the initial code imports into Apache Parquet.

Copyright: 2012 Cloudera, Inc.
Copyright: 2016 The Apache Software Foundation.
Home page: http://impala.apache.org/
License: http://www.apache.org/licenses/LICENSE-2.0

This project includes code from Apache Aurora.

* dev/release/{release,changelog,release-candidate} are based on the scripts from
 Apache Aurora

Copyright: 2016 The Apache Software Foundation.
Home page: https://aurora.apache.org/
License: http://www.apache.org/licenses/LICENSE-2.0

This project includes code from the Google styleguide.

* cpp/build-support/cpplint.py is based on the scripts from the Google styleguide.

Copyright: 2009 Google Inc. All rights reserved.
Homepage: https://github.com/google/styleguide
License: 3-clause BSD

This project includes code from Snappy.

* cpp/cmake_modules/{SnappyCMakeLists.txt,SnappyConfig.h} are based on code
 from Google's Snappy project.

Copyright: 2009 Google Inc. All rights reserved.
Homepage: https://github.com/google/snappy
License: 3-clause BSD

This project includes code from the manylinux project.

* python/manylinux1/scripts/{build_python.sh,python-tag-abi-tag.py,
 requirements.txt} are based on code from the manylinux project.

Copyright: 2016 manylinux
Homepage: https://github.com/pypa/manylinux
License: The MIT License (MIT)

This project includes code from the cymove project:

* python/pyarrow/includes/common.pxd includes code from the cymove project

The MIT License (MIT)
Copyright (c) 2019 Omer Ozarslan

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR
OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE
OR OTHER DEALINGS IN THE SOFTWARE.

The projects includes code from the Ursabot project under the dev/archery
directory.

License: BSD 2-Clause

Copyright 2019 RStudio, Inc.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this
   list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice,
   this list of conditions and the following disclaimer in the documentation
   and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This project include code from CMake.

* cpp/cmake_modules/FindGTest.cmake is based on code from CMake.

Copyright: Copyright 2000-2019 Kitware, Inc. and Contributors
Homepage: https://gitlab.kitware.com/cmake/cmake
License: 3-clause BSD

This project include code from mingw-w64.

* cpp/src/arrow/util/cpu-info.cc has a polyfill for mingw-w64 < 5

Copyright (c) 2009 - 2013 by the mingw-w64 project
Homepage: https://mingw-w64.org
License: Zope Public License (ZPL) Version 2.1.

This project include code from Google's Asylo project.

* cpp/src/arrow/result.h is based on status_or.h

Copyright (c) Copyright 2017 Asylo authors
Homepage: https://asylo.dev/
License: Apache 2.0

This project includes code from Google's protobuf project

* cpp/src/arrow/result.h ARROW_ASSIGN_OR_RAISE is based off ASSIGN_OR_RETURN

Copyright 2008 Google Inc. All rights reserved.
Homepage: https://developers.google.com/protocol-buffers/
License:

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.

* Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner
of the input file used when generating it. This code is not
standalone and requires a support library to be linked with it. This
support library is itself covered by the above license.

3rdparty dependency LLVM is statically linked in certain binary distributions.
Additionally some sections of source code have been derived from sources in LLVM
and have been clearly labeled as such. LLVM has the following license:

==
LLVM Release License
==
University of Illinois/NCSA
Open Source License

Copyright (c) 2003-2018 University of Illinois at Urbana-Champaign.
All rights reserved.

Developed by:

    LLVM Team

    University of Illinois at Urbana-Champaign

    http://llvm.org

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal with
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies

of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

  * Redistributions of source code must retain the above copyright notice,
    this list of conditions and the following disclaimers.

  * Redistributions in binary form must reproduce the above copyright notice,
    this list of conditions and the following disclaimers in the
    documentation and/or other materials provided with the distribution.

  * Neither the names of the LLVM Team, University of Illinois at
    Urbana-Champaign, nor the names of its contributors may be used to
    endorse or promote products derived from this Software without specific
    prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
CONTRIBUTORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS WITH THE
SOFTWARE.

==
Copyrights and Licenses for Third Party Software Distributed with LLVM:
==
The LLVM software contains code written by third parties. Such software will
have its own individual LICENSE.TXT file in the directory in which it appears.
This file will describe the copyrights, license, and restrictions which apply
to that code.

The disclaimer of warranty in the University of Illinois Open Source License
applies to all code in the LLVM Distribution, and nothing in any of the
other licenses gives permission to use the names of the LLVM Team or the
University of Illinois to endorse or promote products derived from this
Software.

The following pieces of software have additional or alternate copyrights,
licenses, and/or restrictions:

Program   Directory
-------   ---------
Google Test   llvm/utils/unittest/googletest
OpenBSD regex   llvm/lib/Support/{reg*, COPYRIGHT.regex}
pyyaml tests   llvm/test/YAMLParser/{*.data, LICENSE.TXT}
ARM contributions   llvm/lib/Target/ARM/LICENSE.TXT
md5 contributions   llvm/lib/Support/MD5.cpp llvm/include/llvm/Support/MD5.h

----

3rdparty dependency gRPC is statically linked in certain binary
distributions, like the python wheels. gRPC has the following license:

Copyright 2014 gRPC authors.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

3rdparty dependency Apache Thrift is statically linked in certain binary
distributions, like the python wheels. Apache Thrift has the following license:

Apache Thrift
Copyright (C) 2006 - 2019, The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

3rdparty dependency Apache ORC is statically linked in certain binary
distributions, like the python wheels. Apache ORC has the following license:

Apache ORC

Copyright 2013-2019 The Apache Software Foundation

This product includes software developed by The Apache Software
Foundation (http://www.apache.org/).

This product includes software developed by Hewlett-Packard:
(c) Copyright [2014-2015] Hewlett-Packard Development Company, L.P

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

3rdparty dependency zstd is statically linked in certain binary
distributions, like the python wheels. ZSTD has the following license:

BSD License

For Zstandard software

Copyright (c) 2016-present, Facebook, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
  list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.

* Neither the name Facebook nor the names of its contributors may be used to
  endorse or promote products derived from this software without specific
  prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

3rdparty dependency lz4 is statically linked in certain binary distributions, like the python wheels. lz4 has the following license:

LZ4 Library
Copyright (c) 2011-2016, Yann Collet
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
 list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this
 list of conditions and the following disclaimer in the documentation and/or
 other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

3rdparty dependency Brotli is statically linked in certain binary distributions, like the python wheels. Brotli has the following license:

Copyright (c) 2009, 2010, 2013-2016 by the Brotli Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

3rdparty dependency rapidjson is statically linked in certain binary
distributions, like the python wheels. rapidjson and its dependencies have the
following licenses:

Tencent is pleased to support the open source community by making RapidJSON
available.

Copyright (C) 2015 THL A29 Limited, a Tencent company, and Milo Yip.
All rights reserved.

If you have downloaded a copy of the RapidJSON binary from Tencent, please note
that the RapidJSON binary is licensed under the MIT License.
If you have downloaded a copy of the RapidJSON source code from Tencent, please
note that RapidJSON source code is licensed under the MIT License, except for
the third-party components listed below which are subject to different license
terms. Your integration of RapidJSON into your own projects may require
compliance with the MIT License, as well as the other licenses applicable to
the third-party components included within RapidJSON. To avoid the problematic
JSON license in your own projects, it's sufficient to exclude the
bin/jsonchecker/ directory, as it's the only code under the JSON license.
A copy of the MIT License is included in this file.

Other dependencies and licenses:

  Open Source Software Licensed Under the BSD License:

  The msinttypes r29
  Copyright (c) 2006-2013 Alexander Chemeris
  All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.
* Neither the name of copyright holder nor the names of its contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE REGENTS AND CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.

Open Source Software Licensed Under the JSON License:
----

json.org
Copyright (c) 2002 JSON.org
All Rights Reserved.

JSON_checker
Copyright (c) 2002 JSON.org
All Rights Reserved.

Terms of the JSON License:

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

The Software shall be used for Good, not Evil.

Terms of the MIT License:

3rdparty dependency snappy is statically linked in certain binary
distributions, like the python wheels. snappy has the following license:

this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.
 * Neither the name of Google Inc. nor the names of its contributors may be
used to endorse or promote products derived from this software without
specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

===

Some of the benchmark data in testdata/ is licensed differently:

- fireworks.jpeg is Copyright 2013 Steinar H. Gunderson, and
  is licensed under the Creative Commons Attribution 3.0 license
  (CC-BY-3.0). See https://creativecommons.org/licenses/by/3.0/
  for more information.

- kppkn.gtb is taken from the Gaviota chess tablebase set, and
  is licensed under the MIT License. See
  https://sites.google.com/site/gaviotachessengine/Home/endgame-tablebases-1
  for more information.

- paper-100k.pdf is an excerpt (bytes 92160 to 194560) from the paper
  Combinatorial Modeling of Chromatin Features Quantitatively Predicts DNA
  Replication Timing in _Drosophila_ by Federico Comoglio and Renato Paro,
  which is licensed under the CC-BY license. See
  http://www.ploscompbiol.org/static/license for more ifnormation.

- alice29.txt, asyoulik.txt, plrabn12.txt and lcet10.txt are from Project
  Gutenberg. The first three have expired copyrights and are in the public
  domain; the latter does not have expired copyright, but is still in the
  public domain according to the license information
  (http://www.gutenberg.org/ebooks/53).

3rdparty dependency gflags is statically linked in certain binary
distributions, like the python wheels. gflags has the following license:

* Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

A function gettimeofday in utilities.cc is based on

http://www.google.com/codesearch/p?hl=en#dR3YEbitojA/COPYING&q=GetSystemTimeAsFileTime%20license:
bsd

The license of this code is:

Copyright (c) 2003-2008, Jouni Malinen <j@w1.fi> and contributors
All Rights Reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

3. Neither the name(s) of the above-listed copyright holder(s) nor the
   names of its contributors may be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT

LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

3rdparty dependency re2 is statically linked in certain binary distributions, like the python wheels. re2 has the following license:

Copyright (c) 2009 The RE2 Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

  * Redistributions of source code must retain the above copyright
    notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
    copyright notice, this list of conditions and the following
    disclaimer in the documentation and/or other materials provided
    with the distribution.
  * Neither the name of Google Inc. nor the names of its contributors
    may be used to endorse or promote products derived from this
    software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

3rdparty dependency c-ares is statically linked in certain binary distributions, like the python wheels. c-ares has the following license:

c-ares license

Copyright (c) 2007 - 2018, Daniel Stenberg with many contributors, see AUTHORS file.

Copyright 1998 by the Massachusetts Institute of Technology.

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted, provided that
the above copyright notice appear in all copies and that both that copyright
notice and this permission notice appear in supporting documentation, and that
the name of M.I.T. not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior permission.
M.I.T. makes no representations about the suitability of this software for any
purpose. It is provided "as is" without express or implied warranty.

3rdparty dependency zlib is redistributed as a dynamically linked shared
library in certain binary distributions, like the python wheels. In the future
this will likely change to static linkage. zlib has the following license:

zlib.h -- interface of the 'zlib' general purpose compression library
 version 1.2.11, January 15th, 2017

 Copyright (C) 1995-2017 Jean-loup Gailly and Mark Adler

 This software is provided 'as-is', without any express or implied
 warranty. In no event will the authors be held liable for any damages
 arising from the use of this software.

 Permission is granted to anyone to use this software for any purpose,
 including commercial applications, and to alter it and redistribute it
 freely, subject to the following restrictions:

 1. The origin of this software must not be misrepresented; you must not
    claim that you wrote the original software. If you use this software
    in a product, an acknowledgment in the product documentation would be
    appreciated but is not required.
 2. Altered source versions must be plainly marked as such, and must not be
    misrepresented as being the original software.
 3. This notice may not be removed or altered from any source distribution.

 Jean-loup Gailly   Mark Adler
 jloup@gzip.org   madler@alumni.caltech.edu

3rdparty dependency openssl is redistributed as a dynamically linked shared
library in certain binary distributions, like the python wheels. openssl
preceding version 3 has the following license:

LICENSE ISSUES
==============

The OpenSSL toolkit stays under a double license, i.e. both the conditions of
the OpenSSL License and the original SSLeay license apply to the toolkit.
See below for the actual license texts.

OpenSSL License

```
/* ====================================================================
 * Copyright (c) 1998-2019 The OpenSSL Project.  All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 *    notice, this list of conditions and the following disclaimer.
 *
 * 2. Redistributions in binary form must reproduce the above copyright
 *    notice, this list of conditions and the following disclaimer in
 *    the documentation and/or other materials provided with the
 *    distribution.
 *
 * 3. All advertising materials mentioning features or use of this
 *    software must display the following acknowledgment:
 *    "This product includes software developed by the OpenSSL Project
 *    for use in the OpenSSL Toolkit. (http://www.openssl.org/)"
 *
 * 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
 *    endorse or promote products derived from this software without
 *    prior written permission. For written permission, please contact
 *    openssl-core@openssl.org.
 *
 * 5. Products derived from this software may not be called "OpenSSL"
 *    nor may "OpenSSL" appear in their names without prior written
 *    permission of the OpenSSL Project.
 *
 * 6. Redistributions of any form whatsoever must retain the following
 *    acknowledgment:
 *    "This product includes software developed by the OpenSSL Project
 *    for use in the OpenSSL Toolkit (http://www.openssl.org/)"
 *
 * THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND ANY
 * EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 * PURPOSE ARE DISCLAIMED.  IN NO EVENT SHALL THE OpenSSL PROJECT OR
```

```
 * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
 * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
 * LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
 * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
 * STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
 * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
 * OF THE POSSIBILITY OF SUCH DAMAGE.
 * ====================================================================
 *
 * This product includes cryptographic software written by Eric Young
 * (eay@cryptsoft.com).  This product includes software written by Tim
 * Hudson (tjh@cryptsoft.com).
 *
 */
```

Original SSLeay License

```
/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
 * All rights reserved.
 *
 * This package is an SSL implementation written
 * by Eric Young (eay@cryptsoft.com).
 * The implementation was written so as to conform with Netscapes SSL.
 *
 * This library is free for commercial and non-commercial use as long as
 * the following conditions are aheared to.  The following conditions
 * apply to all code found in this distribution, be it the RC4, RSA,
 * lhash, DES, etc., code; not just the SSL code.  The SSL documentation
 * included with this distribution is covered by the same copyright terms
 * except that the holder is Tim Hudson (tjh@cryptsoft.com).
 *
 * Copyright remains Eric Young's, and as such any Copyright notices in
 * the code are not to be removed.
 * If this package is used in a product, Eric Young should be given attribution
 * as the author of the parts of the library used.
 * This can be in the form of a textual message at program startup or
 * in documentation (online or textual) provided with the package.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the copyright
 *    notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 *    notice, this list of conditions and the following disclaimer in the
 *    documentation and/or other materials provided with the distribution.
```

* 3. All advertising materials mentioning features or use of this software
*   must display the following acknowledgement:
*   "This product includes cryptographic software written by
*   Eric Young (eay@cryptsoft.com)"
*   The word 'cryptographic' can be left out if the rouines from the library
*   being used are not cryptographic related :-).
* 4. If you include any Windows specific code (or a derivative thereof) from
*   the apps directory (application code) you must include an acknowledgement:
*   "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"
*
* THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS'' AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* The licence and distribution terms for any publically available version or
* derivative of this code cannot be changed. i.e. this code cannot simply be
* copied and put under another distribution licence
* [including the GNU Public Licence.]
*/

This project includes code from the rtools-backports project.

* ci/scripts/PKGBUILD and ci/scripts/r_windows_build.sh are based on code
 from the rtools-backports project.

Copyright: Copyright (c) 2013 - 2019, and Jeroen Ooms.
All rights reserved.
Homepage: https://github.com/r-windows/rtools-backports
License: 3-clause BSD

Some code from pandas has been adapted for the pyarrow codebase. pandas is
available under the 3-clause BSD license, which follows:

pandas license
==============

Copyright (c) 2011-2012, Lambda Foundry, Inc. and PyData Development Team
All rights reserved.

Copyright (c) 2008-2011 AQR Capital Management, LLC
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
    notice, this list of conditions and the following disclaimer.

  * Redistributions in binary form must reproduce the above
    copyright notice, this list of conditions and the following
    disclaimer in the documentation and/or other materials provided
    with the distribution.

  * Neither the name of the copyright holder nor the names of any
    contributors may be used to endorse or promote products derived
    from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Some bits from DyND, in particular aspects of the build system, have been
adapted from libdynd and dynd-python under the terms of the BSD 2-clause
license

The BSD 2-Clause License

  Copyright (C) 2011-12, Dynamic NDArray Developers
  All rights reserved.

  Redistribution and use in source and binary forms, with or without
  modification, are permitted provided that the following conditions are
  met:

* Redistributions of source code must retain the above copyright
    notice, this list of conditions and the following disclaimer.

  * Redistributions in binary form must reproduce the above
    copyright notice, this list of conditions and the following
    disclaimer in the documentation and/or other materials provided
    with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Dynamic NDArray Developers list:

* Mark Wiebe
* Continuum Analytics

Some source code from Ibis (https://github.com/cloudera/ibis) has been adapted
for PyArrow. Ibis is released under the Apache License, Version 2.0.

This project includes code from the autobrew project.

* r/tools/autobrew and dev/tasks/homebrew-formulae/autobrew/apache-arrow.rb
 are based on code from the autobrew project.

Copyright (c) 2019, Jeroen Ooms
License: MIT
Homepage: https://github.com/jeroen/autobrew

----

dev/tasks/homebrew-formulae/apache-arrow.rb has the following license:

BSD 2-Clause License

3. This notice may not be removed or altered from any source distribution.

Ren Nyffenegger rene.nyffenegger@adp-gmbh.ch

The file cpp/src/arrow/vendored/optional.hpp has the following license

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization
obtaining a copy of the software and accompanying documentation covered by
this license (the "Software") to use, reproduce, display, distribute,
execute, and transmit the Software, and to prepare derivative works of the
Software, and to permit third-parties to whom the Software is furnished to
do so, all subject to the following:

The copyright notices in the Software and this entire statement, including
the above license grant, this restriction and the following disclaimer,
must be included in all copies of the Software, in whole or in part, and
all derivative works of the Software, unless such copies or derivative
works are solely in the form of machine-executable object code generated by
a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT
SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE
FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS IN THE SOFTWARE.

The file cpp/src/arrow/vendored/musl/strptime.c has the following license

Copyright 2005-2020 Rich Felker, et al.

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Licensed to the Apache Software Foundation (ASF) under one
or more contributor license agreements. See the NOTICE file
distributed with this work for additional information
regarding copyright ownership. The ASF licenses this file
to you under the Apache License, Version 2.0 (the
"License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at
#
http://www.apache.org/licenses/LICENSE-2.0
#
Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache Arrow
Copyright 2016 The Apache Software Foundation
Format: http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: Apache Arrow
Upstream-Contact: <dev@arrow.apache.org>
Source: https://dist.apache.org/repos/dist/release/arrow/

Files: *
Copyright: 2016 The Apache Software Foundation
License: Apache-2.0

Files: TODO for "This product includes software from the SFrame project"
Copyright: 2015 Dato, Inc.
        2009 Carnegie Mellon University.
License: BSD-3-clause

Files: TODO for "This product includes software from the Numpy project"
Copyright: 1995, 1996, 1997 Jim Hugunin, hugunin@mit.edu
        2005 Travis E. Oliphant oliphant@ee.byu.edu Brigham Young University
License: BSD-3-clause

Files: TODO for "This product includes software from the Feather project"
Copyright: TODO
License: Apache-2.0

Files: TODO for "This product includes software from the DyND project"
Copyright: TODO
License: BSD-2-clause

Files: TODO for "This product includes software from the LLVM project"
Copyright: 2003-2007 University of Illinois at Urbana-Champaign.
License: U-OF-I-BSD-LIKE

Files: TODO for "This product includes software from the google-lint project"
Copyright: 2009 Google Inc. All rights reserved.
License: BSD-3-clause

Files: TODO for "This product includes software from the mman-win32 project"
Copyright: 2010 kutuzov.viktor.84
License: MIT

Files: TODO for "This product includes software from the LevelDB project"
Copyright: 2011 The LevelDB Authors. All rights reserved.
License: BSD-3-clause

Files: TODO for "This product includes software from the CMake project"
Copyright: 2001-2009 Kitware, Inc.
        2012-2014 Continuum Analytics, Inc.
License: BSD-3-clause

Files: TODO for "This product includes software from https://github.com/matthew-brett/multibuild"
Copyright: 2013-2016, Matt Terry and Matthew Brett; all rights reserved.
License: BSD-2-clause

Files: TODO for "This product includes software from the Ibis project"
Copyright: 2015 Cloudera, Inc.
License: Apache-2.0

Files: TODO for "This product includes code from Apache Kudu"
Copyright: 2016 The Apache Software Foundation
License: Apache-2.0

License: Apache-2.0
Licensed to the Apache Software Foundation (ASF) under one or more
contributor license agreements. See the NOTICE file distributed with
this work for additional information regarding copyright ownership.
The ASF licenses this file to You under the Apache License, Version 2.0
(the "License"); you may not use this file except in compliance with
the License. You may obtain a copy of the License at
.
    http://www.apache.org/licenses/LICENSE-2.0
.
Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
.
On Debian systems, the full text of the Apache Software License version 2 can
be found in the file `/usr/share/common-licenses/Apache-2.0'.

License: BSD-3-clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
.
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.
.
THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

License: BSD-2-clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
.
1) Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
.
2) Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
.
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS
OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED
AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY
WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

License: U-OF-I-BSD-LIKE
===
LLVM Release License
===
University of Illinois/NCSA
Open Source License
.
Copyright (c) 2003-2013 University of Illinois at Urbana-Champaign.
All rights reserved.
.
Developed by:
.
    LLVM Team
.
    University of Illinois at Urbana-Champaign
.
    http://llvm.org
.
Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal with
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:
.
    * Redistributions of source code must retain the above copyright notice,
      this list of conditions and the following disclaimers.
.
    * Redistributions in binary form must reproduce the above copyright notice,
      this list of conditions and the following disclaimers in the
      documentation and/or other materials provided with the distribution.
.
    * Neither the names of the LLVM Team, University of Illinois at
      Urbana-Champaign, nor the names of its contributors may be used to
      endorse or promote products derived from this Software without specific
      prior written permission.
.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE CONTRIBUTORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS WITH THE SOFTWARE.

License: MIT

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:
.
The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
/*
 * Licensed to the Apache Software Foundation (ASF) under one or more
 * contributor license agreements.  See the NOTICE file distributed with
 * this work for additional information regarding copyright ownership.
 * The ASF licenses this file to You under the Apache License, Version 2.0
 * (the "License"); you may not use this file except in compliance with
 * the License.  You may obtain a copy of the License at
 *
 *    http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

----

src/plasma/fling.cc and src/plasma/fling.h: Apache 2.0

Copyright 2013 Sharvil Nanavati

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

----

src/plasma/thirdparty/ae: Modified / 3-Clause BSD

Copyright (c) 2006-2010, Salvatore Sanfilippo <antirez at gmail dot com>
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
  this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.
* Neither the name of Redis nor the names of its contributors may be used
  to endorse or promote products derived from this software without
  specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

----

src/plasma/thirdparty/dlmalloc.c: CC0

This is a version (aka dlmalloc) of malloc/free/realloc written by Doug Lea and released to the public domain, as explained at http://creativecommons.org/publicdomain/zero/1.0/ Send questions, comments, complaints, performance data, etc to dl@cs.oswego.edu

----

src/plasma/common.cc (some portions)

Copyright (c) Austin Appleby (aappleby (AT) gmail)

Some portions of this file are derived from code in the MurmurHash project

All code is released to the public domain. For business purposes, Murmurhash is under the MIT license.

https://sites.google.com/site/murmurhash/

----

src/arrow/util (some portions): Apache 2.0, and 3-clause BSD

Some portions of this module are derived from code in the Chromium project, copyright (c) Google inc and (c) The Chromium Authors and licensed under the Apache 2.0 License or the under the 3-clause BSD license:

 Copyright (c) 2013 The Chromium Authors. All rights reserved.

 Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

   * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

   * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This project includes code from Daniel Lemire's FrameOfReference project.

https://github.com/lemire/FrameOfReference/blob/6ccaf9e97160f9a3b299e23a8ef739e711ef0c71/src/bpacking.cpp
https://github.com/lemire/FrameOfReference/blob/146948b6058a976bc7767262ad3a2ce201486b93/scripts/turbopac
king64.py

Copyright: 2013 Daniel Lemire
Home page: http://lemire.me/en/
Project page: https://github.com/lemire/FrameOfReference
License: Apache License Version 2.0 http://www.apache.org/licenses/LICENSE-2.0

This project includes code from the TensorFlow project

Copyright 2015 The TensorFlow Authors. All Rights Reserved.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

This project includes code from the NumPy project.

https://github.com/numpy/numpy/blob/e1f191c46f2eebd6cb892a4bfe14d9dd43a06c4e/numpy/core/src/multiarray/multiarraymodule.c#L2910

https://github.com/numpy/numpy/blob/68fd82271b9ea5a9e50d4e761061dfcca851382a/numpy/core/src/multiarray/datetime.c

Copyright (c) 2005-2017, NumPy Developers.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
    notice, this list of conditions and the following disclaimer.

  * Redistributions in binary form must reproduce the above
    copyright notice, this list of conditions and the following
    disclaimer in the documentation and/or other materials provided
    with the distribution.

  * Neither the name of the NumPy Developers nor the names of any
    contributors may be used to endorse or promote products derived
    from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This project includes code from the Boost project

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization
obtaining a copy of the software and accompanying documentation covered by

this license (the "Software") to use, reproduce, display, distribute,
execute, and transmit the Software, and to prepare derivative works of the
Software, and to permit third-parties to whom the Software is furnished to
do so, all subject to the following:

The copyright notices in the Software and this entire statement, including
the above license grant, this restriction and the following disclaimer,
must be included in all copies of the Software, in whole or in part, and
all derivative works of the Software, unless such copies or derivative
works are solely in the form of machine-executable object code generated by
a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT
SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE
FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS IN THE SOFTWARE.

This project includes code from the FlatBuffers project

Copyright 2014 Google Inc.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

This project includes code from the tslib project

Copyright 2015 Microsoft Corporation. All rights reserved.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

This project includes code from the jemalloc project

https://github.com/jemalloc/jemalloc

Copyright (C) 2002-2017 Jason Evans <jasone@canonware.com>.
All rights reserved.
Copyright (C) 2007-2012 Mozilla Foundation. All rights reserved.
Copyright (C) 2009-2017 Facebook, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:
1. Redistributions of source code must retain the above copyright notice(s),
   this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice(s),
   this list of conditions and the following disclaimer in the documentation
   and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER(S) ``AS IS'' AND ANY EXPRESS
OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL THE COPYRIGHT HOLDER(S) BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF
ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This project includes code from the Go project, BSD 3-clause license + PATENTS
weak patent termination clause
(https://github.com/golang/go/blob/master/PATENTS).

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
 * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
 * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This project includes code from the hs2client

https://github.com/cloudera/hs2client

Copyright 2016 Cloudera Inc.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

The script ci/scripts/util_wait_for_it.sh has the following license

Copyright (c) 2016 Giles Hall

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

The script r/configure has the following license (MIT)

Copyright (c) 2017, Jeroen Ooms and Jim Hester

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

----

cpp/src/arrow/util/logging.cc, cpp/src/arrow/util/logging.h and
cpp/src/arrow/util/logging-test.cc are adapted from
Ray Project (https://github.com/ray-project/ray) (Apache 2.0).

The file cpp/src/arrow/util/utf8.h includes code adapted from the page
 https://bjoern.hoehrmann.de/utf-8/decoder/dfa/
with the following license (MIT)

Copyright (c) 2008-2009 Bjoern Hoehrmann <bjoern@hoehrmann.de>

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

The file cpp/src/arrow/vendored/string_view.hpp has the following license

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization
obtaining a copy of the software and accompanying documentation covered by
this license (the "Software") to use, reproduce, display, distribute,
execute, and transmit the Software, and to prepare derivative works of the
Software, and to permit third-parties to whom the Software is furnished to
do so, all subject to the following:

The copyright notices in the Software and this entire statement, including
the above license grant, this restriction and the following disclaimer,
must be included in all copies of the Software, in whole or in part, and
all derivative works of the Software, unless such copies or derivative
works are solely in the form of machine-executable object code generated by
a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT
SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE
FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS IN THE SOFTWARE.

The files in cpp/src/arrow/vendored/xxhash/ have the following license
(BSD 2-Clause License)

xxHash Library
Copyright (c) 2012-2014, Yann Collet
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
 list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this
 list of conditions and the following disclaimer in the documentation and/or
 other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

You can contact the author at :
- xxHash homepage: http://www.xxhash.com
- xxHash source repository : https://github.com/Cyan4973/xxHash

----

The files in cpp/src/arrow/vendored/double-conversion/ have the following license
(BSD 3-Clause License)

Copyright 2006-2011, the V8 project authors. All rights reserved.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are

met:

  * Redistributions of source code must retain the above copyright
    notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
    copyright notice, this list of conditions and the following
    disclaimer in the documentation and/or other materials provided
    with the distribution.
  * Neither the name of Google Inc. nor the names of its
    contributors may be used to endorse or promote products derived
    from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The files in cpp/src/arrow/vendored/uriparser/ have the following license
(BSD 3-Clause License)

uriparser - RFC 3986 URI parsing library

Copyright (C) 2007, Weijia Song <songweijia@gmail.com>
Copyright (C) 2007, Sebastian Pipping <sebastian@pipping.org>
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

  * Redistributions of source code must retain the above
    copyright notice, this list of conditions and the following
    disclaimer.

  * Redistributions in binary form must reproduce the above
    copyright notice, this list of conditions and the following
    disclaimer in the documentation and/or other materials
    provided with the distribution.

* Neither the name of the <ORGANIZATION> nor the names of its
    contributors may be used to endorse or promote products
    derived from this software without specific prior written
    permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

The files under dev/tasks/conda-recipes have the following license

BSD 3-clause license
Copyright (c) 2015-2018, conda-forge
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this
   list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice,
   this list of conditions and the following disclaimer in the documentation
   and/or other materials provided with the distribution.

3. Neither the name of the copyright holder nor the names of its contributors
   may be used to endorse or promote products derived from this software without
   specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR

TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The files in cpp/src/arrow/vendored/utfcpp/ have the following license

Copyright 2006-2018 Nemanja Trifunovic

Permission is hereby granted, free of charge, to any person or organization
obtaining a copy of the software and accompanying documentation covered by
this license (the "Software") to use, reproduce, display, distribute,
execute, and transmit the Software, and to prepare derivative works of the
Software, and to permit third-parties to whom the Software is furnished to
do so, all subject to the following:

The copyright notices in the Software and this entire statement, including
the above license grant, this restriction and the following disclaimer,
must be included in all copies of the Software, in whole or in part, and
all derivative works of the Software, unless such copies or derivative
works are solely in the form of machine-executable object code generated by
a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT
SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE
FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS IN THE SOFTWARE.

This project includes code from Apache Kudu.

* cpp/cmake_modules/CompilerInfo.cmake is based on Kudu's cmake_modules/CompilerInfo.cmake

Copyright: 2016 The Apache Software Foundation.
Home page: https://kudu.apache.org/
License: http://www.apache.org/licenses/LICENSE-2.0

This project includes code from Apache Impala (incubating), formerly
Impala. The Impala code and rights were donated to the ASF as part of the
Incubator process after the initial code imports into Apache Parquet.

Copyright: 2012 Cloudera, Inc.

Copyright: 2016 The Apache Software Foundation.
Home page: http://impala.apache.org/
License: http://www.apache.org/licenses/LICENSE-2.0

This project includes code from Apache Aurora.

* dev/release/{release,changelog,release-candidate} are based on the scripts from
 Apache Aurora

Copyright: 2016 The Apache Software Foundation.
Home page: https://aurora.apache.org/
License: http://www.apache.org/licenses/LICENSE-2.0

This project includes code from the Google styleguide.

* cpp/build-support/cpplint.py is based on the scripts from the Google styleguide.

Copyright: 2009 Google Inc. All rights reserved.
Homepage: https://github.com/google/styleguide
License: 3-clause BSD

This project includes code from Snappy.

* cpp/cmake_modules/{SnappyCMakeLists.txt,SnappyConfig.h} are based on code
 from Google's Snappy project.

Copyright: 2009 Google Inc. All rights reserved.
Homepage: https://github.com/google/snappy
License: 3-clause BSD

This project includes code from the manylinux project.

* python/manylinux1/scripts/{build_python.sh,python-tag-abi-tag.py,
 requirements.txt} are based on code from the manylinux project.

Copyright: 2016 manylinux
Homepage: https://github.com/pypa/manylinux
License: The MIT License (MIT)

This project includes code from the cymove project:

* python/pyarrow/includes/common.pxd includes code from the cymove project

----

The projects includes code from the Ursabot project under the dev/archery
directory.

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This project include code from mingw-w64.

* cpp/src/arrow/util/cpu-info.cc has a polyfill for mingw-w64 < 5

Copyright (c) 2009 - 2013 by the mingw-w64 project
Homepage: https://mingw-w64.org
License: Zope Public License (ZPL) Version 2.1.

This project include code from Google's Asylo project.

* cpp/src/arrow/result.h is based on status_or.h

Copyright (c) Copyright 2017 Asylo authors
Homepage: https://asylo.dev/
License: Apache 2.0

This project includes code from Google's protobuf project

* cpp/src/arrow/result.h ARROW_ASSIGN_OR_RAISE is based off ASSIGN_OR_RETURN
* cpp/src/arrow/util/bit_stream_utils.h contains code from wire_format_lite.h

Copyright 2008 Google Inc. All rights reserved.
Homepage: https://developers.google.com/protocol-buffers/
License:

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the

distribution.
  * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner
of the input file used when generating it. This code is not
standalone and requires a support library to be linked with it. This
support library is itself covered by the above license.

3rdparty dependency LLVM is statically linked in certain binary distributions.
Additionally some sections of source code have been derived from sources in LLVM
and have been clearly labeled as such. LLVM has the following license:

==
The LLVM Project is under the Apache License v2.0 with LLVM Exceptions:
==

                    Apache License
                 Version 2.0, January 2004
               http://www.apache.org/licenses/

  TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

  1. Definitions.

    "License" shall mean the terms and conditions for use, reproduction,
    and distribution as defined by Sections 1 through 9 of this document.

    "Licensor" shall mean the copyright owner or entity authorized by
    the copyright owner that is granting the License.

    "Legal Entity" shall mean the union of the acting entity and all
    other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and
       attribution notices from the Source form of the Work,
       excluding those notices that do not pertain to any part of
       the Derivative Works; and

   (d) If the Work includes a "NOTICE" text file as part of its
       distribution, then any Derivative Works that You distribute must
       include a readable copy of the attribution notices contained
       within such NOTICE file, excluding those notices that do not
       pertain to any part of the Derivative Works, in at least one
       of the following places: within a NOTICE text file distributed
       as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

---- LLVM Exceptions to the Apache 2.0 License ----

As an exception, if, as a result of your compiling your source code, portions
of this Software are embedded into an Object form of such source code, you
may redistribute such embedded portions in such Object form without complying

with the conditions of Sections 4(a), 4(b) and 4(d) of the License.

In addition, if you combine or link compiled forms of this Software with
software that is licensed under the GPLv2 ("Combined Software") and if a
court of competent jurisdiction determines that the patent provision (Section
3), the indemnity provision (Section 9) or other Section of the License
conflicts with the conditions of the GPLv2, you may retroactively and
prospectively choose to deem waived or otherwise exclude such Section(s) of
the License, but only in their entirety and only with respect to the Combined
Software.

==
Software from third parties included in the LLVM Project:
==

The LLVM Project contains third party software which is under different license
terms. All such code will be identified clearly using at least one of two
mechanisms:
1) It will be in a separate directory tree with its own `LICENSE.txt` or
   `LICENSE` file at the top containing the specific license and restrictions
   which apply to that software, or
2) It will contain specific license and restriction terms at the top of every
   file.

3rdparty dependency gRPC is statically linked in certain binary
distributions, like the python wheels. gRPC has the following license:

Copyright 2014 gRPC authors.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

3rdparty dependency Apache Thrift is statically linked in certain binary
distributions, like the python wheels. Apache Thrift has the following license:

Apache Thrift

Copyright (C) 2006 - 2019, The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

3rdparty dependency Apache ORC is statically linked in certain binary
distributions, like the python wheels. Apache ORC has the following license:

Apache ORC
Copyright 2013-2019 The Apache Software Foundation

This product includes software developed by The Apache Software
Foundation (http://www.apache.org/).

This product includes software developed by Hewlett-Packard:
(c) Copyright [2014-2015] Hewlett-Packard Development Company, L.P

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

3rdparty dependency zstd is statically linked in certain binary
distributions, like the python wheels. ZSTD has the following license:

BSD License

For Zstandard software

Copyright (c) 2016-present, Facebook, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
  list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.

* Neither the name Facebook nor the names of its contributors may be used to
  endorse or promote products derived from this software without specific
  prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

3rdparty dependency lz4 is statically linked in certain binary
distributions, like the python wheels. lz4 has the following license:

LZ4 Library
Copyright (c) 2011-2016, Yann Collet
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
  list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this
  list of conditions and the following disclaimer in the documentation and/or

other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

3rdparty dependency Brotli is statically linked in certain binary distributions, like the python wheels. Brotli has the following license:

Copyright (c) 2009, 2010, 2013-2016 by the Brotli Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

3rdparty dependency rapidjson is statically linked in certain binary distributions, like the python wheels. rapidjson and its dependencies have the following licenses:

Tencent is pleased to support the open source community by making RapidJSON available.

Copyright (C) 2015 THL A29 Limited, a Tencent company, and Milo Yip.

If you have downloaded a copy of the RapidJSON binary from Tencent, please note
that the RapidJSON binary is licensed under the MIT License.
If you have downloaded a copy of the RapidJSON source code from Tencent, please
note that RapidJSON source code is licensed under the MIT License, except for
the third-party components listed below which are subject to different license
terms. Your integration of RapidJSON into your own projects may require
compliance with the MIT License, as well as the other licenses applicable to
the third-party components included within RapidJSON. To avoid the problematic
JSON license in your own projects, it's sufficient to exclude the
bin/jsonchecker/ directory, as it's the only code under the JSON license.
A copy of the MIT License is included in this file.

Other dependencies and licenses:

Open Source Software Licensed Under the BSD License:

The msinttypes r29
Copyright (c) 2006-2013 Alexander Chemeris

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.
* Neither the name of copyright holder nor the names of its contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE REGENTS AND CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.

Open Source Software Licensed Under the JSON License:

----

json.org
Copyright (c) 2002 JSON.org
All Rights Reserved.

JSON_checker
Copyright (c) 2002 JSON.org
All Rights Reserved.

Terms of the JSON License:

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

The Software shall be used for Good, not Evil.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS IN THE SOFTWARE.

Terms of the MIT License:

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

3rdparty dependency snappy is statically linked in certain binary distributions, like the python wheels. snappy has the following license:

Copyright 2011, Google Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

  * Redistributions of source code must retain the above copyright notice,
    this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above copyright notice,
    this list of conditions and the following disclaimer in the documentation
    and/or other materials provided with the distribution.
  * Neither the name of Google Inc. nor the names of its contributors may be
    used to endorse or promote products derived from this software without
    specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

===

Some of the benchmark data in testdata/ is licensed differently:

- fireworks.jpeg is Copyright 2013 Steinar H. Gunderson, and
  is licensed under the Creative Commons Attribution 3.0 license
  (CC-BY-3.0). See https://creativecommons.org/licenses/by/3.0/

for more information.

- kppkn.gtb is taken from the Gaviota chess tablebase set, and
  is licensed under the MIT License. See
  https://sites.google.com/site/gaviotachessengine/Home/endgame-tablebases-1
  for more information.

- paper-100k.pdf is an excerpt (bytes 92160 to 194560) from the paper
  Combinatorial Modeling of Chromatin Features Quantitatively Predicts DNA
  Replication Timing in _Drosophila_ by Federico Comoglio and Renato Paro,
  which is licensed under the CC-BY license. See
  http://www.ploscompbiol.org/static/license for more ifnormation.

- alice29.txt, asyoulik.txt, plrabn12.txt and lcet10.txt are from Project
  Gutenberg. The first three have expired copyrights and are in the public
  domain; the latter does not have expired copyright, but is still in the
  public domain according to the license information
  (http://www.gutenberg.org/ebooks/53).

3rdparty dependency gflags is statically linked in certain binary
distributions, like the python wheels. gflags has the following license:

DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

3rdparty dependency glog is statically linked in certain binary
distributions, like the python wheels. glog has the following license:

Copyright (c) 2008, Google Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

    * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
    * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
    * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

A function gettimeofday in utilities.cc is based on

http://www.google.com/codesearch/p?hl=en#dR3YEbitojA/COPYING&q=GetSystemTimeAsFileTime%20license:
bsd

The license of this code is:

Copyright (c) 2003-2008, Jouni Malinen <j@w1.fi> and contributors

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name(s) of the above-listed copyright holder(s) nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

3rdparty dependency re2 is statically linked in certain binary distributions, like the python wheels. re2 has the following license:

Copyright (c) 2009 The RE2 Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

  * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
  * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this

software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

3rdparty dependency c-ares is statically linked in certain binary
distributions, like the python wheels. c-ares has the following license:

c-ares license

Copyright (c) 2007 - 2018, Daniel Stenberg with many contributors, see AUTHORS
file.

Copyright 1998 by the Massachusetts Institute of Technology.

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted, provided that
the above copyright notice appear in all copies and that both that copyright
notice and this permission notice appear in supporting documentation, and that
the name of M.I.T. not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior permission.
M.I.T. makes no representations about the suitability of this software for any
purpose. It is provided "as is" without express or implied warranty.

3rdparty dependency zlib is redistributed as a dynamically linked shared
library in certain binary distributions, like the python wheels. In the future
this will likely change to static linkage. zlib has the following license:

zlib.h -- interface of the 'zlib' general purpose compression library
 version 1.2.11, January 15th, 2017

 Copyright (C) 1995-2017 Jean-loup Gailly and Mark Adler

 This software is provided 'as-is', without any express or implied
 warranty. In no event will the authors be held liable for any damages

arising from the use of this software.

Permission is granted to anyone to use this software for any purpose,
including commercial applications, and to alter it and redistribute it
freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not
   claim that you wrote the original software. If you use this software
   in a product, an acknowledgment in the product documentation would be
   appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be
   misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly   Mark Adler
jloup@gzip.org   madler@alumni.caltech.edu

3rdparty dependency openssl is redistributed as a dynamically linked shared
library in certain binary distributions, like the python wheels. openssl
preceding version 3 has the following license:

LICENSE ISSUES
==============

The OpenSSL toolkit stays under a double license, i.e. both the conditions of
the OpenSSL License and the original SSLeay license apply to the toolkit.
See below for the actual license texts.

OpenSSL License

/* ==
 * Copyright (c) 1998-2019 The OpenSSL Project. All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 *   notice, this list of conditions and the following disclaimer.
 *
 * 2. Redistributions in binary form must reproduce the above copyright
 *   notice, this list of conditions and the following disclaimer in
 *   the documentation and/or other materials provided with the
 *   distribution.
 *

* 3. All advertising materials mentioning features or use of this
*   software must display the following acknowledgment:
*   "This product includes software developed by the OpenSSL Project
*   for use in the OpenSSL Toolkit. (http://www.openssl.org/)"
*
* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
*   endorse or promote products derived from this software without
*   prior written permission. For written permission, please contact
*   openssl-core@openssl.org.
*
* 5. Products derived from this software may not be called "OpenSSL"
*   nor may "OpenSSL" appear in their names without prior written
*   permission of the OpenSSL Project.
*
* 6. Redistributions of any form whatsoever must retain the following
*   acknowledgment:
*   "This product includes software developed by the OpenSSL Project
*   for use in the OpenSSL Toolkit (http://www.openssl.org/)"
*
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
* ==
*
* This product includes cryptographic software written by Eric Young
* (eay@cryptsoft.com). This product includes software written by Tim
* Hudson (tjh@cryptsoft.com).
*
*/

Original SSLeay License

/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
* All rights reserved.
*
* This package is an SSL implementation written
* by Eric Young (eay@cryptsoft.com).
* The implementation was written so as to conform with Netscapes SSL.

```
*
* This library is free for commercial and non-commercial use as long as
* the following conditions are aheared to.  The following conditions
* apply to all code found in this distribution, be it the RC4, RSA,
* lhash, DES, etc., code; not just the SSL code.  The SSL documentation
* included with this distribution is covered by the same copyright terms
* except that the holder is Tim Hudson (tjh@cryptsoft.com).
*
* Copyright remains Eric Young's, and as such any Copyright notices in
* the code are not to be removed.
* If this package is used in a product, Eric Young should be given attribution
* as the author of the parts of the library used.
* This can be in the form of a textual message at program startup or
* in documentation (online or textual) provided with the package.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the copyright
*    notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in the
*    documentation and/or other materials provided with the distribution.
* 3. All advertising materials mentioning features or use of this software
*    must display the following acknowledgement:
*    "This product includes cryptographic software written by
*     Eric Young (eay@cryptsoft.com)"
*    The word 'cryptographic' can be left out if the rouines from the library
*    being used are not cryptographic related :-).
* 4. If you include any Windows specific code (or a derivative thereof) from
*    the apps directory (application code) you must include an acknowledgement:
*    "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"
*
* THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS'' AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED.  IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.
*
* The licence and distribution terms for any publically available version or
* derivative of this code cannot be changed.  i.e. this code cannot simply be
* copied and put under another distribution licence
```

* [including the GNU Public Licence.]
*/

This project includes code from the rtools-backports project.

* ci/scripts/PKGBUILD and ci/scripts/r_windows_build.sh are based on code
  from the rtools-backports project.

Copyright: Copyright (c) 2013 - 2019, and Jeroen Ooms.
All rights reserved.
Homepage: https://github.com/r-windows/rtools-backports
License: 3-clause BSD

Some code from pandas has been adapted for the pyarrow codebase. pandas is
available under the 3-clause BSD license, which follows:

pandas license
==============

Copyright (c) 2011-2012, Lambda Foundry, Inc. and PyData Development Team
All rights reserved.

Copyright (c) 2008-2011 AQR Capital Management, LLC
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
    notice, this list of conditions and the following disclaimer.

  * Redistributions in binary form must reproduce the above
    copyright notice, this list of conditions and the following
    disclaimer in the documentation and/or other materials provided
    with the distribution.

  * Neither the name of the copyright holder nor the names of any
    contributors may be used to endorse or promote products derived
    from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Some bits from DyND, in particular aspects of the build system, have been adapted from libdynd and dynd-python under the terms of the BSD 2-clause license

The BSD 2-Clause License

Copyright (C) 2011-12, Dynamic NDArray Developers
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

  * Redistributions of source code must retain the above copyright
    notice, this list of conditions and the following disclaimer.

  * Redistributions in binary form must reproduce the above
    copyright notice, this list of conditions and the following
    disclaimer in the documentation and/or other materials provided
    with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Dynamic NDArray Developers list:

* Mark Wiebe
* Continuum Analytics

Some source code from Ibis (https://github.com/cloudera/ibis) has been adapted
for PyArrow. Ibis is released under the Apache License, Version 2.0.

This project includes code from the autobrew project.

* r/tools/autobrew and dev/tasks/homebrew-formulae/autobrew/apache-arrow.rb
 are based on code from the autobrew project.

Copyright (c) 2019, Jeroen Ooms
License: MIT
Homepage: https://github.com/jeroen/autobrew

----

dev/tasks/homebrew-formulae/apache-arrow.rb has the following license:

BSD 2-Clause License

Copyright (c) 2009-present, Homebrew contributors
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
 list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice,
 this list of conditions and the following disclaimer in the documentation
 and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

----

cpp/src/arrow/vendored/base64.cpp has the following license

ZLIB License

Copyright (C) 2004-2017 Ren Nyffenegger

This source code is provided 'as-is', without any express or implied
warranty. In no event will the author be held liable for any damages arising
from the use of this software.

Permission is granted to anyone to use this software for any purpose, including
commercial applications, and to alter it and redistribute it freely, subject to
the following restrictions:

1. The origin of this source code must not be misrepresented; you must not
   claim that you wrote the original source code. If you use this source code
   in a product, an acknowledgment in the product documentation would be
   appreciated but is not required.

2. Altered source versions must be plainly marked as such, and must not be
   misrepresented as being the original source code.

3. This notice may not be removed or altered from any source distribution.

Ren Nyffenegger rene.nyffenegger@adp-gmbh.ch

The file cpp/src/arrow/vendored/optional.hpp has the following license

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization
obtaining a copy of the software and accompanying documentation covered by
this license (the "Software") to use, reproduce, display, distribute,
execute, and transmit the Software, and to prepare derivative works of the
Software, and to permit third-parties to whom the Software is furnished to
do so, all subject to the following:

The copyright notices in the Software and this entire statement, including
the above license grant, this restriction and the following disclaimer,
must be included in all copies of the Software, in whole or in part, and
all derivative works of the Software, unless such copies or derivative
works are solely in the form of machine-executable object code generated by
a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This project includes code from Folly.

* cpp/src/arrow/vendored/ProducerConsumerQueue.h

is based on Folly's

* folly/Portability.h
* folly/lang/Align.h
* folly/ProducerConsumerQueue.h

Copyright: Copyright (c) Facebook, Inc. and its affiliates.
Home page: https://github.com/facebook/folly
License: http://www.apache.org/licenses/LICENSE-2.0

The file cpp/src/arrow/vendored/musl/strptime.c has the following license

Copyright 2005-2020 Rich Felker, et al.

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The file cpp/cmake_modules/BuildUtils.cmake contains code from

https://gist.github.com/cristianadam/ef920342939a89fae3e8a85ca9459b49

which is made available under the MIT license

Copyright (c) 2019 Cristian Adam

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

The files in cpp/src/arrow/vendored/portable-snippets/ contain code from

https://github.com/nemequ/portable-snippets

and have the following copyright notice:

Each source file contains a preamble explaining the license situation
for that file, which takes priority over this file. With the
exception of some code pulled in from other repositories (such as
nit, an MIT-licensed project which is used for testing), the code is
public domain, released using the CC0 1.0 Universal dedication (*).

(*) https://creativecommons.org/publicdomain/zero/1.0/legalcode

----

The files in cpp/src/arrow/vendored/fast_float/ contain code from

https://github.com/lemire/fast_float

which is made available under the Apache License 2.0.

The file python/pyarrow/vendored/version.py contains code from

https://github.com/pypa/packaging/

which is made available under both the Apache license v2.0 and the
BSD 2-clause license.

The files in cpp/src/arrow/vendored/pcg contain code from

https://github.com/imneme/pcg-cpp

and have the following copyright notice:

Copyright 2014-2019 Melissa O'Neill <oneill@pcg-random.org>,
        and the PCG Project contributors.

SPDX-License-Identifier: (Apache-2.0 OR MIT)

Licensed under the Apache License, Version 2.0 (provided in
LICENSE-APACHE.txt and at http://www.apache.org/licenses/LICENSE-2.0)
or under the MIT license (provided in LICENSE-MIT.txt and at
http://opensource.org/licenses/MIT), at your option. This file may not
be copied, modified, or distributed except according to those terms.

Distributed on an "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, either
express or implied. See your chosen license for details.

----
r/R/dplyr-count-tally.R (some portions)

Some portions of this file are derived from code from

https://github.com/tidyverse/dplyr/

which is made available under the MIT license

Copyright (c) 2013-2019 RStudio and others.

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the Software), to deal

in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED AS IS, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
Apache Arrow
Copyright 2016-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

This product includes software from the SFrame project (BSD, 3-clause).
* Copyright (C) 2015 Dato, Inc.
* Copyright (c) 2009 Carnegie Mellon University.

This product includes software from the Feather project (Apache 2.0)
https://github.com/wesm/feather

This product includes software from the DyND project (BSD 2-clause)
https://github.com/libdynd

This product includes software from the LLVM project
* distributed under the University of Illinois Open Source

This product includes software from the google-lint project
* Copyright (c) 2009 Google Inc. All rights reserved.

This product includes software from the mman-win32 project
* Copyright https://code.google.com/p/mman-win32/
* Licensed under the MIT License;

This product includes software from the LevelDB project
* Copyright (c) 2011 The LevelDB Authors. All rights reserved.
* Use of this source code is governed by a BSD-style license that can be
* Moved from Kudu http://github.com/cloudera/kudu

This product includes software from the CMake project
* Copyright 2001-2009 Kitware, Inc.

* Copyright 2012-2014 Continuum Analytics, Inc.
* All rights reserved.

This product includes software from https://github.com/matthew-brett/multibuild (BSD 2-clause)
* Copyright (c) 2013-2016, Matt Terry and Matthew Brett; all rights reserved.

This product includes software from the Ibis project (Apache 2.0)
* Copyright (c) 2015 Cloudera, Inc.
* https://github.com/cloudera/ibis

This product includes software from Dremio (Apache 2.0)
 * Copyright (C) 2017-2018 Dremio Corporation
 * https://github.com/dremio/dremio-oss

This product includes software from Google Guava (Apache 2.0)
 * Copyright (C) 2007 The Guava Authors
 * https://github.com/google/guava

This product include software from CMake (BSD 3-Clause)
 * CMake - Cross Platform Makefile Generator
 * Copyright 2000-2019 Kitware, Inc. and Contributors

The web site includes files generated by Jekyll.

This product includes code from Apache Kudu, which includes the following in
its NOTICE file:

 Apache Kudu
 Copyright 2016 The Apache Software Foundation

 This product includes software developed at
 The Apache Software Foundation (http://www.apache.org/).

 Portions of this software were developed at
 Cloudera, Inc (http://www.cloudera.com/).

This product includes code from Apache ORC, which includes the following in
its NOTICE file:

 Apache ORC
 Copyright 2013-2019 The Apache Software Foundation

 This product includes software developed by The Apache Software
 Foundation (http://www.apache.org/).

This product includes software developed by Hewlett-Packard:

(c) Copyright [2014-2015] Hewlett-Packard Development Company, L.P

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or
   Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
   stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
   that You distribute, all copyright, patent, trademark, and
   attribution notices from the Source form of the Work,
   excluding those notices that do not pertain to any part of
   the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
   distribution, then any Derivative Works that You distribute must
   include a readable copy of the attribution notices contained
   within such NOTICE file, excluding those notices that do not
   pertain to any part of the Derivative Works, in at least one
   of the following places: within a NOTICE text file distributed
   as part of the Derivative Works; within the Source form or
   documentation, if provided along with the Derivative Works; or,
   within a display generated by the Derivative Works, if and
   wherever such third-party notices normally appear. The contents
   of the NOTICE file are for informational purposes only and
   do not modify the License. You may add Your own attribution
   notices within Derivative Works that You distribute, alongside
   or as an addendum to the NOTICE text from the Work, provided
   that such additional attribution notices cannot be construed
   as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Format: http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: Apache Arrow
Upstream-Contact: Apache Arrow Developers <dev@arrow.apache.org>

Files: *
Copyright: 2016 The Apache Software Foundation
License: Apache-2.0

License: Apache-2.0
Licensed to the Apache Software Foundation (ASF) under one or more
contributor license agreements. See the NOTICE file distributed with
this work for additional information regarding copyright ownership.
The ASF licenses this file to You under the Apache License, Version 2.0
(the "License"); you may not use this file except in compliance with
the License. You may obtain a copy of the License at
 .
   http://www.apache.org/licenses/LICENSE-2.0
 .
Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
 .
On Debian systems, the full text of the Apache Software License version 2 can
be found in the file `/usr/share/common-licenses/Apache-2.0'.

1.278 libffi 3.3 4

1.278.1 Available under license :

libffi - Copyright (c) 1996-2019 Anthony Green, Red Hat, Inc and others.
See source files for details.

Permission is hereby granted, free of charge, to any person obtaining

a copy of this software and associated documentation files (the
``Software''), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED ``AS IS'', WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
The libffi source distribution contains certain code that is not part
of libffi, and is only used as tooling to assist with the building and
testing of libffi. This includes the msvcc.sh script used to wrap the
Microsoft compiler with GNU compatible command-line options,
make_sunver.pl, and the libffi test code distributed in the
testsuite/libffi.bhaible directory. This code is distributed with
libffi for the purpose of convenience only, and libffi is in no way
derived from this code.

msvcc.sh an testsuite/libffi.bhaible are both distributed under the
terms of the GNU GPL version 2, as below.

                    GNU GENERAL PUBLIC LICENSE
                       Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

                            Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by

the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

 We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

 Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

 Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

 The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"

means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices
  stating that you changed the files and the date of any change.

  b) You must cause any work that you distribute or publish, that in
  whole or in part contains or is derived from the Program or any
  part thereof, to be licensed as a whole at no charge to all third
  parties under the terms of this License.

  c) If the modified program normally reads commands interactively
  when run, you must cause it, when started running for such
  interactive use in the most ordinary way, to print or display an
  announcement including an appropriate copyright notice and a
  notice that there is no warranty (or else, saying that you provide
  a warranty) and that users may redistribute the program under
  these conditions, and telling the user how to view a copy of this
  License. (Exception: if the Program itself is interactive but
  does not normally print such an announcement, your work based on
  the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

 3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

  a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

  b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

  c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary

form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

 5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

 7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to
apply and the section as a whole is intended to apply in other
circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system, which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

 8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

 10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.

1.279 keyutils 1.6-6ubuntu1.1

1.279.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc. <http://fsf.org/>
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts

as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

  The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

  This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

  When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

  To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

  For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

  We protect your rights with a two-step method: (1) we copyright the
library, and (2) we offer you this license, which gives you legal
permission to copy, distribute and/or modify the library.

  To protect each distributor, we want to make it very clear that
there is no warranty for the free library. Also, if the library is
modified by someone else and passed on, the recipients should know
that what they have is not the original version, so that the original
author's reputation will not be affected by problems that might be
introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is

linked with the Library has the freedom and the wherewithal to run
that program using a modified version of the Library.

 The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, whereas the latter must
be combined with the library in order to run.

   GNU LESSER GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License Agreement applies to any software library or other
program which contains a notice placed by the copyright holder or
other authorized party saying it may be distributed under the terms of
this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

 A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

 The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated
straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

 "Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means
all the source code for all modules it contains, plus any associated
interface definition files, plus the scripts used to control compilation
and installation of the library.

 Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running a program using the Library is not restricted, and output from
such a program is covered only if its contents constitute a work based
on the Library (independent of the use of the Library in a tool for
writing it). Whether that is true depends on what the Library does
and what the program that uses the Library does.

 1. You may copy and distribute verbatim copies of the Library's
complete source code as you receive it, in any medium, provided that
you conspicuously and appropriately publish on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact

all the notices that refer to this License and to the absence of any
warranty; and distribute a copy of this License along with the
Library.

 You may charge a fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a
fee.

 2. You may modify your copy or copies of the Library or any portion
of it, thus forming a work based on the Library, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) The modified work must itself be a software library.

  b) You must cause the files modified to carry prominent notices
  stating that you changed the files and the date of any change.

  c) You must cause the whole of the work to be licensed at no
  charge to all third parties under the terms of this License.

  d) If a facility in the modified Library refers to a function or a
  table of data to be supplied by an application program that uses
  the facility, other than as an argument passed when the facility
  is invoked, then you must make a good faith effort to ensure that,
  in the event an application does not supply such function or
  table, the facility still operates, and performs whatever part of
  its purpose remains meaningful.

  (For example, a function in a library to compute square roots has
  a purpose that is entirely well-defined independent of the
  application. Therefore, Subsection 2d requires that any
  application-supplied function or table used by this function must
  be optional: if the application does not supply it, the square
  root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Library,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest

your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

 Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

 4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

 5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

 However, linking a "work that uses the Library" with the Library
creates an executable that is a derivative of the Library (because it
contains portions of the Library), rather than a "work that uses the
library". The executable is therefore covered by this License.

Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact

that part of it is a work based on the Library, and explaining
where to find the accompanying uncombined form of the same work.

  8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

  9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

  10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties with
this License.

  11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply,
and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the

integrity of the free software distribution system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

  12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

  13. The Free Software Foundation may publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

  14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

    NO WARRANTY

  15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE

IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

  16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

  END OF TERMS AND CONDITIONS

   How to Apply These Terms to Your New Libraries

 If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

 To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

    <one line to give the library's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This library is free software; you can redistribute it and/or
    modify it under the terms of the GNU Lesser General Public
    License as published by the Free Software Foundation; either
    version 2.1 of the License, or (at your option) any later version.

    This library is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
    Lesser General Public License for more details.

    You should have received a copy of the GNU Lesser General Public
    License along with this library; if not, write to the Free Software
    Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the
 library `Frob' (a library for tweaking knobs) written by James Random Hacker.

 <signature of Ty Coon>, 1 April 1990
 Ty Coon, President of Vice

That's all there is to it!
      GNU GENERAL PUBLIC LICENSE
        Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. <http://fsf.org/>
   51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

       Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Library General Public License instead.) You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the

source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty;

and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion
of it, thus forming a work based on the Program, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices
  stating that you changed the files and the date of any change.

  b) You must cause any work that you distribute or publish, that in
  whole or in part contains or is derived from the Program or any
  part thereof, to be licensed as a whole at no charge to all third
  parties under the terms of this License.

  c) If the modified program normally reads commands interactively
  when run, you must cause it, when started running for such
  interactive use in the most ordinary way, to print or display an
  announcement including an appropriate copyright notice and a
  notice that there is no warranty (or else, saying that you provide
  a warranty) and that users may redistribute the program under
  these conditions, and telling the user how to view a copy of this
  License. (Exception: if the Program itself is interactive but
  does not normally print such an announcement, your work based on
  the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under

the scope of this License.

 3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

  a) Accompany it with the complete corresponding machine-readable
  source code, which must be distributed under the terms of Sections
  1 and 2 above on a medium customarily used for software interchange; or,

  b) Accompany it with a written offer, valid for at least three
  years, to give any third party, for a charge no more than your
  cost of physically performing source distribution, a complete
  machine-readable copy of the corresponding source code, to be
  distributed under the terms of Sections 1 and 2 above on a medium
  customarily used for software interchange; or,

  c) Accompany it with the information you received as to the offer
  to distribute corresponding source code. (This alternative is
  allowed only for noncommercial distribution and only if you
  received the program in object code or executable form with such
  an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering
access to copy from a designated place, then offering equivalent
access to copy the source code from the same place counts as
distribution of the source code, even though third parties are not
compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense or distribute the Program is
void, and will automatically terminate your rights under this License.
However, parties who have received copies, or rights, from you under
this License will not have their licenses terminated so long as such
parties remain in full compliance.

5. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Program or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Program (or any work based on the
Program), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the
Program), the recipient automatically receives a license from the
original licensor to copy, distribute or modify the Program subject to
these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties to
this License.

7. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Program at all. For example, if a patent
license would not permit royalty-free redistribution of the Program by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to
apply and the section as a whole is intended to apply in other
circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system, which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY

YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) 19yy <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program; if not, write to the Free Software
    Foundation, Inc., 675 Mass Ave, Cambridge, MA 02139, USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

    Gnomovision version 69, Copyright (C) 19yy name of author
    Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

1.280 pcre 8.39

1.280.1 Available under license :

PCRE LICENCE

PCRE is a library of functions to support regular expressions whose syntax and semantics are as close as possible to those of the Perl 5 language.

Release 8 of PCRE is distributed under the terms of the "BSD" licence, as specified below. The documentation for PCRE, supplied in the "doc" directory, is distributed under the same terms as the software itself. The data in the testdata directory is not copyrighted and is in the public domain.

The basic library functions are written in C and are freestanding. Also included in the distribution is a set of C++ wrapper functions, and a just-in-time compiler that can be used to optimize pattern matching. These are both optional features that can be omitted when the library is built.

THE BASIC LIBRARY FUNCTIONS

Written by: Philip Hazel
Email local part: ph10
Email domain: cam.ac.uk

University of Cambridge Computing Service,
Cambridge, England.

PCRE JUST-IN-TIME COMPILATION SUPPORT

Written by: Zoltan Herczeg

Email local part: hzmester

Emain domain: freemail.hu

STACK-LESS JUST-IN-TIME COMPILER

Written by: Zoltan Herczeg

Email local part: hzmester

Emain domain: freemail.hu

THE C++ WRAPPER FUNCTIONS

Contributed by: Google Inc.

THE "BSD" LICENCE

PCRE LICENCE

PCRE is a library of functions to support regular expressions whose syntax
and semantics are as close as possible to those of the Perl 5 language.

Release 8 of PCRE is distributed under the terms of the "BSD" licence, as
specified below. The documentation for PCRE, supplied in the "doc"
directory, is distributed under the same terms as the software itself.

The basic library functions are written in C and are freestanding. Also
included in the distribution is a set of C++ wrapper functions, and a
just-in-time compiler that can be used to optimize pattern matching. These
are both optional features that can be omitted when the library is built.

THE BASIC LIBRARY FUNCTIONS

Written by: Philip Hazel
Email local part: ph10
Email domain: cam.ac.uk

University of Cambridge Computing Service,
Cambridge, England.

PCRE JUST-IN-TIME COMPILATION SUPPORT

Written by: Zoltan Herczeg
Email local part: hzmester
Emain domain: freemail.hu

STACK-LESS JUST-IN-TIME COMPILER

Written by: Zoltan Herczeg
Email local part: hzmester
Emain domain: freemail.hu

THE C++ WRAPPER FUNCTIONS

Contributed by: Google Inc.

THE "BSD" LICENCE

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

End
PCRE LICENCE

Please see the file LICENCE in the PCRE distribution for licensing details.

End
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.281 cyrus-sasl 2.1.27+dfsg-2ubuntu0.1

1.281.1 Available under license :

/* CMU libsasl

* Tim Martin

* Rob Earhart

* Rob Siemborski

*/

/*

* Copyright (c) 1998-2003 Carnegie Mellon University. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

*

* 1. Redistributions of source code must retain the above copyright

*   notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright

*   notice, this list of conditions and the following disclaimer in

*   the documentation and/or other materials provided with the

*   distribution.

*

* 3. The name "Carnegie Mellon University" must not be used to

*   endorse or promote products derived from this software without

*   prior written permission. For permission or any other legal

*   details, please contact

*   Office of Technology Transfer

*   Carnegie Mellon University

*   5000 Forbes Avenue

*   Pittsburgh, PA 15213-3890

*   (412) 268-4387, fax: (412) 268-7395

*   tech-transfer@andrew.cmu.edu

*

* 4. Redistributions of any form whatsoever must retain the following

*   acknowledgment:

*   "This product includes software developed by Computing Services

*   at Carnegie Mellon University (http://www.cmu.edu/computing/)."

*

* CARNEGIE MELLON UNIVERSITY DISCLAIMS ALL WARRANTIES WITH REGARD TO

* THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY

* AND FITNESS, IN NO EVENT SHALL CARNEGIE MELLON UNIVERSITY BE LIABLE

* FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES

* WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN

* AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING

* OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

*/

Copyright (C) 1995-1997 Eric Young (eay@mincom.oz.au)

All rights reserved.

This package is an DES implementation written by Eric Young (eay@mincom.oz.au).
The implementation was written so as to conform with MIT's libdes.

This library is free for commercial and non-commercial use as long as
the following conditions are aheared to. The following conditions
apply to all code found in this distribution.

Copyright remains Eric Young's, and as such any Copyright notices in
the code are not to be removed.
If this package is used in a product, Eric Young should be given attribution
as the author of that the SSL library. This can be in the form of a textual
message at program startup or in documentation (online or textual) provided
with the package.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software
   must display the following acknowledgement:
   This product includes software developed by Eric Young (eay@mincom.oz.au)

THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

The license and distribution terms for any publically available version or
derivative of this code cannot be changed. i.e. this code cannot simply be
copied and put under another distrubution license
[including the GNU Public License.]

The reason behind this being stated in this direct manner is past
experience in code simply being copied and the attribution removed
from it and then being distributed as part of other packages. This
implementation was a non-trivial and unpaid effort.

```
/* CMU libsasl
 * Tim Martin
 * Rob Earhart
 * Rob Siemborski
 */
/*
 * Copyright (c) 2001 Carnegie Mellon University.  All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 *    notice, this list of conditions and the following disclaimer.
 *
 * 2. Redistributions in binary form must reproduce the above copyright
 *    notice, this list of conditions and the following disclaimer in
 *    the documentation and/or other materials provided with the
 *    distribution.
 *
 * 3. The name "Carnegie Mellon University" must not be used to
 *    endorse or promote products derived from this software without
 *    prior written permission. For permission or any other legal
 *    details, please contact
 *      Office of Technology Transfer
 *      Carnegie Mellon University
 *      5000 Forbes Avenue
 *      Pittsburgh, PA  15213-3890
 *      (412) 268-4387, fax: (412) 268-7395
 *      tech-transfer@andrew.cmu.edu
 *
 * 4. Redistributions of any form whatsoever must retain the following
 *    acknowledgment:
 *    "This product includes software developed by Computing Services
 *     at Carnegie Mellon University (http://www.cmu.edu/computing/)."
 *
 * CARNEGIE MELLON UNIVERSITY DISCLAIMS ALL WARRANTIES WITH REGARD TO
 * THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY
 * AND FITNESS, IN NO EVENT SHALL CARNEGIE MELLON UNIVERSITY BE LIABLE
 * FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
 * WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN
 * AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING
 * OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
 */
```

1.282 pam 1.3.1-5ubuntu4.3

1.282.1 Available under license :

Unless otherwise *explicitly* stated the following text describes the
licensed conditions under which the contents of this libpamc release
may be distributed:

Redistribution and use in source and binary forms of libpamc,
with or without modification, are permitted provided that the
following conditions are met:

1. Redistributions of source code must retain any existing copyright
   notice, and this entire permission notice in its entirety,
   including the disclaimer of warranties.

2. Redistributions in binary form must reproduce all prior and current
   copyright notices, this list of conditions, and the following
   disclaimer in the documentation and/or other materials provided
   with the distribution.

3. The name of any author may not be used to endorse or promote
   products derived from this software without their specific prior
   written permission.

ALTERNATIVELY, this product may be distributed under the terms of the
GNU Library General Public License (LGPL), in which case the
provisions of the GNU LGPL are required INSTEAD OF the above
restrictions. (This clause is necessary due to a potential conflict
between the GNU LGPL and the restrictions contained in a BSD-style
copyright.)

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR(S) BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS
OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR
TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE
USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.

Unless otherwise *explicitly* stated the following text describes the
licensed conditions under which the contents of this Linux-PAM release
may be distributed:

Redistribution and use in source and binary forms of Linux-PAM, with
or without modification, are permitted provided that the following
conditions are met:

1. Redistributions of source code must retain any existing copyright
   notice, and this entire permission notice in its entirety,
   including the disclaimer of warranties.

2. Redistributions in binary form must reproduce all prior and current
   copyright notices, this list of conditions, and the following
   disclaimer in the documentation and/or other materials provided
   with the distribution.

3. The name of any author may not be used to endorse or promote
   products derived from this software without their specific prior
   written permission.

ALTERNATIVELY, this product may be distributed under the terms of the
GNU General Public License, in which case the provisions of the GNU
GPL are required INSTEAD OF the above restrictions. (This clause is
necessary due to a potential conflict between the GNU GPL and the
restrictions contained in a BSD-style copyright.)

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR(S) BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS
OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR
TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE
USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.

1.283 google-go-cmp 0.5.4

1.283.1 Available under license :

Copyright (c) 2017 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
  * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.284 psutil 5.6.7
1.284.1 Available under license :
BSD 3-Clause License

Copyright (c) 2009, Jay Loden, Dave Daeschler, Giampaolo Rodola'
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
  list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.

* Neither the name of the psutil authors nor the names of its contributors
  may be used to endorse or promote products derived from this software without
  specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.285 prometheus-common 0.32.1

1.285.1 Available under license :

Common libraries shared by Prometheus Go components.
Copyright 2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (http://soundcloud.com/).
Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.286 curl 7.68.0-1ubuntu2.13

1.286.1 Available under license :

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1996 - 2020, Daniel Stenberg, <daniel@haxx.se>, and many
contributors, see the THANKS file.

All rights reserved.

Permission to use, copy, modify, and distribute this software for any purpose
with or without fee is hereby granted, provided that the above copyright
notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN
NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR
OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE

OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not
be used in advertising or otherwise to promote the sale, use or other dealings
in this Software without prior written authorization of the copyright holder.
License Mixing
==============

libcurl can be built to use a fair amount of various third party libraries,
libraries that are written and provided by other parties that are distributed
using their own licenses. Even libcurl itself contains code that may cause
problems to some. This document attempts to describe what licenses libcurl and
the other libraries use and what possible dilemmas linking and mixing them all
can lead to for end users.

I am not a lawyer and this is not legal advice!

One common dilemma is that [GPL](https://www.gnu.org/licenses/gpl.html)
licensed code is not allowed to be linked with code licensed under the
[Original BSD license](https://spdx.org/licenses/BSD-4-Clause.html) (with the
announcement clause). You may still build your own copies that use them all,
but distributing them as binaries would be to violate the GPL license - unless
you accompany your license with an
[exception](https://www.gnu.org/licenses/gpl-faq.html#GPLIncompatibleLibs). This
particular problem was addressed when the [Modified BSD
license](https://opensource.org/licenses/BSD-3-Clause) was created, which does
not have the announcement clause that collides with GPL.

libcurl

Uses an [MIT style license](https://curl.haxx.se/docs/copyright.html) that is
very liberal.

OpenSSL

(May be used for SSL/TLS support) Uses an Original BSD-style license with an
announcement clause that makes it "incompatible" with GPL. You are not
allowed to ship binaries that link with OpenSSL that includes GPL code
(unless that specific GPL code includes an exception for OpenSSL - a habit
that is growing more and more common). If OpenSSL's licensing is a problem
for you, consider using another TLS library.

GnuTLS

(May be used for SSL/TLS support) Uses the
[LGPL](https://www.gnu.org/licenses/lgpl.html) license. If this is a problem
for you, consider using another TLS library. Also note that GnuTLS itself
depends on and uses other libs (libgcrypt and libgpg-error) and they too are

LGPL- or GPL-licensed.

WolfSSL

(May be used for SSL/TLS support) Uses the GPL license or a proprietary license. If this is a problem for you, consider using another TLS library.

NSS

(May be used for SSL/TLS support) Is covered by the [MPL](https://www.mozilla.org/MPL/) license, the GPL license and the LGPL license. You may choose to license the code under MPL terms, GPL terms, or LGPL terms. These licenses grant you different permissions and impose different obligations. You should select the license that best meets your needs.

mbedTLS

(May be used for SSL/TLS support) Uses the [Apache 2.0 license](https://opensource.org/licenses/Apache-2.0) or the GPL license. You may choose to license the code under Apache 2.0 terms or GPL terms. These licenses grant you different permissions and impose different obligations. You should select the license that best meets your needs.

BoringSSL

(May be used for SSL/TLS support) As an OpenSSL fork, it has the same license as that.

libressl

(May be used for SSL/TLS support) As an OpenSSL fork, it has the same license as that.

BearSSL

(May be used for SSL/TLS support) Uses an MIT license that is very liberal and imposes no restrictions on any other library or part you may link with.

c-ares

(Used for asynchronous name resolves) Uses an MIT license that is very liberal and imposes no restrictions on any other library or part you may link with.

zlib

(Used for compressed Transfer-Encoding support) Uses an MIT-style license

that shouldn't collide with any other library.

MIT Kerberos

(May be used for GSS support) MIT licensed, that shouldn't collide with any
other parts.

Heimdal

(May be used for GSS support) Heimdal is Original BSD licensed with the
announcement clause.

GNU GSS

(May be used for GSS support) GNU GSS is GPL licensed. Note that you may not
distribute binary curl packages that uses this if you build curl to also link
and use any Original BSD licensed libraries!

libidn

(Used for IDNA support) Uses the GNU Lesser General Public License [3]. LGPL
is a variation of GPL with slightly less aggressive "copyleft". This license
requires more requirements to be met when distributing binaries, see the
license for details. Also note that if you distribute a binary that includes
this library, you must also include the full LGPL license text. Please
properly point out what parts of the distributed package that the license
addresses.

OpenLDAP

(Used for LDAP support) Uses a Modified BSD-style license. Since libcurl uses
OpenLDAP as a shared library only, I have not heard of anyone that ships
OpenLDAP linked with libcurl in an app.

libssh2

(Used for scp and sftp support) libssh2 uses a Modified BSD-style license.

1.287 golang-genproto 0.0.0-20201022181438-0ff5f38871d5

1.287.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

1.288 golang-set 1.7.1

1.288.1 Available under license :

Open Source Initiative OSI - The MIT License (MIT):Licensing

The MIT License (MIT)
Copyright (c) 2013 Ralph Caraveo (deckarep@gmail.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.289 klauspost-compress 1.13.6

1.289.1 Available under license :

Copyright (c) 2012 The Go Authors. All rights reserved.
Copyright (c) 2019 Klaus Post. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

 * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
 * Redistributions in binary form must reproduce the above

copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
   * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files: gzhttp/*

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

   "License" shall mean the terms and conditions for use, reproduction,
   and distribution as defined by Sections 1 through 9 of this document.

   "Licensor" shall mean the copyright owner or entity authorized by
   the copyright owner that is granting the License.

   "Legal Entity" shall mean the union of the acting entity and all
   other entities that control, are controlled by, or are under common
   control with that entity. For the purposes of this definition,
   "control" means (i) the power, direct or indirect, to cause the
   direction or management of such entity, whether by contract or
   otherwise, or (ii) ownership of fifty percent (50%) or more of the
   outstanding shares, or (iii) beneficial ownership of such entity.

   "You" (or "Your") shall mean an individual or Legal Entity
   exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Files: s2/cmd/internal/readahead/*

The MIT License (MIT)

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

\---------------------
Files: snappy/*
Files: internal/snapref/*

Copyright (c) 2011 The Snappy-Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
  * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\-----------------

Files: s2/cmd/internal/filepathx/*

Copyright 2016 The filepathx Authors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

<div align="center">

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

</div>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

   "License" shall mean the terms and conditions for use, reproduction,
   and distribution as defined by Sections 1 through 9 of this document.

   "Licensor" shall mean the copyright owner or entity authorized by
   the copyright owner that is granting the License.

   "Legal Entity" shall mean the union of the acting entity and all
   other entities that control, are controlled by, or are under common
   control with that entity. For the purposes of this definition,
   "control" means (i) the power, direct or indirect, to cause the
   direction or management of such entity, whether by contract or
   otherwise, or (ii) ownership of fifty percent (50%) or more of the
   outstanding shares, or (iii) beneficial ownership of such entity.

   "You" (or "Your") shall mean an individual or Legal Entity
   exercising permissions granted by this License.

   "Source" form shall mean the preferred form for making modifications,
   including but not limited to software source code, documentation
   source, and configuration files.

   "Object" form shall mean any form resulting from mechanical
   transformation or translation of a Source form, including but
   not limited to compiled object code, generated documentation,
   and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

The MIT License (MIT)

Copyright (c) 2011 The Snappy-Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
  * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright (c) 2016 Caleb Spare

MIT License

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
This is the official list of people who can contribute
(and typically have contributed) code to the Snappy-Go repository.

The AUTHORS file lists the copyright holders; this file
lists people. For example, Google employees are listed here
but not in AUTHORS, because Google holds the copyright.
#
The submission process automatically checks to make sure
that people submitting code are listed in this file (by email address).
#
Names should be added to this file only after verifying that
the individual or the individual's organization has agreed to
the appropriate Contributor License Agreement, found here:
#
http://code.google.com/legal/individual-cla-v1.0.html
http://code.google.com/legal/corporate-cla-v1.0.html
#
The agreement for individuals can be filled out on the web.
#
When adding J Random Contributor's name to this file,
either J's name or J's organization's name should be
added to the AUTHORS file, depending on whether the
individual or corporate CLA was used.

Names should be added to this file like so:
Name <email address>

Please keep the list sorted.

Alex Legg <alexlegg@google.com>
Damian Gryski <dgryski@gmail.com>
Eric Buth <eric@topos.com>
Jan Mercl <0xjnml@gmail.com>
Jonathan Swinney <jswinney@amazon.com>
Kai Backman <kaib@golang.org>
Klaus Post <klauspost@gmail.com>
Marc-Antoine Ruel <maruel@chromium.org>
Nigel Tao <nigeltao@golang.org>
Rob Pike <r@golang.org>
Rodolfo Carvalho <rhcarvalho@gmail.com>
Russ Cox <rsc@golang.org>
Sebastien Binet <seb.binet@gmail.com>
Copyright 2016 The filepathx Authors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2011 The Snappy-Go Authors. All rights reserved.

Copyright (c) 2019 Klaus Post. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

  * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
  * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.290 x-xerrors 0.0.0-20200804184101-5ec99f83aff1

1.290.1 Available under license :

Copyright (c) 2019 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
 * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
 * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.291 zlib 1.2.11

1.291.1 Available under license :

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization
obtaining a copy of the software and accompanying documentation covered by
this license (the "Software") to use, reproduce, display, distribute,
execute, and transmit the Software, and to prepare derivative works of the
Software, and to permit third-parties to whom the Software is furnished to
do so, all subject to the following:

The copyright notices in the Software and this entire statement, including
the above license grant, this restriction and the following disclaimer,
must be included in all copies of the Software, in whole or in part, and
all derivative works of the Software, unless such copies or derivative
works are solely in the form of machine-executable object code generated by
a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT
SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE
FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER

1.292 lib-pq 1.9.0

1.292.1 Available under license :

```
// +build go1.10

package pq

import (
 "context"
 "database/sql/driver"
)

// NoticeHandler returns the notice handler on the given connection, if any. A
// runtime panic occurs if c is not a pq connection. This is rarely used
// directly, use ConnectorNoticeHandler and ConnectorWithNoticeHandler instead.
func NoticeHandler(c driver.Conn) func(*Error) {
 return c.(*conn).noticeHandler
}

// SetNoticeHandler sets the given notice handler on the given connection. A
// runtime panic occurs if c is not a pq connection. A nil handler may be used
// to unset it. This is rarely used directly, use ConnectorNoticeHandler and
// ConnectorWithNoticeHandler instead.
//
// Note: Notice handlers are executed synchronously by pq meaning commands
// won't continue to be processed until the handler returns.
func SetNoticeHandler(c driver.Conn, handler func(*Error)) {
 c.(*conn).noticeHandler = handler
}

// NoticeHandlerConnector wraps a regular connector and sets a notice handler
// on it.
type NoticeHandlerConnector struct {
 driver.Connector
 noticeHandler func(*Error)
}

// Connect calls the underlying connector's connect method and then sets the
// notice handler.
func (n *NoticeHandlerConnector) Connect(ctx context.Context) (driver.Conn, error) {
 c, err := n.Connector.Connect(ctx)
 if err == nil {
  SetNoticeHandler(c, n.noticeHandler)
 }
 return c, err
```

```
}

// ConnectorNoticeHandler returns the currently set notice handler, if any. If
// the given connector is not a result of ConnectorWithNoticeHandler, nil is
// returned.
func ConnectorNoticeHandler(c driver.Connector) func(*Error) {
 if c, ok := c.(*NoticeHandlerConnector); ok {
  return c.noticeHandler
 }
 return nil
}

// ConnectorWithNoticeHandler creates or sets the given handler for the given
// connector. If the given connector is a result of calling this function
// previously, it is simply set on the given connector and returned. Otherwise,
// this returns a new connector wrapping the given one and setting the notice
// handler. A nil notice handler may be used to unset it.
//
// The returned connector is intended to be used with database/sql.OpenDB.
//
// Note: Notice handlers are executed synchronously by pq meaning commands
// won't continue to be processed until the handler returns.
func ConnectorWithNoticeHandler(c driver.Connector, handler func(*Error)) *NoticeHandlerConnector {
 if c, ok := c.(*NoticeHandlerConnector); ok {
  c.noticeHandler = handler
  return c
 }
 return &NoticeHandlerConnector{Connector: c, noticeHandler: handler}
}
```
Copyright (c) 2011-2013, 'pq' Contributors
Portions Copyright (C) 2011 Blake Mizerany

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.293 toml 0.10.0

1.293.1 Available under license :

The MIT License

Copyright 2013-2018 William Pearson

Copyright 2015-2016 Julien Enselme

Copyright 2016 Google Inc.

Copyright 2017 Samuel Vasko

Copyright 2017 Nate Prewitt

Copyright 2017 Jack Evans

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in

all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN

THE SOFTWARE.

1.294 cron 3.0pl1 136ubuntu1

1.294.1 Available under license :

No license file was found, but licenses were detected in source scan.

/* Copyright 1993,1994 by Paul Vixie

* All rights reserved

*

* Distribute freely, except: don't remove my name from the source or

* documentation (don't take credit for my work), mark your changes (don't

* get me blamed for your possible bugs), don't alter or remove this

* notice. May be sold if buildable source is provided to buyer. No

* warrantee of any kind, express or implied, is included with this

* software; use at your own risk, responsibility for damages (if any) to

* anyone resulting from the use of this software rests entirely with the

* user.

```
*
* Send bug reports, bug fixes, enhancements, requests, flames, etc., and
* I'll try to keep a version up to date.  I can be reached as follows:
* Paul Vixie        <paul@vix.com>        uunet!decwrl!vixie!paul
*/
```

$Id: INSTALL,v 2.5 1994/01/15 20:43:43 vixie Exp $

Read the comments at the top of the Makefile, then edit the area marked
'configurable stuff'.

Edit config.h. The stuff I expect you to change is down a bit from the
top of the file, but it's clearly marked. Also look at pathnames.h.

You don't have to create the /var/cron or /var/cron/tabs directories, since
both the daemon and the `crontab' program will do this the first time they
run if they don't exist. You do need to have a /var, though -- just "mkdir
/var" if you don't have one, or you can "mkdir /usr/var; ln -s /usr/var /var"
if you expect your /var to have a lot of stuff in it.

You will also need /usr/local/etc and /usr/local/bin directories unless you
change the Makefile. These will have to be created by hand, but if you are
a long-time Usenet user you probably have them already. /usr/local/man is
where I keep my man pages, but I have the source for `man' and you probably
do not. Therefore you may have to put the man pages into /usr/man/manl,
which will be hard since there will be name collisions. (Note that the man
command was originally written by Bill Joy before he left Berkeley, and it
contains no AT&T code, so it is in UUNET's archive of freely-distributable
BSD code.)

LINUX note: /usr/include/paths.h on some linux systems shows _PATH_SENDMAIL
 to be /usr/bin/sendmail even though sendmail is installed in /usr/lib.
 you should check this out.

say:
 make all

su and say:
 make install

Note that if I can get you to "su and say" something just by asking, you have
a very serious security problem on your system and you should look into it.

Edit your /usr/lib/crontab file into little pieces -- see the CONVERSION file
for help on this.

Use the `crontab' command to install all the little pieces you just created.
Some examples (see below before trying any of these!)

---

crontab -u uucp -r /usr/lib/uucp/crontab.src

crontab -u news -r /usr/lib/news/crontab.src

crontab -u root -r /usr/adm/crontab.src

Notes on above examples: (1) the .src files are copied at the time the command is issued; changing the source files later will have no effect until they are reinstalled with another `crontab -r' command.  (2) The crontab command will affect the crontab of the person using the command unless `-u USER' is given; `-u' only works for root.  When using most `su' commands under most BSD's, `crontab' will still think of you as yourself even though you may think of yourself as root -- so use `-u' liberally. (3) the `-r' option stands for `replace'; check the man page for crontab(1) for other possibilities.

Kill your existing cron daemon -- do `ps aux' and look for /etc/cron.

Edit your /etc/rc or /etc/rc.local, looking for the line that starts up /etc/cron. Comment it out and add a line to start the new cron daemon -- usually /usr/local/etc/cron, unless you changed it in the Makefile.

Start up this cron daemon yourself as root. Just type /usr/local/etc/cron (or whatever); no '&' is needed since the daemon forks itself and the process you executed returns immediately.

ATT notes: for those people unfortunate enough to be stuck on a AT&T UNIX, you will need the public-domain "libndir", found in the B News source and in any comp.sources.unix archive. You will also need to hack the code some.

Found in path(s):
* /opt/cola/permits/1223164981_1635867556.65/0/cron-3-0pl1-orig-tar-bz2/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/INSTALL
No license file was found, but licenses were detected in source scan.

#/* Copyright 1988,1990,1993 by Paul Vixie
* All rights reserved
*
* Distribute freely, except: don't remove my name from the source or
* documentation (don't take credit for my work), mark your changes (don't
* get me blamed for your possible bugs), don't alter or remove this
* notice. May be sold if buildable source is provided to buyer. No
* warrantee of any kind, express or implied, is included with this
* software; use at your own risk, responsibility for damages (if any) to
* anyone resulting from the use of this software rests entirely with the
* user.
*
* Send bug reports, bug fixes, enhancements, requests, flames, etc., and
* I'll try to keep a version up to date. I can be reached as follows:

* Paul Vixie   <paul@vix.com>   uunet!decwrl!vixie!paul
*/

Vixie Cron V3.0

December 27, 1993

[V2.2 was some time in 1992]

[V2.1 was May 29, 1991]

[V2.0 was July 5, 1990]

[V2.0-beta was December 9, 1988]

[V1.0 was May 6, 1987]

Paul Vixie

This is a version of 'cron' that is known to run on BSD 4.[23] systems. It
is functionally based on the SysV cron, which means that each user can have
their own crontab file (all crontab files are stored in a read-protected
directory, usually /var/cron/tabs). No direct support is provided for
'at'; you can continue to run 'atrun' from the crontab as you have been
doing. If you don't have atrun (i.e., System V) you are in trouble.

A messages is logged each time a command is executed; also, the files
"allow" and "deny" in /var/cron can be used to control access to the
"crontab" command (which installs crontabs). It hasn't been tested on
SysV, although some effort has gone into making the port an easy one.

This is more or less the copyright that USENET contributed software usually
has. Since ATT couldn't use this version if they had to freely distribute
source, and since I'd love to see them use it, I'll offer some rediculously
low license fee just to have them take it. In the unlikely event that they
do this, I will continue to support and distribute the pseudo-PD version, so
please, don't flame me for wanting my work to see a wider distribution.

To use this: Sorry, folks, there is no cutesy 'Configure' script. You'll
have to go edit a couple of files... So, here's the checklist:

 Read all the FEATURES, INSTALL, and CONVERSION files
 Edit config.h
 Edit Makefile
  (both of these files have instructions inside; note that
   some things in config.h are definable in Makefile and are
   therefore surrounded by #ifndef...#endif)
 'make'
 'su' and 'make install'
  (you may have to install the man pages by hand)
 kill your existing cron process
  (actually you can run your existing cron if you want, but why?)
 build new crontabs using /usr/lib/{crontab,crontab.local}
  (either put them all in "root"'s crontab, or divide it up
   and rip out all the 'su' commands, collapse the lengthy

lists into ranges with steps -- basically, this step is

  as much work as you want to make it)

 start up the new cron

  (must be done as root)

 watch it. test it with 'crontab -r' and watch the daemon track your

  changes.

 if you like it, change your /etc/{rc,rc.local} to use it instead of

  the old one.

$Id: README,v 2.3 1993/12/28 08:34:43 vixie Exp $

Found in path(s):
* /opt/cola/permits/1223164981_1635867556.65/0/cron-3-0pl1-orig-tar-bz2/cron-3-0pl1-orig-tar-gz/cron-
3.0pl1.orig/README
No license file was found, but licenses were detected in source scan.

.\"/* Copyright 1988,1990,1993 by Paul Vixie
.\" * All rights reserved
.\" *
.\" * Distribute freely, except: don't remove my name from the source or
.\" * documentation (don't take credit for my work), mark your changes (don't
.\" * get me blamed for your possible bugs), don't alter or remove this
.\" * notice. May be sold if buildable source is provided to buyer. No
.\" * warrantee of any kind, express or implied, is included with this
.\" * software; use at your own risk, responsibility for damages (if any) to
.\" * anyone resulting from the use of this software rests entirely with the
.\" * user.
.\" *
.\" * Send bug reports, bug fixes, enhancements, requests, flames, etc., and
.\" * I'll try to keep a version up to date. I can be reached as follows:
.\" * Paul Vixie   <paul@vix.com>   uunet!decwrl!vixie!paul
.\" */
.\"
.\" $Id: crontab.1,v 2.4 1993/12/31 10:47:33 vixie Exp $
.\"

Found in path(s):
* /opt/cola/permits/1223164981_1635867556.65/0/cron-3-0pl1-orig-tar-bz2/cron-3-0pl1-orig-tar-gz/cron-
3.0pl1.orig/crontab.1
No license file was found, but licenses were detected in source scan.

/* Copyright 1993,1994 by Paul Vixie
 * All rights reserved
 *
 * Distribute freely, except: don't remove my name from the source or
 * documentation (don't take credit for my work), mark your changes (don't
 * get me blamed for your possible bugs), don't alter or remove this
 * notice. May be sold if buildable source is provided to buyer. No

* warrantee of any kind, express or implied, is included with this

* software; use at your own risk, responsibility for damages (if any) to

* anyone resulting from the use of this software rests entirely with the

* user.

*

* Send bug reports, bug fixes, enhancements, requests, flames, etc., and

* I'll try to keep a version up to date. I can be reached as follows:

* Paul Vixie   <paul@vix.com>   uunet!decwrl!vixie!paul

*/

Found in path(s):

* /opt/cola/permits/1223164981_1635867556.65/0/cron-3-0pl1-orig-tar-bz2/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/compat.h

* /opt/cola/permits/1223164981_1635867556.65/0/cron-3-0pl1-orig-tar-bz2/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/externs.h

* /opt/cola/permits/1223164981_1635867556.65/0/cron-3-0pl1-orig-tar-bz2/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/pathnames.h

No license file was found, but licenses were detected in source scan.

.\" Copyright (c) 1989 The Regents of the University of California.

.\" All rights reserved.

.\"

.\" This code is derived from software contributed to Berkeley by

.\" Paul Vixie.

.\"

.\" Redistribution and use in source and binary forms are permitted

.\" provided that the above copyright notice and this paragraph are

.\" duplicated in all such forms and that any documentation,

.\" advertising materials, and other materials related to such

.\" distribution and use acknowledge that the software was developed

.\" by the University of California, Berkeley. The name of the

.\" University may not be used to endorse or promote products derived

.\" from this software without specific prior written permission.

.\" THIS SOFTWARE IS PROVIDED ``AS IS'' AND WITHOUT ANY EXPRESS OR

.\" IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED

.\" WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

.\"

.\" @(#)bitstring.3 5.1 (Berkeley) 12/13/89

.\"

Found in path(s):

* /opt/cola/permits/1223164981_1635867556.65/0/cron-3-0pl1-orig-tar-bz2/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/bitstring.3

No license file was found, but licenses were detected in source scan.

* All rights reserved

* Distribute freely, except: don't remove my name from the source or

Found in path(s):
* /opt/cola/permits/1223164981_1635867556.65/0/cron-3-0pl1-orig-tar-bz2/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/Makefile
No license file was found, but licenses were detected in source scan.

Found in path(s):
* /opt/cola/permits/1223164981_1635867556.65/0/cron-3-0pl1-orig-tar-bz2/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/do_command.c
* /opt/cola/permits/1223164981_1635867556.65/0/cron-3-0pl1-orig-tar-bz2/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/env.c
* /opt/cola/permits/1223164981_1635867556.65/0/cron-3-0pl1-orig-tar-bz2/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/misc.c
* /opt/cola/permits/1223164981_1635867556.65/0/cron-3-0pl1-orig-tar-bz2/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/job.c
* /opt/cola/permits/1223164981_1635867556.65/0/cron-3-0pl1-orig-tar-bz2/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/entry.c
* /opt/cola/permits/1223164981_1635867556.65/0/cron-3-0pl1-orig-tar-bz2/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/cron.c
* /opt/cola/permits/1223164981_1635867556.65/0/cron-3-0pl1-orig-tar-bz2/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/config.h
* /opt/cola/permits/1223164981_1635867556.65/0/cron-3-0pl1-orig-tar-bz2/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/database.c
* /opt/cola/permits/1223164981_1635867556.65/0/cron-3-0pl1-orig-tar-bz2/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/crontab.c
* /opt/cola/permits/1223164981_1635867556.65/0/cron-3-0pl1-orig-tar-bz2/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/cron.h
* /opt/cola/permits/1223164981_1635867556.65/0/cron-3-0pl1-orig-tar-bz2/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/user.c
* /opt/cola/permits/1223164981_1635867556.65/0/cron-3-0pl1-orig-tar-bz2/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/compat.c

No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 1989 The Regents of the University of California.
* All rights reserved.
*
* This code is derived from software contributed to Berkeley by
* Paul Vixie.
*
* Redistribution and use in source and binary forms are permitted
* provided that the above copyright notice and this paragraph are
* duplicated in all such forms and that any documentation,
* advertising materials, and other materials related to such
* distribution and use acknowledge that the software was developed
* by the University of California, Berkeley. The name of the
* University may not be used to endorse or promote products derived
* from this software without specific prior written permission.
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND WITHOUT ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED
* WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.
*
* @(#)bitstring.h 5.2 (Berkeley) 4/4/90
*/

Found in path(s):
* /opt/cola/permits/1223164981_1635867556.65/0/cron-3-0pl1-orig-tar-bz2/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/bitstring.h
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 1988 The Regents of the University of California.
* All rights reserved.
*
* This code is derived from software written by Ken Arnold and
* published in UNIX Review, Vol. 6, No. 8.
*
* Redistribution and use in source and binary forms are permitted
* provided that the above copyright notice and this paragraph are
* duplicated in all such forms and that any documentation,
* advertising materials, and other materials related to such
* distribution and use acknowledge that the software was developed
* by the University of California, Berkeley. The name of the
* University may not be used to endorse or promote products derived
* from this software without specific prior written permission.
* THIS SOFTWARE IS PROVIDED ``AS IS'' AND WITHOUT ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED
* WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.
*

*/

Found in path(s):
* /opt/cola/permits/1223164981_1635867556.65/0/cron-3-0pl1-orig-tar-bz2/cron-3-0pl1-orig-tar-gz/cron-
3.0pl1.orig/popen.c
No license file was found, but licenses were detected in source scan.

.\"/* Copyright 1988,1990,1993,1994 by Paul Vixie
.\" * All rights reserved
.\" *
.\" * Distribute freely, except: don't remove my name from the source or
.\" * documentation (don't take credit for my work), mark your changes (don't
.\" * get me blamed for your possible bugs), don't alter or remove this
.\" * notice. May be sold if buildable source is provided to buyer. No
.\" * warrantee of any kind, express or implied, is included with this
.\" * software; use at your own risk, responsibility for damages (if any) to
.\" * anyone resulting from the use of this software rests entirely with the
.\" * user.
.\" *
.\" * Send bug reports, bug fixes, enhancements, requests, flames, etc., and
.\" * I'll try to keep a version up to date. I can be reached as follows:
.\" * Paul Vixie   <paul@vix.com>   uunet!decwrl!vixie!paul
.\" */
.\"
.\" $Id: crontab.5,v 2.4 1994/01/15 20:43:43 vixie Exp $
.\"

Found in path(s):
* /opt/cola/permits/1223164981_1635867556.65/0/cron-3-0pl1-orig-tar-bz2/cron-3-0pl1-orig-tar-gz/cron-
3.0pl1.orig/crontab.5
No license file was found, but licenses were detected in source scan.

.\"/* Copyright 1988,1990,1993 by Paul Vixie
.\" * All rights reserved
.\" *
.\" * Distribute freely, except: don't remove my name from the source or
.\" * documentation (don't take credit for my work), mark your changes (don't
.\" * get me blamed for your possible bugs), don't alter or remove this
.\" * notice. May be sold if buildable source is provided to buyer. No
.\" * warrantee of any kind, express or implied, is included with this
.\" * software; use at your own risk, responsibility for damages (if any) to
.\" * anyone resulting from the use of this software rests entirely with the
.\" * user.
.\" *
.\" * Send bug reports, bug fixes, enhancements, requests, flames, etc., and
.\" * I'll try to keep a version up to date. I can be reached as follows:
.\" * Paul Vixie   <paul@vix.com>   uunet!decwrl!vixie!paul
.\" */

.\"
.\" $Id: cron.8,v 2.2 1993/12/28 08:34:43 vixie Exp $
.\"

Found in path(s):
* /opt/cola/permits/1223164981_1635867556.65/0/cron-3-0pl1-orig-tar-bz2/cron-3-0pl1-orig-tar-gz/cron-3.0pl1.orig/cron.8

1.295 jaeger-lib 2.4.0+incompatible
1.295.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.296 influxdb 1.9.4

1.296.1 Available under license :

MIT License

Copyright (c) 2018 InfluxData

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.297 jsonpath-ng 1.4.3

1.297.1 Available under license :

No license file was found, but licenses were detected in source scan.

Licensed under the Apache License, Version 2.0 (the "License"); you may

not use this file except in compliance with the License. You may obtain

http://www.apache.org/licenses/LICENSE-2.0

distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):

* /opt/cola/permits/1154776936_1618890066.76/0/jsonpath-ng-1-4-3-1-tar-gz/jsonpath-ng-1.4.3/README.rst

No license file was found, but licenses were detected in source scan.

This work is free. You can redistribute it and/or modify it under the

terms of the Do What The Fuck You Want To Public License, Version 2,

Found in path(s):

* /opt/cola/permits/1154776936_1618890066.76/0/jsonpath-ng-1-4-3-1-tar-gz/jsonpath-ng-

1.4.3/jsonpath_ng/bin/jsonpath.py

No license file was found, but licenses were detected in source scan.

Metadata-Version: 1.1

Name: jsonpath-ng

Version: 1.4.3

Summary: A final implementation of JSONPath for Python that aims to be standard compliant, including arithmetic

and binary comparison operators and providing clear AST for metaprogramming.

Home-page: https://github.com/h2non/jsonpath-ng

Author: Tomas Aparicio

Author-email: tomas@aparicio.me

License: Apache 2.0

Description: Python JSONPath Next-Generation |Build Status| |PyPI| |Coverage Status|

===

A final implementation of JSONPath for Python that aims to be standard compliant, including arithmetic

and binary comparison operators, as defined in the original `JSONPath proposal`_.

This packages merges both `jsonpath-rw`_ and `jsonpath-rw-ext`_ and

provides several AST API enhancements, such as the ability to update or removes nodes in the tree.

About

This library provides a robust and significantly extended implementation

of JSONPath for Python. It is tested with CPython 2.6, 2.7 & 3.x.

This library differs from other JSONPath implementations in that it is a full *language* implementation, meaning the JSONPath expressions are first class objects, easy to analyze, transform, parse, print, and extend.

Quick Start

To install, use pip:

.. code:: bash

    $ pip install --upgrade jsonpath-ng

Usage

Basic examples:

.. code:: python

    $ python

    >>> from jsonpath_ng import jsonpath, parse

    # A robust parser, not just a regex. (Makes powerful extensions possible; see below)
    >>> jsonpath_expr = parse('foo[*].baz')

    # Extracting values is easy
    >>> [match.value for match in jsonpath_expr.find({'foo': [{'baz': 1}, {'baz': 2}]})]
    [1, 2]

    # Matches remember where they came from
    >>> [str(match.full_path) for match in jsonpath_expr.find({'foo': [{'baz': 1}, {'baz': 2}]})]
    ['foo.[0].baz', 'foo.[1].baz']

    # And this can be useful for automatically providing ids for bits of data that do not have them (currently a global switch)
    >>> jsonpath.auto_id_field = 'id'
    >>> [match.value for match in parse('foo[*].id').find({'foo': [{'id': 'bizzle'}, {'baz': 3}]})]
    ['foo.bizzle', 'foo.[1]']

    # A handy extension: named operators like `parent`
    >>> [match.value for match in parse('a.*.b.`parent`.c').find({'a': {'x': {'b': 1, 'c': 'number one'}, 'y': {'b': 2, 'c': 'number two'}}})]
    ['number two', 'number one']

```python
    # You can also build expressions directly quite easily
    >>> from jsonpath_ng.jsonpath import Fields
    >>> from jsonpath_ng.jsonpath import Slice

    >>> jsonpath_expr_direct = Fields('foo').child(Slice('*')).child(Fields('baz'))  # This is equivalent
```

Using the extended parser:

.. code:: python

  $ python

  >>> from jsonpath_ng.ext import parse

  # A robust parser, not just a regex. (Makes powerful extensions possible; see below)
  >>> jsonpath_expr = parse('foo[*].baz')

JSONPath Syntax

The JSONPath syntax supported by this library includes some additional
features and omits some problematic features (those that make it
unportable). In particular, some new operators such as ``|`` and
``where`` are available, and parentheses are used for grouping not for
callbacks into Python, since with these changes the language is not
trivially associative. Also, fields may be quoted whether or not they
are contained in brackets.

Atomic expressions:

Syntax	Meaning
``$``	The root object
```this```	The "current" object.
```foo```	More generally, this syntax allows "named operators" to extend JSONPath is arbitrary ways
field	Specified field(s), described below
``[`` *field* ``]``	Same as *field*
``[`` *idx* ``]``	Array access, described below (this is always unambiguous with field access)

+------------------n------------+---+

Jsonpath operators:

+-------------------------------+---+
| Syntax | Meaning |
+===============================+===+
| *jsonpath1* ``.`` *jsonpath2* | All nodes matched by *jsonpath2* starting at any node matching *jsonpath1* |
+-------------------------------+---+
| *jsonpath* ``[`` *whatever* ``]`` | Same as *jsonpath*\ ``.``\ *whatever* |
+-------------------------------+---+
| *jsonpath1* ``..`` *jsonpath2* | All nodes matched by *jsonpath2* that descend from any node matching *jsonpath1* |
+-------------------------------+---+
| *jsonpath1* ``where`` *jsonpath2* | Any nodes matching *jsonpath1* with a child matching *jsonpath2* |
+-------------------------------+---+
| *jsonpath1* ``|`` *jsonpath2* | Any nodes matching the union of *jsonpath1* and *jsonpath2* |
+-------------------------------+---+

Field specifiers (*field*):

+-----------------------+---+
| Syntax | Meaning |
+=======================+===+
| ``fieldname`` | the field ``fieldname`` (from the "current" object) |
+-----------------------+---+
| ``"fieldname"`` | same as above, for allowing special characters in the fieldname |
+-----------------------+---+
| ``'fieldname'`` | ditto |
+-----------------------+---+
| ``*`` | any field |
+-----------------------+---+
| *field* ``,`` *field* | either of the named fields (you can always build equivalent jsonpath using ``|``) |
+-----------------------+---+

Array specifiers (*idx*):

+---------------------------------------+--+
| Syntax | Meaning |
+=======================================+==+
| ``[``\ *n*\ ``]`` | array index (may be comma-separated list) |
+---------------------------------------+--+

| ``[``\ *start*\ ``?:``\ *end*\ ``?]`` | array slicing (note that *step* is unimplemented only due to lack of need thus far) |

```
+------------------------------------+------------------------------------------------------------------------+
| ``[*]``                            | any array index                                                        |
+------------------------------------+------------------------------------------------------------------------+
```

Programmatic JSONPath

If you are programming in Python and would like a more robust way to
create JSONPath expressions that does not depend on a parser, it is very
easy to do so directly, and here are some examples:

- ``Root()``
- ``Slice(start=0, end=None, step=None)``
- ``Fields('foo', 'bar')``
- ``Index(42)``
- ``Child(Fields('foo'), Index(42))``
- ``Where(Slice(), Fields('subfield'))``
- ``Descendants(jsonpath, jsonpath)``

Extras

- *Path data*: The result of ``JsonPath.find`` provide detailed context
  and path data so it is easy to traverse to parent objects, print full
  paths to pieces of data, and generate automatic ids.
- *Automatic Ids*: If you set ``jsonpath_ng.auto_id_field`` to a value
  other than None, then for any piece of data missing that field, it
  will be replaced by the JSONPath to it, giving automatic unique ids
  to any piece of data. These ids will take into account any ids
  already present as well.
- *Named operators*: Instead of using ``@`` to reference the currently
  object, this library uses ```this```. In general, any string
  contained in backquotes can be made to be a new operator, currently
  by extending the library.

Extensions

```
+--------------+-------------------------------------------+
| name         | Example                                   |
+==============+===========================================+
| len          | - $.objects.`len`                         |
+--------------+-------------------------------------------+
| sub          | - $.field.`sub(/foo\\\\+(.*)/, \\\\1)`    |
```

```
+-------------+-------------------------------------------+
| split       | - $.field.`split(+, 2, -1)`               |
|             | - $.field.`split(sep, segement, maxsplit)`|
+-------------+-------------------------------------------+
| sorted      | - $.objects.`sorted`                      |
|             | - $.objects[\\some_field]                 |
|             | - $.objects[\\some_field,/other_field]    |
+-------------+-------------------------------------------+
| filter      | - $.objects[?(@some_field > 5)]           |
|             | - $.objects[?some_field = "foobar")]      |
|             | - $.objects[?some_field > 5 & other < 2)] |
+-------------+-------------------------------------------+
| arithmetic  | - $.foo + "_" + $.bar                     |
| (-+*/)      | - $.foo * 12                              |
|             | - $.objects[*].cow + $.objects[*].cat     |
+-------------+-------------------------------------------+
```

About arithmetic and string

Operations are done with python operators and allows types that python
allows, and return [] if the operation can be done due to incompatible types.

When operators are used, a jsonpath must be be fully defined otherwise
jsonpath-rw-ext can't known if the expression is a string or a jsonpath field,
in this case it will choice string as type.

Example with data::

```
{
    'cow': 'foo',
    'fish': 'bar'
}
```

| **cow + fish** returns **cowfish**
| **$.cow + $.fish** returns **foobar**
| **$.cow + "_" + $.fish** returns **foo_bar**
| **$.cow + "_" + fish** returns **foo_fish**

About arithmetic and list

Arithmetic can be used against two lists if they have the same size.

Example with data::

```
{'objects': [
    {'cow': 2, 'cat': 3},
```

```
      {'cow': 4, 'cat': 6}
    ]}
```

| **$.objects[*].cow + $.objects[*].cat** returns **[6, 9]**

More to explore

There are way too many JSONPath implementations out there to discuss.
Some are robust, some are toy projects that still work fine, some are
exercises. There will undoubtedly be many more. This one is made for use
in released, maintained code, and in particular for programmatic access
to the abstract syntax and extension. But JSONPath at its simplest just
isn't that complicated, so you can probably use any of them
successfully. Why not this one?

The original proposal, as far as I know:

- `JSONPath - XPath for
  JSON <http://goessner.net/articles/JSONPath/>`__ by Stefan Goessner.

Other examples

Loading json data from file

.. code:: python

    import json
    d = json.loads('{"foo": [{"baz": 1}, {"baz": 2}]}')
    # or
    with open('myfile.json') as f:
        d = json.load(f)

Special note about PLY and docstrings

The main parsing toolkit underlying this library,
`PLY <https://github.com/dabeaz/ply>`__, does not work with docstrings
removed. For example, ``PYTHONOPTIMIZE=2`` and ``python -OO`` will both
cause a failure.

Contributors

This package is authored and maintained by:

- `Kenn Knowles <https://github.com/kennknowles>`__

(``@kennknowles <https://twitter.com/KennKnowles>`__)
- `Tomas Aparicio <https://github.com/h2non>`

with the help of patches submitted by `these contributors <https://github.com/kennknowles/python-jsonpath-ng/graphs/contributors>`__.

Copyright and License

Copyright 2013 - Kenneth Knowles

Copyright 2017 - Tomas Aparicio

Licensed under the Apache License, Version 2.0 (the "License"); you may
not use this file except in compliance with the License. You may obtain
a copy of the License at

::

    http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

.. _`JSONPath proposal`: http://goessner.net/articles/JsonPath/
.. _`jsonpath-rw`: https://github.com/kennknowles/python-jsonpath-rw
.. _`jsonpath-rw-ext`: https://pypi.python.org/pypi/jsonpath-rw-ext/

.. |PyPi downloads| image:: https://pypip.in/d/jsonpath-ng/badge.png
   :target: https://pypi.python.org/pypi/jsonpath-ng
.. |Build Status| image:: https://travis-ci.org/h2non/jsonpath-ng.svg?branch=master
   :target: https://travis-ci.org/h2non/jsonpath-ng
.. |PyPI| image:: https://img.shields.io/pypi/v/jsonpath-ng.svg?maxAge=2592000?style=flat-square
   :target: https://pypi.python.org/pypi/jsonpath-ng
.. |Coverage Status| image:: https://coveralls.io/repos/github/h2non/jsonpath-ng/badge.svg?branch=master
   :target: https://coveralls.io/github/h2non/jsonpath-ng?branch=master
.. |Documentation Status| image:: https://img.shields.io/badge/docs-latest-green.svg?style=flat
   :target: http://jsonpath-ng.readthedocs.io/en/latest/?badge=latest

Platform: UNKNOWN
Classifier: Development Status :: 5 - Production/Stable
Classifier: Intended Audience :: Developers
Classifier: License :: OSI Approved :: Apache Software License
Classifier: Programming Language :: Python :: 2.7
Classifier: Programming Language :: Python :: 3

Classifier: Programming Language :: Python :: 3.2

Classifier: Programming Language :: Python :: 3.3

Classifier: Programming Language :: Python :: 3.4

Classifier: Programming Language :: Python :: 3.5

Classifier: Programming Language :: Python :: 3.6

Found in path(s):

* /opt/cola/permits/1154776936_1618890066.76/0/jsonpath-ng-1-4-3-1-tar-gz/jsonpath-ng-1.4.3/jsonpath_ng.egg-info/PKG-INFO

* /opt/cola/permits/1154776936_1618890066.76/0/jsonpath-ng-1-4-3-1-tar-gz/jsonpath-ng-1.4.3/PKG-INFO

No license file was found, but licenses were detected in source scan.

Licensed under the Apache License, Version 2.0 (the "License"); you may

not use this file except in compliance with the License. You may obtain

http://www.apache.org/licenses/LICENSE-2.0

distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

Found in path(s):

* /opt/cola/permits/1154776936_1618890066.76/0/jsonpath-ng-1-4-3-1-tar-gz/jsonpath-ng-1.4.3/jsonpath_ng/ext/__init__.py

* /opt/cola/permits/1154776936_1618890066.76/0/jsonpath-ng-1-4-3-1-tar-gz/jsonpath-ng-1.4.3/jsonpath_ng/ext/iterable.py

* /opt/cola/permits/1154776936_1618890066.76/0/jsonpath-ng-1-4-3-1-tar-gz/jsonpath-ng-1.4.3/jsonpath_ng/ext/filter.py

* /opt/cola/permits/1154776936_1618890066.76/0/jsonpath-ng-1-4-3-1-tar-gz/jsonpath-ng-1.4.3/jsonpath_ng/ext/arithmetic.py

* /opt/cola/permits/1154776936_1618890066.76/0/jsonpath-ng-1-4-3-1-tar-gz/jsonpath-ng-1.4.3/jsonpath_ng/ext/string.py

* /opt/cola/permits/1154776936_1618890066.76/0/jsonpath-ng-1-4-3-1-tar-gz/jsonpath-ng-1.4.3/tests/test_jsonpath_rw_ext.py

* /opt/cola/permits/1154776936_1618890066.76/0/jsonpath-ng-1-4-3-1-tar-gz/jsonpath-ng-1.4.3/jsonpath_ng/ext/parser.py

1.298 ansible 2.1

1.298.1 Available under license :

This package was debianized by Henry Graham (hzgraham) <Henry.Graham@mail.wvu.edu> on Tue, 17 Apr 2012 12:19:47 -0400.

It was downloaded from https://github.com/ansible/ansible.git

Copyright: Henry Graham (hzgraham) <Henry.Graham@mail.wvu.edu>

License:

  This package is free software; you can redistribute it and/or modify
  it under the terms of the GNU General Public License as published by

the Free Software Foundation; version 2 dated June, 1991.

This package is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this package; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301,
USA.

On Debian systems, the complete text of the GNU General
Public License can be found in `/usr/share/common-licenses/GPL'.
<div align="center">

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007
</div>

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you have
certain responsibilities if you distribute copies of the software, or if
you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether

gratis or for a fee, you must pass on to the recipients the same
freedoms that you received. You must make sure that they, too, receive
or can get the source code. And you must show them these terms so they
know their rights.

Developers that use the GNU GPL protect your rights with two steps:
(1) assert copyright on the software, and (2) offer you this License
giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains
that there is no warranty for this free software. For both users' and
authors' sake, the GPL requires that modified versions be marked as
changed, so that their problems will not be attributed erroneously to
authors of previous versions.

Some devices are designed to deny users access to install or run
modified versions of the software inside them, although the manufacturer
can do so. This is fundamentally incompatible with the aim of
protecting users' freedom to change the software. The systematic
pattern of such abuse occurs in the area of products for individuals to
use, which is precisely where it is most unacceptable. Therefore, we
have designed this version of the GPL to prohibit the practice for those
products. If such problems arise substantially in other domains, we
stand ready to extend this provision to those domains in future versions
of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents.
States should not allow patents to restrict development and use of
software on general-purpose computers, but in those that do, we wish to
avoid the special danger that patents applied to a free program could
make it effectively proprietary. To prevent this, the GPL assures that
patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and
modification follow.

                    TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of
works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this
License. Each licensee is addressed as "you". "Licensees" and
"recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work
in a fashion requiring copyright permission, other than the making of an
exact copy. The resulting work is called a "modified version" of the
earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based
on the Program.

To "propagate" a work means to do anything with it that, without
permission, would make you directly or secondarily liable for
infringement under applicable copyright law, except executing it on a
computer or modifying a private copy. Propagation includes copying,
distribution (with or without modification), making available to the
public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other
parties to make or receive copies. Mere interaction with a user through
a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices"
to the extent that it includes a convenient and prominently visible
feature that (1) displays an appropriate copyright notice, and (2)
tells the user that there is no warranty for the work (except to the
extent that warranties are provided), that licensees may convey the
work under this License, and how to view a copy of this License. If
the interface presents a list of user commands or options, such as a
menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work
for making modifications to it. "Object code" means any non-source
form of a work.

A "Standard Interface" means an interface that either is an official
standard defined by a recognized standards body, or, in the case of
interfaces specified for a particular programming language, one that
is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other
than the work as a whole, that (a) is included in the normal form of
packaging a Major Component, but which is not part of that Major
Component, and (b) serves only to enable use of the work with that
Major Component, or to implement a Standard Interface for which an
implementation is available to the public in source code form. A
"Major Component", in this context, means a major essential component
(kernel, window system, and so on) of the specific operating system

(if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

 No covered work shall be deemed part of an effective technological
measure under any applicable law fulfilling obligations under article
11 of the WIPO copyright treaty adopted on 20 December 1996, or
similar laws prohibiting or restricting circumvention of such
measures.

 When you convey a covered work, you waive any legal power to forbid
circumvention of technological measures to the extent such circumvention
is effected by exercising rights under this License with respect to
the covered work, and you disclaim any intention to limit operation or
modification of the work as a means of enforcing, against the work's
users, your or third parties' legal rights to forbid circumvention of
technological measures.

 4. Conveying Verbatim Copies.

 You may convey verbatim copies of the Program's source code as you
receive it, in any medium, provided that you conspicuously and
appropriately publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

 You may charge any price or no price for each copy that you convey,
and you may offer support or warranty protection for a fee.

 5. Conveying Modified Source Versions.

 You may convey a work based on the Program, or the modifications to
produce it from the Program, in the form of source code under the
terms of section 4, provided that you also meet all of these conditions:

  a) The work must carry prominent notices stating that you modified
  it, and giving a relevant date.

  b) The work must carry prominent notices stating that it is
  released under this License and any conditions added under section
  7. This requirement modifies the requirement in section 4 to
  "keep intact all notices".

  c) You must license the entire work, as a whole, under this
  License to anyone who comes into possession of a copy. This
  License will therefore apply, along with any applicable section 7
  additional terms, to the whole of the work, and all its parts,
  regardless of how they are packaged. This License gives no

permission to license the work in any other way, but it does not
invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display
Appropriate Legal Notices; however, if the Program has interactive
interfaces that do not display Appropriate Legal Notices, your
work need not make them do so.

A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms
of sections 4 and 5, provided that you also convey the
machine-readable Corresponding Source under the terms of this License,
in one of these ways:

a) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by the
Corresponding Source fixed on a durable physical medium
customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by a
written offer, valid for at least three years and valid for as
long as you offer spare parts or customer support for that product
model, to give anyone who possesses the object code either (1) a
copy of the Corresponding Source for all the software in the
product that is covered by this License, on a durable physical
medium customarily used for software interchange, for a price no
more than your reasonable cost of physically performing this
conveying of source, or (2) access to copy the
Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the
written offer to provide the Corresponding Source. This
alternative is allowed only occasionally and noncommercially, and
only if you received the object code with such an offer, in accord
with subsection 6b.

d) Convey the object code by offering access from a designated
place (gratis or for a charge), and offer equivalent access to the
Corresponding Source in the same way through the same place at no
further charge. You need not require recipients to copy the
Corresponding Source along with the object code. If the place to
copy the object code is a network server, the Corresponding Source
may be on a different server (operated by you or a third party)
that supports equivalent copying facilities, provided you maintain
clear directions next to the object code saying where to find the
Corresponding Source. Regardless of what server hosts the
Corresponding Source, you remain obligated to ensure that it is
available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided
you inform other peers where the object code and Corresponding
Source of the work are being offered to the general public at no
charge under subsection 6d.

 A separable portion of the object code, whose source code is excluded
from the Corresponding Source as a System Library, need not be
included in conveying the object code work.

 A "User Product" is either (1) a "consumer product", which means any
tangible personal property which is normally used for personal, family,
or household purposes, or (2) anything designed or sold for incorporation
into a dwelling. In determining whether a product is a consumer product,
doubtful cases shall be resolved in favor of coverage. For a particular
product received by a particular user, "normally used" refers to a
typical or common use of that class of product, regardless of the status
of the particular user or of the way in which the particular user
actually uses, or expects or is expected to use, the product. A product
is a consumer product regardless of whether the product has substantial
commercial, industrial or non-consumer uses, unless such uses represent
the only significant mode of use of the product.

 "Installation Information" for a User Product means any methods,
procedures, authorization keys, or other information required to install
and execute modified versions of a covered work in that User Product from
a modified version of its Corresponding Source. The information must
suffice to ensure that the continued functioning of the modified object
code is in no case prevented or interfered with solely because
modification has been made.

 If you convey an object code work under this section in, or with, or
specifically for use in, a User Product, and the conveying occurs as
part of a transaction in which the right of possession and use of the
User Product is transferred to the recipient in perpetuity or for a
fixed term (regardless of how the transaction is characterized), the

Corresponding Source conveyed under this section must be accompanied
by the Installation Information. But this requirement does not apply
if neither you nor any third party retains the ability to install
modified object code on the User Product (for example, the work has
been installed in ROM).

 The requirement to provide Installation Information does not include a
requirement to continue to provide support service, warranty, or updates
for a work that has been modified or installed by the recipient, or for
the User Product in which it has been modified or installed. Access to a
network may be denied when the modification itself materially and
adversely affects the operation of the network or violates the rules and
protocols for communication across the network.

 Corresponding Source conveyed, and Installation Information provided,
in accord with this section must be in a format that is publicly
documented (and with an implementation available to the public in
source code form), and must require no special password or key for
unpacking, reading or copying.

 7. Additional Terms.

 "Additional permissions" are terms that supplement the terms of this
License by making exceptions from one or more of its conditions.
Additional permissions that are applicable to the entire Program shall
be treated as though they were included in this License, to the extent
that they are valid under applicable law. If additional permissions
apply only to part of the Program, that part may be used separately
under those permissions, but the entire Program remains governed by
this License without regard to the additional permissions.

 When you convey a copy of a covered work, you may at your option
remove any additional permissions from that copy, or from any part of
it. (Additional permissions may be written to require their own
removal in certain cases when you modify the work.) You may place
additional permissions on material, added by you to a covered work,
for which you have or can give appropriate copyright permission.

 Notwithstanding any other provision of this License, for material you
add to a covered work, you may (if authorized by the copyright holders of
that material) supplement the terms of this License with terms:

  a) Disclaiming warranty or limiting liability differently from the
  terms of sections 15 and 16 of this License; or

  b) Requiring preservation of specified reasonable legal notices or
  author attributions in that material or in the Appropriate Legal
  Notices displayed by works containing it; or

c) Prohibiting misrepresentation of the origin of that material, or
requiring that modified versions of such material be marked in
reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or
authors of the material; or

e) Declining to grant rights under trademark law for use of some
trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that
material by anyone who conveys the material (or modified versions of
it) with contractual assumptions of liability to the recipient, for
any liability that these contractual assumptions directly impose on
those licensors and authors.

  All other non-permissive additional terms are considered "further
restrictions" within the meaning of section 10. If the Program as you
received it, or any part of it, contains a notice stating that it is
governed by this License along with a term that is a further
restriction, you may remove that term. If a license document contains
a further restriction but permits relicensing or conveying under this
License, you may add to a covered work material governed by the terms
of that license document, provided that the further restriction does
not survive such relicensing or conveying.

  If you add terms to a covered work in accord with this section, you
must place, in the relevant source files, a statement of the
additional terms that apply to those files, or a notice indicating
where to find the applicable terms.

  Additional terms, permissive or non-permissive, may be stated in the
form of a separately written license, or stated as exceptions;
the above requirements apply either way.

  8. Termination.

  You may not propagate or modify a covered work except as expressly
provided under this License. Any attempt otherwise to propagate or
modify it is void, and will automatically terminate your rights under
this License (including any patent licenses granted under the third
paragraph of section 11).

  However, if you cease all violation of this License, then your
license from a particular copyright holder is reinstated (a)
provisionally, unless and until the copyright holder explicitly and
finally terminates your license, and (b) permanently, if the copyright

holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation

(including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a

covered work, and grant a patent license to some of the parties
receiving the covered work authorizing them to use, propagate, modify
or convey a specific copy of the covered work, then the patent license
you grant is automatically extended to all recipients of the covered
work and works based on it.

A patent license is "discriminatory" if it does not include within
the scope of its coverage, prohibits the exercise of, or is
conditioned on the non-exercise of one or more of the rights that are
specifically granted under this License. You may not convey a covered
work if you are a party to an arrangement with a third party that is
in the business of distributing software, under which you make payment
to the third party based on the extent of your activity of conveying
the work, and under which the third party grants, to any of the
parties who would receive the covered work from you, a discriminatory
patent license (a) in connection with copies of the covered work
conveyed by you (or copies made from those copies), or (b) primarily
for and in connection with specific products or compilations that
contain the covered work, unless you entered into that arrangement,
or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting
any implied license or other defenses to infringement that may
otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot convey a
covered work so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you may
not convey it at all. For example, if you agree to terms that obligate you
to collect a royalty for further conveying from those to whom you convey
the Program, the only way you could satisfy both those terms and this
License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

14. Revised Versions of this License.

 The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

 Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

 If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

 Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

15. Disclaimer of Warranty.

 THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

 IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE
USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD
PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

 If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

                    END OF TERMS AND CONDITIONS

             How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software: you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation, either version 3 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

 If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

    <program> Copyright (C) <year> <name of author>
    This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

 You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

 The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<http://www.gnu.org/philosophy/why-not-lgpl.html>.

1.299 pycparser 2.20
1.299.1 Available under license :
pycparser -- A C parser in Python

1.300 go-zookeeper 0.0.0-20201211165307-7117e9ea2414

1.300.1 Available under license :

Copyright (c) 2013, Samuel Stauffer <samuel@descolada.com>
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright
 notice, this list of conditions and the following disclaimer in the
 documentation and/or other materials provided with the distribution.
* Neither the name of the author nor the
 names of its contributors may be used to endorse or promote products
 derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL <COPYRIGHT HOLDER> BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.301 base-passwd 3.5.47

1.301.1 Available under license :

GNU GENERAL PUBLIC LICENSE
   Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
         51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

    Preamble

 The licenses for most software are designed to take away your

freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Library General Public License instead.) You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

 We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

 Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

 Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

 The precise terms and conditions for copying, distribution and
modification follow.

    GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion
of it, thus forming a work based on the Program, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices
  stating that you changed the files and the date of any change.

  b) You must cause any work that you distribute or publish, that in
  whole or in part contains or is derived from the Program or any
  part thereof, to be licensed as a whole at no charge to all third
  parties under the terms of this License.

  c) If the modified program normally reads commands interactively
  when run, you must cause it, when started running for such
  interactive use in the most ordinary way, to print or display an
  announcement including an appropriate copyright notice and a
  notice that there is no warranty (or else, saying that you provide

a warranty) and that users may redistribute the program under
these conditions, and telling the user how to view a copy of this
License. (Exception: if the Program itself is interactive but
does not normally print such an announcement, your work based on
the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

  a) Accompany it with the complete corresponding machine-readable
  source code, which must be distributed under the terms of Sections
  1 and 2 above on a medium customarily used for software interchange; or,

  b) Accompany it with a written offer, valid for at least three
  years, to give any third party, for a charge no more than your
  cost of physically performing source distribution, a complete
  machine-readable copy of the corresponding source code, to be
  distributed under the terms of Sections 1 and 2 above on a medium
  customarily used for software interchange; or,

  c) Accompany it with the information you received as to the offer
  to distribute corresponding source code. (This alternative is
  allowed only for noncommercial distribution and only if you
  received the program in object code or executable form with such
  an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for

making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering
access to copy from a designated place, then offering equivalent
access to copy the source code from the same place counts as
distribution of the source code, even though third parties are not
compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense or distribute the Program is
void, and will automatically terminate your rights under this License.
However, parties who have received copies, or rights, from you under
this License will not have their licenses terminated so long as such
parties remain in full compliance.

 5. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Program or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Program (or any work based on the
Program), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the
Program), the recipient automatically receives a license from the
original licensor to copy, distribute or modify the Program subject to
these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties to
this License.

 7. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you

may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author

to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

   NO WARRANTY

 11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

 12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

   END OF TERMS AND CONDITIONS

  How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

  <one line to give the program's name and a brief idea of what it does.>
  Copyright (C) <year> <name of author>

  This program is free software; you can redistribute it and/or modify
  it under the terms of the GNU General Public License as published by
  the Free Software Foundation; either version 2 of the License, or
  (at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the program
 `Gnomovision' (which makes passes at compilers) written by James Hacker.

 <signature of Ty Coon>, 1 April 1989
 Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: base-passwd
Upstream-Contact: Colin Watson <cjwatson@debian.org>

Files: *
Copyright: Copyright 1999-2002 Wichert Akkerman <wichert@deephackmode.org>
Copyright 2002, 2003, 2004 Colin Watson <cjwatson@debian.org>

License: GPL-2

Files:
passwd.master
group.master
License: PD
X-Notes: Originally written by Ian Murdock <imurdock@debian.org> and
Bruce Perens <bruce@pixar.com>.

Files: doc/*
Copyright: Copyright 2001, 2002 Joey Hess
Copyright 2002, 2003, 2004, 2005, 2007 Colin Watson
Copyright 2007 David Mandelberg
License: GPL-2

License: GPL-2
On Debian and Debian-based systems, a copy of the GNU General Public
License version 2 is available in /usr/share/common-licenses/GPL-2.

1.302 zlib 1.2.11.dfsg-2ubuntu1.2

1.302.1 Available under license :

Found license 'General Public License 2.0' in 'No. PKWare has apparently decided to keep that format proprietary,
since 42. The match.asm code in contrib is under the GNU General Public License. GNU GPL?'
/* zlib.h -- interface of the 'zlib' general purpose compression library
 version 1.2.11, January 15th, 2017

 Copyright (C) 1995-2017 Jean-loup Gailly and Mark Adler

 This software is provided 'as-is', without any express or implied
 warranty. In no event will the authors be held liable for any damages
 arising from the use of this software.

 Permission is granted to anyone to use this software for any purpose,
 including commercial applications, and to alter it and redistribute it
 freely, subject to the following restrictions:

 1. The origin of this software must not be misrepresented; you must not
    claim that you wrote the original software. If you use this software
    in a product, an acknowledgment in the product documentation would be
    appreciated but is not required.
 2. Altered source versions must be plainly marked as such, and must not be
    misrepresented as being the original software.
 3. This notice may not be removed or altered from any source distribution.

 Jean-loup Gailly   Mark Adler
 jloup@gzip.org   madler@alumni.caltech.edu

The data format used by the zlib library is described by RFCs (Request for
Comments) 1950 to 1952 in the files http://tools.ietf.org/html/rfc1950
(zlib format), rfc1951 (deflate format) and rfc1952 (gzip format).
*/

1.303 sanitized-anchor-name 1.0.0

1.303.1 Available under license :

MIT License

Copyright (c) 2015 Dmitri Shuralyov

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.304 jackc-pgproto 2.2.0

1.304.1 Available under license :

Copyright (c) 2019 Jack Christensen

MIT License

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.305 jackc-chunkreader 2.0.1

1.305.1 Available under license :

Copyright (c) 2019 Jack Christensen

MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.306 ca-certificates 20211016~20.04.1

1.306.1 Available under license :

Format: http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/

Files: *
Copyright: 2013 System Administrator <root@localhost.localdomain>
License: ...

Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Source: http://ftp.debian.org/debian/pool/main/c/ca-certificates/

Files: debian/*
    examples/*
    Makefile
    mozilla/*
    sbin/*
Copyright: 2003 Fumitoshi UKAI <ukai@debian.or.jp>
        2009 Philipp Kern <pkern@debian.org>
        2011 Michael Shuler <michael@pbandjelly.org>
        Various Debian Contributors
License: GPL-2+
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.
.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301,
USA.
.

On Debian GNU/Linux systems, the complete text of the GNU General Public
License can be found in '/usr/share/common-licenses/GPL-2'.

Files: mozilla/certdata.txt
    mozilla/nssckbi.h
Copyright: Mozilla Contributors
Comment: Original Copyright: 1994-2000 Netscape Communications Corporation
                (certdata.txt <= CVS Revision: 1.82)
    NSS no longer contains explicit copyright. Upstream indicates
    that "Mozilla Contributors" is an appropriate attibution for the
    required Copyright: field in Debian's machine-readable format.
    https://bugzilla.mozilla.org/show_bug.cgi?id=850003
License: MPL-2.0
Mozilla Public License Version 2.0
==================================
.

1. Definitions

.

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

.

1.3. "Contribution"

means Covered Software of a particular Contributor.

.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

.

1.5. "Incompatible With Secondary Licenses"

means

.

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

.

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

.

1.8. "License"

means this document.

.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

.

1.10. "Modifications"

means any of the following:

.

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

.

(b) any new file in Source Code Form that contains any Covered
  Software.
.
1.11. "Patent Claims" of a Contributor
   means any patent claim(s), including without limitation, method,
   process, and apparatus claims, in any patent Licensable by such
   Contributor that would be infringed, but for the grant of the
   License, by the making, using, selling, offering for sale, having
   made, import, or transfer of either its Contributions or its
   Contributor Version.
.
1.12. "Secondary License"
   means either the GNU General Public License, Version 2.0, the GNU
   Lesser General Public License, Version 2.1, the GNU Affero General
   Public License, Version 3.0, or any later versions of those
   licenses.
.
1.13. "Source Code Form"
   means the form of the work preferred for making modifications.
.
1.14. "You" (or "Your")
   means an individual or a legal entity exercising rights under this
   License. For legal entities, "You" includes any entity that
   controls, is controlled by, or is under common control with You. For
   purposes of this definition, "control" means (a) the power, direct
   or indirect, to cause the direction or management of such entity,
   whether by contract or otherwise, or (b) ownership of more than
   fifty percent (50%) of the outstanding shares or beneficial
   ownership of such entity.
.
2. License Grants and Conditions

.
2.1. Grants
.
Each Contributor hereby grants You a world-wide, royalty-free,
non-exclusive license:
.
(a) under intellectual property rights (other than patent or trademark)
   Licensable by such Contributor to use, reproduce, make available,
   modify, display, perform, distribute, and otherwise exploit its
   Contributions, either on an unmodified basis, with Modifications, or
   as part of a Larger Work; and
.
(b) under Patent Claims of such Contributor to make, use, sell, offer
   for sale, have made, import, and otherwise transfer either its
   Contributions or its Contributor Version.
.

2.2. Effective Date

.

The licenses granted in Section 2.1 with respect to any Contribution
become effective for each Contribution on the date the Contributor first
distributes such Contribution.

.

2.3. Limitations on Grant Scope

.

The licenses granted in this Section 2 are the only rights granted under
this License. No additional rights or licenses will be implied from the
distribution or licensing of Covered Software under this License.
Notwithstanding Section 2.1(b) above, no patent license is granted by a
Contributor:

.

(a) for any code that a Contributor has removed from Covered Software;
    or

.

(b) for infringements caused by: (i) Your and any other third party's
    modifications of Covered Software, or (ii) the combination of its
    Contributions with other software (except as part of its Contributor
    Version); or

.

(c) under Patent Claims infringed by Covered Software in the absence of
    its Contributions.

.

This License does not grant any rights in the trademarks, service marks,
or logos of any Contributor (except as may be necessary to comply with
the notice requirements in Section 3.4).

.

2.4. Subsequent Licenses

.

No Contributor makes additional grants as a result of Your choice to
distribute the Covered Software under a subsequent version of this
License (see Section 10.2) or under the terms of a Secondary License (if
permitted under the terms of Section 3.3).

.

2.5. Representation

.

Each Contributor represents that the Contributor believes its
Contributions are its original creation(s) or it has sufficient rights
to grant the rights to its Contributions conveyed by this License.

.

2.6. Fair Use

.

This License is not intended to limit any rights You have under
applicable copyright doctrines of fair use, fair dealing, or other
equivalents.

.

2.7. Conditions

.

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted
in Section 2.1.

.

3. Responsibilities

.

3.1. Distribution of Source Form

.

All distribution of Covered Software in Source Code Form, including any
Modifications that You create or to which You contribute, must be under
the terms of this License. You must inform recipients that the Source
Code Form of the Covered Software is governed by the terms of this
License, and how they can obtain a copy of this License. You may not
attempt to alter or restrict the recipients' rights in the Source Code
Form.

.

3.2. Distribution of Executable Form

.

If You distribute Covered Software in Executable Form then:

.

(a) such Covered Software must also be made available in Source Code
    Form, as described in Section 3.1, and You must inform recipients of
    the Executable Form how they can obtain a copy of such Source Code
    Form by reasonable means in a timely manner, at a charge no more
    than the cost of distribution to the recipient; and

.

(b) You may distribute such Executable Form under the terms of this
    License, or sublicense it under different terms, provided that the
    license for the Executable Form does not attempt to limit or alter
    the recipients' rights in the Source Code Form under this License.

.

3.3. Distribution of a Larger Work

.

You may create and distribute a Larger Work under terms of Your choice,
provided that You also comply with the requirements of this License for
the Covered Software. If the Larger Work is a combination of Covered
Software with a work governed by one or more Secondary Licenses, and the
Covered Software is not Incompatible With Secondary Licenses, this
License permits You to additionally distribute such Covered Software
under the terms of such Secondary License(s), so that the recipient of
the Larger Work may, at their option, further distribute the Covered
Software under the terms of either this License or such Secondary
License(s).

.

3.4. Notices

.

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.
.

3.5. Application of Additional Terms
.

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.
.

4. Inability to Comply Due to Statute or Regulation

.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.
.

5. Termination

.

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

.

```
************************************************************************
*                                      *
*  6. Disclaimer of Warranty                        *
*  ------------------------                 *
*                                      *
*  Covered Software is provided under this License on an "as is"  *
*  basis, without warranty of any kind, either expressed, implied, or  *
*  statutory, including, without limitation, warranties that the    *
*  Covered Software is free of defects, merchantable, fit for a     *
*  particular purpose or non-infringing. The entire risk as to the   *
*  quality and performance of the Covered Software is with You.     *
*  Should any Covered Software prove defective in any respect, You    *
*  (not any Contributor) assume the cost of any necessary servicing,  *
*  repair, or correction. This disclaimer of warranty constitutes an  *
*  essential part of this License. No use of any Covered Software is  *
*  authorized under this License except under this disclaimer.     *
*                                      *
************************************************************************
```

.

```
************************************************************************
*                                      *
*  7. Limitation of Liability                    *
*  -------------------------                 *
*                                      *
*  Under no circumstances and under no legal theory, whether tort   *
*  (including negligence), contract, or otherwise, shall any       *
*  Contributor, or anyone who distributes Covered Software as       *
*  permitted above, be liable to You for any direct, indirect,      *
*  special, incidental, or consequential damages of any character    *
*  including, without limitation, damages for lost profits, loss of   *
*  goodwill, work stoppage, computer failure or malfunction, or any   *
*  and all other commercial damages or losses, even if such party    *
*  shall have been informed of the possibility of such damages. This  *
*  limitation of liability shall not apply to liability for death or  *
*  personal injury resulting from such party's negligence to the    *
```

```
 *  extent applicable law prohibits such limitation. Some         *
 *  jurisdictions do not allow the exclusion or limitation of       *
 *  incidental or consequential damages, so this exclusion and      *
 *  limitation may not apply to You.                    *
 *                                      *
 **************************************************************
```
.

8. Litigation

.

Any litigation relating to this License may be brought only in the
courts of a jurisdiction where the defendant maintains its principal
place of business and such litigation shall be governed by laws of that
jurisdiction, without reference to its conflict-of-law provisions.
Nothing in this Section shall prevent a party's ability to bring
cross-claims or counter-claims.

.

9. Miscellaneous

.

This License represents the complete agreement concerning the subject
matter hereof. If any provision of this License is held to be
unenforceable, such provision shall be reformed only to the extent
necessary to make it enforceable. Any law or regulation which provides
that the language of a contract shall be construed against the drafter
shall not be used to construe this License against a Contributor.

.

10. Versions of the License

.

10.1. New Versions

.

Mozilla Foundation is the license steward. Except as provided in Section
10.3, no one other than the license steward has the right to modify or
publish new versions of this License. Each version will be given a
distinguishing version number.

.

10.2. Effect of New Versions

.

You may distribute the Covered Software under the terms of the version
of the License under which You originally received the Covered Software,
or under the terms of any subsequent version published by the license
steward.

.

10.3. Modified Versions

.

If you create software not governed by this License, and you want to
create a new license for such software, you may create and use a

modified version of this License if you rename the license and remove
any references to the name of the license steward (except to note that
such modified license differs from this License).

.

10.4. Distributing Source Code Form that is Incompatible With Secondary
Licenses

.

If You choose to distribute Source Code Form that is Incompatible With
Secondary Licenses under the terms of this version of the License, the
notice described in Exhibit B of this License must be attached.

.

Exhibit A - Source Code Form License Notice

.

  This Source Code Form is subject to the terms of the Mozilla Public
  License, v. 2.0. If a copy of the MPL was not distributed with this
  file, You can obtain one at http://mozilla.org/MPL/2.0/.

.

If it is not possible or desirable to put the notice in a particular
file, then You may include the notice in a location (such as a LICENSE
file in a relevant directory) where a recipient would be likely to look
for such a notice.

.

You may add additional accurate notices of copyright ownership.

.

Exhibit B - "Incompatible With Secondary Licenses" Notice

.

  This Source Code Form is "Incompatible With Secondary Licenses", as
  defined by the Mozilla Public License, v. 2.0.

1.307 murmur 1.1.0

1.307.1 Available under license :

No license file was found, but licenses were detected in source scan.

{"version":3,"sources":["webpack://@icij/murmur/webpack/universalModuleDefinition","webpack://@icij/murmur/webpack/bootstrap","webpack://@icij/murmur/./node_modules/lodash/_getRawTag.js","webpack://@icij/murmur/./node_modules/core-js/modules/_iter-define.js","webpack://@icij/murmur/./node_modules/lodash/_baseKeys.js","webpack://@icij/murmur/./node_modules/lodash/_isFlattenable.js","webpack://@icij/murmur/./node_modules/lodash/stubFalse.js","webpack://@icij/murmur/./node_modules/lodash/_arrayPush.js","webpack://@icij/murmur/./node_modules/lodash/_isStrictComparable.js","webpack://@icij/murmur/./lib/components/SharingOptions.vue?8ac0","webpack://@icij/murmur/./node_modules/core-js/modules/es7.promise.finally.js","webpack://@icij/murmur/./node_modules/lodash/_getNative.js","webpack://@icij/murmur/./node_modules/core-js/modules/_flags.js","webpack://@icij/murmur/./node_modules/lodash/isBuffer.js","webpack://@icij/murmur/./nod

e_modules/core-js/modules/_object-keys.js","webpack://@icij/murmur/./node_modules/lodash/_baseRest.js","webpack://@icij/murmur/./lib/components/EmbeddableFooter.vue?eb4a","webpack://@icij/murmur/./node_modules/es6-symbol/is-symbol.js","webpack://@icij/murmur/./node_modules/jquery/dist/jquery.js","webpack://@icij/murmur/./lib/locales sync [A-Za-z0-9-_,\\s]+\\.json$/","webpack://@icij/murmur/./node_modules/core-js/modules/_object-gopd.js","webpack://@icij/murmur/./node_modules/lodash/_isKeyable.js","webpack://@icij/murmur/./node_modules/lodash/_castFunction.js","webpack://@icij/murmur/./node_modules/lodash/isObjectLike.js","webpack://@icij/murmur/./lib/assets/images/icij@2x.png","webpack://@icij/murmur/./node_modules/lodash/_isMasked.js","webpack://@icij/murmur/./node_modules/core-js/modules/_object-dps.js","webpack://@icij/murmur/./node_modules/es5-ext/object/assign/is-implemented.js","webpack://@icij/murmur/./lib/components/SignUpForm.vue?4b41","webpack://@icij/murmur/./node_modules/lodash/_baseMatchesProperty.js","webpack://@icij/murmur/./node_modules/lodash/_stringToPath.js","webpack://@icij/murmur/./node_modules/es5-ext/string/#/contains/is-implemented.js","webpack://@icij/murmur/./node_modules/core-js/modules/_task.js","webpack://@icij/murmur/./node_modules/lodash/isObject.js","webpack://@icij/murmur/./node_modules/lodash/_equalByTag.js","webpack://@icij/murmur/./node_modules/es6-symbol/index.js","webpack://@icij/murmur/./node_modules/lodash/_Promise.js","webpack://@icij/murmur/./node_modules/lodash/_hashDelete.js","webpack://@icij/murmur/./node_modules/lodash/_baseEvery.js","webpack://@icij/murmur/./node_modules/core-js/modules/_iter-call.js","webpack://@icij/murmur/./node_modules/lodash/_mapCacheSet.js","webpack://@icij/murmur/./node_modules/es5-ext/object/assign/index.js","webpack://@icij/murmur/./node_modules/lodash/_matchesStrictComparable.js","webpack://@icij/murmur/./node_modules/core-js/modules/_fix-re-wks.js","webpack://@icij/murmur/./node_modules/lodash/_compareMultiple.js","webpack://@icij/murmur/./node_modules/lodash/_overRest.js","webpack://@icij/murmur/./node_modules/@fortawesome/free-brands-svg-icons/faLinkedin.js","webpack://@icij/murmur/./node_modules/core-js/modules/_dom-create.js","webpack://@icij/murmur/./node_modules/lodash/_memoizeCapped.js","webpack://@icij/murmur/./node_modules/core-js/modules/_classof.js","webpack://@icij/murmur/./node_modules/lodash/_baseForOwn.js","webpack://@icij/murmur/./node_modules/lodash/_Uint8Array.js","webpack://@icij/murmur/./node_modules/lodash/_mapCacheGet.js","webpack://@icij/murmur/./node_modules/lodash/_hashSet.js","webpack://@icij/murmur/./node_modules/lodash/_baseIsArguments.js","webpack://@icij/murmur/./node_modules/core-js/modules/_object-gops.js","webpack://@icij/murmur/./node_modules/lodash/every.js","webpack://@icij/murmur/./node_modules/lodash/_baseHasIn.js","webpack://@icij/murmur/./node_modules/core-js/modules/core.get-iterator-method.js","webpack://@icij/murmur/./node_modules/core-js/modules/es6.regexp.split.js","webpack://@icij/murmur/./node_modules/lodash/_listCacheClear.js","webpack://@icij/murmur/./node_modules/lodash/_objectToString.js","webpack://@icij/murmur/./node_modules/core-js/modules/_redefine.js","webpack://@icij/murmur/./node_modules/core-js/modules/_object-create.js","webpack://@icij/murmur/./node_modules/lodash/_root.js","webpack://@icij/murmur/./node_modules/core-js/modules/_wks.js","webpack://@icij/murmur/./node_modules/core-js/modules/_library.js","webpack://@icij/murmur/./node_modules/lodash/_arrayFilter.js","webpack://@icij/murmur/./node_modules/core-js/modules/_cof.js","webpack://@icij/murmur/./node_modules/lodash/_stackDelete.js","webpack://@icij/murmur/./node_modules/lodash/isArrayLike.js","webpack://@icij/murmur/./node_modules/core-js/modules/_invoke.js","webpack://@icij/murmur/./node_modules/core-js/modules/_hide.js","webpack://@icij/murmur/./node_modules/lodash/_getSymbols.js","webpack://@icij/murmur/./node_modules/core-js/modules/_is-array-iter.js","webpack://@icij/murmur/./node_modules/lodash/_baseIsNative.js","webpack://@icij/murmur/./node_modul

es/lodash/_getValue.js","webpack://@icij/murmur/./node_modules/lodash/_baseGetTag.js","webpack://@icij/murmur/./node_modules/core-js/modules/es6.regexp.flags.js","webpack://@icij/murmur/./node_modules/core-js/modules/_object-gpo.js","webpack://@icij/murmur/./node_modules/lodash/_WeakMap.js","webpack://@icij/murmur/./node_modules/lodash/_defineProperty.js","webpack://@icij/murmur/./node_modules/lodash/_getMatchData.js","webpack://@icij/murmur/./node_modules/vue-headroom/dist/vue-headroom.js","webpack://@icij/murmur/./node_modules/core-js/modules/_iter-create.js","webpack://@icij/murmur/./node_modules/lodash/_getMapData.js","webpack://@icij/murmur/./node_modules/lodash/_arraySome.js","webpack://@icij/murmur/./node_modules/lodash/_getTag.js","webpack://@icij/murmur/./node_modules/node-libs-browser/mock/process.js","webpack://@icij/murmur/./node_modules/lodash/last.js","webpack://@icij/murmur/./node_modules/core-js/modules/es6.object.keys.js","webpack://@icij/murmur/./node_modules/core-js/modules/_to-integer.js","webpack://@icij/murmur/./node_modules/core-js/modules/_property-desc.js","webpack://@icij/murmur/./node_modules/lodash/_baseEach.js","webpack://@icij/murmur/./node_modules/core-js/modules/es6.regexp.match.js","webpack://@icij/murmur/./node_modules/lodash/_hashClear.js","webpack://@icij/murmur/./node_modules/core-js/modules/_for-of.js","webpack://@icij/murmur/./node_modules/core-js/modules/_to-object.js","webpack://@icij/murmur/./node_modules/lodash/flatten.js","webpack://@icij/murmur/./node_modules/lodash/_baseTimes.js","webpack://@icij/murmur/./node_modules/vue-social-sharing/dist/vue-social-sharing.common.js","webpack://@icij/murmur/./node_modules/core-js/modules/_object-pie.js","webpack://@icij/murmur/./lib/config.default.js","webpack://@icij/murmur/./lib/config.js","webpack://@icij/murmur/./node_modules/core-js/modules/es6.promise.js","webpack://@icij/murmur/./node_modules/core-js/modules/_shared.js","webpack://@icij/murmur/./node_modules/lodash/_stackHas.js","webpack://@icij/murmur/./node_modules/lodash/_nativeKeys.js","webpack://@icij/murmur/./node_modules/lodash/_freeGlobal.js","webpack://@icij/murmur/./lib/assets/images/icij-white@2x.png","webpack://@icij/murmur/./node_modules/lodash/_baseReduce.js","webpack://@icij/murmur/./node_modules/lodash/_baseFlatten.js","webpack://@icij/murmur/./node_modules/core-js/modules/_export.js","webpack://@icij/murmur/./node_modules/core-js/modules/_iter-detect.js","webpack://@icij/murmur/./node_modules/core-js/modules/_inherit-if-required.js","webpack://@icij/murmur/./node_modules/lodash/_ListCache.js","webpack://@icij/murmur/./node_modules/core-js/modules/_object-sap.js","webpack://@icij/murmur/./node_modules/lodash/_nativeCreate.js","webpack://@icij/murmur/./node_modules/core-js/modules/_shared-key.js","webpack://@icij/murmur/./node_modules/core-js/modules/_iobject.js","webpack://@icij/murmur/./node_modules/es5-ext/object/is-value.js","webpack://@icij/murmur/(webpack)/buildin/module.js","webpack://@icij/murmur/./lib/components/ImddbHeader.vue?8f10","webpack://@icij/murmur/./node_modules/lodash/_baseMatches.js","webpack://@icij/murmur/./node_modules/lodash/_baseGet.js","webpack://@icij/murmur/./node_modules/lodash/_arrayEvery.js","webpack://@icij/murmur/./node_modules/lodash/isArray.js","webpack://@icij/murmur/./node_modules/lodash/_listCacheSet.js","webpack://@icij/murmur/./node_modules/core-js/modules/_to-iobject.js","webpack://@icij/murmur/./node_modules/core-js/modules/_has.js","webpack://@icij/murmur/./node_modules/lodash/_listCacheDelete.js","webpack://@icij/murmur/./node_modules/lodash/_baseOrderBy.js","webpack://@icij/murmur/./node_modules/core-js/modules/_to-primitive.js","webpack://@icij/murmur/./node_modules/lodash/_arrayReduce.js","webpack://@icij/murmur/./node_modules/core-js/modules/es6.regexp.to-string.js","webpack://@icij/murmur/./node_modules/@fortawesome/free-brands-svg-icons/faTwitter.js","webpack://@icij/murmur/./node_modules/lodash/forEach.js","webpack://@icij/murmur/./lib/components/DonateForm.vue?1994","webpack://@icij/murmur/./node_modules/lodash/_arrayLikeKeys.js","webpack:

//@icij/murmur/./node_modules/lodash/_baseFor.js","webpack://@icij/murmur/./node_modules/lodash/constant.js", "webpack://@icij/murmur/./node_modules/core-js/modules/_object-assign.js","webpack://@icij/murmur/./node_modules/es5-ext/object/keys/shim.js","webpack://@icij/murmur/./node_modules/lodash/isTypedArray.js","webpack://@icij/murmur/./lib/components/ContentPlaceholder.vue?490b","webpack://@icij/murmur/./node_modules/lodash/_baseIsTypedArray.js","webpack://@icij/murmur/./node_modules/lodash/toString.js","webpack://@icij/murmur/./node_modules/core-js/modules/_global.js","webpack://@icij/murmur/./node_modules/core-js/modules/_to-absolute-index.js","webpack://@icij/murmur/./node_modules/lodash/_arrayMap.js","webpack://@icij/murmur/./node_modules/lodash/_Map.js","webpack://@icij/murmur/./node_modules/core-js/modules/_fails.js","webpack://@icij/murmur/./node_modules/lodash/_hashHas.js","webpack://@icij/murmur/./node_modules/@fortawesome/vue-fontawesome/index.js","webpack://@icij/murmur/./node_modules/core-js/modules/_set-species.js","webpack://@icij/murmur/./node_modules/lodash/_MapCache.js","webpack://@icij/murmur/./node_modules/lodash/_baseIsEqualDeep.js","webpack://@icij/murmur/./node_modules/es5-ext/object/keys/index.js","webpack://@icij/murmur/./node_modules/lodash/_mapCacheClear.js","webpack://@icij/murmur/./node_modules/lodash/_baseGetAllKeys.js","webpack://@icij/murmur/./node_modules/lodash/_Stack.js","webpack://@icij/murmur/./node_modules/lodash/_setCacheAdd.js","webpack://@icij/murmur/./node_modules/core-js/modules/_set-to-string-tag.js","webpack://@icij/murmur/./node_modules/core-js/modules/es6.function.name.js","webpack://@icij/murmur/./lib/components/GenericFooter.vue?be7f","webpack://@icij/murmur/./node_modules/lodash/_stackGet.js","webpack://@icij/murmur/./node_modules/lodash/_arrayEach.js","webpack://@icij/murmur/./node_modules/core-js/modules/_microtask.js","webpack://@icij/murmur/./node_modules/core-js/modules/_core.js","webpack://@icij/murmur/./node_modules/core-js/modules/_iterators.js","webpack://@icij/murmur/./node_modules/lodash/_apply.js","webpack://@icij/murmur/./node_modules/lodash/hasIn.js","webpack://@icij/murmur/./node_modules/core-js/modules/_object-dp.js","webpack://@icij/murmur/./node_modules/core-js/modules/_set-proto.js","webpack://@icij/murmur/external {\"commonjs\":\"vue\",\"commonjs2\":\"vue\",\"root\":\"Vue\"}","webpack://@icij/murmur/./node_modules/@fortawesome/free-brands-svg-icons/faFacebook.js","webpack://@icij/murmur/./lib/components/FollowUsPopover.vue?ccfa","webpack://@icij/murmur/./lib/assets/images/icij-black@2x.png","webpack://@icij/murmur/./node_modules/core-js/modules/_object-gopn.js","webpack://@icij/murmur/./node_modules/lodash/_overArg.js","webpack://@icij/murmur/./node_modules/lodash/_mapCacheDelete.js","webpack://@icij/murmur/./node_modules/es6-symbol/polyfill.js","webpack://@icij/murmur/./node_modules/lodash/_createBaseEach.js","webpack://@icij/murmur/./node_modules/lodash/isFunction.js","webpack://@icij/murmur/./node_modules/lodash/eq.js","webpack://@icij/murmur/./node_modules/lodash/_baseIsMatch.js","webpack://@icij/murmur/./node_modules/es5-ext/object/valid-value.js","webpack://@icij/murmur/./node_modules/lodash/_baseMap.js","webpack://@icij/murmur/./node_modules/lodash/_createBaseFor.js","webpack://@icij/murmur/./node_modules/lodash/_nodeUtil.js","webpack://@icij/murmur/./node_modules/lodash/_isIterateeCall.js","webpack://@icij/murmur/./node_modules/lodash/get.js","webpack://@icij/murmur/./node_modules/core-js/modules/_ctx.js","webpack://@icij/murmur/./node_modules/es5-ext/object/is-callable.js","webpack://@icij/murmur/./node_modules/core-js/modules/_add-to-unscopables.js","webpack://@icij/murmur/./node_modules/core-js/modules/_perform.js","webpack://@icij/murmur/./node_modules/core-js/modules/_to-length.js","webpack://@icij/murmur/./node_modules/core-js/modules/_descriptors.js","webpack://@icij/murmur/./node_modules/lodash/_Symbol.js","webpack://@icij/murmur/./node_modules/core-js/modules/_user-agent.js","webpack://@icij/murmur/./node_modules/lodash/_equalArrays.js","webpack://@icij/murmur/./node_modules/lodash/_baseSetToString.js","webpack://@icij/murmur/./node_modules/core-js/modules/es6.regexp.replace.js","webpack://@icij/murmur/./node_modules/lodash/_mapCacheHas.js","webpack://

@icij/murmur/./node_modules/core-js/modules/_new-promise-capability.js","webpack://@icij/murmur/./node_modules/lodash/_getAllKeys.js","webpack://@icij/murmur/./node_modules/core-js/modules/_string-trim.js","webpack://@icij/murmur/./node_modules/core-js/modules/_is-regexp.js","webpack://@icij/murmur/./node_modules/lodash/_setToArray.js","webpack://@icij/murmur/./node_modules/core-js/modules/web.dom.iterable.js","webpack://@icij/murmur/./node_modules/lodash/_baseUnary.js","webpack://@icij/murmur/./node_modules/@fortawesome/free-solid-svg-icons/faClipboard.js","webpack://@icij/murmur/./node_modules/lodash/_equalObjects.js","webpack://@icij/murmur/./node_modules/lodash/isLength.js","webpack://@icij/murmur/./node_modules/clipboard/dist/clipboard.js","webpack://@icij/murmur/./node_modules/es6-symbol/validate-symbol.js","webpack://@icij/murmur/./node_modules/lodash/_listCacheGet.js","webpack://@icij/murmur/./node_modules/lodash/_DataView.js","webpack://@icij/murmur/./node_modules/es6-symbol/is-implemented.js","webpack://@icij/murmur/./node_modules/lodash/_baseIteratee.js","webpack://@icij/murmur/./node_modules/lodash/_hashGet.js","webpack://@icij/murmur/./node_modules/core-js/modules/_promise-resolve.js","webpack://@icij/murmur/./node_modules/core-js/modules/_defined.js","webpack://@icij/murmur/./node_modules/@babel/runtime/helpers/esm/createClass.js","webpack://@icij/murmur/./node_modules/lodash/_baseIsEqual.js","webpack://@icij/murmur/./node_modules/@fortawesome/fontawesome-svg-core/index.es.js","webpack://@icij/murmur/./lib/components/Fa.js","webpack://@icij/murmur/./node_modules/lodash/_isIndex.js","webpack://@icij/murmur/./node_modules/lodash/_setToString.js","webpack://@icij/murmur/./node_modules/core-js/modules/_array-includes.js","webpack://@icij/murmur/./node_modules/@fortawesome/free-solid-svg-icons/faShareAlt.js","webpack://@icij/murmur/./node_modules/lodash/_cacheHas.js","webpack://@icij/murmur/./node_modules/lodash/reduce.js","webpack://@icij/murmur/./node_modules/core-js/modules/es6.number.constructor.js","webpack://@icij/murmur/./node_modules/lodash/each.js","webpack://@icij/murmur/./node_modules/core-js/modules/_ie8-dom-define.js","webpack://@icij/murmur/./node_modules/lodash/sortBy.js","webpack://@icij/murmur/./node_modules/lodash/_Set.js","webpack://@icij/murmur/(webpack)/buildin/global.js","webpack://@icij/murmur/./node_modules/core-js/modules/_uid.js","webpack://@icij/murmur/./node_modules/core-js/modules/es6.array.iterator.js","webpack://@icij/murmur/./node_modules/lodash/_compareAscending.js","webpack://@icij/murmur/./node_modules/lodash/_assocIndexOf.js","webpack://@icij/murmur/./node_modules/@fortawesome/fontawesome/index.es.js","webpack://@icij/murmur/./node_modules/core-js/modules/_an-object.js","webpack://@icij/murmur/./node_modules/lodash/identity.js","webpack://@icij/murmur/./node_modules/core-js/modules/_object-keys-internal.js","webpack://@icij/murmur/./node_modules/lodash/_baseToString.js","webpack://@icij/murmur/./node_modules/lodash/_stackSet.js","webpack://@icij/murmur/./node_modules/@fortawesome/free-solid-svg-icons/faEnvelope.js","webpack://@icij/murmur/./node_modules/lodash/stubArray.js","webpack://@icij/murmur/./node_modules/lodash/isArguments.js","webpack://@icij/murmur/./node_modules/core-js/modules/_is-object.js","webpack://@icij/murmur/./node_modules/lodash/_baseSortBy.js","webpack://@icij/murmur/./node_modules/@babel/runtime/helpers/esm/classCallCheck.js","webpack://@icij/murmur/./node_modules/core-js/modules/_iter-step.js","webpack://@icij/murmur/./node_modules/lodash/_SetCache.js","webpack://@icij/murmur/./node_modules/core-js/modules/_a-function.js","webpack://@icij/murmur/./node_modules/lodash/_coreJsData.js","webpack://@icij/murmur/./node_modules/lodash/_setCacheHas.js","webpack://@icij/murmur/./node_modules/lodash/_toSource.js","webpack://@icij/murmur/./node_modules/core-js/modules/_redefine-all.js","webpack://@icij/murmur/./node_modules/lodash/map.js","webpack://@icij/murmur/./lib/components/EmbedForm.vue?2746","webpack://@icij/murmur/./node_modules/path-

browserify/index.js","webpack://@icij/murmur/./node_modules/core-js/modules/_enum-bug-keys.js","webpack://@icij/murmur/./node_modules/lodash/_Hash.js","webpack://@icij/murmur/./node_modules/lodash/_hasPath.js","webpack://@icij/murmur/./node_modules/lodash/_castPath.js","webpack://@icij/murmur/./node_modules/lodash/memoize.js","webpack://@icij/murmur/./node_modules/@fortawesome/free-solid-svg-icons/faTimes.js","webpack://@icij/murmur/./node_modules/lodash/_basePropertyDeep.js","webpack://@icij/murmur/./node_modules/es5-ext/function/noop.js","webpack://@icij/murmur/./node_modules/lodash/_isPrototype.js","webpack://@icij/murmur/./node_modules/core-js/modules/_species-constructor.js","webpack://@icij/murmur/./node_modules/lodash/keys.js","webpack://@icij/murmur/./node_modules/es5-ext/object/keys/is-implemented.js","webpack://@icij/murmur/./node_modules/lodash/_mapToArray.js","webpack://@icij/murmur/./node_modules/@fortawesome/free-solid-svg-icons/faCode.js","webpack://@icij/murmur/./node_modules/lodash/_baseProperty.js","webpack://@icij/murmur/./node_modules/lodash/_stackClear.js","webpack://@icij/murmur/./node_modules/popper.js/dist/esm/popper.js","webpack://@icij/murmur/./node_modules/es5-ext/object/normalize-options.js","webpack://@icij/murmur/./node_modules/lodash/_shortOut.js","webpack://@icij/murmur/./node_modules/lodash/_toKey.js","webpack://@icij/murmur/./node_modules/d/index.js","webpack://@icij/murmur/./node_modules/core-js/modules/_an-instance.js","webpack://@icij/murmur/./node_modules/lodash/_isKey.js","webpack://@icij/murmur/./node_modules/es5-ext/object/assign/shim.js","webpack://@icij/murmur/./node_modules/core-js/modules/es6.object.assign.js","webpack://@icij/murmur/./node_modules/es5-ext/string/#/contains/shim.js","webpack://@icij/murmur/./node_modules/es5-ext/string/#/contains/index.js","webpack://@icij/murmur/./node_modules/lodash/property.js","webpack://@icij/murmur/./node_modules/core-js/modules/_html.js","webpack://@icij/murmur/./node_modules/@vue/cli-service/lib/commands/build/setPublicPath.js","webpack://@icij/murmur/./node_modules/vue-i18n/dist/vue-i18n.esm.js","webpack://@icij/murmur/./lib/i18n.js","webpack://@icij/murmur/./lib/components/ContentPlaceholder.vue?6865","webpack://@icij/murmur/./lib/utils/placeholder.js","webpack://@icij/murmur/lib/components/ContentPlaceholder.vue","webpack://@icij/murmur/./lib/components/ContentPlaceholder.vue?01bb","webpack://@icij/murmur/./node_modules/vue-loader/lib/runtime/componentNormalizer.js","webpack://@icij/murmur/./lib/components/ContentPlaceholder.vue","webpack://@icij/murmur/./lib/components/DonateForm.vue?54f5","webpack://@icij/murmur/lib/components/DonateForm.vue","webpack://@icij/murmur/./lib/components/DonateForm.vue?1258","webpack://@icij/murmur/./lib/components/DonateForm.vue","webpack://@icij/murmur/./lib/components/EmbeddableFooter.vue?661e","webpack://@icij/murmur/./node_modules/promise-polyfill/src/finally.js","webpack://@icij/murmur/./node_modules/promise-polyfill/src/index.js","webpack://@icij/murmur/./lib/utils/assets.js","webpack://@icij/murmur/./lib/utils/iframe-resizer.js","webpack://@icij/murmur/./lib/components/SharingOptions.vue?e2a2","webpack://@icij/murmur/./node_modules/vue-functional-data-merge/dist/lib.esm.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/object.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/array.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/identity.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/pluck-props.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/dom.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/components/link/link.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/components/button/button.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/components/button/button-close.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/mixins/id.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/mixins/listen-on-root.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/observe-dom.js","webpack://@icij/murmur/./node_modules/bootstrap-

vue/es/utils/warn.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/key-codes.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/bv-event.class.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/components/modal/modal.js","webpack://@icij/murmur/./lib/components/EmbedForm.vue?d762","webpack://@icij/murmur/./node_modules/@babel/runtime/helpers/esm/typeof.js","webpack://@icij/murmur/./lib/utils/clipboard.js","webpack://@icij/murmur/lib/components/EmbedForm.vue","webpack://@icij/murmur/./lib/components/EmbedForm.vue?f085","webpack://@icij/murmur/./lib/components/EmbedForm.vue","webpack://@icij/murmur/lib/components/SharingOptions.vue","webpack://@icij/murmur/./lib/components/SharingOptions.vue?a43d","webpack://@icij/murmur/./lib/components/SharingOptions.vue","webpack://@icij/murmur/lib/components/EmbeddableFooter.vue","webpack://@icij/murmur/./lib/components/EmbeddableFooter.vue?26c8","webpack://@icij/murmur/./lib/components/EmbeddableFooter.vue","webpack://@icij/murmur/./lib/components/FollowUsPopover.vue?3c10","webpack://@icij/murmur/./lib/components/SignUpForm.vue?f5d1","webpack://@icij/murmur/lib/components/SignUpForm.vue","webpack://@icij/murmur/./lib/components/SignUpForm.vue?4ae9","webpack://@icij/murmur/./lib/components/SignUpForm.vue","webpack://@icij/murmur/lib/components/FollowUsPopover.vue","webpack://@icij/murmur/./lib/components/FollowUsPopover.vue?9bd7","webpack://@icij/murmur/./lib/components/FollowUsPopover.vue","webpack://@icij/murmur/./lib/components/GenericFooter.vue?5e9d","webpack://@icij/murmur/lib/components/GenericFooter.vue","webpack://@icij/murmur/./lib/components/GenericFooter.vue?2720","webpack://@icij/murmur/./lib/components/GenericFooter.vue","webpack://@icij/murmur/./lib/components/ImddbHeader.vue?0972","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/components/dropdown/dropdown-item.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/mixins/clickout.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/mixins/dropdown.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/components/nav/nav-item-dropdown.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/tooltip.class.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/popover.class.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/ssr.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/mixins/toolpop.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/components/popover/popover.js","webpack://@icij/murmur/lib/components/ImddbHeader.vue","webpack://@icij/murmur/./lib/components/ImddbHeader.vue?5d54","webpack://@icij/murmur/./lib/components/ImddbHeader.vue","webpack://@icij/murmur/./lib/components/ResponsiveIframe.vue?f690","webpack://@icij/murmur/lib/components/ResponsiveIframe.vue","webpack://@icij/murmur/./lib/components/ResponsiveIframe.vue?1204","webpack://@icij/murmur/./lib/components/ResponsiveIframe.vue","webpack://@icij/murmur/./lib/components/SlideUpDown.vue","webpack://@icij/murmur/lib/components/SlideUpDown.vue","webpack://@icij/murmur/./lib/components/SlideUpDown.vue?0492","webpack://@icij/murmur/./lib/main.js","webpack://@icij/murmur/./node_modules/@vue/cli-service/lib/commands/build/entry-lib.js","webpack://@icij/murmur/./node_modules/lodash/_listCacheHas.js","webpack://@icij/murmur/./node_modules/core-js/modules/_string-ws.js","webpack://@icij/murmur/./node_modules/lodash/isSymbol.js"],"names":["root","factory","exports","module","require","define","amd","self","this","__WEBPACK_EXTERNAL_MODULE__8bbf__","installedModules","__webpack_require__","moduleId","i","l","modules","call","m","c","d","name","getter","o","Object","defineProperty","enumerable","get","r","Symbol","toStringTag","value","t","mode","__esModule","ns","create","key","bind","n","object","property","prototype","hasOwnProperty","p","s","objectProto","nativeObjectToString","toString","symToStringTag","undefined","getRawTag","isOwn","tag","unmasked","e","result","LIBRARY","$export","redefine","hide","Iterators","$iterCreate","setToStringTag","getPrototypeOf","ITERATOR","BUGGY","keys","FF_ITERATOR","KEYS","VALUES","returnThis","Base","NAME","Constructor","next","DEFAULT","IS_SET","FORCED","methods","IteratorPrototype","getMethod","kind","proto","TAG","DEF_VALUES","VALUES_BUG","$native","$default","$entries","$anyNative","entries","values","P","F","isPrototype","nativeKeys","baseKeys","push","isArguments","isArray","spreadableSymbol","isConcatSpreadable","isFlattenable","stubFalse","arrayPush","array","index","lengt

h","offset","isObject","isStrictComparable","_node_modules_mini_css_extract_plugin_dist_loader_js_ref_8_oneOf_1_0_node_modules_css_loader_index_js_ref_8_oneOf_1_1_node_modules_vue_loader_lib_loaders_stylePostLoader_js_node_modules_postcss_loader_src_index_js_ref_8_oneOf_1_2_node_modules_sass_loader_lib_loader_js_ref_8_oneOf_1_3_node_modules_cache_loader_dist_cjs_js_ref_0_0_node_modules_vue_loader_lib_index_js_vue_loader_options_SharingOptions_vue_vue_type_style_index_0_lang_scss___WEBPACK_IMPORTED_MODULE_0_ _","_node_modules_mini_css_extract_plugin_dist_loader_js_ref_8_oneOf_1_0_node_modules_css_loader_index_js_ref_8_oneOf_1_1_node_modules_vue_loader_lib_loaders_stylePostLoader_js_node_modules_postcss_loader_src_index_js_ref_8_oneOf_1_2_node_modules_sass_loader_lib_loader_js_ref_8_oneOf_1_3_node_modules_cache_loader_dist_cjs_js_ref_0_0_node_modules_vue_loader_lib_index_js_vue_loader_options_SharingOptions_vue_vue_type_style_index_0_lang_scss___WEBPACK_IMPORTED_MODULE_0___default","core","global","speciesConstructor","promiseResolve","R","finally","onFinally","C","Promise","isFunction","then","x","baseIsNative","getValue","getNative","anObject","that","ignoreCase","multiline","unicode","sticky","freeExports","nodeType","freeModule","moduleExports","Buffer","nativeIsBuffer","isBuffer","$keys","enumBugKeys","O","identity","overRest","setToString","baseRest","func","start","_node_modules_mini_css_extract_plugin_dist_loader_js_ref_8_oneOf_1_0_node_modules_css_loader_index_js_ref_8_oneOf_1_1_node_modules_vue_loader_lib_loaders_stylePostLoader_js_node_modules_postcss_loader_src_index_js_ref_8_oneOf_1_2_node_modules_sass_loader_lib_loader_js_ref_8_oneOf_1_3_node_modules_cache_loader_dist_cjs_js_ref_0_0_node_modules_vue_loader_lib_index_js_vue_loader_options_EmbeddableFooter_vue_vue_type_style_index_0_id_36cb84e2_lang_scss_scoped_true___WEBPACK_IMPORTED_MODULE_0__","_node_modules_mini_css_extract_plugin_dist_loader_js_ref_8_oneOf_1_0_node_modules_css_loader_index_js_ref_8_oneOf_1_1_node_modules_vue_loader_lib_loaders_stylePostLoader_js_node_modules_postcss_loader_src_index_js_ref_8_oneOf_1_2_node_modules_sass_loader_lib_loader_js_ref_8_oneOf_1_3_node_modules_cache_loader_dist_cjs_js_ref_0_0_node_modules_vue_loader_lib_index_js_vue_loader_options_EmbeddableFooter_vue_vue_type_style_index_0_id_36cb84e2_lang_scss_scoped_true___WEBPACK_IMPORTED_MODULE_0___default","constructor","__WEBPACK_AMD_DEFINE_ARRAY__","__WEBPACK_AMD_DEFINE_RESULT__","document","w","Error","window","noGlobal","arr","getProto","slice","concat","indexOf","class2type","hasOwn","fnToString","ObjectFunctionString","support","obj","isWindow","preservedScriptAttributes","type","src","noModule","DOMEval","code","doc","node","script","createElement","text","head","appendChild","parentNode","removeChild","toType","version","jQuery","selector","context","fn","init","rtrim","isArrayLike","jquery","toArray","num","pushStack","elems","ret","merge","prevObject","each","callback","map","elem","apply","arguments","first","eq","last","len","j","end","sort","splice","extend","options","copy","copyIsArray","clone","target","deep","isPlainObject","Array","expando","Math","random","replace","isReady","error","msg","noop","Ctor","isEmptyObject","globalEval","trim","makeArray","results","inArray","second","grep","invert","callbackInverse","matches","callbackExpect","arg","guid","iterator","split","toLowerCase","Sizzle","Expr","getText","isXML","tokenize","compile","select","outermostContext","sortInput","hasDuplicate","setDocument","docElem","documentIsHTML","rbuggyQSA","rbuggyMatches","contains","Date","preferredDoc","dirruns","done","classCache","createCache","tokenCache","compilerCache","sortOrder","a","b","pop","push_native","list","booleans","whitespace","identifier","attributes","pseudos","rwhitespace","RegExp","rcomma","rcombinators","rattributeQuotes","rpseudo","ridentifier","matchExpr","ID","CLASS","ATTR","PSEUDO","CHILD","bool","needsContext","rinputs","rheader","rnative","rquickExpr","rsibling","runescape","funescape","_","escaped","escapedWhitespace","high","String","fromCharCode","rcssescape","fcssescape","ch","asCodePoint","charCodeAt","unloadHandler","disabledAncestor","addCombinator","disabled","dir","childNodes","els","seed","nid","match","groups","newSelector","newContext","ownerDocument","exec","getElementById","id","getElementsByTagName","getElementsByClassName","qsa","test","nodeName","getAttribute","setAttribute","toSelector","join","testContext","querySelectorAll","qsaError","removeAttribute","cache","cacheLength","shift","markFunction","assert","el","addHandle","attrs","handler","attrHandle","siblingCheck","cur","diff","sourceIndex","nextSibling","createInputPseudo","createButtonPseudo","createDisabledPseudo","isDisabled","createPositionalPseudo","argument","matchIndexes","documentElement","hasCompare","subWindow","defaultView","top","addEventListener","attachEvent","className","createComment","getById","getElementsByName","filter","attrId","find","getAttributeNode","tmp","innerHTML","input","matchesSelector","webkitMatchesSelector","mozMatch

esSelector","oMatchesSelector","msMatchesSelector","disconnectedMatch","compareDocumentPosition","adown",
"bup","compare","sortDetached","aup","ap","bp","unshift","expr","elements","attr","val","specified","escape","sel",
"uniqueSort","duplicates","detectDuplicates","sortStable","textContent","firstChild","nodeValue","selectors","create
Pseudo","relative",">","

","+","~","preFilter","excess","unquoted","nodeNameSelector","pattern","operator","check","what","simple","forwa
rd","ofType","xml","uniqueCache","outerCache","nodeIndex","parent","useCache","lastChild","uniqueID","pseudo
","args","setFilters","idx","matched","not","matcher","unmatched","has","innerText","lang","elemLang","hash","loc
ation","focus","activeElement","hasFocus","href","tabIndex","enabled","checked","selected","selectedIndex","empt
y","header","button","even","odd","lt","gt","radio","checkbox","file","password","image","submit","reset","tokens",
"combinator","base","skip","checkNonElements","doneName","oldCache","newCache","elementMatcher","matcher
s","multipleContexts","contexts","condense","newUnmatched","mapped","setMatcher","postFilter","postFinder","p
ostSelector","temp","preMap","postMap","preexisting","matcherIn","matcherOut","matcherFromTokens","checkCo
ntext","leadingRelative","implicitRelative","matchContext","matchAnyContext","matcherFromGroupMatchers","el
ementMatchers","setMatchers","bySet","byElement","superMatcher","outermost","matchedCount","setMatched","c
ontextBackup","dirrunsUnique","filters","parseOnly","soFar","preFilters","cached","token","compiled","defaultVal
ue","unique","isXMLDoc","escapeSelector","until","truncate","is","siblings","rneedsContext","rsingleTag","winno
w","qualifier","rootjQuery","parseHTML","ready","rparentsprev","guaranteedUnique","children","contents","prev",
"sibling","targets","closest","prevAll","add","addBack","parents","parentsUntil","nextAll","nextUntil","prevUntil","
contentDocument","content","reverse","rnothtmlwhite","createOptions","flag","Identity","v","Thrower","ex","adopt
Value","resolve","reject","noValue","method","promise","fail","Callbacks","firing","memory","fired","locked","que
ue","firingIndex","fire","once","stopOnFalse","remove","disable","lock","fireWith","Deferred","tuples","state","alw
ays","deferred","catch","pipe","fns","newDefer","tuple","returned","progress","notify","onFulfilled","onRejected","
onProgress","maxDepth","depth","special","mightThrow","TypeError","notifyWith","resolveWith","process","exce
ptionHook","stackTrace","rejectWith","getStackHook","setTimeout","stateString","when","singleValue","remaining
","resolveContexts","resolveValues","master","updateFunc","rerrorNames","stack","console","warn","message","re
adyException","readyList","completed","removeEventListener","readyWait","wait","readyState","doScroll","access
","chainable","emptyGet","raw","bulk","rmsPrefix","rdashAlpha","fcamelCase","all","letter","toUpperCase","camel
Case","string","acceptData","owner","Data","uid","configurable","set","data","prop","hasData","dataPriv","dataUse
r","rbrace","rmultiDash","getData","JSON","parse","dataAttr","removeData","_data","_removeData","dequeue","st
artLength","hooks","_queueHooks","stop","setter","clearQueue","count","defer","pnum","source","rcssNum","cssE
xpand","isHiddenWithinTree","style","display","css","swap","old","adjustCSS","valueParts","tween","adjusted","sc
ale","maxIterations","currentValue","initial","unit","cssNumber","initialInUnit","defaultDisplayMap","getDefaultDi
splay","body","showHide","show","toggle","rcheckableType","rtagName","rscriptType","wrapMap","option","thea
d","col","tr","td","_default","getAll","setGlobalEval","refElements","optgroup","tbody","tfoot","colgroup","caption
","th","rhtml","buildFragment","scripts","selection","ignored","wrap","fragment","createDocumentFragment","node
s","htmlPrefilter","createTextNode","div","checkClone","cloneNode","noCloneChecked","rkeyEvent","rmouseEven
t","rtypenamespace","returnTrue","returnFalse","safeActiveElement","err","on","types","one","origFn","event","off
","handleObjIn","eventHandle","events","handleObj","handlers","namespaces","origType","elemData","handle","tri
ggered","dispatch","delegateType","bindType","namespace","delegateCount","setup","mappedTypes","origCount",
"teardown","removeEvent","nativeEvent","handlerQueue","fix","delegateTarget","preDispatch","isPropagationStop
ped","currentTarget","isImmediatePropagationStopped","rnamespace","preventDefault","stopPropagation","postDis
patch","matchedHandlers","matchedSelectors","addProp","hook","Event","originalEvent","writable","load","noBub
ble","trigger","blur","click","beforeunload","returnValue","props","isDefaultPrevented","defaultPrevented","related
Target","timeStamp","now","isSimulated","stopImmediatePropagation","altKey","bubbles","cancelable","changedT
ouches","ctrlKey","detail","eventPhase","metaKey","pageX","pageY","shiftKey","view","char","charCode","keyCo
de","buttons","clientX","clientY","offsetX","offsetY","pointerId","pointerType","screenX","screenY","targetTouch
es","toElement","touches","which","mouseenter","mouseleave","pointerenter","pointerleave","orig","related","rxht
mlTag","rnoInnerhtml","rchecked","rcleanScript","manipulationTarget","disableScript","restoreScript","cloneCopy

Event","dest","pdataOld","pdataCur","udataOld","udataCur","fixInput","domManip","collection","hasScripts","iNo Clone","valueIsFunction","html","_evalUrl","keepData","cleanData","dataAndEvents","deepDataAndEvents","srcE lements","destElements","inPage","detach","append","prepend","insertBefore","before","after","replaceWith","repla ceChild","appendTo","prependTo","insertAfter","replaceAll","original","insert","rnumnonpx","getStyles","opener", "getComputedStyle","rboxStyle","curCSS","computed","width","minWidth","maxWidth","getPropertyValue","pixe lBoxStyles","addGetHookIf","conditionFn","hookFn","computeStyleTests","container","cssText","divStyle","pixel PositionVal","reliableMarginLeftVal","roundPixelMeasures","marginLeft","right","pixelBoxStylesVal","boxSizing ReliableVal","position","scrollboxSizeVal","offsetWidth","measure","round","parseFloat","backgroundClip","clear CloneStyle","boxSizingReliable","pixelPosition","reliableMarginLeft","scrollboxSize","rdisplayswap","rcustomPro p","cssShow","visibility","cssNormalTransform","letterSpacing","fontWeight","cssPrefixes","emptyStyle","vendor PropName","capName","finalPropName","cssProps","setPositiveNumber","subtract","max","boxModelAdjustment ","dimension","box","isBorderBox","styles","computedVal","extra","delta","ceil","getWidthOrHeight","valueIsBor derBox","Tween","easing","cssHooks","opacity","animationIterationCount","columnCount","fillOpacity","flexGro w","flexShrink","lineHeight","order","orphans","widows","zIndex","zoom","origName","isCustomProp","setProper ty","isFinite","getClientRects","getBoundingClientRect","left","margin","padding","border","prefix","suffix","expa nd","expanded","parts","propHooks","run","percent","eased","duration","pos","step","fx","scrollTop","scrollLeft","l inear","swing","cos","PI","fxNow","inProgress","rfxtypes","rrun","schedule","hidden","requestAnimationFrame","i nterval","tick","createFxNow","genFx","includeWidth","height","createTween","animation","Animation","tweeners ","defaultPrefilter","opts","oldfire","propTween","restoreDisplay","isBox","anim","dataShow","unqueued","overflo w","overflowX","overflowY","propFilter","specialEasing","properties","stopped","prefilters","currentTime","startTi me","tweens","originalProperties","originalOptions","gotoEnd","complete","timer","*","tweener","prefilter","speed ","opt","speeds","fadeTo","to","animate","optall","doAnimation","finish","stopQueue","timers","cssFn","slideDown ","slideUp","slideToggle","fadeIn","fadeOut","fadeToggle","slow","fast","delay","time","timeout","clearTimeout"," checkOn","optSelected","radioValue","boolHook","removeAttr","nType","attrHooks","attrNames","lowercaseName ","rfocusable","rclickable","stripAndCollapse","getClass","classesToArray","removeProp","propFix","tabindex","pa rseInt","for","class","addClass","classes","curValue","clazz","finalValue","removeClass","toggleClass","stateVal"," isValidValue","classNames","hasClass","rreturn","valHooks","optionSet","focusin","rfocusMorph","stopPropagatio nCallback","onlyHandlers","bubbleType","ontype","lastElement","eventPath","isTrigger","parentWindow","simulat e","triggerHandler","attaches","nonce","rquery","parseXML","DOMParser","parseFromString","rbracket","rCRLF", "rsubmitterTypes","rsubmittable","buildParams","traditional","param","valueOrFunction","encodeURIComponent", "serialize","serializeArray","r20","rhash","rantiCache","rheaders","rlocalProtocol","rnoContent","rprotocol","transp orts","allTypes","originAnchor","addToPrefiltersOrTransports","structure","dataTypeExpression","dataType","data Types","inspectPrefiltersOrTransports","jqXHR","inspected","seekingTransport","inspect","prefilterOrFactory","dat aTypeOrTransport","ajaxExtend","flatOptions","ajaxSettings","ajaxHandleResponses","responses","ct","finalDataT ype","firstDataType","mimeType","getResponseHeader","converters","ajaxConvert","response","isSuccess","conv2 ","current","conv","responseFields","dataFilter","throws","active","lastModified","etag","url","isLocal","protocol"," processData","async","contentType","accepts","json","* text","text html","text json","text xml","ajaxSetup","settings","ajaxPrefilter","ajaxTransport","ajax","transport","cacheURL","responseHeadersString" ,"responseHeaders","timeoutTimer","urlAnchor","fireGlobals","uncached","callbackContext","globalEventContext" ,"completeDeferred","statusCode","requestHeaders","requestHeadersNames","strAbort","getAllResponseHeaders"," setRequestHeader","overrideMimeType","status","abort","statusText","finalText","crossDomain","host","hasConten t","ifModified","headers","beforeSend","success","send","nativeStatusText","modified","getJSON","getScript","wra pAll","firstElementChild","wrapInner","htmlIsFunction","unwrap","visible","offsetHeight","xhr","XMLHttpReques t","xhrSuccessStatus","0","1223","xhrSupported","cors","errorCallback","open","username","xhrFields","onload"," onerror","onabort","ontimeout","onreadystatechange","responseType","responseText","binary","text script","charset","scriptCharset","evt","oldCallbacks","rjsonp","jsonp","jsonpCallback","originalSettings","callback Name","overwritten","responseContainer","jsonProp","createHTMLDocument","implementation","keepScripts","pa rsed","params","animated","setOffset","curPosition","curLeft","curCSSTop","curTop","curOffset","curCSSLeft","c

alculatePosition","curElem","using","rect","win","pageYOffset","pageXOffset","offsetParent","parentOffset","scrol lTo","Height","Width","","defaultExtra","funcName","hover","fnOver","fnOut","unbind","delegate","undelegate"," proxy","holdReady","hold","parseJSON","isNumeric","isNaN","_jQuery","_$","$","noConflict","./en.json","webpa ckContext","req","webpackContextResolve","pIE","createDesc","toIObject","toPrimitive","IE8_DOM_DEFINE","g OPD","getOwnPropertyDescriptor","f","isKeyable","castFunction","isObjectLike","coreJsData","maskSrcKey","IE _PROTO","isMasked","dP","getKeys","defineProperties","Properties","assign","foo","bar","trzy","_node_modules_ mini_css_extract_plugin_dist_loader_js_ref_8_oneOf_1_0_node_modules_css_loader_index_js_ref_8_oneOf_1_1_ node_modules_vue_loader_lib_loaders_stylePostLoader_js_node_modules_postcss_loader_src_index_js_ref_8_one Of_1_2_node_modules_sass_loader_lib_loader_js_ref_8_oneOf_1_3_node_modules_cache_loader_dist_cjs_js_ref_ 0_0_node_modules_vue_loader_lib_index_js_vue_loader_options_SignUpForm_vue_vue_type_style_index_0_lang _scss___WEBPACK_IMPORTED_MODULE_0__","","_node_modules_mini_css_extract_plugin_dist_loader_js_ref _8_oneOf_1_0_node_modules_css_loader_index_js_ref_8_oneOf_1_1_node_modules_vue_loader_lib_loaders_styl ePostLoader_js_node_modules_postcss_loader_src_index_js_ref_8_oneOf_1_2_node_modules_sass_loader_lib_loa der_js_ref_8_oneOf_1_3_node_modules_cache_loader_dist_cjs_js_ref_0_0_node_modules_vue_loader_lib_index_ js_vue_loader_options_SignUpForm_vue_vue_type_style_index_0_lang_scss___WEBPACK_IMPORTED_MOD ULE_0___default","baseIsEqual","hasIn","isKey","matchesStrictComparable","toKey","COMPARE_PARTIAL_F LAG","COMPARE_UNORDERED_FLAG","baseMatchesProperty","path","srcValue","objValue","memoizeCapp ed","rePropName","reEscapeChar","stringToPath","number","quote","subString","str","channel","port","ctx","invok e","cel","setTask","setImmediate","clearTask","clearImmediate","MessageChannel","Dispatch","counter","ONREA DYSTATECHANGE","listener","Function","nextTick","port2","port1","onmessage","postMessage","importScripts ","clear","Uint8Array","equalArrays","mapToArray","setToArray","boolTag","dateTag","errorTag","mapTag","nu mberTag","regexpTag","setTag","stringTag","symbolTag","arrayBufferTag","dataViewTag","symbolProto","symbo lValueOf","valueOf","equalByTag","other","bitmask","customizer","equalFunc","byteLength","byteOffset","buffer ","convert","isPartial","size","stacked","hashDelete","__data__","baseEach","baseEvery","predicate","getMapData" ,"mapCacheSet","fails","defined","wks","KEY","SYMBOL","strfn","rxfn","compareAscending","compareMultiple ","orders","objCriteria","criteria","othCriteria","ordersLength","nativeMax","transform","otherArgs","iconName","l igatures","svgPathData","definition","icon","faLinkedin","it","memoize","MAX_MEMOIZE_SIZE","cof","ARG"," tryGet","T","B","callee","baseFor","baseForOwn","iteratee","mapCacheGet","nativeCreate","HASH_UNDEFINED ","hashSet","baseGetTag","argsTag","baseIsArguments","getOwnPropertySymbols","arrayEvery","baseIteratee","is IterateeCall","every","guard","baseHasIn","classof","getIteratorMethod","SPLIT","$split","isRegExp","_split","$pu sh","$SPLIT","LENGTH","LAST_INDEX","NPCG","separator","limit","separator2","lastIndex","lastLength","out put","flags","lastLastIndex","splitLimit","separatorCopy","listCacheClear","objectToString","SRC","TO_STRING", "$toString","TPL","inspectSource","safe","dPs","Empty","PROTOTYPE","createDict","iframeDocument","iframe", "contentWindow","write","close","freeGlobal","freeSelf","store","USE_SYMBOL","$exports","arrayFilter","resInd ex","stackDelete","isLength","un","stubArray","propertyIsEnumerable","nativeGetSymbols","getSymbols","symbol ","ArrayProto","toSource","reRegExpChar","reIsHostCtor","funcProto","funcToString","reIsNative","nullTag","un definedTag","toObject","ObjectProto","WeakMap","getMatchData","commonjsGlobal","createCommonjsModule", "performanceNow","getNanoSeconds","hrtime","loadTime","moduleLoadTime","nodeLoadTime","upTime","perfo rmance","hr","uptime","getTime","vendors","raf","caf","frameDuration","_now","cp","cancelled","raf_1","cancel"," polyfill","cancelAnimationFrame","checkActions","states","action","direction","currentScrollY","lastScrollY","dist anceScrolled","abs","downTolerance","upTolerance","supports3d","st","_extends","_defineProperty","defaultCls"," pinned","unpinned","notTop","bottom","notBottom","headroom","render","_vm","_h","$createElement","_c","_self ","cls","_t","staticRenderFns","isTop","isNotTop","isBottom","isNotBottom","isPinned","isUnpinned","translate","i sSupport3d","scroller","default","Boolean","Number","onPin","onUnpin","onTop","onNotTop","onBottom","onNot Bottom","footroom","watch","newVal","_handleScroll","mounted","beforeDestroy","isInTop","z-
index","$isServer","transition","clsOpts","_ref","_getViewportHeight","innerHeight","clientHeight","_getElementP hysicalHeight","elm","_getDocumentHeight","scrollHeight","_getElementHeight","_getScrollerPhysicalHeight","_g etScrollerHeight","_isOutOfBound","pastTop","scrollerPhysicalHeight","scrollerHeight","pastBottom","update","_g

etScrollY","pin","unpin","_this","$emit","_this2","install","Vue","installed","component","descriptor","arraySome",
"DataView","Map","Set","objectTag","promiseTag","weakMapTag","dataViewCtorString","mapCtorString","promi
seCtorString","setCtorString","weakMapCtorString","getTag","ArrayBuffer","ctorString","platform","arch","execPa
th","title","pid","browser","env","argv","binding","cwd","chdir","exit","kill","umask","dlopen","memoryUsage","uv
Counters","features","floor","bitmap","createBaseEach","MATCH","$match","regexp","hashClear","isArrayIter","t
oLength","getIterFn","BREAK","RETURN","iterable","iterFn","baseFlatten","flatten","baseTimes","_interopDefau
lt","SocialSharingNetwork","functional","network","baseNetworks","networkTag","staticClass","staticStyle","data-
link","createSharingUrl","data-
action","share","touch","email","sharer","facebook","googleplus","line","linkedin","odnoklassniki","pinterest","redd
it","skype","telegram","twitter","viber","vk","weibo","whatsapp","sms","BaseNetworks","inBrowser","$window","
SocialSharing","description","hashtags","twitterUser","withCounts","googleKey","media","networks","popup","resi
zable","toolbar","menubar","scrollbars","directories","openSharer","$root","this$1","clearInterval","setInterval","cl
osed","beforeMount","util","dualScreenLeft","screenLeft","screen","dualScreenTop","screenTop","innerWidth","cli
entWidth","components","config_default","imddb-
header.dropdown.items","label","project.name","app.name","app.home","sharing-options.url","sharing-
options.title","sharing-options.description","sharing-options.media","sharing-options.twitter-user","signup-
form.tracker","signup-form.action","donate-
form.introduction","_VALUES","_SCOPES","Config","classCallCheck","levels","scope","scopes","__webpack_ex
ports__","defaultValues","Internal","newGenericPromiseCapability","OwnPromiseCapability","Wrapper","aFunctio
n","anInstance","forOf","task","microtask","newPromiseCapabilityModule","perform","userAgent","PROMISE","v
ersions","v8","$Promise","isNode","newPromiseCapability","USE_NATIVE","FakePromise","PromiseRejectionEv
ent","isThenable","isReject","_n","chain","_v","ok","_s","reaction","exited","domain","onHandleUnhandled","enter
","onUnhandled","unhandled","isUnhandled","emit","onunhandledrejection","reason","_a","onrejectionhandled","$r
eject","_d","_w","$resolve","wrapper","executor","G","W","S","capability","$$reject","iter","$index","alreadyCalle
d","race","SHARED","copyright","stackHas","overArg","baseReduce","accumulator","initAccum","eachFunc","isS
trict","own","out","exp","IS_FORCED","IS_GLOBAL","IS_STATIC","IS_PROTO","IS_BIND","expProto","U","
SAFE_CLOSING","riter","from","skipClosing","setPrototypeOf","listCacheDelete","listCacheGet","listCacheHas",
"listCacheSet","ListCache","entry","shared","_undefined","webpackPolyfill","deprecate","paths","_node_modules_
mini_css_extract_plugin_dist_loader_js_ref_8_oneOf_1_0_node_modules_css_loader_index_js_ref_8_oneOf_1_1_
node_modules_vue_loader_lib_loaders_stylePostLoader_js_node_modules_postcss_loader_src_index_js_ref_8_one
Of_1_2_node_modules_sass_loader_lib_loader_js_ref_8_oneOf_1_3_node_modules_cache_loader_dist_cjs_js_ref_
0_0_node_modules_vue_loader_lib_index_js_vue_loader_options_ImddbHeader_vue_vue_type_style_index_0_lan
g_scss___WEBPACK_IMPORTED_MODULE_0__","_node_modules_mini_css_extract_plugin_dist_loader_js_re
f_8_oneOf_1_0_node_modules_css_loader_index_js_ref_8_oneOf_1_1_node_modules_vue_loader_lib_loaders_sty
lePostLoader_js_node_modules_postcss_loader_src_index_js_ref_8_oneOf_1_2_node_modules_sass_loader_lib_lo
ader_js_ref_8_oneOf_1_3_node_modules_cache_loader_dist_cjs_js_ref_0_0_node_modules_vue_loader_lib_index
_js_vue_loader_options_ImddbHeader_vue_vue_type_style_index_0_lang_scss___WEBPACK_IMPORTED_MO
DULE_0___default","baseIsMatch","baseMatches","matchData","castPath","baseGet","assocIndexOf","IObject","a
rrayProto","arrayMap","baseMap","baseSortBy","baseUnary","baseOrderBy","iteratees","arrayReduce","$flags","D
ESCRIPTORS","faTwitter","arrayEach","forEach","_node_modules_mini_css_extract_plugin_dist_loader_js_ref_8
_oneOf_1_0_node_modules_css_loader_index_js_ref_8_oneOf_1_1_node_modules_vue_loader_lib_loaders_styleP
ostLoader_js_node_modules_postcss_loader_src_index_js_ref_8_oneOf_1_2_node_modules_sass_loader_lib_loade
r_js_ref_8_oneOf_1_3_node_modules_cache_loader_dist_cjs_js_ref_0_0_node_modules_vue_loader_lib_index_js_
vue_loader_options_DonateForm_vue_vue_type_style_index_0_lang_scss___WEBPACK_IMPORTED_MODULE
_0__","_node_modules_mini_css_extract_plugin_dist_loader_js_ref_8_oneOf_1_0_node_modules_css_loader_inde
x_js_ref_8_oneOf_1_1_node_modules_vue_loader_lib_loaders_stylePostLoader_js_node_modules_postcss_loader
_src_index_js_ref_8_oneOf_1_2_node_modules_sass_loader_lib_loader_js_ref_8_oneOf_1_3_node_modules_cach
e_loader_dist_cjs_js_ref_0_0_node_modules_vue_loader_lib_index_js_vue_loader_options_DonateForm_vue_vue

_type_style_index_0_lang_scss___WEBPACK_IMPORTED_MODULE_0___default","isIndex","isTypedArray"," arrayLikeKeys","inherited","isArr","isArg","isBuff","isType","skipIndexes","createBaseFor","constant","gOPS","$a ssign","A","K","k","aLen","isEnum","isValue","baseIsTypedArray","nodeUtil","nodeIsTypedArray","_node_modul es_mini_css_extract_plugin_dist_loader_js_ref_8_oneOf_1_0_node_modules_css_loader_index_js_ref_8_oneOf_1 _1_node_modules_vue_loader_lib_loaders_stylePostLoader_js_node_modules_postcss_loader_src_index_js_ref_8_ oneOf_1_2_node_modules_sass_loader_lib_loader_js_ref_8_oneOf_1_3_node_modules_cache_loader_dist_cjs_js_ ref_0_0_node_modules_vue_loader_lib_index_js_vue_loader_options_ContentPlaceholder_vue_vue_type_style_in dex_0_id_40e3a912_scoped_true_lang_scss___WEBPACK_IMPORTED_MODULE_0___","_node_modules_mini_ css_extract_plugin_dist_loader_js_ref_8_oneOf_1_0_node_modules_css_loader_index_js_ref_8_oneOf_1_1_node_ modules_vue_loader_lib_loaders_stylePostLoader_js_node_modules_postcss_loader_src_index_js_ref_8_oneOf_1_ 2_node_modules_sass_loader_lib_loader_js_ref_8_oneOf_1_3_node_modules_cache_loader_dist_cjs_js_ref_0_0_n ode_modules_vue_loader_lib_index_js_vue_loader_options_ContentPlaceholder_vue_vue_type_style_index_0_id_ 40e3a912_scoped_true_lang_scss___WEBPACK_IMPORTED_MODULE_0___default","arrayTag","funcTag","fl oat32Tag","float64Tag","int8Tag","int16Tag","int32Tag","uint8Tag","uint8ClampedTag","uint16Tag","uint32Tag", "typedArrayTags","baseToString","__g","toInteger","min","hashHas","fontawesome","humps","_processKeys","_is Object","_isDate","_isRegExp","_isBoolean","_isFunction","_isArray","separateWords","camelize","_isNumerical" ,"chr","substr","pascalize","camelized","decamelize","_processor","depascalize","camelizeKeys","decamelizeKeys" ,"pascalizeKeys","depascalizeKeys","_typeof","AwaitValue","AsyncGenerator","gen","front","back","request","res ume","settle","_invoke","return","asyncIterator","throw","objectWithoutProperties","toConsumableArray","arr2","st yleToObject","reduce","acc","pair","classToObject","combineClassObjects","_len","objs","_key","h","element","mi xins","_data$class","dClass","_data$style","dStyle","_data$attrs","dAttrs","remainingData","PRODUCTION","log" ,"_console","objectWithKey","classList","_classes","fa-spin","spin","fa-pulse","pulse","fa-fw","fixedWidth","fa- border","fa-li","listItem","fa-flip-horizontal","flip","fa-flip- vertical","rotation","pull","addStaticClass","normalizeIconArgs","FontAwesomeIcon$1","validator","required","ma sk","iconArgs","maskArgs","renderedIcon","abstract","convertCurry","FontAwesomeLayers","familyPrefix","confi g","FontAwesomeLayersText","renderedText","noAuto","FontAwesomeIcon","SPECIES","mapCacheClear","map CacheDelete","mapCacheHas","MapCache","Stack","equalObjects","baseIsEqualDeep","objIsArr","othIsArr","objT ag","othTag","objIsObj","othIsObj","isSameTag","objIsWrapped","othIsWrapped","objUnwrapped","othUnwrappe d","Hash","baseGetAllKeys","keysFunc","symbolsFunc","stackClear","stackGet","stackSet","setCacheAdd","def"," stat","FProto","nameRE","_node_modules_mini_css_extract_plugin_dist_loader_js_ref_8_oneOf_1_0_node_modul es_css_loader_index_js_ref_8_oneOf_1_1_node_modules_vue_loader_lib_loaders_stylePostLoader_js_node_modu les_postcss_loader_src_index_js_ref_8_oneOf_1_2_node_modules_sass_loader_lib_loader_js_ref_8_oneOf_1_3_n ode_modules_cache_loader_dist_cjs_js_ref_0_0_node_modules_vue_loader_lib_index_js_vue_loader_options_Gen ericFooter_vue_vue_type_style_index_0_id_203025b4_lang_scss_scoped_true___WEBPACK_IMPORTED_MOD ULE_0__","_node_modules_mini_css_extract_plugin_dist_loader_js_ref_8_oneOf_1_0_node_modules_css_loader _index_js_ref_8_oneOf_1_1_node_modules_vue_loader_lib_loaders_stylePostLoader_js_node_modules_postcss_l oader_src_index_js_ref_8_oneOf_1_2_node_modules_sass_loader_lib_loader_js_ref_8_oneOf_1_3_node_modules _cache_loader_dist_cjs_js_ref_0_0_node_modules_vue_loader_lib_index_js_vue_loader_options_GenericFooter_v ue_vue_type_style_index_0_id_203025b4_lang_scss_scoped_true___WEBPACK_IMPORTED_MODULE_0___d efault","macrotask","Observer","MutationObserver","WebKitMutationObserver","flush","navigator","standalone"," observe","characterData","__e","thisArg","hasPath","Attributes","buggy","__proto__","faFacebook","_node_modul es_mini_css_extract_plugin_dist_loader_js_ref_8_oneOf_1_0_node_modules_css_loader_index_js_ref_8_oneOf_1 _1_node_modules_vue_loader_lib_loaders_stylePostLoader_js_node_modules_postcss_loader_src_index_js_ref_8_ oneOf_1_2_node_modules_sass_loader_lib_loader_js_ref_8_oneOf_1_3_node_modules_cache_loader_dist_cjs_js_ ref_0_0_node_modules_vue_loader_lib_index_js_vue_loader_options_FollowUsPopover_vue_vue_type_style_inde x_0_id_440d5984_lang_scss_scoped_true___WEBPACK_IMPORTED_MODULE_0__","_node_modules_mini_cs s_extract_plugin_dist_loader_js_ref_8_oneOf_1_0_node_modules_css_loader_index_js_ref_8_oneOf_1_1_node_m odules_vue_loader_lib_loaders_stylePostLoader_js_node_modules_postcss_loader_src_index_js_ref_8_oneOf_1_2

_node_modules_sass_loader_lib_loader_js_ref_8_oneOf_1_3_node_modules_cache_loader_dist_cjs_js_ref_0_0_node_modules_vue_loader_lib_index_js_vue_loader_options_FollowUsPopover_vue_vue_type_style_index_0_id_440d5984_lang_scss_scoped_true___WEBPACK_IMPORTED_MODULE_0___default","hiddenKeys","getOwnPropertyNames","NativeSymbol","SymbolPolyfill","HiddenSymbol","isNativeSafe","validateSymbol","objPrototype","globalSymbols","ignore","generateName","created","desc","ie11BugWorkaround","postfix","gs","__description__","__name__","keyFor","hasInstance","search","species","unscopables","fromRight","asyncTag","genTag","proxyTag","noCustomizer","freeProcess","UNSCOPABLES","SetCache","cacheHas","arrLength","othLength","seen","arrValue","othValue","compared","othIndex","baseSetToString","REPLACE","$replace","searchValue","replaceValue","PromiseCapability","$$resolve","getAllKeys","spaces","space","non","ltrim","exporter","ALIAS","FORCE","TYPE","$iterators","TO_STRING_TAG","ArrayValues","DOMIterables","CSSRuleList","CSSStyleDeclaration","CSSValueList","ClientRectList","DOMRectList","DOMStringList","DOMTokenList","DataTransferItemList","FileList","HTMLAllCollection","HTMLCollection","HTMLFormElement","HTMLSelectElement","MediaList","MimeTypeArray","NamedNodeMap","NodeList","PaintRequestList","Plugin","PluginArray","SVGLengthList","SVGNumberList","SVGPathSegList","SVGPointList","SVGStringList","SVGTransformList","SourceBufferList","StyleSheetList","TextTrackCueList","TextTrackList","TouchList","collections","explicit","Collection","faClipboard","objProps","objLength","othProps","skipCtor","objCtor","othCtor","MAX_SAFE_INTEGER","_createClass","protoProps","staticProps","_clipboardAction","_clipboardAction2","_interopRequireDefault","_tinyEmitter","_tinyEmitter2","_goodListener","_goodListener2","_classCallCheck","instance","_possibleConstructorReturn","ReferenceError","_inherits","subClass","superClass","Clipboard","_Emitter","resolveOptions","listenClick","defaultAction","defaultTarget","defaultText","onClick","clipboardAction","emitter","getAttributeValue","querySelector","destroy","actions","queryCommandSupported","attribute","hasAttribute","_select","_select2","ClipboardAction","initSelection","selectedText","selectFake","selectTarget","isRTL","removeFake","fakeHandlerCallback","fakeHandler","fakeElem","fontSize","yPosition","copyText","succeeded","execCommand","handleResult","clearSelection","getSelection","removeAllRanges","_action","_target","isReadOnly","setSelectionRange","range","createRange","selectNodeContents","addRange","E","evtArr","evts","liveEvents","listen","listenNode","nodeList","listenNodeList","listenSelector","HTMLElement","_delegate","useCapture","listenerFn","DOCUMENT_NODE_TYPE","Element","isSymbol","validTypes","hashGet","promiseCapability","_defineProperties","_WINDOW","_DOCUMENT","_PERFORMANCE","mark","_ref$userAgent","WINDOW","DOCUMENT","PERFORMANCE","IS_DOM","NAMESPACE_IDENTIFIER","DEFAULT_FAMILY_PREFIX","DEFAULT_REPLACEMENT_CLASS","DATA_FA_I2SVG","oneToTen","oneToTwenty","createClass","slicedToArray","sliceIterator","_arr","_e","_i","FontAwesomeConfig","getAttrConfig","coerce","_ref2","replacementClass","autoReplaceSvg","autoAddCss","autoA11y","searchPseudoElements","observeMutations","keepOriginalSource","measurePerformance","showMissingIcons","shims","functions","loaded","meaninglessTransform","y","rotate","flipX","flipY","insertCss","headChildren","beforeChild","child","tagName","idPool","nextUniqueId","htmlEscape","joinAttributes","attributeName","joinStyles","styleName","transformIsMeaningful","transformForSvg","containerWidth","iconWidth","outer","innerTranslate","innerScale","innerRotate","inner","ALL_SPACE","makeIconMasking","main","mainWidth","mainPath","maskWidth","maskPath","trans","maskRect","fill","maskInnerGroup","maskOuterGroup","maskId","clipId","maskTag","maskUnits","maskContentUnits","defs","clip-path","makeIconStandard","styleString","asIcon","found","transform-origin","asSymbol","makeInlineSvgAbstract","_params$icons","icons","_params$watchable","watchable","widthClass","attrClass","data-prefix","data-icon","role","xmlns","viewBox","noop$2","bindInternal4","thisContext","subject","initialValue","styles$2","build","lookup","reducer","ligature","hasRegular","shim","oldName","iconFromMapping","mapping","toHtml","abstractNodes","_abstractNodes$attrib","_abstractNodes$childr","MissingIcon","FILL","ANIMATION_BASE","attributeType","repeatCount","dur","OPACITY_ANIMATE","cx","cy","baseStyles","dfp","drc","fp","rc","dPatt","rPatt","normalized","addPack","Library","definitions","additions","_pullDefinitions","_normalized$key","prepIcon","vectorData","ensureCss","_cssInserted","apiObject","abstractCreator","findIconDefinition","_params$prefix","library","resolveIcons","maybeIconDefinition","iconDefinition","_params$transform","_params$symbol","_params$mask","_params$title","_params$classes","_params$attributes","_params$styles","reIsUint","shortOut","toAbsoluteIndex","IS_I

NCLUDES","$this","fromIndex","faShareAlt","inheritIfRequired","gOPN","$trim","NUMBER","$Number","BROKEN_COF","TRIM","toNumber","third","radix","maxCode","NaN","digits","sortBy","g","eval","px","addToUnscopables","iterated","_k","Arguments","valIsDefined","valIsNull","valIsReflexive","valIsSymbol","othIsDefined","othIsNull","othIsReflexive","othIsSymbol","layer","dom","_MUTATION_OBSERVER$1","MUTATION_OBSERVER","IS_BROWSER","IS_IE","UNITS_IN_GRID","DATA_FA_PSEUDO_ELEMENT","HTML_CLASS_I2SVG_BASE_CLASS","ATTRIBUTES_WATCHED_FOR_MUTATION","RESERVED_CLASSES","initialKeys","config$1","newConfig","_params$asNewDefault","asNewDefault","validKeys","configKey","auto","domready","isReserved","bunker","_uniqueId","classArray","getIconName","transformForCss","_ref2$width","_ref2$height","_ref2$startCentered","startCentered","makeLayersTextAbstract","_params$watchable2","preamble","begin","perf","_byUnicode","_byLigature","_byOldName","byUnicode","byLigature","byOldName","styles$1","emptyCanonicalIcon","rest","getCanonicalIcon","noop$1","isWatched","i2svg","getMutator","mutators","mutator","mutation","newOuterHTML","outerHTML","newNode","nest","forSvg","splitClasses","toSvg","toNode","newInnerHTML","mutations","callbackFunction","frame","op","disableObservation","operation","mo","treeCallback","nodeCallback","pseudoElementsCallback","objects","mutationRecord","addedNodes","_getCanonicalIcon","childList","subtree","disconnect","styleParser","toHex","hex","classParser","existingPrefix","existingIconName","parseTransformString","transformString","transformParser","symbolParser","attributesParser","extraAttributes","maskParser","parseMeta","_classParser","extraClasses","extraStyles","RING","DOT","QUESTION","EXCLAMATION","missing","LAYERS_TEXT_CLASSNAME","FONT_FAMILY_PATTERN","STYLE_TO_PREFIX","Solid","Regular","Light","Brands","findIcon","generateSvgReplacementMutation","nodeMeta","generateLayersText","computedFontSize","boundingClientRect","generateMutation","fontFamily","pseudoElement","onTree","htmlClassList","hclAdd","hclRemove","prefixes","prefixesDomQuery","candidates","onNode","_params$node","_params$callback","_params$transform2","_params$title2","_params$classes2","_params$attributes2","_params$styles2","assembler","api$1","autoReplace","bootstrap","FontAwesome","addShims","_namespace$shims","arrayIndexOf","names","INFINITY","symbolToString","LARGE_ARRAY_SIZE","pairs","faEnvelope","comparer","setCacheHas","_node_modules_mini_css_extract_plugin_dist_loader_js_ref_8_oneOf_1_0_node_modules_css_loader_index_js_ref_8_oneOf_1_1_node_modules_vue_loader_lib_loaders_stylePostLoader_js_node_modules_postcss_loader_src_index_js_ref_8_oneOf_1_2_node_modules_sass_loader_lib_loader_js_ref_8_oneOf_1_3_node_modules_cache_loader_dist_cjs_js_ref_0_0_node_modules_vue_loader_lib_index_js_vue_loader_options_EmbedForm_vue_vue_type_style_index_0_id_502aea85_lang_scss_scoped_true___WEBPACK_IMPORTED_MODULE_0__","_node_modules_mini_css_extract_plugin_dist_loader_js_ref_8_oneOf_1_0_node_modules_css_loader_index_js_ref_8_oneOf_1_1_node_modules_vue_loader_lib_loaders_stylePostLoader_js_node_modules_postcss_loader_src_index_js_ref_8_oneOf_1_2_node_modules_sass_loader_lib_loader_js_ref_8_oneOf_1_3_node_modules_cache_loader_dist_cjs_js_ref_0_0_node_modules_vue_loader_lib_index_js_vue_loader_options_EmbedForm_vue_vue_type_style_index_0_id_502aea85_lang_scss_scoped_true___WEBPACK_IMPORTED_MODULE_0___default","normalizeArray","allowAboveRoot","up","splitPathRe","splitPath","filename","xs","res","resolvedPath","resolvedAbsolute","charAt","normalize","isAbsolute","trailingSlash","fromParts","toParts","samePartsLength","outputParts","sep","delimiter","dirname","basename","ext","extname","hasFunc","FUNC_ERROR_TEXT","resolver","memoized","Cache","faTimes","basePropertyDeep","D","faCode","baseProperty","isBrowser","longerTimeoutBrowsers","timeoutDuration","microtaskDebounce","called","taskDebounce","scheduled","supportsMicroTasks","debounce","functionToCheck","getType","getStyleComputedProperty","getParentNode","getScrollParent","_getStyleComputedProp","isIE11","MSInputMethodContext","documentMode","isIE10","isIE","getOffsetParent","noOffsetParent","nextElementSibling","isOffsetContainer","getRoot","findCommonOffsetParent","element1","element2","Node","DOCUMENT_POSITION_FOLLOWING","setStart","setEnd","commonAncestorContainer","element1root","getScroll","side","upperSide","scrollingElement","includeScroll","modifier","getBordersSize","axis","sideA","sideB","getSize","computedStyle","getWindowSizes","getClientRect","offsets","sizes","horizScrollbar","vertScrollbar","getOffsetRectRelativeToArbitraryNode","fixedPosition","isHTML","childrenRect","parentRect","scrollParent","borderTopWidth","borderLeftWidth","marginTop","getViewportOffsetRectRelativeToArtbitraryNode","excludeScroll","relativeOffset","isFixed","getFixedPositionOffsetParent","parentElement","getBoundaries","popper","reference","boundariesElement","boundaries","boundariesNode","_getWindowSizes","isPaddin

gNumber","getArea","computeAutoPlacement","placement","refRect","rects","sortedAreas","area","filteredAreas","computedPlacement","variation","getReferenceOffsets","commonOffsetParent","getOuterSizes","marginBottom","marginRight","getOppositePlacement","getPopperOffsets","referenceOffsets","popperRect","popperOffsets","isHoriz","mainSide","secondarySide","measurement","secondaryMeasurement","findIndex","runModifiers","modifiers","ends","modifiersToRun","isDestroyed","arrowStyles","flipped","positionFixed","originalPlacement","isCreated","onUpdate","onCreate","isModifierEnabled","modifierName","some","getSupportedPropertyName","upperProp","toCheck","willChange","disableEventListeners","removeOnDestroy","getWindow","attachToScrollParents","scrollParents","isBody","passive","setupEventListeners","updateBound","scrollElement","eventsEnabled","enableEventListeners","scheduleUpdate","removeEventListeners","setStyles","setAttributes","applyStyle","arrowElement","applyStyleOnLoad","modifierOptions","computeStyle","legacyGpuAccelerationOption","gpuAcceleration","offsetParentRect","prefixedProperty","invertTop","invertLeft","x-placement","arrow","isModifierRequired","requestingName","requestedName","requesting","isRequired","_requesting","requested","_data$offsets$arrow","_data$offsets","isVertical","sideCapitalized","altSide","opSide","arrowElementSize","center","popperMarginSide","popperBorderSide","sideValue","getOppositeVariation","placements","validPlacements","clockwise","BEHAVIORS","FLIP","CLOCKWISE","COUNTERCLOCKWISE","placementOpposite","flipOrder","behavior","refOffsets","overlapsRef","overflowsLeft","overflowsRight","overflowsTop","overflowsBottom","overflowsBoundaries","flippedVariation","flipVariations","keepTogether","toValue","parseOffset","basePlacement","useHeight","fragments","frag","divider","splitRegex","ops","mergeWithPrevious","index2","preventOverflow","transformProp","popperStyles","priority","primary","escapeWithReference","secondary","shiftvariation","shiftOffsets","bound","subtractLength","onLoad","Defaults","Popper","Utils","PopperUtils","opts1","HOT_COUNT","HOT_SPAN","nativeNow","lastCalled","stamp","normalizeOpts","isCallable","dscr","forbiddenField","reIsDeepProp","reIsPlainProp","searchString","setPublicPath_i","currentScript","vue_i18n_esm_toString","OBJECT_STRING","isNull","parseArgs","locale","looseClone","stringify","item","vue_i18n_esm_hasOwnProperty","arguments$1","looseEqual","isObjectA","isObjectB","isArrayA","isArrayB","keysA","keysB","canUseDateTimeFormat","Intl","DateTimeFormat","canUseNumberFormat","NumberFormat","_i18n","$t","i18n","$i18n","_getMessages","$tc","choice","_tc","$te","_te","$d","ref","$n","vue_i18n_esm_Vue","mixin","beforeCreate","$options","__i18n","VueI18n","localeMessages","resource","mergeLocaleMessage","_i18nWatcher","watchI18nData","subscribeDataChanging","_subscribing","formatter","fallbackLocale","silentTranslationWarn","localeMessages$1","messages","sync","_localeWatcher","watchLocale","unsubscribeDataChanging","places","everyPlace","place","vnode","oldVNode","localeEqual","oldValue","_localeMessage","getLocaleMessage","vm","_vt","_locale","ref$1","ref$2","parseValue","tc","makeParams","vue_i18n_esm_install","_Vue","directive","strats","optionMergeStrategies","parentVal","childVal","BaseFormatter","_caches","interpolate","RE_TOKEN_LIST_VALUE","RE_TOKEN_NAMED_VALUE","format","sub","isClosed","APPEND","PUSH","INC_SUB_PATH_DEPTH","PUSH_SUB_PATH","BEFORE_PATH","IN_PATH","BEFORE_IDENT","IN_IDENT","IN_SUB_PATH","IN_SINGLE_QUOTE","IN_DOUBLE_QUOTE","AFTER_PATH","ERROR","pathStateMachine","ws","ident","[","eof",".","'","\"","]","else","literalValueRE","isLiteral","stripQuotes","getPathCharType","formatSubPath","trimmed","parse$1","newChar","typeMap","subPathDepth","maybeUnescapeQuote","nextChar","I18nPath","_cache","parsePath","hit","getPathValue","numberFormatKeys","linkKeyMatcher","linkKeyPrefixMatcher","bracketsMatcher","formatters","upper","toLocaleUpperCase","lower","toLocaleLowerCase","dateTimeFormats","numberFormats","_formatter","_missing","_root","_sync","_fallbackRoot","fallbackRoot","_silentTranslationWarn","_dateTimeFormatters","_numberFormatters","_path","_dataListeners","_exist","_initVM","prototypeAccessors","silent","$watch","$forceUpdate","$set","immediate","_getDateTimeFormats","_getNumberFormats","_warnDefault","missingRet","_isFallbackRoot","_interpolate","interpolateMode","visitedLinkStack","pathRet","_link","_render","link","linkKeyPrefixMatches","linkPrefix","formatterName","linkPlaceholder","includes","translated","_translate","fallback","parsedArgs","predefined","fetchChoice","choices","getChoiceIndex","choicesLength","te","setLocaleMessage","getDateTimeFormat","setDateTimeFormat","mergeDateTimeFormat","_localizeDateTime","formats","getNumberFormat","setNumberFormat","mergeNumberFormat","_localizeNumber","availabilities","numberFormat","nf","dateTimeFormat","vue_i18n_esm","loadLocaleMessages","locales","use","ContentPlaceholdervue_type_template_id_40e3a912_scoped_true_render","_m","backgroundSize","_l","ro

w","DEFAULT_ROWS","boxes","isFlexBasis","isWidth","cssSuffix","checkState","getBoxStyle","isLast","format Rows","rows","rowArr","boxArr","rowObj","ContentPlaceholdervue_type_script_lang_js_","formattedRows","components_ContentPlaceholdervue_type_script_lang_js_","normalizeComponent","scriptExports","functionalTemplate","injectStyles","scopeId","moduleIdentifier","shadowMode","_compiled","_scopeId","$vnode","ssrContext","__VUE_SSR_CONTEXT__","_registeredComponents","_ssrRegister","shadowRoot","_injectStyles","originalRender","existing","ContentPlaceholder_component","__file","ContentPlaceholder","DonateFormvue_type_template_id_4fe5468d_render","noTitle","domProps","directives","rawName","expression","change","$event","amountIsPristine","composing","amount","btn-primary","installmentPeriod","changeThe","DonateFormvue_type_template_id_4fe5468d_staticRenderFns","DonateFormvue_type_script_lang_js_","introduction","lib_config","labelForChange","monthly","3","15","50","yearly","35","180","600","_installmentPeriod","ranges","forEach_default","sortBy_default","map_default","keys_default","components_DonateFormvue_type_script_lang_js_","DonateForm_component","DonateForm","EmbeddableFootervue_type_template_id_36cb84e2_scoped_true_render","homeUrl","lead","showShareOptions","sharingOptionsValues","iframe-min-height","iframeMinHeight","iframe-min-width","iframeMinWidth","EmbeddableFootervue_type_template_id_36cb84e2_scoped_true_staticRenderFns","finallyConstructor","src_finally","setTimeoutFunc","src_bind","src_Promise","_state","_handled","_value","_deferreds","doResolve","_immediateFn","cb","src_reject","src_resolve","newValue","finale","_unhandledRejectionFn","Handler","prom","injectAsset","injectAssets","files","filesLoaded","allFilesLoaded","pymChild","pymParams","IframeResizer","initializer","pym","Child","polling","sendHeight","deletePymParams","URL","searchParams","delete","SharingOptionsvue_type_template_id_4e36ddf6_render","_b","inlineTemplate","valuesFor","noEmbed","showEmbedForm","hide-footer","no-title","no-preview","min-height","min-width","SharingOptionsvue_type_template_id_4e36ddf6_staticRenderFns","__assign","mergeData","varArgs","nextSource","nextKey","object_assign","object_keys","freeze","isFrozen","readonlyDescriptor","toStr","maxSafeInteger","pow","arrayLike","items","mapFn","kValue","pluckProps","keysToPluck","objToPluck","transformFn","memo","isElement","ELEMENT_NODE","isVisible","dom_selectAll","dom_select","Matches","Closest","setAttr","getAttr","hasAttr","getBCR","getCS","eventOn","evtName","eventOff","propsFactory","rel","activeClass","exact","exactActiveClass","routerTag","computeTag","$router","computeHref","computeRel","clickHandlerFactory","_ref3","suppliedHandler","isRouterLink","__vue__","link_link","_ref4","eventType","componentData","aria-disabled","btnProps","block","variant","pressed","button_linkProps","linkPropKeys","button_props","handleFocus","button_button","listeners","isLink","isToggle","focusout","data-toggle","aria-pressed","button_close_defineProperty","button_close_props","ariaLabel","textVariant","button_close","slots","aria-label","safeId","localId_","_uid","_toConsumableArray","BVRL","listen_on_root","listenOnRoot","$on","emitOnRoot","_$root","_BVRL$shift","$off","observeDOM","MozMutationObserver","eventListenerSupported","$el","obs","changed","TEXT_NODE","removedNodes","warn_warn","utils_warn","key_codes","SPACE","ENTER","ESC","LEFT","UP","RIGHT","DOWN","PAGEUP","PAGEDOWN","HOME","END","bv_event_class_BvEvent","BvEvent","eventInit","defaults","vueTarget","bv_event_class","modal_defineProperty","Selector","FIXED_CONTENT","STICKY_CONTENT","NAVBAR_TOGGLER","OBSERVER_CONFIG","attributeFilter","modal_modal","bBtn","bBtnClose","$slots","hideHeader","modalHeader","closeButton","hideHeaderClose","is_transitioning","headerCloseLabel","headerTextVariant","titleTag","headerClasses","bodyClasses","footer","hideFooter","modalFooter","cancelButton","okOnly","cancelVariant","buttonSize","cancelDisabled","busy","cancelTitle","okButton","okVariant","okDisabled","okTitle","footerClasses","modalContent","aria-labelledby","aria-describedby","onFocusout","modalDialog","dialogClasses","modal","modalClasses","is_visible","aria-hidden","onClickOut","keydown","onEsc","enterClass","enterToClass","enterActiveClass","leaveClass","leaveActiveClass","leaveToClass","before-enter","onBeforeEnter","onEnter","after-enter","onAfterEnter","before-leave","onBeforeLeave","leave","onLeave","after-leave","onAfterLeave","backdrop","hideBackdrop","backdropClasses","is_hidden","lazy","is_show","is_block","scrollbarWidth","isBodyOverflowing","return_focus","returnFocus","model","centered","noFade","noCloseOnBackdro

p","noCloseOnEsc","noEnforceFocus","headerBgVariant","headerBorderVariant","headerClass","bodyBgVariant","bodyTextVariant","modalClass","bodyClass","footerBgVariant","footerBorderVariant","footerTextVariant","footerClass","fade","d-block","oldVal","showEvt","$refs","emitEvent","$once","doShow","hideEvt","isOK","_observer","$nextTick","adjustDialog","checkScrollbar","setScrollbar","setResizeEvent","_this3","focusFirst","shownEvt","_this4","resetAdjustments","resetScrollbar","returnFocusTo","hiddenEvt","bvEvt","_this5","showHandler","triggerEl","hideHandler","modalListener","getScrollbarWidth","scrollDiv","isModalOverflowing","paddingLeft","paddingRight","actualPadding","calculatedPadding","actualMargin","calculatedMargin","EmbedFormvue_type_template_id_502aea85_scoped_true_render","readonly","embedCode","selectCode","responsiveCheck","$$a","$$el","$$c","$$v","$$i","copyEmbedCode","noPreview","EmbedFormvue_type_template_id_502aea85_scoped_true_staticRenderFns","_typeof2","typeof_typeof","fakeElement","clipboard","EmbedFormvue_type_script_lang_js_","Fa","minHeight","iframeCodeFor","iframe_resizer_IframeResizer","pymCodeFor","template","withPym","currentUrl","components_EmbedFormvue_type_script_lang_js_","EmbedForm_component","EmbedForm","SharingOptionsvue_type_script_lang_js_","bModal","vue_social_sharing_common_default","valuesKeys","noMeta","embedForm","metaValues","reduce_default","get_default","defaultValueFor","metaSelector","flex-direction","facebook_title","facebook_description","facebook_media","facebook_url","twitter_media","twitter_twitter-user","components_SharingOptionsvue_type_script_lang_js_","SharingOptions_component","SharingOptions","EmbeddableFootervue_type_script_lang_js_","components_EmbeddableFootervue_type_script_lang_js_","EmbeddableFooter_component","EmbeddableFooter","FollowUsPopovervue_type_template_id_440d5984_scoped_true_render","closeSignupPopover","FollowUsPopovervue_type_template_id_440d5984_scoped_true_staticRenderFns","SignUpFormvue_type_template_id_3a583f00_render","sign-up-form--horizontal","horizontal","subscribe","frozen","noLabel","input-group","placeholder","input-group-append","tracker","errorMessage","successMessage","SignUpFormvue_type_template_id_3a583f00_staticRenderFns","SignUpFormvue_type_script_lang_js_","actionJsonp","resetMessages","unfreeze","jquery_default","last_default","components_SignUpFormvue_type_script_lang_js_","SignUpForm_component","SignUpForm","FollowUsPopovervue_type_script_lang_js_","components_FollowUsPopovervue_type_script_lang_js_","FollowUsPopover_component","FollowUsPopover","GenericFootervue_type_template_id_203025b4_scoped_true_render","year","GenericFootervue_type_template_id_203025b4_scoped_true_staticRenderFns","GenericFootervue_type_script_lang_js_","getFullYear","components_GenericFootervue_type_script_lang_js_","GenericFooter_component","GenericFooter","ImddbHeadervue_type_template_id_36e6b928_render","rootElement","headroom--frozen","collapseNavbar","data-turbolinks-permanent","on-unpin","closeFollowUsPopover","project","toggleNavbar","collapse","slot","donateFormModal","showSignupPopover","update:show","ImddbHeadervue_type_template_id_36e6b928_staticRenderFns","dropdown_item_props","dropdown_item","clickout","_clickOutListener","clickOutListener","filterVisible","ITEM_SELECTOR","AttachmentMap","TOP","TOPEND","BOTTOM","BOTTOMEND","dropdown","dropup","noFlip","popperOpts","inNavbar","visibleChangePrevented","_popper","rootCloseListener","deactivated","setTouchStart","removePopper","menu","showMenu","hideMenu","toggler","isNav","createPopper","focusFirstItem","getPopperConfig","popperConfig","boundary","_noop","onKeydown","TAB","onTab","focusNext","focusToggler","onFocusOut","onMouseOver","getItems","focusItem","getFirstItem","nav_item_dropdown","toggleClasses","aria-haspopup","aria-expanded","menuClasses","mouseover","dropdownClasses","noCaret","extraToggleClasses","extraMenuClasses","tooltip_class_typeof","tooltip_class_createClass","tooltip_class_classCallCheck","CLASS_PREFIX","BSCLS_PREFIX_REGEX","TRANSITION_DURATION","MODAL_CLOSE_EVENT","MODAL_CLASS","tooltip_class_AttachmentMap","AUTO","TOPLEFT","TOPRIGHT","RIGHTTOP","RIGHTBOTTOM","BOTTOMLEFT","BOTTOMRIGHT","LEFTTOP","LEFTBOTTOM","OffsetMap","HoverState","SHOW","OUT","ClassName","FADE","tooltip_class_Selector","TOOLTIP","TOOLTIP_INNER","ARROW","arrowPadding","fallbackPlacement","callbacks","TransitionEndEvents","WebkitTransition","MozTransition","OTransition","NEXTID","generateId","tooltip_class_ToolTip","ToolTip","$isEnabled","$fadeTimeout","$hoverTimeout","$visibleInterval","$hoverState","$activeT

rigger","$popper","$element","$tip","$id","$routeWatcher","$forceHide","forceHide","$doHide","doHide","$doSho
w","$doDisable","doDisable","$doEnable","doEnable","updateConfig","updatedConfig","Default","fixTitle","$conf
ig","unListen","setWhileOpenListeners","enabledEvt","disabledEvt","isWithActiveTrigger","getTipElement","tip","
setContent","isWithContent","addAriaDescribedby","getPlacement","attachment","getAttachment","addAttachment
Class","getContainer","fixTransition","prevHoverState","transitionOnce","setModalListener","visibleCheck","setRo
uteWatcher","setOnTouchStartListener","force","removeAriaDescribedby","transEvents","getTransitionEndEvents"
,"fnOnce","compileTemplate","setElementContent","getTitle","allowHtml","innerHtml","_this6","triggers","setRoot
Listener","_this7","_this8","$route","enable","_this9","titleType","_this10","_this11","_this12","getOffset","handle
PopperPlacementChange","arrowOffset","tabClass","cleanTipClass","initConfigAnimation","tooltip_class","popove
r_class_typeof","popover_class_createClass","popover_class_classCallCheck","popover_class_NAME","popover_c
lass_CLASS_PREFIX","popover_class_BSCLS_PREFIX_REGEX","popover_class_Defaults","popover_class_Cla
ssName","popover_class_Selector","TITLE","CONTENT","popover_class_PopOver","_ToolTip","PopOver","hasT
itle","getContent","popover_class","isSSR","toolpop_typeof","PLACEMENTS","topleft","topright","righttop","righ
tbottom","bottomleft","bottomright","lefttop","leftbottom","toolpop_OBSERVER_CONFIG","toolpop","_show","o
nOpen","onClose","_disabled","onDisable","onEnable","_toolpop","_obs_title","_obs_content","createToolpop","se
tObservers","updated","getConfig","activated","bringItBack","baseConfig","cont","onShow","shown","onShown","
onHide","onHidden","onEnabled","onDisabled","cfg","updatePosition","getTarget","popover","ImddbHeadervue_ty
pe_script_lang_js_","bDropdownItem","bNavDropdown","bPopover","vue_headroom","noHeadroom","dropdownIt
ems","components_ImddbHeadervue_type_script_lang_js_","ImddbHeader_component","ImddbHeader","Responsi
veIframevue_type_template_id_2b5efd28_render","iframeId","ResponsiveIframevue_type_template_id_2b5efd28_s
taticRenderFns","iframeUniqueIdCounter","ResponsiveIframevue_type_script_lang_js_","assets_injectAssets","Par
ent","components_ResponsiveIframevue_type_script_lang_js_","ResponsiveIframe_component","SlideUpDown_re
nder","SlideUpDown_staticRenderFns","ResponsiveIframe","SlideUpDownvue_type_script_lang_js_noop","SlideU
pDownvue_type_script_lang_js_","triggerSlide","deferedNextTick","cleanLayout","$container","stylePreTransition
","transition-property","transition-
duration","styleActiveTransition","activeHeight","stylePostTransition","components_SlideUpDownvue_type_script
_lang_js_","SlideUpDown_component","SlideUpDown","Murmur"],"mappings":"CAAA,SAAAA,EAAAC,GACA,
kBAAAC,SAAA,kBAAAC,OACAA,OAAAD,QAAAD,EAAAG,QAAA,QACA,oBAAAC,eAAAC,IACAD,OAA
A,GAAAJ,GACA,kBAAAC,QACAA,QAAA,gBAAAD,EAAAG,QAAA,QAEAJ,EAAA,gBAAAC,EAAAAD,EAA
A,SARA,CASC,qBAAAO,UAAAC,KAAA,SAAAC,GACD,mBCTA,IAAAC,EAAA,GAGA,SAAAC,EAAAAC,GA
GA,GAAAF,EAAAAE,GACA,OAAAF,EAAAAE,GAAAV,QAGA,IAAAW,EAAAO,EAAAAE,GAAA,CACAC,EAA
AD,EACAE,GAAA,EACAZ,QAAA,IAUA,OANAa,EAAAAH,GAAAI,KAAAAb,EAAAO,QAAAP,EAAAA,EAAA
O,QAAAQ,GAGAf,EAAAAW,GAAA,EAGAX,EAAAO,QAGA,GACA,OAAAF,EAAAAE,GACA,OAAAF,EAAA
AD,EACAE,GAAA,EACAZ,QAAA,IUAX,OAAAY,OAAAY,OAAA,MAGA,GAFAxB,EAAAAgB,EAAAAO,EAA
AA,cAAiD4B,OAAA,KAQjDnB,EAAAAoB,EAAA,SAAAAD,EAAA,SAAAD,EAAAE,GAEA,GAAA4B,EAAA
AmB,IACA,EAAAE,EAAAA,OAAAAF,EACA,KAAAE,EAAAA,OAAAAH,EACA,GAAA4B,kBAAAF,QAAAG,W
AAA,OAAAAH,EACA,IAAAAI,EAAAAX,OAAAAY,OAAAA,MAGA,GAFAxB,EAAAAgB,EAAAAO,EAAAAY,C
T,YAAA,EAAAAK,UACzC,EAAAAE,GAAA,iBAAAF,EAAA,QAAAAM,KAAAN,EAAAnB,EAAAAoB,EAAAAe,E
AAAE,EAAAA,SAAAAGAgH,OAAAAN,EAAAAM,IAAAqBC,KAAA,KAAAAD,IACrI,OAAAAF,GAIAvB,EAA
AA2B,EAAA,SAAAAC,GACA,IAAAAkB,EAAAAlB,EAAAA8B,WACA,WAAA2B,OAAA9B,EAAAA,YAC3B,
WAAAiC,OAAAAiC,GAEAEjC,OADAQ,EAAAAEAAAQ,EAAAAE,EAAAA,IAAAAGACAA,GAAAAGAIAV,EA
AAA,SAAAAAiB,EAAAAkB,KAAAAuB,IACAF,EAAACArB,EAAAAE,EAAAAkB,GAAAAGAAAI,SAAEtB,EA
AAAkB,GAEA,OANAE,EAAACArB,EAAAAE,EAAAAkB,GAAAAGAAAI,SAAEtB,EAAAAkB,GACA,iBCCl
FA,IAAAhB,EAAAajB,EAAAQ,QAAGrBkC,EAAAAtB,EAAAAOAAAkB,EASA,SAGAC,EAAAAIAAAqB,C,K
AAA,KAAAD,IACrI,OAAAAF,G, EAAAAkB,GACAAI,EAAAAtB,EAAAAkB,GAEA,OANAE,EAAACArB,EAA
AAE,EAAAAkB,GAAAAGAAAI SAEAtB,EAAAAkB,GACG,MAAAC,IA
EH,IAAAAC,EAAAAAT,EAAAA9B,KAAAAc,GAQA,OAPAuB,EAAACArB,EAAArB,EAAAAkB,GAAAAI,SAE
AtB,EAAAAkB,GAAAAI,SAAEtB,EAAAAkB,G

IAGAO,EAGApD,EAAAD,QAAAgD,uCC5CA,IAAAM,EAAc7C,EAAQ,QACtB8C,EAAc9C,EAAQ,QACtB+C,
EAAe/C,EAAQ,QACvBgD,EAAWhD,EAAQ,QACnBiD,EAAgBjD,EAAQ,QACxBkD,EAAkBlD,EAAQ,QAC1B
mD,EAAqBnD,EAAQ,QAC7BoD,EAAqBpD,EAAQ,QAC7BqD,EAAerD,EAAQ,OAARA,CAAgB,YAC/BsD,IA
AA,GAAAC,MAAA,WAAAA,QACAC,EAAA,aACAC,EAAA,OACAC,EAAA,SAEAC,EAAA,WAA8B,OAAA9
D,MAE9BL,EAAAD,QAAA,SAAAqE,EAAAC,EAAAAC,EAAAAC,EAAAAC,EAAAAC,GACAhB,EAAAY,
EAAAD,EAAAAE,GACA,IAeAI,EAAA1C,EAAA2C,EAfAC,EAAA,SAAAAC,GACA,IAAAhB,GAAAgB,KAAAC,
EAAA,OAAAA,EAAAD,GACA,OAAAA,GACA,KAAAb,EAAA,kBAAAyC,WAAAK,EAAAAjE,KAAAyE,IACzC,
KAAAZ,EAAA,kBAAA6C,WAAAI,EAAAAjE,KAAAyE,IACxC,kBAA4B,WAAAR,EAAAAjE,KAAAyE,KAEjCE,E
AAAX,EAAA,YACAY,EAAAAT,GAAAN,EACACAH,EAAAA,EACAH,EAAAAX,EAAAA9B,UACA6C,EAAAJ,EAA
AlB,IAAAkB,EAAAAf,IAAAQ,GAAAAO,EAAAAP,GACAY,EAAAAD,GACAaY,EAAAAL,GACAa,EAAAAb,EAAAAS,E
AAAJ,EAAAA,WAAAO,OAAAtC,EACAwC,EAAAA,SAAAjB,GAAAU,EAAAAQ,SAAAJ,EAwBA,GArBAG,IACA
V,EAAAAhB,EAAAA0B,EAAAAzE,KAAA,IAAAuD,IACAQ,IAAAxD,OAAAkB,WAAAsC,EAAAAL,OAAEAZ,EAAA
iB,EAAAAI,GAAA,GAEA3B,GAAA,mBAAAuB,EAAAf,IAAAAL,EAAAoB,EAAAf,EAAAAM,KAIAc,GAAAAE,KA
AAlE,OAAAAiD,IACAgB,GAAA,EAACAE,EAAAA,WAAAkC,OAAAAD,EAAAAtE,KAAAAR,QAGlCgD,IAAAqB,IAAA
Z,IAAAoB,GAAAAH,EAAAAlB,IACAL,EAAAAuB,EAAAAlB,EAAAAuB,EAAAAlB,EAAAAuB,GAGA3B,EAAAAY,GAAAe,EACA3B,EAA
AuB,GAAAb,EACAK,EAAMA,GALAG,OAAAAP,EAAAAAG,EAAAAP,EAAAAX,GACAH,KAAAAU,EA
AAW,EAAAAAZ,GACAQAAAF,GAEAX,EAAAA,IAAAzC,KAAA0C,EACA1C,KAAA8C,GAAAxB,EA
AAwB,EAAAA9C,EAAAA1C,EAAAA8C,EAAAAxB,EAAAEAAwB,EAAAA9C,EAAAA0C,EAAAA1C,SACKqB,IAAAmC,EAAAnC,EAAAoC,EAAAAoB,GAAAA5B,GAAAAoB,GAAAAb,EAA
AM,GAEL,OAAAA,2BCnEA,IAAAgB,EAAAkBnF,EAAQ,QAC1BoF,EAAiBpF,EAAQ,QAGzBkC,EAAAtB,OAA
AkB,UAGAC,EAAAAG,EAAAAH,eAASA,SAAAsD,EAAAAzD,GACA,IAAAuD,EAAAAvD,GACA,OAAAAwD,EAAAx
D,GAEA,IAAAgB,EAAAAgB,EAAAA,GACA,QAAAnB,EAAAAKAAAb,oAAAgB,GACAG,EAAA1B,EAAAKAAuB,EAAAAH,IAAA,eA
AAA,GACAAmB,EAAA0C,EAAAAA7D,EAAAAGAGA,OAAAAmB,EAAAgApD,EAAAAAD,EAAAAAD,EAAAAqA8F,0BC7BA,IAAAApE,EAAAAjB
,EAAQ,QAAA8F,0BC7BA,IAAAApE,EAAAAjB,EAAQ,QAAA8F,GAGA,OAAAAmB,EAAAAAwB,EAAAA,2BC7BA,IAAAApril
AAAD,GAEA,IAAAAgB,GAAAAC,mB,EAAAAA,
AAA,GACAmB,EAAA0C,KAAA7D,GAGA,OAAAAmB,EAAAAgApD,EAAAAAD,EAAAAAD,EAAAAqA,eA
AAA,GACAAmB,EAAA0C,EAAAAA7D,EAAAAGAGA,OAAAAmB,EAAAgApD,EAAAAAD,EAAAAAD,EAAAAqA8F,0BCnEA,IAAAgApD,E
AAAD,QAAA8F,0BC7BA,IAAAApril,EAAAAD,QAAA,SAAAqE,
,EAAQ,QACrBuF,EAAkBvF,EAAQ,QAC1BwF,EAAQ,QAC1B1BwF,EAAAxE,EAAAayE,E
A,SAAAqD,EAAAAxE,GACA,OAAAAqE,EAAArE,E,IAAAAoE,EAAAApE,EAAAArE,E,IAAAAoE,EAAAAAA3E,GAAA
AD,QAAAoG,wBCNA,SAAAC,IACA,SAGApG,EAAAAD,QAAA,SAAAqG,wBCTA,SAAAC,EAAAAC,EAAAAd,GAC
A,IAAAAe,GAAAAA,EAAACAC,EAAAAH,EAAAAHB,EAAAAOAEA,QAAAAD,EAAAAC,EAAACAF,EAAAAGA,OALA
AAA,GACAmB,EAAA0C,EAAAAA7D,EAAAAGAGA,OAAAAmB,EAAAgApD,EAAAAAD,EAAAAAD,EAAAAqA,eA
AAA,GACAAmB,EAAA0C,KAAA7D,GAGA,OAAAAmB,EAAAAgApD,EAAAAAD,EAAAAAD,EAAAAqA,eAAAF,GAAA
f,EAAAe,EAAAGAEA,OAAAAD,EAAAAGAtG,EAAAAD,QAAAAsG,wBCNA,IAAAgApD,E
AAAAD,QAAA8F,0BC7BA,IAAAApril

IAGAO,EAGApD,EAAAD,QAAAgD,uCC5CA,IAAAM,EAAc7C,EAAQ,QACtB8C,EAAc9C,EAAQ,QACtB+C,
EAAe/C,EAAQ,QACvBgD,EAAWhD,EAAQ,QACnBiD,EAAgBjD,EAAQ,QACxBkD,EAAkBlD,EAAQ,QAC1B
mD,EAAqBnD,EAAQ,QAC7BoD,EAAqBpD,EAAQ,QAC7BqD,EAAerD,EAAQ,OAARA,CAAgB,YAC/BsD,IA
AA,GAAAC,MAAA,WAAAA,QACAC,EAAA,aACAC,EAAA,OACAC,EAAA,SAEAC,EAAA,WAA8B,OAAA9
D,MAE9BL,EAAAD,QAAA,SAAAqE,EAAAC,EAAAAC,EAAAAC,EAAAAC,EAAAAC,GACAhB,EAAAY,
EAAAD,EAAAAE,GACA,IAeAI,EAAA1C,EAAA2C,EAfAC,EAAA,SAAAAC,GACA,IAAAhB,GAAAgB,KAAAC,
EAAA,OAAAA,EAAAD,GACA,OAAAA,GACA,KAAAb,EAAA,kBAAAyC,WAAAK,EAAAAjE,KAAAyE,IACzC,
KAAAZ,EAAA,kBAAA6C,WAAAI,EAAAAjE,KAAAyE,IACxC,kBAA4B,WAAAR,EAAAAjE,KAAAyE,KAEjCE,E
AAAX,EAAA,YACAY,EAAAAT,GAAAN,EACACAH,EAAAA,EACAH,EAAAAX,EAAAA9B,UACA6C,EAAAJ,EAA
AlB,IAAAkB,EAAAAf,IAAAQ,GAAAAO,EAAAAP,GACAY,EAAAAD,GACAaY,EAAAAL,GACAa,EAAAAb,EAAAAS,E
AAAJ,EAAAA,WAAAO,OAAAtC,EACAwC,EAAAA,SAAAjB,GAAAU,EAAAAQ,SAAAJ,EAwBA,GArBAG,IACA
V,EAAAAhB,EAAAA0B,EAAAAzE,KAAA,IAAAuD,IACAQ,IAAAxD,OAAAkB,WAAAsC,EAAAAL,OAAEAZ,EAAA
iB,EAAAAI,GAAA,GEAA3B,GAAA,mBAAAuB,EAAAf,IAAAAL,EAAAoB,EAAAf,EAAAAM,KIAAc,GAAAAE,KA
AAlE,OAAAAiD,IACAgB,GAAA,EAACAE,EAAAA,WAAAkC,OAAAAD,EAAAAtE,KAAAAR,QGAgD3B,IAAAqB,IAAA
Z,IAAAoB,GAAAAH,EAAAAlB,IACAL,EAAAAuB,EAAAAlB,EAAAAuB,EAAAAlB,EAAAAuB,GGAGA3B,EAAAAY,GAAAe,ACA3B,EAA
AwB,GAAAb,ACKqB,IAAAmC,EAAAnC,EAAAoC,EAAAAoB,GAAAA5B,GAAAAoB,GAAAAb,EAA
AM,GAEL,OAAAA,2BCnEA,IAAAgB,EAAAkBnF,EAAQ,QAC1BoF,EAAiBpF,EAAQ,QAGzBkC,EAAAtB,OAA
AkB,UAGAC,EAAAAG,EAAAAH,eASA,SAAAsD,EAAAAzD,GACA,IAAAuD,EAAAAvD,GACA,OAAAAwD,EAAAx
D,GAEA,IAAAgB,EAAAAgB,EAAAA,GACA,QAAAnB,EAAAAKAAAb,oAAAgB,GACAG,EAAA1B,EAAAKAAuB,EAAAAH,IAAA,eA
AAA,GACAAmB,EAAA0C,EAAAAA7D,EAAAAGAGA,OAAAAmB,EAAAgApD,EAAAAAD,EAAAAAD,EAAAAqA8F

AAE,EAAAD,QAShCC,EAAAD,QAAAgH,EAAAyC,SACA1J,EAAAiH,GAAA,GACA,SAAA0C,GACA,IAAA
A,EAAAD,SACA,UAAAE,MAAA,4CAEA,OAAA5J,EAAA2J,IAGA3J,EAAAiH,IAtBA,CA0BC,qBAAA4C,cA
AAtJ,KAAA,SAAAsJ,EAAAC,GAMD,aAEA,IAAAC,EAAA,GAEAL,EAAAG,EAAAH,SAEAM,EAAA1I,OAA
AwC,eAEAmG,EAAAF,EAAAE,MAEAC,EAAAH,EAAAG,OAEAlE,EAAA+D,EAAA/D,KAEAmE,EAAAJ,EA
AAI,QAEAC,EAAA,GAEAtH,EAAAsH,EAAAtH,SAEAuH,EAAAD,EAAA3H,eAEA6H,EAAAD,EAAAvH,SA
EAyH,EAAAD,EAAAvJ,KAAAO,QAEAkJ,EAAA,GAEA/C,EAAA,SAAAgD,GAMA,0BAAAA,GAAA,kBAAA
A,EAAAnC,UAIAoC,EAAA,SAAAD,GACA,aAAAA,SAAAZ,QAMAc,EAAA,CACAC,MAAA,EACAC,KAAA,
EACAC,UAAA,GAGA,SAAAC,EAAAC,EAAAC,EAAAC,GACAD,KAAAvB,EAEA,IAAA9I,EACAuK,EAAAF
,EAAAG,cAAA,UAGA,GADAD,EAAAAE,KAAAL,EACAAE,EACA,IAAAtK,KAAA+J,EACAO,EAAAAtK,KACAu
K,EAAAvK,GAAAsK,EAAAtK,IAIAqK,EAAAAK,IAIAqK,EAAAAK,KAAAC,YAAAJ,GAAAsK,EAAAAK,GAIA,SAAAO,
EAAAjB,GACA,aAAAA,EACAAA,EAAAA,GAIA,kBAAAA,GAAA,oBAAAA,EACAL,EAAAAtH,EAAAG,EAAAH,SAEA
0J,KAAA,gBACAA,EAQA,IACAkB,EAAA,QAGAC,EAAA,SAAAC,EAAAC,GAIA,qCAmVA,SAAAC,EAAAzB,GAMA,IAAA/D,IAAA+D,GAAA,WAAAA,KA
AA/D,OACAkE,EAAAc,EAAAAjB,GAEA,OAAAhD,EAAAgD,KAAAC,EAAAAAD,KAAAC,EAAAAAD,KAIA,SAAAlJ
,GACA,kBAAAA,KAAA,GAAAAAA,EAAA,KAAA+D,GA/VAmB,EAAAAG,GAAAAH,EAAApJ,UAAA,CAGA2J,O
AAAR,EAEApC,YAAAqC,EAGAlF,OAAA,EAEA0F,QAAA,WACA,OAAA0F,EAAAAlJ,KAAAAR,OAKAkB,IAA
A,SAAA4K,GAGA,aAAAAApC,EAEAEAA9L,EAAA,EAAA9L,KAAA8L,EAEA9L,KAAAm
G,QAAAnG,KAAA8L,IAKAC,UAAA,SAAAAC,GAGA,IAAAC,EAAAA,EAAAAZ,EAEAAa,EAAAA,MAAAAM,KAAAgJ,cAAAgD,G
AMA,OAHAC,EAAAAE,WAAAAnM,KAGAiM,GAIAG,KAAAA,SAAAAC,GACA,OAAAAhB,EAAAAe,KAAAApM,KA
AAqM,IAGAC,IAGAC,IAAA,SAAAAAD,GACA,OAAArM,KAAAA+L,GAAAAiB,EAAAAtM,KAAAuM,EAAAA
M,GACA,OAAAAgM,EAAAA7L,KAAAA+L,GAAAA+L,EAAAAkM,EAAAAkM,OAAA7C,MAAAA,WACA,OAAAA1J,KAAAA+L,GAAAA7L
,KAAAA8C,MAAAAxM,KAAAAyM,GAIAEAAAzM,KAAAAEAAwM,EAAAA7M,GACA,OAAAA7M,KAAAA+L,GAAAA
M,KAAAA8M,IAAAKAGAC,IAAA,WACAA,kBAAAAvD,EAAAA6L,KAAApM,KAAAA+L,GAAAAAC,EAAAAC,EAAAAC,EAAAAC,GACAAD,KAAAAvB,EAA
AxD,EAAAA6L,KAAAA+L,GAAAA7L,KAAAA8D,MAAAAxM,KAAAAyM,GACAAEAAAzM,KAAAAEAAAwM,EAAAA7M,GACAA
OAACU9F,EAAAA8F,EAAAY9F,IACtB,QAAAgM,EAAAA7L,KAAA0J,EAAAA7J,KAAA0J,EAAAA6J,KAAAA7J,IACA,WAIA,IA
AAA,KAAA6J,EACA,QAAAmC,EAAAA7L,KAAA0J,EAAAA7J,KAAA0J,EAAAA6J,KAAAA7J,IACA,MAKA,OAAA6J,GAIA
oE,KAAA,SAAAxD,GACA,aAAAA,EACA,IAAAAgD,QAAApC,EAAA,KAAA6C,UAAA,SAAA/E
,EAAAgF,GACA,IAAAAvC,EAAAAuC,EAAAAuC,GAAA,GAAAA,OAXA,MAAAAhF,EACA,kBAAAzC,EACA,CAAAAA,
AA,SAAAAlC,EAAAA/C,EAAAAnJ,GACA,aAAAAmM,GAAAA7L,KAAAA+L,GAAAA9L,KAAA8C,MAAAAxM,KAAAAyM,GAIAA
AAAvG,OAES2G,EAAAAD,EAAASC,IAClBJ,EAAAArM,KAAAAqO,EAAAA5B,GAKA,OAFAAFAJ,EAAAAvG,EAAAA9F,E
AAAvG,OAAES2G,EAAAAD,EAASC IAAAA,KAAAuM,EAACA,QAAAAAAmM,EAAAA7L,KAAAEAAAI,EAAAApJ,GAAA
gJ,EAAAA/C,EAAAnJ,GACA,aAAAAgM,EAAAA7J,KAAA+L,GAAAA9L,KAAA8C,MAAAAxM,KAAAAyM,GAAAA,oBAAAA
AA,SAAAAlC,EAAAA/C,EAAAnJ,GACA,aAAAAhM GAAA,EAAAAI,EAAAApJ,EAAAAI,EAAAApJ,GAAAAgJ,EAAAA+C,EAAAAnJ,GAAAAgJ,EAAAApJ,GAAAAgJ,EAAAAAI,IAKA6
L,MAAA,SAAAAQ,EAAAAgC,GAKA,IAAAASAQ,EAAAAgC,GAAKA,IAJA,IAAAASAQ,EAAAAgC GAACA,QAAAAAAQ,EAAAA/C,EAAAAnJ,GACA,aAAAAhM
,EAAAAvG,OAES2G,EAAAAD,EAASC IAAAA,KAAAuM,EAACA
AAAvG,OAES2G,EAAAAD,EAASC IAAAA,KAAAuM,EAACA,QAAAAAmM,EAAAA7L,KAAAEAAAI,EAAAAhM,IAKA 6
AAAvG,OAES2G EAAAAD EAASC IAAAA,KAAAuM,EAACA,QAAAAAmM,EAAAA7L,KAAAEAAAAI EAAAAgM II AKA 6
L,MAAA,SAAAAQ,EAAAAgC,GAKA

AEAqM,GAGAiC,KAAA,SAAA3C,EAAAK,EAAAuC,GASA,IARA,IAAAC,EACAC,EAAA,GACAzO,EAAA,E
ACA8F,EAAA6F,EAAA7F,OACA4I,GAAAH,EAISvO,EAAA8F,EAAY9F,IACrBwO,GAAAxC,EAAAL,EAAA
3L,MACAwO,IAAAE,GACAD,EAAArJ,KAAAuG,EAAA3L,IAIA,OAAAyO,GAIAxC,IAAA,SAAAN,EAAAK,
EAAA2C,GACA,IAAA7I,EAAA7E,EACAjB,EAAA,EACA4L,EAAA,GAGA,GAAAN,EAAAK,GAEA,IADA7F,
EAAA6F,EAAA7F,OACU9F,EAAA8F,EAAY9F,IACtBiB,EAAA+K,EAAAL,EAAA3L,KAAA2O,GAEA,MAA
A1N,GACA2K,EAAAxG,KAAAnE,QAMA,IAAAjB,KAAA2L,EACA1K,EAAA+K,EAAAL,EAAA3L,KAAA2O
,GAEA,MAAA1N,GACA2K,EAAAxG,KAAAnE,GAMA,OAAAqI,EAAA6C,MAAA,GAAAP,IAIAgD,KAAA,E
AIAhF,YAGA,oBAAA7I,SACAiK,EAAAG,GAAApK,OAAA8N,UAAA1F,EAAApI,OAAA8N,WAIA7D,EAAA
e,KAAA,uEAAA+C,MAAA,KACA,SAAA9O,EAAAO,GACAiJ,EAAA,WAAAjJ,EAAA,KAAAA,EAAAwO,gB
AmBA,IAAAC;;;;;;;;;;AAWA,SAAA/F,GAEA,IAAAjJ,EACA4J,EACAqF,EACAC,EACAC,EACAC,EACAC,EA
CAC,EACAC,EACAC,EAGAC,EACA5G,EACA6G,EACAC,EACAC,EACArB,EACAsB,EAG
AzC,EAAA,eAAA0C,KACAC,EAAAhH,EAAAH,SACAoH,EAAA,EACAC,EAAA,EACAC,EAAAC,KACAC,E
AAAD,KACAE,EAAAF,KACAG,EAAA,SAAAC,EAAAC,GAIA,OAHAD,IAAAC,IACAjB,GAAA,GAEA,GAI
AhG,EAAA,GAAa5H,eACAbsH,EAAA,GACAwH,EAAAxH,EAAAwH,IACAC,EAAAzH,EAAA,D,KACAA,EAA
A+D,EAAA,D,KACAiE,EAAAAF,EAAAAE,EAAAGAE,EAAA,SAAAsH,EAAA3E,EAGA,IAFA,IAAAlM,EAAA,EA
CAwM,EAAAqE,EAAA,K,OACS9F,EAAAwM,EAASxM,IAClB,GAAA6Q,EAAA7E,EAAA,6HAKAC,EAAA,sBAGAC,EAAA,gCAGAC,EAAA,MAAAAF,EAAA,KAAAAC,EAAA
,OAAAAD,EAEA,gBAAAA,EAEA,2DAAAC,EAAA,OAAAAD,EACA,OAEAG,EAAA,KAAAF,EAAA,wFAKAC,
EAAA,eAMAE,EAAA,IAAAC,OAAAL,EAAA,SACA1F,EAAA,IAAA+F,EAAA,IAAA+F,OAAAI,EAAA,8BAAA,EAA
A,UAEAM,EAAA,IAAAAD,OAAA,IAAAL,EAAA,KAAAA,EAAA,KACAO,EAAA,IAAAAF,OAAA,IAAAL,EAA
A,WAAAA,EAAA,IAAAA,EAAA,KAEAQ,EAAA,IAAAAH,OAAA,IAAAL,EAAA,YAEAS,EA
AA,IAAAJ,OAAAAF,GACAO,EAAA,IAAAAL,OAAA,IAAAJ,EAAA,KAEAU,EAAA,IAAAAM,OAAA,
AA,MAAAJ,EAAA,KACAY,EAAA,MAAAAAR,OAAA,QAAAJ,EAAA,KACA1M,IAAA,IAAA8M,OAAA,KAAAJ,
EAAA,SACAa,EAAA,KAAAAIAAT,OAAA,IAAAAH,GACAa,EAAA,IAAAAF,OAAA,IAAAAF,GACAa,MAAA,IAAAX,
OAAA,yDAAAAL,EACA,+BAAAAAA,EAAA,cAAAAACAiB,KAAA,IAAAAZ,OAAA,OAA
AN,EAAA,UAGAmB,aAAA,IAAAAb,OAAA,IAAAAL,EAAA,mDACAA,EAAA,mBAAAA,EAAA,yBAGAmB,EA
AA,sCACAC,EAAA,SAEAC,EAAA,yBAGAC,EAAA,mCAEAC,EAAA,OAIAC,EAAA,IAAAnB,OAAA,qBAA4
CL,EAAA,MAAAA,EAAA,aAC5CyB,GAAA,SAAAC,EAAAC,GACA,IAAAC,EAAA,KAAAC,EAAA,KAAAF,EAAA,
MAIA,OAAAAE,OAAAAD,EAACAE,EAAA,EAAAAAF,EAAA,OAEAC,EAAA,aAAAC,EAAA,EAAAG,EAAA
AAA,cAAAC,EAAA,EAAA5J,EAAAeE,EAAA,OAEA,WAAAFE,EAAA,IAAAAAF,EAAA,aAAAAE,EAAAAF,E
AAA,mBAAAAD,EAAA,mBAAAAAAE,EAAA,yBAGAE,EA
AA,sCACAC,EAAA,SAEAC,EAAA,yBAGAmCAEAC,EAAA,OAIAnAIAC,EAAA,IAAAnB4C,OAAA,qBAA4
CL,EAAA,MAAAA,EAAA,aAEAOAG,EAAA,WACA1D,EAGA,YAAAoJ,EAAA,uVUI,IAAAaAAA3P,KAAA,WAIH,IACAuB,EAAA+G,MACAhD,EAAAAE,EAAAAlJ,KAA
A8P,EAAAwD,YACAxD,EAAA,YAIACtK,EAAAAwD,YAAAAtK,YAIAtK,EAAA8G,EAAAAwD,WAAA3N,QAAA4B,BAACC,MAAAjF,IACD2
C,EAAA,CAAS+G,MAAAhD,EAAArD,OAGT,SAAAoH,EAAAwG,GACA9AC,EAAAAzE,MAAAe,EAAA7D,EA
AAlJ,KAAAuT,KAAKAHMACAkN,EAAAprH,OAAA2G,EAAAIAKA,SAAAuC,GAAA/D,EAAAAC,EAAAi
D,EAAAwF,GACA,IAAAAvT,EAAAAJ,KAAAEAAAkM,EAAA0H,EAAAAAC,EAACAC,EAAAC,EAAACAC,EACACAC,EAAA9I,KAAA+I
,cAGAvM,EAAAxD,EAAAAlJ,KAAAIAAwF,EAAAAyG,EAIAIAAA,GAAA,KAAAA,EAEA,KAAAA
nH,EAAAAT,KAAAAiH,EAAAA1T,MAACAkN,EAAApH,OAAA2G,EAAAIAKA,SAAAuC,GAAA/D,EAAAAC,EAAAi
D,EAAAwF,GACA,IAAAAvT,EAAAAJ,KAAAEAAw4G,GAAAA,CAIA,QAAAAll,IAAAAmM,EAAAxB,EAAA6B,EAAA6B,KAAAjJ,IAGA,GA
AA7K,EAAAAyT,EAAAAGAEA8G,GAAAA,CAIA,QAAAAll,IAAAAmM,EAAAxB,EAAA6B,EAACA,KAAAjp,EAAAAmJ,qBAAAp
J,EAAAA/IAA,EAAA6C,MAACAKK,EAAAwE,EAAAAiJ,eAAA/D,EAAAAhlQGM,EAAA+G,MAACAKK
N,EAAAAT,KAAAAiH,EAAAA1T,MACAkN,EAAAAph,OAAA2G,EAAAIAKA,SAAAuC,GAAA/D,EAAAA/D,EAAAi
D,EAAAwF,GACA,IAAAAvT,EAAAAJ,KAAAIAAvT,EAAAAKAACAC,EAAAAEAAA9I,KAAA+I,cAAA/D,EAAAAhlQGM,EAAA+G,MAACAKK

uJ,SAAA1F,cAAA,EAGL6E,EAAA1I,EAAAwJ,aAAA,OACAd,IAAAnG,QAAAsF,GAAAC,IAEA9H,EAAAyJ,a
AAA,KAAAf,EAAAtG,GAIAwG,EAAA1E,EAAAnE,GACAjL,EAAA8T,EAAAhO,OACA,MAAA9F,IACA8T,E
AAA9T,GAAA,IAAA4T,EAAA,IAAAgB,GAAAd,EAAA9T,IAEA+T,EAAAD,EAAAe,KAAA,KAGAb,EAAA1
B,EAAAkC,KAAAvJ,IAAA6J,GAAA5J,EAAAN,aACAM,EAGA,GAAA6I,EACA,IAIA,OAHA3O,EAAA+G,M
AAAgC,EACA6F,EAAAe,iBAAAhB,IAEA5F,EACM,MAAA6G,IACA,QACNpB,IAAAtG,GACApC,EAAA+J,g
BAAA,QASA,OAAA3F,EAAArE,EAAAwC,QAAApC,EAAA,MAAAH,EAAAiD,EAAAwF,GASA,SAAAtD,KA
CA,IAAAhN,EAAA,GAEA,SAAA6R,EAAA3T,EAAAN,GAMA,OAJAoC,EAAA+B,KAAAA7D,EAAA,KAAA7D,EAAA,KAAA0N
,EAAAkG,oBAEAD,EAAA7R,EAAA+R,SAEAF,EAAA3T,EAAA,KAAAN,EAEA,OAAAiU,EAOA,SAAAG,G
AAAlK,GAEA,OADAA,EAAAmC,IAAA,EACAnC,EAOA,SAAAmK,GAAAnK,GACA,IAAAoK,EAAAzM,EA
AA0B,cAAA,YAEA,IACA,QAAAW,EAAAoK,GACE,MAAA9S,IACF,SACE,QAEF8S,EAAA3K,YACA2K,EA
AA3K,WAAAC,YAAA0K,GAGAA,EAAA,MASA,SAAAC,GAAAC,EAAAC,GAAAC,EAAAC,GACA,IAAAvM,EAAAsM,EAAA
3G,MAAA,KACA9O,EAAAmJ,EAAArD,OAEA,MAAA9F,IACAiP,EAAA0G,EAAA3V,IAAA0V,EAEA,OAAAnJ,EA
UA,SAAAE,GAAAnF,EAAAC,GACA,IAAAmF,EAAAnF,EAAAqF,GAAAD,EAACAqF,EAAAAD,GAAA,IAAApF,EAAA/I,
UAAA,IAAAgJ,EAAAhJ,UACA+I,EAAAsF,F,YAAArF,EAAAqF,F,YAGA,GAAAAAD,EACA,OAAAA,EAIA,GAAA
D,EACA,MAAAA,IAAAG,YACA,GAAAAAH,IAAAnF,EACA,OAAA,EAOA,OAAAAD,EAAA,KAOA,SAAAwF,GAAAjM,
GACA,gBAAAkC,GACA,IAAA3L,EAAA2L,EAAAuI,SAAA1F,cACA,cAAAxO,GAAA2L,EAAAvB,WAAAlK,IAEA,S
AAAkM,GAAAlM,GACA,gBAAAkC,GACA,IAAA3L,EAAA2L,EAAAuI,SAAA1F,cACA,cAAAxO,GAAA,WAAAW
AAAA,IAAA2L,EAAAvB,WAAAlK,IAEA,SAAAmM,GAAArH,GAGA,gBAAAU,GAKA,OAAA,UAAAW,GACA
,OAAAW,EAAAZ,IAAA,IAAAY,EAAAuK,SAGA,UAAAvK,EAAAZ,IAAA,OAAAY,EAAAwK,GAAAxK,EAAAwK
,EAAAZ,GAAAU,EAAAW,GACA,gBAAAX,GAKA,OAAA,UAAAW,GACA,OAAAW,EAAAZ,IAAA,IAAAY,EAAAuK
AAA,iBAAAX,MACA,OAAAW,EAAAZ,GAAA,OAAAY,EAAAwK,GAAAxK,EAAAwK,EAAAZ,GAAAU,EAAAW,G
AAA,EAAAAD,F,YAAAgF,EAAAtG,EACAO,EAAAwF,GACAAll,EAAA,CAIA,GADA5B,EAAAoL,EAAAoL,iBAAAMAK,E,K,Y,EE,EAAAA,EE
AAAT,EAAAAgM,kBAAA9C,GACAApU,EAAA,EAAAEACA,MAAAkM,EAAAAP,EAAAA3L,EAAA3L,KAEA,GADAAsK
,EAAAAoL,iBAAA,MAAAMAC,E,YAAA,YAMA,GAAAYAMA+C,EAAAAoL,GACA,OAAAAzN,EAAAA2I,GACA,2BAAAAA,EAAAmJ
,qBACAnJ,qBAAAAA9R,GAGAGAqH,EAAAA2K,GACA,IAAAAgB,EAACAqL,EAAAAA9R,GACA,IAAAAAgB,EACAE,E
AA,EAAEAmO,EAAAjD,EAAAmJ,qBAAA9R,GAGA,GADASAAAA,EAAAAAAAAA,EAAAA/B,CACA,MAAAAA2J,EAAAAiC,EAAAAiC,EAAAAnO,EAAAA
A,IAAAAkM,EAAAAxE,UACA6P,EAAAAnS,KAAAAAqH,OACAEA,EAAAAEAaEAmO,EAAAAjD,EAAAAmJ,qBAAAA9R,GAGA
A,OAAAAEAaEAmO,EAAAAiD,EAAAAmJ,qBAAAA9R,GGAGA,SAAAA1QH,EAAAAqH,EAAAAcAYA+C,GGAGA,OAAAAyN,E
AAAA2I,GGGAGACAGA,IAAAAAkM,EAAAA,EAAAEAAAAAAA,EAAAA/B,GGA,IAAAAAgB,CAAAAGADA5B,EAAAAoL,GAGAGAGAIAAAAmHH,IAAAAnHA,IACAA4NAAAAA5N,EAAAEAAAAAAEA,MA
AAAF,IAGAA,IAAAAAAAA9R,EAAAAAAAAmO,E,aAAAHJ,EAAAA,YAAAAA,WAAAA,WA
AA1D,KAAUAxJ,EAAAAqH,WAAAAqE,GAAAA,SAAAAC,GAEA,OAAAAaEAAAAAHAAA,aAAAA+C EAAAAwB,UAAAA,OAADAA,EAAAAwB,a
A,eAOA9K,EAAAAyK,K,qBAAAAiB,GAAAA,SAAAAAAC,GAEA,OAAAAAAAC,aAAAA,OAADAA EAAAAAAAAC5K,YAAAA7B,E
A,EAAAAlB,KAAAAAvO,qBAAAA,KGADAA,EAAAAAEAaEAmO,EAAAAAAAAMACAAZBEAAAAA0K,SAIA8D,EAAAA0KAcAAAAAMA CAAZ
B,EAAAAAAAAlB,kABAAAAAAqBAAAAVAAAAA,IAAAAACJrJ,EAAAA6J,iBAAAAAxS,QADADI,GADKJ,SAAAAA,EAAAA2I,GACA,IAAAAAgB,EACAqL,E
AAA,EAAAAEAEAmO,EAAAAjD,EAAAAmJ,qBAAAA9R,GADGIqH,EAAAA2K,GGAGAGACA,IAAAAAkM,EAAAAxE,UACA6P,EAAAAnS,KAAAAqH
A,IAAAAAAkM,EAAAAxE,UACA6P,EAAAAAnS,KAAAAqH,OACA,IAAAAACA,IAAAAgB,EACAAqL,E,aAAAA,OAADAA,EAAAAAAAAAwB,S

AAAzN,EAAA0K,wBAAA,SAAAyC,EAAA7L,GACA,wBAAAA,EAAAoJ,wBAAA1E,EACA,OAAA1E,EAAA
oJ,uBAAAyC,IAUAjH,EAAA,GAOAD,EAAA,IAEAjG,EAAA2K,IAAAnC,EAAAoC,KAAA1L,EAAAiM,qBAG
AO,GAAA,SAAAC,GAMA5F,EAAAhF,YAAA4K,GAAAiC,UAAA,UAAAlK,EAAA,qBACAA,EAAA,kEAOAi
I,EAAAR,iBAAA,wBAAAjP,QACA+J,EAAAzK,KAAA,SAAA2L,EAAA,gBAKAwE,EAAAR,iBAAA,cAAAjP,
QACA+J,EAAAzK,KAAA,MAAA2L,EAAA,aAAAD,EAAA,KAIAyE,EAAAR,iBAAA,QAAAzH,EAAA,MAAA
xH,QACA+J,EAAAzK,KAAA,MAMAmQ,EAAAR,iBAAA,YAAAjP,QACA+J,EAAAzK,KAAA,YAMAmQ,EA
AAR,iBAAA,KAAAzH,EAAA,MAAAxH,QACA+J,EAAAzK,KAAA,cAIAkQ,GAAA,SAAAC,GACAA,EAAAi
C,UAAA,oFAKA,IAAAC,EAAA3O,EAAA0B,cAAA,SACAiN,EAAA9C,aAAA,iBACAY,EAAA5K,YAAA8M,G
AAA9C,aAAA,YAIAY,EAAAR,iBAAA,YAAAjP,QACA+J,EAAAzK,KAAA,OAAA2L,EAAA,eAKA,IAAAwE,
EAAAR,iBAAA,YAAAjP,QACA+J,EAAAzK,KAAA,wBAKAuK,EAAAhF,YAAA4K,GAAAhC,UAAA,EACA,I
AAAgC,EAAAR,iBAAA,aAAAjP,QACA+J,EAAAzK,KAAA,wBAIAmQ,EAAAR,iBAAA,QACAlF,EAAAzK,K
AAA,YAIAwE,EAAA8N,gBAAAtF,EAAAoC,KAAA/F,EAAAkB,EAAAlB,SACAkB,EAAAgI,uBACAhI,EAAA
iI,oBACAjI,EAAAkI,kBACAlI,EAAAmI,qBAEAxC,GAAA,SAAAC,GAGA3L,EAAAmO,kBAAAtJ,EAAAtO,K
AAAoV,EAAA,KAIA9G,EAAAtO,KAAAoV,EAAA,aAACAzF,EAAA1K,KAAA,KAAA8L,KAIArB,IAAA/J,QA
AA,IAAAsL,OAAAvB,EAAAgF,KAAA,MACA/E,IAAAhK,QAAA,IAAAsL,OAAAtB,EAAA+E,KAAA,MAIA4
B,EAAArE,EAAAoC,KAAA7E,EAAAqI,yBAKAjI,EAAA0G,GAAArE,EAAAoC,KAAA7E,EAAAAI,UACA,SAA
AU,EAAAAC,GACA,IAAAuH,EAAA,IAAAxH,EAAA,I,SAAA+I,EAAA+F,gBAAA/F,EACAyH,EAAAxH,KAA
A9F,WACA,OAAA6F,IAAAyH,SAAA,IAAAA,EAAAxQ,YACAuQ,EAAAll,SACAkl,EAAAll,SAAAml,GACAC
Az,EAAAuH,yBAAA,GAAAvH,EAAAvH,wBAAAE,MAGAA,IAAA9F,WACA,GAAA8F,IAAAD,EACA,SAIA,UAOAD,EAAAAiG,EAAA,SAAAhG,EAAASAAAhG,EAAAC,GAGA,IAAAC,EAEA,OADAjB,EAAA,IAAA0I,GAAAAlH,EAAAAhH,yBAAA0I,EAAAAH,GAGA,IAAAC,EAEA,OAAAAjH,0B,IAAAC,EAEA,OADA1B,EAAAWAAA,SAAAzH,EAAAAC,GAEA,YAAAA9B,IAAAuH,EAAA9l,EAAAAsH,wBAAAOAAAG,IAKA,GAAA1H,EAAAAwD,eAAAxD,EAAAvD,GACAD,EAAAAuH,wBAAAtH,GAGA,EAGGA,EAAA2H,IAAAH,EACAH,OAAAtC,GAAAnF,EAAAAC,GAIAmF,EAEAC,IAACAYH,EAAAAsH,wBAAAvH,wBAAAEMM,,IAAAjL,WACA0A EAAA2H,IAAAAH,EACAH,OAAAtC,GAAAnF,GAAAhC,UAAA,EACA,IAAAgC,EAAA2H,iBAAA,aAAAjP,QACA+J,EAAAzK,KAAA,wBAIAmQ,EAAAR,iBAAA,QACAlF,EAAAzK,KAAA,YAIAwE,EAAA8N,gBAAAtF,EAAAoC,KAAA/F,EAAAkB,EAAAlB,SAAAgK,GAAAAP,QAAA,SAAAgK,EAAAAC,GAAAAyJ,EAAAAA3P,EAAAAsP,iBACA1J,GAAAA5F,FEAAAsP,iBACA1J,GAAA5F,EAAAAuP,YAAAhL,EAAAA9E,cAAAAvD,GACAD,EAAAuH,wBAAAtH,GAGA0G,EAAAMAAA,SAAA1H,EAAAAC,GAEA,GAAAAD,IAAAC,EAEA,SOADAjB,EAAA,IAAA0I,GAAAAlH,EAAA9E,cAAAvD,GACAD,EAAAuH,wBAAAtH,GAGA0G,IAAAoG,EAAAACA7V,EAAAAEAACqY,EAAAA5H,EAAAA7F,WACAAsN,EAAAxH,KAAA9F,WACA0A EAAA2H,IAAAAH,EAEA,OADAjB,EAAAWAAA SAAAzH,EAAAAC4H,EAAAA5H,wBAAAxH,EAAAA9F,WACAAAEA4H,EAAAAtY,KAAAoV,EAAA,KAAA2H,EAAAA5H,9F,WACA,GAAAAAEA4H EAAAA3H,wBAAAAxH EAAAA9F,WACA,GAAAAFEA4H,EAAAAtY,KAAAoV,EAAA,KAIA3L,EAAAmO,kBAAAtJ,EAAAtO,KAAAoV,EAAA,KAIA9G,EAAAtO,KAAAoV,EAAAAgK,GAAAAe,SAAAA SAAAA7E,EAAAAgB,GAKA,OAHAhB.B,EAAAAD,cAAAAG,IAAAC,EAEA,SOADA1B,EAAA,IAAA0I,GAAAAlH,EAAA9E,cAAA7V,EAAAAvD,GACAD,EAAAuH,wBAAAtH
A0G,WAAApV,EAAAAwO,eAAAeAAAA/I,KAAAApD,GACA4G,EAAA8N,gBAAAtF,EAAA8D,GAAAAuM,IAAAAhL,QAAA8D,E
AAA,UAEA3H,EAAA8N,iBAAAAN,IAACAW,EAAAAkI,EAAAA,QACA3I.AAAAA.AAAA0E,KAAAAiE,OAACA5I,MAAAA2E,
KAAAAiE,E,IAAAAE,IAAAAeA6J,EAAAAzN,GAAAA1B,EAAAAtJ,KAAAA8O,EAAA0G,EAAAAA0C,9B,WACAA0G,EAAAA QACAA5D,EAAAAeAAAA3L,IAAAApD,GACA4G,EAAA8N,gEAAAtF,EAAA8D,GAAAAuM,IAAAAhL,QAAA8D,E
AUP,YAAAhL,EAAAA9E,EAAAAxB,KAAAA6D,GAEAAf,EAAAA,IAAAAG,AAAwW,EAACAA,EAAAAEACA5D,EAAAAeAAAA3L,IAAAApD,GAAAAE,EAAAA8N,iBAAAAN,IAACAW,EAAAAkI,EAAAA,QACA3I,IAAAAJ,QAAAyM,IAAAhL,QACA+J,EAAAAzM,KAAAAxM,EAAAAEACAzM,EAAAAEAOA,GAJAyP,GAAAA7F,EAAAAsP,iBAAAAsP,iBACA1J,GAAA5F,EAAAAuP,YAAAhL,EAAAAxB,KAAA6D,GAEAf,EAAAA,IAAAAAG

AnO,KACAkM,IAAAiC,EAAAnO,KACAyM,EAAAwM,EAAA7T,KAAApF,IAGA,MAAAyM,IACA0B,EAAAv
B,OAAAqM,EAAAxM,GAAA,GAQA,OAFA+C,EAAA,KAEArB,GAOAe,EAAAF,GAAAE,QAAA,SAAAhD,G
ACA,IAAA5B,EACAsB,EAAA,GACA5L,EAAA,EACA0H,EAAAwE,EAAAxE,SAEA,GAAAA,GAME,OAAAA
,GAAA,IAAAA,GAAA,KAAAA,EAAA,CAGF,qBAAAwE,EAAAkN,YACA,OAAAlN,EAAAkN,YAGA,IAAAl
N,IAAAmN,WAAgCnN,EAAMA,IAAA8J,YACtCpK,GAAAsD,EAAAhD,QAGE,OAAAxE,GAAA,IAAAA,EAC
F,OAAAwE,EAAAoN,eAhBA,MAAAhP,EAAA4B,EAAAlM,KAEA4L,GAAAsD,EAAA5E,GAkBA,OAAAsB,G
AGAqD,EAAAD,GAAAuK,UAAA,CAGApE,YAAA,GAEAqE,aAAAnE,GAEAxB,MAAAnC,EAEAiE,WAAA,
GAEA0B,KAAA,GAEAoC,SAAA,CACAC,IAAA,CAAQlG,IAAA,aAAAnH,OAAA,GACRsN,IAAA,CAAQnG,I
AAA,cACRoG,IAAA,CAAQpG,IAAA,kBAAAnH,OAAA,GACRwN,IAAA,CAAQrG,IAAA,oBAGRsG,UAAA,C
ACAjI,KAAA,SAAAgC,GAUA,OATAA,EAAA,GAAAA,EAAA,GAAAAgG,QAAA8E,EAAAC,IAGAqB,EAAA,I
AAAA,EAAA,IAAAA,EAAA,IAAAA,EAAA,QAAApG,QAAA8E,EAAAC,IAEA,OAAAqB,EAAA,KACAA,EA
AA,OAAAA,EAAA,QAGAA,EAAAxK,MAAA,MAGA0I,MAAA,SAAA8B,GA6BA,OAlBAA,EAAA,GAAAA,E
AAA,GAAA9E,cAEA,QAAA8E,EAAA,GAAAA,EAAA,MAEAAEAwK,EAAA,IACA7E,GAAArB,MAAAAkG,EAA
A,IAKAA,EAAA,KAAAA,EAAA,EAAA,GAAAA,EAAA,mBAAAA,EAAA,YAAAA,EAAA,KACA,E
AAA,KAAAA,EAAA,GAAAA,EAAA,YAAAA,EAAA,KAGIA,EAAA,IACJ7E,GAAArB,MAAAkG,EAAA,IAG
AA,GAGA/B,OAAA,SAAA+B,GACA,IAAAAkG,EACAC,GAAAnG,EAAA,IAAAA,EAAA,GAEA,OAAAAnC,EA
AA,SAAA8C,KAAAAX,EAAA,IACA,MAIAA,EAAA,GAAAA,EAAA,IAAAA,EAAA,GAAAA,EAAA,IAAAA,EAAA,OAGImG,
GAAAxI,EAAAgD,KAAAwF,EAAJD,EAAA3K,EAAA4K,EAAAJD,EAAA3K,EAAA,IAAAyQ,EAAAxK,MAAA,E
AAA,MAAA,EAAA0Q,EAAA0Q,IAAA8N,OAAA,CAEA7S,IAAA,aACA,OAAA0E,EAAAgD,KAAAwF,EAAA0Q
,MAAA,EAAA0Q,IAAA8N,OAAA,EAAA0Q,IAAA8N,OAAA,CACA6S,IAAA,aACA,OAAA0E,EAAAgD,KAAAwF,EAAA2G,OAAA+
Q,EAAAtU,UAAAsU,EACA,OAAAAD,EAAAAC,EAAA2G,EAAA1X,EAAA2G,EAAA+Q,EAAAtU,OAAA,KAAAAsU,EAA
A,IAAAzX,EAAA+K,QAAA0D,EAAA,UAAAAsU,EAAA,QAKArI,MAAA,SAAA+B,EAAAqQ,EAAAD,G
EAAAjK,EAAAAE,GACA,IAAA+N,EAAA,QAAAtQ,EAAAX,MAAA,KACAAkR,EAAAsQ,EAAAAX,MAAA,KACAAsAkR,E
AAA,SAAAAsB,EAAAhB,EAAAuP,GACA,IAAAvF,EAAAwF,EAAAAC,EAAAAArQ,EAAAsQ,EAAApS,EAACAgL,E
AAA8G,IAAAC,EAAAgCACAM,EAAAA3O,EAAAtB,EAAAAA,+E,E
AAAM,EAAAxB,WAAAwB,EAAAAE,WAGAR,GAAAAO,EAAA,CAKAxQ,EAAAuQ,EACAF,EAAArQ,EAAAg
D,KAAAAhD,EAAAgD,KAAAAI,IAoN,EAAAA,EAAArQ,EAAA0Q,EAAAA0Q,EAAAAA0Q,EAAAAWAAAtQ
F,EAAAwF,EAAAA1Q,IAAA,GACA4Q,EAAA1F,EAAA,EAAA,KAAAAkF,EAAAAgF,EAAAgF,EAAA,GAAAA,DACAA
Y,EAAA8E,GAAAA1F,EAAA1G,EAACAY,EAAA8E,GAAA,kBAAA1G,EAAACAwF,EAAA0Q,EAAA1G,E
AAA8E,IAGA,IAAAAEAAAM,IAAAAA6G,EAACAAAAAgL,EAAA8G,EAAA8G,GAAAAkAAxB,EAAA8E,E
AAA8E,EAAA8E,DAAA,qBAAA8E,EAACAwxE,EAAAwF,E
AAAM,EAACAmR,EAAAAkG,GAAAA,EAAAAxQ,EAAAAAgCAAxB,EAAAAkdgEAAAEAAAAGACA,EAAA
AAM,EAAAxB,WAAAwB,EAAAAE,WAGA,GAAAAO,EAAA,CAKAxQ,EAAAuQ,EACAF,EAAArQ,EAAAg
D,KAAAhD,EAAAgD,KAAAI,IooN,EAAAA,EAAArQ,E

AH,EAAArQ,EAAAgD,KAAAhD,EAAAgD,GAAA,IAIAoN,EAAAC,EAAArQ,EAAA0Q,YACAL,EAAArQ,EA
AA0Q,UAAA,IAEAN,EAAA1Q,GAAA,CAAAkG,EAAA4F,IAGAxL,IAAA4B,GACA,MASA,OADA4J,GAAAv
J,EACAuJ,IAAAzJ,GAAAyJ,EAAAzJ,IAAA,GAAAyJ,EAAAzJ,GAAA,KAKAyF,OAAA,SAAAmJ,EAAA3E,GA
KA,IAAA4E,EACA/P,EAAA8D,EAAAiC,QAAA+J,IAAAhM,EAAAkM,WAAAF,EAAAlM,gBACAC,GAAArB,
MAAA,uBAAAsN,GAKA,OAAA9P,EAAAmC,GACAnC,EAAAmL,GAIAnL,EAAArF,OAAA,GACAoV,EAAA,
CAAAD,IAAA,GAAA3E,GACArH,EAAAkM,WAAAtZ,eAAAoZ,EAAAlM,eACAsG,GAAA,SAAA1B,EAAAlF
,GACA,IAAA2M,EACAC,EAAAlQ,EAAAwI,EAAA2C,GACAtW,EAAAqb,EAAAvV,OACA,MAAA9F,IACAo
b,EAAA7R,EAAAoK,EAAA0H,EAAArb,IACA2T,EAAAyH,KAAA3M,EAAA2M,GAAAC,EAAArb,MAGA,SA
AAkM,GACA,OAAAf,EAAAe,EAAA,EAAAgP,KAIA/P,KAIA+F,QAAA,CAEAoK,IAAAjG,GAAA,SAAApK,G
AIA,IAAAwM,EAAA,GACACatJ,EAAA,GACACAoN,EAAAlM,EAAApE,EAAApE,wC,EAAA,OAEA,OAAA
kQ,EAAAjO,GACA+H,GAAA,SAAA1B,EAAAlF,GACA,IAAA2M,EAAAvD,EAAAuP,GACACA,IAAAvO,EACAC
AAAD,IAAA,GAAA3E,GACArH,EAAAkM,WAAAtZ,eAAAoZ,EAAAlM,eACAsG,GAAA,SAAA1B,EAAAlF
,GACA,IAAA2M,EAAAvD,EAAAuP,GACACA,IAAAvO,EACAQAGA,OADAkH,IAAA7M,cACA6M,IAAAAD,GAAA,GAAA,IAAAC,EAAArS,QAAAoS
,EAAA,YAEKzP,IAAAtB,aAAA,IAAAsB,EAAAxE,UACL,YAKAwF,OAAA,SAAAhB,GACA,IAAA2P,EAAA5
S,EAAA6S,UAAA7S,EAAA6S,SAAAD,KACA,OAAAAA,KAAAxS,MAAA,KAAA6C,EAAAkI,IAGAjV,GGAjV,KAAA,
SAAA+M,GACA,OAAAAA,EAAAuP,GAGAAoM,MAAA,SAAA7P,GACA,OAAAAhQ,EAAAiQ,WAIAC,QAAAjG,I
AAA,GACA5C,SAAA4C,SAAA4CAnQ,GAGA,IAAAuI,EAAAvI,EAAAvI,EAAAuI,SAAA1F,cACA,
gBAAA0F,KAAAvI,EAAAmQ,SAAA,WAAA5H,KAAApI,EAAAoQ,SAGO,OAAJAA,
EAAAtB,YACAsB,EAAAtB,WAAA2R,eAAAAtB,EAAAoQ,SAAA,EAAA8J,EAAAxE,UACAsB,IAAAZM,EAAAMAAA,SAAAtQ,GAKA,SAAAAAAE,GACA,IAAAoQ,EAAAlM,EAAApE,EAAAvF,OAAA,GAAAuF,EAAA,KAAAAAxC,cAC
A,IAAAAA3L,EAAAAAAuI,GAAAAAAC,EAAAAAAt4,eAAAAAAkoM,QAAA,E
AAAAC,OAAA,GACAZpO,EAAAiC,QAAAlR,GAAAAkW,GAAAlW,GAIA,SAAAAAAmb,QAAA,E
AAAAC,OAAA,GACAZpO,EAAAiC,QAAAlR,GAAAAkkW,GAAAAlW,GAIA,SAAAAAA8I,
GAIA,IAAAtd,EAAAAtd,EAAAAuI,GAAAAAuI,EAAAAAA8J,YACA,IAAAAAA8Q,EAAAAxX,GAAAA8Q,EAAAAAA5J,cAA
CjBiL,GAAAqS,EAAAtd,GAAAiB,MAEA,OAAAgK,EAGA,SAAAqI,GAAAiI,EAAAAAC,GACA,IAAA
hK,EAAA+J,EAAA/J,IACAiK,EEAAF,EEAA1Z,KACAtC,EEAAkc,GAAA,eAAAkc,EACAjK,EEACAkK,GAAAAF,EAAAA
c,EACAuoc,EAEAAxN,IAEA,OAAAAoN,EAAAlR,MAEA,SAAAAAAAH,EAAAhB,EAAAuP,GACA,MAAAAvO,IAAAsH,

GACA,OAAAtH,EAAAxE,UAAAgW,EACA,OAAAnC,EAAArP,EAAAhB,EAAAuP,GAGA,UAIA,SAAAvO,E
AAAhB,EAAAuP,GACA,IAAAmD,EAAAlD,EAAAC,EACAkD,EAAA,CAAA3N,EAAAyN,GAGA,GAAAlD,G
ACA,MAAAvO,IAAAsH,GACA,QAAAtH,EAAAxE,UAAAgW,IACAnC,EAAArP,EAAAhB,EAAAuP,GACA,c
AKA,MAAAvO,IAAAsH,GACA,OAAAtH,EAAAxE,UAAAgW,EAOA,GANA/C,EAAAzO,EAAAoB,KAAApB,
EAAAoB,GAAA,IAIAoN,EAAAC,EAAAzO,EAAA8O,YAAAL,EAAAzO,EAAA8O,UAAA,IAEAyC,OAAAvR,
EAAAuI,SAAA1F,cACA7C,IAAAsH,IAAAtH,MACO,KAAA0R,EAAAlD,EAAAnZ,KACPqc,EAAA,KAAA1N,
GAAA0N,EAAA,KAAAD,EAGA,OAAAE,EAAA,GAAAD,EAAA,GAMA,GAHAlD,EAAAnZ,GAAAsc,EAGA
A,EAAA,GAAAtC,EAAArP,EAAAhB,EAAAuP,GACA,SAMA,UAIA,SAAAqD,GAAAC,GACA,OAAAA,EAA
AjY,OAAA,EACA,SAAAoG,EAAAhB,EAAAuP,GACA,IAAAza,EAAA+d,EAAAjY,OACA,MAAA9F,IACA,IA
AA+d,EAAA/d,GAAAkM,EAAAhB,EAAAuP,GACA,SAGA,UAEAsD,EAAA,GAGA,SAAAC,GAAA/S,EAAAg
T,EAAA9P,GAGA,IAFA,IAAAnO,EAAA,EACAwM,EAAAyR,EAAAnY,OACQ9F,F,EAAAwM,EAASxM,IACjB
gP,GAAA/D,EAAAgT,EAAAje,GAAAmO,GAEA,OAAAA,EAGA,SAAA+P,GAAA1C,EAAAvP,EAAAkL,EAA
AjM,EAAAuP,GAOA,IANA,IAAAvO,EACAiS,EAAA,GACAne,EAAA,EACAwM,EAAAgP,EAAA1V,OACAs
Y,EAAA,MAAAnS,EAEQjM,EAAAwM,EAASxM,IACjBkM,EAAAsS,EAAAxe,GACA,QAAAsP,EAAAxb,MACAmX,MAAAjL,EAAAh
B,EAAAuP,GACA,KACA0D,EAAA/Y,EAAA/E,EAAAoe,GAGAdS,GACAnS,EAAAgF,GAAAyG,EAAAyK,GAGAsK,GACAwVS,GAGAoK,EAAAzG,EAAArI,OAGA6
F,EAAAgI,GAAAqK,GAAA/S,GAAA,IAAAC,EAAAxD,SAAA,CAAAwD,KAAA,IAGA2T,GAAA/E,IAAAnG,
GAAA1I,EAEAU,EADAuS,GAAAvS,EAAA+S,EAAAuP,EAAAuP,GAGAqE,EAAAvD,EAEAgD,IA
AA5K,EAAAmG,EAAA8E,GAAAN,GAGA,GAGAnQ,EACAGAnQ,EACAQ,EAGA,GALA,GAGAtD,GACAA,EAAAsD,EAAAC,E
AAA5T,EAAAuP,GAIA6D,EAAAuP,GAIA6D,EAAAaya,EAAAye,EAAAA3Y,OACA,MAAA9F,KACAKAkM,EAAAkM,
AAuP,GAGAza,EAAAye,EAAAA3Y,OACA,MAAA9F,KACAKAkM,EAAAkM,EAAAAH,EAAAA3e,
MAAA6e,EAAAF,EAAAA3e,IAAAkM,IAKA,GAAAyH,GACA,GAAA4K,GAAAzE,EAAA,CAACA,GAAAyE,EAA
AA,CAEAE,EAAA,GACAze,EAAA8e,EAAAhZ,OACA,MAAA9F,KACAKAkM,EAAA4S,EAAA9e,GAEA,GAAAA
ArZ,KAAAyZ,EAAA7e,GAAAkM,GAGAqS,EAAA,KAAAO,EAAA,GAIAza,EAAA8e,EAAA
AhZ,OACA,MAAA9F,KACAKAkM,EAAA4S,EAAA9e,GAEA,GAAAAF,EAAAhV,EAAAoK,EAAAzH,GAAAwS
,EAAA1e,KAAA,IAEA2T,EAAA8K,KAAAtQ,EAAAsQ,GAAAvS,UAOA4S,EAAAZ,GACAAY,IAAA3Q,EACA2
Q,EAAAlS,OAAAgS,EAAAhZ,QACAgZ,EACAAEAAAhZ,QAGAAP,EACAAA,KAAApQ,EAAA2Q,EAAAArE,GAEA
rV,EAAA+G,MAAAgC,EAAA2Q,KAMA,SAAAAzB,GAwBA,IAvBA,IAAA0B,EAAAzD,EAAA9O,OACA,EA
CAD,EAAA8Q,EAAAxX,OACAmZ,EAAAhQ,EAAAwK,SAAA6D,EAAA,GAAAtT,MACAkV,EAAAAD,GAAA
hQ,EAAAwK,SAAA,KACAzZ,EAAAif,EAAAA,IAGAE,EAAA7L,GAAA,SAAAApH,GACA,OAAAA,IAAA8S,GA
CGE,GAAA,GACHE,EAAA9L,GAAA,SAAAApH,GACA,OAAAA3C,EAAAyV,EAAA9S,IAAA,GCGgT,GAAA,
GACHnB,EAAA,UAAAA7R,EAAAhB,EAAAuP,GACA,IAAA7O,GAAAqT,IAAAxE,GAAAvP,EAAAqE,MACAy
P,EAAAA9T,GAAAxD,SACAyX,EAAAhB,EAAAuP,GACA2E,EAAAlT,EAAAhB,EAAAuP,IAGA,OA
DAuE,EAAA,KACAApT,IAGA5L,EAAAAwM,EAAASxD,GAAAub,EAAAAtM,EAAAAwK,SAAA6D,EAAAtd,
GAAAgK,MACA+T,EAAAA,CAAAAzK,GAAAAwK,GAAAAC,GAAAAxC,QACG,CAIH,GAHAA,EAAAtM,EAAAAkI,
OAAAAmG,EAAAAtd,GAAAAgK,MAAAAKAAAmR,EAAAAtd,GAAAAyO,SAGA8M,EAAAAtd,GAAAAwK,MAAAA,KAAAAmR,
AAAApC,EAAAA,MACAkQ,EAACAvb,EACAAyM,EAAAAsS,EAAAAyM,GAAAAsS,EAAAAzB,EAAAAjU,MAAAArJ
D,GAAAuS,GAAAzB,IAAAjU,MAAAAoD,GAAAAoI,GAAA0I,IAGAAS,EAAAA3Y,EAAAAamW,GA
IA,OAAAuC,GAAAAC,GAGA,SAAAsB,GAAAC,EAAAAC,EAACA,IAAAAC,EAAAAD,EAAAAzZ,OAAAAEACA2Z,E
AAAAH,EAAAAxZ,OAAAAEACA4Z,EAAAASAAA/L,EAAAAzI,EAAAASAAAzI,EAAAAuP,EAAAAtM,EAAAAwR,GACA,IAAAAzT,EA
AAO,EAAAA8O,EACAqE,EAAAA,EAAAAECA5f,EAAAAEAAAACwb,EAAAA7H,GAAA,GACAkM,EAAAAEACA,EAAAv
Q,EAEA5D,EAAAAgI,GAAAA8L,GAAAAxQ,EAAAAoI,KAAAA,WAAAAsI,GAEAEAAAvS,KAAAAC,EAAAA4P,E,EAAAA,
EAAAAvS,KAAAAAC,UAAAAGACAhB,EAAAAb,EAAAAaAAAb,EAAAAaAA7F,OASA,SAAAAAzB,GAwBA,

AAAyU,GAMU3f,IAAAwM,GAAA,OAAAN,EAAAP,EAAA3L,IAAwCA,IAAA,CAClD,GAAAyf,GAAAvT,EA
AA,CACAO,EAAA,EACAvB,GAAAgB,EAAA+H,gBAAAnL,IACA4G,EAAAxD,GACAuO,GAAA7K,GAEA,M
AAA2L,EAAA+D,EAAA7S,KACA,GAAA8O,EAAArP,EAAAhB,GAAApC,EAAA2R,GAAA,CACAtM,EAAA/I
,KAAA8G,GACA,MAGAyT,IACAzP,EAAA6P,GAKAP,KAEAtT,GAAAqP,GAAArP,IACA0T,IAIAjM,GACA6
H,EAAApW,KAAA8G,IAgBA,GATA0T,GAAA5f,EASAwf,GAAAxf,IAAA4f,EAAA,CACAnT,EAAA,EACA,M
AAA8O,EAAAgE,EAAA9S,KACA8O,EAAAC,EAAAqE,EAAA3U,EAAAuP,GAGA,GAAA9G,EAAA,CAEA,G
AAAiM,EAAA,EACA,MAAA5f,IACAwb,EAAAxb,IAAA6f,EAAA7f,KACA6f,EAAA7f,GAAA2Q,EAAAxQ,K
AAAgO,IAMA0R,EAAA3B,GAAA2B,GAIAza,EAAA+G,MAAAgC,EAAA0R,GAGAF,IAAAhM,GAAAkM,EA
AA/Z,OAAA,GACA8Z,EAAAL,EAAAzZ,OAAA,GAEAkJ,GAAAgK,WAAA7K,GAUA,OALAwR,IACAzP,EA
AA6P,EACAxQ,EAAAuQ,GAGAtE,GAGA,OAAAgE,EACAnK,GAAAqK,GACAA,EA+KA,OA9mBAvE,GAA
AvZ,UAAAqN,EAAA+Q,QAAA/Q,EAAAiC,QACAjC,EAAAkM,WAAA,IAAAA,GAEA/L,EAAAJ,GAAAI,SA
AA,SAAAnE,EAAAgV,GACA,IAAA5E,EAAAxH,EAAAyJ,EAAAtT,EACAkW,EAAApM,EAAAqM,EACAC,E
AAA9P,EAAArF,EAAA,KAEA,GAAAmV,EAAAmV,EAAA,KAEA,GAAA6W,EAAA,MAAAwK,EAAA,CAyBA
jV,EACA6I,EAAA,GACAqM,EAAAlR,EAAA6K,UAEA,MAAAoG,EAAA,CAyBA,CAyBA,IAAAlW,KAtBAx
H,EAAAxC,EAAAxC,EAAA6C,KAAA7K,GAMA,MACAy9O,EACA6U,EAAAnW,GACAGK,EACAC,EAAA
4mKyBA,EACA4U,GACAmG,EAAAmG,GAMAy4E,EAAAxH,EA
AAuB,QACAkI,EAAAlY,KAAA,CACACAnE,MAAAAoa,EAEAERkKAAA6J,EAAA,GAAApG,EAAApC,EA
AA,GAAAApG,EAAAkI,KAAAgM,EAAArS,OACAE,AA,CACAnW,MAAAuaoa,EACAERkKAAA6J,EAAAvV
,SAIAmJ,EAAAkI,EAAA4U,EAAAvV,SAIA,IAAAuV,EA
CA,MAOA,OAAA4E,EACAC,EAAApa,OACAoa,EACAlR,EAAArB,GAAArB,MAAA1C,EAAA0F,GAAA
AzK,MAAA,IA+XAgG,EAAAL,EAAAAK,QAAA,SAAApE,EAAAt,IAAA7T,EACAuf,EAAA,EACAAC,EAAA
,EAAA,EACAc,EAAAAc,EAAA7P,EAAAtF,EAAA, KAEA,IAAAmV,EAAA,CAEAvM,EAAAAzE,EAAAnE,IAEAj
L,EAAA6T,EAAA/N,EAAA/N,OACA,MAAA9P,EAAAAna,KAAAAgb,EAEAd,EAAAla,EAAAla,KAAAgb,G
AKA,GAAAAc,EAAA,CACAAO7P,EAEAtF,EAAAnE,IAEA6W,VWAEA,OAAAAmV,GAYA9Q,9Q,EAAAN,G
AAAAM,OAAA,SAAApE,IAAA5B,EEAAAN,GAAANU,AAAAAAN,IACA,IAAA5B,EEAAAAAAEEAI,AACA, G
AEAImS,IACJpV,IAAAAN,YAGAK,IAAA5B,MAAAiU,EAAAll,QAAAnU,MAAA6E,QAIA9F,EAAA0R,EAAA,g
BAAA8C,KAAAvJ,GAAA,EAAAqS,EAAAxX,OACA,MAAA9F,IAAA,CAIA,GAAAAqgB,EAAA/C,EAAA/d,GA
GAiP,EAAAwK,SAAA6P,EAAAqW,EAAArW,EAAApI,EAAAoI,EAAAoI,KAAArN,MAEA2J,E
AAA0D,EACAGgJ,EAEA5R,QAAA,GAAA8hB,QAAA8E,EAAAC,IACAF,EAAAkC,KAAA8I,EAEA,GAAAA
0D,EACAGgJ5R,QAAA,GAAA8hB,QAAA8E,EAAAC,IACAF,EAAAkC,KAAA8I,EAAA,GAAAAtT,O
AAA8K,GAAA5J,EAEA7N,OADA7F,EAEA+G,MAAAgC,EAAA0F,GAAAAzK,MAAA,IAAAA,GAAA,UAAAj
D,EAAA,gBAAA8C,KAAAvJ,GAAA,EAAAqS,EAAAxX,OACA,MAAA9F,IAAA,CAyBA,IAAAqgB,EAAA/C,E
AAAAjD,EAEAGgIIjK5R,QAAA,GAAA8hB,QAAA8E,EAAAC,IACAF,EAAAyC,EAAAAs,EAAAvP
AAA5E,EAAA3L,EAAA4O,GACA,IAAAyJ,EACA,IAAAzJ,EACA,WAAAjD,EAAA3L,KAAAwO,eACA6J,E
AAA1M,EAAAoL,EAAAoO,GACA,IAAA1M,EAAAoL,iBAAA/W,KAAAAqY,EEAAAC,UACAD,EAAA3X,M
ACA,OAAAKA+N,GAAhsEA,CAksEC/F,GAID

+B,EAAAqM,KAAArI,EACAhE,EAAAyN,KAAAzJ,EAAAuK,UAGAvO,EAAAyN,KAAA,KAAAzN,EAAAyN,
KAAAvH,QACAlG,EAAAgO,WAAAhO,EAAAwV,OAAAxR,EAAAgK,WACAhO,EAAAP,KAAAuE,EAAAE,
QACAlE,EAAAyV,SAAAzR,EAAAG,MACAnE,EAAA+E,SAAAf,EAAAe,SACA/E,EAAA0V,eAAA1R,EAAA8
J,OAKA,IAAAtF,EAAA,SAAAtH,EAAAsH,EAAAmN,GACA,IAAAtF,EAAA,GACAuF,OAAAxe,IAAAue,EAE
A,OAAAzU,IAAAsH,KAAA,IAAAtH,EAAAxE,SACA,OAAAwE,EAAAxE,SAAA,CACA,GAAAkZ,GAAA5V,
EAAAkB,GAAA2U,GAAAF,GACA,MAEAtF,EAAAjW,KAAA8G,GAGA,OAAAmP,GAIAyF,EAAA,SAAArf,E
AAAyK,GAGA,IAFA,IAAAmP,EAAA,GAEQ5Z,EAAGA,IAAAuU,YACX,IAAAvU,EAAAiG,UAAAjG,IAAAy
K,GACAmP,EAAAjW,KAAA3D,GAIA,OAAA4Z,GAIA0F,EAAA/V,EAAA/V,EAAAyN,KAAA5E,MAAA5B,aAIA,SAA
AwC,EAAAvI,EAAAA3L,GAEA,OAAAl2L,EAAAuI,UAAAvI,EAAAuI,SAAA1F,gBAAAxO,EAAAwO,cAGA,IA
AAiS,EAAA,kEAKA,SAAAC,EAAAvI,EAAAwI,EAAAx5F,GACA,OAAAzU,EAAAqa,GACAlW,EAAAsD,KAA
AoK,EAAA,SAAAxM,EAAAlM,GACA,QAAAkhB,EAAA/gB,EAAA/gB,EAAA+gB,EAAAoP,IAKA4
F,EAAAxZ,SACAsD,EAAAsD,KAAAoK,EAAA,SAAAxM,EAAA/gB,E,EAAApJ,IAAAgV,IAAA5F,IAKA,kBAAA4F
,EACAlW,EAAAsD,KAAAoK,EAAA,SAAAxM,EAAAlM,GACA,OAAA3C,EAAApJ,KAAA+gB,EAAAhV,IAAA,IAAAo
P,IAKAtQ,EAAAmM,OAAA+J,EAAAxI,EAAA4C,GAGAtQ,EAAAmM,OAAA,SAAAsB,EAAA9M,EAAA2P,G
ACA,IAAApP,EAAAAP,EAAA,GAMA,OAJA2P,IACA7C,EAAA,QAAAAA,EAAA,KAGA,IAAA9M,EAAA7F,QA
AA,IAAAoG,EAAAxE,SACASD,EAAAqM,KAAAAK,gBAAAxL,EAAAuM,GAAAA,CAAAAvM,GAGAlB,E
AAAqM,KAAA5I,QAAAgK,EAAAAzN,EAAAsD,KAAA3C,GAGA,SAAAWA,EAAAA,O,GACA,WAAAA,EAAAxE,S
AAAO,GACA,IAAAjL,EAAA4L,EAAA4L,EAACAY,EAAA7M,EAAAwM,EAAAAxB,IACzB,GAAAgL,EAAA+E,SAAArQ,EAAAAAM,GAAAAL,MACA,Y
AQA,IAFAiM,EAAAjM,EAAA+L,UAAA+L,IAEA1L,EAAA,EAAAcA,EAAAwM,EAAAAcA,EAAAwM,IACvBgL,EAAAqM,K
AAApM,EAAAAvL,EAAAAAM,GAAAA4L,EAAAAAAM,GAGA,OAAAY,EAAAAM,GAAAA4L,EAAAAgO,WAAAApN,MAEAuL,OAAA,
SAAAlM,GACA,OAAAtL,EAAA+L,UAAAAL,EAAAthB,MAAAA+gB,IAAAASAArQ,GACA,O
AAAtL,KAAA+L,UAAAAL,EAAAthB,MAAAuV,EAAAthB,KAAAAsL,GAAA,SAAA5V,GACA,QAAAQAAAgW,EAACAth
B,KAIA,kBAAAAsL,EAAAAsL,GAAAA8V,EAAAAAvM,EAAAVJ,GACAD,EAAAAC,GACAA,EAAAAA,GAAAAIACA,GAACAnF,UASA,IA
AAqb,EAAA9O,EAAA,sCAEAAAA,EAAAAsL,EAAAjH,EAAAAAAJ,EAAAAAAG,GAAAC,KAAAAAAAAH,EAAAAA/L,GACA,IAAAA0U
,EAAAA3H,EAAAACAEAjH,EAAAAAAJ,EAAAAAAG,GAAAAC,KAAAAAAAH,EAAAAA/L,GACA,IAAA0U,
,EAAA3H,EAGA,IAAAAjB,EAACA,OAAAAtL,KAQA,GAHAQAHAR,KAAAAgiB,EAAGA,kBAAAAlW,EAAAAAaA,GAPA4
I,EAALA,MAAA5I,EAAAA,IACA,MAAAAA,IAAAAnF,OAAAA,IACA,OAAAACAmF,EAAAAnF,EAAAQAAA,EAAAA,
MAGAoH,EAAA6B,KAAAjJ,IAIA4I,EAAAA3I,EAAAA6B,GAEArE,EAAAAAEAaAE,EAAAAAaAA4I,GAAAApD,DA,GAAAA4I
,EAAAA,EAAAAAI,EAAAAjB,EAAAAAlM,GAAAAKAAAAAAA7I,EAAAA2I,EAAAAA,IAKAA9E,EAAAAAaAA1G,G
ACAA,IAAAA2I,EAAAA1I,EACAA,OAAAAAmO,EAAAAnFA7K,EAAAAoE,EAAAAAaAAaAsL,EAAAAvD,UACH/H,KAAA,GAAA
sL,EACAtL,KAAAAmG,OAAAAA,EAACAnG,EAAAAAAAAgE,EAAAAAAG,KAAAAAsL,EAAAAoH,EAAAAoE,EAAAAAaAA4
A,EAACAtL,KAAAAmG,OAAA,EACACAnG,MAAAGkH,EAAAAoE,QAACAH7I,IAAAAjD,EAAAAkiB,EAAAAAliB,EAAAAkiB,
MAAAApW,GAGAA,EAAAAAD,GAGAA,EAAAAAkD,UAAAAjD,EAAAAAtL,EAAAAxJ,EAAAAAAwY,EAAAA,iCAGAC,EAAAACACAC,UAAA
A,EACAA5d,M
AAA,EACAA6d,M,GAoFA,SAAAAC,EAAAA9L,EAAAArC,GACAA,OAAAA9J,EACAA5V,EAACA,OAAAAAqC,IAAAArC,KAAAAAAAAqC,EAAAA
nN,UACA,OAAAAEACAAuV,EAAAAC,EAAAAAAOD,IACjB,GAAAAgL,EAACAAA+E,EAAAA,EAAAA,SAACApQ,KAAAAiiB,EAAAAAAA5hB,BA
AAAAAA,SAAAAAAAI,EAAAAC,EAAAAAAOD,IACjB,IAAAA6V,EAAAA6V,EAAAAAAAOD,GAGA,IAAAA5O,EAACA, OAAA3K KAAAAAaA,EAAAA6B,UAAAAAAAA+L
,G,OAAAAAIACAAAAAAAaAAAaKAAaAAAAAA3C
V,EAAAAAaAA,EAAAAAvN,MACA,EAAAA2hB,EAAAA9b,OAAAA,OAAAA,OAAAAnG,KAAAAAwX,OAAA,WAEA,IAAAAnX
,EAACA,OAAAAEAACUA,EAAAAAAC,EAAOD,IACjB,GAAAAgL,EAAAA+E,SAAAApQ,EAAAAAI,GAAAA+L,UAAAA,EAAAA,
AAAA,GAAAAA,SAAAAAtI,EAAAAArO,GACA,IAAAA2K,EAAAA2I,EAACA7V,EAAAAAIAAAAE,UAAAAiG,EAAAAAAaA,EAAAA6B,G
AAAACA,OAAAAAqM,EAAAAAA+L,UAAAA7I,EAAAA6B,GAEAA9E,EAACAA2I,EAAAA6B,GAEAArE,EAAAAAaAA9E,GAAAAAAAA1
G,GAAAAAAC, SAAAAA,OAAAAAmO,EAAAAAAaA7K,EAAAA6B,UAAAAtL,EAAAAAA,iCAGAC,EAAAAAD,GAAAAeEAvN
O,EAAAAAsCAEAjH,EAAAAJ,EAAAAAG,EAAAAAJ,EAAAAAG,GAAAAC,KAAAAAAAAH,EAAAA/L,GACA,IAAA0U
,EAACA3H,EAGA,IAAAAjB,EAACA,OAAAAtL,KAGA,GAHAQAAAR,KAAAAgiB,EAAGA,kBAAAAlW,EAAAAa,GACA,IAAA0U
,EAAA3H,EAAAAAGAHA,EAAAA/gB,EAAAAJ,IAAAA5F IAAAA5FA,GAAAAAA GAPA4
I,EAALA,MAAA5I,EAAAA,IACA,MAAAAA IAAAAnF OAAAA,IACA,OAAAAAmF EAAAAnF EAAAAAA,E

,EAAApJ,KAAA6K,EAAAkB,GAAAvM,KAAA,IAIA4J,EAAApJ,KAAAR,KAGAuM,EAAAX,OAAAW,EAAA,
GAAAA,GAZAvM,KAAA,IAAAA,KAAA,GAAAiL,WAAAjL,KAAA0M,QAAAyV,UAAAhc,QAAA,GAgBAic,
IAAA,SAAA9W,EAAAC,GACA,OAAAvL,KAAA+L,UACAV,EAAAgO,WACAhO,EAAAa,MAAAlM,KAAAk
B,MAAAmK,EAAAC,EAAAC,OAKA8W,QAAA,SAAA/W,GACA,OAAAtL,KAAAoiB,IAAA,MAAA9W,EAC
AtL,KAAAmM,WAAAnM,KAAAmM,WAAAqL,OAAAlM,OAUAD,EAAAe,KAAA,CACA8O,OAAA,SAAA3O
,GACA,IAAA2O,EAAA3O,EAAAtB,WACA,OAAAiQ,GAAA,KAAAA,EAAAnT,SAAAmT,EAAA,MAEAoH,Q
AAA,SAAA/V,GACA,OAAAsH,EAAAtH,EAAA,eAEAgW,aAAA,SAAAhW,EAAAlM,EAAA2gB,GACA,OAA
AnN,EAAAtH,EAAA,aAAAyU,IAEA9c,KAAA,SAAAqI,GACA,OAAAyV,EAAAzV,EAAA,gBAEAwV,KAAA,
SAAAxV,GACA,OAAAyV,EAAAzV,EAAA,oBAEAiW,QAAA,SAAAjW,GACA,OAAAsH,EAAAtH,EAAA,gB
AEA4V,QAAA,SAAA5V,GACA,OAAAsH,EAAAtH,EAAA,oBAEAkW,UAAA,SAAAlW,EAAAlM,EAAA2gB,
GACA,OAAAnN,EAAAtH,EAAA,cAAAyU,IAEA0B,UAAA,SAAAnW,EAAAlM,EAAA2gB,GACA,OAAAnN,
EAAAtH,EAAA,kBAAAyU,IAEAG,SAAA,SAAA5U,GACA,OAAA4U,GAAA5U,EAAAtB,YAAA,IAA0CyO,W
AAAnN,IAE1CsV,SAAA,SAAAtV,GACA,OAAA4U,EAAA5U,EAAAmN,aAEAoI,SAAA,SAAAvV,GACA,OA
AAuI,EAAAvI,EAAA,UACAA,EAAAoW,iBAMA7N,EAAAvI,EAAA,cACAA,IAAAqW,SAAArW,GAGAlB,EA
AAa,MAAA,GAAAAK,EAAAuH,eAEC,SAAAlT,EAAA4K,GACDH,EAAAAG,GAAA5K,EAAA,SAAAogB,EAA
A1V,GACA,IAAAoQ,EAAArQ,EAAAAiB,IAAAAtM,KAAAwL,EAAAwV,GAuBA,MArBA,UAAApgB,EAAA8I,
OAAA,KACA4B,EAAA0V,GAGA1V,GAAA,kBAAAA,IACAoQ,EAAArQ,EAAAAmM,OAAAlM,EAAAoQ,IAGA
1b,KAAAmG,OAAA,IAGAyb,EAAAhhB,IACAyK,EAAAgO,WAAAqC,GAIAiG,EAAA9M,KAAAjU,IACA8a,E
AAAmH,WAIA7iB,KAAA+L,UAAA2P,MAGA,IAAAoH,EAAA,oBAKA,SAAAC,EAAA5V,GACA,IAAApL,,E
AAA,GAIA,OAHAsJ,EAAAe,KAAAAe,EAAA+G,MAAA4O,IAAA,YAAAhQ,EAAAkQ,GACAJhB,EAAAihB,IA
AA,IAEAJhB,EA4NA,SAAAkhB,EAAAC,GACA,OAAAA,EAEA,GACA,MAAAA,EAGA,SAAAiG,AEGA,SA
AAC,EAAAA/hB,EAAAA,GACA,OAAAA,EAEA,GACA,MAAAAA,EA
AAoiB,SACAD,EAAAAjjB,EAAA,GAGA,GAQAD,EAAAA6F,EAAAAuc,EAAAAniB,EAA
AAoiB,SACAD,EAAAAjjB,EAAA,GAGA,GAQAD,EAAAA6F,EAAAAuc,EAAAAni
B,EAAAA6F,MAACHsc,EAAAAjjB,EAAAAc,EAAAAgiB,EAAAAC,EAGAD,EAAAA9W,WAAAA/J,EAAA,
CAAAnB,GAAAAoI,MAAAA8Z,IAME,MAAAAAliB,GAIFiiB,EAAAA/W,WAAAA/J,EAAA,CAAAAnB,GA
AAAoI,KAvOA+J,EAAAAuY,EAAAAuY,UAAAA,SA
AAAzW,GAIAA,EAAAA,kBAAAAEACA4V,EAAAA5V,GACA9B,EAAAA6B,EAAAAmBC,GAEnB,IACA0W,
EAGAC,EAGAC,EAGA9S,EAGA+S,EAGA,GAGA,GAGA,WAQA,IALAH,K
AAA7W,EAAAAiX,KAIAL,EAAAA9F,OAAAAc+d,GAAA,GACA,QAAAyO,EAAAAhT,EAAAA,EAAAAx,MAA
AsX,EAAA,GAAAAA,EAAAA,KACA3W,EAAAAkX,cAGAH,EAAAAhT,EAAAA/K,OACA2W,SACAA,EAAAA
AGAG,IAIA9S,EAAAA9S,EADA4S,EAAAAKAMA/jB,EAAAAeCA,EAGA,WAQA,IALA+jB,K
AAAC,EAAAAfC,WA2BA,OAA1BA,EAAA,KAAAWA,EAAA,OAEAA,EAAAA9M,KAAA,SAAAA,GAC
A,OAAAA,EAAAA/V,GAEAoiB,EAAA7N,KAAAwC,EAAAXe,EAAAxe,IAAAyK,IAEA8X,EA
AAAe,KAAAAmP,EAAAA,SAAAzI,EAAAA9D,GACA,OAAAA,EAAAA9D,GA4NA,SAAAgF,EAAAAC,GAC
A,OAAAA,EAEA,GACA,MAAAAA,GAEGA,SAAAAvC,EAAAAlB,EAAAA,CAAAnB,GAAAAoI,MAAAA8Z,IA
MA,MAAAAAliB,EAAAAUACAAlB,EAAAA,CACA8O,OAAA,SAAA3O,GACA,IAAAA2O,EAEA4V,E
AAAAuY,UAAAAEACAvY,EAAAAni
B,EAAAA6F,MAACHsc,EAAAAjjB,EAAAAc,EAAAAgiB,EAAAAC,EGA,qBAAAAtZ,EAAAAuY,EAAAA
uY,EAAAAv
Y,EAAAAeCA,EAAAAeCA,EAAA,CAAAAnB,GAAAAoI,KAvOA+J,EAAAAuY,EAAAAuY,UAAAA,SAAAz
W,GAIAA,EAAAA,kBAAAAEACA4V,EAAAA5V,GACA9B,EAAAA6B,EAAAA,kBA
AAAAvZ,EAAAA,WAAAA/J,EAAA,CAAAAnB,GAAAAoI,MAAAA8Z,IAME,MAAAAAliB,GIFiiB,EAAAA/
W,WAAAA/J,EAAA,CAAAAnB,GAAAAoI,KAvOA+J,EAAAAuY,EAAAAuY,UAAAA,SAAAzW,GIAAA,EA
AAA,kBAAAAEACA4V,EAAAA5V,GACA9B,EAAAA6B,EAAAAmB,C,WAENqX,IAAAD,GACAM,KAGAnkB,M
AIAskB,OAAAA,WAYA,OAAAe,KAAAAK,UAAA,SAAAAq
G,EAAAA9D,GACA,IAAAAA9I,EAAA,EACA,OAAAAA,EAEA,OAAAA,EAAAmF,EAAAAoD,QAAAAO,EA
AAAkC,EAAAAhL,EAAACAH,EAAAA6B,EAAAAoD,QAAAAjD,EAAAAgL,EAAAAecCgL,EAAAAecCe
CAA8B,EAAAiX,EAAAA9D,QAAAAexe,EAAAAuY,UAAAA,SA
AAAvZ,EAAAA,WAAAA/J,EAAA,CAAAAnB,GAAAAoI,MAAAA8Z,IAME,MAAAAAliB,GIFiiB,EAAAA/W,
WAAAA/J,EAAA,CAAAAnB,GAAAAoI,KAvOA+J,EAAAAuY,EAAAAuY,UAAAA,SAAAzW,GIAAA,EAAA
A,kBAAAAEACA4V,EAAAA5V,GACA9B,EAAAA6B,EAAAAmB,C,WAENqX,IAAAD,GACAM,KAGAnkB,M
AAA,SAAAAvZ,GACA,OAAAAkY,EAAAAvc,EAAAAxe,IAAAAyK,IAAAA,KA

AAqE,IAIAwZ,KAAA,WACA,IAAAC,EAAAxY,UAEA,OAAApB,EAAAqZ,SAAA,SAAAQ,GACA7Z,EAAAe,
KAAAuY,EAAA,SAAAtkB,EAAA8kB,GAGA,IAAA3Z,EAAAtE,EAAA+d,EAAAE,EAAA,MAAAF,EAAAE,E
AAA,IAKAL,EAAAK,EAAA,eACA,IAAAC,EAAA5Z,KAAAgB,MAAAxM,KAAAyM,WACA2Y,GAAAle,EA
AAke,EAAA1B,SACA0B,EAAA1B,UACA2B,SAAAH,EAAAI,QACA9U,KAAA0U,EAAA5B,SACAK,KAAAu
B,EAAA3B,QAEA2B,EAAAC,EAAA,WACAnlB,KACAwL,EAAA,CAAA4Z,GAAA3Y,eAKAwY,EAAA,OAC
MvB,WAENvc,KAAA,SAAAoe,EAAAC,EAAAC,GACA,IAAAC,EAAA,EACA,SAAApC,EAAAqC,EAAAb,EA
AA/O,EAAA6P,GACA,kBACA,IAAAne,EAAAzH,KACAub,EAAA9O,UACAoZ,EAAA,WACA,IAAAAT,EAAAj
e,EAKA,KAAAwe,EAAAAD,GAAA,CAQA,GAJAN,EAAArP,EAAAvJ,MAAA/E,EAAA8T,GAIA6J,IAAAN,EA
AApB,UACA,UAAAoC,UAAA,4BAOA3e,EAAAie,IAKA,kBAAAA,GACA,oBAAAA,IACAA,EAAAje,KAGA
D,EAAAC,GAGAye,EACAze,EAAA3G,KACA4kB,EACA9B,EAAAoC,EAAAAZ,EAAA7B,EAAA2C,GACAtC,E
AAAoC,EAAAAZ,EAAA3B,EAAAyC,GACAAtC,EAAAoC,EAAAAZ,EAAA7B,EAAAAyC,GACAtC,EAAAoC,E
AAAAZ,EAAA3B,EAAAyC,GACAtC,EAAAoC,EAAAAZ,EAAA7B,EACA6B,EAAAiB,eASAhQ,IAAAkN,IACAxb,OAAAhF,EACA8Y,EAAA,CAAA6J,KAKAQ,GAAAd,EAAAkB,aAAAve,E
AAA8T,MAKA0K,EAAAL,EACAC,EACA,WACA,IACAA,IACW,MAAA/iB,GAEXuI,EAAAAqZ,SAAAwB,eAC
A7a,EAAAAqZ,SAAAwB,cAAApjB,EACAmjB,EAAAAE,YAMAR,EAAA,GAAAAD,IAIA3P,IAAAoN,IACA1b,OA
AhF,EACA8Y,EAAA,CAAAAzY,IAGAgiB,EAAAsB,WAAA3e,EAAA8T,MASAoK,EACAM,KAKA5a,EAAAAq
Z,SAAA2B,eACAJ,EAAAE,WAAA9a,EAAA2B,SAAA2B,gBAEA/c,EAAAgd,WAAAL,KAKA,OAAA5a,EAAA
qZ,SAAA,SAAAQ,GAGAP,EAAA,MAAAvC,IACAkB,EACA,EACA4B,EACAAhe,EAAAue,GACAA,EACAAxC,E
ACAiC,EAAAa,aAAApB,EAAA,MAAAvC,IACAkB,EACA,EACA4B,EACAAhe,EAAAA4B,EACAAhe,EAAAse,
GACAA,EACAArC,EAGAAMAGMO,WAKNA,QAA
A,SAAAxZ,GACA,aAAAA,EAAAmB,EAAA6B,OAAAhD,EAAAwZ,OAGAoB,EAAA,GAkEA,OA/DAzZ,EAA
Ae,KAAAuY,EAAA,SAAAtkB,EAAA8kB,GACA,IAAAjU,EAAAiU,EAAA,GACAAoB,EAAApB,EAAA,GAKAz
B,EAAAyB,EAAA,IAAAjU,EAAAkR,IAGAmE,GACArV,EAAAkR,IACA,WAIAwC,EAAA2B,GAKA5B,EAA
A,GAAAAkkB,EAAAAkkB,EAAA,GAAAAkkB,QAIAI,EAAA,EAAAAtkB,EAAA,GAAAAkkB,QAGAI,EAAA,M
AAAH,KAGAG,EAAA,MAOAtT,EAAAAkR,IAAA+C,EAAA,GAAAhb,MAKAW,EAAAAK,eAEA,OADAL,E
AAAK,EAAAAWAAnlB,OAAA8kB,OAAAriB,EAAAAzC,KAAAyM,WACAzM,MAMA8kB,EAAAK,EAAA,WAA
AjU,EAAAuT,WAIAf,UAAAAoB,GAGAlc,GACAA,EAAAApI,KAAAAskB,EAAAbB,KAIAA,GAIA0B,EAAA,E
ACA,IAGAC,EAAAja,UAAAAtG,OAAAGA9F,EAAAAqmB,EAGAAC,EAAAAjZ,MAAArN,GACAumB,EAAA
Ald,EAAAlJ,KAAAiM,WAGAoa,EAAAxb,EAAAAqZ,WAGAoC,EAAA,SAAAAzmB,GACA,gBAAAiB,EAACAqlB,E
AAAtmB,G
AAAL,KACA4mB,EAAAAvmB,GAAAoM,UAAAAtG,OAAA,EAAAAuD,EAAAAlJ,KAAAiM,WAAAAnL,IACAG
ACAG,EAAAAb,YAAAW,EAAAAC,KAMA,GAAAAF,GAAA,IACArD,EAAAAoD,EAAAAI,EAAAArW,KAAAAsW,EAA
AzmB,IAAAijB,EAAAAuD,EAAAAtD,EAACAmD,GAGA,YAAAG,EAAAvmB,EAAAAvmB,EAAAuD,GAAAA
mB,EAACAvmB,EAAAA8G,OAEA,OAAA0f,EAAA1f,OAKA,MAAA9G,IACAAgjB,EAAAAuD,EAAAAvmB,E
AAAAymB,EAAAAtD,EAAAAmD,GAAAwmB,EAAAAzmB,EAAAAwmB,EAAAAtD,EAAAAnD,GACA,OAA
AAsD,EAAAnD,EACAAyDAEA1b,EAAAAqZ,SAAAAwB,cAAAASAAwB,cAAAASAAwB,cAAASAAlY,EAAAAgZ,GA
IA1d,EAAAA2d,SAAA3d,EAAA2d,QAAAC,MAAAlZ,GAAA+Y,EAAAAlS,GAAAA+Y,EAAAAlQ,GAAAkW,
EAACA2lgB,KAAAqE,GAKAAuZ,MAAAA,SAAA/W
,GACA3C,EAAAA+b,eAAAApZ,KAGAhO,MAGAqL,IAAAAqZ,EAAAAhc,EAAAAqZ,WAAAAkDA,SAAAA4C,
IACAne,EAAAoe,oBAAAA,mBAAAD,GACAAhe,EAAAie,EAAAoe,GAAAA,OAAAAD,GACAAjc,EAAAAqW,Q
AnDArW,EAAAAG,GAAAAkW,MAAAA,SAAAAlW,GAYA,OAVA6b,EAAAAlgB,KAAAAqE,EAAAAqE,UAZ
A,SAAAA,/W,GACA,GAAA3C,CAAA3C,EAAAAwZ,OAGAoB,EAAA,GAaA,EAIAOA,MAAAAC,EAAA,EA
ACAAAA0C,IACAAne,EAAAoe,oBAAAA,mBAAAD,GACAAhe,EAAAie,EAAAoe,GAAAA,OAAAAD,GACAA
jc,EAAAAqW,QAnDArW,EAAAAG,GAAAAkW,MAAAA,SAAAAlW,GAYA,MAAAA,SAAAA5b,EAAAR,EA
AAA5J,EAAAAN,EAAAAumB,EAAAEAAR,EAAAIAAApc,EAAAAmc,UAAAAnc,EAAAAA5b,EAAAEAACAw
M,EAAA,EACAAAA0C,IACAAne,EAAAoe,oooooo
MAAA,SAAA+F,KAGA,IAAAA,IAAApc,EAAAAmc,UAAAAnc,EAAA0C,WAKA1C,EAAAAqW,QAnDArW
,EAAAAG,GAAAAkW
AAA0Z,KAAAApc,EAAAAmc,UAAAAGAKAH,EAAAArB,YAAAA7c,EAAAACAAAkC,QAIAA,EAAAAqW,
QAIAA,EAAAAAg,5b,EAAAAR,EAAAAA5J,EAAAAN,EAAAAumB,EAAAE,EAAAAumB,EAAAA
A,EACAwM,EAAAbb,EAAAA7F,OACACA6hB,EAAAA,MAAAApmB,EAAAAmB,EAACAgA,cAAAUAAJ,E
AAvJ,GAEA,IAAAvB,KADAAwnB
GAAA,EACAEACAAjmB,EACAgmB,EAAA5b,EAACAAAR,EAAAAnL,EAAAAvB,EAAAAumB,EAAAE,E
AAA5F,KACAAymB,EACAAR,EACAKACAAymB,EAAAAAD,GAAAAAC,GAAAAvc,EAAAAAR,EAAAAA5J
,EAAAAN,EAACAAumB,EAAAAEA5F,KACAAAymB,EAAAAR,EAACAAymB,EAAAAD,GAAAAAAAAC,GAAA
Avc,EAAAAR,EAACAA5J
,EAAAAN,EAAAAumB,EAAAAE,EAAAAAynB,EAAAAAC,GAKAA,EAACAAmBAAymB,EAACAADAAwB
AAADAAAzZ,EAAAA5F,KAcAAymB,EAACAAAD
,KACAAIAAAAnB,IAACAAFumB
,GAAA,EAEA3gB,EAAAA5F,OAAA,EAACAEACA5F,EAACAAAGAGAC,IAGADAAGACAvc,

EAAAhL,KAAAwL,EAAA1K,GACAkK,EAAA,OAIAwc,EAAAxc,EACAA,EAAA,SAAAe,EAAA3K,EAAAN,
GACA,OAAA0mB,EAAAxnB,KAAA6K,EAAAkB,GAAAjL,MAKAkK,GACA,KAAUnL,EAAAwM,EAASxM,I
ACnBmL,EACAQ,EAAA3L,GAAAuB,EAAAmmB,EACAzmB,EACAA,EAAAd,KAAAwL,EAAA3L,KAAAmL,
EAAAQ,EAAA3L,GAAAuB,KAMA,OAAAimB,EACA7b,EAIAgc,EACAxc,EAAAhL,KAAAwL,EAGAa,EAAA
rB,EAAAQ,EAAA,GAAApK,GAAAkmB,GAKAG,EAAA,QACAC,EAAA,YAGA,SAAAC,EAAAC,EAAAC,GA
CA,OAAAA,EAAAC,cAMA,SAAAC,EAAAC,GACA,OAAAA,EAAA1a,QAAAma,EAAA,OAAAna,QAAAoa,E
AAAC,GAEA,IAAAM,GAAA,SAAAC,GAQA,WAAAA,EAAA3gB,UAAA,IAAA2gB,EAAA3gB,EAAA3gB,Y
AAA2gB,UAMA,SAAA4gB,KACA3oB,KAAA2N,QAAAtC,EAAAsC,QAAAgb,GAAAC,MAGAD,GAAAC,IA
AA,EAEAD,GAAA1mB,UAAA,CAEAsT,MAAA,SAAAmT,GAGA,IAAApnB,EAAAonB,EAAA1oB,KAAA2N,
SA4BA,OAzBArM,IACAA,EAAA,GAKAmnB,GAAAC,KAIAA,EAAA3gB,SACA2gB,EAAA1oB,KAAA2N,SA
AArM,EAMAP,OAAAC,eAAA0nB,EAAA1oB,KAAA2N,QAAA,CACArM,QACAunB,cAAA,MAMAvnB,GAE
AwnB,IAAA,SAAAJ,EAAAK,EAAAznB,GACA,IAAA0nB,EACAzT,EAAAvV,KAAAuV,MAAAmT,GAIA,qB
AAAK,EACAxT,EAAAgT,EAAAQ,IAAAznB,EOAMA,IAAA0nB,EACAxT,EAAAgT,EAAAS,IAAAD,
EAAAC,GAGA,OAAAzT,GAAArU,IAAA,SAAAwnB,EAAA9mB,GACA,YAAAa,IAAAb,EACA5B,EAAAa,
MAAAmT,GAGAA,EAAA1oB,KAAA2N,QAAA,GAaAA,EAAAt B,KAAAAkB,IAAAwnB,EAAA9mB,IASA5B,KAAA8oB,IAAAAJ,EAAAAM
,IAEA3mB,EAAA2mB,EAAA3mB,GAIAA,EAAA1oB,KAAA2N,SAEA,QAA
AlL,IAAA8S,EAAA,CAIA,QAAA9S,IAAAb,EAAA,OAAA/A,QAAA/D,GAIAA,IAAA0K,IAAAic,IA
EA3mB,EAAA2mB,EAAA3mB,GAIAA,OAAA2T,EACA,CAAA3T,GACAA,EAAAsS,MAAA4O,IAAA,IAGAzi
B,EAAAuB,EAAAuE,OAEA,MAAA9F,WACAkV,EAAA3T,EAAAvB,UAKAoC,IAAAb,EAAA,AAAAb,GAAAyJ,EAAA+C,cA
AAmH,MAMAmT,EAAA3gB,SACA2gB,EAAA1oB,KAAA2N,QAAA,GAIAjM,IAAAb,EAAA,OAAA/A,QAAA/D,GAIAs
b,QAAA,SAAAAP,GACA,IAAAAnT,EAAAAmT,EAAA1oB,KAAA2N,SACA,YAAAlL,IAAA8S,EAAAAlK,EAAA+C,
cAAAmH,KAGA,IAAAA2T,GAAA,IAAAA2T,GAEAAQ,EAAAAR,GAcACAC,GAAA,gCACAC,GAAA,SAEA,SA
AAC,GAAAAP,GACA,eAAAAAAA,GAIA,UAAAAIA,SAAAA,EACA,EAGA,EACA,KAIA,OAAAIACAA,EAGAA,vU,
KAAAkU,GACAQ,KAAAC,MAAAT,GAGAA,GAGA,SAAAU,GAAAld,EAAA3K,EAAAmnB,GACA,IAAAno
B,EAIA,QAAA6B,IAAAAsmB,GAAA,IAAAAxc,EAAAxE,SAIA,GAHAnH,EAAA,QAAAAgB,EAAAAkM,QA
AA,OAAAAja,cACA2Z,EAAAC2Z,EAAAAwI,aAAAnU,GAEA,kBAAAmoB,EAAA,CAAA,IAGA,OA
AAP,GAACAA2Z,EAAAAxc,EAAAAAO,GAIAAP,GACI,MAAAAjmB,IAGAqmB GAAAAL,IAAAvc,EAAA3K,EAAAmnB,QAEAA,OAAAAtmB,EAGA,OAAAAsm
B,EAGA1d,EAAAA6B,OAAAA,CACA+b,QAAA,SAAAA1c,SAAAA1c,GACA,OAAAA4c,QAAAAX,EAAAAmoB,GACA,
OAAAA/X,GAAAA7E,EAAAAmoB,GAGAAWAA,SAAAAnd,EAAAA3L,GACAAuoB,EAAAA7E,OAAAA/X,EAAA
AN,GACA,IAAAAjB,EAAAAoB,QAEAA7O,IAAAAb,EAAAAmoB,GACAAAo,EAAAA6b,EAAAA3L,GACAAmoB,IA
GAAW,WAAAA,SAAAAnd,EAAAA0b,EAAAA3L,GCAoB,AAoB,AoB,AAA7E,OAAA/X,EGAA,YAAAA,SAAAArd,EAAAA3L,GACAAso
B,GAAAAA5E,OAAAAX,EAAA,CACA,IAAAAAAA,EAAAAEAAAgJ,QAAAAAN,EAAA,GACAAKA,OAAAAYn
B,EAAAAAI,GAAAAAjoB,IAAAAqL,GAEAA,IAAAA3K,EAAAAK,GACAAA,IAAAAsmB,EAACAA,GAKAAA,OAAAAA,KAE
AAAQ,EAACAA9S,GACAA, OAAAAIA,GAIAA/oB,OAAAAoM,EAAAA,CAAAA,OAAAAoM,KAAAAWAGA+c,
EAAAAiF,GAAAAhoB,EAAAAqL,EAAAAlC,EAACAA9J,OAAAAArbEAAAlC,GAGAAgB,EAAAAkD,UAAAAwa,IAE
AA9E,EAAAAxe,KAAAAsjB,IAGAA9E,GAAAA,IAIA4F,QAAAA,SAAAAtd,EAAAA3L,GACAAA,KAAAA,KAEAA,IAAAA4Z,E

AAA5Y,EAAA4Y,MAAA1X,EAAAlC,GACAyf,EAAA7F,EAAA9d,OACAqF,EAAAyY,EAAAxO,QACAsU,EAAA1e,EAAA2e,YAAAzd,EAAAlC,GACAnG,EAAA,WACAmH,EAAAwe,QAAAtd,EAAAlC,IAIA,eAAAmB,IACAA,EAAAyY,EAAAxO,QACAqU,KAGAte,IAIA,OAAAnB,GACA4Z,EAAApL,QAAA,qBAIAkR,EAAAE,KACAze,EAAAhL,KAAA+L,EAAArI,EAAA6lB,KAGAD,GAAAC,GACAA,EAAAlN,MAAAsH,QAKA6F,YAAA,SAAAzd,EAAAlC,GACA,IAAAzI,EAAAyI,EAAA,aACA,OAAA6e,GAAAhoB,IAAAqL,EAAA3K,IAAAsnB,GAAAtB,OAAArb,EAAA3K,EAAA,CACAib,MAAAxR,EAAAuY,UAAA,eAAAxB,IAAA,WACA8G,EAAA5E,OAAA/X,EAAA,CAAAlC,EAAA,QAAAzI,WAMAyJ,EAAAG,GAAA0B,OAAA,CACA+W,MAAA,SAAA5Z,EAAA0e,GACA,IAAAmB,EAAA,EAQA,MANA,kBAAA7f,IACA0e,EAAA1e,EACAA,EAAA,KACA6f,KAGAzd,UAAAtG,OAAA+jB,EACA7e,7e,EAAA4Y,MAAAjkB,KAAA,GAAAqK,QAGA5H,IAAAsmB,EACA/oB,KACAA,KAAAoM,KAAA,WACAWACA,IAAA6X,EAAA5Y,EAAA4Y,MAAAjkB,KAAAqK,EAAA0e,GAGA1d,EAAA2e,YAAAhqB,KAAAqK,GAEA,OAAAA,GAAA,eAAA4Z,EAAA,IACA5Y,EAAAwe,QAAA7pB,KAAAqK,MAIAwf,QAAA,SAAAxf,GACA,OAAArK,KAAAoM,KAAA,WACAf,EAAAwe,QAAA7pB,KAAAqK,MAGA8f,WAAA,SAAA9f,GACA,OAAArK,KAAAikB,MAAA5Z,EAAA,UAKAqZ,QAAA,SAAArZ,EAAAAH,EAAAqZ,GACA,IAAA0N,EACAwS,EAAAAH,EAAAhf,EAAAqZ,WACA3e,EAAA/Y,KACAAK,EAAA,KAAAmG,OACAmd,EAAA,aACA8G,ACA8G,GACAC,EAAArE,EAAAAH,GACA,eAAArjN,EAAAA,CAAAA,KAIA,kBAAA1O,IACA,CAAAA,KAIA,IAAAAg,DACAC,EAAAArE,YAAAjN,EAAAA,GAAAAoB,IAAA6X,EAAA1Y,EAAAAog,B,GAAAsCAAAC,OAEAC,GAAAA,IAAA/Y,OAAAAiBAAA6Y,GAAA,mBAGAG,GAAA,gCAEAC,GAAA,SAAAAne,EAAAqJ,GAOA,OAHArArJ,EAAAqJ EAGA,SAAAA,EAAAoe,MAAAC,SACA,KAAAre,EAAAoe,MAAAAC,SAMAAvf,EAAA+E,SAAA7D,EAAA+H,cAAAA/H,IAEA,SAAAve,EAAAAY,EAAAAAkP,GACA,IAAAAAtP,EAAAAnqB,KAAAAuM,EACAuM,EAAAAC4d,EAAAAnqB,GAAA2L,EAAAAoe,MAAAA/pB,EAAAAoe,MAAAAA/pB,GAAAuM,EAAAAvM,EAAAAoeAMAA,IAAAA,KAHAqL,EAAAI,EAAAAG,MAAAAD,EAAAAgP,GAAAA,IAGApO,EACAAZ,EAAAAoe,MAAAAA/pB,GAAAuM,EAEAAmqB,EAAAAnqB,GAGAAGAGA,OAAAqL,GAAAMA,SAAAA+e,GAAAze,EAAAyc,EAAAiC,EAAAAC,EAAAAC,GACA,IAAAAC,EAAAAC,EAAAAAC,EAACACAC,EAAAAGACAC,EAAAAJ,EACAAC,EACAAAC,OAAAAA7K,EAAAAwf,IAAAAte,EAAAAAyc,KAEAuC,EAAAAC,EAAAuC,EAAAAAD,IACAAAte,EAAAAAAyc,KAAAA5f,EAAAAAAAH,EAAAAgce,EAAAAAAog B,UAAAzC,GAAAA,SAGAA0C
,GAAArgB,EAAAogB,UAAAzC,IAAA,OAAAwC,IAAAAD,IACAf,GAAAjW,KAAAAlJ,EAAAAwf,IAAAAte,EAAAAAyc,GAAA0C,EAACAIAEA,GAAA0C,KAAA,KAAAAF,EAAA,CAIAD,GACA,EAGAA,MAAAAF,IAIAAIA hgB,EAAAsf,MAAApe,EAAAyc,EAAA0C,EAAAAF,IACA,EAAAAAJ GAAAA,EAAAAAE,EAAA,IAAAgC,EAAAAE,IAAAA,MAAAAF GAEAG,AAAAne,CAAAAAAA,OAEAA,EAAAAAAA SACAAAAA,EAAAA,MAAAAAA A Ahf,EAAA sf,MAAAApe,EAAAAA0C,EAAAAF,GAGAP,KAAAAGAgBA,OAbAA,IAACAS,OAAAAH,GAAAA EAGAAEAGAJ,EAAAAF,EAAAA,AAAAM,OAACAN,EAAAAM OAAAH,GAAA,EAGAJ,EAAAAF,EAAAA,GACAS,GAAAT,EAAAA,MAAAA,EAAAAAA,IAGAA,AAAAoe,IAGAAoeAGAA,EAAAA,IAAAAQ,GAAA,GAEAA,SAAAAAC,GAAAArf,GACA,IAAAuS,EAAAACApU,EAAAAA6B,EAAAAA+H,cAACA/H,IAEA,SAAAve,EAAAY,EAAAA AAA Q,GAAA,GAEAA,SAAAAC,GAAArf,GACA,IAAAuS,EAAACApU,EAAA6B,EAAA+H,cAAA/H IAA,QAAAQ,GAAA,GAEA,GAAAAAgEA,SAAAAC,GAAAArf,GAAA,IAAAAuS,EAAAAC pU,EAACApU,EAAA6B,EAAA+H,cAAA/H IAA,QAAAQ,GAAA,GAEAAAA+H,cACAQ,EAAAvI,EAAAAuI,SACA8V,EAAAe,GAAA7W,GAEA,OAAAA8V,IAIA9L,EAAAAApU,EAAAAAmhB,K,YAAAAN,EAAAAAG,cAAAAiK,IACA8V,E,EAAAAe,GAAA7W,GAAA,OAAA8V GAAA8V,EAEAAGAGA,SAAAAkB,GAArf GAAA,IAAAAuS,EACAACApU,E,EAAAA6B,EAAA+H,cAAA/H IAA,QAAAQ,GAAA,GEAA,SAEAe GAAAA7W GAAA,AAAA SAAA8V,IAAA9L,EAAAApU,EAAAAAmhB,IAAAN,EAAAG cAAAiK,IACA8V,EAAAe GAAA7W GAAA,OAAA8V GAAA8V,EAGAAGAAA SAAAAC GAArf EAAAAuS EACAACApU EAAA6B EAAA+H cAACA/H IAA,QAAAQ GAAA,GEAA,SAEAAC GAAArf EAAAAuS EACAACApU EAAA6B EAAA+H cAA /H IAA QAAAAQ GAAA
,GAAArgB,EAAAogB,UAAAzC,IAAA,OAAAwC,IAAAD,IACAf,GAAAjW,KAAAAlJ,EAAAwf,IAAA te,EAAAAyc,GAAAjW,KAAAlJ,EAAAwf,IAAAte,EAAAyc,GAAA0C,EAAAAE,IAAAvc,EAAA,CAAAD,GAAAjW,KAAAAlJ,EAAAwf,IAAAte,EAAAyc,GAGA,EAAA0C,GAAAGAGA OAAAH,GAAA,AAAAM OAACA N OAAAH GAGA AAAJ EAAAF EAAAA,AAAAM OAACAN EAAAAM OAAAH GAAA,EGACA,GAAAMAAAF EAAAAS GAAAT EAAAA MAAAAAA,IGAMA,SAAAA+e,GAAAAze EAAAyc EAAAiC EAAAAC EAAAAC GAAA,IAACAC EAAAAC EAAAAAC EAAAC EAACAC EAAAAGACAC EAAAAJ,EAAAAC,EAAAAC,EAAACA,IAAAAC,EAAACAACA,EACAC,EAAAAAA,GACAC,EAAAAAAJ,EACA,eAACAe,EAAAAE,IAAAAe,EAAAAE IACA,AAAAM EGA EGAP KAAAAM O GAAAAH GAAMA SAAAAAC GAAAAze EAGAe GAARLAA MAAAAA +rB,OAAA/rB,KAAAAmD,OAGAnD KAAAAoM KAAAA,WACAse,GAAAA1qB,KAAAqK,GAGAAMACAqL,EAAAAArL,EAAAMAAA +rB,OAEAA1gB,EAAAArL GAAAA MAAAmD YAKA IAAA8oB GAAA, wBAEAAC GAAAA, iCAEAAC GAAA, qCAKAC GAAA, CAGAC AGAC OAAA, +CAKAC MAAA, yBACAC IAAA, 8CACAC GAAA, wCACAC GAAA, iDAEAC SAAA, WAUA SAAAC GAAAphB EAAA3I GAIA IAAAqJ EAYA OATAA qJ EAYA OAAAAqJ EAAA mJ qBACAnJ EA

AAmJ,qBAAA9R,GAAA,KAEE,qBAAA2I,EAAA6J,iBACF7J,EAAA6J,iBAAAxS,GAAA,KAGA,QAGAH,IAA
AG,MAAAkS,EAAAvJ,EAAA3I,GACAyI,EAAAa,MAAA,CAAAX,GAAAU,GAGAA,EAKA,SAAA2gB,GAAA
5gB,EAAA6gB,GAIA,IAHA,IAAAxsB,EAAA,EACAC,EAAA0L,EAAA7F,OAEQ9F,EAAAC,EAAOD,IACf6oB,
GAAAJ,IACA9c,EAAA3L,GACA,cACAwsB,GAAA3D,GAAAhoB,IAAA2rB,EAAAxsB,GAAA,eAvCA+rB,GA
AAU,SAAAV,GAAAC,OAEAD,GAAAW,MAAAX,GAAAY,MAAAZ,GAAAa,SAAAb,GAAAc,QAAAd,GAAA
E,MACAF,GAAAe,GAAAf,GAAAK,GA0CA,IAAAW,GAAA,YAEA,SAAAC,GAAArhB,EAAAT,EAAA+hB,E
AAAC,EAAAC,GAOA,IANA,IAAAjhB,EAAAqL,EAAAhV,EAAA6qB,EAAArd,EAAAtD,EACA4gB,EAAAniB
,EAAAoiB,yBACAC,EAAA,GACAvtB,EAAA,EACAC,EAAA0L,EAAA7F,OAEQ9F,EAAAC,EAAOD,IAGf,GA
FAkM,EAAAAP,EAAA3L,GAEAkM,GAAA,IAAAA,EAGA,cAAApB,EAAAoB,GAAAIlB,EAAAa,MAAA0hB,EA
AArhB,EAAAxE,SAAA,CAAAwE,WAGI,GAAA6gB,GAAAvY,KAAAtI,GAIA,CACJqL,EAAA8V,EAAA1iB,Y
AAAO,EAAAV,cAAA,QAGAjI,GAAAspB,GAAA3X,GAAA3X,KAAAhI,IAAA,YAAA6C,cACAqe,EAAArB,GAA
AxpB,I
AAAwpB,GAAAAM,SACA9U,EAAAC,UAAA4V,EAAA,GAAApiB,EAAAwiB,EAAAwiB,cAAAthB,GAAAkhB,EAAA,GA
GA3gB,EAAA2gB,EAAA,GACA,MAAA3gB,IACA8K,EAAAwD,UAKA/P,EAAAa,MAAA0hB,EAAAhW,EAAA
A9D,YAGA8D,EAAA8V,EAAA1iB,YAAAhU,WAGA9B,EAAA6B,YAAA,QAzBAnoB,EAAAAuiB,eA
AAvhB,IA+BAmhB,EAAAAjU,YAAA,GAGAApZ,EAAA,EACA,MAAAkM,EAAAAkhB,EAAAAvtB,EAAGA,GAAAkt
B,GAAAAliB,EAAAAoD,QAAAAlC,EAAAAghB,EAAA,IAAA,EACAC,EAAAAghB,EAAAAghB,E
AAA/E,EAAAA+E,SAAAA7D,EAAAA+H,cAAAA/H,GAGAAqL,EAAAA+U,GAAAAe,EAAAA1iB,EAAAA1B,YAAAAuB,E
AAAAkhB,GAGAAtX,EAAAAwD,UAGAAkhB,GAAAAiB,EAAAAwkB,EAAAA1B,YAGA8D,EAAA8V,EAAA
1iB,EAAAA7nB,EAAAA8G,GAMA,OAAAmhB,EAAAA8G,GAAAMA,OAAAAmhB,GAAAAWACA,IAAAA,EAAAv
kB,EAAAAwkB,yBACAI,EAAAAL,EAAAA1iB,EAAAA7nB,YAAA7B,EAAAA0B,cAAA,QAAAQ,cAAA,SA
MAiN,EAAA9C,aAAA,gBACA8C,EAAA9C,aAAA,qBACA8C,EAAA9C,aAAA,YAEA+Y,EAAA/iB,YAAA8M,
GAIA7nB,EAAA+jB,WAAAAD,EAAAAE,WAAAA,GAAAAA7S,UAAAAsB,EAAAAlW,UAAAAqR,EAAAAlW,
yBACA5N,EAAAAikB,iBAAAAH,EAAAAE,WAAAA7S,UAAAAwF,cAtBA,GAwBAIAAAAA/J,GAAAA1N,EAAA
A0N,gBACAK,sX,GAAA,OACACAC,GAAA,iDACAC,GAAA,sBAEA,SAAAC,KACA,SAGA,SAAAC,KACA,SAKA,S
AAAC,KAGA,IAAA,OAAArlB,EAAAKT,cAAAAoS,EAAAAojB,EAAAArjB,EAA
Ayd,EAAAvd,EAAAojB,GACA,IAAAC,EAAAxkB,EAAGA,qBAAAskB,EAAA,CASA,IAAAtkB,EAAAkBAAAi
B,IAGAyd,KAAAzd,EACACAA,OAAA7I,GAEAAksB,EAACAD,GAAAniB,EAAAlC,EAAAiB,EAAAyd,EAAA4F,EA
AAtkB,GAAAukB,GAEA,OAAAAriB,EAAAsBA,EAAsBA,EAAnBA,MAAAAwc,GAAAA,MAAAAvd,GAGAAF,
AAzd,OAAA7I,GACE,MAAA+I,+I,GACEAAAF,GAGAAE,udA,EACAAAzd,OAAA7I,GACAtmB,IAIA+I,EAAAudA,EAC
AA,EAAAAzd,OAAA7I,GAAAAKAGA,IAAAA+I,EACAAAAAA+iB,QACEA,IAAAAiB,EAACAF,OAAAAe,EAeA,OAZA
A,IAAAAqiB,IACAAiB,EAAAArjB,EAACAA,EAAAA,SAAAAsjB,GAIA,OADAAOAADAzjB,IAAA0jB,IAAAAD,GACAAD
,MAAAAxM,KAAAAyM,YAIAjB,EAAAyD,KAAA4f,EAAA5f,OAAA4f,EAAA5f,KAAA5D,EAAA4D,SAEA1C,E
AAAH,KAAA,WACAf,EAAAAyjB,MAAA1M,IAAApiB,KAAA2uB,EAAAnjB,EAAAud,EAAAzd,KAQAAD,EAA
AyjB,MAAA,CAEApoB,OAAA,GAEAAEA0b,IAAA,SAAA7V,EAAAoiB,EAAA5Y,EAAAgT,GACA,IAAAC,EAAArX,EAA
A0jB,EAAArX,EAACAsX,EAAA3tB,EAAA0tB,EACAAjZ,EAAA0b,EAACAA,EAACAsX,EAAA3tB,EACAAjZ,EAAA
A0jB,EAAAA1jB,EAAAA1jB,UAKAAKAA,EAAG8G,EAAAGmhB,EACAAEA0b,EAAAEA7nB,UACAA8nb,EAAA9nb,U
ACA0b,IANANAAAAA7S,UAAAAwF,EAAA/9D,YANAN,GAQAAA,GAAGA0b,EAAAmiB,EAAAAt,GAAA,GAAAwF,EA
AAksB,EAAAmhB,EAAA9G,GAGAAEAwF,EAAA9G,EAAAAoD,EAAAAKYAD,EAAAAyjB,MAAAApoB,OAAAAqM
AvvB,IAAAA+L,EAAAAwc,EAAAAsG,EAAAAJ,IAEA2K,kBACA,IAAAAnK,EAAAAmK,EAAAAmK,MAAAAsG,EAAAAJ,
IAEA2K,2K,kBACA3K,EAAAA

2K,iBAAA7M,EAAA4kB,IAKArJ,EAAAxD,MACAwD,EAAAxD,IAAA5hB,KAAA+L,EAAA4iB,GAEAA,EAA
ApZ,QAAA9G,OACAkgB,EAAApZ,QAAA9G,KAAA8G,EAAA9G,OAKA3D,EACA8jB,EAAAniB,OAAAmiB,
EAAAU,gBAAA,EAAAX,GAEAC,EAAA3pB,KAAA0pB,GAIA9jB,EAAAyjB,MAAApoB,OAAA2D,IAAA,KA
MAia,OAAA,SAAA/X,EAAAoiB,EAAA5Y,EAAAzK,EAAA0kB,GAEA,IAAAljB,EAAAmjB,EAAArY,EACAs
X,EAAA3tB,EAAA4tB,EACAvJ,EAAAwJ,EAAA/kB,EAAAglB,EAAAC,EACAC,EAAArG,GAAAD,QAAA1c,I
AAA2c,GAAAhoB,IAAAqL,GAEA,GAAAgjB,IAAAL,EAAAK,EAAAL,QAAA,CAKAP,MAAA,IAAAza,MAA
A4O,IAAA,KACAvhB,EAAAotB,EAAAxoB,OACA,MAAA5E,IAMA,GALAqW,EAAAyW,GAAA9Z,KAAAoa,
EAAAptB,KAAA,GACA8I,EAAAilB,EAAA1X,EAAA,GACAyX,GAAAzX,EAAA,QAAAzI,MAAA,KAAAnC,
OAGA3C,EAAA,CAOAub,EAAAva,EAAAyjB,MAAAlJ,QAAAvb,IAAA,GACAA,GAAAiB,EAAAsa,EAAA+J,
aAAA/J,EAAAgK,WAAAvlB,EACA+kB,EAAAF,EAAA7kB,IAAA,GACAuN,IAAA,IACA,IAAAnG,OAAA,UA
AA4d,EAAAna,KAAA,4BAGA+a,EAAAnjB,EAAAsiB,EAAAjpB,OACA,MAAA2G,IACAqiB,EAAAAC,EAAAti
B,IAEAkjB,GAAAV,IAAAH,EAAAG,UACAvZ,KAAA9G,OAAAkgB,EAAAlgB,MACA2I,MAAA/C,KAAAsa,
EAAAAU,YACAvkB,OAAA6jB,EAAA7jB,WACA,OAAAA,IAAA6jB,EAAA7jB,YCA8jB,EAAAniB,OAAAAH,
EAAA,GAEAqiB,EAAA7jB,UACA8jB,gBAAAAU,gBAEAlK,EAAAtB,QACAAsB,EAAAtB,OAAA9jB,KAAA+L,E
AAA4iB,IAOAc,IAAAAb,EAAAjpB,SACAAyf,EAAAAsK,IAAAtK,EAAAAsK,SAAA1vB,KAAA+L,EAAA8i
B,EAAAAE,EAAAAC,SAEAnkB,EAAAA8kB,YAAA5jB,EAAAAlC,EAAAAklB,EAAAC,eAGAN,EAAA7kB,SA1CA,I
AAAA,KAAA6kB,EACA7jB,EAAAyjB,MAAAxK,OAAA/X,EAAAlC,EAAAAskB,EAAAptB,GAAAwU,EAAAz
K,GAAA,GA8CAD,EAAA+C,cAAA8gB,IACAhG,GAAA5E,OAAA/X,EAAA,mBAIAmjB,SAAA,SAAAAU,GAG
A,IAEA/vB,EAAAyM,EAAAAb,EAAAyP,EAAAyT,EAAAAkB,EAFAvB,EAAAAzjB,EAAAAyjB,MAAAwB,IAAAF,
GAGA7U,EAAAAIAAA7N,MAAAAjB,UAAAtG,QACAipB,GAAAAlG,GAAAAhoB,IAAAlB,KAAA,eAAoD8uB,EA
AAAzkB,OAAA,GACApDub,EAAAAva,EAAAyjB,MAAAlJ,QAAAAkJ,EAAAAzkB,OAAA,GAKA,IAFAkR,EAAA
AuT,EAAAcA,EAAAoM,UAAAtG,OAAAAB9F,IACpCkb,EAAAlb,GAAAoM,UAAApM,GAMA,GAHAyubB,EAAAA
yB,eAAAAvwB,MAGA4lB,EAAAA4K,cAAAA,IAAA5K,EAAAA4K,SAAA1vB,KAAA+L,EAAA8iB,EAAAA2B,
EAAAAM,SAAA5uB,KAAAAAR,EACAA,OAAAAqb,EEAAsa,EAAA2B,GAAAA0B,EAAAcA,EAAAAhV,EAAAnP,
KAEAO,EAAAAEACA,OAAAAqiB,EAAAAzT,EAAAA0T,SAAAAtiB,QACAAgiB,EAAAA6B,gCA5A7B,EAAAA8B,aAAA
9B,EAAAA8B,WAAAAb,IAAAAlsa,EAAAAAU,aAEAAf,EAAAAAK,YACAAL/EAAA/F,KAAAoG,EAAAApG,IAA
AAZ,EAAAyjB,MAAAlJ,QAAAuJ,EAAAAAG,WAAA,IAA+DE,QAC/DAgP,QAEA9Y9Y,IAAAwJ,IACAIAAA+mB,E
AAAAzkB,BM
AAAykB,EAAAA0R,QAAA,GAEA,KAAU7G,IAAAlW,KAAckW,IAAAjL,YAAAjL,KAIxB,OAAAkW,EAAAnO,
WAAA,UAAA+mB,EAAAAzkB,OAAA,IAAA6L,EAAAAtC,UAGA,CAGA,IAFAioB,EAAAA6L,EAAAAtC,UAAAGA,IAFoD
5wB,EAAAA8tB,EAAAA/V,EAAAAtC,UAAAGACA
5wB,EAAAA8AiBA,EAAAyvB,EAAAmBzvB,IACpC8uB,EAAAAC,EAAAA/uB,KAAAA+L,EAAAA4iB,EAAAAvB,EAAA/uB,
AA,SAEA7I,IAAAwuB,EAAAEAAA7X,KACA6akB,EAAAAAb,cAAAA,IAAAAb,EAAAAb,SAAAAMBzvB,MAAA
AkG,MAAAAkW,IAAAwuB,EAAAWC,LAAAt5UAAA,CAGA,IAFAAFAod,EAAAAAACAC,EAAAAACA
5wB,EAAAA2AiABA,EAAAAvB,EAAAwB,yvB,IACpC8P8uB,EAAAAC8AuB,EAAAAV,aAAA,GAEA,KAAU
kG,IAAAlW,KAAckW,IAAAjL,YAAAjL,KAIAxwB,OAAAAAFAkb,cAAAAAzdyvB,EAAAA7cA,EAAAA0VjH,E
AAAA+N,EAAAAApZ,MAAA
kG,MAAAAgQ,IAAAAEACA7K,EAAAAqM,KAAAAA0B,EAAAAApZ,KAAAA,MAAAAkW,IAAA/P,QAEA8qB,EAAA
AAA4X,EAAAAvrB,KAAAA0pB,GAGA6B,EAAAA7qB,QAAAAAkqB,EAAAA5qB,KAAAA,CAA0B8G,KAAAA2J,EAAA
AAkZ,WAAA1lB,EAAAAkZ,WAAA1lB,EAAAAkkZ,SAAAA4B,EAAAA1B,EAAAAkZ,WAAAA1lB,BO
KAAA2J,EAAAAkkZ,WAAA1lB,EAAAAkZ,BAAAA1lB,BMAAomB,KAGvBO,GAGAa,QAAAA,SAAAAtwB,EAAAAuwB,E
AAAApwB,BOAAAC,eAAAAqK,EAAAAAA+lB,EAAAAAA+lB,BAAAAnvB,UAAAArB,EAAAACACAK,YAAAA,EAACA4nB,
cAAAAEAEA3nB,IAAAAgG,EAAAAqiqB,GACA,WACA,GAAAAnxB,EAAAAAAAAxB,KAAAA,MAAAACACA2L,EAAAA
AAAAyI,UAAAAAAAAe,GACA,OAAAAAAAAAhmB,EAAAAsC,EAACA0jB,EAAAAAA+lB,BAAAAsC,0jB,EACA,IAAAAhmB,
EAAAAAA+lB,BMAAAAAAxuB,KAAAAAA0pB,EAAAAAsC,GAGvBO,GAGAA,QAAAASAAAe,GACA,OAAAAAAAEAAAhm
B,EAACA,IAAAAhmB,EAAAAAA+lB,BAAAA+lB,BAAAAAA+lB,BM
AAAAxuB,KAAAA0pB,EAAAAAsC,GAGvBO,GAGAAq QAAAA,SAAAAtwB EAAAAsC,G
AGAAC,UAAAGAEApV,MAAA,CAGAAqV,QAAA,WACA,GAAAAzxB EAAAAAwuB,EAAAAxuB,EAAAAwAAAAxuB,B,M
AAAAxuB,KAAA0xB,KAEA,OADA1xB EAAAA0xB,xB,QACA,GAAAAYAEAAgC,MAAA,CAGAAF,QAAAA,W

ACA,gBAAAzxB,KAAAqK,MAAArK,KAAA2xB,OAAA7c,EAAA9U,KAAA,SAEA,OADAA,KAAA2xB,SACA
,GAKAjF,SAAA,SAAAoC,GACA,OAAAha,EAAAga,EAAAvhB,OAAA,OAIAqkB,aAAA,CACAb,aAAA,SAAA
jC,QAIArsB,IAAAqsB,EAAA/rB,QAAA+rB,EAAAuC,gBACAvC,EAAAuC,cAAAQ,YAAA/C,EAAA/rB,YAOA
sI,EAAA8kB,YAAA,SAAA5jB,EAAAlC,EAAAmlB,GAGAjjB,EAAAgb,qBACAhb,EAAAgb,oBAAAld,EAAA
mlB,IAIAnkB,EAAA+lB,MAAA,SAAA9mB,EAAAwnB,GAGA,KAAA9xB,gBAAAqL,EAAA+lB,OACA,WAA
A/lB,EAAA+lB,MAAA9mB,EAAAwnB,GAIAxnB,KAAAD,MACArK,KAAAqxB,cAAA/mB,EACAtK,KAAAq
K,KAAAC,EAAAD,KAIArK,KAAA+xB,mBAAAznB,EAAA0nB,uBACAvvB,IAAA6H,EAAA0nB,mBAGA,IA
AA1nB,EAAAunB,YACAvD,GACAC,GAKAvuB,KAAAuN,OAAAjD,EAAAiD,QAAA,IAAAjD,EAAAiD,OAA
AxF,SACAuC,EAAAiD,OAAAtC,WACAX,EAAAiD,OAEAvN,KAAA0wB,cAAApmB,EAAAomB,cACA1wB,K
AAAiyB,cAAA3nB,EAAA2nB,eAIAjyB,KAAAqK,KAAAC,EAIAwnB,GACAzmB,EAAA6B,OAAAlN,KAAA8
xB,GAIA9xB,KAAAkyB,UAAA5nB,KAAA4nB,WAAA7hB,KAAA8hB,MAGAnyB,KAAAqL,EAAAsC,UAAA,
GAKAtC,EAAA+lB,MAAAnvB,UAAA,CACA+G,YAAAqC,EAAA+lB,MACAW,mBAAAxD,GACAkC,qBAAA
lC,GACAoC,8BAAApC,GACA6D,aAAA,EAEAvB,eAAA,WACA,WACA,IAAA/tB,EAAA9C,KAAAqxB,cAEArxB,KA
AA+xB,mBAAAzD,GAEAxrB,IAAA9C,KAAAoyB,aAACAtvB,EAAA+tB,kBAGA0B,eAAA,WACA,IAAA/tB,E
AAA9C,KAAAqxB,cAEArxB,KAAAoyB,wBAAAtvB,EAAAguB,mBAGAuB,eAAA,WACA,IAAA9tB,E
AAA9C,KAAAqxB,cAEArxB,KAAAoyB,aAACAtvB,EAAAguB,mBAAAvvB,GAAAuB,yBAAA,WACA,IAAA9tB,E
AAA9C,KAAAqxB,cAEArxB,KAAAoyB,aAACAtvB,EAAAuvB,2BAGAryB,KAAA8wB,oBAKAzlB,EAAAe,KAAA,CACAkmB,QAAA,EACAC,
SAAA,EACAC,YAAA,EACAC,gBAAA,EACAC,SAAA,EACAC,YAAA,EACAC,SAAA,EACA
C,OAAA,EACAC,OAAA,EACAC,UAAA,EACAC,MAAA,EACAC,MAAA,EACAC,UAAA,EACAvxB,KAAA,E
ACAwxB,SAAA,EACArW,QAAA,EACAsW,SAAA,EACAC,SAAA,EACAC,SAAA,EACAC,SAAA,EACAC,SAAA,S
AAA,EAEAC,MAAA,SAAAnF,GACA,IAAA/R,EAAA+R,EAAA/R,OAAA9F,GAA
AtZ,KAAAia,EAAAzkB,MACA,MAAAykB,EAAAqE,SAAArE,EAAAqE,SAAAsE,EAAAsE,EAAAsE,SAIAtE,EAAAmF,
YAAAxxB,IAAAsa,GAAAqR,GAAAvZ,KAAAia,EAAAzkB,MACA,EAAA0S,EACA,EAGA,EAEAzS,EAAA+mB,
MAAA,SAAA9mB,EAAAwnB,GAGA,KAAA9xB,gBAAAqL,EAAA+mB,OACA,WAAA/mB,EAAA+mB,MAAA9mB,EAA
Awnb,GAIAxnB,KAAAD,MACArK,KAAAqxB,cAAA/mB,EACAtK,KAAAqK,KAAAC,EAAAD,KAIArK,KAAA+xB,
mBAAAznB,EAAA0nB,uBACAvvB,IAAA6H,EAAA0nB,mBAGA,IAAA1nB,EAAAunB,YACAvD,GACAC,GAKAvuB,
KAAAuN,OAAAjD,EAAAiD,QAAA,IAAAjD,EAAAiD,OAAAxF,SACAuC,EAAAiD,OAAAtC,WACAX,EAAAiD,
OAEAvN,KAAA0wB,cAAApmB,EAAAomB,cACA1wB,KAAAiyB,cAAA3nB,EAAA2nB,eAIAjyB,KAAAqK,KAAA
C,EAIAwnB,GACAzmB,EAAA6B,OAAAlN,KAAA8xB,GAIA9xB,KAAAkyB,UAAA5nB,KAAA4nB,WAAA7hB,KA
AA8hB,MAGAnyB,KAAAqL,EAAAsC,UAAA,GAKAtC,EAAA+mB,MAAAnvB,UAAA,CACA+G,YAAAqC,EAAA+
mB,MACAW,mBAAAxD,GACAkC,qBAAAlC,GACAoC,8BAAApC,GACA6D,aAAA,EAEAvB,eAAA,WACA,W
ACA,IAAA/tB,EAAA9C,KAAAqxB,cAEArxB,KAAA+xB,mBAAAzD,GAEAxrB,IAAA9C,KAAAoyB,aAACAtvB,E
AAA+tB,kBAGAY,eAAA,WACA,IAAA/tB,EAAA9C,KAAAqxB,cAEArxB,KAAAoyB,wBAAAtvB,EAAAguB,mBAGA
AjtB,eAAA,WACA,IAAA9tB,EAAA9C,KAAAqxB,cAEArxB,KAAAoyB,aAAAtvB,EAAAguB,mBAAAvvB,GAAAuB,yBAAA,WACA,IAAA9tB,E
AAA9C,KAAAqxB,cAEArxB,KAAAoyB,aAACAtvB,EAAAuvB,2BAGAryB,KAAA8wB,oBAKAzlB,EAAAe,KAAA,CACAkmB,QA
AA,EACAC,SAAA,EACAC,YAAA,EACAC,gBAAA,EACAC,SAAA,EACAC,YAAA,EACAC,SAAA,EACA
C,OAAA,EACAC,OAAA,EACAC,UAAA,EACAC,MAAA,EACAC,MAAA,EACAC,UAAA,EACAvxB,KAAA,E
ACAwxB,SAAA,EACArW,QAAA,EACAsW,SAAA,EACAC,SAAA,EACAC,SAAA,EACAC,SAAA,EACAC,SAAA,S

,MAAA1M,IAAA4S,EAAA3qB,EAAA6kB,EAAA7kB,GAAAhK,IAOA8oB,GAAAF,QAAA3e,KACA6qB,EAA
AhM,GAAAvB,OAAAtd,GACA8qB,EAAA/pB,EAAA6B,OAAA,GAA8BioB,GAE9BhM,GAAAL,IAAAkM,EA
AAI,KAKA,SAAAC,GAAA/qB,EAAA0qB,GACA,IAAAlgB,EAAAkgB,EAAAlgB,SAAA1F,cAGA,UAAA0F,G
AAAmX,GAAApX,KAAAvK,EAAAD,MACA2qB,EAAAtY,QAAApS,EAAAoS,QAGE,UAAA5H,GAAA,aAAA
A,IACFkgB,EAAApU,aAAAtW,EAAAsW,cAIA,SAAA0U,GAAAC,EAAAha,EAAAlP,EAAAmhB,GAGAjS,EA
AA5R,EAAA6C,MAAA,GAAA+O,GAEA,IAAAmS,EAAAhhB,EAAA4gB,EAAAkI,EAAA7qB,EAAAD,EACAr
K,EAAA,EACAC,EAAAi1B,EAAApvB,OACAsvB,EAAAn1B,EAAA,EACAgB,EAAAia,EAAA,GACAma,EAA
AxuB,EAAA5F,GAGA,GAAAo0B,GACAp1B,EAAA,qBAAAgB,IACA2I,EAAA+jB,YAAA0G,GAAA7f,KAAA
vT,GACA,OAAAi0B,EAAAnpB,KAAA,SAAAlG,GACA,IAAAnG,EAAAAw1B,EAAA5oB,GAAAzG,GACAwvB,
IACAna,EAAA,GAAAja,EAAAd,KAAAR,KAAAkG,EAAAnG,EAAA41B,SAEAL,GAAAv1B,EAAAwb,EAAAl
P,EAAAmhB,GKAIA,GAAAltB,IACAotB,EAAAAL,GAAA9R,EAAAga,EAAA,GAAAjhB,eAAA,EAAAihB,EAAA
/H,GACA9gB,EAAAghB,EAAAhU,WAEA,IAAAgU,EAAA5Z,WAAA3N,SACAunB,EAAAhhB,GAIAA,GAAA
8gB,GAAA,CAOA,IANAF,EAAAjiB,EAAAiB,IAAAqgB,GAAAe,EAAA,UAAAmH,IACAW,EAAAlI,EAAAnn
B,OAKU9F,EAAAC,EAAAOD,IACjBsK,EAAA+iB,EAEArtB,IAAAo1B,IACA9qB,EAAAU,EAAAiC,MAAA3C,
GAAA,MAGA6qB,GAIAnqB,EAAAa,MAAAohB,EAAAX,GAAAhiB,EAAA,YAIA0B,EAAA7L,KAAA+0B,EA
AAl1B,GAAAsK,EAAAtK,GAGA,GAAAm1B,EAOA,IANA9qB,EAAA4iB,IAAAnnB,OAAA,GAAAmO,cAGAj
J,EAAAiB,IAAAghB,EAAAwH,IAGAz0B,EAAA,EAAAgBA,EAAAm1B,EAAgBn1B,IAChCsK,EAAA2iB,EAAA
jtB,GACA8rB,GAAAtX,KAAAlK,EAAAAN,MAAA,MACA6e,GAAAtB,OAAAjd,EAAA,eACAU,EAAA+E,SAA
A1F,EAAAC,KAEAA,EAAAL,KAAA,YAAAK,EAAAAN,MAAA,IAAA+E,cAGA/D,EAAAuqB,EAAA,IAAAjqB,
AuqB,SAAAjrB,EAAAL,KAGAE,EAAAAG,EAAA8O,IAAAjqB,EAAAC,IAQA,O
AAA4qB,EAGA,SAAAjR,GAAA,/X,EAAAjB,EAAAuqB,GAKA,IAJA,IAAAlrB,EACAijB,EAAAtiB,EAAAAD,E
AAAmM,OAAAlM,EAAAiB,EAACAlM,EAAA,EAEQ,OAAAsK,EAAAijB,EAAAvtB,EAAA+BA,IAA+BA,IACvCw1B,GAA
A,IAAAlrB,EAAA5C,UACAsD,EAAAAyqB,EAAAAnJ,GAAAhiB,EAAGAA,EAAAAM,aACA4qB,EAAAxqB,EAAA+
E,SAAAzF,EAAA2J,cAAA3J,IACAiiB,GAAAAD,EAAAWAEAA,EAAAAM,WAAAC,YAAAP,IAIA,O
AAA4B,EAGAlB,EAAAA6B,OAAA,CACA2gB,cAAA,SAAA8H,GACA,OAAAA,EAAA7nB,QAAA0mB,GAAA,
cAGAlnB,MAAA,SAAAf,EAAAwpB,EAAAAC,GACA,IAAA31B,EAAAA31B,EAAAAC,EAAA21B,EAAAAC,EACA5oB,EAAA
f,EAAA0hB,WAAA,GACAAkI,EAAA9qB,EAAA+E,SAAA7D,EAAAAH,cAAA,EAAAihB,EAAA
/H,cAAA/H,GAGA,IAAAAtC,EAAAAikB,EAAAAxE,EAAAA,KAAAwE,EAAAxE,YACAsD,EAAAyV,SAAAvU,GAMA,IAHA2pB,EAAAvj,
GAAArf,GACA2oB,EAAAAtJ,EAAAAgB,GAEAlM,EAAA,EAAAC,EAAAA21B,EAAA9vB,OAAuC9F,EAAAC,EAAGAA,IAC1CEAAA,E
AAOD,IAC/C00B,EAAA+iB,EAAA51B,GACA,aAAAotB,EAAAYAAAC,EAAAEIA,IAHAC,
KAAAtJ,GAAApgB,GACA2pB,KAAAvJ,GAAArf,GAAEAjN,EAAAA,EAAAC,EAAA21B,EAAA9vB,OAAwB9F,EAAAC,EAAGAA,IAC3CE
AAOD,IAC/C00B,EAAA+iB,EAAA51B,GACA,SAGA00B,EAAAYxoB,EAAAAe,GAWA,
OANA4oB,EAAAvj,GAAArf,EAAA,UACA4oB,EAAAAv/B,OAAAAG,GAAAAsmB,EAAAAsJ,GAAAAsJ,EAAAxJ,GA
AAAgB,EAAAA,WAIAe,GAGAgB,woB,UAAA,SAAA9pB,GAKA,IAJA,IAAA+c,EAAAAlC,EAAAAC,EACAub,EAAAAxc,EAAAAlC,EACAAub,E
AAAAva,EAAAyjB,MAAAlJ,QACAvlB,EAAAA,OAAA5oC,KAAA8J,EAAA3L,EAAAA,IAAA9C,EACA9C,GAAAooB,GA
AAAlc,GAAA,CACA,GAAA9wc,EAAAAxc,EAAAA2c,GAAAvb,SAAA,CACA,GAAAob,EAAAAmG,OACA,IAAA7k
B,KAAAA0e,EAAAAmG,OACAtJ,EAAAvb,EAAAvlB,EAAAAAA7k
B,YAAA/X,OAACAtJ,EAAAAvb,GAACAAgB,EAAAAyjB,MAAAAxK,OAAAA/X,OAAAA/X,EAAAAvb,GACACAAgB,EAAAAyjB,MAAAAxK,OAAAA/X,OAAA
A9K,EAAAA0e,EAAAAmG,OACA,IAAA7kB,KAAAA0e,EAAAAmG,OACAtJ,EAAAAvb,EAAAvl,EAAAA0e,7k
B,EAAAAgpB,B,EAAAAgpB,EAAAAgpB,M,gBAKA8c,OAAA,WACA,OAAAlB,EAAAAtK,EAAAAt1B,GAAAAtK,
B,EAAAAgpB,B,aAAAAhqB,B,EAAAAgpB,EAAAAgpB,M,gBAKA8c,OAAA,WACA,OAAAAlB,EAAAAtK,OAAAAlB,EAAAAAt1B,GAAAAUAA,

SAAAF,GACAvM,KAAAiL,YACAjL,KAAAiL,WAAAsrB,aAAAhqB,EAAAvM,SAKAy2B,MAAA,WACA,OA
AAnB,GAAAt1B,KAAAyM,UAAA,SAAAF,GACAvM,KAAAiL,YACAjL,KAAAiL,WAAAsrB,aAAAhqB,EAA
AvM,KAAAqW,gBAKAwG,MAAA,WAIA,IAHA,IAAAtQ,EACAlM,EAAA,EAES,OAAAkM,EAAAvM,KAAA
K,IAA8BA,IACvC,IAAAkM,EAAAxE,WAGAsD,EAAAyqB,UAAAnJ,GAAApgB,GAAA,IAGAA,EAAAkN,YA
AA,IAIA,OAAAzZ,MAGAsN,MAAA,SAAAyoB,EAAAC,GAIA,OAHAD,EAAA,MAAAA,KACAC,EAAA,MA
AAA,EAAAD,EAAAC,EAEAh2B,KAAAsM,IAAA,WACA,OAAAjB,EAAAiC,MAAAtN,KAAA+1B,EAAAC,M
AIAL,KAAA,SAAAr0B,GACA,OAAAsmB,EAAA5nB,KAAA,SAAAsB,GACA,IAAAiL,EAAAvM,KAAA,OAC
AK,EAAA,EACAC,EAAAN,KAAAmG,OAEA,QAAA1D,IAAAnB,GAAA,IAAAiL,EAAAxE,SACA,OAAAwE,
EAAAsL,UAIA,qBAAAvW,IAAAmzB,GAAA5f,KAAAvT,KACA8qB,IAAAF,GAAA3X,KAAAjT,IAAA,YAAA
8N,eAAA,CAEA9N,EAAA+J,EAAAwiB,cAAAvsB,GAEA,IACA,KAAYjB,EAAAC,EAAAOD,IACnBkM,EAAAv
M,KAAAK,IAAA,GAGA,IAAAkM,EAAAxE,WACAsD,EAAAyqB,UAAAnJ,GAAApgB,GAAA,IACAA,EAAA
sL,UAAAvW,GAIAiL,EAAA,EAGK,MAAAzJ,KAGLyJ,GACAvM,KAAA6c,QAAAwZ,OAAA/0B,IAEG,KAAA
A,EAAAmL,UAAAtG,SAGHuwB,YAAA,WACA,IAAAlJ,EAAA,GAGA,OAAA8H,GAAAt1B,KAAAyM,UAAA
,SAAAF,GACA,IAAA2O,EAAAlb,KAAAiL,WAEAI,EAAAoD,QAAAzO,KAAAwtB,GAAA,IACAniB,EAAAyq
B,UAAAnJ,GAAA3sB,OACAkb,GACAA,EAAAyb,aAAApqB,EAAAvM,QAKGwtB,MAIHniB,EAAAe,KAAA,
CACAwqB,SAAA,SACAC,UAAA,UACAN,aAAA,SACAO,YAAA,eACC,SAAAn2B,EAAAo2
B,GACD3rB,EAAAG,GAAA5K,GAAA,SAAA0K,GAOA,IANA,IAAAU,EACAEACAC,EAAA,GACAgrB,EAAA5rB,E
AAAC,GACAsB,EAAAqqB,EAAA9wB,OAAA,EACA9F,EAAA,EAEASA,GAAAuM,EAAAvM,KAAA3L,EAAA
3L,IAAAuM,EAAA5M,UAAAsN,OAAA,GACAjC,EAAA4rB,EAAA52B,EAAA4rB,EAAA52B,IAAA22B,GAAAhrB,GAIAvG,EAAA
+G,MAAAP,EAAAAD,EAAA9K,OAGA,OAAAlB,KAAA+L,UAAAE,MAGA,IAAAAirB,EAAA,IAAAAzlB,OAAA,
KAAA6Y,GAAA,uBAEA6M,GAAA,SAAA5qB,GAKA,IAAA0mB,EAAA1mB,EAAA+H,cAAA0C,IAAA0C,YAAA
Aic,KAAAmE,SACAnE,EAAA3pB,GAGA2pB,EAAAoE,iBAAA9qB,IAGA+qB,GAAA,IAAA7lB,OAAAgZ,GA
AAvV,KAAA,UA+FA,SAAAqiB,GAAAhrB,EAAA3L,EAAA42B,GACA,IAAAAC,EAAAC,EAAAA1rB,E
AMA0e,EAAApe,EAAAoe,MAqCA,OAnCA6M,EAAA9q5M,KAAAAL,GAAA5qB,GAKAirB,EAAAvrB,IACAAvrB,EAAAAI,iB
AAAh3B,IAAAAt42B,EAAAA52B,GAEA,KAAAAA,qL,GAAAAAZ,EAAA+E,SAAA7D,EAAA+H,cAAA/H,EAA
AZ,EAAAAsf,MAAApe,EAAA3L,EAAA4tB,kBAAAX,GAAAriB,EAAA5I,IAAAqrB,GAAAziB,EAAA
jU,KAGA62B,EAAA9M,EAAA8M,MACAC,EAAA/M,EAAA+M,SACAC,EAAAhN,EAAAAgN,SAGAgN,EAAA
+M,SAAA/M,EAAAgN,SAAAhN,EAAA8M,MAAAxrB,EACAA,EAAAurB,EAAAAC,MAGA9M,EAAA8M,MA
CA9M,EAAA+M,SAAA/M,EAAAgN,SAAA/M,EAAAAM,kBAAA1B1B,KAGAwJ,EAIA,EAAAA,GACAACAA,EAIA
AAC,GAGA,OAAA+K92B,GAAAb,WACA,IAAA+Kb,IAAA,GGGGG,GGGG,IAAA62B,IASA,OAAA/3B,KAAAkB,EAAA
AAyM,kBALAzM,EAAAkB,GAAArG,GGGGGGGSAAA/2B,IAAA,GAAAAlK,EAAA,CAIAmK,GAAAAlK,EAAAAA,
CAIAmKe,EAAAApD,MAAAAwN,QAGA,4HAGAAthB,GGGG7L,YGGGGAAktB,GGGGltB,YGGGG+iB,GAEA,I
AAAqK,EGGG9uB,EAAA+tB,iBGGGGGAtJ,GACAsK,EGGGG,OGGGGD,EAGGGnhB,EGGGG,KGGGGAAC,EGGGG
H,EAGGGI,YGGGGzK,EGGGGpD,MGGGGGG8N,MGGGGMACA,EGGGG,KGGGGH,EGGGGH,EGGGGK,OGGGGE,EGGGG,KA
AAJ,EGGGGH,EGGGGX,OGGGG1J,EGGGGpD,MAAAiO,SGGGG,WACAC,EGGGG,KGGGG9K,EGGGG+K,aAAA
iB,GGGG3L,YGGGGgtB,GAIAnK,EGGGG,MGGGGG SGGGGwK,EGGGGQ,GACA,OGGGGAAnrB,KGGGGAorB,MGGGGC,WA
AAF,IGGGG,IGGGGV,EGGGGAM,EGGGGE,EGGGGH,EACAJ,EACAJ,EGGGG/uB,EGGGG0B,cAAA,OGGGGAkjB,EGGGG5k
B,EAAA0B,cGGGGAGGGGkjB,EGGGGpD,QGGGGAoD,EGGGGAuO,eAAA,cGGGGnL,EGGGGAE,WAAA,GGGG
tD,MGGGGuO,eGGGG,GACAjvB,EGGGGkvB,EGGGGkvB,gGGGG,gGGGGpL,EGGGGpD,MGGGGuO,eGGGG7tB,EGGGG6B,OGGGGj
D,EGGGG,CACAmvB,kGGGG,WEA,OADAnB,IACAU,GAEAd,eGGGG,WEA,OADAI,IACAS,GAEAW,cGGGG,
WEA,OADApB,IACAI,GGGG,mGGGG,WEA,OADArB,IACAK,GAEAiB,cGGGG,WEA,OADAtB,IACAY,
OArFA,GAoKA,IAKAW,GAAA,4BACAC,GAAA,MACAC,GGGGd,SAAA,WAAAe,WAAA,SAAA/O,Q
AAA,SACZgP,GAAA,CACAC,cAAA,IACAC,WAAA,OGGGGC,GAAA,sBACAC,GAAA7wB,EAAA0B,cAAA,O
AAA8f,MGGG,SAAAsP,GAAAAr5B,GAGA,GGGGG,KAAAo5B,GACA,OAAAp5B,GGGGGGGGIA,IGGGGAs5B,GGGGAt5B,
EAAA,GAAA0nB,cAAA1nB,EAAA8N,MAAA,GGGGG,GGGGAo5B,EGGGGm5B,GAAA15B,EACAt5B,GGGGGD,
A,IAAAqL,EGGGGZ,EAAA+uB,iBGGGGGAqL,EGGGGZ,EAAA+uB,iBGGGGGSAAAouB,GGGGGv5B,GACA
A,IGGGGGqL,EGGGGAZ,EAAA0B,cAAA,OAAA8f,MGGGG9N,MGGGGG,SAAAo5B,GGGGGeu5B,GGGGGG
GAAAr5B,GGGGGqL,EGGGG+K,GGGGA1nB,EGGGGo5B,GGGGA9N,EGGGGo5B,GGGGAr5B,EGGGGG9N,
MGGGGG,SAAAouB,GGGG,IAAAxrB,EGGGGZ,EGGGG0B,cAAA,OAAA8f,MGGGG9N,MGGGGG,SA

AAjT,GACA,OAAAwN,EAGAlB,KAAA2sB,IAAA,EAAAzrB,EAAA,IAAAwrB,GAAA,KAAAxrB,EAAA,UAC
AxN,EAGA,SAAAk5B,GAAAjuB,EAAAkuB,EAAAC,EAAAC,EAAAC,EAAAC,GACA,IAAAx6B,EAAA,UAA
Ao6B,EAAA,IACAK,EAAA,EACAC,EAAA,EAGA,GAAAL,KAAAC,EAAA,oBACA,SAGA,KAAQt6B,EAAA,
EAAOA,GAAA,EAGf,WAAAq6B,IACAK,GAAA1vB,EAAAwf,IAAAte,EAAAmuB,EAAAjQ,GAAApqB,IAAA
,EAAAu6B,IAIAD,GAmBA,YAAAD,IACAK,GAAA1vB,EAAAwf,IAAAte,EAAA,UAAAke,GAAApqB,IAAA,E
AAAu6B,IAIA,WAAAF,IACAK,GAAA1vB,EAAAwf,IAAAte,EAAA,SAAAke,GAAApqB,GAAA,WAAAu6B,
MAtBAG,GAAA1vB,EAAAwf,IAAAte,EAAA,UAAAke,GAAApqB,IAAA,EAAAu6B,GAGA,YAAAF,EACAK,
GAAA1vB,EAAAwf,IAAAte,EAAA,SAAAke,GAAApqB,GAAA,WAAAu6B,GAIAE,GAAAzvB,EAAAwf,IAA
Ate,EAAA,SAAAke,GAAApqB,GAAA,WAAAu6B,IAiCA,OAbAD,GAAAE,GAAA,IAIAE,GAAAntB,KAAA2s
B,IAAA,EAAA3sB,KAAAotB,KACAzuB,EAAA,SAAAkuB,EAAA,GAAAnS,cAAAmS,EAAA/wB,MAAA,IAC
AmxB,EACAE,EACAD,EACA,MAIAC,EAGA,SAAAE,GAAA1uB,EAAAkuB,EAAAK,GAGA,IAAAF,EAAAz
D,GAAA5qB,GACA0M,EAAAse,GAAAhrB,EAAAkuB,EAAAG,GACAD,EAAA,eAAAtvB,EAAAwf,IAAAte,E
AAA,eAAAquB,GACAM,EAAAP,EAIA,GAAAzD,GAAAriB,KAAAoE,GAAA,CACA,IAAA6hB,EACA,OAAA
7hB,EAEAA,EAAA,OAyBA,OApBAiiB,MACAjxB,EAAAmvB,qBAAAngB,IAAA1M,EAAAoe,MAAA8P,KAM
A,SAAAxhB,IACAggB,WAAAhgB,IAAA,WAAA5N,EAAAwf,IAAAte,EAAA,aAAAquB,GAAA,MAEA3hB,EAAA1M,
EAAA,SAAAkuB,EAAA,GAAAnS,cAAAmS,EAAA/wB,MAAA,IAGAwxB,GAAA,GAIAjiB,EAAAggB,WAAA
hgB,IAAA,EAGAA,EACAuhB,GACAjuB,EACAkuB,EACAK,EACAH,IAAAH,EAAA,oBACAO,EACAN,EAGA3hB,GA
EA,KA2RA,SAAAkiB,GAAA5uB,EAAAY,EAAA6b,EAAAjc,EAAAquB,GACA,WAAAD,GAAAl5B,UAAAwJ,
KAAAc,EAAAY,EAAA6b,EAAAjc,EAAAquB,GAzRA/vB,EAAA6B,OAAA,CAIAmuB,SAAA,CACAC,QAAA,
CACAp6B,IAAA,SAAAqL,EAAAirB,GACA,GAAAA,EAAA,CAGA,IAAAvrB,EAAAsrB,GAAAhrB,EAAA,W
ACA,WAAAN,EAAA,IAAAA,MAOAwf,UAAA,CACA8P,yBAAA,EACAC,aAAA,EACAC,aAAA,EACAC,UA
AA,EACAC,YAAA,EACA7B,YAAA,EACA8B,YAAA,EACAN,SAAA,EACAO,OAAA,OAAA,EACAC,SAAA,EACAC,
QAAA,EACAC,QAAA,EACAC,MAAA,GAKA7B,SAAA,GAGAzP,MAAA,SAAApe,EAAA3L,EAAAU,EAAA
w5B,GAGA,GAAAvuB,EAAA,IAAA,EAAAxE,EAAAxE,UAAA,IAAAwE,EAAAxE,UAAAwE,EAAAoe,MAAA,CAKA
,IAAA1e,EAAA5B,EAAA0f,EACAmS,EAAA3T,EAAA3nB,GACAu7B,EAAA1C,GAAA5kB,KAAAjU,GACA+
pB,EAAAoe,EAAAoe,MAaA,GARAwR,IACAInS,EAAA1e,EAAAgwB,SAAAz6B,B,IAAAyK,EAAAgwB,SAAAa,
QAGAz6B,IAAAyK,EAAAiwB,SAAAa,QAGAz5B,IAAAAmB,EAAwCA,OAAAyoB,GAAA,QAAA,QACAtnB,E
AAA8d,EAAA7oB,IAAAqL,EAAAuuB,EAAAt7B,GA9CAyJ,SAAA/J,EAAA/J,MAGA,IAAA0K,EAAAoe,E
AAAiwB,UAAAAe,WAAA,SAAAz6B,B,IAAAoB,EAAAgiB,WAAAhgB,IAAA,EAAA5N,EAAA9J,YAAA+J,EAAAoe,
MAkCAA1AA,QAAA+J,EAAAAvW,IAAwCAvB,KAAAIAAAfE6B,IAAAyoB,E6BAAoe,MAAA8P,KAM
AEACAxR,EAAAAyR,YAAAx7B,EAAAAU,GAEAAqpB,EAAAA/pB,GAAAAU,IAMAAkiB6B,EAAAAk6B,EAAAAF,GACA,IAAAA3hB,EAAAAnN,EAAAAie,EAAAAie,EACAAmS,EAAA3T,EAAA3nB,GACAu7B,EAAA1C,GAAA5kB,
5kB,KAAAjU,GA4BA,OAvBAu7B,EAAA7uB,EAAA+B,OAvBAu7B,EAAAu5B,EAAA+B,EAAAIAAnS,EAAAe1e,EAAAgwB,SAAAz6B,B,IAAAyK,EAAAgwB,SAAAa,
QAGAz6B,IAAAyK,EAAAiwB,SAAAa,QAGAznB5kB,EAAAQAAAAIACA9Q,EAAAAA8Q,EAAAAAurB,IAAAqL,EAAAAAse,GAAAhrB,EAAAAuuB,EAAA3L,EAAAg6B,EAIA,WAAAA3hB,GAAArY,KAAAArY,EAAAsD,EAAAg6B,EAAAg6B,EAAAIAIA,WAAAA3hB,EAAAAvc,EAAAAmtB5kB,b,IAAAAAA/L,EAAA+B,OAEAAk6B,EAAAAvuB,EAAAAxJ7uB,EAAAAtvB5kB,KAAAArYrB,EAAAAkAAAAAse
,SAIAAk5N,EAAAAe,EAAAA,4BAAAA/L,EAAAAo6B,EAAAApvB,EAAAAgwB,S,EAAAAZ,EAAAAgwB,S,wBAAAA9E,EAAAAwD,GA
AAA1uB,EAAAAkuB,EAAAAK,GAHAAkuB,EAAAAKGAAHAhQ,EAAAA5e,EAAAAK,EAAAAH,EAAAAie,EAAAAEAC
AK,EACAH,EACAAC,GAsBA,OAjBAAD,GAAAA1wB,EAAAA1sB,EAAAAsvB,EAAAAhC,EAAAA0B,EAAAAotB,IAAAAxrB,EAAAA0b5kB,KAA
AotB,EAKAZA,5kB,AAAA,SAAAA5wN,EAAAAE,YAAvC,EAAA+J,EAAAoe,EAAAAe,EAAAu5B,EAAAAH,4B,IAAG

AJ,GAAA9tB,EAAAjL,EAAAg5B,OAKAjvB,EAAAgwB,SAAA7C,WAAAV,GAAA7tB,EAAAqvB,mBACA,SA
AA/sB,EAAAirB,GACA,GAAAA,EACA,OAAAyB,WAAA1B,GAAAhrB,EAAA,gBACAA,EAAAgwB,wBAAA
C,KACA1R,GAAAve,EAAA,CAAkBisB,WAAA,GAAgB,WAClC,OAAAjsB,EAAAgwB,wBAAAC,QAEA,OA
MAnxB,EAAAe,KAAA,CACAqwB,OAAA,GACAC,QAAA,GACAC,OAAA,SACC,SAAAC,EAAAC,GACDxxB
,EAAAgwB,SAAAuB,EAAAC,GAAA,CACAC,OAAA,SAAAx7B,GAOA,IANA,IAAAjB,EAAA,EACA08B,EA
AA,GAGAC,EAAA,kBAAA17B,IAAA6N,MAAA,MAAA7N,GAEUjB,EAAA,EAAOA,IACjB08B,EAAAAH,EAA
AnS,GAAApqB,GAAAw8B,GACAG,EAAA38B,IAAA28B,EAAA38B,EAAA,IAAA28B,EAAA,GAGA,OAAAD
,IAIA,WAAAH,IACAvxB,EAAAgwB,SAAAuB,EAAAC,GAAA/T,IAAAuR,MAIAhvB,EAAAAG,GAAA0B,OAA
A,CACA2d,IAAA,SAAAjqB,EAAAU,GACA,OAAAsmB,EAAA5nB,KAAA,SAAAuM,EAAA3L,EAAAU,GAC
A,IAAAs5B,EAAA/tB,EACAP,EAAA,GACAjM,EAAA,EAEA,GAAAqN,MAAA/H,QAAA/E,GAAA,CAIA,IAH
Ag6B,EAAAzD,GAAA5qB,GACAM,EAAAjM,EAAAuF,OAEW9F,EAAAwM,EAASxM,IACpBiM,EAAA1L,E
AAAP,IAAAgL,EAAAwf,IAAAte,EAAA3L,EAAAP,IAAA,EAAAu6B,GAGA,OAAAtuB,EAGA,YAAA7J,IAA
AnB,EACA+J,EAAAsf,MAAApe,EAAA3L,EAAAU,GACA+J,EAAAwf,IAAAte,EAAA3L,EACGA,EAAAU,EA
AAmL,UAAAtG,OAAA,MAQHkF,EAAA8vB,SAEA,GAAAl5B,UAAA,CACA+G,YAAAmyB,GACA1vB,KA
AA,SAAAc,EAAAAY,EAAA6b,EAAAjc,EAAAquB,EAAA5P,GACAxrB,KAAAuM,OACAvM,KAAAgpB,OACA
hpB,KAAAo7B,UAAA/vB,EAAA+vB,OAAA1O,SACA1sB,KAAAmN,UACAnN,KAAA6I,MAAA7I,KAAAmyB
,IAAAnyB,KAAAkW,MACAlW,KAAA+M,MACA/M,KAAAwrB,SAAAngB,EAAAogB,EAAAzC,GAAA,UAE
A9S,IAAA,WACA,IAAA6T,EAAAoR,GAAA8B,UAAAj9B,KAAAgpB,OAAAe,KAAA7oB,IACA6oB,E
AAA7oB,IAAAlB,MACAm7B,GAAA8B,UAAAvQ,SAAAxrB,IAAAlB,OAEAk9B,IAAA,SAAAC,GACA,IAAAA
C,EACArT,EAAAoR,GAAA8B,UAAAj9B,KAAAgpB,OAAAe,KAAA7oB,IAAAgpB,EMAoBA,OAlBAhpB,KAAAmN,QAAAkwB,SACAr9B,K
AAAs9B,IAAAAF,EAAA/xB,EAAA/vB,EAAAA+vB,OAAAp7B,KAAAo7B,OACAQACA+B,EAAAn9B,KAAAmN,QAAAkwB,SAA
AF,EAAA,IAAAn9B,KAAAmN,QAAAkwB,wBAAAr9B,KAAAs9B,IAAAAF,EAAAn9B,KAAA,IAAAn9B,KAAAmN,QAAAkwB,SAAAAC,UAGAr9B,KAAAAs9B,IAAAAF,EAAAn9B,KAAA,EAEAn9B,KAAAmN,QAAAkwB,KAAAF,SAAAn9B,KAAAmN,QAAAowB,BMACAv9B
B,KAAAmN,QAAAowB,KAAA/8B,KAAAAR,KAAAuM,OAAAvM,KAAA+M,MAAAvM,KAAAmyB,IAAAnyB,KAAAj
B,IACAiB,EAAAjB,IAAA9oB,MAEAm7B,GAAA8B,UAAAvQ,SAAA5D,IAAA9oB,KAAA,CAAAx7B,GAAA,EAAA08B,EAAAxE,UACA,MAAAmjB,EAAA3e,EAAA2e,EAAA2e,EAAAlC,OAAA,MAAAkC,EAAAn9B,KMAAkC,EAAA
AlC,OAAA,MAAAMAAAAkC,EAAAAoe,MAAAO,EAAAAlC,MACAkC,EAAA3e,EAAA2e,EAAAlC,OAOAjmB
,EAAAAsI,EAAAAwf,IAAAAK,EAAAA3e,EAAAAlC,EAAAA,IAGAjmB,EAAAAGAAAjmB,GAAA,SAAAAA,IAAA,IAEA
A,SAAAoC,GAKA7f,EAAAmyB,GAAAAAD,KAAAArS,EAAAlC,EACA3d,EAAAmyB,GAAAAAD,KAAAArS,EAAAlC
,MAAAkC,GACI,IAAAA,EAAAA3e,EAAAAlC,EAAAAxE,UACAJMAAAmjB,EAAA3e,EAAA2e,EAAAAoe,MAAAAtf,EAAA+uB,SAAAl
P,EAAAAlC,SACA3d,EAAAAgwB,SAAAAnQ,EAAAAlC,MAGAkC,EAAA3e,EAAA2e,EAAAAlC,EAAAAlC,MAAAkC,EAAAAiH,
IAFA9mB,EAAAsf,MAAAAO,EAAA3e,EAAA2e,EAAAAlC,EAAAAlC,MAAAkC,EAAAAiH,IAAAjH,EAAAAM,SAUA2P,GAA
A8B,UAAAQ,UAAAAt7B,GAAA8B,UAAAAS,WAAA,CACA5U,CACA5U,IAAA,SAAAAoC,GAAAA,EAAA3e,EAAA2e,EAAAAlC,EAAAAxE,UAA
AmjB,EAAA3e,EAAA2e,EAAAAtB,aACAigB,EAAA3e,EAAA2e,EAAAlC,EAAAAxE,UAAAmjB,EAAA3e,MAAAA
AA,CACAuC,OAAA,SAAAx7B,GACA,OAAAA,GAEAy7B,MAAA,SAAAAz7B,GACA,SAAAyL,KAAAAiwB,I,I
AAA17B,EAAAAyL,KAAAAkwB,IAAA,IAAA,GAEApR,SAAA,SAGArhB,EAAAmyB,GAAAAArC,GAAAl5B,UAAAwJ,K
AGAJ,EAAAmyB,GAAAAAD,KAAAA,GAKA,IACAQ,GAAAAAC,GACAC,GAAAA,yBACAC,GAAAA,cAEA,SAAAAC,K
ACAH,MACA,IAAAA70B,EAAAi1B,QAAAA90B,EAAAA+0B,sBACA/0B,EAAAA+0B,sBAAAAF,IAEA70B,EAAAAgd,
WAAA6X,GAAAAA9yB,EAAAAmyB,GAAAAc,UAGAjzB,EAAAAmyB,GAAAe,QAKA,SAAAAt7B,IAEAAs7B,EAEA,WA
ACAyX,QAAAAt7B,IAEAAs7B,EAAAA8hB,MAIA,SAAAAsM,GAAAAp0B,EAAAAAq0B,BAAAAA
ACA,IAAAAAzK,EACAA5zB,EAAA,EACAAAAyV,EAAA,CAAW6oB,OAAAAt0B,GAKX,IAFAAAwlB,QAAAAxlB,EAAAA2hB,EAAAA
ActB,GAAAAAyL,KAAAAiwB,I,I,
Open Source Used In Crosswork Change Automation and Health Insights 4.4.0 2629

AAAC,EAAAxU,EACAyU,EAAA,UAAAvN,GAAA,WAAAA,EACAwN,EAAAt/B,KACAs0B,EAAA,GACA3J,
EAAApe,EAAAoe,MACAyT,EAAA7xB,EAAAxE,UAAA2iB,GAAAne,GACAgzB,EAAArW,GAAAhoB,IAAAq
L,EAAA,UA6BA,IAAAyc,KA1BAiW,EAAAhb,QACA8F,EAAA1e,EAAA2e,YAAAzd,EAAA,MACA,MAAAwd
,EAAAyV,WACAzV,EAAAyV,SAAA,EACAN,EAAAnV,EAAAlN,MAAAsH,KACA4F,EAAAlN,MAAAsH,KA
AA,WACA4F,EAAAyV,UACAN,MAIAnV,EAAAyV,WAEAF,EAAAza,OAAA,WAGAya,EAAAza,OAAA,WA
CAkF,EAAAyV,WACAn0B,EAAA4Y,MAAA1X,EAAA,MAAApG,QACA4jB,EAAAlN,MAAAsH,YAOA2N,E
AEA,GADAxwB,EAAAwwB,EAAA9I,GACAiV,GAAAppB,KAAAvT,GAAA,CAGA,UAFAwwB,EAAA9I,GAC
AgD,KAAA,WAAA1qB,EACAA,KAAA88B,EAAA,gBAIA,YAAA98B,IAAAi+B,QAAA98B,IAAA88B,EAAAv
W,GAKA,SAJAoV,GAAA,EAOA9J,EAAAtL,GAAAuW,KAAAvW,IAAA3d,EAAAsf,MAAApe,EAAAyc,GAM
A,GADAmW,GAAA9zB,EAAA+C,cAAA0jB,GACAqN,IAAA9zB,EAAA+C,cAAAkmB,GA8DA,IAAAtL,KAzD
AqW,GAAA,IAAA9yB,EAAAxE,WAMAk3B,EAAAQ,SAAA,CAAA9U,EAAA8U,SAAA9U,EAAA+U,UAAA/
U,EAAAgV,WAGAP,EAAAG,KAAA3U,QACA,MAAAwU,IACAA,EAAAlW,GAAAhoB,IAAAqL,EAAA,YAE
Aqe,EAAAvf,EAAAwf,IAAAte,EAAA,WACA,SAAAqe,IACAwU,EACAxU,EAAAwU,GAIAtT,GAAA,CAAAv
f,IAAA,GACA6yB,EAAA7yB,EAAAoe,MAAAC,SAAAwU,EACAxU,EAAAvf,EAAAwf,IAAAte,EAAA,WAC
Auf,GAAA,CAAAvf,OAKA,WAAAqe,GAAA,iBAAAA,GAAA,MAAAwU,IACA,SAAA/zB,EAAAwf,IAAAte,E
AAA,WAGA4yB,IACAG,EAAA9uB,KAAA,WACAma,EAAAC,QAAAwU,IAEA,MAAAA,IACAxU,EAAAD,E
AAAC,QACAwU,EAAA,SAAAxU,EAAA,GAAAA,IAGAD,EAAAC,QAAA,iBAKAqU,EAAAQ,WACA9U,EA
AA8U,SAAA,SACAH,EAAAza,OAAA,WACA8F,EAAA8U,SAAAR,EAAAQ,SAAA,GACA9U,EAAA+U,UAA
AT,EAAAQ,SAAA,GACA9U,EAAAgV,WAAAV,EAAAQ,SAAA,MAKAN,GAAA,EACA7K,EAGA6K,IACAI,E
ACA,WAAAA,IACAnB,EAAAmB,EAAAnB,QAGAmB,EAAArW,GAAAtB,OAAArb,EAAA,MACAA,WAAAA,
IAAAwY,KAJAoV,GAACAtS,GAAA,CAAAvf,IAAA,GAKA,+yB,EAAAzZ,EAAAqZ,ZAAAqZ,WAAAAG,OAA
A,kBAGA0Z,EAAAhyB,OAEAgyB,EAAA,WACA,GAAAwB,EACA,SAYA,IAAApK,EACAg9B,EACA75B,EAAA
,EACAC,EAAA24B,GAAAkB,WAAA75B,OACA2e,eEAAAzZ,EAAAqZ,ZAAAqZ,WAAA,EAAAzZ,EAAA
AA04B,EAAAsB,OAAAh6B,OAEUD,EAAAC,EAAgBD,IAC1B24B,EAAAsB,OAAAj6B,GAAAg3B,3B,IAAAC,G
AMA,OAAHArY,EAAAiB,WAAAxZ,EAAA,CAAAsyB,EAAA1B,EAAAzW,IAGAAyW,EAAAh3B,EACAu
gB,GAIAvgB,GACA2e,EAAAiB,WAAAxZ,EAAA,CAAAsyB,EAAA,MAIA/Z,EAAAAkB,YAAAzZ,EAAA,CAA
AsyB,KACA,IAEAA,GAAA,8yB,QAGA8xB,EAAA+M,EAAA/M,E,MAIA,IAFA8N,MAIA,IAAFA8N,GAAA9N,E
AAA+M,E,EAAA/M,/M,MAIA,IAFA8N,GAAFA8N,EAAA9N,EAAAyB,IAEAAtgC,QAGA8xB,E,+M,EAAA/M,

EAAAI,KAAAY,eAEQ35B,EAAAC,EAAgBD,IAExB,GADAnD,EAAA+7B,GAAAkB,WAAA95B,GAAA1F,KA
AAq+B,EAAAtyB,EAAAulB,EAAA+M,EAAAI,MACAl8B,EAKA,OAJAmE,EAAAnE,EAAAknB,QACA5e,EA
AA2e,YAAA6U,EAAAtyB,KAAAsyB,EAAAI,KAAAhb,OAAAgG,KACAlnB,EAAAknB,KAAApoB,KAAAkB,I
AEAA,EAyBA,OArBAsI,EAAAiB,IAAAwlB,EAAA8M,GAAAC,GAEA33B,EAAA23B,EAAAI,KAAAp2B,QA
CAg2B,EAAAI,KAAAp2B,MAAArI,KAAA+L,EAAAsyB,GAIAA,EACAxZ,SAAAwZ,EAAAI,KAAA5Z,UACA
7U,KAAAquB,EAAAI,KAAAzuB,KAAAquB,EAAAI,KAAAsB,UACA5c,KAAAkb,EAAAI,KAAAtb,MACAkB,
OAAAga,EAAAI,KAAApa,QAEAxZ,EAAAmyB,GAAAgD,MACAn1B,EAAA6B,OAAAqxB,EAAA,CACAhyB,
OACA+yB,KAAAT,EACA5a,MAAA4a,EAAAI,KAAAhb,SAIA4a,EAGAxzB,EAAAyzB,UAAAzzB,EAAA6B,O
AAA4xB,GAAA,CAEAC,SAAA,CACA0B,IAAA,UAAAzX,EAAA1nB,GACA,IAAA4pB,EAAAlrB,KAAA4+B,
YAAA5V,EAAA1nB,GAEA,OADA0pB,GAAAE,EAAA3e,KAAAyc,EAAAwB,GAAAjW,KAAAjT,GAAA4pB,
GACAA,KAIAwV,QAAA,SAAA5O,EAAAzlB,GACAnF,EAAA4qB,IACAzlB,EAAAylB,EAAAAyB,EAACAA,EAAA,OAEA
A,IAAA5d,MAAA4O,GAOA,IAJA,IAAAkG,EACA9iB,EAAA,EACAC,EAAA2rB,EAAA3rB,OAEAD,EAAAC,E
AAgBD,IACzB8iB,EAAA8I,EAAA5rB,GACA44B,GAAAC,SAAA/V,GAAA8V,GAAAC,SAAA/V,GAAAnQ,QAAAxM,IAIA2zB,WAAA,CAAAhB,IAEA2B,UAAAAt0B,EAAAiqB,G
ACAA,EACAwI,GAAAkB,WAAAnnB,QAAAxM,GAEAyyB,GAAAkB,WAAAv6B,KAAA4G,MAKAhB,EAAA
u1B,MAAA,SAAAA,EAAAxF,EAAA5vB,GACA,IAAAq1B,EAAAD,GAAA,kBAAAA,EAAAv1B,EAAA6B,OA
AA,GAAiE0zB,EAAA,CACjEL,SAAA,0B,OAAA4vB,GACAl0B,EAAA05B,MACAvD,SAAAuD,EACAxF,OA
AA5vB,GAAA4vB,OAAAl0B,EAAAAk0B,OAoCA,OAhCAvB,EAAAmyB,GAAAzO,IACA8R,EAAAxD,SAAA,
EAGA,kBAAAwD,EAAAxD,WACAAxD,EAAAxD,WACAAxD,EAAAxD,WACAAyB,EAAAmyB,GAAAsD,OAACAD,EAAAxD,SAAAhyB,EAAAmyB,GAAAsD,OAAApU,U
AMA,MAAAmU,EAAA5c,QAAA,IAAA4c,EAAA5c,QACA4c,MAAA,MAIA4c,EAAA9V,IAAA8V,E
AAAN,SAEAM,EAAAN,SAAA,WACAr5B,EAAA25B,EAAA9V,MACA8V,EAAAN,SAAA9V,WCAr5B,EAAA25B,EAAA9V,IAAAvqB,KAAAAR,G
A6gC,EAAA5c,OACA5Y,EAAAwe,QAAA7pB,KAAA6gC,EAAA5c,QAIAA,CACACA6zB,OAAA,SAAAAH,EAAAI,EAAA5F,EAAA/uB,GAGA,OAAArM,EAAAwX,CAAAArM,IAAAG,IAA
A,aAAAkB,OAAAhf,MAAAk0B,0uB,OAAArM,KAAAwX,OAAAAkT,IAAAElC40B,OAAA,SAAA,SA
AAjY,EAAA4X,EAAAxF,EAAAAuB,GACA,IAAAAwQ,EAAAxR,EAAA+C,cAAA4a,GACAkY,EAAA71B,EAA
Au1B,QAAAxF,EAAA/uB,GACA80B,EAAA,WAGA,IAAAA7B,EAAAAR,EAAAA9V,IAAAvqB,KAAAAR,G,SA
AAjY,EAAA4X,EAAAAxF,EAAAA7B,IAAAA7B,EAAAAR,EAAA9V,GAAA9+B,EAAAAmyB,GAAAsD8b,GAAAkY,IAGjDrkB,GAAAqM,GAAAAhoB,IAAAlB,KAAA,YACAAs/B,EAAAA
kX,EAAAAC,OAAAAD,EAAAkEAtkB,IAAA,IAAAAqkB,EAAAAjd,MACAAjkB,KAAAAoM,KAAA+0B,KAAA+0B,GACAAnhC,KAAAi
kB,MAAAAid,EAAAjd,MAAAAkd,IAEAlX,KAAA,SAAAA5f,EAAAAmW,EAAAAmW,GACA,IAAAAe,EAAAASAAAtX,G
ACA,IAAAAE,EAAAAF,EAAAAYACAF,EAAAAE,KACAAEAAAqW,IAYAMATA,kBAAAj2B,IACAi2B,EAAA
nW,EACACA,EAAAA9f,EAAAA9f,EACACAAAOAAAA5H,GAEA0nB,IAAA9f,EACArK,KAAAikB,MAAAAmE,IEA
ArK,SAGArK,KAAAoM,KAAAA+0B,GACAAnhC,KAAAikB,MAAAAmE,KAAAAkd,IEA9f,EAAAG,GAAAAhoB,IAAAlB,KAAAA,YACA
EAAAG,kBAAAAj2B,IACAic2B,EAAAnW,EACACAAeoB,KAAA6gC,EAAA5c,PBMAAiU,GAAArpB,KAAAA3O,IACAm7B,EAAAAtY,EAAAA7iB,KAAAAkA,IAKAAAAAAAAAEAAAAEAAo7B,EAAAn7B,OAA+B
D,KAC/Bo7B,EAAAp7B,GAAAAqG,GAAAAvM,IAAA,mACAMAAqK,GAAAAi3B,EAAAAp7B,KAAAA7B,EAAAAp7B,GAAAA+uB,EAAAA7B,EAAAAp7B,GAAAAo5B,EAAAA+d,QAAAA5Z,ZIAEAi3B,EAAAAp7B,GAAAAAp7B,EAAAAo5B,EAAAi3B,EAAAAp7B,GAAAAA+d,GAAAA+jBB,MAAAAiU,GAAAGAIAkG,EAAAAAo7B,EAAAAn7B,OAAA+BD,KAAAAC/ABo7B,EAAAp7B,GAAAAqG,GAAAAvM,IAAA,MACA
ArV,MAAAA,IAKA,OAAAFAkX,EAAAAAC,OAAAACAqX,EAAAr0B,OAAAA/G,EAAAA,mBAAAAA,EAAAA/d,EAAAAEAAmBA,EAAAAC,EAAAgBD,IACnC+d,EAAAAd,DAAA,d,IAAA+d,d,EAAAA/d,d,GAAAAk7B,d,QACAAnd,d,GAAAAk7B,d,GAAAAk7B,G5gC,KAAAR,aAKA+oB,EAAAAqA,YYAKA/jB,EAAAAAF,DAAAA/jBd9f,EAAAA/d,EAAAA/d,EAAAAA/B,kP
YAKA/1B,EAAAAe,KAAAAkCAAA/L,EAAAAAO,GACAAIAAAA2gC,EAAAAl2B,EAAAAAG,GAAAAAl2B,EAAAAAEAAAG,GAAAA5K,GACAAyK,EAAAAG,GAAAAA5K,GAACAAAGAAAAG,GAAAA5K,GAAAA,SAAAAggC,GGC,EAAAA,mBAAAAA,EAAAA/0B,EAAAAu0B,G
AAAG,GAAAA5K,GAAAA,SAAAAggC,EAAAAxF,EAAAAAuB,GACA,IAAAA9qB,GAAAA5H,GAAAAO,EAAAAW,EACAAEAAAAW,EAAAAAO,GAAAA/H,kB

,MAAAxM,KAAAyM,WACAzM,KAAAihC,QAAAxC,GAAA79B,GAAA,GAAAggC,EAAAxF,EAAA/uB,MAK
AhB,EAAAe,KAAA,CACAo1B,UAAA/C,GAAA,QACAgD,QAAAhD,GAAA,QACAiD,YAAAjD,GAAA,UACA
kD,OAAA,CAAUrG,QAAA,QACVsG,QAAA,CAAWtG,QAAA,QACXuG,WAAA,CAAcvG,QAAA,WACb,SAA
A16B,EAAAkxB,GACDzmB,EAAAG,GAAA5K,GAAA,SAAAggC,EAAAxF,EAAA/uB,GACA,OAAArM,KAA
AihC,QAAAnP,EAAA8O,EAAAxF,EAAA/uB,MAIAhB,EAAAi2B,OAAA,GACAj2B,EAAAmyB,GAAAe,KAA
A,WACA,IAAAiC,EACAngC,EAAA,EACAihC,EAAAj2B,EAAAi2B,OAIA,IAFAvD,GAAA1tB,KAAA8hB,MA
EQ9xB,EAAAihC,EAAAn7B,OAAmB9F,IAC3BmgC,EAAAc,EAAAjhC,GAGAmgC,KAAAc,EAAAjhC,KAAA
mgC,GACAc,EAAAr0B,OAAA5M,IAAA,GAIAihC,EAAAn7B,QACAkF,EAAAmyB,GAAAvT,OAEA8T,QAAA
t7B,GAGA4I,EAAAmyB,GAAAgD,MAAA,SAAAA,GACAn1B,EAAAi2B,OAAA77B,KAAA+6B,GACAn1B,E
AAAmyB,GAAA30B,SAGAwC,EAAAmyB,GAAAc,SAAA,GACAjzB,EAAAmyB,GAAA30B,MAAA,WACAm
1B,KAIAA,IAAA,EACAG,OAGA9yB,EAAAmyB,GAAAvT,KAAA,WACA+T,GAAA,MAGA3yB,EAAAmyB,G
AAAsD,OAAA,CACAgB,KAAA,IACAC,KAAA,IAGArV,SAAA,KAMArhB,EAAAG,GAAAw2B,MAAA,SAA
AC,EAAA53B,GAIA,OAHA43B,EAAA52B,EAAAmyB,IAAAnyB,EAAAmyB,GAAAsD,OAAAmB,MACA53B,
KAAA,KAEArK,EAAArK,KAAAikB,MAAA5Z,EAAA,SAAAnG,EAAA6lB,GACA,IAAAmY,EAAA54B,EAAAgd,WAA
ApiB,EAAA+9B,GACAlY,EAAAAE,KAAA,WACA3gB,EAAA64B,aAAAD,OAMA,WACA,IAAApqB,EAAA3O,
EAAA0B,cAAA,SACA8E,EAAAxG,EAAA0B,cAAA,UACAg2B,EAAAlxB,EAAA3E,YAAA7B,EAAA0B,cAA
A,WAEAiN,EAAAzN,KAAA,WAIAJ,EAAAm4B,QAAA,KAAAtqB,EAAAxW,MAIA2I,EAAAo4B,YAAAxB,E
AAAlkB,SAIA7E,EAAA3O,EAAA0B,cAAA,SACAiN,EAAAxW,MAAA,IACAwW,EAAAzN,KAAA,QACAJ,E
AAAq4B,WAAA,MAAAxqB,EAAAxW,MApBA,GAwBA,IAAAihC,GACAvsB,GAAA3K,EAAAyN,KAAA9C,
WAEA3K,EAAAG,GAAA0B,OAAA,CAAA8L,KAAA,SAAAApY,EAAAAU,GACA,OAAAsmB,EAAA5nB,KAAA
qL,EAAA2N,KAAApY,EAAAAU,EAAAmL,UAAAtG,OAAA,IAGAq8B,WAAA,SAAA5hC,GACA,OAAAAZ,KA
AAoM,KAAA,WACAf,EAAAm3B,WAAAxiC,KAAAAY,QAKAyK,EAAA6B,OAAA,CACA8L,KAAA,SAAAzM,
EAAA3L,EAAAU,GACA,IAAA2K,EAAA8d,EACAl2B,EAAAxE,EAAAAxE,EAAAxE,EAAAAxE,SAGA,OAAA06B,GAAA,IAAAA,
GAAA,IAAAAA,EAAAA,2BAAAl2B,EAAAwI,aAAAp2B,EAAAAwO,SAAAvU,KACAwd,EAAApB,AyV,SAAAvU,KACAwd,EAAAAq3B,QAAAyV,SAAAvU,KACAwd,EAAAAq3B,QAAA
AV,IACAqL,GAGAM,EAAAyI,aAAApU,EAAAAU,EAAAAaCAA,AAGAAyoB,GAAA,QAAAA,GAAA,QAAA9
d,EAAA8d,EAAA7oB,IAAAqL,EAAA3L,IACAqL,GAGAA,EAAAAZ,EAAAAqM,KAAAsB,KAAAzM,EAAA3L,G
AGA,MAAAqL,OAAAxJ,EAAAwJ,EAAAKAGAy2B,UAAA,CACA,IAAAA2I,EAAAAq4B,YAAA,UAAAhhC,GACAAwT,EAAAvI,EAAA,UACA,IAAA0M,EAAA1M,EAAAAjL,MA
KA,OAJAiL,EAAAAyI,aAAA,OAAAA1T,GACA2X,IACA1M,EAAAAjL,MAAA2X,GAEA3X,GAEA2X,IACAAxJ,E
AAAAj2B,EAAAAj2B,EAAAAj2B,EAAAAjL,MAAA2X,GAEA3X,GAEA2X,IACAAxJ,EAAA
AAAj2B,EAAAAjL,GACA,IAAAV,EACAP,EAAA,EAIAArC,EAAArC,EAAAArhC,EAAAA4S,MAAAA4O,GAEA,GAAA6f,GA
AA,IAAAAp2B,EAAAAxE,EAAA,SACA,MAAAAnH,EAAAEAA+hC,EAAAAtiC,EAAAAAKACAkM,EAAAA+I,gBAAAAA1U,G,gBAAAA1U,G
AA,CACAzZ,EAAAAAzZ,IAAA,SAAvAvc,EAAAAjL,EAAAAAV,GAAAAV,GAQA,IAAAihC,GAAA,IAAAA6b,EA
AA3L,EAAAAU,GACA,IAAAAvD,EAAAAUJB,EACA4oB,EAAAAoT,EAAAAiC,EAAAAwO,cAYA,OALAAAAY,A
OAVAI,AGAAAggB,EAAAAxZ,GAAAA4sB,GACA5sB,EAAAA4sB,GAAAA32B,EACAA5AA,EAAAA,MAAAApL,EAAAA0L,E
AAA3L,EAAAA4O,GACAozB,EAACA,KACA5sB,GAAAA4sB,GAAApT,GAEAvjB,GAAAA,IAAAA42B,GAAAA,sCAC
AC,GAAA,gBAyIA,SAAAC,GAAAAzhC,GACA,IAAAAqc,EAAArc,EAAAA4S,MAAAA4O,IAAAA,GACAAAZI,K
AAA,KAIA,SAAAA8tB,GAAAz2B,GACA,OAAAAAAwI,EAAAAwI,cAAAxI,aAAA,aGA,SAAAku
B,GAAAA3hC,GACA,OAAAAoM,MAAA/H,QAAAArE,GACAAAEA,kBAAAA,GACAAAAA,EAAAAA4S,MAAAAA4O,I
AEA,GAxJAzX,EAAAA0,GAAA,GACAAAA0B,OAAA,CACA8b,KAAAAAApoB,EAAAA5nB,KACAqL,E
AAAqL,EAAAA2d,KAAAApoB,EAAAA4S,MAAAA4O,IAGA,IAGA+8B,GACAAvsB,GAAAk8B,EAAA6B,EAAAAr4B,GAAA,CACA,IAAAAc,EAAAA8d,EAAAAigB,E
AAAAzc,EAAAA3L,EAAAAU,GACA,IAAAAA2K,EAAAAd,EAAAAA2d,KAAAApoB,EAAAA5nB,KAAAik4,EA
AA3O,EAAAAU,GACA,IAAAA2K,EAAAAd,EAAAAA8d,KAAoB+T,GACA5sB,GAAAA4sB,GApT
AAAA,GAAAAIAAAA,GAAAAIAAAA,EAAAWA,OAPA,IAAAA4O,GAAAp3B,EAAAAyV,SAAAAvU,KAGA3L,EAAA83B,QA

AAviC,MACAmpB,EAAA1e,EAAA4xB,UAAAr8B,SAGA6B,IAAAnB,EACAyoB,GAAA,QAAAA,QACAtnB,K
AAAwJ,EAAA8d,EAAAjB,IAAAvc,EAAAjL,EAAAV,IACAqL,EAGAM,EAAA3L,GAAAU,EAGAyoB,GAAA,
QAAAA,GAAA,QAAA9d,EAAA8d,EAAA7oB,IAAAqL,EAAA3L,IACAqL,EAGAM,EAAA3L,IAGAq8B,UAA
A,CACAzgB,SAAA,CACAtb,IAAA,SAAAqL,GAOA,IAAA62B,EAAA/3B,EAAAqM,KAAAsB,KAAAzM,EAA
A,YAEA,OAAA62B,EACAC,SAAAD,EAAA,IAIAP,GAAAhuB,KAAAtI,EAAAuI,WACAguB,GAAAjuB,KAA
AtI,EAAAuI,WACAvI,EAAAgQ,KAEA,GAGA,KAKA4mB,QAAA,CACAG,IAAA,UACAC,MAAA,eAYAt5B,E
AAAo4B,cACAh3B,EAAA4xB,UAAAtgB,SAAA,CACAzb,IAAA,SAAAqL,GAIA,IAAA2O,EAAA3O,EAAAtB,
WAIA,OAHAiQ,KAAAjQ,YACAiQ,EAAAjQ,WAAA2R,cAEA,MAEAkM,IAAA,SAAAvc,GAIA,IAAA2O,EAA
A3O,EAAAtB,WACAiQ,IACAAA,EAAA0B,cAEA1B,EAAAjQ,WAAA2R,kBAOAvR,EAAAe
,KAAA,CACA,WACA,WACA,YACA,cACA,cACA,UACA,UACA,SACA,cACA,mBACA,WACAf,EAAA83B,Q
AAAnjC,KAAAoP,eAAApP,OA4BAqL,EAAAG,GAAA0B,OAAA,CACAs2B,SAAA,SAAAAiC,GACA,IAAAmi
C,EAAAl3B,EAAA2J,EAAAwtB,EAAAAC,EAAA72B,EAAA82B,EACAvjC,EAAA,EAEA,GAAA6G,EAAA5F,G
ACA,OAAAtB,KAAAoM,KAAA,SAAAAU,GACAzgB,EAAAArL,MAAAwjC,SAAAAliC,EAAAd,KAAAAR,KAAA8M
,EAAAk2B,GAAAAhjC,UAMA,GAFAAyjC,EAAAAR,GAAAA3hC,GAEAmiC,EAAAAt9B,EAACA,MAAAoG,EAAAvM
,KAAAAK,KAIA,GAHAAqjC,EAAAAV,GAAAz2B,GACA2J,EAAA,IAAA3J,EAAAAxE,UAAAA,IAAAg7B,GAAAAW,
GAAA,IAEAAxtB,KAAAkC,MAAAApJ,EAAAA,CACApJ,EAAAqL,EAACA,MAAAA62B,EAAAAF,EAAAA32B,E,a
AAA,QAAAA4uB,GAMA,OAAA5jC,MAGA6jC,YAAA,SAAAviC,GAAAA,IAAA,IAAAAmiC,EAAAAl3B,EAAA2J,EAAA
wtB,EAAAAC,EAAA72B,E,AAAC,EAAA72B,E82B,EACAvjC,EAAA,EAEA,GAAA6G,EAAA5F,GACA,OAAAtB,KAAAoM,K
AAA,SAAAAU,GACAzgB,EAAAArL,MAAAA6jC,YAAAAliC,EAAAd,KAAAAR,KAAA8M,EAAAk2B,GAAAAhjC,UAI
A,IAAAyM,UAAAtG,OACA,OAAAnG,KAAAgZ,GAAA,YAKA,GAFAyqB,EAAAAR,GAAAA3hC,GACAGAEAAmiC,EA
AAt9B,EAACA,MAAAoG,EAAAvM,KAAAAK,K,EAAAAxE,UAAA,IAAAg7B,GAAAAW,GAAA,IAEA,IAAAAg7B,GAAAAW,
GAAA,IAEAAxtB,KAAAkC,MAAAApJ,EAAAA,CACApJ,EAAAAqL,E,MAAAA62B,E,FAAAA32B,EAAAAF,EAAAA
32B,GAGA,MAAAoJ,EAAAtM,QAAA,IAAA+5B,EAAA,QACAztB,IAAAApI,QAAA,IAAA61B,EAAA,SAKAC,
EAAAb,GAAA7sB,GACAwtB,IAAAAE,GACAr3B,EAAAAyI,aAAA,QAAA4uB,GAMA,OAAA5jC,MAGA8jC,YA
AA,SAAAxiC,GACA,IAAA15B,EAAAA0iC,EACA,EAAA,WAAA35B,EAAA,WAAA35B,GAAAqD,E
,GAEA,yBAAAyiC,E,GAAAAC,EACAD,EAAA/jC,KAAAAwjC,E,AACAAAb,GAAA6jC,E,YAAAviC,GAGA4F,
EAAA5F,GACAAtB,KAAAoM,KAAA,SAAAA/E,GAAAAAd,E,AAACAiZC,E,A8jC,E,ACAXiC,EAAA2iC,E, A,ACAd,EAAA
AK,EAAA2iC,E,ACAGAEA,MAAAA8V,EAAAA6sB,E,AAAA5jC,E,CAGAN,EAAAA8jC,EAAAAjC,E,AAAApsB
,EAAAnG,K,AAAAjoB,E,AAAA+I,EAAAAMACAoX,E,AAAA9jC,R,EAAAA8jC,jC,YAAAAzsB,B,AE
ArX,EAAAAyjC,E,AAAApsB,E,aAKI3U,IAAAnB,GAAA,YAAA+I,IACJ+M,EAAA4rB,E,AAAAhjC,E,ACAoX,E,AGA8
R,GAAAAJ,IAAA9oB,E,AAAA,gBAAAoX,E,GAOApX,E,AAAAgV,c,ACAAhV,E,aAAA,QACAoC,E,AAAA9
V,EACA,GACA4nB,E,AAAAhoB,E,AAAAlB,E,AAAA,0BAAAAkkC,E,AAAA,SAAAA54B,54B,E,ACA,IAAA8L,EA
AAM,EAAA,EAEA+W,E,AAAAg7B,E,AAAAAIAAAA9L,E,AAAAAIACA,MAAAAiB,E,AAAAvM,E,AAAAK,E,ACA,OAAAA
kM,E,AAAAxE,E,ACA,IAAAAg7B,E,AACA,GAAAAz2B,E,AAAAA3C,E,AAAA,KAAAA3C,E,AAAAA,wN,A,AAA,EA
CA,SAIA,YAOA,IAAA+sB,E
,MAEA94B,E,AAAAG,E,AAAA0B,E,AAAAA,CACAA+L,E,AACA,IAAA43B,E,AAAAyoB,E,AAAA9d,E,AAAAypB,E,ACA
npB,E,AAAAvM,E,AACAAEA,E,OAAAAyM,E,UAAAtG,E,AAAAuvB,E,AAAAxuB,E,AAAA5F,E,AAEAtB,E,AAAAoM,E
,SAAA/L,E,ACAA,IAAA4Y,E,EAAAA,E,AAAAjZ,E,KAAA+H,E,AKAkR,E,ADAAyc,E,ACAp0B,E,AAAd,E,AAAR,E,AAAAK,
EAAAgL,E,AAAArL,E,AMAAiZ,E,AAAArL,E,AOAAEA3X,E,AIAAMAAAA2X,E,AACAAEAA,E,AAAAEI,E,BAAAA,E,ACJA,E,AAAA,GAEIv
L,MAAAA/H,E,AAAAAsT,E,ACAJA,E,AAAA5N,E,AAAAiB,E,AAAA2M,E,AAAA,SAAAA3X,E,ACA,aAAAA,E,AAAAA,E,AAAAE
AAA,MAAAoB,E,AAAA1e,E,AAAA+4B,E,AAAApkC,E,AAAAqK,E,AAAAgB,E,AAAA+4B,E,AAAApkC,E,AAAA8U,E,AAA1F
,eAGA2a,E,AAAA,QAAAA,QAAAtnB,E,AAAAsnB,E,AAAAjB,E,AAAA9oB,E,AAAAiZ,E,AAAA,WACAjZ,E,AAAAsB,E,AAA
A2X,E,OAzDA1M,E,ACAwd,E,AAAA1e,E,AAAA+4B,E,AAAA73B,E,AAAAlC,E,ACAgB,E,AAAA+4B,E,AAAA73B,E,AAAAuI,E,
SAAA1F,eAEA2a,E,ACA,QAAAA,QACAtnB,E,AAAAwJ,E,AAAA8d,E,AAAA7oB,E,AAAAqL,E,AAAA,UAEAN,E,AGAA,
EAAAM,E,AAAAjL,E,AGAA,kB,AAAA2K,E,ACAAEA,E,AAAA6B,E,AAAAq2B,E,AAAA,QAAAAq2B,E,AAAA,IAIA,MAAAAl4B,E,
AGA,KAyCAAyCAZ,E,AAAA6B,E,AAAA,CACACAk3B,E,AAAAA,CACACA/X,E,AAAAA,qL,AAAA,CACAnrB,E,AAAAAqL,E,GAEA,IA
AA0M,E,AAAA,WA6B3B E,AAAA5N,E,AAAAqM,E,AAAAsB,E,AAAAzM,E,AAAA,SACAaAAA0M,E,AAAAAMA8pB,E,AAAA13B,E,AAAAAP,K

AAAyB,MAGAoD,OAAA,CACAzO,IAAA,SAAAqL,GACA,IAAAjL,EAAA+qB,EAAAhsB,EACA8M,EAAAZ,
EAAAY,QACAjH,EAAAqG,EAAAqQ,cACAgS,EAAA,eAAAriB,EAAAlC,KACAlF,EAAAypB,EAAA,QACA2
L,EAAA3L,EAAA1oB,EAAA,EAAAiH,EAAAhH,OAUA,IAPA9F,EADA6F,EAAA,EACAq0B,EAGA3L,EAAA
1oB,EAAA,EAIW7F,EAAAk6B,EAASl6B,IAKpB,GAJAgsB,EAAAlf,EAAA9M,IAIAgsB,EAAA1P,UAAAtc,IA
AA6F,KAGAmmB,EAAAzY,YACAyY,EAAAphB,WAAA2I,WACAkB,EAAAuX,EAAAphB,WAAA,cAMA,GA
HA3J,EAAA+J,EAAAghB,GAAApT,MAGA2V,EACA,OAAAttB,EAIA6D,EAAAM,KAAAnE,GAIA,OAAA6D,
GAGA2jB,IAAA,SAAAvc,EAAAjL,GACA,IAAA+iC,EAAAhY,EACAlf,EAAAZ,EAAAY,QACAhI,EAAAkG,E
AAAkD,UAAAjN,GACAjB,EAAA8M,EAAAhH,OAEA,MAAA9F,IACAgsB,EAAAlf,EAAA9M,IAIAgsB,EAA
A1P,SACAtR,EAAAoD,QAAApD,EAAA+4B,SAAA/X,OAAAnrB,IAAAmrB,GAAAlnB,IAAA,KAEAk/B,GAA
A,GAUA,OAHAA,IACA93B,EAAAqQ,eAAA,GAEAzX,OAOAkG,EAAAe,KAAA,gCACAf,EAAA+4B,SAAAp
kC,MAAA,CACA8oB,IAAA,SAAAvc,EAAAjL,GACA,GAAAoM,MAAA/H,QAAArE,EAAAoD,QAAAApD,EAAAm
Q,QAAArR,EAAAoD,QAAApD,EAAAkB,GAAA0M,MAAA3X,IAAA,IAIA2I,EAAAm4B,UACA/2B,EAAA+4
B,SAAApkC,MAAAkB,IAAA,SAAAqL,GACA,cAAAA,EAAAwI,aAAA,cAAAxI,EAAAjL,GACA,UAWA2I,EAAAq6B
,QAAA,cAAAh7B,EAGA,IAAAi7B,GAAA,kCACAC,GAAA,SAAA1hC,GACAAA,EAAAguB,EAAAmBGAzlB,EAAA
6B,OAAA7B,EAAAyjB,EAAA,MAAA,CAEA2C,QAAA,SAAA3C,EAAA/F,EAAAxc,EAAAk4B,GAEA,IAAAApkC,EA
AA6V,EAAA0B,EAAA8sB,EAAAC,EAAAnV,EAAA5J,EAAAgf,EACACAC,EAAA,CAAAt4B,GAApD,GACAk
B,EAAAAP,EAAAtJ,KAAAsuB,EAAA,QAAAA,EAAAzkB,KAAAykB,EACAO,EAAAvlB,EAAAtJ,KAAAsuB,E
AAA,aAAAA,EAAAe,UAAA1gB,EAAA,QAKA,QAKA+G,EAAA0uB,EAAAhtB,EAAArL,KAAApD,EAGA,IA
AAoD,EAAAxE,UAAA,IAAAwE,EAAAxE,WAKAw8B,GAAA1vB,KAAAxK,EAAAgB,EAAAyjB,MAAAW,a
AIAplB,EAAAT,QAAA,UAGAylB,EAAAhlB,EAAA8E,MAAA,KACA9E,EAAAglB,EAAA5Z,QACA4Z,EAAA
riB,QAEA23B,EAAAt6B,EAAAT,QAAA,aAAAS,EAGAykB,IAAAzjB,EAAAsC,SACAmhB,EACA,IAAAzjB,E
AAA+lB,MAAA/mB,EAAA,kBAAAykB,MAGAA,EAAAgW,UAAAL,EAAA,IACA3V,EAAAe,UAAAR,EAAA
na,KAAA,KACA4Z,EAAA8B,WAAA9B,EAAAe,UACA,IAAApe,OAAA,UAAA4d,EAAAna,KAAA,4BACA,K
AGA4Z,EAAA/rB,YAAAN,EACAqsB,EAAAvhB,SACAuhB,EAAAvhB,OAAAhB,GAIwc,EAAA,MAAAA,EA
CA,CAAA+F,GACAzjB,EAAAkD,UAAAwa,EAAA,CAAA+F,IAGAlJ,EAAAva,EAAAyjB,EAAAMAlJ,QAAAvb,I
AAA,GACAo6B,IAAA7e,EAAA4L,UAAA,IAAA7L,EAAA6L,EAAA7L,QAAAjlB,MAAAD,EAAAwc,IAAA,CAMA,IAA
A0b,IAAA7e,EAAA4L,EAAA4L,WAAAArnB,EAAAoC,GAAA,CAMA,IAJAm4B,EAAA9e,EAAA+J,EAAA+J,cAAAtlB,E
ACAk6B,GAAA1vB,KAAAA6vB,EAAAr6B,EACA6L,IAAAjL,YAEUiL,EAAKA,IAAAjL,WACf45B,EAAAp/B,KAAAyQ,
GACA0B,EAAA1B,EAEA,IAAA0B,EAAA+G,EAAA+H,eAAAnL,IACAA,EAAAmtB,EAAAZ,aAAAY,EACAmtB,cAAAz7
B,GAKAJ,EAAA,EAAAJ,EAAAk4B,IAAAm6B,cAAA9e,EAAAm6B,IAGAn5B,EAAAyjB,MAAAWeAAhtB,EAEAmV,IAC
ArL,EAAAo4B,EAAAGAA/sB,GAAAAA,EAAA+H,QAAAjbB,EAAA+J,E,kBA8CA,OA1CA/B,EAAAzkB,EAAAAAzkB,E,
EAAAzkB,EAAOGAo6B,GAAAA3V,EAAAiD,sBAEAnM,EAAA8G,WACA,IAAA9G,EAAA+H,QAAAz9B,EAAAqF,K
AAAAlc,IAIAp4B,EAAAkD,UAAAwa,EAAA,CAAA+F,I,kBAAAjlB,E,MAAAy9B,MAAAq4B,EAAA7zB,EAEA,IAAAp4B
EAAAp4b,kbAAyJ,EAAAm6B,IAGAAyjB,EAGAeAAhtB4Y,EAAAzkB,EAAA+H,QAAAAA,sB,EAAAwb,KAAA,CAAA
AegQ,MAAA,UAAAsV,KAAA,YAAAqC,SAAA4C,EAAAhE,EAAGpD,IAAAva,EAAA,SAAA+Y,GACAzjB
B,MAAAkW,SAAA1U,EAAAxB,EAAAvhB,OAAAAlC,EAEA,IAAA py,EAAAxB,EAAAvhB,OAAAAlC,WAACf45B,E
AAAp/B,KAAAAyQ,GACA0B,EAAA1B,EAAIA0B,WAACf45B,EAAAp/B,KAAAAyQ,EAAOGAU6B WACA IAAAArl
B,EAAA1K,KAAAAsU,eAAAtU,EAAA1K,YAAAAAlJ,WACAA,EAAAAAuM,SAAAAnB,EAAAvhB,OAAA
MAAA2C,QAAA3uB,EAAA,KAAAyJ,AMAKAlB,EAAAGAAA0B,OAAA,CAEAEukB,QAAA,SAAApnB,EA
AA0e,GACA,OAAAA/oB,B,KAAAAoM,KAAA,WACAAAA2C,QAAAAApnB,E,AAA0e,E,AAA/oB,SAGAi
lC,eAAA,SAAAIAAxc,EAAAvM,KAAA,GACA,GAAAAuM,EACA,GAAAA,GAAAuM,EACA,OAAAAlB,E
AAAyjB,B,MAAAAA2C,QAAAAApnB,E,AAA0e,EAAAxc,GAAGpD B,MAAA,UAAAAAW,SAAA1U,E,YAAAq
C,SAAA4C,EAAAhE,E,MAAvaKW,SAAA1U,EAAAY,YAAAAqC,SAAA4C,E,MAAAAkW,SAAA1U,EAA
AxB,EAAAvhB,OAAAAlC,EAEA,IAAApy,EAAAxB,EAAAvhB,OAAAAl,SAAAAAegQ,M

AAAld,EAAA4lB,GAEA4U,GACAx6B,EAAAwM,iBAAAod,EAAAve,GAAA,GAEAmT,GAAAtB,OAAAld,EA
AA4lB,GAAA4U,GAAA,OAEAhV,SAAA,WACA,IAAAxlB,EAAA1K,KAAAsU,eAAAtU,KACAklC,EAAAhc,
GAAAtB,OAAAld,EAAA4lB,GAAA,EAEA4U,EAKAhc,GAAAtB,OAAAld,EAAA4lB,EAAA4U,IAJAx6B,EAA
A6c,oBAAA+M,EAAAve,GAAA,GACAmT,GAAA5E,OAAA5Z,EAAA4lB,QASA,IAAAnU,GAAA7S,EAAA6S,
SAEAgpB,GAAA90B,KAAA8hB,MAEAiT,GAAA,KAKA/5B,EAAAg6B,SAAA,SAAAtc,GACA,IAAAjO,EAC
A,IAAAiO,GAAA,kBAAAA,EACA,YAKA,IACAjO,GAAA,IAAAxR,EAAAg8B,WAAAC,gBAAAxc,EAAA,YA
CE,MAAAjmB,GACFgY,OAAArY,EAMA,OAHAqY,MAAAApG,qBAAA,eAAAvO,QACAkF,EAAA2C,MAAA,g
BAAA+a,GAEAjO,GAIA,IACA0qB,GAAA,QACAC,GAAA,SACAC,GAAA,wCACAC,GAAA,qCAEA,SAAAC,
GAAAhJ,EAAA1yB,EAAA27B,EAAAzjB,GACA,IAAAxhB,EAEA,GAAA8M,MAAA/H,QAAAuE,GAGAmB,E
AAAe,KAAAlC,EAAA,SAAA7J,EAAA6iB,GACA2iB,GAAAL,GAAA3wB,KAAA+nB,GAGAxa,EAAAwa,EA
AA1Z,GAKA0iB,GACAhJ,EAAA,uBAAA1Z,GAAA,MAAAA,EAAA7iB,EAAA,QACA6iB,EACA2iB,EACAzj
B,UAKE,GAAAyjB,GAAA,WAAA16B,EAAAjB,GAUFkY,EAAAwa,EAAA1yB,QAPA,IAAAtJ,KAAAsJ,EACA
07B,GAAAhJ,EAAA,IAAAh8B,EAAA,IAAAsJ,EAAAtJ,GAAAilC,EAAAzjB,GAYA/W,EAAAy6B,MAAA,SAA
Ah1B,EAAA+0B,GACA,IAAAjJ,EACAx6B,EAAA,GACAggB,EAAA,SAAAxgB,EAAAmkC,GAGA,IAAAzkC,
EAAA4F,EAAA6+B,GACAAA,IACAEA3jC,IAAA+D,QAAA6/B,mBAAApkC,GAAA,IACAokC,GAAA,QAGA,
MAAA1kC,EAAA,GAAAA,EAAAoM,MAAAAlF,SAAAP,EAAAoC,cAAAqD,GAGA
zF,EAAAe,KAAA0E,EAAA,WACAWACAsR,EAAApiB,KAAAY,KAAAZ,KAAAsB,cAOA,IAAAs7B,KAAA9rB,EAC
A80B,GAAAhJ,EAAA9rB,EAAA8rB,GAAAiJ,EAAAzjB,GAKA,OAAAhgB,EAAA8S,KAAA,MAGA7J,EAAAG
,GAAA0B,OAAA,CACA+4B,UAAA,WACA,OAAA56B,EAAAy6B,MAAA9lC,KAAAkmC,mBAAAkmC,mBAEA,eAAA,W
ACA,OAAAlmC,KAAAsM,IAAA,WAGA,IAAAyM,EAAA1N,EAAA2d,KAAAhpB,KAAA,YACA,OAAA+Y,E1N,EAAA2d,KAAAhpB
AAA1N,EAAAAkD,UAAAwwK,GAAA/Y,OAEAwX,EAAAArK,KAAAqK,KAGA,OAAAr
K,KAAAAY,OAAAAyK,EAAArL,MAAAAkhB,GAAA,cACAykB,GAAA9wB,KAAA7U,EAAAA7U,KAAAA8U,U,YAAA4wB,GAA
A7wB,KAAAxK,KACArK,KAACArK,KAAA0c,UAAAuP,GAAApX,KAAAxK,MAEAiC,IAAA,SAAAjM,EAAAkmM,GACA
,IAAAA0M,EAAAA5N,EAAArL,MAAAAiZ,MAEA,aAAAAAAA,EACA,KAGAvL,EAAAAYAAvL,MAAA/H,QAAAsT,GACA5N,EACAi
B,IAAA2M,EAAA,SAAAAA,GACA,O,OACrY,KAAA2L,EAAA3L,KAAAAU,MAAA2X,EAAAnL,QAAA23B,GAA
A,WAIb,CAAAW7kC,KAAA2L,EAAA3L,KAAAAU,MAAA2X,EAAAnL,QAAA23B,GAAA,WACRvkC,SAKH,IA
CAilC,GAAA,OACAC,GAAA,OACAC,GAAA,gBACAC,GAAA,6BAGAC,GAAA,4DACAC,GAAA,iBACAC,G
AAA,QAWAzG,GAAA,GAOA0G,GAAA,GAGAC,GAAA,KAAAh9B,OAAA,KAGAi9B,GAAAz9B,EAAA0B,c
AAA,KAIA,SAAAg8B,GAAAAC,GACA,gBAAAn9B,EAAAn+B,GACA,kBAAAm+B,EAAAEAAn+B,GAAA,GAEAkBAAAm+B,EAACA
A,EAAAA,KAGA,IAAAAC,EAACA3mC,EAAA,EACA,EAACA4mC,EAAAAAAF,EAAAA33B,cAAAA8E,MAAA4O,GAAAA,G
AAA5b,EAAAA0B,GAGA,MAAAAo+B,GAAA,EAAAAA2mC,EACA,IAAA1mC,EAAAA0mC,EACA,IAAAAnuB,QAAAjQ,KAAAk+B,kA+B,EAAAAE,GAAAAjQ,KAIAA
AAvhC,KAAAmD,IAQAAjQ,SAAAs+B,GAAAAAAJ,GACA,gBAAAn9B,EAAAn+B,GACA,kBAAAm+B,EAAAAAn+B,GAAA,GAEAkBAAAm+B,EAAAA
AAAvhC,KAAAAAAAmD,,IAQAAjQ,SAAAAAAAs+B,GAAAAAAJ,GACA,gBAAAn9B,EAAAn+B,GACA,kBAAAm+B,EAAAAAn+B,GAAA,GAEAkBAAAm+B,EAAAAAAAvhC,
EAAA35B,EAAAAkzB,EAAAA8G,GAEAiJ,IAAAArqB,EACA,OAAAAbAyqB,EAAAA35B,EAAAA8S,KAAA,MAGA7J,
EAAAA06B,EAAAAAAA,IAAAA,IAAAAnuB,QAAAjQ,KAAAk+B,kvB,EAAAA2uB,EAAAA35B,EAAAA8S,KAAA,MGAFY
KAAA06B,EAAAAE,IAAA,YAAAl0B,EAAAAy0B,GACA,IAAAAAAA1l1I,EAAAA4L,EAAAAk6B,EAACAk6B,EAAAA1l1I,MACA
AAA,KAAAwD5L,GAAA0I,EAAAA1lI,IAAAOxD,OAJA4L,GACAnC,EAAAA6B,QAAAA,EAAAAAK,EAAAA,GAGAD,EA
OA,SAAAAq6B,GAAAAxlC,EAAAA+kC,EAAAAU,GAEA,IAAAAz9B,EAAAAAA9B,EAAAA09B,EAAAAAC,EAAAlmB,EAAA
1f,EAAAA0f,SACAAmlB,EAAAA7kC,EAAAA6kC,UAGA,YAAAA,EAAAAgACAA,EAACAAAAxxB,aACAAhT,IAAAAqlC,IA
CAA,EAAAA1lC,EAACA6lC,UAAAAd,EAACAe,kBAKA,GAAAA1lC,EAAAA6lC,IAKA,IAACAz9B,EAAACAiBAKA,GAAAAAJ,EAACA,IAAAAAz9B,EAAACA,GAAA
A,EAAAAzX,EAAAAAyX,EAACzX,EACA,IAAAAyX,EAAAAAzX,EAAAAGAAAawK,KAAAizB,EAACA,CACACAb,EAAAAApuB,EAACA,MAMAA,GA
AA48B,EAAAkAAY,EAACAE,EAAAAd,EAAACA,EAAAAd,EAAAApuB,EAACA,MGA
AEAF,EAAAAE,GAOA,SAAAAK,GAAAAhmC,EAACAimC,EAAAAlB,EAAAAmB,GACA,IAAAAC,EAAAAC,EAAAAAlB,EAAAAmB,GACA
AEAF,EAAAAE,GAOA,SAAAAAK,GAAAAhmC,EAACAimC,EAAAlB,EAAAAmB,GACA,IAAAAC,EAAAAC,EAACAAAlB,EAAAAmB,G

AAA7wB,EAAAmK,EACAomB,EAAA,GAGAlB,EAAA7kC,EAAA6kC,UAAAv9B,QAGA,GAAAu9B,EAAA,G
ACA,IAAAwB,KAAArmC,EAAA+lC,WACAA,EAAAM,EAAAr5B,eAAAhN,EAAA+lC,WAAAM,GAIAD,EA
AAvB,EAAAxxB,QAGA,MAAA+yB,EAcA,GAZApmC,EAAAsmC,eAAAF,KACArB,EAAA/kC,EAAAsmC,eA
AAF,IAAAH,IAIAtmB,GAAAumB,GAAAlmC,EAAAumC,aACAN,EAAAjmC,EAAAumC,WAAAN,EAAAjmC
,EAAA4kC,WAGAjlB,EAAAymB,EACAA,EAAAvB,EAAAxxB,QAEA+yB,EAGA,SAAAA,EAEAA,EAAAzm
B,OAGI,SAAAA,OAAAymB,EAAA,CAMJ,GAHAC,EAAAAN,EAAApmB,EAAA,IAAAymB,IAAAL,EAAA,KA
AAK,IAGAC,EACA,IAAAAF,KAAAJ,EAIA,GADAvwB,EAAA2wB,EAAAp5B,MAAA,KACAyI,EAAA,KAAA4
wB,IAGAC,EAAAAN,EAAApmB,EAAA,IAAAnK,EAAA,KACAuwB,EAAA,KAAAvwB,EAAA,IACA6wB,GAA
A,EAGA,IAAAA,EACAA,EAAAAN,EAAAAI,IAGS,IAAAJ,EAAAI,KACTC,EAAA5wB,EAAA,GACAqvB,EAAA
puB,QAAAjB,EAAA,KAEA,MAOA,QAAA6wB,EAGA,GAAAA,GAAArmC,EAAAwmC,OACAP,EAAAI,EAA
AJ,QAEA,IACAA,EAAAAJ,GACO,MAAAvlC,GACP,OACA8hB,MAAA,cACA5W,MAAAy6B,EAAA3l
C,EAAA,sBAAAif,EAAA,OAAAymB,IASA,OAAS5jB,MAAA,UAAAmE,KAAAsf,GA7OTzB,GAAArqB,KAA
AJ,GAAAI,KAgPAlR,EAAA6B,OAAA,CAGA27B,OAAA,EAGAC,aAAA,GACAC,KAAA,GAEApB,aAAA,CA
CAqB,IAAA7sB,GAAAI,KACAlS,KAAA,MACA4+B,QAAA1C,GAAA1xB,KAAAsH,GAAA+sB,UACAxiC,QA
AA,EACAyiC,aAAA,EACAC,OAAA,EACAC,YAAA,mDAcAC,QAAA,CACA7I,IAAAAkG,GACA77B,KAAA,a
ACA6qB,KAAA,YACA7a,IAAA,4BACAyuB,KAAA,qCAGAznB,SAAA,CACAhH,IAAA,UACA6a,KAAA,SAC
A4T,KAAA,YAGAb,eAAA,CACA5tB,IAAA,cACAhQ,KAAA,eACAy+B,KAAA,gBAKApB,WAAA,CAGAqB,S
AAAt2B,OAGAu2B,aAAA,EAGAC,YAAAngB,KAAAC,MAGAmgB,WAAAt+B,EAAAg6B,UAOAqC,YAAA,C
ACAsB,KAAA,EACAz9B,SAAA,IAOAq+B,SAAAr8B,EAAAs8B,8B,GACA,OAAAA,EAGApC,MAAAl6B,
EAAAlC,EAAAs8B,8B,cAAAkC,GAGApC,GAAAp8B,EAAAs8B,8B,aAAAp6B,IAGAu8B,8B,cAAAjD,IACA+
J,cAAAlD,GAAAH,IAGAsD,KAAAqhB,EAAA77B,GAGA,kBAAA67B,IACA77B,EAAA67B,EACAA,OA
AAvmC,GAIA0K,GAAA,EAAA88B,IAGAoC,KAAAx+B,EAAA67B,EAEAoC,KAAApB,EAGAqB,8B,cAAAij
B,EAGAlqC,EAAAmqC,KAAApC,EAAAmC,qBAGAlqC,EAAAmqC,oBAOAC,YAAA,C
ACAsB,OAAApB,KAAAn2B,OAGAw3B,KAAApB,EAGA8iB,8B,cAAAp6B,IAGAq6B,8B,cAAA76B,IAGAy+
B,GAAA,EAGApC,KAAAl6B,EAHA,SAAAqgC,IACA,IAAAC,EAAAqB,KAGApgB,KAAAngB,GACA,IAAA7B,
EAAAu+B,IAAAgC,EAAAl7B,EAIA,IAAAg+B,EAAAkiB,EACAljB,EAAA+oC,KAAApC,EAAAmC,qBAGAlq
C,EAAAmqC,oBAGAsB,YAAA,CAGA8iB,IAAA,6BAGAre,KAAA,6BAGAm7B,SAAApgB,KAAAn2B,OAGAw
3B,KAAApB,EAGA8iB,8b

,QAAAq4B,GAAA,OAtBAqE,EAAApoC,EAAA4mC,IAAAt/B,MAAAwgC,EAAA/jC,QAGA/D,EAAA2mB,OA
AA3mB,EAAA+mC,aAAA,kBAAA/mC,EAAA2mB,QACAmhB,IAAA9E,GAAAvwB,KAAAq1B,GAAA,SAAA
9nC,EAAA2mB,YAGA3mB,EAAA2mB,OAIA,IAAA3mB,EAAAmT,QACA20B,IAAAp8B,QAAAu4B,GAAA,
MACAmE,GAAApF,GAAAvwB,KAAAq1B,GAAA,cAAA/E,KAAAqF,GAIApoC,EAAA4mC,IAAAkB,EAAAM
,GASApoC,EAAAspC,aACArgC,EAAAy9B,aAAAoB,IACA/C,EAAA8D,iBAAA,oBAAA5/B,EAAAy9B,aAAAo
B,IAEA7+B,EAAA09B,KAAAmB,IACA/C,EAAA8D,iBAAA,gBAAA5/B,EAAA09B,KAAAmB,MAKA9nC,EA
AA2mB,MAAA3mB,EAAAqpC,aAAA,IAAArpC,EAAAinC,aAAAl8B,EAAAk8B,cACAlC,EAAA8D,iBAAA,eA
AA7oC,EAAAinC,aAIAlC,EAAA8D,iBACA,SACA7oC,EAAA6kC,UAAA,IAAA7kC,EAAAknC,aAAAlnC,EA
AA6kC,UAAA,IACA7kC,EAAAknC,aAAAlnC,EAAA6kC,UAAA,KACA,MAAA7kC,EAAA6kC,UAAA,QAAA
N,GAAA,WAAsD,IACtDvkC,EAAAknC,aAAA,MAIAlnC,EAAAupC,QACAxE,EAAA8D,iBAAA5qC,EAAA+
B,EAAAupC,QAAAtrC,IAIA,GAAA+B,EAAAwpC,cACA,IAAAxpC,EAAAwpC,WAAAprC,KAAAiqC,EAAAt
D,EAAA/kC,IAAAklB,GAGA,OAAA6f,EAAAiE,QAeA,GAXAL,EAAA,QAGAJ,EAAAvoB,IAAAhgB,EAAAm
+B,UACA4G,EAAA32B,KAAApO,EAAAypC,SACA1E,EAAAxjB,KAAAvhB,EAAA4L,OAGAi8B,EAAA/C,G
AAAR,GAAAtkC,EAAA+K,EAAAg6B,GAGA8C,EAEG,CASH,GARA9C,EAAAzf,WAAA,EAGA6iB,GACAG,
EAAAjZ,QAAA,YAAA0V,EAAA/kC,IAIAklB,EACA,OAAA6f,EAAA/oC,EAIA/kC,EAAAgnC,OAAAhnC,EAAA8/B,QA
AA,IACAmI,EAAA/gC,EAAAgd,WAAA,WACA6gB,EAAAiE,MAAA,YACKhpC,EAAA8/B,UAGL,IACA5a,G
AAA,EACA2iB,EAAA6B,KAAAjB,EAAAr6B,GACI,MAAA1N,GAGJ,GAAAwkB,EACA,MAAAxkB,EAAIA0N,
GAAA,EAAA1N,SAhCA0N,GAAA,kBAqCA,SAAAA,EAAA26B,EAAAY,EAAAlE,EAAA8D,GACA,IAAArD,
EAAAuD,EAAA79B,EAAAq6B,EAAA2D,EACAX,EAAAU,EAGAzkB,IAIA,GAAA,EAGA+iB,GACA/gC,EA
AA64B,aAAAkI,GAKAJ,OAAAxnC,EAGA0nC,EAAAwB,GAAA,GAGAxE,EAAAzf,WAAAyjB,EAAA,MAGA
7C,EAAA6C,GAAA,KAAAA,EAAA,WAAAA,EAGAtD,IACAQ,EAAAT,DIACAQ,EAAAAT,GAAAxlC,EAAA
+kC,aAAAU,IAIAQ,EAAAe7E,EAAAe,kBAAA,iBACA8D,IACA3gC,EAAAy9B,aAAAoB,IACA/C,EAAAy9B,aAAAo
B,IAEA7+B,EAAA09B,IAKA,MAAAb,GAAA,SAAA/oC,EAAAi1l,KACAghC,EAAA,YAGK,MAAAAF,EAC
LE,EAAA,eAIAA,EAAAhD,EAAAzjB,MACAinB,EAAAxD,EAAAtf,KACA,a,EAAAq6B,EAAAr6B,EAAAAr6
B,MACAs6B,EAAAt6B,KAKAA,EAAAq9B,GACAAE,IACAAA,EAAA,QACAF,EAAA,IACAAA,EAAA,K
AMhE,EAAAgE,SACAhE,EAAAAkE,YAAAU,GAAAV,GAAA,GAGA/C,EAAA/C/A,EACACAxjB,EAAAAkB,YA
AAykB,EAAA,QACAF,EAAA,IACAAA,EAAA,K,EAAA,EACACAA6oB,EAAAAR,EAAAlE,IAEAAE,E
AAye,KAAA,wBAAA/L,EAAAojB,GACApY,EAAAoY,GAAA,SAAAulB,EAAAjgB,EAAA1c,EAAAhC,GAU
A,OAPAnD,EAAA6hB,EAAA1e,KACAA1e,EAAA0c,EAACAA,EAAA0c,EAACAA EAAA0c,EAACAA,OAAAtm
B,GAIA4I,EAAA2,+B,KAAA3+B,EACAEAAA6B,OAAA,CACACA87B,MACA3+B,KAAAoZ,EACACAuj
B,SAAA38B,EAACA0e,OACAAC8iB,QAAAx/B,GAC
GhB,EAAAoC,cAAAu7B,WAKH39B,EAAAuqB,SAAA,SAAAoT,GACA,OAAA39B,EAAA2+B,KAAA,CAACAh
B,MAGA3+B,KAAA,MACA28B,SAAA,SACAAzxB,OAAA,EAACA1iC,6zB,OAAA,EACA1iC,QAAA,EAACAkiC,QAA
A,KAKAv9B,EAAAG,GAAA0B,OAAA,CACACAi/B,QAAA,SAAAxW,GACA,IAAAnl,EAYBA,OAvBAAztB,KAAA,
KACAkH,EAAAyuB,KACAAkH,EAAAyuB,IAAAAn1B,KAAAAR,KAAAAK,MAIAL,KAAAAytB,IAAApiB,EAAAAsqB,EA
AAA31B,KAAA,GAAA
AAsU,eAAA3H,GAAA,GAAAAW,OAAA,GAEAtN,KAAA,GAAAiL,YACACAwiB,EAAA8I,aAAAv2B,KAAA,IAG
AytB,EAAAnhB,IAAA,WACA,IAAAC,EAAAvM,EAAAAC,EAAAvM,KAEA,MAAAAuM,KAAEA,MAAAuM,K
AAA6/B,kBACAAAA7/B,EAACA8pB,pB,IAAA6/B,kB,kBAGA,O
AAA7/B,IACI8pB,EAAAAr2B,EAAA8iC,E,IAAAAll,KAAAAR,KAAAK,MACA,GAAAx9B,E,IACA8iC,E,IAAAAn1B
B,KAAAAR,KAAAK,MAIAL,KAAAAR,KAAA6/B,kB,OAAAAl,GAAAAK,mB,oAAAAl,GAAAA5P,GAAAA
qQ,I

AAA,QAAAvP,KAAA,WACAf,EAAArL,MAAA02B,YAAA12B,KAAA8T,cAEA9T,QAKAqL,EAAAyN,KAAA
vH,QAAA6sB,OAAA,SAAA7xB,GACA,OAAAlB,EAAAyN,KAAAvH,QAAAi7B,QAAAjgC,IAEAlB,EAAAyN,
KAAAvH,QAAAi7B,QAAA,SAAAjgC,GACA,SAAAA,EAAAusB,aAAAvsB,EAAAkgC,cAAAlgC,EAAA+vB,i
BAAAn2B,SAMAkF,EAAAs8B,aAAA+E,IAAA,WACA,IACA,WAAApjC,EAAAqjC,eACE,MAAA7pC,MAGF,I
AAA8pC,GAAA,CAGAC,EAAA,IAIAC,KAAA,KAEAC,GAAA1hC,EAAAs8B,aAAA+E,MAEAziC,EAAA+iC,
OAAAD,IAAA,oBAAAA,GACA9iC,EAAA+/B,KAAA+C,QAEA1hC,EAAA0+B,cAAA,SAAA58B,GACA,IAA
Ad,EAAA4gC,EAGA,GAAAhjC,EAAA+iC,MAAAD,KAAA5/B,EAAAo+B,YACA,OACAO,KAAA,SAAAH,EA
AApL,GACA,IAAAlgC,EACAqsC,EAAAv/B,EAAAu/B,MAWA,GATAA,EAAAAQ,KACA//B,EAAA9C,KACA8
C,EAAA67B,IACA77B,EAAAi8B,MACAj9B,EAAAggC,SACAhgC,EAAAoQ,UAIApQ,EAAAigC,UACA,IAAA
/sC,KAAA8M,EAAAigC,UACAV,EAAAArsC,GAAA8M,EAAAigC,UAAA/sC,GAmBA,IAAAA,KAdA8M,EAAA
86B,UAAAyE,EAAAxB,kBACAwB,EAAAxB,iBAAA/9B,EAAA86B,UAQA96B,EAAAo+B,aAAAI,EAAA,sBA
CAA,EAAA,sCAIAA,EACAe,EAAAzB,iBAAA5qC,EAAAsrC,EAAAtrC,IAIAgM,EAAA,SAAAhC,GACA,kBA
CAgC,IACAA,EAAA4gC,EAAAAP,EAAAW,OACAX,EAAAY,QAAAZ,EAAAa,QAAAb,EAAAc,UACAd,EAAA
e,mBAAA,KAEA,UAAApjC,EACAqiC,EAAAtB,QACAC,UAAA/gC,EAKR,kBAAAAqiC,EAAAvB,OACA5K,EAA
A,WAEAA,EAGAmM,EAAAAvB,OACAuB,EAAArB,WAKA,UAAAAqB,EAAAgB,EAAAAiB,EAAAaACA,CAAAWC,OAAAlB,E
AAArE,UACX,CAAAWv9B,KAAA4hC,EAAAiB,cACXjB,EAAA1B,EAAAA1B,4BAQA0B,EAAAEAAAW,OAAAhhC,IACA4gC,E
AAAP,EAAAY,QAAAAZ,EAAAc,UAAAnhC,EAAA,cAKA5J,IAAAiqC,EAAAa,QACAb,EAAAa,QAAAAN,EAEA
P,EAAAe,mBAAA,WAGA,IAAAf,EAAAAhlB,QAAApe,EAAAgd,WAAA,WACAja,GACA4gC,EAAAOAQA5gC,QIAAA
,SAEA,IAGAqgC,EAAAAAZ,KAAA3+B,EAAAs+B,QYAAAt+B,EAAA4b,EAAA4b,QMAAA,QACK,MAAAjmB,B,GAGL,GAA
AuJ,EACA,MAAAAvJ,IAKAsoC,MAAA,WACA/C,QAWAhB,EAAAAy+B,cAAA,SAAA1nC,GACAA,E
AAAmpC,cACAnpC,EAAA0f,SAAAAlX,QAAA,KAKAS,EAAAu+B,QUAAA,CACAN,QAAA,CACA1+B,OAAA,6
FAGAkX,SAAA,CACAlX,OAAA,2BAEAu9B,WAAA,CACA0F,cAAA,SAAA/iC,GAEA,OADAO,EAAAgD,WA
AAvD,GACAA,MAMAO,EAAAAy+B,cAAA,kBAAAA1nC,GACAAQACAK,IAAAL,EAAAAmT,EAAAAmT,OAA
A,GAEAnT,EAAAAmpC,cACAmpC,EAAAAi0+B,cAAA,kBAAAA3nC,GAIA,IAAAwI,EAAAAyB,EAADA,GAAAjK,E
AAAmpC,cYAEA,OACAO,KAAA,SAAAA5h5B,EAAAAytB,GACA31B,EAAAAS,EAAAA,Y
AAA2d,KAAA,CACA8kB,QAAA1rC,EAAA2rC,cAAAzjC,IAAAl,EAAA4mC,MACKta,GACL,aACAriB,EAAA
,SAAA2hC,GACApjC,EAAAA0Z,SACAjY,EAAA0Z,0Z,SACAj,KACA2hC,EAAAA,UAAAAyN,EAAA3jC,KAAA,QAA
A2jC,EAAA3jC,QAMAlB,EAAAA4B,KAAAAC,YAAAJ,EAAAA,KAEAwgC,MAAA,WACA,GACAA/+B,QAUA,IA
AA4hC,EAAAA,DACAC,GAAAAoBAGA7iC,EAAAAu+B,UAAAA,CACAAuE,EAAAA4b,SAAA7b,EAAA4b,QAAAA,PBAGA7iC,cAAA,QAAA,AAAA/A/
hC,EAAA4hC,EAAAAj9B,QAAA3F,EAAAAsC,QAAA,QAAA,IAAAAw3B,B,KAEA,QAADAAnlC,K,KA
KAhB,EAAAAy+B,cAAAsBAAA1nC,EAAAAisC,EAAAAlH,GAEA,IAAAAmH,EAAAAC,EAAAACAC,E
AArsC,EAAA+rC,QAAAAr5B,EAAAAzS,EAAAA4mC,KAKA,MAKA,kBAAA5mC,EAAAA2mB,MAEA,KA
DA3mB,EAAAAinC,aAAAIACAz/B,QAAA,sCACAskC,GAAAr5B,EAAAAzS,EAAAA2mB,OAAA,QAIA,GAAAA0l
B,GAAAA,UAAAArsC,EAAAA6kC,EAAAAUAAA,GA8DA,OA3DAAqH,EAAAAlsC,EAAAAgsC,cAAAlnC,EAAA9E,EAAAAgsC
,eACAhsC,EAAAAgsC,cAAAgBACAhsC,EAAAAgsC,cAGAdKGAK,EACAArsC,EAAAAqsC,QAAAArsC,EAAAA3gC,QA
AAAogC,EAAAA,KAAAAIACG,IAAAAlsC,EAAAA+rC,QACAAH/rC,EAAAA4mC,MAAA5D,GAAAAvwB,KAAAAzS
EAAA4mC,KAAAAASAAA5mC,EAAAA+rC,QAAA+lC,GAIAA,0BAIAA,0BAAAGAIAlsC,EAAAA+lC,QAA
A,KAAAwlC,AOAHAqG,GACArsC,EAAAAnjC,QAAAmsC,EAAAAp1C,QAAA+lC,GAAAA+lC,QAAAAllC,
 whjwNC,EAAAA2C,IAEA,mBAAAAxd,EAAAAykC,EAAAAwlC,EAAAA,mBAAAAD,EAAAAIAKA7wB,E
AAAA,OADAAAA,EAAAAhU,EAAAAAplC,EAAAAwlC,EAAAAAeAAAD,mBAAAAIAKA7wB,B,cA
AA,QACAACAgT,EAAAAt,B,KAAAApT,EAAAAgT,EAAAAI,SAAAAI,KACAhR,EAAAAAoC,A4AwH,EAAAApC
BA,GAAAA,UAAAArsC,EAAAA6kkC,EAAAAAR,EAAAAKAAAAC,YAAAAA6S,IAEAAAyB,EAADA,GAAAAjK,AE
AAAyB,EAADA,GAAAAjK,EAAAAmpC,c,mBAAAAxd,EAAAAykC,YAEA,OADAAAA,nT,EAAAAgT,A
AAAipsC,EAAAAAAAA,cAAAgliC,EAAAAg1C,GAC
AhlC,EAAAAglC,GAAAA,WAAAAWACAE,EAAAAhhlc,WAIAA06B,EAAAAtiB,OAAAA,gBAGAAiB,IAAAA8rC,EACAAlj
C,EAAAA
/B,GAAAA45B,WAAAAoL,GAIAhlC,EAAAAglC,GAAAAC,EAIAAnsC,EAAAAksC,EAAAAKAGAlsC,EAAA
AD,cAGAH,GAAAAxoC,KAAAA6oC,IAIAE,GAAAAtnC,EAAAAqnC,QAAAAICAA,EAAAAAI,IAGAA,IAGAA,IAGAA
A9rC,EAAAAp1C,QAAAAykC,EAAAAAgkcC,GAADIA0IAAtB,EAAAAAV,cA
AA,QACAAgT,EAAAAtB,KAAAApT,EAAAAgT,EAAAAgT,EAAAAI,KAAAAoC,A
IA0lC,EAAAAxtB,EAAAA9M,KAAAAwU,GACAAuE,EAAAAshB,GAAAA,GAGAC,EACACA,CAAAAtjC,EAAAAV,cAAAAgk
IA0lC,EAAAAxtB,EAAAA9M,KAAAAwU,GACAAuE,EAAAAshB,GAAAA,GAGAC,EACACA,CAAAAtjC,EAAAAV,cAAAAgk

C,EAAA,MAGAA,EAAAxhB,GAAA,CAAAtE,GAAAxd,EAAA+hB,GAEAA,KAAAnnB,QACAkF,EAAAiiB,GAAAhJ,SAGAjZ,EAAAa,MAAA,GAAA2iC,EAAA/6B,cAlCA,IAAA+J,EAAAgxB,EAAAvhB,GAyCAjiB,EAAAG,GAAA+lB,KAAA,SAAAyX,EAAA8F,EAAAziC,GACA,IAAAf,EAAAjB,EAAAg+B,EACAtoC,EAAAAC,KACA+uB,EAAAp/B,QAAA,KAsDA,OApDAmlB,GAAA,IACAzjB,EAAAy3B,GAAAiG,EAAAt/B,MAAAqlB,IACAia,IAAAt/B,MAAA,EAAAqlB,IAIA7nB,EAAA4nC,IAGAziC,EAAAyiC,EACAA,OAAArsC,GAGEqsC,GAAA,kBAAAA,IACFzkC,EAAA,QAIAtK,EAAAoG,OAAAhrB,EAAA2+B,KAAA,CACAChB,MAKA3+B,QAAA,MACA28B,SAAA,OACAje,KAAA+lB,IACAGt+B,KAAA,SAAAm9B,GAGHtF,EAAA57B,UAEA1M,EAAAAA41B,KAAArqB,EAIAD,EAAA,SAAAgrB,OAAAhrB,EAAAoW,UAAAksB,IAAAj2B,KAAApM,GAGAGqiC,KAKG9oB,OAAAxY,GAAA,SAAA86B,EAAAgE,GACHprC,EAAAAqM,KAAA,WACAC,EAAAAG,MAAAAxM,KAAAqoC,GAAA,CAAAlB,EAAAAwG,aAAAxC,EAAAAhE,QAKAnnC,MAOAqL,EAAAe,KAAA,CACA,YACA,eACA,cACA,YACA,SAAA/L,EAAAgK,GACAgB,EAAAAG,GAAAnB,GAAA,SAAAmB,GACA,OAAAxL,KAAA0uB,GAAArkB,EAAAmB,GAAAMB,GAAAvH,QAAAAw9B,GAAAAyN,KAAAAvH,QAAAw9B,GAAAAi2B,OAAAAe,IAAAf,EAAAAe,OACEpG,QAMFkF,EAAAAjF,OAAAA,CACACA4oC,UAAAA,SAAAAziC,EAAAAY,EAAAA9M GACA,IAAA4uC,EAAAAC,EAAAAC,EAACA,EAAAAC,EACA,EAACA,EAAAAC,EACA3W4G,EACA3W vtB,EAAAwf,IAAAte,EAAA,YACAijC,EAAAnkC,EAAAkkB,GACGAulB,EAAA,GAGA,WAAA8G,IAAArsB,oe,MAAAiO,SAAA,YAAAyW,EAAA,EAAAppC,SACA+oC,EAAAAwf,IAAAte,EAAAOACA+iC,EAAAjkC,EAAAAwf,IAAAte,EAAAQACAgjC,GAAAAAaAA3W,GAAAuAAAAKACAuW,EAAAAg,IlC,QAAAWAIA2lC,GACAN,EAAAAO,EAAAA5W,WACAwW,EAAAAH,EAAAh4B,IACAi4B,EAAAAAD,EAAAAAzS,OAGAA4S,EAAAAnW,WAAAkW,IAAA,EACADE,AAAAjW,EAAAAA3M,GAGApoC,EAAAAiG,EAAAAAA3M,KAAA+L,EAAAAAlM,EAAAAA6B,OAAAA,GAAAqDmiC,KAGrD,MAAAAiC,EAACA8J,MACA6a,EAAAA7a,IAAA9J,EAAA8J,IAAAo4B,EAAAAp4B,IAAAm4B,EAAAAAjiC,EAAA,MAAAAjvC,EACAAqvB,OAAA1K,EAAAAA+K, siC,MAAAAjvC,EAAA+L,EAAAAulB,GAGA0d,EAAA33kB,IAAAiH,EAAAAzmB,EAAAAG,GAAA0B,OAAAACAA9G,OAAA,SAAA+G,EAAAAV,EACA,YAAA1D,EOACA9G OAAA,SAAA+G,GAAAV,UAAAtG,OAACA,YAAA1D,IAAA0K,EACAnN,KAAAAoM,GACAAA,SAAA/L,EOACAgL IAAA0K,EACAnN,KAAAAoM,GAEAA,OAAAuM,EAQAA+vB,EAAAAvM,KAAA,GAEA,OAAAuM,EAQAA+vB,AAAAAv vM,KAAA,GAAAAEA,OAAAuM,EAQAA+vB,AAAAAvM,KAAA,+vB,iBAAAn2B,QAKAupC,EAAAnjC,EAAAgwB,E,wBAC AoT,EAAApjC,EAAA+H,cAAA0C,YACA,CACACAC,IAAAy4B,EAAAAz4B,G,iAAA04B,EAAAAAC,EAAAAC,GAAAA AC,YACApT,KAAAkT EAAAAAlT,KAAAAmT,EAAAAEAAEAcARA,CAAW54B,IAAAA,EAAAAulB,KAAA,QATX,GAuBA5D,SAAA,WACA,GAA A54B,KAAA,IAIA,IAAAA8vC,EAAAA1pC,EAAAAsE,EAACA6B,EAAAAvM,KAAAA,GACA+vC,EAAAA,CAAAA+vC,EAAAA ,IAAA,EAAAAulB,KAAA,GAGnB,aAAAnxB,EAAAAEAAEAwf,IAAAte,EAAAA,YAGAnG,EAAAmG,EAAAAgwB,EAAA4BAEG, CACHn2B,EAAApG,KAAAoG,SAIAsE,EAAA6B,EAAAA+H,cARA0C,YACAgwB,EAAAo4B,GAAAplC,EAAA mM,gBACA,MAAAAi5B,IACAA,EAAAAplC,EAAAmhB,MAAAikB,IAAAplC,EAAAmM,kBACA,WAAAAAxL,EAAAAw f,IAAAilB,EAAA,YAEAA7kC,EAAAAE6kC,WAEA6kC,OAAAAvjC,GAAA,IAAAujC,EAAA/nC,EAAAujC,EAAA/nC, WAGAgoC,EAAAAA1kC,EAAAAAykC,GAAA1pC,SAACA2pC,EAAAAAAvkC,GAAAA+H,cAAA0C,YAACAA94B,EAAA5L,E, qBACAAAvT,MAAnxB,EAAAAwf,IAAAilB,EAAA,EAAAA,uBAKA,OAAA74B,EAAAg BAgwBAiwB,KAAAAAp2B,EAAAA o2B,KAAAuT,EAAAAvT,KAAAAnxB,EAAAAAwf,IAAAte,EAAAAA,oB Ac AujC,aAAAA,WACA,OAAAA9vC,KAAAAsM,GAAAA9vC,KAAAAAsM,IAAAA,WACA,IAAAyjC,EAAAAY9vC,EAAA AijC,EA ,oAAAAGAAAA,GAAAAj5B,QAMAxL,EAAAAe,KAAA,CAAAcsxB,WAAAcAAAD,UAAAA,eAAAsD,SAAAAha,EAAAAu F,GACpEA A,IAAA/R,EAAAAgBAAAA+R,EAEA3dEAAA3d,EAAAAAAiY,GAAAA,SAAAAxK,EAACA,OAAAA2O,EAAAA5nB,EAAA kX,EAAAAxK,EAAAAAxK,GAGA,IAAAAAA02B,EAOAAOA,GANAxlC,EOAAAoC,GAACA,SAACojC,GAAAApjC,EAAIAAAAEAAAxEAAAC J4nC,EAAAApjC,EAAAAyK,kBAGAGvU,IAAAAwwWAAAA,EAACAA,OAAAAA02B,IAAAA3mB,GAAAzc,EAAAAkX,SA CA/4B,EAAAAAK,SACA/4B,EAAAAAA04B,EOAAAE,YAAAAK,SACA/4B,EAAAAAA04B,EOAAAAAGwK,EA AAxK,EAAAAxM,UAAAtG,WAUHkF,EAAAAAxM,UAAAAtG,WAUHkF,EAAAAe,KAAA,CAAAwBAAAA/L,EAAAA A2oB,GACA3d,EAAAAgwB,EAAAAAArS,GAAAA8AO,AAAA8O,GAAAA7tB,EOAAAAovB,EAAAAcAAA9sB,EAA AAirB,EAAAAEAIA,OAHAA,EAAAAAD,GAAAAAhrB,EOAAAyc,EOAAAAAHAA,EAAAADB,EO AAAAyc,EAAAAHAAAA,Eyc,GAGAkO,EAAAAyc,EAACA2iB,GACAAnsB,EAAAAkB,EAACAksB,GAAAA AqsB,WAAAA5P,GAAA,KACAwO,MAQAAnsB,EAAAAe,KAAA,CAAAACAAAAwO,MAQAAns B,EAAAAe,KAAA,CAAAAc6jC,OAAAA,SAAAAC,MAAAASAAmC,SAAAtvC,EAAAAAAyJ,GACjDgB,EAAA Ae,KAAAAACAAAeswB,QAAAAQAAA97B,EAAAAAgiB,QAAAAAvY,EAAAA8lC,GAAAAQAAvvC,GACfAA,SAAAAwvC,EAAAAAC,GAGA

hlC,EAAAG,GAAA6kC,GAAA,SAAA5T,EAAAn7B,GACA,IAAAumB,EAAApb,UAAAtG,SAAAiqC,GAAA,m
BAAA3T,GACA3B,EAAAsV,KAAA,IAAA3T,IAAA,IAAAn7B,EAAA,mBAEA,OAAAsmB,EAAA5nB,KAAA,
SAAAuM,EAAAlC,EAAA/I,GACA,IAAAoJ,EAEA,OAAAP,EAAAoC,GAGA,IAAA8jC,EAAAzmC,QAAA,SA
CA2C,EAAA,QAAA3L,GACA2L,EAAApD,SAAA0N,gBAAA,SAAAjW,GAIA,IAAA2L,EAAAxE,UACA2C,E
AAA6B,EAAAsK,gBAIAjJ,KAAA2sB,IACAhuB,EAAAsf,KAAA,SAAAjrB,GAAA8J,EAAA,SAAA9J,GACA2L
,EAAAsf,KAAA,SAAAjrB,GAAA8J,EAAA,SAAA9J,GACA8J,EAAA,SAAA9J,UAIA6B,IAAAnB,EAGA+J,EA
AAwf,IAAAte,EAAAlC,EAAAywB,GAGAzvB,EAAAsf,MAAApe,EAAAlC,EAAA/I,EAAAw5B,IACIzwB,EAA
Awd,EAAA4U,OAAAh6B,EAAAolB,QAMJxc,EAAAe,KAAA,wLAEA+C,MAAA,KACA,SAAA9O,EAAAO,G
AGAyK,EAAAG,GAAA5K,GAAA,SAAAmoB,EAAAvd,GACA,OAAAiB,UAAAtG,OAAA,EACAnG,KAAA0u
B,GAAA9tB,EAAA,KAAAmoB,EAAAvd,GACAxL,KAAAyxB,QAAA7wB,MAIAyK,EAAAG,GAAA0B,OAAA
,CACAojC,MAAA,SAAAC,EAAAC,GACA,OAAAxwC,KAAAk0B,WAAAqc,GAAApc,WAAAqc,GAAAD,MA
OAllC,EAAAG,GAAA0B,OAAA,CAEArL,KAAA,SAAA8sB,EAAA5F,EAAAvd,GACA,OAAAxL,KAAA0uB,G
AAAC,EAAA,KAAA5F,EAAAvd,IAEAilC,OAAA,SAAA9hB,EAAAnjB,GACA,OAAAxL,KAAA+uB,IAAAAJ,E
AAA,KAAAnjB,IAGAklC,SAAA,SAAAplC,EAAAqjB,EAAA5F,EAAAvd,GACA,OAAAxL,KAAA0uB,GAAA
C,EAAAArjB,EAAAyd,EAAAvd,IAEAmlC,WAAA,SAAArlC,EAAAqjB,EAAAnjB,GAGA,WAAAiB,UAAAtG,O
ACAnG,KAAA+uB,IAAAzjB,EAAA,MACAtL,KAAA+uB,IAAAJ,EAAArjB,EAAArjB,GAAA,KAAAE,MAQAH,EAAAul
C,MAAA,SAAAplC,EAAAD,GACA,IAAAqM,EAAA2D,EAAAq1B,EAUA,GARA,kBAAArlC,IACAqM,EAAA
pM,EAAAD,GACAA,EAAAC,EACAA,EAAAoM,GAKA1Q,EAAAAsE,GAaA,OARA+P,EAAA7R,EAAAlJ,KAA
AiM,UAAA,GACAmkC,EAAA,WACA,OAAAplC,EAAAgB,MAAAjB,GAAAvL,KAAAub,EAAA5R,OAAAD,E
AAAlJ,KAAAiM,cAIAmkC,EAAA3hC,EAAAAzD,EAAAyD,EAAAzD,EAAAyD,MAAA5D,EAAA4D,OAEA2h
C,GAGAvlC,EAAAwlC,UAAA,SAAAAC,GACAA,EACAzlC,EAAAmc,YAEAnc,EAAAqW,OAAA,IAGArW,EA
AA1F,QAAA+H,MAAA/H,QACA0F,EAAA0lC,UAAAxnB,KAAAAC,MACAne,EAAAyJ,WACAzJ,EAAAnE,aA
CAmE,EAAAAlB,WACAkB,EAAAkd,YACAld,EAAAhB,KAAAc,EAEAE,EAAA8mB,IAAA9hB,KAAA8hB,IAE
A9mB,EAAA2lC,UAAA,SAAAA9mC,GAKA,IAAAG,EAAAgB,EAAAhB,KAAAAH,GACA,kBAAAAG,EAAA,WA
AAA,KAKA4mC,MAAA/mC,EAAA+uB,IAAA+uB,IAAAKAoBCjB,EAAAkB,GAAAEC,EAAA,WACrB,OAAAmC,GA
CEmB,MAAA9M,EAAAuJ,QAAAxG,IAAAyG,IAAAvJ,EAAAAD,QAAAwJ,GAMF,IAGAgoC,GAAA5nC,EAAA
+B,OAGA8lC,GAAA7nC,EAAA8nC,EAwBA,OAtBA/lC,EAAAgmC,WAAA,SAAA7jC,GASA,OARAlE,EAAA
8nC,IAAA/lC,IACA/B,EAAA8nC,EAAAAD,IAGA3jC,GAAAlE,EAAA+B,IAAAw5B,aAAA/B,EAAA+B,IAAAOA6lC,IAGA7l
C,GAMA9B,IACAD,EAAA+B,IAAAw5B,aAAA/B,EAAA8nC,EAAAAA8nC,EAAA/lC,IGAMAA,4BC1nUA,IAAAiB,E
AAA,QAIA,SAAAAC,EAAAAC,GACA,IAAAA/8B,EAAAg9B,EAAAAD,GACA,OAAAArxC,EAAAsxC,EAAAsU,GAEA,SAAAg
9B,EAAAAD,GACA,IAAA/8B,EAAAAnI,EAAAkIC,GACA,KAAA/8B,EAAA,IAAA3R,EAAA,IAAAuG,G,MA
AA,uBAAAmoC,EAAA,KAEA,MADA1uC,EAAA2H,KAAA,mBACA3H,EAAA,OAAA2R,EAAA88B,88B,EAAA7tC
,KAAA,WACA,OAAA3C,OAAA3C,OAAA2C,KAAA4I,IAEAilC,EAAAjuB,QAAAmuB,EACA9xC,EAAAAD,QAAA6xC,E
ACAA,EAAA98B,GAAA,+BCvBA,IAAAi9B,EAAUvxC,EAAAQ,QAClBwxC,EAAAiBxxC,EAAAQ,QAClZ,EAAA
AgBzxC,EAAAQ,QAClxC,EAAAQ,QAClB2xC,EAAU7B4xC,EAAAqB3xC,EAAACxC,EAAAAD,GAAA,WA
CA,IAAA1pB,EAAA,EAAA,SAAAApqC,EAAAAqpC,GACA,OAAA0uB,YAACyC,EAAAAuyC,GAEAmD,GAFMoC,EAA
AArpC,EAAAAE,GACAzvC,KAAAk0B,WAACqc,GAAApc,WAACqc,GAAA89B,MAAC83B,MAAA2uC,EAAA3uC,EAAAA
yC,EAAA93B,EAAAAsnnC,ODAAA0oC,IGAnD,GAAA,iBAAAAnBA,EAAA0xxC,EAAAAAyC,EAAAAyC,OACA9F,EAAA,EAEA,M
AAAAEA,MAAA8F,EAAAAAAA9F,EAAAAAAAyC,OACA9F,EAAA6uC,EAAAAyC,EAAAyC,OAAC9F,6OAAA

,EAAAoyC,EAAAR,EAAA1pC,EAAAnD,EAAA1B,EAAArD,KAAAuyC,EAAAxtC,IACA,OAAAmD,wCCTA5I
,EAAAD,QAAA,WACA,IAAAwK,EAAA2oC,EAAA9xC,OAAA8xC,OACA,0BAAAA,IACA3oC,EAAA,CAAQ
4oC,IAAA,OACRD,EAAA3oC,EAAA,CAAc6oC,IAAA,OAAa,CAAGC,KAAA,SAC9B9oC,EAAA4oC,IAAA5o
C,EAAA6oC,IAAA7oC,EAAA8oC,OAAA,oDCPA,IAAAC,EAAA9yC,EAAA,QAAA+yC,EAAA/yC,EAAA2B,E
AAAmxC,GAA8gBC,EAAG,wBCAjhB,IAAAC,EAAkBhzC,EAAQ,QAC1Be,EAAUf,EAAQ,QAClBizC,EAAYjz
C,EAAQ,QACpBkzC,EAAYlzC,EAAQ,QACpBmG,EAAyBnG,EAAQ,QACjCmzC,EAA8BnzC,EAAQ,QACtCoz
C,EAAYpzC,EAAQ,QAGpBqzC,EAAA,EACAC,EAAA,EAUA,SAAAC,EAAAAC,EAAAAC,GACA,OAAAP,EAA
AM,IAAArtC,EAAAstC,GACAN,EAAAAC,EAAAAI,GAAAC,GAEA,SAAA7xC,GACA,IAAA8xC,EAAAA3yC,EA
AAa,EAAAA4xC,EAAA4xC,GACAR,EAAAAC,EAAAAL,GAAAg0C,IAAAI,EAAoB3zC,EAAQ,QAG5B4zC,EAAA,m
GAGAC,EAAA,WASAC,EAAAAH,EAAAA,SAAAtrB,GACA,IAAAzlB,EAAA,GAOA,OANA,KAAAylB,EAAAhV,WA
AA,IACAzQ,EAAA0C,EAAA0uC,EAAA,IAEA1a,QAAAimC,EAAA,SAAA7/B,EAAAggC,EAAAAC,EAAAAC,G
ACArxC,EAAA0C,EAAA0uC,KAAA0uC,EAAAC,EAAAAtmC,EAAAA,MAAAE,EAAAAhgC,EAAAhgC,EAAA,KAEAp
D,EAAAAD,EAAAaEA10C,EAAAAD,QAAA,WACA,0BAAA20C,EAAAjkC,YACA,IAAAikC,EAAAjkC,SAAA,aAAAikC
,EAAAjkC,SAAA,+BCNA,IAaAia,EAAAiqB,EAAAAC,EAbAC,EAAAUr0C,E
AAQ,QAClBs0C,EAAAat0C,EAAQ,QAClBrBw1B,EAAWx1B,EAAQ,QACnBu0C,EAAUv0C,EAAQ,QAClBuuG,EA
AavG,EAAQ,QACrB8lB,EAAAvf,EAAAuf,QAACA0uB,EAAAjuC,EAAAkuC,aACAC,EAAAnuC,EAAAouC,eA
CAC,EAAAruC,EAAAquC,eACAC,EAACACHxB,EAAA,GACA,qBAEAhY,EAAAA,WACA,IAAAzoB,EAA
AAyoB,IAAAzoB,WACA,IAAAw0C,EAAAAzoB,E
BAEAhY,EAAA,WACA,IAAAAzoB,EAAAAzU,KAEA,GAAAAikB,EAAA/hB,eAAAuS,GAAA,CACA,IAAAAjJ,EA
AAyY,EAAAAxP,EAAAAxP,EAAAGACAjJ,MAGA2pC,EAAAArmB,EAACAoO,EAAAAO,EAACAjJ,MAGA2pC,EA
AAA/F,EAAAAxP,EAAAGACAjJ,Ib,EAAA18B,KAAAAsuB,E
AAA/F,EAAAAxP,IAGsB,WAAhBtU,EAAA2pC,SAAArmB,EAAA18B,KAAAsuB,E
AAA/F,EAAAAzoB,IAGsB,WAAhBtU,EAAA2pC,SAAArmB,EAAA18B,KAAAsuB,E
AAA/F,IAGsB,WAAhBtU,EAAA2pC,SAAArmB,EAAA18B,KAAAsuB,E
AAA/F,EAAAAzoB,EAAAGANIK,EAAAAxP,EAACAjJ,MAGqB,WAAhBtU,EAAA2pC,SAAArmB,E
AAA18B,KAAAsuB,EAAA/F,EAAAAzoB,EAADG6qB,EAAAAgvC,eAAAAhY,E
AAA,WAAAQ,EAAAAi+B,EAAAA,SAAjgC,EAADG6qB,EAAAAgvC,eAAAAhY,E
AAA,WAAAQ,EAAAAi+B,EAAAA,SAAjgC,EAAADG6qB,EAAAAgvC,eAAAAhY,E
AAA3qB,YAAA0pC,EAAA,WAAAQ,EAAAAQ,EAAAA,SAAjgc,EACAkhB,E
AAAA3qB,EAADXAAAQ,EAAA,WACAvf,EAAAAzqBCzDA,SAAAxuC,EAAA/E,GACA,IAAA+I,SAAA/E,EAA
Aa,EAAAa+I,EAAAa,aAAAAAAA,IAAA,UAAAA+I,EA
AA,YAAAAGAGA1K,EAAAAD,QAAA2G,0BC9BA,IAaAjF,EAAAajF,EAAQ,QAClBe,EAACAf,EAAQ,QAClBiz
C,EAAYjzC,EAAQ,QAClBw0C,EAAUx0C,EAAQ,QAClBs0C,EAAAat0C,EAAQ,QAclBrBw1B,EAAAA,WAAAAQ,
GAAA,WACAvf,EAAAzqBCvf,EAAAAzqBCvf,EAAAzqBCzDA,SAAjgc,E
AAAAzwB,EAAAuf,EAAAAP,EAAAAxD,EAAGA,GAFA8D,E
AAAA8B,EAAAxB,EAAEA,KAAAAQ,EAACA,IAAAAiB,E
AAAAP,EAAAxD,EAAGA,GAFA8D,EAAAv1C,GAAAAu1C,EAAAP,E
AAAAP,EAAAxD,EAAGA,GAFA8D,EAAAv1C,GAAAAu1C,EAAAP,E

C,GAGA,SAGAp3C,EAAAD,QAAAo3C,uCC7GAn3C,EAAAD,QAAiBS,EAAQ,OAARA,GAA0BiB,OAAejB,E
AAQ,gCCFlE,IAAAoH,EAAgBpH,EAAQ,QACxBX,EAAWW,EAAQ,QAGnB8G,EAAAAM,EAAA/H,EAAA,WA
EAG,EAAAD,QAAAuH,wBCIA,SAAAywC,EAAAA91C,GACA,IAAAmB,EAAA/C,KAAA8b,IAAAla,WAAA5B,
KAAA23C,SAAA/1C,GAEA,OADA5B,KAAAw3C,MAAAz0C,EAAA,IACAA,EAGApD,EAAAD,QAAAg4C,0
BChBA,IAAAE,EAAez3C,EAAQ,QAWvB,SAAA03C,EAAAtiB,EAAAuiB,GACA,IAAA/0C,GAAA,EAKA,OAJ
A60C,EAAAriB,EAAA,SAAAj0B,EAAA4E,EAAAqvB,GAEA,OADAxyB,IAAA+0C,EAAAx2C,EAAA4E,EAA
AqvB,GACAxyB,IAEAA,EAGApD,EAAAD,QAAAm4C,0BCnBA,IAAArwC,EAAerH,EAAQ,QACvBR,EAAAD
,QAAA,SAAAwP,EAAA1D,EAAAlK,EAAA4D,GACA,IACA,OAAAA,EAAAsG,EAAAhE,EAAAlG,GAAA,GA
AAA,EAAA,IAAAkK,EAAAlK,GAEG,MAAAwB,GACH,IAAAmJ,EAAAiD,EAAA,UAEA,WADAzM,IAAAwJ,
GAAAzE,EAAAyE,EAAAzL,KAAA0O,IACApM,EAAAyE,EAAAzL,KAAA0O,IACApM,4BCTA,IAAAi1C,EAAiB53C,EAAQ,QAYzB,SAAA63C,EAA
Ap2C,EAAAN,GACA,IAAAynB,EAAAgvB,EAAA/3C,KAAA4B,GAAAy0C,EAAAyuB,EAAAyuB,KAIA,OAF
AzuB,EAAAD,IAAAlnB,EAAAN,GACAtB,KAAAw3C,MAAAzuB,EAAAyuB,QAAA,IACAx3C,KAGAL,EAA
AD,QAAAs4C,8DCnBAr4C,EAAAD,QAAiBS,EAAQ,OAARA,GACjBY,OAAA8xC,OACG1yC,EAAQ,8BCKX,
SAAAmzC,EAAA1xC,EAAAgyC,GACA,gBAAA7xC,GACA,aAAAA,EAAAAH,KAAAgyC,EAAAAH,KAAAgyC,GACA,aAAAA,IAGA,EAAAH,KAAAgyC,C,SACAnxC,I
AAAmxC,GAAAhyC,KAAAb,OAAAAgB,MAIApC,EAAAAD,QAAA4zC,uCClBA,IAAAnwC,EAAAWhD,EAAAQ,QAC
nB+C,EAAAe/C,EAAAQ,QACvB83C,EAAAY93C,EAAAQ,QACpB+3C,EAAc/3C,EAAQ,QAAtBg4C,EAAAUh4C,4BCAA,IAAAm3C,EAAnBh4C,4BCAA,IAAA1Q,EAAA2jC,EAAAoO,GACA,IAAA8jC,EAAAAF,EAAAAC,GACAnzB,E
AAA1Q,EAAA2jC,EAAAGEAAAG,IACAE,EAAAArzB,GAAAArzB,GAAAAsz
B,EAAAAGAAAD,IACAE,EAAAArzB,GAAAArzB,GAAAsz
B,EAAWACA,IAAA1vC,EAAA,GAEA,GAAAAEA,OADAA,EAAA8vC,GAAA,WAA6B,UAC7B,MAAAAD,GAAA7vC,EOAE
ArF,EAAAgQ,OAAAjR,UAAAm2C,EAAAAE,GACAn1C,EAAAsO,OAAAxP,UAAAo2C,EAAAAsO,OAAAAxP,U
A,SAAAqiB,EAAAxZ,GAAgC,OAAAupC,EAAAA/3C,KAAA003C,EAAAxoB,EAAAxJP,IAGhC,SAAAwwZ,GAA2
B,OAAA+vB,EAAAA/3C,KAAA003C,EAAAxoB,gCCxB3B,IAAAw4C,EAAAuBr4C,EAAAQ,QAAB/B,SAAAs4C,EA
AA12C,EAAAg1C,EAAAA2B,GACA,IAAAAxyC,GAAAA,EAACAyyC,EAAA52C,EAAAA62C,SACAC,EAAA9B,EAA
A6B,SACAzyC,EAAAAwyC,EAAAxyC,EAAAA2C,2yC,EAAAAJ,EAAAAvyC,GAAEA,QAAAD,EAAAC,EAAA,CACA,I
AAApD,EAAAy1C,EAAAAG,EAAAAzyC,GAAA2yC,EAAA3yC,GAAAJ,IACA,GAAAAnD,EAAAA,CACA,GAAAmD,GA
A4yC,EACA,OAAA/1C,EAEA,IAAA84B,EAAAA/1C,EAAA6c,EAAAA6c,EAAAAxyC,GAAA,OAAAnD,EAAA,MAGA,MA
UA,OAAA95B,EAAAAmE,MAAAA6wC,EAAAA7wC,EAAAAGAvG,EAAAD,QAAA+4C,wBC3CA,IAAAjsC,EAAAAYrM,E
AAQ,QACGpB44C,EAAAAnrC,EAAAA2sB,IAWA,SAAA9xB,EAAAAG,EAAAAC,EAAAAmwC,GAEA,OADAnwC,E
AAAkwC,EAAAAt2C,EAAAAoG,GAAA,EAAAAAAA0S,EAAAA9mw3O,U
ACAvG,GAAA,EACAC,EAAA4yC,EAAAAx9B,EAAAApV,OAAA0C,EAAAA5C,EAAAAyH,MAAAAvH,GAE
A,QAAAAD,EAAAEAAC,EAACAAF,EAAAAC,EAAAAG,qV,EAAAA1S,EAAAA3C,EAAAGAEAA,GAAEA,GAAAAA,EAAAAC,IAAA+yC,EAAAAvr
C,MAAAA7E,EAAAGACA,QAAAA3C,EAAAA2C,EAAAoVA,IAAAAA+yC,EAAAAvr
V,GAGAAwC,EAAAA7E,GACA,GAAGA/C,KAAAAQAACAuG,GAAAA7E,GACAuG,QAAAAuG,EAAAA1C,EAAAA1S,EAAAA3C
,EAAAAGAA,QAAAA3C,EAAAA2C,EAAAoVIA,IAAAAt5C,EAAAAAD,QAAAA+I,uCCClCA1H
H,OAAAAC,eAAAAtB,EAAAA,cAAA8C4B4B,OAAAA,IAC9C,IAAAAsc7B,EAAAAMACAsc,EAAAA,WACAAzhB,EAAAA,IAC
AkH,EAAAAIACAwa,EAAAA,GACAAvxC,EAAAA,OACAAwxC,EAAAA2aAEAA15C,EAAAAAA25C,WAAAA,CACAAzc,SAC
Asc,WACAI,KAAAA,CACAAAAA7hB,EACAAkH,EACAAwa,EACAAvxC,EACAAAAy5C,EAAAAkI,UACAAlAIAl
IAAAAA05C,sCCCBAA,IAAAA/yC,EAAAAsF,EAAAAoO,GACAAIAAAA/yC,EAAAAAAA5D,KAAAA003C,EAAAAxoB,EAAAAn
H,OAAAAAAA85C,GAACAA,IAAAA/C5BAAAA,IAAAA/yC,EAAAA2jcA5CAAAAkI,UACAAAAs5C,sCCC
BAAAIAAAA/yC,EAAAAsF,EAAAAoO,GACAAQAAAWgJ,SAElC+X,EAAAA7a,EAAAA8C,IAAAA,UAAAAEAAAA7a
,EAAAAAC,IAAAAAA,OAAAAARA,CAAgBB,eAAEA1By5C,EAAAA+C,aAAAA/C
D,EAAAA,WAAA2B,OAAAAltC,UAAAA3B,IAGAAotC,EAAAA,SAAAAAL,EAAAA53C,GACAAIACA,OAAAA43CAACAAA43CAACA,EAAAAAA53C,G
ACGA,MAAAAkB,MAGHnD,EAAAAD,QAAAA,SAAAA85C,GACAAIAAAAjxC,EAAAAAAA53C,G
ACAAAAAACAAAAAA,YAAAAAAt3C,,IAAAA+2C,EAAAAApxC,EAAAApxC,EAAAAAAC,EAACAAYAAAAt3C,EAAAAAApxC,E
AAAAJ,EAAAAEAEAF,EAAAAAAAD,EAAAAAApxC,EAAAAAAAmBAAAAM,EAAAAAD,EAAAAAAtxC,EAAAAxH,OAAAAy4C,GAAAA70C,IAA
Am1C,EAAAEAAAF,EAAAAAAD,EAAAApxC,EAAAA,GAEA,WAAAAwxC,EAAAAJ,EAAAApxC,EAAAAKAAAA,mBAAAAA,E
AAAAAyxC,OAAAA,YAAAAAAD,2BCrBA,IAAAAE,EAAAAAAA,IAAAAAE,EAAAAc95C,EAAQ,QAAAtBuD,EAAAW
vD,EAAAQ,QAAAAUnB,SAAAA+5C,EAAAAWvD,EAAAA6+5C,EAAAAAAA

4C,GACA,OAAAp4C,GAAAk4C,EAAAl4C,EAAAo4C,EAAAz2C,GAGA/D,EAAAD,QAAAw6C,wBCfA,IAAA
16C,EAAWW,EAAQ,QAGnBy1C,EAAAp2C,EAAAo2C,WAEAj2C,EAAAAD,QAAAk2C,wBCLA,IAAAmC,EA
AiB53C,EAAQ,QAWzB,SAAAi6C,EAAAx4C,GACA,OAAAm2C,EAAA/3C,KAAA4B,GAAAV,IAAAU,GAGA
jC,EAAAAD,QAAA06C,wBCfA,IAAAC,EAAmBl6C,EAAQ,QAG3Bm6C,EAAA,4BAYA,SAAAAC,EAAA34C,EA
AAN,GACA,IAAAynB,EAAA/oB,KAAA23C,SAGA,OAFA33C,KAAAw3C,MAAAx3C,KAAA8b,IAAAla,GAA
A,IACAmnB,EAAAnnB,GAAAy4C,QAAA53C,IAAAnB,EAAAg5C,EAAAh5C,EACAtB,KAGAL,EAAAD,QA
AA66C,0BCtBA,IAAAC,EAAiBr6C,EAAQ,QACzBiyC,EAAmBjyC,EAAQ,QAG3Bs6C,EAAA,qBASA,SAAAAC,
EAAAp5C,GACA,OAAA8wC,EAAA9wC,IAAAk5C,EAAAl5C,IAAAm5C,EAGA96C,EAAAAD,QAAAg7C,sBCj
BAh7C,EAAAAuyC,EAAAlxC,OAAA45C,4CCAA,IAAAC,EAAiBz6C,EAAQ,QACzB03C,EAAgB13C,EAAQ,Q
ACxB06C,EAAmB16C,EAAQ,QAC3BwF,EAAcxF,EAAQ,QACtB26C,EAAqB36C,EAAQ,QA2C7B,SAAA46C,
EAAAxlB,EAAAuiB,EAAAkD,GACA,IAAApyC,EAAAjD,EAAA4vB,GAAAqlB,EAAA/C,EAIA,OAHAmD,GA
AAAF,EAAAvlB,EAAAuiB,EAAAkD,KACAlD,OAAAr1C,GAEAmG,EAAA2sB,EAAAslB,EAAA/C,EAAA,IAG
An4C,EAAAAD,QAAAq7C,wBC/CA,SAAAE,EAAAl5C,EAAAAH,GACA,aAAAG,GAAAAH,KAAAb,OAAAgB,G
AGApC,EAAAAD,QAAAu7C,0BCZA,IAAAC,EAAc/6C,EAAQ,QACtBgB,YAC/BiD,EAAQ,QACtBOAARA,CAAgB,YA
C/BiD,EAAAgBjD,EAAQ,QACxBOxBR,EAAAD,QAAAiBS,EAAQ,QAASg7C,kBAAA,SAAA3B,GAClC,QAAA/2C,G
AAA+2C,EAAA,OAAAA,EAAAh2C,IACAg2C,EAAA,eACAp2C,EAAA83C,EAAA1B,6BCLAr5C,EAAAQ,OAA
RA,CAAuB,mBAAA+3C,EAAAkD,EAAAAC,GACvB,aACA,IAAAC,EAAAiBn7C,EAAAQ,QAACzBo7C,EAAAAF,EA
CAG,EAAAA,GAAA/1C,KACAg2C,EAAAA,QACAC,EAAA,SACAC,EAAAA,YACA,GACA,YAAAF,GAAA,YAC
A,UAAAA,GAAA,WAAAC,GAAA,YAAAD,GAAA,MAAAC,GAAA,CACA,QAAAAC,GAAA,GACA,GAAAD,GAAA,M
AAA,OAEA8mC,EAAAA,SAAAAQ,EAAAAC,GACA,IAAAAtzB,EAAAAtV,OAAAAlT,MACA,QAAAAyC,IAAAo5C,GAA
A,IAAAAC,EAAAA,SAEA,IAAAAR,EAAAAO,GAAAAN,EAAA/6C,EAAAA/C,KAAAAn0C,EAAAAn0C,EAAAAAn0C,EAA
AA57C,EAAAAn0C,EAAAAAn0C,EAAAA,KA
GAP,IAAAAG,EAAAA,IAAAAtqC,OAAA,IAAA6qC,EAAA/xB,OAAA4xB,EAAA,KA
GAP,IAAAG,EAAAA,IAAAtqC,OAAAA,IAAA6qC,EAAA/xB,OAAAA4xB,EAAAA,KA
AA/nC,KAAAAiU,GAAAA,CAGA,GADAwzB,EAAAA9nC,EAAAAhO,MAAAAgO,EAAAAEAAAAwnC,GACAM,EAAA
I,IACAF,EAAAAz2C,KAAA+iB,EAAAA9e,MAAA0yC,EAAAAloC,EAAAAhO,OAAAA57C,GAAAA1nC,EAAAAwnC,GA
AA,GAAAAxnC,EAAAA,GAAAApG,QAAAiuC,EAAAAWACA,IAAA17C,EAAA,EAAuBA,EAAAAoM,UAAAivC,G
AAA,EAAA2Br7C,SAAAoC,IAAAgK,UAAApM,KAAAA6T,EAAAA7T,QAAAoC,KAEAlDyR,EAAAAwnC,GAAAA,GA
AAxnC,EAAAhO,MAAAAsiB,EAAAAkzB,EAAAAkzB,IAAAAF,EAAAAhvC,MAAA0vC,EAAAAxK,MAAAA,IACAuyC,
EAAA/nC,EAAAAGAAAwnC,GACAAU,EAAAAJ,EACAE,EAAAAR,IAAAAW,GAAA,MAEAC,EAAAAX,KAAAAznC,
EAAAAhO,OAAAAo2C,EAAAAX,KAKA,OAHAS,EAAAAkzB,EAAAAIACAO,EAAAAz2C,KAAA+iB,EAAA9e,MAAAA,
EAAA+iB,EAAAA2yC,KAACHL,EAAA,SAAAQ,E
AAAC,GACA,YAAAr5C,IAAAAo5C,GAAA,IAAAAC,EAAAAGAAAAP,EAAA/6C,GAAA/C,KAAA,IAAA17C,EAAAA
IA,gBAAAAD,EAAAC,GACA,IAAAAvzC,EAAAA2vC,EAAAAl4C,EAAAAMACAwL,OAAAA/I,GAAAo5C,EAAAAp5C,E
AAAo5C,EAAAAT,GACA,YAAA34C,IAAA+I,EAAAA+iB,EAAAAhL,KAAAq7C,EAAAAtzC,EAAAAuzC,EAAAAT,EAAA76C,EAAAA76C,KAAAA0
S,OAAA3K,GAAAAszC,EAAAAC,GAAAEAAAC,IACGT,2BC9DH,SAAAAkB,IACAAv8C,EAAAKAAA23C,SAAA,GACA
33C,KAAAw3C,EAGAA73C,EAAAAD,QAAAAA68C,wBCXA,IAAAAl6C,EAAAAtB,EAAAAAtB,EAAAAtB,OAAAAAkB,UAOA
,SAAAAi6C,EAAAAl7C,GACA,OAAAAgB,EAAAA9B,KAAAcwC,GAAAA9B,KAAA,GACAAEAAAD,QAAAAA88C,0BCrBA,IAAA
91C,EAAAvG,EAAAAQACrBgD,EAAAWhD,EAAAQACnB2b,EAAU3b,b,EAAAQAClBs8C,EAAUt8C,EAAQ,QAOARAC
AAgB,OAC1Bu8C,EAAAA,WACAC,EAAAA,GAAAADGAAAAxtC,EAAAAutC,GAEA v
8C,EAAAQAAS08C,cAAA,SAAArD,GAACjB,OAAAmD,EAAAAn8C,EAAAAn8C,KAAAAg5C,EAAAAKAGA75C,EAAAAAD,QAAA,SA
AA6I,EAAAA3G,EAAAAqX,EAAAA6jC,EAAAAGAGA75C,EAAAAA3G,EAAAA6jC,EAAAA6jC,GACA,IAAAA51C,EAAA,mBAAA+R,EAACA/R,IAAA4U,EAAAA7C,EAAA,S
AAA9V,EAAAA8V,EAAAAOAAArX,IACA2G,EAAAA3G,EAAAAKAAAqX,IACA/R,EAAAA6jC,EAAAAEACGA6jC,EAAAAv0C,EAAAA3G,EAAAAGACH2G,EAAAA3G,EAAAAG,

AAAqX,EAEA9V,EAAAoF,EAAA3G,EAAAqX,WALA1Q,EAAA3G,GACAuB,EAAAoF,EAAA3G,EAAAqX,O
AOCm8B,SAAAnzC,UAAAy6C,EAAA,WACD,yBAAA18C,WAAAy8C,IAAAE,EAAAn8C,KAAAR,gCC5BA,I
AAAwH,EAAAerH,EAAQ,QACvB48C,EAAU58C,EAAQ,QAClBmI,EAAkBnI,EAAQ,QAC1BoyC,EAAepyC,EA
AQ,OAARA,CAAuB,YACtC68C,EAAA,aACAC,EAAA,YAGAC,EAAA,WAEA,IAIAC,EAJAC,EAAej9C,EAA
Q,OAARA,CAAuB,UACtCE,EAAAAiI,EAAAAnC,OACA+W,EAAA,IACAC,EAAA,IAEAigC,EAAAzyB,MAAAC,
QAAA,OACEzqB,EAAQ,QAAS6K,YAAAoyC,GACnBA,EAAA9yC,IAAA,cAGA6yC,EAAAAC,EAAAAC,cAAAl0
C,SACAg0C,EAAAjQ,OACAiQ,EAAAAG,MAAApgC,EAAA,SAAAC,EAAA,oBAAAD,EAAA,UAAAC,GACAg
gC,EAAAAI,QACAL,EAAAAC,EAAA93C,EACA,MAAAhF,WAAA68C,EAAAAD,GAAA30C,EAAAjI,IACA,OAA
A68C,KAGAv9C,EAAAAD,QAAAqB,OAAAAY,QAAA,SAAA4G,EAAAAqqC,GACA,IAAA7vC,EAQA,OAPA,OA
AAwF,GACAy0C,EAAAC,GAAAz1C,EAAAe,GACAxF,EAAA,IAAAi6C,EACAA,EAAAAC,GAAAA,KAEAl6C,E
AAAwvC,GAAAhqC,GACAGxF,EAAAAm6C,SACHz6C,IAAAmwC,EAAA7vC,EAAAg6C,EAAAAh6C,EAAA6vC,
qDCvCA,IAAA4K,EAAiBr9C,EAAQ,QAGzBs9C,EAAA,iBAAA19C,iBAAAgB,iBAAAhB,KAGAP,EAAAg+C,
GAAAC,GAAAArI,SAAA,cAAAA,GAEAz1C,EAAAAD,QAAAAF,0BCRA,IAAAk+C,EAAYv9C,EAAQ,OAARA,C
AAmB,OAC/ByoB,EAAUzoB,EAAQ,QAClBiB,EAAAajB,EAAQ,QAAWiB,OAAChCu8C,EAAA,mBAAAv8C,EAE
Aw8C,EAAAAj+C,EAAAAD,QAAA,SAAAkB,GACA,OAAA88C,EAAAA98C,KAAA88C,EAAA98C,GACA+8C,GA
AAv8C,EAAAAR,KAAA+8C,EAAAAv8C,EAAAAwnB,GAAA,UAAAhoB,KAGAg9C,EAAAAF,8BCVA,9C,EAAAD,
SAAA,wBCSA,SAAAm+C,EAAAA53C,EAAAA6xC,GACA,IAAA5xC,GAAAA,EACACAC,EAAAA,EAAAAMAAAF
,EAAAA,EAAAAE,OACA23C,EAAA,EACA/6C,EAAAA,EAAAACACA,IAAAA7E,EAAAA2E,EAAAAC,GACA4xC,E
AAAAC,GACA4xC,EAAAx2C,EAAAA4E,EAAAAD,KACAlD,EAAA+6C,KAAAx8C,GAGA,OAAAyB,EAGApD,EA
AAAD,QAAAm+C,SAAAAm+C,wBCxBA,IAAAt7C,EAAA,EAAAA,GAAiBA,SAEjB5C,EAAAAD,QAAA,SAAA85
C,GACA,OAAAj3C,3C,EAAA/B,QAAA,SAAA85C,GAAA9vC,SAAA/H,KAAAuI,GAAA,UAAAvI,EAAAAC,EA
AA,IAAAtB,QAAA+P,eAGAwuC,GAAAu9C,SAAAx+C,QAAAA0+C,EAAA,IAAAguC,w2C,EAAAD,QAAAC,EA
AAA+P,eAGAwuC,0C,EAAAD,9D,IAAAk3B,EAAAAsyC,EAAQ,QAACjBwxC,EAAAiBxxC,EAAQ,QACzBR,EA
AAAD,QAAAiBS,EAAQ,QAAgB,SAAAkxC,EAAAAtB,EAA97C,EAAAA87C,qBAGAC,EAAA,EAAACzC,,OAA
AmxC,EAAAAR,EAAAAlwC,EAAAAH,EAAA+vC,EAAA,EAAAEAArwC,KACC,SAAAS,EAAAAH,EAAAN,GAED,
OADAS,EAAAAH,EAAAN,2BCNA,IAAAA87C,EAAkBA19C,EAAQ,QAA9B+9C,EAAQ,QAAC1B+9C,EAAgB/
9C,EAAQ,QAGzB8C,4e,c,IAAAAj7C,EAAAA97C,5e,IAAAAj7C,EAAAA97C,e,EAAAAD,9C,OAAAA45C,E
AAAAr8C,SAAAr8C,EAAAA85C,AAAD,EAAAAD,QAAAA,EAAA,SAAAAr8C,GACA,aAAAAA,EAAAIAEAAEAA
AAAhB,O
AAAgB,GACA87C,EAAAAr8C,EAAAAr8C,GAAAA,SAAAu8C,GACA,OAAAAH,EAAAAG,OAAAAH,E,EAAA/B,
QAAAA2+C,2C,EAAAD,QAAAA,EAAA,SAAAu8C,GAAA,OAAAu8C,wBCSA,IAAAv+C,EAAAE,EAAQ,QAAC
vB
CZA,IAAAAlG,EAAAAajB,EAAQ,QACrBuC,EAAAAE,EAAQ,QACxBquC,EAAgBvC,EAAQ,QACxBq8C,E
AAqBr8C,EAAQ,QAG7B2+C,EAAAA,gBACAC,EAAAAqBAGAv8C,EAAAAApB,IAAAC,iBAAAAoB,EASA,SA
AA+3C,EAAAAl5C,EAAAAAOACA

mB,IAAAnB,EAAAy9C,EAAAD,EAEAt8C,QAAAzB,OAAAO,GACAoB,EAAApB,GACAk7C,EAAAl7C,GAG
A3B,EAAAD,QAAA86C,+CC1BIr6C,EAAQ,SAAgB,UAAAg8C,OAAwBh8C,EAAQ,QAAc8xC,EAAAxgC,OA
AAxP,UAAA,SAC1E4mB,cAAA,EACA3nB,IAAOf,EAAQ,kCCFf,IAAA2b,EAAU3b,EAAQ,QAClB6+C,EAAe7
+C,EAAQ,QACvBoyC,EAAepyC,EAAQ,OAARA,CAAuB,YACtC8+C,EAAAl+C,OAAAkB,UAEAtC EAAAD,
QAAAqB,OAAAwC,gBAAA,SAAAgF,GAEA,OADAA,EAAAy2C,EAAAz2C,GACAuT,EAAAvT,EAAAgqC,G
AAAhqC,EAAAgqC,GACA,mBAAAhqC,EAAAS,aAAAT,eAAAS,YACAT,EAAAS,YAAA/G,UACGsG,aAAAx
H,OAAAk+C,EAAA,8BCXH,IAAA13C EAAgBpH,EAAQ,QACxBX,EAAWW,EAAQ,QAGnB++C,EAAA33C,E
AAA/H,EAAA,WAEAG,EAAAAD,QAAAw/C,0BCNA,IAAA33C,EAAgBpH,EAAQ,QAExBa,EAAA,WACA,IAC
A,IAAA4H,EAAArB,EAAAxG,OAAA,kBAEA,OADA6H,EAAA,GAAAW,OACXA,EACG,MAAA9F,KALH,GA
QAnD,EAAAD,QAAAsB,0BCVA,IAAAsF,EAAyBnG,EAAQ,QACjCuD,EAAWvD,EAAQ,QASnB,SAAAg/C,E
AAAp9C,GACA,IAAAgB,EAAAAW,EAAAA3B,GACAAoD,OAEA,MAAAA,IAAA,CACA,IAA
AvE,EAAAmB,EAAAoD,GACA7E,EAAAAS,EAAAAH,GAEAmB,EAAAoD,GACA7E,EAAAAS,EAAAAN,EAAAN,EAAAgF,
EAAAhF,IAEA,OAAAyB,EAGApD,EAAAD,QAAAy/C,2BCvBA,SAAAz4C,EAAAuf,;;;;;CAKA,SAAAvf,EAA
AjH,GAC6DE,EAAAD,QAAAD,KAD7D,CAICO,EAAA,WAAqB,aAAEtB,aAAAo/C,EAAA,qBAAA91C,cAAA,q
BAAA5C,IAAA,qBAAA3G,G,UAAA,GAEA,SAAAs/C,EAAAA7zC,EAAA7L,GACA,OAAAA,EAAA7L,L,DACA,OAAAA,EAAA7zC,GAAA,qBAAA3G,GAAAs/C,EAAA7L,GACA,OAAAA,EAAA7zC,EAAAAH,GAEAmB,EAAAk6C,EAAAAN,EAAAN,EAAAgF,EAAAAH
O,EAEA,OADAA,EAAAAN,IACA,IAAAAM,EAAA,GAAAA,IAEAJ,EAAAAH,IACAK,EAAA,IAAA35B,EA
AA85B,SACAJ,EAAAD,EAAAE,GACIvvC,KAAA8hB,KACJxyB,EAAAD,QAAA,WACA,OAAA2Q,KAAA8hB
,MAAAstB,GAEAA,EAAAApvC,KAAA8hB,QAEAxyB,EAAAD,QAAA,WACA,WAAA2Q,MAAA2vC,UAAAP,
GAEAA,GAAA,IAAApvC,MAAA2vC,aAGEx/C,KAKF5/C,EAAA,qBAAA8J,OAAA81C,EAAA91C,OACA22C,
OACA22C,EAAA,iBACAApjB,EAAA,iBACAqjB,EAAA1gD,EAAA,UAAAq9B,GACASjB,EAAA3gD,EAAA,SA
AAq9B,IAAAr9B,EAAA,gBAAAq9B,GAEAx8B,EAAAAe6/C,GAAA7/C,EAAAA4/C,EAAA95C,EAAAA4/C,OAA4B9F,I
AC3C6/C,EAAAA1gD,EAAAAygD,EAAAA5/C,EAAAAygD,GAAA,UAAw8B,GACAsjB,EAAA3gD,EAAAygD,EAAAA5/C,GA
AA,SAAw8B,IACAr9B,EAAAygD,EAAAAA5/C,GAAA,gBAAw8B,GGAIA,IAAAqjB,IAAAC,EAAA,CACA,IAA
AvzC,EAAAAEACA6H,EAAAAEACAwP,EAAA,GACA,DACA,OAEA,OAAAOEAAF,EAAA,SAAAA7zC,GACA,OAAAA4X,
EAAA9d,OAAA,CACA,IAAAk6C,EAAAAf,IACAAp7C,EAAAAA2sB,IAAA,EAAA6lB,EAAAAA6lB,GAAAAC,EAAAAAzzC,
IACAAEAAA1I,EAAA1I,m8C,EACA/5B,WAAA,WACAA6b,IGAIAua,KAIxC8K,KAAAorB,MAAAA90B,IAOR,OALAA/f,EAAAAxe,KAAAA,CACAACA+pB,SAAAA/a,EACApI,WAAAk0C,IAGA,IAAAIEA9rC,GAGA0rC,EAAAA32C,0rC,EAAAA,SAAA3wB,GACA,QAAAnvB,EAAAAmBAA,EAAAAmBA4jB,EAAAAA9d,OACAkgC9d
B9F,IACrC4jB,EAAA5jB,GAAAAmvB,EAAAkgD,WAAAIAMA,IAAAAC,EAAAAgM,IAEAAEAi1C,EAAAAWACAN,EAAA3zC,MAAAhN,EAAAAiN,EAAAAs8B,sBAAA6hB,EACAACAn+C,EAAA4+C,qBAAAiN,EAAAAA,AARE,GAKAA,SAAAAS,EAAAAAC,GACA,IAEAC,EAFAAF,EAAAAF,EAAAANEAAAz6C,EAAA6H,eAAAAF,EAAAANEA
AAtzC,KAAAuzC,EAAAAe9C,EAAAEAcAN,EAAAANEAzC,MAAAhN,EAAA
AzC,KAAAAAuzC,EAAAANEAc9C,EAAAAEAcAN,EAAAANEAzC,MAAAhN,EAAAAAgBAAw8B,GAIA,IAAAAqjB,IAAAAC,EAAA,CACA,CACA,IAA
AvzC,EAAAAEACA6H,EAAAEAcA6H,EAAAEAMA,EAAAGAAAA,EAAA,EAAAA7H,EAAA,EAAAAg86C,MAAAhN,EAAAAAg86C,IACrC

uB,KAAA2oB,EAA0BxpB,OAAAkB,UAAAC,eAAA1B,KAAA+pB,EAAA3oB,KAAyD2L,EAAA3L,GAAA2oB,
EAAA3oB,IAAiC,OAAA2L,GAEhP,SAAAk0C,EAAAv3C,EAAAtI,EAAAN,GAAoM,OAAxJM,KAAAsI,EAAk
BnJ,OAAAAC,eAAAkJ,EAAAtI,EAAA,CAAkCN,QAAAL,YAAA,EAAA4nB,cAAA,EAAAyI,UAAA,IAAgFpnB,
EAAAtI,GAAAN,EAAoB4I,EAEpM,IAAAw3C,EAAA,CACAC,OAAA,mBACAC,SAAA,qBACA3qC,IAAA,gB
ACA4qC,OAAA,oBACAC,OAAA,mBACAC,UAAA,uBACAx2B,QAAA,YAGAy2B,EAAA,CAAiBC,OAAA,W
ACjB,IAAAAC,EAAAAliD,KAAoBmiD,EAAAAD,EAAAAE,eAA4BC,EAAAAH,EAAAAI,MAAAAD,IAAAAF,OA
AAAE,EAAA,OAAkB9e,MAAA2e,EAAAAK,IAAAA53B,MAAAu3B,EAAAAv3B,OAAmC,CAAAu3B,EAAAAM,GAA
A,gBAC7HC,gBAAAA,GACJ7hD,KAAA,cAEAmoB,KAAA,WACA,OACA25B,OAAA,EACAC,UAAA,EACAC,
UAAA,EACAC,aAAA,EACAC,UAAA,EACA/B,eAAA,EACAr8B,MAAA,GACAo+B,UAAA,EACAC,aAAA,IAKAnxB,MAAA,CACAoxB,SAAA,CACA74C,KAAA,+qC,SACA+N,QAAA,WA
CA,OAAA75C,SAIAsK,SAAA,CACAvJ,KAAA,+4C,QACAD,SAAA,GAGA9B,YAAA,CACAh3C,KAAAg5C,O
ACAF,QAAA,GAGA/B,cAAA,CACA/2C,KAAAg5C,OCAF,QAAA,GAGA9viB,MAAA,CACAv2B,KAAAg5C,
OACAF,QAAA,KAGA/nB,OAAA,CACA/wB,KAAA6I,OACAiwC,QAAA,eAGAnnB,OAAA,CACA3xB,KAAA
g5C,OACAF,QAAA,MAGAG,MAAAlO,SACAmO,QAAAnO,SACAoO,MAAApO,SACAqO,SAAArO,SACAsO,
SAAAtO,SACAuO,YAAAvO,SAEAhvC,OAAA,CACAiE,KAAAg5C,OACAF,QAAA,GAGA1f,QAAA,CACAp5
B,KAAAtJ,OACAoiD,QAAA,WACA,OAAAzB,IAIAkC,SAAA,CACAv5C,KAAA+4C,QACAD,SAAA,IAIAU,
MAAA,CACAjwC,SAAA,SAAAkwC,GACAA,EACA9jD,KAAAkjD,WAAA37B,oBAAA,SAAAvnB,KAAA+jD,
eAEA/jD,KAAAkjD,WAAAhsC,iBAAA,SAAAlX,KAAA+jD,eAIA/jD,iBAEAE,cAAA,SAAAjkD,GAAAAkjD,WAAA37B,oBAAA,SAAAvnB,KAAA+jD,egBAIAvsB,SAAA,CACA7M,MAAA,W
ACA,IAAAiQ,EAAA,CACAhC,SAAA54B,KAAAkkD,QAAA,mBACAjtC,IAAA,IACAulB,KAAA,IACA/D,MA
AA,IACA0rB,UAAAnkD,KAAAkkD,QAAAlkD,GAAA,OAZAh8B,KAAA4jD,WACA4mB,EAAA,GAA6B5mB,EAAA,CAAW3jB,IAAA,QAAA6qC,OAAA,OAKxC9hD,KAAAoke,E
AAAoe,UAAAh5C,KAAAijD,cAAAjjD,KAAAokD,UAAA,kBAAApkD,KAAAgjD,UAAA,qBAAAhjD,KAAAgj
D,UAAA,IAEApoB,EAAAypB,WAAArkD,KAAAkkD,QAAA,OAAAlkD,KAAA4gC,MAAA5gC,KAAA5jD,KAAA
o7B,OAAA,MAGAR,GAEA0pB,QAAA,WACA,OAAA9C,EAAA,GAAyBE,EAAA1hD,KAAAyjC,UAEzB8e,IA
AA,WACA,IAAAgC,EAAAhC,EAAAAviD,KAAAskD,QAAA,OAAAAtkD,KAAA4T,OAAA7hD,KAAA4jD,4T,SAAA,IAAAgC2iD,UAAAlB,EAAAA8C,EAAAAhC,EAAAAV,OAAA7hD,KA
AA2iD,UAAAlB,EAAAA8C,EAAAAhC,EAAAAT,OAAA9hD,KAAA4iD,4iD,KAAA6iD,aAAApB,EAAAA8C,EA
AAA8C,EAAAAV,OAAA9hD,KAAA8iD,8iD,UAAArB,EAAAA8C,EAAAAhC,EAAAAZ,OAAAA3hD,KAAA8iD,8iD,UAAArB,EAAAA8C,EAAAAhC,EAAAAX,OAAAA5hD,KAAA+iD,
aAAAX,SAAA5hD,KAAAA+iD,YAAAAtB,EAAAAAtB,EAAAA8C,EAAAAhC,EAAAAh3B,SAAA,GAAAAg5B,BAE,QAAA,WAC
A,iBAAAlkD,KAAA4kB,OAAA,aAAA5kD,KAAAl7C,C,OAAAAm7C,aAAAAt7C,KAAA4kB,KAAA4kB,KAQAIAtgB,QAAA,CACAAkgD,mBAAA,WACA,OAAAl7C,C,OAAAAm7C,aAAAAt7C,C
,OAAAAm7C,aAAAAt7C,SAAAA0N,gBAAAA6tC,AAAA,mBAAA75C,WACA,OAAAh3C,C,KAAAA2sB,sB,IAAAAqqB,EAAAAnY,aAAAAmY5B,EAAAAnY1iB,KAAAAA64B,B,cAGAmB,WAAA,WAC
A,IAAAAqB,EAAAAAq5B,EAAAm,7C,a,iBAAAt7C,KAAA4kb,OAAAA5kD,KAAAl7C,C,OAAAAm7C,aAAAAt7C,KAAA4kb,iBAAAA5kD,KAAAAs
AAA0iB,gBAAAAA7tc,AAAA,mBAAA75b,WACA,OAAA15b,C,KAAAA2sb,sB,IAAAAqqb,EAAAAnY aAAAmYB,EAAAn4R,QAAA4R,AAAA/R,SAAA0iB,KAAA7rb,KAAAwk
D,qbAAAAxkdBAAAAxkd,KAAAA2kd,0bAAAAAzpc,IAEA+pc,mBAAA,WACA,WACA,iBAAAt7c,KAAAAkkd OAAAA5kb,SAAAAl7c C,OAAA27c,aAAA7kd KAAAA4kb iBAAAAA5kc KAAA
hoC,IAAA5R,QAAA4R,IAAA/R,SAAA0iB,KAAA7rb,KAAAwkd,7rb,KAAAA6kd,qBAAAA7kd,KAAA+kd,kd,kBAAAA7pc,IAEAAgq
C,cAAA,SAAAlE,GACA,IAAAAmE,EAAAAnE,EAAAAnE,EAAAA,EAEAAEAoE,EAAAAplD,KAAAAglD,6BACAAK,EAAAArlD,KAAA
ilD,qBAEAAK,EAAAAtE,EAAAAoE,EAAAAAAC,EAEA,OAAAAF,GAAAAG,GAEAAvB,cAAA,cAAA,WACA,WACA,WAAA,WAAAvD,EAAAAxgD,KAA
AulD,SAEAC,YAAA,WACA,OAAAEAQA,OANAA,OADAAxU,IAAAAzC,KAAAAkjD,WAAAAtT,YAAA,WACA5vc,K
AAA5vc,KAAAAAAtT,YACAAKAAAAkjd,WAAAArT,YAAA,WACA5vc,KAAA5vc,KAAAlMAAAAlcBzlB,KAAAAkjd,WAAAArT,YAAA,WAEA
t0B,SAAA0N,iBAAA1N,SAAA0iB,KAAA5gB,YAAA9B,YAAAA9B,SAAA0iB,MAAA4R,UAEAxmB,GAEAsuC,OAAA,W
AGA,GAFAvlD KAAAghD,eAAAAhhD KAAAAAAA,KAAAwlD,eAEAxlD KAAAklD,cAAAAllD KAAAglD,kd,cAAAAllD KAAAghD,gBAAAA,CAIAAhhD KAAAghD,gBAAAAAhhD KAAAghD,gBAAAA,CAI
D,KAAAghD,gBAAAAhhD,KAAAoG,OACApG,KAAAAiX,MAEAAjX,KAAA6hD,eAAAAhhD,KAAAAA,wkd,sBAAAAxkd,KAAAA8kd,qBAAAAY,md,qBAACAjld,KAAAA8hd,SAEA9hd,KAAA+hd,7ld,SAEA9ld KAAAghd, eAAAAhld KAAA+kd,4kd,sBAAAAxkd,KAAAA8kd,8kd,YAAAAldBE,AAAAAAjB,EAAAAF,EA

AA5gD,MAEA,QAAA8gD,EACA9gD,KAAAylD,MACQ,UAAA3E,GACR9gD,KAAA0lD,QAGA1lD,KAAAihD,YAAAjhD,KAAAghD,iBAEA/pC,IAAA,WACAjX,KAAA0iD,QACA1iD,KAAA0iD,OAAA,EACA1iD,KAAA2iD,UAAA,EACA3iD,KAAAwjD,OAAAxjD,KAAAwjD,UAGA3B,OAAA,WACA7hD,KAAA2iD,WACA3iD,KAAA0iD,OAAA,EACA1iD,KAAA2iD,UAAA,EACA3iD,KAAAyjD,UAAAzjD,KAAAyjD,aAGA3B,OAAA,WACA9hD,KAAA4iD,WACA5iD,KAAA4iD,UAAA,EACA5iD,KAAA6iD,aAAA,EACA7iD,KAAA0jD,UAAA1jD,KAAA0jD,aAGA3B,UAAA,WACA/hD,KAAA6iD,cACA7iD,KAAA6iD,aAAA,EACA7iD,KAAA4iD,UAAA,EACA5iD,KAAA2jD,aAAA3jD,KAAA2jD,agBAGA8B,IAAA,WACA,IAAAE,EAAA3lD,KAEAA,KAAA8iD,WACA9iD,iD,KAAA8iD,UAAA,EACA9iD,KAAA+iD,aAAA,EACA9hD,KAAAujD,SAAAvjD,KAAAujD,UACAvjD,KAAA4lD,MAAA,OACA5lD,KAAAgjD,UAAA,EACA18B,WAAA,WACAq/B,EAAA8iD,UAAA9iD,UAAAqO,EAAA/iD,aA,MAAA,WACA+iD,IAAAujD,SAAAvjD,KAAAujD,UACAvjD,KAAA8iD,UAAA9iD,KAAA4lD,MAAAujD,SAAAvjD,gjD,UAAA,eACAt9B,WAAA,WACAu/B,EAAAjhC,MAAA,YACA,SAAAA,EAErAAAA,EAAAC,GAEAD,WAIAD,EAAAUjE,EAAAphD,KAAAohD,IAGA,qBAAA14C,eAAAy8C,KACAD,EAAAx8C,OAAAAy8C,KAGA,IAAA7/C,EAAA4xAh,WACAA,EAAA4xA,WAAAox8C,EAAAx8C,OAAA5/C,IAAA7/C,EAAA,WACA,OAAA4xA,EAAACACA87C,WACA8D,WAGA,OAAAAAA5/C,E0EChfA,IAAvE,EAAAaxB,EAAAQ,QACArB,E.lD,EAAAQ,QAAAzBmD,EAAAqBnD,EAAAQ,QAC7BoE,EAAA,GAGApE,EAAAQ,OAAARA,CAAiBoE,EAAAqBpE,EAAAQ,OAAARA,CAAgB,uBAAA4B,OAAAH,OAElFL,EAAAAD,QAAA,SAAuE,EAAAEAAAE,GACAD,EAAAhC,UAAAN,EAAA4C,EAAA,CAAAqDL,KAAAgiD,EAAA,EAAAEAAAhiD,K,ACrDZ,EAAAW,EAAAD,EAAA,oCCXA,IAAAkuC,EAAgB/xC,EAAQ,QAUxB,SAAA43C,EAAAzrC,EAAAA1K,GACA,IAAAAmnB,EAAAzc,EAAAqrC,SACA,OAAAAzF,EAAAtwC,GACAmnB,EAAA,iBAAAnnB,EAAA,iBACAmnB,EAAAzc,IAGA3M,EAAAAD,QAAAq4C,sBCPA,SAAAoO,G, AAAlgD,EAAA6xC,GACA,IAAAAmXC,EAAA5xC,GAAA,GACA,EACA,EAAA,EAAAA,EAAA,MAAAF,EAAA,EAAAA,EAAA,GAAAA,EAAA,EAAAA,EAAA2xC,EAAA,GAAAA7xC,EAAAAC,EAAA,GACA,SAGA,SAGAtG,EAAAAD,QAAAymD,0BCtBA,IAAAC,EAAejmD,EAAQ,QACvBkmD,EAAAAEAAQ,QACAUlmD,EAAAAQ,QAAAlB8G,EAAAc9G,EAAAQ,QAAAtBmmD,EAAAUnmD,EAAAAQ,QAAAlB++C,EAAAc/+C,EAAAQ,QAAAtBq6C,EAAAiBr6C,EAAAAQ,QAAAzBq+C,EAAAer+C,EAAAAQ,QAAGvBg2C,EAAAAeACoQ,EAAAAAkBACAC,EAAAA,mBACAlQ,EAAAA,eACACmQ,EAAAA,mBAEA/P,EAAAAoBAGAgQ,EAAAAllEAAAAH,EAACAO,EAAAnI,EAAA6H,GACAO,EAAApI,EAAAv3C,EAAAA4/C,EAAA8H,EAACAQ,EAACAtI,EAACAU,EAAAAAtI,GASA6H,EAAAvM,EAGA4L4L,EAAAAW,EAAA,IAAAX,EAAA,IAAAY,YAAA,MAAAtQ,EAAAAC2P,EAAAAU,EAACAlvC,EAAAAA8/C,EAAA9C,EAAAAqc,YAAAAkjC,EACAF,EAAAAS,EAACAA,EAACAT,EAACAhQ,EAACAA4I,EAACA6H,EACAA,EAACA7H,EACAAuH,EACACAM,EACAAAM,EAAApL,EAAAAAAzlD,EACA,EAAAAA8B,EAAAAiAACA,EAAA,IAAAAyB,EAACAy3C,EAAAAl5C,EAAAA6M,EAAAp,GAAAwjD,EAAAAAjlD,EAAAA0H,EAAA0H,iBACAvG,EAACAwkD,EAACA94C,EAACAqwC,EACAArwC,EAACA,GAEA84C,EACAOAAAhQ,EAACAKAAAP,EAAAoAAAhQ,EAACAKAAAiQ,EAAAAoAAxQ,EAACAKAAAyQ,EAAAAA,OAAAJ,EAACAKAAAK,EAAAA,OAAAvQ,EAACAKAAAwQ,EAAAAOAAAL,EAGAOAAA1jD,IAIApD,EAAAADQAAAqnD,wBCzDArnD,EAAAAA21C,SAAA,SAAA7pC,GACA8a,WAAA9a,EAAAvM,IAGA9L,EAAAwnD,SAAAxnD,KACAAynD,EAAAA0nD,SAAA1nD,EAAA2nD,MAAA,UACA3nD,EAAA4nD,IAAA,EACA5nD,EAACA5nD,EAACA6nD,SAAA,EAACA7nD,EAAA8nD,IAAA,GACA9nD,EAACA6nD,SAAA,EAACA7nD,EAAA+nD,IAAAA,GACAA9nD,EACA9nD,EAAAA+nD,IAAA+nD,EAACAKAAA,GAEA/nD,EACAAgoD,QAAAA,SAAA9mD,GACAAUAAAyI,MAAA8CAGA,WACAACA,IAGAsqC,EACACACAsqC,EACACACAAwkD,EAACAoD,EAACAoD,EAACAkoD,EAACAmoD,EAACAooD,EACACACApoD,EACACAMAAroD,EACACAoD,EACACApoD,EACACAsoD,EOAACAtoD,EACACAqgD,OAAAArgD,EAACAuoD,YACACACAvoD,EACACAwoD,WACAA,aACACACAxoD,E
yoD,SAAA,uBCfA,SAAAv7C,EAAA3G,IAAAE,EAAA,MAAAF,EAAA,EAAAA,EAAAAAAAF,EAAA,EAAAA,EAAA,GAAAA,EAAA,EAAAA,EAAAAAAAF,EAAA,EAAAA,EAAAAAAA1D,IAAA1D,EAAA9C,EAACAIAAAE,EAAA,QAAA1D,EAGA,SAGA,SAGAtG,EAAAAD,QAAA1D,EAGA9C,KAAAkN,0BCdA,IAAAAoyC,EAAe/xC,EAAQ,QAKvBq4C,IAAAAoyC,EAAAe7+C,GAAA,GAEA,IAAAAF,2BCLA,IAAAAxe,EAAAAEAAAptB,GAAGKAAAotB,KAAACAotB,EAAAAx6C,EAAACAzoD,EAAAEAAAD,QAAAAAAA85C,wBCJA,SAAAcuB,EAAAvM,IAAAE,EAAAMAAAF,EAAAEAAAA4O,EAACAEAAAoD,EAACAEAACAoD,GACA,SAGA,SAGAEAAAE,GACAACwnD,EAAA21C,EAACAIAAAE,EAACAoyc,IAEAEAAAE,EAAAAAAAAEAAAAAoD,EAAAD,EAAA,IAAAAoyc,EAACAkoD,EAAAAEAA,EAAe7+C,EAAQ,QAAGAAAAAAA+pC,EACA8a,WAAAAEAAAptbA EAAAw/B,EAAAJAACAC,EAAAAoyd,IAEA,IAAAA+pC,EAd,kCCLA,IAAAAoyc44C,EAACAiB/5C,EAACAEAAAQCzBmoD,EAAAqBnoD,EAAAQ,QAU7By3C,EAAA,QAAAU7By3C,EAAAm3CAAA0Q,EAACA EACAEvB,gBAAAAC,GACACaACAaACA,IAAAlgD,EAACAlgD,EACAA2vC,EAACAKAAAlgD,EAACA2vC,EAACAKAAAw/B2vC,EAACAloD,EACA2vC,EAACAl4C,EAACAMAACAwL,0BCfA,IAAAAEAAvB,gBAAAAC,GAAGKAACAaACA,IAAAAAAptbAAAAw/B,EAACAIAAAgmD,EAAAAh

mD,EAAAgmD,EAAAF,GACA,YAAA9lD,IAAA+I,IAAAhL,KAAAioD,EAAAlgD,GAAA,IAAAkJ,OAAAg3C,
GAAAF,GAAAr1C,OAAA3K,KACGigD,6BCRH,IAAAnO,EAAmBl6C,EAAQ,QAS3B,SAAAuoD,IACA1oD,K
AAA23C,SAAA0C,IAAA,SACAr6C,KAAAw3C,KAAA,EAGA73C,EAAAD,QAAAgpD,0BCdA,IAAAlU,EAAU
r0C,EAAQ,QAClBK,EAAAWL,EAAQ,QACnBwoD,EAAkBxoD,EAAQ,QAC1BqH,EAAerH,EAAQ,QACvByoD,
EAAezoD,EAAQ,QACvB0oD,EAAgB1oD,EAAQ,QACxB2oD,EAAA,GACAC,EAAA,GACArpD,EAAAC,EAA
AD,QAAA,SAAAspD,EAAA9jD,EAAAsG,EAAA/D,EAAAjE,GACA,IAGA2C,EAAAo3B,EAAAruB,EAAAnM,
EAHAkmD,EAAAzlD,EAAA,WAAuC,OAAAwlD,GAAmBH,EAAAG,GAC1D/W,EAAAuC,EAAAhpC,EAAA/
D,EAAAvC,EAAA,KACAgB,EAAA,EAEA,sBAAA+iD,EAAA,MAAAnjC,UAAAkjC,EAAA,qBAEA,GAAAL,E
AAAM,IAAA,IAAA9iD,EAAAyiD,EAAAI,EAAA7iD,QAAmEA,EAAAD,EAAgBA,IAEnF,GADAnD,EAAAmC
,EAAA+sC,EAAAzqC,EAAA+1B,EAAAyrB,EAAA9iD,IAAA,GAAAq3B,EAAA,IAAA0U,EAAA+W,EAAA9iD
,IACAnD,IAAA+lD,GAAA/lD,IAAAgmD,EAAA,OAAAhmD,OACG,IAAAmM,EAAA+5C,EAAAzoD,KAAAw
oD,KAA4CzrB,EAAAruB,EAAAhL,QAAAsM,MAE/C,GADAzN,EAAAvC,EAAA0O,EAAA+iC,EAAA1U,EA
AAj8B,MAAAA4D,GACAnC,EAAA+I,EAAA/lD,IAAA/lD,IAAAgmD,EAAAGAGArD,EAAAopD,QACAppD,
EAAAqpD,iCCvBA,IAAA7Q,EAAc/3C,EAAQ,QACtBR,EAAAD,QAAA,SAAA85C,GACA,OAAAz4C,OAAAm
3C,EAAAsB,6BCHA,IAAA0P,EAAkB/oD,EAAQ,QAgB1B,SAAAgpD,EAAAljD,GACA,IAAAAE,EAAA,MAAA
F,EAAA,EAAAAA,EAAAE,OACA,OAAAA,EAAA+iD,EAAAjjD,EAAAd,GAAAtG,EAAAAypD,iDCZA,
SAAAC,EAAAtnD,EAAAq4C,GACA,IAAAj0C,EAAA,EAAA2K,EAAAnD,EAAA2K,MAAA5L,GAEA,QAAAoE,E
E,EACAiB,EAAAAmD,GAAAi0C,EAAAj0C,GAEA,OAAAnD,EAGApD,EAAAApD;;;;;GCZA,SAAAC,
EAAAjmC,GAA+B,OAAAA,GAAA,kBAAAA,GAAA,YAAAA,IAAA,WAAAA,EAE/B,IAAA2iC,EAAAsD,EA
A0BlpD,EAAAQ,SAElCmpD,EAAA,CACAC,YAAA,EAAAz3B,MAAA,CACA03B,QAAA,CACAn/C,KAAA6I,O
ACAiwC,QAAA,KAIAlB,OAAA,SAAAp3C,EAAAU,GACA,IAAAi+C,EAAAj+C,EAAA2P,OAAAyO,MAAA8/
B,aAAAl+C,EAAAumB,MAAA03B,QAAA2P,OAAAwuC,WAAA,CACAC,YAAAp+C,EAAAwd,KAAA4gC,aAAA,
KACAC,YAAAr+C,EAAAwd,KAAA6gC,aAAA,KACAXrmB,MAAAh4B,EAAAumB,KAAAwd,KAAAwa,OAAA,K
ACA5Y,MAAApf,EAAAwd,KAAA4B,OAAA,KACA7U,MAAAmCArB,GAAA
lJ,EAAAwd,KAAAjT,MAAArB,IAAA,KACAo1C,YAAA,UAAAL,EAAAn/C,KACA,UAAAkB,EAAAumB,MA
AA03B,QACAj+C,EAAA2P,OAAA4uC,cAAA,UAAAumB,EAAAn/C,KACA,SACA,kVAAA0e,cAAAlJ,E,GAC
A,kVAAAm/C,EAAAgA1I,QAEApyB,EAAAn/C,KAAA,WAACAkB,EAAA2P,OAAA+uC,MAAAz+C,EAAAumB,K
B,MAAA03B,QAACS,WACTj+C,EAAA2P,OAAA+uC,MAAA+uC,MAAA1+C,EAAAumB,KAAA03B,QAACS,YAGK
j+C,EAAA2P,OAAAAWAAA3b,EAAAumB,KAAA,6BA0BAo4B,EAA
A,CAAAaC,OAAA,2DAAA9C,KAAAA,UACb+C,EAAA,CAAAgBD,OAAA,uGAAA9C,KAAAAgBD,OAAA,uGAAAC
,CAAAkBF,OAAA,yCAAA9C,KAAAAClBigD,EAAA,CAAAYH,OAAA,oDAAAA9C,KAAAAACZkgD,EAAA,C
AAgBJ,OAAA,6FAAA9C,KAAAAChBmgD,EAAA,CAAAqBL,OAAA,+FAAA9C,KAAAAACrBogD,EAAA,
CAAiBN,OAAA,oFAAAA9C,KAAAAACjBqgD,EAAA,CAAAcP,OAAA,sDAAA9C,KAAAAACdsgD,EAAA,CA
AaR,OAAA,yDAAA9C,KAAAAACbugD,EAAA,CAAAgBT,OAAA,oDAAA9C,KAAAAChBwgD,EAAA,CA
AeV,OAAA,uFAAA9C,KAAAAACfygD,EAAA,CAAAaX,OAAA,yCAAA9C,KAAAAUCb0gD,EAAA,CAAUZ,
OAAA,oGAAA9C,KAAAACV2gD,EAAA,CAAAab,OAAA,iEAAA9C,KAAAACb4gD,EAAA,CAAgBd,OA
AA,8CAAA9C,KAAAy2C,OAAA,wBAChBoK,EAAA,CAAAWf,OAAA,gCAAA9C,KAAAUCX8gD,E
AAA,CACAjB,QACAE,WACAC,aACAO,WACAgBACAC,OACAWACAgBACAYACAaACAcACAAgBAKAAUAC
AC,QACAKAAC,QACAWACAC,OAGAE,EAAA,qBAAA9hD,OACA+hD,EAAAAD,EAAAA9hD,OAAAA,K
AEAgiD,EAAA,CACAx5B,MAAA,CAKAkX,IAAA,CACA3+B,KAAA6I,OACAiwC,QAAAiI,EAAAA9hD,OAAA
6S,SAAAI,KAAA,IAOA8qC,MAAA,CACAh9C,KAAA6I,OACAiwC,QAAAiI,EAAAAoI,YAAA,CACAlhD,KAA
A6I,OACAiwC,QAAAiI,EAAAAhP,MAAA,CACA9yC,KAAA6I,OACAiwC,QAAAiI,EAAAAqI,SAAA,CACAn
hD,KAAA6I,OAA
6I,OACAiwC,QAAAiI,EAAAAsI,YAAA,CACAphD,KAAA6I,OACAiwC,QAAAiI,EAAAAQuI,WAAA,CACArh
D,KAAA6I,OA
AA,CAAA6I,OAAAAkwC,SACAD,SAAA,GAOAwI,UAAA,CACAAthD,KAAA6I,OACAiwC,aAAA1gD,GAOAmp
D,MAAA,CACAvhD,KAAA6I,OACAiwC,QAAA,IAOAuG,WAAA,CACACAr/C,KAAA6I,OACAiwC,QAAA,QOA0
I,SAAA,CACAxhD,KAAAtJ,OACAoiD,QAAA,WACA,YAKAp6B,6BB,KAAA,WACA,OAKA0gC,gC,aAAA0
B,EAMAW,MAAA,CACA3gD,3gB,QAAA,EACA4gD,4gB,WAAA,EACACAC,SAAA,SAAAEACAC,SAAA,SAAA
E,YAAA,EACA/C,/vC,UA
AA,EACAC,gwC,aAAA,EACAA10B,MAAA,IAAAIACAkH,OAAA,IAAA1nB,IACA1nB,1nB,nB,IAAA,EAC
AEACAulB,lB,KAAA,EACAAlzB,lzB,YAAA,EAAA

7G,EACA67B,SAAA,QAKAh6B,QAAA,CAMAwlD,iBAAA,SAAAN,GACA,OAAAxpD,KAAAypD,aAAAD,G
AAAW,OACAr8C,QAAA,QAAAk4B,mBAAAhmC,KAAAgpC,MACAl7B,QAAA,UAAAk4B,mBAAAhmC,KA
AAqnD,QACAv5C,QAAA,gBAAAk4B,mBAAAhmC,KAAAurD,cACAz9C,QAAA,UAAAk4B,mBAAAhmC,KA
AAm0C,QACArmC,QAAA,aAAA9N,KAAAwrD,UACA19C,QAAA,UAAA9N,KAAA4rD,OACA99C,QAAA,gB
AAA9N,KAAAyrD,YAAA,QAAAzrD,KAAAyrD,YAAA,KAQAzrB,MAAA,SAAAR,GACAxpD,KAAAosD,WA
AA5C,EAAAxpD,KAAA8pD,iBAAAN,IAEAxpD,KAAAqsD,MAAAzG,MAAA,qBAAA4D,EAAAxpD,KAAAg
pC,KACAhpC,KAAA4lD,MAAA,OAAA4D,EAAAxpD,KAAAgpC,MAQAihB,MAAA,SAAAT,GACAlgD,OAA
A4jC,KAAAltC,KAAA8pD,iBAAAN,GAAA,SAEAxpD,KAAAqsD,MAAAzG,MAAA,qBAAA4D,EAAAxpD,K
AAAgpC,KACAhpC,KAAA4lD,MAAA,OAAA4D,EAAAxpD,KAAAgpC,MAQAojB,WAAA,SAAA5C,EAAAxg
B,GACA,IAAAsjB,EAAAtsD,KAGAA,KAAA8rD,MAAAxiD,QAAAtJ,KAAA8rD,MAAAxtB,WACAiuB,cAAA
vsD,KAAA8rD,MAAAxtB,UAEAt+B,KAAA8rD,MAAAxiD,OAAAi0C,QAEAv9C,KAAAqsD,MAAAzG,MAA
A,uBAAA4D,EAAAxpD,KAAAgpC,KACAhpC,KAAA4lD,MAAA4D,EAAAxpD,KAAAgpC,MAGAhpC,
KAAA8rD,MAAAxiD,cAAA4jC,KACAlE,EACA,SACA,WAAAhpC,KAAA8rD,MAAA3gB,OAAA,YACA,WA
AAnrC,KAAA8rD,MAAAntB,OACA,UAAA3+B,KAAA8rD,MAAAr0B,MACA,eAAAz3B,KAAA8rD,MAAAC,
UAAA,YACA,SAAA/rD,KAAA8rD,MAAAtvB,KACA,QAAAx8B,KAAA8rD,MAAA70C,IACA,YAAAjX,KAA
A8rD,MAAAtvB,KACA,YAAAx8B,KAAA8rD,MAAA70C,IACA,aAAAjX,KAAA8rD,MAAAE,QAAA,YACA,a
AAAhsD,KAAA8rD,MAAAG,QAAA,YACA,gBAAAjsD,KAAA8rD,MAAAI,WAAA,YACA,cAAAlsD,KAAA8r
D,MAAA3vC,SAAA,YACA,iBAAAnc,KAAA8rD,MAAAK,YAAA,aAGAnsD,KAAA8rD,MAAAxiD,OAAA8S,
QAGApc,KAAA8rD,MAAAxtB,SAAAkuB,YAAA,WACAF,EAAAR,MAAAxiD,OAAAmjD,SACAF,cAAAD,E
AAAR,MAAAxtB,UAEAguB,EAAAR,MAAAxiD,YAAA7G,EAEA6pD,EAAAD,MAAAzG,MAAA,sBAAA4D,
EAAA8C,EAAAtjB,KACAsjB,EAAA1G,MAAA,QAAA4D,EAAA8C,EAAAtjB,MAQA4D,EAAA8C,EAAAtjB,K
ACA8C,EAAA1G,MAAA,OAAA4D,EAAA8C,EAAAtjB,MAQAojB,WAAA,SAAA5C,EAAAxgB,GAIAl+C,O
AAAr1B,MACAkH,EAAAA0sB,EAAA5G,YAAA4G,EAAA5G,YAAAt7C,SAAA0N,gBAAAq2C,YAAA/jD,SAA
A0N,gBAAAq2C,YAAAJ,O
AAAr1B,MACAkH,EAAAA0sB,EAAA5G,YAAA4G,t7C,SAAA0N,gBAAA6tC,aAAAv7C,SAAA
A0N,gBAAA6tC,aAAAoI,OAAAnuB,OAEA3+B,KAAA8rD,MAAAxiD,QAAA4jC,KAAA/E,EAAAz3B,GAIAl+
C,OAAAr1B,MACAkH,EAAAm1B,EACA5sD,KAAA8rD,MAAAxiD,QAAA70C,IAAA0nB,EAAAEAAA3+B,KAA
AntB,OAAA,EAAAEAAAouB,IAMAI,WAAA,SAAA5C,EAAAxgB,GAIAl+C,OAAAF,GAIAl+C,QAAAF,06C,
QAAA,SAAAC,GACAA,EAAAE,UAAA,iBAAAqF,KAGAA,qBAAAhiD,SACAAA,OAAAgiD,iBAGA3rD,EAAA
D,wBC5WA5rD,EAAAuyC,EAAA,GAAAckM,8KCACiP,iCAAA,CACbC,8BAA+B,CAC7B,CAAAEC,MAAO,
WAAY/wC,KAAM,MAC3B,CAAAE+wC,MAAO,WAAY/wC,KAAM,KAAM,MAC3B,CAAAE+wC,MAAO,kBA
AmB,MAAO,eAAAgB/wC,KAAM,MAClC,CAAAE+wC,MAAO,kBAAmB/wC,KAAM,qBAAsB/wC,KAAM,KA
ACrD0kB,eAAAgB+wC,MAAO,WAAY/wC,KAAM,MAG3B,CAAAE06C,WAAY,cACZ+wC,gBACheB,C,WAAY,
cA CAZC,KAAY,cACZ/wC,sBAAuB,WAAY/wC,KAAM,qBAAsB/wC,KAAM,KAAM,OACvD,+BAAgC,sBAAuB
6FACtBC,2BAAA,iTCbIC,EAAAU9s
D,IAAO,UACjB+sD,EAAAU/sD,IAAO,UAEjBgtD,aACJ,SAAAA,IAA0B,IAA0AzI,IAA0BzI,EAAAA3lD,KAAA,
KAAAbmF,EAAAasH,UAAAtG,OAAA,QAAA1D,IAAAgK,UAAA,GAAAA,UAAA,GAAA,GAAAJ,GAGpbOAHwB1
L,OAAAstD,EAAA,KAAAAttD,KAAAAttD,KAAAouD,GACxBpuD,KAAKkuD,GAAW,GAChBluD,KAAKB9hD,I
AAAKjH,EAAAQMgtD,IAAOM,EAAAc/sD,IAAO,UC7D9hDIAAKjH,EAAAQ,SAAC7D,EAAAOM,GAAAR,IAAA
MgtD,IAAOO,IAAAMgtD,EAAASAAC7D,EAAAOMgtD IAAOMgtD,EAAAK78B,IAAlnB,IAAAIlnB,EAAAKN,KAA
AIlnB,EAAAKKN,MAAM,KAMzBz,KAAAIlnBEAASAAC7D,EAAAOM,IACR,8BAACAAOnoD,IAAO5B,IAAA
EAAAEAAc7C,EAAAEAAQ,QAAAKrBq0C,GAAEAAavG,EAAAEAAQ,QAAArBq0C,IAAEAAUr0C,EAAAEAA
Q,QAAClB+6C,IAAEAAc/6C,EAAAEAAQ,QAACtB8C,IAAEAAc9C,EAAAEAAQ,QAACtBkG,IAAEAAelG,EA
AAEAAQ,QAACvB4uD,IAAEAAgB5uD,EAAAEAAQ,QAACxB6uD,IAAEAAiB7uD,EAAAEAAQ,QAACzB8uD,
uD,EAAAY9uD,EAAAEAAQ,QAACpBwG,IAAEAAyBxG,EAAAEAAQ,QAACjC+uD,IAAEAAW/uD,EAAAEAAQ,
QAAS2oB,IAC5BqmC,EAAAg

BhvD,EAAQ,OAARA,GAChBivD,EAAiCjvD,EAAQ,QACzCkvD,EAAclvD,EAAQ,QACtBmvD,EAAgBnvD,EA
AQ,QACxByG,EAAqBzG,EAAQ,QAC7BovD,EAAA,UACAzpC,EAAApf,EAAAof,UACAG,EAAAvf,EAAAuf,
QACAupC,EAAAvpC,KAAAupC,SACAC,EAAAD,KAAAC,IAAA,GACAC,EAAAhpD,EAAA6oD,GACAI,EA
AA,WAAAzU,EAAAj1B,GACApJ,EAAA,aAEA+yC,EAAAhB,EAAAQ,EAAAnd,EAEA4d,IAAA,WACA,IAEA,
IAAAnsC,EAAAgsC,EAAApsC,QAAA,GACAwsC,GAAApsC,EAAA1a,YAAA,IAAiD7I,EAAQ,OAARA,CAAg
B,qBAAAoU,GACjEA,EAAAsI,MAGA,OAAA8yC,GAAA,mBAAAI,wBACArsC,EAAAvc,KAAA0V,aAAAizC,
GAIA,IAAAL,EAAA7lD,QAAA,SACA,IAAA0lD,EAAA1lD,QAAA,aACG,MAAA9G,KAfH,GAmBAktD,EAA
A,SAAAxW,GACA,IAAAryC,EACA,SAAAd,EAAAmzC,IAAA,mBAAAryC,EAAAqyC,EAAAryC,WAEAme,E
AAA,SAAA5B,EAAAusC,GACA,IAAAvsC,EAAAwsC,GAAA,CACAxsC,EAAAwsC,IAAA,EACA,IAAAAC,EA
AAzsC,EAAA2+B,GACA8M,EAAA,WACA,IAAA7tD,EAAAoiB,EAAA0sC,GACAC,EAAA,GAAA3sC,EAAA
4sC,GACAjwD,EAAA,EACA68B,EAAA,SAAAqzB,GACA,IAIAxtD,EAAAoE,EAAAqpD,EAJAz6C,EAAAs6C,
EAAAE,EAAAF,GAAAE,EAAAE,GAAAAE,GAAAAF,GAAAAE,EAAA5sC,KACAL,EAAAitC,EAAAjtC,C,QACAC,EAAAgtC,EAAAhtC,C,OACAktC,EA
AAF,EAAAE,OAEA,IACA16C,EAAAAy+B,IAAAAuO,EAAAhtC,GACAA,EAAAy+B,GAAAA,IAAAApsC,EAAAhT,EAAAhT,EAAAapsC,EAAAahT,EAAEAmvD,KAAAAE,QACA5tD,EAAAgT,EAAAzU,EAAA68B,IAAA,EEEAwvD,I
ACAA,EAAAA5I,OACA2I,GAAA,IAGAztD,IAAAAwtD,EAAEAztD,C,QACAAH,IAAAAwtD,EAAEA7sC,C,O
D,EAAAAjtD,IACXoE,EAAAA3G,GAAAAuC,EAAAAugB,EAAAAC,GACWD,EAAAAvgB,GAACFwgB,EAAAAjiB,GACF,
MAAAwB,GACP2tD,IAAAD,GAAAC,EAAAA5I,OACAAtkC,EAAAzgB,EAAKAGA,MAAAAqtD,EAAAAhqD,OAAAA9F,
EAAA68B,EAAAizB,EAAA9vD,MACAqjB,EAAA2+B,IAAAAvc,GAAAA,GACA3+B,EAAAADAD,IAAAvsC
,EAAAy+B,EAAAltC,OAGAktC,EAAA,SAAAltC,GACAwrC,EAAA1uD,KAAAkG,EAAA,WACA,IAAAE3D,IAA
EA3D,EAAAgT,EAAAAkR,EAAAAkR,EAFA3lB,EAAAAoiB,EAAAA0sC,GAACAS,EAAAAnttC,EAAAAptC,GAAA,
tD,EAAAssD,EAAA,WACAM,EAACA1pC,EAAAA8qC,KAAAA,qBAAAAzvD,EAAAAoiB,EAAAAS3N,EAAAAr
P,EAAAAsq
D,sBACTj7C,EAAA,CAAmB2N,UAAAAutC,OAAAA3vD,KACV2lB,EAAAvgB,EAAAAugB,YAAAAjZ,OACTiZ,EA
AAjZ,MAAA,8BAAA1M,KAIAoib,EAAAAy+B,EAAAAwN,GAAAAmB,EAAAAptC,GAAA,KACKA,EAAAAwtC,C,QA
AAzuD,EACLouD,GAAAA9tD,EAAAAD,EAAAA,MAAAAC,EAAAAmgB,GAAAGA4tC,EAAAA,SAAAAptC,GACA,WAAAA
A,EAAAAy+B,IAAAA,KAAAAz+B,EAAAAwtC,IAAAAxtC,EAAA2+B,IAAAAl8C,QAEAuqD,EAAA,SAAAAhtC,GACA
wrC,EAAA1uD,KAAAkG,EAAA,WACA,IAAAAqP,EACA45C,EAAA1pC,KAAAAkG,EAAA,WACA,IAAAqP,EACA
N,EAAArP,EAAAyqD,qBACLp7C,EAAA,CAAe2N,UAAAAutC,OAAAAvtC,EAAA0sC,GAAIfgB,EAAA,SAAAA9vD,
GACA,IAAAAoiB,EAAAA1jB,GAACAA3tC,EAAAA3C,GAAAA2tC,KACA3tC,EAAAA3tC,KAACAA3tC,EAAAA4tC,KAACAA5tC,EAAEAA3tC,KACA4tCAA5tC,EA
CAA,EAAAA0sC,GAAAA9uD,EACAoiB,EAAAA4sC,GAAAA4sC,GAAAA,EACAAAwtC,KAAAAxtC,EAAAAwtC,GACAAAxtC
,EAAAA2+B,GAAAA34C,SACA4b,EAAAA5B,GAAAA,KAEA6tC,EAAAA,SAAAAjwD,GACA,IACA3tC,EAAAA0jB
,KAEA,IAAAA0jB,EAAAA2tC,GAAAAEAAAA2tC,GAAAA,CACAAAwtC,KAAAAxtC,EAAAAwtC,GACAAxtC,EAAAA
A,GAAAAAAAAAiAAADAD4gB,GACHsuD,EAAAA5wD,EACAAkR,EAAAA5B,GAAAA,MAACAAkB8wD,GAAAA5tC,
EAAAA2tC,GAAAAIAAA,GAAAyBvuD,MAK3C+sD,IAEAH,EAAAA,
SAAAA+B,GACAzC,EAAAAhvD,EAAAA0vD,KAAAA0vD,EAAAAH,EAAAAMACAR,EAAAA0C,GACA9C,EAAAAnu
D,KAAAAR,M
ACA,IACAyxD,EAAAAjd,EAAAA+c,EAAAAvxD,KAAAA,GAAAw0C,EAAAA4c,EAAAApxD,KAAAA,IACK,MAAAyu
B,GACL2iC,EAAAA5wD,EAAAAR,KAAAAyuB,EAAAAkAgC,GACAAAAzxD,KAAAAqiD,GAAAA,GACAAAri
D,KAAAAxkD,QAAAAzuD,EACAAAsw D,GAAAA,GACAAIAkgC,EAAAA,SAAA8C,GACAAzxD,KAAAAqiD,G
AAAArkD,GACA,IAAAA,GACAAriD,KAAAA,KxD,QAAAAzuD,EACAAAswD,KAAAA,KxD,IAAAGAEvB,EAAAA1sD,UAAuB9B,EAAQ,OAA
RA,CAAyBuvD,EAAAAztD,UAAA,CAAEhDkF,KAAAA,SAAAAoe,EAAAAC,GACA,IAAAAq+qC,EAAAAX,EAAAAjpD,E
AAAA3G,KAAAA3tC,KACA0vD,KAAAA,KACAAwqC,EAAAAgC,EAAAA5C,EAAAAmBACAAgrC,EAAAA5sC,EAAAAmBA
AA6B,KACA+qC,EAAAA,KAAAA1pC,EAAAAuc,EAAAAzC,EAAAAAqiD,GAAAA58C,KAAAA8qD,GAACvwD,
vwD,KAAAAkxD,IAAAAlxD,KAAAAkxD,GAAAAzrD,GAAAA8qD,GACAAvwD,KAAAAswD,IAAAAhrC,EAAAAtlB,EA
AAAtlB,MAAAA,GACAAuwD,EAAAA7sD,UAAAAuwD,KAAAAGA7sD,UAAAAAASAGAAAAxlB,UAAuB9B,EAAQ,OAA
RA,CAAyByBuvD,EAAAAztD,KAAAA,KAAAA,CAAEkF,KAAAA,SAAAAoe,GACA,IAAAAr+qC,EAAAAX,EAAAAjpD,EAA
A,WACA,IAAAAirC,EAAAA,IAAAAwpC,EAAAAuc,GACAA,aiB,EAAAA,MAAAwkB,EAAAAqCACA3tD,GAAA9qD,

SAAA5oD,GACA,OAAAA,IAAA0oD,GAAA1oD,IAAA8nD,EACA,IAAAAD,EAAA7nD,GACA4nD,EAAA5nD,
KAIA/D,IAAAyuD,EAAAzuD,EAAA0uD,EAAA1uD,EAAAoC,GAAAwqD,EAAA,CAA0D5oD,QAAAyoD,IAC
1DvvD,EAAQ,OAARA,CAA8BuvD,EAAAH,GAC9BpvD,EAAQ,OAARA,CAAwBovD,GACxBT,EAAU3uD,E
AAQ,QAASovD,GAG3BtsD,IAAA2uD,EAAA3uD,EAAAoC,GAAAwqD,EAAAN,EAAA,CAEAhsC,OAAA,SA
AApiB,GACA,IAAA0wD,EAAAjC,EAAA5vD,MACA8xD,EAAAD,EAAAtuC,OAEA,OADAuuC,EAAA3wD,G
ACA0wD,EAAAnuC,WAGAzgB,IAAA2uD,EAAA3uD,EAAAoC,GAAArC,IAAA6sD,GAAAN,EAAA,CAEAjs
C,QAAA,SAAAlc,GACA,OAAAR,EAAA5D,GAAAhD,OAAA8uD,EAAAY,EAAA1vD,KAAAoH,MAGAnE,IA
AA2uD,EAAA3uD,EAAAoC,IAAAwqD,GAAgD1vD,EAAQ,OAARA,CAAwB,SAAA4xD,GACxErC,EAAAtnC,
IAAA2pC,GAAA,SAAAl1C,MACC0yC,EAAA,CAEDnnC,IAAA,SAAA4gC,GACA,IAAAhiD,EAAAhH,KACA
6xD,EAAAjC,EAAA5oD,GACAsc,EAAAuuC,EAAAvuC,OAACAxgB,EAAAssD,E
AAA,WACA,IAAAlqD,EAAA,GACAAe,EAAA,EACAuoC,EAAAwgB,EAAA,EACAuoC,EAAAjG,GAAA,WAAAtlC,GACA
,IAAAsuC,EAAA9rD,IACA+rD,GAAA,EACA9sD,EAAAAM,UAAAhD,GACAikB,IACA1f,EAAAsc,QAAAI,GA
AAvc,KAAA,SAAA7F,GACA2wD,IACAAA,EAAAvc,QAAA8uD,EAAA6sD,GAAA1wD,IACAolB,GAAApD,EAA
Ane,KACSoe,OAETmD,GAAApD,EAAAne,KAGA,OADApC,EAAAD,GAAAygB,EAAAxgB,EAAAmgB,GAC
A2uC,EAAAnuC,SAGAwuC,KAAA,SAAAlJ,GACA,IAAAhiD,EAAAhH,KACA6xD,EAAAjC,EAAA5oD,GAC
Auc,EAAAsuC,EAAAtuC,OACAxgB,EAAAssD,EAAA,WACAJ,EAAAjG,GAAA,WAAAtlC,GACA1c,EAAAsc,
QAAAI,GAAAvc,KAAA0qD,EAAAvuC,QAAAC,OAIA,OADAxgB,EAAAD,GAAAygB,EAAAxgB,EAAAmgB,
GACA2uC,EAAAnuC,iCC3RA,IAAAjd,EAAWtG,EAAQ,QACnBuG,EAAavG,EAAQ,QACrBgyD,EAAA,qBAC
AzU,EAAAh3C,EAAAyrD,KAAAzrD,EAAAyrD,GAAA,KAEAxyD,EAAAAD,QAAA,SAAAkC,EAAAN,GACA,
OAAAo8C,EAAA97C,KAAA87C,EAAA97C,GAAAa,IAAAnB,IAAA,MACC,eAAAmE,KAAA,CACD2F,QAAA
3E,EAAA2E,QACA5J,KAAAQrB,EAAQ,QAAY,gBAC5BiyD,UAAA,+DCDA,SAAAC,EAAAAzwD,GACA,OAAA
5B,KAAA23C,SAAA77B,IAAAla,GAGAjC,EAAAAD,QAAA2yD,0BCbA,IAAAC,EAAAcnyD,EAAQ,QAGtBoF,E
AAA+sD,EAAAAvxD,OAAA2C,KAAA3C,EAAAApB,EAAAApF,2BCLA,SAAAmxD,EAAAA2F,GACA,IAAA
iBAAA92C,QAAA3F,iBAAA2F,EAEA/G,EAAAAD,QAAA89C,+CCHA79C,EAAAQ,mxDCaA,SAAA
6yD,EAAAh9B,EAAA4kB,EAAAqY,EAAAAC,EAAAAC,GAMA,OALAA,EAAAn9B,EAAA,SAAAj0B,GA
CAi9B,EAAAC,GACAA,EAAAnxD,EAAAAqY,EAAA64C,EAAAAqY,EAAAlxD,EAAA4E,EAAAqvB
,KAEAi9B,EAGA7yD,EAAA7yD,EAAAAD,GAAAE6yD,nxDCAA2yD,EAAAA6yD,EAAAvsD,EAAAoB3F,EAAAQ,Q
Aa5B,SAAA+oD,EAAAjjD,EAAA0f,EAAAmyB,EAAA6a,EAAA5vD,GACA,IAAAmD,GAAA,EACAAC,EAAAF
,EAAAAE,OAAA2xC,EAAAA5vD,GAEAiD,EAAAGyf,EAAAA7yf,EAAAAjD,EAAAzB,EAAAujC,EAAAA5nD,EAAAAqkB,EAAAA
AmyB,EAAA6a,EAAA5vD,GAEAjD,EAAAiD,EAAA5vD,GAEAAiD,EAAzB,EAAAAujC,EAACqxD,5vD,IAAAoD,EAAAAoD,QAAA7E,GAGA,OAA
AyB,EAGA9yD,EAAAAD,QAAAwpD,nxDCAA,SAAAmyB,EAAAn+B,EAAAm9B,GAOA,OANAn9B,EAAAn9
B,EAAAm9B,GAAAn9B,EAAA,SAAAj0B,EAAAoB,GACA,OAAAoyD,EAAApyD,EAAApB,IAEAi0B,EAAAn
+B,0BCRA,IAAAmyB,EAAWrnD,EAAQ,QACnBzL,EAAayL,EAAQ,QAGrBgzD,EAAAn+B,EAAAn3C,OAAAyL,
EAAAAAiC,EAAAA1uD,6CCLA79C,EAAAQ,kmxDCaA,SAAAmzD,EAAAvwD,GACA,aAAAA,EACA,IAAA
AC,OAAAA,GACA,IAAA40B,OAAA,SAAA50B,GAAAjD,EAAAAAkD,GAGAvD,EAAAAD,QAAAkzD,0BChBA,I
AAAA50B,EAAAA0B,OAAAA2C,KAAA3C,OAAAA50B,OAAAA3B,EAAAAAAApBA4oD,QAAA50B,2BCAA,IAAAuY,E
AAAAA3+D,EAAWzL,EAAQ,QACnBzL,EAAAyL,EAAQ,QAGrBgzD,EAAAuY,EAAAhkE,OAAAyL,E
AAAiC,EAAA8oD,6CCLA79C,EAAAAQ,mxDCaA,SAAAyzD,EAAA50B,GAMA,OALA50B,EAAAn9D,EA
AA+xD,EAAAm9B,EAAAAn9B,GAAA,SAAAj0B,EAAAoB,GACA,OAAAoyD,EAAApyD,EAAApB,IAEAi
0B,EAAAn+B,0BCRA,IAAAuY,EAAWrnD,EAAQ,QACnBzL,EAAAyL,EAAQ,QAGrBgzD,EAAAuY,EAAAhkE,
OAAAyL,EAAAAAiC,EAAA4oD,8CCLA79C,EAAAQ,mxDCaA,SAAAo8C,EAAAD,GAMA,OALAC,E
AAAD,EAAAm9B,EAAAAn9B,GAAA,SAAAj0B,EAAAAoB,GACA,OAAAoyD,EAAApyD,EAAApB,IAEAi
0B,EAAAn+B,0BCRA,IAAAuY,EAAWrnD,EAAQ,QACnBzL,EAAAyL,EAAQ,QAGrBgzD,EAAAuY,EAAAhkE,
OAAAyL,EAAAiC,EAAA4oD,8CCLA79C,EAAAQ,mxDCaA,SAAAmzD,EAAAvwD,GAMA,OAAA50B,OAAA
AzwD,GAAEDnD,EAAAAD,QAAA,SAAA,SAAAA6U,EAAAk/C,GACA,OAAA50B,OAAA1B,EAAAAA4pB,
EAAAk/C,GAGArnD,EAAAAD,QAAA6zD,6BCbA,IAAAzwD,EAAWpD,EAAQ,QACnB+xD,EAAA/xD,EAA
AoD,EAAAAAAAAAoD,QAAAovD,QAAAzwD,8CCLA,IAAAuY,EAAAAAAAAAAA3+D,EAAWzL,EAAQ,QACnBzL,E
AAAyL,EAAQ,QAGrBgzD,EAAAuY,EAAAhkE,OAAAyL,EAAAiC,EAAA4oD,6CCLA79C,EAAAQ,S

ACA,IAAAxW,GAAA,EACA,IACA,IAAAtzC,EAAA,IACAuoD,EAAAvoD,EAAAhG,KACAuuD,EAAA7tD,KA
AA,WAA6B,OAASsM,KAAAssC,GAAA,IACtCtzC,EAAAhG,GAAA,WAAiC,OAAAuuD,GACjCx9C,EAAA/K,
GACG,MAAA1G,IACH,OAAAg6C,2BCpBA,IAAAz2C,EAAelG,EAAQ,QACvBuzD,EAAqBvzD,EAAQ,QAAc2
oB,IAC3CnpB,EAAAAD,QAAA,SAAA+H,EAAA8F,EAAAvG,GACA,IACA5B,EADAwsD,EAAArkD,EAAAvE,
YAIG,OAFH4oD,IAAA5qD,GAAA,mBAAA4qD,IAAAxsD,EAAAwsD,EAAA3vD,aAAA+E,EAAA/E,WAAAoE
,EAAAjB,IAAAsuD,GACAA,EAAAjsD,EAAArC,GACGqC,2BCPH,IAAA80C,EAAqBp8C,EAAQ,QAC7BwzD,
EAAsBxzD,EAAQ,QAC9ByzD,EAAmBzzD,EAAQ,QAC3B0zD,EAAmB1zD,EAAQ,QAC3B2zD,EAAmB3zD,E
AAQ,QAS3B,SAAA4zD,EAAA7uD,GACA,IAAAgB,GAAA,EACAC,EAAA,MAAAjB,EAAA,EAAAA,EAAAiB
,OAAEAnG,KAAA21C,QACA,QAAAzvC,EAAAAC,EAAA,CACA,IAAA6tD,EAAA9uD,EAAAgB,GACAlG,KAA
A8oB,IAAAkrC,EAAA,GAAAA,EAAA,KAKAD,EAAA9xD,UAAA0zC,MAAA4G,EACAwX,EAAA9xD,UAAA
,UAAA0xD,EACAI,EAAA9xD,UAAAf,IAAA0yD,EACAG,EAAA9xD,UAAA6Z,IAAA+3C,EACAE,EAAA9xD,
UAAA6mB,IAAAgrC,EAAEAn0D,EAAAAD,QAAAq0D,0BC9BA,IAAA9wD,EAAc9C,EAAQ,QACtBsG,EAAAWtG
,EAAAQ,QACnB83C,EAAAY93C,EAAAQ,QACpBR,EAAAAD,QAAA,SAAA04C,EAAA7jC,GACA,IAAA/I,GAAA/E
,EAAA1F,QAAA,IAA6Bq3C,IAAAr3C,OAAAAq3C,GAC7B0a,EAAA,EAAAA1a,GAAA7jC,EAAA/I,GA
CAvI,IAAA2uD,EAAA3uD,EAAAoC,EAAAA4yC,EAAA,WAAqDzsC,EAAA,KAAS,SAAAsnD,0BCR9D,IAAAv
rD,EAAgBpH,EAAAQ,QAGxBk6C,EAAAA9yC,EAAAxG,OAAAvG,EAAAQ,QAAA9yC,EAAAxG,OAAA,UAEApB,EAAAAD,QAAA26C,0BCLA,IAAA4Z,
EAAa9zD,EAAQ,OAAARA,CAAmB,QAChCyoB,EAAAQ,QAClBR,EAAAAD,QAAA,SAAAkC,GACA,O
AAAqyD,EAAAryD,KAAAqyD,EAAAryD,GAAAgnB,EAAAhnB,GAAA,6BCFA,IAAA+3C,EAAAUx5C,EAAAQ,QAElB
R,EAAAAD,QAAAqB,OAAA,KAAAo9C,qBAAA,GAAAp9C,OAAA,SAAAy4C,GACA,gBAAAG,EAAAH,KAA
ArqC,MAAA,IAAApO,OAAAy4C,yCCFA,IAAA0a,EAAiB/zD,EAAAA0a,EAAiB/zD,EAAQ,OAARA,CAAS,QAClCc,EAAAQ,QAClBR,EAAAAD,QAAA,SAAA
uZ,GACA,OAAAA,IAAAi7C,GAAA,OAAAj7C,yBCLAtZ,EAAAAD,QAAAC,GAoBA,OAnBAA,EAAAw
0D,kBACAx0D,EAAAy0D,UAAA,aACAz0D,EAAA00D,EAAAA00D,MAAA,GAEA10D,EAAAkiB,WAAAliB,EAAAkiB,SA
AA,IACA9gB,OAAAC,eAAAArB,EAAA,UACAo3C,GAAA,WAAqB,OAAApB,EAAAAW,EAAAAQ,QAAqB
A,GAEAx5C,OAAAC,eAAArB,EAAA,MACAo3C,GAAA,WAAqB,OAAApB,EAAAU,KAGASA,O
AAAC,eAAAx5C,OAAA,sCCpBA,IAAA20D,EAAAn0D,EAAAn0D,EAAQ,QAAAo0D,EAAAA2B,EAAAwyD,EAAA2B,EAAAwyD,EAA
AG,0BCAlhB,IAAAC,EAAAkBr0D,EAAAQ,QACnB83C,EAAmBp8C,EAAQ,QAC3B0zD,EAAmB1zD,EAAQ,QASt
C,SAAAs0D,0D,EAAAlqC,GACA,IAAAmqC,EAAAvV,EAAA50B,GACA,UAAAmqC,EAAAvuD,EAAAuuD,EAAAuuD,EAA
A,MACAphB,EAAAohB,EAAAE,EAAA,OAEA,SAAA3yD,GACA,OAAAO,eAAArB,EAAA,U
AAyD,EAAAwoB,EAAAAmqC,EAAAwoB,EAAAAmqC,EAAAwoB,EAAA/C,IAIA/C,EAAAAmqC,EAAIAIA/0D,EAAAAD,QAAA+0D,0D,0BCrBA,IAAAz0D,EAAQ,QAAA+0D,0BC
rBA,IAAAz0D,EAAQ,QAAAYpzC,EAAAA,EAAQ,QAAAk6C,EAAAA,EAAQ,QAAAg5C,EA
AAYpzC,EAAAQ,QAAAk6C,EAAAAm0D,EAAAAm0D,AA,MACAC,EAAAAm0D,AAAAAm0D,AAEA,SAAA3yD,GAIAmE,EA
AAAztC,OAEA,OAAAAOAAAMAAAC,EAAApE,EAAAAA,EAAAAAAE,OAEA,QAAAAD,EA
AAC,EAAA,IAAAA2xC,EAAAA7xC,EAAAgB,GAHA,GAAIAj1C,EAAAC,eAAArB,EAAAAk7C,0BCCAj1
C,EAAAAPAAAk7C,0BCCAj1C,EAAAAPAAIAIAAAPAAIAAAPAAIAAAPAA

AAAj0B,EAAAAM,EAAA2zB,GACA,IAAAqjB,EAAAoc,EAAAK,EAAA,SAAAlb,GACA,OAAAA,EAAA74C,K
AEA,OAAYs3C,WAAA1yC,UAAA5E,WAGZ,OAAA4zD,EAAAnyD,EAAA,SAAAhB,EAAAg1C,GACA,OAA
A0B,EAAA12C,EAAAg1C,EAAA2B,KAIA/4C,EAAAD,QAAA01D,0BChCA,IAAA/uD,EAAelG,EAAQ,QAGv
BR,EAAAD,QAAA,SAAA85C,EAAAoY,GACA,IAAAvrD,EAAAmzC,GAAA,OAAAA,EACA,IAAAhuC,EAA
AyN,EACA,GAAA24C,GAAA,mBAAApmD,EAAAguC,EAAAj3C,YAAA8D,EAAA4S,EAAAzN,EAAAhL,KA
AAg5C,IAAA,OAAAvgC,EACA,sBAAAzN,EAAAguC,EAAA3C,WAAAxwC,EAAA4S,EAAAzN,EAAAhL,KA
AAg5C,IAAA,OAAAvgC,EACA,IAAA24C,GAAA,mBAAApmD,EAAAguC,EAAAj3C,YAAA8D,EAAA4S,EA
AAzN,EAAAhL,KAAAg5C,IAAA,OAAAvgC,EACA,MAAA6M,UAAA,kECEA,SAAAwvC,EAAArvD,EAAAk0
C,EAAAqY,EAAAC,GACA,IAAAvsD,GAAA,EACAC,EAAA,MAAAF,EAAA,EAAAAA,EAAAE,OAEAssD,GA
AAtsD,IACAqsD,EAAAvsD,IAAAC,IAEA,QAAAA,EAAAC,EACAqsD,EAAArY,EAAAqY,EAAAvsD,EAAAC
,KAAAD,GAEA,OAAAusD,EAGA7yD,EAAAD,QAAA41D,uCCxBAn1D,EAAQ,QACR,IAAAqH,EAAerH,EA
AQ,QACvBo1D,EAAAap1D,EAAQ,QACrBq1D,EAAkBr1D,EAAQ,QAC1Bu8C,EAAA,WACAC,EAAA,IAAAD,
GAEA78C,EAAA,SAAA2L,GACErL,EAAQ,OAARA,CAAqBsR,OAAAAxP,UAAAy6C,EAAAlxC,GAAA,IAInBr
L,EAAQ,OAARA,CAAkB,WAAe,MAAkD,QAAlDw8C,EAAAn8C,KAAA,CAAwB+pB,OAAA,IAAA4xB,MAA
A,QAC7Dt8C,EAAA,WACA,IAAAgH,EAAAAW,EAAAxH,MACA,UAAA2J,OAAA9C,EAAA0jB,OAAA,IACA,
UAAA1jb,IAAAs1C,OAAAqZ,GAAA3uD,aAAA4K,OAAA8jD,EAAA/0D,KAAAqG,QAAApE,KAGCk6C,EAA
A/7C,MAAA87C,GACD78C,EAAA,WACA,IAAAn8C,EAAAAn8C,KAAAAR,6CCrBAe,OAAAAC,eAAAtB,EAAA,
cAA8C4B,OAAA,IAC9C,IAAAs7B,EAAAAUACzhB,EAAAIACAkH,EAAAIACwa,EAAA,GACAvxC,EAAA,OACAwxC,
EAAA,0xBAEA15C,EAAA25C,WAAA,CACAzc,SACAsc,WACAI,KAAA,CACA7hB,EACAkH,EACAvxC,EACAwxC,
EACA15C,EAAA+1D,UAAA/1D,EAAA25C,25C,WACA35C,EAAAk9B,SACAl9B,EAAAw5C,5C,WACAx5C,EAAA+3B,
QACA/3B,EAAAAi/B,SACAj/B,EAAAAy5C,5C,YACAz5C,EAAAkI,UACAlI,EAAAAll,EAAA05C,sCC5BA,IAAAsc,
EAAgBv1D,EAAQ,QACxBy3C,EAAez3C,EAAQ,QACvBgyC,EAAmBh1D,EAAQ,QAC3BwF,EAAAhy
C,EAAQ,QACR3BwF,EAAAcxF,EAAQ,QAGAgCtB,SAAAw1D,EAAAApgC,EAAAA4kB,GACA,IAAAvxC,EAA
AAjD,EACA,OAAAhvC,EAAA2sB,EAAAAi2D,gECxCA,IAAAAC,EAAmBx1D,EAAQ,QAC3B,IAAAAz1D,EAAA,
QAAA01D,EAAA11D,EAAA2B,EAAA8zD,GAA8gBC,EAAG,0BCAjhB,IAA
AzM,EAAAgBjpD,EAAQ,QACRxF,EAAAcxBuF,EAAkBm1D,EAAACx1D,EAAQ,QAC
vB21D,EAAc31D,EAAQ,QACRtB41D,EAAmB51D,EAAQ,QAG3BkcEAAAtB,OAAAAkB,UAGAC,EAAAG,EA
AAH,eAUA,SAAAA8zD,EAAAA10D,EAAAA20D,GACA,IAAAAvwD,EAAArE,EAAAAvwD,GACA60D,EAAAAD,
GAAA,GAAAC,EAAAIAAC,EAAAvwD,GAAAArE,EAAAAvwD,GAGAxE,EAAAD,QAAAAs2D,gECxCA,IAAAAz
0D,EAAgBg1D,EAAQ,QAGAxF,SAAAAvwD,EAAAA4kB,GACA,IAAAD,EAAArE,EAAAA0kB,GACA,OAAAAsc,
EAAA4xD,EAAAAE,gECJA,IAAAm/B,EAAAAM,IACA00D,EAAA00D,IAEA,UAAAj0D,EAAAl0D,EAAAu0D,EAA
AAAvwD,EAAArE,GAAAAEA,y0D,GAAA,cAAAAAA,GAAA,cAAAAAA,IAEAk0D,EAAAl0D,EAAAuE,EAAAAu
wD,GAEAuE,EAAA05C,0bCXA,UAAAsc,EAAAAAkB,WAC/C,IAAAAw2D,EAAAAGACA5c,EAAAAGAEA6X,EA
AAAxwD,SACAw1D,A,uBAGA,OAFAD,EAAAAOFAD,EAAAAAAgF,EAAAAznD,MAAA,IAAAAwmD,QAAA,
SAAAAkB,GAAoC9c,EAAAA8c,OACjBB,EAAAnBH,EAAAGAmBC,GAAA/E,IAAAA7wD,OAAA2C,KAAAAgzD
,EAAA,GAAAA7kC,EAAAA,KAAAA,KAAAA0hD,IACAxD,EAACxD,EAAA,SAAArpD,EAAAAuvB,GACA,IAAA
Alf,EAAAAkF,EAAAAzxC,GACA,OAAAAroD,EAAA26C,EAAAA3L,EAAAk0D,GAGAgd,EAAAAhwD,EAAA
A5wD,EAAAEAAA,EAAAEAMAA3G,EAAA2G,EAAAEAAiqD,EAAAEv2D,KAAAAoxD,EAAAEhwD,EAAAo8B,EA
AAEAAA8B,EAAAAoJ,QAAAgtC,EAAAl4C,GAAA
gwD,EAAAhwD,IACG,OAAAAk4C,GACAF4c,qCC/BA,IAAAM,EAAAc72D,EAAQ,QAAA,QAAAAEtBuD,EA
AAA3C,OAAAA2C,KACAEA/D,EAAAD,QAAAAs2D,3C,OAAA2C,KAAAAqC,SAAAqC,GAAoC,OAAA3C,
KAAAAuC,GAAA,CAAwB,OAAAb,IaAk1D,EAAAuB92D,EAAQ,QAAA,QAAAa72D,
Ak1D,EAAAuB92D,EAAAAQAC/Bg1D,EAAAgBh1D,EAAQ,QAAA,QAAAxB+2D,EAAAe/2D,EAAAAQ,QAAAAG
vBg3D,EAAAAD,K

AAAnB,aAmBAA,EAAAoB,EAAAhC,EAAAgC,GAAAF,EAEAt3D,EAAAD,QAAAq2D,uCC1BA,IAAAqB,EA
AAj3D,EAAA,QAAAk3D,EAAAl3D,EAAA2B,EAAAs1D,GAA8iBC,EAAG,0BCAjjB,IAAA7c,EAAiBr6C,EAA
Q,QACzB69C,EAAe79C,EAAQ,QACvBiyC,EAAmBjyC,EAAQ,QAG3Bs6C,EAAA,qBACA6c,EAAA,iBACAth
B,EAAA,mBACAC,EAAA,gBACAC,EAAA,iBACAqhB,EAAA,oBACAphB,EAAA,eACAC,EAAA,kBACAmQ,
EAAA,kBACAlQ,EAAA,kBACAC,EAAA,eACAC,EAAA,kBACAkQ,EAAA,mBAEAhQ,EAAA,uBACAC,EAA
A,oBACA8gB,EAAA,wBACAC,EAAA,wBACAC,EAAA,qBACAC,EAAA,sBACAC,EAAA,sBACAC,EAAA,sB
ACAC,EAAA,6BACAC,EAAA,uBACAC,EAAA,uBAGAC,EAAA,GAsBA,SAAAhB,EAAA31D,GACA,OAAA8
wC,EAAA9wC,IACA08C,EAAA18C,EAAA6E,WAAA8xD,EAAAzd,EAAAl5C,IAvBA22D,EAAAT,GAAAS,E
AAAR,GACAQ,EAAAAP,GAAAAO,EAAAAN,GACAM,EAAAAL,GAAAAK,EAAAAJ,GACAI,EAAAAH,GAAAAG,EAAA
F,GACAE,EAAAAD,IAAA,EACAC,EAAAAxd,GAAAAwd,EAAAAX,GACAW,EAAAAxhB,GAAAAwhB,EAAAAjiB,GA
CAiiB,EAAAAvhB,GAAAAuhB,EAAAAhiB,GACAgiB,EAAAA/hB,GAAAA+hB,EAAAAV,GACAU,EAAAA9hB,GAAAA8
hB,EAAAA7hB,GACA6hB,EAAAA1R,GAAAA0R,EAAAA5hB,GACA4hB,EAAAA3hB,GAAAA2hB,EAAAA1hB,GACA0
hB,EAAAAxR,IAAA,EAcA9mD,EAAAAD,QAAAu3D,0BC3DA,IAAAiB,EAAmB/3D,EAAQ,QAuB3B,SAAAoC,E
AAAjB,GACA,aAAAA,EAAA,GAAAA42D,EAAAA52D,GAGA3B,EAAAAD,QAAA6C,sBC1BA,IAAAmE,EAAA/G
,EAAAAD,QAAA,oBAAA4J,eAAAsE,WACAtE,OAAAvJ,eAAAA6N,WACAtE,OAAAtE,KAAA+iB,eAAAAq1C,SAAA,cAAAA
A,GACA,iBAAA+iB,UAAAzxD,2BCLA,IAAA0xD,EAAgBj4D,EAAQ,QACxBo6b,EAAA3sB,KAAA2sB,IACA
89B,EAAAzqD,KAAAyqD,IACA14D,EAAAAD,QAAA,SAAAwG,EAAAAC,GAEA,OADAD,EAAAAkyD,EAAAlyD
,GACAA,EAAAAq0B,EAAAAr0B,EAAAAr0B,EAAAAC,GAAAAkyD,EAAAAnyD,EAAAAC,wBCIA,SAAA6uD,EAA
A/uD,EAAAk0C,EAAAAr0B,EAAAAk0C,EAAAAMAAAF,EAAAA,EAAAA,EAAAAE,OACApD,EAAAA2
K,MAAAAvH,GAEA,QAAAAD,EAAAAC,EACApD,EAAAAmD,GAAAAi0C,EAAAAl0C,EAAAAC,KAAAAD,GAEA,OAA
AlD,EAGApD,EAAAAD,QAAAs1D,0BCpBA,IAAAztD,EAAgBpH,EAAQ,QACxBX,EAAAAC,WAAAWW,EAAAQ,QAGnBkm
D,EAAA9+C,EAAA/H,EAAA,OAEAG,EAAA,OAEAG,OAEAG,EAAAD,QAAA2mD,wBCNA1mD,EAAAAD,QAAA,SAAA6U,GACA,IA
CA,QAAAA,IACG,MAAAzR,GACA,MAAAzR,2BCJA,IAAAmCl6C,EAAAAQ,QAG3BkC,EAAAAtB,EAAAA,OAAAAkB,EU
GAC,EAAAAAG,EAAAAH,eAWA,SAAAAo2D,EAAAA12D,GACA,IAAAAmnB,EAAAAo,EAAAA,oB,KAAAA23C,SACA,OAA
A53C,IAAAAsmB,EAAAAnnB,GAAAAM,EAAAA1B,EAAA,KAAAuoB,EAAAAnnB,GAGAJGAjC,EAAAAD,QAAA44D,2BCt
BA,SAAAA5xD,IAAAA,SAAAAA,EAAAAjH,EAAAAjH,GAC6DA,EAAAAC,EAAAoBS,EAAAAQ,UADzF,CAAICH,EAAAA,SAAAAN,EA
AAA64D,GAAAAwC,aAEzCA,OAAAAr2D,eAAAA,EAAAA,WAAAAAAAA2d,EAAAAIAAAAnZ,EAAAAqBAAA91C,c
AAAqBAAA5C,IAAAAqBAAA3G,UAAAAGAMA,SAAAAs/C,EAAAA7zC,EAAAA7L,GACAA,EAAAAA7zC,EAAAAAAAAAC
AAkBD,QAAAIAAc8L,EAAAA7L,IAAAAD,SAAAAC,EAAAAD,QAGhC,IAAAA84D,EAAAAnZ,EAAAA,SAAAA1/C,IAWA,
SAAA+G,GAEA,IAAA+xD,EAAAA,SAAAAnhB,EAAAAptC,EAAAAiD,GACA,IAAAurD,EAAAAxuD,IAAAAyuD,EAA
AzuD,IAAA0uD,EAAAA1uD,IAAA2uD,EAAAA3uD,IAAA4uD,EAAAA5uD,GACA,OAAAA,EAGA,IAAAAgyC,EAC
A77C,EAAAA,EACA,EAEA,GAAAAy4D,EAAAA7uD,GAEA,IADAgyC,EAAAA,DAgyC,EAAAA,GACA57C,EAAAA4J,EAAA
/D,OAAAuB9F,EAAAAC,EAAAAKD,IAC5B67C,EAAAAz2C,KAAAAgzD,EAAAAnhB,EAAAAptC,EAAAA7J,GAAAA8M,SA
KA,QAAAAvL,KADAs6C,EAAAs6C,EAAAA,GACAAhyC,EAACAnJ,OAAAAkB,eAAAAA1B,1B,UAAAC,eAAAA1B1C,E
AAAA5E,EAAAA11C,EAAAAptC,EAAAAtJ,GAAAAtI,GAAAAuL,IAIA,OAAAA+uC,EAGA,SAAAAxwC,EAAAArb,GACAA,KAAAA,GACA,IAAAA0uC,EAAAA1uC,EAAAA0uC,EAAAA0uC,WAAAA,IACA1sC,EAAAAhC,
EAAAAgC,OAAAA,YAEA,OAAAAqZ,EAAAArZ,EAAAA+F,KAAAA2mC,IAGAod,EAAAASAAAAzwC,GACA,OAAAA0w
C,EAAAA1wC,GACAAC,EAAAA1a,GAEAEAAAAA1a,QAAAAyBAAAAoG,EAAAA1il,GACA,OAAAAA7wC,EAAAAA7wC,GAAAAKAGA
E,EAAAA4wC,EAAAA4wC,EAAAA7wC,GAACAEAAAASAAA7wC,GACA,IAAAA8wC,EAAAAzwC,GAAAA,KAGA,OAAAA8wC,E
AAL,EAAAzwC,GAEA,OAAAA8wC,EAAAAF,GAAAAKAAA9wC,EAAAAcAAAAgxC,EAAAAF,OAAAA,IAGAG,EAAAASAA
A/wC,EAACAAAAA6rD,EAAAAxwC,EAAAArb,GAAAAiC,eAACAA7M,EAAAAKMA7M,EAAAAUAAAM,SAEAu2D,EAAAA,SAAA
A5uD,EAAAASAAA5uD,ACAA,6BAEAwuD,EAACA,SAAAAxuD,EAAAAAAxuD,GACA,OAAAA,IAAAA,EAAA,GAAAAKAA0J,IAEAAyuD,EAAAA0uD,EAAAA,SAAAAyBAAA3H,EAAAA/B,KAAAAA0J,IAEAAyuD,EAA
AA0uD,EAAAA,SAAAAAyBAAA3H,EAAAA/B,EACAKAAAA0J,IAEA2uD,EAAAA,SAAAA3uD,ACAA,0BAAAA3H,EAAAA/B,GAAAAuyC,EAEAAyuD,EAAAA,SAAAAzuD,EACAA,ACAAsvD,GAEA,OADAA,EAAAA,SAAAAAliB,EAAAAnqC,GACA,IAAAAd,EAAAAc,GAAAA,YAAAA,IAAA8Y,EAAAAAqrD,EAAA
A,CACACACAS,WACAM,aACAF,YACACAG,aAAAASAAAA33D,EAAAAoL,GACAAHGA,EAAASAAA9uB,EAAAArb,GAAAAiC,eAACA7M,EAAAA
F,YACAASAAAA9uB,EAAAArb,GAAAAiC,oBAAAAA0J,IA,UAAAA9uB,EAACA9uD,GAAAA2xD,eAAAAwuD,EAEAAAGAAApL,EAAAAdAA

,IAEA43D,eAAA,SAAA53D,EAAAoL,GACA,OAAAsrD,EAAAe,EAAAD,EAAApsD,GAAApL,EAAAoL,IAEA
ysD,cAAA,SAAA73D,EAAAoL,GACA,OAAAsrD,EAAAe,EAAAH,EAAAlsD,GAAApL,IAEA83D,gBAAA,WA
CA,OAAA75D,KAAA25D,eAAAntD,MAAAxM,KAAAyM,aAMqC9M,EAAAD,QACrCC,EAAAD,QAAA84D,E
AEA9xD,EAAA8xD,SA/HA,CAkICpZ,KAGD0a,EAAA,oBAAA14D,QAAA,kBAAAA,OAAA8N,SAAA,SAAAh
F,GACA,cAAAA,GACC,SAAAA,GACD,OAAAA,GAAA,oBAAA9I,QAAA8I,EAAAlB,cAAA5H,QAAA8I,IAA
A9I,OAAAa,UAAA,gBAAAiI,GAoIAlJ,GA7HA,WACA,SAAA+4D,EAAAz4D,GACAtB,KAAAsB,QAGA,SAA
A04D,EAAAC,GACA,IAAAC,EAAAC,EAEA,SAAAruB,EAAAlqC,EAAAoN,GACA,WAAA/H,QAAA,SAAAq
c,EAAAAC,GACA,IAAA62C,EAAA,CACAx4D,MACAoN,MACAsU,UACAC,SACArf,KAAA,MAGAi2D,EACA
A,IAAAj2D,KAAAk2D,GAEAF,EAAAC,EAAAC,EACAC,EAAAz4D,EAAAoN,MAKA,SAAAqrD,EAAAz4D,E
AAAoN,GACA,IACA,IAAAjM,EAAAk3D,EAAAr4D,GAAAoN,GACA1N,EAAAyB,EAAAzB,MAEAA,aAAAy
4D,EACA9yD,QAAAqc,QAAAhiB,SAAA6F,KAAA,SAAA6H,GACAqrD,EAAA,OAAArrD,IACW,SAAAA,GA
CXqrD,EAAA,QAAArrD,GACD,EAAAv3D,EAAAyN,KAAA,kBAAAzN,EAAAzB,OAEO,MAAAmtB,GAC
P6rC,EAAA,QAAA7rC,IAIA,SAAA6rC,EAAAjwD,EAAA/I,GACA,OAAA+I,GACA,aACA6vD,EAAA52C,QAA
A,CACAhiB,QACAkP,MAAA,IAEA,MAEA,YACA0pD,EAAA32C,OAAAjiB,GACA,MAEA,QACA44D,EAAA
52C,QAAA,CACAhiB,QACAkP,MAAA,IAEA,MAGA0pD,IAAAh2D,KAEAg2D,EACAG,EAAAH,EAAAt4D,I
AAAs4D,EAAAlrD,KAEAmrD,EAAA,KAIAn6D,KAAAu6D,QAAAzuB,EAEA,oBAAAmuB,EAAAO,SACAx6
D,KAAAw6D,YAAA,/3D,GAIA,oBAAArB,eAAAq5D,gBACAT,EAAA,/3D,UAAAb,OAAAq5D,eAAA,WACA,O
AAAz6D,OAIAg6D,EAAA,/3D,UAAAiC,KAAA,SAAA8K,GACA,OAAAhP,KAAAu6D,QAAA,OAAAvrD,IAG
AgrD,EAAA,/3D,UAAAy4D,MAAA,SAAA1rD,GACA,OAAAhP,KAAAu6D,QAAA,QAAAvrD,IAGAgrD,EAAA
/3D,UAAAu4D,OAAA,SAAAxrD,GACA,OAAAhP,KAAAu6D,QAAA,SAAAvrD,IAlGA,GA6HA,SAAA9E,EA
AAtI,EAAAN,GAYA,OAXAM,KAAAsI,EACAnJ,OAAAC,eAAAkJ,EAAAtI,EAAA,CACAN,QACAL,YAAA,E
ACA4nB,cAAA,EACAyI,UAAA,IAGApnB,EAAAtI,GAAAN,EAGAN,EAGA4I,EAGAs3C,EAAAzgD,OAAA8xC,QAAA,
SAAAtlC,GACA,QAAAlN,EAAA,EAAAiBA,EAAAoM,UAAAnG,OAAAtG,IAAA,CACA,IAAAkqB,EAAA,MAAAzd,UAAAzM,GAAAA,UAAAzM,GAAA,GACAk4D,EAAAkB,EAAA9xC,QAAAA,IAAA,SAAAzS,GACA,OAAAA2xD,OAAAc,EAAApM,IAGA,oBAAA1tC,OAAAw7C,wBACAr4D,EAAAnC,KAAAkqD,MAAA/nD,EAAA6R,OAAAw7C,sBAAAc,GAAA9xC,QAAAA,IAAA,SAAAzS,GACA,OAAA1N,OAAAa,UAAAw5D,qBAAA35D,KAAAu5D,EAAAvrD,OAINA,EAAAvO,QAAA,SAAAuO,GACA9E,EAAAjJ,EAAA+N,EAAAurD,EAAAvrD,OAIA,OAAA9N,EAGA,SAAAo4D,EAAA9K,EAAA+K,EAAAC,EAAAC,EAAAC,EAAA1rD,EAAAw7C,GACA,IACA,IAAAmQ,EAAApL,EAAAv7C,GAAAw7C,GACA93D,EAAAi4D,EAAAj4D,MAEA,MAAAmtB,GAEA,YADA0rC,EAAA1rC,GAIA+rC,EAAAp5D,KACAg5D,EAAA93D,GAEAgP,QAAAqc,QAAArrB,GAAAiC,KAAA43D,EAAAC,GAGA,SAAAgB,EAAApM,GACA,kBACA,IAAAt4C,EAAAhP,KACA22D,EAAApM,UACA,WAAA1lD,QAAA,SAAAqc,EAAAAC,GACA,IAAA62C,EAAAzL,EAAAvuC,MAAAhB,EAAA4lD,GAEA,SAAA9B,EAAAl3D,GACAi4D,EAAAb,EAAAC,EAAAC,EAAAC,EAAA8B,EAAA,OAAAr5D,GAGA,SAAAs5D,EAAAt5D,GACAi4D,EAAAb,EAAAC,EAAAC,EAAAC,EAAA8B,EAAA,QAAAr5D,GAGAq5D,OAAA7hB,aia

,EAAA9wC,MAAAkxC,GACxB/lD,MAAA0rC,EAAA,GAAwBia,EAAA3lD,MAAAimD,IACnBC,EAAA,CACLl
qC,UACKjQ,GAIL,IAAAo6C,GAAA,EAEA,IACAA,GAAe,EACd,MAAAn5D,IAED,IAAAo5D,EAAA,WAEA,I
AAAC,GADAF,GAAAh1C,SAAA,oBAAAA,QAAAjZ,QAGAmuD,EAAAl1C,SAAAjZ,MAAAxB,MAAA2vD,E
AAA1vD,YAIA,SAAA2vD,EAAAx6D,EAAAN,GACA,OAAAoM,MAAA/H,QAAArE,MAAA6E,OAAA,IAAAu
H,MAAA/H,QAAArE,MAAAN,EAAA,GAAuGY,EAAAN,GAAA,GAGvG,SAAA+6D,EAAAvqC,GACA,IAAA
wqC,EAEA74B,GAAA64B,EAAA,CACAC,UAAAzqC,EAAA0qC,KACAC,WAAA3qC,EAAA4qC,MACAC,QA
AA7qC,EAAA8qC,WACAC,YAAA/qC,EAAA6K,OACAmgC,QAAAhrC,EAAAirC,SACAC,qBAAA,eAAAlrC,E
AAAmrC,MAAA,SAAAnrC,EAAAmrC,KACAC,mBAAA,aAAAprC,EAAAmrC,MAAA,SAAAnrC,EAAAmrC,
MACGj8D,EAAAs7D,EAAA,MAAAxqC,EAAA0lB,KAAA,OAAA1lB,EAAA0lB,MAAAx2C,EAAAs7D,EAAA,
aAAAxqC,EAAAqrC,SAAA,OAAArrC,EAAAqrC,UAAAn8D,EAAAs7D,EAAA,WAAAxqC,EAAAsrC,KAAA,
OAAAtrC,EAAAsrC,MAAAd,GAEH,OAAAv7D,OAAA2C,KAAA+/B,GAAAn3B,IAAA,SAAA1K,GACA,OAA
A6hC,EAAA7hC,KAAA,OACG4V,OAAA,SAAA5V,GACH,OAAAA,IAIA,SAAAy7D,EAAAr8B,EAAAtmB,G
ACA,IAAAzB,EAAA,KAAA+nB,GAAA,IAAA76B,OAAA,IAAA66B,GAEA,OAAA/nB,EAAAtP,OAAA+Q,GA
AAxF,KAAA,KAGA,SAAAooD,EAAAhkB,GACA,cAAAA,EACA,KAGA,iCAAAA,EAAA,YAAAwgB,EAAAx
gB,OAAA1c,QAAA0c,EAAAJ,SACAI,EAGA5rC,MAAA/H,QAAA2zC,IAAA,IAAAA,EAAAnzC,OACA,CAAY
y2B,OAAA0c,EAAA,GAAAAJ,SAAAI,EAAA,IAGZ,kBAAAA,EACA,CAAY1c,OAAA,MAAAsc,SAAAI,QADZ,
EAKA,IAAAikB,EAAA,CACA38D,KAAA,kBAEA2oD,YAAA,EAAEAz3B,MAAA,CACA6K,OAAA,CACAtyB,
KAAA+4C,QACAD,SAAA,GAEAyZ,WAAA,CACAvyD,KAAA+4C,QACAD,SAAA,GAEA8Z,KAAA,CACA5yD,
KAAA6I,OACAiwC,QAAA,KACAqa,UAAA,SAAAl8D,GACA,uCAAAsI,QAAAtI,IAAA,IAAAIAGAg4C,KAAA,C
ACAjvC,KAAA,CAAAtJ,OAAA2M,MAAAwF,QACAAuqD,UAAA,GAEAC,KAAA,CACArzD,KAAA,CAAAtJ,O
AAA2M,MAAAwF,QACAiwC,QAAA,MAEA4Z,SAAA,CACA1yD,KAAA+4C,QACAD,SAAA,GAEAia,KAAA
,CACA/yD,KAAA6I,OACAiwC,QAAA,KACAqa,UAAA,SAAAl8D,GACA,uBAAAsI,QAAAtI,IAAA,IAAAo7D,
MAAA,CACAryD,KAAA+4C,QACAD,SAAA,GAEAga,SAAA,CACA9yD,KAAAg5C,OACAAg5C,OACAAF,
QAAA,KACAqa,UAAA,SAAAl8D,GACA,0EAAAsI,QAAAtI,IAAA,IAAAk7D,MAAA,CACAnyD,KAAA+4C,
QACAD,SAAA,GAEAnK,UAAA,CACA3uC,KAAA6I,OACAiwC,QAAAoiD,QAAA,MAEA7E,OAAA,CACAj0
C,KAAA,CACAAA,CAAA+4C,QAAAlwC,QACAAiwC,SAAA,IAIAlB,OAAA,SAAAp3C,EAAAUMB,EAAAvm
B,EAAAumB,MACA6rC,EAAA7rC,EAAAwnB,KACAAskB,EAAA9rC,EAAA4rC,KACApf,EAAAxsB,EAAAws
B,OAEAhF,EAAAgkB,EAAAAK,GACAl6B,EAAA24B,EAAA,UAAAC,EAAAvqC,GACA,8
BAAAtqC,EAAAknB,GUAAuf,EAAA/uC,EAAA/uC,MAAAwvB,EAAAknB,GWAAlnB,EAAAknB,GWACA0kB,
EAAAtB,EAAA,OAAAAkB,EAAAAM,IAEAC,EAAAAtF,EAAAjf,OAAAkI,EAAA,GAAAyD/d,EAAAuV,EAA
A0kB,EAAA,CAAA6Bpf,YAEtF,IAAAuf,EACA,OAAA3B,EAAA,qCAAA5iB,EAAAokB,GAGA,IAAAI,EAAAA
D,EAAAAC,SAEAC,EAAAzmB,EAAAz1C,KAAA,KAAAgJ,GAEA,OAAAAkzD,EAAAAD,EAAA,MAAuCvyD
,EAAAwd,QAIvCi1C,EAAA,CACACp9D,KAAA,oBAEA2oD,YAAA,EAAEAz3B,MAAA,CACA8qC,WAAA,C
ACAAAAA+4C,QACAD,SAAA,IAIAIAIAlB,OAAA,SAAAp3C,EAAAU,GACA,IAAA0yD,EAAAAA1F,F,EAAA
2F,OAAA,aACAtU,EAAAp+C,EAAAwd,KAAAA4gC,EAAAAw6B,EAAA,WAAAAt0D,OAAAAixD,EAAAArv
D,EA
AAumB,MAAAA8qC,WAAAAaQB,EAAA,YAEAAApzD,EAAAAwd,KAAAA4gC,EAAAAAA2j2C,EAAAAw
d,KAAAA,CAC3C4gC,YAAA0T,EAAAAAlmB,KACKl4B,EAAAAsW,YAILs8C,EAAA,CACAAv9D,KAAA,
wBAEA2oD,YAAA,EAAEAz3B,MAAA,CACAxwB,KAAA,CACAA+4C,QAAAIAEAnK,UAAA,CACAACA3uC,
KAAAAAA6I,OACAiwC,QAAAoiD,QAAAA,OIAlB,OAAAAAAp3C,GACA,IAAAumB,EAAAAvmB,MAAAA
kB,EAAAAvmB,MAAAAumB,MAAEknB,EAAAojB,EAAAA,8BAAAAtqC,EAAAknB,GUAAuf,EAAAA/uc,
E/uc,M,MAAAAkgD,EAAAAGAgExI,IAEhE8kB,EAAAAM,EAAAAN,SAGAC,EAAAAz1C,KAAA,KAAAgJ,G
AEA,OAAAAAMAuCvyD,EAAAAwd,QAIvCwcvC,EAAAA8F,SAEA3+D,EAAAAWAAA69D,EACA79D,EAA
A4+D,gBAAAf,EAAA79D,EAAAAs+D,oBACAt+D,EAAAAy+D,EAAAAACAt+D,EAAAAAy+D,,wBACAt+
D,EAAAAy+D,OAAAC,eAAAAtB,EAAAA8C4B,OAAAAkEC/qB9C,IAAAoF,EAAAavG,EAAAQ,QACrBsy
C,EAAStyC,EAAAQ,QACjBq1D,EAAkBr1D,EAAAQ,QAC1
Bo+D,EAAAcp+D,EAAAQ,OAARA,CAAgB,WAE9BR,EAAAAD,QAAAA,SAAAA04C,GACA,IAAAApxC,
EAAAAN,EAA
A0xc,GACAod,GAAAxuD,MAAAu3D,IAAA9rB,EAAAR,EAAAjrC,EAAAu3D,EAAA,CACA11C,cAAA,EAC
A,wBACAaA,EAAAC,eAAAAtB,EAAAA8C4B,OAAAAkEC/qB9C,IAAAoF,EAAAavG,EAAAQ,QACrBsy
C,EAAStyC,EAAAQ,QACjBq1D,EAAkBr1D,EAAAQ,QAC1

A3nB,IAAA,WAAsB,OAAAlB,iCCVtB,IAAAw+D,EAAoBr+D,EAAQ,QAC5Bs+D,EAAqBt+D,EAAQ,QAC7Bi
6C,EAAkBj6C,EAAQ,QAC1Bu+D,EAAkBv+D,EAAQ,QAC1B63C,EAAkB73C,EAAQ,QAS1B,SAAAw+D,EAA
Az5D,GACA,IAAAgB,GAAA,EACAC,EAAA,MAAAjB,EAAA,EAAAA,EAAAiB,OAEAnG,KAAA21C,QACA,
QAAAzvC,EAAAC,EAAA,CACA,IAAA6tD,EAAA9uD,EAAAgB,GACAlG,KAAA8oB,IAAAkrC,EAAA,GAAA
A,EAAA,KAKA2K,EAAA18D,UAAA0zC,MAAA6oB,EACAG,EAAA18D,UAAA,UAAAw8D,EACAE,EAAA1
8D,UAAAf,IAAAk5C,EACAukB,EAAA18D,UAAA6Z,IAAA4iD,EACAC,EAAA18D,UAAA6mB,IAAAkvB,EA
EAr4C,EAAAD,QAAAi/D,0BC/BA,IAAAC,EAAYz+D,EAAQ,QACpB01C,EAAkB11C,EAAQ,QAC1B22C,EA
AiB32C,EAAQ,QACzB0+D,EAAmB1+D,EAAQ,QAC3B4mD,EAAa5mD,EAAQ,QACrBwF,EAAcxF,EAAQ,QA
CtBiI,EAAejI,EAAQ,QACvB41D,EAAmB51D,EAAQ,QAG3BqzC,EAAA,EAGAiH,EAAA,qBACA6c,EAAA,iB
ACA/Q,EAAA,kBAGAlkD,EAAAtB,OAAAkB,UAGAC,EAAAAG,EAAAAH,eAgBA,SAAA48D,EAAA/8D,EAAA
g1C,EAAAC,EAAAAC,EAAAlwB,GACA,IAAA+3C,EAAAp5D,EAAAS5D,GACAi9D,EAAAr5D,EAAAo
xC,GACAkoB,EAAAAF,EAAAzH,EAAAvQ,EAAAhlD,GACAm9D,EAAAAF,EAAA1H,EAAAvQ,EAAAhQ,GAE
AkoB,KAAAxkB,EAAA8L,EAAA0Y,EACAC,KAAAzkB,EAAA8L,EAAA2Y,EAEA,IAAAC,EAAAAF,GAAA1Y
,EACA6Y,EAAAAF,GAAA3Y,EACAAAJ,GAAAC,EAEA,GAAAG,GAAAAj3D,EAAArG,GAAA,CACA,IA
AAqG,EAAAA2uC,GACA,SAEAgoB,GAAA,EACAEACAI,GAAA,EAEA,GAAAAE,IAAAAF,EAEA,OADAn4C,MAAA,I
AAA43C,GACAG,GAAAhJ,EAAAAh0D,GACA8zC,EAAA9zC,EAAAg1C,EAAAAC,EAAAAC,EAAAlwB,
GACA8vB,EAAA/0C,EAAAg1C,EAAAkoB,EAAAjoB,EAAAC,EAAAlwB,GAEA,KAAAgwB,EAAAxD,EAAAx
D,GAAA,CACA,IAAA8rB,EAAAH,GAAAj9D,EAAA1B,KAAAuB,EAAAeACAw9D,EAAAAH,GAAAl9D,EAA
A1B,KAAAAu2C,EAAA,eAEA,GAAAuoB,GAAAAC,EAAA,CACA,IAAAC,EAAAAz1C,QAAAy1C,EAGA,OADA/vB,IAAA43C,GACA1nB,EAAAso
B,EAAAAC,EAAAzoB,EAAAjwB,GAAA,EAEA,GAAAq4C,IAAAAA43C,GACAAC,EAAAjwB,GAGA,qCACA,GAAA
g1C,EAAAAC,EAAAh07C,GACAAh1C,EAEAgm1D,GAAAApC,EAAAAD,QAAAAo/D,0BCnBA,IAAA5L,EAA
Q,QACAAARA,GAAA0BY,OAAA2C,KAAAoBvD,EAAQ,gCCFvE,IAAAu/D,EAAAWv/D,EAAQ,QACnB4zD,EAAg
B5zD,EAAQ,QACxBkmD,EAAAUlmD,EAAQ,QASlB,SAAAq+D,EAAAAx+D,EAAAAw3C,EAAAAw3C,EACAAx3C,EAA
A23C,SAAA,CACAz7B,EAAA,IAAAAwjD,EACApzD,EAAA,IAAAA+5C,GAAA0N,GACAAvrC,OAAA,IAAAAk3
C,GAIA//D,EAAA,QAAA8+D,EAAA,0BCpBA,IAAAx4D,EAAAgB7F,EAAAAcxF,EAAQ,QAatB,SAAA
w/D,EAAA59D,EAAA69D,EAAAAC,EAACA,IAAA98D,EAAA68D,EAAA79D,GACA,OAAA4AD,EAAA5D,GAAA
gB,EAAAiD,EAAAjD,EAAAA88D,EAAAA99D,GAAAApC,EAAAAigE,0BCnBA,IAAA5L,EAAAAg5zD,EAA
Q,QACxB2B/D,EAAiB3B/D,EAAQ,QACzBzB49C,EAAkB5B59C,EAAQ,QAC1B4F/D,EAAae5/D,EAAQ,QACvByD,EAA
elyD,EAAQ,QACvBvB6/D,EAAee7/D,EAAQ,QASvB,SAAAAy+D,SAAAAy+D,EAAAA15D,GACA,IAAA6jB,EAAA/oB,GACA23C
,EAAA/oB,KAAA23C,EAAAAyuB,EAAAyuB,EAAA38D,UAAA0zC,MAAAAmqB,EACAlB,EAAA38D,UAAA,UAAA87C,EACAA6gB,E
AAA38D,UAAAf,IAAA6+D,EACAnB,EAAA38D,UAAAAu2C,IAAAu2C,EACAuM,EAAA38D,UAAA6mB,IAAAk3C,EAEArgE
,EAAAD,QAAAAk/D,0BCzBA,IAAAtkB,EAAAYwBCzBA,EAAAtkB,B,EAAA,4BAYA,SAAA2lB,EAAA3+D,GAEA,OAADAtB,EAAAAAx
B,KAAAAAz3C,EAAAAAx3C,EAAAAAg5C,GACAAt6C,EAAAAy+D,0BClBA,IAAAAC,EAAAU//D,EAAQ,gCCFvE,IAAA
Ac8xC,EAAChCn2B,EAAAu3b,EAAQ,QAClBwE,EAAAUxE,EAAAOAARA,CAAAgB,eAE1BR,EAAAAS85C,EAAAAc52C,EAAAAu9D,GA
CAA3mB,IAAAA19B,EAAAA09B,EAAAA2mB,EAAAA3mB,EAAAAv3C,IAAAAv7D,EAAAA1mB,EAAAA70C,EAAAA,CAA
oEkkB,cAAA,EAAAAvnB,MAAAsB,6BCLpE,IAAAA6vC,EAACStyC,EAAAAQ,QAAAc8xC,EAAC/BmuB,EAAAhrB,SAA
AnzC,UACAo+D,EAAAA,wBACAr8D,EAAAAOAGAA,KAAAAo8D,EAAAGAAAAo8D,GAAAkBjgE,EAAAAQ,SAAAg
BsyC,EAAAA2tB,EAAAp8D,EAAAAA,CAAC1C6kB,cAAAEACA3nB,EAAAAWAACA,IACA,UAAAAlB,MAAAAkU,MAAAAmsD,GAAA,GA
CK,MAAAAv9D,GACL,kDCZA,IAAAAw9D,EAAAangE,EAAAA,QAAAAogE,EAAAApgE,EAAAA2B,EAAAAw+D,GAAy
iBC,EAAAAG,wBCS5iB,SAAAAR,EAAAAn+D,GACA,OAAAA5B,KAAAAz3C,EAAAAA5B,KAAAAz2C,EAAAAU,GAGAAjC,EAA
AAAqgE,sBCJA,SAAAArK,EAAAAzvD,EAAAAk0C,GACA,OAAA,EACAC,EAAA,MAAAAF,EAAA,EAAAAAAEAA,EAAAE
AA,EAAAAE,OAEA,QAAAAD,EAAAAC,EACA,QAAAAg0C,EAAAAl0C,EAAAAAAAAA0C,EAAAAMAGA,OAAAAE
AGAtG,EAAAAD,QAAAAAg2D,wBCrBA,IAAAAhvD,EAAgB4gE,EAAQ,QACA0gE,EAAkB5gE,EAAQ,QAAS2oB,IAC
jC23C,EAAAA/5D,EAAAAg6D,kBAAAAh6D,EAAAAi6D,uBACA16C,EAAAAvf,EAAAAuf,QACAAAhf,EAAAAAP,EAAAAAO,
QACA0oD,EAA6B,WAAhBxvD,EAAAQ,OAAAAARA,CAAAAgB8lB,GAE7BtmB,EAAAAAD,QAAA,WACA,IAAAAqL,EA
AAA6B,EAAAAAA0Y,EAAAAEAEAAs7C,EAAAA,WACA,IAAAA1lD,EAAAA1P,EAACAmkD,IAAAz0C,EAAAA+K,EAAAAwqC,SA

AAv1C,EAAA2sC,OACA,MAAA98C,EAAA,CACAS,EAAAT,EAAAS,GACAT,IAAA7G,KACA,IACAsH,IAC
O,MAAA1I,GAGP,MAFAiI,EAAAua,IACA1Y,OAAAnK,EACAK,GAEK8J,OAAAnK,EACLyY,KAAAy1C,SAI
A,GAAAhB,EACArqC,EAAA,WACAW,EAAAovB,SAAAurB,SAGG,IAAAH,GAAA/5D,EAAAm6D,WAAAn6
D,EAAAm6D,UAAAC,WAQA,GAAA75D,KAAAqc,QAAA,CAEH,IAAAI,EAAAzc,EAAAqc,aAAA7gB,GACA
6iB,EAAA,WACA5B,EAAAvc,KAAAy5D,SASAt7C,EAAA,WAEAk7C,EAAAhgE,KAAAkG,EAAAk6D,QAvB
G,CACH,IAAA50C,GAAA,EACArhB,EAAAxB,SAAA2kB,eAAA,IACA,IAAA2yC,EAAAG,GAAAG,QAAAp2
D,EAAA,CAAuCq2D,eAAA,IACvC17C,EAAA,WACA3a,EAAAoe,KAAAiD,MAsBA,gBAAAxgB,GACA,IAAA
0jD,EAAA,CAAgB1jD,KAAAtH,UAAAzB,GAChBmK,MAAA1I,KAAAgrD,GACAnkD,IACAA,EAAAmkD,EA
CA5pC,KACK1Y,EAAAsiD,wBClEL,IAAAzoD,EAAA9G,EAAAD,QAAA,CAA6B0L,QAAA,SAC7B,iBAAA61
D,UAAAx6D,yBCDA9G,EAAAD,QAAA,yBCUA,SAAA8M,EAAA5D,EAAAs4D,EAAA3lD,GACA,OAAAA,E
AAApV,QACA,cAAAyC,EAAApI,KAAA0gE,GACA,cAAAt4D,EAAApI,KAAA0gE,EAAA3lD,EAAA,IACA,c
AAA3S,EAAApI,KAAA0gE,EAAA3lD,EAAA,GAAAA,EAAA,IACA,cAAA3S,EAAApI,KAAA0gE,EAAA3lD,
EAAA,GAAAA,EAAA,GAAAA,EAAA,IAEA,OAAA3S,EAAA4D,MAAA00D,EAAA3lD,GAGA5b,EAAAD,QA
AA8M,wBCpBA,IAAAyuC,EAAgB96C,EAAQ,QACxBghE,EAAchhE,EAAQ,QA4BtB,SAAAizC,EAAArxC,EA
AA4xC,GACA,aAAA5xC,GAAAo/D,EAAAp/D,EAAA4xC,EAAAsH,GAGAt7C,EAAAAD,QAAA0zC,0BCjCA,I
AAA5rC,EAAAerH,EAAAQ,QACvB2xC,EAAAqb3xC,EAAAQ,QAC7B0xC,EAAAkB1xC,EAAAQ,QAC1BsyC,EAAAA1x
C,OAAAC,eAEAtB,EAAAuyC,EAAAAY9xC,EAAAQ,QAAgBY,OAAAC,eAAA,SAAAuH,EAAAnD,EAAAg8D,GAI
pC,GAHA55D,EAAAe,GACAnD,EAAAysC,EAAAzsC,GAAAA,GACAoC,EAAAoC,EAAA45D,EAAA,GACAtvB,EAAA,IACA,O
AAAW,EAAAlqC,EAAAnD,EAAAg8D,GACG,MAAAt+D,GAAA,GAAs+D,CAACIACH,WAAAs+D,GAAA,QAAAAA,EAAA,MAAAt7
C,UAAA,4BAEA,MADA,UAAAs7C,EAAA,IAAA74D,EAAAnD,EAAAAg8D,9/D,OACAiH,2BCZA,IAAAAlC,EA
AelG,EAAQ,QAACvBqH,EAAerH,EAAQ,QACvBsa,EAAA,SAAAAlS,EAAA7D,GAEA,GADA8C,EAAAe,IAClC,iA
AAA3B,IAAA,OAAAAA,EAAA,MAAAohB,UAAAphB,EAAA,8BAEA/E,EAAAAD,QAAA,CACAopB,IAAA/nB,OAAA2yB,iBAAA,aA
AAAh2D,SACA,SAAAqF,EAAAg6B,EAAA7D,GACA,IACAA,EAAAAlS,EAAQ,QAAc3M,OAAAC,eAAAo/D,QAAAm/D,QACAg6
D,OAAAm/D,QAAc7B8xC,GACAAlxC,OAAAAkB,UAAAaAAA6mB,IAAA,GACvEA,GACA,MAAAjU,GAAA,UACA,SAAAjU
,EAAA7D,GAEA,OADA6D,EAAAA7D,EAAA5F,EACA6D,GANA,CAOA,eAAAA5K,GAAA,GAAYu+D,2BCALA,O
AHA+V,EAAAAl5+D,GAAA7D,GACA28D,EAAAA94D,gBAAA7D,GAACA28D,IA
A,OAHA+V,EAAAAl5,EAAA7D,GAAAC28D,EAAA94D,EAAAAgA+4D,UAAA58D,EACAAokB,EAAAvgB,EAAAA7D,,GAAAA7D,
GACA6D,GAVA,GACAA6D,GAVA,CAAaK,IAAAG,QAAA9F,GACARgY,+BCvBA9a,EAAAAD,QAAAAO,uCCCAc,OAAAAC,eAAAtB,E
AAA,cAAA8C4B4B,OAAAAIAC9C,IAAAAs7B,EAAAA,MACAsc,EAAAAWACAzhB,EAAAAIACAkH,EAAAAIACAwa,
EAAAA,GACAvxC,EAAAA,OACAAwxC,EAAA4RAEA15C,EAAAA25C,WAAA,CACAzc,SACAsc,WACAI,KAAA,
CACA7hB,EACAkH,EACAwa,EACAvxC,EACAwxC,IACA15C,EAAA6hE,WAAA7hE,EAAA25C,WACA35C,
EAAAk9B,SACAl9B,EAAAw5C,WACAx5C,EAAA+3B,QACA/3B,EAAAi5C,IAAA/B,SACAj5C,YACAAz5C,E
AAAAkI,UACAII,EAAAAlI,IEAAA05C,mDC5BA,IAAAAooB,EAAAArhE,EAAAA,QAAAAshE,EAAAA2B,EAAA0/D,G
AA2iBC,EAAAAG,iDCA9iB9hE,EAAAAD,QAAA,uqECCA,IAAA2I,EAAYlI,EAAQ,QAACpuhE,EAAQ,QADvBEAAiBvhE,EAAQ,
QAAkBwjK,EAAAuyC,EAAAAlxC,EAAAlxC,OAAA4gE,qBAAAA,SAAAp5D,GACA,OAAAAF,EAAAAEAAm5D,EAA
AAm5D,0CBCGA,SAAAuyC,EAAAAlxC,EAAAAlxC,OAAAApA5D,qBAACA,SAAAp5D,GAAEA,OAAAAF,qBAAAA,SAAAAp5D,SAAAAp5D,GACA,O
AAAAAm5D,EAAAAowC,GACA,gBAAAA8hE,hqC,0BCGIACA8R,OAAAA0uD,KACAG,GAAAA,EACE,EACE,MAAAAI,KAGFI,AACA,WACA,IAAAAC,EAAAA1gE,IAAAAC,EAAAA1gE,EAAAAEA,MAAAAAH,EAAAAAC,GA
AA,OAAAAA2gE,GACA,IAAA1hE,EAAAAA2gE,EAAAAAC,EAAAAAC,MAAAAH,EAAAAAC,GAAAAH,EAAAAAC,GAAAAE,GA
AA,OAAAAA,EAcA,OAbAF,GACA,cAAAAnhE,GAKAihE,GAAAA,cAAAAnhE,GAKAiCAAAA,GACA,EACAA
AAihE,EAAAArhE,EAAAAAD,EAAAA8hE,GAAAA,GAAEAA,ipE,EAAEA,SAAAAAzgE,EAAAAmqD,GACA,EA
AAAmqD,EAAAAvgB,IAAAAkN,EACA,GAAAABAACA,OAAAA+7C,EAAAAAtW,IAAAAKA5rD,EAAAAAD,QAAAAmiE,EAAAAEAAAASAAAzgE,z
gE,EAAAAmqD,GACA,IAAAAAjN,EAAAAJN,EACAA,GAAAABAACA,OAAAAoB,EAAAAAtW,IAAAA38C,EAAAAAmgE,EAAAAAA7
/D,WACAAspD,OAAAA9oD,IAAAA8oD,EAAAAA,GAAAA,GAAArAC,O

AAAq4C,GACA5Y,EAAA2L,EAAA,CACAokB,gBAAA/hE,EAAA,GAAA4qD,GACAoX,SAAAhiE,EAAA,GAAAyhE,EAAA7W,QAGA5Y,EAAAkvB,EAAA,CACAv+B,IAAA3iC,EAAA,SAAAiB,GACA,OAAAsgE,EAAAtgE,GAAAsgE,EAAAtgE,GACAsgE,EAAAtgE,GAAAigE,EAAAiigE,EAAA3uD,OAAAtR,MAEAghE,OAAAjiE,EAAA,SAAAyB,GACA,IAAAAR,EAEA,IAAAA,KADAogE,EAAA5/D,GACA8/D,EAAA,GAAAA,EAAAtgE,EAAAAQ,EAAA,OAAAR,IAKAihE,YAAAliE,EAAA,GAAAihE,EAAAiB,aAAAhB,EAAA,gBACAh8D,mBAAAlF,EAAA,GAAAihE,EAAA7D,oBACAg8D,EAAA,uBACA3yD,SAAAvO,EAAA,GAAAihE,EAAA1yD,UAAA2yD,EAAA,aACA3tD,MAAAvT,EAAA,GAAAihE,EAAA1tD,OAAA2tD,EAAA,UACA/zD,QAAAnN,EAAA,GAAAihE,EAA9zD,SAAA+zD,EAAA,YACAiB,OAAAniE,EAAA,GAAAihE,EAAAkB,QAAAjB,EAAA,WACAkB,QAAApiE,EAAA,GAAAihE,EAAAmB,SAAAlB,EAAA,YACA1yD,MAAAxO,EAAA,GAAAihE,EAAAzyD,OAAA0yD,EAAA,UACAhwB,YAAAlxC,EAAA,GAAAihE,EAAA/vB,aAAAgwB,EAAA,gBACAxgE,YAAAV,EAAA,GAAAihE,EAAAvgE,aAAAwgE,EAAAwgE,EAAA,gBACAxmB,YAAAriE,EAAA,GAAAihE,EAAAoB,aAAAnB,EAAA,kBAIAlvB,EAAAmvB,EAAA7D,UAAA,CACA+G,YAAArI,EAAAkhE,GACAt/D,SAAA5B,EAAAc8B,OAAAX,KAA2iE,aAK9BhwB,EAAAkvB,EAAA5D,UAAACAM,SAAA5B,EAAA,WAA0B,iBAAAqhE,EAAAhiE,MAAA0iE,gBAAA,MAC1B7rB,QAAAl2C,EAAA,WAAyB,OAAAqhE,EAAAhiE,EAAAUAEzBgB,EAAA6gE,EAAA5/D,UAAA4/D,EAAA4D,UAAAhwB,YAAAlxC,EAAA,GAAAihE,EAAA/vB,aAAAgwB,EAAAxgE,YAAAV,EAAAcACA,IAAA29C,EAAA0jB,EAAAhiE,MACA,wBAAAs+C,IAACAA,EAAA7C,cAAAEvB,EAAA6gE,EAAA5/D,UAAA4/D,4gE,UAAA4/D,EAAAxgE,YAAAYACAV,EAAAUAAAxgE,YAAAYACAV,EAAAUAAAhwB,YAACAlxC,EAAA,GAAAihE,EAAA/vB,aAAAgwB,EAAAxgE,YACAV,EAAAUAAAhwB,uCCrHA,IAAAlmC,EAAAkBxL,EAAAQ,QAU1B,SAAAmoD,EAAAoK,EAAAuQ,GACA,gBAAA1tC,EAAA4kB,GACA,SAAA5kB,EACA,OAAAA,EAEA,IAAA5pB,EAAA4pB,EAAA4pB,EAAA4kB,GAEA,IAAAh0B,EAEA,IAAAA,KADAm9B,EAAAn9B,EAAA4kB,GAEA,IAAAh0C,EAAAovB,EAApvB,OACAD,EAAA+8D,EAAA98D,GAAA,EAACA6iD,EAAAjoD,OAAAw0B,GAEA,MAAA0tC,EAAA/8D,QAAAC,EAAA,QAAAg0C,EAAA6O,EAAA9iD,GAAIA51B,EAAAAD,QAAA4oD,EAAA4oD,wBC/BA,IAAA9N,EAAAiBr6C,EAAAlB,QAACzBkG,EAAAelG,EAAAlB,QAAGvB+iE,EAAA,yBACA3L,EAAAoBA4L,EAAA,oBACA6BACA4L,EAAA,6BACA,iBAAmBA8D,EAAA5F,GACA,IAAA+E,EAAA,GACA,SAAA43C,E,EAAA/E,EAAA43C,E43C,EAAA5l5C,GACA,OAAA4oAsB,EAEAA43C,EAAAl5C,GACA,OAAAA20D,GAAA30D,GAAAugE,GAAAvgE,EAAAwgE,GAACAzjE,EAAAAD,QAAAwH,wH,sBCJA,SAAAyF,EAAArL,GACA,OAAAz1C,EAAArL,GAAAy1C,EAAArL,GAAAqL,EAAArL,GACAqL,EAAAwH,p3C,EAAAiyD,EAAAz+D,EAAAk+D,GACA,IAAAlB,EAAAk+D,GAAAnB,EAAAghE,EAAAzyD,OAAA0yD,EAAAwoB,EAAAmqC,EAAAwzd,GACA,IAAAmvC,EAAAwuD,EAAAvuD,OACA,IAAAmgE,EAACAmE,EAACmA,EAAAspB,EAEA,SAAAi1C,EAACAoAAoE,EAAAhB,EAAAogE,gB,GACA,MAAAmE,EAAA,IAAA69b,E,EAAA62dd,EAAAxuD,GACA,IAAAAtE,EAAAmnB,EAAA,GACA,GACA8qB,EAAA9xC,EAAA,IAAA2rC,EAAAxuD,GACA,IAAAAtE,EAAAmnB,EAAA,GACA,9xC,EAAAAAH,GACAgyC,EAAA7qB,EAAA,GAAAA7qB,GAEA,GACAs6C,EAAAt6C,GACAAt6C,EAAA,IACA,QAAAtmB,EAAAoxC,E,KAAAAjyC,E,KAAAAG,E,GACA,aAAAjyC,E,E,EAAoAAAH,GACAAjyC,E,E,GACAAH,E,EAAoAAlGL,EAAAA,E,EAAAAWo,E,EAAAvD,GAEA,GACAAt6c,GAAAt6c,EAAAWoB,E,KACAA43c EAAA,G,EAACAyF,EAAA,IA,EAAAnI,EAAAqL,E,IAAAA6A,vC,EAAA7Dwkb Eo3c,E,EAACAAp E A,AAAAkApD

AcAnD,EAAAD,QAAAw3D,oDC7BA,IAAAvqD,EAASxM,EAAQ,QACjBwL,EAAkBxL,EAAQ,QAC1B21D,EAAc31D,EAAQ,QACtBkG,EAAelG,EAAQ,QAYvB,SAAA26C,EAAAx5C,EAAA4E,EAAAnE,GACA,IAAAsE,EAAAtE,GACA,SAEA,IAAAsI,SAAAnE,EACA,mBAAAmE,EACAsB,EAAA5J,IAAA+zD,EAAA5vD,EAAAnE,EAAAoE,QACA,UAAAkE,GAAAnE,KAAAnE,IAEA4K,EAAA5K,EAAAmE,GAAA5E,GAKA3B,EAAAD,QAAAo7C,0BC7BA,IAAA8Z,EAAcz0D,EAAQ,QA2BtB,SAAAe,EAAAa,EAAA4xC,EAAA/yB,GACA,IAAA7d,EAAAA,MAAAhB,OAAAU,EAAAmyD,EAAA7yD,EAAA4xC,GACA,YAAAlxC,IAAAAM,EAAA6d,EAAA7d,EAGApD,EAAAD,QAAAwB,0BC/BA,IAAA6tD,EAAgB5uD,EAAQ,QACxBR,EAAAD,QAAA,SAAA8L,EAAA/D,EAAAtB,GAEAAtB,EAGA,GADA4oD,EAAAAvjD,QACA/I,IAAAAgf,EAAA,OAAA+D,EACA,OAAArF,GACA,uBAAA2K,GACA,OAAAAtF,EAAAAhL,KAAAiH,EAAAuBAAAA,EAAAC,GACA,OAAAvF,EAAAAhL,KAAAiH,EAAAuBAAAD,EAAAC,EAAArQ,GACA,OAAA8K,EAAAAhL,KAAAiH,EAAAuBAAAqJ,EAAAAC,EAAArQ
,IAGA,kBACA,OAAA8K,EAAAgB,MAAA/E,EAAAgF,kDCba9M,EAAAD,QAAA,SAAAwK,GACA,0BAAAA,
2BCJA,IAAAq5D,EAAkBpjE,EAAQ,OAARA,CAAgB,eAClCo+C,EAAA7wC,MAAAzL,eACAQ,GAAA87C,EA
AAglB,IAA0CpjE,EAAQ,OAARA,CAAiBo+C,EAAA,IAC3D5jE,EAAAD,QAAA,SAAAkC,GACA28
C,EAAAglB,GAAA3hE,IAAA,yBCLAjC,EAAAD,QAAA,SAAA6U,GACA,IACA,OAAYzR,GAAA,EAAAAogB,E
AAA3O,KACT,MAAAzR,GACH,OAAYA,GAAA,EAAAAogB,EAAApgB,6BCHZ,IAAAs1D,EAAgBj4D,EAAAQ,
QACxBk4D,EAAAzqD,KAAAyqD,IACA14D,EAAAAD,QAAA,SAAA85C,GACA,OAAAAA,EAAA6e,EAA
AD,EAAA5e,GAAA,6CCHA75C,EAAAAD,SAAAkBS,EAAQ,OAARA,CAAkB,WACpC,OAA0E,GAA1EY,OAAA
C,eAAA,GAAAiC,KAAAQE,IAAA,WAAmB,YAAAc4P,4BCF1E,IAAAAtR,EAAAWW,EAAQ,QAGnBiB,EAAA5B,EA
AA4B,OAAEAzB,EAAAAD,QAAA0B,wBCLA,IAAAsF,EAAAvG,EAAQ,QACrB0gE,EAAAn6D,EAAAAm6D,UAE
AlhE,EAAAAD,QAAAmhE,EAAAAvR,WAAA,yBCHA,IAAAkU,EAAerjE,EAAQ,QACvBgmD,EAAAgBhmD,EAA
Q,QACxBsjE,EAAetjE,EAAQ,QGvBqzC,EAAA,EACAC,EAAA,EAeA,SAAAoC,EAAA5vC,EAAA8wC,EAA
AC,EAAAAC,EAAAlwB,GACA,IAAAuwB,EAAAAP,EAAAAxD,GACA,IAAAz9D,EAAAA9D,GACA,IAAAAuwB,EAAAAP,EAAAz9D,GACA,IAAA61D,EAAAA5sB,EAAAAP,EAAA61D,GAGA,GADA
D,EAAA5sB,EAAAA5wC,OAAEA,GAAAAu9D,EAAAAGAAAu9D,GAAAAC,KAAAAps,GAAAos,sB,GAAAAAD,GACA,SAGA,IAAAAjsB,EAAA9lD,IAAA+E,GACA,GAAAAwxC,EAAAzwB,EAAA9lD,IAAA61D,
EAAAA9lB,EAAAA,yuBCvBA,IAAAA7wC,EAAAA61C,EAAA9lD,IAAA/D,GAAAAzwB,EAC
A,IAAAAZwC,GAAAA,EAACAnD,EAAA6gE,EAAA5sB,EAAAvD,IAAA+vB,OAAAA/gE,EAACAEAAukB,E
AAA8B,IAAAA7iB,EAAA8wC,EAAAA9wC,GACA/vB,EAAAA8B,IAAAAiuB,EAAA9wC,GACA,GAAAA,C
ACA,IAAAAG,EAAAA59D,EAAAAC,GACA49D,EAAAAsB,EAAAAAA7wC,EACA,IAAAA8sB,EAAAArD,C
ACA,IAAAAsD,EAACN,EAAAA6sB,EAAAAAA39D,EAAA6wC,EAAA9wC,GAAA+vB,EAAAArD,wC,EAAAx
sB,EACAN,EAAAA6sB,EAAAAAA39D,EAAA6wC,EAAA9wC,GAAAA+gB,EAAAAiwB,EAAAAAA4sB,C
ACA,IAAAAG,EAAAA59D,EAAAAC,GACA,GAAAA,QAAAvkB,EAAAAshE,EAAAA,CACA,GAAAAnD,E
AAAAA59D,EAACAG,EAAAAxD,GACA,IAAAA2gB,EAACA59D,EAACAA6wC,EAAA9wC,GAAAAiwB,EAAAvD,w
C,EAAAxsB,EAACAA6sB,EAAAAAA39D,EAAA6wC,EAAA9wC,GAAAA+gB,EAAAAiwB,EAAAArD,C
ACA,IAAAAG,EAAAA59D,EAAAAG,EACA,GAAAAAsB,EAAAAvkB,EAAAAA,CAAuB,EAAAAiwB,EAAA2hE,
EAAAAAAx6D,EAAAA8wC,EAAAAC,EAAAAlwb,GACA,IAAAA97B,EAACAyC,EAAAA6wC,EAAA9wC,GAAAAiwb
,EAAAvD,wC,EAAAAAsB,EAAAA6sb,EAACAA39D,EAAA6wC,EAAA9wC,GAAAA+gb,EAAAAivb,EAAAAAA4sb,C
AAAAH,C,EAAAA6sb,EAAAA9lb,IAAAAz9D,GACA,GAAAAAz9D,C,EAAAAhD,iuBCvBA,IAAAA24D,EAAerjE,EAAQ
,QACvBAhmb,EAAgBhmb,EAAQ,QCA2hD,EAAA,EACAC,EAAA,EAqCA

AcAnD,EAAAD,QAAAw3D,oDC7BA,IAAAvqD,EAASxM,EAAQ,QACjBwL,EAAkBxL,EAAQ,QAAQ,QAC1B21D,EAAc31D,EAAQ,QACtBkG,EAAelG,EAAQ,QAYvB,SAAA26C,EAAAx5C,EAAAx5C,EAAAx5C,EAAAnE,GACA,IAAAsE,EAAAtE,GACA,SAEA,IAAAsI,SAAAnE,EACA,mBAAAmE,EACAsB,EAAA5J,IAAA+zD,EAAA5vD,EAAAnE,EAAAoE,QACA,UAAAkE,GAAAnE,KAAAnE,IAEA4K,EAAA5K,EAAAmE,GAAA5E,GAKA3B,EAAAD,QAAAo7C,0BC7BA,IAAA8Z,EAAcz0D,EAAQ,QA2BtB,SAAAe,EAAAa,EAAA4xC,EAAA/yB,GACA,IAAA7d,EAAAA,MAAAhB,OAAAU,EAAAmyD,EAAA7yD,EAAA4xC,GACA,YAAAlxC,IAAAAM,EAAA6d,EAAA7d,EAGApD,EAAAD,QAAAwB,0BC/BA,IAAA6tD,EAAgB5uD,EAAQ,QACxBR,EAAAD,QAAA,SAAA8L,EAAA/D,EAAAtB,GEAAAtB

AA,IAAAD,EAAA,IACAE,EAAA,KACAC,EAAAnzD,OAAA,IAAAizD,IAAA,KACAh5D,EAAA+F,OAAAizD,
IAAA,MAEAG,EAAA,SAAAzsB,EAAA7jC,EAAAuwD,GACA,IAAAhS,EAAA,GACAiS,EAAA9sB,EAAA,WA
CA,QAAAwsB,EAAArsB,MAAAusB,EAAAvsB,MAAAusB,IAEAn5D,EAAAsnD,EAAA1a,GAAA2sB,EAAAx
wD,EAAAjG,GAAAm2D,EAAArsB,GACA0sB,IAAAhS,EAAAgS,GAAAt5D,GACAvI,IAAAmC,EAAAnC,EAA
AoC,EAAA0/D,EAAA,SAAAjS,IAMAxkD,EAAAu2D,EAAAv2D,KAAA,SAAAka,EAAAw8C,GAIA,OAHAx8
C,EAAAtV,OAAAglC,EAAA1vB,IACA,EAAAw8C,IAAAx8C,IAAA1a,QAAA82D,EAAA,KACA,EAAAI,IAAA
x8C,IAAA1a,QAAApC,EAAA,KACA8c,GAGA7oB,EAAAAD,QAAAmlE,wBC5BA,IAAAx+D,EAAelG,EAAQ,Q
ACvBw5C,EAAUx5C,EAAAQ,QAClBooD,EAAYpoD,EAAQ,OAARA,CAAAgb,SAC5BR,EAAAAD,QAAA,SAAA8
5C,GACA,IAAA8B,EACA,OAAAj1C,EAAAAmzC,UAAA/2C,KAAA64C,EAAAA9B,EAAA+O,MAAAjN,EAAAA0
uB,MAKA,OAHA1uB,EAAAA6sC,QAAA,SAAAr0D,GACAyB,IAAAmD,GAAA5E,IAEAyB,EAGApD,EAAAAD,
QAAAq2C,wBC4BA,IA7CA,IAAAkvB,EAAiB9kE,EAAQ,QACzBuyC,EAAAcvyC,EAAQ,QACtB+C,EAAAe/C,EA
AQ,QACvBuuG,EAAAavG,EAAQ,QACrBgjD,EAAAWhD,EAAQ,QACnBiD,EAAAgbjD,EAAQ,QACxBg4C,EAAAUh4
C,EAAQ,QAClBqD,EAAAA20C,EAAA,YACA+sB,EAAA/sB,EAAA,eACAgtB,EAAAAsK,MAEA03D,E
AAA,CACAC,aAAA,EACAC,qBAAA,EACAC,cAAA,EACAC,gBAAA,EACAC,aAAA,EACAC,eAAA,EACAC,
cAAA,EACAC,sBAAA,EACAC,UAAA,EACAC,mBAAA,EACAC,gBAAA,EACAC,iBAAA,EACAC,mBAAA,E
ACAC,WAAA,EACAC,eAAA,EACAC,cAAA,EACAC,UAAA,EACAC,kBAAA,EACAC,QAAA,EACAC,aAAA,
EACAC,eAAA,EACAC,eAAA,EACAC,gBAAA,EACAC,cAAA,EACAC,eAAA,EACAC,kBAAA,EACAC,kBAA
A,EACAC,gBAAA,EACAC,kBAAA,EACAC,eAAA,EACAC,WAAA,GAGAC,EAAA10B,EAAA0yB,GAAA/kE,
EAAA,EAAAA,EAAoDA,EAAoE,GAC
AgnE,EAAAjC,EAAAphE,GACAsjE,EAAA5gE,EAAA1C,GACAU,EAAA4iE,KAAArlE,UAEA,GAAAAyC,IACA
A,EAAAlB,IAAAL,EAAAuB,EAAAlB,EAAA2hE,GACAzgE,EAAAwgE,IAAA/hE,EAAAuB,EAAAwgE,EAAA
lhE,GACAZ,EAAAAY,GAAAmhE,EACAkC,GAAA,IAAAzlE,KAAAqjE,EAAAvgE,EAAA9C,IAAAAsB,EAAAwB
,EAAA9C,EAAAqjE,EAAArjE,IAAA,wBChDA,SAAAuzD,EAAAvsD,GACA,gBAAAtH,GAAAtH,GACA,OAAAsH,EA
AAtH,IAIA3B,EAAAAD,QAAAy1D,qCCZAp0D,EAAAAC,eAAAtB,EAAA,cAA8C4B,OAAA,IAC9C,IAAAs7B,E
AAA,MACAsc,EAAA,YACAzhB,EAAA,IACAwa,EAAA,IACAwa,EAAA,GACAvxC,EAAA,OACAwxC,EAAA,g
UAEA15C,EAAA25C,WAAA,CACAzc,SACAsc,WACAzhB,EACAwa,EACAwa,EACAvxC,EACAwxC,EAGA,IAGA6n
E,EAAA7nE,EAAA25C,GACA25C,EAAA25C,GAAo2C,WACA35C,CACAzc,EAAAei/B,GAAAqjE,CACAvgE,gKAEA
A05C,EAAA+3B,EAAsi/B,giiu,EAAA3B,EAA3B,SAAAAy5C,GAAAA,GACA01CA,01CA,A,AAAs7B,EAAAAzzE,EAA
AAhD,GAAA01cA,mBAAA6wB,EAgEAnoE,EAAAAD,QAAAs+D;;;;;;CC5BA,SAAAx+C,EAAAAAC,GAAEAE,EAA
AAD,QAAAD,KAFA,CASA,QAAAD,KAFA,CASCO,EAAA,WACD,OAAA,WACDg5B,EAAAAAL,EAAA,GAGA,SAAAC,EA
AAAF,EAAAAE,GAAAAV,QAGA,IAAAAF,EAAAAE,GACA,OAAAF,EAAAAE,GAGAAAF,EAAAAE,GAGA,IAAAAF,EA
AAAO,EAAAAE,GAAAAV,QAGA,IAAAAF,EAAAAE,GACA,OAAAF,EAAAAE,GAGA,IAAAAF,EAAAAE,GACA,OAAAO,E
AAA,WACD,OAAA,WACD,OAAA,WACD,OAAA,WACD,OAAA,WACD,OAAA,WACD,OAAA,WACD,OAAA,WACD,OAAA,WA
CDA,AAAA,EAAAA,MAAAAA,GAAAAwmE,EAGAnoE,EAAAAD,QAAAs+;;;;;;CC5BA,SAAAx+C,EAAA,WACD,gBAAAAAO,E
AAAA,WACDg5B,EAAAAL,EAAA,GAGA,SAAAC,EAAAF,EAAAE,GAAAV,QAGA,IAAAF,EAAAE,GACA,OAAAF,EAAAE,G
GAAF,EAAAE,GAGAAAF,EAAAO,EAAAE,GAAAV,QAGA,IAAAF,EAAAE,GACA,OAAAF,EAAAE,GAGA,IAAAF,EAAAE,GA
CA,OAAAO,EAAA,WACD,OAAA,WACD,OAAA,WACD,OAAA,WACD,OAAA,WACD,OAAA,WACD,OAAA,WACD,OAAA,W
ACD,OAAA,WACDA,EAAAA,EAAAA,CACAC,EAAAO,EAAAA EAAAA,WACDg5B,CACAzc,ei/B GAAAAF,CACA,E
AAAAE,GAAAVQGAGAAAF,EAAAE,GACA,OAAAF,EAAAE,G,AAAAF,E,AAAAE,G,AAAA,EA

CAE,GAAA,EACAZ,QAAA,IAUA,OANAa,EAAAH,GAAAI,KAAAb,EAAAD,QAAAC,IAAAD,QAAAS,GAG
AR,EAAAW,GAAA,EAGAX,EAAAD,QA0DA,OArDAS,EAAAM,EAAAF,EAGAJ,EAAAO,EAAAR,EAGAC,E
AAAQ,EAAA,SAAAjB,EAAAkB,EAAAC,GACAV,EAAAW,EAAApB,EAAAkB,IACAG,OAAAC,eAAAtB,EA
AAkB,EAAA,CAAkDK,YAAA,EAAAC,IAAAL,KAKlDV,EAAAgB,EAAA,SAAAzB,GACA,qBAAA0B,eAAA
C,aACAN,OAAAC,eAAAtB,EAAA0B,OAAAC,YAAA,CAAgEC,MAAA,WAEhEP,OAAAC,eAAAtB,EAAA,cA
AyD4B,OAAA,KAQzDnB,EAAAoB,EAAA,SAAAAD,EAAAAE,GAEA,GADA,EAAAA,IAAAF,EAAAnB,EAAAm
B,IACA,EAAAE,EAAA,OAAAF,EACA,KAAAE,GAAA,kBAAAF,QAAAG,WAAA,OAAAH,EACA,IAAAI,EA
AAX,OAAAY,OAAA,MAGA,GAFAxB,EAAAgB,EAAAO,GACAX,OAAAC,eAAAM,EAAA,WAAiDT,YAAA,EAAAC
,EAAAK,IAGA,GAAA,iBAAAF,EAAA,QAAAM,KAAAN,EAAAnB,EAAAQ,EAAAe,EAAAE,EAAAN,EAAAm
B,IAAqBC,KAAA,KAAAD,IAC7I,OAAAF,GAIAvB,EAAA2B,EAAA,SAAA
nC,GACA,IAAAkB,EAAAlB,KAAA8B,WACA,WAAmC,OAAA9B,EAAA,YACnC,WAAyC,OAAAA,GAEzC,O
ADAQ,EAAAQ,EAAAE,EAAAIAAAA,GACAA,GAIAV,EAAAAW,EAAA,SAAAiB,EAAAC,GAA8D,OAAAjB,
OAAAkB,UAAAC,eAAA1B,KAAAuB,EAAAC,IAG9D,EAAAgC,EAAA,GAIAhC,EAAA,GAAA,IAAoB,GAnFA,C
AsFA,CAEA,SAAAzC,EAAAAD,EAAAS,GAEA,aAGA,IAAA25D,EAAA,oBAAA14D,QAAA,kBAAAA,OAAA8
N,SAAA,SAAAhF,GAAoG,cAAAA,GAAqB,SAAAA,GAAmB,OAAAA,GAAA,oBAAA9G,QAAA8I,EAAAlB,c
AAA5H,QAAA9G,QAAA8N,UAAA,gBAAAhF,GAA5G69D,EAAA,WAAAgC,SAAAp1B,EAAAplC,EAAAuk
B,GAA2C,QAAAzxB,EAAA,EAAAA,EAAAgBA,EAAAEAAgBA,IAAA,CAAA,IAAAC,EAAAD,EAAAhB,GA
AA2C,EAAAC,WAAA,EAAAD,EAAAC,aAAA,EAAAD,EAAAE,cAAA,EAAA,UAAAF,IAAAA,EAAAG,UAAAq9B,M
AA50B,UAAA,GAAAuDvwB,OAAAC,eAAAuM,EAAAA24C,EAAAtkD,IAAAskD,IAA+D,gBAAAjiD,EAAA+jE,
EAAAC,GAA2L,OAAAl1B,EAAAr1B,EAAAr1B,EAAA1uC,GAAqB,EAAAhC,GAAAgk
E,GAA6DhkE,EAAAxhB,EAAA/nE,EAAA,EAAAA,GAEAgoE,EAAAC,EAAAAloE,EAAAAmoE,EAAAA
AsC,OAAAAA,KAAAzI,WAAAyI,EAAA,CAAuCi5C,QAAAj5C,GAAE7E,SAAAu+D,EAAAAC,EAAAzkE,GAAiD,
KAAAykE,aAAAzkE,GAAA0C,UAAA6hB,MAAA,qCAAE3F,SAAA6iD,EAAAA5oE,EAAAA,GAAiD,IAAAT,EAAa,
UAAA6oE,6oE,eAAA,6DAAAyF,OAAAApoE,EAAAA,kBAAAA,EAAAoBAAAAA,EAAA,oBAAAAEAAAT,EAAAS,EAEvJ,SAAAqoE,E
AAAAC,EAAAAC,GAA0C,GAAA,iBAAAALBAAAAA,EAAAAoBAAAA,EAAAAOBAAAAEAAAT,EAAAAS,EAEvJ,UAAAjjD,UAAA,kEAAAijD,GAAAuGD,EAAAAA7mE
,UAAAAlB,OAAAAY,OAAAAonE,EAAA9mE,UAAA,CAAAyE+G,YAAA,CAAAe1H,MAAAAwnE,EAAAA7nE,UAAA,EAAAC
,EAAAgwB,EAAAAzI,EAAAAAhoE,EAAA2yD,eAAA3yD,EAAA,eAAiB6oE,OAAAoV,EAAAAC,GAAAG
AAAD,EAAAAxH,UAAAAyH,EAAAGAMrX,IAAAC,EAAA,SAAAC,EAAAGAOA,SAAAAD,EAAAAv3C,EAAAA
tkD,zoE,KAAAgpE,EAAAA7kD,eAAAAKrjB,EAAAAgjB,E39D,EAAAAtkB,EAAAA3oE,E,eAAiB6oE,OAAAwC,eAAAAy
lE,IAAAAxoE,EAAAAAAR,OAAAIA,OAFA2lD,OAAA2yD,eAAA3yD,e,eAAiB6oE,E,eAAiB6oE,1E,Y,EAAAAAw4C,EAAAAwjB,YAAAA13C,E,e,GACAk0B,EAsI
A,OAnJAkjB,EAAAAG,EAAAAC,GAuBAlB,EAAAE,YAAAA13C,EAAAAACApnE,IAAA,iBAACAN,MAAA,WACA,IAAA6L,
EAAAAV,UAAAtG,OAAAA,QAAA1D,IAAAAgK,UAAA,GAAAAA,UAAA,GAAAMAEAzM,KAAAAA8gD,OAAA,oBAAA3z
C,EAAAA2zC,OAAAArvB,GACAlkB,OAAAAvN,KAAAAopE,cAACAppE,KAAAAJ,MAAA2zC,OAAAAoBAAAJ,EAAAI,OAAA
J,EAAAI,OAAAvN,KAAAAqpE,cAACAArpE,KAAAA8K,KAAAoBAAAAqC,EAAAArC,KAAAAqC,EAAAArC,KAAAA9K,
KAAAAspE,YACAtpE,KAAAk4B,k4B,UAAAA,WAAAA4hC,EAAAA3sD,EAAAA+qB,WAAAA/qB,EAAAA+qB,UAAAAuB,S
AAA0iB,OAQK,CACLjqB,IAAAA,cACAN,MAAAASAAAmwB,GACA,IAAAAo0B,EAAAA7lD,KAEAA,KAAAm1C
,UAAAAEAAAAqzB,EAAAArlB,SAAAA1xB,EAAAAiBAAAA3uB,GACA,OAAAA+iD,EAAAA0jB,EAAAA0jB,QAAAAzmE,OASK,CA
CLlB,IAAA,UACAN,MAAA,SAAAwB,GACA,IAAA2uB,EAAAA3uB,EAAAAytB,gBAAAztB,EAAA4tB,cAEA1wB,KAAAA4tB,
wB,KAAAwpE,kBACAxpE,KAAAJ,MAAAAxpE,KAAAAmpE,UAAAAMGAxpE,KAAAAwpE,UAAAAgBAAAIAAArB,EAAAAhlB,QAAA,CAC
ArC,OAAAA9gD,KAAAA8gD,OAAAArvB,GACAAAAAAe1H,MAAAAAwnE,EAAAA7nE,UAAA,EAAAC,EAAAgwb,E,eAAiB6oE,S,eAAiB6oE,mwB,GACAIAAAAAnmB
B,EAAAAo+D,EAAAA/qB,WAAAA/qB,EAAAA+qB,UAAAA4hC,EAAAA3sD,EAAAAA/qb,WAAAA/qb,UAAAArB,E,eAAiB6oE,4pE,I
ACAsoE,EAAAA4hC,EAAAA/qb,WAAAA/qb,UAAAASA,GK,EACAAACL5nE,EAAAAiAAAA,cAAAOAN,MAAAAAMAAmwB,GAAA
CA,OAAAAi4C,EAAAA,SAAAAj4C,GAAAA,OAAAAj4C,KAAAAk4b,UAAAAj4C,EAAAAAAAAAnmb7E,SAAAm1b,IAAAA,cAAAoANbB,MAAA
wb,GACA,IAAAAnmb,EAAAAo+D,EAAAACA,OAAAAnC,GAAAAwgb,cAAAAr+D,
KAUK,CACL1J,IAAA,cAAAN,MAAA,SAAAmwb,GACA,OAAAAi4c,EAAAAOAAAAj4C,GAAAAOK,CACL7vb,IAA
A,UACAN,MAAAA,WACAtB,KAAAAm1c,UAAAAEAAAAm1c,SAAAAy0b,UAEA5pb,KAAAAwpb,kb,SAAAy0B,UAEA4hC,EAAAA3sb,E
ACAAA5pb,EAAAAwbpb,kb,SAAAAy0b,UAEA4hc,EAAAA3sc,E,eAAiBAEAAAAAr0c,UAAAAtb,O,eAAib6oE,IA

AAd,SAAA2gE,sBAMA,OAJAD,EAAAlU,QAAA,SAAA7U,GACA72C,OAAAd,SAAA2gE,sBAAAhpB,KAGA
72C,MAIA++D,EApJA,CAqJCV,EAAAnlB,SASD,SAAAumB,EAAA7sC,EAAA2+B,GACA,IAAAuO,EAAA,kB
AAAltC,EAEA,GAAA2+B,EAAAwO,aAAAD,GAIA,OAAAvO,EAAAzmD,aAAAg1D,GAGApqE,EAAAAD,QA
AAspE,GAIA,SAAArpE,EAAAAD,EAAAS,GAEA,aAGA,IAAA25D,EAAA,oBAAA14D,QAAA,kBAAAA,OAAA
8N,SAAA,SAAAhF,GAAoG,cAAAA,GAAqB,SAAAA,GAAmB,OAAAA,GAAA,oBAAA9I,QAAA8I,EAAAlB,c
AAA5H,QAAA8I,IAAA9I,OAAAa,UAAA,gBAAAiI,GAE5I69D,EAAA,WAAgC,SAAAp1B,EAAAplC,EAAAuk
B,GAA2C,QAAAzxB,EAAA,EAAgBA,EAAAyxB,EAAA3rB,OAAkB9F,IAAA,CAAO,IAAA6lD,EAAAp0B,EA
AAzxB,GAA2B6lD,EAAAjlD,WAAAilD,EAAAjlD,aAAA,EAAwAEAAwDilD,EAAAr9B,cAAA,EAAAgC,UAAAq9B,MA
AA50B,UAAA,GAAAuDvwB,OAAAC,eAAAuM,EAAA24C,EAAAtkD,IAAAskD,IAA+D,gBAAAjiD,EAAA+jE,
EAAAC,GAA2L,OAAllD,GAAAAr1B,EAAAA1uC,EAAAhC,UAAA+lE,GAAqEC,GAAAt1B,EAAAA1uC,EAAAgk
E,GAA6DhkE,GAAAxhB,GAEAgmE,EAAA9pE,EAAA,GAEA+pE,EAAAA9B,EAAAA6B,GAEA,SAAA7B,EAAAl+
D,GAAsC,OAAAA,KAAAzI,WAAAyI,EAAA,CAAuCi5C,QAAAj5C,GAE7E,SAAAu+D,EAAAC,EAAAAzkE,G
AAiD,KAAAykE,aAAAzkE,GAAA0C,OAAA6hB,qCAM3F,IAAAqkD,EAAA,WAIA,SAAAAh9D,
GACAs7D,EAAAzoE,KAAAmqE,GAEAnqE,KAAAkpE,eAAA/7D,GACAnN,KAAAoqE,gBAwOA,OA/NArC,E
AAAoC,EAAA,EACAvoE,aAAA,IAAA,iBACAN,MAAA,WACA,IAAA6L,EAAAAV,UAAAtG,OAAA,QAAA1D,IAAA
gK,UAAA,GAAAAA,EAAAzM,KAAA8gD,OAAA3zC,EAAAA2zC,OACA9gdD,KAAAk4B,UAAA/qB,EAAA
A+qB,UACAl4B,KAAAypE,EAAAt8D,EAAAs8D,QACAzpE,KAAAuN,OAAAJ,EAAAI,OACAvN,KAAA8K,K
AAAqC,EAAArC,KACA9K,KAAAyxB,EAAAtkB,EAAAskB,QAAAtkB,EAAAAqqE,aAAA,KAQK,CACLzoE,IA
AA,gBACAN,MAAA,WACAtB,IAAAqkD,EAAAAsqE,aAAAuN,QACAbvN,KAAAuqE,iBASK,CACL3oE,IAAA,aACAN,M
AAA,WACAtB,KAAA3lD,EAAA3lD,GAAEAwqE,EAAA,OAAArhE,SAAAA0N,gBAAAAA9B,aAAA,OAEA/U
A9B,aAAAA,OAEA/UA9B,aAAAOAEA/U,KAAAyqE,aAAA8kB,cAEAzqE,KAAA2qE,YAAA3qE,EAAA3qE,Y
AAA3qE,KAAAk4B,UAAAhhB,iBAAA,iBAAA,QAAAlX,GACAAYAEAz8D,KAAA0qE,oBAAA,oBAAA,WAA
A,7D,GAACAnN,KAAAoqE,gBAwOA,OA/NArC

xmD,aAAA,eAGAwmD,EAAA7rD,SACA6rD,EAAAiQ,kBAAA,EAAAjQ,EAAAl6D,MAAA6E,QAEAqlE,GAC
AhQ,EAAAlmD,gBAAA,YAGA+0D,EAAA7O,EAAAl6D,UAEA,CACACAk6D,EAAAwO,aAAA,oBACAxO,EAA
Ap/C,QAGA,IAAAmR,EAAAjkB,OAAA8hE,eACAM,EAAAviE,SAAAwiE,cAEAD,EAAAE,mBAAApQ,GACA
juC,EAAA89C,kBACA99C,EAAAs+C,SAAAH,GAEArB,EAAA98C,EAAAhrB,WAGA,OAAA8nE,EAGA1qE,E
AAAD,QAAAiQ,GAKA,SAAAhQ,EAAAD,GAEA,SAAAosE,KAKAA,EAAA7pE,UAAA,CACAysB,GAAA,SA
AA9tB,EAAAyL,EAAAmoC,GACA,IAAA1xC,EAAA9C,KAAA8C,IAAA9C,KAAA8C,EAAA,IAOA,OALAA,E
AAAlC,KAAAkC,EAAAlC,GAAA,KAAA6E,KAAA,CACA+F,GAAAa,EACAmoC,QAGAx0C,MAGAokB,KAA
A,SAAAxjB,EAAAyL,EAAAmoC,GACA,IAAAz0C,EAAAAC,KACA,SAAAm1C,IACACAp1C,EAAAgvB,IAAAnu
B,EAAAu0C,GACA9oC,EAAAG,MAAAgoC,EAAA/nC,WAIA,OADA0oC,EAAAriC,EAAAzG,EACArM,KAA
A0uB,GAAA9tB,EAAAu0C,EAAAX,IAGAuc,KAAA,SAAAnwD,GACA,IAAAmoB,EAAA,GAAArf,MAAAlJ,K
AAAiM,UAAA,GACACAs/D,IAAA/rE,EAAA8C,IAAA9C,EAAA8C,EAAA,KAAAyClC,IAAA,IAAA8I,QACzCrJ,E
AAA,EACACAwM,EAAAk/D,EAAAk/D,5lE,OAEA,IAAA9F,EAAWA,EAAAwM,EAASxM,IACpB0rE,EAAA1rE,GA
AAmL,GAAAgB,MAAAu/D,EAAA1rE,GAAAm0C,EAAAzrB,GAGA,OAAA/oB,oB,MAGA+uB,EAAAZ,OAAAIAL
,EAAAD,QAAAosE,GAKA,SAAAnsE,EAAAD,GAEAAZ,OAAIAL,EAAAD,QAAAosE,GAKA,SAAAnsE,EAAAD
,GACAuwC,EAAAvwC,EAAA,GAWA,SAAA+rE,EAAA3+D,DEAAAlD,EAAAgC,GACA,IAAAAkB,IAAAlD
,IAAAgC,EAACA,UAAAhD,MAAA,8BAGA,IAAA6X,EAAAA1V,V,GAAAa,GACA,UAAAyZ,EAAAvW,Y
Z,UAAA,qCAGA,GAAAA5E,EAAAvW,KAAA4C,GACA,OAAAA4+D,EAAAlD,EAAAgC,GAEAA5+D,EAA
A5+D,EAAAlD,EAAAgC,GACA,GAAA6U,EAAAAkrD,SAAA7+D,GACA,OAAA8+D,EAAA9+D,EAAAlD,EA
AAgC,GACA,GAAA6U,EAAAAsH,OAAAjb,GACA,OAAA++D,E+D,EAAAlD,EAAAgC,GAGA,UAAAyZ,
UAAA6EAaA,SAAAqmD,EAAAxhE,EAAAN,EAAAgC,GAGA,OAFAA1B,iBAAA7M,EAAAAuM,iBAAA7M,E
AAA,CACAu9D,QAAA,WACAAj/D,EAAAAc4c,QAAA,WACA/5c,EAAAAc4/hE,EAAAAgC,G,KAcA,SAAAg
gE,EAAAD,EAAA/hE,EAAAgC,G,GAKA,OAJAqB,EAAAAzL,D,QAAAn1D,KAAA4rE,EAAA,SAAAzhE,E
AAAAgC,GAKA,SAAAqB,EAAA/C,EAAAu9D,EAAAAld,oBAAAld,EAAAAgC,G,OAeA,SAAAqqkC,EAAAvnC
,SAAA0iB,EAAAAhhE,EAAAAgC,GACA,OAAAAqB,EAA6EAAnsE,GAKA,SAAAAKnpE,SAAAqmD,EAAA
vnC,IAAAnB,EAAAAnB,GACAA,WAAA/I,IACA,IAAAVKkAA,SAAAAArJ,GACA,YAAAmB,IAAAn
B,EAAAAhhE,EAAAAgC,GAGAasE,EAAAa,SAAAqmD,EAAAAhhE,EAAAAgC,G

AAA,UAAAwkB,UAAAxkB,EAAA,oBACA,OAAAA,yBCNA,IAAAuzD,EAAmB10D,EAAQ,QAW3B,SAAAyz
D,EAAAhyD,GACA,IAAAmnB,EAAA/oB,KAAA23C,SACAzxC,EAAA2uD,EAAA9rC,EAAAnnB,GAEA,OAA
AsE,EAAA,OAAAzD,EAAAsmB,EAAA7iB,GAAA,GAGAvG,EAAAD,QAAAk0D,wBClBA,IAAArsD,EAAgBp
H,EAAQ,QACxBX,EAAWW,EAAQ,QAGnBimD,EAAA7+C,EAAA/H,EAAA,YAEAG,EAAAD,QAAA0mD,qC
CJA,IAAA0mB,EAAA,CAAkB/qE,QAAA,EAAAu8C,QAAA,GAElB3+C,EAAAD,QAAA,WACA,IAAA4+C,EA
CA,uBAAAl9C,OAAA,SACAk9C,EAAAl9C,OAAA,eACA,IAAM8R,OAAAorC,GAAkB,MAAAx7C,GAAY,SA
GpC,QAAAgqE,SAAA1rE,OAAA8N,cACA49D,SAAA1rE,OAAAywC,gBACAi7B,SAAA1rE,OAAAC,qCCbA,I
AAAozD,EAAkBt0D,EAAQ,QAC1BuzC,EAA0BvzC,EAAQ,QAClCqI,EAAerI,EAAQ,QAClCvBwF,EAAcxF,EAA
Q,QACtB6B,EAAe7B,EAAQ,QASvB,SAAA06C,EAAAv5C,GAGA,yBAAAA,EACAA,EAEA,MAAAA,EACAk
H,EAEA,iBAAAlH,EACAqE,EAAArE,GACAoyC,EAAApyC,EAAA,GAAAA,EAAA,IACAmzD,EAAAnzD,GA
EAU,EAAAV,GAGA3B,EAAAD,QAAAm7C,wBC9BA,IAAAR,EAAmBl6C,EAAQ,QAG3Bm6C,EAAA,4BAG
Aj4C,EAAAtB,OAAAkB,UAGAC,EAAAAG,eAWA,SAAA6qE,EAAAnrE,GACA,IAAAmnB,EAAA/oB,KAAA/oB,
KAAA23C,SACA,GAAA0C,EAAA,CACA,IAAAt3C,EAAAgmB,EAAAnnB,GACA,OAAAmB,EAAAu3C,OAA
A73C,EAAAM,EAEA,OAAAb,EAAA1B,EAAA1B,EAAA,GAAAuoB,EAAAAnnB,EAAAnmB,GAAAmnB,EAAAnnB,QAAAa,EAGA9C,EAA
AD,QAAAqtE,wBC7BA,IAAAvlE,EAAAerH,EAAAQ,QAAAvBkG,EAAelG,EAAQ,QAAAvByvD,EAA2BzvD,EAAQ,
QAEnCR,EAAAAD,QAAA,SAAAsH,EAAAAI,GAEA,GADAI,EAAAAR,GACAAX,EAAAAe,IAAAAAe,EAAAAMAAA4B,cAAAhC,EAA
A,OAAAAAI,EACA,IAAAAAA4lE,EAAApd,EAAAA3d,EAAAjrC,GACAsc,EAAA0pD,EAAAA1pD,QAEA,OADAE
Alc,GACA4lE,EAAAtpD,6BCTA/jB,EAAAD,QAAA,SAAA85C,GACA,QAAA/2C,GAAA+2C,EAAA,MAAAA1z
B,UAAA,yBAAA0zB,GACA,OAAAA,sCCHA,SAAAyzB,EAAA1/D,EAAAukB,GACA,QAAAzxB,EAAA,EAAi
BA,EAAAAyxB,EAAA3rB,OAAkBnG,IAAA,CACnC,IAAA6lD,EAAA/zB,EAAA9xB,GACA+lD,EAAA96C,UAA
AilD,EAAAjlD,aAAAr9B,cAAA,EACAA,UAAAq9B,aAAAr9B,eAAA,EACAAM9B,GAAAvwB,OAAAvwB,OAAAC,e
AAAuM,EAAA24C,EAAAAtkD,IAAAskD,IAIe,SAAA6hB,EAAAjiD,EAAA+jB,EAAAC,GAGA,OAFAD,GAAA2d
,EAAA1/D,EAAAAtkD,UAAA6hB,GACAC,GAAA2d,EAAA1/D,EAAAAzhB,GACAyhB,wBC1BA,IAAAr1B,EAAA
C,EAAAC,EAAAuM,EAAA24C,GAGA,yBAAAttD,OAAAwwB,eACAxwB,OAAAwwB,eAAAuM,EAAA24C,EAAAA
C,EAAAAC,EAAA9D,EAAAnsB,IAGAAvmB,EAAAAA49D,mGCvBAjlC,EAAA,aAEAg/D,EAAA,GACAAC,E
AAA,GAEAC,EAAA,CAAoBC,KAAAn/D,EAAA6qB,EAAApB,IACpBqBAAA5E,SAAAyzB,EAAA4jE,EAAAA5j
E,QACA,qBAAAAAAH,WAAAAgkE,EAAAhkE,UACA,qBAAAu3D,mCACA,qBAAA7gB,7gB,cAAAutB,EAAAvtB,aACC
,MAAA/8C,KAED,IAAAyhD,EAAAA2oB,EAAArM,WAAA,GACAyM,EAAA/oB,EAAA+K,UACAAAAACA7sD,EAAAC
,EAAA,EAAAAA,EAAAC,EAAAC,EAAEAC,EAAAAL,EAACAM,EAAAAL,EAAEAM,IAAAAF,EAAAAA32D,mB
AAA22D,EAAAAziE,MAAA,oBAAAAyiE,EAAAt2D,kBAAA,oBAAAs2D,EAAAs2D,EAAA3iE,cAGA8iE,EAAAA1lD,
QAAA,SAAA0lD,EAAA1lD,EAAAAAA1lD,EAAAYAA,sBAEAgkE,EAAAA1kB,QAAA,YAEA,SAAA0kB,E
AAA1kB,QAAA,YAEA,SAAA0kB,EAAAAAgkE,EAACAkrE,EAAAA,iBACAC,EAAAC,EAAAA,gBACAC,GAR
A,WACA,KAEG,MAAAArjE,EAAAEG,MAAAAjrE,IACH,UAJA,GAQA,wBACAAAAD,EAAApkE,OAAA,iCAU
AU0kD,kDGANA,yOAAA1kD,OAAAokE,EAAAA1hE,IAAA,SAAA1kD,GACA,OAAAA,OACC6H,OAAAqkE,E
AAA1hE,IAAA,SAAAAAAzkD,GAGA,yBAAAAAAAAAG,GADAP,AAAAAA,mCATC,IAAA6HAAAAAEA,
CAA,YACA,KAAG,EAAAAAt7B,GAAAAAAAAAA4qE,GACA,OAAAAAAAA4qE,EAAAA1kD,eAAAA,GAR
A,WACA,KAEG,MAAAArjE,eAAA0kE,IACHAAAAAA,GAQA,wBACAAAAE,EAAAA5tB,OAAA,iCAU
A1kdU0kdGANA,yOAAA1kd,

GAAAjd,EAAA,MAAAgd,GAIA,OAAAD,EAGA,gBAAA5kE,EAAAnJ,GACA,GAAAqN,MAAA/H,QAAA6D,
GACA,OAAAA,EACK,GAAApI,OAAA8N,YAAAnO,OAAAyI,GACL,OAAA2kE,EAAA3kE,EAAAnJ,GAEA,U
AAAylB,UAAA,yDAjCA,GAgDAyF,EAAAgiD,EAAAgB,mBAAA,GAEA,SAAAC,EAAAx1D,GACA,IAAAwi
D,EAAAgS,EAAA7D,cAAA,UAAA3wD,EAAA,KAEA,GAAAwiD,EACA,OAAAA,EAAAzmD,aAAAiE,GAIA,
SAAAy1D,EAAAx1D,GAIA,WAAAA,GACA,UAAAA,IACA,SAAAA,GACAA,GAGA,GAAAu0D,GAAA,oBA
AAA,EAAA7D,cAAA,CACA,IAAA7zD,EAAA,2bAEAA,EAAA6/C,QAAA,SAAApR,GACA,IAAAmqB,EAAA
R,EAAA3pB,EAAA,GACAvrC,EAAA01D,EAAA,GACA9sE,EAAA8sE,EAAA,GAEAz1D,EAAAw1D,EAAAD,
EAAAx1D,SAEAvW,IAAAwW,GAAA,OAAAA,IACAsS,EAAA3pB,GAAAqX,KAKA,IAAAyT,EAAA80B,EA
AA,CACAAyc,aAAA2P,EACAe iBAAAd,EACAe gBAAA,EACAC,YAAA,EACAC,UAAA,EACAC,sBAAA,EAC
AC,kBAAA,EACAC,oBAAA,EACAC,oBAAA,EACAC,kBAAA,GACC5jD,GAEDmB,EAAAkiD,iBAAAliD,EA
AAsiD,kBAAA,GAEA,IAAA9Q,EAAA1c,EAAA,GAAwB90B,GAExB6gD,EAAAgB,kBAAArQ,EAEA,IAAA90
D,EAAAmkE,GAAA,GAEAnkE,EAAAukE,KAAAvkE,EAAAukE,GAAA,IACAvkE,EAAAukE,GAAA/yC,SAA
AxxB,EAAAukE,GAAA/yC,OAAA,IACAxxB,EAAAukE,GAAA5jD,QAAA3gB,EAAAukE,GAAA5jD,MAAA,I
ACA3gB,EAAAukE,GAAAyB,QAAAhmE,EAAAukE,GAAAyB,MAAA,IAEA,IAAAv/C,EAAAzmB,EAAAukE,E,
GAEA0B,EAAA,GACAl6B,EAAA,SAAAAq4B,EAAAjmD,oBAAA,mBAAA4tB,GACAm6B,EAAA,EAC
AD,EAAA/iE,IAAA,SAAAd,GACA,OAAAA,OAIA8jE,EAAA,EAEA9B,EAAA5B,IACA4B,EAAA32D,gBAAA
8Q,SAAA,8BAAA9S,KAAA24D,EAAA9lD,YAEAt2D,EAAAmqB,6iB,IAGA,IAOAo6B,EAAAw1D,EAAAC,S
ACA8f,EAAA3V,aAAA,mBACA2V,EAAA9S,UAAAgT,EAKA,IAHA,IAAAglD,EAAArC,EAAAz iE,KAAA+I,
WACAg8D,EAAA,KAAAKAEvE,EAAAwvE,EAAA1pE,OAAA,EAAuC9F,GAAA,IAAAA0vE,E
,EAAAF,EAAAxvE,GACA2vE,GAAAAD,EAAAC,EAAA,KACA,IAAA1nD,E,QAAAomE,IAAA,IACAF,
EAAAC,GAMA,GAMA,OAFAvC,EAAAziE,EAAAziE,KAAAAwrB,EAAAKAAAwrB,aAAA5L,EAAAml
D,GAEAjlD,GAGA,IAAAolD,EAAA,iEAEA,SAAAC,IACA,IAAA14B,EAAA,GACA,IAAA14B,MAAA+iC,KA
AAA,EACA/iC,EACA,IAAA14B,GAAAw7D,EAAA,GAEAGA riE,KAAAC,SAAA,GEAE,OAAA4G,E
AmCA,SAAA07D,EAAA97B,GACA,UAAAA,GAAAvmC,CA
AwCA,QAAA,eAAwBA,QAAA,cAAuBA,QAAA,aAAsBA,QAAA,aAG7G,SAAAsiE,EAAA9+D,GACA,OAAAv
Q,OAAA2C,KAAA4N,GAAAiCypD,OAAA,SAAAA,EAAAqV,GACrC,OAAArV,EAAA,MAAAF,
F,EAAA7+D,EAAA++D,GAAA,IAAAA,MACG,IAAA/hE,OAGH,SAAAgiE,EAAA11C,GACA,OAAA75B,OAAA2C,KA
AAk3B,GAAAiAiCmgC,OAAA,SAAAA,EAAAuV,GACjC,OAAAA,V,GACA,OAAAvV,GAAAuV,EAAA,MAAAA31C,E
C,GAAA,KACG,IAGH,SAAAC,EAAAx3B,GACA,OAAAA,EAAAxB,OAAA+3B,EAAA/3B,EAAAxB,OAAA+3B,MAAAwB,EAAA5
xC,IAAAmoE,EAAAnoE,EAAA4xC,GAAA4xC,EAAAw2B,IAAAD,EAAAC,GAAAx2B,EAAAy2B,SAAAF,EAAAE,QAA
Az2B,EAAA02B,OAAA12B,12B,EAAA22B,MAGA,SAAAc,EAAAlsB,EAAAvL,GACA,IAAAvL,EAAAuL,EAAAvL,E
C,GAAA,KACG,IAGH,SAAAC,EAAAx3B,GACA,OAAAxB,OAAA+3B,EAAAxB,OAAA+3B,MAAAwB,EAAA5
xC,IAAAmoE,EAAAnoE,EAAA4xC,GAAA,KACA,GAAAx2B,EAAA,KACA,GAAAx2b,EAAAy2B,SAAAFEAAE,QAAAz2B
C,GAAA,KACAG,EAAAAl sB,EAAAvL,EAAAvL,E,eACAC,EAAAAl sB,EAAAosB,EAAAosB,GACA,IAAAvL,EUAEAC,EAA
A,CACA53B,EAAA,KACAG,E,eACAC,EAAAps B,EAAAosB,GACA,IAAAvL,E,eAEAA pwD,SAAA,CAAAA4vD,IAEAEAA gBjf,IAAA,
OAAA00O,WAAAkwC,EAAA,GAAqC6vB,EAAA,CACAvL E
AC3BS,KAAA,WAGAC,EAAA,CACA/uE,IAAA,IACA,IACA0O,WAAAkwC,EAAA,GAA2gwB,EAAAAR,OAC3Bnv
D,SAAA,EAAAAg Bjf,IAAA,OAAA00O,WAAAkwC,EAAA,GAAAAq C6vB,EAAA//D,WAAAAkgE,EAAA79B,KAAA,C
AAoC+9B,KAAA,aAEzFE,EAAA,CACAAhvE,IAAA,IACA,IACA0O,WAAAkwC,EAAA,GAA2gwB,EAAAAZ,OAC3B/
uD,SAAA,CAAAA8vD,IAEAEAA,QAAA3B,IACA4B,EAAA,QAAAA5B,IACA6B,E,eAEAE 6B,IACACA nvE,IAAA,OA
CA0O,WAAAkwC,EAAA,GAAqyvB,EAAA,CACAACAC3Bx8D,GAAAo9D,EACACAG,UAAA,iBACACAC,iBAAA,mBAE
ApwD,SAAA,CAAAA4vD,IAEAEAA gBjf,IAAA,WAAA00O,

WAAA,CAA+BmD,GAAAq9D,GAAajwD,SAAA,CAAA0vD,IAAwBQ,IAKpF,OAFAlwD,EAAApc,KAAAysE,
EAAA,CAAuBtvE,IAAA,OAAA0O,WAAAkwC,EAAA,CAAoCkwB,KAAA,eAAAS,YAAA,QAAAL,EAAA,IA
AApU,KAAA,QAAAmU,EAAA,KAA0FZ,KAErJ,CACApvD,WACAvQ,eAIA8gE,EAAA,SAAA7tB,GACA,IAA
A1iC,EAAA0iC,EAAA1iC,SACAvQ,EAAAizC,EAAAjzC,WACA6/D,EAAA5sB,EAAA4sB,KACAn4B,EAAAu
L,EAAAvL,UACApe,EAAA2pB,EAAA3pB,OAEAy3C,EAAA/B,EAAA11C,GAMA,GAJAy3C,EAAAlsE,OAAA
,IACAmL,EAAA,SAAA+gE,GAGA7B,EAAAx3B,GAAA,CACA,IAAAw4B,EAAAf,EAAA,CAAiCz3B,YAAA0
3B,eAAAS,EAAA15C,MAAAk5C,UAAAQ,EAAA15C,QACjC5V,EAAApc,KAAA,CACA7C,IAAA,IACA0O,W
AAAkwC,EAAA,GAA6BgwB,EAAAZ,OAC7B/uD,SAAA,EACAjf,IAAA,IACA0O,WAAAkwC,EAAA,GAA+B
gwB,EAAAAR,OAC/BnvD,SAAA,EACAjf,IAAAuuE,EAAA73B,KAAA12C,IACAif,SAAAsvD,EAAA73B,KAAA
z3B,SACAvQ,WAAAkwC,EAAA,GAAiC2vB,EAAA73B,KAAAhoC,WAAAkgE,EAAA79B,iBAKjC9xB,EAAA
pc,KAAA0rE,EAAA73B,MAGA,OACAz3B,WACAvQ,eAIAghE,EAAA,SAAA/tB,GACA,IAAA1iC,EAAA0iC,E
AAA1iC,SACAsvD,EAAA5sB,EAAA4sB,KACAzT,EAAAnZ,EAAAmZ,KACApsD,EAAAizC,EAAAjzC,WAC
AspB,EAAA2pB,EAAA3pB,OACAoe,EAAAuL,EAAAvL,UAEA,GAAAw3B,EAAAx3B,IAAAm4B,EAAAoB,Q
AAA7U,EAAA6U,MAAA,CACA,IAAA96C,EAAA05C,EAAA15C,MACAkH,EAAAwyC,EAAAxyC,OAEAv4B
,EAAA,CACAgB,EAAAqwB,EAAAkH,EAAA,EACA6wC,EAAA,IAEAl+D,EAAA,SAAAg/D,EAAA9uB,EAAA
,GAAgD5mB,EAAA,CAChD43C,mBAAApsE,EAAAgB,EAAA4xC,EAAA5xC,EAAA,UAAAhB,EAAAopE,EA
AAx2B,EAAAw2B,EAAA,YAIA,QACA5sE,IAAA,MACA0O,aACAuQ,cAIA4wD,EAAA,SAAAluB,GACA,IAA
A3nB,EAAA2nB,EAAA3nB,OACAsc,EAAAqL,EAAArL,SACAr3B,EAAA0iC,EAAA0iC,SACAvQ,EAAAizC,E
AAAjzC,WACAgtC,EAAAiG,EAAAjG,OAEA7pC,GAAA,IAAA6pC,EAAA1hB,EAAA,IAAAshC,EAAAD,aAA
A,IAAA/kB,EAAAoF,EAEA,QACA17C,IAAA,MACA0O,WAAAqZ,MAAA,kBAEA9I,SAAA,EACAjf,I
AAA,SACA0O,WAAAkwC,EAAA,GAA6BlwC,EAAA,CAAemD,OAC5CoN,gBAKA,SAAA6wD,EAAA5jC,GA
CA,IAAA6jC,EAAA7jC,EAAA8jC,MACAzB,EAAAwB,EAAAxB,KACAzT,EAAAiV,EAAAjV,KACA9gC,EAA
AkS,EAAAlS,OACAsc,EAAApK,EAAAoK,SACAF,EAAAlK,EAAAkK,KACAsF,EAAAxP,EAAAwP,OACA+I,
EAAAvY,EAAAuY,MACAvsB,EAAAgU,EAAAhU,OACA+3C,EAAA/jC,EAAA/jC,OACAgkC,EAAAhkC,EAAA
gkC,UACAA,EAAAz1B,EAAAmZ,KAAA7U,EAAAyT,EACA15C,EAAA8sB,EAAA9sB,OACA4lB,EAAA4Q,EA
AA5Q,OAEA,IAAA/kB,EAAAqwB,EAAA+3C,EAAAguD,OAAA57C,EAAA,IAAAkH,KAAAm0C,EAAA9sB,E
AAA4R,WAAAw8D,GAAA,IAGAzmB,EAAAzkC,EAAAf,SAAApc,KAAA,CAAAoC7C,IAAA,QAAA0O,WAA
AkwC,EAAA,GAA6BlwC,EAAA,CAAekH,OAAA,IAGA,QAAA0O,WAAA4BmD,GAAAmO,EAAAtR,WAAA
,6BAAA4+D,KAAyEruD,SAAA,CAAAwlC,KAEzI,IAAA9rC,EAAAimC,EAAA,GAAwB5+B,EAAAA,CAACxB
ga,SAAsc,WAACi4B,OACAzT,OCA1kB,YACAsF,SACA1jB,OAAAE,EAAAF,SAGA8zC,EAAAhR,EAAA6U,
OAAApB,EAAAoB,MAAArB,EAAA31D,GA
AA62D,EAAA72D,GACAsG,EAAA6sD,EAAA7sDvQ,EAAAo9D,EAAAp9D,WAKA,OAHAiK,EAAAsG,G
,WACAtG,EAAAjK,K,aAEAgtC,EAAAm0C,EAAA13D,GAEA+2D,EAAA/2D,GAkkFAEAAA10C,QAuBA,SA
AAnwB,EAAA4qE,EAAAC,EAAAC,EAAAC,OAAAiI,EAAApI,KAAAgzE,EAAA1iE,EAAAC,EAAAC,MAmBA
o6D,GAAA,SAAA0Y,EAAAjoE,EAAAkoE,EAAAF,GACA,IAGAnzE,EAAAuB,EAAA+3C,EAAAAF,GACA,I
AGAnzE,EAAAuB,EAAA/3C,EAAAyM,IAAA+wE,EAAAAD,EAAA/nE,EAAAgo
E,GAAAhoE,EAAY,SATA/I,IAAAixE,GACArzE,EAAAEAC0C,EAAA0wE,EAAA/vE,EAAAEAC/nE,MAGAr
D,EAACA0C,EAAA2wE,GAGQrzE,EAAA8F,EAAAY9F,IACAcpBuB,EAAA8B,EAAAArD,GACK,
KAGL+yE,EAAA,SAAA7tB7Y,EAAA1hB,EAAAAJ,GAGA,OAFA8hB,EAAA1hB,EAAAA,IAAAJ,EAEA8hB,
Y,EAAA,SAAA7tB7Y,EAAA1hB,EAAAJ,GACA,IAAAC,EAAAAG,EAAAA,GAQA,OANA0hB,EAAA9hB,EA
AA,KAEAAC,EAAAAwc,QAAA,SAAAoe,GACA,GAAA76B GAQA,OANA0hB,EAAA9hB,EAAA,KAEAAC,E
AAAwc,QAAA,SAAAoe,GACA,GAAA76B,OANA0hB,EAAA9hB,EAAA,KAEAAC,EAAAwc,QAAA,SAA
Aoe,GACA,GAAA76B

AAAqU,GAAA,SAAApU,EAAAiZ,GACA,IAAAC,EAAAD,EAAA,GACAr3C,EAAAq3C,EAAA,GACA/6B,EA
AA+6B,EAAA,GAQA,MANA,QAAAr3C,GAAAo3C,IACAp3C,EAAA,OAGAo+B,EAAAkZ,GAAA,CAAoBt3C
,SAAAsc,YAEpB8hB,GACG,KAGH4Y,KAcA/jD,EAAA+K,OA0BA,SAAAu5C,GAAAC,EAAAx3C,EAAAsc,G
ACA,GAAAk7B,KAAAx3C,IAAAw3C,EAAAx3C,GAAAsc,GACA,OACAtc,SACAsc,WACAI,KAAA86B,EAA
Ax3C,GAAAsc,IAKA,SAAAm7B,GAAAC,GACA,IAAA1xE,EAAA0xE,EAAA1xE,IACA2xE,EAAAD,EAAAhj
E,WACAA,OAAA7O,IAAA8xE,EAAA,GAA2DA,EAC3DC,EAAAF,EAAAzyD,SACAA,OAAApf,IAAA+xE,EA
AA,GAAAA,EAGA,wBAAAF,EACAnE,EAAAmE,GAEA,IAAA1xE,EAAA,IAAAwtE,EAAA9+D,GAAA,IAAA
uQ,EAAAvV,IAAA+nE,IAAAn/D,KAAA,SAAAtS,EAAA,IA2WA,SAAA6xE,GAAAzmE,GACAhO,KAAAY,K
AAA,cACAZ,KAAAmnB,QAAAnZ,GAAA,mBACAhO,KAAAgnB,OAAA,IAAA3d,OAAA2d,MAGAytD,GAA
AxyE,UAAAlB,OAAAY,OAAA0H,MAAApH,WACAwyE,GAAAxyE,UAAA+G,YAAAyrE,GAEA,IAAAC,GA
AA,CAAYhD,KAAA,gBACZiD,GAAA,CACAC,cAAA,MACAC,YAAA,aACAC,IAAA,MAQAC,IAJAvzB,EAA
A,GAAAyBkzB,GAAA,CACzB/zE,EAAA,q4CAGA6gD,EAAA,GAAAiCmzB,GAAA,CACjCtE,cAAA,aAIA7uB,EA
AA,GAAAyBkzB,GAAA,CACzBM,GAAA,MACAC,GAAA,MACA9zE,EAAA,OAEcqgD,EAAA,GAAAwCmzB,G
AAA,CAAmBtE,cAAA,IAAAlrE,OAAA,uBAAAyDq8C,EAAA,GAAAwCuzB,GAAA,CAAoB5vE,OAAA,iBAI9Lq8
C,EAAA,GAAAyBkzB,GAAA,CACzBp5C,QAAA,IACA36B,EAAA,ySAEc6gD,EAAA,GAAAwCuzB,GAAA,CAA
oB5vE,OAAA,iBAI1Eq8C,EAAA,GAAAyBkzB,GAAA,CACzBp5C,QAAA,IACA36B,EAAA,gJAEc6gD,EAAA,G
AAwCuzB,GAAA,CAAoB5vE,OAAA,iBAK1E0qB,EAAA+K,OA2PA,IAAAs6C,GAAA,05OAEArqD,GAAA,W
ACA,IAAAsqD,EAAAvH,EACAwH,EAAAvH,EACAwH,EAAAnX,EAAAD,aACAqX,EAAApX,EAAAyQ,iBA
CAvsE,EAAA8yE,GAEA,GAAAG,IAAAF,GAAAG,IAAAF,EAAA,CACA,IAAAG,EAAA,IAAA9jE,OAAA,MA
AA0jE,EAAA,WACAK,EAAA,IAAA/jE,OAAA,MAAA2jE,EAAA,KAEAhzE,IAAA0L,QAAAynE,EAAA,EAAA
F,EAAA,KAAAAvnE,QAAA0nE,EAAA,IAAAF,GAGA,OAAAlzE,GAGA,OAAAlzE,UAAAvC,GAAA+8B,EAAAg2C,GAC
A,IAAA6C,EAAA10E,OAAA2C,KAAAAkvE,GAAA7X,OAAA,SAAAAC,EAAA9hB,GACA,IAAAI,EAAAAs5B,EA
AA15B,GACAnc,IAAAAuc,OAAOALvc,EACAi+B,1hB,EAAAJ,UAAAI,OAEA0hB,EAAA9hB,GAAAA
I,EAEA0hB,GACG,IAEH,oBAAAnrC,EAAA9F,MAAA2rD,QACA7lD,EAAA9F,MAAA2rD,QACA94C,EAAA6
4C,GAEA5lD,EAAA+K,OAAAgC,GAAA4kB,EAAA,GAAA0C3xB,EAAA+K,OAAAgC,IAAA,GAAgC64C,GAS1
E,QAAA74C,GACA/8B,GAAA,KAAAA+yE,GAIA,IAAA+C,GAAA,WACA,SAAAAA,IACAtnB,EAAAAruD,KAAA
21E,GAEA31E,KAAA41E,YAAA,GA6CA,OA1CA3H,EAAA0H,EAAA,EACA/zE,IAAAMACAN,MAAA,WAG
A,IAFA,IAAAAqkD,EAAA3lD,KAAAAo7D,KAAAAo7D,EAAA3uD,UAAAAyvE,EAAAAloE,MAAA0tD,GAAAAE,EAAA
,EAA4EA,EAAAAF,EAAaE,IACzFsa,EAAAAta,GAAAAAA7uD,UAAA6uD,GAGA,IAAAua,EAAAAD,GAGA,IAAAua
6D,KAAAA81E,iBAAAA,IAEA/0E,OAAAAA2C,KAAAAmyE,GAAAAlgB,QAAA,SAAAA/zD,GACA+jD,EAAAAiwB,YAAA
h0E,GAAAA4/C,EAAAGAA4CmE,EAAAAiwB,YAAAh0E,IAAA,GAA8Bi0E,EAAAAj0E,GAAAA+8B,EAAA64C,GACA+jD,
EAAAAi0E,EAAAAj0E,GAAAAAgyE,SAGG,CACHhyE,EAAAAmBACAN,MAAA,SAAAu0E,EAAAAx8B,GACA,IAAAo8B,
EAAAAp8B,EAAAAzc,QAAAAyc,EAAAAH,UAAAAG,EAAAAAH,EAAAAC,KAAAA,CAAsFzM,EAAAAwM,GAAAAgBA,
EActG,OAAZAt4C,OAAAA2C,KAAAA+xE,EAAAAnpE,IAAAAs Ascii,SAAAA1K,GACA,IAAAAm0E,EAAAAn5C,GAA
CA,IAAAAAynC,EAAAAznC,EAAAAAlS,OACAA,OAAAAn6B,IAAAAA8zE,EAAAAAAKAAAA,EAACAr9B,EAAAApK,EAAAo
K,SAGA,GAAAAA,EAEA,OAAAAi7B,GAAAAqC,GAGA,IAAAAAynC,EAAAAZ,YAAAAh5C,EAAAAsc,IAAAAi7B,GAAAAtkD,EAAA+K,OA
AAgC,EAAAAsc,GAGA,SAAAAu9B,GAAAvyE,GACA,gBAAAAwyE,GACA,IAAAAA5nC,EAAAAAriC,EAEAA,EAAAAA,EAAAAAtG,O
,QAAAA1D,IAAAAgK,EAAAAAgK,UAAAA,GAAAAnAEAkqE,GAAAAD,GAAAA,IAAAAmDp9B,KAAAAo9B,EAAAAJ,GAA

AI,GAAA,IAEnDhZ,EAAA5uB,EAAA4uB,KAOA,OAJAA,IACAA,MAAA,IAAwBpkB,KAAAokB,EAAA4Y,G AAA5Y,GAAA,KAGxBx5D,EAAAyyE,EAAAn1B,EAAA,GAA2C1S,EAAA,CAAW4uB,WAItD,IAAA8Y,GAA A,IAAAb,GASAQ,IAAA,EAiEAM,GAAA,SAAAE,GACA,IAAA7nC,EAAAriC,UAAAtG,OAAA,QAAA1D,IAA AgK,UAAA,GAAAA,UAAA,MACAmqE,EAAA9nC,EAAAkK,UACAA,OAAAv2C,IAAAm0E,EAAArH,EAAA qH,EACAC,EAAA/nC,EAAAwP,OACAA,OAAA77C,IAAAo0E,KACAC,EAAAhoC,EAAA4uB,KACAA,OAAA j7D,IAAAq0E,EAAA,KAAAA,EACAC,EAAAjoC,EAAAuY,MACAA,OAAA5kD,IAAAs0E,EAAA,KAAAA,EA CAC,EAAAloC,EAAArL,QACAA,OAAAhhC,IAAAu0E,EAAA,GAAAA,EACAC,EAAAnoC,EAAAx9B,WACA A,OAAA7O,IAAAw0E,EAAA,GAAwDA,EACxDC,EAAApoC,EAAAlU,OACAC,OAAAn4B,IAAAy0E,EAAA, GAAgDA,EAGhD,GAAAP,EAAA,CAEA,IAAA/5C,EAAA+5C,EAAA/5C,OACAsc,EAAAy9B,EAAAz9B,SAC AI,EAAAq9B,EAAAr9B,KAGA,OAAA88B,GAAA50B,EAAA,CAA6Bn3C,KAAA,QAAessE,GAAA,WAW5C,O AVAT,KAEAhY,EAAA4Q,WACAznB,EACA/1C,EAAA,mBAAA4sD,EAAAyQ,iBAAA,UAAAuB,IAEA5+D,E AAA,uBAIAohE,EAAA,CACACAE,MAAA,CACAzB,KAAA6E,GAAA18B,GACAokB,OAAAsY,GAAAtY,EAAAp kB,MAAA,CAA4Ci5B,OAAA,EAAAA96C,MAAA,KAAAkH,OAAA,KAAA2a,KAAA,KAE5C1c,SACAsc,WAC A F,UAAAwI,EAAA,GAA4B+tB,EAAAv2B,GAC5BsF,SACA+I,QACAvsB,MAAA,CACAxpB,aACAspB,SACA6I ,yDC9xDe66B,eAAf,sBCDA,IAAAwJ,EAAA,iBAGAqP,EAAA,mBAUA,SAAArhB,EAAAx0D,EAAA6E,GACA, IAAAkE,EAAA,SAAA/I,EAAA,MAAAE,EAAA2hE,EAAA3hE,IAEAA,IACA,UAAAkE,EAAA,GACA,UAA AA,GAAA8sE,EAAAAtiE,KAAAvT,KACAA,GAAA,GAAAA,EAAA,GAAAA,MAAAA,EAAA6E,EAAA6E,EA AAAD,QAAAo2D,wBCxBA,IAAAmO,EAAAsB9jE,EAAAQ,QAC9Bi3E,EAAej3E,EAAQ,QAUvBuI,EAAA0 uE,tkE,EAAAAD,QAAAgJ,wBCXA,IAAAkpC,EAAgBzxC,EAAQ,QAACxByoD,EAAezoD,EAAQ,QAC vBk3E,EAAAsBl3E,EAAQ,QAAAAD,QAAA9BR,EAAAAD,QAAA,SAAA43E,GACA,gBAAAAC,EAAAA3hE, EAAAA4hE,GACA,IAGAl2E,EAAE,EAHAaiH,EAAQ2lE,EAAQpxE,GACAoC,EAAAApxE,EACAyiD,EAAA pC,QACAAD,EAAAAmxE,EAAAAArxG,EAAA,GAAAGAIA,GAAAmxE,EAAAA1hE,EAAAMAAA,AAAAzP,E AAAD,EAGA,GAFA5E,EAAAiH,EAAAAiH,EAAA5E,KAEA,CAAAcAEK,KAAY6E,EAAAAD,EAAeA,IAA AAoxE,GAAApxE,KAAAqC,IAChCA,EAAArC,EAAAAA0P,EAAAAA0P,EAAAA,OAAA0hE,GAAApxE,EA AA,EACK,OAAoxE,IAAA,uCCnBLv2E,EAAAAC,eAAAtB,EAAAA,cAA8C4B,OAAA ,IAC9C,IAAAs7B,EAAAAs7B,EAAA,MACA,YACAzhB,EAAA,IACAA,oxE,EAAAAD,QAAAvxC,EAAA,G

,QAAAr2C,KAAAiH,KAA4BkyC,EAAAlyC,IAAAowE,GACtEH,EAAA,IAAA3zE,EAAAk0E,EAAAz+B,IAAA/xC,EAAAqwE,GAAAG,EAAAz+B,IAEA,QAMA53C,EANA8B,EAAkBvD,EAAQ,QAAgBw3E,EAAA5zE,GAAA,6KAM1CoL,MAAA,KAAArC,EAAA,EAA2BpJ,EAAAyC,OAAA2G,EAAiBA,IAC5CgP,EAAA/X,EAAAnC,EAAA8B,EAAAoJ,MAAAgP,EAAAg8D,EAAAl2E,IACA6wC,EAAAqlC,EAAAl2E,EAAAmwC,EAAAhuC,EAAAnC,IAGAk2E,EAAA71E,UAAAyC,EACAA,EAAAsE,YAAA8uE,EACE33E,EAAQ,OAARA,CAAqBuG,EAAAmxE,EAAAAC,iDCnEvBn4E,EAAAAD,QAAiBS,EAAQ,8BCAzBR,EAAAAD,SAAkBS,EAAQ,UAAsBA,EAAQ,OAARA,CAAkB,WAClE,OAAuG,GAAvG,eAA+B,eAA+B,GAAAC,eAA+B,GAAAC,eAA+B,GAAAmM,WAAmB,YAAc4P,0BCDvG,IAAAo4C,EAAkB/oD,EAAAQ,QAC1Bi1D,EAAkBj1D,EAAQ,QAC1BwI,EAAexI,EAAexI,EAAQ,QACvB26C,EAAAqB36C,EAAAQ,QA+B7Bo4E,EAAA5vE,EAAA,SAAA4sB,EAAA8/B,GACA,SAAA9/B,EAAA,IAAApvB,EAAAkvD,EAAAlvD,OAMA,OALA,EAAA,GAAA20C,EAAAvlB,EAAA8/B,EAAA,EAAA,GAAAA,EAAA,IACAA,EAAA,GACGlvD,EAAA,GAAA20C,EAAAua,EAAAlvD,EAAA,EAAA,GAAAA,EAAA,GAAAA,EAAA,GAAAA,EAAA,MACHA,EAAA,GAAA20C,EAAAua,EAAAlvD,EAAA,EAAA,GAAAA,EAAA,GAAAA,EAAA,MAAA7/B,EAAA,KAEAD,EAAA7/B,EAAA2zB,EAAAD,QAAA64E,GAAA3/BE,EAAAikE,EAAAn2E,GACzCzCzE,EAAAAwiD,GAAA5Q,EAAAgnC,EAAACA54E,KAAAsuE,GAAA,EACAtuE,KAAA64E,EAAAp0E,EAAC,WACD,IAAA8D,EAAAvI,KAAAsuE,GACA,MAAA,IAAA0E,GAAAAzE,KAAA64E,GAAA,EAAAlG,KAAAAlvD,KACAsuE,MAAA/sE,EAAA,GAAArB,KAAAsuE,EAAAAl2E,GACAA,KAAAsuE,EAAAAJA//C,EACAA86B,EAAAAIAEAAEAAAuAAA94BB,EAAAyB,EACAUAAAzB,EAAA8D,EAAAArC,GACAA,CAAAAqCqCEAAqCAAArCMACCUAGD9C,EAAA01E,UAAA11E,EAAAsK,MAEAirE,EAAA,QAACAA,EAAAUACAA,EAAA,iCCjCA,IAAA9LA,EAAe1sE,EAAQ,QAUvB,SAAAq4CAA3C,EAAAl3C,GACA,GAAAAz1C,EAAAAy1C,EAAAAACA,IAAAgiC,OAAAt2E,EAAAAnB,EAAA03E,EACAA,EAAA,OAAAA13E,EAACA23E,EACAA3E,EAAAAOAAArMAEAAAvrE,GAEA63EA,OAAA12E,IAAAs0CAEAA
qiCEAAA,OAAArMiCEAACAsiC,EAAAtiCMACAuiC,EAAAzM,EAAA91B,GAEA,IAAAqiC,IAAAAE,IAAAJ,GAA53E,EAAAy1C,GACAmiC,GAAAAC,GAAAAE,IAAAAD,IAAAAE,GACAN,GAAAAG,GAAAAE,IACAJ,EAAAA,SAGAA15E,EAAAAD,IAAAAE,IAAAAI,GAAAAh4E,EAAAAy1C,GACAAuiC,EAAAAP,GAAAAE,IAAAAD,EACAACAE,EAAAL,EAAAAE,IACAAEAE,EAAA,SAGAA15E15E,EAAAAD,QAAAA84C,wBCxCA,IAAAA7rC,EAAASxM,EAAQ,QAAU5usD,EAAAASAAAqa,EAAAzkE,GACA,KAAAAykE,EaAAAzkE,GACA,UAAA6hB,EAAAsCAIAmoD,EAAAA

,WACA,SAAAt7B,EAAAplC,EAAAukB,GACA,QAAAzxB,EAAA,EAAmBA,EAAAyxB,EAAA3rB,OAAkB9F,I
AAA,CACrC,IAAA6lD,EAAAp0B,EAAAzxB,GACA6lD,EAAAjlD,WAAAilD,EAAAjlD,aAAA,EACAilD,EAA
Ar9B,cAAA,EACA,UAAAq9B,MAAA50B,UAAA,GACAvwB,OAAAC,eAAAuM,EAAA24C,EAAAtkD,IAAAs
kD,IAIA,gBAAAjiD,EAAA+jE,EAAAC,GAGA,OAFAD,GAAAr1B,EAAA1uC,EAAAhC,UAAA+lE,GACAC,G
AAAt1B,EAAA1uC,EAAAgkE,GACAhkE,GAdA,GAoBAu9C,EAAAzgD,OAAA8xC,QAAA,SAAAtlC,GACA,Q
AAAlN,EAAA,EAAiBA,EAAAoM,UAAAtG,OAAsB9F,IAAA,CACvC,IAAAkqB,EAAA9d,UAAApM,GAEA,Q
AAAuB,KAAA2oB,EACAxpB,OAAAkB,UAAAC,eAAA1B,KAAA+pB,EAAA3oB,KACA2L,EAAA3L,GAAA2
oB,EAAA3oB,IAKA,OAAA2L,GAKAqtD,EAAA,SAAApxD,GACA,GAAAkE,MAAA/H,QAAA6D,GAAA,CAC
A,QAAAnJ,EAAA,EAAAAw6D,EAAAntD,MAAAlE,EAAArD,QAA6C9F,EAAAmJ,EAAArD,OAAgB9F,IAAAw
6D,EAAAx6D,GAAAmJ,EAAAnJ,GAE7D,OAAAw6D,EAEA,OAAAntD,MAAA8lD,KAAAhqD,IAIA+hB,EAA
AgiD,EAAAgB,mBAAA,GACA2L,EAAAn5E,OAAA2C,KAAA6nB,GAEAmB,EAAA80B,EAAA,CACAyc,aAA
A2P,EACAe,iBAAAd,EACAe,gBAAA,EACAC,YAAA,EACAC,UAAA,EACAC,sBAAA,EACAC,kBAAA,EAC
AC,oBAAA,EACAC,oBAAA,EACAC,kBAAA,GACC5jD,GAEDmB,EAAAkiD,iBAAAliD,EAAAsiD,kBAAA,G
AEA,IAAAmL,EAAA34B,EAAA,GAA0B90B,GAI1B,SAAA64B,EAAA60B,GACA,IAAAtrC,EAAAriC,UAAAt
G,OAAA,QAAA1D,IAAAgK,UAAA,GAAAA,UAAA,MACA4tE,EAAAvrC,EAAAwrC,aAACA,OAAA073E,IAA
A43E,KAEAE,EAAAx5E,OAAA2C,KAAAy2E,GACA9pB,EAAAAiqB,EAAA,SAAAzjB,GACA,OAAA0jB,EAA
A3wE,QAAAitD,MAAAqjB,EAAAtwE,QAAAitD,GACA,SAAAAA,EAAA4d,QAAAitD,IAGA91D,OAAA2C,
KAAA02E,GAAAzkB,QAAA,SAAAmqB,GACA,EAAAmqB,KAAAAL,EAAAAK,GAAAAJ,EAAAAI,MAIA,SAAAC,EAAAAn5E,GACAikD,EAAA,CACAqpB,eAAAttE,EACA0tE,iBAAA1tE,EACAsE,IAtBAisE,EAAAg
B,kBAAA4L,EA0BA,IAAA/wE,EAAAmkE,GAAA,GAEAnkE,EAAAukE,EAAAukE,GAAA,IACAvk
E,EAAAukE,GAAA/yC,SAAAxxB,EAAAukE,GAAA/yC,OAAA,IACAxxB,EAAAukE,GAAA5jD,QAAA3gB,E
AAAukE,GAAA5jD,QAAAyB,IACAA3gB,EAAAukE,GAAAyB,QAAAhmE,EAAAukE,GAAAyB,MAAA,IAEA,IAAAv/C,EAAAv/C,QAAAhm
E,EAAAukE,GAAAl6B,QAAAq4B,EAAAl6B,QAAA,IACAxqC,EAAAukE,EAAAG
AEA0B,EAAA,GACAl6B,EAAA,SAAAd,GACA,OAAAAAAA,OAIA8jE,EAAAAC,aA
AA4tB,EAACA4B,EAAAwvE,EAAAA1pE,OAAAA,EAAuC9F,EAEAA,EAAAEAQA,IAAA,CAC/C,I
AAA0vE,EAAAAF,EAAAAxvE,GACA2vE,EAAAAD,EAAA,GAEAA,EAAAC,SAAAD,EAAAx
2B,EAAAIA IAAAAIA,BAAA,SAAAvvE,GAAAwirD,cACA,iBAAA1e,QAAAAomE,IAAA
IAACAF,EAAAC,GAMA,OAFAVAziE,EAACAwrB,EAAAaAAA5L,EAAmlD,GAEAjlD,EAAAAgwD,EAAA,SAA
AEAEA,SAAA3K,IAGA,OAFA2K,IAAAEAGA,IAFA2K,IAAAjE,EAAA,GAEA,GAEA65F,GAAA6J,GA
AA,IAAA/D,SAAA,EAAwC9F,EAACAx9F,EAAAJ7J,GAGA,OAFAAnwE,EAACxC4F,EAAAx4F,EAAAoK,GAGAAnwE,GAAA,
AAAnwE,EAAA0xD,UACACxC4F,EAACxC4F,EAAAAS5F,GAAAA6J,EAAA7J,GAGAA,EACA,OAFA
AAwE,GAACAOAAAA,EAAA0xD,UACACxC4F,EAACxD,IAKA,SAAAgIA BAAAqI,OAAA,SAAAnX,G
ACA,OAAAAA,IAKA,SAAA06E,GAAA9c,EAAA1b,GACA,IAAAvlB,EAAAul
B,EAAApzC,MAAA,KACAytB,EAAAI,EAAA,GACACAkc,EAAAAlc,EAAAtzB,MAAA,GAAAwL,KAAAA,O
AAA0nB,IAAAqhC,GAAA,KAAA/kB,GAAAyhC,EAAAAzhC,GAGA,KAFA,EAAAEAMA,SAAAi3B,GAAA9
7B,GA
CA,UAAAA,GAAAvmC,QAAA,cAAwCA,QAAA,eAAAwBA,QAAA,cAAAuBA,QAAA,aAAsBA,Q
AAA,aAAsBA,GA7G,S
AAAsiE,GAAA9+D,GACA,OAAAvQ,OAAA2C,KAAA4N,GAAAIAqCypD,OAAA,SAAAC,EAAAqV,GACr
C,OAAAArV,GAAAqV,EAAA,MAAAF,GAAA7+D,EAAA7+D,EAAAMAACG,IAAA/hE,OAGH,SAAAgiE,GAAA
11C,GACA,OAAA75B,OAAA2C,KAAA4N,GAAAIAiCmgC,OAAA,SAAAC,EAAAuV,GACjC,OAAAAuV,EAAA,MAAAF
GAAAuV,EAAA,MAAA31C,EAAAAAAA31C,EAAAAAAAA,GAACG,IAGH,SAAAAC,GAAAx3B,GACA,OAAAAAAA,EAAAxB,GA
AA+3B,EAAA/3B,GACA,MAAAwB,EAAA/3B,GAAAA,GACA,EAAAAmoE,EAAAnoE,GAAA4xC,EAAAw2B,E
AAAA,4xC,GAAAA4xC,EAAAw2B,EAAAAAD,E
AAAC,GAAAx2B,EAAAAy2B,SAAAF,EAAAAE,QAAAz2B,EAAA02B,EAAAAAA2B,EAAA22B,E
AAAMAGA,SAAAc,GAAAAlsB,GACA
,IAAAvL,EAAAuL,EAAAvL,EAAAv66B,UACA03B,EAAAAnsB,EAAAAsB,eACAC,EAAAAps
B,EAACAC,EAAAAps B,UAEAC,EAAAA,C

ACA53B,UAAA,aAAA03B,EAAA,WAEAG,EAAA,gBAAA73B,EAAA5xC,EAAA,QAAA4xC,EAAAw2B,EAAA,KACAsB,EAAA,SAAA93B,EAAAxB,KAAA,IAAAwB,EAAA02B,OAAA,UAAA12B,EAAAxB,KAAA,IAAAwB,EAAA22B,OAAA,UACAoB,EAAA,UAAA/3B,EAAAy2B,OAAA,QACAuB,EAAA,CACAh4B,UAAA63B,EAAA,IAAAC,EAAA,IAAAC,GAEAp9B,EAAA,CACAqF,UAAA,aAAA23B,EAAA,eAEA,OACAC,QACAI,QACAr9B,QAIA,SAAAqnC,GAAAtM,GACA,IAAA11B,EAAA01B,EAAA11B,UACAiiC,EAAAvM,EAAAj3C,MACAA,OAAAh1B,IAAAw4E,EAAApB,EAAAoB,EACAC,EAAAxM,EAAA/vC,OACAA,OAAAl8B,IAAAy4E,EAAAy4E,EAAArB,EAACAC,EAAAzM,EAAA0M,cACAA,OAAA34E,IAAA04E,EAAAliE,EAAA,GAaA,OAVAA,GADAmiE,GAAAxB,EACA,cAAA5gC,EAAA5xC,EAAAzG,EAAA82B,EAAA,WAAuhB,EAAAw2B,EAAA7uE,,EAAAg+B,EAAA,UACGy8C,EACAH,yBAAApiC,EAAA5xC,EAAAzG,EAAA,oBAAAq4C,EAAAw2B,EAAA7u E,EAAA,QAEA,aAAAq4C,EAAA5xC,EAAAzG,EAAA,OAAAq4C,EAAAw2B,EAAA7uE,EAAA,OAGAsY,GAAA,SAAA+/B,EAAAxB,KAAA,72C,GAAAq4C,EAAA02B,OAAA,UAAA12B,EAAAxB,KAAA,72C,GAAAq4C,EAAA22B,OAAA,UACA12D,GAAA,UAAA+/B,,EAAAy2B,OAAA,QAEAx2D,EAGA,IAAAg4D,GAAA,CACA7pE,,EAAA,EACAooE,EAAA,EACA/3C,MAAA,OACAkH,OAAA,QAGAuyC,GAAA,SAAA3sB,GACA,IAAA1iC,C,EAAA0iC,EAAA0iC,,EAAA1iC,EAAA1iC,,SACAvQ,EAAAizC,EAAAjzC,EAAAAjzC,E,WACA6/D,EAAA5sB,EAAA4sB,,EAACAzT,EAAAnZ,EAAAmZ,,EAAAmZ,EAAAnZ,,KACA1kB,EAAAuL,EAAAvL,,EAAAvL,EAAAvL,,UACAo4B,EAAAAD,E,AAAA15C,MACA45C,EAAAAF,EAAA73B,,KACAg4B,EAAAAA5T,,EAAAjmC,EAAAAM85C,EAAA7T,,EAAApkB,EAAAGAk4B,EAAAf,GAAA,CAA+Bz3B,EAAA03B,eAA,EAAAAY,EAAAAX,UAAAAS,IAE,BK,EAAA,CACA7uE,IAAA,OACA00O,WAAAkwC,EAAA,GAA2ByvB,GAAA,CAC3BS,KAAA,WAGAC,EAAA,CACA/uE,IAAA,IACA00O,WAAAkwC,EAAA,GAA2BgwB,EAAAAR,OAC3BnvD,,SAAA,EAAgBjf,IAAA,OAAAAA0O,WAAAkwC,EAAA,GAAqC6vB,EAAA//D,,WAAAkgE,EAAA79B,KAAA,CAAoCoC+9B,KAAA,aAEz FE,EAAA,CACAhvE,IAAA,OACA00O,WAAAkwC,EAAA,GAA2B2BgwB,EAAAAZ,OAC3B3B/uD,,SAAA,EAAgBjf,IAAA,OAAAAA0O,WAAAkwC,EAAA,GAA2B3B,EAAA4B,IAAA,OACA0O,,WAAAkwC,EAAA,GAAAAA2ByvB,GAAAAo9D,EACAAG,UAAA,iBACAACAC,,iBAAA,mBAEA,pwD,SAAAC,AAAA4vD,EAAAAG,,IAEAAM,,tvE,IAAA,OAACAif,SAAA,EAAgBgBjf,IAAA,WAAAA0O,WAA0AA00O,WAAA,CAA+BmD,GAAA,q9D,GAAAAq9D,GAAAAjwD,SAAAA0vD,,vD,IAwBQ,IAKpF,OAFAlwD,EAAAAApc,KAAAyvsE,EAAA,CAAuBt vE,IAAA,OAAAAA0O,WAAAkwC,EAAA,GAAoCCoCkwB,KAAA,eAAAAAS,YAAAQAAAL,EAAA,IAAAApU,,KAAA,QAAAmU,EAAA,KAA0DA0FZ,MAErJ,CACApvD,WAACAvQ,eAIA8gE,GAAA,SAAA7tB,GACA,IAAA1iC,EAAA0iC,EAAA1iC,,SAACAvQ,EAAAizC,EAAAjzC,EAAAAjzC,E,WAACA6/D,EAAA5sB,EAAA4sB,,EAACAzT,EAAAnZ,EAAAmZ,,EAAAmZ,EAAAnZ,,KACA1kB,EAAAuL,EAAAAvL,,ImL,EAAA,SAAAA+gE,GAGAA7B,EAAAx3B,,GAGAAx3B,CACA,IAAAAw4B,EAAAAf,GAGAAAiCz3B,,YAAA,03B,eAAAAS,,GAAAAAiCz3B,,YAAAAAiCz3B,,IAAAAw4B,GAGAAAA,6BgwB,E
AAAS,EAAA15C,MAAAk5C,,UAAAQ,EAAA15C,,QACAjC5V,,EAApc,KAAA,CACA7uE,IAAA,IACA00O,WAAAkwC,EAAA,GAA2B6BgwB,EAAAAZ,OAC3B7B/uD,,SAAA,EAAgBjf,IAAA,OAAAAA0O,WAAAkwC,EAAA,GAA2B+Bw+uD,SAAA,EAACAEACAjf,IAAA,OACA00O,,WAAAkwC,EAAA,GAAuC2BgwB,EAAAAAR,OAAC3BAAAR,,vD,SAAA,EAACAEAACAjf,IAAA,OAAAuuE,EAAA73B,,KAAA12C,,IACAif,SAAAsvD,EAAA73B,,KAAAz3B,,S
ACAvQ,WAAAkwC,EAAA,GAAiC2ByvB,EAAA73B,,KAAAhoC,,WAAAkgE,EAAA79B,,iBAKjC9xB,,EAAApc,,KAAAAA0rE,,EAAA73B,,MAGA,OACAAAzx3B,,WAAAkwC,EAAA,GAAiCgAghE,GAAAA,SAAAA/tB,,EAAAAAiCz3B,IAAA,CAAuB1iC,WAACAvQ,eAIA1i
C,SAACAsvD,,EAAA5sB,,EAAAAA4sB,,EAAA,KACAAKACAAAspB,,E
AAA2pB,EAAAA3pB,OACAoe,,EAAAuL,,EAAAAvL,,UAAA,GAAuAw3B,GAAAAx3B,,IAAAm4B,EAAAAoB,QAAA7U,,EAAAAAA06U,,E
AAA6U,MAAA,CACA,IAAAA96C,,EAAAA05C,,EAAAA15C,,MACAAAkH,,EAAAwyC,,EAAAxyC,,OAEA,EACAAAAgB,,EAAAAAqwB,,EAAAAAkH,EAAAAEACA6wC,EAAAIAEAl+D,,EAAA,SAAAAAg/D,,GAAAA9uB,,EAAAAAAGAgD5mB,,EAAA,CAAChD43C,mBAAApsE,EAAAAgB,,EAAAA4xC,EAAA5xC,EAAAA,UAAAhB,EAAAopE,EAAAx2B,EAAAAw2B,EAAA,YAIA,QACA5sE,IAAAMACA0O,aACAuQ,cAIA4wD,GAAAAA,SAAAAluB,,GACA,IAAAA1iC,E,AAAA0iC,EAAA1iC,,S
ACAvQ,EAAAizC,E,AAAAjzC,E,AAAAjzC,E,WACAgtC,E,AAAAiG,,EAAAjG,,EAAAAiG,,EAAAjG,,OAEAAAjzC,W
ACAAgtC,E,AAAAkwB,E,AAAA9uB,,,EAAAAuvu E,AAAAuuE,,,EAAAAAA73B,,,12C,,IACAAif,SAAAAsvD,,EAAAA73B,,,KAAAz3B,,SAAAAAz3B,,W
ACAAgtC,E,AAAAiG,EAAAAjG,,OAAEA7pC,,EAAA,IAAAA6pC,,EAAAA1h,B,,EAAAAAAIAAu9C,EAAAAlc,,,aAAA,I
AAA/kB,E,AAAAoF,,EAEA,QACAACA17C,,IAAAAA,MACAA0O,WAAAgCAqZ,MAAA,kBAEA9I,,EAEAAcAjf,IAAA,S
ACA00O,WAACAkwC,,EAAA,GAAA6BlwC,,EAAAAAACAemD,,OACAC5CoN,,gBACAKA,,SAAA6wD,,GAAAA5jC,,GACA,IAAA6jC,E,AAAA7jC,E,AAAA8jC,EAAAAAzB,E,AAAwBAwB,,EAAAxB,,KACAAAzV,E,AAAA9gE,,,KACAAAkS,E,AAAA9gE,,,KACAAAAA9gC,E,AAAA9gE,,,OACAAA,,spE,AAApoK,,OACAAAApK,,E,AAAAoK,,KACAAAoK,,EAAAAA,,/kB,B,,,E,AAAAoF,,EAEAAC,17C,,AIAAAA,MACAACA0O,,WAAAgCAqZ,MAAA,kBAEAAAAvsB,,E
AAgU,EAAA,MACAgU,EAAA,hU,MACAACA,,+3C,EAAA,jC,EAAAgkC,,C
AAAAA,OAAAArwE,,IAAAAowE,,E
AAAoyU,,KAAAEtuB,,EAAAmZ,,EAAAA6U,,MAAAAAAyT,,EAAAAA8sB,,9sB,,MACAAkH,EAAAA4lB,,E

AA5lB,OAEAo0C,EAAA,QAAAnlE,KAAAotB,KAAAvD,EAAAkH,EAAA,IACAq0C,EAAA,CAAAmH,EAAA
xL,iBAAAz1B,EAAAihC,EAAAlc,aAAA,IAAA/kB,EAAA,GAAA65B,GAAAppE,OAAAmxB,EAAA2I,SAAAv
uB,KAAA,KAEA0N,EAAA,CACAf,SAAA,GACAvQ,WAAAkwC,EAAA,GAA2B1mB,EAAAxpB,WAAA,CAC
3B2hE,cAAAr2C,EACAs2C,YAAAh6B,EACA3V,MAAAyvC,EACAG,KAAA,MACAC,MAAA,6BACAC,QAA
A,OAAA57C,EAAA,IAAAkH,KAIAm0C,IACAlwD,EAAAtR,WAAAw8D,GAAA,IAGAzmB,GAAAzkC,EAAAf
,SAAApc,KAAA,CAAoC7C,IAAA,QAAA0O,WAAA,CAA4BmD,GAAAmO,EAAAtR,WAAA,6BAAA4+D,KA
AyEruD,SAAA,CAAAwlC,KAEzI,IAAA9rC,EAAAimC,EAAA,GAAwB5+B,EAAA,CACxBga,SACAsc,WACAi
4B,OACAzT,OACA1kB,YACAsF,SACA1jB,OAAAE,EAAAF,SAGA8zC,EAAAhR,EAAA6U,OAAApB,EAAAo
B,MAAArB,GAAA31D,GAAA62D,GAAA72D,GACAsG,EAAA6sD,EAAA7sD,SACAvQ,EAAAo9D,EAAAp9D
,WAKA,OAHAiK,EAAAsG,WACAtG,EAAAjK,aAEAgtC,EACAm0B,GAAAl3D,GAEA+2D,GAAA/2D,GAIA,S
AAA8/D,GAAAvsC,GACA,IAAAlsB,EAAAksB,EAAAlsB,EAAAlsB,QACA6U,EAAAqX,EAAArX,MACAkH,EAAAmQ,
EAAAnQ,OACAqa,EAAAlK,EAAAkK,UACAq0O,EAAAvY,EAAAuY,MACAvsB,EAAAgU,EAAAhU,MACAw
gD,EAAAxsC,EAAAgkC,UACAA,OAAArwE,IAAA64E,KAGAhqE,EAAAkwC,EAAA,GAA8B1mB,EAAAxpB,
WAAA+1C,EAAA,CAA6BA,SAAiB,GAAAK,CACjF9jB,MAAAzI,EAAA2I,QAAAvuB,KAAA,OAGA49D,IACA
xhE,EAAAw8D,GAAA,IAGA,IAGA,IAAAlzC,EAAA4mB,EAAA,GAA0B1mB,EAAAF,QAE1B41C,GAAAx3B,KACA
pe,EAAA,aAAAogD,GAAA,CAA2ChiC,YAAAoiC,eAAA,EAAA3jD,QAAAkH,WAC3C/D,EAAA,qBAAAA,EA
AA,cAGA,IAAAy3C,EAAA/B,GAAA11C,GAEAy3C,EAAAlsE,OAAA,IACAmL,EAAA,SAAA+gE,GAGA,IAA
Ap5D,EAAA,GAYA,OAVAA,EAAAxT,KAAA,CACA7C,IAAA,OACA0O,aACAuQ,SAAA,CAAAe,KAGAykC,C
GACApuC,EAAAxT,KAAA,CAAAc7C,IAAA,OAAA0O,WAAA,CAA2BiyB,MAAA,WAAmB1hB,SAAA,CAAA
wlC,KAG5DpuC,EAGA,IAAAq6D,GAAA,aAACAnxE,GAAAg4E,EAAAjL,oBAAAzB,KAAAJ,MAAAI,EAAA10
C,QAAA00C,EAAA,CAA+GJ,GAAAiG,GAAAv6C,QAAAu6C,IAC/GAAA,cAEAC,GAAA,SAAA56E,GAE
A,OADAuB,GAAAkrE,KAAAkO,GAAA,IAAAIA36E,EAAA,WACA,WACA,OAAAmM,GAAAnM,KAIAm3E,G
AAA,SAAAmM,GAAAnM,KAIAm3E,GACAuB,GAAAkrE,KAAAkO,GAAA,IAAAIA36E,EAAA,SACAuB,GAAA42B,Q
AAAwiD,GAAA,IAAAIA36E,EAAA,UACAuB,GAAAkrE,KAAAiO,GAAA,IAAAIA36E,EAAA,UAGA66E,GAAA,CAAYD,
SAAAzuE,QAQZwmE,GAAA,SAAA3qE,EAAA4qE,GACA,gBAAA1iE,EAAAC,EAAArQ,EAAAC,GACA,OAA
AiI,EAAApI,KAAAgzE,EAAA1iE,EAAAC,EAAArQ,EAAAC,KAmBBAo6D,GAAA,SAAA0Y,EAAAjoE,EAAAk
oE,EAAAF,GACA,IAGAnzE,EAAAuB,EAAAmB,EAHAW,EAAA3C,EAAA,CAAA3C,OAAA2C,KAAA+vE,GAC
AttE,EAAAzC,EAAAyC,OAACA+I,EAAAyC,EAAAD,GAAA/nE,EAAAgoE,EAAAhoE,EAAA,EAAAgoE,IACAixE,E
AAArzE,EAAAEACA0C,EAAA1wE,EAAAEA0C,EAAA/vE,EAAA,MAGArD,EAAA,EAACA0C,EAAA2wE,GAGQrzE,EAA
A8F,EAAY9F,IACpBuB,EAAA8B,EAAArD,EAAAmM,EAAAnM,EAAA0wE,EAAA7xE,KAAA6xE,6xE,KAAA6xE,
GAGA,OAAA1wE,1wE,GAGA4wE,9jD,EAAA+K,OACAw0C,GAAAv/C,EAACAu/C,GAAAv/C,MAGAA,GAC
AC,GAAA,GACAAC,GAAA,GAEAhI,GAAA,WACA,IAAAC,EAAAv07gAAAA7yE,EAAA6pE,GAAAE,6pE,GAAA
wc,GAEA,O4gP,SAAAoe,GACAA/Y,EAAA+Y,GAAA76B,IAGAg8hB,IAGA,GAAAq6E,DpuC,EAGA6gE,S
AAA00A,GAEAI6gAAAAL,GAGApj1EAAA7gB,GAAAn9H,EAAA,SAAAA7y3C,EAAAAsc,GACA,O6gP,SAg
Z,EAAA,QAAAALGAEAiI,GAAA7gB,GAAAqU,GAAA,SAAApU,EAAAAiZ,GACA,OAAA6gP,SAAAA6gAAE
AAAD,EAAA,GACAAr3C,EAAAq3C,EAAAAGAA,GACA/6E,EAAAAAq3C,DACA/6E,EAAAAAr3C,GAAA
/6B,EAAA,GAAY5B,GAAAy5B,GAACAz5B,GACAyY,EAAAp+B,OAAA2lB,OAC/6K,GAACAArJ,EA
AA,CACAL,IAAA+6B,EAAA,6B,EAAA+6B,EAAA,OAAAm/C,GAAA7iC,EAAAG,EAAAGAEA8hB,EAA
A9hB,EAAA,IAAAGAA9jP,IGAAA43B,7hD,EAAAxL,kBAAA,IAAAAApsB,EAAA34C,QAAA,UACLoxD,EAA
AAkhB,KAAAz2E,KAAA88C,GAGA,OAAyY,GACG1ihB,MAGH,SAAA9H,GAAAAC,EAAAAx3C,EAA
Asc,GACA,GAAAAk7B,KAAAAx3C,I6gP,EAAAAw3C,7H

x3C,GAAAsc,GACA,OACAtc,SACAsc,WACAI,KAAA86B,EAAAx3C,GAAAsc,IAKA,SAAAm7B,GAAAC,GA
CA,IAAA1xE,EAAA0xE,EAAA1xE,IACA2xE,EAAAD,EAAAhjE,WACAA,OAAA7O,IAAA8xE,EAAA,GAA2
DA,EAC3DC,EAAAF,EAAAzyD,SACAA,OAAApf,IAAA+xE,EAAA,GAAAA,EAGA,wBAAAF,EACAnE,GAA
AmE,GAEA,IAAA1xE,EAAA,IAAAwtE,GAAA9+D,GAAA,IAAAuQ,EAAAvV,IAAA+nE,IAAAn/D,KAAA,SA
AtS,EAAA,IAIA,IAAAw5E,GAAA,aAEA,SAAAC,GAAA1xE,GACA,IAAA2xE,EAAA3xE,EAAAoK,aAAAp
K,EAAAoK,aAAA+4D,GAAA,KAEA,wBAAAwO,EAGA,SAAAC,KACA,QAAApC,EAAAvL,eACA,OAAA4N,
GAAA1uE,QAGA,IAAA2uE,EAAAD,GAAArC,EAAAvL,gBAEA,OAAA6N,GAAAD,GAAA1uE,QAGA,IAAA
0uE,GAAA,CACA1uE,QAAA,SAAA4uE,GACA,IAAA/xE,EAAA+xE,EAAA,GACA5e,EAAA4e,EAAA,GACA
C,EAAA7e,EAAAxxD,IAAA,SAAAwE,GACA,OAAAujE,GAAAvjE,KACKoE,KAAA,MAEL,GAAAvK,EAAA
M,YAAAN,EAAAiyE,UACAjyE,EAAAiyE,UAAAD,GAAAxC,EAAAlL,oBAAA,QAAAtkE,EAAAqlE,QAAA5g
E,cAAA,WAAAzE,EAAAiyE,UAAA,mBACK,GAAAjyE,EAAAM,WAAA,CACL,IAAA4xE,EAAA1zE,SAAA0
B,cAAA,QACAF,EAAAM,WAAA0rB,aAAAkmD,EAAAlyE,GACAkyE,EAAAD,UAAAD,IAGAG,KAAA,SAA
AJ,GACA,IAAA/xE,EAAA+xE,EAAA,GACA5e,EAAA4e,EAAA,GAIA,IAAA5B,GAAAnwE,GAAAf,QAAAuw
E,EAAAxL,kBACA,OAAA6N,GAAA1uE,QAAA4uE,GAGA,IAAAK,EAAA,IAAAtrE,OAAA0oE,EAAAlc,aAA
A,cAEAH,EAAA,GAAAxsD,WAAAqZ,MAEA,IAAAqyD,EAAAlf,EAAA,GAAAxsD,WAAAiyB,MAAAp0B,M
AAA,KAAA4rD,OAAA,SAAAC,EAAAzY,GAOA,OANAA,IAAA43B,EAAAxL,kBAAAApsB,EAAAruC,MAAA
6oE,GACA/hB,EAAAiiB,MAAAx3E,KAAA88C,GAAEAyY,EAAAkiB,BOAAAz3E,KAAA88C,GAGAyY,GACK,C
AAGkiB,OAAA,GAAAAD,MAAA,KAERnf,EAAA,GAAAxsD,WAAAiyB,MAAAAy5C,EAAAAC,MAAA/nE,KAAA
,KAEA,IAAAioE,EAAArf,EAAAxxD,IAAA,SAAAwE,GACA,OAAAujE,GAAAvjE,KACKoE,KAAA,MACLvK,
EAAAqK,aAAA,QAAAgoE,EAAAAE,OAAAhoE,KAAA,MACAvK,EAAAqK,aAAA84D,EAAA,IACAnjE,EAAA
kN,UAAAslE,IAIA,SAAA9tB,GAAA+tB,EAAA/wE,GACA,IAAAgxE,EAAA,oBAAAhxE,EAAA+vE,GAEA,OA
AAgB,EAAAj3E,OACAk3E,EAAAQACG,CACH,IAAAAC,EAAA/P,EAAAlvC,uBAAA,SAAAk/C,EAAA/C,GACA,OAAAA,KA
GAD,EAAA,WACA,IAAAb,EAAAF,EAAAlP,EAAAAoO,GAAAAD,MAAA,UAEA4B,EAAAAwE,IAAAAmwE,GA
EApP,IAEAgQ,OAKA,IAAAAzpE,IAAA,EAEA,SAAAAA4pE,GAAAAC,GAAAAC,GACA7pE,IAAA,EAAAC6pE,I
AAA,EAGA,IAAAA8pE,GAAA,GAAA5zD,GAAAusE,EAAA,CAEA,IAAAAiE,IAAAAiE,EAAAxwE,EA
AAwwE,aACAC,EAAAzwE,EAAAywE,aACAC,EAAAA1wE,EAAA0wE,EAAAAuBAGAH,GAAA,IAAAAhE,EAAA,SAA
AoE,GACAlqE,IAAA/H,EAAAA/H,EAAAAiyE,GAAAnoB,QAAAAAooB,GAaA,GAaA,cAAAAAAA,EAAAAiyE1zE,MAAAA0zE,E
AAAC,WAAA73E,OAAA,IAAAIk2E,GAAAA0B,EAAAAC,WAAAA,MACA7D,EAAAApL,sBACA8O,EAAAAAAE,EAAA
xwE,QAGAowE,EAAAAI,EAAAAxwE,SAGA,eAAAwwE,EAAAA1zE,MAAAA0zE,EAAAxwE,OAAAAtC,YAAAkvE,
EAAApL,sBACA8O,EAAAAAAE,EAAAxwE,OAAAAtC,YAGA,eAAA8yE,EAAAA1zE,MAAAAgyE,GAAAA0B,EAAAAxw
E,UAAAysE,EAAApwE,QAAAm0E,EAAAA1N,eACA,aAAA0N,EAAAA1N,cAAA,CACA,IAAA4N,EAAAAA9B,GA
AArB,GAAAAiD,EAAAAxwE,SACAqvE,EAAAAhD,EAAArhD,EAAArhD,OACAsc,EAAAA+kC,EAAAA/kC,SAEAtc,GAAAm
hD,EAAAAxwE,EAAAOAAAyH,aAAA,cAAA4nB,GACAACsc,GAAAA6kC,EAAAxwE,EAAAOAAAyH,aAAA,YAAAkkC,QAEA0
kC,EAAAAG,EAAAAxwE,YAMAmgE,GAEAgQ,GAAAA3c,QAAAAyM,EAAAA94D,qBAAAA,YACAwpE,EAAAA5sE,YAAAAEAA
A5sE,EAAAAA0vD,eAAAAEAAAmd,SAAA,KAIA,SAAAAC,KACAAV,IAEAA,GAAAAU,aAAA,IAAAA,GAAA
A,SAAAA1zE,GACA,IAAAAggB,EAAAAhgB,EAAAogB,EAAAhgB,EAAAOAAAoK,aAAA,AUAA,SAEAAkE,EAAAA,GAAgBA,O
AdA0R,IACA1R,EAAAA0
R,EAAAAxb,MAAAA,KAAAwB4rD,OAAAA,SAAAAC,EAAAArwC,GACxB,IAAAAiQ,EAAAAjQ,EAAAAxb,MAAAA,KACA
6Z,EAAAA4R,EAAAAGACAt5B,EAAAAs5B,EAAAlxB,MAAAA,GAMA,OAJAsf,OAJAsf,GAAAA1nB,EAAAA6E,OAAAAIAC
A60D,EAAAAhyC,GAAAA1nB,EAAAA4T,KAAAAKAAA5G,QAGA0sD,GACK,KAGL/hD,GAGA,SAAAAAqlE,GAAA
A12E,GAGA,IAFA,IAAAA7E,IAAAA7E,EAAAA,GAEA,EAAAEAiBA,EAAAAuH,EAAAAzB,OAAoB9F,EAAAAk+E,IAAAA,CA
AAk+E,EAAAA2E,EAAAA4L,WAAAAnT,GAAAAkC,SAAAAIACAQ,IAAAA,MAAAAw7E,GAAAA70E,OAAAAGAGA,O
AAAA3G,EAGA,IAAAAy7E,GAAA,SAAAA7zE,GACA,IAAAA8zE,EAAAA9zE,EAAAAoK,aAAA,eAAAA,GAAAAoK,aAA
AAaACAgH,OAAAAtZ,IAAAAkI,EAAAAoR,EAAAAoR,UAAAApR,EAAAAoR,zN,OAAA,GAEA2K,EAAAAkj
E,GAAAArB,GAAAAnwE,IAAAAaAaA,OAXA8zE,GAAAAC9C,EAAAA2jB,QAAAAIACAzlE,EAAAA2jB,EAAAAoAAAA6hD,EACAAxlE,EA
AAAigC,SAAAAwlC,GAGAGAzlE,EAAAA2jB,QAAAA7gB,GAAAA5V,OAAAAEACA8S,EAAAAigC,SAAAA4iC,GAAAAA7iE,E
AAAA2jB,OAAAAjyB,QAEA,OXAAjyB,EAAAAoR,WACAG9C,EAAAA2jB,QAAAAIACAAzlE,EAAAAoR,yGC,EAAAA2jB,O
AAAAIACAAzlE,EAAAA7gB,GAAAASACH8S,EAAAAig0lE,SAAAAoAAAA4iC,GAAAAAA2jB,OAAAA0hD,GAAAA3zE,EAAAAoR,
aAGA9C,EAAAA7gL/kE,EAAAA,CACAKAAA,GACAApwC,EAAAA,EACAAEACAAooE,EAAAAEACAAE,OAAAAEACAAE,O
AAAAEACAF,OAAAAEACAGAGA,OAAAAmP,

EAGAA,EAAAxvE,cAAAD,MAAA,KAAA4rD,OAAA,SAAAC,EAAAl5D,GACA,IAAAk7B,EAAAl7B,EAAAs
N,cAAAD,MAAA,KACAzC,EAAAswB,EAAA,GACAk/C,EAAAl/C,EAAAtzB,MAAA,GAAAwL,KAAA,KAEA
,GAAAxI,GAAA,MAAAwvE,EAEA,OADAlhB,EAAA0U,OAAA,EACA1U,EAGA,GAAAtuD,GAAA,MAAAwv
E,EAEA,OADAlhB,EAAA2U,OAAA,EACA3U,EAKA,GAFAkhB,EAAAjjD,WAAAijD,GAEAjrC,MAAAirC,G
ACA,OAAAlhB,EAGA,OAAAtuD,GACA,WACAsuD,EAAAxjB,KAAAwjB,EAAAxjB,KAAA0kC,EACA,MAC
A,aACAlhB,EAAAxjB,KAAAwjB,EAAAxjB,KAAA0kC,EACA,MACA,WACAlhB,EAAA5zD,EAAA4zD,EAA
A5zD,EAAA80E,EACA,MACA,YACAlhB,EAAA5zD,EAAA4zD,EAAA5zD,EAAA80E,EACA,MACA,SACAlh
B,EAAAwU,EAAAxU,EAAAwU,EAAA0M,EACA,MACA,WACAlhB,EAAAwU,EAAAxU,EAAAwU,EAAA0
M,EACA,MACA,aACAlhB,EAAAyU,OAAAzU,EAAAyU,OAAAyM,EACA,MAGA,OAAAlhB,GACKhiB,GAh
DLA,GAoDA6lC,GAAA,SAAAl0E,GACA,OAAAg0E,GAAAh0E,EAAAoK,aAAA,uBAGA+pE,GAAA,SAAAn0
E,GACA,IAAA2zC,EAAA3zC,EAAAoK,aAAA,kBAEA,cAAAupC,IAAA,KAAAA,OAGAygC,GAAA,SAAAp0
E,GACA,IAAAq0E,EAAAnzE,EAAAlB,EAAA2G,YAAAypD,OAAA,SAAAC,EAAAhiD,GAIA,MAHA,UAAAg
iD,EAAAp6D,MAAA,UAAAo6D,EAAAp6D,OACAo6D,EAAAhiD,EAAApY,MAAAoY,EAAA1X,OAEA05D,G
ACG,IAEH3T,EAAA18C,EAAAoK,aAAA,SAUA,OARAolE,EAAArL,WACAznB,EACA23B,EAAA,mBAAA7E
,EAAAxL,iBAAA,UAAAuB,IAEA8O,EAAA,uBAIAA,GAGAC,GAAA,SAAAt0E,GACA,IAAA+yD,EAAA/yD,
EAAAoK,aAAA,gBAEA,OAAA2oD,EAGAye,GAAAze,EAAAvuD,MAAA,KAAA7C,IAAA,SAAAjM,GACA,O
AAA,EAAAiO,UAHA2tE,MAQA,SAAAiD,GAAAv0E,GACA,IAAAw0E,EAAAX,GAAA7zE,GACAuuC,EAA
AimC,EAAAjmC,SACAtc,EAAAuiD,EAAAviD,OACAwiD,EAAAD,EAAAjD,KAEAmD,EAAAhB,GAAA1zE,
GACAquC,EAAA6lC,GAAAl0E,GACA2zC,EAAAwgC,GAAAn0E,GACAq0E,EAAAD,GAAAp0E,GACA+yD,E
AAAuhB,GAAAt0E,GAEA,OACAuuC,EAAAmO,MAAAmO,EAAAoK,YACAmO,EAAA6nB,EAAAoc,YACAsF,S
ACAof,OACA5iC,MAAA,CACA2I,QAAA27C,EACAxkD,OAAAykD,EACA/tE,WAAA0tE,IAKA,SAAAvK,GA
AAzmE,GACAAhO,KAAAAY,KAAA,cACAZ,KAAAmnB,QAAAnZ,GAAA,mBACAgnB,OAAA,IAAAA3
d,OAAA2d,MAGAytD,GAAAxyE,UAAAlB,OAAAAY,OAAA0H,MAAAApH,WACAwyE,GAAAxyE,UAAA+G,Y
AAAyrE,GAEA,IAAAAC,GAAA,CAAAYhD,KAAA,gBACAZiD,GAAA,CAACAC,cAAA,MACAC,YAAA,aAAC
ZiD,GAAA,CACAC,cAAAC,cAAA,MACAC,YAAA,aAAA9zE,SAAAvK,GAAA,mBACAquC,OAAA,IAAA
,uBACA2d,QAAA9zE,SAAA18C,YAAA,mBACAymE,OAAAyrE,GAAAgnB,OAAA,oBACA58E,IAAAOACA0
O,WAAAkwC,EAAA,GAAAyBkzB,GAAA,CACAC5B,GAAA,mBACAquC,OAAA,IAAArE,OAAA,oBACAoBAE
9Lq6E,GAAA,CACA58E,IAAAOACA0O,WAAAkwC,EAAA,GAAAyBkzB,GAAA,CACAzBp5C,QAAA,IACA
36B,EAAA,ySAEAkhB,SAAA,EAAAcjf,IAAA,UAAA0O,WAAAkwC,EAAA,GAAAwCmzB,GAAA,CACAoB5v
E,OAAA,oBAE1Es6E,GAAA,CACA78E,IAAAOACA0O,WAAAkwC,EAAA,GAAAyBkzB,GAAA,CACAzBp5C,
QAAA,IACA36B,EAAA,gJAEAkhB,SAAA,EAAAcjf,IAAA,UAAA0O,WAAAkwC,EAAA,GAAAwCuzB,GAAA,
CAAAoB5vE,OAAA,oBAG1Eu6E,GAAA,CAAAe98E,IAAA,IAAAif,SAAA,CAAAy9D,GAAAAC,GAAAAC,GA
AAAC,KAEf7kD,GAAA/K,EAAA+K,OAEA+kD,GAAA,iBACAC,GAAA,8CACAC,GAAA,CACAC,MAAA,MC
AC,QAAA,MACAC,MAAA,MAC,OAAA,OAGA,SAAAC,GAAAhnC,EAAAtc,GACA,IAAA3jB,EAAA,CACACA
s5D,OAAA,EACA96C,MAAA,I
ACAkH,OAAA,IACA2a,KAAAomC,IAGA,GAAAxmC,GAAAtc,GAAAhC,GAAAgC,GAAAgC,IAAAgC,GAA
Asc,GAAA,CACA,IAAAI,EAAA1e,GAAAgC,GAAAsc,GAAAzhB,GACAzhB,EAAA6hB,EAAA,GAACA3a,EA
AAA28B,EAAA38B,EAAA5vC,MAAA,GAEA,CACACAs5D,OAAA,EACA96C,QACAkH,SACA2a,KA
AA,CAAAa12C,IAAA,OAAA0O,WAAA,CAA2BogE,KAAA,eAAA/wE,EAAA,WAEErC,GAAA/8B,GA
AAtc,IAAAu9C,EAAAhL,iBACAH,UAAAsF,GAAA8BAAA73C,EAAA,mBAAAAsc,GAGA,OAAAAjgC,EAAG
AAknE,GAAAx1E,EAAAy1E,GACA,IAAAAlnC,EAAAknC,EAAAlnC,EAAAAknC,SACAmO,EAAA+4B,EAAA
B,EAAAwjD,EAAAxjD,OACAoc,EAAAypC,EAAAonC,EAAApnC,UACAAs5D,EAAAyQAAAnwB,EAAA+nE,E
AAA,CACA,IAAA/4B,KACA5iC,MAAA,CACA2I,QAAAhnC,EACA+kD,OAAAAtc,EACA9jB,WAAAAzB,IA
EAAAtc,IAAAAkH,EAAAAklf,IAAAfkD,GAAAkgE,SAAAuN,GAAA11E,EAAA8kD,GAAA,GACAC,QAACA
AA,IACA/wC,EAAA, gJ
AEAkhB,SAAA,EAAAcjf,IAAA,UAAA0O,WAAAkwC,EAAA,GAAAwCuzB,GAAA,CAAAoB5vE,OAAA,oBAG
6E,GAAA,CAAAe98E,IAAAif,SAAA,CAAAy9D,GAAAAC,GAAAAC,GAAAAC,KAEf7kD,GAAA/K,EAAA+K
,OAEA+kD,iBACAC,GAAA,8CACAC,GAAA,CACAC,MAAA,MCAC,QAAA,MACAC,MAAA,MAC,OAAA,
OAGA,SAAAnhC,EAAAtc,GACA,IAAA3jB,EAAA,CACACAs5D,OAAA,EACA96C,MAAA,I
ACAkH,OAAA,IACA2a,KAAAhC,GAAAgC,GAAAAtc,GAAAhC,GAAAgC,IAAAI,EAAAA1e,GAAAgC,GAA
Asc,GAAA,CAACA,IAAAAI,EAAA1e,GAAAgC,GAAAAtc,GAAAzhB,GACAzhB,EAAA6hB,EAAA,GAACA3a
,EAAAA28B,EAAA38B,EAAAA5vC MAAA,GAEA
,GACA28B,EAAA38B,EAAA5vC,MAAA,GAEA,CACACAs5D,OAAA,E
ACA96C,QACAkH,SACA2a,KAAA,CAAAa12C,IAAAA,OAAAA0O,WAAAA,CAA2BogE,KAAAA,eAAAA
/wE,EAAAA,WEErC,GAAA/8B,GAAAAtc,IAAAu9C,EAAAAhL,iBACAH,UAAAAsF,G
AAA8BAAA73C,EAAA,mBAAAsc,GGAC,OAAAjgC,EAG

AA,IACA0V,EAAA51E,EAAA4xB,wBACA9E,EAAA8oD,EAAA9oD,MAAA6oD,EACA3hD,EAAA4hD,EAAA
5hD,OAAA2hD,EAOA,OAJAnG,EAAArL,WAAAznB,IACAvsB,EAAAxpB,WAAA,uBAGA,CAAA3G,EAAA0
wE,GAAA,CACAz4D,QAAAjY,EAAAkN,UACA4f,QACAkH,SACAqa,YACAqO,QACAvsB,QACAg4C,WAAA
,KAIA,SAAA0N,GAAA71E,GACA,IAAAy1E,EAAAlB,GAAAv0E,GAEA,OAAAy1E,EAAAtlD,MAAA2I,QAA
A75B,QAAA+1E,IACAU,GAAA11E,EAAAy1E,GAEAD,GAAAx1E,EAAAy1E,GAIA,SAAA97D,GAAA3Z,GA
CA,oBAAAA,EAAA2Z,OACA3Z,EAAA2Z,SACG3Z,KAAAM,YACHN,EAAAM,WAAAC,YAAAP,GAIA,SAA
AokE,GAAAvvE,GACA,GAAAkuE,EAAA,CAEA,IAAA3gE,EAAA0uE,GAAAD,MAAA,wBAEAgC,GAAA,W
ACA3xE,EAAArM,EAAA4V,iBAAA,MAAAugD,QAAA,SAAAhrD,GACA,qBAAAgrD,QAAA,SAAAr4B,GAC
A,IAAA1C,EAAA2yC,EAAAl2C,iBAAA1sB,EAAA2yB,GACAmjD,EAAA7lD,EAAAhD,iBAAA,eAAA1jB,MA
AA0rE,IACA/9D,EAAAhW,EAAAlB,EAAAkX,UACA6+D,EAAA7+D,EAAArK,OAAA,SAAA9W,GACA,OAA
AA,EAAAqU,aAAA+kE,KAAAx8C,IACS,GAUT,GARAojD,IACAA,EAAArqE,aAAAqqE,EAAArqE,YAAAoD,
YAAA7P,QAAAkwE,IAAA,GACAx1D,GAAAo8D,EAAArqE,aAEAiO,GAAAo8D,GACAA,EAAA,MAGAD,IA
AAC,EAAA,CACA,IAAA99D,EAAAgY,EAAAhD,iBAAA,WACAv3B,EAAAmtE,EAAA3iE,cAAA,KACAxxK,E
AAA2U,aAAA,WAAA6qE,GAAAY,EAAA,KACApgF,EAAA2U,aAAA8kE,EAAAx8C,GACAj9B,EAAA0b,UA
AA,IAAA6G,EAAAzc,OAAAyc,EAAAw2C,OAAA,KAAAx2C,EACA,YAAA0a,EACA3yB,EAAA4rB,aAAAl2B
,EAAAsK,EAAA+O,YAEA/O,EAAAsK,EAAA+O,YAAA3K,UAOA0M,KAGA,SAAA4zE,GAAAnhF,GACA,IAAA6M,EA
AAI,UAAAtG,OAAA,QAAA1D,IAAAgK,UAAA,GAAAAihE,EAAA,CAEA,CAEA,IAAAkT,EA
AApT,EAAA32D,gBAAAwlD,UACAwkB,EAAA,SAAAhkD,GACA,OAAA+jD,EAAAx+D,IAAA23D,EAAA,IA
AAl9C,IAEAikD,EAAA,SAAAjkD,GACA,OAAA+jD,EAAAt8D,OAAAy1D,EAAA,IAAAl9C,IAEAkkD,EAAA
hgF,OAAA2C,KAAAk3B,IACAomD,EAAA,KAAArB,GAAA,SAAA7R,EAAA,MAAAnkE,OAAAo3E,EAAAz0
E,IAAA,SAAAnK,GACA,UAAAA,EAAA,SAAA2rE,EAAA,QACG54D,KAAA,MAEH,OAAA8rE,EAAA76E,O
AAA,CAIA,IAAA86E,EAAAp1E,EAAArM,EAAA4V,iBAAA4rE,IAEA,GAAAC,EAAA96E,OAAA,GACA06E,
EAAA,WACAC,EAAA,YAKA,IAAAzT,EAAAoO,GAAAD,MAAA,UAEA4B,EAAA6D,EAAAlmB,OAAA,SAA
AC,EAAArwD,GACA,IACA,IAAA+xE,EAAA8D,GAAA71E,GAEA+xE,EAAA1hB,EAAAv1D,KAAAi3E,EAAA
K,MAAA55E,IACLm5D,GACAn5D,cAAA2xE,IACAxtD,QAAAjZ,MAAAlL,IAKA,OAAAk4D,GACG,IAEHqS,
IAEAhe,GAAA+tB,EAAA,WACAyD,EAAA,UACAA,EAAA,YACAC,EAAA,WAEA,oBAAAz0E,YAIA,SAAA6
0E,GAAAv2E,GACA,IAAA0B,EAAAI,UAAAtG,OAAA,QAAA1D,IAAAgK,UAAA,GAAAAihE,EAAA,UAEAiwE
,EAAA8D,GAAA71E,GAEA+xE,EAAArtB,EAAA,CAAAqtB,GAAArwE,GAIA,IAAA6oE,EAAA,m5OAEArqD
,GAAA,WACA,IAAAsqD,EAAAvH,EACAwH,EAAAvH,EACAwH,EAAA8E,EAAAlc,aACAqX,EAAA6E,EAA
AxL,iBACAvsE,EAAA8yE,EAAA8yE,EAGAG,IAAAF,EAAAG,IAAAF,EAAA,CACA,IAAAAG,EAAA,OAAA
AMAAA0jE,EAAA,WACAK,EAAA,IAAA/jE,OAAA,MAAAA2jE,EAAA,KAEAhzE,EAAAhzE,IAAA0L,QAAAynE,EA
AA,IAAAF,EAAA,KAAAvnE,QAAA0nE,EAAA,IAAAF,EAGA,OAAAAlzE,EAAA+8B,EAAA+8B,EAAAIlzE,
g2C,GACA,IAAA6C,EAAA10E,OAAA2C,KAAAkvE,GAAA7X,OAAA,SAAAAC,EAAA9hB,GACAAs5B,EAAA1
5B,GACAnc,IAAAuc,OAOA,OALAvc,EACAi+B,EAAA1hB,EAAA1+B,GAEAk4D,EAAAv1D,KAAAk3E,GAEAA
9h,GAAAAI,EAEA0hB,EAEA0nC,IAAAm5C,EAAA0hB,IAEAJ,EAAA9h,GAAA,CACArtE,UAAAInC,EAAA9h
B,GAAAAl,EAAAIzE,EAAAg2C,GAACG,IAAAoBAAAnrC,EAAA9h,F,EAAA9F,MAAA2rD,QACA7lD,EAAA9h
B,MAAA2rD,QAAA94C,EAAA64C,GAEA5lD,EAAA+K,OAAAagC,GAAA4kB,EAAA,GAAAIA0C3xB,EAAA+K,OA
AAagC,IAAA,GAAAgC64C,GAS1E,QAAA74C,GACA/8B,GAAA,KAAAA+yE,GAIA,IAAA+C,EAAAWACA,SAAAAA,I
ACAtnB,EAAAArvD,KAAAAA21E,GAEA31E,EAAAA31lD,KAAAo7D,EAAA3uD,UAAAAtG,OAAAyvE,EAAAloE,MAAA
0tD,GAAAA
AE,EAAA,EAA4EA,EAAAAF,EAAaE,IACzFsa,EAAAAta,GAAAA7uD,UAAA6uD,GAGA,IAAAua,EAAAAD,EAAA
7a,OAAA/6D,KAAA81E,iBAAA,IAEA/0E,EAAA0E,OAAAA2C,KAAAmyE,GAAAAlgB,OAAA,SAAAAC,EAAAgB,GAAAA
AiwB,YAAAAh0E,GAAAA4/C,EAAAgB,GAAAA4CmE,EAAAAiwB,YAAAAh0E,IAAAAGAAA8Bi0E,EAAAAj0E,IAC1E/B,G
AAA+B,EAAAAi0E,EAAAAj0E,QAGGAACACHA0E,IAAAA,QACANAAAA,WACAAtB,KAAA41E,iAAAAmBACANAAAA,SAAAAu0E,E
AAAAx8B,GACAAIAAo8B,EAAAp8B,EAAAAzc,QAAAAyc,EAAAA,AAH,
UAAAG,EAAAAC,KAAA,CAAAAsFzM,EAAAAwM,GAAgBA,EActGA,OAZAt4C,OAAAA2C,KAAA+xE,GAAA
AA,AEAA18B,GAAAAA+xE,EAAA+8B,IAAAAA9A,GAAA18B,EAAAA7zC,GACAAAgA7zC,EAAA74C,GACAAIAAA,SAAA
A1K,GACAAIAAAm0E,EAAAAN,GACAAA7zE,EAAAA7zC,GAAAAg7B,GACAAAn5C,EAAAAm5C,GAAAA68B,GAEAA
AA78B,SACAAIAAAy8B,EAAAz8B,EAAAAz8B,GAAAAz8B,KAGAAu8B,EAAAi5C,EAAAAu8B,GAAAA,
AAAsc,GAAAI,IAGAu8B,MAGAF,EAhDA,GAmDA,SAAAAK,GAAA18B,GACA,IAAAA7hB,EAAAEAAA6hB,EAAAA,

GACA3a,EAAA2a,EAAA,GACA28B,EAAA38B,EAAA5vC,MAAA,GAEA,OACA6oE,OAAA,EACA96C,QACA kH,SACA2a,KAAA,CAAW12C,IAAA,OAAA0O,WAAA,CAA2BogE,KAAA,eAAA/wE,EAAAs1E,EAAA,MAIt C,IAAAE,IAAA,EAEA,SAAAD,KACAiE,EAAAtL,aAIAsH,IACAvG,EAAA/kD,MAGAsrD,IAAA,GAGA,SAA AC,GAAAn9D,EAAAo9D,GAuBA,OAtBAt1E,OAAAC,eAAAiY,EAAA,YACA/X,IAAAm1E,IAGAt1E,OAAAC ,eAAAiY,EAAA,QACA/X,IAAA,WACA,OAAA+X,EAAA6kD,SAAAxxD,IAAA,SAAAwE,GACA,OAAAujE,G AAAvjE,QAKA/P,OAAAC,eAAAiY,EAAA,QACA/X,IAAA,WACA,GAAAwsE,EAAA,CAEA,IAAAx1C,EAAA s1C,EAAA3iE,cAAA,OAEA,OADAqtB,EAAArgB,UAAAoB,EAAA0c,KACAuC,EAAArW,aAIA5I,EAGA,SAA Aq9D,GAAAxnC,GACA,IAAAynC,EAAAznC,EAAAlS,OACAA,OAAAn6B,IAAA8zE,EAAA,KAAAA,EACAr 9B,EAAApK,EAAAoK,SAGA,GAAAA,EAEA,OAAAi7B,EAAAAsc,IAAAi7B,GA AAtkD,EAAA+K,OAAAgC,EAAAsc,GAGA,SAAAu9B,GAAAvyE,GACA,gBAAAwyE,GACA,IAAA5nC,EAA AriC,UAAAtG,OAAA,QAAA1D,IAAAgK,UAAA,GAAAA,EAAA,UAAA,MAEAkqE,GAAAAD,GAAA,IAAmDp9B,KA AAo9B,EAAAJ,GAAAI,GAAA,IAEnDhZ,EAAA5uB,EAAA4uB,KAOA,OAJAA,IACAA,MAAA,IAAwBpkB,K AAAokB,EAAA4Y,GAAA5Y,GAAA,KAGxBx5D,EAAAyyE,EAAAn1B,EAAA,GAA2C1S,EAAA,CAAW4uB, WAItD,IAAA8Y,GAAA,IAAAb,GAAEtX,GAAA,WACAoc,GAAA,GACA2D,MAGA5E,GAAA,CACA8C,MAA A,WACA,IAAAxtC,EAAAriC,UAAAtG,OAAA,QAAA1D,IAAAgK,UAAA,GAAAA,EAAA,UAAA,MAEA,GAAAihE, EAAA,CACAwI,KAEA,IAAAiL,EAAAryC,EAAAnkC,KACAAA,OAAAlI,IAAA0+E,EAAA3T,EAAA2T,EACAC ,EAAAtyC,EAAAziC,SACAA,OAAAlI,IAAA5J,IAAA2+E,EAAA,aAAoEA,EAGpEjH,EAAApL,sBACAA,GAAApkE,G AGAg2E,GAAAh2E,EAAA0B,KAIAwe,OAEA+kD,EAAA/kD,UAAAA,EAAA/X,IAAArB,QAIArB,EAAAm9B,GAAA,CACAwvB,UA AA,SAAA4lC,GACA,OAAAAD,GAAAC,KAIAtlC,GAAAm9B,GAAA,SAAAAE,GACA,IAAA7nC,EAAAriC,UAA AtG,OAAA,QAAA1D,IAAAgK,UAAA,GAAAA,EAAA,UAAA,MACAmqE,EAAA9nC,EAAAkK,EAAAkK,UACAOAAAv2C,I AAAm0E,EAAArH,EAAAqH,EAEA,SAAAwwP,OACAAOAAA77C,IAAAo0E,KACACAC,EAAAhoC, EAAA4uB,KACAAA,KACAAOAAAj7D,IAAAq0E,GAAA.,EAAA,KAAAA,EACAEACAC,EAAAjoC,EAAAuY,MACAAA,OAAAv2C,I AAAs0E,KAEA,GAAAs0E,EAAA,CACAEAAAloC,EAAAwrL,GAAA,IACAQACAA,OAAAhhC,IAAAu0E,EAAA,GAAAAAA,EAAAEACAC,E AAAnoC,EAAAx9B,GAACAA,OAAAv2C,IAAAw0E,GAAAAAAA,EAACxDC,EAAApoC,EAAAlU,OAACAAOAAA v2C,IAAAn4B,GAAAAAy0E,EAAAAAAu9B,GAAA5E,GAAAhD,GAAAAP,EAAAA,CAEA,IAAA/5C,EAAAA+5C,E AAAAy9B,EAAAz9B,SACAI,EAAAAq9B,EAAAAr9B,SACAGA,OAAAv2C,IAAAq7C,KAAAo4B,GAAAz+E,K AAApk,GAAA9W5C,OAVAT,KAEAiE,EAAArL,WACAznB,EACA/1C,EAAAmBAAA6oE,EAAAxL,iBAA A,UAAAuB,IAEA5+D,EAAAEAAAuB,IAEA,uBAIAohE,GAAA,CACAEAE,MAAA,CACAzB,KAAA6E,GAAA AokB,OAAAsY,GAAAAtY,EAAApkB,Apk AAAsY,GAAAtY,EAAAkkB,EAAAAokB,EAAApkB,EAAAAMAAA,CAAA4Ci5B,OAAA,EAAA96C,MAAA,KAAAAkH,OAAA,KAAA2a,KAAA, KAE5C1c,SACAsc,WACAF,UAAAwI,EAAA,GAA4B+tB,EAAAAv2B,GAC5BsF,SACAAA,vsB,QACAvsB,MAAA,CA CAxpB,aACAspB,SACA6I,kBAMA34B,GAAA,SAAA8X,GAAA,IAAAksB,EAAAriC,UAAAtG,OAAA,QAAA1D IAAAgK,UAAA,GAAAA,EAAA,UAAA,MACA40E,EAAAvyC,EAAAkK,EAAAkK,UACAOAAAv2C,IAAAv2C,I AAA4+E,EAAA9R,EAAA8R,EAAA8R,EACAAAAA8R,EACACAC,EAAAxyC,EAAAuY,MACAAA,OAAAv2C,I AAAo0E,KAAA8R,EAAAq9B,EACAAArL,QACAAAAOAAAhhC,IAAAu0E,GAAAA8E,EAAAA,GAAAAE,EAAA1yC,E AAAx9B,GAACAAOAAAv2C,IAAAw0E,IAAA8E,EAAAz9B,EAAAx9B,EAAACAC,EAAAAA1yC,EAAA3yC, EAAAlU,OACAAOACAA,OAAAn4B,IAAA8E,EAAAAg/E,IAAAEAAA,GAAAiDA,EACAAAAjD,EAACAC,EAAA AA2yC,EAAAlU,OACAArL,GAAAAAOACAA,OAAAn4B,IAAA8E,IAAA+E,EAAAAgoE,EAACzDC,EAAAA3yC ,EAAAlU,OACAAAlU,GAAAEACAA,OAAAn4B,IAAA8E,IAAAg/E,IAAAAAAAn4B,IAAAAg/E,EAAAA,CAEA,I AAAg/E,EAAAiDA,EAACAC,EAAAAA4yC,EAAAAiDA,OAArL,GAAAA,EAAACAAAoB/rE,KAAA,AAAAouY,WAAAiC,WAGrD,OA FAszD,KAAAmF,GAAA,CACACACAz4D,UACAo2B,UAAAwI,EAAA,GAA4BFttB,EAAAAv2B,GAC5Bsp B,VAAA,CACA02C,UACAEAAAAlc,aAAA,gBAAAt0D,OAAAixD,EAAAn3B,UAMA81C,GAAA,SAAAmI,G ACA,OAAAtL,GAAAOAAAtL,GAAAAA,CAAoB/rE,KAAA,AAAAomD/rE,WAAAgB,WACACAAoB/rE,KAA A,SAAAgB,WACCpC6rE,KAEA,IAAAAr0D,EAAAGAQA,OANA6/D,EAAAAnmE,GACA7rE,EAAAAnmE, GAAA95/DAAAoB/rE WAGrN,MAAA/H,QAAA4V,KAAAjP,IAAAA,SAAAwE,GACA+Q,EAACAA+Q/rE,MAAA,GAAAmH IAAAA4V/rE KAAAjP,IAAAlY,OAAAmH/rE,MAAA,gBAAAt0D OAAAixY,EAAAWACnBp8C,gBAKA8/D,GAAA,CACA tjB,UACAmb,OACAhD,WACAhtD,SACA8sD,sBACAh9B,QAACAxuY,QACAyuY E,UAGAqI,GAAA,WAC AlU,GAAAyM,EAAAvL,gBAAA+S,GAAAnI,IAAA8C,MAAA,CAA0D3xY,KAAA6iY,KAG1D,SAAAqU,KA CAIlY,ACApM,EAAAuU,cAAAvU,EAAAuU,WAAYAAH,IAGAjHY,EAAA,WAACAAA+K,OAAA,KAAAAz0B,O AAA,GACACACAA4c,aAAAAgY,GACA,C,aAAAsY,GACArD,uBAAA9O,QAMAAl/C,EAAAA9F,MAAAY3 B,EAAAAGAA+B3xY xB,EAAAA9F,MAACAAE/B2rY,D,QAAA,SAAAA94C,EAAAg2C,GACA/iY,EAAA+K,OAAA AgC,EAAAAgiY,D,EAAA+K,OAAAgC,IAAAAgC,GAACAA4kB,EAAA A,GAA4C3xY,EAAAEAAA+S/rY KAAAC3xY,C,E5EgB,KACAgO,MAGA,SAAA,SAAAA3S,GACA,IA

AA4S,GAEAA,EAAAnyD,EAAAu/C,OAAA3pE,KAAA+G,MAAAw1E,EAAApnB,EAAAwU,IAEAwE,KACAg
O,QAKA7gF,OAAAC,eAAA2gF,GAAA,UACAzgF,IAAA,WACA,OAAAi5E,GAGArxD,IAAA,SAAAsxD,GAC
A70B,EAAA60B,MAIA1M,GAAAkN,EAAAiH,IAEA,IAAA3jB,GAAAyjB,GAAAzjB,OAGezP,EAAA,oCC5wD
f,IAAApoD,EAAelG,EAAQ,QACvBR,EAAAD,QAAA,SAAA85C,GACA,IAAAnzC,EAAAmzC,GAAA,MAAA1
zB,UAAA0zB,EAAA,sBACA,OAAAA,uBCaA,SAAAhxC,EAAAlH,GACA,OAAAA,EAGA3B,EAAAD,QAAA8
I,wBCpBA,IAAAsT,EAAU3b,EAAQ,QAClByxC,EAAgBzxC,EAAQ,QACxB8hF,EAAmB9hF,EAAQ,OAARA,E
AA2B,GAC9CoyC,EAAepyC,EAAQ,OAARA,CAAuB,YAEtCR,EAAAD,QAAA,SAAAqC,EAAAmgF,GACA,IA
GAtgF,EAHA2G,EAAAqpC,EAAA7vC,GACA1B,EAAA,EACA0C,EAAA,GAEA,IAAAnB,KAAA2G,EAAA3G,
GAAA2wC,GAAAz2B,EAAAvT,EAAA3G,IAAAmB,EAAA0C,KAAA7D,GAEA,MAAAsgF,EAAA/7E,OAAA9
F,EAAAyb,EAAAvT,EAAA3G,EAAAsgF,EAAA7hF,SACA4hF,EAAAl/E,EAAAnB,IAAAmB,EAAA0C,KAAA
7D,IAEA,OAAAmB,yBCfA,IAAA3B,EAAajB,EAAQ,QACrB60D,EAAe70D,EAAQ,QACvBwF,EAAcxF,EAAQ,
QACtB0sE,EAAe1sE,EAAQ,IAGAxrC,EAAAv1C,IAAAa,eAAAQ,EACA2/E,EAAAzrC,IAA
Ap0C,cAAAE,EAUA,SAAAy1D,EAAA52D,GAEA,oBAAAA,EACA,OAAAA,EAEA,GAAAqE,EAAArE,GAEA
,OAAA0zD,EAAA1zD,EAAA42D,GAAA,GAAA2U,EAAAvrE,GACA,OAAA8gF,IAAA5hF,KAAAc,GAGA,
GAAA,GAEA,IAAAyB,EAAAzB,EAAA,GACA,WAAAyB,GAAA,EAAAzB,EAAA6gF,IAAA,KAAAp/E,EAGApD,
EAAAD,QAAAw4D,wBCpBA,IAAAnE,EAAAgB5zD,EAAQ,QACxBkmD,EAAUlmD,EAAQ,QAClBw+D,
EAAex+D,EAAQ,QAGvBkiF,EAAA,IAYA,SAAAriB,EAAAp+D,EAAAN,GACA,IAAAynB,EAAA/oB,EAAA/oB,
EAAAz3C,EAAA0wD,EAAA23C,GAGA,OAAAK,EAGA5uB,aAAAgrC,EAAA,CACA,IAAAuuB,EAAAv5D,EAA
A4uB,SACA,IAAA0O,GAAAi8B,EAAAn8E,EAAAEAGA,OAFAv5D,EAAAA78E,KAAA,CAAA7D,EAAAN,E
AAAN,IACAM,EAAAw3C,SAAAw3C,EAAAyuB,KAAAw3C,GAAAi8B,KAGAKAGAL,EAAAD,QAAAsgE,qCChC
Aj/D,OAAAAC,eAAAtB,EAAA,cAAAtB,EAAA,cAA8C4B,OAAA,IAC9C,IAAAs7B,EAAAs7B,EAAA,MAACAsc,
EAAA,WACAzhB,EAAA,IACAKH,EAAA,IACAwa,EAAA,GACAvxC,EAAA,OACAwxC,EAAA,mdAEA15C,E
AAA25C,WAAA,CACAzc,SACAsc,WACAzhB,OAACAkH,OACAwa,OAACAvxC,OACAwxC,IAGA15C,EAAA6i
F,WAAA7iF,EAAA2iF,SAACAl9B,OAACAl9B,+3BACA35C,WACA35C,OCAAAk9B,EAAA+3B,i/BAySACA35C,
WACA35C,EAAAk9B,EAAAi/B,UACAACAIEAAAkI,UACAIl,EAAA05C,kCCVA,SAAA8E,IACA,SAGAv+C,EAA
AD,QAAAw+C,wBCtBA,IAAAsBv6C,EAAAQ,QAAA9BiyC,EAAAmBjyC,EAAAQ,QAG3BkC,EAAAtB,OA
AAkB,UAGAH,EAAAH,eAGAi8C,EAAA97C,EAAAA87C,EAAAAg1C,EAAAA,WAA8C,OAAAjuC,UAA9
C,IAAAkEiuC,EAAA,SAAAp5C,GACAlE,OAAA8wC,EAAA9wC,EAAAA1B,KAAAc,GAGAYACA1E,OAAA8w
C,EAAA9wC,EAAA39C,EAAAA1B,KAAAc,GAGAYACA68C,EAAAAAA,WAGA3B,EAAA3B,EAAAD,QAAAg
G,sBCnCA/F,EAAAD,QAAA,SAAAkC,EAAAmgF,GACA,wBAAAA,EAAAAEAAAA,EAAAAoBAAA,uBCSA,
SAAA0b,EAAAjvD,EAAAu8E,GACA,IAAAr8E,EAAAAF,EAAAAE,EAAAAE,OAEAf,EAAAA1E,KAAAAw1
E,GACA,MAAAr8E,IACAAF,EAAAAE,GAAAAF,EAAAAE,GAAAA7E,MAEA,OAAAw1D,qCCpBAj/D,OAAAA
C,eAAAp+D,EAAA,cAAAp+D,EAAA,cAA8Cs9C,OAAA,IAC9CmuT,EAAAAC,EAAAAzkE,GACAf,KAAAykE,
aAAAzkE,GACA,UAAA6hB,UAAA,qCAFA3lB,llB,EAAAAQ,EAAAAtD,EAAAA8tD,EAAAA8E,EAAAAA
E9iF,EAAAAD,QAAA8jE,sBC1BA7jE,EAAAA8tD,EAAAsgE,qCChAj/D,OAAAAC,cAA8C,dCnCA/F,EAAA
yC,UCuT,IAAAmuD,EAAAAex+D,EAAAAEAAQ,ACAQAAvB8/D,IAAAAmuD,EAAAAex+D,EAAAAEAAA
4,EAAAAAC,EAAAAnG,KAAAAoiB,IAAAAjd,EAAAAe,EAAAAe,IAKAAs9D,EAAAAvhE,UAAAmgB,IAA
AohD,EAAAAvhE,UAAAwD,KAAAw6D,EAAAACAuD,EAAAAvhE,UAAAA6Z,IAAAA2mE,EAAA9iF,EA
AEA9iF,EAAAD,QAAA8jE,sBC1BA7jE,EAAAD,QAAA,SAAA85C,GACA,sBAAAA,EAAAA1zB,MAAA1zB,U
AAA0zB,EAAA,uBACA,OAAAA,uBACA,OAAAA,yBCFA,IAAAh6C,EAAAh6C,EAAAQ,QAGvB6iF,EAAAA
h6C,EAAAQ,QAAAh6C,IAAA,WAAAyC,EAAAA7yC,EAAAQ,QAAA2yC,EAAAAsBAEAGAAEACAAvB0C,E
AAAAp+C,QAAA2yC,EAAAAnhF,GACA,OAAAAtB,EAAAAtB,IAAA23C,qCCGAj/D,OAAAAC,eAAAp+D,EA
AA,cAAAp+D,EAAA,cAA8Cs9C,OAAA,IAC9CmuT,EAAAAe,EAAAAAnzC,GACAf,GAAAAnzC,EAAAA51C
,EAAAAAh7D,IAAAAnhF,EAAAAsBAEAGAx6

C,EAAAD,QAAA4M,qCCpDA,IAAAo2E,EAAAviF,EAAA,QAAAwiF,EAAAxiF,EAAA2B,EAAA4gF,GAAqiB
C,EAAG,yBCAxiB,SAAA18D,GAyBA,SAAA28D,EAAA5lD,EAAA6lD,GAGA,IADA,IAAAC,EAAA,EACAziF,,
EAAA28B,EAAA72B,OAAA,EAAgC9F,GAAA,EAAQA,IAAA,CACxC,IAAAuM,EAAAowB,EAAA38B,GACA
,MAAAuM,EACAowB,EAAA/vB,OAAA5M,EAAA,GACK,OAAAuM,GACLowB,EAAA/vB,OAAA5M,EAAA,
GACAyiF,KACKA,IACL9lD,EAAA/vB,OAAA5M,EAAA,GACAyiF,KAKA,GAAAD,EACA,KAAUC,IAAMA,E
AChB9lD,EAAAnkB,QAAA,MAIA,OAAAmkB,EAKA,IAAA+lD,EACA,gEACAC,EAAA,SAAAC,GACA,OAA
AF,EAAAxuE,KAAA0uE,GAAAv5E,MAAA,IAuJA,SAAA8N,EAAA0rE,EAAAjxC,GACA,GAAAixC,EAAA1r
E,OAAA,OAAA0rE,EAAA1rE,OAAAy6B,GAEA,IADA,IAAAkxC,EAAA,GACA9iF,EAAA,EAAmBA,EAAA6i
F,EAAA/8E,OAAe9F,IAClC4xC,EAAAixC,EAAA7iF,GAAA,IAAAC,EAAA19E,GACA,OAAA8iF,EAAA4jB,QAAA,WAIA,IAHA,IAAA8/D,EAAA,GACAC,EAAAgjF,EAAAoM,UA
AAtG,OAAA,EAAAoC9F,IAAA,IAAAgjF,EAA8BhjF,IAAA,CAClE,IAAAszC,EAAAtzC,GAAA,EAAAoM,UAA
ApM,GAAA4lB,EAAA0hC,MAGA,qBAAAhU,EACA,UAAA7tB,EAAA,6CACK6tB,IAILyvC,EAAAzvC,EAAA
,IAAAyvC,EACAC,EAAA,MAAA1vC,EAAA2vC,OAAA,IAWA,OAJAF,EAAAR,EAAAprE,EAAA4rE,EAAAj0
E,MAAA,cAAAhN,GACA,QAAAA,KACGkhF,GAAAnuE,KAAA,MAEHmuE,EAAA,QAAAD,GAAA,KAKA1j
F,EAAA6jF,UAAA,SAAA5vC,GACA,IAAA6vC,EAAA9jF,EAAA8jF,jF,WAAA7vC,GACA8vC,EAAA,MAAArqB,
EAAAzlB,GAAA,GAcA,OAXA,OAAAivC,EAAAprE,EAAAm8B,EAAAxkC,MAAA,cAAAhN,GACA,QAAA
A,KACGkhF,GAAAthF,EAAA,KAEHyvC,EAAA,IAAA7vC,GAAA,IAAA6vC,EACAC,EAAA,MAAAE,GAAA,
MAGA6vC,EAAA,QAAA7vC,GAIAj0E,EAAA8jF,UAAA,SAAA7vC,GACA,YAAAA,EAAA9jF,EAAA8jF,UAAAm
MAGA6vC,EAAA,QAAA7vC,GAIAj0E,EAAAwV,UAAA,SAAAm/C,EAAA3mD,GACA,YAAAyH,EAAA9jF,E
AAA,WACA,WAAA3mD,GACA,IAAAm/C,UAAAm/C,EAAAprE,EAAAm8B,EAAAxkC,MAAA,cAAA
A,GACA,YAAAA,KACGkhF,GAAAjyC,EAAAprE,EAAAm8B,EAAAxkC,MAAA,cAAAi2E,GACA,GAAA1
jF,EAAAwV,UAAA,SAAA2mD,EAAAprE,GAAA,QAAA8N,GAAAm/C,UAAA,YAAAm/C,EAAAprE,EAAAm8
B,MAAA,WAAAA,QAAA,GACA,SAAA/kB,EAAAxrC,EAAAgE,GAAkC,OAAAwnC,EAAA+kB,OAAAvwD,EAAAgE,
jF,EAAA8jF,UAAA,SAAAi2E,GAAAjyC,EAAAprE,GAGAm/C,EAAA/kB,EAAAprE,EAAAm8B,EAAA,cAAA
A,GACA,YAAAA,KACGkhF,EAAA,IAAAA,EAAAwrC,EAAAAluC,OAAA0C,GA
CAwrC,EAAA+kB,OAAAvwD,EAAAgE,GAAgE,+CC5NAlN,EAAAD,QAAA,gGAEAyP,EAAP,MAAA,2BCHA,IAAAu5C,EA
AgBvoD,EAAAQ,EAACxBu3C,EAAiBv3C,EAAAQ,EACzB4sE,EAAAc5sE,EAAAQ,EACtBm4D,EAAAcn4D,EAAAQ,EA
CtBo6C,EAAAcp6C,EAAAQ,EAAStB,EAAA8jF,EAAAu/D,EAAAx6D,GACA,IAAAgB,EAAAEACAC,EAAA,MAAAjB,EAA
A,EAAAAA,EAAAiB,EAAAiB,EAAA,EAAAAA,EAAAAA,EAAAKAKA0L,EAAAz9D,EAAAUAA0zC,MAAA+S,E
ACAgX,EAAAz9D,EAAAUAAy1C,EAACgoB,EAAAz9D,EAAAUAAf,IAAA6rE,EAACArN,EAAAz9D,EAAAUAA6Z,IAAAw
8C,EACAoH,EAAAz9D,EAAAUAA6mB,IAAAyxB,EAEAo/D,EAAA56C,EAAAAD,QAAAggE,wBC/BA,IAAA/K,EAAex0D,E
AAQ,QACvBkBvF,EAAAkBvF,EAAAQ,EAAC1BwF,EAAAkBvF,EAAAQ,EACzBtB,E21D,EAAAc31D,EAAAQ,EACtBtB
E,EAAAc69C,EAAAe79
C,EAAAQ,EACvBozC,EAAAp/D,EAAP,MAAA,2BCHA,IAAAp/D,EAAAp/D,EAAAQ,EAAA4xC,EAAAywC,GACAzwC,EAA
AghB,EAAAhhB,EAAAAhhB,EAAA5xC,GAEA,IAAAmE,GAAAA,EAACAC,EAAAwtC,EAAAxtC,OACApD,EAAAxtC,OAACApD
,EAAAQ, apD,GAAAA,EAEA,EAAEACAC,EAAA

AAAmD,EAAAC,EAAA,CACA,IAAAvE,EAAA2xC,EAAAI,EAAAztC,IACA,KAAAnD,EAAA,MAAAhB,GAA
AqiF,EAAAriF,EAAAH,IACA,MAEAG,IAAAH,GAEA,OAAAmB,KAAAmD,GAAAC,EACApD,GAEAoD,EA
AA,MAAApE,EAAA,EAAAA,EAAAoE,SACAA,GAAA63C,EAAA73C,IAAA2vD,EAAAl0D,EAAAuE,KACAR
,EAAA5D,IAAA2D,EAAA3D,KAGApC,EAAAD,QAAAyhE,wBCtCA,IAAAx7D,EAAcxF,EAAQ,QACtBkzC,E
AAAYlzC,EAAQ,QACpB8zC,EAAmB9zC,EAAQ,QAC3BoC,EAAepC,EAAQ,QAUvB,SAAAw0D,EAAArzD,EA
AAS,GACA,OAAA4D,EAAArE,GACAA,EAEA+xC,EAAA/xC,EAAAS,GAAA,CAAAT,GAAA2yC,EAAA1xC,
EAAAjB,IAGA3B,EAAAD,QAAAi1D,wBCpBA,IAAAgK,EAAex+D,EAAQ,QAGvBkkF,EAAA,sBA8CA,SAA
A5qC,EAAA7wC,EAAA07E,GACA,sBAAA17E,GAAA,MAAA07E,GAAA,mBAAAA,EACA,UAAAx+D,UAA
Au+D,GAEA,IAAAE,EAAA,WACA,IAAAhpE,EAAA9O,UACA7K,EAAA0iF,IAAA93E,MAAAxM,KAAAub,K
AAA,GACAhG,EAAAgvE,EAAAhvE,MAEA,GAAAA,EAAAuG,IAAAla,GACA,OAAA2T,EAAArU,IAAAAU,G
AEA,IAAAmB,EAAA6F,EAAA4D,MAAAxM,KAAAub,GAEA,OADAgpE,EAAAhvE,QAAAuT,IAAAlnB,EAA
AmB,IAAAwS,EAACAxS,GAGA,OADAwhF,EAAAhvE,MAAA,IAAAkkC,EAAA+qC,OAAA7lB,GACA4lB,EAI
A9qC,EAAA+qC,MAAA7lB,EAEAh/D,EAAAD,QAAA+5C,qCCvEA14C,OAAAC,eAAAtB,EAAA,cAA8C4B,O
AAA,IAC9C,IAAAs7B,EAAAMACAsc,EAAA,QACAzhB,EAAA,IACAkH,EAAA,IACAwa,EAAA,GACAvxC,
EAAA,OACAwxC,EAAA,kaAEA15C,EAAA25C,WAAA,CACAzc,SACAsc,WACAI,KAAA,CACA7hB,EACAk
H,EACAwa,EACAvxC,EACAwxC,EACA,IAGA15C,EAAA+kF,QAAA,kF,QAAA/kF,EAAA25C,WACA35C,E
AAAk9B,SACAl9B,EAAAw5C,EACAWACAx5C,EAAA+3B,QACA/3B,EAAAi/B,SACAj/B,EAAAy5C,EAAAkI,
EAAA05C,oCC5BA,IAAAwb,EAAcz0D,EAAQ,QAStB,SAAAukF,EAAA/wC,GACA,gBAAAxxB,GAAA5xC,EAA
AA6yD,EAAAA7yD,EAAA4xC,EAAA4xC,IAIAh0C,EAAAADAAAglF,qCCZA/kF,EAAAD,QAAA,swECFA,IAAA
2C,EAAAtB,EAAAAkB,OAAAkB,UASA,SAAAqD,EAAAhE,GACA,IAAA6M,EAAA7M,EAAA7M,KAAA0H,Y
ACAtE,EAAA,mBAAAyJ,KAAAlM,WAAAI,EAEA,OAAAf,IAAAoD,EAAErH,EAAAQ,QACvB4u,D
,EAAgB5uD,EAAAQ,QACxBo+D,EAAep+D,EAAQ,OAARA,CAAAgB,WAC9BR9BR,EAAAD,QAAA,SAAA6I,EAA
Ao8E,GACA,IACA/yB,EAADA5qD,EAAAAQ,EAAAe,GAAAS,YAAAvG,IAAAuE,QAAAvE,IAAAmvD,E
AAAApqD,EAAAAR,GAAAu3D,IAAAomB,EAAA51B,EAAA6C,0BCPA,IAAAoE,EAAoB71D,EAAQ,QAC5BqF,
EAAAQ,QACvBwBwL,EAAkBxL,EAAQ,QA8B1B,SAAAuD,EAAA3B,GACA,OAAAA4J,EAAA5J,EAAAAi0
D,EAAAj0D,GAAAAyD,EAAAzD,GAGApC,EAAAD,QAAAgE,qCClCA/D,EAAAD,QAAA,WACA,IAEA,OAD
AqB,OAAA2C,KAAA,cACA,EACF,+BCAA,SAAAAgzC,EAAAxpC,GACA,IAAApG,GAAA,EACACAnD,EAAAA2K,
EAAA2K,MAAAApB,EAAAAkrC,EAAAMAKA,OAHArC,EAAAqpD,QAAA,SAAAr0D,EAAAAr0D,EAAAAM,GACA
mB,EAAA,CAAAAtE,EAAAN,EAAAM,EAAAN,GAGAApC,EAAAD,QAAAo2C,qCCChBA/D,EAAAD,QAAAo2C,E
AAAA,cAA8C4B,OAAA,IAC9C,IAAA2C,EAAAtB,EAAAAkB,OAAAkB,UASA,SAAAqD,EAAAhE,GACA,IAAA6M,
EAAA7M,EAAA7M,KAAA0H,YACAtE,EAAA,mBAAAyJ,KAAAlM,WAAAIEA15C,EAAAA25C,WAAA,CACAzc,SACA
sc,WAAAI,KAAA,CACA7hB,EACAkH,EACAwa,EACAvxC,EACAwxC,EACA,IAGA15C,EAAA+kF,QAAA,kF,QAAA
+kF,EAAAA25C,WACAA35C,EAAAk9B,SACAl9B,EAAAw5C,EACAWACAx5C,EAAA+3b,QACA3b,EAAAi/b,S
ACAj/b,EAAAy5C,EAAAkI,EAAA05C,kCCrBA,IAAAyrC,EAAcz0D,EAAQ,QASS,SAAAyrC,EAAAjjF,GACA,gB
AAAg,GAAAAAAG,GACA,aAAAA,EAAAAoAAAU,OAAAAOAAU,EAAAAAAV,EAAAAg,GAAAG,GAGA,aAAAA,E
AAAAV,EAAAAAAH,IAIAjC,EAAAAADAAAmlF,wBCba,IAAA9wB,EAAcBCbaA,IAAAA9wb,EAAAgb5zb
,EAAQ,OAARA,EAAAQ,QASxBSxb,EAAAQ2/b,SAAAAxb,EAAAA2/b,DIACA9/b,KAAA23C,EAAAA05E,E
AAAAACA,kBACAA,IAGAA,EAACA57b,OAAAArC,QAAAAqc,UAAAAnc,KAAAA,WACA,WACA+9b,EAAAB
EAAAA7b5zb,EAAQAWACA+9b,GAAA,EAAAAGAAAEACAA57b,E,OAAAArC,QAAAAqc,UAAAA1lD,D,G
,AAAAM,KAAAEAAACAAIAGAA,EACA,AAAb+b,KAAAAyAA+b,JAAb57b,OAAAArc,QAAAAqc,UAAANWAA
C,EAAAJkBxL,EAAAAQ,A8Bb1AxL,E,AAAA,QA8B1b,SAAAAuD,EAAA3B,GACA,OAAAA4J,EAAA5J,EAAA
i0D,E,AAAAj0D,GAAAAyD,E,AAAAzD,GGOA,EAAAA,E,AAAA,QACA,AAAAOAAAU,EAAAAAAA,V
,OAAAA,IAAAM,AAAMKAAAI,EAAAAAAAA,JAIAjC,EAAADAAAmlF,

AAA+5D,EAAAH,EAAAjqB,GACA/7B,EAAAmmD,EAAAnmD,SACAC,EAAAkmD,EAAAlmD,UACAC,EAA
AimD,EAAAjmD,UAEA,8BAAA9qB,KAAA4qB,EAAAE,EAAAD,GACA87B,EAGAmqB,EAAAD,EAAAlqB,I
AGA,IAAAqqB,EAAAf,MAAAx7E,OAAAw8E,uBAAA38E,SAAA48E,cACAC,EAAAlB,GAAA,UAAAjwE,KA
AAgsD,UAAAvR,WASA,SAAA22B,EAAA76E,GACA,YAAAA,EACAy6E,EAEA,KAAAz6E,EACA46E,EAEA
H,GAAAG,EAUA,SAAAE,EAAA1qB,GACA,IAAAA,EACA,OAAAryD,SAAA0N,gBAGA,IAAAsvE,EAAAF,E
AAA,IAAA98E,SAAA0iB,KAAA,KAGAikB,EAAA0rB,EAAA1rB,cAAA,KAEA,MAAAA,IAAAq2C,GAAA3q
B,EAAA4qB,mBACAt2C,GAAA0rB,IAAA4qB,oBAAAt2C,aAGA,IAAAh7B,EAAAg7B,KAAAh7B,SAEA,OAA
AA,GAAA,SAAAA,GAAA,SAAAA,GAMA,wBAAAlL,QAAAkmC,EAAAh7B,WAAA,WAAA2wE,EAAA31C,,
EAAA,YACAo2C,EAAAp2C,GAGAA,EATA0rB,IAAAlnD,cAAAuC,gBAAA1N,SAAA0N,gBAYA,SAAAwvE,
EAAA7qB,GACA,IAAA1mD,EAAA0mD,EAAA1mD,SAEA,eAAAA,IAGA,SAAAAoxE,EAAA1qB,EA
AApvB,qBAAAovB,GAUA,SAAA8qB,EAAA37E,GACA,cAAAA,EAAAM,WACAq7E,EAAA37E,EAAAM,YA
GAN,EAWA,SAAA47E,EAAAC,EAAAC,GEA,IAAAD,MAAAz+E,WAAA0+E,MAAA1+E,SACA,OAAAoB,,
SAAA0N,gBAIA,IAAAglB,EAAA2qD,EAAAnuE,wBAAAouE,GAAAC,KAAAC,4BACA99E,EAAAgzB,EAAA
2qD,EAAAC,EACA15E,EAAA8uB,EAAA4qD,EAAAD,EAGA9a,EAAAviE,SAAAwiE,cACAD,EAAAkb,SAAA
/9E,EAAA,GACA6iE,EAAAmb,OAAA95E,EAAA,GACA,IAAA+5E,EAAApb,EAAAob,wBAIA,GAAAAN,IAAA
M,GAAAL,IAAAK,GAAAj+E,EAAAuH,SAAArD,GACA,OAAAs5E,EAAAS,GACAA,EAGAZ,EAAAAY,GAIA,
IAAAC,EAAAAT,EAAAE,GACA,OAAAO,EAAAv7C,KACA+6C,EAAAQ,EAAAv7C,KAAAi7C,GAEAF,EAAA
C,EAAAAF,EAAAG,GAAAj7C,MAYA,SAAAw7C,EAAAxrB,GACA,IAAAyrB,EAAAx6E,EAAAAtG,OAAA,QA
AA1D,IAAAgK,UAAA,GAAAA,UAAA,SAEAy6E,EAAA,QAAAD,EAAAnyE,EAAA0mD,yBACAnyE,EAAA0mD,
SAEA,YAAAA,GAAA,SAAAA,EAAA,CACA,IAAA6gB,EAAA6lC,EAAAlnD,cAAAuC,gBACAsswE,EAAA3rB
,EAAAlnD,cAAA6yE,kBAAAxxD,EACA,OAAAAwxD,EAAAD,GAGA,OAAAA1rB,EAAA0rB,EAAA0rB,GAYA,
SAAAE,EA
AA13C,EAAA8rB,GACA,IAAAAlhC,EAAA7tB,EAAAAtG,OAAA,QAAA1D,IAAAgK,UAAA,IAAAA,UAAA,GA
EAgxB,EAAAupD,EAAAxrB,EAAA,OACA99B,EAAAspD,EAAAxrB,EAAA,QACA6rB,EAAA/sD,GAAA,IAK
A,OAJAoV,EAAAz4B,KAAAwmB,EAAA4pD,EAACA33C,EAAAoS,QAAArkB,EAAA4pD,EACA33C,EAAAlT,
MAAAkB,EAAA2pD,EACA33C,EAAAjX,OAAAiF,EAAA2pD,EACAEAaA,SAAA43C,EAAA1sD,EAAA2
sD,GACA,IAAAAC,EAAA,MAAAD,EAAA,aACAEAaA,SAAAD,EAAA,iBAEA,OAAAvuD,WAAA2B,EAAA,
SAAA4sD,EAAA,aAAAvuD,WAAA2B,EAAA,SAAA6sD,EAAA,aAGA,SAAAAC,EAAAH,EAAAH,EAAA17D,
EAAAgyD,GACA,OAAA/5E,OAAA5E,EAAAKAAA2sB,EAAA1O,EAAA4hE,SAAA07D,GAAA17D,EAAA,SAAA
1N,EAAA,SAAA4xE,EAAA4xE,SAAA4xD,GAAAskD,EAAA,qBAAAJ,EAAAAgBAAAlkD,SAAAskD,EAAA,q
BAAAJ,EAAA
A,uBAGA,SAAAAK,EAAAz+E,GACA,IAAA0iB,EAAA1iB,EAAA0iB,KAACA8wE,EAAAxsB,EAAA0N,gBACA8
wE,EAAA1B,EAAA,KAAA5uD,iBAAAA1B,GAEA,OAACAgJ,OAAA+oD,EAAAA1B,IBAAA1B,GAEA,OACA
,EAAAA1B,EAAAA,SAAA77D,EAAA8J,EAAAAgyD,GAACAlwD,MAAAiwD,EAAA,QAAA77D,EAAA8J,EAA
AAgyD,IAIA,IAAAt5B,EAAAAt5B,EAAA,SAAAqa,EAAAAzkE,GACA,KAAAAykE,EAAAAzkE,OAAA,QAAA1
D,IAAA0kE,EACA,OAAAAdO,EAAA,IBAAA1B,GAEA,OACA,EAAAAdO,EAAAAZS,dBAAA+oD,gBAAA1B
oE,EAAA,QAAA77D,EAAA8J,EAAAAgyD,IAIA,IBAAAG,EAAAA,A,
A,uBAGA,SAAAAM,EAAAAAAAkJ,EAAAAtI,EAAAAN,GAYA,OAAAX,EAAAAz+E,GAAAA,SAAA77D,
EAAA8J,EAAAAgyD,G,
ACAAlwD,MAAAAiwD,EAAA,QAAA77D,EAAA8J,EAAAAgyD,IAIA,IAIA,IAAAAt5B,EAAAAt5B,EAAAqa,E
AAAAzkE,GACA,KAAAAA5B,EAAAAzkE,OAAA,QAAA1D,IAAA0kE,EACA,OAAAAdO,EAAA,IBAAA1B,G
EAA,OACAAgJ,EAAAgJ,EAAAlkD,SAAAA77D,EAAA8J,EAAAAgyD,IAIA,IAAAAt5B,EAAAAt5B,EAAAAqa,
EAAAAzkE,GACA,KAAAAA5B,EAAAAzkE,OAAA,QAAA1D,IAAA0kE,EACA,OAAAdO,EAAA,IBAAA1B,
GAEA,OACAAgJ,EAAAgJ,EAAAlkD,SAAAA77D,EAAA8J,EAAAAgyD,IIAIA,IAAAAt5B,EAAAAt5B,EAAAqa
,EAAAAzkE,GACA,KAAAAA5B,EAAAAzkE,OAAA,QAAA1D,IAAA0kE,EACA,OAAAdO,EAAAA,IBAAA1B,
GAEA,OACAAgJ,EAAAgJ,EAAAlkD,SAAAskD,EAAAAqBAAAJ,EAAA
A,uBAGA,SAAAAK,EAAAz+E,GACA,IAAA0iB,EAAA1iB,EAAA0iB,KAACA8wE,EAAAxsb,EAAA1O,EAAA
SAAA07D,GAAA17D,EAAA,SAAA1N,EAAA,SAAA4xE,EAAA4xE,SAAA4xD,GAGAACAlwD,MAAAAiwD,
E,
ACAlwD,MAAAAiwD,EAAA,QAAA77D,EAAA8J,EAAAAgyD,IAIA,IAIA,IAAt5B,EAIA,IAAAAt5B,EAAAt5
B,EAAAqa,EAAAzkE,GACA,KAAAAzkE,OAAA,QAAA1D,IAAA0kE,EACA,OAAAdO,EAAAA,IBAAA1B,G
AEA,OACAAgJ,EAAAgJ,EAAAlkD,SAAA77D,EAAA8J,EAAAAgyD,IIAIA,IAAt5B,EAIA,IAAAAt5B,EAAt5
B,EAAAqa,EAAAzkE,GAAAQAAAz XB,GAACA6lD,EAAA24C,EAAAAtkD,IAAAskD,IAIA,gBAAAAjiD,EAA
A+jE,EAAAAAC,GA
GA,OAFAD,GAAAArB1B,EAAAA1uC,EAAAAhC,EAAAAhC,EAAAUAAA+lE,GACAC,EAAAAt1B,EAAA
EAAA,SAAAAAC,EAAA4nB,EAAAAD EAAt5B,EAAAA,t1C,GACA,QAAAAlN,EAAAAEAAA,EAAAiBA,
EAAAAoM,UAAAtG,OAAsB9F,IAAA,CAACAvC,EAACvC,IAAAAkqB,EAAA9d,EAAAAxpB,EAAAA9d,E
AAA3rB,EAAAA3oB,EAAAAAAC,eAAAA2L,EAAA,IAAAAzkE,EAAAAkqB,EAAA3L,GACAAyxE,EAACA
xIB,EAAA-pB,EAAA3oB,EAAAAC AAA2L,CAACA2L,EAAAA3L,GGA,OAAAA9jE,EAAA
AAAoS,QAAArkB,EAAAAEAAAiBA,EAAAioM,KAAAAsI,EAACAnJ,OAAAAC,eAAAA2L,EAAAAi/B,E
AAAAAAAkJ,EAAAAtI,EAAAAN,GAYA,OAAAAz5B,5B,IAEH,IAAA

C,EAAA,CACAy5B,KAAAkT,EAAAlT,KACAvlB,IAAAy4B,EAAAz4B,IACAwgB,MAAAiY,EAAAjX,MAAAi
X,EAAAlT,KACAmC,OAAA+Q,EAAAoS,OAAApS,EAAAz4B,KAIA8wE,EAAA,SAAAvsB,EAAA1mD,SAAA
8yE,EAAApsB,EAAAlnD,eAAA,GACAmjB,EAAAswD,EAAAtwD,OAAA+jC,EAAAtO,aAAAnqD,EAAA01B,
MAAA11B,EAAAy5B,KACAmC,EAAAopD,EAAAppD,QAAA68B,EAAA9W,cAAA3hD,EAAA++C,OAAA/+C
,EAAAkU,IAEA+wE,EAAAxsB,EAAA1iC,YAAArB,EACAwwD,EAAAzsB,EAAA/uB,aAAA9N,EAIA,GAAAq
pD,GAAAC,EAAA,CACA,IAAArtD,EAAA6qD,EAAAjqB,GACAwsB,GAAAV,EAAA1sD,EAAA,KACAqtD,G
AAAX,EAAA1sD,EAAA,KAEA73B,EAAA00B,OAAAuwD,EACAjlF,EAAA47B,QAAAspD,EAGA,OAAAJ,EA
AA9kF,GAGA,SAAAmlF,EAAArmE,EAAA3G,GACA,IAAAitE,EAAA17E,UAAAtG,OAAA,QAAA1D,IAAAg
K,UAAA,IAAAA,UAAA,GAEAu5E,EAAAC,EAAA,IACAmC,EAAA,SAAAltE,EAAApG,SACAuzE,EAAA9rD,
EAAA1a,GACAymE,EAAA/rD,EAAArhB,GACAqtE,EAAA5C,EAAA9jE,GAEA+Y,EAAA6qD,EAAAvqE,GAC
AstE,EAAAvvD,WAAA2B,EAAA4tD,eAAA,IACAC,EAAAxvD,WAAA2B,EAAA6tD,gBAAA,IAGAN,GAAAC
,IACAE,EAAArxE,IAAArJ,KAAA2sB,IAAA+tD,EAAArxE,IAAA,GACAqxE,EAAA9rD,KAAA5uB,KAAA2sB,
IAAA+tD,EAAA9rD,KAAA,IAEA,IAAAsrD,EAAAAD,EAAA,CACA5wE,IAAAoxE,EAAApxE,IAAAqxE,EAAA
rxE,IAAAuxE,EACAhsD,KAAA6rD,EAAA7rD,KAAA8rD,EAAA9rD,KAAAisD,EACAhxD,MAAA4wD,EAAA
5wD,MACAkH,OAAA0pD,EAAA1pD,EAAA1pD,SASA,GAPAmpD,EAAAY,UAAA,EACAZ,EAAAtvD,WAAA,GAMAwt
D,GAAAoC,EAAA,CACA,IAAAM,EAAAzvD,WAAA2B,EAAA8tD,UAAA,IACAlwD,EAAAAS,WAAA2B,EAA
ApC,WAAA,IAEAsvD,EAAA7wE,KAAAuxE,EAAAAE,EACAZ,EAAAhmC,QAAA0mC,EAAAAE,EACAZ,EAAA
trD,MAAAisD,EAAAjwD,EACASvD,EAAArvD,OAAAgwD,EAAAjwD,EAGAsvD,EAAAAY,YACAZ,EAAAtvD,
aAOA,OAJAwtD,IAAAmC,EAAAjtE,EAAA9K,SAAAm4E,GAAArtE,IAAAqtE,GAAA,SAAAA,EAAAzzE,YA
CAgzE,EAAAAV,EAAAAU,EAAA5sE,IAGA4sE,EAGA,SAAAa,EAAAntB,GACA,IAAAotB,EAAAn8E,UAAAtG,
OAAA,QAAA1D,IAAAgK,UAAA,IAAAA,UAAA,GAEAkpB,EAAA6lC,EAAAlnD,cAAAuC,gBACAgyE,EAA
AX,EAAA1sB,EAAA7lC,GACA8B,EAAA7pB,KAAA2sB,IAAA5E,EAAAu3B,YAAA5jD,OAAA2jD,YAAA,GA
CAtuB,EAAA/wB,KAAA2sB,IAAA5E,EAAA+uB,EAAAp7C,OAAAm7C,aAAA,GAEAhnB,EAAAmrD,EAAAA,E
AAA5B,EAAArxD,GACA+H,EAAAkrD,EAAA7rD,EAAAAS5B,EAAArxD,EAAA,QAEAvvB,EAAA9K,SAAA6Q,IAAA
wmB,EAAAorD,EAAA5xE,IAAA4xE,EAAAAH,UACAlsD,KAAAkB,EAAAmrD,EAAArsD,KAAAqsD,EAAArw
D,WACAf,QACAkH,UAGA,OAAAkpD,EAAAzhF,GAWA,SAAA0iF,EAAAttB,GACA,IAAA1mD,EAAA0mD,
EAAA1mD,SACA,eAAAA,GAAA,SAAAA,IAGA,UAAA2wE,EAAAjqB,EAAA,aAAApD,EAAA,aAAAlqB,E,
KAWA,SAAAutB,EAAAvtB,GAEA,IAAA,IAAAMAAAwtB,eAAA/C,EAAA/CACA,OAAA98E,EAAA0N,gBAEA,I
AAAjB,EAAAxE,EAAAvE,cAEA,OAAA,SAAA6Q,EAAA1mD,SAGA,UAAA2wE,EAAAjqB,EAAA,aAAAulB,E,
U
AAAtG,OAAA,QAAA1D,IAAAgK,UAAA,IAAAA,UAAA,GAIA48E,EAAA,CAAoBpyE,IAAA,EAAAulB,KAA
A,GACpBsT,EAAAAq4C,EAAAAY,EAAAAG,GAAA3C,EAAA2C,EAAAAC,GAGA,gBAAAAC,EACAC,EAAAV,EAA
A74C,EAAAq4C,EAAACG,EAACAEH,IAAAmB,OAAA,EAACA,iBAAAF,GACAAE,EAAA3D,EAAAAD,EAAAyD,IACA,S
AAAG,EAAAAx0E,EACAw0E,w0E,EAAAAJ,EAAA50E,cAAAuC,kBAGAAyyE,EAADK,WAAAF,EACLF,EAAA50E,cA
AAuC,gBAEAAyE,EAADK,IAAAAtB,EAAAAI,EAAAoB,EAAAAx5C,EAAAAq4C,EAAAAx0E,UAA
Ag0E,EAAAAh5C,GAWAu5C,EAAAAvB,MAXA,CACA,IAAA,IAAyB,EAAA3B,EAAAAsB,EAAAAAS0E,eACAAA4qD,E
AAA5qD,OACAAAIH,EAAAAA8xD,EAAAAAAAY9xD,MAEAAA4xD,EAAA8pyE,KAAA6wE,EAAAAAA7wE,EACAAAAAAsrD,
MAAAAAAsrD,EAAA,EAACAAAtvD,WAACA6wD,EAAAAtrD,EAACAAQAE,KAAA,EACA,IAAA8sD,EAAA,S
AAA,kBAAA9sD,EAMA,OALA2sD,EAAAAgtD,EAAAA9sD,E,IAAAF,MAAA,EACA6sD,EACA6sD,E,KAAA,E
AAAvnC,QAAA0nC,E,OAAAA,E4wD,EAAAAAvnC,QAAA0nC,E,IAAAjE,EAAAuEunC,EAAAEAGA,SAAAI,EAAAllC,G
ACA,IAAAAAA9sB,EAAAAA8sB,EAACAAA8s
B,EAAA9sB,MACAAkH,EAAAAA4lB,E,OAEA,OAAAAlH,EAAAAYA,SAAA+qD,EAAAAAC,EAAAA,UA
AA,KAEA,QAAAAk9E,EAACAA//E,QAAA,QACAA+E,OAAA+/E,EAAAAN,EAACAE,EAAAAN,EAAAAC,EAAAAzsD,
EAAA0sD,GAEA,CACACACA5yE,EAACA,CACAwgB,MAAAA4xD,EAACA5xD,MACAkH,OAAAAirD,E,MACAAkG,OAAA
irD,EACAAAAirD,E,MACAAmxD,E,IAAAAoyE,KAAA6wE,EAAAAAA7wE,EACAAAAAsrD,MAAAAAAsrD,EAAA,EAC
AAAtvD,WAACA6wD,EAAAAtrD,EAACAAQAE,KAAA,EACA,IAAA8sD,EAAA,SAAA,kBAAA9sD

AAA8nC,EAAA9nC,QAEAtlB,KAAA,CACA/E,MAAAmyD,EAAAptD,KAAA6sD,EAAA7sD,KACAmC,OAAA
0qD,EAAA1qD,SAIAmrD,EAAA/oF,OAAA2C,KAAAmmF,GAAAv9E,IAAA,SAAA1K,GACA,OAAA4/C,EAA
A,CACA5/C,OACKioF,EAAAjoF,GAAA,CACLmoF,KAAAN,EAAAI,EAAAjoF,QAEGoL,KAAA,SAAA8D,EA
AAC,GACH,OAAAA,EAAAg5E,KAAAj5E,EAAAi5E,OAGAC,EAAAF,EAAAtyE,OAAA,SAAAk3D,GACA,IA
AAj3C,EAAAi3C,EAAAj3C,MACAkH,EAAA+vC,EAAA/vC,OACA,OAAAlH,GAAAyxD,EAAAh8B,aAAAvu
B,GAAAuqD,EAAAxkC,eAGAulC,EAAAD,EAAA7jF,OAAA,EAAA6jF,EAAA,GAAApoF,IAAAkoF,EAAA,G
AAAloF,IAEAsoF,EAAAAP,EAAAx6E,MAAA,QAEA,OAAA86E,GAAAC,EAAA,IAAAEAAA,IAaA,SAAAC,
EAAAvlE,EAAAskE,EAAAC,GACA,IAAAhb,EAAA17E,UAAAtG,OAAA,QAAA1D,IAAAgK,UAAA,GAAAA
,UAAA,QAEA29E,EAAAjC,EAAAY,EAAAG,GAAA3C,EAAA2C,EAAAC,GACA,OAAAjB,EAAAiB,EAAAiB,
EAAAjC,GAUA,SAAAkC,EAAA7uB,GACA,IAAAlyD,EAAAkyD,EAAAlnD,cAAA0C,YACA4jB,EAAAtxB,E
AAA+tB,iBAAAmkC,GACAp0D,EAAA6xB,WAAA2B,EAAA8tD,WAAAzvD,WAAA2B,EAAA0vD,cACA9a,E
AAAv2C,WAAA2B,EAAApC,YAAAS,WAAA2B,EAAA2vD,aACAxnF,EAAA,CACA00B,MAAA+jC,EAAA1i
C,YAAA02C,EACA7wC,OAAA68B,EAAA/uB,aAAArlC,GAEA,OAAArE,EAUA,SAAAynF,EAAAb,GACA,IA
AAztE,EAAA,CAAcsgB,KAAA,QAAA/D,MAAA,OAAAqpB,OAAA,MAAA7qC,IAAA,UACd,OAAA0yE,EAA
A77E,QAAA,kCAAA4N,GACA,OAAAQ,EAAAR,KAcA,SAAA+uE,EAAAvB,EAAAwB,EAAAf,GACAA,IAA
Ax6E,MAAA,QAGA,IAAAw7E,EAAANn,EAAAnB,GAGA0B,EAAA,CACAnzD,MAAAkzD,EAAAlzD,MACAk
H,OAAAgsD,EAAAhsD,QAIAksD,GAAA,qBAAAjhF,QAAA+/E,GAAAmB,EAAAD,EAAA,aACAE,EAAAF,E
AAA,aACAG,EAAAH,EAAA,iBACAI,EAAAJ,EAAA,iBASA,OAPAD,EAAAE,GAAAJ,EAAAI,GAAAJ,EAAA
M,GAAA,EAAAL,EAAAK,EAEAJ,EAAAAF,EAAAAO,IAGAH,EAAYA,SAAAlzE,EAAAlO,EAAAiR,GADApB,I
AAAoB,EAACAL,EAAAAK,GAAAJ,EAAAM,GAAA,EAAAK,EAAAM,GAAA,EAAAE,EAAAAO,IAGAH,E
AP,EAAAF,EAAAAO,IAGAH,EAAYA,SAAAlzE,EAAAlO,EAAAiR,GADApB,IAAAoB,EAACAL,EAAAAK,GA
EAP,EAAAF,EAAAAO,IAGAH,EAAYA,SAAAlzE,EAAAlO,EAAAiR,GADApB,IAAAoB,EAACAL,EAAAAK,GA
AAJ,EAAAM,GAAA,EAAAK,EAAAM,GAAA,EAAAE,EAAAAO,IAGAH,EAAYA,SAAAlzE,EAAAlO,EAAAiR
B,GAEA,GAAAoM,MAAAzL,UAAAipF,UACA,OAAA1hF,EAAA0hF,EAAAU,AAAAh1E,GACA,OAAAA,EAA
A8S,KAAA1nB,IAKA,IAAA4S,EAAAAwD,EAAAAlO,EAAA,SAAAAU,GACA,OAAAA,AEAAAriE,EAAAsiE,E
,OAAAkI,EAAAI,QAAAsK,GAaA,SAAAi3E,EAAAAC,EAAAAriE,EAAAAsiE,EAAAAiA,GAEA,IAAAAAC,OA
EAAD,IAAAA1hF,MAAAAEAAAwhF,EAAAAE,EAAAAiABA,OAAAjBAC,EAAAA31B,QAAA,SAAA0xB,
GACAA,EAAAaAEAApgE,QAAAAC,KAAAyDAEA,IAAAA1b,EAAAA67E,EAAAaAAAA,EAAAA77E,GACA6
7E,EAAAA5qE,SAAAAvV,EAAAAsE,EAAAKAIAud,EAAAA++D,QAAAAoB,OAAAArB,EAAAA9+D,EAAA
++D,QAAAAoB,QACAngE,EAAA++D,QAAAAqB,UAAAAtB,EAAAA9+D,EAAA++D,QAAAAqB,WAAEApg
E,EAAAvd,EAAAAud,EAAAs+D,QAAAs+D,EAAAAud,EAAAs+D,EAAAAEAAu+D,MAIAt+D,EAAAu+D,Q
AAA4A,EAAAo3D,eAAAxIB,AAAAvlD,IAAAAxiE,EAAAAC,ACA2/C,SAAA1oE,GACA,OAAAK,GAAAlO,E
AAAamN,GAAAb,EAAAA4wB,GACAu3D,AAAAupe,EAAAAAmF,UAAAAn,QAAAAi+E,EAAAAAu+E,UAAAA
pF,KAAAAmN,QAAAAi+E,EAAAAAu+E,UAAAAnuB,KAAAAmsB,kBAAAAppF,KAAAAmN,QAAAAi+E,EAA
AAu+E,UAAAAnuB,KAAAAvgC,SAGA3T,EAAAo3D,eAAAxIB,AAAAvlD,IAAAxiE,EAAA,Au+E,EAAAAz
qF,KAAAkpF,AOAAAngE,EAAA,Au+E,EAAA4gE,WAEA5gE,EAAA,Au+E,EAAAAo3D,eAAAxIB,A,SAAA5
4B,KAAAmN,QAAAAu+E,eAAA,mBAGA3iE,EAAAoiE,eAAArAAnrF,KAAAorF,AUAAAriE,EAAA,oB,KAA
A4kB,MAAAgnE,UAIA5rF,KAAAmN,QAAAA2+E,SAAA9iE,EAAA,9iE,IAHA/oE,AABA,OArBA5pE,KAAAm
N,QAAAA2+E,SAAA9iE,EAAA/oE,KAYA,SAAAgjE,AgjE,EAAAAAX,EAAAAY,GACA,OAAAAAZ,EAAAAA
a,KAAAA,SAAA1nC,GACA,OAAAA3jD,IAAA3jD,IAAAA2jDC,GACAA,AAAI3jD,AAAAA2jDD,EAAAAA2jDE,
AAAA3jDF,KACA6bA2jDB,EAAAA9nC,nC,EAAAA9nC,GAACAA,OAAAAAA7bAAAA7b,IAAAorF,AAAAA7
b,EAAAAAcsC,IAAAAu8B,EAAAAAmkD,EAAAA1gF,EAAAA+rF,AEAAA0H,MAAAAAA,GAAEAArJ,EAAA
AE,AAaiBA,GAAAA0gF,EAAAAAVDBAA,EAAAA0gF,OAAAAqB9F,IAAA,CACtC,IAAAu8B,EAAAAmkD,
EAAAA1gF,+rF,EAAAAxvD,EAAAAEAAAA,GAAAA,EAAAAuvD,EAAAAAnqF,EACA,wBAAAAmH,SAA
AA0iB,iB,MAAAAAAyhE,GACAA,OAAAAAA,EAGAA,EAGAA,IAAAAxiE,OAAAAEAAGAAYAQA,SAAAAxiB,I
AsBAAAOArBA5pE,AAAA,EACApE,AUAAAk4B,AA5rF,EAAAAKAAAxpF,OAAAAAv+D,MAAAAAimAiO,SA
AAA,GACAA54B,GACAA54BAAA5iE,AA5iE,OAAAAxiO,OAAAAKAAAxpF,OAAAAv+D,AAAAAAA54BAA
AAAE,EAGAA54BA,AAUAAArhE,AAAAAiO,SAAAAA,GACAA54BA,AUA,EAAAAxpF,OAAAAKAAAxpF,OA
AAAv+D,MAAAAAimAiO,SAAAA54BA,AUAAA7b,EAAAAAA9nC,nC,EAAAA9nC,GAAAAAA1nC,GACAA
3jD,AAAAAA2jDB,AAUAAAxiB,AAAAA9nC,nC,AAAAA9nC,GAAAAhEAAA3jD,IAAAA3jDC,GAAAA3jDD,A
AAAA3jDE,AAAAA3jDF,AUAAA7b,AAAAAxiB,AAAAA9nC,GAGA5,AAAAA54BAUAAA,GAAAA7bAAA9
nC,GAAAA54BAAAA54B,AUAAA7b,AAAA9nC,GAAAA54B,AUAAA7b,AAAA9nC,GAGA5AAAAA54BAU
AAA,GAAAA7bAAA9nC,GAAAAAA1nC,AUAAA7b,AAAA9nC,GAAAA54B,AUAAA7b,AAAA9nC,GAGA5
AAAAA54BAUAAA,GAAAA7bAAA9nC,AUAAA7b,mBAGA3iE,EAAAoiE,eAAAnrF,AAAA3iE,EAAAoiE,e
AAAnrF,AOAAA54B,AUAAA,KAAAA7b,AAAA9nC,nC,AAAAA9nC,AUAAA54BA,GAAAA7bAAA9nC,AU
AAA7b,AAUAAA7b,AAAAA9nC,GAGA5,AAAAA54BAUAAA,GAAAA7bAAA9nC,AUAAA7b,AUAAAA7b,A
AAA9nC,GAAAA54BAAAA54B,AUAAA7b,AUAAA7b,AAAA9nC,GAAAA54B,AUAAA7b,AUAAAAvgC,SA
GA3iE,AAUAA,54BAAAA,AUAAA7b,AUAAA9nC,AUAAA7b,AUAAAAvgC,SAGA3iE,AAUAA,54BAAAA,A
AUAA7b,AAvgC,AUAAA7b,AUAAAAvgC,AUAAA7b,AAAAAvgC,SAGA3iE,AAUAA,54BAAAA,AUAAA7b,
AUAAAAvgC,AUAAA7b,AUAAAAvgC,AUAAA7b,AUAAAAvgC,AUAAA7b,AUAAAAvgC,AUAAA7b,AU
AAAAvgC,AUAAA7b,AUAAAAvgC,AUAAA7b,AUAAA,kBA

GAlsF,KAAAssF,wBAIAtsF,KAAAmN,QAAAo/E,iBACAvsF,KAAAkpF,OAAAj+E,WAAAC,YAAAlL,KAAAk
pF,QAEAlpF,KAQA,SAAAwsF,EAAAhxB,GACA,IAAAlnD,EAAAknD,EAAAlnD,cACA,OAAAA,IAAA0C,YA
AA1N,OAGA,SAAAmjF,EAAAlE,EAAAz5D,EAAAziB,EAAAqgF,GACA,IAAAC,EAAA,SAAApE,EAAAzzE,
SACAvH,EAAAo/E,EAAApE,EAAAj0E,cAAA0C,YAAAuxE,EACAh7E,EAAA2J,iBAAA4X,EAAAziB,EAAA,
CAA4CugF,SAAA,IAE5CD,GACAF,EAAA9G,EAAAp4E,EAAAtC,YAAA6jB,EAAAziB,EAAAqgF,GAEAA,E
AAAjnF,KAAA8H,GASA,SAAAs/E,EAAA1D,EAAAh8E,EAAAyX,EAAAkoE,GAEAloE,EAAAkoE,cACAN,E
AAArD,GAAAjyE,iBAAA,SAAA0N,EAAAkoE,YAAA,CAAsEF,SAAA,IAGtE,IAAAG,EAAApH,EAAAwD,GA
KA,OAJAsD,EAAAAM,EAAA,SAAAnoE,EAAAkoE,YAAAloE,EAAA8nE,eACA9nE,EAAAmoE,EAAgBACAnoE,EA
AAooE,eAAA,EAEApoE,EASA,SAAAqoE,IACAjtF,KAAA4kB,MAAAooE,gBACAHtF,KAAA4kB,MAAAioE,E
AAA7sF,KAAAmpF,UAAAnpF,KAAAmN,QAAAnN,KAAA4kB,MAAA5kB,MAAA5kB,KAAAktF,iBAUA,SAAAC,GAAA
hE,EAAAvkE,GAcA,OAZA4nE,EAAArD,GAAAA5hE,oBAAA,SAAA3C,EAAAkoE,YAAA8nE,cAAA/
2B,QAAA,SAAApoD,GACAA,EAAAga,oBAAA,SAAA3C,EAAAkoE,eAIAloE,EAAAkoE,YAAA,KACAloE,E
AAA8nE,cAAA,GACA9nE,EAAAmoE,cAAA,KACAnoE,EAAAooE,eAAA,EACApoE,EAUA,SAAA0nE,KACA
tsF,KAAA4kB,MAAAooE,gBACArsC,qBAAA3gD,KAAAktF,gBACAltF,KAAA4kB,MAAAuoE,GAAAntF,KA
AAmpF,UAAAnpF,KAAA4kB,QAWA,SAAAosB,GAAAlvC,GACA,WAAAA,IAAAmvC,MAAAhY,WAAAn3B
,KAAAu6B,SAAAv6B,GAWA,SAAAsrF,GAAA5xB,EAAA5gC,GACA75B,OAAAA2C,KAAAk3B,GAAA+6B,Q
AAA,SAAA3sC,GACA,IAAAwC,EAAA,IAEA,qDAAA5hB,QAAAof,IAAAgoB,GAAApW,EAAA5R,MACAwC
,EAAA,MAEAgwC,EAAA7wC,MAAA3B,GAAA4R,EAAA5R,GAAAwC,IAYA,SAAA6hE,GAAA7xB,EAAAlq
D,GACAvQ,OAAA2C,KAAA4N,GAAAqkD,QAAA,SAAA3sC,GACA,IAAA1nB,EAAAgQ,EAAA0X,IACA,IA
AA1nB,EACAk6D,EAAAxmD,aAAAgU,EAAA1X,EAAA0X,IAEAwyC,EAAAlmD,gBAAA0T,KAcA,SAAAskE
,GAAAvkE,GAgBA,OAXAqkE,EAAArkE,EAAA2/C,EAAA2/C/C,SAAAwgB,OAAAAngE,EAAA6R,QAIAyyD,GAAAtkE,EA
AA2/C,SAAAwgB,OAAAAngE,EAAAzX,YAGAyX,EAAAwkE,EAAA,EAAAxsF,OAAA2C,KAAAqlB,EAAAyiE,aAAAr
lF,QACAinF,GAAAArkE,EAAAwkE,EAAAAxkE,EAAAyiE,aAGAziE,EAAa,SAAAykE,EAAAArE,EAAAAD,EAAAA/7
E,EAAAAsgF,EAAAA7oE,GAEA,IAAAA8lE,EAAAAP,EAAAAvlE,EAAAAskE,EAAAAC,EAAAAh8E,EAAAAu+E,eAKA/B,
EAAAAD,EAAAAv8E,EAAAAw8E,UAAAAe,EAAAAxB,EAAAAC,EAAAAh8E,EAAAAi+E,E,UAAAAnuB,KAAAAmsB,kBAAA
Aj8E,EAAAAi+E,UAAAAnuB,KAAAAvgC,SAQAOANAwsD,EAAAAl0E,aAAAcAAA20E,GAIAyD,GAAAAlE,EAA
A,CAAAqBtwD,SAAAAzrB,EAAAAu+E,cAAA,qBAErBv+E,EAUA,SAAAAugF,GAAA3kE,EAAAA5b,GACA,IAA
A/F,EAAA+F,EAAA/F,EAACAooE,EAAAAriE,EAAAAqiE,EACA0Z,EAAAAngE,EAAA++D,QAAAoB,OAIAyE,EAAAAj2
E,EAAAAqrR,EAAAA2/C,SAAA0iB,UAAA,SAAAA/D,GACA,IAAAAAnrF,EAAAA0mE,EAAAAnrF,EAAAAxgF,EAAAygF
,gBAEA99C,EAAAAo2C,EAAAAn9D,EAAAA2/C,SAAAwgB,OAAAAQACA2E,EAAAAtxD,EAAAAuT,GAGAlV,E
AAAA,CAACAHC,SAAAAswD,EAAAAtwD,UAMAkvD,EAAAA,CAACAtrD,KAAAA5uB,EAAAA5wB,C6uB,KAAAAw6C
,MAAAA8gC,EAAAA1sD,MAACvlB,IAAAArJ,KAAAAorB,EAAAAkwD,GAWA,SAAAA/jE,GAAAAirE,EAAAA5xB,E
AAAApnC,QACA2pB,EAAAAlE,EAAAAwD,GAAAAeC,GAAAA7qB,EAAAA7oB,EAAAAKAAAw6C,EAAAAyxD,GAAAAw
6C,MAAAA8gC,EAAAAzwD,GAQAGA+uD,EAAAAWAAApgF,EAAA,eACAqgF,EAAAA,UAAAjY,EAAAA,eAKAAse,EA
AAA5B,EAAAA,aAWA1vD,EAAAAOAAAA,EACAvlB,EAAAAEAqBA,GAhBAA,EAAAAJA,WAAAAuwE,EAA
GA,SAAAA13C,EAAAAAh7B,UACAAg7B,EAAAA4U,aAAAAojC,EAAAAhmC,QAAAAEA+rC,EAAA+rC,E,OAAAAmpD,E
AAAAhmC,OAGAAgmC,EAAAA7we,IAIA0lB,EAFA,UAAAirD,EACAA,SAAAA33C,EAAAAh7B,UACAAEAAAod,YAA
AA46B,EAAAArvD,OAAAA46B,EAAAAArvD,OAAAA,OAAAo1D,EAAAA,EAACAlzD,EAAAAAzD,EAAAAkzD,EAAAAArvD,OA
EAo1D,EAAAAp2D,MAAAAqwD,EAAAArvD,MAGAqvD,EAAAAtrD,KAEAoxD,EAAAAoxD,GAAAAE,EAACAlzD,EAAA
AA,eAAAAtxD,EAAAA,SACAA2jB,EAAAA4sD,EAAAAEACA5sD,EAAAA6sD,EAAAA,EAAAA,EACA7sD,EAAAA7sD,E,E
AAAAyxD,WAAA,gBACAG,CAEH,IAAAA0B,EAAAA,WAAAA,WAAAvG,EAAAA,IACAwG,EAAAA,UAAAAvG,EAAAA,ICA7
sD,EAAAA4sD,EAAAAvwE,EAAAA82E,EACANzD,EAAAA6sD,EAAAAjrD,EAAAAwxD,EACApzD,EAAAAyxD,WAAA,A
7E,EAAAA,KAAAAC,EAAIA,IAAAAn2E,EAAAACACA28E,E,cAAAAllE,EAAAA4gE,WAQA,OAJA5gE,EAAAAzX,E,WAA
AkwC,EAAAA,GAAAA+BlwC,EAAAAyX,EAAAAzX,EAAAAz5xB,E,YAC/ByX,EAAAA6R,OAAAA4mB,EAAAA,
GAAAA2B5mB,EAAAA7R,EAAAA6R,EWA7R,EAAAA6R,OAAAA3B7R,EAAAA6qC,EAAAAyiE,aAAAA1mE,E,
AAAAyiE,YAAAqC,EAAAAAyiE,EAAAjE,CziE,EAAaA,SAAAAolE,EAAAAA/C,GAAA/C,E,GAAA52E,E,AAAAgD,E
AAAAC,GACA,IAAAA52E,EAAAA0zE,EAAAA52E,EAAAA,EAAAA,IAAAAJ,E,AAAAAAK,E,AAAAAIACAK,E,AAAAAApnE,
E,AAAAAIA,IACA,EAAAA,SAACAA28E,EAAAA2jD,E,AAAAAA3jD,E,AAAAA3jD,E,KACA,OAAAAA,IAAAAAwtF,E,AGAG,IAAAAD
,EAAAAalD,KAAAA,SAAA

KAAAunE,EAAA,4BAAAD,EAAA,4DAAAA,EAAA,KAEA,OAAAD,EAUA,SAAAL,GAAAnlE,EAAA5b,GAC
A,IAAAuhF,EAGA,IAAAP,GAAAplE,EAAA2/C,SAAA0iB,UAAA,wBACA,OAAAriE,EAGA,IAAAwkE,EAAA
pgF,EAAAquD,QAGA,qBAAA+xB,GAIA,GAHAA,EAAAxkE,EAAA2/C,SAAAwgB,OAAAvf,cAAA4jB,IAGA
A,EACA,OAAAxkE,OAKA,IAAAA,EAAA2/C,SAAAwgB,OAAA94E,SAAAm9E,GAEA,OADAtmE,QAAAC,K
AAA,iEACA6B,EAIA,IAAA4gE,EAAA5gE,EAAA4gE,UAAAx6E,MAAA,QACAw/E,EAAA5lE,EAAA++D,QA
CAoB,EAAAyF,EAAAzF,OACAC,EAAAwF,EAAAxF,UAEAyF,GAAA,qBAAAhlF,QAAA+/E,GAEA98E,EAA
A+hF,EAAA,iBACAC,EAAAAD,EAAA,aACA3H,EAAA4H,EAAAz/E,cACA0/E,EAAAF,EAAA,aACAG,EAAA
H,EAAA,iBACAI,EAAA3E,EAAAkD,GAAA1gF,GAQAs8E,EAAA4F,GAAAC,EAAA9F,EAAAjC,KACAl+D,E
AAA++D,QAAAoB,OAAAjC,IAAAiC,EAAAjC,IAAAkC,EAAA4F,GAAAC,IAGA7F,EAAAlC,GAAA+H,EAA
A9F,EAAA6F,KACAhmE,EAAA++D,QAAAoB,OAAAjC,IAAAkC,EAAAlC,GAAA+H,EAAA9F,EAAA6F,IAE
AhmE,EAAA++D,QAAAoB,OAAArB,EAAA9+D,EAAA++D,QAAAoB,QAGA,IAAA+F,EAAA9F,EAAAlC,GA
AAkC,EAAAt8E,GAAA,EAAAmiF,EAAA,EAIAnkE,EAAA46D,EAAA46D,46D,EAAA18D,EAAA2/C,SAAAwgB,QACAgG,EA
AAj2D,WAAApO,EAAA,SAAAgkE,GAAA,IACAM,EAAAl2D,WAAApO,EAAA,SAAAgkE,EAAA,aACAO,EA
AAH,EAAAlmE,EAAA++D,QAAAoB,OAAAjC,GAAAiI,EAAAC,EAQA,OALAC,EAAAxhF,KAAA2sB,IAAA
3sB,KAAAyqD,IAAA6wB,EAAAr8E,GAAAmiF,EAAAI,GAAA,GAEArmE,EAAAwkE,eACAxkE,EAAA++D,Q
AAAoG,OAAAQ,EAAA,GAAAgD1tF,EAAA0tF,EAAAzH,EAAAr5E,KAAAorB,MAAAo2D,IAAApuF,EAAA0tF
,EAAAI,EAAA,IAAAJ,GAEhD3lE,EAUA,SAAAsmE,GAAAnF,GACA,cAAAA,EACA,QACG,UAAAA,EACH,
MAEAA,EAkCA,IAAAoF,GAAA,mKAGAC,GAAAAD,GAAA5lF,MAAA,GAYA,SAAA8lF,GAAA7F,GACA,IA
AA10C,EAAAxoC,UAAAtG,OAAA,QAAA1D,IAAAgK,UAAA,IAAAA,EAAA,GAEAvG,EAAAqpF,GAAA3lF,
QAAA+/E,GACAngF,EAAA+lF,GAAA7lF,MAAAxD,EAAA,EAAA,GAGA7lF,EAAAyD,OAAA4lF,GAAAMAAxD,EAAA,GAAAyD,OAAA4lF,GAAA7lF,MAAA,EAAAxD,EAAAxD,,
IACA,OAAA+uC,EAAAzrC,EAAAqpZ,EAAAqZ,UAAArZ,EAGA,IAAAimF,GAAA,CACAC,KAAA,OACAC,UAAA,YAC
AC,iBAAA,oBAUA,SAAA3yB,GAAAl0C,EAAAAl0C,5b,GAEA,GAAA4+E,EAAAhjE,EAAA2/C,SAAA0iB,UAAA,S
ACA,OAAAriE,EAGA,GAAAA,EAAA0iE,SAAA1iE,EAAA4gE,iEAE,kBAEA,OAAA5iE,EAAAsgE,YAAAJE,E
AAAsgE,YAAAAJ,EAAA2/C,SAAAwgB,OAAAngE,EAAA++D,QAAAygE,UAAAh8E,EAAAuvB,EAAAuvB,Q
AAAvvB,EAAAi8E,kBAAArgE,EAAA2iE,eAEA2iE,eAEA,eAEA,eEA/B,EAAA5gE,EAAA4gE,UAAAx6E,MAAA,QACA0gF,EAAAr
F,EAAAb,GACAO,EAAAnhE,EAAA4gE,YAAAx6E,MAAA,QACA,YAE2gF,EAAA,GAAA3iF,EAAA4iF,UA
CA,KAAAN,GAAAC,EAAACAI,EAAA,CAAAnG,EAAAkG,GACA,MACA,KAAAA8F,GAAAG,EiBACAE,EAA
AN,GAAA7F,GAAA,GAACA,MACA,QACAmG,EAAAmG,EAAAAGmG,EAAA,E
AAA3iF,EAAA4iF,UACA,KAAAxsD,GAAAD,EAAA4gE,46D,GAACA46D,4gECA,GAAAgvhF,EAAA4i
F,UACA,KAAAxsD,GAAA0G,EAAAAxG,EAAAvG,EAAAwG,EAAAAQ,AAAxG,EAAAyG,EAAAAW,AAAzG
,EAAAA0G,EAAAAG0G,EAAAAzB,EAAAAqBAAhlF,QAAA+/E,GAAA+/E,GACA4G,IAAApjF,EA
AAqjF,iBAAA5B,GAAA,UAAAA1E,EAAAAA1E,UAAA1E,EAAAAAgGAA tB,EAAAAQAAA1E,EAAAAiGAAv
B,EAAA,UAAA1E,EAAAAAkGAAxB,EAAAAQAA1E,EAAAmGAIEAJ,GAAAAK,GAAAC,KAEAxnE,EAAA0
iE,SAAA,GAEAwE,GAAAAAK,KACA3G,EAAAmG,EAAAA5pF,EAAA,IAGAqqFF,EAAA,IAGqF,IAC
ArG,EAAAmF,GAAAnF,EAAAAIAGAqqF,EAAAAmF,GAAAnhE,EAAA4gE,46E,aAAAO,EAAAAQ,
AAAO,OAAAA,IAAAnnE,EAAA,IAAAAnCz4B,EAAA,QAA
AoB,OAAAuB,EAAA1hE,EAAA2/C,SAAAwgE,OAAAngE,EAAA46E,EAAAqB,UAAAAg5E,EAAAoiE,YA
Ev
C5gE,EAAAoiE,EAAAApiE,EAAA2/C,SAAA0iB,UAAAriE,EAAA,WAGAA,EAUA,SAAA0nE,GAAA1nE,GAC
A,IAAA4lE,EAAA5lE,EAAA++D,QACA,IAAAA4lE,EAAA5lE,EAAA+eAAA,QACA,OACA,IAAA5gE,EAAA4gE,UAAA
x6E,MAAA,QACAw/E,EAAA5lE,E++EAAA5g,OAAAwF,EAAAxF,UAEAyF,GAAA,qBAAAhlF,QAAA+/E,G,G
ACA1C,EAAA2H,EAAA,iBACAiBACAG,EAAAAH,EAAAaACA5D,EAAAA4D,EAAAAaACA,OAPA1F,EAAAAjC,GAA

A7+B,EAAA+gC,EAAA4F,MACAhmE,EAAA++D,QAAAoB,OAAA6F,GAAA3mC,EAAA+gC,EAAA4F,IAAA
7F,EAAA8B,IAEA9B,EAAA6F,GAAA3mC,EAAA+gC,EAAAlC,MACAl+D,EAAA++D,QAAAoB,OAAA6F,G
AAA3mC,EAAA+gC,EAAAlC,KAGAl+D,EAeA,SAAA2nE,GAAAr8C,EAAA22C,EAAAJ,EAAAF,GAEA,IAA
Av7E,EAAAklC,EAAAngC,MAAA,6BACA5S,GAAA6N,EAAA,GACAqc,EAAArc,EAAA,GAGA,IAAA7N,EA
CA,OAAA+yC,EAGA,OAAA7oB,EAAA5hB,QAAA,MACA,IAAA4xD,OAAA,EACA,OAAAhwC,GACA,SACA
gwC,EAAAovB,EACA,MACA,QACA,SACA,QACApvB,EAAAkvB,EAGA,IAAAh7C,EAAAm4C,EAAArsB,GA
CA,OAAA9rB,EAAAs7C,GAAA,IAAA1pF,EACG,UAAAkqB,GAAA,OAAAA,EAAA,CAEH,IAAAgsB,OAAA,
EAMA,OAJAA,EADA,OAAAhsB,EACA5d,KAAA2sB,IAAApxB,SAAA0N,gBAAA6tC,aAAAp7C,OAAAm7C,
aAAA,GAEA72C,KAAA2sB,IAAApxB,SAAA0N,gBAAAq2C,YAAA5jD,OAAA2jD,YAAA,GAEAzV,EAAA,IA
AAl2C,EAIA,OAAAA,EAeA,SAAAqvF,GAAAvqF,EAAAwkF,EAAAF,EAAAkG,GACA,IAAA9I,EAAA,MAK
A+I,GAAA,qBAAAjnF,QAAAgnF,GAIAE,EAAA1qF,EAAA+I,MAAA,WAAA7C,IAAA,SAAAykF,GACA,OA
AAA,EAAAziF,SAKA0iF,EAAAF,EAAAlnF,QAAA8N,EAAAo5E,EAAA,SAAAC,GACA,WAAAA,EAAAjuB,
OAAA,WAGAguB,EAAAAE,KAAA,IAAAF,EAAAE,GAAApnF,QAAA,MACAqd,QAAAC,KAAA,gFAKA,IAA
A+pE,EAAA,cACAC,GAAA,IAAAF,EAAA,CAAAF,EAAApnF,MAAA,EAAAAsnF,GAAArnF,OAAA,CAAAmn
F,EAAAAE,GAAA7hF,MAAA8hF,GAAA,IAAAAtnF,EAAAAmnF,EAAAApnF,GAAA,IAAAAtnF,OAAAmnF,
EAAApnF,MAAAAsnF,EAAAA,MAAAF,GAqCA,OAlCAI,IAAA5kF,IAAA,SAAAixE,EAAAr3E,GAEA,IAAA8kF,
GAAA,IAAA9kF,IAAA,IAAA2qF,KAAA,iBACAM,GAAA,EACA,OAAA5T,EAAGxiB,OAAA,SAAAjqD,GAC
A,WAAAAD,IAAA3K,OAAA,mBAAAyD,QAAAAmH,IACAD,IAAA3K,OAAA,GAAA4K,EACAA,EAAAE
ACArgF,GACOqgF,GACPrgF,IAAA3K,OAAA,IAAA4K,EACAAoqF,GAAA,EACAAragF,GAEAA,EAAAnH,OAAA
oH,IAEK,IAELzE,IAAA,SAAAA+nC,GACA,OAAAAq8C,GAAAr8C,EAAA22C,EAAAJ,EAAAF,OAKAwG,EAAA
v7B,QAAA,SAAAA4nB,EAAAr3E,GACAq3E,EAAA5nB,QAAA,SAAAAo7B,EAAAAK,GACApgD,EAAA+/C,E
ACAjJ,EAAA5hF,IAAA6qF,EAAAA6qF,EAAA,CAAAAK,GACAACjJ,EAAA5hF,hF,IAAAA6qF,GAAA,MAAA
MAAAxT,EAAA6T,EAAA,cAIAtJ,EAAAAtgF,IAAA,SAAAAn+C,EAAAm+C,GAClA,IAAAAn+C,EAAAm++D,Q
ACAoB,EAAAAyF,EAAAAzF,OACAC,EAAAwF,EAAAxF,EAAAyH,UAEAAyH,EAAAAjH,EAAAAx6E,MAAA
QAEA24E,OAAA,EAsBA,OApBAAOApBAA,EADA92C,EAAA5qC,IAAAAn+C,EAGAAm++D,QAAAAvqF,EAAA
Av7B,QAAA,SAAAAg0B,E4E,EAAAAAjyE,EAAAAKAAA6wE,EAAA,GACAoB,EAAA1sD,EAAAAsrD,EAAA,IAC
G,UAAA
8I,GACH1H,EAAAAjyE,EAAAAKAAA6wE,EAAA,GACAoB,EAAA1sD,EAAAAsrD,QAAA8I,GACH1H,EA
AA1sD,EAAAsrD,EAAA,GACAoB,EAAAjyE,EAAAKAAA6wE,EAAAIACG,WAAA8I,IACH1H,EAAA1sD,EAAAAs
rD,EAAA,GACAoB,EAAAjyE,EAAAKAAA6wE,EAAA,IAGA/+D,EAAAmgE,SACAngE,EAAUA,SAAAsoE,GAAA
toE,EAAAA5b,GACA,IAAAAi8E,EAAAAj8E,EAAAAi8E,EAAAmBAAAlD,EAAAn9D,EAAA2/C,EAAA2/C,SAAA
wgB,QAKAngE,EAAAAygB,YAAAC,IACAA,EAAAlD,EAAAAkD,IAMA,IAAAAkI,EAAAApF,EAAA,aACAqF,E
AAA2/C,SAAAwgB,OAAAv+D,MACA1T,EAAAAs6E,EAAAAt6E,EAAAt6E,IACAulB,EAAA+0D,EAAA/0D,SAAA
MAAA1T,EAAAAs6E,EAAAAt6E,EAAAA/0D,SAAAygB,UAAAh8E,EAAAuvB,QAAA0sD,EAAA+0D,EAAA/0D,
ArgE,EAAA2iE,eAIA6F,EAAAAt6E,EAAAMAAAs6E,EAAAA/0D,OAAAAC+0D,EAAAA/0D,OACA+0D,EAAAt4C,
AEA,IAAAAxtD,EAAA1uB,EAAAAqkF,SACAAtgE,EAAAA++D,QAAAoB,OAEAzuE,EAAAA,CACAg3E,QAAA
AAA,SAAA9H,GACA,IAAAroF,EAAA4nF,EAAAAS,GAAAS,EAAAA8I,QAAApwF,MAAAAAoF,,GAEAA,O7E,EAA
AukF,sBACApwF,EAAAAsM,KAAA2sB,IAAAx8B,EAAAgtF,GAAA,IAAAAi8E,EAAAg7C,mHG,UAAAA,SAAAh
I,GACA,IAAAmB,EAAA,AAAAAAnB,EAAAg7CAnB,EAAAAAgn,eAAAAAAnBAAAA,GAAAxE,EAAAA4nF,E
AAAUAAnB,EAAAAA8I,QAAAWgqB,MAAA,SAAAh7C,GACA,OAAAAxtD,EAAA6wE,QAAAr3C,MAKAygg,
EAAAAs6E,EAAAA2iE,eAAAAhF,EAAAAeAAgF,EAAAAeAAxtD,GAAAeAAeAAlD,GAIAA,EAAAA/0D,E
AAA++D,QAAAAoB,OAEAAzuE,EAAAA,CACAg7E,QAAAAAH,eAAAAAnB,UAAAAAAMAAAAx8E,EAAAAGA
IA,OAHAAHAT,EAAAAAS,GAAAANAAAM,EAAAANAAAMAAAAx8EAA,EAAAAAukFAAA,sBACApwF,EAAA
AsM,KAAA2sB,IAAAxAAA8B,E4EAAeAAi8E,EAAAAAukFAAA,4nFAAAxpFAAAxpF,EAAAA5bAAAAAAAAAA
A/EAA,GAAAAAsBACATAAAEAAA1nCAAAA,EAAAAAAwB0nCAAAAzuEAAAwsEAAAA0CAAMAGxB5gEAA,E
AAAA++DAA,
QAAAAoBAA,SAEAAngEAA,EAAUAAA,SAAAA4tAA,GAAAsTAA,GACAAIAAA4gEAA,EAAAA5gEAA,E
AAAA4gEAA,UAAAAiHAA,EAAAAjHAA,EAAAAAx6EAAMAAA,QAAAAGAGAAA,GAAAAyiFAA,EAAAAjI
AA,EAAAAAx6EAA,MAAA,QAAAAGAGAAA,GAAAAyiFAAA,EAAAA/0DAA,OACAAH96E,EAAAAA 5lEAA
,EAAAA++DAA,
++DAA,QAAAACAAAqBAA,EAAAAwFAA,EAAAAxFAA,UAACADAA,EAAAAyFAA,EAAAAzFAA,OAEAAE
0FAA,GAAAA,qBAAAAAhlFAAA,QAAAAgnFAA,EAAAAAAwBGACAA,
3JAA,EAAAA2HAA,EAAAAaACAA5DAA,EAAAA4DAA,EAAAAiBAEAiDAA,EAAAACACAAhpFAAA,MAA
AA7HAA,EAAAAGAA8BimFAA,EAA
AkCAA,EAAAAlCAA,IACAA9Bl6EAA,IAAAA/LAA,EAAAAGAA4BimFAA,EAAAkCAA,EAAAAlCAAGAAAk
CAA,EAAAA6BAA,GAAAA9BAA,EAAAA8

B,KAG5BjiE,EAAA++D,QAAAoB,OAAA1nC,EAAA,GAAqC0nC,EAAA2I,EAAAD,IAGrC,OAAA7oE,EAUA,
SAAA5lB,GAAA4lB,GACA,IAAAolE,GAAAplE,EAAA2/C,SAAA0iB,UAAA,0BACA,OAAAriE,EAGA,IAAA6
gE,EAAA7gE,EAAA++D,QAAAqB,UACA2I,EAAAp6E,EAAAqR,EAAA2/C,SAAA0iB,UAAA,SAAA/D,GACA
,0BAAAA,EAAAzmF,OACGyoF,WAEH,GAAAO,EAAA9nC,OAAAgwC,EAAA76E,KAAA2yE,EAAAptD,KA
AAs1D,EAAAr5D,OAAAmxD,EAAA3yE,IAAA66E,EAAAhwC,QAAA8nC,EAAAnxD,MAAAq5D,EAAAt1D,K
AAA,CAEA,QAAAzT,EAAA5lB,KACA,OAAA4lB,EAGAA,EAAA5lB,MAAA,EACA4lB,EAAAzX,WAAA,8B
ACG,CAEH,QAAAyX,EAAA5lB,KACA,OAAA4lB,EAGAA,EAAA5lB,MAAA,EACA4lB,EAAAzX,WAAA,0B
AGA,OAAAyX,EAUA,SAAAioD,GAAAjoD,GACA,IAAA4gE,EAAA5gE,EAAA4gE,UACAiH,EAAAjH,EAAA
x6E,MAAA,QACAw/E,EAAA5lE,EAAA++D,QACAoB,EAAAyF,EAAAzF,OACAC,EAAAwF,EAAAxF,UAEA
0B,GAAA,qBAAAjhF,QAAAgnF,GAEAmB,GAAA,mBAAAnoF,QAAAgnF,GAOA,OALA1H,EAAA2B,EAAA,
cAAA1B,EAAAyH,IAAAmB,EAAA7I,EAAA2B,EAAA,qBAEA9hE,EAAA4gE,UAAAa,EAAAb,GACA5gE,EA
AA++D,QAAAoB,OAAArB,EAAAqB,GAEAngE,EAwBA,IAAAqiE,GAAA,CASA31E,MAAA,CAEAomB,MA
AA,IAEApf,SAAA,EAEAjR,GAAAiK,IAyCArP,OAAA,CAEAy1B,MAAA,IAEApf,SAAA,EAEAjR,GAAApF,G
AIAA,OAAA,GAoBAirF,gBAAA,CAEAx1D,MAAA,IAEApf,SAAA,EAEAjR,GAAA6lF,GAMAG,SAAA,gCAO
A90D,QAAA,EAMA0sD,kBAAA,gBAYAqH,aAAA,CAEA50D,MAAA,IAEApf,SAAA,EAEAjR,GAAAilF,IAaA
vC,MAAA,CAEAryD,MAAA,IAEApf,SAAA,EAEAjR,GAAA0iF,GAEA1yB,QAAA,aAcAyB,KAAA,CAEAphC,
MAAA,IAEApf,SAAA,EAEAjR,GAAAyxD,GAOA8yB,SAAA,OAKArzD,QAAA,EAOA0sD,kBAAA,YAUApY,
MAAA,CAEAn1C,MAAA,IAEApf,SAAA,EAEAjR,GAAAwlE,IAaA7tE,KAAA,CAEA04B,MAAA,IAEApf,SAA
A,EAEAjR,GAAArI,IAkBAuqF,aAAA,CAEA7xD,MAAA,IAEApf,SAAA,EAEAjR,GAAAkiF,GAMAE,iBAAA,
EAMAxmF,EAAA,SAMAooE,EAAA,SAkBA8d,WAAA,CAEAzxD,MAAA,IAEApf,SAAA,EAEAjR,GAAA8hF,
GAEA0E,OAAAxE,GAOAI,qBAAAnrF,IAuCAwvF,GAAA,CAKAtI,UAAA,SAMA+B,eAAA,EAEAMsB,eAAA,E
AOAT,iBAAA,EAEAQAT,SAAA,aAUAD,SAAA,aAOAT,cAeA8G,GAAA,WASA,SAAAA,EAAA/I,EAAAD,GAC
A,IAAAvjC,EAAA3lD,KAEAmN,EAAAV,UAAAtG,OAAA,QAAA1D,IAAAgK,UAAA,GAAAA,UAAA,UAAA,MACA
4hD,EAAAruD,KAAAkyF,GAEAlyF,KAAAktF,eAAA,WACA,OAAA7uD,sBAAAsnB,EAAAJ,SAIAvlD,KAAA
ulD,OAAA+/B,EAAAtlF,KAAAulD,OAAA1jD,KAAA7B,KAAA,OAGAA,KAAAmN,QAAAq0C,EAAA,GAA8B0wC,E
AAAD,SAAA9kF,GAG9BnN,KAAA4kB,MAAA,CACA2mE,aAAA,EACAEACAK,WAAA,EACAc,cAAA,IAIA1sF,K
AAAmpF,eAAAv9E,OAAAu9E,EAAA,GAAAA,EACAnpF,EAACAnpF,GAAAkpF,YAAAt9E,OAAAs9E,EAAA,GAA8AE
AGAlpF,GAAAmN,QAAAi+E,EAAAn+E,QAAAi+E,EAAAUAAA,GACArqF,OAAA2C,KAAA89C,EAAA2B,0B0wC,E
AAAD,SAAAA7G,UAAAj+E,EAAAi+E,EAAAz1B,QAAAx4D,SAAA0D,GAC3B+kD,EAAAx4C,QAAAi+E,EAAA4gD,E
AAA,GAAAiD0wC,EAAAD,SAAA7G,UAAAxqF,IAAA,GAAuCuM,EAAAi+E,EAAAj+E,EAAAixqF,GAAA,MAIxqF,
GAAA,MAIxFZ,KAAAorF,eAAArqF,OAAA2C,KAAA89C,EAAA2B,kQAAAi+E,WAAA9+E,EAAAJAAA,SAAA1L,G
ACA,OAAA4gD,4gD,EAAAA,CACA5gD,5gD,EAAAAAAD,EAAA+qB,MAAA9qB,EAAA8qB,oB,MAAA9qD,E
AAAA8qB,QAOA77B,KAAAorF,eAAA1vB,IAAA1lE,KAAA4kB,MAAAfF,QAAAi+E,EAAAE,aAAxE,SAAAvV,
GACAA,EAAAhxE,SAAAvV,EAACAvE,SACAAuE,EAAAOAAAF,rsC,EAAAwjC,wjC,EAAAR8D,SAAA1L,G
ACA,OAAA4gD,4gD,EAAAA,4gD,EAAAAAAD,EAA+qb,MAAA9qb,EA8qb,nE,KAAAA8qb,MAAA,UAUA03E,
wBCpCA,IAAAvK,EAAe1sE,EAAQ,QAGvB

giF,EAAA,IASA,SAAA5uC,EAAAjyC,GACA,oBAAAA,GAAAurE,EAAAvrE,GACA,OAAAA,EAEA,IAAAyB,,
EAAAzB,EAAA,GACA,WAAAyB,GAAA,EAAAzB,IAAA6gF,EAAA,KAAAp/E,EAGApD,EAAAAD,QAAA6zC,,
qCClBA,IAKA5yC,EALAkyC,EAAoB1yC,EAAQ,QAC5BwyF,EAAoBxyF,EAAQ,QAC5ByyF,EAAoBzyF,EAA,
Q,QAC5BiQ,EAAoBjQ,EAAQ,QAI5BQ,EAAAhB,EAAAAD,QAAA,SAAAmzF,EAAAvxF,GACA,IAAAZ,EAAA,
oC,EAAAsG,EAAA+D,EAAAm1D,EAkBA,OAjBA71D,UAAAtG,OAAA,qBAAA0sF,GACA1lF,EAAA7L,EAC,
AA,EAAAuxF,EACAA,EAAA,MAEA1lF,EAAAV,UAAA,GEA,MAAAomF,GACAnyF,EAAA0I,GAAA,EAC,
AtG,GAAA,IAEApC,EAAA0P,EAAA5P,KAAAqyF,EAAA,KACA/vF,EAAAsN,EAAA5P,KAAAqyF,EAAA,KA,
CAzpF,EAAAgH,EAAA5P,KAAAqyF,EAAA,MAGAvwB,EAAA,CAASShhE,QAAAunB,aAAAnoB,EAAAO,WA,
AA6B,EAAAwuB,SAAAloB,GACT+D,EAAA0lC,EAAA8/C,EAAAxlF,GAAAm1D,MAGA3hE,EAAA8hE,GAA,
A,SAAAowB,EAAA3xF,EAAA4nB,GACA,IAAApoB,EAAAoC,EAAAqK,EAAAm1D,EA6BA,MA5BA,kBAAA,
uwB,GACA1lF,EAAA2b,EACAA,EAAA5nB,EACAA,EAAA2xF,EACAA,EAAA,MAEA1lF,EAAAV,UAAA,G,
AEA,MAAAvL,EACAA,OAAAuB,EACEmwF,EAAA1xF,GAGA,MAAA4nB,EACFA,OAAArmB,EACEmwF,E,
AAA9pE,KACF3b,EAAA2b,EACAA,OAAArmB,IANA0K,EAAAjM,EACAA,EAAA4nB,OAAArmB,EAGA,MA,
AAowF,GACAnyF,GAAA,EACAoC,IAEApC,EAAAoC,EAAAqK,EAAApC,EAAAApC,EAAA0P,EAAA5P,K,
AAAt5C,aAAAv1C,SAAAxB,IAAAqwF,QAAAt5C,EACA,MAAA1zB,EAAAllB,EAA,
A,2BACG,OAAA44C,yBCHH,IAAA7zC,EAAcxF,EAAAQ,QACtB0sE,EAAe1sE,EAAQ,QAGvB4yF,EAAA,mDA,
CAC,EAAA,QAUA,SAAA3/C,EAAA/xC,EAAAS,GACA,GAAA4D,EAAArE,GAAAA4D,EAAAArE,GACA,SAEA,IAAA+I,SAAA/I,E,
ACA,kBAAA+I,GAAA,UAAAA,GAAA,WAAAA,GACA,MAAA/I,IAAAurE,EAAAvrE,GACA,SAEA,IAAA+I,SAAA/I,E,
ACA,kBAAA+I,GAAA,WAAAA,GACA,MAAA/I,IAAAS,GAAA,MAAAI,IAAAurE,EAAAvrE,GAGA,SACA,KAAAvT,KAAAyxF,EAAAl+E,GAAAl,+E,
KAAAvT,KAAAyxF,IACA,MAAAS,GAAAAT,KAAAAP,OAAAgB,IAGApC,EAAAAD,QAAA6zC,wABCpBA,IAAA3vC,EAAAYvD,EAAQ,QACpBmB,EAAYnB,EAAQ,QACpByyF,EAAA3sB,EAAA2sB,KAAA2sB,IAEA,
56B,EAAAAD,QAAA,SAAAs1B,EAAA1qB,GACA,IAAA0D,EAAAA3N,EAAAwyC,EAAA1sC,EAAAo0B,EAAA9tB,EA,
tB,UAAAtG,OAAA,GASA,IARA6uB,EAAAj0B,OAAAO,EAAA0zB,IACA6d,EAACA6d,EAAA,SAAAjxC,GACA,IACAoz,
B,EAAApzB,GAAAA0I,EAAAA1zB,IACA6d,EAAA6d,IAAA6d,EAAA6d,KAGAAzC,EAAAA1I,EAAA8F,IAA,
Y9F,EACxBiK,EAAAmC,UAAApM,GACAqD,EAAA4G,GAAAqrD,QAAA9iB,GAEA,QAAApwC,IAAAuL,EA,
AA,MAAAAA,EACA,OAAAAgnB,yBCpBA,IAAA/xB,EAAAc9C,EAAAA2uD,EAAAQ,QAAEtB8C,IAAA2uD,EAAA3uD,EAAAAoC,,
EAAA,UAA0CwtC,OAAAS1yC,EAAAQ,6CCD3D,IAAAyJ,EAAAsJ,OAAAjR,UAAA2H,QAEAjK,EAAAD,QAAA,,
SAAAuzF,GACA,OAAAArpF,EAAApJ,KAAAApJ,KAAAAR,KAAAizF,EAAAxmF,EAAAAxmF,EAAAUAAA,2CCHA9M,EAAAAD,QAAiBS,,
EAAQ,OAAARA,GACjB+S,OAAAjR,UAAAmO,GjQ,EAAAQ,8BCJX,IAAA0kF,EAAmB1kF,EAAAQ,QAC3BukF,EAAuBvkF,EAAQ,QAC5BozF,EAAA,
EAAuBvkF,EAAQ,QAC3BykF,EAAAA/BkzC,EAAAYlzC,EAAQ,QACCpBozC,EAAYlzC,EAAQ,QAwBpB,SAAA6B,EAAAA2xC,,
GACA,OAAAAN,EAAAAM,GAAAAkxC,EAAAAAtxC,EAAAAI,IAAA+wC,EAAAA/wC,GAGAh0C,EAAAAD,QAAAsC,,
wBC/BA,IAAAmH,EAAAehJ,EAAQ,QAvB,QAAAAyJ,EAAAAAD,QAAAAyJ,KAAAA0N,8DCEMq8E,2iBADN,qBAA,
A5pF,WAEO4pF,OAAAAH,SAAAgqF,iBAAsCD,EAAAA5oF,IAAA4J,MAAA,+BAC/C,EAA,
AgC,EAAA0B+wF,EAAC,yBAKhB;;;;;;ACCf,SAAAhsE,EAAAjZ,EAAAwgB,GACA,qBAAAxH,UACAA,QAAA,
C,KAAA,cAAAjZ,GAEAwgB,GACAxH,QAAAC,KAAAuH,EAAAAzH,QAKA,SAAAA3gB,EAAA6D,GACA,cAA,
AA,GAAA,kBAAAA,EAGA,IAAAIkpF,EAAAQryF,OAAAAkB,UAAAM,SACZ8wF,EAAA,kBAACA,SAAA5lF,EAAA,kBACA,
AvD,GACA,OAASApF,EAAQ5yF,KAAA0J,GAAAjB,EAGgB,SAAAr6C,EAAAA46E,GACA,cAAAAxW,IAAAAh4E,EAAA,
AAwW,EAGAA,GAAAJ,UAAAtG,OACA,MAAA0G,GAAA0I,EAAAA2mF,EAAAA,kBACLi4E,EAAAAvzB,EAAApV,OAAAhBA,,
E,EAAAAkV,EAAA,KAAAA7N,MAAA/H,QAAA4V,EAAAAA1O,IAAA0O,EAACA1O,IAAAh4E,EAAAA1O,GAAAJ,,
AAAwW,EAGAA,GAAAA1O,GAAAJ,UAAAGAEA,IAAA2mF,EAAA,KAACA1kD,kBAAA,KAAA,KAAAiBA,OAhBA,
A,1O,GAAAJ,UAAAI,GAAAAJ,UAAAtG,EAAAA2mF,GAAA,KACLi4E,EAAAvzB,EAACA1kCi4E,EAAAAj4E,EAAAA,KA,
GAIV,EAAAkV,EAAA,KAAAA7N,EAAA/H,QAAA4V,EAAAA1kD,OAAUi4E,SAAAAABAAAoV,EAAA,KACAi4E,EAAAj4E,EAAA,S,
AAA1kD,UAGV,SAAAA2kD,EAAAvpF,GACA,OAAAAqf,KAAAAmqE,UAAAtG,EAAAAAmqE,KAAAAmqE,UAAAxpF,IAGA,SAAA,
oa,EAAAA9a,EAAAAmqF,GACA,GAAAGAAnqF,EAAAAArD,OAAAA,CACA,IAAAAAD,EAAAAsD,EAAAAI,QAAA+pF,GACA,,
,GAAAztF,GAAA,EACA,OAAAAsD,EAAAAyD,OAAAA/G,EAAAAI,QAAAAAA0tF,EAAAsD,EAAAyD,OAAA/G,,
,GAAAAztF,GAAA0tF,EAACA7yF,yBA0AAkB,EAAAAAtF,EAACAApzF,EAAAAAA0kD,EACAtF,EAAAAtI,GAGvB,SAAAsK,EAAAqB,GAI,
A,IAHA,IAAAsmF,EAAApnF,EAAAAsmF,EAAAAnqF,UAAAEAyvC,EAAAn7C,OAAAwM,GACAAIN,EAAA,EAAAAEAiBA,EAAAAoM,,
EAAArp GACA AAAAnAD EAEAAsD EACA OAASAgyF EAACAln EAAA EAAAiBA EAAoM,

OAAsB9F,IAAA,CACvC,IAAAkqB,EAAAspE,EAAAxzF,GACA,QAAAoC,IAAA8nB,GAAA,OAAAA,EAAA,C
ACA,IAAA3oB,OAAA,EACA,IAAAA,KAAA2oB,EACAzgB,EAAAygB,EAAA3oB,KACAyE,EAAAkkB,EAAA
3oB,IACAs6C,EAAAt6C,GAAAsK,EAAAgwC,EAAAt6C,GAAA2oB,EAAA3oB,IAEAs6C,EAAAt6C,GAAA2o
B,EAAA3oB,KAMA,OAAAs6C,EAGA,SAAA43C,EAAAhjF,EAAAAC,GACA,GAAAAD,IAAAC,EAAgB,SAChB,
IAAAgjF,EAAA1tF,EAAAyK,GACAkjF,EAAA3tF,EAAA0K,GACA,IAAAgjF,IAAAC,EAsBG,OAAAD,IAAAC
,GACH9gF,OAAApC,KAAAoC,OAAAnC,GAtBA,IACA,IAAAkjF,EAAAvmF,MAAA/H,QAAAmL,GACAojF,E
AAAxmF,MAAA/H,QAAAoL,GACA,GAAAkjF,GAAAC,EACA,OAAApjF,EAAA3K,SAAA4K,EAAA5K,QAA
A2K,EAAAiqC,MAAA,SAAAj4C,EAAAzC,GACA,OAAAyzF,EAAAhxF,EAAAiO,EAAA1Q,MAEO,GAAA4zF
,GAAAC,EAQP,SAPA,IAAAC,EAAApzF,OAAA2C,KAAAoN,GACAsjF,EAAArzF,OAAA2C,KAAAqN,GACA,
OAAAojF,EAAAhuF,SAAAiuF,EAAAjuF,QAAAguF,EAAAp5C,MAAA,SAAAn5C,GACA,OAAAkyF,EAAAhj
F,EAAAlP,GAAAmP,EAAAnP,MAMK,MAAAkB,GAEL,UASA,IAAAuxF,EACA,qBAAAC,MAAA,qBAAAA,
KAAAC,eAEAC,EACA,qBAAAF,MAAA,qBAAAA,KAAAG,aAIA,SAAAvnF,EAAA64C,GACAA,EAAA9jD,U
AAAC,eAAA,UAEAnB,OAAAC,eAAA+kD,EAAA9jD,UAAA,SACAf,IAAA,WAA4B,OAAAlB,KAAA00F,SAI
5B3uC,EAAA9jD,UAAA0yF,GAAA,SAAA/yF,GACA,IAAAuD,EAAA,GAAAA0H,EAAAJ,UAAAtG,OAAA,EA
CA,MAAA0G,KAAA,EAAA1H,EAAA0H,GAAAJ,UAAAI,EAAA,GAEA,IAAA+nF,EAAA50F,KAAA60F,MAC
A,OAAAD,EAAApyC,GAAAh2C,MAAAooF,EAAA,CAAAhzF,EAAAgzF,EAAApB,OAAAoB,EAAAE,eAAA9
0F,MAAA2J,OAAAxE,EAAAKAGA4gD,EAAA9jD,UAAA8yF,IAAA,SAAAnzF,GACA,IAAA7vF,EAAA,G
AAAA0H,EAAAJ,UAAAtG,OAAA,EACA,MAAA0G,KAAA,EAAA1H,EAAA0H,GAAAJ,UAAAI,EAAA,GAEA,
IAAA+nF,EAAA50F,KAAA60F,MACA,OAAAD,EAAApyC,GAAAh2C,MAAAooF,EAAA,CAAAhzF,EAAAgzF
,EAAApB,OAAAoB,EAAAE,eAAA90F,MAAAg1F,KAAAg1F,GAAArrF,OAAAxE,EAAAKAGA4gD,EAAA9jD,
UAAAizF,IAAA,SAAAtzF,EAAA4xF,GACA,IAAAoB,EAAA50F,KAAA60F,MACA,OAAAD,EAAAO,IAAAvzF
,EAAAgzF,EAAApB,OAAAoB,EAAAE,eAAAtB,IAGA,SAAA65xC,EAAA9jD,UAAAtB,IAGAztC,EAAA9jD,U
AAAmzF,EAAA,SAAAxzF,GAAA,SAAA9zF,GACA,IAAA+zF,EAAE95E,,EAAA,GAAA1O,EAAAAJ,UAAAtG,O
AAA,EACA,MAAA1G,KAAA,EAAA1O,EAAA0O,GAAAJ,UAAAI,EAAA,GAEA,IAAA+nF,EAAA50F,KAAA00
F,SAAA,GACA,OAAAA0F,EAAApyC,GAAAr1F,KAAA60F,OAAAl0F,EAAA6L,MAAA6oF,EAAA,CAAAtzF,G
AAAqI,OAAA4R,KAGAwqC,EAAA9jD,UAAAqzF,GAAA,SAAA1zF,EAAA4xF,GACA,IAAA+zF,EAEA95E,,EAAA
,GAAA1O,EAAAJ,UAAAtG,OAAA,EACA,MAAA1O,KAAA,EAAA1O,EAAA0O,GAAAJ,UAAAI,EAAA,GAEA,
IAAA+nF,EAAA50F,KAAA00F,SAAA,GACA,OAAAA0F,EAAApyC,GAAAr1F,KAAA60F,OAAAl0F,EAAA6L,M
AAA6oF,EAAA,CAAAtzF,GAAAqI,OAAA4R,KAMA,IAuSIg6E,EAAvSJC,,EAAA,CACAC,aAAA,WACA,IAAAtoF
,EAAAnN,KAAA01F,SAGA,GAAFAvoF,,EAAAynF,KAAAznF,EAAAynF,F,OAAAznF,EAAAwoF,OAAA,GAAuD,M
AEvDxoF,EAAAynF,F,gBAAAgB,,GAAAA0gB,,GAAA,A,CAAEA,,GAAAAozF,EAAAwoF,OAAC,IACA,IAAAAAE,E
AAA,GACA1oF,EAAAwoF,OACA,OAAACAA,1oF,EAAAwoF,OAAAOAAAAhgC,QAAAA,SAAAAAmgC,GA
CAD,EAAAA3pF,EAAA2pF,EAAA2pF,EAAAtsE,KAAAC,MAAAssE,MAEA/0F,OAAA2C,KAAAmyF,GAAAlgC
,QAAA,SAAAAnlD,EAAA1wC,ACAmF,SAAA69B,GACArmF,EAAAynF,,EAAmB,mBAAAvC,EAAAqC,EAAA
rC,EAArC,MAEA,MAAAA1wF,,EAmF,EAAAvnF,EAAAAynF,F,,KACAqE,EAAEhB9C,,KAAAA00F,,MAAAvnF
,EAAAynF,F,KAACA50F,,KAAAg2F,,aAAAh2F,,KAAAg2F,F,eAAAi2F,K,KAACAozF,EAAAynF,F,KAACA,5aF
,EAAAg2F,KAAAAAp1F,,KAACAozF,,MAAAAA,5oC,MAAAAuB,,UAACAjpF,,EAAAynF,F,KAACA,5yF,sBAA
At2F,KAAACA0pF,EAAAqF,EAAAwoF,OAACAowB,,eAAAi2F,,,KAAA0B,,sBAAAt2F,,KAAA01F,EAAAACA,A
IAIyC,cAAA,WACA,IAAAAAdkD,,KAAA00F,MAA0B,OAAAuB1,EAAAACAozF,EAAAynF,F,KAACA,60F,MAA
AAAmC,,EAAEA8C0,MAAAA00F,,MAAAvnf,EAAAAynF,F,KACAk60F,MAAAA00F,,MAAAvnF,EAAEA,0pF,E
AAEAn25E,,OAAAA1nF,,EAAEA,A,MACAA70F,,KAAAa00F,MAAAvnF,EAAAynF,F,KACAk60F,MAAAA00F,,MA
AAAwB,sBAAAl2F,KAAAt2F,EAAAa0pF,EAAAqF,EAAAwoF,OAAAAowb,,eAAAi2F,,,KAAA0B,,sBAAAt2F,K
AAA01F,EAAAACA,IAIAy,EAAAAAAY,,EAAAA,,GACAppF,EAAAwoF,OAAAAowb,,,ACAI,ACAIAAAY,EAAA,G
ACAppF,EAAAwoF,OAAAAowb,,CACAAAAmgC,,GACAAACAS,,EAAArqF,EAAAqqF,EAAAhtE,KAAAC,MAAA
ssE,MEAE3oF,EAAAynF,F,KAAA4B,SAAAD,EACW,MAAAzzF,GACK,EAMhB9C,KAAA00F,MAAA,IAAAk
B,GAAAzoF,EAAAynF,F,MACA50F,KAAAg2F,KAAAAAp1F,KAACAozF,,MAAAAA,5oC,MAAAAuB,,gBAAA
j2F,KAAAm2F,F,cAAA,IAIAylyC,cAAA,WACA,IAAA0pF,EAAAynF,F,KACAk60F,MAAAA00F,,MAAAAwB,,sBA
AAl2F,KAAAt2F,EAAAa0pF,EAAAqF,EAAAwoF,OAAAAowb,,eAAAi2F,,,KAAA0B,,sBAAAt2F,KAAA01F,E
AAAACA,IAIAylyC,cAAA,WACA,WACAjkD,KAACAhpF,EAAA+N,QAAA/N,EAAA,EAAAAynF,F,+N,OAAAA25E,O
AAAA1nF,+N,,iBAAAAe,KAEL51F,KAAA00F,MAAAvnF,EAAAAynF,+N,OAAAA25E,,iBAAAAe,,MACAA70F,,
KAAAA00F,MAAAAwB,,sBAAAl2F,KAAAAm2F,F,cAAA,IAIAylyC,cAAAWACAJAIAlyC,cAAA,WACAAACKhpF,
EAAA+N,QAAA/N,/N,EAAAAynF,F,+N,OAAAA25E,,iBAAAAe,KAEL51F,KAAA00F,MAAAvnF,EAAA+N,OAA
AA25E,,iBAAAAe,,MACAA70F,KAAAA00F,MAAAAwB,sBAAAl2F,KAAAAm2F,F,cAAA,IAIAIAlyC,cAAA,WACA,
WACAjkD,KAACAhpF,EAAA+N,QAAA/N,EAAA,EAAAAynF,+N,QAAAA/N,EAAAAAynF,+N,OAAAA25E,iBAA
Ae,KAEL51F,KAAA00F,MAAAAvnF,EAAA+N,OAAAA25E,,iBAAAAe,,MACAAMACA70F,KAAAA00F,MAAAAw
B,sBAAAl2F,KAAAAm2F,F,cAAA,GACKhpF,EAAA+N,QAAA/N,/N,EAAAAynF,F,+N,OAAAA25E,OAAAA1nF,+
N,,iBAAAAe,KEAEL51F,KAAA00F,MAAAvnF,EAAA+N,OAAAA25E,,iBAAAAe,,MACAAMACA70F,KAAAA00F,
MAAAAwB,sBAAAl2F,KAAAAm2F,F,cAAA,IAIAlyC,cAAA,WACAAACKhpF,EAAA+N,QAAA/N,EAAAAAynF,+N,
QAAAA/N,EAAAAAynF,+N,OAAAA25E,iBAAAAe,,MACAA70F,KAAAA00F,MAAAAwB,sBAAAAl2F,KAAAAm2F
,F,cAAA,IAIAlyC,cAAA,WACAAWACAjkD,KAACAhpF,EAAAynF,F,KAAA6B,MAAAAtpF,EAAAAeACAn2F,KAAA
A00F,MAAAAkC,wBAAA52F,KAAAAm2F,F,cAAA,GAGAn2F,KAAAAg2F

,eACAh2F,KAAAg2F,sBACAh2F,KAAAg2F,cAGAh2F,KAAA02F,iBACA12F,KAAA02F,wBACA12F,KAAA0
2F,gBAGA12F,KAAA00F,MAAA,QAMAzuC,EAAA,CACArlD,KAAA,OACA2oD,YAAA,EACAz3B,MAAA,C
ACAlvB,IAAA,CACAyH,KAAA6I,OACAiwC,QAAA,QAEAxP,KAAA,CACAtpC,KAAA6I,OACAuqD,UAAA,
GAEA+1B,OAAA,CACAnpF,KAAA6I,QAEA2jF,OAAA,CACAxsF,KAAA,CAAAqD,MAAA3M,UAGAkhD,O
AAA,SAAAsZ,EAAA85B,GACA,IAAAvjE,EAAAujE,EAAAvjE,MACA/I,EAAAssE,EAAAtsE,KACAlH,EAAA
wzE,EAAAxzE,SACA3G,EAAAm6E,EAAAn6E,OAEA05E,EAAA15E,EAAA25E,MAMA,GAJAhzE,MAAA,IA
AArK,OAAA,SAAAu4D,GACA,OAAAA,EAAAntE,MAAAmtE,EAAAjlE,KAAAilE,EAAAjlE,KAAAwD,WAG
AsmF,EAIA,OAAA/yE,EAGA,IAAA8xB,EAAA7hB,EAAA6hB,KACA6/C,EAAA1hE,EAAA0hE,OAEA1kD,EA
AA,GACA+nD,EAAA/kE,EAAA+kE,QAAA,GAMAC,GAJAppF,MAAA/H,QAAAkxF,GACAA,EAAA1wF,OA
CApF,OAAA2C,KAAAmzF,GAAA1wF,OAEA0b,EAAAk5B,MAAA,SAAAg1B,GACA,GAAAA,EAAAhnD,M
AAAgnD,EAAAhnD,KAAAjT,MAAA,CACA,IAAAihF,EAAAhnB,EAAAhnD,KAAAjT,MAAAihF,MACA,2BA
AAA,GAAA,KAAAA,MAyBA,OAjBArpF,MAAA/H,QAAAkxF,GACAA,EAAAlhC,QAAA,SAAA//C,EAAAvV,
GACAyuC,EAAAzuC,GAAAuV,IAGA7U,IAGA7U,OAAA2C,KAAAmzF,GAAAlhC,QAAA,SAAA/zD,GACAktC,EAAAl
tC,GAAAi1F,EAAAj1F,KAIAigB,EAAA8zC,QAAA,SAAAoa,EAAA1vE,GACA,IAAAuB,EAAAk1F,EACA,GA
AA/mB,EAAAhnD,KAAAjT,MAAA,MACA,GAAAzV,EACAyuC,EAAAltC,GAAAmuE,IAGAxU,EAAAzpC,E
AAAlvB,IAAAmmB,EAAA6rE,EAAAv0F,EAAAszC,EAAA6/C,EAAAA1kD,MAMA,SAAAjtC,EAAA+T,EAAA8
xC,EAAAsvC,GACArhF,EAAAAC,EAAAohF,IAEAz1F,EAAAqU,EAAA8xC,EAAAsvC,GAGA,SAAAzxC,EAA
A3vC,EAAA8xC,EAAAAC,GACA,GAAAthF,EAAAAC,EAAAohF,GAAA,CAEA,IAAApC,EAAAAoC,E
AAAzrF,QAAAspF,MACAqC,EAAAthF,EAAAohF,IACAlD,EAAApsC,EAAApmD,MAAAomD,EAAAyvC,WA
CArD,EAAAl+E,EAAAwhF,eAAAxC,EAAAyC,iBAAAzC,EAAApB,UAEAjyF,EAAAqU,EAAA8xC,EAAAsvC,
IAGA,SAAAvmD,EAAA76B,EAAA8xC,EAAAsvC,EAAAAC,GACA,IAAAAK,EAAAN,EAAAzrF,QACA+rF,GAK
A1hF,EAAA6D,YAAA,GACA7D,EAAA2hF,SAAA90F,SACAmT,EAAA,OACAA,EAAA4hF,aAAA/0F,SACAm
T,EAAA,WACAA,EAAAwhF,oBAAA30F,SACAmT,EAAA,mBAVAsR,EAAA,iDAaAAvR,EAAAAC,EAA
AohF,GACA,IAAAAM,EAAAAN,EAAAzrF,QACA,OAAAA+rF,IAKAA,EAAAAzC,QACA3tE,EAAA,qDACA,IANA
A,EAAA,mDACA,GAWA,SAAAgwE,EAAAAthF,EAAAohF,GACA,IAAAAM,EAAAAN,EAAAzrF,QACA,OAAAq
K,EAAA4hF,UAAAF,EAAA8xC,EAAAsvC,EAAAsvC,GACA,IAAAS,EAAA92E,EAAA4hF,MAAAArB,OAGA,SAA
AjyF,EAAA+T,EAAA8xC,EAAAsvC,GACA,IAAAAS,EAAAAC,EAAAAp2F,EAAAAomD,EAAA0hD,EAAA1hD,K
ACA6/C,EAAA6B,EAAAA7B,OAACAj4E,EAAA85E,EAAA95E,KACAAy5E,EAAAAAK,EAAAAL,OACA
A6/C,GAAAj4E,EAKA,GAAAAo4B,EAAAA,CAKA,IAAAA2jD,EAAAAAN,EAAAzrF,QAEAqK,EAAA2hF,hF,IAA
A3hF,EAAA6D,YADAu7E,GACAyC,EAAAAH,EAAAAzC,OAAA+C,GAAAAprF,MAAAirF,EAAA,CAAA9jD,E
AAAArrF,OAAAkuF,EAAAArE,EAAAAj4E,MAEAm8E,EAAAAJ,EAAAAzC,OAAAtzF,EAAAAiL,MAAAkrF,EAAA,
CAAA/jD,GAAAhqC,OAAAkuF,EAAAArE,EAAAAj4E,KAEA3F,EAAA4hF,hF,IAAA4hF,EAAA6D,YADAAKEA3F,E
AAA4hF,QAAAF,EAAAAzC,MAAAArB,OACA59E,EAAAwhF,eAAAAE,EAAAzC,MAAAwC,iBAAAC,EAAAAzC,
MAAArB,aAXAtsE,EAAAA,4CALAA,EAAA4B
AmBA,SAAAywE,EAAAAr2F,GACA,IAAAqyC,EACA6/C,EAACAj4E,EACACAy5E,EAWA,MATA,kBAAAA1zF,FEA
C
AqyC,EAAAAryC,EAACGmM,EAAAAnM,KACHqyC,EAAAAryC,EAAAAqyC,KACA6/C,EAAAAlyF,EAAAAkyF,FOAC
Aj4E,EAAAja,EAAAAia,KACAy5E,EAAAA1zF,EAAAA0zF,OAGA,CAAAUrhD,OAAAA6/C,SAAAj4E,OAAAAy5E,UAG
V,SAAA6C,EAAAArE,EAAAAj4E,GACA,IAAAAuzB,EAAA,GAOA,OALA0kD,GAAAA1kD,EAAAArpC,KAAA+tF,G
ACAj4E,IAAAA7N,MAAA/H,QAAA4V,IAAA9N,EAAAA8N,KACAAuzB,EAAAArpC,KAAA+tF,GAGAuzB,EAAKA,S
AASgpD,EAAOC,GAMdD,EAAO9xC,WAAA,EAEPuvC,EAAGwC,EAEYxC,EAAGnqF,SAAAAi4C,OAAmBkyC
,EAAGnqF,QAAA+D,MAAA,SAO1CjC,EAASqoF,GACPA,EAAAGC,SACHD,EAAGyC,UAAA,KAAiBn2F,OAA
A0jD,SAAAA9U,WAACpB8kD,EAAGtvC,YAAAArlD,KAAAAqlD,GAGL,IAAAgyC,EAAe1C,EAAAGr3B,OAAAAg6B,s
BAClBD,EAAAArD,KAAA,SAAAAuD,EAAAC,GACA,YAAAA31F,IAAA21F,EACAD,EACAC,GAMA,IAAAAC,EA
AA,WACAAr4F,KAAAAs4F,QAAAAv3F,OAAAY,OAAAA02F,EAAAAAp2F,UAAAAs2F,YAAA,SAAAApxE,EAA
AAhiB,GACA,IAAAA,EAACA,OAAAAgiB,KaX tsE,EAAA,4CALAA,EAAA4B
AmBA,SAAAywE,EAAAAr2F,GACA,IAAAqyc,E...

Open Source Used In Crosswork Change Automation and Health Insights 4.4.0 2690

F,EAAA,GACAzlE,EAAAwlE,EAAA9/D,KACA,WAAAn2B,IAAAywB,GAAA,MAAAA,EACAylE,GAAAzlE,EACAA,EAAAwlE,EAAA9/D,KAEA,IAAAggE,EAAA,MAAA1lE,EAEA7oB,EAAAmuF,EAAA3jF,KAAA8jF,GACA,OACAC,GAAAH,EAAA5jF,KAAA8jF,GACA,QACA,UACAh7E,EAAAlY,KAAA,CAAmBnE,MAAAq3F,EAAAtuF,aACd,MAAA6oB,EAEL,MAAAwlE,EAAA,KACA5tF,GAAAooB,GAGApoB,GAAAooB,EAMA,OAFApoB,GAAA6S,EAAAlY,KAAA,CAAuB4E,KAAA,OAAA/I,MAAAwJ,IAEvB6S,EAGA,SAAAjO,EAAAiO,EAAAxY,GACA,IAAAwb,EAAA,GACAza,EAAA,EAEA1E,EAAAkM,MAAA/H,QAAAR,GACA,OACAkB,EAAA,lB,GACA,QACA,UACA,eAAA3D,EAA2B,OAAAmf,EAAAyX,EAAAxX,EAAAxX,OAAA,CACA,IAAAua,EAAA/C,EAAAzX,GACAOAAwa,EAAArW,MACA,WACAsW,EAAAlb,KAAAib,EAAApf,OACA,MACA,WACAqf,EAAAlb,KAAAN,EAAAaAAAk+B,SAAA3iB,EAAAlb,KAAApf,MAAA,MACA,YACA,UAAAAE,EAACAmf,EAAGZ,MAEA4E,EAGA,OAAAya,EAYA,IAAAk4E,EACAC,EAAAEACAC,EAAA,EACAC,EAAA,EACAC,EAAA,EACAC,EAAA,EACAC,EAAA,EACAC,EAAA,EACAC,EAAA,EACAC,EACAA,EAACAC,EAAA,EACAC,EAAA,EACAC,EAAA,EACAC,EAAA,EACAC,EAAA,GAAA,EAEAC,GAAA,GAEAA,GAAAT,GAAA,CAAAU,GACAW,MAAA,CAAAAR,EAAAP,GACAgB,IAAA,CAAAAAR,GACAS,I
AAA,CAAAAN,IAGAE,GAAA,CAAACAS,GAAA,CAACAAAT,GACAa,IAAA,CAAAAZ,GACAU,IAAA,CAAAAAR,GACAS,IAAA,CAAAAAZ,GACAU,IAAA,CAAAAAR,GACAS,IAAA,CAAAAAN,IAGAE,GAAAP,GAAA,CAACAQ,GACAa,EAAAAP,GAACAAR,EAAAAP,GACAAhsD,EAAA,CAAAAusD,EAAAAP,GACA3kD,OAAA,CAAAAklD,EAAAAP,IAGAa,GAAAAN,GAAA,CAACAQ,
MAAA,CAAAAR,EAAAAP,GACAAhsD,EAAA,CAAAAusD,EAAAAP,GACA3kD,OAAA,CAAAAklD,EAAAAP,GACAAc,
GAAA,CAAAAT,EAAAAJ,GACAAiB,IAAA,CAAAAZ,EAAAAL,GACAAe,IAAA,CAAAAAR,EAAAAP,GACAAgB,IAAA,CA
AAN,EAAAAV,IAGAY,GAAAAL,GAAA,CACAW,IAAA,CAAAAAV,EAAAAT,GACAAoB,IAAA,CAAAAAV,EAAAAV,GA
CAAgB,IAAA,CAAAAAR,EAAAAN,GACAAmB,IAAA,CAAAAAhB,EAAAAF,GACAAc,IAAAL,GACAAU,KAAA,CAAAAd,E
AAAR,IAGAa,GAAAAJ,GAAA,CACAAU,IAAA,CAAAAAX,EAAAAR,GACAAiB,IAAAL,GACAAU,KAAA,CAAAAb,EA
AAT,IAGAa,GAAAAH,GAAA,CACAAU,IAAA,CAAAAAZ,EAAAAR,GACAAiB,IAAAL,GACAAU,KAAA,CAAAAZ,EAA
AV,IAOA,IAAAuB,GAAA,kDACA,SAAAC,GAAAvnC,GACA,OAAAsnC,GAAAvlF,KAAAi+C,GAAOA,SAAA
wnC,GAAAjmD,GACA,IAAAvjC,EAAAujC,EAAAA7gC,WAAA,GACAAzC,EAAAAsjC,EAAAA7gC,WAAA6gC,EA
AAluC,OAAA,GACA,OAAAA2K,GAAA,IAAAvjC,EAAAAsjC,EAAAAkM,GAAAAujC,EAAAAsjC,EAAAAkM,EAAA3qC,MAA
A,MAQA,SAAA6wF,GAAAjnF,GACA,QAAA7Q,IAAA6Q,EAAAA,GAAAAAAA,EAAAAwC,EAAAAxC,EAAAAAAA,GAA
CA,cAEA,QACA,OACA,QACA,QACA,SACA,WACA,UACA,UACA,WAGA,cASA,SAAAknF,GAAA7mD,GA
CA,IAAA8mD,EAAA9mD,EAAAArlC,WAAArlC,EAAAluC,OAAA,GACA,OAAA2K,GAAAAAA,GACA,IAIAjzB,EACAkB,
EACAtwB,EACA,EACAAQAhxB,EAAA,EAAA,GAAsB,OAAAvF,EAAAA7lC,GAAAAA1E,GA
AAI,GAAAAH,GAAAAG,GAAA,IAAAA,GAOA,GAAAvF,EAACAkB,EAACA+4F,GAAA,IAAA+3F,EAAA,iDAA
CA5yF,EAACAg6C,EAACAAvD,EAAA,CAAAAAvD,EAACAAAAA1E,EAAAAy3F,EAACAA44F,EACAYAACAr5F,EACAi
6C,EACAAtxB,EACA,EACAAQAhxB,EAAAusF,EAAAA1uF,IAAAvF,EAAAAAAAAA7lC,GAAAAl9C,EAAAAvF,EAAAAA
AA9lE,GAAAs3F,EAAAi6C,EACAh0D,EAACA,EACAAQAhxB,EAAAurF,EAAAA0uF,IAAAvF,EAACAA7lC,EA
CA,GAAAnlE,EAACAAvF,EAAAAr5F,GAAAs3F,EAAAi6C,EACAAh0D,EAACAAA,EACAAQAhxB,EAAAAusF,EAAA
A1uF,IAAAvF,EAAAA7lC,GAAAl9C,EAACAAvF,EAAAAAAA9lE,EAAAAh0D,EAACAA,EAAAAQAhxB,EAAAurF
EAAAE,WAAA,GAEA,OAAA/I,GACA,QACA,QACA,QACA,QACA,QACA,QACA,OAAA6I,EAEA,QACA,QA
CA,cAEA,QACA,OACA,QACA,QACA,SACA,WACA,UACA,UACA,WAGA,cASA,SAAAknF,GAAA7mD,GA
CA,IAAA8mD,EAAA9mD,EAAAArlC,WAAA9mD,EAAAh0D,EAAAArlC,WAAA2vC,EAAArlC,OAAA,GAAAI,GAAA
AAI,GAAAAH,GAAAAG,GAAAA,IAAAA83F,GA
CA,IAAA8mD,EAAA9mD,EAAAArlC,WAAA2vC,EAAArlC,OAAA,GAAAI,GAAA
CAn7F,KAAAi7F,OAAAAtnD,GAOA,OANAwnD,GAAA
AAAr5F,GAAAwC,EAAAAxC,EAACAAkB,EACAAAAAAGAOA,SAAAAznF,GACA,IAAAlY,EAAAAttmD,GA
CA,IAAA8mD,EAAA9mD,EAAAArlC,WAAA9mD,EAAAh0D,EAAAArlC,WAAA2vC,EAAArlC,OAAA,GAAAI,GAAA
AyB,GACAv5F,IAAA+3F,GAAA,GAAAAMAAAwB,EAEA,OAAAIA,83F,GACAIAAAwnD,EAAAAn7F,KAAAi7F,GAA
AtnD,EAAAA7gC,WAAA,GAEA,OAAAA2K,GAAA/H GAAA,IAAAMAH,GAAA,4F,UAAAm5F,GAAA,SAAAAvnD,E
AAAAypC,GACA,GACAIAAAttC,EACAAAAAA6D,EACAAAAAAh0D,EAAAAkK7J,EAAAAEACA,MAAAA,EAAAA8F,E
AAA,CACAAAAA8F,EAAAAAAAC,ACAAYAEAsL,EAAAAivB,OAAAgBA,AAAAt3F,EAIA,GAHA0E,GAAA,G
AAA0E,EAACAzC,EAACAAkB,IAAAAxF,EAAAAizC,EAAAAztC,EAAAA,EAACA1E,EAACA1E,GAAAA1E,EAAAA
IAAAo6F,IAAAA,CAAAAA,GAJAzwF,EAAAA,GAKAIAAAuwF,EAACA75F,EAAAAk6F,GACA5kD,OAAAAklD,EAAA
AP,GAAAAc,GAAA,CAAAAT,EAACAJ,GACAAiB,IAAA,CAAAAZ,EAACAL,GACAAe,IAAA,CAAAAAR,EAACAP,GA
CA,QACA,UACA,SACA,WACA,UACA,UACA,WAGA,cASA,SAAAA7mD,GA
CA,IAAA8mD,EAAA9mD,EAAAArlC,WAAA9mD,EAAAh0D,EAAAArlC,WAAA2vC,EAAArlC,OAAA,GAAAI,GAAA
Ah0D,GAAAuB,GAYEvB,IAAAmqD,GACAIAAAttC,EACAAAAAh0D,EAAAAkuD,6F,GACA,IAAAAttC,EAACA
AAAmqD,EAAAAr0D,7F,KAAAi7F,GAAAAi7F,EAAAAynD,GACA,OAAAAr0D,GACA,QACA,UACAIAAAttC,EA
AAmqD,EAAAAr0D,7F,KAAAi7F,GAAAAi7F,EAAAAynD,GACA,OACAAjT,6F,KAAAi7F,GAAAi7F,EAAAAynD,G
AEAAypC,GACA,IAAAAttC,EAAAAmqD,EAAAAr0D,7F,KAAAi7F,GAAAAi7F,EAAAAynD,GAAAAypC,IAGAAttC,E
AAAypC,GACA,IAAAAttC,EAAAAmqD,EAAAAr0D,7F,KAAAi7F,GAAAi7F,EAAAAynD,GAEAAypC,EAAAAr0D,G
AAAB,EAAAAluD,GACA,YAEA,IAAAAAttC,EACAAAAh0D,EACAAkuD6F,EAACAA,GAAAAkuD6F EAAAAluD,GACA,YAEA,IAAAAAttC,EACAAAAh0D,EACAAkuD6F,EAACAA,GAAAAkuD6F,EAAAAluD,GAAA,EEACAAvF,

EAAAtL,EACAjB,IAGA,OAAAuM,GAQA,IAAAyuF,GAAA,CACA,QACA,WACA,kBACA,cACA,uBACA,wB
ACA,wBACA,2BACA,2BACA,gBACA,iBAEAC,GAAA,oDACAC,GAAA,qBACAC,GAAA,QACAC,GAAA,CA
CAC,MAAA,SAAArnD,GAA2B,OAAAA,EAAAsnD,qBAC3BC,MAAA,SAAAvnD,GAA2B,OAAAA,EAAAwn
D,sBAG3BjG,GAAA,SAAAzoF,GACA,IAAAm/C,EAAAtsD,UACA,IAAAmN,MAAA,KAMOooF,GAAG,qBAA
AjsF,eAAAy8C,KACN+xC,EAAOxuF,OAAAy8C,KAGX,IAAAytC,EAAArmF,EAAAqmF,QAAA,QACA6C,EA
AAlpF,EAAAkpF,gBAAA,QACAG,EAAArpF,EAAAqpF,UAAA,GACAsF,EAAA3uF,EAAA2uF,iBAAA,GACA
C,EAAA5uF,EAAA4uF,eAAA,GAEA/7F,KAAAkiD,IAAA,KACAliD,KAAAg8F,WAAA7uF,EAAAipF,WAAA,I
AAAiC,EACAr4F,KAAAi8F,SAAA9uF,EAAAuyE,SAAA,KACA1/E,KAAAk8F,MAAA/uF,EAAA3N,MAAA,K
ACAQ,KAAAm8F,WAAA15F,IAAA0K,EAAAspF,QAAAtpF,EAAAspF,KACAz2F,KAAAo8F,mBAAA35F,IA
AA0K,EAAAkvF,gBAEAlvF,EAAAkvF,aAACAr8F,KAAAs8F,4BAAA75F,IAAA0K,EAAAmpF,yBAEAnpF,EAA
AmpF,sBACAt2F,KAAAu8F,oBAAA75F,IAAA0K,EAAAw8F,KAAAy8F,MAAA,IAAAzB,G
ACAh7F,KAAA08F,eAAA,GAEA18F,KAAA28F,OAAA,SAAAx1E,EAAAvlB,GACA,SAAAulB,IAAAvlB,KAC
A0xF,EAAAhnC,EAAAmwC,MAAAArB,aAAAj0E,EAAAvlB,GAGA5B,KAGA5B,KAAAA48F,QAAA,CACACApJ,SACA6C,iB
ACAG,WACAsF,kBACAC,mBAIAc,GAAA,CAA0BvF,GAAA,CAAMzuE,cAAA,GAAqB2tE,SAAA,CAAAY3tE,
cAAA,GAAAqBizE,gBAAA,CAAmBjzE,cAAA,GAAqBkzE,cAAA,CAAiBlzE,cAAA,GAAAqB2qE,OAAA,CAAU3
qE,cAAA,GAAAqBwtE,eAAA,CAAkBxtE,cAAA,GAAAqB62D,QAAA,CAAW72D,cAAA,GAAAqButE,UAAA,CAA
avtE,cAAA,GAAAqBytE,sBAAA,CAAyBztE,cAAA,IAErU+sE,GAAA3zF,UAAA26F,QAAA,SAAAA7zE,GACA,IA
AA+zE,EAAAevH,EAAAGr3B,OAAAA4+B,OAChBvH,EAAAGr3B,OAAAA4+B,QAAA,EACL98F,KAAAkiD,IAAA,I
AAAiBqzC,EAAAG,CAAAExsE,SACpBwsE,EAAAGr3B,OAAAA4+B,UAGLlH,GAAA3zF,UAAAi0F,sBAAA,SBAAA,SAAAoB
,GACAt3F,KAAAA08F,eAAAAj3F,KAAAA6xF,IAGA1B,GAAA3zF,UAAA20F,wBAAA,SAAAU,GACA,wBAAAwBA,SAAAU
,GACA,WACA,IAAAl2F,EAAAC,KACA,OAAAAKAAAkiD,IAAAAAA66C,OAAA,mBACA,IAAAA18F,EAAAAAN,EAAA
AAkiD,IAAAAA66C,OAAA,mBACA,MAAA9F,IAACMk1F,EAAAGlgD,SAAA,WACTt1C,EAAAAAr8F,IAAAAAN,EAAA
AAAr8F,GAAAA28F,kBAGGCAAGxvF,MAAA,KAGNooF,GAAA3zF,UAAA00F,YAAA,WAAA,WAEA,IAAA32F,KAAAm8F,
WAAA,OAAA,EAGA,IAAAA3uF,EAAAA3N,KAAAm8F,WAAAm8F,kBAAAmC,YACA,IAAA3uF,EAAA,CAAOAliD,IAAAA
iD,IAAAk8F,MAAAArH,MAAAyC,GAAAyF,OAAA,kBAAA9jF,G
ACA1L,EAAAA0vF,KAAA1vF,EAAA,SAAA0L,GACA1L,EAAAAyvF,gBACG,CAAAGE,WAAA,KAGNL,GAAAv
F,GAAAp2F,IAAA,WAAAyC,OAAAlB,KAAAkiD,IAEAzzF,KAAAEzC26C,GAAAArG,SAAAt1F,IAAA,WAA+C,OAAAuyF,E
AAAzzF,KAAAA80F,KAAAA80F,iBAC/CGAAAf,gBAAAA56F,IAAA,WAAsC,OAAAsD,KAAAoyF,WAAAA6yF,kBAAtCAAm9F,wBACtD
N,GAAAAd,cAAAA76F,IAAA,WAAoC,OAAAuyF,EAAAAzzF,KAAAo9F,sBAApC,sBAAAepDP,GAAAArJ,OAAAtyF,IAAA,WA
A6C,OAAAl<...
A6C,OAAAlB,KAAAkiD,IAAAsxC,QAC7CqJ,GAAAArJ,OAAA1qE,IAAA,SAAAAxzF,GAAAkiD,IAAA+6C,KAAAAkiD,IAA
A+6C,KAAAAkiD,IAAAsxC,SAAAAsxC,IAGAqJ,GAAA3zF,UAAAsxC,IAGAkiD,IAAAAm0C,gBBACrDwG,GAAAAxG,eAAAA
vtE,IAAA,SAAAA0qE,GACAzzF,KAAAo9F,sBAAAAxzF,GAAAki D,IAAA+6C,KAAAAki D,IAAAABAAAsxC,IAGAqJ,G
AAAk iD,IAAAiBAAAsxC,IAGAqJ,GAAAnd,QAAAx+E,IAAA,WAAA,WAAA8C,OAAAlB,KAAAkiD,i8F,UAC9CY,GAAAnd,
QAAA52D,IAAAA,SAAAA/S,GAAAAqD,V,KAAAi8F,SAAAAlmF,GAEArD8mF,GAAAAzG,UAAAAl1F,IAAA,WAAAgD,O
AAAlB,KAAAhD,AAgD,O
AAAlB,KAAAA8F,g8F,YAChDaGAAAvG,eAAAAttE,IAAA,SAAAA0qE,GACAzzF,KAAAAAp1F,AAAAAst E,GAAyDp2F,KAAAAg8F,W
AAA5F,GAEzDyG,GAAAAvG,sBAAAAxtE,IAAA,WAAA,WAAA8C,OAAAlB,KAAAAs8F,4BAChDaGAAAs0C,eAAAAts0C,IAAAs
0C,UAC3DZ,GAAA3zF,UAAAk7F,7F,UAAAk7F,oBAAAAk7F,mBAAA3uF,GAAA3zF,AAAk7F,UAAAYA6yF,
mBAAA3uF,GAAA,WAAA,WAAA9C,OAAAlB,KAAAkiD,IAAAAs0C,gCAAAAUAC3DZ,GAAA3zF,UAAA6zF,kBAAAAAAs
0C,UAC3DZGAAA3zF,UAAAAhDD A,GAAoDmlB,EAAAuB,GAAAndQ,OAAAlB,KAAAkiD,IAAAs0C,UAAAc,KAAAi
8F,KAAAAi8F,SAAAmyF,GACA,IAAAmuF,EAAAAvwF,GAAAAwB,OAAAAxC3BB,GAAA/C,KAAAk8F,MAAAAlpF,GAC
Ai8F,KAAA8F,g8F,YAAmuF,EAAA5xF,EAAAmB,EAAAuvF,EAAAvwF,GAC31F,KAAAv1F,AAAAAhDD,OAAAlB,KAAAk
iD,IAAAv2E,EAAAAAB,GAChBsC,KAAAi8F,SAAAAAlmF,EAAA/S,GACA,YAAAhK,KAAAgD AAD,OAAAlB,KAAA
kiD,IAAAs0C,gCAAA,EACAhK,EAAAA5xF,EAAAmB,EAAAuvF,EAAAvwF,GAED27mF,GAAAA3zF,UAAAk7F,o

AArsE,EAAAlb,EAAAu/B,EAAAiyD,EAAAt4F,EAAAu4F,IAGA19F,KAAA69F,QAAA5xF,EAAAwxF,EAAAt4F,IAGAywF,GAAA3zF,UAAA27F,MAAA,SACApK,EACArsE,EACAktB,EACA7I,EACAiyD,EACAt4F,EACAu4F,GAEA,IAAApxC,EAAAtsD,KAEAiM,EAAAooC,EAKAvlC,EAAA7C,EAAAiI,MAAAonF,IACA,QAAA7/E,KAAA3M,EAGA,GAAAA,EAAA5M,eAAAuZ,GAAA,CAGA,IAAAqiF,EAAAhvF,EAAA2M,GACAsiF,EAAAD,EAAA5pF,MAAAqnF,IACAyC,EAAAD,EAAA,GACAE,EAAAF,EAAA,GAGAG,EAAAJ,EAAAhwF,QAAAkwF,EAAA,IAAAlwF,QAAA0tF,GAAA,IAEA,GAAAkC,EAAAS,SAAAD,GAIA,OAAAjyF,EAEAyxF,EAAAj4F,KAAAy4F,GAGA,IAAAAE,EAAA9xC,EAAAkxC,aACAhK,EAAArsE,EAAA+2E,EAAA1yD,EACA,QAAAiyD,EAAA,SAAAA,EACA,QAAAA,OAAAh7F,EAAA0C,EACAu4F,GAGA,GAAApxC,EAAAixC,gBAAAa,GAAA,CAKA,IAAA9xC,EAAA4vC,MAA0B,MAAA7yF,oBAC1B1B,IAAA7J,EAAA+8sD,EAAA+4vC,MAAArH,MACAuJ,EAAA5+F,EAAA+6+F,WACA7+F,EAAAs1F,eAAt1F,EAAAg0F,EAAAh0F,OAAAh0F,EAAA62F

A,EAAA1H,EAAA0H,GAAAJ,UAAAI,EAAA,GACA,OAAAwoF,EAAAr1F,MAAAi1F,IAAAzoF,MAAA6oF,E
AAA,CAAAzzF,EAAA5B,KAAAwzF,OAAAxzF,KAAA80F,eAAA,KAAAE,GAAArrF,OAAAxE,KAGAywF,G
AAA3zF,UAAAkzF,IAAA,SAAAvzF,EAAA4xF,EAAAgD,GACA,IAAAj7E,EAAA,GAAA1O,EAAAJ,UAAAtG,
OAAA,EACA,MAAA0G,KAAA,EAAA0O,EAAA1O,GAAAJ,UAAAI,EAAA,GAEA,IAAA2qF,EAAAjE,EAAA/
mF,WAAA,EAAA+O,GAAAi4E,UACA,OAAAxzF,KAAA28F,OAAAnG,EAAAgB,GAAA51F,IAGAg0F,GAAA
3zF,UAAA48F,GAAA,SAAAj9F,EAAA4xF,GACA,OAAAxzF,KAAAm1F,IAAAvzF,EAAA5B,KAAAwzF,OAA
AxzF,KAAA80F,eAAAtB,IAGAoC,GAAA3zF,UAAAo1F,iBAAA,SAAA7D,GACA,OAAAC,EAAAzzF,KAAAki
D,IAAAs0C,SAAAhD,IAAA,KAGAoC,GAAA3zF,UAAA68F,iBAAA,SAAAtL,EAAArsE,GACAnnB,KAAAkiD
,IAAA+6C,KAAAj9F,KAAAkiD,IAAAs0C,SAAAhD,EAAArsE,IAGAyuE,GAAA3zF,UAAA8zF,mBAAA,SAA
AvC,EAAArsE,GACAnnB,KAAAkiD,IAAA+6C,KAAAj9F,KAAAkiD,IAAAs0C,SAAAhD,EAAAtnF,EAAAlM,
KAAAkiD,IAAAs0C,SAAAhD,IAAA,GAAgFrsE,KAGhFyuE,GAAA3zF,UAAA88F,kBAAA,SAAAvL,GACA,O
AAAC,EAAAzzF,KAAAkiD,IAAA45C,gBAAAtI,IAAA,KAGAoC,GAAA3zF,UAAA+8F,kBAAA,SAAAxL,EA
AAkF,GACA14F,KAAAkiD,IAAA+6C,KAAAj9F,KAAAkiD,IAAA45C,gBAAAtI,EAAAkF,IAGA9C,GAAA3zF
,UAAAg9F,oBAAA,SAAAzL,EAAAkF,GACA14F,KAAAkiD,IAAA+6C,KAAAj9F,KAAAkiD,IAAA45C,gBAA
AtI,EAAAtnF,EAAAlM,KAAAkiD,IAAA45C,gBAAAtI,IAAA,GAA8FkF,KAG9F9C,GAAA3zF,UAAAi9F,kBA
AA,SACA59F,EACAkyF,EACA8K,EACAxC,EACAl6F,GAEA,IAAA41F,EAAAhE,EACA2L,EAAArD,EAAAtE
,GAWA,IARAlE,EAAA6L,IAAA7L,EAAA6L,EAAAv9F,OAIA41F,EAAA8G,EACAa,EAAArD,EAAAtE,IAGAl
E,EAAA6L,IAAA7L,EAAA6L,EAAAv9F,IACA,YAEA,IAAA82F,EAAAyG,EAAAv9F,GACA6S,EAAA+iF,EA
AA,KAAA51F,EACAw0F,EAAAp2F,KAAAu8F,oBAAA9nF,GAIA,OAHA2hF,EAAAp2F,KAAAu8F,o
BAAA9nF,GAAA,IAAA6/E,EAAAC,eAAAiD,EAAAkB,IAEAtC,EAAAsC,OAAAp3F,IAIAs0F,EAAAg9F,UAA
AovD,GAAA,SAAAvD,EAAAkyF,EAAA5xF,GAOA,IAAAA,EACA,WAAA0yF,EAAAC,eAAAf,GAAAkF,OA
AAp3F,GAGA,IAAA2K,EACAjM,EAAAk/F,EACAC,eAAAf,GAAA,IAAAb,EAAAC,eAAAf,IAAAjM,EAAAg
hF,kBAAAk8F,MAAAsB,MAAA7yF,MAAA7yF,MAAA,oBACAtB,OAAAArJ,KAAAk8F,MAAArH,MAAAl0F
,EAAAW,EAAAM,EAAA4xF,GAEA,IAAA2pF,GAAA3zF,UAAAtB,EAAA,SAAAW,GACA,IAAAia,EAAA,G
ACA,MAAA0G,KAAA,EAAA0O,EAAA1O,GAAAJ,UAAAI,EAAA,GAEA,IAAA2mF,EAAAxzF,KAAAwzF,O
ACA5xF,KAsBA5xF,OACA5xF,EAAA,KAsBA,OAApBA,IAAA2Z,EAAApV,OACAkBAAAoV,EAAA,GACA3
Z,GAC3Z,EAAA2Z,EAAA,GACAKlV,EAAAkV,EAAA,MACLA,EAAA,GAAAi4E,SACAA,EAAAj4E,EAAA
,GAAAi4E,QAEAj4E,EAAA,GAAAi4E,SACAA,MACAA,EAAAA2Z,EAAA2Z,EAAA,GAAAA3Z,MAGGIAAA2
Z,EAAApV,SACHkBAAAoV,EAAA,KACAA,EAAA,GAAAi4E,EAAAj4E,EAAA,GAAAi4E,QAEAj4E,EAAA,G
ACAi4E,EAAA,GAAA,KAIAvb,KAAAqxD,GAAA/vD,EAAAkyF,EAAA5xF,IAGAg0F,GAAA3zF,UAAAm9F,
gBAAA,SAAAA5L,GACA,OAAAC,EAAAzzF,KAAAki D,IAAA65C,cAAAvI,IAAA,KAGAoC,GAAA3zF,UAA
Ao9F,gBAAA,SAAAA7L,EAAAkF,GACA14F,KAAAki D,IAAA+6C,KAAAj9F,KAAAki D,IAAA65C,cAAAvI,E
AAAkF,IAGA9C,GAAA3zF,UAAAq9F,kBAAA,SAAA9L,GACA14F,KAAAki D,IAAA+6C,KAAAj9F,KAAAki
D,IAAA65C,cAAAvI,EAAAtnF,EAAAlM,KAAAki D,IAAA65C,cAAAvI,IAAA,GAA0FkF,KAG1F9C,GAAA0
FkF,KAG1F9C,GAAA3zF,UAAAs9F,gBAAA,SAACAj+F,EACAkyF,EAAA8K,EACAvC,EACAn6F,GAEA,I
AAAqqF,EAAAhE,EAAAphF,GAAAQqF,EAAAhE,EACA2pD,EAAAvE,GAWA,IARAlE,EAAA6L,IAAA7L,E
AAA6L,EAAAv9F,IACA,YAEA,IAAA82F,EAAAygF,EAAA,QAAAGF,EAAAyG,EAAAv9F,GACA6S,EAA
AipF,EAAA,KAAA9B,EAAAKAAAG,aAAA+C,EAAAz2F,OAAAA8xC,EAAAEAAAyoF,GAAA4J,eAAAC,aA
IA,SAGA,IAAA79F,EAAA89F,EAAAvyF,EAAAvyF,EAAA,IAAAmnF,EAAAIAAA9B,KAAAG,aAAAjB,EA
AAAA,EAArmF,IAEnF,OAAAlB,GAAA,IAIA,GAAqD,IAAAs0F,EAAA51F,EAAAVrF,EAAA,KAAA51F,E
AAA,KAAAlB,EAAA,GAAA,oBACA,IAAAnB,KAAAti D,IAAAj6lD,EAAA,KAAArmF,EAAAKAAA51F,KA
AAw8F,kBAAAj+F,IAEnF,OAAAlB,GAAA,IAIA,IAAA6/E,KAAAG,aAAAjB,EAAA,IAAAnB,KAAAqxD,GA
AA/vD,EAAAkyF,EAAA5xF,IAGAg0F,GAAA3zF,UAAAtB,EAAA,SAAAW,GACA,IAAAia,EAAA,GACA,M
AAA0G,KAAA,EAAA0O,EAAA1O,GAAAJ,UAAAI,EAAA,GAEA,IAAA2mF,EAAAxzF,KAAAwzF,OACA5
xF,KsBA5xF,OACA5xF,EAAA,KsBA,OAApBA,IAAA2Z,EAAApV,OACAkBAAAoV,EAAA,GACA3Z,GAC
3Z,EAAA2Z,EAAA,GACAKlV,EAAAkV,EAAA,MACLA,EAAA,GAAAi4E,SACAA,EAAAj4E,EAAA,GAAA
i4E,QAEAj4E,EAAA,GAAAi4E,SACAA,MACAA,EAAAA2Z,EAAA2Z,EAAA,GAAAA/yF,EAAAA
R,EAAAAP,OAAA8xC,OAAA,GAAqD,CAAAGjxC,MAAA4xF,UAA2BrmF,IAEnF,OAAAAlB,GAAA,IAIA2p
F,EAAA3zF,UAAAAH,EAAA,SAAAAR,GACA,IAAAia,EAAA,GACA,MAAA0G,KAAA,EAAA0O,EAAA1O,
GAAAJ,UAAAI,EAAA,GAEA,IAAA2mF,EAAAxzF,KAAAwzF,OACA5xF,KAAA,MAAA0G,KAAA,EAAA0
O,EAAA1O,GAAAJ,UAAAI,EAAA,G

AAA,EAAA0O,EAAA1O,GAAAJ,UAAAI,EAAA,GAEA,IAAA2mF,EAAAxzF,KAAAwzF,OACA5xF,EAAA,K
ACAuL,EAAA,KAgCA,OA9BA,IAAAoO,EAAApV,OACA,kBAAAoV,EAAA,GACA3Z,EAAA2Z,EAAA,GAC
KlV,EAAAkV,EAAA,MACLA,EAAA,GAAAi4E,SACAA,EAAAj4E,EAAA,GAAAi4E,QAEAj4E,EAAA,GAAA
3Z,MACAA,EAAA2Z,EAAA,GAAA3Z,KAIAuL,EAAApM,OAAA2C,KAAA6X,EAAA,IAAAw/C,OAAA,SAA
AC,EAAAp5D,GACA,IAAAsI,EAEA,OAAAmxF,GAAA8C,SAAAv8F,GACAb,OAAA8xC,OAAA,GAAiCmoB,
GAAA9wD,EAAA,GAAAiBA,EAAAtI,GAAA2Z,EAAA,GAAA3Z,GAAAsI,IAElD8wD,GACO,OAEJ,IAAAz/C,E
AAApV,SACH,kBAAAoV,EAAA,KACA3Z,EAAA2Z,EAAA,IAEA,kBAAAA,EAAA,KACAi4E,EAAAj4E,EAA
A,KAIAvb,KAAAkwD,GAAA5uD,EAAAkyF,EAAA5xF,EAAAuL,IAGApM,OAAA4xC,iBAAAijD,GAAA3zF,
UAAA46F,IAEAjH,GAAA4J,eAAA,CACAG,eAAAtL,EACAoL,aAAAjL,GAEAoB,GAAA9vC,QAAkBgyC,EAC
lBlC,GAAAxqF,QAAA,QAEe,IAAAw0F,GAAA,GCrkDf,SAASC,KACP,IAAMC,EAAUlgG,UACV42F,EAAW,
GAQjB,OAPAsJ,EAAAQp8F,OAAAOiyD,QAAQ,SAAA/zD,GACrB,IAAAM8Z,EAAU9Z,EAAAIsS,MAAM,uBAC1B,
GAAIwH,GAAAWA,EAAAQvV,OAAS,EAAG,CACjC,IAAAMqtF,EAAAS93E,EAAQ,GACvB86E,EAAAShD,GAAAUs
M,EAAAQl+F,MAGxB40F,EAAZTzwC,IAAIg6C,IAAAInK,IAeO,IAAAhB,GAAA,IAAAIgB,GAAAQ,CACzBpC,OAAQ
vtE,KACRowE,eAAgBpwE,KAChBuwE,SAAUqJ,oBCrBRG,GAAM,WAAgB,IAAA99C,EAAAAliD,KAAAamiD,E
AAAD,EAAAAE,eAAA0BF,EAAAAI,MAAAAD,GAAAwB,OAAAAH,EAAA+9C,GAAA,IACzFx9C,GAAA,YAAoC,IAA
AP,EAAAAliD,KAAAamiD,EAAAAD,EAAAAE,eAAA0BC,EAAAAH,EAAAAI,MAAAAD,IAAAF,EAAAwB,OAAAAE,EAAA,
OAAiBsH,YAAA,uBAAkC,CAAAAtH,EAAA,OAAAYsH,YAAA,+BAAAh/B,MAAA,CAAAmDu1E,eAAAh+C,EAA
A1K,OAA6B0K,EAAAi+C,GAAAAj+C,EAAA,uBAAAk+C,EAAAAj/F,GAA4C,OAAAAkhD,EAAA,OAAAiBzgD,IA
AAT,EAAAAwoD,YAAoC,oCAAAh/B,MAAA,CAA8DgyE,eAAAzhE,EAAAAzhE,SAAAqBujB,EAAAAi+C,GAAAAC,E
AAA,eAAA1lE,EAAA3pB,GAAoC,OAAAsxC,EAAA,OAAAiBzgD,IAAAAmP,EAAA,OAAAiBzgD,IAAAAmP,EAAAA4Z,OAAw
B,CAAAAA,EAAA,SAAAA2nB,EAAA,OAAA2B9e,MAAA7I,EAAAAouC,WAAAmB5mB,EAAAAmsB,iBCDvfgyB,kCA
Ae,CACnB,CACE1hE,OAAQ,MACR2hE,MAAO,CAAC,CAAC,EAAG,OAAQ,CAAC,KAAM,OAAS,CAAC,KA
AM,WAIxC,SAASC,GAAAalsD,GAC3B,OAAOgP,OAAOhP,GAAAK9xC,aAAe8xC,EAAAI9xC,WAGjC,SAASi+F,G
AASnsD,GACvB,IAAAMosD,EAAAY,CAAC,KAAM,IAAK,KAAM,OAChCC,GAAAa,EAAQjB,OAAPAD,EAAAU9qC,Q
AAQ,SAAA94B,GACZwmB,EAAAIllC,MAAM0tB,GAAAQ,KACJ,KAAAzBwX,EAAAIllC,MAAM0tB,GA
AQ,IACW,IAAA7BwX,EAAAIllC,MAAM0tB,GAAAQ12B,SAChBu6F,GAAAa,KAGVA,EAGF,SAASC,GAAAankE,EA
AM/E,EAAAOmpE,GAAA0B,IAAAlB93B,EAAkBr8D,UAAAtG,OAAA,QAAAAAA1D,IAAAAgK,EAAAAgK,EAAAAUAAA,
GAAAP,MACrDjD,EAAAM,GAgBZ,OAfaIAATgzB,IACE+jE,GAAAAY/jE,GACAdhzB,EAAAI/D,KAAK,CAAAAKlB,MA
AK,cAAAhhB,OAAAgB6yB,EAAAhB,oCAAAwDssC,aAAAC9D03B,GAAAQhkE,IACjBhzB,EAAAI/D,KAAK,CAAAAKlB,MAAK,
MAAK,6CAAAAhhB,OAAAgB6yB,EAAAhB,oCAAAwDssC,aAAAC9D03B,GAAAQhkE,IACjBhzB,EAAAI/D,KAAK,CAAAAKlB,
MAAK,6CAAAAhhB,OAAAgB6yB,EAAAhB,sCACN,oE,GAAAQ/oE,IACjBBjuB,EAAAI/D,KAAK,CAAAAKlB,MAAK,MAAK,6
CAAAAhhB,OAAAgB6yB,EAAAhB,oCAAAwDssC,aAAAC9D6
CAAAhhB,OAA+C8tB,EAAA/C,OAAEbmpE,GACFp3F,EAAAI/D,KAAK,CAAAAKlB,MAAO,+CAAAAhhB,OAAO,+CAAAaAE5Dt/
D,EAGF,SAASSq3F,KAAmD,IAAAvCC,EAAAAuCr0F,EAAAAuuCr0F,UAAAtG,OAAA,QAAAAAA1D,IAAAAgK,EAAAAgK,
GAAAhC4zF,GAAAcv3B,EAAAAkBr8D,UAAAtG,OAAA,QAAAAAA1D,IAAAAgK,EAAAAgK,EAAAUAAA,GAAAP,MACpD
Ds0F,EAAAS,GAef,OAdAaD,EAAAKnrC,QAAQ,SAAAAyqC,GACX,IAAAIY,EAAAS,GACPC,EAAAS,GAEfA,EAAAOtiE,
OAAASyhE,EAAAIzhE,OAEpByhE,EAAAIE,MAAAA3qC,QAAAA,SAAACj7B,GAAAAKx0B,EAAAAKx0B,GACtB,IAAAM06F,
EAAAS16F,G
IAAAUk6F,EAAAIE,MAAAAMn6F,GAAAAS,EAC5C66F,EAAASA,EAAAAOr3F,GAAAg3F,GAAAYjmE,EAAAI,GAAAIA,EAAAI,
GAAAIkmE,EAAAQ93B,MAE7Dm4B,EAAAAOX,MAAAQU,EACfD,EAAAAOt7F,KAAAKw7F,KAGPF,EAGM,IC7CfG,G
AAA,CACAAtgG,KAAAA,qBACAAkxB,MAAAA,CAAIAgvE,KAAAA,CACAAz2F,KAAAAqD,OAKA8pC,KAAAA,CACAAntC,
C,KAAAA6I,OACAAiwC,QAAAA,SAAAASAGA3rB,SAAAA,CACA2pE,cADA,WAEA,OAAAAN,GAAAA7gG,KAAAA8gG,KAA
A,6CCrC4VM,GAAA,aaCM7U,SAAAC,GACfC,EACAQ,EACA8,C,EACAC,EACAC,EACAC,EACAC
,GAGA,IAqBAxwE,EArBAhkB,EAAAAoBAAAm0F,EACAA,oBAAAAm0F,EAAAAn0F,QACAA,oBADA,GA9CAr/C,IACA90
C,EAAAA80C,SACA90C,EAAAAs1C,CkBACAt1C,EAAAAy0F,WAAA,GAIAL,IACAp0F,EAAAAo8C,YAAA,GAIAk4
C,IACAt0F,EAAAAt0F,FEAAAA00F,SAAA,UAAAJ,GAIAC,EAAAAt0F,FEAAAA00F,SAAA,
C,IACAt0F,EAAAAAA0FF,SAAAA,UAAAJ,GAIAC,EAAAAt0F,GAIAC,GAAAAy2F,EAAAAy2F,FEAAAyBH,eAAm0F,KAA
AR,UAAAqsD,MAAAAqpC,SAAAAyM,aACr

BX,GAGArwE,EACA,GAAAhkB,EAAAo8C,WAAA,CAGAp8C,EAAAi1F,cAAAjxE,EAEA,IAAAkxE,EAAAl1
F,EAAA80C,OACA90C,EAAA80C,OAAA,SAAAsZ,EAAAhwD,GAEA,OADA4lB,EAAA3wB,KAAA+K,GAC
A82F,EAAA9mC,EAAAhwD,QAEK,CAEL,IAAA+2F,EAAAn1F,EAAAsoF,aACAtoF,EAAAsoF,aAAA6M,EAC
A,GAAA34F,OAAA24F,EAAAnxE,GACA,CAAAA,GAIA,OACAzxB,QAAA4hG,EACAn0F,WClFA,IAAIo1F,G
AAYlB,GACdD,GACApB,GACAv9C,IACF,EACA,KACA,WACA,MAIA8/C,GAASp1F,QAAAq1F,OAAA,yBA
CM,IAAAAC,GAAAAF,WCpBXG,GAAM,WAAgB,IAAAxgD,EAAALiD,KAAAamiD,KAAAamiD,EAAAAD,EAAAAE,eAA0BC,EA
AAH,EAAAAI,MAAAD,IAAAAF,EAAwB,OAAAE,EAAAygD,QAA
wFzgD,EAAAAmsB,KAAAxFhsB,EAAA,MAA0BsH,YAAA,mDAA8D,CAAAAzH,EAAAkO,GAAA,SAAAlO,EAA
AoO,GAAAApO,EAAAyyC,GAAA,kCAAAzyC,EAAAAM,GAAA,gBAAAH,EAAA,KAA0GugD,SAAA,CAAU/qF,
UAAAqqC,EAAAoO,GAAAApO,EAAAyyC,GAAA,kCAAwDtyC,EAAA,OAAcsH,YAAA,6BAAwC,CAAAAtH,EA
AA,QAAasH,YAAA,0CAAA7zC,MAAA,CAA6DgrC,KAAA,UAAAi0H,EAAAkO,GAAAApO,EAAA,UAAAH,EAAAkO,GAAA,iBAAAlO,EAAAoO,GA
AApO,EAAAyyC,GAAA,iDAAAtyC,EAAA,OAAAA,EAAA,QAAAAH,EAAAAH,EAAAkO,GAAAlO,EAAAoO,GAAApO,
EAAAyyC,GAAA,6BAAAtyC,EAAA,SAAyLsH,YAAA,uEAAAkF,CAAAAzH,EAAA+9C,GAAA,GAAAAGAAA59C,EAA
A,SAAwBwBwgD,WAAA,EAAAajiG,KAAA,QAAAAkiG,QAAA,UAAAxhG,MAAA4gD,EAAA,OAAA6gD,WAAA,
WAAAsEp5C,YAAA,2CAAA7zC,MAAA,CAAgElV,KAAA,SAAAyJ,KAAA,SAAAguD,IAAA,KAA0CuqC,SAA
A,CAAWthG,MAAA4gD,EAAA,QAAqBxzB,GAAA,CAAAAKs0E,OAAA,SAAAAC,GAA0B/gD,EAAAghD,kBAAA
,GAA6BprF,MAAA,SAAAmrF,GAA0BA,EAAAA11F,OAAA41F,YAAsCjhD,EAAAkhD,OAAAAH,EAAA11F,OA
AAjM,aAAiC+gD,EAAA,QAAesH,YAAA,iCAA4C,CAAAAtH,EAAA,UAAesH,YAAA,aAAApmB,MAAA,CAAg
C8/D,cAAA,YAAAnhD,EAAAohD,mBAAqDxtF,MAAA,CAAAAQzL,KAAA,UAAAgBqkB,GAAA,CAAAKiD,MAAA
,SAAAsxE,GAAyB/gD,EAAAohD,kBAAA,aAAoC/mnD,CAAAAphD,EAAAkO,GAAA,mBAAAlO,EAAAoO,GAAAp
O,EAAAyyC,GAAA,sDAAAtyC,EAAA,UAA6FsH,YAAA,aAApmB,MAAA,CAAgC8/D,cAAA,YAAWAAnhD,E
AAAohD,mBAAoDxtF,MAAA,CAAQzL,KAAA,UAAAgBqkB,GAAA,CAAAKiD,MAAA,SAAAsxE,GAAByB/gD,E
AAAohD,kBAAA,YAAmC,YAAAmC,CAAAAphD,EAAAkO,GAAA,mBAAAlO,EAAAoO,GAAApO,EAAAyyC,GAAA,qD
AAAtyC,EAAA,UAA4FsH,YAAA,aAApmB,MAAA,CAAgC8/D,cAAA,YAAOAAnhD,EAAAohD,mBAAqDxtF,
MAAA,CAAQzL,KAAA,UAAAgBqkB,GAAA,CAAKiD,MAAA,SAAAsxE,GAAyB/gD,EAAAohD,kBAAA,YAA
+B,CAAAAphD,EAAAkO,GAAA,mBAAAlO,EAAAoO,GAAApO,EAAAyyC,GAAA,0DAAAzyC,EAAA,UAAAA,
G,EAAA,KAA4HsH,YAAA,OAAAi5C,SAAA,CAA6B/qF,UAAAqqC,EAAAoO,GAAApO,EAAAyyC,GAAA,+B
AA0DpnF,OAAAA20C,EAAAqhD,gBAA4BrhD,EAAAmsB,KAAAAhsB,EAAA,OAAAqBsH,YAAA,QAAAmB,CAAA
tH,EAAA,SAAAcvsC,MAAA,CAAAOlV,KAAA,SAAAAU,MAAA,OAAA+I,KAAA,YAAgDg4C,EAAA,SAAAcwgD,
WAAA,EAAAajiG,KAAA,QAAAAkiG,QAAA,UAAAxhG,MAAA4gD,EAAA,kBAAAA6gD,WAAA,sBAAA4FjtF,MA
AA,CAASlV,KAAA,oBAAAAyJ,KAAA,UAA2Cu4F,SAAA,CAAWthG,MAAA4gD,EAAA,mBAAAcxzB,GAAA,
CAAAK5W,MAAA,SAAAAmrF,GAAyBA,EAAA11F,OAAA41F,YAAsCjhD,EAAAohD,kBAAAAL,EAAA11F,OAA
AjM,WAAA4C+gD,EAAA,UAAAAesH,YAAA,+DAAAAA7zC,MAAA,CAAAAkFzL,KAAA,WAAAiB,CAAAAA63C,EAAAkO,
GAAA,iBAAAlO,EAAAoO,GAAApO,EAAAyyC,GAAA,yCAAAtyC,EAAA,KAAAyFsH,YAAA,8BAAAA7zC,MA
AA,CAAiDvI,OAAA,SAAAgP,KAAA,mCAAAoD8lC,EAAA,OAAkBsH,YAAA,wBAAAmC,CAAAAtH,EAAA,MA
AWsH,YAAA,+BAAA0C,CAAAAzH,EAAAkO,GAAA,iBAAAlO,EAAAoO,GAAApO,EAAAyyC,GAAA,6CAAAt
yC,EAAA,KAAAAH,EAAAkO,GAAA,iBAAAlO,EAAAoO,GAAApO,EAAAyyC,GAAA,kDAAAtyC,EAAA,OAA
mLsH,YAAA,8CAAAtH,EAAA,OAAAYsH,YAAA,OAAAkB,CAAAAtH,EAAA,MAAWsH,YAAA,kFAA6F,
CAAAzH,EAAAkO,GAAA,mBAAAlO,EAAAoO,GAAApO,EAAAyyC,GAAA,0EAAAAtyC,EAAA,OAAA8HsH,Y
AAA,WAAAsB,CAAAAtH,EAAA,OAAAAAEAAA,KAAAoBsH,YAAA,8DAAAyE,CAAAAzH,EAAAkO,GAAA,2BAA
AlO,EAAAoO,GAAApO,EAAAyyC,GAAA,oFAAAAtyC,EAAA,MAA+IsH,YAAA,8BAAAi+C,EAAAi+C,GAAA
j+C,EAAAyyC,GAAA,2DAAApzF,GAA+E,OAAAA8gD,EAAA,MAAAgBsH,YAAA,mCAAA8C,CAAAAzH,EAAAkO
,GAAA,6BAAAlO,EAAAoO,GAAA/uD,GAAA,uCAA8E8gD,EAAA,OAAAmBsH,YAAA,OAAAkB,CAAAAtH,EAA
A,MAAAWsH,YAAA,kFAAAzE,CAAAzH,EAAAkO,GAAA,2BAAAlO,EAAAoO,GAAApO,EAAAyyC,GAAA,m
EAAAtyC,EAAA,OAAAuHsH,YAAA,WAAAsB,CAAAAtH,EAAA,OAAAAEAAA,KAAAoBsH,YAAA,8DAAAyE,CA
AAzH,EAAAkO,GAAA,2BAAAlO,EAAAoO,GAAApO,EAAAyyC,GAAA,6EAAAtyC,EAAA,MAAAwIsH,YAA
A,8BAAAyCzH,EAAAi+C,GAAAj+C,EAAAAyyC,GAAA,oDAAApzF,GAAwE,OAAAA8gD,EAAA,MAAAgBsH,YA

AA,mCAA8C,CAAAzH,EAAAkO,GAAA,6BAAAlO,EAAAoO,GAAA/uD,GAAA,uCAA8E8gD,EAAA,OAAmB
sH,YAAA,OAAkB,CAAAtH,EAAA,MAAWsH,YAAA,kFAA6F,CAAAzH,EAAAkO,GAAA,mBAAAlO,EAAAo
O,GAAApO,EAAAyyC,GAAA,mEAAAtyC,EAAA,OAAuHsH,YAAA,WAAsB,CAAAtH,EAAA,OAAAA,EAAA
,KAAoBsH,YAAA,8DAAyE,CAAAzH,EAAAkO,GAAA,2BAAAlO,EAAAoO,GAAApO,EAAAyyC,GAAA,6EA
AAtyC,EAAA,MAAwIsH,YAAA,8BAAyCzH,EAAAi+C,GAAAj+C,EAAAyyC,GAAA,oDAAApzF,GAAwE,OA
AA8gD,EAAA,MAAgBsH,YAAA,mCAA8C,CAAAzH,EAAAkO,GAAA,6BAAAlO,EAAAoO,GAAA/uD,GAAA
,yCAA8E8gD,EAAA,MAAoBsH,YAAA,oCAA8CtH,EAAA,OAAYsH,YAAA,0CAAqD,CAAAtH,EAAA,KAAU
sH,YAAA,oEAAA7zC,MAAA,CAAuFvI,OAAA,SAAAgP,KAAA,4BAAoD,CAAA2lC,EAAAkO,GAAA,aAAAl
O,EAAAoO,GAAApO,EAAAyyC,GAAA,qDAC/6L6O,GAAe,YAAiB,IAAAthD,EAAAliD,KAAamiD,EAAAAD,E
AAAE,eAA0BC,EAAAAH,EAAAAI,MAAAAD,IAAAAF,EAAwB,OAAAE,EAAA,QAAkBsH,YAAA,uBAAkC,CAAA
tH,EAAA,QAAAasH,YAAA,oBAAA+B,CAAAAzH,EAAAkO,GAAA,2GC+HnMqzC,GAAA,CACA7O,QACAh0F,K
AAA,aACAkxB,MAAA,CAIA6wE,QAAA,CACAt4F,KAAA+4C,SAKAsgD,aAAA,CACAr5F,KAAA6I,OACAiw
C,QAAA,kBAAAwgD,GAAA,WAAAziG,IAAA,+BAGA6nB,KAlBA,WAmBA,OACAq6E,OAAA,GAEAF,kBA
AA,EACAI,kBAAAA,UACAM,eAAA,CACACAC,QAAA,CACAC,EAAA9jG,KAAA20F,GAAA,mCACAoP,GAAA/j
G,KAAA20F,GAAA,4BACAqP,GAAAhkG,KAAA20F,GAAA,6BAEsP,OAAA,CACAC,GAAAlkG,KAAA20F,
GAAA,mCACAwP,IAAAnkG,KAAA20F,GAAA,4BACAykP,IAAApkG,KAAA20F,GAAA,gCAKA9wC,MAAA,
CACAy/C,kBADA,SACAe,GACArkG,KAAAkjG,mBAGA,YAAAmB,EACArkG,KAAAi9F,KAAAAa,iBAAwB3B,
SAAA,CACA+rE,UADA,WACA,IAAA59C,EAAA3lD,KAACAsk
G,EAAAtkG,KAAA4jG,eAAA5jG,KAAAsjG,mBAAAUAEAh2C,EAAA,KAIA,OAHAi3C,KAAAAC,KAAAAC,K
AAAC,KAAAAJ,GAAAjhD,SAAA,SAAA+/C,GACA91C,EAAA3H,EAAAAy9C,UAAAkB,EAAAlB,GAAA91C,IA
EAA,KC1LoVq3C,GAAA,GCQhVC,cAAYvD,GACdsD,GACAjC,GACAc,IACF,EACA,KACA,KACA,OAIAoB,
GAASz3F,QAAAq1F,OAAA,iBACM,IAAAqC,GAAAAD,WCpBXE,GAAM,WAAgB,IAAA5iD,EAAAliD,KAAa
miD,EAAAAD,EAAAAE,eAA0BC,EAAAAH,EAAAAI,MAAAAD,IAAAAF,EAAwB,OAAAE,EAAA,OAAAiBsH,YAAA,q
CAAgD,CAAAtH,EAAA,KAAUsH,YAAA,sCAAA7zC,MAAA,CAAyDyDyG,KAAA2lC,EAAAAA6iD,QAAAx3F,OA
AA,WAAsC,CAAAA80C,EAAA,OAAAYsH,YAAA,OAAAA7zC,MAAA,CAA0BxN,IAAMnK,EAAAAQ,QAAAoCw+B,O
AAA,QAAAiBujB,EAAAAkO,GAAA,SAAAlO,EAAAoO,GAAApO,EAAAmF,OAAA,UAAAhF,EAAA,OAAAwDsH
,YAAA,8CAAAi5C,SAAA,CAAAoE/qF,UAAAqqC,EAAAAoO,GAAApO,EAAA8iD,SAA8B3iD,EAAA,UAAesH,Y
AAA,mEAAApmB,MAAA,CAAAsFsF,OAAAqZ,EAAA+iD,kBAAA+Bv2E,GAAA,CAAAKiD,MAAA,SAAAsxE,GA
AyB/gD,EAAA+iD,kBAAAA/iD,EAAA+iD,oBAAA+iD,oBAA+C,CAAAA5iD,EAAA,MAAAWvsC,MAAA,CAAAOwjC,KAAA,e
AAoB+I,EAAAA,QAAAasH,YAAA,WAAsB,CAAAzH,EAAAkO,GAAAlO,EAAAoO,GAAApO,EAAAyyC,GAAA,
mCAAAzyC,EAAAiBAAAG,EAAA,mBAAuGvsC,MAAA,CAAAO3Q,OAAA+8C,EAAAgjD,qBAAAnkD,UAAA,8C,EAAAgjD,qBAAAnkD,UAAA
,iBAAAokD,oBAAAOBAAAjjD,EAAAAkjD,gBAAAAC,mBAAAAnjD,EAAAojD,kBAAA8IpjD,EAAAmsB,MAAA,IACxhCk3
B,GAAe,wFCEnB,SAAAC,GAAAAn5F,GACA,IAAArD,EAAAAhJ,KAAAAgJ,YACA,OAAAAhJ,KAAAAmH,KACA,S
AAA7F,GACA,OAAA0H,EAAAsa,QAAAjX,KAAAAlF,KAAA,WACA,OAAA6B,EAAAua,OAAA0tC,OAMe,IAAAAw0C,GAAA,GCff
C,GAAAp/E,WAEA,SAAApY,MAGA,SAASy3F,GAAIn6F,EAAA01D,GACb,kBACA11D,EAAAAgB,MAAAA00D
,EAAAAz0D,WACA,EACA,KACA,KACA,CACA,KAGA,IAAAm5F,GAAAOp6F,GAChB,KAAAxL,gBAAAwB4lG,IAC
xB,UAAAA9/E,GAAA,wCACA,uBCACA,uBAAAta,EAAAA,UAAAsa,EAAAA9lB,IAAAkBAEA9lB,KAAA6lG,
GAAA6lG,OAAA,EAAA7lG,EAEA9lB,KAAA+lG,GAAA8lG,UAAA,EAAAEAEA9lG,KAAA+lG,+lG,UAAA
A,EACEF,GAAAOM,aAAA,WACT,IAAAAC,IAAAACAE,EAAA,IAAApmG,EAAA8lG,GAAA/gF,QAAA,qKMAAjjG,
GAEO,uBAAAAoH,EAAAAumG,OAAA,/gF,EAAAAS,YAAAAT,EAAAAU,W
ACA,UAAAA2gF,EAAA,CAAAIA,IAAAAl6F,EAAA,IACA,IACAAAEAAAk6F,EAAAApmG,EAAAgmG,GAAAxmG,IAAAAvmG,
G,YAAAtjG,EAAAAEzC,KAAAAgmG,WAAA,GAEAC,GAAAAz6F,EAAAAxL,MAGA,SAAAz6F,GAAAAxL,EAAAA+lG
kB,GAACA,UAAAA/kB,EAAAA8lG,OACAA9lG,IAAAAgmG,IAAAAgmG,OBACA9lG,EAAAA8lG,OACAoEA9lG
lG,IAAAAgmG,GAAAAz6F,EAAAAxL,EAAAA8lG,GACEF,GAAAp/E,WAAGAOM,aAAA,WACT,IAAAA99F,EAAAAhJ,
KAAAAgmG,WAAA,GAEAAEACEF,GAAAOM,aAAA,WACT,IAAAA99F,EAAAhJ,KAAAAA,IAAAvmG,E,UAAAA,6
CACA,GACAwgF,EAAAA+lG,OAA8BA9lG,IAAAvmG,E(,UAAAAumG,EAAAAm/F,EAAAAn/F,EAAAAK
ACA,GAAAAm/F,aAAA8BV,GAAI9B,OAHA7lG,EAAAA8lG,OAAA,EAAAEACA9lG,IAAAAgmG,GAAAgmG,G
AItBA,EAAAA8lG,OAAAA,EACA9lG,IAAAAgmG,GAAAAz6F,EAAAAxL,E,UAAAAumG,EAAAAm/F,EAAAAn/F,
O,uBAAAAoH,EAAAAP,YADA8+F,GAAAkBN,GAAAIx+F,EAAAAm/F,EAAAAvmG,GAAAAItBA,EAAAA8lG,OAAA,EAACA9lG,IAAAAgmG,9l

G,EAAAgmG,OAAAO,EACAC,GAAAxmG,GACG,MAAA+C,GACCsjG,GAAMrmG,EAAA+C,IAIV,SAASsjG,GAAMrmG,EAAAumG,GACfvmG,EAAA8lG,OAAA,EACA9lG,EAAAgmG,OAAAO,EACAC,GAAAxmG,GAGA,SAAAwmG,GAAAxmG,GACA,IAAAA,EAAA8lG,QAAA,IAAA9lG,EAAAimG,WAAA7/F,QACIy/F,GAAOM,aAAA,WACXnmG,EAAA+lG,UACQF,GAAOY,sBAAAzmG,EAAAgmG,UAKf,QAAA1lG,EAAA,EAAAwM,EAAA9M,EAAAimG,WAAA7/F,OAA+C9F,EAAAwM,EAASxM,IACxDmvB,GAAAzvB,IAAAimG,WAAA3lG,IAEAN,EAAAimG,WAAA,KAMA,SAAAS,GAAAlhF,EAAAAC,EAAA9B,GACA1jB,KAAAulB,YAAA,oBAAAA,IAAA,KACAvlB,KAAAwlB,WAAA,oBAAAA,IAAA,KACAxlB,KAAA0jB,UASA,SAAAuiF,GAAAz6F,EAAAzL,GACA,IAAAyQ,GAAA,EACA,IAACAhF,EACA,SAAAlK,GACAkP,IACAA,GAAA,EACAQ61F,GAAOtmG,EAAAuB,KAEf,SAAA2vD,GACAzgD,IACAA,GAAA,EACAQ41F,GAAMrmG,EAAAkxD,MAGX,MAAAA7tC,GACAH,GAAAA5S,EAAA,OACAA,GAAA,EACAEzL,EAACI41F,GAAMrmG,EAAAqjB,IAIVwiF,GAAO3jG,UAAAkBAAujB,GACAP,OAAAAxlB,KAAAAmH,KAAAAqe,IAGAGogF,GAAAO3jG,UAAAkF,KAAAA,SAAAAoe,EAAAAC,GAEP,IAAAkhF,EAAA,IAAA1mG,KAAAgJ,YAAAOADAshB,GAAAxvB,KAAAAymG,GAAAlhF,EAAAAC,GAAAlhF,EAAAAkhF,IACAA,GAGAd,EAAAO3jG,UAAA,WAAAwBwjG,GAE/BGAE/BG,GAAOx9E,IAAA,SAAA5e,GACP,WAAAao8F,GAAAO,SAAAAtiF,EAAAAC,GACCpB,IAAA/Z,GAAA,qBAAAA,EAAArD,OACA,UAAA2f,UAAA,2f,UAAA,gCACA,IAAAAvK,EAAA7N,EAAA7N,MAAAzL,GAAA,qBAAAAvK EAAAA7N,MAAAAlJ,KAAAAgJ,YAAAGAOAA+R,EAAApV,OAAA,OAAAmd,EAAAIACA,IAAAoD,EAAAnL,EAAApV,OAEA,SAAAg9E,EAAA9iF,EAAA4Y,GACACA,IACA,GAAAAAA,GAAAoBAAAA,GAAA,CACA,IAAAA9R,EAAA8R,EAAA9R,KACA,uBAAAAAAA EAAAA3G,KACA,uBAAAAAAAlJ,KAAAgB9B,KAAAAyP,EAAApV,OAEA,SAAAAg9E,EAAAA4iF,EAAAAAYA,EAAAAACA,GAEA,IAAAAAAAAYN,GACApD,EAAAA/H GAEO,MAAA6H,GACPGAAAH,IAIA,QAAA/iB,EAAAEAAmBA,EAAAkb,EAAAAApV GAAOAiB9F,IACpC8iF,EAAA9iF,EAAAAkb EAAlb,OAKAulG,GAAAO,tiF,QAAAA,SAAAhiB,GACP,OAAAAAAkBAAAA,KAAAA0H,cAAAE48F GAClEtkG,EAGA,IAAAaskG,GAAO,SAAAAtiF,GACpBAAAEAAhiB,GMAIAskG,GAAAOriF,OAAAA,SAAAAjiB GACPWAAaskG,GAAAO,SAAAAtiF,EAAAAAC GACpBAAAjiB,EAAAAjiB MAIAskG,GAAAO1zC,KAAAA,SAAAA/sD GACPWAAaygG,GAAAO,SAAAAtiF,EAAAAAC GACpB QAAAljB,EAAA,EAAAwM,EAAAAwM,EAAAA1H,H,EAAAAgB,OAAAwC9F,EAAAAwM,EAASxM,IACjD8E,EAAAA9E,GAAA,8G,OM,aACP,oBAAAAtxD,cACA,SAAAppC,EAAAAAEA,SAAAAppC GACAkEA,SAAAAppC,EAAAk6F,GAAAA6lF,GAAAA4Y,EAAAWAAAqc,GACjB,GAAIjB,IAAMpI,EAAAA/R GAAQ,SAAAAqc,GACjB,GAAAA GC3OFq8F,GAAAcltD,KAAAQ,SAAAAn8B GAC1C,OAAAO,IAAAIrW,GAAAQ,SAAAAqc,GACjB,IAAAMpI,EAAAS/R,SAAAAgwgE,cAAAc,SAAAAWxgE,SAAASwgE,cAAAAc,QAClD3sC,E3sC,EAAAAQ1f,EAAAAKnO,MAAAM,KACnB+0E,EAAMMlnD,EAAMA72B,OAAAA GAAAGiJ,cAClCC,OAAAAO80E,GACAL,IAAAAAK,KACAH,IAAAAAt5E,EAAASzB,SAAAAS0B,cAAAc GACAUACpCD,EAAOOoK,aAAAa,OAAAAQ,mBAAC5BpK EAAOyiC,OAAASs/pB GEAChBpI EAAOO1Q YAAYJ GACnBAAEAAAOoK aAAAaMAAOsI GAC7B MACAA IAAK MACH IAAIuN EAAAAM1hB SAAS0B cAAAc QACjCCggB EAAAI7V aA AaM AAO cACxB6V EAAAAI7V aAAAaOAAQ YACzB6V EAAAAIwiB OAAAAS/pB EACbpI EAAAAOlQ YAAAY6f GACn BAEAAAI7V aAAAaOAAQsI GAC3B WAKOsp F,GAAe,WAC1BB IAAM CEAAQ19C KAAQ18C WACtB OAAAO IAAIxF,GAAQ SAAAAqc,GAOjB, EANAjB IAANA IAAIwjF,EAAAc,EAACdC,EAAAiB,aAACdD GAAeDEAAM1gG QACxBxBmd,KAGIjjB EAAAE EAAGA EAAIwmG,EAAAM1gG OAAS9FIAC9BsmG GAAYE,EAAAMxmG,GAAAI8G,KAAK4/F MCpC7BC GAAAWKAAETCGAAY CAACeAAgBUAAWYAAaeAEtCCcACnB,SAAAAAAAIAKE OALanmGOAAAAstD,EAAAAKAAAttD CAAAAfKAAAAknGGACblnGKAAKmnGYAAcP GAAamCAAmCz/FKAAKWAEtEOADA6/FGAAWAIAAYIAAI19FOAAO89FIAAIC MAAMCAAECQAASMAChDNKAEFhnGKAAKmnGwEAGZnnGKAAKmnGYAAYhgGKAAKSAAA6/FGAAQOAAIAEAASOkDAG3C OAAOIAAIL,mCAEGl+DGAA6/CIAAxCv0BEAAwChIUAAAtGOAAAQAAA1DIAAAgKUAAAGAAAAUAAAGAAnC,QAAU4DKAAK8hBMAAM5vBSAASIACtDMAAOqgGAAAoHOAEO8/KEAFP2DAAA9KOAI+B8KEAJ/BQAAA9KOAIwCu9FEAAcMgBAAgBx+DGAJtEwBAML9zBKAAKgDAKPIAHkDIAA7BqHEAA6B9P,UAAAtGOAAAQAAA1DIAAAgKUAAAGAAAAUAAAGAAtBnDOAAO6SSAASIKACtCysBEAAMIAAIy+DIAAIlrFGAEpBxDEAAAAEAAAAEAAkB24BGAAlB9gGOAAAmoEIAAACAAKIAAIxoCEAASmhEGAAJ34BGAAetlCEAAI0+DaAAaCOAAO7hEGAErDOAAOkDEAAIzsB0CAEmCIAA7BAEAA6B9P,UAAAtGOAAAQAAA1DIAAAgKUAAAGAAAAUAAAGAAtBnDOAAO6SSAASIKAClCysBEAAMIAAIy+DIAAIlrFGACpBOAAOw+BKAAMksDGAAWSAAAnhEGAAKOAAIkDEAAI0+DaAAa5rFIAAIgqBcCvCtDO8hEGAAMWAAgBIAAA1lDEAAAliDKAAamiDEAAADEAAAEeAA0BCEAAAHEAA

AI,MAAAD,IAAAF,EAAwB,OAAAE,EAAA,OAAiBsH,YAAA,kBAAAh/B,MAAAu3B,EAAA,OAAgD,CAAA
G,EAAA,iBAAAH,EAAA2lD,GAAA,CAA8BC,eAAA,CAAgB7lD,OAAA,WAAkB,IAAAC,EAAAAliD,KAAAami
D,EAAAAD,EAAAAE,eAA0BC,EAAAAH,EAAAAI,MAAAD,IAAAF,EAAwB,OAAAE,EAAA,WAAqBsH,YAAA,wB
AAA7zC,MAAA,CAA2C0zC,QAAA,YAAqB,CAAAnH,EAAA,MAAWvsC,MAAA,CAAOwjC,KAAA,qBAA2B
+I,EAAA,QAAasH,YAAA,WAAsB,CAAAzH,EAAAkO,GAAA,2BAAmC3N,gBAAA,KAAqB,iBAAAP,EAAA6l
D,UAAA,gBAAA1lD,EAAA,iBAAAH,EAAA2lD,GAAA,CAA+EC,eAAA,CAAgB7lD,OAAA,WAAkB,IAAAC,
EAAAAliD,KAAAamiD,EAAAAD,EAAAAE,eAA0BC,EAAAAH,EAAAAI,MAAAD,IAAAF,EAAwB,OAAAE,EAAA,W
AAqBsH,YAAA,wBAAA7zC,MAAA,CAA2C0zC,QAAA,aAAsB,CAAAnH,EAAA,MAAWvsC,MAAA,CAAOw
jC,KAAA,sBAA4B+I,EAAA,QAAasH,YAAA,WAAsB,CAAAzH,EAAAkO,GAAA,4BAAoC3N,gBAAA,KAAqB
,iBAAAP,EAAA6lD,UAAA,iBAAA1lD,EAAA,iBAAAH,EAAA2lD,GAAA,CAAgFC,eAAA,CAAgB7lD,OAAA,
WAAkB,IAAAC,EAAAAliD,KAAAamiD,EAAAAD,EAAAAE,eAA0BC,EAAAAH,EAAAAI,MAAAD,IAAAF,EAAwB,O
AAAE,EAAA,WAAqBsH,YAAA,wBAAA7zC,MAAA,CAA2C0zC,QAAA,aAAsB,CAAAnH,EAAA,MAAWvsC,
MAAA,CAAOwjC,KAAA,sBAA4B+I,EAAA,QAAasH,YAAA,WAAsB,CAAAzH,EAAAkO,GAAA,4BAAoC3N,
gBAAA,KAAqB,iBAAAP,EAAA6lD,UAAA,iBAAA1lD,EAAA,iBAAAH,EAAA2lD,GAAA,CAAgFC,eAAA,CA
AgB7lD,OAAA,WAAkB,IAAAC,EAAAAliD,KAAAamiD,EAAAAD,EAAAAE,eAA0BC,EAAAAH,EAAAAI,MAAAD,IA
AAF,EAAwB,OAAAE,EAAA,WAAqBsH,YAAA,wBAAA7zC,MAAA,CAA2C0zC,QAAA,UAAmB,CAAAnH,E
AAA,MAAWvsC,MAAA,CAAOwjC,KAAA,cAAmB+I,EAAA,QAAasH,YAAA,WAAsB,CAAAzH,EAAAkO,G
AAA,yBAAiC3N,gBAAA,KAAqB,iBAAAP,EAAA6lD,UAAA,cAAA1lD,EAAA,OAA2DwgD,WAAA,EAAAajiG,
KAAA,OAAAkiG,QAAA,SAAAxhG,OAAA4gD,EAAA8lD,QAAAjF,WAAA,aAAwEp5C,YAAA,yBAAsC,CAA
AtH,EAAA,KAAU3zB,GAAA,CAAAIiiD,MAAAuwB,EAAA+lD,gBAA2B,CAAAA5lD,EAAA,MAAWvsC,MAAA,
CAAOwjC,KAAA,UAAe+I,EAAA,QAAasH,YAAA,WAAsB,CAAAzH,EAAAkO,GAAA,iBAAAzN,EAAA,WA
AwCgzC,IAAA,YAAA1rC,YAAA,YAAA7zC,MAAA,CAA+CoyF,cAAA,GAAAA7gD,MAAA,0BAAkD0KD,CAAAhF
,EAAA,cAAmBvsC,MAAA,CAAOqyF,WAAAA,GAAAC,aAAAnmD,EAAAkjD,gBAAAkD,YAA1ApmD,EAAAojD,mBAA+F,QAC1rEiD,GAAe,GCDnBC,cAAA,WAAwB,OAAAA,GAAAznG,OAAAA8xC,QAA
A,SAAAA/vC,GAA2C,QAAAAgO,EAAAA1O,EAAAA,EAAAb,EAAAAkL,UAAAAtG,OAAAiC/D,EAAAAb,EAAAIa,IAAA,
QAAAjB,KAAA2P,EAAAArE,UAAArK,GAAAArB,OAAAkB,UAAAC,eAAA1B,KAAAAsQ,EAAA3P,KAAA2B,EA
AA3B,GAAA2P,EAAA3P,IAAAuF,OAAA2B,IAAAS0J,MAAAxM,KAAAyM,aAAAyB,SAAAg8F,KAAqB,QAAA3l
G,EAAAgO,EAAAA1O,EAAAA,GAAgBb,EAAAkL,UAAAtG,OAAoB5E,5E,KAAI,QAAAJ,EAAAA,EAAAA,T,EAAAK,
OAAAA2C,KAAAA+I,UAAAAiL,IAAAyCJ,EAAAAT,EAAAAyF,OAAAWhF,IAAA,OAAAA2B,EAAApC,EAAAAS,IAAmB,
yCAAuM,MAAA/H,QAAAvD,EAAAAU,MAAAAV,EAAAAU,GAAAA,IAAAAV,EAAAAU,GAAAAV,EAAAAU,GAAAA6
G,OAAA8C,UAAAiL,GAAAuB,IAA0G,MAAMsBAAA2J,UAAAiL,GAAAuB,GAAAA,WAA4C,IAAAAV,EAAA
U,KAAAAV,EAAAAU,GAAAA,IAAAAV,EAAAAU,EAAAAU,IAAAA2J,UAAAAiL,GAAAAuB,GAAAAwL,OAAAwE,MAAAM,wBAAAAlM,EAAAA
AhQ,EAAAAgB,GAAAM,EAAAAU,GAAA1O,EAAAA1O,EAAAA,EAAAA,GAAgO,QAAvH,OAAAvH,EAAAA,GAAAAnH,OAAAvH,EAA
AU,GAAAArE,UAAAiL,GAAAAuB,GAAAgO,IAAA1O,EAAAA,GAAAgO,rE,UAAAAiL,GAAAAuB,GAAAA,GAAAAgO,IAAA1O,EAA
AU,GAAA1O,EAAAA,4F,MAAA,uGAAAA1O,EAAAAUY,UAAAAiL,GAAAAuB,GAAAA,GAAAAgO,IAAAAyG,OAAAAV,ECShiC,oBAAAArB,OAAAA8xC,SACA9xC,OAAAA8xC,OAAAAA,SAAAAtlC,C
,EAAAAm7F,GAGA,SAAAAn7F,EAEA,UAAAAuY,UAAAA,8CAKA,IAFA,IAAAAkb,EAAAAjgC,OAAAAwM,GAEArH,EAAAAEAuBA,EAAAAug,UAAAAtG,OAA0BD,IAAAA,CACjD,IAAAAyiG,EAAAAl8F,UAAAAvG,G
EAEA,QAAAAC,KAAAAD,EAAEA5nG,OAAAAkB,UAAAAC,eAAAA1B,KAAAAmoG,EAAAA/mD,KAAAA,CACA5nG,OAAAAgoG,eAAAAngF,EAAAA+Y,EAAAA
EAEA,QAAAAC,KAAAAAD,EAAGA,IAAAAAApoG,OAAAA,EAAAA,EAAAAAoE,EAAAAApoG,OAAAAAAAA,EAAAAAIApoG,EAAAApoG,EAAIAAoE,
5BAAM9nG,OAAAA8xC,OAAEAN2iD,iAAAA/mD,KAAAAC/nG,/nG,IADJ/nG,EAAAA4gE,gE,oBAACQ5gE,EAAA2C,MACRivC,GAAAA5xC,EAAAAA4
4xC,iBACA3xC,EAAAAAD,OAAAAC,eACAD,OAAAAgoG,oG,OACAhoG,OAAAAixC,yG,yBACAjxC,OAAAA45C,sBACAA55C,OAAAAwC,
C,OAAAAwC,eEACAxC,OAAAAY,OACAZ,OAAAAioG,SACAjoG,OAAAAmgB,GAEA,SAAAA+nF,KACP,OAAAUhoG,
YAAA,EAAAA4nB,cAAA,EAAAAyI,UAAA,GCjEV5jB,MAAAA8lD,OACAA9lD,MAAAA8lD,KAAAA,WACA,IAAAA01

C,EAAAnoG,OAAAkB,UAAAM,SACAqwF,EAAA,SAAApnF,GACA,0BAAAA,GAAA,sBAAA09F,EAAA1oG,
KAAAgL,IAEA4sD,EAAA,SAAA92D,GACA,IAAA4yC,EAAAmP,OAAA/hD,GACA,OAAA2vC,MAAAiD,GA
CA,EAEA,IAAAA,GAAA7X,SAAA6X,IAGAA,EAAA,QAAAtmC,KAAAw6C,MAAAx6C,KAAAuzC,IAAAjN,I
AFAA,GAIAi1D,EAAAv7F,KAAAw7F,IAAA,QACAxgD,EAAA,SAAAtnD,GACA,OAAAsM,KAAAyqD,IAAA
zqD,KAAA2sB,IAAA69B,EAAA92D,GAAA,GAAA6nG,IAIA,gBAAAE,GAEA,IAAAriG,EAAAhH,KAGAspG,
EAAAvoG,OAAAsoG,GAGA,SAAAA,EACA,UAAAvjF,UAAA,oEAIA,IAAAyjF,EAAA98F,UAAAtG,OAAA,E
AAAsG,UAAA,UACAqtC,OAAA,EAEA,wBAAAyvD,EAAA,CAGA,IAAA3W,EAAA2W,GACA,UAAAzjF,UA
AA,qEAIArZ,UAAAtG,OAAA,IACA2zC,EAAArtC,UAAA,IAMA,IAAAI,EAAA+7C,EAAA0gD,EAAAnjG,QA
MAwwD,EAAAi8B,EAAA5rF,GAAAjG,OAAA,IAAAiG,EAAA6F,IAAA,IAAAa,MAAAb,GAGAgqD,EAAA,E
AEA2yC,OAAA,EACA,MAAA3yC,EAAAhqD,EACA28F,EAAAAF,EAAAzyC,GAEAAF,EAAAAE,GADA0yC,EAC
A,qBAAAzvD,EAAAyvD,EAAAAC,EAAA3yC,GAAA0yC,EAAA/oG,KAAAs5C,EAAA0vD,EAAA3yC,GAEA2y
C,EAEA3yC,GAAA,EAKA,OAFAF,EAAAxwD,OAAA0G,EAEA8pD,GA5EA,IAmFAjpD,MAAAzL,UAAAyV,
MAEA3W,OAAAC,eAAA0M,MAAAzL,UAAA,QACAX,MAAA,SAAAw2C,GAEA,SAAA93C,KACA,UAAA8l
B,UAAA,iCAGA,IAAAAhlB,EAAAAC,OAAAf,MAGA6M,EAAA/L,UAAAgqF,SAAA,EAGA,uBAAA2xC,EACA,U
AAAhyB,UAAA,gCAIA,IAAAo7C,EAAAAz0D,UAAA,GAGAAoqD,EAAA,EAGA,MAAAAEqD,EAAAhqD,EAAA,CA
KA,IAAA28F,EAAA1oG,EAAA+1D,GACA,GAAA/e,EAAAAAoC,EAAAAsoC,EAAAA3yC,EAAA1L,GC
ACA,OAAA0oG,EAGA3yC,GAAA,EAKA,OAFA3yC,GAAA/H,UACA,+H,MAAA/H,QAAA,SAAAqJ,GACA,yBAAAjO,OAA
AkB,UAAAM,SAAA/B,KAAAwO,KAKO,IAAAwkD,GAAA9lD,MAAA8ld,MAAA8ld,KACA7tD,GAAA+H,MAAA/H,QA
SA,SAAAgE,KACP,OAAA+D,MAAAzL,UAAA0H,OAAA6C,MAAA,GAAAAC,WCrJe,SAAAjE,GAAApB,GACf
,OAAAA,ECWe,SAAAqiG,GAAAC,EAAAC,GACf,IAAAC,EAAAn9F,UAAAtG,OAAA,QAAA1D,IAAAgK,UA
AA,GAAAAA,UAAA,GAAwFjE,GAExF,OAAU7C,GAAO+jG,KAAAhgG,QAAsCo/F,GAAIY,IAAA3uC,OAAA,
SAAA8uC,EAAA7gF,GAE3D,OAAAA6gF,EAAAAD,EAAAA5gF,IAAAA2gF,EAAAA3gF,GAAA6gF,GACG,ICfI,IAA
AC,GAAA,SAAAAl0F,GACP,OAAAA,KAAAA7N,WAAAA2+E,KAAAqjB,cAIOC,GAAA,SAAAp0F,GACP,OAAA
k0F,GAAAAl0F,IAAAAzM,SAAA0iB,KAAAAzb,SAAAwF,MAAAA2mB,wBAAAAoC,OAAAA,GAAAA/oB,EAAAA2mB,w
BAAAA9E,MAAA,GAIOhhB,hb,GAAA,SAAAAb,GACP,OAAAk0F,GAAAAl0F,GAAAAA3K,MAAAAhC,UAAAgC,MAAAAhC,UAAA
AjsD,SAAA,aAAAgzC,QAAAAxtC,EAAAAb,aAAA,cAUWk1F,GAAS,SAAAA3+F,EAAAA9L,GACf,IAAAApB,OA
AAtqG,KACAAACAA,EAAAAA2J,UAAAE2zF,qqD,GAASh0D,EAAAA4V,iBAAAA9J,KAAIP4+F,GAAM,SAAAA5+F,EAAAA9L,GAI
jB,OAAHAsqG,GAAAAqtqG,KACAAEAAAA2J,UAAAE3J,EAAAAmqE,cAAAAr+D,IAAA,MAAIOwD,GAAAA,SAAAA8G,E
AAAAtK,GACP,IAAAw+F,F,GACA,SAAAAKA,EAAAAAw+F,GAAAAl0F,GAAAA,SAKA,IAAAAlR,EAAAAkoE,EAAAA3qE,GAAAAzlG,E
oK,SAAApK,EAAAAqT,iBAAAArT,EAAAuT,oBAAAvT,EAAAyT,mBAAAzT,EAAAwT,kB,BAAIxT,EAAAAsT,uB
AEA,SAAAAoB,GACA,IAAAAoiD,EAAAAx7D,DAAAS,AAAYwpG,GAAAS7wF,EAAAAoiD,EAAAAryD,UAAAAqyD,E
AAAAlnD,eACTrjU,EAAAAAI,EAAAA0F,OAEA,QAAAA9F,GAAA,GAAAAAI,EAAAAkzF,KAAAtzF,EAAAAm7D,GACA,
OAAAn7D,GAAA,GAGA,OAAAA8pG,EAAAA3pG,KAAAAoV,EAAIAtK,IAIAA4W,EAAA5W,GAAC,P,IAAAAsqG,GAAAAtqG,GACA,YAAAA,IAAA
P,IAAAAsqG,GAAAAtqG,GACA,YAMA,IAAAA4qG,EAAAAx9B,EAAAA3qE,GAAAAzlK,E
AEA,SAAAAApiD,GAAA5lG,OAAAAxtB,EAAAAAAlnD,eAAc,ICK,OAAAAxtB,EAAAAdAC,SAAAA8d
,EAAAApiD,EAACA,OAAAAApiD,EAEAA,IAAAAwtB,EAAAAoBACK,OAAAAxtB,EAAAAcA,aAAAA5lD,EAAAAw0F,EAAAA5pG,KA
AAhB,EAAAA8L,GAEA,OAAAAAsK,EAAAApW,EAAAA5F,OAAAAAtC,EAAAAAAoW,EAAAA5F,OAAAAAS,SAA
AqL,eAAAA,KAAAAK,KAAAA/K,KAAAA/K,MAAAA,GAAAAG,EAAAA5F,tB,EAAAA5tB,EAAAA5F,5tB,EAAAA5F,wB,GACP
A,GAAAA0yF,GAAAAtqG,GAAAA4pG,EAAAA5F,OAAAAY,MAAAAA4qG,EAAAAx9B,EAAAAaMA,IAAAA4qG,EAAAAAA5F,9I,GACA,IAA
AoiD,EAAAx7D,KACA,IAAAAmJ,SAAAA0N,gBAAAAzG,GAAAA,YAACA,YAEA,GAAAAGAEA,GAAAA1sB,EAAAA1sD,GAAAA0sD,E0sD,
EAAAApiD,GACA,OAAAAoiD,EAAAxtB,EAAAAIAAAAwtB,oBAACK,OAAAAxtB,oB,GACL,aAGA5lD,EAAAw0F,EAAA5pG,KAAAhB,EAAAA5pG,EAAA5pG,KAA
AAhB,EAAAA8L,GAEA,OAAAAAsK,oB,IAAAA4qG,E0qG,EAAAA5F,OAAAAtC,oB,IAAAAMAAAoiD+uB,GAAA,SAAAAA
AqL,eAAAA,KAAAAK,KAAAA/K,KAAAA/K,KAAAA/K,MAAAAGAAAA5F,+K,IAAAA,MAAAAIO+uB,GAAAA,SAAAA5tB,EAAAA5tB,EAAAAwB,GAACP
A,GAAAA0yF,EAEA,IAAAAwB,oB,IAAAAzhB,GAAAAGAAAA,IAkDO80F,GAAAA,SAAAA90F,GACA,OAAAA+0F,EAAAA+0F,EAAAA50F,GACP,OAAAAk0F,GAAAA
l0F,GAAAA+K,OAA+tB,iBAAAAzhB,GAACA,3R,qBACAA3R,E
AAsB,iBAAAAyzF,EAAAA50F,IAKO60F,GAAAA,SAAAA90F,GACP,OAAAAk0F,GAAAAl0F,GAAAA,SAAAAh1F,EAAAA+0F,EAAAA50F,GACPH,KAAAA2R,qBACAA3R,E

AAA2R,oBAAAojF,EAAA50F,ICxNA+jD,GAAA,oBAAA14D,QAAA,kBAAAA,OAAA8N,SAAA,SAAAhF,GA
AoG,cAAAA,GAAqB,SAAAA,GAAmB,OAAAA,GAAA,oBAAA9I,QAAA8I,EAAAlB,cAAA5H,QAAA8I,IAA
A9I,OAAAa,UAAA,gBAAAiI,GAgBrI,SAAA2gG,KACP,OACAtuF,KAAA,CACAlS,KAAA6I,OACAiwC,QAA
A,MAEA2nD,IAAA,CACAzgG,KAAA6I,OACAiwC,QAAA,MAEA51C,OAAA,CACAlD,KAAA6I,OACAiwC,Q
AAA,SAEAta,OAAA,CACAx+B,KAAA+4C,QACAD,SAAA,GAEA4nD,YAAA,CACA1gG,KAAA6I,OACAiwC
,QAAA,UAEA9sB,OAAA,CACAhsB,KAAA+4C,QACAD,SAAA,GAEAvvC,SAAA,CACAvJ,KAAA+4C,QACA
D,SAAA,GAEAr0B,MAAA,CACAzkB,KAAA,CAAA6I,OAAAxF,OACAy1C,QAAA,SAEA6nD,MAAA,CACA3
gG,KAAA+4C,QACAD,SAAA,GAEA8nD,iBAAA,CACA5gG,KAAA6I,OACAiwC,QAAA,UAEAr1C,QAAA,C
ACAzD,KAAA+4C,QACAD,SAAA,GAEA+nD,UAAA,CACA7gG,KAAA6I,OACAiwC,QAAA,KAEAniB,GAA
A,CACA32B,KAAA,CAAA6I,OAAAnS,QACAoiD,QAAA,OAKgB0nD,KA6ChB,SAAAM,GAAAr5E,EAAA5W
,GACA,OAAAkoC,QAAAloC,EAAAkwF,UAAAt5E,EAAAkP,KAAAlP,EAAAle,SAAA,kBAGA,SAAAy3F,GA
AA9mD,EAAA3hD,GACA2hD,EAAA3wC,SAAA,IACA2I,EAAAgoC,EAAAhoC,KACAykB,EAAAujB,EAAAv
jB,GAOA,mBAAAp+B,EAAA,CAEA,GAAA2Z,EAAA,OAAAA,EAEA,GAAAykB,EAAA,CAEA,qBAAAA,EA
AA,OAAAA,EAEA,oCAAAA,EAAA,YAAA84B,GAAA94B,KAAA,kBAAAA,EAAA2S,KAAA,OAAA3S,EAA
A2S,KAGA,WAGA,SAAAA23D,GAAA58B,GACA,IAAAnhE,EAAAmhE,EAAAnhE,EAAAnhE,OACAu9F,EAAAp8B,EAA
Ao8B,IAEA,iBAAAv9F,GAAA,OAAAu9F,EACA,WAEAA,GAAA,KAGA,SAAAAS,GAAAAC,GACA,IAAA53F,E
AAA43F,EAAA53F,SAAAhR,EAAA4oG,EAAA5oG,IACA2Z,EAAAivF,EAAAjvF,KACAkvF,EAAAAD,EAAAAC,
gBACAvwF,EAAAAswF,EAAAAtwF,OAEAwwF,EAAAAgBAAA9oG,EAEA,gBAAAAE,GACA8Q,EAAA9Q,9Q,aAAAs
uB,OAEAtuB,EAAAguB,EAkBAEAhuB,EAAAuvB,6BAEAnX,EAAAmxC,MAAAzG,MAAA,gBAAAA9iD,GAEA4o
G,GAAA5oG,EAAAyK,OAAAo+F,SACA7oG,EAAAyK,OAAAo+F,QAAA/lD,MAAA,QAAAA9iD,GAEA,oBAA
A2oG,GACAA,EAAAAj/F,WAAA/J,EAAAgK,cAIAi/F,GAAA,MAAAnvF,GAAA3I,IAEA9Q,EAAA+tB,kBAKe,I
AAA+6E,GAAA,CACAfriD,YAAA,EACAz3B,MAAA+4E,KACA5oD,OAAA,SAAAsZ,EAAAswC,GACA,IAAA/
5E,EAAA+5E,EAAA/5E,MACA/I,EAAA8iF,iF,KACA7N,EAAA2wF,EAAA3wF,OACA2G,EAAAgqF,E
AAAhqF,SAEAjf,EAAAuoG,GAAAr5E,EAAA5W,GACA4vF,EAACAvV,EAAA8uF,GAAAv5E,EAAAlvB,GACAKpG,EAAA
5E,EAAAlvB,GACAKpG,EAAA,gBAAAlpG,EAAA,gBACA6oG,GAAA1iF,EAAA+iF,IAAA,IAAAgDn6E,MAACh
DvC,EAAA,CAAoBuC,MAAA45E,GAAA,CAAA6B3oG,MAAA2Z,OAAA3I,SAAAke,EAAAle,SAAA63F,kBAA
AvwF,YAEjD6wF,EAAAwBtD,GAAAS1/E,EAAA,CACAjCwa,MAAA,CAAAAzR,EAAA+W,OAAA/W,EAAAk5E,M
AAAl5E,EAAAm5E,iBAAAn5E,EAAAi5E,YAAA,MAA+Fn3F,SAAAke,EAAAle,WAC/FkC,MAAA,CACAg1F,
MACAvuF,OACAhP,OAAAukB,EAAAvkB,OACA61B,SAAAtR,EAAAle,SAAA,KAAAmV,EAAAjT,MAAAiT,
EAAAjT,MAAAstB,SAAA,KACA4oE,gBAAA,MAAAppG,GAAAkvB,EAAAle,SAAA,aAEAke,MAAAa+2E,MAAa+2E,GA
AM/2E,EAAA,CAASlvB,IAAAkvB,EAAAo5E,EcAY5B,OARAa,EAAAj2F,MAAAyG,aACAwvF,EAAAj2F,MAA
AyG,KAKAwvF,EAAAAD,GAA+BjD,GAAMkD,EAAAAD,IAAA,GAA+B18E,GAEpEmsC,EAAAA34D,EAAAmpG
,EAAAAlqF,KClOA,SAAA4/B,GAAAv3C,EAAAtI,EAAAAN,GAAmM,OAAxJM,EAAAkBnJ,OAAAAC,eAA
AkJ,EAAAA,CAAAkCN,GAAAAL,YAAA,EAAAAyI,UAAA,IAAAgFpnB,EAAAAtI,GAAAAN,EAAAAoB4I,EAAAA
AkJ,EAAAA,CAAkCN,QAAAAL,YAAA84nB,cAAA,EAAAAyI,UAAA,IAAAgFpnB,EAAAAtI,GAAAAN,E
AAoB4I,EASnM,IAAA+hG,GAAA,CACAC,MAAA,CACA7hG,KAAA+4C,QACAD,SAAA,GAEAvvC,SAAA,
CACAvJ,KAAA+4C,QACAD,SAAA,GAEA3L,KAAA,CACAntC,KAAA6I,OACAiwC,QAAA,MAEAgpD,QAA
A,CACA9hG,KAAA6I,OACAiwC,QAAA,MAEA94C,KAAA,CACAA,KAAA6I,OACAiwC,QAAA,UAEAipD,Q
AAA,CAGA/hG,KAAA+4C,QACAD,SAAA,GAEA0pD,GAAYxB,YACTwB,GAAS9vF,KAAA4mC,eACTkpD,G
AASrrE,GAAAmiB,QAChB,IAAAmpD,GAAAmBxD,GAAKuD,IAEbE,GAAAQ1D,GAAOwD,GAASJ,IAEnC,SAA
AO,GAAAx+D,GACA,YAAAA,EAAA3jC,KACAIm5B,GAAAQwK,EAAAAzgC,OAAA,SACAaAAAygC,EAAA3jC
,MACCw5B,GAAAWmK,EAAAzgC,OAAA,SAIA,IAAAk/F,GAAA,CACAflD,D,YAAA,EACAz3B,MAAASy6E,GAC
TtqD,OAAA,SAAAsZ,EAAAhX,GACA,IAAAmqB,EAAEA58C,EAAAyyB,EAAAzyB,MACA/I,EAAAw7B,EAA
Ax7B,KACA2jF,EAAAnoD,EAAAmoD,UACA7qF,EAAA0iC,EAAA1iC,SAEA8qF,EAAAvpD,EAAAAtxB,EAA
AvV,MAAAuV,EAAAkP,IACA4rE,EAAAA,mBAAAA96E,EAAAAs6E,QACA19E,EAAA,CACAAiD,MAAA,SAAA7uB
,GAAAA7u,B,kBACAAAAnqD,EAAAAq6E,EAAAsuB,E,kBACAAAAp6E,EAAArZ,E,a
AACS+7E,GAGCjjG,GAAM+iG,EAAA,mBAAA/2C,QAAA,SAAAAnqD,GAChB,oBAAAA,GAACAA,GAAAAsmB,
EAAAAs6E,E,aAOAQ,IACAAl+E,EAAAA4V,QAAAAkoE,GACAA99E,EAAAAm+E,SAAAAL,IAGA,IAAAT,EAAAA
CACApiD,YAAA,EACAzyB,MAAAp/B,QAAA,SAAAA6E,GAClB,oBAAAA6E,GACAA77B,EAAAAqvG,E,kBA
AAAAAAAmFjtB,GAAAAitB,

EAAA,OAAA58C,EAAA0lB,KAAA4L,QAAAtxB,EAAA0lB,OAAAiK,GAAAitB,EAAA,YAAA58C,EAAAo6E,OAAAzqD,GAAAitB,EAAA,WAAA58C,EAAAle,UAAA6tC,GAAAitB,EAAA,SAAA58C,EAAAs6E,SAAA19B,IACnF58C,MAAA66E,EAAsBlD,GAAU6C,GAAAx6E,GAAA,KAChChc,MAAA,CACAzL,KAAAsiG,EAAA,KAAA76E,EAAAznB,KACAuJ,SAAA+4F,EAAA,KAAA76E,EAAAle,SAGAk5F,cAAAF,EAAA,cACACG,eAAAH,EAAA15F,OAAA4e,EAAAs6E,SAAA,KAIAhpE,SAAAtR,EAAAle,UAAA+4F,EAAA,KAAA5jF,EAAAjT,MAAAiT,EAAAjT,MAAA,kBAEA4Y,MAGA,OAAA6sC,EAAAoxC,EAAsBf,GAAI,SAAanD,GAAS1/E,EAAAgjF,GAAAlqF,KC3GhD,SAASmrF,GAAe9iG,EAAAtI,EAAAN,GAA2K,OAAxJM,KAAAsI EAAkBnJ,OAAAC,eAAAAkJ,EAAAAtI,EAAA,CAAkCN,QAAAL,YAAA,EAAAA4nB,cAAA,EAAAEAAAyI,UAAA,IAAgFpnB,EAAAAtI,GAAAN,EAAAoB4I,EAInM,IAAI+iG,GAAK,CACTr5F,SAAA,CACAvJ,KAAA+4C,QACAD,SAAA,GAEA+pD,UAAA,CACA7iG,KAAA6I,OACAAiwC,QAAA,SAEAgqD,YAAA,CACA9iG,KAAA6I,OACAAiwC,QAAA,OAIeiqD,GAAA,CACf7jD,YAAA,EACAz3B,MAASm7E,GACAThrD,OAAA,SAAAsZ,EAAAhX,GACA,IAAAzyB,EAAAAyyB,EAAAyyB,EAAAAyyB,EAAAAzyB,MACA/I,EAAAAw7B,EAAAAx7B,EAAAAx7B,KAEAskF,EAAAskF,EAAxB2y6EAAAo7E,UAAh6F,OAAA4e,EAAAx+E,GAAA,CACAiD,MAAA,SAAA7uB,GACAhII,EAAAAguB,EAAAAhkBAhuB,EAAA+tB,qBAQA,OAHAw8E,GAAE9y6GAAAle,UAAA9Q,aAAAsuB,QACAtuBEAAAguB,EkBACAhuB,EAAA+tB,qBAQA,OAAA4e,EAAA5e,UAAA9Q,aAAAsuB,QACAtuB4oD,UACNZ4oD,EAAAnJ,SAAA,CAAgC/qF,UAAA,YAAhc0eh70jD,EAAA,SAAuBktC,GAAAS1/E,EAAAgjF,GAAAsB,IAAAAAlqD,WC5CjB1uC,GAAAA,CACAfqdMAAA,CACACArd,GAAA,CACAApK,KAAA6I,OACAAiwC,QAAA,SEAA7+C,QAAA,CAAAA7+C,QAAAAACAipGOAAA,WACAIAAA1wE,EAAAApwB,UAAAAtG OAAA,QAAA1D,IAAAAgK,UAAAAAAA,UAAAMAEAgI,EAAAzUKAAAyU,IAAAzU,KAAAwtG,UAAAKACAOAAAA/4FGAGAooB,EAAA3pB,OAAA2pBGAAA/uB,QAAA,YACA+uBEAA ApoB,EAAA,IAAAoo6EAAApo6GAHA,OAMA+iBSAAA,CACAg2E,SAAA,WACAAACA,IAAAxt6KAAAo7D,Y AAApk6D,KAAAyU,IAAA,qBAAAzU,KAAAytG,KACA,iBAAAAztG,EAAAAytG,QC3BAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

[content truncated in source]

C,EAAAtkD,IAAAskD,IAA+D,gBAAAjiD,EAAA+jE,EAAAC,GAA2L,OAAlID,GAAAr1B,EAAA1uC,EAAAhC
,UAAA+lE,GAAqEC,GAAAt1B,EAAA1uC,EAAAgkE,GAA6DhkE,GAAxhB,GAEA,SAAAwkE,GAAAAC,EAAA
zkE,GAAiD,KAAAykE,aAAAzkE,GAA0C,UAAA6hB,UAAA,qCAI3F,IAAI2pF,GAAO,WACX,SAAAC,EAAAr
lG,GACA,IAAAslG,EAAAAljG,UAAAtG,OAAA,QAAA1D,IAAAgK,UAAA,GAAAA,UAAA,MAKA,GAHAg8D,
GAAAzoE,KAAA0vG,IAGArlG,EACA,UAAAyb,UAAA,wBAAA9lB,KAAAgJ,YAAApI,KAAA,2BAAA6L,UA
AAtG,OAAA,WAII0iG,GAAM7oG,KAAA0vG,EAAAAE,WAAAD,EAAA,CAAuCtlG,SAE7CsoC,GAAgB3yC,K
AAA,CACpBqK,KAAY4+F,KACZz2E,WAAAkBy2E,KAClB74E,YAAmB64E,KACnB17F,OAAc07F,KACdh3E,c
AAqBg3E,KACrB4G,UAAiB5G,OAGjB,IAAAj3E,GAAA,EAEAhyB,KAAA6wB,eAAA,WACA7wB,KAAAwyB
,aACAR,GAAA,IAKIhxB,GAAchB,KAAA,oBACBIBiB,YAAA,EACAC,IAAA,WACA,OAAA8wB,KAmBA,OAd
A+1C,GAAAA2nC,EAAA,OACA9tG,IAAA,WACAN,MAAA,WACA,OACA+I,KAAA,GACAmoB,YAAA,EACA
pC,YAAA,KACA7iB,OAAA,KACA0kB,cAAA,KACA49E,UAAA,UAKAH,EAtDW,GAyDII,GAAA,GC/Df,SAA
SC,GAAe7lG,EAAAtI,EAAAN,GAA2K,OAAxJM,KAAAsI,EAAkBnJ,OAAAC,eAAAkJ,EAAAtI,EAAA,CAAkC
N,QAAAL,YAAA,EAAA4nB,cAAA,EAAAAyI,UAAA,IAAAgFpnB,EAAAtI,GAAAAN,EAAoB4I,EAAcnM,IAAA8lG,
GAAA,CACAC,cAAA,oDACAC,eAAA,cACAC,eAAA,mBAGEC,GAAA,CACFjyB,SAAA,EACAD,WAAA,EA
CAld,eAAA,EACA1vD,YAAA,EACA++F,gBAAA,mBAGeC,GAAA,CACCf70C,OAAA,CAAWhnD,GAASm5F,I
ACpBzgD,WAAA,CAAeojD,KAAO9D,GAAI+D,UAAapD,IACvCnrD,OAAA,SAAAsZ,GACA,IAAA5V,EAAA3
lD,KAEAywG,EAAAzwG,KAAAywG,OAEA3zF,EAAAy+C,GAAA,GACA,IAAAv7D,KAAA0wG,WAAA,CAC
A,IAAAC,EAAAAF,EAAA,gBACA,IAAAAE,EAAA,CACA,IAAAAC,EAAAAr1C,GAAA,GACAv7D,KAAA6wG,kBA
CAD,EAAAAr1C,EAAA,eACAzpC,MAAA,CACAAle,SAAA5T,KAAA8wG,iBACA5D,UAAAltG,KAAA+wG,iBA
CA5D,YAAAntG,KAAAgxG,mBAEAEtiF,GAAA,CACACAiD,MAAA,SAAAqc,GACA2X,EAAAAxiD,KAAA,mBAG
W,CAAAstG,EAAA,yBAEXE,EAAA,CAAAAp1C,EAAAv7D,KAAAixG,SAAA,CAAyC1tE,MAAA,iBAAAyB,CA
AAktE,EAAA,gBAAAzwG,KAAAqnD,QAAAupD,GAEIE9zF,EAAAAy+C,GAAA,GACA,UACA85B,IAAA,SACA9xD,
MAAAvjC,KAAAkxG,cACAp7F,MAAA,CAAAgBrB,GAAAzU,KAAutG,OAAA,wBACT,CAAAAoD,IAGP,IAA
A9kF,EAAA0vC,EAAA,OACA85B,IAAA,OACA9xD,MAAAvjC,KAAAmxG,YACAr7F,MAAA,CAAAcrB,GAA
AzU,KAAAutG,OAAA,sBACT,CAAAAkD,EAAAttD,UAELiuD,EAAAA71C,GAAA,GACA,IAAAv7D,KAAAqxG,
WAAA,CACA,IAAAAC,EAAAAb,EAAA,gBACA,IAAAAa,EAAA,CACA,IAAAAC,EAAAAh2C,EAAA,eACAh2D
,MAAA,CACAAle,SAAA5T,KAAA8xG,iBACA5D,UAAAltG,KAAA+xG,iBAAwxG,KAAAyxG,cAACAj6D,KAAAx3C,
KAAA0xG,WAACA99F,SAAA5T,KAAA2xG,gBAAA3xG,KAAA4xG,xG,MAAA5xG,KAAA8wG,kBAEApiF,GAAA
,CACAiD,MAAA,SAAAqc,GACA2X,EAAAAxiD,KAAA,aAGW,CAAAstG,EAAA,iBAAAAzwG,KAAA6xG,xG,eAEX
,IAAAC,EAAAAv2C,EAAA,SACAzpC,MAAA,CACAAle,SAAA5T,KAAA8wG,iBACA5D,UAAAltG,KAAA+wG,+xG,UAACAv6D,KAAAx3C,KAAA0
xG,WACA99F,SAAA5T,KAAAgyG,yG,MAAA5xG,KAAA8wG,kBAEApiF,GAAA,CACAiD,MAAA,SAAAqc,GA
CA2X,EAAAAxiD,KAAA,SAGS,CAAAAAstG,EAAA,aAAAzwG,KAAAiyG,yG,UACTX,EAAA,CAAAA0v6D,KAAAx3C,KAAA0
xG,WAACA99F,SAAA5T,KAAAgyG,xG,MAAA5xG,KAAA8wG,kBAEApiF,GAAA,CACAiD,MAAA,SAAAqc,GA
CA2X,EAAAAxiD,KAAA,SAGS,CAAAAstG,EAAA,aAAAzwG,KAAAiyG,yG,UACTX,EAAA,CAAAAAstG,EAAA,
D,MAAA,SAAAqc,GACA2X,EAAAAxiD,KAAA,SAGS,CAAAAAstG,EAAA,aAAAAzwG,KAAAiyG,iyG,UACTX,EAAA,
CAAAAC,EAAAAO,GAEAV,EAAA71C,EAAA,UACA85B,IAAA,SACA9xD,MAAAvjC,KAAAkxG,cACAp8F,MA
AA,CAAAgBrB,GAAAzU,KAAAutG,OAAA,wBACT,CAAA+D,IAGP,IAAAa,EAAA52C,EAAA,OACA85B,IAAA,
A,UACA9xD,MAAAvjC,KAAAkzB,AztB,MAAA,CACAstB,SAAA,KACA+vC,KAAA+vC,KAAAWACAi/B,kBAAAApyG,KAAA0w
G,WAAA,KAAA1wG,KAAutG,OAAA,sBACA8E,mBAAAAryG,KAAAutG,OAAA,qBAEA7+E,GAAA,CACAmpF
+E,SAAA7sG,KAAAsyG,yG,WACA3gF,GAAA3gF,KAAAvtG,gF,MAAA,SAASqc,GACAA,EAAA8/F,kBAAAAld,
kBAAAA60B,EAAAA0G,MAAAAAzG,MAAAA0BAGK,CAAAA9oC,EAAAA+O,EAAAAulF,IAELmB,EAAAAh3C
,EAAAA,OAAgCh4B,MAAAvjC,KAAAwyG,eAAA,4BAAAvjC,KAAAAwyG,eAAA4B,CAAAAAL,IAAE5DM,EAAAAl3C,
EAAAA,OACA85B,IAAA,QACA9xD,MAAAvjC,KAAA0yG,aACA5C7P,WAAA,E
ACAjiG,KAAA,OACAkiG,QAAA,SACAxhG,MAAAtB,KAAA2yG,yG,WACA5P,WAAA,eAEAjtF,MAAA,CACAr
B,GAAAzU,KAAAutG,OAAA,SACAp6B,KAAA,SACAy/B,MAAA,cAAA5yG,KAAA2yG,yG,WAAA,aAEAjkF,GA
AA,CACAiD,MAAA3xB,KAAutG,O,AAA9yG,KAAA+yG,yG,WAAAA,+yG,QAEK,CAAAAR,IAELELE,EAAAAl3C,EAAA,cACA
AAA,CACAkhF,WAAAA,FAAAA,,AAAA,gACaC,aAAAA,,aAAAA,,iBAAA,DACAC,iBAAAA,,WAAAAAACAC,WAAAA,,iBAAAAAACAC,,aAAA,IAE
A3kF,GAAA,CACA4kF,eAAAAtzG,KAAAuzG,cACA5iD,KAAAx3C,KAAA0xG,WACA99F,SAAA5T,KAAA8wG
,iBAAA5yG,KAAAwzG,yG,WAACAC,cAAAA,AAAA7yG,KAAA,ACAC,aAAAA3zG,KAAA4zG,zG,wACAC,MAAA,DAAAAzzG,KAAA0zG,g0G,eAAK,CAAAvB,I
AEL,IAAAAwB,EAAAAl4C,EAAAA14C,GAAA,GACA,UAAAyb,UAAA,wBAACAk0G,kyG,eAAAAl0G,KAAA2yG,yG,aAAA3yG,KAAAm8wG,mBAACA
mD,EAAAA14C,EAAAA,OACAh4B,MAAAvjC,KAAAo8G,eAAA4B,CAAAAAjG,MAAAAAAAACAAgBrB,GAAAzU
,AAA,4BAIhB,IAAAA38B,IhB,IAAAA38B,EAAAAr5G,GAAA,GAKA,OAJAojA,GAAAo8G,YACAxjC,GAAAxjC,EA
AAArV,EAAA,OAAwBZwBzl

D,MAAA,CAASrB,GAAAzU,KAAAutG,OAAA,uBAAyC,CAAAkF,EAAAwB,KAG1E14C,EAAA,SAAsB,CAA
AqV,KAEtB7nD,KAAA,WACA,OACAqrF,UAAAp0G,KAAAq0G,OAAA,EACA1B,YAAA,EACA7B,kBAAA,E
ACAwD,SAAA,EACAC,UAAA,EACAC,eAAA,EACAC,mBAAA,EACAC,aAAA10G,KAAA20G,aAAA,OAIAC
,MAAA,CACA5rF,KAAA,UACA8F,MAAA,UAEAgD,MAAA,CACAu1B,MAAA,CACAh9C,KAAA6I,OACAiw
C,QAAA,IAEA8tD,SAAA,CACA5mG,KAAA6I,OACAiwC,QAAA,MAEA3L,KAAA,CACAntC,KAAA6I,OACA
iwC,QAAA,MAEA0xD,SAAA,CACAxqG,KAAA+4C,QACAD,SAAA,GAEAuuD,WAAA,CACArnG,KAAA6I,O
ACAiwC,QAAA,IAEA2xD,OAAA,CACAzqG,KAAA+4C,QACAD,SAAA,GAEA4xD,kBAAA,CACA1qG,KAA
A+4C,QACAD,SAAA,GAEA6xD,aAAA,CACA3qG,KAAA+4C,QACAD,SAAA,GAEA8xD,eAAA,CACA5qG,K
AAA+4C,QACAD,SAAA,GAEA+xD,gBAAA,CACA7qG,KAAA6I,OACAiwC,QAAA,MAEAgyD,oBAAA,CAC
A9qG,KAAA6I,OACAiwC,QAAA,MAEA6tD,kBAAA,CACA3mG,KAAA6I,OACAiwC,QAAA,MAEAiyD,YAA
A,CACA/qG,KAAA,CAAA6I,OAAAxF,OACAy1C,QAAA,MAEAkyD,cAAA,CACAhrG,KAAA6I,OACAiwC,Q
AAA,MAEAmyD,gBAAA,CACAjrG,KAAA6I,OACAiwC,QAAA,MAEAoyD,WAAA,CACAlrG,KAAA,CAAA6
I,OAAAxF,OACAy1C,QAAA,MAEAqyD,UAAA,CACAnrG,KAAA,CAAA6I,OAAAxF,OACAy1C,QAAA,MAE
AsyD,gBAAA,CACAprG,KAAA6I,OACAiwC,QAAA,MAEAuyD,oBAAA,CACArrG,KAAA6I,OACAiwC,QAA
A,MAEAwyD,kBAAA,CACAtrG,KAAA6I,OACAiwC,QAAA,MAEAyyD,YAAA,CACAvrG,KAAA,CAAA6I,O
AAAxF,OACAy1C,QAAA,MAEAutD,WAAA,CACArmG,KAAA+4C,QACAD,SAAA,GAEAkuD,WAAA,CAC
AhnG,KAAA+4C,QACAD,SAAA,GAEA0tD,gBAAA,CACAxmG,KAAA+4C,QACAD,SAAA,GAEA+wD,aAAA
,CACA7pG,KAAA+4C,QACAD,SAAA,GAEAquD,OAAA,CACAnnG,KAAA+4C,QACAD,SAAA,GAEA6uD,W
AAA,CACA3nG,KAAA+4C,QACAD,SAAA,GAEAwuD,eAAA,CACAtnG,KAAA+4C,QACAD,SAAA,GAEA3
W,QAAA,CACAniC,KAAA+4C,QACAD,SAAA,GAEAwxD,YAAA,CACAxxD,QAAA,MAEA4tD,iBAAA,CAC
A1mG,KAAA6I,OACAiwC,QAAA,SAEA0uD,YAAA,CACAxnG,KAAA6I,OACAiwC,QAAA,UAEA8uD,QAAA
,CACA5nG,KAAA6I,OACAiwC,QAAA,MAEAsuD,cAAA,CACApnG,KAAA6I,OACAiwC,QAAA,aAEA4uD,U
AAA,CACA1nG,KAAA6I,OACAiwC,QAAA,WAEAkxD,KAAA,CACAhqG,KAAA+4C,QACAD,SAAA,GAEA
yuD,KAAA,CACAvnG,KAAA+4C,QACAD,SAAA,IAGA3rB,SAAA,CACAk7E,aAAA,WACA,gBACAmD,MA
AA71G,KAAA80G,OACA/oF,KAAA/rB,KAAAs0G,OAAAs0G,QACAwB,UAAA91G,KAAAu0G,UACOv0G,KA
AAu1G,aAEP/C,cAAA,WACA,IAAAjuD,EAEA,uBAAAA,EAAA,GAA0CwrD,GAAexrD,EAAA,SAAAvkD,KAAA
w3C,KAAA4L,QAAApjD,KAAAw3C,OAAkDu4D,GAAexrD,EAAA,wBAAAvkD,KAAA60G,UAAAtwD,KAE
1H4vD,gBAAA,WACA,yBACA0B,MAAA71G,KAAA80G,OACA/oF,KAAA/rB,KAAAs0G,OAAAs0G,SAAAt0G,K
AAA80G,UAGA5D,cAAA,WACA,IAAAxiC,EAEA,uBAAAA,EAAA,GAA2CqhC,GAAerhC,EAAA,MAAA1uE,KAA
Ak1G,gBAAA9xD,QAAApjD,KAAAk1G,kBAAsEnF,GAAerhC,EAAA,QAAA1uE,KAAAgxG,kBAAA5tD,QAAA
pjD,KAAAgxG,oBAA4E4E,GAAe1uE,KAAAm1G,oBAAA/xD,QAAApjD,KAAAm1G,sBAAAzm
C,GAAA1uE,KAAAo1G,kBAAAcAE1OjE,YAAA,WACA,IAAA3F,EAEA,qBAAAA,EAAA,GAA0CuCuE,GAAev
E,EAAA,MAAA9xD,KAAAxrG,KAAAq1G,cAAAjyD,QAAApjD,KAAAq1G,gBAAkEtF,Ge,EAAA,QAAAs1G,gB
AAAlyD,QAAApjD,KAAAs1G,kBAAA9J,GAAAxrG,KAAAw1G,YAEzItD,cAAA,WACA,IAAArG,EAEA,uBAAArG
,EAAA,GAA2C2CkE,GAAe3C,EAAA,MAAA1uE,KAAA7rG,KAAAMAAA7rG,KAAAy1G,gBAAAryD,QAAA
pjD,KAAAy1G,kBAAAsE1F,GAAelE,EAAA,QAAA1uE,KAAA7rG,KAAAQAAA7rG,KAAA21G,gBAAAvyD,Q
AAApjD,KAAA21G,oBAAA4E5F,GAAelE,EAAA,UAAA1uE,KAAA7r
G,KAAA01G,oBAAAtyD,QAAApjD,KAAA01G,sBAAA7J,GAAAx1G,KAAA41G,eAG1O/xD,MAAA,CACArX,
QAAA,SAAAsX,EAAAiyD,GACAjyD,IAAAiyD,GAGA/1G,KAAA8jD,EAAA,mBAGAx/C,QAAA,CAEAynB,K
AAA,WACA,IAAA/rB,KAAA2yG,WAAA,CAGA,IAAAqD,EAAA,IAAwBlG,GAAAO,QAC/Bt9E,YAAA,EACAC
q9E,UAAA7vG,KACAuN,OAAAvN,KAAAi2G,MACAxD,cAAAzyG,KAAAi2G,xgF,cAAA,OAEAjyB,QAC/BEAA
AhkF,kBAAAhyB,KAAA2yG,aAIUzuE,GAAAQ/6B,SAAA0iB,KAAA,cAElB7rB,KAAAqsD,MAAA8pD,MAAA,MA
AA,oBAAAn2G,KAAAo2G,o2G,KAAAo2G,YAGAjzG,SAAA,WACA,OAAAnD,KAAAsuB,KAAA,SAAAsuB,B
lG,KAAAO,QAC/Bt9E,YAAA,EACAC,q9E,UAAA7vG,KACAuN,OAAAvN,KAAAi2G,MACAxD,cAAAzyG,K
AAAqkF,cAAA,KAAA7kF,KAAA21G,gBAAAvyD,QAAApjD,KAAA21G,oBAAA4E5F,GAAelE,EAAA,UAAA1u
E,KAAA7lG,KAAA01G,oBAAAtyD,QAAApjD,KAAA01G,sBAAA7J,GAAAx1G,KAAA41G,eAG1OAwwD,OAA
A,WACA,IAAAvwD,EAAA7lD,KA

GAA,KAAAo0G,WAAA,EACAp0G,KAAAw2G,UAAA,WAEA3wD,EAAA8sD,YAAA,EACA9sD,EAAAD,MA
AA,aAEAC,EAAA0wD,UAA2BpI,GAAUtoD,EAAAowD,MAAArzF,QAAAijC,EAAA4wD,aAAA50G,KAAAgk
D,GAAAuqD,OAKrCmD,cAAA,WACAvzG,KAAA8wG,kBAAA,EACA9wG,KAAA02G,iBACA12G,KAAA22G
,eACA32G,KAAAy2G,eACMjzE,GAAAQr6B,SAAA0iB,KAAA,cACd7rB,KAAA42G,gBAAA,IAEApD,QAAA,W
ACAxzG,KAAAu0G,UAAA,EACAv0G,KAAAi2G,MAAAxD,MAAAh1E,UAAA,GAEAi2E,aAAA,WACA,IAA
AmD,EAAA72G,KAEAA,KAAAs0G,SAAA,EACAt0G,KAAA8wG,kBAAA,EACA9wG,KAAAw2G,UAAA,WA
CAK,EAAAC,aACA,IAAAC,EAAA,IAA2BjH,GAAO,SAClCt9E,YAAA,EACAq9E,UAAAgH,EACAtpG,OAAA
spG,EAAAZ,MAAAxD,MACAxgF,cAAA,OAEA4kF,EAAAX,UAAAa,MAGAnD,cAAA,WACA5zG,KAAA8wG
,kBAAA,EACA9wG,KAAA42G,gBAAA,IAEA9C,QAAA,WAEA9zG,KAAAs0G,SAAA,GAEAN,aAAA,WACA,
IAAAgD,EAAAh3G,KAEAA,KAAAu0G,UAAA,EACAv0G,KAAAi3G,mBACAj3G,KAAAk3G,iBACAl3G,KA
AA8wG,kBAAA,EACMjtE,GAAAW16B,SAAA0iB,KAAA,cACjB7rB,KAAAw2G,UAAA,WACAQ,EAAA5C,UA
AA4C,EAAA3C,OAAA,EACA2C,EAAAG,gBACA,IAAAC,EAAA,IAA4BtH,GAAO,UACnCt9E,YAAA,EACAq
9E,UAAAmH,EACAzpG,OAAAypG,EAAA3C,KAAA,KAAA2C,EAAAf,MAAAxD,MACAxgF,cAAA,OAEA+k
F,EAAAd,UAAAkB,MAKAlB,UAAA,SAAAmB,GACA,IAAAhtG,EAAAgtG,EAAAhtG,KACAArK,KAAA4lD,M
AAAv7C,EAAAgtG,GACAr3G,KAAAqsD,MAAAzG,MAAA,cAAAv7C,EAAAgtG,GACAr3G,KAAAmbsD,M
AAAv7C,EAAAAg1G,mBACA/0G,KAAAAg1G,eACMjzE,GAAAxS,SAAA49B,EAAA/b,gBACArP,EAAAxG,SAKAw6F,eAAA,SAAAloF,GAC
A,IAAA4oF,EAAAt3G,KAEO,+BAAA21D,QAAA,SAAAg1C,GACAP,j8E,EACUg8E,GAAOphG,OAAAqhG,EAA
A2M,EAAAb,cAEP7L,GAAAQthG,OAAAqhG,EAAA2M,EAAAb,iBAMlBc,YAAA,SAAA9iG,EAAA+iG,GACA/
iG,IAAAzU,KAAAyU,KACAzU,KAAA00G,aAAA8C,GAAAX3G,KAAA+rB,SAGA0rF,YAAA,SAAAhj
G,GACAA,IAAAzU,KAAAyU,KACAzU,KAAAmD,QAGAu0G,cAAA,SAAAL,GAEAA,EAAAxH,YAAA7vG,M
ACAA,KAAAmD,QAKA2zG,WAAA,WAAA,WAEA,wBAAA3tG,SAAA,CAGA,IAAAyZ,EAAA5iB,KAAAi2G,MAAA
rzF,QACA6vF,EAAAAzyG,KAAAi2G,MAAAxD,MACAp2F,EAAAlT,SAAAkT,cACAGAAuG,KAAAxS,SA
AAiM,IAEOuG,ACP6vF,IACAA,EAAAh1E,UAAAGAGA7a,EAAAxG,WAGA+6F,cAAA,WAEA5AA5V,KAAAA20G
,aAAA30G,KAAA00G,cAAA,cAAAKACA,kBAAA9+F,IAEAA,EAAAAas0F,GAAMt0F,IAEnBA,IA
CAA,IAAA04F,KAAA14F,EACAYo0F,GAASp0F,IACACrBA,EAAAAwG,UAAMAu7F,kBAAA,WACA,IAAAAC,EAAAA
zuG,SAAA0B,cAAA,OACAOAACA+sG,EAAAAxgG,UAAA,0BACAjO,KAAAAAjO,SAAA3gB,KAAA4sG,gbB,YAAA0sG,IA
EAnB,aAAA,WACA,GAAAAz2G,KAAA2yG,KAAAA2yG,WAAA,CAGA,IAAAAAF,EAAAAzyG,KAAAi2G,MAAAxD,MACAAoF,GAC
AA,EAAA3tD,MAAAoF,MACAAEA AApF,EAAAA3tD,MACAA,KAAAi3G,mBACA,IAAAAAApF,EAAAAzyG,KAAAi2G,MAAAxD,MACAA
CAA,IACAA9nF,EAAAAmtF,MAAAAotF,GACAA,EAAAA9nF,MAAAAotF,GACAA,KAAAA9wG,kBAAA,EACA
AAAA9nF,MAAAAmtF,YAAA93G,KAAAw0G,eAAA,MAEAx0G,KAAAi3G,mBACA,IAAAAAApF,EAAAA/yG,KAAA/
3G,KAAAw0G,eAAA,MAEAA,QAGAyC,iBAAA,WACA,IAAAAxE,EAAAAzyG,KAAAi2G,MAAAxD,MACAA,KAAAA,IACAA
EAAA9nF,MAAAAmtF,YAAA97D,KAAAw0G,eAAA,MAAAotF,MAAAAotF,aAAA,KAGArB,cAAAAIB86
D,GAAMrhG,SAAA0iB,MACvB7rB,KAAAy0G,kBAAA/kF,EAAAAAt3G,kE,EAAAlT,KAAAAkT,EAAAAjX,MAAAAnvB,OAAAA2j
D,YAEA0pD,aAAA,WACA,GAAAy2G,KAAAy0G,GAAAA32G,KAAAy0G,kBAAAAy0G,kBAAA,CAGA,IAAAA9sB,EAAAAr+E,xL,E
AAA1iB,SAAAA0iB,KACA2oF,GAAMx0G,EAAAAx0G,SAAAwK,SAAAg/E,QAAAA,SAAA1N,GAACjB,IAAAAoiG,EAAAA
piG,EAAAA+U,MAAAA4otF,aAAAA,EAAAA/xE,GAAAAAtwB,EAAAA/xE,GAAAA+U,N,G
AAOz0F,EAAA,qBAAAoiG,GACGjBpiG,EAAA+U,MAAAotF,aAAA9+F,IAAAAotF,aAAA9+E,E,WAAAAg/E,GAAAAzD,EAAAA,OAGQvK,
GAAS+F,GAAAAv6C,QAAAA,SAAA/C,GACGjB,IAAAAsiG,EAAAAtiG,EAAAAtiG,EAAAA+U,MAAAAA4otF,aAAAAtiG,EAAAA+U,MAAAAotF,aAAA9+F,IAAAAA4/D,YACAA4tB,E
AAAxwB,EAAAA/xE,GAAAA20E,aAAAAEACU8f,GAAOz0F,EAAAAobAAAsiG,GACjBtiG,EAAA+U,MAAA4otF,aAAA9+F,IAAAAotF,aAAA9+F,E,WAAAAAg/E,GAAAAzD,EAAAAAA,OAGQ
YAAAtxD,WAAAAk/E,GAAAA3D,EAAAA,OAGQvK GAAA+F,GAAAAx6C,QAAAA,SAAA/C,GACGjB,IAA
AsiG,EAAAtiG,EAAAAtiG,EAAAA+U,MAAA4otF,aAAAAtiG,EAAAA+U,MAAAAotF,aAAA9+F,IAAAAAAA4/D,YACAA4tB,EAAAAxwB,EAAAA/xE,GAAAA20E,aAAAAEACU8f,GAAOz0F,EAAA,ob
AAA,oBAAAsiG,GACjBtiG,EAAA+U,MAAA4otF,aAAA9+F,IAAAAotF,aAAA9+F,E,WAAAAAg/E,GAAAAzD,EAAAA,OGA,IAAAAwD,EA
AAnsF,EAAAAlB,MAAAAotF,aAAAAACAE,EAAAAtwB,EAAAA97D,GAAAA,EAAAAQ1N,GAAAAOx+E,EAAAA,qbAAAAmsF,
GACfnsF,EAAAAlB,MAAAAotF,aAAA9+F,IAAAAg/E,GAAAWAAAg/E,GAAAAzD,EAAAAOAGA0C,eAAAAWAEMjN,GAAS+F,GA
AAC,eAAAt6C,QAAAA,SAAA//C,GACGjB IAAA9H20F,GAAAAO30F,EAAAAA,wbACnBA,EAAAA+U,MAAAAotF,aAAA9+F,IAAAAAkCzN,GA

AO10F,EAAA,0BAC/B4sB,GAAU5sB,EAAA,yBAIdq0F,GAAS+F,GAAAE,eAAA,KAAAF,GAAAG,gBAAAx6
C,QAAA,SAAA//C,GACH20F,GAAO30F,EAAA,uBACnBA,EAAA+U,MAAA4/D,YAAiC+f,GAAO10F,EAAA,
yBAC9B4sB,GAAU5sB,EAAA,wBAIpB,IAAAiW,EAAA1iB,SAAA0iB,KACU0+E,GAAO1+E,EAAA,wBACjB
A,EAAAlB,MAAAotF,aAAkCzN,GAAOz+E,EAAA,0BACjC2W,GAAU3W,EAAA,yBAIlBw2C,QAAA,WAEAri
E,KAAAu2G,UAAA,MAEAvyD,QAAA,WAEAhkD,KAAA23G,oBAEA33G,KAAA6tG,aAAA,kBAAA7tG,KAA
Au3G,aACAv3G,KAAA6tG,aAAA,kBAAAy3G,KAAAy3G,aAEAz3G,KAAA6tG,aAAA,kBAAA7tG,KAAA03G,
gBAEA,IAAA13G,KAAAwsC,SACAxsC,KAAA+rB,QAGAk4B,cAAA,WAEAjkD,KAAAu2G,YACAv2G,KAA
Au2G,UAAAn4B,aACAp+E,KAAAu2G,UAAA,MAEAv2G,KAAA42G,gBAAA,GAEI/yE,GAAW16B,SAAA0iB
,KAAA,cACf7rB,KAAAi3G,mBACAj3G,KAAAk3G,4JCruBIkB,GAAM,WAAgB,IAAAl2D,EAAAliD,KAAAami
D,EAAAD,EAAAE,eAA0BC,EAAAH,EAAAI,MAAAD,IAAAF,EAAwB,OAAAE,EAAA,OAAiBsH,YAAA,cAA
yB,CAAAtH,EAAA,OAAYsH,YAAA,mBAA8B,CAAAzH,EAAAygD,QAA4DzgD,EAAAmsB,KAA5DnH,EAA
A,MAA0BsH,YAAA,uBAAkC,CAAAzH,EAAAkO,GAAA,iBAAiBvH,KAAAVYsH,YAAA,OAAAkB,CAAAtH
AH,EAAAkO,GAAA,eAAAlO,EAAAoO,GAAAppO,EAAAyyC,GAAA,mCAAAtyC,EAAAYAoBDuiG,SAAA,IAAczV,SAAA,CAAAWthG,MAAA4gD,EAAAo2D,aAAAwB5pF,GAAA,CA
AKiD,MAAAuwB,EAAAq2D,cAAAwBl2D,EAAA,SAAAcsH,YAAA,wDAAmE,CAAAtH,EAAA,SAAAcwgD,WAA
A,EAAAajiG,KAAA,QAAAkiG,QAAA,UAAAxhG,MAAA4gD,EAAA,gBAAA6gD,WAAA,oBAAAFp5C,YAAA,
uBAAA7zC,MAAA,CAA4CzL,KAAA,YAAkBu4F,SAAA,CAAAWlmF,QAAAhP,MAAA/H,QAAAu8C,EAAAs2
D,iBAAAt2D,EAAAosB,GAAAp5D,EAAAs2D,gBAAA,SAAAt2D,EAAA,iBAAuGxzB,GAAA,CAAAKs0E,OAA
A,SAAAC,GAA0B,IAAAwV,EAAAv2D,EAAAs2D,gBAAAE,EAAAzV,EAAA11F,OAAAorG,IAAAD,EAAAh8
F,QAA+E,GAAAhP,MAAA,H,QAAAu8yG,EAAA,CAAuB,IAAAG,EAAA32D,EAAAKAAAC,EAAAA32D,EAAAosB
AmqC,EAAAAG,GAAiCF,EAAAAh8F,QAAAiBm8F,EAAA,IAAA32D,EAAAs2D,gBAAAAC,EAAA9uG,OAAA,CAA
AivG,KAAoDC,GAAAI32D,EAAAAs2D,gBAAAAC,EAAA/uG,MAAA,EAAAmvG,GAAAlvG,OAAAA8uG,E
AAA/uG,MAAAmvG,EAAA/uG,UAA8E32D,EAAAs2D,gBAAAAG,MAA2Bt2D,EAAA,QAAasH,YAAA,yCAAoD,CAAAtH
AAAzH,EAAAkO,GAAA,iBAAAlO,EAAAosB,GAAAp5D,EAAAs2D,iBAAoDC,EAAAO32D,EAAAA,UAAesH,YAA
A,cAAyB,CAAAtH,EAAA,SAAAUesH,YAAA,sDAAAj7B,GAAA,CAAAsEiD,MAAAuwB,EAAA42D,gBAAA2B,CA
AAz2D,EAAA,MAAAWvsC,MAAA,CAAAAOwjC,KAAA,eAAAB4I,EAAAAkO,GAAA,iBAAAlO,EAAAosB,GAAAp5D,EAAAs2D,gBAAAAp
O,EAAAAyyC,GAAA,4CAAAtyC,EAAA62D,UAAA0O72D,EAAAAmsB,KAAA1OhsB,EAAA,OAAA+GsH,YAAA,+C
AA0D,CAAAtH,EAAA,QAAAaugD,SAAA,CAAAU/qF,UAAAqqC,EAAAoO,GAAApO,EAAAo2D,gBAAA,WAAA,gBAAA1
zDU,GAAAe,gBCDnB,SAAAC,GAAA/uG,GAA6U,OAAA1O+uG,GAAA3E,oBAAA73G,QAAA,kBAAAA,OAAA8N
,SAA2E,SAAAhF,GAAAoC,cAAAA,GAAA+B,SAAAA,GAAAoC,OAAAAA,GAAA,oBAAAA9I,QAAA8I,EAAAAlB,cA
AA5H,QAAA8I,IAAAA9I,OAAAAa,UAAAA,gBAAAAi5G,GAAAAmI+uG,GAAAA/uG,GAE9T,SAASgvG,GAAAOhvG,GAAW
/B,OATIgvG,GAADJ,oBAAAA93G,QAAAAWAAAA63G,GAAAA73G,OAAAA8N,UACWSAAAhF,GACXX,OAAAA+uG,GACAA/uG,G
AAAA/uG,IAGWSAAAAgviG,GAAAAmI+uG,GACXX,OAAAA/uG,IAAAA8I,EAAAAlB,cAAAA5H,QAAAA8I,IAAAA9I,OAAAAa,U
AAAA,gBAAAAg3G,GAAAA/uG,GAIWSAAAg3G,GAAAA/uG,IAISgvG,GAAAOhvG,GAAW,+BCVT,SAAS6gE,GAAAUjgE,EAAMotB,GAC9B,OA
AO,IAAAIjxB,QAAQ,SAAAUqc,EAAASC,GACpC,IAAAA41F,EAAAchwG,GAAAS0S0B,cAAAc,UAAErCuuG,EAAAY,IAAAIpw
C,KAAAAUmwC,EAAAa,CACZCruG,KAAAM,kBAAAOA,GACAAcbg2C,OAAAQ,iBAAAO,QACACf5oB,UAAAgC,WAAArBghF,G
AAOhhF,GAAAAyBA,EAAAAY/uB,SAAAS0iB,OAAGlEutF,EAAAAU1qF,GAAAAG,UAAW,SAAAAA1gB,GACtBorG,EAAAAUxvC
,UAACVtmD,EAAAAQtV,KAGVorG,EAAAAU1qF,GAAAAG,QAAS,SAAAApBorG,GACtBE,EAAAAUxvC,UAACVrmD,EAAAAO
vV,KAGTmrG,EAAAAYxnF,2BCqDhB0nF,GAAA,CACAAzkB,QACAAh0F,KAAA,YACAAmoB,KAAA,YAAW
AIA,OACAyvF,iBAAA,IAGA9rD,WASA4sD,GAAA,WAAAA3F,IAAAAmlD,GAAA,iBAEAAApa,WAAA,CAIAAmsD,GA
AAAn5G,EAAA,QAAAAgjD,SAEArxB,MAAA,CAIA6wE,QAAA,CACAAt4F,KAAA+4C,SAKA21D,UAAA,CACA1
uG,KAAA+4C,SAKA3rB,MAAA,CACA4pB,CAKA75C,OAACAm7C,cAAAm7C,cAKAA/sB,SAAAACArtB,KAAAg5C,OACA
F,QAAA,GAAAkBAAA75C,OAAAm7C,cAKAAolv0F,UAAA,CACAAlvG,KAAAAAg5C,OACCAF,QAAA,GAKANAna,IAAA,CACAA
CA3+B,KAAA6I,SAGAa5O,QAAA,CACACAk1G,cADA,SACAAxwE,EAAAAvR,EAAAAkH,GACAA,wBAAAAh1B,B,OAAA
AAg1tB,EAAA,cAAA9tB,EAAAAc9tB,OAAAAg1B,EAAA,WAAAAWAAAh1B,OAAAA8vG,GAAAAj,SgBAAAx+D,GAACAA,gDAEA0wE,
WAJA,SAIAA1wE,GACA,OAAOyvF,GAAAAAE8vE,EAAAAcAPA,WAOA1AAAnzD,EAAAA31lD,KACA,OAAAAA+qE,GAAA
A/qE,KAA

As4G,YAAAt4G,KAAAsuG,KAAAnnG,KAAA,WACAw+C,EAAA4yD,gBAGAA,WAZA,WAaAv4G,KAAAsu
G,IAAA3kC,cAAA,qBAAAh6D,UAEA2oG,UAfA,WAeA,IAAAsB,EAAAntG,UAAAtG,OAAA,QAAA1D,IAAA
gK,UAAA,GAAAA,UAAA,GAAAzM,KAAAw4G,gBACA/gF,EAAAwZ,MAAAjxC,KAAAy3B,OAAAz3B,KA
AAy3B,MAAA7pB,KAAA2sB,IAAAv6B,KAAAy3B,MAAAz3B,KAAA03B,UACAiH,EAAA/wB,KAAA2sB,IA
AAv6B,KAAA2+B,OAAA3+B,KAAAu5G,WACA,OAAAK,EAAA55G,KAAA05G,WAAA15G,KAAA65G,YA
AA75G,KAAAw5G,cAAAx5G,KAAA65G,WAAApiF,EAAAkH,KAGAnH,SAAA,CACAqiF,WADA,WAEA,OA
AA75G,KAAAgpC,KAAA1/B,OAAA6S,SAAAI,QCpKmVu9F,GAAA,GCQ/UC,cAAY1Y,GACdyY,GACA1B,G
ACAY,IACF,EACA,KACA,WACA,OAIAe,GAAS5sG,QAAAq1F,OAAA,gBACM,IAAAwX,GAAAD,WCwCfE,
GAAA,CACArlB,QACAh0F,KAAA,iBACAusD,WAAA,CACA+sD,OAAA5J,GACA0J,aACA1uD,cAAA6uD,GA
AArpG,EAIAwoG,GAAAn5G,EAAA,QAAAgjD,SAEAuJ,YAZA,WAaA4sD,GAAA,WAAAl3F,IAAAwiE,GAA
A,UAAArC,GAAA,cAAA9sB,GAAA,aAAA8L,GAAA,cAAAhoB,GAAA,eAEA4gE,GAAArpG,EAAAq8C,WAA
AmsD,GAAAn5G,EAAA,QAAAgjD,SAEArxB,MAAA,CAIAkX,IAAA,CACA3+B,KAAA6I,OACAiwC,QAAA,
kBAAAwgD,GAAA,WAAAziG,IAAA,6BAAAu4G,GAAAjS,oBAMAzmD,UAAA,CACAoC,QAAA,MACAqa,U
AFA,SAEAl8D,GACA,2DAAAsI,QAAAtI,KAOA6D,OAAA,CACAkF,KAAAtJ,OACAoiD,QAAA,sBAKAi3D,
WAAA,CACAj3D,QAAA,uEACA94C,KAAAqD,OAKAs6F,QAAA,CACA39F,KAAA+4C,SAKAgiD,gBAAA,C
ACA/6F,KAAAg5C,QAKAg3D,3D,OAAA,CACAhwG,KAAA+4C,SAKA+2D,oD,QAAA,sBAKAi3D,3D,
WAAA,CACAj3D,QAAA,uEAAAsI,QAAAtI,KAeAluG,QAEAg8E,UALA,SAKAv+C,GACA,IAAArkD,EAAApE,OAAA8xC,OAAA7yC,KAAAu6G,WAAAv6G,KAAAm
F,QACA,OAAAq1G,KAAAx6G,KAAAo6G,WAAA,SAAAj3B,EAAAvhF,GAEA,OADAuhF,EAAAvhF,GAAA6
4G,KAAAt1G,EAAAAwE,OAAA6/C,EAAA,KAAA7/C,OAAA/H,GAAAuD,EAAAvD,IACAuhF,EAAA,K
AEAu3B,gBAZA,SAYA94G,GAAAA,IAAAluG,EAAAEAAluG,UAAAtG,OAAA,QAAA1D,IAAAgK,UAAA,GAAAA
,UAAA,QACA,OAAAAzM,KAAAq6G,SAAAM,EACAhhX,OAAA,WAAAziG,IAAAU,GAEA64G,KAAAtxG,SAA
A4B,KAAA4+D,cAAAgxC,GAAA,WAAAziG,IAAAU,MAGA41B,SAAA,CACA7M,WADA,WAEA,OAIAOACAiwF,iBAAA56G,KAAA+gD,YAGAw5D,w5D,WANA,WAOA,OAOA,OAAAvxE,IAAAhpC,
C,wVS,GAAA,GCQpVC,cAAY/Z,GACd8Z,GACAvT,GACAW,IACF,EACA,KACA,KACA,OAIA6S,GAASjuG,Q
AAAq1F,OAAA,qBACM,IAAAA6Y,GAAAAD,WCQfE,GAAA,CACA1mB,QACAh0F,KAAA,mBACAusD,WA
AA,mBACA8rD,YAHA,WAIA,OAIAgBAEtqB,WAAA,CAIAmsD,GAAAn5G,EAAA,QAAAgjD,SAQACAk4D,mBAEAvpF,MAAA,CAIAu1B,1B,MAAA,CACAh9C,h9C,KAAA6I,OACAiwC,QAAA,kBAAAwgD,GAAA,WAAAziG,IAAA,kBAAAwgD,GAAA,WAAAziG,IAAA,cAAAg5G,gBAAAwgD,GAAAAgkG,qBAAAwgD,GAAA,WAAAziG,IAAA,cAAAg5G,gBAAAwgD,GAAAAkiG,hiiD,QAAA,ubAGApmB6B,KAAvDA,W
AwDA,OACAk8E,kBAAA,IAGAjhD,QA5DA,WA6DAy1D,GAAA93G,WCzF0V45G,GAAA,GCQtVC,cAAYna,
GACdka,GACAzW,GACAS,IACF,EACA,KACA,WACA,OAIAiW,GAASruG,QAAAq1F,OAAA,ubACM,IAAAi
Z,GAAAD,WCpBXE,GAAM,WAAgB,IAAAx5D,EAAAamiD,EAAAad,EAAA0BC,eAAAeH,aAAAH,mBiAA
AI,MAAAAD,IAAAF,EAAAAE,eAA0BC,eAA0BA,EAAAE,EAAA0BC,eAAAJ,mBiAA0BC,WA
AAt5D,K4G,EAAA2tdoNEAAAE,EAAA1BC,eAAbYAw5DC,eAAbYAw5DCH,eAAAH,mB
iAA,2CAAAt5D,AAj7B,GAAA,CAAA2DiD,MAAAuwB,EAAAy5D,qBAAAgC,CAAAt5D,EAAA,MAAAvsC,MAAAvsC,CAAAOwjC,K
AAA,YAAgB,GAAA+I,EAAAgBAAyBsH,YAAA,QAAAkBtH,EAAAOAAYsH,YAAA,wDAAAmE,CAAAzH,EA
AAkO,GAAA,SAAAAlO,EAAAoO,GAAAApO,EAAAyyC,GAAA,wCAAAAtyC,EAAA,OAAkFAkFsH,YAAA,4CAAAuD,
CAAAAtH,EAAA,OAAAAsH,YAAA,OAAAkB,CAAAAtH,EAAA,OAAAAsH,YAAA,OAAAkB,CAAAAtH,EAAA,KAAAUs
H,YAAA,kGAAA7zC,CAAAAqHyG,KAAA,8BAAAAhP,OAAA,SAAAAA85C,MAAA,YAA0E0E,CAAAAhF,EAAA
,MAAAAWvsC,MAAA,MAAAAAAOwjC,KAAA,kBAAAAkiG9B,KAAA,QAAAAuC6K,EAAA,MAAAAQAAsH,YAA0BAzH,
,MAAAAAAmBAAnF6H,CAAAAyG,EAAA,OAAbAw5DCH,eAAbYAw5DCH eAAAH,mB iAA,2CAAAt5D,AAj7B,GAAA,
CAA0BAqHyG KAAA,8BAAAAhP OAAA,ubACM,IAAAkiG AhP AAAuc AAA,oCAAAAhP OAAA,SAAAA85C MAAA,
aAAiFAhF,EAAA,MAAAAWvsc,MAAA,MAAAAOwjC,KAAA,kBAAAkiG9B,mBAAAuC6K,EAAA,MAAAQAAsH,YAA
0BzH,MAAAAmBnF6H,CAAAAA,Ow5DCH eAAbYAw5DCH eAAAH,mB iAAAuc AuC sH YAAA,7zC CAAA qHyG

,KAAA,4CAAAhP,OAAA,SAAA85C,MAAA,aAAyF,CAAAhF,EAAA,MAAWvsC,MAAA,CAAOwjC,KAAA,m
BAAA9B,KAAA,QAAwC6K,EAAA,QAAasH,YAAA,WAAsB,CAAAzH,EAAAkO,GAAA,6BACjkDwrD,GAAe
,gBCDfC,GAAM,WAAgB,IAAA35D,EAAAliD,KAAamiD,EAAAD,EAAAE,eAA0BC,EAAAH,EAAAI,MAAA
D,IAAAF,EAAwB,OAAAE,EAAA,QAAkBsH,YAAA,eAAApmB,MAAA,CAAkCu4E,2BAAA55D,EAAA65D,Y
AA6CrtF,GAAA,CAAKjR,OAAA,SAAAwlF,GAA0BA,EAAApyE,iBAAwBqxB,EAAA85D,UAAA/Y,MAAwB,
CAAA5gD,EAAA,YAAiBvsC,MAAA,CAAOlC,SAAAsuC,EAAA+5D,SAAuB,CAAA/5D,EAAAg6D,QAAKHh6
D,EAAAmsB,KAAlHhsB,EAAA,SAA6BsH,YAAA,6CAAA7zC,MAAA,CAAgEwtB,IAAA,gBAAqB,CAAAA4e,E
AAkO,GAAA,WAAAAlO,EAAAoO,GAAAApO,EAAAyyC,GAAA,mCAAAtyC,EAAA,OAAwFsH,YAAA,gCAA
ApmB,MAAA,CAAAmD44E,cAAAj6D,EAAA65D,aAAiC,CAAAA15D,EAAA,SAAcwgD,WAAA,EAAAajiG,KAAA
,QAAAkiG,QAAA,UAAAxhG,MAAA4gD,EAAA,MAAA6gD,WAAA,UAAoEp5C,YAAA,eAAA7zC,MAAA,C
AAoClV,KAAA,QAAAyJ,KAAA,OAAA+xG,YAAAl6D,EAAAyyC,GAAA,4BAAAlgF,GAAA,eAAiGmuF,SAA
A,CAAAWthG,MAAA4gD,EAAA,OAAoBxzB,GAAA,CAAK5W,MAAA,SAAAmrF,GAAyBA,EAAAA11F,OAAA
41F,YAAsCjhD,EAAAgI,MAAA+4C,EAAAA11F,OAAAjM,WAAgC+gD,EAAA,OAAAYsH,YAAA,uCAAApmB,
MAAA,CAAA0D84E,qBAAAn6D,EAAA65D,aAAwC,CAAAA15D,EAAA,UAAesH,YAAA,kDAAAA7zC,MAAA,C
AAqEzL,KAAA,WAAAiB,CAAAA63C,EAAAkO,GAAA,eAAAAlO,EAAAoO,GAAAApO,EAAAyyC,GAAA,8CAAAt
yC,EAAA,SAAgGvsC,MAAA,CAAOzL,KAAA,SAAAAzJ,KAAA,cAAAU,MAAA,OAAAkD+gD,EAAA,SAAcvsC,
MAAA,CAAOzL,KAAA,SAAAAzJ,KAAA,UAAgCgiG,SAAA,CAAAWthG,MAAA4gD,EAAAo6D,WAAAqBp6D,E
AAA,aAAAG,EAAA,KAA6BsH,YAAA,kCAAAi5C,SAAA,CAAAwD/qF,UAAAqqC,EAAAoO,GAAAApO,EAAAq
6D,iBAAAsCr6D,EAAAmsB,KAAAnsB,EAAA,eAAAG,EAAA,KAAwCsH,YAAA,mCAAAi5C,SAAA,CAAAyD/q
F,UAAAqqC,EAAAoO,GAAAApO,EAAAs6D,mBAAwCt6D,EAAAmsB,QAC9nDouC,GAAe,+DC8BnBC,GAAA,
CACA9nB,QACAh0F,KAAA,aACAkxB,MAAA,CAAIAgvB,OAAA,CACAz2C,KAAA6I,OACAiwC,QAAA,kBA
AAwgD,GAAA,WAAAAziG,IAAA,wBAKAg7G,QAAA,CACA7xG,KAAA+4C,SAKAk5D,QAAA,CACAjyG,K
AAA+4C,SAKAk5D,QAAA,CACAjyG,KAAA6I,OACAiwC,QAAA,kBAAAwgD,GAAA,WAAAAziG,IAAA,0BA
GA6nB,KA/BA,WAAgCA,OACAmhC,MAAA,GACA+xD,QAAA,EACA5zE,SAAA,GACAk0E,aAAA,KACAC,e
AAA,OAGAhlF,SAAA,CACAmlF,YADA,WAEA,OAAA38G,KAAA8gD,OAAAhzC,QAAA,wBAAAnE,OAAA,
UAGArF,QAAA,CACA03G,UADA,WAEAh8G,KAAA48G,gBACA58G,KAAA+oG,SAAA/oG,EAAA8rG,MAAA8rC,OAA
AjnB,OAAA7kB,KAAAwQ,MAAAqU,OAAA7kB,KAAA68G,WAEA/wE,KAPA,WAQA,OAAAAgxE,GAAAhsG,
EAAAk5B,KAAA,CACA3/B,KAAA,OACA2+B,EAAA,yBAAA5+G,MAAA,GAAAshD,QAAA,GAAAuhD,OAAAA5zF,
suG,KAAAroE,YACAe,SAAA,WAGAx2B,KAfA,SAeA2yE,GACA,YAAAA,EAAAApgF,QACA,C,KAAAkqD,M
AAA,GACAAlqD,KAAAw8G,eAAAr5B,EAAAl1E,KAGAjO,KAAAu8G,u8G,aAAAQ,MAAAA55B,EAAAl1E,KAAA,q
BAAAkB,MAAA,SAGAytG,cAxBA,SAwBAytG,GACAh8G,KAAA48G,gBACA58G,KAAAw8G,eAAAw8G,G
AA5BA,WA6BA/oG,oG,KAAAi8G,QAAA,GAEAGAEAY,SA/BA,WAAgCA78G,KAAAi8G,QAAA,EAEAKC5GoVe,GAAA,GCQh
VC,cAAY5b,GACd2b,GACAnB,GACAY,IACF,EACA,KACA,KACA,OAIAQ,GAAS9vG,QAAAq1F,OAAA,iBA
CM,IAAA0a,GAAAAD,WC2BfE,GAAA,CACAvoB,QACAh0F,KAAA,kBAACAusD,WAAA,CAIAmsD,GAAAn5G
,EAAA,QAAAgjD,QACA+5D,eAEAxwD,YAVA,WAWA,WAWA4sD,GAAA,WAAAl3F,IAAAqiE,GAAA,WAAAhvB,G
AAA,aAAA8L,GAAA,cAAAhoB,GAAA,gBAEAj1C,QAAA,CACAq3G,m5G,aAAABADA,WAQA37G,KAAA4lD,MAAA
,qBCpEyVw3D,GAAA,GCQrVC,cAAYhc,GACd+b,GACA1B,GACAE,IACF,EACA,KACA,WACA,OAIASlwG,
QAAAq1F,OAAA,sBACM,IAAA8a,GAAAAD,WCpBXE,GAAM,WAAgB,IAAAr7D,EAAAliD,KAAamiD,EAAAD,E
AAAD,EAAAE,eAA0BC,EAAAH,EAAAI,MAAAD,IAAAF,EAAwB,OAAAE,EAAA,OAAkBsH,YAAA,eAAAk6D,
A6B,CAAAtH,EAAA,OAAYsH,YAAA,aAAAk6D,a6B,CAAAtH,EAAA,OAAYsH,YAAA,aAAAk6B,CAAAAzH,EAAA+9
C,GAAA,GAAAAjuF,EAAA59C,EAAA,OAAAAsH,YAAA,eAAA7zC,MAAA,CAAoCwtB,IAAA,gBAAqB,CAAAA4e,E
AAkO,GAAA,WAAAAlO,EAAAoO,GAAAApO,EAAAyyC,GAAA,2BAAAsC,GAAAAlO,EAAoE,OAAAnO,EAAA,OA
AYsH,YAAA,MAAAk6B,CAAAAzH,EAAA+9C,GAAA,GAAAA59C,EAAA,OAAAYsH,YAAA,eAAAY6B,CAAAAzH,EA
AA+9C,GAAA,GAAAA59C,EAAA,OAAAsH,YAAA,MAAAk6B,CAAAAzH,EAAAmyC,GAAA,sDAAAAzyC,EAAAkO,GA
AAlO,EAAAoO,GAAApO,EAAAyyC,GAAA,sBCpEyVy3D,GAAA,GCQrVC,cAAYic,GACdj+b,GACA9B,GA
CA,sBACM,IAAA8a,8a,GAAAAD,WCpBXE,GAAM,YAAgBA,WAAAk6C,eAAA,GAAAA,oBAAAvw3D,GAAA,G
CQhVC,cAAY9b,GACd4b,GACAnB,GACAY,IACF,EACA,KACA,KACA,WAAA,OAIAQ,GAAS9vG,QAAAq1
F,OAAA,iBACM,IAAA0a,8a,GAAAAD,WCOPE,GAAA,CAAAtoB,QACAh0F,KAAA,mBAAAusD,WAAA,CAIAms
D,GAAAn5G,EAAA,QAAAgjD,QAAA+5D,eAAAxw3D,YAAA,WAAA,WAAA4sD,GAAA,WAAAl3F,IAAAqiE,GAAA,
WAAAhvB,GAAA,aAAA8L,GAAA,cAAAhoB,GAAA,gBAEA

AyyC,GAAA,0BAA+DvpF,QAAA82C,EAAA92C,WAAuB,cAAA82C,EAAAmsB,YAC3mCovC,GAAe,YAAiB,I
AAAv7D,EAAAliD,KAAamiD,EAAAAD,EAAAAE,eAA0BC,EAAAAH,EAAAAI,MAAAAD,IAAAAF,EAAwB,OAAAAE,
EAAA,OAAiBsH,YAAA,YAAuB,CAAAtH,EAAA,MAAAWsH,YAAA,gEAA2E,CAAAtH,EAAA,KAAUsH,YAA
A,6BAAA7zC,MAAA,CAAgDyG,KAAA,mBAAAhP,OAAA,WAA6C,CAAA80C,EAAA,OAAAYsH,YAAA,SAA
A7zC,MAAA,CAA4BxL,IAAMnK,EAAQ,aAAiCkiD,EAAA,KAAYsH,YAAA,cAAA7zC,MAAA,CAAiCyG,KA
AA,mBAAAhP,OAAA,WAA6C,CAAA20C,EAAAkO,GAAA,6CAAA/N,EAAA,MAAAAH,EAAAkO,GAAA,2DA
AA/N,EAAA,OAAA0I,CAAAAH,EAAAkO,GAAA,sDAAA/N,EAAA,MAAAAH,EAAAkO,GAAA,mDAAA/N,EAA
A,KAAAA,EAAA,UAAAA,EAAA,KAA+JsH,YAAA,wBAAA7zC,MAAA,CAA2CyG,KAAA,4BAAkC,CAAA2l
C,EAAAkO,GAAA,6BAAAqC,WAAc,IAAAlO,EAAAliD,KAAamiD,EAAAAD,EAAAAE,eAA0BC,EAAAAH,EAAAAI,
MAAAAD,IAAAAF,EAAwB,OAAAAE,EAAA,MAAAgBsH,YAAA,iBAA4B,CAAAtH,EAAA,MAAAWsH,YAAA,sBA
AiC,CAAAtH,EAAA,KAAUvsC,MAAA,CAAOyG,KAAA,uDAAAhP,OAAA,WAAiF,CAAA20C,EAAAkO,GA
AA,iEAAA/N,EAAA,MAAAmFsH,YAAA,sBAAiC,CAAAtH,EAAA,KAAUvsC,MAAA,CAAOyG,KAAA,qDAA
AhP,OAAA,WAA+E,CAAA20C,EAAAkO,GAAA,+DAAA/N,EAAA,MAAAiFsH,YAAA,sBAAiC,CAAA
A,KAAUvsC,MAAA,CAAOyG,KAAA,iDAAAhP,OAAA,WAA2E,CAAA20C,EAAAkO,GAAA,uEAAA/N,EAA
A,MAAAyFsH,YAAA,sBAAiC,CAAAtH,EAAA,KAAUvsC,MAAA,CAAOyG,KAAA,gDAAAhP,OAAA,WAA0E,
CAAA20C,EAAAkO,GAAA,qEAAAWc,IAAAAlO,EAAAliD,KAAamiD,EAAAAD,EAAAAE,eAA0BC,EAAAAH
,EAAAAI,MAAAAD,IAAAAF,EAAwB,OAAAAE,EAAA,MAAAgBsH,YAAA,iBAAy4B,CAAAtH,EAAA,MAAAWsH,YA
AA,sBAAiC,CAAAtH,EAAA,KAAUvsC,MAAA,CAAOyG,KAAA,oCAAAhP,OAAA,WAA8D,CAAA
AkO,GAAA,sDAAA/N,EAAA,MAAAwEsH,YAAA,sBAAiC,CAAAtH,EAAA,KAAUvsC,MAAA,CAAOyG,KAA
A,4CAAAhP,OAAA,WAAsE,CAAA20C,EAAAkO,GAAA,sDAAA/N,EAAA,MAAAwEsH,YAAA,CAAA
tH,EAAA,KAAUvsC,MAAA,CAAOyG,KAAA,8BAAAhP,OAAA,WAAwD,CAAA20C,EAAAkO,GAAA,yDCk
Gr8EstD,GAAA,CACA9oB,QACAh0F,KAAA,gBACAkxB,MAAA,CAIA1mB,QAAA,CACAf,KAAA6I,SAGAsk
B,SAAA,CACAgmF,KADA,WAEA,WAAAntG,MAAAstG,iBChHuVC,GAAA,GCQnVC,cAAYxc,GACduc,GAC
AL,GACAE,IACF,EACA,KACA,WACA,OAIAI,GAAS1wG,QAAAq1F,OAAA,oBACM,IAAAsb,GAAAAD,WCp
BXE,GAAM,WAAAgB,IAAA77D,EAAAliD,KAAamiD,EAAAAD,EAAAAE,eAA0BC,EAAAAH,EAAAAI,MAAAAD,IA
AAF,EAAwB,OAAAAE,EAAA,OAAAAE,EAAAAH,EAAA87D,YAAA,CAAAqCp7G,IAAA,YAAA+mD,YAAA,oDA
AApmB,MAAA,CAAuF06oBAAA,7D,EAAAg8D,gBAA0CvzF,MAAA,CAASiO,SAAAspB,EAAAtpB,UAAy
B9iB,MAAA,CAASSrB,GAAA,eAAA0pG,4BAAA,GAAAA/3G,OAAA,IAAA+9C,UAAAi6D,WAAAl8D,E
AAAm8D,uBAAoH,CAAAAn8D,EAAAAM,GAAA,SAAAAH,EAAA,KAA0BsH,YAAA,mCAAA7zC,MAAA,CAAs
DyG,KAAA2lC,EAAA6iD,UAAoB,CAAA1iD,EAAA,OAAAYsH,YAAA,qDAAiE,CAAA20C,EAAA,CAA0BxL,IAAMnK,
EAAQ,QAAoCw+B,EAAAiBujB,EAAAkO,GAAA,aAAAlO,EAAAoO,GAAApO,EAAAo8D,SAAAg8D,aAAAj8D,
Aj8D,EAAA,UAAuEsH,YAAA,iBAAAiBAAA7zC,MAAA,CAAoCoCzL,KAAA,SAAAijG,aAAAqBAAiD5+E,GAAA,CA
AKiD,MAAAuwB,EAAAq8D,eAA0BCAAAl8D,EAAA,QAAAasH,YAAA,0BAAAkCtH,EAAA,OAAAcsH,YAAA,k
BAAApmB,MAAA,CAASqCi7E,SAAAt8D,EAAAg8D,iBAAgC,CAAAAM,GAAA,UAAAAH,EAAA,MA
A4BsH,YAAA,sBAAiC,CAAAtH,EAAA,KAAUvsC,MAAA,CAAOyG,KAAA,kBAAAuB3zB,GAAA,CAAAAI3C,KAAA,SAAAk3E,GAAwB/gD,EAAAm
K,MAAAAzG,MAAA,wBAAAuC,CAAAAvD,EAAA,YAAAiBo8D,KAAA,kBAAAsB,CAAAv8D,EAAAAkO,GAAA,mB
AAAlO,EAAAoO,GAAApO,EAAAmF,OAAA,oBAAAnF,EAAAi+C,GAAAj+C,EAAAuBAAAnF,EAAAi+C,GAAAuBAAAyxC,EAAA3hC,
GAAmH,OAAAA3P,EAAA,kBAAAAH,EAAA2lD,GAAA,CAAoCAAoCjmG,IAAAowD,EAAAl8D,GAAAA,CAAAAkByG,K
AAAo3E,EAAAp3E,OAAAkB,mBAAAoBssB,SAAA8qD,EAAA9qD,SAAwB,IAAAqZ,EAAAAkO,GAAA,mBAAAl
O,EAAAoO,GAAApO,EAAAqjC,EAAArmC,OAAA,uBAA5E,SAAAjL,EAAA,MAAAqBsH,YAAA,cAAAyB,CAAAAtH,EAAA
,MAAAWsH,YAAA,YAAAYuB,CAAAAtH,EAAA,KAAUsH,YAAA,WAAAA7zC,MAAA,CAA8ByG,KAAA,6BAAAhP
,OAAA,WAAuD,CAAA20C,EAAAkO,GAAA,iBAAAAlO,EAAAoO,GAAApO,EAAAyyC,GAAA,iDAAAtyC,EA
AA,MAAAkGsH,YAAA,YAAAoBAA+B,CAAAtH,EAAA,KAAUsH,YAAA,WAAAA7zC,MAAA,CAA8ByG,KAAA,KAA
WmS,GAAA,CAAKKiD,MAAA,SAAAAsxE,GAAAyBA,EAAApyE,iBAAwBqxB,EAAA+zD,MAAAyI,gBAAAA3yF,
UAAmC,CAAAm2B,EAAAkO,GAAA,iBAAAAlO,EAAAoO,GAAApO,EAAAyyC,GAAA,oDAAAtyC,EAAA,MA
AqGsH,YAAA,YAAuB,CAAAtH,EAAA,KAAUsH,YAAA,UAAesH,YAAA,gDAAA7zC,MAAA,CAAmDAAmErB,GAAA,gBAAoB,gBAAAoB,CA
AAytC,EAAAkO,GAAA,iBAAAAlO,EAAAoO,GAAApO,EAAAyyC,GAAA,iDAAAtyC,EAAA,aAAAyGvsC,MAA
A,CAAOoiB,UAAA,eAAA3qB,OAAA,cAAA59D,UAAAaAAA59D,KAAAm2B,EAAAy8D,mBAAAwGjwF,GAA

A,CAAKkwF,cAAA,SAAA3b,GAA+B/gD,EAAAy8D,kBAAA1b,KAA+B,CAAA5gD,EAAA,qBAA0BvsC,MAA
A,CAAOiW,KAAAm2B,EAAAy8D,mBAA6BjwF,GAAA,CAAKkwF,cAAA,SAAA3b,GAA+B/gD,EAAAy8D,k
BAAA1b,OAA+B,iBAAA5gD,EAAA,WAAkCgzC,IAAA,kBAAAv/E,MAAA,CAA6BoyF,cAAA,GAAAmM,KA
AA,GAAA78D,KAAA,OAAwC,CAAA6K,EAAA,QAAasH,YAAA,+CAAA7zC,MAAA,CAAkE2oG,KAAA,eAA
qBA,KAAA,eAAoB,CAAAv8D,EAAAkO,GAAA,WAAAlO,EAAAoO,GAAApO,EAAAyyC,GAAA,4CAAAtyC,
EAAA,eAAgGvsC,MAAA,CAAOqyF,WAAA,OAAe,QAAClyF0W,GAAe,GCERC,GAAQjU,KAEJkU,GAAA,CA
Cfx1D,YAAA,EACAz3B,MAASgtF,GACT78D,OAAA,SAAAsZ,EAAAhX,GACA,IAAAzyB,EAAAyyB,EAAAz
yB,MACA/I,EAAAw7B,EAAAx7B,KACAlH,EAAA0iC,EAAA1iC,SAEA,OAAA05C,EAAAqwC,GAAAMnD,GA
AS1/E,EAAA,CAC5B+I,QACA63B,YAAA,gBACA7zC,MAAA,CAAcq9D,KAAA,cACTtxD,kBCjBUm9F,GAA
A,CACfh7D,QAAA,WACA,qBAAA76C,UACAA,SAAA0N,gBAAAK,iBAAA,QAAAlX,KAAAi/G,oBAGAh7D,
cAAA,WACA,qBAAA96C,UACAA,SAAA0N,gBAAA0Q,oBAAA,QAAAvnB,KAAAi/G,oBAIA36G,QAAA,CA
CA26G,kBAAA,SAAAn8G,GACA9C,KAAAsuG,IAAAl+F,SAAAtN,EAAAyK,SACAvN,KAAAk/G,kBBACAl/G,
KAAAk/G,sBCLA,SAAAC,GAAAprG,GACA,OAAAA,GAAA,IAAAyD,OAA4BwyF,IAK5B,IAAAoV,GAAA,g
DAGAC,GAAA,CAEAC,IAAA,YAEAC,OAAA,UAEAeAEAC,UAAA,cAGeC,GAAA,CACFjkD,OAA
A,CAAWujD,GAAepR,IAC1B97E,MAAA,CACAle,SAAA,CACAvJ,KAAA+4C,QACAD,SAAA,GAEAr4C,KA
AA,CAEAT,KAAA6I,OACAiwC,QAAA,IAEAw8D,OAAA,CAEAt1G,KAAA+4C,QACAD,SAAA,GAEA1qB,M
AAA,CAEApuB,KAAA+4C,QACAD,SAAA,GAEA/8C,OAAA,CAEAiE,KAAA+4C,QACAD,SAAA,GAEAnwC,QAACi
wC,QAAA,GAEAy8D,OAAA,CAEAv1G,KAAA+4C,QACAD,SAAA,GAEA08D,WAAA,CACAx1G,KAAAtJ,O
ACAoiD,QAAA,eAGAp6B,KAAA,WACA,OAACAyjB,SAAA,EACAszE,SAAA,KACAC,wBAAA,IAGA19C,QA
AA,WAEAriE,KAAAggH,KAAAwsC,SAAA,EACAxsC,KAAAmgH,eAAA,GACAngH,KAAAogH,gH,gBAI5C,QA
AA,WAEAriE,KAAAggH,KAAAwsC,SAAA,EACAxsC,KAAAmgH,eAAA,GACAngH,KAAAogH,gH,gBAGAv8D,cA
AA,WACAxjC,KAAAggH,KAAA6tG,aAAA,oBAAAigH,KAAAigH,oBAAIAC,YAAA,WAAAlgH,KAAA,W
ACAjkD,KAAAwsC,SAAA,EACAxsC,KAAAmgH,eAAA,GACAngH,KAAAogH,gH,gBAGAv8D,cAAA,WACAxjc
A5lD,KAAAogH,gBAEAM,aAAA,SAAAAllD,GACAx7D,KAAAogH,eACApgH,KAAAggH,KAAAggH,QAAA,IAAyB92B,G
AAA,KAAM1tB,EAAAx7D,KAAAi2G,MAAAoK,KAAArgH,KAAA4gH,oBAE/BaAAA,WACApgH,KAAAp2C,UAEA5pE,gg
H,SAEAhgH,KAAAggH,QAAAp2C,UAEA5pE,gg,gbAAA,WACA,IAAA01B,EAAAxjc,WAAA,IAAoBb,EAAAAoB,EAAA,CAC
Al3B,YACAyB,UAAA,CAACAhlF,OAAA,CAAAApG,KAAAoG,GAAAoG,QAAA,GAEAgEA62D,KAAA,CACAx7D,KAAAs
AAAzc,KAAA4/G,UASA,OALA,OAAAOALA5/G,KAAA8gH,8gH,WACAD,EAAAz1B,EAAA8zC,EAAAAo7D,OAEPnW,GAAQ,YAAAjlD,

EAAAo7D,WAOpBA,MAAA,aAGAd,kBAAA,SAAA3oB,GACAA,IAAAt3F,OACAA,KAAAwsC,SAAA,IAGA0
yE,iBAAA,WACAl/G,KAAAwsC,SAAA,GAEAzgB,KAAA,WAEA/rB,KAAA4T,WAGA5T,KAAAwsC,SAAA,I
AEArpC,KAAA,WAEAnD,KAAA4T,WAGA5T,KAAAwsC,SAAA,IAEAxgB,OAAA,SAAAgiB,GAEAA,KAAA,
GACA,IAAA3jC,EAAA2jC,EAAA3jC,KACAzI,EAAAosC,EAAA5a,QACA,UAAA/oB,IAAA,YAAAA,GAAAzI
,IAA+DitG,GAAQE,OAAAntG,IAAkBitG,GAAQC,OAAAltG,IAAkBitG,GAAQO,QAI3HpvG,KAAA4T,SACA5
T,KAAAwsC,SAAA,GAGAxsC,KAAA4lD,MAAA,SAAA5X,GACAA,EAAAhc,mBAIAgc,EAAAnd,iBACAmd,
EAAAld,kBAEA9wB,KAAAwsC,SAAAxsC,KAAAwsC,YAEA7a,MAAA,SAAAqc,GAEAhuC,KAAA4T,SACA
5T,KAAAwsC,SAAA,EAGAxsC,KAAA4lD,MAAA,QAAA5X,IAIAgzE,UAAA,SAAAhzE,GAEA,IAAAApsC,EA
AAosC,EAAA5a,QACAxxB,IAAkBitG,GAAQG,IAE1BhvG,KAAA+yG,MAAA/kE,GACOpsC,IAAkBitG,GAAQ
oS,IAEjCjhH,KAAAkhH,MAAAlzE,GACOpsC,IAAkBitG,GAAQO,KAEjCpvG,KAAAmhH,UAAAnzE,GAAA,G
ACOpsC,IAAkBitG,GAAQK,IAEjClvG,KAAAmhH,UAAAnzE,GAAA,IAKA+kE,MAAA,SAAA/kE,GACAhuC,
KAAAwsC,UACAxsC,KAAAwsC,SAAA,EACAwB,EAAAnd,iBACAmd,EAAAld,kBAEA9wB,KAAAw2G,UA
AAx2G,KAAAohH,gBAKAF,MAAA,SAAAlzE,GACAhuC,KAAAwsC,SAAA,UAIAxsC,KAAAwsC,SAAA,IAGA60E,
WAAA,SAAArzE,GACAhuC,KAAAi2G,MAAAoK,KAAAjwG,SAAA49B,EAAA/b,iBAGAjyB,KAAAwsC,SAA
A,IAIA80E,YAAA,SAAAtzE,GAGA,IAAA2lD,EAAA3lD,EAAAzgC,OACAomF,EAAAt3B,UAAAjsD,SAAA,m
BAAAujF,EAAA//E,WAAA+/E,EAAAt3B,UAAAjsD,SAAA,aAAAujF,EAAAv3E,OACAu3E,EAAAv3E,SAGA
+kG,UAAA,SAAAnzE,EAAA80C,GACA,IAAAj9B,EAAA7lD,KAEAA,KAAAwsC,UAGAwB,EAAAnd,iBACA
md,EAAAld,kBACAw2G,KAAA,WACA,IAAAlN,EAAAzjD,EAAA07D,WACA,KAAAjY,EAAAnjG,OAAA,IAGA,I
AGA,IAAAD,EAAAojG,EAAA1/F,QAAAokC,EAAAzgC,QACAu1E,GAAA58E,EAAA,EACAA,KAACS48E,GA
AA58E,EAAAojG,EAAAnjG,OAAA,GACTD,IAEAA,EAAAojG,EAAAnjG,OAAA,GAAA/oB,IAAA,IACA/oB,UAAA
t7G,EAAAojG,QAGAkY,UAAA,SAAAl/G,EAAA6tF,GACA,IAAA1zF,EAAA0zF,EAAA0zF,EAAA5xF,KAAA,SAA
A9B,EAAAvV,GACA,OAAAA,IAAAob,IAEA7F,GAAuB,OAAAP00F,GAAAO10F,EAAA,aACvBA,EAAAwG,SA
GAmlG,SAAA,WAEA,OAAAApC,GAA2BlV,GAASmV,GAAAAp/G,KAAAi2G,MAAAoK,QAEpCoB,aAAA,WAE
A,IAAAA9tB,EAAAA3zF,KAAAuhH,WAAA,GACA,OAAAA5tB,GAAA,MAEAgtB,eAAA,WACA,IAAAAhtB,EAAA
3zF,KAAAyhH,eACA9tB,GAAAAwhH,UAAA,GAAAA7tB,KAGAytB,aAAA,WACA,IAAAAZ,EAAAxg
H,KAAAwgH,QACAA,KAAApkG,OACAokG,EAAAApkG,WC7ZeslG,GAAA,CACfjmD,OAAA,CAAWhnD,GA
ASirG,IACpBz9D,OAAA,SAAAsZ,GACA,IAAAx+C,EAAAw+C,EAAA,KACAAh4B,MAAAvjC,KAAA2hH,cAC
AtsB,IAAA,SACAv/E,MAAA,CACAAyG,KAAA,IACA9H,GAAAAzU,KAAAutG,OAAA,eACA35F,SAAA5T,KAA
A4T,SACAguG,gBAAA,OACAC,gBAAA7hH,KAAAwsC,QAAA,gBAEA9d,GAAA,CACAiD,MAAA3xB,KAA
AgsB,OACA8mF,QAAA9yG,KAAAgsB,SAEK,CAAAhsB,KAAAywG,OAAA,mBAAAzwG,KAAAywG,OAAA
3lG,MAAAywD,EAAA,QAAAmEqnC,SAAA,CAAAY/qF,UAAA7X,KAAA8K,UACpFu1G,EAAA9kD,EAAA,OAC
Ah4B,MAAAvjC,KAAA8hH,YACAzsB,IAAA,OACAv/E,MAAA,CAAAcs8F,kBAAApyG,KAAAutG,OAAA,gBA
Cd7+E,GAAA,CACAqzF,UAAA/hH,KAAAshH,YACAxO,QAAA9yG,KAAAghH,YAEK,CAAAhhH,KAAAyw
G,OAAAttD,UACL,OAAAoY,EAAA,MAAoBzlD,MAAA,CAASrB,GAAAzU,KAAAutG,OAAoBhqE,MAAAvjC
,KAAAgiH,iBAAA+B,CAAAAjlG,EAAAsjG,KAGhF7oF,SAAA,CACAipF,MAAA,WAEA,UAEAuB,gBAAA,WAC
A,8CAAAhiH,KAAAA2/G,OAAA,YAAAA3/G,KAAAwsC,QAAA,YAEAm1E,cAAA,kBAAAA3hH,KAAAii
H,QAAA,qbAAAjiH,KAAA4T,SAAA,cAAA5T,KAAAkiH,mBAAAliH,KAAAkiH,mBAAA,mBAAA,KAEAJ,YAAA,WA
CA,uBAAA9hH,KAAAy4B,MAAA,2CAAAz4B,KAAAwsC,QAAA,UAAAxsC,KAAAmiH,iBAAAniH,KAAAmi
H,iBAAA,MAGArwF,CACAmwF,QAAA,CACA53G,KAAA,+4C,QACAD,SAAA,GAEA++D,mBAAA,C
AEA73G,KAAA6I,OACAiwC,QAAA,IAEAg/D,iBAAAgwB,CAEA93G,KAAA6I,OACAiwC,QAAA,IAEAgwB,KAA
A,CACA9oE,KAAA6I,OACAiwC,QAAA,UCjEIi/D,GAAO,oBAAAhhH,QAAA,kBAAAA,OAAA8N,SAAA,SA
AAhF,GAAAyF,cAAAA,GAAAqB,SAAAA,GAAAmB,OAAAA,GAAA,oBAAA9I,QAAA8I,EAAAAlB,cAAA5H,QA
A8I,IAAA9I,OAAAAa,UAAAA,gBAAAAiI,GAEExIm4G,GAAAY,WAAgB,SAAA1vE,EAAAAplC,EAAAAukB,GAA2C,Q
AAAzxB,EAAA,EAAAEAgBA,EAAAAyxB,EAAA3rB,OAAAAkB9F,IAAA,CAAAO,IAAA6lD,EAAAAp0B,EAAA
2B6lD,EAAAjlD,WAAAilD,EAAAjlD,aAAA,EAAAwDilD,EAAAr9B,cAAA,EAAAAgC,UAAAEAwDilD,EAAAr9B,cAAA,cAAA,EAAAgC,UAAAAq9B,MAAA50B,UA
AA,GAAAuDvwB,OAAAC,eAAAAuM,EAAAA24C,EAAAAtkD,IAAAAskD,IAA+D,gBAAAjiD,EAAA+jE,EAAAAC,GA
A2L,OAAlID,GAAAAr1B,EAAAA1uC,EAAAAhC,UAAA+lE,GAAAqEC,GAAAAt1B,EAAAA1uC,EAAAAgkE,GAA6Dhk
E,GAAAxgB,GAEhB,SAAASq+G,EAAAe55C,EAAAAzkE,GAAAyB,KAAAykE,aAAAAzkE,GAAA0C,UAAA6hB,UAAA,

qCAQ3F,IAAA9hB,GAAA,UACAu+G,GAAA,aACAC,GAAA,IAAA/wG,OAAA,MAAA8wG,GAAA,YAEAE,G
AAA,IAGAC,GAAA,oBAEAC,GAAA,iBAEIC,GAAa,CACjBC,KAAA,OACAvD,IAAA,MACAnQ,MAAA,QAC
AqQ,OAAA,SACAvQ,KAAA,OACA6T,QAAA,MACAC,SAAA,MACAC,SAAA,QACAC,YAAA,QACAC,WAA
A,SACAC,YAAA,SACAC,QAAA,OACAC,WAAA,QAGAC,GAAA,CACAT,KAAA,EACAC,SAAA,EACAxD,I
AAA,EACAyD,SAAA,EACAC,UAAA,EACA7T,MAAA,EACA8T,YAAA,EACAC,YAAA,EACA1D,OAAA,EA
CA2D,YAAA,EACAC,SAAA,EACAnU,KAAA,EACAoU,WAAA,GAGAE,GAAA,CACAC,KAAA,OACAC,IAA
A,OAGAC,GAAA,CACAC,KAAA,OACAH,KAAA,QAGII,GAAQ,CACZC,QAAA,WACAC,cAAA,iBACAC,M
AAA,UAWE9xB,GAAA,CACFpzD,WAAA,EACA86E,SAAA,uGACAloF,QAAA,cACA41B,MAAA,GACArlB,
MAAA,EACArM,MAAA,EACAg0D,UAAA,MACAvjF,OAAA,EACA49G,aAAA,EACA9rF,WAAA,EACA+rF,k
BAAA,OACAC,UAAA,GACApD,SAAA,gBAGEqD,GAAA,CACFC,iBAAA,wBACAC,cAAA,kBACAC,YAAA,
oCACAjgE,WAAA,mBAKEkgE,GAAA,EAEF,SAAAC,GAAA5jH,GACA,cAAAA,EAAA,IAAA2jH,KAAA,KA
QA,IAAIE,GAAO,WAEX,SAAAC,EAAAlpD,EAAA0C,EAAA7R,GACIi2D,GAAetiH,KAAA0kH,GAGnB1kH,
KAAA2kH,YAAA,EACA3kH,KAAA4kH,aAAA,KACA5kH,KAAA5kH,KAAA6kH,cAAA,KACA7kH,KAAA8kH,iBAAA,K
ACA9kH,KAAA+kH,YAAA,GACA/kH,KAAAglH,eAAA,GACAhlH,KAAAilH,QAAA,KACAjlH,KAAAklH,SA
AA1pD,EACAx7D,KAAAmlH,KAAA,KACAnlH,KAAAolH,IAAAAZ,GAAAxkH,KAAAgJ,YAAAhF,MACAhE,
KAAAqsD,SAAA,KACArsD,KAAAslH,QAAAqlH,cAAA,KAEArlH,KAAAslH,WAAAtlH,KAAAulH,UAAA1jH,KAAA7B
,MACAA,KAAAwlH,QAAAxlH,KAAAylH,OAAA5jH,KAAA7B,MACAA,KAAA0lH,QAAA1lH,KAAAo2G,O
AAAv0G,KAAA7B,MACAA,KAAA2lH,WAAA3lH,KAAA4lH,UAAA/jH,KAAA7B,MACAA,KAAA6lH,UAAA
7lH,KAAA8lH,SAAAjkH,KAAA7B,MAEAA,KAAA+lH,KAAA7nD,GAq8BA,OA/7BEmkD,GAAYqC,EAAA,E
ACd9iH,IAAA,eAIAN,MAAA,SAAA48D,GAEA,IAAA8nD,EAA0Bnd,GAAM,GAAG7oG,KAAAgJ,YAAAi9G,
QAAA/nD,GAGnCA,EAAAl8B,OAAA,kBAAAk8B,EAAAl8B,QAAAgkF,EAAAhkF,MAAA,CACAjW,KAAAm
yC,EAAAl8B,MACA7+B,MAAA7+B,EAAAk8B,EAAAl8B,MACA,EAAAl8B,QAKAk8B,EAAAt7C,OAAA,kB
AAAs7C,EAAAt7C,QAAAmkF,EAAAnkF,OAAA,CACAk8B,EAAA37C,MAAA,kBAAA27C,EAAA37C,MAAAgkF,Ep
AAAjkF,OAAAkmF,EAAAt7C,OAAAlpB,MAAAk8B,EAAAq2B,SAAAh0B,MAAA,SAAAkmF,EAAAt7C,OAAA
hpB,MAAAk8B,EAAAt7C,OAAAukF,MAAA,SAAArpD,EAAAt7C,OAAkmF,MAAA27C,EAAAimC,SAAAjlH
,cACA5kH,KAAAqsD,SAAA,KAGnBrsD,KAAAslH,QAAAqlH,IAAA,SAAAsACAN,MAAA,WAEAtlH,KAAA
slH,QAAA,KAGAtlH,KAAA2kH,YAAA,EAAA3lH,IAA2BxW,GAAO,WAClCt9E,YAAA,EACAjlB,OAAAvN,KAAAklH,SA
AAjzF,cAAAy0F,IAGA,GADA1mH,KAAAAk2G,UAAAoQ,KAEA,IAAAAilH,EAAA,IAA4BzW,GAAO,YAClCt9E,YAAA,EAC
AjlB,OAAAvN,KAAAklH,SAAA3kH,cAAAy0F,IAGA,GADA1mH,KAAAk2G,UAAAkQ,KAGA,SAAAAwtB,
GACA9uB,KAAAkQ,aAGA71F,GAAA9uB,KAAAkQ,aAAAglH,eAAArzF,OAAA3xB,KAAAslH,GAAA,MAEA3xB,
KAAAwmH,sBACAxmH,KAAAsmH,2wD,MAAA,MAEA3wD,KAAA6zG,MAAA,OAAAGY3vE,GAAAQlkC,KAAAymH
,gBAAA/C,GAAAAF,MACApBxjH,GAAAAF,MACpBxjH,GAAAAF,MACApBxjH,KAAA6zG,MAAA,OACAOMrc,
GAAOqc,EAAA,KAAA1mH,K,KAAAAolH,IAAAAAolH,KACbplH,KAAA6mH,qBAGA7mH,KAAAmmH,QAAAtnF,U
ACQ2E,GAAAQkjF,EAAAAhD,GAAAAC,MAGnB,IAAAh6B,IAAA/Q,EAAAIAwBlG,GAAAO,QAC/BBt9E,YAAA,EACAjlB,OAAAvN,KAAAklH
,SACAjzF,cAAAAy0F,IAGAA,EAACAjlB,OAAAvN,KAAAklH,KAAA
SAFA,CAOA,IAAAjtF,EAAAAl4B,KAAAAknH,eAACApgH,KAAAAilH,QAAA,KAAA,IAAAyB/7B,GAA
SAAs2G,IACAAxuF,EAAAAltB,KAAAAogH,KAAAAoglH,eAACApgH,KAAAilH,QAAA,KAAAA,IAAAyB/7B,GAA

A,KAAMlpF,KAAAklH,SAAAwB,EAAA1mH,KAAA4gH,gBAAAj3B,EAAA+8B,IAG/B,IAAAnmF,EAAA,WA
CAolB,EAAAwgE,QAAAtnF,WACA8mB,EAAAwhE,cAAAT,GAEA,IAAAU,EAAAzhE,EAAAo/D,YACAp/D,E
AAAo/D,YAAA,KACAqC,IAAA7D,GAAAE,KACA99D,EAAAkuD,MAAA,MAGA,IAAAkD,EAAA,IAA2BjH,
GAAO,SAClCt9E,YAAA,EACAjlB,OAAAo4C,EAAAu/D,SACAjzF,cAAAy0F,IAEA/gE,EAAAuwD,UAAAa,IA
IA/2G,KAAAqmH,uBAAA,GAGM7iF,GAAQkjF,EAAAhD,GAAAF,MAGdxjH,KAAAqnH,eAAAX,EAAAnmF,
SApEAvgC,KAAAmlH,KAAA,QAyEG,CACHvjH,IAAA,eACAN,MAAA,SAAAotB,GACA,IAAAm3B,EAAA7l
D,KAEAusD,cAAAvsD,KAAA8kH,kBACA9kH,KAAA8kH,iBAAA,KACAp2F,IACA1uB,KAAA8kH,iBAAAt4
D,YAAA,WACA,IAAAk6D,EAAA7gE,EAAA4gE,gBACAC,IAAsB1c,GAASnkD,EAAAq/D,WAAAqBhhF,GAA
QwiF,EAAAhD,GAAAF,OAE5D39D,EAAA0/D,aAES,QAGN,CACH3jH,IAAA,wBACAN,MAAA,SAAAotB,G
AEA1uB,KAAAsnH,iBAAA54F,GAGA1uB,KAAAunH,aAAA74F,GAEA1uB,KAAAwnH,gBAAA94F,GAEA1u
B,KAAAynH,wBAAA/4F,GACAA,GAAA,eAAA7Z,KAAA7U,KAAAmmH,QAAA10F,SAEQi5E,GAAO1qG,K
AAAmlH,KAAA,WAAAnlH,MAEP4qG,GAAQ5qG,KAAAmlH,KAAA,WAAAnlH,QAMb,CACH4B,IAAA,YA
CAN,MAAA,WACAtb,KAAAmlH,MAAyBjhF,GAAQlkC,KAAAmlH,KAAAzB,GAAAF,QAIjCxjH,KAAAqmH
,uBAAA,GAEAlkF,aAAAniC,KAAA6kH,eACA7kH,KAAA6kH,cAAA,KACA7kH,KAAA+kH,YAAA,GAEA/kH
,KAAAmD,KAAA,YAKG,CACHvB,IAAA,OACAN,MAAA,SAAA+K,EAAAq7G,GACA,IAAA7Q,EAAA72G,K
AEA0mH,EAAA1mH,KAAAmlH,KACA,GAAAuB,EAAA,CAKA,IAAArQ,EAAA,IAAwBvG,GAAO,QAE/Bt9E
,YAAAk1F,EACACn6G,OAAAvN,KAAAklH,SACAjzF,cAAAy0F,IAGA,GADA1mH,KAAAk2G,UAAAG,IACA
A,EAAArkF,iBAAA,CAOA,IAAAuO,EAAA,WACAs2E,EAAAkO,cAAAxB,GAAAC,MAAAkD,EAAAz7G,GaAE
Ay7G,EAAAz7G,WAAAC,YAAAw7G,GACA7P,EAAA8Q,wBACA9Q,EAAAuJ,eACAvJ,EAAAsO,KAAA,MA
EA94G,GACAA,IAGA,IAAA+qG,EAAA,IA4BtH,GAAO,UACnCt9E,YAAA,EACAjlB,OAAAo4C,EAAAspG,EAAAqO,S
ACAjzF,cAAA,OAEA4kF,EAAAX,UAAAkB,IAIAp3G,KAAAqmH,uBAAA,GAGAqB,GACAQ7jF,GAAW6iF,EAA
AAhD,GAAAC,MAGb9/E,GAAAW6iF,EAAAhD,GAAAF,MAEjBxjH,KAAAglH,eAAArzF,OAAA,EACA3xB,KA
AAglH,eAAA5oG,OAAA,EACApc,EAGAtwC,KAAAqnH,eAAAX,EAAAnmF,GA
EAvgC,KAAA+kH,YAAA,GAEA,OAEG,CACHnjH,IAAA,YACAN,MAAA,SAAA0sC,GACA,IAAA28D,EAAA38D,E
AAA3jC,KACArK,KAAAqsD,OAAAorD,KAAAqsD,MAAAzG,OAEA5lD,KAAAqsD,MAAAzG,MAAA,OAAA
5lD,KAAAgJ,YAAAhF,KAAA,KAAA2mG,EAAA38D,GAEA,IAAAk2E,EAAAlkH,KAAAmmH,QAAAjC,WAA
A,GACA,oBAAAA,EAAAvZ,IACAuZ,EAAAvZ,GAAA38D,KAGG,CACHpsC,IAAA,eACAN,MAAA,WACA,IAAA
42B,EAAAl4B,KAAAmmH,QAAAjuF,UACArM,EAAAl4B,KAAA0iB,iBAAA,SAAA0iB,GAAA
OygG,GAAA3iH,KAAAklH,WAAAr5F,EAAAuCq+E,GAAMhyE,EAAArM,QAKpF,CACHjqB,IAAA,qBACAN,
MAAA,WAEA,IAAAghE,EAAAiBgoC,GAAAOtqG,KAAAklH,SAAA,wBACxB5iD,IAAAnzD,MAAA,OAAAxF,O
AAA3J,KAAAolH,KAAAlwG,KAAA,KAAA5G,OACM+7F,GAAAOrqG,KAAAklH,SAAA,mBAAA5iD,KAKV,C
ACH1gE,IAAA,wBACAN,MAAA,WACA,IAAA01G,EAAAh3G,KAAAyslE,EAAAsiE,EAAAiBgoC,GAAAOtqG,K
AAAklH,SA
AA,wBACxB5iD,IAAAnzD,MAAA,OAAAxF,OAAAOAAAqI,OAAA,SAAA7W,GACA,OAAAA,IAAAq2G,EAAAoO,M
ACOlwG,KAAA,KAAA5G,OACPg0D+nC,GAAAOrqG,KAAAklH,SAAA,mBAAA5iD,GAEP9/B,GAAAUxiC,KAA
AklH,SAAA,sBAGf,CACHtjH,IAAA,eACAN,MAAA,WACAtb,KAAAmlH,MAAyBjhF,GAAQlkC,KAAAmlH,KAA
AilH,SACAjlH,KAAAilH,QAAAr7C,UAEA5pE,KAAAilH,QAAAr7C,OAAA,OAAA5pE,KAAAgJ,YAAAhF,KAAA,K
AAAiBACAN,MAAA,SAAAolH,GAEA5pE,KAAAilH,QAAAr7C,OAAA,OAAAit3G,KAEA4nH,EAAA5nH,KAAA6nH
,yBACA3iC,GAAA,EACAEACA/iD,aAAAniC,KAAA4kH,kCACA5kH,KAAA4kH,4nH,aAAA,KACAC,5kH,KAAA4k
H,KACA,aAAA,KACAC,IAAAkD,EAAA,SAAAAAAA,KACANY,IAAAakD,EAAA,SAAAolH,GAEA4pE,KAAAilH,QA
AAg1C,GACUC,GAAAQ8b,EAAA/b,EAAAmd,KAGlBvnF,MAEU2D
AAGjB9nH,KAAA4kH,kCAAAt+F,aAAAt+F,WAAAwhG,EAAAArF,KAEAqF,MAMG,CACHlmH,IAAA,yBACAN,
MAAA,WAEA,IAAAghE,EAAAh3G,KAAAolH,KAAA9iD,EAAAklH,SAAAv6F,MAAA/pB,GACA,OAAAAAujH,GA
AAjlH,WAAAwhG,EAAAArF,KAEA8BHlm,EAAA,WAAAstb,GACAC,GAAA5iH,KAAAklH,WAAAilH,QAAA/
3B,mBAMG,CACHtvF,IAAA,wBACAN,MAAA,WAEA,IAAAstvB,EAAAh3G,KAAAcQ7jF,KAAAklH,SAAA,wBA
AAvhG,EAAA/b,EAAAmd,KAGjB9nH,WAEU2DAAGjB9nH,wbF,aAAA/b,EAAAmdd,KAKG

A,EACAxc,KAAAmlH,OAEG,CACHvjH,IAAA,kBACAN,MAAA,SAAAq0B,GACA,IAAAA,GAAA,kBAAAA,
EACA,YAEA,IAAA5H,EAAA5kB,SAAA0B,cAAA,OACAkjB,EAAAlW,UAAA8d,EAAArnB,OACA,IAAA3D,E
AAAojB,EAAAqe,kBAAAre,EAAA7iB,YAAA6iB,EAAAqe,mBAAA,KAEA,OADAre,EAAA,KACApjB,IAKG,
CACH/I,IAAA,aACAN,MAAA,SAAAolH,GACA1mH,KAAAgoH,kBAA6B9d,GAAO0Z,GAAQE,cAAA4C,GA
AA1mH,KAAAioH,YACtCpkF,GAAW6iF,EAAAhD,GAAAC,MACX9/E,GAAW6iF,EAAAhD,GAAAF,QAEd,C
ACH5hH,IAAA,oBACAN,MAAA,SAAA42B,EAAAtV,GACA,GAAAsV,EAAA,CAIA,IAAAgwF,EAAAloH,KA
AAmmH,QAAAxwF,KACiE,YAAjE,qBAAA/S,EAAA,YAA0Dw/F,GAAOx/F,OAAAA7a,SAEjEmgH,EACAtlG,E
AAAomE,gBAAA9wD,IACAA,EAAAiwF,UAAA,GACAjwF,EAAAltB,YAAA4X,IAGAsV,EAAAnc,UAAA6G,
EAAA7G,UAIAmc,EAAAgwF,EAAA,yBAAAtlG,KAMG,CACHhhB,IAAA,WACAN,MAAA,WACA,IAAA+lD,E
AAArnD,KAAAmmH,QAAA9+D,OAAA,GAkBA,MAjBA,oBAAAA,IAEAA,IAAArnD,KAAAkIH,WAE+D,Y
AA/D,qBAAA79D,EAAA,YAAwD+6D,GAAO/6D,OAAAt/C,WAAAs/C,EAAAxvC,UAAAvJ,SAE/D+4C,EAAA
,IAEA,kBAAAA,IACAA,IAAA/4C,QAEA+4C,IAEAA,EAAgBijD,GAAOtqG,KAAAAklH,SAAA,UAA4B5a,GAA
OtqG,KAAAAklH,SAAA,2BAC1D79D,IAAA/4C,QAGA+4C,IAEG,CACHzlD,IAAA,SACAN,MAAA,WACA,IAA
A8mH,EAAApoH,KAEAqoH,EAAAroH,KAAAmmH,QAAA10F,QAAAnjB,OAAAa,MAAA,OACAyG,EAAAA5
V,KAAAklH,SAGAllH,KAAAsoH,iBAAA,GAIAD,EAAA1yD,QAAA,SAAAlkC,GACA,UAAAA,EACUi5E,GA
AO90F,EAAA,QAAAAwyG,GACR,UAAA32F,GACCi5E,GAAO90F,EAAA,UAAAAwyG,GACP1d,GAAO90F,EA
AA,WAAAAwyG,IACR,SAAA32F,EAECi5E,GAAO90F,EAAA,WAAAAwyG,GACR,UAAA32F,IACCi5E,GAAO9
0F,EAAA,aAAAAwyG,GACP1d,GAAO90F,EAAA,aAAAAwyG,GAEVpoH,QAEJ,CACH4KB,IAAA,WACAN,MAA
A,WACA,IAAAinH,EAAAvoH,KAEAkvB,EAAA,yDAEAA,EAAAymC,QAAA,SAAA3nB,GACQ48D,GAAQ2d
,EAAArD,SAAAl3E,EAAAu6E,IACTvoH,MAGPA,KAAAsoH,iBAAA,KAEG,CACH1mH,IAAA,cACAN,MAA
A,SAAAwB,GAEA,IAAU2T,GAAUzW,KAAAAklH,WAKpBllH,KAAA2kH,WAAA,CAIA,IAAAt6G,EAAAvH,E
AAAuH,KACAkD,EAAAzK,EAAAyK,OACA0kB,EAAAnvB,EAAAmvB,cACAizF,EAAAllH,KAAAAklH,SACA
C,EAAAnlH,KAAAAmlH,KACA,aAAA96G,EACArK,KAAAgsB,OAAAlpB,QACO,eAAAuH,GAAA,eAAAA,EA
CPrK,KAAAA2wD,MAAAA7tD,QACO,gBAAAuH,EAAA,CAGP,GAAAA86G,GAAAAD,KAAA90G,SAAA7C,IAAA
43G,EAAA/0G,SAAA6hB,GAEA,OAEA,GAAAAkzF,GAAAAD,KAAA/0G,SAAA7C,IAAA23G,EAAA90
G,SAAA6hB,GAEA,OAEA,GAAAAkzF,GAAAAD,KAAA/0G,SAAA7C,IAAA43G,EAAA/0G,SAAA6hB,GAEA,GA
AAizF,KAAA90G,SAAA7C,IAAA23G,EAAA90G,SAAA6hB,GAEA,OAGAjyB,KAAA6zG,MAAA/wG,OACO,e
AAAuH,GACPrK,KAAA6zG,MAAA/wG,MAMG,CACHlB,IAAA,kBACAN,MAAA,SAAAotB,GACA,IAAA85F
,EAAAxoH,KAEA0uB,EAAA0uB,GACA1uB,EAAAwnH,iBAAA,GACAxnH,KAAAqsD,OAAAjJ,QAAApjD,KAA
AqsD,MAAAo8D,UACAzoH,KAAAqlH,cAAArlH,EAAAqsD,MAAA0wC,OAAA,kBAAAj5C,EAAAiyD,GACAj
yD,IAAAiyD,GAAIAyS,EAAAjD,gBAIAvlH,KAAAqlH,gBAAErlH,KAAAqlH,gBACArlH,KAAAqlH,cAAA,Q
AOG,CACHzjH,IAAA,mBACAN,MAAA,SAAAotB,GACA,IAAA+jF,EAAAkBvwF,GAAAOygG,GAAAA3iH,K
AAAklH,HUACzBzS,GAAKAzyG,KAAAqsD,OACArsD,KAAAqsD,MAAAA39B,EAAA,cAAAAg0F,GAAAA1iH
,KAAAslH,HcAMG,CACH1jH,IAAA,kBACAN,MAAA,SAAAotB,GAEA1uB,KAAAwnH,iBAAA,GAEA1uB,E
AAA1uB,GAAAq0G,CAAArsD,OACArsD,KAAAqsD,MAAA39B,EAAA,2BA
AA1uB,GAAAgJ,YAAAhF,KAAAhE,KAAAwlH,SACAxlH,KAAAqsD,MAAA39B,EAAA,2BAAA1uB,GAAAg
J,YAAAhF,KAAAhE,KAAA0lH,SACA1lH,KAAAqsD,MAAA39B,EAAA,8BAAA1uB,GAAAgJ,YAAAhF,KAA
AhE,KAAA2lH,YACA3lH,KAAAqsD,MAAA39B,EAAA,6BAAA1uB,GAAAgJ,YAAAhF,KAAAhE,KAAA6lH,
cAGG,CACHjkH,IAAA,SACAN,MAAA,SAAAmT,GAEA,IAAAq0G,EAAAzoH,KAEA0uB,EAAAGOzU,KAAA
AklH,HUAAllH,KAAAslH,HKAAAklH,HSAAzwG,GAKAz4G,KAAA39B,EAAAP,zU,KAAAmD,OAHAnD,K
AAAulH,HcAMG,CACH3jH,IAAA,SACAN,MAAA,SAAAmT,GAEA,IAAAG0zU,KAAAAklH,HGAOA,GAAAzw
G,KAAAAklH,HUAAllH,KAAAslH,HKAAAklH,HSAAzwG,IAAAzU,KAAAAklH,HSAAzwG,QAAAPzU,K
AAA+rB,OAHA/rB,EAAA,AH/rB,KAAA+rB,SAMG,CACHnqB,IAAA,SACAN,MAAA,SAAAmqB,GAEA,IAAA
YACAN,MAAA,SAAAmT,GAEA,IAAAG0EEAA,EAAGOzU,KAAAAklH,HUAAllH,KAAAslH,HKAAAklH,H
SAAAzwG,IAAAzU,KAAAAklH,HSAAzwG,QAAAPzU,KAAAAukB,OHUAHAvkB,KAAAAukB,YAMG,CA
CH3iB,IAAA,SACAN,MAAA,SAAAmT,GAEA,IAAAWACAN,MAAA,SAAAotB,GAEA1uB,KAAAwlH,SACAxl
H,KAAAqsD,MAAAi6F,EAAA3oH,KAMA,iBAAAmJ,SAAA0N,iBA
CQ28C,GAASrqD,SAAA0iB,KAAAhK,UAAA8zC,QAAA,SAAA//C,GACjB8Y,EACYg8E,GAAO90F,EAAA,Y
AAA+yG,EAAA5H,OAEPnW,GAAQh1F,EAAA,YAAA+yG,EAAA5H,WAQjB,CACHn/G,IAAA,QACAN,MAA
A,cAGG,CACHCM,IAAA,WACAN,MAAA,WACA,IAAAsU,EAAA5V,KAAAAklH,HSACA0D,EAAsBxG,GAAQ9X

,GAAO10F,EAAA,yBAC3B00F,GAAO10F,EAAA,qBAAAgzG,KACTve,GAAOz0F,EAAA,sBAA4B00F,GAAO10F,EAAA,cAC1Cy0F,GAAOz0F,EAAA,eAOZ,CACHhU,IAAA,QACAN,MAAA,SAAAwB,GACA,IAAA+lH,EAAA7oH,KAEA8C,IACA9C,KAAAglH,eAAA,YAAAliH,EAAAuH,KAAA,qBAEU65B,GAAQlkC,KAAAymH,gBAAA/C,GAAAF,OAAAxjH,KAAA+kH,cAAAxB,GAAAAC,KAClBxjH,KAAA+kH,YAAAxB,GAAAAC,MAGArhF,aAAAniC,KAAA6kH,eACA7kH,KAAA+kH,YAAAxB,GAAAAC,KACAxjH,KAAAmmH,QAAAnkF,OAAAhiC,KAAAmmH,QAAAnkF,MAAAjW,KAIA/rB,KAAA6kH,cAAAv+F,WAAA,WACAuiG,EAAA9D,cAAAxB,GGAAAC,MACAqF,EAAA98F,QAEO/rB,KAAAmmH,QAAAnkF,MAAAjW,MAPP/rB,KAAA+rB,UAaG,CACHnqB,IAAA,QACAN,MAAA,SAAAwB,GACA,IAAAgmH,EAAA9oH,KAEA8C,IACA9C,KAAAglH,eAAA,aAAAliH,EAAAuH,KAAA,oBACA,aAAAvH,EAAAuH,MAAA,OAAAwK,KAAA7U,KAAAmmH,QAAA10F,WAEAzxB,KAAAglH,eAAArzF,OAAA,EACA3xB,KAAAglH,eAAA,10E,OAAA,IAGAtwC,KAAAwmH,wBAGArkF,aAAAniC,KAAA6kH,eACA7kH,KAAA+kH,YAAAxB,GAAAE,IACAzjH,KAAAmmH,QAAAnkF,OAAAhiC,KAAAmmH,QAAAnkF,MAAA7+B,KAIAtjH,KAAA6kH,cAAAv+F,WAAA,WACAuiG,EAAA9D,cAAAxB,GAAAAE,KACAqF,EAAAqF,QAEO/nD,KAAAmmH,QAAAnkF,MAAA7+B,MAPPnD,KAAAmD,UASG,CACHvB,IAAA,kBACAN,MAAA,SAAAqoF,EAAA+8B,GACA,IAAAqC,EAAA/oH,KAAAgJ,YAAA,+8B,GACA,EAAA/oH,KAAAglH,eAAA,10E,WAAAzx,B,KAAAglH,eAAArzF,OAAAAA,MAAA8iG,oF,OAAA,EACA3lH,KAAAglH,eAAA10E,OAAA,IGAAtwC,KAAAglH,eAAA10E,OAAA,10E,OAAAIAGAtwC,KAAAglH,eAAA,10E,OAAA,IAGAtwC,KAAAglH,eAAA,10E,OAAA,IAGAOAIGACACHnnB,IAAA,YACAN,MAAA,SAAAqoF,EAAA+8B,GACA,IAAA1mH,KAAAmmH,QAAAA//G,OAAA,CACA,IAAA8nF,EAAoBgc,GAAAO0Z,GAAAQG,MAAA2C,GACnCwC,EAAAjwF,EWAAqCwxE,GAAAKvc,GAAAz2D,OAAAwB,WAAAAj5B,KAAAmmH,QAAAnC,cAC1C,OAAAAV,GAAAA35B,EAAAAArhE,gBACA,OCACA,iBAAAA4gG,EAAAA,KACA,iBAAAAA,EAAAA,KACA,UAGA,OAAAlpH,KAAAmmH,QAAA//G,SAEG,CACHxE,IAAA,eACAN,MAAA,SAAAqoF,EAAA+8B,UACA,0BAAAA,EAAAA3pF,KAAAmmH,QAAAx8B,UACA,0BAAAAA,EACAA,EAAAnpF,FAAAAR,UAAAmlH,KAAAAnlH,KAAAAklH,KAAAv7B,IAEG,CACH/nnB,IAAA,sBACAAA/nF,IAAA,sBACAAAklH,IAAA,sBACAAAEv7B,IAEG,CACHCACH/nF,IAAA,sBACAAAAsBACAN,MAAA,WA
CA,QAAAmwB,KAAAAzxB,EAAAAglH,eACAGAAAhlH,KAAAglH,eAAAvzF,EACA,SAGA,WAKG,CACHCACH7vB,IAAA,IAAA,gBACAAN,MAAA,SAAAmwB,GAAAA0C,EAAAAzC,EAAAAtvG,UAAAlD,M
AAAsuG,IACA,OAAAA2G,KAAAAhjH,OAAA,GACA,KAAAAhjH,EAAAAxzD,QAAA,SAAAApT,GACAU1e,e,EAAAAw6iF,EAA
AnkE,OAAIlB,CACH3gD,IAAA,8BACAAN,MAAA,SAAAAynB,GACA/oB,KAAAopH,gBACA,mBAAAC//H,KAAAAinH,mBA
AAjnH,KAAAAgJ,YAAAAgJ,YAAAAg+G,cAAA,mBAAAAynH,KAAAAg+G,cAA4gE,CACH3/H,IAAAA/nF,IAAA,oBAAAAgBACAN,MAAA,SAAAynH,EAAAAEACiB,EAAAAOAAPyrE,GAAAOoc,EAAAA,iBAGX7iF,GAAAW6iF,EA
AAhD,GAAAAC,MACjB3jH,KAAAAmmH,QAAAtnF,YAAAAEACA7+B,KAAAAmD,OACAAnD,KAAAAmmH,QAAAtnF,UAAAAwqF,MAEG,EACHEACHznH,IAAAgBACAN,MAAA,SAAAynH,EAAAAoF,GACAAj5B,EAAAAiBAEvB,CACH1mB,IAAAA,UACAAV,MAAAA,WACAA/oB,KAAAopH,gBACAAmB,KAAAAhlH,eAAAAvzF,EACAOAAA+wF,GAAA+wF,MAKG,OCACAV,IAAAA,WACA8C,OAIG,CACHnnB,IAAAA,WACANMAAA,WACA/oB,KAAAopH,gBACAmB,KAAAAhlH,eAAAAvzF,EAAAA9rB,KAAAAglH,eAAAAvzF,EAAAA,OAAAA+wF,GAAAA8C,OAIA0gH,EA99BW,GAi+BI4E,GAAAA,GCplCXC,GAAO,oBAAAnoH,QAAA,kB
AAAA,OAAAA8N,SAAAA,SAAAAhF,GAAAyF,cAAAA,GAAAqB,SAAAA,GAAAmB,OAAAA,GAAAA,oBAAAA9I,QAA
A8I,EAAAAlB,cAAAA5H,QAAAA8I,IAAAA9I,OAAAAa,UAAAAa5H,QAAAA8I,IAAAAA9I,IAAAA9I,OAAAAa,UAAAAg
B,SAAAAiI,GAAAAExIs/G,GAAAAY,WAAAAgb,SAAAA72E,EAAA
AplC,EAAAAukB,GAAA2C,QAAAAzxB,EAAAA,EAAAAgBA,EAAAAyxB,EAAAA3rB,OAAAAkB9F,IAAAA,CAAAO,IAAAA6lD,
EAAAAp0B,EAAAAzxB,EAAAA2B6lD,EAAAAjlD,EAAAAWAAAAilD,EAAAAjlD,EAAAAaAAA,EAAAAwDilD,EAAAAr9B,EAAAA,EAAAAgC,EAAAAgC,
UAAAAq9B,MAAAA50B,UAAAA,GAAAuDvwB,EAAAAC,eAAAAuM,EAAAA24C,EAAAAtkD,IAAAA,skD,IAA+D,gBAAAjiD
jiD,EAAAA+jE,EAAAAAC,GAAA2L,OAAllD,GAAAAr1B,EAAAAA1uC,EAAAAhC,EAAAA+lE,UAAAAEACA,GAAAAqEC,GAAAAt1B,EAAAA
1uC,EAAAAgkE,EAAAAEACAA,GAAAgkE,GAAA6DhkE,GAAAAxgB,GAEhB,SAASwlH,EAAAAe/gD,EAAAAAzkE,EAAAAC,GAAA,OAAAAD1C,EAAAAByB,KAAAAykE,EAAAAaAAAzkE,EAAAAC,eAAAAxgB,EAAAA0D
AyF,OAAAApoE,EAAAAkB,GAAAAoBAAAAA,GAAAAoBAAAAA,EAAAAT,EAEvJ,SAAAAqoE,GAAAAAC,GAAAA0C,uBAAAAAGAAA,OAAAAA
C,uBAAAAAGAAA,OAAAAAEACA,EAAAAC,GAAA0C,uBAAAAAGAAA,OAAAAAEAA+D,UAAAAjjD,GAAAAuGD,EAAAA7mE,UAAAAlB,OAAAAY
AAAAonE,KAAAAA9mE,EAAAAUAAAAlB,OAAAAAY,OAAAAAConE,KAAAAA9mE,CAAAAYE+G,GAAAAAr36x36,IAAAAI2gD,GAAAAAI,UAAAACJC,GAAAY,aACZC,GAAkB,IAAAAn4G,OAAAA,MAAsBk4G,GAAAAY,YAAEpD
E,GAAAAWhhB,GAAAAM,GAAAAKygB,GAAAAOrD,QAAAA,CACjCt8B,UAAAA,QAAAAl4D,QAAA,QAAAACA7O,QAAAA,GAC

A+2F,SAAA,wIAGImQ,GAAS,CACbnG,KAAA,OACAH,KAAA,QAGIuG,GAAQ,CACZC,MAAA,kBACAC,Q
AAA,iBAIIC,GAAO,SAAAC,GAGX,SAAAC,IAGA,OAFIX,GAAezpH,KAAAoqH,GAEnBzhD,GAAAA3oE,MA
AAoqH,EAAAA9oD,WAAAvgE,OAAAwC,eAAA6mH,IAAA59G,MAAAxM,KAAAyM,YAsGA,OA3GAo8D,GA
AAuhD,EAAAAD,GAQEX,GAAYY,EAAA,EACdxoH,IAAA,gBAKAN,MAAA,SAAAolH,GAEA,GADAA,KAA
A1mH,KAAAmlH,MACAuB,EACA,SAEA,IAAA2D,EAAAjnE,SAA8B8mD,GAAO6f,GAAQC,MAAAtD,IAAA,
IAAkB7uG,WAC/D4zB,EAAA2X,SAAgC8mD,GAAO6f,GAAQE,QAAAvD,IAAA,IAAoB7uG,WACnE,OAAA
wyG,GAAA5+E,IAEG,CACH7pC,IAAA,qBACAN,MAAA,SAAAylH,GACMvjF,GAAAQxjC,KAAAymH,gBAAu
BkD,GAAY,IAAA5C,KAE9C,CACHnlH,IAAA,aACAN,MAAA,SAAAolH,GAEA1mH,KAAAgoH,kBAA6B9d,
GAAO6f,GAAQC,MAAAtD,GAAA1mH,KAAAioH,YAC5CjoH,KAAAgoH,kBAA6B9d,GAAO6f,GAAQE,QAA
AvD,GAAA1mH,KAAAsqH,cAEtCzmF,GAAW6iF,EAAMoD,GAASnG,MAC1B9/E,GAAW6iF,EAAMoD,GAA
StG,QAK7B,CACH5hH,IAAA,gBACAN,MAAA,WACA,IAAAolH,EAAA1mH,KAAAymH,gBACA0C,EAAAAzC
,EAAAtvG,UAAAlD,MAAyC01G,IACzC,OAAAT,KAAAhjH,OAAA,GACAgjH,EAAAxzD,QAAA,SAAApT,G
ACU1e,GAAW6iF,EAAAnkE,OAIlB,CACH3gD,IAAA,WACAN,MAAA,WACA,IAAA+lD,EAAArnD,D,KAAAm
mH,QAAA9+D,OAAA,GAgBA,MAfA,oBAAAA,IACAA,IAAArnD,KAAAklH,WAE+D,YAA/D,qBAAAA79D,E
AAA,YAAwDkiE,GAAAOliE,OAAAt/C,WAAAs/C,EAAAAxvC,UAAAvJ,SAE/D+4C,EAAA,IAEA,kBAAAA,IAC
AA,IAAA/4C,QAEA+4C,IAEAA,EAAgBijD,GAAAOtqG,KAAAklH,SAAA,UAA4B5a,GAAOtqG,KAAAklH,SA
AA,2BAC1D79D,IAAA/4C,QAEA+4C,IAKG,CACHzlD,IAAA,aACAN,MAAA,WACA,WACA,IAAAshB,EAAA5iB,KA
AAmmH,QAAAvjG,SAAA,GAWA,MAVA,oBAAAAICAA,IAAA5iB,KAAAklH,WAEiE,YAAjE,qBAAAAtiG,EAAAj
EAAA,YAA0DmG,GAAAO3mG,OAAA7a,WAAAA6a,EAAA/K,UAAAvJ,SAEjEsU,EAAA,IAEA,kBAAAA,IAC
AA,IAAAtU,QAEAsU,EAAG,EACHhhB,IAAA,UAIAV,IAAA,WACA,OAAAa2oH,KAAAEV,CACHjoH,IAAA,OACA
V,IAAA,WACA,OAAAawoH,OAIbU,EA5GW,CA6GTd,IAEaiB,GAAA,GCjJfC,GAAA,qBAAAlhH,OAEOijE,GA
AAi+C,GAAAAzpH,OAAAuI,OAAAijE,YCJHk+C,GAAO,oBAAArpH,QAAA,kBAAAA,OAAA8N,SAAA,SAAA
hF,GAAAyF,cAAAA,GAAAqB,SAAAA,GAAAmB,OAAAA,GAAA,oBAAA9I,QAAA8I,EAAAAlB,cAAA5H,QAAA8I
,IAAA9I,OAAAa,UAAA,gBAAAAiI,GAY5IwgH,GAAA,CACAzzG,IAAA,MACA0zG,QAAA,UACAC,SAAA,W
ACAnyF,MAAA,QACAoyF,SAAA,WACAC,YAAA,cACAhpE,OAAA,SACAipE,WAAA,aAACAC,YAAA,cACA
xuF,KAAA,OACAyuF,QAAA,UACAC,WAAA,aACAzwC,KAAA,QAGI0wC,GAAe,CACnBhtC,SAAA,EACAD
,WAAA,EACAld,eAAA,EACA1vD,YAAA,YAAA,EACA++F,gBAAA,mBAGe+a,GAAA,CACft5F,MAAA,CACAvkB
,OAAA,CAEAlD,KAAA,CAAA6I,OAAAnS,OAA6BwrE,GAAWn3B,WAExCpT,MAAA,CACA33B,KAAA,CAA
Ag5C,OAAAtiD,OAAAmS,QACAiwC,GAEA,8C,QACAGEA/8C,OAAA,CACACiE,KAAA,CAAAg5C,OAAAnwC,QA
CAiwC,GAEA2xD,OAAA,CACACzqG,KAAA+4C,4C,QACAD,SAAA,GAEAGEAjrB,UAAA,CAEA7tB,KAAA6I,OAAA
nwC,QACAA,6I,OACAiwC,GAAAAmeiD,OAAA,CAeAnoD,QAAA,gBAEAp3B,KAAA,CACA+I,OAAAnS,OAA6Bw
rE,GAAWn3B,WAExCo6B,SAAAAs/F,EAAAAtgG,GACAsgG,IAAAtgG,GAEAsgG,EAAAxrH,GAAAAyrH,Esr
H,KAAAu rH,YAEA33G,SAAA,SAAA43G,GAEAzgG,IAAAAygG,GAAAAygG,IAAAAygG,EAAAxrH,GAAAAyrH,YrH
,KAAA0rH,YAAAzrH,K
AAA0rH,cAGArpD,QAAA,WAEAriE,KAAA2rH,SAAA,KACA3rH,KAAA4rH,WAAA,WAAA5rH,KACA5rH,KAAA6rH,a
AAA,MAEA7nE,QAAA,WACA,WACA,IAAA2B,EAAA3lD,KAAAw2B,IAAA2B,EAAA3lD,KAAAw2B,YWG,UAAA,WAG
A7wD,KAAAmmE,kBAAA9xD,OAAAAmoD,IAAA,OAAAAnoD,EAAA2lD,IEAAmoD,EAAA2lE,QAEA3lE,EAAA55B
,EAAAApmE,EAAAApmE,IAAAA,EAAAomE,EAAAApmE,IAAA,EAAAompE,EAAA8lE,WAEA9lE,EAeA55B,EAAAom
E,IAAA,SAEA558,GAAAAlpH,4C,QACAAlpH,IAAA/4C,QAEAAlpH,IAAA,SEAAm5I,EeAApmEmE,EAAA55B,E
AAAomE,EAAA8lE,SEAA55B,GAAAA558,cACAnsH,KAAAAk4B,IAAA2B,EAAAA3lD,KAAA2rH,SAAA,KEAA
AmrH,KAAAk4B,IAAA2B,EAAA3lD,KAAAw2B,YWG,UAAA,MAAAAhiE,KEAACA8J,EAAAyB,WAAAPyoF,GA
AAOzqH,KAAAgiC,OAAAhiC,KAAAAAhiC,CACAKAAAgiC,OAAAAAhiC,KAAAgiC,MAAAAqB,SAAAArjC,KAA
AAOACzB,OAEAqlB,OAAArnD,KAAAqnD,KAAAqnD,OAAA,IAAA/C,QAAA,GAEAsU,SAAA5iB,KAAA5iB,5
iB,KAAA4iB,5iB,KAAA4iB,tU,QAAA,GAEAAsU,IAAAAtU,QAAA,EEAA0gG,EeAAsU,WAAAtU,IAAA2pF,E
AAA5iB,KAAA2rH,GAAAA7nE,KAAAAm0F,IAAA,IAAAAm0F,GAAA,KAAAAm0F,IAAA2pF,KAAAAAx3G,GAA
A,KAAAApF,KAAAAm0F,IAAAA0x3G,EeAAAnP0F

w3G,KAAA,IAAAA,GAEAvL,SAAA9gH,KAAA8gH,SAEA9+E,SAAA,EAEA57B,OAAApG,KAAAoG,QAAA,
EAEAy4B,WAAA7+B,KAAA80G,OAEArjF,QAAiB9rB,GAAO3F,KAAAqoH,UAAAroH,KAAAqoH,SAAAnzG
,KAAA,KAAAlV,KAAAqoH,SAExBnE,UAAA,CACAn4F,KAAA/rB,KAAAssH,OACAC,MAAAvsH,KAAAws
H,QACArpH,KAAAnD,KAAAysH,OACAruF,OAAAp+B,KAAA0sH,SACAjwG,QAAAAzc,KAAA2sH,UACA/4G
,SAAA5T,KAAA4sH,eAKAtoH,QAAA,CACA2nH,UAAA,WACA,IAAAY,EAAgBhkB,GAAM,GAAG7oG,KAA
AosH,YAazB,OAZApsH,KAAAi2G,MAAA5uD,OAAArnD,KAAAi2G,MAAA5uD,MAAAxvC,UAAAvJ,SAGAu
+G,EAAAxlE,MAAArnD,KAAAi2G,MAAA5uD,MACAwlE,EAAAl3F,MAAA,GAEA31B,KAAAi2G,MAAArzF
,SAAA5iB,KAAAi2G,MAAArzF,QAAA/K,UAAAvJ,SAGAu+G,EAAAjqG,QAAA5iB,KAAAi2G,MAAArzF,QA
CAiqG,EAAAl3F,MAAA,GAEAk3F,GAEAvB,OAAA,WACAtrH,KAAA2rH,UACA3rH,KAAA2rH,SAAA5/F,Q
AGAw/F,QAAA,SAAAl/G,GACArM,KAAA2rH,SACA3rH,KAAA2rH,SAAAxoH,KAAAkJ,GACO,oBAAAA,G
ACPA,KAGAo/G,UAAA,WACAzrH,KAAA2rH,UACA3rH,KAAA2rH,SAAApnG,WAGAmnG,SAAA,WACA1r
H,KAAA2rH,UACA3rH,KAAA2rH,SAAAjD,UAGAoE,eAAA,WACA9sH,KAAA2rH,UAEA3rH,KAAA2rH,SA
AApmE,UAGAwnE,UAAA,WACA,IAAAx/G,EAAAvN,KAAAuN,OAIA,MAHA,oBAAAA,IACAA,OAEA,kBA
AAA,EAEe+J,GAAO/J,GACiD,YAAAhE,qBAAAA,EAAA,YAAyDk9G,GAAOl9G,KAA0Bu8F,GAASv8F,EAAA
+gG,KAE1G/gG,EAAA+gG,IACuE,YAAAhE,qBAAA/gG,EAAA,YAAyDk9G,GAAOl9G,KAA0Bu8F,GAASv8F,
GAE1GA,EAEA,MAEA++G,OAAA,SAAAt+E,GACAhuC,KAAA4lD,MAAA,OAAA5X,IAEAw+E,QAAA,SAA
Ax+E,GACAhuC,KAAA+rH,cAAA,GACA/rH,KAAA4lD,MAAA,kBACA5lD,KAAA4lD,MAAA,QAAA5X,IAE
Ay+E,OAAA,SAAAz+E,GACAhuC,KAAA4lD,MAAA,OAAA5X,IAEA0+E,SAAA,SAAAA1+E,GACAhuC,KAA
A++rH,cAAA,GAGA/rH,KAAAmsH,cACAnsH,KAAA4lD,MAAA,kBACA5lD,KAAA4lD,MAAA,SAAA5X,IAE
A2+E,UAAA,SAAAA3+E,GACAA,GAAA,YAAAA,EAAA3jC,OAIArK,KAAA4lD,MAAA,sBACA5lD,KAAA4lD
,MAAA,cAEAgnE,WAAA,SAAAA5+E,GACAA,GAAA,aAAAA,EAAA3jC,OAIArK,KAAA4lD,MAAA,sBACA5l
D,KAAA4lD,MAAA,aAEAumE,YAAA,WAEAnsH,KAAAsuG,KAAAtuG,KAAAi2G,MAAA5uD,OACArnD,KA
AAsuG,IAAAtjG,YAAAhL,KAAAi2G,MAAA5uD,OAEArnD,KAAAsuG,KAAAtuG,KAAAi2G,MAAArzF,SAC
A5iB,KAAAsuG,IAAAtjG,YAAAhL,KAAAi2G,MAAArzF,UAKAmpG,aAAA,SAAAr9F,GACAA,GACA1uB,K
AAAi2G,MAAA5uD,OACArnD,KAAA4rH,WAA4Bzd,GAAAUnuG,KAAAi2G,MAAA5uD,MAAArnD,KAAA8s
H,eAAAjrH,KAAA7B,MAAmDmrH,KAEzFnrH,KAAAi2G,MAAArzF,UACA5iB,KAAA6rH,rH,aAA8B1d,GAAUn
uG,KAAAi2G,MAAArzF,QAAA5iB,KAAA8sH,eAAAjrH,KAAA7B,MAAqDmrH,KAAqDmrH,KAAA4rH,aAAA
5rH,KAAA4rH,WAAAxtC,aACAp+E,KAAA4rH,WAAA,MAEA5rH,KAAA6rH,eACA7rH,KAAA6rH,aAAAztC,
aACAp+E,KAAA6rH,aAAA,UC3TemB,GAAA,CACfvxD,OAAA,CAAW2vD,IACXnpE,OAAA,SAAAsZ,GACA
,OAAAA,EAAA,OACAh4B,MAAA,WACA5Y,MAAAc5Y,MAAA,CAAcC,QAAA,QACd9U,MAAA,CAAAc88F,e
AAA,IACT,CAAAr3C,EAAA,OAAa85B,IAAA,SAAer1F,KAAAywG,OAAAppD,OAAAkU,EAAA,OAAgC85B,IAAA,
WAAiBr1F,KAAAywG,OAAAttD,YAAlFp6B,KAAA,WACA,UAGA+I,MAAA,CACAu1B,MAAA,CACAh9C,KAA
A6I,OACAiwC,QAAA,IAEAvgC,QAAA,CACACAvY,KAAA6I,OACAiwC,QAAA,IAEAklE,SAAA,CACACAh+G,KAA
A6I,OAAAxF,OACAy1C,QAAA,SAEAwmC,UAAA,CACACAt/E,KAAA6I,OACAiwC,QAAA,UAGA7G,MAAA,
WACA,MAAA,CACAjI8G,uB,MAAA,CACAh9C,KAAAh9C,KAA6I,OACAiwC,QAAA,IAEA9tB,MAAA,CACA
h4B,MAAAywG,OAAAppD,OAAAkU,EAAA,OAAA5J,wC,QAAA,SAKAmqE,WAAA,CACACAjjH,KAAA+
4C,SAKAk7D,QAAA,CACACAj0G,KAAA6I,OAACAiwC,QAAA,kBAAAwgD,GAAA,WAAAziG,IAAA,kBAKA
mmD,MAAA,CACACAh9C,KAAA6I,OACAiwC,QAAA,kBAAAwgD,GAAA,WAAAziG,IAAA,cAKAqsH,cAAA,CAC
AljH,KAAAqD,MACAy1C,QAAA,kBAAAwgD,GAAA,WAAAziG,IAAA,iCAKA6jG,QAAA,CACACA16F,KAA
A6I,OACAiwC,QAAA,kBAAAwgD,GAAA,WAAAziG,IAAA,eAGA6nB,KAAvDA,WAAozG,mBAAAE,ACAT,gBAAA,I
AGA55G,QAAA,CACCA+5G,qBADA,WAAEAr+G,KAAAAA2+G,GAAEAJ,aAAJA,WAAKAv+G,G,KAAAAk+G
,g+G,gBAAAl+G,G,KAAAAk+G,g+G,eACAl+G,KAAAAqsD,MAAAAzG,MAAAAAA,qBACA5lD,KAAAAz
G,MAAAAwBAGApuB,SAAA,CACA wmF,YADA,WAEA,OAAAh+G,KAAAAstH,WAAAAAAoBClJqVE,GAAA
A,GCQjVC,cAAAYpsB,GACdmsB,GACAzP,GACAc,IACF,EACA,KACA,KACA,OAIA4O,GAAAStgH,QAAA
Aq1F,OAAA
A,kBACM,IAAAAkrB,GAAAAD,WCpBXE,GAAM,WAAgB,IAAAAzrE,EAAAAliD,KAAAamiD,EAAAAD,EAAAAE,eAA

0BC,EAAAH,EAAAI,MAAAD,IAAAF,EAAwB,OAAAE,EAAA,OAAiBvsC,MAAA,CAAOrB,GAAAytC,EAAA0rE,aAC7GC,GAAe,GCMnBC,GAAA,EAKAC,GAAA,CACAntH,KAAA,mBACAkxB,MAAA,CAIAkX,IAAA,CACA3+B,KAAA6I,OACAuqD,UAAA,GAKAtwD,QAAA,CACA9C,KAAAtJ,OACAoiD,QAAA,uBAGAp6B,KAlBA,WAmBA,OACA6kG,SAAA,eAAAjkH,SAAAmkH,MAGA9pE,QAvBA,WAuBA,IAAA2B,EAAA3lD,KACA guH,GAAA,yCAAA7mH,KAAA,WACA,IAAAigG,IAAA6mB,OAAAtoE,EAAAioE,SAAAjoE,EAAA3c,IAAA2c,EAAAx4C,aCrC0V+gH,GAAA,GCOtVC,GAAY9sB,GACd6sB,GACAP,GACAE,IACF,EACA,KACA,KACA,MAIAM,GAAShhH,QAAAq1F,OAAA,uBACM,ICnBX4rB,GAAQC,GDmBGC,GAAAH,WElBfI,GAAA,wBAKAC,GAAA,CACA5tH,KAAA,cACAkxB,MAAA,CAIA+W,OAAA,CACAx+B,KAAA+4C,SAKA/lB,SAAA,CACAhzB,KAAAg5C,OACAF,QAAA,KAKAvgD,IAAA,CACAytH,KAAA,cACAyH,OACAiwC,QAAA,QAGAp6B,KAxBA,WAyBA,OACAnE,MAAA,OACAo/B,SAAA,EACAc,aAAA,IAGAjB,MAAA,CACAChb,OADA,SACA23E,GACAxgH,KAAAyuH,iBAGAxsE,OApCA,SAoCAsZ,GACA,OAAAA,EEAAv7D,KAAA4C,IAAA,CAAA+nB,MAAA3qB,KAAA2qB,MAAA0qE,IAAA,aAAAr1F,KAAAywG,OAAAttD,UAEAa,QAvCA,WAuCA,IAAA2B,EAAA3lD,KACAA,KAAA0uH,gBAAA,WACA/oE,EAAA3B,SAAA,EAAAgpE,cACAhpE,EAAAipE,WAAA13G,iBAAA,gBAAAyuC,EAAAgpE,gBAGAn3F,gBAGAn3F,SAAAq3F,mBADA,WAEA,OACApvF,SAAA,SACAqvF,sBAAA,SACAC,sBAAAAplH,OAAA3J,KAAAq9B,SAAA,MACAsB,OAAAA3+B,KAAA2qB,MAAAgkD,IAAA,QAAAGAAAr6C,OAAA3J,KAAA4uH,cAAAkqE,sBAAA3J,KAAA4q9B,SAAAMACAsB,OAAA3+B,KAAAgkD,QAAAGAAAr6C,OAAA3J,KAAA4uH,aAAAeAGAkqE,oBAAA,eAGAoBAjBA,WAmBA,OAAAlvH,KAAA6q9B,sBAAA6oC,OAAA,iBAAA5kB,KAAA6uH,mBACA,oBAAA7uH,KAAAgvH,sBAAAC,eAAA,eAAA,hvH,KAAAkvH,sBAAAAhvH,KAAAKkvH,sBAGAD,aA5BA,WA6BA,OAAAjvH,KAAA6oC,OAAA7oC,KAAA4uH,aAAA6oC,OAAA7uH,KAAA4uH,aAAA4uH,WAAA9pE,a
AAA,GAEA8pE,WA/BA,WAgCA,OAAA5uH,KAAAi2G,MAAA/9E,YAGA5zB,QAAA,CACAmqH,aADA,WACA,IAAA5oE,EAAA7mD,KACA,IAAAA5oE,EAAA7lD,KAAAA4kB,MAAA,MAAAMACA5kB,KAAA8kD,aAAA9kD,KAAA4kB,MAAA,MAACA5kD,KAAA8kD,WAAAMACA5kD,KAAA4kD,WAAA4oE,WA9kD,KAAAA0uH,gBAAA,WAAAkBAAA7oE,EAAA,YAEAjhC,MAAA,YAPA,WAOA,WAAAOA,IAAA7rH,EAAAA2J,UAAAAtG,EAAAA72G,KAAAwL,EAAAAiB,UAAAtG,OAAA,QAAA1D,IAAAAgK,EAAAAgK8hH,GACAjoG,WAAA,kBAAAuwF,EAAAAL,UAAAhrG,IAAA,MCvGqV2jH,GAAA,GFOjVC,GGAAY/tB,GACd8tB,GACAf,GACAC,IACF,EACA,KACA,KACA,MAIAe,GAASjiH,QAAAq1F,OAAA,kBACM,IAAA6sB,GAAAD,WGAAD,uHACoBtzG,EAAAMmL,GAC5B,OAAOnnB,KAAK40F,KAAKkK,iBAAiB9iF9iF,EAAAMmL,8CAEhBnL,EAAAMmL,GAC9B,OAAO1mB9iB,EAAAKd,OAAAAhc2,hc,KAAK4pB,KAAKKpB,uCAAWHztC,EAAAK54C,GACnBpM,OAAAO2C,KAAAKypD,GAAAYwI,QAAAQ,SAAAA/zD,GAAAG,OAAAImkD,EAAAIE,UAAUrkD,EAAAKurkD,EAAAKurD,EAAWvrD,mCATrE,OAAAOgzF,kCAGP,OAAAOh1F,EAAAQ,QAAAeujD,2CAG9B,OAAAOgK,WAOImiE,MC/CfnvH,EAAAAQ,EAAAA8tD,EAAAA2BAAAk1C,GAAA,aAAAAxjG,EAAAAQ,EAAAA8tD,EAAAAuCAAAg0C,KAAAAtiG,EAAAAQ,EAAAA8tD,EAAAA+BAAAo2C,KAAAA1kG,EAAAAQ,EAAAA8tD,EAAAAqCAAAgtD,KAAAAt7G,EAAAAQ,EAAAA8tD,EAAAA8BAAAurD,KAAAA75G,EAAAAQ,EAAAA8tD,EAAAAoCAAA6uD,KAAAAn9G,EAAAAQ,EAAAA8tD,EAAAAuBAAA6qD,GAAAA,aAAAn5G,EAAAAQ,EAAAA8tD,EAAAA,kCAAAqvD,KAAAA39G,EAAAAQ,EAAAA8tD,EAAAAgCAAAi/D,KAAAAvtH,EAAAAQ,EAAAA8tD,EAAAA,qCAAAA6/D,KAAAAnuH,EAAAAQ,EAAAA8tD,EAAAAmCAAA4sD,KAAAAl7G,EAAAAQ,EAAAA8tD,EAAAA,+BAAAyuD,KAAAA8G,EAAAAQ,EAAAA8tD,EAAAAgCAAA4gE,KAAEe5gE,EAAA,oCCFf,IAAAoG,EAAAmB10D,EAAAQ,QAW3B,SAAA0zD,EAAAjyD,GACA,OAAAAizD,EAAAA70D,KAAAA23C,SAAAA/1C,IAAAA,EAAAAGAAAjC,EAAAAADA,QAAAAuECAA,IAAAA86C,EAAAAiBr6C,EAAAAQ,QACzBiyC,EAAAmBjyC,EAAAQ,AAG3Bq2C,CEAA,kBAmBA,SAAAAq2B,EAAAAvrE,GACA,uBAAAAGACA8wC,EAAAA9wC,EAAAA5wC,IAAAAk5C,EAAAAl5C,IAAAAk1C,EAAAAl5C,IAAAAk1C,EAGA72C,EAAAAD,QAAAmtE

cache\n \tvar installedModules = {};\n\n \t// The require function\n \tfunction __webpack_require__(moduleId) {\n\n \t\t// Check if module is in cache\n \t\tif(installedModules[moduleId]) {\n \t\t\treturn installedModules[moduleId].exports;\n \t\t}\n \t\t// Create a new module (and put it into the cache)\n \t\tvar module = installedModules[moduleId] = {\n \t\t\ti: moduleId,\n \t\t\tl: false,\n \t\t\texports: {}\n \t\t};\n\n \t\t// Execute the module function\n \t\tmodules[moduleId].call(module.exports, module, module.exports, __webpack_require__);\n\n \t\t// Flag the module as loaded\n \t\tmodule.l = true;\n\n \t\t// Return the exports of the module\n \t\treturn module.exports;\n \t}\n\n\n \t// expose the modules object (__webpack_modules__)\n \t__webpack_require__.m = modules;\n\n \t// expose the module cache\n \t__webpack_require__.c = installedModules;\n\n \t// define getter function for harmony exports\n \t__webpack_require__.d = function(exports, name, getter) {\n \t\tif(!__webpack_require__.o(exports, name)) {\n \t\t\tObject.defineProperty(exports, name, { enumerable: true, get: getter });\n \t\t}\n \t};\n\n \t// define __esModule on exports\n \t__webpack_require__.r = function(exports) {\n \t\tif(typeof Symbol !== 'undefined' && Symbol.toStringTag) {\n \t\t\tObject.defineProperty(exports, Symbol.toStringTag, { value: 'Module' });\n \t\t}\n \t\tObject.defineProperty(exports, '__esModule', { value: true });\n \t};\n\n \t// create a fake namespace object\n \t// mode & 1: value is a module id, require it\n \t// mode & 2: merge all properties of value into the ns\n \t// mode & 4: return value when already ns object\n \t// mode & 8|1: behave like require\n \t__webpack_require__.t = function(value, mode) {\n \t\tif(mode & 1) value = __webpack_require__(value);\n \t\tif(mode & 8) return value;\n \t\tif((mode & 4) && typeof value === 'object' && value && value.__esModule) return value;\n \t\tvar ns = Object.create(null);\n \t\t__webpack_require__.r(ns);\n \t\tObject.defineProperty(ns, 'default', { enumerable: true, value: value });\n \t\tif(mode & 2 && typeof value != 'string') for(var key in value) __webpack_require__.d(ns, key, function(key) { return value[key]; }.bind(null, key));\n \t\treturn ns;\n \t};\n\n \t// getDefaultExport function for compatibility with non-harmony modules\n \t__webpack_require__.n = function(module) {\n \t\tvar getter = module && module.__esModule ?\n \t\t\tfunction getDefault() { return module['default']; } :\n \t\t\tfunction getModuleExports() { return module; };\n \t\t__webpack_require__.d(getter, 'a', getter);\n \t\treturn getter;\n \t};\n\n \t// Object.prototype.hasOwnProperty.call\n \t__webpack_require__.o = function(object, property) { return Object.prototype.hasOwnProperty.call(object, property); };\n\n \t// __webpack_public_path__\n \t__webpack_require__.p = \"\";\n\n\n \t// Load entry module and return exports\n \treturn __webpack_require__(__webpack_require__.s = \"fb15\");\n","var Symbol = require('./_Symbol');\n\n/** Used for built-in method references. */\nvar objectProto = Object.prototype;\n\n/** Used to check objects for own properties. */\nvar hasOwnProperty = objectProto.hasOwnProperty;\n\n/**\n * Used to resolve the\n * [`toStringTag`](http://ecma-international.org/ecma-262/7.0/#sec-object.prototype.tostring)\n * of values.\n */\nvar nativeObjectToString = objectProto.toString;\n\n/** Built-in value references. */\nvar symToStringTag = Symbol ? Symbol.toStringTag : undefined;\n\n/**\n * A specialized version of `baseGetTag` which ignores `Symbol.toStringTag` values.\n *\n * @private\n * @param {*} value The value to query.\n * @returns {string} Returns the raw `toStringTag`.\n */\nfunction getRawTag(value) {\n var isOwn = hasOwnProperty.call(value, symToStringTag),\n   tag = value[symToStringTag];\n\n try {\n   value[symToStringTag] = undefined;\n   var unmasked = true;\n } catch (e) {}\n\n var result = nativeObjectToString.call(value);\n if (unmasked) {\n   if (isOwn) {\n   value[symToStringTag] = tag;\n   } else {\n   delete value[symToStringTag];\n   }\n }\n return result;\n}\n\nmodule.exports = getRawTag;\n","'use strict';\nvar LIBRARY = require('./_library');\nvar $export = require('./_export');\nvar redefine = require('./_redefine');\nvar hide = require('./_hide');\nvar Iterators = require('./_iterators');\nvar $iterCreate = require('./_iter-create');\nvar setToStringTag = require('./_set-to-string-tag');\nvar getPrototypeOf = require('./_object-gpo');\nvar ITERATOR = require('./_wks')('iterator');\nvar BUGGY = !([].keys && 'next' in [].keys()); // Safari has buggy iterators w/o `next`\nvar FF_ITERATOR = '@@iterator';\nvar KEYS = 'keys';\nvar VALUES = 'values';\n\nvar returnThis = function () { return this; };\n\nmodule.exports = function (Base, NAME, Constructor, next, DEFAULT, IS_SET, FORCED) {\n $iterCreate(Constructor, NAME, next);\n var getMethod = function (kind) {\n   if (!BUGGY && kind in proto) return proto[kind];\n   switch (kind) {\n   case KEYS: return function keys() { return new Constructor(this, kind); };\n   case VALUES: return function values() { return new Constructor(this, kind); };\n   } return function entries() { return new

Constructor(this, kind); };\n };\n var TAG = NAME + ' Iterator';\n var DEF_VALUES = DEFAULT == VALUES;\n var VALUES_BUG = false;\n var proto = Base.prototype;\n var $native = proto[ITERATOR] || proto[FF_ITERATOR] || DEFAULT && proto[DEFAULT];\n var $default = $native || getMethod(DEFAULT);\n var $entries = DEFAULT ? !DEF_VALUES ? $default : getMethod('entries') : undefined;\n var $anyNative = NAME == 'Array' ? proto.entries || $native : $native;\n var methods, key, IteratorPrototype;\n // Fix native\n if ($anyNative) {\n   IteratorPrototype = getPrototypeOf($anyNative.call(new Base()));\n   if (IteratorPrototype !== Object.prototype && IteratorPrototype.next) {\n   // Set @@toStringTag to native iterators\n   setToStringTag(IteratorPrototype, TAG, true);\n   // fix for some old engines\n   if (!LIBRARY && typeof IteratorPrototype[ITERATOR] != 'function') hide(IteratorPrototype, ITERATOR, returnThis);\n   }\n }\n // fix Array#{values, @@iterator}.name in V8 / FF\n if (DEF_VALUES && $native && $native.name !== VALUES) {\n   VALUES_BUG = true;\n $default = function values() { return $native.call(this); };\n }\n // Define iterator\n if ((!LIBRARY || FORCED) && (BUGGY || VALUES_BUG || !proto[ITERATOR])) {\n   hide(proto, ITERATOR, $default);\n }\n // Plug for library\n Iterators[NAME] = $default;\n Iterators[TAG] = returnThis;\n if (DEFAULT) {\n   methods = {\n   values: DEF_VALUES ? $default : getMethod(VALUES),\n   keys: IS_SET ? $default : getMethod(KEYS),\n   entries: $entries\n   };\n   if (FORCED) for (key in methods) {\n   if (!(key in proto)) redefine(proto, key, methods[key]);\n   } else $export($export.P + $export.F * (BUGGY || VALUES_BUG), NAME, methods);\n }\n return methods;\n};\n","var isPrototype = require('./_isPrototype'),\n   nativeKeys = require('./_nativeKeys');\n\n/** Used for built-in method references. */\nvar objectProto = Object.prototype;\n\n/** Used to check objects for own properties. */\nvar hasOwnProperty = objectProto.hasOwnProperty;\n\n/**\n * The base implementation of `_.keys` which doesn't treat sparse arrays as dense.\n *\n * @private\n * @param {Object} object The object to query.\n * @returns {Array} Returns the array of property names.\n */\nfunction baseKeys(object) {\n if (!isPrototype(object)) {\n   return nativeKeys(object);\n }\n var result = [];\n for (var key in Object(object)) {\n   if (hasOwnProperty.call(object, key) && key != 'constructor') {\n   result.push(key);\n   }\n }\n return result;\n}\n\nmodule.exports = baseKeys;\n","var Symbol = require('./_Symbol'),\n   isArguments = require('./isArguments'),\n   isArray = require('./isArray');\n\n/** Built-in value references. */\nvar spreadableSymbol = Symbol ? Symbol.isConcatSpreadable : undefined;\n\n/**\n * Checks if `value` is a flattenable `arguments` object or array.\n *\n * @private\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is flattenable, else `false`.\n */\nfunction isFlattenable(value) {\n return isArray(value) || isArguments(value) ||\n   !!(spreadableSymbol && value && value[spreadableSymbol]);\n}\n\nmodule.exports = isFlattenable;\n","/**\n * This method returns `false`.\n *\n * @static\n * @memberOf _\n * @since 4.13.0\n * @category Util\n * @returns {boolean} Returns `false`.\n * @example\n *\n * _.times(2, _.stubFalse);\n * // => [false, false]\n */\nfunction stubFalse() {\n return false;\n}\n\nmodule.exports = stubFalse;\n","/**\n * Appends the elements of `values` to `array`.\n *\n * @private\n * @param {Array} array The array to modify.\n * @param {Array} values The values to append.\n * @returns {Array} Returns `array`.\n */\nfunction arrayPush(array, values) {\n var index = -1,\n   length = values.length,\n   offset = array.length;\n\n while (++index < length) {\n   array[offset + index] = values[index];\n }\n return array;\n}\n\nmodule.exports = arrayPush;\n","var isObject = require('./isObject');\n\n/**\n * Checks if `value` is suitable for strict equality comparisons, i.e. `===`.\n *\n * @private\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` if suitable for strict\n * equality comparisons, else `false`.\n */\nfunction isStrictComparable(value) {\n return value === value && !isObject(value);\n}\n\nmodule.exports = isStrictComparable;\n","import mod from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./SharingOptions.vue?vue&type=style&index=0&lang=scss&\"; export default mod; export * from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-

loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./SharingOptions.vue?vue&type=style&index=0&lang=scss&\"","// https://github.com/tc39/proposal-promise-finally\n'use strict';\nvar $export = require('./_export');\nvar core = require('./_core');\nvar global = require('./_global');\nvar speciesConstructor = require('./_species-constructor');\nvar promiseResolve = require('./_promise-resolve');\n\n$export($export.P + $export.R, 'Promise', { 'finally': function (onFinally) {\n var C = speciesConstructor(this, core.Promise || global.Promise);\n var isFunction = typeof onFinally == 'function';\n return this.then(\n isFunction ? function (x) {\n return promiseResolve(C, onFinally()).then(function () { return x; });\n } : onFinally,\n isFunction ? function (e) {\n return promiseResolve(C, onFinally()).then(function () { throw e; });\n } : onFinally\n);\n} });\n","var baseIsNative = require('./_baseIsNative'),\n getValue = require('./_getValue');\n\n/**\n * Gets the native function at `key` of `object`.\n *\n * @private\n * @param {Object} object The object to query.\n * @param {string} key The key of the method to get.\n * @returns {*} Returns the function if it's native, else `undefined`.\n */\nfunction getNative(object, key) {\n var value = getValue(object, key);\n return baseIsNative(value) ? value : undefined;\n}\n\nmodule.exports = getNative;\n","'use strict';\n// 21.2.5.3 get RegExp.prototype.flags\nvar anObject = require('./_an-object');\nmodule.exports = function () {\n var that = anObject(this);\n var result = '';\n if (that.global) result += 'g';\n if (that.ignoreCase) result += 'i';\n if (that.multiline) result += 'm';\n if (that.unicode) result += 'u';\n if (that.sticky) result += 'y';\n return result;\n};\n","var root = require('./_root'),\n stubFalse = require('./stubFalse');\n\n/** Detect free variable `exports`. */\nvar freeExports = typeof exports == 'object' && exports && !exports.nodeType && exports;\n\n/** Detect free variable `module`. */\nvar freeModule = freeExports && typeof module == 'object' && module && !module.nodeType && module;\n\n/** Detect the popular CommonJS extension `module.exports`. */\nvar moduleExports = freeModule && freeModule.exports === freeExports;\n\n/** Built-in value references. */\nvar Buffer = moduleExports ? root.Buffer : undefined;\n\n/* Built-in method references for those with the same name as other `lodash` methods. */\nvar nativeIsBuffer = Buffer ? Buffer.isBuffer : undefined;\n\n/**\n * Checks if `value` is a buffer.\n *\n * @static\n * @memberOf _\n * @since 4.3.0\n * @category Lang\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is a buffer, else `false`.\n * @example\n *\n * _.isBuffer(new Buffer(2));\n * // => true\n *\n * _.isBuffer(new Uint8Array(2));\n * // => false\n */\nvar isBuffer = nativeIsBuffer || stubFalse;\n\nmodule.exports = isBuffer;\n","// 19.1.2.14 / 15.2.3.14 Object.keys(O)\nvar $keys = require('./_object-keys-internal');\nvar enumBugKeys = require('./_enum-bug-keys');\n\nmodule.exports = Object.keys || function keys(O) {\n return $keys(O, enumBugKeys);\n};\n","var identity = require('./identity'),\n overRest = require('./_overRest'),\n setToString = require('./_setToString');\n\n/**\n * The base implementation of `_.rest` which doesn't validate or coerce arguments.\n *\n * @private\n * @param {Function} func The function to apply a rest parameter to.\n * @param {number} [start=func.length-1] The start position of the rest parameter.\n * @returns {Function} Returns the new function.\n */\nfunction baseRest(func, start) {\n return setToString(overRest(func, start, identity), func + '');\n}\n\nmodule.exports = baseRest;\n","import mod from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./EmbeddableFooter.vue?vue&type=style&index=0&id=36cb84e2&lang=scss&scoped=true&\"; export default mod; export * from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./EmbeddableFooter.vue?vue&type=style&index=0&id=36cb84e2&lang=scss&scoped=true&\"","use

strict';\n\nmodule.exports = function (x) {\n\tif (!x) return false;\n\tif (typeof x === 'symbol') return true;\n\tif (!x.constructor) return false;\n\tif (x.constructor.name !== 'Symbol') return false;\n\treturn (x[x.constructor.toStringTag] === 'Symbol');\n};\n","/*!\n * jQuery JavaScript Library v3.3.1\n * https://jquery.com/\n *\n * Includes Sizzle.js\n * https://sizzlejs.com/\n *\n * Copyright JS Foundation and other contributors\n * Released under the MIT license\n * https://jquery.org/license\n *\n * Date: 2018-01-20T17:24Z\n */\n(function(global, factory) {\n\n\t"use strict";\n\n\tif (typeof module === \"object\" && typeof module.exports === \"object\") {\n\n\t\t// For CommonJS and CommonJS-like environments where a proper `window`\n\t\t// is present, execute the factory and get jQuery.\n\t\t// For environments that do not have a `window` with a `document`\n\t\t// (such as Node.js), expose a factory as module.exports.\n\t\t// This accentuates the need for the creation of a real `window`.\n\t\t// e.g. var jQuery = require(\"jquery\")(window);\n\t\t// See ticket #14549 for more info.\n\tmodule.exports = global.document ?\n\t\tfactory(global, true) :\n\t\tfunction(w) {\n\t\t\tif (!w.document) {\n\t\t\t\tthrow new Error(\"jQuery requires a window with a document\");\n\t\t\t}\n\t\t\treturn factory(w);\n\t\t};\n\t} else {\n\t\tfactory(global);\n\t}\n\n// Pass this if window is not defined yet\n})(typeof window !== \"undefined\" ? window : this, function(window, noGlobal) {\n\n// Edge <= 12 - 13+, Firefox <=18 - 45+, IE 10 - 11, Safari 5.1 - 9+, iOS 6 - 9.1\n// throw exceptions when non-strict code (e.g., ASP.NET 4.5) accesses\n// strict mode\n// arguments.callee.caller (trac-13335). But as of jQuery 3.0 (2016), strict mode should be common\n// enough that all such attempts are guarded in a try block.\n\"use strict\";\n\nvar arr = [];\n\nvar document = window.document;\n\nvar getProto = Object.getPrototypeOf;\n\nvar slice = arr.slice;\n\nvar concat = arr.concat;\n\nvar push = arr.push;\n\nvar indexOf = arr.indexOf;\n\nvar class2type = {};\n\nvar toString = class2type.toString;\n\nvar hasOwn = class2type.hasOwnProperty;\n\nvar fnToString = hasOwn.toString;\n\nvar ObjectFunctionString = fnToString.call(Object);\n\nvar support = {};\n\nvar isFunction = function isFunction(obj) {\n\n   // Support: Chrome <=57, Firefox <=52\n   // In some browsers, typeof returns \"function\" for HTML <object> elements\n   // (i.e., `typeof document.createElement( \"object\" ) === \"function\"`).\n   // We don't want to classify *any* DOM node as a function.\n   return typeof obj === \"function\" && typeof obj.nodeType !== \"number\";\n };\n\n\nvar isWindow = function isWindow(obj) {\n\t\treturn obj != null && obj === obj.window;\n\t};\n\n\n\n\n\tvar preservedScriptAttributes = {\n\t\ttype: true,\n\t\tsrc: true,\n\t\tnoModule: true\n\t};\n\n\tfunction DOMEval(code, doc, node) {\n\t\tdoc = doc || document;\n\n\t\tvar i,\n\t\t\tscript = doc.createElement(\"script\");\n\n\t\tscript.text = code;\n\t\tif (node) {\n\t\t\tfor (i in preservedScriptAttributes) {\n\t\t\t\tif (node[i]) {\n\t\t\t\t\tscript[i] = node[i];\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t\tdoc.head.appendChild(script).parentNode.removeChild(script);\n\t}\n\n\nfunction toType(obj) {\n\tif (obj == null) {\n\t\treturn obj + \"\";\n\t}\n\n\t// Support: Android <=2.3 only (functionish RegExp)\n\treturn typeof obj === \"object\" || typeof obj === \"function\" ?\n\t\tclass2type[toString.call(obj)] || \"object\" :\n\t\ttypeof obj;\n}\n/* global Symbol */\n// Defining this global in .eslintrc.json would create a danger of using the global\n// unguarded in another place, it seems safer to define global only for this module\n\n\n\nvar\n\tversion = \"3.3.1\",\n\n\t// Define a local copy of jQuery\n\tjQuery = function(selector, context) {\n\n\t\t// The jQuery object is actually just the init constructor 'enhanced'\n\t\t// Need init if jQuery is called (just allow error to be thrown if not included)\n\t\treturn new jQuery.fn.init(selector, context);\n\t},\n\n\t// Support: Android <=4.0 only\n\t// Make sure we trim BOM and NBSP\n\ttrim = /^[\\s\\uFEFF\\xA0]+|[\\s\\uFEFF\\xA0]+$/g;\n\njQuery.fn = jQuery.prototype = {\n\n\t// The current version of jQuery being used\n\tjquery: version,\n\n\tconstructor: jQuery,\n\n\t// The default length of a jQuery object is 0\n\tlength: 0,\n\n\ttoArray: function() {\n\t\treturn slice.call(this);\n\t},\n\n\t// Get the Nth element in the matched element set OR\n\t// Get the whole matched element set as a clean array\n\tget: function(num) {\n\n\t\t// Return all the elements in a clean array\n\t\tif (num == null) {\n\t\t\treturn slice.call(this);\n\t\t}\n\n\t\t// Return just the one element from the set\n\t\treturn num < 0 ? this[num + this.length] : this[num];\n\t},\n\n\t// Take an array of elements and push it onto the stack\n\t// (returning the new matched element set)\n\tpushStack: function(elems) {\n\n\t\t// Build a new jQuery matched element set\n\t\tvar ret = jQuery.merge(this.constructor(), elems);\n\n\t\t// Add the old object onto the stack (as a reference)\n\t\tret.prevObject = this;\n\n\t\t// Return the newly-formed element set\n\t\treturn ret;\n\t},\n\n\t// Execute a callback for every element in the matched set.\n\teach: function(callback) {\n\t\treturn jQuery.each(this, callback);\n\t},\n\n\tmap: function(callback)

{\n\t\treturn this.pushStack(jQuery.map(this, function(elem, i) {\n\t\t\treturn callback.call(elem, i, elem);\n\t\t}));\n\t},\n\n\tslice: function() {\n\t\treturn this.pushStack(slice.apply(this, arguments));\n\t},\n\n\tfirst: function() {\n\t\treturn this.eq(0);\n\t},\n\n\tlast: function() {\n\t\treturn this.eq(-1);\n\t},\n\n\teq: function(i) {\n\t\tvar len = this.length,\n\t\t\tj = +i + (i < 0 ? len : 0);\n\t\treturn this.pushStack(j >= 0 && j < len ? [this[j]] : []);\n\t},\n\n\tend: function() {\n\t\treturn this.prevObject || this.constructor();\n\t},\n\n\t// For internal use only.\n\t// Behaves like an Array's method, not like a jQuery method.\n\tpush: push,\n\tsort: arr.sort,\n\tsplice: arr.splice\n};\n\njQuery.extend = jQuery.fn.extend = function() {\n\tvar options, name, src, copy, copyIsArray, clone,\n\t\ttarget = arguments[0] || {},\n\t\ti = 1,\n\t\tlength = arguments.length,\n\t\tdeep = false;\n\n\t// Handle a deep copy situation\n\tif (typeof target === \"boolean\") {\n\t\tdeep = target;\n\n\t\t// Skip the boolean and the target\n\t\ttarget = arguments[i] || {};\n\t\ti++;\n\t}\n\n\t// Handle case when target is a string or something (possible in deep copy)\n\tif (typeof target !== \"object\" && !isFunction(target)) {\n\t\ttarget = {};\n\t}\n\n\t// Extend jQuery itself if only one argument is passed\n\tif (i === length) {\n\t\ttarget = this;\n\t\ti--;\n\t}\n\n\tfor (; i < length; i++) {\n\n\t\t// Only deal with non-null/undefined values\n\t\tif ((options = arguments[i]) != null) {\n\n\t\t\t// Extend the base object\n\t\t\tfor (name in options) {\n\t\t\t\tsrc = target[name];\n\t\t\t\tcopy = options[name];\n\n\t\t\t\t// Prevent never-ending loop\n\t\t\t\tif (target === copy) {\n\t\t\t\t\tcontinue;\n\t\t\t\t}\n\n\t\t\t\t// Recurse if we're merging plain objects or arrays\n\t\t\t\tif (deep && copy && (jQuery.isPlainObject(copy) ||\n\t\t\t\t\t(copyIsArray = Array.isArray(copy)))) {\n\n\t\t\t\t\tif (copyIsArray) {\n\t\t\t\t\t\tcopyIsArray = false;\n\t\t\t\t\t\tclone = src && Array.isArray(src) ? src : [];\n\t\t\t\t\t} else {\n\t\t\t\t\t\tclone = src && jQuery.isPlainObject(src) ? src : {};\n\t\t\t\t\t}\n\n\t\t\t\t\t// Never move original objects, clone them\n\t\t\t\t\ttarget[name] = jQuery.extend(deep, clone, copy);\n\n\t\t\t\t// Don't bring in undefined values\n\t\t\t\t} else if (copy !== undefined) {\n\t\t\t\t\ttarget[name] = copy;\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t}\n\n\t// Return the modified object\n\treturn target;\n};\n\njQuery.extend({\n\n\t// Unique for each copy of jQuery on the page\n\texpando: \"jQuery\" + (version + Math.random()).replace(/\\D/g, \"\"),\n\n\t// Assume jQuery is ready without the ready module\n\tisReady: true,\n\n\terror: function(msg) {\n\t\tthrow new Error(msg);\n\t},\n\n\tnoop: function() {},\n\n\tisPlainObject: function(obj) {\n\t\tvar proto, Ctor;\n\n\t\t// Detect obvious negatives\n\t\t// Use toString instead of jQuery.type to catch host objects\n\t\tif (!obj || toString.call(obj) !== \"[object Object]\") {\n\t\t\treturn false;\n\t\t}\n\n\t\tproto = getProto(obj);\n\n\t\t// Objects with no prototype (e.g., `Object.create( null )`) are plain\n\t\tif (!proto) {\n\t\t\treturn true;\n\t\t}\n\n\t\t// Objects with prototype are plain iff they were constructed by a global Object function\n\t\tCtor = hasOwn.call(proto, \"constructor\") && proto.constructor;\n\t\treturn typeof Ctor === \"function\" && fnToString.call(Ctor) === ObjectFunctionString;\n\t},\n\n\tisEmptyObject: function(obj) {\n\n\t\t/* eslint-disable no-unused-vars */\n\t\t// See https://github.com/eslint/eslint/issues/6125\n\t\tvar name;\n\n\t\tfor (name in obj) {\n\t\t\treturn false;\n\t\t}\n\t\treturn true;\n\t},\n\n\t// Evaluates a script in a global context\n\tglobalEval: function(code) {\n\t\tDOMEval(code);\n\t},\n\n\teach: function(obj, callback) {\n\t\tvar length, i = 0;\n\n\t\tif (isArrayLike(obj)) {\n\t\t\tlength = obj.length;\n\t\t\tfor (; i < length; i++) {\n\t\t\t\tif (callback.call(obj[i], i, obj[i]) === false) {\n\t\t\t\t\tbreak;\n\t\t\t\t}\n\t\t\t}\n\t\t} else {\n\t\t\tfor (i in obj) {\n\t\t\t\tif (callback.call(obj[i], i, obj[i]) === false) {\n\t\t\t\t\tbreak;\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t\treturn obj;\n\t},\n\n\t// Support: Android <=4.0 only\n\ttrim: function(text) {\n\t\treturn text == null ?\n\t\t\t\"\" :\n\t\t\t(text + \"\").replace(rtrim, \"\");\n\t},\n\n\t// results is for internal usage only\n\tmakeArray: function(arr, results) {\n\t\tvar ret = results || [];\n\n\t\tif (arr != null) {\n\t\t\tif (isArrayLike(Object(arr))) {\n\t\t\t\tjQuery.merge(ret,\n\t\t\t\t\ttypeof arr === \"string\" ?\n\t\t\t\t\t[arr] : arr\n\t\t\t\t);\n\t\t\t} else {\n\t\t\t\tpush.call(ret, arr);\n\t\t\t}\n\t\t}\n\n\t\treturn ret;\n\t},\n\n\tinArray: function(elem, arr, i) {\n\t\treturn arr == null ? -1 : indexOf.call(arr, elem, i);\n\t},\n\n\t// Support: Android <=4.0 only, PhantomJS 1 only\n\t// push.apply(_, arraylike) throws on ancient WebKit\n\tmerge: function(first, second) {\n\t\tvar len = +second.length,\n\t\t\tj = 0,\n\t\t\ti = first.length;\n\n\t\tfor (; j < len; j++) {\n\t\t\tfirst[i++] = second[j];\n\t\t}\n\n\t\tfirst.length = i;\n\n\t\treturn first;\n\t},\n\n\tgrep: function(elems, callback, invert) {\n\t\tvar callbackInverse,\n\t\t\tmatches = [],\n\t\t\ti = 0,\n\t\t\tlength = elems.length,\n\t\t\tcallbackExpect = !invert;\n\n\t\t// Go through the array, only saving the items\n\t\t// that pass the validator function\n\t\tfor (; i < length; i++) {\n\t\t\tcallbackInverse = !callback(elems[i], i);\n\t\t\tif (callbackInverse !== callbackExpect) {\n\t\t\t\tmatches.push(elems[i]);\n\t\t\t}\n\t\t}\n\n\t\treturn

matches;\n\t},\n\n\t// arg is for internal usage only\n\tmap: function(elems, callback, arg) {\n\t\tvar length, value,\n\t\t\ti = 0,\n\t\t\tret = [];\n\n\t\t\t// Go through the array, translating each of the items to their new values\n\t\tif (isArrayLike(elems)) {\n\t\t\tlength = elems.length;\n\t\t\tfor (; i < length; i++) {\n\t\t\t\tvalue = callback(elems[i], i, arg);\n\n\t\t\t\tif (value != null) {\n\t\t\t\t\tret.push(value);\n\t\t\t\t}\n\t\t\t}\n\n\t\t\t// Go through every key on the object,\n\t\t} else {\n\t\t\tfor (i in elems) {\n\t\t\t\tvalue = callback(elems[i], i, arg);\n\n\t\t\t\tif (value != null) {\n\t\t\t\t\tret.push(value);\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t\t// Flatten any nested arrays\n\t\treturn concat.apply([], ret);\n\t},\n\n\t// A global GUID counter for objects\n\tguid: 1,\n\n\t// jQuery.support is not used in Core but other projects attach their\n\t// properties to it so it needs to exist.\n\tsupport: support\n});\n\nif (typeof Symbol === \"function\") {\n\tjQuery.fn[Symbol.iterator] = arr[Symbol.iterator];\n}\n\n// Populate the class2type map\njQuery.each(\"Boolean Number String Function Array Date RegExp Object Error Symbol\".split(\" \"),\nfunction(i, name) {\n\tclass2type[\"[object \" + name + \"]\"] = name.toLowerCase();\n});\n\nfunction isArrayLike(obj) {\n\n\t// Support: real iOS 8.2 only (not reproducible in simulator)\n\t// `in` check used to prevent JIT error (gh-2145)\n\t// hasOwn isn't used here due to false negatives\n\t// regarding Nodelist length in IE\n\tvar length = !!obj && \"length\" in obj && obj.length,\n\t\ttype = toType(obj);\n\n\tif (isFunction(obj) || isWindow(obj)) {\n\t\treturn false;\n\t}\n\n\treturn type === \"array\" || length === 0 ||\n\t\ttypeof length === \"number\" && length > 0 && (length - 1) in obj;\n}\nvar Sizzle =\n/*!\n * Sizzle CSS Selector Engine v2.3.3\n * https://sizzlejs.com/\n *\n * Copyright jQuery Foundation and other contributors\n * Released under the MIT license\n * http://jquery.org/license\n *\n * Date: 2016-08-08\n */\n(function(window) {\n\nvar i,\n\tsupport,\n\tExpr,\n\tgetText,\n\tisXML,\n\ttokenize,\n\tcompile,\n\tselect,\n\toutermostContext,\n\tsortInput,\n\thasDuplicate,\n\n\t// Local document vars\n\tsetDocument,\n\tdocument,\n\tdocElem,\n\tdocumentIsHTML,\n\trbuggyQSA,\n\trbuggyMatches,\n\tmatches,\n\tcontains,\n\n\t// Instance-specific data\n\texpando = \"sizzle\" + 1 * new Date(),\n\tpreferredDoc = window.document,\n\tdirruns = 0,\n\tdone = 0,\n\tclassCache = createCache(),\n\ttokenCache = createCache(),\n\tcompilerCache = createCache(),\n\tsortOrder = function(a, b) {\n\t\tif (a === b) {\n\t\t\thasDuplicate = true;\n\t\t}\n\t\treturn 0;\n\t},\n\n\t// Instance methods\n\thasOwn = ({}).hasOwnProperty,\n\tarr = [],\n\tpop = arr.pop,\n\tpush_native = arr.push,\n\tpush = arr.push,\n\tslice = arr.slice,\n\t// Use a stripped-down indexOf as it's faster than native\n\t// https://jsperf.com/thor-indexof-vs-for/5\n\tindexOf = function(list, elem) {\n\t\tvar i = 0,\n\t\t\tlen = list.length;\n\t\tfor (; i < len; i++) {\n\t\t\tif (list[i] === elem) {\n\t\t\t\treturn i;\n\t\t\t}\n\t\t}\n\t\treturn -1;\n\t},\n\n\tbooleans = \"checked|selected|async|autofocus|autoplay|controls|defer|disabled|hidden|ismap|loop|multiple|open|readonly|required|scoped\",\n\n\t// Regular expressions\n\n\t// http://www.w3.org/TR/css3-selectors/#whitespace\n\twhitespace = \"[\\\\x20\\\\t\\\\r\\\\n\\\\f]\",\n\n\t// http://www.w3.org/TR/CSS21/syndata.html#value-def-identifier\n\tidentifier = \"(?:\\\\\\\\.|[\\\\w-]|[^\\\\0-\\\\xa0])+\",\n\n\t// Attribute selectors: http://www.w3.org/TR/selectors/#attribute-selectors\n\tattributes = \"\\\\[\" + whitespace + \"*(\" + identifier + \")(?:\" + whitespace +\n\t\t// Operator (capture 2)\n\t\t\"*([*^$|!~]?=)\" + whitespace +\n\t\t// \"Attribute values must be CSS identifiers [capture 5] or strings [capture 3 or capture 4]\"\n\t\t\"*(?:'((?:\\\\\\\\.|[^\\\\\\\\'])*)'|\\\"((?:\\\\\\\\.|[^\\\\\\\\\\\"])*)\\\"|(\" + identifier + \"))|)\" + whitespace +\n\t\t\"*\\\\]\",\n\n\tpseudos = \":(\" + identifier + \")(?:\\\\((\" +\n\t\t// To reduce the number of selectors needing tokenize in the preFilter, prefer arguments:\n\t\t// 1. quoted (capture 3; capture 4 or capture 5)\n\t\t\"('((?:\\\\\\\\.|[^\\\\\\\\'])*)'|\\\"((?:\\\\\\\\.|[^\\\\\\\\\\\"])*)\\\")|)\" +\n\t\t// 2. simple (capture 6)\n\t\t\"((?:\\\\\\\\.|[^\\\\\\\\()[\\\\]]|\" + attributes + \")*)|\" +\n\t\t// 3. anything else (capture 2)\n\t\t\".*\" +\n\t\t\")\\\\)|)\",\n\n\t// Leading and non-escaped trailing whitespace, capturing some non-whitespace characters preceding the latter\n\trwhitespace = new RegExp(whitespace + \"+\", \"g\"),\n\trtrim = new RegExp(\"^\" + whitespace + \"+|((?:^|[^\\\\\\\\])(?:\\\\\\\\.)*)\" + whitespace + \"+$\", \"g\"),\n\n\trcomma = new RegExp(\"^\" + whitespace + \"*,\" + whitespace + \"*\"),\n\trcombinators = new RegExp(\"^\" + whitespace + \"*([>+~]|\" + whitespace + \")\" + whitespace + \"*\"),\n\n\trattributeQuotes = new RegExp(\"=\" + whitespace + \"*([^\\\\]'\\\"]*?)\" + whitespace + \"*\\\\]\", \"g\"),\n\n\trpseudo = new RegExp(pseudos),\n\tridentifier = new RegExp(\"^\" + identifier + \"$\"),\n\n\tmatchExpr = {\n\t\t\"ID\": new RegExp(\"^#(\" + identifier + \")\"),\n\t\t\"CLASS\": new RegExp(\"^\\\\.(\" + identifier + \")\"),\n\t\t\"TAG\": new RegExp(\"^(\" + identifier +

\"|[*])\"),\n\t\t\"ATTR\": new RegExp(\"^\" + attributes),\n\t\t\"PSEUDO\": new RegExp(\"^\" + pseudos),\n\t\t\"CHILD\": new RegExp(\"^:(only|first|last|nth|nth-last)-(child|of-type)(?:\\\\(\" + whitespace +\n\t\t\t\"*(even|odd|((([+-]|)(\\\\\\d*)n|)\" + whitespace + \"*(?:([+-]|)\" + whitespace +\n\t\t\t\"*(\\\\\\d+)|))\" + whitespace + \"*\\\\\\)|)\", \"i\"),\n\t\t\"bool\": new RegExp(\"^(?:\" + booleans + \")$\", \"i\"),\n\t\t// For use in libraries implementing .is()\n\t\t// We use this for POS matching in `select`\n\t\t\"needsContext\": new RegExp(\"^\" + whitespace + \"*[>+~]|:(even|odd|eq|gt|lt|nth|first|last)(?:\\\\\\(\" +\n\t\t\twhitespace + \"*((?:-\\\\\\d)?\\\\\\d*)\" + whitespace + \"*\\\\\\)|)(?=[^-]|$)\", \"i\")\n\t},\n\n\tinputs = /^(?:input|select|textarea|button)$/i,\n\theader = /^h\\d$/i,\n\n\tnative = /^[^{]+\\{\\s*\\[native \\w/,\n\n\t// Easily-parseable/retrievable ID or TAG or CLASS selectors\n\tquickExpr = /^(?:#([\\w-]+)|(\\w+)|\\.([\\w-]+))$/,\n\n\tsibling = /[+~]/,\n\n\t// CSS escapes\n\t// http://www.w3.org/TR/CSS21/syndata.html#escaped-characters\n\tunescape = new RegExp(\"\\\\\\\\\\\\([\\\\\\da-f]{1,6}\" + whitespace + \"?|(\" + whitespace + \")|.)\", \"ig\"),\n\tfunescape = function(_, escaped, escapedWhitespace) {\n\t\tvar high = \"0x\" + escaped - 0x10000;\n\t\t// NaN means non-codepoint\n\t\t// Support: Firefox<24\n\t\t// Workaround erroneous numeric interpretation of +\"0x\"\n\t\treturn high !== high || escapedWhitespace ?\n\t\t\tescaped :\n\t\t\thigh < 0 ?\n\t\t\t\t// BMP codepoint\n\t\t\t\tString.fromCharCode(high + 0x10000) :\n\t\t\t\t// Supplemental Plane codepoint (surrogate pair)\n\t\t\t\tString.fromCharCode(high >> 10 | 0xD800, high & 0x3FF | 0xDC00);\n\t},\n\n\t// CSS string/identifier serialization\n\t// https://drafts.csswg.org/cssom/#common-serializing-idioms\n\tcssescape = /([\\0-\\x1f\\x7f]|^-?\\d)|^-$|[^\\0-\\x1f\\x7f-\\uFFFF\\w-]/g,\n\tfcssescape = function(ch, asCodePoint) {\n\t\tif (asCodePoint) {\n\t\t\t// U+0000 NULL becomes U+FFFD REPLACEMENT CHARACTER\n\t\t\tif (ch === \"\\0\") {\n\t\t\t\treturn \"\\uFFFD\";\n\t\t\t}\n\n\t\t\t// Control characters and (dependent upon position) numbers get escaped as code points\n\t\t\treturn ch.slice(0, -1) + \"\\\\\" + ch.charCodeAt(ch.length - 1).toString(16) + \" \";\n\t\t}\n\n\t\t// Other potentially-special ASCII characters get backslash-escaped\n\t\treturn \"\\\\\" + ch;\n\t},\n\n\t// Used for iframes\n\t// See setDocument()\n\t// Removing the function wrapper causes a \"Permission Denied\"\n\t// error in IE\n\tunloadHandler = function() {\n\t\tsetDocument();\n\t},\n\n\tdisabledAncestor = addCombinator(\n\t\tfunction(elem) {\n\t\t\treturn elem.disabled === true && (\"form\" in elem || \"label\" in elem);\n\t\t},\n\t\t{ dir: \"parentNode\", next: \"legend\" }\n\t);\n\n// Optimize for push.apply(_, NodeList)\ntry {\n\tpush.apply(\n\t\t(arr = slice.call(preferredDoc.childNodes)),\n\t\tpreferredDoc.childNodes\n\t);\n\t// Support: Android<4.0\n\t// Detect silently failing push.apply\n\tarr[preferredDoc.childNodes.length].nodeType;\n} catch (e) {\n\tpush = { apply: arr.length ?\n\n\t\t// Leverage slice if possible\n\t\tfunction(target, els) {\n\t\t\tpush_native.apply(target, slice.call(els));\n\t\t} :\n\n\t\t// Support: IE<9\n\t\t// Otherwise append directly\n\t\tfunction(target, els) {\n\t\t\tvar j = target.length,\n\t\t\t\ti = 0;\n\t\t\t// Can't trust NodeList.length\n\t\t\twhile ((target[j++] = els[i++])) {}\n\t\t\ttarget.length = j - 1;\n\t\t}\n\t};\n}\n\nfunction Sizzle(selector, context, results, seed) {\n\tvar m, i, elem, nid, match, groups, newSelector,\n\t\tnewContext = context && context.ownerDocument,\n\n\t\t// nodeType defaults to 9, since context defaults to document\n\t\tnodeType = context ? context.nodeType : 9;\n\n\tresults = results || [];\n\n\t// Return early from calls with invalid selector or context\n\tif (typeof selector !== \"string\" || !selector ||\n\t\tnodeType !== 1 && nodeType !== 9 && nodeType !== 11) {\n\n\t\treturn results;\n\t}\n\n\t// Try to shortcut find operations (as opposed to filters) in HTML documents\n\tif (!seed) {\n\n\t\tif ((context ? context.ownerDocument || context : preferredDoc) !== document) {\n\t\t\tsetDocument(context);\n\t\t}\n\t\tcontext = context || document;\n\n\t\tif (documentIsHTML) {\n\n\t\t\t// If the selector is sufficiently simple, try using a \"get*By*\" DOM method\n\t\t\t// (excepting DocumentFragment context, where the methods don't exist)\n\t\t\tif (nodeType !== 11 && (match = rquickExpr.exec(selector))) {\n\n\t\t\t\t// ID selector\n\t\t\t\tif ((m = match[1])) {\n\n\t\t\t\t\t// Document context\n\t\t\t\t\tif (nodeType === 9) {\n\t\t\t\t\t\tif ((elem = context.getElementById(m))) {\n\n\t\t\t\t\t\t\t// Support: IE, Opera, Webkit\n\t\t\t\t\t\t\t// TODO: identify versions\n\t\t\t\t\t\t\t// getElementById can match elements by name instead of ID\n\t\t\t\t\t\t\tif (elem.id === m) {\n\t\t\t\t\t\t\t\tresults.push(elem);\n\t\t\t\t\t\t\t\treturn results;\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t} else {\n\t\t\t\t\t\t\treturn results;\n\t\t\t\t\t\t}\n\n\t\t\t\t\t// Element context\n\t\t\t\t\t} else {\n\n\t\t\t\t\t\t// Support: IE, Opera, Webkit\n\t\t\t\t\t\t// TODO: identify versions\n\t\t\t\t\t\t// getElementById can match elements by name instead of ID\n\t\t\t\t\t\tif (newContext && (elem = newContext.getElementById(m)) &&\n\t\t\t\t\t\t\tcontains(context, elem

) &&\n\t\t\t\t\t\t\telem.id === m) {\n\n\t\t\t\t\t\t\tresults.push(elem);\n\t\t\t\t\t\t\treturn results;\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\n\t\t\t\t\t// Type selector\n\t\t\t\t} else if (match[2]) {\n\t\t\t\t\tpush.apply(results, context.getElementsByTagName(selector));\n\t\t\t\t\treturn results;\n\n\t\t\t\t\t// Class selector\n\t\t\t\t} else if ((m = match[3]) && support.getElementsByClassName &&\n\t\t\t\t\tcontext.getElementsByClassName) {\n\n\t\t\t\t\tpush.apply(results, context.getElementsByClassName(m));\n\t\t\t\t\treturn results;\n\t\t\t\t}\n\t\t\t}\n\n\t\t\t// Take advantage of querySelectorAll\n\t\t\tif (support.qsa &&\n\t\t\t\t!compilerCache[selector + " "] &&\n\t\t\t\t(!rbuggyQSA || !rbuggyQSA.test(selector))) {\n\n\t\t\t\tif (nodeType !== 1) {\n\t\t\t\t\tnewContext = context;\n\t\t\t\t\tnewSelector = selector;\n\t\t\t\t\t// qSA looks outside Element context, which is not what we want\n\t\t\t\t\t// Thanks to Andrew Dupont for this workaround technique\n\t\t\t\t\t// Support: IE <=8\n\t\t\t\t\t// Exclude object elements\n\t\t\t\t} else if (context.nodeName.toLowerCase() !== "object") {\n\n\t\t\t\t\t// Capture the context ID, setting it first if necessary\n\t\t\t\t\tif ((nid = context.getAttribute("id"))) {\n\t\t\t\t\t\tnid = nid.replace(rcssescape, fcssescape);\n\t\t\t\t\t} else {\n\t\t\t\t\t\tcontext.setAttribute("id", (nid = expando));\n\t\t\t\t\t}\n\n\t\t\t\t\t// Prefix every selector in the list\n\t\t\t\t\tgroups = tokenize(selector);\n\t\t\t\t\ti = groups.length;\n\t\t\t\t\twhile (i--) {\n\t\t\t\t\t\tgroups[i] = "#" + nid + " " + toSelector(groups[i]);\n\t\t\t\t\t}\n\t\t\t\t\tnewSelector = groups.join(",");\n\n\t\t\t\t\t// Expand context for sibling selectors\n\t\t\t\t\tnewContext = rsibling.test(selector) && testContext(context.parentNode) ||\n\t\t\t\t\t\tcontext;\n\t\t\t\t}\n\n\t\t\t\tif (newSelector) {\n\t\t\t\t\ttry {\n\t\t\t\t\t\tpush.apply(results,\n\t\t\t\t\t\t\tnewContext.querySelectorAll(newSelector)\n\t\t\t\t\t\t);\n\t\t\t\t\t\treturn results;\n\t\t\t\t\t} catch (qsaError) {\n\t\t\t\t\t} finally {\n\t\t\t\t\t\tif (nid === expando) {\n\t\t\t\t\t\t\tcontext.removeAttribute("id");\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t// All others\n\treturn select(selector.replace(rtrim, "$1"), context, results, seed);\n}\n\n/**\n * Create key-value caches of limited size\n * @returns {function(string, object)} Returns the Object data after storing it on itself with\n *\tproperty name the (space-suffixed) string and (if the cache is larger than Expr.cacheLength)\n *\tdeleting the oldest entry\n */\nfunction createCache() {\n\tvar keys = [];\n\n\tfunction cache(key, value) {\n\t\t// Use (key + " ") to avoid collision with native prototype properties (see Issue #157)\n\t\tif (keys.push(key + " ") > Expr.cacheLength) {\n\t\t\t// Only keep the most recent entries\n\t\t\tdelete cache[keys.shift()];\n\t\t}\n\t\treturn (cache[key + " "] = value);\n\t}\n\treturn cache;\n}\n\n/**\n * Mark a function for special use by Sizzle\n * @param {Function} fn The function to mark\n */\nfunction markFunction(fn) {\n\tfn[expando] = true;\n\treturn fn;\n}\n\n/**\n * Support testing using an element\n * @param {Function} fn Passed the created element and returns a boolean result\n */\nfunction assert(fn) {\n\tvar el = document.createElement("fieldset");\n\n\ttry {\n\t\treturn !!fn(el);\n\t} catch (e) {\n\t\treturn false;\n\t} finally {\n\t\t// Remove from its parent by default\n\t\tif (el.parentNode) {\n\t\t\tel.parentNode.removeChild(el);\n\t\t}\n\t\t// release memory in IE\n\t\tel = null;\n\t}\n}\n\n/**\n * Adds the same handler for all of the specified attrs\n * @param {String} attrs Pipe-separated list of attributes\n * @param {Function} handler The method that will be applied\n */\nfunction addHandle(attrs, handler) {\n\tvar arr = attrs.split("|"),\n\t\ti = arr.length;\n\n\twhile (i--) {\n\t\tExpr.attrHandle[arr[i]] = handler;\n\t}\n}\n\n/**\n * Checks document order of two siblings\n * @param {Element} a\n * @param {Element} b\n * @returns {Number} Returns less than 0 if a precedes b, greater than 0 if a follows b\n */\nfunction siblingCheck(a, b) {\n\tvar cur = b && a,\n\t\tdiff = cur && a.nodeType === 1 && b.nodeType === 1 &&\n\t\ta.sourceIndex - b.sourceIndex;\n\n\t// Use IE sourceIndex if available on both nodes\n\tif (diff) {\n\t\treturn diff;\n\t}\n\n\t// Check if b follows a\n\tif (cur) {\n\t\twhile ((cur = cur.nextSibling)) {\n\t\t\tif (cur === b) {\n\t\t\t\treturn -1;\n\t\t\t}\n\t\t}\n\t}\n\n\treturn a ? 1 : -1;\n}\n\n/**\n * Returns a function to use in pseudos for input types\n * @param {String} type\n */\nfunction createInputPseudo(type) {\n\treturn function(elem) {\n\t\tvar name = elem.nodeName.toLowerCase();\n\t\treturn name === "input" && elem.type === type;\n\t};\n}\n\n/**\n * Returns a function to use in pseudos for buttons\n * @param {String} type\n */\nfunction createButtonPseudo(type) {\n\treturn function(elem) {\n\t\tvar name = elem.nodeName.toLowerCase();\n\t\treturn (name === "input" || name === "button") && elem.type === type;\n\t};\n}\n\n/**\n * Returns a function to use in pseudos for :enabled/:disabled\n * @param {Boolean} disabled true for :disabled; false for :enabled\n */\nfunction createDisabledPseudo(disabled) {\n\n\t// Known :disabled false positives: fieldset[disabled] > legend:nth-of-type(n+2) :can-disable\n\treturn function(elem) {\n\n\t\t// Only certain

elements can match :enabled or :disabled\n\t\t// https://html.spec.whatwg.org/multipage/scripting.html#selector-enabled\n\t\t// https://html.spec.whatwg.org/multipage/scripting.html#selector-disabled\n\t\tif (\"form\" in elem) {\n\n\t\t\t// Check for inherited disabledness on relevant non-disabled elements:\n\t\t\t// * listed form-associated elements in a disabled fieldset\n\t\t\t//   https://html.spec.whatwg.org/multipage/forms.html#category-listed\n\t\t\t// https://html.spec.whatwg.org/multipage/forms.html#concept-fe-disabled\n\t\t\t// * option elements in a disabled optgroup\n\t\t\t//   https://html.spec.whatwg.org/multipage/forms.html#concept-option-disabled\n\t\t\t// All such elements have a \"form\" property.\n\t\t\tif (elem.parentNode && elem.disabled === false) {\n\n\t\t\t\t// Option elements defer to a parent optgroup if present\n\t\t\t\tif (\"label\" in elem) {\n\t\t\t\t\tif (\"label\" in elem.parentNode) {\n\t\t\t\t\t\treturn elem.parentNode.disabled === disabled;\n\t\t\t\t\t} else {\n\t\t\t\t\t\treturn elem.disabled === disabled;\n\t\t\t\t\t}\n\t\t\t\t}\n\n\t\t\t\t// Support: IE 6 - 11\n\t\t\t\t// Use the isDisabled shortcut property to check for disabled fieldset ancestors\n\t\t\t\treturn elem.isDisabled === disabled ||\n\n\t\t\t\t\t// Where there is no isDisabled, check manually\n\t\t\t\t\t/* jshint -W018 */\n\t\t\t\t\telem.isDisabled !== !disabled &&\n\t\t\t\t\t\tdisabledAncestor(elem) === disabled;\n\t\t\t}\n\n\t\t\treturn elem.disabled === disabled;\n\n\t\t// Try to winnow out elements that can't be disabled before trusting the disabled property.\n\t\t// Some victims get caught in our net (label, legend, menu, track), but it shouldn't\n\t\t// even exist on them, let alone have a boolean value.\n\t\t} else if (\"label\" in elem) {\n\t\t\treturn elem.disabled === disabled;\n\t\t}\n\n\t\t// Remaining elements are neither :enabled nor :disabled\n\t\treturn false;\n\t};\n}\n\n/**\n * Returns a function to use in pseudos for positionals\n * @param {Function} fn\n */\nfunction createPositionalPseudo(fn) {\n\treturn markFunction(function(argument) {\n\t\targument = +argument;\n\t\treturn markFunction(function(seed, matches) {\n\t\t\tvar j,\n\t\t\t\tmatchIndexes = fn([], seed.length, argument),\n\t\t\t\ti = matchIndexes.length;\n\n\t\t\t// Match elements found at the specified indexes\n\t\t\twhile (i--) {\n\t\t\t\tif (seed[(j = matchIndexes[i])]) {\n\t\t\t\t\tseed[j] = !(matches[j] = seed[j]);\n\t\t\t\t}\n\t\t\t}\n\t\t});\n\t});\n}\n\n/**\n * Checks a node for validity as a Sizzle context\n * @param {Element|Object=} context\n * @returns {Element|Object|Boolean} The input node if acceptable, otherwise a falsy value\n */\nfunction testContext(context) {\n\treturn context && typeof context.getElementsByTagName !== \"undefined\" && context;\n}\n\n// Expose support vars for convenience\nsupport = Sizzle.support = {};\n\n/**\n * Detects XML nodes\n * @param {Element|Object} elem An element or a document\n * @returns {Boolean} True iff elem is a non-HTML XML node\n */\nisXML = Sizzle.isXML = function(elem) {\n\t// documentElement is verified for cases where it doesn't yet exist\n\t// (such as loading iframes in IE - #4833)\n\tvar documentElement = elem && (elem.ownerDocument || elem).documentElement;\n\treturn documentElement ? documentElement.nodeName !== \"HTML\" : false;\n};\n\n/**\n * Sets document-related variables once based on the current document\n * @param {Element|Object} [doc] An element or document object to use to set the document\n * @returns {Object} Returns the current document\n */\nsetDocument = Sizzle.setDocument = function(node) {\n\tvar hasCompare, subWindow,\n\t\tdoc = node ? node.ownerDocument || node : preferredDoc;\n\n\t// Return early if doc is invalid or already selected\n\tif (doc === document || doc.nodeType !== 9 || !doc.documentElement) {\n\t\treturn document;\n\t}\n\n\t// Update global variables\n\tdocument = doc;\n\tdocElem = document.documentElement;\n\tdocumentIsHTML = !isXML(document);\n\n\t// Support: IE 9-11, Edge\n\t// Accessing iframe documents after unload throws \"permission denied\" errors (jQuery #13936)\n\tif (preferredDoc !== document &&\n\t\t(subWindow = document.defaultView) && subWindow.top !== subWindow) {\n\n\t\t// Support: IE 11, Edge\n\t\tif (subWindow.addEventListener) {\n\t\t\tsubWindow.addEventListener(\"unload\", unloadHandler, false);\n\n\t\t// Support: IE 9 - 10 only\n\t\t} else if (subWindow.attachEvent) {\n\t\t\tsubWindow.attachEvent(\"onunload\", unloadHandler);\n\t\t}\n\t}\n\n\t/* Attributes\n\t-- */\n\n\t// Support: IE<8\n\t// Verify that getAttribute really returns attributes and not properties\n\t// (excepting IE8 booleans)\n\tsupport.attributes = assert(function(el) {\n\t\tel.className = \"i\";\n\t\treturn !el.getAttribute(\"className\");\n\t});\n\n\t/* getElement(s)By*\n\t-- */\n\n\t// Check if getElementsByTagName(\"*\") returns only elements\n\tsupport.getElementsByTagName = assert(function(el) {\n\t\tel.appendChild(document.createComment(\"\"));\n\t\treturn !el.getElementsByTagName(\"*\").length;\n\t});\n\n\t// Support:

IE<9\n\tsupport.getElementsByClassName = rnative.test(document.getElementsByClassName);\n\n\t// Support: IE<10\n\t// Check if getElementById returns elements by name\n\t// The broken getElementById methods don't pick up programmatically-set names,\n\t// so use a roundabout getElementsByName test\n\tsupport.getById = assert(function(el) {\n\t\tdocElem.appendChild(el).id = expando;\n\t\treturn !document.getElementsByName || !document.getElementsByName(expando).length;\n\t});\n\n\t// ID filter and find\n\tif (support.getById) {\n\t\tExpr.filter[\"ID\"] = function(id) {\n\t\t\tvar attrId = id.replace(runescape, funescape);\n\t\t\treturn function(elem) {\n\t\t\t\treturn elem.getAttribute(\"id\") === attrId;\n\t\t\t};\n\t\t};\n\t\tExpr.find[\"ID\"] = function(id, context) {\n\t\t\tif (typeof context.getElementById !== \"undefined\" && documentIsHTML) {\n\t\t\t\tvar elem = context.getElementById(id);\n\t\t\t\treturn elem ? [elem] : [];\n\t\t\t}\n\t\t};\n\t} else {\n\t\tExpr.filter[\"ID\"] = function(id) {\n\t\t\tvar attrId = id.replace(runescape, funescape);\n\t\t\treturn function(elem) {\n\t\t\t\tvar node = typeof elem.getAttributeNode !== \"undefined\" &&\n\t\t\t\t\telem.getAttributeNode(\"id\");\n\t\t\t\treturn node && node.value === attrId;\n\t\t\t};\n\t\t};\n\n\t\t// Support: IE 6 - 7 only\n\t\t// getElementById is not reliable as a find shortcut\n\t\tExpr.find[\"ID\"] = function(id, context) {\n\t\t\tif (typeof context.getElementById !== \"undefined\" && documentIsHTML) {\n\t\t\t\tvar node, i, elems,\n\t\t\t\t\telem = context.getElementById(id);\n\n\t\t\t\tif (elem) {\n\n\t\t\t\t\t// Verify the id attribute\n\t\t\t\t\tnode = elem.getAttributeNode(\"id\");\n\t\t\t\t\tif (node && node.value === id) {\n\t\t\t\t\t\treturn [elem];\n\t\t\t\t\t}\n\n\t\t\t\t\t// Fall back on getElementsByName\n\t\t\t\t\telems = context.getElementsByName(id);\n\t\t\t\t\ti = 0;\n\t\t\t\t\twhile ((elem = elems[i++])) {\n\t\t\t\t\t\tnode = elem.getAttributeNode(\"id\");\n\t\t\t\t\t\tif (node && node.value === id) {\n\t\t\t\t\t\t\treturn [elem];\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t}\n\n\t\t\t\treturn [];\n\t\t\t}\n\t\t};\n\t}\n\n\t// Tag\n\tExpr.find[\"TAG\"] = support.getElementsByTagName ?\n\t\tfunction(tag, context) {\n\t\t\tif (typeof context.getElementsByTagName !== \"undefined\") {\n\t\t\t\treturn context.getElementsByTagName(tag);\n\n\t\t\t// DocumentFragment nodes don't have gEBTN\n\t\t\t} else if (support.qsa) {\n\t\t\t\treturn context.querySelectorAll(tag);\n\t\t\t}\n\t\t} :\n\n\t\tfunction(tag, context) {\n\t\t\tvar elem,\n\t\t\t\ttmp = [],\n\t\t\t\ti = 0,\n\t\t\t\t// By happy coincidence, a (broken) gEBTN appears on DocumentFragment nodes too\n\t\t\t\tresults = context.getElementsByTagName(tag);\n\n\t\t\t// Filter out possible comments\n\t\t\tif (tag === \"*\") {\n\t\t\t\twhile ((elem = results[i++])) {\n\t\t\t\t\tif (elem.nodeType === 1) {\n\t\t\t\t\t\ttmp.push(elem);\n\t\t\t\t\t}\n\t\t\t\t}\n\n\t\t\t\treturn tmp;\n\t\t\t}\n\t\t\treturn results;\n\t\t};\n\n\t// Class\n\tExpr.find[\"CLASS\"] = support.getElementsByClassName && function(className, context) {\n\t\tif (typeof context.getElementsByClassName !== \"undefined\" && documentIsHTML) {\n\t\t\treturn context.getElementsByClassName(className);\n\t\t}\n\t};\n\n\t/* QSA/matchesSelector\n\t-- */\n\n\t// QSA and matchesSelector support\n\n\t// matchesSelector(:active) reports false when true (IE9/Opera 11.5)\n\trbuggyMatches = [];\n\n\t// qSa(:focus) reports false when true (Chrome 21)\n\t// We allow this because of a bug in IE8/9 that throws an error\n\t// whenever `document.activeElement` is accessed on an iframe\n\t// So, we allow :focus to pass through QSA all the time to avoid the IE error\n\t// See https://bugs.jquery.com/ticket/13378\n\trbuggyQSA = [];\n\n\tif ((support.qsa = rnative.test(document.querySelectorAll))) {\n\t\t// Build QSA regex\n\t\t// Regex strategy adopted from Diego Perini\n\t\tassert(function(el) {\n\t\t\t// Select is set to empty string on purpose\n\t\t\t// This is to test IE's treatment of not explicitly\n\t\t\t// setting a boolean content attribute,\n\t\t\t// since its presence should be enough\n\t\t\t// https://bugs.jquery.com/ticket/12359\n\t\t\tdocElem.appendChild(el).innerHTML = \"\" +\n\t\t\t\t\"<select id='\" + expando + \"-\\r\\\\' msallowcapture=''>\" +\n\t\t\t\t\"<option selected=''></option></select>\";\n\n\t\t\t// Support: IE8, Opera 11-12.16\n\t\t\t// Nothing should be selected when empty strings follow ^= or $= or *=\n\t\t\t// The test attribute must be unknown in Opera but \"safe\" for WinRT\n\t\t\t// https://msdn.microsoft.com/en-us/library/ie/hh465388.aspx#attribute_section\n\t\t\tif (el.querySelectorAll(\"[msallowcapture^='']\").length) {\n\t\t\t\trbuggyQSA.push(\"[*^$]=\" + whitespace + \"*(?:''|\\\"\\\")\");\n\t\t\t}\n\n\t\t\t// Support: IE8\n\t\t\t// Boolean attributes and \"value\" are not treated correctly\n\t\t\tif (!el.querySelectorAll(\"[selected]\").length) {\n\t\t\t\trbuggyQSA.push(\"\\\\[\" + whitespace + \"*(?:value|\" + booleans + \")\");\n\t\t\t}\n\n\t\t\t// Support: Chrome<29, Android<4.4, Safari<7.0+, iOS<7.0+, PhantomJS<1.9.8+\n\t\t\tif (!el.querySelectorAll(\"[id~=\" + expando + \"-]\").length)

{\n\t\t\trbuggyQSA.push(\"~=\");\n\t\t\t}\n\n\t\t\t// Webkit/Opera - :checked should return selected option elements\n\t\t\t// http://www.w3.org/TR/2011/REC-css3-selectors-20110929/#checked\n\t\t\t// IE8 throws error here and will not see later tests\n\t\t\tif (!el.querySelectorAll(\":checked\").length)

{\n\t\t\t\trbuggyQSA.push(\":checked\");\n\t\t\t}\n\n\t\t\t// Support: Safari 8+, iOS 8+\n\t\t\t// https://bugs.webkit.org/show_bug.cgi?id=136851\n\t\t\t// In-page `selector#id sibling-combinator selector` fails\n\t\t\tif (!el.querySelectorAll(\"a#\" + expando + \"+*\").length)

{\n\t\t\t\trbuggyQSA.push(\".#.+[+~]\");\n\t\t\t}\n\t\t});\n\n\t\tassert(function(el) {\n\t\tel.innerHTML = \"\" +\n\t\t\t\t\"<select disabled='disabled'><option/></select>\";\n\t\t\t// Support: Windows 8 Native Apps\n\t\t\t// The type and name attributes are restricted during .innerHTML assignment\n\t\t\tvar input = document.createElement(\"input\");\n\t\t\tinput.setAttribute(\"type\", \"hidden\");\n\t\t\tel.appendChild(input).setAttribute(\"name\", \"D\");\n\n\t\t\t// Support: IE8\n\t\t\t// Enforce case-sensitivity of name attribute\n\t\t\tif (el.querySelectorAll(\"[name=d]\").length) {\n\t\t\t\trbuggyQSA.push(\"name\" + whitespace + \"*[*^$|!~]?=\");\n\t\t\t}\n\n\t\t\t// FF 3.5 - :enabled/:disabled and hidden elements (hidden elements are still enabled)\n\t\t\t// IE8 throws error here and will not see later tests\n\t\t\tif (el.querySelectorAll(\":enabled\").length !== 2) {\n\t\t\t\trbuggyQSA.push(\":enabled\", \":disabled\");\n\t\t\t}\n\n\t\t\t// Support: IE9-11+\n\t\t\t// IE's :disabled selector does not pick up the children of disabled fieldsets\n\t\t\tdocElem.appendChild(el).disabled = true;\n\t\t\tif (el.querySelectorAll(\":disabled\").length !== 2) {\n\t\t\t\trbuggyQSA.push(\":enabled\", \":disabled\");\n\t\t\t}\n\n\t\t\t// Opera 10-11 does not throw on post-comma invalid pseudos\n\t\t\tel.querySelectorAll(\"*,:x\");\n\t\t\trbuggyQSA.push(\",.*:\");\n\t\t});\n\t}\n\n\tif ((support.matchesSelector = rnative.test((matches = docElem.matches ||\n\t\tdocElem.webkitMatchesSelector ||\n\t\tdocElem.mozMatchesSelector ||\n\t\tdocElem.oMatchesSelector ||\n\t\tdocElem.msMatchesSelector))))

{\n\n\t\tassert(function(el) {\n\t\t\t// Check to see if it's possible to do matchesSelector\n\t\t\t// on a disconnected node (IE 9)\n\t\t\tsupport.disconnectedMatch = matches.call(el, \"*\");\n\n\t\t\t// This should fail with an exception\n\t\t\t// Gecko does not error, returns false instead\n\t\t\tmatches.call(el, \"[s!='']:x\");\n\t\t\trbuggyMatches.push(\"!=\", pseudos);\n\t\t});\n\t}\n\n\trbuggyQSA = rbuggyQSA.length && new RegExp(rbuggyQSA.join(\"|\"));\n\trbuggyMatches = rbuggyMatches.length && new RegExp(rbuggyMatches.join(\"|\"));\n\n\t/* Contains\n\t--- */\n\thasCompare = rnative.test(docElem.compareDocumentPosition);\n\n\t// Element contains another\n\t// Purposefully self-exclusive\n\t// As in, an element does not contain itself\n\tcontains = hasCompare || rnative.test(docElem.contains) ?\n\tfunction(a, b) {\n\t\t\tvar adown = a.nodeType === 9 ? a.documentElement : a,\n\t\t\t\tbup = b && b.parentNode;\n\t\t\treturn a === bup || !!(bup && bup.nodeType === 1 && (\n\t\t\t\tadown.contains ?\n\t\t\t\t\tadown.contains(bup) :\n\t\t\t\t\ta.compareDocumentPosition && a.compareDocumentPosition(bup) & 16\n\t\t\t));\n\t\t} :\n\tfunction(a, b) {\n\t\t\tif (b) {\n\t\t\t\twhile ((b = b.parentNode)) {\n\t\t\t\t\tif (b === a) {\n\t\t\t\t\t\treturn true;\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\t\t\treturn false;\n\t\t};\n\n\t/* Sorting\n\t--- */\n\n\t// Document order sorting\n\tsortOrder = hasCompare ?\n\tfunction(a, b) {\n\n\t\t\t// Flag for duplicate removal\n\t\t\tif (a === b) {\n\t\t\t\thasDuplicate = true;\n\t\t\t\treturn 0;\n\t\t\t}\n\n\t\t\t// Sort on method existence if only one input has compareDocumentPosition\n\t\t\tvar compare = !a.compareDocumentPosition - !b.compareDocumentPosition;\n\t\t\tif (compare) {\n\t\t\t\treturn compare;\n\t\t\t}\n\n\t\t\t// Calculate position if both inputs belong to the same document\n\t\t\tcompare = (a.ownerDocument || a) === (b.ownerDocument || b) ?\n\t\t\t\ta.compareDocumentPosition(b) :\n\n\t\t\t\t// Otherwise we know they are disconnected\n\t\t\t\t1;\n\n\t\t\t// Disconnected nodes\n\t\t\tif (compare & 1 ||\n\t\t\t\t(!support.sortDetached && b.compareDocumentPosition(a) === compare)) {\n\n\t\t\t\t// Choose the first element that is related to our preferred document\n\t\t\t\tif (a === document || a.ownerDocument === preferredDoc && contains(preferredDoc, a)) {\n\t\t\t\t\treturn -1;\n\t\t\t\t}\n\t\t\t\tif (b === document || b.ownerDocument === preferredDoc && contains(preferredDoc, b)) {\n\t\t\t\t\treturn 1;\n\t\t\t\t}\n\n\t\t\t\t// Maintain original order\n\t\t\t\treturn sortInput ?\n\t\t\t\t\t(indexOf(sortInput, a) - indexOf(sortInput, b)) :\n\t\t\t\t\t0;\n\t\t\t}\n\n\t\t\treturn compare & 4 ? -1 : 1;\n\t\t} :\n\tfunction(a, b) {\n\t\t\t// Exit early if the nodes are identical\n\t\t\tif (a === b) {\n\t\t\t\thasDuplicate = true;\n\t\t\t\treturn 0;\n\t\t\t}\n\n\t\t\tvar cur,\n\t\t\t\ti = 0,\n\t\t\t\taup = a.parentNode,\n\t\t\t\tbup = b.parentNode,\n\t\t\t\tap = [a],\n\t\t\t\tbp = [b];\n\n\t\t\t// Parentless nodes are either

documents or disconnected\n\t\tif (!aup || !bup) {\n\t\t\treturn a === document ? -1 :\n\t\t\tb === document ? 1 :\n\t\t\taup ? -1 :\n\t\t\tbup ? 1 :\n\t\t\tsortInput ?\n\t\t\t(indexOf(sortInput, a) - indexOf(sortInput, b)) :\n\t\t\t0;\n\n\t\t// If the nodes are siblings, we can do a quick check\n\t\t} else if (aup === bup) {\n\t\t\treturn siblingCheck(a, b);\n\t\t}\n\n\t\t// Otherwise we need full lists of their ancestors for comparison\n\t\tcur = a;\n\t\twhile ((cur = cur.parentNode)) {\n\t\t\tap.unshift(cur);\n\t\t}\n\t\tcur = b;\n\t\twhile ((cur = cur.parentNode)) {\n\t\t\tbp.unshift(cur);\n\t\t}\n\n\t\t// Walk down the tree looking for a discrepancy\n\t\twhile (ap[i] === bp[i]) {\n\t\t\ti++;\n\t\t}\n\n\t\treturn i ?\n\t\t\t// Do a sibling check if the nodes have a common ancestor\n\t\t\tsiblingCheck(ap[i], bp[i]) :\n\n\t\t\t// Otherwise nodes in our document sort first\n\t\t\tap[i] === preferredDoc ? -1 :\n\t\t\tbp[i] === preferredDoc ? 1 :\n\t\t\t0;\n\t};\n\n\treturn document;\n};\n\nSizzle.matches = function(expr, elements) {\n\treturn Sizzle(expr, null, null, elements);\n};\n\nSizzle.matchesSelector = function(elem, expr) {\n\t// Set document vars if needed\n\tif ((elem.ownerDocument || elem) !== document) {\n\t\tsetDocument(elem);\n\t}\n\n\t// Make sure that attribute selectors are quoted\n\texpr = expr.replace(rattributeQuotes, \"='$1']\");\n\n\tif (support.matchesSelector && documentIsHTML &&\n\t\t!compilerCache[expr + \" \"] &&\n\t\t(!rbuggyMatches || !rbuggyMatches.test(expr)) &&\n\t\t(!rbuggyQSA || !rbuggyQSA.test(expr))) {\n\n\t\ttry {\n\t\t\tvar ret = matches.call(elem, expr);\n\n\t\t\t// IE 9's matchesSelector returns false on disconnected nodes\n\t\t\tif (ret || support.disconnectedMatch ||\n\t\t\t\t// As well, disconnected nodes are said to be in a document\n\t\t\t\t// fragment in IE 9\n\t\t\t\telem.document &&\n\t\t\t\telem.document.nodeType !== 11) {\n\t\t\t\treturn ret;\n\t\t\t}\n\t\t} catch (e) {}\n\t}\n\n\treturn Sizzle(expr, document, null, [elem]).length > 0;\n};\n\nSizzle.contains = function(context, elem) {\n\t// Set document vars if needed\n\tif ((context.ownerDocument || context) !== document) {\n\t\tsetDocument(context);\n\t}\n\treturn contains(context, elem);\n};\n\nSizzle.attr = function(elem, name) {\n\t// Set document vars if needed\n\tif ((elem.ownerDocument || elem) !== document) {\n\t\tsetDocument(elem);\n\t}\n\n\tvar fn = Expr.attrHandle[name.toLowerCase()],\n\t\t// Don't get fooled by Object.prototype properties (jQuery #13807)\n\t\tval = fn &&\n\t\t\thasOwn.call(Expr.attrHandle, name.toLowerCase()) ?\n\t\t\tfn(elem, name, !documentIsHTML) :\n\t\t\tundefined;\n\n\treturn val !== undefined ?\n\t\tval :\n\t\tsupport.attributes || !documentIsHTML ?\n\t\t\telem.getAttribute(name) :\n\t\t\t(val = elem.getAttributeNode(name)) && val.specified ?\n\t\t\t\tval.value :\n\t\t\t\tnull;\n};\n\nSizzle.escape = function(sel) {\n\treturn (sel + \"\").replace(rcssescape, fcssescape);\n};\n\nSizzle.error = function(msg) {\n\tthrow new Error(\"Syntax error, unrecognized expression: \" + msg);\n};\n\n/**\n * Document sorting and removing duplicates\n * @param {ArrayLike} results\n */\nSizzle.uniqueSort = function(results) {\n\tvar elem,\n\t\tduplicates = [],\n\t\tj = 0,\n\t\ti = 0;\n\n\t// Unless we *know* we can detect duplicates, assume their presence\n\thasDuplicate = !support.detectDuplicates;\n\tsortInput = !support.sortStable && results.slice(0);\n\tresults.sort(sortOrder);\n\n\tif (hasDuplicate) {\n\t\twhile ((elem = results[i++])) {\n\t\t\tif (elem === results[i]) {\n\t\t\t\tj = duplicates.push(i);\n\t\t\t}\n\t\t}\n\t\twhile (j--) {\n\t\t\tresults.splice(duplicates[j], 1);\n\t\t}\n\t}\n\n\t// Clear input after sorting to release objects\n\t// See https://github.com/jquery/sizzle/pull/225\n\tsortInput = null;\n\n\treturn results;\n};\n\n/**\n * Utility function for retrieving the text value of an array of DOM nodes\n * @param {Array|Element} elem\n */\ngetText = Sizzle.getText = function(elem) {\n\tvar node,\n\t\tret = \"\",\n\t\ti = 0,\n\t\tnodeType = elem.nodeType;\n\n\tif (!nodeType) {\n\t\t// If no nodeType, this is expected to be an array\n\t\twhile ((node = elem[i++])) {\n\t\t\t// Do not traverse comment nodes\n\t\t\tret += getText(node);\n\t\t}\n\t} else if (nodeType === 1 || nodeType === 9 || nodeType === 11) {\n\t\t// Use textContent for elements\n\t\t// innerText usage removed for consistency of new lines (jQuery #11153)\n\t\tif (typeof elem.textContent === \"string\") {\n\t\t\treturn elem.textContent;\n\t\t} else {\n\t\t\t// Traverse its children\n\t\t\tfor (elem = elem.firstChild; elem; elem = elem.nextSibling) {\n\t\t\t\tret += getText(elem);\n\t\t\t}\n\t\t}\n\t} else if (nodeType === 3 || nodeType === 4) {\n\t\treturn elem.nodeValue;\n\t}\n\t// Do not include comment or processing instruction nodes\n\n\treturn ret;\n};\n\nExpr = Sizzle.selectors = {\n\n\t// Can be adjusted by the user\n\tcacheLength: 50,\n\n\tcreatePseudo: markFunction,\n\n\tmatch: matchExpr,\n\n\tattrHandle: {},\n\n\tfind: {},\n\n\trelative: {\n\t\t\">\": { dir: \"parentNode\", first: true },\n\t\t\" \": { dir: \"parentNode\" },\n\t\t\"+\": { dir: \"previousSibling\", first: true },\n\t\t\"~\": { dir: \"previousSibling\" }\n\t},\n\n\tpreFilter: {\n\t\t\"ATTR\": function(match) {\n\t\t\tmatch[1] =

match[1].replace(runescape, funescape);\n\n\t\t\t// Move the given value to match[3] whether quoted or unquoted\n\t\t\tmatch[3] = (match[3] || match[4] || match[5] || \"\").replace(runescape, funescape);\n\n\t\t\tif (match[2] === \"~=\") {\n\t\t\t\tmatch[3] = \" \" + match[3] + \" \";\n\t\t\t}\n\n\t\t\treturn match.slice(0, 4);\n\t\t},\n\n\t\t\t"CHILD\": function(match) {\n\t\t\t/* matches from matchExpr[\"CHILD\"]\n\t\t\t\t1 type (only|nth|...)\n\t\t\t\t2 what (child|of-type)\n\t\t\t\t3 argument (even|odd|\\d*|\\d*n([+-]\\d+)?|...)\n\t\t\t\t4 xn-component of xn+y argument ([+-]?\\d*n|)\n\t\t\t\t5 sign of xn-component\n\t\t\t\t6 x of xn-component\n\t\t\t\t7 sign of y-component\n\t\t\t\t8 y of y-component\n\t\t\t*/\n\t\t\tmatch[1] = match[1].toLowerCase();\n\n\t\t\tif (match[1].slice(0, 3) === \"nth\") {\n\t\t\t\t// nth-* requires argument\n\t\t\t\tif (!match[3]) {\n\t\t\t\t\tSizzle.error(match[0]);\n\t\t\t\t}\n\n\t\t\t\t// numeric x and y parameters for Expr.filter.CHILD\n\t\t\t\t// remember that false/true cast respectively to 0/1\n\t\t\t\tmatch[4] = +(match[4] ? match[5] + (match[6] || 1) : 2 * (match[3] === \"even\" || match[3] === \"odd\"));\n\t\t\t\tmatch[5] = +((match[7] + match[8]) || match[3] === \"odd\");\n\n\t\t\t\t// other types prohibit arguments\n\t\t\t} else if (match[3]) {\n\t\t\t\tSizzle.error(match[0]);\n\t\t\t}\n\n\t\t\treturn match;\n\t\t},\n\n\t\t\t"PSEUDO\": function(match) {\n\t\t\tvar excess,\n\t\t\t\tunquoted = !match[6] && match[2];\n\n\t\t\tif (matchExpr[\"CHILD\"].test(match[0])) {\n\t\t\t\treturn null;\n\t\t\t}\n\n\t\t\t// Accept quoted arguments as-is\n\t\t\tif (match[3]) {\n\t\t\t\tmatch[2] = match[4] || match[5] || \"\";\n\n\t\t\t// Strip excess characters from unquoted arguments\n\t\t\t} else if (unquoted && rpseudo.test(unquoted) &&\n\t\t\t\t// Get excess from tokenize (recursively)\n\t\t\t\t(excess = tokenize(unquoted, true)) &&\n\t\t\t\t// advance to the next closing parenthesis\n\t\t\t\t(excess = unquoted.indexOf(\")\", unquoted.length - excess) - unquoted.length)) {\n\n\t\t\t\t// excess is a negative index\n\t\t\t\tmatch[0] = match[0].slice(0, excess);\n\t\t\t\tmatch[2] = unquoted.slice(0, excess);\n\t\t\t}\n\n\t\t\t// Return only captures needed by the pseudo filter method (type and argument)\n\t\t\treturn match.slice(0, 3);\n\t\t}\n\t},\n\n\tfilter: {\n\n\t\t\t"TAG\": function(nodeNameSelector) {\n\t\t\tvar nodeName = nodeNameSelector.replace(runescape, funescape).toLowerCase();\n\t\t\treturn nodeNameSelector === \"*\" ?\n\t\t\t\tfunction() { return true; } :\n\t\t\t\tfunction(elem) {\n\t\t\t\t\treturn elem.nodeName && elem.nodeName.toLowerCase() === nodeName;\n\t\t\t\t};\n\t\t},\n\n\t\t\t"CLASS\": function(className) {\n\t\t\tvar pattern = classCache[className + \" \"];\n\n\t\t\treturn pattern ||\n\t\t\t\t(pattern = new RegExp(\"(^|\" + whitespace + \")\" + className + \"(\" + whitespace + \"|$)\")) &&\n\t\t\t\tclassCache(className, function(elem) {\n\t\t\t\t\treturn pattern.test(typeof elem.className === \"string\" && elem.className || typeof elem.getAttribute !== \"undefined\" && elem.getAttribute(\"class\") || \"\");\n\t\t\t});\n\t\t},\n\n\t\t\t"ATTR\": function(name, operator, check) {\n\t\t\treturn function(elem) {\n\t\t\t\tvar result = Sizzle.attr(elem, name);\n\n\t\t\t\tif (result == null) {\n\t\t\t\t\treturn operator === \"!=\";\n\t\t\t\t}\n\t\t\t\tif (!operator) {\n\t\t\t\t\treturn true;\n\t\t\t\t}\n\n\t\t\t\tresult += \"\";\n\n\t\t\t\treturn operator === \"=\" ? result === check :\n\t\t\t\t\toperator === \"!=\" ? result !== check :\n\t\t\t\t\toperator === \"^=\" ? check && result.indexOf(check) === 0 :\n\t\t\t\t\toperator === \"*=\" ? check && result.indexOf(check) > -1 :\n\t\t\t\t\toperator === \"$=\" ? check && result.slice(-check.length) === check :\n\t\t\t\t\toperator === \"~=\" ? (\" \" + result.replace(rwhitespace, \" \") + \" \").indexOf(check) > -1 :\n\t\t\t\t\toperator === \"|=\" ? result === check || result.slice(0, check.length + 1) === check + \"-\" :\n\t\t\t\t\tfalse;\n\t\t\t};\n\t\t},\n\n\t\t\t"CHILD\": function(type, what, argument, first, last) {\n\t\t\tvar simple = type.slice(0, 3) !== \"nth\",\n\t\t\t\tforward = type.slice(-4) !== \"last\",\n\t\t\t\tofType = what === \"of-type\";\n\n\t\t\treturn first === 1 && last === 0 ?\n\n\t\t\t\t// Shortcut for :nth-*(n)\n\t\t\t\tfunction(elem) {\n\t\t\t\t\treturn !!elem.parentNode;\n\t\t\t\t} :\n\n\t\t\t\tfunction(elem, context, xml) {\n\t\t\t\t\tvar cache, uniqueCache, outerCache, node, nodeIndex, start,\n\t\t\t\t\t\tdir = simple !== forward ? \"nextSibling\" : \"previousSibling\",\n\t\t\t\t\t\tparent = elem.parentNode,\n\t\t\t\t\t\tname = ofType && elem.nodeName.toLowerCase(),\n\t\t\t\t\t\tuseCache = !xml && !ofType,\n\t\t\t\t\t\tdiff = false;\n\n\t\t\t\t\tif (parent) {\n\n\t\t\t\t\t\t// :(first|last|only)-(child|of-type)\n\t\t\t\t\t\tif (simple) {\n\t\t\t\t\t\t\twhile (dir) {\n\t\t\t\t\t\t\t\tnode = elem;\n\t\t\t\t\t\t\t\twhile ((node = node[dir])) {\n\t\t\t\t\t\t\t\t\tif (ofType ?\n\t\t\t\t\t\t\t\t\t\tnode.nodeName.toLowerCase() === name :\n\t\t\t\t\t\t\t\t\t\tnode.nodeType === 1) {\n\n\t\t\t\t\t\t\t\t\t\treturn false;\n\t\t\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\t\t// Reverse direction for :only-* (if we haven't yet done so)\n\t\t\t\t\t\t\t\tstart = dir = type === \"only\" && !start && \"nextSibling\";\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\treturn true;\n\t\t\t\t\t\t}\n\n\t\t\t\t\t\tstart = [forward ? parent.firstChild :

parent.lastChild];\n\n\t\t\t\t\t// non-xml :nth-child(...) stores cache data on `parent`\n\t\t\t\t\tif (forward && useCache) {\n\n\t\t\t\t\t\t// Seek `elem` from a previously-cached index\n\n\t\t\t\t\t\t// ...in a gzip-friendly way\n\t\t\t\t\t\tnode = parent;\n\t\t\t\t\t\touterCache = node[expando] || (node[expando] = {});\n\n\t\t\t\t\t\t// Support: IE <9 only\n\t\t\t\t\t\t// Defend against cloned attroperties (jQuery gh-1709)\n\t\t\t\t\t\tuniqueCache = outerCache[node.uniqueID] ||\n\t\t\t\t\t\t\t(outerCache[node.uniqueID] = {});\n\n\t\t\t\t\t\tcache = uniqueCache[type] || [];\n\t\t\t\t\t\tnodeIndex = cache[0] === dirruns && cache[1];\n\t\t\t\t\t\tdiff = nodeIndex && cache[2];\n\t\t\t\t\t\tnode = nodeIndex && parent.childNodes[nodeIndex];\n\n\t\t\t\t\t\twhile ((node = ++nodeIndex && node && node[dir] ||\n\n\t\t\t\t\t\t\t// Fallback to seeking `elem` from the start\n\t\t\t\t\t\t\t(diff = nodeIndex = 0) || start.pop())) {\n\n\t\t\t\t\t\t\t// When found, cache indexes on `parent` and break\n\t\t\t\t\t\t\tif (node.nodeType === 1 && ++diff && node === elem) {\n\t\t\t\t\t\t\t\tuniqueCache[type] = [dirruns, nodeIndex, diff];\n\t\t\t\t\t\t\t\tbreak;\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t}\n\n\t\t\t\t\t} else {\n\t\t\t\t\t\t// Use previously-cached element index if available\n\t\t\t\t\t\tif (useCache) {\n\t\t\t\t\t\t\t// ...in a gzip-friendly way\n\t\t\t\t\t\t\tnode = elem;\n\t\t\t\t\t\t\touterCache = node[expando] || (node[expando] = {});\n\n\t\t\t\t\t\t\t// Support: IE <9 only\n\t\t\t\t\t\t\t// Defend against cloned attroperties (jQuery gh-1709)\n\t\t\t\t\t\t\tuniqueCache = outerCache[node.uniqueID] ||\n\t\t\t\t\t\t\t\t(outerCache[node.uniqueID] = {});\n\n\t\t\t\t\t\t\tcache = uniqueCache[type] || [];\n\t\t\t\t\t\t\tnodeIndex = cache[0] === dirruns && cache[1];\n\t\t\t\t\t\t\tdiff = nodeIndex;\n\t\t\t\t\t\t}\n\n\t\t\t\t\t\t// xml :nth-child(...)\n\t\t\t\t\t\t// or :nth-last-child(...) or :nth(-last)?-of-type(...)\n\t\t\t\t\t\tif (diff === false) {\n\t\t\t\t\t\t\t// Use the same loop as above to seek `elem` from the start\n\t\t\t\t\t\t\twhile ((node = ++nodeIndex && node && node[dir] ||\n\t\t\t\t\t\t\t\t(diff = nodeIndex = 0) || start.pop())) {\n\n\t\t\t\t\t\t\t\tif ((ofType ?\n\t\t\t\t\t\t\t\t\tnode.nodeName.toLowerCase() === name :\n\t\t\t\t\t\t\t\t\tnode.nodeType === 1) &&\n\t\t\t\t\t\t\t\t\t++diff) {\n\n\t\t\t\t\t\t\t\t\t// Cache the index of each encountered element\n\t\t\t\t\t\t\t\t\tif (useCache) {\n\t\t\t\t\t\t\t\t\t\touterCache = node[expando] || (node[expando] = {});\n\n\t\t\t\t\t\t\t\t\t\t// Support: IE <9 only\n\t\t\t\t\t\t\t\t\t\t// Defend against cloned attroperties (jQuery gh-1709)\n\t\t\t\t\t\t\t\t\t\tuniqueCache = outerCache[node.uniqueID] ||\n\t\t\t\t\t\t\t\t\t\t\t(outerCache[node.uniqueID] = {});\n\n\t\t\t\t\t\t\t\t\t\tuniqueCache[type] = [dirruns, diff];\n\t\t\t\t\t\t\t\t\t}\n\n\t\t\t\t\t\t\t\t\tif (node === elem) {\n\t\t\t\t\t\t\t\t\t\tbreak;\n\t\t\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\n\t\t\t\t\t// Incorporate the offset, then check against cycle size\n\t\t\t\t\tdiff -= last;\n\t\t\t\t\treturn diff === first || (diff % first === 0 && diff / first >= 0);\n\t\t\t\t}\n\t\t\t};\n\t\t},\n\n\t\t"PSEUDO\": function(pseudo, argument) {\n\t\t\t// pseudo-class names are case-insensitive\n\t\t\t// http://www.w3.org/TR/selectors/#pseudo-classes\n\t\t\t// Prioritize by case sensitivity in case custom pseudos are added with uppercase letters\n\t\t\t// Remember that setFilters inherits from pseudos\n\t\t\tvar args,\n\t\t\t\tfn = Expr.pseudos[pseudo] || Expr.setFilters[pseudo.toLowerCase()] ||\n\t\t\t\tSizzle.error(\"unsupported pseudo: \" + pseudo);\n\n\t\t\t// The user may use createPseudo to indicate that\n\t\t\t// arguments are needed to create the filter function\n\t\t\t// just as Sizzle does\n\t\t\tif (fn[expando]) {\n\t\t\t\treturn fn(argument);\n\t\t\t}\n\n\t\t\t// But maintain support for old signatures\n\t\t\tif (fn.length > 1) {\n\t\t\t\targs = [pseudo, pseudo, \"\", argument];\n\t\t\t\treturn Expr.setFilters.hasOwnProperty(pseudo.toLowerCase()) ?\n\t\t\t\t\tmarkFunction(function(seed, matches) {\n\t\t\t\t\t\tvar idx,\n\t\t\t\t\t\t\tmatched = fn(seed, argument),\n\t\t\t\t\t\t\ti = matched.length;\n\t\t\t\t\t\twhile (i--) {\n\t\t\t\t\t\t\tidx = indexOf(seed, matched[i]);\n\t\t\t\t\t\t\tseed[idx] = !(matches[idx] = matched[i]);\n\t\t\t\t\t\t}\n\t\t\t\t\t}) :\n\t\t\t\t\tfunction(elem) {\n\t\t\t\t\t\treturn fn(elem, 0, args);\n\t\t\t\t\t};\n\t\t\t}\n\n\t\t\treturn fn;\n\t\t}\n\t},\n\n\tpseudos: {\n\t\t// Potentially complex pseudos\n\t\t\"not\": markFunction(function(selector) {\n\t\t\t// Trim the selector passed to compile\n\t\t\t// to avoid treating leading and trailing\n\t\t\t// spaces as combinators\n\t\t\tvar input = [],\n\t\t\t\tresults = [],\n\t\t\t\tmatcher = compile(selector.replace(rtrim, \"$1\"));\n\n\t\t\treturn matcher[expando] ?\n\t\t\t\tmarkFunction(function(seed, matches, context, xml) {\n\t\t\t\t\tvar elem,\n\t\t\t\t\t\tunmatched = matcher(seed, null, xml, []),\n\t\t\t\t\t\ti = seed.length;\n\n\t\t\t\t\t// Match elements unmatched by `matcher`\n\t\t\t\t\twhile (i--) {\n\t\t\t\t\t\tif ((elem = unmatched[i])) {\n\t\t\t\t\t\t\tseed[i] = !(matches[i] = elem);\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t}) :\n\t\t\t\tfunction(elem, context, xml) {\n\t\t\t\t\tinput[0] = elem;\n\t\t\t\t\tmatcher(input, null, xml, results);\n\t\t\t\t\t// Don't keep the

element (issue #299)\n\t\t\t\tinput[0] = null;\n\t\t\t\treturn !results.pop();\n\t\t\t}\n\t\t}),\n\n\t\t\"has\": markFunction(function(selector) {\n\t\t\treturn function(elem) {\n\t\t\treturn Sizzle(selector, elem).length > 0;\n\t\t};\n\t}),\n\n\t\t\"contains\": markFunction(function(text) {\n\t\t\ttext = text.replace(runescape, funescape);\n\t\t\treturn function(elem) {\n\t\t\treturn (elem.textContent || elem.innerText || getText(elem)).indexOf(text) > -1;\n\t\t};\n\t}),\n\n\t\t// \"Whether an element is represented by a :lang() selector\n\t\t// is based solely on the element's language value\n\t\t// being equal to the identifier C,\n\t\t// or beginning with the identifier C immediately followed by \"-\".\n\t\t// The matching of C against the element's language value is performed case-insensitively.\n\t\t// The identifier C does not have to be a valid language name.\"\n\t\t// http://www.w3.org/TR/selectors/#lang-pseudo\n\t\t\"lang\": markFunction(function(lang) {\n\t\t\t// lang value must be a valid identifier\n\t\t\tif (!ridentifier.test(lang || \"\")) {\n\t\t\t\tSizzle.error(\"unsupported lang: \" + lang);\n\t\t\t}\n\t\t\tlang = lang.replace(runescape, funescape).toLowerCase();\n\t\t\treturn function(elem) {\n\t\t\t\tvar elemLang;\n\t\t\t\tdo {\n\t\t\t\t\tif ((elemLang = documentIsHTML ?\n\t\t\t\t\t\telem.lang :\n\t\t\t\t\t\telem.getAttribute(\"xml:lang\") || elem.getAttribute(\"lang\"))) {\n\n\t\t\t\t\t\telemLang = elemLang.toLowerCase();\n\t\t\t\t\t\treturn elemLang === lang || elemLang.indexOf(lang + \"-\") === 0;\n\t\t\t\t\t}\n\t\t\t\t} while ((elem = elem.parentNode) && elem.nodeType === 1);\n\t\t\t\treturn false;\n\t\t};\n\t}),\n\n\t\t// Miscellaneous\n\t\t\"target\": function(elem) {\n\t\t\tvar hash = window.location && window.location.hash;\n\t\t\treturn hash && hash.slice(1) === elem.id;\n\t\t},\n\n\t\t\"root\": function(elem) {\n\t\t\treturn elem === docElem;\n\t\t},\n\n\t\t\"focus\": function(elem) {\n\t\t\treturn elem === document.activeElement && (!document.hasFocus || document.hasFocus()) && !!(elem.type || elem.href || ~elem.tabIndex);\n\t\t},\n\n\t\t// Boolean properties\n\t\t\"enabled\": createDisabledPseudo(false),\n\t\t\"disabled\": createDisabledPseudo(true),\n\n\t\t\"checked\": function(elem) {\n\t\t\t// In CSS3, :checked should return both checked and selected elements\n\t\t\t// http://www.w3.org/TR/2011/REC-css3-selectors-20110929/#checked\n\t\t\tvar nodeName = elem.nodeName.toLowerCase();\n\t\t\treturn (nodeName === \"input\" && !!elem.checked) || (nodeName === \"option\" && !!elem.selected);\n\t\t},\n\n\t\t\"selected\": function(elem) {\n\t\t\t// Accessing this property makes selected-by-default\n\t\t\t// options in Safari work properly\n\t\t\tif (elem.parentNode) {\n\t\t\t\telem.parentNode.selectedIndex;\n\t\t\t}\n\n\t\t\treturn elem.selected === true;\n\t\t},\n\n\t\t// Contents\n\t\t\"empty\": function(elem) {\n\t\t\t// http://www.w3.org/TR/selectors/#empty-pseudo\n\t\t\t// :empty is negated by element (1) or content nodes (text: 3; cdata: 4; entity ref: 5),\n\t\t\t//   but not by others (comment: 8; processing instruction: 7; etc.)\n\t\t\t// nodeType < 6 works because attributes (2) do not appear as children\n\t\t\tfor (elem = elem.firstChild; elem; elem = elem.nextSibling) {\n\t\t\t\tif (elem.nodeType < 6) {\n\t\t\t\t\treturn false;\n\t\t\t\t}\n\t\t\t}\n\t\t\treturn true;\n\t\t},\n\n\t\t\"parent\": function(elem) {\n\t\t\treturn !Expr.pseudos[\"empty\"](elem);\n\t\t},\n\n\t\t// Element/input types\n\t\t\"header\": function(elem) {\n\t\t\treturn rheader.test(elem.nodeName);\n\t\t},\n\n\t\t\"input\": function(elem) {\n\t\t\treturn rinputs.test(elem.nodeName);\n\t\t},\n\n\t\t\"button\": function(elem) {\n\t\t\tvar name = elem.nodeName.toLowerCase();\n\t\t\treturn name === \"input\" && elem.type === \"button\" || name === \"button\";\n\t\t},\n\n\t\t\"text\": function(elem) {\n\t\t\tvar attr;\n\t\t\treturn elem.nodeName.toLowerCase() === \"input\" &&\n\t\t\t\telem.type === \"text\" &&\n\n\t\t\t\t// Support: IE<8\n\t\t\t\t// New HTML5 attribute values (e.g., \"search\") appear with elem.type === \"text\"\n\t\t\t\t((attr = elem.getAttribute(\"type\")) == null || attr.toLowerCase() === \"text\");\n\t\t},\n\n\t\t// Position-in-collection\n\t\t\"first\": createPositionalPseudo(function() {\n\t\t\treturn [0];\n\t\t}),\n\n\t\t\"last\": createPositionalPseudo(function(matchIndexes, length) {\n\t\t\treturn [length - 1];\n\t\t}),\n\n\t\t\"eq\": createPositionalPseudo(function(matchIndexes, length, argument) {\n\t\t\treturn [argument < 0 ? argument + length : argument];\n\t\t}),\n\n\t\t\"even\": createPositionalPseudo(function(matchIndexes, length) {\n\t\t\tvar i = 0;\n\t\t\tfor (; i < length; i += 2) {\n\t\t\t\tmatchIndexes.push(i);\n\t\t\t}\n\t\t\treturn matchIndexes;\n\t\t}),\n\n\t\t\"odd\": createPositionalPseudo(function(matchIndexes, length) {\n\t\t\tvar i = 1;\n\t\t\tfor (; i < length; i += 2) {\n\t\t\t\tmatchIndexes.push(i);\n\t\t\t}\n\t\t\treturn matchIndexes;\n\t\t}),\n\n\t\t\"lt\": createPositionalPseudo(function(matchIndexes, length, argument) {\n\t\t\tvar i = argument < 0 ? argument + length : argument;\n\t\t\tfor (; --i >= 0;) {\n\t\t\t\tmatchIndexes.push(i);\n\t\t\t}\n\t\t\treturn matchIndexes;\n\t\t}),\n\n\t\t\"gt\": createPositionalPseudo(function(matchIndexes, length,

argument) {\n\t\tvar i = argument < 0 ? argument + length : argument;\n\t\tfor (; ++i < length;) {\n\t\t\tmatchIndexes.push(i);\n\t\t}\n\t\treturn matchIndexes;\n\t\t})\n\t}\n};\n\nExpr.pseudos[\"nth\"] = Expr.pseudos[\"eq\"];\n\n// Add button/input type pseudos\nfor (i in { radio: true, checkbox: true, file: true, password: true, image: true }) {\n\tExpr.pseudos[i] = createInputPseudo(i);\n}\nfor (i in { submit: true, reset: true }) {\n\tExpr.pseudos[i] = createButtonPseudo(i);\n}\n\n// Easy API for creating new setFilters\nfunction setFilters() {}\nsetFilters.prototype = Expr.filters = Expr.pseudos;\nExpr.setFilters = new setFilters();\n\ntokenize = Sizzle.tokenize = function(selector, parseOnly) {\n\tvar matched, match, tokens, type,\n\t\tsoFar, groups, preFilters,\n\t\tcached = tokenCache[selector + \" \"];\n\n\tif (cached) {\n\t\treturn parseOnly ? 0 : cached.slice(0);\n\t}\n\n\tsoFar = selector;\n\tgroups = [];\n\tpreFilters = Expr.preFilter;\n\n\twhile (soFar) {\n\n\t\t// Comma and first run\n\t\tif (!matched || (match = rcomma.exec(soFar))) {\n\t\t\tif (match) {\n\t\t\t\t// Don't consume trailing commas as valid\n\t\t\t\tsoFar = soFar.slice(match[0].length) || soFar;\n\t\t\t}\n\t\t\tgroups.push((tokens = []));\n\t\t}\n\n\t\tmatched = false;\n\n\t\t// Combinators\n\t\tif ((match = rcombinators.exec(soFar))) {\n\t\t\tmatched = match.shift();\n\t\t\ttokens.push({\n\t\t\t\tvalue: matched,\n\t\t\t\t// Cast descendant combinators to space\n\t\t\t\ttype: match[0].replace(rtrim, \" \")\n\t\t\t});\n\t\t\tsoFar = soFar.slice(matched.length);\n\t\t}\n\n\t\t// Filters\n\t\tfor (type in Expr.filter) {\n\t\t\tif ((match = matchExpr[type].exec(soFar)) && (!preFilters[type] ||\n\t\t\t\t(match = preFilters[type](match)))) {\n\t\t\t\tmatched = match.shift();\n\t\t\t\ttokens.push({\n\t\t\t\t\tvalue: matched,\n\t\t\t\t\ttype: type,\n\t\t\t\t\tmatches: match\n\t\t\t\t});\n\t\t\t\tsoFar = soFar.slice(matched.length);\n\t\t\t}\n\t\t}\n\n\t\tif (!matched) {\n\t\t\tbreak;\n\t\t}\n\t}\n\n\t// Return the length of the invalid excess\n\t// if we're just parsing\n\t// Otherwise, throw an error or return tokens\n\treturn parseOnly ?\n\t\tsoFar.length :\n\t\tsoFar ?\n\t\tSizzle.error(selector) :\n\t\t// Cache the tokens\n\t\ttokenCache(selector, groups).slice(0);\n};\n\nfunction toSelector(tokens) {\n\tvar i = 0,\n\t\tlen = tokens.length,\n\t\tselector = \"\";\n\tfor (; i < len; i++) {\n\t\tselector += tokens[i].value;\n\t}\n\treturn selector;\n}\n\nfunction addCombinator(matcher, combinator, base) {\n\tvar dir = combinator.dir,\n\t\tskip = combinator.next,\n\t\tkey = skip || dir,\n\t\tcheckNonElements = base && key === \"parentNode\",\n\t\tdoneName = done++;\n\n\treturn combinator.first ?\n\t\t// Check against closest ancestor/preceding element\n\t\tfunction(elem, context, xml) {\n\t\t\twhile ((elem = elem[dir])) {\n\t\t\t\tif (elem.nodeType === 1 || checkNonElements) {\n\t\t\t\t\treturn matcher(elem, context, xml);\n\t\t\t\t}\n\t\t\t}\n\t\t\treturn false;\n\t\t} :\n\n\t\t// Check against all ancestor/preceding elements\n\t\tfunction(elem, context, xml) {\n\t\t\tvar oldCache, uniqueCache, outerCache,\n\t\t\t\tnewCache = [dirruns, doneName];\n\n\t\t\t// We can't set arbitrary data on XML nodes, so they don't benefit from combinator caching\n\t\t\tif (xml) {\n\t\t\t\twhile ((elem = elem[dir])) {\n\t\t\t\t\tif (elem.nodeType === 1 || checkNonElements) {\n\t\t\t\t\t\tif (matcher(elem, context, xml)) {\n\t\t\t\t\t\t\treturn true;\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t} else {\n\t\t\t\twhile ((elem = elem[dir])) {\n\t\t\t\t\tif (elem.nodeType === 1 || checkNonElements) {\n\t\t\t\t\t\touterCache = elem[expando] || (elem[expando] = {});\n\n\t\t\t\t\t\t// Support: IE <9 only\n\t\t\t\t\t\t// Defend against cloned attroperties (jQuery gh-1709)\n\t\t\t\t\t\tuniqueCache = outerCache[elem.uniqueID] || (outerCache[elem.uniqueID] = {});\n\n\t\t\t\t\t\tif (skip && skip === elem.nodeName.toLowerCase()) {\n\t\t\t\t\t\t\telem = elem[dir] || elem;\n\t\t\t\t\t\t} else if ((oldCache = uniqueCache[key]) &&\n\t\t\t\t\t\t\toldCache[0] === dirruns && oldCache[1] === doneName) {\n\n\t\t\t\t\t\t\t// Assign to newCache so results back-propagate to previous elements\n\t\t\t\t\t\t\treturn (newCache[2] = oldCache[2]);\n\t\t\t\t\t\t} else {\n\t\t\t\t\t\t\t// Reuse newcache so results back-propagate to previous elements\n\t\t\t\t\t\t\tuniqueCache[key] = newCache;\n\n\t\t\t\t\t\t\t// A match means we're done; a fail means we have to keep checking\n\t\t\t\t\t\t\tif ((newCache[2] = matcher(elem, context, xml))) {\n\t\t\t\t\t\t\t\treturn true;\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\t\t\treturn false;\n\t\t};\n}\n\nfunction elementMatcher(matchers) {\n\treturn matchers.length > 1 ?\n\t\tfunction(elem, context, xml) {\n\t\t\tvar i = matchers.length;\n\t\t\twhile (i--) {\n\t\t\t\tif (!matchers[i](elem, context, xml)) {\n\t\t\t\t\treturn false;\n\t\t\t\t}\n\t\t\t}\n\t\t\treturn true;\n\t\t} :\n\t\tmatchers[0];\n}\n\nfunction multipleContexts(selector, contexts, results) {\n\tvar i = 0,\n\t\tlen = contexts.length;\n\tfor (; i < len; i++) {\n\t\tSizzle(selector, contexts[i], results);\n\t}\n\treturn results;\n}\n\nfunction condense(unmatched, map, filter, context, xml) {\n\tvar elem,\n\t\tnewUnmatched = [],\n\t\ti = 0,\n\t\tlen = unmatched.length,\n\t\tmapped = map != null;\n\n\tfor (; i < len;

i++) {\n\t\tif ((elem = unmatched[i])) {\n\t\t\tif (!filter || filter(elem, context, xml)) {\n\t\t\t\tnewUnmatched.push(elem);\n\t\t\t\tif (mapped) {\n\t\t\t\t\tmap.push(i);\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t}\n\n\treturn newUnmatched;\n}\n\nfunction setMatcher(preFilter, selector, matcher, postFilter, postFinder, postSelector) {\n\tif (postFilter && !postFilter[expando]) {\n\t\tpostFilter = setMatcher(postFilter);\n\t}\n\tif (postFinder && !postFinder[expando]) {\n\t\tpostFinder = setMatcher(postFinder, postSelector);\n\t}\n\treturn markFunction(function(seed, results, context, xml) {\n\t\tvar temp, i, elem,\n\t\t\tpreMap = [],\n\t\t\tpostMap = [],\n\t\t\tpreexisting = results.length,\n\n\t\t\t// Get initial elements from seed or context\n\t\t\telems = seed || multipleContexts(selector || \"*\", context.nodeType ? [context] : context, []),\n\n\t\t\t// Prefilter to get matcher input, preserving a map for seed-results synchronization\n\t\t\tmatcherIn = preFilter && (seed || !selector) ?\n\t\t\t\tcondense(elems, preMap, preFilter, context, xml) :\n\t\t\t\telems,\n\n\t\t\tmatcherOut = matcher ?\n\t\t\t\t// If we have a postFinder, or filtered seed, or non-seed postFilter or preexisting results,\n\t\t\t\tpostFinder || (seed ? preFilter : preexisting || postFilter) ?\n\n\t\t\t\t\t// ...intermediate processing is necessary\n\t\t\t\t\t[] :\n\n\t\t\t\t\t// ...otherwise use results directly\n\t\t\t\t\tresults :\n\t\t\t\tmatcherIn;\n\n\t\t// Find primary matches\n\t\tif (matcher) {\n\t\t\tmatcher(matcherIn, matcherOut, context, xml);\n\t\t}\n\n\t\t// Apply postFilter\n\t\tif (postFilter) {\n\t\t\ttemp = condense(matcherOut, postMap);\n\t\t\tpostFilter(temp, [], context, xml);\n\n\t\t\t// Un-match failing elements by moving them back to matcherIn\n\t\t\ti = temp.length;\n\t\t\twhile (i--) {\n\t\t\t\tif ((elem = temp[i])) {\n\t\t\t\t\tmatcherOut[postMap[i]] = !(matcherIn[postMap[i]] = elem);\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t\tif (seed) {\n\t\t\tif (postFinder || preFilter) {\n\t\t\t\tif (postFinder) {\n\t\t\t\t\t// Get the final matcherOut by condensing this intermediate into postFinder contexts\n\t\t\t\t\ttemp = [];\n\t\t\t\t\ti = matcherOut.length;\n\t\t\t\t\twhile (i--) {\n\t\t\t\t\t\tif ((elem = matcherOut[i])) {\n\t\t\t\t\t\t\t// Restore matcherIn since elem is not yet a final match\n\t\t\t\t\t\t\ttemp.push((matcherIn[i] = elem));\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t\tpostFinder(null, (matcherOut = []), temp, xml);\n\t\t\t\t}\n\n\t\t\t\t// Move matched elements from seed to results to keep them synchronized\n\t\t\t\ti = matcherOut.length;\n\t\t\t\twhile (i--) {\n\t\t\t\t\tif ((elem = matcherOut[i]) &&\n\t\t\t\t\t\t(temp = postFinder ? indexOf(seed, elem) : preMap[i]) > -1) {\n\n\t\t\t\t\t\tseed[temp] = !(results[temp] = elem);\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\n\t\t// Add elements to results, through postFinder if defined\n\t\t} else {\n\t\t\tmatcherOut = condense(\n\t\t\t\tmatcherOut === results ?\n\t\t\t\t\tmatcherOut.splice(preexisting, matcherOut.length) :\n\t\t\t\t\tmatcherOut\n\t\t\t);\n\t\t\tif (postFinder) {\n\t\t\t\tpostFinder(null, results, matcherOut, xml);\n\t\t\t} else {\n\t\t\t\tpush.apply(results, matcherOut);\n\t\t\t}\n\t\t}\n\t});\n}\n\nfunction matcherFromTokens(tokens) {\n\tvar checkContext, matcher, j,\n\t\tlen = tokens.length,\n\t\tleadingRelative = Expr.relative[tokens[0].type],\n\t\timplicitRelative = leadingRelative || Expr.relative[\" \"],\n\t\ti = leadingRelative ? 1 : 0,\n\n\t\t// The foundational matcher ensures that elements are reachable from top-level context(s)\n\t\tmatchContext = addCombinator(function(elem) {\n\t\t\treturn elem === checkContext;\n\t\t}, implicitRelative, true),\n\t\tmatchAnyContext = addCombinator(function(elem) {\n\t\t\treturn indexOf(checkContext, elem) > -1;\n\t\t}, implicitRelative, true),\n\t\tmatchers = [function(elem, context, xml) {\n\t\t\tvar ret = (!leadingRelative && (xml || context !== outermostContext)) || (\n\t\t\t\t(checkContext = context).nodeType ?\n\t\t\t\t\tmatchContext(elem, context, xml) :\n\t\t\t\t\tmatchAnyContext(elem, context, xml));\n\t\t\t// Avoid hanging onto element (issue #299)\n\t\t\tcheckContext = null;\n\t\t\treturn ret;\n\t\t}];\n\n\tfor (; i < len; i++) {\n\t\tif ((matcher = Expr.relative[tokens[i].type])) {\n\t\t\tmatchers = [addCombinator(elementMatcher(matchers), matcher)];\n\t\t} else {\n\t\t\tmatcher = Expr.filter[tokens[i].type].apply(null, tokens[i].matches);\n\n\t\t\t// Return special upon seeing a positional matcher\n\t\t\tif (matcher[expando]) {\n\t\t\t\t// Find the next relative operator (if any) for proper handling\n\t\t\t\tj = ++i;\n\t\t\t\tfor (; j < len; j++) {\n\t\t\t\t\tif (Expr.relative[tokens[j].type]) {\n\t\t\t\t\t\tbreak;\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t\treturn setMatcher(\n\t\t\t\t\ti > 1 && elementMatcher(matchers),\n\t\t\t\t\ti > 1 && toSelector(\n\t\t\t\t\t\t// If the preceding token was a descendant combinator, insert an implicit any-element `*`\n\t\t\t\t\t\ttokens.slice(0, i - 1).concat({ value: tokens[i - 2].type === \" \" ? \"*\" : \"\" })\n\t\t\t\t\t).replace(rtrim, \"$1\"),\n\t\t\t\t\tmatcher,\n\t\t\t\t\ti < j && matcherFromTokens(tokens.slice(i, j)),\n\t\t\t\t\tj < len && matcherFromTokens((tokens = tokens.slice(j))),\n\t\t\t\t\tj < len && toSelector(tokens)\n\t\t\t\t);\n\t\t\t}\n\t\t\tmatchers.push(matcher);\n\t\t}\n\t}\n\n\treturn elementMatcher(matchers);\n}\n\nfunction

matcherFromGroupMatchers(elementMatchers, setMatchers) {\n\tvar bySet = setMatchers.length > 0,\n\t\tbyElement = elementMatchers.length > 0,\n\t\tsuperMatcher = function(seed, context, xml, results, outermost) {\n\t\tvar elem, j, matcher,\n\t\t\tmatchedCount = 0,\n\t\t\ti = \"0\",\n\t\t\tunmatched = seed && [],\n\t\t\tsetMatched = [],\n\t\t\tcontextBackup = outermostContext,\n\t\t\t// We must always have either seed elements or outermost context\n\t\t\telems = seed || byElement && Expr.find[\"TAG\"](\"*\", outermost),\n\t\t\t// Use integer dirruns iff this is the outermost matcher\n\t\t\tdirrunsUnique = (dirruns += contextBackup == null ? 1 : Math.random() || 0.1),\n\t\t\tlen = elems.length;\n\n\t\tif (outermost) {\n\t\t\toutermostContext = context === document || context || outermost;\n\t\t}\n\n\t\t// Add elements passing elementMatchers directly to results\n\t\t// Support: IE<9, Safari\n\t\t// Tolerate NodeList properties (IE: \"length\"; Safari: <number>) matching elements by id\n\t\tfor (; i !== len && (elem = elems[i]) != null; i++) {\n\t\t\tif (byElement && elem) {\n\t\t\t\tj = 0;\n\t\t\t\tif (!context && elem.ownerDocument !== document) {\n\t\t\t\t\tsetDocument(elem);\n\t\t\t\t\txml = !documentIsHTML;\n\t\t\t\t}\n\t\t\t\twhile ((matcher = elementMatchers[j++])) {\n\t\t\t\t\tif (matcher(elem, context || document, xml)) {\n\t\t\t\t\t\tresults.push(elem);\n\t\t\t\t\t\tbreak;\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t\tif (outermost) {\n\t\t\t\t\tdirruns = dirrunsUnique;\n\t\t\t\t}\n\t\t\t}\n\n\t\t\t// Track unmatched elements for set filters\n\t\t\tif (bySet) {\n\t\t\t\t// They will have gone through all possible matchers\n\t\t\t\tif ((elem = !matcher && elem)) {\n\t\t\t\t\tmatchedCount--;\n\t\t\t\t}\n\n\t\t\t\t// Lengthen the array for every element, matched or not\n\t\t\t\tif (seed) {\n\t\t\t\t\tunmatched.push(elem);\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t\t// `i` is now the count of elements visited above, and adding it to `matchedCount`\n\t\t// makes the latter nonnegative.\n\t\tmatchedCount += i;\n\n\t\t// Apply set filters to unmatched elements\n\t\t// NOTE: This can be skipped if there are no unmatched elements (i.e., `matchedCount`\n\t\t// equals `i`), unless we didn't visit _any_ elements in the above loop because we have\n\t\t// no element matchers and no seed.\n\t\t// Incrementing an initially-string \"0\" `i` allows `i` to remain a string only in that\n\t\t// case, which will result in a \"00\" `matchedCount` that differs from `i` but is also\n\t\t// numerically zero.\n\t\tif (bySet && i !== matchedCount) {\n\t\t\tj = 0;\n\t\t\twhile ((matcher = setMatchers[j++])) {\n\t\t\t\tmatcher(unmatched, setMatched, context, xml);\n\t\t\t}\n\n\t\t\tif (seed) {\n\t\t\t\t// Reintegrate element matches to eliminate the need for sorting\n\t\t\t\tif (matchedCount > 0) {\n\t\t\t\t\twhile (i--) {\n\t\t\t\t\t\tif (!(unmatched[i] || setMatched[i])) {\n\t\t\t\t\t\t\tsetMatched[i] = pop.call(results);\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t}\n\n\t\t\t\t// Discard index placeholder values to get only actual matches\n\t\t\t\tsetMatched = condense(setMatched);\n\t\t\t}\n\n\t\t\t// Add matches to results\n\t\t\tpush.apply(results, setMatched);\n\n\t\t\t// Seedless set matches succeeding multiple successful matchers stipulate sorting\n\t\t\tif (outermost && !seed && setMatched.length > 0 &&\n\t\t\t\t(matchedCount + setMatchers.length) > 1) {\n\n\t\t\t\tSizzle.uniqueSort(results);\n\t\t\t}\n\t\t}\n\n\t\t// Override manipulation of globals by nested matchers\n\t\tif (outermost) {\n\t\t\tdirruns = dirrunsUnique;\n\t\t\toutermostContext = contextBackup;\n\t\t}\n\n\t\treturn unmatched;\n\t};\n\n\treturn bySet ?\n\t\tmarkFunction(superMatcher) :\n\t\tsuperMatcher;\n}\n\ncompile = Sizzle.compile = function(selector, match /* Internal Use Only */) {\n\tvar i,\n\t\tsetMatchers = [],\n\t\telementMatchers = [],\n\t\tcached = compilerCache[selector + \" \"];\n\n\tif (!cached) {\n\t\t// Generate a function of recursive functions that can be used to check each element\n\t\tif (!match) {\n\t\t\tmatch = tokenize(selector);\n\t\t}\n\t\ti = match.length;\n\t\twhile (i--) {\n\t\t\tcached = matcherFromTokens(match[i]);\n\t\t\tif (cached[expando]) {\n\t\t\t\tsetMatchers.push(cached);\n\t\t\t} else {\n\t\t\t\telementMatchers.push(cached);\n\t\t\t}\n\t\t}\n\n\t\t// Cache the compiled function\n\t\tcached = compilerCache(selector, matcherFromGroupMatchers(elementMatchers, setMatchers));\n\n\t\t// Save selector and tokenization\n\t\tcached.selector = selector;\n\t}\n\treturn cached;\n};\n\n/**\n * A low-level selection function that works with Sizzle's compiled\n * selector functions\n * @param {String|Function} selector A selector or a pre-compiled\n * selector function built with Sizzle.compile\n * @param {Element} context\n * @param {Array} [results]\n * @param {Array} [seed] A set of elements to match against\n */\nselect = Sizzle.select = function(selector, context, results, seed) {\n\tvar i, tokens, token, type, find,\n\t\tcompiled = typeof selector === \"function\" && selector,\n\t\tmatch = !seed && tokenize((selector = compiled.selector || selector));\n\n\tresults = results || [];\n\n\t// Try to minimize operations if there is only one selector in the list and no seed\n\t// (the latter of which

guarantees us context)\n\tif (match.length === 1) {\n\n\t\t// Reduce context if the leading compound selector is an ID\n\t\ttokens = match[0] = match[0].slice(0);\n\t\tif (tokens.length > 2 && (token = tokens[0]).type === \"ID\" &&\n\t\t\t\tcontext.nodeType === 9 && documentIsHTML && Expr.relative[tokens[1].type]) {\n\n\t\t\tcontext = (Expr.find[\"ID\"](token.matches[0].replace(runescape, funescape), context) || [])[0];\n\t\t\tif (!context) {\n\t\t\t\treturn results;\n\n\t\t\t// Precompiled matchers will still verify ancestry, so step up a level\n\t\t\t} else if (compiled) {\n\t\t\t\tcontext = context.parentNode;\n\t\t\t}\n\n\t\t\tselector = selector.slice(tokens.shift().value.length);\n\t\t}\n\n\t\t// Fetch a seed set for right-to-left matching\n\t\ti = matchExpr[\"needsContext\"].test(selector) ? 0 : tokens.length;\n\t\twhile (i--) {\n\t\t\ttoken = tokens[i];\n\n\t\t\t// Abort if we hit a combinator\n\t\t\tif (Expr.relative[(type = token.type)]) {\n\t\t\t\tbreak;\n\t\t\t}\n\t\t\tif ((find = Expr.find[type])) {\n\t\t\t\t// Search, expanding context for leading sibling combinators\n\t\t\t\tif ((seed = find(\n\t\t\t\t\ttoken.matches[0].replace(runescape, funescape),\n\t\t\t\t\trsibling.test(tokens[0].type) && testContext(context.parentNode) || context\n\t\t\t\t))) {\n\n\t\t\t\t\t// If seed is empty or no tokens remain, we can return early\n\t\t\t\t\ttokens.splice(i, 1);\n\t\t\t\t\tselector = seed.length && toSelector(tokens);\n\t\t\t\t\tif (!selector) {\n\t\t\t\t\t\tpush.apply(results, seed);\n\t\t\t\t\t\treturn results;\n\t\t\t\t\t}\n\n\t\t\t\t\tbreak;\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t}\n\n\t// Compile and execute a filtering function if one is not provided\n\t// Provide `match` to avoid retokenization if we modified the selector above\n\t(compiled || compile(selector, match))(\n\t\tseed,\n\t\tcontext,\n\t\t!documentIsHTML,\n\t\tresults,\n\t\t!context || rsibling.test(selector) && testContext(context.parentNode) || context\n\t);\n\treturn results;\n};\n\n// One-time assignments\n\n// Sort stability\nsupport.sortStable = expando.split(\"\").sort(sortOrder).join(\"\") === expando;\n\n// Support: Chrome 14-35+\n// Always assume duplicates if they aren't passed to the comparison function\nsupport.detectDuplicates = !!hasDuplicate;\n\n// Initialize against the default document\nsetDocument();\n\n// Support: Webkit<537.32 - Safari 6.0.3/Chrome 25 (fixed in Chrome 27)\n// Detached nodes confoundingly follow *each other*\nsupport.sortDetached = assert(function(el) {\n\t// Should return 1, but returns 4 (following)\n\treturn el.compareDocumentPosition(document.createElement(\"fieldset\")) & 1;\n});\n\n// Support: IE<8\n// Prevent attribute/property \"interpolation\"\n// https://msdn.microsoft.com/en-us/library/ms536429%28VS.85%29.aspx\nif (!assert(function(el) {\n\tel.innerHTML = \"\";\n\treturn el.firstChild.getAttribute(\"href\") === \"#\" ;\n})) {\n\taddHandle(\"type|href|height|width\", function(elem, name, isXML) {\n\t\tif (!isXML) {\n\t\t\treturn elem.getAttribute(name, name.toLowerCase() === \"type\" ? 1 : 2);\n\t\t}\n\t});\n}\n\n// Support: IE<9\n// Use defaultValue in place of getAttribute(\"value\")\nif (!support.attributes || !assert(function(el) {\n\tel.innerHTML = \"<input/>\";\n\tel.firstChild.setAttribute(\"value\", \"\");\n\treturn el.firstChild.getAttribute(\"value\") === \"\";\n})) {\n\taddHandle(\"value\", function(elem, name, isXML) {\n\t\tif (!isXML && elem.nodeName.toLowerCase() === \"input\") {\n\t\t\treturn elem.defaultValue;\n\t\t}\n\t});\n}\n\n// Support: IE<9\n// Use getAttributeNode to fetch booleans when getAttribute lies\nif (!assert(function(el) {\n\treturn el.getAttribute(\"disabled\") == null;\n})) {\n\taddHandle(booleans, function(elem, name, isXML) {\n\t\tvar val;\n\t\tif (!isXML) {\n\t\t\treturn elem[name] === true ? name.toLowerCase() :\n\t\t\t\t\t(val = elem.getAttributeNode(name)) && val.specified ?\n\t\t\t\t\tval.value :\n\t\t\t\t\tnull;\n\t\t}\n\t});\n}\n\nreturn Sizzle;\n\n})(window);\n\n\njQuery.find = Sizzle;\njQuery.expr = Sizzle.selectors;\n\n// Deprecated\njQuery.expr[\":\"] = jQuery.expr.pseudos;\njQuery.uniqueSort = jQuery.unique = Sizzle.uniqueSort;\njQuery.text = Sizzle.getText;\njQuery.isXMLDoc = Sizzle.isXML;\njQuery.contains = Sizzle.contains;\njQuery.escapeSelector = Sizzle.escape;\n\n\nvar dir = function(elem, dir, until) {\n\tvar matched = [],\n\t\ttruncate = until !== undefined;\n\n\twhile ((elem = elem[dir]) && elem.nodeType !== 9) {\n\t\tif (elem.nodeType === 1) {\n\t\t\tif (truncate && jQuery(elem).is(until)) {\n\t\t\t\tbreak;\n\t\t\t}\n\t\t\tmatched.push(elem);\n\t\t}\n\t}\n\treturn matched;\n};\n\n\nvar siblings = function(n, elem) {\n\tvar matched = [];\n\n\tfor (; n; n = n.nextSibling) {\n\t\tif (n.nodeType === 1 && n !== elem) {\n\t\t\tmatched.push(n);\n\t\t}\n\t}\n\n\treturn matched;\n};\n\n\nvar rneedsContext = jQuery.expr.match.needsContext;\n\n\n\nfunction nodeName(elem, name) {\n\n return elem.nodeName && elem.nodeName.toLowerCase() === name.toLowerCase();\n\n};\nvar rsingleTag = (/^<([a-z][^\/\0>:\x20\t\r\n\f]*)[\x20\t\r\n\f]*\/?>(?:<\/\1>|)$/i);\n\n\n\n// Implement the identical functionality for

filter and not\nfunction winnow(elements, qualifier, not) {\n\tif (isFunction(qualifier)) {\n\t\treturn jQuery.grep(elements, function(elem, i) {\n\t\t\treturn !!qualifier.call(elem, i, elem) !== not;\n\t\t});\n\t}\n\n\t// Single element\n\tif (qualifier.nodeType) {\n\t\treturn jQuery.grep(elements, function(elem) {\n\t\t\treturn (elem === qualifier) !== not;\n\t\t});\n\t}\n\n\t// Arraylike of elements (jQuery, arguments, Array)\n\tif (typeof qualifier !== \"string\") {\n\t\treturn jQuery.grep(elements, function(elem) {\n\t\t\treturn (indexOf.call(qualifier, elem) > -1) !== not;\n\t\t});\n\t}\n\n\t// Filtered directly for both simple and complex selectors\n\treturn jQuery.filter(qualifier, elements, not);\n}\n\njQuery.filter = function(expr, elems, not) {\n\tvar elem = elems[0];\n\n\tif (not) {\n\t\texpr = \":not(\" + expr + \")\";\n\t}\n\n\tif (elems.length === 1 && elem.nodeType === 1) {\n\t\treturn jQuery.find.matchesSelector(elem, expr) ? [elem] : [];\n\t}\n\n\treturn jQuery.find.matches(expr, jQuery.grep(elems, function(elem) {\n\t\treturn elem.nodeType === 1;\n\t}));\n};\n\njQuery.fn.extend({\n\tfind: function(selector) {\n\t\tvar i, ret,\n\t\t\tlen = this.length,\n\t\t\tself = this;\n\n\t\tif (typeof selector !== \"string\") {\n\t\t\treturn this.pushStack(jQuery(selector).filter(function() {\n\t\t\t\tfor (i = 0; i < len; i++) {\n\t\t\t\t\tif (jQuery.contains(self[i], this)) {\n\t\t\t\t\t\treturn true;\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}));\n\t\t}\n\n\t\tret = this.pushStack([]);\n\n\t\tfor (i = 0; i < len; i++) {\n\t\t\tjQuery.find(selector, self[i], ret);\n\t\t}\n\n\t\treturn len > 1 ? jQuery.uniqueSort(ret) : ret;\n\t},\n\tfilter: function(selector) {\n\t\treturn this.pushStack(winnow(this, selector || [], false));\n\t},\n\tnot: function(selector) {\n\t\treturn this.pushStack(winnow(this, selector || [], true));\n\t},\n\tis: function(selector) {\n\t\treturn !!winnow(\n\t\t\tthis,\n\n\t\t\t// If this is a positional/relative selector, check membership in the returned set\n\t\t\t// so $(\"p:first\").is(\"p:last\") won't return true for a doc with two \"p\".\n\t\t\ttypeof selector === \"string\" && rneedsContext.test(selector) ?\n\t\t\t\tjQuery(selector) :\n\t\t\t\tselector || [],\n\t\t\tfalse\n\t\t).length;\n\t}\n});\n\n\n// Initialize a jQuery object\n\n\n// A central reference to the root jQuery(document)\nvar rootjQuery,\n\n\t// A simple way to check for HTML strings\n\t// Prioritize #id over <tag> to avoid XSS via location.hash (#9521)\n\t// Strict HTML recognition (#11290: must start with <)\n\t// Shortcut simple #id case for speed\n\trquickExpr = /^(?:\\s*(<[\\w\\W]+>)[^>]*|#([\\w-]+))$/,\n\n\tinit = jQuery.fn.init = function(selector, context, root) {\n\t\tvar match, elem;\n\n\t\t// HANDLE: $(\"\"), $(null), $(undefined), $(false)\n\t\tif (!selector) {\n\t\t\treturn this;\n\t\t}\n\n\t\t// Method init() accepts an alternate rootjQuery\n\t\t// so migrate can support jQuery.sub (gh-2101)\n\t\troot = root || rootjQuery;\n\n\t\t// Handle HTML strings\n\t\tif (typeof selector === \"string\") {\n\t\t\tif (selector[0] === \"<\" &&\n\t\t\t\tselector[selector.length - 1] === \">\" &&\n\t\t\t\tselector.length >= 3) {\n\n\t\t\t\t// Assume that strings that start and end with <> are HTML and skip the regex check\n\t\t\t\tmatch = [null, selector, null];\n\n\t\t\t} else {\n\t\t\t\tmatch = rquickExpr.exec(selector);\n\t\t\t}\n\n\t\t\t// Match html or make sure no context is specified for #id\n\t\t\tif (match && (match[1] || !context)) {\n\n\t\t\t\t// HANDLE: $(html) -> $(array)\n\t\t\t\tif (match[1]) {\n\t\t\t\t\tcontext = context instanceof jQuery ? context[0] : context;\n\n\t\t\t\t\t// Option to run scripts is true for back-compat\n\t\t\t\t\t// Intentionally let the error be thrown if parseHTML is not present\n\t\t\t\t\tjQuery.merge(this, jQuery.parseHTML(\n\t\t\t\t\t\tmatch[1],\n\t\t\t\t\t\tcontext && context.nodeType ? context.ownerDocument || context : document,\n\t\t\t\t\t\ttrue\n\t\t\t\t\t));\n\n\t\t\t\t\t// HANDLE: $(html, props)\n\t\t\t\t\tif (rsingleTag.test(match[1]) && jQuery.isPlainObject(context)) {\n\t\t\t\t\t\tfor (match in context) {\n\n\t\t\t\t\t\t\t// Properties of context are called as methods if possible\n\t\t\t\t\t\t\tif (isFunction(this[match])) {\n\t\t\t\t\t\t\t\tthis[match](context[match]);\n\n\t\t\t\t\t\t\t// ...and otherwise set as attributes\n\t\t\t\t\t\t\t} else {\n\t\t\t\t\t\t\t\tthis.attr(match, context[match]);\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\n\t\t\t\t\treturn this;\n\n\t\t\t\t// HANDLE: $(#id)\n\t\t\t\t} else {\n\t\t\t\t\telem = document.getElementById(match[2]);\n\n\t\t\t\t\tif (elem) {\n\n\t\t\t\t\t\t// Inject the element directly into the jQuery object\n\t\t\t\t\t\tthis[0] = elem;\n\t\t\t\t\t\tthis.length = 1;\n\t\t\t\t\t}\n\t\t\t\t\treturn this;\n\t\t\t\t}\n\n\t\t\t// HANDLE: $(expr, $(...))\n\t\t\t} else if (!context || context.jquery) {\n\t\t\t\treturn (context || root).find(selector);\n\n\t\t\t// HANDLE: $(expr, context)\n\t\t\t// (which is just equivalent to: $(context).find(expr)\n\t\t\t} else {\n\t\t\t\treturn this.constructor(context).find(selector);\n\t\t\t}\n\n\t\t// HANDLE: $(DOMElement)\n\t\t} else if (selector.nodeType) {\n\t\t\tthis[0] = selector;\n\t\t\tthis.length = 1;\n\t\t\treturn this;\n\n\t\t// HANDLE: $(function)\n\t\t// Shortcut for document ready\n\t\t} else if (isFunction(selector)) {\n\t\t\treturn root.ready !== undefined ?\n\t\t\t\troot.ready(selector) :\n\n\t\t\t\t// Execute immediately if ready is not present\n\t\t\t\tselector(jQuery);\n\t\t}\n\n\t\treturn jQuery.makeArray(selector, this);\n\t};\n\n// Give

the init function the jQuery prototype for later instantiation\ninit.prototype = jQuery.fn;\n\n// Initialize central reference\nrootjQuery = jQuery(document);\n\n\nvar rparentsprev = /^(?:parents|prev(?:Until|All))/,\n\n\t// Methods guaranteed to produce a unique set when starting from a unique set\n\tguaranteedUnique = {\n\t\tchildren: true,\n\t\tcontents: true,\n\t\tnext: true,\n\t\tprev: true\n\t};\n\njQuery.fn.extend({\n\thas: function(target) {\n\t\tvar targets = jQuery(target, this),\n\t\t\tl = targets.length;\n\n\t\treturn this.filter(function() {\n\t\t\tvar i = 0;\n\t\t\tfor (; i < l; i++) {\n\t\t\t\tif (jQuery.contains(this, targets[i])) {\n\t\t\t\t\treturn true;\n\t\t\t\t}\n\t\t\t}\n\t\t});\n\t},\n\n\tclosest: function(selectors, context) {\n\t\tvar cur,\n\t\t\ti = 0,\n\t\t\tl = this.length,\n\t\t\tmatched = [],\n\t\t\ttargets = typeof selectors !== \"string\" && jQuery(selectors);\n\n\t\t// Positional selectors never match, since there's no _selection_ context\n\t\tif (!rneedsContext.test(selectors)) {\n\t\t\tfor (; i < l; i++) {\n\t\t\t\tfor (cur = this[i]; cur && cur !== context; cur = cur.parentNode) {\n\n\t\t\t\t\t// Always skip document fragments\n\t\t\t\t\tif (cur.nodeType < 11 && (targets ?\n\t\t\t\t\t\ttargets.index(cur) > -1 :\n\n\t\t\t\t\t\t// Don't pass non-elements to Sizzle\n\t\t\t\t\t\tcur.nodeType === 1 &&\n\t\t\t\t\t\t\tjQuery.find.matchesSelector(cur, selectors))) {\n\n\t\t\t\t\t\tmatched.push(cur);\n\t\t\t\t\t\tbreak;\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t\treturn this.pushStack(matched.length > 1 ? jQuery.uniqueSort(matched) : matched);\n\t},\n\n\t// Determine the position of an element within the set\n\tindex: function(elem) {\n\n\t\t// No argument, return index in parent\n\t\tif (!elem) {\n\t\t\treturn (this[0] && this[0].parentNode) ? this.first().prevAll().length : -1;\n\t\t}\n\n\t\t// Index in selector\n\t\tif (typeof elem === \"string\") {\n\t\t\treturn indexOf.call(jQuery(elem), this[0]);\n\t\t}\n\n\t\t// Locate the position of the desired element\n\t\treturn indexOf.call(this,\n\n\t\t\t// If it receives a jQuery object, the first element is used\n\t\t\telem.jquery ? elem[0] : elem);\n\t},\n\n\tadd: function(selector, context) {\n\t\treturn this.pushStack(\n\t\t\tjQuery.uniqueSort(\n\t\t\t\tjQuery.merge(this.get(), jQuery(selector, context))\n\t\t\t)\n\t\t);\n\t},\n\n\taddBack: function(selector) {\n\t\treturn this.add(selector == null ?\n\t\t\tthis.prevObject : this.prevObject.filter(selector)\n\t\t);\n\t}\n});\n\nfunction sibling(cur, dir) {\n\twhile ((cur = cur[dir]) && cur.nodeType !== 1) {}\n\treturn cur;\n}\n\njQuery.each({\n\tparent: function(elem) {\n\t\tvar parent = elem.parentNode;\n\t\treturn parent && parent.nodeType !== 11 ? parent : null;\n\t},\n\tparents: function(elem) {\n\t\treturn dir(elem, \"parentNode\");\n\t},\n\tparentsUntil: function(elem, i, until) {\n\t\treturn dir(elem, \"parentNode\", until);\n\t},\n\tnext: function(elem) {\n\t\treturn sibling(elem, \"nextSibling\");\n\t},\n\tprev: function(elem) {\n\t\treturn sibling(elem, \"previousSibling\");\n\t},\n\tnextAll: function(elem) {\n\t\treturn dir(elem, \"nextSibling\");\n\t},\n\tprevAll: function(elem) {\n\t\treturn dir(elem, \"previousSibling\");\n\t},\n\tnextUntil: function(elem, i, until) {\n\t\treturn dir(elem, \"nextSibling\", until);\n\t},\n\tprevUntil: function(elem, i, until) {\n\t\treturn dir(elem, \"previousSibling\", until);\n\t},\n\tsiblings: function(elem) {\n\t\treturn siblings((elem.parentNode || {}).firstChild, elem);\n\t},\n\tchildren: function(elem) {\n\t\treturn siblings(elem.firstChild);\n\t},\n\tcontents: function(elem) {\n   if (nodeName(elem, \"iframe\")) {\n   return elem.contentDocument;\n   }\n\n   // Support: IE 9 - 11 only, iOS 7 only, Android Browser <=4.3 only\n   // Treat the template element as a regular one in browsers that\n   // don't support it.\n   if (nodeName(elem, \"template\")) {\n   elem = elem.content || elem;\n   }\n\n   return jQuery.merge([], elem.childNodes);\n\t}\n}, function(name, fn) {\n\tjQuery.fn[name] = function(until, selector) {\n\t\tvar matched = jQuery.map(this, fn, until);\n\n\t\tif (name.slice(-5) !== \"Until\") {\n\t\t\tselector = until;\n\t\t}\n\n\t\tif (selector && typeof selector === \"string\") {\n\t\t\tmatched = jQuery.filter(selector, matched);\n\t\t}\n\n\t\tif (this.length > 1) {\n\n\t\t\t// Remove duplicates\n\t\t\tif (!guaranteedUnique[name]) {\n\t\t\t\tjQuery.uniqueSort(matched);\n\t\t\t}\n\n\t\t\t// Reverse order for parents* and prev-derivatives\n\t\t\tif (rparentsprev.test(name)) {\n\t\t\t\tmatched.reverse();\n\t\t\t}\n\t\t}\n\n\t\treturn this.pushStack(matched);\n\t};\n});\nvar rnothtmlwhite = (/[^\\x20\\t\\r\\n\\f]+/g);\n\n\n\n// Convert String-formatted options into Object-formatted ones\nfunction createOptions(options) {\n\tvar object = {};\n\tjQuery.each(options.match(rnothtmlwhite) || [], function(_, flag) {\n\t\tobject[flag] = true;\n\t});\n\treturn object;\n}\n\n/*\n * Create a callback list using the following parameters:\n *\n *\toptions: an optional list of space-separated options that will change how\n *\t\t\tthe callback list behaves or a more traditional option object\n *\n * By default a callback list will act like an event callback list and can be\n * \"fired\" multiple times.\n *\n * Possible options:\n *\n *\tonce:\t\twill ensure the callback list can only be fired once (like a Deferred)\n *\n *\tmemory:\t\twill keep track of previous values and will

call any callback added\n *\t\t\t\tafter the list has been fired right away with the latest \"memorized\"\n *\t\t\t\tvalues (like a Deferred)\n *\n *\tunique:\t\t\twill ensure a callback can only be added once (no duplicate in the list)\n *\n *\tstopOnFalse:\tinterrupt callings when a callback returns false\n *\n */\njQuery.Callbacks = function(options) {\n\t// Convert options from String-formatted to Object-formatted if needed\n\t// (we check in cache first)\n\toptions = typeof options === \"string\" ?\n\t\tcreateOptions(options) :\n\t\tjQuery.extend({}, options);\n\n\tvar // Flag to know if list is currently firing\n\t\tfiring,\n\n\t\t// Last fire value for non-forgettable lists\n\t\tmemory,\n\n\t\t// Flag to know if list was already fired\n\t\tfired,\n\n\t\t// Flag to prevent firing\n\t\tlocked,\n\n\t\t// Actual callback list\n\t\tlist = [],\n\n\t\t// Queue of execution data for repeatable lists\n\t\tqueue = [],\n\n\t\t// Index of currently firing callback (modified by add/remove as needed)\n\t\tfiringIndex = -1,\n\n\t\t// Fire callbacks\n\t\tfire = function() {\n\n\t\t\t// Enforce single-firing\n\t\t\tlocked = locked || options.once;\n\n\t\t\t// Execute callbacks for all pending executions,\n\t\t\t// respecting firingIndex overrides and runtime changes\n\t\t\tfired = firing = true;\n\t\t\tfor (; queue.length; firingIndex = -1) {\n\t\t\t\tmemory = queue.shift();\n\t\t\t\twhile (++firingIndex < list.length) {\n\n\t\t\t\t\t// Run callback and check for early termination\n\t\t\t\t\tif (list[firingIndex].apply(memory[0], memory[1]) === false &&\n\t\t\t\t\t\toptions.stopOnFalse) {\n\n\t\t\t\t\t\t// Jump to end and forget the data so .add doesn't re-fire\n\t\t\t\t\t\tfiringIndex = list.length;\n\t\t\t\t\t\tmemory = false;\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\n\t\t\t// Forget the data if we're done with it\n\t\t\tif (!options.memory) {\n\t\t\t\tmemory = false;\n\t\t\t}\n\n\t\t\tfiring = false;\n\n\t\t\t// Clean up if we're done firing for good\n\t\t\tif (locked) {\n\n\t\t\t\t// Keep an empty list if we have data for future add calls\n\t\t\t\tif (memory) {\n\t\t\t\t\tlist = [];\n\n\t\t\t\t// Otherwise, this object is spent\n\t\t\t\t} else {\n\t\t\t\t\tlist = \"\";\n\t\t\t\t}\n\t\t\t}\n\t\t},\n\n\t\t// Actual Callbacks object\n\t\tself = {\n\n\t\t\t// Add a callback or a collection of callbacks to the list\n\t\t\tadd: function() {\n\t\t\t\tif (list) {\n\n\t\t\t\t\t// If we have memory from a past run, we should fire after adding\n\t\t\t\t\tif (memory && !firing) {\n\t\t\t\t\t\tfiringIndex = list.length - 1;\n\t\t\t\t\t\tqueue.push(memory);\n\t\t\t\t\t}\n\n\t\t\t\t\t(function add(args) {\n\t\t\t\t\t\tjQuery.each(args, function(_, arg) {\n\t\t\t\t\t\t\tif (isFunction(arg)) {\n\t\t\t\t\t\t\t\tif (!options.unique || !self.has(arg)) {\n\t\t\t\t\t\t\t\t\tlist.push(arg);\n\t\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\t} else if (arg && arg.length && toType(arg) !== \"string\") {\n\n\t\t\t\t\t\t\t\t// Inspect recursively\n\t\t\t\t\t\t\t\tadd(arg);\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t});\n\t\t\t\t\t})(arguments);\n\n\t\t\t\t\tif (memory && !firing) {\n\t\t\t\t\t\tfire();\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t\treturn this;\n\t\t\t},\n\n\t\t\t// Remove a callback from the list\n\t\t\tremove: function() {\n\t\t\t\tjQuery.each(arguments, function(_, arg) {\n\t\t\t\t\tvar index;\n\t\t\t\t\twhile ((index = jQuery.inArray(arg, list, index)) > -1) {\n\t\t\t\t\t\tlist.splice(index, 1);\n\n\t\t\t\t\t\t// Handle firing indexes\n\t\t\t\t\t\tif (index <= firingIndex) {\n\t\t\t\t\t\t\tfiringIndex--;\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t});\n\t\t\t\treturn this;\n\t\t\t},\n\n\t\t\t// Check if a given callback is in the list.\n\t\t\t// If no argument is given, return whether or not list has callbacks attached.\n\t\t\thas: function(fn) {\n\t\t\t\treturn fn ?\n\t\t\t\t\tjQuery.inArray(fn, list) > -1 :\n\t\t\t\t\tlist.length > 0;\n\t\t\t},\n\n\t\t\t// Remove all callbacks from the list\n\t\t\tempty: function() {\n\t\t\t\tif (list) {\n\t\t\t\t\tlist = [];\n\t\t\t\t}\n\t\t\t\treturn this;\n\t\t\t},\n\n\t\t\t// Disable .fire and .add\n\t\t\t// Abort any current/pending executions\n\t\t\t// Clear all callbacks and values\n\t\t\tdisable: function() {\n\t\t\t\tlocked = queue = [];\n\t\t\t\tlist = memory = \"\";\n\t\t\t\treturn this;\n\t\t\t},\n\t\t\tdisabled: function() {\n\t\t\t\treturn !list;\n\t\t\t},\n\n\t\t\t// Disable .fire\n\t\t\t// Also disable .add unless we have memory (since it would have no effect)\n\t\t\t// Abort any pending executions\n\t\t\tlock: function() {\n\t\t\t\tlocked = queue = [];\n\t\t\t\tif (!memory && !firing) {\n\t\t\t\t\tlist = memory = \"\";\n\t\t\t\t}\n\t\t\t\treturn this;\n\t\t\t},\n\t\t\tlocked: function() {\n\t\t\t\treturn !!locked;\n\t\t\t},\n\n\t\t\t// Call all callbacks with the given context and arguments\n\t\t\tfireWith: function(context, args) {\n\t\t\t\tif (!locked) {\n\t\t\t\t\targs = args || [];\n\t\t\t\t\targs = [context, args.slice ? args.slice() : args];\n\t\t\t\t\tqueue.push(args);\n\t\t\t\t\tif (!firing) {\n\t\t\t\t\t\tfire();\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t\treturn this;\n\t\t\t},\n\n\t\t\t// Call all the callbacks with the given arguments\n\t\t\tfire: function() {\n\t\t\t\tself.fireWith(this, arguments);\n\t\t\t\treturn this;\n\t\t\t},\n\n\t\t\t// To know if the callbacks have already been called at least once\n\t\t\tfired: function() {\n\t\t\t\treturn !!fired;\n\t\t\t}\n\t\t};\n\n\treturn self;\n};\n\n\nfunction Identity(v) {\n\treturn v;\n}\nfunction Thrower(ex) {\n\tthrow ex;\n}\n\nfunction adoptValue(value, resolve, reject, noValue) {\n\tvar method;\n\n\ttry {\n\n\t\t// Check for promise aspect first to privilege synchronous behavior\n\t\tif (value && isFunction((method =

value.promise))) {\n\t\tmethod.call(value).done(resolve).fail(reject);\n\n\t\t\t// Other thenables\n\t\t} else if (value && isFunction((method = value.then))) {\n\t\tmethod.call(value, resolve, reject);\n\n\t\t// Other non-thenables\n\t\t} else {\n\n\t\t\t// Control `resolve` arguments by letting Array#slice cast boolean `noValue` to integer:\n\t\t\t// * false: [value].slice(0) => resolve(value)\n\t\t\t// * true: [value].slice(1) => resolve()\n\t\t\tresolve.apply(undefined, [value].slice(noValue));\n\t\t}\n\n\t// For Promises/A+, convert exceptions into rejections\n\t// Since jQuery.when doesn't unwrap thenables, we can skip the extra checks appearing in\n\t// Deferred#then to conditionally suppress rejection.\n\t} catch (value) {\n\n\t\t// Support: Android 4.0 only\n\t\t// Strict mode functions invoked without .call/.apply get global-object context\n\t\treject.apply(undefined, [value]);\n\t}\n}\n\njQuery.extend({\n\n\tDeferred: function(func) {\n\t\tvar tuples = [\n\n\t\t\t\t// action, add listener, callbacks,\n\t\t\t\t// ... .then handlers, argument index, [final state]\n\t\t\t[\"notify\", \"progress\", jQuery.Callbacks(\"memory\"),\n\t\t\t\tjQuery.Callbacks(\"memory\"), 2],\n\t\t\t[\"resolve\", \"done\", jQuery.Callbacks(\"once memory\"),\n\t\t\t\tjQuery.Callbacks(\"once memory\"), 0, \"resolved\"],\n\t\t\t[\"reject\", \"fail\", jQuery.Callbacks(\"once memory\"),\n\t\t\t\tjQuery.Callbacks(\"once memory\"), 1, \"rejected\"]\n\t\t],\n\t\tstate = \"pending\",\n\t\tpromise = {\n\t\t\tstate: function() {\n\t\t\t\treturn state;\n\t\t\t},\n\t\t\talways: function() {\n\t\t\t\tdeferred.done(arguments).fail(arguments);\n\t\t\t\treturn this;\n\t\t\t},\n\t\t\t\"catch\": function(fn) {\n\t\t\t\treturn promise.then(null, fn);\n\t\t\t},\n\n\t\t\t// Keep pipe for back-compat\n\t\t\tpipe: function(/* fnDone, fnFail, fnProgress */) {\n\t\t\t\tvar fns = arguments;\n\n\t\t\t\treturn jQuery.Deferred(function(newDefer) {\n\t\t\t\t\tjQuery.each(tuples, function(i, tuple) {\n\n\t\t\t\t\t\t// Map tuples (progress, done, fail) to arguments (done, fail, progress)\n\t\t\t\t\t\tvar fn = isFunction(fns[tuple[4]]) && fns[tuple[4]];\n\n\t\t\t\t\t\t// deferred.progress(function() { bind to newDefer or newDefer.notify })\n\t\t\t\t\t\t// deferred.done(function() { bind to newDefer or newDefer.resolve })\n\t\t\t\t\t\t// deferred.fail(function() { bind to newDefer or newDefer.reject })\n\t\t\t\t\t\tdeferred[tuple[1]](function() {\n\t\t\t\t\t\t\tvar returned = fn && fn.apply(this, arguments);\n\t\t\t\t\t\t\tif (returned && isFunction(returned.promise)) {\n\t\t\t\t\t\t\t\treturned.promise()\n\t\t\t\t\t\t\t\t\t.progress(newDefer.notify)\n\t\t\t\t\t\t\t\t\t.done(newDefer.resolve)\n\t\t\t\t\t\t\t\t\t.fail(newDefer.reject);\n\t\t\t\t\t\t\t} else {\n\t\t\t\t\t\t\t\tnewDefer[tuple[0] + \"With\"](\n\t\t\t\t\t\t\t\t\tthis,\n\t\t\t\t\t\t\t\t\tfn ? [returned] : arguments\n\t\t\t\t\t\t\t\t);\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t});\n\t\t\t\t\t});\n\t\t\t\t\tfns = null;\n\t\t\t\t}).promise();\n\t\t\t},\n\t\t\tthen: function(onFulfilled, onRejected, onProgress) {\n\t\t\t\tvar maxDepth = 0;\n\t\t\t\tfunction resolve(depth, deferred, handler, special) {\n\t\t\t\t\treturn function() {\n\t\t\t\t\t\tvar that = this,\n\t\t\t\t\t\t\targs = arguments,\n\t\t\t\t\t\t\tmightThrow = function() {\n\t\t\t\t\t\t\t\tvar returned, then;\n\n\t\t\t\t\t\t\t\t// Support: Promises/A+ section 2.3.3.3.3\n\t\t\t\t\t\t\t\t// https://promisesaplus.com/#point-59\n\t\t\t\t\t\t\t\t// Ignore double-resolution attempts\n\t\t\t\t\t\t\t\tif (depth < maxDepth) {\n\t\t\t\t\t\t\t\t\treturn;\n\t\t\t\t\t\t\t\t}\n\n\t\t\t\t\t\t\t\treturned = handler.apply(that, args);\n\n\t\t\t\t\t\t\t\t// Support: Promises/A+ section 2.3.1\n\t\t\t\t\t\t\t\t// https://promisesaplus.com/#point-48\n\t\t\t\t\t\t\t\tif (returned === deferred.promise()) {\n\t\t\t\t\t\t\t\t\tthrow new TypeError(\"Thenable self-resolution\");\n\t\t\t\t\t\t\t\t}\n\n\t\t\t\t\t\t\t\t// Support: Promises/A+ sections 2.3.3.1, 3.5\n\t\t\t\t\t\t\t\t// https://promisesaplus.com/#point-54\n\t\t\t\t\t\t\t\t// https://promisesaplus.com/#point-75\n\t\t\t\t\t\t\t\t// Retrieve `then` only once\n\t\t\t\t\t\t\t\tthen = returned &&\n\n\t\t\t\t\t\t\t\t\t// Support: Promises/A+ section 2.3.4\n\t\t\t\t\t\t\t\t\t// https://promisesaplus.com/#point-64\n\t\t\t\t\t\t\t\t\t// Only check objects and functions for thenability\n\t\t\t\t\t\t\t\t\t(typeof returned === \"object\" ||\n\t\t\t\t\t\t\t\t\t\ttypeof returned === \"function\") &&\n\t\t\t\t\t\t\t\t\treturned.then;\n\n\t\t\t\t\t\t\t\t// Handle a returned thenable\n\t\t\t\t\t\t\t\tif (isFunction(then)) {\n\n\t\t\t\t\t\t\t\t\t// Special processors (notify) just wait for resolution\n\t\t\t\t\t\t\t\t\tif (special) {\n\t\t\t\t\t\t\t\t\t\tthen.call(\n\t\t\t\t\t\t\t\t\t\t\treturned,\n\t\t\t\t\t\t\t\t\t\t\tresolve(maxDepth, deferred, Identity, special),\n\t\t\t\t\t\t\t\t\t\t\tresolve(maxDepth, deferred, Thrower, special)\n\t\t\t\t\t\t\t\t\t\t);\n\n\t\t\t\t\t\t\t\t\t// Normal processors (resolve) also hook into progress\n\t\t\t\t\t\t\t\t\t} else {\n\n\t\t\t\t\t\t\t\t\t\t// ...and disregard older resolution values\n\t\t\t\t\t\t\t\t\t\tmaxDepth++;\n\n\t\t\t\t\t\t\t\t\t\tthen.call(\n\t\t\t\t\t\t\t\t\t\t\treturned,\n\t\t\t\t\t\t\t\t\t\t\tresolve(maxDepth, deferred, Identity, special),\n\t\t\t\t\t\t\t\t\t\t\tresolve(maxDepth, deferred, Thrower, special

),\n\t\t\t\t\t\t\t\t\t\tresolve(maxDepth, deferred, Identity,\n\t\t\t\t\t\t\t\t\t\tdeferred.notifyWith)\n\t\t\t\t\t\t\t\t\t\t);\n\t\t\t\t\t\t\t\t\t}\n\n\t\t\t\t\t\t\t\t\t// Handle all other returned values\n\t\t\t\t\t\t\t\t} else {\n\n\t\t\t\t\t\t\t\t\t// Only substitute handlers pass on context\n\t\t\t\t\t\t\t\t\t// and multiple values (non-spec behavior)\n\t\t\t\t\t\t\t\t\tif (handler !== Identity) {\n\t\t\t\t\t\t\t\t\t\tthat = undefined;\n\t\t\t\t\t\t\t\t\t\targs = [returned];\n\t\t\t\t\t\t\t\t\t}\n\n\t\t\t\t\t\t\t\t\t// Process the value(s)\n\t\t\t\t\t\t\t\t\t// Default process is resolve\n\t\t\t\t\t\t\t\t\t(special || deferred.resolveWith)(that, args);\n\t\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\t},\n\n\t\t\t\t\t\t\t// Only normal processors (resolve) catch and reject exceptions\n\t\t\t\t\t\t\tprocess = special ?\n\t\t\t\t\t\t\t\tmightThrow :\n\t\t\t\t\t\t\t\tfunction() {\n\t\t\t\t\t\t\t\t\ttry {\n\t\t\t\t\t\t\t\t\t\tmightThrow();\n\t\t\t\t\t\t\t\t\t} catch (e) {\n\n\t\t\t\t\t\t\t\t\t\tif (jQuery.Deferred.exceptionHook) {\n\t\t\t\t\t\t\t\t\t\t\tjQuery.Deferred.exceptionHook(e,\n\t\t\t\t\t\t\t\t\t\t\t\tprocess.stackTrace);\n\t\t\t\t\t\t\t\t\t\t}\n\n\t\t\t\t\t\t\t\t\t\t// Support: Promises/A+ section 2.3.3.3.4.1\n\t\t\t\t\t\t\t\t\t\t// https://promisesaplus.com/#point-61\n\t\t\t\t\t\t\t\t\t\t// Ignore post-resolution exceptions\n\t\t\t\t\t\t\t\t\t\tif (depth + 1 >= maxDepth) {\n\n\t\t\t\t\t\t\t\t\t\t\t// Only substitute handlers pass on context\n\t\t\t\t\t\t\t\t\t\t\t// and multiple values (non-spec behavior)\n\t\t\t\t\t\t\t\t\t\t\tif (handler !== Thrower) {\n\t\t\t\t\t\t\t\t\t\t\t\tthat = undefined;\n\t\t\t\t\t\t\t\t\t\t\t\targs = [e];\n\t\t\t\t\t\t\t\t\t\t\t}\n\n\t\t\t\t\t\t\t\t\t\t\tdeferred.rejectWith(that, args);\n\t\t\t\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\t\t};\n\n\t\t\t\t\t\t\t// Support: Promises/A+ section 2.3.3.3.1\n\t\t\t\t\t\t\t// https://promisesaplus.com/#point-57\n\t\t\t\t\t\t\t// Re-resolve promises immediately to dodge false rejection from\n\t\t\t\t\t\t\t// subsequent errors\n\t\t\t\t\t\t\tif (depth) {\n\t\t\t\t\t\t\t\tprocess();\n\t\t\t\t\t\t\t} else {\n\n\t\t\t\t\t\t\t\t// Call an optional hook to record the stack, in case of exception\n\t\t\t\t\t\t\t\t// since it's otherwise lost when execution goes async\n\t\t\t\t\t\t\t\tif (jQuery.Deferred.getStackHook) {\n\t\t\t\t\t\t\t\t\tprocess.stackTrace = jQuery.Deferred.getStackHook();\n\t\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\t\twindow.setTimeout(process);\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t};\n\t\t\t\t\t}\n\n\t\t\t\t\treturn jQuery.Deferred(function(newDefer) {\n\n\t\t\t\t\t\t// progress_handlers.add(...)\n\t\t\t\t\t\ttuples[0][3].add(\n\t\t\t\t\t\t\tresolve(\n\t\t\t\t\t\t\t\t0,\n\t\t\t\t\t\t\t\tnewDefer,\n\t\t\t\t\t\t\t\tisFunction(onProgress) ?\n\t\t\t\t\t\t\t\t\tonProgress :\n\t\t\t\t\t\t\t\t\tIdentity,\n\t\t\t\t\t\t\t\tnewDefer.notifyWith\n\t\t\t\t\t\t\t)\n\t\t\t\t\t\t);\n\n\t\t\t\t\t\t// fulfilled_handlers.add(...)\n\t\t\t\t\t\ttuples[1][3].add(\n\t\t\t\t\t\t\tresolve(\n\t\t\t\t\t\t\t\t0,\n\t\t\t\t\t\t\t\tnewDefer,\n\t\t\t\t\t\t\t\tisFunction(onFulfilled) ?\n\t\t\t\t\t\t\t\t\tonFulfilled :\n\t\t\t\t\t\t\t\t\tIdentity\n\t\t\t\t\t\t\t)\n\t\t\t\t\t\t);\n\n\t\t\t\t\t\t// rejected_handlers.add(...)\n\t\t\t\t\t\ttuples[2][3].add(\n\t\t\t\t\t\t\tresolve(\n\t\t\t\t\t\t\t\t0,\n\t\t\t\t\t\t\t\tnewDefer,\n\t\t\t\t\t\t\t\tisFunction(onRejected) ?\n\t\t\t\t\t\t\t\t\tonRejected :\n\t\t\t\t\t\t\t\t\tThrower\n\t\t\t\t\t\t\t)\n\t\t\t\t\t\t);\n\t\t\t\t\t}).promise();\n\t\t\t\t},\n\n\t\t\t\t// Get a promise for this deferred\n\t\t\t\t// If obj is provided, the promise aspect is added to the object\n\t\t\t\tpromise: function(obj) {\n\t\t\t\t\treturn obj != null ? jQuery.extend(obj, promise) : promise;\n\t\t\t\t}\n\t\t\t},\n\t\t\tdeferred = {};\n\n\t\t// Add list-specific methods\n\t\tjQuery.each(tuples, function(i, tuple) {\n\t\t\tvar list = tuple[2],\n\t\t\t\tstateString = tuple[5];\n\n\t\t\t// promise.progress = list.add\n\t\t\t// promise.done = list.add\n\t\t\t// promise.fail = list.add\n\t\t\tpromise[tuple[1]] = list.add;\n\n\t\t\t// Handle state\n\t\t\tif (stateString) {\n\t\t\t\tlist.add(\n\t\t\t\t\tfunction() {\n\n\t\t\t\t\t\t// state = "resolved" (i.e., fulfilled)\n\t\t\t\t\t\t// state = "rejected"\n\t\t\t\t\t\tstate = stateString;\n\t\t\t\t\t},\n\n\t\t\t\t\t// rejected_callbacks.disable\n\t\t\t\t\t// fulfilled_callbacks.disable\n\t\t\t\t\ttuples[3 - i][2].disable,\n\n\t\t\t\t\t// rejected_handlers.disable\n\t\t\t\t\t// fulfilled_handlers.disable\n\t\t\t\t\ttuples[3 - i][3].disable,\n\n\t\t\t\t\t// progress_callbacks.lock\n\t\t\t\t\ttuples[0][2].lock,\n\n\t\t\t\t\t// progress_handlers.lock\n\t\t\t\t\ttuples[0][3].lock\n\t\t\t\t);\n\t\t\t}\n\n\t\t\t// progress_handlers.fire\n\t\t\t// fulfilled_handlers.fire\n\t\t\t// rejected_handlers.fire\n\t\t\tlist.add(tuple[3].fire);\n\n\t\t\t// deferred.notify = function() { deferred.notifyWith(...) }\n\t\t\t// deferred.resolve = function() { deferred.resolveWith(...) }\n\t\t\t// deferred.reject = function() { deferred.rejectWith(...) }\n\t\t\tdeferred[tuple[0]] = function() {\n\t\t\t\tdeferred[tuple[0] + "With"](this === deferred ? undefined : this, arguments);\n\t\t\t\treturn this;\n\t\t\t};\n\n\t\t\t// deferred.notifyWith = list.fireWith\n\t\t\t// deferred.resolveWith = list.fireWith\n\t\t\t// deferred.rejectWith = list.fireWith\n\t\t\tdeferred[

tuple[0] + \"With\"] = list.fireWith;\n\t\t});\n\n\t\t// Make the deferred a promise\n\t\tpromise.promise(deferred);\n\n\t\t// Call given func if any\n\t\tif (func) {\n\t\t\tfunc.call(deferred, deferred);\n\t\t}\n\n\t\t// All done!\n\t\treturn deferred;\n\t},\n\n\t// Deferred helper\n\twhen: function(singleValue) {\n\t\tvar\n\n\t\t\t// count of uncompleted subordinates\n\t\t\tremaining = arguments.length,\n\n\t\t\t// count of unprocessed arguments\n\t\t\ti = remaining,\n\n\t\t\t// subordinate fulfillment data\n\t\t\tresolveContexts = Array(i),\n\t\t\tresolveValues = slice.call(arguments),\n\n\t\t\t// the master Deferred\n\t\t\tmaster = jQuery.Deferred(),\n\n\t\t\t// subordinate callback factory\n\t\t\tupdateFunc = function(i) {\n\t\t\t\treturn function(value) {\n\t\t\t\t\tresolveContexts[i] = this;\n\t\t\t\t\tresolveValues[i] = arguments.length > 1 ? slice.call(arguments) : value;\n\t\t\t\t\tif (!(--remaining)) {\n\t\t\t\t\t\tmaster.resolveWith(resolveContexts, resolveValues);\n\t\t\t\t\t}\n\t\t\t\t};\n\t\t\t};\n\n\t\t// Single- and empty arguments are adopted like Promise.resolve\n\t\tif (remaining <= 1) {\n\t\t\tadoptValue(singleValue, master.done(updateFunc(i)).resolve, master.reject,\n\t\t\t\t!remaining);\n\n\t\t\t// Use .then() to unwrap secondary thenables (cf. gh-3000)\n\t\t\tif (master.state() === \"pending\" ||\n\t\t\t\tisFunction(resolveValues[i] && resolveValues[i].then)) {\n\n\t\t\t\treturn master.then();\n\t\t\t}\n\t\t}\n\n\t\t// Multiple arguments are aggregated like Promise.all array elements\n\t\twhile (i--) {\n\t\t\tadoptValue(resolveValues[i], updateFunc(i), master.reject);\n\t\t}\n\n\t\treturn master.promise();\n\t}\n});\n\n\n// These usually indicate a programmer mistake during development,\n// warn about them ASAP rather than swallowing them by default.\nvar rerrorNames = /^(Eval|Internal|Range|Reference|Syntax|Type|URI)Error$/;\n\njQuery.Deferred.exceptionHook = function(error, stack) {\n\n\t// Support: IE 8 - 9 only\n\t// Console exists when dev tools are open, which can happen at any time\n\tif (window.console && window.console.warn && error && rerrorNames.test(error.name)) {\n\t\twindow.console.warn(\"jQuery.Deferred exception: \" + error.message, error.stack, stack);\n\t}\n};\n\n\n\njQuery.readyException = function(error) {\n\twindow.setTimeout(function() {\n\t\tthrow error;\n\t});\n};\n\n\n\n\n// The deferred used on DOM ready\nvar readyList = jQuery.Deferred();\n\njQuery.fn.ready = function(fn) {\n\n\treadyList\n\t\t.then(fn)\n\n\t\t// Wrap jQuery.readyException in a function so that the lookup\n\t\t// happens at the time of error handling instead of callback\n\t\t// registration.\n\t\t.catch(function(error) {\n\t\t\tjQuery.readyException(error);\n\t\t});\n\n\treturn this;\n};\n\njQuery.extend({\n\n\t// Is the DOM ready to be used? Set to true once it occurs.\n\tisReady: false,\n\n\t// A counter to track how many items to wait for before\n\t// the ready event fires. See #6781\n\treadyWait: 1,\n\n\t// Handle when the DOM is ready\n\tready: function(wait) {\n\n\t\t// Abort if there are pending holds or we're already ready\n\t\tif (wait === true ? --jQuery.readyWait : jQuery.isReady) {\n\t\t\treturn;\n\t\t}\n\n\t\t// Remember that the DOM is ready\n\t\tjQuery.isReady = true;\n\n\t\t// If a normal DOM Ready event fired, decrement, and wait if need be\n\t\tif (wait !== true && --jQuery.readyWait > 0) {\n\t\t\treturn;\n\t\t}\n\n\t\t// If there are functions bound, to execute\n\t\treadyList.resolveWith(document, [jQuery]);\n\t}\n});\n\njQuery.ready.then = readyList.then;\n\n// The ready event handler and self cleanup method\nfunction completed() {\n\tdocument.removeEventListener(\"DOMContentLoaded\", completed);\n\twindow.removeEventListener(\"load\", completed);\n\tjQuery.ready();\n}\n\n\n// Catch cases where $(document).ready() is called\n// after the browser event has already occurred.\n// Support: IE <=9 - 10 only\n// Older IE sometimes signals \"interactive\" too soon\nif (document.readyState === \"complete\" ||\n\t(document.readyState !== \"loading\" && !document.documentElement.doScroll)) {\n\n\t// Handle it asynchronously to allow scripts the opportunity to delay ready\n\twindow.setTimeout(jQuery.ready);\n\n} else {\n\n\t// Use the handy event callback\n\tdocument.addEventListener(\"DOMContentLoaded\", completed);\n\n\t// A fallback to window.onload, that will always work\n\twindow.addEventListener(\"load\", completed);\n}\n\n\n\n\n// Multifunctional method to get and set values of a collection\n// The value/s can optionally be executed if it's a function\nvar access = function(elems, fn, key, value, chainable, emptyGet, raw) {\n\tvar i = 0,\n\t\tlen = elems.length,\n\t\tbulk = key == null;\n\n\t// Sets many values\n\tif (toType(key) === \"object\") {\n\t\tchainable = true;\n\t\tfor (i in key) {\n\t\t\taccess(elems, fn, i, key[i], true, emptyGet, raw);\n\t\t}\n\n\t// Sets one value\n\t} else if (value !== undefined) {\n\t\tchainable = true;\n\n\t\tif (!isFunction(value)) {\n\t\t\traw = true;\n\t\t}\n\n\t\tif (bulk) {\n\n\t\t\t// Bulk operations run against the entire set\n\t\t\tif (raw) {\n\t\t\t\tfn.call(elems, value);\n\t\t\t\tfn = null;\n\n\t\t\t// ...except when executing function values\n\t\t\t} else {\n\t\t\t\tbulk = fn;\n\t\t\t\tfn = function(elem,

key, value) {\n\t\t\t\treturn bulk.call(jQuery(elem), value);\n\t\t\t};\n\t\t\t}\n\t\t}\n\n\t\tif (fn) {\n\t\t\tfor (; i < len; i++) {\n\t\t\t\tfn(\n\t\t\t\t\telems[i], key, raw ?\n\t\t\t\t\tvalue :\n\t\t\t\t\tvalue.call(elems[i], i, fn(elems[i], key))\n\t\t\t\t);\n\t\t\t}\n\t\t}\n\t}\n\n\tif (chainable) {\n\t\treturn elems;\n\t}\n\n\t// Gets\n\tif (bulk) {\n\t\treturn fn.call(elems);\n\t}\n\n\treturn len ? fn(elems[0], key) : emptyGet;\n};\n\n\n// Matches dashed string for camelizing\nvar rmsPrefix = /^-ms-/,\n\trdashAlpha = /-([a-z])/g;\n\n// Used by camelCase as callback to replace()\nfunction fcamelCase(all, letter) {\n\treturn letter.toUpperCase();\n}\n\n\n// Convert dashed to camelCase; used by the css and data modules\n\n// Support: IE <=9 - 11, Edge 12 - 15\n// Microsoft forgot to hump their vendor prefix (#9572)\nfunction camelCase(string) {\n\treturn string.replace(rmsPrefix, \"ms-\").replace(rdashAlpha, fcamelCase);\n}\nvar acceptData = function(owner) {\n\n\t// Accepts only:\n\t// - Node\n\t//   - Node.ELEMENT_NODE\n\t//   - Node.DOCUMENT_NODE\n\t// - Object\n\t//   - Any\n\treturn owner.nodeType === 1 || owner.nodeType === 9 || !(+owner.nodeType);\n};\n\n\n\nfunction Data() {\n\tthis.expando = jQuery.expando + Data.uid++;\n}\n\nData.uid = 1;\n\nData.prototype = {\n\n\tcache: function(owner) {\n\n\t\t// Check if the owner object already has a cache\n\t\tvar value = owner[this.expando];\n\n\t\t// If not, create one\n\t\tif (!value) {\n\t\t\tvalue = {};\n\n\t\t\t// We can accept data for non-element nodes in modern browsers,\n\t\t\t// but we should not, see #8335.\n\t\t\t// Always return an empty object.\n\t\t\tif (acceptData(owner)) {\n\n\t\t\t\t// If it is a node unlikely to be stringify-ed or looped over\n\t\t\t\t// use plain assignment\n\t\t\t\tif (owner.nodeType) {\n\t\t\t\t\towner[this.expando] = value;\n\n\t\t\t\t// Otherwise secure it in a non-enumerable property\n\t\t\t\t// configurable must be true to allow the property to be\n\t\t\t\t// deleted when data is removed\n\t\t\t\t} else {\n\t\t\t\t\tObject.defineProperty(owner, this.expando, {\n\t\t\t\t\t\tvalue: value,\n\t\t\t\t\t\tconfigurable: true\n\t\t\t\t\t});\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t\treturn value;\n\t},\n\tset: function(owner, data, value) {\n\t\tvar prop,\n\t\t\tcache = this.cache(owner);\n\n\t\t// Handle: [owner, key, value] args\n\t\t// Always use camelCase key (gh-2257)\n\t\tif (typeof data === \"string\") {\n\t\t\tcache[camelCase(data)] = value;\n\n\t\t// Handle: [owner, { properties }] args\n\t\t} else {\n\n\t\t\t// Copy the properties one-by-one to the cache object\n\t\t\tfor (prop in data) {\n\t\t\t\tcache[camelCase(prop)] = data[prop];\n\t\t\t}\n\t\t}\n\t\treturn cache;\n\t},\n\tget: function(owner, key) {\n\t\treturn key === undefined ?\n\t\t\tthis.cache(owner) :\n\n\t\t\t// Always use camelCase key (gh-2257)\n\t\t\towner[this.expando] && owner[this.expando][camelCase(key)];\n\t},\n\taccess: function(owner, key, value) {\n\n\t\t// In cases where either:\n\t\t//\n\t\t//   1. No key was specified\n\t\t//   2. A string key was specified, but no value provided\n\t\t//\n\t\t// Take the \"read\" path and allow the get method to determine\n\t\t// which value to return, respectively either:\n\t\t//\n\t\t//   1. The entire cache object\n\t\t//   2. The data stored at the key\n\t\t//\n\t\tif (key === undefined ||\n\t\t\t\t((key && typeof key === \"string\") && value === undefined)) {\n\n\t\t\treturn this.get(owner, key);\n\t\t}\n\n\t\t// When the key is not a string, or both a key and value\n\t\t// are specified, set or extend (existing objects) with either:\n\t\t//\n\t\t//   1. An object of properties\n\t\t//   2. A key and value\n\t\t//\n\t\tthis.set(owner, key, value);\n\n\t\t// Since the \"set\" path can have two possible entry points\n\t\t// return the expected data based on which path was taken[*]\n\t\treturn value !== undefined ? value : key;\n\t},\n\tremove: function(owner, key) {\n\t\tvar i,\n\t\t\tcache = owner[this.expando];\n\n\t\tif (cache === undefined) {\n\t\t\treturn;\n\t\t}\n\n\t\tif (key !== undefined) {\n\n\t\t\t// Support array or space separated string of keys\n\t\t\tif (Array.isArray(key)) {\n\n\t\t\t\t// If key is an array of keys...\n\t\t\t\t// We always set camelCase keys, so remove that.\n\t\t\t\tkey = key.map(camelCase);\n\t\t\t} else {\n\t\t\t\tkey = camelCase(key);\n\n\t\t\t\t// If a key with the spaces exists, use it.\n\t\t\t\t// Otherwise, create an array by matching non-whitespace\n\t\t\t\tkey = key in cache ?\n\t\t\t\t\t[key] :\n\t\t\t\t\t(key.match(rnothtmlwhite) || []);\n\t\t\t}\n\n\t\t\ti = key.length;\n\n\t\t\twhile (i--) {\n\t\t\t\tdelete cache[key[i]];\n\t\t\t}\n\t\t}\n\n\t\t// Remove the expando if there's no more data\n\t\tif (key === undefined || jQuery.isEmptyObject(cache)) {\n\n\t\t\t// Support: Chrome <=35 - 45\n\t\t\t// Webkit & Blink performance suffers when deleting properties\n\t\t\t// from DOM nodes, so set to undefined instead\n\t\t\t// https://bugs.chromium.org/p/chromium/issues/detail?id=378607 (bug restricted)\n\t\t\tif (owner.nodeType) {\n\t\t\t\towner[this.expando] = undefined;\n\t\t\t} else {\n\t\t\t\tdelete owner[this.expando];\n\t\t\t}\n\t\t}\n\t},\n\thasData: function(owner) {\n\t\tvar cache = owner[this.expando];\n\t\treturn cache !== undefined && !jQuery.isEmptyObject(cache);\n\t}\n};\nvar dataPriv = new Data();\n\nvar dataUser = new Data();\n\n\n\n//\tImplementation Summary\n//\n//\t1. Enforce API surface and semantic compatibility with 1.9.x

branch\n//\t2. Improve the module's maintainability by reducing the storage\n//\t\tpaths to a single mechanism.\n//\t3. Use the same single mechanism to support \"private\" and \"user\" data.\n//\t4. _Never_ expose \"private\" data to user code (TODO: Drop _data, _removeData)\n//\t5. Avoid exposing implementation details on user objects (eg. expando properties)\n//\t6. Provide a clear path for implementation upgrade to WeakMap in 2014\n\nvar rbrace = /^(?:\\{[\\w\\W]*\\}|\\[[\\w\\W]*\\])$/,\n\trmultiDash = /[A-Z]/g;\n\nfunction getData(data) {\n\tif (data === \"true\") {\n\t\treturn true;\n\t}\n\n\tif (data === \"false\") {\n\t\treturn false;\n\t}\n\n\tif (data === \"null\") {\n\t\treturn null;\n\t}\n\n\t// Only convert to a number if it doesn't change the string\n\tif (data === +data + \"\") {\n\t\treturn +data;\n\t}\n\n\tif (rbrace.test(data)) {\n\t\treturn JSON.parse(data);\n\t}\n\n\treturn data;\n}\n\nfunction dataAttr(elem, key, data) {\n\tvar name;\n\n\t// If nothing was found internally, try to fetch any\n\t// data from the HTML5 data-* attribute\n\tif (data === undefined && elem.nodeType === 1) {\n\t\tname = \"data-\" + key.replace(rmultiDash, \"-$&\").toLowerCase();\n\t\tdata = elem.getAttribute(name);\n\n\t\tif (typeof data === \"string\") {\n\t\t\ttry {\n\t\t\t\tdata = getData(data);\n\t\t\t} catch (e) {}\n\n\t\t\t// Make sure we set the data so it isn't changed later\n\t\t\tdataUser.set(elem, key, data);\n\t\t} else {\n\t\t\tdata = undefined;\n\t\t}\n\t}\n\treturn data;\n}\n\njQuery.extend({\n\thasData: function(elem) {\n\t\treturn dataUser.hasData(elem) || dataPriv.hasData(elem);\n\t},\n\n\tdata: function(elem, name, data) {\n\t\treturn dataUser.access(elem, name, data);\n\t},\n\n\tremoveData: function(elem, name) {\n\t\tdataUser.remove(elem, name);\n\t},\n\n\t// TODO: Now that all calls to _data and _removeData have been replaced\n\t// with direct calls to dataPriv methods, these can be deprecated.\n\t_data: function(elem, name, data) {\n\t\treturn dataPriv.access(elem, name, data);\n\t},\n\n\t_removeData: function(elem, name) {\n\t\tdataPriv.remove(elem, name);\n\t}\n});\n\njQuery.fn.extend({\n\tdata: function(key, value) {\n\t\tvar i, name, data,\n\t\telem = this[0],\n\t\tattrs = elem && elem.attributes;\n\n\t\t// Gets all values\n\t\tif (key === undefined) {\n\t\t\tif (this.length) {\n\t\t\t\tdata = dataUser.get(elem);\n\n\t\t\t\tif (elem.nodeType === 1 && !dataPriv.get(elem, \"hasDataAttrs\")) {\n\t\t\t\t\ti = attrs.length;\n\t\t\t\t\twhile (i--) {\n\n\t\t\t\t\t\t// Support: IE 11 only\n\t\t\t\t\t\t// The attrs elements can be null (#14894)\n\t\t\t\t\t\tif (attrs[i]) {\n\t\t\t\t\t\t\tname = attrs[i].name;\n\t\t\t\t\t\t\tif (name.indexOf(\"data-\") === 0) {\n\t\t\t\t\t\t\t\tname = camelCase(name.slice(5));\n\t\t\t\t\t\t\t\tdataAttr(elem, name, data[name]);\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t\tdataPriv.set(elem, \"hasDataAttrs\", true);\n\t\t\t\t}\n\t\t\t}\n\n\t\t\treturn data;\n\t\t}\n\n\t\t// Sets multiple values\n\t\tif (typeof key === \"object\") {\n\t\t\treturn this.each(function() {\n\t\t\t\tdataUser.set(this, key);\n\t\t\t});\n\t\t}\n\n\t\treturn access(this, function(value) {\n\t\t\tvar data;\n\n\t\t\t// The calling jQuery object (element matches) is not empty\n\t\t\t// (and therefore has an element appears at this[0]) and the\n\t\t\t// `value` parameter was not undefined. An empty jQuery object\n\t\t\t// will result in `undefined` for elem = this[0] which will\n\t\t\t// throw an exception if an attempt to read a data cache is made.\n\t\t\tif (elem && value === undefined) {\n\n\t\t\t\t// Attempt to get data from the cache\n\t\t\t\t// The key will always be camelCased in Data\n\t\t\t\tdata = dataUser.get(elem, key);\n\t\t\t\tif (data !== undefined) {\n\t\t\t\t\treturn data;\n\t\t\t\t}\n\n\t\t\t\t// Attempt to \"discover\" the data in\n\t\t\t\t// HTML5 custom data-* attrs\n\t\t\t\tdata = dataAttr(elem, key);\n\t\t\t\tif (data !== undefined) {\n\t\t\t\t\treturn data;\n\t\t\t\t}\n\n\t\t\t\t// We tried really hard, but the data doesn't exist.\n\t\t\t\treturn;\n\t\t\t}\n\n\t\t\t// Set the data...\n\t\t\tthis.each(function() {\n\n\t\t\t\t// We always store the camelCased key\n\t\t\t\tdataUser.set(this, key, value);\n\t\t\t});\n\t\t}, null, value, arguments.length > 1, null, true);\n\t},\n\n\tremoveData: function(key) {\n\t\treturn this.each(function() {\n\t\t\tdataUser.remove(this, key);\n\t\t});\n\t}\n});\n\njQuery.extend({\n\tqueue: function(elem, type, data) {\n\t\tvar queue;\n\n\t\tif (elem) {\n\t\t\ttype = (type || \"fx\") + \"queue\";\n\t\t\tqueue = dataPriv.get(elem, type);\n\n\t\t\t// Speed up dequeue by getting out quickly if this is just a lookup\n\t\t\tif (data) {\n\t\t\t\tif (!queue || Array.isArray(data)) {\n\t\t\t\t\tqueue = dataPriv.access(elem, type, jQuery.makeArray(data));\n\t\t\t\t} else {\n\t\t\t\t\tqueue.push(data);\n\t\t\t\t}\n\t\t\t}\n\t\t\treturn queue || [];\n\t\t}\n\t},\n\n\tdequeue: function(elem, type) {\n\t\ttype = type || \"fx\";\n\n\t\tvar queue = jQuery.queue(elem, type),\n\t\t\tstartLength = queue.length,\n\t\t\tfn = queue.shift(),\n\t\t\thooks = jQuery._queueHooks(elem, type),\n\t\t\tnext = function() {\n\t\t\t\tjQuery.dequeue(elem, type);\n\t\t\t};\n\n\t\t// If the fx queue is dequeued, always remove the progress sentinel\n\t\tif (fn === \"inprogress\") {\n\t\t\tfn = queue.shift();\n\t\t\tstartLength--;\n\t\t}\n\n\t\tif (fn) {\n\n\t\t\t// Add a progress sentinel to prevent the fx queue from being\n\t\t\t// automatically

dequeued\n\t\t\tif (type === \"fx\") {\n\t\t\t\tqueue.unshift(\"inprogress\");\n\t\t\t}\n\n\t\t\t// Clear up the last queue stop function\n\t\t\tdelete hooks.stop;\n\t\t\tfn.call(elem, next, hooks);\n\t\t\t}\n\n\t\tif (!startLength && hooks) {\n\t\t\thooks.empty.fire();\n\t\t}\n\t},\n\n\t// Not public - generate a queueHooks object, or return the current one\n\t_queueHooks: function(elem, type) {\n\t\tvar key = type + \"queueHooks\";\n\t\treturn dataPriv.get(elem, key) || dataPriv.access(elem, key, {\n\t\t\tempty: jQuery.Callbacks(\"once memory\").add(function() {\n\t\t\t\tdataPriv.remove(elem, [type + \"queue\", key]);\n\t\t\t})\n\t\t});\n\t}\n});\n\njQuery.fn.extend({\n\tqueue: function(type, data) {\n\t\tvar setter = 2;\n\n\t\tif (typeof type !== \"string\") {\n\t\t\tdata = type;\n\t\t\ttype = \"fx\";\n\t\t\tsetter--;\n\t\t}\n\n\t\tif (arguments.length < setter) {\n\t\t\treturn jQuery.queue(this[0], type);\n\t\t}\n\n\t\treturn data === undefined ?\n\t\t\tthis :\n\t\t\tthis.each(function() {\n\t\t\t\tvar queue = jQuery.queue(this, type, data);\n\n\t\t\t\t// Ensure a hooks for this queue\n\t\t\t\tjQuery._queueHooks(this, type);\n\n\t\t\t\tif (type === \"fx\" && queue[0] !== \"inprogress\") {\n\t\t\t\t\tjQuery.dequeue(this, type);\n\t\t\t\t}\n\t\t\t});\n\t},\n\tdequeue: function(type) {\n\t\treturn this.each(function() {\n\t\t\tjQuery.dequeue(this, type);\n\t\t});\n\t},\n\tclearQueue: function(type) {\n\t\treturn this.queue(type || \"fx\", []);\n\t},\n\n\t// Get a promise resolved when queues of a certain type\n\t// are emptied (fx is the type by default)\n\tpromise: function(type, obj) {\n\t\tvar tmp,\n\t\t\tcount = 1,\n\t\t\tdefer = jQuery.Deferred(),\n\t\t\telements = this,\n\t\t\ti = this.length,\n\t\t\tresolve = function() {\n\t\t\t\tif (!(--count)) {\n\t\t\t\t\tdefer.resolveWith(elements, [elements]);\n\t\t\t\t}\n\t\t\t};\n\n\t\tif (typeof type !== \"string\") {\n\t\t\tobj = type;\n\t\t\ttype = undefined;\n\t\t}\n\t\ttype = type || \"fx\";\n\n\t\twhile (i--) {\n\t\t\ttmp = dataPriv.get(elements[i], type + \"queueHooks\");\n\t\t\tif (tmp && tmp.empty) {\n\t\t\t\tcount++;\n\t\t\t\ttmp.empty.add(resolve);\n\t\t\t}\n\t\t}\n\t\tresolve();\n\t\treturn defer.promise(obj);\n\t}\n});\nvar pnum = (/[+-]?(?:\\d*\\.|)\\d+(?:[eE][+-]?\\d+|)/).source;\n\nvar rcssNum = new RegExp(\"^(?:([+-]=|)(\" + pnum + \")([a-z%]*)$\", \"i\");\n\n\nvar cssExpand = [\"Top\", \"Right\", \"Bottom\", \"Left\"];\n\nvar isHiddenWithinTree = function(elem, el) {\n\n\t\t// isHiddenWithinTree might be called from jQuery#filter function;\n\t\t// in that case, element will be second argument\n\t\telem = el || elem;\n\n\t\t// Inline style trumps all\n\t\treturn elem.style.display === \"none\" ||\n\t\t\telem.style.display === \"\" &&\n\n\t\t\t// Otherwise, check computed style\n\t\t\t// Support: Firefox <=43 - 45\n\t\t\t// Disconnected elements can have computed display: none, so first confirm that elem is\n\t\t\t// in the document.\n\t\t\tjQuery.contains(elem.ownerDocument, elem) &&\n\n\t\t\tjQuery.css(elem, \"display\") === \"none\";\n\t};\n\nvar swap = function(elem, options, callback, args) {\n\tvar ret, name,\n\t\told = {};\n\n\t// Remember the old values, and insert the new ones\n\tfor (name in options) {\n\t\told[name] = elem.style[name];\n\t\telem.style[name] = options[name];\n\t}\n\n\tret = callback.apply(elem, args || []);\n\n\t// Revert the old values\n\tfor (name in options) {\n\t\telem.style[name] = old[name];\n\t}\n\n\treturn ret;\n};\n\n\n\nfunction adjustCSS(elem, prop, valueParts, tween) {\n\tvar adjusted, scale,\n\t\tmaxIterations = 20,\n\t\tcurrentValue = tween ?\n\t\t\tfunction() {\n\t\t\t\treturn tween.cur();\n\t\t\t} :\n\t\t\tfunction() {\n\t\t\t\treturn jQuery.css(elem, prop, \"\");\n\t\t\t},\n\t\tinitial = currentValue(),\n\t\tunit = valueParts && valueParts[3] || (jQuery.cssNumber[prop] ? \"\" : \"px\"),\n\n\t\t// Starting value computation is required for potential unit mismatches\n\t\tinitialInUnit = (jQuery.cssNumber[prop] || unit !== \"px\" && +initial) &&\n\t\t\trcssNum.exec(jQuery.css(elem, prop));\n\n\tif (initialInUnit && initialInUnit[3] !== unit) {\n\n\t\t// Support: Firefox <=54\n\t\t// Halve the iteration target value to prevent interference from CSS upper bounds (gh-2144)\n\t\tinitial = initial / 2;\n\n\t\t// Trust units reported by jQuery.css\n\t\tunit = unit || initialInUnit[3];\n\n\t\t// Iteratively approximate from a nonzero starting point\n\t\tinitialInUnit = +initial || 1;\n\n\t\twhile (maxIterations--) {\n\n\t\t\t// Evaluate and update our best guess (doubling guesses that zero out).\n\t\t\t// Finish if the scale equals or crosses 1 (making the old*new product non-positive).\n\t\t\tjQuery.style(elem, prop, initialInUnit + unit);\n\t\t\tif ((1 - scale) * (1 - (scale = currentValue() / initial || 0.5)) <= 0) {\n\t\t\t\tmaxIterations = 0;\n\t\t\t}\n\t\t\tinitialInUnit = initialInUnit / scale;\n\n\t\t}\n\n\t\tinitialInUnit = initialInUnit * 2;\n\t\tjQuery.style(elem, prop, initialInUnit + unit);\n\n\t\t// Make sure we update the tween properties later on\n\t\tvalueParts = valueParts || [];\n\t}\n\n\tif (valueParts) {\n\t\tinitialInUnit = +initialInUnit || +initial || 0;\n\n\t\t// Apply relative offset (+=/-=) if specified\n\t\tadjusted = valueParts[1] ?\n\t\t\tinitialInUnit + (valueParts[1] + 1) * valueParts[2] :\n\t\t\t+valueParts[2];\n\t\tif (tween) {\n\t\t\ttween.unit = unit;\n\t\t\ttween.start = initialInUnit;\n\t\t\ttween.end = adjusted;\n\t\t}\n\t}\n\treturn adjusted;\n}\n\n\nvar defaultDisplayMap = {};\n\nfunction getDefaultDisplay(elem

) {\n\tvar temp,\n\t\tdoc = elem.ownerDocument,\n\t\tnodeName = elem.nodeName,\n\t\tdisplay = defaultDisplayMap[nodeName];\n\n\tif (display) {\n\t\treturn display;\n\t}\n\n\ttemp = doc.body.appendChild(doc.createElement(nodeName));\n\tdisplay = jQuery.css(temp, \"display\");\n\n\ttemp.parentNode.removeChild(temp);\n\n\tif (display === \"none\") {\n\t\tdisplay = \"block\";\n\t}\n\tdefaultDisplayMap[nodeName] = display;\n\n\treturn display;\n}\n\nfunction showHide(elements, show) {\n\tvar display, elem,\n\t\tvalues = [],\n\t\tindex = 0,\n\t\tlength = elements.length;\n\n\t// Determine new display value for elements that need to change\n\tfor (; index < length; index++) {\n\t\telem = elements[index];\n\t\tif (!elem.style) {\n\t\t\tcontinue;\n\t\t}\n\n\t\tdisplay = elem.style.display;\n\t\tif (show) {\n\n\t\t\t// Since we force visibility upon cascade-hidden elements, an immediate (and slow)\n\t\t\t// check is required in this first loop unless we have a nonempty display value (either\n\t\t\t// inline or about-to-be-restored)\n\t\t\tif (display === \"none\") {\n\t\t\t\tvalues[index] = dataPriv.get(elem, \"display\") || null;\n\t\t\t\tif (!values[index]) {\n\t\t\t\t\telem.style.display = \"\";\n\t\t\t\t}\n\t\t\t}\n\t\t\tif (elem.style.display === \"\" && isHiddenWithinTree(elem)) {\n\t\t\t\tvalues[index] = getDefaultDisplay(elem);\n\t\t\t}\n\t\t} else {\n\t\t\tif (display !== \"none\") {\n\t\t\t\tvalues[index] = \"none\";\n\n\t\t\t\t// Remember what we're overwriting\n\t\t\t\tdataPriv.set(elem, \"display\", display);\n\t\t\t}\n\t\t}\n\t}\n\n\t// Set the display of the elements in a second loop to avoid constant reflow\n\tfor (index = 0; index < length; index++) {\n\t\tif (values[index] != null) {\n\t\t\telements[index].style.display = values[index];\n\t\t}\n\t}\n\n\treturn elements;\n}\n\njQuery.fn.extend({\n\tshow: function() {\n\t\treturn showHide(this, true);\n\t},\n\thide: function() {\n\t\treturn showHide(this);\n\t},\n\ttoggle: function(state) {\n\t\tif (typeof state === \"boolean\") {\n\t\t\treturn state ? this.show() : this.hide();\n\t\t}\n\n\t\treturn this.each(function() {\n\t\t\tif (isHiddenWithinTree(this)) {\n\t\t\t\tjQuery(this).show();\n\t\t\t} else {\n\t\t\t\tjQuery(this).hide();\n\t\t\t}\n\t\t});\n\t}\n});\nvar rcheckableType = (/^(?:checkbox|radio)$/i);\nvar rtagName = (/<([a-z][^\\/\\0>\\x20\\t\\r\\n\\f]+)/i);\nvar rscriptType = (/^$|^module$|\\/(?:java|ecma)script/i);\n\n\n// We have to close these tags to support XHTML (#13200)\nvar wrapMap = {\n\n\t// Support: IE <=9 only\n\toption: [1, \"<select multiple='multiple'>\", \"</select>\"],\n\n\t// XHTML parsers do not magically insert elements in the\n\t// same way that tag soup parsers do. So we cannot shorten\n\t// this by omitting <tbody> or other required elements.\n\tthead: [1, \"<table>\", \"</table>\"],\n\tcol: [2, \"<table><colgroup>\", \"</colgroup></table>\"],\n\ttr: [2, \"<table><tbody>\", \"</tbody></table>\"],\n\ttd: [3, \"<table><tbody><tr>\", \"</tr></tbody></table>\"],\n\n\t_default: [0, \"\", \"\"]\n};\n\n// Support: IE <=9 only\nwrapMap.optgroup = wrapMap.option;\n\nwrapMap.tbody = wrapMap.tfoot = wrapMap.colgroup = wrapMap.caption = wrapMap.thead;\nwrapMap.th = wrapMap.td;\n\nfunction getAll(context, tag) {\n\n\t// Support: IE <=9 - 11 only\n\t// Use typeof to avoid zero-argument method invocation on host objects (#15151)\n\tvar ret;\n\n\tif (typeof context.getElementsByTagName !== \"undefined\") {\n\t\tret = context.getElementsByTagName(tag || \"*\");\n\n\t} else if (typeof context.querySelectorAll !== \"undefined\") {\n\t\tret = context.querySelectorAll(tag || \"*\");\n\n\t} else {\n\t\tret = [];\n\t}\n\n\tif (tag === undefined || tag && nodeName(context, tag)) {\n\t\treturn jQuery.merge([context], ret);\n\t}\n\n\treturn ret;\n}\n\n\n// Mark scripts as having already been evaluated\nfunction setGlobalEval(elems, refElements) {\n\tvar i = 0,\n\t\tl = elems.length;\n\n\tfor (; i < l; i++) {\n\t\tdataPriv.set(\n\t\t\telems[i],\n\t\t\t\"globalEval\",\n\t\t\t!refElements || dataPriv.get(refElements[i], \"globalEval\")\n\t\t);\n\t}\n}\n\n\nvar rhtml = /<|&#?\\w+;/;\n\nfunction buildFragment(elems, context, scripts, selection, ignored) {\n\tvar elem, tmp, tag, wrap, contains, j,\n\t\tfragment = context.createDocumentFragment(),\n\t\tnodes = [],\n\t\ti = 0,\n\t\tl = elems.length;\n\n\tfor (; i < l; i++) {\n\t\telem = elems[i];\n\n\t\tif (elem || elem === 0) {\n\n\t\t\t// Add nodes directly\n\t\t\tif (toType(elem) === \"object\") {\n\n\t\t\t\t// Support: Android <=4.0 only, PhantomJS 1 only\n\t\t\t\t// push.apply(_, arraylike) throws on ancient WebKit\n\t\t\t\tjQuery.merge(nodes, elem.nodeType ? [elem] : elem);\n\n\t\t\t\t// Convert non-html into a text node\n\t\t\t} else if (!rhtml.test(elem)) {\n\t\t\t\tnodes.push(context.createTextNode(elem));\n\n\t\t\t\t// Convert html into DOM nodes\n\t\t\t} else {\n\t\t\t\ttmp = tmp || fragment.appendChild(context.createElement(\"div\"));\n\n\t\t\t\t// Deserialize a standard representation\n\t\t\t\ttag = (rtagName.exec(elem) || [\"\", \"\"])[1].toLowerCase();\n\t\t\t\twrap = wrapMap[tag] || wrapMap._default;\n\t\t\t\ttmp.innerHTML = wrap[1] + jQuery.htmlPrefilter(elem) + wrap[2];\n\n\t\t\t\t// Descend through wrappers to the right content\n\t\t\t\tj = wrap[

0];\n\t\t\twhile (j--) {\n\t\t\t\ttmp = tmp.lastChild;\n\t\t\t}\n\n\t\t\t\t// Support: Android <=4.0 only, PhantomJS
1 only\n\t\t\t\t// push.apply(_, arraylike) throws on ancient WebKit\n\t\t\t\tjQuery.merge(nodes, tmp.childNodes
);\n\n\t\t\t\t// Remember the top-level container\n\t\t\t\ttmp = fragment.firstChild;\n\n\t\t\t\t// Ensure the created
nodes are orphaned (#12392)\n\t\t\ttmp.textContent = \"\";\n\t\t\t}\n\t\t}\n\t}\n\n\t// Remove wrapper from
fragment\n\tfragment.textContent = \"\";\n\n\ti = 0;\n\twhile ((elem = nodes[i++])) {\n\n\t\t// Skip elements
already in the context collection (trac-4087)\n\t\tif (selection && jQuery.inArray(elem, selection) > -1) {\n\t\t\tif (
ignored) {\n\t\t\t\tignored.push(elem);\n\t\t\t}\n\t\t\tcontinue;\n\t\t}\n\n\t\tcontains = jQuery.contains(
elem.ownerDocument, elem);\n\n\t\t// Append to fragment\n\t\ttmp = getAll(fragment.appendChild(elem),
\"script\");\n\n\t\t// Preserve script evaluation history\n\t\tif (contains) {\n\t\t\tsetGlobalEval(tmp);\n\t\t}\n\n\t\t//
Capture executables\n\t\tif (scripts) {\n\t\t\tj = 0;\n\t\t\twhile ((elem = tmp[j++])) {\n\t\t\t\tif (rscriptType.test(
elem.type || \"\")) {\n\t\t\t\t\tscripts.push(elem);\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t}\n\n\treturn fragment;\n}\n\n\n\n(
function() {\n\tvar fragment = document.createDocumentFragment(),\n\t\tdiv = fragment.appendChild(
document.createElement(\"div\")),\n\t\tinput = document.createElement(\"input\");\n\n\t// Support: Android 4.0 -
4.3 only\n\t// Check state lost if the name is set (#11217)\n\t// Support: Windows Web Apps (WWA)\n\t// `name`
and `type` must use .setAttribute for WWA (#14901)\n\tinput.setAttribute(\"type\", \"radio\");\n\tinput.setAttribute(
\"checked\", \"checked\");\n\tinput.setAttribute(\"name\", \"t\");\n\tdiv.appendChild(input);\n\n\t// Support:
Android <=4.1 only\n\t// Older WebKit doesn't clone checked state correctly in fragments\n\tsupport.checkClone =
div.cloneNode(true).cloneNode(true).lastChild.checked;\n\n\t// Support: IE <=11 only\n\t// Make sure textarea
(and checkbox) defaultValue is properly cloned\n\tdiv.innerHTML =
\"<textarea>x</textarea>\";\n\tsupport.noCloneChecked = !!div.cloneNode(true).lastChild.defaultValue;\n}
)();\n\nvar documentElement = document.documentElement;\n\n\n\nvar\n\trkeyEvent = /^key/,\n\trmouseEvent =
/^(?:mouse|pointer|contextmenu|drag|drop)|click/,\n\trtypenamespace = /^([^.]*)(?:\\.(.+)|)/;\n\nfunction returnTrue()
{\n\treturn true;\n}\n\nfunction returnFalse() {\n\treturn false;\n}\n\n// Support: IE <=9 only\n// See #13393 for
more info\nfunction safeActiveElement() {\n\ttry {\n\t\treturn document.activeElement;\n\t} catch (err) {
}\n}\n\nfunction on(elem, types, selector, data, fn, one) {\n\tvar origFn, type;\n\n\t// Types can be a map of
types/handlers\n\tif (typeof types === \"object\") {\n\n\t\t// (types-Object, selector, data)\n\t\tif (typeof selector
!== \"string\") {\n\n\t\t\t// (types-Object, data)\n\t\t\tdata = data || selector;\n\t\t\tselector = undefined;\n\t\t}\n\t\tfor
(type in types) {\n\t\t\ton(elem, type, selector, data, types[type], one);\n\t\t}\n\t\treturn elem;\n\t}\n\n\tif (data
== null && fn == null) {\n\n\t\t// (types, fn)\n\t\tfn = selector;\n\t\tdata = selector = undefined;\n\t} else if (fn ==
null) {\n\t\tif (typeof selector === \"string\") {\n\n\t\t\t// (types, selector, fn)\n\t\t\tfn = data;\n\t\t\tdata =
undefined;\n\t\t} else {\n\n\t\t\t// (types, data, fn)\n\t\t\tfn = data;\n\t\t\tdata = selector;\n\t\t\tselector =
undefined;\n\t\t}\n\t}\n\tif (fn === false) {\n\t\tfn = returnFalse;\n\t} else if (!fn) {\n\t\treturn elem;\n\t}\n\n\tif (
one === 1) {\n\t\torigFn = fn;\n\t\tfn = function(event) {\n\n\t\t\t// Can use an empty set, since event contains the
info\n\t\t\tjQuery().off(event);\n\t\t\treturn origFn.apply(this, arguments);\n\t\t};\n\n\t\t// Use same guid so caller
can remove using origFn\n\t\tfn.guid = origFn.guid || (origFn.guid = jQuery.guid++);\n\t}\n\treturn elem.each(
function() {\n\t\tjQuery.event.add(this, types, fn, data, selector);\n\t});\n}\n\n/*\n * Helper functions for managing
events -- not part of the public interface.\n * Props to Dean Edwards' addEvent library for many of the ideas.\n
*/\njQuery.event = {\n\n\tglobal: {},\n\n\tadd: function(elem, types, handler, data, selector) {\n\n\t\tvar
handleObjIn, eventHandle, tmp,\n\t\t\tevents, t, handleObj,\n\t\t\tspecial, handlers, type, namespaces,
origType,\n\t\t\telemData = dataPriv.get(elem);\n\n\t\t// Don't attach events to noData or text/comment nodes (but
allow plain objects)\n\t\tif (!elemData) {\n\t\t\treturn;\n\t\t}\n\n\t\t// Caller can pass in an object of custom data in
lieu of the handler\n\t\tif (handler.handler) {\n\t\t\thandleObjIn = handler;\n\t\t\thandler =
handleObjIn.handler;\n\t\t\tselector = handleObjIn.selector;\n\t\t}\n\n\t\t// Ensure that invalid selectors throw
exceptions at attach time\n\t\t// Evaluate against documentElement in case elem is a non-element node (e.g.,
document)\n\t\tif (selector) {\n\t\t\tjQuery.find.matchesSelector(documentElement, selector);\n\t\t}\n\n\t\t// Make
sure that the handler has a unique ID, used to find/remove it later\n\t\tif (!handler.guid) {\n\t\t\thandler.guid =
jQuery.guid++;\n\t\t}\n\n\t\t// Init the element's event structure and main handler, if this is the first\n\t\tif (!(events
= elemData.events)) {\n\t\t\tevents = elemData.events = {};\n\t\t}\n\t\tif (!(eventHandle = elemData.handle))

{\n\t\t\teventHandle = elemData.handle = function(e) {\n\n\t\t\t\t// Discard the second event of a jQuery.event.trigger() and\n\t\t\t\t// when an event is called after a page has unloaded\n\t\t\t\treturn typeof jQuery !== \"undefined\" && jQuery.event.triggered !== e.type ?\n\t\t\t\tjQuery.event.dispatch.apply(elem, arguments) : undefined;\n\t\t\t};\n\t\t}\n\n\t\t// Handle multiple events separated by a space\n\t\ttypes = (types || \"\").match(rnothtmlwhite) || [\"\"];\n\t\tt = types.length;\n\t\twhile (t--) {\n\t\t\ttmp = rtypenamespace.exec(types[t]) || [];\n\t\t\ttype = origType = tmp[1];\n\t\t\tnamespaces = (tmp[2] || \"\").split(\".\").sort();\n\n\t\t\t// There *must* be a type, no attaching namespace-only handlers\n\t\t\tif (!type) {\n\t\t\t\tcontinue;\n\t\t\t}\n\n\t\t\t// If event changes its type, use the special event handlers for the changed type\n\t\t\tspecial = jQuery.event.special[type] || {};\n\n\t\t\t// If selector defined, determine special event api type, otherwise given type\n\t\t\ttype = (selector ? special.delegateType : special.bindType) || type;\n\n\t\t\t// Update special based on newly reset type\n\t\t\tspecial = jQuery.event.special[type] || {};\n\n\t\t\t// handleObj is passed to all event handlers\n\t\t\thandleObj = jQuery.extend({\n\t\t\t\ttype: type,\n\t\t\t\torigType: origType,\n\t\t\t\tdata: data,\n\t\t\t\thandler: handler,\n\t\t\t\tguid: handler.guid,\n\t\t\t\tselector: selector,\n\t\t\t\tneedsContext: selector && jQuery.expr.match.needsContext.test(selector),\n\t\t\t\tnamespace: namespaces.join(\".\")\n\t\t\t}, handleObjIn);\n\n\t\t\t// Init the event handler queue if we're the first\n\t\t\tif (!(handlers = events[type])) {\n\t\t\t\thandlers = events[type] = [];\n\t\t\t\thandlers.delegateCount = 0;\n\n\t\t\t\t// Only use addEventListener if the special events handler returns false\n\t\t\t\tif (!special.setup ||\n\t\t\t\t\tspecial.setup.call(elem, data, namespaces, eventHandle) === false) {\n\n\t\t\t\t\tif (elem.addEventListener) {\n\t\t\t\t\t\telem.addEventListener(type, eventHandle);\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\n\t\t\tif (special.add) {\n\t\t\t\tspecial.add.call(elem, handleObj);\n\n\t\t\t\tif (!handleObj.handler.guid) {\n\t\t\t\t\thandleObj.handler.guid = handler.guid;\n\t\t\t\t}\n\t\t\t}\n\n\t\t\t// Add to the element's handler list, delegates in front\n\t\t\tif (selector) {\n\t\t\t\thandlers.splice(handlers.delegateCount++, 0, handleObj);\n\t\t\t} else {\n\t\t\t\thandlers.push(handleObj);\n\t\t\t}\n\n\t\t\t// Keep track of which events have ever been used, for event optimization\n\t\t\tjQuery.event.global[type] = true;\n\t\t}\n\n\t},\n\n\t// Detach an event or set of events from an element\n\tremove: function(elem, types, handler, selector, mappedTypes) {\n\n\t\tvar j, origCount, tmp,\n\t\t\tevents, t, handleObj,\n\t\t\tspecial, handlers, type, namespaces, origType,\n\t\t\telemData = dataPriv.hasData(elem) && dataPriv.get(elem);\n\n\t\tif (!elemData || !(events = elemData.events)) {\n\t\t\treturn;\n\t\t}\n\n\t\t// Once for each type.namespace in types; type may be omitted\n\t\ttypes = (types || \"\").match(rnothtmlwhite) || [\"\"];\n\t\tt = types.length;\n\t\twhile (t--) {\n\t\t\ttmp = rtypenamespace.exec(types[t]) || [];\n\t\t\ttype = origType = tmp[1];\n\t\t\tnamespaces = (tmp[2] || \"\").split(\".\").sort();\n\n\t\t\t// Unbind all events (on this namespace, if provided) for the element\n\t\t\tif (!type) {\n\t\t\t\tfor (type in events) {\n\t\t\t\t\tjQuery.event.remove(elem, type + types[t], handler, selector, true);\n\t\t\t\t}\n\t\t\t\tcontinue;\n\t\t\t}\n\n\t\t\tspecial = jQuery.event.special[type] || {};\n\t\t\ttype = (selector ? special.delegateType : special.bindType) || type;\n\t\t\thandlers = events[type] || [];\n\t\t\ttmp = tmp[2] &&\n\t\t\t\tnew RegExp(\"(^|\\\\.)\" + namespaces.join(\"\\\\.(?:.*\\\\.|)\") + \"(\\\\.|$)\");\n\n\t\t\t// Remove matching events\n\t\t\torigCount = j = handlers.length;\n\t\t\twhile (j--) {\n\t\t\t\thandleObj = handlers[j];\n\n\t\t\t\tif ((mappedTypes || origType === handleObj.origType) &&\n\t\t\t\t\t(!handler || handler.guid === handleObj.guid) &&\n\t\t\t\t\t(!tmp || tmp.test(handleObj.namespace)) &&\n\t\t\t\t\t(!selector || selector === handleObj.selector ||\n\t\t\t\t\t\tselector === \"**\" && handleObj.selector)) {\n\t\t\t\t\thandlers.splice(j, 1);\n\n\t\t\t\t\tif (handleObj.selector) {\n\t\t\t\t\t\thandlers.delegateCount--;\n\t\t\t\t\t}\n\t\t\t\t\tif (special.remove) {\n\t\t\t\t\t\tspecial.remove.call(elem, handleObj);\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\n\t\t\t// Remove generic event handler if we removed something and no more handlers exist\n\t\t\t// (avoids potential for endless recursion during removal of special event handlers)\n\t\t\tif (origCount && !handlers.length) {\n\t\t\t\tif (!special.teardown ||\n\t\t\t\t\tspecial.teardown.call(elem, namespaces, elemData.handle) === false) {\n\n\t\t\t\t\tjQuery.removeEvent(elem, type, elemData.handle);\n\t\t\t\t}\n\n\t\t\t\tdelete events[type];\n\t\t\t}\n\t\t}\n\n\t\t// Remove data and the expando if it's no longer used\n\t\tif (jQuery.isEmptyObject(events)) {\n\t\t\tdataPriv.remove(elem, \"handle events\");\n\t\t}\n\t},\n\n\tdispatch: function(nativeEvent) {\n\n\t\t// Make a writable jQuery.Event from the native event object\n\t\tvar event = jQuery.event.fix(nativeEvent);\n\n\t\tvar i, j, ret, matched, handleObj, handlerQueue,\n\t\t\targs = new Array(arguments.length),\n\t\t\thandlers = (dataPriv.get(this, \"events\") || {})[

event.type] || [],\n\t\t\tspecial = jQuery.event.special[event.type] || { };\n\n\t\t\t// Use the fix-ed jQuery.Event rather than the (read-only) native event\n\t\targs[0] = event;\n\n\t\tfor (i = 1; i < arguments.length; i++) {\n\t\t\targs[i] = arguments[i];\n\t\t}\n\n\t\tevent.delegateTarget = this;\n\n\t\t// Call the preDispatch hook for the mapped type, and let it bail if desired\n\t\tif (special.preDispatch && special.preDispatch.call(this, event) === false) {\n\t\t\treturn;\n\t\t}\n\n\t\t// Determine handlers\n\t\thandlerQueue = jQuery.event.handlers.call(this, event, handlers);\n\t\t// Run delegates first; they may want to stop propagation beneath us\n\t\ti = 0;\n\t\twhile ((matched = handlerQueue[i++]) && !event.isPropagationStopped()) {\n\t\t\tevent.currentTarget = matched.elem;\n\n\t\t\tj = 0;\n\t\t\twhile ((handleObj = matched.handlers[j++]) &&\n\t\t\t\t!event.isImmediatePropagationStopped()) {\n\n\t\t\t\t// Triggered event must either 1) have no namespace, or 2) have namespace(s)\n\t\t\t\t// a subset or equal to those in the bound event (both can have no namespace).\n\t\t\t\tif (!event.rnamespace || event.rnamespace.test(handleObj.namespace)) {\n\n\t\t\t\t\tevent.handleObj = handleObj;\n\t\t\t\t\tevent.data = handleObj.data;\n\n\t\t\t\t\tret = ((jQuery.event.special[handleObj.origType] || { }).handle ||\n\t\t\t\t\t\thandleObj.handler).apply(matched.elem, args);\n\n\t\t\t\t\tif (ret !== undefined) {\n\t\t\t\t\t\tif ((event.result = ret) === false) {\n\t\t\t\t\t\t\tevent.preventDefault();\n\t\t\t\t\t\t\tevent.stopPropagation();\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t\t// Call the postDispatch hook for the mapped type\n\t\tif (special.postDispatch) {\n\t\t\tspecial.postDispatch.call(this, event);\n\t\t}\n\n\t\treturn event.result;\n\t},\n\n\thandlers: function(event, handlers) {\n\t\tvar i, handleObj, sel, matchedHandlers, matchedSelectors,\n\t\t\thandlerQueue = [],\n\t\t\tdelegateCount = handlers.delegateCount,\n\t\t\tcur = event.target;\n\n\t\t// Find delegate handlers\n\t\tif (delegateCount &&\n\n\t\t\t// Support: IE <=9\n\t\t\t// Black-hole SVG <use> instance trees (trac-13180)\n\t\t\tcur.nodeType &&\n\n\t\t\t// Support: Firefox <=42\n\t\t\t// Suppress spec-violating clicks indicating a non-primary pointer button (trac-3861)\n\t\t\t// https://www.w3.org/TR/DOM-Level-3-Events/#event-type-click\n\t\t\t// Support: IE 11 only\n\t\t\t// ...but not arrow key \"clicks\" of radio inputs, which can have `button` -1 (gh-2343)\n\t\t\t!(event.type === \"click\" && event.button >= 1)) {\n\n\t\t\tfor (; cur !== this; cur = cur.parentNode || this) {\n\n\t\t\t\t// Don't check non-elements (#13208)\n\t\t\t\t// Don't process clicks on disabled elements (#6911, #8165, #11382, #11764)\n\t\t\t\tif (cur.nodeType === 1 && !(event.type === \"click\" && cur.disabled === true)) {\n\t\t\t\t\tmatchedHandlers = [];\n\t\t\t\t\tmatchedSelectors = { };\n\t\t\t\t\tfor (i = 0; i < delegateCount; i++) {\n\t\t\t\t\t\thandleObj = handlers[i];\n\n\t\t\t\t\t\t// Don't conflict with Object.prototype properties (#13203)\n\t\t\t\t\t\tsel = handleObj.selector + \" \";\n\n\t\t\t\t\t\tif (matchedSelectors[sel] === undefined) {\n\t\t\t\t\t\t\tmatchedSelectors[sel] = handleObj.needsContext ?\n\t\t\t\t\t\t\t\tjQuery(sel, this).index(cur) > -1 :\n\t\t\t\t\t\t\t\tjQuery.find(sel, this, null, [cur]).length;\n\t\t\t\t\t\t}\n\t\t\t\t\t\tif (matchedSelectors[sel]) {\n\t\t\t\t\t\t\tmatchedHandlers.push(handleObj);\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t\tif (matchedHandlers.length) {\n\t\t\t\t\t\thandlerQueue.push({ elem: cur, handlers: matchedHandlers });\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t\t// Add the remaining (directly-bound) handlers\n\t\tcur = this;\n\t\tif (delegateCount < handlers.length) {\n\t\t\thandlerQueue.push({ elem: cur, handlers: handlers.slice(delegateCount) });\n\t\t}\n\n\t\treturn handlerQueue;\n\t},\n\n\taddProp: function(name, hook) {\n\t\tObject.defineProperty(jQuery.Event.prototype, name, {\n\t\t\tenumerable: true,\n\t\t\tconfigurable: true,\n\n\t\t\tget: isFunction(hook) ?\n\t\t\t\tfunction() {\n\t\t\t\t\tif (this.originalEvent) {\n\t\t\t\t\t\t\treturn hook(this.originalEvent);\n\t\t\t\t\t}\n\t\t\t\t} :\n\t\t\t\tfunction() {\n\t\t\t\t\tif (this.originalEvent) {\n\t\t\t\t\t\t\treturn this.originalEvent[name];\n\t\t\t\t\t}\n\t\t\t\t},\n\n\t\t\tset: function(value) {\n\t\t\t\tObject.defineProperty(this, name, {\n\t\t\t\t\tenumerable: true,\n\t\t\t\t\tconfigurable: true,\n\t\t\t\t\twritable: true,\n\t\t\t\t\tvalue: value\n\t\t\t\t});\n\t\t\t}\n\t\t});\n\t},\n\n\tfix: function(originalEvent) {\n\t\treturn originalEvent[jQuery.expando] ?\n\t\t\toriginalEvent :\n\t\t\tnew jQuery.Event(originalEvent);\n\t},\n\n\tspecial: {\n\t\tload: {\n\n\t\t\t// Prevent triggered image.load events from bubbling to window.load\n\t\t\tnoBubble: true\n\t\t},\n\t\tfocus: {\n\n\t\t\t// Fire native event if possible so blur/focus sequence is correct\n\t\t\ttrigger: function() {\n\t\t\t\tif (this !== safeActiveElement() && this.focus) {\n\t\t\t\t\tthis.focus();\n\t\t\t\t\treturn false;\n\t\t\t\t}\n\t\t\t},\n\t\t\tdelegateType: \"focusin\"\n\t\t},\n\t\tblur: {\n\t\t\ttrigger: function() {\n\t\t\t\tif (this === safeActiveElement() && this.blur) {\n\t\t\t\t\tthis.blur();\n\t\t\t\t\treturn false;\n\t\t\t\t}\n\t\t\t},\n\t\t\tdelegateType: \"focusout\"\n\t\t},\n\t\tclick:

{\n\n\t\t\t// For checkbox, fire native event so checked state will be right\n\t\t\ttrigger: function() {\n\t\t\t\tif (this.type === \"checkbox\" && this.click && nodeName(this, \"input\")) {\n\t\t\t\t\tthis.click();\n\t\t\t\t\treturn false;\n\t\t\t\t}\n\t\t\t},\n\n\t\t\t// For cross-browser consistency, don't fire native .click() on links\n\t\t\t_default: function(event) {\n\t\t\t\treturn nodeName(event.target, \"a\");\n\t\t\t}\n\t\t},\n\n\t\tbeforeunload: {\n\t\t\tpostDispatch: function(event) {\n\n\t\t\t\t// Support: Firefox 20+\n\t\t\t\t// Firefox doesn't alert if the returnValue field is not set.\n\t\t\t\tif (event.result !== undefined && event.originalEvent) {\n\t\t\t\t\tevent.originalEvent.returnValue = event.result;\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t}\n};\n\njQuery.removeEvent = function(elem, type, handle) {\n\n\t// This \"if\" is needed for plain objects\n\tif (elem.removeEventListener) {\n\t\telem.removeEventListener(type, handle);\n\t}\n};\n\njQuery.Event = function(src, props) {\n\n\t// Allow instantiation without the 'new' keyword\n\tif (!(this instanceof jQuery.Event)) {\n\t\treturn new jQuery.Event(src, props);\n\t}\n\n\t// Event object\n\tif (src && src.type) {\n\t\tthis.originalEvent = src;\n\t\tthis.type = src.type;\n\n\t\t// Events bubbling up the document may have been marked as prevented\n\t\t// by a handler lower down the tree; reflect the correct value.\n\t\tthis.isDefaultPrevented = src.defaultPrevented ||\n\t\t\t\tsrc.defaultPrevented === undefined &&\n\n\t\t\t\t// Support: Android <=2.3 only\n\t\t\t\tsrc.returnValue === false ?\n\t\t\treturnTrue :\n\t\t\treturnFalse;\n\n\t\t// Create target properties\n\t\t// Support: Safari <=6 - 7 only\n\t\t// Target should not be a text node (#504, #13143)\n\t\tthis.target = (src.target && src.target.nodeType === 3) ?\n\t\t\tsrc.target.parentNode :\n\t\t\tsrc.target;\n\n\t\tthis.currentTarget = src.currentTarget;\n\t\tthis.relatedTarget = src.relatedTarget;\n\n\t// Event type\n\t} else {\n\t\tthis.type = src;\n\t}\n\n\t// Put explicitly provided properties onto the event object\n\tif (props) {\n\t\tjQuery.extend(this, props);\n\t}\n\n\t// Create a timestamp if incoming event doesn't have one\n\tthis.timeStamp = src && src.timeStamp || Date.now();\n\n\t// Mark it as fixed\n\tthis[jQuery.expando] = true;\n};\n\n// jQuery.Event is based on DOM3 Events as specified by the ECMAScript Language Binding\n// https://www.w3.org/TR/2003/WD-DOM-Level-3-Events-20030331/ecma-script-binding.html\njQuery.Event.prototype = {\n\tconstructor: jQuery.Event,\n\tisDefaultPrevented: returnFalse,\n\tisPropagationStopped: returnFalse,\n\tisImmediatePropagationStopped: returnFalse,\n\tisSimulated: false,\n\n\tpreventDefault: function() {\n\t\tvar e = this.originalEvent;\n\n\t\tthis.isDefaultPrevented = returnTrue;\n\n\t\tif (e && !this.isSimulated) {\n\t\t\te.preventDefault();\n\t\t}\n\t},\n\tstopPropagation: function() {\n\t\tvar e = this.originalEvent;\n\n\t\tthis.isPropagationStopped = returnTrue;\n\n\t\tif (e && !this.isSimulated) {\n\t\t\te.stopPropagation();\n\t\t}\n\t},\n\tstopImmediatePropagation: function() {\n\t\tvar e = this.originalEvent;\n\n\t\tthis.isImmediatePropagationStopped = returnTrue;\n\n\t\tif (e && !this.isSimulated) {\n\t\t\te.stopImmediatePropagation();\n\t\t}\n\n\t\tthis.stopPropagation();\n\t}\n};\n\n// Includes all common event props including KeyEvent and MouseEvent specific props\njQuery.each({\n\taltKey: true,\n\tbubbles: true,\n\tcancelable: true,\n\tchangedTouches: true,\n\tctrlKey: true,\n\tdetail: true,\n\teventPhase: true,\n\tmetaKey: true,\n\tpageX: true,\n\tpageY: true,\n\tshiftKey: true,\n\tview: true,\n\t\"char\": true,\n\tcharCode: true,\n\tkey: true,\n\tkeyCode: true,\n\tbutton: true,\n\tbuttons: true,\n\tclientX: true,\n\tclientY: true,\n\toffsetX: true,\n\toffsetY: true,\n\tpointerId: true,\n\tpointerType: true,\n\tscreenX: true,\n\tscreenY: true,\n\ttargetTouches: true,\n\ttoElement: true,\n\ttouches: true,\n\n\twhich: function(event) {\n\t\tvar button = event.button;\n\n\t\t// Add which for key events\n\t\tif (event.which == null && rkeyEvent.test(event.type)) {\n\t\t\treturn event.charCode != null ? event.charCode : event.keyCode;\n\t\t}\n\n\t\t// Add which for click: 1 === left; 2 === middle; 3 === right\n\t\tif (!event.which && button !== undefined && rmouseEvent.test(event.type)) {\n\t\t\tif (button & 1) {\n\t\t\t\treturn 1;\n\t\t\t}\n\n\t\t\tif (button & 2) {\n\t\t\t\treturn 3;\n\t\t\t}\n\n\t\t\tif (button & 4) {\n\t\t\t\treturn 2;\n\t\t\t}\n\n\t\t\treturn 0;\n\t\t}\n\n\t\treturn event.which;\n\t}\n}, jQuery.event.addProp);\n\n// Create mouseenter/leave events using mouseover/out and event-time checks\n// so that event delegation works in jQuery.\n// Do the same for pointerenter/pointerleave and pointerover/pointerout\n//\n// Support: Safari 7 only\n// Safari sends mouseenter too often; see:\n// https://bugs.chromium.org/p/chromium/issues/detail?id=470258\n// for the description of the bug (it existed in older Chrome versions as well).\njQuery.each({\n\tmouseenter: \"mouseover\",\n\tmouseleave: \"mouseout\",\n\tpointerenter: \"pointerover\",\n\tpointerleave: \"pointerout\"\n}, function(orig, fix) {\n\tjQuery.event.special[orig] = {\n\t\tdelegateType: fix,\n\t\tbindType: fix,\n\n\t\thandle:

function(event) {\n\t\t\tvar ret,\n\t\t\t\ttarget = this,\n\t\t\t\trelated = event.relatedTarget,\n\t\t\t\thandleObj = event.handleObj;\n\n\t\t\t// For mouseenter/leave call the handler if related is outside the target.\n\t\t\t// NB: No relatedTarget if the mouse left/entered the browser window\n\t\t\tif (!related || (related !== target && !jQuery.contains(target, related))) {\n\t\t\t\tevent.type = handleObj.origType;\n\t\t\t\tret = handleObj.handler.apply(this, arguments);\n\t\t\t\tevent.type = fix;\n\t\t\t}\n\t\t\treturn ret;\n\t\t}\n\t};\n}
);\n\njQuery.fn.extend({\n\n\ton: function(types, selector, data, fn) {\n\t\treturn on(this, types, selector, data, fn);\n\t},\n\tone: function(types, selector, data, fn) {\n\t\treturn on(this, types, selector, data, fn, 1);\n\t},\n\toff: function(types, selector, fn) {\n\t\tvar handleObj, type;\n\t\tif (types && types.preventDefault && types.handleObj) {\n\n\t\t\t// (event) dispatched jQuery.Event\n\t\t\thandleObj = types.handleObj;\n\t\t\tjQuery(types.delegateTarget).off(\n\t\t\t\thandleObj.namespace ?\n\t\t\t\t\thandleObj.origType + \".\" + handleObj.namespace
:\n\t\t\t\t\thandleObj.origType,\n\t\t\t\thandleObj.selector,\n\t\t\t\thandleObj.handler\n\t\t\t);\n\t\t\treturn this;\n\t\t}\n\t\tif (typeof types === \"object\") {\n\n\t\t\t// (types-object [, selector])\n\t\t\tfor (type in types) {\n\t\t\t\tthis.off(type, selector, types[type]);\n\t\t\t}\n\t\t\treturn this;\n\t\t}\n\t\tif (selector === false || typeof selector === \"function\") {\n\n\t\t\t// (types [, fn])\n\t\t\tfn = selector;\n\t\t\tselector = undefined;\n\t\t}\n\t\tif (fn === false) {\n\t\t\tfn = returnFalse;\n\t\t}\n\t\treturn this.each(function() {\n\t\t\tjQuery.event.remove(this, types, fn, selector);\n\t\t});\n\t}\n});\n\nvar\n\n\t/* eslint-disable max-len */\n\n\t// See https://github.com/eslint/eslint/issues/3229\n\trxhtmlTag = /<(?!area|br|col|embed|hr|img|input|link|meta|param)(([a-z][^\/\0>\x20\t\r\n\f]*)[^>]*)\/>/gi,\n\n\t/* eslint-enable */\n\n\t// Support: IE <=10 - 11, Edge 12 - 13 only\n\t// In IE/Edge using regex groups here causes severe slowdowns.\n\t// See https://connect.microsoft.com/IE/feedback/details/1736512/\n\trnoInnerhtml = /<script|<style|<link/i,\n\n\t// checked=\"checked\" or checked\n\trchecked = /checked\s*(?:[^=]|=\s*.checked.)/i,\n\trcleanScript = /^\s*<!(?:\[CDATA\[|--)|(?:\]\]|--)>\s*$/g;\n\n// Prefer a tbody over its parent table for containing new rows\nfunction manipulationTarget(elem, content) {\n\tif (nodeName(elem, \"table\") &&\n\t\tnodeName(content.nodeType !== 11 ? content : content.firstChild, \"tr\")) {\n\n\t\treturn jQuery(elem).children(\"tbody\")[0] || elem;\n\t}\n\n\treturn elem;\n}\n\n// Replace/restore the type attribute of script elements for safe DOM manipulation\nfunction disableScript(elem) {\n\telem.type = (elem.getAttribute(\"type\") !== null) + \"/\" + elem.type;\n\treturn elem;\n}\nfunction restoreScript(elem) {\n\tif ((elem.type || \"\").slice(0, 5) === \"true/\") {\n\t\telem.type = elem.type.slice(5);\n\t} else {\n\t\telem.removeAttribute(\"type\");\n\t}\n\n\treturn elem;\n}\n\nfunction cloneCopyEvent(src, dest) {\n\tvar i, l, type, pdataOld, pdataCur, udataOld, udataCur, events;\n\n\tif (dest.nodeType !== 1) {\n\t\treturn;\n\t}\n\n\t// 1. Copy private data: events, handlers, etc.\n\tif (dataPriv.hasData(src)) {\n\t\tpdataOld = dataPriv.access(src);\n\t\tpdataCur = dataPriv.set(dest, pdataOld);\n\t\tevents = pdataOld.events;\n\n\t\tif (events) {\n\t\t\tdelete pdataCur.handle;\n\t\t\tpdataCur.events = {};\n\n\t\t\tfor (type in events) {\n\t\t\t\tfor (i = 0, l = events[type].length; i < l; i++) {\n\t\t\t\t\tjQuery.event.add(dest, type, events[type][i]);\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t}\n\n\t// 2. Copy user data\n\tif (dataUser.hasData(src)) {\n\t\tudataOld = dataUser.access(src);\n\t\tudataCur = jQuery.extend({}, udataOld);\n\n\t\tdataUser.set(dest, udataCur);\n\t}\n}\n\n// Fix IE bugs, see support tests\nfunction fixInput(src, dest) {\n\tvar nodeName = dest.nodeName.toLowerCase();\n\n\t// Fails to persist the checked state of a cloned checkbox or radio button.\n\tif (nodeName === \"input\" && rcheckableType.test(src.type)) {\n\t\tdest.checked = src.checked;\n\n\t// Fails to return the selected option to the default selected state when cloning options\n\t} else if (nodeName === \"input\" || nodeName === \"textarea\") {\n\t\tdest.defaultValue = src.defaultValue;\n\t}\n}\n\nfunction domManip(collection, args, callback, ignored) {\n\n\t// Flatten any nested arrays\n\targs = concat.apply([], args);\n\n\tvar fragment, first, scripts, hasScripts, node, doc,\n\t\ti = 0,\n\t\tl = collection.length,\n\t\tiNoClone = l - 1,\n\t\tvalue = args[0],\n\t\tvalueIsFunction = isFunction(value);\n\n\t// We can't cloneNode fragments that contain checked, in WebKit\n\tif (valueIsFunction ||\n\t\t\t(l > 1 && typeof value === \"string\" &&\n\t\t\t\t!support.checkClone && rchecked.test(value))) {\n\t\treturn collection.each(function(index) {\n\t\t\tvar self = collection.eq(index);\n\t\t\tif (valueIsFunction) {\n\t\t\t\targs[0] = value.call(this, index, self.html());\n\t\t\t}\n\t\t\tdomManip(self, args, callback, ignored);\n\t\t});\n\t}\n\n\tif (l) {\n\t\tfragment = buildFragment(args, collection[0

].ownerDocument, false, collection, ignored);\n\t\tfirst = fragment.firstChild;\n\n\t\tif (fragment.childNodes.length === 1) {\n\t\t\tfragment = first;\n\t\t}\n\n\t\t// Require either new content or an interest in ignored elements to invoke the callback\n\t\tif (first || ignored) {\n\t\t\tscripts = jQuery.map(getAll(fragment, \"script\"), disableScript);\n\t\t\thasScripts = scripts.length;\n\n\t\t\t// Use the original fragment for the last item\n\t\t\t// instead of the first because it can end up\n\t\t\t// being emptied incorrectly in certain situations (#8070).\n\t\t\tfor (; i < l; i++) {\n\t\t\t\tnode = fragment;\n\n\t\t\t\tif (i !== iNoClone) {\n\t\t\t\t\tnode = jQuery.clone(node, true, true);\n\n\t\t\t\t\t// Keep references to cloned scripts for later restoration\n\t\t\t\t\tif (hasScripts) {\n\n\t\t\t\t\t\t// Support: Android <=4.0 only, PhantomJS 1 only\n\t\t\t\t\t\t// push.apply(_, arraylike) throws on ancient WebKit\n\t\t\t\t\t\tjQuery.merge(scripts, getAll(node, \"script\"));\n\t\t\t\t\t}\n\t\t\t\t}\n\n\t\t\t\tcallback.call(collection[i], node, i);\n\t\t\t}\n\n\t\t\tif (hasScripts) {\n\t\t\t\tdoc = scripts[scripts.length - 1].ownerDocument;\n\n\t\t\t\t// Reenable scripts\n\t\t\t\tjQuery.map(scripts, restoreScript);\n\n\t\t\t\t// Evaluate executable scripts on first document insertion\n\t\t\t\tfor (i = 0; i < hasScripts; i++) {\n\t\t\t\t\tnode = scripts[i];\n\t\t\t\t\tif (rscriptType.test(node.type || \"\") &&\n\t\t\t\t\t\t!dataPriv.access(node, \"globalEval\") &&\n\t\t\t\t\t\tjQuery.contains(doc, node)) {\n\n\t\t\t\t\t\tif (node.src && (node.type || \"\").toLowerCase() !== \"module\") {\n\n\t\t\t\t\t\t\t// Optional AJAX dependency, but won't run scripts if not present\n\t\t\t\t\t\t\tif (jQuery._evalUrl) {\n\t\t\t\t\t\t\t\tjQuery._evalUrl(node.src);\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t} else {\n\t\t\t\t\t\t\tDOMEval(node.textContent.replace(rcleanScript, \"\"), doc, node);\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t}\n\n\treturn collection;\n}\n\nfunction remove(elem, selector, keepData) {\n\tvar node,\n\t\tnodes = selector ? jQuery.filter(selector, elem) : elem,\n\t\ti = 0;\n\n\tfor (; (node = nodes[i]) != null; i++) {\n\t\tif (!keepData && node.nodeType === 1) {\n\t\t\tjQuery.cleanData(getAll(node));\n\t\t}\n\n\t\tif (node.parentNode) {\n\t\t\tif (keepData && jQuery.contains(node.ownerDocument, node)) {\n\t\t\t\tsetGlobalEval(getAll(node, \"script\"));\n\t\t\t}\n\t\t\tnode.parentNode.removeChild(node);\n\t\t}\n\t}\n\n\treturn elem;\n}\n\njQuery.extend({\n\thtmlPrefilter: function(html) {\n\t\treturn html.replace(rxhtmlTag, \"<$1></$2>\");\n\t},\n\n\tclone: function(elem, dataAndEvents, deepDataAndEvents) {\n\t\tvar i, l, srcElements, destElements,\n\t\t\tclone = elem.cloneNode(true),\n\t\t\tinPage = jQuery.contains(elem.ownerDocument, elem);\n\n\t\t// Fix IE cloning issues\n\t\tif (!support.noCloneChecked && (elem.nodeType === 1 || elem.nodeType === 11) &&\n\t\t\t\t!jQuery.isXMLDoc(elem)) {\n\n\t\t\t// We eschew Sizzle here for performance reasons: https://jsperf.com/getall-vs-sizzle/2\n\t\t\tdestElements = getAll(clone);\n\t\t\tsrcElements = getAll(elem);\n\n\t\t\tfor (i = 0, l = srcElements.length; i < l; i++) {\n\t\t\t\tfixInput(srcElements[i], destElements[i]);\n\t\t\t}\n\t\t}\n\n\t\t// Copy the events from the original to the clone\n\t\tif (dataAndEvents) {\n\t\t\tif (deepDataAndEvents) {\n\t\t\t\tsrcElements = srcElements || getAll(elem);\n\t\t\t\tdestElements = destElements || getAll(clone);\n\n\t\t\t\tfor (i = 0, l = srcElements.length; i < l; i++) {\n\t\t\t\t\tcloneCopyEvent(srcElements[i], destElements[i]);\n\t\t\t\t}\n\t\t\t} else {\n\t\t\t\tcloneCopyEvent(elem, clone);\n\t\t\t}\n\t\t}\n\n\t\t// Preserve script evaluation history\n\t\tdestElements = getAll(clone, \"script\");\n\t\tif (destElements.length > 0) {\n\t\t\tsetGlobalEval(destElements, !inPage && getAll(elem, \"script\"));\n\t\t}\n\n\t\t// Return the cloned set\n\t\treturn clone;\n\t},\n\n\tcleanData: function(elems) {\n\t\tvar data, elem, type,\n\t\t\tspecial = jQuery.event.special,\n\t\t\ti = 0;\n\n\t\tfor (; (elem = elems[i]) !== undefined; i++) {\n\t\t\tif (acceptData(elem)) {\n\t\t\t\tif ((data = elem[dataPriv.expando])) {\n\t\t\t\t\tif (data.events) {\n\t\t\t\t\t\tfor (type in data.events) {\n\t\t\t\t\t\t\tif (special[type]) {\n\t\t\t\t\t\t\t\tjQuery.event.remove(elem, type);\n\n\t\t\t\t\t\t\t// This is a shortcut to avoid jQuery.event.remove's overhead\n\t\t\t\t\t\t\t} else {\n\t\t\t\t\t\t\t\tjQuery.removeEvent(elem, type, data.handle);\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\n\t\t\t\t\t// Support: Chrome <=35 - 45+\n\t\t\t\t\t// Assign undefined instead of using delete, see Data#remove\n\t\t\t\t\telem[dataPriv.expando] = undefined;\n\t\t\t\t}\n\t\t\t\tif (elem[dataUser.expando]) {\n\n\t\t\t\t\t// Support: Chrome <=35 - 45+\n\t\t\t\t\t// Assign undefined instead of using delete, see Data#remove\n\t\t\t\t\telem[dataUser.expando] = undefined;\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t}\n});\n\njQuery.fn.extend({\n\tdetach: function(selector) {\n\t\treturn remove(this, selector, true);\n\t},\n\n\tremove: function(selector) {\n\t\treturn remove(this, selector);\n\t},\n\n\ttext: function(value) {\n\t\treturn access(this, function(value) {\n\t\t\treturn value === undefined ?\n\t\t\t\tjQuery.text(this) :\n\t\t\t\tthis.empty().each(function() {\n\t\t\t\t\tif (this.nodeType === 1 || this.nodeType

=== 11 || this.nodeType === 9) {\n\t\t\t\t\t\tthis.textContent = value;\n\t\t\t\t\t}\n\t\t\t\t\t});\n\t\t\t}, null, value, arguments.length);\n\t},\n\n\t\tappend: function() {\n\t\t\treturn domManip(this, arguments, function(elem) {\n\t\t\t\tif (this.nodeType === 1 || this.nodeType === 11 || this.nodeType === 9) {\n\t\t\t\t\tvar target = manipulationTarget(this, elem);\n\t\t\t\t\ttarget.appendChild(elem);\n\t\t\t\t}\n\t\t\t});\n\t\t},\n\n\t\tprepend: function() {\n\t\t\treturn domManip(this, arguments, function(elem) {\n\t\t\t\tif (this.nodeType === 1 || this.nodeType === 11 || this.nodeType === 9) {\n\t\t\t\t\tvar target = manipulationTarget(this, elem);\n\t\t\t\t\ttarget.insertBefore(elem, target.firstChild);\n\t\t\t\t}\n\t\t\t});\n\t\t},\n\n\t\tbefore: function() {\n\t\t\treturn domManip(this, arguments, function(elem) {\n\t\t\t\tif (this.parentNode) {\n\t\t\t\t\tthis.parentNode.insertBefore(elem, this);\n\t\t\t\t}\n\t\t\t});\n\t\t},\n\n\t\tafter: function() {\n\t\t\treturn domManip(this, arguments, function(elem) {\n\t\t\t\tif (this.parentNode) {\n\t\t\t\t\tthis.parentNode.insertBefore(elem, this.nextSibling);\n\t\t\t\t}\n\t\t\t});\n\t\t},\n\n\t\tempty: function() {\n\t\t\tvar elem,\n\t\t\t\ti = 0;\n\n\t\t\tfor (; (elem = this[i]) != null; i++) {\n\t\t\t\tif (elem.nodeType === 1) {\n\n\t\t\t\t\t// Prevent memory leaks\n\t\t\t\t\tjQuery.cleanData(getAll(elem, false));\n\n\t\t\t\t\t// Remove any remaining nodes\n\t\t\t\t\telem.textContent = \"\";\n\t\t\t\t}\n\t\t\t}\n\n\t\t\treturn this;\n\t\t},\n\n\t\tclone: function(dataAndEvents, deepDataAndEvents) {\n\t\t\tdataAndEvents = dataAndEvents == null ? false : dataAndEvents;\n\t\t\tdeepDataAndEvents = deepDataAndEvents == null ? dataAndEvents : deepDataAndEvents;\n\n\t\t\treturn this.map(function() {\n\t\t\t\treturn jQuery.clone(this, dataAndEvents, deepDataAndEvents);\n\t\t\t});\n\t\t},\n\n\t\thtml: function(value) {\n\t\t\treturn access(this, function(value) {\n\t\t\t\tvar elem = this[0] || {},\n\t\t\t\t\ti = 0,\n\t\t\t\t\tl = this.length;\n\n\t\t\t\tif (value === undefined && elem.nodeType === 1) {\n\t\t\t\t\treturn elem.innerHTML;\n\t\t\t\t}\n\n\t\t\t\t// See if we can take a shortcut and just use innerHTML\n\t\t\t\tif (typeof value === \"string\" && !rnoInnerhtml.test(value) &&\n\t\t\t\t\t!wrapMap[(rtagName.exec(value) || [\"\", \"\"])[1].toLowerCase()]) {\n\n\t\t\t\t\tvalue = jQuery.htmlPrefilter(value);\n\n\t\t\t\t\ttry {\n\t\t\t\t\t\tfor (; i < l; i++) {\n\t\t\t\t\t\t\telem = this[i] || {};\n\n\t\t\t\t\t\t\t// Remove element nodes and prevent memory leaks\n\t\t\t\t\t\t\tif (elem.nodeType === 1) {\n\t\t\t\t\t\t\t\tjQuery.cleanData(getAll(elem, false));\n\t\t\t\t\t\t\t\telem.innerHTML = value;\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t}\n\n\t\t\t\t\t\telem = 0;\n\n\t\t\t\t\t// If using innerHTML throws an exception, use the fallback method\n\t\t\t\t\t} catch (e) {}\n\t\t\t\t}\n\n\t\t\t\tif (elem) {\n\t\t\t\t\tthis.empty().append(value);\n\t\t\t\t}\n\t\t\t}, null, value, arguments.length);\n\t},\n\n\t\treplaceWith: function() {\n\t\t\tvar ignored = [];\n\n\t\t\t// Make the changes, replacing each non-ignored context element with the new content\n\t\t\treturn domManip(this, arguments, function(elem) {\n\t\t\t\tvar parent = this.parentNode;\n\n\t\t\t\tif (jQuery.inArray(this, ignored) < 0) {\n\t\t\t\t\tjQuery.cleanData(getAll(this));\n\t\t\t\t\tif (parent) {\n\t\t\t\t\t\tparent.replaceChild(elem, this);\n\t\t\t\t\t}\n\t\t\t\t}\n\n\t\t\t// Force callback invocation\n\t\t\t}, ignored);\n\t\t}\n\t});\n\njQuery.each({\n\tappendTo: \"append\",\n\tprependTo: \"prepend\",\n\tinsertBefore: \"before\",\n\tinsertAfter: \"after\",\n\treplaceAll: \"replaceWith\"\n}, function(name, original) {\n\tjQuery.fn[name] = function(selector) {\n\t\tvar elems,\n\t\t\tret = [],\n\t\t\tinsert = jQuery(selector),\n\t\t\tlast = insert.length - 1,\n\t\t\ti = 0;\n\n\t\tfor (; i <= last; i++) {\n\t\t\telems = i === last ? this : this.clone(true);\n\t\t\tjQuery(insert[i])[original](elems);\n\n\t\t\t// Support: Android <=4.0 only, PhantomJS 1 only\n\t\t\t// .get() because push.apply(_, arraylike) throws on ancient WebKit\n\t\t\tpush.apply(ret, elems.get());\n\t\t}\n\n\t\treturn this.pushStack(ret);\n\t};\n});\nvar rnumnonpx = new RegExp(\"^(\" + pnum + \")(?!px)[a-z%]+$\", \"i\");\n\nvar getStyles = function(elem) {\n\n\t\t// Support: IE <=11 only, Firefox <=30 (#15098, #14150)\n\t\t// IE throws on elements created in popups\n\t\t// FF meanwhile throws on frame elements through \"defaultView.getComputedStyle\"\n\t\tvar view = elem.ownerDocument.defaultView;\n\n\t\tif (!view || !view.opener) {\n\t\t\tview = window;\n\t\t}\n\n\t\treturn view.getComputedStyle(elem);\n\t};\n\nvar rboxStyle = new RegExp(cssExpand.join(\"|\"), \"i\");\n\n\n\n(function() {\n\n\t// Executing both pixelPosition & boxSizingReliable tests require only one layout\n\t// so they're executed at the same time to save the second computation.\n\tfunction computeStyleTests() {\n\n\t\t// This is a singleton, we need to execute it only once\n\t\tif (!div) {\n\t\t\treturn;\n\t\t}\n\n\t\tcontainer.style.cssText = \"position:absolute;left:-11111px;width:60px;\" +\n\t\t\t\"margin-top:1px;padding:0;border:0\";\n\t\tdiv.style.cssText =\n\t\t\t\"position:relative;display:block;box-sizing:border-box;overflow:scroll;\" +\n\t\t\t\"margin:auto;border:1px;padding:1px;\" +\n\t\t\t\"width:60%;top:1%\";\n\t\tdocumentElement.appendChild(container).appendChild(div);\n\n\t\tvar

divStyle = window.getComputedStyle(div);\n\t\tpixelPositionVal = divStyle.top !== \"1%\";\n\n\t\t// Support: Android 4.0 - 4.3 only, Firefox <=3 - 44\n\t\treliableMarginLeftVal = roundPixelMeasures(divStyle.marginLeft) === 12;\n\n\t\t// Support: Android 4.0 - 4.3 only, Safari <=9.1 - 10.1, iOS <=7.0 - 9.3\n\t\t// Some styles come back with percentage values, even though they shouldn't\n\t\tdiv.style.right = \"60%\";\n\t\tpixelBoxStylesVal = roundPixelMeasures(divStyle.right) === 36;\n\t\t// Support: IE 9 - 11 only\n\t\t// Detect misreporting of content dimensions for box-sizing:border-box elements\n\t\tboxSizingReliableVal = roundPixelMeasures(divStyle.width) === 36;\n\t\t// Support: IE 9 only\n\t\t// Detect overflow:scroll screwiness (gh-3699)\n\t\tdiv.style.position = \"absolute\";\n\t\tscrollboxSizeVal = div.offsetWidth === 36 || \"absolute\";\n\n\t\tdocumentElement.removeChild(container);\n\n\t\t// Nullify the div so it wouldn't be stored in the memory and\n\t\t// it will also be a sign that checks already performed\n\t\tdiv = null;\n\t}\n\n\tfunction roundPixelMeasures(measure) {\n\t\treturn Math.round(parseFloat(measure));\n\t}\n\n\tvar pixelPositionVal, boxSizingReliableVal, scrollboxSizeVal, pixelBoxStylesVal,\n\t\treliableMarginLeftVal,\n\t\tcontainer = document.createElement(\"div\"),\n\t\tdiv = document.createElement(\"div\");\n\n\t// Finish early in limited (non-browser) environments\n\tif (!div.style) {\n\t\treturn;\n\t}\n\n\t// Support: IE <=9 - 11 only\n\t// Style of cloned element affects source element cloned (#8908)\n\tdiv.style.backgroundClip = \"content-box\";\n\tdiv.cloneNode(true).style.backgroundClip = \"\";\n\tsupport.clearCloneStyle = div.style.backgroundClip === \"content-box\";\n\n\tjQuery.extend(support, {\n\t\tboxSizingReliable: function() {\n\t\t\tcomputeStyleTests();\n\t\t\treturn boxSizingReliableVal;\n\t\t},\n\t\tpixelBoxStyles: function() {\n\t\t\tcomputeStyleTests();\n\t\t\treturn pixelBoxStylesVal;\n\t\t},\n\t\tpixelPosition: function() {\n\t\t\tcomputeStyleTests();\n\t\t\treturn pixelPositionVal;\n\t\t},\n\t\treliableMarginLeft: function() {\n\t\t\tcomputeStyleTests();\n\t\t\treturn reliableMarginLeftVal;\n\t\t},\n\t\tscrollboxSize: function() {\n\t\t\tcomputeStyleTests();\n\t\t\treturn scrollboxSizeVal;\n\t\t}\n\t});\n})();\n\nfunction curCSS(elem, name, computed) {\n\tvar width, minWidth, maxWidth, ret,\n\n\t\t// Support: Firefox 51+\n\t\t// Retrieving style before computed somehow\n\t\t// fixes an issue with getting wrong values\n\t\t// on detached elements\n\t\tstyle = elem.style;\n\n\tcomputed = computed || getStyles(elem);\n\n\t// getPropertyValue is needed for:\n\t//   .css('filter') (IE 9 only, #12537)\n\t//   .css('--customProperty) (#3144)\n\tif (computed) {\n\t\tret = computed.getPropertyValue(name) || computed[name];\n\n\t\tif (ret === \"\" && !jQuery.contains(elem.ownerDocument, elem)) {\n\t\t\tret = jQuery.style(elem, name);\n\t\t}\n\n\t\t// A tribute to the \"awesome hack by Dean Edwards\"\n\t\t// Android Browser returns percentage for some values,\n\t\t// but width seems to be reliably pixels.\n\t\t// This is against the CSSOM draft spec:\n\t\t// https://drafts.csswg.org/cssom/#resolved-values\n\t\tif (!support.pixelBoxStyles() && rnumnonpx.test(ret) && rboxStyle.test(name)) {\n\n\t\t\t// Remember the original values\n\t\t\twidth = style.width;\n\t\t\tminWidth = style.minWidth;\n\t\t\tmaxWidth = style.maxWidth;\n\n\t\t\t// Put in the new values to get a computed value out\n\t\t\tstyle.minWidth = style.maxWidth = style.width = ret;\n\t\t\tret = computed.width;\n\n\t\t\t// Revert the changed values\n\t\t\tstyle.width = width;\n\t\t\tstyle.minWidth = minWidth;\n\t\t\tstyle.maxWidth = maxWidth;\n\t\t}\n\t}\n\n\treturn ret !== undefined ?\n\n\t\t// Support: IE <=9 - 11 only\n\t\t// IE returns zIndex value as an integer.\n\t\tret + \"\" :\n\t\tret;\n}\n\n\nfunction addGetHookIf(conditionFn, hookFn) {\n\n\t// Define the hook, we'll check on the first run if it's really needed.\n\treturn {\n\t\tget: function() {\n\t\t\tif (conditionFn()) {\n\n\t\t\t\t// Hook not needed (or it's not possible to use it due\n\t\t\t\t// to missing dependency), remove it.\n\t\t\t\tdelete this.get;\n\t\t\t\treturn;\n\t\t\t}\n\n\t\t\t// Hook needed; redefine it so that the support test is not executed again.\n\t\t\treturn (this.get = hookFn).apply(this, arguments);\n\t\t}\n\t};\n}\n\n\nvar\n\n\t// Swappable if display is none or starts with table\n\t// except \"table\", \"table-cell\", or \"table-caption\"\n\t// See here for display values: https://developer.mozilla.org/en-US/docs/CSS/display\n\trdisplayswap = /^(none|table(?!-c[ea]).+)/,\n\trcustomProp = /^--/,\n\tcssShow = { position: \"absolute\", visibility: \"hidden\", display: \"block\" },\n\tcssNormalTransform = {\n\t\tletterSpacing: \"0\",\n\t\tfontWeight: \"400\"\n\t},\n\n\tcssPrefixes = [\"Webkit\", \"Moz\", \"ms\"],\n\temptyStyle = document.createElement(\"div\").style;\n\n// Return a css property mapped to a potentially vendor prefixed property\nfunction vendorPropName(name) {\n\n\t// Shortcut for names that are not vendor prefixed\n\tif (name in emptyStyle) {\n\t\treturn name;\n\t}\n\n\t// Check for vendor prefixed names\n\tvar capName = name[0].toUpperCase() + name.slice(1),\n\t\ti = cssPrefixes.length;\n\n\twhile (i--) {\n\t\tname =

cssPrefixes[i] + capName;\n\t\tif (name in emptyStyle) {\n\t\t\treturn name;\n\t\t}\n\t}\n}\n\n// Return a property mapped along what jQuery.cssProps suggests or to\n// a vendor prefixed property.\nfunction finalPropName(name) {\n\tvar ret = jQuery.cssProps[name];\n\tif (!ret) {\n\t\tret = jQuery.cssProps[name] = vendorPropName(name) || name;\n\t}\n\treturn ret;\n}\n\nfunction setPositiveNumber(elem, value, subtract) {\n\n\t// Any relative (+/-) values have already been\n\t// normalized at this point\n\tvar matches = rcssNum.exec(value);\n\treturn matches ?\n\n\t\t// Guard against undefined \"subtract\", e.g., when used as in cssHooks\n\t\tMath.max(0, matches[2] - (subtract || 0)) + (matches[3] || \"px\") :\n\t\tvalue;\n}\n\nfunction boxModelAdjustment(elem, dimension, box, isBorderBox, styles, computedVal) {\n\tvar i = dimension === \"width\" ? 1 : 0,\n\t\textra = 0,\n\t\tdelta = 0;\n\n\t// Adjustment may not be necessary\n\tif (box === (isBorderBox ? \"border\" : \"content\")) {\n\t\treturn 0;\n\t}\n\n\tfor (; i < 4; i += 2) {\n\n\t\t// Both box models exclude margin\n\t\tif (box === \"margin\") {\n\t\t\tdelta += jQuery.css(elem, box + cssExpand[i], true, styles);\n\t\t}\n\n\t\t// If we get here with a content-box, we're seeking \"padding\" or \"border\" or \"margin\"\n\t\tif (!isBorderBox) {\n\n\t\t\t// Add padding\n\t\t\tdelta += jQuery.css(elem, \"padding\" + cssExpand[i], true, styles);\n\n\t\t\t// For \"border\" or \"margin\", add border\n\t\t\tif (box !== \"padding\") {\n\t\t\t\tdelta += jQuery.css(elem, \"border\" + cssExpand[i] + \"Width\", true, styles);\n\n\t\t\t// But still keep track of it otherwise\n\t\t\t} else {\n\t\t\t\textra += jQuery.css(elem, \"border\" + cssExpand[i] + \"Width\", true, styles);\n\t\t\t}\n\n\t\t// If we get here with a border-box (content + padding + border), we're seeking \"content\" or\n\t\t// \"padding\" or \"margin\"\n\t\t} else {\n\n\t\t\t// For \"content\", subtract padding\n\t\t\tif (box === \"content\") {\n\t\t\t\tdelta -= jQuery.css(elem, \"padding\" + cssExpand[i], true, styles);\n\t\t\t}\n\n\t\t\t// For \"content\" or \"padding\", subtract border\n\t\t\tif (box !== \"margin\") {\n\t\t\t\tdelta -= jQuery.css(elem, \"border\" + cssExpand[i] + \"Width\", true, styles);\n\t\t\t}\n\t\t}\n\t}\n\n\t// Account for positive content-box scroll gutter when requested by providing computedVal\n\tif (!isBorderBox && computedVal >= 0) {\n\n\t\t// offsetWidth/offsetHeight is a rounded sum of content, padding, scroll gutter, and border\n\t\t// Assuming integer scroll gutter, subtract the rest and round down\n\t\tdelta += Math.max(0, Math.ceil(\n\t\t\telem[\"offset\" + dimension[0].toUpperCase() + dimension.slice(1)] -\n\t\t\tcomputedVal -\n\t\t\tdelta -\n\t\t\textra -\n\t\t\t0.5\n\t\t));\n\t}\n\n\treturn delta;\n}\n\nfunction getWidthOrHeight(elem, dimension, extra) {\n\n\t// Start with computed style\n\tvar styles = getStyles(elem),\n\t\tval = curCSS(elem, dimension, styles),\n\t\tisBorderBox = jQuery.css(elem, \"boxSizing\", false, styles) === \"border-box\",\n\t\tvalueIsBorderBox = isBorderBox;\n\n\t// Support: Firefox <=54\n\t// Return a confounding non-pixel value or feign ignorance, as appropriate.\n\tif (rnumnonpx.test(val)) {\n\t\tif (!extra) {\n\t\t\treturn val;\n\t\t}\n\t\tval = \"auto\";\n\t}\n\n\t// Check for style in case a browser which returns unreliable values\n\t// for getComputedStyle silently falls back to the reliable elem.style\n\tvalueIsBorderBox = valueIsBorderBox &&\n\t\t(support.boxSizingReliable() || val === elem.style[dimension]);\n\n\t// Fall back to offsetWidth/offsetHeight when value is \"auto\"\n\t// This happens for inline elements with no explicit setting (gh-3571)\n\t// Support: Android <=4.1 - 4.3 only\n\t// Also use offsetWidth/offsetHeight for misreported inline dimensions (gh-3602)\n\tif (val === \"auto\" ||\n\t\t!parseFloat(val) && jQuery.css(elem, \"display\", false, styles) === \"inline\") {\n\t\tval = elem[\"offset\" + dimension[0].toUpperCase() + dimension.slice(1)];\n\n\t\t// offsetWidth/offsetHeight provide border-box values\n\t\tvalueIsBorderBox = true;\n\t}\n\n\t// Normalize \"\" and auto\n\tval = parseFloat(val) || 0;\n\n\t// Adjust for the element's box model\n\treturn (val +\n\t\tboxModelAdjustment(\n\t\t\telem,\n\t\t\tdimension,\n\t\t\textra || (isBorderBox ? \"border\" : \"content\"),\n\t\t\tvalueIsBorderBox,\n\t\t\tstyles,\n\n\t\t\t// Provide the current computed size to request scroll gutter calculation (gh-3589)\n\t\t\tval\n\t\t)\n\t) + \"px\";\n}\n\njQuery.extend({\n\n\t// Add in style property hooks for overriding the default\n\t// behavior of getting and setting a style property\n\tcssHooks: {\n\t\topacity: {\n\t\t\tget: function(elem, computed) {\n\t\t\t\tif (computed) {\n\n\t\t\t\t\t// We should always get a number back from opacity\n\t\t\t\t\tvar ret = curCSS(elem, \"opacity\");\n\t\t\t\t\treturn ret === \"\" ? \"1\" : ret;\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t},\n\n\t// Don't automatically add \"px\" to these possibly-unitless properties\n\tcssNumber: {\n\t\t\"animationIterationCount\": true,\n\t\t\"columnCount\": true,\n\t\t\"fillOpacity\": true,\n\t\t\"flexGrow\": true,\n\t\t\"flexShrink\": true,\n\t\t\"fontWeight\": true,\n\t\t\"lineHeight\": true,\n\t\t\"opacity\": true,\n\t\t\"order\": true,\n\t\t\"orphans\": true,\n\t\t\"widows\": true,\n\t\t\"zIndex\":

true,\n\t\t\"zoom\": true\n\t},\n\n\t// Add in properties whose names you wish to fix before\n\t// setting or getting the value\n\tcssProps: {},\n\n\t// Get and set the style property on a DOM Node\n\tstyle: function(elem, name, value, extra) {\n\n\t\t// Don't set styles on text and comment nodes\n\t\tif (!elem || elem.nodeType === 3 || elem.nodeType === 8 || !elem.style) {\n\t\t\treturn;\n\t\t}\n\n\t\t// Make sure that we're working with the right name\n\t\tvar ret, type, hooks,\n\t\t\torigName = camelCase(name),\n\t\t\tisCustomProp = rcustomProp.test(name),\n\t\t\tstyle = elem.style;\n\n\t\t// Make sure that we're working with the right name. We don't\n\t\t// want to query the value if it is a CSS custom property\n\t\t// since they are user-defined.\n\t\tif (!isCustomProp) {\n\t\t\tname = finalPropName(origName);\n\t\t}\n\n\t\t// Gets hook for the prefixed version, then unprefixed version\n\t\thooks = jQuery.cssHooks[name] || jQuery.cssHooks[origName];\n\n\t\t// Check if we're setting a value\n\t\tif (value !== undefined) {\n\t\t\ttype = typeof value;\n\n\t\t\t// Convert \"+=\" or \"-=\" to relative numbers (#7345)\n\t\t\tif (type === \"string\" && (ret = rcssNum.exec(value)) && ret[1]) {\n\t\t\t\tvalue = adjustCSS(elem, name, ret);\n\n\t\t\t\t// Fixes bug #9237\n\t\t\t\ttype = \"number\";\n\t\t\t}\n\n\t\t\t// Make sure that null and NaN values aren't set (#7116)\n\t\t\tif (value == null || value !== value) {\n\t\t\t\treturn;\n\t\t\t}\n\n\t\t\t// If a number was passed in, add the unit (except for certain CSS properties)\n\t\t\tif (type === \"number\") {\n\t\t\t\tvalue += ret && ret[3] || (jQuery.cssNumber[origName] ? \"\" : \"px\");\n\t\t\t}\n\n\t\t\t// background-* props affect original clone's values\n\t\t\tif (!support.clearCloneStyle && value === \"\" && name.indexOf(\"background\") === 0) {\n\t\t\t\tstyle[name] = \"inherit\";\n\t\t\t}\n\n\t\t\t// If a hook was provided, use that value, otherwise just set the specified value\n\t\t\tif (!hooks || !(\"set\" in hooks) ||\n\t\t\t\t(value = hooks.set(elem, value, extra)) !== undefined) {\n\n\t\t\t\tif (isCustomProp) {\n\t\t\t\t\tstyle.setProperty(name, value);\n\t\t\t\t} else {\n\t\t\t\t\tstyle[name] = value;\n\t\t\t\t}\n\t\t\t}\n\n\t\t} else {\n\n\t\t\t// If a hook was provided get the non-computed value from there\n\t\t\tif (hooks && \"get\" in hooks &&\n\t\t\t\t(ret = hooks.get(elem, false, extra)) !== undefined) {\n\n\t\t\t\treturn ret;\n\t\t\t}\n\n\t\t\t// Otherwise just get the value from the style object\n\t\t\treturn style[name];\n\t\t}\n\t},\n\n\tcss: function(elem, name, extra, styles) {\n\t\tvar val, num, hooks,\n\t\t\torigName = camelCase(name),\n\t\t\tisCustomProp = rcustomProp.test(name);\n\n\t\t// Make sure that we're working with the right name. We don't\n\t\t// want to modify the value if it is a CSS custom property\n\t\t// since they are user-defined.\n\t\tif (!isCustomProp) {\n\t\t\tname = finalPropName(origName);\n\t\t}\n\n\t\t// Try prefixed name followed by the unprefixed name\n\t\thooks = jQuery.cssHooks[name] || jQuery.cssHooks[origName];\n\n\t\t// If a hook was provided get the computed value from there\n\t\tif (hooks && \"get\" in hooks) {\n\t\t\tval = hooks.get(elem, true, extra);\n\t\t}\n\n\t\t// Otherwise, if a way to get the computed value exists, use that\n\t\tif (val === undefined) {\n\t\t\tval = curCSS(elem, name, styles);\n\t\t}\n\n\t\t// Convert \"normal\" to computed value\n\t\tif (val === \"normal\" && name in cssNormalTransform) {\n\t\t\tval = cssNormalTransform[name];\n\t\t}\n\n\t\t// Make numeric if forced or a qualifier was provided and val looks numeric\n\t\tif (extra === \"\" || extra) {\n\t\t\tnum = parseFloat(val);\n\t\t\treturn extra === true || isFinite(num) ? num || 0 : val;\n\t\t}\n\t\treturn val;\n\t}\n}\n);\n\njQuery.each([\"height\", \"width\"], function(i, dimension) {\n\tjQuery.cssHooks[dimension] = {\n\t\tget: function(elem, computed, extra) {\n\t\t\tif (computed) {\n\n\t\t\t\t// Certain elements can have dimension info if we invisibly show them\n\t\t\t\t// but it must have a current display style that would benefit\n\t\t\t\treturn rdisplayswap.test(jQuery.css(elem, \"display\")) &&\n\n\t\t\t\t\t// Support: Safari 8+\n\t\t\t\t\t// Table columns in Safari have non-zero offsetWidth & zero\n\t\t\t\t\t// getBoundingClientRect().width unless display is changed.\n\t\t\t\t\t// Support: IE <=11 only\n\t\t\t\t\t// Running getBoundingClientRect on a disconnected node\n\t\t\t\t\t// in IE throws an error.\n\t\t\t\t\t(!elem.getClientRects().length ||\n\t\t\t\t\t\t!elem.getBoundingClientRect().width) ?\n\t\t\t\t\t\tswap(elem, cssShow, function() {\n\t\t\t\t\t\t\treturn getWidthOrHeight(elem, dimension, extra);\n\t\t\t\t\t\t}) :\n\t\t\t\t\t\tgetWidthOrHeight(elem, dimension, extra);\n\t\t\t}\n\t\t},\n\n\t\tset: function(elem, value, extra) {\n\t\t\tvar matches,\n\t\t\t\tstyles = getStyles(elem),\n\t\t\t\tisBorderBox = jQuery.css(elem, \"boxSizing\", false, styles) === \"border-box\",\n\t\t\t\tsubtract = extra &&\n\t\t\t\t\tboxModelAdjustment(\n\t\t\t\t\t\telem,\n\t\t\t\t\t\tdimension,\n\t\t\t\t\t\textra,\n\t\t\t\t\t\tisBorderBox,\n\t\t\t\t\t\tstyles\n\t\t\t\t\t);\n\n\t\t\t// Account for unreliable border-box dimensions by comparing offset* to computed and\n\t\t\t// faking a content-box to get border and padding (gh-3699)\n\t\t\tif (isBorderBox && support.scrollboxSize() ===

styles.position) {\n\t\t\tsubtract -= Math.ceil(\n\t\t\t\telem[\"offset\" + dimension[0].toUpperCase() + dimension.slice(1)] -\n\t\t\t\tparseFloat(styles[dimension]) -\n\t\t\t\tboxModelAdjustment(elem, dimension, \"border\", false, styles) -\n\t\t\t\t0.5\n\t\t\t);\n\t\t}\n\n\t\t\t// Convert to pixels if value adjustment is needed\n\t\t\tif (subtract && (matches = rcssNum.exec(value)) &&\n\t\t\t\t(matches[3] || \"px\") !== \"px\") {\n\n\t\t\telem.style[dimension] = value;\n\t\t\tvalue = jQuery.css(elem, dimension);\n\t\t}\n\n\t\t\treturn setPositiveNumber(elem, value, subtract);\n\t}\n});\n\njQuery.cssHooks.marginLeft = addGetHookIf(support.reliableMarginLeft,\n\tfunction(elem, computed) {\n\t\tif (computed) {\n\t\t\treturn (parseFloat(curCSS(elem, \"marginLeft\")) ||\n\t\t\t\telem.getBoundingClientRect().left -\n\t\t\t\tswap(elem, { marginLeft: 0 }, function() {\n\t\t\t\t\treturn elem.getBoundingClientRect().left;\n\t\t\t\t})\n\t\t\t) + \"px\";\n\t}\n});\n\n// These hooks are used by animate to expand properties\njQuery.each({\n\tmargin: \"\",\n\tpadding: \"\",\n\tborder: \"Width\"\n}, function(prefix, suffix) {\n\tjQuery.cssHooks[prefix + suffix] = {\n\t\texpand: function(value) {\n\t\t\tvar i = 0,\n\t\t\t\texpanded = {},\n\n\t\t\t\t// Assumes a single number if not a string\n\t\t\t\tparts = typeof value === \"string\" ? value.split(\" \") : [value];\n\n\t\t\tfor (; i < 4; i++) {\n\t\t\t\texpanded[prefix + cssExpand[i] + suffix] =\n\t\t\t\t\tparts[i] || parts[i - 2] || parts[0];\n\t\t\t}\n\n\t\t\treturn expanded;\n\t\t}\n\t};\n\n\tif (prefix !== \"margin\") {\n\t\tjQuery.cssHooks[prefix + suffix].set = setPositiveNumber;\n\t}\n});\n\njQuery.fn.extend({\n\tcss: function(name, value) {\n\t\treturn access(this, function(elem, name, value) {\n\t\t\tvar styles, len,\n\t\t\t\tmap = {},\n\t\t\t\ti = 0;\n\n\t\t\tif (Array.isArray(name)) {\n\t\t\t\tstyles = getStyles(elem);\n\t\t\t\tlen = name.length;\n\n\t\t\t\tfor (; i < len; i++) {\n\t\t\t\t\tmap[name[i]] = jQuery.css(elem, name[i], false, styles);\n\t\t\t\t}\n\n\t\t\t\treturn map;\n\t\t\t}\n\n\t\t\treturn value !== undefined ?\n\t\t\t\tjQuery.style(elem, name, value) :\n\t\t\t\tjQuery.css(elem, name);\n\t\t}, name, value, arguments.length > 1);\n\t}\n});\n\n\nfunction Tween(elem, options, prop, end, easing) {\n\treturn new Tween.prototype.init(elem, options, prop, end, easing);\n}\njQuery.Tween = Tween;\n\nTween.prototype = {\n\tconstructor: Tween,\n\tinit: function(elem, options, prop, end, easing, unit) {\n\t\tthis.elem = elem;\n\t\tthis.prop = prop;\n\t\tthis.easing = easing || jQuery.easing._default;\n\t\tthis.options = options;\n\t\tthis.start = this.now = this.cur();\n\t\tthis.end = end;\n\t\tthis.unit = unit || (jQuery.cssNumber[prop] ? \"\" : \"px\");\n\t},\n\tcur: function() {\n\t\tvar hooks = Tween.propHooks[this.prop];\n\n\t\treturn hooks && hooks.get ?\n\t\t\thooks.get(this) :\n\t\t\tTween.propHooks._default.get(this);\n\t},\n\trun: function(percent) {\n\t\tvar eased,\n\t\t\thooks = Tween.propHooks[this.prop];\n\n\t\tif (this.options.duration) {\n\t\t\tthis.pos = eased = jQuery.easing[this.easing](\n\t\t\t\tpercent, this.options.duration * percent, 0, 1, this.options.duration\n\t\t\t);\n\t\t} else {\n\t\t\tthis.pos = eased = percent;\n\t\t}\n\t\tthis.now = (this.end - this.start) * eased + this.start;\n\n\t\tif (this.options.step) {\n\t\t\tthis.options.step.call(this.elem, this.now, this);\n\t\t}\n\n\t\tif (hooks && hooks.set) {\n\t\t\thooks.set(this);\n\t\t} else {\n\t\t\tTween.propHooks._default.set(this);\n\t\t}\n\t\treturn this;\n\t}\n};\n\nTween.prototype.init.prototype = Tween.prototype;\n\nTween.propHooks = {\n\t_default: {\n\t\tget: function(tween) {\n\t\t\tvar result;\n\n\t\t\t// Use a property on the element directly when it is not a DOM element,\n\t\t\t// or when there is no matching style property that exists.\n\t\t\tif (tween.elem.nodeType !== 1 ||\n\t\t\t\ttween.elem[tween.prop] != null && tween.elem.style[tween.prop] == null) {\n\t\t\t\treturn tween.elem[tween.prop];\n\t\t\t}\n\n\t\t\t// Passing an empty string as a 3rd parameter to .css will automatically\n\t\t\t// attempt a parseFloat and fallback to a string if the parse fails.\n\t\t\t// Simple values such as \"10px\" are parsed to Float;\n\t\t\t// complex values such as \"rotate(1rad)\" are returned as-is.\n\t\t\tresult = jQuery.css(tween.elem, tween.prop, \"\");\n\n\t\t\t// Empty strings, null, undefined and \"auto\" are converted to 0.\n\t\t\treturn !result || result === \"auto\" ? 0 : result;\n\t\t},\n\t\tset: function(tween) {\n\n\t\t\t// Use step hook for back compat.\n\t\t\t// Use cssHook if its there.\n\t\t\t// Use .style if available and use plain properties where available.\n\t\t\tif (jQuery.fx.step[tween.prop]) {\n\t\t\t\tjQuery.fx.step[tween.prop](tween);\n\t\t\t} else if (tween.elem.nodeType === 1 &&\n\t\t\t\t(tween.elem.style[jQuery.cssProps[tween.prop]] != null ||\n\t\t\t\t\tjQuery.cssHooks[tween.prop])) {\n\t\t\t\tjQuery.style(tween.elem, tween.prop, tween.now + tween.unit);\n\t\t\t} else {\n\t\t\t\ttween.elem[tween.prop] = tween.now;\n\t\t\t}\n\t\t}\n\t}\n};\n\n// Support: IE <=9 only\n// Panic based approach to setting things on disconnected nodes\nTween.propHooks.scrollTop = Tween.propHooks.scrollLeft = {\n\tset: function(tween) {\n\t\tif (tween.elem.nodeType && tween.elem.parentNode) {\n\t\t\ttween.elem[

tween.prop] = tween.now;\n\t\t}\n\t}\n};\n\njQuery.easing = {\n\tlinear: function(p) {\n\t\treturn p;\n\t},\n\tswing: function(p) {\n\t\treturn 0.5 - Math.cos(p * Math.PI) / 2;\n\t},\n\t_default: \"swing\"\n};\n\njQuery.fx = Tween.prototype.init;\n\n// Back compat <1.8 extension point\njQuery.fx.step = {};\n\n\n\n\nvar\n\tfxNow, inProgress,\n\trfxtypes = /^(?:toggle|show|hide)$/,\n\trrun = /queueHooks$/;\n\nfunction schedule() {\n\tif (inProgress) {\n\t\tif (document.hidden === false && window.requestAnimationFrame) {\n\t\t\twindow.requestAnimationFrame(schedule);\n\t\t} else {\n\t\t\twindow.setTimeout(schedule, jQuery.fx.interval);\n\t\t}\n\n\t\tjQuery.fx.tick();\n\t}\n}\n\n// Animations created synchronously will run synchronously\nfunction createFxNow() {\n\twindow.setTimeout(function() {\n\t\tfxNow = undefined;\n\t});\n\treturn (fxNow = Date.now());\n}\n\n// Generate parameters to create a standard animation\nfunction genFx(type, includeWidth) {\n\tvar which,\n\t\ti = 0,\n\t\tattrs = { height: type };\n\n\t// If we include width, step value is 1 to do all cssExpand values,\n\t// otherwise step value is 2 to skip over Left and Right\n\tincludeWidth = includeWidth ? 1 : 0;\n\tfor (; i < 4; i += 2 - includeWidth) {\n\t\twhich = cssExpand[i];\n\t\tattrs[\"margin\" + which] = attrs[\"padding\" + which] = type;\n\t}\n\n\tif (includeWidth) {\n\t\tattrs.opacity = attrs.width = type;\n\t}\n\n\treturn attrs;\n}\n\nfunction createTween(value, prop, animation) {\n\tvar tween,\n\t\tcollection = (Animation.tweeners[prop] || []).concat(Animation.tweeners[\"*\"]),\n\t\tindex = 0,\n\t\tlength = collection.length;\n\tfor (; index < length; index++) {\n\t\tif ((tween = collection[index].call(animation, prop, value))) {\n\n\t\t\t// We're done with this property\n\t\t\treturn tween;\n\t\t}\n\t}\n}\n\nfunction defaultPrefilter(elem, props, opts) {\n\tvar prop, value, toggle, hooks, oldfire, propTween, restoreDisplay, display,\n\t\tisBox = \"width\" in props || \"height\" in props,\n\t\tanim = this,\n\t\torig = {},\n\t\tstyle = elem.style,\n\t\thidden = elem.nodeType && isHiddenWithinTree(elem),\n\t\tdataShow = dataPriv.get(elem, \"fxshow\");\n\n\t// Queue-skipping animations hijack the fx hooks\n\tif (!opts.queue) {\n\t\thooks = jQuery._queueHooks(elem, \"fx\");\n\t\tif (hooks.unqueued == null) {\n\t\t\thooks.unqueued = 0;\n\t\t\toldfire = hooks.empty.fire;\n\t\t\thooks.empty.fire = function() {\n\t\t\t\tif (!hooks.unqueued) {\n\t\t\t\t\toldfire();\n\t\t\t\t}\n\t\t\t};\n\t\t}\n\t\thooks.unqueued++;\n\n\t\tanim.always(function() {\n\n\t\t\t// Ensure the complete handler is called before this completes\n\t\t\tanim.always(function() {\n\t\t\t\thooks.unqueued--;\n\t\t\t\tif (!jQuery.queue(elem, \"fx\").length) {\n\t\t\t\t\thooks.empty.fire();\n\t\t\t\t}\n\t\t\t});\n\t\t});\n\t}\n\n\t// Detect show/hide animations\n\tfor (prop in props) {\n\t\tvalue = props[prop];\n\t\tif (rfxtypes.test(value)) {\n\t\t\tdelete props[prop];\n\t\t\ttoggle = toggle || value === \"toggle\";\n\t\t\tif (value === (hidden ? \"hide\" : \"show\")) {\n\n\t\t\t\t// Pretend to be hidden if this is a \"show\" and\n\t\t\t\t// there is still data from a stopped show/hide\n\t\t\t\tif (value === \"show\" && dataShow && dataShow[prop] !== undefined) {\n\t\t\t\t\thidden = true;\n\n\t\t\t\t// Ignore all other no-op show/hide data\n\t\t\t\t} else {\n\t\t\t\t\tcontinue;\n\t\t\t\t}\n\t\t\t}\n\t\t\torig[prop] = dataShow && dataShow[prop] || jQuery.style(elem, prop);\n\t\t}\n\t}\n\n\t// Bail out if this is a no-op like .hide().hide()\n\tpropTween = !jQuery.isEmptyObject(props);\n\tif (!propTween && jQuery.isEmptyObject(orig)) {\n\t\treturn;\n\t}\n\n\t// Restrict \"overflow\" and \"display\" styles during box animations\n\tif (isBox && elem.nodeType === 1) {\n\n\t\t// Support: IE <=9 - 11, Edge 12 - 15\n\t\t// Record all 3 overflow attributes because IE does not infer the shorthand\n\t\t// from identically-valued overflowX and overflowY and Edge just mirrors\n\t\t// the overflowX value there.\n\t\topts.overflow = [style.overflow, style.overflowX, style.overflowY];\n\n\t\t// Identify a display type, preferring old show/hide data over the CSS cascade\n\t\trestoreDisplay = dataShow && dataShow.display;\n\t\tif (restoreDisplay == null) {\n\t\t\trestoreDisplay = dataPriv.get(elem, \"display\");\n\t\t}\n\t\tdisplay = jQuery.css(elem, \"display\");\n\t\tif (display === \"none\") {\n\t\t\tif (restoreDisplay) {\n\t\t\t\tdisplay = restoreDisplay;\n\t\t\t} else {\n\n\t\t\t\t// Get nonempty value(s) by temporarily forcing visibility\n\t\t\t\tshowHide([elem], true);\n\t\t\t\trestoreDisplay = elem.style.display || restoreDisplay;\n\t\t\t\tdisplay = jQuery.css(elem, \"display\");\n\t\t\t\tshowHide([elem]);\n\t\t\t}\n\t\t}\n\n\t\t// Animate inline elements as inline-block\n\t\tif (display === \"inline\" || display === \"inline-block\" && restoreDisplay != null) {\n\t\t\tif (jQuery.css(elem, \"float\") === \"none\") {\n\n\t\t\t\t// Restore the original display value at the end of pure show/hide animations\n\t\t\t\tif (!propTween) {\n\t\t\t\t\tanim.done(function() {\n\t\t\t\t\t\tstyle.display = restoreDisplay;\n\t\t\t\t\t});\n\t\t\t\t\tif (restoreDisplay == null) {\n\t\t\t\t\t\tdisplay = style.display;\n\t\t\t\t\t\trestoreDisplay = display === \"none\" ? \"\" : display;\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t\tstyle.display

= \"inline-block\";\n\t\t\t}\n\t\t}\n\t}\n\n\tif (opts.overflow) {\n\t\tstyle.overflow = \"hidden\";\n\t\tanim.always(function() {\n\t\t\tstyle.overflow = opts.overflow[0];\n\t\t\tstyle.overflowX = opts.overflow[1];\n\t\t\tstyle.overflowY = opts.overflow[2];\n\t\t});\n\t}\n\n\t// Implement show/hide animations\n\tpropTween = false;\n\tfor (prop in orig) {\n\n\t\t// General show/hide setup for this element animation\n\t\tif (!propTween) {\n\t\t\tif (dataShow) {\n\t\t\t\tif (\"hidden\" in dataShow) {\n\t\t\t\t\thidden = dataShow.hidden;\n\t\t\t\t}\n\t\t\t} else {\n\t\t\t\tdataShow = dataPriv.access(elem, \"fxshow\", { display: restoreDisplay });\n\t\t\t}\n\n\t\t\t// Store hidden/visible for toggle so `.stop().toggle()` \"reverses\"\n\t\t\tif (toggle) {\n\t\t\t\tdataShow.hidden = !hidden;\n\t\t\t}\n\n\t\t\t// Show elements before animating them\n\t\t\tif (hidden) {\n\t\t\t\tshowHide([elem], true);\n\t\t\t}\n\n\t\t\t/* eslint-disable no-loop-func */\n\t\t\tanim.done(function() {\n\n\t\t\t/* eslint-enable no-loop-func */\n\n\t\t\t\t// The final step of a \"hide\" animation is actually hiding the element\n\t\t\t\tif (!hidden) {\n\t\t\t\t\tshowHide([elem]);\n\t\t\t\t}\n\t\t\t\tdataPriv.remove(elem, \"fxshow\");\n\t\t\t\tfor (prop in orig) {\n\t\t\t\t\tjQuery.style(elem, prop, orig[prop]);\n\t\t\t\t}\n\t\t\t});\n\t\t}\n\n\t\t// Per-property setup\n\t\tpropTween = createTween(hidden ? dataShow[prop] : 0, prop, anim);\n\t\tif (!(prop in dataShow)) {\n\t\t\tdataShow[prop] = propTween.start;\n\t\t\tif (hidden) {\n\t\t\t\tpropTween.end = propTween.start;\n\t\t\t\tpropTween.start = 0;\n\t\t\t}\n\t\t}\n\t}\n}\n\nfunction propFilter(props, specialEasing) {\n\tvar index, name, easing, value, hooks;\n\n\t// camelCase, specialEasing and expand cssHook pass\n\tfor (index in props) {\n\t\tname = camelCase(index);\n\t\teasing = specialEasing[name];\n\t\tvalue = props[index];\n\t\tif (Array.isArray(value)) {\n\t\t\teasing = value[1];\n\t\t\tvalue = props[index] = value[0];\n\t\t}\n\n\t\tif (index !== name) {\n\t\t\tprops[name] = value;\n\t\t\tdelete props[index];\n\t\t}\n\n\t\thooks = jQuery.cssHooks[name];\n\t\tif (hooks && \"expand\" in hooks) {\n\t\t\tvalue = hooks.expand(value);\n\t\t\tdelete props[name];\n\n\t\t\t// Not quite $.extend, this won't overwrite existing keys.\n\t\t\t// Reusing 'index' because we have the correct \"name\"\n\t\t\tfor (index in value) {\n\t\t\t\tif (!(index in props)) {\n\t\t\t\t\tprops[index] = value[index];\n\t\t\t\t\tspecialEasing[index] = easing;\n\t\t\t\t}\n\t\t\t}\n\t\t} else {\n\t\t\tspecialEasing[name] = easing;\n\t\t}\n\t}\n}\n\nfunction Animation(elem, properties, options) {\n\tvar result,\n\t\tstopped,\n\t\tindex = 0,\n\t\tlength = Animation.prefilters.length,\n\t\tdeferred = jQuery.Deferred().always(function() {\n\n\t\t\t// Don't match elem in the :animated selector\n\t\t\tdelete tick.elem;\n\t\t}),\n\t\ttick = function() {\n\t\t\tif (stopped) {\n\t\t\t\treturn false;\n\t\t\t}\n\t\t\tvar currentTime = fxNow || createFxNow(),\n\t\t\t\tremaining = Math.max(0, animation.startTime + animation.duration - currentTime),\n\n\t\t\t\t// Support: Android 2.3 only\n\t\t\t\t// Archaic crash bug won't allow us to use `1 - ( 0.5 || 0 )` (#12497)\n\t\t\t\ttemp = remaining / animation.duration || 0,\n\t\t\t\tpercent = 1 - temp,\n\t\t\t\tindex = 0,\n\t\t\t\tlength = animation.tweens.length;\n\n\t\t\tfor (; index < length; index++) {\n\t\t\t\tanimation.tweens[index].run(percent);\n\t\t\t}\n\n\t\t\tdeferred.notifyWith(elem, [animation, percent, remaining]);\n\n\t\t\t// If there's more to do, yield\n\t\t\tif (percent < 1 && length) {\n\t\t\t\treturn remaining;\n\t\t\t}\n\n\t\t\t// If this was an empty animation, synthesize a final progress notification\n\t\t\tif (!length) {\n\t\t\t\tdeferred.notifyWith(elem, [animation, 1, 0]);\n\t\t\t}\n\n\t\t\t// Resolve the animation and report its conclusion\n\t\t\tdeferred.resolveWith(elem, [animation]);\n\t\t\treturn false;\n\t\t},\n\t\tanimation = deferred.promise({\n\t\t\telem: elem,\n\t\t\tprops: jQuery.extend({}, properties),\n\t\t\topts: jQuery.extend(true, {\n\t\t\t\tspecialEasing: {},\n\t\t\t\teasing: jQuery.easing._default\n\t\t\t}, options),\n\t\t\toriginalProperties: properties,\n\t\t\toriginalOptions: options,\n\t\t\tstartTime: fxNow || createFxNow(),\n\t\t\tduration: options.duration,\n\t\t\ttweens: [],\n\t\t\tcreateTween: function(prop, end) {\n\t\t\t\tvar tween = jQuery.Tween(elem, animation.opts, prop, end,\n\t\t\t\t\t\tanimation.opts.specialEasing[prop] || animation.opts.easing);\n\t\t\t\tanimation.tweens.push(tween);\n\t\t\t\treturn tween;\n\t\t\t},\n\t\t\tstop: function(gotoEnd) {\n\t\t\t\tvar index = 0,\n\n\t\t\t\t\t// If we are going to the end, we want to run all the tweens\n\t\t\t\t\t// otherwise we skip this part\n\t\t\t\t\tlength = gotoEnd ? animation.tweens.length : 0;\n\t\t\t\tif (stopped) {\n\t\t\t\t\treturn this;\n\t\t\t\t}\n\t\t\t\tstopped = true;\n\t\t\t\tfor (; index < length; index++) {\n\t\t\t\t\tanimation.tweens[index].run(1);\n\t\t\t\t}\n\n\t\t\t\t// Resolve when we played the last frame; otherwise, reject\n\t\t\t\tif (gotoEnd) {\n\t\t\t\t\tdeferred.notifyWith(elem, [animation, 1, 0]);\n\t\t\t\t\tdeferred.resolveWith(elem, [animation, gotoEnd]);\n\t\t\t\t} else {\n\t\t\t\t\tdeferred.rejectWith(elem, [animation, gotoEnd]);\n\t\t\t\t}\n\t\t\t\treturn this;\n\t\t\t}\n\t\t}),\n\t\tprops = animation.props;\n\n\tpropFilter(props,

animation.opts.specialEasing);\n\n\tfor (; index < length; index++) {\n\t\tresult = Animation.prefilters[index].call(animation, elem, props, animation.opts);\n\t\tif (result) {\n\t\t\tif (isFunction(result.stop)) {\n\t\t\t\tjQuery._queueHooks(animation.elem, animation.opts.queue).stop =\n\t\t\t\t\tresult.stop.bind(result);\n\t\t\t}\n\t\t\treturn result;\n\t\t}\n\t}\n\n\tjQuery.map(props, createTween, animation);\n\n\tif (isFunction(animation.opts.start)) {\n\t\tanimation.opts.start.call(elem, animation);\n\t}\n\n\t// Attach callbacks from options\n\tanimation\n\t\t.progress(animation.opts.progress)\n\t\t.done(animation.opts.done, animation.opts.complete)\n\t\t.fail(animation.opts.fail)\n\t\t.always(animation.opts.always);\n\n\tjQuery.fx.timer(\n\t\tjQuery.extend(tick, {\n\t\t\telem: elem,\n\t\t\tanim: animation,\n\t\t\tqueue: animation.opts.queue\n\t\t})\n\t);\n\n\treturn animation;\n}\n\njQuery.Animation = jQuery.extend(Animation, {\n\n\ttweeners: {\n\t\t"*": [function(prop, value) {\n\t\t\tvar tween = this.createTween(prop, value);\n\t\t\tadjustCSS(tween.elem, prop, rcssNum.exec(value), tween);\n\t\t\treturn tween;\n\t\t}]\n\t},\n\n\ttweener: function(props, callback) {\n\t\tif (isFunction(props)) {\n\t\t\tcallback = props;\n\t\t\tprops = ["*"];\n\t\t} else {\n\t\t\tprops = props.match(rnothtmlwhite);\n\t\t}\n\n\t\tvar prop,\n\t\t\tindex = 0,\n\t\t\tlength = props.length;\n\n\t\tfor (; index < length; index++) {\n\t\t\tprop = props[index];\n\t\t\tAnimation.tweeners[prop] = Animation.tweeners[prop] || [];\n\t\t\tAnimation.tweeners[prop].unshift(callback);\n\t\t}\n\t},\n\n\tprefilters: [defaultPrefilter],\n\n\tprefilter: function(callback, prepend) {\n\t\tif (prepend) {\n\t\t\tAnimation.prefilters.unshift(callback);\n\t\t} else {\n\t\t\tAnimation.prefilters.push(callback);\n\t\t}\n\t}\n});\n\njQuery.speed = function(speed, easing, fn) {\n\tvar opt = speed && typeof speed === "object" ? jQuery.extend({}, speed) : {\n\t\tcomplete: fn || !fn && easing ||\n\t\t\tisFunction(speed) && speed,\n\t\tduration: speed,\n\t\teasing: fn && easing || easing && !isFunction(easing) && easing\n\t};\n\n\t// Go to the end state if fx are off\n\tif (jQuery.fx.off) {\n\t\topt.duration = 0;\n\n\t} else {\n\t\tif (typeof opt.duration !== "number") {\n\t\t\tif (opt.duration in jQuery.fx.speeds) {\n\t\t\t\topt.duration = jQuery.fx.speeds[opt.duration];\n\n\t\t\t} else {\n\t\t\t\topt.duration = jQuery.fx.speeds._default;\n\t\t\t}\n\t\t}\n\t}\n\n\t// Normalize opt.queue - true/undefined/null -> "fx"\n\tif (opt.queue == null || opt.queue === true) {\n\t\topt.queue = "fx";\n\t}\n\n\t// Queueing\n\topt.old = opt.complete;\n\n\topt.complete = function() {\n\t\tif (isFunction(opt.old)) {\n\t\t\topt.old.call(this);\n\t\t}\n\n\t\tif (opt.queue) {\n\t\t\tjQuery.dequeue(this, opt.queue);\n\t\t}\n\t};\n\n\treturn opt;\n};\n\njQuery.fn.extend({\n\tfadeTo: function(speed, to, easing, callback) {\n\n\t\t// Show any hidden elements after setting opacity to 0\n\t\treturn this.filter(isHiddenWithinTree).css("opacity", 0).show()\n\n\t\t\t// Animate to the value specified\n\t\t\t.end().animate({ opacity: to }, speed, easing, callback);\n\t},\n\tanimate: function(prop, speed, easing, callback) {\n\t\tvar empty = jQuery.isEmptyObject(prop),\n\t\t\toptall = jQuery.speed(speed, easing, callback),\n\t\t\tdoAnimation = function() {\n\n\t\t\t\t// Operate on a copy of prop so per-property easing won't be lost\n\t\t\t\tvar anim = Animation(this, jQuery.extend({}, prop), optall);\n\n\t\t\t\t// Empty animations, or finishing resolves immediately\n\t\t\t\tif (empty || dataPriv.get(this, "finish")) {\n\t\t\t\t\tanim.stop(true);\n\t\t\t\t}\n\t\t\t};\n\t\t\tdoAnimation.finish = doAnimation;\n\n\t\treturn empty || optall.queue === false ?\n\t\t\tthis.each(doAnimation) :\n\t\t\tthis.queue(optall.queue, doAnimation);\n\t},\n\tstop: function(type, clearQueue, gotoEnd) {\n\t\tvar stopQueue = function(hooks) {\n\t\t\tvar stop = hooks.stop;\n\t\t\tdelete hooks.stop;\n\t\t\tstop(gotoEnd);\n\t\t};\n\n\t\tif (typeof type !== "string") {\n\t\t\tgotoEnd = clearQueue;\n\t\t\tclearQueue = type;\n\t\t\ttype = undefined;\n\t\t}\n\t\tif (clearQueue && type !== false) {\n\t\t\tthis.queue(type || "fx", []);\n\t\t}\n\n\t\treturn this.each(function() {\n\t\t\tvar dequeue = true,\n\t\t\t\tindex = type != null && type + "queueHooks",\n\t\t\t\ttimers = jQuery.timers,\n\t\t\t\tdata = dataPriv.get(this);\n\n\t\t\tif (index) {\n\t\t\t\tif (data[index] && data[index].stop) {\n\t\t\t\t\tstopQueue(data[index]);\n\t\t\t\t}\n\t\t\t} else {\n\t\t\t\tfor (index in data) {\n\t\t\t\t\tif (data[index] && data[index].stop && rrun.test(index)) {\n\t\t\t\t\t\tstopQueue(data[index]);\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\n\t\t\tfor (index = timers.length; index--;) {\n\t\t\t\tif (timers[index].elem === this &&\n\t\t\t\t\t(type == null || timers[index].queue === type)) {\n\n\t\t\t\t\ttimers[index].anim.stop(gotoEnd);\n\t\t\t\t\tdequeue = false;\n\t\t\t\t\ttimers.splice(index, 1);\n\t\t\t\t}\n\t\t\t}\n\n\t\t\t// Start the next in the queue if the last step wasn't forced.\n\t\t\t// Timers currently will call their complete callbacks, which\n\t\t\t// will dequeue but only if they were gotoEnd.\n\t\t\tif (dequeue || !gotoEnd) {\n\t\t\t\tjQuery.dequeue(this, type);\n\t\t\t}\n\t\t});\n\t},\n\tfinish: function(type) {\n\t\tif (type !==

false) {\n\t\t\ttype = type || \"fx\";\n\t\t}\n\t\treturn this.each(function() {\n\t\t\tvar index,\n\t\t\t\tdata = dataPriv.get(this),\n\t\t\t\tqueue = data[type + \"queue\"],\n\t\t\t\thooks = data[type + \"queueHooks\"],\n\t\t\t\ttimers = jQuery.timers,\n\t\t\t\tlength = queue ? queue.length : 0;\n\t\t\t// Enable finishing flag on private data\n\t\t\tdata.finish = true;\n\n\t\t\t// Empty the queue first\n\t\t\tjQuery.queue(this, type, []);\n\n\t\t\tif (hooks && hooks.stop) {\n\t\t\t\thooks.stop.call(this, true);\n\t\t\t}\n\n\t\t\t// Look for any active animations, and finish them\n\t\t\tfor (index = timers.length; index--;) {\n\t\t\t\tif (timers[index].elem === this && timers[index].queue === type) {\n\t\t\t\t\ttimers[index].anim.stop(true);\n\t\t\t\t\ttimers.splice(index, 1);\n\t\t\t\t}\n\t\t\t}\n\n\t\t\t// Look for any animations in the old queue and finish them\n\t\t\tfor (index = 0; index < length; index++) {\n\t\t\t\tif (queue[index] && queue[index].finish) {\n\t\t\t\t\tqueue[index].finish.call(this);\n\t\t\t\t}\n\t\t\t}\n\n\t\t\t// Turn off finishing flag\n\t\t\tdelete data.finish;\n\t\t});\n\t}\n});\n\njQuery.each([\"toggle\", \"show\", \"hide\"], function(i, name) {\n\tvar cssFn = jQuery.fn[name];\n\tjQuery.fn[name] = function(speed, easing, callback) {\n\t\treturn speed == null || typeof speed === \"boolean\" ?\n\t\t\tcssFn.apply(this, arguments) :\n\t\t\tthis.animate(genFx(name, true), speed, easing, callback);\n\t};\n});\n\n// Generate shortcuts for custom animations\njQuery.each({\n\tslideDown: genFx(\"show\"),\n\tslideUp: genFx(\"hide\"),\n\tslideToggle: genFx(\"toggle\"),\n\tfadeIn: { opacity: \"show\" },\n\tfadeOut: { opacity: \"hide\" },\n\tfadeToggle: { opacity: \"toggle\" }\n}, function(name, props) {\n\tjQuery.fn[name] = function(speed, easing, callback) {\n\t\treturn this.animate(props, speed, easing, callback);\n\t};\n});\n\njQuery.timers = [];\njQuery.fx.tick = function() {\n\tvar timer,\n\t\ti = 0,\n\t\ttimers = jQuery.timers;\n\n\tfxNow = Date.now();\n\n\tfor (; i < timers.length; i++) {\n\t\ttimer = timers[i];\n\n\t\t// Run the timer and safely remove it when done (allowing for external removal)\n\t\tif (!timer() && timers[i] === timer) {\n\t\t\ttimers.splice(i--, 1);\n\t\t}\n\t}\n\n\tif (!timers.length) {\n\t\tjQuery.fx.stop();\n\t}\n\tfxNow = undefined;\n};\n\njQuery.fx.timer = function(timer) {\n\tjQuery.timers.push(timer);\n\tjQuery.fx.start();\n};\n\njQuery.fx.interval = 13;\njQuery.fx.start = function() {\n\tif (inProgress) {\n\t\treturn;\n\t}\n\n\tinProgress = true;\n\tschedule();\n};\n\njQuery.fx.stop = function() {\n\tinProgress = null;\n};\n\njQuery.fx.speeds = {\n\tslow: 600,\n\tfast: 200,\n\n\t// Default speed\n\t_default: 400\n};\n\n\n// Based off of the plugin by Clint Helfers, with permission.\n// https://web.archive.org/web/20100324014747/http://blindsignals.com/index.php/2009/07/jquery-delay/\njQuery.fn.delay = function(time, type) {\n\ttime = jQuery.fx ? jQuery.fx.speeds[time] || time : time;\n\ttype = type || \"fx\";\n\n\treturn this.queue(type, function(next, hooks) {\n\t\tvar timeout = window.setTimeout(next, time);\n\t\thooks.stop = function() {\n\t\t\twindow.clearTimeout(timeout);\n\t\t};\n\t});\n};\n\n\n(function() {\n\tvar input = document.createElement(\"input\"),\n\t\tselect = document.createElement(\"select\"),\n\t\topt = select.appendChild(document.createElement(\"option\"));\n\n\tinput.type = \"checkbox\";\n\n\t// Support: Android <=4.3 only\n\t// Default value for a checkbox should be \"on\"\n\tsupport.checkOn = input.value !== \"\";\n\n\t// Support: IE <=11 only\n\t// Must access selectedIndex to make default options select\n\tsupport.optSelected = opt.selected;\n\n\t// Support: IE <=11 only\n\t// An input loses its value after becoming a radio\n\tinput = document.createElement(\"input\");\n\tinput.value = \"t\";\n\tinput.type = \"radio\";\n\tsupport.radioValue = input.value === \"t\";\n})();\n\n\nvar boolHook,\n\tattrHandle = jQuery.expr.attrHandle;\n\njQuery.fn.extend({\n\tattr: function(name, value) {\n\t\treturn access(this, jQuery.attr, name, value, arguments.length > 1);\n\t},\n\n\tremoveAttr: function(name) {\n\t\treturn this.each(function() {\n\t\t\tjQuery.removeAttr(this, name);\n\t\t});\n\t}\n});\n\njQuery.extend({\n\tattr: function(elem, name, value) {\n\t\tvar ret, hooks,\n\t\t\tnType = elem.nodeType;\n\n\t\t// Don't get/set attributes on text, comment and attribute nodes\n\t\tif (nType === 3 || nType === 8 || nType === 2) {\n\t\t\treturn;\n\t\t}\n\n\t\t// Fallback to prop when attributes are not supported\n\t\tif (typeof elem.getAttribute === \"undefined\") {\n\t\t\treturn jQuery.prop(elem, name, value);\n\t\t}\n\n\t\t// Attribute hooks are determined by the lowercase version\n\t\t// Grab necessary hook if one is defined\n\t\tif (nType !== 1 || !jQuery.isXMLDoc(elem)) {\n\t\t\thooks = jQuery.attrHooks[name.toLowerCase()] ||\n\t\t\t\t(jQuery.expr.match.bool.test(name) ? boolHook : undefined);\n\t\t}\n\n\t\tif (value !== undefined) {\n\t\t\tif (value === null) {\n\t\t\t\tjQuery.removeAttr(elem, name);\n\t\t\t\treturn;\n\t\t\t}\n\n\t\t\tif (hooks && \"set\" in hooks &&\n\t\t\t\t(ret = hooks.set(elem, value, name)) !== undefined) {\n\t\t\t\treturn ret;\n\t\t\t}\n\n\t\t\telem.setAttribute(name, value + \"\");\n\t\t\treturn

value;\n\t\t}\n\n\t\tif (hooks && \"get\" in hooks && (ret = hooks.get(elem, name)) !== null) {\n\t\t\treturn ret;\n\t\t}\n\n\t\tret = jQuery.find.attr(elem, name);\n\n\t\t// Non-existent attributes return null, we normalize to undefined\n\t\treturn ret == null ? undefined : ret;\n\t},\n\n\tattrHooks: {\n\t\ttype: {\n\t\t\tset: function(elem, value) {\n\t\t\t\tif (!support.radioValue && value === \"radio\" &&\n\t\t\t\t\tnodeName(elem, \"input\")) {\n\t\t\t\t\tvar val = elem.value;\n\t\t\t\t\telem.setAttribute(\"type\", value);\n\t\t\t\t\tif (val) {\n\t\t\t\t\t\telem.value = val;\n\t\t\t\t\t}\n\t\t\t\t\treturn value;\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t},\n\n\tremoveAttr: function(elem, value) {\n\t\tvar name,\n\t\t\ti = 0,\n\n\t\t\t// Attribute names can contain non-HTML whitespace characters\n\t\t\t// https://html.spec.whatwg.org/multipage/syntax.html#attributes-2\n\t\t\tattrNames = value && value.match(rnothtmlwhite);\n\n\t\tif (attrNames && elem.nodeType === 1) {\n\t\t\twhile ((name = attrNames[i++])) {\n\t\t\t\telem.removeAttribute(name);\n\t\t\t}\n\t\t}\n\t}\n});\n\n// Hooks for boolean attributes\nboolHook = {\n\tset: function(elem, value, name) {\n\t\tif (value === false) {\n\n\t\t\t// Remove boolean attributes when set to false\n\t\t\tjQuery.removeAttr(elem, name);\n\t\t} else {\n\t\t\telem.setAttribute(name, name);\n\t\t}\n\t\treturn name;\n\t}\n};\n\njQuery.each(jQuery.expr.match.bool.source.match(/\\w+/g), function(i, name) {\n\tvar getter = attrHandle[name] || jQuery.find.attr;\n\n\tattrHandle[name] = function(elem, name, isXML) {\n\t\tvar ret, handle,\n\t\t\tlowercaseName = name.toLowerCase();\n\n\t\tif (!isXML) {\n\n\t\t\t// Avoid an infinite loop by temporarily removing this function from the getter\n\t\t\thandle = attrHandle[lowercaseName];\n\t\t\tattrHandle[lowercaseName] = ret;\n\t\t\tret = getter(elem, name, isXML) != null ?\n\t\t\t\tlowercaseName :\n\t\t\t\tnull;\n\t\t\tattrHandle[lowercaseName] = handle;\n\t\t}\n\t\treturn ret;\n\t};\n});\n\n\n\nvar rfocusable = /^(?:input|select|textarea|button)$/i,\n\trclickable = /^(?:a|area)$/i;\n\njQuery.fn.extend({\n\tprop: function(name, value) {\n\t\treturn access(this, jQuery.prop, name, value, arguments.length > 1);\n\t},\n\n\tremoveProp: function(name) {\n\t\treturn this.each(function() {\n\t\t\tdelete this[jQuery.propFix[name] || name];\n\t\t});\n\t}\n});\n\njQuery.extend({\n\tprop: function(elem, name, value) {\n\t\tvar ret, hooks,\n\t\t\tnType = elem.nodeType;\n\n\t\t// Don't get/set properties on text, comment and attribute nodes\n\t\tif (nType === 3 || nType === 8 || nType === 2) {\n\t\t\treturn;\n\t\t}\n\n\t\tif (nType !== 1 || !jQuery.isXMLDoc(elem)) {\n\n\t\t\t// Fix name and attach hooks\n\t\t\tname = jQuery.propFix[name] || name;\n\t\t\thooks = jQuery.propHooks[name];\n\t\t}\n\n\t\tif (value !== undefined) {\n\t\t\tif (hooks && \"set\" in hooks &&\n\t\t\t\t(ret = hooks.set(elem, value, name)) !== undefined) {\n\t\t\t\treturn ret;\n\t\t\t}\n\n\t\t\treturn (elem[name] = value);\n\t\t}\n\n\t\tif (hooks && \"get\" in hooks && (ret = hooks.get(elem, name)) !== null) {\n\t\t\treturn ret;\n\t\t}\n\n\t\treturn elem[name];\n\t},\n\n\tpropHooks: {\n\t\ttabIndex: {\n\t\t\tget: function(elem) {\n\n\t\t\t\t// Support: IE <=9 - 11 only\n\t\t\t\t// elem.tabIndex doesn't always return the\n\t\t\t\t// correct value when it hasn't been explicitly set\n\t\t\t\t// https://web.archive.org/web/20141116233347/http://fluidproject.org/blog/2008/01/09/getting-setting-and-removing-tabindex-values-with-javascript/\n\t\t\t\t// Use proper attribute retrieval(#12072)\n\t\t\t\tvar tabindex = jQuery.find.attr(elem, \"tabindex\");\n\n\t\t\t\tif (tabindex) {\n\t\t\t\t\treturn parseInt(tabindex, 10);\n\t\t\t\t}\n\n\t\t\t\tif (\n\t\t\t\t\trfocusable.test(elem.nodeName) ||\n\t\t\t\t\trclickable.test(elem.nodeName) &&\n\t\t\t\t\telem.href\n\t\t\t\t) {\n\t\t\t\t\treturn 0;\n\t\t\t\t}\n\n\t\t\t\treturn -1;\n\t\t\t}\n\t\t}\n\t},\n\n\tpropFix: {\n\t\t\"for\": \"htmlFor\",\n\t\t\"class\": \"className\"\n\t}\n});\n\n// Support: IE <=11 only\n// Accessing the selectedIndex property\n// forces the browser to respect setting selected\n// on the option\n// The getter ensures a default option is selected\n// when in an optgroup\n// eslint rule \"no-unused-expressions\" is disabled for this code\n// since it considers such accessions noop\nif (!support.optSelected) {\n\tjQuery.propHooks.selected = {\n\t\tget: function(elem) {\n\n\t\t\t/* eslint no-unused-expressions: \"off\" */\n\n\t\t\tvar parent = elem.parentNode;\n\t\t\tif (parent && parent.parentNode) {\n\t\t\t\tparent.parentNode.selectedIndex;\n\t\t\t}\n\t\t\treturn null;\n\t\t},\n\t\tset: function(elem) {\n\n\t\t\t/* eslint no-unused-expressions: \"off\" */\n\n\t\t\tvar parent = elem.parentNode;\n\t\t\tif (parent) {\n\t\t\t\tparent.selectedIndex;\n\t\t\t\tif (parent.parentNode) {\n\t\t\t\t\tparent.parentNode.selectedIndex;\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t};\n}\n\njQuery.each([\n\t\"tabIndex\",\n\t\"readOnly\",\n\t\"maxLength\",\n\t\"cellSpacing\",\n\t\"cellPadding\",\n\t\"rowSpan\",\n\t\"colSpan\",\n\t\"useMap\",\n\t\"frameBorder\",\n\t\"contentEditable\"\n], function() {\n\tjQuery.propFix[this.toLowerCase()] = this;\n});\n\n\n\n\n\t// Strip and collapse whitespace according to HTML spec\n\t//

https://infra.spec.whatwg.org/#strip-and-collapse-ascii-whitespace\n\tfunction stripAndCollapse(value) {\n\t\tvar tokens = value.match(rnothtmlwhite) || [];\n\t\treturn tokens.join(\" \");\n\t}\n\n\nfunction getClass(elem) {\n\t\treturn elem.getAttribute && elem.getAttribute(\"class\") || \"\";\n}\n\nfunction classesToArray(value) {\n\tif (Array.isArray(value)) {\n\t\treturn value;\n\t}\n\tif (typeof value === \"string\") {\n\t\treturn value.match(rnothtmlwhite) || [];\n\t}\n\treturn [];\n}\n\njQuery.fn.extend({\n\taddClass: function(value) {\n\t\tvar classes, elem, cur, curValue, clazz, j, finalValue,\n\t\t\ti = 0;\n\n\t\tif (isFunction(value)) {\n\t\t\treturn this.each(function(j) {\n\t\t\t\tjQuery(this).addClass(value.call(this, j, getClass(this)));\n\t\t\t});\n\t\t}\n\n\t\tclasses = classesToArray(value);\n\n\t\tif (classes.length) {\n\t\t\twhile ((elem = this[i++])) {\n\t\t\t\tcurValue = getClass(elem);\n\t\t\t\tcur = elem.nodeType === 1 && (\" \" + stripAndCollapse(curValue) + \" \");\n\n\t\t\t\tif (cur) {\n\t\t\t\t\tj = 0;\n\t\t\t\t\twhile ((clazz = classes[j++])) {\n\t\t\t\t\t\tif (cur.indexOf(\" \" + clazz + \" \") < 0) {\n\t\t\t\t\t\t\tcur += clazz + \" \";\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\n\t\t\t\t\t// Only assign if different to avoid unneeded rendering.\n\t\t\t\t\tfinalValue = stripAndCollapse(cur);\n\t\t\t\t\tif (curValue !== finalValue) {\n\t\t\t\t\t\telem.setAttribute(\"class\", finalValue);\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t\treturn this;\n\t},\n\n\tremoveClass: function(value) {\n\t\tvar classes, elem, cur, curValue, clazz, j, finalValue,\n\t\t\ti = 0;\n\n\t\tif (isFunction(value)) {\n\t\t\treturn this.each(function(j) {\n\t\t\t\tjQuery(this).removeClass(value.call(this, j, getClass(this)));\n\t\t\t});\n\t\t}\n\n\t\tif (!arguments.length) {\n\t\t\treturn this.attr(\"class\", \"\");\n\t\t}\n\n\t\tclasses = classesToArray(value);\n\n\t\tif (classes.length) {\n\t\t\twhile ((elem = this[i++])) {\n\t\t\t\tcurValue = getClass(elem);\n\n\t\t\t\t// This expression is here for better compressibility (see addClass)\n\t\t\t\tcur = elem.nodeType === 1 && (\" \" + stripAndCollapse(curValue) + \" \");\n\n\t\t\t\tif (cur) {\n\t\t\t\t\tj = 0;\n\t\t\t\t\twhile ((clazz = classes[j++])) {\n\n\t\t\t\t\t\t// Remove *all* instances\n\t\t\t\t\t\twhile (cur.indexOf(\" \" + clazz + \" \") > -1) {\n\t\t\t\t\t\t\tcur = cur.replace(\" \" + clazz + \" \", \" \");\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\n\t\t\t\t\t// Only assign if different to avoid unneeded rendering.\n\t\t\t\t\tfinalValue = stripAndCollapse(cur);\n\t\t\t\t\tif (curValue !== finalValue) {\n\t\t\t\t\t\telem.setAttribute(\"class\", finalValue);\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t\treturn this;\n\t},\n\n\ttoggleClass: function(value, stateVal) {\n\t\tvar type = typeof value,\n\t\t\tisValidValue = type === \"string\" || Array.isArray(value);\n\n\t\tif (typeof stateVal === \"boolean\" && isValidValue) {\n\t\t\treturn stateVal ? this.addClass(value) : this.removeClass(value);\n\t\t}\n\n\t\tif (isFunction(value)) {\n\t\t\treturn this.each(function(i) {\n\t\t\t\tjQuery(this).toggleClass(\n\t\t\t\t\tvalue.call(this, i, getClass(this), stateVal),\n\t\t\t\t\tstateVal\n\t\t\t\t);\n\t\t\t});\n\t\t}\n\n\t\treturn this.each(function() {\n\t\t\tvar className, i, self, classNames;\n\n\t\t\tif (isValidValue) {\n\n\t\t\t\t// Toggle individual class names\n\t\t\t\ti = 0;\n\t\t\t\tself = jQuery(this);\n\t\t\t\tclassNames = classesToArray(value);\n\n\t\t\t\twhile ((className = classNames[i++])) {\n\n\t\t\t\t\t// Check each className given, space separated list\n\t\t\t\t\tif (self.hasClass(className)) {\n\t\t\t\t\t\tself.removeClass(className);\n\t\t\t\t\t} else {\n\t\t\t\t\t\tself.addClass(className);\n\t\t\t\t\t}\n\t\t\t\t}\n\n\t\t\t// Toggle whole class name\n\t\t\t} else if (value === undefined || type === \"boolean\") {\n\t\t\t\tclassName = getClass(this);\n\t\t\t\tif (className) {\n\n\t\t\t\t\t// Store className if set\n\t\t\t\t\tdataPriv.set(this, \"__className__\", className);\n\t\t\t\t}\n\n\t\t\t\t// If the element has a class name or if we're passed `false`,\n\t\t\t\t// then remove the whole classname (if there was one, the above saved it).\n\t\t\t\t// Otherwise bring back whatever was previously saved (if anything),\n\t\t\t\t// falling back to the empty string if nothing was stored.\n\t\t\t\tif (this.setAttribute) {\n\t\t\t\t\tthis.setAttribute(\"class\",\n\t\t\t\t\t\tclassName || value === false ?\n\t\t\t\t\t\t\t\"\" :\n\t\t\t\t\t\t\tdataPriv.get(this, \"__className__\") || \"\"\n\t\t\t\t\t);\n\t\t\t\t}\n\t\t\t}\n\t\t});\n\t},\n\n\thasClass: function(selector) {\n\t\tvar className, elem,\n\t\t\ti = 0;\n\n\t\tclassName = \" \" + selector + \" \";\n\t\twhile ((elem = this[i++])) {\n\t\t\tif (elem.nodeType === 1 &&\n\t\t\t\t(\" \" + stripAndCollapse(getClass(elem)) + \" \").indexOf(className) > -1) {\n\t\t\t\t\treturn true;\n\t\t\t}\n\t\t}\n\n\t\treturn false;\n\t}\n});\n\n\n\nvar rreturn = /\r/g;\n\njQuery.fn.extend({\n\tval: function(value) {\n\t\tvar hooks, ret, valueIsFunction,\n\t\t\telem = this[0];\n\n\t\tif (!arguments.length) {\n\t\t\tif (elem) {\n\t\t\t\thooks = jQuery.valHooks[elem.type] ||\n\t\t\t\t\tjQuery.valHooks[elem.nodeName.toLowerCase()];\n\n\t\t\t\tif (hooks &&\n\t\t\t\t\t\"get\" in hooks &&\n\t\t\t\t\t(ret = hooks.get(elem, \"value\")) !== undefined\n\t\t\t\t) {\n\t\t\t\t\treturn ret;\n\t\t\t\t}\n\n\t\t\t\tret = elem.value;\n\n\t\t\t\t// Handle most common string cases\n\t\t\t\tif (typeof ret === \"string\") {\n\t\t\t\t\treturn ret.replace(rreturn, \"\"

);\n\t\t\t}\n\n\t\t\t/// Handle cases where value is null/undef or number\n\t\t\treturn ret == null ? \"\" : ret;\n\t\t}\n\n\t\treturn;\n\t}\n\n\t\tvalueIsFunction = isFunction(value);\n\t\treturn this.each(function(i) {\n\t\tvar val;\n\n\t\tif (this.nodeType !== 1) {\n\t\t\treturn;\n\t\t}\n\n\t\tif (valueIsFunction) {\n\t\t\tval = value.call(this, i, jQuery(this).val());\n\t\t} else {\n\t\t\tval = value;\n\t\t}\n\n\t\t// Treat null/undefined as \"\"; convert numbers to string\n\t\tif (val == null) {\n\t\t\tval = \"\";\n\n\t\t} else if (typeof val === \"number\") {\n\t\t\tval += \"\";\n\n\t\t} else if (Array.isArray(val)) {\n\t\t\tval = jQuery.map(val, function(value) {\n\t\t\t\treturn value == null ? \"\" : value + \"\";\n\t\t\t});\n\t\t}\n\n\t\thooks = jQuery.valHooks[this.type] || jQuery.valHooks[this.nodeName.toLowerCase()];\n\n\t\t// If set returns undefined, fall back to normal setting\n\t\tif (!hooks || !(\"set\" in hooks) || hooks.set(this, val, \"value\") === undefined) {\n\t\t\tthis.value = val;\n\t\t}\n\t});\n\t}\n});\n\njQuery.extend({\n\tvalHooks: {\n\t\toption: {\n\t\t\tget: function(elem) {\n\n\t\t\tvar val = jQuery.find.attr(elem, \"value\");\n\t\t\treturn val != null ?\n\t\t\t\tval :\n\n\t\t\t\t// Support: IE <=10 - 11 only\n\t\t\t\t// option.text throws exceptions (#14686, #14858)\n\t\t\t\t// Strip and collapse whitespace\n\t\t\t\t// https://html.spec.whatwg.org/#strip-and-collapse-whitespace\n\t\t\t\tstripAndCollapse(jQuery.text(elem));\n\t\t}\n\t},\n\tselect: {\n\t\tget: function(elem) {\n\t\tvar value, option, i,\n\t\t\toptions = elem.options,\n\t\t\tindex = elem.selectedIndex,\n\t\t\tone = elem.type === \"select-one\",\n\t\t\tvalues = one ? null : [],\n\t\t\tmax = one ? index + 1 : options.length;\n\n\t\tif (index < 0) {\n\t\t\ti = max;\n\n\t\t} else {\n\t\t\ti = one ? index : 0;\n\t\t}\n\n\t\t// Loop through all the selected options\n\t\tfor (; i < max; i++) {\n\t\t\toption = options[i];\n\n\t\t\t// Support: IE <=9 only\n\t\t\t// IE8-9 doesn't update selected after form reset (#2551)\n\t\t\tif ((option.selected || i === index) &&\n\n\t\t\t\t\t// Don't return options that are disabled or in a disabled optgroup\n\t\t\t\t\t!option.disabled &&\n\t\t\t\t\t(!option.parentNode.disabled ||\n\t\t\t\t\t\t!nodeName(option.parentNode, \"optgroup\"))) {\n\n\t\t\t\t// Get the specific value for the option\n\t\t\t\tvalue = jQuery(option).val();\n\n\t\t\t\t// We don't need an array for one selects\n\t\t\t\tif (one) {\n\t\t\t\t\treturn value;\n\t\t\t\t}\n\n\t\t\t\t// Multi-Selects return an array\n\t\t\t\tvalues.push(value);\n\t\t\t}\n\t\t}\n\n\t\treturn values;\n\t},\n\n\t\tset: function(elem, value) {\n\t\tvar optionSet, option,\n\t\t\toptions = elem.options,\n\t\t\tvalues = jQuery.makeArray(value),\n\t\t\ti = options.length;\n\n\t\twhile (i--) {\n\t\t\toption = options[i];\n\n\t\t\t/* eslint-disable no-cond-assign */\n\t\t\tif (option.selected =\n\t\t\t\tjQuery.inArray(jQuery.valHooks.option.get(option), values) > -1\n\t\t\t) {\n\t\t\t\toptionSet = true;\n\t\t\t}\n\n\t\t\t/* eslint-enable no-cond-assign */\n\t\t}\n\n\t\t// Force browsers to behave consistently when non-matching value is set\n\t\tif (!optionSet) {\n\t\t\telem.selectedIndex = -1;\n\t\t}\n\t\treturn values;\n\t}\n\t}\n\t}\n});\n\n// Radios and checkboxes getter/setter\njQuery.each([\"radio\", \"checkbox\"], function() {\n\tjQuery.valHooks[this] = {\n\t\tset: function(elem, value) {\n\t\tif (Array.isArray(value)) {\n\t\t\treturn (elem.checked = jQuery.inArray(jQuery(elem).val(), value) > -1);\n\t\t}\n\t}\n\t};\n\tif (!support.checkOn) {\n\t\tjQuery.valHooks[this].get = function(elem) {\n\t\t\treturn elem.getAttribute(\"value\") === null ? \"on\" : elem.value;\n\t\t};\n\t}\n});\n\n\n\n// Return jQuery for attributes-only inclusion\n\n\nsupport.focusin = \"onfocusin\" in window;\n\n\nvar rfocusMorph = /^(?:focusinfocus|focusoutblur)$/,\n\tstopPropagationCallback = function(e) {\n\t\te.stopPropagation();\n\t};\n\njQuery.extend(jQuery.event, {\n\n\ttrigger: function(event, data, elem, onlyHandlers) {\n\n\t\tvar i, cur, tmp, bubbleType, ontype, handle, special, lastElement,\n\t\t\teventPath = [elem || document],\n\t\t\ttype = hasOwn.call(event, \"type\") ? event.type : event,\n\t\t\tnamespaces = hasOwn.call(event, \"namespace\") ? event.namespace.split(\".\") : [];\n\n\t\tcur = lastElement = tmp = elem = elem || document;\n\n\t\t// Don't do events on text and comment nodes\n\t\tif (elem.nodeType === 3 || elem.nodeType === 8) {\n\t\t\treturn;\n\t\t}\n\n\t\t// focus/blur morphs to focusin/out; ensure we're not firing them right now\n\t\tif (rfocusMorph.test(type + jQuery.event.triggered)) {\n\t\t\treturn;\n\t\t}\n\n\t\tif (type.indexOf(\".\") > -1) {\n\n\t\t\t// Namespaced trigger; create a regexp to match event type in handle()\n\t\t\tnamespaces = type.split(\".\");\n\t\t\ttype = namespaces.shift();\n\t\t\tnamespaces.sort();\n\t\t}\n\t\tontype = type.indexOf(\":\") < 0 && \"on\" + type;\n\n\t\t// Caller can pass in a jQuery.Event object, Object, or just an event type string\n\t\tevent = event[jQuery.expando] ?\n\t\t\tevent :\n\t\t\tnew jQuery.Event(type, typeof event === \"object\" && event);\n\n\t\t// Trigger bitmask: & 1 for native handlers; & 2 for jQuery (always true)\n\t\tevent.isTrigger = onlyHandlers ? 2 :

3;\n\t\tevent.namespace = namespaces.join(\".\");\n\t\tevent.rnamespace = event.namespace ?\n\t\t\tnew RegExp(\"(^|\\\\.)\" + namespaces.join(\"\\\\.(?:.*\\\\.|)\") + \"(\\\\.|$)\") :\n\t\t\tnull;\n\n\t\t// Clean up the event in case it is being reused\n\t\tevent.result = undefined;\n\t\tif (!event.target) {\n\t\t\tevent.target = elem;\n\t\t}\n\n\t\t// Clone any incoming data and prepend the event, creating the handler arg list\n\t\tdata = data == null ?\n\t\t\t[event] :\n\t\t\tjQuery.makeArray(data, [event]);\n\n\t\t// Allow special events to draw outside the lines\n\t\tspecial = jQuery.event.special[type] || {};\n\t\tif (!onlyHandlers && special.trigger && special.trigger.apply(elem, data) === false) {\n\t\t\treturn;\n\t\t}\n\n\t\t// Determine event propagation path in advance, per W3C events spec (#9951)\n\t\t// Bubble up to document, then to window; watch for a global ownerDocument var (#9724)\n\t\tif (!onlyHandlers && !special.noBubble && !isWindow(elem)) {\n\n\t\t\tbubbleType = special.delegateType || type;\n\t\t\tif (!rfocusMorph.test(bubbleType + type)) {\n\t\t\t\tcur = cur.parentNode;\n\t\t\t}\n\t\t\tfor (; cur; cur = cur.parentNode) {\n\t\t\t\teventPath.push(cur);\n\t\t\t\ttmp = cur;\n\t\t\t}\n\n\t\t\t// Only add window if we got to document (e.g., not plain obj or detached DOM)\n\t\t\tif (tmp === (elem.ownerDocument || document)) {\n\t\t\t\teventPath.push(tmp.defaultView || tmp.parentWindow || window);\n\t\t\t}\n\t\t}\n\n\t\t// Fire handlers on the event path\n\t\ti = 0;\n\t\twhile ((cur = eventPath[i++]) && !event.isPropagationStopped()) {\n\t\t\tlastElement = cur;\n\t\t\tevent.type = i > 1 ?\n\t\t\t\tbubbleType :\n\t\t\t\tspecial.bindType || type;\n\n\t\t\t// jQuery handler\n\t\t\thandle = (dataPriv.get(cur, \"events\") || {})[event.type] &&\n\t\t\t\tdataPriv.get(cur, \"handle\");\n\t\t\tif (handle) {\n\t\t\t\thandle.apply(cur, data);\n\t\t\t}\n\n\t\t\t// Native handler\n\t\t\thandle = ontype && cur[ontype];\n\t\t\tif (handle && handle.apply && acceptData(cur)) {\n\t\t\t\tevent.result = handle.apply(cur, data);\n\t\t\t\tif (event.result === false) {\n\t\t\t\t\tevent.preventDefault();\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t\tevent.type = type;\n\n\t\t// If nobody prevented the default action, do it now\n\t\tif (!onlyHandlers && !event.isDefaultPrevented()) {\n\n\t\t\tif ((!special._default ||\n\t\t\t\tspecial._default.apply(eventPath.pop(), data) === false) &&\n\t\t\t\tacceptData(elem)) {\n\n\t\t\t\t// Call a native DOM method on the target with the same name as the event.\n\t\t\t\t// Don't do default actions on window, that's where global variables be (#6170)\n\t\t\t\tif (ontype && isFunction(elem[type]) && !isWindow(elem)) {\n\n\t\t\t\t\t// Don't re-trigger an onFOO event when we call its FOO() method\n\t\t\t\t\ttmp = elem[ontype];\n\n\t\t\t\t\tif (tmp) {\n\t\t\t\t\t\telem[ontype] = null;\n\t\t\t\t\t}\n\n\t\t\t\t\t// Prevent re-triggering of the same event, since we already bubbled it above\n\t\t\t\t\tjQuery.event.triggered = type;\n\n\t\t\t\t\tif (event.isPropagationStopped()) {\n\t\t\t\t\t\tlastElement.addEventListener(type, stopPropagationCallback);\n\t\t\t\t\t}\n\n\t\t\t\t\telem[type]();\n\n\t\t\t\t\tif (event.isPropagationStopped()) {\n\t\t\t\t\t\tlastElement.removeEventListener(type, stopPropagationCallback);\n\t\t\t\t\t}\n\n\t\t\t\t\tjQuery.event.triggered = undefined;\n\n\t\t\t\t\tif (tmp) {\n\t\t\t\t\t\telem[ontype] = tmp;\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t\treturn event.result;\n\t},\n\n\t// Piggyback on a donor event to simulate a different one\n\t// Used only for `focus(in | out)` events\n\tsimulate: function(type, elem, event) {\n\t\tvar e = jQuery.extend(\n\t\t\tnew jQuery.Event(),\n\t\t\tevent,\n\t\t\t{\n\t\t\t\ttype: type,\n\t\t\t\tisSimulated: true\n\t\t\t}\n\t\t);\n\n\t\tjQuery.event.trigger(e, null, elem);\n\t}\n\n});\n\njQuery.fn.extend({\n\n\ttrigger: function(type, data) {\n\t\treturn this.each(function() {\n\t\t\tjQuery.event.trigger(type, data, this);\n\t\t});\n\t},\n\ttriggerHandler: function(type, data) {\n\t\tvar elem = this[0];\n\t\tif (elem) {\n\t\t\treturn jQuery.event.trigger(type, data, elem, true);\n\t\t}\n\t}\n});\n\n\n// Support: Firefox <=44\n// Firefox doesn't have focus(in | out) events\n// Related ticket - https://bugzilla.mozilla.org/show_bug.cgi?id=687787\n//\n// Support: Chrome <=48 - 49, Safari <=9.0 - 9.1\n// focus(in | out) events fire after focus & blur events,\n// which is spec violation - http://www.w3.org/TR/DOM-Level-3-Events/#events-focusevent-event-order\n// Related ticket - https://bugs.chromium.org/p/chromium/issues/detail?id=449857\nif (!support.focusin) {\n\tjQuery.each({ focus: \"focusin\", blur: \"focusout\" }, function(orig, fix) {\n\n\t\t// Attach a single capturing handler on the document while someone wants focusin/focusout\n\t\tvar handler = function(event) {\n\t\t\tjQuery.event.simulate(fix, event.target, jQuery.event.fix(event));\n\t\t};\n\n\t\tjQuery.event.special[fix] = {\n\t\t\tsetup: function() {\n\t\t\t\tvar doc = this.ownerDocument || this,\n\t\t\t\t\tattaches = dataPriv.access(doc, fix);\n\n\t\t\t\tif (!attaches) {\n\t\t\t\t\tdoc.addEventListener(orig, handler, true);\n\t\t\t\t}\n\t\t\t\tdataPriv.access(doc, fix, (attaches || 0) + 1);\n\t\t\t},\n\t\t\tteardown: function() {\n\t\t\t\tvar doc = this.ownerDocument || this,\n\t\t\t\t\tattaches =

dataPriv.access(doc, fix) - 1;\n\n\t\t\tif (!attaches) {\n\t\t\t\tdoc.removeEventListener(orig, handler, true);\n\t\t\t\tdataPriv.remove(doc, fix);\n\n\t\t\t} else {\n\t\t\t\tdataPriv.access(doc, fix, attaches);\n\t\t\t}\n\t\t\t}\n\t\t};\n\t});\n}\n\nvar location = window.location;\n\nvar nonce = Date.now();\n\nvar rquery = (/\\?/);\n\n\n\n// Cross-browser xml parsing\njQuery.parseXML = function(data) {\n\tvar xml;\n\tif (!data || typeof data !== \"string\") {\n\t\treturn null;\n\t}\n\n\t// Support: IE 9 - 11 only\n\t// IE throws on parseFromString with invalid input.\n\ttry {\n\t\txml = (new window.DOMParser()).parseFromString(data, \"text/xml\");\n\t} catch (e) {\n\t\txml = undefined;\n\t}\n\n\tif (!xml || xml.getElementsByTagName(\"parsererror\").length) {\n\t\tjQuery.error(\"Invalid XML: \" + data);\n\t}\n\treturn xml;\n};\n\n\nvar\n\trbracket = /\\[\\]$/,\n\trCRLF = /\\r?\\n/g,\n\trsubmitterTypes = /^(?:submit|button|image|reset|file)$/i,\n\trsubmittable = /^(?:input|select|textarea|keygen)/i;\n\nfunction buildParams(prefix, obj, traditional, add) {\n\tvar name;\n\n\tif (Array.isArray(obj)) {\n\n\t\t// Serialize array item.\n\t\tjQuery.each(obj, function(i, v) {\n\t\t\tif (traditional || rbracket.test(prefix)) {\n\n\t\t\t\t// Treat each array item as a scalar.\n\t\t\t\tadd(prefix, v);\n\n\t\t\t} else {\n\n\t\t\t\t// Item is non-scalar (array or object), encode its numeric index.\n\t\t\t\tbuildParams(\n\t\t\t\t\tprefix + \"[\" + (typeof v === \"object\" && v != null ? i : \"\") + \"]\",\n\t\t\t\t\tv,\n\t\t\t\t\ttraditional,\n\t\t\t\t\tadd\n\t\t\t\t);\n\t\t\t}\n\t\t});\n\n\t} else if (!traditional && toType(obj) === \"object\") {\n\n\t\t// Serialize object item.\n\t\tfor (name in obj) {\n\t\t\tbuildParams(prefix + \"[\" + name + \"]\", obj[name], traditional, add);\n\t\t}\n\n\t} else {\n\n\t\t// Serialize scalar item.\n\t\tadd(prefix, obj);\n\t}\n}\n\n// Serialize an array of form elements or a set of\n// key/values into a query string\njQuery.param = function(a, traditional) {\n\tvar prefix,\n\t\ts = [],\n\t\tadd = function(key, valueOrFunction) {\n\n\t\t\t// If value is a function, invoke it and use its return value\n\t\t\tvar value = isFunction(valueOrFunction) ?\n\t\t\t\tvalueOrFunction() :\n\t\t\t\tvalueOrFunction;\n\n\t\t\ts[s.length] = encodeURIComponent(key) + \"=\" +\n\t\t\t\tencodeURIComponent(value == null ? \"\" : value);\n\t\t};\n\n\t// If an array was passed in, assume that it is an array of form elements.\n\tif (Array.isArray(a) || (a.jquery && !jQuery.isPlainObject(a))) {\n\n\t\t// Serialize the form elements\n\t\tjQuery.each(a, function() {\n\t\t\tadd(this.name, this.value);\n\t\t});\n\n\t} else {\n\n\t\t// If traditional, encode the \"old\" way (the way 1.3.2 or older\n\t\t// did it), otherwise encode params recursively.\n\t\tfor (prefix in a) {\n\t\t\tbuildParams(prefix, a[prefix], traditional, add);\n\t\t}\n\t}\n\n\t// Return the resulting serialization\n\treturn s.join(\"&\");\n};\n\njQuery.fn.extend({\n\tserialize: function() {\n\t\treturn jQuery.param(this.serializeArray());\n\t},\n\tserializeArray: function() {\n\t\treturn this.map(function() {\n\n\t\t\t// Can add propHook for \"elements\" to filter or add form elements\n\t\t\tvar elements = jQuery.prop(this, \"elements\");\n\t\t\treturn elements ? jQuery.makeArray(elements) : this;\n\t\t})\n\t\t.filter(function() {\n\t\t\tvar type = this.type;\n\n\t\t\t// Use .is(\":disabled\") so that fieldset[disabled] works\n\t\t\treturn this.name && !jQuery(this).is(\":disabled\") &&\n\t\t\t\trsubmittable.test(this.nodeName) && !rsubmitterTypes.test(type) &&\n\t\t\t\t(this.checked || !rcheckableType.test(type));\n\t\t})\n\t\t.map(function(i, elem) {\n\t\t\tvar val = jQuery(this).val();\n\n\t\t\tif (val == null) {\n\t\t\t\treturn null;\n\t\t\t}\n\n\t\t\tif (Array.isArray(val)) {\n\t\t\t\treturn jQuery.map(val, function(val) {\n\t\t\t\t\treturn { name: elem.name, value: val.replace(rCRLF, \"\\r\\n\") };\n\t\t\t\t});\n\t\t\t}\n\n\t\t\treturn { name: elem.name, value: val.replace(rCRLF, \"\\r\\n\") };\n\t\t}).get();\n\t}\n}\n);\n\n\nvar\n\tr20 = /%20/g,\n\trhash = /#.*$/,\n\trantiCache = /([?&])_=[^&]*/,\n\trheaders = /^(.*?):[\\t]*([^\\r\\n]*)$/mg,\n\n\t// #7653, #8125, #8152: local protocol detection\n\trlocalProtocol = /^(?:about|app|app-storage|.+-extension|file|res|widget):$/,\n\trnoContent = /^(?:GET|HEAD)$/,\n\trprotocol = /^\\/\\//,\n\n\t/* Prefilters\n\t * 1) They are useful to introduce custom dataTypes (see ajax/jsonp.js for an example)\n\t * 2) These are called:\n\t *   - BEFORE asking for a transport\n\t *   - AFTER param serialization (s.data is a string if s.processData is true)\n\t * 3) key is the dataType\n\t * 4) the catchall symbol \"*\" can be used\n\t * 5) execution will start with transport dataType and THEN continue down to \"*\" if needed\n\t */\n\tprefilters = {},\n\n\t/* Transports bindings\n\t * 1) key is the dataType\n\t * 2) the catchall symbol \"*\" can be used\n\t * 3) selection will start with transport dataType and THEN go to \"*\" if needed\n\t */\n\ttransports = {},\n\n\t// Avoid comment-prolog char sequence (#10098); must appease lint and evade compression\n\tallTypes = \"*/\".concat(\"*\"),\n\n\t// Anchor tag for parsing the document origin\n\toriginAnchor = document.createElement(\"a\");\noriginAnchor.href = location.href;\n\n// Base \"constructor\" for jQuery.ajaxPrefilter and jQuery.ajaxTransport\nfunction

addToPrefiltersOrTransports(structure) {\n\n\t// dataTypeExpression is optional and defaults to \"*\"\n\treturn function(dataTypeExpression, func) {\n\n\t\tif (typeof dataTypeExpression !== \"string\") {\n\t\t\tfunc = dataTypeExpression;\n\t\t\tdataTypeExpression = \"*\";\n\t\t}\n\n\t\tvar dataType,\n\t\t\ti = 0,\n\t\t\tdataTypes = dataTypeExpression.toLowerCase().match(rnothtmlwhite) || [];\n\n\t\tif (isFunction(func)) {\n\n\t\t\t// For each dataType in the dataTypeExpression\n\t\t\twhile ((dataType = dataTypes[i++])) {\n\n\t\t\t\t// Prepend if requested\n\t\t\t\tif (dataType[0] === \"+\") {\n\t\t\t\t\tdataType = dataType.slice(1) || \"*\";\n\t\t\t\t\t(structure[dataType] = structure[dataType] || []).unshift(func);\n\n\t\t\t\t// Otherwise append\n\t\t\t\t} else {\n\t\t\t\t\t(structure[dataType] = structure[dataType] || []).push(func);\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t};\n}\n\n// Base inspection function for prefilters and transports\nfunction inspectPrefiltersOrTransports(structure, options, originalOptions, jqXHR) {\n\n\tvar inspected = {},\n\t\tseekingTransport = (structure === transports);\n\n\tfunction inspect(dataType) {\n\t\tvar selected;\n\t\tinspected[dataType] = true;\n\t\tjQuery.each(structure[dataType] || [], function(_, prefilterOrFactory) {\n\t\t\tvar dataTypeOrTransport = prefilterOrFactory(options, originalOptions, jqXHR);\n\t\t\tif (typeof dataTypeOrTransport === \"string\" &&\n\t\t\t\t!seekingTransport && !inspected[dataTypeOrTransport]) {\n\t\t\t\toptions.dataTypes.unshift(dataTypeOrTransport);\n\t\t\t\tinspect(dataTypeOrTransport);\n\t\t\t\treturn false;\n\t\t\t} else if (seekingTransport) {\n\t\t\t\treturn !(selected = dataTypeOrTransport);\n\t\t\t}\n\t\t});\n\t\treturn selected;\n\t}\n\n\treturn inspect(options.dataTypes[0]) || !inspected[\"*\"] && inspect(\"*\");\n}\n\n// A special extend for ajax options\n// that takes \"flat\" options (not to be deep extended)\n// Fixes #9887\nfunction ajaxExtend(target, src) {\n\tvar key, deep,\n\t\tflatOptions = jQuery.ajaxSettings.flatOptions || {};\n\n\tfor (key in src) {\n\t\tif (src[key] !== undefined) {\n\t\t\t(flatOptions[key] ? target : (deep || (deep = {})))[key] = src[key];\n\t\t}\n\t}\n\tif (deep) {\n\t\tjQuery.extend(true, target, deep);\n\t}\n\n\treturn target;\n}\n\n/* Handles responses to an ajax request:\n * - finds the right dataType (mediates between content-type and expected dataType)\n * - returns the corresponding response\n */\nfunction ajaxHandleResponses(s, jqXHR, responses) {\n\n\tvar ct, type, finalDataType, firstDataType,\n\t\tcontents = s.contents,\n\t\tdataTypes = s.dataTypes;\n\n\t// Remove auto dataType and get content-type in the process\n\twhile (dataTypes[0] === \"*\") {\n\t\tdataTypes.shift();\n\t\tif (ct === undefined) {\n\t\t\tct = s.mimeType || jqXHR.getResponseHeader(\"Content-Type\");\n\t\t}\n\t}\n\n\t// Check if we're dealing with a known content-type\n\tif (ct) {\n\t\tfor (type in contents) {\n\t\t\tif (contents[type] && contents[type].test(ct)) {\n\t\t\t\tdataTypes.unshift(type);\n\t\t\t\tbreak;\n\t\t\t}\n\t\t}\n\t}\n\n\t// Check to see if we have a response for the expected dataType\n\tif (dataTypes[0] in responses) {\n\t\tfinalDataType = dataTypes[0];\n\t} else {\n\n\t\t// Try convertible dataTypes\n\t\tfor (type in responses) {\n\t\t\tif (!dataTypes[0] || s.converters[type + \" \" + dataTypes[0]]) {\n\t\t\t\tfinalDataType = type;\n\t\t\t\tbreak;\n\t\t\t}\n\t\t\tif (!firstDataType) {\n\t\t\t\tfirstDataType = type;\n\t\t\t}\n\t\t}\n\n\t\t// Or just use first one\n\t\tfinalDataType = finalDataType || firstDataType;\n\t}\n\n\t// If we found a dataType\n\t// We add the dataType to the list if needed\n\t// and return the corresponding response\n\tif (finalDataType) {\n\t\tif (finalDataType !== dataTypes[0]) {\n\t\t\tdataTypes.unshift(finalDataType);\n\t\t}\n\t\treturn responses[finalDataType];\n\t}\n}\n\n/* Chain conversions given the request and the original response\n * Also sets the responseXXX fields on the jqXHR instance\n */\nfunction ajaxConvert(s, response, jqXHR, isSuccess) {\n\tvar conv2, current, conv, tmp, prev,\n\t\tconverters = {},\n\n\t\t// Work with a copy of dataTypes in case we need to modify it for conversion\n\t\tdataTypes = s.dataTypes.slice();\n\n\t// Create converters map with lowercased keys\n\tif (dataTypes[1]) {\n\t\tfor (conv in s.converters) {\n\t\t\tconverters[conv.toLowerCase()] = s.converters[conv];\n\t\t}\n\t}\n\n\tcurrent = dataTypes.shift();\n\n\t// Convert to each sequential dataType\n\twhile (current) {\n\n\t\tif (s.responseFields[current]) {\n\t\t\tjqXHR[s.responseFields[current]] = response;\n\t\t}\n\n\t\t// Apply the dataFilter if provided\n\t\tif (!prev && isSuccess && s.dataFilter) {\n\t\t\tresponse = s.dataFilter(response, s.dataType);\n\t\t}\n\n\t\tprev = current;\n\t\tcurrent = dataTypes.shift();\n\n\t\tif (current) {\n\n\t\t\t// There's only work to do if current dataType is non-auto\n\t\t\tif (current === \"*\") {\n\n\t\t\t\tcurrent = prev;\n\n\t\t\t// Convert response if prev dataType is non-auto and differs from current\n\t\t\t} else if (prev !== \"*\" && prev !== current) {\n\n\t\t\t\t// Seek a direct converter\n\t\t\t\tconv = converters[prev + \" \" + current] || converters[\"* \" + current];\n\n\t\t\t\t// If none found, seek a pair\n\t\t\t\tif (!conv) {\n\t\t\t\t\tfor (conv2 in converters) {\n\n\t\t\t\t\t\t// If

conv2 outputs current\n\t\t\t\t\t\ttmp = conv2.split(\" \");\n\t\t\t\t\t\tif (tmp[1] === current) {\n\n\t\t\t\t\t\t\t// If prev can be converted to accepted input\n\t\t\t\t\t\t\tconv = converters[prev + \" \" + tmp[0]] ||\n\t\t\t\t\t\t\tconverters[\"* \" + tmp[0]];\n\t\t\t\t\t\t\tif (conv) {\n\n\t\t\t\t\t\t\t\t// Condense equivalence converters\n\t\t\t\t\t\t\t\tif (conv === true) {\n\t\t\t\t\t\t\t\t\tconv = converters[conv2];\n\n\t\t\t\t\t\t\t\t\t// Otherwise, insert the intermediate dataType\n\t\t\t\t\t\t\t\t} else if (converters[conv2] !== true) {\n\t\t\t\t\t\t\t\t\tcurrent = tmp[0];\n\t\t\t\t\t\t\t\t\tdataTypes.unshift(tmp[1]);\n\t\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\t\tbreak;\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t}\n\n\t\t\t// Apply converter (if not an equivalence)\n\t\t\tif (conv !== true) {\n\n\t\t\t\t// Unless errors are allowed to bubble, catch and return them\n\t\t\t\tif (conv && s.throws) {\n\t\t\t\t\tresponse = conv(response);\n\t\t\t\t} else {\n\t\t\t\t\ttry {\n\t\t\t\t\t\tresponse = conv(response);\n\t\t\t\t\t} catch (e) {\n\t\t\t\t\t\treturn {\n\t\t\t\t\t\t\tstate: \"parsererror\",\n\t\t\t\t\t\t\terror: conv ? e : \"No conversion from \" + prev + \" to \" + current\n\t\t\t\t\t\t};\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t}\n\n\treturn { state: \"success\", data: response };\n}\n\njQuery.extend({\n\t// Counter for holding the number of active queries\n\tactive: 0,\n\n\t// Last-Modified header cache for next request\n\tlastModified: {},\n\tetag: {},\n\n\tajaxSettings: {\n\t\turl: location.href,\n\t\ttype: \"GET\",\n\t\tisLocal: rlocalProtocol.test(location.protocol),\n\t\tglobal: true,\n\t\tprocessData: true,\n\t\tasync: true,\n\t\tcontentType: \"application/x-www-form-urlencoded; charset=UTF-8\",\n\n\t\t/*\n\t\ttimeout: 0,\n\t\tdata: null,\n\t\tdataType: null,\n\t\tusername: null,\n\t\tpassword: null,\n\t\tcache: null,\n\t\tthrows: false,\n\t\ttraditional: false,\n\t\theaders: {},\n\t\t*/\n\n\t\taccepts: {\n\t\t\t\"*\": allTypes,\n\t\t\ttext: \"text/plain\",\n\t\t\thtml: \"text/html\",\n\t\t\txml: \"application/xml, text/xml\",\n\t\t\tjson: \"application/json, text/javascript\"\n\t\t},\n\n\t\tcontents: {\n\t\t\txml: /\\bxml\\b/,\n\t\t\thtml: /\\bhtml/,\n\t\t\tjson: /\\bjson\\b/\n\t\t},\n\n\t\tresponseFields: {\n\t\t\txml: \"responseXML\",\n\t\t\ttext: \"responseText\",\n\t\t\tjson: \"responseJSON\"\n\t\t},\n\n\t\t// Data converters\n\t\t// Keys separate source (or catchall \"*\") and destination types with a single space\n\t\tconverters: {\n\n\t\t\t// Convert anything to text\n\t\t\t\"* text\": String,\n\n\t\t\t// Text to html (true = no transformation)\n\t\t\t\"text html\": true,\n\n\t\t\t// Evaluate text as a json expression\n\t\t\t\"text json\": JSON.parse,\n\n\t\t\t// Parse text as xml\n\t\t\t\"text xml\": jQuery.parseXML\n\t\t},\n\n\t\t// For options that shouldn't be deep extended:\n\t\t// you can add your own custom options here if\n\t\t// and when you create one that shouldn't be\n\t\t// deep extended (see ajaxExtend)\n\t\tflatOptions: {\n\t\t\turl: true,\n\t\t\tcontext: true\n\t\t}\n\t},\n\n\t// Creates a full fledged settings object into target\n\t// with both ajaxSettings and settings fields.\n\t// If target is omitted, writes into ajaxSettings.\n\tajaxSetup: function(target, settings) {\n\t\treturn settings ?\n\n\t\t\t// Building a settings object\n\t\t\tajaxExtend(ajaxExtend(target, jQuery.ajaxSettings), settings) :\n\n\t\t\t// Extending ajaxSettings\n\t\t\tajaxExtend(jQuery.ajaxSettings, target);\n\t},\n\n\tajaxPrefilter: addToPrefiltersOrTransports(prefilters),\n\tajaxTransport: addToPrefiltersOrTransports(transports),\n\n\t// Main method\n\tajax: function(url, options) {\n\n\t\t// If url is an object, simulate pre-1.5 signature\n\t\tif (typeof url === \"object\") {\n\t\t\toptions = url;\n\t\t\turl = undefined;\n\t\t}\n\n\t\t// Force options to be an object\n\t\toptions = options || {};\n\n\t\tvar transport,\n\t\t\t// URL without anti-cache param\n\t\t\tcacheURL,\n\n\t\t\t// Response headers\n\t\t\tresponseHeadersString,\n\t\t\tresponseHeaders,\n\n\t\t\t// timeout handle\n\t\t\ttimeoutTimer,\n\n\t\t\t// Url cleanup var\n\t\t\turlAnchor,\n\n\t\t\t// Request state (becomes false upon send and true upon completion)\n\t\t\tcompleted,\n\n\t\t\t// To know if global events are to be dispatched\n\t\t\tfireGlobals,\n\n\t\t\t// Loop variable\n\t\t\ti,\n\n\t\t\t// uncached part of the url\n\t\t\tuncached,\n\n\t\t\t// Create the final options object\n\t\t\ts = jQuery.ajaxSetup({}, options),\n\n\t\t\t// Callbacks context\n\t\t\tcallbackContext = s.context || s,\n\n\t\t\t// Context for global events is callbackContext if it is a DOM node or jQuery collection\n\t\t\tglobalEventContext = s.context &&\n\t\t\t\t(callbackContext.nodeType || callbackContext.jquery) ?\n\t\t\t\t\tjQuery(callbackContext) :\n\t\t\t\t\tjQuery.event,\n\n\t\t\t// Deferreds\n\t\t\tdeferred = jQuery.Deferred(),\n\t\t\tcompleteDeferred = jQuery.Callbacks(\"once memory\"),\n\n\t\t\t// Status-dependent callbacks\n\t\t\tstatusCode = s.statusCode || {},\n\n\t\t\t// Headers (they are sent all at once)\n\t\t\trequestHeaders = {},\n\t\t\trequestHeadersNames = {},\n\n\t\t\t// Default abort message\n\t\t\tstrAbort = \"canceled\",\n\n\t\t\t// Fake xhr\n\t\t\tjqXHR = {\n\t\t\t\treadyState: 0,\n\n\t\t\t\t// Builds headers hashtable if needed\n\t\t\t\tgetResponseHeader: function(key) {\n\t\t\t\t\tvar match;\n\t\t\t\t\tif (completed) {\n\t\t\t\t\t\tif (!responseHeaders)

{\n\t\t\t\t\t\tresponseHeaders = {};\n\t\t\t\t\t\twhile ((match = rheaders.exec(responseHeadersString))) {\n\t\t\t\t\t\tresponseHeaders[match[1].toLowerCase()] = match[2];\n\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t\tmatch = responseHeaders[key.toLowerCase()];\n\t\t\t\t}\n\t\t\t\treturn match == null ? null : match;\n\t\t\t},\n\n\t\t\t\t// Raw string\n\t\t\tgetAllResponseHeaders: function() {\n\t\t\t\treturn completed ? responseHeadersString : null;\n\t\t\t},\n\n\t\t\t\t// Caches the header\n\t\t\tsetRequestHeader: function(name, value) {\n\t\t\t\tif (completed == null) {\n\t\t\t\t\tname = requestHeadersNames[name.toLowerCase()] =\n\t\t\t\t\t\trequestHeadersNames[name.toLowerCase()] || name;\n\t\t\t\t\trequestHeaders[name] = value;\n\t\t\t\t}\n\t\t\t\treturn this;\n\t\t\t},\n\n\t\t\t\t// Overrides response content-type header\n\t\t\toverrideMimeType: function(type) {\n\t\t\t\tif (completed == null) {\n\t\t\t\t\ts.mimeType = type;\n\t\t\t\t}\n\t\t\t\treturn this;\n\t\t\t},\n\n\t\t\t\t// Status-dependent callbacks\n\t\t\tstatusCode: function(map) {\n\t\t\t\tvar code;\n\t\t\t\tif (map) {\n\t\t\t\t\tif (completed) {\n\n\t\t\t\t\t\t\t// Execute the appropriate callbacks\n\t\t\t\t\t\tjqXHR.always(map[jqXHR.status]);\n\t\t\t\t\t} else {\n\n\t\t\t\t\t\t\t// Lazy-add the new callbacks in a way that preserves old ones\n\t\t\t\t\t\tfor (code in map) {\n\t\t\t\t\t\t\tstatusCode[code] = [statusCode[code], map[code]];\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t\treturn this;\n\t\t\t},\n\n\t\t\t\t// Cancel the request\n\t\t\tabort: function(statusText) {\n\t\t\t\tvar finalText = statusText || strAbort;\n\t\t\t\tif (transport) {\n\t\t\t\t\ttransport.abort(finalText);\n\t\t\t\t}\n\t\t\t\tdone(0, finalText);\n\t\t\t\treturn this;\n\t\t\t}\n\t\t};\n\n\t\t// Attach deferreds\n\t\tdeferred.promise(jqXHR);\n\n\t\t// Add protocol if not provided (prefilters might expect it)\n\t\t// Handle falsy url in the settings object (#10093: consistency with old signature)\n\t\t// We also use the url parameter if available\n\t\ts.url = ((url || s.url || location.href) + "")\n\t\t\t.replace(rprotocol, location.protocol + "//");\n\n\t\t// Alias method option to type as per ticket #12004\n\t\ts.type = options.method || options.type || s.method || s.type;\n\n\t\t// Extract dataTypes list\n\t\ts.dataTypes = (s.dataType || "*").toLowerCase().match(rnothtmlwhite) || [""];\n\n\t\t// A cross-domain request is in order when the origin doesn't match the current origin.\n\t\tif (s.crossDomain == null) {\n\t\t\turlAnchor = document.createElement("a");\n\n\t\t\t// Support: IE <=8 - 11, Edge 12 - 15\n\t\t\t// IE throws exception on accessing the href property if url is malformed,\n\t\t\t// e.g. http://example.com:80x/\n\t\t\ttry {\n\t\t\t\turlAnchor.href = s.url;\n\n\t\t\t\t// Support: IE <=8 - 11 only\n\t\t\t\t// Anchor's host property isn't correctly set when s.url is relative\n\t\t\t\turlAnchor.href = urlAnchor.href;\n\t\t\t\ts.crossDomain = originAnchor.protocol + "//" + originAnchor.host !==\n\t\t\t\t\turlAnchor.protocol + "//" + urlAnchor.host;\n\t\t\t} catch (e) {\n\n\t\t\t\t\t// If there is an error parsing the URL, assume it is crossDomain,\n\t\t\t\t\t// it can be rejected by the transport if it is invalid\n\t\t\t\ts.crossDomain = true;\n\t\t\t}\n\t\t}\n\n\t\t// Convert data if not already a string\n\t\tif (s.data && s.processData && typeof s.data !== "string") {\n\t\t\ts.data = jQuery.param(s.data, s.traditional);\n\t\t}\n\n\t\t// Apply prefilters\n\t\tinspectPrefiltersOrTransports(prefilters, s, options, jqXHR);\n\n\t\t// If request was aborted inside a prefilter, stop there\n\t\tif (completed) {\n\t\t\treturn jqXHR;\n\t\t}\n\n\t\t// We can fire global events as of now if asked to\n\t\t// Don't fire events if jQuery.event is undefined in an AMD-usage scenario (#15118)\n\t\tfireGlobals = jQuery.event && s.global;\n\n\t\t// Watch for a new set of requests\n\t\tif (fireGlobals && jQuery.active++ === 0) {\n\t\t\tjQuery.event.trigger("ajaxStart");\n\t\t}\n\n\t\t// Uppercase the type\n\t\ts.type = s.type.toUpperCase();\n\n\t\t// Determine if request has content\n\t\ts.hasContent = !rnoContent.test(s.type);\n\n\t\t// Save the URL in case we're toying with the If-Modified-Since\n\t\t// and/or If-None-Match header later on\n\t\t// Remove hash to simplify url manipulation\n\t\tcacheURL = s.url.replace(rhash, "");\n\n\t\t// More options handling for requests with no content\n\t\tif (!s.hasContent) {\n\n\t\t\t\t// Remember the hash so we can put it back\n\t\t\tuncached = s.url.slice(cacheURL.length);\n\n\t\t\t\t// If data is available and should be processed, append data to url\n\t\t\tif (s.data && (s.processData || typeof s.data === "string")) {\n\t\t\t\tcacheURL += (rquery.test(cacheURL) ? "&" : "?") + s.data;\n\n\t\t\t\t\t// #9682: remove data so that it's not used in an eventual retry\n\t\t\t\tdelete s.data;\n\t\t\t}\n\n\t\t\t\t// Add or update anti-cache param if needed\n\t\t\tif (s.cache === false) {\n\t\t\t\tcacheURL = cacheURL.replace(rantiCache, "$1");\n\t\t\t\tuncached = (rquery.test(cacheURL) ? "&" : "?") + "_=" + (nonce++) + uncached;\n\t\t\t}\n\n\t\t\t\t// Put hash and anti-cache on the URL that will be requested (gh-1732)\n\t\t\ts.url = cacheURL + uncached;\n\n\t\t\t\t// Change '%20' to '+' if this is encoded form body content (gh-2658)\n\t\t} else if (s.data && s.processData &&\n\t\t\t(s.contentType || ""

).indexOf(\"application/x-www-form-urlencoded\") === 0) {\n\t\t\ts.data = s.data.replace(r20, \"+\");\n\t\t}\n\n\t\t// Set the If-Modified-Since and/or If-None-Match header, if in ifModified mode.\n\t\tif (s.ifModified) {\n\t\t\tif (jQuery.lastModified[cacheURL]) {\n\t\t\t\tjqXHR.setRequestHeader(\"If-Modified-Since\", jQuery.lastModified[cacheURL]);\n\t\t\t}\n\t\t\tif (jQuery.etag[cacheURL]) {\n\t\t\t\tjqXHR.setRequestHeader(\"If-None-Match\", jQuery.etag[cacheURL]);\n\t\t\t}\n\t\t}\n\n\t\t// Set the correct header, if data is being sent\n\t\tif (s.data && s.hasContent && s.contentType !== false || options.contentType) {\n\t\t\tjqXHR.setRequestHeader(\"Content-Type\", s.contentType);\n\t\t}\n\n\t\t// Set the Accepts header for the server, depending on the dataType\n\t\tjqXHR.setRequestHeader(\n\t\t\t\"Accept\",\n\t\t\tts.dataTypes[0] && s.accepts[s.dataTypes[0]] ?\n\t\t\t\tts.accepts[s.dataTypes[0]] +\n\t\t\t\t\t(s.dataTypes[0] !== \"*\" ? \", \" + allTypes + \"; q=0.01\" : \"\") :\n\t\t\t\tts.accepts[\"*\"]\n\t\t\t);\n\n\t\t// Check for headers option\n\t\tfor (i in s.headers) {\n\t\t\tjqXHR.setRequestHeader(i, s.headers[i]);\n\t\t}\n\n\t\t// Allow custom headers/mimetypes and early abort\n\t\tif (s.beforeSend &&\n\t\t\t(s.beforeSend.call(callbackContext, jqXHR, s) === false || completed)) {\n\n\t\t\t// Abort if not done already and return\n\t\t\treturn jqXHR.abort();\n\t\t}\n\n\t\t// Aborting is no longer a cancellation\n\t\tstrAbort = \"abort\";\n\n\t\t// Install callbacks on deferreds\n\t\tcompleteDeferred.add(s.complete);\n\t\tjqXHR.done(s.success);\n\t\tjqXHR.fail(s.error);\n\n\t\t// Get transport\n\t\ttransport = inspectPrefiltersOrTransports(transports, s, options, jqXHR);\n\n\t\t// If no transport, we auto-abort\n\t\tif (!transport) {\n\t\t\tdone(-1, \"No Transport\");\n\t\t} else {\n\t\t\tjqXHR.readyState = 1;\n\n\t\t\t// Send global event\n\t\t\tif (fireGlobals) {\n\t\t\t\tglobalEventContext.trigger(\"ajaxSend\", [jqXHR, s]);\n\t\t\t}\n\n\t\t\t// If request was aborted inside ajaxSend, stop there\n\t\t\tif (completed) {\n\t\t\t\treturn jqXHR;\n\t\t\t}\n\n\t\t\t// Timeout\n\t\t\tif (s.async && s.timeout > 0) {\n\t\t\t\ttimeoutTimer = window.setTimeout(function() {\n\t\t\t\t\tjqXHR.abort(\"timeout\");\n\t\t\t\t}, s.timeout);\n\t\t\t}\n\n\t\t\ttry {\n\t\t\t\tcompleted = false;\n\t\t\t\ttransport.send(requestHeaders, done);\n\t\t\t} catch (e) {\n\n\t\t\t\t// Rethrow post-completion exceptions\n\t\t\t\tif (completed) {\n\t\t\t\t\tthrow e;\n\t\t\t\t}\n\n\t\t\t\t// Propagate others as results\n\t\t\t\tdone(-1, e);\n\t\t\t}\n\t\t}\n\n\t\t// Callback for when everything is done\n\t\tfunction done(status, nativeStatusText, responses, headers) {\n\t\t\tvar isSuccess, success, error, response, modified,\n\t\t\t\tstatusText = nativeStatusText;\n\n\t\t\t// Ignore repeat invocations\n\t\t\tif (completed) {\n\t\t\t\treturn;\n\t\t\t}\n\n\t\t\tcompleted = true;\n\n\t\t\t// Clear timeout if it exists\n\t\t\tif (timeoutTimer) {\n\t\t\t\twindow.clearTimeout(timeoutTimer);\n\t\t\t}\n\n\t\t\t// Dereference transport for early garbage collection\n\t\t\t// (no matter how long the jqXHR object will be used)\n\t\t\ttransport = undefined;\n\n\t\t\t// Cache response headers\n\t\t\tresponseHeadersString = headers || \"\";\n\n\t\t\t// Set readyState\n\t\t\tjqXHR.readyState = status > 0 ? 4 : 0;\n\n\t\t\t// Determine if successful\n\t\t\tisSuccess = status >= 200 && status < 300 || status === 304;\n\n\t\t\t// Get response data\n\t\t\tif (responses) {\n\t\t\t\tresponse = ajaxHandleResponses(s, jqXHR, responses);\n\t\t\t}\n\n\t\t\t// Convert no matter what (that way responseXXX fields are always set)\n\t\t\tresponse = ajaxConvert(s, response, jqXHR, isSuccess);\n\n\t\t\t// If successful, handle type chaining\n\t\t\tif (isSuccess) {\n\n\t\t\t\t// Set the If-Modified-Since and/or If-None-Match header, if in ifModified mode.\n\t\t\t\tif (s.ifModified) {\n\t\t\t\t\tmodified = jqXHR.getResponseHeader(\"Last-Modified\");\n\t\t\t\t\tif (modified) {\n\t\t\t\t\t\tjQuery.lastModified[cacheURL] = modified;\n\t\t\t\t\t}\n\t\t\t\t\tmodified = jqXHR.getResponseHeader(\"etag\");\n\t\t\t\t\tif (modified) {\n\t\t\t\t\t\tjQuery.etag[cacheURL] = modified;\n\t\t\t\t\t}\n\t\t\t\t}\n\n\t\t\t\t// if no content\n\t\t\t\tif (status === 204 || s.type === \"HEAD\") {\n\t\t\t\t\tstatusText = \"nocontent\";\n\n\t\t\t\t// if not modified\n\t\t\t\t} else if (status === 304) {\n\t\t\t\t\tstatusText = \"notmodified\";\n\n\t\t\t\t// If we have data, let's convert it\n\t\t\t\t} else {\n\t\t\t\t\tstatusText = response.state;\n\t\t\t\t\tsuccess = response.data;\n\t\t\t\t\terror = response.error;\n\t\t\t\t\tisSuccess = !error;\n\t\t\t\t}\n\t\t\t} else {\n\n\t\t\t\t// Extract error from statusText and normalize for non-aborts\n\t\t\t\terror = statusText;\n\t\t\t\tif (status || !statusText) {\n\t\t\t\t\tstatusText = \"error\";\n\t\t\t\t\tif (status < 0) {\n\t\t\t\t\t\tstatus = 0;\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\n\t\t\t// Set data for the fake xhr object\n\t\t\tjqXHR.status = status;\n\t\t\tjqXHR.statusText = (nativeStatusText || statusText) + \"\";\n\n\t\t\t// Success/Error\n\t\t\tif (isSuccess) {\n\t\t\t\tdeferred.resolveWith(callbackContext, [success, statusText, jqXHR]);\n\t\t\t} else {\n\t\t\t\tdeferred.rejectWith(callbackContext, [jqXHR, statusText, error]);\n\t\t\t}\n\n\t\t\t// Status-dependent callbacks\n\t\t\tjqXHR.statusCode(statusCode);\n\t\t\tstatusCode = undefined;\n\n\t\t\tif (fireGlobals)

{\n\t\t\tglobalEventContext.trigger(isSuccess ? \"ajaxSuccess\" : \"ajaxError\",\n\t\t\t\t[jqXHR, s, isSuccess ? success : error]);\n\t\t\t}\n\n\t\t\t// Complete\n\t\t\tcompleteDeferred.fireWith(callbackContext, [jqXHR, statusText]);\n\n\t\t\tif (fireGlobals) {\n\t\t\t\tglobalEventContext.trigger(\"ajaxComplete\", [jqXHR, s]);\n\n\t\t\t\t// Handle the global AJAX counter\n\t\t\t\tif (!(--jQuery.active)) {\n\t\t\t\t\tjQuery.event.trigger(\"ajaxStop\");\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t\treturn jqXHR;\n\t},\n\n\tgetJSON: function(url, data, callback) {\n\t\treturn jQuery.get(url, data, callback, \"json\");\n\t},\n\n\tgetScript: function(url, callback) {\n\t\treturn jQuery.get(url, undefined, callback, \"script\");\n\t}\n});\n\njQuery.each([\"get\", \"post\"], function(i, method) {\n\tjQuery[method] = function(url, data, callback, type) {\n\n\t\t// Shift arguments if data argument was omitted\n\t\tif (isFunction(data)) {\n\t\t\ttype = type || callback;\n\t\t\tcallback = data;\n\t\t\tdata = undefined;\n\t\t}\n\n\t\t// The url can be an options object (which then must have .url)\n\t\treturn jQuery.ajax(jQuery.extend({\n\t\t\turl: url,\n\t\t\ttype: method,\n\t\t\tdataType: type,\n\t\t\tdata: data,\n\t\t\tsuccess: callback\n\t\t}, jQuery.isPlainObject(url) && url));\n\t};\n});\n\n\njQuery._evalUrl = function(url) {\n\treturn jQuery.ajax({\n\t\turl: url,\n\n\t\t// Make this explicit, since user can override this through ajaxSetup (#11264)\n\t\ttype: \"GET\",\n\t\tdataType: \"script\",\n\t\tcache: true,\n\t\tasync: false,\n\t\tglobal: false,\n\t\t\"throws\": true\n\t});\n};\n\n\njQuery.fn.extend({\n\twrapAll: function(html) {\n\t\tvar wrap;\n\n\t\tif (this[0]) {\n\t\t\tif (isFunction(html)) {\n\t\t\t\thtml = html.call(this[0]);\n\t\t\t}\n\n\t\t\t// The elements to wrap the target around\n\t\t\twrap = jQuery(html, this[0].ownerDocument).eq(0).clone(true);\n\n\t\t\tif (this[0].parentNode) {\n\t\t\t\twrap.insertBefore(this[0]);\n\t\t\t}\n\n\t\t\twrap.map(function() {\n\t\t\t\tvar elem = this;\n\n\t\t\t\twhile (elem.firstElementChild) {\n\t\t\t\t\telem = elem.firstElementChild;\n\t\t\t\t}\n\n\t\t\t\treturn elem;\n\t\t\t}).append(this);\n\t\t}\n\n\t\treturn this;\n\t},\n\n\twrapInner: function(html) {\n\t\tif (isFunction(html)) {\n\t\t\treturn this.each(function(i) {\n\t\t\t\tjQuery(this).wrapInner(html.call(this, i));\n\t\t\t});\n\t\t}\n\n\t\treturn this.each(function() {\n\t\t\tvar self = jQuery(this),\n\t\t\t\tcontents = self.contents();\n\n\t\t\tif (contents.length) {\n\t\t\t\tcontents.wrapAll(html);\n\n\t\t\t} else {\n\t\t\t\tself.append(html);\n\t\t\t}\n\t\t});\n\t},\n\n\twrap: function(html) {\n\t\tvar htmlIsFunction = isFunction(html);\n\n\t\treturn this.each(function(i) {\n\t\t\tjQuery(this).wrapAll(htmlIsFunction ? html.call(this, i) : html);\n\t\t});\n\t},\n\n\tunwrap: function(selector) {\n\t\tthis.parent(selector).not(\"body\").each(function() {\n\t\t\tjQuery(this).replaceWith(this.childNodes);\n\t\t});\n\t\treturn this;\n\t}\n});\n\n\njQuery.expr.pseudos.hidden = function(elem) {\n\treturn !jQuery.expr.pseudos.visible(elem);\n};\njQuery.expr.pseudos.visible = function(elem) {\n\treturn !!(elem.offsetWidth || elem.offsetHeight || elem.getClientRects().length);\n};\n\n\n\njQuery.ajaxSettings.xhr = function() {\n\ttry {\n\t\treturn new window.XMLHttpRequest();\n\t} catch (e) {}\n};\n\nvar xhrSuccessStatus = {\n\n\t\t// File protocol always yields status code 0, assume 200\n\t\t0: 200,\n\n\t\t// Support: IE <=9 only\n\t\t// #1450: sometimes IE returns 1223 when it should be 204\n\t\t1223: 204\n\t},\n\txhrSupported = jQuery.ajaxSettings.xhr();\n\nsupport.cors = !!xhrSupported && (\"withCredentials\" in xhrSupported);\nsupport.ajax = xhrSupported = !!xhrSupported;\n\njQuery.ajaxTransport(function(options) {\n\tvar callback, errorCallback;\n\n\t// Cross domain only allowed if supported through XMLHttpRequest\n\tif (support.cors || xhrSupported && !options.crossDomain) {\n\t\treturn {\n\t\t\tsend: function(headers, complete) {\n\t\t\t\tvar i,\n\t\t\t\t\txhr = options.xhr();\n\n\t\t\t\txhr.open(\n\t\t\t\t\toptions.type,\n\t\t\t\t\toptions.url,\n\t\t\t\t\toptions.async,\n\t\t\t\t\toptions.username,\n\t\t\t\t\toptions.password\n\t\t\t\t);\n\n\t\t\t\t// Apply custom fields if provided\n\t\t\t\tif (options.xhrFields) {\n\t\t\t\t\tfor (i in options.xhrFields) {\n\t\t\t\t\t\txhr[i] = options.xhrFields[i];\n\t\t\t\t\t}\n\t\t\t\t}\n\n\t\t\t\t// Override mime type if needed\n\t\t\t\tif (options.mimeType && xhr.overrideMimeType) {\n\t\t\t\t\txhr.overrideMimeType(options.mimeType);\n\t\t\t\t}\n\n\t\t\t\t// X-Requested-With header\n\t\t\t\t// For cross-domain requests, seeing as conditions for a preflight are\n\t\t\t\t// akin to a jigsaw puzzle, we simply never set it to be sure.\n\t\t\t\t// (it can always be set on a per-request basis or even using ajaxSetup)\n\t\t\t\t// For same-domain requests, won't change header if already provided.\n\t\t\t\tif (!options.crossDomain && !headers[\"X-Requested-With\"]) {\n\t\t\t\t\theaders[\"X-Requested-With\"] = \"XMLHttpRequest\";\n\t\t\t\t}\n\n\t\t\t\t// Set headers\n\t\t\t\tfor (i in headers) {\n\t\t\t\t\txhr.setRequestHeader(i, headers[i]);\n\t\t\t\t}\n\n\t\t\t\t// Callback\n\t\t\t\tcallback = function(type) {\n\t\t\t\t\treturn function() {\n\t\t\t\t\t\tif (callback)

{\n\t\t\t\t\t\tcallback = errorCallback = xhr.onload =\n\t\t\t\t\t\txhr.onerror = xhr.onabort = xhr.ontimeout =\n\t\t\t\t\t\txhr.onreadystatechange = null;\n\n\t\t\t\t\t\tif (type === \"abort\") {\n\t\t\t\t\t\t\txhr.abort();\n\t\t\t\t\t\t} else if (type === \"error\") {\n\n\t\t\t\t\t\t\t// Support: IE <=9 only\n\t\t\t\t\t\t\t// On a manual native abort, IE9 throws\n\t\t\t\t\t\t\t// errors on any property access that is not readyState\n\t\t\t\t\t\t\tif (typeof xhr.status !== \"number\") {\n\t\t\t\t\t\t\t\tcomplete(0, \"error\");\n\t\t\t\t\t\t\t} else {\n\t\t\t\t\t\t\t\tcomplete(\n\n\t\t\t\t\t\t\t\t\t// File: protocol always yields status 0; see #8605, #14207\n\t\t\t\t\t\t\t\t\txhr.status,\n\t\t\t\t\t\t\t\t\txhr.statusText\n\t\t\t\t\t\t\t\t);\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t} else {\n\t\t\t\t\t\t\tcomplete(\n\n\t\t\t\t\t\t\t\txhrSuccessStatus[xhr.status] || xhr.status,\n\t\t\t\t\t\t\t\txhr.statusText,\n\n\t\t\t\t\t\t\t\t// Support: IE <=9 only\n\t\t\t\t\t\t\t\t// IE9 has no XHR2 but throws on binary (trac-11426)\n\t\t\t\t\t\t\t\t// For XHR2 non-text, let the caller handle it (gh-2498)\n\t\t\t\t\t\t\t\t(xhr.responseType || \"text\") !== \"text\" ||\n\t\t\t\t\t\t\t\ttypeof xhr.responseText !== \"string\" ?\n\t\t\t\t\t\t\t\t\t{ binary: xhr.response } :\n\t\t\t\t\t\t\t\t\t{ text: xhr.responseText },\n\t\t\t\t\t\t\t\txhr.getAllResponseHeaders()\n\t\t\t\t\t\t\t);\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t};\n\t\t\t};\n\n\t\t\t// Listen to events\n\t\t\txhr.onload = callback();\n\t\t\terrorCallback = xhr.onerror = xhr.ontimeout = callback(\"error\");\n\n\t\t\t// Support: IE 9 only\n\t\t\t// Use onreadystatechange to replace onabort\n\t\t\t// to handle uncaught aborts\n\t\t\tif (xhr.onabort !== undefined) {\n\t\t\t\txhr.onabort = errorCallback;\n\t\t\t} else {\n\t\t\t\txhr.onreadystatechange = function() {\n\n\t\t\t\t\t// Check readyState before timeout as it changes\n\t\t\t\t\tif (xhr.readyState === 4) {\n\n\t\t\t\t\t\t// Allow onerror to be called first,\n\t\t\t\t\t\t// but that will not handle a native abort\n\t\t\t\t\t\t// Also, save errorCallback to a variable\n\t\t\t\t\t\t// as xhr.onerror cannot be accessed\n\t\t\t\t\t\twindow.setTimeout(function() {\n\t\t\t\t\t\t\tif (callback) {\n\t\t\t\t\t\t\t\terrorCallback();\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t});\n\t\t\t\t\t}\n\t\t\t\t};\n\t\t\t}\n\n\t\t\t// Create the abort callback\n\t\t\tcallback = callback(\"abort\");\n\t\t\ttry {\n\n\t\t\t\t// Do send the request (this may raise an exception)\n\t\t\t\txhr.send(options.hasContent && options.data || null);\n\t\t\t} catch (e) {\n\n\t\t\t\t// #14683: Only rethrow if this hasn't been notified as an error yet\n\t\t\t\tif (callback) {\n\t\t\t\t\tthrow e;\n\t\t\t\t}\n\t\t\t}\n\t\t},\n\n\t\tabort: function() {\n\t\t\tif (callback) {\n\t\t\t\tcallback();\n\t\t\t}\n\t\t}\n\t};\n});\n\n\n\n\n// Prevent auto-execution of scripts when no explicit dataType was provided (See gh-2432)\njQuery.ajaxPrefilter(function(s) {\n\tif (s.crossDomain) {\n\t\ts.contents.script = false;\n\t}\n});\n\n// Install script dataType\njQuery.ajaxSetup({\n\taccepts: {\n\t\tscript: \"text/javascript, application/javascript, \" +\n\t\t\t\"application/ecmascript, application/x-ecmascript\"\n\t},\n\tcontents: {\n\t\tscript: /\\b(?:java|ecma)script\\b/\n\t},\n\tconverters: {\n\t\t\"text script\": function(text) {\n\t\t\tjQuery.globalEval(text);\n\t\t\treturn text;\n\t\t}\n\t}\n});\n\n// Handle cache's special case and crossDomain\njQuery.ajaxPrefilter(\"script\", function(s) {\n\tif (s.cache === undefined) {\n\t\ts.cache = false;\n\t}\n\tif (s.crossDomain) {\n\t\ts.type = \"GET\";\n\t}\n});\n\n// Bind script tag hack transport\njQuery.ajaxTransport(\"script\", function(s) {\n\n\t// This transport only deals with cross domain requests\n\tif (s.crossDomain) {\n\t\tvar script, callback;\n\t\treturn {\n\t\t\tsend: function(_, complete) {\n\t\t\t\tscript = jQuery(\"<script>\").prop({\n\t\t\t\t\tcharset: s.scriptCharset,\n\t\t\t\t\tsrc: s.url\n\t\t\t\t}).on(\n\t\t\t\t\t\"load error\",\n\t\t\t\t\tcallback = function(evt) {\n\t\t\t\t\t\tscript.remove();\n\t\t\t\t\t\tcallback = null;\n\t\t\t\t\t\tif (evt) {\n\t\t\t\t\t\t\tcomplete(evt.type === \"error\" ? 404 : 200, evt.type);\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t);\n\n\t\t\t\t// Use native DOM manipulation to avoid our domManip AJAX trickery\n\t\t\t\tdocument.head.appendChild(script[0]);\n\t\t\t},\n\t\t\tabort: function() {\n\t\t\t\tif (callback) {\n\t\t\t\t\tcallback();\n\t\t\t\t}\n\t\t\t}\n\t\t};\n\t}\n});\n\n\n\n\nvar oldCallbacks = [],\n\trjsonp = /(=)\\?(?=&|$)|\\?\\?/;\n\n// Default jsonp settings\njQuery.ajaxSetup({\n\tjsonp: \"callback\",\n\tjsonpCallback: function() {\n\t\tvar callback = oldCallbacks.pop() || (jQuery.expando + \"_\" + (nonce++));\n\t\tthis[callback] = true;\n\t\treturn callback;\n\t}\n});\n\n// Detect, normalize options and install callbacks for jsonp requests\njQuery.ajaxPrefilter(\"json jsonp\", function(s, originalSettings, jqXHR) {\n\n\tvar callbackName, overwritten, responseContainer,\n\t\tjsonProp = s.jsonp !== false && (rjsonp.test(s.url) ?\n\t\t\t\"url\" :\n\t\t\ttypeof s.data === \"string\" &&\n\t\t\t\t(s.contentType || \"\")\n\t\t\t\t\t.indexOf(\"application/x-www-form-urlencoded\") === 0 &&\n\t\t\t\trjsonp.test(s.data) && \"data\"\n\t\t);\n\n\t// Handle iff the expected data type is

\"jsonp\" or we have a parameter to set\n\tif (jsonProp || s.dataTypes[0] === \"jsonp\") {\n\n\t\t// Get callback name, remembering preexisting value associated with it\n\t\tcallbackName = s.jsonpCallback = isFunction(s.jsonpCallback) ?\n\t\t\ts.jsonpCallback() :\n\t\t\ts.jsonpCallback;\n\n\t\t// Insert callback into url or form data\n\t\tif (jsonProp) {\n\t\t\ts[jsonProp] = s[jsonProp].replace(rjsonp, \"$1\" + callbackName);\n\t\t} else if (s.jsonp !== false) {\n\t\t\ts.url += (rquery.test(s.url) ? \"&\" : \"?\") + s.jsonp + \"=\" + callbackName;\n\t\t}\n\n\t\t// Use data converter to retrieve json after script execution\n\t\ts.converters[\"script json\"] = function() {\n\t\t\tif (!responseContainer) {\n\t\t\t\tjQuery.error(callbackName + \" was not called\");\n\t\t\t}\n\t\t\treturn responseContainer[0];\n\t\t};\n\n\t\t// Force json dataType\n\t\ts.dataTypes[0] = \"json\";\n\n\t\t// Install callback\n\t\toverwritten = window[callbackName];\n\t\twindow[callbackName] = function() {\n\t\t\tresponseContainer = arguments;\n\t\t};\n\n\t\t// Clean-up function (fires after converters)\n\t\tjqXHR.always(function() {\n\n\t\t\t// If previous value didn't exist - remove it\n\t\t\tif (overwritten === undefined) {\n\t\t\t\tjQuery(window).removeProp(callbackName);\n\n\t\t\t// Otherwise restore preexisting value\n\t\t\t} else {\n\t\t\t\twindow[callbackName] = overwritten;\n\t\t\t}\n\n\t\t\t// Save back as free\n\t\t\tif (s[callbackName]) {\n\n\t\t\t\t// Make sure that re-using the options doesn't screw things around\n\t\t\t\ts.jsonpCallback = originalSettings.jsonpCallback;\n\n\t\t\t\t// Save the callback name for future use\n\t\t\t\toldCallbacks.push(callbackName);\n\t\t\t}\n\n\t\t\t// Call if it was a function and we have a response\n\t\t\tif (responseContainer && isFunction(overwritten)) {\n\t\t\t\toverwritten(responseContainer[0]);\n\t\t\t}\n\n\t\t\tresponseContainer = overwritten = undefined;\n\t\t});\n\n\t\t// Delegate to script\n\t\treturn \"script\";\n\t}\n});\n\n\n\n\n// Support: Safari 8 only\n// In Safari 8 documents created via document.implementation.createHTMLDocument\n// collapse sibling forms: the second one becomes a child of the first one.\n// Because of that, this security measure has to be disabled in Safari 8.\n// https://bugs.webkit.org/show_bug.cgi?id=137337\nsupport.createHTMLDocument = (function() {\n\tvar body = document.implementation.createHTMLDocument(\"\").body;\n\tbody.innerHTML = \"<form></form><form></form>\";\n\treturn body.childNodes.length === 2;\n})();\n\n\n// Argument \"data\" should be string of html\n// context (optional): If specified, the fragment will be created in this context,\n// defaults to document\n// keepScripts (optional): If true, will include scripts passed in the html string\njQuery.parseHTML = function(data, context, keepScripts) {\n\tif (typeof data !== \"string\") {\n\t\treturn [];\n\t}\n\tif (typeof context === \"boolean\") {\n\t\tkeepScripts = context;\n\t\tcontext = false;\n\t}\n\n\tvar base, parsed, scripts;\n\n\tif (!context) {\n\n\t\t// Stop scripts or inline event handlers from being executed immediately\n\t\t// by using document.implementation\n\t\tif (support.createHTMLDocument) {\n\t\t\tcontext = document.implementation.createHTMLDocument(\"\");\n\n\t\t\t// Set the base href for the created document\n\t\t\t// so any parsed elements with URLs\n\t\t\t// are based on the document's URL (gh-2965)\n\t\t\tbase = context.createElement(\"base\");\n\t\t\tbase.href = document.location.href;\n\t\t\tcontext.head.appendChild(base);\n\t\t} else {\n\t\t\tcontext = document;\n\t\t}\n\t}\n\n\tparsed = rsingleTag.exec(data);\n\tscripts = !keepScripts && [];\n\n\t// Single tag\n\tif (parsed) {\n\t\treturn [context.createElement(parsed[1])];\n\t}\n\n\tparsed = buildFragment([data], context, scripts);\n\n\tif (scripts && scripts.length) {\n\t\tjQuery(scripts).remove();\n\t}\n\n\treturn jQuery.merge([], parsed.childNodes);\n};\n\n\n/**\n * Load a url into a page\n */\njQuery.fn.load = function(url, params, callback) {\n\tvar selector, type, response,\n\t\tself = this,\n\t\toff = url.indexOf(\" \");\n\n\tif (off > -1) {\n\t\tselector = stripAndCollapse(url.slice(off));\n\t\turl = url.slice(0, off);\n\t}\n\n\t// If it's a function\n\tif (isFunction(params)) {\n\n\t\t// We assume that it's the callback\n\t\tcallback = params;\n\t\tparams = undefined;\n\n\t// Otherwise, build a param string\n\t} else if (params && typeof params === \"object\") {\n\t\ttype = \"POST\";\n\t}\n\n\t// If we have elements to modify, make the request\n\tif (self.length > 0) {\n\t\tjQuery.ajax({\n\t\t\turl: url,\n\n\t\t\t// If \"type\" variable is undefined, then \"GET\" method will be used.\n\t\t\t// Make value of this field explicit since\n\t\t\t// user can override it through ajaxSetup method\n\t\t\ttype: type || \"GET\",\n\t\t\tdataType: \"html\",\n\t\t\tdata: params\n\t\t}).done(function(responseText) {\n\n\t\t\t// Save response for use in complete callback\n\t\t\tresponse = arguments;\n\n\t\t\tself.html(selector ?\n\n\t\t\t\t// If a selector was specified, locate the right elements in a dummy div\n\t\t\t\t// Exclude scripts to avoid IE 'Permission Denied' errors\n\t\t\t\tjQuery(\"<div>\").append(jQuery.parseHTML(responseText)).find(selector) :\n\n\t\t\t\t//
```

Otherwise use the full result\n\t\t\t\tresponseText );\n\n\t\t\t// If the request succeeds, this function gets \"data\", \"status\", \"jqXHR\"\n\t\t// but they are ignored because response was set above.\n\t\t// If it fails, this function gets \"jqXHR\", \"status\", \"error\"\n\t\t} ).always( callback && function( jqXHR, status ) {\n\t\t\tself.each( function() {\n\t\t\t\tcallback.apply( this, response || [ jqXHR.responseText, status, jqXHR ] );\n\t\t\t} );\n\t\t} );\n\t}\n\n\treturn this;\n};\n\n\n\n\n// Attach a bunch of functions for handling common AJAX events\njQuery.each( [\n\t\"ajaxStart\",\n\t\"ajaxStop\",\n\t\"ajaxComplete\",\n\t\"ajaxError\",\n\t\"ajaxSuccess\",\n\t\"ajaxSend\"\n], function( i, type ) {\n\tjQuery.fn[ type ] = function( fn ) {\n\t\treturn this.on( type, fn );\n\t};\n} );\n\n\n\n\njQuery.expr.pseudos.animated = function( elem ) {\n\treturn jQuery.grep( jQuery.timers, function( fn ) {\n\t\treturn elem === fn.elem;\n\t} ).length;\n};\n\n\n\n\njQuery.offset = {\n\tsetOffset: function( elem, options, i ) {\n\t\tvar curPosition, curLeft, curCSSTop, curTop, curOffset, curCSSLeft, calculatePosition,\n\t\t\tposition = jQuery.css( elem, \"position\" ),\n\t\t\tcurElem = jQuery( elem ),\n\t\t\tprops = {};\n\n\t\t\t// Set position first, in-case top/left are set even on static elem\n\t\tif ( position === \"static\" ) {\n\t\t\telem.style.position = \"relative\";\n\t\t}\n\n\t\tcurOffset = curElem.offset();\n\t\tcurCSSTop = jQuery.css( elem, \"top\" );\n\t\tcurCSSLeft = jQuery.css( elem, \"left\" );\n\t\tcalculatePosition = ( position === \"absolute\" || position === \"fixed\" ) &&\n\t\t\t( curCSSTop + curCSSLeft ).indexOf( \"auto\" ) > -1;\n\n\t\t\t// Need to be able to calculate position if either\n\t\t\t// top or left is auto and position is either absolute or fixed\n\t\tif ( calculatePosition ) {\n\t\t\tcurPosition = curElem.position();\n\t\t\tcurTop = curPosition.top;\n\t\t\tcurLeft = curPosition.left;\n\n\t\t} else {\n\t\t\tcurTop = parseFloat( curCSSTop ) || 0;\n\t\t\tcurLeft = parseFloat( curCSSLeft ) || 0;\n\t\t}\n\n\t\tif ( isFunction( options ) ) {\n\n\t\t\t\t// Use jQuery.extend here to allow modification of coordinates argument (gh-1848)\n\t\t\toptions = options.call( elem, i, jQuery.extend( {}, curOffset ) );\n\t\t}\n\n\t\tif ( options.top != null ) {\n\t\t\tprops.top = ( options.top - curOffset.top ) + curTop;\n\t\t}\n\t\tif ( options.left != null ) {\n\t\t\tprops.left = ( options.left - curOffset.left ) + curLeft;\n\t\t}\n\n\t\tif ( \"using\" in options ) {\n\t\t\toptions.using.call( elem, props );\n\n\t\t} else {\n\t\t\tcurElem.css( props );\n\t\t}\n\t}\n};\n\njQuery.fn.extend( {\n\n\t// offset() relates an element's border box to the document origin\n\toffset: function( options ) {\n\n\t\t\t// Preserve chaining for setter\n\t\tif ( arguments.length ) {\n\t\t\treturn options === undefined ?\n\t\t\t\tthis :\n\t\t\t\tthis.each( function( i ) {\n\t\t\t\t\tjQuery.offset.setOffset( this, options, i );\n\t\t\t\t} );\n\t\t}\n\n\t\tvar rect, win,\n\t\t\telem = this[ 0 ];\n\n\t\tif ( !elem ) {\n\t\t\treturn;\n\t\t}\n\n\t\t\t// Return zeros for disconnected and hidden (display: none) elements (gh-2310)\n\t\t\t// Support: IE <=11 only\n\t\t\t// Running getBoundingClientRect on a\n\t\t\t// disconnected node in IE throws an error\n\t\tif ( !elem.getClientRects().length ) {\n\t\t\treturn { top: 0, left: 0 };\n\t\t}\n\n\t\t\t// Get document-relative position by adding viewport scroll to viewport-relative gBCR\n\t\trect = elem.getBoundingClientRect();\n\t\twin = elem.ownerDocument.defaultView;\n\t\treturn {\n\t\t\ttop: rect.top + win.pageYOffset,\n\t\t\tleft: rect.left + win.pageXOffset\n\t\t};\n\t},\n\n\t// position() relates an element's margin box to its offset parent's padding box\n\t// This corresponds to the behavior of CSS absolute positioning\n\tposition: function() {\n\t\tif ( !this[ 0 ] ) {\n\t\t\treturn;\n\t\t}\n\n\t\tvar offsetParent, offset, doc,\n\t\t\telem = this[ 0 ],\n\t\t\tparentOffset = { top: 0, left: 0 };\n\n\t\t\t// position:fixed elements are offset from the viewport, which itself always has zero offset\n\t\tif ( jQuery.css( elem, \"position\" ) === \"fixed\" ) {\n\n\t\t\t\t// Assume position:fixed implies availability of getBoundingClientRect\n\t\t\toffset = elem.getBoundingClientRect();\n\n\t\t} else {\n\t\t\toffset = this.offset();\n\n\t\t\t\t// Account for the *real* offset parent, which can be the document or its root element\n\t\t\t\t// when a statically positioned element is identified\n\t\t\tdoc = elem.ownerDocument;\n\t\t\toffsetParent = elem.offsetParent || doc.documentElement;\n\t\t\twhile ( offsetParent &&\n\t\t\t\t( offsetParent === doc.body ||\n\t\t\t\t\toffsetParent === doc.documentElement ) &&\n\t\t\t\tjQuery.css( offsetParent, \"position\" ) === \"static\" ) {\n\n\t\t\t\toffsetParent = offsetParent.parentNode;\n\t\t\t}\n\t\t\tif ( offsetParent && offsetParent !== elem &&\n\t\t\t\toffsetParent.nodeType === 1 ) {\n\n\t\t\t\t\t// Incorporate borders into its offset, since they are outside its content origin\n\t\t\t\tparentOffset = jQuery( offsetParent ).offset();\n\t\t\t\tparentOffset.top += jQuery.css( offsetParent, \"borderTopWidth\", true );\n\t\t\t\tparentOffset.left += jQuery.css( offsetParent, \"borderLeftWidth\", true );\n\t\t\t}\n\t\t}\n\n\t\t\t// Subtract parent offsets and element margins\n\t\treturn {\n\t\t\ttop: offset.top - parentOffset.top - jQuery.css( elem, \"marginTop\", true ),\n\t\t\tleft: offset.left - parentOffset.left - jQuery.css( elem, \"marginLeft\", true )\n\t\t};\n\t},\n\n\t// This method will return documentElement in the following cases:\n\t// 1)

For the element inside the iframe without offsetParent, this method will return\n\t//	documentElement of the parent window\n\t// 2) For the hidden or detached element\n\t// 3) For body or html element, i.e. in case of the html node - it will return itself\n\t//\n\t// but those exceptions were never presented as a real life use-cases\n\t// and might be considered as more preferable results.\n\t//\n\t// This logic, however, is not guaranteed and can change at any point in the future\n\toffsetParent: function() {\n\t\treturn this.map( function() {\n\t\t\tvar offsetParent = this.offsetParent;\n\n\t\t\twhile ( offsetParent && jQuery.css( offsetParent, \"position\" ) === \"static\" ) {\n\t\t\t\toffsetParent = offsetParent.offsetParent;\n\t\t\t}\n\n\t\t\treturn offsetParent || documentElement;\n\t\t} );\n\t}\n} );\n\n// Create scrollLeft and scrollTop methods\njQuery.each( { scrollLeft: \"pageXOffset\", scrollTop: \"pageYOffset\" }, function( method, prop ) {\n\tvar top = \"pageYOffset\" === prop;\n\n\tjQuery.fn[ method ] = function( val ) {\n\t\treturn access( this, function( elem, method, val ) {\n\n\t\t\t// Coalesce documents and windows\n\t\t\tvar win;\n\t\t\tif ( isWindow( elem ) ) {\n\t\t\t\twin = elem;\n\t\t\t} else if ( elem.nodeType === 9 ) {\n\t\t\t\twin = elem.defaultView;\n\t\t\t}\n\n\t\t\tif ( val === undefined ) {\n\t\t\t\treturn win ? win[ prop ] : elem[ method ];\n\t\t\t}\n\n\t\t\tif ( win ) {\n\t\t\t\twin.scrollTo(\n\t\t\t\t\t!top ? val : win.pageXOffset,\n\t\t\t\t\ttop ? val : win.pageYOffset\n\t\t\t\t);\n\t\t\t} else {\n\t\t\t\telem[ method ] = val;\n\t\t\t}\n\t\t}, method, val, arguments.length );\n\t};\n} );\n\n// Support: Safari <=7 - 9.1, Chrome <=37 - 49\n// Add the top/left cssHooks using jQuery.fn.position\n// Webkit bug: https://bugs.webkit.org/show_bug.cgi?id=29084\n// Blink bug: https://bugs.chromium.org/p/chromium/issues/detail?id=589347\n// getComputedStyle returns percent when specified for top/left/bottom/right;\n// rather than make the css module depend on the offset module, just check for it here\njQuery.each( [ \"top\", \"left\" ], function( i, prop ) {\n\tjQuery.cssHooks[ prop ] = addGetHookIf( support.pixelPosition,\n\t\tfunction( elem, computed ) {\n\t\t\tif ( computed ) {\n\t\t\t\tcomputed = curCSS( elem, prop );\n\n\t\t\t\t// If curCSS returns percentage, fallback to offset\n\t\t\t\treturn rnumnonpx.test( computed ) ?\n\t\t\t\t\tjQuery( elem ).position()[ prop ] + \"px\" :\n\t\t\t\t\tcomputed;\n\t\t\t}\n\t\t} );\n} );\n\n\n// Create innerHeight, innerWidth, height, width, outerHeight and outerWidth methods\njQuery.each( { Height: \"height\", Width: \"width\" }, function( name, type ) {\n\tjQuery.each( { padding: \"inner\" + name, content: type, \"\": \"outer\" + name },\n\t\tfunction( defaultExtra, funcName ) {\n\n\t\t// Margin is only for outerHeight, outerWidth\n\t\tjQuery.fn[ funcName ] = function( margin, value ) {\n\t\t\tvar chainable = arguments.length && ( defaultExtra || typeof margin !== \"boolean\" ),\n\t\t\t\textra = defaultExtra || ( margin === true || value === true ? \"margin\" : \"border\" );\n\n\t\t\treturn access( this, function( elem, type, value ) {\n\t\t\t\tvar doc;\n\n\t\t\t\tif ( isWindow( elem ) ) {\n\n\t\t\t\t\t// $( window ).outerWidth/Height return w/h including scrollbars (gh-1729)\n\t\t\t\t\treturn funcName.indexOf( \"outer\" ) === 0 ?\n\t\t\t\t\t\telem[ \"inner\" + name ] :\n\t\t\t\t\t\telem.document.documentElement[ \"client\" + name ];\n\t\t\t\t}\n\n\t\t\t\t// Get document width or height\n\t\t\t\tif ( elem.nodeType === 9 ) {\n\t\t\t\t\tdoc = elem.documentElement;\n\n\t\t\t\t\t// Either scroll[Width/Height] or offset[Width/Height] or client[Width/Height],\n\t\t\t\t\t// whichever is greatest\n\t\t\t\t\treturn Math.max(\n\t\t\t\t\t\telem.body[ \"scroll\" + name ], doc[ \"scroll\" + name ],\n\t\t\t\t\t\telem.body[ \"offset\" + name ], doc[ \"offset\" + name ],\n\t\t\t\t\t\tdoc[ \"client\" + name ]\n\t\t\t\t\t);\n\t\t\t\t}\n\n\t\t\t\treturn value === undefined ?\n\n\t\t\t\t\t// Get width or height on the element, requesting but not forcing parseFloat\n\t\t\t\t\tjQuery.css( elem, type, extra ) :\n\n\t\t\t\t\t// Set width or height on the element\n\t\t\t\t\tjQuery.style( elem, type, value, extra );\n\t\t\t}, type, chainable ? margin : undefined, chainable );\n\t\t};\n\t} );\n} );\n\n\njQuery.each( ( \"blur focus focusin focusout resize scroll click dblclick \" +\n\t\"mousedown mouseup mousemove mouseover mouseout mouseenter mouseleave \" +\n\t\"change select submit keydown keypress keyup contextmenu\" ).split( \" \" ),\n\tfunction( i, name ) {\n\n\t// Handle event binding\n\tjQuery.fn[ name ] = function( data, fn ) {\n\t\treturn arguments.length > 0 ?\n\t\t\tthis.on( name, null, data, fn ) :\n\t\t\tthis.trigger( name );\n\t};\n} );\n\njQuery.fn.extend( {\n\thover: function( fnOver, fnOut ) {\n\t\treturn this.mouseenter( fnOver ).mouseleave( fnOut || fnOver );\n\t}\n} );\n\n\n\n\njQuery.fn.extend( {\n\n\tbind: function( types, data, fn ) {\n\t\treturn this.on( types, null, data, fn );\n\t},\n\tunbind: function( types, fn ) {\n\t\treturn this.off( types, null, fn );\n\t},\n\n\tdelegate: function( selector, types, data, fn ) {\n\t\treturn this.on( types, selector, data, fn );\n\t},\n\tundelegate: function( selector, types, fn ) {\n\n\t\t// ( namespace ) or ( selector, types [, fn] )\n\t\treturn arguments.length === 1 ?\n\t\t\tthis.off( selector, \"**\" ) :\n\t\t\tthis.off( types, selector ||

\"*\", fn );\n\t}\n} );\n\n// Bind a function to a context, optionally partially applying any\n// arguments.\n// jQuery.proxy is deprecated to promote standards (specifically Function#bind)\n// However, it is not slated for removal any time soon\njQuery.proxy = function( fn, context ) {\n\tvar tmp, args, proxy;\n\n\tif ( typeof context === \"string\" ) {\n\t\ttmp = fn[ context ];\n\t\tcontext = fn;\n\t\tfn = tmp;\n\t}\n\n\t// Quick check to determine if target is callable, in the spec\n\t// this throws a TypeError, but we will just return undefined.\n\tif ( !isFunction( fn ) ) {\n\t\treturn undefined;\n\t}\n\n\t// Simulated bind\n\targs = slice.call( arguments, 2 );\n\tproxy = function() {\n\t\treturn fn.apply( context || this, args.concat( slice.call( arguments ) ) );\n\t};\n\n\t// Set the guid of unique handler to the same of original handler, so it can be removed\n\tproxy.guid = fn.guid = fn.guid || jQuery.guid++;\n\n\treturn proxy;\n};\n\njQuery.holdReady = function( hold ) {\n\tif ( hold ) {\n\t\tjQuery.readyWait++;\n\t} else {\n\t\tjQuery.ready( true );\n\t}\n};\njQuery.isArray = Array.isArray;\njQuery.parseJSON = JSON.parse;\njQuery.nodeName = nodeName;\njQuery.isFunction = isFunction;\njQuery.isWindow = isWindow;\njQuery.camelCase = camelCase;\njQuery.type = toType;\n\njQuery.now = Date.now;\n\njQuery.isNumeric = function( obj ) {\n\n\t// As of jQuery 3.0, isNumeric is limited to\n\t// strings and numbers (primitives or objects)\n\t// that can be coerced to finite numbers (gh-2662)\n\tvar type = jQuery.type( obj );\n\treturn ( type === \"number\" || type === \"string\" ) &&\n\n\t\t// parseFloat NaNs numeric-cast false positives (\"\")\n\t\t// ...but misinterprets leading-number strings, particularly hex literals (\"0x...\")\n\t\t// subtraction forces infinities to NaN\n\t\t!isNaN( obj - parseFloat( obj ) );\n};\n\n\n\n// Register as a named AMD module, since jQuery can be concatenated with other\n// files that may use define, but not via a proper concatenation script that\n// understands anonymous AMD modules. A named AMD is safest and most robust\n// way to register. Lowercase jquery is used because AMD module names are\n// derived from file names, and jQuery is normally delivered in a lowercase\n// file name. Do this after creating the global so that if an AMD module wants\n// to call noConflict to hide this version of jQuery, it will work.\n\n// Note that for maximum portability, libraries that are not jQuery should\n// declare themselves as anonymous modules, and avoid setting a global if an\n// AMD loader is present. jQuery is a special case. For more information, see\n// https://github.com/jrburke/requirejs/wiki/Updating-existing-libraries#wiki-anon\n\nif ( typeof define === \"function\" && define.amd ) {\n\tdefine( \"jquery\", [], function() {\n\t\treturn jQuery;\n\t} );\n}\n\n\n\n\nvar\n\n\t// Map over jQuery in case of overwrite\n\t_jQuery = window.jQuery,\n\n\t// Map over the $ in case of overwrite\n\t_$ = window.$;\n\njQuery.noConflict = function( deep ) {\n\tif ( window.$ === jQuery ) {\n\t\twindow.$ = _$;\n\t}\n\n\tif ( deep && window.jQuery === jQuery ) {\n\t\twindow.jQuery = _jQuery;\n\t}\n\n\treturn jQuery;\n};\n\n// Expose jQuery and $ identifiers, even in AMD\n// (#7102#comment:10, https://github.com/jquery/jquery/pull/557)\n// and CommonJS for browser emulators (#13566)\nif ( !noGlobal ) {\n\twindow.jQuery = window.$ = jQuery;\n}\n\n\n\n\nreturn jQuery;\n} );\n","var map = {\n\t\"./en.json\": \"e847\"\n};\n\n\nfunction webpackContext(req) {\n\tvar id = webpackContextResolve(req);\n\treturn __webpack_require__(id);\n}\nfunction webpackContextResolve(req) {\n\tvar id = map[req];\n\tif(!(id + 1)) { // check for number or string\n\t\tvar e = new Error(\"Cannot find module '\" + req + \"'\");\n\t\te.code = 'MODULE_NOT_FOUND';\n\t\tthrow e;\n\t}\n\treturn id;\n}\nwebpackContext.keys = function webpackContextKeys() {\n\treturn Object.keys(map);\n};\nwebpackContext.resolve = webpackContextResolve;\nmodule.exports = webpackContext;\nwebpackContext.id = \"11b2\";","var pIE = require('./_object-pie');\nvar createDesc = require('./_property-desc');\nvar toIObject = require('./_to-iobject');\nvar toPrimitive = require('./_to-primitive');\nvar has = require('./_has');\nvar IE8_DOM_DEFINE = require('./_ie8-dom-define');\nvar gOPD = Object.getOwnPropertyDescriptor;\n\nexports.f = require('./_descriptors') ? gOPD : function getOwnPropertyDescriptor(O, P) {\n  O = toIObject(O);\n  P = toPrimitive(P, true);\n  if (IE8_DOM_DEFINE) try {\n    return gOPD(O, P);\n  } catch (e) { /* empty */ }\n  if (has(O, P)) return createDesc(!pIE.f.call(O, P), O[P]);\n};","/**\n * Checks if `value` is suitable for use as unique object key.\n *\n * @private\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is suitable, else `false`.\n */\nfunction isKeyable(value) {\n  var type = typeof value;\n  return (type == 'string' || type == 'number' || type == 'symbol' || type == 'boolean')\n    ? (value !== '__proto__')\n    : (value === null);\n}\n\nmodule.exports = isKeyable;\n","var identity = require('./identity');\n\n/**\n * Casts `value` to `identity` if it's not a function.\n *\n * @private\n *

@param {*} value The value to inspect.\n * @returns {Function} Returns cast function.\n *\nfunction castFunction(value) {\n return typeof value == 'function' ? value : identity;\n}\n\nmodule.exports = castFunction;\n","/**\n * Checks if `value` is object-like. A value is object-like if it's not `null`\n * and has a `typeof` result of \"object\".\n *\n * @static\n * @memberOf _\n * @since 4.0.0\n * @category Lang\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is object-like, else `false`.\n * @example\n *\n * _.isObjectLike({});\n * // => true\n *\n * _.isObjectLike([1, 2, 3]);\n * // => true\n *\n * _.isObjectLike(_.noop);\n * // => false\n *\n * _.isObjectLike(null);\n * // => false\n *\nfunction isObjectLike(value) {\n  return value != null && typeof value == 'object';\n}\n\nmodule.exports = isObjectLike;\n","module.exports =

\"data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAAAJ4AAACeCAYAAADDhbN7AAAABmJLR0QA owA6AADnOD5/AAAACXBIWXMAAAsTAAALEwEAmpwYAAAAB3RJTUUH4QgLCggYIJ85zwAAABl0R Vh0Q29tbWVudABDcmVhdGVkIHdpdGggR0lNUFeBDhcAAAfMSURBVHja7d1dUFTnHcfx3x4W2EVSFQQFj YUYTTJRg2NMtUo1RrCKU2sTqxl8STPWZGzTi87UWmvTzvSiM0mmrampY9J0xqlp1CQ6sWMUNVbVDMI eQGHaCMKEcLL8uIqsLssSy9ykbaZyYHkiu4u7388l83El83DO7p/vnt09CxzHTiu5X0AEORz9shgDooHwQHggPIDwQ HgA4YHwAMID4QGEB8ID4QGEB8IDCA4YHwAMID4QGEB8ID4QGEB8IDCA+ECO9W5bAsOVPcDCJcnJHaUWrOeMlhr/Pg9evytXrCc4fidLmXmz9HYhhQUaOS1PrsxMuTJGyzWeLjks9fV0q7upWb7mZZl27WKsrBw+psaREgU7vLT+bBFey3KJ27m4m9zZZ8z6hqZZ27WKsrBw+psaREgU7vLzZlj27WKsrBw+psaRE

"var coreJsData = require('./_coreJsData');\n\n/** Used to detect methods masquerading as native. */\nvar maskSrcKey = (function() {\n  var uid = /[^.]+$/.exec(coreJsData && coreJsData.keys && coreJsData.keys.IE_PROTO || '');\n  return uid ? ('Symbol(src)_1.' + uid) : '';\n}());\n\n/**\n * Checks if `func` has its source masked.\n *\n * @private\n * @param {Function} func The function to check.\n * @returns {boolean} Returns `true` if `func` is masked, else `false`.\n *\nfunction isMasked(func) {\n  return

!!maskSrcKey && (maskSrcKey in func);\n}\n\nmodule.exports = isMasked;\n","var dP = require('./_object-dp');\nvar anObject = require('./_an-object');\nvar getKeys = require('./_object-keys');\n\nmodule.exports = require('./_descriptors') ? Object.defineProperties : function defineProperties(O, Properties) {\n anObject(O);\n var keys = getKeys(Properties);\n var length = keys.length;\n var i = 0;\n var P;\n while (length > i) dP.f(O, P = keys[i++], Properties[P]);\n return O;\n};\n","\"use strict\";\n\nmodule.exports = function () {\n\tvar assign = Object.assign, obj;\n\tif (typeof assign !== \"function\") return false;\n\tobj = { foo: \"raz\" };\n\tassign(obj, { bar: \"dwa\" }, { trzy: \"trzy\" });\n\treturn (obj.foo + obj.bar + obj.trzy) === \"razdwatrzy\";\n};\n","import mod from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./SignUpForm.vue?vue&type=style&index=0&lang=scss&\"; export default mod; export * from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./SignUpForm.vue?vue&type=style&index=0&lang=scss&\"","var baseIsEqual = require('./_baseIsEqual'),\n    get = require('./get'),\n    hasIn = require('./hasIn'),\n    isKey = require('./_isKey'),\n    isStrictComparable = require('./_isStrictComparable'),\n    matchesStrictComparable = require('./_matchesStrictComparable'),\n    toKey = require('./_toKey');\n\n/** Used to compose bitmasks for value comparisons. */\nvar COMPARE_PARTIAL_FLAG = 1,\n    COMPARE_UNORDERED_FLAG = 2;\n\n/**\n * The base implementation of `_.matchesProperty` which doesn't clone `srcValue`.\n *\n * @private\n * @param {string} path The path of the property to get.\n * @param {*} srcValue The value to match.\n * @returns {Function} Returns the new spec function.\n */\nfunction baseMatchesProperty(path, srcValue) {\n  if (isKey(path) && isStrictComparable(srcValue)) {\n    return matchesStrictComparable(toKey(path), srcValue);\n  }\n  return function(object) {\n    var objValue = get(object, path);\n    return (objValue === undefined && objValue === srcValue)\n      ? hasIn(object, path)\n      : baseIsEqual(srcValue, objValue, COMPARE_PARTIAL_FLAG | COMPARE_UNORDERED_FLAG);\n  };\n}\n\nmodule.exports = baseMatchesProperty;\n","var memoizeCapped = require('./_memoizeCapped');\n\n/** Used to match property names within property paths. */\nvar rePropName = /[^.[\\]]+|\\[(?:(-?\\d+(?:\\.\\d+)?)|([\"'])((?:(?!\\2)[^\\\\]|\\\\.)*?)\\2)\\]|(?=(?:\\.|\\[\\])(?:\\.|\\[\\]|$))/g;\n\n/** Used to match backslashes in property paths. */\nvar reEscapeChar = /\\\\(\\\\)?/g;\n\n/**\n * Converts `string` to a property path array.\n *\n * @private\n * @param {string} string The string to convert.\n * @returns {Array} Returns the property path array.\n */\nvar stringToPath = memoizeCapped(function(string) {\n  var result = [];\n  if (string.charCodeAt(0) === 46 /* . */) {\n    result.push('');\n  }\n  string.replace(rePropName, function(match, number, quote, subString) {\n    result.push(quote ? subString.replace(reEscapeChar, '$1') : (number || match));\n  });\n  return result;\n});\n\nmodule.exports = stringToPath;\n","\"use strict\";\n\nvar str = \"razdwatrzy\";\n\nmodule.exports = function () {\n\tif (typeof str.contains !== \"function\") return false;\n\treturn (str.contains(\"dwa\") === true) && (str.contains(\"foo\") === false);\n};\n","var ctx = require('./_ctx');\nvar invoke = require('./_invoke');\nvar html = require('./_html');\nvar cel = require('./_dom-create');\nvar global = require('./_global');\nvar process = global.process;\nvar setTask = global.setImmediate;\nvar clearTask = global.clearImmediate;\nvar MessageChannel = global.MessageChannel;\nvar Dispatch = global.Dispatch;\nvar counter = 0;\nvar queue = {};\nvar ONREADYSTATECHANGE = 'onreadystatechange';\nvar defer, channel, port;\nvar run = function () {\n  var id = +this;\n  // eslint-disable-next-line no-prototype-builtins\n  if (queue.hasOwnProperty(id)) {\n    var fn = queue[id];\n    delete queue[id];\n    fn();\n  }\n};\nvar listener = function (event) {\n  run.call(event.data);\n};\n// Node.js 0.9+ & IE10+ has setImmediate, otherwise:\nif (!setTask || !clearTask) {\n  setTask = function setImmediate(fn) {\n    var args = [];\n    var i = 1;\n    while (arguments.length >

i) args.push(arguments[i++]);\n    queue[++counter] = function () {\n      // eslint-disable-next-line no-new-func\n invoke(typeof fn == 'function' ? fn : Function(fn), args);\n    };\n    defer(counter);\n    return counter;\n  };\n  clearTask = function clearImmediate(id) {\n    delete queue[id];\n  };\n  // Node.js 0.8-\n  if (require('./_cof')(process) == 'process') {\n    defer = function (id) {\n      process.nextTick(ctx(run, id, 1));\n    };\n  // Sphere (JS game engine) Dispatch API\n  } else if (Dispatch && Dispatch.now) {\n    defer = function (id) {\n      Dispatch.now(ctx(run, id, 1));\n    };\n  // Browsers with MessageChannel, includes WebWorkers\n  } else if (MessageChannel) {\n    channel = new MessageChannel();\n    port = channel.port2;\n    channel.port1.onmessage = listener;\n    defer = ctx(port.postMessage, port, 1);\n  // Browsers with postMessage, skip WebWorkers\n  // IE8 has postMessage, but it's sync & typeof its postMessage is 'object'\n  } else if (global.addEventListener && typeof postMessage == 'function' && !global.importScripts) {\n    defer = function (id) {\n      global.postMessage(id + '', '*');\n    };\n    global.addEventListener('message', listener, false);\n  // IE8-\n  } else if (ONREADYSTATECHANGE in cel('script')) {\n    defer = function (id) {\n      html.appendChild(cel('script'))[ONREADYSTATECHANGE] = function () {\n        html.removeChild(this);\n        run.call(id);\n      };\n    };\n  // Rest old browsers\n  } else {\n    defer = function (id) {\n      setTimeout(ctx(run, id, 1), 0);\n    };\n  }\n}\nmodule.exports = {\n  set: setTask,\n  clear: clearTask\n};\n","/**\n * Checks if `value` is the\n * [language type](http://www.ecma-international.org/ecma-262/7.0/#sec-ecmascript-language-types)\n * of `Object`. (e.g. arrays, functions, objects, regexes, `new Number(0)`, and `new String('')`)\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @category Lang\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is an object, else `false`.\n * @example\n *\n * _.isObject({});\n * // => true\n *\n * _.isObject([1, 2, 3]);\n * // => true\n *\n * _.isObject(_.noop);\n * // => true\n *\n * _.isObject(null);\n * // => false\n */\nfunction isObject(value) {\n  var type = typeof value;\n  return value != null && (type == 'object' || type == 'function');\n}\n\nmodule.exports = isObject;\n","var Symbol = require('./_Symbol'),\n    Uint8Array = require('./_Uint8Array'),\n    eq = require('./eq'),\n    equalArrays = require('./_equalArrays'),\n    mapToArray = require('./_mapToArray'),\n    setToArray = require('./_setToArray');\n\n/** Used to compose bitmasks for value comparisons. */\nvar COMPARE_PARTIAL_FLAG = 1,\n    COMPARE_UNORDERED_FLAG = 2;\n\n/** `Object#toString` result references. */\nvar boolTag = '[object Boolean]',\n    dateTag = '[object Date]',\n    errorTag = '[object Error]',\n    mapTag = '[object Map]',\n    numberTag = '[object Number]',\n    regexpTag = '[object RegExp]',\n    setTag = '[object Set]',\n    stringTag = '[object String]',\n    symbolTag = '[object Symbol]';\n\nvar arrayBufferTag = '[object ArrayBuffer]',\n    dataViewTag = '[object DataView]';\n\n/** Used to convert symbols to primitives and strings. */\nvar symbolProto = Symbol ? Symbol.prototype : undefined,\n    symbolValueOf = symbolProto ? symbolProto.valueOf : undefined;\n\n/**\n * A specialized version of `baseIsEqualDeep` for comparing objects of\n * the same `toStringTag`.\n *\n * **Note:** This function only supports comparing values with tags of\n * `Boolean`, `Date`, `Error`, `Number`, `RegExp`, or `String`.\n *\n * @private\n * @param {Object} object The object to compare.\n * @param {Object} other The other object to compare.\n * @param {string} tag The `toStringTag` of the objects to compare.\n * @param {number} bitmask The bitmask flags. See `baseIsEqual` for more details.\n * @param {Function} customizer The function to customize comparisons.\n * @param {Function} equalFunc The function to determine equivalents of values.\n * @param {Object} stack Tracks traversed `object` and `other` objects.\n * @returns {boolean} Returns `true` if the objects are equivalent, else `false`.\n */\nfunction equalByTag(object, other, tag, bitmask, customizer, equalFunc, stack) {\n  switch (tag) {\n    case dataViewTag:\n      if ((object.byteLength != other.byteLength) ||\n          (object.byteOffset != other.byteOffset)) {\n        return false;\n      }\n      object = object.buffer;\n      other = other.buffer;\n\n    case arrayBufferTag:\n      if ((object.byteLength != other.byteLength) ||\n          !equalFunc(new Uint8Array(object), new Uint8Array(other))) {\n        return false;\n      }\n      return true;\n\n    case boolTag:\n    case dateTag:\n    case numberTag:\n      // Coerce booleans to `1` or `0` and dates to milliseconds.\n      // Invalid dates are coerced to `NaN`.\n      return eq(+object, +other);\n\n    case errorTag:\n      return object.name == other.name && object.message == other.message;\n\n    case regexpTag:\n    case stringTag:\n      // Coerce regexes to strings and treat strings, primitives and objects,\n      // as equal. See http://www.ecma-international.org/ecma-262/7.0/#sec-regexp.prototype.tostring\n      // for more details.\n      return object == (other + '');\n\n    case mapTag:\n      var convert = mapToArray;\n\n    case setTag:\n      var isPartial =

bitmask & COMPARE_PARTIAL_FLAG;\n    convert || (convert = setToArray);\n\n    if (object.size != other.size && !isPartial) {\n      return false;\n    }\n    // Assume cyclic values are equal.\n    var stacked = stack.get(object);\n    if (stacked) {\n      return stacked == other;\n    }\n    bitmask |= COMPARE_UNORDERED_FLAG;\n\n    // Recursively compare objects (susceptible to call stack limits).\n    stack.set(object, other);\n    var result = equalArrays(convert(object), convert(other), bitmask, customizer, equalFunc, stack);\n    stack['delete'](object);\n    return result;\n\n    case symbolTag:\n      if (symbolValueOf) {\n        return symbolValueOf.call(object) == symbolValueOf.call(other);\n      }\n  }\n  return false;\n}\n\nmodule.exports = equalByTag;\n","'use strict';\n\nmodule.exports = require('./is-implemented')() ? Symbol : require('./polyfill');\n","var getNative = require('./_getNative'),\n    root = require('./_root');\n\n/* Built-in method references that are verified to be native. */\nvar Promise = getNative(root, 'Promise');\n\nmodule.exports = Promise;\n","/**\n * Removes `key` and its value from the hash.\n *\n * @private\n * @name delete\n * @memberOf Hash\n * @param {Object} hash The hash to modify.\n * @param {string} key The key of the value to remove.\n * @returns {boolean} Returns `true` if the entry was removed, else `false`.\n */\nfunction hashDelete(key) {\n  var result = this.has(key) && delete this.__data__[key];\n  this.size -= result ? 1 : 0;\n  return result;\n}\n\nmodule.exports = hashDelete;\n","var baseEach = require('./_baseEach');\n\n/**\n * The base implementation of `_.every` without support for iteratee shorthands.\n *\n * @private\n * @param {Array|Object} collection The collection to iterate over.\n * @param {Function} predicate The function invoked per iteration.\n * @returns {boolean} Returns `true` if all elements pass the predicate check,\n * else `false`\n */\nfunction baseEvery(collection, predicate) {\n  var result = true;\n  baseEach(collection, function(value, index, collection) {\n    result = !!predicate(value, index, collection);\n    return result;\n  });\n  return result;\n}\n\nmodule.exports = baseEvery;\n","// call something on iterator step with safe closing on error\nvar anObject = require('./_an-object');\nmodule.exports = function (iterator, fn, value, entries) {\n  try {\n    return entries ? fn(anObject(value)[0], value[1]) : fn(value);\n  // 7.4.6 IteratorClose(iterator, completion)\n  } catch (e) {\n    var ret = iterator['return'];\n    if (ret !== undefined) anObject(ret.call(iterator));\n    throw e;\n  }\n};\n","var getMapData = require('./_getMapData');\n\n/**\n * Sets the map `key` to `value`.\n *\n * @private\n * @name set\n * @memberOf MapCache\n * @param {string} key The key of the value to set.\n * @param {*} value The value to set.\n * @returns {Object} Returns the map cache instance.\n */\nfunction mapCacheSet(key, value) {\n  var data = getMapData(this, key),\n      size = data.size;\n\n  data.set(key, value);\n  this.size += data.size == size ? 0 : 1;\n  return this;\n}\n\nmodule.exports = mapCacheSet;\n","\"use strict\";\n\nmodule.exports = require(\"./is-implemented\")()\n\t? Object.assign\n\t: require(\"./shim\");\n","/**\n * A specialized version of `matchesProperty` for source values suitable\n * for strict equality comparisons, i.e. `===`.\n *\n * @private\n * @param {string} key The key of the property to get.\n * @param {*} srcValue The value to match.\n * @returns {Function} Returns the new spec function.\n */\nfunction matchesStrictComparable(key, srcValue) {\n  return function(object) {\n    if (object == null) {\n      return false;\n    }\n    return object[key] === srcValue &&\n      (srcValue !== undefined || (key in Object(object)));\n  };\n}\n\nmodule.exports = matchesStrictComparable;\n","'use strict';\nvar hide = require('./_hide');\nvar redefine = require('./_redefine');\nvar fails = require('./_fails');\nvar defined = require('./_defined');\nvar wks = require('./_wks');\n\nmodule.exports = function (KEY, length, exec) {\n  var SYMBOL = wks(KEY);\n  var fns = exec(defined, SYMBOL, ''[KEY]);\n  var strfn = fns[0];\n  var rxfn = fns[1];\n  if (fails(function () {\n    var O = {};\n    O[SYMBOL] = function () { return 7; };\n    return ''[KEY](O) != 7;\n  })) {\n    redefine(String.prototype, KEY, strfn);\n    hide(RegExp.prototype, SYMBOL, length == 2\n      // 21.2.5.8 RegExp.prototype[@@replace](string, replaceValue)\n      // 21.2.5.11 RegExp.prototype[@@split](string, limit)\n      ? function (string, arg) { return rxfn.call(string, this, arg); }\n      // 21.2.5.6 RegExp.prototype[@@match](string)\n      // 21.2.5.9 RegExp.prototype[@@search](string)\n      : function (string) { return rxfn.call(string, this); }\n    );\n  }\n};\n","var compareAscending = require('./_compareAscending');\n\n/**\n * Used by `_.orderBy` to compare multiple properties of a value to another\n * and stable sort them.\n *\n * If `orders` is unspecified, all values are sorted in ascending order. Otherwise,\n * specify an order of \"desc\" for descending or \"asc\" for ascending sort order\n * of corresponding values.\n *\n * @private\n * @param {Object} object The object to compare.\n * @param {Object} other The other object to compare.\n * @param {boolean[]|string[]} orders The order to sort by

for each property.\n * @returns {number} Returns the sort order indicator for `object`.\n */\nfunction compareMultiple(object, other, orders) {\n  var index = -1,\n      objCriteria = object.criteria,\n      othCriteria = other.criteria,\n      length = objCriteria.length,\n      ordersLength = orders.length;\n\n  while (++index < length) {\n    var result = compareAscending(objCriteria[index], othCriteria[index]);\n    if (result) {\n      if (index >= ordersLength) {\n        return result;\n      }\n      var order = orders[index];\n      return result * (order == 'desc' ? -1 : 1);\n    }\n  }\n  // Fixes an `Array#sort` bug in the JS engine embedded in Adobe applications\n  // that causes it, under certain circumstances, to provide the same value for\n  // `object` and `other`. See https://github.com/jashkenas/underscore/pull/1247\n  // for more details.\n  //\n  // This also ensures a stable sort in V8 and other engines.\n  // See https://bugs.chromium.org/p/v8/issues/detail?id=90 for more details.\n  return object.index - other.index;\n}\n\nmodule.exports = compareMultiple;\n","var apply = require('./_apply');\n\n/* Built-in method references for those with the same name as other `lodash` methods. */\nvar nativeMax = Math.max;\n\n/**\n * A specialized version of `baseRest` which transforms the rest array.\n *\n * @private\n * @param {Function} func The function to apply a rest parameter to.\n * @param {number} [start=func.length-1] The start position of the rest parameter.\n * @param {Function} transform The rest array transform.\n * @returns {Function} Returns the new function.\n */\nfunction overRest(func, start, transform) {\n  start = nativeMax(start === undefined ? (func.length - 1) : start, 0);\n  return function() {\n    var args = arguments,\n        index = -1,\n        length = nativeMax(args.length - start, 0),\n        array = Array(length);\n\n    while (++index < length) {\n      array[index] = args[start + index];\n    }\n    index = -1;\n    var otherArgs = Array(start + 1);\n    while (++index < start) {\n      otherArgs[index] = args[index];\n    }\n    otherArgs[start] = transform(array);\n    return apply(func, this, otherArgs);\n  };\n}\n\nmodule.exports = overRest;\n","'use strict';\nObject.defineProperty(exports, '__esModule', { value: true });\nvar prefix = 'fab';\nvar iconName = 'linkedin';\nvar width = 448;\nvar height = 512;\nvar ligatures = [];\nvar unicode = 'f08c';\nvar svgPathData = 'M416 32H31.9C14.3 32 0 46.5 0 64.3v383.4C0 465.5 14.3 480 31.9 480H416c17.6 0 32-14.5 32-32.3V64.3c0-17.8-14.4-32.3-32-32.3zM135.4 416H69V202.2h66.5V416zm-33.2-243c-21.3 0-38.5-17.3-38.5-38.5S80.9 96 102.2 96c21.2 0 38.5 17.3 38.5 38.5 0 21.3-17.2 38.5-38.5 38.5zm282.1 243h-66.4V312c0-24.8-.5-56.7-34.5-56.7-34.6 0-39.9 27-39.9 54.9V416h-66.4V202.2h63.7v29.2h.9c8.9-16.8 30.6-34.5 62.9-34.5 67.2 0 79.7 44.3 79.7 101.9V416z';\n\nexports.definition = {\n  prefix: prefix,\n  iconName: iconName,\n  icon: [\n    width,\n    height,\n    ligatures,\n    unicode,\n    svgPathData\n  ]};\n\nexports.faLinkedin = exports.definition;\nexports.prefix = prefix;\nexports.iconName = iconName;\nexports.width = width;\nexports.height = height;\nexports.ligatures = ligatures;\nexports.unicode = unicode;\nexports.svgPathData = svgPathData;","var isObject = require('./_is-object');\nvar document = require('./_global').document;\n// typeof document.createElement is 'object' in old IE\nvar is = isObject(document) && isObject(document.createElement);\nmodule.exports = function (it) {\n  return is ? document.createElement(it) : {};\n};\n","var memoize = require('./memoize');\n\n/** Used as the maximum memoize cache size. */\nvar MAX_MEMOIZE_SIZE = 500;\n\n/**\n * A specialized version of `_.memoize` which clears the memoized\n * function's\n * cache when it exceeds `MAX_MEMOIZE_SIZE`.\n *\n * @private\n * @param {Function} func The function to have its output memoized.\n * @returns {Function} Returns the new memoized function.\n */\nfunction memoizeCapped(func) {\n  var result = memoize(func, function(key) {\n    if (cache.size === MAX_MEMOIZE_SIZE) {\n      cache.clear();\n    }\n    return key;\n  });\n\n  var cache = result.cache;\n  return result;\n}\n\nmodule.exports = memoizeCapped;\n","// getting tag from 19.1.3.6 Object.prototype.toString()\nvar cof = require('./_cof');\nvar TAG = require('./_wks')('toStringTag');\n// ES3 wrong here\nvar ARG = cof(function () { return arguments; }()) == 'Arguments';\n\n// fallback for IE11 Script Access Denied error\nvar tryGet = function (it, key) {\n  try {\n    return it[key];\n  } catch (e) { /* empty */ }\n};\n\nmodule.exports = function (it) {\n  var O, T, B;\n  return it === undefined ? 'Undefined' : it === null ? 'Null'\n    // @@toStringTag case\n    : typeof (T = tryGet(O = Object(it), TAG)) == 'string' ? T\n    // builtinTag case\n    : ARG ? cof(O)\n    // ES3 arguments fallback\n    : (B = cof(O)) == 'Object' && typeof O.callee == 'function' ? 'Arguments' : B;\n};\n","var baseFor = require('./_baseFor'),\n    keys = require('./keys');\n\n/**\n * The base implementation of `_.forOwn` without support for iteratee shorthands.\n *\n * @private\n * @param {Object} object The object to iterate over.\n * @param {Function} iteratee The function invoked per iteration.\n * @returns {Object} Returns `object`.\n */\nfunction

baseForOwn(object, iteratee) {\n  return object && baseFor(object, iteratee, keys);\n}\n\nmodule.exports = baseForOwn;\n","var root = require('./_root');\n\n/** Built-in value references. */\nvar Uint8Array = root.Uint8Array;\n\nmodule.exports = Uint8Array;\n","var getMapData = require('./_getMapData');\n\n/**\n * Gets the map value for `key`.\n *\n * @private\n * @name get\n * @memberOf MapCache\n * @param {string} key The key of the value to get.\n * @returns {*} Returns the entry value.\n */\nfunction mapCacheGet(key) {\n  return getMapData(this, key).get(key);\n}\n\nmodule.exports = mapCacheGet;\n","var nativeCreate = require('./_nativeCreate');\n\n/** Used to stand-in for `undefined` hash values. */\nvar HASH_UNDEFINED = '__lodash_hash_undefined__';\n\n/**\n * Sets the hash `key` to `value`.\n *\n * @private\n * @name set\n * @memberOf Hash\n * @param {string} key The key of the value to set.\n * @param {*} value The value to set.\n * @returns {Object} Returns the hash instance.\n */\nfunction hashSet(key, value) {\n  var data = this.__data__;\n  this.size += this.has(key) ? 0 : 1;\n  data[key] = (nativeCreate && value === undefined) ? HASH_UNDEFINED : value;\n  return this;\n}\n\nmodule.exports = hashSet;\n","var baseGetTag = require('./_baseGetTag'),\n    isObjectLike = require('./isObjectLike');\n\n/** `Object#toString` result references. */\nvar argsTag = '[object Arguments]';\n\n/**\n * The base implementation of `_.isArguments`.\n *\n * @private\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is an `arguments` object,\n */\nfunction baseIsArguments(value) {\n  return isObjectLike(value) && baseGetTag(value) == argsTag;\n}\n\nmodule.exports = baseIsArguments;\n","exports.f = Object.getOwnPropertySymbols;\n","var arrayEvery = require('./_arrayEvery'),\n    baseEvery = require('./_baseEvery'),\n    baseIteratee = require('./_baseIteratee'),\n    isArray = require('./isArray'),\n    isIterateeCall = require('./_isIterateeCall');\n\n/**\n * Checks if `predicate` returns truthy for **all** elements of `collection`.\n * Iteration is stopped once `predicate` returns falsey. The predicate is\n * invoked with three arguments: (value, index|key, collection).\n *\n * **Note:** This method returns `true` for\n * [empty collections](https://en.wikipedia.org/wiki/Empty_set) because\n * [everything is true](https://en.wikipedia.org/wiki/Vacuous_truth) of\n * elements of empty collections.\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @category Collection\n * @param {Array|Object} collection The collection to iterate over.\n * @param {Function} [predicate=_.identity] The function invoked per iteration.\n * @param-{Object} [guard] Enables use as an iteratee for methods like `_.map`.\n * @returns {boolean} Returns `true` if all elements pass the predicate check,\n *  else `false`.\n * @example\n *\n * _.every([true, 1, null, 'yes'], Boolean);\n * // => false\n *\n * var users = [\n *   { 'user': 'barney', 'age': 36, 'active': false },\n *   { 'user': 'fred',   'age': 40, 'active': false }\n * ];\n *\n * // The `_.matches` iteratee shorthand.\n * _.every(users, { 'user': 'barney', 'active': false });\n * // => false\n *\n * // The `_.matchesProperty` iteratee shorthand.\n * _.every(users, ['active', false]);\n * // => true\n *\n * // The `_.property` iteratee shorthand.\n * _.every(users, 'active');\n * // => false\n */\nfunction every(collection, predicate, guard) {\n  var func = isArray(collection) ? arrayEvery : baseEvery;\n  if (guard && isIterateeCall(collection, predicate, guard)) {\n    predicate = undefined;\n  }\n  return func(collection, baseIteratee(predicate, 3));\n}\n\nmodule.exports = every;\n","/**\n * The base implementation of `_.hasIn` without support for deep paths.\n *\n * @private\n * @param {Object} [object] The object to query.\n * @param {Array|string} key The key to check.\n * @returns {boolean} Returns `true` if `key` exists, else `false`.\n */\nfunction baseHasIn(object, key) {\n  return object != null && key in Object(object);\n}\n\nmodule.exports = baseHasIn;\n","var classof = require('./_classof');\nvar ITERATOR = require('./_wks')('iterator');\nvar Iterators = require('./_iterators');\nmodule.exports = require('./_core').getIteratorMethod = function (it) {\n  if (it != undefined)\n    return it[ITERATOR]\n      || it['@@iterator']\n      || Iterators[classof(it)];\n};\n","// @@split logic\nrequire('./_fix-re-wks')('split', 2, function (defined, SPLIT, $split) {\n  'use strict';\n  var isRegExp = require('./_is-regexp');\n  var _split = $split;\n  var $push = [].push;\n  var $SPLIT = 'split';\n  var LENGTH = 'length';\n  var LAST_INDEX = 'lastIndex';\n  if (\n    'abbc'[$SPLIT](/(b)*/)[1] == 'c' ||\n    'test'[$SPLIT](/(?:)/, -1)[LENGTH] != 4 ||\n    'ab'[$SPLIT](/(?:ab)*/)[LENGTH] != 2 ||\n    '.'[$SPLIT](/(.?)(.?)/)[LENGTH] != 4 ||\n    '.'[$SPLIT](/()()/)[LENGTH] > 1 ||\n    ''[$SPLIT](/.?/)[LENGTH]\n  ) {\n    var NPCG = /()??/.exec('')[1] === undefined; // nonparticipating capturing group\n    // based on es5-shim implementation, need to rework it\n    $split = function (separator, limit) {\n      var string = String(this);\n      if (separator === undefined && limit === 0) return [];\n      // If `separator` is not a regex, use native split\n      if (!isRegExp(separator)) return _split.call(string,

separator, limit);\n    var output = [];\n    var flags = (separator.ignoreCase ? 'i' : '') +\n (separator.multiline ? 'm' : '') +\n                (separator.unicode ? 'u' : '') +\n                (separator.sticky ? 'y' : '');\n    var lastLastIndex = 0;\n    var splitLimit = limit === undefined ? 4294967295 : limit >>> 0;\n    // Make `global` and avoid `lastIndex` issues by working with a copy\n    var separatorCopy = new RegExp(separator.source, flags + 'g');\n    var separator2, match, lastIndex, lastLength, i;\n    // Doesn't need flags gy, but they don't hurt\n    if (!NPCG) separator2 = new RegExp('^' + separatorCopy.source + '$(?!\\\\\\s)', flags);\n    while (match = separatorCopy.exec(string)) {\n      // `separatorCopy.lastIndex` is not reliable cross-browser\n      lastIndex = match.index + match[0][LENGTH];\n      if (lastIndex > lastLastIndex) {\n        output.push(string.slice(lastLastIndex, match.index));\n        // Fix browsers whose `exec` methods don't consistently return `undefined` for NPCG\n        // eslint-disable-next-line no-loop-func\n        if (!NPCG && match[LENGTH] > 1) match[0].replace(separator2, function () {\n          for (i = 1; i < arguments[LENGTH] - 2; i++) if (arguments[i] === undefined) match[i] = undefined;\n        });\n        if (match[LENGTH] > 1 && match.index < string[LENGTH]) $push.apply(output, match.slice(1));\n        lastLength = match[0][LENGTH];\n        lastLastIndex = lastIndex;\n        if (output[LENGTH] >= splitLimit) break;\n      }\n      if (separatorCopy[LAST_INDEX] === match.index) separatorCopy[LAST_INDEX]++; // Avoid an infinite loop\n    }\n    if (lastLastIndex === string[LENGTH]) {\n      if (lastLength || !separatorCopy.test('')) output.push('');\n    } else output.push(string.slice(lastLastIndex));\n    return output[LENGTH] > splitLimit ? output.slice(0, splitLimit) : output;\n  };\n  // Chakra, V8\n  } else if ('0'[$SPLIT](undefined, 0)[LENGTH]) {\n    $split = function (separator, limit) {\n      return separator === undefined && limit === 0 ? [] : _split.call(this, separator, limit);\n    };\n  }\n  // 21.1.3.17 String.prototype.split(separator, limit)\n  return [function split(separator, limit) {\n    var O = defined(this);\n    var fn = separator == undefined ? undefined : separator[SPLIT];\n    return fn !== undefined ? fn.call(separator, O, limit) : $split.call(String(O), separator, limit);\n  }, $split];\n});\n","/**\n * Removes all key-value entries from the list cache.\n *\n * @private\n * @name clear\n * @memberOf ListCache\n */\nfunction listCacheClear() {\n  this.__data__ = [];\n  this.size = 0;\n}\n\nmodule.exports = listCacheClear;\n","/** Used for built-in method references. */\nvar objectProto = Object.prototype;\n\n/**\n * Used to resolve the\n * [`toStringTag`](http://ecma-international.org/ecma-262/7.0/#sec-object.prototype.tostring)\n * of values.\n */\nvar nativeObjectToString = objectProto.toString;\n\n/**\n * Converts `value` to a string using `Object.prototype.toString`.\n *\n * @private\n * @param {*} value The value to convert.\n * @returns {string} Returns the converted string.\n */\nfunction objectToString(value) {\n  return nativeObjectToString.call(value);\n}\n\nmodule.exports = objectToString;\n","var global = require('./_global');\nvar hide = require('./_hide');\nvar has = require('./_has');\nvar SRC = require('./_uid')('src');\nvar TO_STRING = 'toString';\nvar $toString = Function[TO_STRING];\nvar TPL = ('' + $toString).split(TO_STRING);\n\nrequire('./_core').inspectSource = function (it) {\n  return $toString.call(it);\n};\n\n(module.exports = function (O, key, val, safe) {\n  var isFunction = typeof val == 'function';\n  if (isFunction) has(val, 'name') || hide(val, 'name', key);\n  if (O[key] === val) return;\n  if (isFunction) has(val, SRC) || hide(val, SRC, O[key] ? '' + O[key] : TPL.join(String(key)));\n  if (O === global) {\n    O[key] = val;\n  } else if (!safe) {\n    delete O[key];\n    hide(O, key, val);\n  } else if (O[key]) {\n    O[key] = val;\n  } else {\n    hide(O, key, val);\n  }\n// add fake Function#toString for correct work wrapped methods / constructors with methods like LoDash isNative\n})(Function.prototype, TO_STRING, function toString() {\n  return typeof this == 'function' && this[SRC] || $toString.call(this);\n});\n","// 19.1.2.2 / 15.2.3.5 Object.create(O [, Properties])\nvar anObject = require('./_an-object');\nvar dPs = require('./_object-dps');\nvar enumBugKeys = require('./_enum-bug-keys');\nvar IE_PROTO = require('./_shared-key')('IE_PROTO');\nvar Empty = function () { /* empty */ };\nvar PROTOTYPE = 'prototype';\n\n// Create object with fake `null` prototype: use iframe Object with cleared prototype\nvar createDict = function () {\n  // Thrash, waste and sodomy: IE GC bug\n  var iframe = require('./_dom-create')('iframe');\n  var i = enumBugKeys.length;\n  var lt = '<';\n  var gt = '>';\n  var iframeDocument;\n  iframe.style.display = 'none';\n  require('./_html').appendChild(iframe);\n  iframe.src = 'javascript:'; // eslint-disable-line no-script-url\n  // createDict = iframe.contentWindow.Object;\n  // html.removeChild(iframe);\n  iframeDocument = iframe.contentWindow.document;\n  iframeDocument.open();\n

iframeDocument.write(lt + 'script' + gt + 'document.F=Object' + lt + '/script' + gt);\n iframeDocument.close();\n createDict = iframeDocument.F;\n while (i--) delete createDict[PROTOTYPE][enumBugKeys[i]];\n return createDict();\n};\n\nmodule.exports = Object.create || function create(O, Properties) {\n var result;\n if (O !== null) {\n Empty[PROTOTYPE] = anObject(O);\n result = new Empty();\n Empty[PROTOTYPE] = null;\n // add \"__proto__\" for Object.getPrototypeOf polyfill\n result[IE_PROTO] = O;\n } else result = createDict();\n return Properties === undefined ? result : dPs(result, Properties);\n};\n","var freeGlobal = require('./_freeGlobal');\n\n/** Detect free variable `self`. */\nvar freeSelf = typeof self == 'object' && self && self.Object === Object && self;\n\n/** Used as a reference to the global object. */\nvar root = freeGlobal || freeSelf || Function('return this')();\n\nmodule.exports = root;\n","var store = require('./_shared')('wks');\nvar uid = require('./_uid');\nvar Symbol = require('./_global').Symbol;\nvar USE_SYMBOL = typeof Symbol == 'function';\n\nvar $exports = module.exports = function (name) {\n return store[name] || (store[name] =\n USE_SYMBOL && Symbol[name] || (USE_SYMBOL ? Symbol : uid)('Symbol.' + name));\n};\n\n$exports.store = store;\n","module.exports = false;\n","/**\n * A specialized version of `_.filter` for arrays without support for\n * iteratee shorthands.\n *\n * @private\n * @param {Array} [array] The array to iterate over.\n * @param {Function} predicate The function invoked per iteration.\n * @returns {Array} Returns the new filtered array.\n */\nfunction arrayFilter(array, predicate) {\n var index = -1,\n length = array == null ? 0 : array.length,\n resIndex = 0,\n result = [];\n\n while (++index < length) {\n var value = array[index];\n if (predicate(value, index, array)) {\n result[resIndex++] = value;\n }\n }\n return result;\n}\n\nmodule.exports = arrayFilter;\n","var toString = {}.toString;\n\nmodule.exports = function (it) {\n return toString.call(it).slice(8, -1);\n};\n","/**\n * Removes `key` and its value from the stack.\n *\n * @private\n * @name delete\n * @memberOf Stack\n * @param {string} key The key of the value to remove.\n * @returns {boolean} Returns `true` if the entry was removed, else `false`.\n */\nfunction stackDelete(key) {\n var data = this.__data__,\n result = data['delete'](key);\n\n this.size = data.size;\n return result;\n}\n\nmodule.exports = stackDelete;\n","var isFunction = require('./isFunction'),\n isLength = require('./isLength');\n\n/**\n * Checks if `value` is array-like. A value is considered array-like if it's\n * not a function and has a `value.length` that's an integer greater than or\n * equal to `0` and less than or equal to `Number.MAX_SAFE_INTEGER`.\n *\n * @static\n * @memberOf _\n * @since 4.0.0\n * @category Lang\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is array-like, else `false`.\n * @example\n *\n * _.isArrayLike([1, 2, 3]);\n * // => true\n *\n * _.isArrayLike(document.body.children);\n * // => true\n *\n * _.isArrayLike('abc');\n * // => true\n *\n * _.isArrayLike(_.noop);\n * // => false\n */\nfunction isArrayLike(value) {\n return value != null && isLength(value.length) && !isFunction(value);\n}\n\nmodule.exports = isArrayLike;\n","// fast apply, http://jsperf.lnkit.com/fast-apply/5\nmodule.exports = function (fn, args, that) {\n var un = that === undefined;\n switch (args.length) {\n case 0: return un ? fn()\n : fn.call(that);\n case 1: return un ? fn(args[0])\n : fn.call(that, args[0]);\n case 2: return un ? fn(args[0], args[1])\n : fn.call(that, args[0], args[1]);\n case 3: return un ? fn(args[0], args[1], args[2])\n : fn.call(that, args[0], args[1], args[2]);\n case 4: return un ? fn(args[0], args[1], args[2], args[3])\n : fn.call(that, args[0], args[1], args[2], args[3]);\n } return fn.apply(that, args);\n};\n","var dP = require('./_object-dp');\nvar createDesc = require('./_property-desc');\nmodule.exports = require('./_descriptors') ? function (object, key, value) {\n return dP.f(object, key, createDesc(1, value));\n} : function (object, key, value) {\n object[key] = value;\n return object;\n};\n","var arrayFilter = require('./_arrayFilter'),\n stubArray = require('./stubArray');\n\n/** Used for built-in method references. */\nvar objectProto = Object.prototype;\n\n/** Built-in value references. */\nvar propertyIsEnumerable = objectProto.propertyIsEnumerable;\n\n/* Built-in method references for those with the same name as other `lodash` methods. */\nvar nativeGetSymbols = Object.getOwnPropertySymbols;\n\n/**\n * Creates an array of the own enumerable symbols of `object`.\n *\n * @private\n * @param {Object} object The object to query.\n * @returns {Array} Returns the array of symbols.\n */\nvar getSymbols = !nativeGetSymbols ? stubArray : function(object) {\n if (object == null) {\n return [];\n }\n object = Object(object);\n return arrayFilter(nativeGetSymbols(object), function(symbol) {\n return propertyIsEnumerable.call(object, symbol);\n });\n};\n\nmodule.exports = getSymbols;\n","// check on default Array iterator\nvar Iterators = require('./_iterators');\nvar ITERATOR =

require('./_wks')('iterator');\nvar ArrayProto = Array.prototype;\n\nmodule.exports = function (it) {\n return it !== undefined && (Iterators.Array === it || ArrayProto[ITERATOR] === it);\n};\n","var isFunction = require('./isFunction'),\n    isMasked = require('./_isMasked'),\n    isObject = require('./isObject'),\n    toSource = require('./_toSource');\n\n/**\n * Used to match `RegExp`\n * [syntax characters](http://ecma-international.org/ecma-262/7.0/#sec-patterns).\n */\nvar reRegExpChar = /[\\\\^$.*+?()[\\]{}|]/g;\n\n/** Used to detect host constructors (Safari). */\nvar reIsHostCtor = /^\\[object .+?Constructor\\]$/;\n\n/** Used for built-in method references. */\nvar funcProto = Function.prototype,\n    objectProto = Object.prototype;\n\n/** Used to resolve the decompiled source of functions. */\nvar funcToString = funcProto.toString;\n\n/** Used to check objects for own properties. */\nvar hasOwnProperty = objectProto.hasOwnProperty;\n\n/** Used to detect if a method is native. */\nvar reIsNative = RegExp('^' +\n  funcToString.call(hasOwnProperty).replace(reRegExpChar, '\\\\$&')\n  .replace(/hasOwnProperty|(function).*?(?=\\\\\\()| for .+?(?=\\\\\\])/g, '$1.*?') + '$');\n\n/**\n * The base implementation of `_.isNative` without bad shim checks.\n *\n * @private\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is a native function,\n *  else `false`.\n */\nfunction baseIsNative(value) {\n  if (!isObject(value) || isMasked(value)) {\n    return false;\n  }\n  var pattern = isFunction(value) ? reIsNative : reIsHostCtor;\n  return pattern.test(toSource(value));\n}\n\nmodule.exports = baseIsNative;\n","/**\n * Gets the value at `key` of `object`.\n *\n * @private\n * @param {Object} [object] The object to query.\n * @param {string} key The key of the property to get.\n * @returns {*} Returns the property value.\n */\nfunction getValue(object, key) {\n  return object == null ? undefined : object[key];\n}\n\nmodule.exports = getValue;\n","var Symbol = require('./_Symbol'),\n    getRawTag = require('./_getRawTag'),\n    objectToString = require('./_objectToString');\n\n/** `Object#toString` result references. */\nvar nullTag = '[object Null]',\n    undefinedTag = '[object Undefined]';\n\n/** Built-in value references. */\nvar symToStringTag = Symbol ? Symbol.toStringTag : undefined;\n\n/**\n * The base implementation of `getTag` without fallbacks for buggy environments.\n *\n * @private\n * @param {*} value The value to query.\n * @returns {string} Returns the `toStringTag`.\n */\nfunction baseGetTag(value) {\n  if (value == null) {\n    return value === undefined ? undefinedTag : nullTag;\n  }\n  return (symToStringTag && symToStringTag in Object(value))\n    ? getRawTag(value)\n    : objectToString(value);\n}\n\nmodule.exports = baseGetTag;\n","// 21.2.5.3 get RegExp.prototype.flags()\nif (require('./_descriptors') && /./g.flags != 'g') require('./_object-dp').f(RegExp.prototype, 'flags', {\n  configurable: true,\n  get: require('./_flags')\n});\n","// 19.1.2.9 / 15.2.3.2 Object.getPrototypeOf(O)\nvar has = require('./_has');\nvar toObject = require('./_to-object');\nvar IE_PROTO = require('./_shared-key')('IE_PROTO');\nvar ObjectProto = Object.prototype;\n\nmodule.exports = Object.getPrototypeOf || function (O) {\n  O = toObject(O);\n  if (has(O, IE_PROTO)) return O[IE_PROTO];\n  if (typeof O.constructor == 'function' && O instanceof O.constructor) {\n    return O.constructor.prototype;\n  } return O instanceof Object ? ObjectProto : null;\n};\n","var getNative = require('./_getNative'),\n    root = require('./_root');\n\n/* Built-in method references that are verified to be native. */\nvar WeakMap = getNative(root, 'WeakMap');\n\nmodule.exports = WeakMap;\n","var getNative = require('./_getNative');\n\nvar defineProperty = (function() {\n  try {\n    var func = getNative(Object, 'defineProperty');\n    func({}, '', {});\n    return func;\n  } catch (e) {}\n}());\n\nmodule.exports = defineProperty;\n","var isStrictComparable = require('./_isStrictComparable'),\n    keys = require('./keys');\n\n/**\n * Gets the property names, values, and compare flags of `object`.\n *\n * @private\n * @param {Object} object The object to query.\n * @returns {Array} Returns the match data of `object`.\n */\nfunction getMatchData(object) {\n  var result = keys(object),\n      length = result.length;\n\n  while (length--) {\n    var key = result[length],\n        value = object[key];\n    result[length] = [key, value, isStrictComparable(value)];\n  }\n  return result;\n}\n\nmodule.exports = getMatchData;\n","/*!\n * vue-headroom v0.9.0\n * (c) 2016-present dalphyx <wjcbmk@gmail.com>\n * Released under the MIT License.\n */\n(function (global, factory) {\n\ttypeof exports === 'object' && typeof module !== 'undefined' ? module.exports = factory() :\n\ttypeof define === 'function' && define.amd ? define(factory) :\n\t(global.vueHeadroom = factory());\n}(this, (function () { 'use strict';\n\n\tvar commonjsGlobal = typeof window !== 'undefined' ? window : typeof global !== 'undefined' ? global : typeof self !== 'undefined' ? self : {};\n\n\tfunction createCommonjsModule(fn, module) {\n\t\treturn module = { exports: {} }, fn(module, module.exports),

module.exports;\n\t}\n\n\tvar performanceNow = createCommonjsModule(function (module) {\n\t// Generated by CoffeeScript 1.12.2\n\t(function() {\n\t  var getNanoSeconds, hrtime, loadTime, moduleLoadTime, nodeLoadTime, upTime;\n\n\t  if ((typeof performance !== \"undefined\" && performance !== null) && performance.now) {\n\t    module.exports = function() {\n\t      return performance.now();\n\t    };\n\t  } else if ((typeof process !== \"undefined\" && process !== null) && process.hrtime) {\n\t    module.exports = function() {\n\t      return (getNanoSeconds() - nodeLoadTime) / 1e6;\n\t    };\n\t    hrtime = process.hrtime;\n\t    getNanoSeconds = function() {\n\t      var hr;\n\t      hr = hrtime();\n\t      return hr[0] * 1e9 + hr[1];\n\t    };\n\t    moduleLoadTime = getNanoSeconds();\n\t    upTime = process.uptime() * 1e9;\n\t    nodeLoadTime = moduleLoadTime - upTime;\n\t  } else if (Date.now) {\n\t    module.exports = function() {\n\t      return Date.now() - loadTime;\n\t    };\n\t    loadTime = Date.now();\n\t  } else {\n\t    module.exports = function() {\n\t      return new Date().getTime() - loadTime;\n\t    };\n\t    loadTime = new Date().getTime();\n\t  }\n\n\t}).call(commonjsGlobal);\n\n\t});\n\n\tvar root = typeof window === 'undefined' ? commonjsGlobal : window\n\t  , vendors = ['moz', 'webkit']\n\t  , suffix = 'AnimationFrame'\n\t  , raf = root['request' + suffix]\n\t  , caf = root['cancel' + suffix] || root['cancelRequest' + suffix];\n\n\tfor(var i = 0; !raf && i < vendors.length; i++) {\n\t  raf = root[vendors[i] + 'Request' + suffix];\n\t  caf = root[vendors[i] + 'Cancel' + suffix]\n\t      || root[vendors[i] + 'CancelRequest' + suffix];\n\t}\n\n\t// Some versions of FF have rAF but not cAF\n\tif(!raf || !caf) {\n\t  var last = 0\n\t    , id = 0\n\t    , queue = []\n\t    , frameDuration = 1000 / 60;\n\n\t  raf = function(callback) {\n\t    if(queue.length === 0) {\n\t      var _now = performanceNow()\n\t        , next = Math.max(0, frameDuration - (_now - last));\n\t      last = next + _now;\n\t      setTimeout(function() {\n\t        var cp = queue.slice(0);\n\t        // Clear queue here to prevent\n\t        // callbacks from appending listeners\n\t        // to the current frame's queue\n\t        queue.length = 0;\n\t        for(var i = 0; i < cp.length; i++) {\n\t          if(!cp[i].cancelled) {\n\t            try{\n\t              cp[i].callback(last);\n\t            } catch(e) {\n\t              setTimeout(function() { throw e }, 0);\n\t            }\n\t          }\n\t        }\n\t      }, Math.round(next));\n\t    }\n\t    queue.push({\n\t      handle: ++id,\n\t      callback: callback,\n\t      cancelled: false\n\t    });\n\t    return id\n\t  };\n\n\t  caf = function(handle) {\n\t    for(var i = 0; i < queue.length; i++) {\n\t      if(queue[i].handle === handle) {\n\t        queue[i].cancelled = true;\n\t      }\n\t    }\n\t  }\n\t}\n\n\tvar raf_1 = function(fn) {\n\t  // Wrap in a new function to prevent\n\t  // `cancel` potentially being assigned\n\t  // to the native rAF function\n\t  return raf.call(root, fn)\n\t};\n\tvar cancel = function() {\n\t  caf.apply(root, arguments);\n\t};\n\tvar polyfill = function(object) {\n\t  if (!object) {\n\t    object = root;\n\t  }\n\t  object.requestAnimationFrame = raf;\n\t  object.cancelAnimationFrame = caf;\n\t};\n\traf_1.cancel = cancel;\n\traf_1.polyfill = polyfill;\n\n\tfunction checkActions(states) {\n\t  var direction = states.currentScrollY >= states.lastScrollY ? 'down' : 'up';\n\t  var distanceScrolled = Math.abs(states.currentScrollY - states.lastScrollY);\n\t  var action; // Scrolling down and past the offset.\n\t  // Unpinned the header.\n\n\t  if (direction === 'down' && states.currentScrollY >= states.offset && distanceScrolled > states.downTolerance) {\n\t    action = 'unpin'; // Now, it's time to up.\n\t    // Pin the header.\n\t  } else if (direction === 'up' && distanceScrolled > states.upTolerance || states.currentScrollY <= states.offset) {\n\t    action = 'pin';\n\t  }\n\n\t  return action;\n\t}\n\n\t// borrowed from modernizr\n\t// https://github.com/Modernizr/Modernizr/blob/master/feature-detects/css/transforms3d.js\n\tfunction supports3d() {\n\t  var div = document.createElement('div');\n\t  var ret = false;\n\t  var properties = ['perspectiveProperty', 'WebkitPerspective'];\n\n\t  for (var i = properties.length - 1; i >= 0; i--) {\n\t    ret = ret ? ret : div.style[properties[i]] !== undefined;\n\t  }\n\n\t  if (ret) {\n\t    var st = document.createElement('style');\n\t    st.textContent = '#modernizr{width:0;height:0} @media (transform-3d),(-webkit-transform-3d){#modernizr{width:7px;height:18px;margin:0;padding:0;border:0}}';\n\t    document.getElementsByTagName('head')[0].appendChild(st);\n\t    div.id = 'modernizr';\n\t    document.body.appendChild(div);\n\t    ret = div.offsetWidth === 7 && div.offsetHeight === 18;\n\t    st.parentNode.removeChild(st);\n\t    div.parentNode.removeChild(div);\n\t  }\n\n\t  return ret;\n\t}\n\n\tvar _extends = Object.assign || function (target) { for (var i = 1; i < arguments.length; i++) { var source = arguments[i]; for (var key in source) { if (Object.prototype.hasOwnProperty.call(source, key)) { target[key] = source[key]; } } } return target; };\n\n\tfunction _defineProperty(obj, key, value) { if (key in obj) { Object.defineProperty(obj, key, { value: value, enumerable: true, configurable: true, writable: true }); } else { obj[key] = value; } return obj; }\n\n\tvar

defaultCls = {\n\t pinned: 'headroom--pinned',\n\t unpinned: 'headroom--unpinned',\n\t top: 'headroom--top',\n\t notTop: 'headroom--not-top',\n\t bottom: 'headroom--bottom',\n\t notBottom: 'headroom--not-bottom',\n\t initial: 'headroom'\n\t};\n\n\tvar headroom = { render: function render() {\n\t var _vm = this;var _h = _vm.$createElement;var _c = _vm._self._c || _h;return _c('div', { class: _vm.cls, style: _vm.style }, [_vm._t(\"default\")], 2);\n\t }, staticRenderFns: [],\n\t name: 'vueHeadroom',\n\n\t data: function data() {\n\t return {\n\t isTop: false,\n\t isNotTop: false,\n\t isBottom: false,\n\t isNotBottom: false,\n\t isPinned: false,\n\t isUnpinned: false,\n\t currentScrollY: 0,\n\t lastScrollY: 0,\n\t state: '',\n\t translate: 0,\n\t isSupport3d: false\n\t };\n\t },\n\n\t props: {\n\t scroller: {\n\t type: Function,\n\t default: function _default() {\n\t return window;\n\t }\n\t },\n\n\t disabled: {\n\t type: Boolean,\n\t default: false\n\t },\n\n\t upTolerance: {\n\t type: Number,\n\t default: 5\n\t },\n\n\t downTolerance: {\n\t type: Number,\n\t default: 0\n\t },\n\n\t speed: {\n\t type: Number,\n\t default: 250\n\t },\n\n\t easing: {\n\t type: String,\n\t default: 'ease-in-out'\n\t },\n\n\t zIndex: {\n\t type: Number,\n\t default: 9999\n\t },\n\n\t onPin: Function,\n\t onUnpin: Function,\n\t onTop: Function,\n\t onNotTop: Function,\n\t onBottom: Function,\n\t onNotBottom: Function,\n\n\t offset: {\n\t type: Number,\n\t default: 0\n\t },\n\n\t classes: {\n\t type: Object,\n\t default: function _default() {\n\t return defaultCls;\n\t }\n\t },\n\n\t footroom: {\n\t type: Boolean,\n\t default: false\n\t }\n\t },\n\n\t watch: {\n\t disabled: function disabled(newVal) {\n\t if (newVal) {\n\t this.scroller().removeEventListener('scroll', this._handleScroll);\n\t } else {\n\t this.scroller().addEventListener('scroll', this._handleScroll);\n\t }\n\t }\n\t },\n\n\t mounted: function mounted() {\n\t this.isSupport3d = supports3d();\n\n\t if (!this.disabled) {\n\t this.scroller().addEventListener('scroll', this._handleScroll);\n\t }\n\n\t // When headroom is mounted, call handleScroll to set initial state.\n\t this._handleScroll();\n\t },\n\t beforeDestroy: function beforeDestroy() {\n\t this.scroller().removeEventListener('scroll', this._handleScroll);\n\t },\n\n\t computed: {\n\t style: function style() {\n\t var styles = {\n\t 'position': this.isInTop ? 'fixed' : 'relative',\n\t 'top': '0',\n\t 'left': '0',\n\t 'right': '0',\n\t 'z-index': this.isInTop ? this.zIndex : 1\n\t };\n\n\t if (this.footroom) {\n\t styles = _extends({}, styles, { 'top': 'unset', 'bottom': '0' });\n\t }\n\n\t // SSR cannot detect scroll position. To prevent flash when component mounted,\n\t // just add transition styles in browser.\n\t if (!this.$isServer) {\n\t styles.transform = this.isSupport3d && !this.$isServer ? 'translate3d(0, ' + this.translate + ', 0)' : 'translateY(' + this.translate + ')';\n\n\t styles.transition = this.isInTop ? 'all ' + this.speed + 'ms ' + this.easing : null;\n\t }\n\n\t return styles;\n\t },\n\t clsOpts: function clsOpts() {\n\t return _extends({}, defaultCls, this.classes);\n\t },\n\t cls: function cls() {\n\t var _ref;\n\n\t var cls = this.clsOpts;\n\t return this.disabled ? {} : (_ref = {}, _defineProperty(_ref, cls.top, this.isTop), _defineProperty(_ref, cls.notTop, this.isNotTop), _defineProperty(_ref, cls.bottom, this.isBottom), _defineProperty(_ref, cls.notBottom, this.isNotBottom), _defineProperty(_ref, cls.pinned, this.isPinned), _defineProperty(_ref, cls.unpinned, this.isUnpinned), _defineProperty(_ref, cls.initial, true), _ref);\n\t },\n\t isInTop: function isInTop() {\n\t return this.state === 'pinned' || this.state === 'unpinned';\n\t }\n\t },\n\n\t methods: {\n\t _getViewportHeight: function _getViewportHeight() {\n\t return window.innerHeight || document.documentElement.clientHeight || document.body.clientHeight;\n\t },\n\n\t _getElementPhysicalHeight: function _getElementPhysicalHeight(elm) {\n\t return Math.max(elm.offsetHeight, elm.clientHeight);\n\t },\n\n\t _getDocumentHeight: function _getDocumentHeight() {\n\t var body = document.body;\n\t var documentElement = document.documentElement;\n\n\t return Math.max(body.scrollHeight, documentElement.scrollHeight, body.offsetHeight, documentElement.offsetHeight, body.clientHeight, documentElement.clientHeight);\n\t },\n\n\t _getElementHeight: function _getElementHeight(elm) {\n\t return Math.max(elm.scrollHeight, elm.offsetHeight, elm.clientHeight);\n\t },\n\n\t _getScrollerPhysicalHeight: function _getScrollerPhysicalHeight() {\n\t var parent = this.scroller();\n\n\t return parent === window || parent === document.body ? this._getViewportHeight() : this._getElementPhysicalHeight(parent);\n\t },\n\t _getScrollerHeight: function _getScrollerHeight() {\n\t var parent = this.scroller();\n\n\t return parent === window || parent === document.body ? this._getDocumentHeight() : this._getElementHeight(parent);\n\t },\n\t _isOutOfBound: function _isOutOfBound(currentScrollY) {\n\t var pastTop = currentScrollY < 0;\n\n\t var

scrollerPhysicalHeight = this._getScrollerPhysicalHeight();\n\t    var scrollerHeight = this._getScrollerHeight();\n\n\t    var pastBottom = currentScrollY + scrollerPhysicalHeight > scrollerHeight;\n\n\t    return pastTop || pastBottom;\n\t    },\n\t    _handleScroll: function _handleScroll() {\n\t    raf_1(this.update);\n\t    },\n\t    _getScrollY: function _getScrollY() {\n\t    var top = void 0;\n\t    if (this.scroller().pageYOffset !== undefined) {\n\t    top = this.scroller().pageYOffset;\n\t    } else if (this.scroller().scrollTop !== undefined) {\n\t    top = this.scroller().scrollTop;\n\t    } else {\n\t    top = (document.documentElement || document.body.parentNode || document.body).scrollTop;\n\t    }\n\t    return top;\n\t    },\n\t    update: function update() {\n\t    this.currentScrollY = this._getScrollY();\n\n\t    if (this._isOutOfBound(this.currentScrollY)) {\n\t    return;\n\t    }\n\n\t    if (this.currentScrollY <= this.offset) {\n\t    this.top();\n\t    } else {\n\t    this.notTop();\n\t    }\n\n\t    if (this.currentScrollY + this._getViewportHeight() >= this._getScrollerHeight()) {\n\t    this.bottom();\n\t    } else {\n\t    this.notBottom();\n\t    }\n\n\t    var action = checkActions(this);\n\n\t    if (action === 'pin') {\n\t    this.pin();\n\t    } else if (action === 'unpin') {\n\t    this.unpin();\n\t    }\n\n\t    this.lastScrollY = this.currentScrollY;\n\t    },\n\t    top: function top() {\n\t    if (!this.isTop) {\n\t    this.isTop = true;\n\t    this.isNotTop = false;\n\t    this.onTop && this.onTop();\n\t    }\n\t    },\n\t    notTop: function notTop() {\n\t    if (!this.isNotTop) {\n\t    this.isTop = false;\n\t    this.isNotTop = true;\n\t    this.onNotTop && this.onNotTop();\n\t    }\n\t    },\n\t    bottom: function bottom() {\n\t    if (!this.isBottom) {\n\t    this.isBottom = true;\n\t    this.isNotBottom = false;\n\t    this.onBottom && this.onBottom();\n\t    }\n\t    },\n\t    notBottom: function notBottom() {\n\t    if (!this.isNotBottom) {\n\t    this.isNotBottom = true;\n\t    this.isBottom = false;\n\t    this.onNotBottom && this.onNotBottom();\n\t    }\n\t    },\n\t    pin: function pin() {\n\t    var _this = this;\n\n\t    if (!this.isPinned) {\n\t    this.isPinned = true;\n\t    this.isUnpinned = false;\n\t    this.onPin && this.onPin();\n\t    this.$emit('pin');\n\t    this.translate = 0;\n\t    setTimeout(function () {\n\t    _this.state = 'pinned';\n\t    }, 0);\n\t    }\n\t    },\n\t    unpin: function unpin() {\n\t    var _this2 = this;\n\n\t    if (this.isPinned || !this.isUnpinned) {\n\t    this.isUnpinned = true;\n\t    this.isPinned = false;\n\t    this.onUnpin && this.onUnpin();\n\t    this.$emit('unpin');\n\t    this.translate = this.footroom ? '100%' : '-100%';\n\t    setTimeout(function () {\n\t    _this2.state = 'unpinned';\n\t    }, 0);\n\t    }\n\t    }\n\n\t};\n\n\tvar install = function install(Vue) {\n\n\t    if (install.installed) {\n\t    return;\n\t    }\n\n\t    Vue.component(headroom.name, headroom);\n\t};\n\n\tif (typeof window !== 'undefined' && window.Vue) {\n\t    install(window.Vue);\n\t}\n\n\tvar index = {\n\t    headroom: headroom,\n\t    install: install\n\t};\n\n\treturn index;\n\n})));\n","'use strict';\nvar create = require('./_object-create');\nvar descriptor = require('./_property-desc');\nvar setToStringTag = require('./_set-to-string-tag');\nvar IteratorPrototype = {};\n\n// 25.1.2.1.1 %IteratorPrototype%[@@iterator]()\nrequire('./_hide')(IteratorPrototype, require('./_wks')('iterator'), function () { return this; });\n\nmodule.exports = function (Constructor, NAME, next) {\n  Constructor.prototype = create(IteratorPrototype, { next: descriptor(1, next) });\n  setToStringTag(Constructor, NAME + ' Iterator');\n};\n","var isKeyable = require('./_isKeyable');\n\n/**\n * Gets the data for `map`.\n *\n * @private\n * @param {Object} map The map to query.\n * @param {string} key The reference key.\n * @returns {*} Returns the map data.\n */\nfunction getMapData(map, key) {\n  var data = map.__data__;\n  return isKeyable(key)\n    ? data[typeof key == 'string' ? 'string' : 'hash']\n    : data.map;\n}\n\nmodule.exports = getMapData;\n","/**\n * A specialized version of `_.some` for arrays without support for iteratee\n * shorthands.\n *\n * @private\n * @param {Array} [array] The array to iterate over.\n * @param {Function} predicate The function invoked per iteration.\n * @returns {boolean} Returns `true` if any element passes the predicate check,\n * else `false`.\n */\nfunction arraySome(array, predicate) {\n  var index = -1,\n      length = array == null ? 0 : array.length;\n\n  while (++index < length) {\n    if (predicate(array[index], index, array)) {\n      return true;\n    }\n  }\n  return false;\n}\n\nmodule.exports = arraySome;\n","var DataView = require('./_DataView'),\n    Map = require('./_Map'),\n    Promise = require('./_Promise'),\n    Set = require('./_Set'),\n    WeakMap = require('./_WeakMap'),\n    baseGetTag = require('./_baseGetTag'),\n    toSource = require('./_toSource');\n\n/** `Object#toString` result references. */\nvar mapTag = '[object Map]',\n    objectTag = '[object Object]',\n    promiseTag = '[object Promise]',\n    setTag = '[object Set]',\n    weakMapTag = '[object WeakMap]';\n\nvar dataViewTag = '[object DataView]';\n\n/** Used to detect maps, sets, and weakmaps. */\nvar dataViewCtorString =

toSource(DataView),\n  mapCtorString = toSource(Map),\n  promiseCtorString = toSource(Promise),\n setCtorString = toSource(Set),\n  weakMapCtorString = toSource(WeakMap);\n\n/**\n * Gets the `toStringTag` of `value`.\n *\n * @private\n * @param {*} value The value to query.\n * @returns {string} Returns the `toStringTag`.\n */\nvar getTag = baseGetTag;\n\n// Fallback for data views, maps, sets, and weak maps in IE 11 and promises in Node.js < 6.\nif ((DataView && getTag(new DataView(new ArrayBuffer(1))) != dataViewTag) ||\n  (Map && getTag(new Map) != mapTag) ||\n  (Promise && getTag(Promise.resolve()) != promiseTag) ||\n  (Set && getTag(new Set) != setTag) ||\n  (WeakMap && getTag(new WeakMap)) != weakMapTag)) {\n  getTag = function(value) {\n    var result = baseGetTag(value),\n        Ctor = result == objectTag ? value.constructor : undefined,\n        ctorString = Ctor ? toSource(Ctor) : '';\n\n    if (ctorString) {\n      switch (ctorString) {\n        case dataViewCtorString: return dataViewTag;\n        case mapCtorString: return mapTag;\n        case promiseCtorString: return promiseTag;\n        case setCtorString: return setTag;\n        case weakMapCtorString: return weakMapTag;\n      }\n    }\n    return result;\n  };\n}\n\nmodule.exports = getTag;\n","exports.nextTick = function nextTick(fn) {\n\tsetTimeout(fn, 0);\n};\n\nexports.platform = exports.arch = \nexports.execPath = exports.title = 'browser';\nexports.pid = 1;\nexports.browser = true;\nexports.env = {};\nexports.argv = [];\nexports.binding = function (name) {\n\tthrow new Error('No such module. (Possibly not yet loaded)')\n};\n\n(function () {\n  var cwd = '/';\n  var path;\n  exports.cwd = function () { return cwd };\n  exports.chdir = function (dir) {\n    if (!path)\n      path = require('path');\n    cwd = path.resolve(dir, cwd);\n  };\n})();\n\nexports.exit = exports.kill = \nexports.umask = exports.dlopen = \nexports.uptime = exports.memoryUsage = \nexports.uvCounters = function() {};\nexports.features = {};\n","/**\n * Gets the last element of `array`.\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @category Array\n * @param {Array} array The array to query.\n * @returns {*} Returns the last element of `array`.\n * @example\n *\n * _.last([1, 2, 3]);\n * // => 3\n */\nfunction last(array) {\n  var length = array == null ? 0 : array.length;\n  return length ? array[length - 1] : undefined;\n}\n\nmodule.exports = last;\n","// 19.1.2.14 Object.keys(O)\nvar toObject = require('./_to-object');\nvar $keys = require('./_object-keys');\n\nrequire('./_object-sap')('keys', function () {\n  return function keys(it) {\n    return $keys(toObject(it));\n  };\n});\n","// 7.1.4 ToInteger\nvar ceil = Math.ceil;\nvar floor = Math.floor;\nmodule.exports = function (it) {\n  return isNaN(it = +it) ? 0 : (it > 0 ? floor : ceil)(it);\n};\n","module.exports = function (bitmap, value) {\n  return {\n    enumerable: !(bitmap & 1),\n    configurable: !(bitmap & 2),\n    writable: !(bitmap & 4),\n    value: value\n  };\n};\n","var baseForOwn = require('./_baseForOwn'),\n    createBaseEach = require('./_createBaseEach');\n\n/**\n * The base implementation of `_.forEach` without support for iteratee shorthands.\n *\n * @private\n * @param {Array|Object} collection The collection to iterate over.\n * @param {Function} iteratee The function invoked per iteration.\n * @returns {Array|Object} Returns `collection`.\n */\nvar baseEach = createBaseEach(baseForOwn);\n\nmodule.exports = baseEach;\n","// @@match logic\nrequire('./_fix-re-wks')('match', 1, function (defined, MATCH, $match) {\n  // 21.1.3.11 String.prototype.match(regexp)\n  return [function match(regexp) {\n    'use strict';\n    var O = defined(this);\n    var fn = regexp == undefined ? undefined : regexp[MATCH];\n    return fn !== undefined ? fn.call(regexp, O) : new RegExp(regexp)[MATCH](String(O));\n  }, $match];\n});\n","var nativeCreate = require('./_nativeCreate');\n\n/**\n * Removes all key-value entries from the hash.\n *\n * @private\n * @name clear\n * @memberOf Hash\n */\nfunction hashClear() {\n  this.__data__ = nativeCreate ? nativeCreate(null) : {};\n  this.size = 0;\n}\n\nmodule.exports = hashClear;\n","var ctx = require('./_ctx');\nvar call = require('./_iter-call');\nvar isArrayIter = require('./_is-array-iter');\nvar anObject = require('./_an-object');\nvar toLength = require('./_to-length');\nvar getIterFn = require('./core.get-iterator-method');\nvar BREAK = {};\nvar RETURN = {};\nvar exports = module.exports = function (iterable, entries, fn, that, ITERATOR) {\n  var iterFn = ITERATOR ? function () { return iterable; } : getIterFn(iterable);\n  var f = ctx(fn, that, entries ? 2 : 1);\n  var index = 0;\n  var length, step, iterator, result;\n  if (typeof iterFn != 'function') throw TypeError(iterable + ' is not iterable!');\n  // fast case for arrays with default iterator\n  if (isArrayIter(iterFn)) for (length = toLength(iterable.length); length > index; index++) {\n    result = entries ? f(anObject(step = iterable[index])[0], step[1]) : f(iterable[index]);\n    if (result === BREAK || result === RETURN) return result;\n  } else for (iterator = iterFn.call(iterable); !(step = iterator.next()).done;) {\n    result = call(iterator, f, step.value, entries);\n    if (result === BREAK || result === RETURN) return result;\n  }\n};\nexports.BREAK =

BREAK;\nexports.RETURN = RETURN;\n","// 7.1.13 ToObject(argument)\nvar defined = require('./_defined');\nmodule.exports = function (it) {\n return Object(defined(it));\n};\n","var baseFlatten = require('./_baseFlatten');\n\n/**\n * Flattens `array` a single level deep.\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @category Array\n * @param {Array} array The array to flatten.\n * @returns {Array} Returns the new flattened array.\n * @example\n *\n * _.flatten([1, [2, [3, [4]], 5]]);\n * // => [1, 2, [3, [4]], 5]\n */\nfunction flatten(array) {\n var length = array == null ? 0 : array.length;\n return length ? baseFlatten(array, 1) : [];\n}\n\nmodule.exports = flatten;\n","/**\n * The base implementation of `_.times` without support for iteratee shorthands\n * or max array length checks.\n *\n * @private\n * @param {number} n The number of times to invoke `iteratee`.\n * @param {Function} iteratee The function invoked per iteration.\n * @returns {Array} Returns the array of results.\n */\nfunction baseTimes(n, iteratee) {\n var index = -1,\n    result = Array(n);\n\n  while (++index < n) {\n    result[index] = iteratee(index);\n  }\n  return result;\n}\n\nmodule.exports = baseTimes;\n","/*!\n * vue-social-sharing v2.3.3 \n * (c) 2017 nicolasbeauvais\n * Released under the MIT License.\n */\n'use strict';\n\nfunction _interopDefault (ex) { return (ex && (typeof ex === 'object') && 'default' in ex) ? ex['default'] : ex; }\n\nvar Vue = _interopDefault(require('vue'));\n\nvar SocialSharingNetwork = {\n  functional: true,\n\n  props: {\n    network: {\n      type: String,\n      default: "\n    }\n  },\n\n  render: function (createElement, context) {\n    var network = context.parent._data.baseNetworks[context.props.network];\n\n    if (!network) {\n      return console.warn((\"Network \" + (context.props.network) + \" does not exist\"));\n    }\n\n    return createElement(context.parent.networkTag, {\n      staticClass: context.data.staticClass || null,\n      staticStyle: context.data.staticStyle || null,\n      class: context.data.class || null,\n      style: context.data.style || null,\n      attrs: {\n        id: context.data.attrs.id || null,\n        'data-link': network.type === 'popup'\n          ? '#share-' + context.props.network\n          : context.parent.createSharingUrl(context.props.network),\n        'data-action': network.type === 'popup' ? null : network.action\n      },\n      on: {\n        click: network.type === 'popup' ? function () {\n          context.parent.share(context.props.network);\n        } : function () {\n          context.parent.touch(context.props.network);\n        }\n      }\n    }, context.children);\n  }};\n\nvar email = {\"sharer\":\"mailto:?subject=@title&body=@url%0D%0A%0D%0A@description\",\"type\":\"direct\"};\nvar facebook = {\"sharer\":\"https://www.facebook.com/sharer/sharer.php?u=@url&title=@title&description=@description&quote=@quote\",\"type\":\"popup\"};\nvar googleplus = {\"sharer\":\"https://plus.google.com/share?url=@url\",\"type\":\"popup\"};\nvar line = {\"sharer\":\"http://line.me/R/msg/text/?@description%0D%0A@url\",\"type\":\"popup\"};\nvar linkedin = {\"sharer\":\"https://www.linkedin.com/shareArticle?mini=true&url=@url&title=@title&summary=@description\",\"type\":\"popup\"};\nvar odnoklassniki = {\"sharer\":\"https://connect.ok.ru/dk?st.cmd=WidgetSharePreview&st.shareUrl=@url&st.comments=@description\",\"type\":\"popup\"};\nvar pinterest = {\"sharer\":\"https://pinterest.com/pin/create/button/?url=@url&media=@media&description=@title\",\"type\":\"popup\"};\nvar reddit = {\"sharer\":\"https://www.reddit.com/submit?url=@url&title=@title\",\"type\":\"popup\"};\nvar skype = {\"sharer\":\"https://web.skype.com/share?url=@description%0D%0A@url\",\"type\":\"popup\"};\nvar telegram = {\"sharer\":\"https://t.me/share/url?url=@url&text=@description\",\"type\":\"popup\"};\nvar twitter = {\"sharer\":\"https://twitter.com/intent/tweet?text=@title&url=@url&hashtags=@hashtags@twitteruser\",\"type\":\"popup\"};\nvar viber = {\"sharer\":\"viber://forward?text=@url @description\",\"type\":\"direct\"};\nvar vk = {\"sharer\":\"https://vk.com/share.php?url=@url&title=@title&description=@description&image=@media&noparse=true\",\"type\":\"popup\"};\nvar weibo = {\"sharer\":\"http://service.weibo.com/share/share.php?url=@url&title=@title\",\"type\":\"popup\"};\nvar whatsapp = {\"sharer\":\"whatsapp://send?text=@description%0D%0A@url\",\"type\":\"direct\",\"action\":\"share/whatsapp/share\"};\nvar sms = {\"sharer\":\"sms:?body=@url%20@description\",\"type\":\"direct\"};\nvar BaseNetworks = {\n\temail: email,\n\tfacebook: facebook,\n\tgoogleplus: googleplus,\n\tline: line,\n\tlinkedin:

linkedin,\n\todnoklassniki: odnoklassniki,\n\tpinterest: pinterest,\n\treddit: reddit,\n\tskype: skype,\n\ttelegram: telegram,\n\ttwitter: twitter,\n\tviber: viber,\n\tvk: vk,\n\tweibo: weibo,\n\twhatsapp: whatsapp,\n\tsms: sms\n};\n\nvar inBrowser = typeof window !== 'undefined';\nvar $window = inBrowser ? window : null;\n\nvar SocialSharing = {\n  props: {\n    /**\n     * URL to share.\n     * @var string\n     */\n    url: {\n      type: String,\n      default: inBrowser ? window.location.href : ''\n    },\n\n    /**\n     * Sharing title, if available by network.\n     * @var string\n     */\n    title: {\n      type: String,\n      default: ''\n    },\n\n    /**\n     * Sharing description, if available by network.\n     * @var string\n     */\n    description: {\n      type: String,\n      default: ''\n    },\n\n    /**\n     * Facebook quote\n     * @var string\n     */\n    quote: {\n      type: String,\n      default: ''\n    },\n\n    /**\n     * Twitter hashtags\n     * @var string\n     */\n    hashtags: {\n      type: String,\n      default: ''\n    },\n\n    /**\n     * Twitter user.\n     * @var string\n     */\n    twitterUser: {\n      type: String,\n      default: ''\n    },\n\n    /**\n     * Flag that indicates if counts should be retrieved.\n     * - NOT WORKING IN CURRENT VERSION\n     * @var mixed\n     */\n    withCounts: {\n      type: [String, Boolean],\n      default: false\n    },\n\n    /**\n     * Google plus key.\n     * @var string\n     */\n    googleKey: {\n      type: String,\n      default: undefined\n    },\n\n    /**\n     * Pinterest Media URL.\n     * Specifies the image/media to be used.\n     */\n    media: {\n      type: String,\n      default: ''\n    },\n\n    /**\n     * Network sub component tag.\n     * Default to span tag\n     */\n    networkTag: {\n      type: String,\n      default: 'span'\n    },\n\n    /**\n     * Additional or overridden networks.\n     * Default to BaseNetworks\n     */\n    networks: {\n      type: Object,\n      default: function () {\n        return {};\n      }\n    }\n  },\n\n  data: function data () {\n    return {\n      /**\n       * Available sharing networks.\n       * @param object\n       */\n      baseNetworks: BaseNetworks,\n\n      /**\n       * Popup settings.\n       * @param object\n       */\n      popup: {\n        status: false,\n        resizable: true,\n        toolbar: false,\n        menubar: false,\n        scrollbars: false,\n        location: false,\n        directories: false,\n        width: 626,\n        height: 436,\n        top: 0,\n        left: 0,\n        window: undefined,\n        interval: null\n      }\n    };\n  },\n\n  methods: {\n    /**\n     * Returns generated sharer url.\n     *\n     * @param network Social network key.\n     */\n    createSharingUrl: function createSharingUrl (network) {\n      return this.baseNetworks[network].sharer\n        .replace(/@url/g, encodeURIComponent(this.url))\n        .replace(/@title/g, encodeURIComponent(this.title))\n        .replace(/@description/g, encodeURIComponent(this.description))\n        .replace(/@quote/g, encodeURIComponent(this.quote))\n        .replace(/@hashtags/g, this.hashtags)\n        .replace(/@media/g, this.media)\n        .replace(/@twitteruser/g, this.twitterUser ? '&via=' + this.twitterUser : '');\n    },\n\n    /**\n     * Shares URL in specified network.\n     *\n     * @param string network Social network key.\n     */\n    share: function share (network) {\n      this.openSharer(network, this.createSharingUrl(network));\n\n      this.$root.$emit('social_shares_open', network, this.url);\n      this.$emit('open', network, this.url);\n    },\n\n    /**\n     * Touches network and emits click event.\n     *\n     * @param string network Social network key.\n     */\n    touch: function touch (network) {\n      window.open(this.createSharingUrl(network), '_self');\n\n      this.$root.$emit('social_shares_open', network, this.url);\n      this.$emit('open', network, this.url);\n    },\n\n    /**\n     * Opens sharer popup.\n     *\n     * @param string url Url to share.\n     */\n    openSharer: function openSharer (network, url) {\n      var this$1 = this;\n\n      // If a popup window already exist it will be replaced, trigger a close event.\n      if (this.popup.window && this.popup.interval) {\n        clearInterval(this.popup.interval);\n\n        this.popup.window.close();// Force close (for Facebook)\n\n        this.$root.$emit('social_shares_change', network, this.url);\n        this.$emit('change', network, this.url);\n      }\n\n      this.popup.window = window.open(\n        url,\n        'sharer',\n        'status=' + (this.popup.status ? 'yes' : 'no') +\n        ',height=' + this.popup.height +\n        ',width=' + this.popup.width +\n        ',resizable=' + (this.popup.resizable ? 'yes' : 'no') +\n        ',left=' + this.popup.left +\n        ',top=' + this.popup.top +\n        ',screenX=' + this.popup.left +\n        ',screenY=' + this.popup.top +\n        ',toolbar=' + (this.popup.toolbar ? 'yes' : 'no') +\n        ',menubar=' + (this.popup.menubar ? 'yes' : 'no') +\n        ',scrollbars=' + (this.popup.scrollbars ? 'yes' : 'no') +\n        ',location=' + (this.popup.location ? 'yes' : 'no') +\n        ',directories=' + (this.popup.directories ? 'yes' : 'no')\n      );\n\n      this.popup.window.focus();\n\n      // Create an interval to detect popup closing event\n      this.popup.interval = setInterval(function () {\n        if (this$1.popup.window.closed) {\n          clearInterval(this$1.popup.interval);\n\n          this$1.popup.window = undefined;\n\n          this$1.$root.$emit('social_shares_close', network, this$1.url);\n          this$1.$emit('close', network, this$1.url);\n

}\n     }, 500);\n   }\n },\n\n /**\n   * Merge base networks list with user's list\n   */\n beforeMount: function beforeMount () {\n   this.baseNetworks = Vue.util.extend(this.baseNetworks, this.networks);\n },\n\n /**\n   * Sets popup default dimensions.\n   */\n mounted: function mounted () {\n   if (!inBrowser) {\n     return;\n   }\n\n /**\n    * Center the popup on dual screens\n    * http://stackoverflow.com/questions/4068373/center-a-popup-window-on-screen/32261263\n    */\n   var dualScreenLeft = $window.screenLeft !== undefined ? $window.screenLeft : screen.left;\n   var dualScreenTop = $window.screenTop !== undefined ? $window.screenTop : screen.top;\n\n   var width = $window.innerWidth ? $window.innerWidth : (document.documentElement.clientWidth ? document.documentElement.clientWidth : screen.width);\n   var height = $window.innerHeight ? $window.innerHeight : (document.documentElement.clientHeight ? document.documentElement.clientHeight : screen.height);\n\n   this.popup.left = ((width / 2) - (this.popup.width / 2)) + dualScreenLeft;\n   this.popup.top = ((height / 2) - (this.popup.height / 2)) + dualScreenTop;\n },\n\n /**\n   * Set component aliases for buttons and links.\n   */\n components: {\n   'network': SocialSharingNetwork\n }\n};\n\nSocialSharing.version = '2.3.3';\n\nSocialSharing.install = function (Vue) {\n Vue.component('social-sharing', SocialSharing);\n};\n\nif (typeof window !== 'undefined') {\n window.SocialSharing = SocialSharing;\n}\n\nmodule.exports = SocialSharing;","exports.f = {}.propertyIsEnumerable;\n","export default {\n 'imddb-header.dropdown.items': [\n   { label: 'Graphics', href: \"#/\" },\n   { label: 'Overview', href: \"#/\" },\n   { label: 'Visual overview', href: \"#/\" },\n   { label: 'Backgrounder', href: \"#/\" },\n   { label: 'About this project', href: \"#/\", active: true }\n ],\n 'project.name': 'Secret Papers',\n 'app.name': 'Awesome App',\n 'app.home': './',\n 'sharing-options.url': null,\n 'sharing-options.title': 'Awesome App by ICIJ',\n 'sharing-options.description': 'null',\n 'sharing-options.media': null,\n 'sharing-options.twitter-user': 'ICIJorg',\n 'signup-form.tracker': 'EXTERNAL',\n 'signup-form.action': 'https://icij.us15.list-manage.com/subscribe/post?u=0d48a33b1c24d257734cc2a79&id=992ecfdbb2',\n 'donate-form.introduction': `ICIJ's investigations are supported by readers like you. Help keep our\n                databases free and open to the public by joining our\n                <strong><a target=\"_blank\" href=\"https://icij.org/donate\">ICIJ Insiders</a></strong>\n                community.`\n}\n","import get from 'lodash/get'\nimport each from 'lodash/each'\nimport Symbol from 'es6-symbol'\nimport defaultValues from './config.default'\n\nconst _VALUES = Symbol('values')\nconst _SCOPES = Symbol('scopes')\n\nclass Config {\n constructor (values = {}) {\n   this[_VALUES] = {}\n   each(values, (value, key) => this.set(key, value))\n   return this;\n }\n set (key, value) {\n   const levels = key.split('.')\n   if (levels.length > 1) {\n     this[_VALUES][key] = this.scope(levels.shift()).set(levels.join('.'), value)\n   } else {\n     this[_VALUES][key] = value\n   }\n   return value\n }\n get (key, defaultValue) {\n   return get(this[_VALUES], key, defaultValue)\n }\n scopes () {\n   this[_SCOPES] = get(this, _SCOPES, {})\n   return this[_SCOPES]\n }\n scope (name) {\n   this.scopes[name] = get(this.scopes, name, new Config())\n   return this.scopes[name]\n }\n values () {\n   return this[_VALUES]\n }\n}\n\nexport default new Config(defaultValues)\n","'use strict';\nvar LIBRARY = require('./_library');\nvar global = require('./_global');\nvar ctx = require('./_ctx');\nvar classof = require('./_classof');\nvar $export = require('./_export');\nvar isObject = require('./_is-object');\nvar aFunction = require('./_a-function');\nvar anInstance = require('./_an-instance');\nvar forOf = require('./_for-of');\nvar speciesConstructor = require('./_species-constructor');\nvar task = require('./_task').set;\nvar microtask = require('./_microtask')();\nvar newPromiseCapabilityModule = require('./_new-promise-capability');\nvar perform = require('./_perform');\nvar userAgent = require('./_user-agent');\nvar promiseResolve = require('./_promise-resolve');\nvar PROMISE = 'Promise';\nvar TypeError = global.TypeError;\nvar process = global.process;\nvar versions = process && process.versions;\nvar v8 = versions && versions.v8 || '';\nvar $Promise = global[PROMISE];\nvar isNode = classof(process) == 'process';\nvar empty = function () { /* empty */ };\nvar Internal, newGenericPromiseCapability, OwnPromiseCapability, Wrapper;\nvar newPromiseCapability = newGenericPromiseCapability = newPromiseCapabilityModule.f;\n\nvar USE_NATIVE = !!function () {\n try {\n // correct subclassing with @@species support\n   var promise = $Promise.resolve(1);\n   var FakePromise = (promise.constructor = {})[require('./_wks')('species')] = function (exec) {\n     exec(empty, empty);\n   };\n // unhandled rejections tracking support, NodeJS Promise without it fails @@species test\n   return (isNode || typeof

PromiseRejectionEvent == 'function')\n    && promise.then(empty) instanceof FakePromise\n    // v8 6.6 (Node 10 and Chrome 66) have a bug with resolving custom thenables\n    // https://bugs.chromium.org/p/chromium/issues/detail?id=830565\n    // we can't detect it synchronously, so just check versions\n    && v8.indexOf('6.6') !== 0\n    && userAgent.indexOf('Chrome/66') === -1;\n  } catch (e) { /* empty */ }\n}();\n\n// helpers\nvar isThenable = function (it) {\n  var then;\n  return isObject(it) && typeof (then = it.then) == 'function' ? then : false;\n};\nvar notify = function (promise, isReject) {\n  if (promise._n) return;\n  promise._n = true;\n  var chain = promise._c;\n  microtask(function () {\n    var value = promise._v;    var ok = promise._s == 1;    var i = 0;    var run = function (reaction) {\n      var handler = ok ? reaction.ok : reaction.fail;\n      var resolve = reaction.resolve;      var reject = reaction.reject;      var domain = reaction.domain;\n      var result, then, exited;      try {\n        if (handler) {\n          if (!ok) {\n            if (promise._h == 2) onHandleUnhandled(promise);\n            promise._h = 1;\n          }\n          if (handler === true) result = value;\n          else {\n            if (domain) domain.enter();\n            result = handler(value); // may throw\n            if (domain) {\n              domain.exit();\n              exited = true;\n            }\n          }\n          if (result === reaction.promise) {\n            reject(TypeError('Promise-chain cycle'));\n          } else if (then = isThenable(result)) {\n            then.call(result, resolve, reject);\n          } else resolve(result);\n        } else reject(value);\n      } catch (e) {\n        if (domain && !exited) domain.exit();\n        reject(e);\n      }\n    };\n    while (chain.length > i) run(chain[i++]); // variable length - can't use forEach\n    promise._c = [];\n    promise._n = false;\n    if (isReject && !promise._h) onUnhandled(promise);\n  });\n};\nvar onUnhandled = function (promise) {\n  task.call(global, function () {\n    var value = promise._v;\n    var unhandled = isUnhandled(promise);\n    var result, handler, console;\n    if (unhandled) {\n      result = perform(function () {\n        if (isNode) {\n          process.emit('unhandledRejection', value, promise);\n        } else if (handler = global.onunhandledrejection) {\n          handler({ promise: promise, reason: value });\n        } else if ((console = global.console) && console.error) {\n          console.error('Unhandled promise rejection', value);\n        }\n      });\n      // Browsers should not trigger `rejectionHandled` event if it was handled here, NodeJS - should\n      promise._h = isNode || isUnhandled(promise) ? 2 : 1;\n    } promise._a = undefined;\n    if (unhandled && result.e) throw result.v;\n  });\n};\nvar isUnhandled = function (promise) {\n  return promise._h !== 1 && (promise._a || promise._c).length === 0;\n};\nvar onHandleUnhandled = function (promise) {\n  task.call(global, function () {\n    var handler;\n    if (isNode) {\n      process.emit('rejectionHandled', promise);\n    } else if (handler = global.onrejectionhandled) {\n      handler({ promise: promise, reason: promise._v });\n    }\n  });\n};\nvar $reject = function (value) {\n  var promise = this;\n  if (promise._d) return;\n  promise._d = true;\n  promise = promise._w || promise; // unwrap\n  promise._v = value;\n  promise._s = 2;\n  if (!promise._a) promise._a = promise._c.slice();\n  notify(promise, true);\n};\nvar $resolve = function (value) {\n  var promise = this;\n  var then;\n  if (promise._d) return;\n  promise._d = true;\n  promise = promise._w || promise; // unwrap\n  try {\n    if (promise === value) throw TypeError(\"Promise can't be resolved itself\");\n    if (then = isThenable(value)) {\n      microtask(function () {\n        var wrapper = { _w: promise, _d: false }; // wrap\n        try {\n          then.call(value, ctx($resolve, wrapper, 1), ctx($reject, wrapper, 1));\n        } catch (e) {\n          $reject.call(wrapper, e);\n        }\n      });\n    } else {\n      promise._v = value;\n      promise._s = 1;\n      notify(promise, false);\n    }\n  } catch (e) {\n    $reject.call({ _w: promise, _d: false }, e); // wrap\n  }\n};\n\n// constructor polyfill\nif (!USE_NATIVE) {\n  // 25.4.3.1 Promise(executor)\n  $Promise = function Promise(executor) {\n    anInstance(this, $Promise, PROMISE, '_h');\n    aFunction(executor);\n    Internal.call(this);\n    try {\n      executor(ctx($resolve, this, 1), ctx($reject, this, 1));\n    } catch (err) {\n      $reject.call(this, err);\n    }\n  };\n  // eslint-disable-next-line no-unused-vars\n  Internal = function Promise(executor) {\n    this._c = [];          // <- awaiting reactions\n    this._a = undefined;    // <- checked in isUnhandled reactions\n    this._s = 0;          // <- state\n    this._d = false;        // <- done\n    this._v = undefined;    // <- value\n    this._h = 0;          // <- rejection state, 0 - default, 1 - handled, 2 - unhandled\n    this._n = false;      // <- notify\n  };\n  Internal.prototype = require('./_redefine-all')($Promise.prototype, {\n    // 25.4.5.3 Promise.prototype.then(onFulfilled, onRejected)\n    then: function then(onFulfilled, onRejected) {\n      var reaction = newPromiseCapability(speciesConstructor(this, $Promise));\n      reaction.ok = typeof onFulfilled == 'function' ? onFulfilled : true;\n      reaction.fail = typeof onRejected == 'function' && onRejected;\n      reaction.domain =

isNode ? process.domain : undefined;\n      this._c.push(reaction);\n      if (this._a) this._a.push(reaction);\n      if (this._s) notify(this, false);\n      return reaction.promise;\n    },\n    // 25.4.5.1 Promise.prototype.catch(onRejected)\n    'catch': function (onRejected) {\n      return this.then(undefined, onRejected);\n    }\n  });\n  OwnPromiseCapability = function () {\n    var promise = new Internal();\n    this.promise = promise;\n    this.resolve = ctx($resolve, promise, 1);\n    this.reject = ctx($reject, promise, 1);\n  };\n  newPromiseCapabilityModule.f = newPromiseCapability = function (C) {\n    return C === $Promise || C === Wrapper\n      ? new OwnPromiseCapability(C)\n      : newGenericPromiseCapability(C);\n  };\n}\n\n$export($export.G + $export.W + $export.F * !USE_NATIVE, { Promise: $Promise });\nrequire('./_set-to-string-tag')($Promise, PROMISE);\nrequire('./_set-species')(PROMISE);\nWrapper = require('./_core')[PROMISE];\n\n// statics\n$export($export.S + $export.F * !USE_NATIVE, PROMISE, {\n  // 25.4.4.5 Promise.reject(r)\n  reject: function reject(r) {\n    var capability = newPromiseCapability(this);\n    var $$reject = capability.reject;\n    $$reject(r);\n    return capability.promise;\n  }\n});\n$export($export.S + $export.F * (LIBRARY || !USE_NATIVE), PROMISE, {\n  // 25.4.4.6 Promise.resolve(x)\n  resolve: function resolve(x) {\n    return promiseResolve(LIBRARY && this === Wrapper ? $Promise : this, x);\n  }\n});\n$export($export.S + $export.F * !(USE_NATIVE && require('./_iter-detect')(function (iter) {\n  $Promise.all(iter)['catch'](empty);\n})), PROMISE, {\n  // 25.4.4.1 Promise.all(iterable)\n  all: function all(iterable) {\n    var C = this;\n    var capability = newPromiseCapability(C);\n    var resolve = capability.resolve;\n    var reject = capability.reject;\n    var result = perform(function () {\n      var values = [];\n      var index = 0;\n      var remaining = 1;\n      forOf(iterable, false, function (promise) {\n        var $index = index++;\n        var alreadyCalled = false;\n        values.push(undefined);\n        remaining++;\n        C.resolve(promise).then(function (value) {\n          if (alreadyCalled) return;\n          alreadyCalled = true;\n          values[$index] = value;\n          --remaining || resolve(values);\n        }, reject);\n      });\n      --remaining || resolve(values);\n    });\n    if (result.e) reject(result.v);\n    return capability.promise;\n  },\n  // 25.4.4.4 Promise.race(iterable)\n  race: function race(iterable) {\n    var C = this;\n    var capability = newPromiseCapability(C);\n    var reject = capability.reject;\n    var result = perform(function () {\n      forOf(iterable, false, function (promise) {\n        C.resolve(promise).then(capability.resolve, reject);\n      });\n    });\n    if (result.e) reject(result.v);\n    return capability.promise;\n  }\n});\n","var core = require('./_core');\nvar global = require('./_global');\nvar SHARED = '__core-js_shared__';\nvar store = global[SHARED] || (global[SHARED] = {});\n\n(module.exports = function (key, value) {\n  return store[key] || (store[key] = value !== undefined ? value : {});\n})('versions', []).push({\n  version: core.version,\n  mode: require('./_library') ? 'pure' : 'global',\n  copyright: '© 2018 Denis Pushkarev (zloirock.ru)'\n});\n","/**\n * Checks if a stack value for `key` exists.\n *\n * @private\n * @name has\n * @memberOf Stack\n * @param {string} key The key of the entry to check.\n * @returns {boolean} Returns `true` if an entry for `key` exists, else `false`.\n */\nfunction stackHas(key) {\n  return this.__data__.has(key);\n}\n\nmodule.exports = stackHas;\n","var overArg = require('./_overArg');\n\n/* Built-in method references for those with the same name as other `lodash` methods. */\nvar nativeKeys = overArg(Object.keys, Object);\n\nmodule.exports = nativeKeys;\n","/** Detect free variable `global` from Node.js. */\nvar freeGlobal = typeof global == 'object' && global && global.Object === Object && global;\n\nmodule.exports = freeGlobal;\n","module.exports =

\"data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAAAIgAAABaCAYAAABjTB52AAAE8klEQVR4Ae3dA7D0ShDF8Wfbtm3btm3btm3btv2u7u7yYz/zep5Gd923U3k1ROV51ybffM/NYaSKWqTcFBBg0DbaHk+HEo7UtOC9jEgXQ/cReAfDHkt5OuQNIQ/pCfkjZZCbwO0I3RM12UoF1wwK6eq2/DhScXN2jQ/uCPDPh/gQjHkJ3EFFYHe6W37m8zbP/2TJW39uyceCL4a1r7ZjZmKubVwJ/XdGtCP6QZ23KZZVwxXTOvX4I4I4yznhL//T3b9r6p5suWFFkj+eMLtD749hBBbmU0jXqBAQAcmu1eBvCKG4uIMMrs8M+GGHzcQSJYiDw7fDg3w4hXtyZAOlJaIO5l7wp4TCCM+PL9Bz+QDeEDHYEfyioBEA5IsYe/thzwwPg8OBzv/t9Bz+QDeeEDHYEfyioBEA5IsYe/thzwwPg8OBzv/t9Bz+QDeeEDHYEfyioBEA5IsYe/thzwwPg8OBzv/t9BARBERABERABERABERABERABERABERABERABERABERABERABERABERABERABERABERABC\"

RCCYiACIiACIiAQPeE4PY1ZK9oQARE380VEAEREAEREAEREAEREAEREAEREAEREAEREAEREAH51jj4SgX/
0nJbHCACYh18HVu/dFnjWj+MA0RAHrP1dbsbgaxjXOtzFQfydlWB3GwEcr7xoA4yrvWuigNpryYQ+1+WfmTc
qLusIKsKBNpGs59vulFkIOna9t7Jgs31ah8dfMO4URtXF0gyN3Ygq0QG0jmOvbd/oZl/vgR3rr1Xz6TVBeLOsK87
WbQM/7z9LnYkd0HbqP99+QcNAm5/7D0+K8Unyuyv+yTYz3f2EgBxp4AHe34CdzwkS2XXdPhpZOgYE3pnAL
ddfkvjscedVzUg8MUw4HYC3x2CPR1jRgeSH6p3IZQzvdOXEQh0TwBum75sG7JHyJHgbw/5ydbv77ecEYAY/m
A5Xu4u64eWIV2mxWu/qURAGnOUE0iyRH2BuD1KAyQrcOeVDMiN2Vw1BdKAjrFKBuTTocG/VhIcn8LPo9
QXiLsq61EqIFlB7zTgOyPjSCFZIJunpkAcNOYsJZCs8qervi0SjoTs5eVQ9QXiDss7lBRIVtCYEfynBeNog2TJrH+
NgTwC1wwaAYj5ZfgnC8LxMTRmzvrWGMiD0D56dtlxgBgKGBjSNcC/1SIYP4LbAz4cKutXXXyDu2N9uOeIBs
Vc2PKSbgH+lnzbla3DHwE8j/9aknkDugmSRAXl6+bEtvdMMZC/7XQ/pxuCuauIzrWnI0+AOhMbswMDFzuz2su
2vO78FQL4Dd05+djWo/Bawe6L84NNlQzYMWRuSRaF3eugYM7/5rGYZgfT0XXleDbkH3GkhW0FjFmDgGrB
Q5R9j+HCoP+f1IQodQqX6BVmGZ8lGQfmGAAAAAElFTkSuQmCC\"","/**\n * The base implementation of
`_.reduce` and `_.reduceRight`, without support\n * for iteratee shorthands, which iterates over `collection` using
`eachFunc`.\n *\n * @private\n * @param {Array|Object} collection The collection to iterate over.\n * @param
{Function} iteratee The function invoked per iteration.\n * @param {*} accumulator The initial value.\n * @param
{boolean} initAccum Specify using the first or last element of\n * `collection` as the initial value.\n * @param
{Function} eachFunc The function to iterate over `collection`.\n * @returns {*} Returns the accumulated value.\n
*/\nfunction baseReduce(collection, iteratee, accumulator, initAccum, eachFunc) {\n  eachFunc(collection,
function(value, index, collection) {\n    accumulator = initAccum\n      ? (initAccum = false, value)\n      :
iteratee(accumulator, value, index, collection);\n  });\n  return accumulator;\n}\n\nmodule.exports =
baseReduce;\n","var arrayPush = require('./_arrayPush'),\n    isFlattenable = require('./_isFlattenable');\n\n/**\n *
The base implementation of `_.flatten` with support for restricting flattening.\n *\n * @private\n * @param {Array}
array The array to flatten.\n * @param {number} depth The maximum recursion depth.\n * @param {boolean}
[predicate=isFlattenable] The function invoked per iteration.\n * @param {boolean} [isStrict] Restrict to values that
pass `predicate` checks.\n * @param {Array} [result=[]] The initial result value.\n * @returns {Array} Returns the
new flattened array.\n */\nfunction baseFlatten(array, depth, predicate, isStrict, result) {\n  var index = -1,\n
length = array.length;\n\n  predicate || (predicate = isFlattenable);\n  result || (result = []);\n\n  while (++index <
length) {\n    var value = array[index];\n    if (depth > 0 && predicate(value)) {\n      if (depth > 1) {\n        //
Recursively flatten arrays (susceptible to call stack limits).\n        baseFlatten(value, depth - 1, predicate, isStrict,
result);\n      } else {\n        arrayPush(result, value);\n      }\n    } else if (!isStrict) {\n      result[result.length] =
value;\n    }\n  }\n  return result;\n}\n\nmodule.exports = baseFlatten;\n","var global = require('./_global');\nvar core
= require('./_core');\nvar hide = require('./_hide');\nvar redefine = require('./_redefine');\nvar ctx =
require('./_ctx');\nvar PROTOTYPE = 'prototype';\n\nvar $export = function (type, name, source) {\n  var
IS_FORCED = type & $export.F;\n  var IS_GLOBAL = type & $export.G;\n  var IS_STATIC = type &
$export.S;\n  var IS_PROTO = type & $export.P;\n  var IS_BIND = type & $export.B;\n  var target = IS_GLOBAL
? global : IS_STATIC ? global[name] || (global[name] = {}) : (global[name] || {})[PROTOTYPE];\n  var exports =
IS_GLOBAL ? core : core[name] || (core[name] = {});\n  var expProto = exports[PROTOTYPE] ||
(exports[PROTOTYPE] = {});\n  var key, own, out, exp;\n  if (IS_GLOBAL) source = name;\n  for (key in source)
{\n    // contains in native\n    own = !IS_FORCED && target && target[key] !== undefined;\n    // export native or
passed\n    out = (own ? target : source)[key];\n    // bind timers to global for call from export context\n    exp =
IS_BIND && own ? ctx(out, global) : IS_PROTO && typeof out == 'function' ? ctx(Function.call, out) : out;\n    //
extend global\n    if (target) redefine(target, key, out, type & $export.U);\n    // export\n    if (exports[key] != out)
hide(exports, key, exp);\n    if (IS_PROTO && expProto[key] != out) expProto[key] = out;\n  }\n};\nglobal.core =
core;\n// type bitmap\n$export.F = 1;   // forced\n$export.G = 2;   // global\n$export.S = 4;   // static\n$export.P = 8;
// proto\n$export.B = 16;  // bind\n$export.W = 32;  // wrap\n$export.U = 64;  // safe\n$export.R = 128; // real proto
method for `library`\nmodule.exports = $export;\n","var ITERATOR = require('./_wks')('iterator');\nvar
SAFE_CLOSING = false;\n\ntry {\n  var riter = [7][ITERATOR]();\n  riter['return'] = function () {
SAFE_CLOSING = true; };\n  // eslint-disable-next-line no-throw-literal\n  Array.from(riter, function () { throw 2;
});\n} catch (e) { /* empty */ }\n\nmodule.exports = function (exec, skipClosing) {\n  if (!skipClosing &&

!SAFE_CLOSING) return false;\n  var safe = false;\n  try {\n    var arr = [7];\n    var iter = arr[ITERATOR]();\n  iter.next = function () { return { done: safe = true }; };\n    arr[ITERATOR] = function () { return iter; };\n  exec(arr);\n  } catch (e) { /* empty */ }\n  return safe;\n};\n","var isObject = require('./_is-object');\nvar setPrototypeOf = require('./_set-proto').set;\nmodule.exports = function (that, target, C) {\n  var S = target.constructor;\n  var P;\n  if (S !== C && typeof S == 'function' && (P = S.prototype) !== C.prototype && isObject(P) && setPrototypeOf) {\n    setPrototypeOf(that, P);\n  } return that;\n};\n","var listCacheClear = require('./_listCacheClear'),\n    listCacheDelete = require('./_listCacheDelete'),\n    listCacheGet = require('./_listCacheGet'),\n    listCacheHas = require('./_listCacheHas'),\n    listCacheSet = require('./_listCacheSet');\n\n/**\n * Creates an list cache object.\n *\n * @private\n * @constructor\n * @param {Array} [entries] The key-value pairs to cache.\n */\nfunction ListCache(entries) {\n  var index = -1,\n      length = entries == null ? 0 : entries.length;\n\n  this.clear();\n  while (++index < length) {\n    var entry = entries[index];\n    this.set(entry[0], entry[1]);\n  }\n}\n\n// Add methods to `ListCache`.\nListCache.prototype.clear = listCacheClear;\nListCache.prototype['delete'] = listCacheDelete;\nListCache.prototype.get = listCacheGet;\nListCache.prototype.has = listCacheHas;\nListCache.prototype.set = listCacheSet;\n\nmodule.exports = ListCache;\n","// most Object methods by ES6 should accept primitives\nvar $export = require('./_export');\nvar core = require('./_core');\nvar fails = require('./_fails');\nmodule.exports = function (KEY, exec) {\n  var fn = (core.Object || {})[KEY] || Object[KEY];\n  var exp = {};\n  exp[KEY] = exec(fn);\n  $export($export.S + $export.F * fails(function () { fn(1); }), 'Object', exp);\n};\n","var getNative = require('./_getNative');\n\n/* Built-in method references that are verified to be native. */\nvar nativeCreate = getNative(Object, 'create');\n\nmodule.exports = nativeCreate;\n","var shared = require('./_shared')('keys');\nvar uid = require('./_uid');\nmodule.exports = function (key) {\n  return shared[key] || (shared[key] = uid(key));\n};\n","// fallback for non-array-like ES3 and non-enumerable old V8 strings\nvar cof = require('./_cof');\n// eslint-disable-next-line no-prototype-builtins\nmodule.exports = Object('z').propertyIsEnumerable(0) ? Object : function (it) {\n  return cof(it) == 'String' ? it.split('') : Object(it);\n};\n","\"use strict\";\n\nvar _undefined = require(\"../function/noop\")(); // Support ES3 engines\n\nmodule.exports = function (val) {\n return (val !== _undefined) && (val !== null);\n};\n","module.exports = function(module) {\n\tif (!module.webpackPolyfill) {\n\t\tmodule.deprecate = function() {};\n\t\tmodule.paths = [];\n\t\t// module.parent = undefined by default\n\t\tif (!module.children) module.children = [];\n\t\tObject.defineProperty(module, \"loaded\", {\n\t\t\tenumerable: true,\n\t\t\tget: function() {\n\t\t\t\treturn module.l;\n\t\t\t}\n\t\t});\n\t\tObject.defineProperty(module, \"id\", {\n\t\t\tenumerable: true,\n\t\t\tget: function() {\n\t\t\t\treturn module.i;\n\t\t\t}\n\t\t});\n\t\tmodule.webpackPolyfill = 1;\n\t}\n\treturn module;\n};\n","import mod from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./ImddbHeader.vue?vue&type=style&index=0&lang=scss&\"; export default mod; export * from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./ImddbHeader.vue?vue&type=style&index=0&lang=scss&\"","var baseIsMatch = require('./_baseIsMatch'),\n    getMatchData = require('./_getMatchData'),\n    matchesStrictComparable = require('./_matchesStrictComparable');\n\n/**\n * The base implementation of `_.matches` which doesn't clone `source`.\n *\n * @private\n * @param {Object} source The object of property values to match.\n * @returns {Function} Returns the new spec function.\n */\nfunction baseMatches(source) {\n  var matchData = getMatchData(source);\n  if (matchData.length == 1 && matchData[0][2]) {\n    return matchesStrictComparable(matchData[0][0], matchData[0][1]);\n  }\n  return function(object) {\n    return object ===

source || baseIsMatch(object, source, matchData);\n  };\n}\n\nmodule.exports = baseMatches;\n","var castPath = require('./_castPath'),\n    toKey = require('./_toKey');\n\n/**\n * The base implementation of `_.get` without support for default values.\n *\n * @private\n * @param {Object} object The object to query.\n * @param {Array|string} path The path of the property to get.\n * @returns {*} Returns the resolved value.\n */\nfunction baseGet(object, path) {\n  path = castPath(path, object);\n\n  var index = 0,\n      length = path.length;\n\n  while (object != null && index < length) {\n    object = object[toKey(path[index++])];\n  }\n  return (index && index == length) ? object : undefined;\n}\n\nmodule.exports = baseGet;\n","/**\n * A specialized version of `_.every` for arrays without support for\n * iteratee shorthands.\n *\n * @private\n * @param {Array} [array] The array to iterate over.\n * @param {Function} predicate The function invoked per iteration.\n * @returns {boolean} Returns `true` if all elements pass the predicate check,\n *  else `false`.\n */\nfunction arrayEvery(array, predicate) {\n  var index = -1,\n      length = array == null ? 0 : array.length;\n\n  while (++index < length) {\n    if (!predicate(array[index], index, array)) {\n      return false;\n    }\n  }\n  return true;\n}\n\nmodule.exports = arrayEvery;\n","/**\n * Checks if `value` is classified as an `Array` object.\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @category Lang\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is an array, else `false`.\n * @example\n *\n * _.isArray([1, 2, 3]);\n * // => true\n *\n * _.isArray(document.body.children);\n * // => false\n *\n * _.isArray('abc');\n * // => false\n *\n * _.isArray(_.noop);\n * // => false\n */\nvar isArray = Array.isArray;\n\nmodule.exports = isArray;\n","var assocIndexOf = require('./_assocIndexOf');\n\n/**\n * Sets the list cache `key` to `value`.\n *\n * @private\n * @name set\n * @memberOf ListCache\n * @param {string} key The key of the value to set.\n * @param {*} value The value to set.\n * @returns {Object} Returns the list cache instance.\n */\nfunction listCacheSet(key, value) {\n  var data = this.__data__,\n      index = assocIndexOf(data, key);\n\n  if (index < 0) {\n    ++this.size;\n    data.push([key, value]);\n  } else {\n    data[index][1] = value;\n  }\n  return this;\n}\n\nmodule.exports = listCacheSet;\n","// to indexed object, toObject with fallback for non-array-like ES3 strings\nvar IObject = require('./_iobject');\nvar defined = require('./_defined');\nmodule.exports = function (it) {\n  return IObject(defined(it));\n};\n","var hasOwnProperty = {}.hasOwnProperty;\nmodule.exports = function (it, key) {\n  return hasOwnProperty.call(it, key);\n};\n","var assocIndexOf = require('./_assocIndexOf');\n\n/** Used for built-in method references. */\nvar arrayProto = Array.prototype;\n\n/** Built-in value references. */\nvar splice = arrayProto.splice;\n\n/**\n * Removes `key` and its value from the list cache.\n *\n * @private\n * @name delete\n * @memberOf ListCache\n * @param {string} key The key of the value to remove.\n * @returns {boolean} Returns `true` if the entry was removed, else `false`.\n */\nfunction listCacheDelete(key) {\n  var data = this.__data__,\n      index = assocIndexOf(data, key);\n\n  if (index < 0) {\n    return false;\n  }\n  var lastIndex = data.length - 1;\n  if (index == lastIndex) {\n    data.pop();\n  } else {\n    splice.call(data, index, 1);\n  }\n  --this.size;\n  return true;\n}\n\nmodule.exports = listCacheDelete;\n","var arrayMap = require('./_arrayMap'),\n    baseIteratee = require('./_baseIteratee'),\n    baseMap = require('./_baseMap'),\n    baseSortBy = require('./_baseSortBy'),\n    baseUnary = require('./_baseUnary'),\n    compareMultiple = require('./_compareMultiple'),\n    identity = require('./identity');\n\n/**\n * The base implementation of `_.orderBy` without param guards.\n *\n * @private\n * @param {Array|Object} collection The collection to iterate over.\n * @param {Function[]|Object[]|string[]} iteratees The iteratees to sort by.\n * @param {string[]} orders The sort orders of `iteratees`.\n * @returns {Array} Returns the new sorted array.\n */\nfunction baseOrderBy(collection, iteratees, orders) {\n  var index = -1;\n  iteratees = arrayMap(iteratees.length ? iteratees : [identity], baseUnary(baseIteratee));\n\n  var result = baseMap(collection, function(value, key, collection) {\n    var criteria = arrayMap(iteratees, function(iteratee) {\n      return iteratee(value);\n    });\n    return { 'criteria': criteria, 'index': ++index, 'value': value };\n  });\n\n  return baseSortBy(result, function(object, other) {\n    return compareMultiple(object, other, orders);\n  });\n}\n\nmodule.exports = baseOrderBy;\n","// 7.1.1 ToPrimitive(input [, PreferredType])\nvar isObject = require('./_is-object');\n// instead of the ES6 spec version, we didn't implement @@toPrimitive case\n// and the second argument - flag - preferred type is a string\nmodule.exports = function (it, S) {\n  if (!isObject(it)) return it;\n  var fn, val;\n  if (S && typeof (fn = it.toString) == 'function' && !isObject(val = fn.call(it))) return val;\n  if (typeof (fn = it.valueOf) == 'function' && !isObject(val = fn.call(it))) return val;\n  if (!S && typeof (fn = it.toString) == 'function' && !isObject(val = fn.call(it))) return val;\n  throw TypeError(\"Can't

convert object to primitive value\");\n};\n","/**\n * A specialized version of `_.reduce` for arrays without support for\n * iteratee shorthands.\n *\n * @private\n * @param {Array} [array] The array to iterate over.\n * @param {Function} iteratee The function invoked per iteration.\n * @param {*} [accumulator] The initial value.\n * @param {boolean} [initAccum] Specify using the first element of `array` as\n * the initial value.\n * @returns {*} Returns the accumulated value.\n */\nfunction arrayReduce(array, iteratee, accumulator, initAccum) {\n  var index = -1,\n      length = array == null ? 0 : array.length;\n\n  if (initAccum && length) {\n    accumulator = array[++index];\n  }\n  while (++index < length) {\n    accumulator = iteratee(accumulator, array[index], index, array);\n  }\n  return accumulator;\n}\n\nmodule.exports = arrayReduce;\n","'use strict';\nrequire('./es6.regexp.flags');\nvar anObject = require('./_an-object');\nvar $flags = require('./_flags');\nvar DESCRIPTORS = require('./_descriptors');\nvar TO_STRING = 'toString';\nvar $toString = /./[TO_STRING];\n\nvar define = function (fn) {\n  require('./_redefine')(RegExp.prototype, TO_STRING, fn, true);\n};\n\n// 21.2.5.14 RegExp.prototype.toString()\nif (require('./_fails')(function () { return $toString.call({ source: 'a', flags: 'b' }) != '/a/b'; })) {\n  define(function toString() {\n    var R = anObject(this);\n    return '/'.concat(R.source, '/',\n      'flags' in R ? R.flags : !DESCRIPTORS && R instanceof RegExp ? $flags.call(R) : undefined);\n  });\n// FF44- RegExp#toString has a wrong name\n} else if ($toString.name != TO_STRING) {\n  define(function toString() {\n    return $toString.call(this);\n  });\n}\n","'use strict';\nObject.defineProperty(exports, '__esModule', { value: true });\nvar prefix = 'fab';\nvar iconName = 'twitter';\nvar width = 512;\nvar height = 512;\nvar ligatures = [];\nvar unicode = 'f099';\nvar svgPathData = 'M459.37 151.716c.325 4.548.325 9.097.325 13.645 0 138.72-105.583 298.558-298.558 298.558-59.452 0-114.68-17.219-161.137-47.106 8.447.974 16.568 1.299 25.34 1.299 49.055 0 94.213-16.568 130.274-44.832-46.132-.975-84.792-31.188-98.112-72.772 6.498.974 12.995 1.624 19.818 1.624 9.421 0 18.843-1.3 27.614-3.573-48.081-9.747-84.143-51.98-84.143-102.985v-1.299c13.969 7.797 30.214 12.67 47.431 13.319-28.264-18.843-46.781-51.005-46.781-87.391 0-19.492 5.197-37.36 14.294-52.954 51.655 63.675 129.3 105.258 216.365 109.807-1.624-7.797-2.599-15.918-2.599-24.04 0-57.828 46.782-104.934 104.934-104.934 30.213 0 57.502 12.67 76.67 33.137 23.715-4.548 46.456-13.32 66.599-25.34-7.798 24.366-24.366 44.833-46.132 57.827 21.117-2.273 41.584-8.122 60.426-16.243-14.292 20.791-32.161 39.308-52.628 54.253z';\n\nexports.definition = {\n  prefix: prefix,\n  iconName: iconName,\n  icon: [\n    width,\n    height,\n    ligatures,\n    unicode,\n    svgPathData\n  ]};\n\nexports.faTwitter = exports.definition;\nexports.prefix = prefix;\nexports.iconName = iconName;\nexports.width = width;\nexports.height = height;\nexports.ligatures = ligatures;\nexports.unicode = unicode;\nexports.svgPathData = svgPathData;","var arrayEach = require('./_arrayEach'),\n    baseEach = require('./_baseEach'),\n    castFunction = require('./_castFunction'),\n    isArray = require('./isArray');\n\n/**\n * Iterates over elements of `collection` and invokes `iteratee` for each element.\n * The iteratee is invoked with three arguments: (value, index|key, collection).\n * Iteratee functions may exit iteration early by explicitly returning `false`.\n *\n * **Note:** As with other \"Collections\" methods, objects with a \"length\"\n * property are iterated like arrays. To avoid this behavior use `_.forIn`\n * or `_.forOwn` for object iteration.\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @alias each\n * @category Collection\n * @param {Array|Object} collection The collection to iterate over.\n * @param {Function} [iteratee=_.identity] The function invoked per iteration.\n * @returns {Array|Object} Returns `collection`.\n * @see _.forEachRight\n * @example\n *\n * _.forEach([1, 2], function(value) {\n *   console.log(value);\n * });\n * // => Logs `1` then `2`.\n *\n * _.forEach({ 'a': 1, 'b': 2 }, function(value, key) {\n *   console.log(key);\n * });\n * // => Logs 'a' then 'b' (iteration order is not guaranteed).\n */\nfunction forEach(collection, iteratee) {\n  var func = isArray(collection) ? arrayEach : baseEach;\n  return func(collection, castFunction(iteratee));\n}\n\nmodule.exports = forEach;\n","import mod from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./DonateForm.vue?vue&type=style&index=0&lang=scss&\"; export default mod; export * from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-

loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./DonateForm.vue?vue&type=style&index=0&lang=scss&\"","var baseTimes = require('./_baseTimes'),\n    isArguments = require('./isArguments'),\n    isArray = require('./isArray'),\n    isBuffer = require('./isBuffer'),\n    isIndex = require('./_isIndex'),\n    isTypedArray = require('./isTypedArray');\n\n/** Used for built-in method references. */\nvar objectProto = Object.prototype;\n\n/** Used to check objects for own properties. */\nvar hasOwnProperty = objectProto.hasOwnProperty;\n\n/**\n * Creates an array of the enumerable property names of the array-like `value`.\n *\n * @private\n * @param {*} value The value to query.\n * @param {boolean} inherited Specify returning inherited property names.\n * @returns {Array} Returns the array of property names.\n */\nfunction arrayLikeKeys(value, inherited) {\n  var isArr = isArray(value),\n      isArg = !isArr && isArguments(value),\n      isBuff = !isArr && !isArg && isBuffer(value),\n      isType = !isArr && !isArg && !isBuff && isTypedArray(value),\n      skipIndexes = isArr || isArg || isBuff || isType,\n      result = skipIndexes ? baseTimes(value.length, String) : [],\n      length = result.length;\n\n  for (var key in value) {\n    if ((inherited || hasOwnProperty.call(value, key)) &&\n        !(skipIndexes && (\n           // Safari 9 has enumerable `arguments.length` in strict mode.\n           key == 'length' ||\n           // Node.js 0.10 has enumerable non-index properties on buffers.\n           (isBuff && (key == 'offset' || key == 'parent')) ||\n           // PhantomJS 2 has enumerable non-index properties on typed arrays.\n           (isType && (key == 'buffer' || key == 'byteLength' || key == 'byteOffset')) ||\n           // Skip index properties.\n           isIndex(key, length)\n        ))) {\n      result.push(key);\n    }\n  }\n  return result;\n}\n\nmodule.exports = arrayLikeKeys;\n","var createBaseFor = require('./_createBaseFor');\n\n/**\n * The base implementation of `baseForOwn` which iterates over `object`\n * properties returned by `keysFunc` and invokes `iteratee` for each property.\n * Iteratee functions may exit iteration early by explicitly returning `false`.\n *\n * @private\n * @param {Object} object The object to iterate over.\n * @param {Function} iteratee The function invoked per iteration.\n * @param {Function} keysFunc The function to get the keys of `object`.\n * @returns {Object} Returns `object`.\n */\nvar baseFor = createBaseFor();\n\nmodule.exports = baseFor;\n","/**\n * Creates a function that returns `value`.\n *\n * @static\n * @memberOf _\n * @since 2.4.0\n * @category Util\n * @param {*} value The value to return from the new function.\n * @returns {Function} Returns the new constant function.\n * @example\n *\n * var objects = _.times(2, _.constant({ 'a': 1 }));\n *\n * console.log(objects);\n * // => [{ 'a': 1 }, { 'a': 1 }]\n *\n * console.log(objects[0] === objects[1]);\n * // => true\n */\nfunction constant(value) {\n  return function() {\n    return value;\n  };\n}\n\nmodule.exports = constant;\n","'use strict';\n// 19.1.2.1 Object.assign(target, source, ...)\nvar getKeys = require('./_object-keys');\nvar gOPS = require('./_object-gops');\nvar pIE = require('./_object-pie');\nvar toObject = require('./_to-object');\nvar IObject = require('./_iobject');\nvar $assign = Object.assign;\n\n// should work with symbols and should have deterministic property order (V8 bug)\nmodule.exports = !$assign || require('./_fails')(function () {\n  var A = {};\n  var B = {};\n  // eslint-disable-next-line no-undef\n  var S = Symbol();\n  var K = 'abcdefghijklmnopqrst';\n  A[S] = 7;\n  K.split('').forEach(function (k) { B[k] = k; });\n  return $assign({}, A)[S] != 7 || Object.keys($assign({}, B)).join('') != K;\n}) ? function assign(target, source) { // eslint-disable-line no-unused-vars\n  var T = toObject(target);\n  var aLen = arguments.length;\n  var index = 1;\n  var getSymbols = gOPS.f;\n  var isEnum = pIE.f;\n  while (aLen > index) {\n    var S = IObject(arguments[index++]);\n    var keys = getSymbols ? getKeys(S).concat(getSymbols(S)) : getKeys(S);\n    var length = keys.length;\n    var j = 0;\n    var key;\n    while (length > j) if (isEnum.call(S, key = keys[j++])) T[key] = S[key];\n  } return T;\n} : $assign;\n","\"use strict\";\n\nvar isValue = require(\"../is-value\");\n\nvar keys = Object.keys;\n\nmodule.exports = function (object) { return keys(isValue(object) ? Object(object) : object); };\n","var baseIsTypedArray = require('./_baseIsTypedArray'),\n    baseUnary = require('./_baseUnary'),\n    nodeUtil = require('./_nodeUtil');\n\n/* Node.js helper references. */\nvar nodeIsTypedArray = nodeUtil && nodeUtil.isTypedArray;\n\n/**\n * Checks if `value` is classified as a typed array.\n *\n * @static\n * @memberOf _\n * @since 3.0.0\n * @category Lang\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is a typed array, else

`false`.\n * @example\n *\n * _.isTypedArray(new Uint8Array);\n * // => true\n *\n * _.isTypedArray([]);\n * // => false\n */\nvar isTypedArray = nodeIsTypedArray ? baseUnary(nodeIsTypedArray) : baseIsTypedArray;\n\nmodule.exports = isTypedArray;\n","import mod from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./ContentPlaceholder.vue?vue&type=style&index=0&id=40e3a912&scoped=true&lang=scss&\"; export default mod; export * from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./ContentPlaceholder.vue?vue&type=style&index=0&id=40e3a912&scoped=true&lang=scss&\"","var baseGetTag = require('./_baseGetTag'),\n    isLength = require('./isLength'),\n    isObjectLike = require('./isObjectLike');\n\n/** `Object#toString` result references. */\nvar argsTag = '[object Arguments]',\n    arrayTag = '[object Array]',\n    boolTag = '[object Boolean]',\n    dateTag = '[object Date]',\n    errorTag = '[object Error]',\n    funcTag = '[object Function]',\n    mapTag = '[object Map]',\n    numberTag = '[object Number]',\n    objectTag = '[object Object]',\n    regexpTag = '[object RegExp]',\n    setTag = '[object Set]',\n    stringTag = '[object String]',\n    weakMapTag = '[object WeakMap]';\n\nvar arrayBufferTag = '[object ArrayBuffer]',\n    dataViewTag = '[object DataView]',\n    float32Tag = '[object Float32Array]',\n    float64Tag = '[object Float64Array]',\n    int8Tag = '[object Int8Array]',\n    int16Tag = '[object Int16Array]',\n    int32Tag = '[object Int32Array]',\n    uint8Tag = '[object Uint8Array]',\n    uint8ClampedTag = '[object Uint8ClampedArray]',\n    uint16Tag = '[object Uint16Array]',\n    uint32Tag = '[object Uint32Array]';\n\n/** Used to identify `toStringTag` values of typed arrays. */\nvar typedArrayTags = {};\ntypedArrayTags[float32Tag] = typedArrayTags[float64Tag] =\ntypedArrayTags[int8Tag] = typedArrayTags[int16Tag] =\ntypedArrayTags[int32Tag] = typedArrayTags[uint8Tag] =\ntypedArrayTags[uint8ClampedTag] = typedArrayTags[uint16Tag] =\ntypedArrayTags[uint32Tag] = true;\ntypedArrayTags[argsTag] = typedArrayTags[arrayTag] =\ntypedArrayTags[arrayBufferTag] = typedArrayTags[boolTag] =\ntypedArrayTags[dataViewTag] = typedArrayTags[dateTag] =\ntypedArrayTags[errorTag] = typedArrayTags[funcTag] =\ntypedArrayTags[mapTag] = typedArrayTags[numberTag] =\ntypedArrayTags[objectTag] = typedArrayTags[regexpTag] =\ntypedArrayTags[setTag] = typedArrayTags[stringTag] =\ntypedArrayTags[weakMapTag] = false;\n\n/**\n * The base implementation of `_.isTypedArray` without Node.js optimizations.\n *\n * @private\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is a typed array, else `false`.\n */\nfunction baseIsTypedArray(value) {\n  return isObjectLike(value) &&\n    isLength(value.length) && !!typedArrayTags[baseGetTag(value)];\n}\n\nmodule.exports = baseIsTypedArray;\n","var baseToString = require('./_baseToString');\n\n/**\n * Converts `value` to a string. An empty string is returned for `null`\n * and `undefined` values. The sign of `-0` is preserved.\n *\n * @static\n * @memberOf _\n * @since 4.0.0\n * @category Lang\n * @param {*} value The value to convert.\n * @returns {string} Returns the converted string.\n * @example\n *\n * _.toString(null);\n * // => "\n *\n * _.toString(-0);\n * // => '-0'\n *\n * _.toString([1, 2, 3]);\n * // => '1,2,3'\n */\nfunction toString(value) {\n  return value == null ? " : baseToString(value);\n}\n\nmodule.exports = toString;\n","// https://github.com/zloirock/core-js/issues/86#issuecomment-115759028\nvar global = module.exports = typeof window != 'undefined' && window.Math == Math\n  ? window : typeof self != 'undefined' && self.Math == Math ? self\n  // eslint-disable-next-line no-new-func\n  : Function('return this')();\nif (typeof __g == 'number') __g = global; // eslint-disable-line no-undef\n","var toInteger = require('./_to-integer');\nvar max = Math.max;\nvar min = Math.min;\nmodule.exports = function (index, length) {\n  index = toInteger(index);\n  return index < 0 ? max(index + length, 0) : min(index, length);\n};\n","/**\n * A specialized version of `_.map` for arrays without support for iteratee\n * shorthands.\n *\n * @private\n * @param {Array} [array] The array to iterate

over.\n * @param {Function} iteratee The function invoked per iteration.\n * @returns {Array} Returns the new mapped array.\n *\nfunction arrayMap(array, iteratee) {\n  var index = -1,\n      length = array == null ? 0 : array.length,\n      result = Array(length);\n\n  while (++index < length) {\n    result[index] = iteratee(array[index], index, array);\n  }\n  return result;\n}\n\nmodule.exports = arrayMap;\n","var getNative = require('./_getNative'),\n    root = require('./_root');\n\n/* Built-in method references that are verified to be native. */\nvar Map = getNative(root, 'Map');\n\nmodule.exports = Map;\n","module.exports = function (exec) {\n  try {\n    return !!exec();\n  } catch (e) {\n    return true;\n  }\n};\n","var nativeCreate = require('./_nativeCreate');\n\n/** Used for built-in method references. */\nvar objectProto = Object.prototype;\n\n/** Used to check objects for own properties. */\nvar hasOwnProperty = objectProto.hasOwnProperty;\n\n/**\n * Checks if a hash value for `key` exists.\n *\n * @private\n * @name has\n * @memberOf Hash\n * @param {string} key The key of the entry to check.\n * @returns {boolean} Returns `true` if an entry for `key` exists, else `false`.\n *\nfunction hashHas(key) {\n  var data = this.__data__;\n  return nativeCreate ? (data[key] !== undefined) : hasOwnProperty.call(data, key);\n}\n\nmodule.exports = hashHas;\n","(function (global, factory) {\n\ttypeof exports === 'object' && typeof module !== 'undefined' ? factory(exports, require('@fortawesome/fontawesome')) :\n\ttypeof define === 'function' && define.amd ? define(['exports', '@fortawesome/fontawesome'], factory) :\n\t(factory((global['vue-fontawesome'] = {}),global.FontAwesome));\n}(this, (function (exports,fontawesome) { 'use strict';\n\nfontawesome = fontawesome && fontawesome.hasOwnProperty('default') ? fontawesome['default'] : fontawesome;\n\nvar commonjsGlobal = typeof window !== 'undefined' ? window : typeof global !== 'undefined' ? global : typeof self !== 'undefined' ? self : {};\n\n\n\n\nfunction createCommonjsModule(fn, module) {\n\treturn module = { exports: {} }, fn(module, module.exports), module.exports;\n}\n\nvar humps = createCommonjsModule(function (module) {\n// =========\n// = humps =\n// =========\n// Underscore-to-camelCase converter (and vice versa)\n// for strings and object keys\n\n// humps is copyright © 2012+ Dom Christie\n// Released under the MIT license.\n\n\n(function(global) {\n\n  var _processKeys = function(convert, obj, options) {\n    if(!_isObject(obj) || _isDate(obj) || _isRegExp(obj) || _isBoolean(obj) || _isFunction(obj)) {\n      return obj;\n    }\n\n    var output,\n        i = 0,\n        l = 0;\n\n    if(_isArray(obj)) {\n      output = [];\n      for(l=obj.length; i<l; i++) {\n        output.push(_processKeys(convert, obj[i], options));\n      }\n    } else {\n      output = {};\n      for(var key in obj) {\n        if(Object.prototype.hasOwnProperty.call(obj, key)) {\n          output[convert(key, options)] = _processKeys(convert, obj[key], options);\n        }\n      }\n    }\n    return output;\n  };\n\n  // String conversion methods\n\n  var separateWords = function(string, options) {\n    options = options || {};\n    var separator = options.separator || '_';\n    var split = options.split || /(?=[A-Z])/;\n\n    return string.split(split).join(separator);\n  };\n\n  var camelize = function(string) {\n    if (_isNumerical(string)) {\n      return string;\n    }\n    string = string.replace(/[\\-_\\s]+(.)?/g, function(match, chr) {\n      return chr ? chr.toUpperCase() : '';\n    });\n    // Ensure 1st char is always lowercase\n    return string.substr(0, 1).toLowerCase() + string.substr(1);\n  };\n\n  var pascalize = function(string) {\n    var camelized = camelize(string);\n    // Ensure 1st char is always uppercase\n    return camelized.substr(0, 1).toUpperCase() + camelized.substr(1);\n  };\n\n  var decamelize = function(string, options) {\n    return separateWords(string, options).toLowerCase();\n  };\n\n  // Utilities\n  // Taken from Underscore.js\n\n  var toString = Object.prototype.toString;\n\n  var _isFunction = function(obj) {\n    return typeof(obj) === 'function';\n  };\n  var _isObject = function(obj) {\n    return obj === Object(obj);\n  };\n  var _isArray = function(obj) {\n    return toString.call(obj) == '[object Array]';\n  };\n  var _isDate = function(obj) {\n    return toString.call(obj) == '[object Date]';\n  };\n  var _isRegExp = function(obj) {\n    return toString.call(obj) == '[object RegExp]';\n  };\n  var _isBoolean = function(obj) {\n    return toString.call(obj) == '[object Boolean]';\n  };\n\n  // Performant way to determine if obj coerces to a number\n  var _isNumerical = function(obj) {\n    obj = obj - 0;\n    return obj === obj;\n  };\n\n  // Sets up function which handles processing keys\n  // allowing the convert function to be modified by a callback\n  var _processor = function(convert, options) {\n    var callback = options && 'process' in options ? options.process : options;\n\n    if(typeof(callback) !== 'function') {\n      return convert;\n    }\n\n    return function(string, options) {\n      return callback(string, convert, options);\n    }\n  };\n\n  var humps = {\n    camelize: camelize,\n    decamelize: decamelize,\n    pascalize: pascalize,\n    depascalize: decamelize,\n    camelizeKeys: function(object, options) {\n      return _processKeys(_processor(camelize, options), object);\n    },\n

decamelizeKeys: function(object, options) {\n    return _processKeys(_processor(decamelize, options), object, options);\n    },\n    pascalizeKeys: function(object, options) {\n    return _processKeys(_processor(pascalize, options), object);\n    },\n    depascalizeKeys: function () {\n    return this.decamelizeKeys.apply(this, arguments);\n    }\n };\n\n if (typeof undefined === 'function' && undefined.amd) {\n    undefined(humps);\n    } else if ('object' !== 'undefined' && module.exports) {\n    module.exports = humps;\n    } else {\n    global.humps = humps;\n }\n\n})(commonjsGlobal);\n});\n\nvar _typeof = typeof Symbol === \"function\" && typeof Symbol.iterator === \"symbol\" ? function (obj) {\n  return typeof obj;\n} : function (obj) {\n  return obj && typeof Symbol === \"function\" && obj.constructor === Symbol && obj !== Symbol.prototype ? \"symbol\" : typeof obj;\n};\n\n\n\n\nvar asyncGenerator = function () {\n  function AwaitValue(value) {\n    this.value = value;\n  }\n\n  function AsyncGenerator(gen) {\n    var front, back;\n\n    function send(key, arg) {\n      return new Promise(function (resolve, reject) {\n        var request = {\n          key: key,\n          arg: arg,\n          resolve: resolve,\n          reject: reject,\n          next: null\n        };\n\n        if (back) {\n          back = back.next = request;\n        } else {\n          front = back = request;\n          resume(key, arg);\n        }\n      });\n    }\n\n    function resume(key, arg) {\n      try {\n        var result = gen[key](arg);\n        var value = result.value;\n\n        if (value instanceof AwaitValue) {\n          Promise.resolve(value.value).then(function (arg) {\n            resume(\"next\", arg);\n          }, function (arg) {\n            resume(\"throw\", arg);\n          });\n        } else {\n          settle(result.done ? \"return\" : \"normal\", result.value);\n        }\n      } catch (err) {\n        settle(\"throw\", err);\n      }\n    }\n\n    function settle(type, value) {\n      switch (type) {\n        case \"return\":\n          front.resolve({\n            value: value,\n            done: true\n          });\n          break;\n\n        case \"throw\":\n          front.reject(value);\n          break;\n\n        default:\n          front.resolve({\n            value: value,\n            done: false\n          });\n          break;\n      }\n\n      front = front.next;\n\n      if (front) {\n        resume(front.key, front.arg);\n      } else {\n        back = null;\n      }\n    }\n\n    this._invoke = send;\n\n    if (typeof gen.return !== \"function\") {\n      this.return = undefined;\n    }\n  }\n\n  if (typeof Symbol === \"function\" && Symbol.asyncIterator) {\n    AsyncGenerator.prototype[Symbol.asyncIterator] = function () {\n      return this;\n    };\n  }\n\n  AsyncGenerator.prototype.next = function (arg) {\n    return this._invoke(\"next\", arg);\n  };\n\n  AsyncGenerator.prototype.throw = function (arg) {\n    return this._invoke(\"throw\", arg);\n  };\n\n  AsyncGenerator.prototype.return = function (arg) {\n    return this._invoke(\"return\", arg);\n  };\n\n  return {\n    wrap: function (fn) {\n      return function () {\n        return new AsyncGenerator(fn.apply(this, arguments));\n      };\n    },\n    await: function (value) {\n      return new AwaitValue(value);\n    }\n  };\n}();\n\n\n\n\n\n\n\n\n\n\n\nvar defineProperty = function (obj, key, value) {\n  if (key in obj) {\n    Object.defineProperty(obj, key, {\n      value: value,\n      enumerable: true,\n      configurable: true,\n      writable: true\n    });\n  } else {\n    obj[key] = value;\n  }\n\n  return obj;\n};\n\nvar _extends = Object.assign || function (target) {\n  for (var i = 1; i < arguments.length; i++) {\n    var source = arguments[i];\n\n    for (var key in source) {\n      if (Object.prototype.hasOwnProperty.call(source, key)) {\n        target[key] = source[key];\n      }\n    }\n  }\n\n  return target;\n};\n\n\n\n\n\n\n\n\n\n\n\nvar objectWithoutProperties = function (obj, keys) {\n  var target = {};\n\n  for (var i in obj) {\n    if (keys.indexOf(i) >= 0) continue;\n    if (!Object.prototype.hasOwnProperty.call(obj, i)) continue;\n    target[i] = obj[i];\n  }\n\n  return target;\n};\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\nvar toConsumableArray = function (arr) {\n  if (Array.isArray(arr)) {\n    for (var i = 0, arr2 = Array(arr.length); i < arr.length; i++) arr2[i] = arr[i];\n\n    return arr2;\n  } else {\n    return Array.from(arr);\n  }\n};\n\nfunction styleToObject(style) {\n  return style.split(';').map(function (s) {\n    return s.trim();\n  }).filter(function (s) {\n    return s;\n  }).reduce(function (acc, pair) {\n    var i = pair.indexOf(':');\n    var prop = humps.camelize(pair.slice(0, i));\n    var value = pair.slice(i + 1).trim();\n\n    acc[prop] = value;\n    return acc;\n  }, {});\n}\n\nfunction classToObject(cls) {\n  return cls.split(/\\s+/).reduce(function (acc, c) {\n    acc[c] = true;\n\n    return acc;\n  }, {});\n}\n\nfunction combineClassObjects() {\n  for (var _len = arguments.length, objs = Array(_len), _key = 0; _key < _len; _key++) {\n    objs[_key] = arguments[_key];\n  }\n\n  return objs.reduce(function (acc, obj) {\n    if (Array.isArray(obj)) {\n      acc = acc.concat(obj);\n    } else {\n      acc.push(obj);\n    }\n\n    return acc;\n  }, []);\n}\n\nfunction convert(h, element) {\n  var props = arguments.length > 2 && arguments[2] !== undefined ? arguments[2] : {};\n  var data =

arguments.length > 3 && arguments[3] !== undefined ? arguments[3] : {};\n\n var children = (element.children || []).map(convert.bind(null, h));\n\n var mixins = Object.keys(element.attributes || {}).reduce(function (acc, key) {\n var val = element.attributes[key];\n switch (key) {\n case 'class':\n acc['class'] = classToObject(val);\n break;\n case 'style':\n acc['style'] = styleToObject(val);\n break;\n default:\n acc.attrs[key] = val;\n }\n\n return acc;\n }, { 'class': {}, style: {}, attrs: {} });\n var _data$class = data.class,\n dClass = _data$class === undefined ? {} : _data$class,\n _data$style = data.style,\n dStyle = _data$style === undefined ? {} : _data$style,\n _data$attrs = data.attrs,\n dAttrs = _data$attrs === undefined ? {} : _data$attrs,\n remainingData = objectWithoutProperties(data, ['class', 'style', 'attrs']);\n\n if (typeof element === 'string') {\n return element;\n } else {\n return h(element.tag, _extends({\n class: combineClassObjects(mixins.class, dClass),\n style: _extends({}, mixins.style, dStyle),\n attrs: _extends({}, mixins.attrs, dAttrs)\n }, remainingData, {\n props: props\n }), children);\n }\n}\n\nvar PRODUCTION = false;\ntry {\n PRODUCTION = process.env.NODE_ENV === 'production';\n} catch (e) {}\n\nvar log = function () {\n if (!PRODUCTION && console && typeof console.error === 'function') {\n var _console;\n\n (_console = console).error.apply(_console, arguments);\n }\n};\n\nfunction objectWithKey(key, value) {\n return Array.isArray(value) && value.length > 0 || !Array.isArray(value) && value ? defineProperty({}, key, value) : {};\n}\n\nfunction classList(props) {\n var _classes;\n\n var classes = (_classes = {\n 'fa-spin': props.spin,\n 'fa-pulse': props.pulse,\n 'fa-fw': props.fixedWidth,\n 'fa-border': props.border,\n 'fa-li': props.listItem,\n 'fa-flip-horizontal': props.flip === 'horizontal' || props.flip === 'both',\n 'fa-flip-vertical': props.flip === 'vertical' || props.flip === 'both'\n }, defineProperty(_classes, 'fa-' + props.size, props.size !== null), defineProperty(_classes, 'fa-rotate-' + props.rotation, props.rotation !== null), defineProperty(_classes, 'fa-pull-' + props.pull, props.pull !== null), _classes);\n\n return Object.keys(classes).map(function (key) {\n return classes[key] ? key : null;\n }).filter(function (key) {\n return key;\n });\n}\n\nfunction addStaticClass(to, what) {\n var val = (to || '').length === 0 ? [] : [to];\n\n return val.concat(what).join(' ');\n}\n\nfunction normalizeIconArgs(icon) {\n if (icon === null) {\n return null;\n }\n\n if ((typeof icon === 'undefined' ? 'undefined' : _typeof(icon)) === 'object' && icon.prefix && icon.iconName) {\n return icon;\n }\n\n if (Array.isArray(icon) && icon.length === 2) {\n return { prefix: icon[0], iconName: icon[1] };\n }\n\n if (typeof icon === 'string') {\n return { prefix: 'fas', iconName: icon };\n }\n}\n\nvar FontAwesomeIcon$1 = {\n name: 'FontAwesomeIcon',\n\n functional: true,\n\n props: {\n border: {\n type: Boolean,\n default: false\n },\n fixedWidth: {\n type: Boolean,\n default: false\n },\n flip: {\n type: String,\n default: null,\n validator: function validator(value) {\n return ['horizontal', 'vertical', 'both'].indexOf(value) > -1;\n }\n },\n icon: {\n type: [Object, Array, String],\n required: true\n },\n mask: {\n type: [Object, Array, String],\n default: null\n },\n listItem: {\n type: Boolean,\n default: false\n },\n pull: {\n type: String,\n default: null,\n validator: function validator(value) {\n return ['right', 'left'].indexOf(value) > -1;\n }\n },\n pulse: {\n type: Boolean,\n default: false\n },\n rotation: {\n type: Number,\n default: null,\n validator: function validator(value) {\n return [90, 180, 270].indexOf(value) > -1;\n }\n },\n size: {\n type: String,\n default: null,\n validator: function validator(value) {\n return ['lg', 'xs', 'sm', '1x', '2x', '3x', '4x', '5x', '6x', '7x', '8x', '9x', '10x'].indexOf(value) > -1;\n }\n },\n spin: {\n type: Boolean,\n default: false\n },\n transform: {\n type: [String, Object],\n default: null\n },\n symbol: {\n type: [Boolean, String],\n default: false\n }\n },\n\n render: function render(createElement, context) {\n var props = context.props;\n var iconArgs = props.icon,\n maskArgs = props.mask,\n symbol = props.symbol;\n\n var icon = normalizeIconArgs(iconArgs);\n var classes = objectWithKey('classes', classList(props));\n var transform = objectWithKey('transform', typeof props.transform === 'string' ? fontawesome.parse.transform(props.transform) : props.transform);\n var mask = objectWithKey('mask', normalizeIconArgs(maskArgs));\n\n var renderedIcon = fontawesome.icon(icon, _extends({}, classes, transform, mask, { symbol: symbol }));\n\n if (!renderedIcon) {\n return log('Check not find one or more icon(s)', icon, mask);\n }\n\n var abstract = renderedIcon.abstract;\n\n var convertCurry = convert.bind(null, createElement);\n\n return convertCurry(abstract[0], {}, context.data);\n }\n};\n\nvar FontAwesomeLayers = {\n name: 'FontAwesomeLayers',\n\n functional: true,\n props: {\n fixedWidth: {\n type: Boolean,\n default: false\n }\n },\n\n render: function render(createElement, context)

{\n    var familyPrefix = fontawesome.config.familyPrefix;\n    var staticClass = context.data.staticClass;\n\n\n    var classes = [familyPrefix + '-layers'].concat(toConsumableArray(context.props.fixedWidth ? [familyPrefix + '-fw'] : []));\n\n    return createElement('div', _extends({}, context.data, {\n        staticClass: addStaticClass(staticClass, classes)\n    }), context.children);\n  }\n};\n\nvar FontAwesomeLayersText = {\n  name: 'FontAwesomeLayersText',\n  functional: true,\n\n  props: {\n    value: {\n      type: String,\n      default: ''\n    },\n    transform: {\n      type: [String, Object],\n      default: null\n    }\n  },\n\n  render: function render(createElement, context) {\n    var props = context.props;\n\n    var transform = objectWithKey('transform', typeof props.transform === 'string' ? fontawesome.parse.transform(props.transform) : props.transform);\n\n    var renderedText = fontawesome.text(props.value, _extends({}, transform));\n    var abstract = renderedText.abstract;\n\n\n    var convertCurry = convert.bind(null, createElement);\n\n    return convertCurry(abstract[0], {}, context.data);\n  }\n};\n\nfontawesome.noAuto();\n\nexports['default'] = FontAwesomeIcon$1;\nexports.FontAwesomeIcon = FontAwesomeIcon$1;\nexports.FontAwesomeLayers = FontAwesomeLayers;\nexports.FontAwesomeLayersText = FontAwesomeLayersText;\n\nObject.defineProperty(exports, '__esModule', { value: true });\n\n})));\n","'use strict';\nvar global = require('./_global');\nvar dP = require('./_object-dp');\nvar DESCRIPTORS = require('./_descriptors');\nvar SPECIES = require('./_wks')('species');\n\nmodule.exports = function (KEY) {\n  var C = global[KEY];\n  if (DESCRIPTORS && C && !C[SPECIES]) dP.f(C, SPECIES, {\n    configurable: true,\n    get: function () { return this; }\n  });\n};\n","var mapCacheClear = require('./_mapCacheClear'),\n    mapCacheDelete = require('./_mapCacheDelete'),\n    mapCacheGet = require('./_mapCacheGet'),\n    mapCacheHas = require('./_mapCacheHas'),\n    mapCacheSet = require('./_mapCacheSet');\n\n/**\n * Creates a map cache object to store key-value pairs.\n *\n * @private\n * @constructor\n * @param {Array} [entries] The key-value pairs to cache.\n */\nfunction MapCache(entries) {\n  var index = -1,\n      length = entries == null ? 0 : entries.length;\n\n  this.clear();\n  while (++index < length) {\n    var entry = entries[index];\n    this.set(entry[0], entry[1]);\n  }\n}\n\n// Add methods to `MapCache`.\nMapCache.prototype.clear = mapCacheClear;\nMapCache.prototype['delete'] = mapCacheDelete;\nMapCache.prototype.get = mapCacheGet;\nMapCache.prototype.has = mapCacheHas;\nMapCache.prototype.set = mapCacheSet;\n\nmodule.exports = MapCache;\n","var Stack = require('./_Stack'),\n    equalArrays = require('./_equalArrays'),\n    equalByTag = require('./_equalByTag'),\n    equalObjects = require('./_equalObjects'),\n    getTag = require('./_getTag'),\n    isArray = require('./isArray'),\n    isBuffer = require('./isBuffer'),\n    isTypedArray = require('./isTypedArray');\n\n/** Used to compose bitmasks for value comparisons. */\nvar COMPARE_PARTIAL_FLAG = 1;\n\n/** `Object#toString` result references. */\nvar argsTag = '[object Arguments]',\n    arrayTag = '[object Array]',\n    objectTag = '[object Object]';\n\n/** Used for built-in method references. */\nvar objectProto = Object.prototype;\n\n/** Used to check objects for own properties. */\nvar hasOwnProperty = objectProto.hasOwnProperty;\n\n/**\n * A specialized version of `baseIsEqual` for arrays and objects which performs\n * deep comparisons and tracks traversed objects enabling objects with circular\n * references to be compared.\n *\n * @private\n * @param {Object} object The object to compare.\n * @param {Object} other The other object to compare.\n * @param {number} bitmask The bitmask flags. See `baseIsEqual` for more details.\n * @param {Function} customizer The function to customize comparisons.\n * @param {Function} equalFunc The function to determine equivalents of values.\n * @param {Object} [stack] Tracks traversed `object` and `other` objects.\n * @returns {boolean} Returns `true` if the objects are equivalent, else `false`.\n */\nfunction baseIsEqualDeep(object, other, bitmask, customizer, equalFunc, stack) {\n  var objIsArr = isArray(object),\n      othIsArr = isArray(other),\n      objTag = objIsArr ? arrayTag : getTag(object),\n      othTag = othIsArr ? arrayTag : getTag(other);\n\n  objTag = objTag == argsTag ? objectTag : objTag;\n  othTag = othTag == argsTag ? objectTag : othTag;\n\n  var objIsObj = objTag == objectTag,\n      othIsObj = othTag == objectTag,\n      isSameTag = objTag == othTag;\n\n  if (isSameTag && isBuffer(object)) {\n    if (!isBuffer(other)) {\n      return false;\n    }\n    objIsArr = true;\n    objIsObj = false;\n  }\n  if (isSameTag && !objIsObj) {\n    stack || (stack = new Stack);\n    return (objIsArr || isTypedArray(object))\n      ? equalArrays(object, other, bitmask, customizer, equalFunc, stack)\n      : equalByTag(object, other, objTag, bitmask, customizer, equalFunc, stack);\n  }\n  if (!(bitmask & COMPARE_PARTIAL_FLAG)) {\n    var objIsWrapped = objIsObj && hasOwnProperty.call(object, '__wrapped__'),\n        othIsWrapped = othIsObj && hasOwnProperty.call(other, '__wrapped__');\n\n    if

(objIsWrapped || othIsWrapped) {\n      var objUnwrapped = objIsWrapped ? object.value() : object,\n        othUnwrapped = othIsWrapped ? other.value() : other;\n\n      stack || (stack = new Stack);\n      return equalFunc(objUnwrapped, othUnwrapped, bitmask, customizer, stack);\n    }\n  }\n  if (!isSameTag) {\n    return false;\n  }\n  stack || (stack = new Stack);\n  return equalObjects(object, other, bitmask, customizer, equalFunc, stack);\n}\n\nmodule.exports = baseIsEqualDeep;\n","\"use strict\";\n\nmodule.exports = require(\"./is-implemented\")() ? Object.keys : require(\"./shim\");\n","var Hash = require('./_Hash'),\n    ListCache = require('./_ListCache'),\n    Map = require('./_Map');\n\n/**\n * Removes all key-value entries from the map.\n *\n * @private\n * @name clear\n * @memberOf MapCache\n */\nfunction mapCacheClear() {\n  this.size = 0;\n  this.__data__ = {\n    'hash': new Hash,\n    'map': new (Map || ListCache),\n    'string': new Hash\n  };\n}\n\nmodule.exports = mapCacheClear;\n","var arrayPush = require('./_arrayPush'),\n    isArray = require('./isArray');\n\n/**\n * The base implementation of `getAllKeys` and `getAllKeysIn` which uses\n * `keysFunc` and `symbolsFunc` to get the enumerable property names and\n * symbols of `object`.\n *\n * @private\n * @param {Object} object The object to query.\n * @param {Function} keysFunc The function to get the keys of `object`.\n * @param {Function} symbolsFunc The function to get the symbols of `object`.\n * @returns {Array} Returns the array of property names and symbols.\n */\nfunction baseGetAllKeys(object, keysFunc, symbolsFunc) {\n  var result = keysFunc(object);\n  return isArray(object) ? result : arrayPush(result, symbolsFunc(object));\n}\n\nmodule.exports = baseGetAllKeys;\n","var ListCache = require('./_ListCache'),\n    stackClear = require('./_stackClear'),\n    stackDelete = require('./_stackDelete'),\n    stackGet = require('./_stackGet'),\n    stackHas = require('./_stackHas'),\n    stackSet = require('./_stackSet');\n\n/**\n * Creates a stack cache object to store key-value pairs.\n *\n * @private\n * @constructor\n * @param {Array} [entries] The key-value pairs to cache.\n */\nfunction Stack(entries) {\n  var data = this.__data__ = new ListCache(entries);\n  this.size = data.size;\n}\n\n// Add methods to `Stack`.\nStack.prototype.clear = stackClear;\nStack.prototype['delete'] = stackDelete;\nStack.prototype.get = stackGet;\nStack.prototype.has = stackHas;\nStack.prototype.set = stackSet;\n\nmodule.exports = Stack;\n","/** Used to stand-in for `undefined` hash values. */\nvar HASH_UNDEFINED = '__lodash_hash_undefined__';\n\n/**\n * Adds `value` to the array cache.\n *\n * @private\n * @name add\n * @memberOf SetCache\n * @alias push\n * @param {*} value The value to cache.\n * @returns {Object} Returns the cache instance.\n */\nfunction setCacheAdd(value) {\n  this.__data__.set(value, HASH_UNDEFINED);\n  return this;\n}\n\nmodule.exports = setCacheAdd;\n","var def = require('./_object-dp').f;\nvar has = require('./_has');\nvar TAG = require('./_wks')('toStringTag');\n\nmodule.exports = function (it, tag, stat) {\n  if (it && !has(it = stat ? it : it.prototype, TAG)) def(it, TAG, { configurable: true, value: tag });\n};\n","var dP = require('./_object-dp').f;\nvar FProto = Function.prototype;\nvar nameRE = /^\\s*function ([^ (]*)/;\nvar NAME = 'name';\n\n// 19.2.4.2 name\nNAME in FProto || require('./_descriptors') && dP(FProto, NAME, {\n  configurable: true,\n  get: function () {\n    try {\n      return ('' + this).match(nameRE)[1];\n    } catch (e) {\n      return '';\n    }\n  }\n});\n","import mod from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./GenericFooter.vue?vue&type=style&index=0&id=203025b4&lang=scss&scoped=true&\"; export default mod; export * from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./GenericFooter.vue?vue&type=style&index=0&id=203025b4&lang=scss&scoped=true&\"","/**\n * Gets the stack value for `key`.\n *\n * @private\n * @name get\n * @memberOf Stack\n * @param {string} key The key of the value to get.\n * @returns {*} Returns the entry value.\n */\nfunction stackGet(key) {\n  return this.__data__.get(key);\n}\n\nmodule.exports = stackGet;\n","/**\n * A specialized version of `_.forEach` for arrays

without support for\n * iteratee shorthands.\n *\n * @private\n * @param {Array} [array] The array to iterate over.\n * @param {Function} iteratee The function invoked per iteration.\n * @returns {Array} Returns `array`.\n */\nfunction arrayEach(array, iteratee) {\n  var index = -1,\n      length = array == null ? 0 : array.length;\n\n  while (++index < length) {\n    if (iteratee(array[index], index, array) === false) {\n      break;\n    }\n  }\n  return array;\n}\n\nmodule.exports = arrayEach;\n","var global = require('./_global');\nvar macrotask = require('./_task').set;\nvar Observer = global.MutationObserver || global.WebKitMutationObserver;\nvar process = global.process;\nvar Promise = global.Promise;\nvar isNode = require('./_cof')(process) == 'process';\n\nmodule.exports = function () {\n  var head, last, notify;\n\n  var flush = function () {\n    var parent, fn;\n    if (isNode && (parent = process.domain)) parent.exit();\n    while (head) {\n      fn = head.fn;\n      head = head.next;\n      try {\n        fn();\n      } catch (e) {\n        if (head) notify();\n        else last = undefined;\n        throw e;\n      }\n    } last = undefined;\n    if (parent) parent.enter();\n  };\n\n  // Node.js\n  if (isNode) {\n    notify = function () {\n      process.nextTick(flush);\n    };\n  // browsers with MutationObserver, except iOS Safari - https://github.com/zloirock/core-js/issues/339\n  } else if (Observer && !(global.navigator && global.navigator.standalone)) {\n    var toggle = true;\n    var node = document.createTextNode('');\n    new Observer(flush).observe(node, { characterData: true }); // eslint-disable-line no-new\n    notify = function () {\n      node.data = toggle = !toggle;\n    };\n  // environments with maybe non-completely correct, but existent Promise\n  } else if (Promise && Promise.resolve) {\n    // Promise.resolve without an argument throws an error in LG WebOS 2\n    var promise = Promise.resolve(undefined);\n    notify = function () {\n      promise.then(flush);\n    };\n  // for other environments - macrotask based on:\n  // - setImmediate\n  // - MessageChannel\n  // - window.postMessag\n  // - onreadystatechange\n  // - setTimeout\n  } else {\n    notify = function () {\n      // strange IE + webpack dev server bug - use .call(global)\n      macrotask.call(global, flush);\n    };\n  }\n\n  return function (fn) {\n    var task = { fn: fn, next: undefined };\n    if (last) last.next = task;\n    if (!head) {\n      head = task;\n      notify();\n    } last = task;\n  };\n};\n","var core = module.exports = { version: '2.5.7' };\nif (typeof __e == 'number') __e = core; // eslint-disable-line no-undef\n","module.exports = {};\n","/**\n * A faster alternative to `Function#apply`, this function invokes `func`\n * with the `this` binding of `thisArg` and the arguments of `args`.\n *\n * @private\n * @param {Function} func The function to invoke.\n * @param {*} thisArg The `this` binding of `func`.\n * @param {Array} args The arguments to invoke `func` with.\n * @returns {*} Returns the result of `func`.\n */\nfunction apply(func, thisArg, args) {\n  switch (args.length) {\n    case 0: return func.call(thisArg);\n    case 1: return func.call(thisArg, args[0]);\n    case 2: return func.call(thisArg, args[0], args[1]);\n    case 3: return func.call(thisArg, args[0], args[1], args[2]);\n  }\n  return func.apply(thisArg, args);\n}\n\nmodule.exports = apply;\n","var baseHasIn = require('./_baseHasIn'),\n    hasPath = require('./_hasPath');\n\n/**\n * Checks if `path` is a direct or inherited property of `object`.\n *\n * @static\n * @memberOf _\n * @since 4.0.0\n * @category Object\n * @param {Object} object The object to query.\n * @param {Array|string} path The path to check.\n * @returns {boolean} Returns `true` if `path` exists, else `false`.\n * @example\n *\n * var object = _.create({ 'a': _.create({ 'b': 2 }) });\n *\n * _.hasIn(object, 'a');\n * // => true\n *\n * _.hasIn(object, 'a.b');\n * // => true\n *\n * _.hasIn(object, ['a', 'b']);\n * // => true\n *\n * _.hasIn(object, 'b');\n * // => false\n */\nfunction hasIn(object, path) {\n  return object != null && hasPath(object, path, baseHasIn);\n}\n\nmodule.exports = hasIn;\n","var anObject = require('./_an-object');\nvar IE8_DOM_DEFINE = require('./_ie8-dom-define');\nvar toPrimitive = require('./_to-primitive');\nvar dP = Object.defineProperty;\n\nexports.f = require('./_descriptors') ? Object.defineProperty : function defineProperty(O, P, Attributes) {\n  anObject(O);\n  P = toPrimitive(P, true);\n  anObject(Attributes);\n  if (IE8_DOM_DEFINE) try {\n    return dP(O, P, Attributes);\n  } catch (e) { /* empty */ }\n  if ('get' in Attributes || 'set' in Attributes) throw TypeError('Accessors not supported!');\n  if ('value' in Attributes) O[P] = Attributes.value;\n  return O;\n};\n","// Works with __proto__ only. Old v8 can't work with null proto objects.\n/* eslint-disable no-proto */\nvar isObject = require('./_is-object');\nvar anObject = require('./_an-object');\nvar check = function (O, proto) {\n  anObject(O);\n  if (!isObject(proto) && proto !== null) throw TypeError(proto + \": can't set as prototype!\");\n};\nmodule.exports = {\n  set: Object.setPrototypeOf || ('__proto__' in {} ? // eslint-disable-line\n    function (test, buggy, set) {\n      try {\n        set = require('./_ctx')(Function.call, require('./_object-gopd').f(Object.prototype, '__proto__').set, 2);\n        set(test, []);\n        buggy = !(test instanceof Array);\n      } catch (e) { buggy = true; }\n      return function

setPrototypeOf(O, proto) {\n    check(O, proto);\n    if (buggy) O.__proto__ = proto;\n    else set(O, proto);\n    return O;\n    };\n    }({}, false) : undefined),\n    check: check\n};\n","module.exports = __WEBPACK_EXTERNAL_MODULE__8bbf__;","'use strict';\nObject.defineProperty(exports, '__esModule', { value: true });\nvar prefix = 'fab';\nvar iconName = 'facebook';\nvar width = 448;\nvar height = 512;\nvar ligatures = [];\nvar unicode = 'f09a';\nvar svgPathData = 'M448 56.7v398.5c0 13.7-11.1 24.7-24.7 24.7H309.1V306.5h58.2l8.7-67.6h-67v-43.2c0-19.6 5.4-32.9 33.5-32.9h35.8v-60.5c-6.2-.8-27.4-2.7-52.2-2.7-51.6 0-87 31.5-87 89.4v49.9h-58.4v67.6h58.4V480H24.7C11.1 480 0 468.9 0 455.3V56.7C0 43.1 11.1 32 24.7 32h398.5c13.7 0 24.8 11.1 24.8 24.7z';\n\nexports.definition = {\n    prefix: prefix,\n    iconName: iconName,\n    icon: [\n    width,\n    height,\n    ligatures,\n    unicode,\n    svgPathData\n    ]};\n\nexports.faFacebook = exports.definition;\nexports.prefix = prefix;\nexports.iconName = iconName;\nexports.width = width;\nexports.height = height;\nexports.ligatures = ligatures;\nexports.unicode = unicode;\nexports.svgPathData = svgPathData;","import mod from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./FollowUsPopover.vue?vue&type=style&index=0&id=440d5984&lang=scss&scoped=true&\"; export default mod; export * from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./FollowUsPopover.vue?vue&type=style&index=0&id=440d5984&lang=scss&scoped=true&\"","module.exports =

\"data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAAAIgAAABaCAYAAABjTB52AAAABmJLR0QA/wD/AP+gvaeTAAAACXBIWXMAAAsTAAALEwEAmpwYAAAAB3RJTUUH4gkSEA4ZhpbLcgAABedJREFUeNrtnVtsFFUYgL+Z2d22uy0N0FKLaL1LAiiJEExWjECXWNBiiUDReXgQiCAblQRMVm6BRAiQQzQmGjS+G BICJFwEEymoUSwxIGK4VA3hUm61FHrZzy+zxYUtSCGGB7Zpk5y/xfMg/dmX/Pv2e+OWfmWWkOCEJ4aLChrCK33V9nkBpg4s2gfr7wCNTq1yJ0WAXHAGKkXOCgOjOAD3rwMrGVY+iJ73mkCnmmfDEdrY4d1QCC9e4wIZWjg8ULX1+WRVvsQ2AdSiW5AzVCuc5tdZlfc6fm8d6OYJBtQuanQ9w6L/vYVBf6EZdAAyf7HZ96/k6+1x9Gi7e5wuYkIWN+lVGFytUNQWQqQ19dt8F6LyFYxL49SFm+rxLpBJ4hOrWKjBCQQd5R5aXWVyO2Zjkd2NnHMYXcFaQ9y2QQqiixyeCL0vMvvwZTVBsm6kCwg0hXBDLzAQ5qYgOm7yIMLIwR+5/xrUCTTpmnO6hFE+Gm6S5eBkBmMM6KuTZ7fUFtk2vAJ4I4jBWqNs3IdDuEnpxKmnC5yIpYeW8xScQ/OG19Q2F

kLajanvdCKvo2MmEnWBvA2QDpJlAKzvh1ibbp1bF1ElS+czmdG8ZGluUGBVdeEtgq/OaxKgFnKsGthOyQHmF
SYJ0A+wRET0DdqYv71sLHqYPs+svsTPaMBFuAY2DtB/aAs6OnK+2zdRZCgdJgw5exCz+LZ2FvSupG8I3/ALz
OxpMdqcQ2AAAAAElFTkSuQmCC\"","// 19.1.2.7 / 15.2.3.4 Object.getOwnPropertyNames(O)\nvar $keys = require('./_object-keys-internal');\nvar hiddenKeys = require('./_enum-bug-keys').concat('length', 'prototype');\n\nexports.f = Object.getOwnPropertyNames || function getOwnPropertyNames(O) {\n return $keys(O, hiddenKeys);\n};\n","/**\n * Creates a unary function that invokes `func` with its argument transformed.\n *\n * @private\n * @param {Function} func The function to wrap.\n * @param {Function} transform The argument transform.\n * @returns {Function} Returns the new function.\n */\nfunction overArg(func, transform) {\n return function(arg) {\n return func(transform(arg));\n };\n}\n\nmodule.exports = overArg;\n","var getMapData = require('./_getMapData');\n\n/**\n * Removes `key` and its value from the map.\n *\n * @private\n * @name delete\n * @memberOf MapCache\n * @param {string} key The key of the value to remove.\n * @returns {boolean} Returns `true` if the entry was removed, else `false`.\n */\nfunction mapCacheDelete(key) {\n var result = getMapData(this, key)['delete'](key);\n this.size -= result ? 1 : 0;\n return result;\n}\n\nmodule.exports = mapCacheDelete;\n","// ES2015 Symbol polyfill for environments that do not (or partially) support it\n\n'use strict';\n\nvar d               = require('d')\n  , validateSymbol = require('./validate-symbol')\n\n  , create = Object.create, defineProperties = Object.defineProperties\n  , defineProperty = Object.defineProperty, objPrototype = Object.prototype\n  , NativeSymbol, SymbolPolyfill, HiddenSymbol, globalSymbols = create(null)\n  , isNativeSafe;\n\nif (typeof Symbol === 'function') {\n\tNativeSymbol = Symbol;\n\ttry {\n\t\tString(NativeSymbol());\n\t\tisNativeSafe = true;\n\t} catch (ignore) {}\n}\n\nvar generateName = (function () {\n\tvar created = create(null);\n\treturn function (desc) {\n\t\tvar postfix = 0, name, ie11BugWorkaround;\n\t\twhile (created[desc + (postfix || '')]) ++postfix;\n\t\tdesc += (postfix || '');\n\t\tcreated[desc] = true;\n\t\tname = '@@' + desc;\n\t\tdefineProperty(objPrototype, name, d.gs(null, function (value) {\n\t\t\t// For IE11 issue see:\n\t\t\t// https://connect.microsoft.com/IE/feedbackdetail/view/1928508\n\t\t\t//    ie11-broken-getters-on-dom-objects\n\t\t\t// https://github.com/medikoo/es6-symbol/issues/12\n\t\t\tif (ie11BugWorkaround) return;\n\t\t\tie11BugWorkaround = true;\n\t\t\tdefineProperty(this, name, d(value));\n\t\t\tie11BugWorkaround = false;\n\t\t}));\n\t\treturn name;\n\t};\n}());\n\n// Internal constructor (not one exposed) for creating Symbol instances.\n// This one is used to ensure that `someSymbol instanceof Symbol` always return false\nHiddenSymbol = function Symbol(description) {\n\tif (this instanceof HiddenSymbol) throw new TypeError('Symbol is not a constructor');\n\treturn SymbolPolyfill(description);\n};\n\n// Exposed `Symbol` constructor\n// (returns instances of HiddenSymbol)\nmodule.exports = SymbolPolyfill = function Symbol(description) {\n\tvar symbol;\n\tif (this instanceof Symbol) throw new TypeError('Symbol is not a constructor');\n\tif (isNativeSafe) return NativeSymbol(description);\n\tsymbol = create(HiddenSymbol.prototype);\n\tdescription = (description === undefined ? '' : String(description));\n\treturn defineProperties(symbol, {\n\t\t__description__: d('', description),\n\t\t__name__: d('', generateName(description))\n\t});\n};\ndefineProperties(SymbolPolyfill, {\n\tfor: d(function (key) {\n\t\tif (globalSymbols[key]) return globalSymbols[key];\n\t\treturn (globalSymbols[key] = SymbolPolyfill(String(key)));\n\t}),\n\tkeyFor: d(function (s) {\n\t\tvar key;\n\t\tvalidateSymbol(s);\n\t\tfor (key in globalSymbols) if (globalSymbols[key] === s) return key;\n\t}),\n\n\t// To ensure proper interoperability with other native functions (e.g. Array.from)\n\t// fallback to eventual native implementation of given symbol\n\thasInstance: d('', (NativeSymbol && NativeSymbol.hasInstance) || SymbolPolyfill('hasInstance')),\n\tisConcatSpreadable: d('', (NativeSymbol && NativeSymbol.isConcatSpreadable) ||\n\t\tSymbolPolyfill('isConcatSpreadable')),\n\titerator: d('', (NativeSymbol && NativeSymbol.iterator) || SymbolPolyfill('iterator')),\n\tmatch: d('', (NativeSymbol && NativeSymbol.match) || SymbolPolyfill('match')),\n\treplace: d('', (NativeSymbol && NativeSymbol.replace) || SymbolPolyfill('replace')),\n\tsearch: d('', (NativeSymbol && NativeSymbol.search) || SymbolPolyfill('search')),\n\tspecies: d('', (NativeSymbol && NativeSymbol.species) || SymbolPolyfill('species')),\n\tsplit: d('', (NativeSymbol && NativeSymbol.split) || SymbolPolyfill('split')),\n\ttoPrimitive: d('', (NativeSymbol && NativeSymbol.toPrimitive) || SymbolPolyfill('toPrimitive')),\n\ttoStringTag: d('', (NativeSymbol && NativeSymbol.toStringTag) || SymbolPolyfill('toStringTag')),\n\tunscopables: d('', (NativeSymbol && NativeSymbol.unscopables) ||

SymbolPolyfill('unscopables')))\n});\n\n// Internal tweaks for real symbol producer\ndefineProperties(HiddenSymbol.prototype, {\n\tconstructor: d(SymbolPolyfill),\n\ttoString: d('', function () { return this.__name__; })\n});\n\n// Proper implementation of methods exposed on Symbol.prototype\n// They won't be accessible on produced symbol instances as they derive from HiddenSymbol.prototype\ndefineProperties(SymbolPolyfill.prototype, {\n\ttoString: d(function () { return 'Symbol (' + validateSymbol(this).__description__ + ')'; }),\n\tvalueOf: d(function () { return validateSymbol(this); })\n});\ndefineProperty(SymbolPolyfill.prototype, SymbolPolyfill.toPrimitive, d('', function () {\n\tvar symbol = validateSymbol(this);\n\tif (typeof symbol === 'symbol') return symbol;\n\treturn symbol.toString();\n}));\ndefineProperty(SymbolPolyfill.prototype, SymbolPolyfill.toStringTag, d('c', 'Symbol'));\n\n// Proper implementaton of toPrimitive and toStringTag for returned symbol instances\ndefineProperty(HiddenSymbol.prototype, SymbolPolyfill.toStringTag,\n\td('c', SymbolPolyfill.prototype[SymbolPolyfill.toStringTag]));\n\n// Note: It's important to define `toPrimitive` as last one, as some implementations\n// implement `toPrimitive` natively without implementing `toStringTag` (or other specified symbols)\n// And that may invoke error in definition flow:\n// See: https://github.com/medikoo/es6-symbol/issues/13#issuecomment-164146149\ndefineProperty(HiddenSymbol.prototype, SymbolPolyfill.toPrimitive,\n\td('c', SymbolPolyfill.prototype[SymbolPolyfill.toPrimitive]));\n","var isArrayLike = require('./isArrayLike');\n\n/**\n * Creates a `baseEach` or `baseEachRight` function.\n *\n * @private\n * @param {Function} eachFunc The function to iterate over a collection.\n * @param {boolean} [fromRight] Specify iterating from right to left.\n * @returns {Function} Returns the new base function.\n */\nfunction createBaseEach(eachFunc, fromRight) {\n  return function(collection, iteratee) {\n    if (collection == null) {\n      return collection;\n    }\n    if (!isArrayLike(collection)) {\n      return eachFunc(collection, iteratee);\n    }\n    var length = collection.length,\n        index = fromRight ? length : -1,\n        iterable = Object(collection);\n\n    while ((fromRight ? index-- : ++index < length)) {\n      if (iteratee(iterable[index], index, iterable) === false) {\n        break;\n      }\n    }\n    return collection;\n  };\n}\n\nmodule.exports = createBaseEach;\n","var baseGetTag = require('./_baseGetTag'),\n    isObject = require('./isObject');\n\n/** `Object#toString` result references. */\nvar asyncTag = '[object AsyncFunction]',\n    funcTag = '[object Function]',\n    genTag = '[object GeneratorFunction]',\n    proxyTag = '[object Proxy]';\n\n/**\n * Checks if `value` is classified as a `Function` object.\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @category Lang\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is a function, else `false`.\n * @example\n *\n * _.isFunction(_);\n * // => true\n *\n * _.isFunction(/abc/);\n * // => false\n */\nfunction isFunction(value) {\n  if (!isObject(value)) {\n    return false;\n  }\n  // The use of `Object#toString` avoids issues with the `typeof` operator\n  // in Safari 9 which returns 'object' for typed arrays and other constructors.\n  var tag = baseGetTag(value);\n  return tag == funcTag || tag == genTag || tag == asyncTag || tag == proxyTag;\n}\n\nmodule.exports = isFunction;\n","/**\n * Performs a\n * [`SameValueZero`](http://ecma-international.org/ecma-262/7.0/#sec-samevaluezero)\n * comparison between two values to determine if they are equivalent.\n *\n * @static\n * @memberOf _\n * @since 4.0.0\n * @category Lang\n * @param {*} value The value to compare.\n * @param {*} other The other value to compare.\n * @returns {boolean} Returns `true` if the values are equivalent, else `false`.\n * @example\n *\n * var object = { 'a': 1 };\n * var other = { 'a': 1 };\n *\n * _.eq(object, object);\n * // => true\n *\n * _.eq(object, other);\n * // => false\n *\n * _.eq('a', 'a');\n * // => true\n *\n * _.eq('a', Object('a'));\n * // => false\n *\n * _.eq(NaN, NaN);\n * // => true\n */\nfunction eq(value, other) {\n  return value === other || (value !== value && other !== other);\n}\n\nmodule.exports = eq;\n","var Stack = require('./_Stack'),\n    baseIsEqual = require('./_baseIsEqual');\n\n/** Used to compose bitmasks for value comparisons. */\nvar COMPARE_PARTIAL_FLAG = 1,\n    COMPARE_UNORDERED_FLAG = 2;\n\n/**\n * The base implementation of `_.isMatch` without support for iteratee shorthands.\n *\n * @private\n * @param {Object} object The object to inspect.\n * @param {Object} source The object of property values to match.\n * @param {Array} matchData The property names, values, and compare flags to match.\n * @param {Function} [customizer] The function to customize comparisons.\n * @returns {boolean} Returns `true` if `object` is a match, else `false`.\n */\nfunction baseIsMatch(object, source, matchData, customizer) {\n  var index = matchData.length,\n      length =

index,\n    noCustomizer = !customizer;\n\n  if (object == null) {\n    return !length;\n  }\n  object = Object(object);\n  while (index--) {\n    var data = matchData[index];\n    if ((noCustomizer && data[2])\n          ? data[1] !== object[data[0]]\n          : !(data[0] in object)\n        ) {\n      return false;\n    }\n  }\n  while (++index < length) {\n    data = matchData[index];\n    var key = data[0],\n        objValue = object[key],\n        srcValue = data[1];\n\n    if (noCustomizer && data[2]) {\n      if (objValue === undefined && !(key in object)) {\n        return false;\n      }\n    } else {\n      var stack = new Stack;\n      if (customizer) {\n        var result = customizer(objValue, srcValue, key, object, source, stack);\n      }\n      if (!(result === undefined\n            ? baseIsEqual(srcValue, objValue, COMPARE_PARTIAL_FLAG | COMPARE_UNORDERED_FLAG, customizer, stack)\n            : result\n          )) {\n        return false;\n      }\n    }\n  }\n  return true;\n}\n\nmodule.exports = baseIsMatch;\n","\"use strict\";\n\nvar isValue = require(\"./is-value\");\n\nmodule.exports = function (value) {\n\tif (!isValue(value)) throw new TypeError(\"Cannot use null or undefined\");\n\treturn value;\n};\n","var baseEach = require('./_baseEach'),\n    isArrayLike = require('./isArrayLike');\n\n/**\n * The base implementation of `_.map` without support for iteratee shorthands.\n *\n * @private\n * @param {Array|Object} collection The collection to iterate over.\n * @param {Function} iteratee The function invoked per iteration.\n * @returns {Array} Returns the new mapped array.\n */\nfunction baseMap(collection, iteratee) {\n  var index = -1,\n      result = isArrayLike(collection) ? Array(collection.length) : [];\n\n  baseEach(collection, function(value, key, collection) {\n    result[++index] = iteratee(value, key, collection);\n  });\n  return result;\n}\n\nmodule.exports = baseMap;\n","/**\n * Creates a base function for methods like `_.forIn` and `_.forOwn`.\n *\n * @private\n * @param {boolean} [fromRight] Specify iterating from right to left.\n * @returns {Function} Returns the new base function.\n */\nfunction createBaseFor(fromRight) {\n  return function(object, iteratee, keysFunc) {\n    var index = -1,\n        iterable = Object(object),\n        props = keysFunc(object),\n        length = props.length;\n\n    while (length--) {\n      var key = props[fromRight ? length : ++index];\n      if (iteratee(iterable[key], key, iterable) === false) {\n        break;\n      }\n    }\n    return object;\n  };\n}\n\nmodule.exports = createBaseFor;\n","var freeGlobal = require('./_freeGlobal');\n\n/** Detect free variable `exports`. */\nvar freeExports = typeof exports == 'object' && exports && !exports.nodeType && exports;\n\n/** Detect free variable `module`. */\nvar freeModule = freeExports && typeof module == 'object' && module && !module.nodeType && module;\n\n/** Detect the popular CommonJS extension `module.exports`. */\nvar moduleExports = freeModule && freeModule.exports === freeExports;\n\n/** Detect free variable `process` from Node.js. */\nvar freeProcess = moduleExports && freeGlobal.process;\n\n/** Used to access faster Node.js helpers. */\nvar nodeUtil = (function() {\n  try {\n    // Use `util.types` for Node.js 10+.\n    var types = freeModule && freeModule.require && freeModule.require('util').types;\n\n    if (types) {\n      return types;\n    }\n\n    // Legacy `process.binding('util')` for Node.js < 10.\n    return freeProcess && freeProcess.binding && freeProcess.binding('util');\n  } catch (e) {}\n}());\n\nmodule.exports = nodeUtil;\n","var eq = require('./eq'),\n    isArrayLike = require('./isArrayLike'),\n    isIndex = require('./_isIndex'),\n    isObject = require('./isObject');\n\n/**\n * Checks if the given arguments are from an iteratee call.\n *\n * @private\n * @param {*} value The potential iteratee value argument.\n * @param {*} index The potential iteratee index or key argument.\n * @param {*} object The potential iteratee object argument.\n * @returns {boolean} Returns `true` if the arguments are from an iteratee call,\n *  else `false`.\n */\nfunction isIterateeCall(value, index, object) {\n  if (!isObject(object)) {\n    return false;\n  }\n  var type = typeof index;\n  if (type == 'number'\n        ? (isArrayLike(object) && isIndex(index, object.length))\n        : (type == 'string' && index in object)\n      ) {\n    return eq(object[index], value);\n  }\n  return false;\n}\n\nmodule.exports = isIterateeCall;\n","var baseGet = require('./_baseGet');\n\n/**\n * Gets the value at `path` of `object`. If the resolved value is\n * `undefined`, the `defaultValue` is returned in its place.\n *\n * @static\n * @memberOf _\n * @since 3.7.0\n * @category Object\n * @param {Object} object The object to query.\n * @param {Array|string} path The path of the property to get.\n * @param {*} [defaultValue] The value returned for `undefined` resolved values.\n * @returns {*} Returns the resolved value.\n * @example\n *\n * var object = { 'a': [{ 'b': { 'c': 3 } }] };\n *\n * _.get(object, 'a[0].b.c');\n * // => 3\n *\n * _.get(object, ['a', '0', 'b', 'c']);\n * // => 3\n *\n * _.get(object, 'a.b.c', 'default');\n * // => 'default'\n */\nfunction get(object, path, defaultValue) {\n  var result = object == null ? undefined : baseGet(object, path);\n  return result === undefined ? defaultValue : result;\n}\n\nmodule.exports = get;\n","//

optional / simple context binding\nvar aFunction = require('./_a-function');\nmodule.exports = function (fn, that, length) {\n aFunction(fn);\n if (that === undefined) return fn;\n switch (length) {\n case 1: return function (a) {\n return fn.call(that, a);\n };\n case 2: return function (a, b) {\n return fn.call(that, a, b);\n };\n case 3: return function (a, b, c) {\n return fn.call(that, a, b, c);\n };\n }\n return function (/* ...args */) {\n return fn.apply(that, arguments);\n };\n};\n","// Deprecated\n\n\"use strict\";\n\nmodule.exports = function (obj) {\n return typeof obj === \"function\";\n};\n","// 22.1.3.31 Array.prototype[@@unscopables]\nvar UNSCOPABLES = require('./_wks')('unscopables');\nvar ArrayProto = Array.prototype;\nif (ArrayProto[UNSCOPABLES] == undefined) require('./_hide')(ArrayProto, UNSCOPABLES, {});\nmodule.exports = function (key) {\n ArrayProto[UNSCOPABLES][key] = true;\n};\n","module.exports = function (exec) {\n try {\n return { e: false, v: exec() };\n } catch (e) {\n return { e: true, v: e };\n }\n};\n","// 7.1.15 ToLength\nvar toInteger = require('./_to-integer');\nvar min = Math.min;\nmodule.exports = function (it) {\n return it > 0 ? min(toInteger(it), 0x1fffffffffffff) : 0; // pow(2, 53) - 1 == 9007199254740991\n};\n","// Thank's IE8 for his funny defineProperty\nmodule.exports = !require('./_fails')(function () {\n return Object.defineProperty({}, 'a', { get: function () { return 7; } }).a != 7;\n});\n","var root = require('./_root');\n\n/** Built-in value references. */\nvar Symbol = root.Symbol;\n\nmodule.exports = Symbol;\n","var global = require('./_global');\nvar navigator = global.navigator;\n\nmodule.exports = navigator && navigator.userAgent || '';\n","var SetCache = require('./_SetCache'),\n arraySome = require('./_arraySome'),\n cacheHas = require('./_cacheHas');\n\n/** Used to compose bitmasks for value comparisons. */\nvar COMPARE_PARTIAL_FLAG = 1,\n COMPARE_UNORDERED_FLAG = 2;\n\n/**\n * A specialized version of `baseIsEqualDeep` for arrays with support for\n * partial deep comparisons.\n *\n * @private\n * @param {Array} array The array to compare.\n * @param {Array} other The other array to compare.\n * @param {number} bitmask The bitmask flags. See `baseIsEqual` for more details.\n * @param {Function} customizer The function to customize comparisons.\n * @param {Function} equalFunc The function to determine equivalents of values.\n * @param {Object} stack Tracks traversed `array` and `other` objects.\n * @returns {boolean} Returns `true` if the arrays are equivalent, else `false`.\n */\nfunction equalArrays(array, other, bitmask, customizer, equalFunc, stack) {\n var isPartial = bitmask & COMPARE_PARTIAL_FLAG,\n arrLength = array.length,\n othLength = other.length;\n\n if (arrLength != othLength && !(isPartial && othLength > arrLength)) {\n return false;\n }\n // Assume cyclic values are equal.\n var stacked = stack.get(array);\n if (stacked && stack.get(other)) {\n return stacked == other;\n }\n var index = -1,\n result = true,\n seen = (bitmask & COMPARE_UNORDERED_FLAG) ? new SetCache : undefined;\n\n stack.set(array, other);\n stack.set(other, array);\n\n // Ignore non-index properties.\n while (++index < arrLength) {\n var arrValue = array[index],\n othValue = other[index];\n\n if (customizer) {\n var compared = isPartial\n ? customizer(othValue, arrValue, index, other, array, stack)\n : customizer(arrValue, othValue, index, array, other, stack);\n }\n if (compared !== undefined) {\n if (compared) {\n continue;\n }\n result = false;\n break;\n }\n // Recursively compare arrays (susceptible to call stack limits).\n if (seen) {\n if (!arraySome(other, function(othValue, othIndex) {\n if (!cacheHas(seen, othIndex) &&\n (arrValue === othValue || equalFunc(arrValue, othValue, bitmask, customizer, stack))) {\n return seen.push(othIndex);\n }\n })) {\n result = false;\n break;\n }\n } else if (!(\n arrValue === othValue ||\n equalFunc(arrValue, othValue, bitmask, customizer, stack)\n )) {\n result = false;\n break;\n }\n }\n stack['delete'](array);\n stack['delete'](other);\n return result;\n}\n\nmodule.exports = equalArrays;\n","var constant = require('./constant'),\n defineProperty = require('./_defineProperty'),\n identity = require('./identity');\n\n/**\n * The base implementation of `setToString` without support for hot loop shorting.\n *\n * @private\n * @param {Function} func The function to modify.\n * @param {Function} string The `toString` result.\n * @returns {Function} Returns `func`.\n */\nvar baseSetToString = !defineProperty ? identity : function(func, string) {\n return defineProperty(func, 'toString', {\n 'configurable': true,\n 'enumerable': false,\n 'value': constant(string),\n 'writable': true\n });\n};\n\nmodule.exports = baseSetToString;\n","// @@replace logic\nrequire('./_fix-re-wks')('replace', 2, function (defined, REPLACE, $replace) {\n // 21.1.3.14 String.prototype.replace(searchValue, replaceValue)\n return [function replace(searchValue, replaceValue) {\n 'use strict';\n var O = defined(this);\n

var fn = searchValue == undefined ? undefined : searchValue[REPLACE];\n    return fn !== undefined\n    ? fn.call(searchValue, O, replaceValue)\n      : $replace.call(String(O), searchValue, replaceValue);\n  },\n $replace];\n});\n","var getMapData = require('./_getMapData');\n\n/**\n * Checks if a map value for `key` exists.\n *\n * @private\n * @name has\n * @memberOf MapCache\n * @param {string} key The key of the entry to check.\n * @returns {boolean} Returns `true` if an entry for `key` exists, else `false`.\n */\nfunction mapCacheHas(key) {\n  return getMapData(this, key).has(key);\n}\n\nmodule.exports = mapCacheHas;\n","'use strict';\n// 25.4.1.5 NewPromiseCapability(C)\nvar aFunction = require('./_a-function');\n\nfunction PromiseCapability(C) {\n  var resolve, reject;\n  this.promise = new C(function ($$resolve, $$reject) {\n    if (resolve !== undefined || reject !== undefined) throw TypeError('Bad Promise constructor');\n    resolve = $$resolve;\n    reject = $$reject;\n  });\n  this.resolve = aFunction(resolve);\n  this.reject = aFunction(reject);\n}\n\nmodule.exports.f = function (C) {\n  return new PromiseCapability(C);\n};\n","var baseGetAllKeys = require('./_baseGetAllKeys'),\n    getSymbols = require('./_getSymbols'),\n    keys = require('./keys');\n\n/**\n * Creates an array of own enumerable property names and symbols of `object`.\n *\n * @private\n * @param {Object} object The object to query.\n * @returns {Array} Returns the array of property names and symbols.\n */\nfunction getAllKeys(object) {\n  return baseGetAllKeys(object, keys, getSymbols);\n}\n\nmodule.exports = getAllKeys;\n","var $export = require('./_export');\nvar defined = require('./_defined');\nvar fails = require('./_fails');\nvar spaces = require('./_string-ws');\nvar space = '[' + spaces + ']';\nvar non = '\\u200b\\u0085';\nvar ltrim = RegExp('^' + space + space + '*');\nvar rtrim = RegExp(space + space + '*$');\n\nvar exporter = function (KEY, exec, ALIAS) {\n  var exp = {};\n  var FORCE = fails(function () {\n    return !!spaces[KEY]() || non[KEY]() != non;\n  });\n  var fn = exp[KEY] = FORCE ? exec(trim) : spaces[KEY];\n  if (ALIAS) exp[ALIAS] = fn;\n  $export($export.P + $export.F * FORCE, 'String', exp);\n};\n\n// 1 -> String#trimLeft\n// 2 -> String#trimRight\n// 3 -> String#trim\nvar trim = exporter.trim = function (string, TYPE) {\n  string = String(defined(string));\n  if (TYPE & 1) string = string.replace(ltrim, '');\n  if (TYPE & 2) string = string.replace(rtrim, '');\n  return string;\n};\n\nmodule.exports = exporter;\n","// 7.2.8 IsRegExp(argument)\nvar isObject = require('./_is-object');\nvar cof = require('./_cof');\nvar MATCH = require('./_wks')('match');\nmodule.exports = function (it) {\n  var isRegExp;\n  return isObject(it) && ((isRegExp = it[MATCH]) !== undefined ? !!isRegExp : cof(it) == 'RegExp');\n};\n","/**\n * Converts `set` to an array of its values.\n *\n * @private\n * @param {Object} set The set to convert.\n * @returns {Array} Returns the values.\n */\nfunction setToArray(set) {\n  var index = -1,\n      result = Array(set.size);\n\n  set.forEach(function(value) {\n    result[++index] = value;\n  });\n  return result;\n}\n\nmodule.exports = setToArray;\n","var $iterators = require('./es6.array.iterator');\nvar getKeys = require('./_object-keys');\nvar redefine = require('./_redefine');\nvar global = require('./_global');\nvar hide = require('./_hide');\nvar Iterators = require('./_iterators');\nvar wks = require('./_wks');\nvar ITERATOR = wks('iterator');\nvar TO_STRING_TAG = wks('toStringTag');\nvar ArrayValues = Iterators.Array;\n\nvar DOMIterables = {\n  CSSRuleList: true, // TODO: Not spec compliant, should be false.\n  CSSStyleDeclaration: false,\n  CSSValueList: false,\n  ClientRectList: false,\n  DOMRectList: false,\n  DOMStringList: false,\n  DOMTokenList: true,\n  DataTransferItemList: false,\n  FileList: false,\n  HTMLAllCollection: false,\n  HTMLCollection: false,\n  HTMLFormElement: false,\n  HTMLSelectElement: false,\n  MediaList: true, // TODO: Not spec compliant, should be false.\n  MimeTypeArray: false,\n  NamedNodeMap: false,\n  NodeList: true,\n  PaintRequestList: false,\n  Plugin: false,\n  PluginArray: false,\n  SVGLengthList: false,\n  SVGNumberList: false,\n  SVGPathSegList: false,\n  SVGPointList: false,\n  SVGStringList: false,\n  SVGTransformList: false,\n  SourceBufferList: false,\n  StyleSheetList: true, // TODO: Not spec compliant, should be false.\n  TextTrackCueList: false,\n  TextTrackList: false,\n  TouchList: false\n};\n\nfor (var collections = getKeys(DOMIterables), i = 0; i < collections.length; i++) {\n  var NAME = collections[i];\n  var explicit = DOMIterables[NAME];\n  var Collection = global[NAME];\n  var proto = Collection && Collection.prototype;\n  var key;\n  if (proto) {\n    if (!proto[ITERATOR]) hide(proto, ITERATOR, ArrayValues);\n    if (!proto[TO_STRING_TAG]) hide(proto, TO_STRING_TAG, NAME);\n    Iterators[NAME] = ArrayValues;\n    if (explicit) for (key in $iterators) if (!proto[key]) redefine(proto, key, $iterators[key], true);\n  }\n}\n","/**\n * The base implementation of `_.unary` without support for storing metadata.\n *\n * @private\n *

@param {Function} func The function to cap arguments for.\n * @returns {Function} Returns the new capped function.\n */\nfunction baseUnary(func) {\n return function(value) {\n   return func(value);\n };\n}\n\nmodule.exports = baseUnary;\n","'use strict';\nObject.defineProperty(exports, '__esModule', { value: true });\nvar prefix = 'fas';\nvar iconName = 'clipboard';\nvar width = 384;\nvar height = 512;\nvar ligatures = [];\nvar unicode = 'f328';\nvar svgPathData = 'M384 112v352c0 26.51-21.49 48-48 48H48c-26.51 0-48-21.49-48-48V112c0-26.51 21.49-48 48-48h80c0-35.29 28.71-64 64-64s64 28.71 64 64h80c26.51 0 48 21.49 48 48zM192 40c-13.255 0-24 10.745-24 24s10.745 24 24 24 24-10.745 24-24-10.745-24-24-24m96 114v-20a6 6 0 0 0-6-6H102a6 6 0 0 0-6 6v20a6 6 0 0 0 6 6h180a6 6 0 0 0 6-6z';\n\nexports.definition = {\n prefix: prefix,\n iconName: iconName,\n icon: [\n   width,\n   height,\n   ligatures,\n   unicode,\n   svgPathData\n ]};\n\nexports.faClipboard = exports.definition;\nexports.prefix = prefix;\nexports.iconName = iconName;\nexports.width = width;\nexports.height = height;\nexports.ligatures = ligatures;\nexports.unicode = unicode;\nexports.svgPathData = svgPathData;","var getAllKeys = require('./_getAllKeys');\n\n/** Used to compose bitmasks for value comparisons. */\nvar COMPARE_PARTIAL_FLAG = 1;\n\n/** Used for built-in method references. */\nvar objectProto = Object.prototype;\n\n/** Used to check objects for own properties. */\nvar hasOwnProperty = objectProto.hasOwnProperty;\n\n/**\n * A specialized version of `baseIsEqualDeep` for objects with support for\n * partial deep comparisons.\n *\n * @private\n * @param {Object} object The object to compare.\n * @param {Object} other The other object to compare.\n * @param {number} bitmask The bitmask flags. See `baseIsEqual`\n for more details.\n * @param {Function} customizer The function to customize comparisons.\n * @param {Function} equalFunc The function to determine equivalents of values.\n * @param {Object} stack Tracks traversed `object` and `other` objects.\n * @returns {boolean} Returns `true` if the objects are equivalent, else `false`.\n */\nfunction equalObjects(object, other, bitmask, customizer, equalFunc, stack) {\n var isPartial = bitmask & COMPARE_PARTIAL_FLAG,\n     objProps = getAllKeys(object),\n     objLength = objProps.length,\n othProps = getAllKeys(other),\n     othLength = othProps.length;\n\n if (objLength != othLength && !isPartial) {\n   return false;\n }\n var index = objLength;\n while (index--) {\n   var key = objProps[index];\n   if (!(isPartial ? key in other : hasOwnProperty.call(other, key))) {\n     return false;\n   }\n }\n // Assume cyclic values are equal.\n var stacked = stack.get(object);\n if (stacked && stack.get(other)) {\n   return stacked == other;\n }\n var result = true;\n stack.set(object, other);\n stack.set(other, object);\n\n var skipCtor = isPartial;\n while (++index < objLength) {\n   key = objProps[index];\n   var objValue = object[key],\n       othValue = other[key];\n\n   if (customizer) {\n     var compared = isPartial\n       ? customizer(othValue, objValue, key, other, object, stack)\n       : customizer(objValue, othValue, key, object, other, stack);\n   }\n   // Recursively compare objects (susceptible to call stack limits).\n   if (!(compared === undefined\n         ? (objValue === othValue || equalFunc(objValue, othValue, bitmask, customizer, stack))\n         : compared\n       )) {\n     result = false;\n     break;\n   }\n   skipCtor || (skipCtor = key == 'constructor');\n }\n if (result && !skipCtor) {\n   var objCtor = object.constructor,\n       othCtor = other.constructor;\n\n   // Non `Object` object instances with different constructors are not equal.\n   if (objCtor != othCtor &&\n       ('constructor' in object && 'constructor' in other) &&\n       !(typeof objCtor == 'function' && objCtor instanceof objCtor &&\n         typeof othCtor == 'function' && othCtor instanceof othCtor)) {\n     result = false;\n   }\n }\n stack['delete'](object);\n stack['delete'](other);\n return result;\n}\n\nmodule.exports = equalObjects;\n","/** Used as references for various `Number` constants. */\nvar MAX_SAFE_INTEGER = 9007199254740991;\n\n/**\n * Checks if `value` is a valid array-like length.\n *\n * **Note:** This method is loosely based on\n * [`ToLength`](http://ecma-international.org/ecma-262/7.0/#sec-tolength).\n *\n * @static\n * @memberOf _\n * @since 4.0.0\n * @category Lang\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is a valid length, else `false`.\n * @example\n *\n * _.isLength(3);\n * // => true\n *\n * _.isLength(Number.MIN_VALUE);\n * // => false\n *\n * _.isLength(Infinity);\n * // => false\n *\n * _.isLength('3');\n * // => false\n */\nfunction isLength(value) {\n return typeof value == 'number' &&\n   value > -1 && value % 1 == 0 && value <= MAX_SAFE_INTEGER;\n}\n\nmodule.exports = isLength;\n","/*!\n * clipboard.js v2.0.4\n * https://zenorocha.github.io/clipboard.js\n * \n * Licensed MIT © Zeno Rocha\n */\n(function webpackUniversalModuleDefinition(root, factory) {\n\tif(typeof exports === 'object' && typeof module ===

'object')\n\t\tmodule.exports = factory();\n\telse if(typeof define === 'function' && define.amd)\n\t\tdefine([], factory);\n\telse if(typeof exports === 'object')\n\t\texports[\"ClipboardJS\"] = factory();\n\telse\n\t\troot[\"ClipboardJS\"] = factory();\n})(this, function() {\nreturn /******/ (function(modules) { // webpackBootstrap\n/******/ \t// The module cache\n/******/ \tvar installedModules = {};\n/******/\n/******/ \t// The require function\n/******/ \tfunction __webpack_require__(moduleId) {\n/******/\n/******/ \t\t// Check if module is in cache\n/******/ \t\tif(installedModules[moduleId]) {\n/******/ \t\t\treturn installedModules[moduleId].exports;\n/******/ \t}\n/******/ \t\t// Create a new module (and put it into the cache)\n/******/ \t\tvar module = installedModules[moduleId] = {\n/******/ \t\ti: moduleId,\n/******/ \t\tl: false,\n/******/ \t\texports: {}\n/******/ \t};\n/******/\n/******/ \t\t// Execute the module function\n/******/ \t\tmodules[moduleId].call(module.exports, module, module.exports, __webpack_require__);\n/******/\n/******/ \t\t// Flag the module as loaded\n/******/ \t\tmodule.l = true;\n/******/\n/******/ \t\t// Return the exports of the module\n/******/ \t\treturn module.exports;\n/******/ \t}\n/******/\n/******/\n/******/ \t// expose the modules object (__webpack_modules__)\n/******/ \t__webpack_require__.m = modules;\n/******/\n/******/ \t// expose the module cache\n/******/ \t__webpack_require__.c = installedModules;\n/******/\n/******/ \t// define getter function for harmony exports\n/******/ \t__webpack_require__.d = function(exports, name, getter) {\n/******/ \t\tif(!__webpack_require__.o(exports, name)) {\n/******/ \t\t\tObject.defineProperty(exports, name, { enumerable: true, get: getter });\n/******/ \t\t}\n/******/ \t};\n/******/\n/******/ \t// define __esModule on exports\n/******/ \t__webpack_require__.r = function(exports) {\n/******/ \t\tif(typeof Symbol !== 'undefined' && Symbol.toStringTag) {\n/******/ \t\t\tObject.defineProperty(exports, Symbol.toStringTag, { value: 'Module' });\n/******/ \t\t}\n/******/ \t\tObject.defineProperty(exports, '__esModule', { value: true });\n/******/ \t};\n/******/\n/******/ \t// create a fake namespace object\n/******/ \t// mode & 1: value is a module id, require it\n/******/ \t// mode & 2: merge all properties of value into the ns\n/******/ \t// mode & 4: return value when already ns object\n/******/ \t// mode & 8|1: behave like require\n/******/ \t__webpack_require__.t = function(value, mode) {\n/******/ \t\tif(mode & 1) value = __webpack_require__(value);\n/******/ \t\tif(mode & 8) return value;\n/******/ \t\tif((mode & 4) && typeof value === 'object' && value && value.__esModule) return value;\n/******/ \t\tvar ns = Object.create(null);\n/******/ \t\t__webpack_require__.r(ns);\n/******/ \t\tObject.defineProperty(ns, 'default', { enumerable: true, value: value });\n/******/ \t\tif(mode & 2 && typeof value != 'string') for(var key in value) __webpack_require__.d(ns, key, function(key) { return value[key]; }.bind(null, key));\n/******/ \t\treturn ns;\n/******/ \t};\n/******/\n/******/ \t// getDefaultExport function for compatibility with non-harmony modules\n/******/ \t__webpack_require__.n = function(module) {\n/******/ \t\tvar getter = module && module.__esModule ?\n/******/ \t\tfunction getDefault() { return module['default']; } :\n/******/ \t\tfunction getModuleExports() { return module; };\n/******/ \t__webpack_require__.d(getter, 'a', getter);\n/******/ \t\treturn getter;\n/******/ \t};\n/******/\n/******/ \t// Object.prototype.hasOwnProperty.call\n/******/ \t__webpack_require__.o = function(object, property) { return Object.prototype.hasOwnProperty.call(object, property); };\n/******/\n/******/ \t// __webpack_public_path__\n/******/ \t__webpack_require__.p = \"\";\n/******/\n/******/\n/******/ \t// Load entry module and return exports\n/******/ \treturn __webpack_require__(__webpack_require__.s = 0);\n/******/ })\n/************************************************************************/\n/******/ ([\n/* 0 */\n/***/ (function(module, exports, __webpack_require__) {\n\n\"use strict\";\n\n\nvar _typeof = typeof Symbol === \"function\" && typeof Symbol.iterator === \"symbol\" ? function (obj) { return typeof obj; } : function (obj) { return obj && typeof Symbol === \"function\" && obj.constructor === Symbol && obj !== Symbol.prototype ? \"symbol\" : typeof obj; };\n\nvar _createClass = function () { function defineProperties(target, props) { for (var i = 0; i < props.length; i++) { var descriptor = props[i]; descriptor.enumerable = descriptor.enumerable || false; descriptor.configurable = true; if (\"value\" in descriptor) descriptor.writable = true; Object.defineProperty(target, descriptor.key, descriptor); } } return function (Constructor, protoProps, staticProps) { if (protoProps) defineProperties(Constructor.prototype, protoProps); if (staticProps) defineProperties(Constructor, staticProps); return Constructor; }; }();\n\nvar _clipboardAction = __webpack_require__(1);\n\nvar _clipboardAction2 = _interopRequireDefault(_clipboardAction);\n\nvar _tinyEmitter = __webpack_require__(3);\n\nvar _tinyEmitter2 =

_interopRequireDefault(_tinyEmitter);\n\nvar _goodListener = __webpack_require__(4);\n\nvar _goodListener2 = _interopRequireDefault(_goodListener);\n\nfunction _interopRequireDefault(obj) { return obj && obj.__esModule ? obj : { default: obj }; }\n\nfunction _classCallCheck(instance, Constructor) { if (!(instance instanceof Constructor)) { throw new TypeError(\"Cannot call a class as a function\"); } }\n\nfunction _possibleConstructorReturn(self, call) { if (!self) { throw new ReferenceError(\"this hasn't been initialised - super() hasn't been called\"); } return call && (typeof call === \"object\" || typeof call === \"function\") ? call : self; }\n\nfunction _inherits(subClass, superClass) { if (typeof superClass !== \"function\" && superClass !== null) { throw new TypeError(\"Super expression must either be null or a function, not \" + typeof superClass); } subClass.prototype = Object.create(superClass && superClass.prototype, { constructor: { value: subClass, enumerable: false, writable: true, configurable: true } }); if (superClass) Object.setPrototypeOf ? Object.setPrototypeOf(subClass, superClass) : subClass.__proto__ = superClass; }\n\n/**\n * Base class which takes one or more elements, adds event listeners to them,\n * and instantiates a new `ClipboardAction` on each click.\n */\nvar Clipboard = function (_Emitter) {\n  _inherits(Clipboard, _Emitter);\n\n  /**\n   * @param {String|HTMLElement|HTMLCollection|NodeList} trigger\n   * @param {Object} options\n   */\n  function Clipboard(trigger, options) {\n    _classCallCheck(this, Clipboard);\n\n    var _this = _possibleConstructorReturn(this, (Clipboard.__proto__ || Object.getPrototypeOf(Clipboard)).call(this));\n\n    _this.resolveOptions(options);\n    _this.listenClick(trigger);\n    return _this;\n  }\n\n  /**\n   * Defines if attributes would be resolved using internal setter functions\n   * or custom functions that were passed in the constructor.\n   * @param {Object} options\n   */\n\n\n  _createClass(Clipboard, [{\n    key: 'resolveOptions',\n    value: function resolveOptions() {\n      var options = arguments.length > 0 && arguments[0] !== undefined ? arguments[0] : {};\n\n      this.action = typeof options.action === 'function' ? options.action : this.defaultAction;\n      this.target = typeof options.target === 'function' ? options.target : this.defaultTarget;\n      this.text = typeof options.text === 'function' ? options.text : this.defaultText;\n      this.container = _typeof(options.container) === 'object' ? options.container : document.body;\n    }\n\n    /**\n     * Adds a click event listener to the passed trigger.\n     * @param {String|HTMLElement|HTMLCollection|NodeList} trigger\n     */\n\n  }, {\n    key: 'listenClick',\n    value: function listenClick(trigger) {\n      var _this2 = this;\n\n      this.listener = (0, _goodListener2.default)(trigger, 'click', function (e) {\n        return _this2.onClick(e);\n      });\n    }\n\n    /**\n     * Defines a new `ClipboardAction` on each click event.\n     * @param {Event} e\n     */\n\n  }, {\n    key: 'onClick',\n    value: function onClick(e) {\n      var trigger = e.delegateTarget || e.currentTarget;\n\n      if (this.clipboardAction) {\n        this.clipboardAction = null;\n      }\n\n      this.clipboardAction = new _clipboardAction2.default({\n        action: this.action(trigger),\n        target: this.target(trigger),\n        text: this.text(trigger),\n        container: this.container,\n        trigger: trigger,\n        emitter: this\n      });\n    }\n\n    /**\n     * Default `action` lookup function.\n     * @param {Element} trigger\n     */\n\n  }, {\n    key: 'defaultAction',\n    value: function defaultAction(trigger) {\n      return getAttributeValue('action', trigger);\n    }\n\n    /**\n     * Default `target` lookup function.\n     * @param {Element} trigger\n     */\n\n  }, {\n    key: 'defaultTarget',\n    value: function defaultTarget(trigger) {\n      var selector = getAttributeValue('target', trigger);\n\n      if (selector) {\n        return document.querySelector(selector);\n      }\n    }\n\n    /**\n     * Returns the support of the given action, or all actions if no action is\n     * given.\n     * @param {String} [action]\n     */\n\n  }, {\n    key: 'defaultText',\n\n\n    /**\n     * Default `text` lookup function.\n     * @param {Element} trigger\n     */\n    value: function defaultText(trigger) {\n      return getAttributeValue('text', trigger);\n    }\n\n    /**\n     * Destroy lifecycle.\n     */\n\n  }, {\n    key: 'destroy',\n    value: function destroy() {\n      this.listener.destroy();\n\n      if (this.clipboardAction) {\n        this.clipboardAction.destroy();\n        this.clipboardAction = null;\n      }\n    }\n  }], [{\n    key: 'isSupported',\n    value: function isSupported() {\n      var action = arguments.length > 0 && arguments[0] !== undefined ? arguments[0] : ['copy', 'cut'];\n\n      var actions = typeof action === 'string' ? [action] : action;\n      var support = !!document.queryCommandSupported;\n\n      actions.forEach(function (action) {\n

support = support && !!document.queryCommandSupported(action);\n        });\n\n        return support;\n    }\n    }]);\n\n    return Clipboard;\n}(_tinyEmitter2.default);\n\n/**\n * Helper function to retrieve attribute value.\n * @param {String} suffix\n * @param {Element} element\n */\n\nfunction getAttributeValue(suffix, element) {\n    var attribute = 'data-clipboard-' + suffix;\n\n    if (!element.hasAttribute(attribute)) {\n        return;\n    }\n\n    return element.getAttribute(attribute);\n}\n\nmodule.exports = Clipboard;\n\n/***/ }),\n/* 1 */\n/***/ (function(module, exports, __webpack_require__) {\n\n\"use strict\";\n\n\nvar _typeof = typeof Symbol === \"function\" && typeof Symbol.iterator === \"symbol\" ? function (obj) { return typeof obj; } : function (obj) { return obj && typeof Symbol === \"function\" && obj.constructor === Symbol && obj !== Symbol.prototype ? \"symbol\" : typeof obj; };\n\nvar _createClass = function () { function defineProperties(target, props) { for (var i = 0; i < props.length; i++) { var descriptor = props[i]; descriptor.enumerable = descriptor.enumerable || false; descriptor.configurable = true; if (\"value\" in descriptor) descriptor.writable = true; Object.defineProperty(target, descriptor.key, descriptor); } } return function (Constructor, protoProps, staticProps) { if (protoProps) defineProperties(Constructor.prototype, protoProps); if (staticProps) defineProperties(Constructor, staticProps); return Constructor; }; }();\n\nvar _select = __webpack_require__(2);\n\nvar _select2 = _interopRequireDefault(_select);\n\nfunction _interopRequireDefault(obj) { return obj && obj.__esModule ? obj : { default: obj }; }\n\nfunction _classCallCheck(instance, Constructor) { if (!(instance instanceof Constructor)) { throw new TypeError(\"Cannot call a class as a function\"); } }\n\n/**\n * Inner class which performs selection from either `text` or `target`\n * properties and then executes copy or cut operations.\n */\nvar ClipboardAction = function () {\n    /**\n     * @param {Object} options\n     */\n    function ClipboardAction(options) {\n        _classCallCheck(this, ClipboardAction);\n\n        this.resolveOptions(options);\n        this.initSelection();\n    }\n\n    /**\n     * Defines base properties passed from constructor.\n     * @param {Object} options\n     */\n\n\n    _createClass(ClipboardAction, [{\n        key: 'resolveOptions',\n        value: function resolveOptions() {\n            var options = arguments.length > 0 && arguments[0] !== undefined ? arguments[0] : {};\n\n            this.action = options.action;\n            this.container = options.container;\n            this.emitter = options.emitter;\n            this.target = options.target;\n            this.text = options.text;\n            this.trigger = options.trigger;\n\n            this.selectedText = '';\n        }\n\n        /**\n         * Decides which selection strategy is going to be applied based\n         * on the existence of `text` and `target` properties.\n         */\n\n    }, {\n        key: 'initSelection',\n        value: function initSelection() {\n            if (this.text) {\n                this.selectFake();\n            } else if (this.target) {\n                this.selectTarget();\n            }\n        }\n\n        /**\n         * Creates a fake textarea element, sets its value from `text`\n         * property,\n         * and makes a selection on it.\n         */\n\n    }, {\n        key: 'selectFake',\n        value: function selectFake() {\n            var _this = this;\n\n            var isRTL = document.documentElement.getAttribute('dir') == 'rtl';\n\n            this.removeFake();\n\n            this.fakeHandlerCallback = function () {\n                return _this.removeFake();\n            };\n            this.fakeHandler = this.container.addEventListener('click', this.fakeHandlerCallback) || true;\n\n            this.fakeElem = document.createElement('textarea');\n            // Prevent zooming on iOS\n            this.fakeElem.style.fontSize = '12pt';\n            // Reset box model\n            this.fakeElem.style.border = '0';\n            this.fakeElem.style.padding = '0';\n            this.fakeElem.style.margin = '0';\n            // Move element out of screen horizontally\n            this.fakeElem.style.position = 'absolute';\n            this.fakeElem.style[isRTL ? 'right' : 'left'] = '-9999px';\n            // Move element to the same position vertically\n            var yPosition = window.pageYOffset || document.documentElement.scrollTop;\n            this.fakeElem.style.top = yPosition + 'px';\n\n            this.fakeElem.setAttribute('readonly', '');\n            this.fakeElem.value = this.text;\n\n            this.container.appendChild(this.fakeElem);\n\n            this.selectedText = (0, _select2.default)(this.fakeElem);\n            this.copyText();\n        }\n\n        /**\n         * Only removes the fake element after another click event, that way\n         * a user can hit `Ctrl+C` to copy because selection still exists.\n         */\n\n    }, {\n        key: 'removeFake',\n        value: function removeFake() {\n            if (this.fakeHandler) {\n                this.container.removeEventListener('click', this.fakeHandlerCallback);\n                this.fakeHandler = null;\n                this.fakeHandlerCallback = null;\n            }\n\n            if (this.fakeElem) {\n                this.container.removeChild(this.fakeElem);\n                this.fakeElem = null;\n            }\n        }\n\n        /**\n         * Selects the content from element passed on `target` property.\n         */\n    }, {\n        key: 'selectTarget',\n

value: function selectTarget() {\n          this.selectedText = (0, _select2.default)(this.target);\n
this.copyText();\n        }\n\n      /**\n        * Executes the copy operation based on the current selection.\n
*/\n\n    }, {\n      key: 'copyText',\n      value: function copyText() {\n          var succeeded = void 0;\n\n
try {\n            succeeded = document.execCommand(this.action);\n        } catch (err) {\n            succeeded =
false;\n        }\n\n        this.handleResult(succeeded);\n      }\n\n      /**\n        * Fires an event based on the
copy operation result.\n        * @param {Boolean} succeeded\n        */\n\n    }, {\n      key: 'handleResult',\n
value: function handleResult(succeeded) {\n          this.emitter.emit(succeeded ? 'success' : 'error', {\n
action: this.action,\n            text: this.selectedText,\n              trigger: this.trigger,\n            clearSelection:
this.clearSelection.bind(this)\n        });\n      }\n\n      /**\n        * Moves focus away from `target` and back to
the trigger, removes current selection.\n        */\n    }, {\n      key: 'clearSelection',\n      value: function
clearSelection() {\n          if (this.trigger) {\n            this.trigger.focus();\n          }\n
window.getSelection().removeAllRanges();\n      }\n\n      /**\n        * Sets the `action` to be performed which
can be either 'copy' or 'cut'.\n        * @param {String} action\n        */\n    }, {\n      key: 'destroy',\n\n\n
/**\n        * Destroy lifecycle.\n        */\n      value: function destroy() {\n          this.removeFake();\n      }\n    },
{\n      key: 'action',\n      set: function set() {\n          var action = arguments.length > 0 && arguments[0] !==
undefined ? arguments[0] : 'copy';\n\n          this._action = action;\n\n          if (this._action !== 'copy' &&
this._action !== 'cut') {\n            throw new Error('Invalid \"action\" value, use either \"copy\" or \"cut\"');\n
}\n      }\n\n      /**\n        * Gets the `action` property.\n        * @return {String}\n        */\n      ,\n      get:
function get() {\n          return this._action;\n      }\n\n      /**\n        * Sets the `target` property using an
element\n        * that will be have its content copied.\n        * @param {Element} target\n        */\n    }, {\n
key: 'target',\n      set: function set(target) {\n          if (target !== undefined) {\n            if (target && (typeof
target === 'undefined' ? 'undefined' : _typeof(target)) === 'object' && target.nodeType === 1) {\n              if
(this.action === 'copy' && target.hasAttribute('disabled')) {\n                throw new Error('Invalid \"target\"
attribute. Please use \"readonly\" instead of \"disabled\" attribute');\n              }\n\n              if (this.action ===
'cut' && (target.hasAttribute('readonly') || target.hasAttribute('disabled'))) {\n                throw new
Error('Invalid \"target\" attribute. You can\\'t cut text from elements with \"readonly\" or \"disabled\" attributes');\n
}\n\n              this._target = target;\n          } else {\n                throw new Error('Invalid \"target\"
value, use a valid Element');\n          }\n        }\n      }\n\n      /**\n        * Gets the `target` property.\n        *
@return {String|HTMLElement}\n        */\n      ,\n      get: function get() {\n          return this._target;\n      }\n
}]);\n\n    return ClipboardAction;\n}();\n\nmodule.exports = ClipboardAction;\n\n/***/ }),\n/* 2 */\n/***/
(function(module, exports) {\n\nfunction select(element) {\n    var selectedText;\n\n    if (element.nodeName ===
'SELECT') {\n        element.focus();\n\n        selectedText = element.value;\n    } else if (element.nodeName ===
'INPUT' || element.nodeName === 'TEXTAREA') {\n        var isReadOnly = element.hasAttribute('readonly');\n\n
if (!isReadOnly) {\n            element.setAttribute('readonly', '');\n        }\n\n        element.select();\n
element.setSelectionRange(0, element.value.length);\n\n        if (!isReadOnly) {\n
element.removeAttribute('readonly');\n        }\n\n        selectedText = element.value;\n    } else {\n        if
(element.hasAttribute('contenteditable')) {\n            element.focus();\n        }\n\n        var selection =
window.getSelection();\n        var range = document.createRange();\n\n        range.selectNodeContents(element);\n
selection.removeAllRanges();\n        selection.addRange(range);\n\n        selectedText = selection.toString();\n
}\n\n    return selectedText;\n}\n\nmodule.exports = select;\n\n\n/***/ }),\n/* 3 */\n/***/ (function(module, exports)
{\n\nfunction E () {\n    // Keep this empty so it's easier to inherit from\n    // (via https://github.com/lipsmack from
https://github.com/scottcorgan/tiny-emitter/issues/3)\n}\n\n\nE.prototype = {\n  on: function (name, callback, ctx) {\n
var e = this.e || (this.e = {});\n\n    (e[name] || (e[name] = [])).push({\n      fn: callback,\n      ctx: ctx\n    });\n\n
return this;\n  },\n\n  once: function (name, callback, ctx) {\n    var self = this;\n    function listener () {\n
self.off(name, listener);\n      callback.apply(ctx, arguments);\n    };\n\n    listener._ = callback\n    return
this.on(name, listener, ctx);\n  },\n\n  emit: function (name) {\n    var data = [].slice.call(arguments, 1);\n    var
evtArr = ((this.e || (this.e = {}))[name] || []).slice();\n    var i = 0;\n    var len = evtArr.length;\n\n    for (i; i < len;
i++) {\n      evtArr[i].fn.apply(evtArr[i].ctx, data);\n    }\n\n    return this;\n  },\n\n  off: function (name, callback) {\n

var e = this.e || (this.e = {});\n    var evts = e[name];\n    var liveEvents = [];\n\n    if (evts && callback) {\n        for (var i = 0, len = evts.length; i < len; i++) {\n            if (evts[i].fn !== callback && evts[i].fn._ !== callback)\n                liveEvents.push(evts[i]);\n        }\n    }\n\n    // Remove event from queue to prevent memory leak\n    // Suggested by https://github.com/lazd\n    // Ref: https://github.com/scottcorgan/tiny-emitter/commit/c6ebfaa9bc973b33d110a84a307742b7cf94c953#commitcomment-5024910\n\n    (liveEvents.length)\n        ? e[name] = liveEvents\n        : delete e[name];\n\n    return this;\n  }\n};\n\nmodule.exports = E;\n\n\n/***/ }),\n/* 4 */\n/***/ (function(module, exports, __webpack_require__) {\n\nvar is = __webpack_require__(5);\nvar delegate = __webpack_require__(6);\n\n/**\n * Validates all params and calls the right\n * listener function based on its target type.\n *\n * @param {String|HTMLElement|HTMLCollection|NodeList} target\n * @param {String} type\n * @param {Function} callback\n * @return {Object}\n */\nfunction listen(target, type, callback) {\n    if (!target && !type && !callback) {\n        throw new Error('Missing required arguments');\n    }\n\n    if (!is.string(type)) {\n        throw new TypeError('Second argument must be a String');\n    }\n\n    if (!is.fn(callback)) {\n        throw new TypeError('Third argument must be a Function');\n    }\n\n    if (is.node(target)) {\n        return listenNode(target, type, callback);\n    }\n    else if (is.nodeList(target)) {\n        return listenNodeList(target, type, callback);\n    }\n    else if (is.string(target)) {\n        return listenSelector(target, type, callback);\n    }\n    else {\n        throw new TypeError('First argument must be a String, HTMLElement, HTMLCollection, or NodeList');\n    }\n}\n\n/**\n * Adds an event listener to a HTML element\n * and returns a remove listener function.\n *\n * @param {HTMLElement} node\n * @param {String} type\n * @param {Function} callback\n * @return {Object}\n */\nfunction listenNode(node, type, callback) {\n    node.addEventListener(type, callback);\n\n    return {\n        destroy: function() {\n            node.removeEventListener(type, callback);\n        }\n    }\n}\n\n/**\n * Add an event listener to a list of HTML elements\n * and returns a remove listener function.\n *\n * @param {NodeList|HTMLCollection} nodeList\n * @param {String} type\n * @param {Function} callback\n * @return {Object}\n */\nfunction listenNodeList(nodeList, type, callback) {\n    Array.prototype.forEach.call(nodeList, function(node) {\n        node.addEventListener(type, callback);\n    });\n\n    return {\n        destroy: function() {\n            Array.prototype.forEach.call(nodeList, function(node) {\n                node.removeEventListener(type, callback);\n            });\n        }\n    }\n}\n\n/**\n * Add an event listener to a selector\n * and returns a remove listener function.\n *\n * @param {String} selector\n * @param {String} type\n * @param {Function} callback\n * @return {Object}\n */\nfunction listenSelector(selector, type, callback) {\n    return delegate(document.body, selector, type, callback);\n}\n\nmodule.exports = listen;\n\n\n/***/ }),\n/* 5 */\n/***/ (function(module, exports) {\n\n/**\n * Check if argument is a HTML element.\n *\n * @param {Object} value\n * @return {Boolean}\n */\nexports.node = function(value) {\n    return value !== undefined\n        && value instanceof HTMLElement\n        && value.nodeType === 1;\n};\n\n/**\n * Check if argument is a list of HTML elements.\n *\n * @param {Object} value\n * @return {Boolean}\n */\nexports.nodeList = function(value) {\n    var type = Object.prototype.toString.call(value);\n\n    return value !== undefined\n        && (type === '[object NodeList]' || type === '[object HTMLCollection]')\n        && ('length' in value)\n        && (value.length === 0 || exports.node(value[0]));\n};\n\n/**\n * Check if argument is a string.\n *\n * @param {Object} value\n * @return {Boolean}\n */\nexports.string = function(value) {\n    return typeof value === 'string'\n        || value instanceof String;\n};\n\n/**\n * Check if argument is a function.\n *\n * @param {Object} value\n * @return {Boolean}\n */\nexports.fn = function(value) {\n    var type = Object.prototype.toString.call(value);\n\n    return type === '[object Function]';\n};\n\n\n/***/ }),\n/* 6 */\n/***/ (function(module, exports, __webpack_require__) {\n\nvar closest = __webpack_require__(7);\n\n/**\n * Delegates event to a selector.\n *\n * @param {Element} element\n * @param {String} selector\n * @param {String} type\n * @param {Function} callback\n * @param {Boolean} useCapture\n * @return {Object}\n */\nfunction _delegate(element, selector, type, callback, useCapture) {\n    var listenerFn = listener.apply(this, arguments);\n\n    element.addEventListener(type, listenerFn, useCapture);\n\n    return {\n        destroy: function() {\n            element.removeEventListener(type, listenerFn, useCapture);\n        }\n    }\n}\n\n/**\n * Delegates event to a selector.\n *\n * @param {Element|String|Array} [elements]\n * @param {String} selector\n * @param {String} type\n * @param {Function} callback\n * @param {Boolean} useCapture\n * @return

{Object}\n *\/\nfunction delegate(elements, selector, type, callback, useCapture) {\n    // Handle the regular Element usage\n    if (typeof elements.addEventListener === 'function') {\n        return _delegate.apply(null, arguments);\n    }\n\n    // Handle Element-less usage, it defaults to global delegation\n    if (typeof type === 'function') {\n        // Use `document` as the first parameter, then apply arguments\n        // This is a short way to .unshift `arguments`\n        // without running into deoptimizations\n        return _delegate.bind(null, document).apply(null, arguments);\n    }\n\n    // Handle Selector-based usage\n    if (typeof elements === 'string') {\n        elements = document.querySelectorAll(elements);\n    }\n\n    // Handle Array-like based usage\n    return Array.prototype.map.call(elements, function (element) {\n        return _delegate(element, selector, type, callback, useCapture);\n    });\n}\n\n/**\n * Finds closest match and invokes callback.\n *\n * @param {Element} element\n * @param {String} selector\n * @param {String} type\n * @param {Function} callback\n * @return {Function}\n *\/\nfunction listener(element, selector, type, callback) {\n    return function(e) {\n        e.delegateTarget = closest(e.target, selector);\n\n        if (e.delegateTarget) {\n            callback.call(element, e);\n        }\n    }\n}\n\nmodule.exports = delegate;\n\n\n/***/ }),\n/* 7 */\n/***/ (function(module, exports) {\n\nvar DOCUMENT_NODE_TYPE = 9;\n\n/**\n * A polyfill for Element.matches()\n *\/\nif (typeof Element !== 'undefined' && !Element.prototype.matches) {\n    var proto = Element.prototype;\n\n    proto.matches = proto.matchesSelector ||\n                    proto.mozMatchesSelector ||\n                    proto.msMatchesSelector ||\n                    proto.oMatchesSelector ||\n                    proto.webkitMatchesSelector;\n}\n\n/**\n * Finds the closest parent that matches a selector.\n *\n * @param {Element} element\n * @param {String} selector\n * @return {Function}\n *\/\nfunction closest (element, selector) {\n    while (element && element.nodeType !== DOCUMENT_NODE_TYPE) {\n        if (typeof element.matches === 'function' &&\n            element.matches(selector)) {\n          return element;\n        }\n        element = element.parentNode;\n    }\n}\n\nmodule.exports = closest;\n\n\n/***/ })\n/******/ ]);\n});","'use strict';\n\nvar isSymbol = require('./is-symbol');\n\nmodule.exports = function (value) {\n\tif (!isSymbol(value)) throw new TypeError(value + \" is not a symbol\");\n\treturn value;\n};\n","var assocIndexOf = require('./_assocIndexOf');\n\n/**\n * Gets the list cache value for `key`.\n *\n * @private\n * @name get\n * @memberOf ListCache\n * @param {string} key The key of the value to get.\n * @returns {*} Returns the entry value.\n *\/\nfunction listCacheGet(key) {\n  var data = this.__data__,\n      index = assocIndexOf(data, key);\n\n  return index < 0 ? undefined : data[index][1];\n}\n\nmodule.exports = listCacheGet;\n","var getNative = require('./_getNative'),\n    root = require('./_root');\n\n/* Built-in method references that are verified to be native. *\/\nvar DataView = getNative(root, 'DataView');\n\nmodule.exports = DataView;\n","'use strict';\n\nvar validTypes = { object: true, symbol: true };\n\nmodule.exports = function () {\n\tvar symbol;\n\tif (typeof Symbol !== 'function') return false;\n\tsymbol = Symbol('test symbol');\n\ttry { String(symbol); } catch (e) { return false; }\n\n\t// Return 'true' also for polyfills\n\tif (!validTypes[typeof Symbol.iterator]) return false;\n\tif (!validTypes[typeof Symbol.toPrimitive]) return false;\n\tif (!validTypes[typeof Symbol.toStringTag]) return false;\n\n\treturn true;\n};\n","var baseMatches = require('./_baseMatches'),\n    baseMatchesProperty = require('./_baseMatchesProperty'),\n    identity = require('./identity'),\n    isArray = require('./isArray'),\n    property = require('./property');\n\n/**\n * The base implementation of `_.iteratee`.\n *\n * @private\n * @param {*} [value=_.identity] The value to convert to an iteratee.\n * @returns {Function} Returns the iteratee.\n *\/\nfunction baseIteratee(value) {\n  // Don't store the `typeof` result in a variable to avoid a JIT bug in Safari 9.\n  // See https://bugs.webkit.org/show_bug.cgi?id=156034 for more details.\n  if (typeof value == 'function') {\n    return value;\n  }\n  if (value == null) {\n    return identity;\n  }\n  if (typeof value == 'object') {\n    return isArray(value)\n      ? baseMatchesProperty(value[0], value[1])\n      : baseMatches(value);\n  }\n  return property(value);\n}\n\nmodule.exports = baseIteratee;\n","var nativeCreate = require('./_nativeCreate');\n\n/** Used to stand-in for `undefined` hash values. *\/\nvar HASH_UNDEFINED = '__lodash_hash_undefined__';\n\n/** Used for built-in method references. *\/\nvar objectProto = Object.prototype;\n\n/** Used to check objects for own properties. *\/\nvar hasOwnProperty = objectProto.hasOwnProperty;\n\n/**\n * Gets the hash value for `key`.\n *\n * @private\n * @name get\n * @memberOf Hash\n * @param {string} key The key of the value to get.\n * @returns {*} Returns the entry value.\n *\/\nfunction hashGet(key) {\n  var data = this.__data__;\n  if (nativeCreate) {\n    var result = data[key];\n

return result === HASH_UNDEFINED ? undefined : result;\n  }\n  return hasOwnProperty.call(data, key) ? data[key] : undefined;\n}\n\nmodule.exports = hashGet;\n","var anObject = require('./_an-object');\nvar isObject = require('./_is-object');\nvar newPromiseCapability = require('./_new-promise-capability');\n\nmodule.exports = function (C, x) {\n  anObject(C);\n  if (isObject(x) && x.constructor === C) return x;\n  var promiseCapability = newPromiseCapability.f(C);\n  var resolve = promiseCapability.resolve;\n  resolve(x);\n  return promiseCapability.promise;\n};\n","// 7.2.1 RequireObjectCoercible(argument)\nmodule.exports = function (it) {\n  if (it == undefined) throw TypeError(\"Can't call method on \" + it);\n  return it;\n};\n","function _defineProperties(target, props) {\n  for (var i = 0; i < props.length; i++) {\n    var descriptor = props[i];\n    descriptor.enumerable = descriptor.enumerable || false;\n    descriptor.configurable = true;\n    if (\"value\" in descriptor) descriptor.writable = true;\n    Object.defineProperty(target, descriptor.key, descriptor);\n  }\n}\n\nexport default function _createClass(Constructor, protoProps, staticProps) {\n  if (protoProps) _defineProperties(Constructor.prototype, protoProps);\n  if (staticProps) _defineProperties(Constructor, staticProps);\n  return Constructor;\n}","var baseIsEqualDeep = require('./_baseIsEqualDeep'),\n    isObjectLike = require('./isObjectLike');\n\n/**\n * The base implementation of `_.isEqual` which supports partial comparisons\n * and tracks traversed objects.\n *\n * @private\n * @param {*} value The value to compare.\n * @param {*} other The other value to compare.\n * @param {boolean} bitmask The bitmask flags.\n *  1 - Unordered comparison\n *  2 - Partial comparison\n * @param {Function} [customizer] The function to customize comparisons.\n * @param {Object} [stack] Tracks traversed `value` and `other` objects.\n * @returns {boolean} Returns `true` if the values are equivalent, else `false`.\n */\nfunction baseIsEqual(value, other, bitmask, customizer, stack) {\n  if (value === other) {\n    return true;\n  }\n  if (value == null || other == null || (!isObjectLike(value) && !isObjectLike(other))) {\n    return value !== value && other !== other;\n  }\n  return baseIsEqualDeep(value, other, bitmask, customizer, baseIsEqual, stack);\n}\n\nmodule.exports = baseIsEqual;\n","/*!\n * Font Awesome Free 5.5.0 by @fontawesome - https://fontawesome.com\n * License - https://fontawesome.com/license/free (Icons: CC BY 4.0, Fonts: SIL OFL 1.1, Code: MIT License)\n */\nvar noop = function noop() {};\nvar _WINDOW = {};\nvar _DOCUMENT = {};\nvar _MUTATION_OBSERVER$1 = null;\nvar _PERFORMANCE = { mark: noop, measure: noop };\n\ntry {\n  if (typeof window !== 'undefined') _WINDOW = window;\n  if (typeof document !== 'undefined') _DOCUMENT = document;\n  if (typeof MutationObserver !== 'undefined') _MUTATION_OBSERVER$1 = MutationObserver;\n  if (typeof performance !== 'undefined') _PERFORMANCE = performance;\n} catch (e) {}\n\nvar _ref = _WINDOW.navigator || {};\nvar _ref$userAgent = _ref.userAgent;\nvar userAgent = _ref$userAgent === undefined ? '' : _ref$userAgent;\n\nvar WINDOW = _WINDOW;\nvar DOCUMENT = _DOCUMENT;\nvar MUTATION_OBSERVER = _MUTATION_OBSERVER$1;\nvar PERFORMANCE = _PERFORMANCE;\n\nvar IS_DOM = !!DOCUMENT.documentElement && !!DOCUMENT.head && typeof DOCUMENT.addEventListener === 'function' && typeof DOCUMENT.createElement === 'function';\nvar IS_IE = ~userAgent.indexOf('MSIE') || ~userAgent.indexOf('Trident/');\n\nvar NAMESPACE_IDENTIFIER = '___FONT_AWESOME___';\nvar UNITS_IN_GRID = 16;\nvar DEFAULT_FAMILY_PREFIX = 'fa';\nvar DEFAULT_REPLACEMENT_CLASS = 'svg-inline--fa';\nvar DATA_FA_I2SVG = 'data-fa-i2svg';\nvar DATA_FA_PSEUDO_ELEMENT = 'data-fa-pseudo-element';\nvar DATA_PREFIX = 'data-prefix';\nvar DATA_ICON = 'data-icon';\nvar HTML_CLASS_I2SVG_BASE_CLASS = 'fontawesome-i2svg';\nvar TAGNAMES_TO_SKIP_FOR_PSEUDOELEMENTS = ['HTML', 'HEAD', 'STYLE', 'SCRIPT'];\nvar PRODUCTION = function () {\n  try {\n    return process.env.NODE_ENV === 'production';\n  } catch (e) {\n    return false;\n  }\n}();\n\nvar oneToTen = [1, 2, 3, 4, 5, 6, 7, 8, 9, 10];\nvar oneToTwenty = oneToTen.concat([11, 12, 13, 14, 15, 16, 17, 18, 19, 20]);\n\nvar ATTRIBUTES_WATCHED_FOR_MUTATION = ['class', 'data-prefix', 'data-icon', 'data-fa-transform', 'data-fa-mask'];\n\nvar RESERVED_CLASSES = ['xs', 'sm', 'lg', 'fw', 'ul', 'li', 'border', 'pull-left', 'pull-right', 'spin', 'pulse', 'rotate-90', 'rotate-180', 'rotate-270', 'flip-horizontal', 'flip-vertical', 'stack', 'stack-1x', 'stack-2x', 'inverse', 'layers', 'layers-text', 'layers-counter'].concat(oneToTen.map(function (n) {\n  return n + 'x';\n})).concat(oneToTwenty.map(function (n) {\n  return 'w-' + n;\n}));\n\nvar classCallCheck = function (instance, Constructor) {\n  if (!(instance instanceof Constructor)) {\n    throw new TypeError(\"Cannot call a class as a function\");\n  }\n};\n\nvar createClass = function () {\n  function defineProperties(target, props) {\n    for (var i = 0;

i < props.length; i++) {\n     var descriptor = props[i];\n     descriptor.enumerable = descriptor.enumerable || false;\n     descriptor.configurable = true;\n     if (\"value\" in descriptor) descriptor.writable = true;\n     Object.defineProperty(target, descriptor.key, descriptor);\n   }\n  }\n\n   return function (Constructor, protoProps, staticProps) {\n   if (protoProps) defineProperties(Constructor.prototype, protoProps);\n   if (staticProps) defineProperties(Constructor, staticProps);\n   return Constructor;\n  };\n}();\n\n\nvar _extends = Object.assign || function (target) {\n   for (var i = 1; i < arguments.length; i++) {\n   var source = arguments[i];\n\n   for (var key in source) {\n     if (Object.prototype.hasOwnProperty.call(source, key)) {\n       target[key] = source[key];\n     }\n   }\n  }\n\n   return target;\n};\n\n\n\nvar slicedToArray = function () {\n  function sliceIterator(arr, i) {\n   var _arr = [];\n   var _n = true;\n   var _d = false;\n   var _e = undefined;\n\n   try {\n     for (var _i = arr[Symbol.iterator](), _s; !(_n = (_s = _i.next()).done); _n = true) {\n       _arr.push(_s.value);\n\n       if (i && _arr.length === i) break;\n     }\n   } catch (err) {\n     _d = true;\n     _e = err;\n   } finally {\n     try {\n       if (!_n && _i[\"return\"]) _i[\"return\"]();\n     } finally {\n       if (_d) throw _e;\n     }\n   }\n\n   return _arr;\n  }\n\n  return function (arr, i) {\n   if (Array.isArray(arr)) {\n     return arr;\n   } else if (Symbol.iterator in Object(arr)) {\n     return sliceIterator(arr, i);\n   } else {\n     throw new TypeError(\"Invalid attempt to destructure non-iterable instance\");\n   }\n  };\n}();\n\nvar toConsumableArray = function (arr) {\n  if (Array.isArray(arr)) {\n   for (var i = 0, arr2 = Array(arr.length); i < arr.length; i++) arr2[i] = arr[i];\n\n   return arr2;\n  } else {\n   return Array.from(arr);\n  }\n};\n\nvar initial = WINDOW.FontAwesomeConfig || {};\n\nfunction getAttrConfig(attr) {\n  var element = DOCUMENT.querySelector('script[' + attr + ']');\n\n  if (element) {\n   return element.getAttribute(attr);\n  }\n}\n\nfunction coerce(val) {\n  // Getting an empty string will occur if the attribute is set on the HTML tag but without a value\n  // We'll assume that this is an indication that it should be toggled to true\n  // For example <script data-search-pseudo-elements src=\"...\"></script>\n  if (val === '') return true;\n  if (val === 'false') return false;\n  if (val === 'true') return true;\n  return val;\n}\n\nif (DOCUMENT && typeof DOCUMENT.querySelector === 'function') {\n  var attrs = [['data-family-prefix', 'familyPrefix'], ['data-replacement-class', 'replacementClass'], ['data-auto-replace-svg', 'autoReplaceSvg'], ['data-auto-add-css', 'autoAddCss'], ['data-auto-a11y', 'autoA11y'], ['data-search-pseudo-elements', 'searchPseudoElements'], ['data-observe-mutations', 'observeMutations'], ['data-keep-original-source', 'keepOriginalSource'], ['data-measure-performance', 'measurePerformance'], ['data-show-missing-icons', 'showMissingIcons']];\n\n  attrs.forEach(function (_ref) {\n   var _ref2 = slicedToArray(_ref, 2),\n       attr = _ref2[0],\n       key = _ref2[1];\n\n   var val = coerce(getAttrConfig(attr));\n\n   if (val !== undefined && val !== null) {\n     initial[key] = val;\n   }\n  });\n}\n\nvar _default = _extends({\n  familyPrefix: DEFAULT_FAMILY_PREFIX,\n  replacementClass: DEFAULT_REPLACEMENT_CLASS,\n  autoReplaceSvg: true,\n  autoAddCss: true,\n  autoA11y: true,\n  searchPseudoElements: false,\n  observeMutations: true,\n  keepOriginalSource: true,\n  measurePerformance: false,\n  showMissingIcons: true\n}, initial);\n\nif (!_default.autoReplaceSvg) _default.observeMutations = false;\n\nvar config = _extends({}, _default);\n\nWINDOW.FontAwesomeConfig = config;\n\nvar w = WINDOW || {};\n\nif (!w[NAMESPACE_IDENTIFIER]) w[NAMESPACE_IDENTIFIER] = {};\nif (!w[NAMESPACE_IDENTIFIER].styles) w[NAMESPACE_IDENTIFIER].styles = {};\nif (!w[NAMESPACE_IDENTIFIER].hooks) w[NAMESPACE_IDENTIFIER].hooks = {};\nif (!w[NAMESPACE_IDENTIFIER].shims) w[NAMESPACE_IDENTIFIER].shims = [];\n\nvar namespace = w[NAMESPACE_IDENTIFIER];\n\nvar functions = [];\nvar listener = function listener() {\n  DOCUMENT.removeEventListener('DOMContentLoaded', listener);\n  loaded = 1;\n  functions.map(function (fn) {\n   return fn();\n  });\n};\n\nvar loaded = false;\n\nif (IS_DOM) {\n  loaded = (DOCUMENT.documentElement.doScroll ? /^loaded|^c/ : /^loaded|^i|^c/).test(DOCUMENT.readyState);\n\n  if (!loaded) DOCUMENT.addEventListener('DOMContentLoaded', listener);\n}\n\nvar domready = function (fn) {\n  if (!IS_DOM) return;\n  loaded ? setTimeout(fn, 0) : functions.push(fn);\n};\n\nvar d = UNITS_IN_GRID;\n\nvar meaninglessTransform = {\n  size: 16,\n  x: 0,\n  y: 0,\n  rotate: 0,\n  flipX: false,\n  flipY: false\n};\n\nfunction isReserved(name) {\n  return ~RESERVED_CLASSES.indexOf(name);\n}\n\n\nfunction insertCss(css) {\n  if (!css || !IS_DOM) {\n   return;\n  }\n\n  var style = DOCUMENT.createElement('style');\n  style.setAttribute('type', 'text/css');\n  style.innerHTML = css;\n\n  var headChildren = DOCUMENT.head.childNodes;\n  var beforeChild =

```
null;\n\n  for (var i = headChildren.length - 1; i > -1; i--) {\n    var child = headChildren[i];\n    var tagName = (child.tagName || '').toUpperCase();\n    if (['STYLE', 'LINK'].indexOf(tagName) > -1) {\n      beforeChild = child;\n    }\n  }\n\n  DOCUMENT.head.insertBefore(style, beforeChild);\n\n  return css;\n}\n\nvar idPool = '0123456789abcdefghijklmnopqrstuvwxyzABCDEFGHIJKLMNOPQRSTUVWXYZ';\n\nfunction nextUniqueId() {\n  var size = 12;\n  var id = '';\n  while (size-- > 0) {\n    id += idPool[Math.random() * 62 | 0];\n  }\n  return id;\n}\n\nfunction toArray(obj) {\n  var array = [];\n\n  for (var i = (obj || []).length >>> 0; i--;) {\n    array[i] = obj[i];\n  }\n\n  return array;\n}\n\nfunction classArray(node) {\n  if (node.classList) {\n    return toArray(node.classList);\n  } else {\n    return (node.getAttribute('class') || '').split(' ').filter(function (i) {\n      return i;\n    });\n  }\n}\n\nfunction getIconName(familyPrefix, cls) {\n  var parts = cls.split('-');\n  var prefix = parts[0];\n  var iconName = parts.slice(1).join('-');\n\n  if (prefix === familyPrefix && iconName !== '' && !isReserved(iconName)) {\n    return iconName;\n  } else {\n    return null;\n  }\n}\n\nfunction htmlEscape(str) {\n  return ('' + str).replace(/&/g, '&amp;').replace(/\"/g, '&quot;').replace(/'/g, '&#39;').replace(/</g, '&lt;').replace(/>/g, '&gt;');\n}\n\nfunction joinAttributes(attributes) {\n  return Object.keys(attributes || {}).reduce(function (acc, attributeName) {\n    return acc + (attributeName + '=\"' + htmlEscape(attributes[attributeName]) + '\" ');\n  }, '').trim();\n}\n\nfunction joinStyles(styles) {\n  return Object.keys(styles || {}).reduce(function (acc, styleName) {\n    return acc + (styleName + ': ' + styles[styleName] + ';');\n  }, '');\n}\n\nfunction transformIsMeaningful(transform) {\n  return transform.size !== meaninglessTransform.size || transform.x !== meaninglessTransform.x || transform.y !== meaninglessTransform.y || transform.rotate !== meaninglessTransform.rotate || transform.flipX || transform.flipY;\n}\n\nfunction transformForSvg(_ref) {\n  var transform = _ref.transform,\n      containerWidth = _ref.containerWidth,\n      iconWidth = _ref.iconWidth;\n\n  var outer = {\n    transform: 'translate(' + containerWidth / 2 + ' 256)'\n  };\n  var innerTranslate = 'translate(' + transform.x * 32 + ', ' + transform.y * 32 + ') ';\n  var innerScale = 'scale(' + transform.size / 16 * (transform.flipX ? -1 : 1) + ', ' + transform.size / 16 * (transform.flipY ? -1 : 1) + ') ';\n  var innerRotate = 'rotate(' + transform.rotate + ' 0 0)';\n  var inner = {\n    transform: innerTranslate + ' ' + innerScale + ' ' + innerRotate\n  };\n  var path = {\n    transform: 'translate(' + iconWidth / 2 * -1 + ' -256)'\n  };\n  return {\n    outer: outer,\n    inner: inner,\n    path: path\n  };\n}\n\nfunction transformForCss(_ref2) {\n  var transform = _ref2.transform,\n      _ref2$width = _ref2.width,\n      width = _ref2$width === undefined ? UNITS_IN_GRID : _ref2$width,\n      _ref2$height = _ref2.height,\n      height = _ref2$height === undefined ? UNITS_IN_GRID : _ref2$height,\n      _ref2$startCentered = _ref2.startCentered,\n      startCentered = _ref2$startCentered === undefined ? false : _ref2$startCentered;\n\n  var val = '';\n\n  if (startCentered && IS_IE) {\n    val += 'translate(' + (transform.x / d - width / 2) + 'em, ' + (transform.y / d - height / 2) + 'em) ';\n  } else if (startCentered) {\n    val += 'translate(calc(-50% + ' + transform.x / d + 'em), calc(-50% + ' + transform.y / d + 'em)) ';\n  } else {\n    val += 'translate(' + transform.x / d + 'em, ' + transform.y / d + 'em) ';\n  }\n\n  val += 'scale(' + transform.size / d * (transform.flipX ? -1 : 1) + ', ' + transform.size / d * (transform.flipY ? -1 : 1) + ') ';\n  val += 'rotate(' + transform.rotate + 'deg) ';\n\n  return val;\n}\n\nvar ALL_SPACE = {\n  x: 0,\n  y: 0,\n  width: '100%',\n  height: '100%'\n};\n\nvar makeIconMasking = function (_ref) {\n  var children = _ref.children,\n      attributes = _ref.attributes,\n      main = _ref.main,\n      mask = _ref.mask,\n      transform = _ref.transform;\n  var mainWidth = main.width,\n      mainPath = main.icon;\n  var maskWidth = mask.width,\n      maskPath = mask.icon;\n\n  var trans = transformForSvg({ transform: transform, containerWidth: maskWidth, iconWidth: mainWidth });\n\n  var maskRect = {\n    tag: 'rect',\n    attributes: _extends({}, ALL_SPACE, {\n      fill: 'white'\n    })\n  };\n  var maskInnerGroup = {\n    tag: 'g',\n    attributes: _extends({}, trans.inner),\n    children: [{ tag: 'path', attributes: _extends({}, mainPath.attributes, trans.path, { fill: 'black' }) }]\n  };\n  var maskOuterGroup = {\n    tag: 'g',\n    attributes: _extends({}, trans.outer),\n    children: [maskInnerGroup]\n  };\n  var maskId = 'mask-' + nextUniqueId();\n  var clipId = 'clip-' + nextUniqueId();\n  var maskTag = {\n    tag: 'mask',\n    attributes: _extends({}, ALL_SPACE, {\n      id: maskId,\n      maskUnits: 'userSpaceOnUse',\n      maskContentUnits: 'userSpaceOnUse'\n    }),\n    children: [maskRect, maskOuterGroup]\n  };\n  var defs = {\n    tag: 'defs',\n    children: [{ tag: 'clipPath', attributes: { id: clipId }, children: [maskPath] }, maskTag]\n  };\n\n  children.push(defs, { tag: 'rect', attributes: _extends({ fill: 'currentColor', 'clip-path': 'url(#' + clipId + ')', mask: 'url(#' + maskId + ')' }, ALL_SPACE) });\n\n  return {\n    children: children,\n    attributes: attributes\n  };\n};\n\nvar makeIconStandard =
```

```
function (_ref) {\n  var children = _ref.children,\n      attributes = _ref.attributes,\n      main = _ref.main,\n
transform = _ref.transform,\n      styles = _ref.styles;\n\n  var styleString = joinStyles(styles);\n\n  if
(styleString.length > 0) {\n    attributes['style'] = styleString;\n  }\n\n  if (transformIsMeaningful(transform)) {\n
var trans = transformForSvg({ transform: transform, containerWidth: main.width, iconWidth: main.width });\n
children.push({\n      tag: 'g',\n      attributes: _extends({}, trans.outer),\n      children: [{\n        tag: 'g',\n
attributes: _extends({}, trans.inner),\n        children: [{\n          tag: main.icon.tag,\n          children:
main.icon.children,\n          attributes: _extends({}, main.icon.attributes, trans.path)\n        }]\n      }]\n    });\n  } else
{\n    children.push(main.icon);\n  }\n\n  return {\n    children: children,\n    attributes: attributes\n  };\n};\n\nvar
asIcon = function (_ref) {\n  var children = _ref.children,\n      main = _ref.main,\n      mask = _ref.mask,\n
attributes = _ref.attributes,\n      styles = _ref.styles,\n      transform = _ref.transform;\n\n  if
(transformIsMeaningful(transform) && main.found && !mask.found) {\n    var width = main.width,\n        height =
main.height;\n\n    var offset = {\n      x: width / height / 2,\n      y: 0.5\n    };\n    attributes['style'] =
joinStyles(_extends({}, styles, {\n      'transform-origin': offset.x + transform.x / 16 + 'em ' + (offset.y + transform.y /
16) + 'em'\n    }));\n  }\n\n  return [{\n    tag: 'svg',\n    attributes: attributes,\n    children: children\n  }];\n};\n\nvar
asSymbol = function (_ref) {\n  var prefix = _ref.prefix,\n      iconName = _ref.iconName,\n      children =
_ref.children,\n      attributes = _ref.attributes,\n      symbol = _ref.symbol;\n\n  var id = symbol === true ? prefix + '-
' + config.familyPrefix + '-' + iconName : symbol;\n\n  return [{\n    tag: 'svg',\n    attributes: {\n      style: 'display:
none;'\n    },\n    children: [{\n      tag: 'symbol',\n      attributes: _extends({}, attributes, { id: id }),\n      children:
children\n    }]\n  }];\n};\n\nfunction makeInlineSvgAbstract(params) {\n  var _params$icons = params.icons,\n
main = _params$icons.main,\n      mask = _params$icons.mask,\n      prefix = params.prefix,\n      iconName =
params.iconName,\n      transform = params.transform,\n      symbol = params.symbol,\n      title = params.title,\n
extra = params.extra,\n      _params$watchable = params.watchable,\n      watchable = _params$watchable ===
undefined ? false : _params$watchable;\n\n  var _ref = mask.found ? mask : main,\n      width = _ref.width,\n
height = _ref.height;\n\n  var widthClass = 'fa-w-' + Math.ceil(width / height * 16);\n  var attrClass =
[config.replacementClass, iconName ? config.familyPrefix + '-' + iconName : '', widthClass].filter(function (c) {\n
return extra.classes.indexOf(c) === -1;\n  }).concat(extra.classes).join(' ');\n\n  var content = {\n    children: [],\n
attributes: _extends({}, extra.attributes, {\n      'data-prefix': prefix,\n      'data-icon': iconName,\n      'class':
attrClass,\n      'role': 'img',\n      'xmlns': 'http://www.w3.org/2000/svg',\n      'viewBox': '0 0 ' + width + ' ' + height\n
})\n  };\n\n  if (watchable) {\n    content.attributes[DATA_FA_I2SVG] = '';\n  }\n\n  if (title)
content.children.push({ tag: 'title', attributes: { id: content.attributes['aria-labelledby'] || 'title-' + nextUniqueId() },
children: [title] });\n\n  var args = _extends({}, content, {\n    prefix: prefix,\n    iconName: iconName,\n    main:
main,\n    mask: mask,\n    transform: transform,\n    symbol: symbol,\n    styles: extra.styles\n  });\n\n  var _ref2 =
mask.found && main.found ? makeIconMasking(args) : makeIconStandard(args),\n      children = _ref2.children,\n
attributes = _ref2.attributes;\n\n  args.children = children;\n  args.attributes = attributes;\n\n  if (symbol) {\n
return asSymbol(args);\n  } else {\n    return asIcon(args);\n  }\n}\n\nfunction makeLayersTextAbstract(params) {\n
var content = params.content,\n      width = params.width,\n      height = params.height,\n      transform =
params.transform,\n      title = params.title,\n      extra = params.extra,\n      _params$watchable2 =
params.watchable,\n      watchable = _params$watchable2 === undefined ? false : _params$watchable2;\n\n  var
attributes = _extends({}, extra.attributes, title ? { 'title': title } : {}, {\n    'class': extra.classes.join(' ')\n  });\n\n  if
(watchable) {\n    attributes[DATA_FA_I2SVG] = '';\n  }\n\n  var styles = _extends({}, extra.styles);\n\n  if
(transformIsMeaningful(transform)) {\n    styles['transform'] = transformForCss({ transform: transform,
startCentered: true, width: width, height: height });\n    styles['-webkit-transform'] = styles['transform'];\n  }\n\n  var
styleString = joinStyles(styles);\n\n  if (styleString.length > 0) {\n    attributes['style'] = styleString;\n  }\n\n  var val
= [];\n\n  val.push({\n    tag: 'span',\n    attributes: attributes,\n    children: [content]\n  });\n\n  if (title) {\n
val.push({ tag: 'span', attributes: { class: 'sr-only' }, children: [title] });\n  }\n\n  return val;\n}\n\nfunction
makeLayersCounterAbstract(params) {\n  var content = params.content,\n      title = params.title,\n      extra =
params.extra;\n\n  var attributes = _extends({}, extra.attributes, title ? { 'title': title } : {}, {\n    'class':
extra.classes.join(' ')\n  });\n\n  var styleString = joinStyles(extra.styles);\n\n  if (styleString.length > 0) {\n
```

attributes['style'] = styleString;\n }\n\n var val = [];\n\n val.push({\n   tag: 'span',\n   attributes: attributes,\n children: [content]\n });\n\n if (title) {\n   val.push({ tag: 'span', attributes: { class: 'sr-only' }, children: [title] });\n }\n\n return val;\n}\n\nvar noop$2 = function noop() {};\nvar p = config.measurePerformance && PERFORMANCE && PERFORMANCE.mark && PERFORMANCE.measure ? PERFORMANCE : { mark: noop$2, measure: noop$2 };\nvar preamble = 'FA \"5.5.0\"';\nvar begin = function begin(name) {\n p.mark(preamble + ' ' + name + ' begins');\n return function () {\n   return end(name);\n };\n};\n\nvar end = function end(name) {\n p.mark(preamble + ' ' + name + ' ends');\n p.measure(preamble + ' ' + name, preamble + ' ' + name + ' begins', preamble + ' ' + name + ' ends');\n};\n\nvar perf = { begin: begin, end: end };\n\n'use strict';\n\n/**\n * Internal helper to bind a function known to have 4 arguments\n * to a given context.\n */\nvar bindInternal4 = function bindInternal4 (func, thisContext) {\n return function (a, b, c, d) {\n   return func.call(thisContext, a, b, c, d);\n };\n};\n\n'use strict';\n\n\n\n/**\n * # Reduce\n *\n * A fast object `.reduce()` implementation.\n *\n * @param {Object}   subject   The object to reduce over.\n * @param {Function} fn   The reducer function.\n * @param {mixed}   initialValue The initial value for the reducer, defaults to subject[0].\n * @param {Object}   thisContext The context for the reducer.\n * @return {mixed}   The final result.\n */\nvar reduce = function fastReduceObject (subject, fn, initialValue, thisContext) {\n var keys = Object.keys(subject),\n   length = keys.length,\n   iterator = thisContext !== undefined ? bindInternal4(fn, thisContext) : fn,\n   i, key, result;\n\n if (initialValue === undefined) {\n   i = 1;\n   result = subject[keys[0]];\n }\n else {\n   i = 0;\n   result = initialValue;\n }\n\n for (; i < length; i++) {\n   key = keys[i];\n   result = iterator(result, subject[key], key, subject);\n }\n\n return result;\n};\n\nvar styles$2 = namespace.styles;\nvar shims = namespace.shims;\n\n\nvar _byUnicode = {};\nvar _byLigature = {};\nvar _byOldName = {};\nvar build = function build() {\n var lookup = function lookup(reducer) {\n   return reduce(styles$2, function (o, style, prefix) {\n   o[prefix] = reduce(style, reducer, {});\n   return o;\n   }, {});\n };\n\n _byUnicode = lookup(function (acc, icon, iconName) {\n   acc[icon[3]] = iconName;\n\n   return acc;\n });\n\n _byLigature = lookup(function (acc, icon, iconName) {\n   var ligatures = icon[2];\n\n   acc[iconName] = iconName;\n   ligatures.forEach(function (ligature) {\n   acc[ligature] = iconName;\n   });\n   return acc;\n });\n\n var hasRegular = 'far' in styles$2;\n\n _byOldName = reduce(shims, function (acc, shim) {\n   var oldName = shim[0];\n   var prefix = shim[1];\n   var iconName = shim[2];\n\n   if (prefix === 'far' && !hasRegular) {\n   prefix = 'fas';\n   }\n\n   acc[oldName] = { prefix: prefix, iconName: iconName };\n\n   return acc;\n }, {});\n};\n\nbuild();\n\nfunction byUnicode(prefix, unicode) {\n return _byUnicode[prefix][unicode];\n}\n\nfunction byLigature(prefix, ligature) {\n return _byLigature[prefix][ligature];\n}\n\nfunction byOldName(name) {\n return _byOldName[name] || { prefix: null, iconName: null };\n}\n\nvar styles$1 = namespace.styles;\n\n\nvar emptyCanonicalIcon = function emptyCanonicalIcon() {\n return { prefix: null, iconName: null, rest: [] };\n};\n\nfunction getCanonicalIcon(values) {\n return values.reduce(function (acc, cls) {\n   var iconName = getIconName(config.familyPrefix, cls);\n\n   if (styles$1[cls]) {\n   acc.prefix = cls;\n   } else if (iconName) {\n   var shim = acc.prefix === 'fa' ? byOldName(iconName) : {};\n\n   acc.iconName = shim.iconName || iconName;\n   acc.prefix = shim.prefix || acc.prefix;\n   } else if (cls !== config.replacementClass && cls.indexOf('fa-w-') !== 0) {\n   acc.rest.push(cls);\n   }\n\n   return acc;\n }, emptyCanonicalIcon());\n}\n\nfunction iconFromMapping(mapping, prefix, iconName) {\n if (mapping && mapping[prefix] && mapping[prefix][iconName]) {\n   return {\n   prefix: prefix,\n   iconName: iconName,\n   icon: mapping[prefix][iconName]\n   };\n }\n}\n\nfunction toHtml(abstractNodes) {\n var tag = abstractNodes.tag,\n   _abstractNodes$attrib = abstractNodes.attributes,\n   attributes = _abstractNodes$attrib === undefined ? {} : _abstractNodes$attrib,\n   _abstractNodes$childr = abstractNodes.children,\n   children = _abstractNodes$childr === undefined ? [] : _abstractNodes$childr;\n\n if (typeof abstractNodes === 'string') {\n   return htmlEscape(abstractNodes);\n } else {\n   return '<' + tag + ' ' + joinAttributes(attributes) + '>' + children.map(toHtml).join('') + '</' + tag + '>';\n }\n}\n\nvar noop$1 = function noop() {};\n\nfunction isWatched(node) {\n var i2svg = node.getAttribute ? node.getAttribute(DATA_FA_I2SVG) : null;\n\n return typeof i2svg === 'string';\n}\n\nfunction getMutator() {\n if (config.autoReplaceSvg === true) {\n   return mutators.replace;\n }\n\n var mutator = mutators[config.autoReplaceSvg];\n\n return mutator || mutators.replace;\n}\n\nvar mutators = {\n replace: function replace(mutation) {\n   var node = mutation[0];\n   var

```
abstract = mutation[1];\n    var newOuterHTML = abstract.map(function (a) {\n      return toHtml(a);\n
}).join('\\n');\n\n    if (node.parentNode && node.outerHTML) {\n      node.outerHTML = newOuterHTML +
(config.keepOriginalSource && node.tagName.toLowerCase() !== 'svg' ? '<!-- ' + node.outerHTML + ' -->' : '');\n
} else if (node.parentNode) {\n      var newNode = document.createElement('span');\n
node.parentNode.replaceChild(newNode, node);\n      newNode.outerHTML = newOuterHTML;\n    }\n  },\n  nest:
function nest(mutation) {\n    var node = mutation[0];\n    var abstract = mutation[1];\n\n    // If we already have a
replaced node we do not want to continue nesting within it.\n    // Short-circuit to the standard replacement\n    if
(~classArray(node).indexOf(config.replacementClass)) {\n      return mutators.replace(mutation);\n    }\n\n    var
forSvg = new RegExp(config.familyPrefix + '-.*');\n\n    delete abstract[0].attributes.style;\n\n    var splitClasses =
abstract[0].attributes.class.split(' ').reduce(function (acc, cls) {\n      if (cls === config.replacementClass ||
cls.match(forSvg)) {\n        acc.toSvg.push(cls);\n      } else {\n        acc.toNode.push(cls);\n      }\n\n      return acc;\n
}, { toNode: [], toSvg: [] });\n\n    abstract[0].attributes.class = splitClasses.toSvg.join(' ');\n\n    var
newInnerHTML = abstract.map(function (a) {\n      return toHtml(a);\n    }).join('\\n');\n    node.setAttribute('class',
splitClasses.toNode.join(' '));\n    node.setAttribute(DATA_FA_I2SVG, '');\n    node.innerHTML =
newInnerHTML;\n  }\n};\n\nfunction perform(mutations, callback) {\n  var callbackFunction = typeof callback ===
'function' ? callback : noop$1;\n\n  if (mutations.length === 0) {\n    callbackFunction();\n  } else {\n    var frame =
WINDOW.requestAnimationFrame || function (op) {\n      return op();\n    };\n\n    frame(function () {\n      var
mutator = getMutator();\n      var mark = perf.begin('mutate');\n\n      mutations.map(mutator);\n\n      mark();\n\n
callbackFunction();\n    });\n  }\n}\n\nvar disabled = false;\nfunction disableObservation(operation) {\n  disabled
= true;\n  operation();\n  disabled = false;\n}\n\nvar mo = null;\nfunction observe(options) {\n  if
(!MUTATION_OBSERVER) {\n    return;\n  }\n\n  if (!config.observeMutations) {\n    return;\n  }\n\n  var
treeCallback = options.treeCallback,\n      nodeCallback = options.nodeCallback,\n      pseudoElementsCallback =
options.pseudoElementsCallback,\n      _options$observeMutat = options.observeMutationsRoot,\n
observeMutationsRoot = _options$observeMutat === undefined ? DOCUMENT.body :
_options$observeMutat;\n\n  mo = new MUTATION_OBSERVER(function (objects) {\n    if (disabled)
return;\n\n    toArray(objects).forEach(function (mutationRecord) {\n      if (mutationRecord.type === 'childList'
&& mutationRecord.addedNodes.length > 0 && !isWatched(mutationRecord.addedNodes[0])) {\n        if
(config.searchPseudoElements) {\n          pseudoElementsCallback(mutationRecord.target);\n        }\n\n
treeCallback(mutationRecord.target);\n      }\n\n      if (mutationRecord.type === 'attributes' &&
mutationRecord.target.parentNode && config.searchPseudoElements) {\n
pseudoElementsCallback(mutationRecord.target.parentNode);\n      }\n\n      if (mutationRecord.type === 'attributes'
&& isWatched(mutationRecord.target) &&
~ATTRIBUTES_WATCHED_FOR_MUTATION.indexOf(mutationRecord.attributeName)) {\n        if
(mutationRecord.attributeName === 'class') {\n          var _getCanonicalIcon =
getCanonicalIcon(classArray(mutationRecord.target)),\n              prefix = _getCanonicalIcon.prefix,\n
iconName = _getCanonicalIcon.iconName;\n\n          if (prefix) mutationRecord.target.setAttribute('data-prefix',
prefix);\n          if (iconName) mutationRecord.target.setAttribute('data-icon', iconName);\n        } else {\n
nodeCallback(mutationRecord.target);\n        }\n      }\n    });\n  });\n\n  if (!IS_DOM) return;\n\n
mo.observe(observeMutationsRoot, {\n    childList: true, attributes: true, characterData: true, subtree: true\n
});\n}\n\nfunction disconnect() {\n  if (!mo) return;\n\n  mo.disconnect();\n}\n\nvar styleParser = function (node) {\n
var style = node.getAttribute('style');\n\n  var val = [];\n\n  if (style) {\n    val = style.split(';').reduce(function (acc,
style) {\n      var styles = style.split(':');\n      var prop = styles[0];\n      var value = styles.slice(1);\n\n      if (prop &&
value.length > 0) {\n        acc[prop] = value.join(':').trim();\n      }\n\n      return acc;\n    }, {});\n  }\n\n  return
val;\n};\n\nfunction toHex(unicode) {\n  var result = '';\n\n  for (var i = 0; i < unicode.length; i++) {\n    var hex =
unicode.charCodeAt(i).toString(16);\n    result += ('000' + hex).slice(-4);\n  }\n\n  return result;\n}\n\nvar
classParser = function (node) {\n  var existingPrefix = node.getAttribute('data-prefix');\n  var existingIconName =
node.getAttribute('data-icon');\n  var innerText = node.innerText !== undefined ? node.innerText.trim() : '';\n\n  var
val = getCanonicalIcon(classArray(node));\n\n  if (existingPrefix && existingIconName) {\n    val.prefix =
```

existingPrefix;\n   val.iconName = existingIconName;\n }\n\n if (val.prefix && innerText.length > 1) {\n   val.iconName = byLigature(val.prefix, node.innerText);\n } else if (val.prefix && innerText.length === 1) {\n   val.iconName = byUnicode(val.prefix, toHex(node.innerText));\n }\n\n return val;\n};\n\nvar parseTransformString = function parseTransformString(transformString) {\n var transform = {\n   size: 16,\n   x: 0,\n   y: 0,\n   flipX: false,\n   flipY: false,\n   rotate: 0\n };\n\n if (!transformString) {\n   return transform;\n } else {\n   return transformString.toLowerCase().split(' ').reduce(function (acc, n) {\n   var parts = n.toLowerCase().split('-');\n   var first = parts[0];\n   var rest = parts.slice(1).join('-');\n\n   if (first && rest === 'h') {\n   acc.flipX = true;\n   return acc;\n   }\n\n   if (first && rest === 'v') {\n   acc.flipY = true;\n   return acc;\n   }\n\n   rest = parseFloat(rest);\n\n   if (isNaN(rest)) {\n   return acc;\n   }\n\n   switch (first) {\n   case 'grow':\n   acc.size = acc.size + rest;\n   break;\n   case 'shrink':\n   acc.size = acc.size - rest;\n   break;\n   case 'left':\n   acc.x = acc.x - rest;\n   break;\n   case 'right':\n   acc.x = acc.x + rest;\n   break;\n   case 'up':\n   acc.y = acc.y - rest;\n   break;\n   case 'down':\n   acc.y = acc.y + rest;\n   break;\n   case 'rotate':\n   acc.rotate = acc.rotate + rest;\n   break;\n   }\n\n   return acc;\n   }, transform);\n }\n};\n\nvar transformParser = function (node) {\n return parseTransformString(node.getAttribute('data-fa-transform'));\n};\n\nvar symbolParser = function (node) {\n var symbol = node.getAttribute('data-fa-symbol');\n\n return symbol === null ? false : symbol === '' ? true : symbol;\n};\n\nvar attributesParser = function (node) {\n var extraAttributes = toArray(node.attributes).reduce(function (acc, attr) {\n   if (acc.name !== 'class' && acc.name !== 'style') {\n   acc[attr.name] = attr.value;\n   }\n   return acc;\n }, {});\n\n var title = node.getAttribute('title');\n\n if (config.autoA11y) {\n   if (title) {\n   extraAttributes['aria-labelledby'] = config.replacementClass + '-title-' + nextUniqueId();\n   } else {\n   extraAttributes['aria-hidden'] = 'true';\n   }\n }\n\n return extraAttributes;\n};\n\nvar maskParser = function (node) {\n var mask = node.getAttribute('data-fa-mask');\n\n if (!mask) {\n   return emptyCanonicalIcon();\n } else {\n   return getCanonicalIcon(mask.split(' ').map(function (i) {\n   return i.trim();\n   }));\n }\n};\n\nvar blankMeta = {\n iconName: null,\n title: null,\n prefix: null,\n transform: meaninglessTransform,\n symbol: false,\n mask: null,\n extra: { classes: [], styles: {}, attributes: {} }\n};\n\nfunction parseMeta(node) {\n var _classParser = classParser(node),\n   iconName = _classParser.iconName,\n   prefix = _classParser.prefix,\n   extraClasses = _classParser.rest;\n\n var extraStyles = styleParser(node);\n var transform = transformParser(node);\n var symbol = symbolParser(node);\n var extraAttributes = attributesParser(node);\n var mask = maskParser(node);\n\n return {\n   iconName: iconName,\n   title: node.getAttribute('title'),\n   prefix: prefix,\n   transform: transform,\n   symbol: symbol,\n   mask: mask,\n   extra: {\n   classes: extraClasses,\n   styles: extraStyles,\n   attributes: extraAttributes\n   }\n };\n}\n\nfunction MissingIcon(error) {\n this.name = 'MissingIcon';\n this.message = error || 'Icon unavailable';\n this.stack = new Error().stack;\n}\n\nMissingIcon.prototype = Object.create(Error.prototype);\nMissingIcon.prototype.constructor = MissingIcon;\n\nvar FILL = { fill: 'currentColor' };\nvar ANIMATION_BASE = {\n attributeType: 'XML',\n repeatCount: 'indefinite',\n dur: '2s'\n};\nvar RING = {\n tag: 'path',\n attributes: _extends({}, FILL, {\n   d: 'M156.5,447.7l-12.6,29.5c-18.7-9.5-35.9-21.2-51.5-34.9l22.7-22.7C127.6,430.5,141.5,440,156.5,447.7z M40.6,272H8.5 c1.4,21.2,5.4,41.7,11.7,61.1L50,321.2C45.1,305.5,41.8,289,40.6,272z M40.6,240c1.4-18.8,5.2-37,11.1-54.1l-29.5-12.6 C14.7,194.3,10,216.7,8.5,240H40.6z M64.3,156.5c7.8-14.9,17.2-28.8,28.1-41.5L69.7,92.3c-13.7,15.6-25.5,32.8-34.9,51.5 L64.3,156.5z M397,419.6c-13.9,12-29.4,22.3-46.1,30.4l11.9,29.8c20.7-9.9,39.8-22.6,56.9-37.6L397,419.6z M115,92.4 c13.9-12,29.4-22.3,46.1-30.4l-11.9-29.8c-20.7,9.9-39.8,22.6-56.8,37.6L115,92.4z M447.7,355.5c-7.8,14.9-17.2,28.8-28.1,41.5 l22.7,22.7c13.7-15.6,25.5-32.9,34.9-51.5L447.7,355.5z M471.4,272c-1.4,18.8-5.2,37-11.1,54.1l29.5,12.6 c7.5-21.1,12.2-43.5,13.6-66.8H471.4z M321.2,462c-15.7,5-32.2,8.2-49.2,9.4v32.1c21.2-1.4,41.7-5.4,61.1-11.7L321.2,462z M240,471.4c-18.8-1.4-37-5.2-54.1-11.1l-12.6,29.5c21.1,7.5,43.5,12.2,66.8,13.6V471.4z M462,190.8c5,15.7,8.2,32.2,9.4,49.2h32.1 c-1.4-21.2-5.4-41.7-11.7-61.1L462,190.8z M92.4,397c-12-13.9-22.3-29.4-30.4-46.1l-29.8,11.9c9.9,20.7,22.6,39.8,37.6,56.9 L92.4,397z M272,40.6c18.8,1.4,36.9,5.2,54.1,11.1l12.6-29.5C317.7,14.7,295.3,10,272,8.5V40.6z M190.8,50 c15.7-5,32.2-8.2,49.2-9.4V8.5c-21.2,1.4-41.7,5.4-61.1,11.7L190.8,50z M442.3,92.3L419.6,115c12,13.9,22.3,29.4,30.5,46.1 l29.8-'

11.9C470,128.5,457.3,109.4,442.3,92.3z M397,92.4l22.7-22.7c-15.6-13.7-32.8-25.5-51.5-34.9l-12.6,29.5 C370.4,72.1,384.4,81.5,397,92.4z'\n })\n}\n};\nvar OPACITY_ANIMATE = _extends({}, ANIMATION_BASE, {\n attributeName: 'opacity'\n});\nvar DOT = {\n tag: 'circle',\n attributes: _extends({}, FILL, {\n cx: '256',\n cy: '364',\n r: '28'\n }),\n children: [{ tag: 'animate', attributes: _extends({}, ANIMATION_BASE, { attributeName: 'r', values: '28;14;28;28;14;28;' }) }, { tag: 'animate', attributes: _extends({}, OPACITY_ANIMATE, { values: '1;0;1;1;0;1;' }) }]\n};\nvar QUESTION = {\n tag: 'path',\n attributes: _extends({}, FILL, {\n opacity: '1',\n d: 'M263.7,312h-16c-6.6,0-12-5.4-12-12c0-71,77.4-63.9,77.4-107.8c0-20-17.8-40.2-57.4-40.2c-29.1,0-44.3,9.6-59.2,28.7 c-3.9,5-11.1,6-16.2,2.4l-13.1-9.2c-5.6-3.9-6.9-11.8-2.6-17.2c21.2-27.2,46.4-44.7,91.2-44.7c52.3,0,97.4,29.8,97.4,80.2 c0,67.6-77.4,63.5-77.4,107.8C275.7,306.6,270.3,312,263.7,312z'\n }),\n children: [{ tag: 'animate', attributes: _extends({}, OPACITY_ANIMATE, { values: '1;0;0;0;0;1;' }) }]\n};\nvar EXCLAMATION = {\n tag: 'path',\n attributes: _extends({}, FILL, {\n opacity: '0',\n d: 'M232.5,134.5l7,168c0.3,6.4,5.6,11.5,12,11.5h9c6.4,0,11.7-5.1,12-11.5l7-168c0.3-6.8-5.2-12.5-12-12.5h-23 C237.7,122,232.2,127.7,232.5,134.5z'\n }),\n children: [{ tag: 'animate', attributes: _extends({}, OPACITY_ANIMATE, { values: '0;0;1;1;0;0;' }) }]\n};\n\nvar missing = { tag: 'g', children: [RING, DOT, QUESTION, EXCLAMATION] };\n\nvar styles = namespace.styles;\nvar LAYERS_TEXT_CLASSNAME = 'fa-layers-text';\nvar FONT_FAMILY_PATTERN = /Font Awesome 5 (Solid|Regular|Light|Brands|Free|Pro)/;\nvar STYLE_TO_PREFIX = {\n 'Solid': 'fas',\n 'Regular': 'far',\n 'Light': 'fal',\n 'Brands': 'fab'\n};\nvar FONT_WEIGHT_TO_PREFIX = {\n '900': 'fas',\n '400': 'far',\n '300': 'fal'\n};\n\nfunction findIcon(iconName, prefix) {\n var val = {\n found: false,\n width: 512,\n height: 512,\n icon: missing\n };\n\n if (iconName && prefix && styles[prefix] && styles[prefix][iconName]) {\n var icon = styles[prefix][iconName];\n var width = icon[0];\n var height = icon[1];\n var vectorData = icon.slice(4);\n\n val = {\n found: true,\n width: width,\n height: height,\n icon: { tag: 'path', attributes: { fill: 'currentColor', d: vectorData[0] } }\n };\n } else if (iconName && prefix && !config.showMissingIcons) {\n throw new MissingIcon('Icon is missing for prefix ' + prefix + ' with icon name ' + iconName);\n }\n\n return val;\n}\n\nfunction generateSvgReplacementMutation(node, nodeMeta) {\n var iconName = nodeMeta.iconName,\n title = nodeMeta.title,\n prefix = nodeMeta.prefix,\n transform = nodeMeta.transform,\n symbol = nodeMeta.symbol,\n mask = nodeMeta.mask,\n extra = nodeMeta.extra;\n\n return [node, makeInlineSvgAbstract({\n icons: {\n main: findIcon(iconName, prefix),\n mask: findIcon(mask.iconName, mask.prefix)\n },\n prefix: prefix,\n iconName: iconName,\n transform: transform,\n symbol: symbol,\n mask: mask,\n title: title,\n extra: extra,\n watchable: true\n })];\n}\n\nfunction generateLayersText(node, nodeMeta) {\n var title = nodeMeta.title,\n transform = nodeMeta.transform,\n extra = nodeMeta.extra;\n\n var width = null;\n var height = null;\n\n if (IS_IE) {\n var computedFontSize = parseInt(getComputedStyle(node).fontSize, 10);\n var boundingClientRect = node.getBoundingClientRect();\n width = boundingClientRect.width / computedFontSize;\n height = boundingClientRect.height / computedFontSize;\n }\n\n if (config.autoA11y && !title) {\n extra.attributes['aria-hidden'] = 'true';\n }\n\n return [node, makeLayersTextAbstract({\n content: node.innerHTML,\n width: width,\n height: height,\n transform: transform,\n title: title,\n extra: extra,\n watchable: true\n })];\n}\n\nfunction generateMutation(node) {\n var nodeMeta = parseMeta(node);\n\n if (~nodeMeta.extra.classes.indexOf(LAYERS_TEXT_CLASSNAME)) {\n return generateLayersText(node, nodeMeta);\n } else {\n return generateSvgReplacementMutation(node, nodeMeta);\n }\n}\n\nfunction searchPseudoElements(root) {\n if (!IS_DOM) return;\n\n var end = perf.begin('searchPseudoElements');\n\n disableObservation(function () {\n toArray(root.querySelectorAll('*')).filter(function (n) {\n return n.parentNode !== document.head && !~TAGNAMES_TO_SKIP_FOR_PSEUDOELEMENTS.indexOf(n.tagName.toUpperCase()) && !n.getAttribute(DATA_FA_PSEUDO_ELEMENT) && (!n.parentNode || n.parentNode.tagName !== 'svg');\n }).forEach(function (node) {\n [':before', ':after'].forEach(function (pos) {\n var children = toArray(node.children);\n var alreadyProcessedPseudoElement = children.filter(function (c) {\n return c.getAttribute(DATA_FA_PSEUDO_ELEMENT) === pos;\n })[0];\n\n var styles =

WINDOW.getComputedStyle(node, pos);\n   var fontFamily = styles.getPropertyValue('font-family').match(FONT_FAMILY_PATTERN);\n   var fontWeight = styles.getPropertyValue('font-weight');\n\n   if (alreadyProcessedPseudoElement && !fontFamily) {\n   // If we've already processed it but the current computed style does not result in a font-family,\n   // that probably means that a class name that was previously present to make the icon has been\n   // removed. So we now should delete the icon.\n   node.removeChild(alreadyProcessedPseudoElement);\n   } else if (fontFamily) {\n   var content = styles.getPropertyValue('content');\n   var prefix = ~['Light', 'Regular', 'Solid', 'Brands'].indexOf(fontFamily[1]) ? STYLE_TO_PREFIX[fontFamily[1]] : FONT_WEIGHT_TO_PREFIX[fontWeight];\n   var iconName = byUnicode(prefix, toHex(content.length === 3 ? content.substr(1, 1) : content));\n   // Only convert the pseudo element in this :before/:after position into an icon if we haven't\n   // already done so with the same prefix and iconName\n   if (!alreadyProcessedPseudoElement || alreadyProcessedPseudoElement.getAttribute(DATA_PREFIX) !== prefix || alreadyProcessedPseudoElement.getAttribute(DATA_ICON) !== iconName) {\n   if (alreadyProcessedPseudoElement) {\n   // Delete the old one, since we're replacing it with a new one\n   node.removeChild(alreadyProcessedPseudoElement);\n   }\n\n   var extra = blankMeta.extra;\n\n   extra.attributes[DATA_FA_PSEUDO_ELEMENT] = pos;\n   var abstract = makeInlineSvgAbstract(_extends({}, blankMeta, {\n   icons: {\n   main: findIcon(iconName, prefix),\n   mask: emptyCanonicalIcon()\n   },\n   prefix: prefix,\n   iconName: iconName,\n   extra: extra,\n   watchable: true\n   }));\n   var element = DOCUMENT.createElement('svg');\n\n   if (pos === ':before') {\n   node.insertBefore(element, node.firstChild);\n   } else {\n   node.appendChild(element);\n   }\n\n   element.outerHTML = abstract.map(function (a) {\n   return toHtml(a);\n   }).join('\n');\n   }\n   }\n   });\n   });\n }\n\n end();\n}\n\nfunction onTree(root) {\n var callback = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : null;\n\n if (!IS_DOM) return;\n\n var htmlClassList = DOCUMENT.documentElement.classList;\n var hclAdd = function hclAdd(suffix) {\n   return htmlClassList.add(HTML_CLASS_I2SVG_BASE_CLASS + '-' + suffix);\n };\n var hclRemove = function hclRemove(suffix) {\n   return htmlClassList.remove(HTML_CLASS_I2SVG_BASE_CLASS + '-' + suffix);\n };\n var prefixes = Object.keys(styles);\n var prefixesDomQuery = ['.' + LAYERS_TEXT_CLASSNAME + ':not([' + DATA_FA_I2SVG + '])'].concat(prefixes.map(function (p) {\n   return '.' + p + ':not([' + DATA_FA_I2SVG + '])';\n })).join(', ');\n\n if (prefixesDomQuery.length === 0) {\n   return;\n }\n\n var candidates = toArray(root.querySelectorAll(prefixesDomQuery));\n\n if (candidates.length > 0) {\n   hclAdd('pending');\n   hclRemove('complete');\n } else {\n   return;\n }\n\n var mark = perf.begin('onTree');\n\n var mutations = candidates.reduce(function (acc, node) {\n   try {\n   var mutation = generateMutation(node);\n\n   if (mutation) {\n   acc.push(mutation);\n   }\n   } catch (e) {\n   if (!PRODUCTION) {\n   if (e instanceof MissingIcon) {\n   console.error(e);\n   }\n   }\n   }\n\n   return acc;\n }, []);\n\n mark();\n\n perform(mutations, function () {\n   hclAdd('active');\n   hclAdd('complete');\n   hclRemove('pending');\n\n   if (typeof callback === 'function') callback();\n });\n}\n\nfunction onNode(node) {\n var callback = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : null;\n\n var mutation = generateMutation(node);\n\n if (mutation) {\n   perform([mutation], callback);\n }\n}\n\nvar baseStyles = \"svg:not(:root).svg-inline--fa {\\n overflow: visible; }\\n\\n.svg-inline--fa {\\n display: inline-block;\\n font-size: inherit;\\n height: 1em;\\n overflow: visible;\\n vertical-align: -.125em; }\\n .svg-inline--fa.fa-lg {\\n   vertical-align: -.225em; }\\n .svg-inline--fa.fa-w-1 {\\n   width: 0.0625em; }\\n .svg-inline--fa.fa-w-2 {\\n   width: 0.125em; }\\n .svg-inline--fa.fa-w-3 {\\n   width: 0.1875em; }\\n .svg-inline--fa.fa-w-4 {\\n   width: 0.25em; }\\n .svg-inline--fa.fa-w-5 {\\n   width: 0.3125em; }\\n .svg-inline--fa.fa-w-6 {\\n   width: 0.375em; }\\n .svg-inline--fa.fa-w-7 {\\n   width: 0.4375em; }\\n .svg-inline--fa.fa-w-8 {\\n   width: 0.5em; }\\n .svg-inline--fa.fa-w-9 {\\n   width: 0.5625em; }\\n .svg-inline--fa.fa-w-10 {\\n   width: 0.625em; }\\n .svg-inline--fa.fa-w-11 {\\n   width: 0.6875em; }\\n .svg-inline--fa.fa-w-12 {\\n   width: 0.75em; }\\n .svg-inline--fa.fa-w-13 {\\n   width: 0.8125em; }\\n .svg-inline--fa.fa-w-14 {\\n   width: 0.875em; }\\n .svg-inline--fa.fa-w-15 {\\n   width: 0.9375em; }\\n .svg-inline--fa.fa-w-16 {\\n   width: 1em; }\\n

.svg-inline--fa.fa-w-17 {\\n   width: 1.0625em; }\\n .svg-inline--fa.fa-w-18 {\\n   width: 1.125em; }\\n .svg-inline--fa.fa-w-19 {\\n   width: 1.1875em; }\\n .svg-inline--fa.fa-w-20 {\\n   width: 1.25em; }\\n .svg-inline--fa.fa-pull-left {\\n   margin-right: .3em;\\n   width: auto; }\\n .svg-inline--fa.fa-pull-right {\\n   margin-left: .3em;\\n   width: auto; }\\n .svg-inline--fa.fa-border {\\n   height: 1.5em; }\\n .svg-inline--fa.fa-li {\\n   width: 2em; }\\n .svg-inline--fa.fa-fw {\\n   width: 1.25em; }\\n\\n.fa-layers svg.svg-inline--fa {\\n   bottom: 0;\\n   left: 0;\\n   margin: auto;\\n   position: absolute;\\n   right: 0;\\n   top: 0; }\\n\\n.fa-layers {\\n   display: inline-block;\\n   height: 1em;\\n   position: relative;\\n   text-align: center;\\n   vertical-align: -.125em;\\n   width: 1em; }\\n .fa-layers svg.svg-inline--fa {\\n   -webkit-transform-origin: center center;\\n   transform-origin: center center; }\\n\\n.fa-layers-text, .fa-layers-counter {\\n   display: inline-block;\\n   position: absolute;\\n   text-align: center; }\\n\\n.fa-layers-text {\\n   left: 50%;\\n   top: 50%;\\n   -webkit-transform: translate(-50%, -50%);\\n   transform: translate(-50%, -50%);\\n   -webkit-transform-origin: center center;\\n   transform-origin: center center; }\\n\\n.fa-layers-counter {\\n   background-color: #ff253a;\\n   border-radius: 1em;\\n   -webkit-box-sizing: border-box;\\n   box-sizing: border-box;\\n   color: #fff;\\n   height: 1.5em;\\n   line-height: 1;\\n   max-width: 5em;\\n   min-width: 1.5em;\\n   overflow: hidden;\\n   padding: .25em;\\n   right: 0;\\n   text-overflow: ellipsis;\\n   top: 0;\\n   -webkit-transform: scale(0.25);\\n   transform: scale(0.25);\\n   -webkit-transform-origin: top right;\\n   transform-origin: top right; }\\n\\n.fa-layers-bottom-right {\\n   bottom: 0;\\n   right: 0;\\n   top: auto;\\n   -webkit-transform: scale(0.25);\\n   transform: scale(0.25);\\n   -webkit-transform-origin: bottom right;\\n   transform-origin: bottom right; }\\n\\n.fa-layers-bottom-left {\\n   bottom: 0;\\n   left: 0;\\n   right: auto;\\n   top: auto;\\n   -webkit-transform: scale(0.25);\\n   transform: scale(0.25);\\n   -webkit-transform-origin: bottom left;\\n   transform-origin: bottom left; }\\n\\n.fa-layers-top-right {\\n   right: 0;\\n   top: 0;\\n   -webkit-transform: scale(0.25);\\n   transform: scale(0.25);\\n   -webkit-transform-origin: top right;\\n   transform-origin: top right; }\\n\\n.fa-layers-top-left {\\n   left: 0;\\n   right: auto;\\n   top: 0;\\n   -webkit-transform: scale(0.25);\\n   transform: scale(0.25);\\n   -webkit-transform-origin: top left;\\n   transform-origin: top left; }\\n\\n.fa-lg {\\n   font-size: 1.33333em;\\n   line-height: 0.75em;\\n   vertical-align: -.0667em; }\\n\\n.fa-xs {\\n   font-size: .75em; }\\n\\n.fa-sm {\\n   font-size: .875em; }\\n\\n.fa-1x {\\n   font-size: 1em; }\\n\\n.fa-2x {\\n   font-size: 2em; }\\n\\n.fa-3x {\\n   font-size: 3em; }\\n\\n.fa-4x {\\n   font-size: 4em; }\\n\\n.fa-5x {\\n   font-size: 5em; }\\n\\n.fa-6x {\\n   font-size: 6em; }\\n\\n.fa-7x {\\n   font-size: 7em; }\\n\\n.fa-8x {\\n   font-size: 8em; }\\n\\n.fa-9x {\\n   font-size: 9em; }\\n\\n.fa-10x {\\n   font-size: 10em; }\\n\\n.fa-fw {\\n   text-align: center;\\n   width: 1.25em; }\\n\\n.fa-ul {\\n   list-style-type: none;\\n   margin-left: 2.5em;\\n   padding-left: 0; }\\n .fa-ul > li {\\n   position: relative; }\\n\\n.fa-li {\\n   left: -2em;\\n   position: absolute;\\n   text-align: center;\\n   width: 2em;\\n   line-height: inherit; }\\n\\n.fa-border {\\n   border: solid 0.08em #eee;\\n   border-radius: .1em;\\n   padding: .2em .25em .15em; }\\n\\n.fa-pull-left {\\n   float: left; }\\n\\n.fa-pull-right {\\n   float: right; }\\n\\n.fa.fa-pull-left,\\n.fas.fa-pull-left,\\n.far.fa-pull-left,\\n.fal.fa-pull-left,\\n.fab.fa-pull-left {\\n   margin-right: .3em; }\\n\\n.fa.fa-pull-right,\\n.fas.fa-pull-right,\\n.far.fa-pull-right,\\n.fal.fa-pull-right,\\n.fab.fa-pull-right {\\n   margin-left: .3em; }\\n\\n.fa-spin {\\n   -webkit-animation: fa-spin 2s infinite linear;\\n   animation: fa-spin 2s infinite linear; }\\n\\n.fa-pulse {\\n   -webkit-animation: fa-spin 1s infinite steps(8);\\n   animation: fa-spin 1s infinite steps(8); }\\n\\n@-webkit-keyframes fa-spin {\\n   0% {\\n   -webkit-transform: rotate(0deg);\\n   transform: rotate(0deg); }\\n   100% {\\n   -webkit-transform: rotate(360deg);\\n   transform: rotate(360deg); } }\\n\\n@keyframes fa-spin {\\n   0% {\\n   -webkit-transform: rotate(0deg);\\n   transform: rotate(0deg); }\\n   100% {\\n   -webkit-transform: rotate(360deg);\\n   transform: rotate(360deg); } }\\n\\n.fa-rotate-90 {\\n   -ms-filter: \\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=1)\\\";\\n   -webkit-transform: rotate(90deg);\\n   transform: rotate(90deg); }\\n\\n.fa-rotate-180 {\\n   -ms-filter: \\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=2)\\\";\\n   -webkit-transform: rotate(180deg);\\n   transform: rotate(180deg); }\\n\\n.fa-rotate-270 {\\n   -ms-filter: \\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=3)\\\";\\n   -webkit-transform: rotate(270deg);\\n   transform: rotate(270deg); }\\n\\n.fa-flip-horizontal {\\n   -ms-filter: \\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=0, mirror=1)\\\";\\n   -webkit-transform: scale(-1, 1);\\n   transform: scale(-1, 1); }\\n\\n.fa-flip-vertical {\\n   -ms-filter: \\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=2, mirror=1)\\\";\\n   -webkit-transform: scale(1, -

1);\\n   transform: scale(1, -1); }\\n\\n.fa-flip-horizontal.fa-flip-vertical {\\n -ms-filter: \\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=2, mirror=1)\\\";\\n -webkit-transform: scale(-1, -1);\\n   transform: scale(-1, -1); }\\n\\n:root .fa-rotate-90,\\n:root .fa-rotate-180,\\n:root .fa-rotate-270,\\n:root .fa-flip-horizontal,\\n:root .fa-flip-vertical {\\n -webkit-filter: none;\\n   filter: none; }\\n\\n.fa-stack {\\n display: inline-block;\\n height: 2em;\\n position: relative;\\n width: 2.5em; }\\n\\n.fa-stack-1x,\\n.fa-stack-2x {\\n bottom: 0;\\n left: 0;\\n margin: auto;\\n position: absolute;\\n right: 0;\\n top: 0; }\\n\\n.svg-inline--fa.fa-stack-1x {\\n height: 1em;\\n width: 1.25em; }\\n\\n.svg-inline--fa.fa-stack-2x {\\n height: 2em;\\n width: 2.5em; }\\n\\n.fa-inverse {\\n color: #fff; }\\n\\n.sr-only {\\n border: 0;\\n clip: rect(0, 0, 0, 0);\\n height: 1px;\\n margin: -1px;\\n overflow: hidden;\\n padding: 0;\\n position: absolute;\\n width: 1px; }\\n\\n.sr-only-focusable:active, .sr-only-focusable:focus {\\n clip: auto;\\n height: auto;\\n margin: 0;\\n overflow: visible;\\n position: static;\\n width: auto; }\\n\";\n\nvar css = function () {\n var dfp = DEFAULT_FAMILY_PREFIX;\n var drc = DEFAULT_REPLACEMENT_CLASS;\n var fp = config.familyPrefix;\n var rc = config.replacementClass;\n var s = baseStyles;\n\n if (fp !== dfp || rc !== drc) {\n   var dPatt = new RegExp('\\\\.' + dfp + '\\\\-', 'g');\n   var rPatt = new RegExp('\\\\.' + drc, 'g');\n\n   s = s.replace(dPatt, '.' + fp + '-').replace(rPatt, '.' + rc);\n }\n\n return s;\n};\n\nfunction define(prefix, icons) {\n var normalized = Object.keys(icons).reduce(function (acc, iconName) {\n   var icon = icons[iconName];\n   var expanded = !!icon.icon;\n\n   if (expanded) {\n   acc[icon.iconName] = icon.icon;\n   } else {\n   acc[iconName] = icon;\n   }\n   return acc;\n }, {});\n\n if (typeof namespace.hooks.addPack === 'function') {\n   namespace.hooks.addPack(prefix, normalized);\n } else {\n   namespace.styles[prefix] = _extends({}, namespace.styles[prefix] || {}, normalized);\n }\n\n /**\n   * Font Awesome 4 used the prefix of `fa` for all icons. With the introduction\n   * of new styles we needed to differentiate between them. Prefix `fa` is now an alias\n   * for `fas` so we'll easy the upgrade process for our users by automatically defining\n   * this as well.\n   */\n if (prefix === 'fas') {\n   define('fa', icons);\n }\n}\n\nvar Library = function () {\n function Library() {\n   classCallCheck(this, Library);\n\n   this.definitions = {};\n }\n\n createClass(Library, [{\n   key: 'add',\n   value: function add() {\n   var _this = this;\n\n   for (var _len = arguments.length, definitions = Array(_len), _key = 0; _key < _len; _key++) {\n   definitions[_key] = arguments[_key];\n   }\n\n   var additions = definitions.reduce(this._pullDefinitions, {});\n\n   Object.keys(additions).forEach(function (key) {\n   _this.definitions[key] = _extends({}, _this.definitions[key] || {}, additions[key]);\n   define(key, additions[key]);\n   build();\n   });\n   }\n }, {\n   key: 'reset',\n   value: function reset() {\n   this.definitions = {};\n   }\n }, {\n   key: '_pullDefinitions',\n   value: function _pullDefinitions(additions, definition) {\n   var normalized = definition.prefix && definition.iconName && definition.icon ? { 0: definition } : definition;\n\n   Object.keys(normalized).map(function (key) {\n   var _normalized$key = normalized[key],\n   prefix = _normalized$key.prefix,\n   iconName = _normalized$key.iconName,\n   icon = _normalized$key.icon;\n\n\n   if (!additions[prefix]) additions[prefix] = {};\n   additions[prefix][iconName] = icon;\n   });\n\n   return additions;\n   }\n }]);\n return Library;\n}();\n\nfunction prepIcon(icon) {\n var width = icon[0];\n var height = icon[1];\n var vectorData = icon.slice(4);\n\n return {\n   found: true,\n   width: width,\n   height: height,\n   icon: { tag: 'path', attributes: { fill: 'currentColor', d: vectorData[0] } }\n };\n}\n\nfunction ensureCss() {\n if (config.autoAddCss && !_cssInserted) {\n   insertCss(css());\n   _cssInserted = true;\n }\n}\n\nfunction apiObject(val, abstractCreator) {\n Object.defineProperty(val, 'abstract', {\n   get: abstractCreator\n });\n\n Object.defineProperty(val, 'html', {\n   get: function get() {\n   return val.abstract.map(function (a) {\n   return toHtml(a);\n   });\n   }\n });\n\n Object.defineProperty(val, 'node', {\n   get: function get() {\n   if (!IS_DOM) return;\n\n   var container = DOCUMENT.createElement('div');\n   container.innerHTML = val.html;\n   return container.children;\n   }\n });\n\n return val;\n}\n\nfunction findIconDefinition(params) {\n var _params$prefix = params.prefix,\n   prefix = _params$prefix === undefined ? 'fa' : _params$prefix,\n   iconName = params.iconName;\n\n\n if (!iconName) return;\n\n return iconFromMapping(library.definitions, prefix, iconName) || iconFromMapping(namespace.styles, prefix, iconName);\n}\n\nfunction resolveIcons(next) {\n return function (maybeIconDefinition) {\n   var params = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : {};\n   var iconDefinition = (maybeIconDefinition || {}).icon ? maybeIconDefinition : findIconDefinition(maybeIconDefinition || {});\n\n   var

mask = params.mask;\n\n\n   if (mask) {\n   mask = (mask || {}).icon ? mask : findIconDefinition(mask || {});\n   }\n\n   return next(iconDefinition, _extends({}, params, { mask: mask }));\n };\n}\n\nvar library = new Library();\n\nvar noAuto = function noAuto() {\n config.autoReplaceSvg = false;\n config.observeMutations = false;\n\n disconnect();\n};\n\nvar _cssInserted = false;\n\nvar dom = {\n i2svg: function i2svg() {\n   var params = arguments.length > 0 && arguments[0] !== undefined ? arguments[0] : {};\n\n   if (IS_DOM) {\n   ensureCss();\n\n   var _params$node = params.node,\n   node = _params$node === undefined ? DOCUMENT : _params$node,\n   _params$callback = params.callback,\n   callback = _params$callback === undefined ? function () {} : _params$callback;\n\n   if (config.searchPseudoElements) {\n   searchPseudoElements(node);\n   }\n\n   onTree(node, callback);\n   }\n },\n\n css: css,\n\n insertCss: function insertCss$$1() {\n   if (!_cssInserted) {\n   insertCss(css());\n   _cssInserted = true;\n   }\n },\n\n watch: function watch() {\n   var params = arguments.length > 0 && arguments[0] !== undefined ? arguments[0] : {};\n   var autoReplaceSvgRoot = params.autoReplaceSvgRoot,\n   observeMutationsRoot = params.observeMutationsRoot;\n\n\n   if (config.autoReplaceSvg === false) {\n   config.autoReplaceSvg = true;\n   }\n\n   config.observeMutations = true;\n\n   domready(function () {\n   autoReplace({\n   autoReplaceSvgRoot: autoReplaceSvgRoot\n   });\n\n   observe({\n   treeCallback: onTree,\n   nodeCallback: onNode,\n   pseudoElementsCallback: searchPseudoElements,\n   observeMutationsRoot: observeMutationsRoot\n   });\n   });\n }\n};\n\nvar parse = {\n transform: function transform(transformString) {\n   return parseTransformString(transformString);\n }\n};\n\nvar icon = resolveIcons(function (iconDefinition) {\n var params = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : {};\n var _params$transform = params.transform,\n   transform = _params$transform === undefined ? meaninglessTransform : _params$transform,\n   _params$symbol = params.symbol,\n   symbol = _params$symbol === undefined ? false : _params$symbol,\n   _params$mask = params.mask,\n   mask = _params$mask === undefined ? null : _params$mask,\n   _params$title = params.title,\n   title = _params$title === undefined ? null : _params$title,\n   _params$classes = params.classes,\n   classes = _params$classes === undefined ? [] : _params$classes,\n   _params$attributes = params.attributes,\n   attributes = _params$attributes === undefined ? {} : _params$attributes,\n   _params$styles = params.styles,\n   styles = _params$styles === undefined ? {} : _params$styles;\n\n\n if (!iconDefinition) return;\n\n var prefix = iconDefinition.prefix,\n   iconName = iconDefinition.iconName,\n   icon = iconDefinition.icon;\n\n\n return apiObject(_extends({ type: 'icon' }, iconDefinition), function () {\n   ensureCss();\n\n   if (config.autoA11y) {\n   if (title) {\n   attributes['aria-labelledby'] = config.replacementClass + '-title-' + nextUniqueId();\n   } else {\n   attributes['aria-hidden'] = 'true';\n   }\n   }\n\n   return makeInlineSvgAbstract({\n   icons: {\n   main: prepIcon(icon),\n   mask: mask ? prepIcon(mask.icon) : { found: false, width: null, height: null, icon: {} }\n   },\n   prefix: prefix,\n   iconName: iconName,\n   transform: _extends({}, meaninglessTransform, transform),\n   symbol: symbol,\n   title: title,\n   extra: {\n   attributes: attributes,\n   styles: styles,\n   classes: classes\n   }\n   });\n });\n});\n\nvar text = function text(content) {\n var params = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : {};\n var _params$transform2 = params.transform,\n   transform = _params$transform2 === undefined ? meaninglessTransform : _params$transform2,\n   _params$title2 = params.title,\n   title = _params$title2 === undefined ? null : _params$title2,\n   _params$classes2 = params.classes,\n   classes = _params$classes2 === undefined ? [] : _params$classes2,\n   _params$attributes2 = params.attributes,\n   attributes = _params$attributes2 === undefined ? {} : _params$attributes2,\n   _params$styles2 = params.styles,\n   styles = _params$styles2 === undefined ? {} : _params$styles2;\n\n\n return apiObject({ type: 'text', content: content }, function () {\n   ensureCss();\n\n   return makeLayersTextAbstract({\n   content: content,\n   transform: _extends({}, meaninglessTransform, transform),\n   title: title,\n   extra: {\n   attributes: attributes,\n   styles: styles,\n   classes: [config.familyPrefix + '-layers-text'].concat(toConsumableArray(classes))\n   }\n   });\n });\n};\n\nvar counter = function counter(content) {\n var params = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : {};\n var _params$title3 = params.title,\n   title = _params$title3 === undefined ? null : _params$title3,\n   _params$classes3 = params.classes,\n   classes = _params$classes3 === undefined ? [] : _params$classes3,\n   _params$attributes3 =

params.attributes,\n   attributes = _params$attributes3 === undefined ? {} : _params$attributes3,\n _params$styles3 = params.styles,\n   styles = _params$styles3 === undefined ? {} : _params$styles3;\n\n return apiObject({ type: 'counter', content: content }, function () {\n   ensureCss();\n\n   return makeLayersCounterAbstract({\n   content: content.toString(),\n   title: title,\n   extra: {\n   attributes: attributes,\n   styles: styles,\n   classes: [config.familyPrefix + '-layers-counter'].concat(toConsumableArray(classes))\n   }\n   });\n });\n};\n\nvar layer = function layer(assembler) {\n return apiObject({ type: 'layer' }, function () {\n   ensureCss();\n\n   var children = [];\n\n   assembler(function (args) {\n   Array.isArray(args) ? args.map(function (a) {\n   children = children.concat(a.abstract);\n   }) : children = children.concat(args.abstract);\n   });\n\n   return [{\n   tag: 'span',\n   attributes: { class: config.familyPrefix + '-layers' },\n   children: children\n   }];\n });\n};\n\nvar api = {\n noAuto: noAuto,\n config: config,\n dom: dom,\n library: library,\n parse: parse,\n findIconDefinition: findIconDefinition,\n icon: icon,\n text: text,\n counter: counter,\n layer: layer,\n toHtml: toHtml\n};\n\nvar autoReplace = function autoReplace() {\n var params = arguments.length > 0 && arguments[0] !== undefined ? arguments[0] : {};\n var _params$autoReplaceSv = params.autoReplaceSvgRoot,\n   autoReplaceSvgRoot = _params$autoReplaceSv === undefined ? DOCUMENT : _params$autoReplaceSv;\n\n if (Object.keys(namespace.styles).length > 0 && IS_DOM && config.autoReplaceSvg) api.dom.i2svg({ node: autoReplaceSvgRoot });\n};\n\nexport { icon, noAuto, config, toHtml, layer, text, counter, library, dom, parse, findIconDefinition };\n","import FontAwesomeIcon from '@fortawesome/vue-fontawesome'\nexport { library } from '@fortawesome/fontawesome-svg-core'\nexport default FontAwesomeIcon\n","/** Used as references for various `Number` constants. */\nvar MAX_SAFE_INTEGER = 9007199254740991;\n\n/** Used to detect unsigned integer values. */\nvar reIsUint = /^(?:0|[1-9]\\d*)$/;\n\n/**\n * Checks if `value` is a valid array-like index.\n *\n * @private\n * @param {*} value The value to check.\n * @param {number} [length=MAX_SAFE_INTEGER] The upper bounds of a valid index.\n * @returns {boolean} Returns `true` if `value` is a valid index, else `false`.\n */\nfunction isIndex(value, length) {\n var type = typeof value;\n length = length == null ? MAX_SAFE_INTEGER : length;\n\n return !!length &&\n   (type == 'number' ||\n   (type != 'symbol' && reIsUint.test(value))) &&\n   (value > -1 && value % 1 == 0 && value < length);\n}\n\nmodule.exports = isIndex;\n","var baseSetToString = require('./_baseSetToString'),\n   shortOut = require('./_shortOut');\n\n/**\n * Sets the `toString` method of `func` to return `string`.\n *\n * @private\n * @param {Function} func The function to modify.\n * @param {Function} string The `toString` result.\n * @returns {Function} Returns `func`.\n */\nvar setToString = shortOut(baseSetToString);\n\nmodule.exports = setToString;\n","// false -> Array#indexOf\n// true -> Array#includes\nvar toIObject = require('./_to-iobject');\nvar toLength = require('./_to-length');\nvar toAbsoluteIndex = require('./_to-absolute-index');\nmodule.exports = function (IS_INCLUDES) {\n return function ($this, el, fromIndex) {\n   var O = toIObject($this);\n   var length = toLength(O.length);\n   var index = toAbsoluteIndex(fromIndex, length);\n   var value;\n   // Array#includes uses SameValueZero equality algorithm\n   // eslint-disable-next-line no-self-compare\n   if (IS_INCLUDES && el != el) while (length > index) {\n   value = O[index++];\n   // eslint-disable-next-line no-self-compare\n   if (value != value) return true;\n   // Array#indexOf ignores holes, Array#includes - not\n   } else for (;length > index; index++) if (IS_INCLUDES || index in O) {\n   if (O[index] === el) return IS_INCLUDES || index || 0;\n   } return !IS_INCLUDES && -1;\n };\n};\n","'use strict';\nObject.defineProperty(exports, '__esModule', { value: true });\nvar prefix = 'fas';\nvar iconName = 'share-alt';\nvar width = 448;\nvar height = 512;\nvar ligatures = [];\nvar unicode = 'f1e0';\nvar svgPathData = 'M352 320c-22.608 0-43.387 7.819-59.79 20.895l-102.486-64.054a96.551 96.551 0 0 0 0-41.683l102.486-64.054C308.613 184.181 329.392 192 352 192c53.019 0 96-42.981 96-96S405.019 0 352 0s-96 42.981-96 96c0 7.158.79 14.13 2.276 20.841L155.79 180.895C139.387 167.819 118.608 160 96 160c-53.019 0-96 42.981-96 96s42.981 96 96 96c22.608 0 43.387-7.819 59.79-20.895l102.486 64.054A96.301 96.301 0 0 0 256 416c0 53.019 42.981 96 96 96s96-42.981 96-96-42.981-96-96-96z';\n\nexports.definition = {\n prefix: prefix,\n iconName: iconName,\n icon: [\n   width,\n   height,\n   ligatures,\n   unicode,\n   svgPathData\n]};\n\nexports.faShareAlt = exports.definition;\nexports.prefix = prefix;\nexports.iconName = iconName;\nexports.width = width;\nexports.height = height;\nexports.ligatures = ligatures;\nexports.unicode = unicode;\nexports.svgPathData = svgPathData;\n","/**\n * Checks if a `cache` value for `key` exists.\n *\n *
```

@private\n * @param {Object} cache The cache to query.\n * @param {string} key The key of the entry to check.\n * @returns {boolean} Returns `true` if an entry for `key` exists, else `false`.\n */\nfunction cacheHas(cache, key) {\n return cache.has(key);\n}\n\nmodule.exports = cacheHas;\n","var arrayReduce = require('./_arrayReduce'),\n   baseEach = require('./_baseEach'),\n   baseIteratee = require('./_baseIteratee'),\n   baseReduce = require('./_baseReduce'),\n   isArray = require('./isArray');\n\n/**\n * Reduces `collection` to a value which is the accumulated result of running\n * each element in `collection` thru `iteratee`, where each successive\n * invocation is supplied the return value of the previous. If `accumulator`\n * is not given, the first element of `collection` is used as the initial\n * value. The iteratee is invoked with four arguments:\n * (accumulator, value, index|key, collection).\n *\n * Many lodash methods are guarded to work as iteratees for methods like\n * `_.reduce`, `_.reduceRight`, and `_.transform`.\n *\n * The guarded methods are:\n * `assign`, `defaults`, `defaultsDeep`, `includes`, `merge`, `orderBy`,\n * and `sortBy`\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @category Collection\n * @param {Array|Object} collection The collection to iterate over.\n * @param {Function} [iteratee=_.identity] The function invoked per iteration.\n * @param {*} [accumulator] The initial value.\n * @returns {*} Returns the accumulated value.\n * @see _.reduceRight\n * @example\n *\n * _.reduce([1, 2], function(sum, n) {\n *   return sum + n;\n * }, 0);\n * // => 3\n *\n * _.reduce({ 'a': 1, 'b': 2, 'c': 1 }, function(result, value, key) {\n *   (result[value] || (result[value] = [])).push(key);\n *   return result;\n * }, {});\n * // => { '1': ['a', 'c'], '2': ['b'] } (iteration order is not guaranteed)\n */\nfunction reduce(collection, iteratee, accumulator) {\n var func = isArray(collection) ? arrayReduce : baseReduce,\n   initAccum = arguments.length < 3;\n\n return func(collection, baseIteratee(iteratee, 4), accumulator, initAccum, baseEach);\n}\n\nmodule.exports = reduce;\n","'use strict';\nvar global = require('./_global');\nvar has = require('./_has');\nvar cof = require('./_cof');\nvar inheritIfRequired = require('./_inherit-if-required');\nvar toPrimitive = require('./_to-primitive');\nvar fails = require('./_fails');\nvar gOPN = require('./_object-gopn').f;\nvar gOPD = require('./_object-gopd').f;\nvar dP = require('./_object-dp').f;\nvar $trim = require('./_string-trim').trim;\nvar NUMBER = 'Number';\nvar $Number = global[NUMBER];\nvar Base = $Number;\nvar proto = $Number.prototype;\n// Opera ~12 has broken Object#toString\nvar BROKEN_COF = cof(require('./_object-create')(proto)) == NUMBER;\nvar TRIM = 'trim' in String.prototype;\n\n// 7.1.3 ToNumber(argument)\nvar toNumber = function (argument) {\n var it = toPrimitive(argument, false);\n if (typeof it == 'string' && it.length > 2) {\n   it = TRIM ? it.trim() : $trim(it, 3);\n   var first = it.charCodeAt(0);\n   var third, radix, maxCode;\n   if (first === 43 || first === 45) {\n   third = it.charCodeAt(2);\n   if (third === 88 || third === 120) return NaN; // Number('+0x1') should be NaN, old V8 fix\n   } else if (first === 48) {\n   switch (it.charCodeAt(1)) {\n   case 66: case 98: radix = 2; maxCode = 49; break; // fast equal /^0b[01]+$/i\n   case 79: case 111: radix = 8; maxCode = 55; break; // fast equal /^0o[0-7]+$/i\n   default: return +it;\n   }\n   for (var digits = it.slice(2), i = 0, l = digits.length, code; i < l; i++) {\n   code = digits.charCodeAt(i);\n   // parseInt parses a string to a first unavailable symbol\n   // but ToNumber should return NaN if a string contains unavailable symbols\n   if (code < 48 || code > maxCode) return NaN;\n   }\n   return parseInt(digits, radix);\n   }\n } return +it;\n};\n\nif (!$Number(' 0o1') || !$Number('0b1') || $Number('+0x1')) {\n $Number = function Number(value) {\n   var it = arguments.length < 1 ? 0 : value;\n   var that = this;\n   return that instanceof $Number\n   // check on 1..constructor(foo) case\n   && (BROKEN_COF ? fails(function () { proto.valueOf.call(that); }) : cof(that) != NUMBER)\n   ? inheritIfRequired(new Base(toNumber(it)), that, $Number) : toNumber(it);\n };\n for (var keys = require('./_descriptors') ? gOPN(Base) : (\n   // ES3:\n   'MAX_VALUE,MIN_VALUE,NaN,NEGATIVE_INFINITY,POSITIVE_INFINITY,' +\n   // ES6 (in case, if modules with ES6 Number statics required before):\n   'EPSILON,isFinite,isInteger,isNaN,isSafeInteger,MAX_SAFE_INTEGER,' +\n   'MIN_SAFE_INTEGER,parseFloat,parseInt,isInteger'\n).split(','), j = 0, key; keys.length > j; j++) {\n   if (has(Base, key = keys[j]) && !has($Number, key)) {\n   dP($Number, key, gOPD(Base, key));\n   }\n }\n $Number.prototype = proto;\n proto.constructor = $Number;\n require('./_redefine')(global, NUMBER, $Number);\n}\n","module.exports = require('./forEach');\n","module.exports = !require('./_descriptors') && !require('./_fails')(function () {\n return Object.defineProperty(require('./_dom-create')('div'), 'a', { get: function () { return 7; } }).a != 7;\n});\n","var baseFlatten = require('./_baseFlatten'),\n   baseOrderBy =

require('./_baseOrderBy'),\n   baseRest = require('./_baseRest'),\n   isIterateeCall = require('./_isIterateeCall');\n\n/**\n * Creates an array of elements, sorted in ascending order by the results of\n * running each element in a collection thru each iteratee. This method\n * performs a stable sort, that is, it preserves the original sort order of\n * equal elements. The iteratees are invoked with one argument: (value).\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @category Collection\n * @param {Array|Object} collection The collection to iterate over.\n * @param {...(Function|Function[])} [iteratees=[_.identity]]\n * The iteratees to sort by.\n * @returns {Array} Returns the new sorted array.\n * @example\n *\n * var users = [\n *   { 'user': 'fred',   'age': 48 },\n *   { 'user': 'barney', 'age': 36 },\n *   { 'user': 'fred',   'age': 40 },\n *   { 'user': 'barney', 'age': 34 }\n *];\n *\n * _.sortBy(users, [function(o) { return o.user; }]);\n * // => objects for [['barney', 36], ['barney', 34], ['fred', 48], ['fred', 40]]\n *\n * _.sortBy(users, ['user', 'age']);\n * // => objects for [['barney', 34], ['barney', 36], ['fred', 40], ['fred', 48]]\n */\nvar sortBy = baseRest(function(collection, iteratees) {\n if (collection == null) {\n   return [];\n }\n var length = iteratees.length;\n if (length > 1 && isIterateeCall(collection, iteratees[0], iteratees[1])) {\n   iteratees = [];\n } else if (length > 2 && isIterateeCall(iteratees[0], iteratees[1], iteratees[2])) {\n   iteratees = [iteratees[0]];\n }\n return baseOrderBy(collection, baseFlatten(iteratees, 1), []);\n});\n\nmodule.exports = sortBy;\n","var getNative = require('./_getNative'),\n   root = require('./_root');\n\n/* Built-in method references that are verified to be native. */\nvar Set = getNative(root, 'Set');\n\nmodule.exports = Set;\n","var g;\n\n// This works in non-strict mode\ng = (function() {\n\treturn this;\n})();\n\ntry {\n\t// This works if eval is allowed (see CSP)\n\tg = g || Function(\"return this\")() || (1, eval)(\"this\");\n} catch (e) {\n\t// This works if the window reference is available\n\tif (typeof window === \"object\") g = window;\n}\n\n// g can still be undefined, but nothing to do about it...\n// We return undefined, instead of nothing here, so it's\n// easier to handle this case. if(!global) { ...}\n\nmodule.exports = g;\n","var id = 0;\nvar px = Math.random();\nmodule.exports = function (key) {\n return 'Symbol('.concat(key === undefined ? '' : key, ')_', (++id + px).toString(36));\n};\n","'use strict';\nvar addToUnscopables = require('./_add-to-unscopables');\nvar step = require('./_iter-step');\nvar Iterators = require('./_iterators');\nvar toIObject = require('./_to-iobject');\n\n// 22.1.3.4 Array.prototype.entries()\n// 22.1.3.13 Array.prototype.keys()\n// 22.1.3.29 Array.prototype.values()\n// 22.1.3.30 Array.prototype[@@iterator]()\nmodule.exports = require('./_iter-define')(Array, 'Array', function (iterated, kind) {\n this._t = toIObject(iterated); // target\n this._i = 0;   // next index\n this._k = kind;   // kind\n// 22.1.5.2.1 %ArrayIteratorPrototype%.next()\n}, function () {\n var O = this._t;\n var kind = this._k;\n var index = this._i++;\n if (!O || index >= O.length) {\n   this._t = undefined;\n   return step(1);\n }\n if (kind == 'keys') return step(0, index);\n if (kind == 'values') return step(0, O[index]);\n return step(0, [index, O[index]]);\n}, 'values');\n\n// argumentsList[@@iterator] is %ArrayProto_values% (9.4.4.6, 9.4.4.7)\nIterators.Arguments = Iterators.Array;\n\naddToUnscopables('keys');\naddToUnscopables('values');\naddToUnscopables('entries');\n","var isSymbol = require('./isSymbol');\n\n/**\n * Compares values to sort them in ascending order.\n *\n * @private\n * @param {*} value The value to compare.\n * @param {*} other The other value to compare.\n * @returns {number} Returns the sort order indicator for `value`.\n */\nfunction compareAscending(value, other) {\n if (value !== other) {\n   var valIsDefined = value !== undefined,\n   valIsNull = value === null,\n   valIsReflexive = value === value,\n   valIsSymbol = isSymbol(value);\n\n   var othIsDefined = other !== undefined,\n   othIsNull = other === null,\n   othIsReflexive = other === other,\n   othIsSymbol = isSymbol(other);\n\n   if ((!othIsNull && !othIsSymbol && !valIsSymbol && value > other) ||\n   (valIsSymbol && othIsDefined && othIsReflexive && !othIsNull && !othIsSymbol) ||\n   (valIsNull && othIsDefined && othIsReflexive) ||\n   (!valIsDefined && othIsReflexive) ||\n   !valIsReflexive) {\n   return 1;\n   }\n   if ((!valIsNull && !valIsSymbol && !othIsSymbol && value < other) ||\n   (othIsSymbol && valIsDefined && valIsReflexive && !valIsNull && !valIsSymbol) ||\n   (othIsNull && valIsDefined && valIsReflexive) ||\n   (!othIsDefined && valIsReflexive) ||\n   !othIsReflexive) {\n   return -1;\n   }\n }\n return 0;\n}\n\nmodule.exports = compareAscending;\n","var eq = require('./eq');\n\n/**\n * Gets the index at which the `key` is found in `array` of key-value pairs.\n *\n * @private\n * @param {Array} array The array to inspect.\n * @param {*} key The key to search for.\n * @returns {number} Returns the index of the matched value, else `-1`.\n */\nfunction assocIndexOf(array, key) {\n var length = array.length;\n while (length--) {\n   if (eq(array[length][0], key)) {\n

return length;\n   }\n }\n return -1;\n}\n\nmodule.exports = assocIndexOf;\n","/*!\n * Font Awesome Free 5.0.13 by @fontawesome - https://fontawesome.com\n * License - https://fontawesome.com/license (Icons: CC BY 4.0, Fonts: SIL OFL 1.1, Code: MIT License)\n */\nvar noop = function noop() {};\n\nvar _WINDOW = {};\nvar _DOCUMENT = {};\nvar _MUTATION_OBSERVER$1 = null;\nvar _PERFORMANCE = { mark: noop, measure: noop };\n\ntry {\n if (typeof window !== 'undefined') _WINDOW = window;\n if (typeof document !== 'undefined') _DOCUMENT = document;\n if (typeof MutationObserver !== 'undefined') _MUTATION_OBSERVER$1 = MutationObserver;\n if (typeof performance !== 'undefined') _PERFORMANCE = performance;\n} catch (e) {}\n\nvar _ref = _WINDOW.navigator || {};\nvar _ref$userAgent = _ref.userAgent;\nvar userAgent = _ref$userAgent === undefined ? '' : _ref$userAgent;\n\nvar WINDOW = _WINDOW;\nvar DOCUMENT = _DOCUMENT;\nvar MUTATION_OBSERVER = _MUTATION_OBSERVER$1;\nvar PERFORMANCE = _PERFORMANCE;\nvar IS_BROWSER = !!WINDOW.document;\nvar IS_DOM = !!DOCUMENT.documentElement && !!DOCUMENT.head && typeof DOCUMENT.addEventListener === 'function' && typeof DOCUMENT.createElement === 'function';\nvar IS_IE = ~userAgent.indexOf('MSIE') || ~userAgent.indexOf('Trident/');\n\nvar NAMESPACE_IDENTIFIER = '___FONT_AWESOME___';\nvar UNITS_IN_GRID = 16;\nvar DEFAULT_FAMILY_PREFIX = 'fa';\nvar DEFAULT_REPLACEMENT_CLASS = 'svg-inline--fa';\nvar DATA_FA_I2SVG = 'data-fa-i2svg';\nvar DATA_FA_PSEUDO_ELEMENT = 'data-fa-pseudo-element';\nvar HTML_CLASS_I2SVG_BASE_CLASS = 'fontawesome-i2svg';\n\nvar PRODUCTION = function () {\n try {\n   return process.env.NODE_ENV === 'production';\n } catch (e) {\n   return false;\n }\n}();\n\nvar oneToTen = [1, 2, 3, 4, 5, 6, 7, 8, 9, 10];\nvar oneToTwenty = oneToTen.concat([11, 12, 13, 14, 15, 16, 17, 18, 19, 20]);\n\nvar ATTRIBUTES_WATCHED_FOR_MUTATION = ['class', 'data-prefix', 'data-icon', 'data-fa-transform', 'data-fa-mask'];\n\nvar RESERVED_CLASSES = ['xs', 'sm', 'lg', 'fw', 'ul', 'li', 'border', 'pull-left', 'pull-right', 'spin', 'pulse', 'rotate-90', 'rotate-180', 'rotate-270', 'flip-horizontal', 'flip-vertical', 'stack', 'stack-1x', 'stack-2x', 'inverse', 'layers', 'layers-text', 'layers-counter'].concat(oneToTen.map(function (n) {\n return n + 'x';\n})).concat(oneToTwenty.map(function (n) {\n return 'w-' + n;\n}));\n\nvar classCallCheck = function (instance, Constructor) {\n if (!(instance instanceof Constructor)) {\n   throw new TypeError(\"Cannot call a class as a function\");\n }\n};\n\nvar createClass = function () {\n function defineProperties(target, props) {\n   for (var i = 0; i < props.length; i++) {\n   var descriptor = props[i];\n   descriptor.enumerable = descriptor.enumerable || false;\n   descriptor.configurable = true;\n   if (\"value\" in descriptor) descriptor.writable = true;\n   Object.defineProperty(target, descriptor.key, descriptor);\n   }\n }\n\n return function (Constructor, protoProps, staticProps) {\n   if (protoProps) defineProperties(Constructor.prototype, protoProps);\n   if (staticProps) defineProperties(Constructor, staticProps);\n   return Constructor;\n };\n}();\n\n\nvar _extends = Object.assign || function (target) {\n for (var i = 1; i < arguments.length; i++) {\n   var source = arguments[i];\n\n   for (var key in source) {\n   if (Object.prototype.hasOwnProperty.call(source, key)) {\n   target[key] = source[key];\n   }\n   }\n }\n\n return target;\n};\n\n\n\nvar toConsumableArray = function (arr) {\n if (Array.isArray(arr)) {\n   for (var i = 0, arr2 = Array(arr.length); i < arr.length; i++) arr2[i] = arr[i];\n\n   return arr2;\n } else {\n   return Array.from(arr);\n }\n};\n\nvar initial = WINDOW.FontAwesomeConfig || {};\nvar initialKeys = Object.keys(initial);\n\nvar _default = _extends({\n familyPrefix: DEFAULT_FAMILY_PREFIX,\n replacementClass: DEFAULT_REPLACEMENT_CLASS,\n autoReplaceSvg: true,\n autoAddCss: true,\n autoA11y: true,\n searchPseudoElements: false,\n observeMutations: true,\n keepOriginalSource: true,\n measurePerformance: false,\n showMissingIcons: true\n}, initial);\n\nif (!_default.autoReplaceSvg) _default.observeMutations = false;\n\nvar config$1 = _extends({}, _default);\n\nWINDOW.FontAwesomeConfig = config$1;\n\nfunction update(newConfig) {\n var params = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : {};\n var _params$asNewDefault = params.asNewDefault,\n   asNewDefault = _params$asNewDefault === undefined ? false : _params$asNewDefault;\n\n var validKeys = Object.keys(config$1);\n var ok = asNewDefault ? function (k) {\n   return ~validKeys.indexOf(k) && !~initialKeys.indexOf(k);\n } : function (k) {\n   return ~validKeys.indexOf(k);\n };\n\n Object.keys(newConfig).forEach(function (configKey) {\n   if (ok(configKey)) config$1[configKey] =

newConfig[configKey];\n });\n}\n\nfunction auto(value) {\n update({\n autoReplaceSvg: value,\n observeMutations: value\n });\n}\n\nvar w = WINDOW || {};\n\nif (!w[NAMESPACE_IDENTIFIER]) w[NAMESPACE_IDENTIFIER] = {};\n\nif (!w[NAMESPACE_IDENTIFIER].styles) w[NAMESPACE_IDENTIFIER].styles = {};\n\nif (!w[NAMESPACE_IDENTIFIER].hooks) w[NAMESPACE_IDENTIFIER].hooks = {};\n\nif (!w[NAMESPACE_IDENTIFIER].shims) w[NAMESPACE_IDENTIFIER].shims = [];\n\nvar namespace = w[NAMESPACE_IDENTIFIER];\n\nvar functions = [];\n\nvar listener = function listener() {\n DOCUMENT.removeEventListener('DOMContentLoaded', listener);\n loaded = 1;\n functions.map(function (fn) {\n return fn();\n });\n};\n\nvar loaded = false;\n\nif (IS_DOM) {\n loaded = (DOCUMENT.documentElement.doScroll ? /^loaded|^c/ : /^loaded|^i|^c/).test(DOCUMENT.readyState);\n\n if (!loaded) DOCUMENT.addEventListener('DOMContentLoaded', listener);\n}\n\nvar domready = function (fn) {\n if (!IS_DOM) return;\n loaded ? setTimeout(fn, 0) : functions.push(fn);\n};\n\nvar d = UNITS_IN_GRID;\n\nvar meaninglessTransform = {\n size: 16,\n x: 0,\n y: 0,\n rotate: 0,\n flipX: false,\n flipY: false\n};\n\nfunction isReserved(name) {\n return ~RESERVED_CLASSES.indexOf(name);\n}\n\nfunction bunker(fn) {\n try {\n fn();\n } catch (e) {\n if (!PRODUCTION) {\n throw e;\n }\n }\n}\n\nfunction insertCss(css) {\n if (!css || !IS_DOM) {\n return;\n }\n\n var style = DOCUMENT.createElement('style');\n style.setAttribute('type', 'text/css');\n style.innerHTML = css;\n\n var headChildren = DOCUMENT.head.childNodes;\n var beforeChild = null;\n\n for (var i = headChildren.length - 1; i > -1; i--) {\n var child = headChildren[i];\n var tagName = (child.tagName || '').toUpperCase();\n if (['STYLE', 'LINK'].indexOf(tagName) > -1) {\n beforeChild = child;\n }\n }\n\n DOCUMENT.head.insertBefore(style, beforeChild);\n\n return css;\n}\n\nvar _uniqueId = 0;\n\nfunction nextUniqueId() {\n _uniqueId++;\n\n return _uniqueId;\n}\n\nfunction toArray(obj) {\n var array = [];\n\n for (var i = (obj || []).length >>> 0; i--;) {\n array[i] = obj[i];\n }\n\n return array;\n}\n\nfunction classArray(node) {\n if (node.classList) {\n return toArray(node.classList);\n } else {\n return (node.getAttribute('class') || '').split(' ').filter(function (i) {\n return i;\n });\n }\n}\n\nfunction getIconName(familyPrefix, cls) {\n var parts = cls.split('-');\n var prefix = parts[0];\n var iconName = parts.slice(1).join('-');\n\n if (prefix === familyPrefix && iconName !== '' && !isReserved(iconName)) {\n return iconName;\n } else {\n return null;\n }\n}\n\nfunction htmlEscape(str) {\n return ('' + str).replace(/&/g, '&').replace(/\"/g, '"').replace(/'/g, ''').replace(/</g, '<').replace(/>/g, '>');\n}\n\nfunction joinAttributes(attributes) {\n return Object.keys(attributes || {}).reduce(function (acc, attributeName) {\n return acc + (attributeName + '=\"' + htmlEscape(attributes[attributeName]) + '\" ');\n }, '').trim();\n}\n\nfunction joinStyles(styles) {\n return Object.keys(styles || {}).reduce(function (acc, styleName) {\n return acc + (styleName + ': ' + styles[styleName] + ';');\n }, '');\n}\n\nfunction transformIsMeaningful(transform) {\n return transform.size !== meaninglessTransform.size || transform.x !== meaninglessTransform.x || transform.y !== meaninglessTransform.y || transform.rotate !== meaninglessTransform.rotate || transform.flipX || transform.flipY;\n}\n\nfunction transformForSvg(_ref) {\n var transform = _ref.transform,\n containerWidth = _ref.containerWidth,\n iconWidth = _ref.iconWidth;\n\n var outer = {\n transform: 'translate(' + containerWidth / 2 + ' 256)'\n };\n var innerTranslate = 'translate(' + transform.x * 32 + ', ' + transform.y * 32 + ') ';\n var innerScale = 'scale(' + transform.size / 16 * (transform.flipX ? -1 : 1) + ', ' + transform.size / 16 * (transform.flipY ? -1 : 1) + ') ';\n var innerRotate = 'rotate(' + transform.rotate + ' 0 0)';\n var inner = {\n transform: innerTranslate + ' ' + innerScale + ' ' + innerRotate\n };\n var path = {\n transform: 'translate(' + iconWidth / 2 * -1 + ' -256)'\n };\n return {\n outer: outer,\n inner: inner,\n path: path\n };\n}\n\nfunction transformForCss(_ref2) {\n var transform = _ref2.transform,\n _ref2$width = _ref2.width,\n width = _ref2$width === undefined ? UNITS_IN_GRID : _ref2$width,\n _ref2$height = _ref2.height,\n height = _ref2$height === undefined ? UNITS_IN_GRID : _ref2$height,\n _ref2$startCentered = _ref2.startCentered,\n startCentered = _ref2$startCentered === undefined ? false : _ref2$startCentered;\n\n var val = '';\n\n if (startCentered && IS_IE) {\n val += 'translate(' + (transform.x / d - width / 2) + 'em, ' + (transform.y / d - height / 2) + 'em) ';\n } else if (startCentered) {\n val += 'translate(calc(-50% + ' + transform.x / d + 'em), calc(-50% + ' + transform.y / d + 'em)) ';\n } else {\n val += 'translate(' + transform.x / d + 'em, ' + transform.y / d + 'em) ';\n }\n\n

val += 'scale(' + transform.size / d * (transform.flipX ? -1 : 1) + ', ' + transform.size / d * (transform.flipY ? -1 : 1) + ') ';\n val += 'rotate(' + transform.rotate + 'deg) ';\n\n return val;\n}\n\nvar ALL_SPACE = {\n x: 0,\n y: 0,\n width: '100%',\n height: '100%'\n};\n\nvar makeIconMasking = function (_ref) {\n var children = _ref.children,\n   attributes = _ref.attributes,\n   main = _ref.main,\n   mask = _ref.mask,\n   transform = _ref.transform;\n var mainWidth = main.width,\n   mainPath = main.icon;\n var maskWidth = mask.width,\n   maskPath = mask.icon;\n\n\n var trans = transformForSvg({ transform: transform, containerWidth: maskWidth, iconWidth: mainWidth });\n\n var maskRect = {\n   tag: 'rect',\n   attributes: _extends({}, ALL_SPACE, {\n   fill: 'white'\n   })\n };\n var maskInnerGroup = {\n   tag: 'g',\n   attributes: _extends({}, trans.inner),\n   children: [{ tag: 'path', attributes: _extends({}, mainPath.attributes, trans.path, { fill: 'black' }) }]\n };\n var maskOuterGroup = {\n   tag: 'g',\n   attributes: _extends({}, trans.outer),\n   children: [maskInnerGroup]\n };\n var maskId = 'mask-' + nextUniqueId();\n var clipId = 'clip-' + nextUniqueId();\n var maskTag = {\n   tag: 'mask',\n   attributes: _extends({}, ALL_SPACE, {\n   id: maskId,\n   maskUnits: 'userSpaceOnUse',\n   maskContentUnits: 'userSpaceOnUse'\n   }),\n   children: [maskRect, maskOuterGroup]\n };\n var defs = {\n   tag: 'defs',\n   children: [{ tag: 'clipPath', attributes: { id: clipId }, children: [maskPath] }, maskTag]\n };\n\n children.push(defs, {\n   tag: 'rect', attributes: _extends({ fill: 'currentColor', 'clip-path': 'url(#' + clipId + ')', mask: 'url(#' + maskId + ')' },\n   ALL_SPACE) });\n\n return {\n   children: children,\n   attributes: attributes\n };\n};\n\nvar makeIconStandard = function (_ref) {\n var children = _ref.children,\n   attributes = _ref.attributes,\n   main = _ref.main,\n   transform = _ref.transform,\n   styles = _ref.styles;\n var styleString = joinStyles(styles);\n\n if (styleString.length > 0) {\n   attributes['style'] = styleString;\n }\n\n if (transformIsMeaningful(transform)) {\n   var trans = transformForSvg({ transform: transform, containerWidth: main.width, iconWidth: main.width });\n   children.push({\n   tag: 'g',\n   attributes: _extends({}, trans.outer),\n   children: [{\n   tag: 'g',\n   attributes: _extends({}, trans.inner),\n   children: [{\n   tag: main.icon.tag,\n   children: main.icon.children,\n   attributes: _extends({}, main.icon.attributes, trans.path)\n   }]\n   }]\n   });\n } else {\n   children.push(main.icon);\n }\n\n return {\n   children: children,\n   attributes: attributes\n };\n};\n\nvar asIcon = function (_ref) {\n var children = _ref.children,\n   main = _ref.main,\n   mask = _ref.mask,\n   attributes = _ref.attributes,\n   styles = _ref.styles,\n   transform = _ref.transform;\n\n if (transformIsMeaningful(transform) && main.found && !mask.found) {\n   var width = main.width,\n   height = main.height;\n\n   var offset = {\n   x: width / height / 2,\n   y: 0.5\n   };\n   attributes['style'] = joinStyles(_extends({}, styles, {\n   'transform-origin': offset.x + transform.x / 16 + 'em ' + (offset.y + transform.y / 16) + 'em'\n   }));\n }\n\n return [{\n   tag: 'svg',\n   attributes: attributes,\n   children: children\n }];\n};\n\nvar asSymbol = function (_ref) {\n var prefix = _ref.prefix,\n   iconName = _ref.iconName,\n   children = _ref.children,\n   attributes = _ref.attributes,\n   symbol = _ref.symbol;\n\n var id = symbol === true ? prefix + '-' + config$1.familyPrefix + '-' + iconName : symbol;\n\n return [{\n   tag: 'svg',\n   attributes: {\n   style: 'display: none;'\n   },\n   children: [{\n   tag: 'symbol',\n   attributes: _extends({}, attributes, { id: id }),\n   children: children\n   }]\n }];\n};\n\nfunction makeInlineSvgAbstract(params) {\n var _params$icons = params.icons,\n   main = _params$icons.main,\n   mask = _params$icons.mask,\n   prefix = params.prefix,\n   iconName = params.iconName,\n   transform = params.transform,\n   symbol = params.symbol,\n   title = params.title,\n   extra = params.extra,\n   _params$watchable = params.watchable,\n   watchable = _params$watchable === undefined ? false : _params$watchable;\n\n var _ref = mask.found ? mask : main,\n   width = _ref.width,\n   height = _ref.height;\n\n var widthClass = 'fa-w-' + Math.ceil(width / height * 16);\n var attrClass = [config$1.replacementClass, iconName ? config$1.familyPrefix + '-' + iconName : '', widthClass].concat(extra.classes).join(' ');\n\n var content = {\n   children: [],\n   attributes: _extends({}, extra.attributes, {\n   'data-prefix': prefix,\n   'data-icon': iconName,\n   'class': attrClass,\n   'role': 'img',\n   'xmlns': 'http://www.w3.org/2000/svg',\n   'viewBox': '0 0 ' + width + ' ' + height\n   })\n };\n\n if (watchable) {\n   content.attributes[DATA_FA_I2SVG] = '';\n }\n\n if (title) content.children.push({ tag: 'title', attributes: { id: content.attributes['aria-labelledby'] || 'title-' + nextUniqueId() }, children: [title] });\n\n var args = _extends({},\n   content, {\n   prefix: prefix,\n   iconName: iconName,\n   main: main,\n   mask: mask,\n   transform: transform,\n   symbol: symbol,\n   styles: extra.styles\n });\n\n var _ref2 = mask.found && main.found ?

makeIconMasking(args) : makeIconStandard(args),\n   children = _ref2.children,\n   attributes = _ref2.attributes;\n\n args.children = children;\n args.attributes = attributes;\n\n if (symbol) {\n   return asSymbol(args);\n } else {\n   return asIcon(args);\n }\n}\n\nfunction makeLayersTextAbstract(params) {\n var content = params.content,\n   width = params.width,\n   height = params.height,\n   transform = params.transform,\n   title = params.title,\n   extra = params.extra,\n   _params$watchable2 = params.watchable,\n   watchable = _params$watchable2 === undefined ? false : _params$watchable2;\n\n var attributes = _extends({}, extra.attributes, title ? { 'title': title } : {}, {\n   'class': extra.classes.join(' ')\n });\n\n if (watchable) {\n   attributes[DATA_FA_I2SVG] = '';\n }\n\n var styles = _extends({}, extra.styles);\n\n if (transformIsMeaningful(transform)) {\n   styles['transform'] = transformForCss({ transform: transform, startCentered: true, width: width, height: height });\n   styles['-webkit-transform'] = styles['transform'];\n }\n\n var styleString = joinStyles(styles);\n\n if (styleString.length > 0) {\n   attributes['style'] = styleString;\n }\n\n var val = [];\n\n val.push({\n   tag: 'span',\n   attributes: attributes,\n   children: [content]\n });\n\n if (title) {\n   val.push({ tag: 'span', attributes: { class: 'sr-only' }, children: [title] });\n }\n\n return val;\n}\n\nvar noop$2 = function noop() {};\nvar p = config$1.measurePerformance && PERFORMANCE && PERFORMANCE.mark && PERFORMANCE.measure ? PERFORMANCE : { mark: noop$2, measure: noop$2 };\nvar preamble = 'FA \"5.0.13\"';\n\nvar begin = function begin(name) {\n p.mark(preamble + ' ' + name + ' begins');\n return function () {\n   return end(name);\n };\n};\n\nvar end = function end(name) {\n p.mark(preamble + ' ' + name + ' ends');\n p.measure(preamble + ' ' + name, preamble + ' ' + name + ' begins', preamble + ' ' + name + ' ends');\n};\n\nvar perf = { begin: begin, end: end };\n\n'use strict';\n\n/**\n * Internal helper to bind a function known to have 4 arguments\n * to a given context.\n */\nvar bindInternal4 = function bindInternal4 (func, thisContext) {\n return function (a, b, c, d) {\n   return func.call(thisContext, a, b, c, d);\n };\n};\n\n'use strict';\n\n/**\n * # Reduce\n *\n * A fast object `.reduce()` implementation.\n *\n * @param {Object}   subject   The object to reduce over.\n * @param {Function} fn   The reducer function.\n * @param {mixed}   initialValue The initial value for the reducer,\n * defaults to subject[0].\n * @param {Object}   thisContext The context for the reducer.\n * @return {mixed}   The final result.\n */\nvar reduce = function fastReduceObject (subject, fn, initialValue, thisContext) {\n var keys = Object.keys(subject),\n   length = keys.length,\n   iterator = thisContext !== undefined ? bindInternal4(fn, thisContext) : fn,\n   i, key, result;\n\n if (initialValue === undefined) {\n   i = 1;\n   result = subject[keys[0]];\n } else {\n   i = 0;\n   result = initialValue;\n }\n\n for (; i < length; i++) {\n   key = keys[i];\n   result = iterator(result, subject[key], key, subject);\n }\n\n return result;\n};\n\nvar styles$2 = namespace.styles;\nvar shims = namespace.shims;\n\nvar _byUnicode = {};\nvar _byLigature = {};\nvar _byOldName = {};\nvar build = function build() {\n var lookup = function lookup(reducer) {\n   return reduce(styles$2, function (o, style, prefix) {\n   o[prefix] = reduce(style, reducer, {});\n   return o;\n   }, {});\n };\n\n _byUnicode = lookup(function (acc, icon, iconName) {\n   acc[icon[3]] = iconName;\n\n   return acc;\n });\n\n _byLigature = lookup(function (acc, icon, iconName) {\n   var ligatures = icon[2];\n\n   acc[iconName] = iconName;\n\n   ligatures.forEach(function (ligature) {\n   acc[ligature] = iconName;\n   });\n\n   return acc;\n });\n\n var hasRegular = 'far' in styles$2;\n\n _byOldName = reduce(shims, function (acc, shim) {\n   var oldName = shim[0];\n   var prefix = shim[1];\n   var iconName = shim[2];\n\n   if (prefix === 'far' && !hasRegular) {\n   prefix = 'fas';\n   }\n\n   acc[oldName] = { prefix: prefix, iconName: iconName };\n\n   return acc;\n }, {});\n};\n\nbuild();\n\nfunction byUnicode(prefix, unicode) {\n return _byUnicode[prefix][unicode];\n}\n\nfunction byLigature(prefix, ligature) {\n return _byLigature[prefix][ligature];\n}\n\nfunction byOldName(name) {\n return _byOldName[name] || { prefix: null, iconName: null };\n}\n\nvar styles$1 = namespace.styles;\n\nvar emptyCanonicalIcon = function emptyCanonicalIcon() {\n return { prefix: null, iconName: null, rest: [] };\n};\n\nfunction getCanonicalIcon(values) {\n return values.reduce(function (acc, cls) {\n   var iconName = getIconName(config$1.familyPrefix, cls);\n\n   if (styles$1[cls]) {\n   acc.prefix = cls;\n   } else if (iconName) {\n   var shim = acc.prefix === 'fa' ? byOldName(iconName) : {};\n\n   acc.iconName = shim.iconName || iconName;\n   acc.prefix = shim.prefix || acc.prefix;\n   } else if (cls !== config$1.replacementClass && cls.indexOf('fa-w-') !== 0) {\n   acc.rest.push(cls);\n   }\n\n   return acc;\n }, emptyCanonicalIcon());\n}\n\nfunction iconFromMapping(mapping, prefix, iconName) {\n if (mapping && mapping[prefix] && mapping[prefix][iconName]) {\n   return {\n

prefix: prefix,\n   iconName: iconName,\n   icon: mapping[prefix][iconName]\n   };\n }\n}\n\nfunction toHtml(abstractNodes) {\n var tag = abstractNodes.tag,\n   _abstractNodes$attrib = abstractNodes.attributes,\n   attributes = _abstractNodes$attrib === undefined ? {} : _abstractNodes$attrib,\n   _abstractNodes$childr = abstractNodes.children,\n   children = _abstractNodes$childr === undefined ? [] : _abstractNodes$childr;\n\n\n if (typeof abstractNodes === 'string') {\n   return htmlEscape(abstractNodes);\n } else {\n   return '<' + tag + ' ' + joinAttributes(attributes) + '>' + children.map(toHtml).join('') + '</' + tag + '>';\n }\n}\n\nvar noop$1 = function noop() {};\n\nfunction isWatched(node) {\n var i2svg = node.getAttribute ? node.getAttribute(DATA_FA_I2SVG) : null;\n\n return typeof i2svg === 'string';\n}\n\nfunction getMutator() {\n if (config$1.autoReplaceSvg === true) {\n   return mutators.replace;\n }\n\n var mutator = mutators[config$1.autoReplaceSvg];\n\n return mutator || mutators.replace;\n}\n\nvar mutators = {\n replace: function replace(mutation) {\n   var node = mutation[0];\n   var abstract = mutation[1];\n   var newOuterHTML = abstract.map(function (a) {\n   return toHtml(a);\n   }).join('\\n');\n\n   if (node.parentNode && node.outerHTML) {\n   node.outerHTML = newOuterHTML + (config$1.keepOriginalSource && node.tagName.toLowerCase() !== 'svg' ? '<!-- ' + node.outerHTML + ' -->' : '');\n   } else if (node.parentNode) {\n   var newNode = document.createElement('span');\n   node.parentNode.replaceChild(newNode, node);\n   newNode.outerHTML = newOuterHTML;\n   }\n },\n nest: function nest(mutation) {\n   var node = mutation[0];\n   var abstract = mutation[1];\n\n   // If we already have a replaced node we do not want to continue nesting within it.\n   // Short-circuit to the standard replacement\n   if (~classArray(node).indexOf(config$1.replacementClass)) {\n   return mutators.replace(mutation);\n   }\n\n   var forSvg = new RegExp(config$1.familyPrefix + '-.*');\n\n   delete abstract[0].attributes.style;\n\n   var splitClasses = abstract[0].attributes.class.split(' ').reduce(function (acc, cls) {\n   if (cls === config$1.replacementClass || cls.match(forSvg)) {\n   acc.toSvg.push(cls);\n   } else {\n   acc.toNode.push(cls);\n   }\n\n   return acc;\n   }, { toNode: [], toSvg: [] });\n\n   abstract[0].attributes.class = splitClasses.toSvg.join(' ');\n\n   var newInnerHTML = abstract.map(function (a) {\n   return toHtml(a);\n   }).join('\\n');\n   node.setAttribute('class', splitClasses.toNode.join(' '));\n   node.setAttribute(DATA_FA_I2SVG, '');\n   node.innerHTML = newInnerHTML;\n }\n};\n\nfunction perform(mutations, callback) {\n var callbackFunction = typeof callback === 'function' ? callback : noop$1;\n\n if (mutations.length === 0) {\n   callbackFunction();\n } else {\n   var frame = WINDOW.requestAnimationFrame || function (op) {\n   return op();\n   };\n\n   frame(function () {\n   var mutator = getMutator();\n   var mark = perf.begin('mutate');\n   mutations.map(mutator);\n\n   mark();\n\n   callbackFunction();\n   });\n }\n}\n\nvar disabled = false;\nfunction disableObservation(operation) {\n disabled = true;\n operation();\n disabled = false;\n}\n\nvar mo = null;\nfunction observe(options) {\n if (!MUTATION_OBSERVER) return;\n\n var treeCallback = options.treeCallback,\n   nodeCallback = options.nodeCallback,\n   pseudoElementsCallback = options.pseudoElementsCallback;\n\n\n mo = new MUTATION_OBSERVER(function (objects) {\n   if (disabled) return;\n\n   toArray(objects).forEach(function (mutationRecord) {\n   if (mutationRecord.type === 'childList' && mutationRecord.addedNodes.length > 0 && !isWatched(mutationRecord.addedNodes[0])) {\n   if (config$1.searchPseudoElements) {\n   pseudoElementsCallback(mutationRecord.target);\n   }\n\n   treeCallback(mutationRecord.target);\n   }\n\n   if (mutationRecord.type === 'attributes' && mutationRecord.target.parentNode && config$1.searchPseudoElements) {\n   pseudoElementsCallback(mutationRecord.target.parentNode);\n   }\n\n   if (mutationRecord.type === 'attributes' && isWatched(mutationRecord.target) && ~ATTRIBUTES_WATCHED_FOR_MUTATION.indexOf(mutationRecord.attributeName)) {\n   if (mutationRecord.attributeName === 'class') {\n   var _getCanonicalIcon = getCanonicalIcon(classArray(mutationRecord.target)),\n   prefix = _getCanonicalIcon.prefix,\n   iconName = _getCanonicalIcon.iconName;\n\n   if (prefix) mutationRecord.target.setAttribute('data-prefix', prefix);\n   if (iconName) mutationRecord.target.setAttribute('data-icon', iconName);\n   } else {\n   nodeCallback(mutationRecord.target);\n   }\n   }\n   });\n });\n\n if (!IS_DOM) return;\n\n mo.observe(DOCUMENT.getElementsByTagName('body')[0], {\n   childList: true, attributes: true, characterData: true, subtree: true\n });\n}\n\nfunction disconnect() {\n if (!mo) return;\n\n mo.disconnect();\n}\n\nvar styleParser = function (node) {\n var style = node.getAttribute('style');\n\n var val = [];\n\n if (style) {\n   val =

style.split(';').reduce(function (acc, style) {\n   var styles = style.split(':');\n   var prop = styles[0];\n   var value = styles.slice(1);\n\n   if (prop && value.length > 0) {\n   acc[prop] = value.join(':').trim();\n   }\n\n   return acc;\n }, {});\n }\n\n return val;\n};\n\nfunction toHex(unicode) {\n var result = '';\n\n for (var i = 0; i < unicode.length; i++) {\n   var hex = unicode.charCodeAt(i).toString(16);\n   result += ('000' + hex).slice(-4);\n }\n\n return result;\n}\n\nvar classParser = function (node) {\n var existingPrefix = node.getAttribute('data-prefix');\n var existingIconName = node.getAttribute('data-icon');\n var innerText = node.innerText !== undefined ? node.innerText.trim() : '';\n\n var val = getCanonicalIcon(classArray(node));\n\n if (existingPrefix && existingIconName) {\n   val.prefix = existingPrefix;\n   val.iconName = existingIconName;\n }\n\n if (val.prefix && innerText.length > 1) {\n   val.iconName = byLigature(val.prefix, node.innerText);\n } else if (val.prefix && innerText.length === 1) {\n   val.iconName = byUnicode(val.prefix, toHex(node.innerText));\n }\n\n return val;\n};\n\nvar parseTransformString = function parseTransformString(transformString) {\n var transform = {\n   size: 16,\n   x: 0,\n   y: 0,\n   flipX: false,\n   flipY: false,\n   rotate: 0\n };\n\n if (!transformString) {\n   return transform;\n } else {\n   return transformString.toLowerCase().split(' ').reduce(function (acc, n) {\n   var parts = n.toLowerCase().split('-');\n   var first = parts[0];\n   var rest = parts.slice(1).join('-');\n\n   if (first && rest === 'h') {\n   acc.flipX = true;\n   return acc;\n   }\n\n   if (first && rest === 'v') {\n   acc.flipY = true;\n   return acc;\n   }\n\n   rest = parseFloat(rest);\n\n   if (isNaN(rest)) {\n   return acc;\n   }\n\n   switch (first) {\n   case 'grow':\n   acc.size = acc.size + rest;\n   break;\n   case 'shrink':\n   acc.size = acc.size - rest;\n   break;\n   case 'left':\n   acc.x = acc.x - rest;\n   break;\n   case 'right':\n   acc.x = acc.x + rest;\n   break;\n   case 'up':\n   acc.y = acc.y - rest;\n   break;\n   case 'down':\n   acc.y = acc.y + rest;\n   break;\n   case 'rotate':\n   acc.rotate = acc.rotate + rest;\n   break;\n   }\n\n   return acc;\n   }, transform);\n }\n};\n\nvar transformParser = function (node) {\n return parseTransformString(node.getAttribute('data-fa-transform'));\n};\n\nvar symbolParser = function (node) {\n var symbol = node.getAttribute('data-fa-symbol');\n\n return symbol === null ? false : symbol === '' ? true : symbol;\n};\n\nvar attributesParser = function (node) {\n var extraAttributes = toArray(node.attributes).reduce(function (acc, attr) {\n   if (acc.name !== 'class' && acc.name !== 'style') {\n   acc[attr.name] = attr.value;\n   }\n   return acc;\n }, {});\n\n var title = node.getAttribute('title');\n\n if (config$1.autoA11y) {\n   if (title) {\n   extraAttributes['aria-labelledby'] = config$1.replacementClass + '-title-' + nextUniqueId();\n   } else {\n   extraAttributes['aria-hidden'] = 'true';\n   }\n }\n\n return extraAttributes;\n};\n\nvar maskParser = function (node) {\n var mask = node.getAttribute('data-fa-mask');\n\n if (!mask) {\n   return emptyCanonicalIcon();\n } else {\n   return getCanonicalIcon(mask.split(' ').map(function (i) {\n   return i.trim();\n   }));\n }\n};\n\nfunction parseMeta(node) {\n var _classParser = classParser(node),\n   iconName = _classParser.iconName,\n   prefix = _classParser.prefix,\n   extraClasses = _classParser.rest;\n\n var extraStyles = styleParser(node);\n var transform = transformParser(node);\n var symbol = symbolParser(node);\n var extraAttributes = attributesParser(node);\n var mask = maskParser(node);\n\n return {\n   iconName: iconName,\n   title: node.getAttribute('title'),\n   prefix: prefix,\n   transform: transform,\n   symbol: symbol,\n   mask: mask,\n   extra: {\n   classes: extraClasses,\n   styles: extraStyles,\n   attributes: extraAttributes\n   }\n };\n}\n\nfunction MissingIcon(error) {\n this.name = 'MissingIcon';\n this.message = error || 'Icon unavailable';\n this.stack = new Error().stack;\n}\n\nMissingIcon.prototype = Object.create(Error.prototype);\nMissingIcon.prototype.constructor = MissingIcon;\n\nvar FILL = { fill: 'currentColor' };\nvar ANIMATION_BASE = {\n attributeType: 'XML',\n repeatCount: 'indefinite',\n dur: '2s'\n};\nvar RING = {\n tag: 'path',\n attributes: _extends({}, FILL, {\n   d: 'M156.5,447.7l-12.6,29.5c-18.7-9.5-35.9-21.2-51.5-34.9l22.7-22.7C127.6,430.5,141.5,440,156.5,447.7z M40.6,272H8.5 c1.4,21.2,5.4,41.7,11.7,61.1L50,321.2C45.1,305.5,41.8,289,40.6,272z M40.6,240c1.4-18.8,5.2-37,11.1-54.1l-29.5-12.6 C14.7,194.3,10,216.7,8.5,240H40.6z M64.3,156.5c7.8-14.9,17.2-28.8,28.1-41.5L69.7,92.3c-13.7,15.6-25.5,32.8-34.9,51.5 L64.3,156.5z M397,419.6c-13.9,12-29.4,22.3-46.1,30.4l11.9,29.8c20.7-9.9,39.8-22.6,56.9-37.6L397,419.6z M115,92.4 c13.9-12,29.4-22.3,46.1-30.4l-11.9-29.8c-20.7,9.9-39.8,22.6-56.8,37.6L115,92.4z M447.7,355.5c-7.8,14.9-17.2,28.8-28.1,41.5 l22.7,22.7c13.7-15.6,25.5-32.9,34.9-51.5L447.7,355.5z M471.4,272c-1.4,18.8-5.2,37-11.1,54.1l29.5,12.6 c7.5-21.1,12.2-43.5,13.6-66.8H471.4z M321.2,462c-15.7,5-32.2,8.2-

49.2,9.4v32.1c21.2-1.4,41.7-5.4,61.1-11.7L321.2,462z M240,471.4c-18.8-1.4-37-5.2-54.1-11.1l-12.6,29.5c21.1,7.5,43.5,12.2,66.8,13.6V471.4z M462,190.8c5,15.7,8.2,32.2,9.4,49.2h32.1 c-1.4-21.2-5.4-41.7-11.7-61.1L462,190.8z M92.4,397c-12-13.9-22.3-29.4-30.4-46.1l-29.8,11.9c9.9,20.7,22.6,39.8,37.6,56.9 L92.4,397z M272,40.6c18.8,1.4,36.9,5.2,54.1,11.1l12.6-29.5C317.7,14.7,295.3,10,272,8.5V40.6z M190.8,50 c15.7-5,32.2-8.2,49.2-9.4V8.5c-21.2,1.4-41.7,5.4-61.1,11.7L190.8,50z M442.3,92.3L419.6,115c12,13.9,22.3,29.4,30.5,46.1 l29.8-11.9C470,128.5,457.3,109.4,442.3,92.3z M397,92.4l22.7-22.7c-15.6-13.7-32.8-25.5-51.5-34.9l-12.6,29.5 C370.4,72.1,384.4,81.5,397,92.4z'\n })\n};\nvar OPACITY_ANIMATE = _extends({}, ANIMATION_BASE, {\n attributeName: 'opacity'\n});\nvar DOT = {\n tag: 'circle',\n attributes: _extends({}, FILL, {\n   cx: '256',\n   cy: '364',\n   r: '28'\n }),\n children: [{ tag: 'animate', attributes: _extends({}, ANIMATION_BASE, { attributeName: 'r', values: '28;14;28;28;14;28;' }) }, { tag: 'animate', attributes: _extends({}, OPACITY_ANIMATE, { values: '1;0;1;1;0;1;' }) }]\n};\nvar QUESTION = {\n tag: 'path',\n attributes: _extends({}, FILL, {\n   opacity: '1',\n   d: 'M263.7,312h-16c-6.6,0-12-5.4-12-12c0-71,77.4-63.9,77.4-107.8c0-20-17.8-40.2-57.4-40.2c-29.1,0-44.3,9.6-59.2,28.7 c-3.9,5-11.1,6-16.2,2.4l-13.1-9.2c-5.6-3.9-6.9-11.8-2.6-17.2c21.2-27.2,46.4-44.7,91.2-44.7c52.3,0,97.4,29.8,97.4,80.2 c0,67.6-77.4,63.5-77.4,107.8C275.7,306.6,270.3,312,263.7,312z'\n }),\n children: [{ tag: 'animate', attributes: _extends({}, OPACITY_ANIMATE, { values: '1;0;0;0;0;1;' }) }]\n};\nvar EXCLAMATION = {\n tag: 'path',\n attributes: _extends({}, FILL, {\n   opacity: '0',\n   d: 'M232.5,134.5l7,168c0.3,6.4,5.6,11.5,12,11.5h9c6.4,0,11.7-5.1,12-11.5l7-168c0.3-6.8-5.2-12.5-12-12.5h-23 C237.7,122,232.2,127.7,232.5,134.5z'\n }),\n children: [{ tag: 'animate', attributes: _extends({}, OPACITY_ANIMATE, { values: '0;0;1;1;0;0;' }) }]\n};\n\nvar missing = { tag: 'g', children: [RING, DOT, QUESTION, EXCLAMATION] };\n\nvar styles = namespace.styles;\nvar LAYERS_TEXT_CLASSNAME = 'fa-layers-text';\nvar FONT_FAMILY_PATTERN = /Font Awesome 5 (Solid|Regular|Light|Brands)/;\nvar STYLE_TO_PREFIX = {\n 'Solid': 'fas',\n 'Regular': 'far',\n 'Light': 'fal',\n 'Brands': 'fab'\n};\n\nfunction findIcon(iconName, prefix) {\n var val = {\n   found: false,\n   width: 512,\n   height: 512,\n   icon: missing\n };\n\n if (iconName && prefix && styles[prefix] && styles[prefix][iconName]) {\n   var icon = styles[prefix][iconName];\n   var width = icon[0];\n   var height = icon[1];\n   var vectorData = icon.slice(4);\n\n   val = {\n   found: true,\n   width: width,\n   height: height,\n   icon: { tag: 'path', attributes: { fill: 'currentColor', d: vectorData[0] } }\n   };\n } else if (iconName && prefix && !config$1.showMissingIcons) {\n   throw new MissingIcon('Icon is missing for prefix ' + prefix + ' with icon name ' + iconName);\n }\n\n return val;\n}\n\nfunction generateSvgReplacementMutation(node, nodeMeta) {\n var iconName = nodeMeta.iconName,\n   title = nodeMeta.title,\n   prefix = nodeMeta.prefix,\n   transform = nodeMeta.transform,\n   symbol = nodeMeta.symbol,\n   mask = nodeMeta.mask,\n   extra = nodeMeta.extra;\n\n return [node, makeInlineSvgAbstract({\n   icons: {\n   main: findIcon(iconName, prefix),\n   mask: findIcon(mask.iconName, mask.prefix)\n   },\n   prefix: prefix,\n   iconName: iconName,\n   transform: transform,\n   symbol: symbol,\n   mask: mask,\n   title: title,\n   extra: extra,\n   watchable: true\n })];\n}\n\nfunction generateLayersText(node, nodeMeta) {\n var title = nodeMeta.title,\n   transform = nodeMeta.transform,\n   extra = nodeMeta.extra;\n\n var width = null;\n var height = null;\n\n if (IS_IE) {\n   var computedFontSize = parseInt(getComputedStyle(node).fontSize, 10);\n   var boundingClientRect = node.getBoundingClientRect();\n   width = boundingClientRect.width / computedFontSize;\n   height = boundingClientRect.height / computedFontSize;\n }\n\n if (config$1.autoA11y && !title) {\n   extra.attributes['aria-hidden'] = 'true';\n }\n\n return [node, makeLayersTextAbstract({\n   content: node.innerHTML,\n   width: width,\n   height: height,\n   transform: transform,\n   title: title,\n   extra: extra,\n   watchable: true\n })];\n}\n\nfunction generateMutation(node) {\n var nodeMeta = parseMeta(node);\n\n if (~nodeMeta.extra.classes.indexOf(LAYERS_TEXT_CLASSNAME)) {\n   return generateLayersText(node, nodeMeta);\n } else {\n   return generateSvgReplacementMutation(node, nodeMeta);\n }\n}\n\nfunction remove(node) {\n if (typeof node.remove === 'function') {\n   node.remove();\n } else if (node && node.parentNode) {\n   node.parentNode.removeChild(node);\n }\n}\n\nfunction searchPseudoElements(root) {\n if (!IS_DOM) return;\n\n var end = perf.begin('searchPseudoElements');\n\n disableObservation(function () {\n   toArray(root.querySelectorAll('*')).forEach(function (node) {\n   [':before', ':after'].forEach(function (pos) {\n```

var styles = WINDOW.getComputedStyle(node, pos);\n   var fontFamily = styles.getPropertyValue('font-family').match(FONT_FAMILY_PATTERN);\n   var children = toArray(node.children);\n   var pseudoElement = children.filter(function (c) {\n   return c.getAttribute(DATA_FA_PSEUDO_ELEMENT) === pos;\n   })[0];\n\n   if (pseudoElement) {\n   if (pseudoElement.nextSibling && pseudoElement.nextSibling.textContent.indexOf(DATA_FA_PSEUDO_ELEMENT) > -1) {\n remove(pseudoElement.nextSibling);\n   }\n   remove(pseudoElement);\n   pseudoElement = null;\n }\n\n   if (fontFamily && !pseudoElement) {\n   var content = styles.getPropertyValue('content');\n   var i = DOCUMENT.createElement('i');\n   i.setAttribute('class', '' + STYLE_TO_PREFIX[fontFamily[1]]);\n i.setAttribute(DATA_FA_PSEUDO_ELEMENT, pos);\n   i.innerText = content.length === 3 ? content.substr(1, 1) : content;\n   if (pos === ':before') {\n   node.insertBefore(i, node.firstChild);\n   } else {\n   node.appendChild(i);\n   }\n   }\n   });\n   });\n   });\n\n   end();\n}\n\nfunction onTree(root) {\n   var callback = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : null;\n\n   if (!IS_DOM) return;\n\n   var htmlClassList = DOCUMENT.documentElement.classList;\n   var hclAdd = function hclAdd(suffix) {\n   return htmlClassList.add(HTML_CLASS_I2SVG_BASE_CLASS + '-' + suffix);\n   };\n   var hclRemove = function hclRemove(suffix) {\n   return htmlClassList.remove(HTML_CLASS_I2SVG_BASE_CLASS + '-' + suffix);\n   };\n   var prefixes = Object.keys(styles);\n   var prefixesDomQuery = ['.' + LAYERS_TEXT_CLASSNAME + ':not([' + DATA_FA_I2SVG + '])'].concat(prefixes.map(function (p) {\n   return '.' + p + ':not([' + DATA_FA_I2SVG + '])';\n   })).join(', ');\n\n   if (prefixesDomQuery.length === 0) {\n   return;\n   }\n\n   var candidates = toArray(root.querySelectorAll(prefixesDomQuery));\n\n   if (candidates.length > 0) {\n   hclAdd('pending');\n   hclRemove('complete');\n   } else {\n   return;\n   }\n\n   var mark = perf.begin('onTree');\n\n   var mutations = candidates.reduce(function (acc, node) {\n   try {\n   var mutation = generateMutation(node);\n\n   if (mutation) {\n   acc.push(mutation);\n   }\n   } catch (e) {\n   if (!PRODUCTION) {\n   if (e instanceof MissingIcon) {\n   console.error(e);\n   }\n   }\n   }\n\n   return acc;\n   }, []);\n\n   mark();\n\n   perform(mutations, function () {\n   hclAdd('active');\n   hclAdd('complete');\n   hclRemove('pending');\n\n   if (typeof callback === 'function') callback();\n   });\n}\n\nfunction onNode(node) {\n   var callback = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : null;\n   var mutation = generateMutation(node);\n\n   if (mutation) {\n   perform([mutation], callback);\n   }\n}\n\nvar baseStyles = \"svg:not(:root).svg-inline--fa {\\n overflow: visible; }\\n\\n.svg-inline--fa {\\n display: inline-block;\\n font-size: inherit;\\n height: 1em;\\n overflow: visible;\\n vertical-align: -.125em; }\\n .svg-inline--fa.fa-lg {\\n   vertical-align: -.225em; }\\n .svg-inline--fa.fa-w-1 {\\n   width: 0.0625em; }\\n .svg-inline--fa.fa-w-2 {\\n   width: 0.125em; }\\n .svg-inline--fa.fa-w-3 {\\n   width: 0.1875em; }\\n .svg-inline--fa.fa-w-4 {\\n   width: 0.25em; }\\n .svg-inline--fa.fa-w-5 {\\n   width: 0.3125em; }\\n .svg-inline--fa.fa-w-6 {\\n   width: 0.375em; }\\n .svg-inline--fa.fa-w-7 {\\n   width: 0.4375em; }\\n .svg-inline--fa.fa-w-8 {\\n   width: 0.5em; }\\n .svg-inline--fa.fa-w-9 {\\n   width: 0.5625em; }\\n .svg-inline--fa.fa-w-10 {\\n   width: 0.625em; }\\n .svg-inline--fa.fa-w-11 {\\n   width: 0.6875em; }\\n .svg-inline--fa.fa-w-12 {\\n   width: 0.75em; }\\n .svg-inline--fa.fa-w-13 {\\n   width: 0.8125em; }\\n .svg-inline--fa.fa-w-14 {\\n   width: 0.875em; }\\n .svg-inline--fa.fa-w-15 {\\n   width: 0.9375em; }\\n .svg-inline--fa.fa-w-16 {\\n   width: 1em; }\\n .svg-inline--fa.fa-w-17 {\\n   width: 1.0625em; }\\n .svg-inline--fa.fa-w-18 {\\n   width: 1.125em; }\\n .svg-inline--fa.fa-w-19 {\\n   width: 1.1875em; }\\n .svg-inline--fa.fa-w-20 {\\n   width: 1.25em; }\\n .svg-inline--fa.fa-pull-left {\\n   margin-right: .3em;\\n   width: auto; }\\n .svg-inline--fa.fa-pull-right {\\n   margin-left: .3em;\\n   width: auto; }\\n .svg-inline--fa.fa-border {\\n   height: 1.5em; }\\n .svg-inline--fa.fa-li {\\n   width: 2em; }\\n .svg-inline--fa.fa-fw {\\n   width: 1.25em; }\\n\\n.fa-layers svg.svg-inline--fa {\\n bottom: 0;\\n left: 0;\\n margin: auto;\\n position: absolute;\\n right: 0;\\n top: 0; }\\n\\n.fa-layers {\\n display: inline-block;\\n height: 1em;\\n position: relative;\\n text-align: center;\\n vertical-align: -.125em;\\n width: 1em; }\\n .fa-layers svg.svg-inline--fa {\\n   -webkit-transform-origin: center center;\\n   transform-origin: center center; }\\n\\n.fa-layers-text, .fa-layers-counter {\\n display: inline-block;\\n position: absolute;\\n text-align: center; }\\n\\n.fa-layers-text {\\n left: 50%;\\n top: 50%;\\n -webkit-transform: translate(-50%, -50%);\\n   transform: translate(-50%, -50%);\\n -webkit-transform-origin: center center;\\n   transform-origin: center center; }\\n\\n.fa-layers-counter {\\n background-color: #ff253a;\\n border-radius: 1em;\\n -webkit-

box-sizing: border-box;\\n   box-sizing: border-box;\\n color: #fff;\\n height: 1.5em;\\n line-height: 1;\\n max-width: 5em;\\n min-width: 1.5em;\\n overflow: hidden;\\n padding: .25em;\\n right: 0;\\n text-overflow: ellipsis;\\n top: 0;\\n -webkit-transform: scale(0.25);\\n   transform: scale(0.25);\\n -webkit-transform-origin: top right;\\n   transform-origin: top right; }\\n\\n.fa-layers-bottom-right {\\n bottom: 0;\\n right: 0;\\n top: auto;\\n -webkit-transform: scale(0.25);\\n   transform: scale(0.25);\\n -webkit-transform-origin: bottom right;\\n   transform-origin: bottom right; }\\n\\n.fa-layers-bottom-left {\\n bottom: 0;\\n left: 0;\\n right: auto;\\n top: auto;\\n -webkit-transform: scale(0.25);\\n   transform: scale(0.25);\\n -webkit-transform-origin: bottom left;\\n   transform-origin: bottom left; }\\n\\n.fa-layers-top-right {\\n right: 0;\\n top: 0;\\n -webkit-transform: scale(0.25);\\n   transform: scale(0.25);\\n -webkit-transform-origin: top right;\\n   transform-origin: top right; }\\n\\n.fa-layers-top-left {\\n left: 0;\\n right: auto;\\n top: 0;\\n -webkit-transform: scale(0.25);\\n   transform: scale(0.25);\\n -webkit-transform-origin: top left;\\n   transform-origin: top left; }\\n\\n.fa-lg {\\n font-size: 1.33333em;\\n line-height: 0.75em;\\n vertical-align: -.0667em; }\\n\\n.fa-xs {\\n font-size: .75em; }\\n\\n.fa-sm {\\n font-size: .875em; }\\n\\n.fa-1x {\\n font-size: 1em; }\\n\\n.fa-2x {\\n font-size: 2em; }\\n\\n.fa-3x {\\n font-size: 3em; }\\n\\n.fa-4x {\\n font-size: 4em; }\\n\\n.fa-5x {\\n font-size: 5em; }\\n\\n.fa-6x {\\n font-size: 6em; }\\n\\n.fa-7x {\\n font-size: 7em; }\\n\\n.fa-8x {\\n font-size: 8em; }\\n\\n.fa-9x {\\n font-size: 9em; }\\n\\n.fa-10x {\\n font-size: 10em; }\\n\\n.fa-fw {\\n text-align: center;\\n width: 1.25em; }\\n\\n.fa-ul {\\n list-style-type: none;\\n margin-left: 2.5em;\\n padding-left: 0; }\\n .fa-ul > li {\\n   position: relative; }\\n\\n.fa-li {\\n left: -2em;\\n position: absolute;\\n text-align: center;\\n width: 2em;\\n line-height: inherit; }\\n\\n.fa-border {\\n border: solid 0.08em #eee;\\n border-radius: .1em;\\n padding: .2em .25em .15em; }\\n\\n.fa-pull-left {\\n float: left; }\\n\\n.fa-pull-right {\\n float: right; }\\n\\n.fa.fa-pull-left,\\n.fas.fa-pull-left,\\n.far.fa-pull-left,\\n.fal.fa-pull-left,\\n.fab.fa-pull-left {\\n margin-right: .3em; }\\n\\n.fa.fa-pull-right,\\n.fas.fa-pull-right,\\n.far.fa-pull-right,\\n.fal.fa-pull-right,\\n.fab.fa-pull-right {\\n margin-left: .3em; }\\n\\n.fa-spin {\\n -webkit-animation: fa-spin 2s infinite linear;\\n   animation: fa-spin 2s infinite linear; }\\n\\n.fa-pulse {\\n -webkit-animation: fa-spin 1s infinite steps(8);\\n   animation: fa-spin 1s infinite steps(8); }\\n\\n@-webkit-keyframes fa-spin {\\n 0% {\\n   -webkit-transform: rotate(0deg);\\n   transform: rotate(0deg); }\\n 100% {\\n   -webkit-transform: rotate(360deg);\\n   transform: rotate(360deg); } }\\n\\n@keyframes fa-spin {\\n 0% {\\n   -webkit-transform: rotate(0deg);\\n   transform: rotate(0deg); }\\n 100% {\\n   -webkit-transform: rotate(360deg);\\n   transform: rotate(360deg); } }\\n\\n.fa-rotate-90 {\\n -ms-filter: \\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=1)\\\";\\n -webkit-transform: rotate(90deg);\\n   transform: rotate(90deg); }\\n\\n.fa-rotate-180 {\\n -ms-filter: \\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=2)\\\";\\n -webkit-transform: rotate(180deg);\\n   transform: rotate(180deg); }\\n\\n.fa-rotate-270 {\\n -ms-filter: \\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=3)\\\";\\n -webkit-transform: rotate(270deg);\\n   transform: rotate(270deg); }\\n\\n.fa-flip-horizontal {\\n -ms-filter: \\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=0, mirror=1)\\\";\\n -webkit-transform: scale(-1, 1);\\n   transform: scale(-1, 1); }\\n\\n.fa-flip-vertical {\\n -ms-filter: \\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=2, mirror=1)\\\";\\n -webkit-transform: scale(1, -1);\\n   transform: scale(1, -1); }\\n\\n.fa-flip-horizontal.fa-flip-vertical {\\n -ms-filter: \\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=2, mirror=1)\\\";\\n -webkit-transform: scale(-1, -1);\\n   transform: scale(-1, -1); }\\n\\n:root .fa-rotate-90,\\n:root .fa-rotate-180,\\n:root .fa-rotate-270,\\n:root .fa-flip-horizontal,\\n:root .fa-flip-vertical {\\n -webkit-filter: none;\\n   filter: none; }\\n\\n.fa-stack {\\n display: inline-block;\\n height: 2em;\\n position: relative;\\n width: 2em; }\\n\\n.fa-stack-1x,\\n.fa-stack-2x {\\n bottom: 0;\\n left: 0;\\n margin: auto;\\n position: absolute;\\n right: 0;\\n top: 0; }\\n\\n.svg-inline--fa.fa-stack-1x {\\n height: 1em;\\n width: 1em; }\\n\\n.svg-inline--fa.fa-stack-2x {\\n height: 2em;\\n width: 2em; }\\n\\n.fa-inverse {\\n color: #fff; }\\n\\n.sr-only {\\n border: 0;\\n clip: rect(0, 0, 0, 0);\\n height: 1px;\\n margin: -1px;\\n overflow: hidden;\\n padding: 0;\\n position: absolute;\\n width: 1px; }\\n\\n.sr-only-focusable:active, .sr-only-focusable:focus {\\n clip: auto;\\n height: auto;\\n margin: 0;\\n overflow: visible;\\n position: static;\\n width: auto; }\\n\";\n\nvar css = function () {\n var dfp = DEFAULT_FAMILY_PREFIX;\n var drc =

DEFAULT_REPLACEMENT_CLASS;\n var fp = config$1.familyPrefix;\n var rc = config$1.replacementClass;\n var s = baseStyles;\n\n if (fp !== dfp || rc !== drc) {\n var dPatt = new RegExp('\\\\.' + dfp + '\\\\-', 'g');\n var rPatt = new RegExp('\\\\.' + drc, 'g');\n\n s = s.replace(dPatt, '.' + fp + '-').replace(rPatt, '.' + rc);\n }\n\n return s;\n};\n\nfunction define(prefix, icons) {\n var normalized = Object.keys(icons).reduce(function (acc, iconName) {\n var icon = icons[iconName];\n var expanded = !!icon.icon;\n\n if (expanded) {\n acc[icon.iconName] = icon.icon;\n } else {\n acc[iconName] = icon;\n }\n return acc;\n }, {});\n\n if (typeof namespace.hooks.addPack === 'function') {\n namespace.hooks.addPack(prefix, normalized);\n } else {\n namespace.styles[prefix] = _extends({}, namespace.styles[prefix] || {}, normalized);\n }\n\n /**\n * Font Awesome 4 used the prefix of `fa` for all icons. With the introduction\n * of new styles we needed to differentiate between them. Prefix `fa` is now an alias\n * for `fas` so we'll easy the upgrade process for our users by automatically defining\n * this as well.\n */\n if (prefix === 'fas') {\n define('fa', icons);\n }\n}\n\nvar Library = function () {\n function Library() {\n classCallCheck(this, Library);\n\n this.definitions = {};\n }\n\n createClass(Library, [{\n key: 'add',\n value: function add() {\n var _this = this;\n\n for (var _len = arguments.length, definitions = Array(_len), _key = 0; _key < _len; _key++) {\n definitions[_key] = arguments[_key];\n }\n\n var additions = definitions.reduce(this._pullDefinitions, {});\n\n Object.keys(additions).forEach(function (key) {\n _this.definitions[key] = _extends({}, _this.definitions[key] || {}, additions[key]);\n define(key, additions[key]);\n });\n }\n }, {\n key: 'reset',\n value: function reset() {\n this.definitions = {};\n }\n }, {\n key: '_pullDefinitions',\n value: function _pullDefinitions(additions, definition) {\n var normalized = definition.prefix && definition.iconName && definition.icon ? { 0: definition } : definition;\n\n Object.keys(normalized).map(function (key) {\n var _normalized$key = normalized[key],\n prefix = _normalized$key.prefix,\n iconName = _normalized$key.iconName,\n icon = _normalized$key.icon;\n\n if (!additions[prefix]) additions[prefix] = {};\n\n additions[prefix][iconName] = icon;\n });\n\n return additions;\n }\n }]);\n return Library;\n}();\n\nfunction prepIcon(icon) {\n var width = icon[0];\n var height = icon[1];\n var vectorData = icon.slice(4);\n\n return {\n found: true,\n width: width,\n height: height,\n icon: { tag: 'path', attributes: { fill: 'currentColor', d: vectorData[0] } }\n };\n}\n\nvar _cssInserted = false;\n\nfunction ensureCss() {\n if (!config$1.autoAddCss) {\n return;\n }\n\n if (!_cssInserted) {\n insertCss(css());\n }\n\n _cssInserted = true;\n}\n\nfunction apiObject(val, abstractCreator) {\n Object.defineProperty(val, 'abstract', {\n get: abstractCreator\n });\n\n Object.defineProperty(val, 'html', {\n get: function get() {\n return val.abstract.map(function (a) {\n return toHtml(a);\n });\n }\n });\n\n Object.defineProperty(val, 'node', {\n get: function get() {\n if (!IS_DOM) return;\n\n var container = DOCUMENT.createElement('div');\n container.innerHTML = val.html;\n return container.children;\n }\n });\n\n return val;\n}\n\nfunction findIconDefinition(params) {\n var _params$prefix = params.prefix,\n prefix = _params$prefix === undefined ? 'fa' : _params$prefix,\n iconName = params.iconName;\n\n if (!iconName) return;\n\n return iconFromMapping(library.definitions, prefix, iconName) || iconFromMapping(namespace.styles, prefix, iconName);\n}\n\nfunction resolveIcons(next) {\n return function (maybeIconDefinition) {\n var params = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : {};\n var iconDefinition = (maybeIconDefinition || {}).icon ? maybeIconDefinition : findIconDefinition(maybeIconDefinition || {});\n\n var mask = params.mask;\n\n if (mask) {\n mask = (mask || {}).icon ? mask : findIconDefinition(mask || {});\n }\n\n return next(iconDefinition, _extends({}, params, { mask: mask }));\n };\n}\n\nvar library = new Library();\n\nvar noAuto = function noAuto() {\n auto(false);\n disconnect();\n};\n\nvar dom = {\n i2svg: function i2svg() {\n var params = arguments.length > 0 && arguments[0] !== undefined ? arguments[0] : {};\n if (IS_DOM) {\n ensureCss();\n\n var _params$node = params.node,\n node = _params$node === undefined ? DOCUMENT : _params$node,\n _params$callback = params.callback,\n callback = _params$callback === undefined ? function () {} : _params$callback;\n\n if (config$1.searchPseudoElements) {\n searchPseudoElements(node);\n }\n\n onTree(node, callback);\n }\n },\n\n css: css,\n\n insertCss: function insertCss$$1() {\n insertCss(css());\n }\n};\n\nvar parse = {\n transform: function transform(transformString) {\n return parseTransformString(transformString);\n }\n};\n\nvar icon =

resolveIcons(function (iconDefinition) {\n var params = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : {};\n var _params$transform = params.transform,\n   transform = _params$transform === undefined ? meaninglessTransform : _params$transform,\n   _params$symbol = params.symbol,\n   symbol = _params$symbol === undefined ? false : _params$symbol,\n   _params$mask = params.mask,\n   mask = _params$mask === undefined ? null : _params$mask,\n   _params$title = params.title,\n   title = _params$title === undefined ? null : _params$title,\n   _params$classes = params.classes,\n   classes = _params$classes === undefined ? [] : _params$classes,\n   _params$attributes = params.attributes,\n   attributes = _params$attributes === undefined ? {} : _params$attributes,\n   _params$styles = params.styles,\n   styles = _params$styles === undefined ? {} : _params$styles;\n\n\n if (!iconDefinition) return;\n\n var prefix = iconDefinition.prefix,\n   iconName = iconDefinition.iconName,\n   icon = iconDefinition.icon;\n\n\n return apiObject(_extends({ type: 'icon' }, iconDefinition), function () {\n   ensureCss();\n\n   if (config$1.autoA11y) {\n   if (title) {\n   attributes['aria-labelledby'] = config$1.replacementClass + '-title-' + nextUniqueId();\n   } else {\n   attributes['aria-hidden'] = 'true';\n   }\n   }\n\n   return makeInlineSvgAbstract({\n   icons: {\n   main: prepIcon(icon),\n   mask: mask ? prepIcon(mask.icon) : { found: false, width: null, height: null, icon: {} }\n   },\n   prefix: prefix,\n   iconName: iconName,\n   transform: _extends({}, meaninglessTransform, transform),\n   symbol: symbol,\n   title: title,\n   extra: {\n   attributes: attributes,\n   styles: styles,\n   classes: classes\n   }\n   });\n });\n});\n\nvar text = function text(content) {\n var params = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : {};\n var _params$transform2 = params.transform,\n   transform = _params$transform2 === undefined ? meaninglessTransform : _params$transform2,\n   _params$title2 = params.title,\n   title = _params$title2 === undefined ? null : _params$title2,\n   _params$classes2 = params.classes,\n   classes = _params$classes2 === undefined ? [] : _params$classes2,\n   _params$attributes2 = params.attributes,\n   attributes = _params$attributes2 === undefined ? {} : _params$attributes2,\n   _params$styles2 = params.styles,\n   styles = _params$styles2 === undefined ? {} : _params$styles2;\n\n\n return apiObject({ type: 'text', content: content }, function () {\n   ensureCss();\n\n   return makeLayersTextAbstract({\n   content: content,\n   transform: _extends({}, meaninglessTransform, transform),\n   title: title,\n   extra: {\n   attributes: attributes,\n   styles: styles,\n   classes: [config$1.familyPrefix + '-layers-text'].concat(toConsumableArray(classes))\n   }\n   });\n });\n};\n\nvar layer = function layer(assembler) {\n return apiObject({ type: 'layer' }, function () {\n   ensureCss();\n\n   var children = [];\n\n   assembler(function (args) {\n   Array.isArray(args) ? args.map(function (a) {\n   children = children.concat(a.abstract);\n   }) : children = children.concat(args.abstract);\n   });\n\n   return [{\n   tag: 'span',\n   attributes: { class: config$1.familyPrefix + '-layers' },\n   children: children\n   }];\n });\n};\n\nvar api$1 = {\n noAuto: noAuto,\n dom: dom,\n library: library,\n parse: parse,\n findIconDefinition: findIconDefinition,\n icon: icon,\n text: text,\n layer: layer\n};\n\nvar autoReplace = function autoReplace() {\n if (IS_DOM && config$1.autoReplaceSvg) api$1.dom.i2svg({ node: DOCUMENT });\n};\n\nfunction bootstrap() {\n if (IS_BROWSER) {\n   if (!WINDOW.FontAwesome) {\n   WINDOW.FontAwesome = api$1;\n   }\n\n   domready(function () {\n   if (Object.keys(namespace.styles).length > 0) {\n   autoReplace();\n   }\n\n   if (config$1.observeMutations && typeof MutationObserver === 'function') {\n   observe({\n   treeCallback: onTree,\n   nodeCallback: onNode,\n   pseudoElementsCallback: searchPseudoElements\n   });\n   }\n   });\n }\n\n namespace.hooks = _extends({}, namespace.hooks, {\n\n   addPack: function addPack(prefix, icons) {\n   namespace.styles[prefix] = _extends({}, namespace.styles[prefix] || {}, icons);\n\n   build();\n   autoReplace();\n   },\n\n   addShims: function addShims(shims) {\n   var _namespace$shims;\n\n   (_namespace$shims = namespace.shims).push.apply(_namespace$shims, toConsumableArray(shims));\n\n   build();\n   autoReplace();\n   }\n });\n}\n\nObject.defineProperty(api$1, 'config', {\n get: function get() {\n   return config$1;\n },\n\n set: function set(newConfig) {\n   update(newConfig);\n }\n});\n\nif (IS_DOM) bunker(bootstrap);\n\nvar config = api$1.config;\n\nexport { config, icon, noAuto, layer, text, library, dom, parse, findIconDefinition };\nexport default api$1;\n","var isObject = require('./_is-object');\nmodule.exports = function (it) {\n if (!isObject(it)) throw TypeError(it + ' is not an object!');\n return it;\n};\n","/**\n * This method returns the first argument it receives.\n *\n * @static\n * @since 0.1.0\n * @memberOf _\n * @category Util\n * @param

{*} value Any value.\n * @returns {*} Returns `value`.\n * @example\n *\n * var object = { 'a': 1 };\n *\n * console.log(_.identity(object) === object);\n * // => true\n */\nfunction identity(value) {\n return value;\n}\n\nmodule.exports = identity;\n","var has = require('./_has');\nvar toIObject = require('./_to-iobject');\nvar arrayIndexOf = require('./_array-includes')(false);\nvar IE_PROTO = require('./_shared-key')('IE_PROTO');\n\nmodule.exports = function (object, names) {\n var O = toIObject(object);\n var i = 0;\n var result = [];\n var key;\n for (key in O) if (key != IE_PROTO) has(O, key) && result.push(key);\n // Don't enum bug & hidden keys\n while (names.length > i) if (has(O, key = names[i++])) {\n ~arrayIndexOf(result, key) || result.push(key);\n }\n return result;\n};\n","var Symbol = require('./_Symbol'),\n arrayMap = require('./_arrayMap'),\n isArray = require('./isArray'),\n isSymbol = require('./isSymbol');\n\n/** Used as references for various `Number` constants. */\nvar INFINITY = 1 / 0;\n\n/** Used to convert symbols to primitives and strings. */\nvar symbolProto = Symbol ? Symbol.prototype : undefined,\n symbolToString = symbolProto ? symbolProto.toString : undefined;\n\n/**\n * The base implementation of `_.toString` which doesn't convert nullish\n * values to empty strings.\n *\n * @private\n * @param {*} value The value to process.\n * @returns {string} Returns the string.\n */\nfunction baseToString(value) {\n // Exit early for strings to avoid a performance hit in some environments.\n if (typeof value == 'string') {\n return value;\n }\n if (isArray(value)) {\n // Recursively convert values (susceptible to call stack limits).\n return arrayMap(value, baseToString) + '';\n }\n if (isSymbol(value)) {\n return symbolToString ? symbolToString.call(value) : '';\n }\n var result = (value + '');\n return (result == '0' && (1 / value) == -INFINITY) ? '-0' : result;\n}\n\nmodule.exports = baseToString;\n","var ListCache = require('./_ListCache'),\n Map = require('./_Map'),\n MapCache = require('./_MapCache');\n\n/** Used as the size to enable large array optimizations. */\nvar LARGE_ARRAY_SIZE = 200;\n\n/**\n * Sets the stack `key` to `value`.\n *\n * @private\n * @name set\n * @memberOf Stack\n * @param {string} key The key of the value to set.\n * @param {*} value The value to set.\n * @returns {Object} Returns the stack cache instance.\n */\nfunction stackSet(key, value) {\n var data = this.__data__;\n if (data instanceof ListCache) {\n var pairs = data.__data__;\n if (!Map || (pairs.length < LARGE_ARRAY_SIZE - 1)) {\n pairs.push([key, value]);\n this.size = ++data.size;\n return this;\n }\n data = this.__data__ = new MapCache(pairs);\n }\n data.set(key, value);\n this.size = data.size;\n return this;\n}\n\nmodule.exports = stackSet;\n","'use strict';\nObject.defineProperty(exports, '__esModule', { value: true });\nvar prefix = 'fas';\nvar iconName = 'envelope';\nvar width = 512;\nvar height = 512;\nvar ligatures = [];\nvar unicode = 'f0e0';\nvar svgPathData = 'M502.3 190.8c3.9-3.1 9.7-.2 9.7 4.7V400c0 26.5-21.5 48-48 48H48c-26.5 0-48-21.5-48-48V195.6c0-5 5.7-7.8 9.7-4.7 22.4 17.4 52.1 39.5 154.1 113.6 21.1 15.4 56.7 47.8 92.2 47.6 35.7.3 72-32.8 92.3-47.6 102-74.1 131.6-96.3 154-113.7zM256 320c23.2.4 56.6-29.2 73.4-41.4 132.7-96.3 142.8-104.7 173.4-128.7 5.8-4.5 9.2-11.5 9.2-18.9v-19c0-26.5-21.5-48-48-48H48C21.5 64 0 85.5 0 112v19c0 7.4 3.4 14.3 9.2 18.9 30.6 23.9 40.7 32.4 173.4 128.7 16.8 12.2 50.2 41.8 73.4 41.4z';\nexports.definition = {\n prefix: prefix,\n iconName: iconName,\n icon: [\n width,\n height,\n ligatures,\n unicode,\n svgPathData\n]};\nexports.faEnvelope = exports.definition;\nexports.prefix = prefix;\nexports.iconName = iconName;\nexports.width = width;\nexports.height = height;\nexports.ligatures = ligatures;\nexports.unicode = unicode;\nexports.svgPathData = svgPathData;","/**\n * This method returns a new empty array.\n *\n * @static\n * @memberOf _\n * @since 4.13.0\n * @category Util\n * @returns {Array} Returns the new empty array.\n * @example\n *\n * var arrays = _.times(2, _.stubArray);\n *\n * console.log(arrays);\n * // => [[], []]\n *\n * console.log(arrays[0] === arrays[1]);\n * // => false\n */\nfunction stubArray() {\n return [];\n}\n\nmodule.exports = stubArray;\n","var baseIsArguments = require('./_baseIsArguments'),\n isObjectLike = require('./isObjectLike');\n\n/** Used for built-in method references. */\nvar objectProto = Object.prototype;\n\n/** Used to check objects for own properties. */\nvar hasOwnProperty = objectProto.hasOwnProperty;\n\n/** Built-in value references. */\nvar propertyIsEnumerable = objectProto.propertyIsEnumerable;\n\n/**\n * Checks if `value` is likely an `arguments` object.\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @category Lang\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is an `arguments` object,\n * else `false`.\n * @example\n *\n * _.isArguments(function() { return arguments; }());\n * // => true\n *\n * _.isArguments([1, 2, 3]);\n * // => false\n */\nvar isArguments = baseIsArguments(function() { return arguments; }()) ? baseIsArguments : function(value) {\n

return isObjectLike(value) && hasOwnProperty.call(value, 'callee') &&\n !propertyIsEnumerable.call(value, 'callee');\n};\n\nmodule.exports = isArguments;\n","module.exports = function (it) {\n return typeof it === 'object' ? it !== null : typeof it === 'function';\n};\n","/**\n * The base implementation of `_.sortBy` which uses `comparer` to define the\n * sort order of `array` and replaces criteria objects with their corresponding\n * values.\n *\n * @private\n * @param {Array} array The array to sort.\n * @param {Function} comparer The function to define sort order.\n * @returns {Array} Returns `array`.\n */\nfunction baseSortBy(array, comparer) {\n var length = array.length;\n\n array.sort(comparer);\n while (length--) {\n   array[length] = array[length].value;\n }\n return array;\n}\n\nmodule.exports = baseSortBy;\n","export default function _classCallCheck(instance, Constructor) {\n if (!(instance instanceof Constructor)) {\n   throw new TypeError(\"Cannot call a class as a function\");\n }\n}","module.exports = function (done, value) {\n return { value: value, done: !!done };\n};\n","var MapCache = require('./_MapCache'),\n   setCacheAdd = require('./_setCacheAdd'),\n   setCacheHas = require('./_setCacheHas');\n\n/**\n *\n * Creates an array cache object to store unique values.\n *\n * @private\n * @constructor\n * @param {Array} [values] The values to cache.\n */\nfunction SetCache(values) {\n var index = -1,\n   length = values == null ? 0 : values.length;\n\n this.__data__ = new MapCache;\n while (++index < length) {\n   this.add(values[index]);\n }\n}\n\n// Add methods to `SetCache`.\nSetCache.prototype.add = SetCache.prototype.push = setCacheAdd;\nSetCache.prototype.has = setCacheHas;\n\nmodule.exports = SetCache;\n","module.exports = function (it) {\n if (typeof it != 'function') throw TypeError(it + ' is not a function!');\n return it;\n};\n","var root = require('./_root');\n\n/** Used to detect overreaching core-js shims. */\nvar coreJsData = root['__core-js_shared__'];\n\nmodule.exports = coreJsData;\n","/**\n * Checks if `value` is in the array cache.\n *\n * @private\n * @name has\n * @memberOf SetCache\n * @param {*} value The value to search for.\n * @returns {number} Returns `true` if `value` is found, else `false`.\n */\nfunction setCacheHas(value) {\n return this.__data__.has(value);\n}\n\nmodule.exports = setCacheHas;\n","/** Used for built-in method references. */\nvar funcProto = Function.prototype;\n\n/** Used to resolve the decompiled source of functions. */\nvar funcToString = funcProto.toString;\n\n/**\n * Converts `func` to its source code.\n *\n * @private\n * @param {Function} func The function to convert.\n * @returns {string} Returns the source code.\n */\nfunction toSource(func) {\n if (func != null) {\n   try {\n   return funcToString.call(func);\n   } catch (e) {}\n   try {\n   return (func + '');\n   } catch (e) {}\n }\n return '';\n}\n\nmodule.exports = toSource;\n","var redefine = require('./_redefine');\nmodule.exports = function (target, src, safe) {\n for (var key in src) redefine(target, key, src[key], safe);\n return target;\n};\n","var arrayMap = require('./_arrayMap'),\n   baseIteratee = require('./_baseIteratee'),\n   baseMap = require('./_baseMap'),\n   isArray = require('./isArray');\n\n/**\n * Creates an array of values by running each element in `collection` thru\n * `iteratee`. The iteratee is invoked with three arguments:\n * (value, index|key, collection).\n *\n * Many lodash methods are guarded to work as iteratees for methods like\n * `_.every`, `_.filter`, `_.map`, `_.mapValues`, `_.reject`, and `_.some`.\n *\n * The guarded methods are:\n * `ary`, `chunk`, `curry`, `curryRight`, `drop`, `dropRight`, `every`,\n * `fill`, `invert`, `parseInt`, `random`,\n * `range`, `rangeRight`, `repeat`,\n * `sampleSize`, `slice`, `some`, `sortBy`, `split`, `take`, `takeRight`,\n * `template`,\n * `trim`, `trimEnd`, `trimStart`, and `words`\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @category Collection\n * @param {Array|Object} collection The collection to iterate over.\n * @param {Function} [iteratee=_.identity] The function invoked per iteration.\n * @returns {Array} Returns the new mapped array.\n * @example\n *\n * function square(n) {\n *   return n * n;\n * }\n *\n * _.map([4, 8], square);\n * // => [16, 64]\n *\n * _.map({ 'a': 4, 'b': 8 }, square);\n * // => [16, 64] (iteration order is not guaranteed)\n *\n * var users = [\n *   { 'user': 'barney' },\n *   { 'user': 'fred' }\n *];\n *\n * // The `_.property` iteratee shorthand.\n * _.map(users, 'user');\n * // => ['barney', 'fred']\n */\nfunction map(collection, iteratee) {\n var func = isArray(collection) ? arrayMap : baseMap;\n return func(collection, baseIteratee(iteratee, 3));\n}\n\nmodule.exports = map;\n","import mod from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-

options!./EmbedForm.vue?vue&type=style&index=0&id=502aea85&lang=scss&scoped=true&\"; export default mod; export * from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./EmbedForm.vue?vue&type=style&index=0&id=502aea85&lang=scss&scoped=true&\"","// Copyright Joyent, Inc. and other Node contributors.\n//\n// Permission is hereby granted, free of charge, to any person obtaining a\n// copy of this software and associated documentation files (the\n// \"Software\"), to deal in the Software without restriction, including\n// without limitation the rights to use, copy, modify, merge, publish,\n// distribute, sublicense, and/or sell copies of the Software, and to permit\n// persons to whom the Software is furnished to do so, subject to the\n// following conditions:\n//\n// The above copyright notice and this permission notice shall be included\n// in all copies or substantial portions of the Software.\n//\n// THE SOFTWARE IS PROVIDED \"AS IS\", WITHOUT WARRANTY OF ANY KIND, EXPRESS\n// OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF\n// MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN\n// NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,\n// DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR\n// OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE\n// USE OR OTHER DEALINGS IN THE SOFTWARE.\n\n// resolves . and .. elements in a path array with directory names there\n// must be no slashes, empty elements, or device names (c:\\) in the array\n// (so also no leading and trailing slashes - it does not distinguish\n// relative and absolute paths)\nfunction normalizeArray(parts, allowAboveRoot) {\n // if the path tries to go above the root, `up` ends up > 0\n var up = 0;\n for (var i = parts.length - 1; i >= 0; i--) {\n   var last = parts[i];\n   if (last === '.') {\n   parts.splice(i, 1);\n   } else if (last === '..') {\n   parts.splice(i, 1);\n   up++;\n   } else if (up) {\n   parts.splice(i, 1);\n   up--;\n   }\n }\n\n // if the path is allowed to go above the root, restore leading ..s\n if (allowAboveRoot) {\n   for (; up--; up) {\n   parts.unshift('..');\n   }\n }\n\n return parts;\n}\n\n// Split a filename into [root, dir, basename, ext], unix version\n// 'root' is just a slash, or nothing.\nvar splitPathRe =\n   /^(\\/?|)([\\s\\S]*?)((?:\\.{1,2}|[^\\/]+?|)(\\.[^.\\/]*|))(?:[\\/]*)$/;\nvar splitPath = function(filename) {\n return splitPathRe.exec(filename).slice(1);\n};\n\n// path.resolve([from ...], to)\n// posix version\nexports.resolve = function() {\n var resolvedPath = '',\n   resolvedAbsolute = false;\n\n for (var i = arguments.length - 1; i >= -1 && !resolvedAbsolute; i--) {\n   var path = (i >= 0) ? arguments[i] : process.cwd();\n\n   // Skip empty and invalid entries\n   if (typeof path !== 'string') {\n   throw new TypeError('Arguments to path.resolve must be strings');\n   } else if (!path) {\n   continue;\n   }\n\n   resolvedPath = path + '/' + resolvedPath;\n   resolvedAbsolute = path.charAt(0) === '/';\n }\n\n // At this point the path should be resolved to a full absolute path, but\n // handle relative paths to be safe (might happen when process.cwd() fails)\n\n // Normalize the path\n resolvedPath = normalizeArray(filter(resolvedPath.split('/'), function(p) {\n   return !!p;\n }), !resolvedAbsolute).join('/');\n\n return ((resolvedAbsolute ? '/' : '') + resolvedPath) || '.';\n};\n\n// path.normalize(path)\n// posix version\nexports.normalize = function(path) {\n var isAbsolute = exports.isAbsolute(path),\n   trailingSlash = substr(path, -1) === '/';\n\n // Normalize the path\n path = normalizeArray(filter(path.split('/'), function(p) {\n   return !!p;\n }), !isAbsolute).join('/');\n\n if (!path && !isAbsolute) {\n   path = '.';\n }\n if (path && trailingSlash) {\n   path += '/';\n }\n\n return (isAbsolute ? '/' : '') + path;\n};\n\n// posix version\nexports.isAbsolute = function(path) {\n return path.charAt(0) === '/';\n};\n\n// posix version\nexports.join = function() {\n var paths = Array.prototype.slice.call(arguments, 0);\n return exports.normalize(filter(paths, function(p, index) {\n   if (typeof p !== 'string') {\n   throw new TypeError('Arguments to path.join must be strings');\n   }\n   return p;\n }).join('/'));\n};\n\n\n// path.relative(from, to)\n// posix version\nexports.relative = function(from, to) {\n from = exports.resolve(from).substr(1);\n to = exports.resolve(to).substr(1);\n\n function trim(arr) {\n   var start = 0;\n   for (; start < arr.length; start++) {\n   if (arr[start] !== '') break;\n   }\n\n   var end = arr.length - 1;\n   for (; end >= 0; end--) {\n   if (arr[end] !== '') break;\n   }\n\n   if (start > end) return [];\n

return arr.slice(start, end - start + 1);\n }\n\n var fromParts = trim(from.split('/'));\n var toParts = trim(to.split('/'));\n\n var length = Math.min(fromParts.length, toParts.length);\n var samePartsLength = length;\n for (var i = 0; i < length; i++) {\n   if (fromParts[i] !== toParts[i]) {\n   samePartsLength = i;\n   break;\n   }\n }\n\n var outputParts = [];\n for (var i = samePartsLength; i < fromParts.length; i++) {\n   outputParts.push('..');\n }\n\n outputParts = outputParts.concat(toParts.slice(samePartsLength));\n\n return outputParts.join('/');\n};\n\nexports.sep = '/';\nexports.delimiter = ':';\n\nexports.dirname = function(path) {\n var result = splitPath(path),\n   root = result[0],\n   dir = result[1];\n\n if (!root && !dir) {\n   // No dirname whatsoever\n   return '.';\n }\n\n if (dir) {\n   // It has a dirname, strip trailing slash\n   dir = dir.substr(0, dir.length - 1);\n }\n\n return root + dir;\n};\n\nexports.basename = function(path, ext) {\n var f = splitPath(path)[2];\n // TODO: make this comparison case-insensitive on windows?\n if (ext && f.substr(-1 * ext.length) === ext) {\n   f = f.substr(0, f.length - ext.length);\n }\n return f;\n};\n\nexports.extname = function(path) {\n return splitPath(path)[3];\n};\n\nfunction filter (xs, f) {\n   if (xs.filter) return xs.filter(f);\n   var res = [];\n   for (var i = 0; i < xs.length; i++) {\n   if (f(xs[i], i, xs)) res.push(xs[i]);\n   }\n   return res;\n}\n\n// String.prototype.substr - negative index don't work in IE8\nvar substr = 'ab'.substr(-1) === 'b'\n   ? function (str, start, len) { return str.substr(start, len) }\n   : function (str, start, len) {\n   if (start < 0) start = str.length + start;\n   return str.substr(start, len);\n   };\n","// IE 8- don't enum bug keys\nmodule.exports = (\n 'constructor,hasOwnProperty,isPrototypeOf,propertyIsEnumerable,toLocaleString,toString,valueOf'\n).split(',');\n","var hashClear = require('./_hashClear'),\n   hashDelete = require('./_hashDelete'),\n   hashGet = require('./_hashGet'),\n   hashHas = require('./_hashHas'),\n   hashSet = require('./_hashSet');\n\n/**\n * Creates a hash object.\n *\n * @private\n * @constructor\n * @param {Array} [entries] The key-value pairs to cache.\n */\nfunction Hash(entries) {\n var index = -1,\n   length = entries == null ? 0 : entries.length;\n\n this.clear();\n while (++index < length) {\n   var entry = entries[index];\n   this.set(entry[0], entry[1]);\n }\n}\n\n// Add methods to `Hash`.\nHash.prototype.clear = hashClear;\nHash.prototype['delete'] = hashDelete;\nHash.prototype.get = hashGet;\nHash.prototype.has = hashHas;\nHash.prototype.set = hashSet;\n\nmodule.exports = Hash;\n","var castPath = require('./_castPath'),\n   isArguments = require('./isArguments'),\n   isArray = require('./isArray'),\n   isIndex = require('./_isIndex'),\n   isLength = require('./isLength'),\n   toKey = require('./_toKey');\n\n/**\n * Checks if `path` exists on `object`.\n *\n * @private\n * @param {Object} object The object to query.\n * @param {Array|string} path The path to check.\n * @param {Function} hasFunc The function to check properties.\n * @returns {boolean} Returns `true` if `path` exists, else `false`.\n */\nfunction hasPath(object, path, hasFunc) {\n path = castPath(path, object);\n\n var index = -1,\n   length = path.length,\n   result = false;\n\n while (++index < length) {\n   var key = toKey(path[index]);\n   if (!(result = object != null && hasFunc(object, key))) {\n   break;\n   }\n   object = object[key];\n }\n if (result || ++index != length) {\n   return result;\n }\n length = object == null ? 0 : object.length;\n return !!length && isLength(length) && isIndex(key, length) &&\n   (isArray(object) || isArguments(object));\n}\n\nmodule.exports = hasPath;\n","var isArray = require('./isArray'),\n   isKey = require('./_isKey'),\n   stringToPath = require('./_stringToPath'),\n   toString = require('./toString');\n\n/**\n * Casts `value` to a path array if it's not one.\n *\n * @private\n * @param {*} value The value to inspect.\n * @param {Object} [object] The object to query keys on.\n * @returns {Array} Returns the cast property path array.\n */\nfunction castPath(value, object) {\n if (isArray(value)) {\n   return value;\n }\n return isKey(value, object) ? [value] : stringToPath(toString(value));\n}\n\nmodule.exports = castPath;\n","var MapCache = require('./_MapCache');\n\n/** Error message constants. */\nvar FUNC_ERROR_TEXT = 'Expected a function';\n\n/**\n * Creates a function that memoizes the result of `func`. If `resolver` is\n * provided, it determines the cache key for storing the result based on the\n * arguments provided to the memoized function. By default, the first argument\n * provided to the memoized function is used as the map cache key. The `func`\n * is invoked with the `this` binding of the memoized function.\n *\n * **Note:** The cache is exposed as the `cache` property on the memoized\n * function. Its creation may be customized by replacing the `_.memoize.Cache`\n * constructor with one whose instances implement the\n * [`Map`](http://ecma-international.org/ecma-262/7.0/#sec-properties-of-the-map-prototype-object)\n * method interface of `clear`, `delete`, `get`, `has`, and `set`.\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @category Function\n * @param {Function} func The function to have its

output memoized.\n * @param {Function} [resolver] The function to resolve the cache key.\n * @returns {Function} Returns the new memoized function.\n * @example\n *\n * var object = { 'a': 1, 'b': 2 };\n * var other = { 'c': 3, 'd': 4 };\n *\n * var values = _.memoize(_.values);\n * values(object);\n * // => [1, 2]\n *\n * values(other);\n * // => [3, 4]\n *\n * object.a = 2;\n * values(object);\n * // => [1, 2]\n *\n * // Modify the result cache.\n * values.cache.set(object, ['a', 'b']);\n * values(object);\n * // => ['a', 'b']\n *\n * // Replace `_.memoize.Cache`.\n * _.memoize.Cache = WeakMap;\n */\nfunction memoize(func, resolver) {\n if (typeof func != 'function' || (resolver != null && typeof resolver != 'function')) {\n   throw new TypeError(FUNC_ERROR_TEXT);\n }\n var memoized = function() {\n   var args = arguments,\n   key = resolver ? resolver.apply(this, args) : args[0],\n   cache = memoized.cache;\n\n   if (cache.has(key)) {\n   return cache.get(key);\n   }\n   var result = func.apply(this, args);\n   memoized.cache = cache.set(key, result) || cache;\n   return result;\n };\n memoized.cache = new (memoize.Cache || MapCache);\n return memoized;\n}\n\n\n// Expose `MapCache`.\nmemoize.Cache = MapCache;\n\nmodule.exports = memoize;\n","'use strict';\nObject.defineProperty(exports, '__esModule', { value: true });\nvar prefix = 'fas';\nvar iconName = 'times';\nvar width = 352;\nvar height = 512;\nvar ligatures = [];\nvar unicode = 'f00d';\nvar svgPathData = 'M242.72 256l100.07-100.07c12.28-12.28 12.28-32.19 0-44.48l-22.24-22.24c-12.28-12.28-32.19-12.28-44.48 0L176 189.28 75.93 89.21c-12.28-12.28-32.19-12.28-44.48 0L9.21 111.45c-12.28 12.28-12.28 32.19 0 44.48L109.28 256 9.21 356.07c-12.28 12.28-12.28 32.19 0 44.48l22.24 22.24c12.28 12.28 32.2 12.28 44.48 0L176 322.72l100.07 100.07c12.28 12.28 32.2 12.28 44.48 0l22.24-22.24c12.28-12.28 12.28-32.19 0-44.48L242.72 256z';\n\nexports.definition = {\n prefix: prefix,\n iconName: iconName,\n icon: [\n   width,\n   height,\n   ligatures,\n   unicode,\n   svgPathData\n]};\n\nexports.faTimes = exports.definition;\nexports.prefix = prefix;\nexports.iconName = iconName;\nexports.width = width;\nexports.height = height;\nexports.ligatures = ligatures;\nexports.unicode = unicode;\nexports.svgPathData = svgPathData;","var baseGet = require('./_baseGet');\n\n/**\n * A specialized version of `baseProperty` which supports deep paths.\n *\n * @private\n * @param {Array|string} path The path of the property to get.\n * @returns {Function} Returns the new accessor function.\n */\nfunction basePropertyDeep(path) {\n return function(object) {\n   return baseGet(object, path);\n };\n}\n\nmodule.exports = basePropertyDeep;\n","\"use strict\";\n\n// eslint-disable-next-line no-empty-function\nmodule.exports = function () {};\n","/** Used for built-in method references. */\nvar objectProto = Object.prototype;\n\n/**\n * Checks if `value` is likely a prototype object.\n *\n * @private\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is a prototype, else `false`.\n */\nfunction isPrototype(value) {\n var Ctor = value && value.constructor,\n   proto = (typeof Ctor == 'function' && Ctor.prototype) || objectProto;\n\n return value === proto;\n}\n\nmodule.exports = isPrototype;\n","// 7.3.20 SpeciesConstructor(O, defaultConstructor)\nvar anObject = require('./_an-object');\nvar aFunction = require('./_a-function');\nvar SPECIES = require('./_wks')('species');\nmodule.exports = function (O, D) {\n var C = anObject(O).constructor;\n var S;\n return C === undefined || (S = anObject(C)[SPECIES]) == undefined ? D : aFunction(S);\n};\n","var arrayLikeKeys = require('./_arrayLikeKeys'),\n   baseKeys = require('./_baseKeys'),\n   isArrayLike = require('./isArrayLike');\n\n/**\n * Creates an array of the own enumerable property names of `object`.\n *\n * **Note:** Non-object values are coerced to objects. See the\n * [ES spec](http://ecma-international.org/ecma-262/7.0/#sec-object.keys)\n * for more details.\n *\n * @static\n * @since 0.1.0\n * @memberOf _\n * @category Object\n * @param {Object} object The object to query.\n * @returns {Array} Returns the array of property names.\n * @example\n *\n * function Foo() {\n *   this.a = 1;\n *   this.b = 2;\n * }\n *\n * Foo.prototype.c = 3;\n *\n * _.keys(new Foo);\n * // => ['a', 'b'] (iteration order is not guaranteed)\n *\n * _.keys('hi');\n * // => ['0', '1']\n */\nfunction keys(object) {\n return isArrayLike(object) ? arrayLikeKeys(object) : baseKeys(object);\n}\n\nmodule.exports = keys;\n","\"use strict\";\nmodule.exports = function () {\n\ttry {\n\t\tObject.keys(\"primitive\");\n\t\treturn true;\n\t} catch (e) {\n\t\treturn false;\n\t}\n};\n","/**\n * Converts `map` to its key-value pairs.\n *\n * @private\n * @param {Object} map The map to convert.\n * @returns {Array} Returns the key-value pairs.\n */\nfunction mapToArray(map) {\n var index = -1,\n   result = Array(map.size);\n\n map.forEach(function(value, key) {\n   result[++index] = [key, value];\n });\n return result;\n}\n\nmodule.exports = mapToArray;\n","'use strict';\nObject.defineProperty(exports, '__esModule', { value: true });\nvar prefix =

'fas';\nvar iconName = 'code';\nvar width = 640;\nvar height = 512;\nvar ligatures = [];\nvar unicode = 'f121';\nvar svgPathData = 'M278.9 511.5l-61-17.7c-6.4-1.8-10-8.5-8.2-14.9L346.2 8.7c1.8-6.4 8.5-10 14.9-8.2l61 17.7c6.4 1.8 10 8.5 8.2 14.9L293.8 503.3c-1.9 6.4-8.5 10.1-14.9 8.2zm-114-112.2l43.5-46.4c4.6-4.9 4.3-12.7-.8-17.2L117 256l90.6-79.7c5.1-4.5 5.5-12.3.8-17.2l-43.5-46.4c-4.5-4.8-12.1-5.1-17-.5L3.8 247.2c-5.1 4.7-5.1 12.8 0 17.5l144.1 135.1c4.9 4.6 12.5 4.4 17-.5zm327.2.6l144.1-135.1c5.1-4.7 5.1-12.8 0-17.5L492.1 112.1c-4.8-4.5-12.4-4.3-17 .5L431.6 159c-4.6 4.9-4.3 12.7.8 17.2L523 256l-90.6 79.7c-5.1 4.5-5.5 12.3-.8 17.2l43.5 46.4c4.5 4.9 12.1 5.1 17 .6z';\n\nexports.definition = {\n prefix: prefix,\n iconName: iconName,\n icon: [\n   width,\n   height,\n   ligatures,\n   unicode,\n   svgPathData\n]};\n\nexports.faCode = exports.definition;\nexports.prefix = prefix;\nexports.iconName = iconName;\nexports.width = width;\nexports.height = height;\nexports.ligatures = ligatures;\nexports.unicode = unicode;\nexports.svgPathData = svgPathData;","/**\n * The base implementation of `_.property` without support for deep paths.\n *\n * @private\n * @param {string} key The key of the property to get.\n * @returns {Function} Returns the new accessor function.\n */\nfunction baseProperty(key) {\n return function(object) {\n   return object == null ? undefined : object[key];\n };\n}\n\nmodule.exports = baseProperty;\n","var ListCache = require('./_ListCache');\n\n/**\n * Removes all key-value entries from the stack.\n *\n * @private\n * @name clear\n * @memberOf Stack\n */\nfunction stackClear() {\n this.__data__ = new ListCache;\n this.size = 0;\n}\n\nmodule.exports = stackClear;","/**!\n * @fileOverview Kickass library to create and place poppers near their reference elements.\n * @version 1.14.5\n * @license\n * Copyright (c) 2016 Federico Zivolo and contributors\n *\n * Permission is hereby granted, free of charge, to any person obtaining a copy\n * of this software and associated documentation files (the \"Software\"), to deal\n * in the Software without restriction, including without limitation the rights\n * to use, copy, modify, merge, publish, distribute, sublicense, and/or sell\n * copies of the Software, and to permit persons to whom the Software is\n * furnished to do so, subject to the following conditions:\n *\n * The above copyright notice and this permission notice shall be included in all\n * copies or substantial portions of the Software.\n *\n * THE SOFTWARE IS PROVIDED \"AS IS\", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR\n * IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,\n * FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE\n * AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER\n * LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,\n * OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE\n * SOFTWARE.\n */\nvar isBrowser = typeof window !== 'undefined' && typeof document !== 'undefined';\n\nvar longerTimeoutBrowsers = ['Edge', 'Trident', 'Firefox'];\nvar timeoutDuration = 0;\nfor (var i = 0; i < longerTimeoutBrowsers.length; i += 1) {\n if (isBrowser && navigator.userAgent.indexOf(longerTimeoutBrowsers[i]) >= 0) {\n   timeoutDuration = 1;\n   break;\n }\n}\n\nfunction microtaskDebounce(fn) {\n var called = false;\n return function () {\n   if (called) {\n   return;\n   }\n   called = true;\n   window.Promise.resolve().then(function () {\n   called = false;\n   fn();\n   });\n };\n}\n\nfunction taskDebounce(fn) {\n var scheduled = false;\n return function () {\n   if (!scheduled) {\n   scheduled = true;\n   setTimeout(function () {\n   scheduled = false;\n   fn();\n   }, timeoutDuration);\n   }\n };\n}\n\nvar supportsMicroTasks = isBrowser && window.Promise;\n\n/**\n* Create a debounced version of a method, that's asynchronously deferred\n* but called in the minimum time possible.\n*\n* @method\n* @memberof Popper.Utils\n* @argument {Function} fn\n* @returns {Function}\n*/\nvar debounce = supportsMicroTasks ? microtaskDebounce : taskDebounce;\n\n/**\n * Check if the given variable is a function\n * @method\n * @memberof Popper.Utils\n * @argument {Any} functionToCheck - variable to check\n * @returns {Boolean} answer to: is a function?\n */\nfunction isFunction(functionToCheck) {\n var getType = {};\n return functionToCheck && getType.toString.call(functionToCheck) === '[object Function]';\n}\n\n/**\n * Get CSS computed property of the given element\n * @method\n * @memberof Popper.Utils\n * @argument {Eement} element\n * @argument {String} property\n */\nfunction getStyleComputedProperty(element, property) {\n if (element.nodeType !== 1) {\n   return [];\n }\n // NOTE: 1 DOM access here\n var window = element.ownerDocument.defaultView;\n var css = window.getComputedStyle(element, null);\n return property ? css[property] : css;\n}\n\n/**\n * Returns the parentNode or the host of the element\n * @method\n * @memberof

Popper.Utils\n * @argument {Element} element\n * @returns {Element} parent\n */\nfunction getParentNode(element) {\n if (element.nodeName === 'HTML') {\n   return element;\n }\n return element.parentNode || element.host;\n}\n\n/**\n * Returns the scrolling parent of the given element\n * @method\n * @memberof Popper.Utils\n * @argument {Element} element\n * @returns {Element} scroll parent\n */\nfunction getScrollParent(element) {\n // Return body, `getScroll` will take care to get the correct `scrollTop` from it\n if (!element) {\n   return document.body;\n }\n\n switch (element.nodeName) {\n   case 'HTML':\n   case 'BODY':\n   return element.ownerDocument.body;\n   case '#document':\n   return element.body;\n }\n\n // Firefox want us to check `-x` and `-y` variations as well\n\n var _getStyleComputedProp = getStyleComputedProperty(element),\n   overflow = _getStyleComputedProp.overflow,\n   overflowX = _getStyleComputedProp.overflowX,\n   overflowY = _getStyleComputedProp.overflowY;\n\n if (/(auto|scroll|overlay)/.test(overflow + overflowY + overflowX)) {\n   return element;\n }\n\n return getScrollParent(getParentNode(element));\n}\n\nvar isIE11 = isBrowser && !!(window.MSInputMethodContext && document.documentMode);\nvar isIE10 = isBrowser && /MSIE 10/.test(navigator.userAgent);\n\n/**\n * Determines if the browser is Internet Explorer\n * @method\n * @memberof Popper.Utils\n * @param {Number} version to check\n * @returns {Boolean} isIE\n */\nfunction isIE(version) {\n if (version === 11) {\n   return isIE11;\n }\n if (version === 10) {\n   return isIE10;\n }\n return isIE11 || isIE10;\n}\n\n/**\n * Returns the offset parent of the given element\n * @method\n * @memberof Popper.Utils\n * @argument {Element} element\n * @returns {Element} offset parent\n */\nfunction getOffsetParent(element) {\n if (!element) {\n   return document.documentElement;\n }\n\n var noOffsetParent = isIE(10) ? document.body : null;\n\n // NOTE: 1 DOM access here\n var offsetParent = element.offsetParent || null;\n // Skip hidden elements which don't have an offsetParent\n while (offsetParent === noOffsetParent && element.nextElementSibling) {\n   offsetParent = (element = element.nextElementSibling).offsetParent;\n }\n\n var nodeName = offsetParent && offsetParent.nodeName;\n\n if (!nodeName || nodeName === 'BODY' || nodeName === 'HTML') {\n   return element ? element.ownerDocument.documentElement : document.documentElement;\n }\n\n // .offsetParent will return the closest TH, TD or TABLE in case\n // no offsetParent is present, I hate this job...\n if (['TH', 'TD', 'TABLE'].indexOf(offsetParent.nodeName) !== -1 && getStyleComputedProperty(offsetParent, 'position') === 'static') {\n   return getOffsetParent(offsetParent);\n }\n\n return offsetParent;\n}\n\nfunction isOffsetContainer(element) {\n var nodeName = element.nodeName;\n\n if (nodeName === 'BODY') {\n   return false;\n }\n return nodeName === 'HTML' || getOffsetParent(element.firstElementChild) === element;\n}\n\n/**\n * Finds the root node (document, shadowDOM root) of the given element\n * @method\n * @memberof Popper.Utils\n * @argument {Element} node\n * @returns {Element} root node\n */\nfunction getRoot(node) {\n if (node.parentNode !== null) {\n   return getRoot(node.parentNode);\n }\n\n return node;\n}\n\n/**\n * Finds the offset parent common to the two provided nodes\n * @method\n * @memberof Popper.Utils\n * @argument {Element} element1\n * @argument {Element} element2\n * @returns {Element} common offset parent\n */\nfunction findCommonOffsetParent(element1, element2) {\n // This check is needed to avoid errors in case one of the elements isn't defined for any reason\n if (!element1 || !element1.nodeType || !element2 || !element2.nodeType) {\n   return document.documentElement;\n }\n\n // Here we make sure to give as \"start\" the element that comes first in the DOM\n var order = element1.compareDocumentPosition(element2) & Node.DOCUMENT_POSITION_FOLLOWING;\n var start = order ? element1 : element2;\n var end = order ? element2 : element1;\n\n // Get common ancestor container\n var range = document.createRange();\n range.setStart(start, 0);\n range.setEnd(end, 0);\n var commonAncestorContainer = range.commonAncestorContainer;\n\n // Both nodes are inside #document\n\n if (element1 !== commonAncestorContainer && element2 !== commonAncestorContainer || start.contains(end)) {\n   if (isOffsetContainer(commonAncestorContainer)) {\n   return commonAncestorContainer;\n   }\n\n   return getOffsetParent(commonAncestorContainer);\n }\n\n // one of the nodes is inside shadowDOM, find which one\n var element1root = getRoot(element1);\n if (element1root.host) {\n   return findCommonOffsetParent(element1root.host, element2);\n } else {\n   return findCommonOffsetParent(element1, getRoot(element2).host);\n }\n}\n\n/**\n * Gets the scroll value of the given element in the given side (top and

left)\n * @method\n * @memberof Popper.Utils\n * @argument {Element} element\n * @argument {String} side `top` or `left`\n * @returns {number} amount of scrolled pixels\n */\nfunction getScroll(element) {\n var side = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : 'top';\n\n var upperSide = side === 'top' ? 'scrollTop' : 'scrollLeft';\n var nodeName = element.nodeName;\n\n if (nodeName === 'BODY' || nodeName === 'HTML') {\n   var html = element.ownerDocument.documentElement;\n   var scrollingElement = element.ownerDocument.scrollingElement || html;\n   return scrollingElement[upperSide];\n }\n\n return element[upperSide];\n}\n\n/*\n * Sum or subtract the element scroll values (left and top) from a given rect object\n * @method\n * @memberof Popper.Utils\n * @param {Object} rect - Rect object you want to change\n * @param {HTMLElement} element - The element from the function reads the scroll values\n * @param {Boolean} subtract - set to true if you want to subtract the scroll values\n * @return {Object} rect - The modifier rect object\n */\nfunction includeScroll(rect, element) {\n var subtract = arguments.length > 2 && arguments[2] !== undefined ? arguments[2] : false;\n\n var scrollTop = getScroll(element, 'top');\n var scrollLeft = getScroll(element, 'left');\n var modifier = subtract ? -1 : 1;\n rect.top += scrollTop * modifier;\n rect.bottom += scrollTop * modifier;\n rect.left += scrollLeft * modifier;\n rect.right += scrollLeft * modifier;\n return rect;\n}\n\n/*\n * Helper to detect borders of a given element\n * @method\n * @memberof Popper.Utils\n * @param {CSSStyleDeclaration} styles\n * Result of `getStyleComputedProperty` on the given element\n * @param {String} axis - `x` or `y`\n * @return {number} borders - The borders size of the given axis\n */\n\nfunction getBordersSize(styles, axis) {\n var sideA = axis === 'x' ? 'Left' : 'Top';\n var sideB = sideA === 'Left' ? 'Right' : 'Bottom';\n\n return parseFloat(styles['border' + sideA + 'Width'], 10) + parseFloat(styles['border' + sideB + 'Width'], 10);\n}\n\nfunction getSize(axis, body, html, computedStyle) {\n return Math.max(body['offset' + axis], body['scroll' + axis], html['client' + axis], html['offset' + axis], html['scroll' + axis], isIE(10) ? parseInt(html['offset' + axis]) + parseInt(computedStyle['margin' + (axis === 'Height' ? 'Top' : 'Left')]) + parseInt(computedStyle['margin' + (axis === 'Height' ? 'Bottom' : 'Right')]) : 0);\n}\n\nfunction getWindowSizes(document) {\n var body = document.body;\n var html = document.documentElement;\n var computedStyle = isIE(10) && getComputedStyle(html);\n\n return {\n   height: getSize('Height', body, html, computedStyle),\n   width: getSize('Width', body, html, computedStyle)\n };\n}\n\nvar classCallCheck = function (instance, Constructor) {\n if (!(instance instanceof Constructor)) {\n   throw new TypeError(\"Cannot call a class as a function\");\n }\n};\n\nvar createClass = function () {\n function defineProperties(target, props) {\n   for (var i = 0; i < props.length; i++) {\n   var descriptor = props[i];\n   descriptor.enumerable = descriptor.enumerable || false;\n   descriptor.configurable = true;\n   if (\"value\" in descriptor) descriptor.writable = true;\n   Object.defineProperty(target, descriptor.key, descriptor);\n   }\n }\n\n return function (Constructor, protoProps, staticProps) {\n   if (protoProps) defineProperties(Constructor.prototype, protoProps);\n   if (staticProps) defineProperties(Constructor, staticProps);\n   return Constructor;\n };\n}();\n\n\n\n\n\nvar defineProperty = function (obj, key, value) {\n if (key in obj) {\n   Object.defineProperty(obj, key, {\n   value: value,\n   enumerable: true,\n   configurable: true,\n   writable: true\n   });\n } else {\n   obj[key] = value;\n }\n\n return obj;\n};\n\nvar _extends = Object.assign || function (target) {\n for (var i = 1; i < arguments.length; i++) {\n   var source = arguments[i];\n\n   for (var key in source) {\n   if (Object.prototype.hasOwnProperty.call(source, key)) {\n   target[key] = source[key];\n   }\n   }\n }\n\n return target;\n};\n\n/**\n * Given element offsets, generate an output similar to getBoundingClientRect\n * @method\n * @memberof Popper.Utils\n * @argument {Object} offsets\n * @returns {Object} ClientRect like output\n */\nfunction getClientRect(offsets) {\n return _extends({}, offsets, {\n   right: offsets.left + offsets.width,\n   bottom: offsets.top + offsets.height\n });\n}\n\n/**\n * Get bounding client rect of given element\n * @method\n * @memberof Popper.Utils\n * @param {HTMLElement} element\n * @return {Object} client rect\n */\nfunction getBoundingClientRect(element) {\n var rect = {};\n\n // IE10 10 FIX: Please, don't ask, the element isn't\n // considered in DOM in some circumstances...\n // This isn't reproducible in IE10 compatibility mode of IE11\n try {\n   if (isIE(10)) {\n   rect = element.getBoundingClientRect();\n   var scrollTop = getScroll(element, 'top');\n   var scrollLeft = getScroll(element, 'left');\n   rect.top += scrollTop;\n   rect.left += scrollLeft;\n   rect.bottom += scrollTop;\n   rect.right += scrollLeft;\n   } else {\n   rect = element.getBoundingClientRect();\n   }\n } catch (e) {}\n\n var result = {\n   left: rect.left,\n   top: rect.top,\n

width: rect.right - rect.left,\n   height: rect.bottom - rect.top\n };\n\n // subtract scrollbar size from sizes\n var sizes = element.nodeName === 'HTML' ? getWindowSizes(element.ownerDocument) : {};\n var width = sizes.width || element.clientWidth || result.right - result.left;\n var height = sizes.height || element.clientHeight || result.bottom - result.top;\n\n var horizScrollbar = element.offsetWidth - width;\n var vertScrollbar = element.offsetHeight - height;\n\n // if an hypothetical scrollbar is detected, we must be sure it's not a `border`\n // we make this check conditional for performance reasons\n if (horizScrollbar || vertScrollbar) {\n   var styles = getStyleComputedProperty(element);\n   horizScrollbar -= getBordersSize(styles, 'x');\n   vertScrollbar -= getBordersSize(styles, 'y');\n\n   result.width -= horizScrollbar;\n   result.height -= vertScrollbar;\n }\n\n return getClientRect(result);\n}\n\nfunction getOffsetRectRelativeToArbitraryNode(children, parent) {\n var fixedPosition = arguments.length > 2 && arguments[2] !== undefined ? arguments[2] : false;\n\n var isIE10 = isIE(10);\n var isHTML = parent.nodeName === 'HTML';\n var childrenRect = getBoundingClientRect(children);\n var parentRect = getBoundingClientRect(parent);\n var scrollParent = getScrollParent(children);\n\n var styles = getStyleComputedProperty(parent);\n var borderTopWidth = parseFloat(styles.borderTopWidth, 10);\n var borderLeftWidth = parseFloat(styles.borderLeftWidth, 10);\n\n // In cases where the parent is fixed, we must ignore negative scroll in offset calc\n if (fixedPosition && isHTML) {\n   parentRect.top = Math.max(parentRect.top, 0);\n   parentRect.left = Math.max(parentRect.left, 0);\n }\n var offsets = getClientRect({\n   top: childrenRect.top - parentRect.top - borderTopWidth,\n   left: childrenRect.left - parentRect.left - borderLeftWidth,\n   width: childrenRect.width,\n   height: childrenRect.height\n });\n offsets.marginTop = 0;\n offsets.marginLeft = 0;\n\n // Subtract margins of documentElement in case it's being used as parent\n // we do this only on HTML because it's the only element that behaves\n // differently when margins are applied to it. The margins are included in\n // the box of the documentElement, in the other cases not.\n if (!isIE10 && isHTML) {\n   var marginTop = parseFloat(styles.marginTop, 10);\n   var marginLeft = parseFloat(styles.marginLeft, 10);\n\n   offsets.top -= borderTopWidth - marginTop;\n   offsets.bottom -= borderTopWidth - marginTop;\n   offsets.left -= borderLeftWidth - marginLeft;\n   offsets.right -= borderLeftWidth - marginLeft;\n\n   // Attach marginTop and marginLeft because in some circumstances we may need them\n   offsets.marginTop = marginTop;\n   offsets.marginLeft = marginLeft;\n }\n\n if (isIE10 && !fixedPosition ? parent.contains(scrollParent) : parent === scrollParent && scrollParent.nodeName !== 'BODY') {\n   offsets = includeScroll(offsets, parent);\n }\n\n return offsets;\n}\n\nfunction getViewportOffsetRectRelativeToArtbitraryNode(element) {\n var excludeScroll = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : false;\n\n var html = element.ownerDocument.documentElement;\n var relativeOffset = getOffsetRectRelativeToArbitraryNode(element, html);\n var width = Math.max(html.clientWidth, window.innerWidth || 0);\n var height = Math.max(html.clientHeight, window.innerHeight || 0);\n\n var scrollTop = !excludeScroll ? getScroll(html) : 0;\n var scrollLeft = !excludeScroll ? getScroll(html, 'left') : 0;\n\n var offset = {\n   top: scrollTop - relativeOffset.top + relativeOffset.marginTop,\n   left: scrollLeft - relativeOffset.left + relativeOffset.marginLeft,\n   width: width,\n   height: height\n };\n\n return getClientRect(offset);\n}\n\n/**\n * Check if the given element is fixed or is inside a fixed parent\n * @method\n * @memberof Popper.Utils\n * @argument {Element} element\n * @argument {Element} customContainer\n * @returns {Boolean} answer to \"isFixed?\"\n */\nfunction isFixed(element) {\n var nodeName = element.nodeName;\n if (nodeName === 'BODY' || nodeName === 'HTML') {\n   return false;\n }\n if (getStyleComputedProperty(element, 'position') === 'fixed') {\n   return true;\n }\n return isFixed(getParentNode(element));\n}\n\n/**\n * Finds the first parent of an element that has a transformed property defined\n * @method\n * @memberof Popper.Utils\n * @argument {Element} element\n * @returns {Element} first transformed parent or documentElement\n */\n\nfunction getFixedPositionOffsetParent(element) {\n // This check is needed to avoid errors in case one of the elements isn't defined for any reason\n if (!element || !element.parentElement || isIE()) {\n   return document.documentElement;\n }\n var el = element.parentElement;\n while (el && getStyleComputedProperty(el, 'transform') === 'none') {\n   el = el.parentElement;\n }\n return el || document.documentElement;\n}\n\n/**\n * Computed the boundaries limits and return them\n * @method\n * @memberof Popper.Utils\n * @param {HTMLElement} popper\n * @param {HTMLElement} reference\n * @param {number} padding\n * @param {HTMLElement} boundariesElement -

Element used to define the boundaries\n * @param {Boolean} fixedPosition - Is in fixed position mode\n * @returns {Object} Coordinates of the boundaries\n */\nfunction getBoundaries(popper, reference, padding, boundariesElement) {\n var fixedPosition = arguments.length > 4 && arguments[4] !== undefined ? arguments[4] : false;\n\n // NOTE: 1 DOM access here\n\n var boundaries = { top: 0, left: 0 };\n var offsetParent = fixedPosition ? getFixedPositionOffsetParent(popper) : findCommonOffsetParent(popper, reference);\n\n // Handle viewport case\n if (boundariesElement === 'viewport') {\n   boundaries = getViewportOffsetRectRelativeToArtbitraryNode(offsetParent, fixedPosition);\n } else {\n   // Handle other cases based on DOM element used as boundaries\n   var boundariesNode = void 0;\n   if (boundariesElement === 'scrollParent') {\n   boundariesNode = getScrollParent(getParentNode(reference));\n   if (boundariesNode.nodeName === 'BODY') {\n   boundariesNode = popper.ownerDocument.documentElement;\n   }\n   } else if (boundariesElement === 'window') {\n   boundariesNode = popper.ownerDocument.documentElement;\n   } else {\n   boundariesNode = boundariesElement;\n   }\n\n   var offsets = getOffsetRectRelativeToArbitraryNode(boundariesNode, offsetParent, fixedPosition);\n\n   // In case of HTML, we need a different computation\n   if (boundariesNode.nodeName === 'HTML' && !isFixed(offsetParent)) {\n   var _getWindowSizes = getWindowSizes(popper.ownerDocument),\n   height = _getWindowSizes.height,\n   width = _getWindowSizes.width;\n\n   boundaries.top += offsets.top - offsets.marginTop;\n   boundaries.bottom = height + offsets.top;\n   boundaries.left += offsets.left - offsets.marginLeft;\n   boundaries.right = width + offsets.left;\n   } else {\n   // for all the other DOM elements, this one is good\n   boundaries = offsets;\n   }\n }\n\n // Add paddings\n padding = padding || 0;\n var isPaddingNumber = typeof padding === 'number';\n boundaries.left += isPaddingNumber ? padding : padding.left || 0;\n boundaries.top += isPaddingNumber ? padding : padding.top || 0;\n boundaries.right -= isPaddingNumber ? padding : padding.right || 0;\n boundaries.bottom -= isPaddingNumber ? padding : padding.bottom || 0;\n\n return boundaries;\n}\n\nfunction getArea(_ref) {\n var width = _ref.width,\n   height = _ref.height;\n\n return width * height;\n}\n\n/**\n * Utility used to transform the `auto` placement to the placement with more\n * available space.\n * @method\n * @memberof Popper.Utils\n * @argument {Object} data - The data object generated by update method\n * @argument {Object} options - Modifiers configuration and options\n * @returns {Object} The data object, properly modified\n */\nfunction computeAutoPlacement(placement, refRect, popper, reference, boundariesElement) {\n var padding = arguments.length > 5 && arguments[5] !== undefined ? arguments[5] : 0;\n\n if (placement.indexOf('auto') === -1) {\n   return placement;\n }\n\n var boundaries = getBoundaries(popper, reference, padding, boundariesElement);\n\n var rects = {\n   top: {\n   width: boundaries.width,\n   height: refRect.top - boundaries.top\n   },\n   right: {\n   width: boundaries.right - refRect.right,\n   height: boundaries.height\n   },\n   bottom: {\n   width: boundaries.width,\n   height: boundaries.bottom - refRect.bottom\n   },\n   left: {\n   width: refRect.left - boundaries.left,\n   height: boundaries.height\n   }\n };\n\n var sortedAreas = Object.keys(rects).map(function (key) {\n   return _extends({\n   key: key\n   }, rects[key], {\n   area: getArea(rects[key])\n   });\n }).sort(function (a, b) {\n   return b.area - a.area;\n });\n\n var filteredAreas = sortedAreas.filter(function (_ref2) {\n   var width = _ref2.width,\n   height = _ref2.height;\n   return width >= popper.clientWidth && height >= popper.clientHeight;\n });\n\n var computedPlacement = filteredAreas.length > 0 ? filteredAreas[0].key : sortedAreas[0].key;\n\n var variation = placement.split('-')[1];\n\n return computedPlacement + (variation ? '-' + variation : '');\n}\n\n/**\n * Get offsets to the reference element\n * @method\n * @memberof Popper.Utils\n * @param {Object} state\n * @param {Element} popper - the popper element\n * @param {Element} reference - the reference element (the popper will be relative to this)\n * @param {Element} fixedPosition - is in fixed position mode\n * @returns {Object} An object containing the offsets which will be applied to the popper\n */\nfunction getReferenceOffsets(state, popper, reference) {\n var fixedPosition = arguments.length > 3 && arguments[3] !== undefined ? arguments[3] : null;\n\n var commonOffsetParent = fixedPosition ? getFixedPositionOffsetParent(popper) : findCommonOffsetParent(popper, reference);\n return getOffsetRectRelativeToArbitraryNode(reference, commonOffsetParent, fixedPosition);\n}\n\n/**\n * Get the outer sizes of the given element (offset size + margins)\n * @method\n * @memberof Popper.Utils\n * @argument {Element} element\n * @returns {Object} object

containing width and height properties\n */\nfunction getOuterSizes(element) {\n var window = element.ownerDocument.defaultView;\n var styles = window.getComputedStyle(element);\n var x = parseFloat(styles.marginTop) + parseFloat(styles.marginBottom);\n var y = parseFloat(styles.marginLeft) + parseFloat(styles.marginRight);\n var result = {\n   width: element.offsetWidth + y,\n   height: element.offsetHeight + x\n };\n return result;\n}\n\n/**\n * Get the opposite placement of the given one\n * @method\n * @memberof Popper.Utils\n * @argument {String} placement\n * @returns {String} flipped placement\n */\nfunction getOppositePlacement(placement) {\n var hash = { left: 'right', right: 'left', bottom: 'top', top: 'bottom' };\n return placement.replace(/left|right|bottom|top/g, function (matched) {\n   return hash[matched];\n });\n}\n\n/**\n * Get offsets to the popper\n * @method\n * @memberof Popper.Utils\n * @param {Object} position - CSS position the Popper will get applied\n * @param {HTMLElement} popper - the popper element\n * @param {Object} referenceOffsets - the reference offsets (the popper will be relative to this)\n * @param {String} placement - one of the valid placement options\n * @returns {Object} popperOffsets - An object containing the offsets which will be applied to the popper\n */\nfunction getPopperOffsets(popper, referenceOffsets, placement) {\n placement = placement.split('-')[0];\n\n // Get popper node sizes\n var popperRect = getOuterSizes(popper);\n\n // Add position, width and height to our offsets object\n var popperOffsets = {\n   width: popperRect.width,\n   height: popperRect.height\n };\n\n // depending by the popper placement we have to compute its offsets slightly differently\n var isHoriz = ['right', 'left'].indexOf(placement) !== -1;\n var mainSide = isHoriz ? 'top' : 'left';\n var secondarySide = isHoriz ? 'left' : 'top';\n var measurement = isHoriz ? 'height' : 'width';\n var secondaryMeasurement = !isHoriz ? 'height' : 'width';\n\n popperOffsets[mainSide] = referenceOffsets[mainSide] + referenceOffsets[measurement] / 2 - popperRect[measurement] / 2;\n if (placement === secondarySide) {\n   popperOffsets[secondarySide] = referenceOffsets[secondarySide] - popperRect[secondaryMeasurement];\n } else {\n   popperOffsets[secondarySide] = referenceOffsets[getOppositePlacement(secondarySide)];\n }\n\n return popperOffsets;\n}\n\n/**\n * Mimics the `find` method of Array\n * @method\n * @memberof Popper.Utils\n * @argument {Array} arr\n * @argument prop\n * @argument value\n * @returns index or -1\n */\nfunction find(arr, check) {\n // use native find if supported\n if (Array.prototype.find) {\n   return arr.find(check);\n }\n\n // use `filter` to obtain the same behavior of `find`\n return arr.filter(check)[0];\n}\n\n/**\n * Return the index of the matching object\n * @method\n * @memberof Popper.Utils\n * @argument {Array} arr\n * @argument prop\n * @argument value\n * @returns index or -1\n */\nfunction findIndex(arr, prop, value) {\n // use native findIndex if supported\n if (Array.prototype.findIndex) {\n   return arr.findIndex(function (cur) {\n   return cur[prop] === value;\n   });\n }\n\n // use `find` + `indexOf` if `findIndex` isn't supported\n var match = find(arr, function (obj) {\n   return obj[prop] === value;\n });\n return arr.indexOf(match);\n}\n\n/**\n * Loop trough the list of modifiers and run them in order,\n * each of them will then edit the data object.\n * @method\n * @memberof Popper.Utils\n * @param {dataObject} data\n * @param {Array} modifiers\n * @param {String} ends - Optional modifier name used as stopper\n * @returns {dataObject}\n */\nfunction runModifiers(modifiers, data, ends) {\n var modifiersToRun = ends === undefined ? modifiers : modifiers.slice(0, findIndex(modifiers, 'name', ends));\n\n modifiersToRun.forEach(function (modifier) {\n   if (modifier['function']) {\n   // eslint-disable-line dot-notation\n   console.warn(`modifier.function` is deprecated, use `modifier.fn`!');\n   }\n   var fn = modifier['function'] || modifier.fn; // eslint-disable-line dot-notation\n   if (modifier.enabled && isFunction(fn)) {\n   // Add properties to offsets to make them a complete clientRect object\n   // we do this before each modifier to make sure the\n   // previous one doesn't\n   // mess with these values\n   data.offsets.popper = getClientRect(data.offsets.popper);\n   data.offsets.reference = getClientRect(data.offsets.reference);\n\n   data = fn(data, modifier);\n   }\n });\n\n return data;\n}\n\n/**\n * Updates the position of the popper, computing the new offsets and applying\n * the new style.
\n * Prefer `scheduleUpdate` over `update` because of performance reasons.\n * @method\n * @memberof Popper\n */\nfunction update() {\n // if popper is destroyed, don't perform any further update\n if (this.state.isDestroyed) {\n   return;\n }\n\n var data = {\n   instance: this,\n   styles: {},\n   arrowStyles: {},\n   attributes: {},\n   flipped: false,\n   offsets: {}\n };\n\n // compute reference element offsets\n data.offsets.reference = getReferenceOffsets(this.state, this.popper, this.reference, this.options.positionFixed);\n\n //

compute auto placement, store placement inside the data object,\n // modifiers will be able to edit `placement` if needed\n // and refer to originalPlacement to know the original value\n data.placement = computeAutoPlacement(this.options.placement, data.offsets.reference, this.popper, this.reference, this.options.modifiers.flip.boundariesElement, this.options.modifiers.flip.padding);\n\n // store the computed placement inside `originalPlacement`\n data.originalPlacement = data.placement;\n\n data.positionFixed = this.options.positionFixed;\n\n // compute the popper offsets\n data.offsets.popper = getPopperOffsets(this.popper, data.offsets.reference, data.placement);\n\n data.offsets.popper.position = this.options.positionFixed ? 'fixed' : 'absolute';\n\n // run the modifiers\n data = runModifiers(this.modifiers, data);\n\n // the first `update` will call `onCreate` callback\n // the other ones will call `onUpdate` callback\n if (!this.state.isCreated) {\n this.state.isCreated = true;\n this.options.onCreate(data);\n } else {\n this.options.onUpdate(data);\n }\n}\n\n/**\n * Helper used to know if the given modifier is enabled.\n * @method\n * @memberof Popper.Utils\n * @returns {Boolean}\n */\nfunction isModifierEnabled(modifiers, modifierName) {\n return modifiers.some(function (_ref) {\n var name = _ref.name,\n enabled = _ref.enabled;\n return enabled && name === modifierName;\n });\n}\n\n/**\n * Get the prefixed supported property name\n * @method\n * @memberof Popper.Utils\n * @argument {String} property (camelCase)\n * @returns {String} prefixed property (camelCase or PascalCase, depending on the vendor prefix)\n */\nfunction getSupportedPropertyName(property) {\n var prefixes = [false, 'ms', 'Webkit', 'Moz', 'O'];\n var upperProp = property.charAt(0).toUpperCase() + property.slice(1);\n\n for (var i = 0; i < prefixes.length; i++) {\n var prefix = prefixes[i];\n var toCheck = prefix ? '' + prefix + upperProp : property;\n if (typeof document.body.style[toCheck] !== 'undefined') {\n return toCheck;\n }\n }\n return null;\n}\n\n/**\n * Destroys the popper.\n * @method\n * @memberof Popper\n */\nfunction destroy() {\n this.state.isDestroyed = true;\n\n // touch DOM only if `applyStyle` modifier is enabled\n if (isModifierEnabled(this.modifiers, 'applyStyle')) {\n this.popper.removeAttribute('x-placement');\n this.popper.style.position = '';\n this.popper.style.top = '';\n this.popper.style.left = '';\n this.popper.style.right = '';\n this.popper.style.bottom = '';\n this.popper.style.willChange = '';\n this.popper.style[getSupportedPropertyName('transform')] = '';\n }\n\n this.disableEventListeners();\n\n // remove the popper if user explicity asked for the deletion on destroy\n // do not use `remove` because IE11 doesn't support it\n if (this.options.removeOnDestroy) {\n this.popper.parentNode.removeChild(this.popper);\n }\n return this;\n}\n\n/**\n * Get the window associated with the element\n * @argument {Element} element\n * @returns {Window}\n */\nfunction getWindow(element) {\n var ownerDocument = element.ownerDocument;\n return ownerDocument ? ownerDocument.defaultView : window;\n}\n\nfunction attachToScrollParents(scrollParent, event, callback, scrollParents) {\n var isBody = scrollParent.nodeName === 'BODY';\n var target = isBody ? scrollParent.ownerDocument.defaultView : scrollParent;\n target.addEventListener(event, callback, { passive: true });\n\n if (!isBody) {\n attachToScrollParents(getScrollParent(target.parentNode), event, callback, scrollParents);\n }\n scrollParents.push(target);\n}\n\n/**\n * Setup needed event listeners used to update the popper position\n * @method\n * @memberof Popper.Utils\n * @private\n */\nfunction setupEventListeners(reference, options, state, updateBound) {\n // Resize event listener on window\n state.updateBound = updateBound;\n getWindow(reference).addEventListener('resize', state.updateBound, { passive: true });\n\n // Scroll event listener on scroll parents\n var scrollElement = getScrollParent(reference);\n attachToScrollParents(scrollElement, 'scroll', state.updateBound, state.scrollParents);\n state.scrollElement = scrollElement;\n state.eventsEnabled = true;\n\n return state;\n}\n\n/**\n * It will add resize/scroll events and start recalculating\n * position of the popper element when they are triggered.\n * @method\n * @memberof Popper\n */\nfunction enableEventListeners() {\n if (!this.state.eventsEnabled) {\n this.state = setupEventListeners(this.reference, this.options, this.state, this.scheduleUpdate);\n }\n}\n\n/**\n * Remove event listeners used to update the popper position\n * @method\n * @memberof Popper.Utils\n * @private\n */\nfunction removeEventListeners(reference, state) {\n // Remove resize event listener on window\n getWindow(reference).removeEventListener('resize', state.updateBound);\n\n // Remove scroll event listener on scroll parents\n state.scrollParents.forEach(function (target) {\n target.removeEventListener('scroll', state.updateBound);\n });\n\n // Reset state\n state.updateBound = null;\n state.scrollParents = [];\n

state.scrollElement = null;\n state.eventsEnabled = false;\n return state;\n}\n\n/**\n * It will remove resize/scroll events and won't recalculate popper position\n * when they are triggered. It also won't trigger `onUpdate` callback anymore,\n * unless you call `update` method manually.\n * @method\n * @memberof Popper\n */\nfunction disableEventListeners() {\n if (this.state.eventsEnabled) {\n   cancelAnimationFrame(this.scheduleUpdate);\n   this.state = removeEventListeners(this.reference, this.state);\n }\n}\n\n/**\n * Tells if a given input is a number\n * @method\n * @memberof Popper.Utils\n * @param {*} input to check\n * @return {Boolean}\n */\nfunction isNumeric(n) {\n return n !== '' && !isNaN(parseFloat(n)) && isFinite(n);\n}\n\n/**\n * Set the style to the given popper\n * @method\n * @memberof Popper.Utils\n * @argument {Element} element - Element to apply the style to\n * @argument {Object} styles\n * Object with a list of properties and values which will be applied to the element\n */\nfunction setStyles(element, styles) {\n Object.keys(styles).forEach(function (prop) {\n   var unit = '';\n   // add unit if the value is numeric and is one of the following\n   if (['width', 'height', 'top', 'right', 'bottom', 'left'].indexOf(prop) !== -1 && isNumeric(styles[prop])) {\n   unit = 'px';\n   }\n   element.style[prop] = styles[prop] + unit;\n });\n}\n\n/**\n * Set the attributes to the given popper\n * @method\n * @memberof Popper.Utils\n * @argument {Element} element - Element to apply the attributes to\n * @argument {Object} styles\n * Object with a list of properties and values which will be applied to the element\n */\nfunction setAttributes(element, attributes) {\n Object.keys(attributes).forEach(function (prop) {\n   var value = attributes[prop];\n   if (value !== false) {\n   element.setAttribute(prop, attributes[prop]);\n   } else {\n   element.removeAttribute(prop);\n   }\n });\n}\n\n/**\n * @function\n * @memberof Modifiers\n * @argument {Object} data - The data object generated by `update` method\n * @argument {Object} data.styles - List of style properties - values to apply to popper element\n * @argument {Object} data.attributes - List of attribute properties - values to apply to popper element\n * @argument {Object} options - Modifiers configuration and options\n * @returns {Object} The same data object\n */\nfunction applyStyle(data) {\n // any property present in `data.styles` will be applied to the popper,\n // in this way we can make the 3rd party modifiers add custom styles to it\n // Be aware, modifiers could override the properties defined in the previous\n // lines of this modifier!\n setStyles(data.instance.popper, data.styles);\n\n // any property present in `data.attributes` will be applied to the popper,\n // they will be set as HTML attributes of the element\n setAttributes(data.instance.popper, data.attributes);\n\n // if arrowElement is defined and arrowStyles has some properties\n if (data.arrowElement && Object.keys(data.arrowStyles).length) {\n   setStyles(data.arrowElement, data.arrowStyles);\n }\n\n return data;\n}\n\n/**\n * Set the x-placement attribute before everything else because it could be used\n * to add margins to the popper margins needs to be calculated to get the\n * correct popper offsets.\n * @method\n * @memberof Popper.modifiers\n * @param {HTMLElement} reference - The reference element used to position the popper\n * @param {HTMLElement} popper - The HTML element used as popper\n * @param {Object} options - Popper.js options\n */\nfunction applyStyleOnLoad(reference, popper, options, modifierOptions, state) {\n // compute reference element offsets\n var referenceOffsets = getReferenceOffsets(state, popper, reference, options.positionFixed);\n\n // compute auto placement, store placement inside the data object,\n // modifiers will be able to edit `placement` if needed\n // and refer to originalPlacement to know the original value\n var placement = computeAutoPlacement(options.placement, referenceOffsets, popper, reference, options.modifiers.flip.boundariesElement, options.modifiers.flip.padding);\n\n popper.setAttribute('x-placement', placement);\n\n // Apply `position` to popper before anything else because\n // without the position applied we can't guarantee correct computations\n setStyles(popper, { position: options.positionFixed ? 'fixed' : 'absolute' });\n\n return options;\n}\n\n/**\n * @function\n * @memberof Modifiers\n * @argument {Object} data - The data object generated by `update` method\n * @argument {Object} options - Modifiers configuration and options\n * @returns {Object} The data object, properly modified\n */\nfunction computeStyle(data, options) {\n var x = options.x,\n   y = options.y;\n var popper = data.offsets.popper;\n\n // Remove this legacy support in Popper.js v2\n\n var legacyGpuAccelerationOption = find(data.instance.modifiers, function (modifier) {\n   return modifier.name === 'applyStyle';\n }).gpuAcceleration;\n if (legacyGpuAccelerationOption !== undefined) {\n   console.warn('WARNING: `gpuAcceleration` option moved to `computeStyle` modifier and will not be supported in future versions of Popper.js!');\n }\n var gpuAcceleration = legacyGpuAccelerationOption !== undefined ?

legacyGpuAccelerationOption : options.gpuAcceleration;\n\n var offsetParent = getOffsetParent(data.instance.popper);\n var offsetParentRect = getBoundingClientRect(offsetParent);\n\n // Styles\n var styles = {\n   position: popper.position\n };\n\n // Avoid blurry text by using full pixel integers.\n // For pixel-perfect positioning, top/bottom prefers rounded\n // values, while left/right prefers floored values.\n var offsets = {\n   left: Math.floor(popper.left),\n   top: Math.round(popper.top),\n   bottom: Math.round(popper.bottom),\n   right: Math.floor(popper.right)\n };\n\n var sideA = x === 'bottom' ? 'top' : 'bottom';\n var sideB = y === 'right' ? 'left' : 'right';\n\n // if gpuAcceleration is set to `true` and transform is supported,\n // we use `translate3d` to apply the position to the popper we\n // automatically use the supported prefixed version if needed\n var prefixedProperty = getSupportedPropertyName('transform');\n\n // now, let's make a step back and look at this code closely (wtf?)\n // If the content of the popper grows once it's been positioned, it\n // may happen that the popper gets misplaced because of the new content\n // overflowing its reference element\n // To avoid this problem, we provide two options (x and y), which allow\n // the consumer to define the offset origin.\n // If we position a popper on top of a reference element, we can set\n // `x` to `top` to make the popper grow towards its top instead of\n // its bottom.\n var left = void 0,\n   top = void 0;\n if (sideA === 'bottom') {\n   // when offsetParent is <html> the positioning is relative to the bottom of the screen (excluding the scrollbar)\n   // and not the bottom of the html element\n   if (offsetParent.nodeName === 'HTML') {\n   top = -offsetParent.clientHeight + offsets.bottom;\n   } else {\n   top = -offsetParentRect.height + offsets.bottom;\n   }\n } else {\n   top = offsets.top;\n }\n if (sideB === 'right') {\n   if (offsetParent.nodeName === 'HTML') {\n   left = -offsetParent.clientWidth + offsets.right;\n   } else {\n   left = -offsetParentRect.width + offsets.right;\n   }\n } else {\n   left = offsets.left;\n }\n if (gpuAcceleration && prefixedProperty) {\n   styles[prefixedProperty] = 'translate3d(' + left + 'px, ' + top + 'px, 0)';\n   styles[sideA] = 0;\n   styles[sideB] = 0;\n   styles.willChange = 'transform';\n } else {\n   // othwerise, we use the standard `top`, `left`, `bottom` and `right` properties\n   var invertTop = sideA === 'bottom' ? -1 : 1;\n   var invertLeft = sideB === 'right' ? -1 : 1;\n   styles[sideA] = top * invertTop;\n   styles[sideB] = left * invertLeft;\n   styles.willChange = sideA + ', ' + sideB;\n }\n\n // Attributes\n var attributes = {\n   'x-placement': data.placement\n };\n\n // Update `data` attributes, styles and arrowStyles\n data.attributes = _extends({}, attributes, data.attributes);\n data.styles = _extends({}, styles, data.styles);\n data.arrowStyles = _extends({}, data.offsets.arrow, data.arrowStyles);\n\n return data;\n}\n\n/**\n * Helper used to know if the given modifier depends from another one.
\n * It checks if the needed modifier is listed and enabled.\n * @method\n * @memberof Popper.Utils\n * @param {Array} modifiers - list of modifiers\n * @param {String} requestingName - name of requesting modifier\n * @param {String} requestedName - name of requested modifier\n * @returns {Boolean}\n */\nfunction isModifierRequired(modifiers, requestingName, requestedName) {\n var requesting = find(modifiers, function (_ref) {\n   var name = _ref.name;\n   return name === requestingName;\n });\n\n var isRequired = !!requesting && modifiers.some(function (modifier) {\n   return modifier.name === requestedName && modifier.enabled && modifier.order < requesting.order;\n });\n\n if (!isRequired) {\n   var _requesting = '`' + requestingName + '`';\n   var requested = '`' + requestedName + '`';\n   console.warn(requested + ' modifier is required by ' + _requesting + ' modifier in order to work, be sure to include it before ' + _requesting + '!');\n }\n return isRequired;\n}\n\n/**\n * @function\n * @memberof Modifiers\n * @argument {Object} data - The data object generated by update method\n * @argument {Object} options - Modifiers configuration and options\n * @returns {Object} The data object, properly modified\n */\nfunction arrow(data, options) {\n var _data$offsets$arrow;\n\n // arrow depends on keepTogether in order to work\n if (!isModifierRequired(data.instance.modifiers, 'arrow', 'keepTogether')) {\n   return data;\n }\n\n var arrowElement = options.element;\n\n // if arrowElement is a string, suppose it's a CSS selector\n if (typeof arrowElement === 'string') {\n   arrowElement = data.instance.popper.querySelector(arrowElement);\n\n   // if arrowElement is not found, don't run the modifier\n   if (!arrowElement) {\n   return data;\n   }\n } else {\n   // if the arrowElement isn't a query selector we must check that the\n   // provided DOM node is child of its popper node\n   if (!data.instance.popper.contains(arrowElement)) {\n   console.warn('WARNING: `arrow.element` must be child of its popper element!');\n   return data;\n   }\n }\n\n var placement = data.placement.split('-')[0];\n var _data$offsets = data.offsets,\n   popper = _data$offsets.popper,\n   reference = _data$offsets.reference;\n\n var

isVertical = ['left', 'right'].indexOf(placement) !== -1;\n\n var len = isVertical ? 'height' : 'width';\n var sideCapitalized = isVertical ? 'Top' : 'Left';\n var side = sideCapitalized.toLowerCase();\n var altSide = isVertical ? 'left' : 'top';\n var opSide = isVertical ? 'bottom' : 'right';\n var arrowElementSize = getOuterSizes(arrowElement)[len];\n\n //\n // extends keepTogether behavior making sure the popper and its\n // reference have enough pixels in conjunction\n //\n\n // top/left side\n if (reference[opSide] - arrowElementSize < popper[side]) {\n   data.offsets.popper[side] -= popper[side] - (reference[opSide] - arrowElementSize);\n }\n // bottom/right side\n if (reference[side] + arrowElementSize > popper[opSide]) {\n   data.offsets.popper[side] += reference[side] + arrowElementSize - popper[opSide];\n }\n data.offsets.popper = getClientRect(data.offsets.popper);\n\n // compute center of the popper\n var center = reference[side] + reference[len] / 2 - arrowElementSize / 2;\n\n // Compute the sideValue using the updated popper offsets\n // take popper margin in account because we don't have this info available\n var css = getStyleComputedProperty(data.instance.popper);\n var popperMarginSide = parseFloat(css['margin' + sideCapitalized], 10);\n var popperBorderSide = parseFloat(css['border' + sideCapitalized + 'Width'], 10);\n var sideValue = center - data.offsets.popper[side] - popperMarginSide - popperBorderSide;\n\n // prevent arrowElement from being placed not contiguously to its popper\n sideValue = Math.max(Math.min(popper[len] - arrowElementSize, sideValue), 0);\n\n data.arrowElement = arrowElement;\n data.offsets.arrow = (_data$offsets$arrow = {}, defineProperty(_data$offsets$arrow, side, Math.round(sideValue)), defineProperty(_data$offsets$arrow, altSide, ''), _data$offsets$arrow);\n\n return data;\n}\n\n/**\n * Get the opposite placement variation of the given one\n * @method\n * @memberof Popper.Utils\n * @argument {String} placement variation\n * @returns {String} flipped placement variation\n */\nfunction getOppositeVariation(variation) {\n if (variation === 'end') {\n   return 'start';\n } else if (variation === 'start') {\n   return 'end';\n }\n return variation;\n}\n\n/**\n * List of accepted placements to use as values of the `placement` option.
\n * Valid placements are:\n * - `auto`\n * - `top`\n * - `right`\n * - `bottom`\n * - `left`\n *\n * Each placement can have a variation from this list:\n * - `-start`\n * - `-end`\n *\n * Variations are interpreted easily if you think of them as the left to right\n * written languages. Horizontally (`top` and `bottom`), `start` is left and `end`\n * is right.
\n * Vertically (`left` and `right`), `start` is top and `end` is bottom.\n *\n * Some valid examples are:\n * - `top-end` (on top of reference, right aligned)\n * - `right-start` (on right of reference, top aligned)\n * - `bottom` (on bottom, centered)\n * - `auto-end` (on the side with more space available, alignment depends by placement)\n *\n * @static\n * @type {Array}\n * @enum {String}\n * @readonly\n * @method placements\n * @memberof Popper\n */\nvar placements = ['auto-start', 'auto', 'auto-end', 'top-start', 'top', 'top-end', 'right-start', 'right', 'right-end', 'bottom-end', 'bottom', 'bottom-start', 'left-end', 'left', 'left-start'];\n\n// Get rid of `auto` `auto-start` and `auto-end`\nvar validPlacements = placements.slice(3);\n\n/**\n * Given an initial placement, returns all the subsequent placements\n * clockwise (or counter-clockwise).\n *\n * @method\n * @memberof Popper.Utils\n * @argument {String} placement - A valid placement (it accepts variations)\n * @argument {Boolean} counter - Set to true to walk the placements counterclockwise\n * @returns {Array} placements including their variations\n */\nfunction clockwise(placement) {\n var counter = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : false;\n\n var index = validPlacements.indexOf(placement);\n var arr = validPlacements.slice(index + 1).concat(validPlacements.slice(0, index));\n return counter ? arr.reverse() : arr;\n}\n\nvar BEHAVIORS = {\n FLIP: 'flip',\n CLOCKWISE: 'clockwise',\n COUNTERCLOCKWISE: 'counterclockwise'\n};\n\n/**\n * @function\n * @memberof Modifiers\n * @argument {Object} data - The data object generated by update method\n * @argument {Object} options - Modifiers configuration and options\n * @returns {Object} The data object, properly modified\n */\nfunction flip(data, options) {\n // if `inner` modifier is enabled, we can't use the `flip` modifier\n if (isModifierEnabled(data.instance.modifiers, 'inner')) {\n   return data;\n }\n\n if (data.flipped && data.placement === data.originalPlacement) {\n   // seems like flip is trying to loop, probably there's not enough space on any of the flippable sides\n   return data;\n }\n\n var boundaries = getBoundaries(data.instance.popper, data.instance.reference, options.padding, options.boundariesElement, data.positionFixed);\n\n var placement = data.placement.split('-')[0];\n var placementOpposite = getOppositePlacement(placement);\n var variation = data.placement.split('-')[1] || '';\n\n var flipOrder = [];\n\n

switch (options.behavior) {\n   case BEHAVIORS.FLIP:\n   flipOrder = [placement, placementOpposite];\n break;\n   case BEHAVIORS.CLOCKWISE:\n   flipOrder = clockwise(placement);\n   break;\n   case BEHAVIORS.COUNTERCLOCKWISE:\n   flipOrder = clockwise(placement, true);\n   break;\n   default:\n flipOrder = options.behavior;\n }\n\n flipOrder.forEach(function (step, index) {\n   if (placement !== step || flipOrder.length === index + 1) {\n   return data;\n   }\n\n   placement = data.placement.split('-')[0];\n placementOpposite = getOppositePlacement(placement);\n\n   var popperOffsets = data.offsets.popper;\n   var refOffsets = data.offsets.reference;\n\n   // using floor because the reference offsets may contain decimals we are not going to consider here\n   var floor = Math.floor;\n   var overlapsRef = placement === 'left' && floor(popperOffsets.right) > floor(refOffsets.left) || placement === 'right' && floor(popperOffsets.left) < floor(refOffsets.right) || placement === 'top' && floor(popperOffsets.bottom) > floor(refOffsets.top) || placement === 'bottom' && floor(popperOffsets.top) < floor(refOffsets.bottom);\n\n   var overflowsLeft = floor(popperOffsets.left) < floor(boundaries.left);\n   var overflowsRight = floor(popperOffsets.right) > floor(boundaries.right);\n   var overflowsTop = floor(popperOffsets.top) < floor(boundaries.top);\n   var overflowsBottom = floor(popperOffsets.bottom) > floor(boundaries.bottom);\n\n   var overflowsBoundaries = placement === 'left' && overflowsLeft || placement === 'right' && overflowsRight || placement === 'top' && overflowsTop || placement === 'bottom' && overflowsBottom;\n\n   // flip the variation if required\n   var isVertical = ['top', 'bottom'].indexOf(placement) !== -1;\n   var flippedVariation = !!options.flipVariations && (isVertical && variation === 'start' && overflowsLeft || isVertical && variation === 'end' && overflowsRight || !isVertical && variation === 'start' && overflowsTop || !isVertical && variation === 'end' && overflowsBottom);\n\n   if (overlapsRef || overflowsBoundaries || flippedVariation) {\n   // this boolean to detect any flip loop\n   data.flipped = true;\n\n   if (overlapsRef || overflowsBoundaries) {\n   placement = flipOrder[index + 1];\n   }\n\n   if (flippedVariation) {\n   variation = getOppositeVariation(variation);\n   }\n\n   data.placement = placement + (variation ? '-' + variation : '');\n\n   // this object contains `position`, we want to preserve it along with\n   // any additional property we may add in the future\n   data.offsets.popper = _extends({}, data.offsets.popper, getPopperOffsets(data.instance.popper, data.offsets.reference, data.placement));\n\n   data = runModifiers(data.instance.modifiers, data, 'flip');\n   }\n });\n return data;\n}\n\n/**\n * @function\n * @memberof Modifiers\n * @argument {Object} data - The data object generated by update method\n * @argument {Object} options - Modifiers configuration and options\n * @returns {Object} The data object, properly modified\n */\nfunction keepTogether(data) {\n var _data$offsets = data.offsets,\n   popper = _data$offsets.popper,\n   reference = _data$offsets.reference;\n\n var placement = data.placement.split('-')[0];\n var floor = Math.floor;\n var isVertical = ['top', 'bottom'].indexOf(placement) !== -1;\n var side = isVertical ? 'right' : 'bottom';\n var opSide = isVertical ? 'left' : 'top';\n var measurement = isVertical ? 'width' : 'height';\n\n if (popper[side] < floor(reference[opSide])) {\n   data.offsets.popper[opSide] = floor(reference[opSide]) - popper[measurement];\n }\n if (popper[opSide] > floor(reference[side])) {\n   data.offsets.popper[opSide] = floor(reference[side]);\n }\n\n return data;\n}\n\n/**\n * Converts a string containing value + unit into a px value number\n * @function\n * @memberof {modifiers~offset}\n * @private\n * @argument {String} str - Value + unit string\n * @argument {String} measurement - `height` or `width`\n * @argument {Object} popperOffsets\n * @argument {Object} referenceOffsets\n * @returns {Number|String}\n * Value in pixels, or original string if no values were extracted\n */\nfunction toValue(str, measurement, popperOffsets, referenceOffsets) {\n // separate value from unit\n var split = str.match(/((?:\\-\\\\+)?\\d*\\.?\\d*)(.*)/);\n var value = +split[1];\n var unit = split[2];\n\n // If it's not a number it's an operator, I guess\n if (!value) {\n   return str;\n }\n\n if (unit.indexOf('%') === 0) {\n   var element = void 0;\n   switch (unit) {\n   case '%p':\n   element = popperOffsets;\n   break;\n   case '%':\n   case '%r':\n   default:\n   element = referenceOffsets;\n   }\n\n   var rect = getClientRect(element);\n   return rect[measurement] / 100 * value;\n } else if (unit === 'vh' || unit === 'vw') {\n   // if is a vh or vw, we calculate the size based on the viewport\n   var size = void 0;\n   if (unit === 'vh') {\n   size = Math.max(document.documentElement.clientHeight, window.innerHeight || 0);\n   } else {\n   size = Math.max(document.documentElement.clientWidth, window.innerWidth || 0);\n   }\n   return size / 100 * value;\n

} else {\n   // if is an explicit pixel unit, we get rid of the unit and keep the value\n   // if is an implicit unit, it's px, and we return just the value\n   return value;\n }\n}\n\n/**\n * Parse an `offset` string to extrapolate `x` and `y`\n numeric offsets.\n * @function\n * @memberof {modifiers~offset}\n * @private\n * @argument {String} offset\n * @argument {Object} popperOffsets\n * @argument {Object} referenceOffsets\n * @argument {String} basePlacement\n * @returns {Array} a two cells array with x and y offsets in numbers\n */\nfunction parseOffset(offset, popperOffsets, referenceOffsets, basePlacement) {\n var offsets = [0, 0];\n\n // Use height if placement is left or right and index is 0 otherwise use width\n // in this way the first offset will use an axis and the second one\n // will use the other one\n var useHeight = ['right', 'left'].indexOf(basePlacement) !== -1;\n\n // Split the offset string to obtain a list of values and operands\n // The regex addresses values with the plus or minus sign in front (+10, -20, etc)\n var fragments = offset.split(/(\\+|\\-)/).map(function (frag) {\n   return frag.trim();\n });\n\n // Detect if the offset string contains a pair of values or a single one\n // they could be separated by comma or space\n var divider = fragments.indexOf(find(fragments, function (frag) {\n   return frag.search(/,|\\s/) !== -1;\n }));\n\n if (fragments[divider] && fragments[divider].indexOf(',') === -1) {\n   console.warn('Offsets separated by white space(s) are deprecated, use a comma (,) instead.');\n }\n\n // If divider is found, we divide the list of values and operands to divide\n // them by ofset X and Y.\n var splitRegex = /\\s*,\\s*|\\s+/;\n var ops = divider !== -1 ? [fragments.slice(0, divider).concat([fragments[divider].split(splitRegex)[0]]), [fragments[divider].split(splitRegex)[1]].concat(fragments.slice(divider + 1))] : [fragments];\n\n // Convert the values with units to absolute pixels to allow our computations\n ops = ops.map(function (op, index) {\n   // Most of the units rely on the orientation of the popper\n   var measurement = (index === 1 ? !useHeight : useHeight) ? 'height' : 'width';\n   var mergeWithPrevious = false;\n   return op\n   // This aggregates any `+` or `-` sign that aren't considered operators\n   // e.g.: 10 + +5 => [10, +, +5]\n   .reduce(function (a, b) {\n   if (a[a.length - 1] === '' && ['+', '-'].indexOf(b) !== -1) {\n   a[a.length - 1] = b;\n   mergeWithPrevious = true;\n   return a;\n   } else if (mergeWithPrevious) {\n   a[a.length - 1] += b;\n   mergeWithPrevious = false;\n   return a;\n   } else {\n   return a.concat(b);\n   }\n   }, [])\n   // Here we convert the string values into number values (in px)\n   .map(function (str) {\n   return toValue(str, measurement, popperOffsets, referenceOffsets);\n   });\n });\n\n // Loop trough the offsets arrays and execute the operations\n ops.forEach(function (op, index) {\n   op.forEach(function (frag, index2) {\n   if (isNumeric(frag)) {\n   offsets[index] += frag * (op[index2 - 1] === '-' ? -1 : 1);\n   }\n   });\n });\n return offsets;\n}\n\n/**\n * @function\n * @memberof Modifiers\n * @argument {Object} data - The data object generated by update method\n * @argument {Object} options - Modifiers configuration and options\n * @argument {Number|String} options.offset=0\n * The offset value as described in the modifier description\n * @returns {Object} The data object, properly modified\n */\nfunction offset(data, _ref) {\n var offset = _ref.offset;\n var placement = data.placement,\n   _data$offsets = data.offsets,\n   popper = _data$offsets.popper,\n   reference = _data$offsets.reference;\n\n var basePlacement = placement.split('-')[0];\n\n var offsets = void 0;\n if (isNumeric(+offset)) {\n   offsets = [+offset, 0];\n } else {\n   offsets = parseOffset(offset, popper, reference, basePlacement);\n }\n\n if (basePlacement === 'left') {\n   popper.top += offsets[0];\n   popper.left -= offsets[1];\n } else if (basePlacement === 'right') {\n   popper.top += offsets[0];\n   popper.left += offsets[1];\n } else if (basePlacement === 'top') {\n   popper.left += offsets[0];\n   popper.top -= offsets[1];\n } else if (basePlacement === 'bottom') {\n   popper.left += offsets[0];\n   popper.top += offsets[1];\n }\n\n data.popper = popper;\n return data;\n}\n\n/**\n * @function\n * @memberof Modifiers\n * @argument {Object} data - The data object generated by `update` method\n * @argument {Object} options - Modifiers configuration and options\n * @returns {Object} The data object, properly modified\n */\nfunction preventOverflow(data, options) {\n var boundariesElement = options.boundariesElement || getOffsetParent(data.instance.popper);\n\n // If offsetParent is the reference element, we really want to\n // go one step up and use the next offsetParent as reference to\n // avoid to make this modifier completely useless and look like broken\n if (data.instance.reference === boundariesElement) {\n   boundariesElement = getOffsetParent(boundariesElement);\n }\n\n // NOTE: DOM access here\n // resets the popper's position so that the document size can be calculated excluding\n // the size of the popper element itself\n var transformProp = getSupportedPropertyName('transform');\n var popperStyles = data.instance.popper.style; // assignment to help

minification\n var top = popperStyles.top,\n   left = popperStyles.left,\n   transform = popperStyles[transformProp];\n\n popperStyles.top = '';\n popperStyles.left = '';\n popperStyles[transformProp] = '';\n\n var boundaries = getBoundaries(data.instance.popper, data.instance.reference, options.padding, boundariesElement, data.positionFixed);\n\n // NOTE: DOM access here\n // restores the original style properties after the offsets have been computed\n popperStyles.top = top;\n popperStyles.left = left;\n popperStyles[transformProp] = transform;\n\n options.boundaries = boundaries;\n\n var order = options.priority;\n var popper = data.offsets.popper;\n\n var check = {\n   primary: function primary(placement) {\n   var value = popper[placement];\n   if (popper[placement] < boundaries[placement] && !options.escapeWithReference) {\n   value = Math.max(popper[placement], boundaries[placement]);\n   }\n   return defineProperty({}, placement, value);\n   },\n   secondary: function secondary(placement) {\n   var mainSide = placement === 'right' ? 'left' : 'top';\n   var value = popper[mainSide];\n   if (popper[placement] > boundaries[placement] && !options.escapeWithReference) {\n   value = Math.min(popper[mainSide], boundaries[placement] - (placement === 'right' ? popper.width : popper.height));\n   }\n   return defineProperty({}, mainSide, value);\n   }\n };\n\n order.forEach(function (placement) {\n   var side = ['left', 'top'].indexOf(placement) !== -1 ? 'primary' : 'secondary';\n   popper = _extends({}, popper, check[side](placement));\n });\n\n data.offsets.popper = popper;\n\n return data;\n}\n\n/**\n * @function\n * @memberof Modifiers\n * @argument {Object} data - The data object generated by `update` method\n * @argument {Object} options - Modifiers configuration and options\n * @returns {Object} The data object, properly modified\n */\nfunction shift(data) {\n var placement = data.placement;\n var basePlacement = placement.split('-')[0];\n var shiftvariation = placement.split('-')[1];\n\n // if shift shiftvariation is specified, run the modifier\n if (shiftvariation) {\n   var _data$offsets = data.offsets,\n   reference = _data$offsets.reference,\n   popper = _data$offsets.popper;\n\n   var isVertical = ['bottom', 'top'].indexOf(basePlacement) !== -1;\n   var side = isVertical ? 'left' : 'top';\n   var measurement = isVertical ? 'width' : 'height';\n\n   var shiftOffsets = {\n   start: defineProperty({}, side, reference[side]),\n   end: defineProperty({}, side, reference[side] + reference[measurement] - popper[measurement])\n   };\n\n   data.offsets.popper = _extends({}, popper, shiftOffsets[shiftvariation]);\n }\n\n return data;\n}\n\n/**\n * @function\n * @memberof Modifiers\n * @argument {Object} data - The data object generated by update method\n * @argument {Object} options - Modifiers configuration and options\n * @returns {Object} The data object, properly modified\n */\nfunction hide(data) {\n if (!isModifierRequired(data.instance.modifiers, 'hide', 'preventOverflow')) {\n   return data;\n }\n\n var refRect = data.offsets.reference;\n var bound = find(data.instance.modifiers, function (modifier) {\n   return modifier.name === 'preventOverflow';\n }).boundaries;\n\n if (refRect.bottom < bound.top || refRect.left > bound.right || refRect.top > bound.bottom || refRect.right < bound.left) {\n   // Avoid unnecessary DOM access if visibility hasn't changed\n   if (data.hide === true) {\n   return data;\n   }\n\n   data.hide = true;\n   data.attributes['x-out-of-boundaries'] = '';\n } else {\n   // Avoid unnecessary DOM access if visibility hasn't changed\n   if (data.hide === false) {\n   return data;\n   }\n\n   data.hide = false;\n   data.attributes['x-out-of-boundaries'] = false;\n }\n\n return data;\n}\n\n/**\n * @function\n * @memberof Modifiers\n * @argument {Object} data - The data object generated by `update` method\n * @argument {Object} options - Modifiers configuration and options\n * @returns {Object} The data object, properly modified\n */\nfunction inner(data) {\n var placement = data.placement;\n var basePlacement = placement.split('-')[0];\n var _data$offsets = data.offsets,\n   popper = _data$offsets.popper,\n   reference = _data$offsets.reference;\n\n var isHoriz = ['left', 'right'].indexOf(basePlacement) !== -1;\n\n var subtractLength = ['top', 'left'].indexOf(basePlacement) === -1;\n\n popper[isHoriz ? 'left' : 'top'] = reference[basePlacement] - (subtractLength ? popper[isHoriz ? 'width' : 'height'] : 0);\n\n data.placement = getOppositePlacement(placement);\n data.offsets.popper = getClientRect(popper);\n\n return data;\n}\n\n/**\n * Modifier function, each modifier can have a function of this type assigned\n * to its `fn` property.
\n * These functions will be called on each update, this means that you must\n * make sure they are performant enough to avoid performance bottlenecks.\n *\n * @function ModifierFn\n * @argument {dataObject} data - The data object generated by `update` method\n * @argument {Object} options - Modifiers configuration and options\n * @returns {dataObject} The data object, properly modified\n */\n\n/**\n * Modifiers are plugins used to alter the behavior of your poppers.
\n *

Popper.js uses a set of 9 modifiers to provide all the basic functionalities\n * needed by the library.\n *\n * Usually you don't want to override the `order`, `fn` and `onLoad` props.\n * All the other properties are configurations that could be tweaked.\n * @namespace modifiers\n */\nvar modifiers = {\n /**\n * Modifier used to shift the popper on the start or end of its reference\n * element.
\n * It will read the variation of the `placement` property.
\n * It can be one either `-end` or `-start`.\n * @memberof modifiers\n * @inner\n */\n shift: {\n /** @prop {number} order=100 - Index used to define the order of execution */\n order: 100,\n /** @prop {Boolean} enabled=true - Whether the modifier is enabled or not */\n enabled: true,\n /** @prop {ModifierFn} */\n fn: shift\n },\n\n /**\n * The `offset` modifier can shift your popper on both its axis.\n *\n * It accepts the following units:\n * - `px` or unit-less, interpreted as pixels\n * - `%` or `%r`, percentage relative to the length of the reference element\n * - `%p`, percentage relative to the length of the popper element\n * - `vw`, CSS viewport width unit\n * - `vh`, CSS viewport height unit\n *\n * For length is intended the main axis relative to the placement of the popper.
\n * This means that if the placement is `top` or `bottom`, the length will be the\n * `width`. In case of `left` or `right`, it will be the `height`.\n *\n * You can provide a single value (as `Number` or `String`), or a pair of values\n * as `String` divided by a comma or one (or more) white spaces.
\n * The latter is a deprecated method because it leads to confusion and will be\n * removed in v2.
\n * Additionally, it accepts additions and subtractions between different units.\n * Note that multiplications and divisions aren't supported.\n *\n * Valid examples are:\n * ```\n * 10\n * '10%'\n * '10, 10'\n * '10%, 10'\n * '10 + 10%'\n * '10 - 5vh + 3%'\n * '-10px + 5vh, 5px - 6%'\n * ```\n * > **NB**: If you desire to apply offsets to your poppers in a way that may make them overlap\n * > with their reference element, unfortunately, you will have to disable the `flip` modifier.\n * > You can read more on this at this [issue](https://github.com/FezVrasta/popper.js/issues/373).\n *\n * @memberof modifiers\n * @inner\n */\n offset: {\n /** @prop {number} order=200 - Index used to define the order of execution */\n order: 200,\n /** @prop {Boolean} enabled=true - Whether the modifier is enabled or not */\n enabled: true,\n /** @prop {ModifierFn} */\n fn: offset,\n /** @prop {Number|String} offset=0\n * The offset value as described in the modifier description\n */\n offset: 0\n },\n\n /**\n * Modifier used to prevent the popper from being positioned outside the boundary.\n *\n * A scenario exists where the reference itself is not within the boundaries.
\n * We can say it has \"escaped the boundaries\" — or just \"escaped\".
\n * In this case we need to decide whether the popper should either:\n *\n * - detach from the reference and remain \"trapped\" in the boundaries, or\n * - if it should ignore the boundary and \"escape with its reference\"\n *\n * When `escapeWithReference` is set to`true` and reference is completely\n * outside its boundaries, the popper will overflow (or completely leave)\n * the boundaries in order to remain attached to the edge of the reference.\n *\n * @memberof modifiers\n * @inner\n */\n preventOverflow: {\n /** @prop {number} order=300 - Index used to define the order of execution */\n order: 300,\n /** @prop {Boolean} enabled=true - Whether the modifier is enabled or not */\n enabled: true,\n /** @prop {ModifierFn} */\n fn: preventOverflow,\n /**\n * @prop {Array} [priority=['left','right','top','bottom']]\n * Popper will try to prevent overflow following these priorities by default,\n * then, it could overflow on the left and on top of the `boundariesElement`\n */\n priority: ['left', 'right', 'top', 'bottom'],\n /**\n * @prop {number} padding=5\n * Amount of pixel used to define a minimum distance between the boundaries\n * and the popper. This makes sure the popper always has a little padding\n * between the edges of its container\n */\n padding: 5,\n /**\n * @prop {String|HTMLElement} boundariesElement='scrollParent'\n * Boundaries used by the modifier. Can be `scrollParent`, `window`,\n * `viewport` or any DOM element.\n */\n boundariesElement: 'scrollParent'\n },\n\n /**\n * Modifier used to make sure the reference and its popper stay near each other\n * without leaving any gap between the two. Especially useful when the arrow is\n * enabled and you want to ensure that it points to its reference element.\n * It cares only about the first axis. You can still have poppers with margin\n * between the popper and its reference element.\n * @memberof modifiers\n * @inner\n */\n keepTogether: {\n /** @prop {number} order=400 - Index used to define the order of execution */\n order: 400,\n /** @prop {Boolean} enabled=true - Whether the modifier is enabled or not */\n enabled: true,\n /** @prop {ModifierFn} */\n fn: keepTogether\n },\n\n /**\n * This modifier is used to move the `arrowElement` of the popper to make\n * sure it is positioned between the

reference element and its popper element.\n * It will read the outer size of the `arrowElement` node to detect how many\n * pixels of conjunction are needed.\n *\n * It has no effect if no `arrowElement` is provided.\n * @memberof modifiers\n * @inner\n */\n arrow: {\n   /** @prop {number} order=500 - Index used to define the order of execution */\n   order: 500,\n   /** @prop {Boolean} enabled=true - Whether the modifier is enabled or not */\n   enabled: true,\n   /** @prop {ModifierFn} */\n   fn: arrow,\n   /** @prop {String|HTMLElement} element='[x-arrow]' - Selector or node used as arrow */\n   element: '[x-arrow]'\n },\n\n /**\n * Modifier used to flip the popper's placement when it starts to overlap its\n * reference element.\n *\n * Requires the `preventOverflow` modifier before it in order to work.\n *\n * **NOTE:** this modifier will interrupt the current update cycle and will\n * restart it if it detects the need to flip the placement.\n * @memberof modifiers\n * @inner\n */\n flip: {\n   /** @prop {number} order=600 - Index used to define the order of execution */\n   order: 600,\n   /** @prop {Boolean} enabled=true - Whether the modifier is enabled or not */\n   enabled: true,\n   /** @prop {ModifierFn} */\n   fn: flip,\n   /**\n   * @prop {String|Array} behavior='flip'\n   * The behavior used to change the popper's placement. It can be one of\n   * `flip`, `clockwise`, `counterclockwise` or an array with a list of valid\n   * placements (with optional variations)\n   */\n   behavior: 'flip',\n   /**\n   * @prop {number} padding=5\n   * The popper will flip if it hits the edges of the `boundariesElement`\n   */\n   padding: 5,\n   /**\n   * @prop {String|HTMLElement} boundariesElement='viewport'\n   * The element which will define the boundaries of the popper position.\n   * The popper will never be placed outside of the defined boundaries\n   * (except if `keepTogether` is enabled)\n   */\n   boundariesElement: 'viewport'\n },\n\n /**\n * Modifier used to make the popper flow toward the inner of the reference element.\n * By default, when this modifier is disabled, the popper will be placed outside\n * the reference element.\n * @memberof modifiers\n * @inner\n */\n inner: {\n   /** @prop {number} order=700 - Index used to define the order of execution */\n   order: 700,\n   /** @prop {Boolean} enabled=false - Whether the modifier is enabled or not */\n   enabled: false,\n   /** @prop {ModifierFn} */\n   fn: inner\n },\n\n /**\n * Modifier used to hide the popper when its reference element is outside of the\n * popper boundaries. It will set a `x-out-of-boundaries` attribute which can\n * be used to hide with a CSS selector the popper when its reference is\n * out of boundaries.\n *\n * Requires the `preventOverflow` modifier before it in order to work.\n * @memberof modifiers\n * @inner\n */\n hide: {\n   /** @prop {number} order=800 - Index used to define the order of execution */\n   order: 800,\n   /** @prop {Boolean} enabled=true - Whether the modifier is enabled or not */\n   enabled: true,\n   /** @prop {ModifierFn} */\n   fn: hide\n },\n\n /**\n * Computes the style that will be applied to the popper element to gets\n * properly positioned.\n *\n * Note that this modifier will not touch the DOM, it just prepares the styles\n * so that `applyStyle` modifier can apply it. This separation is useful\n * in case you need to replace `applyStyle` with a custom implementation.\n *\n * This modifier has `850` as `order` value to maintain backward compatibility\n * with previous versions of Popper.js. Expect the modifiers ordering method\n * to change in future major versions of the library.\n *\n * @memberof modifiers\n * @inner\n */\n computeStyle: {\n   /** @prop {number} order=850 - Index used to define the order of execution */\n   order: 850,\n   /** @prop {Boolean} enabled=true - Whether the modifier is enabled or not */\n   enabled: true,\n   /** @prop {ModifierFn} */\n   fn: computeStyle,\n   /**\n   * @prop {Boolean} gpuAcceleration=true\n   * If true, it uses the CSS 3D transformation to position the popper.\n   * Otherwise, it will use the `top` and `left` properties\n   */\n   gpuAcceleration: true,\n   /**\n   * @prop {string} [x='bottom']\n   * Where to anchor the X axis (`bottom` or `top`). AKA X offset origin.\n   * Change this if your popper should grow in a direction different from `bottom`\n   */\n   x: 'bottom',\n   /**\n   * @prop {string} [x='left']\n   * Where to anchor the Y axis (`left` or `right`). AKA Y offset origin.\n   * Change this if your popper should grow in a direction different from `right`\n   */\n   y: 'right'\n },\n\n /**\n * Applies the computed styles to the popper element.\n *\n * All the DOM manipulations are limited to this modifier. This is useful in case\n * you want to integrate Popper.js inside a framework or view library and you\n * want to delegate all the DOM manipulations to it.\n *\n * Note that if you disable this modifier, you must make sure the popper element\n * has its position set to `absolute` before Popper.js can do its work!\n *\n * Just disable this modifier and define your own to achieve the desired effect.\n *\n * @memberof modifiers\n * @inner\n */\n applyStyle: {\n   /** @prop {number} order=900 - Index used to define the order of execution */\n   order: 900,\n

/** @prop {Boolean} enabled=true - Whether the modifier is enabled or not */\n   enabled: true,\n   /** @prop {ModifierFn} */\n   fn: applyStyle,\n   /** @prop {Function} */\n   onLoad: applyStyleOnLoad,\n   /**\n   * @deprecated since version 1.10.0, the property moved to `computeStyle` modifier\n   * @prop {Boolean} gpuAcceleration=true\n   * If true, it uses the CSS 3D transformation to position the popper.\n   * Otherwise, it will use the `top` and `left` properties\n   */\n   gpuAcceleration: undefined\n   }\n};\n\n/**\n * The `dataObject` is an object containing all the information used by Popper.js.\n * This object is passed to modifiers and to the `onCreate` and `onUpdate` callbacks.\n * @name dataObject\n * @property {Object} data.instance The Popper.js instance\n * @property {String} data.placement Placement applied to popper\n * @property {String} data.originalPlacement Placement originally defined on init\n * @property {Boolean} data.flipped True if popper has been flipped by flip modifier\n * @property {Boolean} data.hide True if the reference element is out of boundaries, useful to know when to hide the popper\n * @property {HTMLElement} data.arrowElement Node used as arrow by arrow modifier\n * @property {Object} data.styles Any CSS property defined here will be applied to the popper. It expects the JavaScript nomenclature (eg. `marginBottom`)\n * @property {Object} data.arrowStyles Any CSS property defined here will be applied to the popper arrow. It expects the JavaScript nomenclature (eg. `marginBottom`)\n * @property {Object} data.boundaries Offsets of the popper boundaries\n * @property {Object} data.offsets The measurements of popper, reference and arrow elements\n * @property {Object} data.offsets.popper `top`, `left`, `width`, `height` values\n * @property {Object} data.offsets.reference `top`, `left`, `width`, `height` values\n * @property {Object} data.offsets.arrow] `top` and `left` offsets, only one of them will be different from 0\n */\n\n/**\n * Default options provided to Popper.js constructor.
\n * These can be overridden using the `options` argument of Popper.js.
\n * To override an option, simply pass an object with the same\n * structure of the `options` object, as the 3rd argument. For example:\n * ```\n * new Popper(ref, pop, {\n *   modifiers: {\n *   preventOverflow: { enabled: false }\n *   }\n * })\n * ```\n * @type {Object}\n * @static\n * @memberof Popper\n */\nvar Defaults = {\n /**\n   * Popper's placement.\n   * @prop {Popper.placements} placement='bottom'\n   */\n placement: 'bottom',\n\n /**\n   * Set this to true if you want popper to position it self in 'fixed' mode\n   * @prop {Boolean} positionFixed=false\n   */\n positionFixed: false,\n\n /**\n   * Whether events (resize, scroll) are initially enabled.\n   * @prop {Boolean} eventsEnabled=true\n   */\n eventsEnabled: true,\n\n /**\n   * Set to true if you want to automatically remove the popper when\n   * you call the `destroy` method.\n   * @prop {Boolean} removeOnDestroy=false\n   */\n removeOnDestroy: false,\n\n /**\n   * Callback called when the popper is created.
\n   * By default, it is set to no-op.
\n   * Access Popper.js instance with `data.instance`.\n   * @prop {onCreate}\n   */\n onCreate: function onCreate() {},\n\n /**\n   * Callback called when the popper is updated. This callback is not called\n   * on the initialization/creation of the popper, but only on subsequent\n   * updates.
\n   * By default, it is set to no-op.
\n   * Access Popper.js instance with `data.instance`.\n   * @prop {onUpdate}\n   */\n onUpdate: function onUpdate() {},\n\n /**\n   * List of modifiers used to modify the offsets before they are applied to the popper.\n   * They provide most of the functionalities of Popper.js.\n   * @prop {modifiers}\n   */\n modifiers: modifiers\n};\n\n/**\n * @callback onCreate\n * @param {dataObject} data\n */\n\n/**\n * @callback onUpdate\n * @param {dataObject} data\n */\n\n// Utils\n// Methods\nvar Popper = function () {\n /**\n   * Creates a new Popper.js instance.\n   * @class Popper\n   * @param {HTMLElement|referenceObject} reference - The reference element used to position the popper\n   * @param {HTMLElement} popper - The HTML element used as the popper\n   * @param {Object} options - Your custom options to override the ones defined in [Defaults](#defaults)\n   * @return {Object} instance - The generated Popper.js instance\n   */\n function Popper(reference, popper) {\n   var _this = this;\n\n   var options = arguments.length > 2 && arguments[2] !== undefined ? arguments[2] : {};\n   classCallCheck(this, Popper);\n\n   this.scheduleUpdate = function () {\n   return requestAnimationFrame(_this.update);\n   };\n\n   // make update() debounced, so that it only runs at most once-per-tick\n   this.update = debounce(this.update.bind(this));\n\n   // with {} we create a new object with the options inside it\n   this.options = _extends({}, Popper.Defaults, options);\n\n   // init state\n   this.state = {\n   isDestroyed: false,\n   isCreated: false,\n   scrollParents: []\n   };\n\n   // get reference and popper elements (allow jQuery wrappers)\n   this.reference = reference && reference.jquery ? reference[0] : reference;\n   this.popper = popper && popper.jquery ? popper[0] : popper;\n\n   // Deep merge

modifiers options\n   this.options.modifiers = {};\n   Object.keys(_extends({}, Popper.Defaults.modifiers, options.modifiers)).forEach(function (name) {\n   _this.options.modifiers[name] = _extends({}, Popper.Defaults.modifiers[name] || {}, options.modifiers ? options.modifiers[name] : {});\n   });\n\n   // Refactoring modifiers' list (Object => Array)\n   this.modifiers = Object.keys(this.options.modifiers).map(function (name) {\n   return _extends({\n   name: name\n   }, _this.options.modifiers[name]);\n   })\n   // sort the modifiers by order\n   .sort(function (a, b) {\n   return a.order - b.order;\n   });\n\n   // modifiers have the ability to execute arbitrary code when Popper.js get inited\n   // such code is executed in the same order of its modifier\n   // they could add new properties to their options configuration\n   // BE AWARE: don't add options to `options.modifiers.name` but to `modifierOptions`!\n   this.modifiers.forEach(function (modifierOptions) {\n   if (modifierOptions.enabled && isFunction(modifierOptions.onLoad)) {\n   modifierOptions.onLoad(_this.reference, _this.popper, _this.options, modifierOptions, _this.state);\n   }\n   });\n\n   // fire the first update to position the popper in the right place\n   this.update();\n\n   var eventsEnabled = this.options.eventsEnabled;\n   if (eventsEnabled) {\n   // setup event listeners, they will take care of update the position in specific situations\n   this.enableEventListeners();\n   }\n\n   this.state.eventsEnabled = eventsEnabled;\n }\n\n // We can't use class properties because they don't get listed in the\n // class prototype and break stuff like Sinon stubs\n\n\n createClass(Popper, [{\n   key: 'update',\n   value: function update$$1() {\n   return update.call(this);\n   }\n }, {\n   key: 'destroy',\n   value: function destroy$$1() {\n   return destroy.call(this);\n   }\n }, {\n   key: 'enableEventListeners',\n   value: function enableEventListeners$$1() {\n   return enableEventListeners.call(this);\n   }\n }, {\n   key: 'disableEventListeners',\n   value: function disableEventListeners$$1() {\n   return disableEventListeners.call(this);\n   }\n\n   /**\n   * Schedules an update. It will run on the next UI update available.\n   * @method scheduleUpdate\n   * @memberof Popper\n   */\n\n\n   /**\n   * Collection of utilities useful when writing custom modifiers.\n   * Starting from version 1.7,\n   * this method is available only if you\n   * include `popper-utils.js` before `popper.js`.\n   *\n   * **DEPRECATION**: This way to access PopperUtils is deprecated\n   * and will be removed in v2! Use the\n   * PopperUtils module directly instead.\n   * Due to the high instability of the methods contained in Utils, we can't\n   * guarantee them to follow semver. Use them at your own risk!\n   * @static\n   * @private\n   * @type {Object}\n   * @deprecated since version 1.8\n   * @member Utils\n   * @memberof Popper\n   */\n\n }]);\n return Popper;\n}();\n\n/**\n * The `referenceObject` is an object that provides an interface compatible with Popper.js\n * and lets you use it as replacement of a real DOM node.
\n * You can use this method to position a popper relatively to a set of coordinates\n * in case you don't have a DOM node to use as reference.\n *\n * ```\n * new Popper(referenceObject, popperNode);\n * ```\n *\n * NB: This feature isn't supported in Internet Explorer 10.\n * @name referenceObject\n * @property {Function} data.getBoundingClientRect\n * A function that returns a set of coordinates compatible with the native `getBoundingClientRect` method.\n * @property {number} data.clientWidth\n * An ES6 getter that will return the width of the virtual reference element.\n * @property {number} data.clientHeight\n * An ES6 getter that will return the height of the virtual reference element.\n */\n\n\nPopper.Utils = (typeof window !== 'undefined' ? window : global).PopperUtils;\nPopper.placements = placements;\nPopper.Defaults = Defaults;\n\nexport default Popper;\n//# sourceMappingURL=popper.js.map\n","\"use strict\";\n\nvar isValue = require(\"./is-value\");\n\nvar forEach = Array.prototype.forEach, create = Object.create;\n\nvar process = function (src, obj) {\n\tvar key;\n\tfor (key in src) obj[key] = src[key];\n};\n\n// eslint-disable-next-line no-unused-vars\nmodule.exports = function (opts1 /*, …options*/) {\n\tvar result = create(null);\n\tforEach.call(arguments, function (options) {\n\t\tif (!isValue(options)) return;\n\t\tprocess(Object(options), result);\n\t});\n\treturn result;\n};\n","/** Used to detect hot functions by number of calls within a span of milliseconds. */\nvar HOT_COUNT = 800,\n   HOT_SPAN = 16;\n\n/* Built-in method references for those with the same name as other `lodash` methods. */\nvar nativeNow = Date.now;\n\n/**\n * Creates a function that'll short out and invoke `identity` instead\n * of `func` when it's called `HOT_COUNT` or more times in `HOT_SPAN`\n * milliseconds.\n *\n * @private\n * @param {Function} func The function to restrict.\n * @returns {Function} Returns the new shortable function.\n */\nfunction shortOut(func) {\n var count = 0,\n   lastCalled = 0;\n\n return function() {\n   var stamp = nativeNow(),\n   remaining = HOT_SPAN -

(stamp - lastCalled);\n\n   lastCalled = stamp;\n   if (remaining > 0) {\n   if (++count >= HOT_COUNT) {\n   return arguments[0];\n   }\n   } else {\n   count = 0;\n   }\n   return func.apply(undefined, arguments);\n };\n}\n\nmodule.exports = shortOut;\n","var isSymbol = require('./isSymbol');\n\n/** Used as references for various `Number` constants. */\nvar INFINITY = 1 / 0;\n\n/**\n * Converts `value` to a string key if it's not a string or symbol.\n *\n * @private\n * @param {*} value The value to inspect.\n * @returns {string|symbol} Returns the key.\n */\nfunction toKey(value) {\n if (typeof value == 'string' || isSymbol(value)) {\n   return value;\n }\n var result = (value + '');\n return (result == '0' && (1 / value) == -INFINITY) ? '-0' : result;\n}\n\nmodule.exports = toKey;\n","'use strict';\n\nvar assign   = require('es5-ext/object/assign')\n , normalizeOpts = require('es5-ext/object/normalize-options')\n , isCallable   = require('es5-ext/object/is-callable')\n , contains   = require('es5-ext/string/#/contains')\n\n , d;\n\nd = module.exports = function (dscr, value/*, options*/) {\n\tvar c, e, w, options, desc;\n\tif ((arguments.length < 2) || (typeof dscr !== 'string')) {\n\t\toptions = value;\n\t\tvalue = dscr;\n\t\tdscr = null;\n\t} else {\n\t\toptions = arguments[2];\n\t}\n\tif (dscr == null) {\n\t\tc = w = true;\n\t\te = false;\n\t} else {\n\t\tc = contains.call(dscr, 'c');\n\t\te = contains.call(dscr, 'e');\n\t\tw = contains.call(dscr, 'w');\n\t}\n\n\tdesc = { value: value, configurable: c, enumerable: e, writable: w };\n\treturn !options ? desc : assign(normalizeOpts(options), desc);\n};\n\nd.gs = function (dscr, get, set/*, options*/) {\n\tvar c, e, options, desc;\n\tif (typeof dscr !== 'string') {\n\t\toptions = set;\n\t\tset = get;\n\t\tget = dscr;\n\t\tdscr = null;\n\t} else {\n\t\toptions = arguments[3];\n\t}\n\tif (get == null) {\n\t\tget = undefined;\n\t} else if (!isCallable(get)) {\n\t\toptions = get;\n\t\tget = set = undefined;\n\t} else if (set == null) {\n\t\tset = undefined;\n\t} else if (!isCallable(set)) {\n\t\toptions = set;\n\t\tset = undefined;\n\t}\n\tif (dscr == null) {\n\t\tc = true;\n\t\te = false;\n\t} else {\n\t\tc = contains.call(dscr, 'c');\n\t\te = contains.call(dscr, 'e');\n\t}\n\n\tdesc = { get: get, set: set, configurable: c, enumerable: e };\n\treturn !options ? desc : assign(normalizeOpts(options), desc);\n};\n","module.exports = function (it, Constructor, name, forbiddenField) {\n if (!(it instanceof Constructor) || (forbiddenField !== undefined && forbiddenField in it)) {\n   throw TypeError(name + ': incorrect invocation!');\n } return it;\n};\n","var isArray = require('./isArray'),\n   isSymbol = require('./isSymbol');\n\n/** Used to match property names within property paths. */\nvar reIsDeepProp = /\\.|\\[(?:[^[\\]]*|([\"'])(?:(?!\\1)[^\\\\]|\\\\.)*?\\1)\\]/,\n   reIsPlainProp = /^\\w*$/;\n\n/**\n * Checks if `value` is a property name and not a property path.\n *\n * @private\n * @param {*} value The value to check.\n * @param {Object} [object] The object to query keys on.\n * @returns {boolean} Returns `true` if `value` is a property name, else `false`.\n */\nfunction isKey(value, object) {\n if (isArray(value)) {\n   return false;\n }\n var type = typeof value;\n if (type == 'number' || type == 'symbol' || type == 'boolean' ||\n   value == null || isSymbol(value)) {\n   return true;\n }\n return reIsPlainProp.test(value) ||\n   !reIsDeepProp.test(value) ||\n   (object != null && value in Object(object));\n}\n\nmodule.exports = isKey;\n","\"use strict\";\n\nvar keys = require(\"../keys\")\n , value = require(\"../valid-value\")\n , max   = Math.max;\n\nmodule.exports = function (dest, src /*, …srcn*/) {\n\tvar error, i, length = max(arguments.length, 2),\n\t\tassign;\n\tdest = Object(value(dest));\n\tassign = function (key) {\n\t\ttry {\n\t\t\tdest[key] = src[key];\n\t\t} catch (e) {\n\t\t\tif (!error) error = e;\n\t\t}\n\t};\n\tfor (i = 1; i < length; ++i) {\n\t\tsrc = arguments[i];\n\t\tkeys(src).forEach(assign);\n\t}\n\tif (error !== undefined) throw error;\n\treturn dest;\n};\n","// 19.1.3.1 Object.assign(target, source)\nvar $export = require('./_export');\n\n$export($export.S + $export.F, 'Object', { assign: require('./_object-assign') });\n","\"use strict\";\n\nvar indexOf = String.prototype.indexOf;\n\nmodule.exports = function (searchString/*, position*/) {\n\treturn indexOf.call(this, searchString, arguments[1]) > -1;\n};\n","\"use strict\";\n\nmodule.exports = require(\"./is-implemented\")()\n\t? String.prototype.contains\n\t: require(\"./shim\");\n","var baseProperty = require('./_baseProperty'),\n   basePropertyDeep = require('./_basePropertyDeep'),\n   isKey = require('./_isKey'),\n   toKey = require('./_toKey');\n\n/**\n * Creates a function that returns the value at `path` of a given object.\n *\n * @static\n * @memberOf _\n * @since 2.4.0\n * @category Util\n * @param {Array|string} path The path of the property to get.\n * @returns {Function} Returns the new accessor function.\n * @example\n *\n * var objects = [\n *   { 'a': { 'b': 2 } },\n *   { 'a': { 'b': 1 } }\n *];\n *\n * _.map(objects, _.property('a.b'));\n * // => [2, 1]\n *\n * _.map(_.sortBy(objects, _.property(['a', 'b'])), 'a.b');\n * // => [1, 2]\n */\nfunction property(path) {\n return isKey(path) ? baseProperty(toKey(path)) : basePropertyDeep(path);\n}\n\nmodule.exports = property;\n","var

document = require('./_global').document;\nmodule.exports = document && document.documentElement;\n","// This file is imported into lib/wc client bundles.\n\nif (typeof window !== 'undefined') {\n var i\n if ((i = window.document.currentScript) && (i = i.src.match(/(.+\\/)[^/]+\\.js(\\?.*)?$/))) {\n   __webpack_public_path__ = i[1] // eslint-disable-line\n }\n}\n\n\n// Indicate to webpack that this file can be concatenated\nexport default null\n","/*!\n * vue-i18n v8.4.0 \n * (c) 2018 kazuya kawaguchi\n * Released under the MIT License.\n */\n/* */\n\n/**\n * utilities\n */\n\nfunction warn (msg, err) {\n if (typeof console !== 'undefined') {\n   console.warn('[vue-i18n] ' + msg);\n   /* istanbul ignore if */\n   if (err) {\n   console.warn(err.stack);\n   }\n }\n}\n\nfunction isObject (obj) {\n return obj !== null && typeof obj === 'object'\n}\n\nvar toString = Object.prototype.toString;\nvar OBJECT_STRING = '[object Object]';\nfunction isPlainObject (obj) {\n return toString.call(obj) === OBJECT_STRING\n}\n\nfunction isNull (val) {\n return val === null || val === undefined\n}\n\nfunction parseArgs () {\n var args = [], len = arguments.length;\n while (len--) args[len] = arguments[len];\n\n var locale = null;\n var params = null;\n if (args.length === 1) {\n   if (isObject(args[0]) || Array.isArray(args[0])) {\n   params = args[0];\n   } else if (typeof args[0] === 'string') {\n   locale = args[0];\n   }\n } else if (args.length === 2) {\n   if (typeof args[0] === 'string') {\n   locale = args[0];\n   }\n   /* istanbul ignore if */\n   if (isObject(args[1]) || Array.isArray(args[1])) {\n   params = args[1];\n   }\n }\n\n return { locale: locale, params: params }\n}\n\nfunction looseClone (obj) {\n return JSON.parse(JSON.stringify(obj))\n}\n\nfunction remove (arr, item) {\n if (arr.length) {\n   var index = arr.indexOf(item);\n   if (index > -1) {\n   return arr.splice(index, 1)\n   }\n }\n}\n\nvar hasOwnProperty = Object.prototype.hasOwnProperty;\nfunction hasOwn (obj, key) {\n return hasOwnProperty.call(obj, key)\n}\n\nfunction merge (target) {\n var arguments$1 = arguments;\n\n var output = Object(target);\n for (var i = 1; i < arguments.length; i++) {\n   var source = arguments$1[i];\n   if (source !== undefined && source !== null) {\n   var key = (void 0);\n   for (key in source) {\n   if (hasOwn(source, key)) {\n   if (isObject(source[key])) {\n   output[key] = merge(output[key], source[key]);\n   } else {\n   output[key] = source[key];\n   }\n   }\n   }\n   }\n }\n return output\n}\n\nfunction looseEqual (a, b) {\n if (a === b) { return true }\n var isObjectA = isObject(a);\n var isObjectB = isObject(b);\n if (isObjectA && isObjectB) {\n   try {\n   var isArrayA = Array.isArray(a);\n   var isArrayB = Array.isArray(b);\n   if (isArrayA && isArrayB) {\n   return a.length === b.length && a.every(function (e, i) {\n   return looseEqual(e, b[i])\n   })\n   } else if (!isArrayA && !isArrayB) {\n   var keysA = Object.keys(a);\n   var keysB = Object.keys(b);\n   return keysA.length === keysB.length && keysA.every(function (key) {\n   return looseEqual(a[key], b[key])\n   })\n   } else {\n   /* istanbul ignore next */\n   return false\n   }\n   } catch (e) {\n   /* istanbul ignore next */\n   return false\n   }\n } else if (!isObjectA && !isObjectB) {\n   return String(a) === String(b)\n } else {\n   return false\n }\n}\n\nvar canUseDateTimeFormat =\n typeof Intl !== 'undefined' && typeof Intl.DateTimeFormat !== 'undefined';\n\nvar canUseNumberFormat =\n typeof Intl !== 'undefined' && typeof Intl.NumberFormat !== 'undefined';\n\n/* */\n\nfunction extend (Vue) {\n if (!Vue.prototype.hasOwnProperty('$i18n')) {\n   // $FlowFixMe\n   Object.defineProperty(Vue.prototype, '$i18n', {\n   get: function get () { return this._i18n }\n   });\n }\n\n Vue.prototype.$t = function (key) {\n   var values = [], len = arguments.length - 1;\n   while (len-- > 0) values[len] = arguments[len + 1];\n\n   var i18n = this.$i18n;\n   return i18n._t.apply(i18n, [key, i18n.locale, i18n._getMessages(), this].concat(values))\n };\n\n Vue.prototype.$tc = function (key, choice) {\n   var values = [], len = arguments.length - 2;\n   while (len-- > 0) values[len] = arguments[len + 2];\n\n   var i18n = this.$i18n;\n   return i18n._tc.apply(i18n, [key, i18n.locale, i18n._getMessages(), this, choice].concat(values))\n };\n\n Vue.prototype.$te = function (key, locale) {\n   var i18n = this.$i18n;\n   return i18n._te(key, i18n.locale, i18n._getMessages(), locale)\n };\n\n Vue.prototype.$d = function (value) {\n   var ref;\n\n   var args = [], len = arguments.length - 1;\n   while (len-- > 0) args[len] = arguments[len + 1];\n   return (ref = this.$i18n).d.apply(ref, [value].concat(args))\n };\n\n Vue.prototype.$n = function (value) {\n   var ref;\n\n   var args = [], len = arguments.length - 1;\n   while (len-- > 0) args[len] = arguments[len + 1];\n   return (ref = this.$i18n).n.apply(ref, [value].concat(args))\n };\n}\n\n/* */\n\nvar mixin = {\n beforeCreate: function beforeCreate () {\n   var options = this.$options;\n   options.i18n = options.i18n || (options.__i18n ? {} : null);\n\n   if (options.i18n) {\n   if (options.i18n instanceof VueI18n) {\n   // init locale

messages via custom blocks\n   if (options.__i18n) {\n   try {\n   var localeMessages = {};\n   options.__i18n.forEach(function (resource) {\n   localeMessages = merge(localeMessages, JSON.parse(resource));\n   });\n   Object.keys(localeMessages).forEach(function (locale) {\n   options.i18n.mergeLocaleMessage(locale, localeMessages[locale]);\n   });\n   } catch (e) {\n   if (process.env.NODE_ENV !== 'production') {\n   warn(\"Cannot parse locale messages via custom blocks.\", e);\n   }\n   }\n   }\n   this._i18n = options.i18n;\n   this._i18nWatcher = this._i18n.watchI18nData();\n   this._i18n.subscribeDataChanging(this);\n   this._subscribing = true;\n   } else if (isPlainObject(options.i18n)) {\n   // component local i18n\n   if (this.$root && this.$root.$i18n && this.$root.$i18n instanceof VueI18n) {\n   options.i18n.root = this.$root;\n   options.i18n.formatter = this.$root.$i18n.formatter;\n   options.i18n.fallbackLocale = this.$root.$i18n.fallbackLocale;\n   options.i18n.silentTranslationWarn = this.$root.$i18n.silentTranslationWarn;\n   }\n\n   // init locale messages via custom blocks\n   if (options.__i18n) {\n   try {\n   var localeMessages$1 = {};\n   options.__i18n.forEach(function (resource) {\n   localeMessages$1 = merge(localeMessages$1, JSON.parse(resource));\n   });\n   options.i18n.messages = localeMessages$1;\n   } catch (e) {\n   if (process.env.NODE_ENV !== 'production') {\n   warn(\"Cannot parse locale messages via custom blocks.\", e);\n   }\n   }\n   }\n\n   this._i18n = new VueI18n(options.i18n);\n   this._i18nWatcher = this._i18n.watchI18nData();\n   this._i18n.subscribeDataChanging(this);\n   this._subscribing = true;\n\n   if (options.i18n.sync === undefined || !!options.i18n.sync) {\n   this._localeWatcher = this.$i18n.watchLocale();\n   }\n   } else {\n   if (process.env.NODE_ENV !== 'production') {\n   warn(\"Cannot be interpreted 'i18n' option.\");\n   }\n   }\n   } else if (this.$root && this.$root.$i18n && this.$root.$i18n instanceof VueI18n) {\n   // root i18n\n   this._i18n = this.$root.$i18n;\n   this._i18n.subscribeDataChanging(this);\n   this._subscribing = true;\n   } else if (options.parent && options.parent.$i18n && options.parent.$i18n instanceof VueI18n) {\n   // parent i18n\n   this._i18n = options.parent.$i18n;\n   this._i18n.subscribeDataChanging(this);\n   this._subscribing = true;\n   }\n },\n\n beforeDestroy: function beforeDestroy () {\n   if (!this._i18n) { return }\n\n   if (this._subscribing) {\n   this._i18n.unsubscribeDataChanging(this);\n   delete this._subscribing;\n   }\n\n   if (this._i18nWatcher) {\n   this._i18nWatcher();\n   delete this._i18nWatcher;\n   }\n\n   if (this._localeWatcher) {\n   this._localeWatcher();\n   delete this._localeWatcher;\n   }\n\n   this._i18n = null;\n   }\n};\n\n/* */\n\nvar component = {\n name: 'i18n',\n functional: true,\n props: {\n   tag: {\n   type: String,\n   default: 'span'\n   },\n   path: {\n   type: String,\n   required: true\n   },\n   locale: {\n   type: String\n   },\n   places: {\n   type: [Array, Object]\n   }\n },\n render: function render (h, ref) {\n   var props = ref.props;\n   var data = ref.data;\n   var children = ref.children;\n   var parent = ref.parent;\n\n   var i18n = parent.$i18n;\n\n   children = (children || []).filter(function (child) {\n   return child.tag || (child.text = child.text.trim())\n   });\n\n   if (!i18n) {\n   if (process.env.NODE_ENV !== 'production') {\n   warn('Cannot find VueI18n instance!');\n   }\n   return children\n   }\n\n   var path = props.path;\n   var locale = props.locale;\n\n   var params = {};\n   var places = props.places || {};\n\n   var hasPlaces = Array.isArray(places)\n   ? places.length > 0\n   : Object.keys(places).length > 0;\n\n   var everyPlace = children.every(function (child) {\n   if (child.data && child.data.attrs) {\n   var place = child.data.attrs.place;\n   return (typeof place !== 'undefined') && place !== ''\n   }\n   });\n\n   if (process.env.NODE_ENV !== 'production' && hasPlaces && children.length > 0 && !everyPlace) {\n   warn('If places prop is set, all child elements must have place prop set.');\n   }\n\n   if (Array.isArray(places)) {\n   places.forEach(function (el, i) {\n   params[i] = el;\n   });\n   } else {\n   Object.keys(places).forEach(function (key) {\n   params[key] = places[key];\n   });\n   }\n\n   children.forEach(function (child, i) {\n   var key = everyPlace\n   ? (\"\" + (child.data.attrs.place))\n   : (\"\" + i);\n   params[key] = child;\n   });\n\n   return h(props.tag, data, i18n.i(path, locale, params))\n   }\n};\n\n/* */\n\nfunction bind (el, binding, vnode) {\n if (!assert(el, vnode)) { return }\n\n t(el, binding, vnode);\n}\n\nfunction update (el, binding, vnode, oldVNode) {\n if (!assert(el, vnode)) { return }\n\n var i18n = vnode.context.$i18n;\n if (localeEqual(el, vnode) &&\n   (looseEqual(binding.value, binding.oldValue) &&\n   looseEqual(el._localeMessage, i18n.getLocaleMessage(i18n.locale)))) { return }\n\n t(el, binding,

vnode);\n}\n\nfunction unbind (el, binding, vnode, oldVNode) {\n var vm = vnode.context;\n if (!vm) {\n   warn('Vue instance does not exists in VNode context');\n   return\n }\n\n el.textContent = '';\n el._vt = undefined;\n delete el['_vt'];\n el._locale = undefined;\n delete el['_locale'];\n el._localeMessage = undefined;\n delete el['_localeMessage'];\n}\n\nfunction assert (el, vnode) {\n var vm = vnode.context;\n if (!vm) {\n   warn('Vue instance doest not exists in VNode context');\n   return false\n }\n\n if (!vm.$i18n) {\n   warn('VueI18n instance does not exists in Vue instance');\n   return false\n }\n\n return true\n}\n\nfunction localeEqual (el, vnode) {\n var vm = vnode.context;\n return el._locale === vm.$i18n.locale\n}\n\nfunction t (el, binding, vnode) {\n var ref$1, ref$2;\n\n var value = binding.value;\n\n var ref = parseValue(value);\n var path = ref.path;\n var locale = ref.locale;\n var args = ref.args;\n var choice = ref.choice;\n if (!path && !locale && !args) {\n   warn('value type not supported');\n   return\n }\n\n if (!path) {\n   warn('`path` is required in v-t directive');\n   return\n }\n\n var vm = vnode.context;\n if (choice) {\n   el._vt = el.textContent = (ref$1 = vm.$i18n).tc.apply(ref$1, [path, choice].concat(makeParams(locale, args)));\n } else {\n   el._vt = el.textContent = (ref$2 = vm.$i18n).t.apply(ref$2, [path].concat(makeParams(locale, args)));\n }\n el._locale = vm.$i18n.locale;\n el._localeMessage = vm.$i18n.getLocaleMessage(vm.$i18n.locale);\n}\n\nfunction parseValue (value) {\n var path;\n var locale;\n var args;\n var choice;\n\n if (typeof value === 'string') {\n   path = value;\n } else if (isPlainObject(value)) {\n   path = value.path;\n   locale = value.locale;\n   args = value.args;\n   choice = value.choice;\n }\n\n return { path: path, locale: locale, args: args, choice: choice }\n}\n\nfunction makeParams (locale, args) {\n var params = [];\n\n locale && params.push(locale);\n if (args && (Array.isArray(args) || isPlainObject(args))) {\n   params.push(args);\n }\n\n return params\n}\n\nvar Vue;\n\nfunction install (_Vue) {\n /* istanbul ignore if */\n if (process.env.NODE_ENV !== 'production' && install.installed && _Vue === Vue) {\n   warn('already installed.');\n   return\n }\n install.installed = true;\n\n Vue = _Vue;\n\n var version = (Vue.version && Number(Vue.version.split('.')[0])) || -1;\n /* istanbul ignore if */\n if (process.env.NODE_ENV !== 'production' && version < 2) {\n   warn(("vue-i18n (" + (install.version) + ") need to use Vue 2.0 or later (Vue: " + (Vue.version) + ").")); \n   return\n }\n\n extend(Vue);\n Vue.mixin(mixin);\n Vue.directive('t', { bind: bind, update: update, unbind: unbind });\n Vue.component(component.name, component);\n\n // use simple mergeStrategies to prevent i18n instance lose '__proto__'\n var strats = Vue.config.optionMergeStrategies;\n strats.i18n = function (parentVal, childVal) {\n   return childVal === undefined\n   ? parentVal\n   : childVal\n };\n}\n\n/* */\n\nvar BaseFormatter = function BaseFormatter () {\n this._caches = Object.create(null);\n};\n\nBaseFormatter.prototype.interpolate = function interpolate (message, values) {\n if (!values) {\n   return [message]\n }\n var tokens = this._caches[message];\n if (!tokens) {\n   tokens = parse(message);\n   this._caches[message] = tokens;\n }\n return compile(tokens, values)\n};\n\n\n\nvar RE_TOKEN_LIST_VALUE = /^(?:\\d)+/;\nvar RE_TOKEN_NAMED_VALUE = /^(?:\\w)+/;\n\nfunction parse (format) {\n var tokens = [];\n var position = 0;\n\n var text = '';\n while (position < format.length) {\n   var char = format[position++];\n   if (char === '{') {\n   if (text) {\n   tokens.push({ type: 'text', value: text });\n   }\n\n   text = '';\n   var sub = '';\n   char = format[position++];\n   while (char !== undefined && char !== '}') {\n   sub += char;\n   char = format[position++];\n   }\n   var isClosed = char === '}';\n\n   var type = RE_TOKEN_LIST_VALUE.test(sub)\n   ? 'list'\n   : isClosed &&\n   RE_TOKEN_NAMED_VALUE.test(sub)\n   ? 'named'\n   : 'unknown';\n   tokens.push({ value: sub, type: type });\n   } else if (char === '%') {\n   // when found rails i18n syntax, skip text capture\n   if (format[(position)] !== '{') {\n   text += char;\n   }\n   } else {\n   text += char;\n   }\n }\n\n text && tokens.push({ type: 'text', value: text });\n\n return tokens\n}\n\nfunction compile (tokens, values) {\n var compiled = [];\n var index = 0;\n\n var mode = Array.isArray(values)\n   ? 'list'\n   : isObject(values)\n   ? 'named'\n   : 'unknown';\n if (mode === 'unknown') { return compiled }\n\n while (index < tokens.length) {\n   var token = tokens[index];\n   switch (token.type) {\n   case 'text':\n   compiled.push(token.value);\n   break\n   case 'list':\n   compiled.push(values[parseInt(token.value, 10)]);\n   break\n   case 'named':\n   if (mode === 'named') {\n   compiled.push((values)[token.value]);\n   } else {\n   if (process.env.NODE_ENV !== 'production') {\n   warn(("Type of token '" + (token.type) + "' and format of value '" + mode + "' don't match!"));\n   }\n   }\n   break\n   case 'unknown':\n   if (process.env.NODE_ENV !== 'production')

```
{\n      warn(\"Detect 'unknown' type of token!\");\n      }\n      break\n    }\n    index++;\n  }\n\n  return
compiled\n}\n\n/* */\n\n/**\n * Path parser\n * - Inspired:\n *    Vue.js Path parser\n */\n\n// actions\nvar
APPEND = 0;\nvar PUSH = 1;\nvar INC_SUB_PATH_DEPTH = 2;\nvar PUSH_SUB_PATH = 3;\n\n// states\nvar
BEFORE_PATH = 0;\nvar IN_PATH = 1;\nvar BEFORE_IDENT = 2;\nvar IN_IDENT = 3;\nvar IN_SUB_PATH
= 4;\nvar IN_SINGLE_QUOTE = 5;\nvar IN_DOUBLE_QUOTE = 6;\nvar AFTER_PATH = 7;\nvar ERROR =
8;\n\nvar pathStateMachine = [];\n\npathStateMachine[BEFORE_PATH] = {\n  'ws': [BEFORE_PATH],\n  'ident':
[IN_IDENT, APPEND],\n  '[': [IN_SUB_PATH],\n  'eof': [AFTER_PATH]\n};\n\npathStateMachine[IN_PATH] =
{\n  'ws': [IN_PATH],\n  '.': [BEFORE_IDENT],\n  '[': [IN_SUB_PATH],\n  'eof':
[AFTER_PATH]\n};\n\npathStateMachine[BEFORE_IDENT] = {\n  'ws': [BEFORE_IDENT],\n  'ident':
[IN_IDENT, APPEND],\n  '0': [IN_IDENT, APPEND],\n  'number': [IN_IDENT,
APPEND]\n};\n\npathStateMachine[IN_IDENT] = {\n  'ident': [IN_IDENT, APPEND],\n  '0': [IN_IDENT,
APPEND],\n  'number': [IN_IDENT, APPEND],\n  'ws': [IN_PATH, PUSH],\n  '.': [BEFORE_IDENT, PUSH],\n
'[': [IN_SUB_PATH, PUSH],\n  'eof': [AFTER_PATH, PUSH]\n};\n\npathStateMachine[IN_SUB_PATH] = {\n
\"'\": [IN_SINGLE_QUOTE, APPEND],\n  '\"': [IN_DOUBLE_QUOTE, APPEND],\n  '[': [IN_SUB_PATH,
INC_SUB_PATH_DEPTH],\n  ']': [IN_PATH, PUSH_SUB_PATH],\n  'eof': ERROR,\n  'else': [IN_SUB_PATH,
APPEND]\n};\n\npathStateMachine[IN_SINGLE_QUOTE] = {\n  \"'\": [IN_SUB_PATH, APPEND],\n  'eof':
ERROR,\n  'else': [IN_SINGLE_QUOTE, APPEND]\n};\n\npathStateMachine[IN_DOUBLE_QUOTE] = {\n  '\"':
[IN_SUB_PATH, APPEND],\n  'eof': ERROR,\n  'else': [IN_DOUBLE_QUOTE, APPEND]\n};\n\n/**\n * Check if
an expression is a literal value.\n */\n\nvar literalValueRE = /^\\s?(?:true|false|-
?[\\d.]+|'[^']*'|\"[^\"]*\")\\s?$/;\nfunction isLiteral (exp) {\n  return literalValueRE.test(exp)\n}\n\n/**\n * Strip
quotes from a string\n */\n\nfunction stripQuotes (str) {\n  var a = str.charCodeAt(0);\n  var b =
str.charCodeAt(str.length - 1);\n  return a === b && (a === 0x22 || a === 0x27)\n    ? str.slice(1, -1)\n    :
str\n}\n\n/**\n * Determine the type of a character in a keypath.\n */\n\nfunction getPathCharType (ch) {\n  if (ch
=== undefined || ch === null) { return 'eof' }\n\n  var code = ch.charCodeAt(0);\n\n  switch (code) {\n    case 0x5B:
// [\n    case 0x5D: // ]\n    case 0x2E: // .\n    case 0x22: // \"\n    case 0x27: // '\n      return ch\n\n    case 0x5F: // _\n
 case 0x24: // $\n    case 0x2D: // -\n      return 'ident'\n\n    case 0x20: // Space\n    case 0x09: // Tab\n    case 0x0A:
// Newline\n    case 0x0D: // Return\n    case 0xA0:  // No-break space\n    case 0xFEFF:  // Byte Order Mark\n
case 0x2028:  // Line Separator\n    case 0x2029:  // Paragraph Separator\n      return 'ws'\n  }\n\n  return
'ident'\n}\n\n/**\n * Format a subPath, return its plain form if it is\n * a literal string or number. Otherwise prepend
the\n * dynamic indicator (*).\n */\n\nfunction formatSubPath (path) {\n  var trimmed = path.trim();\n  // invalid
leading 0\n  if (path.charAt(0) === '0' && isNaN(path)) { return false }\n\n  return isLiteral(trimmed) ?
stripQuotes(trimmed) : '*' + trimmed\n}\n\n/**\n * Parse a string path into an array of segments\n */\n\nfunction
parse$1 (path) {\n  var keys = [];\n  var index = -1;\n  var mode = BEFORE_PATH;\n  var subPathDepth = 0;\n  var
c;\n  var key;\n  var newChar;\n  var type;\n  var transition;\n  var action;\n  var typeMap;\n  var actions = [];\n\n
actions[PUSH] = function () {\n    if (key !== undefined) {\n      keys.push(key);\n      key = undefined;\n    }\n
};\n\n  actions[APPEND] = function () {\n    if (key === undefined) {\n      key = newChar;\n    } else {\n      key +=
newChar;\n    }\n  };\n\n  actions[INC_SUB_PATH_DEPTH] = function () {\n    actions[APPEND]();\n
subPathDepth++;\n  };\n\n  actions[PUSH_SUB_PATH] = function () {\n    if (subPathDepth > 0) {\n
subPathDepth--;\n      mode = IN_SUB_PATH;\n      actions[APPEND]();\n    } else {\n      subPathDepth = 0;\n
key = formatSubPath(key);\n      if (key === false) {\n        return false\n      } else {\n        actions[PUSH]();\n
}\n    }\n  };\n\n  function maybeUnescapeQuote () {\n    var nextChar = path[index + 1];\n    if ((mode ===
IN_SINGLE_QUOTE && nextChar === \"'\") ||\n      (mode === IN_DOUBLE_QUOTE && nextChar === '\"'))
{\n      index++;\n      newChar = '\\\\' + nextChar;\n      actions[APPEND]();\n      return true\n    }\n  }\n\n  while
(mode !== null) {\n    index++;\n    c = path[index];\n\n    if (c === '\\\\' && maybeUnescapeQuote()) {\n
continue\n    }\n\n    type = getPathCharType(c);\n    typeMap = pathStateMachine[mode];\n    transition =
typeMap[type] || typeMap['else'] || ERROR;\n\n    if (transition === ERROR) {\n      return // parse error\n    }\n\n
mode = transition[0];\n    action = actions[transition[1]];\n    if (action) {\n      newChar = transition[2];\n
newChar = newChar === undefined\n        ? c\n        : newChar;\n      if (action() === false) {\n        return\n      }\n
```

}\n\n   if (mode === AFTER_PATH) {\n   return keys\n   }\n }\n}\n\n\n\n\nvar I18nPath = function I18nPath () {\n this._cache = Object.create(null);\n};\n\n/**\n * External parse that check for a cache hit first\n */\nI18nPath.prototype.parsePath = function parsePath (path) {\n var hit = this._cache[path];\n if (!hit) {\n   hit = parse$1(path);\n   if (hit) {\n   this._cache[path] = hit;\n   }\n }\n return hit || []\n};\n\n/**\n * Get path value from path string\n */\nI18nPath.prototype.getPathValue = function getPathValue (obj, path) {\n if (!isObject(obj)) { return null }\n\n var paths = this.parsePath(path);\n if (paths.length === 0) {\n   return null\n } else {\n   var length = paths.length;\n   var last = obj;\n   var i = 0;\n   while (i < length) {\n   var value = last[paths[i]];\n   if (value === undefined) {\n   return null\n   }\n   last = value;\n   i++;\n   }\n\n   return last\n }\n};\n\n/* */\n\n\nvar numberFormatKeys = [\n 'style',\n 'currency',\n 'currencyDisplay',\n 'useGrouping',\n 'minimumIntegerDigits',\n 'minimumFractionDigits',\n 'maximumFractionDigits',\n 'minimumSignificantDigits',\n 'maximumSignificantDigits',\n 'localeMatcher',\n 'formatMatcher'\n];\nvar linkKeyMatcher = /(?:@(?:\\.[a-z]+)?:(?:[\\w\\-_|.]+|\\(([\\w\\-_|.]+|\\)))/g;\nvar linkKeyPrefixMatcher = /^@(?:\\.([a-z]+))?:/;\nvar bracketsMatcher = /[()]/g;\nvar formatters = {\n 'upper': function (str) { return str.toLocaleUpperCase(); },\n 'lower': function (str) { return str.toLocaleLowerCase(); }\n};\n\nvar VueI18n = function VueI18n (options) {\n var this$1 = this;\n if (options === void 0) options = {};\n\n // Auto install if it is not done yet and `window` has `Vue`.\n // To allow users to avoid auto-installation in some cases,\n // this code should be placed here. See #290\n /* istanbul ignore if */\n if (!Vue && typeof window !== 'undefined' && window.Vue) {\n   install(window.Vue);\n }\n\n var locale = options.locale || 'en-US';\n var fallbackLocale = options.fallbackLocale || 'en-US';\n var messages = options.messages || {};\n var dateTimeFormats = options.dateTimeFormats || {};\n var numberFormats = options.numberFormats || {};\n\n this._vm = null;\n this._formatter = options.formatter || new BaseFormatter();\n this._missing = options.missing || null;\n this._root = options.root || null;\n this._sync = options.sync === undefined ? true : !!options.sync;\n this._fallbackRoot = options.fallbackRoot === undefined\n   ? true\n   : !!options.fallbackRoot;\n this._silentTranslationWarn = options.silentTranslationWarn === undefined\n   ? false\n   : !!options.silentTranslationWarn;\n this._dateTimeFormatters = {};\n this._numberFormatters = {};\n this._path = new I18nPath();\n this._dataListeners = [];\n\n this._exist = function (message, key) {\n   if (!message || !key) { return false }\n   return !isNull(this$1._path.getPathValue(message, key))\n };\n\n this._initVM({\n   locale: locale,\n   fallbackLocale: fallbackLocale,\n   messages: messages,\n   dateTimeFormats: dateTimeFormats,\n   numberFormats: numberFormats\n });\n};\n\nvar prototypeAccessors = { vm: { configurable: true },messages: { configurable: true },dateTimeFormats: { configurable: true },numberFormats: { configurable: true },locale: { configurable: true },fallbackLocale: { configurable: true },missing: { configurable: true },formatter: { configurable: true },silentTranslationWarn: { configurable: true } };\n\nVueI18n.prototype._initVM = function _initVM (data) {\n var silent = Vue.config.silent;\n Vue.config.silent = true;\n this._vm = new Vue({ data: data });\n Vue.config.silent = silent;\n};\n\nVueI18n.prototype.subscribeDataChanging = function subscribeDataChanging (vm) {\n this._dataListeners.push(vm);\n};\n\nVueI18n.prototype.unsubscribeDataChanging = function unsubscribeDataChanging (vm) {\n remove(this._dataListeners, vm);\n};\n\nVueI18n.prototype.watchI18nData = function watchI18nData () {\n var self = this;\n return this._vm.$watch('$data', function () {\n   var i = self._dataListeners.length;\n   while (i--) {\n   Vue.nextTick(function () {\n   self._dataListeners[i] && self._dataListeners[i].$forceUpdate();\n   });\n   }\n }, { deep: true })\n};\n\nVueI18n.prototype.watchLocale = function watchLocale () {\n /* istanbul ignore if */\n if (!this._sync || !this._root) { return null }\n var target = this._vm;\n return this._root.$i18n.vm.$watch('locale', function (val) {\n   target.$set(target, 'locale', val);\n   target.$forceUpdate();\n }, { immediate: true })\n};\n\nprototypeAccessors.vm.get = function () { return this._vm };\n\nprototypeAccessors.messages.get = function () { return looseClone(this._getMessages()) };\nprototypeAccessors.dateTimeFormats.get = function () { return looseClone(this._getDateTimeFormats()) };\nprototypeAccessors.numberFormats.get = function () { return looseClone(this._getNumberFormats()) };\nprototypeAccessors.locale.get = function () { return this._vm.locale };\nprototypeAccessors.locale.set = function (locale) {\n this._vm.$set(this._vm, 'locale', locale);\n};\n\nprototypeAccessors.fallbackLocale.get = function () { return this._vm.fallbackLocale };\nprototypeAccessors.fallbackLocale.set = function (locale) {\n this._vm.$set(this._vm, 'fallbackLocale', locale);\n};\n\nprototypeAccessors.missing.get = function () { return

this._missing };\nprototypeAccessors.missing.set = function (handler) { this._missing = handler; };\n\nprototypeAccessors.formatter.get = function () { return this._formatter };\nprototypeAccessors.formatter.set = function (formatter) { this._formatter = formatter; };\n\nprototypeAccessors.silentTranslationWarn.get = function () { return this._silentTranslationWarn };\nprototypeAccessors.silentTranslationWarn.set = function (silent) { this._silentTranslationWarn = silent; };\n\nVueI18n.prototype._getMessages = function _getMessages () { return this._vm.messages };\nVueI18n.prototype._getDateTimeFormats = function _getDateTimeFormats () { return this._vm.dateTimeFormats };\nVueI18n.prototype._getNumberFormats = function _getNumberFormats () { return this._vm.numberFormats };\n\nVueI18n.prototype._warnDefault = function _warnDefault (locale, key, result, vm, values) {\n if (!isNull(result)) { return result }\n if (this._missing) {\n var missingRet = this._missing.apply(null, [locale, key, vm, values]);\n if (typeof missingRet === 'string') {\n return missingRet\n }\n } else {\n if (process.env.NODE_ENV !== 'production' && !this._silentTranslationWarn) {\n warn(\n \"Cannot translate the value of keypath '\" + key + \"'. \" +\n 'Use the value of keypath as default.'\n);\n }\n }\n return key\n};\n\nVueI18n.prototype._isFallbackRoot = function _isFallbackRoot (val) {\n return !val && !isNull(this._root) && this._fallbackRoot\n};\n\nVueI18n.prototype._interpolate = function _interpolate (\n locale,\n message,\n key,\n host,\n interpolateMode,\n values,\n visitedLinkStack) {\n if (!message) { return null }\n\n var pathRet = this._path.getPathValue(message, key);\n if (Array.isArray(pathRet) || isPlainObject(pathRet)) { return pathRet }\n\n var ret;\n if (isNull(pathRet)) {\n /* istanbul ignore else */\n if (isPlainObject(message)) {\n ret = message[key];\n if (typeof ret !== 'string') {\n if (process.env.NODE_ENV !== 'production' && !this._silentTranslationWarn) {\n warn((\"Value of key '\" + key + \"' is not a string!\"));\n }\n return null\n }\n } else {\n return null\n }\n } else {\n /* istanbul ignore else */\n if (typeof pathRet === 'string') {\n ret = pathRet;\n } else {\n if (process.env.NODE_ENV !== 'production' && !this._silentTranslationWarn) {\n warn((\"Value of key '\" + key + \"' is not a string!\"));\n }\n return null\n }\n }\n\n // Check for the existence of links within the translated string\n if (ret.indexOf('@:') >= 0 || ret.indexOf('@.') >= 0) {\n ret = this._link(locale, message, ret, host, interpolateMode, values, visitedLinkStack);\n }\n\n return this._render(ret, interpolateMode, values)\n};\n\nVueI18n.prototype._link = function _link (\n locale,\n message,\n str,\n host,\n interpolateMode,\n values,\n visitedLinkStack) {\n var this$1 = this;\n\n var ret = str;\n\n // Match all the links within the local\n // We are going to replace each of\n // them with its translation\n var matches = ret.match(linkKeyMatcher);\n for (var idx in matches) {\n // ie compatible: filter custom array\n // prototype method\n if (!matches.hasOwnProperty(idx)) {\n continue\n }\n var link = matches[idx];\n var linkKeyPrefixMatches = link.match(linkKeyPrefixMatcher);\n var linkPrefix = linkKeyPrefixMatches[0];\n var formatterName = linkKeyPrefixMatches[1];\n\n // Remove the leading @:, @.case: and the brackets\n var linkPlaceholder = link.replace(linkPrefix, ").replace(bracketsMatcher, ");\n\n if (visitedLinkStack.includes(linkPlaceholder)) {\n if (process.env.NODE_ENV !== 'production') {\n warn((\"Circular reference found. \\\"\" + link + \"\\\" is already visited in the chain of \" + (visitedLinkStack.reverse().join(' <- '))));\n }\n return ret\n }\n visitedLinkStack.push(linkPlaceholder);\n\n // Translate the link\n var translated = this$1._interpolate(\n locale, message, linkPlaceholder, host,\n interpolateMode === 'raw' ? 'string' : interpolateMode,\n interpolateMode === 'raw' ? undefined : values,\n visitedLinkStack\n);\n\n if (this$1._isFallbackRoot(translated)) {\n if (process.env.NODE_ENV !== 'production' && !this$1._silentTranslationWarn) {\n warn((\"Fall back to translate the link placeholder '\" + linkPlaceholder + \"' with root locale.\"));\n }\n /* istanbul ignore if */\n if (!this$1._root) { throw Error('unexpected error') }\n var root = this$1._root.$i18n;\n translated = root._translate(\n root._getMessages(), root.locale,\n root.fallbackLocale,\n linkPlaceholder, host, interpolateMode, values\n);\n }\n translated = this$1._warnDefault(\n locale, linkPlaceholder, translated, host,\n Array.isArray(values) ? values : [values]\n);\n if (formatters.hasOwnProperty(formatterName)) {\n translated = formatters[formatterName](translated);\n }\n\n visitedLinkStack.pop();\n\n // Replace the link with the translated\n ret = !translated ? ret : ret.replace(link, translated);\n }\n\n return ret\n};\n\nVueI18n.prototype._render = function _render (message, interpolateMode, values) {\n var ret = this._formatter.interpolate(message, values);\n // if interpolateMode is

not 'string' ('row'),\n // return the compiled data (e.g. ['foo', VNode, 'bar']) with formatter\n return interpolateMode === 'string' ? ret.join('') : ret\n};\n\nVueI18n.prototype._translate = function _translate (\n messages,\n locale,\n fallback,\n key,\n host,\n interpolateMode,\n args\n) {\n var res =\n this._interpolate(locale, messages[locale], key, host, interpolateMode, args, [key]);\n if (!isNull(res)) { return res }\n\n res = this._interpolate(fallback, messages[fallback], key, host, interpolateMode, args, [key]);\n if (!isNull(res)) {\n   if (process.env.NODE_ENV !== 'production' && !this._silentTranslationWarn) {\n   warn((\"Fall back to translate the keypath \'" + key + "\' with \'" + fallback + "\' locale.\"));\n   }\n   return res\n } else {\n   return null\n }\n};\n\nVueI18n.prototype._t = function _t (key, _locale, messages, host) {\n   var ref;\n\n   var values = [], len = arguments.length - 4;\n   while (len-- > 0) values[len] = arguments[len + 4];\n if (!key) { return '' }\n\n var parsedArgs = parseArgs.apply(void 0, values);\n var locale = parsedArgs.locale || _locale;\n\n var ret = this._translate(\n   messages, locale, this.fallbackLocale, key,\n   host, 'string', parsedArgs.params\n);\n if (this._isFallbackRoot(ret)) {\n   if (process.env.NODE_ENV !== 'production' && !this._silentTranslationWarn) {\n   warn((\"Fall back to translate the keypath \'" + key + "\' with root locale.\"));\n   }\n   /* istanbul ignore if */\n   if (!this._root) { throw Error('unexpected error') }\n   return (ref = this._root).$t.apply(ref, [key].concat(values))\n } else {\n   return this._warnDefault(locale, key, ret, host, values)\n }\n};\n\nVueI18n.prototype.t = function t (key) {\n   var ref;\n\n   var values = [], len = arguments.length - 1;\n   while (len-- > 0) values[len] = arguments[len + 1];\n return (ref = this)._t.apply(ref, [key, this.locale, this._getMessages(), null].concat(values))\n};\n\nVueI18n.prototype._i = function _i (key, locale, messages, host, values) {\n var ret =\n this._translate(messages, locale, this.fallbackLocale, key, host, 'raw', values);\n if (this._isFallbackRoot(ret)) {\n   if (process.env.NODE_ENV !== 'production' && !this._silentTranslationWarn) {\n   warn((\"Fall back to interpolate the keypath \'" + key + "\' with root locale.\"));\n   }\n   if (!this._root) { throw Error('unexpected error') }\n   return this._root.$i18n.i(key, locale, values)\n } else {\n   return this._warnDefault(locale, key, ret, host, [values])\n }\n};\n\nVueI18n.prototype.i = function i (key, locale, values) {\n /* istanbul ignore if */\n if (!key) { return '' }\n\n if (typeof locale !== 'string') {\n   locale = this.locale;\n }\n\n return this._i(key, locale, this._getMessages(), null, values)\n};\n\nVueI18n.prototype._tc = function _tc (\n key,\n _locale,\n messages,\n host,\n choice\n) {\n   var ref;\n\n   var values = [], len = arguments.length - 5;\n   while (len-- > 0) values[len] = arguments[len + 5];\n if (!key) { return '' }\n if (choice === undefined) {\n   choice = 1;\n }\n\n var predefined = { 'count': choice, 'n': choice };\n var parsedArgs = parseArgs.apply(void 0, values);\n parsedArgs.params = Object.assign(predefined, parsedArgs.params);\n values = parsedArgs.locale === null ? [parsedArgs.params] : [parsedArgs.locale, parsedArgs.params];\n return this.fetchChoice((ref = this)._t.apply(ref, [key, _locale, messages, host].concat(values)), choice)\n};\n\nVueI18n.prototype.fetchChoice = function fetchChoice (message, choice) {\n /* istanbul ignore if */\n if (!message && typeof message !== 'string') { return null }\n var choices = message.split('|');\n\n choice = this.getChoiceIndex(choice, choices.length);\n if (!choices[choice]) { return message }\n return choices[choice].trim()\n};\n\n/**\n * @param choice {number} a choice index given by the input to $tc: `$tc('path.to.rule', choiceIndex)`\n * @param choicesLength {number} an overall amount of available choices\n * @returns a final choice index\n*/\nVueI18n.prototype.getChoiceIndex = function getChoiceIndex (choice, choicesLength) {\n choice = Math.abs(choice);\n\n if (choicesLength === 2) {\n   return choice\n   ? choice > 1\n   ? 1\n   : 0\n   : 1\n }\n\n return choice ? Math.min(choice, 2) : 0\n};\n\nVueI18n.prototype.tc = function tc (key, choice) {\n   var ref;\n\n   var values = [], len = arguments.length - 2;\n   while (len-- > 0) values[len] = arguments[len + 2];\n return (ref = this)._tc.apply(ref, [key, this.locale, this._getMessages(), null, choice].concat(values))\n};\n\nVueI18n.prototype._te = function _te (key, locale, messages) {\n   var args = [], len = arguments.length - 3;\n   while (len-- > 0) args[len] = arguments[len + 3];\n var _locale = parseArgs.apply(void 0, args).locale || locale;\n return this._exist(messages[_locale], key)\n};\n\nVueI18n.prototype.te = function te (key, locale) {\n return this._te(key, this.locale, this._getMessages(), locale)\n};\n\nVueI18n.prototype.getLocaleMessage = function getLocaleMessage (locale) {\n return looseClone(this._vm.messages[locale] || {})\n};\n\nVueI18n.prototype.setLocaleMessage = function setLocaleMessage (locale, message) {\n this._vm.$set(this._vm.messages, locale, message);\n};\n\nVueI18n.prototype.mergeLocaleMessage = function mergeLocaleMessage (locale, message) {\n

this._vm.$set(this._vm.messages, locale, merge(this._vm.messages[locale] || { }, message));\n};\n\nVueI18n.prototype.getDateTimeFormat = function getDateTimeFormat (locale) {\n return looseClone(this._vm.dateTimeFormats[locale] || { })\n};\n\nVueI18n.prototype.setDateTimeFormat = function setDateTimeFormat (locale, format) {\n this._vm.$set(this._vm.dateTimeFormats, locale, format);\n};\n\nVueI18n.prototype.mergeDateTimeFormat = function mergeDateTimeFormat (locale, format) {\n this._vm.$set(this._vm.dateTimeFormats, locale, merge(this._vm.dateTimeFormats[locale] || { }, format));\n};\n\nVueI18n.prototype._localizeDateTime = function _localizeDateTime (\n value,\n locale,\n fallback,\n dateTimeFormats,\n key\n) {\n var _locale = locale;\n var formats = dateTimeFormats[_locale];\n\n // fallback locale\n if (isNull(formats) || isNull(formats[key])) {\n   if (process.env.NODE_ENV !== 'production') {\n   warn((\"Fall back to '\" + fallback + \"' datetime formats from '\" + locale + \"' datetime formats.\"));\n   }\n   _locale = fallback;\n   formats = dateTimeFormats[_locale];\n }\n\n if (isNull(formats) || isNull(formats[key])) {\n   return null\n } else {\n   var format = formats[key];\n   var id = _locale + \"__\" + key;\n   var formatter = this._dateTimeFormatters[id];\n   if (!formatter) {\n   formatter = this._dateTimeFormatters[id] = new Intl.DateTimeFormat(_locale, format);\n   }\n   return formatter.format(value)\n }\n};\n\nVueI18n.prototype._d = function _d (value, locale, key) {\n /* istanbul ignore if */\n if (process.env.NODE_ENV !== 'production' && !VueI18n.availabilities.dateTimeFormat) {\n   warn('Cannot format a Date value due to not supported Intl.DateTimeFormat.');\n   return ''\n }\n\n if (!key) {\n   return new Intl.DateTimeFormat(locale).format(value)\n }\n\n var ret =\n   this._localizeDateTime(value, locale, this.fallbackLocale, this._getDateTimeFormats(), key);\n if (this._isFallbackRoot(ret)) {\n   if (process.env.NODE_ENV !== 'production') {\n   warn((\"Fall back to datetime localization of root: key '\" + key + \"' .\"));\n   }\n   /* istanbul ignore if */\n   if (!this._root) { throw Error('unexpected error') }\n   return this._root.$i18n.d(value, key, locale)\n } else {\n   return ret || ''\n }\n};\n\nVueI18n.prototype.d = function d (value) {\n var args = [], len = arguments.length - 1;\n while (len-- > 0) args[len] = arguments[len + 1];\n\n var locale = this.locale;\n var key = null;\n\n if (args.length === 1) {\n   if (typeof args[0] === 'string') {\n   key = args[0];\n   } else if (isObject(args[0])) {\n   if (args[0].locale) {\n   locale = args[0].locale;\n   }\n   if (args[0].key) {\n   key = args[0].key;\n   }\n   }\n } else if (args.length === 2) {\n   if (typeof args[0] === 'string') {\n   key = args[0];\n   }\n   if (typeof args[1] === 'string') {\n   locale = args[1];\n   }\n }\n\n return this._d(value, locale, key)\n};\n\nVueI18n.prototype.getNumberFormat = function getNumberFormat (locale) {\n return looseClone(this._vm.numberFormats[locale] || { })\n};\n\nVueI18n.prototype.setNumberFormat = function setNumberFormat (locale, format) {\n this._vm.$set(this._vm.numberFormats, locale, format);\n};\n\nVueI18n.prototype.mergeNumberFormat = function mergeNumberFormat (locale, format) {\n this._vm.$set(this._vm.numberFormats, locale, merge(this._vm.numberFormats[locale] || { }, format));\n};\n\nVueI18n.prototype._localizeNumber = function _localizeNumber (\n value,\n locale,\n fallback,\n numberFormats,\n key,\n options\n) {\n var _locale = locale;\n var formats = numberFormats[_locale];\n\n // fallback locale\n if (isNull(formats) || isNull(formats[key])) {\n   if (process.env.NODE_ENV !== 'production') {\n   warn((\"Fall back to '\" + fallback + \"' number formats from '\" + locale + \"' number formats.\"));\n   }\n   _locale = fallback;\n   formats = numberFormats[_locale];\n }\n\n if (isNull(formats) || isNull(formats[key])) {\n   return null\n } else {\n   var format = formats[key];\n\n   var formatter;\n   if (options) {\n   // If options specified - create one time number formatter\n   formatter = new Intl.NumberFormat(_locale, Object.assign({}, format, options));\n   } else {\n   var id = _locale + \"__\" + key;\n   formatter = this._numberFormatters[id];\n   if (!formatter) {\n   formatter = this._numberFormatters[id] = new Intl.NumberFormat(_locale, format);\n   }\n   }\n   return formatter.format(value)\n }\n};\n\nVueI18n.prototype._n = function _n (value, locale, key, options) {\n /* istanbul ignore if */\n if (!VueI18n.availabilities.numberFormat) {\n   if (process.env.NODE_ENV !== 'production') {\n   warn('Cannot format a Number value due to not supported Intl.NumberFormat.');\n   }\n   return ''\n }\n\n if (!key) {\n   var nf =\n   !options ? new Intl.NumberFormat(locale) : new Intl.NumberFormat(locale, options);\n   return nf.format(value)\n }\n\n var ret =\n   this._localizeNumber(value, locale, this.fallbackLocale, this._getNumberFormats(), key, options);\n if (this._isFallbackRoot(ret)) {\n   if (process.env.NODE_ENV !== 'production') {\n   warn((\"Fall back to number localization of root: key '\" + key + \"' .\"));\n   }\n   /* istanbul ignore if */\n   if (!this._root) {

throw Error('unexpected error') }\n   return this._root.$i18n.n(value, Object.assign({}, { key: key, locale: locale }, options))\n } else {\n   return ret || ''\n }\n};\n\nVueI18n.prototype.n = function n (value) {\n   var args = [], len = arguments.length - 1;\n   while (len-- > 0) args[len] = arguments[len + 1];\n\n var locale = this.locale;\n var key = null;\n var options = null;\n\n if (args.length === 1) {\n   if (typeof args[0] === 'string') {\n   key = args[0];\n   } else if (isObject(args[0])) {\n   if (args[0].locale) {\n   locale = args[0].locale;\n   }\n   if (args[0].key) {\n   key = args[0].key;\n   }\n\n   // Filter out number format options only\n   options = Object.keys(args[0]).reduce(function (acc, key) {\n   var obj;\n\n   if (numberFormatKeys.includes(key)) {\n   return Object.assign({}, acc, (obj = {}, obj[key] = args[0][key], obj))\n   }\n   return acc\n   }, null);\n }\n } else if (args.length === 2) {\n   if (typeof args[0] === 'string') {\n   key = args[0];\n   }\n   if (typeof args[1] === 'string') {\n   locale = args[1];\n   }\n }\n\n return this._n(value, locale, key, options)\n};\n\nObject.defineProperties(VueI18n.prototype, prototypeAccessors);\n\nVueI18n.availabilities = {\n dateTimeFormat: canUseDateTimeFormat,\n numberFormat: canUseNumberFormat\n};\nVueI18n.install = install;\nVueI18n.version = '8.4.0';\n\nexport default VueI18n;\n","import Vue from 'vue'\nimport VueI18n from 'vue-i18n'\n\nVue.use(VueI18n)\n\nfunction loadLocaleMessages () {\n const locales = require.context('./locales', true, /[A-Za-z0-9-_,\\s]+\\.json$/i)\n const messages = {}\n locales.keys().forEach(key => {\n   const matched = key.match(/([A-Za-z0-9-_]+)\\./i)\n   if (matched && matched.length > 1) {\n   const locale = matched[1]\n   messages[locale] = locales(key)\n   }\n })\n return messages\n}\n\nexport default new VueI18n({\n locale: process.env.VUE_APP_I18N_LOCALE || 'en',\n fallbackLocale: process.env.VUE_APP_I18N_FALLBACK_LOCALE || 'en',\n messages: loadLocaleMessages()\n})\n","var render = function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _vm._m(0)}\nvar staticRenderFns = [function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('div',{staticClass:\"content-placeholder\"},[_c('div',{staticClass:\"content-placeholder__wrapper\",style:({ backgroundSize: _vm.size })},_vm._l((_vm.formattedRows),function(row,r){return _c('div',{key:r,staticClass:\"content-placeholder__wrapper__row\",style:({height: row.height})},_vm._l((row.boxes),function(box,b){return _c('div',{key:b,style:(box.style)},[(box.subClass)?_c('div',{class:box.subClass}):_vm._e()])}))}))])}]\n\nexport { render, staticRenderFns }","const DEFAULT_ROWS = [\n {\n   height: '1em',\n   boxes: [[0, '50%'], ['5%', '30%'], ['5%', '10%']]\n }\n]\n\nexport function isFlexBasis (str) {\n return Number(str).toString() === str.toString()\n}\n\nexport function isWidth (str) {\n const cssSuffix = ['px', '%', 'em', 'rem']\n let checkState = false\n cssSuffix.forEach(suffix => {\n   if (Number(str.split(suffix)[0]) &&\n   str.split(suffix)[1] === '' &&\n   str.split(suffix).length === 2) {\n   checkState = true\n   }\n })\n return checkState\n}\n\nexport function getBoxStyle (left, width, isLast, subClass = 'box') {\n const arr = []\n if (left !== 0) {\n   if (isFlexBasis(left)) {\n   arr.push({style: `flex-grow: ${left}; flex-shrink: 0; flex-basis: 0;`, subClass})\n   } else if (isWidth(left)) {\n   arr.push({style: `flex-grow: 0; flex-shrink: 0; flex-basis: ${left};`, subClass})\n   }\n }\n if (isFlexBasis(width)) {\n   arr.push({style: `flex-grow: ${width}; flex-shrink: 0; flex-basis: 0;`})\n } else if (isWidth(width)) {\n   arr.push({style: `flex-grow: 0; flex-shrink: 0; flex-basis: ${width};`})\n }\n if (isLast) {\n   arr.push({style: 'flex-grow: 1; flex-shrink: 0; flex-basis: 0;', subClass})\n }\n return arr\n}\n\nexport function formatRows (rows = DEFAULT_ROWS, subClass = 'box') {\n const rowArr = []\n rows.forEach(row => {\n   let boxArr = []\n   const rowObj = {}\n   // Add height\n   rowObj.height = row.height\n   // Add style\n   row.boxes.forEach((box, index) => {\n   const isLast = index === row.boxes.length - 1\n   boxArr = boxArr.concat(getBoxStyle(box[0], box[1], isLast, subClass))\n   })\n   rowObj.boxes = boxArr\n   rowArr.push(rowObj)\n })\n\n return rowArr\n}\n\nexport default {\n isFlexBasis,\n isWidth,\n getBoxStyle,\n formatRows\n}","<template>\n <div class=\"content-placeholder\" v-once>\n   <div class=\"content-placeholder__wrapper\" :style=\"{ backgroundSize: size }\">\n   <div class=\"content-placeholder__wrapper__row\" :style=\"{height: row.height}\" v-for=\"(row, r) in formattedRows\" :key=\"r\">\n   <div :style=\"box.style\" v-for=\"(box, b) in row.boxes\" :key=\"b\">\n   <div v-if=\"box.subClass\" :class=\"box.subClass\"></div>\n   </div>\n   </div>\n   </div>\n </div>\n</template>\n\n<script>\nimport { formatRows } from '../utils/placeholder.js'\n\n/**\n * A component to fill empty spaces with animated placeholders until content is loaded.\n */\nexport default {\n name:

'ContentPlaceholder',\n props: {\n /**\n * An array of lines describing a series of cell sizes and margin sizes.\n */\n rows: {\n type: Array\n },\n /**\n * The size of the background gradient with the elapsing effect.\n */\n size: {\n type: String,\n default: '250%'\n }\n },\n computed: {\n formattedRows () {\n return formatRows(this.rows, 'content-placeholder__wrapper__row__box')\n }\n }\n}\n</script>\n\n<style scoped lang=\"scss\">\n@import '../styles/lib';\n\n@keyframes placeHolderShimmer{\n 0%{\n background-position: 100% 0\n }\n 100%{\n background-position: -100% 0\n }\n}\n\n.content-placeholder {\n overflow: hidden;\n\n &__wrapper {\n animation-duration: 1s;\n animation-fill-mode: forwards;\n animation-iteration-count: infinite;\n animation-name: placeHolderShimmer;\n animation-timing-function: linear;\n background: #f6f7f8;\n background: linear-gradient(to right, #eeeeee 8%, #dddddd 18%, #eeeeee 33%);\n position: relative;\n\n &__row {\n width: 100%;\n box-sizing: border-box;\n display: flex;\n flex: 0 1 auto;\n flex-direction: row;\n flex-wrap: wrap;\n\n &__box {\n box-sizing: border-box;\n position: relative;\n height: 100%;\n margin-bottom: 0;\n background-color: white;\n overflow: hidden;\n }\n }\n }\n}\n</style>\n","import mod from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./ContentPlaceholder.vue?vue&type=script&lang=js&\"; export default mod; export * from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./ContentPlaceholder.vue?vue&type=script&lang=js&\"","/* globals __VUE_SSR_CONTEXT__ */\n\n// IMPORTANT: Do NOT use ES2015 features in this file (except for modules).\n// This module is a runtime utility for cleaner component module output and will\n// be included in the final webpack user bundle.\n\nexport default function normalizeComponent (\n scriptExports,\n render,\n staticRenderFns,\n functionalTemplate,\n injectStyles,\n scopeId,\n moduleIdentifier, /* server only */\n shadowMode /* vue-cli only */) {\n // Vue.extend constructor export interop\n var options = typeof scriptExports === 'function'\n ? scriptExports.options\n : scriptExports\n\n // render functions\n if (render) {\n options.render = render\n options.staticRenderFns = staticRenderFns\n options._compiled = true\n }\n\n // functional template\n if (functionalTemplate) {\n options.functional = true\n }\n\n // scopedId\n if (scopeId) {\n options._scopeId = 'data-v-' + scopeId\n }\n\n var hook\n if (moduleIdentifier) { // server build\n hook = function (context) {\n // 2.3 injection\n context =\n context || // cached call\n (this.$vnode && this.$vnode.ssrContext) || // stateful\n (this.parent && this.parent.$vnode && this.parent.$vnode.ssrContext) // functional\n // 2.2 with runInNewContext: true\n if (!context && typeof __VUE_SSR_CONTEXT__ !== 'undefined') {\n context = __VUE_SSR_CONTEXT__\n }\n // inject component styles\n if (injectStyles) {\n injectStyles.call(this, context)\n }\n // register component module identifier for async chunk inferrence\n if (context && context._registeredComponents) {\n context._registeredComponents.add(moduleIdentifier)\n }\n }\n // used by ssr in case component is cached and beforeCreate\n // never gets called\n options._ssrRegister = hook\n } else if (injectStyles) {\n hook = shadowMode\n ? function () {\n injectStyles.call(this, this.$root.$options.shadowRoot)\n }\n : injectStyles\n }\n\n if (hook) {\n if (options.functional) {\n // for template-only hot-reload because in that case the render fn doesn't\n // go through the normalizer\n options._injectStyles = hook\n // register for functioal component in vue file\n var originalRender = options.render\n options.render = function renderWithStyleInjection (h, context) {\n hook.call(context)\n return originalRender(h, context)\n }\n } else {\n // inject component registration as beforeCreate hook\n var existing = options.beforeCreate\n options.beforeCreate = existing\n ? [].concat(existing, hook)\n : [hook]\n }\n }\n\n return {\n exports: scriptExports,\n options: options\n }\n}\n","import { render, staticRenderFns } from \"./ContentPlaceholder.vue?vue&type=template&id=40e3a912&scoped=true&\"\nimport script from \"./ContentPlaceholder.vue?vue&type=script&lang=js&\"\nexport * from \"./ContentPlaceholder.vue?vue&type=script&lang=js&\"\nimport style0 from

\"./ContentPlaceholder.vue?vue&type=style&index=0&id=40e3a912&scoped=true&lang=scss&\"\n\n\n/* normalize component */\nimport normalizer from \"!../../node_modules/vue-loader/lib/runtime/componentNormalizer.js\"\nvar component = normalizer(\n script,\n render,\n staticRenderFns,\n false,\n null,\n \"40e3a912\",\n null\n \n)\n\ncomponent.options.__file = \"ContentPlaceholder.vue\"\nexport default component.exports","var render = function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('div',{staticClass:\"donate-form container-fluid py-2\"},[(!_vm.noTitle)?_c('h2',{staticClass:\"text-uppercase font-weight-bold text-primary h5\"},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('donate-form.support'))+\"\\n \")]):_vm._e(),_vm._t(\"introduction\",[_c('p',{domProps:{\"innerHTML\":_vm._s(_vm.$t('donate-form.introduction'))}})]),_c('div',{staticClass:\"donate-form__payment mb-4\"},[_c('form',{staticClass:\"donate-form__payment__form bg-light p-4\",attrs:{\"action\":\"//checkout.fundjournalism.org/memberform\",\"method\":\"get\",\"target\":\"_blank\"}},[_c('h3',{staticClass:\"donate-form__payment__title h5 mb-4\"},[_c('strong',[_vm._v(\"\\n   \"+_vm._s(_vm.$t('donate-form.join-heading'))+\"\\n   \")])]),_c('div',[_c('span',[_vm._v(_vm._s(_vm.$t('donate-form.label'))+\" \")]),_c('label',{staticClass:\"donate-form__payment__unit input-group input-group-sm d-inline-flex\"},[_vm._m(0),_c('input',{directives:[{name:\"model\",rawName:\"v-model\",value:(_vm.amount),expression:\"amount\"}],staticClass:\"donate-form__payment__input form-control\",attrs:{\"name\":\"amount\",\"type\":\"number\",\"min\":\"0\"},domProps:{\"value\":(_vm.amount)},on:{\"change\":function($event){_vm.amountIsPristine = false},\"input\":function($event){if($event.target.composing){return; }_vm.amount=$event.target.value}}})]),_c('span',{staticClass:\"donate-form__payment__buttons\"},[_c('button',{staticClass:\"btn btn-sm\",class:{ 'btn-primary': _vm.installmentPeriod === 'monthly' },attrs:{\"type\":\"button\"},on:{\"click\":function($event){_vm.installmentPeriod = 'monthly'}}},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('donate-form.frequency.monthly'))+\"\\n \")]),_c('button',{staticClass:\"btn btn-sm\",class:{ 'btn-primary': _vm.installmentPeriod === 'yearly' },attrs:{\"type\":\"button\"},on:{\"click\":function($event){_vm.installmentPeriod = 'yearly'}}},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('donate-form.frequency.yearly'))+\"\\n   \")]),_c('button',{staticClass:\"btn btn-sm\",class:{ 'btn-primary': _vm.installmentPeriod === null },attrs:{\"type\":\"button\"},on:{\"click\":function($event){_vm.installmentPeriod = null}}},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('donate-form.frequency.onetime'))+\"\\n \")])])]),(_vm.changeThe)?_c('p',{staticClass:\"mt-2\",domProps:{\"innerHTML\":_vm._s(_vm.$t('donate-form.result.sentence', { target: _vm.changeThe }))}}):_vm._e(),_c('div',{staticClass:\"mt-4\"},[_c('input',{attrs:{\"name\":\"org_id\",\"value\":\"icij\",\"type\":\"hidden\"}}),_c('input',{directives:[{name:\"model\",rawName:\"v-model\",value:(_vm.installmentPeriod),expression:\"installmentPeriod\"}],attrs:{\"name\":\"installmentPeriod\",\"type\":\"hidden\"},domProps:{\"value\":(_vm.installmentPeriod)},on:{\"input\":function($event){if($event.target.composing){ return; }_vm.installmentPeriod=$event.target.value}}}),_c('button',{staticClass:\"btn btn-primary rounded-pill text-uppercase font-weight-bold\",attrs:{\"type\":\"submit\"}},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('donate-form.submit'))+\"\\n   \")]),_c('a',{staticClass:\"donate-form__payment__image\",attrs:{\"target\":\"_blank\",\"href\":\"https://icij.org/donate\"}})])])]),_c('div',{staticClass:\"donate-form__insider\"},[_c('h2',{staticClass:\"donate-form__insider__title\"},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('donate-form.benefits.heading'))+\"\\n \")]),_c('p',[_vm._v(\"\\n   \"+_vm._s(_vm.$t('donate-form.benefits.introduction'))+\"\\n \")]),_c('div',{staticClass:\"donate-form__insider__modal__container row\"},[_c('div',{staticClass:\"col\"},[_c('h3',{staticClass:\"donate-form__insider__subtitle text-uppercase font-weight-bold text-primary h5\"},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('donate-form.benefits.impacts.conversation.heading'))+\"\\n \")]),_c('div',{staticClass:\"Article\"},[_c('div',[_c('p',{staticClass:\"donate-form__insider__highlight text-icij font-weight-bold\"},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('donate-form.benefits.impacts.conversation.highlight'))+\"\\n   \")]),_c('ul',{staticClass:\"donate-

form__insider__list\"},_vm._l((_vm.$t('donate-form.benefits.impacts.conversation.list')),function(t){return _c('li',{staticClass:\"donate-form__insider__list-item\"},[_vm._v(\"\\n   \"+_vm._s(t)+\"\\n   \")])}))])])]),_c('div',{staticClass:\"col\"},[_c('h3',{staticClass:\"donate-form__insider__subtitle text-uppercase font-weight-bold text-primary h5\"},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('donate-form.benefits.impacts.rules.heading'))+\"\\n   \")]),_c('div',{staticClass:\"Article\"},[_c('div',[_c('p',{staticClass:\"donate-form__insider__highlight text-icij font-weight-bold\"},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('donate-form.benefits.impacts.rules.highlight'))+\"\\n   \")]),_c('ul',{staticClass:\"donate-form__insider__list\"},_vm._l((_vm.$t('donate-form.benefits.impacts.rules.list')),function(t){return _c('li',{staticClass:\"donate-form__insider__list-item\"},[_vm._v(\"\\n   \"+_vm._s(t)+\"\\n   \")])}))])])]),_c('div',{staticClass:\"col\"},[_c('h3',{staticClass:\"donate-form__insider__subtitle text-uppercase font-weight-bold text-primary h5\"},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('donate-form.benefits.impacts.world.heading'))+\"\\n   \")]),_c('div',{staticClass:\"Article\"},[_c('div',[_c('p',{staticClass:\"donate-form__insider__highlight text-icij font-weight-bold\"},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('donate-form.benefits.impacts.world.highlight'))+\"\\n   \")]),_c('ul',{staticClass:\"donate-form__insider__list\"},_vm._l((_vm.$t('donate-form.benefits.impacts.world.list')),function(t){return _c('li',{staticClass:\"donate-form__insider__list-item\"},[_vm._v(\"\\n   \"+_vm._s(t)+\"\\n   \")])}))])])])]),_c('hr',{staticClass:\"donate-form__insider__separator\"}),_c('div',{staticClass:\"donate-form__insider__more text-center\"},[_c('a',{staticClass:\"btn btn-primary rounded-pill text-uppercase font-weight-bold py-2\",attrs:{\"target\":\"_blank\",\"href\":\"https://icij.org/donate\"}},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('donate-form.benefits.more'))+\"\\n   \")])])])],2)}\nvar staticRenderFns = [function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('span',{staticClass:\"input-group-prepend\"},[_c('span',{staticClass:\"input-group-text\"},[_vm._v(\"$\")])])}]\n\nexport { render, staticRenderFns }","<template>\n <div class=\"donate-form container-fluid py-2\">\n   <h2 class=\"text-uppercase font-weight-bold text-primary h5\" v-if=\"!noTitle\">\n   {{ $t('donate-form.support') }}\n   </h2>\n   <!-- @slot Description of the form (bellow the title). -->\n   <slot name=\"introduction\">\n   <p v-html=\"$t('donate-form.introduction')\"></p>\n   </slot>\n   <div class=\"donate-form__payment mb-4\">\n   <form action=\"//checkout.fundjournalism.org/memberform\" method=\"get\" target=\"_blank\" class=\"donate-form__payment__form bg-light p-4\">\n   <h3 class=\"donate-form__payment__title h5 mb-4\">\n   \n   {{ $t('donate-form.join-heading') }}\n   \n   </h3>\n   <div>\n   {{ $t('donate-form.label') }} \n   <label class=\"donate-form__payment__unit input-group input-group-sm d-inline-flex\">\n   \n $\n   \n   <input class=\"donate-form__payment__input form-control\" name=\"amount\" v-model=\"amount\" @change=\"amountIsPristine = false\" type=\"number\" min=\"0\">\n   </label>\n   \n   <button type=\"button\" class=\"btn btn-sm\" :class=\"{ 'btn-primary': installmentPeriod === 'monthly' }\" @click=\"installmentPeriod = 'monthly'\">\n   {{ $t('donate-form.frequency.monthly') }}\n   </button>\n   <button type=\"button\" class=\"btn btn-sm\" :class=\"{ 'btn-primary': installmentPeriod === 'yearly' }\" @click=\"installmentPeriod = 'yearly'\">\n   {{ $t('donate-form.frequency.yearly') }}\n   </button>\n   <button type=\"button\" class=\"btn btn-sm\" :class=\"{ 'btn-primary': installmentPeriod === null }\" @click=\"installmentPeriod = null\">\n   {{ $t('donate-form.frequency.onetime') }}\n   </button>\n   \n   </div>\n   <p v-if=\"changeThe\" class=\"mt-2\" v-html=\"$t('donate-form.result.sentence', { target: changeThe })\"></p>\n   <div class=\"mt-4\">\n   <input name=\"org_id\" value=\"icij\" type=\"hidden\">\n   <input name=\"installmentPeriod\" v-model=\"installmentPeriod\" type=\"hidden\">\n   <button type=\"submit\" class=\"btn btn-primary rounded-pill text-uppercase font-weight-bold\">\n   {{ $t('donate-form.submit') }}\n   </button>\n   \n   </div>\n   </form>\n

</div>\n <div class=\"donate-form__insider\">\n   <h2 class=\"donate-form__insider__title\">\n   {{ $t('donate-form.benefits.heading') }}\n   </h2>\n   <p>\n   {{ $t('donate-form.benefits.introduction') }}\n   </p>\n   <div class=\"donate-form__insider__modal__container row\">\n   <div class=\"col\">\n   <h3 class=\"donate-form__insider__subtitle text-uppercase font-weight-bold text-primary h5\">\n   {{ $t('donate-form.benefits.impacts.conversation.heading') }}\n   </h3>\n   <div class=\"Article\">\n   <div>\n   <p class=\"donate-form__insider__highlight text-icij font-weight-bold\">\n{{ $t('donate-form.benefits.impacts.conversation.highlight') }}\n   </p>\n   <ul class=\"donate-form__insider__list\">\n   <li class=\"donate-form__insider__list-item\" v-for=\"t in $t('donate-form.benefits.impacts.conversation.list')\">\n   {{ t }}\n   \n \n   </div>\n   </div>\n   </div>\n   <div class=\"col\">\n   <h3 class=\"donate-form__insider__subtitle text-uppercase font-weight-bold text-primary h5\">\n   {{ $t('donate-form.benefits.impacts.rules.heading') }}\n   </h3>\n   <div class=\"Article\">\n   <div>\n   <p class=\"donate-form__insider__highlight text-icij font-weight-bold\">\n   {{ $t('donate-form.benefits.impacts.rules.highlight') }}\n   </p>\n   <ul class=\"donate-form__insider__list\">\n   <li class=\"donate-form__insider__list-item\" v-for=\"t in $t('donate-form.benefits.impacts.rules.list')\">\n   {{ t }}\n   \n   \n   </div>\n   </div>\n   </div>\n   <div class=\"col\">\n   <h3 class=\"donate-form__insider__subtitle text-uppercase font-weight-bold text-primary h5\">\n   {{ $t('donate-form.benefits.impacts.world.heading') }}\n   </h3>\n   <div class=\"Article\">\n   <div>\n   <p class=\"donate-form__insider__highlight text-icij font-weight-bold\">\n   {{ $t('donate-form.benefits.impacts.world.highlight') }}\n   </p>\n   <ul class=\"donate-form__insider__list\">\n   <li class=\"donate-form__insider__list-item\" v-for=\"t in $t('donate-form.benefits.impacts.world.list')\">\n   {{ t }}\n   \n   \n   </div>\n   </div>\n   </div>\n   </div>\n   <hr class=\"donate-form__insider__separator\">\n   <div class=\"donate-form__insider__more text-center\">\n   \n   {{ $t('donate-form.benefits.more') }}\n   \n   </div>\n </div>\n</div>\n</template>\n\n<script>\n import i18n from '@/i18n'\n import keys from 'lodash/keys'\n import map from 'lodash/map'\n import sortBy from 'lodash/sortBy'\n import forEach from 'lodash/forEach'\n import config from '../config'\n\n /**\n   * A form to encourage donations. We usualy put this form inside a modal\n   */\n export default {\n   i18n,\n   name: 'DonateForm',\n   props: {\n   /**\n   * Title of the form.\n   */\n   noTitle: {\n   type: Boolean\n   },\n   /**\n   * Description of the form (bellow the title).\n   */\n   introduction: {\n   type: String,\n   default: () => config.get('donate-form.introduction')\n   }\n   },\n   data() {\n   return {\n   amount: 15,\n   // True if the amount wasn't changed by the user yet\n   amountIsPristine: true,\n   installmentPeriod: 'monthly',\n   labelForChange: {\n   'monthly': {\n   3: this.$t('donate-form.result.conversation'),\n   15: this.$t('donate-form.result.rules'),\n   50: this.$t('donate-form.result.world')\n   },\n   'yearly': {\n   35: this.$t('donate-form.result.conversation'),\n   180: this.$t('donate-form.result.rules'),\n   600: this.$t('donate-form.result.world')\n   }\n   }\n   }\n   },\n   watch: {\n   installmentPeriod (installmentPeriod) {\n   if (!this.amountIsPristine) {\n   return\n   }\n   if (installmentPeriod === 'monthly') {\n   this.$set(this, 'amount', 15)\n   } else {\n   this.$set(this, 'amount', 100)\n   }\n   }\n   },\n   computed: {\n   changeThe () {\n   const ranges = this.labelForChange[this.installmentPeriod || 'yearly'];\n   // Final label\n   let label = null;\n   forEach(sortBy(map(keys(ranges), Number)), amount => {\n   label = this.amount >= amount ? ranges[amount] : label;\n   });\n   return label;\n   }\n   }\n }\n</script>\n\n<style lang=\"scss\">\n @import '../styles/lib.scss';\n\n .donate-form {\n   font-size: 0.9rem;\n\n   &__payment {\n\n   & &__unit {\n   width: 120px;\n   margin-right: $spacer;\n\n   @media screen and (max-width: $modal-lg) {\n   width: 100%;\n   flex: 0 0 100%;\n   }\n   }\n   }\n\n   &__insider {\n\n   &__list {\n   padding-left: 20px;\n\n   &-item {\n   position: relative;\n   margin: 3px 0;\n   list-style: none;\n\n   &:before {\n   content: \"\\2713\";\n   position: absolute;\n   left: -16px;\n

font-size: 14px;\n   font-weight: 700;\n   color: #333;\n   font-family: $font-family-sans-serif;\n   }\n   }\n   }\n\n   &__modal__container .col {\n   @media screen and (max-width: $modal-lg) {\n   width: 100%;\n   flex: 0 0 100%;\n   }\n   }\n }\n\n</style>\n","import mod from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./DonateForm.vue?vue&type=script&lang=js&\"; export default mod; export * from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./DonateForm.vue?vue&type=script&lang=js&\"","import { render, staticRenderFns } from \"./DonateForm.vue?vue&type=template&id=4fe5468d&\"\nimport script from \"./DonateForm.vue?vue&type=script&lang=js&\"\nexport * from \"./DonateForm.vue?vue&type=script&lang=js&\"\nimport style0 from \"./DonateForm.vue?vue&type=style&index=0&lang=scss&\"\n\n\n/* normalize component */\nimport normalizer from \"!../../node_modules/vue-loader/lib/runtime/componentNormalizer.js\"\nvar component = normalizer(\n script,\n render,\n staticRenderFns,\n false,\n null,\n null,\n null\n \n)\n\ncomponent.options.__file = \"DonateForm.vue\"\nexport default component.exports","var render = function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('div',{staticClass:\"embeddable-footer p-2 text-nowrap\"},[_c('a',{staticClass:\"text-white embeddable-footer__brand\",attrs:{\"href\":_vm.homeUrl,\"target\":\"_blank\"}},[_c('img',{staticClass:\"mr-2\",attrs:{\"src\":require(\"../assets/images/icij-white@2x.png\"),\"height\":\"20\"}}),_vm._v(\"\\n \"+_vm._s(_vm.title)+\"\\n \")]),_c('div',{staticClass:\"embeddable-footer__lead small text-truncate\",domProps:{\"innerHTML\":_vm._s(_vm.lead)}}),_c('button',{staticClass:\"btn btn-link text-white btn-sm py-0 embeddable-footer__share-btn\",class:{ active: _vm.showShareOptions },on:{\"click\":function($event){_vm.showShareOptions = !_vm.showShareOptions}}},[_c('fa',{attrs:{\"icon\":\"share-alt\"}}),_c('span',{staticClass:\"sr-only\"},[_vm._v(_vm._s(_vm.$t('embeddable-footer.share')))])]),1),(_vm.showShareOptions)?_c('sharing-options',{attrs:{\"values\":_vm.sharingOptionsValues,\"direction\":\"column-reverse\",\"iframe-min-height\":_vm.iframeMinHeight,\"iframe-min-width\":_vm.iframeMinWidth}}):_vm._e()],1)}\nvar staticRenderFns = []\n\nexport { render, staticRenderFns }","/**\n * @this {Promise}\n */\nfunction finallyConstructor(callback) {\n var constructor = this.constructor;\n return this.then(\n   function(value) {\n   return constructor.resolve(callback()).then(function() {\n   return value;\n   });\n   },\n   function(reason) {\n   return constructor.resolve(callback()).then(function() {\n   return constructor.reject(reason);\n   });\n   }\n);\n}\n\nexport default finallyConstructor;\n","import promiseFinally from './finally';\n\n// Store setTimeout reference so promise-polyfill will be unaffected by\n// other code modifying setTimeout (like sinon.useFakeTimers())\nvar setTimeoutFunc = setTimeout;\n\nfunction noop() { }\n\n// Polyfill for Function.prototype.bind\nfunction bind(fn, thisArg) {\n return function() {\n   fn.apply(thisArg, arguments);\n };\n}\n\n/**\n * @constructor\n * @param {Function} fn\n */\nfunction Promise(fn) {\n if (!(this instanceof Promise))\n   throw new TypeError('Promises must be constructed via new');\n if (typeof fn !== 'function') throw new TypeError('not a function');\n /** @type {!number} */\n this._state = 0;\n /** @type {!boolean} */\n this._handled = false;\n /** @type {Promise|undefined} */\n this._value = undefined;\n /** @type {!Array<!Function>} */\n this._deferreds = [];\n\n doResolve(fn, this);\n}\n\nfunction handle(self, deferred) {\n while (self._state === 3) {\n   self = self._value;\n }\n if (self._state === 0) {\n   self._deferreds.push(deferred);\n   return;\n }\n self._handled = true;\n Promise._immediateFn(function() {\n   var cb = self._state === 1 ? deferred.onFulfilled : deferred.onRejected;\n   if (cb === null) {\n   (self._state === 1 ? resolve : reject)(deferred.promise, self._value);\n   return;\n   }\n   var ret;\n   try {\n   ret = cb(self._value);\n   } catch (e) {\n   reject(deferred.promise, e);\n   return;\n   }\n   resolve(deferred.promise, ret);\n });\n}\n\nfunction resolve(self, newValue) {\n try {\n   // Promise Resolution Procedure: https://github.com/promises-aplus/promises-

spec#the-promise-resolution-procedure\n   if (newValue === self)\n   throw new TypeError('A promise cannot be resolved with itself.');\n   if (\n   newValue &&\n   (typeof newValue === 'object' || typeof newValue === 'function')\n   ) {\n   var then = newValue.then;\n   if (newValue instanceof Promise) {\n   self._state = 3;\n   self._value = newValue;\n   finale(self);\n   return;\n   } else if (typeof then === 'function') {\n   doResolve(bind(then, newValue), self);\n   return;\n   }\n   }\n   self._state = 1;\n   self._value = newValue;\n   finale(self);\n } catch (e) {\n   reject(self, e);\n }\n}\n\nfunction reject(self, newValue) {\n self._state = 2;\n self._value = newValue;\n finale(self);\n}\n\nfunction finale(self) {\n if (self._state === 2 && self._deferreds.length === 0) {\n   Promise._immediateFn(function() {\n   if (!self._handled) {\n   Promise._unhandledRejectionFn(self._value);\n   }\n   });\n }\n\n for (var i = 0, len = self._deferreds.length; i < len; i++) {\n   handle(self, self._deferreds[i]);\n }\n self._deferreds = null;\n}\n\n/**\n * @constructor\n */\nfunction Handler(onFulfilled, onRejected, promise) {\n this.onFulfilled = typeof onFulfilled === 'function' ? onFulfilled : null;\n this.onRejected = typeof onRejected === 'function' ? onRejected : null;\n this.promise = promise;\n}\n\n/**\n * Take a potentially misbehaving resolver function and make sure\n * onFulfilled and onRejected are only called once.\n *\n * Makes no guarantees about asynchrony.\n */\nfunction doResolve(fn, self) {\n var done = false;\n try {\n   fn(\n   function(value) {\n   if (done) return;\n   done = true;\n   resolve(self, value);\n   },\n   function(reason) {\n   if (done) return;\n   done = true;\n   reject(self, reason);\n   }\n   );\n } catch (ex) {\n   if (done) return;\n   done = true;\n   reject(self, ex);\n }\n}\n\nPromise.prototype['catch'] = function(onRejected) {\n return this.then(null, onRejected);\n};\n\nPromise.prototype.then = function(onFulfilled, onRejected) {\n // @ts-ignore\n var prom = new this.constructor(noop);\n\n handle(this, new Handler(onFulfilled, onRejected, prom));\n return prom;\n};\n\nPromise.prototype['finally'] = promiseFinally;\n\nPromise.all = function(arr) {\n return new Promise(function(resolve, reject) {\n   if (!arr || typeof arr.length === 'undefined')\n   throw new TypeError('Promise.all accepts an array');\n   var args = Array.prototype.slice.call(arr);\n   if (args.length === 0) return resolve([]);\n   var remaining = args.length;\n\n   function res(i, val) {\n   try {\n   if (val && (typeof val === 'object' || typeof val === 'function')) {\n   var then = val.then;\n   if (typeof then === 'function') {\n   then.call(\n   val,\n   function(val) {\n   res(i, val);\n   },\n   reject\n   );\n   return;\n   }\n   }\n   args[i] = val;\n   if (--remaining === 0) {\n   resolve(args);\n   }\n   } catch (ex) {\n   reject(ex);\n   }\n   }\n\n   for (var i = 0; i < args.length; i++) {\n   res(i, args[i]);\n   }\n });\n};\n\nPromise.resolve = function(value) {\n if (value && typeof value === 'object' && value.constructor === Promise) {\n   return value;\n }\n\n return new Promise(function(resolve) {\n   resolve(value);\n });\n};\n\nPromise.reject = function(value) {\n return new Promise(function(resolve, reject) {\n   reject(value);\n });\n};\n\nPromise.race = function(values) {\n return new Promise(function(resolve, reject) {\n   for (var i = 0, len = values.length; i < len; i++) {\n   values[i].then(resolve, reject);\n   }\n });\n};\n\n// Use polyfill for setImmediate for performance gains\nPromise._immediateFn =\n (typeof setImmediate === 'function' &&\n   function(fn) {\n   setImmediate(fn);\n   }) ||\n function(fn) {\n   setTimeoutFunc(fn, 0);\n };\n\nPromise._unhandledRejectionFn = function _unhandledRejectionFn(err) {\n if (typeof console !== 'undefined' && console) {\n   console.warn('Possible Unhandled Promise Rejection:', err); // eslint-disable-line no-console\n }\n};\n\nexport default Promise;\n","import memoize from 'lodash/memoize'\nimport flatten from 'lodash/flatten'\nimport Promise from 'promise-polyfill';\n\nexport const injectAsset = memoize(function(file) {\n return new Promise(resolve => {\n   const parent = document.querySelector(\"body\") || document.querySelector(\"head\");\n   const parts = file.split(\".\");\n   const ext = parts[parts.length-1].toLowerCase();\n   switch(ext) {\n   case \"js\":\n   var script = document.createElement('script');\n   script.setAttribute(\"type\", \"text/javascript\");\n   script.onload = resolve\n   parent.appendChild(script);\n   script.setAttribute(\"src\", file);\n   break;\n   case \"css\":\n   var css = document.createElement('link');\n   css.setAttribute(\"rel\", \"stylesheet\");\n   css.setAttribute(\"type\", \"text/css\");\n   css.onload = resolve\n   parent.appendChild(css);\n   css.setAttribute(\"href\", file);\n   break;\n   }\n })\n})\n\nexport const injectAssets = function() {\n const files = flatten(arguments)\n return new Promise(resolve => {\n   var filesLoaded = 0;\n   var allFilesLoaded = function() {\n   if(++filesLoaded == files.length) {\n   resolve();\n

}\n   }\n   for(var i=0; i < files.length ; i++) {\n   injectAsset(files[i]).then(allFilesLoaded)\n   }\n })\n}\n","import every from 'lodash/every'\nimport { injectAssets } from './assets'\n// Will hold the pym instance once\nvar pymChild = null\n// URL parameters generated by Pym\nconst pymParams = ['initialWidth', 'childId', 'parentUrl', 'parentTitle']\n\nexport default class IframeResizer {\n constructor () {\n   this.initializer = injectAssets('//pym.nprapps.org/pym.v1.min.js').then(() => {\n   pymChild = pymChild || new window.pym.Child({ polling: 300 })\n   return pymChild\n   })\n   return this.initializer\n }\n sendHeight () {\n   this.initializer.then(pymChild => pymChild.sendHeight())\n }\n static create () {\n   return new IframeResizer()\n }\n static template(url, id = 'icij-' + Date.now().toString(32)) {\n   return [\n   `<script type=\"text/javascript\" src=\"https://pym.nprapps.org/pym.v1.min.js\"></script>`,\n   `<div id=\"${id}\"></div>`,\n   `<script>`,\n   `var icijIframe = new pym.Parent(\"${id}\", \"${IframeResizer.deletePymParams(url)}\", {})`,\n   `</script>`,\n   ].join('\\n')\n }\n static deletePymParams(href = window.location.href) {\n   const url = new URL(href);\n   // Remove all unwanted param\n   for (let param of pymParams) url.searchParams.delete(param);\n   // Rebuild the URL\n   return url.href\n }\n static isEmbedded (href = window.location.href) {\n   const url = new URL(href);\n   return every(pymParams, param => url.searchParams.has(param))\n }\n}\n","var render = function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('div',{staticClass:\"sharing-options\",style:(_vm.style)},[_c('social-sharing',_vm._b({inlineTemplate:{render:function(){var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('network',{staticClass:\"sharing-options__link\",attrs:{\"network\":\"twitter\"}},[_c('fa',{attrs:{\"icon\":['fab', 'twitter']}}),_c('span',{staticClass:\"sr-only\"},[_vm._v(\"Share on Twitter\")])],1)},staticRenderFns:[]}},'social-sharing',_vm.valuesFor('twitter'),false)),_c('social-sharing',_vm._b({inlineTemplate:{render:function(){var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('network',{staticClass:\"sharing-options__link\",attrs:{\"network\":\"facebook\"}},[_c('fa',{attrs:{\"icon\":['fab', 'facebook']}}),_c('span',{staticClass:\"sr-only\"},[_vm._v(\"Share on Facebook\")])],1)},staticRenderFns:[]}},'social-sharing',_vm.valuesFor('facebook'),false)),_c('social-sharing',_vm._b({inlineTemplate:{render:function(){var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('network',{staticClass:\"sharing-options__link\",attrs:{\"network\":\"linkedin\"}},[_c('fa',{attrs:{\"icon\":['fab', 'linkedin']}}),_c('span',{staticClass:\"sr-only\"},[_vm._v(\"Share on Linkedin\")])],1)},staticRenderFns:[]}},'social-sharing',_vm.valuesFor('linkedin'),false)),_c('social-sharing',_vm._b({inlineTemplate:{render:function(){var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('network',{staticClass:\"sharing-options__link\",attrs:{\"network\":\"email\"}},[_c('fa',{attrs:{\"icon\":\"envelope\"}}),_c('span',{staticClass:\"sr-only\"},[_vm._v(\"Share by email\")])],1)},staticRenderFns:[]}},'social-sharing',_vm.valuesFor('email'),false)),_c('div',{directives:[{name:\"show\",rawName:\"v-show\",value:(!_vm.noEmbed),expression:\"!noEmbed\"}],staticClass:\"sharing-options__link\"},[_c('a',{on:{\"click\":_vm.showEmbedForm}},[_c('fa',{attrs:{\"icon\":\"code\"}}),_c('span',{staticClass:\"sr-only\"},[_vm._v(\"Embed\")])],1)]),_c('b-modal',{ref:\"embedForm\",staticClass:\"text-dark\",attrs:{\"hide-footer\":\"\",\"title\":\"Embed on your website\"}},[_c('embed-form',{attrs:{\"no-title\":\"\",\"no-preview\":\"\",\"min-height\":_vm.iframeMinHeight,\"min-width\":_vm.iframeMinWidth}})],1)],1)}\nvar staticRenderFns = []\n\nexport { render, staticRenderFns }","var __assign=function(){return(__assign=Object.assign||function(e){for(var a,s=1,t=arguments.length;s<t;s++)for(var r in a=arguments[s])Object.prototype.hasOwnProperty.call(a,r)&&(e[r]=a[r]);return e}).apply(this,arguments)};function mergeData(){for(var e,a,s={},t=arguments.length;t--;)for(var r=0,c=Object.keys(arguments[t]);r<c.length;r++)switch(e=c[r]){case\"class\":case\"style\":case\"directives\":Array.isArray(s[e])||(s[e]=[]),s[e]=s[e].concat(arguments[t][e]);break;case\"staticClass\":if(!arguments[t][e])break;void 0===s[e]&&(s[e]=\"\"),s[e]&&(s[e]+=\" \"),s[e]+=arguments[t][e].trim();break;case\"on\":case\"nativeOn\":s[e]||(s[e]={});for(var n=0,o=Object.keys(arguments[t][e]||{});n<o.length;n++)a=o[n],s[e][a]?s[e][a]=[].concat(s[e][a],arguments[t][e][a]):s[e][a]=arguments[t][e][a];break;case\"attrs\":case\"props\":case\"domProps\":case\"scopedSlots\":case\"staticStyle\\

":case\"hook\":case\"transition\":s[e]||(s[e]={}),s[e]=__assign({},arguments[t][e],s[e]);break;case\"slot\":case\"key\":case\"ref\":case\"tag\":case\"show\":case\"keepAlive\":default:s[e]||(s[e]=arguments[t][e])}return s}export{mergeData};\n//# sourceMappingURL=lib.esm.js.map\n","/**\n * Aliasing Object[method] allows the minifier to shorten methods to a single character variable,\n * as well as giving BV a chance to inject polyfills.\n * As long as we avoid\n * - import * as Object from \"utils/object\"\n * all unused exports should be removed by tree-shaking.\n */\n\n// @link https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/Object/assign\nif (typeof Object.assign !== 'function') {\n Object.assign = function (target, varArgs) {\n   // .length of function is 2\n\n   if (target == null) {\n   // TypeError if undefined or null\n   throw new TypeError('Cannot convert undefined or null to object');\n   }\n\n   var to = Object(target);\n\n   for (var index = 1; index < arguments.length; index++) {\n   var nextSource = arguments[index];\n\n   if (nextSource != null) {\n   // Skip over if undefined or null\n   for (var nextKey in nextSource) {\n   // Avoid bugs when hasOwnProperty is shadowed\n   if (Object.prototype.hasOwnProperty.call(nextSource, nextKey)) {\n   to[nextKey] = nextSource[nextKey];\n   }\n   }\n   }\n   }\n   return to;\n };\n}\n\n// @link https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/Object/is#Polyfill\nif (!Object.is) {\n Object.is = function (x, y) {\n   // SameValue algorithm\n   if (x === y) {\n   // Steps 1-5, 7-10\n   // Steps 6.b-6.e: +0 != -0\n   return x !== 0 || 1 / x === 1 / y;\n   } else {\n   // Step 6.a: NaN == NaN\n   // eslint-disable-next-line no-self-compare\n   return x !== x && y !== y;\n   }\n };\n}\n\nexport var assign = Object.assign;\nexport var getOwnPropertyNames = Object.getOwnPropertyNames;\nexport var keys = Object.keys;\nexport var defineProperties = Object.defineProperties;\nexport var defineProperty = Object.defineProperty;\nexport var freeze = Object.freeze;\nexport var getOwnPropertyDescriptor = Object.getOwnPropertyDescriptor;\nexport var getOwnPropertySymbols = Object.getOwnPropertySymbols;\nexport var getPrototypeOf = Object.getPrototypeOf;\nexport var create = Object.create;\nexport var isFrozen = Object.isFrozen;\nexport var is = Object.is;\n\nexport function readonlyDescriptor() {\n return { enumerable: true, configurable: false, writable: false };\n}","// Production steps of ECMA-262, Edition 6, 22.1.2.1\n// es6-ified by @alexsasharegan\nif (!Array.from) {\n Array.from = function () {\n   var toStr = Object.prototype.toString;\n   var isCallable = function isCallable(fn) {\n   return typeof fn === 'function' || toStr.call(fn) === '[object Function]';\n   };\n   var toInteger = function toInteger(value) {\n   var number = Number(value);\n   if (isNaN(number)) {\n   return 0;\n   }\n   if (number === 0 || !isFinite(number)) {\n   return number;\n   }\n   return (number > 0 ? 1 : -1) * Math.floor(Math.abs(number));\n   };\n   var maxSafeInteger = Math.pow(2, 53) - 1;\n   var toLength = function toLength(value) {\n   return Math.min(Math.max(toInteger(value), 0), maxSafeInteger);\n   };\n\n   // The length property of the from method is 1.\n   return function from(arrayLike /*, mapFn, thisArg */) {\n   // 1. Let C be the this value.\n   var C = this;\n\n   // 2. Let items be ToObject(arrayLike).\n   var items = Object(arrayLike);\n\n   // 3. ReturnIfAbrupt(items).\n   if (arrayLike == null) {\n   throw new TypeError('Array.from requires an array-like object - not null or undefined');\n   }\n\n   // 4. If mapfn is undefined, then let mapping be false.\n   var mapFn = arguments.length > 1 ? arguments[1] : void undefined;\n   var T = void 0;\n\n   if (typeof mapFn !== 'undefined') {\n   // 5. else\n   // 5. a If IsCallable(mapfn) is false, throw a TypeError exception.\n   if (!isCallable(mapFn)) {\n   throw new TypeError('Array.from: when provided, the second argument must be a function');\n   }\n\n   // 5. b. If thisArg was supplied, let T be thisArg; else let T be undefined.\n   if (arguments.length > 2) {\n   T = arguments[2];\n   }\n   }\n\n   // 10. Let lenValue be Get(items, \"length\").\n   // 11. Let len be ToLength(lenValue).\n   var len = toLength(items.length);\n\n   // 13. If IsConstructor(C) is true, then\n   // 13. a. Let A be the result of calling the [[Construct]] internal method\n   // of C with an argument list containing the single item len.\n   // 14. a. Else, Let A be ArrayCreate(len).\n   var A = isCallable(C) ? Object(new C(len)) : new Array(len);\n\n   // 16. Let k be 0.\n   var k = 0;\n   // 17. Repeat, while k < len… (also steps a - h)\n   var kValue = void 0;\n   while (k < len) {\n   kValue = items[k];\n   if (mapFn) {\n   A[k] = typeof T === 'undefined' ? mapFn(kValue, k) : mapFn.call(T, kValue, k);\n   } else {\n   A[k] = kValue;\n   }\n   k += 1;\n   }\n   // 18. Let putStatus be Put(A, \"length\", len, true).\n   A.length = len;\n   // 20. Return A.\n   return A;\n   };\n }();\n}\n\n// https://tc39.github.io/ecma262/#sec-

array.prototype.find\n// Needed for IE support\nif (!Array.prototype.find) {\n // eslint-disable-next-line no-extend-native\n Object.defineProperty(Array.prototype, 'find', {\n value: function value(predicate) {\n // 1. Let O be ? ToObject(this value).\n if (this == null) {\n throw new TypeError('\"this\" is null or not defined');\n }\n\n var o = Object(this);\n\n // 2. Let len be ? ToLength(? Get(O, \"length\")).\n var len = o.length >>> 0;\n\n // 3. If IsCallable(predicate) is false, throw a TypeError exception.\n if (typeof predicate !== 'function') {\n throw new TypeError('predicate must be a function');\n }\n\n // 4. If thisArg was supplied, let T be thisArg; else let T be undefined.\n var thisArg = arguments[1];\n\n // 5. Let k be 0.\n var k = 0;\n\n // 6. Repeat, while k < len\n while (k < len) {\n // a. Let Pk be ! ToString(k).\n // b. Let kValue be ? Get(O, Pk).\n // c. Let testResult be ToBoolean(? Call(predicate, T, « kValue, k, O »)).\n // d. If testResult is true, return kValue.\n var kValue = o[k];\n if (predicate.call(thisArg, kValue, k, o)) {\n return kValue;\n }\n // e. Increase k by 1.\n k++;\n }\n\n // 7. Return undefined.\n return undefined;\n } });\n}\n\nif (!Array.isArray) {\n Array.isArray = function (arg) {\n return Object.prototype.toString.call(arg) === '[object Array]';\n };\n}\n\n// Static\nexport var from = Array.from;\nexport var isArray = Array.isArray;\n\n// Instance\nexport var arrayIncludes = function arrayIncludes(array, value) {\n return array.indexOf(value) !== -1;\n};\nexport var arrayFind = function arrayFind(array, fn, thisArg) {\n return array.find(fn, thisArg);\n};\nexport function concat() {\n return Array.prototype.concat.apply([], arguments);\n}","export default function identity(x) {\n return x;\n}","import { keys } from './object';\nimport { isArray } from './array';\nimport identity from './identity';\n\n/**\n * Given an array of properties or an object of property keys,\n * plucks all the values off the target object.\n * @param {{}|string[]} keysToPluck\n * @param {{}} objToPluck\n * @param {Function} transformFn\n * @return {{}}\n */\nexport default function pluckProps(keysToPluck, objToPluck) {\n var transformFn = arguments.length > 2 && arguments[2] !== undefined ? arguments[2] : identity;\n\n return (isArray(keysToPluck) ? keysToPluck.slice() : keys(keysToPluck)).reduce(function (memo, prop) {\n // eslint-disable-next-line no-sequences\n return memo[transformFn(prop)] = objToPluck[prop], memo;\n }, {});\n}","import { from as arrayFrom } from './array';\n\n// Determine if an element is an HTML Element\nexport var isElement = function isElement(el) {\n return el && el.nodeType === Node.ELEMENT_NODE;\n};\n\n// Determine if an HTML element is visible - Faster than CSS check\nexport var isVisible = function isVisible(el) {\n return isElement(el) && document.body.contains(el) && el.getBoundingClientRect().height > 0 && el.getBoundingClientRect().width > 0;\n};\n\n// Determine if an element is disabled\nexport var isDisabled = function isDisabled(el) {\n return !isElement(el) || el.disabled || el.classList.contains('disabled') || Boolean(el.getAttribute('disabled'));\n};\n\n// Cause/wait-for an element to reflow it's content (adjusting it's height/width)\nexport var reflow = function reflow(el) {\n // requsting an elements offsetHight will trigger a reflow of the element content\n return isElement(el) && el.offsetHeight;\n};\n\n// Select all elements matching selector. Returns [] if none found\nexport var selectAll = function selectAll(selector, root) {\n if (!isElement(root)) {\n root = document;\n }\n return arrayFrom(root.querySelectorAll(selector));\n};\n\n// Select a single element, returns null if not found\nexport var select = function select(selector, root) {\n if (!isElement(root)) {\n root = document;\n }\n return root.querySelector(selector) || null;\n};\n\n// Determine if an element matches a selector\nexport var matches = function matches(el, selector) {\n if (!isElement(el)) {\n return false;\n }\n\n // https://developer.mozilla.org/en-US/docs/Web/API/Element/matches#Polyfill\n // Prefer native implementations over polyfill function\n var proto = Element.prototype;\n var Matches = proto.matches || proto.matchesSelector || proto.mozMatchesSelector || proto.msMatchesSelector || proto.oMatchesSelector || proto.webkitMatchesSelector ||\n /* istanbul ignore next */\n function (sel) {\n var element = this;\n var m = selectAll(sel, element.document || element.ownerDocument);\n var i = m.length;\n // eslint-disable-next-line no-empty\n while (--i >= 0 && m.item(i) !== element) {}\n return i > -1;\n };\n\n return Matches.call(el, selector);\n};\n\n// Finds closest element matching selector. Returns null if not found\nexport var closest = function closest(selector, root) {\n if (!isElement(root)) {\n return null;\n }\n\n // https://developer.mozilla.org/en-US/docs/Web/API/Element/closest\n // Since we dont support IE < 10, we can use the \"Matches\" version of the polyfill for speed\n // Prefer native implementation over polyfill function\n var Closest = Element.prototype.closest ||\n /* istanbul ignore next */\n function (sel) {\n var element = this;\n if

(!document.documentElement.contains(element)) {\n return null;\n }\n do {\n // Use our \"patched\" matches function\n if (matches(element, sel)) {\n return element;\n }\n element = element.parentElement;\n } while (element !== null);\n return null;\n };\n\n var el = Closest.call(root, selector);\n // Emulate jQuery closest and return null if match is the passed in element (root)\n return el === root ? null : el;\n};\n\n\n// Get an element given an ID\nexport var getById = function getById(id) {\n return document.getElementById(/^#/.test(id) ? id.slice(1) : id) || null;\n};\n\n\n// Add a class to an element\nexport var addClass = function addClass(el, className) {\n if (className && isElement(el)) {\n el.classList.add(className);\n }\n};\n\n\n// Remove a class from an element\nexport var removeClass = function removeClass(el, className) {\n if (className && isElement(el)) {\n el.classList.remove(className);\n }\n};\n\n\n// Test if an element has a class\nexport var hasClass = function hasClass(el, className) {\n if (className && isElement(el)) {\n return el.classList.contains(className);\n }\n return false;\n};\n\n\n// Set an attribute on an element\nexport var setAttr = function setAttr(el, attr, value) {\n if (attr && isElement(el)) {\n el.setAttribute(attr, value);\n }\n};\n\n\n// Remove an attribute from an element\nexport var removeAttr = function removeAttr(el, attr) {\n if (attr && isElement(el)) {\n el.removeAttribute(attr);\n }\n};\n\n\n// Get an attribute value from an element (returns null if not found)\nexport var getAttr = function getAttr(el, attr) {\n if (attr && isElement(el)) {\n return el.getAttribute(attr);\n }\n return null;\n};\n\n\n// Determine if an attribute exists on an element (returns true or false, or null if element not found)\nexport var hasAttr = function hasAttr(el, attr) {\n if (attr && isElement(el)) {\n return el.hasAttribute(attr);\n }\n return null;\n};\n\n\n// Return the Bounding Client Rec of an element. Retruns null if not an element\nexport var getBCR = function getBCR(el) {\n return isElement(el) ? el.getBoundingClientRect() : null;\n};\n\n\n// Get computed style object for an element\nexport var getCS = function getCS(el) {\n return isElement(el) ? window.getComputedStyle(el) : {};\n};\n\n\n// Return an element's offset wrt document element\n// https://j11y.io/jquery/#v=git&fn=jQuery.fn.offset\nexport var offset = function offset(el) {\n if (isElement(el)) {\n if (!el.getClientRects().length) {\n return { top: 0, left: 0 };\n }\n var bcr = getBCR(el);\n var win = el.ownerDocument.defaultView;\n return {\n top: bcr.top + win.pageYOffset,\n left: bcr.left + win.pageXOffset\n };\n }\n};\n\n\n// Return an element's offset wrt to it's offsetParent\n// https://j11y.io/jquery/#v=git&fn=jQuery.fn.position\nexport var position = function position(el) {\n if (!isElement(el)) {\n return;\n }\n var parentOffset = { top: 0, left: 0 };\n var offsetSelf = void 0;\n var offsetParent = void 0;\n if (getCS(el).position === 'fixed') {\n offsetSelf = getBCR(el);\n } else {\n offsetSelf = offset(el);\n var doc = el.ownerDocument;\n offsetParent = el.offsetParent || doc.documentElement;\n while (offsetParent && (offsetParent === doc.body || offsetParent === doc.documentElement) && getCS(offsetParent).position === 'static') {\n offsetParent = offsetParent.parentNode;\n }\n if (offsetParent && offsetParent !== el && offsetParent.nodeType === Node.ELEMENT_NODE) {\n parentOffset = offset(offsetParent);\n parentOffset.top += parseFloat(getCS(offsetParent).borderTopWidth);\n parentOffset.left += parseFloat(getCS(offsetParent).borderLeftWidth);\n }\n }\n return {\n top: offsetSelf.top - parentOffset.top - parseFloat(getCS(el).marginTop),\n left: offsetSelf.left - parentOffset.left - parseFloat(getCS(el).marginLeft)\n };\n};\n\n\n// Attach an event listener to an element\nexport var eventOn = function eventOn(el, evtName, handler) {\n if (el && el.addEventListener) {\n el.addEventListener(evtName, handler);\n }\n};\n\n\n// Remove an event listener from an element\nexport var eventOff = function eventOff(el, evtName, handler) {\n if (el && el.removeEventListener) {\n el.removeEventListener(evtName, handler);\n }\n};","var _typeof = typeof Symbol === \"function\" && typeof Symbol.iterator === \"symbol\" ? function (obj) { return typeof obj; } : function (obj) { return obj && typeof Symbol === \"function\" && obj.constructor === Symbol && obj !== Symbol.prototype ? \"symbol\" : typeof obj; };\n\nimport { assign, keys } from '../../utils/object';\nimport { arrayIncludes, concat } from '../../utils/array';\nimport { mergeData } from 'vue-functional-data-merge';\n\n/**\n * The Link component is used in many other BV components.\n * As such, sharing its props makes supporting all its features easier.\n * However, some components need to modify the defaults for their own purpose.\n * Prefer sharing a fresh copy of the props to ensure mutations\n * do not affect other component references to the props.\n *\n * https://github.com/vuejs/vue-router/blob/dev/src/components/link.js\n * @return {{}}\n */\nexport function propsFactory() {\n return {\n href: {\n type: String,\n default: null\n

},\n rel: {\n   type: String,\n   default: null\n },\n target: {\n   type: String,\n   default: '_self'\n },\n active: {\n   type: Boolean,\n   default: false\n },\n activeClass: {\n   type: String,\n   default: 'active'\n },\n append: {\n   type: Boolean,\n   default: false\n },\n disabled: {\n   type: Boolean,\n   default: false\n },\n event: {\n   type: [String, Array],\n   default: 'click'\n },\n exact: {\n   type: Boolean,\n   default: false\n },\n exactActiveClass: {\n   type: String,\n   default: 'active'\n },\n replace: {\n   type: Boolean,\n   default: false\n },\n routerTag: {\n   type: String,\n   default: 'a'\n },\n to: {\n   type: [String, Object],\n   default: null\n }\n };\n}\n\nexport var props = propsFactory();\n\nexport function pickLinkProps(propsToPick) {\n var freshLinkProps = propsFactory();\n // Normalize everything to array.\n propsToPick = concat(propsToPick);\n\n return keys(freshLinkProps).reduce(function (memo, prop) {\n   if (arrayIncludes(propsToPick, prop)) {\n   memo[prop] = freshLinkProps[prop];\n   }\n\n   return memo;\n }, {});\n}\n\nexport function omitLinkProps(propsToOmit) {\n var freshLinkProps = propsFactory();\n // Normalize everything to array.\n propsToOmit = concat(propsToOmit);\n\n return keys(props).reduce(function (memo, prop) {\n   if (!arrayIncludes(propsToOmit, prop)) {\n   memo[prop] = freshLinkProps[prop];\n   }\n\n   return memo;\n }, {});\n}\n\nexport var computed = {\n linkProps: function linkProps() {\n   var linkProps = {};\n   var propKeys = keys(props);\n\n   for (var i = 0; i < propKeys.length; i++) {\n   var prop = propKeys[i];\n   // Computed Vue getters are bound to the instance.\n   linkProps[prop] = this[prop];\n   }\n\n   return linkProps;\n }\n};\n\nfunction computeTag(props, parent) {\n return Boolean(parent.$router) && props.to && !props.disabled ? 'router-link' : 'a';\n}\n\nfunction computeHref(_ref, tag) {\n var disabled = _ref.disabled,\n   href = _ref.href,\n   to = _ref.to;\n\n // We've already checked the parent.$router in computeTag,\n // so router-link means live router.\n // When deferring to Vue Router's router-link,\n // don't use the href attr at all.\n // Must return undefined for router-link to populate href.\n if (tag === 'router-link') return void 0;\n // If href explicitly provided\n if (href) return href;\n // Reconstruct href when `to` used, but no router\n if (to) {\n   // Fallback to `to` prop (if `to` is a string)\n   if (typeof to === 'string') return to;\n   // Fallback to `to.path` prop (if `to` is an object)\n   if ((typeof to === 'undefined' ? 'undefined' : _typeof(to)) === 'object' && typeof to.path === 'string') return to.path;\n }\n // If nothing is provided use '#'\n return '#';\n}\n\nfunction computeRel(_ref2) {\n var target = _ref2.target,\n   rel = _ref2.rel;\n\n if (target === '_blank' && rel === null) {\n   return 'noopener';\n }\n return rel || null;\n}\n\nfunction clickHandlerFactory(_ref3) {\n var disabled = _ref3.disabled,\n   tag = _ref3.tag,\n   href = _ref3.href,\n   suppliedHandler = _ref3.suppliedHandler,\n   parent = _ref3.parent;\n\n var isRouterLink = tag === 'router-link';\n\n return function onClick(e) {\n   if (disabled && e instanceof Event) {\n   // Stop event from bubbling up.\n   e.stopPropagation();\n   // Kill the event loop attached to this specific EventTarget.\n   e.stopImmediatePropagation();\n   } else {\n   parent.$root.$emit('clicked::link', e);\n\n   if (isRouterLink && e.target.__vue__) {\n   e.target.__vue__.$emit('click', e);\n   }\n   if (typeof suppliedHandler === 'function') {\n   suppliedHandler.apply(undefined, arguments);\n   }\n   }\n\n   if (!isRouterLink && href === '#' || disabled) {\n   // Stop scroll-to-top behavior or navigation.\n   e.preventDefault();\n   }\n };\n}\n\nexport default {\n functional: true,\n props: propsFactory(),\n render: function render(h, _ref4) {\n   var props = _ref4.props,\n   data = _ref4.data,\n   parent = _ref4.parent,\n   children = _ref4.children;\n\n   var tag = computeTag(props, parent);\n   var rel = computeRel(props);\n   var href = computeHref(props, tag);\n   var eventType = tag === 'router-link' ? 'nativeOn' : 'on';\n   var suppliedHandler = (data[eventType] || {}).click;\n   var handlers = { click: clickHandlerFactory({ tag: tag, href: href, disabled: props.disabled, suppliedHandler: suppliedHandler, parent: parent }) };\n\n   var componentData = mergeData(data, {\n   class: [props.active ? props.exact ? props.exactActiveClass : props.activeClass : null, { disabled: props.disabled }],\n   attrs: {\n   rel: rel,\n   href: href,\n   target: props.target,\n   tabindex: props.disabled ? '-1' : data.attrs ? data.attrs.tabindex : null,\n   'aria-disabled': tag === 'a' && props.disabled ? 'true' : null\n   },\n   props: assign(props, { tag: props.routerTag })\n   });\n\n   // If href prop exists on router-link (even undefined or null) it fails working on SSR\n   if (!componentData.attrs.href) {\n   delete componentData.attrs.href;\n   }\n\n   // We want to overwrite any click handler since our callback\n   // will invoke the supplied handler if !props.disabled\n   componentData[eventType] = assign(componentData[eventType] || {}, handlers);\n\n   return h(tag, componentData, children);\n }\n};",
"function _defineProperty(obj, key, value) { if (key in obj) { Object.defineProperty(obj, key, { value: value,

enumerable: true, configurable: true, writable: true }); } else { obj[key] = value; } return obj; }\n\nimport { mergeData } from 'vue-functional-data-merge';\nimport pluckProps from '../../utils/pluck-props';\nimport { concat } from '../../utils/array';\nimport { assign, keys } from '../../utils/object';\nimport { addClass, removeClass } from '../../utils/dom';\nimport Link, { propsFactory as linkPropsFactory } from '../link/link';\n\nvar btnProps = {\n block: {\n type: Boolean,\n default: false\n },\n disabled: {\n type: Boolean,\n default: false\n },\n size: {\n type: String,\n default: null\n },\n variant: {\n type: String,\n default: null\n },\n type: {\n type: String,\n default: 'button'\n },\n pressed: {\n // tri-state prop: true, false or null\n // => on, off, not a toggle\n type: Boolean,\n default: null\n }\n};\n\nvar linkProps = linkPropsFactory();\ndelete linkProps.href.default;\ndelete linkProps.to.default;\nvar linkPropKeys = keys(linkProps);\nexport var props = assign(linkProps, btnProps);\n\nfunction handleFocus(evt) {\n if (evt.type === 'focusin') {\n addClass(evt.target, 'focus');\n } else if (evt.type === 'focusout') {\n removeClass(evt.target, 'focus');\n }\n}\n\nexport default {\n functional: true,\n props: props,\n render: function render(h, _ref) {\n var _ref2;\n\n var props = _ref.props,\n data = _ref.data,\n listeners = _ref.listeners,\n children = _ref.children;\n\n var isLink = Boolean(props.href || props.to);\n var isToggle = typeof props.pressed === 'boolean';\n var on = {\n click: function click(e) {\n if (props.disabled && e instanceof Event) {\n e.stopPropagation();\n e.preventDefault();\n } else if (isToggle) {\n // Concat will normalize the value to an array\n // without double wrapping an array value in an array.\n concat(listeners['update:pressed']).forEach(function (fn) {\n if (typeof fn === 'function') {\n fn(!props.pressed);\n }\n });\n }\n }\n };\n\n if (isToggle) {\n on.focusin = handleFocus;\n on.focusout = handleFocus;\n }\n\n var componentData = {\n staticClass: 'btn',\n class: [props.variant ? 'btn-' + props.variant : 'btn-secondary', (_ref2 = {}, _defineProperty(_ref2, 'btn-' + props.size, Boolean(props.size)), _defineProperty(_ref2, 'btn-block', props.block), _defineProperty(_ref2, 'disabled', props.disabled), _defineProperty(_ref2, 'active', props.pressed), _ref2)],\n props: isLink ? pluckProps(linkPropKeys, props) : null,\n attrs: {\n type: isLink ? null : props.type,\n disabled: isLink ? null : props.disabled,\n // Data attribute not used for js logic,\n // but only for BS4 style selectors.\n 'data-toggle': isToggle ? 'button' : null,\n 'aria-pressed': isToggle ? String(props.pressed) : null,\n // Tab index is used when the component becomes a link.\n // Links are tabable, but don't allow disabled,\n // so we mimic that functionality by disabling tabbing.\n tabindex: props.disabled && isLink ? '-1' : data.attrs ? data.attrs['tabindex'] : null\n },\n on: on\n };\n\n return h(isLink ? Link : 'button', mergeData(data, componentData), children);\n }\n};","function _defineProperty(obj, key, value) { if (key in obj) { Object.defineProperty(obj, key, { value: value, enumerable: true, configurable: true, writable: true }); } else { obj[key] = value; } return obj; }\n\nimport { mergeData } from 'vue-functional-data-merge';\n\nvar props = {\n disabled: {\n type: Boolean,\n default: false\n },\n ariaLabel: {\n type: String,\n default: 'Close'\n },\n textVariant: {\n type: String,\n default: null\n }\n};\n\nexport default {\n functional: true,\n props: props,\n render: function render(h, _ref) {\n var props = _ref.props,\n data = _ref.data,\n listeners = _ref.listeners,\n slots = _ref.slots;\n\n var componentData = {\n staticClass: 'close',\n class: _defineProperty({}, 'text-' + props.textVariant, props.textVariant),\n attrs: {\n type: 'button',\n disabled: props.disabled,\n 'aria-label': props.ariaLabel ? String(props.ariaLabel) : null\n },\n on: {\n click: function click(e) {\n // Ensure click on button HTML content is also disabled\n if (props.disabled && e instanceof Event) {\n e.stopPropagation();\n e.preventDefault();\n }\n }\n }\n // Careful not to override the slot with innerHTML\n };if (!slots().default) {\n componentData.domProps = { innerHTML: '×' };\n }\n return h('button', mergeData(data, componentData), slots().default);\n }\n};","/*\n * SSR Safe Client Side ID attribute generation\n *\n */\nexport default {\n props: {\n id: {\n type: String,\n default: null\n }\n },\n methods: {\n safeId: function safeId() {\n var suffix = arguments.length > 0 && arguments[0] !== undefined ? arguments[0] : '';\n\n var id = this.id || this.localId_ || null;\n if (!id) {\n return null;\n }\n suffix = String(suffix).replace(/\\s+/g, '_');\n return suffix ? id + '_' + suffix : id;\n }\n },\n computed: {\n localId_: function localId_() {\n if (!this.$isServer && !this.id && typeof this._uid !== 'undefined') {\n return '__BVID__' + this._uid;\n }\n }\n }\n};","function _toConsumableArray(arr) { if (Array.isArray(arr)) { for (var i = 0, arr2 = Array(arr.length); i < arr.length; i++) {

arr2[i] = arr[i]; } return arr2; } else { return Array.from(arr); } }\n\nimport { isArray } from '../utils/array';\n/**\n * Issue #569: collapse::toggle::state triggered too many times\n * @link https://github.com/bootstrap-vue/bootstrap-vue/issues/569 */\n\nvar BVRL = '__BV_root_listeners__';\n\nexport default {\n methods: {\n /**\n * Safely register event listeners on the root Vue node.\n * While Vue automatically removes listeners for individual components,\n * when a component registers a listener on root and is destroyed,\n * this orphans a callback because the node is gone,\n * but the root does not clear the callback.\n *\n * This adds a non-reactive prop to a vm on the fly\n * in order to avoid object observation and its performance costs\n * to something that needs no reactivity.\n * It should be highly unlikely there are any naming collisions.\n * @param {string} event\n * @param {function} callback\n * @chainable\n */\n listenOnRoot: function listenOnRoot(event, callback) {\n if (!this[BVRL] || !isArray(this[BVRL])) {\n this[BVRL] = [];\n }\n this[BVRL].push({ event: event, callback: callback });\n this.$root.$on(event, callback);\n return this;\n },\n\n\n /**\n * Convenience method for calling vm.$emit on vm.$root.\n * @param {string} event\n * @param {*} args\n * @chainable\n */\n emitOnRoot: function emitOnRoot(event) {\n var _$root;\n\n for (var _len = arguments.length, args = Array(_len > 1 ? _len - 1 : 0), _key = 1; _key < _len; _key++) {\n args[_key - 1] = arguments[_key];\n }\n\n (_$root = this.$root).$emit.apply(_$root, [event].concat(_toConsumableArray(args)));\n return this;\n }\n },\n\n beforeDestroy: function beforeDestroy() {\n if (this[BVRL] && isArray(this[BVRL])) {\n while (this[BVRL].length > 0) {\n // shift to process in order\n var _BVRL$shift = this[BVRL].shift(),\n event = _BVRL$shift.event,\n callback = _BVRL$shift.callback;\n\n this.$root.$off(event, callback);\n }\n }\n }\n};","import { assign } from './object';\nimport { isElement } from '../utils/dom';\n\n/**\n * Observe a DOM element changes, falls back to eventListener mode\n * @param {Element} el The DOM element to observe\n * @param {Function} callback callback to be called on change\n * @param {object} [opts={childList: true, subtree: true}] observe options\n * @see http://stackoverflow.com/questions/3219758\n */\nexport default function observeDOM(el, callback, opts) {\n var MutationObserver = window.MutationObserver || window.WebKitMutationObserver || window.MozMutationObserver;\n var eventListenerSupported = window.addEventListener;\n\n // Handle case where we might be passed a vue instance\n el = el ? el.$el || el : null;\n /* istanbul ignore next: dificult to test in JSDOM */\n if (!isElement(el)) {\n // We can't observe somthing that isn't an element\n return null;\n }\n\n var obs = null;\n\n /* istanbul ignore next: dificult to test in JSDOM */\n if (MutationObserver) {\n // Define a new observer\n obs = new MutationObserver(function (mutations) {\n var changed = false;\n // A Mutation can contain several change records, so we loop through them to see what has changed.\n // We break out of the loop early if any \"significant\" change has been detected\n for (var i = 0; i < mutations.length && !changed; i++) {\n // The muttion record\n var mutation = mutations[i];\n // Mutation Type\n var type = mutation.type;\n // DOM Node (could be any DOM Node type - HTMLElement, Text, comment, etc)\n var target = mutation.target;\n if (type === 'characterData' && target.nodeType === Node.TEXT_NODE) {\n // We ignore nodes that are not TEXt (i.e. comments, etc) as they don't change layout\n changed = true;\n } else if (type === 'attributes') {\n changed = true;\n } else if (type === 'childList' && (mutation.addedNodes.length > 0 || mutation.removedNodes.length > 0)) {\n // This includes HTMLElement and Text Nodes being added/removed/re-arranged\n changed = true;\n }\n }\n if (changed) {\n // We only call the callback if a change that could affect layout/size truely happened.\n callback();\n }\n });\n\n // Have the observer observe foo for changes in children, etc\n obs.observe(el, assign({ childList: true, subtree: true }, opts));\n } else if (eventListenerSupported) {\n // Legacy interface. most likely not used in modern browsers\n el.addEventListener('DOMNodeInserted', callback, false);\n el.addEventListener('DOMNodeRemoved', callback, false);\n }\n\n // We return a reference to the observer so that obs.disconnect() can be called if necessary\n // To reduce overhead when the root element is hiiden\n return obs;\n}","/**\n * Log a warning message to the console with bootstrap-vue formatting sugar.\n * @param {string} message */\n/* istanbul ignore next */\nfunction warn(message) {\n console.warn(\"[Bootstrap-Vue warn]: \" + message);\n}\n\nexport default warn;","/*\n * Key Codes (events)\n */\nexport default {\n SPACE: 32,\n ENTER: 13,\n ESC: 27,\n LEFT: 37,\n UP: 38,\n RIGHT: 39,\n DOWN: 40,\n PAGEUP: 33,\n PAGEDOWN:

34,\n HOME: 36,\n END: 35\n};","var _createClass = function () { function defineProperties(target, props) { for (var i = 0; i < props.length; i++) { var descriptor = props[i]; descriptor.enumerable = descriptor.enumerable || false; descriptor.configurable = true; if (\"value\" in descriptor) descriptor.writable = true; Object.defineProperty(target, descriptor.key, descriptor); } } return function (Constructor, protoProps, staticProps) { if (protoProps) defineProperties(Constructor.prototype, protoProps); if (staticProps) defineProperties(Constructor, staticProps); return Constructor; }; }();\n\nfunction _classCallCheck(instance, Constructor) { if (!(instance instanceof Constructor)) { throw new TypeError(\"Cannot call a class as a function\"); } }\n\nimport { assign, defineProperty, defineProperties, readonlyDescriptor } from '../utils/object';\n\nvar BvEvent = function () {\n function BvEvent(type) {\n   var eventInit = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : {};\n\n   _classCallCheck(this, BvEvent);\n\n   // Start by emulating native Event constructor.\n   if (!type) {\n   throw new TypeError('Failed to construct \\" + this.constructor.name + '\\'. 1 argument required, ' + arguments.length + ' given.');\n   }\n   // Assign defaults first, the eventInit,\n   // and the type last so it can't be overwritten.\n   assign(this, BvEvent.defaults(), eventInit, { type: type });\n   // Freeze some props as readonly, but leave them enumerable.\n   defineProperties(this, {\n   type: readonlyDescriptor(),\n   cancelable: readonlyDescriptor(),\n   nativeEvent: readonlyDescriptor(),\n   target: readonlyDescriptor(),\n   relatedTarget: readonlyDescriptor(),\n   vueTarget: readonlyDescriptor()\n   });\n   // Create a private variable using closure scoping.\n   var defaultPrevented = false;\n   // Recreate preventDefault method. One way setter.\n   this.preventDefault = function preventDefault() {\n   if (this.cancelable) {\n   defaultPrevented = true;\n   }\n   };\n   // Create 'defaultPrevented' publicly accessible prop\n   // that can only be altered by the preventDefault method.\n   defineProperty(this, 'defaultPrevented', {\n   enumerable: true,\n   get: function get() {\n   return defaultPrevented;\n   }\n   });\n }\n\n _createClass(BvEvent, null, [{\n   key: 'defaults',\n   value: function defaults() {\n   return {\n   type: ",\n   cancelable: true,\n   nativeEvent: null,\n   target: null,\n   relatedTarget: null,\n   vueTarget: null\n   };\n   }\n }]);\n\n return BvEvent;\n}();\n\nexport default BvEvent;","function _defineProperty(obj, key, value) { if (key in obj) { Object.defineProperty(obj, key, { value: value, enumerable: true, configurable: true, writable: true }); } else { obj[key] = value; } return obj; }\n\nimport bBtn from '../button/button';\nimport bBtnClose from '../button/button-close';\nimport idMixin from '../../mixins/id';\nimport listenOnRootMixin from '../../mixins/listen-on-root';\nimport observeDom from '../../utils/observe-dom';\nimport warn from '../../utils/warn';\nimport KeyCodes from '../../utils/key-codes';\nimport BvEvent from '../../utils/bv-event.class';\nimport { isVisible, selectAll, select, getBCR, addClass, removeClass, hasClass, setAttr, removeAttr, getAttr, hasAttr, eventOn, eventOff } from '../../utils/dom';\n\n// Selectors for padding/margin adjustments\nvar Selector = {\n FIXED_CONTENT: '.fixed-top, .fixed-bottom, .is-fixed, .sticky-top',\n STICKY_CONTENT: '.sticky-top',\n NAVBAR_TOGGLER: '.navbar-toggler'\n\n // ObserveDom config\n};var OBSERVER_CONFIG = {\n subtree: true,\n childList: true,\n characterData: true,\n attributes: true,\n attributeFilter: ['style', 'class']\n};\n\nexport default {\n mixins: [idMixin, listenOnRootMixin],\n components: { bBtn: bBtn, bBtnClose: bBtnClose },\n render: function render(h) {\n   var _this = this;\n\n   var $slots = this.$slots;\n   // Modal Header\n   var header = h(false);\n   if (!this.hideHeader) {\n   var modalHeader = $slots['modal-header'];\n   if (!modalHeader) {\n   var closeButton = h(false);\n   if (!this.hideHeaderClose) {\n   closeButton = h('b-btn-close', {\n   props: {\n   disabled: this.is_transitioning,\n   ariaLabel: this.headerCloseLabel,\n   textVariant: this.headerTextVariant\n   },\n   on: {\n   click: function click(evt) {\n   _this.hide('header-close');\n   }\n   }\n   }, [$slots['modal-header-close']]);\n   }\n   modalHeader = [h(this.titleTag, { class: ['modal-title'] }, [$slots['modal-title'] || this.title]), closeButton];\n   }\n   header = h('header', {\n   ref: 'header',\n   class: this.headerClasses,\n   attrs: { id: this.safeId('__BV_modal_header_') }\n   }, [modalHeader]);\n   }\n   // Modal Body\n   var body = h('div', {\n   ref: 'body',\n   class: this.bodyClasses,\n   attrs: { id: this.safeId('__BV_modal_body_') }\n   }, [$slots.default]);\n   // Modal Footer\n   var footer = h(false);\n   if (!this.hideFooter) {\n   var modalFooter = $slots['modal-footer'];\n   if (!modalFooter) {\n   var cancelButton = h(false);\n   if (!this.okOnly) {\n   cancelButton = h('b-btn', {\n   props: {\n   variant: this.cancelVariant,\n   size: this.buttonSize,\n   disabled: this.cancelDisabled || this.busy ||

this.is_transitioning\n   },\n   on: {\n   click: function click(evt) {\n   _this.hide('cancel');\n
}\n   }\n   }, [$slots['modal-cancel'] || this.cancelTitle]);\n   }\n   var okButton = h('b-btn', {\n
props: {\n   variant: this.okVariant,\n   size: this.buttonSize,\n   disabled: this.okDisabled ||
this.busy || this.is_transitioning\n   },\n   on: {\n   click: function click(evt) {\n
_this.hide('ok');\n   }\n   }\n   }, [$slots['modal-ok'] || this.okTitle]);\n   modalFooter = [cancelButton,
okButton];\n   }\n   footer = h('footer', {\n   ref: 'footer',\n   class: this.footerClasses,\n   attrs: { id:
this.safeId('__BV_modal_footer_') }\n   }, [modalFooter]);\n   }\n   // Assemble Modal Content\n   var
modalContent = h('div', {\n   ref: 'content',\n   class: ['modal-content'],\n   attrs: {\n   tabindex: '-1',\n
role: 'document',\n   'aria-labelledby': this.hideHeader ? null : this.safeId('__BV_modal_header_'),\n   'aria-
describedby': this.safeId('__BV_modal_body_')\n   },\n   on: {\n   focusout: this.onFocusout,\n   click:
function click(evt) {\n   evt.stopPropagation();\n   // https://github.com/bootstrap-vue/bootstrap-
vue/issues/1528\n   _this.$root.$emit('bv::dropdown::shown');\n   }\n   }\n   }, [header, body, footer]);\n
// Modal Dialog wrapper\n   var modalDialog = h('div', { class: this.dialogClasses }, [modalContent]);\n   //
Modal\n   var modal = h('div', {\n   ref: 'modal',\n   class: this.modalClasses,\n   directives: [{\n   name:
'show',\n   rawName: 'v-show',\n   value: this.is_visible,\n   expression: 'is_visible'\n   }],\n   attrs: {\n
id: this.safeId(),\n   role: 'dialog',\n   'aria-hidden': this.is_visible ? null : 'true'\n   },\n   on: {\n   click:
this.onClickOut,\n   keydown: this.onEsc\n   }\n   }, [modalDialog]);\n   // Wrap modal in transition\n   modal
= h('transition', {\n   props: {\n   enterClass: '',\n   enterToClass: '',\n   enterActiveClass: '',\n
leaveClass: '',\n   leaveActiveClass: '',\n   leaveToClass: ''\n   },\n   on: {\n   'before-enter':
this.onBeforeEnter,\n   enter: this.onEnter,\n   'after-enter': this.onAfterEnter,\n   'before-leave':
this.onBeforeLeave,\n   leave: this.onLeave,\n   'after-leave': this.onAfterLeave\n   }\n   }, [modal]);\n   //
Modal Backdrop\n   var backdrop = h(false);\n   if (!this.hideBackdrop && (this.is_visible || this.is_transitioning))
{\n   backdrop = h('div', {\n   class: this.backdropClasses,\n   attrs: { id:
this.safeId('__BV_modal_backdrop_') }\n   });\n   }\n   // Assemble modal and backdrop\n   var outer =
h(false);\n   if (!this.is_hidden) {\n   outer = h('div', { attrs: { id: this.safeId('__BV_modal_outer_') } }, [modal,
backdrop]);\n   }\n   // Wrap in DIV to maintain thi.$el reference for hide/show method aceess\n   return h('div', {},
[outer]);\n   },\n   data: function data() {\n   return {\n   is_hidden: this.lazy || false,\n   is_visible: false,\n
is_transitioning: false,\n   is_show: false,\n   is_block: false,\n   scrollbarWidth: 0,\n   isBodyOverflowing:
false,\n   return_focus: this.returnFocus || null\n   };\n   },\n\n   model: {\n   prop: 'visible',\n   event: 'change'\n
},\n   props: {\n   title: {\n   type: String,\n   default: ''\n   },\n   titleTag: {\n   type: String,\n   default: 'h5'\n
},\n   size: {\n   type: String,\n   default: 'md'\n   },\n   centered: {\n   type: Boolean,\n   default: false\n
},\n   buttonSize: {\n   type: String,\n   default: ''\n   },\n   noFade: {\n   type: Boolean,\n   default: false\n
},\n   noCloseOnBackdrop: {\n   type: Boolean,\n   default: false\n   },\n   noCloseOnEsc: {\n   type:
Boolean,\n   default: false\n   },\n   noEnforceFocus: {\n   type: Boolean,\n   default: false\n   },\n
headerBgVariant: {\n   type: String,\n   default: null\n   },\n   headerBorderVariant: {\n   type: String,\n
default: null\n   },\n   headerTextVariant: {\n   type: String,\n   default: null\n   },\n   headerClass: {\n   type:
[String, Array],\n   default: null\n   },\n   bodyBgVariant: {\n   type: String,\n   default: null\n   },\n
bodyTextVariant: {\n   type: String,\n   default: null\n   },\n   modalClass: {\n   type: [String, Array],\n
default: null\n   },\n   bodyClass: {\n   type: [String, Array],\n   default: null\n   },\n   footerBgVariant: {\n
type: String,\n   default: null\n   },\n   footerBorderVariant: {\n   type: String,\n   default: null\n   },\n
footerTextVariant: {\n   type: String,\n   default: null\n   },\n   footerClass: {\n   type: [String, Array],\n
default: null\n   },\n   hideHeader: {\n   type: Boolean,\n   default: false\n   },\n   hideFooter: {\n   type:
Boolean,\n   default: false\n   },\n   hideHeaderClose: {\n   type: Boolean,\n   default: false\n   },\n
hideBackdrop: {\n   type: Boolean,\n   default: false\n   },\n   okOnly: {\n   type: Boolean,\n   default:
false\n   },\n   okDisabled: {\n   type: Boolean,\n   default: false\n   },\n   cancelDisabled: {\n   type:
Boolean,\n   default: false\n   },\n   visible: {\n   type: Boolean,\n   default: false\n   },\n   returnFocus: {\n
default: null\n   },\n   headerCloseLabel: {\n   type: String,\n   default: 'Close'\n   },\n   cancelTitle: {\n
type: String,\n   default: 'Cancel'\n   },\n   okTitle: {\n   type: String,\n   default: 'OK'\n   },\n   cancelVariant:

{\n   type: String,\n   default: 'secondary'\n },\n okVariant: {\n   type: String,\n   default: 'primary'\n },\n lazy: {\n   type: Boolean,\n   default: false\n },\n busy: {\n   type: Boolean,\n   default: false\n }\n },\n computed: {\n modalClasses: function modalClasses() {\n   return ['modal', {\n   fade: !this.noFade,\n   show: this.is_show,\n   'd-block': this.is_block\n   }, this.modalClass];\n },\n dialogClasses: function dialogClasses() {\n   var _ref;\n\n   return ['modal-dialog', (_ref = {}, _defineProperty(_ref, 'modal-' + this.size, Boolean(this.size)), _defineProperty(_ref, 'modal-dialog-centered', this.centered), _ref)];\n },\n backdropClasses: function backdropClasses() {\n   return ['modal-backdrop', {\n   fade: !this.noFade,\n   show: this.is_show || this.noFade\n   }];\n },\n headerClasses: function headerClasses() {\n   var _ref2;\n\n   return ['modal-header', (_ref2 = {}, _defineProperty(_ref2, 'bg-' + this.headerBgVariant, Boolean(this.headerBgVariant)), _defineProperty(_ref2, 'text-' + this.headerTextVariant, Boolean(this.headerTextVariant)), _defineProperty(_ref2, 'border-' + this.headerBorderVariant, Boolean(this.headerBorderVariant)), _ref2), this.headerClass];\n },\n bodyClasses: function bodyClasses() {\n   var _ref3;\n\n   return ['modal-body', (_ref3 = {}, _defineProperty(_ref3, 'bg-' + this.bodyBgVariant, Boolean(this.bodyBgVariant)), _defineProperty(_ref3, 'text-' + this.bodyTextVariant, Boolean(this.bodyTextVariant)), _ref3), this.bodyClass];\n },\n footerClasses: function footerClasses() {\n   var _ref4;\n\n   return ['modal-footer', (_ref4 = {}, _defineProperty(_ref4, 'bg-' + this.footerBgVariant, Boolean(this.footerBgVariant)), _defineProperty(_ref4, 'text-' + this.footerTextVariant, Boolean(this.footerTextVariant)), _defineProperty(_ref4, 'border-' + this.footerBorderVariant, Boolean(this.footerBorderVariant)), _ref4), this.footerClass];\n }\n },\n watch: {\n visible: function visible(newVal, oldVal) {\n   if (newVal === oldVal) {\n   return;\n   }\n   this[newVal ? 'show' : 'hide']();\n }\n },\n methods: {\n // Public Methods\n show: function show() {\n   if (this.is_visible) {\n   return;\n   }\n   var showEvt = new BvEvent('show', {\n   cancelable: true,\n   vueTarget: this,\n   target: this.$refs.modal,\n   relatedTarget: null\n   });\n   this.emitEvent(showEvt);\n   if (showEvt.defaultPrevented || this.is_visible) {\n   // Don't show if canceled\n   return;\n   }\n   if (hasClass(document.body, 'modal-open')) {\n   // If another modal is already open, wait for it to close\n   this.$root.$once('bv::modal::hidden', this.doShow);\n   } else {\n   // Show the modal\n   this.doShow();\n   }\n },\n hide: function hide(trigger) {\n   if (!this.is_visible) {\n   return;\n   }\n   var hideEvt = new BvEvent('hide', {\n   cancelable: true,\n   vueTarget: this,\n   target: this.$refs.modal,\n   // this could be the trigger element/component reference\n   relatedTarget: null,\n   isOK: trigger || null,\n   trigger: trigger || null,\n   cancel: function cancel() {\n   // Backwards compatibility\n   warn('b-modal: evt.cancel() is deprecated. Please use evt.preventDefault().');\n   this.preventDefault();\n   }\n   });\n   if (trigger === 'ok') {\n   this.$emit('ok', hideEvt);\n   } else if (trigger === 'cancel') {\n   this.$emit('cancel', hideEvt);\n   }\n   this.emitEvent(hideEvt);\n   // Hide if not canceled\n   if (hideEvt.defaultPrevented || !this.is_visible) {\n   return;\n   }\n   // stop observing for content changes\n   if (this._observer) {\n   this._observer.disconnect();\n   this._observer = null;\n   }\n   this.is_visible = false;\n   this.$emit('change', false);\n },\n\n // Private method to finish showing modal\n doShow: function doShow() {\n   var _this2 = this;\n\n   // Plce modal in DOM if lazy\n   this.is_hidden = false;\n   this.$nextTick(function () {\n   // We do this in nextTick to ensure the modal is in DOM first before we show it\n   _this2.is_visible = true;\n   _this2.$emit('change', true);\n   // Observe changes in modal content and adjust if necessary\n   _this2._observer = observeDom(_this2.$refs.content, _this2.adjustDialog.bind(_this2), OBSERVER_CONFIG);\n   });\n },\n\n // Transition Handlers\n onBeforeEnter: function onBeforeEnter() {\n   this.is_transitioning = true;\n   this.checkScrollbar();\n   this.setScrollbar();\n   this.adjustDialog();\n   addClass(document.body, 'modal-open');\n   this.setResizeEvent(true);\n },\n onEnter: function onEnter() {\n   this.is_block = true;\n   this.$refs.modal.scrollTop = 0;\n },\n onAfterEnter: function onAfterEnter() {\n   var _this3 = this;\n\n   this.is_show = true;\n   this.is_transitioning = false;\n   this.$nextTick(function () {\n   _this3.focusFirst();\n   var shownEvt = new BvEvent('shown', {\n   cancelable: false,\n   vueTarget: _this3,\n   target: _this3.$refs.modal,\n   relatedTarget: null\n   });\n   _this3.emitEvent(shownEvt);\n   });\n },\n onBeforeLeave: function onBeforeLeave() {\n   this.is_transitioning = true;\n   this.setResizeEvent(false);\n },\n onLeave: function onLeave() {\n   // Remove the 'show' class\n   this.is_show = false;\n },\n

onAfterLeave: function onAfterLeave() {\n   var _this4 = this;\n\n   this.is_block = false;\n this.resetAdjustments();\n   this.resetScrollbar();\n   this.is_transitioning = false;\n removeClass(document.body, 'modal-open');\n   this.$nextTick(function () {\n   _this4.is_hidden = _this4.lazy || false;\n   _this4.returnFocusTo();\n   var hiddenEvt = new BvEvent('hidden', {\n   cancelable: false,\n vueTarget: _this4,\n   target: _this4.lazy ? null : _this4.$refs.modal,\n   relatedTarget: null\n   });\n _this4.emitEvent(hiddenEvt);\n   });\n   },\n\n   // Event emitter\n   emitEvent: function emitEvent(bvEvt) {\n var type = bvEvt.type;\n   this.$emit(type, bvEvt);\n   this.$root.$emit('bv::modal::' + type, bvEvt);\n   },\n\n   // UI Event Handlers\n   onClickOut: function onClickOut(evt) {\n   // If backdrop clicked, hide modal\n   if (this.is_visible && !this.noCloseOnBackdrop) {\n   this.hide('backdrop');\n   }\n   },\n   onEsc: function onEsc(evt) {\n   // If ESC pressed, hide modal\n   if (evt.keyCode === KeyCodes.ESC && this.is_visible && !this.noCloseOnEsc) {\n   this.hide('esc');\n   }\n   },\n   onFocusout: function onFocusout(evt) {\n   // If focus leaves modal, bring it back\n   // 'focusout' Event Listener bound on content\n   var content = this.$refs.content;\n   if (!this.noEnforceFocus && this.is_visible && content && !content.contains(evt.relatedTarget)) {\n   content.focus();\n   }\n   },\n\n   // Resize Listener\n setResizeEvent: function setResizeEvent(on) {\n   var _this5 = this;\n\n   ;['resize', 'orientationchange'].forEach(function (evtName) {\n   if (on) {\n   eventOn(window, evtName, _this5.adjustDialog);\n   } else {\n   eventOff(window, evtName, _this5.adjustDialog);\n   }\n   });\n },\n\n   // Root Listener handlers\n   showHandler: function showHandler(id, triggerEl) {\n   if (id === this.id) {\n   this.return_focus = triggerEl || null;\n   this.show();\n   }\n   },\n   hideHandler: function hideHandler(id) {\n   if (id === this.id) {\n   this.hide();\n   }\n   },\n   modalListener: function modalListener(bvEvt) {\n // If another modal opens, close this one\n   if (bvEvt.vueTarget !== this) {\n   this.hide();\n   }\n   },\n\n   // Focus control handlers\n   focusFirst: function focusFirst() {\n   // Don't try and focus if we are SSR\n   if (typeof document === 'undefined') {\n   return;\n   }\n   var content = this.$refs.content;\n   var modal = this.$refs.modal;\n   var activeElement = document.activeElement;\n   if (activeElement && content && content.contains(activeElement)) {\n   // If activeElement is child of content, no need to change focus\n   } else if (content) {\n   if (modal) {\n   modal.scrollTop = 0;\n   }\n   // Focus the modal content wrapper\n   content.focus();\n   }\n   },\n   returnFocusTo: function returnFocusTo() {\n   // Prefer returnFocus prop over event specified return_focus value\n   var el = this.returnFocus || this.return_focus || null;\n   if (typeof el === 'string') {\n   // CSS Selector\n   el = select(el);\n   }\n   if (el) {\n   el = el.$el || el;\n   if (isVisible(el)) {\n   el.focus();\n   }\n   }\n   },\n\n   // Utility methods\n   getScrollbarWidth: function getScrollbarWidth() {\n   var scrollDiv = document.createElement('div');\n   scrollDiv.className = 'modal-scrollbar-measure';\n   document.body.appendChild(scrollDiv);\n   this.scrollbarWidth = scrollDiv.getBoundingClientRect().width - scrollDiv.clientWidth;\n   document.body.removeChild(scrollDiv);\n   },\n   adjustDialog: function adjustDialog() {\n   if (!this.is_visible) {\n   return;\n   }\n   var modal = this.$refs.modal;\n   var isModalOverflowing = modal.scrollHeight > document.documentElement.clientHeight;\n   if (!this.isBodyOverflowing && isModalOverflowing) {\n   modal.style.paddingLeft = this.scrollbarWidth + 'px';\n   }\n   if (this.isBodyOverflowing && !isModalOverflowing) {\n   modal.style.paddingRight = this.scrollbarWidth + 'px';\n   }\n   },\n   resetAdjustments: function resetAdjustments() {\n   var modal = this.$refs.modal;\n   if (modal) {\n   modal.style.paddingLeft = '';\n   modal.style.paddingRight = '';\n   }\n   },\n   checkScrollbar: function checkScrollbar() {\n   var rect = getBCR(document.body);\n this.isBodyOverflowing = rect.left + rect.right < window.innerWidth;\n   },\n   setScrollbar: function setScrollbar() {\n   if (this.isBodyOverflowing) {\n   // Note: DOMNode.style.paddingRight returns the actual value or '' if not set\n   // while $(DOMNode).css('padding-right') returns the calculated value or 0 if not set\n   var computedStyle = window.getComputedStyle;\n   var body = document.body;\n   var scrollbarWidth = this.scrollbarWidth;\n   // Adjust fixed content padding\n selectAll(Selector.FIXED_CONTENT).forEach(function (el) {\n   var actualPadding = el.style.paddingRight;\n   var calculatedPadding = computedStyle(el).paddingRight || 0;\n   setAttr(el, 'data-padding-right', actualPadding);\n   el.style.paddingRight = parseFloat(calculatedPadding) + scrollbarWidth + 'px';\n   });\n

// Adjust sticky content margin\n   selectAll(Selector.STICKY_CONTENT).forEach(function (el) {\n   var actualMargin = el.style.marginRight;\n   var calculatedMargin = computedStyle(el).marginRight || 0;\n setAttr(el, 'data-margin-right', actualMargin);\n   el.style.marginRight = parseFloat(calculatedMargin) - scrollbarWidth + 'px';\n   });\n   // Adjust navbar-toggler margin\n selectAll(Selector.NAVBAR_TOGGLER).forEach(function (el) {\n   var actualMargin = el.style.marginRight;\n   var calculatedMargin = computedStyle(el).marginRight || 0;\n   setAttr(el, 'data-margin-right', actualMargin);\n   el.style.marginRight = parseFloat(calculatedMargin) + scrollbarWidth + 'px';\n   });\n   // Adjust body padding\n   var actualPadding = body.style.paddingRight;\n   var calculatedPadding = computedStyle(body).paddingRight;\n   setAttr(body, 'data-padding-right', actualPadding);\n body.style.paddingRight = parseFloat(calculatedPadding) + scrollbarWidth + 'px';\n   }\n },\n resetScrollbar: function resetScrollbar() {\n   // Restore fixed content padding\n selectAll(Selector.FIXED_CONTENT).forEach(function (el) {\n   if (hasAttr(el, 'data-padding-right')) {\n el.style.paddingRight = getAttr(el, 'data-padding-right') || '';\n   removeAttr(el, 'data-padding-right');\n   }\n });\n   // Restore sticky content and navbar-toggler margin\n   selectAll(Selector.STICKY_CONTENT + ', ' + Selector.NAVBAR_TOGGLER).forEach(function (el) {\n   if (hasAttr(el, 'data-margin-right')) {\n el.style.marginRight = getAttr(el, 'data-margin-right') || '';\n   removeAttr(el, 'data-margin-right');\n   }\n });\n   // Restore body padding\n   var body = document.body;\n   if (hasAttr(body, 'data-padding-right')) {\n body.style.paddingRight = getAttr(body, 'data-padding-right') || '';\n   removeAttr(body, 'data-padding-right');\n }\n   }\n },\n created: function created() {\n   // create non-reactive property\n   this._observer = null;\n },\n mounted: function mounted() {\n   // Measure scrollbar\n   this.getScrollbarWidth();\n   // Listen for events from others to either open or close ourselves\n   this.listenOnRoot('bv::show::modal', this.showHandler);\n this.listenOnRoot('bv::hide::modal', this.hideHandler);\n   // Listen for bv:modal::show events, and close ourselves if the opening modal not us\n   this.listenOnRoot('bv::modal::show', this.modalListener);\n   // Initially show modal?\n   if (this.visible === true) {\n   this.show();\n   }\n },\n beforeDestroy: function beforeDestroy() {\n // Ensure everything is back to normal\n   if (this._observer) {\n   this._observer.disconnect();\n   this._observer = null;\n   }\n   this.setResizeEvent(false);\n   // Re-adjust body/navbar/fixed padding/margins (if needed)\n removeClass(document.body, 'modal-open');\n   this.resetAdjustments();\n   this.resetScrollbar();\n }\n};","var render = function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('div',{staticClass:\"embed-form\"},[_c('div',{staticClass:\"container-fluid\"},[(!_vm.noTitle)?_c('h4',{staticClass:\"embed-form__heading\"},[_vm._v(\"\\n \"+_vm._s(_vm.$t('embed-form.heading'))+\"\\n \")]):_vm._e(),_c('div',{staticClass:\"row\"},[_c('div',{staticClass:\"col\"},[_c('p',[_vm._v(\"\\n \"+_vm._s(_vm.$t('embed-form.introduction'))+\"\\n   \")]),_c('textarea',{staticClass:\"form-control embed-form__code mb-2\",attrs:{\"readonly\":\"\"},domProps:{\"value\":_vm.embedCode()},on:{\"click\":_vm.selectCode}}),_c('label',{staticClass:\"custom-control custom-checkbox btn btn-sm float-left\"},[_c('input',{directives:[{name:\"model\",rawName:\"v-model\",value:(_vm.responsiveCheck),expression:\"responsiveCheck\"}],staticClass:\"custom-control-input\",attrs:{\"type\":\"checkbox\"},domProps:{\"checked\":Array.isArray(_vm.responsiveCheck)?_vm._i(_vm.responsiveCheck,null)>-1:(_vm.responsiveCheck)},on:{\"change\":function($event){var $$a=_vm.responsiveCheck,$$el=$event.target,$$c=$$el.checked?(true):(false);if(Array.isArray($$a)){var $$v=null,$$i=_vm._i($$a,$$v);if($$el.checked){$$i<0&&(_vm.responsiveCheck=$$a.concat([$$v]))}else{$$i>-1&&(_vm.responsiveCheck=$$a.slice(0,$$i).concat($$a.slice($$i+1)))}}else{_vm.responsiveCheck=$$c}}}}),_c('span',{staticClass:\"custom-control-label font-weight-bold\"},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('embed-form.responsive-optin'))+\"\\n   \")])]),_c('div',{staticClass:\"text-right\"},[_c('button',{staticClass:\"btn btn-link btn-sm text-uppercase font-weight-bold\",on:{\"click\":_vm.copyEmbedCode}},[_c('fa',{attrs:{\"icon\":\"clipboard\"}}),_vm._v(\"\\n \"+_vm._s(_vm.$t('embed-form.copy'))+\"\\n   \")],1)])]),(!_vm.noPreview)?_c('div',{staticClass:\"col-7 d-none

d-lg-block embed-form\"},[_c('span',{domProps:{\"innerHTML\":_vm._s(_vm.embedCode(false))}})]):_vm._e()])]])}\nvar staticRenderFns = []\n\nexport { render, staticRenderFns }","function _typeof2(obj) { if (typeof Symbol === \"function\" && typeof Symbol.iterator === \"symbol\") { _typeof2 = function _typeof2(obj) { return typeof obj; }; } else { _typeof2 = function _typeof2(obj) { return obj && typeof Symbol === \"function\" && obj.constructor === Symbol && obj !== Symbol.prototype ? \"symbol\" : typeof obj; }; } return _typeof2(obj); }\n\nexport default function _typeof(obj) {\n if (typeof Symbol === \"function\" && _typeof2(Symbol.iterator) === \"symbol\") {\n   _typeof = function _typeof(obj) {\n   return _typeof2(obj);\n   };\n } else {\n   _typeof = function _typeof(obj)\n{\n   return obj && typeof Symbol === \"function\" && obj.constructor === Symbol && obj !==
Symbol.prototype ? \"symbol\" : _typeof2(obj);\n   };\n }\n\n return _typeof(obj);\n}","import Clipboard from 'clipboard'\n\n\nexport function copyText (text, container) {\n return new Promise(function (resolve, reject) {\n   var fakeElement = document.createElement('button')\n\n   var clipboard = new Clipboard(fakeElement, {\n   text:
() => (text),\n   action: () => ('copy'),\n   container: typeof container === 'object' ? container : document.body\n   })\n\n   clipboard.on('success', error => {\n   clipboard.destroy()\n   resolve(error)\n   })\n\n
clipboard.on('error', error => {\n   clipboard.destroy()\n   reject(error)\n   })\n\n   fakeElement.click()\n })\n}\n","<style lang=\"scss\" scoped>\n @import '../styles/lib';\n\n .embed-form {\n   font-size: 0.9rem;\n
overflow: auto;\n\n   .custom-control.btn {\n   .custom-control-label:before, .custom-control-label:after {\n
top: 50%;\n   transform: translateY(-50%);\n   }\n   }\n\n   &__heading {\n   font-size: 1.1em;\n   text-transform: uppercase;\n   }\n\n   &__code {\n   height: 80px;\n   }\n\n   &__preview {\n   border-left: 1px
$gray-400 dashed;\n   }\n }\n</style>\n\n<template>\n <div class=\"embed-form\">\n   <div class=\"container-fluid\">\n   <h4 class=\"embed-form__heading\" v-if=\"!noTitle\">\n   {{ $t('embed-form.heading') }}\n
</h4>\n   <div class=\"row\">\n   <div class=\"col\">\n   <p>\n   {{ $t('embed-form.introduction')
}}\n   </p>\n   <textarea class=\"form-control embed-form__code mb-2\" readonly @click=\"selectCode\"
:value=\"embedCode()\"></textarea>\n\n   <label class=\"custom-control custom-checkbox btn btn-sm float-left\">\n   <input type=\"checkbox\" class=\"custom-control-input\" v-model=\"responsiveCheck\">\n
\n   {{ $t('embed-form.responsive-optin') }}\n
\n   </label>\n\n   <div class=\"text-right\">\n   <button class=\"btn btn-link btn-sm text-uppercase font-weight-bold\" @click=\"copyEmbedCode\">\n   <fa icon=\"clipboard\" />\n   {{
$t('embed-form.copy') }}\n   </button>\n   </div>\n   </div>\n   <div class=\"col-7 d-none d-lg-block embed-form__preview\" v-if=\"!noPreview\">\n   \n
</div>\n   </div>\n   </div>\n </div>\n</template>\n\n<script>\n import { faClipboard } from
'@fortawesome/free-solid-svg-icons/faClipboard'\n import Vue from 'vue'\n\n import i18n from '@/i18n'\n import
IframeResizer from '@/utils/iframe-resizer'\n import { copyText } from '@/utils/clipboard'\n import { library }
from './Fa'\n\n /**\n   * Embed Form\n   */\n export default {\n   i18n,\n   name: 'EmbedForm',\n   data () {\n
return {\n   responsiveCheck: false\n   }\n   },\n   beforeMount() {\n   library.add(faClipboard)\n   },\n
components: {\n   /** Prevent a bug with vue-docgen-api\n   * @see https://github.com/vue-styleguidist/vue-docgen-api/issues/23\n   */\n   Fa: require('./Fa').default\n   },\n   props: {\n   /**\n   * Hide the form title\n
*/\n   noTitle: {\n   type: Boolean\n   },\n   /**\n   * Hide the preview panel\n   */\n   noPreview:
{\n   type: Boolean\n   },\n   /**\n   * Default width of the iframe code\n   */\n   width: {\n   type:
[Number, String],\n   default: '100%'\n   },\n   /**\n   * Default height of the iframe code\n   */\n
height: {\n   type: Number,\n   default: () => (window.innerHeight)\n   },\n   /**\n   * Default minimal
width of the iframe code (if extract from window\\'s size)\n   */\n   minWidth: {\n   type: Number,\n
default: 0\n   },\n   /**\n   * Default minimal height of the iframe code (if extract from window\\'s size)\n
*/\n   minHeight: {\n   type: Number,\n   default: 0\n   },\n   /**\n   * URL of the iframe code\n
*/\n   url: {\n   type: String\n   }\n   },\n   methods: {\n   iframeCodeFor (url, width, height) {\n   return
`<iframe width=\"${width}\" height=\"${height}\" src=\"${IframeResizer.deletePymParams(url)}\"
frameborder=\"0\" allowfullscreen></iframe>`\n   },\n   pymCodeFor (url) {\n   return
IframeResizer.template(url)\n   },\n   copyEmbedCode () {\n   return copyText(this.embedCode(),

this.$el).then(() => {\n   this.selectCode()\n   })\n   },\n   selectCode () {\n
this.$el.querySelector('.embed-form__code').select()\n   },\n   embedCode (withPym = this.responsiveCheck) {\n
    const width = isNaN(this.width) ? this.width : Math.max(this.width, this.minWidth)\n   const height =
Math.max(this.height, this.minHeight)\n   return withPym ? this.pymCodeFor(this.currentUrl) :
this.iframeCodeFor(this.currentUrl, width, height)\n   }\n   },\n   computed: {\n   currentUrl () {\n   return
this.url || window.location.href\n   }\n   }\n }\n</script>\n","import mod from \"-!../../node_modules/cache-
loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-
loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-
loader/lib/index.js??vue-loader-options!./EmbedForm.vue?vue&type=script&lang=js&\"; export default mod;
export * from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-
loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-
0!../../node_modules/vue-loader/lib/index.js??vue-loader-
options!./EmbedForm.vue?vue&type=script&lang=js&\"","import { render, staticRenderFns } from
\"./EmbedForm.vue?vue&type=template&id=502aea85&scoped=true&\"\nimport script from
\"./EmbedForm.vue?vue&type=script&lang=js&\"\nexport * from
\"./EmbedForm.vue?vue&type=script&lang=js&\"\nimport style0 from
\"./EmbedForm.vue?vue&type=style&index=0&id=502aea85&lang=scss&scoped=true&\"\n\n\n/* normalize
component */\nimport normalizer from \"!../../node_modules/vue-loader/lib/runtime/componentNormalizer.js\"\nvar
component = normalizer(\n script,\n render,\n staticRenderFns,\n false,\n null,\n \"502aea85\",\n null\n
\n)\n\ncomponent.options.__file = \"EmbedForm.vue\"\nexport default component.exports","<template>\n <div
class=\"sharing-options\" :style=\"style\">\n   <social-sharing v-bind=\"valuesFor('twitter')\" inline-template>\n
<network network=\"twitter\" class=\"sharing-options__link\">\n   <fa :icon=\"['fab', 'twitter']\" />\n   Share on Twitter\n   </network>\n   </social-sharing>\n   <social-sharing v-
bind=\"valuesFor('facebook')\" inline-template>\n   <network network=\"facebook\" class=\"sharing-
options__link\">\n   <fa :icon=\"['fab', 'facebook']\" />\n   Share on
Facebook\n   </network>\n   </social-sharing>\n   <social-sharing v-bind=\"valuesFor('linkedin')\" inline-
template>\n   <network network=\"linkedin\" class=\"sharing-options__link\">\n   <fa :icon=\"['fab',
'linkedin']\" />\n   Share on Linkedin\n   </network>\n   </social-sharing>\n
<social-sharing v-bind=\"valuesFor('email')\" inline-template>\n   <network network=\"email\" class=\"sharing-
options__link\">\n   <fa icon=\"envelope\" />\n   Share by email\n
</network>\n   </social-sharing>\n   <div class=\"sharing-options__link\" v-show=\"!noEmbed\">\n   <a
@click=\"showEmbedForm\">\n   <fa icon=\"code\" />\n   Embed\n
\n   </div>\n   <b-modal hide-footer ref=\"embedForm\" title=\"Embed on your website\" class=\"text-
dark\">\n   <embed-form no-title no-preview :min-height=\"iframeMinHeight\" :min-
width=\"iframeMinWidth\"></embed-form>\n   </b-modal>\n </div>\n</template>\n\n<script>\n import bModal
from 'bootstrap-vue/es/components/modal/modal'\n import SocialSharing from 'vue-social-sharing';\n import get
from 'lodash/get'\n import reduce from 'lodash/reduce'\n\n import i18n from '@/i18n'\n import { faCode } from
'@fortawesome/free-solid-svg-icons/faCode'\n import { faEnvelope } from '@fortawesome/free-solid-svg-
icons/faEnvelope'\n import { faTwitter } from '@fortawesome/free-brands-svg-icons/faTwitter'\n import {
faFacebook } from '@fortawesome/free-brands-svg-icons/faFacebook'\n import { faLinkedin } from
'@fortawesome/free-brands-svg-icons/faLinkedin'\n\n import EmbedForm from './EmbedForm.vue'\n import
config from '../config'\n import IframeResizer from '../utils/iframe-resizer'\n\n import { library } from './Fa'\n\n
/**\n   * SharingOptions\n   */\n export default {\n   i18n,\n   name: 'SharingOptions',\n   components: {\n
bModal,\n   EmbedForm,\n   SocialSharing,\n   /** Prevent a bug with vue-docgen-api\n   * @see
https://github.com/vue-styleguidist/vue-docgen-api/issues/23\n   */\n   Fa: require('./Fa').default\n   },\n
beforeMount () {\n   library.add(faCode, faEnvelope, faTwitter, faFacebook, faLinkedin)\n   // Inject Fa
components in child component\n   SocialSharing.components.Fa = require('./Fa').default\n   },\n   props: {\n
/**\n   * URL to be shared.\n   */\n   url: {\n   type: String,\n   default: () => config.get('sharing-

options.url', null) || IframeResizer.deletePymParams()\n   },\n   /**\n   * Direction of the sharing options. Can be: row, row-reverse,\n   * column or column-reverse.\n   */\n   direction: {\n   default: 'row',\n   validator (value) {\n   return ['row', 'row-reverse', 'column', 'column-reverse'].indexOf(value) !== -1\n   }\n   },\n   /**\n   * Sharing contents wich can be genereic (title, description, etc)\n   * or specific to a network (twitter_title, facebook_description, etc).\n   */\n   values: {\n   type: Object,\n   default: () => ({})\n   },\n   /**\n   * The list of all the keys to automatlcy inject in each social button.\n   */\n   valuesKeys: {\n   default: () => ['url', 'title', 'description', 'media', 'twitter-user'],\n   type: Array\n   },\n   /**\n   * Disable embed button.\n   */\n   noEmbed: {\n   type: Boolean\n   },\n   /**\n   * Minimum height of the iframe in the embed form.\n   */\n   iframeMinHeight: {\n   type: Number\n   },\n   /**\n   * Minimum width of the iframe in the embed form.\n   */\n   iframeMinWidth: {\n   type: Number\n   },\n   /**\n   * Prevent from reading default value from the <code>meta</code>.\n   */\n   noMeta: {\n   type: Boolean\n   }\n   },\n   methods: {\n   showEmbedForm () {\n   this.showShareOptions = false\n   return this.$refs.embedForm.show()\n   },\n   valuesFor (network) {\n   const values = Object.assign(this.metaValues, this.values)\n   return reduce(this.valuesKeys, (res, key) => {\n   res[key] = get(values, `${network}_${key}`, values[key])\n   return res\n   }, {})\n   },\n   defaultValueFor(key, metaSelector = null) {\n   if (this.noMeta || !metaSelector) {\n   return config.get(key)\n   }\n   return get(document.head.querySelector(metaSelector), 'content', config.get(key))\n   }\n   },\n   computed: {\n   style () {\n   return {\n   'flex-direction': this.direction\n   }\n   },\n   metaValues () {\n   return {\n   'url': this.url,\n   'title': this.defaultValueFor('sharing-options.title'),\n   'description': this.defaultValueFor('sharing-options.description', 'meta[name=\"description]'),\n   'facebook_title': this.defaultValueFor('sharing-options.facebook_title', 'meta[property=\"og:title\"]'),\n   'facebook_description': this.defaultValueFor('sharing-options.description', 'meta[property=\"og:description\"]'),\n   'facebook_media': this.defaultValueFor('sharing-options.media', 'meta[property=\"og:image\"]'),\n   'facebook_url': this.defaultValueFor('app.home', 'meta[property=\"og:url\"]'),\n   'twitter_media': this.defaultValueFor('sharing-options.media', 'meta[name=\"twitter:image\"]'),\n   'twitter_twitter-user': this.defaultValueFor('sharing-options.twitter-user', 'meta[name=\"twitter:site\"]')\n   }\n   }\n   }\n }\n</script>\n\n<style lang=\"scss\">\n @import '../styles/lib';\n @import '../styles/mixins';\n\n .sharing-options {\n   display: flex;\n\n   &__link {\n   display: block;\n   margin: $spacer / 4;\n   background: black;\n   height: 2.5em;\n   line-height: 2.5em;\n   width: 2.5em;\n   text-align: center;\n   font-size: 80%;\n   border-radius: 50%;\n   cursor: pointer;\n   color: white;\n   position: relative;\n\n   i {\n   position: absolute;\n   top: 50%;\n   left: 50%;\n   transform: translate(-50%, -50%);\n   }\n\n   & > a, & > button {\n   width: 100%;\n   height: 100%;\n   display: block;\n   }\n   }\n }\n</style>\n","import mod from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./SharingOptions.vue?vue&type=script&lang=js&\"; export default mod; export * from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./SharingOptions.vue?vue&type=script&lang=js&\"","import { render, staticRenderFns } from \"./SharingOptions.vue?vue&type=template&id=4e36ddf6&\"\nimport script from \"./SharingOptions.vue?vue&type=script&lang=js&\"\nexport * from \"./SharingOptions.vue?vue&type=script&lang=js&\"\nimport style0 from \"./SharingOptions.vue?vue&type=style&index=0&lang=scss&\"\n\n\n/* normalize component */\nimport normalizer from \"!../../node_modules/vue-loader/lib/runtime/componentNormalizer.js\"\nvar component = normalizer(\n script,\n render,\n staticRenderFns,\n false,\n null,\n null,\n null\n\n)\n\ncomponent.options.__file = \"SharingOptions.vue\"\nexport default component.exports","<template>\n <div class=\"embeddable-footer p-2 text-nowrap\">\n   <a :href=\"homeUrl\" target=\"_blank\" class=\"text-white

embeddable-footer__brand\">\n   \n   {{ title }}\n   \n   <div class=\"embeddable-footer__lead small text-truncate\" v-html=\"lead\"></div>\n   <button class=\"btn btn-link text-white btn-sm py-0 embeddable-footer__share-btn\" @click=\"showShareOptions = !showShareOptions\" :class=\"{ active: showShareOptions }\">\n   <fa icon=\"share-alt\" />\n   {{ $t('embeddable-footer.share') }}\n   </button>\n   <sharing-options :values=\"sharingOptionsValues\" v-if=\"showShareOptions\" direction=\"column-reverse\" :iframe-min-height=\"iframeMinHeight\" :iframe-min-width=\"iframeMinWidth\"></sharing-options>\n   </div>\n</template>\n\n<script>\n import { faShareAlt } from '@fortawesome/free-solid-svg-icons/faShareAlt'\n import i18n from '@/i18n'\n import IframeResizer from '@/utils/iframe-resizer'\n import SharingOptions from './SharingOptions'\n import config from '@/config'\n\n import { library } from './Fa'\n\n /**\n * EmbeddableFooter\n */\n export default {\n i18n,\n name: 'EmbeddableFooter',\n beforeMount() {\n   library.add(faShareAlt)\n },\n components: {\n   /** Prevent a bug with vue-docgen-api\n   * @see https://github.com/vue-styleguidist/vue-docgen-api/issues/23\n   */\n   Fa: require('./Fa').default,\n   SharingOptions\n },\n props: {\n   /**\n   * Title to display next to ICIJ logo.\n   */\n   title: {\n   type: String,\n   default: () => config.get('project.name')\n   },\n   /**\n   * Lead sentence to display next to the title.\n   */\n   lead: {\n   type: String,\n   default: ''\n   },\n   /**\n   * Minimum height for the iframe generated in the embed form.\n   */\n   iframeMinHeight: {\n   type: Number\n   },\n   /**\n   * Minimum width for the iframe generated in the embed form.\n   */\n   iframeMinWidth: {\n   type: Number\n   },\n   /**\n   * Target of the ICIJ logo and title links.\n   */\n   homeUrl: {\n   type: String,\n   default: () => config.get('app.home')\n   },\n   /**\n   * Sharing option values to bind to the sharing-options component on the bottom-right corner.\n   */\n   sharingOptionsValues: {\n   type: Object,\n   default: () => ({})\n   }\n },\n data () {\n   return {\n   showShareOptions: false\n   }\n },\n mounted () {\n   IframeResizer.create();\n }\n }\n</script>\n\n<style lang=\"scss\" scoped>\n @import '../styles/lib';\n @import '../styles/mixins';\n\n @include keyframes(slideup) {\n   0% {\n   transform: translateY(100%);\n   opacity:0;\n   }\n\n   100% {\n   transform: translateY(0%);\n   opacity:1;\n   }\n }\n\n .embeddable-footer {\n   display: flex;\n   flex-direction: row;\n   align-items: center;\n\n   z-index: $zindex-sticky;\n   position: fixed;\n   bottom: 0;\n   left: 0;\n   width: 100%;\n   background: black;\n   color: white;\n   // Magic technique to have a minimum font-size (10px-ish)\n   font-size: calc(10px + 1.5vh);\n\n   @media screen and (min-height: 800px) {\n   font-size: 1rem;\n   }\n\n   &__brand {\n   padding-right: $spacer;\n   margin-right: $spacer;\n   border-right: 2px solid white;\n   font-family: $headings-font-family;\n   font-size: 1.1em;\n   }\n\n   &__lead {\n   flex-grow: 1;\n   min-width: 0;\n   font-size: 0.9em;\n   }\n\n   &__share-btn {\n   border:1px solid transparent;\n   height: 2.5em;\n   line-height: 2.5em;\n   width: 2.5em;\n   font-size: 80%;\n   text-align: center;\n   border-radius: 50%;\n\n   &.active {\n   border-color: white;\n   }\n\n   &:hover {\n   background: rgba(white, .1);\n   }\n   }\n\n   & /deep/ .sharing-options {\n   position: absolute;\n   bottom: 100%;\n   right: 0;\n   margin: $spacer * 0.25;\n\n   &__link {\n   opacity: 0;\n   animation:slideup 200ms forwards;\n   @include animation-delay-loop(0, 10, 50ms);\n   }\n   }\n }\n</style>\n","import mod from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./EmbeddableFooter.vue?vue&type=script&lang=js&\"; export default mod; export * from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./EmbeddableFooter.vue?vue&type=script&lang=js&\"","import { render, staticRenderFns } from \"./EmbeddableFooter.vue?vue&type=template&id=36cb84e2&scoped=true&\"\nimport script from \"./EmbeddableFooter.vue?vue&type=script&lang=js&\"\nexport * from \"./EmbeddableFooter.vue?vue&type=script&lang=js&\"\nimport style0 from \"./EmbeddableFooter.vue?vue&type=style&index=0&id=36cb84e2&lang=scss&scoped=true&\"\n\n\n/* normalize

component */\nimport normalizer from \"!../../node_modules/vue-loader/lib/runtime/componentNormalizer.js\"\nvar component = normalizer(\n script,\n render,\n staticRenderFns,\n false,\n null,\n \"36cb84e2\",\n null\n \n)\n\ncomponent.options.__file = \"EmbeddableFooter.vue\"\nexport default component.exports","var render = function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('div',{staticClass:\"follow-us\"},[_c('button',{staticClass:\"btn btn-link text-light follow-us__close\",on:{\"click\":_vm.closeSignupPopover}},[_c('fa',{attrs:{\"icon\":\"times\"}})],1),_c('sign-up-form',{staticClass:\"p-3\"}),_c('div',{staticClass:\"px-3 pb-1 text-uppercase text-muted font-weight-bold\"},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('follow-us-popover.heading'))+\"\\n \")]),_c('div',{staticClass:\"p-3 bg-light container-fluid text-center\"},[_c('div',{staticClass:\"row\"},[_c('div',{staticClass:\"col\"},[_c('a',{staticClass:\"d-inline-block text-primary border border-primary rounded-circle bg-white follow-us__social-btn\",attrs:{\"href\":\"https://twitter.com/icijorg\",\"target\":\"_blank\",\"title\":\"Twitter\"}},[_c('fa',{attrs:{\"icon\":['fab', 'twitter'],\"size\":\"lg\"}}),_c('span',{staticClass:\"sr-only\"},[_vm._v(\"Twitter\")])],1)]),_c('div',{staticClass:\"col\"},[_c('a',{staticClass:\"d-inline-block text-primary border border-primary rounded-circle bg-white follow-us__social-btn\",attrs:{\"href\":\"https://www.facebook.com/ICIJ.org\",\"target\":\"_blank\",\"title\":\"Facebook\"}},[_c('fa',{attrs:{\"icon\":['fab', 'facebook'],\"size\":\"lg\"}}),_c('span',{staticClass:\"sr-only\"},[_vm._v(\"Facebook\")])],1)]),_c('div',{staticClass:\"col\"},[_c('a',{staticClass:\"d-inline-block text-primary border border-primary rounded-circle bg-white follow-us__social-btn\",attrs:{\"href\":\"https://www.linkedin.com/company/1732242/\",\"target\":\"_blank\",\"title\":\"Linkedin\"}},[_c('fa',{attrs:{\"icon\":['fab', 'linkedin'],\"size\":\"lg\"}}),_c('span',{staticClass:\"sr-only\"},[_vm._v(\"Linkedin\")])],1)])])])],1)}\nvar staticRenderFns = []\n\nexport { render, staticRenderFns }","var render = function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('form',{staticClass:\"sign-up-form\",class:{ 'sign-up-form--horizontal': _vm.horizontal },on:{\"submit\":function($event){$event.preventDefault();_vm.subscribe($event)}}},[_c('fieldset',{attrs:{\"disabled\":_vm.frozen}},[(!_vm.noLabel)?_c('label',{staticClass:\"text-uppercase text-muted font-weight-bold\",attrs:{\"for\":\"input-email\"}},[_vm._v(\"\\n   \"+_vm._s(_vm.$t(\"sign-up-form.label\"))+\"\\n \")]):_vm._e(),_c('div',{staticClass:\"sign-up-form__fieldset__group\",class:{ 'input-group': _vm.horizontal }},[_c('input',{directives:[{name:\"model\",rawName:\"v-model\",value:(_vm.email),expression:\"email\"}],staticClass:\"form-control\",attrs:{\"name\":\"EMAIL\",\"type\":\"text\",\"placeholder\":_vm.$t('sign-up-form.placeholder'),\"id\":\"input-email\"},domProps:{\"value\":(_vm.email)},on:{\"input\":function($event){if($event.target.composing){ return; }_vm.email=$event.target.value}}}),_c('div',{staticClass:\"sign-up-form__fieldset__group__addon\",class:{ 'input-group-append': _vm.horizontal }},[_c('button',{staticClass:\"btn btn-primary text-uppercase font-weight-bold\",attrs:{\"type\":\"submit\"}},[_vm._v(\"\\n   \"+_vm._s(_vm.$t(\"sign-up-form.submit\"))+\"\\n \")])])])]),_c('input',{attrs:{\"type\":\"hidden\",\"name\":\"group[9][1]\",\"value\":\"1\"}}),_c('input',{attrs:{\"type\":\"hidden\",\"name\":\"SIGNUP\"},domProps:{\"value\":_vm.tracker}}),(_vm.errorMessage)?_c('p',{staticClass:\"alert alert-danger p-2 m-0 mt-2\",domProps:{\"innerHTML\":_vm._s(_vm.errorMessage)}}):_vm._e(),(_vm.successMessage)?_c('p',{staticClass:\"alert alert-success p-2 m-0 mt-2\",domProps:{\"innerHTML\":_vm._s(_vm.successMessage)}}):_vm._e()])}\nvar staticRenderFns = []\n\nexport { render, staticRenderFns }","<template>\n <form @submit.prevent=\"subscribe($event)\" class=\"sign-up-form\" :class=\"{ 'sign-up-form--horizontal': horizontal }\">\n   <fieldset :disabled=\"frozen\">\n   <label class=\"text-uppercase text-muted font-weight-bold\" for=\"input-email\" v-if=\"!noLabel\">\n   {{ $t(\"sign-up-form.label\") }}\n   </label>\n   <div class=\"sign-up-form__fieldset__group\" :class=\"{ 'input-group': horizontal }\">\n   <input v-model=\"email\" name=\"EMAIL\" type=\"text\" class=\"form-control\" :placeholder=\"$t('sign-up-form.placeholder')\" id=\"input-email\" />\n   <div class=\"sign-up-form__fieldset__group__addon\" :class=\"{ 'input-group-append': horizontal

}\">\n   <button class=\"btn btn-primary text-uppercase font-weight-bold\" type=\"submit\">\n   {{ $t(\"sign-up-form.submit\") }}\n   </button>\n   </div>\n   </div>\n </fieldset>\n <input type=\"hidden\" name=\"group[9][1]\" value=\"1\" />\n   <input type=\"hidden\" name=\"SIGNUP\" :value=\"tracker\" />\n   <p v-if=\"errorMessage\" class=\"alert alert-danger p-2 m-0 mt-2\" v-html=\"errorMessage\"></p>\n   <p v-if=\"successMessage\" class=\"alert alert-success p-2 m-0 mt-2\" v-html=\"successMessage\"></p>\n </form>\n</template>\n\n<script>\nimport $ from 'jquery'\nimport last from 'lodash/last'\nimport config from '../config'\nimport i18n from '@/i18n'\n\n/**\n * SignUpForm\n */\nexport default {\n i18n,\n name: \"SignUpForm\",\n props: {\n   /**\n   * Mailchimp URL to send the data to.\n   */\n   action: {\n   type: String,\n   default: () => config.get('signup-form.action')\n   },\n   /**\n   * Disable the main label.\n   */\n   noLabel: {\n   type: Boolean\n   },\n   /**\n   * Horizontal layout of the form.\n   */\n   horizontal: {\n   type: Boolean\n   },\n   /**\n   * Mailchimp tracker tag to identify the origin.\n   */\n   tracker: {\n   type: String,\n   default: () => config.get('signup-form.tracker')\n   }\n },\n data () {\n   return {\n   email: '',\n   frozen: false,\n   response: {},\n   errorMessage: null,\n   successMessage: null\n   };\n },\n computed: {\n   actionJsonp () {\n   return this.action.replace('/post?', '/post-json?').concat('&c=?')\n   }\n },\n methods: {\n   subscribe () {\n   this.resetMessages()\n   this.freeze()\n   // Send the data, catch the result no matter what and unfreeze the form\n   this.send().always(this.done).always(this.unfreeze)\n   },\n   send () {\n   return $.ajax({\n   type: 'POST',\n   url: this.actionJsonp,\n   data: $(this.$el).serialize(),\n   dataType: 'jsonp'\n   })\n   },\n   done (res) {\n   if (res.result === 'success') {\n   this.email = ''\n   this.successMessage = res.msg;\n   } else {\n   // Mailchimp formats errors in list\n   this.errorMessage = last((res.msg || \"Something's wrong\").split('0 -'))\n   }\n   },\n   resetMessages () {\n   this.errorMessage = null\n   this.successMessage = null\n   },\n   freeze () {\n   this.frozen = true\n   },\n   unfreeze () {\n   this.frozen = false\n   }\n }\n};\n</script>\n\n<style lang=\"scss\">\n @import '../styles/lib.scss';\n\n .sign-up-form {\n\n   .sign-up-form__fieldset__group__addon .btn {\n   font-size: 0.9em;\n   }\n\n   &:not(&--horizontal) {\n\n   .sign-up-form__fieldset__group__addon .btn {\n   display: block;\n   width: 100%;\n   }\n   }\n }\n</style>\n","import mod from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./SignUpForm.vue?vue&type=script&lang=js&\"; export default mod; export * from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./SignUpForm.vue?vue&type=script&lang=js&\"","import { render, staticRenderFns } from \"./SignUpForm.vue?vue&type=template&id=3a583f00&\"\nimport script from \"./SignUpForm.vue?vue&type=script&lang=js&\"\nexport * from \"./SignUpForm.vue?vue&type=script&lang=js&\"\nimport style0 from \"./SignUpForm.vue?vue&type=style&index=0&lang=scss&\"\n\n\n/* normalize component */\nimport normalizer from \"!../../node_modules/vue-loader/lib/runtime/componentNormalizer.js\"\nvar component = normalizer(\n script,\n render,\n staticRenderFns,\n false,\n null,\n null,\n null\n\n)\n\ncomponent.options.__file = \"SignUpForm.vue\"\nexport default component.exports","<template>\n <div class=\"follow-us\">\n   <button class=\"btn btn-link text-light follow-us__close\" @click=\"closeSignupPopover\">\n   <fa icon=\"times\" />\n   </button>\n   <sign-up-form class=\"p-3\"></sign-up-form>\n   <div class=\"px-3 pb-1 text-uppercase text-muted font-weight-bold\">\n   {{ $t('follow-us-popover.heading') }}\n   </div>\n   <div class=\"p-3 bg-light container-fluid text-center\">\n   <div class=\"row\">\n   <div class=\"col\">\n   \n   <fa :icon=\"['fab', 'twitter']\" size=\"lg\" />\n   Twitter\n   \n   </div>\n   <div class=\"col\">\n   \n   <fa :icon=\"['fab',

'facebook']\" size=\"lg\" />\n   Facebook\n   \n   </div>\n   <div class=\"col\">\n   \n   <fa :icon=\"['fab', 'linkedin']\" size=\"lg\" />\n   Linkedin\n   \n   </div>\n   </div>\n   </div>\n</template>\n\n<script>\n import { faTimes } from '@fortawesome/free-solid-svg-icons/faTimes'\n import { faTwitter } from '@fortawesome/free-brands-svg-icons/faTwitter'\n import { faFacebook } from '@fortawesome/free-brands-svg-icons/faFacebook'\n import { faLinkedin } from '@fortawesome/free-brands-svg-icons/faLinkedin'\n\n import i18n from '@/i18n'\n import SignUpForm from './SignUpForm.vue'\n import { library } from './Fa'\n\n /**\n * FollowUsPopover\n */\n export default {\n i18n,\n   name: 'FollowUsPopover',\n   components: {\n   /** Prevent a bug with vue-docgen-api\n   * @see https://github.com/vue-styleguidist/vue-docgen-api/issues/23\n   */\n   Fa: require('./Fa').default,\n   SignUpForm\n   },\n   beforeMount () {\n   library.add(faTimes, faTwitter, faFacebook, faLinkedin)\n   },\n   methods: {\n   closeSignupPopover() {\n   /**\n   * Fired when user click on the `close` button\n   *\n   * @event update:show\n   * @type {boolean}\n   */\n   this.$emit('update:show', false)\n   }\n   }\n }\n</script>\n\n<style lang=\"scss\" scoped>\n @import '../styles/lib';\n\n .follow-us {\n   position: relative;\n   width: 300px;\n\n   &__social-btn {\n   height: 46px;\n   width: 46px;\n   line-height: 46px;\n\n   i.fab {\n   line-height: inherit;\n   font-size: 1.5em;\n   }\n   }\n\n   &__close {\n   position: absolute;\n   right: $spacer / 2;\n   top: $spacer / 2;\n   }\n }\n</style>\n","import mod from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./FollowUsPopover.vue?vue&type=script&lang=js&\"; export default mod; export * from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./FollowUsPopover.vue?vue&type=script&lang=js&\"","import { render, staticRenderFns } from \"./FollowUsPopover.vue?vue&type=template&id=440d5984&scoped=true&\"\nimport script from \"./FollowUsPopover.vue?vue&type=script&lang=js&\"\nexport * from \"./FollowUsPopover.vue?vue&type=script&lang=js&\"\nimport style0 from \"./FollowUsPopover.vue?vue&type=style&index=0&id=440d5984&lang=scss&scoped=true&\"\n\n\n/* normalize component */\nimport normalizer from \"!../../node_modules/vue-loader/lib/runtime/componentNormalizer.js\"\nvar component = normalizer(\n script,\n render,\n staticRenderFns,\n false,\n null,\n \"440d5984\",\n null\n\n)\n\ncomponent.options.__file = \"FollowUsPopover.vue\"\nexport default component.exports","var render = function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('footer',{staticClass:\"generic-footer\"},[_c('div',{staticClass:\"container\"},[_c('div',{staticClass:\"row\"},[_vm._m(0),_c('div',{staticClass:\"col-md-7\"},[_c('div',{staticClass:\"row justify-content-end\"},[_c('div',{staticClass:\"col-md-5\"},[_c('h5',{staticClass:\"text-selective-yellow text-uppercase mb-3\"},[_vm._v(\"\\n \"+_vm._s(_vm.$t('generic-footer.investigations'))+\"\\n \")]),_vm._t(\"investigations\",[_vm._m(1)])],2),_c('div',{staticClass:\"col-md-4\"},[_c('h5',{staticClass:\"text-selective-yellow text-uppercase mb-3\"},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('generic-footer.follow-us'))+\"\\n   \")]),_vm._m(2)])])])]),_c('p',{staticClass:\"text-white text-md-right small mt-5\"},[_c('strong',[_vm._v(\"© \"+_vm._s(_vm.year)+\" — The International Consortium of Investigative Journalists.\")]),_vm._v(\"\\n \"+_vm._s(_vm.$t('generic-footer.all-rights'))+\"\\n   \"),_c('br'),(_vm.version)?_c('span',{staticClass:\"text-muted\"},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('generic-footer.version', { version: _vm.version }))+\"\\n \")]):_vm._e()])])])}\nvar staticRenderFns = [function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('div',{staticClass:\"col-md-5\"},[_c('h5',{staticClass:\"text-uppercase text-white clearfix generic-footer__icij mb-3\"},[_c('a',{staticClass:\"generic-footer__icij__logo\",attrs:{\"href\":\"https://icij.org\",\"target\":\"_blank\"}},[_c('img',{staticClass:\"mw-

100\",attrs:{\"src\":require(\"../assets/images/icij@2x.png\")}})])),_c('a',{staticClass:\"text-nowrap\",attrs:{\"href\":\"https://icij.org\",\"target\":\"_blank\"}},[_vm._v(\"\\n   International Consortium of\"),_c('br'),_vm._v(\"\\n   Investigative Journalists\\n   \")])])),_c('p',{},[_vm._v(\"\\n   1710 Rhode Island Ave NW | 11th floor \"),_c('br'),_vm._v(\"\\n   Washington DC 20006 USA\\n   \")]),_c('p',[_c('strong',[_c('a',{staticClass:\"text-selective-yellow\",attrs:{\"href\":\"mailto:contact@icij.org\"}},[_vm._v(\"contact@icij.org\")])])])])])},function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('ul',{staticClass:\"list-unstyled\"},[_c('li',{staticClass:\"list-unstyled-item\"},[_c('a',{attrs:{\"href\":\"https://www.icij.org/investigations/paradise-papers/\",\"target\":\"_blank\"}},[_vm._v(\"\\n   Paradise Papers\\n   \")])]),_c('li',{staticClass:\"list-unstyled-item\"},[_c('a',{attrs:{\"href\":\"https://www.icij.org/investigations/panama-papers/\",\"target\":\"_blank\"}},[_vm._v(\"\\n   Panama Papers\\n   \")])]),_c('li',{staticClass:\"list-unstyled-item\"},[_c('a',{attrs:{\"href\":\"https://www.icij.org/investigations/world-bank\",\"target\":\"_blank\"}},[_vm._v(\"\\n   Evicted and Abandoned\\n   \")])]),_c('li',{staticClass:\"list-unstyled-item\"},[_c('a',{attrs:{\"href\":\"https://www.icij.org/investigations/offshore/\",\"target\":\"_blank\"}},[_vm._v(\"\\n   Secrecy for Sale\\n   \")])])])},function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('ul',{staticClass:\"list-unstyled\"},[_c('li',{staticClass:\"list-unstyled-item\"},[_c('a',{attrs:{\"href\":\"https://www.facebook.com/ICIJ.org\",\"target\":\"_blank\"}},[_vm._v(\"\\n   Facebook\\n   \")])]),_c('li',{staticClass:\"list-unstyled-item\"},[_c('a',{attrs:{\"href\":\"https://www.linkedin.com/company/1732242/\",\"target\":\"_blank\"}},[_vm._v(\"\\n   LinkedIn\\n   \")])]),_c('li',{staticClass:\"list-unstyled-item\"},[_c('a',{attrs:{\"href\":\"https://twitter.com/icijorg\",\"target\":\"_blank\"}},[_vm._v(\"\\n   Twitter\\n   \")])])])}]\n\nexport { render, staticRenderFns }","<template>\n <footer class=\"generic-footer\">\n   <div class=\"container\">\n   <div class=\"row\">\n   <div class=\"col-md-5\">\n   <h5 class=\"text-uppercase text-white clearfix generic-footer__icij mb-3\">\n   \n   \n   \n   \n   International Consortium of
\n   Investigative Journalists\n   \n   </h5>\n   <p class=\"\">\n   1710 Rhode Island Ave NW | 11th floor
\n   Washington DC 20006 USA\n   </p>\n   <p>\n   \n   contact@icij.org\n   \n   </p>\n   </div>\n   <div class=\"col-md-7\">\n   <div class=\"row justify-content-end\">\n   <div class=\"col-md-5\">\n   <h5 class=\"text-selective-yellow text-uppercase mb-3\">\n   {{ $t('generic-footer.investigations') }}\n   </h5>\n   <!-- @slot List of investigations -->\n   <slot name=\"investigations\">\n   <ul class=\"list-unstyled\">\n   <li class=\"list-unstyled-item\">\n   \n   Paradise Papers\n   \n   \n   <li class=\"list-unstyled-item\">\n   \n   Panama Papers\n   \n   \n   <li class=\"list-unstyled-item\">\n   \n   Evicted and Abandoned\n   \n   \n   <li class=\"list-unstyled-item\">\n   \n   Secrecy for Sale\n   \n   \n   \n   </slot>\n   </div>\n   <div class=\"col-md-4\">\n   <h5 class=\"text-selective-yellow text-uppercase mb-3\">\n   {{ $t('generic-footer.follow-us') }}\n   </h5>\n   <ul class=\"list-unstyled\">\n   <li class=\"list-unstyled-item\">\n   \n   Facebook\n   \n   \n   <li class=\"list-unstyled-item\">\n   \n   LinkedIn\n

\n   \n   <li class=\"list-unstyled-item\">\n   \n   Twitter\n   \n   \n   \n   </div>\n   </div>\n   </div>\n   <p class=\"text-white text-md-right small mt-5\">\n   © {{ year }} — The International Consortium of Investigative Journalists.\n   {{ $t('generic-footer.all-rights') }}\n
\n   \n   {{ $t('generic-footer.version', { version }) }}\n   \n   </p>\n   </div>\n </footer>\n</template>\n\n<script>\nimport i18n from '@/i18n'\n\n/**\n * GenericFooter\n */\nexport default {\n i18n,\n name: 'GenericFooter',\n props: {\n   /**\n   * Version of the app to display in the bottom-right corner of the footer\n   */\n   version: {\n   type: String\n   }\n },\n computed: {\n   year () {\n   return (new Date()).getFullYear()\n   }\n }\n}\n</script>\n\n<style lang=\"scss\" scoped>\n @import '../styles/lib';\n\n .generic-footer {\n   background: black;\n   color: #999;\n   padding:$spacer * 4 0;\n\n   @include media-breakpoint-down(md) {\n   padding: $spacer;\n   }\n\n   a {\n   color: inherit;\n   }\n\n   h5 {\n   font-family: $font-family-sans-serif;\n   font-size: 1rem;\n   }\n\n   &__icij {\n   display: flex;\n   justify-content: start;\n   align-items: center;\n\n   @include media-breakpoint-down(xs) {\n   display: block;\n   }\n\n   &__logo {\n   display: block;\n   width: 54px;\n   flex: 0 0 54px;\n   margin-right: 8px;\n\n   @include media-breakpoint-down(xs) {\n   margin-bottom: $spacer;\n   }\n   }\n   }\n }\n</style>\n","import mod from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./GenericFooter.vue?vue&type=script&lang=js&\"; export default mod; export * from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./GenericFooter.vue?vue&type=script&lang=js&\"","import { render, staticRenderFns } from \"./GenericFooter.vue?vue&type=template&id=203025b4&scoped=true&\"\nimport script from \"./GenericFooter.vue?vue&type=script&lang=js&\"\nexport * from \"./GenericFooter.vue?vue&type=script&lang=js&\"\nimport style0 from \"./GenericFooter.vue?vue&type=style&index=0&id=203025b4&lang=scss&scoped=true&\"\n\n\n/* normalize component */\nimport normalizer from \"!../../node_modules/vue-loader/lib/runtime/componentNormalizer.js\"\nvar component = normalizer(\n script,\n render,\n staticRenderFns,\n false,\n null,\n \"203025b4\",\n null\n \n)\n\ncomponent.options.__file = \"GenericFooter.vue\"\nexport default component.exports","var render = function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('div',[_c(_vm.rootElement,{tag:\"component\",staticClass:\"navbar navbar-expand-lg navbar-light imddb-header\",class:{ 'headroom--frozen': !_vm.collapseNavbar },style:({ position: _vm.position }),attrs:{\"id\":\"imddb-header\",\"data-turbolinks-permanent\":\"\",\"offset\":100,\"z-index\":1020,\"on-unpin\":_vm.closeFollowUsPopover}},[_vm._t(\"brand\",[_c('a',{staticClass:\"navbar-brand imddb-header__brand\",attrs:{\"href\":_vm.homeUrl}},[_c('img',{staticClass:\"mr-3\",attrs:{\"src\":require(\"../assets/images/icij-black@2x.png\"),\"height\":\"25\"}}),_vm._v(\"\\n   \"+_vm._s(_vm.project)+\"\\n   \")])]),_c('button',{staticClass:\"navbar-toggler\",attrs:{\"type\":\"button\",\"aria-label\":\"Toggle navigation\"},on:{\"click\":_vm.toggleNavbar}},[_c('span',{staticClass:\"navbar-toggler-icon\"})]),_c('div',{staticClass:\"navbar-collapse\",class:{ collapse: _vm.collapseNavbar }},[_vm._t(\"navbar\",[_c('ul',{staticClass:\"navbar-nav mr-auto\"},[_c('b-nav-dropdown',{on:{\"show\":function($event){_vm.$root.$emit('bv::hide::popover')}}},[_c('template',{slot:\"button-content\"},[_vm._v(\"\\n   \"+_vm._s(_vm.title)+\"\\n   \")]),_vm._l((_vm.dropdownItems),function(item,$index){return _c('b-dropdown-item',_vm._b({key:$index,attrs:{\"href\":item.href}},'b-dropdown-item',{ active: !!item.active },false),[_vm._v(\"\\n   \"+_vm._s(item.label)+\"\\n   \")])})],2)],1)]),_c('ul',{staticClass:\"navbar-nav\"},[_c('li',{staticClass:\"nav-item\"},[_c('a',{staticClass:\"nav-link\",attrs:{\"href\":\"https://www.icij.org/leak/\",\"target\":\"_blank\"}},[_vm._v(\"\\n

\"+_vm._s(_vm.$t('imddb-header.navbar.leak'))+\"\\n   \")])]),_c('li',{staticClass:\"nav-item mr-lg-3\"},[_c('a',{staticClass:\"nav-link\",attrs:{\"href\":\"#\"},on:{\"click\":function($event){$event.preventDefault();_vm.$refs.donateFormModal.show()}}},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('imddb-header.navbar.support'))+\"\\n   \")])]),_c('li',{staticClass:\"nav-item\"},[_c('button',{staticClass:\"btn btn-saddle-red btn-block font-weight-bold\",attrs:{\"id\":\"follow-icij\"}},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('imddb-header.navbar.follow'))+\"\\n   \")]),_c('b-popover',{attrs:{\"container\":\"imddb-header\",\"target\":\"follow-icij\",\"placement\":\"bottomleft\",\"show\":_vm.showSignupPopover},on:{\"update:show\":function($event){_vm.showSignupPopover=$event}}},[_c('follow-us-popover',{attrs:{\"show\":_vm.showSignupPopover},on:{\"update:show\":function($event){_vm.showSignupPopover=$event}}})])],1)],1)])],2)],2),_c('b-modal',{ref:\"donateFormModal\",attrs:{\"hide-footer\":\"\",\"lazy\":\"\",\"size\":\"lg\"}},[_c('span',{staticClass:\"text-uppercase font-weight-bold text-primary\",attrs:{\"slot\":\"modal-title\"},slot:\"modal-title\"},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('imddb-header.navbar.support'))+\"\\n   \")]),_c('donate-form',{attrs:{\"no-title\":\"\"}})],1)],1)}\nvar staticRenderFns = []\n\nexport { render, staticRenderFns }","import { mergeData } from 'vue-functional-data-merge';\nimport Link, { propsFactory as linkPropsFactory } from '../link/link';\n\nexport var props = linkPropsFactory();\n\nexport default {\n functional: true,\n props: props,\n render: function render(h, _ref) {\n   var props = _ref.props,\n   data = _ref.data,\n   children = _ref.children;\n\n   return h(Link, mergeData(data, {\n   props: props,\n   staticClass: 'dropdown-item',\n   attrs: { role: 'menuitem' }\n   }), children);\n }\n};","export default {\n mounted: function mounted() {\n   if (typeof document !== 'undefined') {\n   document.documentElement.addEventListener('click', this._clickOutListener);\n   }\n },\n beforeDestroy: function beforeDestroy() {\n   if (typeof document !== 'undefined') {\n   document.documentElement.removeEventListener('click', this._clickOutListener);\n   }\n },\n\n methods: {\n   _clickOutListener: function _clickOutListener(e) {\n   if (!this.$el.contains(e.target)) {\n   if (this.clickOutListener) {\n   this.clickOutListener();\n   }\n   }\n   }\n };","import Popper from 'popper.js';\nimport clickoutMixin from './clickout';\nimport listenOnRootMixin from './listen-on-root';\nimport { from as arrayFrom } from '../utils/array';\nimport { assign } from '../utils/object';\nimport KeyCodes from '../utils/key-codes';\nimport BvEvent from '../utils/bv-event.class';\nimport warn from '../utils/warn';\nimport { isVisible, closest, selectAll, getAttr, eventOn, eventOff } from '../utils/dom';\n\n// Return an Array of visible items\nfunction filterVisible(els) {\n return (els || []).filter(isVisible);\n}\n\n// Dropdown item CSS selectors\n// TODO: .dropdown-form handling\nvar ITEM_SELECTOR = '.dropdown-item:not(.disabled):not([disabled])';\n\n// Popper attachment positions\nvar AttachmentMap = {\n // DropUp Left Align\n TOP: 'top-start',\n // DropUp Right Align\n TOPEND: 'top-end',\n // Dropdown left Align\n BOTTOM: 'bottom-start',\n // Dropdown Right Align\n BOTTOMEND: 'bottom-end'\n};\n\nexport default {\n mixins: [clickoutMixin, listenOnRootMixin],\n props: {\n   disabled: {\n   type: Boolean,\n   default: false\n   },\n   text: {\n   // Button label\n   type: String,\n   default: ''\n   },\n   dropup: {\n   // place on top if possible\n   type: Boolean,\n   default: false\n   },\n   right: {\n   // Right align menu (default is left align)\n   type: Boolean,\n   default: false\n   },\n   offset: {\n   // Number of pixels to offset menu, or a CSS unit value (i.e. 1px, 1rem, etc)\n   type: [Number, String],\n   default: 0\n   },\n   noFlip: {\n   // Disable auto-flipping of menu from bottom<=>top\n   type: Boolean,\n   default: false\n   },\n   popperOpts: {\n   type: Object,\n   default: function _default() {}\n   }\n },\n data: function data() {\n   return {\n   visible: false,\n   inNavbar: null,\n   visibleChangePrevented: false\n   };\n },\n created: function created() {\n   // Create non-reactive property\n   this._popper = null;\n },\n mounted: function mounted() {\n   // To keep one dropdown opened on page\n   this.listenOnRoot('bv::dropdown::shown', this.rootCloseListener);\n   // Hide when clicked on links\n   this.listenOnRoot('clicked::link', this.rootCloseListener);\n   // Use new namespaced events\n   this.listenOnRoot('bv::link::clicked', this.rootCloseListener);\n },\n\n /* istanbul ignore next: not easy to test */\n deactivated: function deactivated() {\n   // In case we are inside a `<keep-alive>`\n   this.visible = false;\n   this.setTouchStart(false);\n   this.removePopper();\n },\n\n /* istanbul ignore next: not easy to test */\n beforeDestroy: function beforeDestroy() {\n   this.visible = false;\n   this.setTouchStart(false);\n   this.removePopper();\n },\n\n watch: {\n   visible:

function visible(newValue, oldValue) {\n   if (this.visibleChangePrevented) {\n   this.visibleChangePrevented = false;\n   return;\n   }\n\n   if (newValue !== oldValue) {\n   var evtName = newValue ? 'show' : 'hide';\n   var bvEvt = new BvEvent(evtName, {\n   cancelable: true,\n   vueTarget: this,\n   target: this.$refs.menu,\n   relatedTarget: null\n   });\n   this.emitEvent(bvEvt);\n   if (bvEvt.defaultPrevented) {\n   // Reset value and exit if canceled\n   this.visibleChangePrevented = true;\n   this.visible = oldValue;\n   return;\n   }\n   if (evtName === 'show') {\n   this.showMenu();\n   } else {\n   this.hideMenu();\n   }\n   }\n},\n   disabled: function disabled(newValue, oldValue) {\n   if (newValue !== oldValue && newValue && this.visible) {\n   // Hide dropdown if disabled changes to true\n   this.visible = false;\n   }\n   }\n},\n   computed: {\n   toggler: function toggler() {\n   return this.$refs.toggle.$el || this.$refs.toggle;\n   }\n   },\n   methods: {\n   // Event emitter\n   emitEvent: function emitEvent(bvEvt) {\n   var type = bvEvt.type;\n   this.$emit(type, bvEvt);\n   this.emitOnRoot('bv::dropdown::' + type, bvEvt);\n   },\n   showMenu: function showMenu() {\n   if (this.disabled) {\n   return;\n   }\n   // Ensure other menus are closed\n   this.emitOnRoot('bv::dropdown::shown', this);\n\n   // Are we in a navbar ?\n   if (this.inNavbar === null && this.isNav) {\n   this.inNavbar = Boolean(closest('.navbar', this.$el));\n   }\n\n   // Disable totally Popper.js for Dropdown in Navbar\n   /* istnbul ignore next: can't test popper in JSDOM */\n   if (!this.inNavbar) {\n   if (typeof Popper === 'undefined') {\n   warn('b-dropdown: Popper.js not found. Falling back to CSS positioning.');\n   } else {\n   // for dropup with alignment we use the parent element as popper container\n   var element = this.dropup && this.right || this.split ? this.$el : this.$refs.toggle;\n   // Make sure we have a reference to an element, not a component!\n   element = element.$el || element;\n   // Instantiate popper.js\n   this.createPopper(element);\n   }\n   }\n\n   this.setTouchStart(true);\n   this.$emit('shown');\n\n   // Focus on the first item on show\n   this.$nextTick(this.focusFirstItem);\n   },\n   hideMenu: function hideMenu() {\n   this.setTouchStart(false);\n   this.emitOnRoot('bv::dropdown::hidden', this);\n   this.$emit('hidden');\n   this.removePopper();\n   },\n   createPopper: function createPopper(element) {\n   this.removePopper();\n   this._popper = new Popper(element, this.$refs.menu, this.getPopperConfig());\n   },\n   removePopper: function removePopper() {\n   if (this._popper) {\n   // Ensure popper event listeners are removed cleanly\n   this._popper.destroy();\n   }\n   this._popper = null;\n   },\n   getPopperConfig /* istanbul ignore next: can't test popper in JSDOM */: function getPopperConfig() {\n   var placement = AttachmentMap.BOTTOM;\n   if (this.dropup && this.right) {\n   // dropup + right\n   placement = AttachmentMap.TOPEND;\n   } else if (this.dropup) {\n   // dropup + left\n   placement = AttachmentMap.TOP;\n   } else if (this.right) {\n   // dropdown + right\n   placement = AttachmentMap.BOTTOMEND;\n   }\n   var popperConfig = {\n   placement: placement,\n   modifiers: {\n   offset: {\n   offset: this.offset || 0\n   },\n   flip: {\n   enabled: !this.noFlip\n   }\n   }\n   };\n   if (this.boundary) {\n   popperConfig.modifiers.preventOverflow = {\n   boundariesElement: this.boundary\n   };\n   }\n   return assign(popperConfig, this.popperOpts || {});\n   },\n   setTouchStart: function setTouchStart(on) {\n   var _this = this;\n\n   /*\n   * If this is a touch-enabled device we add extra\n   * empty mouseover listeners to the body's immediate children;\n   * only needed because of broken event delegation on iOS\n   * https://www.quirksmode.org/blog/archives/2014/02/mouse_event_bub.html\n   */\n   if ('ontouchstart' in document.documentElement) {\n   var children = arrayFrom(document.body.children);\n   children.forEach(function (el) {\n   if (on) {\n   eventOn('mouseover', _this._noop);\n   } else {\n   eventOff('mouseover', _this._noop);\n   }\n   });\n   }\n   },\n\n   /* istanbul ignore next: not easy to test */\n   _noop: function _noop() {\n   // Do nothing event handler (used in touchstart event handler)\n   },\n   rootCloseListener: function rootCloseListener(vm) {\n   if (vm !== this) {\n   this.visible = false;\n   }\n   },\n   clickOutListener: function clickOutListener() {\n   this.visible = false;\n   },\n   show: function show() {\n   // Public method to show dropdown\n   if (this.disabled) {\n   return;\n   }\n   this.visible = true;\n   },\n   hide: function hide() {\n   // Public method to hide dropdown\n   if (this.disabled) {\n   return;\n   }\n   this.visible = false;\n   },\n   toggle: function toggle(evt) {\n   // Called only by a button that toggles the menu\n   evt = evt || {};\n   var type = evt.type;\n   var key = evt.keyCode;\n   if (type !== 'click' && !(type === 'keydown' && (key === KeyCodes.ENTER || key === KeyCodes.SPACE || key === KeyCodes.DOWN))) {\n

// We only toggle on Click, Enter, Space, and Arrow Down\n   return;\n   }\n   if (this.disabled) {\n   this.visible = false;\n   return;\n   }\n   this.$emit('toggle', evt);\n   if (evt.defaultPrevented) {\n   // Exit if canceled\n   return;\n   }\n   evt.preventDefault();\n   evt.stopPropagation();\n   // Toggle visibility\n   this.visible = !this.visible;\n   },\n   click: function click(evt) {\n   // Calle only in split button mode, for the split button\n   if (this.disabled) {\n   this.visible = false;\n   return;\n   }\n   this.$emit('click', evt);\n   },\n\n   /* istanbul ignore next: not easy to test */\n   onKeydown: function onKeydown(evt) {\n   // Called from dropdown menu context\n   var key = evt.keyCode;\n   if (key === KeyCodes.ESC) {\n   // Close on ESC\n   this.onEsc(evt);\n   } else if (key === KeyCodes.TAB) {\n   // Close on tab out\n   this.onTab(evt);\n   } else if (key === KeyCodes.DOWN) {\n   // Down Arrow\n   this.focusNext(evt, false);\n   } else if (key === KeyCodes.UP) {\n   // Up Arrow\n   this.focusNext(evt, true);\n   }\n   },\n\n   /* istanbul ignore next: not easy to test */\n   onEsc: function onEsc(evt) {\n   if (this.visible) {\n   this.visible = false;\n   evt.preventDefault();\n   evt.stopPropagation();\n   // Return focus to original trigger button\n   this.$nextTick(this.focusToggler);\n   }\n   },\n\n   /* istanbul ignore next: not easy to test */\n   onTab: function onTab(evt) {\n   if (this.visible) {\n   // TODO: Need special handler for dealing with form inputs\n   // Tab, if in a text-like input, we should just focus next item in the dropdown\n   // Note: Inputs are in a special .dropdown-form container\n   this.visible = false;\n   }\n   },\n   onFocusOut: function onFocusOut(evt) {\n   if (this.$refs.menu.contains(evt.relatedTarget)) {\n   return;\n   }\n   this.visible = false;\n   },\n\n   /* istanbul ignore next: not easy to test */\n   onMouseOver: function onMouseOver(evt) {\n   // Focus the item on hover\n   // TODO: Special handling for inputs? Inputs are in a special .dropdown-form container\n   var item = evt.target;\n   if (item.classList.contains('dropdown-item') && !item.disabled && !item.classList.contains('disabled') && item.focus) {\n   item.focus();\n   }\n   },\n   focusNext: function focusNext(evt, up) {\n   var _this2 = this;\n\n   if (!this.visible) {\n   return;\n   }\n   evt.preventDefault();\n   evt.stopPropagation();\n   this.$nextTick(function () {\n   var items = _this2.getItems();\n   if (items.length < 1) {\n   return;\n   }\n   var index = items.indexOf(evt.target);\n   if (up && index > 0) {\n   index--;\n   } else if (!up && index < items.length - 1) {\n   index++;\n   }\n   if (index < 0) {\n   index = 0;\n   }\n   _this2.focusItem(index, items);\n   });\n   },\n   focusItem: function focusItem(idx, items) {\n   var el = items.find(function (el, i) {\n   return i === idx;\n   });\n   if (el && getAttr(el, 'tabindex') !== '-1') {\n   el.focus();\n   }\n   },\n   getItems: function getItems() {\n   // Get all items\n   return filterVisible(selectAll(ITEM_SELECTOR, this.$refs.menu));\n   },\n   getFirstItem: function getFirstItem() {\n   // Get the first non-disabled item\n   var item = this.getItems()[0];\n   return item || null;\n   },\n   focusFirstItem: function focusFirstItem() {\n   var item = this.getFirstItem();\n   if (item) {\n   this.focusItem(0, [item]);\n   }\n   },\n   focusToggler: function focusToggler() {\n   var toggler = this.toggler;\n   if (toggler && toggler.focus) {\n   toggler.focus();\n   }\n   }\n }\n};","import idMixin from '../../mixins/id';\nimport dropdownMixin from '../../mixins/dropdown';\n\nexport default {\n mixins: [idMixin, dropdownMixin],\n render: function render(h) {\n   var button = h('a', {\n   class: this.toggleClasses,\n   ref: 'toggle',\n   attrs: {\n   href: '#',\n   id: this.safeId('_BV_button_'),\n   disabled: this.disabled,\n   'aria-haspopup': 'true',\n   'aria-expanded': this.visible ? 'true' : 'false'\n   },\n   on: {\n   click: this.toggle,\n   keydown: this.toggle // space, enter, down\n   }\n   }, [this.$slots['button-content'] || this.$slots.text || h('span', { domProps: { innerHTML: this.text } })]);\n   var menu = h('div', {\n   class: this.menuClasses,\n   ref: 'menu',\n   attrs: { 'aria-labelledby': this.safeId('_BV_button_') },\n   on: {\n   mouseover: this.onMouseOver,\n   keydown: this.onKeydown // tab, up, down, esc\n   }\n   }, [this.$slots.default]);\n   return h('li', { attrs: { id: this.safeId() }, class: this.dropdownClasses }, [button, menu]);\n },\n\n computed: {\n   isNav: function isNav() {\n   // Signal to dropdown mixin that we are in a navbar\n   return true;\n   },\n   dropdownClasses: function dropdownClasses() {\n   return ['nav-item', 'b-nav-dropdown', 'dropdown', this.dropup ? 'dropup' : '', this.visible ? 'show' : ''];\n   },\n   toggleClasses: function toggleClasses() {\n   return ['nav-link', this.noCaret ? '' : 'dropdown-toggle', this.disabled ? 'disabled' : '', this.extraToggleClasses ? this.extraToggleClasses : ''];\n   },\n   menuClasses: function menuClasses() {\n   return ['dropdown-menu', this.right ? 'dropdown-menu-right' : 'dropdown-menu-left', this.visible ? 'show' : '', this.extraMenuClasses ? this.extraMenuClasses : ''];\n   }\n },\n props: {\n   noCaret: {\n

type: Boolean,\n default: false\n },\n extraToggleClasses: {\n // Extra Toggle classes\n type: String,\n default: "\n },\n extraMenuClasses: {\n // Extra Menu classes\n type: String,\n default: "\n },\n role: {\n type: String,\n default: 'menu'\n }\n }\n};","var _typeof = typeof Symbol === \"function\" && typeof Symbol.iterator === \"symbol\" ? function (obj) { return typeof obj; } : function (obj) { return obj && typeof Symbol === \"function\" && obj.constructor === Symbol && obj !== Symbol.prototype ? \"symbol\" : typeof obj; };\n\nvar _createClass = function () { function defineProperties(target, props) { for (var i = 0; i < props.length; i++) { var descriptor = props[i]; descriptor.enumerable = descriptor.enumerable || false; descriptor.configurable = true; if (\"value\" in descriptor) descriptor.writable = true; Object.defineProperty(target, descriptor.key, descriptor); } } return function (Constructor, protoProps, staticProps) { if (protoProps) defineProperties(Constructor.prototype, protoProps); if (staticProps) defineProperties(Constructor, staticProps); return Constructor; }; }();\n\nfunction _classCallCheck(instance, Constructor) { if (!(instance instanceof Constructor)) { throw new TypeError(\"Cannot call a class as a function\"); } }\n\nimport Popper from 'popper.js';\nimport BvEvent from './bv-event.class';\nimport { assign } from './object';\nimport { from as arrayFrom } from './array';\nimport { closest, select, isVisible, isDisabled, getCS, addClass, removeClass, hasClass, setAttr, removeAttr, getAttr, eventOn, eventOff } from './dom';\n\nvar NAME = 'tooltip';\nvar CLASS_PREFIX = 'bs-tooltip';\nvar BSCLS_PREFIX_REGEX = new RegExp('\\\\b' + CLASS_PREFIX + '\\\\S+', 'g');\nvar TRANSITION_DURATION = 150;\n\n// Modal $root hidden event\nvar MODAL_CLOSE_EVENT = 'bv::modal::hidden';\n// Modal container for appending tip/popover\nvar MODAL_CLASS = '.modal-content';\n\nvar AttachmentMap = {\n AUTO: 'auto',\n TOP: 'top',\n RIGHT: 'right',\n BOTTOM: 'bottom',\n LEFT: 'left',\n TOPLEFT: 'top',\n TOPRIGHT: 'top',\n RIGHTTOP: 'right',\n RIGHTBOTTOM: 'right',\n BOTTOMLEFT: 'bottom',\n BOTTOMRIGHT: 'bottom',\n LEFTTOP: 'left',\n LEFTBOTTOM: 'left'\n};\n\nvar OffsetMap = {\n AUTO: 0,\n TOPLEFT: -1,\n TOP: 0,\n TOPRIGHT: +1,\n RIGHTTOP: -1,\n RIGHT: 0,\n RIGHTBOTTOM: +1,\n BOTTOMLEFT: -1,\n BOTTOM: 0,\n BOTTOMRIGHT: +1,\n LEFTTOP: -1,\n LEFT: 0,\n LEFTBOTTOM: +1\n};\n\nvar HoverState = {\n SHOW: 'show',\n OUT: 'out'\n};\n\nvar ClassName = {\n FADE: 'fade',\n SHOW: 'show'\n};\n\nvar Selector = {\n TOOLTIP: '.tooltip',\n TOOLTIP_INNER: '.tooltip-inner',\n ARROW: '.arrow'\n\n // ESLINT: Not used\n // const Trigger = {\n // HOVER: 'hover',\n // FOCUS: 'focus',\n // CLICK: 'click',\n // BLUR: 'blur',\n // MANUAL: 'manual'\n // }\n};var Defaults = {\n animation: true,\n template: '<div class=\"tooltip\" role=\"tooltip\">' + '<div class=\"arrow\"></div>' + '<div class=\"tooltip-inner\"></div>' + '</div>',\n trigger: 'hover focus',\n title: '',\n delay: 0,\n html: false,\n placement: 'top',\n offset: 0,\n arrowPadding: 6,\n container: false,\n fallbackPlacement: 'flip',\n callbacks: {},\n boundary: 'scrollParent'\n\n // Transition Event names\n};var TransitionEndEvents = {\n WebkitTransition: ['webkitTransitionEnd'],\n MozTransition: ['transitionend'],\n OTransition: ['otransitionend', 'oTransitionEnd'],\n transition: ['transitionend']\n\n // Client Side Tip ID counter for aria-describedby attribute\n // Could use Alex's uid generator util\n // Each tooltip requires a unique client side ID\n};var NEXTID = 1;\n/* istanbul ignore next */\nfunction generateId(name) {\n return '__BV_' + name + '_' + NEXTID++ + '__';\n}\n\n/*\n * ToolTip Class definition\n */\n/* istanbul ignore next: difficult to test in Jest/JSDOM environment */\nvar ToolTip = function () {\n // Main constructor\n function ToolTip(element, config, $root) {\n _classCallCheck(this, ToolTip);\n\n // New tooltip object\n this.$isEnabled = true;\n this.$fadeTimeout = null;\n this.$hoverTimeout = null;\n this.$visibleInterval = null;\n this.$hoverState = '';\n this.$activeTrigger = {};\n this.$popper = null;\n this.$element = element;\n this.$tip = null;\n this.$id = generateId(this.constructor.NAME);\n this.$root = $root || null;\n this.$routeWatcher = null;\n // We use a bound version of the following handlers for root/modal listeners to maintain the 'this' context\n this.$forceHide = this.forceHide.bind(this);\n this.$doHide = this.doHide.bind(this);\n this.$doShow = this.doShow.bind(this);\n this.$doDisable = this.doDisable.bind(this);\n this.$doEnable = this.doEnable.bind(this);\n // Set the configuration\n this.updateConfig(config);\n }\n\n // NOTE: Overridden by PopOver class\n\n\n _createClass(ToolTip, [{\n key: 'updateConfig',\n\n\n // Update config\n value: function updateConfig(config) {\n // Merge config into defaults. We use \"this\" here because PopOver overrides Default\n var updatedConfig = assign({}, this.constructor.Default, config);\n\n // Sanitize delay\n if (config.delay && typeof config.delay === 'number') {\n updatedConfig.delay = {\n show: config.delay,\n hide:

config.delay\n   };\n   }\n\n   // Title for tooltip and popover\n   if (config.title && typeof config.title === 'number') {\n   updatedConfig.title = config.title.toString();\n   }\n\n   // Content only for popover\n   if (config.content && typeof config.content === 'number') {\n   updatedConfig.content = config.content.toString();\n   }\n\n   // Hide element original title if needed\n   this.fixTitle();\n   // Update the config\n   this.$config = updatedConfig;\n   // Stop/Restart listening\n   this.unListen();\n   this.listen();\n   }\n\n   // Destroy this instance\n\n }, {\n   key: 'destroy',\n   value: function destroy() {\n   // Stop listening to trigger events\n   this.unListen();\n   // Disable while open listeners/watchers\n   this.setWhileOpenListeners(false);\n   // Clear any timeouts\n   clearTimeout(this.$hoverTimeout);\n   this.$hoverTimeout = null;\n   clearTimeout(this.$fadeTimeout);\n   this.$fadeTimeout = null;\n   // Remove popper\n   if (this.$popper) {\n   this.$popper.destroy();\n   }\n   this.$popper = null;\n   // Remove tip from document\n   if (this.$tip && this.$tip.parentElement) {\n   this.$tip.parentElement.removeChild(this.$tip);\n   }\n   this.$tip = null;\n   // Null out other properties\n   this.$id = null;\n   this.$isEnabled = null;\n   this.$root = null;\n   this.$element = null;\n   this.$config = null;\n   this.$hoverState = null;\n   this.$activeTrigger = null;\n   this.$forceHide = null;\n   this.$doHide = null;\n   this.$doShow = null;\n   this.$doDisable = null;\n   this.$doEnable = null;\n   }\n }, {\n   key: 'enable',\n   value: function enable() {\n   // Create a non-cancelable BvEvent\n   var enabledEvt = new BvEvent('enabled', {\n   cancelable: false,\n   target: this.$element,\n   relatedTarget: null\n   });\n   this.$isEnabled = true;\n   this.emitEvent(enabledEvt);\n   }\n }, {\n   key: 'disable',\n   value: function disable() {\n   // Create a non-cancelable BvEvent\n   var disabledEvt = new BvEvent('disabled', {\n   cancelable: false,\n   target: this.$element,\n   relatedTarget: null\n   });\n   this.$isEnabled = false;\n   this.emitEvent(disabledEvt);\n   }\n\n   // Click toggler\n\n }, {\n   key: 'toggle',\n   value: function toggle(event) {\n   if (!this.$isEnabled) {\n   return;\n   }\n   if (event) {\n   this.$activeTrigger.click = !this.$activeTrigger.click;\n\n   if (this.isWithActiveTrigger()) {\n   this.enter(null);\n   } else {\n   this.leave(null);\n   }\n   } else {\n   if (hasClass(this.getTipElement(), ClassName.SHOW)) {\n   this.leave(null);\n   } else {\n   this.enter(null);\n   }\n   }\n   }\n\n   // Show tooltip\n\n }, {\n   key: 'show',\n   value: function show() {\n   var _this = this;\n\n   if (!document.body.contains(this.$element) || !isVisible(this.$element)) {\n   // If trigger element isn't in the DOM or is not visible\n   return;\n   }\n   // Build tooltip element (also sets this.$tip)\n   var tip = this.getTipElement();\n   this.fixTitle();\n   this.setContent(tip);\n   if (!this.isWithContent(tip)) {\n   // if No content, don't bother showing\n   this.$tip = null;\n   return;\n   }\n\n   // Set ID on tip and aria-describedby on element\n   setAttr(tip, 'id', this.$id);\n   this.addAriaDescribedby();\n\n   // Set animation on or off\n   if (this.$config.animation) {\n   addClass(tip, ClassName.FADE);\n   } else {\n   removeClass(tip, ClassName.FADE);\n   }\n\n   var placement = this.getPlacement();\n   var attachment = this.constructor.getAttachment(placement);\n   this.addAttachmentClass(attachment);\n\n   // Create a cancelable BvEvent\n   var showEvt = new BvEvent('show', {\n   cancelable: true,\n   target: this.$element,\n   relatedTarget: tip\n   });\n   this.emitEvent(showEvt);\n   if (showEvt.defaultPrevented) {\n   // Don't show if event cancelled\n   this.$tip = null;\n   return;\n   }\n\n   // Insert tooltip if needed\n   var container = this.getContainer();\n   if (!document.body.contains(tip)) {\n   container.appendChild(tip);\n   }\n\n   // Refresh popper\n   this.removePopper();\n   this.$popper = new Popper(this.$element, tip, this.getPopperConfig(placement, tip));\n\n   // Transitionend Callback\n   var complete = function complete() {\n   if (_this.$config.animation) {\n   _this.fixTransition(tip);\n   }\n   var prevHoverState = _this.$hoverState;\n   _this.$hoverState = null;\n   if (prevHoverState === HoverState.OUT) {\n   _this.leave(null);\n   }\n   // Create a non-cancelable BvEvent\n   var shownEvt = new BvEvent('shown', {\n   cancelable: false,\n   target: _this.$element,\n   relatedTarget: tip\n   });\n   _this.emitEvent(shownEvt);\n   };\n\n   // Enable while open listeners/watchers\n   this.setWhileOpenListeners(true);\n\n   // Show tip\n   addClass(tip, ClassName.SHOW);\n\n   // Start the transition/animation\n   this.transitionOnce(tip, complete);\n   }\n\n   // handler for periodic visibility check\n\n }, {\n   key: 'visibleCheck',\n   value: function visibleCheck(on) {\n   var _this2 = this;\n\n   clearInterval(this.$visibleInterval);\n   this.$visibleInterval = null;\n   if (on) {\n

this.$visibleInterval = setInterval(function () {\n   var tip = _this2.getTipElement();\n   if (tip &&
!isVisible(_this2.$element) && hasClass(tip, ClassName.SHOW)) {\n   // Element is no longer visible, so
force-hide the tooltip\n   _this2.forceHide();\n   }\n   }, 100);\n   }\n   }\n }, {\n   key:
'setWhileOpenListeners',\n   value: function setWhileOpenListeners(on) {\n   // Modal close events\n
this.setModalListener(on);\n   // Periodic $element visibility check\n   // For handling when tip is in <keepalive>,
tabs, carousel, etc\n   this.visibleCheck(on);\n   // Route change events\n   this.setRouteWatcher(on);\n   //
Ontouch start listeners\n   this.setOnTouchStartListener(on);\n   if (on &&
/(focus|blur)/.test(this.$config.trigger)) {\n   // If focus moves between trigger element and tip container, dont
close\n   eventOn(this.$tip, 'focusout', this);\n   } else {\n   eventOff(this.$tip, 'focusout', this);\n   }\n
}\n\n   // force hide of tip (internal method)\n\n }, {\n   key: 'forceHide',\n   value: function forceHide() {\n   if
(!this.$tip || !hasClass(this.$tip, ClassName.SHOW)) {\n   return;\n   }\n   // Disable while open
listeners/watchers\n   this.setWhileOpenListeners(false);\n   // Clear any hover enter/leave event\n
clearTimeout(this.$hoverTimeout);\n   this.$hoverTimeout = null;\n   this.$hoverState = '';\n   // Hide the tip\n
this.hide(null, true);\n   }\n\n   // Hide tooltip\n\n }, {\n   key: 'hide',\n   value: function hide(callback, force) {\n
var _this3 = this;\n\n   var tip = this.$tip;\n   if (!tip) {\n   return;\n   }\n\n   // Create a canelable
BvEvent\n   var hideEvt = new BvEvent('hide', {\n   // We disable cancelling if force is true\n   cancelable:
!force,\n   target: this.$element,\n   relatedTarget: tip\n   });\n   this.emitEvent(hideEvt);\n   if
(hideEvt.defaultPrevented) {\n   // Don't hide if event cancelled\n   return;\n   }\n\n   // Transitionend
Callback\n   /* istanbul ignore next */\n   var complete = function complete() {\n   if (_this3.$hoverState !==
HoverState.SHOW && tip.parentNode) {\n   // Remove tip from dom, and force recompile on next show\n
tip.parentNode.removeChild(tip);\n   _this3.removeAriaDescribedby();\n   _this3.removePopper();\n
_this3.$tip = null;\n   }\n   if (callback) {\n   callback();\n   }\n   // Create a non-cancelable
BvEvent\n   var hiddenEvt = new BvEvent('hidden', {\n   cancelable: false,\n   target: _this3.$element,\n
relatedTarget: null\n   });\n   _this3.emitEvent(hiddenEvt);\n   };\n\n   // Disable while open
listeners/watchers\n   this.setWhileOpenListeners(false);\n\n   // If forced close, disable animation\n   if (force)
{\n   removeClass(tip, ClassName.FADE);\n   }\n   // Hide tip\n   removeClass(tip, ClassName.SHOW);\n\n
this.$activeTrigger.click = false;\n   this.$activeTrigger.focus = false;\n   this.$activeTrigger.hover = false;\n\n
// Start the hide transition\n   this.transitionOnce(tip, complete);\n\n   this.$hoverState = '';\n   }\n }, {\n
key: 'emitEvent',\n   value: function emitEvent(evt) {\n   var evtName = evt.type;\n   if (this.$root &&
this.$root.$emit) {\n   // Emit an event on $root\n   this.$root.$emit('bv::' + this.constructor.NAME + '::' +
evtName, evt);\n   }\n   var callbacks = this.$config.callbacks || {};\n   if (typeof callbacks[evtName] ===
'function') {\n   callbacks[evtName](evt);\n   }\n   }\n }, {\n   key: 'getContainer',\n   value: function
getContainer() {\n   var container = this.$config.container;\n   var body = document.body;\n   // If we are in a
modal, we append to the modal instead of body, unless a container is specified\n   return container === false ?
closest(MODAL_CLASS, this.$element) || body : select(container, body) || body;\n   }\n\n   // Will be overritten by
popover if needed\n\n }, {\n   key: 'addAriaDescribedby',\n   value: function addAriaDescribedby() {\n   // Add
aria-describedby on trigger element, without removing any other IDs\n   var desc = getAttr(this.$element, 'aria-
describedby') || '';\n   desc = desc.split(/\s+/).concat(this.$id).join(' ').trim();\n   setAttr(this.$element, 'aria-
describedby', desc);\n   }\n\n   // Will be overritten by popover if needed\n\n }, {\n   key:
'removeAriaDescribedby',\n   value: function removeAriaDescribedby() {\n   var _this4 = this;\n\n   var desc =
getAttr(this.$element, 'aria-describedby') || '';\n   desc = desc.split(/\s+/).filter(function (d) {\n   return d !==
_this4.$id;\n   }).join(' ').trim();\n   if (desc) {\n   setAttr(this.$element, 'aria-describedby', desc);\n   } else
{\n   removeAttr(this.$element, 'aria-describedby');\n   }\n   }\n }, {\n   key: 'removePopper',\n   value:
function removePopper() {\n   if (this.$popper) {\n   this.$popper.destroy();\n   }\n   this.$popper = null;\n
}\n\n   /* istanbul ignore next */\n\n }, {\n   key: 'transitionOnce',\n   value: function transitionOnce(tip, complete)
{\n   var _this5 = this;\n\n   var transEvents = this.getTransitionEndEvents();\n   var called = false;\n
clearTimeout(this.$fadeTimeout);\n   this.$fadeTimeout = null;\n   var fnOnce = function fnOnce() {\n   if
(called) {\n   return;\n   }\n   called = true;\n   clearTimeout(_this5.$fadeTimeout);\n

_this5.$fadeTimeout = null;\n   transEvents.forEach(function (evtName) {\n   eventOff(tip, evtName, fnOnce);\n   });\n   // Call complete callback\n   complete();\n   };\n   if (hasClass(tip, ClassName.FADE)) {\n   transEvents.forEach(function (evtName) {\n   eventOn(tip, evtName, fnOnce);\n   });\n   // Fallback to setTimeout\n   this.$fadeTimeout = setTimeout(fnOnce, TRANSITION_DURATION);\n   } else {\n   fnOnce();\n   }\n   }\n\n   // What transitionend event(s) to use? (returns array of event names)\n\n }, {\n   key: 'getTransitionEndEvents',\n   value: function getTransitionEndEvents() {\n   for (var name in TransitionEndEvents) {\n   if (this.$element.style[name] !== undefined) {\n   return TransitionEndEvents[name];\n   }\n   }\n   // fallback\n   return [];\n   }\n }, {\n   key: 'update',\n   value: function update() {\n   if (this.$popper !== null) {\n   this.$popper.scheduleUpdate();\n   }\n   }\n\n   // NOTE: Overridden by PopOver class\n\n }, {\n   key: 'isWithContent',\n   value: function isWithContent(tip) {\n   tip = tip || this.$tip;\n   if (!tip) {\n   return false;\n   }\n   return Boolean((select(Selector.TOOLTIP_INNER, tip) || {}).innerHTML);\n   }\n\n   // NOTE: Overridden by PopOver class\n\n }, {\n   key: 'addAttachmentClass',\n   value: function addAttachmentClass(attachment) {\n   addClass(this.getTipElement(), CLASS_PREFIX + '-' + attachment);\n   }\n }, {\n   key: 'getTipElement',\n   value: function getTipElement() {\n   if (!this.$tip) {\n   // Try and compile user supplied template, or fallback to default template\n   this.$tip = this.compileTemplate(this.$config.template) || this.compileTemplate(this.constructor.Default.template);\n   }\n   // Add tab index so tip can be focused, and to allow it to be set as relatedTargt in focusin/out events\n   this.$tip.tabIndex = -1;\n   return this.$tip;\n   }\n }, {\n   key: 'compileTemplate',\n   value: function compileTemplate(html) {\n   if (!html || typeof html !== 'string') {\n   return null;\n   }\n   var div = document.createElement('div');\n   div.innerHTML = html.trim();\n   var node = div.firstElementChild ? div.removeChild(div.firstElementChild) : null;\n   div = null;\n   return node;\n   }\n\n   // NOTE: Overridden by PopOver class\n\n }, {\n   key: 'setContent',\n   value: function setContent(tip) {\n   this.setElementContent(select(Selector.TOOLTIP_INNER, tip), this.getTitle());\n   removeClass(tip, ClassName.FADE);\n   removeClass(tip, ClassName.SHOW);\n   }\n }, {\n   key: 'setElementContent',\n   value: function setElementContent(container, content) {\n   if (!container) {\n   // If container element doesn't exist, just return\n   return;\n   }\n   var allowHtml = this.$config.html;\n   if ((typeof content === 'undefined' ? 'undefined' : _typeof(content)) === 'object' && content.nodeType) {\n   // content is a DOM node\n   if (allowHtml) {\n   if (content.parentElement !== container) {\n   container.innerHtml = '';\n   container.appendChild(content);\n   }\n   } else {\n   container.innerText = content.innerText;\n   }\n   } else {\n   // We have a plain HTML string or Text\n   container[allowHtml ? 'innerHTML' : 'innerText'] = content;\n   }\n   }\n\n   // NOTE: Overridden by PopOver class\n\n }, {\n   key: 'getTitle',\n   value: function getTitle() {\n   var title = this.$config.title || '';\n   if (typeof title === 'function') {\n   // Call the function to get the title value\n   title = title(this.$element);\n   }\n   if ((typeof title === 'undefined' ? 'undefined' : _typeof(title)) === 'object' && title.nodeType && !title.innerHTML.trim()) {\n   // We have a DOM node, but without inner content, so just return empty string\n   title = '';\n   }\n   if (typeof title === 'string') {\n   title = title.trim();\n   }\n   if (!title) {\n   // If an explicit title is not given, try element's title atributes\n   title = getAttr(this.$element, 'title') || getAttr(this.$element, 'data-original-title') || '';\n   title = title.trim();\n   }\n\n   return title;\n   }\n }, {\n   key: 'listen',\n   value: function listen() {\n   var _this6 = this;\n\n   var triggers = this.$config.trigger.trim().split(/\\s+/);\n   var el = this.$element;\n\n   // Listen for global show/hide events\n   this.setRootListener(true);\n\n   // Using 'this' as the handler will get automagically directed to this.handleEvent\n   // And maintain our binding to 'this'\n   triggers.forEach(function (trigger) {\n   if (trigger === 'click') {\n   eventOn(el, 'click', _this6);\n   } else if (trigger === 'focus') {\n   eventOn(el, 'focusin', _this6);\n   eventOn(el, 'focusout', _this6);\n   } else if (trigger === 'blur') {\n   // Used to close $tip when element looses focus\n   eventOn(el, 'focusout', _this6);\n   } else if (trigger === 'hover') {\n   eventOn(el, 'mouseenter', _this6);\n   eventOn(el, 'mouseleave', _this6);\n   }\n   }, this);\n   }\n }, {\n   key: 'unListen',\n   value: function unListen() {\n   var _this7 = this;\n\n   var events = ['click', 'focusin', 'focusout', 'mouseenter', 'mouseleave'];\n   // Using \"this\" as the handler will get automagically directed to this.handleEvent\n

events.forEach(function (evt) {\n   eventOff(_this7.$element, evt, _this7);\n   }, this);\n\n   // Stop listening for global show/hide/enable/disable events\n   this.setRootListener(false);\n   }\n }, {\n   key: 'handleEvent',\n   value: function handleEvent(e) {\n   // This special method allows us to use \"this\" as the event handlers\n   if (isDisabled(this.$element)) {\n   // If disabled, don't do anything. Note: if tip is shown before element gets\n   // disabled, then tip not close until no longer disabled or forcefully closed.\n   return;\n   }\n   if (!this.$isEnabled) {\n   // If not enable\n   return;\n   }\n   var type = e.type;\n   var target = e.target;\n   var relatedTarget = e.relatedTarget;\n   var $element = this.$element;\n   var $tip = this.$tip;\n   if (type === 'click') {\n   this.toggle(e);\n   } else if (type === 'focusin' || type === 'mouseenter') {\n   this.enter(e);\n   } else if (type === 'focusout') {\n   // target is the element which is loosing focus\n   // And relatedTarget is the element gaining focus\n   if ($tip && $element && $element.contains(target) && $tip.contains(relatedTarget)) {\n   // If focus moves from $element to $tip, don't trigger a leave\n   return;\n   }\n   if ($tip && $element && $tip.contains(target) && $element.contains(relatedTarget)) {\n   // If focus moves from $tip to $element, don't trigger a leave\n   return;\n   }\n   if ($tip && $tip.contains(target) && $tip.contains(relatedTarget)) {\n   // If focus moves within $tip, don't trigger a leave\n   return;\n   }\n   if ($element && $element.contains(target) && $element.contains(relatedTarget)) {\n   // If focus moves within $element, don't trigger a leave\n   return;\n   }\n   // Otherwise trigger a leave\n   this.leave(e);\n   } else if (type === 'mouseleave') {\n   this.leave(e);\n   }\n   }\n\n   /* istanbul ignore next */\n\n }, {\n   key: 'setRouteWatcher',\n   value: function setRouteWatcher(on) {\n   var _this8 = this;\n\n   if (on) {\n   this.setRouteWatcher(false);\n   if (this.$root && Boolean(this.$root.$route)) {\n   this.$routeWatcher = this.$root.$watch('$route', function (newVal, oldVal) {\n   if (newVal === oldVal) {\n   return;\n   }\n   // If route has changed, we force hide the tooltip/popover\n   _this8.forceHide();\n   });\n   }\n   } else {\n   if (this.$routeWatcher) {\n   // cancel the route watcher by calling hte stored reference\n   this.$routeWatcher();\n   this.$routeWatcher = null;\n   }\n   }\n   }\n\n   /* istanbul ignore next */\n\n }, {\n   key: 'setModalListener',\n   value: function setModalListener(on) {\n   var modal = closest(MODAL_CLASS, this.$element);\n   if (!modal) {\n   // If we are not in a modal, don't worry. be happy\n   return;\n   }\n   // We can listen for modal hidden events on $root\n   if (this.$root) {\n   this.$root[on ? '$on' : '$off'](MODAL_CLOSE_EVENT, this.$forceHide);\n   }\n   }\n\n   /* istanbul ignore next */\n\n }, {\n   key: 'setRootListener',\n   value: function setRootListener(on) {\n   // Listen for global 'bv::{hide|show}::{tooltip|popover}' hide request event\n   if (this.$root) {\n   this.$root[on ? '$on' : '$off']('bv::hide::' + this.constructor.NAME, this.$doHide);\n   this.$root[on ? '$on' : '$off']('bv::show::' + this.constructor.NAME, this.$doShow);\n   this.$root[on ? '$on' : '$off']('bv::disable::' + this.constructor.NAME, this.$doDisable);\n   this.$root[on ? '$on' : '$off']('bv::enable::' + this.constructor.NAME, this.$doEnable);\n   }\n   }\n }, {\n   key: 'doHide',\n   value: function doHide(id) {\n   // Programmatically hide tooltip or popover\n   if (!id) {\n   // Close all tooltips or popovers\n   this.forceHide();\n   } else if (this.$element && this.$element.id && this.$element.id === id) {\n   // Close this specific tooltip or popover\n   this.hide();\n   }\n   }\n }, {\n   key: 'doShow',\n   value: function doShow(id) {\n   // Programmatically show tooltip or popover\n   if (!id) {\n   // Open all tooltips or popovers\n   this.show();\n   } else if (id && this.$element && this.$element.id && this.$element.id === id) {\n   // Show this specific tooltip or popover\n   this.show();\n   }\n   }\n }, {\n   key: 'doDisable',\n   value: function doDisable(id) {\n   // Programmatically disable tooltip or popover\n   if (!id) {\n   // Disable all tooltips or popovers\n   this.disable();\n   } else if (this.$element && this.$element.id && this.$element.id === id) {\n   // Disable this specific tooltip or popover\n   this.disable();\n   }\n   }\n }, {\n   key: 'doEnable',\n   value: function doEnable(id) {\n   // Programmatically enable tooltip or popover\n   if (!id) {\n   // Enable all tooltips or popovers\n   this.enable();\n   } else if (this.$element && this.$element.id && this.$element.id === id) {\n   // Enable this specific tooltip or popover\n   this.enable();\n   }\n   }\n\n   /* istanbul ignore next */\n\n }, {\n   key: 'setOnTouchStartListener',\n   value: function setOnTouchStartListener(on) {\n   var _this9 = this;\n\n   // if this is a touch-enabled device we add extra\n   // empty mouseover listeners to the body's immediate children;\n   // only needed because of broken event delegation on iOS\n   //

https://www.quirksmode.org/blog/archives/2014/02/mouse_event_bub.html\n   if ('ontouchstart' in document.documentElement) {\n   arrayFrom(document.body.children).forEach(function (el) {\n   if (on) {\n   eventOn(el, 'mouseover', _this9._noop);\n   } else {\n   eventOff(el, 'mouseover', _this9._noop);\n   }\n   });\n   }\n   }\n\n   /* istanbul ignore next */\n\n }, {\n   key: '_noop',\n   value: function _noop() {\n   // Empty noop handler for ontouchstart devices\n   }\n }, {\n   key: 'fixTitle',\n   value: function fixTitle() {\n   var el = this.$element;\n   var titleType = _typeof(getAttr(el, 'data-original-title'));\n   if (getAttr(el, 'title') || titleType !== 'string') {\n   setAttr(el, 'data-original-title', getAttr(el, 'title') || '');\n   setAttr(el, 'title', '');\n   }\n   }\n\n   // Enter handler\n   /* istanbul ignore next */\n\n }, {\n   key: 'enter',\n   value: function enter(e) {\n   var _this10 = this;\n\n   if (e) {\n   this.$activeTrigger[e.type === 'focusin' ? 'focus' : 'hover'] = true;\n   }\n   if (hasClass(this.getTipElement(), ClassName.SHOW) || this.$hoverState === HoverState.SHOW) {\n   this.$hoverState = HoverState.SHOW;\n   return;\n   }\n   clearTimeout(this.$hoverTimeout);\n   this.$hoverState = HoverState.SHOW;\n   if (!this.$config.delay || !this.$config.delay.show) {\n   this.show();\n   return;\n   }\n   this.$hoverTimeout = setTimeout(function () {\n   if (_this10.$hoverState === HoverState.SHOW) {\n   _this10.show();\n   }\n   }, this.$config.delay.show);\n   }\n\n   // Leave handler\n   /* istanbul ignore next */\n\n }, {\n   key: 'leave',\n   value: function leave(e) {\n   var _this11 = this;\n\n   if (e) {\n   this.$activeTrigger[e.type === 'focusout' ? 'focus' : 'hover'] = false;\n   if (e.type === 'focusout' && /blur/.test(this.$config.trigger)) {\n   // Special case for `blur`: we clear out the other triggers\n   this.$activeTrigger.click = false;\n   this.$activeTrigger.hover = false;\n   }\n   }\n   if (this.isWithActiveTrigger()) {\n   return;\n   }\n   clearTimeout(this.$hoverTimeout);\n   this.$hoverState = HoverState.OUT;\n   if (!this.$config.delay || !this.$config.delay.hide) {\n   this.hide();\n   return;\n   }\n   this.$hoverTimeout = setTimeout(function () {\n   if (_this11.$hoverState === HoverState.OUT) {\n   _this11.hide();\n   }\n   }, this.$config.delay.hide);\n   }\n }, {\n   key: 'getPopperConfig',\n   value: function getPopperConfig(placement, tip) {\n   var _this12 = this;\n\n   return {\n   placement: this.constructor.getAttachment(placement),\n   modifiers: {\n   offset: { offset: this.getOffset(placement, tip) },\n   flip: { behavior: this.$config.fallbackPlacement },\n   arrow: { element: '.arrow' },\n   preventOverflow: { boundariesElement: this.$config.boundary }\n   },\n   onCreate: function onCreate(data) {\n   // Handle flipping arrow classes\n   if (data.originalPlacement !== data.placement) {\n   _this12.handlePopperPlacementChange(data);\n   }\n   },\n   onUpdate: function onUpdate(data) {\n   // Handle flipping arrow classes\n   _this12.handlePopperPlacementChange(data);\n   }\n   };\n   }\n }, {\n   key: 'getOffset',\n   value: function getOffset(placement, tip) {\n   if (!this.$config.offset) {\n   var arrow = select(Selector.ARROW, tip);\n   var arrowOffset = parseFloat(getCS(arrow).width) + parseFloat(this.$config.arrowPadding);\n   switch (OffsetMap[placement.toUpperCase()]) {\n   case +1:\n   return '+50%p - ' + arrowOffset + 'px';\n   case -1:\n   return '-50%p + ' + arrowOffset + 'px';\n   default:\n   return 0;\n   }\n   }\n   return this.$config.offset;\n   }\n }, {\n   key: 'getPlacement',\n   value: function getPlacement() {\n   var placement = this.$config.placement;\n   if (typeof placement === 'function') {\n   return placement.call(this, this.$tip, this.$element);\n   }\n   return placement;\n   }\n }, {\n   key: 'isWithActiveTrigger',\n   value: function isWithActiveTrigger() {\n   for (var trigger in this.$activeTrigger) {\n   if (this.$activeTrigger[trigger]) {\n   return true;\n   }\n   }\n   return false;\n   }\n\n   // NOTE: Overridden by PopOver class\n\n }, {\n   key: 'cleanTipClass',\n   value: function cleanTipClass() {\n   var tip = this.getTipElement();\n   var tabClass = tip.className.match(BSCLS_PREFIX_REGEX);\n   if (tabClass !== null && tabClass.length > 0) {\n   tabClass.forEach(function (cls) {\n   removeClass(tip, cls);\n   });\n   }\n   }\n }, {\n   key: 'handlePopperPlacementChange',\n   value: function handlePopperPlacementChange(data) {\n   this.cleanTipClass();\n   this.addAttachmentClass(this.constructor.getAttachment(data.placement));\n   }\n }, {\n   key: 'fixTransition',\n   value: function fixTransition(tip) {\n   var initConfigAnimation = this.$config.animation || false;\n   if (getAttr(tip, 'x-placement') !== null) {\n   return;\n   }\n   removeClass(tip, ClassName.FADE);\n   this.$config.animation = false;\n   this.hide();\n   this.show();\n   this.$config.animation = initConfigAnimation;\n   }\n }], [{\n   key: 'getAttachment',\n   value: function getAttachment(placement) {\n   return AttachmentMap[placement.toUpperCase()];\n   }\n }, {\n   key:

'Default',\n   get: function get() {\n   return Defaults;\n   }\n\n   // NOTE: Overridden by PopOver class\n\n }, {\n   key: 'NAME',\n   get: function get() {\n   return NAME;\n   }\n }]);\n\n return ToolTip;\n}();\n\nexport default ToolTip;","var _typeof = typeof Symbol === \"function\" && typeof Symbol.iterator === \"symbol\" ? function (obj) { return typeof obj; } : function (obj) { return obj && typeof Symbol === \"function\" && obj.constructor === Symbol && obj !== Symbol.prototype ? \"symbol\" : typeof obj; };\n\nvar _createClass = function () { function defineProperties(target, props) { for (var i = 0; i < props.length; i++) { var descriptor = props[i]; descriptor.enumerable = descriptor.enumerable || false; descriptor.configurable = true; if (\"value\" in descriptor) descriptor.writable = true; Object.defineProperty(target, descriptor.key, descriptor); } } return function (Constructor, protoProps, staticProps) { if (protoProps) defineProperties(Constructor.prototype, protoProps); if (staticProps) defineProperties(Constructor, staticProps); return Constructor; }; }();\n\nfunction _classCallCheck(instance, Constructor) { if (!(instance instanceof Constructor)) { throw new TypeError(\"Cannot call a class as a function\"); } }\n\nfunction _possibleConstructorReturn(self, call) { if (!self) { throw new ReferenceError(\"this hasn't been initialised - super() hasn't been called\"); } return call && (typeof call === \"object\" || typeof call === \"function\") ? call : self; }\n\nfunction _inherits(subClass, superClass) { if (typeof superClass !== \"function\" && superClass !== null) { throw new TypeError(\"Super expression must either be null or a function, not \" + typeof superClass); } subClass.prototype = Object.create(superClass && superClass.prototype, { constructor: { value: subClass, enumerable: false, writable: true, configurable: true } }); if (superClass) Object.setPrototypeOf ? Object.setPrototypeOf(subClass, superClass) : subClass.__proto__ = superClass; }\n\nimport ToolTip from './tooltip.class';\nimport { assign } from './object';\nimport { select, addClass, removeClass, getAttr } from './dom';\n\nvar NAME = 'popover';\nvar CLASS_PREFIX = 'bs-popover';\nvar BSCLS_PREFIX_REGEX = new RegExp('\\\\b' + CLASS_PREFIX + '\\\\S+', 'g');\n\nvar Defaults = assign({}, ToolTip.Default, {\n placement: 'right',\n trigger: 'click',\n content: '',\n template: '<div class=\"popover\" role=\"tooltip\">' + '<div class=\"arrow\"></div>' + '<h3 class=\"popover-header\"></h3>' + '<div class=\"popover-body\"></div></div>'\n});\n\nvar ClassName = {\n FADE: 'fade',\n SHOW: 'show'\n};\n\nvar Selector = {\n TITLE: '.popover-header',\n CONTENT: '.popover-body'\n /* istanbul ignore next: dificult to test in Jest/JSDOM environment */\n};\n\nvar PopOver = function (_ToolTip) {\n _inherits(PopOver, _ToolTip);\n\n function PopOver() {\n   _classCallCheck(this, PopOver);\n\n   return _possibleConstructorReturn(this, (PopOver.__proto__ || Object.getPrototypeOf(PopOver)).apply(this, arguments));\n }\n\n _createClass(PopOver, [{\n   key: 'isWithContent',\n\n\n   // Method overrides\n\n   value: function isWithContent(tip) {\n   tip = tip || this.$tip;\n   if (!tip) {\n   return false;\n   }\n   var hasTitle = Boolean((select(Selector.TITLE, tip) || {}).innerHTML);\n   var hasContent = Boolean((select(Selector.CONTENT, tip) || {}).innerHTML);\n   return hasTitle || hasContent;\n   }\n }, {\n   key: 'addAttachmentClass',\n   value: function addAttachmentClass(attachment) {\n   addClass(this.getTipElement(), CLASS_PREFIX + '-' + attachment);\n   }\n }, {\n   key: 'setContent',\n   value: function setContent(tip) {\n   // we use append for html objects to maintain js events/components\n   this.setElementContent(select(Selector.TITLE, tip), this.getTitle());\n   this.setElementContent(select(Selector.CONTENT, tip), this.getContent());\n\n   removeClass(tip, ClassName.FADE);\n   removeClass(tip, ClassName.SHOW);\n   }\n\n   // This method may look identical to ToolTip version, but it uses a different RegEx defined above\n\n }, {\n   key: 'cleanTipClass',\n   value: function cleanTipClass() {\n   var tip = this.getTipElement();\n   var tabClass = tip.className.match(BSCLS_PREFIX_REGEX);\n   if (tabClass !== null && tabClass.length > 0) {\n   tabClass.forEach(function (cls) {\n   removeClass(tip, cls);\n   });\n   }\n   }\n }, {\n   key: 'getTitle',\n   value: function getTitle() {\n   var title = this.$config.title || '';\n   if (typeof title === 'function') {\n   title = title(this.$element);\n   }\n   if ((typeof title === 'undefined' ? 'undefined' : _typeof(title)) === 'object' && title.nodeType && !title.innerHTML.trim()) {\n   // We have a dom node, but without inner content, so just return an empty string\n   title = '';\n   }\n   if (typeof title === 'string') {\n   title = title.trim();\n   }\n   if (!title) {\n   // Try and grab element's title attribute\n   title = getAttr(this.$element, 'title') || getAttr(this.$element, 'data-original-title') || '';\n   title = title.trim();\n   }\n   return title;\n   }\n\n   // New methods\n\n }, {\n   key: 'getContent',\n   value: function getContent() {\n   var content = this.$config.content ||

";\n   if (typeof content === 'function') {\n   content = content(this.$element);\n   }\n   if ((typeof content === 'undefined' ? 'undefined' : _typeof(content)) === 'object' && content.nodeType && !content.innerHTML.trim()) {\n   // We have a dom node, but without inner content, so just return an empty string\n   content = '';\n   }\n   if (typeof content === 'string') {\n   content = content.trim();\n   }\n   return content;\n   }\n }], [{\n   key: 'Default',\n\n   // Getter overrides\n\n   get: function get() {\n   return Defaults;\n   }\n }, {\n   key: 'NAME',\n   get: function get() {\n   return NAME;\n   }\n }]);\n\n return PopOver;\n}(ToolTip);\n\nexport default PopOver;","// Polyfills for SSR\n\nvar isSSR = typeof window === 'undefined';\n\nexport var HTMLElement = isSSR ? Object : window.HTMLElement;","var _typeof = typeof Symbol === \"function\" && typeof Symbol.iterator === \"symbol\" ? function (obj) { return typeof obj; } : function (obj) { return obj && typeof Symbol === \"function\" && obj.constructor === Symbol && obj !== Symbol.prototype ? \"symbol\" : typeof obj; };\n\n/*\n * Tooltip/Popover component mixin\n * Common props\n */\nimport { isArray } from '../utils/array';\nimport { assign } from '../utils/object';\nimport { isElement, getById } from '../utils/dom';\nimport { HTMLElement } from '../utils/ssr';\nimport observeDom from '../utils/observe-dom';\n\nvar PLACEMENTS = {\n top: 'top',\n topleft: 'topleft',\n topright: 'topright',\n right: 'right',\n righttop: 'righttop',\n rightbottom: 'rightbottom',\n bottom: 'bottom',\n bottomleft: 'bottomleft',\n bottomright: 'bottomright',\n left: 'left',\n lefttop: 'lefttop',\n leftbottom: 'leftbottom',\n auto: 'auto'\n};\n\nvar OBSERVER_CONFIG = {\n subtree: true,\n childList: true,\n characterData: true,\n attributes: true,\n attributeFilter: ['class', 'style']\n};\n\nexport default {\n props: {\n   target: {\n   // String ID of element, or element/component reference\n   type: [String, Object, HTMLElement, Function]\n   },\n   delay: {\n   type: [Number, Object, String],\n   default: 0\n   },\n   offset: {\n   type: [Number, String],\n   default: 0\n   },\n   noFade: {\n   type: Boolean,\n   default: false\n   },\n   container: {\n   // String ID of container, if null body is used (default)\n   type: String,\n   default: null\n   },\n   boundary: {\n   // String: scrollParent, window, or viewport\n   // Element: element reference\n   type: [String, Object],\n   default: 'scrollParent'\n   },\n   show: {\n   type: Boolean,\n   default: false\n   },\n   disabled: {\n   type: Boolean,\n   default: false\n   }\n },\n watch: {\n   show: function show(_show, old) {\n   if (_show === old) {\n   return;\n   }\n   _show ? this.onOpen() : this.onClose();\n   },\n   disabled: function disabled(_disabled, old) {\n   if (_disabled === old) {\n   return;\n   }\n   _disabled ? this.onDisable() : this.onEnable();\n   }\n },\n created: function created() {\n   // Create non-reactive property\n   this._toolpop = null;\n   this._obs_title = null;\n   this._obs_content = null;\n },\n mounted: function mounted() {\n   var _this = this;\n\n   // We do this in a next tick to ensure DOM has rendered first\n   this.$nextTick(function () {\n   // Instantiate ToolTip/PopOver on target\n   // The createToolpop method must exist in main component\n   if (_this.createToolpop()) {\n   if (_this.disabled) {\n   // Initially disabled\n   _this.onDisable();\n   }\n   // Listen to open signals from others\n   _this.$on('open', _this.onOpen);\n   // Listen to close signals from others\n   _this.$on('close', _this.onClose);\n   // Listen to disable signals from others\n   _this.$on('disable', _this.onDisable);\n   // Listen to disable signals from others\n   _this.$on('enable', _this.onEnable);\n   // Observe content Child changes so we can notify popper of possible size change\n   _this.setObservers(true);\n   // Set intially open state\n   if (_this.show) {\n   _this.onOpen();\n   }\n   }\n   });\n },\n updated: function updated() {\n   // If content/props changes, etc\n   if (this._toolpop) {\n   this._toolpop.updateConfig(this.getConfig());\n   }\n },\n\n /* istanbul ignore next: not easy to test */\n activated: function activated() {\n   // Called when component is inside a <keep-alive> and component brought offline\n   this.setObservers(true);\n },\n\n /* istanbul ignore next: not easy to test */\n deactivated: function deactivated() {\n   // Called when component is inside a <keep-alive> and component taken offline\n   if (this._toolpop) {\n   this.setObservers(false);\n   this._toolpop.hide();\n   }\n },\n\n /* istanbul ignore next: not easy to test */\n beforeDestroy: function beforeDestroy() {\n   // Shutdown our local event listeners\n   this.$off('open', this.onOpen);\n   this.$off('close', this.onClose);\n   this.$off('disable', this.onDisable);\n   this.$off('enable', this.onEnable);\n   this.setObservers(false);\n   // bring our content back if needed\n   this.bringItBack();\n   if (this._toolpop) {\n   this._toolpop.destroy();\n   this._toolpop = null;\n   }\n },\n\n computed: {\n   baseConfig: function baseConfig() {\n   var cont = this.container;\n   var delay = _typeof(this.delay) === 'object' ? this.delay : parseInt(this.delay, 10) || 0;\n   return {\n   // Title prop\n   title:

(this.title || '').trim() || '',\n   // Contnt prop (if popover)\n   content: (this.content || '').trim() || '',\n   // Tooltip/Popover placement\n   placement: PLACEMENTS[this.placement] || 'auto',\n   // Container curently needs to be an ID with '#' prepended, if null then body is used\n   container: cont ? /^#/.test(cont) ? cont : '#' + cont : false,\n   // boundariesElement passed to popper\n   boundary: this.boundary,\n   // Show/Hide delay\n   delay: delay || 0,\n   // Offset can be css distance. if no units, pixels are assumed\n   offset: this.offset || 0,\n   // Disable fade Animation?\n   animation: !this.noFade,\n   // Open/Close Trigger(s)\n   trigger: isArray(this.triggers) ? this.triggers.join(' ') : this.triggers,\n   // Callbacks so we can trigger events on component\n   callbacks: {\n   show: this.onShow,\n   shown: this.onShown,\n   hide: this.onHide,\n   hidden: this.onHidden,\n   enabled: this.onEnabled,\n   disabled: this.onDisabled\n   }\n };\n }\n },\n methods: {\n getConfig: function getConfig() {\n   var cfg = assign({}, this.baseConfig);\n   if (this.$refs.title && this.$refs.title.innerHTML.trim()) {\n   // If slot has content, it overrides 'title' prop\n   // We use the DOM node as content to allow components!\n   cfg.title = this.$refs.title;\n   cfg.html = true;\n   }\n   if (this.$refs.content && this.$refs.content.innerHTML.trim()) {\n   // If slot has content, it overrides 'content' prop\n   // We use the DOM node as content to allow components!\n   cfg.content = this.$refs.content;\n   cfg.html = true;\n   }\n   return cfg;\n },\n onOpen: function onOpen() {\n   if (this._toolpop) {\n   this._toolpop.show();\n   }\n },\n onClose: function onClose(callback) {\n   if (this._toolpop) {\n   this._toolpop.hide(callback);\n   } else if (typeof callback === 'function') {\n   callback();\n   }\n },\n onDisable: function onDisable() {\n   if (this._toolpop) {\n   this._toolpop.disable();\n   }\n },\n onEnable: function onEnable() {\n   if (this._toolpop) {\n   this._toolpop.enable();\n   }\n },\n updatePosition: function updatePosition() {\n   if (this._toolpop) {\n   // Instruct popper to reposition popover if necessary\n   this._toolpop.update();\n   }\n },\n getTarget: function getTarget() {\n   var target = this.target;\n   if (typeof target === 'function') {\n   target = target();\n   }\n   if (typeof target === 'string') {\n   // Assume ID of element\n   return getById(target);\n   } else if ((typeof target === 'undefined' ? 'undefined' : _typeof(target)) === 'object' && isElement(target.$el)) {\n   // Component reference\n   return target.$el;\n   } else if ((typeof target === 'undefined' ? 'undefined' : _typeof(target)) === 'object' && isElement(target)) {\n   // Element reference\n   return target;\n   }\n   return null;\n },\n onShow: function onShow(evt) {\n   this.$emit('show', evt);\n },\n onShown: function onShown(evt) {\n   this.setObservers(true);\n   this.$emit('update:show', true);\n   this.$emit('shown', evt);\n },\n onHide: function onHide(evt) {\n   this.$emit('hide', evt);\n },\n onHidden: function onHidden(evt) {\n   this.setObservers(false);\n   // bring our content back if needed to keep Vue happy\n   // Tooltip class will move it back to tip when shown again\n   this.bringItBack();\n   this.$emit('update:show', false);\n   this.$emit('hidden', evt);\n },\n onEnabled: function onEnabled(evt) {\n   if (!evt || evt.type !== 'enabled') {\n   // Prevent possible endless loop if user mistakienly fires enabled instead of enable\n   return;\n   }\n   this.$emit('update:disabled', false);\n   this.$emit('disabled');\n },\n onDisabled: function onDisabled(evt) {\n   if (!evt || evt.type !== 'disabled') {\n   // Prevent possible endless loop if user mistakienly fires disabled instead of disable\n   return;\n   }\n   this.$emit('update:disabled', true);\n   this.$emit('enabled');\n },\n bringItBack: function bringItBack() {\n   // bring our content back if needed to keep Vue happy\n   if (this.$el && this.$refs.title) {\n   this.$el.appendChild(this.$refs.title);\n   }\n   if (this.$el && this.$refs.content) {\n   this.$el.appendChild(this.$refs.content);\n   }\n },\n\n /* istanbul ignore next: not easy to test */\n setObservers: function setObservers(on) {\n   if (on) {\n   if (this.$refs.title) {\n   this._obs_title = observeDom(this.$refs.title, this.updatePosition.bind(this), OBSERVER_CONFIG);\n   }\n   if (this.$refs.content) {\n   this._obs_content = observeDom(this.$refs.content, this.updatePosition.bind(this), OBSERVER_CONFIG);\n   }\n   } else {\n   if (this._obs_title) {\n   this._obs_title.disconnect();\n   this._obs_title = null;\n   }\n   if (this._obs_content) {\n   this._obs_content.disconnect();\n   this._obs_content = null;\n   }\n   }\n }\n };\n}};","import PopOver from '../../utils/popover.class';\nimport warn from '../../utils/warn';\nimport toolpopMixin from '../../mixins/toolpop';\n\nexport default {\n mixins: [toolpopMixin],\n render: function render(h) {\n   return h('div', {\n   class: ['d-none'],\n   style: { display: 'none' },\n   attrs: { 'aria-hidden': true }\n   }, [h('div', { ref: 'title' }, this.$slots.title), h('div', { ref: 'content' },

this.$slots.default)]);\n },\n data: function data() {\n   return {};\n },\n\n props: {\n   title: {\n   type: String,\n   default: ''\n   },\n   content: {\n   type: String,\n   default: ''\n   },\n   triggers: {\n   type: [String, Array],\n   default: 'click'\n   },\n   placement: {\n   type: String,\n   default: 'right'\n   }\n },\n methods: {\n   createToolpop: function createToolpop() {\n   // getTarget is in toolpop mixin\n   var target = this.getTarget();\n   if (target) {\n   this._toolpop = new PopOver(target, this.getConfig(), this.$root);\n   } else {\n   this._toolpop = null;\n   warn(\"b-popover: 'target' element not found!\");\n   }\n   return this._toolpop;\n   }\n }\n};","<template>\n <div>\n   <component :is=\"rootElement\" id=\"imddb-header\" data-turbolinks-permanent class=\"navbar navbar-expand-lg navbar-light imddb-header\" :offset=\"100\" :z-index=\"1020\" :on-unpin=\"closeFollowUsPopover\" :class=\"{ 'headroom--frozen': !collapseNavbar }\" :style=\"{ position: position }\">\n   <!-- @slot Redefines brand -->\n   <slot name=\"brand\">\n   <a :href=\"homeUrl\" class=\"navbar-brand imddb-header__brand\">\n   \n   {{ project }}\n   \n   </slot>\n   <button class=\"navbar-toggler\" type=\"button\" aria-label=\"Toggle navigation\" @click=\"toggleNavbar\">\n   \n   </button>\n   <div class=\"navbar-collapse\" :class=\"{ collapse: collapseNavbar }\">\n   <!-- @slot Redefines the main navbar block (containing the dropdown) -->\n   <slot name=\"navbar\">\n   <ul class=\"navbar-nav mr-auto\">\n   <b-nav-dropdown @show=\"$root.$emit('bv::hide::popover')\">\n   <template slot=\"button-content\">\n   {{ title }}\n   </template>\n   <b-dropdown-item v-for=\"(item, $index) in dropdownItems\" :key=\"$index\" :href=\"item.href\" v-bind=\"{ active: !!item.active }\">\n   {{ item.label }}\n   </b-dropdown-item>\n   </b-nav-dropdown>\n   \n   </slot>\n   <ul class=\"navbar-nav\">\n   <li class=\"nav-item\">\n   \n   {{ $t('imddb-header.navbar.leak') }}\n   \n   \n   <li class=\"nav-item mr-lg-3\">\n   <a @click.prevent=\"$refs.donateFormModal.show()\" href=\"#\" class=\"nav-link\">\n   {{ $t('imddb-header.navbar.support') }}\n   \n   \n   <li class=\"nav-item\">\n   <button class=\"btn btn-saddle-red btn-block font-weight-bold\" id=\"follow-icij\">\n   {{ $t('imddb-header.navbar.follow') }}\n   </button>\n   <b-popover container=\"imddb-header\" target=\"follow-icij\" placement=\"bottomleft\" :show.sync=\"showSignupPopover\">\n   <follow-us-popover :show.sync=\"showSignupPopover\"></follow-us-popover>\n   </b-popover>\n   \n   \n   </div>\n   </component>\n   <b-modal hide-footer lazy ref=\"donateFormModal\" size=\"lg\">\n   \n   {{ $t('imddb-header.navbar.support') }}\n   \n   <donate-form no-title></donate-form>\n   </b-modal>\n </div>\n</template>\n\n<script>\n import bDropdownItem from 'bootstrap-vue/es/components/dropdown/dropdown-item'\n import bModal from 'bootstrap-vue/es/components/modal/modal'\n import bNavDropdown from 'bootstrap-vue/es/components/nav/nav-item-dropdown'\n import bPopover from 'bootstrap-vue/es/components/popover/popover'\n\n import i18n from '@/i18n'\n import { headroom } from 'vue-headroom'\n import DonateForm from './DonateForm.vue'\n import FollowUsPopover from './FollowUsPopover.vue'\n import config from '../config'\n\n /**\n   * ImddbHeader\n   */\n export default {\n   i18n,\n   name: 'ImddbHeader',\n   components: {\n   bDropdownItem,\n   bModal,\n   bNavDropdown,\n   bPopover,\n   headroom,\n   DonateForm,\n   FollowUsPopover\n   },\n   props: {\n   /**\n   * CSS position of the header. Can be absolute, relative, static or fixed (default).\n   */\n   position: {\n   type: String,\n   default: 'fixed'\n   },\n   /**\n   * Disable Headroom for hiding header until needed.\n   */\n   noHeadroom: {\n   type: Boolean\n   },\n   /**\n   * Project name, to display next to ICIJ logo\n   */\n   project: {\n   type: String,\n   default: () => config.get('project.name')\n   },\n   /**\n   * App name, to display next to project name\n   */\n   title: {\n   type: String,\n   default: () => config.get('app.name')\n   },\n   /**\n   * An array of objects defining dropdown items. Each item defines a label and a href.\n   */\n   dropdownItems: {\n   type: Array,\n   default: () => config.get('imddb-header.dropdown.items')\n   },\n   /**\n   * Target link of the ICIJ logo and project name.\n   */\n   homeUrl: {\n   type: String,\n   default: () => config.get('app.home')\n   }\n   },\n   data () {\n   return {\n   showSignupPopover: false,\n

collapseNavbar: true\n   }\n   },\n   methods: {\n   closeFollowUsPopover () {\n   this.showSignupPopover = false\n   },\n   toggleNavbar () {\n   this.collapseNavbar = !this.collapseNavbar\n   this.$root.$emit('bv::hide::popover')\n   this.$root.$emit('bv::hide::dropdwon')\n   }\n   },\n   computed: {\n   rootElement () {\n   return this.noHeadroom ? 'div' : 'headroom'\n   }\n   }\n}\n</script>\n\n<style lang=\"scss\">\n @import '../styles/lib';\n\n .imddb-header {\n   background: rgba($mercury, 0.8);\n   box-shadow: 0 0 6px 0 rgba(#000, .1);\n   position: relative;\n   top:0;\n   width: 100%;\n   z-index: $zindex-sticky;\n\n   .popover {\n   width: 100%;\n   }\n\n   @include media-breakpoint-down(md) {\n   background: $mercury;\n   }\n\n   &.headroom {\n   will-change: transform;\n   transition: transform 200ms linear;\n\n   &--unpinned {\n   transform: translateY(-100%) !important;\n   }\n\n   &--pinned {\n   transform: translateY(0%);\n   }\n\n   &--frozen {\n   transform: translateY(0%) !important;\n   }\n   }\n\n   &__brand {\n   position: relative;\n   font-weight: bolder;\n   padding-right: $spacer * 1.5;\n\n   &:after {\n   content: \"\";\n   background: $body-color;\n   width: 2px;\n   height: 32px;\n   position: absolute;\n   right:0;\n   top: 50%;\n   transform: translateY(-50%);\n\n   @include media-breakpoint-down(md) {\n   display: none;\n   }\n   }\n   }\n\n   .navbar-toggler {\n   background: $mercury;\n   position: absolute;\n   right: $spacer;\n   top: $spacer / 2;\n   margin: 0;\n   }\n\n   .dropdown-item {\n   white-space: normal;\n   width: 440px;\n   max-width: 90vw;\n\n   @include media-breakpoint-down(sm) {\n   width: 100%;\n   }\n   }\n\n   .dropdown .nav-link {\n\n   @include media-breakpoint-up(lg) {\n   font-size: 1.2rem;\n   font-family: $headings-font-family;\n   }\n   }\n}\n</style>\n","import mod from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./ImddbHeader.vue?vue&type=script&lang=js&\"; export default mod; export * from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./ImddbHeader.vue?vue&type=script&lang=js&\"","import { render, staticRenderFns } from \"./ImddbHeader.vue?vue&type=template&id=36e6b928&\"\nimport script from \"./ImddbHeader.vue?vue&type=script&lang=js&\"\nexport * from \"./ImddbHeader.vue?vue&type=script&lang=js&\"\nimport style0 from \"./ImddbHeader.vue?vue&type=style&index=0&lang=scss&\"\n\n\n/* normalize component */\nimport normalizer from \"!../../node_modules/vue-loader/lib/runtime/componentNormalizer.js\"\nvar component = normalizer(\n script,\n render,\n staticRenderFns,\n false,\n null,\n null,\n null\n \n)\n\ncomponent.options.__file = \"ImddbHeader.vue\"\nexport default component.exports","var render = function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('div',{attrs:{\"id\":_vm.iframeId}})}\nvar staticRenderFns = []\n\nexport { render, staticRenderFns }","<template>\n <div :id=\"iframeId\"></div>\n</template>\n\n<script>\n import { injectAssets } from '../utils/assets'\n\n var iframeUniqueIdCounter = 0;\n\n /**\n   * ResponsiveIframe\n   */\n export default {\n   name: 'ResponsiveIframe',\n   props: {\n   /**\n   * URL of the generated iframe code.\n   */\n   url: {\n   type: String,\n   required : true\n   },\n   /**\n   * Option to pass to the constructor of the pymParent instance\n   */\n   options: {\n   type: Object,\n   default: () => ({ })\n   },\n   },\n   data () {\n   return {\n   iframeId: `icij-iframe-${++iframeUniqueIdCounter}`\n   }\n   },\n   mounted () {\n   injectAssets('https://pym.nprapps.org/pym.v1.min.js').then(() => {\n   new pym.Parent(this.iframeId, this.url, this.options)\n   })\n   }\n}\n</script>\n","import mod from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./ResponsiveIframe.vue?vue&type=script&lang=js&\"; export default mod; export * from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-

options!./ResponsiveIframe.vue?vue&type=script&lang=js&\"","import { render, staticRenderFns } from \"./ResponsiveIframe.vue?vue&type=template&id=2b5efd28&\"\nimport script from \"./ResponsiveIframe.vue?vue&type=script&lang=js&\"\nexport * from \"./ResponsiveIframe.vue?vue&type=script&lang=js&\"\n\n\n/* normalize component */\nimport normalizer from \"!../../node_modules/vue-loader/lib/runtime/componentNormalizer.js\"\nvar component = normalizer(\n script,\n render,\n staticRenderFns,\n false,\n null,\n null,\n null\n \n)\n\ncomponent.options.__file = \"ResponsiveIframe.vue\"\nexport default component.exports","var render, staticRenderFns\nimport script from \"./SlideUpDown.vue?vue&type=script&lang=js&\"\nexport * from \"./SlideUpDown.vue?vue&type=script&lang=js&\"\n\n\n/* normalize component */\nimport normalizer from \"!../../node_modules/vue-loader/lib/runtime/componentNormalizer.js\"\nvar component = normalizer(\n script,\n render,\n staticRenderFns,\n false,\n null,\n null,\n null\n \n)\n\ncomponent.options.__file = \"SlideUpDown.vue\"\nexport default component.exports","<script>\nconst noop = () => (null)\n\n/**\n * SlideUpDown\n */\nexport default {\n name: 'SlideUpDown',\n props: {\n   /**\n   * Toggler property. Set to false to hide the component.\n   */\n   active: {\n   type: Boolean,\n   },\n   /**\n   * Duration of the animation.\n   */\n   duration: {\n   type: Number,\n   default: 200\n   },\n   /**\n   * HTML tag to render this component to.\n   */\n   tag: {\n   type: String,\n   default: 'div'\n   }\n },\n data () {\n   return {\n   state: 'post',\n   mounted: false,\n   scrollHeight: 0\n   }\n },\n watch: {\n   active (toggler) {\n   this.triggerSlide()\n   }\n },\n render (h) {\n   return h(this.tag, { style: this.style, ref: 'container' }, this.$slots.default)\n },\n mounted () {\n   this.deferedNextTick(() => {\n   this.mounted = true\n   this.cleanLayout()\n   this.$container.addEventListener(\"transitionend\", this.cleanLayout)\n   })\n },\n computed: {\n   stylePreTransition () {\n   return {\n   'overflow': 'hidden',\n   'transition-property': 'height',\n   'transition-duration': `${this.duration}ms`,\n   'height': this.mounted ? `${this.$container.scrollHeight}px` : 0,\n   }\n   },\n   styleActiveTransition () {\n   return {\n   'overflow': 'hidden',\n   'transition-property': 'height',\n   'transition-duration': `${this.duration}ms`,\n   'height': this.mounted ? `${this.activeHeight}px` : 'auto',\n   }\n   },\n   stylePostTransition () {\n   // Reset style when the element is active\n   return this.active ? { } : this.styleActiveTransition\n   },\n   style () {\n   switch (this.state) {\n   case 'pre': return this.stylePreTransition\n   case 'active': return this.styleActiveTransition\n   default: return this.stylePostTransition\n   }\n   },\n   activeHeight () {\n   return this.active ? this.$container.scrollHeight : 0\n   },\n $container () {\n   return this.$refs.container\n   }\n },\n methods: {\n   triggerSlide () {\n   this.state = 'pre'\n   this.scrollHeight = this.$container.scrollHeight\n   // Defered next tick to let the component render once\n   this.deferedNextTick(() => this.state = 'active')\n   },\n   cleanLayout (e = null) {\n   // This method can be triggered by animated child elements in\n   // which case, we should do anything\n   if(!e || e.target == this.$container) {\n   this.state = 'post'\n   this.deferedNextTick()\n   }\n   },\n   deferedNextTick (fn = noop) {\n   setTimeout(() => this.$nextTick(fn), 0)\n   }\n }\n}\n</script>\n","import mod from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./SlideUpDown.vue?vue&type=script&lang=js&\"; export default mod; export * from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./SlideUpDown.vue?vue&type=script&lang=js&\"","import VueI18n from 'vue-i18n'\nimport { basename, extname } from 'path'\n\nimport i18n from './i18n'\nexport { default as config } from './config'\nexport { default as ContentPlaceholder } from './components/ContentPlaceholder.vue'\nexport { default as DonateForm } from './components/DonateForm.vue'\nexport { default as EmbeddableFooter } from './components/EmbeddableFooter.vue'\nexport { default as EmbedForm } from './components/EmbedForm.vue'\nexport { default as FollowUsPopover } from './components/FollowUsPopover.vue'\nexport { default as Fa } from './components/Fa'\nexport { default as

GenericFooter } from './components/GenericFooter.vue'\nexport { default as ImddbHeader } from
'./components/ImddbHeader.vue'\nexport { default as ResponsiveIframe } from
'./components/ResponsiveIframe.vue'\nexport { default as SharingOptions } from
'./components/SharingOptions.vue'\nexport { default as SignUpForm } from
'./components/SignUpForm.vue'\nexport { default as SlideUpDown } from
'./components/SlideUpDown.vue'\n\nimport * as components from './components'\n\nclass Murmur {\n static
setLocaleMessage(lang, message) {\n   return this.i18n.setLocaleMessage(lang, message)\n }\n static
mergeLocaleMessage(lang, message) {\n   return this.i18n. mergeLocaleMessage(lang, message)\n }\n static
setLocale(lang) {\n   return this.i18n.locale = lang\n }\n static getLocale() {\n   return this.i18n.locale\n }\n static
get i18n() {\n   return i18n\n }\n static get config() {\n   return require('./config.js').default\n }\n static get
components() {\n   return components\n }\n static install (Vue, options) {\n
Object.keys(components).forEach(key => Vue.component(key, components[key]))\n }\n}\n\nexport default
Murmur\n","import './setPublicPath'\nimport mod from '~entry'\nexport default mod\nexport * from '~entry'\n","var
assocIndexOf = require('./_assocIndexOf');\n\n/**\n * Checks if a list cache value for `key` exists.\n *\n *
@private\n * @name has\n * @memberOf ListCache\n * @param {string} key The key of the entry to check.\n *
@returns {boolean} Returns `true` if an entry for `key` exists, else `false`.\n */\nfunction listCacheHas(key) {\n
return assocIndexOf(this.__data__, key) > -1;\n}\n\nmodule.exports = listCacheHas;\n","module.exports =
'\\x09\\x0A\\x0B\\x0C\\x0D\\x20\\xA0\\u1680\\u180E\\u2000\\u2001\\u2002\\u2003' +\n
'\\u2004\\u2005\\u2006\\u2007\\u2008\\u2009\\u200A\\u202F\\u205F\\u3000\\u2028\\u2029\\uFEFF';\n","var
baseGetTag = require('./_baseGetTag'),\n   isObjectLike = require('./isObjectLike');\n\n/** `Object#toString` result
references. */\nvar symbolTag = '[object Symbol]';\n\n/**\n * Checks if `value` is classified as a `Symbol` primitive
or object.\n *\n * @static\n * @memberOf _\n * @since 4.0.0\n * @category Lang\n * @param {*} value The
value to check.\n * @returns {boolean} Returns `true` if `value` is a symbol, else `false`.\n * @example\n *\n *
_.isSymbol(Symbol.iterator);\n * // => true\n *\n * _.isSymbol('abc');\n * // => false\n */\nfunction isSymbol(value)
{\n return typeof value == 'symbol' ||\n   (isObjectLike(value) && baseGetTag(value) ==
symbolTag);\n}\n\nmodule.exports = isSymbol;\n"],"sourceRoot":""}

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1062149670_1592570080.27/0/murmur-1-1-0-
tgz/package/dist/lib/@icij/murmur.umd.min.js.map
No license file was found, but licenses were detected in source scan.

```
{
  "imddb-header": {
    "navbar": {
      "leak": "Leak to us",
      "support": "Support us",
      "follow": "Follow ICIJ"
    }
  },
  "embeddable-footer": {
    "share": "Share"
  },
  "embed-form": {
    "heading": "Embed on your website",
    "introduction": "Copy the code bellow to embed this on your website.",
    "responsive-optin": "Responsive iFrame",
    "copy": "Copy"
```

```
    },
  "follow-us-popover": {
    "heading": "Follow us"
  },
  "generic-footer": {
    "investigations": "Investigations",
    "follow-us": "Follow us",
    "all-rights": "All rights reserved",
    "version": "Version %{version}"
  },
  "donate-form": {
    "support": "Support us",
    "introduction": "ICIJ's investigations are supported by readers like you. Help keep our databases free and open to
the public by joining our <strong><a target=\"_blank\" href=\"https://icij.org/donate\">ICIJ Insiders</a></strong>
community.",
    "join-heading": "Won't you join us today?",
    "label": "I would like to donate",
    "frequency": {
      "monthly": "Monthly",
      "yearly": "Yearly",
      "onetime": "One time"
    },
    "result": {
      "sentence": "With this donation, you are <strong>changing the %{target}</strong>.",
      "conversation": "conversation",
      "rules": "rules",
      "world": "world"
    },
    "submit": "Donate now",
    "benefits": {
      "heading": "ICIJ Insiders benefits",
      "introduction": "Your monthly or annual donation will give you the following benefits.",
      "more": "More about donations",
      "impacts": {
        "conversation": {
          "heading": "Change the conversation",
          "highlight": "$3-$14/month (or $35-$179/year)",
          "list": [
            "ICIJ Insider Newsletter (quarterly)",
            "ICIJ's Weekly Update"
          ]
        },
        "rules": {
          "heading": "Change the rules",
          "highlight": "$15-$49/month (or $180-$599/year)",
          "list": [
            "Opportunity to submit your question to ICIJ staff. Several questions will be answered in our quarterly ICIJ
Insider newsletter",
```

```
          "Sneak previews behind the scenes of ICIJ's work (monthly)",
          "ICIJ Insider Newsletter (quarterly)",
          "ICIJ's Weekly Update"
        ]
      },
      "world": {
        "heading": "Change the world",
        "highlight": "$50/month and above (or $600/year and above)",
        "list": [
          "Invitation to exclusive chat with ICIJ staff about our latest major project after publication",
          "Opportunity to submit your questions to ICIJ staff. Several questions will be answered in our quarterly ICIJ
Insider newsletter",
          "Sneak previews behind the scenes of ICIJ's work (monthly)",
          "ICIJ Insider Newsletter (quarterly)",
          "ICIJ's Weekly Update"
        ]
      }
    }
  }
},
"sign-up-form": {
  "label": "Stories in your inbox",
  "placeholder": "Email address",
  "submit": "Sign up"
}
}
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1062149670_1592570080.27/0/murmur-1-1-0-tgz/package/lib/locales/en.json
No license file was found, but licenses were detected in source scan.

{"version":3,"sources":["webpack://@icij/murmur/webpack/universalModuleDefinition","webpack://@icij/murmur/webpack/bootstrap","webpack://@icij/murmur/./node_modules/lodash/_getRawTag.js","webpack://@icij/murmur/./node_modules/core-js/modules/_iter-define.js","webpack://@icij/murmur/./node_modules/lodash/_baseKeys.js","webpack://@icij/murmur/./node_modules/lodash/_isFlattenable.js","webpack://@icij/murmur/./node_modules/lodash/stubFalse.js","webpack://@icij/murmur/./node_modules/lodash/_arrayPush.js","webpack://@icij/murmur/./node_modules/lodash/_isStrictComparable.js","webpack://@icij/murmur/./lib/components/SharingOptions.vue?8ac0","webpack://@icij/murmur/./node_modules/core-js/modules/es7.promise.finally.js","webpack://@icij/murmur/./node_modules/lodash/_getNative.js","webpack://@icij/murmur/./node_modules/core-js/modules/_flags.js","webpack://@icij/murmur/./node_modules/lodash/isBuffer.js","webpack://@icij/murmur/./node_modules/core-js/modules/_object-keys.js","webpack://@icij/murmur/./node_modules/lodash/_baseRest.js","webpack://@icij/murmur/./lib/components/EmbeddableFooter.vue?eb4a","webpack://@icij/murmur/./node_modules/es6-symbol/is-symbol.js","webpack://@icij/murmur/./node_modules/jquery/dist/jquery.js","webpack://@icij/murmur/./lib/locales sync [A-Za-z0-9-_,\\s]+\\.json$/","webpack://@icij/murmur/./node_modules/core-js/modules/_object-gopd.js","webpack://@icij/murmur/./node_modules/lodash/_isKeyable.js","webpack://@icij/murmur/./node_module

s/lodash/_castFunction.js","webpack://@icij/murmur/./node_modules/lodash/isObjectLike.js","webpack://@icij/murmur/./lib/assets/images/icij@2x.png","webpack://@icij/murmur/./node_modules/lodash/_isMasked.js","webpack://@icij/murmur/./lib/components/SignUpForm.vue?e8a9","webpack://@icij/murmur/./node_modules/core-js/modules/_object-dps.js","webpack://@icij/murmur/./node_modules/es5-ext/object/assign/is-implemented.js","webpack://@icij/murmur/./lib/components/SignUpForm.vue?4b41","webpack://@icij/murmur/./node_modules/lodash/_baseMatchesProperty.js","webpack://@icij/murmur/./node_modules/lodash/_stringToPath.js","webpack://@icij/murmur/./node_modules/es5-ext/string/#/contains/is-implemented.js","webpack://@icij/murmur/./node_modules/core-js/modules/_task.js","webpack://@icij/murmur/./node_modules/lodash/isObject.js","webpack://@icij/murmur/./node_modules/lodash/_equalByTag.js","webpack://@icij/murmur/./node_modules/es6-symbol/index.js","webpack://@icij/murmur/./node_modules/lodash/_Promise.js","webpack://@icij/murmur/./node_modules/lodash/_hashDelete.js","webpack://@icij/murmur/./node_modules/lodash/_baseEvery.js","webpack://@icij/murmur/./node_modules/core-js/modules/_iter-call.js","webpack://@icij/murmur/./node_modules/lodash/_mapCacheSet.js","webpack://@icij/murmur/./lib/components/GenericFooter.vue?5988","webpack://@icij/murmur/./node_modules/es5-ext/object/assign/index.js","webpack://@icij/murmur/./node_modules/lodash/_matchesStrictComparable.js","webpack://@icij/murmur/./node_modules/core-js/modules/_fix-re-wks.js","webpack://@icij/murmur/./node_modules/lodash/_compareMultiple.js","webpack://@icij/murmur/./node_modules/lodash/_overRest.js","webpack://@icij/murmur/./node_modules/@fortawesome/free-brands-svg-icons/faLinkedin.js","webpack://@icij/murmur/./node_modules/core-js/modules/_dom-create.js","webpack://@icij/murmur/./node_modules/lodash/_memoizeCapped.js","webpack://@icij/murmur/./node_modules/core-js/modules/_classof.js","webpack://@icij/murmur/./node_modules/lodash/_baseForOwn.js","webpack://@icij/murmur/./node_modules/lodash/_Uint8Array.js","webpack://@icij/murmur/./node_modules/lodash/_mapCacheGet.js","webpack://@icij/murmur/./node_modules/lodash/_hashSet.js","webpack://@icij/murmur/./node_modules/lodash/_baseIsArguments.js","webpack://@icij/murmur/./node_modules/core-js/modules/_object-gops.js","webpack://@icij/murmur/./node_modules/lodash/every.js","webpack://@icij/murmur/./node_modules/lodash/_baseHasIn.js","webpack://@icij/murmur/./node_modules/core-js/modules/core.get-iterator-method.js","webpack://@icij/murmur/./node_modules/core-js/modules/es6.regexp.split.js","webpack://@icij/murmur/./node_modules/lodash/_listCacheClear.js","webpack://@icij/murmur/./node_modules/lodash/_objectToString.js","webpack://@icij/murmur/./node_modules/core-js/modules/_redefine.js","webpack://@icij/murmur/./node_modules/core-js/modules/_object-create.js","webpack://@icij/murmur/./lib/components/SharingOptions.vue?c82c","webpack://@icij/murmur/./node_modules/lodash/_root.js","webpack://@icij/murmur/./node_modules/core-js/modules/_wks.js","webpack://@icij/murmur/./node_modules/core-js/modules/_library.js","webpack://@icij/murmur/./node_modules/lodash/_arrayFilter.js","webpack://@icij/murmur/./node_modules/core-js/modules/_cof.js","webpack://@icij/murmur/./node_modules/lodash/_stackDelete.js","webpack://@icij/murmur/./node_modules/lodash/isArrayLike.js","webpack://@icij/murmur/./node_modules/core-js/modules/_invoke.js","webpack://@icij/murmur/./node_modules/core-js/modules/_hide.js","webpack://@icij/murmur/./node_modules/lodash/_getSymbols.js","webpack://@icij/murmur/./node_modules/core-js/modules/_is-array-iter.js","webpack://@icij/murmur/./node_modules/lodash/_baseIsNative.js","webpack://@icij/murmur/./node_modules/lodash/_getValue.js","webpack://@icij/murmur/./node_modules/lodash/_baseGetTag.js","webpack://@icij/murmur/./lib/components/DonateForm.vue?0ca3","webpack://@icij/murmur/./node_modules/core-js/modules/es6.regexp.flags.js","webpack://@icij/murmur/./node_modules/core-js/modules/_object-gpo.js","webpack://@icij/murmur/./node_modules/lodash/_WeakMap.js","webpack://@icij/murmur/./node_modules/lodash/_defineProperty.js","webpack://@icij/murmur/./node_modules/lodash/_getMatchData.js","webpack://@icij/

murmur/./node_modules/vue-headroom/dist/vue-headroom.js","webpack://@icij/murmur/./node_modules/core-js/modules/_iter-create.js","webpack://@icij/murmur/./node_modules/lodash/_getMapData.js","webpack://@icij/murmur/./node_modules/lodash/_arraySome.js","webpack://@icij/murmur/./node_modules/lodash/_getTag.js","webpack://@icij/murmur/./node_modules/node-libs-browser/mock/process.js","webpack://@icij/murmur/./node_modules/lodash/last.js","webpack://@icij/murmur/./node_modules/core-js/modules/es6.object.keys.js","webpack://@icij/murmur/./node_modules/core-js/modules/_to-integer.js","webpack://@icij/murmur/./node_modules/core-js/modules/_property-desc.js","webpack://@icij/murmur/./node_modules/lodash/_baseEach.js","webpack://@icij/murmur/./node_modules/core-js/modules/es6.regexp.match.js","webpack://@icij/murmur/./node_modules/lodash/_hashClear.js","webpack://@icij/murmur/./node_modules/core-js/modules/_for-of.js","webpack://@icij/murmur/./node_modules/core-js/modules/_to-object.js","webpack://@icij/murmur/./node_modules/lodash/flatten.js","webpack://@icij/murmur/./lib/components/FollowUsPopover.vue?2b2c","webpack://@icij/murmur/./node_modules/lodash/_baseTimes.js","webpack://@icij/murmur/./node_modules/vue-social-sharing/dist/vue-social-sharing.common.js","webpack://@icij/murmur/./node_modules/core-js/modules/_object-pie.js","webpack://@icij/murmur/./lib/config.default.js","webpack://@icij/murmur/./lib/config.js","webpack://@icij/murmur/./node_modules/core-js/modules/es6.promise.js","webpack://@icij/murmur/./node_modules/core-js/modules/_shared.js","webpack://@icij/murmur/./node_modules/lodash/_stackHas.js","webpack://@icij/murmur/./node_modules/lodash/_nativeKeys.js","webpack://@icij/murmur/./node_modules/lodash/_freeGlobal.js","webpack://@icij/murmur/./lib/assets/images/icij-white@2x.png","webpack://@icij/murmur/./node_modules/lodash/_baseReduce.js","webpack://@icij/murmur/./node_modules/lodash/_baseFlatten.js","webpack://@icij/murmur/./node_modules/core-js/modules/_export.js","webpack://@icij/murmur/./node_modules/core-js/modules/_iter-detect.js","webpack://@icij/murmur/./node_modules/core-js/modules/_inherit-if-required.js","webpack://@icij/murmur/./node_modules/lodash/_ListCache.js","webpack://@icij/murmur/./node_modules/core-js/modules/_object-sap.js","webpack://@icij/murmur/./node_modules/lodash/_nativeCreate.js","webpack://@icij/murmur/./node_modules/core-js/modules/_shared-key.js","webpack://@icij/murmur/./node_modules/core-js/modules/_iobject.js","webpack://@icij/murmur/./node_modules/es5-ext/object/is-value.js","webpack://@icij/murmur/(webpack)/buildin/module.js","webpack://@icij/murmur/./lib/components/ImddbHeader.vue?8f10","webpack://@icij/murmur/./node_modules/lodash/_baseMatches.js","webpack://@icij/murmur/./node_modules/lodash/_baseGet.js","webpack://@icij/murmur/./node_modules/lodash/_arrayEvery.js","webpack://@icij/murmur/./node_modules/lodash/isArray.js","webpack://@icij/murmur/./node_modules/lodash/_listCacheSet.js","webpack://@icij/murmur/./node_modules/core-js/modules/_to-iobject.js","webpack://@icij/murmur/./node_modules/core-js/modules/_has.js","webpack://@icij/murmur/./node_modules/lodash/_listCacheDelete.js","webpack://@icij/murmur/./node_modules/lodash/_baseOrderBy.js","webpack://@icij/murmur/./node_modules/core-js/modules/_to-primitive.js","webpack://@icij/murmur/./node_modules/lodash/_arrayReduce.js","webpack://@icij/murmur/./node_modules/core-js/modules/es6.regexp.to-string.js","webpack://@icij/murmur/./node_modules/@fortawesome/free-brands-svg-icons/faTwitter.js","webpack://@icij/murmur/./node_modules/lodash/forEach.js","webpack://@icij/murmur/./lib/components/ImddbHeader.vue?03a5","webpack://@icij/murmur/./lib/components/DonateForm.vue?1994","webpack://@icij/murmur/./node_modules/lodash/_arrayLikeKeys.js","webpack://@icij/murmur/./lib/components/EmbeddableFooter.vue?6be3","webpack://@icij/murmur/./node_modules/lodash/_baseFor.js","webpack://@icij/murmur/./node_modules/lodash/constant.js","webpack://@icij/murmur/./node_modules/core-js/modules/_object-assign.js","webpack://@icij/murmur/./node_modules/es5-

ext/object/keys/shim.js","webpack://@icij/murmur/./node_modules/lodash/isTypedArray.js","webpack://@icij/murmur/./lib/components/ContentPlaceholder.vue?490b","webpack://@icij/murmur/./node_modules/lodash/_baseIsTypedArray.js","webpack://@icij/murmur/./node_modules/lodash/toString.js","webpack://@icij/murmur/./node_modules/core-js/modules/_global.js","webpack://@icij/murmur/./node_modules/core-js/modules/_to-absolute-index.js","webpack://@icij/murmur/./node_modules/lodash/_arrayMap.js","webpack://@icij/murmur/./node_modules/lodash/_Map.js","webpack://@icij/murmur/./node_modules/core-js/modules/_fails.js","webpack://@icij/murmur/./node_modules/lodash/_hashHas.js","webpack://@icij/murmur/./node_modules/@fortawesome/vue-fontawesome/index.js","webpack://@icij/murmur/./node_modules/core-js/modules/_set-species.js","webpack://@icij/murmur/./node_modules/lodash/_MapCache.js","webpack://@icij/murmur/./node_modules/lodash/_baseIsEqualDeep.js","webpack://@icij/murmur/./node_modules/es5-ext/object/keys/index.js","webpack://@icij/murmur/./node_modules/lodash/_mapCacheClear.js","webpack://@icij/murmur/./node_modules/lodash/_baseGetAllKeys.js","webpack://@icij/murmur/./node_modules/lodash/_Stack.js","webpack://@icij/murmur/./node_modules/lodash/_setCacheAdd.js","webpack://@icij/murmur/./node_modules/core-js/modules/_set-to-string-tag.js","webpack://@icij/murmur/./node_modules/core-js/modules/es6.function.name.js","webpack://@icij/murmur/./lib/components/GenericFooter.vue?be7f","webpack://@icij/murmur/./node_modules/lodash/_stackGet.js","webpack://@icij/murmur/./node_modules/lodash/_arrayEach.js","webpack://@icij/murmur/./node_modules/core-js/modules/_microtask.js","webpack://@icij/murmur/./node_modules/core-js/modules/_core.js","webpack://@icij/murmur/./node_modules/core-js/modules/_iterators.js","webpack://@icij/murmur/./node_modules/lodash/_apply.js","webpack://@icij/murmur/./node_modules/lodash/hasIn.js","webpack://@icij/murmur/./node_modules/core-js/modules/_object-dp.js","webpack://@icij/murmur/./node_modules/core-js/modules/_set-proto.js","webpack://@icij/murmur/external {\"commonjs\":\"vue\",\"commonjs2\":\"vue\",\"root\":\"Vue\"}","webpack://@icij/murmur/./node_modules/@fortawesome/free-brands-svg-icons/faFacebook.js","webpack://@icij/murmur/./lib/components/FollowUsPopover.vue?ccfa","webpack://@icij/murmur/./lib/components/EmbedForm.vue?b075","webpack://@icij/murmur/./lib/assets/images/icij-black@2x.png","webpack://@icij/murmur/./node_modules/core-js/modules/_object-gopn.js","webpack://@icij/murmur/./node_modules/lodash/_overArg.js","webpack://@icij/murmur/./node_modules/lodash/_mapCacheDelete.js","webpack://@icij/murmur/./node_modules/es6-symbol/polyfill.js","webpack://@icij/murmur/./node_modules/lodash/_createBaseEach.js","webpack://@icij/murmur/./node_modules/lodash/isFunction.js","webpack://@icij/murmur/./node_modules/lodash/eq.js","webpack://@icij/murmur/./node_modules/lodash/_baseIsMatch.js","webpack://@icij/murmur/./node_modules/es5-ext/object/valid-value.js","webpack://@icij/murmur/./node_modules/lodash/_baseMap.js","webpack://@icij/murmur/./node_modules/lodash/_createBaseFor.js","webpack://@icij/murmur/./node_modules/lodash/_nodeUtil.js","webpack://@icij/murmur/./node_modules/lodash/_isIterateeCall.js","webpack://@icij/murmur/./node_modules/lodash/get.js","webpack://@icij/murmur/./node_modules/core-js/modules/_ctx.js","webpack://@icij/murmur/./node_modules/es5-ext/object/is-callable.js","webpack://@icij/murmur/./node_modules/core-js/modules/_add-to-unscopables.js","webpack://@icij/murmur/./node_modules/core-js/modules/_perform.js","webpack://@icij/murmur/./node_modules/core-js/modules/_to-length.js","webpack://@icij/murmur/./node_modules/core-js/modules/_descriptors.js","webpack://@icij/murmur/./node_modules/lodash/_Symbol.js","webpack://@icij/murmur/./node_modules/core-js/modules/_user-agent.js","webpack://@icij/murmur/./node_modules/lodash/_equalArrays.js","webpack://@icij/murmur/./node_modules/lodash/_baseSetToString.js","webpack://@icij/murmur/./node_modules/core-js/modules/es6.regexp.replace.js","webpack://@icij/murmur/./node_modules/lodash/_mapCacheHas.js","webpack://@icij/murmur/./node_modules/core-js/modules/_new-promise-capability.js","webpack://@icij/murmur/./node_modules/lodash/_getAllKeys.js","webpack://@icij/murmur/./node_

modules/core-js/modules/_string-trim.js","webpack://@icij/murmur/./node_modules/core-js/modules/_is-regexp.js","webpack://@icij/murmur/./node_modules/lodash/_setToArray.js","webpack://@icij/murmur/./node_modules/core-js/modules/web.dom.iterable.js","webpack://@icij/murmur/./node_modules/lodash/_baseUnary.js","webpack://@icij/murmur/./node_modules/@fortawesome/free-solid-svg-icons/faClipboard.js","webpack://@icij/murmur/./node_modules/lodash/_equalObjects.js","webpack://@icij/murmur/./node_modules/lodash/isLength.js","webpack://@icij/murmur/./node_modules/clipboard/dist/clipboard.js","webpack://@icij/murmur/./node_modules/es6-symbol/validate-symbol.js","webpack://@icij/murmur/./node_modules/lodash/_listCacheGet.js","webpack://@icij/murmur/./node_modules/lodash/_DataView.js","webpack://@icij/murmur/./node_modules/es6-symbol/is-implemented.js","webpack://@icij/murmur/./node_modules/lodash/_baseIteratee.js","webpack://@icij/murmur/./node_modules/lodash/_hashGet.js","webpack://@icij/murmur/./node_modules/core-js/modules/_promise-resolve.js","webpack://@icij/murmur/./node_modules/core-js/modules/_defined.js","webpack://@icij/murmur/./node_modules/@babel/runtime/helpers/esm/createClass.js","webpack://@icij/murmur/./node_modules/lodash/_baseIsEqual.js","webpack://@icij/murmur/./node_modules/@fortawesome/fontawesome-svg-core/index.es.js","webpack://@icij/murmur/./lib/components/Fa.js","webpack://@icij/murmur/./node_modules/lodash/_isIndex.js","webpack://@icij/murmur/./node_modules/lodash/_setToString.js","webpack://@icij/murmur/./node_modules/core-js/modules/_array-includes.js","webpack://@icij/murmur/./node_modules/@fortawesome/free-solid-svg-icons/faShareAlt.js","webpack://@icij/murmur/./node_modules/lodash/_cacheHas.js","webpack://@icij/murmur/./node_modules/lodash/reduce.js","webpack://@icij/murmur/./node_modules/core-js/modules/es6.number.constructor.js","webpack://@icij/murmur/./lib/components/ContentPlaceholder.vue?bf2f","webpack://@icij/murmur/./node_modules/lodash/each.js","webpack://@icij/murmur/./node_modules/core-js/modules/_ie8-dom-define.js","webpack://@icij/murmur/./node_modules/lodash/sortBy.js","webpack://@icij/murmur/./node_modules/lodash/_Set.js","webpack://@icij/murmur/(webpack)/buildin/global.js","webpack://@icij/murmur/./node_modules/core-js/modules/_uid.js","webpack://@icij/murmur/./node_modules/core-js/modules/es6.array.iterator.js","webpack://@icij/murmur/./node_modules/lodash/_compareAscending.js","webpack://@icij/murmur/./node_modules/lodash/_assocIndexOf.js","webpack://@icij/murmur/./node_modules/@fortawesome/fontawesome/index.es.js","webpack://@icij/murmur/./node_modules/core-js/modules/_an-object.js","webpack://@icij/murmur/./node_modules/lodash/identity.js","webpack://@icij/murmur/./node_modules/core-js/modules/_object-keys-internal.js","webpack://@icij/murmur/./node_modules/lodash/_baseToString.js","webpack://@icij/murmur/./node_modules/lodash/_stackSet.js","webpack://@icij/murmur/./node_modules/@fortawesome/free-solid-svg-icons/faEnvelope.js","webpack://@icij/murmur/./node_modules/lodash/stubArray.js","webpack://@icij/murmur/./node_modules/lodash/isArguments.js","webpack://@icij/murmur/./node_modules/core-js/modules/_is-object.js","webpack://@icij/murmur/./node_modules/lodash/_baseSortBy.js","webpack://@icij/murmur/./node_modules/@babel/runtime/helpers/esm/classCallCheck.js","webpack://@icij/murmur/./node_modules/core-js/modules/_iter-step.js","webpack://@icij/murmur/./node_modules/lodash/_SetCache.js","webpack://@icij/murmur/./node_modules/core-js/modules/_a-function.js","webpack://@icij/murmur/./node_modules/lodash/_coreJsData.js","webpack://@icij/murmur/./node_modules/lodash/_setCacheHas.js","webpack://@icij/murmur/./node_modules/lodash/_toSource.js","webpack://@icij/murmur/./node_modules/core-js/modules/_redefine-all.js","webpack://@icij/murmur/./node_modules/lodash/map.js","webpack://@icij/murmur/./lib/components/EmbedForm.vue?2746","webpack://@icij/murmur/./node_modules/path-browserify/index.js","webpack://@icij/murmur/./node_modules/core-js/modules/_enum-bug-

keys.js","webpack://@icij/murmur/./node_modules/lodash/_Hash.js","webpack://@icij/murmur/./node_modules/lodash/_hasPath.js","webpack://@icij/murmur/./node_modules/lodash/_castPath.js","webpack://@icij/murmur/./node_modules/lodash/memoize.js","webpack://@icij/murmur/./node_modules/@fortawesome/free-solid-svg-icons/faTimes.js","webpack://@icij/murmur/./node_modules/lodash/_basePropertyDeep.js","webpack://@icij/murmur/./node_modules/es5-ext/function/noop.js","webpack://@icij/murmur/./node_modules/lodash/_isPrototype.js","webpack://@icij/murmur/./node_modules/core-js/modules/_species-constructor.js","webpack://@icij/murmur/./node_modules/lodash/keys.js","webpack://@icij/murmur/./node_modules/es5-ext/object/keys/is-implemented.js","webpack://@icij/murmur/./node_modules/lodash/_mapToArray.js","webpack://@icij/murmur/./node_modules/@fortawesome/free-solid-svg-icons/faCode.js","webpack://@icij/murmur/./node_modules/lodash/_baseProperty.js","webpack://@icij/murmur/./node_modules/lodash/_stackClear.js","webpack://@icij/murmur/./node_modules/popper.js/dist/esm/popper.js","webpack://@icij/murmur/./node_modules/es5-ext/object/normalize-options.js","webpack://@icij/murmur/./node_modules/lodash/_shortOut.js","webpack://@icij/murmur/./node_modules/lodash/_toKey.js","webpack://@icij/murmur/./node_modules/d/index.js","webpack://@icij/murmur/./node_modules/core-js/modules/_an-instance.js","webpack://@icij/murmur/./node_modules/lodash/_isKey.js","webpack://@icij/murmur/./node_modules/es5-ext/object/assign/shim.js","webpack://@icij/murmur/./node_modules/core-js/modules/es6.object.assign.js","webpack://@icij/murmur/./node_modules/es5-ext/string/#/contains/shim.js","webpack://@icij/murmur/./node_modules/es5-ext/string/#/contains/index.js","webpack://@icij/murmur/./node_modules/lodash/property.js","webpack://@icij/murmur/./node_modules/core-js/modules/_html.js","webpack://@icij/murmur/./node_modules/@vue/cli-service/lib/commands/build/setPublicPath.js","webpack://@icij/murmur/./node_modules/vue-i18n/dist/vue-i18n.esm.js","webpack://@icij/murmur/./lib/i18n.js","webpack://@icij/murmur/./lib/components/ContentPlaceholder.vue?6865","webpack://@icij/murmur/./lib/utils/placeholder.js","webpack://@icij/murmur/lib/components/ContentPlaceholder.vue","webpack://@icij/murmur/./lib/components/ContentPlaceholder.vue?01bb","webpack://@icij/murmur/./node_modules/vue-loader/lib/runtime/componentNormalizer.js","webpack://@icij/murmur/./lib/components/ContentPlaceholder.vue","webpack://@icij/murmur/./lib/components/DonateForm.vue?54f5","webpack://@icij/murmur/lib/components/DonateForm.vue","webpack://@icij/murmur/./lib/components/DonateForm.vue?1258","webpack://@icij/murmur/./lib/components/DonateForm.vue","webpack://@icij/murmur/./lib/components/EmbeddableFooter.vue?661e","webpack://@icij/murmur/./node_modules/promise-polyfill/src/finally.js","webpack://@icij/murmur/./node_modules/promise-polyfill/src/index.js","webpack://@icij/murmur/./lib/utils/assets.js","webpack://@icij/murmur/./lib/utils/iframe-resizer.js","webpack://@icij/murmur/./lib/components/SharingOptions.vue?e2a2","webpack://@icij/murmur/./node_modules/vue-functional-data-merge/dist/lib.esm.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/object.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/array.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/identity.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/pluck-props.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/dom.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/components/link/link.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/components/button/button.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/components/button/button-close.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/mixins/id.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/mixins/listen-on-root.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/observe-dom.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/warn.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/key-

codes.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/bv-event.class.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/components/modal/modal.js","webpack://@icij/murmur/./lib/components/EmbedForm.vue?d762","webpack://@icij/murmur/./node_modules/@babel/runtime/helpers/esm/typeof.js","webpack://@icij/murmur/./lib/utils/clipboard.js","webpack://@icij/murmur/lib/components/EmbedForm.vue","webpack://@icij/murmur/./lib/components/EmbedForm.vue?f085","webpack://@icij/murmur/./lib/components/EmbedForm.vue","webpack://@icij/murmur/lib/components/SharingOptions.vue","webpack://@icij/murmur/./lib/components/SharingOptions.vue?a43d","webpack://@icij/murmur/./lib/components/SharingOptions.vue","webpack://@icij/murmur/lib/components/EmbeddableFooter.vue","webpack://@icij/murmur/./lib/components/EmbeddableFooter.vue?26c8","webpack://@icij/murmur/./lib/components/EmbeddableFooter.vue","webpack://@icij/murmur/./lib/components/FollowUsPopover.vue?3c10","webpack://@icij/murmur/./lib/components/SignUpForm.vue?f5d1","webpack://@icij/murmur/lib/components/SignUpForm.vue","webpack://@icij/murmur/./lib/components/SignUpForm.vue?4ae9","webpack://@icij/murmur/./lib/components/SignUpForm.vue","webpack://@icij/murmur/lib/components/FollowUsPopover.vue","webpack://@icij/murmur/./lib/components/FollowUsPopover.vue?9bd7","webpack://@icij/murmur/./lib/components/FollowUsPopover.vue","webpack://@icij/murmur/./lib/components/GenericFooter.vue?5e9d","webpack://@icij/murmur/lib/components/GenericFooter.vue","webpack://@icij/murmur/./lib/components/GenericFooter.vue?2720","webpack://@icij/murmur/./lib/components/GenericFooter.vue","webpack://@icij/murmur/./lib/components/ImddbHeader.vue?0972","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/components/dropdown/dropdown-item.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/mixins/clickout.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/mixins/dropdown.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/components/nav/nav-item-dropdown.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/tooltip.class.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/popover.class.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/ssr.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/mixins/toolpop.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/components/popover/popover.js","webpack://@icij/murmur/lib/components/ImddbHeader.vue","webpack://@icij/murmur/./lib/components/ImddbHeader.vue?5d54","webpack://@icij/murmur/./lib/components/ImddbHeader.vue","webpack://@icij/murmur/./lib/components/ResponsiveIframe.vue?f690","webpack://@icij/murmur/lib/components/ResponsiveIframe.vue","webpack://@icij/murmur/./lib/components/ResponsiveIframe.vue?1204","webpack://@icij/murmur/./lib/components/ResponsiveIframe.vue","webpack://@icij/murmur/lib/components/SlideUpDown.vue","webpack://@icij/murmur/./lib/components/SlideUpDown.vue?0492","webpack://@icij/murmur/./lib/components/SlideUpDown.vue","webpack://@icij/murmur/./lib/components/index.js","webpack://@icij/murmur/./lib/main.js","webpack://@icij/murmur/./node_modules/@vue/cli-service/lib/commands/build/entry-lib.js","webpack://@icij/murmur/./node_modules/lodash/_listCacheHas.js","webpack://@icij/murmur/./node_modules/core-js/modules/_string-ws.js","webpack://@icij/murmur/./node_modules/lodash/isSymbol.js"],"names":["label","href","active","_VALUES","Symbol","_SCOPES","Config","values","each","value","key","set","levels","split","length","scope","shift","join","defaultValue","get","name","scopes","defaultValues","FontAwesomeIcon","Vue","use","VueI18n","loadLocaleMessages","locales","require","messages","keys","forEach","matched","match","locale","process","fallbackLocale","DEFAULT_ROWS","height","boxes","isFlexBasis","str","Number","toString","isWidth","cssSuffix","checkState","suffix","getBoxStyle","left","width","isLast","subClass","arr","push","style","formatRows","rows","rowArr","row","boxArr","rowObj","box","index","concat","injectAsset","memoize","file","Promise","resolve","parent","document","querySelector","parts","ext","toLowerCase","script","createElement","setAttribute","onload","appendChild","css","injectAssets","files","flatten","arguments","filesLoaded","allFilesLoaded","i","then","pymChild","pymParams","IframeResizer","initializer","window","pym","Child","polling","sendHeight","url","id","Date","now","deletePymParams","location","URL","param","searchParams","delete","every","has","copyText","text","container","reject","fakeElement","clipboard","Clipboard","action","body","on","error","destroy","click","Murmur","lang","message","i18n

","setLocaleMessage","mergeLocaleMessage","options","Object","components","component","default"],"mappings":"AAAA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,CAAC;AACD,O;ACVA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;;AAGA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA,kDAA0C,gCAAgC;AAC1E;AACA;;AAEA;AACA;AACA;AACA,gEAAwD,kBAAkB;AAC1E;AACA,yDAAiD,cAAc;AAC/D;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,iDAAyC,iCAAiC;AAC1E,wHAAgH,mBAAmB,EAAE;AACrI;AACA;;AAEA;AACA;AACA;AACA,mCAA2B,0BAA0B,EAAE;AACvD,yCAAiC,eAAe;AAChD;AACA;;AAEA;AACA,8DAAsD,+DAA+D;;AAErH;AACA;;;AAGA;AACA;;;;;;;;ACIFA,aAAa,mBAAmB,CAAC,MAAM;;AAEhC;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAAO,AACpB;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;;;;;;;;AC7Ca;AACb,cAAc,mBAAmB,CAAC,MAAY;AAClC,cAAc,mBAAmB,CAAC,MAAW;AAC7C,eAAe,mBAAmB,CAAC,MAAa;AAChD,eAAe,WAAW,mBAAmB,CAAC,MAAS;AACvD,5B,gBAAgB,mBAAmB,CAAC,MAAc;AAClD,eAAe,kBAAkB,mBAAmB,CAAC,MAAgB;AACrE,1C,qBAAqB,mBAAmB,CAAC,MAAsB;AAC/D,nD,qBAAqB,mBAAmB,CAAC,MAAe;AACxD,5C,eAAe,mBAAmB,CAAC,MAAQ;AAC3C,/B,8CAA8C;AAC9C;AACA;;AAEA,8BAA8B,aAAa;;AAE3C;AACA;AACA;AACA,yCAAyC,oCAAoC;AAC7E,7E,6CAA6C,oCAAoC;AACjF,jF,KAAK,4BAA4B,oCAAoC;AACrE;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,gBAAgB,mBAAmB;AACnC,CnC;AACA;AACA,kCAAkC,2BAA2B;AAC7D,7D;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;;;;;;;;ACpEA,kBAAkB,mBAAmB,CAAC,MAAgB;AACtD,1C,iBAAiB,mBAAmB,CAAC,MAAe;;AAExC;AACA;;AAEA;AACA;AACA,WAAW,OAAO;AAClB,1B,aAAa,MAAM;AACnB;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;AC7BA,aAAa,mBAAmB,CAAC,MAAW;AAChC,kBAAkB,mBAAmB,CAAC,MAAe;AACrD,zC,cAAc,mBAAmB,CAAC,MAAW;;AAEjC;AACA;;AAEA;AACA;AACA,WAAW,EAAE;AACb,1B;AACA;AACA;AACA;AACA;AACA;AACA;;;;;;;;ACnBA,aAAa,mBAAmB,CAAC,MAAW;AAChC,kBAAkB,mBAAmB,CAAC,MAAe;AACrD,zC,eAAe,mBAAmB,CAAC,MAAY;;AAEtC;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ACjBA,aAAa,mBAAmB,CAAC,MAAW;AAChC,kBAAkB,mBAAmB,CAAC,MAAe;AACrD,zC,eAAe,mBAAmB,CAAC,MAAY;;AAEtC;AACA;AACA;AACA,WAAW,EAAE;AACb,1B;AACA;AACA;AACA;AACA;AACA;AACA;;;;;;;;ACjBA,aAAa,mBAAmB,CAAC,MAAW;AAChC,kBAAkB,mBAAmB,CAAC,MAAe;AACrD,zC,cAAc,mBAAmB,CAAC,MAAW;;AAEjC;AACA;AACA;AACA,WAAW,EAAE;AACb,1B;AACA;;;;;;;;ACdA,cAAc,mBAAmB,CAAC,MAAY;AAClC,kBAAkB,mBAAmB,CAAC,MAAe;;AAExC;AACA;;AAEA;AACA;AACA,kBAAkB,mBAAmB;AACrC,/C,KAAK,kBAAkB,mBAAmB,CAAC,MAAkB;;AAE5E,5C,kBAAkB;AAClB;AACA;AACA,WAAW,mBAAmB;AAC9B,9B,2DAA2D;AAC3D;AACA;AACA;;;;;;;;ACdA,cAAc,mBAAmB,CAAC,MAAS;AAC3B,5B,eAAe,mBAAmB,CAAC,MAAY;AAClD,cAAc,kBAAkB,KAAK,0BAA0B;;AAE/D,5C,eAAe;;AAEf;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA,iDAAiC,iCAAiC;AAClE,WAAW,mBAAmB,EAAE;AAChC,5B;AACA;;;;;;;;ACzBA,cAAc;AACd;AACA,WAAW,mBAAmB;AAC9B,9B;AACA,WAAW,mBAAmB;AAC9B,9B;AACA,WAAW,mBAAmB;AAC9B,9B;;AAEA;AACA;AACA;AACA;AACA,4hB,CAAA,gB,kkBAAAG,EAAAC;;;;;;;;ACIAthB;AACa;AACb,cAAc,mBAAmB,CAAC,MAAW;AAClC,jC,WAAW,mBAAmB,CAAC,MAAS;AACxC,5B,aAAa,mBAAmB,CAAC,MAAW;AAChC,yBAAyB,mBAAmB,CAAC,MAAwB;AACrE,zD,qBAAqB,mBAAmB,CAAC,MAAoB;;AAE7C;AACA;;AAEA;AACA;AACA,8DAA8D,UAAU,EAAE;AAC1E,1E,KAAK,8DAA8D,SAAS,EAAE;AAC9E,zE,KAAK,cAAc,CAAC,EAAE;;;;;;;;ACnBtBH,mBAAmB,mBAAmB,CAAC,MAAa;AAC5C,iB;AACA,5C,eAAe,mBAAmB,CAAC,MAAa;AAChD;;AAEpC;AACA;AACA;AACA,WAAW,OAAO;AAClB,aAAa,EAAE;AACf;AACA;AACA;AACA;;AAEA;AACA;AACA,yDAAyD;AACzD,5C,gBAAgB,mBAAmB,CAAC,MAAa;;AAErC;AACA,kBAAkB,KAAK,0BAA0B;;AAEjD,5C;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ACrCA,yDAAyD,yD;AACzD,WAAW,mBAAmB,CAAC,MAAS;AAC5C,5B,gBAAgB,mBAAmB,CAAC,MAAa;;AAErC;AACA,kBAAkB,KAAK,0BAA0B;;AAEjD,5C;AACA;AACA;AACA,kBAAkB,mBAAmB,CAAC,MAAyB;AAC7C,7C,kBAAkB,mBAAmB,CAAC,MAAkB;;AAE5E,5C;AACA;AACA;AACA;AACA,WAAW,YAAY,mBAAmB,CAAC,MAAyB;AAC5D,7C,kBAAkB,mBAAmB,CAAC,MAAkB;;AAE5E,5C;AACA;;;;;;;;ACrBA,cAAc;AACd,YAAA,mBAAmB;AACnB;;AAEA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ACRA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA,MAAM,KAAA,0B;;AAEhC;AACA;AACA;AACA,EAAE;AACF,mBAAmB mBAAmB CAAC MAAS;AAC5C,5B,YAAY,YAAA,MAAM,KAAA,0B;;AAEd;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA,MAAM,EAAE;AAChB;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA,MAAM,EAAE

A;;AAEA;;AAEA;;AAEA;;AAEA;;AAEA;;AAEA;;AAEA;;AAEA;;AAEA;;AAEA;;AAEA;AACA;AAC
A;AACA;AACA;AACA;;;AAGA;AACA;AACA;;;;;AAKA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;
AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;;AAGA;AACA;AACA;AAC
A;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;;;AAIA;AACA;;AAEA;AACA;;AAEA;AACA;A
ACA;AACA,EAAE;;AAEF;AACA;AACA;;AAEA;;AAEA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA
,EAAE;;AAEF;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA,EAAE;;AAEF;AACA;AAC
A;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA,EAAE;;AAEF;AACA;AACA;AACA,EAAE;;AAEF;AA
CA;AACA;AACA,GAAG;AACH,EAAE;;AAEF;AACA;AACA,EAAE;;AAEF;AACA;AACA,EAAE;;AAEF;AA
CA;AACA,EAAE;;AAEF;AACA;AACA;AACA,EAAE;;AAEF;AACA;AACA,EAAE;;AAEF;AACA;AA
CA;AACA;AACA;;AAEA;AACA;AACA,+BAA+B;AAC/B;AACA;AACA;;AAEA;AACA;AACA;;AAE
A;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA,QAAQ,YA
AY;;AAEpB;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA
;AACA;AACA;;AAEA,MAAM;AACN;AACA;;AAEA;AACA;;AAEA;AACA,KAAK;AACL;AACA;AACA;AA
CA;AACA;;AAEA;AACA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA,EAAE;;AAEF,o
BAAoB;;AAEpB;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;A
ACA;AACA;AACA,EAAE;;AAEF;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,EAAE;;AAEF;
AACA;AACA;AACA,EAAE;;AAEF;AACA;;AAEA;AACA;AACA,UAAU,YAAY;AACtB;AACA;AACA;AACA
;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;;AAEA;AACA,EAAE;;AAEF;AACA;AACA;AACA
;AACA;AACA,EAAE;;AAEF;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,IAAI;AACJ;A
ACA;AACA;;AAEA;AACA,EAAE;;AAEF;AACA;AACA,EAAE;;AAEF;AACA;AACA;AACA;AACA;AACA;;
AAEA,SAAS,SAAS;AAClB;AACA;;AAEA;;AAEA;AACA,EAAE;;AAEF;AACA;AACA;AACA;AACA;AACA;
;AAEA;AACA;AACA,SAAS,YAAY;AACrB;AACA;AACA;AACA;;AAEA;AACA,EAAE;;AAEF;AACA
;AACA;AACA;;AAEA;AACA;AACA;AACA,UAAU,YAAY;AACtB;;AAEA;AACA;AACA;AACA;;AA
EA;AACA,GAAG;AACH;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,EAAE;;AAEF;A
ACA;;AAEA;AACA;AACA;AACA,CAAC;;AAED;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,CAAC;;
AAED;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,E
AAE;;AAEF;AACA,aAAa;AACb;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,SA
AS,SAAS;AAClB;AACA;AACA;AACA;AACA,EAAE;;AAEF;;AAEA;;AAEA;AACA;;AAEA;AACA;;A
AEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,0BAA0B;AAC1B;AACA;AACA;AAC
A;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,EAAE;;AAEF;AACA;;AAEA,g
BAAgB,IAAI;;AAEpB;AACA;;AAEA;;AAEA;AACA;AACA,wCAAwC,IAAI;AAC5C;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,EAAE;;AAEF;AACA;AACA;AACA;;
AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA,EAAE;;AAEF;AACA;AACA;AACA
;AACA;AACA;AACA,EAAE;;AAEF;AACA;AACA;AACA,GAAG;AACH,GAAG;AACH;;AAEA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA,CAAC;AACD,SAAS;;AAET;AACA;AACA;AACA,GAA
G;;AAEH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AA
EA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;;
AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA,OAAO;AACP;AACA;;AAEA;AACA,MAAM;;AAEN;AACA;AACA;AACA;AACA;AACA;;AAEA;A
ACA;AACA;;AAEA;AACA,KAAK;AACL;AACA;;AAEA;AACA,KAAK;AACL;;AAEA;AACA;AACA;
AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,KAAK;;AAE
L;AACA;AACA;AACA,MAAM;AACN;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AA
CA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,MAAM;AACN,MAAM;AACN;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA,aAAa,yBAAyB;AACt

C;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AA
EA;AACA;AACA,WAAW,SAAS;AACpB;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,WAAW,SAAS;
AACpB;AACA;AACA;;AAEA;AACA;AACA,EAAE;AACF;AACA,EAAE;AACF;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;;AAEA;AACA;AACA,WAAW,OAAO;AAClB,WAAW,SAAS;AACpB;AACA;AACA;AA
CA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA,WAAW,QAAQ;AACnB,WAAW,QAAQ;AACnB,aAAa
,OAAO;AACpB;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AA
CA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA,WAAW,OAAO;AAClB;AACA;AACA;AACA;
AACA;AACA;AACA;;AAEA;AACA;AACA,WAAW,OAAO;AAClB;AACA;AACA;AACA;AACA;AAC
A;;AAEA;AACA;AACA,WAAW,QAAQ,6BAA6B;AAChD;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AAC
A;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,MAAM;A
ACN;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA
;AACA,GAAG;AACH;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA,WAAW,SAAS;AACpB;AA
CA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;A
ACH,EAAE;AACF;;AAEA;AACA;AACA,WAAW,gBAAgB;AAC3B,aAAa,uBAAuB;AACpC;AACA;AACA;A
ACA;;AAEA;AACA;;AAEA;AACA;AACA,WAAW,eAAe;AAC1B,aAAa,QAAQ;AACrB;AACA;AACA;AACA;
AACA;AACA;AACA;;AAEA;AACA;AACA,WAAW,eAAe;AAC1B,aAAa,OAAO;AACpB;AACA;AACA;AAC
A;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;A
ACA;;AAEA;AACA,GAAG;AACH;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;
AACA,EAAE;;AAEF;AACA;;AAEA;AACA;AACA;AACA;AACA,EAAE;;AAEF;AACA;;AAEA;AACA;AACA
;AACA;AACA;AACA;AACA;AACA;AACA,EAAE;;AAEF;AACA;AACA;AACA;AACA;AACA;AACA;AACA
;AACA;AACA;AACA;AACA,EAAE;AACF;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AA
CA;AACA;;AAEA;AACA,IAAI;AACJ;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;;AA
EA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;A
ACA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA
;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AAC
A;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AA
CA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;;AAEA;A
ACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;
AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,GAAG;AACH;;AAEA;AACA;AACA;AAC
A;AACA;;AAEA;AACA;AACA;AACA;AACA,GAAG;AACH;;AAEA;AACA;;A
AEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAE
A;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AA
CA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;
AACA;AACA;AACA;;AAEA;AACA,EAAE;AACF;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;
AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA,GAA
G;AACH;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AA
CA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;
AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AAC
A;AACA;AACA,GAAG;AACH;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AA
CA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;A
ACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA,WAA
W,UAAU;AACrB;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA,
WAAW,cAAc;AACzB;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AAC
A,EAAE;AACF;AACA;AACA;AACA;AACA,GAAG;AACH;AACA,gCAAgC,MAAM;AACtC;AACA;AACA;A

ACA,EAAE;AACF;AACA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;;AAEA;;AAEA;;AAEA,eAAe;;AAEf,S
AAS;;AAET;AACA,QAAQ,iCAAiC;AACzC,QAAQ,oBAAoB;AAC5B,QAAQ,sCAAsC;AAC9C,QAAQ;AACR,
EAAE;AAEF;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA,GAAG;;AAEH;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AA
EA;AACA;AACA;AACA;;AAEA;AACA,IAAI;AACJ;AACA;;AAEA;AACA,GAAG;;AAEH;AACA;AACA;;AA
EA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA,IAAI;AACJ;AACA;AACA;AACA;;AAEA;AACA;AA
CA;AACA;;AAEA;AACA;AACA;AACA,EAAE;;AAEF;;AAEA;AACA;AACA;AACA,gBAAgB,aAAa,EAAE;A
AC/B;AACA;AACA;AACA,GAAG;;AAEH;AACA;;AAEA;AACA;AACA;AACA;AACA,KAAK;AACL,GAAG;
;AAEH;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AA
CA,KAAK;;AAEL;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;A
ACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;;AAEA
;;AAEA;AACA;AACA,4DAA4D;;AAE5D;AACA;AACA;AACA,yCAAyC;;AAEzC;AACA;AACA;AACA;;AAE
A;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA,OAAO;AACP;AACA;AACA;AACA;AA
CA,6DAA6D;;AAE7D;AACA;AACA;AACA,0CAA0C;;AAE1C;AACA;AACA;AACA;;AAEA;AACA;AACA;A
ACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA,gEAAgE;;AAEhE;AACA;AACA;AA
CA,6CAA6C;;AAE7C;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AAC
A;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AA
CA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA,MAAM;AACN;AACA;AACA;AACA;;AAEA;AACA;AACA,EAAE;;AAEF;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AAC
A;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AA
CA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;
AACA;AACA;AACA,KAAK;AACL;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA,GAAG;;AAE
H;AACA;AACA,GAAG;;AAEH;AACA;AACA,GAAG;;AAEH;AACA;AACA;;AAEA;AACA;AACA;AACA;AA
CA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;;AAEA;AACA,GAAG;;AAEH;AACA;AACA;A
ACA,iEAAiE,UAAU;AAC3E,sCAAsC,2BAA2B;AACjE;AACA,gCAAgC,MAAM;AACtC;AACA;AACA;AACA
;AACA;AACA,GAAG;;AAEH;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA,GAAG;;AAEH;AACA;AAC
A,GAAG;;AAEH;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,GA
AG;;AAEH;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA,GAAG;;AAEH;AACA;AACA,GAAG;;AAEH;
AACA;AACA,UAAU,YAAY;AACtB;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA,UAAU,YAAY;AACt
B;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA,UAAU,UAAU;AACpB;AACA;AACA;AACA,GAAG;;A
AEH;AACA;AACA,UAAU,cAAc;AACxB;AACA;AACA;AACA,GAAG;AACH;AACA;;AAEA;;AAEA;AACA,
YAAY,uEAAuE;AACnF;AACA;AACA,YAAY,4BAA4B;AACxC;AACA;;AAEA;AACA;AACA;AACA;;AAEA;
AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AAC
A;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,IAAI;AACJ;AACA
;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;;AAE
A;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AA
CA;AACA;AACA,QAAQ,SAAS;AACjB;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;A
ACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;
AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,IAAI;AACJ;AACA;AACA,2
DAA2D;;AAE3D;AACA;AACA,oFAAoF;;AAEpF;AACA;AACA,OAAO;AACP;;AAEA;AACA;AACA,OAAO;
AACP;AACA;;AAEA,mCAAmC;AACnC;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;A
AEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;;AAEA;
AACA;AACA;AACA,QAAQ,SAAS;AACjB;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA
;;AAEA,QAAQ,SAAS;AACjB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAE
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AA

CA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;
AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA
;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AAC
A;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA,IAAI;AACJ;AACA;AACA;AACA,EAAE;AACF;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAE
A;AACA;AACA;AACA,GAAG;AACH;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA,GAAG;;AAEH,QAAQ,SAAS;AACjB;AACA;AACA,GAAG;AACH;;AAEA;AACA;AACA;AA
CA;AACA,WAAW,SAAS;AACpB;AACA;AACA;AACA;AACA;AACA;AACA;AACA,uCAAuC,iDAAi
D;AACxF;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;A
ACA;;AAEA;AACA;AACA,iDAAiD;AACjD,UAAU,wCAAwC;AAClD;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;
AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;
AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAE
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,IAAI;AACJ;AACA;AACA;;AAEA
;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,WAAW,gBAAgB;AAC3B;AACA,
WAAW,QAAQ;AACnB,WAAW,MAAM;AACjB,WAAW,MAAM;AACjB;AACA;AACA;AACA;AACA;;AAEA
;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA,IAAI;AACJ;AACA;
;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;A
ACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,CAAC;;AAED;AACA;AACA;AACA;AACA;
AACA;AACA,CAAC;AACD;AACA;AACA;AACA;AACA,EAAE;AACF;;AAEA;AACA;AACA;AACA;AACA;
AACA;AACA,CAAC;AACD;AACA;AACA;AACA;AACA,EAAE;AACF;;AAEA;AACA;AACA;AACA;AACA,
CAAC;AACD;AACA;AACA;AACA;AACA;AACA;AACA;AACA,EAAE;AACF;;AAEA;;AAEA,CAAC;
;;;;AAID;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;;;;AAKA;AACA;AACA;;AAEA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;;;AAGA;AACA;;AAEA,QAAQ,GAAG;AACX;AACA
;AACA;AACA;;AAEA;AACA;;;AAGA;;;;AAIA;;AAEA;;AAEA;AACA;;;;AAIA;AACA;AACA;AACA;AACA;
AACA,GAAG;AACH;;AAEA;AACA;AACA;AACA;AACA,GAAG;AACH;;AAEA;AACA;AACA;AACA;AAC
A,GAAG;AACH;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;A
ACA;AACA,EAAE;AACF;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,gBAAgB,SAAS;AACzB
;AACA;AACA;AACA,IAAI;AACJ;;AAEA;;AAEA,cAAc,SAAS;AACvB;AACA;;AAEA;AACA,EAAE;A
ACF;AACA;AACA,EAAE;AACF;AACA;AACA,EAAE;AACF;AACA;AACA;;AAEA;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA,CAAC;;;AAGD;;;AAGA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA
;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AA
CA;;AAEA,IAAI;AACJ;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AA
CA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA,QAAQ;AACR;AACA;AACA;;
AAEA;;AAEA;AACA,KAAK;AACL;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA,IAAI;
AACJ;;AAEA;AACA;AACA,IAAI;AACJ;AACA;;AAEA;AACA;AACA,GAAG;AACH;AACA;;AAEA;AACA;A
ACA,GAAG;AACH;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;;;AAGA;;AAE
A;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA,UAAU,OA
AO;AACjB;AACA;AACA;AACA;AACA,GAAG;AACH,EAAE;;AAEF;AACA;AACA;AACA;AACA;;AACA;;A
AEA;AACA;AACA,UAAU,OAAO;AACjB,0BAA0B,wBAAwB;;AAElD;AACA;AACA;;AAEA;AACA;AACA;;
AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA,EAAE;;AAEF;AACA;;AAEA;AACA;AACA;AACA
;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA,EAAE;;AAEF;AACA;AACA;AAC
A;AACA;AACA;AACA,CAAC;;AAED;AACA;AACA;AAC

A;;AAEA;AACA;AACA;AACA;AACA,EAAE;AACF;AACA;AACA,EAAE;AACF;AACA;AACA,EAAE;AACF
;AACA;AACA,EAAE;AACF;AACA;AACA,EAAE;AACF;AACA;AACA,EAAE;AACF;AACA;AACA,EAAE;A
ACF;AACA;AACA,EAAE;AACF;AACA;AACA,EAAE;AACF;AACA,0CAA0C;AAC1C,EAAE;AACF;AACA;A
ACA,EAAE;AACF;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,C
AAC;AACD;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA
;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,CAAC;AACD;;;;AAIA;AACA;AACA;AACA;AACA;AAC
A,EAAE;AACF;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AA
CA;AACA,mBAAmB;;AAEnB;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;A
ACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA,UAAU;cAAc;AACxB;AACA;
;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;;AAE
A;AACA;;AAEA;AACA;AACA;;AAEA;AACA,KAAK;AACL;AACA;AACA;AACA,GAAG;;AAEH;AACA;;A
AEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,
QAAQ;;AAER;AACA;AACA;AACA,OAAO;AACP,MAAM;;AAEN;AACA;AACA;AACA;AACA;AACA,IAAI;
;AAEJ;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA,
IAAI;;AAEJ;AACA;AACA;AACA;AACA;AACA;AACA,IAAI;;AAEJ;AACA;AACA;AACA;AACA;AACA;AA
CA,IAAI;;AAEJ;AACA;AACA;AACA;AACA;AACA;AACA;AACA,IAAI;AACJ;AACA;AACA,IAAI;;AAEJ;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,IAAI;AACJ;AACA;AACA,IAAI;;AAEJ;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,IAAI;;AAEJ;AACA;AACA;AACA
;AACA,IAAI;;AAEJ;AACA;AACA;AACA;AACA;;AAEA;AACA;;;AAGA;AACA;AACA;AACA;AACA;AACA
;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA,GAAG;AACH;;AAEA;AACA,GAAG;;AAEH;AA
CA;AACA;AACA;;AAEA;AACA;AACA;AACA,EAAE;;AAEF;AACA;AACA;AACA;AACA;;AAEA;;A
AEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA,KAAK;;AAEL;AACA;AACA;;AAEA
;AACA;;AAEA;AACA;;AAEA,wCAAwC;sCAAsC;AAC9E;oCAAoC;uCAAuC;AAC3E;oCAAoC;sCAAsC;AAC
1E;AACA;AACA;AACA;AACA;AACA;AACA,SAAS;AACT;AACA;AACA;AACA;AACA;AACA,QAA
Q;AACR,OAAO;AACP;AACA,MAAM;AACN,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AAC
A;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;A
ACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;
AACA;AACA;AACA;;AAEA;AACA,WAAW;;AAEX;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;;AAEA;AACA,UAAU;;AAEV;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;A
ACA,SAAS;;AAET;AACA;AACA;AACA;AACA;AACA;AACA,WAAW;;AAEX;AACA;AACA;AACA;;AAEA;
AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AAC
A;AACA;AACA;AACA,QAAQ;;AAER;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA,MAAM;AACN,KAAK;;AAEL;AACA;AACA;AACA;AACA;AACA,IAAI;AACJ;;
AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AAC
A;AACA,MAAM;;AAEN;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;
AAEA;AACA;AACA;AACA;;AAEA,oCAAoC;AACpC,qCAAqC;AACrC,oCAAoC;AACpC;AACA;AACA;;AAC
A;;AAEA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;A
ACA,EAAE;;AAEF;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA
;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AAC
A;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA,CAAC;;;AAGD;AACA;A
ACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;;;;;AAKA;AACA;AACA;AACA,EAAE;AACF;;;;;AA
KA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;;AAEA;;
AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AAC
A;AACA;;AAEA;AACA;AACA;AACA,CAAC;;AAED;;AAEA;AACA;AACA;AACA;AACA;AACA;;A

AEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA,CAAC;;AAED;AACA;;AAEA;AACA;AACA;
;;;;AAKA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA,EA
AE;AACF;;AAEA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AACA,IAAI;AACJ;AACA;AA
CA;AACA;AACA;AACA;;AAEA;AACA,UAAU,SAAS;AACnB;AACA;AACA;AACA;AACA;AACA;A
ACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;;AAGA;AACA;AACA;;AAEA;AAC
A;AACA;AACA;;AAEA,+BAA+B;AAC/B;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;;;;;AAKA;AACA;AACA;;AAEA;;AAEA;;AAEA;;AAEA;AACA;;AAEA;AACA;A
ACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,KAAK;AACL;
AACA;AACA;AACA,MAAM;AACN;AACA;AACA;;AAEA;AACA,EAAE;AACF;AACA;AACA;;AAEA;AAC
A;AACA;AACA;;AAEA,uBAAuB,aAAa;AACpC,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA,E
AAE;AACF;AACA;AACA;;AAEA;AACA;AACA,EAAE;AACF;;AAEA;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;
AACA;;AAEA;AACA;AACA;AACA,EAAE;AACF;AACA;AACA;;AAEA;AACA;AACA;;AAEA;;AAEA;AAC
A;;AAEA;AACA;AACA;AACA,IAAI;AACJ;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AAC
A;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,IAAI;AACJ;AACA;AACA
;AACA,EAAE;AACF;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;AAIA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;;AAEA,oBAAoB,SAAS;AAC7B;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;
AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAE
A;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,IAAI;;AAEJ;AACA;AACA,GAAG;AACH;AACA
;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,EAAE;;AAEF;AACA;AACA,EAAE;;AAEF;AACA;AACA
,EAAE;;AAEF;AACA;AACA;AACA,EAAE;;AAEF;AACA;AACA;AACA,CAAC;;AAED;AACA;AACA
;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA,IAA
I;AACJ;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AAC
A;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA,IA
AI;AACJ,GAAG;AACH,EAAE;;AAEF;AACA;AACA;AACA,GAAG;AACH;AACA,CAAC;;;AAGD;AACA;AA
CA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;A
ACA,EAAE;;AAEF;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;
AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AAC
A,EAAE;;AAEF;AACA;AACA;AACA;AACA;AACA;AACA,IAAI;AACJ,GAAG;AACH;AACA,CAAC;;AAED;
AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAE
A;AACA;;AAEA;AACA;AACA;AACA,IAAI;AACJ;EAAE;AACF;AACA;AACA;AACA,GAAG;AACH,EAAE;
AACF;AACA;AACA,EAAE;;AAEF;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA,AAAC;AACD;;AAEA;;;AAGA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;
AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AAC
A;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;;AAEA;AA
CA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;;AAEA;
AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;;AAEA;;;AAGA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;;AAEA;
AACA;AACA;AACA;;AAEA;AACA,QAAQ,gBAAgB;AA
CxB;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA,GAAG;AACH;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA,iBAAi
B,gBAAgB;AACjC;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA,EAAE;AACF;AACA;A
ACA,EAAE;AACF;AACA;AACA;;AAEA;AACA;AACA;AACA,IAAI;AACJ;AACA;AACA,GAAG;AA
CH;AACA,CAAC;AACD;;AAEA;;AAEA;;;;AAIA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;
AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;;;AAGA;;AAEA;AACA;AACA;;AAEA;AACA;;A

AEA,EAAE;AACF;;AAEA,EAAE;AACF;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;;AAGA;AACA;AACA;
AACA;;AAEA,QAAQ,OAAO;AACf;AACA;AACA;AACA;AACA;AACA;AACA;;;AAGA,sBAAsB;;AAEtB;AA
CA;AACA;AACA;AACA;;AAEA,QAAQ,OAAO;AACf;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;;A
AEA;AACA,IAAI;AACJ;;AAEA;AACA,IAAI;AACJ;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AAC
A;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;A
ACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;AACA
;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;;AAGA;AACA;AA
CA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;
AACA;AACA;AACA,CAAC;AACD;;;;AAIA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AAC
A;;AAEA;AACA;AACA;AACA;AACA;AACA,EAAE,gBAAgB;AAClB;;AAEA;AACA;;AAEA;AACA;;AAEA;
AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AAC
A,EAAE;AACF;;AAEA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA,EAAE;AACF;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AA
CA;AACA;AACA,EAAE;AACF;;AAEA;AACA;AACA;AACA;AACA;;AAEA,WAAW;;AAEX;;AAEA;AACA;
AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AAC
A;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AA
CA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;A
AEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA,IAAI;;AAEJ;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;
AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,IAAI;AACJ;AACA;;AAEA;AACA;
AACA;;AAEA,EAAE;;AAEF;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA,2CAA2C;AA
C3C;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;
AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AAC
A;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AA
CA;AACA;;AAEA;AACA;AACA;AACA;AACA,EAAE;;AAEF;;AAEA;AACA;;AAEA;AACA;AACA,oDAAoD;
AACpD;;AAEA;AACA;;AAEA,cAAc,sBAAsB;AACpC;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;A
ACA;;AAEA,yBAAyB;AACzB;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AA
EA,+DAA+D;AAC/D;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA
;AACA;;AAEA;AACA,EAAE;;AAEF;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAE
A;AACA;AACA;AACA;AACA;;AAEA,UAAU,cAAc;;AAExB;AACA;AACA;AACA;AACA,iBA
AiB,mBAAmB;AACpC;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA,0BAA0B,uCAAuC;AACjE;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,uBAAuB,uDAAuD;
AAC9E;;AAEA;AACA,EAAE;;AAEF;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,KAA
K;AACL;AACA;AACA;AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AAC
L;AACA,GAAG;AACH,EAAE;;AAEF;AACA;AACA;AACA;AACA,EAAE;;AAEF;AACA;;AAEA;AACA;AAC
A,GAAG;AACH;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,IAAI;AACJ;AACA,GAAG;AACH;AACA
;AACA;AACA;AACA;AACA,IAAI;AACJ;AACA,GAAG;AACH;;AAEA;AACA;AACA;AACA;AACA;
AACA;AACA,IAAI;;AAEJ;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;;AAEA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AAC
A;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA,sCAAsC;AACtC;AACA;;AAEA;AACA;AACA;
AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA,EAAE;AACF;AACA;;AAEA
;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA,EAAE;AACF;AACA;;AAEA;;AAEA;AACA;AACA;AA
CA,EAAE;AACF;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;A
ACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;
AACA;AACA;AACA;;AAEA,qCAAqC,cAAc;AACnD;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AA
CA;AACA;;AAEA;AACA;;AAEA;AACA;AACA,CAAC;;AAED;AACA;AACA;AACA;AACA,qCAAqC;

AACrC;AACA;AACA;AACA;AACA;AACA;AACA;AACA,CAAC;AACD;AACA;AACA;;AAEA;AACA;AAC
A;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,CAAC;;AA
ED;;AAEA;AACA;AACA,EAAE;AACF;AACA;AACA,EAAE;AACF;AACA;AACA;;AAEA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;A
ACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA,CAAC;;;
AAGD;;AAEA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AA
CA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,E
AAE;AACF;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;
;AAEA;AACA;AACA;;AAEA;AACA,2CAA2C,OAAO;AAClD;AACA;AACA;AACA;AACA;;AAEA;AACA;A
ACA;AACA,8BAA8B;;AAE9B;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA,EA
AE;AACF;AACA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;;AAEA;AACA;AACA;;AAEA;
AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,UAAU,OAAO;AACjB;;AAEA;AAC
A;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;A
ACA,gBAAgB,gBAAgB;AAChC;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA,OAAO;A
ACP;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA,QAAQ,
+BAA+B;AACvC;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;A
ACA;AACA;AACA,EAAE;;AAEF;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA,
uCAAuC,OAAO;AAC9C;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA,wCAAwC,OAAO;AAC/C
;AACA;AACA,IAAI;AACJ;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,EAAE;;
AAEF;AACA;AACA;AACA;;AAEA,SAAS,qCAAqC;AAC9C;AACA;AACA;AACA;AACA;;AAEA;AA
CA,QAAQ;AACR;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA,CAAC;;AAED;AACA;AACA;AACA,EAAE;;AAEF;AACA;AACA,EAAE;;AAEF;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL,GAAG;AACH,EAAE;;AAEF;AACA;A
ACA;AACA;AACA;AACA;AACA,GAAG;AACH,EAAE;;AAEF;AACA;AACA;AACA;AACA;AACA,G
AAG;AACH,EAAE;;AAEF;AACA;AACA;AACA;AACA,GAAG;AACH,EAAE;;AAEF;AACA;AACA;A
ACA;AACA;AACA,GAAG;AACH,EAAE;;AAEF;AACA;;AAEA,SAAS,8BAA8B;AACvC;;AAEA;AAC
A;;AAEA;AACA;AACA;AACA;;AAEA;AACA,EAAE;;AAEF;AACA;AACA;;AAEA;AACA;AACA,GAAG;AA
CH,EAAE;;AAEF;AACA;AACA,6BAA6B;AAC7B;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAE
A;;AAEA;AACA,YAAY,OAAO;AACnB;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA,K
AAK;AACL;;AAEA;AACA;AACA;AACA,GAAG;AACH,EAAE;;AAEF;AACA;;AAEA;AACA;AACA;;AAEA;
AACA;AACA;AACA;AACA;;AAEA;AACA,GAAG;AACH;AACA,CAAC;;AAED;AACA;AACA;AACA
;AACA;AACA;AACA,CAAC;AACD;AACA;AACA;AACA;AACA;AACA;;AAEA,SAAS,WAAW;AACpB;AAC
A;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA,CAAC;AACD;;AAEA;;AAEA;AACA;AACA;AACA;;A
AEA;AACA;AACA;;AAEA;AACA;;AAEA;;;;AAIA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAE
A,+CAA+C,cAAc,WAAW;AACxE,mBAAmB,UAAU;AAC7B;AACA,sBAAsB,cAAc,sBAAsB,gBAAgB;AAC1E
,gBAAgB,WAAW,YAAY;AACvC,cAAc;AACd;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;A
AEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;
;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AAC
A;AACA;AACA,GAAG;AACH;AACA;AACA,GAAG;AACH;AACA;AACA;AACA,GAAG;AAC
H;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA,EAAE;AACF,CAAC;;;AAGD;AACA;;AA
EA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;A
ACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;
AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;;AAGA;;AAEA;AACA;AACA;AACA;;AA
EA;AACA;AACA;AACA;;AAEA,kBAAkB;AAClB;AACA;AACA;AACA;;;AAGA;;AAEA;AACA;AAC
A;AACA;AACA,YAAY,+DAA+D;AAC3E;AACA;AACA,EAAE;;AAEF;AACA;;
AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAE
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AA

CA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA,QAAQ,OAAO;;AAEf;A
ACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA,IAAI;AACJ;AACA;;A
AEA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;
AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;;AAE
A;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AA
CA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;
AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AAC
A;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,EAAE;;AAEF;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,EAAE;;AAE
F;AACA;AACA,aAAa;;AAEb;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAE
A;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;A
ACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA
;AACA;AACA;;AAEA;AACA;AACA,KAAK;AACL;AACA;AACA;;AAEA,GAAG;;AAEH;AACA;AACA;;AAE
A;AACA;;AAEA;AACA;AACA;AACA,EAAE;;AAEF;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AA
CA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;
AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,CAAC;;AAED;AACA;AACA;AACA;;AAE
A;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,OAAO;AACP;AAC
A;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;A
AEA;AACA;AACA;AACA,CAAC;;AAED;AACA;AACA;AACA;AACA;AACA,kBAAkB,gBAAgB;AACIC;AA
CA,MAAM;AACN;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,CAAC;AACD;AACA;A
ACA;AACA,iBAAiB;;AAEjB;AACA;;AAEA,UAAU,OAAO;AACjB;AACA;AACA;;AAEA;AACA;AACA;;AA
EA;AACA;AACA;AACA,CAAC;;AAED;AACA;AACA;AACA;AACA,YAAY;AACZ;;AAEA;AACA;AACA;;A
AEA,WAAW,SAAS;AACpB;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA,GAAG;AACH;AACA,CAAC
;;;AAGD;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A,EAAE;AACF;AACA;;AAEA;AACA;AACA;AACA,EAAE;AACF;AACA;AACA;;AAEA;AACA;AACA;AAC
A;AACA,GAAG;AACH;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA,GAAG;AACH;AACA;AA
CA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;
AACA;AACA;AACA;;AAEA;AACA;AACA,GAAG;AACH;;AAEA;AACA;AACA;AACA;AACA;AAC
A,IAAI;AACJ;AACA;AACA;AACA,IAAI;AACJ;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,EAAE;AACF;AACA;AACA,EAAE;AACF;A
ACA;;AAEA;;AAEA;AACA;;;;;AAKA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,GAAG;AA
CH;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,EAAE;AACF;AACA;;AAEA;AACA;A
ACA;AACA;AACA,WAAW;;AAEX;AACA;AACA;AACA,QAAQ,OAAO;AACf;AACA;AACA;;AAEA;AACA;
AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,QAAQ,gBAAgB;AACxB;;AAEA;AACA;A
ACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,WAAW;AACX;AACA;AACA;;AAEA;AACA;AACA
;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AAC
A;AACA;AACA;AACA,IAAI;AACJ,GAAG;AACH;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAAEA
;AACA;AACA;AACA;;AAEA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;;AAEA;AACA;AAC
A;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA,IAAI;;AAEJ;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AAC
A;;AAEA;AACA;AACA;AACA;AACA,MAAM;AACN;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;;AAEA;AACA;AACA;;AAEA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA,IAAI;AACJ;iDAAiD,0BAA0B;AAC3E;;AAEA;AACA;AACA;AACA;;AAE
A;AACA;AACA;AACA;;AAEA;;AAEA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA,IAAI;AACJ;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AA
CA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;A
ACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;

AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA,UAAU,gBAAgB;AAC1B;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA,2BAA2B;AAC3B;AACA,qBAAqB;AACrB;AACA,IAAI;AACJ;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,IAAI;AACJ;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,gBAAgB;AAC3B;AACA;;AAEA,6CAA6C;AAC7C;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA,GAAG;AACH;;AAEA;;AAEA,QAAQ,gBAAgB;AACxB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA,GAAG;AACH,EAAE;;AAEF;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;;AAEA;AACA;AACA;;AAEA,SAAS,gBAAgB;AACzB;AACA;AACA;AACA;AACA,EAAE;;AAEF;;AAEA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA,CAAC;;AAED;AACA,iEAAiE;AACjE;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA,EAAE;AACF;AACA;AACA;;AAEA,IAAI;AACJ;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA,oBAAoB,cAAc;AAClC,EAAE;AACF;AACA;AACA;;AAEA;AACA,iDAAiD;;AAEjD;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,EAAE;AACF;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,IAAI;AACJ;AACA;AACA;AACA;AACA;;AAEA,+BAA+B,SAAS;AACxC;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,+BAA+B,SAAS;AACxC;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA,mBAAmB,gBAAgB;AACnC;AACA;AACA;;AAEA;AACA;AACA,GAAG;AACH;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA,UAAU,kBAAkB;AAC5B;AACA,WAAW,kBAAkB;AAC7B,cAAc;AACd,CAAC;;AAED;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;;AAEA;;AAEA,QAAQ,mBAAmB;AAC3B;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;;AAGA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,EAAE;;AAEF;;;AAGA;AACA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA,EAAE;;;AAGF;AACA;;AAEA;AACA;AACA;AACA,EAAE;;AAEF;AACA;AACA,GAAG;AACH;AACA,CAAC;;AAED;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;;AAEA;AACA;AACA,EAAE;;AAEF;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,EAAE;;AAEF;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,CAAC;;AAED;AACA;AACA;;AAEA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,CA
AC;;;;;AAKD;AACA;AACA;AACA;AACA;;;AAGA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AA

CA;AACA;AACA;AACA;AACA;;AAEA;AACA,EAAE;;AAEF;AACA;AACA;;AAEA;AACA;AACA;AACA,IA
AI;AACJ;;AAEA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;A
ACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA,EAAE;;
AAEF;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,IAAI;AACJ;;
AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA,MAAM;AACN;AA
CA;AACA;;AAEA;AACA,IAAI;AACJ;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH,EAAE;;AAEF;AACA;AACA;;AAEA;AA
CA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,CAAC;;;;;AAKD;;AAEA;AACA;AACA;AACA;
;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AAC
A;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA,I
AAI;AACJ;AACA;;AAEA;iCAAiC;AACjC;AACA;;AAEA,IAAI;AACJ;;AAEA,IAAI;AACJ;AACA;AACA,KAA
K;AACL;;AAEA;;AAEA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA,CAAC;;AAED;AACA;AACA;AA
CA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;A
ACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA,KAAK;AACL;AACA;;AAEA;AACA,WAAW,SAAS;
AACpB;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AA
EA;AACA;AACA;AACA;;AAEA;AACA,IAAI;;AAEJ;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;;AA
EA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA,CAAC;;AAED;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA,CAAC;;;;;AAKD;;;AAGA;;;AAGA;AACA;AACA;AACA;;AAEA;;AAEA;;AAEA;AACA;AACA;
AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA,sCAAsC;AACtC;AACA;AACA;;AAEA;;AAEA,yBAAyB;
AACzB;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA,8CAA8C;AAC9C;AACA;AACA;A
ACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;
AACA;;AAEA;AACA,2CAA2C;AAC3C;;AAEA;AACA;AACA;AACA;AACA,UAAU,KAAK;AACf;AACA;AA
CA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;i
DAAiD;AACjD;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;A
ACA;;AAEA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA
;;AAEA;AACA,EAAE;;AAEF;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAE
A;AACA;;AAEA,CAAC;;AAED;;AAEA;AACA;AACA;AACA,GAAG;AACH,EAAE;AACF;AACA;AACA;AA
CA;AACA;AACA;AACA,CAAC;;;AAGD;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,e
AAe,qCAAqC;;AAEpD;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AA
CA,IAAI;AACJ;AACA;AACA;;AAEA;AACA;AACA;;AAEA,KAAK;AACL;AACA;AACA;AACA;AACA,EAA
E;AACF;AACA;;AAEA;;AAEA;;;;AAIA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;A
ACA,EAAE;AACF;AACA;;AAEA;AACA;AACA;AACA;AACA;;;AAGA;AACA;AACA;AACA;AACA;;AAEA;
AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA,IAAI;;AAEJ;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA,GAAG;;AAEH,EAAE;;AAEF;AACA;AACA;;AAEA,EAAE;;AAEF;AACA;AACA
;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AA
EA;AACA;;AAEA;AACA;AACA;AACA,GAAG;;AAEH,EAAE;;AAEF;AACA;AACA;AACA;AACA;;A
AEA;AACA;AACA;;AAEA;AACA;AACA;AACA,EAAE;AACF;AACA;;AAEA;AACA;AACA;AACA,GAAG;A
ACH;AACA;;AAEA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;;AAEA;AACA;AACA;;AAEA;AACA;
AACA,aAAa;AACb,KAAK;AACL;;AAEA,WAAW;AACX,GAAG;AACH;AACA,CAAC;;;AAGD;AACA;AAC
A;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA,gBAAgB;;AAEhB;AACA;AACA;AACA;AACA;AACA,gBAAgB;;AAEhB,gDAAgD;AAChD;;AAEA
;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;;AA
EA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;;A
AEA;AACA;;AAEA,mBAAmB;AACnB;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;A
ACA;AACA,IAAI;AACJ;AACA;AACA,GAAG;AACH;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AA
CA;AACA;;AAEA;AACA;AACA,wDAAwD;AACxD;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AA

CA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,EAAE;;AAEF;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,iBAAiB;;AAEjB;AA
CA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;
AACA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;;AAEA;;AAEA;AACA,IAAI;;AAEJ;AACA;;AAEA;AAC
A;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA,SAAS;AA
CT;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA,MAAM;A
ACN;AACA;AACA,OAAO;AACP;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA,S
AAS;AACT;;AAEA;;AAEA;AACA;;AAEA;AACA,iBAAiB;AACjB,SAAS;;AAET;AACA;AACA;AACA;AACA
;AACA;AACA;AACA,kDAAkD;;AAElD;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,aA
Aa;AACb;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA,GA
AG;;AAEH;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;
AACA;;AAEA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,EAAE
;;AAEF;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA,EAAE;;AAEF;AACA;;AAEA;AAC
A;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;A
ACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA,2BAA2B;;A
AE3B;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA,kCAAkC;;AAElC;AA
CA,sBAAsB;AACtB,2BAA2B;;AAE3B;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA,KAAK;;A
AEL;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA;AACA;A
ACA;AACA,KAAK;;AAEL;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,OAAO;;AAEP;AACA;AACA;
AACA;AACA;AACA;AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA;AACA;AACA;AACA;AACA
;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AA
CA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,IAAI;;AAEJ;AACA;AA
CA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;
AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AAC
A;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;A
ACA;;AAEA;AACA,GAAG;AACH;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,sDAAsD;AACtD;AACA;;A
AEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;
AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA,GAAG;AACH;;AAEA;AACA;AACA;AACA;;AAEA;AAC
A;AACA;;AAEA;AACA;AACA;AACA,KAAK;AACL;;AAEA;AACA;AACA;AACA,IAAI;;AAE
J;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AA
CA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;
;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA,KAAK;AACL;;AAEA;AACA,KAAK;AA
CL;AACA;AACA;AACA;AACA,IAAI;;AAEJ;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA,IAAI;AACJ;AACA;;AAEA;AACA;AACA;;AAEA;AAC
A;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA,EA
AE;;AAEF;AACA;AACA,EAAE;;AAEF;AACA;AACA;AACA,CAAC;;AAED;AACA;;AAEA;AACA;AACA;A
ACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA,CAAC;;;
AAGD;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,EAAE;AACF;;;AAGA;AAC
A;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;A
ACA;;AAEA;AACA,IAAI;AACJ;;AAEA;AACA,EAAE;;AAEF;AACA;AACA;AACA;AACA,IAAI;AACJ;;AAE
A;AACA;AACA;;AAEA;AACA;;AAEA,IAAI;AACJ;AACA;AACA,GAAG;AACH,EAAE;;AAEF;AACA;;AAE
A;AACA;AACA,GAAG;AACH,EAAE;;AAEF;AACA;AACA;AACA,GAAG;AACH;AACA;AACA,CAAC;;;AA
GD;AACA;AACA;AACA;AACA;;;;;AAKA;AACA;AACA;AACA,EAAE;AACF;;AAEA;;AAEA;AACA;

;AAEA;AACA;AACA;AACA,EAAE;AACF;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AAC
A;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AA
EA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;A
ACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,QAAQ;;AAER;AACA;AACA;
AACA;AACA;AACA,SAAS;AACT;;AAEA,mDAAmD;AACnD;AACA;AACA;AACA,QAAQ;AACR;A
ACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,WAAW,uBAAuB;AAClC,WAAW,yBAAyB;AACpC;
AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,KAA
K;AACL;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,QAAQ;AACR;AA
CA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA;AACA;AACA,I
AAI;;AAEJ;AACA;AACA;AACA;AACA;AACA;AACA;AACA,CAAC;;;;;AAKD;AACA;AACA;AACA;AACA;
AACA,CAAC;;AAED;AACA;AACA;AACA;AACA;AACA,EAAE;AACF;AACA;AACA,EAAE;AACF;AACA;
AACA;AACA;AACA;AACA;AACA,CAAC;;AAED;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,
CAAC;;AAED;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA
;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,IAAI;AACJ;AACA;AACA;AACA;
AACA;AACA;AACA;AACA,CAAC;;;;;AAKD;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA,CAAC;;AAED;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;
AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;GAAG;AACH;AACA;;AAEA;AACA;AACA;AAC
A;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;A
ACA;;AAEA;AACA,IAAI;AACJ;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;A
ACA;AACA;;AAEA;AACA,GAAG;;AAEH;AACA;AACA;AACA,CAAC;;;;;AAKD;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA,CAAC;;;AAGD;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA;;AAEA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;
AACA;AACA,GAAG;AACH;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;;AAEA;AAC
A;AACA;;AAEA;AACA;;;AAGA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;A
AEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA,EAAE;AACF;AACA;;AAEA;AACA;AACA;AACA;;AAEA;
AACA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AAC
A;;AAEA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA,IAAI;AACJ,GAAG;AACH;;AAEA;AACA;;;;;AA
KA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,CAAC;;;;;AAKD;
AACA;AACA;AACA,EAAE;AACF;;;;;AAKA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AAC
A;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA,GAAG;AACH;AA
CA;AACA;;AAEA;;AAEA;AACA,qDAAqD;AACrD;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AAC
A;;AAEA,GAAG;AACH;AACA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;A
ACA;AACA,KAAK;AACL;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,
WAAW;AACX;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,EAAE;;AAEF;AACA;AACA;AAC
A;AACA;AACA;;AAEA;AACA;AACA,mBAAmB;;AAEnB;AACA;;AAEA;AACA;;AAEA,GAAG;AACH;;AAE
A;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AA
CA;;AAEA;AACA;AACA;AACA;AACA;AACA,EAAE;;AAEF;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA,GAAG;AACH;AACA,CAAC;;A
AED;AACA,cAAc,sDAAsD;AACpE;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA,IAAI;AACJ;AACA;;
AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA,IAAI;AACJ;AACA;AACA,GAAG;AACH;A
ACA,CAAC;;AAED;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA,CAAC;;;AAGD;AACA,cAAc,mCAAmC;AACjD,eAAe,6DAA6D;A
AC5E;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AAC
A;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;A
ACA,IAAI;AACJ;AACA,EAAE;AACF,CAAC;;;AAGD;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AA
CA;AACA;AACA,CAAC;;AAED;AACA;AACA;AACA;AACA,CAAC;;;;;AAKD;;AAEA;AACA;AACA,EAAE;
AACF;AACA;AACA,EAAE;;AAEF;AACA;AACA,EAAE;AACF;;AAEA;AACA;AACA;AACA;AACA;AACA,
CAAC;;AAED;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AAC

A;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;A
ACA,EAAE;AACF;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;;AAEA;
AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;;;;AAKA;AACA;AACA;AACA;AACA;AA
CA;AACA;;AAEA;AACA;AACA;AACA;;AAEA,KAAK,IAA0C;AAC/C,CAAC,iCAAkB,EAAE,mCAAE;AACv
B;AACA,EAAE;AAAA,oGAAE;AACJ;;;;;AAKA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;
AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;;;;AAKA;AACA,CAAC;;;;;;;
;AC3nUD;AACA;AACA;;;AAGA;AACA;AACA;AACA;AACA;AACA,gBAAgB;AAChB;AACA;AACA
;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,2B;;;;;;;ACvBA,UAAU,mBAAO,CAAC,MA
Ae;AACjC,iBAAiB,mBAAO,CAAC,MAAkB;AAC3C,gBAAgB,mBAAO,CAAC,MAAe;AACvC,kBAAkB,mBA
AO,CAAC,MAAiB;AAC3C,UAAU,mBAAO,CAAC,MAAQ;AAC1B,qBAAqB,mBAAO,CAAC,MAAmB;AACh
D;;AAEA,YAAY,mBAAO,CAAC,MAAgB;AACpC;AACA;AACA;AACA,GAAG,YAAY;AACf;AACA;;;
;;;;;ACfA;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,QAAQ;AACrB;AACA;AACA;AAC
A;AACA;AACA;;AAEA;;;;;;;;ACdA,eAAe,mBAAO,CAAC,MAAY;;AAEnC;AACA;AACA;AACA,WAA
W,EAAE;AACb,aAAa,SAAS;AACtB;AACA;AACA;AACA;;AAEA;;;;;;;;ACbA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,QAAQ;AACrB;AACA;AACA,oBAAoB;AACpB;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;AC5B
A,iCAAiC,wzF;;;;;;;;ACAjC,iBAAiB,mBAAO,CAAC,MAAe;;AAExC;AACA;AACA;AACA;AACA,CAAC;;AAE
D;AACA;AACA;AACA,WAAW,SAAS;AACpB,aAAa,QAAQ;AACrB;AACA;AACA;;AAEA;;;;;
;;ACnBA,uC;;;;;;;ACAA,SAAS,mBAAO,CAAC,MAAc;AAC/B,eAAe,mBAAO,CAAC,MAAc;AACrC,cAAc,mB
AAO,CAAC,MAAgB;;AAEtC,iBAAiB,mBAAO,CAAC,MAAgB;AACzC;AACA;AACA;AACA;AACA;A
ACA;AACA;;;;;;;;;ACZa;;AAEb;AACA;AACA,QAAQ;AACR,cAAc,aAAa,GAAG,eAAe;AAC7C;AACA;
;;;;;;;ACRA;AAAA;AAAA;AAA8f,CAAgB,oiBAAG,EAAC,C;;;;;;;ACAlhB,kBAAkB,mBAAO,CAAC,MAAgB;
AAC1C,UAAU,mBAAO,CAAC,MAAO;AACzB,YAAY,mBAAO,CAAC,MAAS;AAC7B,YAAY,mBAAO,CAA
C,MAAU;AAC9B,yBAAyB,mBAAO,CAAC,MAAuB;AACxD,8BAA8B,mBAAO,CAAC,MAA4B;AAClE,YAA
Y,mBAAO,CAAC,MAAU;;AAE9B;AACA;;AAEA;AACA;AACA;AACA,WAAW,OAAO;AAClB
,WAAW,EAAE;AACb,aAAa,SAAS;AACtB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;;AAEA;;;;;;;AChCA,oBAAoB,mBAAO,CAAC,MAAkB;;AAE9C;AACA;;AAEA;
AACA;AACA;AACA,WAAW,OAAO;AAClB,aAAa,MAAM;AACnB;AACA;AACA;AACA;AAC
A;AACA;AACA,GAAG;AACH;AACA,CAAC;;AAED;;;;;;;;AC1Ba;;AAEb;;AAEA;AACA;AACA;AAC
A;;;;;;;;ACPA,UAAU,mBAAO,CAAC,MAAQ;AAC1B,aAAa,mBAAO,CAAC,MAAW;AAChC,WAAW,mBAAO,
CAAC,MAAS;AAC5B,UAAU,mBAAO,CAAC,MAAe;AACjC,aAAa,mBAAO,CAAC,MAAW;AAChC;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA,MAAM,mBAAO,CAAC,MAAQ;AACtB;AACA;AAC
A;AACA,GAAG;AACH;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AAC
A,GAAG;AACH;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;;;;;;;ACnFA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,QAAQ;AACrB;AACA,
gBAAgB;AAChB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;;AAEA;;;;;;;;AC9BA,aAAa,mBAAO,CAAC,MAAW;AAChC,iBAAiB,mBAAO,CAAC,MAAe;AACx
C,SAAS,mBAAO,CAAC,MAAM;AACvb,kBAAkB,mBAAO,CAAC,MAAgB;AAC1C,iBAAiB,mBAAO,CAAC,
MAAe;AACxC,iBAAiB,mBAAO,CAAC,MAAe;;AAExC;AACA;;AAEA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA,WAAW,OAAO;AAClB,WAAW,OAAO;AAClB,WAAW,OAAO;AAClB,WAAW,
OAAO;AAClB,WAAW,SAAS;AACpB,WAAW,SAAS;AACpB,WAAW,OAAO;AAClB,aAAa,QAAQ;AACrB;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;
AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AA

CA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;AC/Ga;;AAEb,iBA
AiB,mBAAO,CAAC,MAAkB,eAAe,mBAAO,CAAC,MAAY;;;;;;;;;ACF9E,gBAAgB,mBAAO,CAAC,MAAc;AAC
tC,WAAW,mBAAO,CAAC,MAAS;;AAE5B;AACA;;AAEA;;;;;;;;;ACNA;AACA;AACA;AACA;AACA;AACA;A
ACA,WAAW,OAAO;AACIB,WAAW,OAAO;AACIB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AAC
A;;AAEA;;;;;;;;;AChBA,eAAe,mBAAO,CAAC,MAAa;;AAEpC;AACA;AACA;AACA;AACA,WAAW,aAAa;AA
CxB,WAAW,SAAS;AACpB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;
AACH;AACA;;AAEA;;;;;;;;;ACpBA;AACA,eAAe,mBAAO,CAAC,MAAc;AACrC;AACA;AACA;AACA,
GAAG;AACH;AACA;AACA;AACA;AACA;;;;;;;;;ACXA,iBAAAiB,mBAAO,CAAC,MAAe;;AAExC;AACA;AAC
A;AACA;AACA;AACA;AACA,WAAW,OAAO;AACIB,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AA
CA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;;;;;;;;;ACrBA,uC;;;;;;;;;ACAa;;AAEb,iBAAAiB,mBAAO,CAAC,M
AAkB;AAC3C;AACA,GAAG,mBAAO,CAAC,MAAQ;;;;;;;;;ACJnB;AACA;AACA;AACA;AACA,WAA
W,OAAO;AACIB,WAAW,EAAE;AACb,aAAa,SAAS;AACtB;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;;AAEA;;;;;;;;;;ACnBa;AACb,WAAW,mBAAO,CAAC,MAAS;AAC5B,eAAe,mBAAO,CAAC,M
AAa;AACpC,YAAY,mBAAO,CAAC,MAAU;AAC9B,cAAc,mBAAO,CAAC,MAAY;AACIC,UAAU,mBAAO,C
AAC,MAAQ;;AAE1B;AACA;AACA;AACA;AACA;AACA;AACA,6BAA6B,UAAU;AACvC;AACA,GA
AG;AACH;AACA;AACA;AACA;AACA,gCAAgC,qCAAqC;AACrE;AACA;AACA,2BAA2B,gCAAgC;AAC3D;
AACA;AACA;;;;;;;;;AC3BA,uBAAuB,mBAAO,CAAC,MAAqB;;AAEpD;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA,WAAW,OAAO;AACIB,WAAW,OAAO;AACIB,WAAW,mBAAmB;AAC9B,aAAa,
OAAO;AACpB;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;AC3C
A,YAAY,mBAAO,CAAC,MAAU;;AAE9B;AACA;;AAEA;AACA;AACA;AACA;AACA,WAAW,SAAS;AACpB
,WAAW,OAAO;AACIB,WAAW,SAAS;AACpB,aAAa,SAAS;AACtB;AACA;AACA;AACA;AACA;AAC
A;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;
;;ACnCa;AACb,8CAA8C,cAAc;AAC5D;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,kC
;;;;;;;;;AC5BA,eAAe,mBAAO,CAAC,MAAc;AACrC,eAAe,mBAAO,CAAC,MAAW;AACIC;AACA;AACA;AACA
;AACA;;;;;;;;;ACNA,cAAc,mBAAO,CAAC,MAAW;;AAEjC;AACA;;AAEA;AACA;AACA;AACA;AACA
,WAAW,SAAS;AACpB,aAAa,SAAS;AACtB;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;;AAE
H;AACA;AACA;;AAEA;;;;;;;;;ACzBA;AACA,UAAU,mBAAO,CAAC,MAAQ;AAC1B,UAAU,mBAAO,CAAC,
MAAQ;AAC1B;AACA,2BAA2B,kBAAkB,EAAE;;AAE/C;AACA;AACA;AACA,GAAG,YAAY;AACf;;
AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;;;;;;;;ACtBA,cAAc,mBAAO,CAAC,M
AAY;AACIC,WAAW,mBAAO,CAAC,MAAQ;;AAE3B;AACA;AACA;AACA,WAAW,OAAO;AACIB,W
AAW,SAAS;AACpB,aAAa,OAAO;AACpB;AACA;AACA;;AAEA;;;;;;;;;ACfA,WAAW,mBAAO,CAAC,
MAAS;;AAE5B;AACA;;AAEA;;;;;;;;;ACLA,iBAAAiB,mBAAO,CAAC,MAAe;;AAExC;AACA;AACA;AA
CA;AACA;AACA,WAAW,OAAO;AACIB,aAAa,EAAE;AACf;AACA;AACA;;AAEA;;;;;;;;;ACfA,mBAA
mB,mBAAO,CAAC,MAAiB;;AAE5C;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,WAAW,OAA
O;AACIB,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;
;ACtBA,iBAAAiB,mBAAO,CAAC,MAAe;AACxC,mBAAmB,mBAAO,CAAC,MAAgB;;AAE3C;AACA;;AAEA;
AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;AACA;;AAEA;;;;;;;;;A
CjBA;;;;;;;;;ACAA,iBAAAiB,mBAAO,CAAC,MAAe;AACxC,gBAAgB,mBAAO,CAAC,MAAc;AACtC,mBAAmB,
mBAAO,CAAC,MAAiB;AAC5C,cAAc,mBAAO,CAAC,MAAW;AACjC,qBAAqB,mBAAO,CAAC,MAAmB;;A
AEhD;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,
WAAW,aAAa;AACxB,WAAW,SAAS;AACpB,YAAY,OAAO;AACnB,aAAa,QAAQ;AACrB;AACA;AA
CA;AACA;AACA,MAAM,+CAA+C;AACrD,MAAM;AACN;AACA;AACA,mBAAmB,o
CAAoC;AACvD;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;;AAEA;;;;;;;;;ACvDA;AACA;AACA;AACA,WAAW,OAAO;AACIB,WAAW,aA
Aa;AACxB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;;AAEA;;;;;;;;;ACZA,cAAc,mBAAO,CAAC,MAAY;AAC
lC,eAAe,mBAAO,CAAC,MAAQ;AAC/B,gBAAgB,mBAAO,CAAC,MAAc;AACtC,iBAAAiB,mBAAO,CAAC,MA

AS;AAClC;AACA;AACA;AACA;;;;;;;;;ACPA;AACA,mBAAO,CAAC,MAAe;AACvB;AACA,iBAAiB,mBAAO,CAAC,MAAc;AACvC;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,gDAAgD;AAChD;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,uBAAuB,2BAA2B;AAClD,WAAW;AACX;AACA;AACA;AACA;AACA,mFAAmF;AACnF;AACA;AACA;AACA,OAAO;AACP;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH,CAAC;;;;;;;;;ACtED;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ACZA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;;AAEA;;;;;;;;ACrBA,aAAa,mBAAO,CAAC,MAAW;AAChC,WAAW,mBAAO,CAAC,MAAS;AAC5B,UAAU,mBAAO,CAAC,MAAQ;AAC1B,UAAU,mBAAO,CAAC,MAAQ;AAC1B;AACA;;AAEA,mBAAO,CAAC,MAAS;AACjB;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA,GAAG;AACH;AACA,GAAG;AACH;AACA;AACA,CAAC;AACD;AACA,CAAC;;;;;;;;AC9BD;AACA,eAAe,mBAAO,CAAC,MAAc;AACrC,UAAU,mBAAO,CAAC,MAAe;AACjC,kBAAkB,mBAAO,CAAC,MAAkB;AAC5C,eAAe,mBAAO,CAAC,MAAe;AACtC,yBAAyB;AACzB;;AAEA;AACA;AACA,eAAe,mBAAO,CAAC,MAAe;AACtC;AACA;AACA;AACA,EAAE,mBAAO,CAAC,MAAS;AACnB,6BAA6B;AAC7B;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;;;;;;;;ACxCA,uC;;;;;;;ACAA,iBAAiB,mBAAO,CAAC,MAAe;;AAExC;;AAEA;;;;;;;;ACRA,YAAY,mBAAO,CAAC,MAAW;AAC/B,UAAU,UAAU,mBAAO,CAAC,MAAQ;AACpC,aAAa,mBAAO,CAAC,MAAW;AAChC;;AAEA;AACA;AACA;;AAEA;;;;;;;;ACVA;;;;;;;ACAA;AACA;AACA;AACA;AACA,WAAW,MAAM;AACjB,WAAW,SAAS;AACpB,aAAa,MAAM;AACnB;AACA,CAAC;AACD;;;;;;;;ACRA,iBAAiB;;AAEjB;AACA;;;;;;;ACJA;AACA;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,aAAa,QAAQ;AACrB;AACA;AACA,iBAAiB,mBAAO,CAAC,MAAc;;AAEvC;AACA,eAAe,mBAAO,CAAC,MAAY;;AAEnC;AACA;AACA,GAAG;AACH;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;;AAEA;;;;;;;;AC9BA;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;AC9CA;AACA;AACA;AACA,WAAW,OAAO;AAClB,aAAa,SAAS;AACtB;AACA;AACA;AACA;AACA;AACA,eAAe,mBAAO,CAAC,MAAc;AACrC,iBAAiB,mBAAO,CAAC,MAAgB;AACzC;AACA,CAAC;AACD;AACA;;;;;;;;ACPA,kBAAkB,mBAAO,CAAC,MAAgB;AAC1C,gBAAgB,mBAAO,CAAC,MAAa;;AAErC;;AAEA;;AAEA;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,aAAa,MAAM;AACnB;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;;AAEA;;;;;;;;AC7BA;AACA,gBAAgB,mBAAO,CAAC,MAAc;AACtC;AACA,eAAe,mBAAO,CAAC,MAAQ;AAC/B;;AAEA;AACA;AACA;;;;;;;ACPA,iBAAiB,mBAAO,CAAC,MAAc;AACvC,eAAe,mBAAO,CAAC,MAAa;AACpC,eAAe,mBAAO,CAAC,MAAY;AACnC,eAAe,mBAAO,CAAC,MAAa;;AAEpC;AACA;AACA,oCAAoC;AACpC,oC;;AAEpC;AACA;AACA;;AAEA;;;;;;;;AC9CA;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;AC9CA,uC;;;;;;;ACAA;AACA,IAAI,mBAAO,CAAC,MAAc;AAC1B;AACA;AACA,wBAAwB,mBAAO,CAAC,MAAc;AAC9C;AACA,OAAO;AACP;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH,CAAC;;;;;;;;;ACJD;AACA,UAAU,mBAAO,CAAC,MAAc;AAChC,eAAe,mBAAO,CAAC,MAAe;AACtC;AACA,eAAe,mBAAO,CAAC,MAAQ;AAC/B;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;;;;;;;;;ACZA,gBAAgB,mBAAO,CAAC,MAAc;AACtC;AACA,WAAW,mBAAO,CAAC,MAAS;;AAE5B;;AAEA,gBAAgB,mBAAO,CAAC,MAAc;;AAEtC;AACA;AACA,WAAW,QAAQ;AACnB;AACA,GAAG;AACH,CAAC;;;;;;;;;AC3CA,yBAAyB,mBAAO,CAAC,MAAuB;AACxD,WAAW,mBAAO,CAAC,MAAQ;AAC3B;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;;;;;;AC3BA;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;AACA;AACA;AACA,CAAC;AACD;;;;;;;;ACZA;AACA,UAAU,IAAI,mBAAO,CAAC,MAAc;AACpC,eAAe,mBAAO,CAAC,MAAe;AACtC;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;;AAEA;AACA;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;AACA,WAAW,QAAQ;AACnB;AACA,GAAG;AACH;AACA;;AAEA;;;;;;;;AC3BA,uC;;;;;;;ACAA;AACA,IAAI,mBAAO,CAAC,MAAc;AAC1B;AACA;AACA,wBAAwB,wBAAwB,mBAAO,CAAC,MAAc;AACtE;AACA,OAAO;AACP;AACA;AACA;AACA;AACA;;;;;;;;ACZA;AACA,IAAI,mBAAO,CAAC,MAAe;AAC3B;AACA;AACA;AACA,WAAW,QAAQ;AACnB;AACA;;;;;;;ACRA,uC;;;;;;;ACAA,iBAAiB,IAAI,mBAAO,CAAC,MAAc;AAC3C;AACA;AACA,GAAG;AACH;AACA;AACA;;AAEA;;;;;;;;ACRA;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;AC3BA,uC;;;;;;;ACAA,iBAAiB,IAAI,mBAAO,CAAC,MAAc;AAC3C;;AAEA;;;;;;;;ACHA;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;AACA,WAAW,QAAQ;AACnB;AACA,GAAG;AACH;AACA;;AAEA;;;;;;;;AC3BA,uC;;;;;;;ACAA,iBAAiB,IAAI,mBAAO,CAAC,MAAc;AAC3C;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH,CAAC;;;;;;;;;AC3BD;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;;AAEA;;;;;;;;AC9BA,uC;;;;;;;ACAA,iBAAiB,IAAI,mBAAO,CAAC,MAAc;AAC3C;AACA,eAAe;AACf;AACA;AACA,GAAG;AACH;AACA,iBAAiB;AACjB;AACA;AACA;AACA;AACA;AACA,WAAW,QAAQ;AACnB;AACA,GAAG;AACH;AACA;AACA;AACA,WAAW,QAAQ;AACnB;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;AC9CA;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA,WAAW,QAAQ;AACnB;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;;AAEA;;;;;;;;AC3BA,uC;;;;;;;ACAA,iBAAiB,IAAI,mBAAO,CAAC,MAAc;AAC3C;AACA,IAAI,mBAAO,CAAC,MAAc;AAC1B;AACA;AACA,WAAW,QAAQ;AACnB;AACA,GAAG;AACH;AACA,OAAO,mBAAO,CAAC,MAAc;AAC7B;AACA;AACA;AACA;AACA;AACA,WAAW,QAAQ;AACnB;AACA,GAAG;AACH;AACA;AACA;AACA,WAAW,QAAQ;AACnB;AACA,GAAG;AACH;AACA;AACA;AACA,WAAW,QAAQ;AACnB;AACA,GAAG;AACH,CAAC;;;;;;;;;ACJD;AACA,yBAAyB,IAAI,mBAAO,CAAC,MAAc;AACnD,WAAW,mBAAO,CAAC,MAAQ;AAC3B;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA,WAAW,QAAQ;AACnB;AACA,GAAG;AACH;AACA;;AAEA;;;;;;;;AC9CA,yBAAyB,IAAI,mBAAO,CAAC,MAAc;AACnD,WAAW,mBAAO,CAAC,MAAQ;AAC3B;;AAEA;;;;;;;ACNA,iBAAiB,IAAI,mBAAO,CAAC,MAAc;AAC3C;AACA,WAAW,QAAQ;AACnB;AACA,GAAG;AACH;AACA,GAAG;AACH,CAAC;;;;;;;;;ACJD;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;;AAEA;;;;;;;;AC9BA,uC;;;;;;;ACAA,iBAAiB,IAAI,mBAAO,CAAC,MAAc;AAC3C;AACA,WAAW,QAAQ;AACnB;AACA,GAAG;AACH,CAAC;;;;;;;;;ACJD,aAAa,mBAAO,CAAC,MAAW;AAChC,WAAW,mBAAO,CAAC,MAAS;;AAE5B;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ACtBA;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;;AAEA;;;;;;;;AC9CA;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;AACA,WAAW,QAAQ;AACnB;AACA,GAAG;AACH;AACA;;AAEA;;;;;;;;AC3BA,uC;;;;;;;ACAA,iBAAiB,IAAI,mBAAO,CAAC,MAAc;AAC3C,wBAAwB,mBAAO,CAAC,MAAc;AAC9C;AACA;AACA,WAAW,QAAQ;AACnB;AACA,GAAG;AACH;AACA;AACA,iBAAiB,IAAI,mBAAO,CAAC,MAAc;AAC3C,eAAe,mBAAO,CAAC,MAAQ;AAC/B;AACA;AACA;AACA,eAAe,mBAAO,CAAC,MAAc;AACrC,eAAe,mBAAO,CAAC,MAAe;AACtC;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,QAAQ;AACnB;AACA,GAAG;AACH,CAAC;;;;;;;;;ACNA,yBAAyB,IAAI,mBAAO,CAAC,MAAc;AACnD,WAAW,mBAAO,CAAC,MAAQ;;AAE3B;AACA,iBAAiB,IAAI,mBAAO,CAAC,MAAc;AAC3C,wBAAwB,mBAAO,CAAC,MAAc;AAC9C;AACA;;AAEA;;;;;;;ACPA,iBAAiB,IAAI,mBAAO,CAAC,MAAc;AAC3C;AACA,WAAW,QAAQ;AACnB;AACA,GAAG;AACH,CAAC;AACD;;AAEA;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;AC3BA,uC;;;;;;;ACAA,iBAAiB,yBAAyB,mBAAO,CAAC,MAAuB;AACzD,WAAW,mBAAO,CAAC,MAAQ;;AAE3B;;AAE3B;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;AC3BA,iBAAiB,IAAI,mBAAO,CAAC,MAAc;AAC3C;AACA;AACA,WAAW,QAAQ;AACnB;AACA,GAAG;AACH;AACA;;AAEA;;;;;;;ACRA;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;;AAEA;;;;;;;;AC9BA,uC;;;;;;;ACAA,iBAAiB,yBAAyB,mBAAO,CAAC,MAAuB;AACzD,WAAW,mBAAO,CAAC,MAAQ;;AAE3B;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,QAAQ;AACnB;AACA,GAAG;AACH;AACA;;AAEA;;;;;;;;AC3BA,uC;;;;;;;ACAA,iBAAiB,IAAI,mBAAO,CAAC,MAAc;AAC3C;AACA;AACA,WAAW,QAAQ;AACnB;AACA,GAAG;AACH;AACA;;AAEA;;;;;;;ACRA;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;AACA,WAAW,QAAQ;AACnB;AACA,GAAG;AACH;AACA;;AAEA;;;;;;;;AC3BA,uC;;;;;;;ACAA,iBAAiB,IAAI,mBAAO,CAAC,MAAc;AAC3C;AACA;AACA,WAAW,QAAQ;AACnB;AACA,GAAG;AACH,CAAC;;;;;;;;;ACNA,gBAAgB,mBAAO,CAAC,MAAc;AACtC;AACA,WAAW,mBAAO,CAAC,MAAS;;AAE5B;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;AC3BA;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA,WAAW,QAAQ;AACnB;AACA,GAAG;AACH;AACA;;AAEA;;;;;;;;AC3BA,uC;;;;;;;ACAA,iBAAiB,yBAAyB,mBAAO,CAAC,MAAuB;AACzD,WAAW,mBAAO,CAAC,MAAQ;AAC3B;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;;AAEA;;;;;;;;AC3BA,uC;;;;;;;ACAA,iBAAiB,yBAAyB,mBAAO,CAAC,MAAuB;AACzD,WAAW,mBAAO,CAAC,MAAQ;AAC3B;AACA,IAAI,IAAI,mBAAO,CAAC,MAAc;AAC9B;AACA;AACA,WAAW,QAAQ;AACnB;AACA,GAAG;AACH;AACA,OAAO,mBAAO,CAAC,MAAc;AAC7B;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;;;;;;;;;ACZA,gBAAgB,mBAAO,CAAC,MAAc;AACtC,WAAW,mBAAO,CAAC,MAAS;;AAE5B;;AAEA,gBAAgB,mBAAO,CAAC,MAAc;;AAEtC;AACA;AACA,WAAW,QAAQ;AACnB;AACA,GAAG;AACH;AACA,GAAG;AACH,CAAC;;;;;;;;;AC3CA,yBAAyB,IAAI,mBAAO,CAAC,MAAc;AACnD,WAAW,mBAAO,CAAC,MAAQ;;AAE3B;;AAE3B;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA,WAAW,QAAQ;AACnB;AACA,GAAG;AACH;AACA;;AAEA;;;;;;;;AC3BA,uC;;;;;;;ACAA,iBAAiB,uC;;;;;;;ACAjB,iBAAiB,IAAI,IAAI,mBAAO,CAAC,MAAc;AAC/C,wBAAwB,mBAAO,CAAC,MAAc;AAC9C;AACA,WAAW,QAAQ;AACnB;AACA;;;;;;;ACNA,iBAAiB,IAAI,mBAAO,CAAC,MAAc;AAC3C,gBAAgB,mBAAO,CAAC,MAAc;AACtC;AACA;AACA,WAAW,QAAQ;AACnB;AACA,GAAG;;;;;;;;;ACNA,gBAAgB,mBAAO,CAAC,MAAc;AACtC,WAAW,mBAAO,CAAC,MAAS;AAC5B;AACA;AACA;AACA;AACA,WAAW,QAAQ;AACnB;AACA,GAAG;AACH,CAAC;;;;;;;;;ACXA,yBAAyB,IAAI,mBAAO,CAAC,MAAc;AACnD,WAAW,mBAAO,CAAC,MAAQ;AAC3B;AACA;AACA;AACA,WAAW,QAAQ;AACnB;AACA,GAAG;AACH;AACA;AACA;AACA,WAAW,QAAQ;AACnB;AACA,GAAG;AACH;AACA,wBAAwB,mBAAO,CAAC,MAAuB;AACvD;AACA;AACA,WAAW,QAAQ;AACnB;AACA,GAAG;AACH;AACA;;AAEA;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;;AAEA;;;;;;;;AC9CA;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;

CA;AACA,WAAW,OAAO;AAClB,aAAa,MAAM;AACnB;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;
AACA;AACA;AACA;;AAEA;;;;;;;;ACvBA;AACA;AACA;AACA;AACA;AACA;AACA,CAAC,KAA4D;AAC7
D,CAAC,SACgC;AACjC,CAAC,qBAAqB;;AAEtB;;AAEA;AACA,mBAAmB,YAAY,EAAE;AACjC;;AAEA;AA
CA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,IAAI;AACJ;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA,IAAI;AACJ;AACA;AACA;AACA,IAAI;AACJ;AACA;A
ACA;AACA;AACA;;AAEA,EAAE;;;AAGF,EAAE;;AAEF;AACA;AACA;AACA;;AAEA,eAAe,4BAA4B
;AAC3C;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA,uBAAuB,eAAe;AACtC;AACA;AACA,cAAc;AA
Cd,sCAAsC,UAAU;AAChD;AACA;AACA;AACA,QAAQ;AACR;AACA;AACA;AACA;AACA,MAAM;
AACN;AACA;;AAEA;AACA,mBAAmB,kBAAkB;AACrC;AACA;AACA;AACA;AACA;;AAEA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;;AAEA;AACA;AACA;AACA,cAAc;AACd;;AAEA;AACA,sBAAsB;AACtB;AACA,IAAI;AACJ;AACA;;
AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA,sCAAsC,QAAQ;AAC9C;AACA;;AAEA;AA
CA;AACA,kCAAkC,QAAQ,SAAS,8CAA8C,WAAW,UAAU,YAAY,SAAS,UAAU,UAAU;AAC/J;AACA;AACA
;AACA;AACA;AACA;;AAEA;AACA;;AAEA,oDAAoD,gBAAgB,sBAAsB,OAAO,2BAA2B,0BAA0B,y
DAAyD,2BAA2B,EAAE,EAAE,EAAE,eAAe;;AAE/P,4CAA4C,kBAAkB,kCAAkC,qEAAqE,EAAE,EAAE,OAA
O,kBAAkB,EAAE,YAAY;;AAEhN;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA,iBAAiB;
AACjB,oBAAoB,4BAA4B,4BAA4B,kBAAkB,mCAAmC;AACjI,IAAI;AACJ;;AAEA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA,IAAI;;;AAGJ;AACA;AA
CA;AACA;AACA;AACA,MAAM;;AAEN;AACA;AACA,MAAM;;AAEN;AACA;AACA;AACA,MAAM;
;AAEN;AACA;AACA;AACA,MAAM;;AAEN;AACA;AACA;AACA,MAAM;;AAEN;AACA;AACA;AACA,MA
AM;;AAEN;AACA;AACA;AACA,MAAM;;AAEN;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;
AACA,MAAM;;AAEN;AACA;AACA;AACA;AACA,MAAM;;AAEN;AACA;AACA;AACA;AACA,IAA
I;;AAEJ;AACA;AACA;AACA,QAAQ;AACR;AACA;AACA,IAAI;;AAEJ;AACA;;AAEA;AACA;
AACA;;AAEA;AACA;AACA,IAAI;AACJ;AACA,IAAI;;;AAGJ;AACA;AACA;AACA;AACA;AA
CA;AACA;;AAEA;AACA,6BAA6B,WAAW,gCAAgC;AACxE;;AAEA;AACA;AACA;AACA;;AAEA;A
ACA;;AAEA;AACA,MAAM;AACN;AACA,yBAAyB;AACzB,MAAM;AACN;AACA;;AAEA;AACA,gCAAgC,a
AAa;AAC7C,MAAM;AACN;AACA;AACA,IAAI;;AAEJ;AACA;AACA,MAAM;;AAEN;AACA;
AACA,MAAM;;AAEN;AACA;AACA;;AAEA;AACA,MAAM;;AAEN;AACA;AACA,MAAM;;AAEN;AACA;;A
AEA;AACA,MAAM;AACN;AACA;;AAEA;AACA,MAAM;AACN;AACA;;AAEA;AACA;;AAEA;;AAEA;AAC
A,MAAM;AACN;AACA;AACA,MAAM;AACN;AACA;AACA;AACA,QAAQ;AACR;AACA,QAAQ;AA
CR;AACA;AACA;AACA,MAAM;AACN;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA,QAAQ;AACR;A
ACA;;AAEA;AACA;AACA,QAAQ;AACR;AACA;;AAEA;;AAEA;AACA;AACA,QAAQ;AACR;AACA;;AAEA;
AACA,MAAM;AACN;AACA;AACA;AACA;AACA;AACA,MAAM;AACN;AACA;AACA;AAC
A;AACA;AACA,MAAM;AACN;AACA;AACA;AACA;AACA;AACA,MAAM;AACN;AACA;AACA;AA
CA;AACA;AACA,MAAM;AACN;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA,UAAU;AACV;AACA,MAAM;AACN;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA,UAAU;AACV;AACA;;AAEA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AA
CA;;AAEA;;AAEA,CAAC;;;;;;;;;;;ACnfY;AACb,aAAa,mBAAO,CAAC,MAAkB;A
ACvC,iBAAiB,mBAAO,CAAC,MAAkB;AAC3C,qBAAqB,mBAAO,CAAC,MAAsB;AACnD;;AAEA;AACA,mB
AAO,CAAC,MAAS,qBAAqB,mBAAO,CAAC,MAAQ,4BAA4B,aAAa,EAAE;;AAEjG;AACA,qDAAqD,4BAA4
B;AACjF;AACA;;;;;;;;;;ACZA,gBAAgB,mBAAO,CAAC,MAAc;;AAEtC;AACA;AACA;AACA,WAAW,O
AAO;AAClB,WAAW,OAAO;AAClB,aAAa,EAAE;AACf;AACA;AACA;AACA;AACA;;AAEA;;;
;;;;ACjBA;AACA;AACA;AACA;AACA,WAAW,MAAM;AACjB,WAAW,SAAS;AACpB,aAAa,QAAQ;
AACrB;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;;;ACtBA,
eAAe,mBAAO,CAAC,MAAa;AACpC,UAAU,mBAAO,CAAC,MAAQ;AAC1B,cAAc,mBAAO,CAAC,MAAY;A
AClC,UAAU,mBAAO,CAAC,MAAQ;AAC1B,iBAAiB,mBAAO,CAAC,MAAe;AACxC,eAAe,mBAAO,CAAC,
MAAe;AACxC,eAAe,mBAAO,CAAC,MAAa;;AAEpC;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AA

CA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAAO;AA
CpB;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;ACzDA;AACA;AACA;;AAEA;
AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA,+BAA+B;AAC/B;AA
CA,0BAA0B,mBAAO,CAAC,MAAM;AACxC;AACA;AACA,CAAC;;AAED;AACA;AACA;AACA;;;;;;;;;
AC7BA;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,MAAM;AACjB,aAAa,EAAE;AACf;AACA
;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;ACnBA;AACA,eAAe,mBAAO,CAAC,MAAc;
AACrC,YAAY,mBAAO,CAAC,MAAgB;;AAEpC,mBAAO,CAAC,MAAe;AACvB;AACA;AACA,CAAC;
;;;;;;;;ACRD;AACA;AACA;AACA;AACA;;;;;;;;;ACLA;AACA;AACA;AACA;AACA;AACA;AAC
A;;;;;;;;;ACPA,iBAAiB,mBAAO,CAAC,MAAe;AACxC,qBAAqB,mBAAO,CAAC,MAAmB;;AAEhD;AACA;AA
CA;AACA;AACA,WAAW,aAAa;AACxB,WAAW,SAAS;AACpB,aAAa,aAAa;AAC1B;AACA;;AAEA;;;;;;;;ACb
A;AACA,mBAAO,CAAC,MAAe;AACvB;AACA;AACA;AACA;AACA;AACA,GAAG;AACH,CAAC;;;;;
;;;ACTD,mBAAmB,mBAAO,CAAC,MAAiB;;AAE5C;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;;AAEA;;;;;;;;;ACdA,UAAU,mBAAO,CAAC,MAAQ;AAC1B,WAAW,mBAAO,CAAC,MAAc;A
ACjC,kBAAkB,mBAAO,CAAC,MAAkB;AAC5C,eAAe,mBAAO,CAAC,MAAc;AACrC,eAAe,mBAAO,CAAC,
MAAc;AACrC,gBAAgB,mBAAO,CAAC,MAA4B;AACpD;AACA;AACA;AACA,uCAAuC,iBAAiB,EAAE;AAC
1D;AACA;AACA;AACA;AACA,mEAAmE,gBAAgB;AACnF;AACA;AACA,GAAG,4CAA4C,gCAAgC;
AAC/E;AACA;AACA;AACA;AACA;;;;;;;;;ACxBA;AACA,cAAc,mBAAO,CAAC,MAAY;AAClC;AACA;
AACA;;;;;;;;;ACJA,kBAAkB,mBAAO,CAAC,MAAgB;;AAE1C;AACA;AACA;AACA;AACA;AACA;AA
CA,WAAW,MAAM;AACjB,aAAa,MAAM;AACnB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
;AAEA;;;;;;;;;ACrBA,uC;;;;;;;ACAA;AACA;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,WAAW,SAAS
;AACpB,aAAa,MAAM;AACnB;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;;;;;;;;;;ACnB
A;AACA;AACA;AACA;AACa;;AAEb,+BAA+B,iFAAiF;;AAEhH,0BAA0B,mBAAO,CAAC,MAAAK;;AA
EvC;AACA;;AAEA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;;AAEA;AACA;AACA;;AAEA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,OAAO;AACP;AACA;AACA;
AACA,SAAS;AACT;AACA;AACA,KAAK;AACL;AACA;;AAEA,aAAa;AACb,gBAAgB;AAChB,kBAA
kB;AAClB,YAAY;AACZ,gBAAgB;AAChB,qBAAqB;AACrB,iBAAiB;AACjB,cAAc;AACd,aAAa;AACb,gBAA
gB;AAChB,eAAe;AACf,aAAa;AACb,UAAU;AACV,aAAa;AACb,gBAAgB;AAChB,WAAW;AACX;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;;AAEL;A
ACA;AACA;AACA;AACA;AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA;AACA;AACA;
AACA,KAAK;;AAEL;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;;AAEL;AACA;AACA
;AACA;AACA;AACA;AACA,KAAK;;AAE
L;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA;AAC
A;AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA
;AACA;AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AAC
A,KAAK;;AAEL;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,KAAK;;AAEL;AACA;AA
CA;AACA;AACA;;AAEA;AACA;AACA;;AAEA,kCAAkC;;AAElC;AACA;AACA;;AAEA;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;;AAEA;;AAEA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA,OAAO;AACP;AACA,GAAG;;A
AEH;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;;AAEA;
AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA,GAAG;;AAEH;AACA;AAC
A;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA,+B;;;;;;;AC5WA,cAAc;;;;;
;;;ACAC;AACb,iCAA+B,CAC7B;AAAEA,SAAK,EAAE,UAAU;AAAqBC,QAAI,EA

AE;AAA3B,GAD6B,EAE7B;AAAED,SAAK,EAAE,UAAT;AAAqBC,QAAI,EAAE;AAA3B,GAF6B,EAG7B;AA
AED,SAAK,EAAE,iBAAT;AAA4BC,QAAI,EAAE;AAAlC,GAH6B,EAI7B;AAAAED,SAAK,EAAE,cAAT;AAAy
BC,QAAI,EAAE;AAA/B,GAJ6B,EAK7B;AAAAED,SAAK,EAAE,oBAAT;AAA+BC,QAAI,EAAE,IAArC;AAA2
CC,UAAM,EAAE;AAAnD,GAL6B,CADlB;AAQb,kBAAgB,eARH;AASb,cAAY,aATC;AAUb,cAAY,IAVC;AA
Wb,yBAAuB,IAXV;AAYb,2BAAyB,qBAZZ;AAab,iCAA+B,MAblB;AAcb,2BAAyB,IAdZ;AAeb,kCAAgC,SAfn
B;AAgBb,yBAAuB,UAhBV;AAiBb,wBAAsB,4FAjBT;AAkBb;AAlBa,CAAf,E;;;;;,ACAA;AACA;AACA;AACA;
;AAEA,IAAMC,OAAO,GAAGC,oBAAM,CAAC,QAAD,CAAtB;;AACA,IAAMC,OAAO,GAAGD,oBAAM,CA
AC,QAAD,CAAtB;;IAEME,a;;;AACJ,oBAA0B;AAAA;;AAAA,QAAbC,MAAa,uEAAJ,EAAI;;AAAA;,AACxB,S
AAKJ,OAAL,IAAgB,EAAhB;AACAK,kBAAI,CAAACD,MAAD,EAAS,UAACE,KAAD,EAAQC,GAAR;AAAA,a
AAgB,KAAI,CAAACC,GAAL,CAACC,GAAD,EAAMD,KAAN,CAAhB;AAAA,CAAd;AAAA,KAAT,CAAJ;;AACA,WAAO,IAAP
;AACD;;;;wBACIC,G,EAAAKD,K,EAAO;AACf,UAAMG,MAAM,GAAGF,GAAG,CAACAG,KAAJ,CAAU,GAAV
,CAAf;;AACA,UAAAID,MAAM,CAACE,MAAP,GAAgB,CAApB,EAAuB;AAAA;AAAA,YAAK,CAAACrB,OAAD,CAApB
,IAAqB,KAAK,CAAACAW,OAAD,CAAqB,EAA2B,EAA+B,EAA3B,L,GAA3B,CAA+BC,AA+BC,CAAA/BMAAM,CAACCK,I
AAP,CAAAY,GAAAZ,CAA+B,AACf,IAAqB;AAC+B,EAAiDR,EAAiOR;AACAMAEO;AACL,aAAAKN,OAAL,EAAcO,GA
Ad,IAAqBD,KAArB;AACD;;AACD;;AACD,aAAAOA,OA,KAAAP;AACD;;;wBACIC,G,EAAAKQ,Y,EAAAc;AACtB,aAAAAOC,aAA
G,CAAAAC,KAAAAhB,CAAU,GAAAV,CAAf;;AACA,UAAAID,MAAM,CAACE,MAAP,GAAgB,CAApB,EAAuB;AAAA,aAAOP
,OAAL,EAAAM,AAAM,CAAA,EAA,CAAN;AACD;;AACA;AACAI,WAAAKA,OAAL,CAAAL,GAAK,IAAgBC,KAAhB;;AACA;;
;;;;AAGY,gFAAIG,aAAAJ,CAAWgB,cAAX,CAAf,E;;;;;;;;;ACvCa;AACb,cAAc,mBAAO,CAAC,MAAAY;AACtb,IAAAICC;AACb,cAAc,mBAAO,CAAAC,MAAAY;AAClC,aAAAa,mBAAAO,CAAC,MAAAW;AAChC,UAAAU,mBAAO,CAAAO,MAAAQ;AAC1B,IAAAIB,cAAc,mBAAAO,CAAC,MAAAY;AACtC,IAAAIC,cAAc,mBAAAO,CAAC,MAAAW;AACjC,eAAAe,mB
AAO,CAAC,MAAAc;AACrC,gBAAAgB,mBAAO,CAAC,MAAAe;AACvC,iBAAAiB,mBAAAO,CAAC,MAAAgB;AACzC,YAA
C,YAAY,mBAAO,CAAC,MAAAW;AAC/B,WAAC,yBAAAyB,mBAAO,CAAC,MAAAwB;AACzD,WAAC,gBAAAgB,mBAAO,CA
AC,MAAAc;AAC5B,YAAC5B,gBAAAgB,mBAAO,CAAC,MAAAc;AAC5B,aAAC,iCAAAiC,mBAAO,CAAC,MAAA2B;AACpE,cA
Ac,mBAAO,CAAC,MAAAY;AAClC,YAAC,qBAAAqB,mBAAO,CAAC,MAAAoB;AACjD
;AACA;AACA;AACA;AACA;AACA;AACA,yBAAyB;AACzB;AACA;;AAEA;AACA;AACA;ACA;A
ACA,+CAA+C,EAAE,mBAAO,CAAC,MAAAQ;AACjE;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA,GAAG,YAAY;AACf,CAAC,CAAC;;AAED;AACA;AACA;AACA;AACA,oCAAoC;AACpC;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA
;AACA;AACA;AACA;AACA;AACA;AACA,oCAAoC;AACpC;AACA;AACA;AACA;AACA;AACA;
AACA,WAAW;AACX;AACA,WAAW;AACX,SAAS;AACT,OAAO;AACP;AACA;AACA;AACA,6CAA6C;AA
C7C;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,SAAS;AAC
T,mBAAmB,kBAAkB;AACrD,SAAS;AACT;AACA;AACA,OAAO;AACP;AACA,KAAK;AACL;AACA,GAA
G;AACH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL,eAAe,uCAAuC;AACtD;AAC
A,GAAG;AACH;AACA;AACA;AACA;AACA;AACA,kCAAkC;AAClC;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA,kCAAkC;AAClC;AACA;AACA;AACA;AACA;AACA,uBAAuB,0BAA0B;AACjD
;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,kCAAkC;AAClC;AACA;AACA,SAAS;AACT;A
ACA;AACA,OAAO;AACP,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL,eA
Ae,uCAAuC;AACtD;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,
kCAAkC;AAClC;AACA;AACA,SAAS;AACT;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AAC
A;AACA,iBAAiB;AACjB,wBAAwB;AACxB,gBAAgB;AAChB,oBAAoB;AACpB;AACA,uBAAuB,mBAAiB
;AAChD;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA,GA
AG;AACH;AACA;;AAEA,0DAA0D,oBAAoB;AAC9E,mBAAmB,MAAAsB;AAC9B,mBAAmB,MAAAgB;AAC
xB,UAAU,MAAAS;;AAE3B;AACA;AACA;AACA;AACA;AACA;AACA,CAAC;AACD,iBAAiB;AAC
D,gDAAgD,oBAAoB;AACpE;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA,SAAS;AACT,OAAO

AO;AACP;AACA,KAAK;AACL;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,OAAO;AACP,KAAK;AACL;AACA;AACA;AACA,CAAC;;;;;;;;AC7RD,WAAW,mBAAO,CAAC,MAAS;AAC5B,aAAa,mBAAO,CAAC,MAAW;AAChC;AACA,kDAAkD;;AAElD;AACA,qEAAqE;AACrE,CAAC;AACD;AACA,QAAQ,mBAAO,CAAC,MAAY;AAC5B;AACA,CAAC;;;;;;;;ACXD;AACA;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,aAAa,QAAQ;AACrB;AACA;AACA;;AAEA;;;;;;;ACbA,cAAc,mBAAO,CAAC,MAAY;;AAElC;AACA;;AAEA;;;;;;;ACLA;AACA;;AAEA;;;;;;;;ACHA,iCAAiC,4uD;;;;;;;ACAjC;AACA;AACA;AACA;AACA,WAAW,aAAa;AACxB,WAAW,SAAS;AACpB,WAAW,EAAE;AACb,WAAW,QAAQ;AACnB;AACA,WAAW,SAAS;AACpB,aAAa,EAAE;AACf;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;;AAEA;;;;;;;ACtBA,gBAAgB,mBAAO,CAAC,MAAc;AACtC,oBAAoB,mBAAO,CAAC,MAAkB;;AAE9C;AACA;AACA;AACA,WAAW,MAAM;AACjB,WAAW,OAAO;AAClB,WAAW,QAAQ;AACnB,WAAW,QAAQ;AACnB,WAAW,MAAM;AACjB,aAAa,MAAM;AACnB;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,OAAO;AACP;AACA,KAAK;AACL;AACA;AACA;AACA;;AAEA;;;;;;;;ACrCA,aAAa,mBAAO,CAAC,MAAW;AAChC,WAAW,mBAAO,CAAC,MAAS;AAC5B,WAAW,mBAAO,CAAC,MAAS;AAC5B,eAAe,mBAAO,CAAC,MAAa;AACpC,UAAU,mBAAO,CAAC,MAAQ;AAC1B;AACA,kFAAkF,uBAAuB;AACzG,iEAAiE;AACjE,+DAA+D;AAC/D;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,cAAc;AACd,cAAc;AACd,cAAc;AACd,eAAe;AACf,eAAe;AACf,eAAe;AACf,gBAAgB;AAChB;;;;;;;;AC1CA,eAAe,mBAAO,CAAC,MAAQ;AAC/B;;AAEA;AACA,iCAAiC,qBAAqB;AACtD;AACA,iCAAiC,SAAS,EAAE;AAC5C,CAAC,YAAY;AACb;AACA;AACA;AACA;AACA;AACA,6BAA6B,SAAS,qBAAqB;AAC3D,iCAAiC,aAAa;AAC9C,YAAY,GAAG,YAAY;AAC3B;AACf;AACA,CAAC;;;;;;;;ACrBD,cAAc,mBAAO,CAAC,MAAc;AACpC,eAAe,mBAAO,CAAC,MAAc;AACrC;AACA;AACA;AACA,GAAG;;;;;;;ACNH,QAAA,qBAAqB,mBAAO,CAAC,MAAAmB;AAChD,sBAAsB,mBAAO,CAAC,MAAoB;AAClD,mBAAmB,mBAAO,CAAC,MAAiB;AAC5C,mBAAmB,mBAAO,CAAC,MAAiB;;AAE5C;AACA;AACA;AACA;AACA,WAAW,MAAM;AACjB;AACA;AACA;;AAEA;AACA;AACA;;AAEA;;;;;;;;AC/BA,aAAc,mBAAO,CAAC,MAAW;AACjC;AACA,mBAAmB,mBAAO,CAAC,MAAM;AACjC,YAAY,mBAAO,CAAC,MAAU;AAC9B;AACA,6BAA6B,qDAAqD,OAAO,EAAE;AAC9D;AACA,qDAAqD,OAAO,EAAE;AACE;AACA,qDAAqD,OAAO,EAAE;AACJ;AACA,qDAAqD,OAAO,EAAE;AACA;;;;;;;ACTA;AACA,cAAc,mBAAO,CAAC,MAAW;AACjC,UAAU,mBAAO,CAAC,MAAQ;AAC1B;AACA,oBAAoB,UAAU,mBAAO,CAAC,MAAAkB;AAClE,iBAAiB,mBAAO,CAAC,MAAAAiB;AACzB,cAAc,mBAAO,CAAC,MAAW,MAAAmB;AACjC,8BAA8B,mBAAO,CAAC,MAA4B;;AAElE;AACA;AACA;AACA,WAAW,MAAM;AACjB;AACA;AACA;;AAEA;;;;;;;;ACrBA,aAAc,mBAAO,CAAC,MAAW;AACjC,YAAY,mBAAO,CAAC,MAAU;AAC9B;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,WAAW,EAAE;AACb,WAAW,QAAQ;AACnB;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB;AACA,aAAa,EAAE;AACf;AACA,cAAc,mBAAO,CAAC,MAAc;AACpC,eAAe,YAAY;AAC3B;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ACvBA,cAAc,mBAAO,CAAC,MAAAAc;AACtB;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,aAAa,EAAE;AACf;AACA;AACA;;AAEA;AACA;;AAEA;;;;;;;;ACHA,mBAAc mBAAO,CAAC,MAAAAiB;AACtB;AACA;AACA,WAAW,OAAO;AAClB,aAAa,QAAQ;AACrB;AACA;AACA;;AAEA;;;;;;;;ACHA,cAAc,mBAAO,CAAC,MAAc;AACpC,eAAe,mBAAO,CAAC,MAAc;AACrC;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB;AACA,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;

;AClCA,eAAe,mBAAO,CAAC,MAAa;AACpC,mBAAmB,mBAAO,CAAC,MAAiB;AAC5C,cAAc,mBAAO,CAAC,MAAY;AAClC,iBAAiB,mBAAO,CAAC,MAAe;AACxC,gBAAgB,mBAAO,CAAC,MAAc;AACtC,sBAAsB,mBAAO,CAAC,MAAoB;AAClD,eAAe,mBAAO,CAAC,MAAY;;AAEnC;AACA;AACA;AACA,WAAW,aAAa;AACxB,WAAW,6BAA6B;AACxC,WAAW,SAAS;AACpB,aAAa,MAAM;AACnB;AACA;AACA;;AAEA;AACA;AACA,KAAK;AACL,YAAY;AACZ,GAAG;;AAEH;AACA,GAAG;AACH;;AAEA;;;;;;ACjCA;AACA,eAAe,mBAAO,CAAC,MAAc;AACrC;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;;;;;;ACXA;AACA;AACA;AACA;AACA,WAAW,MAAM;AACjB,WAAW,SAAS;AACpB,WAAW,EAAE;AACb,WAAW,QAAQ;AACnB;AACA,aAAa,EAAE;AACf;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ACzBa;AACb,mBAAO,CAAC,MAAoB;AAC5B,eAAe,mBAAO,CAAC,MAAc;AACrC,aAAa,mBAAO,CAAC,MAAU;AAC/B,kBAAkB,mBAAO,CAAC,MAAgB;AAC1C;;AAEA;AACA,EAAE,mBAAO,CAAC,MAAa;AACvB;;AAEA;AACA,IAAI,mBAAO,CAAC,MAAU
,eAAe,wBAAO,wB,0BAA0B,YAAY,EAAE;AACrG;AACA;AACA;AACA,GAAG;AACH;AACA,CAAC;A
ACD;AACA,GAAG;AACH;;;;;;;;ACxBa;AACb,8CAA8C,cAAc;AAC5D;AACA;AACA;A
ACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;
AACA;AACA;AACA,kC;;;;;;AC5BA,gBAAgB,mBAAO,CAAC,MAAc;AACtC,eAAe,mBAAO,C
AAC,MAAa;AACpC,mBAAmB,mBAAO,CAAC,MAAiB;AAC5C,cAAc,mBAAO,CAAC,MAAW;;AAEjC;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,aA
Aa;AACxB,WAAW,SAAS;AACpB,aAAa,aAAa;AAC1B;AACA;AACA;AACA,IAAI;AACJ;AAC
A,cAAc,iBAAiB;AAC/B;AACA,IAAI;AACJ;AACA;AACA;AACA;;AAEA;;;;;;;ACxCA,u
C;;;;;;;ACAA;AAAA;AAAA;AAA8f,CAAgB,oiBAAG,EAAC,C;;;;;;;ACAlhB,gBAAgB,mBAAO,CAAC,MAAc;
AACtC,kBAAkB,mBAAO,CAAC,MAAe;AACzC,cAAc,mBAAO,CAAC,MAAW;AACjC,eAAe,mBAAO,CAAC,
MAAY;AACnC,cAAc,mBAAO,CAAC,MAAY;AAClC,mBAAmB,mBAAO,CAAC,MAAgB;;AAE3C;AACA;;A
AEA;AACA;;AAEA;AACA;AACA;AACA,WAAW,EAAE;AACb,WAAW,QAAQ;AACnB,aAAa,MAAM
;AACnB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;AChDA,uC;;;;;;;ACAA,oBAAoB,mBAAO,CAAC,MAAkB;;AAE9C;AACA;AACA;AACA;AACA;AACA,WAAW,OAA
O;AAClB,WAAW,SAAS;AACpB,WAAW,SAAS;AACpB,aAAa,OAAO;AACpB;AACA;;AAEA;;;;;;;ACfA;AAC
A;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,SAAS;AACtB,aAAa,AACA,wCA
AwC,SAAS;AACjD;AACA;AACA,WAAW,SAAS,GAAG,SAAS;AAChC;AACA;AACA;AACA;AACA;
AACA;AACA;;AAEA;;;;;;;;ACzBa;AACb;AACA,cAAc,mBAAO,CAAC,MAAgB;AACtC,WAAW,mBA
AO,CAAC,MAAgB;AACnC,UAAU,mBAAO,CAAC,MAAe;AACjC,eAAe,mBAAO,CAAC,MAAc;AACrC,cAAc
,mBAAO,CAAC,MAAY;AAClC;;AAEA;AACA,6BAA6B,mBAAO,CAAC,MAAU;AAC/C;AACA;AACA;AAC
A;AACA;AACA,oCAAoC,UAAU,EAAE;AAChD,mBAAmB,sCAAsC;AACzD,CAAC,qCAAqC;AACtC;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH,CAAC;
;;;;;;;;ACjCY;;AAEb,cAAc,mBAAO,CAAC,MAAa;;AAEnC;AACA,oCAAoC,wDAAwD;;;;;;;ACN5F,uBAAuB,
mBAAO,CAAC,MAAqB;AACpD,gBAAgB,mBAAO,CAAC,MAAc;AACtC,eAAe,mBAAO,CAAC,MAAa;;AAE
pC;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,QAAQ;AA
CrB;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;;AC1BA,AAAA,AAAA,AAA8hB,
CAAgB,okBAAG,EAAC,C;;;;;;;ACAljB,iBAAiB,mBAAO,CAAC,MAAe;AACxC,eAAe,mBAAO,CAAC,MAAY;
AACnC,mBAAmB,mBAAO,CAAC,MAAgB;;AAE3C;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;A
ACA;;AAEA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,QAAQ;AACrB;AACA;AACA;AA
CA;;AAEA;;;;;;;;AC3DA,mBAAmB,mBAAO,CAAC,MAAiB;;AAE5C;AACA;AACA;AACA;A
ACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA;;AAEA;;;;;;;;AC3BA,AAAA;AACA,yCAAyC;;;;;;;ACLzC,gBAAgB,mBAAO,CAAC,MAAe;AACvC;AACA;AACA;AACA;AACA;;;;;;;
;ACNA;AACA;AACA;AACA;AACA,WAAW,MAAM;AACjB,WAAW,SAAS;AACpB,aAAa,MAAM;AA

CnB;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;ACpBA,gBAAgB,mBAAO
,CAAC,MAAc;AACtC,WAAW,mBAAO,CAAC,MAAS;;AAE5B;AACA;;AAEA;;;;;;;;;ACNA;AACA;AACA;AA
CA,GAAG;AACH;AACA;AACA;;;;;;;;;;ACNA,mBAAmB,mBAAO,CAAC,MAAiB;;AAE5C;AACA;;AAEA;AAC
A;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,aAAa,QAAQ;AACrB;AACA;AA
CA;AACA;AACA;;AAEA;;;;;;;;ACtBA;AACA,CAAC,KAA4D,oBAAoB,mBAAO,CAAC,MAA0B;AACnH,CAA
C,SAC8D;AAC/D,CAAC,wCAAwC;;AAEzC;;AAEA;;;;;;AAMA;AACA,kBAAkB,YAAY,EAAE;AAChC;;AAE
A;AACA;AACA;AACA;AACA;;AAEA;AACA;;;AAGA;;AAEA;AACA;AACA;;AAEA;AACA;A
ACA;;AAEA;AACA;AACA,uBAAuB,KAAK;AAC5B;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;A
ACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;
AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AA
CA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;A
ACA;AACA,KAAK;AACL;AACA;AACA,KAAK;AACL;AACA;AACA,KAAK;AACL;AACA;AACA;;A
AEA,MAAM,KAAgD,EAAE,EAErD,UAAU,KAAwB;AACrC;AACA,GAAG;AACH;AACA;;AAEA,CAAC;AA
CD,CAAC;;AAED;AACA;AACA,CAAC;AACD;AACA;;;;;;AAMA;AACA;AACA;;AAEA;AACA;;AAE
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,SAAS;AACT;AACA;AAC
A;AACA,OAAO;AACP;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA,WAAW;AACX;AACA,W
AAW;AACX,SAAS;AACT;AACA;AACA,OAAO;AACP;AACA;;AAEA;AACA;AACA;AACA;A
ACA;AACA,WAAW;AACX;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA,WAAW;AACX;AAC
A;;AAEA;;AAEA;AACA;AACA,OAAO;AACP;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;A
ACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA
;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,CAAC;;;;;;;;;;;;;;AAcD;AACA;AACA
;AACA;AACA;AACA;AACA,KAAK;AACL,GAAG;AACH;AACA;;AAEA;AACA;;AAEA;AACA,iBAA
iB,sBAAsB;AACvC;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;;;;;;;;;;;;;;AAcA;AACA;;AAEA
;AACA;AACA;AACA;;AAEA;AACA;;;;;;;;;;;;;;;;;;;;;;;AAsBA;AACA;AACA,6CAA6C,gBAAgB;;AAE7D;
AACA,GAAG;AACH;AACA;;AAEA;AACA,uBAAuB;AACvB;AACA,GAAG;AACH;AACA,GAAG;AA
CH;AACA;;AAEA;;AAEA;AACA,GAAG,IAAI;AACP;;AAEA;AACA;AACA;;AAEA;AACA,GAAG,IA
AI;AACP;;AAEA;AACA,iEAAiE,aAAa;AAC9E;AACA;;AAEA;AACA;AACA;AACA,KAAK;AACL;AACA;;A
AEA;AACA,GAAG;AACH;;AAEA;AACA;AACA;;AAEA;;AAEA,mDAAmD;AACnD;;AAEA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA,GAAG,GAAG,YAAY,WAAW,WAAW,EAAE
;;AAE1C;AACA,6CAA6C;AAC7C;AACA,6CAA6C;AAC7C;AACA,6CAA6C;AAC7C;;;AAGA;AACA;AACA,G
AAG;AACH;AACA,wBAAwB;AACxB,wBAAwB;AACxB,KAAK;AACL;AACA,KAAK;AACL;AACA;;
AAEA;;AAEA;AACA,eAAe,YAAoB;AACnC,CAAC;;AAED;AACA;;AAEA;AACA;AACA;;AAEA;AA
CA,uGAAuG;AACvG;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAA
G;;AAEH;AACA;AACA,GAAG;AACH;AACA,GAAG;AACH;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;A
ACA;;AAEA;AACA;AACA;;AAEA;AACA,YAAY;AACZ;;AAEA;AACA,YAAY;AACZ;AACA;;AAEA;
AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA
;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA,
KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;
AACL;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA
;;AAEA,yDAAyD,6BAA6B,iBAAiB;;AAEvG;AACA;AACA;;AAEA;;AAEA;;AAEA,uCAAuC;AACvC;
AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;;;AAGA
;;AAEA,2CAA2C;AAC3C;AACA,KAAK;AACL;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AAC
A,KAAK;AACL;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;;AAEA;;AAEA,gEAAgE;;AAEhE;;;AAG
A;;AAEA,uCAAuC;AACvC;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA,8CAA8C,cAAc;;AAE5D,CA

AC;;;;;;;;;; AClrBY;AACb,aAAa,mBAAO,CAAC,MAAW;AAChC,SAAS,mBAAO,CAAC,MAAc;AAC/B,kBAAk
B,mBAAO,CAAC,MAAgB;AAC1C,cAAc,mBAAO,CAAC,MAAQ;;AAE9B;AACA;AACA;AACA;AACA,sBAA
sB,aAAa;AACnC,GAAG;AACH;;;;;;;;;ACZA,oBAAoB,mBAAO,CAAC,MAAkB;AAC9C,qBAAqB,mBAAO,CA
AC,MAAmB;AAChD,kBAAkB,mBAAO,CAAC,MAAgB;AAC1C,kBAAkB,mBAAO,CAAC,MAAgB;AAC1C,k
BAAkB,mBAAO,CAAC,MAAgB;;AAE1C;AACA;AACA;AACA;AACA,WAAW,MAAM;AACjB;AACA
;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAE
A;;;;;;;;;AC/BA,YAAY,mBAAO,CAAC,MAAU;AAC9B,kBAAkB,mBAAO,CAAC,MAAgB;AAC1C,iBAAiB,mB
AAO,CAAC,MAAe;AACxC,mBAAmB,mBAAO,CAAC,MAAiB;AAC5C,aAAa,mBAAO,CAAC,MAAW;AACh
C,cAAc,mBAAO,CAAC,MAAW;AACjC,eAAe,mBAAO,CAAC,MAAY;AACnC,mBAAmB,mBAAO,CAAC,MA
AgB;;AAE3C;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AAC
A;AACA;AACA;AACA,WAAW,OAAO;AAClB,WAAW,OAAO;AAClB,WAAW,OAAO;AAClB,WAAW,SAAS
;AACpB,WAAW,SAAS;AACpB,WAAW,OAAO;AAClB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;A
ACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AAC
A;AACA;AACA;;AAEA;;;;;;;;;AClFa;;AAEb,iBAAiB,mBAAO,CAAC,MAAkB;oBAAoB,
mBAAO,CAAC,MAAQ;;;;;;;;;ACF/E,WAAW,mBAAO,CAAC,MAAS;AAC5B,gBAAgB,mBAAO,CAAC,MAAc;
AACtC,UAAU,mBAAO,CAAC,MAAQ;;AAE1B;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;ACpBA,gBAAgB,mBAAO,CAAC,MAAc;AACtC,cAAc,m
BAAO,CAAC,MAAW;;AAEjC;AACA;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,WAAW,SA
AS;AACpB,WAAW,SAAS;AACpB,aAAa,MAAM;AACnB;AACA;AACA;AACA;;AAEA;;;;;;;;;ACnBA,g
BAAgB,mBAAO,CAAC,MAAc;AACtC,iBAAiB,mBAAO,CAAC,MAAe;AACxC,kBAAkB,mBAAO,CAAC,MA
AgB;AAC1C,eAAe,mBAAO,CAAC,MAAa;AACpC,eAAe,mBAAO,CAAC,MAAa;AACpC,eAAe,mBAAO,CAA
C,MAAa;;AAEpC;AACA;AACA;AACA;AACA,WAAW,MAAM;AACjB;AACA;AACA;AACA;;
AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;AC1BA;AACA;;AAEA;AACA;AACA;AACA;
AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;AACA;;AAEA;;;;;;;;;;A
ClBA,UAAU,mBAAO,CAAC,MAAc;AAChC,UAAU,mBAAO,CAAC,MAAQ;AAC1B,UAAU,mBAAO,CAAC,
MAAQ;;AAE1B;AACA,oEAAoE,iCAAiC;AACrG;;;;;;;;;ACNA,SAAS,mBAAO,CAAC,MAAc;AAC/B;AACA;A
ACA;;AAEA;AACA,kBAAkB,mBAAO,CAAC,MAAgB;AAC1C;AACA;AACA;AACA,KAAK;AACL;A
ACA;AACA,CAAC;;;;;;;;;ACfD;AAAA;AAAA;AAAyhB,CAAgB,+jBAAG,EAAC,C;;;;;;;ACA7iB;AACA
;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,WAAW,aAAa,EAAE;AACf;AACA;AACA;;AAEA;
;;;;;;;ACbA;AACA;AACA;AACA;AACA;AACA,WAAW,MAAM;AACjB,WAAW,SAAS;AACpB,aAAa,MAAM;
AACnB;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;ACrBA,aAAa,
mBAAO,CAAC,MAAW;AAChC,gBAAgB,mBAAO,CAAC,MAAS;AACjC;AACA;AACA,aAAa,mBAA
O,CAAC,MAAQ;;AAE7B;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,OAAO;A
ACP;AACA;AACA;AACA,KAAK;AACL;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,G
AAG;AACH;AACA;AACA,uCAAuC,sBAAsB,EAAE;AAC/D;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;;AAEA;AACA,gBAAgB;AAChB;
AACA;AACA;AACA,KAAK;AACL;AACA;;;;;;;;;ACpEA,6B
AA6B;AAC7B,uCAAuC;;;;;;;ACDvC;;;;;;;ACAA;AACA;AACA;AACA;AACA,WAAW,SAAS;AACpB,
WAAW,EAAE;AACf;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;;AAEA;;;;;;;;;ACpBA,gBAAgB,mBAAO,CAAC,MAAc;AACtC,cAAc,mBAAO,CAAC,MA
AY;;AAElC;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,WAAW,aAAa;AACxB,aAAa,QAAQ;AACrB;AACA;AACA,0BAA0B,gBAAgB,SAAS,GAAG;AACtD;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;ACjCA,eAAe,mB
AAO,CAAC,MAAc;AACrC,qBAAqB,mBAAO,CAAC,MAAmB;AAChD,kBAAkB,mBAAO,CAAC,MAAiB;AA
C3C;;AAEA,YAAY,mBAAO,CAAC,MAAgB;AACpC;AACA;AACA;AACA;AACA,GAAG,YAAY;AAC
f;AACA;AACA;;;;;;;;;ACfA;AACA,eAAe,mBAAO,CAAC,MAAc;AACrC,eAAe,mBAAO,CAAC,MAAc;
MAAc;AACrC;AACA;AACA;AACA;AACA,kDAAkD;AAClD;AACA,cAAc,mBAAO,CAAC,MAAM

AAQ,iBAAiB,mBAAO,CAAC,MAAgB;AACvE;AACA;AACA,OAAO,YAAY,cAAc;AACjC;AACA;AACA;AA
CA;AACA;AACA;AACA,KAAK,GAAG;AACR;AACA;;;;;;;;ACxBA,mD;;;;;;;ACAa;AACb,8CAA8C,cAAc;AA
C5D;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,kC;;;;;;;;AC5BA;AAAA;AAAA;AAA2
hB,CAAgB,ikBAAG,EAAC,C;;;;;;;ACA/iB,uC;;;;;;;ACAA,iCAAiC,goE;;;;;;;ACAjC;AACA,YAAY,mBAAO,CA
AC,MAAyB;AAC7C,iBAAiB,mBAAO,CAAC,MAAkB;;AAE3C;AACA;AACA;;;;;;;;;ACNA;AACA;AACA;AAC
A;AACA,WAAW,SAAS;AACpB,WAAW,SAAS;AACpB,aAAa,SAAS;AACtB;AACA;AACA;AACA;AA
CA;;AAEA;;;;;;;;ACdA,iBAAiB,mBAAO,CAAC,MAAe;;AAExC;AACA;AACA;AACA;AACA;AACA,W
AAW,OAAO;AAClB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;ACjBA;;AAEa;;A
AEb,qBAAqB,mBAAO,CAAC,MAAG;AAChC,qBAAqB,mBAAO,CAAC,MAAmB;;AAEhD;AACA;AACA;AA
CA;;AAEA;AACA;AACA;AACA;AACA;AACA,EAAE;AACF;;AAEA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AA
CA,CAAC;;AAED;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA,EAAE;AACF;AACA;AACA;AACA;AACA,EAAE;AACF;AACA;AA
CA;AACA;AACA,EAAE;;AAEF;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA,CAAC;;AAED;AACA;AACA,8BAA8B,sBAAsB,EAAE;AACtD,CAAC;;AAE
D;AACA;AACA,0BAA0B,gEAAgE,EAAE;AAC5F,yBAAyB,6BAA6B,EAAE;AACxD,CAAC;AACD;A
ACA;AACA;AACA,CAAC;AACD;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;
;;;;;;ACrHA,kBAAkB,mBAAO,CAAC,MAAe;;AAEzC;AACA;AACA;AACA,WAAW,SAAS;AACpB,W
AAW,QAAQ;AACnB,aAAa,SAAS;AACtB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;AC/BA,iBAAiB,mBAA
O,CAAC,MAAe;AACxC,eAAe,mBAAO,CAAC,MAAY;;AAEnC;AACA;AACA;AACA;;AAEA;AACA;A
ACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,QAAQ;AACrB;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;AC
pCA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,WAAW,EAAE;A
ACb,aAAa,QAAQ;AACrB;AACA;AACA,iBAAiB;AACjB,gBAAgB;AAChB;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;
ACpCA,YAAY,mBAAO,CAAC,MAAU;AAC9B,kBAAkB,mBAAO,CAAC,MAAgB;;AAE1C;AACA;;A
AEA;AACA;AACA;AACA,WAAW,OAAO;AAClB,WAAW,OAAO;AAClB,WAAW,MAAM;AACjB,W
AAW,SAAS;AACpB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA
;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA
;AACA;AACA;;AAEA;;;;;;;;;AC7Da;;AAEb,cAAc,mBAAO,CAAC,MAAY;;AAElC;AACA;AAC
A;;;;;;;;;ACPA,eAAe,mBAAO,CAAC,MAAa;AACpC,kBAAkB,mBAAO,CAAC,MAAe;;AAEzC;AACA;A
ACA;AACA,WAAW,aAAa;AACxB,WAAW,SAAS;AACpB,aAAa,MAAM;AACnB;AACA;AACA;;AAE
A;AACA;AACA,GAAG;AACH;AACA;;AAEA;;;;;;;;ACrBA;AACA;AACA;AACA,WAAW,QAAQ;AAC
nB,aAAa,SAAS;AACtB;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AAC
A;AACA;AACA;;AAEA;;;;;;;;ACxBA,+DAAiB,mBAAO,CAAC,MAAe;;AAExC;AACA,kBAAkB,KAA0
B;;AAE5C;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;
AAEA;AACA;AACA,GAAG;AACH,CAAC;;AAED;;;;;;;;AC7BA,SAAS,mBAAO,CAAC,MAAM;AACvB,kBA
AkB,mBAAO,CAAC,MAAe;AACzC,cAAc,mBAAO,CAAC,MAAY;AAClC,eAAe,mBAAO,CAAC,MAAY;;AA
EnC;AACA;AACA;AACA,WAAW,EAAE;AACb,WAAW,EAAE;AACb,WAAW,EAAE;AACb,aAAa,QA
AQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA;;AAEA;;;;;;;;AC7BA,cAAc,mBAAO,CAAC,MAAY;;AAElC;AACA;AACA;AACA;AACA;AACA;
AACA,WAAW,OAAO;AAClB,WAAW,aAAa;AACxB,WAAW,EAAE;AACb,aAAa,EAAE;AACf;AACA;
AACA,iBAAiB,QAAQ,OAAO,SAAS,EAAE;AAC3C;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;AChCA;AACA,gBAAgB,mBAAO,CAAC,MAAe;AACvC;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;A

ACA;AACA;;;;;;;;;;ACnBA;;AAEa;;AAEb;AACA;AACA;;;;;;;;;ACNA;AACA,kBAAkB,mBAAO,CAAC,MAAQ;A
AClC;AACA,0CAA0C,mBAAO,CAAC,MAAS,6BAA6B;AACxF;AACA;AACA;;;;;;;;;ACNA;AACA;AACA,YA
AAY;AACZ,GAAG;AACH,YAAY;AACZ;AACA;;;;;;;;;ACNA;AACA,gBAAgB,mBAAO,CAAC,MAAe;AACvC;A
ACA;AACA,2DAA2D;AAC3D;;;;;;;;;ACLA;AACA,kBAAkB,mBAAO,CAAC,MAAU;AACpC;iCAAiC,QAAQ,m
BAAmB,UAAU,EAAE,EAAE;AAC1E,CAAC;;;;;;;;;ACHD,WAAW,mBAAO,CAAC,MAAS;;AAE5B;AACA;;AA
EA;;;;;;;;;ACLA,aAAa,mBAAO,CAAC,MAAW;AAChC;;AAEA;;;;;;;;;ACHA,eAAe,mBAAO,CAAC,MAAa;AACp
C,gBAAgB,mBAAO,CAAC,MAAc;AACtC,eAAe,mBAAO,CAAC,MAAa;;AAEpC;AACA;AACA;;AAEA;AAC
A;AACA;AACA;AACA,WAAW,MAAM;AACjB,WAAW,MAAM;AACjB,WAAW,OAAO;AAClB,WAA
W,SAAS;AACpB,WAAW,SAAS;AACpB,WAAW,OAAO;AAClB,aAAa,QAAQ;AACrB;AACA;AACA;A
ACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;
AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA
;AACA;AACA;AACA;AACA;AACA;AACA;AACA,WAAW;AACX;AACA;AACA,KAAK;AAC
L;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ClFA,eAAe,mBAAO
,CAAC,MAAY;AACnC,qBAAqB,mBAAO,CAAC,MAAmB;AAChD,eAAe,mBAAO,CAAC,MAAY;;AAEnC;AA
CA;AACA;AACA,WAAW,SAAS;AACpB,WAAW,SAAS;AACpB,aAAa,SAAS;AACtB;AACA;A
ACA;AACA;AACA,GAAG;AACH;;AAEA;;;;;;;;;ACrBA;AACA,mBAAO,CAAC,MAAe;AACvB;
AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH,CAAC;;;;;;;;;ACXD,iBAAiB,mBAAO,
CAAC,MAAe;;AAExC;AACA;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,aAAa,QAAQ;AACr
B;AACA;AACA;;AAEA;;;;;;;;;;ACfa;AACb;AACA,gBAAgB,mBAAO,CAAC,MAAe;;AAEvC;AACA;AA
CA;AACA;AACA;AACA,GAAG;AACH;AACA;;AAEA;AACA;AACA;;;;;;;;;ACjBA,qBAAqB,m
BAAO,CAAC,MAAmB;AAChD,iBAAiB,mBAAO,CAAC,MAAe;AACxC,WAAW,mBAAO,CAAC,MAAQ;;AA
E3B;AACA;AACA;AACA,WAAW,OAAO;AAClB,aAAa,MAAM;AACnB;AACA;AACA;;AAEA
;;;;;;;;;ACfA,cAAc,mBAAO,CAAC,MAAW;AACjC,cAAc,mBAAO,CAAC,MAAY;AAClC,YAAY,mBAAO,CAA
C,MAAU;AAC9B,aAAa,mBAAO,CAAC,MAAc;AACnC;AACA;AACA;;AAEA;AACA;AACA;A
ACA,GAAG;AACH;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;
AAEA;;;;;;;;AC7BA;AACA,eAAe,mBAAO,CAAC,MAAc;AACrC,UAAU,mBAAO,CAAC,MAAQ;AAC1B,YAA
Y,mBAAO,CAAC,MAAQ;AAC5B;AACA;AACA;;;;;;;;;ACPA;AACA;AACA;AACA,WAAW,OA
AO;AAClB,aAAa,MAAM;AACnB;AACA;AACA;;AAEA;AACA;AACA,GAAG;AACH;AACA;;AAEA;;
;;;;;;ACjBA,iBAAiB,mBAAO,CAAC,MAAsB;AAC/C,cAAc,mBAAO,CAAC,MAAgB;AACtC,eAAe,mBAAO,C
AAC,MAAa;AACpC,aAAa,mBAAO,CAAC,MAAW;AAChC,WAAW,mBAAO,CAAC,MAAS;AAC5B,gBAAgB,
mBAAO,CAAC,MAAc;AACtC,UAAU,mBAAO,CAAC,MAAQ;AAC1B;AACA;;AAEA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;
AAEA,oDAAoD,wBAAwB;AAC5E;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;;;;;;;;;ACzDA;AACA;AACA;AACA,WAAW,SAAS;AACpB,aAAa,SAAS;AACtB;AACA;A
ACA;AACA;AACA;;AAEA;;;;;;;;;;ACba;AACb,8CAA8C,cAAc;AAC5D;AACA;AACA;AACA;A
ACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;
AACA;AACA;AACA;AACA,kC;;;;;;;AC5BA,iBAAiB,mBAAO,CAAC,MAAe;;AAExC;AACA;;AAEA;AACA;;
AAEA;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,WAAW,OAAO;AAClB,W
AAW,OAAO;AAClB,WAAW,SAAS;AACpB,WAAW,SAAS;AACpB,WAAW,OAAO;AAClB,aAAa,QAAQ;AA
CrB;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;
AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA
;;AAEA;;;;;;;;ACxFA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,
WAAW,EAAE;AACb,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ClCA;AACA;AACA;AACA;A
ACA;AACA,IAAI,IAAyD;AAC7D;AACA,MAAM,EAAK4B;AAClC,CAAC;AACD,oCAAoC;AACpC;AA

CA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA,kDAAkD,gCAAgC;AAClF;AACA;AACA;AACA;AAC
A;AACA,gEAAgE,kBAAkB;AAClF;AACA,yDAAyD,cAAc;AACvE;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA,iDAAiD,iCAAiC;AAClF,wHAAwH,mBAAmB,EAAE;A
AC7I;AACA;AACA;AACA;AACA;AACA,mCAAmC,0BAA0B,EAAE;AAC/D,yCAAyC,eAAe;AACxD;
AACA;AACA;AACA;AACA,8DAA8D,+DAA+D;AAC7H;AACA;AACA;AACA;AACA;AACA;
AACA,UAAU;AACV;AACA;AACA;;AAEA;;;AAGA,oGAAoG,mBAAmB,EAAE,mBAAmB,8HAA8H;;
AAE1Q,gCAAgC,2CAA2C,gBAAgB,kBAAkB,OAAO,2BAA2B,wDAAwD,gCAAgC,uDAAuD,2DAA2D,EAAE,
EAAE,yDAAyD,qEAAqE,6DAA6D,oBAAoB,GAAG,EAAE;;AAEjjB;;AAEA;;AAEA;;AAEA;;AAEA;;A
AEA,sCAAsC,uCAAuC,gBAAgB;;AAE7F,iDAAiD,0CAA0C,0DAA0D,EAAE;;AAEvJ,iDAAiD,aAAa,uFAAuF,
EAAE,uFAAuF;;AAE9O,0CAA0C,+DAA+D,qGAAqG,EAAE,yEAAyE,eAAe,yEAAyE,EAAE,EAAE,uHAAuH;;
AAE5e;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA,eAAe,2CAA2C,AAC1D,eAAe,OAAO;AACtB;AAC
A;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;AACA,eAAe,OAAO;AACtB;;;AAGA;A
ACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA,mBAAmB,2CAA2C,AAC9D;;
AAEA,KAAK;AACL;AACA;AACA;;AAEA;AACA;AACA,aAAa;AACb;;AAEA;AACA;AACA,mBAAmB,MA
AM;AACzB;;AAEA,KAAK;AACL;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA,aAAa;AACb;;AAEA;AACA;AACA,mBAAmB,QAAQ;AAC3B;;AAEA,KAAK;AACL;AA
CA;AACA;;AAEA;AACA;AACA,mBAAmB,QAAQ;AAC3B;;AAEA,KAAK;AACL;AACA;;AAE
A;AACA;AACA;;AAEA;AACA;AACA,mBAAmB,OAAO;AAC1B;;AAEA,KAAK;AACL;;;AAG
A;AACA;AACA,mBAAmB,QAAQ;AAC3B;AACA;AACA;;AAEA;AACA;;AAEA,KAAK;AACL
;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;;AAEA;AACA;;AAE
A;AACA;AACA,aAAa;;AAEb;AACA;AACA,KAAK;;AAEL;AACA,CAAC;;AAED;AACA;AACA,WAAW,OA
AO;AAClB,WAAW,QAAQ;AACnB;;;AAGA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;;AAEA,OA
AO;AACP;AACA;;AAEA;;;AAGA,oGAAoG,mBAAmB,EAAE,mBAAmB,8HAA8H;;AAE1Q,gCAAgC,2CAA2
C,gBAAgB,kBAAkB,OAAO,2BAA2B,wDAAwD,gCAAgC,uDAAuD,2DAA2D,EAAE,EAAE,yDAAyD,qEAAqE
,6DAA6D,oBAAoB,GAAG,EAAE;;AAEjjB;;AAEA;;AAEA,sCAAsC,uCAAuC,gBAAgB;;AAE7F,iDAAiD,0CA
A0C,0DAA0D,EAAE;;AAEvJ;AACA;AACA;AACA;AACA;AACA,eAAe,OAAO;AACtB;AACA;
;AAEA;AACA;AACA;;AAEA;AACA;AACA,eAAe,OAAO;AACtB;;;AAGA;AACA;AACA;AACA;;AAEA;AAC
A;AACA;AACA;;AAEA;AACA;AACA,aAAa;AACb;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA
;AACA,aAAa;AACb;AACA;AA
CA;;AAEA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AAC
A;;AAEA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AA
EA;AACA;AACA;;AAEA,KAAK;AACL;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA,KAAK;A
ACL;AACA;;AAEA;AACA;AACA,aAAa;AACb;;AAEA;AACA;;AAEA;AACA;AACA,mBAAAm
B,QAAQ;AAC3B;;AAEA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA,aAAa;AACb;;AAE
A;AACA;;AAEA,KAAK;AACL;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA,mB
AAmB,OAAO;AAC1B;;AAEA,KAAK;;;AAGA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AA
CL;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;AACA,oBAAoB;AACpB;AACA;AAC
A;AACA;;AAEA;AACA;AACA;AACA,mBAAmB,QAAQ;AAC3B;;AAEA,KAAK;AACL;AACA
;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA,iBAAiB;AACjB;AACA;AACA;;AA
EA;AACA;AACA,oBAAoB;AACpB;AACA;AACA;AACA;AACA,KAAK;;AAEL;AACA,CAAC;;AAED
;;AAEA,OAAO;AACP;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AA
CA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;;;AAGA,OAAO;AACP;AACA;;AAEA;AACA;AACA;AA
CA;;AAEA;AACA;AACA,kCAAkC;;AAElC;AACA;AACA;AACA,KAAK;;AAEL;AACA,GAAG;;AAEH;AAC
A;AACA;AACA;;AAEA;AACA;AACA,GAAG;;AAEH;AACA;AACA,yCAAyC;AACzC;AACA;;

AAEA,WAAW,SAAS;AACpB;AACA;;AAEA;AACA,GAAG;;AAEH;AACA,kCAAkC;AAClC;AACA;;AAEA;AACA,wCAAwC,SAAS;AACjD;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;;;AAGA,OAAO;AACP;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA,WAAW,2CAA2C;AACtD,WAAW,OAAO;AAClB,WAAW,SAAS;AACpB,YAAY;AACZ;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,WAAW,YAAY;AACvB,WAAW,OAAO;AAClB,WAAW,SAAS;AACpB,YAAY;AACZ;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,WAAW,wBAAwB;AACnC,WAAW,OAAO;AAClB,WAAW,SAAS;AACpB,YAAY;AACZ;AACA;AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA,aAAa;AACb;AACA;AACA;;AAEA;AACA;AACA;AACA,WAAW,OAAO;AAClB,WAAW,OAAO;AAClB,WAAW,SAAS;AACpB,YAAY;AACZ;AACA;AACA;;AAEA;;;AAGA,OAAO;AACP;AACA;;AAEA;AACA;AACA;AACA,WAAW,OAAO;AAClB,YAAY;AACZ;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,WAAW,OAAO;AAClB,YAAY;AACZ;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,WAAW,OAAO;AAClB,YAAY;AACZ;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,WAAW,OAAO;AAClB,YAAY;AACZ;AACA;;AAEA;AACA;;;AAGA,OAAO;AACP;AACA;;AAEA;;AAEA;AACA;AACA,WAAW,QAAQ;AACnB,WAAW,OAAO;AAClB,WAAW,OAAO;AAClB,WAAW,SAAS;AACpB,WAAW,QAAQ;AACnB,YAAY;AACZ;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,WAAW,qBAAqB;AAChC,WAAW,OAAO;AAClB,WAAW,OAAO;AAClB,WAAW,SAAS;AACpB,WAAW,QAAQ;AACnB,YAAY;AACZ;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA,KAAK;AACL;;AAEA;AACA;AACA;AACA,WAAW,QAAQ;AACnB,WAAW,OAAO;AAClB,WAAW,OAAO;AAClB,WAAW,SAAS;AACpB,YAAY;AACZ;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;;;AAGA,OAAO;AACP;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,WAAW,QAAQ;AACnB,WAAW,OAAO;AAClB,YAAY;AACZ;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;AAGA,OAAO;AACP;AACA,CAAC,E;;;;;;;;ACj9BY;;AAEb,eAAe,mBAAO,CAAC,MAAa;;AAEpC;AACA;AACA;;;;;;;;ACPA,mBAAmB,mBAAO,CAAC,MAAiB;;AAE5C;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,aAAa,EAAAE;AACf;AACA;AACA;;AAEA;AACA;;AAEA;;;;;;;;AClBA,gBAAgB,mBAAO,CAAC,MAAc;AACtC,WAAW,mBAAO,CAAC,MAAS
;;AAE5B;AACA;;AAEA;;;;;;;;ACNa;;AAEb,kBAAkB,mBAAO,CAAC,MAAgB;AAC1C,0BAA0B,mBAAO,CAAC,MAAwB;AAC1D,eAAe,mBAAO,CAAC,MAAY;AACnC,cAAc,mBAAO,CAAC,MAAW;AACjC,eAAe,mBAAO,CAAC,MAAY;;AAEnC;AACA;AACA;AACA,MAAM,gBAAgB,EAAAE;AACtB,YAAY,cAAAc;;AAEZ;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;AC9BA,mBAAmB,mBAAO,CAAC,MAAiB;;AAE5C;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,aAAa,EAAAE;AACf;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;AC7BA,eAAe,mBAAO,CAAC,MAAY;AACnC,eAAe,mBAAO,CAAC,MAAY;AACnC,2BAA2B,mBAAO,CAAC,MAA2B;;AAE9D;AACA;AACA;AACA;AACA;AACA;AACA;;;;;;;;ACXA;AACA;AACA;AACA;AACA;;;;;;;;ACJA,AAAA;AACA,iBAAiB,kBAAO,CAAC,MAAc;AACvC;AACA;AACA;AACA;AACA;;AAEe;AACf;AACA;AACA,C;;;;;;ACdA,sBAAsB,mBAAO,CAAC,MAAoB;AAClD,mBAAmB,mBAAO,CAAC,MAAgB;;AAE3C;AACA;AACA;AACA,WAAW,EAAAE;AACb,WAAW,EAAAE;AACb,WAAW,QAAQ;AACnB;AACA;AACA,WAAW,OAAO;AAClB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;;;;;;;;;;;;;;;;;;;;AC3BA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,oBAAoB;;AAEpB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,YAAoB;AAC/B,AAC/B,GAAG;AACH;AACA;AACA,CAAC;;AAED;AACA;;AAEA;AACA;AACA;AACA,CAAC;AACD;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,CAAC;AACD;AACA,mBAAmB,kBAAkB;AACrC;AACA;AACA;AACA;AACA;AACA,CAAC

;;;;AAID;AACA,iBAAiB,sBAAsB;AACvC;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;;;AAIA
;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA,+CAA+C,+BAA+B;AAC9E;;AAEA;AACA;AACA,KAAK;
AACL;AACA;AACA,KAAK;AACL;AACA;AACA,OAAO;AACP;AACA;AACA;;AAEA;AACA;;AAEA;AACA;
AACA;AACA,KAAK;AACL;AACA,KAAK;AACL;AACA;AACA;AACA,CAAC;;AAED;AACA;AACA,6CAA6
C,gBAAgB;;AAE7D;AACA,GAAG;AACH;AACA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;AACA
;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AAC
A;;AAEA;;AAEA;AACA;AACA;AACA,GAAG;AACH;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA,CAAC;;AAED;;AAEA,wBAAwB;;AAExB;;AAEA;;AAEA;AACA;AACA;AA
CA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;;AAEA;;AAEA;AACA;;AAEA;
AACA;;AAEA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAE
A;AACA;AACA;;;;AAIA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA,uCAAuC,QAAQ;
AAC/C;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;;AAEA;AACA;;AAEA,wCAAwC,KAAK;AAC7C;AACA;;AAEA;AACA;;AAEA;AAC
A;AACA;AACA,GAAG;AACH;AACA;AACA,KAAK;AACL;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AA
CA;AACA,GAAG;AACH;AACA;AACA;;AAEA;AACA,wCAAwC,wBAAwB,uBAAuB,sBAAsB,sBAAsB;AAC
nI;;AAEA;AACA,qCAAqC;AACrC;AACA,GAAG;AACH;;AAEA;AACA,iCAAiC;AACjC,2DAA2D;AAC3D,G
AAG;AACH;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA
;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA,GAAG;AACH;AACA,GAAG;AACH;AAC
A;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;;;AAGA,+BAA+B,wEAAwE;;AAEvG;AACA;AACA,2BAA2B;AAC
3B;AACA,KAAK;AACL;AACA;AACA;AACA,2BAA2B;AAC3B,gBAAgB,qCAAqC,oCAAoC,gBAAgB,GAAG
;AAC5G;AACA;AACA;AACA,2BAA2B;AAC3B;AACA;AACA;AACA;AACA;AACA,2BAA2B;AAC3B
;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,gBAAgB,+BAA+B,aAAa,wBAAwB;AACpF
;;AAEA,uBAAuB,oCAAoC,0FAA0F,cAAc;;AAEnK;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA
;AACA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA,iCAAiC,0EAA0E;AAC3G;AACA;AACA,6BAA6
B;AAC7B;AACA;AACA,+BAA+B;AAC/B;AACA;AACA;AACA,iCAAiC;AACjC,SAAS;AACT,OAAO;AACP,
KAAK;AACL,GAAG;AACH;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AAC
A;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,gDAAgD;AAChD
;AACA,KAAK;AACL;;AAEA;AACA;AACA;AACA;AACA,GAAG;AACH;;AAEA;AACA;AACA;AACA;AAC
A;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA,2BAA2B;A
AC3B;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;;AAEA;AACA;AACA;;AAEA,oCAAoC,4BA
A4B,yEAAyE,qBAAqB;;AAE9J,wBAAwB;AACxB;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;
;AAEH;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA,GAAG;AACH;AACA;AACA;;AAEA;AACA;AAC
A;AACA;AACA;AACA;;;AAGA,8BAA8B,6BAA6B,iBAAiB,KAAK;AACjF;AACA,GAA
G;;AAEH;AACA;AACA;;AAEA,0BAA0B;;AAE1B;AACA,2CAA2C,0EAA0E;AACrH;AACA;;AAEA;;AAEA;A
ACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA,cAAc,2BAA2B,mBAAmB,qB
AAqB;AACjF;;AAEA;AACA;;AAEA;AACA;AACA;;;AAGA,8BAA8B,6BAA6B,iBAAiB,KAAK;AACjF
;AACA,GAAG;;AAEH;;AAEA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AA
CA,cAAc,2BAA2B,mBAAmB,qBAAqB;AACjF;;AAEA;AACA;;AAEA;AACA,6GAA6G;AAC7G;;AAEA;AAC
A;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA,YAAY;;AAEZ;;AAEA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;;AAEA;;;;AAIA;AACA;AACA;AACA;AACA;AACA,YAAY,OAAO;
AACnB,YAAY,SAAS;AACrB,YAAY,MAAM;AAClB,YAAY,OAAO;AACnB,YAAY,MAAM;AAClB;AACA;A
ACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA,QAAQ,YAAY;
AACpB;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;;AAGA;AACA;AACA;;AAEA;AACA;AACA;AACA,2C
AA2C;AAC3C;AACA,KAAK,IAAI;AACT;;AAEA;AACA;;AAEA;AACA,GAAG;;AAEH;AACA;;AAEA;;AAE

A;AACA;AACA,KAAK;;AAEL;AACA,GAAG;;AAEH;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;A
AEA,oBAAoB;;AAEpB;AACA,GAAG,IAAI;AACP;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAE
A;AACA,8BAA8B;AAC9B;;AAEA;;;AAGA;AACA,UAAU;AACV;;AAEA;AACA;AACA;;AAEA;AACA;AAC
A,KAAK;AACL;;AAEA;AACA;AACA,KAAK;AACL;AACA;;AAEA;AACA,GAAG;AACH;;AAEA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,2DAA2D;AAC3D;AACA;;;AAG
A;AACA;AACA,GAAG;AACH;AACA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;A
ACA;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;;AAEL;AACA;AACA,
KAAK;AACL;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA
;;AAEA;;AAEA;;AAEA;AACA;AACA;AACA,OAAO;AACP;AACA;;AAEA;AACA,KAAK,GAAG,wBAAwB;;
AAEhC;;AAEA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AAC
A,GAAG;AACH;AACA;AACA;;AAEA;AACA;AACA;;AAEA;;AAEA;;AAEA;AACA,KAAK;AACL;AACA;;A
AEA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA
;AACA;AACA;AACA;AACA;;;AAGA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AA
CA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,SAAS;AACT;AACA;AACA;AACA,KA
AK;AACL,GAAG;;AAEH;;AAEA;AACA;AACA,GAAG;AACH;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;;
AAEA;;AAEA;AACA,wBAAwB;AACxB;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA,KAAK,IAAI;AA
CT;;AAEA;AACA;;AAEA;AACA;;AAEA;iBAAiB,oBAAoB;AACrC;AACA;AACA;;AAEA;AACA;;AAEA;AA
CA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA,GAAG;AACH;AACA;;AAEA;
AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,GAAG;AAC
H;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;A
ACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA,KAAK;AACL;AACA;;AAEA
;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG,IAAI
;;AAEP;;AAEA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AA
CA;AACA,GAAG;AACH;AACA;AACA,KAAK;AACL;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA,UAAU,wBAAwB,gBAAgB;AAClD;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;A
ACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA,YAAY;AACZ;AACA;AACA;AACA;AAC
A;AACA;AACA,yBAAyB;AACzB;AACA,GAAG;AACH;AACA,iCAAiC;AACjC;AACA,CAAC;AACD;
AACA;AACA,yBAAyB;AACzB;AACA;AACA;AACA,GAAG;AACH,cAAc,wCAAwC,mBAAmB,iCAAiC,GAA
G,GAAG,GAAG,GAAG,GAAG,GAAG,GAAG,GAAG,wCAAwC,oBAAoB,YAAY,EAAE,EAAE,EAAE,EAAE,
EAAE,GAAG,GAAG;AAC1N;AACA;AACA,yBAAyB;AACzB;AACA;AACA,GAAG;AACH,cAAc,wC
AAwC,oBAAoB,YAAY,EAAE,EAAE,EAAE,EAAE,EAAE,GAAG,GAAG;AACtG;AACA;AACA,yBAA
yB;AACzB;AACA;AACA,GAAG;AACH,cAAc,wCAAwC,oBAAoB,YAAY,EAAE,EAAE,EAAE,EAAE,EAAE,
GAAG,GAAG;AACtG;;AAEA,eAAe;;AAEf;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AAC
A;AACA;;AAEA;AACA;AACA;AACA;AACA,aAAa,2BAA2B,yCAAyC;AACjF;AACA,GAAG;AACH;AACA;;
AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;;AAGA;AACA;AACA;AACA;AAC
A,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;;AAEA;AACA;AA
CA;AACA;;;AAGA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;;AAEA;AACA;;AAEA;AACA;AACA,GAA
G;AACH;AACA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AA
CA;AACA,SAAS;;AAET;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,SAAS;AACT;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA,4DAA4D;AAC5D;AACA;AAC
A;AACA,eAAe;AACf;AACA;AACA;AACA,aAAa;;AAEb;;AAEA;AACA;AACA,aAAa;AACb;AACA;;A
AEA;AACA;AACA,aAAa;AACb;AACA;AACA,OAAO;AACP,KAAK;AACL,GAAG;;AAEH;AACA;;AAEA;A
ACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;;AAEH;
AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA,GAAG;AACH;AACA;;AAEA;;AAEA;AACA;AACA;;AA

EA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA,GAAG;;AAEH;A
AEA;AACA;AACA;AACA;;AAEA;AACA,GAAG;AACH;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA
;;AAEA,iDAAiD,sBAAsB,EAAE,qBAAqB,0BAA0B,uBAAuB,gBAAgB,sBAAsB,4BAA4B,EAAE,2BAA2B,8BA
A8B,EAAE,4BAA4B,sBAAsB,EAAE,4BAA4B,qBAAqB,EAAE,4BAA4B,sBAAsB,EAAE,4BAA4B,oBAAoB,E
AAE,4BAA4B,sBAAsB,EAAE,4BAA4B,qBAAqB,EAAE,4BAA4B,sBAAsB,EAAE,4BAA4B,mBAAmB,EAAE,
4BAA4B,sBAAsB,EAAE,6BAA6B,qBAAqB,EAAE,6BAA6B,sBAAsB,EAAE,6BAA6B,oBAAoB,EAAE,6BAA6
B,sBAAsB,EAAE,6BAA6B,qBAAqB,EAAE,6BAA6B,sBAAsB,EAAE,6BAA6B,iBAAiB,EAAE,6BAA6B,sBAA
sB,EAAE,6BAA6B,qBAAqB,EAAE,6BAA6B,sBAAsB,EAAE,6BAA6B,oBAAoB,EAAE,kCAAkC,yBAAyB,kB
AAkB,EAAE,mCAAmC,wBAAwB,kBAAkB,EAAE,+BAA+B,oBAAoB,EAAE,2BAA2B,iBAAiB,EAAE,2BAA2
B,oBAAoB,EAAE,mCAAmC,cAAc,YAAY,iBAAiB,uBAAuB,aAAa,WAAW,EAAE,gBAAgB,0BAA0B,gBAAgB
,uBAAuB,uBAAuB,4BAA4B,eAAe,EAAE,mCAAmC,8CAA8C,8CAA8C,EAAE,yCAAyC,0BAA0B,uBAAuB,uB
AAuB,EAAE,qBAAqB,cAAc,aAAa,6CAA6C,6CAA6C,4CAA4C,4CAA4C,EAAE,wBAAwB,8BAA8B,uBAAuB,
mCAAmC,mCAAmC,gBAAgB,kBAAkB,mBAAmB,mBAAmB,qBAAqB,qBAAqB,mBAAmB,aAAa,4BAA4B,W
AAW,mCAAmC,mCAAmC,wCAAwC,wCAAwC,EAAE,6BAA6B,cAAc,aAAa,cAAc,mCAAmC,mCAAmC,2CA
A2C,2CAA2C,EAAE,4BAA4B,cAAc,YAAY,gBAAgB,cAAc,mCAAmC,mCAAmC,0CAA0C,0CAA0C,EAAE,0B
AA0B,aAAa,WAAW,mCAAmC,mCAAmC,wCAAwC,wCAAwC,EAAE,yBAAyB,YAAY,gBAAgB,WAAW,mC
AAmC,mCAAmC,uCAAuC,uCAAuC,EAAE,YAAY,yBAAyB,wBAAwB,6BAA6B,EAAE,YAAY,qBAAqB,EAA
E,YAAY,sBAAsB,EAAE,YAAY,mBAAmB,EAAE,YAAY,mBAAmB,EAAE,YAAY,mBAAmB,EAAE,YAAY,m
BAAmB,EAAE,YAAY,mBAAmB,EAAE,YAAY,mBAAmB,EAAE,YAAY,mBAAmB,EAAE,YAAY,mBAAmB,
EAAE,YAAY,mBAAmB,EAAE,aAAa,oBAAoB,EAAE,YAAY,uBAAuB,kBAAkB,EAAE,YAAY,0BAA0B,uBA
AuB,oBAAoB,EAAE,iBAAiB,yBAAyB,EAAE,YAAY,eAAe,uBAAuB,uBAAuB,eAAe,yBAAyB,EAAE,gBAAgB
,8BAA8B,wBAAwB,8BAA8B,EAAE,mBAAmB,gBAAgB,EAAE,oBAAoB,iBAAiB,EAAE,sGAAsG,uBAAuB,E
AAE,2GAA2G,sBAAsB,EAAE,cAAc,kDAAkD,kDAAkD,EAAE,eAAe,oDAAoD,oDAAoD,EAAE,gCAAgC,QA
AQ,sCAAsC,sCAAsC,EAAE,UAAU,wCAAwC,wCAAwC,EAAE,EAAE,wBAAwB,QAAQ,sCAAsC,sCAAsC,EA
AE,UAAU,wCAAwC,wCAAwC,EAAE,EAAE,mBAAmB,6EAA6E,qCAAqC,qCAAqC,EAAE,oBAAoB,6EAA6E
,sCAAsC,sCAAsC,EAAE,oBAAoB,6EAA6E,sCAAsC,sCAAsC,EAAE,yBAAyB,uFAAuF,oCAAoC,oCAAoC,EA
AE,uBAAuB,uFAAuF,oCAAoC,oCAAoC,EAAE,0CAA0C,uFAAuF,qCAAqC,qCAAqC,EAAE,6HAA6H,yBAAy
B,yBAAyB,EAAE,eAAe,0BAA0B,gBAAgB,uBAAuB,iBAAiB,EAAE,iCAAiC,cAAc,YAAY,iBAAiB,uBAAuB,a
AAa,WAAW,EAAE,iCAAiC,gBAAgB,kBAAkB,EAAE,iCAAiC,gBAAgB,iBAAiB,EAAE,iBAAiB,gBAAgB,EA
AE,cAAc,cAAc,2BAA2B,gBAAgB,iBAAiB,qBAAqB,eAAe,uBAAuB,eAAe,EAAE,yDAAyD,eAAe,iBAAiB,cAA
c,sBAAsB,qBAAqB,gBAAgB,EAAE;;AAEn7O;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AA
EA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA,KAAK;AACL;AACA;AACA;A
ACA,GAAG,IAAI;;AAEP;AACA;AACA,GAAG;AACH,0CAA0C,gCAAgC;AAC1E;;AAEA;AACA;AACA;AAC
A;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AA
CA;;AAEA,4EAA4E,aAAa;AACzF;AACA;;AAEA,kEAAkE;;AAElE;AACA,4CAA4C,8BAA8B;AAC1E;AACA;
AACA,OAAO;AACP;AACA,GAAG;AACH;AACA;AACA;AACA,GAAG;AACH;AACA,sFAAsF
,gBAAgB;;AAEtG;AACA;AACA;AACA;;;AAGA;;AAEA;AACA,OAAO;;AAEP;AACA;AACA,GAAG;
AACH;AACA,CAAC;;AAED;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,WAAW,2BAA2B,yC
AAyC;AAC/E;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,OAAO;A
ACP;AACA,GAAG;;AAEH;AACA;AACA;;AAEA;AACA;AACA;AACA,GAAG;;AAEH;AACA;;AAEA;AAC
A;AACA;AACA;;;AAGA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA,mDAAmD,2EAA2E;;AAE9
H;;;AAGA;AACA;AACA,wBAAwB,6CAA6C;AACrE;;AAEA,2CAA2C,WAAW,a
AAa;AACnE;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AA
CA,OAAO;;AAEP;AACA;AACA;AACA;AACA,OAAO,OAAO;AACP,KAAK;AACL;AA
CA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA,wDAAwD;AACxD;AACA,gDAAgD;;;AAGhD;;AAEA;AACA;AACA;;;AAG

A,6BAA6B,eAAe;AAC5C;;AAEA;AACA;AACA;AACA,OAAO;AACP;AACA;AACA;;AAEA;AACA;AACA;A
ACA,4CAA4C,kDAAkD;AAC9F,OAAO;AACP;AACA;AACA,4BAA4B;AAC5B;AACA;AACA;AACA;AACA;
AACA;AACA;AACA,KAAK;AACL,GAAG;AACH,CAAC;;AAED,IAAI,aAAI;AACR;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA,yDAAyD;AACzD;AACA,iDAAiD;;;AAGjD,oBAAoB,iCAAiC;AACrD;;AAEA
;AACA;AACA,4BAA4B;AAC5B;AACA;AACA;AACA;AACA;AACA,KAAK;AACL,GAAG;AACH;;A
AEA;AACA;AACA;AACA;AACA;AACA;AACA,yDAAyD;AACzD;AACA,iDAAiD;;;AAGjD,oBAAoB,
oCAAoC;AACxD;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL,GAAG;AA
CH;;AAEA,IAAI,cAAK;AACT,oBAAoB,gBAAgB;AACpC;;AAEA;;AAEA;AACA;AACA;AACA,OAAO;AACP
,KAAK;;AAEL;AACA;AACA,mBAAmB,yCAAyC;AAC5D;AACA,KAAK;AACL,GAAG;AACH;;AAEA;AACA
;AACA;AACA;AACA;AACA;AACA,QAAQ,aAAI;AACZ;AACA,SAAS,cAAK;AACd;AACA;;A
AEA;AACA;AACA;AACA;;;AAGA,kGAAkG,2BAA2B;AAC7H;;AAEuG;;;;;;;AC14DvG;AACA;AACeC,iGAAf
,E;;;;;;;ACFA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,WAAW,OAA
O;AAClB,aAAa,QAAQ;AACrB;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;;;;;;;;ACxB
A,sBAAsB,mBAAO,CAAC,MAAoB;AAClD,eAAe,mBAAO,CAAC,MAAa;;AAEpC;AACA;AACA;AAC
A,WAAW,SAAS;AACpB,WAAW,SAAS;AACpB,aAAa,SAAS;AACtB;AACA;;AAEA;;;;;;;;ACbA;AACA;AAC
A,gBAAgB,mBAAO,CAAC,MAAe;AACvC,eAAe,mBAAO,CAAC,MAAc;AACrC,sBAAsB,mBAAO,CAAC,MA
AsB;AACpD;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,
KAAK,YAAY,eAAe;AAChC;AACA,KAAK;AACL;AACA;;;;;;;;ACtBa;AACb,8CAA8C,cAAc;AAC5D;AACA;
AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA
;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,kC;;;;;;;AC5BA;AACA;AACA;AACA,WA
AW,OAAO;AAClB,WAAW,OAAO;AAClB,aAAa,QAAQ;AACrB;AACA;AACA;;AAEA;;;;;;;;ACZA,kB
AAkB,mBAAO,CAAC,MAAgB;AAC1C,eAAe,mBAAO,CAAC,MAAa;AACpC,mBAAmB,mBAAO,CAAC,MA
AiB;AAC5C,iBAAiB,mBAAO,CAAC,MAAe;AACxC,cAAc,mBAAO,CAAC,MAAW;;AAEjC;AACA;AAA
CA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA,WAAW,aAAa;AACxB,WAAW,SAAS;AACpB,WAAW,EAAE;AACb,aAAa,EAAE;AACf;AACA;AA
CA;AACA;AACA,IAAI;AACJ;AACA,aAAa,yBAAyB;AACtC;AACA,IAAI,IAAI;AACR,
UAAU,8BAA8B;AACxC;AACA;AACA;;AAEA;AACA;;AAEA;;;;;;;;AClDa;AACb,aAAa,mBAAO,CAA
C,MAAW;AAChC,UAAU,mBAAO,CAAC,MAAQ;AAC1B,UAAU,mBAAO,CAAC,MAAQ;AAC1B,wBAAwB,
mBAAO,CAAC,MAAwB;AACxD,kBAAkB,mBAAO,CAAC,MAAiB;AAC3C,YAAY,mBAAO,CAAC,MAAU;A
AC9B,WAAW,mBAAO,CAAC,MAAgB;AACnC,WAAW,mBAAO,CAAC,MAAgB;AACnC,SAAS,mBAAO,CA
AC,MAAc;AAC/B,YAAY,mBAAO,CAAC,MAAgB;AACpC;AACA;AACA;AACA;AACA,qBAAqB,mB
AAO,CAAC,MAAkB;AAC/C;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,oDAA
oD;AACpD,KAAK;AACL;AACA,oCAAoC,cAAc,OAAO;AACzD,qCAAqC,cAAc,OAAO;AAC1D;AACA;AAC
A,oEAAoE,OAAO;AAC3E;AACA;AACA;AACA,OAAO;AACP;AACA,GAAG;AACH;;AAEA;AACA;A
ACA;AACA;AACA,0CAA0C,0BAA0B,EAAE;AACtE;AACA;AACA,kBAAkB,mBAAO,CAAC,
MAAgB;AAC1C;AACA;AACA;AACA;AACA,2BAA2B,iBAAiB;AAC5C;AACA;AACA;AACA;
AACA;AACA,EAAE,mBAAO,CAAC,MAAa;AACvB;;;;;;;;ACpEA,uC;;;;;;;ACAA,iBAAiB,mBAAO,CAAC,MA
AW;;;;;;;;ACApC,kBAAkB,mBAAO,CAAC,MAAgB,MAAM,mBAAO,CAAC,MAAU;AAClE,+BAA+B,mBAAO
,CAAC,MAAe,gBAAgB,mBAAmB,UAAU,EAAE,EAAE;AACvG,CAAC;;;;;;;;ACFD,kBAAkB,mBAAO,CAAC,
MAAgB;AAC1C,kBAAkB,mBAAO,CAAC,MAAgB;AAC1C,eAAe,mBAAO,CAAC,MAAa;AACpC,qBAAqB,m
BAAO,CAAC,MAAmB;;AAEhD;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,WA
AW,aAAa;AACxB,WAAW,yBAAyB;AACpC;AACA,aAAa,MAAM;AACnB;AACA;AACA,MAAM,8BA
A8B;AACpC,MAAM,8BAA8B;AACpC,MAAM;AACN;AACA;AACA,iCAAiC,eAAe,
EAAE;AAClD;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG
;AACH;AACA;AACA,CAAC;;AAED;;;;;;;;AC/CA,gBAAgB,mBAAO,CAAC,MAAc;AACtC,WAAW,mB
AAO,CAAC,MAAS;;AAE5B;AACA;;AAEA;;;;;;;;ACNA;;AAEA;AACA;AACA,CAAC;;AAED;AACA;A
ACA;AACA,CAAC;AACD;AACA,4CAA4C;;AAE5C;;;;;;;;ACnBA;AACA;AACA;;AAEA;AACA;;;;;;;;ACJa;AACb,uBAAuB,mBAAO,CAAC,MAAuB;AACtD,WAAW,mBAAO,CAAC,MAAc;A

ACjC,gBAAgB,mBAAO,CAAC,MAAc;AACtC,gBAAgB,mBAAO,CAAC,MAAe;;AAEvC;AACA;AACA;AACA
;AACA,iBAAiB,mBAAO,CAAC,MAAgB;AACzC,gCAAgC;AAChC,cAAc;AACd,iBAAiB;AACjB;AACA,CAA
C;AACD;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,CAAC;;AAED;AACA;;AA
EA;AACA;AACA;;;;;;;;;ACjCA,eAAe,mBAAO,CAAC,MAAY;;AAEnC;AACA;AACA;AACA,WAAW,E
AAE;AACb,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;AACA;;AAEA;A
ACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ACxCA,SAAS,mBAAO,CAAC,MAAM;;AAEvB;AACA;AAC
A;AACA,WAAW,MAAM;AACjB,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;ACpBA;AAAA;AAAA;AAAA;AAAA;AAAA;A
AAA;AAAA;AAAA;AAAA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,oBAAoB;;AAEpB;AA
CA;AACA;AACA;AACA,CAAC;;AAED;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;A
ACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,WAAW,YAAoB;AAC/B,GAA
G;AACH;AACA;AACA,CAAC;;AAED;AACA;;AAEA;;AAEA;AACA;AACA,CAAC;AACD;AACA,CAAC;;AA
ED;AACA;AACA;AACA;;AAEA;AACA;AACA,mBAAmB,kBAAkB;AACrC;AACA;AACA;AA
CA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,CAAC;;;;AAID;AACA,iBAAiB,sBAAsB;AACv
C;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;;;;AAIA;AACA;AACA,6CAA6C,gBAAgB;;AAE
7D;AACA,GAAG;AACH;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA,CAAC;;AAED;;AAEA,0BAA0B;;AAAE1B;;AAEA;AACA;AACA;;AA
EA;AACA;AACA;AACA,GAAG;AACH;AACA;;AAEA;AACA;AACA,GAAG;AACH;;AAEA;;AAEA;AACA;
AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA
;AACA;AACA,GAAG;AACH;;AAEA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA
;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,G
AAG;AACH;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;
;AAEA,uCAAuC,QAAQ;AAC/C;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;;AAEA;;AAEA;A
ACA;;AAEA;AACA;;AAEA;AACA;;AAEA,wCAAwC,KAAK;AAC7C;AACA;;AAEA;AACA;;AAEA;AACA;A
ACA;AACA,GAAG;AACH;AACA,KAAK;AACL;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;
AACA,GAAG;AACH;AACA;;AAEA;AACA,wCAAwC,wBAAwB,uBAAuB,sBAAsB,sBAAsB;AACnI;;
AAEA;AACA,qCAAqC;AACrC;AACA,GAAG;AACH;;AAEA;AACA,iCAAiC;AACjC,2DAA2D;AAC3D,GAA
G;AACH;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;A
ACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA,GAAG;AACH;AACA,GAAG;AACH;AACA;;
AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA;;;AAGA,+BAA+B,wEAAwE;;AAEvG;AACA;AACA,2BAA2B;AAC3B;
AACA,KAAK;AACL;AACA;AACA,2BAA2B;AAC3B,gBAAgB,qCAAqC,oCAAoC,gBAAgB,GAAG;A
AC5G;AACA;AACA,2BAA2B;AAC3B;AACA;AACA;AACA;AACA,2BAA2B;AAC3B;A
ACA;AACA,KAAK;AACL;AACA;AACA;AACA,gBAAgB,+BAA+B,aAAa,wBAAwB;AACpF;;
AAEA,uBAAuB,oCAAoC,0FAA0F,cAAc;;AAEnK;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;
AACA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA,iCAAiC,0EAA0E;AAC3G;AACA;AACA,6BAA6B
;AAC7B;AACA;AACA,+BAA+B;AAC/B;AACA;AACA;AACA,iCAAiC;AACjC,SAAS;AACT,OAAO;AACP,K
AAK;AACL,GAAG;AACH;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;
AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,gDAAgD;AAChD;AACA,KAAK;A
ACL;;AAEA;AACA;AACA;AACA;AACA,GAAG;AACH;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;
;AAEA;AACA;AACA;AACA,4BAA4B;AAC5B,KAAK;AACL;AACA,6BAA6B;eAAe,SAAS;AACrD;A
ACA,KAAK;AACL,GAAG;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA,2BAA2B;AAC3B;AACA;A
ACA;AACA;AACA;AACA,KAAK;AACL;;AAEA;AACA;AACA;;AAEA,oCAAoC,4BAA4B,yEAAyE,qBAAqB;
;AAE9J,wBAAwB;AACxB;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;;
AAEA;AACA;;AAEA;AACA;AACA,GAAG;AACH;AACA;;AAEA;AACA;AACA;AACA;AACA;AAC

A;AACA;AACA;AACA;;;AAGA,8BAA8B,6BAA6B,iBAAiB,KAAK;AACjF;AACA,GAAG;;AAEH;AACA;AACA;;AAEA,0BAA0B;;AAE1B;AACA,2CAA2C,0EAA0E;AACrH;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA,cAAc,2BAA2B,mBAAmB,qBAAqB;AACjF;;AAEA;AACA;;AAEA;AACA,+GAA+G;AAC/G;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA,YAAY;;AAEZ;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;AAIA;AACA;AACA;AACA;AACA,YAAY,OAAO;AACnB,YAAY,SAAS;AACrB,YAAY,MAAM;AAClB,YAAY,OAAO;AACnB,YAAY,MAAM;AAClB;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA,QAAQ,YAAY;AACpB;AACA;;AAEA;AACA;;AAEA;AACA;;;AAGA;AACA;;AAEA;AACA;AACA;AACA,2CAA2C;AAC3C;AACA,KAAK,IAAI;AACT;;AAEA;AACA;;AAEA;AACA,GAAG;;AAEH;AACA;;AAEA;;AAEA;AACA;AACA,KAAK;;AAEL;AACA,GAAG;;AAEH;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA,oBAAoB;;AAEpB;AACA,GAAG,IAAI;AACP;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA,8BAA8B;AAC9B;;AAEA;;;AAGA;AACA,UAAU;AACV;;AAEA;AACA;AACA;;AAEA;AACA;AACA,KAAK;AACL;;AAEA;AACA;AACA,KAAK;AACL;ACA;;AAEA;AACA,GAAG;AACH;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,2DAA2D;AAC3D;;;AAGA;AACA;AACA,GAAG;AACH;AACA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;;AAEA;;AAEA;AACA;AACA;AACA,OAAO;AACP;AACA;;AAEA;AACA,KAAK,GAAG,wBAAwB;;AAEhC;;AAEA;AACA;AACA,KAAK;AACL;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA,GAAG;AACH;AACA;;AAEA;AACA;AACA;;AAEA;;AAEA;;AAEA;AACA,KAAK;AACL;AACA;;AAEA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;;;AAGA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA,KAAK;AACL,GAAG;;AAEH;;AAEA;AACA;AACA,GAAG;AACH;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA,wBAAwB;;AAExB;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA,iBAAiB,oBAAoB;;AAErC;AACA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,GAAG;AACH;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA,KAAK;AACL;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG,IAAI;;AAEP;;AAEA;AACA;AACA;AACA,KAAK;AACL;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA,GAAG;AACH;AACA;AACA,KAAK;AACL;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA,YAAY;AACZ;AACA;AACA;AACA;AACA,yBAAyB;AACzB;AACA,GAAG;AACH;AACA,iBAAiB;AACjB;AACA,CAAC;AACD;AACA,yBAAyB;AACzB;AACA;AACA;AACA,cAAc,wBAAwB,mBAAmB,iBAAiB,GAAG,GAAG,GAAG,GAAG,GAAG,GAAG,GAAG,GAAG,wBAAwB,oBAAoB,YAAY,EAAE,EAAE,EAAE,EAAE,EAAE,GAAG,GAAG;AACtL;AACA;AACA,yBAAyB;AACzB;AACA;AACA,cAAc,wBAAwB,oBAAoB,YAAY,EAAE,EAAE,EAAE,EAAE,EAAE,GAAG,GAAG;AACtG;AACA;AACA,yBAAyB;AACzB;AACA;AACA,cAAc,wBAAwB,oBAAoB,YAAY,EAAE,EAAE,EAAE,EAAE,EAAE,GAAG,GAAG;AACtG;;AAEA,eAAe;;AAEf;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,aAAa,2BAA2B,yCAAyC;AACjF;AACA,GAAG;AACH;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;;AAGA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;;;AAGA;ACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;

AACA;AACA;AACA;AACA,GAAG;AACH;;AAEA;AACA;;AAEA;AACA;AACA,GAAG;AACH;AACA;AAC
A;;AAEA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA,SAAS;;AAET;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA,WAAW;AACX;AACA;AACA;AACA,OAAO;AACP,
KAAK;AACL,GAAG;;AAEH;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA,GAAG;AA
CH;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;A
ACA;AACA;;AAEA;AACA,GAAG;;AAEH;;AAEA;AACA;AACA;AACA;;AAEA;AACA,GAAG;AACH;;AAE
A;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA,iDAAiD,sBAAsB,EAAE,qBAAqB,0BAA0B,uBAAuB,g
BAAgB,sBAAsB,4BAA4B,EAAE,2BAA2B,8BAA8B,EAAE,4BAA4B,sBAAsB,EAAE,4BAA4B,qBAAqB,EAAE
,4BAA4B,sBAAsB,EAAE,4BAA4B,oBAAoB,EAAE,4BAA4B,sBAAsB,EAAE,4BAA4B,qBAAqB,EAAE,4BAA
4B,sBAAsB,EAAE,4BAA4B,mBAAmB,EAAE,4BAA4B,sBAAsB,EAAE,6BAA6B,qBAAqB,EAAE,6BAA6B,sB
AAsB,EAAE,6BAA6B,oBAAoB,EAAE,6BAA6B,sBAAsB,EAAE,6BAA6B,qBAAqB,EAAE,6BAA6B,sBAAsB,
EAAE,6BAA6B,iBAAiB,EAAE,6BAA6B,sBAAsB,EAAE,6BAA6B,qBAAqB,EAAE,6BAA6B,sBAAsB,EAAE,6
BAA6B,oBAAoB,EAAE,kCAAkC,yBAAyB,kBAAkB,EAAE,mCAAmC,wBAAwB,kBAAkB,EAAE,+BAA+B,oB
AAoB,EAAE,2BAA2B,iBAAiB,EAAE,2BAA2B,oBAAoB,EAAE,mCAAmC,cAAc,YAAY,iBAAiB,uBAAuB,aA
Aa,WAAW,EAAE,gBAAgB,0BAA0B,gBAAgB,uBAAuB,uBAAuB,4BAA4B,eAAe,EAAE,mCAAmC,8CAA8C,8
CAA8C,EAAE,yCAAyC,0BAA0B,uBAAuB,uBAAuB,EAAE,qBAAqB,cAAc,aAAa,6CAA6C,6CAA6C,4CAA4C,
4CAA4C,EAAE,wBAAwB,8BAA8B,uBAAuB,mCAAmC,mCAAmC,gBAAgB,kBAAkB,mBAAmB,mBAAmB,q
BAAqB,qBAAqB,mBAAmB,aAAa,4BAA4B,WAAW,mCAAmC,mCAAmC,wCAAwC,wCAAwC,EAAE,6BAA6
B,cAAc,aAAa,cAAc,mCAAmC,mCAAmC,2CAA2C,2CAA2C,EAAE,4BAA4B,cAAc,YAAY,gBAAgB,cAAc,mC
AAmC,mCAAmC,0CAA0C,0CAA0C,EAAE,0BAA0B,aAAa,WAAW,mCAAmC,mCAAmC,wCAAwC,wCAAwC
,EAAE,yBAAyB,YAAY,gBAAgB,WAAW,mCAAmC,mCAAmC,uCAAuC,uCAAuC,EAAE,YAAY,yBAAyB,wB
AAwB,6BAA6B,EAAE,YAAY,qBAAqB,EAAE,YAAY,sBAAsB,EAAE,YAAY,mBAAmB,EAAE,YAAY,mBAA
mB,EAAE,YAAY,mBAAmB,EAAE,YAAY,mBAAmB,EAAE,YAAY,mBAAmB,EAAE,YAAY,mBAAmB,EAA
E,YAAY,mBAAmB,EAAE,YAAY,mBAAmB,EAAE,YAAY,mBAAmB,EAAE,aAAa,oBAAoB,EAAE,YAAY,uB
AAuB,kBAAkB,EAAE,YAAY,0BAA0B,uBAAuB,oBAAoB,EAAE,iBAAiB,yBAAyB,EAAE,YAAY,eAAe,uBA
AuB,uBAAuB,eAAe,yBAAyB,EAAE,gBAAgB,8BAA8B,wBAAwB,8BAA8B,EAAE,mBAAmB,gBAAgB,EAAE,
oBAAoB,iBAAiB,EAAE,sGAAsG,uBAAuB,EAAE,2GAA2G,sBAAsB,EAAE,cAAc,kDAAkD,kDAAkD,EAAE,e
AAe,oDAAoD,oDAAoD,EAAE,gCAAgC,QAAQ,sCAAsC,sCAAsC,EAAE,UAAU,wCAAwC,wCAAwC,EAAE,E
AAE,wBAAwB,QAAQ,sCAAsC,sCAAsC,EAAE,UAAU,wCAAwC,wCAAwC,EAAE,EAAE,mBAAmB,6EAA6E
,qCAAqC,qCAAqC,EAAE,oBAAoB,6EAA6E,sCAAsC,sCAAsC,EAAE,oBAAoB,6EAA6E,sCAAsC,sCAAsC,EA
AE,yBAAyB,uFAAuF,oCAAoC,oCAAoC,EAAE,uBAAuB,uFAAuF,oCAAoC,oCAAoC,EAAE,0CAA0C,uFAAuF
,qCAAqC,qCAAqC,EAAE,6HAA6H,yBAAyB,yBAAyB,EAAE,eAAe,0BAA0B,gBAAgB,uBAAuB,eAAe,EAAE,i
CAAiC,cAAc,YAAY,iBAAiB,uBAAuB,aAAa,WAAW,EAAE,iCAAiC,gBAAgB,eAAe,EAAE,iCAAiC,gBAAgB,
eAAe,EAAE,iBAAiB,gBAAgB,EAAE,cAAc,cAAc,2BAA2B,gBAAgB,iBAAiB,qBAAqB,eAAe,uBAAuB,eAAe,E
AAE,yDAAyD,eAAe,iBAAiB,cAAc,sBAAsB,qBAAqB,gBAAgB,EAAE;;AAE56O;AACA;AACA;AACA;AACA;
AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AAC
A,KAAK;AACL;AACA;AACA;AACA,GAAG,IAAI;;AAEP;AACA;AACA,GAAG;AACH,0CAA0C,gCAAgC;A
AC1E;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA
;AACA;;AAEA;AACA;AACA;AACA;;AAEA,4EAA4E,aAAa;;AACzF;AACA;;AAEA,kEAAkE;;AAElE;AACA,4
CAA4C,8BAA8B;AAC1E;AACA,OAAO;;AAEP;AACA,GAAG;AACH;AACA;AACA;AACA;AACA,GAAG;AA
CH;AACA;AACA,sFAAsF,gBAAgB;;AAEtG;AACA;AACA;AACA;;;AAGA;;AAEA;AACA,OAAO;;AA
EP;AACA;AACA,GAAG;AACH;AACA,CAAC;;AAED;AACA;AACA;;AAEA;AACA;AACA;AACA;A
ACA,WAAW,2BAA2B,yCAAyC;AAC/E;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;
AAEA;AACA;;AAEA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA,OAAO;AACP;AACA
,GAAG;;AAEH;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;;AAEA;AACA;AA
CA;AACA;;;AAGA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA,mDAAmD,2EAA2E;;AAE9H;;;AAGA;AAC

A,wBAAwB,6CAA6C;AACrE;;AAEA,2CAA2C,WAAW,aAAa;AACnE;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA,oEAAoE;;;AAGpE;AACA;AACA;;AAEA;AACA;AACA,GAAG;;AAEH;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,wDAAwD;AACxD;AACA,gDAAgD;;;AAGhD;;AAEA;AACA;AACA;;;AAGA,6BAA6B,eAAe;AAC5C;;AAEA;AACA;AACA;AACA,OAAO;AACP;AACA;AACA;;AAEA;AACA;AACA;AACA,4CAA4C,kDAAkD;AAC9F,OAAO;AACP;AACA;AACA,4BAA4B;AAC5B;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL,GAAG;AACH,CAAC;;AAED;AACA;AACA;AACA;AACA;AACA;AACA;AACA,yDAAyD;AACzD;AACA,iDAAiD;;;AAGjD,oBAAoB,iCAAiC;AACrD;;AAEA;AACA;AACA,4BAA4B;AAC5B;AACA;AACA;AACA,KAAK;AACL,GAAG;AACH;;AAEA;AACA,oBAAoB,gBAAgB;AACpC;;AAEA;;AAEA;AACA;AACA;AACA,OAAO;AACP,KAAK;;AAEL;AACA;AACA,mBAAmB,2CAA2C;AAC9D;AACA,KAAK;AACL;AACA,GAAG;AACH;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA,0DAA0D;AAC1D,iBAAiB;AACjB;AAC3E;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,SAAS;AACT;AACA,KAAK;AACL;;AAEA,+BAA+B;;AAE/B;AACA,4CAA4C,gCAC4B;;AAE5E;AACA;AACA,KAAK;;AAEL;AACA;;AAEA;;AAEA;AACA;AACA,GAAG;AACH;;AAEA;AACA;AACA,GAAG;;AAEH;AACA;AACA,CAAC;;AAED;AAEA;;AAEsF;AACvE,oEAAK,
EAAC;;;;;;;;AC5wDrB,eAAe,mBAAO,CAAC,MAAc;AACrC;AACA;AACA;;;;;;;;ACJA;AACA;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,EAAE;AACf;AACA,iBAAiB;AACjB;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ACpBA,UAAU,mBAAO,CAAC,MAAQ;AAC1B,gBAAgB,mBAAO,CAAC,MAAe;AACvC,mBAAmB,mBAAO,CAAC,MAAmB;AAC9C,eAAe,mBAAO,CAAC,MAAe;;AAEtC;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;;;;;;;AChBA,aAAa,mBAAO,CAAC,MAAAW;AACrB,iBAAiB,mBAAO,CAAC,MAAAW;AACpC,cAAc,mBAAO,CAAC,MAAAY;;AAEnC;AACA;AACA;AACA;AACA;AACA,WAAW,EAAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ACpBA,gBAAgB,mBAAAO;AAChB;AACA;AACA,KAAK;;;;;;;;ACHL;AACA;AACA;AACA;AACA;AACA,WAAW,
MAAM;AACjB,WAAW,SAAS;AACpB,aAAa,MAAM;AACnB;AACA;AACA;;AAEA;AACA,oBAAoB,gBAAgB;AACpC;;;;;;;;ACpBA,cAAc,mBAAO,CAAC,MAAc;AACpC;AACA;AACA;;;;;;;;ACJA,cAAc,mBAAO,CAAC,MAAa,UAAU;;;;;;;;ACA7C,eAAe,mBAAO,CAAC,MAAa;AACpC,kBAAkB,mBAAO,CAAC,MAAgB;AAC1C,cAAc,mBAAO,CAAC,MAAY;;;;;;;AAEjC;AACA;AACA;AACA,WAAW,MAAM;AACjB,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;;;;;;;;ACbA,eAAe,mBAAO,CAAC,MAAa;AACpC,mBAAmB,mBAAO,CAAC,MAAiB;AAC5C,cAAc,mBAAO,CAAC,MAAY;;AAElC;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAC

A;AACA;AACA,WAAW,aAAa;AACxB,WAAW,SAAS;AACpB,aAAa,MAAM;AACnB;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA,UAAU,iBAAiB;AAC3B;AACA;AACA;AACA,MAAM,mBAAmB;A
ACzB,MAAM;AACN;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;;ACpDA;
AAAA;AAAA;AAAqhB,CAAgB,2jBAAG,EAAC,C;;;;;;;;ACAziB;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA,gCAAgC,QAAQ;AACxC;AACA;AACA;AACA,KAAK;AACL;AA
CA;AACA,KAAK;AACL;AACA;AACA;;AAEA;AACA;AACA,UAAU,MAAM;AAChB;AACA;AACA;;
AAEA;AACA;;AAEA;AACA;AACA;AACA,6BAA6B,IAAI;AACjC;AACA;AACA;;AAEA;AACA;AACA;AAC
A;AACA;;AAEA,oCAAoC,8BAA8B;AAClE;;AAEA;AACA;AACA;AACA,KAAK;AACL;AACA;;AAEA;AAC
A;AACA;;AAEA;AACA;AACA;AACA,GAAG;;AAEH;AACA;;AAEA;AACA;AACA;AACA;A
ACA;;AAEA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA
;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;;;AA
GA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,UAAU,oBAAoB;AAC9B;AACA;;AAEA;AACA,UAA
U,UAAU;AACpB;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA,iBAAiB,YAAY;AAC7B;
AACA;AACA;AACA;;AAEA;AACA,+BAA+B,sBAAsB;AACrD;AACA;;AAEA;;AAEA;AACA;;AAEA;
AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AAC
A;;;AAGA;AACA;AACA;AACA;AACA;AACA;AACA;;;AAGA;AACA;AACA;;AAEA;AACA;AACA;A
ACA,mBAAmB,eAAe;AAClC;AACA;AACA;;AAEA;AACA;AACA,kCAAkC;AAClC;AACA;A
ACA;AACA;;;;;;;;;;AC/NA;AACA;AACA;;;;;;;;ACHA,gBAAgB,mBAAO,CAAC,MAAc;AACtC,iBAAiB,
mBAAO,CAAC,MAAe;AACxC,cAAc,mBAAO,CAAC,MAAY;AAClC,cAAc,mBAAO,CAAC,MAAY;AAClC,c
AAc,mBAAO,CAAC,MAAY;;AAElC;AACA;AACA;AACA;AACA,WAAW,MAAM;AACjB;AACA;AA
CA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;;;;
;;;;AC/BA,eAAe,mBAAO,CAAC,MAAa;AACpC,kBAAkB,mBAAO,CAAC,MAAe;AACzC,cAAc,mBAAO,CAA
C,MAAW;AACjC,cAAc,mBAAO,CAAC,MAAY;AAClC,eAAe,mBAAO,CAAC,MAAY;AACnC,YAAY,mBAA
O,CAAC,MAAU;;AAE9B;AACA;AACA;AACA,WAAW,OAAO;AAClB,WAAW,aAAa;AACxB,WAAW,WAAW
,SAAS;AACpB,aAAa,QAAQ;AACrB;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ACtCA,cAAc,mBAAO,CAA
C,MAAW;AACjC,YAAY,mBAAO,CAAC,MAAU;AAC9B,mBAAmB,mBAAO,CAAC,MAAiB;AAC5C,eAAe,m
BAAO,CAAC,MAAY;;AAEnC;AACA;AACA;AACA,WAAW,EAAE;AACb,WAAW,OAAO;AAClB;AACA;AAClB;aA
Aa,MAAM;AACnB;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ACpBA,eAAe,mBAAO,CAAC,M
AAa;;AAEpC;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,SAAS;AACpB,WAAW
,SAAS;AACpB,aAAa,SAAS;AACt
B;AACA;iBAAiB;AACjB,gBAAgB;AAChB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAE
A;AACA;;AAEA;;;;;;;;ACxEa;AACb,8CAA8C,cAAc;AAC5D;AACA;AACA;AACA;AACA;;AA
EA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;A
ACA;AACA,kC;;;;;;;;AC5BA,cAAc,mBAAO,CAAC,MAAY;;AAElC;AACA;AACA;AACA,WAA
W,aAAa;AACxB,aAAa,SAAS;AACtB;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;ACfa;;AAEb;AACA;;;;
;;;;;;;;ACHA;AACA;;AAEA;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,QAAQ;AACrB;AACA;
AACA;;AAEA;AACA;;AAEA;;;;;;;;ACjBA;AACA,eAAe,mBAAO,CAAC,MAAc;AACrC,gBAAgB,mBA
AO,CAAC,MAAe;AACvC,cAAc,mBAAO,CAAC,MAAQ;AAC9B;AACA;AACA;AACA;;;;;;;;ACRA,oB
AAoB,mBAAO,CAAC,MAAkB;AAC9C,eAAe,mBAAO,CAAC,MAAa;AACpC,kBAAkB,mBAAO,CAAC,MAA
e;;AAEzC;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,OAAO;AAC
lB,aAAa,QAAQ;AACrB;AACA;;;;;;;;;ACpBA;AACA;AACA;;;;;;;;ACTA;AACA;AACA;AACA,WAAW,OAAO;
AAClB,aAAa,QAAQ;AACrB;AACA;AACA;AACA,GAAG;AACH;AACA;;AAEA;;;;;;;;;ACjBa;AACb,8CAA8C,cAAc;A

AC5D;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,kC;;;;;;;;AC5BA;AACA;AACA;AAC
A;AACA,WAAW,OAAO;AAClB,aAAa,SAAS;AACtB;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ACbA,
gBAAgB,mBAAO,CAAC,MAAc;;AAEtC;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA;;AAEA;;;;;;;;;;ACdA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;A
ACA,eAAe,kCAAkC;AACjD;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA
;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA,OAAO;AACP;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,aAAa,SAA
S;AACtB,YAAY;AACZ;AACA;;AAEA;AACA;AACA;AACA;AACA,cAAc,IAAI;AAClB,aAAa,QAAQ;AACrB;
AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,cAAc,OAAO;AACrB,cAAc,OAAO;AACrB;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,cAAc,
QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA
;AACA,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;
AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAE
A;AACA;;AAEA;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,aAAa,QAAQ;AACrB;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,aA
Aa,QAAQ;AACrB;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;;
AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AAC
A;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AAC
A;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,cAAc,QAAQ;AACt
B,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AA
CA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA,
GAAG;AACH;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,cAAc,OAAO;AACrB,
aAAa,OAAO;AACpB;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAE
A;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,WAAW,YAAY;AACvB,WAAW,QAAQ;AACnB,YAA
Y,OAAO;AACnB;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;A
ACA;AACA;AACA,WAAW,oBAAoB;AAC/B;AACA,WAAW,OAAO;AAClB,YAAY,OAAO;AACnB;;A
AEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;
AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,mBAAmB,kBAAkB;AACrC;AACA;
AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,CAAC;;;;;;;AAMD;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL,GAAG;AACH;AACA;;AAEA;AACA;;AAEA;AACA,iB
AAiB,sBAAsB;AACvC;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AA
CA;AACA,cAAc,OAAO;AACrB,aAAa,OAAO;AACpB;AACA;AACA,oBAAoB;AACpB;AACA;AACA,GAAG;
AACH;;AAEA;AACA;AACA;AACA;AACA,WAAW,YAAY;AACvB,YAAY,OAAO;AACnB;AACA;;AA
EA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;A
ACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;
;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AAC
A;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA,GAAG;AACH;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;A
ACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;
;AAEA;AACA
;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AA
CA;AACA;AACA,cAAc,QAAQ;AACtB,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA;AAC
A;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,aAA
a,QAAQ;AACrB;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AA
CA;AACA;AACA,WAAW,YAAY;AACvB,WAAW,YAAY;AACvB,WAAW,OAAO;AAClB,WAAW,YA
AY;AACvB,WAAW,QAAQ;AACnB,aAAa,OAAO;AACpB;AACA;AACA;;AAEA;;AAEA,oBAAoB;AACpB;;A
AEA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;A

ACA,KAAK;AACL;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,
KAAK;AACL;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAE
A;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,cAAc,OAAO;AACrB,cAAc,OAA
O;AACrB,aAAa,OAAO;AACpB;AACA;AACA;;AAEA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;A
ACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;A
ACA;AACA;;AAEA;AACA;AACA;AACA,KAAK;AACL;AACA,KAAK;AACL,GAAG;AACH;AACA,GAAG;;
AAEH;AACA;AACA;AACA;AACA,GAAG;;AAEH;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AAC
A,WAAW,OAAO;AAClB,WAAW,QAAQ;AACnB,WAAW,QAAQ;AACnB,WAAW,QAAQ;AACnB,aAAa,OAA
O;AACpB;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,aA
Aa,OAAO;AACpB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;A
ACA;AACA;AACA;AACA,cAAc,OAAO;AACrB,aAAa,OAAO;AACpB;AACA;AACA,cAAc;AACd;AACA;AA
CA,GAAG;AACH;;AAEA;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,WAAW,YAAY;AACvB,WAA
W,OAAO;AAClB,WAAW,OAAO;AAClB,aAAa,OAAO;AACpB;AACA;AACA;;AAEA;AACA;;AAEA;AACA;
AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,GAAG;AAC
H;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA,cAAc,MAAM;AACpB;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,cAAc,MAAM;A
ACpB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;;AAEA;AACA;AACA;
AACA,GAAG;AACH;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,WAAW,WAAW;AACtB,WAAW,M
AAM;AACjB,WAAW,OAAO;AAClB,aAAa;AACb;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,
iDAAiD;AACjD;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,GAAG;;AAEH;AACA;;AAEA;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,cAAc;AA
Cd,mBAAmB;AACnB,kBAAkB;AAClB;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;A
ACA;;AAEA;;AAEA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,GAAG;AAC
H;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,aAAa;AACb;AACA;AACA;AACA;AACA;AACA;AAC
A,GAAG;AACH;;AAEA;AACA;AACA;AACA;AACA,cAAc,OAAO;AACrB,aAAa,OAAO;AACpB;AACA;AAC
A;AACA;;AAEA,iBAAiB,qBAAqB;AACtC;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;
AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA
;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,cAAc,QAAQ;AACt
B,aAAa;AACb;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,4CAA4C,gBAAgB;;AAAE5D;AACA;
AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,sEAAsE,gBA
AgB;;AAAEtF;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AAC
A;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,WAAW,E
AAE;AACb,YAAY;AACZ;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,cA
Ac,OAAO;AACrB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;;A
AEA;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,cAAc,OAAO;AACrB;AACA;AACA;AACA;A
ACA;AACA;AACA,KAAK;AACL;AACA;AACA,GAAG;AACH;;AAEA;AACA;AACA;AACA,cAAc,OAAO;A
ACrB,cAAc,OAAO;AACrB,cAAc,OAAO;AACrB,cAAc,OAAO;AACrB,aAAa,OAAO;AACpB;AACA;AACA;A
ACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA
;AACA;AACA;AACA;AACA,WAAW,YAAY;AACvB,WAAW,YAAY;AACvB,WAAW,OAAO;AAClB;
AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA,qBAAqB,yDAAyD;;AAAE9E;
AACA;;AAEA;AACA;AACA;AACA,cAAc,OAAO;AACrB,cAAc,OAAO;AACrB,aAAa,OAAO;AACpB;AACA;
AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;;AAEA;AACA;;AAE
A;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AA
EA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;A
ACA;AACA,KAAK;AACL;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA,G

AAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA,+BAA+
B;AAC/B,2BAA2B;AAC3B,gCAAgC;;AAEhC;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,WAAW,M
AAM;AACjB,WAAW,OAAO;AAClB,WAAW,OAAO;AAClB,aAAa;AACb;AACA;AACA;AACA;AACA;AAC
A,GAAG;;AAEH;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AA
CA;AACA,cAAc,OAAO;AACrB,cAAc,OAAO;AACrB,aAAa,OAAO;AACpB;AACA;AACA;;AAEA;AACA;AA
CA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;A
ACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;
;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AAC
A;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA,gDAAgD;;AAEhD;AACA;;AAE
A;AACA;AACA;AACA;AACA,cAAc,OAAO;AACrB,aAAa,OAAO;AACpB;AACA;AACA;AACA,GAA
G;AACH;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA,UAAU;AACV,UAAU;AACV;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;A
ACA;AACA;AACA,cAAc,OAAO;AACrB,cAAc,QAAQ;AACtB,aAAa,MAAM;AACnB;AACA;AACA;;AAEA;A
ACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,cAAc,OAAO;AACrB,c
AAc,OAAO;AACrB,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;
AAEA;;AAEA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;A
AEA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA
;AACA;AACA;;AAEA;;AAEA;AACA;AACA,uCAAuC;;AAEvC;AACA;AACA,GAAG;AACH;AACA;;AAEA;
AACA;AACA;AACA,cAAc,OAAO;AACrB,cAAc,OAAO;AACrB,aAAa,OAAO;AACpB;AACA;AACA;
AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AAC
A;;AAEA;AACA;AACA;AACA,cAAc;AACd;AACA,cAAc,OAAO;AACrB,cAAc,OAAO;AACrB,cAAc,OAAO;
AACrB,cAAc,OAAO;AACrB,aAAa;AACb;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;
AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AAC
A,GAAG;AACH;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,GAAG;AACH;AACA;AAC
A;AACA;AACA;;AAEA;AACA;AACA;AACA,cAAc;AACd;AACA,cAAc,OAAO;AACrB,cAAc,OAAO;AACrB,
cAAc,OAAO;AACrB,cAAc,OAAO;AACrB,aAAa,MAAM;AACnB;AACA;AACA;;AAEA;AACA;AACA;AACA;
;AAEA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AAC
A;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA,OAAO;AACP;AACA;AACA;AACA,OAAO;AACP;AACA;AACA,KAAK;AACL;AA
CA;AACA;AACA,KAAK;AACL,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL,GA
AG;AACH;AACA;;AAEA;AACA;AACA;AACA,cAAc,OAAO;AACrB,cAAc,OAAO;AACrB,cAAc,cAAc;AAC5
B;AACA,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AA
CA,GAAG;AACH;AACA;;AAEA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA,GAAG;AACH;AACA;A
ACA,GAAG;AACH;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA,cAAc,OAAO;AACrB,c
AAc,OAAO;AACrB,aAAa,OAAO;AACpB;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;
AACA;AACA;AACA,gDAAgD;AAChD;AACA;AACA;;AAEA;AACA;AACA;;AAEA;;AAEA;AACA;A
ACA;AACA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,8BAA8B;AAC
9B,KAAK;AACL;AACA;AACA;AACA;AACA;AACA,8BAA8B;AAC9B;AACA;;AAEA;AACA;AACA,
wBAAwB;AACxB,GAAG;;AAEH;;AAEA;AACA;;AAEA;AACA;AACA;AACA,cAAc,OAAO;AACrB,cAAc,OA
AO;AACrB,aAAa,OAAO;AACpB;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;A
ACA;AACA;;AAEA;AACA,8BAA8B;AAC9B,4BAA4B;AAC5B;;AAEA,qCAAqC;AACrC;;AAEA;AACA;;AAE
A;AACA;AACA;AACA,cAAc,OAAO;AACrB,cAAc,OAAO;AACrB,aAAa,OAAO;AACpB;AACA;AAC
A;AACA;;AAEA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,GA
AG;AACH;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA,cAAc,O
AAO;AACrB,cAAc,OAAO;AACrB,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;AACA;;AAEA;;
AAEA;;AAEA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,cAAc

,WAAW;AACzB,cAAc,OAAO;AACrB,aAAa,WAAW;AACxB;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,eAAe,OAAO;AACtB;AACA,eAAe,QAAQ;AACvB;AACA,eAAe,WAAW;AAC1B;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,eAAe,OAAO;AACtB;AACA,eAAe,QAAQ;AACvB;AACA,eAAe,WAAW;AAC1B;AACA,eAAe,cAAc;AAC7B;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,eAAe,OAAO;AACtB;AACA,eAAe,QAAQ;AACvB;AACA,eAAe,WAAW;AAC1B;AACA;AACA,cAAc,MAAM;AACpB;AACA;AACA;AACA;AACA,cAAc,OAAO;AACrB;AACA;AACA;AACA;AACA,cAAc,mBAAmB;AACjC;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,eAAe,OAAO;AACtB;AACA,eAAe,QAAQ;AACvB;AACA,eAAe,WAAW;AAC1B;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,eAAe,OAAO;AACtB;AACA,eAAe,QAAQ;AACvB;AACA,eAAe,WAAW;AAC1B;AACA,eAAe,mBAAmB;AAClC;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,eAAe,OAAO;AACtB;AACA,eAAe,QAAQ;AACvB;AACA,eAAe,WAAW;AAC1B;AACA;AACA,cAAc,aAAa;AAC3B;AACA;AACA;AACA;AACA;AACA,cAAc,OAAO;AACrB;AACA;AACA;AACA,cAAc,mBAAmB;AACjC;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;AACA,eAAe,OAAO;AACtB;AACA,eAAe,QAAQ;AACvB;AACA,eAAe,WAAW;AAC1B;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,eAAe,OAAO;AACtB;AACA,eAAe,QAAQ;AACvB;AACA,eAAe,WAAW;AAC1B;AACA,GAAG;;AAEH;AACA;AACA;AAC A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,eAAe,OAAO;AACtB;AACA,eAAe,QAAQ;AACvB;AACA,eAAe,WAAW;AAC1B;AACA;AACA,cAAc,QAAQ;AACtB;AACA;AACA;AACA;AACA,cAAc,OAAO;AACrB;AACA;AACA;AACA;AACA,cAAc,OAAO;AACrB;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,eAAe,OAAO;AACtB;AACA,eAAe,QAAQ;AACvB;AACA,eAAe,WAAW;AAC1B;AACA,eAAe,SAAS;AACxB;AACA;AACA;AACA,cAAc,QAAQ;AACtB;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,cAAc,OAAO;AACrB,cAAc,OAAO;AACrB,cAAc,QAAQ;AACtB,cAAc,QAAQ;AACtB,cAAc,YAAY;AAC1B,cAAc,OAAO;AACrB,cAAc,OAAO;AACrB,cAAc,OAAO;AACrB,cAAc,OAAO;AACrB,cAAc,OAAO;AACrB,cAAc,OAAO;AACrB;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,yBAAyB;AACzB;AACA,IAAI;AACJ;AACA,UAAU;AACV;AACA;AACA;AACA;AACA;AACA,YAAY,kBAAkB;AAC9B;AACA;;AAEA;AACA;AACA,YAAY,QAAQ;AACpB;AACA;;AAEA;AACA;AACA,YAAY,QAAQ;AACpB;AACA;;AAEA;AACA;AACA,YAAY,QAAQ;AACpB;AACA;;AAEA;AACA;AACA,YAAY;AACZ;AACA,kCAAkC;;AAElC;AACA;AACA;AACA;AACA;AACA,YAAY;AACZ;AACA,kCAAkC;;AAElC;AACA;AACA;AACA,YAAY;AACZ;AACA;;AAEA;AACA;AACA,WAAW,WAAW;AACtB;;AAEA;AACA;AACA,WAAW,WAAW;AACtB;;AAEA;AACA;AACA;AACA,aAAa,4BAA4B;AACzC,aAAa,YAAY;AACzB,aAAa,OAAO;AACpB,cAAc,OAAO;AACrB;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,cAAc;AACd;8BAAA,8BAA8B;;AAE9B;AACA;AACA;AACA,2BAA2B;AAC3B,iDAAiD;AACjD,uCAAuC;AACvC,kDAAkD;AAClD,IAAI,KAAK;;AAEL;AACA;AACA;AACA,OAAO;AACP,KAAK;AACL;AACA;AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA,KAAK;;AAEL;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,cAAc;AACd;AACA;AACA;;AAEA,GAAG;AACH;AACA,CAAC;;AAED;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,cAAc,SAAS;AACvB;AACA,cAAc,OAAO;AACrB;AACA,cAAc,O

AAO;AACrB;AACA;;;AAGA;AACA;AACA;;AAEe,+DAAM,EAAC;AACtB;;;;;;;;;AACr+Ea;;AAEb,cAAc,mBAA

O,CAAC,MAAY;;AAElC;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,E
AAE;AACF;AACA;;;;;;;;;ACnBA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;A
ACA,WAAW,SAAS;AACpB,aAAa,SAAS;AACtB;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;
AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ACpCA,eAAe,mBAAO,
CAAC,MAAY;;AAEnC;AACA;;AAEA;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,cAAc;AAC3
B;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;ACpBa;;AAEb,oBAAoB,mBAAO,CAAC,M
AAuB;AACnD,oBAAoB,mBAAO,CAAC,MAAkC;AAC9D,oBAAoB,mBAAO,CAAC,MAA4B;AACxD,oBAAo
B,mBAAO,CAAC,MAA2B;;AAEvD;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,EAAE;AACF;AACA;
AACA;AACA;AACA;AACA,EAAE;AACF;AACA;AACA;AACA;;AAEA,SAAS;AACT;AACA;;AAEA;AACA;
AACA;AACA;AACA;AACA;AACA,EAAE;AACF;AACA;AACA;AACA;AACA,EAAE;AACF;AACA;A
ACA,EAAE;AACF;AACA,EAAE;AACF;AACA;AACA;AACA;AACA;AACA,EAAE;AACF;AACA;AA
CA;;AAEA,SAAS;AACT;AACA;;;;;;;;AC9DA;AACA;AACA;AACA,GAAG;AACH;;;;;;;;ACJA,cAAc,mBAAO,
CAAC,MAAW;AACjC,eAAe,mBAAO,CAAC,MAAY;;AAEnC;AACA;AACA;;AAEA;AACA;AACA;AACA;A
ACA,WAAW,EAAE;AACb,WAAW,OAAO;AAClB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;;AC5Ba;;AAEb,YAAY,mBAAO,CAAC,MAAS
;AAC7B,YAAY,mBAAO,CAAC,MAAgB;AACpC;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;
AACH;AACA;AACA;AACA,YAAY,YAAY;AACxB;AACA;AACA;AACA;AACA;;;;;;;;;;ACtBA;AACA,c
AAc,mBAAO,CAAC,MAAW;;AAEjC,0CAA0C,SAAS,mBAAO,CAAC,MAAkB,GAAG;;;;;;;;;;ACHnE;;AAEb;;A
AEA;AACA;AACA;;;;;;;;;;ACNa;;AAEb,iBAAiB,mBAAO,CAAC,MAAkB;AAC3C;AACA,GAAG,mBAAO,CAA
C,MAAQ;;;;;;;;;ACJnB,mBAAmB,mBAAO,CAAC,MAAiB;AAC5C,uBAAuB,mBAAO,CAAC,MAAqB;AACpD,
YAAY,mBAAO,CAAC,MAAU;AAC9B,YAAY,mBAAO,CAAC,MAAU;;AAE9B;AACA;AACA;AACA;AACA;
AACA;AACA,WAAW,aAAa;AACxB,aAAa,SAAS;AACtB;AACA;AACA;AACA,MAAM,OAAO,SAAS,
EAAE;AACxB,MAAM,OAAO,SAAS;AACtB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;;AAEA;;;;;;;;AC/BA,eAAe,mBAAO,CAAC,MAAW;AAClC;;;;;;;;;;;;;;;;;;;;;;;;;;ACDA;;AAEA;AACA,M
AAM,eAAC;AACP,OAAO,eAAC,sCAAsC,eAAC,GAAG,eAAC;AACnD,IAAI,qBAAuB,GAAG,eAAC;AAC/B;
AACA;;AAEA;AACe,sDAAI;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;ACVnB;AACA;AACA;AACA;AACA;;AAEA;AAC
A;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA,IA
AI,qBAAAQ;AACZ;AACA,SAAS,qBAAAQ;AACjB;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;
AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;
AACA;AACA;AACA;;AAEA,UAAU;AACV;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AAC
A;AACA;AACA;;AAEA,IAAI,2BAAAc;AAClB;AACA,SAAS,2BAAAc;AACvB;;AAEA;AACA;;AAEA;AACA,iB
AAiB,sBAAAsB;AACvC;AACA;AACA;AACA;AACA;AACA;AACA,WAAW;AACX;AACA;AACA;AA
CA;AACA;AACA;AACA;;AAEA;AACA,gBAAgB;AAChB;AACA;AACA;AACA;AACA;AACA
;AACA;AACA;AACA,SAAS;AACT,OAAO;AACP;AACA;AACA;AACA,SAAS;AACT,OAAO;AACP;A
ACA;AACA,KAAK;AACL;AACA;AACA;AACA,GAAG;AACH;AACA,GAAG;AACH;AACA;;
AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA,4BAA4B;AAC5B,KAAK;AACL;;A
AEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;
AACA;;AAEA;;AAEA;AACA;AACA;AACA,uDAAuD;;AAEvD;AACA;AACA;AACA;AACA;AACA;AACA;AACA,
aAAa;AACb;AACA;AACA,aAAa;AACb,WAAW;AACX,gBAAgB,KAAqC,EAAE,EAE1C;AACb;AACA;A
ACA;AACA;AACA;AACA,OAAO;AACP;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA
;AACA;AACA;AACA;AACA,aAAa;AACb,WAAW;AACX,gBAAgB,KAAqC,EAAE,EAE1C;AACb;AA
CA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,OAAO;AACP,YAAY,KAAqC,EAAE,EAE1C;
AACT;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA,
GAAG;;AAEH;AACA,sBAAAsB;;AAEtB;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;A
ACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,GAAG;AACH;
AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA,KAAK;;AAEL;AACA,UAAU,KAAqC,EAAE,EAE

1C;AACP;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,KAAK;;AAEL,QAAQ,KAAwF,EAAE,EAE7F;;AAEL;AACA;AACA;AACA,OAAO;AACP,KAAK;AACL;AACA;AACA,OAAO;AACP;;AAEA;AACA;AACA;AACA;AACA;AACA,KAAK;;AAEL;AACA;AACA;;AAEA;;AAEA;AACA,2BAA2B;;AAE3B;AACA;;AAEA;AACA,2BAA2B;;AAE3B;AACA;AACA;AACA,0EAA0E;;AAE1E;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;;AAEA,UAAU;AACV;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA,IAAI,gBAAG;;AAEP,SAAS,oBAAO;AAChB;AACA,MAAM,KAA0E,EAAE,EAG/E;AACH,EAAE,oBAAO;;AAET,EAAE,gBAAG;;AAEL,iBAAiB,gBAAG,mBAAmB,gBAAG;AAC1C;AACA,MAAM,KAAoD,EAAE,EAGzD;;AAEH,SAAS,gBAAG;AACZ,EAAE,gBAAG;AACL,EAAE,gBAAG,iBAAiB,6CAA6C;AACnE,EAAE,gBAAG;;AAEL;AACA,eAAe,gBAAG;AAClB;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;;;AAIA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA,mBAAmB;AACnB;AACA,qBAAqB,4BAA4B;AACjD;;AAEA;AACA;AACA,8CAA8C;AAC9C;AACA;AACA;AACA,gBAAgB;;AAEhB;AACA;AACA;AACA;AACA,mBAAmB,yBAAyB;AAC5C,KAAK;;AAEL;AACA,mCAAmC;AACnC;AACA;AACA,KAAK;AACL;AACA;;AAEA,uBAAuB,4BAA4B;;AAEnD;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,2BAA2B;;AAE3B;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,SAAS;AACT,cAAc,KAAqC,EAAE,EAAE;AACvD,EAAE1C;AACA;AACA;AACA,YAAY,KAAqC,EAAE,EAAE1C;AACrD;AACA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA,wCAAwC;;AAExC;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA,8CAA8C;;AAE9C;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,KAAK;AACL;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,OAAO;AACP;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;;;;;;AAMA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,uBAAuB;;AAEvB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;;;;AAIA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,2BAA2B,gCAAgC;AAC3D;AACA,EAAE;AACF;AACA,2BAA2B,gCAAgC;AAC3D;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,OAAO,gB
AAG;AACV;AACA,IAAI,oBAAO;AACX;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA,2BAA2B;;AAE3B;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;;AAEA,0BAA0B,MAAM,qBAAqB,YAAY,qBAAqB,mBAAmB,qBAAqB,iBAAiB,qBAAqB,UAAU,qBAAqB,kBAAkB,qBAAqB,WAAW,qBAAqB,aAAa,qBAAqB,yBAAyB,qBAAqB;;AAEjV;AACA,eAAe,gBAAG;AAClB;AACA,EAAE,gBAAG;AACL,iBAAiB,gBAAG,EAAE,aAAa;AACnC,mBAAmB,gBAAG;AACtB;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA,MAAM,gBAAG;AACT;AACA,OAAO;AACP;AACA,gBAAgB,gBAAG;AACnB;AAE

A;AACA;AACA,mCAAmC;AACnC;AACA;AACA;AACA;AACA,GAAG,GAAG,kBAAkB;AACxB;;AAEA,yC
AAyC;;AAEzC,+CAA+C;AAC/C,sDAAsD;AACtD,oDAAoD;;AAEpD,6CAA6C;AAC7C;AACA;AACA;;AAEA,
qDAAqD;AACrD;AACA;AACA;;AAEA,8CAA8C;AAC9C,qDAAqD,yBAAyB;;AAE9E,gDAAgD;AAChD,yDA
AyD,6BAA6B;;AAEtF,4DAA4D;AAC5D,kEAAkE,sCAAsC;;AAExG,2DAA2D;AAC3D,yEAAyE;AACzE,qEAA
qE;;AAErE;AACA,wBAAwB;AACxB;AACA;AACA;AACA;AACA,GAAG;AACH,QAAQ,KAAqE,EAA
E,EAK1E;AACL;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA,iBAAiB;;AAEjB;AACA,yDAAyD;;AAEzD;AACA;AACA;AACA;AACA;AACA,YA
AY,KAAqE,EAAAE,EAE1E;AACT;AACA;AACA,KAAK;AACL;AACA;AACA,GAAG;AACH;AACA;AACA;A
ACA,KAAK;AACL,UAAU,KAAqE,EAAAE,EAE1E;AACP;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;
AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AA
CA,UAAU,KAAqC,EAAAE,EAE1C;AACP;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;
AAEA;AACA,UAAU,KAAuE,EAAAE,EAE5E;AACP;AACA,0BAA0B;AAC1B;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;;AAEA;
AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA
;AACA;AACA,qBAAqB;;AAErB;AACA;AACA,QAAQ,KAAqE,EAAAE,EAE1E;AACL;AACA,GAAG;AACH;A
ACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA,aAAa;;AAEb;AACA;;AAEA;AACA;AACA;AACA;
AACA,QAAQ,KAAqE,EAAAE,EAE1E;AACL;AACA,sBAAsB;AACtB;AACA,GAAG;AACH;AACA;AACA;;AA
EA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,QAAQ,KAAqE,EAAAE,EAE1E;A
ACL,sBAAsB;AACtB;AACA,GAAG;AACH;AACA;AACA;;AAEA;AACA;AACA,aAAa;;AAEb;AACA;AACA;;
AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,aAAa;AACb;
AACA;AACA;;AAEA,oBAAoB;AACpB;AACA;AACA;AACA;;AAEA;AACA;AACA,gDAAgD;AAChD
;;AAEA;AACA,yBAAyB;AACzB;AACA;;AAEA;AACA,kBAAkB,OAAO;AACzB,yBAAyB,OAAO;AAChC;AA
CA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;
AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA,mDA
AmD;AACnD;;AAEA;AACA;AACA;;AAEA;AACA,gFAAgF;AAChF;;AAEA;AACA,0DAA0D;AAC1D;;AAEA
;AACA;AACA;;AAEA;AACA,8FAA8F;AAC9F;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;;AAEA;AACA;AACA,QAAQ,KAAqC,EAAAE,EAE1C;AACL;AACA;;AAEA;AACA;AACA,GAAG;
AACH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,MAAM,KAA+E,EAA
E,EAGpF;;AAEH;AACA;AACA;;AAEA;AACA;AACA;AACA,QAAQ,KAAqC,EAAAE,EAE1C;AACL;AACA,sB
AAsB;AACtB;AACA,GAAG;AACH;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AAC
A;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AAC
A;AACA;AACA;;AAEA;AACA;;AAEA;AACA,wDAAwD;AACxD;;AAEA;AACA;AACA;;AAEA;AAC
A,0FAA0F;AAC1F;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;A
ACA,QAAQ,KAAqC,EAAAE,EAE1C;AACL;AACA;;AAEA;AACA;AACA,GAAG;AACH;;AAEA;AACA
;AACA;AACA,iEAAiE;AACjE,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAE
A;AACA;AACA;AACA,QAAQ,KAAqC,EAAAE,EAE1C;AACL;AACA;;AAEA;AACA;AACA;AACA;;AAEA;A
ACA;AACA;AACA,QAAQ,KAAqC,EAAAE,EAE1C;AACL;AACA,sBAAsB;AACtB,qDAAqD,GAAG,2BAA2B;
AACnF,GAAG;AACH;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AAC
A,KAAK;AACL;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA,iCAAiC,iBAAiB;A
AClD;AACA;AACA,OAAO;AACP;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;;AAEA;
AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA,kBAAkB,oBAAoB;AACzB;;AAEe,wDAAO,EAAC;;;;;;;;;AC
1kDvB;AACA;AAEAC,sDAAG,CAACC,GAAJ,CAAQC,YAAR;;AAEA,SAASC,kBAAT,GAA+B;AAC7B,MAA
MC,OAAO,GAAGC,2BAAhB;;AACA,MAAMC,QAAQ,GAAG,EAAjB;AACAF,SAAO,CAACG,IAAR,GAAeC,
OAAf,CAAuB,UAAAtB,GAAG,EAAI;AAC5B,QAAMuB,OAAO,GAAGvB,GAAG,CAACwB,KAAJ,CAAU,qB
AAV,CAAhB;;AACA,QAAAID,OAAO,IAAIA,OAAO,CAACnB,MAAR,GAAiB,CAAhC,EAAmC;AACjC,UAA
MqB,MAAM,GAAGF,OAAO,CAAC,CAAD,CAAtB;AACA,UAAMG,GAAG,GAAGH,OAAO,CAAC,CAAD,CA
AClB,GAAAD,CAAI,CAACqB,MAAL,CAAY,CAAZ,IAAiB,CAAjB,GAAqB,CAAtB,EAAyB,CAACrB,CAAD;;AA
AClB,GAAAD,CAAD;;AAEc,6CAAIJ,YAAAJ,CAAAY;;AA

CzBS,QAAM,EAAEC,IAAA,IAAmC,KADlB;AAEzBC,gBAAc,EAAAED,IAAA,IAA4C,KAFnC;AAGzBN,UAAQ
,EAAEH,kBAAkB;AAHH,CAAZ,CAAf,E;;;;;AClBA,IAAI,kEAAM,gBAAgB,aAAa,0BAA0B,wBAAwB;AACzF,
oCAAoC,aAAa,0BAA0B,wBAAwB,iBAAiB,kCAAkC,YAAY,mDAAmD,2BAA2B,EAAE,4CAA4C,iBAAiB,8D
AA8D,mBAAmB,EAAE,oCAAoC,iBAAiB,wBAAwB,2BAA2B,mBAAmB,aAAa,GAAG,KAAK;;;;;;;;;;;;;;;;;AC
DlhB,IAAMW,YAAY,GAAG,CACnB;AACEC,QAAM,EAAE,KADV;AAEEC,OAAK,EAAE,CAAC,CAAC,CA
AD,EAAI,KAAJ,CAAD,EAAa,CAAC,IAAD,EAAO,KAAP,CAAb,EAA6B,CAAC,IAAD,EAAO,KAAP,CAA7B;
AAFT,CADmB,CAArB;AAOO,SAASC,WAAT,CAAsBC,GAAtB,EAA2B;AAChC,SAAOC,MAAM,CAACD,GA
AD,CAAN,CAAYE,QAAAZ,OAA2BF,GAAG,CAACE,QAAJ,EAAlC;AACD;AAEM,SAASC,OAAT,CAAkBH,G
AAlB,EAAuB;AAC5B,MAAMI,SAAS,GAAG,CAAC,IAAD,EAAO,GAAP,EAAY,IAAZ,EAAkB,KAAlB,CAAlB
;AACA,MAAIC,UAAU,GAAG,KAAjB;AACAD,WAAS,CAACd,OAAV,CAAkB,UAAAgB,GAAB;AACE,QAAIJ,M
AAM,CAACI,GAAD,CAAN,CAAYf,QAAAb,OAA2BL,GAAG,CAACK,QAAJ,EAA3B,EAAgCiB,UAAU,GAAG,I
AA7B,CAAb;AACD,GAFD;AAGA,SAAOA,UAAP;AACD;AAEM,SAASE,OAAT,CAAkBrB,GAAlB,EAAuB;A
AC5B,SAAOA,GAAG,CAACsB,QAAJ,GAAe,GAAf,GAAqBtB,GAAG,CAACuB,OAAJ,EAA5B;AACD;AAEM,
SAASC,UAAT,CAAqBxB,GAArB,EAA0B;AAC/B,SAAOA,GAAG,CAACyB,WAAJ,KAAoB,GAApB,GAA8Bz
B,GAAG,CAAC0B,QAAJ,KAAiB,GAA/C,GAAqD1B,GAAG,CAAC2B,OAAJ,EAA5D;AACD;AAEM,SAAS
C,OAAT,CAAkB5B,GAAlB,EAAuB;AAC5B,SAAO,CAACA,GAAG,CAAC6B,QAAJ,KAAiB,EAAlB,EAAsBp
BC,QAAtB,CAA+Bc,GAAAf,OAAxC;AACD;AAEM,SAASsB,OAAT,CAAkB9B,GAAlB,EAAuB;AAC5B,SA
AO,CAACA,GAAG,CAAC+B,WAAJ,KAAoB,CAArB,EAAwBtBC,QAAxB,CAAiCc,GAAAf,OAA1C;AACD;A
AEM,SAASuB,OAAT,CAAkBhC,GAAlB,EAAuB;AAC5B,SAAOA,GAAG,CAACiC,QAAJ,KAAiB,CAAjB,G
AAqB,GAArB,GAA2BjC,GAAG,CAACkC,OAAJ,EAAlC;AACD;AAEM,SAASC,OAAT,CAAkBnC,GAAlB,E
AAuB;AAC5B,SAAOA,GAAG,CAACoC,WAAJ,KAAoB,GAApB,GAA8BpC,GAAG,CAACqC,QAAJ,KAAiB,G
AA/C,GAAqDrC,GAAG,CAACsC,OAAJ,EAA5D;AACD;AAEM,SAASC,YAAT,CAAuBvC,GAAvB,EAA4B;
AACjC,MAAMwC,QAAQ,GAAG,GAAjB;AACA,MAAMC,IAAI,GAAG,CAAC,IAAD,EAAO,KAAP,EAAc,KAAd,
EAAqB,KAArB,EAA4B,KAA5B,EAAmC,KAAnC,EAA0C,KAA1C,EAAiD,KAAjD,EAAwD,KAAxD,EAA+D,
KAA/D,EAAsE,KAAtE,EAA6E,KAA7E,CAAb;AACA,SAAOA,IAAI,CAACzC,GAAG,CAAC0C,QAAJ,EAAD,
CAAJ,GAAuB,GAAvB,GAA6B1C,GAAG,CAAC2C,OAAJ,EAApC;AACD;AAEM,SAASC,OAAT,CAAkB5C,
GAAlB,EAAuB;AAC5B,SAAO6C,MAAM,CAAC7C,GAAD,CAAN,CAAYE,QAAAZ,OAA2BF,GAAG,CAACE,
QAAJ,EAAlC;AACD;AAEM,SAAS8C,OAAT,CAAkBhD,GAAlB,EAAuB;AAC5B,SAAOA,GAAG,CAACiD,Q
AAJ,KAAiB,CAAjB,GAAqB,GAArB,GAA2BjD,GAAG,CAACkD,OAAJ,EAAlC;AACD;AAEM,SAASC,OAAT,
CAAkBnD,GAAlB,EAAuB;AAC5B,SAAOA,GAAG,CAACoD,QAAJ,KAAiB,CAAjB,GAAqB,GAArB,GAA2B
pD,GAAG,CAACqD,OAAJ,EAAlC;AACD;AAEM,SAASC,OAAT,CAAkBtD,GAAlB,EAAuB;AAC5B,SAAOA,
GAAG,CAACuD,QAAJ,KAAiB,EAAjB,GAAsB,GAAtB,GAA4BvD,GAAG,CAACwD,OAAJ,EAAnC;AACD;AA
EM,SAASC,OAAT,CAAkBzD,GAAlB,EAAuB;AAC5B,SAAOA,GAAG,CAAC0D,QAAJ,KAAiB,CAAjB,GA
AqB,GAArB,GAA2B1D,GAAG,CAAC2D,OAAJ,EAAlC;AACD;AAEM,SAASC,OAAT,CAAkB5D,GAAlB,EA
AuB;AAC5B,SAAOA,GAAG,CAAC6D,QAAJ,EAAP;AACD;AAEM,SAASC,UAAT,CAAqB9D,GAArB,EAA0
B;AAC/B,SAAOA,GAAG,CAAC+D,WAAJ,KAAoB,GAApB,GAA8B/D,GAAG,CAACgE,QAAJ,KAAiB,GAA/
C,GAAqDhE,GAAG,CAACiE,OAAJ,EAA5D;AACD;AAEc,SAASC,YAAT,CAAuBlE,GAAvB,EAA4B;AACz
C,MAAMmE,QAAQ,GAAG,GAAjB;AACA,MAAMC,IAAI,GAAG,CAAC,IAAD,EAAO,KAAP,EAAc,KAAd,E
AAqB,KAArB,EAA4B,KAA5B,EAAmC,KAAnC,EAA0C,KAA1C,EAAiD,KAAjD,EAAwD,KAAxD,EAA+D,K
AA/D,EAAsE,KAAtE,EAA6E,KAA7E,CAAb;AACA,SAAOA,IAAI,CAACpE,GAAG,CAAC0C,QAAJ,EAAD,C
AAJ,GAAuB,GAAvB,GAA6B1C,GAAG,CAAC2C,OAAJ,EAApC;AACD;;;;;;;;;;;AC5F6G,IAAvC;AACL;AA
CsC;;;AAGvG;AAC0F,IAAI,4BAAS,GAAG,kBAAU;AAC1B,EAAAE,qDAAM;AACR,EAAAC,EAAAE,kEAA
M;AACR,EAAAC,EAAAe;AACjB;AACA;AACA;;;AAGA,4BAAAE,EAAAE,4BAAS;AACM,mFAAS,Q;;ACp
BxB,IAAI,8CAAM,gBAAgB,aAAa,0BAA0B,wBAAwB,iBAAiB,+CAA+C,0BAA0B,8DAA8D,0GAA0G,UAAU,wD
AAwD,cAAc,wCAAwC,aAAa,6D
AA6D,sFAAsF,WAAW,kDAAkD,yLAAyL,kFAAkF,wBAAwB,aAAa,sEAAsE,gEAAgE,0CAA0C,WAAW,qBA
AqB,KAAK,0BAA0B,6BAA6B,0BAA0B,4BAA4B,QAAQ,EAAE,iCAAiC,eAAe,4CAA4C,eAAe,gCAAgC,qDA
AqD,QAAQ,gBAAgB,KAAK,yBAAyB,oCAAoC,6GAA6G,gCAAgC,oDAAoD,QAAQ,gBAAgB,KAAK,yBAAy

B,mCAAmC,4GAA4G,gCAAgC,gDAAgD,QAAQ,gBAAgB,KAAK,yBAAyB,+BAA+B,4HAA4H,6BAA6B,0DAA0D,wBAAwB,IAAI,qBAAqB,mBAAmB,cAAc,OAAO,gDAAgD,cAAc,aAAa,4FAA4F,SAAS,2CAA2C,WAAW,gCAAgC,KAAK,yBAAyB,4BAA4B,QAAQ,EAAE,4CAA4C,eAAe,kFAAkF,iBAAiB,yFAAyF,iDAAiD,oDAAoD,kBAAkB,mCAAmC,WAAW,0CAA0C,mLAAmL,yDAAyD,YAAY,kBAAkB,WAAW,6FAA6F,8HAA8H,sBAAsB,oBAAoB,yEAAyE,+IAA+I,yCAAyC,+EAA+E,gBAAgB,8CAA8C,8EAA8E,mBAAmB,kBAAkB,WAAW,6FAA6F,uHAAuH,sBAAsB,oBAAoB,yEAAyE,wIAAwI,yCAAyC,wEAAwE,gBAAgB,8CAA8C,8EAA8E,mBAAmB,kBAAkB,WAAW,6FAA6F,uHAAuH,sBAAsB,oBAAoB,yEAAyE,wIAAwI,yCAAyC,wEAAwE,gBAAgB,8CAA8C,8EAA8E,oBAAoB,8CAA8C,YAAY,qDAAqD,UAAU,uFAAuF,oDAAoD,AACn7L,IAAI,uDAAe,iBAAiB,aAAa,0BAA0B,wBAAwB,kBAAkB,kCAAkC,aAAa,+BAA+B,kBAAkB;;ACqHrN;AACA;AACA;AACA;AACA;AACA;AAEA;;;;AAGA;AACA,YADA;AAEA,oBAFA;AAGA;AACA;;;AAGA;AACA;AADA,KAJA;;AAOA;;;AAGA;AACA,kBADA;AAEA;AAAA;AAAA;AAFA;AAVA,GAHA;AAkBA,MAlBA,kBAkBA;AACA;AACA,gBADA;AAEA;AAFA,4BAHA;AAIA,kCAJA;AAKA,KAAK;AACA;AACA,uDADA;AAEA,iDAFA;AAGA,SAAHA,SADA;AAEA,AAMA;AACA,wDADA;AAEA,kDAFA;AAGA;AAHA;AAALA,GAArCA;AAAsCA,qBADA,6BADA,kBADA,EACA;AACA;AACA;AACA;;AACA;AACA;AACA,OAFA,MAEA;AAAA;AAAA;AAAA,AAVA,GAtCA;AAAkDA,AAAkDA;;AAACA,2EADA,CAEA;;AAAkDA;AAAkDA;AAAkDA,OAFA,AAGA;AAAA,aAAHA;AAAA;AAAA,AAAA,G;;AChIoU,CAAgB,oHAAG,EAAC,C;;;;;ACA/P;AAC3B,CAAL;AACc;;;AAGvE;AAC0F,IAAI,oBAAAS,GAAAG,kBAAAU;AAC1B,EAAAE,EAAAE,6CAAAM,EAAACR,EAAAE,8CAAAM,EAAAC,uDAAe;AACjB;AAAkDA;AAAkDA;;AAAkDA;;AAAkDA,oBAAAS;AAACM,mEAAAS,Q;;ACpBxB,IAAI,gEAAM,gBAAAgB,aAAAa,0BAA0B,wBAAwB,iBAAiB,gDAAgD,UAAU,yDAAyD,sCAAAsC,YAAAY,0BAA0B,MAAM,mBAAAmB,CAAC,MAAAoC,iBAAiB,wDAAwD,oEAAoE,8BAA8B,eAAAe,sFAAsF,+BAA+B,KAAK,yBAAyB,+CAA+C,WAAW,OAAO,oBAAoB,aAAa,sBAAsB,uGAAuG,OAAO,8IAAAI;AAAC5hC,IAAI,yEAAAe;;;;;;;;;;;;;;;;;;;ACDnB;AACA,UAAU;AACV;AACA;AACA;AACA;AACA;AACA;AACA,OAAO;AACP,KAAK;AACL;AACA;AACA,OAAO;AACP;AACA;AACA;;AAEe,kEAAAB,EAAAC;;;ACnBK;;AAEvC;;AAEA;;;;AAIA;AACA;AACA,WAAW,SAAS;AACpB;AACA,SAAS,WAAW;AAChB,wBAAAwB,WAAW,OAAO;AACH;;;AAGvB;AACA;AACA,aAAa,QAAAQ;AACb;AAAA;AAAA;;AAEA;AACA;AACA;AACA;;;AAGA;AACA,aAAa,kBAAAkB;AACb;AACA,aAAa,aAAa,kBAAAkB;AAC1B;AACA,aAAa,kBAAAkB;AACb;;;AAGA;AACA;AACA;AACA;AACA;AACA;;;AAGA,EAAAE,WAAAW;AACA,OAAAO;AACA,2BAAA2B,WAAAW,GAAAG,UAAAU;AAC3C,EAAAE;AACA;AACA;AACA;AACA,KAAAK,MAAAM,UAAAU;AACZ,EAAAE;AACA,iBAAAiB,WAAAW;AACZ,EAAAE;AACA;;AAEA;AACA;AAChB;AACA;AACA;AACA;AAAA;AAAA;AAAA;;AAKH;;AAGA,EAAAE,WAAAW;AACA,OAAAO;AACA,kBAAAkB;AACZ,QAAAQ;AAAAI;;AAEA;AACA;AACA;AACA;AACA;AACA;AACZ,EAAAE;AACA;AACA;AACA;AAAA;AAAA;AAAA;;AAKA,EAAAE,+CAAApF;;;;;;;;;;;;;;;;;ACD3B;AACA,UAAU;AACV;AACA;;AAEe,uEAAAA;;;;;;;;;ACJf;AACA;AACA;;;;;;;;;;;ACD3B;AACA;AACA;AACA;AACA;AACA;AACA,OAAO;AACP;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,OAAO;AACP;AACA;AACA;AACA;AACA;AACA;AACA,eAAe;AACf;AACA;;;;;;;;;;;;;;;;;;;;;;;AC/DY;;AAE3B;;;;AAIA;AACA;AACA;;;AAGA;AACA,WAAW,UAAU,kBAAA0B,WAAAW;AACb,kBAAAkB,aAAa,MAAAmC,WAAAW;AACnB,kBAAAkB,aAAa,MAAAmC,kBAAAkB,aAAa,kBAAAkB;;;AAGvC,SAAS;AACT;AACA;AACA,4BAAA4B,WAAAW,OAAAO,UAAAU;AACA,aAAa,MAAAmC,kBAAAkB,aAAa,kBAAAkB;;;AAGvC;AACA;AACA,YAAY,kBAAAkB,WAAAW;AACvB,kBAAAkB,aAAa,2BAAA2B,WAAAW,OAAAO,UAAAU;AACxB,EAAAE,WAAAW;AACA;AACA;AAAA;AAAA;AAAA,OAAAO;;AAEA;AACA;AACA;AACA;AACZ,EAAAE;AACA,KAAAK,WAAAW;AACvB,EAAAE;AACA;AAAA;AAAA;AAAA;AAAA,G;;;;AC/CiC,CAAAS;;;;AAC3B,IAAI,uDAAU,GAAAG,6CAAAM,UAAAU,0BAA0B;AAC1C,IAAI,QAAAQ,WAAAW,OAAAO,aAAa,kBAAAkB,WAAAW,OAAAO;;AAE3B;AAC0F;;;ACL1F;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;ACAY;;AAE3B;AACA;AACA;AACA;AACA,OAAO;AACP;AACA,KAAK,kBAAAkB,aAAa;;;AAGvC,EAAAE,WAAAW,OAAAO,UAAAU;AACA,gBAAAgB,WAAAW;AACA,KAAAK,WAAAW;AACA,mBAAAmB,WAAAW;AACA,6BAAA6B,WAAAW,OAAAO;AACxB,EAAAE,WAAAW;AACA,mBAAAmB,WAAAW;AACA,6BAAA6B,WAAAW,OAAAO;AACxB,EAAAE,WAAAW;AACA,mBAAAmB,WAAAW;AACA,6BAAA6B,WAAAW,OAAAO;AACxB,EAAAE,WAAAW,OAAAO;AACA,SAAS;;AAET,EAAAE,WAAAW,OAAAO,UAAAU;AACA;AACA;AACA;AACA,6BAAA6B,WAAAW,OAAAO;AACxB,EAAAE,WAAAW,OAAAO,UAAAU,+DAAA+D;AAC/B;AACwB,EAAAE,mDAAAmB,EAAAC;;;;AC/BgB,CAAAS;;AAEzC;;;;AAIA;AACA;AACA;AACA,WAAW;AACX,iBAAAiB,WAAAW,GAAAG,aAAAa;AAC3B,EAAAE;AACA;AACA;AACA;AACA;AACZ,EAAAE,WAAAW,OAAAO,UAAAU,UAAAU,UAAAU,UAAAU,UAAAU,UAAAU,UAAAU;AAC/B,QAAAQ,+CAAA+D,KAAAK,WAAAW;AACA,UAAAU,UAAAU,UAAAU,UAAAU,UAAAU;AAC/B,EAAAE,WAAAW,OAAAO,UAAAU,UAAAU,UAAAU,UAAAU,UAAAU,UAAAU,UAAAU,UAAAU;AAC/B,QAAAQ,WAAAW,GAAAG,aAAAa,0BAA0B,wBAAwB;AAClD,iBAAAiB,WAAAW;AACA,2BAAA2B,WAAAW,OAAAO,UAAAU;AACA,+DAAA+D;;AC7BK,mDAAAmB;AAAC,IAAI,yEAAAA,EAAAC;

AAK,CAAC5D,MAAN,GAAa,CAAd,CAAL,CAAsB8D,WAAtB,EAAZ;;AACA,YAAOD,GAAP;AACE,WAAK,I
AAL;AACE,YAAIE,MAAM,GAAGL,QAAQ,CAACM,aAAT,CAAuB,QAAvB,CAAb;AACAD,cAAM,CAACE,
YAAP,CAAoB,MAApB,EAA4B,iBAA5B;AACAF,cAAM,CAACACG,MAAP,GAAgBV,OAAhB;AACAC,cAAM,C
AACU,WAAP,CAAmBJ,MAAnB;AACAA,cAAM,CAACE,YAAP,CAAoB,KAApB,EAA2BX,IAA3B;AACF;;A
ACA,WAAK,KAAL;AACE,YAAIc,GAAG,GAAGV,QAAQ,CAACM,aAAT,CAAuB,MAAvB,CAAV;AACAI,W
AAG,CAACH,YAAJ,CAAiB,KAAjB,EAAwB,YAAxB;AACAG,WAAG,CAACH,YAAJ,CAAiB,MAAjB,EAAyB
,UAAzB;AACAG,WAAG,CAACF,MAAJ,GAAaV,OAAb;AACAC,cAAM,CAACU,WAAP,CAAmBC,GAAnB;A
ACAA,WAAG,CAACH,YAAJ,CAAiB,MAAjB,EAAyBX,IAAzB;AACF;AAfF;AAiBD,GArBM,CAAP;AAsBD,C
AvBiC,CAA3B;AAyBA,IAAMe,mBAAY,GAAG,SAAfA,YAAe,GAAW;AAACrC,MAAMC,KAAAK,GAAAGC,iBA
AO,CAACC,SAAD,CAArB;AACA,SAAO,IAAAIjB,GAAAJ,CAAY,UAAAAC,OAAAO,EAAAI;AAC5B,QAAAIiB,WAA
W,GAAAG,CAAIB;;AACA,QAAAIC,cAAc,GAAAGL,SAAjBA,cAAiB,GAAAW;AAAC9B,UAAA9B,UAAAG,EAAAAED,WAAAF,IAAAiB
H,KAAK,CAAACtE,MAA1B,EAAAkC;AACAhCwD,eAAAO;AAACR;AACF,KAAKD,CAAA;AACA,QAAAIChmwD,eAAAO;AAACR;AAACR;AAAKD
AC,CAAAV,EAAAaA,CAAAC,GAAAGL,KAAAK,CAAACtE,MAAAvB,EAAAAgC,CAAAC,EAAAjC,GAAAGL,KAAAK,CAAACtE,MAAAvB,EAAAAgC,CAAAC,EAAAjC
AW,CAAACkB,KAAK,CAACdC,CAAD,CAAD,CAAK,CAAAd,CAAAN,CAAAX,CAAAAsBC,IAAtB,CAAA2BF,cAA3B;AACD;AACF,GAVM,C
AAP;AAWD,CAbM,C;;;;;AC7BP;CAEA,;;AACA,IAAIG,QAAQ,GAAG,IAAf,C,CACA,;;AACA,IAAAMC,SAAS,G
AAG,CAAC,cAAD,EAAiB,SAAjB,EAA4B,WAA5B,EAAyC,aAAzC,EAAwD,CAAAlB,C;;IAEqBC,4B;;;AAACnB,2BAAAe;AA
AA;;AACb,SAAAKC,WAAL,GAAAmBX,mBAAAY,CAAC,iCAADC,CAAAZ,CAAgDO,IAAAhD,CAAAqD,CAAAD,CAAAqD,CAAAD,YAAM;AAAC5
EC,cAAAQ,GAAAGA,QAAAAQ,IAAAIAAIL,IAAAII,CAAAM,IAAAAMAMC,CAAAAAAC,CAAAAAP,CAAAAAWC,KAAAAf,CAAAAAqB;AAAAAAEC,eAAAO,EAAAE;
AAAX,OAAArB,CAAAvB,CAAAAaAAOP,CAAAQAAP;AAACD,eAAAKAHkB,CAAAAnB;AAAIA,WAAAAO,KAAAAKG,CAAAAWAAZ;AACD;;AAIA,WAAAO,K
;iCACa;AAACZ,WAAAAKA,CAAAaAACZ,CAAAAnb,WAAAAAKA,CAAAAAAL,CAAAAAiBJ,CAAAAAsB,UAAAAAAC,CAAAAAQ;AAAAAAAA,eAAAAJ;AAAAA,OAAAA9B,
AAAA,UAAA7BA,CAAAIAAIB,6B,uEAAAtB8F,CAAAAAAC;AAAAA,UAAAAAAACU,CAAAAAP,CAAAAAgBxG,CAAAIAAM;AAACD;AAAnC,C
AAgBxG,CAAAIAAM;AAACD;AAnC,C;;;;;;;;;;AC
xCH,IAAI,kDAAM,gBAAAgB,aAAAa,0BAAA0B,wBAAAwB,iBAAAiB,gDAAAgD,8BAAAgB,gBAAAgB,kBAAAkB,aAAAa,0
BAAA0B,wBAAAwB,qBAAAqB,2CAAA2C,qBAAAqB,WAAAW,OAAAO,2BAAA2B,aAAAa,sBAAAsB,mCAAAmC,qBAAAqB,+
EAAA+E,gBAAAgB,kBAAAkB,aAAAa,0BAAA0B,wBAAAwB,qBAAAqB,2CAAA2C,sBAAAsB,WAAAW,OAAAO,4BAAA4B,aA
Aa,sBAAAsB,oCAAAoC,qBAAAqB,gFAAAgF,gBAAAgB,kBAAAkB,aAAAa,0BAAA0B,wB
AAAwB,qBAAAqB,2CAAA2C,sBAAAsB,WAAAW,OAAAO,4BAAA4B,aAAAa,sBAAAsB,oCAAAoC,qBAAAqB,gFAAAgF,gBAAAgB,wB
AAAwB,qBAAAqB,2CAAA2C,mBAAAmB,WAAAW,OAAAO,mBAAAmB,aAAAa,sBAAAsB,iCAAAiC,qBAAAqB,2DAAA2D,aA
Aa,wEAAAwE,sCAAAsC,UAAAU,IAAAI,2BAAA2B,WAAAW,OAAAO,eAAAe,aAAAa,sBAAAsB,wCAAAwC,+CAAA+C,kDAAAk
D,mBAAAmB,OAAAO,+FAAA+F;AAC9rE,IAAAI,2DAAAe;;;;;;;;;;;ACDnB,wBAAAwB,2CAAA2C,iCAAAiC,IAAAI,uFAAAuF,S
AAS,yBAAAyB,qBAAAqB,gBAAAgB,oBAAAoB,IAAAI,yCAAAyC,WAAAW,mBAAAmB,0GAAA0G,MAAAM,4CAAA4C,wEA
AAwE,MAAAM,sCAAAsC,EAAAE,6CAAA6C,EAAAE,WAAAW,4FAAA4F,MAAAM,qHAAAqH,kBAAAkB,uBAAAuB,MAAAy
GAAAyG,SAAA2B;AAC3jC;;;ACDA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;
AAEA;AACA;AACA;;AAEA;;AAEA,uBAAAuB,0BAAA0B;AACjD;;AAEA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA
;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;;AAEO,IAAI,aAAM;AACV;AACA,IAAI,W
AAI;AACR;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACP,UAAU;AACV,C;;ACpE
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AAA
CA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA,2DAA2D;AAC3D;AAC

A;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;SAAS;AACT;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;sDAAsD;AACtD;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACO;AACA;;AAEP;AACO;AACP;AACA;AACO;AACP;AACA;AACO;AACP;AACA,C;;ACtJe;AACf;AACA,C;;ACFgC;AACE;AACA;;AAElC;AACA;AACA;AACA,aAAa,UAAU;AACvB,cAAc;AACd,WAAW,SAAS;AACpB;AACA;AACe;AACf,wFAAwF,QAAQ;;AAEhG,UAAU,OAAO,sCAAsC,WAAI;AAC3D;AACA,GAAG IAAI;AACP,C;;ACnB4C;;AAE5C;AACO;AACP;AACA;;AAEA;AACO;AACP;AACA;;AAEA;AACO;AACP;AACA;AACA;;AAEA;AACO,IAAI,aAAS;AACpB;AACA;AACA,SAAS,IAAS;AAClB;;AAEA;AACO,IAAI,UAAM;AACjB;AACA;AACA;AACA;;AAEA;AACO;AACP;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,YAAY,aAAS;AACrB;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACO;AACP;AACA;;AAEA;AACO;AACP;AACA;AACA;;AAEA;AACO;AACP;AACA;AACA;;AAEA;AACO;AACP;AACA;AACA;;AAEA;AACO;AACP;AACA;AACA;AACA;;AAEA;AACO;AACP;AACA;AACA;AACA;;AAEA;AACO;AACP;;AAEA;AACO;AACP;;AAEA;AACA;AACO;AACP;AACA;AACA,cAAc;AACd;AACA;AACA;AACA;AACA;AACA;;AAEA;AACO;AACP;AACA;AACA,sBAAsB;AACtB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACO;AACP;AACA;AACA,E;;AC1NA,oGAAoG,mBAAmB,EAAE,mBAAmB,8HAA8H;;AAExN;AACQ;AACJ;;AAEtD;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACO;AACP;AACA;AACA;AACA,KAAK;AACL;AACA;AACA,KAAK;AACL;AACA;AACA,KAAK;AACL;AACA;AACA,KAAK;AACL;AACA;AACA,KAAK;AACL;AACA;AACA,KAAK;AACL;AACA;AACA,KAAK;AACL;AACA;AACA,KAAK;AACL;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;;AAEO,IAAI,UAAK;;AAET;AACP;AACA;AACA,gBAAgB,MAAM;;AAEtB,SAAS,WAAI;AACb,QAAQ,aAAa;AACrB;AACA;;AAEA;AACA,GAAG,IAAI;AACP;;AAEO;AACP;AACA,gBAAgB,MAAM;;AAEtB,SAAS,WAAI,CAAC,UAAK;AACnB,SAAS,aAAa;AACtB;;AAEA;AACA,G;;AAEA;AACA;;AAEA;AACA,GAAG,IAAI;AACP;;AAEO;AACP;AACA,mBAAmB,WAAI,CAAC,UAAK;;AAE7B,mBAAmB,qBAAqB;;AAExC;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA;AACA;AACA;AACA;;AAEe;AACf;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,gDAAgD;;AAEpJ,wBAAwB,SAAS;AACjC,+FAA+F,2BAA2B;AAC1H;AACA;AACA,OAAO;AACP,aAAa,aAAM;AACnB,uBAAuB,KAAK;;AAEL;AACA;AACA;;AAEvB;AACA;AACA,+BAA+B,aAAM;AACrC,kBAAkB,kCAAkC,qBAAqB,EAAE,EAAE,OAAO,kBAAkB,EAAE,YAAY;;AAEzJ;AACL;AACN;AACO;AACM;;AAEtE;AACA;AACA,GAAG;AACH;AACA;AACA,GAAG,IAAI;AACP;AACA,GAAG IAAI;AACP;AACA;AACA,GAAG IAAI;AACP;AACA;AACA,GAAG;AACH,IAAI,gBAAAS,GAAG,YAAgB;AAChC,OAAO,gBAAAS;AACB,OAAO,gBAAAS;AAChB,mBAAmB,WAAI,CAAC,gBAAAS;;AAE1B,IAAI,YAAK,GAAG,aAAAM,CAAC,gBAAAS;;AAEnC;AACA;AACA,IAAI,aAAAZ;AACR,GAAG IAAI,WAAAW;AACf;;AAEe;AACf,wFAAwF,YAAAK;AACd;AACA;;AAE1E;AACA,GAAG,IAAI;AACP;AACA;AACA,SAAS;AACT;AACA,UAAAU,MA

AM;AAChB;AACA;AACA;AACA,WAAW;AACX;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA
;AACA,mFAAmF;AACnF,sBAAsB,UAAU;AAChC;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA,OAAO;AACP;AACA;;AAEA,sBAAsB,SAAI,aAAa,SAAS;AAChD;AACA,CAAC,E;;AC7
GD,SAAS,2BAAe,mBAAmB,kBAAkB,kCAAkC,qEAAqE,EAAE,EAAE,OAAO,kBAAkB,EAAE,YAAY;;AAEzJ
;;AAEtD,IAAI,kBAAK;AACT;AACA;AACA,GAAG;AACH;AACA;AACA;AACA,GAAG;AACH;AAC
A;AACA;AACA;;AAEe;AACf;AACA,SAAS,kBAAK;AACd;AACA;AACA;AACA;;AAEA;AAC
A;AACA,aAAa,2BAAe,GAAG;AAC/B;AACA;AACA;AACA,OAAO;AACP;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA,MAAM;AACN,gCAAgC,oBAAoB;AACpD;AACA,uBAAuB,SA
AS;AAChC;AACA,CAAC,E;;ACnDD;AACA;AACA;;AAEe;AACf;AACA;AACA;AACA;AACA,
GAAG;AACH;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA
;AACA;AACA;AACA;AACA;AACA,CAAC,E;;AC/BD,kCAAkC,0BAA0B,0CAA0C,gBAAgB,OAAO,k
BAAkB,EAAE,aAAa,EAAE,OAAO,wBAAwB,EAAE;;AAExJ;AACzC;AACA;AACA;;AAEA;;AAEe;AA
Cf;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,mBAAmB,OAAO;
AAC1B,mBAAmB,SAAS;AAC5B;AACA;AACA,0BAA0B,OAAO;AACjC;AACA;AACA,uBAAuB,mCA
AmC;AAC1D;AACA;AACA,KAAK;;;AAGL;AACA;AACA,mBAAmB,OAAO;AAC1B,mBAAmB,EAAE;AACr
B;AACA;AACA;;AAEA,wFAAwF,aAAa;AACrG;AACA;;AAEA;AACA;AACA,GAAG;;AAEH;
AACA,sBAAsB,OAAO;AAC7B;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,CAAC,E;;A
CnEiC;AACO;;AAEzC;AACA,WAAW,QAAQ;AACnB,WAAW,SAAS;AACpB,WAAW,OAAO,QAAQ,+
BAA+B;AACzD;AACA;AACe;;AAEA;AACA;AACA;AACA,OAAO,SAAS;AAChB;AACA;AAC
A;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,qBAAqB,kCAAkC;AACvD;AACA;AAC
A;AACA;AACA;AACA;AACA,SAAS;AACT;AACA,SAAS;AACT;AACA;AACA;AACA;AACA;AACA
;AACA;AACA;AACA,KAAK;;AAEL;AACA,oBAAoB,aAAM,EAAE,iCAAiC;AAC7D,GAAG;A
ACH;AACA;AACA;;AAEA;AACA;AACA,C;;ACjEA;AACA;AACA,WAAW,OAAO;AAClB;AA
CA;AACA,SAAS,SAAI;AACb;AACA;;AAEe,wDAAI,E;;ACTnB;AACA;;AAEe;AACf;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA,CAAC,E;;AChBD,gCAAgC,2CAA2C,gBAAg
B,kBAAkB,OAAO,2BAA2B,wDAAwD,gCAAgC,uDAAuD,2DAA2D,EAAE,EAAE,yDAAyD,qEAAqE,6DAA6D
,oBAAoB,GAAG,EAAE;;AAEjjB,iDAAiD,0CAA0C,0DAA0D,EAAE;;AAExD;;AAAE/F,IAAI,sBAAO;AACX;AA
CA;;AAEA;;AAEA;AACA;AACA;AACA;AACA,IAAI,aAAM,uCAAuC,aAAa;AAC9D;AACA,IA
AI,gBAAgB;AACpB,YAAY,kBAAkB;AAC9B,kBAAkB,kBAAkB;AACpC,mBAAmB,kBAAkB;AACrC,cAAc,kBA
AkB;AAChC,iBAAiB,kBAAkB;AACnC,iBAAiB,kBAAkB;AACnC,KAAK;AACL;AACA;AACA;A
ACA;AACA;AACA;AACA,IAAI,cAAc;AAClB;AACA;AACA;AACA,KAAK;AACL;;AAEA;AACA;AACA;
AACA;AACA;AACA,IAAI,CAAC;AACL;AACA;AACA;AACA,KAAK;AACL;;AAEA;AACA;AACA;AACA
;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA,CAAC;;AAEc,yE
AAO,E;;AC/DtB,SAAS,oBAAe,mBAAmB,kBAAkB,kCAAkC,qEAAqE,EAAE,EAAE,OAAO,kBAAkB,EAAE,YAAY;;AA
E3K;AACW;AACT;AACsB;AACX;AACS;AACI;;AAEiH;;AAEl
K;AACA;AACA;AACA;;AAEA;AACA,EAAE;AACF;AACA;AACA;AACA;AACA;;AAEe;AAC
f,WAAW,EAAO,EAAE,cAAiB;AACrC,eAAe,OAAO,aAAI,aAAa,YAAS,EAAE;AAClD;AACA;;AAEA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,aAAa;AACb;AACA;A
ACA;AACA,WAAW;AACX;AACA,yCAAyC,yBAAyB;AAClE;AACA;AACA;AACA,gB
AAgB;AAChB,OAAO;AACP;AACA;AACA;AACA;AACA,cAAc;AACd,KAAK;AACL;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA,aAAa;AACb;AACA;AACA;AACA,WAAW;AACX;AACA;
AACA;AACA;AACA,WAAW;AACX;AACA;AACA;AACA,SAAS;AACT;AACA;AACA;AACA;AAC
A,gBAAgB;AAChB,OAAO;AACP;AACA;AACA;AACA;AACA,OAAO;AACP;AACA;AACA;AACA;AAC
A,KAAK;AACL;AACA;AACA;AACA;AACA,gBAAgB;AAChB,OAAO;AACP;AACA;AACA;AACA;AACA,w
BAAwB,SAAS,uCAAuC,EAAE;AAC1E;AACA;AACA

,sBAAsB;AACtB,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA,GAAG;;AAEH;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;A
ACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;A
ACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;A
ACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;A
ACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;A
ACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;A
ACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;A
ACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;A
ACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;A
ACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;A
ACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;A
ACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;A
ACA;AACA;AACA;AACA,OAAO;AACP,KAAK;AACL;AACA;;AAEA,wCAAwC,EAAE,oBAAe,kDA
AkD,oBAAe;AAC1H,KAAK;AACL;AACA;AACA;AACA;AACA,OAAO;AACP,KAAK;AACL;AACA;;AAEA,
yCAAyC,EAAE,oBAAe,sEAAsE,oBAAe,4EAA4E,oBAAe;AAC1O,KAAK;AACL;AACA;;AAEA,uCAAuC,EAA
E,oBAAe,kEAAkE,oBAAe;AACzI,KAAK;AACL;AACA;;AAEA,yCAAyC,EAAE,oBAAe,sEAAsE,oBAAe,4EA
A4E,oBAAe;AAC1O;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;
AACA;AACA;AACA;AACA;AACA,wBAAwB,cAAO;AAC/B;AACA;AACA;AACA,OAAO;AA
CP;AACA;AACA;AACA;AACA,UAAU,QAAQ;AAClB;AACA;AACA,OAAO;AACP;AACA;AA
CA,KAAK;AACL;AACA;AACA;AACA,wBAAwB,cAAO;AAC/B;AACA;AACA;AACA;AACA;
AACA;AACA;AACA,UAAU,UAAI;AACd;AACA;AACA,OAAO;AACP;AACA;AACA,OAAO;AACP;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;;
AAEL;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,2BAA2B,UAAU;AACrC,OA
AO;AACP,KAAK;;AAEL;AACA;AACA;AACA;AACA;AACA,MAAM,QAAQ;AACd;AACA,KAAK;A
ACL;AACA;AACA;AACA,KAAK;AACL;AACA;;AAEA;AACA;AACA;AACA,2BAA2B,cAAO;AAClC
;AACA;AACA;AACA,SAAS;AACT;AACA,OAAO;AACP,KAAK;AACL;AACA;AACA;AACA,KAAK;
AACL;AACA;AACA;AACA,KAAK;AACL;AACA;;AAEA;AACA;AACA;AACA,MAAM,WAAW;AAC
jB;AACA;AACA,4BAA4B,cAAO;AACnC;AACA;AACA;AACA,SAAS;AACT;AACA,OAAO;A
ACP,KAAK;;AAEL;AACA;AACA;AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA;AACA;A
ACA,KAAK;AACL;AACA;AACA,0BAA0B,SAAQ;AAClC;AACA;AACA,KAAK;AACL;AACA;AACA;
AACA;AACA;AACA;AACA,KAAK;;AAEL;AACA;AACA;;AAEA,OAAO;AACP;AACA,UAAU,OAAO;AACj
B,SAAS;AACT,UAAU,QAAQ;AAClB;AACA,OAAO;AACP,KAAK;;AAEL;AACA;AACA;AACA;AAC
A;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA,KAA
K;;AAEL;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,OAAO;AACP;AAC
A;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA,aAAa,UAAM;AACn
B;AACA;AACA,YAAY,SAAS;AACrB;AACA;AACA,KAAK;;AAEL;AACA;AACA;AAC
A;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA,iBAAiB,MA
AM;AACvB;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA,QAAQ,aAAS;A
ACjB;AACA;AACA,UAAU,OAAO;AACjB;AACA,SAAS;AACT;AACA,QAAQ,aAAS;AACjB;AACA;AACA,U
AAU,OAAO;AACjB;AACA,SAAS;AACT;AACA,QAAQ,aAAS;AACjB;AACA;AACA,UAAU,OAAO;AACjB;A
ACA,SAAS;AACT;AACA;AACA,QAAQ,OAAO;AACf;AACA;AACA,KAAK;AACL;AACA;AACA,MA
AM,aAAS;AACf,YAAY,OAAO;AACnB,kCAAkC,OAAO;AACzC,UAAU,UAAU;AACpB;AACA,OAAO;AACP
;AACA,MAAM,aAAS;AACf,YAAY,OAAO;AACnB,iCAAiC,OAAO;AACxC,UAAU,UAAU;AACpB;AACA,OA
AO;AACP;AACA;AACA,UAAU,OAAO;AACjB,kCAAkC,OAAO;AACzC,QAAQ,UAAU;AAClB;AACA;AACA
,GAAG;AACH;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA;AACA

;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,IAAI,
WAAW;AACf;AACA;AACA;AACA,CAAC,E;;;;;;;;;;;;;;;;;;;;;;;;;;ACvuBD,IAAI,yDAAM,gBAAgB,aAAa,0BAA
0B,wBAAwB,iBAAiB,yBAAyB,YAAY,8BAA8B,0BAA0B,kCAAkC,wFAAwF,kBAAkB,YAAY,kBAAkB,yGA
AyG,wDAAwD,cAAc,WAAW,wBAAwB,KAAK,wBAAwB,cAAc,mEAAmE,cAAc,aAAa,wFAAwF,4CAA4C,kB
AAkB,WAAW,uGAAuG,KAAK,0BAA0B,+EAA+E,uBAAuB,iCAAiC,iBAAiB,+CAA+C,KAAK,yEAAyE,KAA
K,2BAA2B,aAAa,oDAAoD,sGAAsG,yBAAyB,eAAe,sEAAsE,2BAA2B,WAAW,OAAO,oBAAoB,+GAA+G,0D
AA0D,aAAa,UAAU,0CAA0C;AACx2D,IAAI,kEAAe;;;;;;;;;ACDnB,wBAAwB,2EAA2E,oCAAoC,mBAAmB,GA
AG,EAAE,OAAO,oCAAoC,8HAA8H,GAAG,EAAE,sBAAsB;;AAEpV,SAAS,aAAO;AAC/B;AACA,IAAI,aAAO
;AACX;AACA;AACA,GAAG;AACH,IAAI,aAAO;AACX;AACA;AACA;;AAEA,SAAS,aAAO;AAChB,C;;;;;;;;A
CdA;AAGO,SAASK,QAAT,CAAmBC,KAAnB,EAAyBC,SAAzB,EAAoC;AACzC,SAAO,IAAI7C,OAAJ,CAAY,
UAAUC,OAAV,EAAmB6C,MAAnB,EAA2B;AAC5C,QAAIC,WAAW,GAAG5C,QAAQ,CAACM,aAAT,CAAuB,aAAT
B,QAAvB,CAAlB;AACA,SAASGAAG,IAAAIC,mBAAJ,CAAcF,WAAd,EAA2B;AACzC,UAAI,CAACC,WAAAd,EAA2B;AAC
E;AAAA,eAAOA,KAAP,CAAaC,SAAb;AAAA,SAAG;AAAA,eAAO,KAAP;AAAA,SAAG;AAAA,eAAO,KAAP;AAAA,SAAG;AAGz
CL,eAAS,EAAAA,cAAOA,SAAP,MAAAqB,QAAArB,GAAgCA,SAAhC,GAA4C1C,QAAQ,CAACgD,D;AAHvB,KAAA
3B,CAAAhB;AAMAH,aAAAA,CAAACI,EAAAV,CAAAa,SAAAb,EAAAwB,UAAAAC,KAAAK,EAAAI;AAC/BL,eAAAS,CAAAC
M,OAAAV;AACArD,aAAAA,CAAAoA,CAAAoD,KAAAD,CAAAP;AACD,KAAAD,KAHAL,eAAAS,CAAACM,OAAAV;AACAR,YAAM
,KAHD,eAAAW,CAAACQ,KAAAZ;AACD,GApBM,CAAP;AAqqBD,C;;
;;;;;;;;;;;;;;;;ACwCD;AACA;AAEA;AACA;AACA;AACA;AAEA;;;;AAGA;AACA,YADA;AAEA,mBAFA;AAG
A,MAHA,kBAGA;AACA;AACA;AADA,AAGA,GAPA,AAAA;AACA;AACA,GAVA;AAWA;AACA;;;AAGA;AAJA,GAXA;AACA
;AACA;;;AAGA;AAJA,GAAA;;;AAOA;AACA;AADA,KAJA;;;AAOA;AACA;AADA,KAAA;;;AAGA;AACA;AADA,K
AVA;;;AAAA;;;AAGA;AACA,4BADA;AAEA;AAFA,KAhBA;;;AAGA;AACA,kBADA;AAEA;AAFA,KA9BA;;;AAAkc
A;AAEA;AAFA,KAhBA;;;AAGA;AACA,kBADA;AAEA;AAFA,KA9BA;;;AAAkc;;;AAGA;AACA;AADA,KAhBA;;;AAGA;
A;AAEA;AAFA,KArCA;;;AAAc;AACA;AADA,KA5CA;;;AAGA;AACA;AADA,KAAA;;;AAAA;AACA;AADA,KA5CA;;;AAGA
;AACA;AADA,KAJA;;;AAGA;AACA;AADA,KA5CA;;;AAGA;AACA;AADA,KA5CA;;;AAGA;AACA;AADA,KAhDA;;;AAmDA
;;;AAGA;AACA;AAAA;AAAA;;AAIA;AACA;;;AAGA;AAJA;;AAGA;AAOA;AACA;;;AAGA;AAOA;AACA;;;AAGA
;AAOA;AACA;;;AAGA;AAOA;AACA;;;AAGA;AAOA;AACA;;;AAGA;AAOA;AACA;;;AAAA;;AAOA;AACA;;;AAGA
;AAOA;AACA;;;AAGA,2BAAA;AACA;AAAA;;AAIA;AACA;;;AAGA;AAOA;AACA;;;AAAA;AAOA;AACA;;;AAAA
;AAOA;AACA;;;AAAA;AAOA;AACA,kBAAA;AAoBA;AACA;AAoBA;AAoBA;AACA;AAoBA;AAoBA;AAAA;;AAIA
;AAOA;AACA,kBAAA;AAoBA;AACA;AAoBA;AAoBA;AACA,2BAAA;AACA;AAoBA;AAAA;;AAIA;AAAA;;AAIA
;AAOA;AACA;;;AAGA;AAOA;AACA;;;AAGA;AAOA;AACA;;;AAAA;AAAA;A;;;;;AC5EmU,CAAgB,kHAAG,EAAC,C;;;;;ACAnP;AACvC;AACL;A
ACsC;;;AAG9F;AAC0F;AAC1F,IAAI,mBAAAS,GAAG,kBAAAU;AAC1B,EAAAE,EAAAE,4CAAAM;AACR,EAAAE,yDAAAM;
AACR,EAAAE,kEAAAe;AACjB;AACA;AACA;;AAEA;;AAEA,mBAAAS;AACM,iEAAAS,Q;;
;;;;;;;;;;;;;;;;ACmBxB;AACA;AACA;AAEA;AACA;AACA;AACA;AACA;AAEA;AACA;AACA
;AAEA;AAEA;;;;AAGA;AACA,YADA;AAEA,wBAFA;AAGA;AACA,uBADA;AAEA,wBAFA;AAGA,sDAHA;
;AAIA;;;AAGA;AAPA,GAHA;AAAA;AACA,8IADA;AAEA;;AAEA;AACA;AAAA;AAAA;;AACA;;;AAGA;AAGA;AAGA,oBAGA;AAAc;AAAA;;AACA;;;AAGA;AAGA;AAGA,kBAGA;AAAA;AAAA;;AACA;;;AAGA;AAGA,eAAA;AAGA;AAGA;AAGA;AACA;AAAA;AAAA;;AACA;;;AAGA;AAGA;AAGA,kBAGA;AAAA;AAAA;;AACA;;;AAGA;AAGA,oBAGA;AAGA;AAGA;AAGA;AACA;AAGA;AAGA;AACA;AAGA;AAGA;AAAA;AAAA;;AAGA;AAGA,kBAGA;AAGA;AAGA;AAAc;AAGA;AAGA;AAAA;AAAA;;AAGA;AAGA,kBAGA;AAAA;AAAA;;AACA;;;AAGA;AAGA;AAGA,kBAGA;AAAA;;;AAGA;AAGA;AAGA,oBAGA;AAAA;;;AAGA;AAGA;AAGA,kBAGA;AAAA;AAAA;;AGA;AACA;AAAA;AAAA;;AGA;AACA,iBAAA;AoBA;AACA;AAoBA;AAoBA;AACA;AAoBA;AAoBA;AAoBA;AACA;AAoBA;AAoBA,aAAA;AoBA;AACA;AAAA;AAAA;;AAGA;AACA;AAAA;AAAA;;AAGA;AACA,iBAAA;AoBA;AACA;AAoBA;AACA,2BAAA;AACA;AAoBA,aAAA;AoBA;AACA;AAAA;;AACA;;;AAAA;AACA,iBAAA;AoBA;AAoBA,qGAAA;AAoBA,sHAAA;AAoBA,oGANA;AAoBA,oGARA;AAoBA,oGAAA;AAoBA,mFAPA;AAoBA,oGARA;AAASA;AATA;AAWA;AACA;AAAA;AAGA;AAAA;AAAA;AAGA;AAAA;AAGA;AAAA;AAGA;AAAA;AAOA;AOBA;AACA,4HAAG;AAEC,C;;;;;ACA3B;AACL;AACc;;;AAG9F;AAC0F;AAC1F,IAAI,mBAAAS,wBAAAS,GAAG,kBAAAU;AAC1B,EAAAE,EAAAE,iDAAAM;AACR,EAAAE,kDAAAM;AACR,EAAAE,2DAAAe;AACjB;AACA;AACA;;AAEA;;AAEA,wBAAAS;AACM,2EAAAS,Q;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;ACJxB;AAEA;AAAA;AACA;AAEA;AAEA;wBAAAS;AACA;AACA,YADA;AAEA,0BAFA;AAGA,aAHA;AAIA,yBAAA;AAAA;AACA;;;AAGA;AALA;AAGA;AACA,GALA;AAMA;;;AAGA;AAJA;AAGA;AACA,kBAAA;AAAA;AAAA;;AGA;AAGA;AAGA,eAAA;AAGA;AGA;AAGA,kBAGA;AAAA;AAAA;;AGA;AACA;AAAA;AAAA;;AGA;AACA,iBAAA;AoBA;AACA;AAoBA;AACA;AAoBA;AAoBA;AACA;AAoBA;AAoBA;AACA;AAoBA;AoBA;AACA;AAAA;AAAA;;AGA;AGA;AGA;AGA;AGA;AGA;AGA,oBAGA;AGA,kBAGA;AAAA;AAAA;;AGA;AACA,iBAAA;AoBA;AACA;AAoBA;AoBA;AACA;AAoBA;AoBA;AACA,iBAAA;AoBA;AACA;AAoBA;AoBA;AACA;AAoBA;AoBA;AACA,iBAAA;AoBA;AoBA;AAoBA;AACA;AoBA;AoBA;AACA;AAoBA;AAoBA;AoBA;AoBA;AACA;AoBA;AoBA;AACA;AAoBA;AAoBA;AoBA;AoBA;AACA;AoBA;AoBA;AACA;AAoBA;AAoBA,kBAoBA;AACA;AoBA;AAoBA;AACA;AAoBA;AoBA;AACA;AAoBA;AoBA;AACA,iBAAA;AoBA;AoBA;AAoBA;AACA;AoBA;AoBA;AAoBA;AACA;AoBA;AAoBA;AACA;AAoBA;AAoBA,kBAoBA;AACA;AoBA;AAoBA;AACA;AAoBA;AoBA;AACA;AoBA;AoBA;AACA;AAoBA;AAoBA;AoBA;AoBA;AACA;AoBA;AoBA;AACA;AAoBA;AAoBA;AoBA;AoBA;AACA;AoBA;AoBA;AACA;AAoBA;AAoBA,kBAAA;AoBA;AAoBA;AACA;AAoBA;AoBA;AACA;AAoBA;AoBA;AACA,iBAAA;AoBA;AoBA;AAoBA;AACA;AoBA;AAoBA;AACA;AAoBA;AoBA;AACA;AAoBA;AoBA;AACA;AAoBA;AoBA;AACA;AAoBA;AoBA;AACA;AAoBA;AoBA;AACA,iBAAA;AoBA;AoBA;AACA;AAoBA;AAoBA;AoBA;AoBA;AAoBA;AACA;AAoBA;AAoBA,kBAoBA;AACA;AoBA;AAoBA;AACA;AAoBA;AoBA;AACA;AoBA;AoBA;AAoBA;AACA;AAoBA;AAoBA;AoBA;AoBA;AACA;AAoBA;AAoBA,kBAAA;AoBA;AAoBA;AACA;AAoBA;AoBA;AACA;AAoBA;AoBA;AACA;AAoBA;AoBA;AACA;AAoBA;AoBA;AACA;AAoBA;AoBA;AACA;AAoBA;AoBA;AACA;AAoBA;AoBA;AACA;AAoBA;AoBA;AACA,iBAAA;AoBA;AAlB

A;;AAqBA;;;AAGA;AACA;AADA,KAxBA;;AA2BA;;;AAGA;AACA,kBADA;AAEA;AAAA;AAAA;AAFA,KA
9BA;;AAkCA;;;AAGA;AACA,kBADA;AAEA;AAAA;AAAA;AAFA;AArCA,GAbA;AAuDA;MAvDA,kBAuDA;
AACA;AACA;AADA;AAGA,GA3DA;AA4DA,SA5DA,qBA4DA;AACA;AACA;AA9DA,G;;AC5B0U,CAAgB,g
IAAG,EAAC,C;;;;;ACAnP;AACvC;AACL;AACsC;;;AAGrG;AAC0F;AAC1F,IAAI,0BAAS,GAAG,kBAAU;AAC
1B,EAAE,mDAAM;AACR,EAAE,gEAAM;AACR,EAAE,yEAAe;AACjB;AACA;AACA;;AAEA;;AAEA,
0BAAS;AACM,+EAAS,Q;;ACpBxB,IAAI,+DAAM,gBAAgB,aAAa,0BAA0B,wBAAwB,iBAAiB,wBAAwB,eAA
e,2DAA2D,gCAAgC,WAAW,OAAO,gBAAgB,yBAAyB,kBAAkB,YAAY,mEAAmE,kFAAkF,uDAAuD,YAAY,
kBAAkB,YAAY,kBAAkB,UAAU,qHAAqH,0EAA0E,WAAW,OAAO,uCAAuC,aAAa,sBAAsB,sCAAsC,kBAAk
B,UAAU,qHAAqH,iFAAiF,WAAW,OAAO,wCAAwC,aAAa,sBAAsB,uCAAuC,kBAAkB,UAAU,qHAAqH,yFA
AyF,WAAW,OAAO,wCAAwC,aAAa,sBAAsB;AACrkD,IAAI,wEAAe;;;;;;;;;;;ACDnB,IAAI,8CAAM,gBAAgB,aA
Aa,0BAA0B,wBAAwB,kBAAkB,kCAAkC,6CAA6C,KAAK,0BAA0B,wBAAwB,wBAAwB,iBAAiB,OAAO,uBA
AuB,6BAA6B,gEAAgE,qBAAqB,wFAAwF,mDAAmD,iCAAiC,cAAc,aAAa,oEAAoE,oCAAoC,iGAAiG,WAAW
,oBAAoB,KAAK,yBAAyB,4BAA4B,QAAQ,EAAE,gCAAgC,YAAY,0DAA0D,wCAAwC,eAAe,qEAAqE,iBAAi
B,gGAAgG,OAAO,kDAAkD,cAAc,OAAO,gCAAgC,WAAW,qBAAqB,6BAA6B,wDAAwD,sCAAsC,wCAAwC,
yDAAyD,wCAAwC;AACloD,IAAI,uDAAe;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;ACsBnB;AACA;AACA;AAEA;;
;;AAGA;AACA,YADA;AAEA,oBAFA;AAGA;AACA;;;AAGA;AACA,kBADA;AAEA;AAAA;AAAA;AAFA,K
AJA;;AAQA;;;AAGA;AACA;AADA,KAXA;;AAcA;;;AAGA;AACA;AADA,KAjBA;;AAoBA;;;AAGA;AACA,k
BADA;AAEA;AAAA;AAAA;AAFA;AArBA,AAvBA,GAHA;AA+BA,MA/BA,kBA+BA;AACA;AACA,eADA;AAEA,m
BAFA;AAGA,kBAHA;AAIA,wBAJA;AAKA;AALA;AAOA,GAvCA;AAwCA,eADA;AAyBA;AACA;A
ACA;AAHA,GAxCA;AA6CA,aA7CA,kBA6CA;AACA,aADA;AAEA,uBAFA;AAGA;AACA;AACA;AAHA,GA7CA
;AAkDA;AACA;AACA,KANA;AAOA;AAPA,GAlDA;AA2DA;;;AAGA;AACA,YADA;AAEA,oBAFA;AAGA;
AACA;;;AAGA,0BADA;AAyBA;AAKA;AAKA;AAKA;AAKA;AAKA;AAKA;AAKA,KAdA;AAiBA;AAjBA,GA2D
A;AA+EA;;;AAGA;AACA,YADA;AAEA,oBAFA;AAGA;AACA;;;AAGA;AACA,kBADA;AAEA;AAAA;AAAA;
AAFA,K
AJA;;AAQA;;;AAGA;AACA;AADA,KAXA;;AAcA;;;AAGA;AACA;AADA,KAjBA;;AAoBA;;;AAGA;AACA,k
BADA;AAEA;AAAA;AAAA;AAFA;AArBA,AAvBA,GAHA;AA+BA,MA/BA,kBA+BA;AACA;AACA,eADA;AAEA,m
BAFA;AAGA,kBAHA;AAIA,wBAJA;AAKA;AALA;AAOA,GAvCA;AAwCA,eADA;AAyBA;AACA;A
ACA;AAHA,GAxCA;AA6CA,aA7CA,kBA6CA;AACA,aADA;AAEA,uBAFA;AAGA;AACA;AACA;AAHA,GA7CA
;AAkDA;AACA;AACA,KANA;AAOA;AAPA,GAlDA;AA2DA;;;AAGA;AACA,YADA;AAEA,uBAFA;AAGA;AA
CA;;;AAGA;AACA,kBADA;AAEA;AAAA;AAAA;AAFA,K
AJA;;AAQA;;;AAGA;AACA;AADA,KAXA;;AAcA;;;AAGA;AACA,gBADA;AAEA;AAAA;AAAA;AAFA;AArCA
,AAvBA,GAHA;AA+BA,MA/BA,kBA+BA;AACA,eADA;AAEA,mBAFA;AAGA,sBAHA;AAIA;AAJA;AAMA,GAr
CA;AAsCA,eADA;AAyBA;AACA;AACA;AAHA,GAtCA;AA2CA,aA3CA,kBA2CA;AACA,aADA;AAEA,uBAFA;
AAGA;AACA;AACA;AAHA,GA3CA;AAgDA;AACA;AACA,KANA;AAOA;AAPA,GAhDA;AAyDA;;;AAGA;AAC
A,YADA;AAEA,uBAFA;AAGA;AACA;;;AAGA;AACA,kBADA;AAEA;AAAA;AAAA;AAFA,K

BAAwB,0EAA0E,qBAAqB,yBAAyB,WAAW,uBAAuB,UAAU,8BAA8B,uDAAuD,kGAAkG,+BAA+B,UAAU,8BAA8B,WAAW,KAAK,yBAAyB,wBAAwB,mCAAmC,qGAAqG,uBAAuB,eAAe,mEAAmE,oBAAoB,yGAAyG,OAAO,wGAAwG,KAAK,+BAA+B,+BAA+B,0BAA0B,OAAO,6BAA6B,KAAK,+BAA+B,+BAA+B,kCAAkC,6BAA6B,wCAAwC,aAAa,kEAAkE,qBAAqB,oBAAoB,gGAAgG,OAAO,eAAe;AACtyF,IAAI,wDAAe;;;;;;ACDmC;AACgB;;AAE/D,IAAI,mBAAK,GAAG,YAAgB;;AAEpB;AACf;AACA,SAAS,mBAAK;AACd;AACA;AACA;;AAEA,aAAa,SAAI,EAAE,SAAS;AAC5B;AACA,cAAc;AACd,KAAK;AACL;AACA,CAAC,E;;;;ACnBc;AACf;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;AACA;AACA,CAAC,E;;ACrB8B;AACQ;AACU;AACE;AACV;ACC;AACI;AACb;AACwD;;AAEzF;AACA,4BAA4B,SAAS;AACrC;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEe;AACf,WAAW,QAAa,EAAE,cAAiB;AAC3C;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA,GAAG;;AAEH;AACA;AACA,GAAG;;AAEH;AACA;AACA,GAAG;;AAEA;AACA;AACA;AACA,SAAS;AACT;AACA;AACA;AACA;AACA;AACA;AACA;AACA,SAAS;AACT;AACA;AACA;AACA,KAAK;AACL;AACA,GAAG;AACH;AACA;AACA,GAAG;;AAEA;AACA;AACA,mBAAmB,yBAAM;AACzB,UAAU,UAAI;AACd,SAAS;AACT;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,yBAAyB,yBAAM;AAC/B,KAAK;AACL;AACA;AACA;AACA;AACA,OAAO;AACP;AACA;AACA,OAAO;AACP;AACA;AACA;AACA;AACA;AACA,WAAW;AACX;AACA;AACA;AACA;AACA,aAAa,aAAM;AACnB,oCAAoC,OAAO;AAC3C;AACA;AACA;AACA;AACA;AACA,uBAAuB,IAAS;AAChC;AACA,YAAY,OAAO;AACnB,WAAW;AACX,Y;AAY,QAAQ;AACpB;AACA,SAAS;AACT;AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA,+DAA+D,SAAAQ;AACkBkB,SAAAQ;kBAAAkB,SAAAQ;AAC3H;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA,kBAAkB,SAAAQ;AAC1B;AACA,OAAO,kBAAkB,SAAAQ;AACjC;AACA,OAAO,kBAAkB,SAAAQ;AACjC;AACA,OAAO,kBAAkB,SAAAQ;AACjC;AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA;AACA;AACA;AACA,OAAO;AACP,KAAK,AACL;AACA;AACA;AACA,2BAA2B,aAAS;AACpC,KAAK;AACL;AACA;AACA;AACA;AACA,OAAO;AACP,gBAAgB,OAAO;AACvB;AACA;AACA;AACA;AACA,2BAA2B,aAAS;AACpC,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,CAAC,E;;ACpaqC;AACY;;AAEnC;AACf,WAAW,EAAO,EAAE;AACpB;AACA;AACA;AACA;AACA;AACA;AACA,OAAO;AACP,KAAK;AACL;AACA;AACA;AACA,KAAK,mEAAmE,YAAY,uBAAuB,EAAE;AAC7G;AACA;AACA,cAAc,gDAAg
D;AAC9D;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,CAAC,E;;ACpED,

IAAI,oBAAO,yFAAyF,mBAAmB,EAAE,mBAAmB,8HAA8H;,AAE1Q,IAAI,yBAAY,gBAAgB,2CAA2C,gBAA
gB,kBAAkB,OAAO,2BAA2B,wDAAwD,gCAAgC,uDAAuD,2DAA2D,EAAE,EAAE,yDAAyD,qEAAqE,6DAA6
D,oBAAoB,GAAG,EAAE;,AAEjjB,SAAS,4BAAe,yBAAyB,0CAA0C,0DAA0D,EAAE;,AAExH;AACQ;AACL;
AACU;AAC4G;,AAExJ;AACA;AACA;,AAEA;,AAEA;AACA;AACA;AACA;,AAEA,IAAI,2BAAa;AACjB;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;,AAEA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;,AAEA;AACA;
AACA;AACA;,AAEA;AACA;AACA;AACA;,AAEA,IAAI,sBAAQ;AACZ;AACA;AACA;,AAEA;AACA;AACA
;AACA;AACA;AACA;AACA;AACA;,AAEA,EAAE;AACF;AACA;AACA;AACA;AACA;AACA;AACA
;AACA;AACA;AACA;AACA,eAAe;AACf;,AAEA;AACA,EAAE;AACF;AACA;AACA;,AAEA;AACA;
AACA;AACA,EAAE;AACF;AACA;AACA;AACA;,AAEA;AACA;AACA;AACA;,AAEA,IAAI,qBAAO;AACX;
AACA;AACA,IAAI,4BAAe;,AAEnB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;,AAEA;;,AAGA,EAAE,yBAA
Y;AACd;;,AAGA;AACA;AACA;AACA,0BAA0B,aAAM,GAAG;;,AAEnC;AACA;AACA;AACA;AACA;
AACA;,AAEA;AACA;AACA;AACA;,AAEA;AACA;AACA;AACA;,AAEA;AACA;AACA;AACA;AAC
A;AACA;AACA;,AAEA;,AAEA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AA
CA;AACA,2BAA2B,cAAO;AAClC;AACA;AACA;AACA,OAAO;AACP;AACA;AACA;AACA,GAAG;AACH;A
ACA;AACA;AACA,4BAA4B,cAAO;AACnC;AACA;AACA;AACA,OAAO;AACP;AACA;AACA;,AAEA;,AAE
A,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;,AAEA;AACA;AACA,SAAS;AACT;AACA;AAC
A,OAAO;AACP,YAAY,QAAQ;AACpB;AACA,SAAS;AACT;AACA;AACA;,AAEA;,AAEA,GAAG;AA
CH;AACA;AACA;,AAEA,qDAAqD,SAAS;AAC9D;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;,AAEA;AACA,MAAM,OAAO;AACb;,AAEA;AACA;AACA,QAAQ,QAAQ;AAChB,OA
AO;AACP,QAAQ,WAAW;AACnB;,AAEA;AACA;AACA;,AAEA;AACA,wBAAwB,cAAO;AAC/B;AACA;AA
CA;AACA,OAAO;AACP;AACA;AACA;AACA;AACA;,AAEA;AACA;AACA;AACA;AACA;,AAEA;A
ACA;AACA,yBAAyB,yBAAM;;,AAE/B;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA,2BAA2B,cAAO;AAClC;AACA;AACA;AACA,SAAS;AACT;AACA;,AAEA;AACA;,AAEA;AACA,
MAAM,QAAQ;;,AAEd;AACA;AACA;,AAEA;,AAEA,GAAG;AACH;AACA;,AAEA;AACA;AACA;AAC
A;AACA;AACA,sBAAsB,SAAS,qBAAqB,QAAQ;AAC5D;AACA;AACA,SAAS;AACT;AACA;AACA,G
AAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,Q
AAQ,OAAO;AACf,OAAO;AACP,QAAQ,QAAQ;AAChB;AACA;,AAEA;,AAEA,GAAG;AACH;AACA;AACA,
yBAAyB,QAAQ;AACjC;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;,AAEA;;,AA
EA,GAAG;AACH;AACA;,AAEA;AACA;AACA;,AAEA;AACA,wBAAwB,cAAO;AAC/B;AACA
;AACA;AACA,OAAO;AACP;AACA;AACA;AACA;,AAEA;AACA;AACA;AACA;AACA
;AACA;AACA;AACA;AACA,4BAA4B,cAAO;AACnC;AACA;AACA;AA
CA,SAAS;AACT;AACA;,AAEA;AACA;,AAEA;AACA;AACA,QAAQ,WAAW;AACnB;AACA,MAAM,
WAAW;;,AAEjB;AACA;AACA;,AAEA;AACA;,AAEA;AACA;AACA,GAAG;AACH;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AA
CA,mCAAmC,OAAO,uCAAuC,UAAM;AACvF;;,AAEA;;,AAEA,GAAG;AACH;AACA;AACA,iBAAiB,O
AAO;AACxB;AACA,MAAM,OAAO;AACb;;,AAEA;;,AAEA,GAAG;AACH;AACA;,AAEA,iBAAiB,O
AAO;AACxB;AACA,OAAO;AACP;AACA,QAAQ,OAAO;AACf,OAAO;AACP,QAAQ,UAAU;AAClB;A
ACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;,AAEA;;,AAEA,GAAG;AACH;AACA;
,AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,UAAU
,QAAQ;AAClB,SAAS;AACT;AACA;AACA,UAAU,QAAQ;AAClB;AACA,UAAU,OAAO;AACjB,SAAS
;AACT;AACA;AACA,OAAO;AACP;AACA;,AAEA;;,AAEA,GAAG;AACH;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;,AAEA;;,AA
EA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA,sBAAsB,UAAM,CAAC,sBAAQ,0BAA0B;AAC/
D;;,AAEA;;,AAEA,GAAG;AACH;AACA,MAAM,QAAQ;AACd;AACA,GAAG;AACH;AACA;AA
AA

CA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;;AAEA;;AAEA,GAAG;AACH;AACA;AACA,6BAA6B,UAAM,CAAC,sBAA
Q;AAC5C,MAAM,WAAW;AACjB,MAAM,WAAW;AACjB;AACA,GAAG;AACH;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA,0DAA0D,oBAAO;AACjE;AACA;AACA;AACA;AACA;AACA,SAAS;AACT;A
ACA;AACA,OAAO;AACP;AACA;AACA;AACA;;AAEA;;AAEA,GAAG;AACH;AACA;AACA;AACA;AACA;
AACA;AACA;AACA,wDAAwD,oBAAO;AAC/D;AACA;AACA;AACA;AACA;AACA;AACA;AACA,g
BAAgB,OAAO,4BAA4B,OAAO;AAC1D;AACA;;AAEA;AACA;AACA,GAAG;AACH;AACA;AACA;;AAEA;A
ACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA,UAAU,OAAO;AACjB,SAAS;AACT,UAAU,OAAO;
AACjB,UAAU,OAAO;AACjB,SAAS;AACT;AACA,UAAU,OAAO;AACjB,SAAS;AACT,UAAU,OAAO;AACjB
,UAAU,OAAO;AACjB;AACA,OAAO;AACP;AACA,GAAG;AACH;AACA;AACA;;AAEA;AACA;AACA;AAC
A,QAAQ,QAAQ;AAChB,OAAO;;AAEP;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA,UAAU,UA
AU;AACpB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA,OAAO;AACP;AACA,OAAO;AACP;AACA;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,OAAO;AACP;AACA;A
ACA;;AAEA;;AAEA,GAAG;AACH;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA,WAAW;AACX;AACA,OAAO;AACP;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAE
A,GAAG;AACH;AACA;AACA,kBAAkB,OAAO;AACzB;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA;;AAEA;;AAEA,GAAG;AACH;AACA;AACA,iCAAiC,UAAU,GAAG,gBAAgB;AAC9D;AACA;AACA;AA
CA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA,OAAO;AACP;AA
CA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA,OAAO;AACP;AACA;AA
CA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA,OAAO;AACP;AACA;AACA;AA
CA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA,OAAO;AACP;AACA;AACA;;A
AEA;;AAEA,GAAG;AACH;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,QAAQ,IAAS;AACjB;
AACA,YAAY,OAAO;AACnB,WAAW;AACX,YAAY,QAAQ;AACpB;AACA,SAAS;AACT;AACA;;AAEA;;AA
EA,GAAG;AACH;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA,sBAAsB,oBAAO,CAAC,
OAAO;AACrC,UAAU,OAAO;AACjB,QAAQ,OAAO,4BAA4B,OAAO;AAClD,QAAQ,OAAO;AACf;AACA;;A
AEA;AACA;;AAEA,GAAG;AACH;AACA;AACA;;AAEA;AACA;AACA;AACA,UAAU,QAAQ;AAClB;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,OAAO;AACP;;AAEA;
AACA;;AAEA,GAAG;AACH;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,OAAO;AAC
P;AACA,GAAG;AACH;AACA;AACA;;AAEA;AACA;AACA;AACA,mBAAmB,yCAAyC;AAC5D,iBAAiB,2CA
A2C;AAC5D,kBAAkB,oBAAoB;AACtC,4BAA4B;AAC5B,SAAS;AACT;AACA;AACA;AACA;AACA,S
AAS;AACT;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA,oBAAoB,UAAM
,CAAC,sBAAQ;AACnC,qCAAqC,KAAK;AAC1C;AACA;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;A
ACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA,GAAG;AACH;AACA;AACA;AACA;
AACA;AACA,UAAU,WAAW;AACrB,SAAS;AACT;AACA;AACA,GAAG;AACH;AACA;AACA;AACA
;AACA;AACA,GAAG;AACH;AACA;AACA;AACA,UAAU,OAAO;AACjB;AACA;AACA,MAAM,WAAW;AA
CjB;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA,aAAa,2BAAa;AAC1B;AACA,GAAG;A
ACH;AACA;AACA;;AAEA;;AAEA,GAAG;AACH;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA,
CAAC;;AAEc,uEAAO,E;;ACplCtB,IAAI,oBAAO,yFAAyF,mBAAmB,EAAE,mBAAmB,8HAA8H;;AAE1Q,IAAI
,yBAAY,gBAAgB,2CAA2C,gBAAgB,kBAAkB,OAAO,2BAA2B,wDAAwD,gCAAgC,uDAAuD,2DAA2D,EAAE
,EAAE,yDAAyD,qEAAqE,6DAA6D,oBAAoB,GAAG,EAAE;;AAEjjB,SAAS,4BAAe,yBAAyB,0CAA0C,0DAA0
D,EAAE;;AAEvJ,iDAAiD,aAAa,uFAAuF,EAAE,uFAAuF;;AAE9O,0CAA0C,+DAA+D,qGAAqG,EAAE,yEAAy
E,eAAe,yEAAyE,EAAE,EAAE,uHAAuH;;AAEtc;AACJ;AAC6B;;AAE/D,IAAI,kBAAI,AACR,IAAI,0BAAY;AA
ChB,IAAI,gCAAkB,sBAAsB,0BAAY;;AAExD,IAAI,sBAAQ,GAAG,aAAM,GAAG,EAAE,aAAO;AACjC;AAC
A;AACA;AACA,CAAC;;AAED,IAAI,uBAAS;AACb;AACA;;AAEA,IAAI,sBAAQ;AACZ;;AAEA;AACA,IAAI,q
BAAO;AACX;;AAEA;AACA,IAAI,4BAAe;;AAEnB;AACA;;AAEA,EAAE,yBAAY,bAAA,yBAA

Y;AACd;;;AAGA;;AAEA;AACA;AACA;AACA;AACA;AACA,8BAA8B,UAAM,CAAC,sBAAQ,kBAAkB;AAC/
D,gCAAgC,UAAM,CAAC,sBAAQ,oBAAoB;AACnE;AACA;AACA,GAAG;AACH;AACA;AACA,MAAM,QAA
Q,uBAAuB,0BAAY;AACjD;AACA,GAAG;AACH;AACA;AACA;AACA,6BAA6B,UAAM,CAAC,sBAAQ;AAC
5C,6BAA6B,UAAM,CAAC,sBAAQ;;AAE5C,MAAM,WAAW,MAAM,uBAAS;AAChC,MAAM,WAAW,MAA
M,uBAAS;AAChC;;AAEA;;AAEA,GAAG;AACH;AACA;AACA;AACA,yCAAyC,gCAAkB;AAC3D;AACA;AA
CA,UAAU,WAAW;AACrB,SAAS;AACT;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;A
ACA,wDAAwD,oBAAO;AAC/D;AACA;AACA;AACA;AACA;AACA;AACA;AACA,gBAAgB,OAAO,4
BAA4B,OAAO;AAC1D;AACA;AACA;;AAEA;;AAEA,GAAG;AACH;AACA;AACA;AACA;AA
CA;AACA,0DAA0D,oBAAO;AACjE;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH
;;AAEA;;AAEA;AACA,aAAa,sBAAQ;AACrB;AACA,GAAG;AACH;AACA;AACA,aAAa,kBAAI;AACjB;AAC
A,GAAG;;AAEH;AACA,CAAC,CAAC,aAAO;;AAEM,uEAAO,E;;ACnJtB;;AAEA;;AAEO,sD;;ACJP,IAAI,cAA
O,yFAAyF,mBAAmB,EAAE,mBAAmB,8HAA8H;;AAE1Q;AACA;AACA;AACA;AACyC;AACA;AACS;AACP;
AACG;;AAE9C;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;;AAEA,IAAI,uBAAAe;AACnB;AACA;AACA;AACA;AACA;;AAEe;AACf;AACA;AACA;AAC
A,6BAA6B,WAAW;AACxC,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;
AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;
AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,GAAG;AACH;
AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;
AACH;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA
;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA
;AACA;AACA;AACA,KAAK;AACL,GAAG;AACH;AACA;AACA;AACA;AACA,GAAG;;AAE
H;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;;AA
EH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GA
AG;;AAEH;AACA;AACA;AACA,kBAAkB,cAAO;AACzB;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,iBAAiB,OAAO;AACxB;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA,gBA
AgB,aAAM,GAAG;AACzB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,OAAO;AACP;A
ACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;A
ACL;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA,e
AAe,OAAO;AACtB,OAAO,yDAAyD,cAAO,0BAA0B,SAAS;AAC1G;AACA;AACA,OAAO,yDAAyD,cAAO,0B
AA0B,SAAS;AAC1G;AACA;AACA;AACA,KAAK;AACL;AACA;AACA,KAAK;AACL;AACA;AACA;
AACA;AACA,KAAK;AACL;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA,
KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;
AACA;AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA,4BAA4B,UAAU,mDAAmD,uBAAe;AACxG;AACA,8BAA8B,UAAU,qDA
AqD,uBAAe;AAC5G;AACA,OAAO;AACP;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA,CAAC,E;;ACpU+C;AACZ;AACY;;AAEjC;AACf,WAAW,OAAY;AACvB;AACA;AACA,
cAAc,kBAAkB;AAChC,cAAc;AACd,KAAK,aAAa,eAAe,gCAAgC,iBAAiB;AAClF,GAAG;AACH;AACA;AAC
A,GAAG;;AAEH;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AAC
A;AACA,KAAK;AACL;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA,4BA
A4B,aAAO;AACnC,OAAO;AACP;AACA,QAAQ,UAAI;AACZ;AACA;AACA;AACA,CAAC,E;;;;;;;;;;;;;
;;;ACWD;AACA;AACA;AAEA;AACA;AACA;AACA;AAEA;;;;
AAGA;AACA,YADA;AAEA,qBAFA;AAGA;AACA,gCADA;AAEA,uBAFA;AAGA,mCAHA;AAIA,qBAJA;AA
KA,sCALA;AAMA,0BANA;AAOA;AAPA,GAHA;AAYA;;;AAGA;AACA,kBADA;AAEA;AAFA,KAJA
;;AAQA;;;AAGA;AACA,kBADA;AAEA;AAFA;AAGA,KAjBA;;AAqBA;;;AAGA;AACA,kBADA;AAEA;
AAFA;AAGA,KAxBA;;AA4BA;;;AAGA;AACA,iBADA;AAEA;AAFA;AAGA,KA/BA;;AAmCA;;;AAGA;
AACA,kBADA;AAEA;AAFA;AAGA;AAtCA,GAZ

A;AAuDA,MAvDA,kBAuDA;AACA;AACA,8BADA;AAEA;AAFA;AAIA,GA5DA;AA6DA;AACA,wBADA,kC
ACA;AACA;AACA,KAHA;AAIA,gBAJA,0BAIA;AACA;AACA;AACA;AARA,GA7DA;AAuEA;AACA
,eADA,yBACA;AACA;AACA;AAHA;AAvEA,G;;ACzEqU,CAAgB,sHAAG,EAAC,C;;;;;ACA/P;AAC3B;AACL;
AACc;;;AAGxE;AAC0F;AAC1F,IAAI,qBAAS,GAAG,kBAAU;AAC1B,EAAE,8CAAM;AACR,EAAE,+CAAM;
AACR,EAAE,wDAAe;AACjB;AACA;AACA;;AAEA;;AAEA,qBAAS;AACM,qEAAS,Q;;ACpBxB,IAAI,
oDAAM,gBAAgB,aAAa,0BAA0B,wBAAwB,iBAAiB,OAAO,mBAAmB;AACpI,IAAI,6DAAe;;;;;;;;;;;;;ACInB;A
AEA;AAEA;;;;AAGA;AACA,0BADA;AAEA;AACA;;;AAGA;AACA,kBADA;AAEA;AAFA,KAJA;;AAQA;;;A
AGA;AACA,kBADA;AAEA;AAAA;AAAA;AAFA;AAXA,GAFA;AAkBA,MAlBA,kBAkBA;AACA;AACA;AA
DA;AAGA,GAtBA;AAuBA,SAvBA,qBAuBA;AAAA;;AACA;AACA,KAFA;AAGA;AA3BA,G;;ACZ0U,
CAAgB,gIAAG,EAAC,C;;ACA/P;AAC3B;AACL;;;AAG/D;AAC0F;AAC1F,IAAI,0BAAS,GAAG,kBAAU;AAC1
B,EAAE,mDAAM;AACR,EAAE,oDAAM;AACR,EAAE,6DAAe;AACjB;AACA;AACA;;AAEA;;AAEA,
0BAAS;AACM,+EAAS,Q;;;;AClBxB;AAAA;AAAA;AAEA;;;;AAGA;AACA,qBADA;AAEA;AACA;;;AAGA;A
ACA;AADA,KAJA;;AAOA;;;AAGA;AACA,kBADA;AAEA;AAFA,KAVA;;AAcA;;;AAGA;AACA,kBADA;AA
EA;AAFA,KAjBA,GAFA;AAwBA,MAxBA,kBAwBA;AACA;AACA,mBADA;AAEA,oBAFA;AAGA;AAHA;A
AKA,GA9BA;AA+BA;AACA,UADA,kBACA,OADA,EACA,EACA;AACA;AACA,AAHA,GA/BA;AAoCA,QApCA,kB
AoCA,CApCA,EAoCA;AAAA;;AACA;AACA;;ACACA;;ACA;;ACA,KAJA;AAKA,GA7CA;AA8CA,AACA,sBADA,g
CACA;AACA;AACA,4BADA;AAEA,uCAFA;AAGA,6DAHA;AAAA;AAAA;AAMA,KARA;AASA,yBATA,mCA
SA;AAAA;;AACA;AACA,KAXA;AAYA,KAhBA;AAiBA;AACA,KAlBA;AAmBA;AAnBA;AAoBA,KAhDA;AAiE
A,uCAFA;AAGA,6DAHA;AAIA;AAJA;AAAA;AAMA,KARA;AASA,yBATA,mCASA;AAAA;;AACA;AACA,KA
XA;AAYA,KAhBA;AAiBA;AACA,KAlBA;AAmBA;AAAA;;AACA;AACA;;ACACA;ACA;;ACA,KAJA;AAKA,KA3B
A;AAqBA,SArBA,mBAqBA;AACA;AAAA;;AACA;AAAA;;AACA;AAAA;AAHA;AAKA,KA3BA;AA4BA,gBA5BA;
AA4BA,gBA5BA,0BA4BA;AACA;AACA,KA9BA;AA+BA;AA+BA,cA/BA;wBA+BA,wBA+BA;AACA;AACA;AAjC
A;AACA,gBADA,0BACA;AAAA;;AACA;AACA,uDAFA,CAGA;;AACA;AAAA;AAAA;AACA,KANA;AAOA,
eAPA,yBAOA;AAAA;;AACA;AACA,uDAFA,CAGA;;AACA;AAAA;AAAA;AACA,KANA;AAOA,KAdA;AAeA;AA
fA;AAgBA;AAhBA;;AAkBA;AAlBA;;AAoBA;AApBA;;ACXA;AACA;AAEA;AACA;AACA;AACA;AACA;AA
CA;AACA;AAEA;;IAEMC,W;;;;;;;;qCACoBC,I,EAAMC,O,EAAS;AACrC,aAAO,KAAKC,IAAL,CAAUC,gBA
AV,CAA2BH,IAA3B,EAAiCC,OAAjC,CAAP;AACD;;;uCACoByBD,I,EAAMC,O,EAAS;AACvC,aAAO,KAAKC,I
AAL,CAAUWE,kBAAX,CAA8BJ,IAA9B,EAAoCC,OAApC,CAAP;AACD;;;8BACgBD,I,EAAMM;AACrB,aAAO,K
AAKE,IAAL,CAAUU7F,MAAV,GAAmB2F,IAA1B;AACD;;;gCACkB,G;;ACnBxB,IAAI,4BAAUeX,G,EAAAK2G,O,E
AAAS;AAC5BC,YAAM,CAAACrG,IAAP,CAAAYsG,0BAAAZ,EAAAwBrG,O;AAAAxB,CAAAgC,UAAAAtB,GAAG;
AAAA,eAAIc,GAAG,CAAAC8G,SAAAJ,CAAAc5H,GAAAd,EAAAmB2H,0H,0BAAU,CAAA3H,GAAAD,CAAA7B,C
AAAAD,GAAAD,CAAA7A,7H,GAAAD,CAAAA7B,CAAAA7B,CAAAAwBrG,O;;;AACrB;AAChB,aAAOsH,I
AAP;;;wBAXib;AAAChB,aAAOsH,IAAP;;;wBBACmB;AAAChB,aAAOsH,IAAP;;;wBBACmB;AA
ClB,aAAOnG,mBAAAO,CAAAAC,MAAD,CAAP,CAAuB0B0G,OAA9B;AACD;;;wBBACuB;AACtB,aAAOF,0BAAP;A
ACD;;;;;;;AAMYR,oDAAf,E;;AC/CA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;
AAAA;AAAwB;AACA;AACT,mFAAG;AACI;;;;;;;;;ACHtB,mBAAAmB,mBAAO,CAAC,MAAiB;;AAE5C;AA
CA;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,aAAAa,QAAQ;AACrB;AACA;AACA;AACA;AA
CA;;AAEA;;;;;;;;ACfA;AACA;;;;;;;ACDA,iBAAAiB,mBAAO,CAAC,MAAe;AACxC,mBAAAmB,mBAAO,CAA
C,MAAgB;;AAE3C;AACA;;AAAE5C;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,EAAAE;AACb,aAAAa,QA
AQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA",
"file":"@icij/murmur.umd.js","sourcesContent":["(function webpackUniversalModuleDefinition(root, factory)
{\n\tif(typeof exports === 'object' && typeof module === 'object')\n\t\tmodule.exports =
factory(require(\"vue\"));\n\telse if(typeof define === 'function' && define.amd)\n\t\tdefine([], factory);\n\telse
if(typeof exports === 'object')\n\t\texports[\"@icij/murmur\"] =
factory(require(\"vue\"));\n\telse\n\t\troot[\"@icij/murmur\"] = factory(root[\"Vue\"]);\n})((typeof self !==
'undefined' ? self : this), function(__WEBPACK_EXTERNAL_MODULE__8bbf__) {\nreturn "," \t// The module

cache\n \tvar installedModules = {};\n\n \t// The require function\n \tfunction __webpack_require__(moduleId) {\n\n \t\t// Check if module is in cache\n \t\tif(installedModules[moduleId]) {\n \t\t\treturn installedModules[moduleId].exports;\n \t\t}\n \t\t// Create a new module (and put it into the cache)\n \t\tvar module = installedModules[moduleId] = {\n \t\t\ti: moduleId,\n \t\t\tl: false,\n \t\t\texports: {}\n \t\t};\n\n \t\t// Execute the module function\n \t\tmodules[moduleId].call(module.exports, module, module.exports, __webpack_require__);\n\n \t\t// Flag the module as loaded\n \t\tmodule.l = true;\n\n \t\t// Return the exports of the module\n \t\treturn module.exports;\n \t}\n\n\n \t// expose the modules object (__webpack_modules__)\n \t__webpack_require__.m = modules;\n\n \t// expose the module cache\n \t__webpack_require__.c = installedModules;\n\n \t// define getter function for harmony exports\n \t__webpack_require__.d = function(exports, name, getter) {\n \t\tif(!__webpack_require__.o(exports, name)) {\n \t\t\tObject.defineProperty(exports, name, { enumerable: true, get: getter });\n \t\t}\n \t};\n\n \t// define __esModule on exports\n \t__webpack_require__.r = function(exports) {\n \t\tif(typeof Symbol !== 'undefined' && Symbol.toStringTag) {\n \t\t\tObject.defineProperty(exports, Symbol.toStringTag, { value: 'Module' });\n \t\t}\n \t\tObject.defineProperty(exports, '__esModule', { value: true });\n \t};\n\n \t// create a fake namespace object\n \t// mode & 1: value is a module id, require it\n \t// mode & 2: merge all properties of value into the ns\n \t// mode & 4: return value when already ns object\n \t// mode & 8|1: behave like require\n \t__webpack_require__.t = function(value, mode) {\n \t\tif(mode & 1) value = __webpack_require__(value);\n \t\tif(mode & 8) return value;\n \t\tif((mode & 4) && typeof value === 'object' && value && value.__esModule) return value;\n \t\tvar ns = Object.create(null);\n \t\t__webpack_require__.r(ns);\n \t\tObject.defineProperty(ns, 'default', { enumerable: true, value: value });\n \t\tif(mode & 2 && typeof value != 'string') for(var key in value) __webpack_require__.d(ns, key, function(key) { return value[key]; }.bind(null, key));\n \t\treturn ns;\n \t};\n\n \t// getDefaultExport function for compatibility with non-harmony modules\n \t__webpack_require__.n = function(module) {\n \t\tvar getter = module && module.__esModule ?\n \t\t\tfunction getDefault() { return module['default']; } :\n \t\t\tfunction getModuleExports() { return module; };\n \t\t__webpack_require__.d(getter, 'a', getter);\n \t\treturn getter;\n \t};\n\n \t// Object.prototype.hasOwnProperty.call\n \t__webpack_require__.o = function(object, property) { return Object.prototype.hasOwnProperty.call(object, property); };\n\n \t// __webpack_public_path__\n \t__webpack_require__.p = \"\";\n\n\n \t// Load entry module and return exports\n \treturn __webpack_require__(__webpack_require__.s = \"fb15\");\n","var Symbol = require('./_Symbol');\n\n/** Used for built-in method references. */\nvar objectProto = Object.prototype;\n\n/** Used to check objects for own properties. */\nvar hasOwnProperty = objectProto.hasOwnProperty;\n\n/**\n * Used to resolve the\n * [`toStringTag`](http://ecma-international.org/ecma-262/7.0/#sec-object.prototype.tostring)\n * of values.\n */\nvar nativeObjectToString = objectProto.toString;\n\n/** Built-in value references. */\nvar symToStringTag = Symbol ? Symbol.toStringTag : undefined;\n\n/**\n * A specialized version of `baseGetTag` which ignores `Symbol.toStringTag` values.\n *\n * @private\n * @param {*} value The value to query.\n * @returns {string} Returns the raw `toStringTag`.\n */\nfunction getRawTag(value) {\n var isOwn = hasOwnProperty.call(value, symToStringTag),\n   tag = value[symToStringTag];\n\n try {\n   value[symToStringTag] = undefined;\n   var unmasked = true;\n } catch (e) {}\n\n var result = nativeObjectToString.call(value);\n if (unmasked) {\n   if (isOwn) {\n   value[symToStringTag] = tag;\n   } else {\n   delete value[symToStringTag];\n   }\n }\n return result;\n}\n\nmodule.exports = getRawTag;\n","'use strict';\nvar LIBRARY = require('./_library');\nvar $export = require('./_export');\nvar redefine = require('./_redefine');\nvar hide = require('./_hide');\nvar Iterators = require('./_iterators');\nvar $iterCreate = require('./_iter-create');\nvar setToStringTag = require('./_set-to-string-tag');\nvar getPrototypeOf = require('./_object-gpo');\nvar ITERATOR = require('./_wks')('iterator');\nvar BUGGY = !([].keys && 'next' in [].keys()); // Safari has buggy iterators w/o `next`\nvar FF_ITERATOR = '@@iterator';\nvar KEYS = 'keys';\nvar VALUES = 'values';\n\nvar returnThis = function () { return this; };\n\nmodule.exports = function (Base, NAME, Constructor, next, DEFAULT, IS_SET, FORCED) {\n $iterCreate(Constructor, NAME, next);\n var getMethod = function (kind) {\n   if (!BUGGY && kind in proto) return proto[kind];\n   switch (kind) {\n   case KEYS: return function keys() { return new Constructor(this, kind); };\n   case VALUES: return function values() { return new Constructor(this, kind); };\n   } return function entries() { return new

Constructor(this, kind); };\n };\n var TAG = NAME + ' Iterator';\n var DEF_VALUES = DEFAULT == VALUES;\n var VALUES_BUG = false;\n var proto = Base.prototype;\n var $native = proto[ITERATOR] || proto[FF_ITERATOR] || DEFAULT && proto[DEFAULT];\n var $default = $native || getMethod(DEFAULT);\n var $entries = DEFAULT ? !DEF_VALUES ? $default : getMethod('entries') : undefined;\n var $anyNative = NAME == 'Array' ? proto.entries || $native : $native;\n var methods, key, IteratorPrototype;\n // Fix native\n if ($anyNative) {\n IteratorPrototype = getPrototypeOf($anyNative.call(new Base()));\n if (IteratorPrototype !== Object.prototype && IteratorPrototype.next) {\n // Set @@toStringTag to native iterators\n setToStringTag(IteratorPrototype, TAG, true);\n // fix for some old engines\n if (!LIBRARY && typeof IteratorPrototype[ITERATOR] != 'function') hide(IteratorPrototype, ITERATOR, returnThis);\n }\n }\n // fix Array#{values, @@iterator}.name in V8 / FF\n if (DEF_VALUES && $native && $native.name !== VALUES) {\n VALUES_BUG = true;\n $default = function values() { return $native.call(this); };\n }\n // Define iterator\n if ((!LIBRARY || FORCED) && (BUGGY || VALUES_BUG || !proto[ITERATOR])) {\n hide(proto, ITERATOR, $default);\n }\n // Plug for library\n Iterators[NAME] = $default;\n Iterators[TAG] = returnThis;\n if (DEFAULT) {\n methods = {\n values: DEF_VALUES ? $default : getMethod(VALUES),\n keys: IS_SET ? $default : getMethod(KEYS),\n entries: $entries\n };\n if (FORCED) for (key in methods) {\n if (!(key in proto)) redefine(proto, key, methods[key]);\n } else $export($export.P + $export.F * (BUGGY || VALUES_BUG), NAME, methods);\n }\n return methods;\n};\n","var isPrototype = require('./_isPrototype'),\n nativeKeys = require('./_nativeKeys');\n\n/** Used for built-in method references. */\nvar objectProto = Object.prototype;\n\n/** Used to check objects for own properties. */\nvar hasOwnProperty = objectProto.hasOwnProperty;\n\n/**\n * The base implementation of `_.keys` which doesn't treat sparse arrays as dense.\n *\n * @private\n * @param {Object} object The object to query.\n * @returns {Array} Returns the array of property names.\n */\nfunction baseKeys(object) {\n if (!isPrototype(object)) {\n return nativeKeys(object);\n }\n var result = [];\n for (var key in Object(object)) {\n if (hasOwnProperty.call(object, key) && key != 'constructor') {\n result.push(key);\n }\n }\n return result;\n}\n\nmodule.exports = baseKeys;\n","var Symbol = require('./_Symbol'),\n isArguments = require('./isArguments'),\n isArray = require('./isArray');\n\n/** Built-in value references. */\nvar spreadableSymbol = Symbol ? Symbol.isConcatSpreadable : undefined;\n\n/**\n * Checks if `value` is a flattenable `arguments` object or array.\n *\n * @private\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is flattenable, else `false`.\n */\nfunction isFlattenable(value) {\n return isArray(value) || isArguments(value) ||\n !!(spreadableSymbol && value && value[spreadableSymbol]);\n}\n\nmodule.exports = isFlattenable;\n","/**\n * This method returns `false`.\n *\n * @static\n * @memberOf _\n * @since 4.13.0\n * @category Util\n * @returns {boolean} Returns `false`.\n * @example\n *\n * _.times(2, _.stubFalse);\n * // => [false, false]\n */\nfunction stubFalse() {\n return false;\n}\n\nmodule.exports = stubFalse;\n","/**\n * Appends the elements of `values` to `array`.\n *\n * @private\n * @param {Array} array The array to modify.\n * @param {Array} values The values to append.\n * @returns {Array} Returns `array`.\n */\nfunction arrayPush(array, values) {\n var index = -1,\n length = values.length,\n offset = array.length;\n\n while (++index < length) {\n array[offset + index] = values[index];\n }\n return array;\n}\n\nmodule.exports = arrayPush;\n","var isObject = require('./isObject');\n\n/**\n * Checks if `value` is suitable for strict equality comparisons, i.e. `===`.\n *\n * @private\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` if suitable for strict\n * equality comparisons, else `false`.\n */\nfunction isStrictComparable(value) {\n return value === value && !isObject(value);\n}\n\nmodule.exports = isStrictComparable;\n","import mod from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./SharingOptions.vue?vue&type=style&index=0&lang=scss&\"; export default mod; export * from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-

loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./SharingOptions.vue?vue&type=style&index=0&lang=scss&\"","// https://github.com/tc39/proposal-promise-finally\n'use strict';\nvar $export = require('./_export');\nvar core = require('./_core');\nvar global = require('./_global');\nvar speciesConstructor = require('./_species-constructor');\nvar promiseResolve = require('./_promise-resolve');\n\n$export($export.P + $export.R, 'Promise', { 'finally': function (onFinally) {\n var C = speciesConstructor(this, core.Promise || global.Promise);\n var isFunction = typeof onFinally == 'function';\n return this.then(\n   isFunction ? function (x) {\n   return promiseResolve(C, onFinally()).then(function () { return x; });\n   } : onFinally,\n   isFunction ? function (e) {\n   return promiseResolve(C, onFinally()).then(function () { throw e; });\n   } : onFinally\n);\n} });\n","var baseIsNative = require('./_baseIsNative'),\n   getValue = require('./_getValue');\n\n/**\n * Gets the native function at `key` of `object`.\n *\n * @private\n * @param {Object} object The object to query.\n * @param {string} key The key of the method to get.\n * @returns {*} Returns the function if it's native, else `undefined`.\n */\nfunction getNative(object, key) {\n var value = getValue(object, key);\n return baseIsNative(value) ? value : undefined;\n}\n\nmodule.exports = getNative;\n","'use strict';\n// 21.2.5.3 get RegExp.prototype.flags\nvar anObject = require('./_an-object');\nmodule.exports = function () {\n var that = anObject(this);\n var result = '';\n if (that.global) result += 'g';\n if (that.ignoreCase) result += 'i';\n if (that.multiline) result += 'm';\n if (that.unicode) result += 'u';\n if (that.sticky) result += 'y';\n return result;\n};\n","var root = require('./_root'),\n   stubFalse = require('./stubFalse');\n\n/** Detect free variable `exports`. */\nvar freeExports = typeof exports == 'object' && exports && !exports.nodeType && exports;\n\n/** Detect free variable `module`. */\nvar freeModule = freeExports && typeof module == 'object' && module && !module.nodeType && module;\n\n/** Detect the popular CommonJS extension `module.exports`. */\nvar moduleExports = freeModule && freeModule.exports === freeExports;\n\n/** Built-in value references. */\nvar Buffer = moduleExports ? root.Buffer : undefined;\n\n/* Built-in method references for those with the same name as other `lodash` methods. */\nvar nativeIsBuffer = Buffer ? Buffer.isBuffer : undefined;\n\n/**\n * Checks if `value` is a buffer.\n *\n * @static\n * @memberOf _\n * @since 4.3.0\n * @category Lang\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is a buffer, else `false`.\n * @example\n *\n * _.isBuffer(new Buffer(2));\n * // => true\n *\n * _.isBuffer(new Uint8Array(2));\n * // => false\n */\nvar isBuffer = nativeIsBuffer || stubFalse;\n\nmodule.exports = isBuffer;\n","// 19.1.2.14 / 15.2.3.14 Object.keys(O)\nvar $keys = require('./_object-keys-internal');\nvar enumBugKeys = require('./_enum-bug-keys');\n\nmodule.exports = Object.keys || function keys(O) {\n return $keys(O, enumBugKeys);\n};\n","var identity = require('./identity'),\n   overRest = require('./_overRest'),\n   setToString = require('./_setToString');\n\n/**\n * The base implementation of `_.rest` which doesn't validate or coerce arguments.\n *\n * @private\n * @param {Function} func The function to apply a rest parameter to.\n * @param {number} [start=func.length-1] The start position of the rest parameter.\n * @returns {Function} Returns the new function.\n */\nfunction baseRest(func, start) {\n return setToString(overRest(func, start, identity), func + '');\n}\n\nmodule.exports = baseRest;\n","import mod from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./EmbeddableFooter.vue?vue&type=style&index=0&id=36cb84e2&lang=scss&scoped=true&\"; export default mod; export * from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./EmbeddableFooter.vue?vue&type=style&index=0&id=36cb84e2&lang=scss&scoped=true&\"","'use

strict';\n\nmodule.exports = function (x) {\n\tif (!x) return false;\n\tif (typeof x === 'symbol') return true;\n\tif (!x.constructor) return false;\n\tif (x.constructor.name !== 'Symbol') return false;\n\treturn (x[x.constructor.toStringTag] === 'Symbol');\n};\n","/*!\n * jQuery JavaScript Library v3.3.1\n * https://jquery.com/\n *\n * Includes Sizzle.js\n * https://sizzlejs.com/\n *\n * Copyright JS Foundation and other contributors\n * Released under the MIT license\n * https://jquery.org/license\n *\n * Date: 2018-01-20T17:24Z\n */\n(function(global, factory) {\n\n\t"use strict\";\n\n\tif (typeof module === \"object\" && typeof module.exports === \"object\") {\n\n\t\t// For CommonJS and CommonJS-like environments where a proper `window`\n\t\t// is present, execute the factory and get jQuery.\n\t\t// For environments that do not have a `window` with a `document`\n\t\t// (such as Node.js), expose a factory as module.exports.\n\t\t// This accentuates the need for the creation of a real `window`.\n\t\t// e.g. var jQuery = require(\"jquery\")(window);\n\t\t// See ticket #14549 for more info.\n\tmodule.exports = global.document ?\n\t\tfactory(global, true) :\n\t\tfunction(w) {\n\t\t\tif (!w.document) {\n\t\t\t\tthrow new Error(\"jQuery requires a window with a document\");\n\t\t\t}\n\t\t\treturn factory(w);\n\t\t};\n\t} else {\n\t\tfactory(global);\n\t}\n\n// Pass this if window is not defined yet\n})(typeof window !== \"undefined\" ? window : this, function(window, noGlobal) {\n\n// Edge <= 12 - 13+, Firefox <=18 - 45+, IE 10 - 11, Safari 5.1 - 9+, iOS 6 - 9.1\n// throw exceptions when non-strict code (e.g., ASP.NET 4.5) accesses\n// strict mode\n// arguments.callee.caller (trac-13335). But as of jQuery 3.0 (2016), strict mode should be common\n// enough that all such attempts are guarded in a try block.\n\"use strict\";\n\nvar arr = [];\n\nvar document = window.document;\n\nvar getProto = Object.getPrototypeOf;\n\nvar slice = arr.slice;\n\nvar concat = arr.concat;\n\nvar push = arr.push;\n\nvar indexOf = arr.indexOf;\n\nvar class2type = {};\n\nvar toString = class2type.toString;\n\nvar hasOwn = class2type.hasOwnProperty;\n\nvar fnToString = hasOwn.toString;\n\nvar ObjectFunctionString = fnToString.call(Object);\n\nvar support = {};\n\nvar isFunction = function isFunction(obj) {\n\n   // Support: Chrome <=57, Firefox <=52\n   // In some browsers, typeof returns \"function\" for HTML <object> elements\n   // (i.e., `typeof document.createElement( \"object\" ) === \"function\"`).\n   // We don't want to classify *any* DOM node as a function.\n   return typeof obj === \"function\" && typeof obj.nodeType !== \"number\";\n   };\n\n\nvar isWindow = function isWindow(obj) {\n\t\treturn obj != null && obj === obj.window;\n\t};\n\n\n\n\n\tvar preservedScriptAttributes = {\n\t\ttype: true,\n\t\tsrc: true,\n\t\tnoModule: true\n\t};\n\n\tfunction DOMEval(code, doc, node) {\n\t\tdoc = doc || document;\n\n\t\tvar i,\n\t\t\tscript = doc.createElement(\"script\");\n\n\t\tscript.text = code;\n\t\tif (node) {\n\t\t\tfor (i in preservedScriptAttributes) {\n\t\t\t\tif (node[i]) {\n\t\t\t\t\tscript[i] = node[i];\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t\tdoc.head.appendChild(script).parentNode.removeChild(script);\n\t}\n\n\nfunction toType(obj) {\n\tif (obj == null) {\n\t\treturn obj + \"\";\n\t}\n\n\t// Support: Android <=2.3 only (functionish RegExp)\n\treturn typeof obj === \"object\" || typeof obj === \"function\" ?\n\t\tclass2type[toString.call(obj)] || \"object\" :\n\t\ttypeof obj;\n}\n/* global Symbol */\n// Defining this global in .eslintrc.json would create a danger of using the global\n// unguarded in another place, it seems safer to define global only for this module\n\n\n\nvar\n\tversion = \"3.3.1\",\n\n\t// Define a local copy of jQuery\n\tjQuery = function(selector, context) {\n\n\t\t// The jQuery object is actually just the init constructor 'enhanced'\n\t\t// Need init if jQuery is called (just allow error to be thrown if not included)\n\t\treturn new jQuery.fn.init(selector, context);\n\t},\n\n\t// Support: Android <=4.0 only\n\t// Make sure we trim BOM and NBSP\n\ttrim = /^[\\s\\uFEFF\\xA0]+|[\\s\\uFEFF\\xA0]+$/g;\n\njQuery.fn = jQuery.prototype = {\n\n\t// The current version of jQuery being used\n\tjquery: version,\n\n\tconstructor: jQuery,\n\n\t// The default length of a jQuery object is 0\n\tlength: 0,\n\n\ttoArray: function() {\n\t\treturn slice.call(this);\n\t},\n\n\t// Get the Nth element in the matched element set OR\n\t// Get the whole matched element set as a clean array\n\tget: function(num) {\n\n\t\t// Return all the elements in a clean array\n\t\tif (num == null) {\n\t\t\treturn slice.call(this);\n\t\t}\n\n\t\t// Return just the one element from the set\n\t\treturn num < 0 ? this[num + this.length] : this[num];\n\t},\n\n\t// Take an array of elements and push it onto the stack\n\t// (returning the new matched element set)\n\tpushStack: function(elems) {\n\n\t\t// Build a new jQuery matched element set\n\t\tvar ret = jQuery.merge(this.constructor(), elems);\n\n\t\t// Add the old object onto the stack (as a reference)\n\t\tret.prevObject = this;\n\n\t\t// Return the newly-formed element set\n\t\treturn ret;\n\t},\n\n\t// Execute a callback for every element in the matched set.\n\teach: function(callback) {\n\t\treturn jQuery.each(this, callback);\n\t},\n\n\tmap: function(callback)

{\n\t\treturn this.pushStack(jQuery.map(this, function(elem, i) {\n\t\t\treturn callback.call(elem, i, elem);\n\t\t}));\n\t},\n\n\tslice: function() {\n\t\treturn this.pushStack(slice.apply(this, arguments));\n\t},\n\n\tfirst: function() {\n\t\treturn this.eq(0);\n\t},\n\n\tlast: function() {\n\t\treturn this.eq(-1);\n\t},\n\n\teq: function(i) {\n\t\tvar len = this.length,\n\t\t\tj = +i + (i < 0 ? len : 0);\n\t\treturn this.pushStack(j >= 0 && j < len ? [this[j]] : []);\n\t},\n\n\tend: function() {\n\t\treturn this.prevObject || this.constructor();\n\t},\n\n\t// For internal use only.\n\t// Behaves like an Array's method, not like a jQuery method.\n\tpush: push,\n\tsort: arr.sort,\n\tsplice: arr.splice\n};\n\njQuery.extend = jQuery.fn.extend = function() {\n\tvar options, name, src, copy, copyIsArray, clone,\n\t\ttarget = arguments[0] || {},\n\t\ti = 1,\n\t\tlength = arguments.length,\n\t\tdeep = false;\n\n\t// Handle a deep copy situation\n\tif (typeof target === \"boolean\") {\n\t\tdeep = target;\n\n\t\t// Skip the boolean and the target\n\t\ttarget = arguments[i] || {};\n\t\ti++;\n\t}\n\n\t// Handle case when target is a string or something (possible in deep copy)\n\tif (typeof target !== \"object\" && !isFunction(target)) {\n\t\ttarget = {};\n\t}\n\n\t// Extend jQuery itself if only one argument is passed\n\tif (i === length) {\n\t\ttarget = this;\n\t\ti--;\n\t}\n\n\tfor (; i < length; i++) {\n\n\t\t// Only deal with non-null/undefined values\n\t\tif ((options = arguments[i]) != null) {\n\n\t\t\t// Extend the base object\n\t\t\tfor (name in options) {\n\t\t\t\tsrc = target[name];\n\t\t\t\tcopy = options[name];\n\n\t\t\t\t// Prevent never-ending loop\n\t\t\t\tif (target === copy) {\n\t\t\t\t\tcontinue;\n\t\t\t\t}\n\n\t\t\t\t// Recurse if we're merging plain objects or arrays\n\t\t\t\tif (deep && copy && (jQuery.isPlainObject(copy) ||\n\t\t\t\t\t(copyIsArray = Array.isArray(copy)))) {\n\n\t\t\t\t\tif (copyIsArray) {\n\t\t\t\t\t\tcopyIsArray = false;\n\t\t\t\t\t\tclone = src && Array.isArray(src) ? src : [];\n\n\t\t\t\t\t} else {\n\t\t\t\t\t\tclone = src && jQuery.isPlainObject(src) ? src : {};\n\t\t\t\t\t}\n\n\t\t\t\t\t// Never move original objects, clone them\n\t\t\t\t\ttarget[name] = jQuery.extend(deep, clone, copy);\n\n\t\t\t\t// Don't bring in undefined values\n\t\t\t\t} else if (copy !== undefined) {\n\t\t\t\t\ttarget[name] = copy;\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t}\n\n\t// Return the modified object\n\treturn target;\n};\n\njQuery.extend({\n\n\t// Unique for each copy of jQuery on the page\n\texpando: \"jQuery\" + (version + Math.random()).replace(/\\D/g, \"\"),\n\n\t// Assume jQuery is ready without the ready module\n\tisReady: true,\n\n\terror: function(msg) {\n\t\tthrow new Error(msg);\n\t},\n\n\tnoop: function() {},\n\n\tisPlainObject: function(obj) {\n\t\tvar proto, Ctor;\n\n\t\t// Detect obvious negatives\n\t\t// Use toString instead of jQuery.type to catch host objects\n\t\tif (!obj || toString.call(obj) !== \"[object Object]\") {\n\t\t\treturn false;\n\t\t}\n\n\t\tproto = getProto(obj);\n\n\t\t// Objects with no prototype (e.g., `Object.create( null )`) are plain\n\t\tif (!proto) {\n\t\t\treturn true;\n\t\t}\n\n\t\t// Objects with prototype are plain iff they were constructed by a global Object function\n\t\tCtor = hasOwn.call(proto, \"constructor\") && proto.constructor;\n\t\treturn typeof Ctor === \"function\" && fnToString.call(Ctor) === ObjectFunctionString;\n\t},\n\n\tisEmptyObject: function(obj) {\n\n\t\t/* eslint-disable no-unused-vars */\n\t\t// See https://github.com/eslint/eslint/issues/6125\n\t\tvar name;\n\n\t\tfor (name in obj) {\n\t\t\treturn false;\n\t\t}\n\t\treturn true;\n\t},\n\n\t// Evaluates a script in a global context\n\tglobalEval: function(code) {\n\t\tDOMEval(code);\n\t},\n\n\teach: function(obj, callback) {\n\t\tvar length, i = 0;\n\n\t\tif (isArrayLike(obj)) {\n\t\t\tlength = obj.length;\n\t\t\tfor (; i < length; i++) {\n\t\t\t\tif (callback.call(obj[i], i, obj[i]) === false) {\n\t\t\t\t\tbreak;\n\t\t\t\t}\n\t\t\t}\n\t\t} else {\n\t\t\tfor (i in obj) {\n\t\t\t\tif (callback.call(obj[i], i, obj[i]) === false) {\n\t\t\t\t\tbreak;\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t\treturn obj;\n\t},\n\n\t// Support: Android <=4.0 only\n\ttrim: function(text) {\n\t\treturn text == null ?\n\t\t\t\"\" :\n\t\t\t(text + \"\").replace(rtrim, \"\");\n\t},\n\n\t// results is for internal usage only\n\tmakeArray: function(arr, results) {\n\t\tvar ret = results || [];\n\n\t\tif (arr != null) {\n\t\t\tif (isArrayLike(Object(arr))) {\n\t\t\t\tjQuery.merge(ret,\n\t\t\t\t\ttypeof arr === \"string\" ?\n\t\t\t\t\t[arr] : arr\n\t\t\t\t);\n\t\t\t} else {\n\t\t\t\tpush.call(ret, arr);\n\t\t\t}\n\t\t}\n\n\t\treturn ret;\n\t},\n\n\tinArray: function(elem, arr, i) {\n\t\treturn arr == null ? -1 : indexOf.call(arr, elem, i);\n\t},\n\n\t// Support: Android <=4.0 only, PhantomJS 1 only\n\t// push.apply(_, arraylike) throws on ancient WebKit\n\tmerge: function(first, second) {\n\t\tvar len = +second.length,\n\t\t\tj = 0,\n\t\t\ti = first.length;\n\n\t\tfor (; j < len; j++) {\n\t\t\tfirst[i++] = second[j];\n\t\t}\n\n\t\tfirst.length = i;\n\n\t\treturn first;\n\t},\n\n\tgrep: function(elems, callback, invert) {\n\t\tvar callbackInverse,\n\t\t\tmatches = [],\n\t\t\ti = 0,\n\t\t\tlength = elems.length,\n\t\t\tcallbackExpect = !invert;\n\n\t\t// Go through the array, only saving the items\n\t\t// that pass the validator function\n\t\tfor (; i < length; i++) {\n\t\t\tcallbackInverse = !callback(elems[i], i);\n\t\t\tif (callbackInverse !== callbackExpect) {\n\t\t\t\tmatches.push(elems[i]);\n\t\t\t}\n\t\t}\n\n\t\treturn

matches;\n\t},\n\n\t// arg is for internal usage only\n\tmap: function(elems, callback, arg) {\n\t\tvar length, value,\n\t\t\ti = 0,\n\t\t\tret = [];\n\t\t\t// Go through the array, translating each of the items to their new values\n\t\tif (isArrayLike(elems)) {\n\t\t\tlength = elems.length;\n\t\t\tfor (; i < length; i++) {\n\t\t\t\tvalue = callback(elems[i], i, arg);\n\n\t\t\t\tif (value != null) {\n\t\t\t\t\tret.push(value);\n\t\t\t\t}\n\t\t\t}\n\n\t\t// Go through every key on the object,\n\t\t} else {\n\t\t\tfor (i in elems) {\n\t\t\t\tvalue = callback(elems[i], i, arg);\n\n\t\t\t\tif (value != null) {\n\t\t\t\t\tret.push(value);\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t\t// Flatten any nested arrays\n\t\treturn concat.apply([], ret);\n\t},\n\n\t// A global GUID counter for objects\n\tguid: 1,\n\n\t// jQuery.support is not used in Core but other projects attach their\n\t// properties to it so it needs to exist.\n\tsupport: support\n});\n\nif (typeof Symbol === \"function\") {\n\tjQuery.fn[Symbol.iterator] = arr[Symbol.iterator];\n}\n\n// Populate the class2type map\njQuery.each(\"Boolean Number String Function Array Date RegExp Object Error Symbol\".split(\" \"),\nfunction(i, name) {\n\tclass2type[\"[object \" + name + \"]\"] = name.toLowerCase();\n});\n\nfunction isArrayLike(obj) {\n\n\t// Support: real iOS 8.2 only (not reproducible in simulator)\n\t// `in` check used to prevent JIT error (gh-2145)\n\t// hasOwn isn't used here due to false negatives\n\t// regarding Nodelist length in IE\n\tvar length = !!obj && \"length\" in obj && obj.length,\n\t\ttype = toType(obj);\n\n\tif (isFunction(obj) || isWindow(obj)) {\n\t\treturn false;\n\t}\n\n\treturn type === \"array\" || length === 0 ||\n\t\ttypeof length === \"number\" && length > 0 && (length - 1) in obj;\n}\nvar Sizzle =\n/*!\n * Sizzle CSS Selector Engine v2.3.3\n * https://sizzlejs.com/\n *\n * Copyright jQuery Foundation and other contributors\n * Released under the MIT license\n * http://jquery.org/license\n *\n * Date: 2016-08-08\n */\n(function(window) {\n\nvar i,\n\tsupport,\n\tExpr,\n\tgetText,\n\tisXML,\n\ttokenize,\n\tcompile,\n\tselect,\n\toutermostContext,\n\tsortInput,\n\thasDuplicate,\n\n\t// Local document vars\n\tsetDocument,\n\tdocument,\n\tdocElem,\n\tdocumentIsHTML,\n\trbuggyQSA,\n\trbuggyMatches,\n\tmatches,\n\tcontains,\n\n\t// Instance-specific data\n\texpando = \"sizzle\" + 1 * new Date(),\n\tpreferredDoc = window.document,\n\tdirruns = 0,\n\tdone = 0,\n\tclassCache = createCache(),\n\ttokenCache = createCache(),\n\tcompilerCache = createCache(),\n\tsortOrder = function(a, b) {\n\t\tif (a === b) {\n\t\t\thasDuplicate = true;\n\t\t}\n\t\treturn 0;\n\t},\n\n\t// Instance methods\n\thasOwn = ({}).hasOwnProperty,\n\tarr = [],\n\tpop = arr.pop,\n\tpush_native = arr.push,\n\tpush = arr.push,\n\tslice = arr.slice,\n\t// Use a stripped-down indexOf as it's faster than native\n\t// https://jsperf.com/thor-indexof-vs-for/5\n\tindexOf = function(list, elem) {\n\t\tvar i = 0,\n\t\t\tlen = list.length;\n\t\tfor (; i < len; i++) {\n\t\t\tif (list[i] === elem) {\n\t\t\t\treturn i;\n\t\t\t}\n\t\t}\n\t\treturn -1;\n\t},\n\n\tbooleans = \"checked|selected|async|autofocus|autoplay|controls|defer|disabled|hidden|ismap|loop|multiple|open|readonly|required|scoped\",\n\n\t// Regular expressions\n\n\t// http://www.w3.org/TR/css3-selectors/#whitespace\n\twhitespace = \"[\\\\x20\\\\t\\\\r\\\\n\\\\f]\",\n\n\t// http://www.w3.org/TR/CSS21/syndata.html#value-def-identifier\n\tidentifier = \"(?:\\\\\\\\.|[\\\\w-]|[^\\\\0-\\\\xa0])+\",\n\n\t// Attribute selectors: http://www.w3.org/TR/selectors/#attribute-selectors\n\tattributes = \"\\\\[\" + whitespace + \"*(\" + identifier + \")(?:\" + whitespace +\n\t\t// Operator (capture 2)\n\t\t\"*([*^$|!~]?=)\" + whitespace +\n\t\t// \"Attribute values must be CSS identifiers [capture 5] or strings [capture 3 or capture 4]\"\n\t\t\"*(?:'((?:\\\\\\\\.|[^\\\\\\\\'])*)'|\\\"((?:\\\\\\\\.|[^\\\\\\\\\\\"])*)\\\"|(\" + identifier + \"))|)\" + whitespace +\n\t\t\"*\\\\]\",\n\n\tpseudos = \":(\" + identifier + \")(?:\\\\((\" +\n\t\t// To reduce the number of selectors needing tokenize in the preFilter, prefer arguments:\n\t\t// 1. quoted (capture 3; capture 4 or capture 5)\n\t\t\"('((?:\\\\\\\\.|[^\\\\\\\\'])*)'|\\\"((?:\\\\\\\\.|[^\\\\\\\\\\\"])*)\\\")|\" +\n\t\t// 2. simple (capture 6)\n\t\t\"((?:\\\\\\\\.|[^\\\\\\\\()[\\\\]]|\" + attributes + \")*)|\" +\n\t\t// 3. anything else (capture 2)\n\t\t\".*\" +\n\t\t\")\\\\)|)\",\n\n\t// Leading and non-escaped trailing whitespace, capturing some non-whitespace characters preceding the latter\n\trwhitespace = new RegExp(whitespace + \"+\", \"g\"),\n\trtrim = new RegExp(\"^\" + whitespace + \"+|((?:^|[^\\\\\\\\])(?:\\\\\\\\.)*)\" + whitespace + \"+$\", \"g\"),\n\n\trcomma = new RegExp(\"^\" + whitespace + \"*,\" + whitespace + \"*\"),\n\trcombinators = new RegExp(\"^\" + whitespace + \"*([>+~]|\" + whitespace + \")\" + whitespace + \"*\"),\n\n\trattributeQuotes = new RegExp(\"=\" + whitespace + \"*([^\\\\]'\\\"]*?)\" + whitespace + \"*\\\\]\", \"g\"),\n\n\trpseudo = new RegExp(pseudos),\n\tridentifier = new RegExp(\"^\" + identifier + \"$\"),\n\n\tmatchExpr = {\n\t\t\"ID\": new RegExp(\"^#(\" + identifier + \")\"),\n\t\t\"CLASS\": new RegExp(\"^\\\\.(\" + identifier + \")\"),\n\t\t\"TAG\": new RegExp(\"^(\" + identifier +

\"|[*])\"),\n\t\t\"ATTR\": new RegExp(\"^\" + attributes),\n\t\t\"PSEUDO\": new RegExp(\"^\" + pseudos),\n\t\t\"CHILD\": new RegExp(\"^:(only|first|last|nth|nth-last)-(child|of-type)(?:\\\\(\" + whitespace +\n\t\t\"*(even|odd|((+-])(\\\\d*)n)\" + whitespace + \"*(?:([+-])\" + whitespace +\n\t\t\"*(\\\\d+)|))\" + whitespace + \"*\\\\)|)\", \"i\"),\n\t\t\"bool\": new RegExp(\"^(?:\" + booleans + \")$\", \"i\"),\n\t// For use in libraries implementing .is()\n\t// We use this for POS matching in `select`\n\t\t\"needsContext\": new RegExp(\"^\" + whitespace + \"*[>+~]|:(even|odd|eq|gt|lt|nth|first|last)(?:\\\\(\" +\n\t\t\twhitespace + \"*((?:-\\\\d)?\\\\d*)\" + whitespace + \"*\\\\)|)(?=[^-]|$)\", \"i\")\n\t},\n\n\tinputs = /^(?:input|select|textarea|button)$/i,\n\theader = /^h\\d$/i,\n\n\tnative = /^[^{]+\\{\\s*\\[native \\w/,\n\t// Easily-parseable/retrievable ID or TAG or CLASS selectors\n\tquickExpr = /^(?:#([\\w-]+)|(\\w+)|\\.([\\w-]+))$/,\n\n\tsibling = /[+~]/,\n\t// CSS escapes\n\t// http://www.w3.org/TR/CSS21/syndata.html#escaped-characters\n\trunescape = new RegExp(\"\\\\\\\\([\\\\da-f]{1,6}\" + whitespace + \"?|(\" + whitespace + \")|.)\", \"ig\"),\n\tfunescape = function(_, escaped, escapedWhitespace) {\n\t\tvar high = \"0x\" + escaped - 0x10000;\n\t\t// NaN means non-codepoint\n\t\t// Support: Firefox<24\n\t\t// Workaround erroneous numeric interpretation of +\"0x\"\n\t\treturn high !== high || escapedWhitespace ?\n\t\t\tescaped :\n\t\t\thigh < 0 ?\n\t\t\t\t// BMP codepoint\n\t\t\t\tString.fromCharCode(high + 0x10000) :\n\t\t\t\t// Supplemental Plane codepoint (surrogate pair)\n\t\t\t\tString.fromCharCode(high >> 10 | 0xD800, high & 0x3FF | 0xDC00);\n\t},\n\n\t// CSS string/identifier serialization\n\t// https://drafts.csswg.org/cssom/#common-serializing-idioms\n\tcssescape = /([\\0-\\x1f\\x7f]|^-?\\\\d)|^-$|[^\\0-\\x1f\\x7f-\\uFFFF\\w-]/g,\n\tfcssescape = function(ch, asCodePoint) {\n\t\tif (asCodePoint) {\n\t\t\t// U+0000 NULL becomes U+FFFD REPLACEMENT CHARACTER\n\t\t\tif (ch === \"\\0\") {\n\t\t\t\treturn \"\\uFFFD\";\n\t\t\t}\n\n\t\t\t// Control characters and (dependent upon position) numbers get escaped as code points\n\t\t\treturn ch.slice(0, -1) + \"\\\\\" + ch.charCodeAt(ch.length - 1).toString(16) + \" \";\n\t\t}\n\n\t\t// Other potentially-special ASCII characters get backslash-escaped\n\t\treturn \"\\\\\" + ch;\n\t},\n\n\t// Used for iframes\n\t// See setDocument()\n\t// Removing the function wrapper causes a \"Permission Denied\"\n\t// error in IE\n\tunloadHandler = function() {\n\t\tsetDocument();\n\t},\n\n\tdisabledAncestor = addCombinator(\n\t\tfunction(elem) {\n\t\t\treturn elem.disabled === true && (\"form\" in elem || \"label\" in elem);\n\t\t},\n\t\t{ dir: \"parentNode\", next: \"legend\" }\n\t);\n\n// Optimize for push.apply(_, NodeList)\ntry {\n\tpush.apply(\n\t\t(arr = slice.call(preferredDoc.childNodes)),\n\t\tpreferredDoc.childNodes\n\t);\n\t// Support: Android<4.0\n\t// Detect silently failing push.apply\n\tarr[preferredDoc.childNodes.length].nodeType;\n} catch (e) {\n\tpush = { apply: arr.length ?\n\n\t\t// Leverage slice if possible\n\t\tfunction(target, els) {\n\t\t\tpush_native.apply(target, slice.call(els));\n\t\t} :\n\n\t\t// Support: IE<9\n\t\t// Otherwise append directly\n\t\tfunction(target, els) {\n\t\t\tvar j = target.length,\n\t\t\t\ti = 0;\n\t\t\t// Can't trust NodeList.length\n\t\t\twhile ((target[j++] = els[i++])) {}\n\t\t\ttarget.length = j - 1;\n\t\t}\n\t};\n}\n\nfunction Sizzle(selector, context, results, seed) {\n\tvar m, i, elem, nid, match, groups, newSelector,\n\t\tnewContext = context && context.ownerDocument,\n\n\t\t// nodeType defaults to 9, since context defaults to document\n\t\tnodeType = context ? context.nodeType : 9;\n\n\tresults = results || [];\n\n\t// Return early from calls with invalid selector or context\n\tif (typeof selector !== \"string\" || !selector ||\n\t\tnodeType !== 1 && nodeType !== 9 && nodeType !== 11) {\n\n\t\treturn results;\n\t}\n\n\t// Try to shortcut find operations (as opposed to filters) in HTML documents\n\tif (!seed) {\n\n\t\tif ((context ? context.ownerDocument || context : preferredDoc) !== document) {\n\t\t\tsetDocument(context);\n\t\t}\n\t\tcontext = context || document;\n\n\t\tif (documentIsHTML) {\n\n\t\t\t// If the selector is sufficiently simple, try using a \"get*By*\" DOM method\n\t\t\t// (excepting DocumentFragment context, where the methods don't exist)\n\t\t\tif (nodeType !== 11 && (match = rquickExpr.exec(selector))) {\n\n\t\t\t\t// ID selector\n\t\t\t\tif ((m = match[1])) {\n\n\t\t\t\t\t// Document context\n\t\t\t\t\tif (nodeType === 9) {\n\t\t\t\t\t\tif ((elem = context.getElementById(m))) {\n\n\t\t\t\t\t\t\t// Support: IE, Opera, Webkit\n\t\t\t\t\t\t\t// TODO: identify versions\n\t\t\t\t\t\t\t// getElementById can match elements by name instead of ID\n\t\t\t\t\t\t\tif (elem.id === m) {\n\t\t\t\t\t\t\t\tresults.push(elem);\n\t\t\t\t\t\t\t\treturn results;\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t} else {\n\t\t\t\t\t\t\treturn results;\n\t\t\t\t\t\t}\n\n\t\t\t\t\t// Element context\n\t\t\t\t\t} else {\n\n\t\t\t\t\t\t// Support: IE, Opera, Webkit\n\t\t\t\t\t\t// TODO: identify versions\n\t\t\t\t\t\t// getElementById can match elements by name instead of ID\n\t\t\t\t\t\tif (newContext && (elem = newContext.getElementById(m)) &&\n\t\t\t\t\t\t\tcontains(context, elem

) &&\n\t\t\t\t\t\t\telem.id === m) {\n\n\t\t\t\t\t\t\tresults.push(elem);\n\t\t\t\t\t\t\treturn results;\n\t\t\t\t\t}\n\t\t\t\t}\n\n\t\t\t\t// Type selector\n\t\t\t} else if (match[2]) {\n\t\t\t\tpush.apply(results, context.getElementsByTagName(selector));\n\t\t\t\treturn results;\n\n\t\t\t\t// Class selector\n\t\t\t} else if ((m = match[3]) && support.getElementsByClassName &&\n\t\t\t\t\tcontext.getElementsByClassName) {\n\n\t\t\t\t\tpush.apply(results, context.getElementsByClassName(m));\n\t\t\t\t\treturn results;\n\t\t\t}\n\t\t\t}\n\n\t\t\t// Take advantage of querySelectorAll\n\t\t\tif (support.qsa &&\n\t\t\t\t!compilerCache[selector + " "] &&\n\t\t\t\t(!rbuggyQSA || !rbuggyQSA.test(selector))) {\n\n\t\t\t\tif (nodeType !== 1) {\n\t\t\t\t\tnewContext = context;\n\t\t\t\t\tnewSelector = selector;\n\t\t\t\t\t// qSA looks outside Element context, which is not what we want\n\t\t\t\t\t// Thanks to Andrew Dupont for this workaround technique\n\t\t\t\t\t// Support: IE <=8\n\t\t\t\t\t// Exclude object elements\n\t\t\t\t} else if (context.nodeName.toLowerCase() !== "object") {\n\n\t\t\t\t\t// Capture the context ID, setting it first if necessary\n\t\t\t\t\tif ((nid = context.getAttribute("id"))) {\n\t\t\t\t\t\tnid = nid.replace(rcssescape, fcssescape);\n\t\t\t\t\t} else {\n\t\t\t\t\t\tcontext.setAttribute("id", (nid = expando));\n\t\t\t\t\t}\n\n\t\t\t\t\t// Prefix every selector in the list\n\t\t\t\t\tgroups = tokenize(selector);\n\t\t\t\t\ti = groups.length;\n\t\t\t\t\twhile (i--) {\n\t\t\t\t\t\tgroups[i] = "#" + nid + " " + toSelector(groups[i]);\n\t\t\t\t\t}\n\t\t\t\t\tnewSelector = groups.join(",");\n\n\t\t\t\t\t// Expand context for sibling selectors\n\t\t\t\t\tnewContext = rsibling.test(selector) && testContext(context.parentNode) ||\n\t\t\t\t\t\tcontext;\n\t\t\t\t}\n\n\t\t\t\tif (newSelector) {\n\t\t\t\t\ttry {\n\t\t\t\t\t\tpush.apply(results,\n\t\t\t\t\t\t\tnewContext.querySelectorAll(newSelector)\n\t\t\t\t\t\t);\n\t\t\t\t\t\treturn results;\n\t\t\t\t\t} catch (qsaError) {\n\t\t\t\t\t} finally {\n\t\t\t\t\t\tif (nid === expando) {\n\t\t\t\t\t\t\tcontext.removeAttribute("id");\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t// All others\n\treturn select(selector.replace(rtrim, "$1"), context, results, seed);\n}\n\n/**\n * Create key-value caches of limited size\n * @returns {function(string, object)} Returns the Object data after storing it on itself with\n *\tproperty name the (space-suffixed) string and (if the cache is larger than Expr.cacheLength)\n *\tdeleting the oldest entry\n */\nfunction createCache() {\n\tvar keys = [];\n\n\tfunction cache(key, value) {\n\t\t// Use (key + " ") to avoid collision with native prototype properties (see Issue #157)\n\t\tif (keys.push(key + " ") > Expr.cacheLength) {\n\t\t\t// Only keep the most recent entries\n\t\t\tdelete cache[keys.shift()];\n\t\t}\n\t\treturn (cache[key + " "] = value);\n\t}\n\treturn cache;\n}\n\n/**\n * Mark a function for special use by Sizzle\n * @param {Function} fn The function to mark\n */\nfunction markFunction(fn) {\n\tfn[expando] = true;\n\treturn fn;\n}\n\n/**\n * Support testing using an element\n * @param {Function} fn Passed the created element and returns a boolean result\n */\nfunction assert(fn) {\n\tvar el = document.createElement("fieldset");\n\n\ttry {\n\t\treturn !!fn(el);\n\t} catch (e) {\n\t\treturn false;\n\t} finally {\n\t\t// Remove from its parent by default\n\t\tif (el.parentNode) {\n\t\t\tel.parentNode.removeChild(el);\n\t\t}\n\t\t// release memory in IE\n\t\tel = null;\n\t}\n}\n\n/**\n * Adds the same handler for all of the specified attrs\n * @param {String} attrs Pipe-separated list of attributes\n * @param {Function} handler The method that will be applied\n */\nfunction addHandle(attrs, handler) {\n\tvar arr = attrs.split("|"),\n\t\ti = arr.length;\n\n\twhile (i--) {\n\t\tExpr.attrHandle[arr[i]] = handler;\n\t}\n}\n\n/**\n * Checks document order of two siblings\n * @param {Element} a\n * @param {Element} b\n * @returns {Number} Returns less than 0 if a precedes b, greater than 0 if a follows b\n */\nfunction siblingCheck(a, b) {\n\tvar cur = b && a,\n\t\tdiff = cur && a.nodeType === 1 && b.nodeType === 1 &&\n\t\t\ta.sourceIndex - b.sourceIndex;\n\n\t// Use IE sourceIndex if available on both nodes\n\tif (diff) {\n\t\treturn diff;\n\t}\n\n\t// Check if b follows a\n\tif (cur) {\n\t\twhile ((cur = cur.nextSibling)) {\n\t\t\tif (cur === b) {\n\t\t\t\treturn -1;\n\t\t\t}\n\t\t}\n\t}\n\n\treturn a ? 1 : -1;\n}\n\n/**\n * Returns a function to use in pseudos for input types\n * @param {String} type\n */\nfunction createInputPseudo(type) {\n\treturn function(elem) {\n\t\tvar name = elem.nodeName.toLowerCase();\n\t\treturn name === "input" && elem.type === type;\n\t};\n}\n\n/**\n * Returns a function to use in pseudos for buttons\n * @param {String} type\n */\nfunction createButtonPseudo(type) {\n\treturn function(elem) {\n\t\tvar name = elem.nodeName.toLowerCase();\n\t\treturn (name === "input" || name === "button") && elem.type === type;\n\t};\n}\n\n/**\n * Returns a function to use in pseudos for :enabled/:disabled\n * @param {Boolean} disabled true for :disabled; false for :enabled\n */\nfunction createDisabledPseudo(disabled) {\n\n\t// Known :disabled false positives: fieldset[disabled] > legend:nth-of-type(n+2) :can-disable\n\treturn function(elem) {\n\n\t\t// Only certain

elements can match :enabled or :disabled\n\t\t// https://html.spec.whatwg.org/multipage/scripting.html#selector-enabled\n\t\t// https://html.spec.whatwg.org/multipage/scripting.html#selector-disabled\n\t\tif (\"form\" in elem) {\n\n\t\t\t// Check for inherited disabledness on relevant non-disabled elements:\n\t\t\t// * listed form-associated elements in a disabled fieldset\n\t\t\t//   https://html.spec.whatwg.org/multipage/forms.html#category-listed\n\t\t\t// https://html.spec.whatwg.org/multipage/forms.html#concept-fe-disabled\n\t\t\t// * option elements in a disabled optgroup\n\t\t\t//   https://html.spec.whatwg.org/multipage/forms.html#concept-option-disabled\n\t\t\t// All such elements have a \"form\" property.\n\t\t\tif (elem.parentNode && elem.disabled === false) {\n\n\t\t\t\t// Option elements defer to a parent optgroup if present\n\t\t\t\tif (\"label\" in elem) {\n\t\t\t\t\tif (\"label\" in elem.parentNode) {\n\t\t\t\t\t\treturn elem.parentNode.disabled === disabled;\n\t\t\t\t\t} else {\n\t\t\t\t\t\treturn elem.disabled === disabled;\n\t\t\t\t\t}\n\t\t\t\t}\n\n\t\t\t\t// Support: IE 6 - 11\n\t\t\t\t// Use the isDisabled shortcut property to check for disabled fieldset ancestors\n\t\t\t\treturn elem.isDisabled === disabled ||\n\n\t\t\t\t\t// Where there is no isDisabled, check manually\n\t\t\t\t\t/* jshint -W018 */\n\t\t\t\t\telem.isDisabled !== !disabled &&\n\t\t\t\t\t\tdisabledAncestor(elem) === disabled;\n\t\t\t}\n\n\t\t\treturn elem.disabled === disabled;\n\n\t\t// Try to winnow out elements that can't be disabled before trusting the disabled property.\n\t\t// Some victims get caught in our net (label, legend, menu, track), but it shouldn't\n\t\t// even exist on them, let alone have a boolean value.\n\t\t} else if (\"label\" in elem) {\n\t\t\treturn elem.disabled === disabled;\n\t\t}\n\n\t\t// Remaining elements are neither :enabled nor :disabled\n\t\treturn false;\n\t};\n}\n\n/**\n * Returns a function to use in pseudos for positionals\n * @param {Function} fn\n */\nfunction createPositionalPseudo(fn) {\n\treturn markFunction(function(argument) {\n\t\targument = +argument;\n\t\treturn markFunction(function(seed, matches) {\n\t\t\tvar j,\n\t\t\t\tmatchIndexes = fn([], seed.length, argument),\n\t\t\t\ti = matchIndexes.length;\n\n\t\t\t// Match elements found at the specified indexes\n\t\t\twhile (i--) {\n\t\t\t\tif (seed[(j = matchIndexes[i])]) {\n\t\t\t\t\tseed[j] = !(matches[j] = seed[j]);\n\t\t\t\t}\n\t\t\t}\n\t\t});\n\t});\n}\n\n/**\n * Checks a node for validity as a Sizzle context\n * @param {Element|Object=} context\n * @returns {Element|Object|Boolean} The input node if acceptable, otherwise a falsy value\n */\nfunction testContext(context) {\n\treturn context && typeof context.getElementsByTagName !== \"undefined\" && context;\n}\n\n// Expose support vars for convenience\nsupport = Sizzle.support = {};\n\n/**\n * Detects XML nodes\n * @param {Element|Object} elem An element or a document\n * @returns {Boolean} True iff elem is a non-HTML XML node\n */\nisXML = Sizzle.isXML = function(elem) {\n\t// documentElement is verified for cases where it doesn't yet exist\n\t// (such as loading iframes in IE - #4833)\n\tvar documentElement = elem && (elem.ownerDocument || elem).documentElement;\n\treturn documentElement ? documentElement.nodeName !== \"HTML\" : false;\n};\n\n/**\n * Sets document-related variables once based on the current document\n * @param {Element|Object} [doc] An element or document object to use to set the document\n * @returns {Object} Returns the current document\n */\nsetDocument = Sizzle.setDocument = function(node) {\n\tvar hasCompare, subWindow,\n\t\tdoc = node ? node.ownerDocument || node : preferredDoc;\n\n\t// Return early if doc is invalid or already selected\n\tif (doc === document || doc.nodeType !== 9 || !doc.documentElement) {\n\t\treturn document;\n\t}\n\n\t// Update global variables\n\tdocument = doc;\n\tdocElem = document.documentElement;\n\tdocumentIsHTML = !isXML(document);\n\n\t// Support: IE 9-11, Edge\n\t// Accessing iframe documents after unload throws \"permission denied\" errors (jQuery #13936)\n\tif (preferredDoc !== document &&\n\t\t(subWindow = document.defaultView) && subWindow.top !== subWindow) {\n\n\t\t// Support: IE 11, Edge\n\t\tif (subWindow.addEventListener) {\n\t\t\tsubWindow.addEventListener(\"unload\", unloadHandler, false);\n\n\t\t// Support: IE 9 - 10 only\n\t\t} else if (subWindow.attachEvent) {\n\t\t\tsubWindow.attachEvent(\"onunload\", unloadHandler);\n\t\t}\n\t}\n\n\t/* Attributes\n\t-- */\n\n\t// Support: IE<8\n\t// Verify that getAttribute really returns attributes and not properties\n\t// (excepting IE8 booleans)\n\tsupport.attributes = assert(function(el) {\n\t\tel.className = \"i\";\n\t\treturn !el.getAttribute(\"className\");\n\t});\n\n\t/* getElement(s)By*\n\t-- */\n\n\t// Check if getElementsByTagName(\"*\") returns only elements\n\tsupport.getElementsByTagName = assert(function(el) {\n\t\tel.appendChild(document.createComment(\"\"));\n\t\treturn !el.getElementsByTagName(\"*\").length;\n\t});\n\n\t// Support:

IE<9\n\tsupport.getElementsByClassName = rnative.test(document.getElementsByClassName);\n\n\t// Support: IE<10\n\t// Check if getElementById returns elements by name\n\t// The broken getElementById methods don't pick up programmatically-set names,\n\t// so use a roundabout getElementsByName test\n\tsupport.getById = assert(function(el) {\n\t\tdocElem.appendChild(el).id = expando;\n\t\treturn !document.getElementsByName || !document.getElementsByName(expando).length;\n\t});\n\n\t// ID filter and find\n\tif (support.getById) {\n\t\tExpr.filter[\"ID\"] = function(id) {\n\t\t\tvar attrId = id.replace(runescape, funescape);\n\t\t\treturn function(elem) {\n\t\t\t\treturn elem.getAttribute(\"id\") === attrId;\n\t\t\t};\n\t\t};\n\t\tExpr.find[\"ID\"] = function(id, context) {\n\t\t\tif (typeof context.getElementById !== \"undefined\" && documentIsHTML) {\n\t\t\t\tvar elem = context.getElementById(id);\n\t\t\t\treturn elem ? [elem] : [];\n\t\t\t}\n\t\t};\n\t} else {\n\t\tExpr.filter[\"ID\"] = function(id) {\n\t\t\tvar attrId = id.replace(runescape, funescape);\n\t\t\treturn function(elem) {\n\t\t\t\tvar node = typeof elem.getAttributeNode !== \"undefined\" &&\n\t\t\t\t\telem.getAttributeNode(\"id\");\n\t\t\t\treturn node && node.value === attrId;\n\t\t\t};\n\t\t};\n\n\t// Support: IE 6 - 7 only\n\t// getElementById is not reliable as a find shortcut\n\t\tExpr.find[\"ID\"] = function(id, context) {\n\t\t\tif (typeof context.getElementById !== \"undefined\" && documentIsHTML) {\n\t\t\t\tvar node, i, elems,\n\t\t\t\t\telem = context.getElementById(id);\n\n\t\t\t\tif (elem) {\n\n\t\t\t\t\t// Verify the id attribute\n\t\t\t\t\tnode = elem.getAttributeNode(\"id\");\n\t\t\t\t\tif (node && node.value === id) {\n\t\t\t\t\t\treturn [elem];\n\t\t\t\t\t}\n\n\t\t\t\t\t// Fall back on getElementsByName\n\t\t\t\t\telems = context.getElementsByName(id);\n\t\t\t\t\ti = 0;\n\t\t\t\t\twhile ((elem = elems[i++])) {\n\t\t\t\t\t\tnode = elem.getAttributeNode(\"id\");\n\t\t\t\t\t\tif (node && node.value === id) {\n\t\t\t\t\t\t\treturn [elem];\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t}\n\n\t\t\t\treturn [];\n\t\t\t}\n\t\t};\n\t}\n\n\t// Tag\n\tExpr.find[\"TAG\"] = support.getElementsByTagName ?\n\t\tfunction(tag, context) {\n\t\t\tif (typeof context.getElementsByTagName !== \"undefined\") {\n\t\t\t\treturn context.getElementsByTagName(tag);\n\n\t\t\t// DocumentFragment nodes don't have gEBTN\n\t\t\t} else if (support.qsa) {\n\t\t\t\treturn context.querySelectorAll(tag);\n\t\t\t}\n\t\t} :\n\n\t\tfunction(tag, context) {\n\t\t\tvar elem,\n\t\t\t\ttmp = [],\n\t\t\t\ti = 0,\n\t\t\t\t// By happy coincidence, a (broken) gEBTN appears on DocumentFragment nodes too\n\t\t\t\tresults = context.getElementsByTagName(tag);\n\n\t\t\t// Filter out possible comments\n\t\t\tif (tag === \"*\") {\n\t\t\t\twhile ((elem = results[i++])) {\n\t\t\t\t\tif (elem.nodeType === 1) {\n\t\t\t\t\t\ttmp.push(elem);\n\t\t\t\t\t}\n\t\t\t\t}\n\n\t\t\t\treturn tmp;\n\t\t\t}\n\t\t\treturn results;\n\t\t};\n\n\t// Class\n\tExpr.find[\"CLASS\"] = support.getElementsByClassName && function(className, context) {\n\t\tif (typeof context.getElementsByClassName !== \"undefined\" && documentIsHTML) {\n\t\t\treturn context.getElementsByClassName(className);\n\t\t}\n\t};\n\n\t/* QSA/matchesSelector\n\t-- */\n\n\t// QSA and matchesSelector support\n\n\t// matchesSelector(:active) reports false when true (IE9/Opera 11.5)\n\trbuggyMatches = [];\n\n\t// qSa(:focus) reports false when true (Chrome 21)\n\t// We allow this because of a bug in IE8/9 that throws an error\n\t// whenever `document.activeElement` is accessed on an iframe\n\t// So, we allow :focus to pass through QSA all the time to avoid the IE error\n\t// See https://bugs.jquery.com/ticket/13378\n\trbuggyQSA = [];\n\n\tif ((support.qsa = rnative.test(document.querySelectorAll))) {\n\t\t// Build QSA regex\n\t\t// Regex strategy adopted from Diego Perini\n\t\tassert(function(el) {\n\t\t\t// Select is set to empty string on purpose\n\t\t\t// This is to test IE's treatment of not explicitly\n\t\t\t// setting a boolean content attribute,\n\t\t\t// since its presence should be enough\n\t\t\t// https://bugs.jquery.com/ticket/12359\n\t\t\tdocElem.appendChild(el).innerHTML = \"\" +\n\t\t\t\t\"<select id='\" + expando + \"-\\r\\\\' msallowcapture=''>\" +\n\t\t\t\t\"<option selected=''></option></select>\";\n\n\t\t\t// Support: IE8, Opera 11-12.16\n\t\t\t// Nothing should be selected when empty strings follow ^= or $= or *=\n\t\t\t// The test attribute must be unknown in Opera but \"safe\" for WinRT\n\t\t\t// https://msdn.microsoft.com/en-us/library/ie/hh465388.aspx#attribute_section\n\t\t\tif (el.querySelectorAll(\"[msallowcapture^='']\").length) {\n\t\t\t\trbuggyQSA.push(\"[*^$]=\" + whitespace + \"*(?:''|\\\"\\\")\");\n\t\t\t}\n\n\t\t\t// Support: IE8\n\t\t\t// Boolean attributes and \"value\" are not treated correctly\n\t\t\tif (!el.querySelectorAll(\"[selected]\").length) {\n\t\t\t\trbuggyQSA.push(\"\\\\[\" + whitespace + \"*(?:value|\" + booleans + \")\");\n\t\t\t}\n\n\t\t\t// Support: Chrome<29, Android<4.4, Safari<7.0+, iOS<7.0+, PhantomJS<1.9.8+\n\t\t\tif (!el.querySelectorAll(\"[id~=\" + expando + \"-]\").length)

{\n\t\t\trbuggyQSA.push(\"~=\");\n\t\t\t}\n\t\t\t// Webkit/Opera - :checked should return selected option elements\n\t\t\t// http://www.w3.org/TR/2011/REC-css3-selectors-20110929/#checked\n\t\t\t// IE8 throws error here and will not see later tests\n\t\t\tif (!el.querySelectorAll(\":checked\").length) {\n\t\t\t\trbuggyQSA.push(\":checked\");\n\t\t\t}\n\n\t\t\t// Support: Safari 8+, iOS 8+\n\t\t\t// https://bugs.webkit.org/show_bug.cgi?id=136851\n\t\t\t// In-page `selector#id sibling-combinator selector` fails\n\t\t\tif (!el.querySelectorAll(\"a#\" + expando + \"+*\").length) {\n\t\t\t\trbuggyQSA.push(\".#.+[+~]\");\n\t\t\t}\n\t\t});\n\n\t\tassert(function(el) {\n\t\tel.innerHTML = \"\" +\n\t\t\t\t\"<select disabled='disabled'><option/></select>\";\n\t\t\t// Support: Windows 8 Native Apps\n\t\t\t// The type and name attributes are restricted during .innerHTML assignment\n\t\t\tvar input = document.createElement(\"input\");\n\t\t\tinput.setAttribute(\"type\", \"hidden\");\n\t\t\tel.appendChild(input).setAttribute(\"name\", \"D\");\n\n\t\t\t// Support: IE8\n\t\t\t// Enforce case-sensitivity of name attribute\n\t\t\tif (el.querySelectorAll(\"[name=d]\").length) {\n\t\t\t\trbuggyQSA.push(\"name\" + whitespace + \"*[*^$|!~]?=\");\n\t\t\t}\n\n\t\t\t// FF 3.5 - :enabled/:disabled and hidden elements (hidden elements are still enabled)\n\t\t\t// IE8 throws error here and will not see later tests\n\t\t\tif (el.querySelectorAll(\":enabled\").length !== 2) {\n\t\t\t\trbuggyQSA.push(\":enabled\", \":disabled\");\n\t\t\t}\n\n\t\t\t// Support: IE9-11+\n\t\t\t// IE's :disabled selector does not pick up the children of disabled fieldsets\n\t\t\tdocElem.appendChild(el).disabled = true;\n\t\t\tif (el.querySelectorAll(\":disabled\").length !== 2) {\n\t\t\t\trbuggyQSA.push(\":enabled\", \":disabled\");\n\t\t\t}\n\n\t\t\t// Opera 10-11 does not throw on post-comma invalid pseudos\n\t\t\tel.querySelectorAll(\"*,:x\");\n\t\t\trbuggyQSA.push(\",.*:\");\n\t\t});\n\t}\n\n\tif ((support.matchesSelector = rnative.test((matches = docElem.matches ||\n\t\tdocElem.webkitMatchesSelector ||\n\t\tdocElem.mozMatchesSelector ||\n\t\tdocElem.oMatchesSelector ||\n\t\tdocElem.msMatchesSelector)))) {\n\n\t\tassert(function(el) {\n\t\t\t// Check to see if it's possible to do matchesSelector\n\t\t\t// on a disconnected node (IE 9)\n\t\t\tsupport.disconnectedMatch = matches.call(el, \"*\");\n\n\t\t\t// This should fail with an exception\n\t\t\t// Gecko does not error, returns false instead\n\t\t\tmatches.call(el, \"[s!='']:x\");\n\t\t\trbuggyMatches.push(\"!=\", pseudos);\n\t\t});\n\t}\n\n\trbuggyQSA = rbuggyQSA.length && new RegExp(rbuggyQSA.join(\"|\"));\n\trbuggyMatches = rbuggyMatches.length && new RegExp(rbuggyMatches.join(\"|\"));\n\n\t/* Contains\n\t-- */\n\thasCompare = rnative.test(docElem.compareDocumentPosition);\n\n\t// Element contains another\n\t// Purposefully self-exclusive\n\t// As in, an element does not contain itself\n\tcontains = hasCompare || rnative.test(docElem.contains) ?\n\tfunction(a, b) {\n\t\t\tvar adown = a.nodeType === 9 ? a.documentElement : a,\n\t\t\t\tbup = b && b.parentNode;\n\t\t\treturn a === bup || !!(bup && bup.nodeType === 1 && (\n\t\t\t\tadown.contains ?\n\t\t\t\t\tadown.contains(bup) :\n\t\t\t\t\ta.compareDocumentPosition && a.compareDocumentPosition(bup) & 16\n\t\t\t));\n\t\t} :\n\tfunction(a, b) {\n\t\t\tif (b) {\n\t\t\t\twhile ((b = b.parentNode)) {\n\t\t\t\t\tif (b === a) {\n\t\t\t\t\t\treturn true;\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\t\t\treturn false;\n\t\t};\n\n\t/* Sorting\n\t-- */\n\n\t// Document order sorting\n\tsortOrder = hasCompare ?\n\tfunction(a, b) {\n\n\t\t// Flag for duplicate removal\n\t\tif (a === b) {\n\t\t\thasDuplicate = true;\n\t\t\treturn 0;\n\t\t}\n\n\t\t// Sort on method existence if only one input has compareDocumentPosition\n\t\tvar compare = !a.compareDocumentPosition - !b.compareDocumentPosition;\n\t\tif (compare) {\n\t\t\treturn compare;\n\t\t}\n\n\t\t// Calculate position if both inputs belong to the same document\n\t\tcompare = (a.ownerDocument || a) === (b.ownerDocument || b) ?\n\t\t\ta.compareDocumentPosition(b) :\n\n\t\t\t// Otherwise we know they are disconnected\n\t\t\t1;\n\n\t\t// Disconnected nodes\n\t\tif (compare & 1 ||\n\t\t\t(!support.sortDetached && b.compareDocumentPosition(a) === compare)) {\n\n\t\t\t// Choose the first element that is related to our preferred document\n\t\t\tif (a === document || a.ownerDocument === preferredDoc && contains(preferredDoc, a)) {\n\t\t\t\treturn -1;\n\t\t\t}\n\t\t\tif (b === document || b.ownerDocument === preferredDoc && contains(preferredDoc, b)) {\n\t\t\t\treturn 1;\n\t\t\t}\n\n\t\t\t// Maintain original order\n\t\t\treturn sortInput ?\n\t\t\t\t(indexOf(sortInput, a) - indexOf(sortInput, b)) :\n\t\t\t\t0;\n\t\t}\n\n\t\treturn compare & 4 ? -1 : 1;\n\t} :\n\tfunction(a, b) {\n\t\t// Exit early if the nodes are identical\n\t\tif (a === b) {\n\t\t\thasDuplicate = true;\n\t\t\treturn 0;\n\t\t}\n\n\t\tvar cur,\n\t\t\ti = 0,\n\t\t\taup = a.parentNode,\n\t\t\tbup = b.parentNode,\n\t\t\tap = [a],\n\t\t\tbp = [b];\n\n\t\t// Parentless nodes are either

documents or disconnected\n\t\tif (!aup || !bup) {\n\t\t\treturn a === document ? -1 :\n\t\t\t\tb === document ? 1 :\n\t\t\t\taup ? -1 :\n\t\t\t\tbup ? 1 :\n\t\t\t\tsortInput ?\n\t\t\t\t(indexOf(sortInput, a) - indexOf(sortInput, b)) :\n\t\t\t\t0;\n\n\t\t// If the nodes are siblings, we can do a quick check\n\t\t} else if (aup === bup) {\n\t\t\treturn siblingCheck(a, b);\n\t\t}\n\n\t\t// Otherwise we need full lists of their ancestors for comparison\n\t\tcur = a;\n\t\twhile ((cur = cur.parentNode)) {\n\t\t\tap.unshift(cur);\n\t\t}\n\t\tcur = b;\n\t\twhile ((cur = cur.parentNode)) {\n\t\t\tbp.unshift(cur);\n\t\t}\n\n\t\t// Walk down the tree looking for a discrepancy\n\t\twhile (ap[i] === bp[i]) {\n\t\t\ti++;\n\t\t}\n\n\t\treturn i ?\n\t\t\t// Do a sibling check if the nodes have a common ancestor\n\t\t\tsiblingCheck(ap[i], bp[i]) :\n\n\t\t\t// Otherwise nodes in our document sort first\n\t\t\tap[i] === preferredDoc ? -1 :\n\t\t\tbp[i] === preferredDoc ? 1 :\n\t\t\t0;\n\t};\n\n\treturn document;\n};\n\nSizzle.matches = function(expr, elements) {\n\treturn Sizzle(expr, null, null, elements);\n};\n\nSizzle.matchesSelector = function(elem, expr) {\n\t// Set document vars if needed\n\tif ((elem.ownerDocument || elem) !== document) {\n\t\tsetDocument(elem);\n\t}\n\n\t// Make sure that attribute selectors are quoted\n\texpr = expr.replace(rattributeQuotes, \"='$1']\");\n\n\tif (support.matchesSelector && documentIsHTML &&\n\t\t!compilerCache[expr + \" \"] &&\n\t\t(!rbuggyMatches || !rbuggyMatches.test(expr)) &&\n\t\t(!rbuggyQSA || !rbuggyQSA.test(expr))) {\n\n\t\ttry {\n\t\t\tvar ret = matches.call(elem, expr);\n\n\t\t\t// IE 9's matchesSelector returns false on disconnected nodes\n\t\t\tif (ret || support.disconnectedMatch ||\n\t\t\t\t\t// As well, disconnected nodes are said to be in a document\n\t\t\t\t\t// fragment in IE 9\n\t\t\t\t\telem.document &&\n\t\t\t\t\telem.document.nodeType !== 11) {\n\t\t\t\treturn ret;\n\t\t\t}\n\t\t} catch (e) {}\n\t}\n\n\treturn Sizzle(expr, document, null, [elem]).length > 0;\n};\n\nSizzle.contains = function(context, elem) {\n\t// Set document vars if needed\n\tif ((context.ownerDocument || context) !== document) {\n\t\tsetDocument(context);\n\t}\n\treturn contains(context, elem);\n};\n\nSizzle.attr = function(elem, name) {\n\t// Set document vars if needed\n\tif ((elem.ownerDocument || elem) !== document) {\n\t\tsetDocument(elem);\n\t}\n\n\tvar fn = Expr.attrHandle[name.toLowerCase()],\n\t\t// Don't get fooled by Object.prototype properties (jQuery #13807)\n\t\tval = fn &&\n\t\t\thasOwn.call(Expr.attrHandle, name.toLowerCase()) ?\n\t\t\tfn(elem, name, !documentIsHTML) :\n\t\t\tundefined;\n\n\treturn val !== undefined ?\n\t\tval :\n\t\tsupport.attributes || !documentIsHTML ?\n\t\t\telem.getAttribute(name) :\n\t\t\t(val = elem.getAttributeNode(name)) && val.specified ?\n\t\t\t\tval.value :\n\t\t\t\tnull;\n};\n\nSizzle.escape = function(sel) {\n\treturn (sel + \"\").replace(rcssescape, fcssescape);\n};\n\nSizzle.error = function(msg) {\n\tthrow new Error(\"Syntax error, unrecognized expression: \" + msg);\n};\n\n/**\n * Document sorting and removing duplicates\n * @param {ArrayLike} results\n */\nSizzle.uniqueSort = function(results) {\n\tvar elem,\n\t\tduplicates = [],\n\t\tj = 0,\n\t\ti = 0;\n\n\t// Unless we *know* we can detect duplicates, assume their presence\n\thasDuplicate = !support.detectDuplicates;\n\tsortInput = !support.sortStable && results.slice(0);\n\tresults.sort(sortOrder);\n\n\tif (hasDuplicate) {\n\t\twhile ((elem = results[i++])) {\n\t\t\tif (elem === results[i]) {\n\t\t\t\tj = duplicates.push(i);\n\t\t\t}\n\t\t}\n\t\twhile (j--) {\n\t\t\tresults.splice(duplicates[j], 1);\n\t\t}\n\t}\n\n\t// Clear input after sorting to release objects\n\t// See https://github.com/jquery/sizzle/pull/225\n\tsortInput = null;\n\n\treturn results;\n};\n\n/**\n * Utility function for retrieving the text value of an array of DOM nodes\n * @param {Array|Element} elem\n */\ngetText = Sizzle.getText = function(elem) {\n\tvar node,\n\t\tret = \"\",\n\t\ti = 0,\n\t\tnodeType = elem.nodeType;\n\n\tif (!nodeType) {\n\t\t// If no nodeType, this is expected to be an array\n\t\twhile ((node = elem[i++])) {\n\t\t\t// Do not traverse comment nodes\n\t\t\tret += getText(node);\n\t\t}\n\t} else if (nodeType === 1 || nodeType === 9 || nodeType === 11) {\n\t\t// Use textContent for elements\n\t\t// innerText usage removed for consistency of new lines (jQuery #11153)\n\t\tif (typeof elem.textContent === \"string\") {\n\t\t\treturn elem.textContent;\n\t\t} else {\n\t\t\t// Traverse its children\n\t\t\tfor (elem = elem.firstChild; elem; elem = elem.nextSibling) {\n\t\t\t\tret += getText(elem);\n\t\t\t}\n\t\t}\n\t} else if (nodeType === 3 || nodeType === 4) {\n\t\treturn elem.nodeValue;\n\t}\n\t// Do not include comment or processing instruction nodes\n\n\treturn ret;\n};\n\nExpr = Sizzle.selectors = {\n\n\t// Can be adjusted by the user\n\tcacheLength: 50,\n\n\tcreatePseudo: markFunction,\n\n\tmatch: matchExpr,\n\n\tattrHandle: {},\n\n\tfind: {},\n\n\trelative: {\n\t\t">\": { dir: \"parentNode\", first: true },\n\t\t" \": { dir: \"parentNode\" },\n\t\t"+\": { dir: \"previousSibling\", first: true },\n\t\t"~\": { dir: \"previousSibling\" }\n\t},\n\n\tpreFilter: {\n\t\t\"ATTR\": function(match) {\n\t\t\tmatch[1] =

match[1].replace(runescape, funescape);\n\n\t\t\t// Move the given value to match[3] whether quoted or unquoted\n\t\t\tmatch[3] = (match[3] || match[4] || match[5] || \"\").replace(runescape, funescape);\n\n\t\t\tif (match[2] === \"~=\") {\n\t\t\t\tmatch[3] = \" \" + match[3] + \" \";\n\t\t\t}\n\n\t\t\treturn match.slice(0, 4);\n\t\t},\n\n\t\t\t"CHILD\": function(match) {\n\t\t\t/* matches from matchExpr[\"CHILD\"]\n\t\t\t\t1 type (only|nth|...)\n\t\t\t\t2 what (child|of-type)\n\t\t\t\t3 argument (even|odd|\\d*|\\d*n([+-]\\d+)?|...)\n\t\t\t\t4 xn-component of xn+y argument ([+-]?\\d*n|)\n\t\t\t\t5 sign of xn-component\n\t\t\t\t6 x of xn-component\n\t\t\t\t7 sign of y-component\n\t\t\t\t8 y of y-component\n\t\t\t*/\n\t\t\tmatch[1] = match[1].toLowerCase();\n\n\t\t\tif (match[1].slice(0, 3) === \"nth\") {\n\t\t\t\t// nth-* requires argument\n\t\t\t\tif (!match[3]) {\n\t\t\t\t\tSizzle.error(match[0]);\n\t\t\t\t}\n\n\t\t\t\t// numeric x and y parameters for Expr.filter.CHILD\n\t\t\t\t// remember that false/true cast respectively to 0/1\n\t\t\t\tmatch[4] = +(match[4] ? match[5] + (match[6] || 1) : 2 * (match[3] === \"even\" || match[3] === \"odd\"));\n\t\t\t\tmatch[5] = +((match[7] + match[8]) || match[3] === \"odd\");\n\n\t\t\t\t// other types prohibit arguments\n\t\t\t} else if (match[3]) {\n\t\t\t\tSizzle.error(match[0]);\n\t\t\t}\n\n\t\t\treturn match;\n\t\t},\n\n\t\t\t"PSEUDO\": function(match) {\n\t\t\tvar excess,\n\t\t\t\tunquoted = !match[6] && match[2];\n\n\t\t\tif (matchExpr[\"CHILD\"].test(match[0])) {\n\t\t\t\treturn null;\n\t\t\t}\n\n\t\t\t// Accept quoted arguments as-is\n\t\t\tif (match[3]) {\n\t\t\t\tmatch[2] = match[4] || match[5] || \"\";\n\n\t\t\t// Strip excess characters from unquoted arguments\n\t\t\t} else if (unquoted && rpseudo.test(unquoted) &&\n\t\t\t\t// Get excess from tokenize (recursively)\n\t\t\t\t(excess = tokenize(unquoted, true)) &&\n\t\t\t\t// advance to the next closing parenthesis\n\t\t\t\t(excess = unquoted.indexOf(\")\", unquoted.length - excess) - unquoted.length)) {\n\n\t\t\t\t// excess is a negative index\n\t\t\t\tmatch[0] = match[0].slice(0, excess);\n\t\t\t\tmatch[2] = unquoted.slice(0, excess);\n\t\t\t}\n\n\t\t\t// Return only captures needed by the pseudo filter method (type and argument)\n\t\t\treturn match.slice(0, 3);\n\t\t}\n\t},\n\n\tfilter: {\n\n\t\t\t"TAG\": function(nodeNameSelector) {\n\t\t\tvar nodeName = nodeNameSelector.replace(runescape, funescape).toLowerCase();\n\t\t\treturn nodeNameSelector === \"*\" ?\n\t\t\t\tfunction() { return true; } :\n\t\t\t\tfunction(elem) {\n\t\t\t\t\treturn elem.nodeName && elem.nodeName.toLowerCase() === nodeName;\n\t\t\t};\n\t\t},\n\n\t\t\t"CLASS\": function(className) {\n\t\t\tvar pattern = classCache[className + \" \"];\n\n\t\t\treturn pattern ||\n\t\t\t\t(pattern = new RegExp(\"(^|\" + whitespace + \")\" + className + \"(\" + whitespace + \"|$)\")) &&\n\t\t\t\tclassCache(className, function(elem) {\n\t\t\t\t\treturn pattern.test(typeof elem.className === \"string\" && elem.className || typeof elem.getAttribute !== \"undefined\" && elem.getAttribute(\"class\") || \"\");\n\t\t\t});\n\t\t},\n\n\t\t\t"ATTR\": function(name, operator, check) {\n\t\t\treturn function(elem) {\n\t\t\t\tvar result = Sizzle.attr(elem, name);\n\n\t\t\t\tif (result == null) {\n\t\t\t\t\treturn operator === \"!=\";\n\t\t\t\t}\n\t\t\t\tif (!operator) {\n\t\t\t\t\treturn true;\n\t\t\t\t}\n\n\t\t\t\tresult += \"\";\n\n\t\t\t\treturn operator === \"=\" ? result === check :\n\t\t\t\t\toperator === \"!=\" ? result !== check :\n\t\t\t\t\toperator === \"^=\" ? check && result.indexOf(check) === 0 :\n\t\t\t\t\toperator === \"*=\" ? check && result.indexOf(check) > -1 :\n\t\t\t\t\toperator === \"$=\" ? check && result.slice(-check.length) === check :\n\t\t\t\t\toperator === \"~=\" ? (\" \" + result.replace(rwhitespace, \" \") + \" \").indexOf(check) > -1 :\n\t\t\t\t\toperator === \"|=\" ? result === check || result.slice(0, check.length + 1) === check + \"-\" :\n\t\t\t\tfalse;\n\t\t\t};\n\t\t},\n\n\t\t\t"CHILD\": function(type, what, argument, first, last) {\n\t\t\tvar simple = type.slice(0, 3) !== \"nth\",\n\t\t\t\tforward = type.slice(-4) !== \"last\",\n\t\t\t\tofType = what === \"of-type\";\n\n\t\t\treturn first === 1 && last === 0 ?\n\n\t\t\t\t// Shortcut for :nth-*(n)\n\t\t\t\tfunction(elem) {\n\t\t\t\t\treturn !!elem.parentNode;\n\t\t\t\t} :\n\n\t\t\t\tfunction(elem, context, xml) {\n\t\t\t\t\tvar cache, uniqueCache, outerCache, node, nodeIndex, start,\n\t\t\t\t\t\tdir = simple !== forward ? \"nextSibling\" : \"previousSibling\",\n\t\t\t\t\t\tparent = elem.parentNode,\n\t\t\t\t\t\tname = ofType && elem.nodeName.toLowerCase(),\n\t\t\t\t\t\tuseCache = !xml && !ofType,\n\t\t\t\t\t\tdiff = false;\n\n\t\t\t\t\tif (parent) {\n\n\t\t\t\t\t\t// :(first|last|only)-(child|of-type)\n\t\t\t\t\t\tif (simple) {\n\t\t\t\t\t\t\twhile (dir) {\n\t\t\t\t\t\t\t\tnode = elem;\n\t\t\t\t\t\t\t\twhile ((node = node[dir])) {\n\t\t\t\t\t\t\t\t\tif (ofType ?\n\t\t\t\t\t\t\t\t\t\tnode.nodeName.toLowerCase() === name :\n\t\t\t\t\t\t\t\t\t\tnode.nodeType === 1) {\n\n\t\t\t\t\t\t\t\t\t\treturn false;\n\t\t\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\t\t// Reverse direction for :only-* (if we haven't yet done so)\n\t\t\t\t\t\t\t\tstart = dir = type === \"only\" && !start && \"nextSibling\";\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\treturn true;\n\t\t\t\t\t\t}\n\n\t\t\t\t\t\tstart = [forward ? parent.firstChild :

parent.lastChild];\n\n\t\t\t\t\t// non-xml :nth-child(...) stores cache data on `parent`\n\t\t\t\t\t\tif (forward && useCache) {\n\n\t\t\t\t\t\t\t// Seek `elem` from a previously-cached index\n\n\t\t\t\t\t\t\t// ...in a gzip-friendly way\n\t\t\t\t\t\t\tnode = parent;\n\t\t\t\t\t\t\touterCache = node[expando] || (node[expando] = {});\n\n\t\t\t\t\t\t\t// Support: IE <9 only\n\t\t\t\t\t\t\t// Defend against cloned attroperties (jQuery gh-1709)\n\t\t\t\t\t\t\tuniqueCache = outerCache[node.uniqueID] ||\n\t\t\t\t\t\t\t(outerCache[node.uniqueID] = {});\n\n\t\t\t\t\t\t\tcache = uniqueCache[type] || [];\n\t\t\t\t\t\t\tnodeIndex = cache[0] === dirruns && cache[1];\n\t\t\t\t\t\t\tdiff = nodeIndex && cache[2];\n\t\t\t\t\t\t\tnode = nodeIndex && parent.childNodes[nodeIndex];\n\n\t\t\t\t\t\t\twhile ((node = ++nodeIndex && node && node[dir] ||\n\n\t\t\t\t\t\t\t\t// Fallback to seeking `elem` from the start\n\t\t\t\t\t\t\t\t(diff = nodeIndex = 0) || start.pop())) {\n\n\t\t\t\t\t\t\t\t// When found, cache indexes on `parent` and break\n\t\t\t\t\t\t\t\tif (node.nodeType === 1 && ++diff && node === elem) {\n\t\t\t\t\t\t\t\t\tuniqueCache[type] = [dirruns, nodeIndex, diff];\n\t\t\t\t\t\t\t\t\tbreak;\n\t\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\t}\n\n\t\t\t\t\t\t} else {\n\t\t\t\t\t\t\t// Use previously-cached element index if available\n\t\t\t\t\t\t\tif (useCache) {\n\t\t\t\t\t\t\t\t// ...in a gzip-friendly way\n\t\t\t\t\t\t\t\tnode = elem;\n\t\t\t\t\t\t\t\touterCache = node[expando] || (node[expando] = {});\n\n\t\t\t\t\t\t\t\t// Support: IE <9 only\n\t\t\t\t\t\t\t\t// Defend against cloned attroperties (jQuery gh-1709)\n\t\t\t\t\t\t\t\tuniqueCache = outerCache[node.uniqueID] ||\n\t\t\t\t\t\t\t\t(outerCache[node.uniqueID] = {});\n\n\t\t\t\t\t\t\t\tcache = uniqueCache[type] || [];\n\t\t\t\t\t\t\t\tnodeIndex = cache[0] === dirruns && cache[1];\n\t\t\t\t\t\t\t\tdiff = nodeIndex;\n\t\t\t\t\t\t\t}\n\n\t\t\t\t\t\t\t// xml :nth-child(...)\n\t\t\t\t\t\t\t// or :nth-last-child(...) or :nth(-last)?-of-type(...)\n\t\t\t\t\t\t\tif (diff === false) {\n\t\t\t\t\t\t\t\t// Use the same loop as above to seek `elem` from the start\n\t\t\t\t\t\t\t\twhile ((node = ++nodeIndex && node && node[dir] ||\n\t\t\t\t\t\t\t\t\t(diff = nodeIndex = 0) || start.pop())) {\n\n\t\t\t\t\t\t\t\t\tif ((ofType ?\n\t\t\t\t\t\t\t\t\t\tnode.nodeName.toLowerCase() === name :\n\t\t\t\t\t\t\t\t\t\tnode.nodeType === 1) &&\n\t\t\t\t\t\t\t\t\t\t++diff) {\n\n\t\t\t\t\t\t\t\t\t\t// Cache the index of each encountered element\n\t\t\t\t\t\t\t\t\t\tif (useCache) {\n\t\t\t\t\t\t\t\t\t\t\touterCache = node[expando] || (node[expando] = {});\n\n\t\t\t\t\t\t\t\t\t\t\t// Support: IE <9 only\n\t\t\t\t\t\t\t\t\t\t\t// Defend against cloned attroperties (jQuery gh-1709)\n\t\t\t\t\t\t\t\t\t\t\tuniqueCache = outerCache[node.uniqueID] ||\n\t\t\t\t\t\t\t\t\t\t\t(outerCache[node.uniqueID] = {});\n\n\t\t\t\t\t\t\t\t\t\t\tuniqueCache[type] = [dirruns, diff];\n\t\t\t\t\t\t\t\t\t\t}\n\n\t\t\t\t\t\t\t\t\t\tif (node === elem) {\n\t\t\t\t\t\t\t\t\t\t\tbreak;\n\t\t\t\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t}\n\n\t\t\t\t\t\t// Incorporate the offset, then check against cycle size\n\t\t\t\t\t\tdiff -= last;\n\t\t\t\t\t\treturn diff === first || (diff % first === 0 && diff / first >= 0);\n\t\t\t\t\t}\n\t\t\t\t};\n\t\t},\n\n\t\t"PSEUDO\": function(pseudo, argument) {\n\t\t\t// pseudo-class names are case-insensitive\n\t\t\t// http://www.w3.org/TR/selectors/#pseudo-classes\n\t\t\t// Prioritize by case sensitivity in case custom pseudos are added with uppercase letters\n\t\t\t// Remember that setFilters inherits from pseudos\n\t\t\tvar args,\n\t\t\t\tfn = Expr.pseudos[pseudo] || Expr.setFilters[pseudo.toLowerCase()] ||\n\t\t\t\tSizzle.error(\"unsupported pseudo: \" + pseudo);\n\n\t\t\t// The user may use createPseudo to indicate that\n\t\t\t// arguments are needed to create the filter function\n\t\t\t// just as Sizzle does\n\t\t\tif (fn[expando]) {\n\t\t\t\treturn fn(argument);\n\t\t\t}\n\n\t\t\t// But maintain support for old signatures\n\t\t\tif (fn.length > 1) {\n\t\t\t\targs = [pseudo, pseudo, \"\", argument];\n\t\t\t\treturn Expr.setFilters.hasOwnProperty(pseudo.toLowerCase()) ?\n\t\t\t\t\tmarkFunction(function(seed, matches) {\n\t\t\t\t\t\tvar idx,\n\t\t\t\t\t\t\tmatched = fn(seed, argument),\n\t\t\t\t\t\t\ti = matched.length;\n\t\t\t\t\t\twhile (i--) {\n\t\t\t\t\t\t\tidx = indexOf(seed, matched[i]);\n\t\t\t\t\t\t\tseed[idx] = !(matches[idx] = matched[i]);\n\t\t\t\t\t\t}\n\t\t\t\t\t}) :\n\t\t\t\t\tfunction(elem) {\n\t\t\t\t\t\treturn fn(elem, 0, args);\n\t\t\t\t\t};\n\t\t\t}\n\n\t\t\treturn fn;\n\t\t}\n\t},\n\n\tpseudos: {\n\t\t// Potentially complex pseudos\n\t\t\"not\": markFunction(function(selector) {\n\t\t\t// Trim the selector passed to compile\n\t\t\t// to avoid treating leading and trailing\n\t\t\t// spaces as combinators\n\t\t\tvar input = [],\n\t\t\t\tresults = [],\n\t\t\t\tmatcher = compile(selector.replace(rtrim, \"$1\"));\n\n\t\t\treturn matcher[expando] ?\n\t\t\t\tmarkFunction(function(seed, matches, context, xml) {\n\t\t\t\t\tvar elem,\n\t\t\t\t\t\tunmatched = matcher(seed, null, xml, []),\n\t\t\t\t\t\ti = seed.length;\n\n\t\t\t\t\t// Match elements unmatched by `matcher`\n\t\t\t\t\twhile (i--) {\n\t\t\t\t\t\tif ((elem = unmatched[i])) {\n\t\t\t\t\t\t\tseed[i] = !(matches[i] = elem);\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t}) :\n\t\t\t\tfunction(elem, context, xml) {\n\t\t\t\t\tinput[0] = elem;\n\t\t\t\t\tmatcher(input, null, xml, results);\n\t\t\t\t\t// Don't keep the

element (issue #299)\n\t\t\t\tinput[0] = null;\n\t\t\t\treturn !results.pop();\n\t\t\t};\n\t\t}),\n\n\t\t\"has\": markFunction(function(selector) {\n\t\t\treturn function(elem) {\n\t\t\t\treturn Sizzle(selector, elem).length > 0;\n\t\t};\n\t}),\n\n\t\t\"contains\": markFunction(function(text) {\n\t\t\ttext = text.replace(runescape, funescape);\n\t\t\treturn function(elem) {\n\t\t\t\treturn (elem.textContent || elem.innerText || getText(elem)).indexOf(text) > -1;\n\t\t\t};\n\t\t}),\n\n\t\t// \"Whether an element is represented by a :lang() selector\n\t\t// is based solely on the element's language value\n\t\t// being equal to the identifier C,\n\t\t// or beginning with the identifier C immediately followed by \"-\".\n\t\t// The matching of C against the element's language value is performed case-insensitively.\n\t\t// The identifier C does not have to be a valid language name.\"\n\t\t// http://www.w3.org/TR/selectors/#lang-pseudo\n\t\t\"lang\": markFunction(function(lang) {\n\t\t\t// lang value must be a valid identifier\n\t\t\tif (!ridentifier.test(lang || \"\")) {\n\t\t\t\tSizzle.error(\"unsupported lang: \" + lang);\n\t\t\t}\n\t\t\tlang = lang.replace(runescape, funescape).toLowerCase();\n\t\t\treturn function(elem) {\n\t\t\t\tvar elemLang;\n\t\t\t\tdo {\n\t\t\t\t\tif ((elemLang = documentIsHTML ?\n\t\t\t\t\t\telem.lang :\n\t\t\t\t\t\telem.getAttribute(\"xml:lang\") || elem.getAttribute(\"lang\"))) {\n\t\t\t\t\t\telemLang = elemLang.toLowerCase();\n\t\t\t\t\t\treturn elemLang === lang || elemLang.indexOf(lang + \"-\") === 0;\n\t\t\t\t\t}\n\t\t\t\t} while ((elem = elem.parentNode) && elem.nodeType === 1);\n\t\t\t\treturn false;\n\t\t};\n\t}),\n\n\t\t// Miscellaneous\n\t\t\"target\": function(elem) {\n\t\t\tvar hash = window.location && window.location.hash;\n\t\t\treturn hash && hash.slice(1) === elem.id;\n\t\t},\n\n\t\t\"root\": function(elem) {\n\t\t\treturn elem === docElem;\n\t\t},\n\n\t\t\"focus\": function(elem) {\n\t\t\treturn elem === document.activeElement && (!document.hasFocus || document.hasFocus()) && !!(elem.type || elem.href || ~elem.tabIndex);\n\t\t},\n\n\t\t// Boolean properties\n\t\t\"enabled\": createDisabledPseudo(false),\n\t\t\"disabled\": createDisabledPseudo(true),\n\n\t\t\"checked\": function(elem) {\n\t\t\t// In CSS3, :checked should return both checked and selected elements\n\t\t\t// http://www.w3.org/TR/2011/REC-css3-selectors-20110929/#checked\n\t\t\tvar nodeName = elem.nodeName.toLowerCase();\n\t\t\treturn (nodeName === \"input\" && !!elem.checked) || (nodeName === \"option\" && !!elem.selected);\n\t\t},\n\n\t\t\"selected\": function(elem) {\n\t\t\t// Accessing this property makes selected-by-default\n\t\t\t// options in Safari work properly\n\t\t\tif (elem.parentNode) {\n\t\t\t\telem.parentNode.selectedIndex;\n\t\t\t}\n\n\t\t\treturn elem.selected === true;\n\t\t},\n\n\t\t// Contents\n\t\t\"empty\": function(elem) {\n\t\t\t// http://www.w3.org/TR/selectors/#empty-pseudo\n\t\t\t// :empty is negated by element (1) or content nodes (text: 3; cdata: 4; entity ref: 5),\n\t\t\t//   but not by others (comment: 8; processing instruction: 7; etc.)\n\t\t\t// nodeType < 6 works because attributes (2) do not appear as children\n\t\t\tfor (elem = elem.firstChild; elem; elem = elem.nextSibling) {\n\t\t\t\tif (elem.nodeType < 6) {\n\t\t\t\t\treturn false;\n\t\t\t\t}\n\t\t\t}\n\t\t\treturn true;\n\t\t},\n\n\t\t\"parent\": function(elem) {\n\t\t\treturn !Expr.pseudos[\"empty\"](elem);\n\t\t},\n\n\t\t// Element/input types\n\t\t\"header\": function(elem) {\n\t\t\treturn rheader.test(elem.nodeName);\n\t\t},\n\n\t\t\"input\": function(elem) {\n\t\t\treturn rinputs.test(elem.nodeName);\n\t\t},\n\n\t\t\"button\": function(elem) {\n\t\t\tvar name = elem.nodeName.toLowerCase();\n\t\t\treturn name === \"input\" && elem.type === \"button\" || name === \"button\";\n\t\t},\n\n\t\t\"text\": function(elem) {\n\t\t\tvar attr;\n\t\t\treturn elem.nodeName.toLowerCase() === \"input\" &&\n\t\t\t\telem.type === \"text\" &&\n\n\t\t\t\t// Support: IE<8\n\t\t\t\t// New HTML5 attribute values (e.g., \"search\") appear with elem.type === \"text\"\n\t\t\t\t((attr = elem.getAttribute(\"type\")) == null || attr.toLowerCase() === \"text\");\n\t\t},\n\n\t\t// Position-in-collection\n\t\t\"first\": createPositionalPseudo(function() {\n\t\t\treturn [0];\n\t\t}),\n\n\t\t\"last\": createPositionalPseudo(function(matchIndexes, length) {\n\t\t\treturn [length - 1];\n\t\t}),\n\n\t\t\"eq\": createPositionalPseudo(function(matchIndexes, length, argument) {\n\t\t\treturn [argument < 0 ? argument + length : argument];\n\t\t}),\n\n\t\t\"even\": createPositionalPseudo(function(matchIndexes, length) {\n\t\t\tvar i = 0;\n\t\t\tfor (; i < length; i += 2) {\n\t\t\t\tmatchIndexes.push(i);\n\t\t\t}\n\t\t\treturn matchIndexes;\n\t\t}),\n\n\t\t\"odd\": createPositionalPseudo(function(matchIndexes, length) {\n\t\t\tvar i = 1;\n\t\t\tfor (; i < length; i += 2) {\n\t\t\t\tmatchIndexes.push(i);\n\t\t\t}\n\t\t\treturn matchIndexes;\n\t\t}),\n\n\t\t\"lt\": createPositionalPseudo(function(matchIndexes, length, argument) {\n\t\t\tvar i = argument < 0 ? argument + length : argument;\n\t\t\tfor (; --i >= 0;) {\n\t\t\t\tmatchIndexes.push(i);\n\t\t\t}\n\t\t\treturn matchIndexes;\n\t\t}),\n\n\t\t\"gt\": createPositionalPseudo(function(matchIndexes, length,

argument) {\n\t\t\tvar i = argument < 0 ? argument + length : argument;\n\t\t\tfor (; ++i < length;) {\n\t\t\t\tmatchIndexes.push(i);\n\t\t\t}\n\t\t\treturn matchIndexes;\n\t\t})\n\t}\n};\n\nExpr.pseudos[\"nth\"] = Expr.pseudos[\"eq\"];\n\n// Add button/input type pseudos\nfor (i in { radio: true, checkbox: true, file: true, password: true, image: true }) {\n\tExpr.pseudos[i] = createInputPseudo(i);\n}\nfor (i in { submit: true, reset: true }) {\n\tExpr.pseudos[i] = createButtonPseudo(i);\n}\n\n// Easy API for creating new setFilters\nfunction setFilters() {}\nsetFilters.prototype = Expr.filters = Expr.pseudos;\nExpr.setFilters = new setFilters();\n\ntokenize = Sizzle.tokenize = function(selector, parseOnly) {\n\tvar matched, match, tokens, type,\n\t\tsoFar, groups, preFilters,\n\t\tcached = tokenCache[selector + \" \"];\n\n\tif (cached) {\n\t\treturn parseOnly ? 0 : cached.slice(0);\n\t}\n\n\tsoFar = selector;\n\tgroups = [];\n\tpreFilters = Expr.preFilter;\n\n\twhile (soFar) {\n\n\t\t// Comma and first run\n\t\tif (!matched || (match = rcomma.exec(soFar))) {\n\t\t\tif (match) {\n\t\t\t\t// Don't consume trailing commas as valid\n\t\t\t\tsoFar = soFar.slice(match[0].length) || soFar;\n\t\t\t}\n\t\t\tgroups.push((tokens = []));\n\t\t}\n\n\t\tmatched = false;\n\n\t\t// Combinators\n\t\tif ((match = rcombinators.exec(soFar))) {\n\t\t\tmatched = match.shift();\n\t\t\ttokens.push({\n\t\t\t\tvalue: matched,\n\t\t\t\t// Cast descendant combinators to space\n\t\t\t\ttype: match[0].replace(rtrim, \" \")\n\t\t\t});\n\t\t\tsoFar = soFar.slice(matched.length);\n\t\t}\n\n\t\t// Filters\n\t\tfor (type in Expr.filter) {\n\t\t\tif ((match = matchExpr[type].exec(soFar)) && (!preFilters[type] ||\n\t\t\t\t(match = preFilters[type](match)))) {\n\t\t\t\tmatched = match.shift();\n\t\t\t\ttokens.push({\n\t\t\t\t\tvalue: matched,\n\t\t\t\t\ttype: type,\n\t\t\t\t\tmatches: match\n\t\t\t\t});\n\t\t\t\tsoFar = soFar.slice(matched.length);\n\t\t\t}\n\t\t}\n\n\t\tif (!matched) {\n\t\t\tbreak;\n\t\t}\n\t}\n\n\t// Return the length of the invalid excess\n\t// if we're just parsing\n\t// Otherwise, throw an error or return tokens\n\treturn parseOnly ?\n\t\tsoFar.length :\n\t\tsoFar ?\n\t\t\tSizzle.error(selector) :\n\t\t\t// Cache the tokens\n\t\t\ttokenCache(selector, groups).slice(0);\n};\n\nfunction toSelector(tokens) {\n\tvar i = 0,\n\t\tlen = tokens.length,\n\t\tselector = \"\";\n\tfor (; i < len; i++) {\n\t\tselector += tokens[i].value;\n\t}\n\treturn selector;\n}\n\nfunction addCombinator(matcher, combinator, base) {\n\tvar dir = combinator.dir,\n\t\tskip = combinator.next,\n\t\tkey = skip || dir,\n\t\tcheckNonElements = base && key === \"parentNode\",\n\t\tdoneName = done++;\n\n\treturn combinator.first ?\n\t\t// Check against closest ancestor/preceding element\n\t\tfunction(elem, context, xml) {\n\t\t\twhile ((elem = elem[dir])) {\n\t\t\t\tif (elem.nodeType === 1 || checkNonElements) {\n\t\t\t\t\treturn matcher(elem, context, xml);\n\t\t\t\t}\n\t\t\t}\n\t\t\treturn false;\n\t\t} :\n\n\t\t// Check against all ancestor/preceding elements\n\t\tfunction(elem, context, xml) {\n\t\t\tvar oldCache, uniqueCache, outerCache,\n\t\t\t\tnewCache = [dirruns, doneName];\n\n\t\t\t// We can't set arbitrary data on XML nodes, so they don't benefit from combinator caching\n\t\t\tif (xml) {\n\t\t\t\twhile ((elem = elem[dir])) {\n\t\t\t\t\tif (elem.nodeType === 1 || checkNonElements) {\n\t\t\t\t\t\tif (matcher(elem, context, xml)) {\n\t\t\t\t\t\t\treturn true;\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t} else {\n\t\t\t\twhile ((elem = elem[dir])) {\n\t\t\t\t\tif (elem.nodeType === 1 || checkNonElements) {\n\t\t\t\t\t\touterCache = elem[expando] || (elem[expando] = {});\n\n\t\t\t\t\t\t// Support: IE <9 only\n\t\t\t\t\t\t// Defend against cloned attroperties (jQuery gh-1709)\n\t\t\t\t\t\tuniqueCache = outerCache[elem.uniqueID] || (outerCache[elem.uniqueID] = {});\n\n\t\t\t\t\t\tif (skip && skip === elem.nodeName.toLowerCase()) {\n\t\t\t\t\t\t\telem = elem[dir] || elem;\n\t\t\t\t\t\t} else if ((oldCache = uniqueCache[key]) &&\n\t\t\t\t\t\t\toldCache[0] === dirruns && oldCache[1] === doneName) {\n\n\t\t\t\t\t\t\t// Assign to newCache so results back-propagate to previous elements\n\t\t\t\t\t\t\treturn (newCache[2] = oldCache[2]);\n\t\t\t\t\t\t} else {\n\t\t\t\t\t\t\t// Reuse newcache so results back-propagate to previous elements\n\t\t\t\t\t\t\tuniqueCache[key] = newCache;\n\n\t\t\t\t\t\t\t// A match means we're done; a fail means we have to keep checking\n\t\t\t\t\t\t\tif ((newCache[2] = matcher(elem, context, xml))) {\n\t\t\t\t\t\t\t\treturn true;\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\t\t\treturn false;\n\t\t};\n}\n\nfunction elementMatcher(matchers) {\n\treturn matchers.length > 1 ?\n\t\tfunction(elem, context, xml) {\n\t\t\tvar i = matchers.length;\n\t\t\twhile (i--) {\n\t\t\t\tif (!matchers[i](elem, context, xml)) {\n\t\t\t\t\treturn false;\n\t\t\t\t}\n\t\t\t}\n\t\t\treturn true;\n\t\t} :\n\t\tmatchers[0];\n}\n\nfunction multipleContexts(selector, contexts, results) {\n\tvar i = 0,\n\t\tlen = contexts.length;\n\tfor (; i < len; i++) {\n\t\tSizzle(selector, contexts[i], results);\n\t}\n\treturn results;\n}\n\nfunction condense(unmatched, map, filter, context, xml) {\n\tvar elem,\n\t\tnewUnmatched = [],\n\t\ti = 0,\n\t\tlen = unmatched.length,\n\t\tmapped = map != null;\n\n\tfor (; i < len;

i++) {\n\t\tif ((elem = unmatched[i])) {\n\t\t\tif (!filter || filter(elem, context, xml)) {\n\t\t\t\tnewUnmatched.push(elem);\n\t\t\t\tif (mapped) {\n\t\t\t\t\tmap.push(i);\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t}\n\n\treturn newUnmatched;\n}\n\nfunction setMatcher(preFilter, selector, matcher, postFilter, postFinder, postSelector) {\n\tif (postFilter && !postFilter[expando]) {\n\t\tpostFilter = setMatcher(postFilter);\n\t}\n\tif (postFinder && !postFinder[expando]) {\n\t\tpostFinder = setMatcher(postFinder, postSelector);\n\t}\n\treturn markFunction(function(seed, results, context, xml) {\n\t\tvar temp, i, elem,\n\t\t\tpreMap = [],\n\t\t\tpostMap = [],\n\t\t\tpreexisting = results.length,\n\n\t\t\t// Get initial elements from seed or context\n\t\t\telems = seed || multipleContexts(selector || \"*\", context.nodeType ? [context] : context, []),\n\n\t\t\t// Prefilter to get matcher input, preserving a map for seed-results synchronization\n\t\t\tmatcherIn = preFilter && (seed || !selector) ?\n\t\t\t\tcondense(elems, preMap, preFilter, context, xml) :\n\t\t\t\telems,\n\n\t\t\tmatcherOut = matcher ?\n\t\t\t\t// If we have a postFinder, or filtered seed, or non-seed postFilter or preexisting results,\n\t\t\t\tpostFinder || (seed ? preFilter : preexisting || postFilter) ?\n\n\t\t\t\t\t// ...intermediate processing is necessary\n\t\t\t\t\t[] :\n\n\t\t\t\t\t// ...otherwise use results directly\n\t\t\t\t\tresults :\n\t\t\t\tmatcherIn;\n\n\t\t// Find primary matches\n\t\tif (matcher) {\n\t\t\tmatcher(matcherIn, matcherOut, context, xml);\n\t\t}\n\n\t\t// Apply postFilter\n\t\tif (postFilter) {\n\t\t\ttemp = condense(matcherOut, postMap);\n\t\t\tpostFilter(temp, [], context, xml);\n\n\t\t\t// Un-match failing elements by moving them back to matcherIn\n\t\t\ti = temp.length;\n\t\t\twhile (i--) {\n\t\t\t\tif ((elem = temp[i])) {\n\t\t\t\t\tmatcherOut[postMap[i]] = !(matcherIn[postMap[i]] = elem);\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t\tif (seed) {\n\t\t\tif (postFinder || preFilter) {\n\t\t\t\tif (postFinder) {\n\t\t\t\t\t// Get the final matcherOut by condensing this intermediate into postFinder contexts\n\t\t\t\t\ttemp = [];\n\t\t\t\t\ti = matcherOut.length;\n\t\t\t\t\twhile (i--) {\n\t\t\t\t\t\tif ((elem = matcherOut[i])) {\n\t\t\t\t\t\t\t// Restore matcherIn since elem is not yet a final match\n\t\t\t\t\t\t\ttemp.push((matcherIn[i] = elem));\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t\tpostFinder(null, (matcherOut = []), temp, xml);\n\t\t\t\t}\n\n\t\t\t\t// Move matched elements from seed to results to keep them synchronized\n\t\t\t\ti = matcherOut.length;\n\t\t\t\twhile (i--) {\n\t\t\t\t\tif ((elem = matcherOut[i]) &&\n\t\t\t\t\t\t(temp = postFinder ? indexOf(seed, elem) : preMap[i]) > -1) {\n\n\t\t\t\t\t\tseed[temp] = !(results[temp] = elem);\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\n\t\t// Add elements to results, through postFinder if defined\n\t\t} else {\n\t\t\tmatcherOut = condense(\n\t\t\t\tmatcherOut === results ?\n\t\t\t\t\tmatcherOut.splice(preexisting, matcherOut.length) :\n\t\t\t\t\tmatcherOut\n\t\t\t);\n\t\t\tif (postFinder) {\n\t\t\t\tpostFinder(null, results, matcherOut, xml);\n\t\t\t} else {\n\t\t\t\tpush.apply(results, matcherOut);\n\t\t\t}\n\t\t}\n\t});\n}\n\nfunction matcherFromTokens(tokens) {\n\tvar checkContext, matcher, j,\n\t\tlen = tokens.length,\n\t\tleadingRelative = Expr.relative[tokens[0].type],\n\t\timplicitRelative = leadingRelative || Expr.relative[\" \"],\n\t\ti = leadingRelative ? 1 : 0,\n\n\t\t// The foundational matcher ensures that elements are reachable from top-level context(s)\n\t\tmatchContext = addCombinator(function(elem) {\n\t\t\treturn elem === checkContext;\n\t\t}, implicitRelative, true),\n\t\tmatchAnyContext = addCombinator(function(elem) {\n\t\t\treturn indexOf(checkContext, elem) > -1;\n\t\t}, implicitRelative, true),\n\t\tmatchers = [function(elem, context, xml) {\n\t\t\tvar ret = (!leadingRelative && (xml || context !== outermostContext)) || (\n\t\t\t\t(checkContext = context).nodeType ?\n\t\t\t\t\tmatchContext(elem, context, xml) :\n\t\t\t\t\tmatchAnyContext(elem, context, xml));\n\t\t\t// Avoid hanging onto element (issue #299)\n\t\t\tcheckContext = null;\n\t\t\treturn ret;\n\t\t}];\n\n\tfor (; i < len; i++) {\n\t\tif ((matcher = Expr.relative[tokens[i].type])) {\n\t\t\tmatchers = [addCombinator(elementMatcher(matchers), matcher)];\n\t\t} else {\n\t\t\tmatcher = Expr.filter[tokens[i].type].apply(null, tokens[i].matches);\n\n\t\t\t// Return special upon seeing a positional matcher\n\t\t\tif (matcher[expando]) {\n\t\t\t\t// Find the next relative operator (if any) for proper handling\n\t\t\t\tj = ++i;\n\t\t\t\tfor (; j < len; j++) {\n\t\t\t\t\tif (Expr.relative[tokens[j].type]) {\n\t\t\t\t\t\tbreak;\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t\treturn setMatcher(\n\t\t\t\t\ti > 1 && elementMatcher(matchers),\n\t\t\t\t\ti > 1 && toSelector(\n\t\t\t\t\t\t// If the preceding token was a descendant combinator, insert an implicit any-element `*`\n\t\t\t\t\t\ttokens.slice(0, i - 1).concat({ value: tokens[i - 2].type === \" \" ? \"*\" : \"\" })\n\t\t\t\t\t).replace(rtrim, \"$1\"),\n\t\t\t\t\tmatcher,\n\t\t\t\t\ti < j && matcherFromTokens(tokens.slice(i, j)),\n\t\t\t\t\tj < len && matcherFromTokens((tokens = tokens.slice(j))),\n\t\t\t\t\tj < len && toSelector(tokens)\n\t\t\t\t);\n\t\t\t}\n\t\t\tmatchers.push(matcher);\n\t\t}\n\t}\n\n\treturn elementMatcher(matchers);\n}\n\nfunction

matcherFromGroupMatchers(elementMatchers, setMatchers) {\n\tvar bySet = setMatchers.length > 0,\n\t\tbyElement = elementMatchers.length > 0,\n\t\tsuperMatcher = function(seed, context, xml, results, outermost) {\n\t\t\tvar elem, j, matcher,\n\t\t\t\tmatchedCount = 0,\n\t\t\t\ti = \"0\",\n\t\t\t\tunmatched = seed && [],\n\t\t\t\tsetMatched = [],\n\t\t\t\tcontextBackup = outermostContext,\n\t\t\t\t// We must always have either seed elements or outermost context\n\t\t\t\telems = seed || byElement && Expr.find[\"TAG\"](\"*\", outermost),\n\t\t\t\t// Use integer dirruns iff this is the outermost matcher\n\t\t\t\tdirrunsUnique = (dirruns += contextBackup == null ? 1 : Math.random() || 0.1),\n\t\t\t\tlen = elems.length;\n\n\t\t\tif (outermost) {\n\t\t\t\toutermostContext = context === document || context || outermost;\n\t\t\t}\n\n\t\t\t// Add elements passing elementMatchers directly to results\n\t\t\t// Support: IE<9, Safari\n\t\t\t// Tolerate NodeList properties (IE: \"length\"; Safari: <number>) matching elements by id\n\t\t\tfor (; i !== len && (elem = elems[i]) != null; i++) {\n\t\t\t\tif (byElement && elem) {\n\t\t\t\t\tj = 0;\n\t\t\t\t\tif (!context && elem.ownerDocument !== document) {\n\t\t\t\t\t\tsetDocument(elem);\n\t\t\t\t\t\txml = !documentIsHTML;\n\t\t\t\t\t}\n\t\t\t\t\twhile ((matcher = elementMatchers[j++])) {\n\t\t\t\t\t\tif (matcher(elem, context || document, xml)) {\n\t\t\t\t\t\t\tresults.push(elem);\n\t\t\t\t\t\t\tbreak;\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t\tif (outermost) {\n\t\t\t\t\t\tdirruns = dirrunsUnique;\n\t\t\t\t\t}\n\t\t\t\t}\n\n\t\t\t\t// Track unmatched elements for set filters\n\t\t\t\tif (bySet) {\n\t\t\t\t\t// They will have gone through all possible matchers\n\t\t\t\t\tif ((elem = !matcher && elem)) {\n\t\t\t\t\t\tmatchedCount--;\n\t\t\t\t\t}\n\n\t\t\t\t\t// Lengthen the array for every element, matched or not\n\t\t\t\t\tif (seed) {\n\t\t\t\t\t\tunmatched.push(elem);\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\n\t\t\t// `i` is now the count of elements visited above, and adding it to `matchedCount`\n\t\t\t// makes the latter nonnegative.\n\t\t\tmatchedCount += i;\n\n\t\t\t// Apply set filters to unmatched elements\n\t\t\t// NOTE: This can be skipped if there are no unmatched elements (i.e., `matchedCount`\n\t\t\t// equals `i`), unless we didn't visit _any_ elements in the above loop because we have\n\t\t\t// no element matchers and no seed.\n\t\t\t// Incrementing an initially-string \"0\" `i` allows `i` to remain a string only in that\n\t\t\t// case, which will result in a \"00\" `matchedCount` that differs from `i` but is also\n\t\t\t// numerically zero.\n\t\t\tif (bySet && i !== matchedCount) {\n\t\t\t\tj = 0;\n\t\t\t\twhile ((matcher = setMatchers[j++])) {\n\t\t\t\t\tmatcher(unmatched, setMatched, context, xml);\n\t\t\t\t}\n\n\t\t\t\tif (seed) {\n\t\t\t\t\t// Reintegrate element matches to eliminate the need for sorting\n\t\t\t\t\tif (matchedCount > 0) {\n\t\t\t\t\t\twhile (i--) {\n\t\t\t\t\t\t\tif (!(unmatched[i] || setMatched[i])) {\n\t\t\t\t\t\t\t\tsetMatched[i] = pop.call(results);\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\n\t\t\t\t\t// Discard index placeholder values to get only actual matches\n\t\t\t\t\tsetMatched = condense(setMatched);\n\t\t\t\t}\n\n\t\t\t\t// Add matches to results\n\t\t\t\tpush.apply(results, setMatched);\n\n\t\t\t\t// Seedless set matches succeeding multiple successful matchers stipulate sorting\n\t\t\t\tif (outermost && !seed && setMatched.length > 0 &&\n\t\t\t\t\t(matchedCount + setMatchers.length) > 1) {\n\n\t\t\t\t\tSizzle.uniqueSort(results);\n\t\t\t\t}\n\t\t\t}\n\n\t\t\t// Override manipulation of globals by nested matchers\n\t\t\tif (outermost) {\n\t\t\t\tdirruns = dirrunsUnique;\n\t\t\t\toutermostContext = contextBackup;\n\t\t\t}\n\n\t\t\treturn unmatched;\n\t\t};\n\n\treturn bySet ?\n\t\tmarkFunction(superMatcher) :\n\t\tsuperMatcher;\n}\n\ncompile = Sizzle.compile = function(selector, match /* Internal Use Only */) {\n\tvar i,\n\t\tsetMatchers = [],\n\t\telementMatchers = [],\n\t\tcached = compilerCache[selector + \" \"];\n\n\tif (!cached) {\n\t\t// Generate a function of recursive functions that can be used to check each element\n\t\tif (!match) {\n\t\t\tmatch = tokenize(selector);\n\t\t}\n\t\ti = match.length;\n\t\twhile (i--) {\n\t\t\tcached = matcherFromTokens(match[i]);\n\t\t\tif (cached[expando]) {\n\t\t\t\tsetMatchers.push(cached);\n\t\t\t} else {\n\t\t\t\telementMatchers.push(cached);\n\t\t\t}\n\t\t}\n\n\t\t// Cache the compiled function\n\t\tcached = compilerCache(selector, matcherFromGroupMatchers(elementMatchers, setMatchers));\n\n\t\t// Save selector and tokenization\n\t\tcached.selector = selector;\n\t}\n\treturn cached;\n};\n\n/**\n * A low-level selection function that works with Sizzle's compiled\n * selector functions\n * @param {String|Function} selector A selector or a pre-compiled\n * selector function built with Sizzle.compile\n * @param {Element} context\n * @param {Array} [results]\n * @param {Array} [seed] A set of elements to match against\n */\nselect = Sizzle.select = function(selector, context, results, seed) {\n\tvar i, tokens, token, type, find,\n\t\tcompiled = typeof selector === \"function\" && selector,\n\t\tmatch = !seed && tokenize((selector = compiled.selector || selector));\n\n\tresults = results || [];\n\n\t// Try to minimize operations if there is only one selector in the list and no seed\n\t// (the latter of which

guarantees us context)\n\tif (match.length === 1) {\n\n\t\t// Reduce context if the leading compound selector is an ID\n\t\ttokens = match[0] = match[0].slice(0);\n\t\tif (tokens.length > 2 && (token = tokens[0]).type === \"ID\" &&\n\t\t\t\tcontext.nodeType === 9 && documentIsHTML && Expr.relative[tokens[1].type]) {\n\n\t\t\tcontext = (Expr.find[\"ID\"](token.matches[0].replace(runescape, funescape), context) || [])[0];\n\t\t\tif (!context) {\n\t\t\t\treturn results;\n\n\t\t\t// Precompiled matchers will still verify ancestry, so step up a level\n\t\t\t} else if (compiled) {\n\t\t\t\tcontext = context.parentNode;\n\t\t\t}\n\n\t\t\tselector = selector.slice(tokens.shift().value.length);\n\t\t}\n\n\t\t// Fetch a seed set for right-to-left matching\n\t\ti = matchExpr[\"needsContext\"].test(selector) ? 0 : tokens.length;\n\t\twhile (i--) {\n\t\t\ttoken = tokens[i];\n\n\t\t\t// Abort if we hit a combinator\n\t\t\tif (Expr.relative[(type = token.type)]) {\n\t\t\t\tbreak;\n\t\t\t}\n\t\t\tif ((find = Expr.find[type])) {\n\t\t\t\t// Search, expanding context for leading sibling combinators\n\t\t\t\tif ((seed = find(\n\t\t\t\t\ttoken.matches[0].replace(runescape, funescape),\n\t\t\t\t\trsibling.test(tokens[0].type) && testContext(context.parentNode) || context\n\t\t\t\t))) {\n\n\t\t\t\t\t// If seed is empty or no tokens remain, we can return early\n\t\t\t\t\ttokens.splice(i, 1);\n\t\t\t\t\tselector = seed.length && toSelector(tokens);\n\t\t\t\t\tif (!selector) {\n\t\t\t\t\t\tpush.apply(results, seed);\n\t\t\t\t\t\treturn results;\n\t\t\t\t\t}\n\n\t\t\t\t\tbreak;\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t}\n\n\t// Compile and execute a filtering function if one is not provided\n\t// Provide `match` to avoid retokenization if we modified the selector above\n\t(compiled || compile(selector, match))(\n\t\tseed,\n\t\tcontext,\n\t\t!documentIsHTML,\n\t\tresults,\n\t\t!context || rsibling.test(selector) && testContext(context.parentNode) || context\n\t);\n\treturn results;\n}\n\n// One-time assignments\n\n// Sort stability\nsupport.sortStable = expando.split(\"\").sort(sortOrder).join(\"\") === expando;\n\n// Support: Chrome 14-35+\n// Always assume duplicates if they aren't passed to the comparison function\nsupport.detectDuplicates = !!hasDuplicate;\n\n// Initialize against the default document\nsetDocument();\n\n// Support: Webkit<537.32 - Safari 6.0.3/Chrome 25 (fixed in Chrome 27)\n// Detached nodes confoundingly follow *each other*\nsupport.sortDetached = assert(function(el) {\n\t// Should return 1, but returns 4 (following)\n\treturn el.compareDocumentPosition(document.createElement(\"fieldset\")) & 1;\n});\n\n// Support: IE<8\n// Prevent attribute/property \"interpolation\"\n// https://msdn.microsoft.com/en-us/library/ms536429%28VS.85%29.aspx\nif (!assert(function(el) {\n\tel.innerHTML = \"\";\n\treturn el.firstChild.getAttribute(\"href\") === \"#\" ;\n})) {\n\taddHandle(\"type|href|height|width\", function(elem, name, isXML) {\n\t\tif (!isXML) {\n\t\t\treturn elem.getAttribute(name, name.toLowerCase() === \"type\" ? 1 : 2);\n\t\t}\n\t});\n}\n\n// Support: IE<9\n// Use defaultValue in place of getAttribute(\"value\")\nif (!support.attributes || !assert(function(el) {\n\tel.innerHTML = \"<input/>\";\n\tel.firstChild.setAttribute(\"value\", \"\");\n\treturn el.firstChild.getAttribute(\"value\") === \"\";\n})) {\n\taddHandle(\"value\", function(elem, name, isXML) {\n\t\tif (!isXML && elem.nodeName.toLowerCase() === \"input\") {\n\t\t\treturn elem.defaultValue;\n\t\t}\n\t});\n}\n\n// Support: IE<9\n// Use getAttributeNode to fetch booleans when getAttribute lies\nif (!assert(function(el) {\n\treturn el.getAttribute(\"disabled\") == null;\n})) {\n\taddHandle(booleans, function(elem, name, isXML) {\n\t\tvar val;\n\t\tif (!isXML) {\n\t\t\treturn elem[name] === true ? name.toLowerCase() :\n\t\t\t\t\t(val = elem.getAttributeNode(name)) && val.specified ?\n\t\t\t\t\tval.value :\n\t\t\t\tnull;\n\t\t}\n\t});\n}\n\nreturn Sizzle;\n\n})(window);\n\n\njQuery.find = Sizzle;\njQuery.expr = Sizzle.selectors;\n\n// Deprecated\njQuery.expr[\":\"] = jQuery.expr.pseudos;\njQuery.uniqueSort = jQuery.unique = Sizzle.uniqueSort;\njQuery.text = Sizzle.getText;\njQuery.isXMLDoc = Sizzle.isXML;\njQuery.contains = Sizzle.contains;\njQuery.escapeSelector = Sizzle.escape;\n\n\n\nvar dir = function(elem, dir, until) {\n\tvar matched = [],\n\t\ttruncate = until !== undefined;\n\n\twhile ((elem = elem[dir]) && elem.nodeType !== 9) {\n\t\tif (elem.nodeType === 1) {\n\t\t\tif (truncate && jQuery(elem).is(until)) {\n\t\t\t\tbreak;\n\t\t\t}\n\t\t\tmatched.push(elem);\n\t\t}\n\t}\n\treturn matched;\n};\n\n\nvar siblings = function(n, elem) {\n\tvar matched = [];\n\n\tfor (; n; n = n.nextSibling) {\n\t\tif (n.nodeType === 1 && n !== elem) {\n\t\t\tmatched.push(n);\n\t\t}\n\t}\n\n\treturn matched;\n};\n\n\nvar rneedsContext = jQuery.expr.match.needsContext;\n\n\n\nfunction nodeName(elem, name) {\n\n return elem.nodeName && elem.nodeName.toLowerCase() === name.toLowerCase();\n\n};\nvar rsingleTag = (/^<([a-z][^\\/\\0>:\\x20\\t\\r\\n\\f]*)[\\x20\\t\\r\\n\\f]*\\/?>(?:<\\/\\1>|)$/i);\n\n\n\n// Implement the identical functionality for

filter and not\nfunction winnow(elements, qualifier, not) {\n\tif (isFunction(qualifier)) {\n\t\treturn jQuery.grep(elements, function(elem, i) {\n\t\t\treturn !!qualifier.call(elem, i, elem) !== not;\n\t\t});\n\t}\n\n\t// Single element\n\tif (qualifier.nodeType) {\n\t\treturn jQuery.grep(elements, function(elem) {\n\t\t\treturn (elem === qualifier) !== not;\n\t\t});\n\t}\n\n\t// Arraylike of elements (jQuery, arguments, Array)\n\tif (typeof qualifier !== \"string\") {\n\t\treturn jQuery.grep(elements, function(elem) {\n\t\t\treturn (indexOf.call(qualifier, elem) > -1) !== not;\n\t\t});\n\t}\n\n\t// Filtered directly for both simple and complex selectors\n\treturn jQuery.filter(qualifier, elements, not);\n}\n\njQuery.filter = function(expr, elems, not) {\n\tvar elem = elems[0];\n\n\tif (not) {\n\t\texpr = \":not(\" + expr + \")\";\n\t}\n\n\tif (elems.length === 1 && elem.nodeType === 1) {\n\t\treturn jQuery.find.matchesSelector(elem, expr) ? [elem] : [];\n\t}\n\n\treturn jQuery.find.matches(expr, jQuery.grep(elems, function(elem) {\n\t\treturn elem.nodeType === 1;\n\t}));\n};\n\njQuery.fn.extend({\n\tfind: function(selector) {\n\t\tvar i, ret,\n\t\t\tlen = this.length,\n\t\t\tself = this;\n\n\t\tif (typeof selector !== \"string\") {\n\t\t\treturn this.pushStack(jQuery(selector).filter(function() {\n\t\t\t\tfor (i = 0; i < len; i++) {\n\t\t\t\t\tif (jQuery.contains(self[i], this)) {\n\t\t\t\t\t\treturn true;\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}));\n\t\t}\n\n\t\tret = this.pushStack([]);\n\n\t\tfor (i = 0; i < len; i++) {\n\t\t\tjQuery.find(selector, self[i], ret);\n\t\t}\n\n\t\treturn len > 1 ? jQuery.uniqueSort(ret) : ret;\n\t},\n\tfilter: function(selector) {\n\t\treturn this.pushStack(winnow(this, selector || [], false));\n\t},\n\tnot: function(selector) {\n\t\treturn this.pushStack(winnow(this, selector || [], true));\n\t},\n\tis: function(selector) {\n\t\treturn !!winnow(\n\t\t\tthis,\n\n\t\t\t// If this is a positional/relative selector, check membership in the returned set\n\t\t\t// so $(\"p:first\").is(\"p:last\") won't return true for a doc with two \"p\".\n\t\t\ttypeof selector === \"string\" && rneedsContext.test(selector) ?\n\t\t\t\tjQuery(selector) :\n\t\t\t\tselector || [],\n\t\t\tfalse\n\t\t).length;\n\t}\n});\n\n\n// Initialize a jQuery object\n\n\n// A central reference to the root jQuery(document)\nvar rootjQuery,\n\n\t// A simple way to check for HTML strings\n\t// Prioritize #id over <tag> to avoid XSS via location.hash (#9521)\n\t// Strict HTML recognition (#11290: must start with <)\n\t// Shortcut simple #id case for speed\n\trquickExpr = /^(?:\\s*(<[\\w\\W]+>)[^>]*|#([\\w-]+))$/,\n\n\tinit = jQuery.fn.init = function(selector, context, root) {\n\t\tvar match, elem;\n\n\t\t// HANDLE: $(\"\"), $(null), $(undefined), $(false)\n\t\tif (!selector) {\n\t\t\treturn this;\n\t\t}\n\n\t\t// Method init() accepts an alternate rootjQuery\n\t\t// so migrate can support jQuery.sub (gh-2101)\n\t\troot = root || rootjQuery;\n\n\t\t// Handle HTML strings\n\t\tif (typeof selector === \"string\") {\n\t\t\tif (selector[0] === \"<\" &&\n\t\t\t\tselector[selector.length - 1] === \">\" &&\n\t\t\t\tselector.length >= 3) {\n\n\t\t\t\t// Assume that strings that start and end with <> are HTML and skip the regex check\n\t\t\t\tmatch = [null, selector, null];\n\n\t\t\t} else {\n\t\t\t\tmatch = rquickExpr.exec(selector);\n\t\t\t}\n\n\t\t\t// Match html or make sure no context is specified for #id\n\t\t\tif (match && (match[1] || !context)) {\n\n\t\t\t\t// HANDLE: $(html) -> $(array)\n\t\t\t\tif (match[1]) {\n\t\t\t\t\tcontext = context instanceof jQuery ? context[0] : context;\n\n\t\t\t\t\t// Option to run scripts is true for back-compat\n\t\t\t\t\t// Intentionally let the error be thrown if parseHTML is not present\n\t\t\t\t\tjQuery.merge(this, jQuery.parseHTML(\n\t\t\t\t\t\tmatch[1],\n\t\t\t\t\t\tcontext && context.nodeType ? context.ownerDocument || context : document,\n\t\t\t\t\t\ttrue\n\t\t\t\t\t));\n\n\t\t\t\t\t// HANDLE: $(html, props)\n\t\t\t\t\tif (rsingleTag.test(match[1]) && jQuery.isPlainObject(context)) {\n\t\t\t\t\t\tfor (match in context) {\n\n\t\t\t\t\t\t\t// Properties of context are called as methods if possible\n\t\t\t\t\t\t\tif (isFunction(this[match])) {\n\t\t\t\t\t\t\t\tthis[match](context[match]);\n\n\t\t\t\t\t\t\t// ...and otherwise set as attributes\n\t\t\t\t\t\t\t} else {\n\t\t\t\t\t\t\t\tthis.attr(match, context[match]);\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\n\t\t\t\t\treturn this;\n\n\t\t\t\t// HANDLE: $(#id)\n\t\t\t\t} else {\n\t\t\t\t\telem = document.getElementById(match[2]);\n\n\t\t\t\t\tif (elem) {\n\n\t\t\t\t\t\t// Inject the element directly into the jQuery object\n\t\t\t\t\t\tthis[0] = elem;\n\t\t\t\t\t\tthis.length = 1;\n\t\t\t\t\t}\n\t\t\t\t\treturn this;\n\t\t\t\t}\n\n\t\t\t// HANDLE: $(expr, $(...))\n\t\t\t} else if (!context || context.jquery) {\n\t\t\t\treturn (context || root).find(selector);\n\n\t\t\t// HANDLE: $(expr, context)\n\t\t\t// (which is just equivalent to: $(context).find(expr)\n\t\t\t} else {\n\t\t\t\treturn this.constructor(context).find(selector);\n\t\t\t}\n\n\t\t// HANDLE: $(DOMElement)\n\t\t} else if (selector.nodeType) {\n\t\t\tthis[0] = selector;\n\t\t\tthis.length = 1;\n\t\t\treturn this;\n\n\t\t// HANDLE: $(function)\n\t\t// Shortcut for document ready\n\t\t} else if (isFunction(selector)) {\n\t\t\treturn root.ready !== undefined ?\n\t\t\t\troot.ready(selector) :\n\n\t\t\t\t// Execute immediately if ready is not present\n\t\t\t\tselector(jQuery);\n\t\t}\n\n\t\treturn jQuery.makeArray(selector, this);\n\t};\n\n// Give

the init function the jQuery prototype for later instantiation\ninit.prototype = jQuery.fn;\n\n// Initialize central reference\nrootjQuery = jQuery(document);\n\n\nvar rparentsprev = /^(?:parents|prev(?:Until|All))/,\n\n\t// Methods guaranteed to produce a unique set when starting from a unique set\n\tguaranteedUnique = {\n\t\tchildren: true,\n\t\tcontents: true,\n\t\tnext: true,\n\t\tprev: true\n\t};\n\njQuery.fn.extend({\n\thas: function(target) {\n\t\tvar targets = jQuery(target, this),\n\t\t\tl = targets.length;\n\n\t\treturn this.filter(function() {\n\t\t\tvar i = 0;\n\t\t\tfor (; i < l; i++) {\n\t\t\t\tif (jQuery.contains(this, targets[i])) {\n\t\t\t\t\treturn true;\n\t\t\t\t}\n\t\t\t}\n\t\t});\n\t},\n\n\tclosest: function(selectors, context) {\n\t\tvar cur,\n\t\t\ti = 0,\n\t\t\tl = this.length,\n\t\t\tmatched = [],\n\t\t\ttargets = typeof selectors !== \"string\" && jQuery(selectors);\n\n\t\t// Positional selectors never match, since there's no _selection_ context\n\t\tif (!rneedsContext.test(selectors)) {\n\t\t\tfor (; i < l; i++) {\n\t\t\t\tfor (cur = this[i]; cur && cur !== context; cur = cur.parentNode) {\n\n\t\t\t\t\t// Always skip document fragments\n\t\t\t\t\tif (cur.nodeType < 11 && (targets ?\n\t\t\t\t\t\ttargets.index(cur) > -1 :\n\n\t\t\t\t\t\t// Don't pass non-elements to Sizzle\n\t\t\t\t\t\tcur.nodeType === 1 &&\n\t\t\t\t\t\t\tjQuery.find.matchesSelector(cur, selectors))) {\n\n\t\t\t\t\t\tmatched.push(cur);\n\t\t\t\t\t\tbreak;\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t\treturn this.pushStack(matched.length > 1 ? jQuery.uniqueSort(matched) : matched);\n\t},\n\n\t// Determine the position of an element within the set\n\tindex: function(elem) {\n\n\t\t// No argument, return index in parent\n\t\tif (!elem) {\n\t\t\treturn (this[0] && this[0].parentNode) ? this.first().prevAll().length : -1;\n\t\t}\n\n\t\t// Index in selector\n\t\tif (typeof elem === \"string\") {\n\t\t\treturn indexOf.call(jQuery(elem), this[0]);\n\t\t}\n\n\t\t// Locate the position of the desired element\n\t\treturn indexOf.call(this,\n\n\t\t\t// If it receives a jQuery object, the first element is used\n\t\t\telem.jquery ? elem[0] : elem);\n\t},\n\n\tadd: function(selector, context) {\n\t\treturn this.pushStack(\n\t\t\tjQuery.uniqueSort(\n\t\t\t\tjQuery.merge(this.get(), jQuery(selector, context))\n\t\t\t)\n\t\t);\n\t},\n\n\taddBack: function(selector) {\n\t\treturn this.add(selector == null ?\n\t\t\tthis.prevObject : this.prevObject.filter(selector)\n\t\t);\n\t}\n});\n\nfunction sibling(cur, dir) {\n\twhile ((cur = cur[dir]) && cur.nodeType !== 1) {}\n\treturn cur;\n}\n\njQuery.each({\n\tparent: function(elem) {\n\t\tvar parent = elem.parentNode;\n\t\treturn parent && parent.nodeType !== 11 ? parent : null;\n\t},\n\tparents: function(elem) {\n\t\treturn dir(elem, \"parentNode\");\n\t},\n\tparentsUntil: function(elem, i, until) {\n\t\treturn dir(elem, \"parentNode\", until);\n\t},\n\tnext: function(elem) {\n\t\treturn sibling(elem, \"nextSibling\");\n\t},\n\tprev: function(elem) {\n\t\treturn sibling(elem, \"previousSibling\");\n\t},\n\tnextAll: function(elem) {\n\t\treturn dir(elem, \"nextSibling\");\n\t},\n\tprevAll: function(elem) {\n\t\treturn dir(elem, \"previousSibling\");\n\t},\n\tnextUntil: function(elem, i, until) {\n\t\treturn dir(elem, \"nextSibling\", until);\n\t},\n\tprevUntil: function(elem, i, until) {\n\t\treturn dir(elem, \"previousSibling\", until);\n\t},\n\tsiblings: function(elem) {\n\t\treturn siblings((elem.parentNode || {}).firstChild, elem);\n\t},\n\tchildren: function(elem) {\n\t\treturn siblings(elem.firstChild);\n\t},\n\tcontents: function(elem) {\n   if (nodeName(elem, \"iframe\")) {\n   return elem.contentDocument;\n   }\n\n   // Support: IE 9 - 11 only, iOS 7 only, Android Browser <=4.3 only\n   // Treat the template element as a regular one in browsers that\n   // don't support it.\n   if (nodeName(elem, \"template\")) {\n   elem = elem.content || elem;\n   }\n\n   return jQuery.merge([], elem.childNodes);\n\t}\n}, function(name, fn) {\n\tjQuery.fn[name] = function(until, selector) {\n\t\tvar matched = jQuery.map(this, fn, until);\n\n\t\tif (name.slice(-5) !== \"Until\") {\n\t\t\tselector = until;\n\t\t}\n\n\t\tif (selector && typeof selector === \"string\") {\n\t\t\tmatched = jQuery.filter(selector, matched);\n\t\t}\n\n\t\tif (this.length > 1) {\n\n\t\t\t// Remove duplicates\n\t\t\tif (!guaranteedUnique[name]) {\n\t\t\t\tjQuery.uniqueSort(matched);\n\t\t\t}\n\n\t\t\t// Reverse order for parents* and prev-derivatives\n\t\t\tif (rparentsprev.test(name)) {\n\t\t\t\tmatched.reverse();\n\t\t\t}\n\t\t}\n\n\t\treturn this.pushStack(matched);\n\t};\n});\nvar rnothtmlwhite = (/[^\\x20\\t\\r\\n\\f]+/g);\n\n\n\n// Convert String-formatted options into Object-formatted ones\nfunction createOptions(options) {\n\tvar object = {};\n\tjQuery.each(options.match(rnothtmlwhite) || [],\n\t\tfunction(_, flag) {\n\t\t\tobject[flag] = true;\n\t\t});\n\treturn object;\n}\n\n/*\n * Create a callback list using the following parameters:\n *\n *\toptions: an optional list of space-separated options that will change how\n *\t\t\tthe callback list behaves or a more traditional option object\n *\n * By default a callback list will act like an event callback list and can be\n * \"fired\" multiple times.\n *\n * Possible options:\n *\n *\tonce:\t\twill ensure the callback list can only be fired once (like a Deferred)\n *\n *\tmemory:\t\t\twill keep track of previous values and will

call any callback added\n *\t\t\t\tafter the list has been fired right away with the latest \"memorized\"\n *\t\t\t\tvalues (like a Deferred)\n *\n *\tunique:\t\t\twill ensure a callback can only be added once (no duplicate in the list)\n *\n *\tstopOnFalse:\tinterrupt callings when a callback returns false\n *\n */\njQuery.Callbacks = function(options) {\n\t// Convert options from String-formatted to Object-formatted if needed\n\t// (we check in cache first)\n\toptions = typeof options === \"string\" ?\n\t\tcreateOptions(options) :\n\t\tjQuery.extend({}, options);\n\n\tvar // Flag to know if list is currently firing\n\t\tfiring,\n\n\t\t// Last fire value for non-forgettable lists\n\t\tmemory,\n\n\t\t// Flag to know if list was already fired\n\t\tfired,\n\n\t\t// Flag to prevent firing\n\t\tlocked,\n\n\t\t// Actual callback list\n\t\tlist = [],\n\n\t\t// Queue of execution data for repeatable lists\n\t\tqueue = [],\n\n\t\t// Index of currently firing callback (modified by add/remove as needed)\n\t\tfiringIndex = -1,\n\n\t\t// Fire callbacks\n\t\tfire = function() {\n\n\t\t\t// Enforce single-firing\n\t\t\tlocked = locked || options.once;\n\n\t\t\t// Execute callbacks for all pending executions,\n\t\t\t// respecting firingIndex overrides and runtime changes\n\t\t\tfired = firing = true;\n\t\t\tfor (; queue.length; firingIndex = -1) {\n\t\t\t\tmemory = queue.shift();\n\t\t\t\twhile (++firingIndex < list.length) {\n\n\t\t\t\t\t// Run callback and check for early termination\n\t\t\t\t\tif (list[firingIndex].apply(memory[0], memory[1]) === false &&\n\t\t\t\t\t\toptions.stopOnFalse) {\n\n\t\t\t\t\t\t// Jump to end and forget the data so .add doesn't re-fire\n\t\t\t\t\t\tfiringIndex = list.length;\n\t\t\t\t\t\tmemory = false;\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\n\t\t\t// Forget the data if we're done with it\n\t\t\tif (!options.memory) {\n\t\t\t\tmemory = false;\n\t\t\t}\n\n\t\t\tfiring = false;\n\n\t\t\t// Clean up if we're done firing for good\n\t\t\tif (locked) {\n\n\t\t\t\t// Keep an empty list if we have data for future add calls\n\t\t\t\tif (memory) {\n\t\t\t\t\tlist = [];\n\n\t\t\t\t// Otherwise, this object is spent\n\t\t\t\t} else {\n\t\t\t\t\tlist = \"\";\n\t\t\t\t}\n\t\t\t}\n\t\t},\n\n\t\t// Actual Callbacks object\n\t\tself = {\n\n\t\t\t// Add a callback or a collection of callbacks to the list\n\t\t\tadd: function() {\n\t\t\t\tif (list) {\n\n\t\t\t\t\t// If we have memory from a past run, we should fire after adding\n\t\t\t\t\tif (memory && !firing) {\n\t\t\t\t\t\tfiringIndex = list.length - 1;\n\t\t\t\t\t\tqueue.push(memory);\n\t\t\t\t\t}\n\n\t\t\t\t\t(function add(args) {\n\t\t\t\t\t\tjQuery.each(args, function(_, arg) {\n\t\t\t\t\t\t\tif (isFunction(arg)) {\n\t\t\t\t\t\t\t\tif (!options.unique || !self.has(arg)) {\n\t\t\t\t\t\t\t\t\tlist.push(arg);\n\t\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\t} else if (arg && arg.length && toType(arg) !== \"string\") {\n\n\t\t\t\t\t\t\t\t// Inspect recursively\n\t\t\t\t\t\t\t\tadd(arg);\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t});\n\t\t\t\t\t})(arguments);\n\n\t\t\t\t\tif (memory && !firing) {\n\t\t\t\t\t\tfire();\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t\treturn this;\n\t\t\t},\n\n\t\t\t// Remove a callback from the list\n\t\t\tremove: function() {\n\t\t\t\tjQuery.each(arguments, function(_, arg) {\n\t\t\t\t\tvar index;\n\t\t\t\t\twhile ((index = jQuery.inArray(arg, list, index)) > -1) {\n\t\t\t\t\t\tlist.splice(index, 1);\n\n\t\t\t\t\t\t// Handle firing indexes\n\t\t\t\t\t\tif (index <= firingIndex) {\n\t\t\t\t\t\t\tfiringIndex--;\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t});\n\t\t\t\treturn this;\n\t\t\t},\n\n\t\t\t// Check if a given callback is in the list.\n\t\t\t// If no argument is given, return whether or not list has callbacks attached.\n\t\t\thas: function(fn) {\n\t\t\t\treturn fn ?\n\t\t\t\t\tjQuery.inArray(fn, list) > -1 :\n\t\t\t\t\tlist.length > 0;\n\t\t\t},\n\n\t\t\t// Remove all callbacks from the list\n\t\t\tempty: function() {\n\t\t\t\tif (list) {\n\t\t\t\t\tlist = [];\n\t\t\t\t}\n\t\t\t\treturn this;\n\t\t\t},\n\n\t\t\t// Disable .fire and .add\n\t\t\t// Abort any current/pending executions\n\t\t\t// Clear all callbacks and values\n\t\t\tdisable: function() {\n\t\t\t\tlocked = queue = [];\n\t\t\t\tlist = memory = \"\";\n\t\t\t\treturn this;\n\t\t\t},\n\t\t\tdisabled: function() {\n\t\t\t\treturn !list;\n\t\t\t},\n\n\t\t\t// Disable .fire\n\t\t\t// Also disable .add unless we have memory (since it would have no effect)\n\t\t\t// Abort any pending executions\n\t\t\tlock: function() {\n\t\t\t\tlocked = queue = [];\n\t\t\t\tif (!memory && !firing) {\n\t\t\t\t\tlist = memory = \"\";\n\t\t\t\t}\n\t\t\t\treturn this;\n\t\t\t},\n\t\t\tlocked: function() {\n\t\t\t\treturn !!locked;\n\t\t\t},\n\n\t\t\t// Call all callbacks with the given context and arguments\n\t\t\tfireWith: function(context, args) {\n\t\t\t\tif (!locked) {\n\t\t\t\t\targs = args || [];\n\t\t\t\t\targs = [context, args.slice ? args.slice() : args];\n\t\t\t\t\tqueue.push(args);\n\t\t\t\t\tif (!firing) {\n\t\t\t\t\t\tfire();\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t\treturn this;\n\t\t\t},\n\n\t\t\t// Call all the callbacks with the given arguments\n\t\t\tfire: function() {\n\t\t\t\tself.fireWith(this, arguments);\n\t\t\t\treturn this;\n\t\t\t},\n\n\t\t\t// To know if the callbacks have already been called at least once\n\t\t\tfired: function() {\n\t\t\t\treturn !!fired;\n\t\t\t}\n\t\t};\n\n\treturn self;\n};\n\n\nfunction Identity(v) {\n\treturn v;\n}\nfunction Thrower(ex) {\n\tthrow ex;\n}\n\nfunction adoptValue(value, resolve, reject, noValue) {\n\tvar method;\n\n\ttry {\n\n\t\t// Check for promise aspect first to privilege synchronous behavior\n\t\tif (value && isFunction((method =

value.promise))) {\n\t\t\tmethod.call(value).done(resolve).fail(reject);\n\n\t\t\t// Other thenables\n\t\t} else if (value && isFunction((method = value.then))) {\n\t\t\tmethod.call(value, resolve, reject);\n\n\t\t\t// Other non-thenables\n\t\t} else {\n\n\t\t\t// Control `resolve` arguments by letting Array#slice cast boolean `noValue` to integer:\n\t\t\t// * false: [value].slice(0) => resolve(value)\n\t\t\t// * true: [value].slice(1) => resolve()\n\t\t\tresolve.apply(undefined, [value].slice(noValue));\n\t\t}\n\n\t// For Promises/A+, convert exceptions into rejections\n\t// Since jQuery.when doesn't unwrap thenables, we can skip the extra checks appearing in\n\t// Deferred#then to conditionally suppress rejection.\n\t} catch (value) {\n\n\t\t// Support: Android 4.0 only\n\t\t// Strict mode functions invoked without .call/.apply get global-object context\n\t\treject.apply(undefined, [value]);\n\t}\n}\n\njQuery.extend({\n\n\tDeferred: function(func) {\n\t\tvar tuples = [\n\n\t\t\t// action, add listener, callbacks,\n\t\t\t// ... .then handlers, argument index, [final state]\n\t\t\t[\"notify\", \"progress\", jQuery.Callbacks(\"memory\"),\n\t\t\t\tjQuery.Callbacks(\"memory\"), 2],\n\t\t\t[\"resolve\", \"done\", jQuery.Callbacks(\"once memory\"),\n\t\t\t\tjQuery.Callbacks(\"once memory\"), 0, \"resolved\"],\n\t\t\t[\"reject\", \"fail\", jQuery.Callbacks(\"once memory\"),\n\t\t\t\tjQuery.Callbacks(\"once memory\"), 1, \"rejected\"]\n\t\t],\n\t\tstate = \"pending\",\n\t\tpromise = {\n\t\t\tstate: function() {\n\t\t\t\treturn state;\n\t\t\t},\n\t\t\talways: function() {\n\t\t\t\tdeferred.done(arguments).fail(arguments);\n\t\t\t\treturn this;\n\t\t\t},\n\t\t\t"catch": function(fn) {\n\t\t\t\treturn promise.then(null, fn);\n\t\t\t},\n\n\t\t\t// Keep pipe for back-compat\n\t\t\tpipe: function(/* fnDone, fnFail, fnProgress */) {\n\t\t\t\tvar fns = arguments;\n\n\t\t\t\treturn jQuery.Deferred(function(newDefer) {\n\t\t\t\t\tjQuery.each(tuples, function(i, tuple) {\n\n\t\t\t\t\t\t// Map tuples (progress, done, fail) to arguments (done, fail, progress)\n\t\t\t\t\t\tvar fn = isFunction(fns[tuple[4]]) && fns[tuple[4]];\n\n\t\t\t\t\t\t// deferred.progress(function() { bind to newDefer or newDefer.notify })\n\t\t\t\t\t\t// deferred.done(function() { bind to newDefer or newDefer.resolve })\n\t\t\t\t\t\t// deferred.fail(function() { bind to newDefer or newDefer.reject })\n\t\t\t\t\t\tdeferred[tuple[1]](function() {\n\t\t\t\t\t\t\tvar returned = fn && fn.apply(this, arguments);\n\t\t\t\t\t\t\tif (returned && isFunction(returned.promise)) {\n\t\t\t\t\t\t\t\treturned.promise()\n\t\t\t\t\t\t\t\t\t.progress(newDefer.notify)\n\t\t\t\t\t\t\t\t\t.done(newDefer.resolve)\n\t\t\t\t\t\t\t\t\t.fail(newDefer.reject);\n\t\t\t\t\t\t\t} else {\n\t\t\t\t\t\t\t\tnewDefer[tuple[0] + \"With\"](\n\t\t\t\t\t\t\t\t\tthis,\n\t\t\t\t\t\t\t\t\tfn ? [returned] : arguments\n\t\t\t\t\t\t\t\t);\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t});\n\t\t\t\t\t});\n\t\t\t\t\tfns = null;\n\t\t\t\t}).promise();\n\t\t\t},\n\t\t\tthen: function(onFulfilled, onRejected, onProgress) {\n\t\t\t\tvar maxDepth = 0;\n\t\t\t\tfunction resolve(depth, deferred, handler, special) {\n\t\t\t\t\treturn function() {\n\t\t\t\t\t\tvar that = this,\n\t\t\t\t\t\t\targs = arguments,\n\t\t\t\t\t\t\tmightThrow = function() {\n\t\t\t\t\t\t\t\tvar returned, then;\n\n\t\t\t\t\t\t\t\t// Support: Promises/A+ section 2.3.3.3.3\n\t\t\t\t\t\t\t\t// https://promisesaplus.com/#point-59\n\t\t\t\t\t\t\t\t// Ignore double-resolution attempts\n\t\t\t\t\t\t\t\tif (depth < maxDepth) {\n\t\t\t\t\t\t\t\t\treturn;\n\t\t\t\t\t\t\t\t}\n\n\t\t\t\t\t\t\t\treturned = handler.apply(that, args);\n\n\t\t\t\t\t\t\t\t// Support: Promises/A+ section 2.3.1\n\t\t\t\t\t\t\t\t// https://promisesaplus.com/#point-48\n\t\t\t\t\t\t\t\tif (returned === deferred.promise()) {\n\t\t\t\t\t\t\t\t\tthrow new TypeError(\"Thenable self-resolution\");\n\t\t\t\t\t\t\t\t}\n\n\t\t\t\t\t\t\t\t// Support: Promises/A+ sections 2.3.3.1, 3.5\n\t\t\t\t\t\t\t\t// https://promisesaplus.com/#point-54\n\t\t\t\t\t\t\t\t// https://promisesaplus.com/#point-75\n\t\t\t\t\t\t\t\t// Retrieve `then` only once\n\t\t\t\t\t\t\t\tthen = returned &&\n\n\t\t\t\t\t\t\t\t\t// Support: Promises/A+ section 2.3.4\n\t\t\t\t\t\t\t\t\t// https://promisesaplus.com/#point-64\n\t\t\t\t\t\t\t\t\t// Only check objects and functions for thenability\n\t\t\t\t\t\t\t\t\t(typeof returned === \"object\" ||\n\t\t\t\t\t\t\t\t\t\ttypeof returned === \"function\") &&\n\t\t\t\t\t\t\t\t\treturned.then;\n\n\t\t\t\t\t\t\t\t// Handle a returned thenable\n\t\t\t\t\t\t\t\tif (isFunction(then)) {\n\n\t\t\t\t\t\t\t\t\t// Special processors (notify) just wait for resolution\n\t\t\t\t\t\t\t\t\tif (special) {\n\t\t\t\t\t\t\t\t\t\tthen.call(\n\t\t\t\t\t\t\t\t\t\t\treturned,\n\t\t\t\t\t\t\t\t\t\t\tresolve(maxDepth, deferred, Identity, special),\n\t\t\t\t\t\t\t\t\t\t\tresolve(maxDepth, deferred, Thrower, special)\n\t\t\t\t\t\t\t\t\t\t);\n\n\t\t\t\t\t\t\t\t\t// Normal processors (resolve) also hook into progress\n\t\t\t\t\t\t\t\t\t} else {\n\n\t\t\t\t\t\t\t\t\t\t// ...and disregard older resolution values\n\t\t\t\t\t\t\t\t\t\tmaxDepth++;\n\n\t\t\t\t\t\t\t\t\t\tthen.call(\n\t\t\t\t\t\t\t\t\t\t\treturned,\n\t\t\t\t\t\t\t\t\t\t\tresolve(maxDepth, deferred, Identity, special),\n\t\t\t\t\t\t\t\t\t\t\tresolve(maxDepth, deferred, Thrower, special

),\n\t\t\t\t\t\t\t\t\tresolve(maxDepth, deferred, Identity,\n\t\t\t\t\t\t\t\t\t\tdeferred.notifyWith)\n\t\t\t\t\t\t\t\t\tt);\n\t\t\t\t\t\t\t\t}\n\n\t\t\t\t\t\t\t\t// Handle all other returned values\n\t\t\t\t\t\t\t} else {\n\n\t\t\t\t\t\t\t\t// Only substitute handlers pass on context\n\t\t\t\t\t\t\t\t// and multiple values (non-spec behavior)\n\t\t\t\t\t\t\t\tif (handler !== Identity) {\n\t\t\t\t\t\t\t\t\tthat = undefined;\n\t\t\t\t\t\t\t\t\targs = [returned];\n\t\t\t\t\t\t\t\t}\n\n\t\t\t\t\t\t\t\t// Process the value(s)\n\t\t\t\t\t\t\t\t// Default process is resolve\n\t\t\t\t\t\t\t\t(special || deferred.resolveWith)(that, args);\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\t},\n\n\t\t\t\t\t\t\t// Only normal processors (resolve) catch and reject exceptions\n\t\t\t\t\t\t\tprocess = special ?\n\t\t\t\t\t\t\t\tmightThrow :\n\t\t\t\t\t\t\t\tfunction() {\n\t\t\t\t\t\t\t\t\ttry {\n\t\t\t\t\t\t\t\t\t\tmightThrow();\n\t\t\t\t\t\t\t\t\t} catch (e) {\n\n\t\t\t\t\t\t\t\t\t\tif (jQuery.Deferred.exceptionHook) {\n\t\t\t\t\t\t\t\t\t\t\tjQuery.Deferred.exceptionHook(e,\n\t\t\t\t\t\t\t\t\t\t\t\tprocess.stackTrace);\n\t\t\t\t\t\t\t\t\t\t}\n\n\t\t\t\t\t\t\t\t\t\t// Support: Promises/A+ section 2.3.3.3.4.1\n\t\t\t\t\t\t\t\t\t\t// https://promisesaplus.com/#point-61\n\t\t\t\t\t\t\t\t\t\t// Ignore post-resolution exceptions\n\t\t\t\t\t\t\t\t\t\tif (depth + 1 >= maxDepth) {\n\n\t\t\t\t\t\t\t\t\t\t\t// Only substitute handlers pass on context\n\t\t\t\t\t\t\t\t\t\t\t// and multiple values (non-spec behavior)\n\t\t\t\t\t\t\t\t\t\t\tif (handler !== Thrower) {\n\t\t\t\t\t\t\t\t\t\t\t\tthat = undefined;\n\t\t\t\t\t\t\t\t\t\t\t\targs = [e];\n\t\t\t\t\t\t\t\t\t\t\t}\n\n\t\t\t\t\t\t\t\t\t\t\tdeferred.rejectWith(that, args);\n\t\t\t\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\t\t};\n\n\t\t\t\t\t\t\t// Support: Promises/A+ section 2.3.3.3.1\n\t\t\t\t\t\t\t// https://promisesaplus.com/#point-57\n\t\t\t\t\t\t\t// Re-resolve promises immediately to dodge false rejection from\n\t\t\t\t\t\t\t// subsequent errors\n\t\t\t\t\t\t\tif (depth) {\n\t\t\t\t\t\t\t\tprocess();\n\t\t\t\t\t\t\t} else {\n\n\t\t\t\t\t\t\t\t// Call an optional hook to record the stack, in case of exception\n\t\t\t\t\t\t\t\t// since it's otherwise lost when execution goes async\n\t\t\t\t\t\t\t\tif (jQuery.Deferred.getStackHook) {\n\t\t\t\t\t\t\t\t\tprocess.stackTrace = jQuery.Deferred.getStackHook();\n\t\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\t\twindow.setTimeout(process);\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t};\n\t\t\t\t\t}\n\n\t\t\t\treturn jQuery.Deferred(function(newDefer) {\n\n\t\t\t\t\t// progress_handlers.add(...)\n\t\t\t\t\ttuples[0][3].add(\n\t\t\t\t\t\tresolve(\n\t\t\t\t\t\t\t0,\n\t\t\t\t\t\t\tnewDefer,\n\t\t\t\t\t\t\tisFunction(onProgress) ?\n\t\t\t\t\t\t\t\tonProgress :\n\t\t\t\t\t\t\t\tIdentity,\n\t\t\t\t\t\t\tnewDefer.notifyWith\n\t\t\t\t\t\t)\n\t\t\t\t\t);\n\n\t\t\t\t\t// fulfilled_handlers.add(...)\n\t\t\t\t\ttuples[1][3].add(\n\t\t\t\t\t\tresolve(\n\t\t\t\t\t\t\t0,\n\t\t\t\t\t\t\tnewDefer,\n\t\t\t\t\t\t\tisFunction(onFulfilled) ?\n\t\t\t\t\t\t\t\tonFulfilled :\n\t\t\t\t\t\t\t\tIdentity\n\t\t\t\t\t\t)\n\t\t\t\t\t);\n\n\t\t\t\t\t// rejected_handlers.add(...)\n\t\t\t\t\ttuples[2][3].add(\n\t\t\t\t\t\tresolve(\n\t\t\t\t\t\t\t0,\n\t\t\t\t\t\t\tnewDefer,\n\t\t\t\t\t\t\tisFunction(onRejected) ?\n\t\t\t\t\t\t\t\tonRejected :\n\t\t\t\t\t\t\t\tThrower\n\t\t\t\t\t\t)\n\t\t\t\t\t);\n\t\t\t\t}).promise();\n\t\t\t},\n\n\t\t\t// Get a promise for this deferred\n\t\t\t// If obj is provided, the promise aspect is added to the object\n\t\t\tpromise: function(obj) {\n\t\t\t\treturn obj != null ? jQuery.extend(obj, promise) : promise;\n\t\t\t}\n\t\t},\n\t\tdeferred = {};\n\n\t// Add list-specific methods\n\tjQuery.each(tuples, function(i, tuple) {\n\t\tvar list = tuple[2],\n\t\t\tstateString = tuple[5];\n\n\t\t// promise.progress = list.add\n\t\t// promise.done = list.add\n\t\t// promise.fail = list.add\n\t\tpromise[tuple[1]] = list.add;\n\n\t\t// Handle state\n\t\tif (stateString) {\n\t\t\tlist.add(\n\t\t\t\tfunction() {\n\n\t\t\t\t\t// state = "resolved" (i.e., fulfilled)\n\t\t\t\t\t// state = "rejected"\n\t\t\t\t\tstate = stateString;\n\t\t\t\t},\n\n\t\t\t\t// rejected_callbacks.disable\n\t\t\t\t// fulfilled_callbacks.disable\n\t\t\t\ttuples[3 - i][2].disable,\n\n\t\t\t\t// rejected_handlers.disable\n\t\t\t\t// fulfilled_handlers.disable\n\t\t\t\ttuples[3 - i][3].disable,\n\n\t\t\t\t// progress_callbacks.lock\n\t\t\t\ttuples[0][2].lock,\n\n\t\t\t\t// progress_handlers.lock\n\t\t\t\ttuples[0][3].lock\n\t\t\t);\n\t\t}\n\n\t\t// progress_handlers.fire\n\t\t// fulfilled_handlers.fire\n\t\t// rejected_handlers.fire\n\t\tlist.add(tuple[3].fire);\n\n\t\t// deferred.notify = function() { deferred.notifyWith(...) }\n\t\t// deferred.resolve = function() { deferred.resolveWith(...) }\n\t\t// deferred.reject = function() { deferred.rejectWith(...) }\n\t\tdeferred[tuple[0]] = function() {\n\t\t\tdeferred[tuple[0] + "With"](this === deferred ? undefined : this, arguments);\n\t\t\treturn this;\n\t\t};\n\n\t\t// deferred.notifyWith = list.fireWith\n\t\t// deferred.resolveWith = list.fireWith\n\t\t// deferred.rejectWith = list.fireWith\n\t\tdeferred[

tuple[0] + \"With\"] = list.fireWith;\n\t\t});\n\n\t\t// Make the deferred a promise\n\t\tpromise.promise(deferred);\n\n\t\t// Call given func if any\n\t\tif (func) {\n\t\t\tfunc.call(deferred, deferred);\n\t\t}\n\n\t\t// All done!\n\t\treturn deferred;\n\t},\n\n\t// Deferred helper\n\twhen: function(singleValue) {\n\t\tvar\n\n\t\t\t// count of uncompleted subordinates\n\t\t\tremaining = arguments.length,\n\n\t\t\t// count of unprocessed arguments\n\t\t\ti = remaining,\n\n\t\t\t// subordinate fulfillment data\n\t\t\tresolveContexts = Array(i),\n\t\t\tresolveValues = slice.call(arguments),\n\n\t\t\t// the master Deferred\n\t\t\tmaster = jQuery.Deferred(),\n\n\t\t\t// subordinate callback factory\n\t\t\tupdateFunc = function(i) {\n\t\t\t\treturn function(value) {\n\t\t\t\t\tresolveContexts[i] = this;\n\t\t\t\t\tresolveValues[i] = arguments.length > 1 ? slice.call(arguments) : value;\n\t\t\t\t\tif (!(--remaining)) {\n\t\t\t\t\t\tmaster.resolveWith(resolveContexts, resolveValues);\n\t\t\t\t\t}\n\t\t\t\t};\n\t\t\t};\n\n\t\t// Single- and empty arguments are adopted like Promise.resolve\n\t\tif (remaining <= 1) {\n\t\t\tadoptValue(singleValue, master.done(updateFunc(i)).resolve, master.reject,\n\t\t\t\t!remaining);\n\n\t\t\t// Use .then() to unwrap secondary thenables (cf. gh-3000)\n\t\t\tif (master.state() === \"pending\" ||\n\t\t\t\tisFunction(resolveValues[i] && resolveValues[i].then)) {\n\n\t\t\t\treturn master.then();\n\t\t\t}\n\t\t}\n\n\t\t// Multiple arguments are aggregated like Promise.all array elements\n\t\twhile (i--) {\n\t\t\tadoptValue(resolveValues[i], updateFunc(i), master.reject);\n\t\t}\n\n\t\treturn master.promise();\n\t}\n});\n\n\n// These usually indicate a programmer mistake during development,\n// warn about them ASAP rather than swallowing them by default.\nvar rerrorNames = /^(Eval|Internal|Range|Reference|Syntax|Type|URI)Error$/;\n\njQuery.Deferred.exceptionHook = function(error, stack) {\n\n\t// Support: IE 8 - 9 only\n\t// Console exists when dev tools are open, which can happen at any time\n\tif (window.console && window.console.warn && error && rerrorNames.test(error.name)) {\n\t\twindow.console.warn(\"jQuery.Deferred exception: \" + error.message, error.stack, stack);\n\t}\n};\n\n\n\njQuery.readyException = function(error) {\n\twindow.setTimeout(function() {\n\t\tthrow error;\n\t});\n};\n\n\n\n\n// The deferred used on DOM ready\nvar readyList = jQuery.Deferred();\n\njQuery.fn.ready = function(fn) {\n\n\treadyList\n\t\t.then(fn)\n\n\t\t// Wrap jQuery.readyException in a function so that the lookup\n\t\t// happens at the time of error handling instead of callback\n\t\t// registration.\n\t\t.catch(function(error) {\n\t\t\tjQuery.readyException(error);\n\t\t});\n\n\treturn this;\n};\n\njQuery.extend({\n\n\t// Is the DOM ready to be used? Set to true once it occurs.\n\tisReady: false,\n\n\t// A counter to track how many items to wait for before\n\t// the ready event fires. See #6781\n\treadyWait: 1,\n\n\t// Handle when the DOM is ready\n\tready: function(wait) {\n\n\t\t// Abort if there are pending holds or we're already ready\n\t\tif (wait === true ? --jQuery.readyWait : jQuery.isReady) {\n\t\t\treturn;\n\t\t}\n\n\t\t// Remember that the DOM is ready\n\t\tjQuery.isReady = true;\n\n\t\t// If a normal DOM Ready event fired, decrement, and wait if need be\n\t\tif (wait !== true && --jQuery.readyWait > 0) {\n\t\t\treturn;\n\t\t}\n\n\t\t// If there are functions bound, to execute\n\t\treadyList.resolveWith(document, [jQuery]);\n\t}\n});\n\njQuery.ready.then = readyList.then;\n\n// The ready event handler and self cleanup method\nfunction completed() {\n\tdocument.removeEventListener(\"DOMContentLoaded\", completed);\n\twindow.removeEventListener(\"load\", completed);\n\tjQuery.ready();\n}\n\n\n// Catch cases where $(document).ready() is called\n// after the browser event has already occurred.\n// Support: IE <=9 - 10 only\n// Older IE sometimes signals \"interactive\" too soon\nif (
document.readyState === \"complete\" ||\n\t(document.readyState !== \"loading\" && !document.documentElement.doScroll)) {\n\n\t// Handle it asynchronously to allow scripts the opportunity to delay ready\n\twindow.setTimeout(jQuery.ready);\n\n} else {\n\n\t// Use the handy event callback\n\tdocument.addEventListener(\"DOMContentLoaded\", completed);\n\n\t// A fallback to window.onload, that will always work\n\twindow.addEventListener(\"load\", completed);\n}\n\n\n\n\n// Multifunctional method to get and set values of a collection\n// The value/s can optionally be executed if it's a function\nvar access = function(elems, fn, key, value, chainable, emptyGet, raw) {\n\tvar i = 0,\n\t\tlen = elems.length,\n\t\tbulk = key == null;\n\n\t// Sets many values\n\tif (toType(key) === \"object\") {\n\t\tchainable = true;\n\t\tfor (i in key) {\n\t\t\taccess(elems, fn, i, key[i], true, emptyGet, raw);\n\t\t}\n\n\t// Sets one value\n\t} else if (value !== undefined) {\n\t\tchainable = true;\n\n\t\tif (!isFunction(value)) {\n\t\t\traw = true;\n\t\t}\n\n\t\tif (bulk) {\n\n\t\t\t// Bulk operations run against the entire set\n\t\t\tif (raw) {\n\t\t\t\tfn.call(elems, value);\n\t\t\t\tfn = null;\n\n\t\t\t// ...except when executing function values\n\t\t\t} else {\n\t\t\t\tbulk = fn;\n\t\t\t\tfn = function(elem,

key, value) {\n\t\t\t\treturn bulk.call(jQuery(elem), value);\n\t\t\t};\n\t\t}\n\t\t}\n\n\t\tif (fn) {\n\t\t\tfor (; i < len; i++) {\n\t\t\t\tfn(\n\t\t\t\t\telems[i], key, raw ?\n\t\t\t\t\tvalue :\n\t\t\t\t\tvalue.call(elems[i], i, fn(elems[i], key))\n\t\t\t\t);\n\t\t\t}\n\t\t}\n\t}\n\n\tif (chainable) {\n\t\treturn elems;\n\t}\n\n\t// Gets\n\tif (bulk) {\n\t\treturn fn.call(elems);\n\t}\n\n\treturn len ? fn(elems[0], key) : emptyGet;\n};\n\n\n// Matches dashed string for camelizing\nvar rmsPrefix = /^-ms-/,\n\trdashAlpha = /-([a-z])/g;\n\n// Used by camelCase as callback to replace()\nfunction fcamelCase(all, letter) {\n\treturn letter.toUpperCase();\n}\n\n\n// Convert dashed to camelCase; used by the css and data modules\n// Support: IE <=9 - 11, Edge 12 - 15\n// Microsoft forgot to hump their vendor prefix (#9572)\nfunction camelCase(string) {\n\treturn string.replace(rmsPrefix, \"ms-\").replace(rdashAlpha, fcamelCase);\n}\nvar acceptData = function(owner) {\n\n\t// Accepts only:\n\t// - Node\n\t//   - Node.ELEMENT_NODE\n\t//   - Node.DOCUMENT_NODE\n\t// - Object\n\t//   - Any\n\treturn owner.nodeType === 1 || owner.nodeType === 9 || !(+owner.nodeType);\n};\n\n\n\nfunction Data() {\n\tthis.expando = jQuery.expando + Data.uid++;\n}\n\nData.uid = 1;\n\nData.prototype = {\n\n\tcache: function(owner) {\n\n\t\t// Check if the owner object already has a cache\n\t\tvar value = owner[this.expando];\n\n\t\t// If not, create one\n\t\tif (!value) {\n\t\t\tvalue = {};\n\n\t\t\t// We can accept data for non-element nodes in modern browsers,\n\t\t\t// but we should not, see #8335.\n\t\t\t// Always return an empty object.\n\t\t\tif (acceptData(owner)) {\n\n\t\t\t\t// If it is a node unlikely to be stringify-ed or looped over\n\t\t\t\t// use plain assignment\n\t\t\t\tif (owner.nodeType) {\n\t\t\t\t\towner[this.expando] = value;\n\n\t\t\t\t// Otherwise secure it in a non-enumerable property\n\t\t\t\t// configurable must be true to allow the property to be\n\t\t\t\t// deleted when data is removed\n\t\t\t\t} else {\n\t\t\t\t\tObject.defineProperty(owner, this.expando, {\n\t\t\t\t\t\tvalue: value,\n\t\t\t\t\t\tconfigurable: true\n\t\t\t\t\t});\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t\treturn value;\n\t},\n\tset: function(owner, data, value) {\n\t\tvar prop,\n\t\t\tcache = this.cache(owner);\n\n\t\t// Handle: [owner, key, value] args\n\t\t// Always use camelCase key (gh-2257)\n\t\tif (typeof data === \"string\") {\n\t\t\tcache[camelCase(data)] = value;\n\n\t\t// Handle: [owner, { properties }] args\n\t\t} else {\n\n\t\t\t// Copy the properties one-by-one to the cache object\n\t\t\tfor (prop in data) {\n\t\t\t\tcache[camelCase(prop)] = data[prop];\n\t\t\t}\n\t\t}\n\t\treturn cache;\n\t},\n\tget: function(owner, key) {\n\t\treturn key === undefined ?\n\t\t\tthis.cache(owner) :\n\n\t\t\t// Always use camelCase key (gh-2257)\n\t\t\towner[this.expando] && owner[this.expando][camelCase(key)];\n\t},\n\taccess: function(owner, key, value) {\n\n\t\t// In cases where either:\n\t\t//\n\t\t//   1. No key was specified\n\t\t//   2. A string key was specified, but no value provided\n\t\t//\n\t\t// Take the \"read\" path and allow the get method to determine\n\t\t// which value to return, respectively either:\n\t\t//\n\t\t//   1. The entire cache object\n\t\t//   2. The data stored at the key\n\t\t//\n\t\tif (key === undefined ||\n\t\t\t\t((key && typeof key === \"string\") && value === undefined)) {\n\n\t\t\treturn this.get(owner, key);\n\t\t}\n\n\t\t// When the key is not a string, or both a key and value\n\t\t// are specified, set or extend (existing objects) with either:\n\t\t//\n\t\t//   1. An object of properties\n\t\t//   2. A key and value\n\t\t//\n\t\tthis.set(owner, key, value);\n\n\t\t// Since the \"set\" path can have two possible entry points\n\t\t// return the expected data based on which path was taken[*]\n\t\treturn value !== undefined ? value : key;\n\t},\n\tremove: function(owner, key) {\n\t\tvar i,\n\t\t\tcache = owner[this.expando];\n\n\t\tif (cache === undefined) {\n\t\t\treturn;\n\t\t}\n\n\t\tif (key !== undefined) {\n\n\t\t\t// Support array or space separated string of keys\n\t\t\tif (Array.isArray(key)) {\n\n\t\t\t\t// If key is an array of keys...\n\t\t\t\t// We always set camelCase keys, so remove that.\n\t\t\t\tkey = key.map(camelCase);\n\t\t\t} else {\n\t\t\t\tkey = camelCase(key);\n\n\t\t\t\t// If a key with the spaces exists, use it.\n\t\t\t\t// Otherwise, create an array by matching non-whitespace\n\t\t\t\tkey = key in cache ?\n\t\t\t\t\t[key] :\n\t\t\t\t\t(key.match(rnothtmlwhite) || []);\n\t\t\t}\n\n\t\t\ti = key.length;\n\n\t\t\twhile (i--) {\n\t\t\t\tdelete cache[key[i]];\n\t\t\t}\n\t\t}\n\n\t\t// Remove the expando if there's no more data\n\t\tif (key === undefined || jQuery.isEmptyObject(cache)) {\n\n\t\t\t// Support: Chrome <=35 - 45\n\t\t\t// Webkit & Blink performance suffers when deleting properties\n\t\t\t// from DOM nodes, so set to undefined instead\n\t\t\t// https://bugs.chromium.org/p/chromium/issues/detail?id=378607 (bug restricted)\n\t\t\tif (owner.nodeType) {\n\t\t\t\towner[this.expando] = undefined;\n\t\t\t} else {\n\t\t\t\tdelete owner[this.expando];\n\t\t\t}\n\t\t}\n\t},\n\thasData: function(owner) {\n\t\tvar cache = owner[this.expando];\n\t\treturn cache !== undefined && !jQuery.isEmptyObject(cache);\n\t}\n};\nvar dataPriv = new Data();\n\nvar dataUser = new Data();\n\n\n\n//\tImplementation Summary\n//\n//\t1. Enforce API surface and semantic compatibility with 1.9.x

branch\n//\t2. Improve the module's maintainability by reducing the storage\n//\t\tpaths to a single mechanism.\n//\t3. Use the same single mechanism to support \"private\" and \"user\" data.\n//\t4. _Never_ expose \"private\" data to user code (TODO: Drop _data, _removeData)\n//\t5. Avoid exposing implementation details on user objects (eg. expando properties)\n//\t6. Provide a clear path for implementation upgrade to WeakMap in 2014\n\nvar rbrace = /^(?:\\{[\\w\\W]*\\}|\\[[\\w\\W]*\\])$/,\n\trmultiDash = /[A-Z]/g;\n\nfunction getData(data) {\n\tif (data === \"true\") {\n\t\treturn true;\n\t}\n\n\tif (data === \"false\") {\n\t\treturn false;\n\t}\n\n\tif (data === \"null\") {\n\t\treturn null;\n\t}\n\n\t// Only convert to a number if it doesn't change the string\n\tif (data === +data + \"\") {\n\t\treturn +data;\n\t}\n\n\tif (rbrace.test(data)) {\n\t\treturn JSON.parse(data);\n\t}\n\n\treturn data;\n}\n\nfunction dataAttr(elem, key, data) {\n\tvar name;\n\n\t// If nothing was found internally, try to fetch any\n\t// data from the HTML5 data-* attribute\n\tif (data === undefined && elem.nodeType === 1) {\n\t\tname = \"data-\" + key.replace(rmultiDash, \"-$&\").toLowerCase();\n\t\tdata = elem.getAttribute(name);\n\n\t\tif (typeof data === \"string\") {\n\t\t\ttry {\n\t\t\t\tdata = getData(data);\n\t\t\t} catch (e) {}\n\n\t\t\t// Make sure we set the data so it isn't changed later\n\t\t\tdataUser.set(elem, key, data);\n\t\t} else {\n\t\t\tdata = undefined;\n\t\t}\n\t}\n\treturn data;\n}\n\njQuery.extend({\n\thasData: function(elem) {\n\t\treturn dataUser.hasData(elem) || dataPriv.hasData(elem);\n\t},\n\n\tdata: function(elem, name, data) {\n\t\treturn dataUser.access(elem, name, data);\n\t},\n\n\tremoveData: function(elem, name) {\n\t\tdataUser.remove(elem, name);\n\t},\n\n\t// TODO: Now that all calls to _data and _removeData have been replaced\n\t// with direct calls to dataPriv methods, these can be deprecated.\n\t_data: function(elem, name, data) {\n\t\treturn dataPriv.access(elem, name, data);\n\t},\n\n\t_removeData: function(elem, name) {\n\t\tdataPriv.remove(elem, name);\n\t}\n});\n\njQuery.fn.extend({\n\tdata: function(key, value) {\n\t\tvar i, name, data,\n\t\telem = this[0],\n\t\tattrs = elem && elem.attributes;\n\n\t\t// Gets all values\n\t\tif (key === undefined) {\n\t\t\tif (this.length) {\n\t\t\t\tdata = dataUser.get(elem);\n\n\t\t\t\tif (elem.nodeType === 1 && !dataPriv.get(elem, \"hasDataAttrs\")) {\n\t\t\t\t\ti = attrs.length;\n\t\t\t\t\twhile (i--) {\n\n\t\t\t\t\t\t// Support: IE 11 only\n\t\t\t\t\t\t// The attrs elements can be null (#14894)\n\t\t\t\t\t\tif (attrs[i]) {\n\t\t\t\t\t\t\tname = attrs[i].name;\n\t\t\t\t\t\t\tif (name.indexOf(\"data-\") === 0) {\n\t\t\t\t\t\t\t\tname = camelCase(name.slice(5));\n\t\t\t\t\t\t\t\tdataAttr(elem, name, data[name]);\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t\tdataPriv.set(elem, \"hasDataAttrs\", true);\n\t\t\t\t}\n\t\t\t}\n\n\t\t\treturn data;\n\t\t}\n\n\t\t// Sets multiple values\n\t\tif (typeof key === \"object\") {\n\t\t\treturn this.each(function() {\n\t\t\t\tdataUser.set(this, key);\n\t\t\t});\n\t\t}\n\n\t\treturn access(this, function(value) {\n\t\t\tvar data;\n\n\t\t\t// The calling jQuery object (element matches) is not empty\n\t\t\t// (and therefore has an element appears at this[0]) and the\n\t\t\t// `value` parameter was not undefined. An empty jQuery object\n\t\t\t// will result in `undefined` for elem = this[0] which will\n\t\t\t// throw an exception if an attempt to read a data cache is made.\n\t\t\tif (elem && value === undefined) {\n\n\t\t\t\t// Attempt to get data from the cache\n\t\t\t\t// The key will always be camelCased in Data\n\t\t\t\tdata = dataUser.get(elem, key);\n\t\t\t\tif (data !== undefined) {\n\t\t\t\t\treturn data;\n\t\t\t\t}\n\n\t\t\t\t// Attempt to \"discover\" the data in\n\t\t\t\t// HTML5 custom data-* attrs\n\t\t\t\tdata = dataAttr(elem, key);\n\t\t\t\tif (data !== undefined) {\n\t\t\t\t\treturn data;\n\t\t\t\t}\n\n\t\t\t\t// We tried really hard, but the data doesn't exist.\n\t\t\t\treturn;\n\t\t\t}\n\n\t\t\t// Set the data...\n\t\t\tthis.each(function() {\n\n\t\t\t\t// We always store the camelCased key\n\t\t\t\tdataUser.set(this, key, value);\n\t\t\t});\n\t\t}, null, value, arguments.length > 1, null, true);\n\t},\n\n\tremoveData: function(key) {\n\t\treturn this.each(function() {\n\t\t\tdataUser.remove(this, key);\n\t\t});\n\t}\n});\n\njQuery.extend({\n\tqueue: function(elem, type, data) {\n\t\tvar queue;\n\n\t\tif (elem) {\n\t\t\ttype = (type || \"fx\") + \"queue\";\n\t\t\tqueue = dataPriv.get(elem, type);\n\n\t\t\t// Speed up dequeue by getting out quickly if this is just a lookup\n\t\t\tif (data) {\n\t\t\t\tif (!queue || Array.isArray(data)) {\n\t\t\t\t\tqueue = dataPriv.access(elem, type, jQuery.makeArray(data));\n\t\t\t\t} else {\n\t\t\t\t\tqueue.push(data);\n\t\t\t\t}\n\t\t\t}\n\t\t\treturn queue || [];\n\t\t}\n\t},\n\n\tdequeue: function(elem, type) {\n\t\ttype = type || \"fx\";\n\n\t\tvar queue = jQuery.queue(elem, type),\n\t\t\tstartLength = queue.length,\n\t\t\tfn = queue.shift(),\n\t\t\thooks = jQuery._queueHooks(elem, type),\n\t\t\tnext = function() {\n\t\t\t\tjQuery.dequeue(elem, type);\n\t\t\t};\n\n\t\t// If the fx queue is dequeued, always remove the progress sentinel\n\t\tif (fn === \"inprogress\") {\n\t\t\tfn = queue.shift();\n\t\t\tstartLength--;\n\t\t}\n\n\t\tif (fn) {\n\n\t\t\t// Add a progress sentinel to prevent the fx queue from being\n\t\t\t// automatically

dequeued\n\t\t\tif (type === \"fx\") {\n\t\t\tqueue.unshift(\"inprogress\");\n\t\t\t}\n\n\t\t\t// Clear up the last queue stop function\n\t\t\tdelete hooks.stop;\n\t\t\tfn.call(elem, next, hooks);\n\t\t\t}\n\n\t\tif (!startLength && hooks) {\n\t\t\thooks.empty.fire();\n\t\t}\n\t},\n\n\t// Not public - generate a queueHooks object, or return the current one\n\t_queueHooks: function(elem, type) {\n\t\tvar key = type + \"queueHooks\";\n\t\treturn dataPriv.get(elem, key) || dataPriv.access(elem, key, {\n\t\t\tempty: jQuery.Callbacks(\"once memory\").add(function() {\n\t\t\t\tdataPriv.remove(elem, [type + \"queue\", key]);\n\t\t\t})\n\t\t});\n\t}\n});\n\njQuery.fn.extend({\n\tqueue: function(type, data) {\n\t\tvar setter = 2;\n\n\t\tif (typeof type !== \"string\") {\n\t\t\tdata = type;\n\t\t\ttype = \"fx\";\n\t\t\tsetter--;\n\t\t}\n\n\t\tif (arguments.length < setter) {\n\t\t\treturn jQuery.queue(this[0], type);\n\t\t}\n\n\t\treturn data === undefined ?\n\t\t\tthis :\n\t\t\tthis.each(function() {\n\t\t\t\tvar queue = jQuery.queue(this, type, data);\n\n\t\t\t\t// Ensure a hooks for this queue\n\t\t\t\tjQuery._queueHooks(this, type);\n\n\t\t\t\tif (type === \"fx\" && queue[0] !== \"inprogress\") {\n\t\t\t\t\tjQuery.dequeue(this, type);\n\t\t\t\t}\n\t\t\t});\n\t},\n\tdequeue: function(type) {\n\t\treturn this.each(function() {\n\t\t\tjQuery.dequeue(this, type);\n\t\t});\n\t},\n\tclearQueue: function(type) {\n\t\treturn this.queue(type || \"fx\", []);\n\t},\n\n\t// Get a promise resolved when queues of a certain type\n\t// are emptied (fx is the type by default)\n\tpromise: function(type, obj) {\n\t\tvar tmp,\n\t\t\tcount = 1,\n\t\t\tdefer = jQuery.Deferred(),\n\t\t\telements = this,\n\t\t\ti = this.length,\n\t\t\tresolve = function() {\n\t\t\t\tif (!(--count)) {\n\t\t\t\t\tdefer.resolveWith(elements, [elements]);\n\t\t\t\t}\n\t\t\t};\n\n\t\tif (typeof type !== \"string\") {\n\t\t\tobj = type;\n\t\t\ttype = undefined;\n\t\t}\n\t\ttype = type || \"fx\";\n\n\t\twhile (i--) {\n\t\t\ttmp = dataPriv.get(elements[i], type + \"queueHooks\");\n\t\t\tif (tmp && tmp.empty) {\n\t\t\t\tcount++;\n\t\t\t\ttmp.empty.add(resolve);\n\t\t\t}\n\t\t}\n\t\tresolve();\n\t\treturn defer.promise(obj);\n\t}\n});\nvar pnum = (/[+-]?(?:\\d*\\.|)\\d+(?:[eE][+-]?\\d+|)/).source;\n\nvar rcssNum = new RegExp(\"^(?:([+-])=|)(\" + pnum + \")([a-z%]*)$\", \"i\");\n\n\nvar cssExpand = [\"Top\", \"Right\", \"Bottom\", \"Left\"];\n\nvar isHiddenWithinTree = function(elem, el) {\n\n\t\t// isHiddenWithinTree might be called from jQuery#filter function;\n\t\t// in that case, element will be second argument\n\t\telem = el || elem;\n\n\t\t// Inline style trumps all\n\t\treturn elem.style.display === \"none\" ||\n\t\t\telem.style.display === \"\" &&\n\n\t\t\t// Otherwise, check computed style\n\t\t\t// Support: Firefox <=43 - 45\n\t\t\t// Disconnected elements can have computed display: none, so first confirm that elem is\n\t\t\t// in the document.\n\t\t\tjQuery.contains(elem.ownerDocument, elem) &&\n\n\t\t\tjQuery.css(elem, \"display\") === \"none\";\n\t};\n\nvar swap = function(elem, options, callback, args) {\n\tvar ret, name,\n\t\told = {};\n\n\t// Remember the old values, and insert the new ones\n\tfor (name in options) {\n\t\told[name] = elem.style[name];\n\t\telem.style[name] = options[name];\n\t}\n\n\tret = callback.apply(elem, args || []);\n\n\t// Revert the old values\n\tfor (name in options) {\n\t\telem.style[name] = old[name];\n\t}\n\n\treturn ret;\n};\n\n\n\nfunction adjustCSS(elem, prop, valueParts, tween) {\n\tvar adjusted, scale,\n\t\tmaxIterations = 20,\n\t\tcurrentValue = tween ?\n\t\t\tfunction() {\n\t\t\t\treturn tween.cur();\n\t\t\t} :\n\t\t\tfunction() {\n\t\t\t\treturn jQuery.css(elem, prop, \"\");\n\t\t\t},\n\t\tinitial = currentValue(),\n\t\tunit = valueParts && valueParts[3] || (jQuery.cssNumber[prop] ? \"\" : \"px\"),\n\n\t\t// Starting value computation is required for potential unit mismatches\n\t\tinitialInUnit = (jQuery.cssNumber[prop] || unit !== \"px\" && +initial) &&\n\t\t\trcssNum.exec(jQuery.css(elem, prop));\n\n\tif (initialInUnit && initialInUnit[3] !== unit) {\n\n\t\t// Support: Firefox <=54\n\t\t// Halve the iteration target value to prevent interference from CSS upper bounds (gh-2144)\n\t\tinitial = initial / 2;\n\n\t\t// Trust units reported by jQuery.css\n\t\tunit = unit || initialInUnit[3];\n\n\t\t// Iteratively approximate from a nonzero starting point\n\t\tinitialInUnit = +initial || 1;\n\n\t\twhile (maxIterations--) {\n\n\t\t\t// Evaluate and update our best guess (doubling guesses that zero out).\n\t\t\t// Finish if the scale equals or crosses 1 (making the old*new product non-positive).\n\t\t\tjQuery.style(elem, prop, initialInUnit + unit);\n\t\t\tif ((1 - scale) * (1 - (scale = currentValue() / initial || 0.5)) <= 0) {\n\t\t\t\tmaxIterations = 0;\n\t\t\t}\n\t\t\tinitialInUnit = initialInUnit / scale;\n\n\t\t}\n\n\t\tinitialInUnit = initialInUnit * 2;\n\t\tjQuery.style(elem, prop, initialInUnit + unit);\n\n\t\t// Make sure we update the tween properties later on\n\t\tvalueParts = valueParts || [];\n\t}\n\n\tif (valueParts) {\n\t\tinitialInUnit = +initialInUnit || +initial || 0;\n\n\t\t// Apply relative offset (+=/-=) if specified\n\t\tadjusted = valueParts[1] ?\n\t\t\tinitialInUnit + (valueParts[1] + 1) * valueParts[2] :\n\t\t\t+valueParts[2];\n\t\tif (tween) {\n\t\t\ttween.unit = unit;\n\t\t\ttween.start = initialInUnit;\n\t\t\ttween.end = adjusted;\n\t\t}\n\t}\n\treturn adjusted;\n}\n\n\nvar defaultDisplayMap = {};\n\nfunction getDefaultDisplay(elem

) {\n\tvar temp,\n\t\tdoc = elem.ownerDocument,\n\t\tnodeName = elem.nodeName,\n\t\tdisplay = defaultDisplayMap[nodeName];\n\n\tif (display) {\n\t\treturn display;\n\t}\n\n\ttemp = doc.body.appendChild(doc.createElement(nodeName));\n\tdisplay = jQuery.css(temp, \"display\");\n\n\ttemp.parentNode.removeChild(temp);\n\n\tif (display === \"none\") {\n\t\tdisplay = \"block\";\n\t}\n\tdefaultDisplayMap[nodeName] = display;\n\n\treturn display;\n}\n\nfunction showHide(elements, show) {\n\tvar display, elem,\n\t\tvalues = [],\n\t\tindex = 0,\n\t\tlength = elements.length;\n\n\t// Determine new display value for elements that need to change\n\tfor (; index < length; index++) {\n\t\telem = elements[index];\n\t\tif (!elem.style) {\n\t\t\tcontinue;\n\t\t}\n\n\t\tdisplay = elem.style.display;\n\t\tif (show) {\n\n\t\t\t// Since we force visibility upon cascade-hidden elements, an immediate (and slow)\n\t\t\t// check is required in this first loop unless we have a nonempty display value (either\n\t\t\t// inline or about-to-be-restored)\n\t\t\tif (display === \"none\") {\n\t\t\t\tvalues[index] = dataPriv.get(elem, \"display\") || null;\n\t\t\t\tif (!values[index]) {\n\t\t\t\t\telem.style.display = \"\";\n\t\t\t\t}\n\t\t\t}\n\t\t\tif (elem.style.display === \"\" && isHiddenWithinTree(elem)) {\n\t\t\t\tvalues[index] = getDefaultDisplay(elem);\n\t\t\t}\n\t\t} else {\n\t\t\tif (display !== \"none\") {\n\t\t\t\tvalues[index] = \"none\";\n\n\t\t\t\t// Remember what we're overwriting\n\t\t\t\tdataPriv.set(elem, \"display\", display);\n\t\t\t}\n\t\t}\n\t}\n\n\t// Set the display of the elements in a second loop to avoid constant reflow\n\tfor (index = 0; index < length; index++) {\n\t\tif (values[index] != null) {\n\t\t\telements[index].style.display = values[index];\n\t\t}\n\t}\n\n\treturn elements;\n}\n\njQuery.fn.extend({\n\tshow: function() {\n\t\treturn showHide(this, true);\n\t},\n\thide: function() {\n\t\treturn showHide(this);\n\t},\n\ttoggle: function(state) {\n\t\tif (typeof state === \"boolean\") {\n\t\t\treturn state ? this.show() : this.hide();\n\t\t}\n\n\t\treturn this.each(function() {\n\t\t\tif (isHiddenWithinTree(this)) {\n\t\t\t\tjQuery(this).show();\n\t\t\t} else {\n\t\t\t\tjQuery(this).hide();\n\t\t\t}\n\t\t});\n\t}\n});\nvar rcheckableType = (/^(?:checkbox|radio)$/i);\nvar rtagName = (/<([a-z][^\\/\\0>\\x20\\t\\r\\n\\f]+)/i);\nvar rscriptType = (/^$|^module$|\\/(?:java|ecma)script/i);\n\n\n// We have to close these tags to support XHTML (#13200)\nvar wrapMap = {\n\n\t// Support: IE <=9 only\n\toption: [1, \"<select multiple='multiple'>\", \"</select>\"],\n\n\t// XHTML parsers do not magically insert elements in the\n\t// same way that tag soup parsers do. So we cannot shorten\n\t// this by omitting <tbody> or other required elements.\n\tthead: [1, \"<table>\", \"</table>\"],\n\tcol: [2, \"<table><colgroup>\", \"</colgroup></table>\"],\n\ttr: [2, \"<table><tbody>\", \"</tbody></table>\"],\n\ttd: [3, \"<table><tbody><tr>\", \"</tr></tbody></table>\"],\n\n\t_default: [0, \"\", \"\"]\n};\n\n// Support: IE <=9 only\nwrapMap.optgroup = wrapMap.option;\n\nwrapMap.tbody = wrapMap.tfoot = wrapMap.colgroup = wrapMap.caption = wrapMap.thead;\nwrapMap.th = wrapMap.td;\n\n\nfunction getAll(context, tag) {\n\n\t// Support: IE <=9 - 11 only\n\t// Use typeof to avoid zero-argument method invocation on host objects (#15151)\n\tvar ret;\n\n\tif (typeof context.getElementsByTagName !== \"undefined\") {\n\t\tret = context.getElementsByTagName(tag || \"*\");\n\n\t} else if (typeof context.querySelectorAll !== \"undefined\") {\n\t\tret = context.querySelectorAll(tag || \"*\");\n\n\t} else {\n\t\tret = [];\n\t}\n\n\tif (tag === undefined || tag && nodeName(context, tag)) {\n\t\treturn jQuery.merge([context], ret);\n\t}\n\n\treturn ret;\n}\n\n\n// Mark scripts as having already been evaluated\nfunction setGlobalEval(elems, refElements) {\n\tvar i = 0,\n\t\tl = elems.length;\n\n\tfor (; i < l; i++) {\n\t\tdataPriv.set(\n\t\t\telems[i],\n\t\t\t\"globalEval\",\n\t\t\t!refElements || dataPriv.get(refElements[i], \"globalEval\")\n\t\t);\n\t}\n}\n\n\nvar rhtml = /<|&#?\\w+;/;\n\nfunction buildFragment(elems, context, scripts, selection, ignored) {\n\tvar elem, tmp, tag, wrap, contains, j,\n\t\tfragment = context.createDocumentFragment(),\n\t\tnodes = [],\n\t\ti = 0,\n\t\tl = elems.length;\n\n\tfor (; i < l; i++) {\n\t\telem = elems[i];\n\n\t\tif (elem || elem === 0) {\n\n\t\t\t// Add nodes directly\n\t\t\tif (toType(elem) === \"object\") {\n\n\t\t\t\t// Support: Android <=4.0 only, PhantomJS 1 only\n\t\t\t\t// push.apply(_, arraylike) throws on ancient WebKit\n\t\t\t\tjQuery.merge(nodes, elem.nodeType ? [elem] : elem);\n\n\t\t\t// Convert non-html into a text node\n\t\t\t} else if (!rhtml.test(elem)) {\n\t\t\t\tnodes.push(context.createTextNode(elem));\n\n\t\t\t// Convert html into DOM nodes\n\t\t\t} else {\n\t\t\t\ttmp = tmp || fragment.appendChild(context.createElement(\"div\"));\n\n\t\t\t\t// Deserialize a standard representation\n\t\t\t\ttag = (rtagName.exec(elem) || [\"\", \"\"])[1].toLowerCase();\n\t\t\t\twrap = wrapMap[tag] || wrapMap._default;\n\t\t\t\ttmp.innerHTML = wrap[1] + jQuery.htmlPrefilter(elem) + wrap[2];\n\n\t\t\t\t// Descend through wrappers to the right content\n\t\t\t\tj = wrap[

0];\n\t\t\twhile (j--) {\n\t\t\t\t\ttmp = tmp.lastChild;\n\t\t\t\t}\n\n\t\t\t\t\t// Support: Android <=4.0 only, PhantomJS 1 only\n\t\t\t\t// push.apply(_, arraylike) throws on ancient WebKit\n\t\t\t\tjQuery.merge(nodes, tmp.childNodes);\n\n\t\t\t\t// Remember the top-level container\n\t\t\t\ttmp = fragment.firstChild;\n\n\t\t\t\t// Ensure the created nodes are orphaned (#12392)\n\t\t\t\ttmp.textContent = \"\";\n\t\t\t}\n\t\t}\n\t}\n\n\t// Remove wrapper from fragment\n\tfragment.textContent = \"\";\n\n\ti = 0;\n\twhile ((elem = nodes[i++])) {\n\n\t\t// Skip elements already in the context collection (trac-4087)\n\t\tif (selection && jQuery.inArray(elem, selection) > -1) {\n\t\t\tif (ignored) {\n\t\t\t\tignored.push(elem);\n\t\t\t}\n\n\t\t\tcontinue;\n\t\t}\n\n\t\tcontains = jQuery.contains(elem.ownerDocument, elem);\n\n\t\t// Append to fragment\n\t\ttmp = getAll(fragment.appendChild(elem), \"script\");\n\n\t\t// Preserve script evaluation history\n\t\tif (contains) {\n\t\t\tsetGlobalEval(tmp);\n\t\t}\n\n\t\t// Capture executables\n\t\tif (scripts) {\n\t\t\tj = 0;\n\t\t\twhile ((elem = tmp[j++])) {\n\t\t\t\tif (rscriptType.test(elem.type || \"\")) {\n\t\t\t\t\tscripts.push(elem);\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t}\n\n\treturn fragment;\n}\n\n\n(function() {\n\tvar fragment = document.createDocumentFragment(),\n\t\tdiv = fragment.appendChild(document.createElement(\"div\")),\n\t\tinput = document.createElement(\"input\");\n\n\t// Support: Android 4.0 - 4.3 only\n\t// Check state lost if the name is set (#11217)\n\t// Support: Windows Web Apps (WWA)\n\t// `name` and `type` must use .setAttribute for WWA (#14901)\n\tinput.setAttribute(\"type\", \"radio\");\n\tinput.setAttribute(\"checked\", \"checked\");\n\tinput.setAttribute(\"name\", \"t\");\n\tdiv.appendChild(input);\n\n\t// Support: Android <=4.1 only\n\t// Older WebKit doesn't clone checked state correctly in fragments\n\tsupport.checkClone = div.cloneNode(true).cloneNode(true).lastChild.checked;\n\n\t// Support: IE <=11 only\n\t// Make sure textarea (and checkbox) defaultValue is properly cloned\n\tdiv.innerHTML = \"<textarea>x</textarea>\";\n\tsupport.noCloneChecked = !!div.cloneNode(true).lastChild.defaultValue;\n})();\nvar documentElement = document.documentElement;\n\n\nvar\n\trkeyEvent = /^key/,\n\trmouseEvent = /^(?:mouse|pointer|contextmenu|drag|drop)|click/,\n\trtypenamespace = /^([^.]*)(?:\\.(.+)|)/;\n\nfunction returnTrue() {\n\treturn true;\n}\n\nfunction returnFalse() {\n\treturn false;\n}\n\n// Support: IE <=9 only\n// See #13393 for more info\nfunction safeActiveElement() {\n\ttry {\n\t\treturn document.activeElement;\n\t} catch (err) { }\n}\n\nfunction on(elem, types, selector, data, fn, one) {\n\tvar origFn, type;\n\n\t// Types can be a map of types/handlers\n\tif (typeof types === \"object\") {\n\n\t\t// (types-Object, selector, data)\n\t\tif (typeof selector !== \"string\") {\n\n\t\t\t// (types-Object, data)\n\t\t\tdata = data || selector;\n\t\t\tselector = undefined;\n\t\t}\n\t\tfor (type in types) {\n\t\t\ton(elem, type, selector, data, types[type], one);\n\t\t}\n\t\treturn elem;\n\t}\n\n\tif (data == null && fn == null) {\n\n\t\t// (types, fn)\n\t\tfn = selector;\n\t\tdata = selector = undefined;\n\t} else if (fn == null) {\n\t\tif (typeof selector === \"string\") {\n\n\t\t\t// (types, selector, fn)\n\t\t\tfn = data;\n\t\t\tdata = undefined;\n\t\t} else {\n\n\t\t\t// (types, data, fn)\n\t\t\tfn = data;\n\t\t\tdata = selector;\n\t\t\tselector = undefined;\n\t\t}\n\t}\n\tif (fn === false) {\n\t\tfn = returnFalse;\n\t} else if (!fn) {\n\t\treturn elem;\n\t}\n\n\tif (one === 1) {\n\t\torigFn = fn;\n\t\tfn = function(event) {\n\n\t\t\t// Can use an empty set, since event contains the info\n\t\t\tjQuery().off(event);\n\t\t\treturn origFn.apply(this, arguments);\n\t\t};\n\n\t\t// Use same guid so caller can remove using origFn\n\t\tfn.guid = origFn.guid || (origFn.guid = jQuery.guid++);\n\t}\n\treturn elem.each(function() {\n\t\tjQuery.event.add(this, types, fn, data, selector);\n\t});\n}\n\n/*\n * Helper functions for managing events -- not part of the public interface.\n * Props to Dean Edwards' addEvent library for many of the ideas.\n */\njQuery.event = {\n\n\tglobal: {},\n\n\tadd: function(elem, types, handler, data, selector) {\n\n\t\tvar handleObjIn, eventHandle, tmp,\n\t\t\tevents, t, handleObj,\n\t\t\tspecial, handlers, type, namespaces, origType,\n\t\t\telemData = dataPriv.get(elem);\n\n\t\t// Don't attach events to noData or text/comment nodes (but allow plain objects)\n\t\tif (!elemData) {\n\t\t\treturn;\n\t\t}\n\n\t\t// Caller can pass in an object of custom data in lieu of the handler\n\t\tif (handler.handler) {\n\t\t\thandleObjIn = handler;\n\t\t\thandler = handleObjIn.handler;\n\t\t\tselector = handleObjIn.selector;\n\t\t}\n\n\t\t// Ensure that invalid selectors throw exceptions at attach time\n\t\t// Evaluate against documentElement in case elem is a non-element node (e.g., document)\n\t\tif (selector) {\n\t\t\tjQuery.find.matchesSelector(documentElement, selector);\n\t\t}\n\n\t\t// Make sure that the handler has a unique ID, used to find/remove it later\n\t\tif (!handler.guid) {\n\t\t\thandler.guid = jQuery.guid++;\n\t\t}\n\n\t\t// Init the element's event structure and main handler, if this is the first\n\t\tif (!(events = elemData.events)) {\n\t\t\tevents = elemData.events = {};\n\t\t}\n\t\tif (!(eventHandle = elemData.handle))

{\n\t\t\teventHandle = elemData.handle = function(e) {\n\n\t\t\t\t// Discard the second event of a jQuery.event.trigger() and\n\t\t\t\t// when an event is called after a page has unloaded\n\t\t\t\treturn typeof jQuery !== \"undefined\" && jQuery.event.triggered !== e.type ?\n\t\t\t\t\tjQuery.event.dispatch.apply(elem, arguments) : undefined;\n\t\t\t};\n\t\t}\n\n\t\t// Handle multiple events separated by a space\n\t\ttypes = (types || \"\").match(rnothtmlwhite) || [\"\"];\n\t\tt = types.length;\n\t\twhile (t--) {\n\t\t\ttmp = rtypenamespace.exec(types[t]) || [];\n\t\t\ttype = origType = tmp[1];\n\t\t\tnamespaces = (tmp[2] || \"\").split(\".\").sort();\n\n\t\t\t// There *must* be a type, no attaching namespace-only handlers\n\t\t\tif (!type) {\n\t\t\t\tcontinue;\n\t\t\t}\n\n\t\t\t// If event changes its type, use the special event handlers for the changed type\n\t\t\tspecial = jQuery.event.special[type] || {};\n\n\t\t\t// If selector defined, determine special event api type, otherwise given type\n\t\t\ttype = (selector ? special.delegateType : special.bindType) || type;\n\n\t\t\t// Update special based on newly reset type\n\t\t\tspecial = jQuery.event.special[type] || {};\n\n\t\t\t// handleObj is passed to all event handlers\n\t\t\thandleObj = jQuery.extend({\n\t\t\t\ttype: type,\n\t\t\t\torigType: origType,\n\t\t\t\tdata: data,\n\t\t\t\thandler: handler,\n\t\t\t\tguid: handler.guid,\n\t\t\t\tselector: selector,\n\t\t\t\tneedsContext: selector && jQuery.expr.match.needsContext.test(selector),\n\t\t\t\tnamespace: namespaces.join(\".\")\n\t\t\t}, handleObjIn);\n\n\t\t\t// Init the event handler queue if we're the first\n\t\t\tif (!(handlers = events[type])) {\n\t\t\t\thandlers = events[type] = [];\n\t\t\t\thandlers.delegateCount = 0;\n\n\t\t\t\t// Only use addEventListener if the special events handler returns false\n\t\t\t\tif (!special.setup ||\n\t\t\t\t\tspecial.setup.call(elem, data, namespaces, eventHandle) === false) {\n\n\t\t\t\t\tif (elem.addEventListener) {\n\t\t\t\t\t\telem.addEventListener(type, eventHandle);\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\n\t\t\tif (special.add) {\n\t\t\t\tspecial.add.call(elem, handleObj);\n\n\t\t\t\tif (!handleObj.handler.guid) {\n\t\t\t\t\thandleObj.handler.guid = handler.guid;\n\t\t\t\t}\n\t\t\t}\n\n\t\t\t// Add to the element's handler list, delegates in front\n\t\t\tif (selector) {\n\t\t\t\thandlers.splice(handlers.delegateCount++, 0, handleObj);\n\t\t\t} else {\n\t\t\t\thandlers.push(handleObj);\n\t\t\t}\n\n\t\t\t// Keep track of which events have ever been used, for event optimization\n\t\t\tjQuery.event.global[type] = true;\n\t\t}\n\n\t},\n\n\t// Detach an event or set of events from an element\n\tremove: function(elem, types, handler, selector, mappedTypes) {\n\n\t\tvar j, origCount, tmp,\n\t\t\tevents, t, handleObj,\n\t\t\tspecial, handlers, type, namespaces, origType,\n\t\t\telemData = dataPriv.hasData(elem) && dataPriv.get(elem);\n\n\t\tif (!elemData || !(events = elemData.events)) {\n\t\t\treturn;\n\t\t}\n\n\t\t// Once for each type.namespace in types; type may be omitted\n\t\ttypes = (types || \"\").match(rnothtmlwhite) || [\"\"];\n\t\tt = types.length;\n\t\twhile (t--) {\n\t\t\ttmp = rtypenamespace.exec(types[t]) || [];\n\t\t\ttype = origType = tmp[1];\n\t\t\tnamespaces = (tmp[2] || \"\").split(\".\").sort();\n\n\t\t\t// Unbind all events (on this namespace, if provided) for the element\n\t\t\tif (!type) {\n\t\t\t\tfor (type in events) {\n\t\t\t\t\tjQuery.event.remove(elem, type + types[t], handler, selector, true);\n\t\t\t\t}\n\t\t\t\tcontinue;\n\t\t\t}\n\n\t\t\tspecial = jQuery.event.special[type] || {};\n\t\t\ttype = (selector ? special.delegateType : special.bindType) || type;\n\t\t\thandlers = events[type] || [];\n\t\t\ttmp = tmp[2] &&\n\t\t\t\tnew RegExp(\"(^|\\\\.)\" + namespaces.join(\"\\\\.(?:.*\\\\.|)\") + \"(\\\\.|$)\");\n\n\t\t\t// Remove matching events\n\t\t\torigCount = j = handlers.length;\n\t\t\twhile (j--) {\n\t\t\t\thandleObj = handlers[j];\n\n\t\t\t\tif ((mappedTypes || origType === handleObj.origType) &&\n\t\t\t\t\t(!handler || handler.guid === handleObj.guid) &&\n\t\t\t\t\t(!tmp || tmp.test(handleObj.namespace)) &&\n\t\t\t\t\t(!selector || selector === handleObj.selector ||\n\t\t\t\t\t\tselector === \"**\" && handleObj.selector)) {\n\t\t\t\t\thandlers.splice(j, 1);\n\n\t\t\t\t\tif (handleObj.selector) {\n\t\t\t\t\t\thandlers.delegateCount--;\n\t\t\t\t\t}\n\t\t\t\t\tif (special.remove) {\n\t\t\t\t\t\tspecial.remove.call(elem, handleObj);\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\n\t\t\t// Remove generic event handler if we removed something and no more handlers exist\n\t\t\t// (avoids potential for endless recursion during removal of special event handlers)\n\t\t\tif (origCount && !handlers.length) {\n\t\t\t\tif (!special.teardown ||\n\t\t\t\t\tspecial.teardown.call(elem, namespaces, elemData.handle) === false) {\n\n\t\t\t\t\tjQuery.removeEvent(elem, type, elemData.handle);\n\t\t\t\t}\n\n\t\t\t\tdelete events[type];\n\t\t\t}\n\t\t}\n\n\t\t// Remove data and the expando if it's no longer used\n\t\tif (jQuery.isEmptyObject(events)) {\n\t\t\tdataPriv.remove(elem, \"handle events\");\n\t\t}\n\t},\n\n\tdispatch: function(nativeEvent) {\n\n\t\t// Make a writable jQuery.Event from the native event object\n\t\tvar event = jQuery.event.fix(nativeEvent);\n\n\t\tvar i, j, ret, matched, handleObj, handlerQueue,\n\t\t\targs = new Array(arguments.length),\n\t\t\thandlers = (dataPriv.get(this, \"events\") || {})[

event.type] || [],\n\t\t\tspecial = jQuery.event.special[event.type] || {};\n\n\t\t\t// Use the fix-ed jQuery.Event rather than the (read-only) native event\n\t\targs[0] = event;\n\n\t\tfor (i = 1; i < arguments.length; i++) {\n\t\t\targs[i] = arguments[i];\n\t\t}\n\n\t\tevent.delegateTarget = this;\n\t\t// Call the preDispatch hook for the mapped type, and let it bail if desired\n\t\tif (special.preDispatch && special.preDispatch.call(this, event) === false) {\n\t\t\treturn;\n\t\t}\n\n\t\t// Determine handlers\n\t\thandlerQueue = jQuery.event.handlers.call(this, event, handlers);\n\t\t// Run delegates first; they may want to stop propagation beneath us\n\t\ti = 0;\n\t\twhile ((matched = handlerQueue[i++]) && !event.isPropagationStopped()) {\n\t\t\tevent.currentTarget = matched.elem;\n\n\t\t\tj = 0;\n\t\t\twhile ((handleObj = matched.handlers[j++]) &&\n\t\t\t\t!event.isImmediatePropagationStopped()) {\n\n\t\t\t\t// Triggered event must either 1) have no namespace, or 2) have namespace(s)\n\t\t\t\t// a subset or equal to those in the bound event (both can have no namespace).\n\t\t\t\tif (!event.rnamespace || event.rnamespace.test(handleObj.namespace)) {\n\n\t\t\t\t\tevent.handleObj = handleObj;\n\t\t\t\t\tevent.data = handleObj.data;\n\n\t\t\t\t\tret = ((jQuery.event.special[handleObj.origType] || {}).handle ||\n\t\t\t\t\t\thandleObj.handler).apply(matched.elem, args);\n\n\t\t\t\t\tif (ret !== undefined) {\n\t\t\t\t\t\tif ((event.result = ret) === false) {\n\t\t\t\t\t\t\tevent.preventDefault();\n\t\t\t\t\t\t\tevent.stopPropagation();\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t\t// Call the postDispatch hook for the mapped type\n\t\tif (special.postDispatch) {\n\t\t\tspecial.postDispatch.call(this, event);\n\t\t}\n\n\t\treturn event.result;\n\t},\n\n\thandlers: function(event, handlers) {\n\t\tvar i, handleObj, sel, matchedHandlers, matchedSelectors,\n\t\t\thandlerQueue = [],\n\t\t\tdelegateCount = handlers.delegateCount,\n\t\t\tcur = event.target;\n\n\t\t// Find delegate handlers\n\t\tif (delegateCount &&\n\n\t\t\t// Support: IE <=9\n\t\t\t// Black-hole SVG <use> instance trees (trac-13180)\n\t\t\tcur.nodeType &&\n\n\t\t\t// Support: Firefox <=42\n\t\t\t// Suppress spec-violating clicks indicating a non-primary pointer button (trac-3861)\n\t\t\t// https://www.w3.org/TR/DOM-Level-3-Events/#event-type-click\n\t\t\t// Support: IE 11 only\n\t\t\t// ...but not arrow key \"clicks\" of radio inputs, which can have `button` -1 (gh-2343)\n\t\t\t!(event.type === \"click\" && event.button >= 1)) {\n\n\t\t\tfor (; cur !== this; cur = cur.parentNode || this) {\n\n\t\t\t\t// Don't check non-elements (#13208)\n\t\t\t\t// Don't process clicks on disabled elements (#6911, #8165, #11382, #11764)\n\t\t\t\tif (cur.nodeType === 1 && !(event.type === \"click\" && cur.disabled === true)) {\n\t\t\t\t\tmatchedHandlers = [];\n\t\t\t\t\tmatchedSelectors = {};\n\t\t\t\t\tfor (i = 0; i < delegateCount; i++) {\n\t\t\t\t\t\thandleObj = handlers[i];\n\n\t\t\t\t\t\t// Don't conflict with Object.prototype properties (#13203)\n\t\t\t\t\t\tsel = handleObj.selector + \" \";\n\n\t\t\t\t\t\tif (matchedSelectors[sel] === undefined) {\n\t\t\t\t\t\t\tmatchedSelectors[sel] = handleObj.needsContext ?\n\t\t\t\t\t\t\t\tjQuery(sel, this).index(cur) > -1 :\n\t\t\t\t\t\t\t\tjQuery.find(sel, this, null, [cur]).length;\n\t\t\t\t\t\t}\n\t\t\t\t\t\tif (matchedSelectors[sel]) {\n\t\t\t\t\t\t\tmatchedHandlers.push(handleObj);\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t\tif (matchedHandlers.length) {\n\t\t\t\t\t\thandlerQueue.push({ elem: cur, handlers: matchedHandlers });\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t\t// Add the remaining (directly-bound) handlers\n\t\tcur = this;\n\t\tif (delegateCount < handlers.length) {\n\t\t\thandlerQueue.push({ elem: cur, handlers: handlers.slice(delegateCount) });\n\t\t}\n\n\t\treturn handlerQueue;\n\t},\n\n\taddProp: function(name, hook) {\n\t\tObject.defineProperty(jQuery.Event.prototype, name, {\n\t\t\tenumerable: true,\n\t\t\tconfigurable: true,\n\n\t\t\tget: isFunction(hook) ?\n\t\t\t\tfunction() {\n\t\t\t\t\tif (this.originalEvent) {\n\t\t\t\t\t\t\treturn hook(this.originalEvent);\n\t\t\t\t\t}\n\t\t\t\t} :\n\t\t\t\tfunction() {\n\t\t\t\t\tif (this.originalEvent) {\n\t\t\t\t\t\t\treturn this.originalEvent[name];\n\t\t\t\t\t}\n\t\t\t\t},\n\n\t\t\tset: function(value) {\n\t\t\t\tObject.defineProperty(this, name, {\n\t\t\t\t\tenumerable: true,\n\t\t\t\t\tconfigurable: true,\n\t\t\t\t\twritable: true,\n\t\t\t\t\tvalue: value\n\t\t\t\t});\n\t\t\t}\n\t\t});\n\t},\n\n\tfix: function(originalEvent) {\n\t\treturn originalEvent[jQuery.expando] ?\n\t\t\toriginalEvent :\n\t\t\tnew jQuery.Event(originalEvent);\n\t},\n\n\tspecial: {\n\t\tload: {\n\n\t\t\t// Prevent triggered image.load events from bubbling to window.load\n\t\t\tnoBubble: true\n\t\t},\n\t\tfocus: {\n\n\t\t\t// Fire native event if possible so blur/focus sequence is correct\n\t\t\ttrigger: function() {\n\t\t\t\tif (this !== safeActiveElement() && this.focus) {\n\t\t\t\t\tthis.focus();\n\t\t\t\t\treturn false;\n\t\t\t\t}\n\t\t\t},\n\t\t\tdelegateType: \"focusin\"\n\t\t},\n\t\tblur: {\n\t\t\ttrigger: function() {\n\t\t\t\tif (this === safeActiveElement() && this.blur) {\n\t\t\t\t\tthis.blur();\n\t\t\t\t\treturn false;\n\t\t\t\t}\n\t\t\t},\n\t\t\tdelegateType: \"focusout\"\n\t\t},\n\t\tclick:

{\n\n\t\t\t// For checkbox, fire native event so checked state will be right\n\t\t\ttrigger: function() {\n\t\t\t\tif (this.type === \"checkbox\" && this.click && nodeName(this, \"input\")) {\n\t\t\t\t\tthis.click();\n\t\t\t\t\treturn false;\n\t\t\t}\n\t\t\t},\n\n\t\t\t// For cross-browser consistency, don't fire native .click() on links\n\t\t\t_default: function(event) {\n\t\t\t\treturn nodeName(event.target, \"a\");\n\t\t\t}\n\t\t},\n\n\t\tbeforeunload: {\n\t\t\tpostDispatch: function(event) {\n\n\t\t\t\t// Support: Firefox 20+\n\t\t\t\t// Firefox doesn't alert if the returnValue field is not set.\n\t\t\t\tif (event.result !== undefined && event.originalEvent) {\n\t\t\t\t\tevent.originalEvent.returnValue = event.result;\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t}\n};\n\njQuery.removeEvent = function(elem, type, handle) {\n\n\t// This \"if\" is needed for plain objects\n\tif (elem.removeEventListener) {\n\t\telem.removeEventListener(type, handle);\n\t}\n};\n\njQuery.Event = function(src, props) {\n\n\t// Allow instantiation without the 'new' keyword\n\tif (!(this instanceof jQuery.Event)) {\n\t\treturn new jQuery.Event(src, props);\n\t}\n\n\t// Event object\n\tif (src && src.type) {\n\t\tthis.originalEvent = src;\n\t\tthis.type = src.type;\n\n\t\t// Events bubbling up the document may have been marked as prevented\n\t\t// by a handler lower down the tree; reflect the correct value.\n\t\tthis.isDefaultPrevented = src.defaultPrevented ||\n\t\t\t\tsrc.defaultPrevented === undefined &&\n\n\t\t\t\t// Support: Android <=2.3 only\n\t\t\t\tsrc.returnValue === false ?\n\t\t\treturnTrue :\n\t\t\treturnFalse;\n\n\t\t// Create target properties\n\t\t// Support: Safari <=6 - 7 only\n\t\t// Target should not be a text node (#504, #13143)\n\t\tthis.target = (src.target && src.target.nodeType === 3) ?\n\t\t\tsrc.target.parentNode :\n\t\t\tsrc.target;\n\n\t\tthis.currentTarget = src.currentTarget;\n\t\tthis.relatedTarget = src.relatedTarget;\n\n\t// Event type\n\t} else {\n\t\tthis.type = src;\n\t}\n\n\t// Put explicitly provided properties onto the event object\n\tif (props) {\n\t\tjQuery.extend(this, props);\n\t}\n\n\t// Create a timestamp if incoming event doesn't have one\n\tthis.timeStamp = src && src.timeStamp || Date.now();\n\n\t// Mark it as fixed\n\tthis[jQuery.expando] = true;\n};\n\n// jQuery.Event is based on DOM3 Events as specified by the ECMAScript Language Binding\n// https://www.w3.org/TR/2003/WD-DOM-Level-3-Events-20030331/ecma-script-binding.html\njQuery.Event.prototype = {\n\tconstructor: jQuery.Event,\n\tisDefaultPrevented: returnFalse,\n\tisPropagationStopped: returnFalse,\n\tisImmediatePropagationStopped: returnFalse,\n\tisSimulated: false,\n\n\tpreventDefault: function() {\n\t\tvar e = this.originalEvent;\n\n\t\tthis.isDefaultPrevented = returnTrue;\n\n\t\tif (e && !this.isSimulated) {\n\t\t\te.preventDefault();\n\t\t}\n\t},\n\tstopPropagation: function() {\n\t\tvar e = this.originalEvent;\n\n\t\tthis.isPropagationStopped = returnTrue;\n\n\t\tif (e && !this.isSimulated) {\n\t\t\te.stopPropagation();\n\t\t}\n\t},\n\tstopImmediatePropagation: function() {\n\t\tvar e = this.originalEvent;\n\n\t\tthis.isImmediatePropagationStopped = returnTrue;\n\n\t\tif (e && !this.isSimulated) {\n\t\t\te.stopImmediatePropagation();\n\t\t}\n\n\t\tthis.stopPropagation();\n\t}\n};\n\n// Includes all common event props including KeyEvent and MouseEvent specific props\njQuery.each({\n\taltKey: true,\n\tbubbles: true,\n\tcancelable: true,\n\tchangedTouches: true,\n\tctrlKey: true,\n\tdetail: true,\n\teventPhase: true,\n\tmetaKey: true,\n\tpageX: true,\n\tpageY: true,\n\tshiftKey: true,\n\tview: true,\n\t\"char\": true,\n\tcharCode: true,\n\tkey: true,\n\tkeyCode: true,\n\tbutton: true,\n\tbuttons: true,\n\tclientX: true,\n\tclientY: true,\n\toffsetX: true,\n\toffsetY: true,\n\tpointerId: true,\n\tpointerType: true,\n\tscreenX: true,\n\tscreenY: true,\n\ttargetTouches: true,\n\ttoElement: true,\n\ttouches: true,\n\n\twhich: function(event) {\n\t\tvar button = event.button;\n\n\t\t// Add which for key events\n\t\tif (event.which == null && rkeyEvent.test(event.type)) {\n\t\t\treturn event.charCode != null ? event.charCode : event.keyCode;\n\t\t}\n\n\t\t// Add which for click: 1 === left; 2 === middle; 3 === right\n\t\tif (!event.which && button !== undefined && rmouseEvent.test(event.type)) {\n\t\t\tif (button & 1) {\n\t\t\t\treturn 1;\n\t\t\t}\n\n\t\t\tif (button & 2) {\n\t\t\t\treturn 3;\n\t\t\t}\n\n\t\t\tif (button & 4) {\n\t\t\t\treturn 2;\n\t\t\t}\n\n\t\t\treturn 0;\n\t\t}\n\n\t\treturn event.which;\n\t}\n}, jQuery.event.addProp);\n\n// Create mouseenter/leave events using mouseover/out and event-time checks\n// so that event delegation works in jQuery.\n// Do the same for pointerenter/pointerleave and pointerover/pointerout\n//\n// Support: Safari 7 only\n// Safari sends mouseenter too often; see:\n// https://bugs.chromium.org/p/chromium/issues/detail?id=470258\n// for the description of the bug (it existed in older Chrome versions as well).\njQuery.each({\n\tmouseenter: \"mouseover\",\n\tmouseleave: \"mouseout\",\n\tpointerenter: \"pointerover\",\n\tpointerleave: \"pointerout\"\n}, function(orig, fix) {\n\tjQuery.event.special[orig] = {\n\t\tdelegateType: fix,\n\t\tbindType: fix,\n\n\t\thandle:

function(event) {\n\t\t\tvar ret,\n\t\t\t\ttarget = this,\n\t\t\t\trelated = event.relatedTarget,\n\t\t\t\thandleObj = event.handleObj;\n\n\t\t\t// For mouseenter/leave call the handler if related is outside the target.\n\t\t\t// NB: No relatedTarget if the mouse left/entered the browser window\n\t\t\tif (!related || (related !== target && !jQuery.contains(target, related))) {\n\t\t\t\tevent.type = handleObj.origType;\n\t\t\t\tret = handleObj.handler.apply(this, arguments);\n\t\t\t\tevent.type = fix;\n\t\t\t}\n\t\t\treturn ret;\n\t\t}\n\t};\n});\n\njQuery.fn.extend({\n\n\ton: function(types, selector, data, fn) {\n\t\treturn on(this, types, selector, data, fn);\n\t},\n\tone: function(types, selector, data, fn) {\n\t\treturn on(this, types, selector, data, fn, 1);\n\t},\n\toff: function(types, selector, fn) {\n\t\tvar handleObj, type;\n\t\tif (types && types.preventDefault && types.handleObj) {\n\n\t\t\t// (event) dispatched jQuery.Event\n\t\t\thandleObj = types.handleObj;\n\t\t\tjQuery(types.delegateTarget).off(\n\t\t\t\thandleObj.namespace ?\n\t\t\t\t\thandleObj.origType + \".\" + handleObj.namespace :\n\t\t\t\t\thandleObj.origType,\n\t\t\t\thandleObj.selector,\n\t\t\t\thandleObj.handler\n\t\t\t);\n\t\t\treturn this;\n\t\t}\n\t\tif (typeof types === \"object\") {\n\n\t\t\t// (types-object [, selector])\n\t\t\tfor (type in types) {\n\t\t\t\tthis.off(type, selector, types[type]);\n\t\t\t}\n\t\t\treturn this;\n\t\t}\n\t\tif (selector === false || typeof selector === \"function\") {\n\n\t\t\t// (types [, fn])\n\t\t\tfn = selector;\n\t\t\tselector = undefined;\n\t\t}\n\t\tif (fn === false) {\n\t\t\tfn = returnFalse;\n\t\t}\n\t\treturn this.each(function() {\n\t\t\tjQuery.event.remove(this, types, fn, selector);\n\t\t});\n\t}\n});\n\n\nvar\n\n\t/* eslint-disable max-len */\n\n\t// See https://github.com/eslint/eslint/issues/3229\n\trxhtmlTag = /<(?!area|br|col|embed|hr|img|input|link|meta|param)(([a-z][^\/\0>\x20\t\r\n\f]*)[^>]*)\/>/gi,\n\n\t/* eslint-enable */\n\n\t// Support: IE <=10 - 11, Edge 12 - 13 only\n\t// In IE/Edge using regex groups here causes severe slowdowns.\n\t// See https://connect.microsoft.com/IE/feedback/details/1736512/\n\trnoInnerhtml = /<script|<style|<link/i,\n\n\t// checked=\"checked\" or checked\n\trchecked = /checked\s*(?:[^=]|=\s*.checked.)/i,\n\trcleanScript = /^\s*<!(?:\[CDATA\[|--)|(?:\]\]|--)>\s*$/g;\n\n// Prefer a tbody over its parent table for containing new rows\nfunction manipulationTarget(elem, content) {\n\tif (nodeName(elem, \"table\") &&\n\t\tnodeName(content.nodeType !== 11 ? content : content.firstChild, \"tr\")) {\n\n\t\treturn jQuery(elem).children(\"tbody\")[0] || elem;\n\t}\n\n\treturn elem;\n}\n\n// Replace/restore the type attribute of script elements for safe DOM manipulation\nfunction disableScript(elem) {\n\telem.type = (elem.getAttribute(\"type\") !== null) + \"/\" + elem.type;\n\treturn elem;\n}\nfunction restoreScript(elem) {\n\tif ((elem.type || \"\").slice(0, 5) === \"true/\") {\n\t\telem.type = elem.type.slice(5);\n\t} else {\n\t\telem.removeAttribute(\"type\");\n\t}\n\n\treturn elem;\n}\n\nfunction cloneCopyEvent(src, dest) {\n\tvar i, l, type, pdataOld, pdataCur, udataOld, udataCur, events;\n\n\tif (dest.nodeType !== 1) {\n\t\treturn;\n\t}\n\n\t// 1. Copy private data: events, handlers, etc.\n\tif (dataPriv.hasData(src)) {\n\t\tpdataOld = dataPriv.access(src);\n\t\tpdataCur = dataPriv.set(dest, pdataOld);\n\t\tevents = pdataOld.events;\n\n\t\tif (events) {\n\t\t\tdelete pdataCur.handle;\n\t\t\tpdataCur.events = {};\n\n\t\t\tfor (type in events) {\n\t\t\t\tfor (i = 0, l = events[type].length; i < l; i++) {\n\t\t\t\t\tjQuery.event.add(dest, type, events[type][i]);\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t}\n\n\t// 2. Copy user data\n\tif (dataUser.hasData(src)) {\n\t\tudataOld = dataUser.access(src);\n\t\tudataCur = jQuery.extend({}, udataOld);\n\n\t\tdataUser.set(dest, udataCur);\n\t}\n}\n\n// Fix IE bugs, see support tests\nfunction fixInput(src, dest) {\n\tvar nodeName = dest.nodeName.toLowerCase();\n\n\t// Fails to persist the checked state of a cloned checkbox or radio button.\n\tif (nodeName === \"input\" && rcheckableType.test(src.type)) {\n\t\tdest.checked = src.checked;\n\n\t// Fails to return the selected option to the default selected state when cloning options\n\t} else if (nodeName === \"input\" || nodeName === \"textarea\") {\n\t\tdest.defaultValue = src.defaultValue;\n\t}\n}\n\nfunction domManip(collection, args, callback, ignored) {\n\n\t// Flatten any nested arrays\n\targs = concat.apply([], args);\n\n\tvar fragment, first, scripts, hasScripts, node, doc,\n\t\ti = 0,\n\t\tl = collection.length,\n\t\tiNoClone = l - 1,\n\t\tvalue = args[0],\n\t\tvalueIsFunction = isFunction(value);\n\n\t// We can't cloneNode fragments that contain checked, in WebKit\n\tif (valueIsFunction ||\n\t\t\t(l > 1 && typeof value === \"string\" &&\n\t\t\t\t!support.checkClone && rchecked.test(value))) {\n\t\treturn collection.each(function(index) {\n\t\t\tvar self = collection.eq(index);\n\t\t\tif (valueIsFunction) {\n\t\t\t\targs[0] = value.call(this, index, self.html());\n\t\t\t}\n\t\t\tdomManip(self, args, callback, ignored);\n\t\t});\n\t}\n\n\tif (l) {\n\t\tfragment = buildFragment(args, collection[0

].ownerDocument, false, collection, ignored);\n\t\tfirst = fragment.firstChild;\n\n\t\tif (fragment.childNodes.length === 1) {\n\t\t\tfragment = first;\n\t\t}\n\n\t\t// Require either new content or an interest in ignored elements to invoke the callback\n\t\tif (first || ignored) {\n\t\t\tscripts = jQuery.map(getAll(fragment, \"script\"), disableScript);\n\t\t\thasScripts = scripts.length;\n\n\t\t\t// Use the original fragment for the last item\n\t\t\t// instead of the first\n\t\t\t// because it can end up\n\t\t\t// being emptied incorrectly in certain situations (#8070).\n\t\t\tfor (; i < l; i++) {\n\t\t\t\tnode = fragment;\n\n\t\t\t\tif (i !== iNoClone) {\n\t\t\t\t\tnode = jQuery.clone(node, true, true);\n\n\t\t\t\t\t// Keep references to cloned scripts for later restoration\n\t\t\t\t\tif (hasScripts) {\n\n\t\t\t\t\t\t// Support: Android <=4.0 only, PhantomJS 1 only\n\t\t\t\t\t\t// push.apply(_, arraylike) throws on ancient WebKit\n\t\t\t\t\t\tjQuery.merge(scripts, getAll(node, \"script\"));\n\t\t\t\t\t}\n\t\t\t\t}\n\n\t\t\t\tcallback.call(collection[i], node, i);\n\t\t\t}\n\n\t\t\tif (hasScripts) {\n\t\t\t\tdoc = scripts[scripts.length - 1].ownerDocument;\n\n\t\t\t\t// Reenable scripts\n\t\t\t\tjQuery.map(scripts, restoreScript);\n\n\t\t\t\t// Evaluate executable scripts on first document insertion\n\t\t\t\tfor (i = 0; i < hasScripts; i++) {\n\t\t\t\t\tnode = scripts[i];\n\t\t\t\t\tif (rscriptType.test(node.type || \"\") &&\n\t\t\t\t\t\t!dataPriv.access(node, \"globalEval\") &&\n\t\t\t\t\t\tjQuery.contains(doc, node)) {\n\n\t\t\t\t\t\tif (node.src && (node.type || \"\").toLowerCase() !== \"module\") {\n\n\t\t\t\t\t\t\t// Optional AJAX dependency, but won't run scripts if not present\n\t\t\t\t\t\t\tif (jQuery._evalUrl) {\n\t\t\t\t\t\t\t\tjQuery._evalUrl(node.src);\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t} else {\n\t\t\t\t\t\t\tDOMEval(node.textContent.replace(rcleanScript, \"\"), doc, node);\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t}\n\n\treturn collection;\n}\n\nfunction remove(elem, selector, keepData) {\n\tvar node,\n\t\tnodes = selector ? jQuery.filter(selector, elem) : elem,\n\t\ti = 0;\n\n\tfor (; (node = nodes[i]) != null; i++) {\n\t\tif (!keepData && node.nodeType === 1) {\n\t\t\tjQuery.cleanData(getAll(node));\n\t\t}\n\n\t\tif (node.parentNode) {\n\t\t\tif (keepData && jQuery.contains(node.ownerDocument, node)) {\n\t\t\t\tsetGlobalEval(getAll(node, \"script\"));\n\t\t\t}\n\t\t\tnode.parentNode.removeChild(node);\n\t\t}\n\t}\n\n\treturn elem;\n}\n\njQuery.extend({\n\thtmlPrefilter: function(html) {\n\t\treturn html.replace(rxhtmlTag, \"<$1></$2>\");\n\t},\n\n\tclone: function(elem, dataAndEvents, deepDataAndEvents) {\n\t\tvar i, l, srcElements, destElements,\n\t\t\tclone = elem.cloneNode(true),\n\t\t\tinPage = jQuery.contains(elem.ownerDocument, elem);\n\n\t\t// Fix IE cloning issues\n\t\tif (!support.noCloneChecked && (elem.nodeType === 1 || elem.nodeType === 11) &&\n\t\t\t\t!jQuery.isXMLDoc(elem)) {\n\n\t\t\t// We eschew Sizzle here for performance reasons: https://jsperf.com/getall-vs-sizzle/2\n\t\t\tdestElements = getAll(clone);\n\t\t\tsrcElements = getAll(elem);\n\n\t\t\tfor (i = 0, l = srcElements.length; i < l; i++) {\n\t\t\t\tfixInput(srcElements[i], destElements[i]);\n\t\t\t}\n\t\t}\n\n\t\t// Copy the events from the original to the clone\n\t\tif (dataAndEvents) {\n\t\t\tif (deepDataAndEvents) {\n\t\t\t\tsrcElements = srcElements || getAll(elem);\n\t\t\t\tdestElements = destElements || getAll(clone);\n\n\t\t\t\tfor (i = 0, l = srcElements.length; i < l; i++) {\n\t\t\t\t\tcloneCopyEvent(srcElements[i], destElements[i]);\n\t\t\t\t}\n\t\t\t} else {\n\t\t\t\tcloneCopyEvent(elem, clone);\n\t\t\t}\n\t\t}\n\n\t\t// Preserve script evaluation history\n\t\tdestElements = getAll(clone, \"script\");\n\t\tif (destElements.length > 0) {\n\t\t\tsetGlobalEval(destElements, !inPage && getAll(elem, \"script\"));\n\t\t}\n\n\t\t// Return the cloned set\n\t\treturn clone;\n\t},\n\n\tcleanData: function(elems) {\n\t\tvar data, elem, type,\n\t\t\tspecial = jQuery.event.special,\n\t\t\ti = 0;\n\n\t\tfor (; (elem = elems[i]) !== undefined; i++) {\n\t\t\tif (acceptData(elem)) {\n\t\t\t\tif ((data = elem[dataPriv.expando])) {\n\t\t\t\t\tif (data.events) {\n\t\t\t\t\t\tfor (type in data.events) {\n\t\t\t\t\t\t\tif (special[type]) {\n\t\t\t\t\t\t\t\tjQuery.event.remove(elem, type);\n\n\t\t\t\t\t\t\t// This is a shortcut to avoid jQuery.event.remove's overhead\n\t\t\t\t\t\t\t} else {\n\t\t\t\t\t\t\t\tjQuery.removeEvent(elem, type, data.handle);\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\n\t\t\t\t\t// Support: Chrome <=35 - 45+\n\t\t\t\t\t// Assign undefined instead of using delete, see Data#remove\n\t\t\t\t\telem[dataPriv.expando] = undefined;\n\t\t\t\t}\n\t\t\t\tif (elem[dataUser.expando]) {\n\n\t\t\t\t\t// Support: Chrome <=35 - 45+\n\t\t\t\t\t// Assign undefined instead of using delete, see Data#remove\n\t\t\t\t\telem[dataUser.expando] = undefined;\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t}\n});\n\njQuery.fn.extend({\n\tdetach: function(selector) {\n\t\treturn remove(this, selector, true);\n\t},\n\n\tremove: function(selector) {\n\t\treturn remove(this, selector);\n\t},\n\n\ttext: function(value) {\n\t\treturn access(this, function(value) {\n\t\t\treturn value === undefined ?\n\t\t\t\tjQuery.text(this) :\n\t\t\t\tthis.empty().each(function() {\n\t\t\t\t\tif (this.nodeType === 1 || this.nodeType

=== 11 || this.nodeType === 9) {\n\t\t\t\t\t\tthis.textContent = value;\n\t\t\t\t}\n\t\t\t\t});\n\t\t}, null, value, arguments.length);\n\t},\n\n\tappend: function() {\n\t\treturn domManip(this, arguments, function(elem) {\n\t\t\tif (this.nodeType === 1 || this.nodeType === 11 || this.nodeType === 9) {\n\t\t\t\tvar target = manipulationTarget(this, elem);\n\t\t\t\ttarget.appendChild(elem);\n\t\t\t}\n\t\t});\n\t},\n\n\tprepend: function() {\n\t\treturn domManip(this, arguments, function(elem) {\n\t\t\tif (this.nodeType === 1 || this.nodeType === 11 || this.nodeType === 9) {\n\t\t\t\tvar target = manipulationTarget(this, elem);\n\t\t\t\ttarget.insertBefore(elem, target.firstChild);\n\t\t\t}\n\t\t});\n\t},\n\n\tbefore: function() {\n\t\treturn domManip(this, arguments, function(elem) {\n\t\t\tif (this.parentNode) {\n\t\t\t\tthis.parentNode.insertBefore(elem, this);\n\t\t\t}\n\t\t});\n\t},\n\n\tafter: function() {\n\t\treturn domManip(this, arguments, function(elem) {\n\t\t\tif (this.parentNode) {\n\t\t\t\tthis.parentNode.insertBefore(elem, this.nextSibling);\n\t\t\t}\n\t\t});\n\t},\n\n\tempty: function() {\n\t\tvar elem,\n\t\t\ti = 0;\n\n\t\tfor (; (elem = this[i]) != null; i++) {\n\t\t\tif (elem.nodeType === 1) {\n\n\t\t\t\t// Prevent memory leaks\n\t\t\t\tjQuery.cleanData(getAll(elem, false));\n\n\t\t\t\t// Remove any remaining nodes\n\t\t\t\telem.textContent = \"\";\n\t\t\t}\n\t\t}\n\n\t\treturn this;\n\t},\n\n\tclone: function(dataAndEvents, deepDataAndEvents) {\n\t\tdataAndEvents = dataAndEvents == null ? false : dataAndEvents;\n\t\tdeepDataAndEvents = deepDataAndEvents == null ? dataAndEvents : deepDataAndEvents;\n\n\t\treturn this.map(function() {\n\t\t\treturn jQuery.clone(this, dataAndEvents, deepDataAndEvents);\n\t\t});\n\t},\n\n\thtml: function(value) {\n\t\treturn access(this, function(value) {\n\t\t\tvar elem = this[0] || {},\n\t\t\t\ti = 0,\n\t\t\t\tl = this.length;\n\n\t\t\tif (value === undefined && elem.nodeType === 1) {\n\t\t\t\treturn elem.innerHTML;\n\t\t\t}\n\n\t\t\t// See if we can take a shortcut and just use innerHTML\n\t\t\tif (typeof value === \"string\" && !rnoInnerhtml.test(value) &&\n\t\t\t\t!wrapMap[(rtagName.exec(value) || [\"\", \"\"])[1].toLowerCase()]) {\n\n\t\t\t\tvalue = jQuery.htmlPrefilter(value);\n\n\t\t\t\ttry {\n\t\t\t\t\tfor (; i < l; i++) {\n\t\t\t\t\t\telem = this[i] || {};\n\n\t\t\t\t\t\t// Remove element nodes and prevent memory leaks\n\t\t\t\t\t\tif (elem.nodeType === 1) {\n\t\t\t\t\t\t\tjQuery.cleanData(getAll(elem, false));\n\t\t\t\t\t\t\telem.innerHTML = value;\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\n\t\t\t\t\telem = 0;\n\n\t\t\t\t// If using innerHTML throws an exception, use the fallback method\n\t\t\t\t} catch (e) {}\n\t\t\t}\n\n\t\t\tif (elem) {\n\t\t\t\tthis.empty().append(value);\n\t\t\t}\n\t\t}, null, value, arguments.length);\n\t},\n\n\treplaceWith: function() {\n\t\tvar ignored = [];\n\n\t\t// Make the changes, replacing each non-ignored context element with the new content\n\t\treturn domManip(this, arguments, function(elem) {\n\t\t\tvar parent = this.parentNode;\n\n\t\t\tif (jQuery.inArray(this, ignored) < 0) {\n\t\t\t\tjQuery.cleanData(getAll(this));\n\t\t\t\tif (parent) {\n\t\t\t\t\tparent.replaceChild(elem, this);\n\t\t\t\t}\n\t\t\t}\n\n\t\t// Force callback invocation\n\t\t}, ignored);\n\t}\n});\n\njQuery.each({\n\tappendTo: \"append\",\n\tprependTo: \"prepend\",\n\tinsertBefore: \"before\",\n\tinsertAfter: \"after\",\n\treplaceAll: \"replaceWith\"\n}, function(name, original) {\n\tjQuery.fn[name] = function(selector) {\n\t\tvar elems,\n\t\t\tret = [],\n\t\t\tinsert = jQuery(selector),\n\t\t\tlast = insert.length - 1,\n\t\t\ti = 0;\n\n\t\tfor (; i <= last; i++) {\n\t\t\telems = i === last ? this : this.clone(true);\n\t\t\tjQuery(insert[i])[original](elems);\n\n\t\t\t// Support: Android <=4.0 only, PhantomJS 1 only\n\t\t\t// .get() because push.apply(_, arraylike) throws on ancient WebKit\n\t\t\tpush.apply(ret, elems.get());\n\t\t}\n\n\t\treturn this.pushStack(ret);\n\t};\n});\nvar rnumnonpx = new RegExp(\"^(\" + pnum + \")(?!px)[a-z%]+$\", \"i\");\n\nvar getStyles = function(elem) {\n\n\t\t// Support: IE <=11 only, Firefox <=30 (#15098, #14150)\n\t\t// IE throws on elements created in popups\n\t\t// FF meanwhile throws on frame elements through \"defaultView.getComputedStyle\"\n\t\tvar view = elem.ownerDocument.defaultView;\n\n\t\tif (!view || !view.opener) {\n\t\t\tview = window;\n\t\t}\n\n\t\treturn view.getComputedStyle(elem);\n\t};\n\nvar rboxStyle = new RegExp(cssExpand.join(\"|\"), \"i\");\n\n\n\n(function() {\n\n\t// Executing both pixelPosition & boxSizingReliable tests require only one layout\n\t// so they're executed at the same time to save the second computation.\n\tfunction computeStyleTests() {\n\n\t\t// This is a singleton, we need to execute it only once\n\t\tif (!div) {\n\t\t\treturn;\n\t\t}\n\n\t\tcontainer.style.cssText = \"position:absolute;left:-11111px;width:60px;\" +\n\t\t\t\"margin-top:1px;padding:0;border:0\";\n\t\tdiv.style.cssText =\n\t\t\t\"position:relative;display:block;box-sizing:border-box;overflow:scroll;\" +\n\t\t\t\"margin:auto;border:1px;padding:1px;\" +\n\t\t\t\"width:60%;top:1%\";\n\t\tdocumentElement.appendChild(container).appendChild(div);\n\n\t\tvar

divStyle = window.getComputedStyle(div);\n\t\tpixelPositionVal = divStyle.top !== \"1%\";\n\n\t\t// Support: Android 4.0 - 4.3 only, Firefox <=3 - 44\n\t\treliableMarginLeftVal = roundPixelMeasures(divStyle.marginLeft) === 12;\n\n\t\t// Support: Android 4.0 - 4.3 only, Safari <=9.1 - 10.1, iOS <=7.0 - 9.3\n\t\t// Some styles come back with percentage values, even though they shouldn't\n\t\tdiv.style.right = \"60%\";\n\t\tpixelBoxStylesVal = roundPixelMeasures(divStyle.right) === 36;\n\t\t// Support: IE 9 - 11 only\n\t\t// Detect misreporting of content dimensions for box-sizing:border-box elements\n\t\tboxSizingReliableVal = roundPixelMeasures(divStyle.width) === 36;\n\t\t// Support: IE 9 only\n\t\t// Detect overflow:scroll screwiness (gh-3699)\n\t\tdiv.style.position = \"absolute\";\n\t\tscrollboxSizeVal = div.offsetWidth === 36 || \"absolute\";\n\n\t\tdocumentElement.removeChild(container);\n\n\t\t// Nullify the div so it wouldn't be stored in the memory and\n\t\t// it will also be a sign that checks already performed\n\t\tdiv = null;\n\t}\n\n\tfunction roundPixelMeasures(measure) {\n\t\treturn Math.round(parseFloat(measure));\n\t}\n\n\tvar pixelPositionVal, boxSizingReliableVal, scrollboxSizeVal, pixelBoxStylesVal,\n\t\treliableMarginLeftVal,\n\t\tcontainer = document.createElement(\"div\"),\n\t\tdiv = document.createElement(\"div\");\n\n\t// Finish early in limited (non-browser) environments\n\tif (!div.style) {\n\t\treturn;\n\t}\n\n\t// Support: IE <=9 - 11 only\n\t// Style of cloned element affects source element cloned (#8908)\n\tdiv.style.backgroundClip = \"content-box\";\n\tdiv.cloneNode(true).style.backgroundClip = \"\";\n\tsupport.clearCloneStyle = div.style.backgroundClip === \"content-box\";\n\n\tjQuery.extend(support, {\n\t\tboxSizingReliable: function() {\n\t\t\tcomputeStyleTests();\n\t\t\treturn boxSizingReliableVal;\n\t\t},\n\t\tpixelBoxStyles: function() {\n\t\t\tcomputeStyleTests();\n\t\t\treturn pixelBoxStylesVal;\n\t\t},\n\t\tpixelPosition: function() {\n\t\t\tcomputeStyleTests();\n\t\t\treturn pixelPositionVal;\n\t\t},\n\t\treliableMarginLeft: function() {\n\t\t\tcomputeStyleTests();\n\t\t\treturn reliableMarginLeftVal;\n\t\t},\n\t\tscrollboxSize: function() {\n\t\t\tcomputeStyleTests();\n\t\t\treturn scrollboxSizeVal;\n\t\t}\n\t});\n})();\n\nfunction curCSS(elem, name, computed) {\n\tvar width, minWidth, maxWidth, ret,\n\n\t\t// Support: Firefox 51+\n\t\t// Retrieving style before computed somehow\n\t\t// fixes an issue with getting wrong values\n\t\t// on detached elements\n\t\tstyle = elem.style;\n\n\tcomputed = computed || getStyles(elem);\n\n\t// getPropertyValue is needed for:\n\t//   .css('filter') (IE 9 only, #12537)\n\t//   .css('--customProperty) (#3144)\n\tif (computed) {\n\t\tret = computed.getPropertyValue(name) || computed[name];\n\n\t\tif (ret === \"\" && !jQuery.contains(elem.ownerDocument, elem)) {\n\t\t\tret = jQuery.style(elem, name);\n\t\t}\n\n\t\t// A tribute to the \"awesome hack by Dean Edwards\"\n\t\t// Android Browser returns percentage for some values,\n\t\t// but width seems to be reliably pixels.\n\t\t// This is against the CSSOM draft spec:\n\t\t// https://drafts.csswg.org/cssom/#resolved-values\n\t\tif (!support.pixelBoxStyles() && rnumnonpx.test(ret) && rboxStyle.test(name)) {\n\n\t\t\t// Remember the original values\n\t\t\twidth = style.width;\n\t\t\tminWidth = style.minWidth;\n\t\t\tmaxWidth = style.maxWidth;\n\n\t\t\t// Put in the new values to get a computed value out\n\t\t\tstyle.minWidth = style.maxWidth = style.width = ret;\n\t\t\tret = computed.width;\n\n\t\t\t// Revert the changed values\n\t\t\tstyle.width = width;\n\t\t\tstyle.minWidth = minWidth;\n\t\t\tstyle.maxWidth = maxWidth;\n\t\t}\n\t}\n\n\treturn ret !== undefined ?\n\n\t\t// Support: IE <=9 - 11 only\n\t\t// IE returns zIndex value as an integer.\n\t\tret + \"\" :\n\t\tret;\n}\n\nfunction addGetHookIf(conditionFn, hookFn) {\n\n\t// Define the hook, we'll check on the first run if it's really needed.\n\treturn {\n\t\tget: function() {\n\t\t\tif (conditionFn()) {\n\n\t\t\t\t// Hook not needed (or it's not possible to use it due\n\t\t\t\t// to missing dependency), remove it.\n\t\t\t\tdelete this.get;\n\t\t\t\treturn;\n\t\t\t}\n\n\t\t\t// Hook needed; redefine it so that the support test is not executed again.\n\t\t\treturn (this.get = hookFn).apply(this, arguments);\n\t\t}\n\t};\n}\n\n\nvar\n\n\t// Swappable if display is none or starts with table\n\t// except \"table\", \"table-cell\", or \"table-caption\"\n\t// See here for display values: https://developer.mozilla.org/en-US/docs/CSS/display\n\trdisplayswap = /^(none|table(?!-c[ea]).+)/,\n\trcustomProp = /^--/,\n\tcssShow = { position: \"absolute\", visibility: \"hidden\", display: \"block\" },\n\tcssNormalTransform = {\n\t\tletterSpacing: \"0\",\n\t\tfontWeight: \"400\"\n\t},\n\n\tcssPrefixes = [\"Webkit\", \"Moz\", \"ms\"],\n\temptyStyle = document.createElement(\"div\").style;\n\n// Return a css property mapped to a potentially vendor prefixed property\nfunction vendorPropName(name) {\n\n\t// Shortcut for names that are not vendor prefixed\n\tif (name in emptyStyle) {\n\t\treturn name;\n\t}\n\n\t// Check for vendor prefixed names\n\tvar capName = name[0].toUpperCase() + name.slice(1),\n\t\ti = cssPrefixes.length;\n\n\twhile (i--) {\n\t\tname =

cssPrefixes[i] + capName;\n\t\tif (name in emptyStyle) {\n\t\t\treturn name;\n\t\t}\n\t}\n}\n\n// Return a property mapped along what jQuery.cssProps suggests or to\n// a vendor prefixed property.\nfunction finalPropName(name) {\n\tvar ret = jQuery.cssProps[name];\n\tif (!ret) {\n\t\tret = jQuery.cssProps[name] = vendorPropName(name) || name;\n\t}\n\treturn ret;\n}\n\nfunction setPositiveNumber(elem, value, subtract) {\n\n\t// Any relative (+/-) values have already been\n\t// normalized at this point\n\tvar matches = rcssNum.exec(value);\n\treturn matches ?\n\n\t\t// Guard against undefined \"subtract\", e.g., when used as in cssHooks\n\t\tMath.max(0, matches[2] - (subtract || 0)) + (matches[3] || \"px\") :\n\t\tvalue;\n}\n\nfunction boxModelAdjustment(elem, dimension, box, isBorderBox, styles, computedVal) {\n\tvar i = dimension === \"width\" ? 1 : 0,\n\t\textra = 0,\n\t\tdelta = 0;\n\n\t// Adjustment may not be necessary\n\tif (box === (isBorderBox ? \"border\" : \"content\")) {\n\t\treturn 0;\n\t}\n\n\tfor (; i < 4; i += 2) {\n\n\t\t// Both box models exclude margin\n\t\tif (box === \"margin\") {\n\t\t\tdelta += jQuery.css(elem, box + cssExpand[i], true, styles);\n\t\t}\n\n\t\t// If we get here with a content-box, we're seeking \"padding\" or \"border\" or \"margin\"\n\t\tif (!isBorderBox) {\n\n\t\t\t// Add padding\n\t\t\tdelta += jQuery.css(elem, \"padding\" + cssExpand[i], true, styles);\n\n\t\t\t// For \"border\" or \"margin\", add border\n\t\t\tif (box !== \"padding\") {\n\t\t\t\tdelta += jQuery.css(elem, \"border\" + cssExpand[i] + \"Width\", true, styles);\n\n\t\t\t// But still keep track of it otherwise\n\t\t\t} else {\n\t\t\t\textra += jQuery.css(elem, \"border\" + cssExpand[i] + \"Width\", true, styles);\n\t\t\t}\n\n\t\t// If we get here with a border-box (content + padding + border), we're seeking \"content\" or\n\t\t// \"padding\" or \"margin\"\n\t\t} else {\n\n\t\t\t// For \"content\", subtract padding\n\t\t\tif (box === \"content\") {\n\t\t\t\tdelta -= jQuery.css(elem, \"padding\" + cssExpand[i], true, styles);\n\t\t\t}\n\n\t\t\t// For \"content\" or \"padding\", subtract border\n\t\t\tif (box !== \"margin\") {\n\t\t\t\tdelta -= jQuery.css(elem, \"border\" + cssExpand[i] + \"Width\", true, styles);\n\t\t\t}\n\t\t}\n\t}\n\n\t// Account for positive content-box scroll gutter when requested by providing computedVal\n\tif (!isBorderBox && computedVal >= 0) {\n\n\t\t// offsetWidth/offsetHeight is a rounded sum of content, padding, scroll gutter, and border\n\t\t// Assuming integer scroll gutter, subtract the rest and round down\n\t\tdelta += Math.max(0, Math.ceil(\n\t\t\telem[\"offset\" + dimension[0].toUpperCase() + dimension.slice(1)] -\n\t\t\tcomputedVal -\n\t\t\tdelta -\n\t\t\textra -\n\t\t\t0.5\n\t\t));\n\t}\n\n\treturn delta;\n}\n\nfunction getWidthOrHeight(elem, dimension, extra) {\n\n\t// Start with computed style\n\tvar styles = getStyles(elem),\n\t\tval = curCSS(elem, dimension, styles),\n\t\tisBorderBox = jQuery.css(elem, \"boxSizing\", false, styles) === \"border-box\",\n\t\tvalueIsBorderBox = isBorderBox;\n\n\t// Support: Firefox <=54\n\t// Return a confounding non-pixel value or feign ignorance, as appropriate.\n\tif (rnumnonpx.test(val)) {\n\t\tif (!extra) {\n\t\t\treturn val;\n\t\t}\n\t\tval = \"auto\";\n\t}\n\n\t// Check for style in case a browser which returns unreliable values\n\t// for getComputedStyle silently falls back to the reliable elem.style\n\tvalueIsBorderBox = valueIsBorderBox &&\n\t\t(support.boxSizingReliable() || val === elem.style[dimension]);\n\n\t// Fall back to offsetWidth/offsetHeight when value is \"auto\"\n\t// This happens for inline elements with no explicit setting (gh-3571)\n\t// Support: Android <=4.1 - 4.3 only\n\t// Also use offsetWidth/offsetHeight for misreported inline dimensions (gh-3602)\n\tif (val === \"auto\" ||\n\t\t!parseFloat(val) && jQuery.css(elem, \"display\", false, styles) === \"inline\") {\n\t\tval = elem[\"offset\" + dimension[0].toUpperCase() + dimension.slice(1)];\n\n\t\t// offsetWidth/offsetHeight provide border-box values\n\t\tvalueIsBorderBox = true;\n\t}\n\n\t// Normalize \"\" and auto\n\tval = parseFloat(val) || 0;\n\n\t// Adjust for the element's box model\n\treturn (val +\n\t\tboxModelAdjustment(\n\t\t\telem,\n\t\t\tdimension,\n\t\t\textra || (isBorderBox ? \"border\" : \"content\"),\n\t\t\tvalueIsBorderBox,\n\t\t\tstyles,\n\n\t\t\t// Provide the current computed size to request scroll gutter calculation (gh-3589)\n\t\t\tval\n\t\t)\n\t) + \"px\";\n}\n\njQuery.extend({\n\n\t// Add in style property hooks for overriding the default\n\t// behavior of getting and setting a style property\n\tcssHooks: {\n\t\topacity: {\n\t\t\tget: function(elem, computed) {\n\t\t\t\tif (computed) {\n\n\t\t\t\t\t// We should always get a number back from opacity\n\t\t\t\t\tvar ret = curCSS(elem, \"opacity\");\n\t\t\t\t\treturn ret === \"\" ? \"1\" : ret;\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t},\n\n\t// Don't automatically add \"px\" to these possibly-unitless properties\n\tcssNumber: {\n\t\t\"animationIterationCount\": true,\n\t\t\"columnCount\": true,\n\t\t\"fillOpacity\": true,\n\t\t\"flexGrow\": true,\n\t\t\"flexShrink\": true,\n\t\t\"fontWeight\": true,\n\t\t\"lineHeight\": true,\n\t\t\"opacity\": true,\n\t\t\"order\": true,\n\t\t\"orphans\": true,\n\t\t\"widows\": true,\n\t\t\"zIndex\":

true,\n\t\t\"zoom\": true\n\t},\n\n\t// Add in properties whose names you wish to fix before\n\t// setting or getting the value\n\tcssProps: {},\n\n\t// Get and set the style property on a DOM Node\n\tstyle: function(elem, name, value, extra) {\n\n\t\t// Don't set styles on text and comment nodes\n\t\tif (!elem || elem.nodeType === 3 || elem.nodeType === 8 || !elem.style) {\n\t\t\treturn;\n\t\t}\n\n\t\t// Make sure that we're working with the right name\n\t\tvar ret, type, hooks,\n\t\t\torigName = camelCase(name),\n\t\t\tisCustomProp = rcustomProp.test(name),\n\t\t\tstyle = elem.style;\n\n\t\t// Make sure that we're working with the right name. We don't\n\t\t// want to query the value if it is a CSS custom property\n\t\t// since they are user-defined.\n\t\tif (!isCustomProp) {\n\t\t\tname = finalPropName(origName);\n\t\t}\n\n\t\t// Gets hook for the prefixed version, then unprefixed version\n\t\thooks = jQuery.cssHooks[name] || jQuery.cssHooks[origName];\n\n\t\t// Check if we're setting a value\n\t\tif (value !== undefined) {\n\t\t\ttype = typeof value;\n\n\t\t\t// Convert \"+=\" or \"-=\" to relative numbers (#7345)\n\t\t\tif (type === \"string\" && (ret = rcssNum.exec(value)) && ret[1]) {\n\t\t\t\tvalue = adjustCSS(elem, name, ret);\n\n\t\t\t\t// Fixes bug #9237\n\t\t\t\ttype = \"number\";\n\t\t\t}\n\n\t\t\t// Make sure that null and NaN values aren't set (#7116)\n\t\t\tif (value == null || value !== value) {\n\t\t\t\treturn;\n\t\t\t}\n\n\t\t\t// If a number was passed in, add the unit (except for certain CSS properties)\n\t\t\tif (type === \"number\") {\n\t\t\t\tvalue += ret && ret[3] || (jQuery.cssNumber[origName] ? \"\" : \"px\");\n\t\t\t}\n\n\t\t\t// background-* props affect original clone's values\n\t\t\tif (!support.clearCloneStyle && value === \"\" && name.indexOf(\"background\") === 0) {\n\t\t\t\tstyle[name] = \"inherit\";\n\t\t\t}\n\n\t\t\t// If a hook was provided, use that value, otherwise just set the specified value\n\t\t\tif (!hooks || !(\"set\" in hooks) ||\n\t\t\t\t(value = hooks.set(elem, value, extra)) !== undefined) {\n\n\t\t\t\tif (isCustomProp) {\n\t\t\t\t\tstyle.setProperty(name, value);\n\t\t\t\t} else {\n\t\t\t\t\tstyle[name] = value;\n\t\t\t\t}\n\t\t\t}\n\n\t\t} else {\n\n\t\t\t// If a hook was provided get the non-computed value from there\n\t\t\tif (hooks && \"get\" in hooks &&\n\t\t\t\t(ret = hooks.get(elem, false, extra)) !== undefined) {\n\n\t\t\t\treturn ret;\n\t\t\t}\n\n\t\t\t// Otherwise just get the value from the style object\n\t\t\treturn style[name];\n\t\t}\n\t},\n\n\tcss: function(elem, name, extra, styles) {\n\t\tvar val, num, hooks,\n\t\t\torigName = camelCase(name),\n\t\t\tisCustomProp = rcustomProp.test(name);\n\n\t\t// Make sure that we're working with the right name. We don't\n\t\t// want to modify the value if it is a CSS custom property\n\t\t// since they are user-defined.\n\t\tif (!isCustomProp) {\n\t\t\tname = finalPropName(origName);\n\t\t}\n\n\t\t// Try prefixed name followed by the unprefixed name\n\t\thooks = jQuery.cssHooks[name] || jQuery.cssHooks[origName];\n\n\t\t// If a hook was provided get the computed value from there\n\t\tif (hooks && \"get\" in hooks) {\n\t\t\tval = hooks.get(elem, true, extra);\n\t\t}\n\n\t\t// Otherwise, if a way to get the computed value exists, use that\n\t\tif (val === undefined) {\n\t\t\tval = curCSS(elem, name, styles);\n\t\t}\n\n\t\t// Convert \"normal\" to computed value\n\t\tif (val === \"normal\" && name in cssNormalTransform) {\n\t\t\tval = cssNormalTransform[name];\n\t\t}\n\n\t\t// Make numeric if forced or a qualifier was provided and val looks numeric\n\t\tif (extra === \"\" || extra) {\n\t\t\tnum = parseFloat(val);\n\t\t\treturn extra === true || isFinite(num) ? num || 0 : val;\n\t\t}\n\t\treturn val;\n\t}\n});\n\njQuery.each([\"height\", \"width\"], function(i, dimension) {\n\tjQuery.cssHooks[dimension] = {\n\t\tget: function(elem, computed, extra) {\n\t\t\tif (computed) {\n\n\t\t\t\t// Certain elements can have dimension info if we invisibly show them\n\t\t\t\t// but it must have a current display style that would benefit\n\t\t\t\treturn rdisplayswap.test(jQuery.css(elem, \"display\")) &&\n\n\t\t\t\t\t// Support: Safari 8+\n\t\t\t\t\t// Table columns in Safari have non-zero offsetWidth & zero\n\t\t\t\t\t// getBoundingClientRect().width unless display is changed.\n\t\t\t\t\t// Support: IE <=11 only\n\t\t\t\t\t// Running getBoundingClientRect on a disconnected node\n\t\t\t\t\t// in IE throws an error.\n\t\t\t\t\t(!elem.getClientRects().length || !elem.getBoundingClientRect().width) ?\n\t\t\t\t\t\tswap(elem, cssShow, function() {\n\t\t\t\t\t\t\treturn getWidthOrHeight(elem, dimension, extra);\n\t\t\t\t\t\t}) :\n\t\t\t\t\t\tgetWidthOrHeight(elem, dimension, extra);\n\t\t\t}\n\t\t},\n\n\t\tset: function(elem, value, extra) {\n\t\t\tvar matches,\n\t\t\t\tstyles = getStyles(elem),\n\t\t\t\tisBorderBox = jQuery.css(elem, \"boxSizing\", false, styles) === \"border-box\",\n\t\t\t\tsubtract = extra &&\n\t\t\t\t\tboxModelAdjustment(\n\t\t\t\t\t\telem,\n\t\t\t\t\t\tdimension,\n\t\t\t\t\t\textra,\n\t\t\t\t\t\tisBorderBox,\n\t\t\t\t\t\tstyles\n\t\t\t\t\t);\n\n\t\t\t// Account for unreliable border-box dimensions by comparing offset* to computed and\n\t\t\t// faking a content-box to get border and padding (gh-3699)\n\t\t\tif (isBorderBox && support.scrollboxSize() ===

styles.position) {\n\t\t\tsubtract -= Math.ceil(\n\t\t\t\telem[\"offset\" + dimension[0].toUpperCase() + dimension.slice(1)] -\n\t\t\t\tparseFloat(styles[dimension]) -\n\t\t\t\tboxModelAdjustment(elem, dimension, \"border\", false, styles) -\n\t\t\t\t0.5\n\t\t\t);\n\t\t}\n\n\t\t\t/// Convert to pixels if value adjustment is needed\n\t\t\tif (subtract && (matches = rcssNum.exec(value)) &&\n\t\t\t\t(matches[3] || \"px\") !== \"px\") {\n\n\t\t\t\telem.style[dimension] = value;\n\t\t\t\tvalue = jQuery.css(elem, dimension);\n\t\t\t}\n\n\t\t\treturn setPositiveNumber(elem, value, subtract);\n\t\t};\n\t});\n\n\njQuery.cssHooks.marginLeft = addGetHookIf(support.reliableMarginLeft,\n\tfunction(elem, computed) {\n\t\tif (computed) {\n\t\t\treturn (parseFloat(curCSS(elem, \"marginLeft\")) ||\n\t\t\t\telem.getBoundingClientRect().left -\n\t\t\t\tswap(elem, { marginLeft: 0 }, function() {\n\t\t\t\t\treturn elem.getBoundingClientRect().left;\n\t\t\t\t})\n\t\t\t) + \"px\";\n\t\t}\n\t});\n\n//\nThese hooks are used by animate to expand properties\njQuery.each({\n\tmargin: \"\",\n\tpadding: \"\",\n\tborder: \"Width\"\n}, function(prefix, suffix) {\n\tjQuery.cssHooks[prefix + suffix] = {\n\t\texpand: function(value) {\n\t\t\tvar i = 0,\n\t\t\t\texpanded = {},\n\n\t\t\t\t// Assumes a single number if not a string\n\t\t\t\tparts = typeof value === \"string\" ? value.split(\" \") : [value];\n\n\t\t\tfor (; i < 4; i++) {\n\t\t\t\texpanded[prefix + cssExpand[i] + suffix] =\n\t\t\t\t\tparts[i] || parts[i - 2] || parts[0];\n\t\t\t}\n\n\t\t\treturn expanded;\n\t\t}\n\t};\n\n\tif (prefix !== \"margin\") {\n\t\tjQuery.cssHooks[prefix + suffix].set = setPositiveNumber;\n\t}\n});\n\njQuery.fn.extend({\n\tcss: function(name, value) {\n\t\treturn access(this, function(elem, name, value) {\n\t\t\tvar styles, len,\n\t\t\t\tmap = {},\n\t\t\t\ti = 0;\n\n\t\t\tif (Array.isArray(name)) {\n\t\t\t\tstyles = getStyles(elem);\n\t\t\t\tlen = name.length;\n\n\t\t\t\tfor (; i < len; i++) {\n\t\t\t\t\tmap[name[i]] = jQuery.css(elem, name[i], false, styles);\n\t\t\t\t}\n\n\t\t\t\treturn map;\n\t\t\t}\n\n\t\t\treturn value !== undefined ?\n\t\t\t\tjQuery.style(elem, name, value) :\n\t\t\t\tjQuery.css(elem, name);\n\t\t}, name, value, arguments.length > 1);\n\t}\n});\n\n\nfunction Tween(elem, options, prop, end, easing) {\n\treturn new Tween.prototype.init(elem, options, prop, end, easing);\n}\njQuery.Tween = Tween;\n\nTween.prototype = {\n\tconstructor: Tween,\n\tinit: function(elem, options, prop, end, easing, unit) {\n\t\tthis.elem = elem;\n\t\tthis.prop = prop;\n\t\tthis.easing = easing || jQuery.easing._default;\n\t\tthis.options = options;\n\t\tthis.start = this.now = this.cur();\n\t\tthis.end = end;\n\t\tthis.unit = unit || (jQuery.cssNumber[prop] ? \"\" : \"px\");\n\t},\n\tcur: function() {\n\t\tvar hooks = Tween.propHooks[this.prop];\n\n\t\treturn hooks && hooks.get ?\n\t\t\thooks.get(this) :\n\t\t\tTween.propHooks._default.get(this);\n\t},\n\trun: function(percent) {\n\t\tvar eased,\n\t\t\thooks = Tween.propHooks[this.prop];\n\n\t\tif (this.options.duration) {\n\t\t\tthis.pos = eased = jQuery.easing[this.easing](\n\t\t\t\tpercent, this.options.duration * percent, 0, 1, this.options.duration\n\t\t\t);\n\t\t} else {\n\t\t\tthis.pos = eased = percent;\n\t\t}\n\t\tthis.now = (this.end - this.start) * eased + this.start;\n\n\t\tif (this.options.step) {\n\t\t\tthis.options.step.call(this.elem, this.now, this);\n\t\t}\n\n\t\tif (hooks && hooks.set) {\n\t\t\thooks.set(this);\n\t\t} else {\n\t\t\tTween.propHooks._default.set(this);\n\t\t}\n\t\treturn this;\n\t}\n};\n\nTween.prototype.init.prototype = Tween.prototype;\n\nTween.propHooks = {\n\t_default: {\n\t\tget: function(tween) {\n\t\t\tvar result;\n\n\t\t\t// Use a property on the element directly when it is not a DOM element,\n\t\t\t// or when there is no matching style property that exists.\n\t\t\tif (tween.elem.nodeType !== 1 ||\n\t\t\t\ttween.elem[tween.prop] != null && tween.elem.style[tween.prop] == null) {\n\t\t\t\treturn tween.elem[tween.prop];\n\t\t\t}\n\n\t\t\t// Passing an empty string as a 3rd parameter to .css will automatically\n\t\t\t// attempt a parseFloat and fallback to a string if the parse fails.\n\t\t\t// Simple values such as \"10px\" are parsed to Float;\n\t\t\t// complex values such as \"rotate(1rad)\" are returned as-is.\n\t\t\tresult = jQuery.css(tween.elem, tween.prop, \"\");\n\n\t\t\t// Empty strings, null, undefined and \"auto\" are converted to 0.\n\t\t\treturn !result || result === \"auto\" ? 0 : result;\n\t\t},\n\t\tset: function(tween) {\n\n\t\t\t// Use step hook for back compat.\n\t\t\t// Use cssHook if its there.\n\t\t\t// Use .style if available and use plain properties where available.\n\t\t\tif (jQuery.fx.step[tween.prop]) {\n\t\t\t\tjQuery.fx.step[tween.prop](tween);\n\t\t\t} else if (tween.elem.nodeType === 1 &&\n\t\t\t\t(tween.elem.style[jQuery.cssProps[tween.prop]] != null ||\n\t\t\t\t\tjQuery.cssHooks[tween.prop])) {\n\t\t\t\tjQuery.style(tween.elem, tween.prop, tween.now + tween.unit);\n\t\t\t} else {\n\t\t\t\ttween.elem[tween.prop] = tween.now;\n\t\t\t}\n\t\t}\n\t}\n};\n\n// Support: IE <=9 only\n// Panic based approach to setting things on disconnected nodes\nTween.propHooks.scrollTop = Tween.propHooks.scrollLeft = {\n\tset: function(tween) {\n\t\tif (tween.elem.nodeType && tween.elem.parentNode) {\n\t\t\ttween.elem[

tween.prop] = tween.now;\n\t\t}\n\t}\n};\n\njQuery.easing = {\n\tlinear: function(p) {\n\t\treturn p;\n\t},\n\tswing: function(p) {\n\t\treturn 0.5 - Math.cos(p * Math.PI) / 2;\n\t},\n\t_default: \"swing\"\n};\n\njQuery.fx = Tween.prototype.init;\n\n// Back compat <1.8 extension point\njQuery.fx.step = {};\n\n\n\n\nvar\n\tfxNow, inProgress,\n\trfxtypes = /^(?:toggle|show|hide)$/,\n\trrun = /queueHooks$/;\n\nfunction schedule() {\n\tif (inProgress) {\n\t\tif (document.hidden === false && window.requestAnimationFrame) {\n\t\t\twindow.requestAnimationFrame(schedule);\n\t\t} else {\n\t\t\twindow.setTimeout(schedule, jQuery.fx.interval);\n\t\t}\n\n\t\tjQuery.fx.tick();\n\t}\n}\n\n// Animations created synchronously will run synchronously\nfunction createFxNow() {\n\twindow.setTimeout(function() {\n\t\tfxNow = undefined;\n\t});\n\treturn (fxNow = Date.now());\n}\n\n// Generate parameters to create a standard animation\nfunction genFx(type, includeWidth) {\n\tvar which,\n\t\ti = 0,\n\t\tattrs = { height: type };\n\t// If we include width, step value is 1 to do all cssExpand values,\n\t// otherwise step value is 2 to skip over Left and Right\n\tincludeWidth = includeWidth ? 1 : 0;\n\tfor (; i < 4; i += 2 - includeWidth) {\n\t\twhich = cssExpand[i];\n\t\tattrs[\"margin\" + which] = attrs[\"padding\" + which] = type;\n\t}\n\n\tif (includeWidth) {\n\t\tattrs.opacity = attrs.width = type;\n\t}\n\n\treturn attrs;\n}\n\nfunction createTween(value, prop, animation) {\n\tvar tween,\n\t\tcollection = (Animation.tweeners[prop] || []).concat(Animation.tweeners[\"*\"]),\n\t\tindex = 0,\n\t\tlength = collection.length;\n\tfor (; index < length; index++) {\n\t\tif ((tween = collection[index].call(animation, prop, value))) {\n\n\t\t\t// We're done with this property\n\t\t\treturn tween;\n\t\t}\n\t}\n}\n\nfunction defaultPrefilter(elem, props, opts) {\n\tvar prop, value, toggle, hooks, oldfire, propTween, restoreDisplay, display,\n\t\tisBox = \"width\" in props || \"height\" in props,\n\t\tanim = this,\n\t\torig = {},\n\t\tstyle = elem.style,\n\t\thidden = elem.nodeType && isHiddenWithinTree(elem),\n\t\tdataShow = dataPriv.get(elem, \"fxshow\");\n\n\t// Queue-skipping animations hijack the fx hooks\n\tif (!opts.queue) {\n\t\thooks = jQuery._queueHooks(elem, \"fx\");\n\t\tif (hooks.unqueued == null) {\n\t\t\thooks.unqueued = 0;\n\t\t\toldfire = hooks.empty.fire;\n\t\t\thooks.empty.fire = function() {\n\t\t\t\tif (!hooks.unqueued) {\n\t\t\t\t\toldfire();\n\t\t\t\t}\n\t\t\t};\n\t\t}\n\t\thooks.unqueued++;\n\n\t\tanim.always(function() {\n\n\t\t\t// Ensure the complete handler is called before this completes\n\t\t\tanim.always(function() {\n\t\t\t\thooks.unqueued--;\n\t\t\t\tif (!jQuery.queue(elem, \"fx\").length) {\n\t\t\t\t\thooks.empty.fire();\n\t\t\t\t}\n\t\t\t});\n\t\t});\n\t}\n\n\t// Detect show/hide animations\n\tfor (prop in props) {\n\t\tvalue = props[prop];\n\t\tif (rfxtypes.test(value)) {\n\t\t\tdelete props[prop];\n\t\t\ttoggle = toggle || value === \"toggle\";\n\t\t\tif (value === (hidden ? \"hide\" : \"show\")) {\n\n\t\t\t\t// Pretend to be hidden if this is a \"show\" and\n\t\t\t\t// there is still data from a stopped show/hide\n\t\t\t\tif (value === \"show\" && dataShow && dataShow[prop] !== undefined) {\n\t\t\t\t\thidden = true;\n\n\t\t\t\t// Ignore all other no-op show/hide data\n\t\t\t\t} else {\n\t\t\t\t\tcontinue;\n\t\t\t\t}\n\t\t\t}\n\t\t\torig[prop] = dataShow && dataShow[prop] || jQuery.style(elem, prop);\n\t\t}\n\t}\n\n\t// Bail out if this is a no-op like .hide().hide()\n\tpropTween = !jQuery.isEmptyObject(props);\n\tif (!propTween && jQuery.isEmptyObject(orig)) {\n\t\treturn;\n\t}\n\n\t// Restrict \"overflow\" and \"display\" styles during box animations\n\tif (isBox && elem.nodeType === 1) {\n\n\t\t// Support: IE <=9 - 11, Edge 12 - 15\n\t\t// Record all 3 overflow attributes because IE does not infer the shorthand\n\t\t// from identically-valued overflowX and overflowY and Edge just mirrors\n\t\t// the overflowX value there.\n\t\topts.overflow = [style.overflow, style.overflowX, style.overflowY];\n\n\t\t// Identify a display type, preferring old show/hide data over the CSS cascade\n\t\trestoreDisplay = dataShow && dataShow.display;\n\t\tif (restoreDisplay == null) {\n\t\t\trestoreDisplay = dataPriv.get(elem, \"display\");\n\t\t}\n\t\tdisplay = jQuery.css(elem, \"display\");\n\t\tif (display === \"none\") {\n\t\t\tif (restoreDisplay) {\n\t\t\t\tdisplay = restoreDisplay;\n\t\t\t} else {\n\n\t\t\t\t// Get nonempty value(s) by temporarily forcing visibility\n\t\t\t\tshowHide([elem], true);\n\t\t\t\trestoreDisplay = elem.style.display || restoreDisplay;\n\t\t\t\tdisplay = jQuery.css(elem, \"display\");\n\t\t\t\tshowHide([elem]);\n\t\t\t}\n\t\t}\n\n\t\t// Animate inline elements as inline-block\n\t\tif (display === \"inline\" || display === \"inline-block\" && restoreDisplay != null) {\n\t\t\tif (jQuery.css(elem, \"float\") === \"none\") {\n\n\t\t\t\t// Restore the original display value at the end of pure show/hide animations\n\t\t\t\tif (!propTween) {\n\t\t\t\t\tanim.done(function() {\n\t\t\t\t\t\tstyle.display = restoreDisplay;\n\t\t\t\t\t});\n\t\t\t\t\tif (restoreDisplay == null) {\n\t\t\t\t\t\tdisplay = style.display;\n\t\t\t\t\t\trestoreDisplay = display === \"none\" ? \"\" : display;\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t\tstyle.display

= \"inline-block\";\n\t\t}\n\t\t}\n\t}\n\n\tif (opts.overflow) {\n\t\tstyle.overflow = \"hidden\";\n\t\tanim.always(function() {\n\t\t\tstyle.overflow = opts.overflow[0];\n\t\t\tstyle.overflowX = opts.overflow[1];\n\t\t\tstyle.overflowY = opts.overflow[2];\n\t\t});\n\t}\n\n\t// Implement show/hide animations\n\tpropTween = false;\n\tfor (prop in orig) {\n\n\t\t// General show/hide setup for this element animation\n\t\tif (!propTween) {\n\t\t\tif (dataShow) {\n\t\t\t\tif (\"hidden\" in dataShow) {\n\t\t\t\t\thidden = dataShow.hidden;\n\t\t\t\t}\n\t\t\t} else {\n\t\t\t\tdataShow = dataPriv.access(elem, \"fxshow\", { display: restoreDisplay });\n\t\t\t}\n\n\t\t\t// Store hidden/visible for toggle so `.stop().toggle()` \"reverses\"\n\t\t\tif (toggle) {\n\t\t\t\tdataShow.hidden = !hidden;\n\t\t\t}\n\n\t\t\t// Show elements before animating them\n\t\t\tif (hidden) {\n\t\t\t\tshowHide([elem], true);\n\t\t\t}\n\n\t\t\t/* eslint-disable no-loop-func */\n\t\t\tanim.done(function() {\n\n\t\t\t/* eslint-enable no-loop-func */\n\n\t\t\t\t// The final step of a \"hide\" animation is actually hiding the element\n\t\t\t\tif (!hidden) {\n\t\t\t\t\tshowHide([elem]);\n\t\t\t\t}\n\t\t\t\tdataPriv.remove(elem, \"fxshow\");\n\t\t\t\tfor (prop in orig) {\n\t\t\t\t\tjQuery.style(elem, prop, orig[prop]);\n\t\t\t\t}\n\t\t\t});\n\t\t}\n\n\t\t// Per-property setup\n\t\tpropTween = createTween(hidden ? dataShow[prop] : 0, prop, anim);\n\t\tif (!(prop in dataShow)) {\n\t\t\tdataShow[prop] = propTween.start;\n\t\t\tif (hidden) {\n\t\t\t\tpropTween.end = propTween.start;\n\t\t\t\tpropTween.start = 0;\n\t\t\t}\n\t\t}\n\t}\n}\n\nfunction propFilter(props, specialEasing) {\n\tvar index, name, easing, value, hooks;\n\n\t// camelCase, specialEasing and expand cssHook pass\n\tfor (index in props) {\n\t\tname = camelCase(index);\n\t\teasing = specialEasing[name];\n\t\tvalue = props[index];\n\t\tif (Array.isArray(value)) {\n\t\t\teasing = value[1];\n\t\t\tvalue = props[index] = value[0];\n\t\t}\n\n\t\tif (index !== name) {\n\t\t\tprops[name] = value;\n\t\t\tdelete props[index];\n\t\t}\n\n\t\thooks = jQuery.cssHooks[name];\n\t\tif (hooks && \"expand\" in hooks) {\n\t\t\tvalue = hooks.expand(value);\n\t\t\tdelete props[name];\n\n\t\t\t// Not quite $.extend, this won't overwrite existing keys.\n\t\t\t// Reusing 'index' because we have the correct \"name\"\n\t\t\tfor (index in value) {\n\t\t\t\tif (!(index in props)) {\n\t\t\t\t\tprops[index] = value[index];\n\t\t\t\t\tspecialEasing[index] = easing;\n\t\t\t\t}\n\t\t\t}\n\t\t} else {\n\t\t\tspecialEasing[name] = easing;\n\t\t}\n\t}\n}\n\nfunction Animation(elem, properties, options) {\n\tvar result,\n\t\tstopped,\n\t\tindex = 0,\n\t\tlength = Animation.prefilters.length,\n\t\tdeferred = jQuery.Deferred().always(function() {\n\n\t\t\t// Don't match elem in the :animated selector\n\t\t\tdelete tick.elem;\n\t\t}),\n\t\ttick = function() {\n\t\t\tif (stopped) {\n\t\t\t\treturn false;\n\t\t\t}\n\t\t\tvar currentTime = fxNow || createFxNow(),\n\t\t\t\tremaining = Math.max(0, animation.startTime + animation.duration - currentTime),\n\n\t\t\t\t// Support: Android 2.3 only\n\t\t\t\t// Archaic crash bug won't allow us to use `1 - ( 0.5 || 0 )` (#12497)\n\t\t\t\ttemp = remaining / animation.duration || 0,\n\t\t\t\tpercent = 1 - temp,\n\t\t\t\tindex = 0,\n\t\t\t\tlength = animation.tweens.length;\n\n\t\t\tfor (; index < length; index++) {\n\t\t\t\tanimation.tweens[index].run(percent);\n\t\t\t}\n\n\t\t\tdeferred.notifyWith(elem, [animation, percent, remaining]);\n\n\t\t\t// If there's more to do, yield\n\t\t\tif (percent < 1 && length) {\n\t\t\t\treturn remaining;\n\t\t\t}\n\n\t\t\t// If this was an empty animation, synthesize a final progress notification\n\t\t\tif (!length) {\n\t\t\t\tdeferred.notifyWith(elem, [animation, 1, 0]);\n\t\t\t}\n\n\t\t\t// Resolve the animation and report its conclusion\n\t\t\tdeferred.resolveWith(elem, [animation]);\n\t\t\treturn false;\n\t\t},\n\t\tanimation = deferred.promise({\n\t\t\telem: elem,\n\t\t\tprops: jQuery.extend({}, properties),\n\t\t\topts: jQuery.extend(true, {\n\t\t\t\tspecialEasing: {},\n\t\t\t\teasing: jQuery.easing._default\n\t\t\t}, options),\n\t\t\toriginalProperties: properties,\n\t\t\toriginalOptions: options,\n\t\t\tstartTime: fxNow || createFxNow(),\n\t\t\tduration: options.duration,\n\t\t\ttweens: [],\n\t\t\tcreateTween: function(prop, end) {\n\t\t\t\tvar tween = jQuery.Tween(elem, animation.opts, prop, end,\n\t\t\t\t\t\tanimation.opts.specialEasing[prop] || animation.opts.easing);\n\t\t\t\tanimation.tweens.push(tween);\n\t\t\t\treturn tween;\n\t\t\t},\n\t\t\tstop: function(gotoEnd) {\n\t\t\t\tvar index = 0,\n\n\t\t\t\t\t// If we are going to the end, we want to run all the tweens\n\t\t\t\t\t// otherwise we skip this part\n\t\t\t\t\tlength = gotoEnd ? animation.tweens.length : 0;\n\t\t\t\tif (stopped) {\n\t\t\t\t\treturn this;\n\t\t\t\t}\n\t\t\t\tstopped = true;\n\t\t\t\tfor (; index < length; index++) {\n\t\t\t\t\tanimation.tweens[index].run(1);\n\t\t\t\t}\n\n\t\t\t\t// Resolve when we played the last frame; otherwise, reject\n\t\t\t\tif (gotoEnd) {\n\t\t\t\t\tdeferred.notifyWith(elem, [animation, 1, 0]);\n\t\t\t\t\tdeferred.resolveWith(elem, [animation, gotoEnd]);\n\t\t\t\t} else {\n\t\t\t\t\tdeferred.rejectWith(elem, [animation, gotoEnd]);\n\t\t\t\t}\n\t\t\t\treturn this;\n\t\t\t}\n\t\t}),\n\t\tprops = animation.props;\n\n\tpropFilter(props,

animation.opts.specialEasing);\n\n\tfor (; index < length; index++) {\n\t\tresult = Animation.prefilters[index].call(animation, elem, props, animation.opts);\n\t\tif (result) {\n\t\t\tif (isFunction(result.stop)) {\n\t\t\t\tjQuery._queueHooks(animation.elem, animation.opts.queue).stop =\n\t\t\t\t\tresult.stop.bind(result);\n\t\t\t}\n\t\t\treturn result;\n\t\t}\n\t}\n\n\tjQuery.map(props, createTween, animation);\n\n\tif (isFunction(animation.opts.start)) {\n\t\tanimation.opts.start.call(elem, animation);\n\t}\n\n\t// Attach callbacks from options\n\tanimation\n\t\t.progress(animation.opts.progress)\n\t\t.done(animation.opts.done, animation.opts.complete)\n\t\t.fail(animation.opts.fail)\n\t\t.always(animation.opts.always);\n\n\tjQuery.fx.timer(\n\t\tjQuery.extend(tick, {\n\t\t\telem: elem,\n\t\t\tanim: animation,\n\t\t\tqueue: animation.opts.queue\n\t\t})\n\t);\n\n\treturn animation;\n}\n\njQuery.Animation = jQuery.extend(Animation, {\n\n\ttweeners: {\n\t\t"*": [function(prop, value) {\n\t\t\tvar tween = this.createTween(prop, value);\n\t\t\tadjustCSS(tween.elem, prop, rcssNum.exec(value), tween);\n\t\t\treturn tween;\n\t\t}]\n\t},\n\n\ttweener: function(props, callback) {\n\t\tif (isFunction(props)) {\n\t\t\tcallback = props;\n\t\t\tprops = ["*"];\n\t\t} else {\n\t\t\tprops = props.match(rnothtmlwhite);\n\t\t}\n\n\t\tvar prop,\n\t\t\tindex = 0,\n\t\t\tlength = props.length;\n\n\t\tfor (; index < length; index++) {\n\t\t\tprop = props[index];\n\t\t\tAnimation.tweeners[prop] = Animation.tweeners[prop] || [];\n\t\t\tAnimation.tweeners[prop].unshift(callback);\n\t\t}\n\t},\n\n\tprefilters: [defaultPrefilter],\n\n\tprefilter: function(callback, prepend) {\n\t\tif (prepend) {\n\t\t\tAnimation.prefilters.unshift(callback);\n\t\t} else {\n\t\t\tAnimation.prefilters.push(callback);\n\t\t}\n\t}\n});\n\njQuery.speed = function(speed, easing, fn) {\n\tvar opt = speed && typeof speed === "object" ? jQuery.extend({}, speed) : {\n\t\tcomplete: fn || !fn && easing ||\n\t\t\tisFunction(speed) && speed,\n\t\tduration: speed,\n\t\teasing: fn && easing || easing && !isFunction(easing) && easing\n\t};\n\n\t// Go to the end state if fx are off\n\tif (jQuery.fx.off) {\n\t\topt.duration = 0;\n\n\t} else {\n\t\tif (typeof opt.duration !== "number") {\n\t\t\tif (opt.duration in jQuery.fx.speeds) {\n\t\t\t\topt.duration = jQuery.fx.speeds[opt.duration];\n\n\t\t\t} else {\n\t\t\t\topt.duration = jQuery.fx.speeds._default;\n\t\t\t}\n\t\t}\n\t}\n\n\t// Normalize opt.queue - true/undefined/null -> "fx"\n\tif (opt.queue == null || opt.queue === true) {\n\t\topt.queue = "fx";\n\t}\n\n\t// Queueing\n\topt.old = opt.complete;\n\n\topt.complete = function() {\n\t\tif (isFunction(opt.old)) {\n\t\t\topt.old.call(this);\n\t\t}\n\n\t\tif (opt.queue) {\n\t\t\tjQuery.dequeue(this, opt.queue);\n\t\t}\n\t};\n\n\treturn opt;\n};\n\njQuery.fn.extend({\n\tfadeTo: function(speed, to, easing, callback) {\n\n\t\t// Show any hidden elements after setting opacity to 0\n\t\treturn this.filter(isHiddenWithinTree).css("opacity", 0).show()\n\n\t\t\t// Animate to the value specified\n\t\t\t.end().animate({ opacity: to }, speed, easing, callback);\n\t},\n\tanimate: function(prop, speed, easing, callback) {\n\t\tvar empty = jQuery.isEmptyObject(prop),\n\t\t\toptall = jQuery.speed(speed, easing, callback),\n\t\t\tdoAnimation = function() {\n\n\t\t\t\t// Operate on a copy of prop so per-property easing won't be lost\n\t\t\t\tvar anim = Animation(this, jQuery.extend({}, prop), optall);\n\n\t\t\t\t// Empty animations, or finishing resolves immediately\n\t\t\t\tif (empty || dataPriv.get(this, "finish")) {\n\t\t\t\t\tanim.stop(true);\n\t\t\t\t}\n\t\t\t};\n\t\t\tdoAnimation.finish = doAnimation;\n\n\t\treturn empty || optall.queue === false ?\n\t\t\tthis.each(doAnimation) :\n\t\t\tthis.queue(optall.queue, doAnimation);\n\t},\n\tstop: function(type, clearQueue, gotoEnd) {\n\t\tvar stopQueue = function(hooks) {\n\t\t\tvar stop = hooks.stop;\n\t\t\tdelete hooks.stop;\n\t\t\tstop(gotoEnd);\n\t\t};\n\n\t\tif (typeof type !== "string") {\n\t\t\tgotoEnd = clearQueue;\n\t\t\tclearQueue = type;\n\t\t\ttype = undefined;\n\t\t}\n\t\tif (clearQueue && type !== false) {\n\t\t\tthis.queue(type || "fx", []);\n\t\t}\n\n\t\treturn this.each(function() {\n\t\t\tvar dequeue = true,\n\t\t\t\tindex = type != null && type + "queueHooks",\n\t\t\t\ttimers = jQuery.timers,\n\t\t\t\tdata = dataPriv.get(this);\n\n\t\t\tif (index) {\n\t\t\t\tif (data[index] && data[index].stop) {\n\t\t\t\t\tstopQueue(data[index]);\n\t\t\t\t}\n\t\t\t} else {\n\t\t\t\tfor (index in data) {\n\t\t\t\t\tif (data[index] && data[index].stop && rrun.test(index)) {\n\t\t\t\t\t\tstopQueue(data[index]);\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\n\t\t\tfor (index = timers.length; index--;) {\n\t\t\t\tif (timers[index].elem === this &&\n\t\t\t\t\t(type == null || timers[index].queue === type)) {\n\n\t\t\t\t\ttimers[index].anim.stop(gotoEnd);\n\t\t\t\t\tdequeue = false;\n\t\t\t\t\ttimers.splice(index, 1);\n\t\t\t\t}\n\t\t\t}\n\n\t\t\t// Start the next in the queue if the last step wasn't forced.\n\t\t\t// Timers currently will call their complete callbacks, which\n\t\t\t// will dequeue but only if they were gotoEnd.\n\t\t\tif (dequeue || !gotoEnd) {\n\t\t\t\tjQuery.dequeue(this, type);\n\t\t\t}\n\t\t});\n\t},\n\tfinish: function(type) {\n\t\tif (type !==

false) {\n\t\t\ttype = type || \"fx\";\n\t\t}\n\t\treturn this.each(function() {\n\t\t\tvar index,\n\t\t\t\tdata = dataPriv.get(this),\n\t\t\t\tqueue = data[type + \"queue\"],\n\t\t\t\thooks = data[type + \"queueHooks\"],\n\t\t\t\ttimers = jQuery.timers,\n\t\t\t\tlength = queue ? queue.length : 0;\n\n\t\t\t// Enable finishing flag on private data\n\t\t\tdata.finish = true;\n\n\t\t\t// Empty the queue first\n\t\t\tjQuery.queue(this, type, []);\n\n\t\t\tif (hooks && hooks.stop) {\n\t\t\t\thooks.stop.call(this, true);\n\t\t\t}\n\n\t\t\t// Look for any active animations, and finish them\n\t\t\tfor (index = timers.length; index--;) {\n\t\t\t\tif (timers[index].elem === this && timers[index].queue === type) {\n\t\t\t\t\ttimers[index].anim.stop(true);\n\t\t\t\t\ttimers.splice(index, 1);\n\t\t\t\t}\n\t\t\t}\n\n\t\t\t// Look for any animations in the old queue and finish them\n\t\t\tfor (index = 0; index < length; index++) {\n\t\t\t\tif (queue[index] && queue[index].finish) {\n\t\t\t\t\tqueue[index].finish.call(this);\n\t\t\t\t}\n\t\t\t}\n\n\t\t\t// Turn off finishing flag\n\t\t\tdelete data.finish;\n\t\t});\n\t}\n});\n\njQuery.each([\"toggle\", \"show\", \"hide\"], function(i, name) {\n\tvar cssFn = jQuery.fn[name];\n\tjQuery.fn[name] = function(speed, easing, callback) {\n\t\treturn speed == null || typeof speed === \"boolean\" ?\n\t\t\tcssFn.apply(this, arguments) :\n\t\t\tthis.animate(genFx(name, true), speed, easing, callback);\n\t};\n});\n\n// Generate shortcuts for custom animations\njQuery.each({\n\tslideDown: genFx(\"show\"),\n\tslideUp: genFx(\"hide\"),\n\tslideToggle: genFx(\"toggle\"),\n\tfadeIn: { opacity: \"show\" },\n\tfadeOut: { opacity: \"hide\" },\n\tfadeToggle: { opacity: \"toggle\" }\n}, function(name, props) {\n\tjQuery.fn[name] = function(speed, easing, callback) {\n\t\treturn this.animate(props, speed, easing, callback);\n\t};\n});\n\njQuery.timers = [];\njQuery.fx.tick = function() {\n\tvar timer,\n\t\ti = 0,\n\t\ttimers = jQuery.timers;\n\n\tfxNow = Date.now();\n\n\tfor (; i < timers.length; i++) {\n\t\ttimer = timers[i];\n\n\t\t// Run the timer and safely remove it when done (allowing for external removal)\n\t\tif (!timer() && timers[i] === timer) {\n\t\t\ttimers.splice(i--, 1);\n\t\t}\n\t}\n\n\tif (!timers.length) {\n\t\tjQuery.fx.stop();\n\t}\n\tfxNow = undefined;\n};\n\njQuery.fx.timer = function(timer) {\n\tjQuery.timers.push(timer);\n\tjQuery.fx.start();\n};\n\njQuery.fx.interval = 13;\njQuery.fx.start = function() {\n\tif (inProgress) {\n\t\treturn;\n\t}\n\n\tinProgress = true;\n\tschedule();\n};\n\njQuery.fx.stop = function() {\n\tinProgress = null;\n};\n\njQuery.fx.speeds = {\n\tslow: 600,\n\tfast: 200,\n\n\t// Default speed\n\t_default: 400\n};\n\n\n// Based off of the plugin by Clint Helfers, with permission.\n// https://web.archive.org/web/20100324014747/http://blindsignals.com/index.php/2009/07/jquery-delay/\njQuery.fn.delay = function(time, type) {\n\ttime = jQuery.fx ? jQuery.fx.speeds[time] || time : time;\n\ttype = type || \"fx\";\n\n\treturn this.queue(type, function(next, hooks) {\n\t\tvar timeout = window.setTimeout(next, time);\n\t\thooks.stop = function() {\n\t\t\twindow.clearTimeout(timeout);\n\t\t};\n\t});\n};\n\n\n(function() {\n\tvar input = document.createElement(\"input\"),\n\t\tselect = document.createElement(\"select\"),\n\t\topt = select.appendChild(document.createElement(\"option\"));\n\n\tinput.type = \"checkbox\";\n\n\t// Support: Android <=4.3 only\n\t// Default value for a checkbox should be \"on\"\n\tsupport.checkOn = input.value !== \"\";\n\n\t// Support: IE <=11 only\n\t// Must access selectedIndex to make default options select\n\tsupport.optSelected = opt.selected;\n\n\t// Support: IE <=11 only\n\t// An input loses its value after becoming a radio\n\tinput = document.createElement(\"input\");\n\tinput.value = \"t\";\n\tinput.type = \"radio\";\n\tsupport.radioValue = input.value === \"t\";\n})();\n\n\nvar boolHook,\n\tattrHandle = jQuery.expr.attrHandle;\n\njQuery.fn.extend({\n\tattr: function(name, value) {\n\t\treturn access(this, jQuery.attr, name, value, arguments.length > 1);\n\t},\n\n\tremoveAttr: function(name) {\n\t\treturn this.each(function() {\n\t\t\tjQuery.removeAttr(this, name);\n\t\t});\n\t}\n});\n\njQuery.extend({\n\tattr: function(elem, name, value) {\n\t\tvar ret, hooks,\n\t\t\tnType = elem.nodeType;\n\n\t\t// Don't get/set attributes on text, comment and attribute nodes\n\t\tif (nType === 3 || nType === 8 || nType === 2) {\n\t\t\treturn;\n\t\t}\n\n\t\t// Fallback to prop when attributes are not supported\n\t\tif (typeof elem.getAttribute === \"undefined\") {\n\t\t\treturn jQuery.prop(elem, name, value);\n\t\t}\n\n\t\t// Attribute hooks are determined by the lowercase version\n\t\t// Grab necessary hook if one is defined\n\t\tif (nType !== 1 || !jQuery.isXMLDoc(elem)) {\n\t\t\thooks = jQuery.attrHooks[name.toLowerCase()] ||\n\t\t\t\t(jQuery.expr.match.bool.test(name) ? boolHook : undefined);\n\t\t}\n\n\t\tif (value !== undefined) {\n\t\t\tif (value === null) {\n\t\t\t\tjQuery.removeAttr(elem, name);\n\t\t\t\treturn;\n\t\t\t}\n\n\t\t\tif (hooks && \"set\" in hooks &&\n\t\t\t\t(ret = hooks.set(elem, value, name)) !== undefined) {\n\t\t\t\treturn ret;\n\t\t\t}\n\n\t\t\telem.setAttribute(name, value + \"\");\n\t\t\treturn

value;\n\t\t}\n\n\t\tif (hooks && \"get\" in hooks && (ret = hooks.get(elem, name)) !== null) {\n\t\t\treturn ret;\n\t\t}\n\n\t\tret = jQuery.find.attr(elem, name);\n\n\t\t// Non-existent attributes return null, we normalize to undefined\n\t\treturn ret == null ? undefined : ret;\n\t},\n\n\tattrHooks: {\n\t\ttype: {\n\t\t\tset: function(elem, value) {\n\t\t\t\tif (!support.radioValue && value === \"radio\" &&\n\t\t\t\t\tnodeName(elem, \"input\")) {\n\t\t\t\t\tvar val = elem.value;\n\t\t\t\t\telem.setAttribute(\"type\", value);\n\t\t\t\t\tif (val) {\n\t\t\t\t\t\telem.value = val;\n\t\t\t\t\t}\n\t\t\t\t\treturn value;\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t},\n\n\tremoveAttr: function(elem, value) {\n\t\tvar name,\n\t\t\ti = 0,\n\n\t\t\t// Attribute names can contain non-HTML whitespace characters\n\t\t\t// https://html.spec.whatwg.org/multipage/syntax.html#attributes-2\n\t\t\tattrNames = value && value.match(rnothtmlwhite);\n\n\t\tif (attrNames && elem.nodeType === 1) {\n\t\t\twhile ((name = attrNames[i++])) {\n\t\t\t\telem.removeAttribute(name);\n\t\t\t}\n\t\t}\n\t}\n});\n\n// Hooks for boolean attributes\nboolHook = {\n\tset: function(elem, value, name) {\n\t\tif (value === false) {\n\n\t\t\t// Remove boolean attributes when set to false\n\t\t\tjQuery.removeAttr(elem, name);\n\t\t} else {\n\t\t\telem.setAttribute(name, name);\n\t\t}\n\t\treturn name;\n\t}\n};\n\njQuery.each(jQuery.expr.match.bool.source.match(/\\w+/g), function(i, name) {\n\tvar getter = attrHandle[name] || jQuery.find.attr;\n\n\tattrHandle[name] = function(elem, name, isXML) {\n\t\tvar ret, handle,\n\t\t\tlowercaseName = name.toLowerCase();\n\n\t\tif (!isXML) {\n\n\t\t\t// Avoid an infinite loop by temporarily removing this function from the getter\n\t\t\thandle = attrHandle[lowercaseName];\n\t\t\tattrHandle[lowercaseName] = ret;\n\t\t\tret = getter(elem, name, isXML) != null ?\n\t\t\t\tlowercaseName :\n\t\t\t\tnull;\n\t\t\tattrHandle[lowercaseName] = handle;\n\t\t}\n\t\treturn ret;\n\t};\n});\n\n\n\nvar rfocusable = /^(?:input|select|textarea|button)$/i,\n\trclickable = /^(?:a|area)$/i;\n\njQuery.fn.extend({\n\tprop: function(name, value) {\n\t\treturn access(this, jQuery.prop, name, value, arguments.length > 1);\n\t},\n\n\tremoveProp: function(name) {\n\t\treturn this.each(function() {\n\t\t\tdelete this[jQuery.propFix[name] || name];\n\t\t});\n\t}\n});\n\njQuery.extend({\n\tprop: function(elem, name, value) {\n\t\tvar ret, hooks,\n\t\t\tnType = elem.nodeType;\n\n\t\t// Don't get/set properties on text, comment and attribute nodes\n\t\tif (nType === 3 || nType === 8 || nType === 2) {\n\t\t\treturn;\n\t\t}\n\n\t\tif (nType !== 1 || !jQuery.isXMLDoc(elem)) {\n\n\t\t\t// Fix name and attach hooks\n\t\t\tname = jQuery.propFix[name] || name;\n\t\t\thooks = jQuery.propHooks[name];\n\t\t}\n\n\t\tif (value !== undefined) {\n\t\t\tif (hooks && \"set\" in hooks &&\n\t\t\t\t(ret = hooks.set(elem, value, name)) !== undefined) {\n\t\t\t\treturn ret;\n\t\t\t}\n\n\t\t\treturn (elem[name] = value);\n\t\t}\n\n\t\tif (hooks && \"get\" in hooks && (ret = hooks.get(elem, name)) !== null) {\n\t\t\treturn ret;\n\t\t}\n\n\t\treturn elem[name];\n\t},\n\n\tpropHooks: {\n\t\ttabIndex: {\n\t\t\tget: function(elem) {\n\n\t\t\t\t// Support: IE <=9 - 11 only\n\t\t\t\t// elem.tabIndex doesn't always return the\n\t\t\t\t// correct value when it hasn't been explicitly set\n\t\t\t\t// https://web.archive.org/web/20141116233347/http://fluidproject.org/blog/2008/01/09/getting-setting-and-removing-tabindex-values-with-javascript/\n\t\t\t\t// Use proper attribute retrieval(#12072)\n\t\t\t\tvar tabindex = jQuery.find.attr(elem, \"tabindex\");\n\n\t\t\t\tif (tabindex) {\n\t\t\t\t\treturn parseInt(tabindex, 10);\n\t\t\t\t}\n\n\t\t\t\tif (\n\t\t\t\t\trfocusable.test(elem.nodeName) ||\n\t\t\t\t\trclickable.test(elem.nodeName) &&\n\t\t\t\t\telem.href\n\t\t\t\t) {\n\t\t\t\t\treturn 0;\n\t\t\t\t}\n\n\t\t\t\treturn -1;\n\t\t\t}\n\t\t}\n\t},\n\n\tpropFix: {\n\t\t\"for\": \"htmlFor\",\n\t\t\"class\": \"className\"\n\t}\n});\n\n// Support: IE <=11 only\n// Accessing the selectedIndex property\n// forces the browser to respect setting selected\n// on the option\n// The getter ensures a default option is selected\n// when in an optgroup\n// eslint rule \"no-unused-expressions\" is disabled for this code\n// since it considers such accessions noop\nif (!support.optSelected) {\n\tjQuery.propHooks.selected = {\n\t\tget: function(elem) {\n\n\t\t\t/* eslint no-unused-expressions: \"off\" */\n\n\t\t\tvar parent = elem.parentNode;\n\t\t\tif (parent && parent.parentNode) {\n\t\t\t\tparent.parentNode.selectedIndex;\n\t\t\t}\n\t\t\treturn null;\n\t\t},\n\t\tset: function(elem) {\n\n\t\t\t/* eslint no-unused-expressions: \"off\" */\n\n\t\t\tvar parent = elem.parentNode;\n\t\t\tif (parent) {\n\t\t\t\tparent.selectedIndex;\n\n\t\t\t\tif (parent.parentNode) {\n\t\t\t\t\tparent.parentNode.selectedIndex;\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t};\n}\n\njQuery.each([\n\t\"tabIndex\",\n\t\"readOnly\",\n\t\"maxLength\",\n\t\"cellSpacing\",\n\t\"cellPadding\",\n\t\"rowSpan\",\n\t\"colSpan\",\n\t\"useMap\",\n\t\"frameBorder\",\n\t\"contentEditable\"\n], function() {\n\tjQuery.propFix[this.toLowerCase()] = this;\n});\n\n\n\n\n\t// Strip and collapse whitespace according to HTML spec\n\t//

https://infra.spec.whatwg.org/#strip-and-collapse-ascii-whitespace\n\tfunction stripAndCollapse(value) {\n\t\tvar tokens = value.match(rnothtmlwhite) || [];\n\t\treturn tokens.join(\" \");\n\t}\n\n\nfunction getClass(elem) {\n\t\treturn elem.getAttribute && elem.getAttribute(\"class\") || \"\";\n}\n\n\nfunction classesToArray(value) {\n\tif (Array.isArray(value)) {\n\t\treturn value;\n\t}\n\tif (typeof value === \"string\") {\n\t\treturn value.match(rnothtmlwhite) || [];\n\t}\n\treturn [];\n}\n\n\njQuery.fn.extend({\n\taddClass: function(value) {\n\t\tvar classes, elem, cur, curValue, clazz, j, finalValue,\n\t\t\ti = 0;\n\n\t\tif (isFunction(value)) {\n\t\t\treturn this.each(function(j) {\n\t\t\t\tjQuery(this).addClass(value.call(this, j, getClass(this)));\n\t\t\t});\n\t\t}\n\n\t\tclasses = classesToArray(value);\n\n\t\tif (classes.length) {\n\t\t\twhile ((elem = this[i++])) {\n\t\t\t\tcurValue = getClass(elem);\n\t\t\t\tcur = elem.nodeType === 1 && (\" \" + stripAndCollapse(curValue) + \" \");\n\n\t\t\t\tif (cur) {\n\t\t\t\t\tj = 0;\n\t\t\t\t\twhile ((clazz = classes[j++])) {\n\t\t\t\t\t\tif (cur.indexOf(\" \" + clazz + \" \") < 0) {\n\t\t\t\t\t\t\tcur += clazz + \" \";\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\n\t\t\t\t\t// Only assign if different to avoid unneeded rendering.\n\t\t\t\t\tfinalValue = stripAndCollapse(cur);\n\t\t\t\t\tif (curValue !== finalValue) {\n\t\t\t\t\t\telem.setAttribute(\"class\", finalValue);\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t\treturn this;\n\t},\n\n\tremoveClass: function(value) {\n\t\tvar classes, elem, cur, curValue, clazz, j, finalValue,\n\t\t\ti = 0;\n\n\t\tif (isFunction(value)) {\n\t\t\treturn this.each(function(j) {\n\t\t\t\tjQuery(this).removeClass(value.call(this, j, getClass(this)));\n\t\t\t});\n\t\t}\n\n\t\tif (!arguments.length) {\n\t\t\treturn this.attr(\"class\", \"\");\n\t\t}\n\n\t\tclasses = classesToArray(value);\n\n\t\tif (classes.length) {\n\t\t\twhile ((elem = this[i++])) {\n\t\t\t\tcurValue = getClass(elem);\n\n\t\t\t\t// This expression is here for better compressibility (see addClass)\n\t\t\t\tcur = elem.nodeType === 1 && (\" \" + stripAndCollapse(curValue) + \" \");\n\n\t\t\t\tif (cur) {\n\t\t\t\t\tj = 0;\n\t\t\t\t\twhile ((clazz = classes[j++])) {\n\n\t\t\t\t\t\t// Remove *all* instances\n\t\t\t\t\t\twhile (cur.indexOf(\" \" + clazz + \" \") > -1) {\n\t\t\t\t\t\t\tcur = cur.replace(\" \" + clazz + \" \", \" \");\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\n\t\t\t\t\t// Only assign if different to avoid unneeded rendering.\n\t\t\t\t\tfinalValue = stripAndCollapse(cur);\n\t\t\t\t\tif (curValue !== finalValue) {\n\t\t\t\t\t\telem.setAttribute(\"class\", finalValue);\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t\treturn this;\n\t},\n\n\ttoggleClass: function(value, stateVal) {\n\t\tvar type = typeof value,\n\t\t\tisValidValue = type === \"string\" || Array.isArray(value);\n\n\t\tif (typeof stateVal === \"boolean\" && isValidValue) {\n\t\t\treturn stateVal ? this.addClass(value) : this.removeClass(value);\n\t\t}\n\n\t\tif (isFunction(value)) {\n\t\t\treturn this.each(function(i) {\n\t\t\t\tjQuery(this).toggleClass(\n\t\t\t\t\tvalue.call(this, i, getClass(this), stateVal),\n\t\t\t\t\tstateVal\n\t\t\t\t);\n\t\t\t});\n\t\t}\n\n\t\treturn this.each(function() {\n\t\t\tvar className, i, self, classNames;\n\n\t\t\tif (isValidValue) {\n\n\t\t\t\t// Toggle individual class names\n\t\t\t\ti = 0;\n\t\t\t\tself = jQuery(this);\n\t\t\t\tclassNames = classesToArray(value);\n\n\t\t\t\twhile ((className = classNames[i++])) {\n\n\t\t\t\t\t// Check each className given, space separated list\n\t\t\t\t\tif (self.hasClass(className)) {\n\t\t\t\t\t\tself.removeClass(className);\n\t\t\t\t\t} else {\n\t\t\t\t\t\tself.addClass(className);\n\t\t\t\t\t}\n\t\t\t\t}\n\n\t\t\t// Toggle whole class name\n\t\t\t} else if (value === undefined || type === \"boolean\") {\n\t\t\t\tclassName = getClass(this);\n\t\t\t\tif (className) {\n\n\t\t\t\t\t// Store className if set\n\t\t\t\t\tdataPriv.set(this, \"__className__\", className);\n\t\t\t\t}\n\n\t\t\t\t// If the element has a class name or if we're passed `false`,\n\t\t\t\t// then remove the whole classname (if there was one, the above saved it).\n\t\t\t\t// Otherwise bring back whatever was previously saved (if anything),\n\t\t\t\t// falling back to the empty string if nothing was stored.\n\t\t\t\tif (this.setAttribute) {\n\t\t\t\t\tthis.setAttribute(\"class\",\n\t\t\t\t\t\tclassName || value === false ?\n\t\t\t\t\t\t\t\"\" :\n\t\t\t\t\t\t\tdataPriv.get(this, \"__className__\") || \"\"\n\t\t\t\t\t);\n\t\t\t\t}\n\t\t\t}\n\t\t});\n\t},\n\n\thasClass: function(selector) {\n\t\tvar className, elem,\n\t\t\ti = 0;\n\n\t\tclassName = \" \" + selector + \" \";\n\t\twhile ((elem = this[i++])) {\n\t\t\tif (elem.nodeType === 1 &&\n\t\t\t\t(\" \" + stripAndCollapse(getClass(elem)) + \" \").indexOf(className) > -1) {\n\t\t\t\t\treturn true;\n\t\t\t}\n\t\t}\n\n\t\treturn false;\n\t}\n});\n\n\n\n\nvar rreturn = /\\r/g;\n\n\njQuery.fn.extend({\n\tval: function(value) {\n\t\tvar hooks, ret, valueIsFunction,\n\t\t\telem = this[0];\n\n\t\tif (!arguments.length) {\n\t\t\tif (elem) {\n\t\t\t\thooks = jQuery.valHooks[elem.type] ||\n\t\t\t\t\tjQuery.valHooks[elem.nodeName.toLowerCase()];\n\n\t\t\t\tif (hooks &&\n\t\t\t\t\t\"get\" in hooks &&\n\t\t\t\t\t(ret = hooks.get(elem, \"value\")) !== undefined\n\t\t\t\t) {\n\t\t\t\t\treturn ret;\n\t\t\t\t}\n\n\t\t\t\tret = elem.value;\n\n\t\t\t\t// Handle most common string cases\n\t\t\t\tif (typeof ret === \"string\") {\n\t\t\t\t\treturn ret.replace(rreturn, \"\"

);\n\t\t\t}\n\n\t\t\t/// Handle cases where value is null/undef or number\n\t\t\treturn ret == null ? \"\" : ret;\n\t\t}\n\n\t\treturn;\n\t}\n\n\t\tvalueIsFunction = isFunction(value);\n\t\treturn this.each(function(i) {\n\t\tvar val;\n\n\t\tif (this.nodeType !== 1) {\n\t\t\treturn;\n\t\t}\n\n\t\tif (valueIsFunction) {\n\t\t\tval = value.call(this, i, jQuery(this).val());\n\t\t} else {\n\t\t\tval = value;\n\t\t}\n\n\t\t// Treat null/undefined as \"\"; convert numbers to string\n\t\tif (val == null) {\n\t\t\tval = \"\";\n\t\t} else if (typeof val === \"number\") {\n\t\t\tval += \"\";\n\t\t} else if (Array.isArray(val)) {\n\t\t\tval = jQuery.map(val, function(value) {\n\t\t\treturn value == null ? \"\" : value + \"\";\n\t\t});\n\t\t}\n\n\t\thooks = jQuery.valHooks[this.type] || jQuery.valHooks[this.nodeName.toLowerCase()];\n\n\t\t// If set returns undefined, fall back to normal setting\n\t\tif (!hooks || !(\"set\" in hooks) || hooks.set(this, val, \"value\") === undefined) {\n\t\t\tthis.value = val;\n\t\t}\n\t});\n}\n});\n\njQuery.extend({\n\tvalHooks: {\n\t\toption: {\n\t\t\tget: function(elem) {\n\n\t\t\tvar val = jQuery.find.attr(elem, \"value\");\n\t\t\treturn val != null ?\n\t\t\t\tval :\n\n\t\t\t\t// Support: IE <=10 - 11 only\n\t\t\t\t// option.text throws exceptions (#14686, #14858)\n\t\t\t\t// Strip and collapse whitespace\n\t\t\t\t// https://html.spec.whatwg.org/#strip-and-collapse-whitespace\n\t\t\t\tstripAndCollapse(jQuery.text(elem));\n\t\t}\n\t\t},\n\t\tselect: {\n\t\t\tget: function(elem) {\n\t\t\tvar value, option, i,\n\t\t\t\toptions = elem.options,\n\t\t\t\tindex = elem.selectedIndex,\n\t\t\t\tone = elem.type === \"select-one\",\n\t\t\t\tvalues = one ? null : [],\n\t\t\t\tmax = one ? index + 1 : options.length;\n\n\t\t\tif (index < 0) {\n\t\t\t\ti = max;\n\n\t\t\t} else {\n\t\t\t\ti = one ? index : 0;\n\t\t\t}\n\n\t\t\t// Loop through all the selected options\n\t\t\tfor (; i < max; i++) {\n\t\t\t\toption = options[i];\n\n\t\t\t\t// Support: IE <=9 only\n\t\t\t\t// IE8-9 doesn't update selected after form reset (#2551)\n\t\t\t\tif ((option.selected || i === index) &&\n\n\t\t\t\t\t// Don't return options that are disabled or in a disabled optgroup\n\t\t\t\t\t!option.disabled &&\n\t\t\t\t\t(!option.parentNode.disabled ||\n\t\t\t\t\t\t!nodeName(option.parentNode, \"optgroup\"))) {\n\n\t\t\t\t\t// Get the specific value for the option\n\t\t\t\t\tvalue = jQuery(option).val();\n\n\t\t\t\t\t// We don't need an array for one selects\n\t\t\t\t\tif (one) {\n\t\t\t\t\t\treturn value;\n\t\t\t\t\t}\n\n\t\t\t\t\t// Multi-Selects return an array\n\t\t\t\t\tvalues.push(value);\n\t\t\t\t}\n\t\t\t}\n\n\t\t\treturn values;\n\t\t},\n\n\t\tset: function(elem, value) {\n\t\t\tvar optionSet, option,\n\t\t\t\toptions = elem.options,\n\t\t\t\tvalues = jQuery.makeArray(value),\n\t\t\t\ti = options.length;\n\n\t\t\twhile (i--) {\n\t\t\t\toption = options[i];\n\n\t\t\t\t/* eslint-disable no-cond-assign */\n\n\t\t\t\tif (option.selected =\n\t\t\t\t\tjQuery.inArray(jQuery.valHooks.option.get(option), values) > -1\n\t\t\t\t) {\n\t\t\t\t\toptionSet = true;\n\t\t\t\t}\n\n\t\t\t\t/* eslint-enable no-cond-assign */\n\t\t\t}\n\n\t\t\t// Force browsers to behave consistently when non-matching value is set\n\t\t\tif (!optionSet) {\n\t\t\t\telem.selectedIndex = -1;\n\t\t\t}\n\t\t\treturn values;\n\t\t}\n\t}\n\t}\n});\n\n// Radios and checkboxes getter/setter\njQuery.each([\"radio\", \"checkbox\"], function() {\n\tjQuery.valHooks[this] = {\n\t\tset: function(elem, value) {\n\t\t\tif (Array.isArray(value)) {\n\t\t\t\treturn (elem.checked = jQuery.inArray(jQuery(elem).val(), value) > -1);\n\t\t\t}\n\t\t}\n\t};\n\tif (!support.checkOn) {\n\t\tjQuery.valHooks[this].get = function(elem) {\n\t\t\treturn elem.getAttribute(\"value\") === null ? \"on\" : elem.value;\n\t\t};\n\t}\n});\n\n\n\n\n// Return jQuery for attributes-only inclusion\n\n\nsupport.focusin = \"onfocusin\" in window;\n\n\nvar rfocusMorph = /^(?:focusinfocus|focusoutblur)$/,\n\tstopPropagationCallback = function(e) {\n\t\te.stopPropagation();\n\t};\n\njQuery.extend(jQuery.event, {\n\n\ttrigger: function(event, data, elem, onlyHandlers) {\n\n\t\tvar i, cur, tmp, bubbleType, ontype, handle, special, lastElement,\n\t\t\teventPath = [elem || document],\n\t\t\ttype = hasOwn.call(event, \"type\") ? event.type : event,\n\t\t\tnamespaces = hasOwn.call(event, \"namespace\") ? event.namespace.split(\".\") : [];\n\n\t\tcur = lastElement = tmp = elem = elem || document;\n\n\t\t// Don't do events on text and comment nodes\n\t\tif (elem.nodeType === 3 || elem.nodeType === 8) {\n\t\t\treturn;\n\t\t}\n\n\t\t// focus/blur morphs to focusin/out; ensure we're not firing them right now\n\t\tif (rfocusMorph.test(type + jQuery.event.triggered)) {\n\t\t\treturn;\n\t\t}\n\n\t\tif (type.indexOf(\".\") > -1) {\n\n\t\t\t// Namespaced trigger; create a regexp to match event type in handle()\n\t\t\tnamespaces = type.split(\".\");\n\t\t\ttype = namespaces.shift();\n\t\t\tnamespaces.sort();\n\t\t}\n\t\tontype = type.indexOf(\":\") < 0 && \"on\" + type;\n\n\t\t// Caller can pass in a jQuery.Event object, Object, or just an event type string\n\t\tevent = event[jQuery.expando] ?\n\t\t\tevent :\n\t\t\tnew jQuery.Event(type, typeof event === \"object\" && event);\n\n\t\t// Trigger bitmask: & 1 for native handlers; & 2 for jQuery (always true)\n\t\tevent.isTrigger = onlyHandlers ? 2 :

3;\n\t\tevent.namespace = namespaces.join(\".\");\n\t\tevent.rnamespace = event.namespace ?\n\t\t\tnew RegExp(\"(^|\\\\.)\" + namespaces.join(\"\\\\.(?:.*\\\\.|)\") + \"(\\\\.|$)\") :\n\t\t\tnull;\n\n\t\t// Clean up the event in case it is being reused\n\t\tevent.result = undefined;\n\t\tif (!event.target) {\n\t\t\tevent.target = elem;\n\t\t}\n\n\t\t// Clone any incoming data and prepend the event, creating the handler arg list\n\t\tdata = data == null ?\n\t\t\t[event] :\n\t\t\tjQuery.makeArray(data, [event]);\n\n\t\t// Allow special events to draw outside the lines\n\t\tspecial = jQuery.event.special[type] || {};\n\t\tif (!onlyHandlers && special.trigger && special.trigger.apply(elem, data) === false) {\n\t\t\treturn;\n\t\t}\n\n\t\t// Determine event propagation path in advance, per W3C events spec (#9951)\n\t\t// Bubble up to document, then to window; watch for a global ownerDocument var (#9724)\n\t\tif (!onlyHandlers && !special.noBubble && !isWindow(elem)) {\n\n\t\t\tbubbleType = special.delegateType || type;\n\t\t\tif (!rfocusMorph.test(bubbleType + type)) {\n\t\t\t\tcur = cur.parentNode;\n\t\t\t}\n\t\t\tfor (; cur; cur = cur.parentNode) {\n\t\t\t\teventPath.push(cur);\n\t\t\t\ttmp = cur;\n\t\t\t}\n\n\t\t\t// Only add window if we got to document (e.g., not plain obj or detached DOM)\n\t\t\tif (tmp === (elem.ownerDocument || document)) {\n\t\t\t\teventPath.push(tmp.defaultView || tmp.parentWindow || window);\n\t\t\t}\n\t\t}\n\n\t\t// Fire handlers on the event path\n\t\ti = 0;\n\t\twhile ((cur = eventPath[i++]) && !event.isPropagationStopped()) {\n\t\t\tlastElement = cur;\n\t\t\tevent.type = i > 1 ?\n\t\t\t\tbubbleType :\n\t\t\t\tspecial.bindType || type;\n\n\t\t\t// jQuery handler\n\t\t\thandle = (dataPriv.get(cur, \"events\") || {})[event.type] &&\n\t\t\t\tdataPriv.get(cur, \"handle\");\n\t\t\tif (handle) {\n\t\t\t\thandle.apply(cur, data);\n\t\t\t}\n\n\t\t\t// Native handler\n\t\t\thandle = ontype && cur[ontype];\n\t\t\tif (handle && handle.apply && acceptData(cur)) {\n\t\t\t\tevent.result = handle.apply(cur, data);\n\t\t\t\tif (event.result === false) {\n\t\t\t\t\tevent.preventDefault();\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t\tevent.type = type;\n\n\t\t// If nobody prevented the default action, do it now\n\t\tif (!onlyHandlers && !event.isDefaultPrevented()) {\n\n\t\t\tif ((!special._default ||\n\t\t\t\tspecial._default.apply(eventPath.pop(), data) === false) &&\n\t\t\t\tacceptData(elem)) {\n\n\t\t\t\t// Call a native DOM method on the target with the same name as the event.\n\t\t\t\t// Don't do default actions on window, that's where global variables be (#6170)\n\t\t\t\tif (ontype && isFunction(elem[type]) && !isWindow(elem)) {\n\n\t\t\t\t\t// Don't re-trigger an onFOO event when we call its FOO() method\n\t\t\t\t\ttmp = elem[ontype];\n\t\t\t\t\tif (tmp) {\n\t\t\t\t\t\telem[ontype] = null;\n\t\t\t\t\t}\n\n\t\t\t\t\t// Prevent re-triggering of the same event, since we already bubbled it above\n\t\t\t\t\tjQuery.event.triggered = type;\n\n\t\t\t\t\tif (event.isPropagationStopped()) {\n\t\t\t\t\t\tlastElement.addEventListener(type, stopPropagationCallback);\n\t\t\t\t\t}\n\n\t\t\t\t\telem[type]();\n\n\t\t\t\t\tif (event.isPropagationStopped()) {\n\t\t\t\t\t\tlastElement.removeEventListener(type, stopPropagationCallback);\n\t\t\t\t\t}\n\n\t\t\t\t\tjQuery.event.triggered = undefined;\n\n\t\t\t\t\tif (tmp) {\n\t\t\t\t\t\telem[ontype] = tmp;\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t\treturn event.result;\n\t},\n\n\t// Piggyback on a donor event to simulate a different one\n\t// Used only for `focus(in | out)` events\n\tsimulate: function(type, elem, event) {\n\t\tvar e = jQuery.extend(\n\t\t\tnew jQuery.Event(),\n\t\t\tevent,\n\t\t\t{\n\t\t\t\ttype: type,\n\t\t\t\tisSimulated: true\n\t\t\t}\n\t\t);\n\n\t\tjQuery.event.trigger(e, null, elem);\n\t}\n\n});\n\njQuery.fn.extend({\n\n\ttrigger: function(type, data) {\n\t\treturn this.each(function() {\n\t\t\tjQuery.event.trigger(type, data, this);\n\t\t});\n\t},\n\ttriggerHandler: function(type, data) {\n\t\tvar elem = this[0];\n\t\tif (elem) {\n\t\t\treturn jQuery.event.trigger(type, data, elem, true);\n\t\t}\n\t}\n});\n\n\n// Support: Firefox <=44\n// Firefox doesn't have focus(in | out) events\n// Related ticket - https://bugzilla.mozilla.org/show_bug.cgi?id=687787\n//\n// Support: Chrome <=48 - 49, Safari <=9.0 - 9.1\n// focus(in | out) events fire after focus & blur events,\n// which is spec violation - http://www.w3.org/TR/DOM-Level-3-Events/#events-focusevent-event-order\n// Related ticket - https://bugs.chromium.org/p/chromium/issues/detail?id=449857\nif (!support.focusin) {\n\tjQuery.each({ focus: \"focusin\", blur: \"focusout\" }, function(orig, fix) {\n\n\t\t// Attach a single capturing handler on the document while someone wants focusin/focusout\n\t\tvar handler = function(event) {\n\t\t\tjQuery.event.simulate(fix, event.target, jQuery.event.fix(event));\n\t\t};\n\n\t\tjQuery.event.special[fix] = {\n\t\t\tsetup: function() {\n\t\t\t\tvar doc = this.ownerDocument || this,\n\t\t\t\t\tattaches = dataPriv.access(doc, fix);\n\n\t\t\t\tif (!attaches) {\n\t\t\t\t\tdoc.addEventListener(orig, handler, true);\n\t\t\t\t}\n\t\t\t\tdataPriv.access(doc, fix, (attaches || 0) + 1);\n\t\t\t},\n\t\t\tteardown: function() {\n\t\t\t\tvar doc = this.ownerDocument || this,\n\t\t\t\t\tattaches =

dataPriv.access(doc, fix) - 1;\n\n\t\t\t\tif (!attaches) {\n\t\t\t\t\tdoc.removeEventListener(orig, handler, true);\n\t\t\t\t\tdataPriv.remove(doc, fix);\n\n\t\t\t\t} else {\n\t\t\t\t\tdataPriv.access(doc, fix, attaches);\n\t\t\t\t}\n\t\t\t}\n\t\t};\n\t});\n}\n\nvar location = window.location;\n\nvar nonce = Date.now();\n\nvar rquery = (/\\\?/);\n\n\n\n// Cross-browser xml parsing\njQuery.parseXML = function(data) {\n\tvar xml;\n\tif (!data || typeof data !== \"string\") {\n\t\treturn null;\n\t}\n\n\t// Support: IE 9 - 11 only\n\t// IE throws on parseFromString with invalid input.\n\ttry {\n\t\txml = (new window.DOMParser()).parseFromString(data, \"text/xml\");\n\t} catch (e) {\n\t\txml = undefined;\n\t}\n\n\tif (!xml || xml.getElementsByTagName(\"parsererror\").length) {\n\t\tjQuery.error(\"Invalid XML: \" + data);\n\t}\n\treturn xml;\n};\n\n\nvar\n\trbracket = /\\[\\]$/,\n\trCRLF = /\\r?\\n/g,\n\trsubmitterTypes = /^(?:submit|button|image|reset|file)$/i,\n\trsubmittable = /^(?:input|select|textarea|keygen)/i;\n\nfunction buildParams(prefix, obj, traditional, add) {\n\tvar name;\n\n\tif (Array.isArray(obj)) {\n\n\t\t// Serialize array item.\n\t\tjQuery.each(obj, function(i, v) {\n\t\t\tif (traditional || rbracket.test(prefix)) {\n\n\t\t\t\t// Treat each array item as a scalar.\n\t\t\t\tadd(prefix, v);\n\n\t\t\t} else {\n\n\t\t\t\t// Item is non-scalar (array or object), encode its numeric index.\n\t\t\t\tbuildParams(\n\t\t\t\t\tprefix + \"[\" + (typeof v === \"object\" && v != null ? i : \"\") + \"]\",\n\t\t\t\t\tv,\n\t\t\t\t\ttraditional,\n\t\t\t\t\tadd\n\t\t\t\t);\n\t\t\t}\n\t\t});\n\n\t} else if (!traditional && toType(obj) === \"object\") {\n\n\t\t// Serialize object item.\n\t\tfor (name in obj) {\n\t\t\tbuildParams(prefix + \"[\" + name + \"]\", obj[name], traditional, add);\n\t\t}\n\n\t} else {\n\n\t\t// Serialize scalar item.\n\t\tadd(prefix, obj);\n\t}\n}\n\n// Serialize an array of form elements or a set of\n// key/values into a query string\njQuery.param = function(a, traditional) {\n\tvar prefix,\n\t\ts = [],\n\t\tadd = function(key, valueOrFunction) {\n\n\t\t\t// If value is a function, invoke it and use its return value\n\t\t\tvar value = isFunction(valueOrFunction) ?\n\t\t\t\tvalueOrFunction() :\n\t\t\t\tvalueOrFunction;\n\n\t\t\ts[s.length] = encodeURIComponent(key) + \"=\" +\n\t\t\t\tencodeURIComponent(value == null ? \"\" : value);\n\t\t};\n\n\t// If an array was passed in, assume that it is an array of form elements.\n\tif (Array.isArray(a) || (a.jquery && !jQuery.isPlainObject(a))) {\n\n\t\t// Serialize the form elements\n\t\tjQuery.each(a, function() {\n\t\t\tadd(this.name, this.value);\n\t\t});\n\n\t} else {\n\n\t\t// If traditional, encode the \"old\" way (the way 1.3.2 or older\n\t\t// did it), otherwise encode params recursively.\n\t\tfor (prefix in a) {\n\t\t\tbuildParams(prefix, a[prefix], traditional, add);\n\t\t}\n\t}\n\n\t// Return the resulting serialization\n\treturn s.join(\"&\");\n};\n\njQuery.fn.extend({\n\tserialize: function() {\n\t\treturn jQuery.param(this.serializeArray());\n\t},\n\tserializeArray: function() {\n\t\treturn this.map(function() {\n\n\t\t\t// Can add propHook for \"elements\" to filter or add form elements\n\t\t\tvar elements = jQuery.prop(this, \"elements\");\n\t\t\treturn elements ? jQuery.makeArray(elements) : this;\n\t\t})\n\t\t.filter(function() {\n\t\t\tvar type = this.type;\n\n\t\t\t// Use .is(\":disabled\") so that fieldset[disabled] works\n\t\t\treturn this.name && !jQuery(this).is(\":disabled\") &&\n\t\t\t\trsubmittable.test(this.nodeName) && !rsubmitterTypes.test(type) &&\n\t\t\t\t(this.checked || !rcheckableType.test(type));\n\t\t})\n\t\t.map(function(i, elem) {\n\t\t\tvar val = jQuery(this).val();\n\n\t\t\tif (val == null) {\n\t\t\t\treturn null;\n\t\t\t}\n\n\t\t\tif (Array.isArray(val)) {\n\t\t\t\treturn jQuery.map(val, function(val) {\n\t\t\t\t\treturn { name: elem.name, value: val.replace(rCRLF, \"\\r\\n\") };\n\t\t\t\t});\n\t\t\t}\n\n\t\t\treturn { name: elem.name, value: val.replace(rCRLF, \"\\r\\n\") };\n\t\t}).get();\n\t}\n}\n);\n\n\nvar\n\tr20 = /%20/g,\n\trhash = /#.*$/,\n\trantiCache = /([?&])_=[^&]*/,\n\trheaders = /^(.*?):[\\t]*([^\\r\\n]*)$/mg,\n\n\t// #7653, #8125, #8152: local protocol detection\n\trlocalProtocol = /^(?:about|app|app-storage|.+-extension|file|res|widget):$/,\n\trnoContent = /^(?:GET|HEAD)$/,\n\trprotocol = /^\\/\\//,\n\n\t/* Prefilters\n\t * 1) They are useful to introduce custom dataTypes (see ajax/jsonp.js for an example)\n\t * 2) These are called:\n\t *   - BEFORE asking for a transport\n\t *   - AFTER param serialization (s.data is a string if s.processData is true)\n\t * 3) key is the dataType\n\t * 4) the catchall symbol \"*\" can be used\n\t * 5) execution will start with transport dataType and THEN continue down to \"*\" if needed\n\t */\n\tprefilters = {},\n\n\t/* Transports bindings\n\t * 1) key is the dataType\n\t * 2) the catchall symbol \"*\" can be used\n\t * 3) selection will start with transport dataType and THEN go to \"*\" if needed\n\t */\n\ttransports = {},\n\n\t// Avoid comment-prolog char sequence (#10098); must appease lint and evade compression\n\tallTypes = \"*/\".concat(\"*\"),\n\n\t// Anchor tag for parsing the document origin\n\toriginAnchor = document.createElement(\"a\");\n\toriginAnchor.href = location.href;\n\n// Base \"constructor\" for jQuery.ajaxPrefilter and jQuery.ajaxTransport\nfunction

addToPrefiltersOrTransports(structure) {\n\n\t// dataTypeExpression is optional and defaults to \"*\"\n\treturn function(dataTypeExpression, func) {\n\n\t\tif (typeof dataTypeExpression !== \"string\") {\n\t\t\tfunc = dataTypeExpression;\n\t\t\tdataTypeExpression = \"*\";\n\t\t}\n\n\t\tvar dataType,\n\t\t\ti = 0,\n\t\t\tdataTypes = dataTypeExpression.toLowerCase().match(rnothtmlwhite) || [];\n\n\t\tif (isFunction(func)) {\n\n\t\t\t// For each dataType in the dataTypeExpression\n\t\t\twhile ((dataType = dataTypes[i++])) {\n\n\t\t\t\t// Prepend if requested\n\t\t\t\tif (dataType[0] === \"+\") {\n\t\t\t\t\tdataType = dataType.slice(1) || \"*\";\n\t\t\t\t\t(structure[dataType] = structure[dataType] || []).unshift(func);\n\n\t\t\t\t// Otherwise append\n\t\t\t\t} else {\n\t\t\t\t\t(structure[dataType] = structure[dataType] || []).push(func);\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t};\n}\n\n// Base inspection function for prefilters and transports\nfunction inspectPrefiltersOrTransports(structure, options, originalOptions, jqXHR) {\n\n\tvar inspected = {},\n\t\tseekingTransport = (structure === transports);\n\n\tfunction inspect(dataType) {\n\t\tvar selected;\n\t\tinspected[dataType] = true;\n\t\tjQuery.each(structure[dataType] || [], function(_, prefilterOrFactory) {\n\t\t\tvar dataTypeOrTransport = prefilterOrFactory(options, originalOptions, jqXHR);\n\t\t\tif (typeof dataTypeOrTransport === \"string\" &&\n\t\t\t\t!seekingTransport && !inspected[dataTypeOrTransport]) {\n\n\t\t\t\toptions.dataTypes.unshift(dataTypeOrTransport);\n\t\t\t\tinspect(dataTypeOrTransport);\n\t\t\t\treturn false;\n\t\t\t} else if (seekingTransport) {\n\t\t\t\treturn !(selected = dataTypeOrTransport);\n\t\t\t}\n\t\t});\n\t\treturn selected;\n\t}\n\n\treturn inspect(options.dataTypes[0]) || !inspected[\"*\"] && inspect(\"*\");\n}\n\n// A special extend for ajax options\n// that takes \"flat\" options (not to be deep extended)\n// Fixes #9887\nfunction ajaxExtend(target, src) {\n\tvar key, deep,\n\t\tflatOptions = jQuery.ajaxSettings.flatOptions || {};\n\n\tfor (key in src) {\n\t\tif (src[key] !== undefined) {\n\t\t\t(flatOptions[key] ? target : (deep || (deep = {})))[key] = src[key];\n\t\t}\n\t}\n\tif (deep) {\n\t\tjQuery.extend(true, target, deep);\n\t}\n\n\treturn target;\n}\n\n/* Handles responses to an ajax request:\n * - finds the right dataType (mediates between content-type and expected dataType)\n * - returns the corresponding response\n */\nfunction ajaxHandleResponses(s, jqXHR, responses) {\n\n\tvar ct, type, finalDataType, firstDataType,\n\t\tcontents = s.contents,\n\t\tdataTypes = s.dataTypes;\n\n\t// Remove auto dataType and get content-type in the process\n\twhile (dataTypes[0] === \"*\") {\n\t\tdataTypes.shift();\n\t\tif (ct === undefined) {\n\t\t\tct = s.mimeType || jqXHR.getResponseHeader(\"Content-Type\");\n\t\t}\n\t}\n\n\t// Check if we're dealing with a known content-type\n\tif (ct) {\n\t\tfor (type in contents) {\n\t\t\tif (contents[type] && contents[type].test(ct)) {\n\t\t\t\tdataTypes.unshift(type);\n\t\t\t\tbreak;\n\t\t\t}\n\t\t}\n\t}\n\n\t// Check to see if we have a response for the expected dataType\n\tif (dataTypes[0] in responses) {\n\t\tfinalDataType = dataTypes[0];\n\t} else {\n\n\t\t// Try convertible dataTypes\n\t\tfor (type in responses) {\n\t\t\tif (!dataTypes[0] || s.converters[type + \" \" + dataTypes[0]]) {\n\t\t\t\tfinalDataType = type;\n\t\t\t\tbreak;\n\t\t\t}\n\t\t\tif (!firstDataType) {\n\t\t\t\tfirstDataType = type;\n\t\t\t}\n\t\t}\n\n\t\t// Or just use first one\n\t\tfinalDataType = finalDataType || firstDataType;\n\t}\n\n\t// If we found a dataType\n\t// We add the dataType to the list if needed\n\t// and return the corresponding response\n\tif (finalDataType) {\n\t\tif (finalDataType !== dataTypes[0]) {\n\t\t\tdataTypes.unshift(finalDataType);\n\t\t}\n\t\treturn responses[finalDataType];\n\t}\n}\n\n/* Chain conversions given the request and the original response\n * Also sets the responseXXX fields on the jqXHR instance\n */\nfunction ajaxConvert(s, response, jqXHR, isSuccess) {\n\tvar conv2, current, conv, tmp, prev,\n\t\tconverters = {},\n\n\t\t// Work with a copy of dataTypes in case we need to modify it for conversion\n\t\tdataTypes = s.dataTypes.slice();\n\n\t// Create converters map with lowercased keys\n\tif (dataTypes[1]) {\n\t\tfor (conv in s.converters) {\n\t\t\tconverters[conv.toLowerCase()] = s.converters[conv];\n\t\t}\n\t}\n\n\tcurrent = dataTypes.shift();\n\n\t// Convert to each sequential dataType\n\twhile (current) {\n\n\t\tif (s.responseFields[current]) {\n\t\t\tjqXHR[s.responseFields[current]] = response;\n\t\t}\n\n\t\t// Apply the dataFilter if provided\n\t\tif (!prev && isSuccess && s.dataFilter) {\n\t\t\tresponse = s.dataFilter(response, s.dataType);\n\t\t}\n\n\t\tprev = current;\n\t\tcurrent = dataTypes.shift();\n\n\t\tif (current) {\n\n\t\t\t// There's only work to do if current dataType is non-auto\n\t\t\tif (current === \"*\") {\n\n\t\t\t\tcurrent = prev;\n\n\t\t\t// Convert response if prev dataType is non-auto and differs from current\n\t\t\t} else if (prev !== \"*\" && prev !== current) {\n\n\t\t\t\t// Seek a direct converter\n\t\t\t\tconv = converters[prev + \" \" + current] || converters[\"* \" + current];\n\n\t\t\t\t// If none found, seek a pair\n\t\t\t\tif (!conv) {\n\t\t\t\t\tfor (conv2 in converters) {\n\n\t\t\t\t\t\t// If

conv2 outputs current\n\t\t\t\t\t\ttmp = conv2.split(\" \");\n\t\t\t\t\t\tif (tmp[1] === current) {\n\n\t\t\t\t\t\t\t// If prev can be converted to accepted input\n\t\t\t\t\t\t\tconv = converters[prev + \" \" + tmp[0]] ||\n\t\t\t\t\t\t\tconverters[\"* \" + tmp[0]];\n\t\t\t\t\t\t\tif (conv) {\n\n\t\t\t\t\t\t\t\t// Condense equivalence converters\n\t\t\t\t\t\t\t\tif (conv === true) {\n\t\t\t\t\t\t\t\t\tconv = converters[conv2];\n\n\t\t\t\t\t\t\t\t\t// Otherwise, insert the intermediate dataType\n\t\t\t\t\t\t\t\t} else if (converters[conv2] !== true) {\n\t\t\t\t\t\t\t\t\tcurrent = tmp[0];\n\t\t\t\t\t\t\t\t\tdataTypes.unshift(tmp[1]);\n\t\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\t\tbreak;\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t}\n\n\t\t\t\t// Apply converter (if not an equivalence)\n\t\t\t\tif (conv !== true) {\n\n\t\t\t\t\t// Unless errors are allowed to bubble, catch and return them\n\t\t\t\t\tif (conv && s.throws) {\n\t\t\t\t\t\tresponse = conv(response);\n\t\t\t\t\t} else {\n\t\t\t\t\t\ttry {\n\t\t\t\t\t\t\tresponse = conv(response);\n\t\t\t\t\t\t} catch (e) {\n\t\t\t\t\t\t\treturn {\n\t\t\t\t\t\t\t\tstate: \"parsererror\",\n\t\t\t\t\t\t\t\terror: conv ? e : \"No conversion from \" + prev + \" to \" + current\n\t\t\t\t\t\t\t};\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\treturn { state: \"success\", data: response };\n}\n\njQuery.extend({\n\t// Counter for holding the number of active queries\n\tactive: 0,\n\n\t// Last-Modified header cache for next request\n\tlastModified: {},\n\tetag: {},\n\n\tajaxSettings: {\n\t\turl: location.href,\n\t\ttype: \"GET\",\n\t\tisLocal: rlocalProtocol.test(location.protocol),\n\t\tglobal: true,\n\t\tprocessData: true,\n\t\tasync: true,\n\t\tcontentType: \"application/x-www-form-urlencoded; charset=UTF-8\",\n\n\t\t/*\n\t\ttimeout: 0,\n\t\tdata: null,\n\t\tdataType: null,\n\t\tusername: null,\n\t\tpassword: null,\n\t\tcache: null,\n\t\tthrows: false,\n\t\ttraditional: false,\n\t\theaders: {},\n\t\t*/\n\n\t\taccepts: {\n\t\t\t\"*\": allTypes,\n\t\t\ttext: \"text/plain\",\n\t\t\thtml: \"text/html\",\n\t\t\txml: \"application/xml, text/xml\",\n\t\t\tjson: \"application/json, text/javascript\"\n\t\t},\n\n\t\tcontents: {\n\t\t\txml: /\\bxml\\b/,\n\t\t\thtml: /\\bhtml/,\n\t\t\tjson: /\\bjson\\b/\n\t\t},\n\n\t\tresponseFields: {\n\t\t\txml: \"responseXML\",\n\t\t\ttext: \"responseText\",\n\t\t\tjson: \"responseJSON\"\n\t\t},\n\n\t\t// Data converters\n\t\t// Keys separate source (or catchall \"*\") and destination types with a single space\n\t\tconverters: {\n\n\t\t\t// Convert anything to text\n\t\t\t\"* text\": String,\n\n\t\t\t// Text to html (true = no transformation)\n\t\t\t\"text html\": true,\n\n\t\t\t// Evaluate text as a json expression\n\t\t\t\"text json\": JSON.parse,\n\n\t\t\t// Parse text as xml\n\t\t\t\"text xml\": jQuery.parseXML\n\t\t},\n\n\t\t// For options that shouldn't be deep extended:\n\t\t// you can add your own custom options here if\n\t\t// and when you create one that shouldn't be\n\t\t// deep extended (see ajaxExtend)\n\t\tflatOptions: {\n\t\t\turl: true,\n\t\t\tcontext: true\n\t\t}\n\t},\n\n\t// Creates a full fledged settings object into target\n\t// with both ajaxSettings and settings fields.\n\t// If target is omitted, writes into ajaxSettings.\n\tajaxSetup: function(target, settings) {\n\t\treturn settings ?\n\n\t\t\t// Building a settings object\n\t\t\tajaxExtend(ajaxExtend(target, jQuery.ajaxSettings), settings) :\n\n\t\t\t// Extending ajaxSettings\n\t\t\tajaxExtend(jQuery.ajaxSettings, target);\n\t},\n\n\tajaxPrefilter: addToPrefiltersOrTransports(prefilters),\n\tajaxTransport: addToPrefiltersOrTransports(transports),\n\n\t// Main method\n\tajax: function(url, options) {\n\n\t\t// If url is an object, simulate pre-1.5 signature\n\t\tif (typeof url === \"object\") {\n\t\t\toptions = url;\n\t\t\turl = undefined;\n\t\t}\n\n\t\t// Force options to be an object\n\t\toptions = options || {};\n\n\t\tvar transport,\n\n\t\t\t// URL without anti-cache param\n\t\t\tcacheURL,\n\n\t\t\t// Response headers\n\t\t\tresponseHeadersString,\n\t\t\tresponseHeaders,\n\n\t\t\t// timeout handle\n\t\t\ttimeoutTimer,\n\n\t\t\t// Url cleanup var\n\t\t\turlAnchor,\n\n\t\t\t// Request state (becomes false upon send and true upon completion)\n\t\t\tcompleted,\n\n\t\t\t// To know if global events are to be dispatched\n\t\t\tfireGlobals,\n\n\t\t\t// Loop variable\n\t\t\ti,\n\n\t\t\t// uncached part of the url\n\t\t\tuncached,\n\n\t\t\t// Create the final options object\n\t\t\ts = jQuery.ajaxSetup({}, options),\n\n\t\t\t// Callbacks context\n\t\t\tcallbackContext = s.context || s,\n\n\t\t\t// Context for global events is callbackContext if it is a DOM node or jQuery collection\n\t\t\tglobalEventContext = s.context &&\n\t\t\t\t(callbackContext.nodeType || callbackContext.jquery) ?\n\t\t\t\t\tjQuery(callbackContext) :\n\t\t\t\t\tjQuery.event,\n\n\t\t\t// Deferreds\n\t\t\tdeferred = jQuery.Deferred(),\n\t\t\tcompleteDeferred = jQuery.Callbacks(\"once memory\"),\n\n\t\t\t// Status-dependent callbacks\n\t\t\tstatusCode = s.statusCode || {},\n\n\t\t\t// Headers (they are sent all at once)\n\t\t\trequestHeaders = {},\n\t\t\trequestHeadersNames = {},\n\n\t\t\t// Default abort message\n\t\t\tstrAbort = \"canceled\",\n\n\t\t\t// Fake xhr\n\t\t\tjqXHR = {\n\t\t\t\treadyState: 0,\n\n\t\t\t\t// Builds headers hashtable if needed\n\t\t\t\tgetResponseHeader: function(key) {\n\t\t\t\t\tvar match;\n\t\t\t\t\tif (completed) {\n\t\t\t\t\t\tif (!responseHeaders)

{\n\t\t\t\t\t\tresponseHeaders = {};\n\t\t\t\t\t\twhile ((match = rheaders.exec(responseHeadersString))) {\n\t\t\t\t\t\tresponseHeaders[match[1].toLowerCase()] = match[2];\n\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t\tmatch = responseHeaders[key.toLowerCase()];\n\t\t\t\t}\n\t\t\t\treturn match == null ? null : match;\n\t\t\t},\n\n\t\t\t\t// Raw string\n\t\t\tgetAllResponseHeaders: function() {\n\t\t\t\treturn completed ? responseHeadersString : null;\n\t\t\t},\n\n\t\t\t// Caches the header\n\t\t\tsetRequestHeader: function(name, value) {\n\t\t\t\tif (completed == null) {\n\t\t\t\t\tname = requestHeadersNames[name.toLowerCase()] =\n\t\t\t\t\t\trequestHeadersNames[name.toLowerCase()] || name;\n\t\t\t\t\trequestHeaders[name] = value;\n\t\t\t\t}\n\t\t\t\treturn this;\n\t\t\t},\n\n\t\t\t// Overrides response content-type header\n\t\t\toverrideMimeType: function(type) {\n\t\t\t\tif (completed == null) {\n\t\t\t\t\ts.mimeType = type;\n\t\t\t\t}\n\t\t\t\treturn this;\n\t\t\t},\n\n\t\t\t// Status-dependent callbacks\n\t\t\tstatusCode: function(map) {\n\t\t\t\tvar code;\n\t\t\t\tif (map) {\n\t\t\t\t\tif (completed) {\n\n\t\t\t\t\t\t// Execute the appropriate callbacks\n\t\t\t\t\t\tjqXHR.always(map[jqXHR.status]);\n\t\t\t\t\t} else {\n\n\t\t\t\t\t\t// Lazy-add the new callbacks in a way that preserves old ones\n\t\t\t\t\t\tfor (code in map) {\n\t\t\t\t\t\t\tstatusCode[code] = [statusCode[code], map[code]];\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t\treturn this;\n\t\t\t},\n\n\t\t\t// Cancel the request\n\t\t\tabort: function(statusText) {\n\t\t\t\tvar finalText = statusText || strAbort;\n\t\t\t\tif (transport) {\n\t\t\t\t\ttransport.abort(finalText);\n\t\t\t\t}\n\t\t\t\tdone(0, finalText);\n\t\t\t\treturn this;\n\t\t\t}\n\t\t};\n\n\t\t// Attach deferreds\n\t\tdeferred.promise(jqXHR);\n\n\t\t// Add protocol if not provided (prefilters might expect it)\n\t\t// Handle falsy url in the settings object (#10093: consistency with old signature)\n\t\t// We also use the url parameter if available\n\t\ts.url = ((url || s.url || location.href) + "")\n\t\t\t.replace(rprotocol, location.protocol + "//");\n\n\t\t// Alias method option to type as per ticket #12004\n\t\ts.type = options.method || options.type || s.method || s.type;\n\n\t\t// Extract dataTypes list\n\t\ts.dataTypes = (s.dataType || "*").toLowerCase().match(rnothtmlwhite) || [""];\n\n\t\t// A cross-domain request is in order when the origin doesn't match the current origin.\n\t\tif (s.crossDomain == null) {\n\t\t\turlAnchor = document.createElement("a");\n\n\t\t\t// Support: IE <=8 - 11, Edge 12 - 15\n\t\t\t// IE throws exception on accessing the href property if url is malformed,\n\t\t\t// e.g. http://example.com:80x/\n\t\t\ttry {\n\t\t\t\turlAnchor.href = s.url;\n\n\t\t\t\t// Support: IE <=8 - 11 only\n\t\t\t\t// Anchor's host property isn't correctly set when s.url is relative\n\t\t\t\turlAnchor.href = urlAnchor.href;\n\t\t\t\ts.crossDomain = originAnchor.protocol + "//" + originAnchor.host !==\n\t\t\t\t\turlAnchor.protocol + "//" + urlAnchor.host;\n\t\t\t} catch (e) {\n\n\t\t\t\t// If there is an error parsing the URL, assume it is crossDomain,\n\t\t\t\t// it can be rejected by the transport if it is invalid\n\t\t\t\ts.crossDomain = true;\n\t\t\t}\n\t\t}\n\n\t\t// Convert data if not already a string\n\t\tif (s.data && s.processData && typeof s.data !== "string") {\n\t\t\ts.data = jQuery.param(s.data, s.traditional);\n\t\t}\n\n\t\t// Apply prefilters\n\t\tinspectPrefiltersOrTransports(prefilters, s, options, jqXHR);\n\n\t\t// If request was aborted inside a prefilter, stop there\n\t\tif (completed) {\n\t\t\treturn jqXHR;\n\t\t}\n\n\t\t// We can fire global events as of now if asked to\n\t\t// Don't fire events if jQuery.event is undefined in an AMD-usage scenario (#15118)\n\t\tfireGlobals = jQuery.event && s.global;\n\n\t\t// Watch for a new set of requests\n\t\tif (fireGlobals && jQuery.active++ === 0) {\n\t\t\tjQuery.event.trigger("ajaxStart");\n\t\t}\n\n\t\t// Uppercase the type\n\t\ts.type = s.type.toUpperCase();\n\n\t\t// Determine if request has content\n\t\ts.hasContent = !rnoContent.test(s.type);\n\n\t\t// Save the URL in case we're toying with the If-Modified-Since\n\t\t// and/or If-None-Match header later on\n\t\t// Remove hash to simplify url manipulation\n\t\tcacheURL = s.url.replace(rhash, "");\n\n\t\t// More options handling for requests with no content\n\t\tif (!s.hasContent) {\n\n\t\t\t// Remember the hash so we can put it back\n\t\t\tuncached = s.url.slice(cacheURL.length);\n\n\t\t\t// If data is available and should be processed, append data to url\n\t\t\tif (s.data && (s.processData || typeof s.data === "string")) {\n\t\t\t\tcacheURL += (rquery.test(cacheURL) ? "&" : "?") + s.data;\n\n\t\t\t\t// #9682: remove data so that it's not used in an eventual retry\n\t\t\t\tdelete s.data;\n\t\t\t}\n\n\t\t\t// Add or update anti-cache param if needed\n\t\t\tif (s.cache === false) {\n\t\t\t\tcacheURL = cacheURL.replace(rantiCache, "$1");\n\t\t\t\tuncached = (rquery.test(cacheURL) ? "&" : "?") + "_=" + (nonce++) + uncached;\n\t\t\t}\n\n\t\t\t// Put hash and anti-cache on the URL that will be requested (gh-1732)\n\t\t\ts.url = cacheURL + uncached;\n\n\t\t// Change '%20' to '+' if this is encoded form body content (gh-2658)\n\t\t} else if (s.data && s.processData &&\n\t\t\t(s.contentType || ""

).indexOf(\"application/x-www-form-urlencoded\") === 0) {\n\t\t\ts.data = s.data.replace(r20, \"+\");\n\t\t}\n\n\t\t// Set the If-Modified-Since and/or If-None-Match header, if in ifModified mode.\n\t\tif (s.ifModified) {\n\t\t\tif (jQuery.lastModified[cacheURL]) {\n\t\t\t\tjqXHR.setRequestHeader(\"If-Modified-Since\", jQuery.lastModified[cacheURL]);\n\t\t\t}\n\t\t\tif (jQuery.etag[cacheURL]) {\n\t\t\t\tjqXHR.setRequestHeader(\"If-None-Match\", jQuery.etag[cacheURL]);\n\t\t\t}\n\t\t}\n\n\t\t// Set the correct header, if data is being sent\n\t\tif (s.data && s.hasContent && s.contentType !== false || options.contentType) {\n\t\t\tjqXHR.setRequestHeader(\"Content-Type\", s.contentType);\n\t\t}\n\n\t\t// Set the Accepts header for the server, depending on the dataType\n\t\tjqXHR.setRequestHeader(\n\t\t\t\"Accept\",\n\t\t\ts.dataTypes[0] && s.accepts[s.dataTypes[0]] ?\n\t\t\t\ts.accepts[s.dataTypes[0]] +\n\t\t\t\t\t(s.dataTypes[0] !== \"*\" ? \", \", \" + allTypes + \"; q=0.01\" : \"\") :\n\t\t\t\ts.accepts[\"*\"]\n\t\t);\n\n\t\t// Check for headers option\n\t\tfor (i in s.headers) {\n\t\t\tjqXHR.setRequestHeader(i, s.headers[i]);\n\t\t}\n\n\t\t// Allow custom headers/mimetypes and early abort\n\t\tif (s.beforeSend &&\n\t\t\t(s.beforeSend.call(callbackContext, jqXHR, s) === false || completed)) {\n\n\t\t\t// Abort if not done already and return\n\t\t\treturn jqXHR.abort();\n\t\t}\n\n\t\t// Aborting is no longer a cancellation\n\t\tstrAbort = \"abort\";\n\n\t\t// Install callbacks on deferreds\n\t\tcompleteDeferred.add(s.complete);\n\t\tjqXHR.done(s.success);\n\t\tjqXHR.fail(s.error);\n\n\t\t// Get transport\n\t\ttransport = inspectPrefiltersOrTransports(transports, s, options, jqXHR);\n\n\t\t// If no transport, we auto-abort\n\t\tif (!transport) {\n\t\t\tdone(-1, \"No Transport\");\n\t\t} else {\n\t\t\tjqXHR.readyState = 1;\n\n\t\t\t// Send global event\n\t\t\tif (fireGlobals) {\n\t\t\t\tglobalEventContext.trigger(\"ajaxSend\", [jqXHR, s]);\n\t\t\t}\n\n\t\t\t// If request was aborted inside ajaxSend, stop there\n\t\t\tif (completed) {\n\t\t\t\treturn jqXHR;\n\t\t\t}\n\n\t\t\t// Timeout\n\t\t\tif (s.async && s.timeout > 0) {\n\t\t\t\ttimeoutTimer = window.setTimeout(function() {\n\t\t\t\t\tjqXHR.abort(\"timeout\");\n\t\t\t\t}, s.timeout);\n\t\t\t}\n\n\t\t\ttry {\n\t\t\t\tcompleted = false;\n\t\t\t\ttransport.send(requestHeaders, done);\n\t\t\t} catch (e) {\n\n\t\t\t\t// Rethrow post-completion exceptions\n\t\t\t\tif (completed) {\n\t\t\t\t\tthrow e;\n\t\t\t\t}\n\n\t\t\t\t// Propagate others as results\n\t\t\t\tdone(-1, e);\n\t\t\t}\n\t\t}\n\n\t\t// Callback for when everything is done\n\t\tfunction done(status, nativeStatusText, responses, headers) {\n\t\t\tvar isSuccess, success, error, response, modified,\n\t\t\t\tstatusText = nativeStatusText;\n\n\t\t\t// Ignore repeat invocations\n\t\t\tif (completed) {\n\t\t\t\treturn;\n\t\t\t}\n\n\t\t\tcompleted = true;\n\n\t\t\t// Clear timeout if it exists\n\t\t\tif (timeoutTimer) {\n\t\t\t\twindow.clearTimeout(timeoutTimer);\n\t\t\t}\n\n\t\t\t// Dereference transport for early garbage collection\n\t\t\t// (no matter how long the jqXHR object will be used)\n\t\t\ttransport = undefined;\n\n\t\t\t// Cache response headers\n\t\t\tresponseHeadersString = headers || \"\";\n\n\t\t\t// Set readyState\n\t\t\tjqXHR.readyState = status > 0 ? 4 : 0;\n\n\t\t\t// Determine if successful\n\t\t\tisSuccess = status >= 200 && status < 300 || status === 304;\n\n\t\t\t// Get response data\n\t\t\tif (responses) {\n\t\t\t\tresponse = ajaxHandleResponses(s, jqXHR, responses);\n\t\t\t}\n\n\t\t\t// Convert no matter what (that way responseXXX fields are always set)\n\t\t\tresponse = ajaxConvert(s, response, jqXHR, isSuccess);\n\n\t\t\t// If successful, handle type chaining\n\t\t\tif (isSuccess) {\n\n\t\t\t\t// Set the If-Modified-Since and/or If-None-Match header, if in ifModified mode.\n\t\t\t\tif (s.ifModified) {\n\t\t\t\t\tmodified = jqXHR.getResponseHeader(\"Last-Modified\");\n\t\t\t\t\tif (modified) {\n\t\t\t\t\t\tjQuery.lastModified[cacheURL] = modified;\n\t\t\t\t\t}\n\t\t\t\t\tmodified = jqXHR.getResponseHeader(\"etag\");\n\t\t\t\t\tif (modified) {\n\t\t\t\t\t\tjQuery.etag[cacheURL] = modified;\n\t\t\t\t\t}\n\t\t\t\t}\n\n\t\t\t\t// if no content\n\t\t\t\tif (status === 204 || s.type === \"HEAD\") {\n\t\t\t\t\tstatusText = \"nocontent\";\n\n\t\t\t\t// if not modified\n\t\t\t\t} else if (status === 304) {\n\t\t\t\t\tstatusText = \"notmodified\";\n\n\t\t\t\t// If we have data, let's convert it\n\t\t\t\t} else {\n\t\t\t\t\tstatusText = response.state;\n\t\t\t\t\tsuccess = response.data;\n\t\t\t\t\terror = response.error;\n\t\t\t\t\tisSuccess = !error;\n\t\t\t\t}\n\t\t\t} else {\n\n\t\t\t\t// Extract error from statusText and normalize for non-aborts\n\t\t\t\terror = statusText;\n\t\t\t\tif (status || !statusText) {\n\t\t\t\t\tstatusText = \"error\";\n\t\t\t\t\tif (status < 0) {\n\t\t\t\t\t\tstatus = 0;\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\n\t\t\t// Set data for the fake xhr object\n\t\t\tjqXHR.status = status;\n\t\t\tjqXHR.statusText = (nativeStatusText || statusText) + \"\";\n\n\t\t\t// Success/Error\n\t\t\tif (isSuccess) {\n\t\t\t\tdeferred.resolveWith(callbackContext, [success, statusText, jqXHR]);\n\t\t\t} else {\n\t\t\t\tdeferred.rejectWith(callbackContext, [jqXHR, statusText, error]);\n\t\t\t}\n\n\t\t\t// Status-dependent callbacks\n\t\t\tjqXHR.statusCode(statusCode);\n\t\t\tstatusCode = undefined;\n\n\t\t\tif (fireGlobals)

{\n\t\t\tglobalEventContext.trigger(isSuccess ? \"ajaxSuccess\" : \"ajaxError\",\n\t\t\t\t[jqXHR, s, isSuccess ? success : error]);\n\t\t\t}\n\n\t\t\t// Complete\n\t\t\tcompleteDeferred.fireWith(callbackContext, [jqXHR, statusText]);\n\n\t\t\tif (fireGlobals) {\n\t\t\tglobalEventContext.trigger(\"ajaxComplete\", [jqXHR, s]);\n\n\t\t\t\t// Handle the global AJAX counter\n\t\t\t\tif (!(--jQuery.active)) {\n\t\t\t\tjQuery.event.trigger(\"ajaxStop\");\n\t\t\t}\n\t\t\t}\n\t\t}\n\t}\n\n\t\treturn jqXHR;\n\t},\n\n\tgetJSON: function(url, data, callback) {\n\t\treturn jQuery.get(url, data, callback, \"json\");\n\t},\n\n\tgetScript: function(url, callback) {\n\t\treturn jQuery.get(url, undefined, callback, \"script\");\n\t}\n});\n\njQuery.each([\"get\", \"post\"], function(i, method) {\n\tjQuery[method] = function(url, data, callback, type) {\n\n\t\t// Shift arguments if data argument was omitted\n\t\tif (isFunction(data)) {\n\t\t\ttype = type || callback;\n\t\t\tcallback = data;\n\t\t\tdata = undefined;\n\t\t}\n\n\t\t// The url can be an options object (which then must have .url)\n\t\treturn jQuery.ajax(jQuery.extend({\n\t\t\turl: url,\n\t\t\ttype: method,\n\t\t\tdataType: type,\n\t\t\tdata: data,\n\t\t\tsuccess: callback\n\t\t}, jQuery.isPlainObject(url) && url));\n\t};\n});\n\n\njQuery._evalUrl = function(url) {\n\treturn jQuery.ajax({\n\t\turl: url,\n\n\t\t// Make this explicit, since user can override this through ajaxSetup (#11264)\n\t\ttype: \"GET\",\n\t\tdataType: \"script\",\n\t\tcache: true,\n\t\tasync: false,\n\t\tglobal: false,\n\t\t\"throws\": true\n\t});\n};\n\n\njQuery.fn.extend({\n\twrapAll: function(html) {\n\t\tvar wrap;\n\n\t\tif (this[0]) {\n\t\t\tif (isFunction(html)) {\n\t\t\t\thtml = html.call(this[0]);\n\t\t\t}\n\n\t\t\t// The elements to wrap the target around\n\t\t\twrap = jQuery(html, this[0].ownerDocument).eq(0).clone(true);\n\n\t\t\tif (this[0].parentNode) {\n\t\t\t\twrap.insertBefore(this[0]);\n\t\t\t}\n\n\t\t\twrap.map(function() {\n\t\t\t\tvar elem = this;\n\n\t\t\t\twhile (elem.firstElementChild) {\n\t\t\t\t\telem = elem.firstElementChild;\n\t\t\t\t}\n\n\t\t\t\treturn elem;\n\t\t\t}).append(this);\n\t\t}\n\n\t\treturn this;\n\t},\n\n\twrapInner: function(html) {\n\t\tif (isFunction(html)) {\n\t\t\treturn this.each(function(i) {\n\t\t\t\tjQuery(this).wrapInner(html.call(this, i));\n\t\t\t});\n\t\t}\n\n\t\treturn this.each(function() {\n\t\t\tvar self = jQuery(this),\n\t\t\t\tcontents = self.contents();\n\n\t\t\tif (contents.length) {\n\t\t\t\tcontents.wrapAll(html);\n\t\t\t} else {\n\t\t\t\tself.append(html);\n\t\t\t}\n\t\t});\n\t},\n\n\twrap: function(html) {\n\t\tvar htmlIsFunction = isFunction(html);\n\n\t\treturn this.each(function(i) {\n\t\t\tjQuery(this).wrapAll(htmlIsFunction ? html.call(this, i) : html);\n\t\t});\n\t},\n\n\tunwrap: function(selector) {\n\t\tthis.parent(selector).not(\"body\").each(function() {\n\t\t\tjQuery(this).replaceWith(this.childNodes);\n\t\t});\n\t\treturn this;\n\t}\n});\n\n\njQuery.expr.pseudos.hidden = function(elem) {\n\treturn !jQuery.expr.pseudos.visible(elem);\n};\njQuery.expr.pseudos.visible = function(elem) {\n\treturn !!(elem.offsetWidth || elem.offsetHeight || elem.getClientRects().length);\n};\n\n\n\njQuery.ajaxSettings.xhr = function() {\n\ttry {\n\t\treturn new window.XMLHttpRequest();\n\t} catch (e) {}\n};\n\nvar xhrSuccessStatus = {\n\n\t// File protocol always yields status code 0, assume 200\n\t0: 200,\n\n\t// Support: IE <=9 only\n\t// #1450: sometimes IE returns 1223 when it should be 204\n\t1223: 204\n},\n\txhrSupported = jQuery.ajaxSettings.xhr();\n\nsupport.cors = !!xhrSupported && (\"withCredentials\" in xhrSupported);\nsupport.ajax = xhrSupported = !!xhrSupported;\n\njQuery.ajaxTransport(function(options) {\n\tvar callback, errorCallback;\n\n\t// Cross domain only allowed if supported through XMLHttpRequest\n\tif (support.cors || xhrSupported && !options.crossDomain) {\n\t\treturn {\n\t\t\tsend: function(headers, complete) {\n\t\t\t\tvar i,\n\t\t\t\t\txhr = options.xhr();\n\n\t\t\t\txhr.open(\n\t\t\t\t\toptions.type,\n\t\t\t\t\toptions.url,\n\t\t\t\t\toptions.async,\n\t\t\t\t\toptions.username,\n\t\t\t\t\toptions.password\n\t\t\t\t);\n\n\t\t\t\t// Apply custom fields if provided\n\t\t\t\tif (options.xhrFields) {\n\t\t\t\t\tfor (i in options.xhrFields) {\n\t\t\t\t\t\txhr[i] = options.xhrFields[i];\n\t\t\t\t\t}\n\t\t\t\t}\n\n\t\t\t\t// Override mime type if needed\n\t\t\t\tif (options.mimeType && xhr.overrideMimeType) {\n\t\t\t\t\txhr.overrideMimeType(options.mimeType);\n\t\t\t\t}\n\n\t\t\t\t// X-Requested-With header\n\t\t\t\t// For cross-domain requests, seeing as conditions for a preflight are\n\t\t\t\t// akin to a jigsaw puzzle, we simply never set it to be sure.\n\t\t\t\t// (it can always be set on a per-request basis or even using ajaxSetup)\n\t\t\t\t// For same-domain requests, won't change header if already provided.\n\t\t\t\tif (!options.crossDomain && !headers[\"X-Requested-With\"]) {\n\t\t\t\t\theaders[\"X-Requested-With\"] = \"XMLHttpRequest\";\n\t\t\t\t}\n\n\t\t\t\t// Set headers\n\t\t\t\tfor (i in headers) {\n\t\t\t\t\txhr.setRequestHeader(i, headers[i]);\n\t\t\t\t}\n\n\t\t\t\t// Callback\n\t\t\t\tcallback = function(type) {\n\t\t\t\t\treturn function() {\n\t\t\t\t\t\tif (callback)

{\n\t\t\t\t\t\tcallback = errorCallback = xhr.onload =\n\t\t\t\t\t\t\txhr.onerror = xhr.onabort = xhr.ontimeout =\n\t\t\t\t\t\t\txhr.onreadystatechange = null;\n\n\t\t\t\t\t\tif (type === \"abort\") {\n\t\t\t\t\t\t\txhr.abort();\n\t\t\t\t\t\t} else if (type === \"error\") {\n\n\t\t\t\t\t\t\t// Support: IE <=9 only\n\t\t\t\t\t\t\t// On a manual native abort, IE9 throws\n\t\t\t\t\t\t\t// errors on any property access that is not readyState\n\t\t\t\t\t\t\tif (typeof xhr.status !== \"number\") {\n\t\t\t\t\t\t\t\tcomplete(0, \"error\");\n\t\t\t\t\t\t\t} else {\n\t\t\t\t\t\t\t\tcomplete(\n\n\t\t\t\t\t\t\t\t\t// File: protocol always yields status 0; see #8605, #14207\n\t\t\t\t\t\t\t\t\txhr.status,\n\t\t\t\t\t\t\t\t\txhr.statusText\n\t\t\t\t\t\t\t\t);\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t} else {\n\t\t\t\t\t\t\tcomplete(\n\t\t\t\t\t\t\t\txhrSuccessStatus[xhr.status] || xhr.status,\n\t\t\t\t\t\t\t\txhr.statusText,\n\n\t\t\t\t\t\t\t\t// Support: IE <=9 only\n\t\t\t\t\t\t\t\t// IE9 has no XHR2 but throws on binary (trac-11426)\n\t\t\t\t\t\t\t\t// For XHR2 non-text, let the caller handle it (gh-2498)\n\t\t\t\t\t\t\t\t(xhr.responseType || \"text\") !== \"text\" ||\n\t\t\t\t\t\t\t\ttypeof xhr.responseText !== \"string\" ?\n\t\t\t\t\t\t\t\t{ binary: xhr.response } :\n\t\t\t\t\t\t\t\t{ text: xhr.responseText },\n\t\t\t\t\t\t\t\txhr.getAllResponseHeaders()\n\t\t\t\t\t\t\t);\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t};\n\t\t\t\t\n\n\t\t\t\t// Listen to events\n\t\t\t\txhr.onload = callback();\n\t\t\t\terrorCallback = xhr.onerror = xhr.ontimeout = callback(\"error\");\n\n\t\t\t\t// Support: IE 9 only\n\t\t\t\t// Use onreadystatechange to replace onabort\n\t\t\t\t// to handle uncaught aborts\n\t\t\t\tif (xhr.onabort !== undefined) {\n\t\t\t\t\txhr.onabort = errorCallback;\n\t\t\t\t} else {\n\t\t\t\t\txhr.onreadystatechange = function() {\n\n\t\t\t\t\t\t// Check readyState before timeout as it changes\n\t\t\t\t\t\tif (xhr.readyState === 4) {\n\n\t\t\t\t\t\t\t// Allow onerror to be called first,\n\t\t\t\t\t\t\t// but that will not handle a native abort\n\t\t\t\t\t\t\t// Also, save errorCallback to a variable\n\t\t\t\t\t\t\t// as xhr.onerror cannot be accessed\n\t\t\t\t\t\t\twindow.setTimeout(function() {\n\t\t\t\t\t\t\t\tif (callback) {\n\t\t\t\t\t\t\t\t\terrorCallback();\n\t\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\t});\n\t\t\t\t\t\t}\n\t\t\t\t\t};\n\t\t\t\t}\n\n\t\t\t\t// Create the abort callback\n\t\t\t\tcallback = callback(\"abort\");\n\n\t\t\t\ttry {\n\n\t\t\t\t\t// Do send the request (this may raise an exception)\n\t\t\t\t\txhr.send(options.hasContent && options.data || null);\n\t\t\t\t} catch (e) {\n\n\t\t\t\t\t// #14683: Only rethrow if this hasn't been notified as an error yet\n\t\t\t\t\tif (callback) {\n\t\t\t\t\t\tthrow e;\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t},\n\n\t\t\tabort: function() {\n\t\t\t\tif (callback) {\n\t\t\t\t\tcallback();\n\t\t\t\t}\n\t\t\t}\n\t\t};\n\t}\n});\n\n\n\n\n// Prevent auto-execution of scripts when no explicit dataType was provided (See gh-2432)\njQuery.ajaxPrefilter(function(s) {\n\tif (s.crossDomain) {\n\t\ts.contents.script = false;\n\t}\n});\n\n// Install script dataType\njQuery.ajaxSetup({\n\taccepts: {\n\t\tscript: \"text/javascript, application/javascript, \" +\n\t\t\t\"application/ecmascript, application/x-ecmascript\"\n\t},\n\tcontents: {\n\t\tscript: /\\b(?:java|ecma)script\\b/\n\t},\n\tconverters: {\n\t\t\"text script\": function(text) {\n\t\t\tjQuery.globalEval(text);\n\t\t\treturn text;\n\t\t}\n\t}\n});\n\n// Handle cache's special case and crossDomain\njQuery.ajaxPrefilter(\"script\", function(s) {\n\tif (s.cache === undefined) {\n\t\ts.cache = false;\n\t}\n\tif (s.crossDomain) {\n\t\ts.type = \"GET\";\n\t}\n});\n\n// Bind script tag hack transport\njQuery.ajaxTransport(\"script\", function(s) {\n\n\t// This transport only deals with cross domain requests\n\tif (s.crossDomain) {\n\t\tvar script, callback;\n\t\treturn {\n\t\t\tsend: function(_, complete) {\n\t\t\t\tscript = jQuery(\"<script>\").prop({\n\t\t\t\t\tcharset: s.scriptCharset,\n\t\t\t\t\tsrc: s.url\n\t\t\t\t}).on(\n\t\t\t\t\t\"load error\",\n\t\t\t\t\tcallback = function(evt) {\n\t\t\t\t\t\tscript.remove();\n\t\t\t\t\t\tcallback = null;\n\t\t\t\t\t\tif (evt) {\n\t\t\t\t\t\t\tcomplete(evt.type === \"error\" ? 404 : 200, evt.type);\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t);\n\n\t\t\t\t// Use native DOM manipulation to avoid our domManip AJAX trickery\n\t\t\t\tdocument.head.appendChild(script[0]);\n\t\t\t},\n\t\t\tabort: function() {\n\t\t\t\tif (callback) {\n\t\t\t\t\tcallback();\n\t\t\t\t}\n\t\t\t}\n\t\t};\n\t}\n});\n\n\n\n\nvar oldCallbacks = [],\n\trjsonp = /(=)\\?(?=&|$)|\\?\\?/;\n\n// Default jsonp settings\njQuery.ajaxSetup({\n\tjsonp: \"callback\",\n\tjsonpCallback: function() {\n\t\tvar callback = oldCallbacks.pop() || (jQuery.expando + \"_\" + (nonce++));\n\t\tthis[callback] = true;\n\t\treturn callback;\n\t}\n});\n\n// Detect, normalize options and install callbacks for jsonp requests\njQuery.ajaxPrefilter(\"json jsonp\", function(s, originalSettings, jqXHR) {\n\n\tvar callbackName, overwritten, responseContainer,\n\t\tjsonProp = s.jsonp !== false && (rjsonp.test(s.url) ?\n\t\t\t\"url\" :\n\t\t\ttypeof s.data === \"string\" &&\n\t\t\t(s.contentType || \"\")\n\t\t\t\t.indexOf(\"application/x-www-form-urlencoded\") === 0 &&\n\t\t\t\trjsonp.test(s.data) && \"data\"\n\t\t);\n\n\t// Handle iff the expected data type is

\"jsonp\" or we have a parameter to set\n\tif (jsonProp || s.dataTypes[0] === \"jsonp\") {\n\n\t\t// Get callback name, remembering preexisting value associated with it\n\t\tcallbackName = s.jsonpCallback = isFunction(s.jsonpCallback) ?\n\t\t\ts.jsonpCallback() :\n\t\t\ts.jsonpCallback;\n\n\t\t// Insert callback into url or form data\n\t\tif (jsonProp) {\n\t\t\ts[jsonProp] = s[jsonProp].replace(rjsonp, \"$1\" + callbackName);\n\t\t} else if (s.jsonp !== false) {\n\t\t\ts.url += (rquery.test(s.url) ? \"&\" : \"?\") + s.jsonp + \"=\" + callbackName;\n\t\t}\n\n\t\t// Use data converter to retrieve json after script execution\n\t\ts.converters[\"script json\"] = function() {\n\t\t\tif (!responseContainer) {\n\t\t\t\tjQuery.error(callbackName + \" was not called\");\n\t\t\t}\n\t\t\treturn responseContainer[0];\n\t\t};\n\n\t\t// Force json dataType\n\t\ts.dataTypes[0] = \"json\";\n\n\t\t// Install callback\n\t\toverwritten = window[callbackName];\n\t\twindow[callbackName] = function() {\n\t\t\tresponseContainer = arguments;\n\t\t};\n\n\t\t// Clean-up function (fires after converters)\n\t\tjqXHR.always(function() {\n\n\t\t\t// If previous value didn't exist - remove it\n\t\t\tif (overwritten === undefined) {\n\t\t\t\tjQuery(window).removeProp(callbackName);\n\n\t\t\t// Otherwise restore preexisting value\n\t\t\t} else {\n\t\t\t\twindow[callbackName] = overwritten;\n\t\t\t}\n\n\t\t\t// Save back as free\n\t\t\tif (s[callbackName]) {\n\n\t\t\t\t// Make sure that re-using the options doesn't screw things around\n\t\t\t\ts.jsonpCallback = originalSettings.jsonpCallback;\n\n\t\t\t\t// Save the callback name for future use\n\t\t\t\toldCallbacks.push(callbackName);\n\t\t\t}\n\n\t\t\t// Call if it was a function and we have a response\n\t\t\tif (responseContainer && isFunction(overwritten)) {\n\t\t\t\toverwritten(responseContainer[0]);\n\t\t\t}\n\n\t\t\tresponseContainer = overwritten = undefined;\n\t\t});\n\n\t\t// Delegate to script\n\t\treturn \"script\";\n\t}\n});\n\n\n\n// Support: Safari 8 only\n// In Safari 8 documents created via document.implementation.createHTMLDocument\n// collapse sibling forms: the second one becomes a child of the first one.\n// Because of that, this security measure has to be disabled in Safari 8.\n// https://bugs.webkit.org/show_bug.cgi?id=137337\nsupport.createHTMLDocument = (function() {\n\tvar body = document.implementation.createHTMLDocument(\"\").body;\n\tbody.innerHTML = \"<form></form><form></form>\";\n\treturn body.childNodes.length === 2;\n})();\n\n\n// Argument \"data\" should be string of html\n// context (optional): If specified, the fragment will be created in this context,\n// defaults to document\n// keepScripts (optional): If true, will include scripts passed in the html string\njQuery.parseHTML = function(data, context, keepScripts) {\n\tif (typeof data !== \"string\") {\n\t\treturn [];\n\t}\n\tif (typeof context === \"boolean\") {\n\t\tkeepScripts = context;\n\t\tcontext = false;\n\t}\n\n\tvar base, parsed, scripts;\n\n\tif (!context) {\n\n\t\t// Stop scripts or inline event handlers from being executed immediately\n\t\t// by using document.implementation\n\t\tif (support.createHTMLDocument) {\n\t\t\tcontext = document.implementation.createHTMLDocument(\"\");\n\n\t\t\t// Set the base href for the created document\n\t\t\t// so any parsed elements with URLs\n\t\t\t// are based on the document's URL (gh-2965)\n\t\t\tbase = context.createElement(\"base\");\n\t\t\tbase.href = document.location.href;\n\t\t\tcontext.head.appendChild(base);\n\t\t} else {\n\t\t\tcontext = document;\n\t\t}\n\t}\n\n\tparsed = rsingleTag.exec(data);\n\tscripts = !keepScripts && [];\n\n\t// Single tag\n\tif (parsed) {\n\t\treturn [context.createElement(parsed[1])];\n\t}\n\n\tparsed = buildFragment([data], context, scripts);\n\n\tif (scripts && scripts.length) {\n\t\tjQuery(scripts).remove();\n\t}\n\n\treturn jQuery.merge([], parsed.childNodes);\n};\n\n\n/**\n * Load a url into a page\n */\njQuery.fn.load = function(url, params, callback) {\n\tvar selector, type, response,\n\t\tself = this,\n\t\toff = url.indexOf(\" \");\n\n\tif (off > -1) {\n\t\tselector = stripAndCollapse(url.slice(off));\n\t\turl = url.slice(0, off);\n\t}\n\n\t// If it's a function\n\tif (isFunction(params)) {\n\n\t\t// We assume that it's the callback\n\t\tcallback = params;\n\t\tparams = undefined;\n\n\t// Otherwise, build a param string\n\t} else if (params && typeof params === \"object\") {\n\t\ttype = \"POST\";\n\t}\n\n\t// If we have elements to modify, make the request\n\tif (self.length > 0) {\n\t\tjQuery.ajax({\n\t\t\turl: url,\n\n\t\t\t// If \"type\" variable is undefined, then \"GET\" method will be used.\n\t\t\t// Make value of this field explicit since\n\t\t\t// user can override it through ajaxSetup method\n\t\t\ttype: type || \"GET\",\n\t\t\tdataType: \"html\",\n\t\t\tdata: params\n\t\t}).done(function(responseText) {\n\n\t\t\t// Save response for use in complete callback\n\t\t\tresponse = arguments;\n\n\t\t\tself.html(selector ?\n\n\t\t\t\t// If a selector was specified, locate the right elements in a dummy div\n\t\t\t\t// Exclude scripts to avoid IE 'Permission Denied' errors\n\t\t\t\tjQuery(\"<div>\").append(jQuery.parseHTML(responseText)).find(selector) :\n\n\t\t\t\t//

Otherwise use the full result\n\t\t\t\tresponseText);\n\n\t\t\t// If the request succeeds, this function gets \"data\", \"status\", \"jqXHR\"\n\t\t// but they are ignored because response was set above.\n\t\t// If it fails, this function gets \"jqXHR\", \"status\", \"error\"\n\t\t}).always(callback && function(jqXHR, status) {\n\t\t\tself.each(function() {\n\t\t\t\tcallback.apply(this, response || [jqXHR.responseText, status, jqXHR]);\n\t\t\t});\n\t\t});\n\t}\n\n\treturn this;\n};\n\n\n\n\n// Attach a bunch of functions for handling common AJAX events\njQuery.each(\n[\n\t\"ajaxStart\",\n\t\"ajaxStop\",\n\t\"ajaxComplete\",\n\t\"ajaxError\",\n\t\"ajaxSuccess\",\n\t\"ajaxSend\"\n], function(i, type) {\n\tjQuery.fn[type] = function(fn) {\n\t\treturn this.on(type, fn);\n\t};\n}\n);\n\n\n\n\njQuery.expr.pseudos.animated = function(elem) {\n\treturn jQuery.grep(jQuery.timers, function(fn) {\n\t\treturn elem === fn.elem;\n\t}).length;\n};\n\n\n\n\njQuery.offset = {\n\tsetOffset: function(elem, options, i) {\n\t\tvar curPosition, curLeft, curCSSTop, curTop, curOffset, curCSSLeft, calculatePosition,\n\t\t\tposition = jQuery.css(elem, \"position\"),\n\t\t\tcurElem = jQuery(elem),\n\t\t\tprops = {};\n\t\t\t// Set position first, in-case top/left are set even on static elem\n\t\tif (position === \"static\") {\n\t\t\telem.style.position = \"relative\";\n\t\t}\n\n\t\tcurOffset = curElem.offset();\n\t\tcurCSSTop = jQuery.css(elem, \"top\");\n\t\tcurCSSLeft = jQuery.css(elem, \"left\");\n\t\tcalculatePosition = (position === \"absolute\" || position === \"fixed\") &&\n\t\t\t(curCSSTop + curCSSLeft).indexOf(\"auto\") > -1;\n\n\t\t// Need to be able to calculate position if either\n\t\t// top or left is auto and position is either absolute or fixed\n\t\tif (calculatePosition) {\n\t\t\tcurPosition = curElem.position();\n\t\t\tcurTop = curPosition.top;\n\t\t\tcurLeft = curPosition.left;\n\n\t\t} else {\n\t\t\tcurTop = parseFloat(curCSSTop) || 0;\n\t\t\tcurLeft = parseFloat(curCSSLeft) || 0;\n\t\t}\n\n\t\tif (isFunction(options)) {\n\n\t\t\t// Use jQuery.extend here to allow modification of coordinates argument (gh-1848)\n\t\t\toptions = options.call(elem, i, jQuery.extend({}, curOffset));\n\t\t}\n\n\t\tif (options.top != null) {\n\t\t\tprops.top = (options.top - curOffset.top) + curTop;\n\t\t}\n\t\tif (options.left != null) {\n\t\t\tprops.left = (options.left - curOffset.left) + curLeft;\n\t\t}\n\n\t\tif (\"using\" in options) {\n\t\t\toptions.using.call(elem, props);\n\t\t} else {\n\t\t\tcurElem.css(props);\n\t\t}\n\t}\n};\n\njQuery.fn.extend({\n\t// offset() relates an element's border box to the document origin\n\toffset: function(options) {\n\t\t// Preserve chaining for setter\n\t\tif (arguments.length) {\n\t\t\treturn options === undefined ?\n\t\t\t\tthis :\n\t\t\t\tthis.each(function(i) {\n\t\t\t\t\tjQuery.offset.setOffset(this, options, i);\n\t\t\t\t});\n\t\t}\n\n\t\tvar rect, win,\n\t\t\telem = this[0];\n\n\t\tif (!elem) {\n\t\t\treturn;\n\t\t}\n\n\t\t// Return zeros for disconnected and hidden (display: none) elements (gh-2310)\n\t\t// Support: IE <=11 only\n\t\t// Running getBoundingClientRect on a\n\t\t// disconnected node in IE throws an error\n\t\tif (!elem.getClientRects().length) {\n\t\t\treturn { top: 0, left: 0 };\n\t\t}\n\n\t\t// Get document-relative position by adding viewport scroll to viewport-relative gBCR\n\t\trect = elem.getBoundingClientRect();\n\t\twin = elem.ownerDocument.defaultView;\n\t\treturn {\n\t\t\ttop: rect.top + win.pageYOffset,\n\t\t\tleft: rect.left + win.pageXOffset\n\t\t};\n\t},\n\n\t// position() relates an element's margin box to its offset parent's padding box\n\t// This corresponds to the behavior of CSS absolute positioning\n\tposition: function() {\n\t\tif (!this[0]) {\n\t\t\treturn;\n\t\t}\n\n\t\tvar offsetParent, offset, doc,\n\t\t\telem = this[0],\n\t\t\tparentOffset = { top: 0, left: 0 };\n\n\t\t// position:fixed elements are offset from the viewport, which itself always has zero offset\n\t\tif (jQuery.css(elem, \"position\") === \"fixed\") {\n\n\t\t\t// Assume position:fixed implies availability of getBoundingClientRect\n\t\t\toffset = elem.getBoundingClientRect();\n\n\t\t} else {\n\t\t\toffset = this.offset();\n\n\t\t\t// Account for the *real* offset parent, which can be the document or its root element\n\t\t\t// when a statically positioned element is identified\n\t\t\tdoc = elem.ownerDocument;\n\t\t\toffsetParent = elem.offsetParent || doc.documentElement;\n\t\t\twhile (offsetParent &&\n\t\t\t\t(offsetParent === doc.body ||\n\t\t\t\t\toffsetParent === doc.documentElement) &&\n\t\t\t\tjQuery.css(offsetParent, \"position\") === \"static\") {\n\n\t\t\t\toffsetParent = offsetParent.parentNode;\n\t\t\t}\n\t\t\tif (offsetParent && offsetParent !== elem &&\n\t\t\t\toffsetParent.nodeType === 1) {\n\n\t\t\t\t// Incorporate borders into its offset, since they are outside its content origin\n\t\t\t\tparentOffset = jQuery(offsetParent).offset();\n\t\t\t\tparentOffset.top += jQuery.css(offsetParent, \"borderTopWidth\", true);\n\t\t\t\tparentOffset.left += jQuery.css(offsetParent, \"borderLeftWidth\", true);\n\t\t\t}\n\t\t}\n\n\t\t// Subtract parent offsets and element margins\n\t\treturn {\n\t\t\ttop: offset.top - parentOffset.top - jQuery.css(elem, \"marginTop\", true),\n\t\t\tleft: offset.left - parentOffset.left - jQuery.css(elem, \"marginLeft\", true)\n\t\t};\n\t},\n\n\t// This method will return documentElement in the following cases:\n\t// 1)

For the element inside the iframe without offsetParent, this method will return\n\t//   documentElement of the parent window\n\t// 2) For the hidden or detached element\n\t// 3) For body or html element, i.e. in case of the html node - it will return itself\n\t//\n\t// but those exceptions were never presented as a real life use-cases\n\t// and might be considered as more preferable results.\n\t//\n\t// This logic, however, is not guaranteed and can change at any point in the future\n\toffsetParent: function() {\n\t\treturn this.map(function() {\n\t\t\tvar offsetParent = this.offsetParent;\n\n\t\t\twhile (offsetParent && jQuery.css(offsetParent, \"position\") === \"static\") {\n\t\t\t\toffsetParent = offsetParent.offsetParent;\n\t\t\t}\n\n\t\t\treturn offsetParent || documentElement;\n\t\t});\n\t}\n});\n\n// Create scrollLeft and scrollTop methods\njQuery.each({ scrollLeft: \"pageXOffset\", scrollTop: \"pageYOffset\" }, function(method, prop) {\n\tvar top = \"pageYOffset\" === prop;\n\n\tjQuery.fn[method] = function(val) {\n\t\treturn access(this, function(elem, method, val) {\n\n\t\t\t// Coalesce documents and windows\n\t\t\tvar win;\n\t\t\tif (isWindow(elem)) {\n\t\t\t\twin = elem;\n\t\t\t} else if (elem.nodeType === 9) {\n\t\t\t\twin = elem.defaultView;\n\t\t\t}\n\n\t\t\tif (val === undefined) {\n\t\t\t\treturn win ? win[prop] : elem[method];\n\t\t\t}\n\n\t\t\tif (win) {\n\t\t\t\twin.scrollTo(\n\t\t\t\t\t!top ? val : win.pageXOffset,\n\t\t\t\t\ttop ? val : win.pageYOffset\n\t\t\t\t);\n\n\t\t\t} else {\n\t\t\t\telem[method] = val;\n\t\t\t}\n\t\t}, method, val, arguments.length);\n\t};\n});\n\n// Support: Safari <=7 - 9.1, Chrome <=37 - 49\n// Add the top/left cssHooks using jQuery.fn.position\n// Webkit bug: https://bugs.webkit.org/show_bug.cgi?id=29084\n// Blink bug: https://bugs.chromium.org/p/chromium/issues/detail?id=589347\n// getComputedStyle returns percent when specified for top/left/bottom/right;\n// rather than make the css module depend on the offset module, just check for it here\njQuery.each([\"top\", \"left\"], function(i, prop) {\n\tjQuery.cssHooks[prop] = addGetHookIf(support.pixelPosition,\n\t\tfunction(elem, computed) {\n\t\t\tif (computed) {\n\t\t\t\tcomputed = curCSS(elem, prop);\n\n\t\t\t\t// If curCSS returns percentage, fallback to offset\n\t\t\t\treturn rnumnonpx.test(computed) ?\n\t\t\t\t\tjQuery(elem).position()[prop] + \"px\" :\n\t\t\t\t\tcomputed;\n\t\t\t}\n\t\t});\n});\n\n\n// Create innerHeight, innerWidth, height, width, outerHeight and outerWidth methods\njQuery.each({ Height: \"height\", Width: \"width\" }, function(name, type) {\n\tjQuery.each({ padding: \"inner\" + name, content: type, \"\": \"outer\" + name },\n\t\tfunction(defaultExtra, funcName) {\n\n\t\t// Margin is only for outerHeight, outerWidth\n\t\tjQuery.fn[funcName] = function(margin, value) {\n\t\t\tvar chainable = arguments.length && (defaultExtra || typeof margin !== \"boolean\"),\n\t\t\t\textra = defaultExtra || (margin === true || value === true ?\n\t\t\t\t\t\"margin\" : \"border\");\n\n\t\t\treturn access(this, function(elem, type, value) {\n\t\t\t\tvar doc;\n\n\t\t\t\tif (isWindow(elem)) {\n\n\t\t\t\t\t// $(window).outerWidth/Height return w/h including scrollbars (gh-1729)\n\t\t\t\t\treturn funcName.indexOf(\"outer\") === 0 ?\n\t\t\t\t\t\telem[\"inner\" + name] :\n\t\t\t\t\t\telem.document.documentElement[\"client\" + name];\n\t\t\t\t}\n\n\t\t\t\t// Get document width or height\n\t\t\t\tif (elem.nodeType === 9) {\n\t\t\t\t\tdoc = elem.documentElement;\n\n\t\t\t\t\t// Either scroll[Width/Height] or offset[Width/Height] or client[Width/Height],\n\t\t\t\t\t// whichever is greatest\n\t\t\t\t\treturn Math.max(\n\t\t\t\t\t\telem.body[\"scroll\" + name], doc[\"scroll\" + name],\n\t\t\t\t\t\telem.body[\"offset\" + name], doc[\"offset\" + name],\n\t\t\t\t\t\tdoc[\"client\" + name]\n\t\t\t\t\t);\n\t\t\t\t}\n\n\t\t\t\treturn value === undefined ?\n\n\t\t\t\t\t// Get width or height on the element, requesting but not forcing parseFloat\n\t\t\t\t\tjQuery.css(elem, type, extra) :\n\n\t\t\t\t\t// Set width or height on the element\n\t\t\t\t\tjQuery.style(elem, type, value, extra);\n\t\t\t}, type, chainable ? margin : undefined, chainable);\n\t\t};\n\t});\n});\n\n\njQuery.each((\"blur focus focusin focusout resize scroll click dblclick \" +\n\t\"mousedown mouseup mousemove mouseover mouseout mouseenter mouseleave \" +\n\t\"change select submit keydown keypress keyup contextmenu\").split(\" \"),\n\tfunction(i, name) {\n\n\t// Handle event binding\n\tjQuery.fn[name] = function(data, fn) {\n\t\treturn arguments.length > 0 ?\n\t\t\tthis.on(name, null, data, fn) :\n\t\t\tthis.trigger(name);\n\t};\n});\n\njQuery.fn.extend({\n\thover: function(fnOver, fnOut) {\n\t\treturn this.mouseenter(fnOver).mouseleave(fnOut || fnOver);\n\t}\n});\n\n\n\n\njQuery.fn.extend({\n\n\tbind: function(types, data, fn) {\n\t\treturn this.on(types, null, data, fn);\n\t},\n\tunbind: function(types, fn) {\n\t\treturn this.off(types, null, fn);\n\t},\n\n\tdelegate: function(selector, types, data, fn) {\n\t\treturn this.on(types, selector, data, fn);\n\t},\n\tundelegate: function(selector, types, fn) {\n\n\t\t// (namespace) or (selector, types [, fn])\n\t\treturn arguments.length === 1 ?\n\t\t\tthis.off(selector, \"**\") :\n\t\t\tthis.off(types, selector ||

\"**\", fn);\n\t}\n});\n\n// Bind a function to a context, optionally partially applying any\n// arguments.\n// jQuery.proxy is deprecated to promote standards (specifically Function#bind)\n// However, it is not slated for removal any time soon\njQuery.proxy = function(fn, context) {\n\tvar tmp, args, proxy;\n\n\tif (typeof context === \"string\") {\n\t\ttmp = fn[context];\n\t\tcontext = fn;\n\t\tfn = tmp;\n\t}\n\n\t// Quick check to determine if target is callable, in the spec\n\t// this throws a TypeError, but we will just return undefined.\n\tif (!isFunction(fn)) {\n\t\treturn undefined;\n\t}\n\n\t// Simulated bind\n\targs = slice.call(arguments, 2);\n\tproxy = function() {\n\t\treturn fn.apply(context || this, args.concat(slice.call(arguments)));\n\t};\n\n\t// Set the guid of unique handler to the same of original handler, so it can be removed\n\tproxy.guid = fn.guid = fn.guid || jQuery.guid++;\n\n\treturn proxy;\n};\n\njQuery.holdReady = function(hold) {\n\tif (hold) {\n\t\tjQuery.readyWait++;\n\t} else {\n\t\tjQuery.ready(true);\n\t}\n};\njQuery.isArray = Array.isArray;\njQuery.parseJSON = JSON.parse;\njQuery.nodeName = nodeName;\njQuery.isFunction = isFunction;\njQuery.isWindow = isWindow;\njQuery.camelCase = camelCase;\njQuery.type = toType;\n\njQuery.now = Date.now;\n\njQuery.isNumeric = function(obj) {\n\n\t// As of jQuery 3.0, isNumeric is limited to\n\t// strings and numbers (primitives or objects)\n\t// that can be coerced to finite numbers (gh-2662)\n\tvar type = jQuery.type(obj);\n\treturn (type === \"number\" || type === \"string\") &&\n\n\t\t// parseFloat NaNs numeric-cast false positives (\"\")\n\t\t// ...but misinterprets leading-number strings, particularly hex literals (\"0x...\")\n\t\t// subtraction forces infinities to NaN\n\t\t!isNaN(obj - parseFloat(obj));\n};\n\n\n\n\n// Register as a named AMD module, since jQuery can be concatenated with other\n// files that may use define, but not via a proper concatenation script that\n// understands anonymous AMD modules. A named AMD is safest and most robust\n// way to register. Lowercase jquery is used because AMD module names are\n// derived from file names, and jQuery is normally delivered in a lowercase\n// file name. Do this after creating the global so that if an AMD module wants\n// to call noConflict to hide this version of jQuery, it will work.\n\n// Note that for maximum portability, libraries that are not jQuery should\n// declare themselves as anonymous modules, and avoid setting a global if an\n// AMD loader is present. jQuery is a special case. For more information, see\n// https://github.com/jrburke/requirejs/wiki/Updating-existing-libraries#wiki-anon\n\nif (typeof define === \"function\" && define.amd) {\n\tdefine(\"jquery\", [], function() {\n\t\treturn jQuery;\n\t});\n}\n\n\n\n\nvar\n\n\t// Map over jQuery in case of overwrite\n\t_jQuery = window.jQuery,\n\n\t// Map over the $ in case of overwrite\n\t_$ = window.$;\n\njQuery.noConflict = function(deep) {\n\tif (window.$ === jQuery) {\n\t\twindow.$ = _$;\n\t}\n\n\tif (deep && window.jQuery === jQuery) {\n\t\twindow.jQuery = _jQuery;\n\t}\n\n\treturn jQuery;\n};\n\n// Expose jQuery and $ identifiers, even in AMD\n// (#7102#comment:10, https://github.com/jquery/jquery/pull/557)\n// and CommonJS for browser emulators (#13566)\nif (!noGlobal) {\n\twindow.jQuery = window.$ = jQuery;\n}\n\n\n\n\nreturn jQuery;\n});\n","var map = {\n\t\"./en.json\": \"e847\"\n};\n\n\nfunction webpackContext(req) {\n\tvar id = webpackContextResolve(req);\n\treturn __webpack_require__(id);\n}\nfunction webpackContextResolve(req) {\n\tvar id = map[req];\n\tif(!(id + 1)) { // check for number or string\n\t\tvar e = new Error(\"Cannot find module '\" + req + \"'\");\n\t\te.code = 'MODULE_NOT_FOUND';\n\t\tthrow e;\n\t}\n\treturn id;\n}\nwebpackContext.keys = function webpackContextKeys() {\n\treturn Object.keys(map);\n};\nwebpackContext.resolve = webpackContextResolve;\nmodule.exports = webpackContext;\nwebpackContext.id = \"11b2\";","var pIE = require('./_object-pie');\nvar createDesc = require('./_property-desc');\nvar toIObject = require('./_to-iobject');\nvar toPrimitive = require('./_to-primitive');\nvar has = require('./_has');\nvar IE8_DOM_DEFINE = require('./_ie8-dom-define');\nvar gOPD = Object.getOwnPropertyDescriptor;\n\nexports.f = require('./_descriptors') ? gOPD : function getOwnPropertyDescriptor(O, P) {\n O = toIObject(O);\n P = toPrimitive(P, true);\n if (IE8_DOM_DEFINE) try {\n   return gOPD(O, P);\n } catch (e) { /* empty */ }\n if (has(O, P)) return createDesc(!pIE.f.call(O, P), O[P]);\n};\n","/**\n * Checks if `value` is suitable for use as unique object key.\n *\n * @private\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is suitable, else `false`.\n */\nfunction isKeyable(value) {\n var type = typeof value;\n return (type == 'string' || type == 'number' || type == 'symbol' || type == 'boolean')\n   ? (value !== '__proto__')\n   : (value === null);\n}\n\nmodule.exports = isKeyable;\n","var identity = require('./identity');\n\n/**\n * Casts `value` to `identity` if it's not a function.\n *\n * @private\n *

@param {*} value The value to inspect.\n * @returns {Function} Returns cast function.\n *\nfunction castFunction(value) {\n return typeof value == 'function' ? value : identity;\n}\n\nmodule.exports = castFunction;\n","/**\n * Checks if `value` is object-like. A value is object-like if it's not `null`\n * and has a `typeof` result of \"object\".\n *\n * @static\n * @memberOf _\n * @since 4.0.0\n * @category Lang\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is object-like, else `false`.\n * @example\n *\n * _.isObjectLike({});\n * // => true\n *\n * _.isObjectLike([1, 2, 3]);\n * // => true\n *\n * _.isObjectLike(_.noop);\n * // => false\n *\n * _.isObjectLike(null);\n * // => false\n *\nfunction isObjectLike(value) {\n return value != null && typeof value == 'object';\n}\n\nmodule.exports = isObjectLike;\n","module.exports =

\"data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAAAJ4AAACeCAYAAADDhbN7AAAABmJLR0QA
owA6AADnOD5/AAAACXBIWXMAAAsTAAALEwEAmpwYAAAAB3RJTUUH4QgLCggYIJ85zwAAABl0R
Vh0Q29tbWVudABDcmVhdGVkIHdpdGggR0lNUFeBDhcAAAfMSURBVHja7d1dUFTnHcfx3x4W2EVSFQQFj
YUYTTJRg2NMtUo1RrCKU2sTqxl8STPWZGzTi87UWmvTzvSiM0mmrampY9J0xqlp1CQ6sWMUVbBVDMI
eQGHaCMKEcLL8uIqsLssSy9ykbaZyHkiu4u7388l83DO7p/vnt09CxHTiu5X0AEORz9shgDooHwQHggPIDwQ
HgA4YHwwAMID4QGEB8ID4QGEB8IHgA4YHwAMID4QGEB8IDCA+EBxAeCO9W5bAsOVPcDCJnJHaUWrOeMlhr/Pg9evytXrCc4fdLmXmz9HYhhQUaOS1Prs
xMuTJGyZWeLjks9fV0q7upWb7mZl27WKsrBw+psaREgU7vLT+bBFey3vLjk7Zzttr27Ut9Y2z9HYyhQxv9d2fHaHAa7wvM9UpeUWuW/LT
stpr/PaV/6uU2seH9T9Z8z8z6hqZs/rmy5j+oBJfZkS0U7/FX8M7SFT8Zof6YF/f3ppV7OoKzwM9UpeUWuW/zY0v0K7OqfvY5y5y56ng
6GHb68tWrdWlV/cMfnTxcEmpkVMna/6BN7To1EmmNW7zYYDpJspyJyi5coMMKjhzXv9d2fHaHAa7wvM+wM9YtthiuNH6vv7bWBzY0+o16
XX61RRUWDts3xy76rpec+0O1Ll1LL1AP4f3zZQkw1FaTc3Ksbdx5wW01AP4jTA0D333Y/CCfMpGmp8tZX7q9t2PPP+R_d2fHaHAa7wvM+G
x1SoqP61xRvSCGWDts3r46Wdvj8/Wd2xVA93AA/yfbC3tf5wLPpmtPBu9x2Wm+Lj9KtiN8KxVSLXzJz+jhGEwdvGfhT+Y9ngPfk5gqyr
z9Wd2PTkJxRzorlypz9TbPwDK/xEXfhSV9JzaanR+smbNmrmweHZenejT/VvH2vGWW2zpbRsyM3M3FmeL
W3U9t0OyXdxh/b3fjp+G7XbES2uUVzVlyy9lyy9l9Zg+z+GmPTkE5r0xA/V/sGH6qqrV7C7W8np6UqfMd34+miSdPFvu
6I6g/ue9z9U3Sw5LFmWKPkhk6muttPumM5KsHlNt5WT3OTuhsaCW8g12ovqX7ffuUsf8TwTwFvqTIeW3C4kIeeHZ7r6t27O
X8ExUbNoiz9nyiO2vu7FR/3FR/3P3UzUz8NKKtf1LQ4AqXhKfrktRuqJY1y9fDvu+eq95VbqyWD5PW8zMr7nslKp+90
zY9xTv5ly/XK93po5x/jq2mZHugYd/tZ8bzOqbmdq32osqK1yguYU7CO9r8rXXX6X6iejGRhxbwqo4XQ3NmNzKitolJla
x7Tie99X4FOb8T2G7HzeDXPb5OVYK9zT0XloO7be+HfKn10td7b7b8mvdmSxsgoLNGZuvhLcKQN+n2dNjreO
qSGwyVqPlFfmdHV2y/mt22XlWjvR9FW+f5NvgYOqL3yfXnKy1X3xr6onXt07LSS+xWHrOQkkDb9rkljYRik5I0
OuzEw5U1Pk97TL19IsX0uuuurr1d3w346oC3qvtybSqo6paIX8gqrfT4+iP7+eiP3/AQ3f
D4mwtE5xmHEYDwQHgA4YHwAMID4QGEB8IDCA+IDCA+EBxAeCA8gPBAeQHggPIDwEG1Oh7iGHiLL4ZD+A7kQKAsUeS
w0AAAAEIFTkSuQmCC\"

,"var coreJsData = require('./_coreJsData');\n\n/** Used to detect methods masquerading as native. *\nvar maskSrcKey = (function() {\n var uid = /[^.]+$/.exec(coreJsData && coreJsData.keys && coreJsData.keys.IE_PROTO || '');\n return uid ? ('Symbol(src)_1.' + uid) : '';\n}());\n\n/**\n * Checks if `func` has its source masked.\n *\n * @private\n * @param {Function} func The function to check.\n * @returns {boolean} Returns `true` if `func` is masked, else `false`.\n *\nfunction isMasked(func) {\n return

!!maskSrcKey && (maskSrcKey in func);\n}\n\nmodule.exports = isMasked;\n","// extracted by mini-css-extract-plugin","var dP = require('./_object-dp');\nvar anObject = require('./_an-object');\nvar getKeys = require('./_object-keys');\n\nmodule.exports = require('./_descriptors') ? Object.defineProperties : function defineProperties(O, Properties) {\n anObject(O);\n var keys = getKeys(Properties);\n var length = keys.length;\n var i = 0;\n var P;\n while (length > i) dP.f(O, P = keys[i++], Properties[P]);\n return O;\n};\n","\"use strict\";\n\nmodule.exports = function () {\n\tvar assign = Object.assign, obj;\n\tif (typeof assign !== \"function\") return false;\n\tobj = { foo: \"raz\" };\n\tassign(obj, { bar: \"dwa\" }, { trzy: \"trzy\" });\n\treturn (obj.foo + obj.bar + obj.trzy) === \"razdwatrzy\";\n};\n","import mod from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./SignUpForm.vue?vue&type=style&index=0&lang=scss&\"; export default mod; export * from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./SignUpForm.vue?vue&type=style&index=0&lang=scss&\"","var baseIsEqual = require('./_baseIsEqual'),\n get = require('./get'),\n hasIn = require('./hasIn'),\n isKey = require('./_isKey'),\n isStrictComparable = require('./_isStrictComparable'),\n matchesStrictComparable = require('./_matchesStrictComparable'),\n toKey = require('./_toKey');\n\n/** Used to compose bitmasks for value comparisons. */\nvar COMPARE_PARTIAL_FLAG = 1,\n COMPARE_UNORDERED_FLAG = 2;\n\n/**\n * The base implementation of `_.matchesProperty` which doesn't clone `srcValue`.\n *\n * @private\n * @param {string} path The path of the property to get.\n * @param {*} srcValue The value to match.\n * @returns {Function} Returns the new spec function.\n */\nfunction baseMatchesProperty(path, srcValue) {\n if (isKey(path) && isStrictComparable(srcValue)) {\n return matchesStrictComparable(toKey(path), srcValue);\n }\n return function(object) {\n var objValue = get(object, path);\n return (objValue === undefined && objValue === srcValue)\n ? hasIn(object, path)\n : baseIsEqual(srcValue, objValue, COMPARE_PARTIAL_FLAG | COMPARE_UNORDERED_FLAG);\n };\n}\n\nmodule.exports = baseMatchesProperty;\n","var memoizeCapped = require('./_memoizeCapped');\n\n/** Used to match property names within property paths. */\nvar rePropName = /[^.[\\]]+|\\[(?:(-?\\d+(?:\\.\\d+)?)|([\"'])((?:(?!\\2)[^\\\\]|\\\\.)*?)\\2)\\]|(?=(?:\\.|\\[\\])(?:\\.|\\[\\]|$))/g;\n\n/** Used to match backslashes in property paths. */\nvar reEscapeChar = /\\\\(\\\\)?/g;\n\n/**\n * Converts `string` to a property path array.\n *\n * @private\n * @param {string} string The string to convert.\n * @returns {Array} Returns the property path array.\n */\nvar stringToPath = memoizeCapped(function(string) {\n var result = [];\n if (string.charCodeAt(0) === 46 /* . */) {\n result.push('');\n }\n string.replace(rePropName, function(match, number, quote, subString) {\n result.push(quote ? subString.replace(reEscapeChar, '$1') : (number || match));\n });\n return result;\n});\n\nmodule.exports = stringToPath;\n","\"use strict\";\n\nvar str = \"razdwatrzy\";\n\nmodule.exports = function () {\n\tif (typeof str.contains !== \"function\") return false;\n\treturn (str.contains(\"dwa\") === true) && (str.contains(\"foo\") === false);\n};\n","var ctx = require('./_ctx');\nvar invoke = require('./_invoke');\nvar html = require('./_html');\nvar cel = require('./_dom-create');\nvar global = require('./_global');\nvar process = global.process;\nvar setTask = global.setImmediate;\nvar clearTask = global.clearImmediate;\nvar MessageChannel = global.MessageChannel;\nvar Dispatch = global.Dispatch;\nvar counter = 0;\nvar queue = {};\nvar ONREADYSTATECHANGE = 'onreadystatechange';\nvar defer, channel, port;\nvar run = function () {\n var id = +this;\n // eslint-disable-next-line no-prototype-builtins\n if (queue.hasOwnProperty(id)) {\n var fn = queue[id];\n delete queue[id];\n fn();\n }\n};\nvar listener = function (event) {\n run.call(event.data);\n};\n// Node.js 0.9+ & IE10+ has setImmediate, otherwise:\nif (!setTask || !clearTask) {\n setTask = function setImmediate(fn) {\n var args = [];\n var i = 1;\n while (arguments.length >

i) args.push(arguments[i++]);\n   queue[++counter] = function () {\n   // eslint-disable-next-line no-new-func\n invoke(typeof fn == 'function' ? fn : Function(fn), args);\n   };\n   defer(counter);\n   return counter;\n };\n clearTask = function clearImmediate(id) {\n   delete queue[id];\n };\n // Node.js 0.8-\n if (require('./_cof')(process) == 'process') {\n   defer = function (id) {\n   process.nextTick(ctx(run, id, 1));\n   };\n // Sphere (JS game engine) Dispatch API\n } else if (Dispatch && Dispatch.now) {\n   defer = function (id) {\n   Dispatch.now(ctx(run, id, 1));\n   };\n // Browsers with MessageChannel, includes WebWorkers\n } else if (MessageChannel) {\n   channel = new MessageChannel();\n   port = channel.port2;\n   channel.port1.onmessage = listener;\n   defer = ctx(port.postMessage, port, 1);\n // Browsers with postMessage, skip WebWorkers\n // IE8 has postMessage, but it's sync & typeof its postMessage is 'object'\n } else if (global.addEventListener && typeof postMessage == 'function' && !global.importScripts) {\n   defer = function (id) {\n   global.postMessage(id + '', '*');\n   };\n global.addEventListener('message', listener, false);\n // IE8-\n } else if (ONREADYSTATECHANGE in cel('script')) {\n   defer = function (id) {\n   html.appendChild(cel('script'))[ONREADYSTATECHANGE] = function () {\n   html.removeChild(this);\n   run.call(id);\n   };\n   };\n // Rest old browsers\n } else {\n   defer = function (id) {\n   setTimeout(ctx(run, id, 1), 0);\n   };\n }\n}\nmodule.exports = {\n set: setTask,\n clear: clearTask\n};\n","/**\n * Checks if `value` is the\n * [language type](http://www.ecma-international.org/ecma-262/7.0/#sec-ecmascript-language-types)\n * of `Object`. (e.g. arrays, functions, objects, regexes, `new Number(0)`, and `new String('')`)\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @category Lang\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is an object, else `false`.\n * @example\n *\n * _.isObject({});\n * // => true\n *\n * _.isObject([1, 2, 3]);\n * // => true\n *\n * _.isObject(_.noop);\n * // => true\n *\n * _.isObject(null);\n * // => false\n */\nfunction isObject(value) {\n var type = typeof value;\n return value != null && (type == 'object' || type == 'function');\n}\n\nmodule.exports = isObject;\n","var Symbol = require('./_Symbol'),\n   Uint8Array = require('./_Uint8Array'),\n   eq = require('./eq'),\n   equalArrays = require('./_equalArrays'),\n   mapToArray = require('./_mapToArray'),\n   setToArray = require('./_setToArray');\n\n/** Used to compose bitmasks for value comparisons. */\nvar COMPARE_PARTIAL_FLAG = 1,\n   COMPARE_UNORDERED_FLAG = 2;\n\n/** `Object#toString` result references. */\nvar boolTag = '[object Boolean]',\n   dateTag = '[object Date]',\n   errorTag = '[object Error]',\n   mapTag = '[object Map]',\n   numberTag = '[object Number]',\n   regexpTag = '[object RegExp]',\n   setTag = '[object Set]',\n   stringTag = '[object String]',\n   symbolTag = '[object Symbol]';\n\nvar arrayBufferTag = '[object ArrayBuffer]',\n   dataViewTag = '[object DataView]';\n\n/** Used to convert symbols to primitives and strings. */\nvar symbolProto = Symbol ? Symbol.prototype : undefined,\n   symbolValueOf = symbolProto ? symbolProto.valueOf : undefined;\n\n/**\n * A specialized version of `baseIsEqualDeep` for comparing objects of\n * the same `toStringTag`.\n *\n * **Note:** This function only supports comparing values with tags of\n * `Boolean`, `Date`, `Error`, `Number`, `RegExp`, or `String`.\n *\n * @private\n * @param {Object} object The object to compare.\n * @param {Object} other The other object to compare.\n * @param {string} tag The `toStringTag` of the objects to compare.\n * @param {number} bitmask The bitmask flags. See `baseIsEqual` for more details.\n * @param {Function} customizer The function to customize comparisons.\n * @param {Function} equalFunc The function to determine equivalents of values.\n * @param {Object} stack Tracks traversed `object` and `other` objects.\n * @returns {boolean} Returns `true` if the objects are equivalent, else `false`.\n */\nfunction equalByTag(object, other, tag, bitmask, customizer, equalFunc, stack) {\n switch (tag) {\n   case dataViewTag:\n   if ((object.byteLength != other.byteLength) ||\n   (object.byteOffset != other.byteOffset)) {\n   return false;\n   }\n   object = object.buffer;\n   other = other.buffer;\n\n   case arrayBufferTag:\n   if ((object.byteLength != other.byteLength) ||\n   !equalFunc(new Uint8Array(object), new Uint8Array(other))) {\n   return false;\n   }\n   return true;\n\n   case boolTag:\n   case dateTag:\n   case numberTag:\n   // Coerce booleans to `1` or `0` and dates to milliseconds.\n   // Invalid dates are coerced to `NaN`.\n   return eq(+object, +other);\n\n   case errorTag:\n   return object.name == other.name && object.message == other.message;\n\n   case regexpTag:\n   case stringTag:\n   // Coerce regexes to strings and treat strings, primitives and objects,\n   // as equal. See http://www.ecma-international.org/ecma-262/7.0/#sec-regexp.prototype.tostring\n   // for more details.\n   return object == (other + '');\n\n   case mapTag:\n   var convert = mapToArray;\n\n   case setTag:\n   var isPartial =

bitmask & COMPARE_PARTIAL_FLAG;\n   convert || (convert = setToArray);\n\n   if (object.size != other.size && !isPartial) {\n   return false;\n   }\n   // Assume cyclic values are equal.\n   var stacked = stack.get(object);\n   if (stacked) {\n   return stacked == other;\n   }\n   bitmask |= COMPARE_UNORDERED_FLAG;\n\n   // Recursively compare objects (susceptible to call stack limits).\n   stack.set(object, other);\n   var result = equalArrays(convert(object), convert(other), bitmask, customizer, equalFunc, stack);\n   stack['delete'](object);\n   return result;\n\n   case symbolTag:\n   if (symbolValueOf) {\n   return symbolValueOf.call(object) == symbolValueOf.call(other);\n   }\n }\n return false;\n}\n\nmodule.exports = equalByTag;\n","'use strict';\n\nmodule.exports = require('./is-implemented')() ? Symbol : require('./polyfill');\n","var getNative = require('./_getNative'),\n   root = require('./_root');\n\n/* Built-in method references that are verified to be native. */\nvar Promise = getNative(root, 'Promise');\n\nmodule.exports = Promise;\n","/**\n * Removes `key` and its value from the hash.\n *\n * @private\n * @name delete\n * @memberOf Hash\n * @param {Object} hash The hash to modify.\n * @param {string} key The key of the value to remove.\n * @returns {boolean} Returns `true` if the entry was removed, else `false`.\n */\nfunction hashDelete(key) {\n var result = this.has(key) && delete this.__data__[key];\n this.size -= result ? 1 : 0;\n return result;\n}\n\nmodule.exports = hashDelete;\n","var baseEach = require('./_baseEach');\n\n/**\n * The base implementation of `_.every` without support for iteratee shorthands.\n *\n * @private\n * @param {Array|Object} collection The collection to iterate over.\n * @param {Function} predicate The function invoked per iteration.\n * @returns {boolean} Returns `true` if all elements pass the predicate check,\n * else `false`\n */\nfunction baseEvery(collection, predicate) {\n var result = true;\n baseEach(collection, function(value, index, collection) {\n   result = !!predicate(value, index, collection);\n   return result;\n });\n return result;\n}\n\nmodule.exports = baseEvery;\n","// call something on iterator step with safe closing on error\nvar anObject = require('./_an-object');\nmodule.exports = function (iterator, fn, value, entries) {\n try {\n   return entries ? fn(anObject(value)[0], value[1]) : fn(value);\n // 7.4.6 IteratorClose(iterator, completion)\n } catch (e) {\n   var ret = iterator['return'];\n   if (ret !== undefined) anObject(ret.call(iterator));\n   throw e;\n }\n};\n","var getMapData = require('./_getMapData');\n\n/**\n * Sets the map `key` to `value`.\n *\n * @private\n * @name set\n * @memberOf MapCache\n * @param {string} key The key of the value to set.\n * @param {*} value The value to set.\n * @returns {Object} Returns the map cache instance.\n */\nfunction mapCacheSet(key, value) {\n var data = getMapData(this, key),\n   size = data.size;\n\n data.set(key, value);\n this.size += data.size == size ? 0 : 1;\n return this;\n}\n\nmodule.exports = mapCacheSet;\n","// extracted by mini-css-extract-plugin","\"use strict\";\n\nmodule.exports = require(\"./is-implemented\")()\n\t? Object.assign\n\t: require(\"./shim\");\n","/**\n * A specialized version of `matchesProperty` for source values suitable\n * for strict equality comparisons, i.e. `===`.\n *\n * @private\n * @param {string} key The key of the property to get.\n * @param {*} srcValue The value to match.\n * @returns {Function} Returns the new spec function.\n */\nfunction matchesStrictComparable(key, srcValue) {\n return function(object) {\n   if (object == null) {\n   return false;\n   }\n   return object[key] === srcValue &&\n   (srcValue !== undefined || (key in Object(object)));\n };\n}\n\nmodule.exports = matchesStrictComparable;\n","'use strict';\nvar hide = require('./_hide');\nvar redefine = require('./_redefine');\nvar fails = require('./_fails');\nvar defined = require('./_defined');\nvar wks = require('./_wks');\n\nmodule.exports = function (KEY, length, exec) {\n var SYMBOL = wks(KEY);\n var fns = exec(defined, SYMBOL, ''[KEY]);\n var strfn = fns[0];\n var rxfn = fns[1];\n if (fails(function () {\n   var O = {};\n   O[SYMBOL] = function () { return 7; };\n   return ''[KEY](O) != 7;\n })) {\n   redefine(String.prototype, KEY, strfn);\n   hide(RegExp.prototype, SYMBOL, length == 2\n   // 21.2.5.8 RegExp.prototype[@@replace](string, replaceValue)\n   // 21.2.5.11 RegExp.prototype[@@split](string, limit)\n   ? function (string, arg) { return rxfn.call(string, this, arg); }\n   // 21.2.5.6 RegExp.prototype[@@match](string)\n   // 21.2.5.9 RegExp.prototype[@@search](string)\n   : function (string) { return rxfn.call(string, this); }\n   );\n }\n};\n","var compareAscending = require('./_compareAscending');\n\n/**\n * Used by `_.orderBy` to compare multiple properties of a value to another\n * and stable sort them.\n *\n * If `orders` is unspecified, all values are sorted in ascending order. Otherwise,\n * specify an order of \"desc\" for descending or \"asc\" for ascending sort order\n * of corresponding values.\n *\n * @private\n * @param {Object} object The object to compare.\n * @param {Object} other The other

object to compare.\n * @param {boolean[]|string[]} orders The order to sort by for each property.\n * @returns {number} Returns the sort order indicator for `object`.\n */\nfunction compareMultiple(object, other, orders) {\n var index = -1,\n   objCriteria = object.criteria,\n   othCriteria = other.criteria,\n   length = objCriteria.length,\n   ordersLength = orders.length;\n\n while (++index < length) {\n   var result = compareAscending(objCriteria[index], othCriteria[index]);\n   if (result) {\n   if (index >= ordersLength) {\n   return result;\n   }\n   var order = orders[index];\n   return result * (order == 'desc' ? -1 : 1);\n   }\n }\n // Fixes an `Array#sort` bug in the JS engine embedded in Adobe applications\n // that causes it, under certain circumstances, to provide the same value for\n // `object` and `other`. See https://github.com/jashkenas/underscore/pull/1247\n // for more details.\n //\n // This also ensures a stable sort in V8 and other engines.\n // See https://bugs.chromium.org/p/v8/issues/detail?id=90 for more details.\n return object.index - other.index;\n}\n\nmodule.exports = compareMultiple;\n","var apply = require('./_apply');\n\n/* Built-in method references for those with the same name as other `lodash` methods. */\nvar nativeMax = Math.max;\n\n/**\n * A specialized version of `baseRest` which transforms the rest array.\n *\n * @private\n * @param {Function} func The function to apply a rest parameter to.\n * @param {number} [start=func.length-1] The start position of the rest parameter.\n * @param {Function} transform The rest array transform.\n * @returns {Function} Returns the new function.\n */\nfunction overRest(func, start, transform) {\n start = nativeMax(start === undefined ? (func.length - 1) : start, 0);\n return function() {\n   var args = arguments,\n   index = -1,\n   length = nativeMax(args.length - start, 0),\n   array = Array(length);\n\n   while (++index < length) {\n   array[index] = args[start + index];\n   }\n   index = -1;\n   var otherArgs = Array(start + 1);\n   while (++index < start) {\n   otherArgs[index] = args[index];\n   }\n   otherArgs[start] = transform(array);\n   return apply(func, this, otherArgs);\n };\n}\n\nmodule.exports = overRest;\n","'use strict';\nObject.defineProperty(exports, '__esModule', { value: true });\nvar prefix = 'fab';\nvar iconName = 'linkedin';\nvar width = 448;\nvar height = 512;\nvar ligatures = [];\nvar unicode = 'f08c';\nvar svgPathData = 'M416 32H31.9C14.3 32 0 46.5 0 64.3v383.4C0 465.5 14.3 480 31.9 480H416c17.6 0 32-14.5 32-32.3V64.3c0-17.8-14.4-32.3-32-32.3zM135.4 416H69V202.2h66.5V416zm-33.2-243c-21.3 0-38.5-17.3-38.5-38.5S80.9 96 102.2 96c21.2 0 38.5 17.3 38.5 38.5 0 21.3-17.2 38.5-38.5 38.5zm282.1 243h-66.4V312c0-24.8-.5-56.7-34.5-56.7-34.6 0-39.9 27-39.9 54.9V416h-66.4V202.2h63.7v29.2h.9c8.9-16.8 30.6-34.5 62.9-34.5 67.2 0 79.7 44.3 79.7 101.9V416z';\n\nexports.definition = {\n prefix: prefix,\n iconName: iconName,\n icon: [\n   width,\n   height,\n   ligatures,\n   unicode,\n   svgPathData\n]};\n\nexports.faLinkedin = exports.definition;\nexports.prefix = prefix;\nexports.iconName = iconName;\nexports.width = width;\nexports.height = height;\nexports.ligatures = ligatures;\nexports.unicode = unicode;\nexports.svgPathData = svgPathData;","var isObject = require('./_is-object');\nvar document = require('./_global').document;\n// typeof document.createElement is 'object' in old IE\nvar is = isObject(document) && isObject(document.createElement);\nmodule.exports = function (it) {\n return is ? document.createElement(it) : {};\n};\n","var memoize = require('./memoize');\n\n/** Used as the maximum memoize cache size. */\nvar MAX_MEMOIZE_SIZE = 500;\n\n/**\n * A specialized version of `_.memoize` which clears the memoized function's\n * cache when it exceeds `MAX_MEMOIZE_SIZE`.\n *\n * @private\n * @param {Function} func The function to have its output memoized.\n * @returns {Function} Returns the new memoized function.\n */\nfunction memoizeCapped(func) {\n var result = memoize(func, function(key) {\n   if (cache.size === MAX_MEMOIZE_SIZE) {\n   cache.clear();\n   }\n   return key;\n });\n\n var cache = result.cache;\n return result;\n}\n\nmodule.exports = memoizeCapped;\n","// getting tag from 19.1.3.6 Object.prototype.toString()\nvar cof = require('./_cof');\nvar TAG = require('./_wks')('toStringTag');\n// ES3 wrong here\nvar ARG = cof(function () { return arguments; }()) == 'Arguments';\n\n// fallback for IE11 Script Access Denied error\nvar tryGet = function (it, key) {\n try {\n   return it[key];\n } catch (e) { /* empty */ }\n};\n\nmodule.exports = function (it) {\n var O, T, B;\n return it === undefined ? 'Undefined' : it === null ? 'Null'\n   // @@toStringTag case\n   : typeof (T = tryGet(O = Object(it), TAG)) == 'string' ? T\n   // builtinTag case\n   : ARG ? cof(O)\n   // ES3 arguments fallback\n   : (B = cof(O)) == 'Object' && typeof O.callee == 'function' ? 'Arguments' : B;\n};\n","var baseFor = require('./_baseFor'),\n   keys = require('./keys');\n\n/**\n * The base implementation of `_.forOwn` without support for iteratee shorthands.\n *\n * @private\n * @param {Object} object The object to iterate over.\n * @param

{Function} iteratee The function invoked per iteration.\n * @returns {Object} Returns `object`.\n */\nfunction baseForOwn(object, iteratee) {\n return object && baseFor(object, iteratee, keys);\n}\n\nmodule.exports = baseForOwn;\n","var root = require('./_root');\n\n/** Built-in value references. */\nvar Uint8Array = root.Uint8Array;\n\nmodule.exports = Uint8Array;\n","var getMapData = require('./_getMapData');\n\n/**\n * Gets the map value for `key`.\n *\n * @private\n * @name get\n * @memberOf MapCache\n * @param {string} key The key of the value to get.\n * @returns {*} Returns the entry value.\n */\nfunction mapCacheGet(key) {\n return getMapData(this, key).get(key);\n}\n\nmodule.exports = mapCacheGet;\n","var nativeCreate = require('./_nativeCreate');\n\n/** Used to stand-in for `undefined` hash values. */\nvar HASH_UNDEFINED = '__lodash_hash_undefined__';\n\n/**\n * Sets the hash `key` to `value`.\n *\n * @private\n * @name set\n * @memberOf Hash\n * @param {string} key The key of the value to set.\n * @param {*} value The value to set.\n * @returns {Object} Returns the hash instance.\n */\nfunction hashSet(key, value) {\n var data = this.__data__;\n this.size += this.has(key) ? 0 : 1;\n data[key] = (nativeCreate && value === undefined) ? HASH_UNDEFINED : value;\n return this;\n}\n\nmodule.exports = hashSet;\n","var baseGetTag = require('./_baseGetTag'),\n   isObjectLike = require('./isObjectLike');\n\n/** `Object#toString` result references. */\nvar argsTag = '[object Arguments]';\n\n/**\n * The base implementation of `_.isArguments`.\n *\n * @private\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is an `arguments` object,\n */\nfunction baseIsArguments(value) {\n return isObjectLike(value) && baseGetTag(value) == argsTag;\n}\n\nmodule.exports = baseIsArguments;\n","exports.f = Object.getOwnPropertySymbols;\n","var arrayEvery = require('./_arrayEvery'),\n   baseEvery = require('./_baseEvery'),\n   baseIteratee = require('./_baseIteratee'),\n   isArray = require('./isArray'),\n   isIterateeCall = require('./_isIterateeCall');\n\n/**\n * Checks if `predicate` returns truthy for **all** elements of `collection`.\n * Iteration is stopped once `predicate` returns falsey. The predicate is\n * invoked with three arguments: (value, index|key, collection).\n *\n * **Note:** This method returns `true` for\n * [empty collections](https://en.wikipedia.org/wiki/Empty_set) because\n * [everything is true](https://en.wikipedia.org/wiki/Vacuous_truth) of\n * elements of empty collections.\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @category Collection\n * @param {Array|Object} collection The collection to iterate over.\n * @param {Function} [predicate=_.identity] The function invoked per iteration.\n * @param-{Object} [guard] Enables use as an iteratee for methods like `_.map`.\n * @returns {boolean} Returns `true` if all elements pass the predicate check,\n * else `false`.\n * @example\n *\n * _.every([true, 1, null, 'yes'], Boolean);\n * // => false\n *\n * var users = [\n *   { 'user': 'barney', 'age': 36, 'active': false },\n *   { 'user': 'fred',   'age': 40, 'active': false }\n *];\n *\n * // The `_.matches` iteratee shorthand.\n * _.every(users, { 'user': 'barney', 'active': false });\n * // => false\n *\n * // The `_.matchesProperty` iteratee shorthand.\n * _.every(users, ['active', false]);\n * // => true\n *\n * // The `_.property` iteratee shorthand.\n * _.every(users, 'active');\n * // => false\n */\nfunction every(collection, predicate, guard) {\n var func = isArray(collection) ? arrayEvery : baseEvery;\n if (guard && isIterateeCall(collection, predicate, guard)) {\n   predicate = undefined;\n }\n return func(collection, baseIteratee(predicate, 3));\n}\n\nmodule.exports = every;\n","/**\n * The base implementation of `_.hasIn` without support for deep paths.\n *\n * @private\n * @param {Object} [object] The object to query.\n * @param {Array|string} key The key to check.\n * @returns {boolean} Returns `true` if `key` exists, else `false`.\n */\nfunction baseHasIn(object, key) {\n return object != null && key in Object(object);\n}\n\nmodule.exports = baseHasIn;\n","var classof = require('./_classof');\nvar ITERATOR = require('./_wks')('iterator');\nvar Iterators = require('./_iterators');\nmodule.exports = require('./_core').getIteratorMethod = function (it) {\n if (it != undefined)\n   return it[ITERATOR]\n || it['@@iterator']\n || Iterators[classof(it)];\n};\n","// @@split logic\nrequire('./_fix-re-wks')('split', 2, function (defined, SPLIT, $split) {\n 'use strict';\n var isRegExp = require('./_is-regexp');\n var _split = $split;\n var $push = [].push;\n var $SPLIT = 'split';\n var LENGTH = 'length';\n var LAST_INDEX = 'lastIndex';\n if (\n   'abbc'[$SPLIT](/(b)*/)[1] == 'c' ||\n   'test'[$SPLIT](/(?:)/, -1)[LENGTH] != 4 ||\n   'ab'[$SPLIT](/(?:ab)*/)[LENGTH] != 2 ||\n   '.'[$SPLIT](/(.?)(.?)/)[LENGTH] != 4 ||\n   '.'[$SPLIT](/()()/)[LENGTH] > 1 ||\n   ''[$SPLIT](/.?/)[LENGTH]\n) {\n   var NPCG = /()??/.exec('')[1] === undefined; // nonparticipating capturing group\n   // based on es5-shim implementation, need to rework it\n $split = function (separator, limit) {\n   var string = String(this);\n   if (separator === undefined && limit === 0) return

[];\n   // If `separator` is not a regex, use native split\n   if (!isRegExp(separator)) return _split.call(string, separator, limit);\n   var output = [];\n   var flags = (separator.ignoreCase ? 'i' : '') +\n   (separator.multiline ? 'm' : '') +\n   (separator.unicode ? 'u' : '') +\n   (separator.sticky ? 'y' : '');\n   var lastLastIndex = 0;\n   var splitLimit = limit === undefined ? 4294967295 : limit >>> 0;\n   // Make `global` and avoid `lastIndex` issues by working with a copy\n   var separatorCopy = new RegExp(separator.source, flags + 'g');\n   var separator2, match, lastIndex, lastLength, i;\n   // Doesn't need flags gy, but they don't hurt\n   if (!NPCG) separator2 = new RegExp('^' + separatorCopy.source + '$(?!\\\\\\\\s)', flags);\n   while (match = separatorCopy.exec(string)) {\n   // `separatorCopy.lastIndex` is not reliable cross-browser\n   lastIndex = match.index + match[0][LENGTH];\n   if (lastIndex > lastLastIndex) {\n   output.push(string.slice(lastLastIndex, match.index));\n   // Fix browsers whose `exec` methods don't consistently return `undefined` for NPCG\n   // eslint-disable-next-line no-loop-func\n   if (!NPCG && match[LENGTH] > 1) match[0].replace(separator2, function () {\n   for (i = 1; i < arguments[LENGTH] - 2; i++) if (arguments[i] === undefined) match[i] = undefined;\n   });\n   if (match[LENGTH] > 1 && match.index < string[LENGTH]) $push.apply(output, match.slice(1));\n   lastLength = match[0][LENGTH];\n   lastLastIndex = lastIndex;\n   if (output[LENGTH] >= splitLimit) break;\n   }\n   if (separatorCopy[LAST_INDEX] === match.index) separatorCopy[LAST_INDEX]++; // Avoid an infinite loop\n   }\n   if (lastLastIndex === string[LENGTH]) {\n   if (lastLength || !separatorCopy.test('')) output.push('');\n   } else output.push(string.slice(lastLastIndex));\n   return output[LENGTH] > splitLimit ? output.slice(0, splitLimit) : output;\n };\n // Chakra, V8\n } else if ('0'[$SPLIT](undefined, 0)[LENGTH]) {\n $split = function (separator, limit) {\n   return separator === undefined && limit === 0 ? [] : _split.call(this, separator, limit);\n };\n }\n // 21.1.3.17 String.prototype.split(separator, limit)\n return [function split(separator, limit) {\n   var O = defined(this);\n   var fn = separator == undefined ? undefined : separator[SPLIT];\n   return fn !== undefined ? fn.call(separator, O, limit) : $split.call(String(O), separator, limit);\n }, $split];\n});\n","/**\n * Removes all key-value entries from the list cache.\n *\n * @private\n * @name clear\n * @memberOf ListCache\n */\nfunction listCacheClear() {\n this.__data__ = [];\n this.size = 0;\n}\n\nmodule.exports = listCacheClear;\n","/** Used for built-in method references. */\nvar objectProto = Object.prototype;\n\n/**\n * Used to resolve the\n * [`toStringTag`](http://ecma-international.org/ecma-262/7.0/#sec-object.prototype.tostring)\n * of values.\n */\nvar nativeObjectToString = objectProto.toString;\n\n/**\n * Converts `value` to a string using `Object.prototype.toString`.\n *\n * @private\n * @param {*} value The value to convert.\n * @returns {string} Returns the converted string.\n */\nfunction objectToString(value) {\n return nativeObjectToString.call(value);\n}\n\nmodule.exports = objectToString;\n","var global = require('./_global');\nvar hide = require('./_hide');\nvar has = require('./_has');\nvar SRC = require('./_uid')('src');\nvar TO_STRING = 'toString';\nvar $toString = Function[TO_STRING];\nvar TPL = ('' + $toString).split(TO_STRING);\n\nrequire('./_core').inspectSource = function (it) {\n return $toString.call(it);\n};\n\n(module.exports = function (O, key, val, safe) {\n var isFunction = typeof val == 'function';\n if (isFunction) has(val, 'name') || hide(val, 'name', key);\n if (O[key] === val) return;\n if (isFunction) has(val, SRC) || hide(val, SRC, O[key] ? '' + O[key] : TPL.join(String(key)));\n if (O === global) {\n   O[key] = val;\n } else if (!safe) {\n   delete O[key];\n   hide(O, key, val);\n } else if (O[key]) {\n   O[key] = val;\n } else {\n   hide(O, key, val);\n }\n// add fake Function#toString for correct work wrapped methods / constructors with methods like LoDash isNative\n})(Function.prototype, TO_STRING, function toString() {\n return typeof this == 'function' && this[SRC] || $toString.call(this);\n});\n","// 19.1.2.2 / 15.2.3.5 Object.create(O [, Properties])\nvar anObject = require('./_an-object');\nvar dPs = require('./_object-dps');\nvar enumBugKeys = require('./_enum-bug-keys');\nvar IE_PROTO = require('./_shared-key')('IE_PROTO');\nvar Empty = function () { /* empty */ };\nvar PROTOTYPE = 'prototype';\n\n// Create object with fake `null` prototype: use iframe Object with cleared prototype\nvar createDict = function () {\n // Thrash, waste and sodomy: IE GC bug\n var iframe = require('./_dom-create')('iframe');\n var i = enumBugKeys.length;\n var lt = '<';\n var gt = '>';\n var iframeDocument;\n iframe.style.display = 'none';\n require('./_html').appendChild(iframe);\n iframe.src = 'javascript:'; // eslint-disable-line no-script-url\n // createDict = iframe.contentWindow.Object;\n //

html.removeChild(iframe);\n iframeDocument = iframe.contentWindow.document;\n iframeDocument.open();\n iframeDocument.write(lt + 'script' + gt + 'document.F=Object' + lt + '/script' + gt);\n iframeDocument.close();\n createDict = iframeDocument.F;\n while (i--) delete createDict[PROTOTYPE][enumBugKeys[i]];\n return createDict();\n};\n\nmodule.exports = Object.create || function create(O, Properties) {\n var result;\n if (O !== null) {\n Empty[PROTOTYPE] = anObject(O);\n result = new Empty();\n Empty[PROTOTYPE] = null;\n // add \"__proto__\" for Object.getPrototypeOf polyfill\n result[IE_PROTO] = O;\n } else result = createDict();\n return Properties === undefined ? result : dPs(result, Properties);\n};\n","// extracted by mini-css-extract-plugin","var freeGlobal = require('./_freeGlobal');\n\n/** Detect free variable `self`. */\nvar freeSelf = typeof self == 'object' && self && self.Object === Object && self;\n\n/** Used as a reference to the global object. */\nvar root = freeGlobal || freeSelf || Function('return this')();\n\nmodule.exports = root;\n","var store = require('./_shared')('wks');\nvar uid = require('./_uid');\nvar Symbol = require('./_global').Symbol;\nvar USE_SYMBOL = typeof Symbol == 'function';\n\nvar $exports = module.exports = function (name) {\n return store[name] || (store[name] =\n USE_SYMBOL && Symbol[name] || (USE_SYMBOL ? Symbol : uid)('Symbol.' + name));\n};\n\n$exports.store = store;\n","module.exports = false;\n","/**\n * A specialized version of `_.filter` for arrays without support for\n * iteratee shorthands.\n *\n * @private\n * @param {Array} [array] The array to iterate over.\n * @param {Function} predicate The function invoked per iteration.\n * @returns {Array} Returns the new filtered array.\n */\nfunction arrayFilter(array, predicate) {\n var index = -1,\n length = array == null ? 0 : array.length,\n resIndex = 0,\n result = [];\n\n while (++index < length) {\n var value = array[index];\n if (predicate(value, index, array)) {\n result[resIndex++] = value;\n }\n }\n return result;\n}\n\nmodule.exports = arrayFilter;\n","var toString = {}.toString;\n\nmodule.exports = function (it) {\n return toString.call(it).slice(8, -1);\n};\n","/**\n * Removes `key`\n and its value from the stack.\n *\n * @private\n * @name delete\n * @memberOf Stack\n * @param {string} key The key of the value to remove.\n * @returns {boolean} Returns `true` if the entry was removed, else `false`.\n */\nfunction stackDelete(key) {\n var data = this.__data__,\n result = data['delete'](key);\n\n this.size = data.size;\n return result;\n}\n\nmodule.exports = stackDelete;\n","var isFunction = require('./isFunction'),\n isLength = require('./isLength');\n\n/**\n * Checks if `value` is array-like. A value is considered array-like if it's\n * not a function and has a `value.length` that's an integer greater than or\n * equal to `0` and less than or equal to\n `Number.MAX_SAFE_INTEGER`.\n *\n * @static\n * @memberOf _\n * @since 4.0.0\n * @category Lang\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is array-like, else `false`.\n * @example\n *\n * _.isArrayLike([1, 2, 3]);\n * // => true\n *\n * _.isArrayLike(document.body.children);\n * // => true\n *\n * _.isArrayLike('abc');\n * // => true\n *\n * _.isArrayLike(_.noop);\n * // => false\n */\nfunction isArrayLike(value) {\n return value != null && isLength(value.length) && !isFunction(value);\n}\n\nmodule.exports = isArrayLike;\n","// fast apply, http://jsperf.lnkit.com/fast-apply/5\nmodule.exports = function (fn, args, that) {\n var un = that === undefined;\n switch (args.length) {\n case 0: return un ? fn()\n : fn.call(that);\n case 1: return un ? fn(args[0])\n : fn.call(that, args[0]);\n case 2: return un ? fn(args[0], args[1])\n : fn.call(that, args[0], args[1]);\n case 3: return un ? fn(args[0], args[1], args[2])\n : fn.call(that, args[0], args[1], args[2]);\n case 4: return un ? fn(args[0], args[1], args[2], args[3])\n : fn.call(that, args[0], args[1], args[2], args[3]);\n } return fn.apply(that, args);\n};\n","var dP = require('./_object-dp');\nvar createDesc = require('./_property-desc');\nmodule.exports = require('./_descriptors') ? function (object, key, value) {\n return dP.f(object, key, createDesc(1, value));\n} : function (object, key, value) {\n object[key] = value;\n return object;\n};\n","var arrayFilter = require('./_arrayFilter'),\n stubArray = require('./stubArray');\n\n/** Used for built-in method references. */\nvar objectProto = Object.prototype;\n\n/** Built-in value references. */\nvar propertyIsEnumerable = objectProto.propertyIsEnumerable;\n\n/* Built-in method references for those with the same name as other `lodash` methods. */\nvar nativeGetSymbols = Object.getOwnPropertySymbols;\n\n/**\n * Creates an array of the own\n enumerable symbols of `object`.\n *\n * @private\n * @param {Object} object The object to query.\n * @returns {Array} Returns the array of symbols.\n */\nvar getSymbols = !nativeGetSymbols ? stubArray : function(object) {\n if (object == null) {\n return [];\n }\n object = Object(object);\n return arrayFilter(nativeGetSymbols(object), function(symbol) {\n return propertyIsEnumerable.call(object, symbol);\n });\n};\n\nmodule.exports =

getSymbols;\n","// check on default Array iterator\nvar Iterators = require('./_iterators');\nvar ITERATOR = require('./_wks')('iterator');\nvar ArrayProto = Array.prototype;\n\nmodule.exports = function (it) {\n return it !== undefined && (Iterators.Array === it || ArrayProto[ITERATOR] === it);\n};\n","var isFunction = require('./isFunction'),\n   isMasked = require('./_isMasked'),\n   isObject = require('./isObject'),\n   toSource = require('./_toSource');\n\n/**\n * Used to match `RegExp`\n * [syntax characters](http://ecma-international.org/ecma-262/7.0/#sec-patterns).\n */\nvar reRegExpChar = /[\\\\^$.*+?()[\\]{}|]/g;\n\n/** Used to detect host constructors (Safari). */\nvar reIsHostCtor = /^\\[object .+?Constructor\\]$/;\n\n/** Used for built-in method references. */\nvar funcProto = Function.prototype,\n   objectProto = Object.prototype;\n\n/** Used to resolve the decompiled source of functions. */\nvar funcToString = funcProto.toString;\n\n/** Used to check objects for own properties. */\nvar hasOwnProperty = objectProto.hasOwnProperty;\n\n/** Used to detect if a method is native. */\nvar reIsNative = RegExp('^' +\n funcToString.call(hasOwnProperty).replace(reRegExpChar, '\\\\$&')\n .replace(/hasOwnProperty|(function).*?(?=\\\\\\()| for .+?(?=\\\\\\])/g, '$1.*?') + '$');\n\n/**\n * The base implementation of `_.isNative` without bad shim checks.\n *\n * @private\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is a native function,\n * else `false`.\n */\nfunction baseIsNative(value) {\n if (!isObject(value) || isMasked(value)) {\n   return false;\n }\n var pattern = isFunction(value) ? reIsNative : reIsHostCtor;\n return pattern.test(toSource(value));\n}\n\nmodule.exports = baseIsNative;\n","/**\n * Gets the value at `key` of `object`.\n *\n * @private\n * @param {Object} [object] The object to query.\n * @param {string} key The key of the property to get.\n * @returns {*} Returns the property value.\n */\nfunction getValue(object, key) {\n return object == null ? undefined : object[key];\n}\n\nmodule.exports = getValue;\n","var Symbol = require('./_Symbol'),\n   getRawTag = require('./_getRawTag'),\n   objectToString = require('./_objectToString');\n\n/** `Object#toString` result references. */\nvar nullTag = '[object Null]',\n   undefinedTag = '[object Undefined]';\n\n/** Built-in value references. */\nvar symToStringTag = Symbol ? Symbol.toStringTag : undefined;\n\n/**\n * The base implementation of `getTag` without fallbacks for buggy environments.\n *\n * @private\n * @param {*} value The value to query.\n * @returns {string} Returns the `toStringTag`.\n */\nfunction baseGetTag(value) {\n if (value == null) {\n   return value === undefined ? undefinedTag : nullTag;\n }\n return (symToStringTag && symToStringTag in Object(value))\n   ? getRawTag(value)\n   : objectToString(value);\n}\n\nmodule.exports = baseGetTag;\n","// extracted by mini-css-extract-plugin","// 21.2.5.3 get RegExp.prototype.flags()\nif (require('./_descriptors') && /./g.flags != 'g') require('./_object-dp').f(RegExp.prototype, 'flags', {\n configurable: true,\n get: require('./_flags')\n});\n","// 19.1.2.9 / 15.2.3.2 Object.getPrototypeOf(O)\nvar has = require('./_has');\nvar toObject = require('./_to-object');\nvar IE_PROTO = require('./_shared-key')('IE_PROTO');\nvar ObjectProto = Object.prototype;\n\nmodule.exports = Object.getPrototypeOf || function (O) {\n O = toObject(O);\n if (has(O, IE_PROTO)) return O[IE_PROTO];\n if (typeof O.constructor == 'function' && O instanceof O.constructor) {\n   return O.constructor.prototype;\n } return O instanceof Object ? ObjectProto : null;\n};\n","var getNative = require('./_getNative'),\n   root = require('./_root');\n\n/* Built-in method references that are verified to be native. */\nvar WeakMap = getNative(root, 'WeakMap');\n\nmodule.exports = WeakMap;\n","var getNative = require('./_getNative');\n\nvar defineProperty = (function() {\n try {\n   var func = getNative(Object, 'defineProperty');\n   func({}, '', {});\n   return func;\n } catch (e) {}\n}());\n\nmodule.exports = defineProperty;\n","var isStrictComparable = require('./_isStrictComparable'),\n   keys = require('./keys');\n\n/**\n * Gets the property names, values, and compare flags of `object`.\n *\n * @private\n * @param {Object} object The object to query.\n * @returns {Array} Returns the match data of `object`.\n */\nfunction getMatchData(object) {\n var result = keys(object),\n   length = result.length;\n\n while (length--) {\n   var key = result[length],\n   value = object[key];\n\n   result[length] = [key, value, isStrictComparable(value)];\n }\n return result;\n}\n\nmodule.exports = getMatchData;\n","/*!\n * vue-headroom v0.9.0\n * (c) 2016-present dalphyx <wjcbmk@gmail.com>\n * Released under the MIT License.\n */\n(function (global, factory) {\n\ttypeof exports === 'object' && typeof module !== 'undefined' ? module.exports = factory() :\n\ttypeof define === 'function' && define.amd ? define(factory) :\n\t(global.vueHeadroom = factory());\n}(this, (function () { 'use strict';\n\n\tvar commonjsGlobal = typeof window !== 'undefined' ? window : typeof global !== 'undefined' ? global : typeof self

```
!== 'undefined' ? self : {};\n\n\tfunction createCommonjsModule(fn, module) {\n\t\treturn module = { exports: {} },
fn(module, module.exports), module.exports;\n\t}\n\n\tvar performanceNow = createCommonjsModule(function
(module) {\n\t// Generated by CoffeeScript 1.12.2\n\t(function() {\n\t  var getNanoSeconds, hrtime, loadTime,
moduleLoadTime, nodeLoadTime, upTime;\n\n\t  if ((typeof performance !== \"undefined\" && performance !==
null) && performance.now) {\n\t    module.exports = function() {\n\t      return performance.now();\n\t    };\n\t  }
else if ((typeof process !== \"undefined\" && process !== null) && process.hrtime) {\n\t    module.exports =
function() {\n\t      return (getNanoSeconds() - nodeLoadTime) / 1e6;\n\t    };\n\t    hrtime = process.hrtime;\n\t
getNanoSeconds = function() {\n\t      var hr;\n\t      hr = hrtime();\n\t      return hr[0] * 1e9 + hr[1];\n\t    };\n\t
moduleLoadTime = getNanoSeconds();\n\t    upTime = process.uptime() * 1e9;\n\t    nodeLoadTime =
moduleLoadTime - upTime;\n\t  } else if (Date.now) {\n\t    module.exports = function() {\n\t      return Date.now() -
loadTime;\n\t    };\n\t    loadTime = Date.now();\n\t  } else {\n\t    module.exports = function() {\n\t      return new
Date().getTime() - loadTime;\n\t    };\n\t    loadTime = new Date().getTime();\n\t
}\n\n\t}).call(commonjsGlobal);\n\n\t});\n\n\tvar root = typeof window === 'undefined' ? commonjsGlobal :
window\n\t  , vendors = ['moz', 'webkit']\n\t  , suffix = 'AnimationFrame'\n\t  , raf = root['request' + suffix]\n\t  , caf
= root['cancel' + suffix] || root['cancelRequest' + suffix];\n\n\tfor(var i = 0; !raf && i < vendors.length; i++) {\n\t  raf
= root[vendors[i] + 'Request' + suffix];\n\t  caf = root[vendors[i] + 'Cancel' + suffix]\n\t      || root[vendors[i] +
'CancelRequest' + suffix];\n\t}\n\n\t// Some versions of FF have rAF but not cAF\n\tif(!raf || !caf) {\n\t  var last =
0\n\t    , id = 0\n\t    , queue = []\n\t    , frameDuration = 1000 / 60;\n\n\t  raf = function(callback) {\n\t
if(queue.length === 0) {\n\t      var _now = performanceNow()\n\t        , next = Math.max(0, frameDuration - (_now
- last));\n\t      last = next + _now;\n\t      setTimeout(function() {\n\t        var cp = queue.slice(0);\n\t        // Clear
queue here to prevent\n\t        // callbacks from appending listeners\n\t        // to the current frame's queue\n\t
queue.length = 0;\n\t        for(var i = 0; i < cp.length; i++) {\n\t          if(!cp[i].cancelled) {\n\t            try{\n\t
cp[i].callback(last);\n\t            } catch(e) {\n\t              setTimeout(function() { throw e }, 0);\n\t            }\n\t
}\n\t        }\n\t      }, Math.round(next));\n\t    }\n\t    queue.push({\n\t      handle: ++id,\n\t      callback: callback,\n\t
cancelled: false\n\t    });\n\t    return id\n\t  };\n\n\t  caf = function(handle) {\n\t    for(var i = 0; i < queue.length;
i++) {\n\t      if(queue[i].handle === handle) {\n\t        queue[i].cancelled = true;\n\t      }\n\t    }\n\t  };\n\t}\n\n\tvar
raf_1 = function(fn) {\n\t  // Wrap in a new function to prevent\n\t  // `cancel` potentially being assigned\n\t  // to the
native rAF function\n\t  return raf.call(root, fn)\n\t};\n\tvar cancel = function() {\n\t  caf.apply(root,
arguments);\n\t};\n\tvar polyfill = function(object) {\n\t  if (!object) {\n\t    object = root;\n\t  }\n\t
object.requestAnimationFrame = raf;\n\t  object.cancelAnimationFrame = caf;\n\t};\n\traf_1.cancel =
cancel;\n\traf_1.polyfill = polyfill;\n\n\tfunction checkActions(states) {\n\t  var direction = states.currentScrollY >=
states.lastScrollY ? 'down' : 'up';\n\t  var distanceScrolled = Math.abs(states.currentScrollY - states.lastScrollY);\n\t
var action; // Scrolling down and past the offset.\n\t  // Unpinned the header.\n\n\t  if (direction === 'down' &&
states.currentScrollY >= states.offset && distanceScrolled > states.downTolerance) {\n\t    action = 'unpin'; // Now,
it's time to up.\n\t    // Pin the header.\n\t  } else if (direction === 'up' && distanceScrolled > states.upTolerance ||
states.currentScrollY <= states.offset) {\n\t    action = 'pin';\n\t  }\n\n\t  return action;\n\t}\n\n\t// borrowed from
modernizr\n\t// https://github.com/Modernizr/Modernizr/blob/master/feature-detects/css/transforms3d.js\n\tfunction
supports3d() {\n\t  var div = document.createElement('div');\n\t  var ret = false;\n\t  var properties =
['perspectiveProperty', 'WebkitPerspective'];\n\n\t  for (var i = properties.length - 1; i >= 0; i--) {\n\t    ret = ret ? ret :
div.style[properties[i]] !== undefined;\n\t  }\n\n\t  if (ret) {\n\t    var st = document.createElement('style');\n\t
st.textContent = '#modernizr{width:0;height:0} @media (transform-3d),(-webkit-transform-
3d){#modernizr{width:7px;height:18px;margin:0;padding:0;border:0}}';\n\t
document.getElementsByTagName('head')[0].appendChild(st);\n\t    div.id = 'modernizr';\n\t
document.body.appendChild(div);\n\t    ret = div.offsetWidth === 7 && div.offsetHeight === 18;\n\t
st.parentNode.removeChild(st);\n\t    div.parentNode.removeChild(div);\n\t  }\n\n\t  return ret;\n\t}\n\n\tvar _extends
= Object.assign || function (target) { for (var i = 1; i < arguments.length; i++) { var source = arguments[i]; for (var
key in source) { if (Object.prototype.hasOwnProperty.call(source, key)) { target[key] = source[key]; } } } return
target; };\n\n\tfunction _defineProperty(obj, key, value) { if (key in obj) { Object.defineProperty(obj, key, { value:
```

value, enumerable: true, configurable: true, writable: true }); } else { obj[key] = value; } return obj; }\n\n\tvar defaultCls = {\n\t pinned: 'headroom--pinned',\n\t unpinned: 'headroom--unpinned',\n\t top: 'headroom--top',\n\t notTop: 'headroom--not-top',\n\t bottom: 'headroom--bottom',\n\t notBottom: 'headroom--not-bottom',\n\t initial: 'headroom'\n\t};\n\n\tvar headroom = { render: function render() {\n\t   var _vm = this;var _h = _vm.$createElement;var _c = _vm._self._c || _h;return _c('div', { class: _vm.cls, style: _vm.style }, [_vm._t(\"default\")], 2);\n\t }, staticRenderFns: [],\n\t name: 'vueHeadroom',\n\n\t data: function data() {\n\t   return {\n\t   isTop: false,\n\t   isNotTop: false,\n\t   isBottom: false,\n\t   isNotBottom: false,\n\t   isPinned: false,\n\t   isUnpinned: false,\n\t   currentScrollY: 0,\n\t   lastScrollY: 0,\n\t   state: '',\n\t   translate: 0,\n\t   isSupport3d: false\n\t   };\n\t },\n\n\t props: {\n\t   scroller: {\n\t   type: Function,\n\t   default: function _default() {\n\t   return window;\n\t   }\n\t   },\n\n\t   disabled: {\n\t   type: Boolean,\n\t   default: false\n\t   },\n\n\t   upTolerance: {\n\t   type: Number,\n\t   default: 5\n\t   },\n\n\t   downTolerance: {\n\t   type: Number,\n\t   default: 0\n\t   },\n\n\t   speed: {\n\t   type: Number,\n\t   default: 250\n\t   },\n\n\t   easing: {\n\t   type: String,\n\t   default: 'ease-in-out'\n\t   },\n\n\t   zIndex: {\n\t   type: Number,\n\t   default: 9999\n\t   },\n\n\t   onPin: Function,\n\t   onUnpin: Function,\n\t   onTop: Function,\n\t   onNotTop: Function,\n\t   onBottom: Function,\n\t   onNotBottom: Function,\n\n\t   offset: {\n\t   type: Number,\n\t   default: 0\n\t   },\n\n\t   classes: {\n\t   type: Object,\n\t   default: function _default() {\n\t   return defaultCls;\n\t   }\n\t   },\n\n\t   footroom: {\n\t   type: Boolean,\n\t   default: false\n\t   }\n\t },\n\n\t watch: {\n\t   disabled: function disabled(newVal) {\n\t   if (newVal) {\n\t   this.scroller().removeEventListener('scroll', this._handleScroll);\n\t   } else {\n\t   this.scroller().addEventListener('scroll', this._handleScroll);\n\t   }\n\t   }\n\t },\n\n\t mounted: function mounted() {\n\t   this.isSupport3d = supports3d();\n\n\t   if (!this.disabled) {\n\t   this.scroller().addEventListener('scroll', this._handleScroll);\n\t   }\n\n\t   // When headroom is mounted, call handleScroll to set initial state.\n\t   this._handleScroll();\n\t },\n\t beforeDestroy: function beforeDestroy() {\n\t   this.scroller().removeEventListener('scroll', this._handleScroll);\n\t },\n\n\t computed: {\n\t   style: function style() {\n\t   var styles = {\n\t   'position': this.isInTop ? 'fixed' : 'relative',\n\t   'top': '0',\n\t   'left': '0',\n\t   'right': '0',\n\t   'z-index': this.isInTop ? this.zIndex : 1\n\t   };\n\n\t   if (this.footroom) {\n\t   styles = _extends({}, styles, { 'top': 'unset', 'bottom': '0' });\n\t   }\n\n\t   // SSR cannot detect scroll position. To prevent flash when component mounted,\n\t   // just add transition styles in browser.\n\t   if (!this.$isServer) {\n\t   styles.transform = this.isSupport3d && !this.$isServer ? 'translate3d(0, ' + this.translate + ', 0)' : 'translateY(' + this.translate + ')';\n\t   styles.transition = this.isInTop ? 'all ' + this.speed + 'ms ' + this.easing : null;\n\t   }\n\n\t   return styles;\n\t   },\n\t   clsOpts: function clsOpts() {\n\t   return _extends({}, defaultCls, this.classes);\n\t   },\n\t   cls: function cls() {\n\t   var _ref;\n\n\t   var cls = this.clsOpts;\n\t   return this.disabled ? {} : (_ref = {}, _defineProperty(_ref, cls.top, this.isTop), _defineProperty(_ref, cls.notTop, this.isNotTop), _defineProperty(_ref, cls.bottom, this.isBottom), _defineProperty(_ref, cls.notBottom, this.isNotBottom), _defineProperty(_ref, cls.pinned, this.isPinned), _defineProperty(_ref, cls.unpinned, this.isUnpinned), _defineProperty(_ref, cls.initial, true), _ref);\n\t   },\n\t   isInTop: function isInTop() {\n\t   return this.state === 'pinned' || this.state === 'unpinned';\n\t   }\n\t },\n\n\t methods: {\n\t   _getViewportHeight: function _getViewportHeight() {\n\t   return window.innerHeight || document.documentElement.clientHeight || document.body.clientHeight;\n\t   },\n\n\t   _getElementPhysicalHeight: function _getElementPhysicalHeight(elm) {\n\t   return Math.max(elm.offsetHeight, elm.clientHeight);\n\t   },\n\n\t   _getDocumentHeight: function _getDocumentHeight() {\n\t   var body = document.body;\n\t   var documentElement = document.documentElement;\n\n\t   return Math.max(body.scrollHeight, documentElement.scrollHeight, body.offsetHeight, documentElement.offsetHeight, body.clientHeight, documentElement.clientHeight);\n\t   },\n\n\t   _getElementHeight: function _getElementHeight(elm) {\n\t   return Math.max(elm.scrollHeight, elm.offsetHeight, elm.clientHeight);\n\t   },\n\n\t   _getScrollerPhysicalHeight: function _getScrollerPhysicalHeight() {\n\t   var parent = this.scroller();\n\n\t   return parent === window || parent === document.body ? this._getViewportHeight() : this._getElementPhysicalHeight(parent);\n\t   },\n\t   _getScrollerHeight: function _getScrollerHeight() {\n\t   var parent = this.scroller();\n\n\t   return parent === window || parent === document.body ? this._getDocumentHeight() : this._getElementHeight(parent);\n\t   },\n

_isOutOfBound: function _isOutOfBound(currentScrollY) {\n\t   var pastTop = currentScrollY < 0;\n\n\t   var scrollerPhysicalHeight = this._getScrollerPhysicalHeight();\n\t   var scrollerHeight = this._getScrollerHeight();\n\n\t   var pastBottom = currentScrollY + scrollerPhysicalHeight > scrollerHeight;\n\n\t   return pastTop || pastBottom;\n\t   },\n\t _handleScroll: function _handleScroll() {\n\t   raf_1(this.update);\n\t   },\n\t _getScrollY: function _getScrollY() {\n\t   var top = void 0;\n\t   if (this.scroller().pageYOffset !== undefined) {\n\t   top = this.scroller().pageYOffset;\n\t   } else if (this.scroller().scrollTop !== undefined) {\n\t   top = this.scroller().scrollTop;\n\t   } else {\n\t   top = (document.documentElement || document.body.parentNode || document.body).scrollTop;\n\t   }\n\t   return top;\n\t   },\n\t update: function update() {\n\t   this.currentScrollY = this._getScrollY();\n\n\t   if (this._isOutOfBound(this.currentScrollY)) {\n\t   return;\n\t   }\n\n\t   if (this.currentScrollY <= this.offset) {\n\t   this.top();\n\t   } else {\n\t   this.notTop();\n\t   }\n\n\t   if (this.currentScrollY + this._getViewportHeight() >= this._getScrollerHeight()) {\n\t   this.bottom();\n\t   } else {\n\t   this.notBottom();\n\t   }\n\n\t   var action = checkActions(this);\n\n\t   if (action === 'pin') {\n\t   this.pin();\n\t   } else if (action === 'unpin') {\n\t   this.unpin();\n\t   }\n\n\t   this.lastScrollY = this.currentScrollY;\n\t   },\n\t top: function top() {\n\t   if (!this.isTop) {\n\t   this.isTop = true;\n\t   this.isNotTop = false;\n\t   this.onTop && this.onTop();\n\t   }\n\t   },\n\t notTop: function notTop() {\n\t   if (!this.isNotTop) {\n\t   this.isTop = false;\n\t   this.isNotTop = true;\n\t   this.onNotTop && this.onNotTop();\n\t   }\n\t   },\n\t bottom: function bottom() {\n\t   if (!this.isBottom) {\n\t   this.isBottom = true;\n\t   this.isNotBottom = false;\n\t   this.onBottom && this.onBottom();\n\t   }\n\t   },\n\t notBottom: function notBottom() {\n\t   if (!this.isNotBottom) {\n\t   this.isNotBottom = true;\n\t   this.isBottom = false;\n\t   this.onNotBottom && this.onNotBottom();\n\t   }\n\t   },\n\t pin: function pin() {\n\t   var _this = this;\n\n\t   if (!this.isPinned) {\n\t   this.isPinned = true;\n\t   this.isUnpinned = false;\n\t   this.onPin && this.onPin();\n\t   this.$emit('pin');\n\t   this.translate = 0;\n\t   setTimeout(function () {\n\t   _this.state = 'pinned';\n\t   }, 0);\n\t   }\n\t   },\n\t unpin: function unpin() {\n\t   var _this2 = this;\n\n\t   if (this.isPinned || !this.isUnpinned) {\n\t   this.isUnpinned = true;\n\t   this.isPinned = false;\n\t   this.onUnpin && this.onUnpin();\n\t   this.$emit('unpin');\n\t   this.translate = this.footroom ? '100%' : '-100%';\n\t   setTimeout(function () {\n\t   _this2.state = 'unpinned';\n\t   }, 0);\n\t   }\n\t }\n\n\t};\n\n\tvar install = function install(Vue) {\n\n\t if (install.installed) {\n\t   return;\n\t }\n\n\t Vue.component(headroom.name, headroom);\n\t};\n\n\tif (typeof window !== 'undefined' && window.Vue) {\n\t install(window.Vue);\n\t}\n\n\tvar index = {\n\t headroom: headroom,\n\t install: install\n\t};\n\n\treturn index;\n\n})));\n","'use strict';\nvar create = require('./_object-create');\nvar descriptor = require('./_property-desc');\nvar setToStringTag = require('./_set-to-string-tag');\nvar IteratorPrototype = {};\n\n// 25.1.2.1.1 %IteratorPrototype%[@@iterator]()\nrequire('./_hide')(IteratorPrototype, require('./_wks')('iterator'), function () { return this; });\n\nmodule.exports = function (Constructor, NAME, next) {\n Constructor.prototype = create(IteratorPrototype, { next: descriptor(1, next) });\n setToStringTag(Constructor, NAME + ' Iterator');\n};\n","var isKeyable = require('./_isKeyable');\n\n/**\n * Gets the data for `map`.\n *\n * @private\n * @param {Object} map The map to query.\n * @param {string} key The reference key.\n * @returns {*} Returns the map data.\n */\nfunction getMapData(map, key) {\n var data = map.__data__;\n return isKeyable(key)\n   ? data[typeof key == 'string' ? 'string' : 'hash']\n   : data.map;\n}\n\nmodule.exports = getMapData;\n","/**\n * A specialized version of `_.some` for arrays without support for iteratee\n * shorthands.\n *\n * @private\n * @param {Array} [array] The array to iterate over.\n * @param {Function} predicate The function invoked per iteration.\n * @returns {boolean} Returns `true` if any element passes the predicate check,\n * else `false`.\n */\nfunction arraySome(array, predicate) {\n var index = -1,\n   length = array == null ? 0 : array.length;\n\n while (++index < length) {\n   if (predicate(array[index], index, array)) {\n   return true;\n   }\n }\n return false;\n}\n\nmodule.exports = arraySome;\n","var DataView = require('./_DataView'),\n   Map = require('./_Map'),\n   Promise = require('./_Promise'),\n   Set = require('./_Set'),\n   WeakMap = require('./_WeakMap'),\n   baseGetTag = require('./_baseGetTag'),\n   toSource = require('./_toSource');\n\n/** `Object#toString` result references. */\nvar mapTag = '[object Map]',\n   objectTag = '[object Object]',\n   promiseTag = '[object Promise]',\n   setTag = '[object Set]',\n   weakMapTag = '[object WeakMap]';\n\nvar

dataViewTag = '[object DataView]';\n\n/** Used to detect maps, sets, and weakmaps. */\nvar dataViewCtorString = toSource(DataView),\n   mapCtorString = toSource(Map),\n   promiseCtorString = toSource(Promise),\n   setCtorString = toSource(Set),\n   weakMapCtorString = toSource(WeakMap);\n\n/**\n * Gets the `toStringTag` of `value`.\n *\n * @private\n * @param {*} value The value to query.\n * @returns {string} Returns the `toStringTag`.\n */\nvar getTag = baseGetTag;\n\n// Fallback for data views, maps, sets, and weak maps in IE 11 and promises in Node.js < 6.\nif ((DataView && getTag(new DataView(new ArrayBuffer(1))) != dataViewTag) ||\n   (Map && getTag(new Map) != mapTag) ||\n   (Promise && getTag(Promise.resolve()) != promiseTag) ||\n   (Set && getTag(new Set) != setTag) ||\n   (WeakMap && getTag(new WeakMap) != weakMapTag)) {\n getTag = function(value) {\n   var result = baseGetTag(value),\n   Ctor = result == objectTag ? value.constructor : undefined,\n   ctorString = Ctor ? toSource(Ctor) : '';\n\n   if (ctorString) {\n   switch (ctorString) {\n   case dataViewCtorString: return dataViewTag;\n   case mapCtorString: return mapTag;\n   case promiseCtorString: return promiseTag;\n   case setCtorString: return setTag;\n   case weakMapCtorString: return weakMapTag;\n   }\n   }\n   return result;\n };\n}\n\nmodule.exports = getTag;\n","exports.nextTick = function nextTick(fn) {\n\tsetTimeout(fn, 0);\n};\n\nexports.platform = exports.arch = \nexports.execPath = exports.title = 'browser';\nexports.pid = 1;\nexports.browser = true;\nexports.env = {};\nexports.argv = [];\n\nexports.binding = function (name) {\n\tthrow new Error('No such module. (Possibly not yet loaded)')\n};\n\n(function () {\n   var cwd = '/';\n   var path;\n   exports.cwd = function () { return cwd };\n   exports.chdir = function (dir) {\n   if (!path) path = require('path');\n   cwd = path.resolve(dir, cwd);\n   };\n})();\n\nexports.exit = exports.kill = \nexports.umask = exports.dlopen = \nexports.uptime = exports.memoryUsage = \nexports.uvCounters = function() {};\nexports.features = {};\n","/**\n * Gets the last element of `array`.\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @category Array\n * @param {Array} array The array to query.\n * @returns {*} Returns the last element of `array`.\n * @example\n *\n * _.last([1, 2, 3]);\n * // => 3\n */\nfunction last(array) {\n var length = array == null ? 0 : array.length;\n return length ? array[length - 1] : undefined;\n}\n\nmodule.exports = last;\n","// 19.1.2.14 Object.keys(O)\nvar toObject = require('./_to-object');\nvar $keys = require('./_object-keys');\n\nrequire('./_object-sap')('keys', function () {\n return function keys(it) {\n   return $keys(toObject(it));\n };\n});\n","// 7.1.4 ToInteger\nvar ceil = Math.ceil;\nvar floor = Math.floor;\nmodule.exports = function (it) {\n return isNaN(it = +it) ? 0 : (it > 0 ? floor : ceil)(it);\n};\n","module.exports = function (bitmap, value) {\n return {\n   enumerable: !(bitmap & 1),\n   configurable: !(bitmap & 2),\n   writable: !(bitmap & 4),\n   value: value\n };\n};\n","var baseForOwn = require('./_baseForOwn'),\n   createBaseEach = require('./_createBaseEach');\n\n/**\n * The base implementation of `_.forEach` without support for iteratee shorthands.\n *\n * @private\n * @param {Array|Object} collection The collection to iterate over.\n * @param {Function} iteratee The function invoked per iteration.\n * @returns {Array|Object} Returns `collection`.\n */\nvar baseEach = createBaseEach(baseForOwn);\n\nmodule.exports = baseEach;\n","// @@match logic\nrequire('./_fix-re-wks')('match', 1, function (defined, MATCH, $match) {\n // 21.1.3.11 String.prototype.match(regexp)\n return [function match(regexp) {\n   'use strict';\n   var O = defined(this);\n   var fn = regexp == undefined ? undefined : regexp[MATCH];\n   return fn !== undefined ? fn.call(regexp, O) : new RegExp(regexp)[MATCH](String(O));\n }, $match];\n});\n","var nativeCreate = require('./_nativeCreate');\n\n/**\n * Removes all key-value entries from the hash.\n *\n * @private\n * @name clear\n * @memberOf Hash\n */\nfunction hashClear() {\n this.__data__ = nativeCreate ? nativeCreate(null) : {};\n this.size = 0;\n}\n\nmodule.exports = hashClear;\n","var ctx = require('./_ctx');\nvar call = require('./_iter-call');\nvar isArrayIter = require('./_is-array-iter');\nvar anObject = require('./_an-object');\nvar toLength = require('./_to-length');\nvar getIterFn = require('./core.get-iterator-method');\nvar BREAK = {};\nvar RETURN = {};\nvar exports = module.exports = function (iterable, entries, fn, that, ITERATOR) {\n var iterFn = ITERATOR ? function () { return iterable; } : getIterFn(iterable);\n var f = ctx(fn, that, entries ? 2 : 1);\n var index = 0;\n var length, step, iterator, result;\n if (typeof iterFn != 'function') throw TypeError(iterable + ' is not iterable!');\n // fast case for arrays with default iterator\n if (isArrayIter(iterFn)) for (length = toLength(iterable.length); length > index; index++) {\n   result = entries ? f(anObject(step = iterable[index])[0], step[1]) : f(iterable[index]);\n   if (result === BREAK || result === RETURN) return result;\n } else for (iterator = iterFn.call(iterable); !(step = iterator.next()).done;) {\n   result = call(iterator, f, step.value,

entries);\n   if (result === BREAK || result === RETURN) return result;\n }\n};\nexports.BREAK = BREAK;\nexports.RETURN = RETURN;\n","// 7.1.13 ToObject(argument)\nvar defined = require('./_defined');\nmodule.exports = function (it) {\n return Object(defined(it));\n};\n","var baseFlatten = require('./_baseFlatten');\n\n/**\n * Flattens `array` a single level deep.\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @category Array\n * @param {Array} array The array to flatten.\n * @returns {Array} Returns the new flattened array.\n * @example\n *\n * _.flatten([1, [2, [3, [4]], 5]]);\n * // => [1, 2, [3, [4]], 5]\n */\nfunction flatten(array) {\n var length = array == null ? 0 : array.length;\n return length ? baseFlatten(array, 1) : [];\n}\n\nmodule.exports = flatten;\n","// extracted by mini-css-extract-plugin","/**\n * The base implementation of `_.times` without support for iteratee shorthands\n * or max array length checks.\n *\n * @private\n * @param {number} n The number of times to invoke `iteratee`.\n * @param {Function} iteratee The function invoked per iteration.\n * @returns {Array} Returns the array of results.\n */\nfunction baseTimes(n, iteratee) {\n var index = -1,\n   result = Array(n);\n\n while (++index < n) {\n   result[index] = iteratee(index);\n }\n return result;\n}\n\nmodule.exports = baseTimes;\n","/*!\n * vue-social-sharing v2.3.3\n * (c) 2017 nicolasbeauvais\n * Released under the MIT License.\n */\n'use strict';\n\nfunction _interopDefault (ex) { return (ex && (typeof ex === 'object') && 'default' in ex) ? ex['default'] : ex; }\n\nvar Vue = _interopDefault(require('vue'));\n\nvar SocialSharingNetwork = {\n functional: true,\n\n props: {\n   network: {\n   type: String,\n   default: ''\n   }\n },\n\n render: function (createElement, context) {\n   var network = context.parent._data.baseNetworks[context.props.network];\n\n   if (!network) {\n   return console.warn((\"Network \" + (context.props.network) + \" does not exist\"));\n   }\n\n   return createElement(context.parent.networkTag, {\n   staticClass: context.data.staticClass || null,\n   staticStyle: context.data.staticStyle || null,\n   class: context.data.class || null,\n   style: context.data.style || null,\n   attrs: {\n   id: context.data.attrs.id || null,\n   'data-link': network.type === 'popup'\n   ? '#share-' + context.props.network\n   : context.parent.createSharingUrl(context.props.network),\n   'data-action': network.type === 'popup' ? null : network.action\n   },\n   on: {\n   click: network.type === 'popup' ? function () {\n   context.parent.share(context.props.network);\n   } : function () {\n   context.parent.touch(context.props.network);\n   }\n   }\n   }, context.children);\n }\n};\n\nvar email = {\"sharer\":\"mailto:?subject=@title&body=@url%0D%0A%0D%0A@description\",\"type\":\"direct\"};\nvar facebook = {\"sharer\":\"https://www.facebook.com/sharer/sharer.php?u=@url&title=@title&description=@description&quote=@quote\",\"type\":\"popup\"};\nvar googleplus = {\"sharer\":\"https://plus.google.com/share?url=@url\",\"type\":\"popup\"};\nvar line = {\"sharer\":\"http://line.me/R/msg/text/?@description%0D%0A@url\",\"type\":\"popup\"};\nvar linkedin = {\"sharer\":\"https://www.linkedin.com/shareArticle?mini=true&url=@url&title=@title&summary=@description\",\"type\":\"popup\"};\nvar odnoklassniki = {\"sharer\":\"https://connect.ok.ru/dk?st.cmd=WidgetSharePreview&st.shareUrl=@url&st.comments=@description\",\"type\":\"popup\"};\nvar pinterest = {\"sharer\":\"https://pinterest.com/pin/create/button/?url=@url&media=@media&description=@title\",\"type\":\"popup\"};\nvar reddit = {\"sharer\":\"https://www.reddit.com/submit?url=@url&title=@title\",\"type\":\"popup\"};\nvar skype = {\"sharer\":\"https://web.skype.com/share?url=@description%0D%0A@url\",\"type\":\"popup\"};\nvar telegram = {\"sharer\":\"https://t.me/share/url?url=@url&text=@description\",\"type\":\"popup\"};\nvar twitter = {\"sharer\":\"https://twitter.com/intent/tweet?text=@title&url=@url&hashtags=@hashtags@twitteruser\",\"type\":\"popup\"};\nvar viber = {\"sharer\":\"viber://forward?text=@url @description\",\"type\":\"direct\"};\nvar vk = {\"sharer\":\"https://vk.com/share.php?url=@url&title=@title&description=@description&image=@media&noparse=true\",\"type\":\"popup\"};\nvar weibo = {\"sharer\":\"http://service.weibo.com/share/share.php?url=@url&title=@title\",\"type\":\"popup\"};\nvar whatsapp = {\"sharer\":\"whatsapp://send?text=@description%0D%0A@url\",\"type\":\"direct\",\"action\":\"share/whatsapp/sha

re\"};\nvar sms = {\"sharer\":\"sms:?body=@url%20@description\",\"type\":\"direct\"};\nvar BaseNetworks = {\n\temail: email,\n\tfacebook: facebook,\n\tgoogleplus: googleplus,\n\tline: line,\n\tlinkedin: linkedin,\n\todnoklassniki: odnoklassniki,\n\tpinterest: pinterest,\n\treddit: reddit,\n\tskype: skype,\n\ttelegram: telegram,\n\ttwitter: twitter,\n\tviber: viber,\n\tvk: vk,\n\tweibo: weibo,\n\twhatsapp: whatsapp,\n\tsms: sms\n};\n\nvar inBrowser = typeof window !== 'undefined';\nvar $window = inBrowser ? window : null;\n\nvar SocialSharing = {\n props: {\n /**\n * URL to share.\n * @var string\n */\n url: {\n type: String,\n default: inBrowser ? window.location.href : "\n },\n\n /**\n * Sharing title, if available by network.\n * @var string\n */\n title: {\n type: String,\n default: "\n },\n\n /**\n * Sharing description, if available by network.\n * @var string\n */\n description: {\n type: String,\n default: "\n },\n\n /**\n * Facebook quote\n * @var string\n */\n quote: {\n type: String,\n default: "\n },\n\n /**\n * Twitter hashtags\n * @var string\n */\n hashtags: {\n type: String,\n default: "\n },\n\n /**\n * Twitter user.\n * @var string\n */\n twitterUser: {\n type: String,\n default: "\n },\n\n /**\n * Flag that indicates if counts should be retrieved.\n * - NOT WORKING IN CURRENT VERSION\n * @var mixed\n */\n withCounts: {\n type: [String, Boolean],\n default: false\n },\n\n /**\n * Google plus key.\n * @var string\n */\n googleKey: {\n type: String,\n default: undefined\n },\n\n /**\n * Pinterest Media URL.\n * Specifies the image/media to be used.\n */\n media: {\n type: String,\n default: "\n },\n\n /**\n * Network sub component tag.\n * Default to span tag\n */\n networkTag: {\n type: String,\n default: 'span'\n },\n\n /**\n * Additional or overridden networks.\n * Default to BaseNetworks\n */\n networks: {\n type: Object,\n default: function () {\n return {};\n }\n }\n },\n\n data: function data () {\n return {\n /**\n * Available sharing networks.\n * @param object\n */\n baseNetworks: BaseNetworks,\n\n /**\n * Popup settings.\n * @param object\n */\n popup: {\n status: false,\n resizable: true,\n toolbar: false,\n menubar: false,\n scrollbars: false,\n location: false,\n directories: false,\n width: 626,\n height: 436,\n top: 0,\n left: 0,\n window: undefined,\n interval: null\n }\n };\n },\n\n methods: {\n /**\n * Returns generated sharer url.\n *\n * @param network Social network key.\n */\n createSharingUrl: function createSharingUrl (network) {\n return this.baseNetworks[network].sharer\n .replace(/@url/g, encodeURIComponent(this.url))\n .replace(/@title/g, encodeURIComponent(this.title))\n .replace(/@description/g, encodeURIComponent(this.description))\n .replace(/@quote/g, encodeURIComponent(this.quote))\n .replace(/@hashtags/g, this.hashtags)\n .replace(/@media/g, this.media)\n .replace(/@twitteruser/g, this.twitterUser ? '&via=' + this.twitterUser : ");\n },\n\n /**\n * Shares URL in specified network.\n *\n * @param string network Social network key.\n */\n share: function share (network) {\n this.openSharer(network, this.createSharingUrl(network));\n\n this.$root.$emit('social_shares_open', network, this.url);\n this.$emit('open', network, this.url);\n },\n\n /**\n * Touches network and emits click event.\n *\n * @param string network Social network key.\n */\n touch: function touch (network) {\n window.open(this.createSharingUrl(network), '_self');\n\n this.$root.$emit('social_shares_open', network, this.url);\n this.$emit('open', network, this.url);\n },\n\n /**\n * Opens sharer popup.\n *\n * @param string url Url to share.\n */\n openSharer: function openSharer (network, url) {\n var this$1 = this;\n\n // If a popup window already exist it will be replaced, trigger a close event.\n if (this.popup.window && this.popup.interval) {\n clearInterval(this.popup.interval);\n\n this.popup.window.close();// Force close (for Facebook)\n\n this.$root.$emit('social_shares_change', network, this.url);\n this.$emit('change', network, this.url);\n }\n\n this.popup.window = window.open(\n url,\n 'sharer',\n 'status=' + (this.popup.status ? 'yes' : 'no') +\n ',height=' + this.popup.height +\n ',width=' + this.popup.width +\n ',resizable=' + (this.popup.resizable ? 'yes' : 'no') +\n ',left=' + this.popup.left +\n ',top=' + this.popup.top +\n ',screenX=' + this.popup.left +\n ',screenY=' + this.popup.top +\n ',toolbar=' + (this.popup.toolbar ? 'yes' : 'no') +\n ',menubar=' + (this.popup.menubar ? 'yes' : 'no') +\n ',scrollbars=' + (this.popup.scrollbars ? 'yes' : 'no') +\n ',location=' + (this.popup.location ? 'yes' : 'no') +\n ',directories=' + (this.popup.directories ? 'yes' : 'no')\n);\n\n this.popup.window.focus();\n\n // Create an interval to detect popup closing event\n this.popup.interval = setInterval(function () {\n if (this$1.popup.window.closed) {\n

clearInterval(this$1.popup.interval);\n\n   this$1.popup.window = undefined;\n\n
this$1.$root.$emit('social_shares_close', network, this$1.url);\n   this$1.$emit('close', network, this$1.url);\n
}\n   }, 500);\n   }\n },\n\n /**\n   * Merge base networks list with user's list\n   */\n beforeMount: function
beforeMount () {\n   this.baseNetworks = Vue.util.extend(this.baseNetworks, this.networks);\n },\n\n /**\n   * Sets
popup default dimensions.\n   */\n mounted: function mounted () {\n   if (!inBrowser) {\n   return;\n   }\n\n
/**\n   * Center the popup on dual screens\n   * http://stackoverflow.com/questions/4068373/center-a-popup-
window-on-screen/32261263\n   */\n   var dualScreenLeft = $window.screenLeft !== undefined ?
$window.screenLeft : screen.left;\n   var dualScreenTop = $window.screenTop !== undefined ?
$window.screenTop : screen.top;\n\n   var width = $window.innerWidth ? $window.innerWidth :
(document.documentElement.clientWidth ? document.documentElement.clientWidth : screen.width);\n   var height
= $window.innerHeight ? $window.innerHeight : (document.documentElement.clientHeight ?
document.documentElement.clientHeight : screen.height);\n\n   this.popup.left = ((width / 2) - (this.popup.width /
2)) + dualScreenLeft;\n   this.popup.top = ((height / 2) - (this.popup.height / 2)) + dualScreenTop;\n },\n\n /**\n   *
Set component aliases for buttons and links.\n   */\n components: {\n   'network': SocialSharingNetwork\n
}\n};\n\nSocialSharing.version = '2.3.3';\n\nSocialSharing.install = function (Vue) {\n Vue.component('social-
sharing', SocialSharing);\n};\n\nif (typeof window !== 'undefined') {\n window.SocialSharing =
SocialSharing;\n}\n\nmodule.exports = SocialSharing;","exports.f = {}.propertyIsEnumerable;\n","export default
{\n 'imddb-header.dropdown.items': [\n   { label: 'Graphics', href: \"#/\" },\n   { label: 'Overview', href: \"#/\" },\n
{ label: 'Visual overview', href: \"#/\" },\n   { label: 'Backgrounder', href: \"#/\" },\n   { label: 'About this project',
href: \"#/\", active: true }\n],\n 'project.name': 'Secret Papers',\n 'app.name': 'Awesome App',\n 'app.home': './',\n
'sharing-options.url': null,\n 'sharing-options.title': 'Awesome App by ICIJ',\n 'sharing-options.description': 'null',\n
'sharing-options.media': null,\n 'sharing-options.twitter-user': 'ICIJorg',\n 'signup-form.tracker': 'EXTERNAL',\n
'signup-form.action': 'https://icij.us15.list-
manage.com/subscribe/post?u=0d48a33b1c24d257734cc2a79&id=992ecfdbb2',\n 'donate-form.introduction':
`ICIJ's investigations are supported by readers like you. Help keep our\n   databases free and open to
the public by joining our\n   ICIJ
Insiders\n   community.`\n}\n","import get from 'lodash/get'\nimport each from
'lodash/each'\nimport Symbol from 'es6-symbol'\nimport defaultValues from './config.default'\n\nconst _VALUES =
Symbol('values')\nconst _SCOPES = Symbol('scopes')\n\nclass Config {\n constructor (values = {}) {\n
this[_VALUES] = {}\n   each(values, (value, key) => this.set(key, value))\n   return this;\n }\n set (key, value) {\n
const levels = key.split('.')\n   if (levels.length > 1) {\n   this[_VALUES][key] =
this.scope(levels.shift()).set(levels.join('.'), value)\n   } else {\n   this[_VALUES][key] = value\n   }\n   return
value\n }\n get (key, defaultValue) {\n   return get(this[_VALUES], key, defaultValue)\n }\n scopes () {\n
this[_SCOPES] = get(this, _SCOPES, {})\n   return this[_SCOPES]\n }\n scope (name) {\n   this.scopes[name] =
get(this.scopes, name, new Config())\n   return this.scopes[name]\n }\n values () {\n   return this[_VALUES]\n
}\n}\n\nexport default new Config(defaultValues)\n","'use strict';\nvar LIBRARY = require('./_library');\nvar global
= require('./_global');\nvar ctx = require('./_ctx');\nvar classof = require('./_classof');\nvar $export =
require('./_export');\nvar isObject = require('./_is-object');\nvar aFunction = require('./_a-function');\nvar anInstance
= require('./_an-instance');\nvar forOf = require('./_for-of');\nvar speciesConstructor = require('./_species-
constructor');\nvar task = require('./_task').set;\nvar microtask = require('./_microtask')();\nvar
newPromiseCapabilityModule = require('./_new-promise-capability');\nvar perform = require('./_perform');\nvar
userAgent = require('./_user-agent');\nvar promiseResolve = require('./_promise-resolve');\nvar PROMISE =
'Promise';\nvar TypeError = global.TypeError;\nvar process = global.process;\nvar versions = process &&
process.versions;\nvar v8 = versions && versions.v8 || '';\nvar $Promise = global[PROMISE];\nvar isNode =
classof(process) == 'process';\nvar empty = function () { /* empty */ };\nvar Internal,
newGenericPromiseCapability, OwnPromiseCapability, Wrapper;\nvar newPromiseCapability =
newGenericPromiseCapability = newPromiseCapabilityModule.f;\n\nvar USE_NATIVE = !!function () {\n try {\n
// correct subclassing with @@species support\n   var promise = $Promise.resolve(1);\n   var FakePromise =

(promise.constructor = { })[require('./_wks')('species')] = function (exec) {\n   exec(empty, empty);\n   };\n   // unhandled rejections tracking support, NodeJS Promise without it fails @@species test\n   return (isNode || typeof PromiseRejectionEvent == 'function')\n   && promise.then(empty) instanceof FakePromise\n   // v8 6.6 (Node 10 and Chrome 66) have a bug with resolving custom thenables\n   // https://bugs.chromium.org/p/chromium/issues/detail?id=830565\n   // we can't detect it synchronously, so just check versions\n   && v8.indexOf('6.6') !== 0\n   && userAgent.indexOf('Chrome/66') === -1;\n   } catch (e) { /* empty */ }\n}();\n\n// helpers\nvar isThenable = function (it) {\n   var then;\n   return isObject(it) && typeof (then = it.then) == 'function' ? then : false;\n};\nvar notify = function (promise, isReject) {\n   if (promise._n) return;\n   promise._n = true;\n   var chain = promise._c;\n   microtask(function () {\n   var value = promise._v;\n   var ok = promise._s == 1;\n   var i = 0;\n   var run = function (reaction) {\n   var handler = ok ? reaction.ok : reaction.fail;\n   var resolve = reaction.resolve;\n   var reject = reaction.reject;\n   var domain = reaction.domain;\n   var result, then, exited;\n   try {\n   if (handler) {\n   if (!ok) {\n   if (promise._h == 2) onHandleUnhandled(promise);\n   promise._h = 1;\n   }\n   if (handler === true) result = value;\n   else {\n   if (domain) domain.enter();\n   result = handler(value); // may throw\n   if (domain) {\n   domain.exit();\n   exited = true;\n   }\n   }\n   if (result === reaction.promise) {\n   reject(TypeError('Promise-chain cycle'));\n   } else if (then = isThenable(result)) {\n   then.call(result, resolve, reject);\n   } else resolve(result);\n   } else reject(value);\n   } catch (e) {\n   if (domain && !exited) domain.exit();\n   reject(e);\n   }\n   };\n   while (chain.length > i) run(chain[i++]); // variable length - can't use forEach\n   promise._c = [];\n   promise._n = false;\n   if (isReject && !promise._h) onUnhandled(promise);\n   });\n};\nvar onUnhandled = function (promise) {\n   task.call(global, function () {\n   var value = promise._v;\n   var unhandled = isUnhandled(promise);\n   var result, handler, console;\n   if (unhandled) {\n   result = perform(function () {\n   if (isNode) {\n   process.emit('unhandledRejection', value, promise);\n   } else if (handler = global.onunhandledrejection) {\n   handler({ promise: promise, reason: value });\n   } else if ((console = global.console) && console.error) {\n   console.error('Unhandled promise rejection', value);\n   }\n   });\n   // Browsers should not trigger `rejectionHandled` event if it was handled here, NodeJS - should\n   promise._h = isNode || isUnhandled(promise) ? 2 : 1;\n   } promise._a = undefined;\n   if (unhandled && result.e) throw result.v;\n   });\n};\nvar isUnhandled = function (promise) {\n   return promise._h !== 1 && (promise._a || promise._c).length === 0;\n};\nvar onHandleUnhandled = function (promise) {\n   task.call(global, function () {\n   var handler;\n   if (isNode) {\n   process.emit('rejectionHandled', promise);\n   } else if (handler = global.onrejectionhandled) {\n   handler({ promise: promise, reason: promise._v });\n   }\n   });\n};\nvar $reject = function (value) {\n   var promise = this;\n   if (promise._d) return;\n   promise._d = true;\n   promise = promise._w || promise; // unwrap\n   promise._v = value;\n   promise._s = 2;\n   if (!promise._a) promise._a = promise._c.slice();\n   notify(promise, true);\n};\nvar $resolve = function (value) {\n   var promise = this;\n   var then;\n   if (promise._d) return;\n   promise._d = true;\n   promise = promise._w || promise; // unwrap\n   try {\n   if (promise === value) throw TypeError(\"Promise can't be resolved itself\");\n   if (then = isThenable(value)) {\n   microtask(function () {\n   var wrapper = { _w: promise, _d: false }; // wrap\n   try {\n   then.call(value, ctx($resolve, wrapper, 1), ctx($reject, wrapper, 1));\n   } catch (e) {\n $reject.call(wrapper, e);\n   }\n   });\n   } else {\n   promise._v = value;\n   promise._s = 1;\n   notify(promise, false);\n   }\n   } catch (e) {\n $reject.call({ _w: promise, _d: false }, e); // wrap\n   }\n};\n\n// constructor polyfill\nif (!USE_NATIVE) {\n   // 25.4.3.1 Promise(executor)\n $Promise = function Promise(executor) {\n   anInstance(this, $Promise, PROMISE, '_h');\n   aFunction(executor);\n   Internal.call(this);\n   try {\n   executor(ctx($resolve, this, 1), ctx($reject, this, 1));\n   } catch (err) {\n $reject.call(this, err);\n   }\n   };\n   // eslint-disable-next-line no-unused-vars\n   Internal = function Promise(executor) {\n   this._c = [];   // <- awaiting reactions\n   this._a = undefined;   // <- checked in isUnhandled reactions\n   this._s = 0;   // <- state\n   this._d = false;   // <- done\n   this._v = undefined;   // <- value\n   this._h = 0;   // <- rejection state, 0 - default, 1 - handled, 2 - unhandled\n   this._n = false;   // <- notify\n   };\n   Internal.prototype = require('./_redefine-all')($Promise.prototype, {\n   // 25.4.5.3 Promise.prototype.then(onFulfilled, onRejected)\n   then: function then(onFulfilled, onRejected) {\n   var reaction

= newPromiseCapability(speciesConstructor(this, $Promise));\n   reaction.ok = typeof onFulfilled == 'function' ? onFulfilled : true;\n   reaction.fail = typeof onRejected == 'function' && onRejected;\n   reaction.domain = isNode ? process.domain : undefined;\n   this._c.push(reaction);\n   if (this._a) this._a.push(reaction);\n   if (this._s) notify(this, false);\n   return reaction.promise;\n   },\n   // 25.4.5.1 Promise.prototype.catch(onRejected)\n   'catch': function (onRejected) {\n   return this.then(undefined, onRejected);\n   }\n });\n OwnPromiseCapability = function () {\n   var promise = new Internal();\n   this.promise = promise;\n   this.resolve = ctx($resolve, promise, 1);\n   this.reject = ctx($reject, promise, 1);\n };\n newPromiseCapabilityModule.f = newPromiseCapability = function (C) {\n   return C === $Promise || C === Wrapper\n   ? new OwnPromiseCapability(C)\n   : newGenericPromiseCapability(C);\n };\n}\n\n$export($export.G + $export.W + $export.F * !USE_NATIVE, { Promise: $Promise });\nrequire('./_set-to-string-tag')($Promise, PROMISE);\nrequire('./_set-species')(PROMISE);\nWrapper = require('./_core')[PROMISE];\n\n// statics\n$export($export.S + $export.F * !USE_NATIVE, PROMISE, {\n // 25.4.4.5 Promise.reject(r)\n reject: function reject(r) {\n   var capability = newPromiseCapability(this);\n   var $$reject = capability.reject;\n $$reject(r);\n   return capability.promise;\n }\n});\n$export($export.S + $export.F * (LIBRARY || !USE_NATIVE), PROMISE, {\n // 25.4.4.6 Promise.resolve(x)\n resolve: function resolve(x) {\n   return promiseResolve(LIBRARY && this === Wrapper ? $Promise : this, x);\n }\n});\n$export($export.S + $export.F * !(USE_NATIVE && require('./_iter-detect')(function (iter) {\n $Promise.all(iter)['catch'](empty);\n})), PROMISE, {\n // 25.4.4.1 Promise.all(iterable)\n all: function all(iterable) {\n   var C = this;\n   var capability = newPromiseCapability(C);\n   var resolve = capability.resolve;\n   var reject = capability.reject;\n   var result = perform(function () {\n   var values = [];\n   var index = 0;\n   var remaining = 1;\n   forOf(iterable, false, function (promise) {\n   var $index = index++;\n   var alreadyCalled = false;\n   values.push(undefined);\n   remaining++;\n   C.resolve(promise).then(function (value) {\n   if (alreadyCalled) return;\n   alreadyCalled = true;\n   values[$index] = value;\n   --remaining || resolve(values);\n   }, reject);\n   });\n   --remaining || resolve(values);\n   });\n   if (result.e) reject(result.v);\n   return capability.promise;\n },\n // 25.4.4.4 Promise.race(iterable)\n race: function race(iterable) {\n   var C = this;\n   var capability = newPromiseCapability(C);\n   var reject = capability.reject;\n   var result = perform(function () {\n   forOf(iterable, false, function (promise) {\n   C.resolve(promise).then(capability.resolve, reject);\n   });\n   });\n   if (result.e) reject(result.v);\n   return capability.promise;\n }\n});\n","var core = require('./_core');\nvar global = require('./_global');\nvar SHARED = '__core-js_shared__';\nvar store = global[SHARED] || (global[SHARED] = {});\n\n(module.exports = function (key, value) {\n return store[key] || (store[key] = value !== undefined ? value : {});\n})('versions', []).push({\n version: core.version,\n mode: require('./_library') ? 'pure' : 'global',\n copyright: '© 2018 Denis Pushkarev (zloirock.ru)'\n});\n","/**\n * Checks if a stack value for `key` exists.\n *\n * @private\n * @name has\n * @memberOf Stack\n * @param {string} key The key of the entry to check.\n * @returns {boolean} Returns `true` if an entry for `key` exists, else `false`.\n */\nfunction stackHas(key) {\n return this.__data__.has(key);\n}\n\nmodule.exports = stackHas;\n","var overArg = require('./_overArg');\n\n/* Built-in method references for those with the same name as other `lodash` methods. */\nvar nativeKeys = overArg(Object.keys, Object);\n\nmodule.exports = nativeKeys;\n","/** Detect free variable `global` from Node.js. */\nvar freeGlobal = typeof global == 'object' && global && global.Object === Object && global;\n\nmodule.exports = freeGlobal;\n","module.exports =

\"data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAAAIgAAABaCAYAAABjTB52AAAE8klEQVR4Ae3dA7D0ShDF8Wfbtm3btm3btm3btv2u7y7yYYz/zep3Ggd923U3U3k1ROV51ybffM/NYaSKWQqTcFBg0DbaHk+HEo7UtOC9jEgXQ/cReAfDHkt5OuQNIIQ/pCfkjZCCbwO0I3I3RM12UoF1wwwK6eq2/DhScXN2jU/uCPDPh/gQjHkJ3EFFFYoHe6W37m8zbP/2TJW39uyceCL4a1r7ZjZmKubVwvoJ/XdGtCP6QZ2Z3IY4sGGMH1r2oMWEMmSdyEA8iI+G3aCGuC+YIMR0oMGMs8M+GGmzcMQJSYiDw7dXbBBgtLdBO5dBW4uOR//2ssPaQeEDH+YwSQGjkfWrDOv8NDhzdwPg8OBwv9lYy8H348gIFxioEBA5IsYe/tthzwPg8NBw5vnrYs0gcg0i8clUWN671s0oBEZB

kKVu/ZGHjWrvqAURAFjKutdEiIAIiIAIiIAIiIAIiIAIiII3Zwb9syPMVByIg8UtABERABERABERABERA BERABERABERABERABERABERABERABERABERABERABERABERABERABERABERABERABERABERABERABERABC RCCYiACIiACIiAQPeE4PY1ZK9oQARE380VEAEREAEREAEREAEREAEREAEREAEREAEREAH51jj4SgX/ 0nJbHCACYh18HVu/dFnjWj+MA0RAHrP1dbsbgaxjXOtzFQfydlWB3GwEcr7xoA4yrvWuigNpryYQ+1+WfmTc qLusIKsKBNpGs59vulFkIOna9t7Jgs31ah8dfMO4URtXF0gyN3Ygq0QG0jmOvbd/oZl/vgR3rr1Xz6TVBeLOsK87 WbQM/7z9LnYkd0HbqP99+QcNAm5/7D0+K8Unyuyv+yTYz3f2EgBxp4AHe34CdzwkS2XXdPhpZOgYE3pnAL ddfkvjscedVzUg8MUw4HYC3x2CPR1jRgeSH6p3IZQzvdOXEQh0TwBum75sG7JHyJHgbw/5ydbv77ecEYAY/m A5Xu4u64eWIV2mxWu/qURAGnOUE0iyRH2BuD1KAyQrcOeVDMiN2Vw1BdKAjrFKBuTTocG/VhIcn8LPo9 QXiLsq61EqIFlB7zTgOyPjSCFZIJunpkAcNOYsJZCs8qervi0SjoTs5eVQ9QXiDss7lBRIVtCYEfynBeNog2TJrH+ NgTwC1wwaAYj5ZfgnC8LxMTRmzvrWGMiD0D56dtlxgBgKGBjSNcC/1SIYP4LbAz4cKutXXyDu2N9uOeIBs Vc2PKSbgH+lnzbla3DHwE8j/9aknkDugmSRAXl6+bEtvdMMZC/7XQ/pxuCuauIzrWnI0+AOhMbswMDFzuz2su 2vO78FQL4Dd05+djWo/Bawe6L84NNlQzYMWRuSRaF3eugYM7/5rGYZgfT0XXleDbkH3GkhW0FjFmDgGrB Q5R9j+HCoP+f1IQodQqX6BVmGZ8lGQfmGAAAAElFTkSuQmCC\"","/**\n * The base implementation of
`_.reduce` and `_.reduceRight`, without support\n * for iteratee shorthands, which iterates over `collection` using `eachFunc`.\n *\n * @private\n * @param {Array|Object} collection The collection to iterate over.\n * @param {Function} iteratee The function invoked per iteration.\n * @param {*} accumulator The initial value.\n * @param {boolean} initAccum Specify using the first or last element of\n * `collection` as the initial value.\n * @param {Function} eachFunc The function to iterate over `collection`.\n * @returns {*} Returns the accumulated value.\n */\nfunction baseReduce(collection, iteratee, accumulator, initAccum, eachFunc) {\n eachFunc(collection, function(value, index, collection) {\n   accumulator = initAccum\n   ? (initAccum = false, value)\n   : iteratee(accumulator, value, index, collection);\n });\n return accumulator;\n}\n\nmodule.exports = baseReduce;\n","var arrayPush = require('./_arrayPush'),\n   isFlattenable = require('./_isFlattenable');\n\n/**\n * The base implementation of `_.flatten` with support for restricting flattening.\n *\n * @private\n * @param {Array} array The array to flatten.\n * @param {number} depth The maximum recursion depth.\n * @param {boolean} [predicate=isFlattenable] The function invoked per iteration.\n * @param {boolean} [isStrict] Restrict to values that pass `predicate` checks.\n * @param {Array} [result=[]] The initial result value.\n * @returns {Array} Returns the new flattened array.\n */\nfunction baseFlatten(array, depth, predicate, isStrict, result) {\n var index = -1,\n   length = array.length;\n\n predicate || (predicate = isFlattenable);\n result || (result = []);\n\n while (++index < length) {\n   var value = array[index];\n   if (depth > 0 && predicate(value)) {\n   if (depth > 1) {\n   // Recursively flatten arrays (susceptible to call stack limits).\n   baseFlatten(value, depth - 1, predicate, isStrict, result);\n   } else {\n   arrayPush(result, value);\n   }\n   } else if (!isStrict) {\n   result[result.length] = value;\n   }\n }\n return result;\n}\n\nmodule.exports = baseFlatten;\n","var global = require('./_global');\nvar core = require('./_core');\nvar hide = require('./_hide');\nvar redefine = require('./_redefine');\nvar ctx = require('./_ctx');\nvar PROTOTYPE = 'prototype';\n\nvar $export = function (type, name, source) {\n var IS_FORCED = type & $export.F;\n var IS_GLOBAL = type & $export.G;\n var IS_STATIC = type & $export.S;\n var IS_PROTO = type & $export.P;\n var IS_BIND = type & $export.B;\n var target = IS_GLOBAL ? global : IS_STATIC ? global[name] || (global[name] = {}) : (global[name] || {})[PROTOTYPE];\n var exports = IS_GLOBAL ? core : core[name] || (core[name] = {});\n var expProto = exports[PROTOTYPE] || (exports[PROTOTYPE] = {});\n var key, own, out, exp;\n if (IS_GLOBAL) source = name;\n for (key in source) {\n   // contains in native\n   own = !IS_FORCED && target && target[key] !== undefined;\n   // export native or passed\n   out = (own ? target : source)[key];\n   // bind timers to global for call from export context\n   exp = IS_BIND && own ? ctx(out, global) : IS_PROTO && typeof out == 'function' ? ctx(Function.call, out) : out;\n   // extend global\n   if (target) redefine(target, key, out, type & $export.U);\n   // export\n   if (exports[key] != out) hide(exports, key, exp);\n   if (IS_PROTO && expProto[key] != out) expProto[key] = out;\n }\n};\nglobal.core = core;\n// type bitmap\n$export.F = 1; // forced\n$export.G = 2; // global\n$export.S = 4; // static\n$export.P = 8; // proto\n$export.B = 16; // bind\n$export.W = 32; // wrap\n$export.U = 64; // safe\n$export.R = 128; // real proto method for `library`\nmodule.exports = $export;\n","var ITERATOR = require('./_wks')('iterator');\nvar SAFE_CLOSING = false;\n\ntry {\n var riter = [7][ITERATOR]();\n riter['return'] = function () {

SAFE_CLOSING = true; };\n // eslint-disable-next-line no-throw-literal\n Array.from(riter, function () { throw 2; });;\n} catch (e) { /* empty */ }\n\nmodule.exports = function (exec, skipClosing) {\n if (!skipClosing && !SAFE_CLOSING) return false;\n var safe = false;\n try {\n var arr = [7];\n var iter = arr[ITERATOR]();\n iter.next = function () { return { done: safe = true }; };\n arr[ITERATOR] = function () { return iter; };\n exec(arr);\n } catch (e) { /* empty */ }\n return safe;\n};\n","var isObject = require('./_is-object');\nvar setPrototypeOf = require('./_set-proto').set;\nmodule.exports = function (that, target, C) {\n var S = target.constructor;\n var P;\n if (S !== C && typeof S == 'function' && (P = S.prototype) !== C.prototype && isObject(P) && setPrototypeOf) {\n setPrototypeOf(that, P);\n } return that;\n};\n","var listCacheClear = require('./_listCacheClear'),\n listCacheDelete = require('./_listCacheDelete'),\n listCacheGet = require('./_listCacheGet'),\n listCacheHas = require('./_listCacheHas'),\n listCacheSet = require('./_listCacheSet');\n\n/**\n * Creates an list cache object.\n *\n * @private\n * @constructor\n * @param {Array} [entries] The key-value pairs to cache.\n */\nfunction ListCache(entries) {\n var index = -1,\n length = entries == null ? 0 : entries.length;\n\n this.clear();\n while (++index < length) {\n var entry = entries[index];\n this.set(entry[0], entry[1]);\n }\n}\n\n// Add methods to `ListCache`.\nListCache.prototype.clear = listCacheClear;\nListCache.prototype['delete'] = listCacheDelete;\nListCache.prototype.get = listCacheGet;\nListCache.prototype.has = listCacheHas;\nListCache.prototype.set = listCacheSet;\n\nmodule.exports = ListCache;\n","// most Object methods by ES6 should accept primitives\nvar $export = require('./_export');\nvar core = require('./_core');\nvar fails = require('./_fails');\nmodule.exports = function (KEY, exec) {\n var fn = (core.Object || {})[KEY] || Object[KEY];\n var exp = {};\n exp[KEY] = exec(fn);\n $export($export.S + $export.F * fails(function () { fn(1); }), 'Object', exp);\n};\n","var getNative = require('./_getNative');\n\n/* Built-in method references that are verified to be native. */\nvar nativeCreate = getNative(Object, 'create');\n\nmodule.exports = nativeCreate;\n","var shared = require('./_shared')('keys');\nvar uid = require('./_uid');\nmodule.exports = function (key) {\n return shared[key] || (shared[key] = uid(key));\n};\n","// fallback for non-array-like ES3 and non-enumerable old V8 strings\nvar cof = require('./_cof');\n// eslint-disable-next-line no-prototype-builtins\nmodule.exports = Object('z').propertyIsEnumerable(0) ? Object : function (it) {\n return cof(it) == 'String' ? it.split('') : Object(it);\n};\n","\"use strict\";\n\nvar _undefined = require(\"../function/noop\")(); // Support ES3 engines\n\nmodule.exports = function (val) {\n return (val !== _undefined) && (val !== null);\n};\n","module.exports = function(module) {\n\tif (!module.webpackPolyfill) {\n\t\tmodule.deprecate = function() {};\n\t\tmodule.paths = [];\n\t\t// module.parent = undefined by default\n\t\tif (!module.children) module.children = [];\n\t\tObject.defineProperty(module, \"loaded\", {\n\t\t\tenumerable: true,\n\t\t\tget: function() {\n\t\t\t\treturn module.l;\n\t\t\t}\n\t\t});\n\t\tObject.defineProperty(module, \"id\", {\n\t\t\tenumerable: true,\n\t\t\tget: function() {\n\t\t\t\treturn module.i;\n\t\t\t}\n\t\t});\n\t\tmodule.webpackPolyfill = 1;\n\t}\n\treturn module;\n};\n","import mod from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./ImddbHeader.vue?vue&type=style&index=0&lang=scss&\"; export default mod; export * from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./ImddbHeader.vue?vue&type=style&index=0&lang=scss&\"","var baseIsMatch = require('./_baseIsMatch'),\n getMatchData = require('./_getMatchData'),\n matchesStrictComparable = require('./_matchesStrictComparable');\n\n/**\n * The base implementation of `_.matches` which doesn't clone `source`.\n *\n * @private\n * @param {Object} source The object of property values to match.\n * @returns {Function} Returns the new spec function.\n */\nfunction baseMatches(source) {\n var matchData =

getMatchData(source);\n if (matchData.length == 1 && matchData[0][2]) {\n   return matchesStrictComparable(matchData[0][0], matchData[0][1]);\n }\n return function(object) {\n   return object === source || baseIsMatch(object, source, matchData);\n };\n}\n\nmodule.exports = baseMatches;\n","var castPath = require('./_castPath'),\n   toKey = require('./_toKey');\n\n/**\n * The base implementation of `_.get` without support for default values.\n *\n * @private\n * @param {Object} object The object to query.\n * @param {Array|string} path The path of the property to get.\n * @returns {*} Returns the resolved value.\n */\nfunction baseGet(object, path) {\n path = castPath(path, object);\n\n var index = 0,\n   length = path.length;\n\n while (object != null && index < length) {\n   object = object[toKey(path[index++])];\n }\n return (index && index == length) ? object : undefined;\n}\n\nmodule.exports = baseGet;\n","/**\n * A specialized version of `_.every` for arrays without support for\n * iteratee shorthands.\n *\n * @private\n * @param {Array} [array] The array to iterate over.\n * @param {Function} predicate The function invoked per iteration.\n * @returns {boolean} Returns `true` if all elements pass the predicate check,\n * else `false`.\n */\nfunction arrayEvery(array, predicate) {\n var index = -1,\n   length = array == null ? 0 : array.length;\n\n while (++index < length) {\n   if (!predicate(array[index], index, array)) {\n   return false;\n   }\n }\n return true;\n}\n\nmodule.exports = arrayEvery;\n","/**\n * Checks if `value` is classified as an `Array` object.\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @category Lang\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is an array, else `false`.\n * @example\n *\n * _.isArray([1, 2, 3]);\n * // => true\n *\n * _.isArray(document.body.children);\n * // => false\n *\n * _.isArray('abc');\n * // => false\n *\n * _.isArray(_.noop);\n * // => false\n */\nvar isArray = Array.isArray;\n\nmodule.exports = isArray;\n","var assocIndexOf = require('./_assocIndexOf');\n\n/**\n * Sets the list cache `key` to `value`.\n *\n * @private\n * @name set\n * @memberOf ListCache\n * @param {string} key The key of the value to set.\n * @param {*} value The value to set.\n * @returns {Object} Returns the list cache instance.\n */\nfunction listCacheSet(key, value) {\n var data = this.__data__,\n   index = assocIndexOf(data, key);\n\n if (index < 0) {\n   ++this.size;\n   data.push([key, value]);\n } else {\n   data[index][1] = value;\n }\n return this;\n}\n\nmodule.exports = listCacheSet;\n","// to indexed object, toObject with fallback for non-array-like ES3 strings\nvar IObject = require('./_iobject');\nvar defined = require('./_defined');\nmodule.exports = function (it) {\n return IObject(defined(it));\n};\n","var hasOwnProperty = {}.hasOwnProperty;\nmodule.exports = function (it, key) {\n return hasOwnProperty.call(it, key);\n};\n","var assocIndexOf = require('./_assocIndexOf');\n\n/** Used for built-in method references. */\nvar arrayProto = Array.prototype;\n\n/** Built-in value references. */\nvar splice = arrayProto.splice;\n\n/**\n * Removes `key` and its value from the list cache.\n *\n * @private\n * @name delete\n * @memberOf ListCache\n * @param {string} key The key of the value to remove.\n * @returns {boolean} Returns `true` if the entry was removed, else `false`.\n */\nfunction listCacheDelete(key) {\n var data = this.__data__,\n   index = assocIndexOf(data, key);\n\n if (index < 0) {\n   return false;\n }\n var lastIndex = data.length - 1;\n if (index == lastIndex) {\n   data.pop();\n } else {\n   splice.call(data, index, 1);\n }\n --this.size;\n return true;\n}\n\nmodule.exports = listCacheDelete;\n","var arrayMap = require('./_arrayMap'),\n   baseIteratee = require('./_baseIteratee'),\n   baseMap = require('./_baseMap'),\n   baseSortBy = require('./_baseSortBy'),\n   baseUnary = require('./_baseUnary'),\n   compareMultiple = require('./_compareMultiple'),\n   identity = require('./identity');\n\n/**\n * The base implementation of `_.orderBy` without param guards.\n *\n * @private\n * @param {Array|Object} collection The collection to iterate over.\n * @param {Function[]|Object[]|string[]} iteratees The iteratees to sort by.\n * @param {string[]} orders The sort orders of `iteratees`.\n * @returns {Array} Returns the new sorted array.\n */\nfunction baseOrderBy(collection, iteratees, orders) {\n var index = -1;\n iteratees = arrayMap(iteratees.length ? iteratees : [identity], baseUnary(baseIteratee));\n\n var result = baseMap(collection, function(value, key, collection) {\n   var criteria = arrayMap(iteratees, function(iteratee) {\n   return iteratee(value);\n   });\n   return { 'criteria': criteria, 'index': ++index, 'value': value };\n });\n\n return baseSortBy(result, function(object, other) {\n   return compareMultiple(object, other, orders);\n });\n}\n\nmodule.exports = baseOrderBy;\n","// 7.1.1 ToPrimitive(input [, PreferredType])\nvar isObject = require('./_is-object');\n// instead of the ES6 spec version, we didn't implement @@toPrimitive case\n// and the second argument - flag - preferred type is a string\nmodule.exports = function (it, S) {\n if (!isObject(it)) return it;\n var fn, val;\n if (S && typeof (fn = it.toString) == 'function' && !isObject(val =

fn.call(it))) return val;\n if (typeof (fn = it.valueOf) == 'function' && !isObject(val = fn.call(it))) return val;\n if (!S && typeof (fn = it.toString) == 'function' && !isObject(val = fn.call(it))) return val;\n throw TypeError(\"Can't convert object to primitive value\");\n};\n","/**\n * A specialized version of `_.reduce` for arrays without support for\n * iteratee shorthands.\n *\n * @private\n * @param {Array} [array] The array to iterate over.\n * @param {Function} iteratee The function invoked per iteration.\n * @param {*} [accumulator] The initial value.\n * @param {boolean} [initAccum] Specify using the first element of `array` as\n * the initial value.\n * @returns {*} Returns the accumulated value.\n */\nfunction arrayReduce(array, iteratee, accumulator, initAccum) {\n var index = -1,\n length = array == null ? 0 : array.length;\n\n if (initAccum && length) {\n accumulator = array[++index];\n }\n while (++index < length) {\n accumulator = iteratee(accumulator, array[index], index, array);\n }\n return accumulator;\n}\n\nmodule.exports = arrayReduce;\n","'use strict';\nrequire('./es6.regexp.flags');\nvar anObject = require('./_an-object');\nvar $flags = require('./_flags');\nvar DESCRIPTORS = require('./_descriptors');\nvar TO_STRING = 'toString';\nvar $toString = /./[TO_STRING];\n\nvar define = function (fn) {\n require('./_redefine')(RegExp.prototype, TO_STRING, fn, true);\n};\n\n// 21.2.5.14 RegExp.prototype.toString()\nif (require('./_fails')(function () { return $toString.call({ source: 'a', flags: 'b' }) != '/a/b'; })) {\n define(function toString() {\n var R = anObject(this);\n return '/'.concat(R.source, '/',\n 'flags' in R ? R.flags : !DESCRIPTORS && R instanceof RegExp ? $flags.call(R) : undefined);\n });\n// FF44- RegExp#toString has a wrong name\n} else if ($toString.name != TO_STRING) {\n define(function toString() {\n return $toString.call(this);\n });\n}\n","'use strict';\nObject.defineProperty(exports, '__esModule', { value: true });\nvar prefix = 'fab';\nvar iconName = 'twitter';\nvar width = 512;\nvar height = 512;\nvar ligatures = [];\nvar unicode = 'f099';\nvar svgPathData = 'M459.37 151.716c.325 4.548.325 9.097.325 13.645 0 138.72-105.583 298.558-298.558 298.558-59.452 0-114.68-17.219-161.137-47.106 8.447.974 16.568 1.299 25.34 1.299 49.055 0 94.213-16.568 130.274-44.832-46.132-.975-84.792-31.188-98.112-72.772 6.498.974 12.995 1.624 19.818 1.624 9.421 0 18.843-1.3 27.614-3.573-48.081-9.747-84.143-51.98-84.143-102.985v-1.299c13.969 7.797 30.214 12.67 47.431 13.319-28.264-18.843-46.781-51.005-46.781-87.391 0-19.492 5.197-37.36 14.294-52.954 51.655 63.675 129.3 105.258 216.365 109.807-1.624-7.797-2.599-15.918-2.599-24.04 0-57.828 46.782-104.934 104.934-104.934 30.213 0 57.502 12.67 76.67 33.137 23.715-4.548 46.456-13.32 66.599-25.34-7.798 24.366-24.366 44.833-46.132 57.827 21.117-2.273 41.584-8.122 60.426-16.243-14.292 20.791-32.161 39.308-52.628 54.253z';\n\nexports.definition = {\n prefix: prefix,\n iconName: iconName,\n icon: [\n width,\n height,\n ligatures,\n unicode,\n svgPathData\n]};\n\nexports.faTwitter = exports.definition;\nexports.prefix = prefix;\nexports.iconName = iconName;\nexports.width = width;\nexports.height = height;\nexports.ligatures = ligatures;\nexports.unicode = unicode;\nexports.svgPathData = svgPathData;","var arrayEach = require('./_arrayEach'),\n baseEach = require('./_baseEach'),\n castFunction = require('./_castFunction'),\n isArray = require('./isArray');\n\n/**\n * Iterates over elements of `collection` and invokes `iteratee` for each element.\n * The iteratee is invoked with three arguments: (value, index|key, collection).\n * Iteratee functions may exit iteration early by explicitly returning `false`.\n *\n * **Note:** As with other \"Collections\" methods, objects with a \"length\"\n * property are iterated like arrays. To avoid this behavior use `_.forIn`\n * or `_.forOwn` for object iteration.\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @alias each\n * @category Collection\n * @param {Array|Object} collection The collection to iterate over.\n * @param {Function} [iteratee=_.identity] The function invoked per iteration.\n * @returns {Array|Object} Returns `collection`.\n * @see _.forEachRight\n * @example\n *\n * _.forEach([1, 2], function(value) {\n * console.log(value);\n * });\n * // => Logs `1` then `2`.\n *\n * _.forEach({ 'a': 1, 'b': 2 }, function(value, key) {\n * console.log(key);\n * });\n * // => Logs 'a' then 'b' (iteration order is not guaranteed).\n */\nfunction forEach(collection, iteratee) {\n var func = isArray(collection) ? arrayEach : baseEach;\n return func(collection, castFunction(iteratee));\n}\n\nmodule.exports = forEach;\n","// extracted by mini-css-extract-plugin","import mod from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-

options!./DonateForm.vue?vue&type=style&index=0&lang=scss&\"; export default mod; export * from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./DonateForm.vue?vue&type=style&index=0&lang=scss&\"","var baseTimes = require('./_baseTimes'),\n   isArguments = require('./isArguments'),\n   isArray = require('./isArray'),\n   isBuffer = require('./isBuffer'),\n   isIndex = require('./_isIndex'),\n   isTypedArray = require('./isTypedArray');\n\n/** Used for built-in method references. */\nvar objectProto = Object.prototype;\n\n/** Used to check objects for own properties. */\nvar hasOwnProperty = objectProto.hasOwnProperty;\n\n/**\n * Creates an array of the enumerable property names of the array-like `value`.\n *\n * @private\n * @param {*} value The value to query.\n * @param {boolean} inherited Specify returning inherited property names.\n * @returns {Array} Returns the array of property names.\n */\nfunction arrayLikeKeys(value, inherited) {\n var isArr = isArray(value),\n   isArg = !isArr && isArguments(value),\n   isBuff = !isArr && !isArg && isBuffer(value),\n   isType = !isArr && !isArg && !isBuff && isTypedArray(value),\n   skipIndexes = isArr || isArg || isBuff || isType,\n   result = skipIndexes ? baseTimes(value.length, String) : [],\n   length = result.length;\n\n for (var key in value) {\n   if ((inherited || hasOwnProperty.call(value, key)) &&\n   !(skipIndexes && (\n   // Safari 9 has enumerable `arguments.length` in strict mode.\n   key == 'length' ||\n   // Node.js 0.10 has enumerable non-index properties on buffers.\n   (isBuff && (key == 'offset' || key == 'parent')) ||\n   // PhantomJS 2 has enumerable non-index properties on typed arrays.\n   (isType && (key == 'buffer' || key == 'byteLength' || key == 'byteOffset')) ||\n   // Skip index properties.\n   isIndex(key, length)\n   ))) {\n   result.push(key);\n   }\n }\n return result;\n}\n\nmodule.exports = arrayLikeKeys;\n","// extracted by mini-css-extract-plugin","var createBaseFor = require('./_createBaseFor');\n\n/**\n * The base implementation of `baseForOwn` which iterates over `object`\n * properties returned by `keysFunc` and invokes `iteratee` for each property.\n * Iteratee functions may exit iteration early by explicitly returning `false`.\n *\n * @private\n * @param {Object} object The object to iterate over.\n * @param {Function} iteratee The function invoked per iteration.\n * @param {Function} keysFunc The function to get the keys of `object`.\n * @returns {Object} Returns `object`.\n */\nvar baseFor = createBaseFor();\n\nmodule.exports = baseFor;\n","/**\n * Creates a function that returns `value`.\n *\n * @static\n * @memberOf _\n * @since 2.4.0\n * @category Util\n * @param {*} value The value to return from the new function.\n * @returns {Function} Returns the new constant function.\n * @example\n *\n * var objects = _.times(2, _.constant({ 'a': 1 }));\n *\n * console.log(objects);\n * // => [{ 'a': 1 }, { 'a': 1 }]\n *\n * console.log(objects[0] === objects[1]);\n * // => true\n */\nfunction constant(value) {\n return function() {\n   return value;\n };\n}\n\nmodule.exports = constant;\n","'use strict';\n// 19.1.2.1 Object.assign(target, source, ...)\nvar getKeys = require('./_object-keys');\nvar gOPS = require('./_object-gops');\nvar pIE = require('./_object-pie');\nvar toObject = require('./_to-object');\nvar IObject = require('./_iobject');\nvar $assign = Object.assign;\n\n// should work with symbols and should have deterministic property order (V8 bug)\nmodule.exports = !$assign || require('./_fails')(function () {\n var A = {};\n var B = {};\n // eslint-disable-next-line no-undef\n var S = Symbol();\n var K = 'abcdefghijklmnopqrst';\n A[S] = 7;\n K.split('').forEach(function (k) { B[k] = k; });\n return $assign({}, A)[S] != 7 || Object.keys($assign({}, B)).join('') != K;\n}) ? function assign(target, source) { // eslint-disable-line no-unused-vars\n var T = toObject(target);\n var aLen = arguments.length;\n var index = 1;\n var getSymbols = gOPS.f;\n var isEnum = pIE.f;\n while (aLen > index) {\n   var S = IObject(arguments[index++]);\n   var keys = getSymbols ? getKeys(S).concat(getSymbols(S)) : getKeys(S);\n   var length = keys.length;\n   var j = 0;\n   var key;\n   while (length > j) if (isEnum.call(S, key = keys[j++])) T[key] = S[key];\n } return T;\n} : $assign;\n","\"use strict\";\n\nvar isValue = require(\"../is-value\");\n\nvar keys = Object.keys;\n\nmodule.exports = function (object) { return keys(isValue(object) ? Object(object) : object); };\n","var baseIsTypedArray = require('./_baseIsTypedArray'),\n   baseUnary = require('./_baseUnary'),\n   nodeUtil = require('./_nodeUtil');\n\n/* Node.js helper references. */\nvar nodeIsTypedArray = nodeUtil && nodeUtil.isTypedArray;\n\n/**\n * Checks if

`value` is classified as a typed array.\n *\n * @static\n * @memberOf _\n * @since 3.0.0\n * @category Lang\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is a typed array, else `false`.\n * @example\n *\n * _.isTypedArray(new Uint8Array);\n * // => true\n *\n * _.isTypedArray([]);\n * // => false\n */\nvar isTypedArray = nodeIsTypedArray ? baseUnary(nodeIsTypedArray) : baseIsTypedArray;\n\nmodule.exports = isTypedArray;\n","import mod from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./ContentPlaceholder.vue?vue&type=style&index=0&id=40e3a912&scoped=true&lang=scss&\"; export default mod; export * from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./ContentPlaceholder.vue?vue&type=style&index=0&id=40e3a912&scoped=true&lang=scss&\"","var baseGetTag = require('./_baseGetTag'),\n   isLength = require('./isLength'),\n   isObjectLike = require('./isObjectLike');\n\n/** `Object#toString` result references. */\nvar argsTag = '[object Arguments]',\n   arrayTag = '[object Array]',\n   boolTag = '[object Boolean]',\n   dateTag = '[object Date]',\n   errorTag = '[object Error]',\n   funcTag = '[object Function]',\n   mapTag = '[object Map]',\n   numberTag = '[object Number]',\n   objectTag = '[object Object]',\n   regexpTag = '[object RegExp]',\n   setTag = '[object Set]',\n   stringTag = '[object String]',\n   weakMapTag = '[object WeakMap]';\n\nvar arrayBufferTag = '[object ArrayBuffer]',\n   dataViewTag = '[object DataView]',\n   float32Tag = '[object Float32Array]',\n   float64Tag = '[object Float64Array]',\n   int8Tag = '[object Int8Array]',\n   int16Tag = '[object Int16Array]',\n   int32Tag = '[object Int32Array]',\n   uint8Tag = '[object Uint8Array]',\n   uint8ClampedTag = '[object Uint8ClampedArray]',\n   uint16Tag = '[object Uint16Array]',\n   uint32Tag = '[object Uint32Array]';\n\n/** Used to identify `toStringTag` values of typed arrays. */\nvar typedArrayTags = {};\ntypedArrayTags[float32Tag] = typedArrayTags[float64Tag] =\ntypedArrayTags[int8Tag] = typedArrayTags[int16Tag] =\ntypedArrayTags[int32Tag] = typedArrayTags[uint8Tag] =\ntypedArrayTags[uint8ClampedTag] = typedArrayTags[uint16Tag] =\ntypedArrayTags[uint32Tag] = true;\ntypedArrayTags[argsTag] = typedArrayTags[arrayTag] =\ntypedArrayTags[arrayBufferTag] = typedArrayTags[boolTag] =\ntypedArrayTags[dataViewTag] = typedArrayTags[dateTag] =\ntypedArrayTags[errorTag] = typedArrayTags[funcTag] =\ntypedArrayTags[mapTag] = typedArrayTags[numberTag] =\ntypedArrayTags[objectTag] = typedArrayTags[regexpTag] =\ntypedArrayTags[setTag] = typedArrayTags[stringTag] =\ntypedArrayTags[weakMapTag] = false;\n\n/**\n * The base implementation of `_.isTypedArray` without Node.js optimizations.\n *\n * @private\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is a typed array, else `false`.\n */\nfunction baseIsTypedArray(value) {\n return isObjectLike(value) &&\n   isLength(value.length) && !!typedArrayTags[baseGetTag(value)];\n}\n\nmodule.exports = baseIsTypedArray;\n","var baseToString = require('./_baseToString');\n\n/**\n * Converts `value` to a string. An empty string is returned for `null`\n * and `undefined` values. The sign of `-0` is preserved.\n *\n * @static\n * @memberOf _\n * @since 4.0.0\n * @category Lang\n * @param {*} value The value to convert.\n * @returns {string} Returns the converted string.\n * @example\n *\n * _.toString(null);\n * // => ''\n *\n * _.toString(-0);\n * // => '-0'\n *\n * _.toString([1, 2, 3]);\n * // => '1,2,3'\n */\nfunction toString(value) {\n return value == null ? '' : baseToString(value);\n}\n\nmodule.exports = toString;\n","// https://github.com/zloirock/core-js/issues/86#issuecomment-115759028\nvar global = module.exports = typeof window != 'undefined' && window.Math == Math\n ? window : typeof self != 'undefined' && self.Math == Math ? self\n // eslint-disable-next-line no-new-func\n : Function('return this')();\nif (typeof __g == 'number') __g = global; // eslint-disable-line no-undef\n","var toInteger = require('./_to-integer');\nvar max = Math.max;\nvar min = Math.min;\nmodule.exports = function (index, length) {\n index = toInteger(index);\n return

index < 0 ? max(index + length, 0) : min(index, length);\n};\n","/**\n * A specialized version of `_.map` for arrays without support for iteratee\n * shorthands.\n *\n * @private\n * @param {Array} [array] The array to iterate over.\n * @param {Function} iteratee The function invoked per iteration.\n * @returns {Array} Returns the new mapped array.\n */\nfunction arrayMap(array, iteratee) {\n var index = -1,\n   length = array == null ? 0 : array.length,\n   result = Array(length);\n\n while (++index < length) {\n   result[index] = iteratee(array[index], index, array);\n }\n return result;\n}\n\nmodule.exports = arrayMap;\n","var getNative = require('./_getNative'),\n   root = require('./_root');\n\n/* Built-in method references that are verified to be native. */\nvar Map = getNative(root, 'Map');\n\nmodule.exports = Map;\n","module.exports = function (exec) {\n try {\n   return !!exec();\n } catch (e) {\n   return true;\n }\n};\n","var nativeCreate = require('./_nativeCreate');\n\n/** Used for built-in method references. */\nvar objectProto = Object.prototype;\n\n/** Used to check objects for own properties. */\nvar hasOwnProperty = objectProto.hasOwnProperty;\n\n/**\n * Checks if a hash value for `key` exists.\n *\n * @private\n * @name has\n * @memberOf Hash\n * @param {string} key The key of the entry to check.\n * @returns {boolean} Returns `true` if an entry for `key` exists, else `false`.\n */\nfunction hashHas(key) {\n var data = this.__data__;\n return nativeCreate ? (data[key] !== undefined) : hasOwnProperty.call(data, key);\n}\n\nmodule.exports = hashHas;\n","(function (global, factory) {\n\ttypeof exports === 'object' && typeof module !== 'undefined' ? factory(exports, require('@fortawesome/fontawesome')) :\n\ttypeof define === 'function' && define.amd ? define(['exports', '@fortawesome/fontawesome'], factory) :\n\t(factory((global['vue-fontawesome'] = {}),global.FontAwesome));\n}(this, (function (exports,fontawesome) { 'use strict';\n\nfontawesome = fontawesome && fontawesome.hasOwnProperty('default') ? fontawesome['default'] : fontawesome;\n\nvar commonjsGlobal = typeof window !== 'undefined' ? window : typeof global !== 'undefined' ? global : typeof self !== 'undefined' ? self : {};\n\n\n\n\nfunction createCommonjsModule(fn, module) {\n\treturn module = { exports: {} }, fn(module, module.exports), module.exports;\n}\n\nvar humps = createCommonjsModule(function (module) {\n// =========\n// = humps =\n// =========\n// Underscore-to-camelCase converter (and vice versa)\n// for strings and object keys\n\n// humps is copyright © 2012+ Dom Christie\n// Released under the MIT license.\n\n\n(function(global) {\n\n var _processKeys = function(convert, obj, options) {\n   if(!_isObject(obj) || _isDate(obj) || _isRegExp(obj) || _isBoolean(obj) || _isFunction(obj)) {\n   return obj;\n   }\n\n   var output,\n   i = 0,\n   l = 0;\n\n   if(_isArray(obj)) {\n   output = [];\n   for(l=obj.length; i<l; i++) {\n   output.push(_processKeys(convert, obj[i], options));\n   }\n   }\n   else {\n   output = {};\n   for(var key in obj) {\n   if(Object.prototype.hasOwnProperty.call(obj, key)) {\n   output[convert(key, options)] = _processKeys(convert, obj[key], options);\n   }\n   }\n   }\n   return output;\n };\n\n // String conversion methods\n\n var separateWords = function(string, options) {\n   options = options || {};\n   var separator = options.separator || '_';\n   var split = options.split || /(?=[A-Z])/;\n\n   return string.split(split).join(separator);\n };\n\n var camelize = function(string) {\n   if (_isNumerical(string)) {\n   return string;\n   }\n   string = string.replace(/[\\-_\\s]+(.)?/g, function(match, chr) {\n   return chr ? chr.toUpperCase() : '';\n   });\n   // Ensure 1st char is always lowercase\n   return string.substr(0, 1).toLowerCase() + string.substr(1);\n };\n\n var pascalize = function(string) {\n   var camelized = camelize(string);\n   // Ensure 1st char is always uppercase\n   return camelized.substr(0, 1).toUpperCase() + camelized.substr(1);\n };\n\n var decamelize = function(string, options) {\n   return separateWords(string, options).toLowerCase();\n };\n\n // Utilities\n // Taken from Underscore.js\n\n var toString = Object.prototype.toString;\n\n var _isFunction = function(obj) {\n   return typeof(obj) === 'function';\n };\n var _isObject = function(obj) {\n   return obj === Object(obj);\n };\n var _isArray = function(obj) {\n   return toString.call(obj) == '[object Array]';\n };\n var _isDate = function(obj) {\n   return toString.call(obj) == '[object Date]';\n };\n var _isRegExp = function(obj) {\n   return toString.call(obj) == '[object RegExp]';\n };\n var _isBoolean = function(obj) {\n   return toString.call(obj) == '[object Boolean]';\n };\n\n // Performant way to determine if obj coerces to a number\n var _isNumerical = function(obj) {\n   obj = obj - 0;\n   return obj === obj;\n };\n\n // Sets up function which handles processing keys\n // allowing the convert function to be modified by a callback\n var _processor = function(convert, options) {\n   var callback = options && 'process' in options ? options.process : options;\n\n   if(typeof(callback) !== 'function') {\n   return convert;\n   }\n\n   return function(string, options) {\n   return callback(string, convert, options);\n   }\n };\n\n var humps = {\n   camelize:

camelize,\n   decamelize: decamelize,\n   pascalize: pascalize,\n   depascalize: decamelize,\n   camelizeKeys: function(object, options) {\n   return _processKeys(_processor(camelize, options), object);\n   },\n decamelizeKeys: function(object, options) {\n   return _processKeys(_processor(decamelize, options), object, options);\n   },\n pascalizeKeys: function(object, options) {\n   return _processKeys(_processor(pascalize, options), object);\n   },\n depascalizeKeys: function () {\n   return this.decamelizeKeys.apply(this, arguments);\n   }\n };\n\n if (typeof undefined === 'function' && undefined.amd) {\n   undefined(humps);\n } else if ('object' !== 'undefined' && module.exports) {\n   module.exports = humps;\n } else {\n   global.humps = humps;\n }\n\n})(commonjsGlobal);\n});\n\nvar _typeof = typeof Symbol === \"function\" && typeof Symbol.iterator === \"symbol\" ? function (obj) {\n return typeof obj;} : function (obj) {\n return obj && typeof Symbol === \"function\" && obj.constructor === Symbol && obj !== Symbol.prototype ? \"symbol\" : typeof obj;};\n\n\n\n\n\nvar asyncGenerator = function () {\n function AwaitValue(value) {\n   this.value = value;\n }\n\n function AsyncGenerator(gen) {\n   var front, back;\n\n   function send(key, arg) {\n   return new Promise(function (resolve, reject) {\n   var request = {\n   key: key,\n   arg: arg,\n   resolve: resolve,\n   reject: reject,\n   next: null\n   };\n\n   if (back) {\n   back = back.next = request;\n   } else {\n   front = back = request;\n   resume(key, arg);\n   }\n   });\n   }\n\n   function resume(key, arg) {\n   try {\n   var result = gen[key](arg);\n   var value = result.value;\n   if (value instanceof AwaitValue) {\n   Promise.resolve(value.value).then(function (arg) {\n   resume(\"next\", arg);\n   }, function (arg) {\n   resume(\"throw\", arg);\n   });\n   } else {\n   settle(result.done ? \"return\" : \"normal\", result.value);\n   }\n   } catch (err) {\n   settle(\"throw\", err);\n   }\n   }\n\n   function settle(type, value) {\n   switch (type) {\n   case \"return\":\n   front.resolve({\n   value: value,\n   done: true\n   });\n   break;\n   case \"throw\":\n   front.reject(value);\n   break;\n   default:\n   front.resolve({\n   value: value,\n   done: false\n   });\n   break;\n   }\n\n   front = front.next;\n   if (front) {\n   resume(front.key, front.arg);\n   } else {\n   back = null;\n   }\n   }\n\n   this._invoke = send;\n\n   if (typeof gen.return !== \"function\") {\n   this.return = undefined;\n   }\n }\n\n if (typeof Symbol === \"function\" && Symbol.asyncIterator) {\n   AsyncGenerator.prototype[Symbol.asyncIterator] = function () {\n   return this;\n   };\n }\n\n AsyncGenerator.prototype.next = function (arg) {\n   return this._invoke(\"next\", arg);\n };\n\n AsyncGenerator.prototype.throw = function (arg) {\n   return this._invoke(\"throw\", arg);\n };\n\n AsyncGenerator.prototype.return = function (arg) {\n   return this._invoke(\"return\", arg);\n };\n\n return {\n   wrap: function (fn) {\n   return function () {\n   return new AsyncGenerator(fn.apply(this, arguments));\n   };\n   },\n   await: function (value) {\n   return new AwaitValue(value);\n   }\n };\n}();\n\n\n\n\n\n\n\n\n\n\n\n\nvar defineProperty = function (obj, key, value) {\n if (key in obj) {\n   Object.defineProperty(obj, key, {\n   value: value,\n   enumerable: true,\n   configurable: true,\n   writable: true\n   });\n } else {\n   obj[key] = value;\n }\n\n return obj;\n};\n\nvar _extends = Object.assign || function (target) {\n for (var i = 1; i < arguments.length; i++) {\n   var source = arguments[i];\n\n   for (var key in source) {\n   if (Object.prototype.hasOwnProperty.call(source, key)) {\n   target[key] = source[key];\n   }\n   }\n }\n\n return target;\n};\n\n\n\n\n\n\n\n\n\n\n\nvar objectWithoutProperties = function (obj, keys) {\n var target = {};\n\n for (var i in obj) {\n   if (keys.indexOf(i) >= 0) continue;\n   if (!Object.prototype.hasOwnProperty.call(obj, i)) continue;\n   target[i] = obj[i];\n }\n\n return target;\n};\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\nvar toConsumableArray = function (arr) {\n if (Array.isArray(arr)) {\n   for (var i = 0, arr2 = Array(arr.length); i < arr.length; i++) arr2[i] = arr[i];\n\n   return arr2;\n } else {\n   return Array.from(arr);\n }\n};\n\nfunction styleToObject(style) {\n return style.split(';').map(function (s) {\n   return s.trim();\n }).filter(function (s) {\n   return s;\n }).reduce(function (acc, pair) {\n   var i = pair.indexOf(':');\n   var prop = humps.camelize(pair.slice(0, i));\n   var value = pair.slice(i + 1).trim();\n\n   acc[prop] = value;\n   return acc;\n }, {});\n}\n\nfunction classToObject(cls) {\n return cls.split(/\\s+/).reduce(function (acc, c) {\n   acc[c] = true;\n\n   return acc;\n }, {});\n}\n\nfunction combineClassObjects() {\n for (var _len = arguments.length, objs = Array(_len), _key = 0; _key < _len; _key++) {\n   objs[_key] = arguments[_key];\n }\n\n return objs.reduce(function (acc, obj) {\n   if (Array.isArray(obj)) {\n

```
    acc = acc.concat(obj);\n    } else {\n      acc.push(obj);\n    }\n\n    return acc;\n  }, []);\n}\n\nfunction convert(h,
element) {\n  var props = arguments.length > 2 && arguments[2] !== undefined ? arguments[2] : {};\n  var data =
arguments.length > 3 && arguments[3] !== undefined ? arguments[3] : {};\n\n  var children = (element.children ||
[]).map(convert.bind(null, h));\n\n  var mixins = Object.keys(element.attributes || {}).reduce(function (acc, key) {\n
var val = element.attributes[key];\n\n    switch (key) {\n      case 'class':\n        acc['class'] = classToObject(val);\n
break;\n      case 'style':\n        acc['style'] = styleToObject(val);\n        break;\n      default:\n        acc.attrs[key] =
val;\n    }\n\n    return acc;\n  }, { 'class': {}, style: {}, attrs: {} });\n\n  var _data$class = data.class,\n      dClass =
_data$class === undefined ? {} : _data$class,\n      _data$style = data.style,\n      dStyle = _data$style ===
undefined ? {} : _data$style,\n      _data$attrs = data.attrs,\n      dAttrs = _data$attrs === undefined ? {} :
_data$attrs,\n      remainingData = objectWithoutProperties(data, ['class', 'style', 'attrs']);\n\n  if (typeof element
=== 'string') {\n    return element;\n  } else {\n    return h(element.tag, _extends({\n      class:
combineClassObjects(mixins.class, dClass),\n      style: _extends({}, mixins.style, dStyle),\n      attrs: _extends({},
mixins.attrs, dAttrs)\n    }, remainingData, {\n      props: props\n    }), children);\n  }\n}\n\nvar PRODUCTION =
false;\n\ntry {\n  PRODUCTION = process.env.NODE_ENV === 'production';\n} catch (e) {}\n\nvar log = function
() {\n  if (!PRODUCTION && console && typeof console.error === 'function') {\n    var _console;\n\n    (_console
= console).error.apply(_console, arguments);\n  }\n};\n\nfunction objectWithKey(key, value) {\n  return
Array.isArray(value) && value.length > 0 || !Array.isArray(value) && value ? defineProperty({}, key, value) :
{};\n}\n\nfunction classList(props) {\n  var _classes;\n\n  var classes = (_classes = {\n    'fa-spin': props.spin,\n    'fa-
pulse': props.pulse,\n    'fa-fw': props.fixedWidth,\n    'fa-border': props.border,\n    'fa-li': props.listItem,\n    'fa-flip-
horizontal': props.flip === 'horizontal' || props.flip === 'both',\n    'fa-flip-vertical': props.flip === 'vertical' ||
props.flip === 'both'\n  }, defineProperty(_classes, 'fa-' + props.size, props.size !== null), defineProperty(_classes,
'fa-rotate-' + props.rotation, props.rotation !== null), defineProperty(_classes, 'fa-pull-' + props.pull, props.pull !==
null), _classes);\n\n  return Object.keys(classes).map(function (key) {\n    return classes[key] ? key : null;\n
}).filter(function (key) {\n    return key;\n  });\n}\n\nfunction addStaticClass(to, what) {\n  var val = (to || '').length
=== 0 ? [] : [to];\n\n  return val.concat(what).join(' ');\n}\n\nfunction normalizeIconArgs(icon) {\n  if (icon ===
null) {\n    return null;\n  }\n\n  if ((typeof icon === 'undefined' ? 'undefined' : _typeof(icon)) === 'object' &&
icon.prefix && icon.iconName) {\n    return icon;\n  }\n\n  if (Array.isArray(icon) && icon.length === 2) {\n
return { prefix: icon[0], iconName: icon[1] };\n  }\n\n  if (typeof icon === 'string') {\n    return { prefix: 'fas',
iconName: icon };\n  }\n}\n\nvar FontAwesomeIcon$1 = {\n  name: 'FontAwesomeIcon',\n\n  functional: true,\n\n
props: {\n    border: {\n      type: Boolean,\n      default: false\n    },\n    fixedWidth: {\n      type: Boolean,\n
default: false\n    },\n    flip: {\n      type: String,\n      default: null,\n      validator: function validator(value) {\n
return ['horizontal', 'vertical', 'both'].indexOf(value) > -1;\n      }\n    },\n    icon: {\n      type: [Object, Array,
String],\n      required: true\n    },\n    mask: {\n      type: [Object, Array, String],\n      default: null\n    },\n    listItem:
{\n      type: Boolean,\n      default: false\n    },\n    pull: {\n      type: String,\n      default: null,\n      validator:
function validator(value) {\n        return ['right', 'left'].indexOf(value) > -1;\n      }\n    },\n    pulse: {\n      type:
Boolean,\n      default: false\n    },\n    rotation: {\n      type: Number,\n      default: null,\n      validator: function
validator(value) {\n        return [90, 180, 270].indexOf(value) > -1;\n      }\n    },\n    size: {\n      type: String,\n
default: null,\n      validator: function validator(value) {\n        return ['lg', 'xs', 'sm', '1x', '2x', '3x', '4x', '5x', '6x', '7x',
'8x', '9x', '10x'].indexOf(value) > -1;\n      }\n    },\n    spin: {\n      type: Boolean,\n      default: false\n    },\n
transform: {\n      type: [String, Object],\n      default: null\n    },\n    symbol: {\n      type: [Boolean, String],\n
default: false\n    }\n  },\n\n  render: function render(createElement, context) {\n    var props = context.props;\n    var
iconArgs = props.icon,\n        maskArgs = props.mask,\n        symbol = props.symbol;\n\n    var icon =
normalizeIconArgs(iconArgs);\n    var classes = objectWithKey('classes', classList(props));\n    var transform =
objectWithKey('transform', typeof props.transform === 'string' ? fontawesome.parse.transform(props.transform) :
props.transform);\n    var mask = objectWithKey('mask', normalizeIconArgs(maskArgs));\n\n    var renderedIcon =
fontawesome.icon(icon, _extends({}, classes, transform, mask, { symbol: symbol }));\n\n    if (!renderedIcon) {\n
return log('Check not find one or more icon(s)', icon, mask);\n    }\n\n    var abstract = renderedIcon.abstract;\n\n
var convertCurry = convert.bind(null, createElement);\n\n    return convertCurry(abstract[0], {}, context.data);\n
```

}\n};\n\nvar FontAwesomeLayers = {\n name: 'FontAwesomeLayers',\n\n functional: true,\n\n props: {\n   fixedWidth: {\n   type: Boolean,\n   default: false\n   }\n },\n\n render: function render(createElement, context) {\n   var familyPrefix = fontawesome.config.familyPrefix;\n   var staticClass = context.data.staticClass;\n\n   var classes = [familyPrefix + '-layers'].concat(toConsumableArray(context.props.fixedWidth ? [familyPrefix + '-fw'] : []));\n\n   return createElement('div', _extends({}, context.data, {\n   staticClass: addStaticClass(staticClass, classes)\n   }), context.children);\n }\n};\n\nvar FontAwesomeLayersText = {\n name: 'FontAwesomeLayersText',\n\n functional: true,\n\n props: {\n   value: {\n   type: String,\n   default: ''\n   },\n   transform: {\n   type: [String, Object],\n   default: null\n   }\n },\n\n render: function render(createElement, context) {\n   var props = context.props;\n\n   var transform = objectWithKey('transform', typeof props.transform === 'string' ? fontawesome.parse.transform(props.transform) : props.transform);\n\n   var renderedText = fontawesome.text(props.value, _extends({}, transform));\n   var abstract = renderedText.abstract;\n\n   var convertCurry = convert.bind(null, createElement);\n\n   return convertCurry(abstract[0], {}, context.data);\n }\n};\n\nfontawesome.noAuto();\n\nexports['default'] = FontAwesomeIcon$1;\nexports.FontAwesomeIcon = FontAwesomeIcon$1;\nexports.FontAwesomeLayers = FontAwesomeLayers;\nexports.FontAwesomeLayersText = FontAwesomeLayersText;\n\nObject.defineProperty(exports, '__esModule', { value: true });\n\n})));\n","'use strict';\nvar global = require('./_global');\nvar dP = require('./_object-dp');\nvar DESCRIPTORS = require('./_descriptors');\nvar SPECIES = require('./_wks')('species');\n\nmodule.exports = function (KEY) {\n var C = global[KEY];\n if (DESCRIPTORS && C && !C[SPECIES]) dP.f(C, SPECIES, {\n   configurable: true,\n   get: function () { return this; }\n });\n};\n","var mapCacheClear = require('./_mapCacheClear'),\n   mapCacheDelete = require('./_mapCacheDelete'),\n   mapCacheGet = require('./_mapCacheGet'),\n   mapCacheHas = require('./_mapCacheHas'),\n   mapCacheSet = require('./_mapCacheSet');\n\n/**\n * Creates a map cache object to store key-value pairs.\n *\n * @private\n * @constructor\n * @param {Array} [entries] The key-value pairs to cache.\n */\nfunction MapCache(entries) {\n var index = -1,\n   length = entries == null ? 0 : entries.length;\n\n this.clear();\n while (++index < length) {\n   var entry = entries[index];\n   this.set(entry[0], entry[1]);\n }\n}\n\n// Add methods to `MapCache`.\nMapCache.prototype.clear = mapCacheClear;\nMapCache.prototype['delete'] = mapCacheDelete;\nMapCache.prototype.get = mapCacheGet;\nMapCache.prototype.has = mapCacheHas;\nMapCache.prototype.set = mapCacheSet;\n\nmodule.exports = MapCache;\n","var Stack = require('./_Stack'),\n   equalArrays = require('./_equalArrays'),\n   equalByTag = require('./_equalByTag'),\n   equalObjects = require('./_equalObjects'),\n   getTag = require('./_getTag'),\n   isArray = require('./isArray'),\n   isBuffer = require('./isBuffer'),\n   isTypedArray = require('./isTypedArray');\n\n/** Used to compose bitmasks for value comparisons. */\nvar COMPARE_PARTIAL_FLAG = 1;\n\n/** `Object#toString` result references. */\nvar argsTag = '[object Arguments]',\n   arrayTag = '[object Array]',\n   objectTag = '[object Object]';\n\n/** Used for built-in method references. */\nvar objectProto = Object.prototype;\n\n/** Used to check objects for own properties. */\nvar hasOwnProperty = objectProto.hasOwnProperty;\n\n/**\n * A specialized version of `baseIsEqual` for arrays and objects which performs\n * deep comparisons and tracks traversed objects enabling objects with circular\n * references to be compared.\n *\n * @private\n * @param {Object} object The object to compare.\n * @param {Object} other The other object to compare.\n * @param {number} bitmask The bitmask flags. See `baseIsEqual` for more details.\n * @param {Function} customizer The function to customize comparisons.\n * @param {Function} equalFunc The function to determine equivalents of values.\n * @param {Object} [stack] Tracks traversed `object` and `other` objects.\n * @returns {boolean} Returns `true` if the objects are equivalent, else `false`.\n */\nfunction baseIsEqualDeep(object, other, bitmask, customizer, equalFunc, stack) {\n var objIsArr = isArray(object),\n   othIsArr = isArray(other),\n   objTag = objIsArr ? arrayTag : getTag(object),\n   othTag = othIsArr ? arrayTag : getTag(other);\n\n objTag = objTag == argsTag ? objectTag : objTag;\n othTag = othTag == argsTag ? objectTag : othTag;\n\n var objIsObj = objTag == objectTag,\n   othIsObj = othTag == objectTag,\n   isSameTag = objTag == othTag;\n\n if (isSameTag && isBuffer(object)) {\n   if (!isBuffer(other)) {\n   return false;\n   }\n   objIsArr = true;\n   objIsObj = false;\n }\n if (isSameTag && !objIsObj) {\n   stack || (stack = new Stack);\n   return (objIsArr || isTypedArray(object))\n   ? equalArrays(object, other, bitmask, customizer, equalFunc, stack)\n   : equalByTag(object, other, objTag, bitmask, customizer, equalFunc, stack);\n }\n if

(!(bitmask & COMPARE_PARTIAL_FLAG)) {\n   var objIsWrapped = objIsObj && hasOwnProperty.call(object, '__wrapped__'),\n   othIsWrapped = othIsObj && hasOwnProperty.call(other, '__wrapped__');\n\n   if (objIsWrapped || othIsWrapped) {\n   var objUnwrapped = objIsWrapped ? object.value() : object,\n   othUnwrapped = othIsWrapped ? other.value() : other;\n\n   stack || (stack = new Stack);\n   return equalFunc(objUnwrapped, othUnwrapped, bitmask, customizer, stack);\n   }\n }\n if (!isSameTag) {\n   return false;\n }\n stack || (stack = new Stack);\n return equalObjects(object, other, bitmask, customizer, equalFunc, stack);\n}\n\nmodule.exports = baseIsEqualDeep;\n","\"use strict\";\n\nmodule.exports = require(\"./is-implemented\")() ? Object.keys : require(\"./shim\");\n","var Hash = require('./_Hash'),\n   ListCache = require('./_ListCache'),\n   Map = require('./_Map');\n\n/**\n * Removes all key-value entries from the map.\n *\n * @private\n * @name clear\n * @memberOf MapCache\n */\nfunction mapCacheClear() {\n this.size = 0;\n this.__data__ = {\n   'hash': new Hash,\n   'map': new (Map || ListCache),\n   'string': new Hash\n };\n}\n\nmodule.exports = mapCacheClear;\n","var arrayPush = require('./_arrayPush'),\n   isArray = require('./isArray');\n\n/**\n * The base implementation of `getAllKeys` and `getAllKeysIn` which uses\n * `keysFunc` and `symbolsFunc` to get the enumerable property names and\n * symbols of `object`.\n *\n * @private\n * @param {Object} object The object to query.\n * @param {Function} keysFunc The function to get the keys of `object`.\n * @param {Function} symbolsFunc The function to get the symbols of `object`.\n * @returns {Array} Returns the array of property names and symbols.\n */\nfunction baseGetAllKeys(object, keysFunc, symbolsFunc) {\n var result = keysFunc(object);\n return isArray(object) ? result : arrayPush(result, symbolsFunc(object));\n}\n\nmodule.exports = baseGetAllKeys;\n","var ListCache = require('./_ListCache'),\n   stackClear = require('./_stackClear'),\n   stackDelete = require('./_stackDelete'),\n   stackGet = require('./_stackGet'),\n   stackHas = require('./_stackHas'),\n   stackSet = require('./_stackSet');\n\n/**\n * Creates a stack cache object to store key-value pairs.\n *\n * @private\n * @constructor\n * @param {Array} [entries] The key-value pairs to cache.\n */\nfunction Stack(entries) {\n var data = this.__data__ = new ListCache(entries);\n this.size = data.size;\n}\n\n// Add methods to `Stack`.\nStack.prototype.clear = stackClear;\nStack.prototype['delete'] = stackDelete;\nStack.prototype.get = stackGet;\nStack.prototype.has = stackHas;\nStack.prototype.set = stackSet;\n\nmodule.exports = Stack;\n","/** Used to stand-in for `undefined` hash values. */\nvar HASH_UNDEFINED = '__lodash_hash_undefined__';\n\n/**\n * Adds `value` to the array cache.\n *\n * @private\n * @name add\n * @memberOf SetCache\n * @alias push\n * @param {*} value The value to cache.\n * @returns {Object} Returns the cache instance.\n */\nfunction setCacheAdd(value) {\n this.__data__.set(value, HASH_UNDEFINED);\n return this;\n}\n\nmodule.exports = setCacheAdd;\n","var def = require('./_object-dp').f;\nvar has = require('./_has');\nvar TAG = require('./_wks')('toStringTag');\n\nmodule.exports = function (it, tag, stat) {\n if (it && !has(it = stat ? it : it.prototype, TAG)) def(it, TAG, { configurable: true, value: tag });\n};\n","var dP = require('./_object-dp').f;\nvar FProto = Function.prototype;\nvar nameRE = /^\\s*function ([^ (]*)/;\nvar NAME = 'name';\n\n// 19.2.4.2 name\nNAME in FProto || require('./_descriptors') && dP(FProto, NAME, {\n configurable: true,\n get: function () {\n   try {\n   return ('' + this).match(nameRE)[1];\n   } catch (e) {\n   return '';\n   }\n }\n});\n","import mod from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./GenericFooter.vue?vue&type=style&index=0&id=203025b4&lang=scss&scoped=true&\"; export default mod; export * from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./GenericFooter.vue?vue&type=style&index=0&id=203025b4&lang=scss&scoped=true&\"","/**\n * Gets the stack value for `key`.\n *\n * @private\n * @name get\n * @memberOf Stack\n * @param {string} key The key

of the value to get.\n * @returns {*} Returns the entry value.\n */\nfunction stackGet(key) {\n return this.__data__.get(key);\n}\n\nmodule.exports = stackGet;\n","/**\n * A specialized version of `_.forEach` for arrays without support for\n * iteratee shorthands.\n *\n * @private\n * @param {Array} [array] The array to iterate over.\n * @param {Function} iteratee The function invoked per iteration.\n * @returns {Array} Returns `array`.\n */\nfunction arrayEach(array, iteratee) {\n var index = -1,\n   length = array == null ? 0 : array.length;\n\n while (++index < length) {\n   if (iteratee(array[index], index, array) === false) {\n   break;\n   }\n }\n return array;\n}\n\nmodule.exports = arrayEach;\n","var global = require('./_global');\nvar macrotask = require('./_task').set;\nvar Observer = global.MutationObserver || global.WebKitMutationObserver;\nvar process = global.process;\nvar Promise = global.Promise;\nvar isNode = require('./_cof')(process) == 'process';\n\nmodule.exports = function () {\n var head, last, notify;\n\n var flush = function () {\n   var parent, fn;\n   if (isNode && (parent = process.domain)) parent.exit();\n   while (head) {\n   fn = head.fn;\n   head = head.next;\n   try {\n   fn();\n   } catch (e) {\n   if (head) notify();\n   else last = undefined;\n   throw e;\n   }\n   } last = undefined;\n   if (parent) parent.enter();\n };\n\n // Node.js\n if (isNode) {\n   notify = function () {\n   process.nextTick(flush);\n   };\n // browsers with MutationObserver, except iOS Safari - https://github.com/zloirock/core-js/issues/339\n } else if (Observer && !(global.navigator && global.navigator.standalone)) {\n   var toggle = true;\n   var node = document.createTextNode('');\n   new Observer(flush).observe(node, { characterData: true }); // eslint-disable-line no-new\n   notify = function () {\n   node.data = toggle = !toggle;\n   };\n // environments with maybe non-completely correct, but existent Promise\n } else if (Promise && Promise.resolve) {\n   // Promise.resolve without an argument throws an error in LG WebOS 2\n   var promise = Promise.resolve(undefined);\n   notify = function () {\n   promise.then(flush);\n   };\n // for other environments - macrotask based on:\n // - setImmediate\n // - MessageChannel\n // - window.postMessag\n // - onreadystatechange\n // - setTimeout\n } else {\n   notify = function () {\n   // strange IE + webpack dev server bug - use .call(global)\n   macrotask.call(global, flush);\n   };\n }\n\n return function (fn) {\n   var task = { fn: fn, next: undefined };\n   if (last) last.next = task;\n   if (!head) {\n   head = task;\n   notify();\n   } last = task;\n };\n};\n","var core = module.exports = { version: '2.5.7' };\nif (typeof __e == 'number') __e = core; // eslint-disable-line no-undef\n","module.exports = {};\n","/**\n * A faster alternative to `Function#apply`, this function invokes `func`\n * with the `this` binding of `thisArg` and the arguments of `args`.\n *\n * @private\n * @param {Function} func The function to invoke.\n * @param {*} thisArg The `this` binding of `func`.\n * @param {Array} args The arguments to invoke `func` with.\n * @returns {*} Returns the result of `func`.\n */\nfunction apply(func, thisArg, args) {\n switch (args.length) {\n   case 0: return func.call(thisArg);\n   case 1: return func.call(thisArg, args[0]);\n   case 2: return func.call(thisArg, args[0], args[1]);\n   case 3: return func.call(thisArg, args[0], args[1], args[2]);\n }\n return func.apply(thisArg, args);\n}\n\nmodule.exports = apply;\n","var baseHasIn = require('./_baseHasIn'),\n   hasPath = require('./_hasPath');\n\n/**\n * Checks if `path` is a direct or inherited property of `object`.\n *\n * @static\n * @memberOf _\n * @since 4.0.0\n * @category Object\n * @param {Object} object The object to query.\n * @param {Array|string} path The path to check.\n * @returns {boolean} Returns `true` if `path` exists, else `false`.\n * @example\n *\n * var object = _.create({ 'a': _.create({ 'b': 2 }) });\n *\n * _.hasIn(object, 'a');\n * // => true\n *\n * _.hasIn(object, 'a.b');\n * // => true\n *\n * _.hasIn(object, ['a', 'b']);\n * // => true\n *\n * _.hasIn(object, 'b');\n * // => false\n */\nfunction hasIn(object, path) {\n return object != null && hasPath(object, path, baseHasIn);\n}\n\nmodule.exports = hasIn;\n","var anObject = require('./_an-object');\nvar IE8_DOM_DEFINE = require('./_ie8-dom-define');\nvar toPrimitive = require('./_to-primitive');\nvar dP = Object.defineProperty;\n\nexports.f = require('./_descriptors') ? Object.defineProperty : function defineProperty(O, P, Attributes) {\n anObject(O);\n P = toPrimitive(P, true);\n anObject(Attributes);\n if (IE8_DOM_DEFINE) try {\n   return dP(O, P, Attributes);\n } catch (e) { /* empty */ }\n if ('get' in Attributes || 'set' in Attributes) throw TypeError('Accessors not supported!');\n if ('value' in Attributes) O[P] = Attributes.value;\n return O;\n};\n","// Works with __proto__ only. Old v8 can't work with null proto objects.\n/* eslint-disable no-proto */\nvar isObject = require('./_is-object');\nvar anObject = require('./_an-object');\nvar check = function (O, proto) {\n anObject(O);\n if (!isObject(proto) && proto !== null) throw TypeError(proto + \": can't set as prototype!\");\n};\nmodule.exports = {\n set: Object.setPrototypeOf || ('__proto__' in {} ? // eslint-disable-line\n   function (test, buggy, set) {\n   try

{\n   set = require('./_ctx')(Function.call, require('./_object-gopd').f(Object.prototype, '__proto__').set, 2);\n set(test, []);\n   buggy = !(test instanceof Array);\n   } catch (e) { buggy = true; }\n   return function setPrototypeOf(O, proto) {\n   check(O, proto);\n   if (buggy) O.__proto__ = proto;\n   else set(O, proto);\n   return O;\n   };\n   }({}, false) : undefined),\n   check: check\n};\n","module.exports = __WEBPACK_EXTERNAL_MODULE__8bbf__;","'use strict';\nObject.defineProperty(exports, '__esModule', { value: true });\nvar prefix = 'fab';\nvar iconName = 'facebook';\nvar width = 448;\nvar height = 512;\nvar ligatures = [];\nvar unicode = 'f09a';\nvar svgPathData = 'M448 56.7v398.5c0 13.7-11.1 24.7-24.7 24.7H309.1V306.5h58.2l8.7-67.6h-67v-43.2c0-19.6 5.4-32.9 33.5-32.9h35.8v-60.5c-6.2-.8-27.4-2.7-52.2-2.7-51.6 0-87 31.5-87 89.4v49.9h-58.4v67.6h58.4V480H24.7C11.1 480 0 468.9 0 455.3V56.7C0 43.1 11.1 32 24.7 32h398.5c13.7 0 24.8 11.1 24.8 24.7z';\n\nexports.definition = {\n   prefix: prefix,\n   iconName: iconName,\n   icon: [\n   width,\n   height,\n   ligatures,\n   unicode,\n   svgPathData\n   ]};\n\nexports.faFacebook = exports.definition;\nexports.prefix = prefix;\nexports.iconName = iconName;\nexports.width = width;\nexports.height = height;\nexports.ligatures = ligatures;\nexports.unicode = unicode;\nexports.svgPathData = svgPathData;","import mod from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./FollowUsPopover.vue?vue&type=style&index=0&id=440d5984&lang=scss&scoped=true&\"; export default mod; export * from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./FollowUsPopover.vue?vue&type=style&index=0&id=440d5984&lang=scss&scoped=true&\"","// extracted by mini-css-extract-plugin","module.exports = \"data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAAAIgAAABaCAYAAABjTB52AAAABmJLR0QA/wD/AP+gvaeTAAAACXBIWXMAAAsTAAALEwEAmpwYAAAAB3RJTUUH4gkSEA4ZhpbLcgAABedJREFUeNrtnVtsFFUYgL+Z2d22uy0N0FKLaL1LAiJExWjECXWNBiiUDReXgQiCABlQRMVm6BRAiQQzQmGjS+G BICJFwEEymoUSwxIGK4VA3hUm61FHrZy+zxYUtSCGB7Zpk5y/xfMg/dmX/Pv2e+OWfOmWkkOOJ4aLChrC K33VQs9eEdqzDTLh0CXY+BmgCqBqjs2QYDTq8Dk8BfwH6wvofYWuj+R057vwspd2D1U3rhZZYUUAP6HxdtAqoSYCm9LTran9bCXgZWt36el9y6wH4 XquNX/zfYzCzXzXJJenduBPvfKdabbZ9xP2fOhoBjUXKMpzAcWg3oaWfBMlc7kMm2PmWlVx2HB18CTPhY2 DLLfgD0Csg2ixEVtn3kpJa6Dlkaf5OiFfgsj0QJowWpKIPORHiWhhrrCCtnwJ3J3iWhhrr11zYh+8ep4hpIPa8RgGQ+P4O1W/FrLggeaBvxz78IrzVrsQeBJLcg8SGP+O1W/FrL1zYh+8ep4hpIOYK400A9a0Yu2RW5rk4OyCh_machinegibberish==\"

FJfcBP/tU4KHcs53MtyGWYyskJsMqtwAEgdw0vBoL9tPAvqtUSBtYb0DNnZD+LcTdyocwZQKcO3mJnVUJsJT
eFh3tzw+od8B5Eazd+rlesB0He1FuWt4P7IWaea67whxNXR7qYRNErviEOwLRbK6J1TLPpznoVS7wRW6LD4V
kLajanvdCKvo2MmEnWBvA2QDpJlAKzvh1ibbp1bF1ElS+czmdG8ZGluUGBVdeEtgq/OaxKgFnKsGthOyQHmF
SYJ0A+wRET0DdqYv71sLHqYPs+svsTPaMBFuAY2DtB/aAs6OnK+2zdRZCgdJgw5exCz+LZ2FvSupG8I3/ALz
OxpMdqcQ2AAAAAElFTkSuQmCC\"","// 19.1.2.7 / 15.2.3.4 Object.getOwnPropertyNames(O)\nvar $keys =
require('./_object-keys-internal');\nvar hiddenKeys = require('./_enum-bug-keys').concat('length',
'prototype');\n\nexports.f = Object.getOwnPropertyNames || function getOwnPropertyNames(O) {\n return $keys(O,
hiddenKeys);\n};\n","/**\n * Creates a unary function that invokes `func` with its argument transformed.\n *\n *
@private\n * @param {Function} func The function to wrap.\n * @param {Function} transform The argument
transform.\n * @returns {Function} Returns the new function.\n */\nfunction overArg(func, transform) {\n return
function(arg) {\n   return func(transform(arg));\n };\n}\n\nmodule.exports = overArg;\n","var getMapData =
require('./_getMapData');\n\n/**\n * Removes `key` and its value from the map.\n *\n * @private\n * @name
delete\n * @memberOf MapCache\n * @param {string} key The key of the value to remove.\n * @returns
{boolean} Returns `true` if the entry was removed, else `false`.\n */\nfunction mapCacheDelete(key) {\n var result
= getMapData(this, key)['delete'](key);\n this.size -= result ? 1 : 0;\n return result;\n}\n\nmodule.exports =
mapCacheDelete;\n","// ES2015 Symbol polyfill for environments that do not (or partially) support it\n\n'use
strict';\n\nvar d   = require('d')\n , validateSymbol = require('./validate-symbol')\n\n , create = Object.create,
defineProperties = Object.defineProperties\n , defineProperty = Object.defineProperty, objPrototype =
Object.prototype\n , NativeSymbol, SymbolPolyfill, HiddenSymbol, globalSymbols = create(null)\n ,
isNativeSafe;\n\nif (typeof Symbol === 'function') {\n\tNativeSymbol = Symbol;\n\ttry
{\n\t\tString(NativeSymbol());\n\t\tisNativeSafe = true;\n\t} catch (ignore) { }\n}\n\nvar generateName = (function ()
{\n\tvar created = create(null);\n\treturn function (desc) {\n\t\tvar postfix = 0, name, ie11BugWorkaround;\n\t\twhile
(created[desc + (postfix || '')]) ++postfix;\n\t\tdesc += (postfix || '');\n\t\tcreated[desc] = true;\n\t\tname = '@@' +
desc;\n\t\tdefineProperty(objPrototype, name, d.gs(null, function (value) {\n\t\t\t// For IE11 issue see:\n\t\t\t//
https://connect.microsoft.com/IE/feedbackdetail/view/1928508/\n\t\t\t//   ie11-broken-getters-on-dom-
objects\n\t\t\t// https://github.com/medikoo/es6-symbol/issues/12\n\t\t\tif (ie11BugWorkaround)
return;\n\t\t\tie11BugWorkaround = true;\n\t\t\tdefineProperty(this, name, d(value));\n\t\t\tie11BugWorkaround =
false;\n\t\t}));\n\t\treturn name;\n\t};\n}());\n\n// Internal constructor (not one exposed) for creating Symbol
instances.\n// This one is used to ensure that `someSymbol instanceof Symbol` always return false\nHiddenSymbol
= function Symbol(description) {\n\tif (this instanceof HiddenSymbol) throw new TypeError('Symbol is not a
constructor');\n\treturn SymbolPolyfill(description);\n};\n\n// Exposed `Symbol` constructor\n// (returns instances of
HiddenSymbol)\nmodule.exports = SymbolPolyfill = function Symbol(description) {\n\tvar symbol;\n\tif (this
instanceof Symbol) throw new TypeError('Symbol is not a constructor');\n\tif (isNativeSafe) return
NativeSymbol(description);\n\tsymbol = create(HiddenSymbol.prototype);\n\tdescription = (description ===
undefined ? '' : String(description));\n\treturn defineProperties(symbol, {\n\t\t__description__: d('',
description),\n\t\t__name__: d('', generateName(description))\n\t});\n};\ndefineProperties(SymbolPolyfill, {\n\tfor:
d(function (key) {\n\t\tif (globalSymbols[key]) return globalSymbols[key];\n\t\treturn (globalSymbols[key] =
SymbolPolyfill(String(key)));\n\t}),\n\tkeyFor: d(function (s) {\n\t\tvar key;\n\t\tvalidateSymbol(s);\n\t\tfor (key in
globalSymbols) if (globalSymbols[key] === s) return key;\n\t}),\n\n\t// To ensure proper interoperability with other
native functions (e.g. Array.from)\n\t// fallback to eventual native implementation of given symbol\n\thasInstance:
d('', (NativeSymbol && NativeSymbol.hasInstance) || SymbolPolyfill('hasInstance')),\n\tisConcatSpreadable: d('',
(NativeSymbol && NativeSymbol.isConcatSpreadable) ||\n\t\tSymbolPolyfill('isConcatSpreadable')),\n\titerator:
d('', (NativeSymbol && NativeSymbol.iterator) || SymbolPolyfill('iterator')),\n\tmatch: d('', (NativeSymbol &&
NativeSymbol.match) || SymbolPolyfill('match')),\n\treplace: d('', (NativeSymbol && NativeSymbol.replace) ||
SymbolPolyfill('replace')),\n\tsearch: d('', (NativeSymbol && NativeSymbol.search) ||
SymbolPolyfill('search')),\n\tspecies: d('', (NativeSymbol && NativeSymbol.species) ||
SymbolPolyfill('species')),\n\tsplit: d('', (NativeSymbol && NativeSymbol.split) ||
SymbolPolyfill('split')),\n\ttoPrimitive: d('', (NativeSymbol && NativeSymbol.toPrimitive) ||

SymbolPolyfill('toPrimitive')),\n\ttoStringTag: d(", (NativeSymbol && NativeSymbol.toStringTag) || SymbolPolyfill('toStringTag')),\n\tunscopables: d(", (NativeSymbol && NativeSymbol.unscopables) || SymbolPolyfill('unscopables'))\n});\n\n// Internal tweaks for real symbol producer\ndefineProperties(HiddenSymbol.prototype, {\n\tconstructor: d(SymbolPolyfill),\n\ttoString: d(", function () { return this.__name__; })\n});\n\n// Proper implementation of methods exposed on Symbol.prototype\n// They won't be accessible on produced symbol instances as they derive from HiddenSymbol.prototype\ndefineProperties(SymbolPolyfill.prototype, {\n\ttoString: d(function () { return 'Symbol (' + validateSymbol(this).__description__ + ')'; }),\n\tvalueOf: d(function () { return validateSymbol(this); })\n});\ndefineProperty(SymbolPolyfill.prototype, SymbolPolyfill.toPrimitive, d(", function () {\n\tvar symbol = validateSymbol(this);\n\tif (typeof symbol === 'symbol') return symbol;\n\treturn symbol.toString();\n}));\ndefineProperty(SymbolPolyfill.prototype, SymbolPolyfill.toStringTag, d('c', 'Symbol'));\n\n// Proper implementaton of toPrimitive and toStringTag for returned symbol instances\ndefineProperty(HiddenSymbol.prototype, SymbolPolyfill.toStringTag,\n\td('c', SymbolPolyfill.prototype[SymbolPolyfill.toStringTag]));\n\n// Note: It's important to define `toPrimitive` as last one, as some implementations\n// implement `toPrimitive` natively without implementing `toStringTag` (or other specified symbols)\n// And that may invoke error in definition flow:\n// See: https://github.com/medikoo/es6-symbol/issues/13#issuecomment-164146149\ndefineProperty(HiddenSymbol.prototype, SymbolPolyfill.toPrimitive,\n\td('c', SymbolPolyfill.prototype[SymbolPolyfill.toPrimitive]));\n","var isArrayLike = require('./isArrayLike');\n\n/**\n * Creates a `baseEach` or `baseEachRight` function.\n *\n * @private\n * @param {Function} eachFunc The function to iterate over a collection.\n * @param {boolean} [fromRight] Specify iterating from right to left.\n * @returns {Function} Returns the new base function.\n */\nfunction createBaseEach(eachFunc, fromRight) {\n return function(collection, iteratee) {\n   if (collection == null) {\n   return collection;\n   }\n   if (!isArrayLike(collection)) {\n   return eachFunc(collection, iteratee);\n   }\n   var length = collection.length,\n   index = fromRight ? length : -1,\n   iterable = Object(collection);\n\n   while ((fromRight ? index-- : ++index < length)) {\n   if (iteratee(iterable[index], index, iterable) === false) {\n   break;\n   }\n   }\n   return collection;\n };\n}\n\nmodule.exports = createBaseEach;\n","var baseGetTag = require('./_baseGetTag'),\n   isObject = require('./isObject');\n\n/** `Object#toString` result references. */\nvar asyncTag = '[object AsyncFunction]',\n   funcTag = '[object Function]',\n   genTag = '[object GeneratorFunction]',\n   proxyTag = '[object Proxy]';\n\n/**\n * Checks if `value` is classified as a `Function` object.\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @category Lang\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is a function, else `false`.\n * @example\n *\n * _.isFunction(_);\n * // => true\n *\n * _.isFunction(/abc/);\n * // => false\n */\nfunction isFunction(value) {\n if (!isObject(value)) {\n   return false;\n }\n // The use of `Object#toString` avoids issues with the `typeof` operator\n // in Safari 9 which returns 'object' for typed arrays and other constructors.\n var tag = baseGetTag(value);\n return tag == funcTag || tag == genTag || tag == asyncTag || tag == proxyTag;\n}\n\nmodule.exports = isFunction;\n","/**\n * Performs a\n * [`SameValueZero`](http://ecma-international.org/ecma-262/7.0/#sec-samevaluezero)\n * comparison between two values to determine if they are equivalent.\n *\n * @static\n * @memberOf _\n * @since 4.0.0\n * @category Lang\n * @param {*} value The value to compare.\n * @param {*} other The other value to compare.\n * @returns {boolean} Returns `true` if the values are equivalent, else `false`.\n * @example\n *\n * var object = { 'a': 1 };\n * var other = { 'a': 1 };\n *\n * _.eq(object, object);\n * // => true\n *\n * _.eq(object, other);\n * // => false\n *\n * _.eq('a', 'a');\n * // => true\n *\n * _.eq('a', Object('a'));\n * // => false\n *\n * _.eq(NaN, NaN);\n * // => true\n */\nfunction eq(value, other) {\n return value === other || (value !== value && other !== other);\n}\n\nmodule.exports = eq;\n","var Stack = require('./_Stack'),\n   baseIsEqual = require('./_baseIsEqual');\n\n/** Used to compose bitmasks for value comparisons. */\nvar COMPARE_PARTIAL_FLAG = 1,\n   COMPARE_UNORDERED_FLAG = 2;\n\n/**\n * The base implementation of `_.isMatch` without support for iteratee shorthands.\n *\n * @private\n * @param {Object} object The object to inspect.\n * @param {Object} source The object of property values to match.\n * @param {Array} matchData The property names, values, and compare flags to match.\n * @param {Function} [customizer]

The function to customize comparisons.\n * @returns {boolean} Returns `true` if `object` is a match, else `false`.\n */\nfunction baseIsMatch(object, source, matchData, customizer) {\n var index = matchData.length,\n   length = index,\n   noCustomizer = !customizer;\n\n if (object == null) {\n   return !length;\n }\n object = Object(object);\n while (index--) {\n   var data = matchData[index];\n   if ((noCustomizer && data[2])\n   ? data[1] !== object[data[0]]\n   : !(data[0] in object)\n   ) {\n   return false;\n   }\n }\n while (++index < length) {\n   data = matchData[index];\n   var key = data[0],\n   objValue = object[key],\n   srcValue = data[1];\n\n   if (noCustomizer && data[2]) {\n   if (objValue === undefined && !(key in object)) {\n   return false;\n   }\n   } else {\n   var stack = new Stack;\n   if (customizer) {\n   var result = customizer(objValue, srcValue, key, object, source, stack);\n   }\n   if (!(result === undefined\n   ? baseIsEqual(srcValue, objValue, COMPARE_PARTIAL_FLAG | COMPARE_UNORDERED_FLAG, customizer, stack)\n   : result\n   )) {\n   return false;\n   }\n   }\n }\n return true;\n}\n\nmodule.exports = baseIsMatch;\n","\"use strict\";\n\nvar isValue = require(\"./is-value\");\n\nmodule.exports = function (value) {\n\tif (!isValue(value)) throw new TypeError(\"Cannot use null or undefined\");\n\treturn value;\n};\n","var baseEach = require('./_baseEach'),\n   isArrayLike = require('./isArrayLike');\n\n/**\n * The base implementation of `_.map` without support for iteratee\n * shorthands.\n *\n * @private\n * @param {Array|Object} collection The collection to iterate over.\n * @param {Function} iteratee The function invoked per iteration.\n * @returns {Array} Returns the new mapped array.\n */\nfunction baseMap(collection, iteratee) {\n var index = -1,\n   result = isArrayLike(collection) ? Array(collection.length) : [];\n\n baseEach(collection, function(value, key, collection) {\n   result[++index] = iteratee(value, key, collection);\n });\n return result;\n}\n\nmodule.exports = baseMap;\n","/**\n * Creates a base function for methods like `_.forIn` and `_.forOwn`.\n *\n * @private\n * @param {boolean} [fromRight] Specify iterating from right to left.\n * @returns {Function} Returns the new base function.\n */\nfunction createBaseFor(fromRight) {\n return function(object, iteratee, keysFunc) {\n   var index = -1,\n   iterable = Object(object),\n   props = keysFunc(object),\n   length = props.length;\n\n   while (length--) {\n   var key = props[fromRight ? length : ++index];\n   if (iteratee(iterable[key], key, iterable) === false) {\n   break;\n   }\n   }\n   return object;\n };\n}\n\nmodule.exports = createBaseFor;\n","var freeGlobal = require('./_freeGlobal');\n\n/** Detect free variable `exports`. */\nvar freeExports = typeof exports == 'object' && exports && !exports.nodeType && exports;\n\n/** Detect free variable `module`. */\nvar freeModule = freeExports && typeof module == 'object' && module && !module.nodeType && module;\n\n/** Detect the popular CommonJS extension `module.exports`. */\nvar moduleExports = freeModule && freeModule.exports === freeExports;\n\n/** Detect free variable `process` from Node.js. */\nvar freeProcess = moduleExports && freeGlobal.process;\n\n/** Used to access faster Node.js helpers. */\nvar nodeUtil = (function() {\n try {\n   // Use `util.types` for Node.js 10+.\n   var types = freeModule && freeModule.require && freeModule.require('util').types;\n\n   if (types) {\n   return types;\n   }\n\n   // Legacy `process.binding('util')` for Node.js < 10.\n   return freeProcess && freeProcess.binding && freeProcess.binding('util');\n } catch (e) {}\n}());\n\nmodule.exports = nodeUtil;\n","var eq = require('./eq'),\n   isArrayLike = require('./isArrayLike'),\n   isIndex = require('./_isIndex'),\n   isObject = require('./isObject');\n\n/**\n * Checks if the given arguments are from an iteratee call.\n *\n * @private\n * @param {*} value The potential iteratee value argument.\n * @param {*} index The potential iteratee index or key argument.\n * @param {*} object The potential iteratee object argument.\n * @returns {boolean} Returns `true` if the arguments are from an iteratee call,\n * else `false`.\n */\nfunction isIterateeCall(value, index, object) {\n if (!isObject(object)) {\n   return false;\n }\n var type = typeof index;\n if (type == 'number'\n   ? (isArrayLike(object) && isIndex(index, object.length))\n   : (type == 'string' && index in object)\n   ) {\n   return eq(object[index], value);\n }\n return false;\n}\n\nmodule.exports = isIterateeCall;\n","var baseGet = require('./_baseGet');\n\n/**\n * Gets the value at `path` of `object`. If the resolved value is\n * `undefined`, the `defaultValue` is returned in its place.\n *\n * @static\n * @memberOf _\n * @since 3.7.0\n * @category Object\n * @param {Object} object The object to query.\n * @param {Array|string} path The path of the property to get.\n * @param {*} [defaultValue] The value returned for `undefined` resolved values.\n * @returns {*} Returns the resolved value.\n * @example\n *\n * var object = { 'a': [{ 'b': { 'c': 3 } }] };\n *\n * _.get(object, 'a[0].b.c');\n * // => 3\n *\n * _.get(object, ['a', '0', 'b', 'c']);\n * // => 3\n *\n * _.get(object, 'a.b.c',

'default');\n * // => 'default'\n */\nfunction get(object, path, defaultValue) {\n var result = object == null ? undefined : baseGet(object, path);\n return result === undefined ? defaultValue : result;\n}\n\nmodule.exports = get;\n","// optional / simple context binding\nvar aFunction = require('./_a-function');\nmodule.exports = function (fn, that, length) {\n aFunction(fn);\n if (that === undefined) return fn;\n switch (length) {\n   case 1: return function (a) {\n   return fn.call(that, a);\n   };\n   case 2: return function (a, b) {\n   return fn.call(that, a, b);\n   };\n   case 3: return function (a, b, c) {\n   return fn.call(that, a, b, c);\n   };\n }\n return function (/* ...args */) {\n   return fn.apply(that, arguments);\n };\n};\n","// Deprecated\n\n\"use strict\";\n\nmodule.exports = function (obj) {\n return typeof obj === \"function\";\n};\n","// 22.1.3.31 Array.prototype[@@unscopables]\nvar UNSCOPABLES = require('./_wks')('unscopables');\nvar ArrayProto = Array.prototype;\nif (ArrayProto[UNSCOPABLES] == undefined) require('./_hide')(ArrayProto, UNSCOPABLES, {});\nmodule.exports = function (key) {\n ArrayProto[UNSCOPABLES][key] = true;\n};\n","module.exports = function (exec) {\n try {\n   return { e: false, v: exec() };\n } catch (e) {\n   return { e: true, v: e };\n }\n};\n","// 7.1.15 ToLength\nvar toInteger = require('./_to-integer');\nvar min = Math.min;\nmodule.exports = function (it) {\n return it > 0 ? min(toInteger(it), 0x1fffffffffffff) : 0; // pow(2, 53) - 1 == 9007199254740991\n};\n","// Thank's IE8 for his funny defineProperty\nmodule.exports = !require('./_fails')(function () {\n return Object.defineProperty({}, 'a', { get: function () { return 7; } }).a != 7;\n});\n","var root = require('./_root');\n\n/** Built-in value references. */\nvar Symbol = root.Symbol;\n\nmodule.exports = Symbol;\n","var global = require('./_global');\nvar navigator = global.navigator;\n\nmodule.exports = navigator && navigator.userAgent || '';\n","var SetCache = require('./_SetCache'),\n   arraySome = require('./_arraySome'),\n   cacheHas = require('./_cacheHas');\n\n/** Used to compose bitmasks for value comparisons. */\nvar COMPARE_PARTIAL_FLAG = 1,\n   COMPARE_UNORDERED_FLAG = 2;\n\n/**\n * A specialized version of `baseIsEqualDeep` for arrays with support for\n * partial deep comparisons.\n *\n * @private\n * @param {Array} array The array to compare.\n * @param {Array} other The other array to compare.\n * @param {number} bitmask The bitmask flags. See `baseIsEqual` for more details.\n * @param {Function} customizer The function to customize comparisons.\n * @param {Function} equalFunc The function to determine equivalents of values.\n * @param {Object} stack Tracks traversed `array` and `other` objects.\n * @returns {boolean} Returns `true` if the arrays are equivalent, else `false`.\n */\nfunction equalArrays(array, other, bitmask, customizer, equalFunc, stack) {\n var isPartial = bitmask & COMPARE_PARTIAL_FLAG,\n   arrLength = array.length,\n   othLength = other.length;\n\n if (arrLength != othLength && !(isPartial && othLength > arrLength)) {\n   return false;\n }\n // Assume cyclic values are equal.\n var stacked = stack.get(array);\n if (stacked && stack.get(other)) {\n   return stacked == other;\n }\n var index = -1,\n   result = true,\n   seen = (bitmask & COMPARE_UNORDERED_FLAG) ? new SetCache : undefined;\n\n stack.set(array, other);\n stack.set(other, array);\n\n // Ignore non-index properties.\n while (++index < arrLength) {\n   var arrValue = array[index],\n   othValue = other[index];\n\n   if (customizer) {\n   var compared = isPartial\n   ? customizer(othValue, arrValue, index, other, array, stack)\n   : customizer(arrValue, othValue, index, array, other, stack);\n   }\n   if (compared !== undefined) {\n   if (compared) {\n   continue;\n   }\n   result = false;\n   break;\n   }\n   // Recursively compare arrays (susceptible to call stack limits).\n   if (seen) {\n   if (!arraySome(other, function(othValue, othIndex) {\n   if (!cacheHas(seen, othIndex) &&\n   (arrValue === othValue || equalFunc(arrValue, othValue, bitmask, customizer, stack))) {\n   return seen.push(othIndex);\n   }\n   })) {\n   result = false;\n   break;\n   }\n   } else if (!(\n   arrValue === othValue ||\n   equalFunc(arrValue, othValue, bitmask, customizer, stack)\n   )) {\n   result = false;\n   break;\n   }\n }\n stack['delete'](array);\n stack['delete'](other);\n return result;\n}\n\nmodule.exports = equalArrays;\n","var constant = require('./constant'),\n   defineProperty = require('./_defineProperty'),\n   identity = require('./identity');\n\n/**\n * The base implementation of `setToString` without support for hot loop shorting.\n *\n * @private\n * @param {Function} func The function to modify.\n * @param {Function} string The `toString` result.\n * @returns {Function} Returns `func`.\n */\nvar baseSetToString = !defineProperty ? identity : function(func, string) {\n return defineProperty(func, 'toString', {\n   'configurable': true,\n   'enumerable': false,\n   'value': constant(string),\n   'writable': true\n });\n};\n\nmodule.exports = baseSetToString;\n","// @@replace logic\nrequire('./_fix-re-

wks')('replace', 2, function (defined, REPLACE, $replace) {\n // 21.1.3.14 String.prototype.replace(searchValue, replaceValue)\n return [function replace(searchValue, replaceValue) {\n   'use strict';\n   var O = defined(this);\n   var fn = searchValue == undefined ? undefined : searchValue[REPLACE];\n   return fn !== undefined\n   ? fn.call(searchValue, O, replaceValue)\n   : $replace.call(String(O), searchValue, replaceValue);\n },\n $replace];\n});\n","var getMapData = require('./_getMapData');\n\n/**\n * Checks if a map value for `key` exists.\n *\n * @private\n * @name has\n * @memberOf MapCache\n * @param {string} key The key of the entry to check.\n * @returns {boolean} Returns `true` if an entry for `key` exists, else `false`.\n */\nfunction mapCacheHas(key) {\n return getMapData(this, key).has(key);\n}\n\nmodule.exports = mapCacheHas;\n","'use strict';\n// 25.4.1.5 NewPromiseCapability(C)\nvar aFunction = require('./_a-function');\n\nfunction PromiseCapability(C) {\n var resolve, reject;\n this.promise = new C(function ($$resolve, $$reject) {\n   if (resolve !== undefined || reject !== undefined) throw TypeError('Bad Promise constructor');\n   resolve = $$resolve;\n   reject = $$reject;\n });\n this.resolve = aFunction(resolve);\n this.reject = aFunction(reject);\n}\n\nmodule.exports.f = function (C) {\n return new PromiseCapability(C);\n};\n","var baseGetAllKeys = require('./_baseGetAllKeys'),\n   getSymbols = require('./_getSymbols'),\n   keys = require('./keys');\n\n/**\n * Creates an array of own enumerable property names and symbols of `object`.\n *\n * @private\n * @param {Object} object The object to query.\n * @returns {Array} Returns the array of property names and symbols.\n */\nfunction getAllKeys(object) {\n return baseGetAllKeys(object, keys, getSymbols);\n}\n\nmodule.exports = getAllKeys;\n","var $export = require('./_export');\nvar defined = require('./_defined');\nvar fails = require('./_fails');\nvar spaces = require('./_string-ws');\nvar space = '[' + spaces + ']';\nvar non = '\u200b\u0085';\nvar ltrim = RegExp('^' + space + space + '*');\nvar rtrim = RegExp(space + space + '*$');\n\nvar exporter = function (KEY, exec, ALIAS) {\n var exp = {};\n var FORCE = fails(function () {\n   return !!spaces[KEY]() || non[KEY]() != non;\n });\n var fn = exp[KEY] = FORCE ? exec(trim) : spaces[KEY];\n if (ALIAS) exp[ALIAS] = fn;\n $export($export.P + $export.F * FORCE, 'String', exp);\n};\n\n// 1 -> String#trimLeft\n// 2 -> String#trimRight\n// 3 -> String#trim\nvar trim = exporter.trim = function (string, TYPE) {\n string = String(defined(string));\n if (TYPE & 1) string = string.replace(ltrim, '');\n if (TYPE & 2) string = string.replace(rtrim, '');\n return string;\n};\n\nmodule.exports = exporter;\n","// 7.2.8 IsRegExp(argument)\nvar isObject = require('./_is-object');\nvar cof = require('./_cof');\nvar MATCH = require('./_wks')('match');\nmodule.exports = function (it) {\n var isRegExp;\n return isObject(it) && ((isRegExp = it[MATCH]) !== undefined ? !!isRegExp : cof(it) == 'RegExp');\n};\n","/**\n * Converts `set` to an array of its values.\n *\n * @private\n * @param {Object} set The set to convert.\n * @returns {Array} Returns the values.\n */\nfunction setToArray(set) {\n var index = -1,\n   result = Array(set.size);\n\n set.forEach(function(value) {\n   result[++index] = value;\n });\n return result;\n}\n\nmodule.exports = setToArray;\n","var $iterators = require('./es6.array.iterator');\nvar getKeys = require('./_object-keys');\nvar redefine = require('./_redefine');\nvar global = require('./_global');\nvar hide = require('./_hide');\nvar Iterators = require('./_iterators');\nvar wks = require('./_wks');\nvar ITERATOR = wks('iterator');\nvar TO_STRING_TAG = wks('toStringTag');\nvar ArrayValues = Iterators.Array;\n\nvar DOMIterables = {\n CSSRuleList: true, // TODO: Not spec compliant, should be false.\n CSSStyleDeclaration: false,\n CSSValueList: false,\n ClientRectList: false,\n DOMRectList: false,\n DOMStringList: false,\n DOMTokenList: true,\n DataTransferItemList: false,\n FileList: false,\n HTMLAllCollection: false,\n HTMLCollection: false,\n HTMLFormElement: false,\n HTMLSelectElement: false,\n MediaList: true, // TODO: Not spec compliant, should be false.\n MimeTypeArray: false,\n NamedNodeMap: false,\n NodeList: true,\n PaintRequestList: false,\n Plugin: false,\n PluginArray: false,\n SVGLengthList: false,\n SVGNumberList: false,\n SVGPathSegList: false,\n SVGPointList: false,\n SVGStringList: false,\n SVGTransformList: false,\n SourceBufferList: false,\n StyleSheetList: true, // TODO: Not spec compliant, should be false.\n TextTrackCueList: false,\n TextTrackList: false,\n TouchList: false\n};\n\nfor (var collections = getKeys(DOMIterables), i = 0; i < collections.length; i++) {\n var NAME = collections[i];\n var explicit = DOMIterables[NAME];\n var Collection = global[NAME];\n var proto = Collection && Collection.prototype;\n var key;\n if (proto) {\n   if (!proto[ITERATOR]) hide(proto, ITERATOR, ArrayValues);\n   if (!proto[TO_STRING_TAG]) hide(proto, TO_STRING_TAG, NAME);\n   Iterators[NAME] =

ArrayValues;\n   if (explicit) for (key in $iterators) if (!proto[key]) redefine(proto, key, $iterators[key], true);\n }\n}\n","/**\n * The base implementation of `_.unary` without support for storing metadata.\n *\n * @private\n * @param {Function} func The function to cap arguments for.\n * @returns {Function} Returns the new capped function.\n */\nfunction baseUnary(func) {\n return function(value) {\n   return func(value);\n };\n}\n\nmodule.exports = baseUnary;\n","'use strict';\nObject.defineProperty(exports, '__esModule', { value: true });\nvar prefix = 'fas';\nvar iconName = 'clipboard';\nvar width = 384;\nvar height = 512;\nvar ligatures = [];\nvar unicode = 'f328';\nvar svgPathData = 'M384 112v352c0 26.51-21.49 48-48 48H48c-26.51 0-48-21.49-48-48V112c0-26.51 21.49-48 48-48h80c0-35.29 28.71-64 64-64s64 28.71 64 64h80c26.51 0 48 21.49 48 48zM192 40c-13.255 0-24 10.745-24 24s10.745 24 24 24 24-10.745 24-24-10.745-24-24-24m96 114v-20a6 6 0 0 0-6-6H102a6 6 0 0 0-6 6v20a6 6 0 0 0 6 6h180a6 6 0 0 0 6-6z';\n\nexports.definition = {\n prefix: prefix,\n iconName: iconName,\n icon: [\n   width,\n   height,\n   ligatures,\n   unicode,\n   svgPathData\n]};\n\nexports.faClipboard = exports.definition;\nexports.prefix = prefix;\nexports.iconName = iconName;\nexports.width = width;\nexports.height = height;\nexports.ligatures = ligatures;\nexports.unicode = unicode;\nexports.svgPathData = svgPathData;","var getAllKeys = require('./_getAllKeys');\n\n/** Used to compose bitmasks for value comparisons. */\nvar COMPARE_PARTIAL_FLAG = 1;\n\n/** Used for built-in method references. */\nvar objectProto = Object.prototype;\n\n/** Used to check objects for own properties. */\nvar hasOwnProperty = objectProto.hasOwnProperty;\n\n/**\n * A specialized version of `baseIsEqualDeep` for objects with support for\n * partial deep comparisons.\n *\n * @private\n * @param {Object} object The object to compare.\n * @param {Object} other The other object to compare.\n * @param {number} bitmask The bitmask flags. See `baseIsEqual`\n for more details.\n * @param {Function} customizer The function to customize comparisons.\n * @param {Function} equalFunc The function to determine equivalents of values.\n * @param {Object} stack Tracks traversed `object` and `other` objects.\n * @returns {boolean} Returns `true` if the objects are equivalent, else `false`.\n */\nfunction equalObjects(object, other, bitmask, customizer, equalFunc, stack) {\n var isPartial = bitmask & COMPARE_PARTIAL_FLAG,\n   objProps = getAllKeys(object),\n   objLength = objProps.length,\n   othProps = getAllKeys(other),\n   othLength = othProps.length;\n\n if (objLength != othLength && !isPartial) {\n   return false;\n }\n var index = objLength;\n while (index--) {\n   var key = objProps[index];\n   if (!(isPartial ? key in other : hasOwnProperty.call(other, key))) {\n   return false;\n   }\n }\n // Assume cyclic values are equal.\n var stacked = stack.get(object);\n if (stacked && stack.get(other)) {\n   return stacked == other;\n }\n var result = true;\n stack.set(object, other);\n stack.set(other, object);\n\n var skipCtor = isPartial;\n while (++index < objLength) {\n   key = objProps[index];\n   var objValue = object[key],\n   othValue = other[key];\n\n   if (customizer) {\n   var compared = isPartial\n   ? customizer(othValue, objValue, key, other, object, stack)\n   : customizer(objValue, othValue, key, object, other, stack);\n   }\n   // Recursively compare objects (susceptible to call stack limits).\n   if (!(compared === undefined\n   ? (objValue === othValue || equalFunc(objValue, othValue, bitmask, customizer, stack))\n   : compared\n   )) {\n   result = false;\n   break;\n   }\n   skipCtor || (skipCtor = key == 'constructor');\n }\n if (result && !skipCtor) {\n   var objCtor = object.constructor,\n   othCtor = other.constructor;\n\n   // Non `Object` object instances with different constructors are not equal.\n   if (objCtor != othCtor &&\n   ('constructor' in object && 'constructor' in other) &&\n   !(typeof objCtor == 'function' && objCtor instanceof objCtor &&\n   typeof othCtor == 'function' && othCtor instanceof othCtor)) {\n   result = false;\n   }\n }\n stack['delete'](object);\n stack['delete'](other);\n return result;\n}\n\nmodule.exports = equalObjects;\n","/** Used as references for various `Number` constants. */\nvar MAX_SAFE_INTEGER = 9007199254740991;\n\n/**\n * Checks if `value` is a valid array-like length.\n *\n * **Note:** This method is loosely based on\n * [`ToLength`](http://ecma-international.org/ecma-262/7.0/#sec-tolength).\n *\n * @static\n * @memberOf _\n * @since 4.0.0\n * @category Lang\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is a valid length, else `false`.\n * @example\n *\n * _.isLength(3);\n * // => true\n *\n * _.isLength(Number.MIN_VALUE);\n * // => false\n *\n * _.isLength(Infinity);\n * // => false\n *\n * _.isLength('3');\n * // => false\n */\nfunction isLength(value) {\n return typeof value == 'number' &&\n   value > -1 && value % 1 == 0 && value <= MAX_SAFE_INTEGER;\n}\n\nmodule.exports = isLength;\n","/*!\n * clipboard.js v2.0.4\n *

https://zenorocha.github.io/clipboard.js\n * \n * Licensed MIT © Zeno Rocha\n */\n(function webpackUniversalModuleDefinition(root, factory) {\n\tif(typeof exports === 'object' && typeof module === 'object')\n\t\tmodule.exports = factory();\n\telse if(typeof define === 'function' && define.amd)\n\t\tdefine([], factory);\n\telse if(typeof exports === 'object')\n\t\texports[\"ClipboardJS\"] = factory();\n\telse\n\t\troot[\"ClipboardJS\"] = factory();\n})(this, function() {\nreturn /******/ (function(modules) { // webpackBootstrap\n/******/ \t// The module cache\n/******/ \tvar installedModules = {};\n/******/\n/******/ \t// The require function\n/******/ \tfunction __webpack_require__(moduleId) {\n/******/\n/******/ \t\t// Check if module is in cache\n/******/ \t\tif(installedModules[moduleId]) {\n/******/ \t\t\treturn installedModules[moduleId].exports;\n/******/ \t\t}\n/******/ \t\t// Create a new module (and put it into the cache)\n/******/ \t\tvar module = installedModules[moduleId] = {\n/******/ \t\t\ti: moduleId,\n/******/ \t\t\tl: false,\n/******/ \t\t\texports: {}\n/******/ \t\t};\n/******/\n/******/ \t\t// Execute the module function\n/******/ \t\tmodules[moduleId].call(module.exports, module, module.exports, __webpack_require__);\n/******/\n/******/ \t\t// Flag the module as loaded\n/******/ \t\tmodule.l = true;\n/******/\n/******/ \t\t// Return the exports of the module\n/******/ \t\treturn module.exports;\n/******/ \t}\n/******/\n/******/\n/******/ \t// expose the modules object (__webpack_modules__)\n/******/ \t__webpack_require__.m = modules;\n/******/\n/******/ \t// expose the module cache\n/******/ \t__webpack_require__.c = installedModules;\n/******/\n/******/ \t// define getter function for harmony exports\n/******/ \t__webpack_require__.d = function(exports, name, getter) {\n/******/ \t\tif(!__webpack_require__.o(exports, name)) {\n/******/ \t\t\tObject.defineProperty(exports, name, { enumerable: true, get: getter });\n/******/ \t\t}\n/******/ \t};\n/******/\n/******/ \t// define __esModule on exports\n/******/ \t__webpack_require__.r = function(exports) {\n/******/ \t\tif(typeof Symbol !== 'undefined' && Symbol.toStringTag) {\n/******/ \t\t\tObject.defineProperty(exports, Symbol.toStringTag, { value: 'Module' });\n/******/ \t\t}\n/******/ \t\tObject.defineProperty(exports, '__esModule', { value: true });\n/******/ \t};\n/******/\n/******/ \t// create a fake namespace object\n/******/ \t// mode & 1: value is a module id, require it\n/******/ \t// mode & 2: merge all properties of value into the ns\n/******/ \t// mode & 4: return value when already ns object\n/******/ \t// mode & 8|1: behave like require\n/******/ \t__webpack_require__.t = function(value, mode) {\n/******/ \t\tif(mode & 1) value = __webpack_require__(value);\n/******/ \t\tif(mode & 8) return value;\n/******/ \t\tif((mode & 4) && typeof value === 'object' && value && value.__esModule) return value;\n/******/ \t\tvar ns = Object.create(null);\n/******/ \t\t__webpack_require__.r(ns);\n/******/ \t\tObject.defineProperty(ns, 'default', { enumerable: true, value: value });\n/******/ \t\tif(mode & 2 && typeof value != 'string') for(var key in value) __webpack_require__.d(ns, key, function(key) { return value[key]; }.bind(null, key));\n/******/ \t\treturn ns;\n/******/ \t};\n/******/\n/******/ \t// getDefaultExport function for compatibility with non-harmony modules\n/******/ \t__webpack_require__.n = function(module) {\n/******/ \t\tvar getter = module && module.__esModule ?\n/******/ \t\t\tfunction getDefault() { return module['default']; } :\n/******/ \t\t\tfunction getModuleExports() { return module; };\n/******/ \t\t__webpack_require__.d(getter, 'a', getter);\n/******/ \t\treturn getter;\n/******/ \t};\n/******/\n/******/ \t// Object.prototype.hasOwnProperty.call\n/******/ \t__webpack_require__.o = function(object, property) { return Object.prototype.hasOwnProperty.call(object, property); };\n/******/\n/******/ \t// __webpack_public_path__\n/******/ \t__webpack_require__.p = \"\";\n/******/\n/******/\n/******/ \t// Load entry module and return exports\n/******/ \treturn __webpack_require__(__webpack_require__.s = 0);\n/******/ })\n/**/\n/******/ ([\n/* 0 */\n/***/ (function(module, exports, __webpack_require__) {\n\n\"use strict\";\n\n\nvar _typeof = typeof Symbol === \"function\" && typeof Symbol.iterator === \"symbol\" ? function (obj) { return typeof obj; } : function (obj) { return obj && typeof Symbol === \"function\" && obj.constructor === Symbol && obj !== Symbol.prototype ? \"symbol\" : typeof obj; };\n\nvar _createClass = function () { function defineProperties(target, props) { for (var i = 0; i < props.length; i++) { var descriptor = props[i]; descriptor.enumerable = descriptor.enumerable || false; descriptor.configurable = true; if (\"value\" in descriptor) descriptor.writable = true; Object.defineProperty(target, descriptor.key, descriptor); } } return function (Constructor, protoProps, staticProps) { if (protoProps) defineProperties(Constructor.prototype, protoProps); if (staticProps) defineProperties(Constructor, staticProps);

return Constructor; }; }();\n\nvar _clipboardAction = __webpack_require__(1);\n\nvar _clipboardAction2 = _interopRequireDefault(_clipboardAction);\n\nvar _tinyEmitter = __webpack_require__(3);\n\nvar _tinyEmitter2 = _interopRequireDefault(_tinyEmitter);\n\nvar _goodListener = __webpack_require__(4);\n\nvar _goodListener2 = _interopRequireDefault(_goodListener);\n\nfunction _interopRequireDefault(obj) { return obj && obj.__esModule ? obj : { default: obj }; }\n\nfunction _classCallCheck(instance, Constructor) { if (!(instance instanceof Constructor)) { throw new TypeError(\"Cannot call a class as a function\"); } }\n\nfunction _possibleConstructorReturn(self, call) { if (!self) { throw new ReferenceError(\"this hasn't been initialised - super() hasn't been called\"); } return call && (typeof call === \"object\" || typeof call === \"function\") ? call : self; }\n\nfunction _inherits(subClass, superClass) { if (typeof superClass !== \"function\" && superClass !== null) { throw new TypeError(\"Super expression must either be null or a function, not \" + typeof superClass); } subClass.prototype = Object.create(superClass && superClass.prototype, { constructor: { value: subClass, enumerable: false, writable: true, configurable: true } }); if (superClass) Object.setPrototypeOf ? Object.setPrototypeOf(subClass, superClass) : subClass.__proto__ = superClass; }\n\n/**\n * Base class which takes one or more elements, adds event listeners to them,\n * and instantiates a new `ClipboardAction` on each click.\n */\nvar Clipboard = function (_Emitter) {\n   _inherits(Clipboard, _Emitter);\n\n   /**\n   * @param {String|HTMLElement|HTMLCollection|NodeList} trigger\n   * @param {Object} options\n   */\n   function Clipboard(trigger, options) {\n   _classCallCheck(this, Clipboard);\n\n   var _this = _possibleConstructorReturn(this, (Clipboard.__proto__ || Object.getPrototypeOf(Clipboard)).call(this));\n\n   _this.resolveOptions(options);\n   _this.listenClick(trigger);\n   return _this;\n   }\n\n   /**\n   * Defines if attributes would be resolved using internal setter functions\n   * or custom functions that were passed in the constructor.\n   * @param {Object} options\n   */\n\n\n   _createClass(Clipboard, [{\n   key: 'resolveOptions',\n   value: function resolveOptions() {\n   var options = arguments.length > 0 && arguments[0] !== undefined ? arguments[0] : {};\n\n   this.action = typeof options.action === 'function' ? options.action : this.defaultAction;\n   this.target = typeof options.target === 'function' ? options.target : this.defaultTarget;\n   this.text = typeof options.text === 'function' ? options.text : this.defaultText;\n   this.container = _typeof(options.container) === 'object' ? options.container : document.body;\n   }\n\n   /**\n   * Adds a click event listener to the passed trigger.\n   * @param {String|HTMLElement|HTMLCollection|NodeList} trigger\n   */\n\n   }, {\n   key: 'listenClick',\n   value: function listenClick(trigger) {\n   var _this2 = this;\n\n   this.listener = (0, _goodListener2.default)(trigger, 'click', function (e) {\n   return _this2.onClick(e);\n   });\n   }\n\n   /**\n   * Defines a new `ClipboardAction` on each click event.\n   * @param {Event} e\n   */\n\n   }, {\n   key: 'onClick',\n   value: function onClick(e) {\n   var trigger = e.delegateTarget || e.currentTarget;\n\n   if (this.clipboardAction) {\n   this.clipboardAction = null;\n   }\n\n   this.clipboardAction = new _clipboardAction2.default({\n   action: this.action(trigger),\n   target: this.target(trigger),\n   text: this.text(trigger),\n   container: this.container,\n   trigger: trigger,\n   emitter: this\n   });\n   }\n\n   /**\n   * Default `action` lookup function.\n   * @param {Element} trigger\n   */\n\n   }, {\n   key: 'defaultAction',\n   value: function defaultAction(trigger) {\n   return getAttributeValue('action', trigger);\n   }\n\n   /**\n   * Default `target` lookup function.\n   * @param {Element} trigger\n   */\n\n   }, {\n   key: 'defaultTarget',\n   value: function defaultTarget(trigger) {\n   var selector = getAttributeValue('target', trigger);\n\n   if (selector) {\n   return document.querySelector(selector);\n   }\n   }\n\n   /**\n   * Returns the support of the given action, or all actions if no action is\n   * given.\n   * @param {String} [action]\n   */\n\n   }, {\n   key: 'defaultText',\n\n\n   /**\n   * Default `text` lookup function.\n   * @param {Element} trigger\n   */\n   value: function defaultText(trigger) {\n   return getAttributeValue('text', trigger);\n   }\n\n   /**\n   * Destroy lifecycle.\n   */\n\n   }, {\n   key: 'destroy',\n   value: function destroy() {\n   this.listener.destroy();\n\n   if (this.clipboardAction) {\n   this.clipboardAction.destroy();\n   this.clipboardAction = null;\n   }\n   }\n   }], [{\n   key: 'isSupported',\n   value: function isSupported() {\n   var action = arguments.length > 0 && arguments[0]

!== undefined ? arguments[0] : ['copy', 'cut'];\n\n   var actions = typeof action === 'string' ? [action] : action;\n\n   var support = !!document.queryCommandSupported;\n\n   actions.forEach(function (action) {\n   support = support && !!document.queryCommandSupported(action);\n   });\n\n   return support;\n   }\n   }]);\n\n   return Clipboard;\n}(_tinyEmitter2.default);\n\n/**\n * Helper function to retrieve attribute value.\n * @param {String} suffix\n * @param {Element} element\n */\n\n\nfunction getAttributeValue(suffix, element) {\n   var attribute = 'data-clipboard-' + suffix;\n\n   if (!element.hasAttribute(attribute)) {\n   return;\n   }\n\n   return element.getAttribute(attribute);\n}\n\nmodule.exports = Clipboard;\n\n/***/ }),\n/* 1 */\n/***/ (function(module, exports, __webpack_require__) {\n\n\"use strict\";\n\n\nvar _typeof = typeof Symbol === \"function\" && typeof Symbol.iterator === \"symbol\" ? function (obj) { return typeof obj; } : function (obj) { return obj && typeof Symbol === \"function\" && obj.constructor === Symbol && obj !== Symbol.prototype ? \"symbol\" : typeof obj; };\n\nvar _createClass = function () { function defineProperties(target, props) { for (var i = 0; i < props.length; i++) { var descriptor = props[i]; descriptor.enumerable = descriptor.enumerable || false; descriptor.configurable = true; if (\"value\" in descriptor) descriptor.writable = true; Object.defineProperty(target, descriptor.key, descriptor); } } return function (Constructor, protoProps, staticProps) { if (protoProps) defineProperties(Constructor.prototype, protoProps); if (staticProps) defineProperties(Constructor, staticProps); return Constructor; }; }();\n\nvar _select = __webpack_require__(2);\n\nvar _select2 = _interopRequireDefault(_select);\n\nfunction _interopRequireDefault(obj) { return obj && obj.__esModule ? obj : { default: obj }; }\n\nfunction _classCallCheck(instance, Constructor) { if (!(instance instanceof Constructor)) { throw new TypeError(\"Cannot call a class as a function\"); } }\n\n/**\n * Inner class which performs selection from either `text` or `target`\n * properties and then executes copy or cut operations.\n */\nvar ClipboardAction = function () {\n   /**\n   * @param {Object} options\n   */\n   function ClipboardAction(options) {\n   _classCallCheck(this, ClipboardAction);\n\n   this.resolveOptions(options);\n   this.initSelection();\n   }\n\n   /**\n   * Defines base properties passed from constructor.\n   * @param {Object} options\n   */\n\n\n   _createClass(ClipboardAction, [{\n   key: 'resolveOptions',\n   value: function resolveOptions() {\n   var options = arguments.length > 0 && arguments[0] !== undefined ? arguments[0] : {};\n\n   this.action = options.action;\n   this.container = options.container;\n   this.emitter = options.emitter;\n   this.target = options.target;\n   this.text = options.text;\n   this.trigger = options.trigger;\n\n   this.selectedText = '';\n   }\n\n   /**\n   * Decides which selection strategy is going to be applied based\n   * on the existence of `text` and `target` properties.\n   */\n   }, {\n   key: 'initSelection',\n   value: function initSelection() {\n   if (this.text) {\n   this.selectFake();\n   } else if (this.target) {\n   this.selectTarget();\n   }\n   }\n\n   /**\n   * Creates a fake textarea element, sets its value from `text`\n   * property,\n   * and makes a selection on it.\n   */\n   }, {\n   key: 'selectFake',\n   value: function selectFake() {\n   var _this = this;\n\n   var isRTL = document.documentElement.getAttribute('dir') == 'rtl';\n\n   this.removeFake();\n\n   this.fakeHandlerCallback = function () {\n   return _this.removeFake();\n   };\n   this.fakeHandler = this.container.addEventListener('click', this.fakeHandlerCallback) || true;\n\n   this.fakeElem = document.createElement('textarea');\n   // Prevent zooming on iOS\n   this.fakeElem.style.fontSize = '12pt';\n   // Reset box model\n   this.fakeElem.style.border = '0';\n   this.fakeElem.style.padding = '0';\n   this.fakeElem.style.margin = '0';\n   // Move element out of screen horizontally\n   this.fakeElem.style.position = 'absolute';\n   this.fakeElem.style[isRTL ? 'right' : 'left'] = '-9999px';\n   // Move element to the same position vertically\n   var yPosition = window.pageYOffset || document.documentElement.scrollTop;\n   this.fakeElem.style.top = yPosition + 'px';\n\n   this.fakeElem.setAttribute('readonly', '');\n   this.fakeElem.value = this.text;\n\n   this.container.appendChild(this.fakeElem);\n\n   this.selectedText = (0, _select2.default)(this.fakeElem);\n   this.copyText();\n   }\n\n   /**\n   * Only removes the fake element after another click event, that way\n   * a user can hit `Ctrl+C` to copy because selection still exists.\n   */\n   }, {\n   key: 'removeFake',\n   value: function removeFake() {\n   if (this.fakeHandler) {\n   this.container.removeEventListener('click', this.fakeHandlerCallback);\n   this.fakeHandler = null;\n   this.fakeHandlerCallback = null;\n   }\n\n   if (this.fakeElem) {\n

this.container.removeChild(this.fakeElem);\n   this.fakeElem = null;\n   }\n   }\n\n   /**\n   *
Selects the content from element passed on `target` property.\n   */\n   }, {\n   key: 'selectTarget',\n
value: function selectTarget() {\n   this.selectedText = (0, _select2.default)(this.target);\n
this.copyText();\n   }\n\n   /**\n   * Executes the copy operation based on the current selection.\n
*/\n\n   }, {\n   key: 'copyText',\n   value: function copyText() {\n   var succeeded = void 0;\n\n
try {\n   succeeded = document.execCommand(this.action);\n   } catch (err) {\n   succeeded =
false;\n   }\n\n   this.handleResult(succeeded);\n   }\n\n   /**\n   * Fires an event based on the
copy operation result.\n   * @param {Boolean} succeeded\n   */\n   }, {\n   key: 'handleResult',\n
value: function handleResult(succeeded) {\n   this.emitter.emit(succeeded ? 'success' : 'error', {\n
action: this.action,\n   text: this.selectedText,\n   trigger: this.trigger,\n   clearSelection:
this.clearSelection.bind(this)\n   });\n   }\n\n   /**\n   * Moves focus away from `target` and back to
the trigger, removes current selection.\n   */\n\n   }, {\n   key: 'clearSelection',\n   value: function
clearSelection() {\n   if (this.trigger) {\n   this.trigger.focus();\n   }\n
window.getSelection().removeAllRanges();\n   }\n\n   /**\n   * Sets the `action` to be performed which
can be either 'copy' or 'cut'.\n   * @param {String} action\n   */\n\n   }, {\n   key: 'destroy',\n\n
/**\n   * Destroy lifecycle.\n   */\n   value: function destroy() {\n   this.removeFake();\n   }\n   },
{\n   key: 'action',\n   set: function set() {\n   var action = arguments.length > 0 && arguments[0] !==
undefined ? arguments[0] : 'copy';\n\n   this._action = action;\n\n   if (this._action !== 'copy' &&
this._action !== 'cut') {\n   throw new Error('Invalid \"action\" value, use either \"copy\" or \"cut\"');\n
}\n   }\n\n   /**\n   * Gets the `action` property.\n   * @return {String}\n   */\n   ,\n   get:
function get() {\n   return this._action;\n   }\n\n   /**\n   * Sets the `target` property using an
element\n   * that will be have its content copied.\n   * @param {Element} target\n   */\n   }, {\n
key: 'target',\n   set: function set(target) {\n   if (target !== undefined) {\n   if (target && (typeof
target === 'undefined' ? 'undefined' : _typeof(target)) === 'object' && target.nodeType === 1) {\n   if
(this.action === 'copy' && target.hasAttribute('disabled')) {\n   throw new Error('Invalid \"target\"
attribute. Please use \"readonly\" instead of \"disabled\" attribute');\n   }\n\n   if (this.action ===
'cut' && (target.hasAttribute('readonly') || target.hasAttribute('disabled'))) {\n   throw new
Error('Invalid \"target\" attribute. You can\\'t cut text from elements with \"readonly\" or \"disabled\" attributes');\n
}\n\n   this._target = target;\n   } else {\n   throw new Error('Invalid \"target\"
value, use a valid Element');\n   }\n   }\n   }\n\n   /**\n   * Gets the `target` property.\n   *
@return {String|HTMLElement}\n   */\n   ,\n   get: function get() {\n   return this._target;\n   }\n
}]);\n\n   return ClipboardAction;\n}();\n\nmodule.exports = ClipboardAction;\n\n/***/ }),\n/* 2 */\n/***/
(function(module, exports) {\n\nfunction select(element) {\n   var selectedText;\n\n   if (element.nodeName ===
'SELECT') {\n   element.focus();\n\n   selectedText = element.value;\n   }   else if (element.nodeName ===
'INPUT' || element.nodeName === 'TEXTAREA') {\n   var isReadOnly = element.hasAttribute('readonly');\n\n
if (!isReadOnly) {\n   element.setAttribute('readonly', '');\n   }\n\n   element.select();\n
element.setSelectionRange(0, element.value.length);\n\n   if (!isReadOnly) {\n
element.removeAttribute('readonly');\n   }\n\n   selectedText = element.value;\n   }   else {\n   if
(element.hasAttribute('contenteditable')) {\n   element.focus();\n   }\n\n   var selection =
window.getSelection();\n   var range = document.createRange();\n\n   range.selectNodeContents(element);\n
selection.removeAllRanges();\n   selection.addRange(range);\n\n   selectedText = selection.toString();\n
}\n\n   return selectedText;\n}\n\nmodule.exports = select;\n\n\n/***/ }),\n/* 3 */\n/***/ (function(module, exports)
{\n\nfunction E () {\n   // Keep this empty so it's easier to inherit from\n   // (via https://github.com/lipsmack from
https://github.com/scottcorgan/tiny-emitter/issues/3)\n}\n\nE.prototype = {\n on: function (name, callback, ctx) {\n
var e = this.e || (this.e = {});\n\n   (e[name] || (e[name] = [])).push({\n   fn: callback,\n   ctx: ctx\n   });\n\n
return this;\n },\n\n once: function (name, callback, ctx) {\n   var self = this;\n   function listener () {\n
self.off(name, listener);\n   callback.apply(ctx, arguments);\n   };\n\n   listener._ = callback\n   return
this.on(name, listener, ctx);\n },\n\n emit: function (name) {\n   var data = [].slice.call(arguments, 1);\n   var

evtArr = ((this.e || (this.e = {}))[name] || []).slice();\n   var i = 0;\n   var len = evtArr.length;\n\n   for (i; i < len; i++) {\n   evtArr[i].fn.apply(evtArr[i].ctx, data);\n   }\n\n   return this;\n },\n\n off: function (name, callback) {\n   var e = this.e || (this.e = {});\n   var evts = e[name];\n   var liveEvents = [];\n\n   if (evts && callback) {\n   for (var i = 0, len = evts.length; i < len; i++) {\n   if (evts[i].fn !== callback && evts[i].fn._ !== callback)\n   liveEvents.push(evts[i]);\n   }\n   }\n\n   // Remove event from queue to prevent memory leak\n   // Suggested by https://github.com/lazd\n   // Ref: https://github.com/scottcorgan/tiny-emitter/commit/c6ebfaa9bc973b33d110a84a307742b7cf94c953#commitcomment-5024910\n\n   (liveEvents.length)\n   ? e[name] = liveEvents\n   : delete e[name];\n\n   return this;\n }\n};\n\nmodule.exports = E;\n\n\n/***/ }),\n/* 4 */\n/***/ (function(module, exports, __webpack_require__) {\n\nvar is = __webpack_require__(5);\nvar delegate = __webpack_require__(6);\n\n/**\n * Validates all params and calls the right\n * listener function based on its target type.\n *\n * @param {String|HTMLElement|HTMLCollection|NodeList} target\n * @param {String} type\n * @param {Function} callback\n * @return {Object}\n */\nfunction listen(target, type, callback) {\n   if (!target && !type && !callback) {\n   throw new Error('Missing required arguments');\n   }\n\n   if (!is.string(type)) {\n   throw new TypeError('Second argument must be a String');\n   }\n\n   if (!is.fn(callback)) {\n   throw new TypeError('Third argument must be a Function');\n   }\n\n   if (is.node(target)) {\n   return listenNode(target, type, callback);\n   }\n   else if (is.nodeList(target)) {\n   return listenNodeList(target, type, callback);\n   }\n   else if (is.string(target)) {\n   return listenSelector(target, type, callback);\n   }\n   else {\n   throw new TypeError('First argument must be a String, HTMLElement, HTMLCollection, or NodeList');\n   }\n}\n\n/**\n * Adds an event listener to a HTML element\n * and returns a remove listener function.\n *\n * @param {HTMLElement} node\n * @param {String} type\n * @param {Function} callback\n * @return {Object}\n */\nfunction listenNode(node, type, callback) {\n   node.addEventListener(type, callback);\n\n   return {\n   destroy: function() {\n   node.removeEventListener(type, callback);\n   }\n   }\n}\n\n/**\n * Add an event listener to a list of HTML elements\n * and returns a remove listener function.\n *\n * @param {NodeList|HTMLCollection} nodeList\n * @param {String} type\n * @param {Function} callback\n * @return {Object}\n */\nfunction listenNodeList(nodeList, type, callback) {\n   Array.prototype.forEach.call(nodeList, function(node) {\n   node.addEventListener(type, callback);\n   });\n\n   return {\n   destroy: function() {\n   Array.prototype.forEach.call(nodeList, function(node) {\n   node.removeEventListener(type, callback);\n   });\n   }\n   }\n}\n\n/**\n * Add an event listener to a selector\n * and returns a remove listener function.\n *\n * @param {String} selector\n * @param {String} type\n * @param {Function} callback\n * @return {Object}\n */\nfunction listenSelector(selector, type, callback) {\n   return delegate(document.body, selector, type, callback);\n}\n\nmodule.exports = listen;\n\n\n/***/ }),\n/* 5 */\n/***/ (function(module, exports) {\n\n/**\n * Check if argument is a HTML element.\n *\n * @param {Object} value\n * @return {Boolean}\n */\nexports.node = function(value) {\n   return value !== undefined\n   && value instanceof HTMLElement\n   && value.nodeType === 1;\n};\n\n/**\n * Check if argument is a list of HTML elements.\n *\n * @param {Object} value\n * @return {Boolean}\n */\nexports.nodeList = function(value) {\n   var type = Object.prototype.toString.call(value);\n\n   return value !== undefined\n   && (type === '[object NodeList]' || type === '[object HTMLCollection]')\n   && ('length' in value)\n   && (value.length === 0 || exports.node(value[0]));\n};\n\n/**\n * Check if argument is a string.\n *\n * @param {Object} value\n * @return {Boolean}\n */\nexports.string = function(value) {\n   return typeof value === 'string'\n || value instanceof String;\n};\n\n/**\n * Check if argument is a function.\n *\n * @param {Object} value\n * @return {Boolean}\n */\nexports.fn = function(value) {\n   var type = Object.prototype.toString.call(value);\n\n   return type === '[object Function]';\n};\n\n\n/***/ }),\n/* 6 */\n/***/ (function(module, exports, __webpack_require__) {\n\nvar closest = __webpack_require__(7);\n\n/**\n * Delegates event to a selector.\n *\n * @param {Element} element\n * @param {String} selector\n * @param {String} type\n * @param {Function} callback\n * @param {Boolean} useCapture\n * @return {Object}\n */\nfunction _delegate(element, selector, type, callback, useCapture) {\n   var listenerFn = listener.apply(this, arguments);\n\n   element.addEventListener(type, listenerFn, useCapture);\n\n   return {\n   destroy: function() {\n   element.removeEventListener(type, listenerFn, useCapture);\n   }\n   }\n}\n\n/**\n

* Delegates event to a selector.\n *\n * @param {Element|String|Array} [elements]\n * @param {String} selector\n * @param {String} type\n * @param {Function} callback\n * @param {Boolean} useCapture\n * @return {Object}\n */\nfunction delegate(elements, selector, type, callback, useCapture) {\n   // Handle the regular Element usage\n   if (typeof elements.addEventListener === 'function') {\n   return _delegate.apply(null, arguments);\n   }\n\n   // Handle Element-less usage, it defaults to global delegation\n   if (typeof type === 'function') {\n   // Use `document` as the first parameter, then apply arguments\n   // This is a short way to .unshift `arguments`\n   // without running into deoptimizations\n   return _delegate.bind(null, document).apply(null, arguments);\n   }\n\n   // Handle Selector-based usage\n   if (typeof elements === 'string') {\n   elements = document.querySelectorAll(elements);\n   }\n\n   // Handle Array-like based usage\n   return Array.prototype.map.call(elements, function (element) {\n   return _delegate(element, selector, type, callback, useCapture);\n   });\n}\n\n/**\n * Finds closest match and invokes callback.\n *\n * @param {Element} element\n * @param {String} selector\n * @param {String} type\n * @param {Function} callback\n * @return {Function}\n */\nfunction listener(element, selector, type, callback) {\n   return function(e) {\n   e.delegateTarget = closest(e.target, selector);\n\n   if (e.delegateTarget) {\n   callback.call(element, e);\n   }\n   }\n}\n\nmodule.exports = delegate;\n\n\n/***/ }),\n/* 7 */\n/***/ (function(module, exports) {\n\nvar DOCUMENT_NODE_TYPE = 9;\n\n/**\n * A polyfill for Element.matches()\n */\nif (typeof Element !== 'undefined' && !Element.prototype.matches) {\n   var proto = Element.prototype;\n\n   proto.matches = proto.matchesSelector ||\n   proto.mozMatchesSelector ||\n   proto.msMatchesSelector ||\n   proto.oMatchesSelector ||\n   proto.webkitMatchesSelector;\n}\n\n/**\n * Finds the closest parent that matches a selector.\n *\n * @param {Element} element\n * @param {String} selector\n * @return {Function}\n */\nfunction closest (element, selector) {\n   while (element && element.nodeType !== DOCUMENT_NODE_TYPE) {\n   if (typeof element.matches === 'function' &&\n   element.matches(selector)) {\n   return element;\n   }\n   element = element.parentNode;\n   }\n}\n\nmodule.exports = closest;\n\n\n/***/ })\n/******/]);\n});","'use strict';\n\nvar isSymbol = require('./is-symbol');\n\nmodule.exports = function (value) {\n\tif (!isSymbol(value)) throw new TypeError(value + \" is not a symbol\");\n\treturn value;\n};\n","var assocIndexOf = require('./_assocIndexOf');\n\n/**\n * Gets the list cache value for `key`.\n *\n * @private\n * @name get\n * @memberOf ListCache\n * @param {string} key The key of the value to get.\n * @returns {*} Returns the entry value.\n */\nfunction listCacheGet(key) {\n var data = this.__data__,\n   index = assocIndexOf(data, key);\n\n return index < 0 ? undefined : data[index][1];\n}\n\nmodule.exports = listCacheGet;\n","var getNative = require('./_getNative'),\n   root = require('./_root');\n\n/* Built-in method references that are verified to be native. */\nvar DataView = getNative(root, 'DataView');\n\nmodule.exports = DataView;\n","'use strict';\n\nvar validTypes = { object: true, symbol: true };\n\nmodule.exports = function () {\n\tvar symbol;\n\tif (typeof Symbol !== 'function') return false;\n\tsymbol = Symbol('test symbol');\n\ttry { String(symbol); } catch (e) { return false; }\n\n\t// Return 'true' also for polyfills\n\tif (!validTypes[typeof Symbol.iterator]) return false;\n\tif (!validTypes[typeof Symbol.toPrimitive]) return false;\n\tif (!validTypes[typeof Symbol.toStringTag]) return false;\n\n\treturn true;\n};\n","var baseMatches = require('./_baseMatches'),\n   baseMatchesProperty = require('./_baseMatchesProperty'),\n   identity = require('./identity'),\n   isArray = require('./isArray'),\n   property = require('./property');\n\n/**\n * The base implementation of `_.iteratee`.\n *\n * @private\n * @param {*} [value=_.identity] The value to convert to an iteratee.\n * @returns {Function} Returns the iteratee.\n */\nfunction baseIteratee(value) {\n // Don't store the `typeof` result in a variable to avoid a JIT bug in Safari 9.\n // See https://bugs.webkit.org/show_bug.cgi?id=156034 for more details.\n if (typeof value == 'function') {\n   return value;\n }\n if (value == null) {\n   return identity;\n }\n if (typeof value == 'object') {\n   return isArray(value)\n   ? baseMatchesProperty(value[0], value[1])\n   : baseMatches(value);\n }\n return property(value);\n}\n\nmodule.exports = baseIteratee;\n","var nativeCreate = require('./_nativeCreate');\n\n/** Used to stand-in for `undefined` hash values. */\nvar HASH_UNDEFINED = '__lodash_hash_undefined__';\n\n/** Used for built-in method references. */\nvar objectProto = Object.prototype;\n\n/** Used to check objects for own properties. */\nvar hasOwnProperty = objectProto.hasOwnProperty;\n\n/**\n * Gets the hash value for `key`.\n *\n * @private\n * @name get\n *

@memberOf Hash\n * @param {string} key The key of the value to get.\n * @returns {*} Returns the entry value.\n */\nfunction hashGet(key) {\n var data = this.__data__;\n if (nativeCreate) {\n var result = data[key];\n return result === HASH_UNDEFINED ? undefined : result;\n }\n return hasOwnProperty.call(data, key) ? data[key] : undefined;\n}\n\nmodule.exports = hashGet;\n","var anObject = require('./_an-object');\nvar isObject = require('./_is-object');\nvar newPromiseCapability = require('./_new-promise-capability');\n\nmodule.exports = function (C, x) {\n anObject(C);\n if (isObject(x) && x.constructor === C) return x;\n var promiseCapability = newPromiseCapability.f(C);\n var resolve = promiseCapability.resolve;\n resolve(x);\n return promiseCapability.promise;\n};\n","// 7.2.1 RequireObjectCoercible(argument)\nmodule.exports = function (it) {\n if (it == undefined) throw TypeError(\"Can't call method on \" + it);\n return it;\n};\n","function _defineProperties(target, props) {\n for (var i = 0; i < props.length; i++) {\n var descriptor = props[i];\n descriptor.enumerable = descriptor.enumerable || false;\n descriptor.configurable = true;\n if (\"value\" in descriptor) descriptor.writable = true;\n Object.defineProperty(target, descriptor.key, descriptor);\n }\n}\n\nexport default function _createClass(Constructor, protoProps, staticProps) {\n if (protoProps) _defineProperties(Constructor.prototype, protoProps);\n if (staticProps) _defineProperties(Constructor, staticProps);\n return Constructor;\n}","var baseIsEqualDeep = require('./_baseIsEqualDeep'),\n isObjectLike = require('./isObjectLike');\n\n/**\n * The base implementation of `_.isEqual` which supports partial comparisons\n * and tracks traversed objects.\n *\n * @private\n * @param {*} value The value to compare.\n * @param {*} other The other value to compare.\n * @param {boolean} bitmask The bitmask flags.\n * 1 - Unordered comparison\n * 2 - Partial comparison\n * @param {Function} [customizer] The function to customize comparisons.\n * @param {Object} [stack] Tracks traversed `value` and `other` objects.\n * @returns {boolean} Returns `true` if the values are equivalent, else `false`.\n */\nfunction baseIsEqual(value, other, bitmask, customizer, stack) {\n if (value === other) {\n return true;\n }\n if (value == null || other == null || (!isObjectLike(value) && !isObjectLike(other))) {\n return value !== value && other !== other;\n }\n return baseIsEqualDeep(value, other, bitmask, customizer, baseIsEqual, stack);\n}\n\nmodule.exports = baseIsEqual;\n","/*!\n * Font Awesome Free 5.5.0 by @fontawesome - https://fontawesome.com\n * License - https://fontawesome.com/license/free (Icons: CC BY 4.0, Fonts: SIL OFL 1.1, Code: MIT License)\n */\nvar noop = function noop() {};\n\nvar _WINDOW = {};\nvar _DOCUMENT = {};\nvar _MUTATION_OBSERVER$1 = null;\nvar _PERFORMANCE = { mark: noop, measure: noop };\n\ntry {\n if (typeof window !== 'undefined') _WINDOW = window;\n if (typeof document !== 'undefined') _DOCUMENT = document;\n if (typeof MutationObserver !== 'undefined') _MUTATION_OBSERVER$1 = MutationObserver;\n if (typeof performance !== 'undefined') _PERFORMANCE = performance;\n} catch (e) {}\n\nvar _ref = _WINDOW.navigator || {};\nvar _ref$userAgent = _ref.userAgent;\nvar userAgent = _ref$userAgent === undefined ? '' : _ref$userAgent;\n\nvar WINDOW = _WINDOW;\nvar DOCUMENT = _DOCUMENT;\nvar MUTATION_OBSERVER = _MUTATION_OBSERVER$1;\nvar PERFORMANCE = _PERFORMANCE;\n\nvar IS_DOM = !!DOCUMENT.documentElement && !!DOCUMENT.head && typeof DOCUMENT.addEventListener === 'function' && typeof DOCUMENT.createElement === 'function';\nvar IS_IE = ~userAgent.indexOf('MSIE') || ~userAgent.indexOf('Trident/');\n\nvar NAMESPACE_IDENTIFIER = '___FONT_AWESOME___';\nvar UNITS_IN_GRID = 16;\nvar DEFAULT_FAMILY_PREFIX = 'fa';\nvar DEFAULT_REPLACEMENT_CLASS = 'svg-inline--fa';\nvar DATA_FA_I2SVG = 'data-fa-i2svg';\nvar DATA_FA_PSEUDO_ELEMENT = 'data-fa-pseudo-element';\nvar DATA_PREFIX = 'data-prefix';\nvar DATA_ICON = 'data-icon';\nvar HTML_CLASS_I2SVG_BASE_CLASS = 'fontawesome-i2svg';\nvar TAGNAMES_TO_SKIP_FOR_PSEUDOELEMENTS = ['HTML', 'HEAD', 'STYLE', 'SCRIPT'];\nvar PRODUCTION = function () {\n try {\n return process.env.NODE_ENV === 'production';\n } catch (e) {\n return false;\n }\n}();\n\nvar oneToTen = [1, 2, 3, 4, 5, 6, 7, 8, 9, 10];\nvar oneToTwenty = oneToTen.concat([11, 12, 13, 14, 15, 16, 17, 18, 19, 20]);\n\nvar ATTRIBUTES_WATCHED_FOR_MUTATION = ['class', 'data-prefix', 'data-icon', 'data-fa-transform', 'data-fa-mask'];\n\nvar RESERVED_CLASSES = ['xs', 'sm', 'lg', 'fw', 'ul', 'li', 'border', 'pull-left', 'pull-right', 'spin', 'pulse', 'rotate-90', 'rotate-180', 'rotate-270', 'flip-horizontal', 'flip-vertical', 'stack', 'stack-1x', 'stack-2x', 'inverse', 'layers', 'layers-text', 'layers-counter'].concat(oneToTen.map(function (n) {\n return n + 'x';\n})).concat(oneToTwenty.map(function (n) {\n return 'w-' + n;\n}));\n\nvar classCallCheck = function (instance,

Constructor) {\n if (!(instance instanceof Constructor)) {\n throw new TypeError(\"Cannot call a class as a function\");\n }\n};\n\nvar createClass = function () {\n function defineProperties(target, props) {\n for (var i = 0; i < props.length; i++) {\n var descriptor = props[i];\n descriptor.enumerable = descriptor.enumerable || false;\n descriptor.configurable = true;\n if (\"value\" in descriptor) descriptor.writable = true;\n Object.defineProperty(target, descriptor.key, descriptor);\n }\n }\n\n return function (Constructor, protoProps, staticProps) {\n if (protoProps) defineProperties(Constructor.prototype, protoProps);\n if (staticProps) defineProperties(Constructor, staticProps);\n return Constructor;\n };\n}();\n\n\nvar _extends = Object.assign || function (target) {\n for (var i = 1; i < arguments.length; i++) {\n var source = arguments[i];\n\n for (var key in source) {\n if (Object.prototype.hasOwnProperty.call(source, key)) {\n target[key] = source[key];\n }\n }\n }\n\n return target;\n};\n\n\n\nvar slicedToArray = function () {\n function sliceIterator(arr, i) {\n var _arr = [];\n var _n = true;\n var _d = false;\n var _e = undefined;\n\n try {\n for (var _i = arr[Symbol.iterator](), _s; !(_n = (_s = _i.next()).done); _n = true) {\n _arr.push(_s.value);\n\n if (i && _arr.length === i) break;\n }\n } catch (err) {\n _d = true;\n _e = err;\n } finally {\n try {\n if (!_n && _i[\"return\"]) _i[\"return\"]();\n } finally {\n if (_d) throw _e;\n }\n }\n\n return _arr;\n }\n\n return function (arr, i) {\n if (Array.isArray(arr)) {\n return arr;\n } else if (Symbol.iterator in Object(arr)) {\n return sliceIterator(arr, i);\n } else {\n throw new TypeError(\"Invalid attempt to destructure non-iterable instance\");\n }\n };\n}();\n\nvar toConsumableArray = function (arr) {\n if (Array.isArray(arr)) {\n for (var i = 0, arr2 = Array(arr.length); i < arr.length; i++) arr2[i] = arr[i];\n\n return arr2;\n } else {\n return Array.from(arr);\n }\n};\n\nvar initial = WINDOW.FontAwesomeConfig || {};\n\nfunction getAttrConfig(attr) {\n var element = DOCUMENT.querySelector('script[' + attr + ']');\n\n if (element) {\n return element.getAttribute(attr);\n }\n}\n\nfunction coerce(val) {\n // Getting an empty string will occur if the attribute is set on the HTML tag but without a value\n // We'll assume that this is an indication that it should be toggled to true\n // For example <script data-search-pseudo-elements src=\"...\"></script>\n if (val === '') return true;\n if (val === 'false') return false;\n if (val === 'true') return true;\n return val;\n}\n\nif (DOCUMENT && typeof DOCUMENT.querySelector === 'function') {\n var attrs = [['data-family-prefix', 'familyPrefix'], ['data-replacement-class', 'replacementClass'], ['data-auto-replace-svg', 'autoReplaceSvg'], ['data-auto-add-css', 'autoAddCss'], ['data-auto-a11y', 'autoA11y'], ['data-search-pseudo-elements', 'searchPseudoElements'], ['data-observe-mutations', 'observeMutations'], ['data-keep-original-source', 'keepOriginalSource'], ['data-measure-performance', 'measurePerformance'], ['data-show-missing-icons', 'showMissingIcons']];\n\n attrs.forEach(function (_ref) {\n var _ref2 = slicedToArray(_ref, 2),\n attr = _ref2[0],\n key = _ref2[1];\n\n var val = coerce(getAttrConfig(attr));\n\n if (val !== undefined && val !== null) {\n initial[key] = val;\n }\n });\n}\n\nvar _default = _extends({\n familyPrefix: DEFAULT_FAMILY_PREFIX,\n replacementClass: DEFAULT_REPLACEMENT_CLASS,\n autoReplaceSvg: true,\n autoAddCss: true,\n autoA11y: true,\n searchPseudoElements: false,\n observeMutations: true,\n keepOriginalSource: true,\n measurePerformance: false,\n showMissingIcons: true\n}, initial);\n\nif (!_default.autoReplaceSvg) _default.observeMutations = false;\n\nvar config = _extends({}, _default);\n\nWINDOW.FontAwesomeConfig = config;\n\nvar w = WINDOW || {};\n\nif (!w[NAMESPACE_IDENTIFIER]) w[NAMESPACE_IDENTIFIER] = {};\nif (!w[NAMESPACE_IDENTIFIER].styles) w[NAMESPACE_IDENTIFIER].styles = {};\nif (!w[NAMESPACE_IDENTIFIER].hooks) w[NAMESPACE_IDENTIFIER].hooks = {};\nif (!w[NAMESPACE_IDENTIFIER].shims) w[NAMESPACE_IDENTIFIER].shims = [];\n\nvar namespace = w[NAMESPACE_IDENTIFIER];\n\nvar functions = [];\nvar listener = function listener() {\n DOCUMENT.removeEventListener('DOMContentLoaded', listener);\n loaded = 1;\n functions.map(function (fn) {\n return fn();\n });\n};\n\nvar loaded = false;\n\nif (IS_DOM) {\n loaded = (DOCUMENT.documentElement.doScroll ? /^loaded|^c/ : /^loaded|^i|^c/).test(DOCUMENT.readyState);\n\n if (!loaded) DOCUMENT.addEventListener('DOMContentLoaded', listener);\n}\n\nvar domready = function (fn) {\n if (!IS_DOM) return;\n loaded ? setTimeout(fn, 0) : functions.push(fn);\n};\n\nvar d = UNITS_IN_GRID;\n\nvar meaninglessTransform = {\n size: 16,\n x: 0,\n y: 0,\n rotate: 0,\n flipX: false,\n flipY: false\n};\n\nfunction isReserved(name) {\n return ~RESERVED_CLASSES.indexOf(name);\n}\n\n\n\nfunction insertCss(css) {\n if

```
(!css || !IS_DOM) {\n    return;\n   }\n\n   var style = DOCUMENT.createElement('style');\n   style.setAttribute('type',
'text/css');\n   style.innerHTML = css;\n\n   var headChildren = DOCUMENT.head.childNodes;\n   var beforeChild =
null;\n\n   for (var i = headChildren.length - 1; i > -1; i--) {\n     var child = headChildren[i];\n     var tagName =
(child.tagName || '').toUpperCase();\n     if (['STYLE', 'LINK'].indexOf(tagName) > -1) {\n       beforeChild = child;\n
   }\n   }\n\n   DOCUMENT.head.insertBefore(style, beforeChild);\n\n   return css;\n}\n\n\nvar idPool =
'0123456789abcdefghijklmnopqrstuvwxyzABCDEFGHIJKLMNOPQRSTUVWXYZ';\n\nfunction nextUniqueId()
{\n   var size = 12;\n   var id = '';\n   while (size-- > 0) {\n     id += idPool[Math.random() * 62 | 0];\n   }\n   return
id;\n}\n\nfunction toArray(obj) {\n   var array = [];\n\n   for (var i = (obj || []).length >>> 0; i--;) {\n     array[i] =
obj[i];\n   }\n\n   return array;\n}\n\nfunction classArray(node) {\n   if (node.classList) {\n     return
toArray(node.classList);\n   } else {\n     return (node.getAttribute('class') || '').split(' ').filter(function (i) {\n       return
i;\n     });\n   }\n}\n\nfunction getIconName(familyPrefix, cls) {\n   var parts = cls.split('-');\n   var prefix = parts[0];\n
var iconName = parts.slice(1).join('-');\n\n   if (prefix === familyPrefix && iconName !== '' &&
!isReserved(iconName)) {\n     return iconName;\n   } else {\n     return null;\n   }\n}\n\nfunction htmlEscape(str) {\n
return ('' + str).replace(/&/g, '&amp;').replace(/\"/g, '&quot;').replace(/'/g, '&#39;').replace(/</g, '&lt;').replace(/>/g,
'&gt;');\n}\n\nfunction joinAttributes(attributes) {\n   return Object.keys(attributes || {}).reduce(function (acc,
attributeName) {\n     return acc + (attributeName + '=\"' + htmlEscape(attributes[attributeName]) + '\" ');\n   },
'').trim();\n}\n\nfunction joinStyles(styles) {\n   return Object.keys(styles || {}).reduce(function (acc, styleName) {\n
return acc + (styleName + ': ' + styles[styleName] + ';');\n   }, '');\n}\n\nfunction transformIsMeaningful(transform)
{\n   return transform.size !== meaninglessTransform.size || transform.x !== meaninglessTransform.x || transform.y
!== meaninglessTransform.y || transform.rotate !== meaninglessTransform.rotate || transform.flipX ||
transform.flipY;\n}\n\nfunction transformForSvg(_ref) {\n   var transform = _ref.transform,\n       containerWidth =
_ref.containerWidth,\n       iconWidth = _ref.iconWidth;\n\n   var outer = {\n     transform: 'translate(' +
containerWidth / 2 + ' 256)'\n   };\n   var innerTranslate = 'translate(' + transform.x * 32 + ', ' + transform.y * 32 + ')
';\n   var innerScale = 'scale(' + transform.size / 16 * (transform.flipX ? -1 : 1) + ', ' + transform.size / 16 *
(transform.flipY ? -1 : 1) + ') ';\n   var innerRotate = 'rotate(' + transform.rotate + ' 0 0)';\n   var inner = {\n
transform: innerTranslate + ' ' + innerScale + ' ' + innerRotate\n   };\n   var path = {\n     transform: 'translate(' +
iconWidth / 2 * -1 + ' -256)'\n   };\n   return {\n     outer: outer,\n     inner: inner,\n     path: path\n   };\n}\n\nfunction
transformForCss(_ref2) {\n   var transform = _ref2.transform,\n       _ref2$width = _ref2.width,\n       width =
_ref2$width === undefined ? UNITS_IN_GRID : _ref2$width,\n       _ref2$height = _ref2.height,\n       height =
_ref2$height === undefined ? UNITS_IN_GRID : _ref2$height,\n       _ref2$startCentered = _ref2.startCentered,\n
 startCentered = _ref2$startCentered === undefined ? false : _ref2$startCentered;\n\n   var val = '';\n\n   if
(startCentered && IS_IE) {\n     val += 'translate(' + (transform.x / d - width / 2) + 'em, ' + (transform.y / d - height /
2) + 'em) ';\n   } else if (startCentered) {\n     val += 'translate(calc(-50% + ' + transform.x / d + 'em), calc(-50% + ' +
transform.y / d + 'em)) ';\n   } else {\n     val += 'translate(' + transform.x / d + 'em, ' + transform.y / d + 'em) ';\n   }\n\n
val += 'scale(' + transform.size / d * (transform.flipX ? -1 : 1) + ', ' + transform.size / d * (transform.flipY ? -1 : 1) +
') ';\n   val += 'rotate(' + transform.rotate + 'deg) ';\n\n   return val;\n}\n\nvar ALL_SPACE = {\n   x: 0,\n   y: 0,\n
width: '100%',\n   height: '100%'\n};\n\nvar makeIconMasking = function (_ref) {\n   var children = _ref.children,\n
attributes = _ref.attributes,\n       main = _ref.main,\n       mask = _ref.mask,\n       transform = _ref.transform;\n   var
mainWidth = main.width,\n       mainPath = main.icon;\n   var maskWidth = mask.width,\n       maskPath =
mask.icon;\n\n\n   var trans = transformForSvg({ transform: transform, containerWidth: maskWidth, iconWidth:
mainWidth });\n\n   var maskRect = {\n     tag: 'rect',\n     attributes: _extends({}, ALL_SPACE, {\n       fill: 'white'\n
})\n   };\n   var maskInnerGroup = {\n     tag: 'g',\n     attributes: _extends({}, trans.inner),\n     children: [{ tag: 'path',
attributes: _extends({}, mainPath.attributes, trans.path, { fill: 'black' }) }]\n   };\n   var maskOuterGroup = {\n     tag:
'g',\n     attributes: _extends({}, trans.outer),\n     children: [maskInnerGroup]\n   };\n   var maskId = 'mask-' +
nextUniqueId();\n   var clipId = 'clip-' + nextUniqueId();\n   var maskTag = {\n     tag: 'mask',\n     attributes:
_extends({}, ALL_SPACE, {\n       id: maskId,\n       maskUnits: 'userSpaceOnUse',\n       maskContentUnits:
'userSpaceOnUse'\n     }),\n     children: [maskRect, maskOuterGroup]\n   };\n   var defs = {\n     tag: 'defs',\n
children: [{ tag: 'clipPath', attributes: { id: clipId }, children: [maskPath] }, maskTag]\n   };\n\n   children.push(defs, {
```

tag: 'rect', attributes: _extends({ fill: 'currentColor', 'clip-path': 'url(#' + clipId + ')', mask: 'url(#' + maskId + ')' }, ALL_SPACE) });\n\n return {\n   children: children,\n   attributes: attributes\n };\n};\n\nvar makeIconStandard = function (_ref) {\n var children = _ref.children,\n   attributes = _ref.attributes,\n   main = _ref.main,\n   transform = _ref.transform,\n   styles = _ref.styles;\n\n var styleString = joinStyles(styles);\n\n if (styleString.length > 0) {\n   attributes['style'] = styleString;\n }\n\n if (transformIsMeaningful(transform)) {\n   var trans = transformForSvg({ transform: transform, containerWidth: main.width, iconWidth: main.width });\n   children.push({\n   tag: 'g',\n   attributes: _extends({}, trans.outer),\n   children: [{\n   tag: 'g',\n   attributes: _extends({}, trans.inner),\n   children: [{\n   tag: main.icon.tag,\n   children: main.icon.children,\n   attributes: _extends({}, main.icon.attributes, trans.path)\n   }]\n   }]\n   });\n } else {\n   children.push(main.icon);\n }\n\n return {\n   children: children,\n   attributes: attributes\n };\n};\n\nvar asIcon = function (_ref) {\n var children = _ref.children,\n   main = _ref.main,\n   mask = _ref.mask,\n   attributes = _ref.attributes,\n   styles = _ref.styles,\n   transform = _ref.transform;\n\n if (transformIsMeaningful(transform) && main.found && !mask.found) {\n   var width = main.width,\n   height = main.height;\n\n   var offset = {\n   x: width / height / 2,\n   y: 0.5\n   };\n   attributes['style'] = joinStyles(_extends({}, styles, {\n   'transform-origin': offset.x + transform.x / 16 + 'em ' + (offset.y + transform.y / 16) + 'em'\n   }));\n }\n\n return [{\n   tag: 'svg',\n   attributes: attributes,\n   children: children\n }];\n};\n\nvar asSymbol = function (_ref) {\n var prefix = _ref.prefix,\n   iconName = _ref.iconName,\n   children = _ref.children,\n   attributes = _ref.attributes,\n   symbol = _ref.symbol;\n\n var id = symbol === true ? prefix + '-' + config.familyPrefix + '-' + iconName : symbol;\n\n return [{\n   tag: 'svg',\n   attributes: {\n   style: 'display: none;'\n   },\n   children: [{\n   tag: 'symbol',\n   attributes: _extends({}, attributes, { id: id }),\n   children: children\n   }]\n }];\n};\n\nfunction makeInlineSvgAbstract(params) {\n var _params$icons = params.icons,\n   main = _params$icons.main,\n   mask = _params$icons.mask,\n   prefix = params.prefix,\n   iconName = params.iconName,\n   transform = params.transform,\n   symbol = params.symbol,\n   title = params.title,\n   extra = params.extra,\n   _params$watchable = params.watchable,\n   watchable = _params$watchable === undefined ? false : _params$watchable;\n\n var _ref = mask.found ? mask : main,\n   width = _ref.width,\n   height = _ref.height;\n\n var widthClass = 'fa-w-' + Math.ceil(width / height * 16);\n var attrClass = [config.replacementClass, iconName ? config.familyPrefix + '-' + iconName : '', widthClass].filter(function (c) {\n   return extra.classes.indexOf(c) === -1;\n }).concat(extra.classes).join(' ');\n\n var content = {\n   children: [],\n   attributes: _extends({}, extra.attributes, {\n   'data-prefix': prefix,\n   'data-icon': iconName,\n   'class': attrClass,\n   'role': 'img',\n   'xmlns': 'http://www.w3.org/2000/svg',\n   'viewBox': '0 0 ' + width + ' ' + height\n   })\n };\n\n if (watchable) {\n   content.attributes[DATA_FA_I2SVG] = '';\n }\n\n if (title) content.children.push({ tag: 'title', attributes: { id: content.attributes['aria-labelledby'] || 'title-' + nextUniqueId() }, children: [title] });\n\n var args = _extends({}, content, {\n   prefix: prefix,\n   iconName: iconName,\n   main: main,\n   mask: mask,\n   transform: transform,\n   symbol: symbol,\n   styles: extra.styles\n });\n\n var _ref2 = mask.found && main.found ? makeIconMasking(args) : makeIconStandard(args),\n   children = _ref2.children,\n   attributes = _ref2.attributes;\n\n args.children = children;\n args.attributes = attributes;\n\n if (symbol) {\n   return asSymbol(args);\n } else {\n   return asIcon(args);\n }\n}\n\nfunction makeLayersTextAbstract(params) {\n var content = params.content,\n   width = params.width,\n   height = params.height,\n   transform = params.transform,\n   title = params.title,\n   extra = params.extra,\n   _params$watchable2 = params.watchable,\n   watchable = _params$watchable2 === undefined ? false : _params$watchable2;\n\n var attributes = _extends({}, extra.attributes, title ? { 'title': title } : {}, {\n   'class': extra.classes.join(' ')\n });\n\n if (watchable) {\n   attributes[DATA_FA_I2SVG] = '';\n }\n\n var styles = _extends({}, extra.styles);\n\n if (transformIsMeaningful(transform)) {\n   styles['transform'] = transformForCss({ transform: transform, startCentered: true, width: width, height: height });\n   styles['-webkit-transform'] = styles['transform'];\n }\n\n var styleString = joinStyles(styles);\n\n if (styleString.length > 0) {\n   attributes['style'] = styleString;\n }\n\n var val = [];\n\n val.push({\n   tag: 'span',\n   attributes: attributes,\n   children: [content]\n });\n\n if (title) {\n   val.push({ tag: 'span', attributes: { class: 'sr-only' }, children: [title] });\n }\n\n return val;\n}\n\nfunction makeLayersCounterAbstract(params) {\n var content = params.content,\n   title = params.title,\n   extra =

params.extra;\n\n\n var attributes = _extends({}, extra.attributes, title ? { 'title': title } : {}, {\n   'class': extra.classes.join(' ')\n });\n\n var styleString = joinStyles(extra.styles);\n\n if (styleString.length > 0) {\n   attributes['style'] = styleString;\n }\n\n var val = [];\n val.push({\n   tag: 'span',\n   attributes: attributes,\n   children: [content]\n });\n\n if (title) {\n   val.push({ tag: 'span', attributes: { class: 'sr-only' }, children: [title] });\n }\n\n return val;\n}\n\nvar noop$2 = function noop() {};\nvar p = config.measurePerformance && PERFORMANCE && PERFORMANCE.mark && PERFORMANCE.measure ? PERFORMANCE : { mark: noop$2, measure: noop$2 };\nvar preamble = 'FA \"5.5.0\"';\nvar begin = function begin(name) {\n p.mark(preamble + ' ' + name + ' begins');\n return function () {\n   return end(name);\n };\n};\nvar end = function end(name) {\n p.mark(preamble + ' ' + name + ' ends');\n p.measure(preamble + ' ' + name, preamble + ' ' + name + ' begins', preamble + ' ' + name + ' ends');\n};\nvar perf = { begin: begin, end: end };\n\n'use strict';\n\n/**\n * Internal helper to bind a function known to have 4 arguments\n * to a given context.\n */\nvar bindInternal4 = function bindInternal4 (func, thisContext) {\n return function (a, b, c, d) {\n   return func.call(thisContext, a, b, c, d);\n };\n};\n\n'use strict';\n\n\n/**\n * # Reduce\n *\n * A fast object `.reduce()` implementation.\n *\n * @param {Object}   subject   The object to reduce over.\n * @param {Function} fn   The reducer function.\n * @param {mixed}   initialValue The initial value for the reducer, defaults to subject[0].\n * @param {Object}   thisContext The context for the reducer.\n * @return {mixed}   The final result.\n */\nvar reduce = function fastReduceObject (subject, fn, initialValue, thisContext) {\n var keys = Object.keys(subject),\n   length = keys.length,\n   iterator = thisContext !== undefined ? bindInternal4(fn, thisContext) : fn,\n   i, key, result;\n\n if (initialValue === undefined) {\n   i = 1;\n   result = subject[keys[0]];\n } else {\n   i = 0;\n   result = initialValue;\n }\n\n for (; i < length; i++) {\n   key = keys[i];\n   result = iterator(result, subject[key], key, subject);\n }\n\n return result;\n};\n\nvar styles$2 = namespace.styles;\nvar shims = namespace.shims;\n\n\nvar _byUnicode = {};\nvar _byLigature = {};\nvar _byOldName = {};\nvar build = function build() {\n var lookup = function lookup(reducer) {\n   return reduce(styles$2, function (o, style, prefix) {\n   o[prefix] = reduce(style, reducer, {});\n   return o;\n   }, {});\n };\n\n _byUnicode = lookup(function (acc, icon, iconName) {\n   acc[icon[3]] = iconName;\n\n   return acc;\n });\n\n _byLigature = lookup(function (acc, icon, iconName) {\n   var ligatures = icon[2];\n\n   acc[iconName] = iconName;\n\n   ligatures.forEach(function (ligature) {\n   acc[ligature] = iconName;\n   });\n\n   return acc;\n });\n\n var hasRegular = 'far' in styles$2;\n\n _byOldName = reduce(shims, function (acc, shim) {\n   var oldName = shim[0];\n   var prefix = shim[1];\n   var iconName = shim[2];\n\n   if (prefix === 'far' && !hasRegular) {\n   prefix = 'fas';\n   }\n\n   acc[oldName] = { prefix: prefix, iconName: iconName };\n   return acc;\n }, {});\n};\n\nbuild();\n\nfunction byUnicode(prefix, unicode) {\n return _byUnicode[prefix][unicode];\n}\n\nfunction byLigature(prefix, ligature) {\n return _byLigature[prefix][ligature];\n}\n\nfunction byOldName(name) {\n return _byOldName[name] || { prefix: null, iconName: null };\n}\n\nvar styles$1 = namespace.styles;\n\n\nvar emptyCanonicalIcon = function emptyCanonicalIcon() {\n return { prefix: null, iconName: null, rest: [] };\n};\n\nfunction getCanonicalIcon(values) {\n return values.reduce(function (acc, cls) {\n   var iconName = getIconName(config.familyPrefix, cls);\n\n   if (styles$1[cls]) {\n   acc.prefix = cls;\n   } else if (iconName) {\n   var shim = acc.prefix === 'fa' ? byOldName(iconName) : {};\n\n   acc.iconName = shim.iconName || iconName;\n   acc.prefix = shim.prefix || acc.prefix;\n   } else if (cls !== config.replacementClass && cls.indexOf('fa-w-') !== 0) {\n   acc.rest.push(cls);\n   }\n\n   return acc;\n }, emptyCanonicalIcon());\n}\n\nfunction iconFromMapping(mapping, prefix, iconName) {\n if (mapping && mapping[prefix] && mapping[prefix][iconName]) {\n   return {\n   prefix: prefix,\n   iconName: iconName,\n   icon: mapping[prefix][iconName]\n   };\n }\n}\n\nfunction toHtml(abstractNodes) {\n var tag = abstractNodes.tag,\n   _abstractNodes$attrib = abstractNodes.attributes,\n   attributes = _abstractNodes$attrib === undefined ? {} : _abstractNodes$attrib,\n   _abstractNodes$childr = abstractNodes.children,\n   children = _abstractNodes$childr === undefined ? [] : _abstractNodes$childr;\n\n if (typeof abstractNodes === 'string') {\n   return htmlEscape(abstractNodes);\n } else {\n   return '<' + tag + ' ' + joinAttributes(attributes) + '>' + children.map(toHtml).join('') + '</' + tag + '>';\n }\n}\n\nvar noop$1 = function noop() {};\n\nfunction isWatched(node) {\n var i2svg = node.getAttribute ? node.getAttribute(DATA_FA_I2SVG) : null;\n\n return typeof i2svg === 'string';\n}\n\nfunction getMutator() {\n if (config.autoReplaceSvg === true) {\n

return mutators.replace;\n }\n\n var mutator = mutators[config.autoReplaceSvg];\n\n return mutator || mutators.replace;\n}\n\nvar mutators = {\n replace: function replace(mutation) {\n   var node = mutation[0];\n   var abstract = mutation[1];\n   var newOuterHTML = abstract.map(function (a) {\n   return toHtml(a);\n   }).join('\\n');\n\n   if (node.parentNode && node.outerHTML) {\n   node.outerHTML = newOuterHTML + (config.keepOriginalSource && node.tagName.toLowerCase() !== 'svg' ? '<!-- ' + node.outerHTML + ' -->' : '');\n   } else if (node.parentNode) {\n   var newNode = document.createElement('span');\n   node.parentNode.replaceChild(newNode, node);\n   newNode.outerHTML = newOuterHTML;\n   }\n },\n nest: function nest(mutation) {\n   var node = mutation[0];   var abstract = mutation[1];\n\n   // If we already have a replaced node we do not want to continue nesting within it.\n   // Short-circuit to the standard replacement\n   if (~classArray(node).indexOf(config.replacementClass)) {\n   return mutators.replace(mutation);\n   }\n\n   var forSvg = new RegExp(config.familyPrefix + '-.*');\n\n   delete abstract[0].attributes.style;\n\n   var splitClasses = abstract[0].attributes.class.split(' ').reduce(function (acc, cls) {\n   if (cls === config.replacementClass || cls.match(forSvg)) {\n   acc.toSvg.push(cls);\n   } else {\n   acc.toNode.push(cls);\n   }\n\n   return acc;\n   }, { toNode: [], toSvg: [] });\n\n   abstract[0].attributes.class = splitClasses.toSvg.join(' ');\n\n   var newInnerHTML = abstract.map(function (a) {\n   return toHtml(a);\n   }).join('\\n');\n   node.setAttribute('class', splitClasses.toNode.join(' '));\n   node.setAttribute(DATA_FA_I2SVG, '');\n   node.innerHTML = newInnerHTML;\n }\n};\n\nfunction perform(mutations, callback) {\n var callbackFunction = typeof callback === 'function' ? callback : noop$1;\n\n if (mutations.length === 0) {\n   callbackFunction();\n } else {\n   var frame = WINDOW.requestAnimationFrame || function (op) {\n   return op();\n   };\n\n   frame(function () {\n   var mutator = getMutator();\n   var mark = perf.begin('mutate');\n\n   mutations.map(mutator);\n\n   mark();\n\n   callbackFunction();\n   });\n }\n}\n\nvar disabled = false;\nfunction disableObservation(operation) {\n disabled = true;\n operation();\n disabled = false;\n}\n\nvar mo = null;\nfunction observe(options) {\n if (!MUTATION_OBSERVER) {\n   return;\n }\n\n if (!config.observeMutations) {\n   return;\n }\n\n var treeCallback = options.treeCallback,\n   nodeCallback = options.nodeCallback,\n   pseudoElementsCallback = options.pseudoElementsCallback,\n   _options$observeMutat = options.observeMutationsRoot,\n   observeMutationsRoot = _options$observeMutat === undefined ? DOCUMENT.body : _options$observeMutat;\n\n mo = new MUTATION_OBSERVER(function (objects) {\n   if (disabled) return;\n\n   toArray(objects).forEach(function (mutationRecord) {\n   if (mutationRecord.type === 'childList' && mutationRecord.addedNodes.length > 0 && !isWatched(mutationRecord.addedNodes[0])) {\n   if (config.searchPseudoElements) {\n   pseudoElementsCallback(mutationRecord.target);\n   }\n\n   treeCallback(mutationRecord.target);\n   }\n\n   if (mutationRecord.type === 'attributes' && mutationRecord.target.parentNode && config.searchPseudoElements) {\n   pseudoElementsCallback(mutationRecord.target.parentNode);\n   }\n\n   if (mutationRecord.type === 'attributes' && isWatched(mutationRecord.target) && ~ATTRIBUTES_WATCHED_FOR_MUTATION.indexOf(mutationRecord.attributeName)) {\n   if (mutationRecord.attributeName === 'class') {\n   var _getCanonicalIcon = getCanonicalIcon(classArray(mutationRecord.target)),\n   prefix = _getCanonicalIcon.prefix,\n   iconName = _getCanonicalIcon.iconName;\n\n   if (prefix) mutationRecord.target.setAttribute('data-prefix', prefix);\n   if (iconName) mutationRecord.target.setAttribute('data-icon', iconName);\n   } else {\n   nodeCallback(mutationRecord.target);\n   }\n   }\n   });\n });\n\n if (!IS_DOM) return;\n\n mo.observe(observeMutationsRoot, {\n   childList: true, attributes: true, characterData: true, subtree: true\n });\n}\n\nfunction disconnect() {\n if (!mo) return;\n\n mo.disconnect();\n}\n\nvar styleParser = function (node) {\n var style = node.getAttribute('style');\n\n var val = [];\n\n if (style) {\n   val = style.split(';').reduce(function (acc, style) {\n   var styles = style.split(':');\n   var prop = styles[0];\n   var value = styles.slice(1);\n\n   if (prop && value.length > 0) {\n   acc[prop] = value.join(':').trim();\n   }\n\n   return acc;\n   }, {});\n }\n\n return val;\n};\n\nfunction toHex(unicode) {\n var result = '';\n for (var i = 0; i < unicode.length; i++) {\n   var hex = unicode.charCodeAt(i).toString(16);\n   result += ('000' + hex).slice(-4);\n }\n\n return result;\n}\n\nvar classParser = function (node) {\n var existingPrefix = node.getAttribute('data-prefix');\n var existingIconName =

node.getAttribute('data-icon');\n var innerText = node.innerText !== undefined ? node.innerText.trim() : '';\n\n var val = getCanonicalIcon(classArray(node));\n\n if (existingPrefix && existingIconName) {\n   val.prefix = existingPrefix;\n   val.iconName = existingIconName;\n }\n\n if (val.prefix && innerText.length > 1) {\n   val.iconName = byLigature(val.prefix, node.innerText);\n } else if (val.prefix && innerText.length === 1) {\n   val.iconName = byUnicode(val.prefix, toHex(node.innerText));\n }\n\n return val;\n};\n\nvar parseTransformString = function parseTransformString(transformString) {\n var transform = {\n   size: 16,\n   x: 0,\n   y: 0,\n   flipX: false,\n   flipY: false,\n   rotate: 0\n };\n\n if (!transformString) {\n   return transform;\n } else {\n   return transformString.toLowerCase().split(' ').reduce(function (acc, n) {\n   var parts = n.toLowerCase().split('-');\n   var first = parts[0];\n   var rest = parts.slice(1).join('-');\n\n   if (first && rest === 'h') {\n   acc.flipX = true;\n   return acc;\n   }\n\n   if (first && rest === 'v') {\n   acc.flipY = true;\n   return acc;\n   }\n\n   rest = parseFloat(rest);\n\n   if (isNaN(rest)) {\n   return acc;\n   }\n\n   switch (first) {\n   case 'grow':\n   acc.size = acc.size + rest;\n   break;\n   case 'shrink':\n   acc.size = acc.size - rest;\n   break;\n   case 'left':\n   acc.x = acc.x - rest;\n   break;\n   case 'right':\n   acc.x = acc.x + rest;\n   break;\n   case 'up':\n   acc.y = acc.y - rest;\n   break;\n   case 'down':\n   acc.y = acc.y + rest;\n   break;\n   case 'rotate':\n   acc.rotate = acc.rotate + rest;\n   break;\n   }\n\n   return acc;\n   }, transform);\n }\n};\n\nvar transformParser = function (node) {\n return parseTransformString(node.getAttribute('data-fa-transform'));\n};\n\nvar symbolParser = function (node) {\n var symbol = node.getAttribute('data-fa-symbol');\n\n return symbol === null ? false : symbol === '' ? true : symbol;\n};\n\nvar attributesParser = function (node) {\n var extraAttributes = toArray(node.attributes).reduce(function (acc, attr) {\n   if (acc.name !== 'class' && acc.name !== 'style') {\n   acc[attr.name] = attr.value;\n   }\n   return acc;\n }, {});\n\n var title = node.getAttribute('title');\n\n if (config.autoA11y) {\n   if (title) {\n   extraAttributes['aria-labelledby'] = config.replacementClass + '-title-' + nextUniqueId();\n   } else {\n   extraAttributes['aria-hidden'] = 'true';\n   }\n }\n\n return extraAttributes;\n};\n\nvar maskParser = function (node) {\n var mask = node.getAttribute('data-fa-mask');\n\n if (!mask) {\n   return emptyCanonicalIcon();\n } else {\n   return getCanonicalIcon(mask.split(' ').map(function (i) {\n   return i.trim();\n   }));\n }\n};\n\nvar blankMeta = {\n iconName: null,\n title: null,\n prefix: null,\n transform: meaninglessTransform,\n symbol: false,\n mask: null,\n extra: { classes: [], styles: {}, attributes: {} }\n};\n\nfunction parseMeta(node) {\n var _classParser = classParser(node),\n   iconName = _classParser.iconName,\n   prefix = _classParser.prefix,\n   extraClasses = _classParser.rest;\n\n var extraStyles = styleParser(node);\n var transform = transformParser(node);\n var symbol = symbolParser(node);\n var extraAttributes = attributesParser(node);\n var mask = maskParser(node);\n\n return {\n   iconName: iconName,\n   title: node.getAttribute('title'),\n   prefix: prefix,\n   transform: transform,\n   symbol: symbol,\n   mask: mask,\n   extra: {\n   classes: extraClasses,\n   styles: extraStyles,\n   attributes: extraAttributes\n   }\n };\n}\n\nfunction MissingIcon(error) {\n this.name = 'MissingIcon';\n this.message = error || 'Icon unavailable';\n this.stack = new Error().stack;\n}\n\nMissingIcon.prototype = Object.create(Error.prototype);\nMissingIcon.prototype.constructor = MissingIcon;\n\nvar FILL = { fill: 'currentColor' };\nvar ANIMATION_BASE = {\n attributeType: 'XML',\n repeatCount: 'indefinite',\n dur: '2s'\n};\nvar RING = {\n tag: 'path',\n attributes: _extends({}, FILL, {\n   d: 'M156.5,447.7l-12.6,29.5c-18.7-9.5-35.9-21.2-51.5-34.9l22.7-22.7C127.6,430.5,141.5,440,156.5,447.7z M40.6,272H8.5 c1.4,21.2,5.4,41.7,11.7,61.1L50,321.2C45.1,305.5,41.8,289,40.6,272z M40.6,240c1.4-18.8,5.2-37,11.1-54.1l-29.5-12.6 C14.7,194.3,10,216.7,8.5,240H40.6z M64.3,156.5c7.8-14.9,17.2-28.8,28.1-41.5L69.7,92.3c-13.7,15.6-25.5,32.8-34.9,51.5 L64.3,156.5z M397,419.6c-13.9,12-29.4,22.3-46.1,30.4l11.9,29.8c20.7-9.9,39.8-22.6,56.9-37.6L397,419.6z M115,92.4 c13.9-12,29.4-22.3,46.1-30.4l-11.9-29.8c-20.7,9.9-39.8,22.6-56.8,37.6L115,92.4z M447.7,355.5c-7.8,14.9-17.2,28.8-28.1,41.5 l22.7,22.7c13.7-15.6,25.5-32.9,34.9-51.5L447.7,355.5z M471.4,272c-1.4,18.8-5.2,37-11.1,54.1l29.5,12.6 c7.5-21.1,12.2-43.5,13.6-66.8H471.4z M321.2,462c-15.7,5-32.2,8.2-49.2,9.4v32.1c21.2-1.4,41.7-5.4,61.1-11.7L321.2,462z M240,471.4c-18.8-1.4-37-5.2-54.1-11.1l-12.6,29.5c21.1,7.5,43.5,12.2,66.8,13.6V471.4z M462,190.8c5,15.7,8.2,32.2,9.4,49.2h32.1 c-1.4-21.2-5.4-41.7-11.7-61.1L462,190.8z M92.4,397c-12-13.9-22.3-29.4-30.4-46.1l-29.8,11.9c9.9,20.7,22.6,39.8,37.6,56.9 L92.4,397z M272,40.6c18.8,1.4,36.9,5.2,54.1,11.1l12.6-'

29.5C317.7,14.7,295.3,10,272,8.5V40.6z M190.8,50 c15.7-5,32.2-8.2,49.2-9.4V8.5c-21.2,1.4-41.7,5.4-61.1,11.7L190.8,50z M442.3,92.3L419.6,115c12,13.9,22.3,29.4,30.5,46.1 l29.8-11.9C470,128.5,457.3,109.4,442.3,92.3z M397,92.4l22.7-22.7c-15.6-13.7-32.8-25.5-51.5-34.9l-12.6,29.5 C370.4,72.1,384.4,81.5,397,92.4z'\n })\n};\nvar OPACITY_ANIMATE = _extends({}, ANIMATION_BASE, {\n attributeName: 'opacity'\n});\nvar DOT = {\n tag: 'circle',\n attributes: _extends({}, FILL, {\n cx: '256',\n cy: '364',\n r: '28'\n }),\n children: [{ tag: 'animate', attributes: _extends({}, ANIMATION_BASE, { attributeName: 'r', values: '28;14;28;28;14;28;' }) }, { tag: 'animate', attributes: _extends({}, OPACITY_ANIMATE, { values: '1;0;1;1;0;1;' }) }]\n};\nvar QUESTION = {\n tag: 'path',\n attributes: _extends({}, FILL, {\n opacity: '1',\n d: 'M263.7,312h-16c-6.6,0-12-5.4-12-12c0-71,77.4-63.9,77.4-107.8c0-20-17.8-40.2-57.4-40.2c-29.1,0-44.3,9.6-59.2,28.7 c-3.9,5-11.1,6-16.2,2.4l-13.1-9.2c-5.6-3.9-6.9-11.8-2.6-17.2c21.2-27.2,46.4-44.7,91.2-44.7c52.3,0,97.4,29.8,97.4,80.2 c0,67.6-77.4,63.5-77.4,107.8C275.7,306.6,270.3,312,263.7,312z'\n }),\n children: [{ tag: 'animate', attributes: _extends({}, OPACITY_ANIMATE, { values: '1;0;0;0;0;1;' }) }]\n};\nvar EXCLAMATION = {\n tag: 'path',\n attributes: _extends({}, FILL, {\n opacity: '0',\n d: 'M232.5,134.5l7,168c0.3,6.4,5.6,11.5,12,11.5h9c6.4,0,11.7-5.1,12-11.5l7-168c0.3-6.8-5.2-12.5-12-12.5h-23 C237.7,122,232.2,127.7,232.5,134.5z'\n }),\n children: [{ tag: 'animate', attributes: _extends({}, OPACITY_ANIMATE, { values: '0;0;1;1;0;0;' }) }]\n};\n\nvar missing = { tag: 'g', children: [RING, DOT, QUESTION, EXCLAMATION] };\n\nvar styles = namespace.styles;\nvar LAYERS_TEXT_CLASSNAME = 'fa-layers-text';\nvar FONT_FAMILY_PATTERN = /Font Awesome 5 (Solid|Regular|Light|Brands|Free|Pro)/;\nvar STYLE_TO_PREFIX = {\n 'Solid': 'fas',\n 'Regular': 'far',\n 'Light': 'fal',\n 'Brands': 'fab'\n};\nvar FONT_WEIGHT_TO_PREFIX = {\n '900': 'fas',\n '400': 'far',\n '300': 'fal'\n};\n\nfunction findIcon(iconName, prefix) {\n var val = {\n found: false,\n width: 512,\n height: 512,\n icon: missing\n };\n\n if (iconName && prefix && styles[prefix] && styles[prefix][iconName]) {\n var icon = styles[prefix][iconName];\n var width = icon[0];\n var height = icon[1];\n var vectorData = icon.slice(4);\n\n val = {\n found: true,\n width: width,\n height: height,\n icon: { tag: 'path', attributes: { fill: 'currentColor', d: vectorData[0] } }\n };\n } else if (iconName && prefix && !config.showMissingIcons) {\n throw new MissingIcon('Icon is missing for prefix ' + prefix + ' with icon name ' + iconName);\n }\n\n return val;\n}\n\nfunction generateSvgReplacementMutation(node, nodeMeta) {\n var iconName = nodeMeta.iconName,\n title = nodeMeta.title,\n prefix = nodeMeta.prefix,\n transform = nodeMeta.transform,\n symbol = nodeMeta.symbol,\n mask = nodeMeta.mask,\n extra = nodeMeta.extra;\n\n return [node, makeInlineSvgAbstract({\n icons: {\n main: findIcon(iconName, prefix),\n mask: findIcon(mask.iconName, mask.prefix)\n },\n prefix: prefix,\n iconName: iconName,\n transform: transform,\n symbol: symbol,\n mask: mask,\n title: title,\n extra: extra,\n watchable: true\n })];\n}\n\nfunction generateLayersText(node, nodeMeta) {\n var title = nodeMeta.title,\n transform = nodeMeta.transform,\n extra = nodeMeta.extra;\n\n var width = null;\n var height = null;\n\n if (IS_IE) {\n var computedFontSize = parseInt(getComputedStyle(node).fontSize, 10);\n var boundingClientRect = node.getBoundingClientRect();\n width = boundingClientRect.width / computedFontSize;\n height = boundingClientRect.height / computedFontSize;\n }\n\n if (config.autoA11y && !title) {\n extra.attributes['aria-hidden'] = 'true';\n }\n\n return [node, makeLayersTextAbstract({\n content: node.innerHTML,\n width: width,\n height: height,\n transform: transform,\n title: title,\n extra: extra,\n watchable: true\n })];\n}\n\nfunction generateMutation(node) {\n var nodeMeta = parseMeta(node);\n\n if (~nodeMeta.extra.classes.indexOf(LAYERS_TEXT_CLASSNAME)) {\n return generateLayersText(node, nodeMeta);\n } else {\n return generateSvgReplacementMutation(node, nodeMeta);\n }\n}\n\nfunction searchPseudoElements(root) {\n if (!IS_DOM) return;\n\n var end = perf.begin('searchPseudoElements');\n\n disableObservation(function () {\n toArray(root.querySelectorAll('*')).filter(function (n) {\n return n.parentNode !== document.head && !~TAGNAMES_TO_SKIP_FOR_PSEUDOELEMENTS.indexOf(n.tagName.toUpperCase()) && !n.getAttribute(DATA_FA_PSEUDO_ELEMENT) && (!n.parentNode || n.parentNode.tagName !== 'svg');\n }).forEach(function (node) {\n [':before', ':after'].forEach(function (pos) {\n var children =

toArray(node.children);\n   var alreadyProcessedPseudoElement = children.filter(function (c) {\n   return c.getAttribute(DATA_FA_PSEUDO_ELEMENT) === pos;\n   })[0];\n\n   var styles = WINDOW.getComputedStyle(node, pos);\n   var fontFamily = styles.getPropertyValue('font-family').match(FONT_FAMILY_PATTERN);\n   var fontWeight = styles.getPropertyValue('font-weight');\n\n   if (alreadyProcessedPseudoElement && !fontFamily) {\n   // If we've already processed it but the current computed style does not result in a font-family,\n   // that probably means that a class name that was previously present to make the icon has been\n   // removed. So we now should delete the icon.\n   node.removeChild(alreadyProcessedPseudoElement);\n   } else if (fontFamily) {\n   var content = styles.getPropertyValue('content');\n   var prefix = ~['Light', 'Regular', 'Solid', 'Brands'].indexOf(fontFamily[1]) ? STYLE_TO_PREFIX[fontFamily[1]] : FONT_WEIGHT_TO_PREFIX[fontWeight];\n   var iconName = byUnicode(prefix, toHex(content.length === 3 ? content.substr(1, 1) : content));\n   // Only convert the pseudo element in this :before/:after position into an icon if we haven't\n   // already done so with the same prefix and iconName\n   if (!alreadyProcessedPseudoElement || alreadyProcessedPseudoElement.getAttribute(DATA_PREFIX) !== prefix || alreadyProcessedPseudoElement.getAttribute(DATA_ICON) !== iconName) {\n   if (alreadyProcessedPseudoElement) {\n   // Delete the old one, since we're replacing it with a new one\n   node.removeChild(alreadyProcessedPseudoElement);\n   }\n\n   var extra = blankMeta.extra;\n   extra.attributes[DATA_FA_PSEUDO_ELEMENT] = pos;\n   var abstract = makeInlineSvgAbstract(_extends({}, blankMeta, {\n   icons: {\n   main: findIcon(iconName, prefix),\n   mask: emptyCanonicalIcon()\n   },\n   prefix: prefix,\n   iconName: iconName,\n   extra: extra,\n   watchable: true\n   }));\n\n   var element = DOCUMENT.createElement('svg');\n\n   if (pos === ':before') {\n   node.insertBefore(element, node.firstChild);\n   } else {\n   node.appendChild(element);\n   }\n\n   element.outerHTML = abstract.map(function (a) {\n   return toHtml(a);\n   }).join('\n');\n   }\n   }\n   });\n   });\n\n end();\n}\n\nfunction onTree(root) {\n var callback = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : null;\n\n if (!IS_DOM) return;\n\n var htmlClassList = DOCUMENT.documentElement.classList;\n var hclAdd = function hclAdd(suffix) {\n   return htmlClassList.add(HTML_CLASS_I2SVG_BASE_CLASS + '-' + suffix);\n };\n var hclRemove = function hclRemove(suffix) {\n   return htmlClassList.remove(HTML_CLASS_I2SVG_BASE_CLASS + '-' + suffix);\n };\n var prefixes = Object.keys(styles);\n var prefixesDomQuery = ['.' + LAYERS_TEXT_CLASSNAME + ':not([' + DATA_FA_I2SVG + '])'].concat(prefixes.map(function (p) {\n   return '.' + p + ':not([' + DATA_FA_I2SVG + '])';\n })).join(', ');\n\n if (prefixesDomQuery.length === 0) {\n   return;\n }\n\n var candidates = toArray(root.querySelectorAll(prefixesDomQuery));\n\n if (candidates.length > 0) {\n   hclAdd('pending');\n   hclRemove('complete');\n } else {\n   return;\n }\n\n var mark = perf.begin('onTree');\n\n var mutations = candidates.reduce(function (acc, node) {\n   try {\n   var mutation = generateMutation(node);\n\n   if (mutation) {\n   acc.push(mutation);\n   }\n   } catch (e) {\n   if (!PRODUCTION) {\n   if (e instanceof MissingIcon) {\n   console.error(e);\n   }\n   }\n   }\n\n   return acc;\n }, []);\n mark();\n\n perform(mutations, function () {\n   hclAdd('active');\n   hclAdd('complete');\n   hclRemove('pending');\n\n   if (typeof callback === 'function') callback();\n });\n}\n\nfunction onNode(node) {\n var callback = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : null;\n\n var mutation = generateMutation(node);\n\n if (mutation) {\n   perform([mutation], callback);\n }\n}\n\nvar baseStyles = \"svg:not(:root).svg-inline--fa {\\n overflow: visible; }\\n\\n.svg-inline--fa {\\n display: inline-block;\\n font-size: inherit;\\n height: 1em;\\n overflow: visible;\\n vertical-align: -.125em; }\\n .svg-inline--fa.fa-lg {\\n   vertical-align: -.225em; }\\n .svg-inline--fa.fa-w-1 {\\n   width: 0.0625em; }\\n .svg-inline--fa.fa-w-2 {\\n   width: 0.125em; }\\n .svg-inline--fa.fa-w-3 {\\n   width: 0.1875em; }\\n .svg-inline--fa.fa-w-4 {\\n   width: 0.25em; }\\n .svg-inline--fa.fa-w-5 {\\n   width: 0.3125em; }\\n .svg-inline--fa.fa-w-6 {\\n   width: 0.375em; }\\n .svg-inline--fa.fa-w-7 {\\n   width: 0.4375em; }\\n .svg-inline--fa.fa-w-8 {\\n   width: 0.5em; }\\n .svg-inline--fa.fa-w-9 {\\n   width: 0.5625em; }\\n .svg-inline--fa.fa-w-10 {\\n   width: 0.625em; }\\n .svg-inline--fa.fa-w-11 {\\n   width: 0.6875em; }\\n .svg-inline--fa.fa-w-12

{\\n   width: 0.75em; }\\n .svg-inline--fa.fa-w-13 {\\n   width: 0.8125em; }\\n .svg-inline--fa.fa-w-14 {\\n   width: 0.875em; }\\n .svg-inline--fa.fa-w-15 {\\n   width: 0.9375em; }\\n .svg-inline--fa.fa-w-16 {\\n   width: 1em; }\\n .svg-inline--fa.fa-w-17 {\\n   width: 1.0625em; }\\n .svg-inline--fa.fa-w-18 {\\n   width: 1.125em; }\\n .svg-inline--fa.fa-w-19 {\\n   width: 1.1875em; }\\n .svg-inline--fa.fa-w-20 {\\n   width: 1.25em; }\\n .svg-inline--fa.fa-pull-left {\\n   margin-right: .3em;\\n   width: auto; }\\n .svg-inline--fa.fa-pull-right {\\n   margin-left: .3em;\\n   width: auto; }\\n .svg-inline--fa.fa-border {\\n   height: 1.5em; }\\n .svg-inline--fa.fa-li {\\n   width: 2em; }\\n .svg-inline--fa.fa-fw {\\n   width: 1.25em; }\\n\\n.fa-layers svg.svg-inline--fa {\\n   bottom: 0;\\n   left: 0;\\n   margin: auto;\\n   position: absolute;\\n   right: 0;\\n   top: 0; }\\n\\n.fa-layers {\\n   display: inline-block;\\n   height: 1em;\\n   position: relative;\\n   text-align: center;\\n   vertical-align: -.125em;\\n   width: 1em; }\\n .fa-layers svg.svg-inline--fa {\\n   -webkit-transform-origin: center center;\\n   transform-origin: center center; }\\n\\n.fa-layers-text, .fa-layers-counter {\\n   display: inline-block;\\n   position: absolute;\\n   text-align: center; }\\n\\n.fa-layers-text {\\n   left: 50%;\\n   top: 50%;\\n   -webkit-transform: translate(-50%, -50%);\\n   transform: translate(-50%, -50%);\\n   -webkit-transform-origin: center center;\\n   transform-origin: center center; }\\n\\n.fa-layers-counter {\\n   background-color: #ff253a;\\n   border-radius: 1em;\\n   -webkit-box-sizing: border-box;\\n   box-sizing: border-box;\\n   color: #fff;\\n   height: 1.5em;\\n   line-height: 1;\\n   max-width: 5em;\\n   min-width: 1.5em;\\n   overflow: hidden;\\n   padding: .25em;\\n   right: 0;\\n   text-overflow: ellipsis;\\n   top: 0;\\n   -webkit-transform: scale(0.25);\\n   transform: scale(0.25);\\n   -webkit-transform-origin: top right;\\n   transform-origin: top right; }\\n\\n.fa-layers-bottom-right {\\n   bottom: 0;\\n   right: 0;\\n   top: auto;\\n   -webkit-transform: scale(0.25);\\n   transform: scale(0.25);\\n   -webkit-transform-origin: bottom right;\\n   transform-origin: bottom right; }\\n\\n.fa-layers-bottom-left {\\n   bottom: 0;\\n   left: 0;\\n   right: auto;\\n   top: auto;\\n   -webkit-transform: scale(0.25);\\n   transform: scale(0.25);\\n   -webkit-transform-origin: bottom left;\\n   transform-origin: bottom left; }\\n\\n.fa-layers-top-right {\\n   right: 0;\\n   top: 0;\\n   -webkit-transform: scale(0.25);\\n   transform: scale(0.25);\\n   -webkit-transform-origin: top right;\\n   transform-origin: top right; }\\n\\n.fa-layers-top-left {\\n   left: 0;\\n   right: auto;\\n   top: 0;\\n   -webkit-transform: scale(0.25);\\n   transform: scale(0.25);\\n   -webkit-transform-origin: top left;\\n   transform-origin: top left; }\\n\\n.fa-lg {\\n   font-size: 1.33333em;\\n   line-height: 0.75em;\\n   vertical-align: -.0667em; }\\n\\n.fa-xs {\\n   font-size: .75em; }\\n\\n.fa-sm {\\n   font-size: .875em; }\\n\\n.fa-1x {\\n   font-size: 1em; }\\n\\n.fa-2x {\\n   font-size: 2em; }\\n\\n.fa-3x {\\n   font-size: 3em; }\\n\\n.fa-4x {\\n   font-size: 4em; }\\n\\n.fa-5x {\\n   font-size: 5em; }\\n\\n.fa-6x {\\n   font-size: 6em; }\\n\\n.fa-7x {\\n   font-size: 7em; }\\n\\n.fa-8x {\\n   font-size: 8em; }\\n\\n.fa-9x {\\n   font-size: 9em; }\\n\\n.fa-10x {\\n   font-size: 10em; }\\n\\n.fa-fw {\\n   text-align: center;\\n   width: 1.25em; }\\n\\n.fa-ul {\\n   list-style-type: none;\\n   margin-left: 2.5em;\\n   padding-left: 0; }\\n .fa-ul > li {\\n   position: relative; }\\n\\n.fa-li {\\n   left: -2em;\\n   position: absolute;\\n   text-align: center;\\n   width: 2em;\\n   line-height: inherit; }\\n\\n.fa-border {\\n   border: solid 0.08em #eee;\\n   border-radius: .1em;\\n   padding: .2em .25em .15em; }\\n\\n.fa-pull-left {\\n   float: left; }\\n\\n.fa-pull-right {\\n   float: right; }\\n\\n.fa.fa-pull-left,\\n.fas.fa-pull-left,\\n.far.fa-pull-left,\\n.fal.fa-pull-left,\\n.fab.fa-pull-left {\\n   margin-right: .3em; }\\n\\n.fa.fa-pull-right,\\n.fas.fa-pull-right,\\n.far.fa-pull-right,\\n.fal.fa-pull-right,\\n.fab.fa-pull-right {\\n   margin-left: .3em; }\\n\\n.fa-spin {\\n   -webkit-animation: fa-spin 2s infinite linear;\\n   animation: fa-spin 2s infinite linear; }\\n\\n.fa-pulse {\\n   -webkit-animation: fa-spin 1s infinite steps(8);\\n   animation: fa-spin 1s infinite steps(8); }\\n\\n@-webkit-keyframes fa-spin {\\n   0% {\\n   -webkit-transform: rotate(0deg);\\n   transform: rotate(0deg); }\\n   100% {\\n   -webkit-transform: rotate(360deg);\\n   transform: rotate(360deg); } }\\n\\n@keyframes fa-spin {\\n   0% {\\n   -webkit-transform: rotate(0deg);\\n   transform: rotate(0deg); }\\n   100% {\\n   -webkit-transform: rotate(360deg);\\n   transform: rotate(360deg); } }\\n\\n.fa-rotate-90 {\\n   -ms-filter: \\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=1)\\\";\\n   -webkit-transform: rotate(90deg);\\n   transform: rotate(90deg); }\\n\\n.fa-rotate-180 {\\n   -ms-filter: \\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=2)\\\";\\n   -webkit-transform: rotate(180deg);\\n   transform: rotate(180deg); }\\n\\n.fa-rotate-270 {\\n   -ms-filter: \\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=3)\\\";\\n   -webkit-transform: rotate(270deg);\\n   transform: rotate(270deg); }\\n\\n.fa-flip-horizontal {\\n   -ms-filter: \\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=0, mirror=1)\\\";\\n   -webkit-transform: scale(-1,

1);\\n   transform: scale(-1, 1); }\\n\\n.fa-flip-vertical {\\n -ms-filter: \\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=2, mirror=1)\\\";\\n -webkit-transform: scale(1, -1);\\n   transform: scale(1, -1); }\\n\\n.fa-flip-horizontal.fa-flip-vertical {\\n -ms-filter: \\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=2, mirror=1)\\\";\\n -webkit-transform: scale(-1, -1);\\n   transform: scale(-1, -1); }\\n\\n:root .fa-rotate-90,\\n:root .fa-rotate-180,\\n:root .fa-rotate-270,\\n:root .fa-flip-horizontal,\\n:root .fa-flip-vertical {\\n -webkit-filter: none;\\n   filter: none; }\\n\\n.fa-stack {\\n display: inline-block;\\n height: 2em;\\n position: relative;\\n width: 2.5em; }\\n\\n.fa-stack-1x,\\n.fa-stack-2x {\\n bottom: 0;\\n left: 0;\\n margin: auto;\\n position: absolute;\\n right: 0;\\n top: 0; }\\n\\n.svg-inline--fa.fa-stack-1x {\\n height: 1em;\\n width: 1.25em; }\\n\\n.svg-inline--fa.fa-stack-2x {\\n height: 2em;\\n width: 2.5em; }\\n\\n.fa-inverse {\\n color: #fff; }\\n\\n.sr-only {\\n border: 0;\\n clip: rect(0, 0, 0, 0);\\n height: 1px;\\n margin: -1px;\\n overflow: hidden;\\n padding: 0;\\n position: absolute;\\n width: 1px; }\\n\\n.sr-only-focusable:active, .sr-only-focusable:focus {\\n clip: auto;\\n height: auto;\\n margin: 0;\\n overflow: visible;\\n position: static;\\n width: auto; }\\n\";\n\nvar css = function () {\n var dfp = DEFAULT_FAMILY_PREFIX;\n var drc = DEFAULT_REPLACEMENT_CLASS;\n var fp = config.familyPrefix;\n var rc = config.replacementClass;\n var s = baseStyles;\n\n if (fp !== dfp || rc !== drc) {\n   var dPatt = new RegExp('\\\\.' + dfp + '\\\\-', 'g');\n   var rPatt = new RegExp('\\\\.' + drc, 'g');\n\n   s = s.replace(dPatt, '.' + fp + '-').replace(rPatt, '.' + rc);\n }\n\n return s;\n};\n\nfunction define(prefix, icons) {\n var normalized = Object.keys(icons).reduce(function (acc, iconName) {\n   var icon = icons[iconName];\n   var expanded = !!icon.icon;\n\n   if (expanded) {\n   acc[icon.iconName] = icon.icon;\n   } else {\n   acc[iconName] = icon;\n   }\n   return acc;\n }, {});\n\n if (typeof namespace.hooks.addPack === 'function') {\n   namespace.hooks.addPack(prefix, normalized);\n } else {\n   namespace.styles[prefix] = _extends({}, namespace.styles[prefix] || {}, normalized);\n }\n\n /**\n * Font Awesome 4 used the prefix of `fa` for all icons. With the introduction\n * of new styles we needed to differentiate between them. Prefix `fa` is now an alias\n * for `fas` so we'll easy the upgrade process for our users by automatically defining\n * this as well.\n */\n if (prefix === 'fas') {\n   define('fa', icons);\n }\n}\n\nvar Library = function () {\n function Library() {\n   classCallCheck(this, Library);\n\n   this.definitions = {};\n }\n\n createClass(Library, [{\n   key: 'add',\n   value: function add() {\n   var _this = this;\n\n   for (var _len = arguments.length, definitions = Array(_len), _key = 0; _key < _len; _key++) {\n   definitions[_key] = arguments[_key];\n   }\n\n   var additions = definitions.reduce(this._pullDefinitions, {});\n\n   Object.keys(additions).forEach(function (key) {\n   _this.definitions[key] = _extends({}, _this.definitions[key] || {}, additions[key]);\n   define(key, additions[key]);\n   build();\n   });\n   }\n }, {\n   key: 'reset',\n   value: function reset() {\n   this.definitions = {};\n   }\n }, {\n   key: '_pullDefinitions',\n   value: function _pullDefinitions(additions, definition) {\n   var normalized = definition.prefix && definition.iconName && definition.icon ? { 0: definition } : definition;\n\n   Object.keys(normalized).map(function (key) {\n   var _normalized$key = normalized[key],\n   prefix = _normalized$key.prefix,\n   iconName = _normalized$key.iconName,\n   icon = _normalized$key.icon;\n\n\n   if (!additions[prefix]) additions[prefix] = {};\n   additions[prefix][iconName] = icon;\n   });\n\n   return additions;\n   }\n }]);\n return Library;\n}();\n\nfunction prepIcon(icon) {\n var width = icon[0];\n var height = icon[1];\n var vectorData = icon.slice(4);\n\n return {\n   found: true,\n   width: width,\n   height: height,\n   icon: { tag: 'path', attributes: { fill: 'currentColor', d: vectorData[0] } }\n };\n}\n\nfunction ensureCss() {\n if (config.autoAddCss && !_cssInserted) {\n   insertCss(css());\n   _cssInserted = true;\n }\n}\n\nfunction apiObject(val, abstractCreator) {\n Object.defineProperty(val, 'abstract', {\n   get: abstractCreator\n });\n\n Object.defineProperty(val, 'html', {\n   get: function get() {\n   return val.abstract.map(function (a) {\n   return toHtml(a);\n   });\n   }\n });\n\n Object.defineProperty(val, 'node', {\n   get: function get() {\n   if (!IS_DOM) return;\n\n   var container = DOCUMENT.createElement('div');\n   container.innerHTML = val.html;\n   return container.children;\n   }\n });\n\n return val;\n}\n\nfunction findIconDefinition(params) {\n var _params$prefix = params.prefix,\n   prefix = _params$prefix === undefined ? 'fa' : _params$prefix,\n   iconName = params.iconName;\n\n\n if (!iconName) return;\n\n return iconFromMapping(library.definitions, prefix, iconName) || iconFromMapping(namespace.styles, prefix, iconName);\n}\n\nfunction resolveIcons(next) {\n return function (maybeIconDefinition) {\n   var params =

arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : {};\n   var iconDefinition = (maybeIconDefinition || {}).icon ? maybeIconDefinition : findIconDefinition(maybeIconDefinition || {});\n\n   var mask = params.mask;\n\n\n   if (mask) {\n   mask = (mask || {}).icon ? mask : findIconDefinition(mask || {});\n   }\n\n   return next(iconDefinition, _extends({}, params, { mask: mask }));\n };\n}\n\nvar library = new Library();\n\nvar noAuto = function noAuto() {\n config.autoReplaceSvg = false;\n config.observeMutations = false;\n\n disconnect();\n};\n\nvar _cssInserted = false;\n\nvar dom = {\n i2svg: function i2svg() {\n   var params = arguments.length > 0 && arguments[0] !== undefined ? arguments[0] : {};\n   if (IS_DOM) {\n   ensureCss();\n\n   var _params$node = params.node,\n   node = _params$node === undefined ? DOCUMENT : _params$node,\n   _params$callback = params.callback,\n   callback = _params$callback === undefined ? function () {} : _params$callback;\n\n   if (config.searchPseudoElements) {\n   searchPseudoElements(node);\n   }\n\n   onTree(node, callback);\n   }\n },\n\n css: css,\n\n insertCss: function insertCss$$1() {\n   if (!_cssInserted) {\n   insertCss(css());\n   _cssInserted = true;\n   }\n },\n\n watch: function watch() {\n   var params = arguments.length > 0 && arguments[0] !== undefined ? arguments[0] : {};\n   var autoReplaceSvgRoot = params.autoReplaceSvgRoot,\n   observeMutationsRoot = params.observeMutationsRoot;\n\n\n   if (config.autoReplaceSvg === false) {\n   config.autoReplaceSvg = true;\n   }\n\n   config.observeMutations = true;\n   domready(function () {\n   autoReplace({\n   autoReplaceSvgRoot: autoReplaceSvgRoot\n   });\n   observe({\n   treeCallback: onTree,\n   nodeCallback: onNode,\n   pseudoElementsCallback: searchPseudoElements,\n   observeMutationsRoot: observeMutationsRoot\n   });\n   });\n }\n};\n\nvar parse = {\n transform: function transform(transformString) {\n   return parseTransformString(transformString);\n }\n};\n\nvar icon = resolveIcons(function (iconDefinition) {\n var params = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : {};\n var _params$transform = params.transform,\n   transform = _params$transform === undefined ? meaninglessTransform : _params$transform,\n   _params$symbol = params.symbol,\n   symbol = _params$symbol === undefined ? false : _params$symbol,\n   _params$mask = params.mask,\n   mask = _params$mask === undefined ? null : _params$mask,\n   _params$title = params.title,\n   title = _params$title === undefined ? null : _params$title,\n   _params$classes = params.classes,\n   classes = _params$classes === undefined ? [] : _params$classes,\n   _params$attributes = params.attributes,\n   attributes = _params$attributes === undefined ? {} : _params$attributes,\n   _params$styles = params.styles,\n   styles = _params$styles === undefined ? {} : _params$styles;\n\n\n if (!iconDefinition) return;\n\n var prefix = iconDefinition.prefix,\n   iconName = iconDefinition.iconName,\n   icon = iconDefinition.icon;\n\n\n return apiObject(_extends({ type: 'icon' }, iconDefinition), function () {\n   ensureCss();\n\n   if (config.autoA11y) {\n   if (title) {\n   attributes['aria-labelledby'] = config.replacementClass + '-title-' + nextUniqueId();\n   } else {\n   attributes['aria-hidden'] = 'true';\n   }\n   }\n\n   return makeInlineSvgAbstract({\n   icons: {\n   main: prepIcon(icon),\n   mask: mask ? prepIcon(mask.icon) : { found: false, width: null, height: null, icon: {} }\n   },\n   prefix: prefix,\n   iconName: iconName,\n   transform: _extends({}, meaninglessTransform, transform),\n   symbol: symbol,\n   title: title,\n   extra: {\n   attributes: attributes,\n   styles: styles,\n   classes: classes\n   }\n   });\n });\n});\n\nvar text = function text(content) {\n var params = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : {};\n var _params$transform2 = params.transform,\n   transform = _params$transform2 === undefined ? meaninglessTransform : _params$transform2,\n   _params$title2 = params.title,\n   title = _params$title2 === undefined ? null : _params$title2,\n   _params$classes2 = params.classes,\n   classes = _params$classes2 === undefined ? [] : _params$classes2,\n   _params$attributes2 = params.attributes,\n   attributes = _params$attributes2 === undefined ? {} : _params$attributes2,\n   _params$styles2 = params.styles,\n   styles = _params$styles2 === undefined ? {} : _params$styles2;\n\n\n return apiObject({ type: 'text', content: content }, function () {\n   ensureCss();\n\n   return makeLayersTextAbstract({\n   content: content,\n   transform: _extends({}, meaninglessTransform, transform),\n   title: title,\n   extra: {\n   attributes: attributes,\n   styles: styles,\n   classes: [config.familyPrefix + '-layers-text'].concat(toConsumableArray(classes))\n   }\n   });\n });\n};\n\nvar counter = function counter(content) {\n var params = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : {};\n var _params$title3 =

params.title,\n   title = _params$title3 === undefined ? null : _params$title3,\n   _params$classes3 = params.classes,\n   classes = _params$classes3 === undefined ? [] : _params$classes3,\n   _params$attributes3 = params.attributes,\n   attributes = _params$attributes3 === undefined ? {} : _params$attributes3,\n   _params$styles3 = params.styles,\n   styles = _params$styles3 === undefined ? {} : _params$styles3;\n\n\n return apiObject({ type: 'counter', content: content }, function () {\n   ensureCss();\n\n   return makeLayersCounterAbstract({\n   content: content.toString(),\n   title: title,\n   extra: {\n   attributes: attributes,\n   styles: styles,\n   classes: [config.familyPrefix + '-layers-counter'].concat(toConsumableArray(classes))\n   }\n   });\n });\n};\n\nvar layer = function layer(assembler) {\n return apiObject({ type: 'layer' }, function () {\n   ensureCss();\n\n   var children = [];\n\n   assembler(function (args) {\n   Array.isArray(args) ? args.map(function (a) {\n   children = children.concat(a.abstract);\n   }) : children = children.concat(args.abstract);\n   });\n\n   return [{\n   tag: 'span',\n   attributes: { class: config.familyPrefix + '-layers' },\n   children: children\n   }];\n });\n};\n\nvar api = {\n noAuto: noAuto,\n config: config,\n dom: dom,\n library: library,\n parse: parse,\n findIconDefinition: findIconDefinition,\n icon: icon,\n text: text,\n counter: counter,\n layer: layer,\n toHtml: toHtml\n};\n\nvar autoReplace = function autoReplace() {\n var params = arguments.length > 0 && arguments[0] !== undefined ? arguments[0] : {};\n var _params$autoReplaceSv = params.autoReplaceSvgRoot,\n   autoReplaceSvgRoot = _params$autoReplaceSv === undefined ? DOCUMENT : _params$autoReplaceSv;\n\n\n if (Object.keys(namespace.styles).length > 0 && IS_DOM && config.autoReplaceSvg) api.dom.i2svg({ node: autoReplaceSvgRoot });\n};\n\nexport { icon, noAuto, config, toHtml, layer, text, counter, library, dom, parse, findIconDefinition };\n","import FontAwesomeIcon from '@fortawesome/vue-fontawesome'\nexport { library } from '@fortawesome/fontawesome-svg-core'\nexport default FontAwesomeIcon\n","/** Used as references for various `Number` constants. */\nvar MAX_SAFE_INTEGER = 9007199254740991;\n\n/** Used to detect unsigned integer values. */\nvar reIsUint = /^(?:0|[1-9]\\d*)$/;\n\n/**\n * Checks if `value` is a valid array-like index.\n *\n * @private\n * @param {*} value The value to check.\n * @param {number} [length=MAX_SAFE_INTEGER] The upper bounds of a valid index.\n * @returns {boolean} Returns `true` if `value` is a valid index, else `false`.\n */\nfunction isIndex(value, length) {\n var type = typeof value;\n length = length == null ? MAX_SAFE_INTEGER : length;\n\n return !!length &&\n   (type == 'number' ||\n   (type != 'symbol' && reIsUint.test(value))) &&\n   (value > -1 && value % 1 == 0 && value < length);\n}\n\nmodule.exports = isIndex;\n","var baseSetToString = require('./_baseSetToString'),\n   shortOut = require('./_shortOut');\n\n/**\n * Sets the `toString` method of `func` to return `string`.\n *\n * @private\n * @param {Function} func The function to modify.\n * @param {Function} string The `toString` result.\n * @returns {Function} Returns `func`.\n */\nvar setToString = shortOut(baseSetToString);\n\nmodule.exports = setToString;\n","// false -> Array#indexOf\n// true -> Array#includes\nvar toIObject = require('./_to-iobject');\nvar toLength = require('./_to-length');\nvar toAbsoluteIndex = require('./_to-absolute-index');\nmodule.exports = function (IS_INCLUDES) {\n return function ($this, el, fromIndex) {\n   var O = toIObject($this);\n   var length = toLength(O.length);\n   var index = toAbsoluteIndex(fromIndex, length);\n   var value;\n   // Array#includes uses SameValueZero equality algorithm\n   // eslint-disable-next-line no-self-compare\n   if (IS_INCLUDES && el != el) while (length > index) {\n   value = O[index++];\n   // eslint-disable-next-line no-self-compare\n   if (value != value) return true;\n   // Array#indexOf ignores holes, Array#includes - not\n   } else for (;length > index; index++) if (IS_INCLUDES || index in O) {\n   if (O[index] === el) return IS_INCLUDES || index || 0;\n   } return !IS_INCLUDES && -1;\n };\n};\n","'use strict';\nObject.defineProperty(exports, '__esModule', { value: true });\nvar prefix = 'fas';\nvar iconName = 'share-alt';\nvar width = 448;\nvar height = 512;\nvar ligatures = [];\nvar unicode = 'f1e0';\nvar svgPathData = 'M352 320c-22.608 0-43.387 7.819-59.79 20.895l-102.486-64.054a96.551 96.551 0 0 0 0-41.683l102.486-64.054C308.613 184.181 329.392 192 352 192c53.019 0 96-42.981 96-96S405.019 0 352 0s-96 42.981-96 96c0 7.158.79 14.13 2.276 20.841L155.79 180.895C139.387 167.819 118.608 160 96 160c-53.019 0-96 42.981-96 96s42.981 96 96 96c22.608 0 43.387-7.819 59.79-20.895l102.486 64.054A96.301 96.301 0 0 0 256 416c0 53.019 42.981 96 96 96s96-42.981 96-96-42.981-96-96-96z';\nexports.definition = {\n prefix: prefix,\n iconName: iconName,\n icon: [\n   width,\n   height,\n   ligatures,\n   unicode,\n   svgPathData\n]};\n\nexports.faShareAlt = exports.definition;\nexports.prefix = prefix;\nexports.iconName =

iconName;\nexports.width = width;\nexports.height = height;\nexports.ligatures = ligatures;\nexports.unicode = unicode;\nexports.svgPathData = svgPathData;","/**\n * Checks if a `cache` value for `key` exists.\n *\n * @private\n * @param {Object} cache The cache to query.\n * @param {string} key The key of the entry to check.\n * @returns {boolean} Returns `true` if an entry for `key` exists, else `false`.\n */\nfunction cacheHas(cache, key) {\n return cache.has(key);\n}\n\nmodule.exports = cacheHas;\n","var arrayReduce = require('./_arrayReduce'),\n   baseEach = require('./_baseEach'),\n   baseIteratee = require('./_baseIteratee'),\n   baseReduce = require('./_baseReduce'),\n   isArray = require('./isArray');\n\n/**\n * Reduces `collection` to a value which is the accumulated result of running\n * each element in `collection` thru `iteratee`, where each successive\n * invocation is supplied the return value of the previous. If `accumulator`\n * is not given, the first element of `collection` is used as the initial\n * value. The iteratee is invoked with four arguments:\n * (accumulator, value, index|key, collection).\n *\n * Many lodash methods are guarded to work as iteratees for methods like\n * `_.reduce`, `_.reduceRight`, and `_.transform`.\n *\n * The guarded methods are:\n * `assign`, `defaults`, `defaultsDeep`, `includes`, `merge`, `orderBy`,\n * and `sortBy`\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @category Collection\n * @param {Array|Object} collection The collection to iterate over.\n * @param {Function} [iteratee=_.identity] The function invoked per iteration.\n * @param {*} [accumulator] The initial value.\n * @returns {*} Returns the accumulated value.\n * @see _.reduceRight\n * @example\n *\n * _.reduce([1, 2], function(sum, n) {\n *   return sum + n;\n * }, 0);\n * // => 3\n *\n * _.reduce({ 'a': 1, 'b': 2, 'c': 1 }, function(result, value, key) {\n *   (result[value] || (result[value] = [])).push(key);\n *   return result;\n * }, {});\n * // => { '1': ['a', 'c'], '2': ['b'] } (iteration order is not guaranteed)\n */\nfunction reduce(collection, iteratee, accumulator) {\n var func = isArray(collection) ? arrayReduce : baseReduce,\n   initAccum = arguments.length < 3;\n\n return func(collection, baseIteratee(iteratee, 4), accumulator, initAccum, baseEach);\n}\n\nmodule.exports = reduce;\n","'use strict';\nvar global = require('./_global');\nvar has = require('./_has');\nvar cof = require('./_cof');\nvar inheritIfRequired = require('./_inherit-if-required');\nvar toPrimitive = require('./_to-primitive');\nvar fails = require('./_fails');\nvar gOPN = require('./_object-gopn').f;\nvar gOPD = require('./_object-gopd').f;\nvar dP = require('./_object-dp').f;\nvar $trim = require('./_string-trim').trim;\nvar NUMBER = 'Number';\nvar $Number = global[NUMBER];\nvar Base = $Number;\nvar proto = $Number.prototype;\n// Opera ~12 has broken Object#toString\nvar BROKEN_COF = cof(require('./_object-create')(proto)) == NUMBER;\nvar TRIM = 'trim' in String.prototype;\n\n// 7.1.3 ToNumber(argument)\nvar toNumber = function (argument) {\n var it = toPrimitive(argument, false);\n if (typeof it == 'string' && it.length > 2) {\n   it = TRIM ? it.trim() : $trim(it, 3);\n   var first = it.charCodeAt(0);\n   var third, radix, maxCode;\n   if (first === 43 || first === 45) {\n   third = it.charCodeAt(2);\n   if (third === 88 || third === 120) return NaN; // Number('+0x1') should be NaN, old V8 fix\n   } else if (first === 48) {\n   switch (it.charCodeAt(1)) {\n   case 66: case 98: radix = 2; maxCode = 49; break; // fast equal /^0b[01]+$/i\n   case 79: case 111: radix = 8; maxCode = 55; break; // fast equal /^0o[0-7]+$/i\n   default: return +it;\n   }\n   for (var digits = it.slice(2), i = 0, l = digits.length, code; i < l; i++) {\n   code = digits.charCodeAt(i);\n   // parseInt parses a string to a first unavailable symbol\n   // but ToNumber should return NaN if a string contains unavailable symbols\n   if (code < 48 || code > maxCode) return NaN;\n   }\n   return parseInt(digits, radix);\n   }\n } return +it;\n};\n\nif (!$Number(' 0o1') || !$Number('0b1') || $Number('+0x1')) {\n $Number = function Number(value) {\n   var it = arguments.length < 1 ? 0 : value;\n   var that = this;\n   return that instanceof $Number\n   // check on 1..constructor(foo) case\n   && (BROKEN_COF ? fails(function () { proto.valueOf.call(that); }) : cof(that) != NUMBER)\n   ? inheritIfRequired(new Base(toNumber(it)), that, $Number) : toNumber(it);\n };\n for (var keys = require('./_descriptors') ? gOPN(Base) : (\n   // ES3:\n   'MAX_VALUE,MIN_VALUE,NaN,NEGATIVE_INFINITY,POSITIVE_INFINITY,' +\n   // ES6 (in case, if modules with ES6 Number statics required before):\n   'EPSILON,isFinite,isInteger,isNaN,isSafeInteger,MAX_SAFE_INTEGER,' +\n   'MIN_SAFE_INTEGER,parseFloat,parseInt,isInteger'\n).split(','), j = 0, key; keys.length > j; j++) {\n   if (has(Base, key = keys[j]) && !has($Number, key)) {\n   dP($Number, key, gOPD(Base, key));\n   }\n }\n $Number.prototype = proto;\n proto.constructor = $Number;\n require('./_redefine')(global, NUMBER, $Number);\n}\n","// extracted by mini-css-extract-plugin","module.exports =

require('./forEach');\n","module.exports = !require('./_descriptors') && !require('./_fails')(function () {\n return Object.defineProperty(require('./_dom-create')('div'), 'a', { get: function () { return 7; } }).a != 7;\n});\n","var baseFlatten = require('./_baseFlatten'),\n   baseOrderBy = require('./_baseOrderBy'),\n   baseRest = require('./_baseRest'),\n   isIterateeCall = require('./_isIterateeCall');\n\n/**\n * Creates an array of elements, sorted in ascending order by the results of\n * running each element in a collection thru each iteratee. This method\n * performs a stable sort, that is, it preserves the original sort order of\n * equal elements. The iteratees are invoked with one argument: (value).\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @category Collection\n * @param {Array|Object} collection The collection to iterate over.\n * @param {...(Function|Function[])} [iteratees=[_.identity]]\n * The iteratees to sort by.\n * @returns {Array} Returns the new sorted array.\n * @example\n *\n * var users = [\n *   { 'user': 'fred',   'age': 48 },\n *   { 'user': 'barney', 'age': 36 },\n *   { 'user': 'fred',   'age': 40 },\n *   { 'user': 'barney', 'age': 34 }\n *];\n *\n * _.sortBy(users, [function(o) { return o.user; }]);\n * // => objects for [['barney', 36], ['barney', 34], ['fred', 48], ['fred', 40]]\n *\n * _.sortBy(users, ['user', 'age']);\n * // => objects for [['barney', 34], ['barney', 36], ['fred', 40], ['fred', 48]]\n */\nvar sortBy = baseRest(function(collection, iteratees) {\n if (collection == null) {\n   return [];\n }\n var length = iteratees.length;\n if (length > 1 && isIterateeCall(collection, iteratees[0], iteratees[1])) {\n   iteratees = [];\n } else if (length > 2 && isIterateeCall(iteratees[0], iteratees[1], iteratees[2])) {\n   iteratees = [iteratees[0]];\n }\n return baseOrderBy(collection, baseFlatten(iteratees, 1), []);\n});\n\nmodule.exports = sortBy;\n","var getNative = require('./_getNative'),\n   root = require('./_root');\n\n/* Built-in method references that are verified to be native. */\nvar Set = getNative(root, 'Set');\n\nmodule.exports = Set;\n","var g;\n\n// This works in non-strict mode\ng = (function() {\n\treturn this;\n})();\n\ntry {\n\t// This works if eval is allowed (see CSP)\n\tg = g || Function(\"return this\")() || (1, eval)(\"this\");\n} catch (e) {\n\t// This works if the window reference is available\n\tif (typeof window === \"object\") g = window;\n}\n\n// g can still be undefined, but nothing to do about it...\n// We return undefined, instead of nothing here, so it's\n// easier to handle this case. if(!global) { ...}\n\nmodule.exports = g;\n","var id = 0;\nvar px = Math.random();\nmodule.exports = function (key) {\n return 'Symbol('.concat(key === undefined ? '' : key, ')_', (++id + px).toString(36));\n};\n","'use strict';\nvar addToUnscopables = require('./_add-to-unscopables');\nvar step = require('./_iter-step');\nvar Iterators = require('./_iterators');\nvar toIObject = require('./_to-iobject');\n\n// 22.1.3.4 Array.prototype.entries()\n// 22.1.3.13 Array.prototype.keys()\n// 22.1.3.29 Array.prototype.values()\n// 22.1.3.30 Array.prototype[@@iterator]()\nmodule.exports = require('./_iter-define')(Array, 'Array', function (iterated, kind) {\n this._t = toIObject(iterated); // target\n this._i = 0;   // next index\n this._k = kind;   // kind\n// 22.1.5.2.1 %ArrayIteratorPrototype%.next()\n}, function () {\n var O = this._t;\n var kind = this._k;\n var index = this._i++;\n if (!O || index >= O.length) {\n   this._t = undefined;\n   return step(1);\n }\n if (kind == 'keys') return step(0, index);\n if (kind == 'values') return step(0, O[index]);\n return step(0, [index, O[index]]);\n}, 'values');\n\n// argumentsList[@@iterator] is %ArrayProto_values% (9.4.4.6, 9.4.4.7)\nIterators.Arguments = Iterators.Array;\n\naddToUnscopables('keys');\naddToUnscopables('values');\naddToUnscopables('entries');\n","var isSymbol = require('./isSymbol');\n\n/**\n * Compares values to sort them in ascending order.\n *\n * @private\n * @param {*} value The value to compare.\n * @param {*} other The other value to compare.\n * @returns {number} Returns the sort order indicator for `value`.\n */\nfunction compareAscending(value, other) {\n if (value !== other) {\n   var valIsDefined = value !== undefined,\n   valIsNull = value === null,\n   valIsReflexive = value === value,\n   valIsSymbol = isSymbol(value);\n   var othIsDefined = other !== undefined,\n   othIsNull = other === null,\n   othIsReflexive = other === other,\n   othIsSymbol = isSymbol(other);\n   if ((!othIsNull && !othIsSymbol && !valIsSymbol && value > other) ||\n   (valIsSymbol && othIsDefined && othIsReflexive && !othIsNull && !othIsSymbol) ||\n   (valIsNull && othIsDefined && othIsReflexive) ||\n   (!valIsDefined && othIsReflexive) ||\n   !valIsReflexive) {\n   return 1;\n   }\n   if ((!valIsNull && !valIsSymbol && !othIsSymbol && value < other) ||\n   (othIsSymbol && valIsDefined && valIsReflexive && !valIsNull && !valIsSymbol) ||\n   (othIsNull && valIsDefined && valIsReflexive) ||\n   (!othIsDefined && valIsReflexive) ||\n   !othIsReflexive) {\n   return -1;\n   }\n }\n return 0;\n}\n\nmodule.exports = compareAscending;\n","var eq = require('./eq');\n\n/**\n * Gets the index at which the `key` is found in `array` of

key-value pairs.\n *\n * @private\n * @param {Array} array The array to inspect.\n * @param {*} key The key to search for.\n * @returns {number} Returns the index of the matched value, else `-1`.\n */\nfunction assocIndexOf(array, key) {\n var length = array.length;\n while (length--) {\n   if (eq(array[length][0], key)) {\n   return length;\n   }\n }\n return -1;\n}\n\nmodule.exports = assocIndexOf;\n","/*!\n * Font Awesome Free 5.0.13 by @fontawesome - https://fontawesome.com\n * License - https://fontawesome.com/license (Icons: CC BY 4.0, Fonts: SIL OFL 1.1, Code: MIT License)\n */\nvar noop = function noop() {};\n\nvar _WINDOW = {};\nvar _DOCUMENT = {};\nvar _MUTATION_OBSERVER$1 = null;\nvar _PERFORMANCE = { mark: noop, measure: noop };\n\ntry {\n if (typeof window !== 'undefined') _WINDOW = window;\n if (typeof document !== 'undefined') _DOCUMENT = document;\n if (typeof MutationObserver !== 'undefined') _MUTATION_OBSERVER$1 = MutationObserver;\n if (typeof performance !== 'undefined') _PERFORMANCE = performance;\n} catch (e) {}\nvar _ref = _WINDOW.navigator || {};\nvar _ref$userAgent = _ref.userAgent;\nvar userAgent = _ref$userAgent === undefined ? '' : _ref$userAgent;\n\nvar WINDOW = _WINDOW;\nvar DOCUMENT = _DOCUMENT;\nvar MUTATION_OBSERVER = _MUTATION_OBSERVER$1;\nvar PERFORMANCE = _PERFORMANCE;\nvar IS_BROWSER = !!WINDOW.document;\nvar IS_DOM = !!DOCUMENT.documentElement && !!DOCUMENT.head && typeof DOCUMENT.addEventListener === 'function' && typeof DOCUMENT.createElement === 'function';\nvar IS_IE = ~userAgent.indexOf('MSIE') || ~userAgent.indexOf('Trident/');\n\nvar NAMESPACE_IDENTIFIER = '___FONT_AWESOME___';\nvar UNITS_IN_GRID = 16;\nvar DEFAULT_FAMILY_PREFIX = 'fa';\nvar DEFAULT_REPLACEMENT_CLASS = 'svg-inline--fa';\nvar DATA_FA_I2SVG = 'data-fa-i2svg';\nvar DATA_FA_PSEUDO_ELEMENT = 'data-fa-pseudo-element';\nvar HTML_CLASS_I2SVG_BASE_CLASS = 'fontawesome-i2svg';\n\nvar PRODUCTION = function () {\n try {\n   return process.env.NODE_ENV === 'production';\n } catch (e) {\n   return false;\n }\n}();\n\nvar oneToTen = [1, 2, 3, 4, 5, 6, 7, 8, 9, 10];\nvar oneToTwenty = oneToTen.concat([11, 12, 13, 14, 15, 16, 17, 18, 19, 20]);\n\nvar ATTRIBUTES_WATCHED_FOR_MUTATION = ['class', 'data-prefix', 'data-icon', 'data-fa-transform', 'data-fa-mask'];\n\nvar RESERVED_CLASSES = ['xs', 'sm', 'lg', 'fw', 'ul', 'li', 'border', 'pull-left', 'pull-right', 'spin', 'pulse', 'rotate-90', 'rotate-180', 'rotate-270', 'flip-horizontal', 'flip-vertical', 'stack', 'stack-1x', 'stack-2x', 'inverse', 'layers', 'layers-text', 'layers-counter'].concat(oneToTen.map(function (n) {\n return n + 'x';\n})).concat(oneToTwenty.map(function (n) {\n return 'w-' + n;\n}));\n\nvar classCallCheck = function (instance, Constructor) {\n if (!(instance instanceof Constructor)) {\n   throw new TypeError(\"Cannot call a class as a function\");\n }\n};\n\nvar createClass = function () {\n function defineProperties(target, props) {\n   for (var i = 0; i < props.length; i++) {\n   var descriptor = props[i];\n   descriptor.enumerable = descriptor.enumerable || false;\n   descriptor.configurable = true;\n   if (\"value\" in descriptor) descriptor.writable = true;\n   Object.defineProperty(target, descriptor.key, descriptor);\n   }\n }\n\n return function (Constructor, protoProps, staticProps) {\n   if (protoProps) defineProperties(Constructor.prototype, protoProps);\n   if (staticProps) defineProperties(Constructor, staticProps);\n   return Constructor;\n };\n}();\n\n\nvar _extends = Object.assign || function (target) {\n for (var i = 1; i < arguments.length; i++) {\n   var source = arguments[i];\n\n   for (var key in source) {\n   if (Object.prototype.hasOwnProperty.call(source, key)) {\n   target[key] = source[key];\n   }\n   }\n }\n\n return target;\n};\n\n\n\nvar toConsumableArray = function (arr) {\n if (Array.isArray(arr)) {\n   for (var i = 0, arr2 = Array(arr.length); i < arr.length; i++) arr2[i] = arr[i];\n   return arr2;\n } else {\n   return Array.from(arr);\n }\n};\n\nvar initial = WINDOW.FontAwesomeConfig || {};\nvar initialKeys = Object.keys(initial);\nvar _default = _extends({\n familyPrefix: DEFAULT_FAMILY_PREFIX,\n replacementClass: DEFAULT_REPLACEMENT_CLASS,\n autoReplaceSvg: true,\n autoAddCss: true,\n autoA11y: true,\n searchPseudoElements: false,\n observeMutations: true,\n keepOriginalSource: true,\n measurePerformance: false,\n showMissingIcons: true\n}, initial);\n\nif (!_default.autoReplaceSvg) _default.observeMutations = false;\n\nvar config$1 = _extends({}, _default);\n\nWINDOW.FontAwesomeConfig = config$1;\n\nfunction update(newConfig) {\n var params = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : {};\n var _params$asNewDefault = params.asNewDefault,\n   asNewDefault = _params$asNewDefault === undefined ? false : _params$asNewDefault;\n\n var validKeys =

Object.keys(config$1);\n var ok = asNewDefault ? function (k) {\n return ~validKeys.indexOf(k) && !~initialKeys.indexOf(k);\n } : function (k) {\n return ~validKeys.indexOf(k);\n };\n\n Object.keys(newConfig).forEach(function (configKey) {\n if (ok(configKey)) config$1[configKey] = newConfig[configKey];\n });\n}\n\nfunction auto(value) {\n update({\n autoReplaceSvg: value,\n observeMutations: value\n });\n}\n\nvar w = WINDOW || {};\n\nif (!w[NAMESPACE_IDENTIFIER]) w[NAMESPACE_IDENTIFIER] = {};\nif (!w[NAMESPACE_IDENTIFIER].styles) w[NAMESPACE_IDENTIFIER].styles = {};\nif (!w[NAMESPACE_IDENTIFIER].hooks) w[NAMESPACE_IDENTIFIER].hooks = {};\nif (!w[NAMESPACE_IDENTIFIER].shims) w[NAMESPACE_IDENTIFIER].shims = [];\n\nvar namespace = w[NAMESPACE_IDENTIFIER];\n\nvar functions = [];\nvar listener = function listener() {\n DOCUMENT.removeEventListener('DOMContentLoaded', listener);\n loaded = 1;\n functions.map(function (fn) {\n return fn();\n });\n};\n\nvar loaded = false;\nif (IS_DOM) {\n loaded = (DOCUMENT.documentElement.doScroll ? /^loaded|^c/ : /^loaded|^i|^c/).test(DOCUMENT.readyState);\n\n if (!loaded) DOCUMENT.addEventListener('DOMContentLoaded', listener);\n}\n\nvar domready = function (fn) {\n if (!IS_DOM) return;\n loaded ? setTimeout(fn, 0) : functions.push(fn);\n};\n\nvar d = UNITS_IN_GRID;\n\nvar meaninglessTransform = {\n size: 16,\n x: 0,\n y: 0,\n rotate: 0,\n flipX: false,\n flipY: false\n};\n\nfunction isReserved(name) {\n return ~RESERVED_CLASSES.indexOf(name);\n}\n\nfunction bunker(fn) {\n try {\n fn();\n } catch (e) {\n if (!PRODUCTION) {\n throw e;\n }\n }\n}\n\nfunction insertCss(css) {\n if (!css || !IS_DOM) {\n return;\n }\n\n var style = DOCUMENT.createElement('style');\n style.setAttribute('type', 'text/css');\n style.innerHTML = css;\n\n var headChildren = DOCUMENT.head.childNodes;\n var beforeChild = null;\n\n for (var i = headChildren.length - 1; i > -1; i--) {\n var child = headChildren[i];\n var tagName = (child.tagName || '').toUpperCase();\n if (['STYLE', 'LINK'].indexOf(tagName) > -1) {\n beforeChild = child;\n }\n }\n\n DOCUMENT.head.insertBefore(style, beforeChild);\n\n return css;\n}\n\nvar _uniqueId = 0;\n\nfunction nextUniqueId() {\n _uniqueId++;\n\n return _uniqueId;\n}\n\nfunction toArray(obj) {\n var array = [];\n\n for (var i = (obj || []).length >>> 0; i--;) {\n array[i] = obj[i];\n }\n\n return array;\n}\n\nfunction classArray(node) {\n if (node.classList) {\n return toArray(node.classList);\n } else {\n return (node.getAttribute('class') || '').split(' ').filter(function (i) {\n return i;\n });\n }\n}\n\nfunction getIconName(familyPrefix, cls) {\n var parts = cls.split('-');\n var prefix = parts[0];\n var iconName = parts.slice(1).join('-');\n\n if (prefix === familyPrefix && iconName !== '' && !isReserved(iconName)) {\n return iconName;\n } else {\n return null;\n }\n}\n\nfunction htmlEscape(str) {\n return ('' + str).replace(/&/g, '&').replace(/\"/g, '"').replace(/'/g, ''').replace(/</g, '<').replace(/>/g, '>');\n}\n\nfunction joinAttributes(attributes) {\n return Object.keys(attributes || {}).reduce(function (acc, attributeName) {\n return acc + (attributeName + '=\"' + htmlEscape(attributes[attributeName]) + '\" ');\n }, '').trim();\n}\n\nfunction joinStyles(styles) {\n return Object.keys(styles || {}).reduce(function (acc, styleName) {\n return acc + (styleName + ': ' + styles[styleName] + ';');\n }, '');\n}\n\nfunction transformIsMeaningful(transform) {\n return transform.size !== meaninglessTransform.size || transform.x !== meaninglessTransform.x || transform.y !== meaninglessTransform.y || transform.rotate !== meaninglessTransform.rotate || transform.flipX || transform.flipY;\n}\n\nfunction transformForSvg(_ref) {\n var transform = _ref.transform,\n containerWidth = _ref.containerWidth,\n iconWidth = _ref.iconWidth;\n\n var outer = {\n transform: 'translate(' + containerWidth / 2 + ' 256)'\n };\n var innerTranslate = 'translate(' + transform.x * 32 + ', ' + transform.y * 32 + ') ';\n var innerScale = 'scale(' + transform.size / 16 * (transform.flipX ? -1 : 1) + ', ' + transform.size / 16 * (transform.flipY ? -1 : 1) + ') ';\n var innerRotate = 'rotate(' + transform.rotate + ' 0 0)';\n var inner = {\n transform: innerTranslate + ' ' + innerScale + ' ' + innerRotate\n };\n var path = {\n transform: 'translate(' + iconWidth / 2 * -1 + ' -256)'\n };\n return {\n outer: outer,\n inner: inner,\n path: path\n };\n}\n\nfunction transformForCss(_ref2) {\n var transform = _ref2.transform,\n _ref2$width = _ref2.width,\n width = _ref2$width === undefined ? UNITS_IN_GRID : _ref2$width,\n _ref2$height = _ref2.height,\n height = _ref2$height === undefined ? UNITS_IN_GRID : _ref2$height,\n _ref2$startCentered = _ref2.startCentered,\n startCentered = _ref2$startCentered === undefined ? false : _ref2$startCentered;\n\n var val = '';\n\n if

(startCentered && IS_IE) {\n   val += 'translate(' + (transform.x / d - width / 2) + 'em, ' + (transform.y / d - height / 2) + 'em) ';\n } else if (startCentered) {\n   val += 'translate(calc(-50% + ' + transform.x / d + 'em), calc(-50% + ' + transform.y / d + 'em)) ';\n } else {\n   val += 'translate(' + transform.x / d + 'em, ' + transform.y / d + 'em) ';\n }\n\n val += 'scale(' + transform.size / d * (transform.flipX ? -1 : 1) + ', ' + transform.size / d * (transform.flipY ? -1 : 1) + ') ';\n val += 'rotate(' + transform.rotate + 'deg) ';\n\n return val;\n}\n\nvar ALL_SPACE = {\n x: 0,\n y: 0,\n width: '100%',\n height: '100%'\n};\n\nvar makeIconMasking = function (_ref) {\n var children = _ref.children,\n   attributes = _ref.attributes,\n   main = _ref.main,\n   mask = _ref.mask,\n   transform = _ref.transform;\n var mainWidth = main.width,\n   mainPath = main.icon;\n var maskWidth = mask.width,\n   maskPath = mask.icon;\n\n var trans = transformForSvg({ transform: transform, containerWidth: maskWidth, iconWidth: mainWidth });\n\n var maskRect = {\n   tag: 'rect',\n   attributes: _extends({}, ALL_SPACE, {\n   fill: 'white'\n   })\n };\n var maskInnerGroup = {\n   tag: 'g',\n   attributes: _extends({}, trans.inner),\n   children: [{ tag: 'path', attributes: _extends({}, mainPath.attributes, trans.path, { fill: 'black' }) }]\n };\n var maskOuterGroup = {\n   tag: 'g',\n   attributes: _extends({}, trans.outer),\n   children: [maskInnerGroup]\n };\n var maskId = 'mask-' + nextUniqueId();\n var clipId = 'clip-' + nextUniqueId();\n var maskTag = {\n   tag: 'mask',\n   attributes: _extends({}, ALL_SPACE, {\n   id: maskId,\n   maskUnits: 'userSpaceOnUse',\n   maskContentUnits: 'userSpaceOnUse'\n   }),\n   children: [maskRect, maskOuterGroup]\n };\n var defs = {\n   tag: 'defs',\n   children: [{ tag: 'clipPath', attributes: { id: clipId }, children: [maskPath] }, maskTag]\n };\n\n children.push(defs, {\n   tag: 'rect', attributes: _extends({ fill: 'currentColor', 'clip-path': 'url(#' + clipId + ')', mask: 'url(#' + maskId + ')' }, ALL_SPACE) });\n\n return {\n   children: children,\n   attributes: attributes\n };\n};\n\nvar makeIconStandard = function (_ref) {\n var children = _ref.children,\n   attributes = _ref.attributes,\n   main = _ref.main,\n   transform = _ref.transform,\n   styles = _ref.styles;\n\n var styleString = joinStyles(styles);\n\n if (styleString.length > 0) {\n   attributes['style'] = styleString;\n }\n\n if (transformIsMeaningful(transform)) {\n   var trans = transformForSvg({ transform: transform, containerWidth: main.width, iconWidth: main.width });\n   children.push({\n   tag: 'g',\n   attributes: _extends({}, trans.outer),\n   children: [{\n   tag: 'g',\n   attributes: _extends({}, trans.inner),\n   children: [{\n   tag: main.icon.tag,\n   children: main.icon.children,\n   attributes: _extends({}, main.icon.attributes, trans.path)\n   }]\n   }]\n   });\n } else {\n   children.push(main.icon);\n }\n\n return {\n   children: children,\n   attributes: attributes\n };\n};\n\nvar asIcon = function (_ref) {\n var children = _ref.children,\n   main = _ref.main,\n   mask = _ref.mask,\n   attributes = _ref.attributes,\n   styles = _ref.styles,\n   transform = _ref.transform;\n\n if (transformIsMeaningful(transform) && main.found && !mask.found) {\n   var width = main.width,\n   height = main.height;\n\n   var offset = {\n   x: width / height / 2,\n   y: 0.5\n   };\n   attributes['style'] = joinStyles(_extends({}, styles, {\n   'transform-origin': offset.x + transform.x / 16 + 'em ' + (offset.y + transform.y / 16) + 'em'\n   }));\n }\n\n return [{\n   tag: 'svg',\n   attributes: attributes,\n   children: children\n }];\n};\n\nvar asSymbol = function (_ref) {\n var prefix = _ref.prefix,\n   iconName = _ref.iconName,\n   children = _ref.children,\n   attributes = _ref.attributes,\n   symbol = _ref.symbol;\n\n var id = symbol === true ? prefix + '-' + config$1.familyPrefix + '-' + iconName : symbol;\n\n return [{\n   tag: 'svg',\n   attributes: {\n   style: 'display: none;'\n   },\n   children: [{\n   tag: 'symbol',\n   attributes: _extends({}, attributes, { id: id }),\n   children: children\n   }]\n }];\n};\n\nfunction makeInlineSvgAbstract(params) {\n var _params$icons = params.icons,\n   main = _params$icons.main,\n   mask = _params$icons.mask,\n   prefix = params.prefix,\n   iconName = params.iconName,\n   transform = params.transform,\n   symbol = params.symbol,\n   title = params.title,\n   extra = params.extra,\n   _params$watchable = params.watchable,\n   watchable = _params$watchable === undefined ? false : _params$watchable;\n\n var _ref = mask.found ? mask : main,\n   width = _ref.width,\n   height = _ref.height;\n\n var widthClass = 'fa-w-' + Math.ceil(width / height * 16);\n var attrClass = [config$1.replacementClass, iconName ? config$1.familyPrefix + '-' + iconName : '', widthClass].concat(extra.classes).join(' ');\n\n var content = {\n   children: [],\n   attributes: _extends({}, extra.attributes, {\n   'data-prefix': prefix,\n   'data-icon': iconName,\n   'class': attrClass,\n   'role': 'img',\n   'xmlns': 'http://www.w3.org/2000/svg',\n   'viewBox': '0 0 ' + width + ' ' + height\n   })\n };\n\n if (watchable) {\n   content.attributes[DATA_FA_I2SVG] = '';\n }\n\n if (title) content.children.push({ tag: 'title', attributes: { id:

content.attributes['aria-labelledby'] || 'title-' + nextUniqueId() }, children: [title] });\n\n var args = _extends({}, content, {\n prefix: prefix,\n iconName: iconName,\n main: main,\n mask: mask,\n transform: transform,\n symbol: symbol,\n styles: extra.styles\n });\n\n var _ref2 = mask.found && main.found ? makeIconMasking(args) : makeIconStandard(args),\n children = _ref2.children,\n attributes = _ref2.attributes;\n\n args.children = children;\n args.attributes = attributes;\n\n if (symbol) {\n return asSymbol(args);\n } else {\n return asIcon(args);\n }\n}\n\nfunction makeLayersTextAbstract(params) {\n var content = params.content,\n width = params.width,\n height = params.height,\n transform = params.transform,\n title = params.title,\n extra = params.extra,\n _params$watchable2 = params.watchable,\n watchable = _params$watchable2 === undefined ? false : _params$watchable2;\n\n var attributes = _extends({}, extra.attributes, title ? { 'title': title } : {}, {\n 'class': extra.classes.join(' ')\n });\n\n if (watchable) {\n attributes[DATA_FA_I2SVG] = '';\n }\n\n var styles = _extends({}, extra.styles);\n\n if (transformIsMeaningful(transform)) {\n styles['transform'] = transformForCss({ transform: transform, startCentered: true, width: width, height: height });\n styles['-webkit-transform'] = styles['transform'];\n }\n\n var styleString = joinStyles(styles);\n\n if (styleString.length > 0) {\n attributes['style'] = styleString;\n }\n\n var val = [];\n\n val.push({\n tag: 'span',\n attributes: attributes,\n children: [content]\n });\n\n if (title) {\n val.push({ tag: 'span', attributes: { class: 'sr-only' }, children: [title] });\n }\n\n return val;\n}\n\nvar noop$2 = function noop() {};\nvar p = config$1.measurePerformance && PERFORMANCE && PERFORMANCE.mark && PERFORMANCE.measure ? PERFORMANCE : { mark: noop$2, measure: noop$2 };\nvar preamble = 'FA \"5.0.13\"';\n\nvar begin = function begin(name) {\n p.mark(preamble + ' ' + name + ' begins');\n return function () {\n return end(name);\n };\n};\n\nvar end = function end(name) {\n p.mark(preamble + ' ' + name + ' ends');\n p.measure(preamble + ' ' + name, preamble + ' ' + name + ' begins', preamble + ' ' + name + ' ends');\n};\n\nvar perf = { begin: begin, end: end };\n\n'use strict';\n\n/**\n * Internal helper to bind a function known to have 4 arguments\n * to a given context.\n */\nvar bindInternal4 = function bindInternal4 (func, thisContext) {\n return function (a, b, c, d) {\n return func.call(thisContext, a, b, c, d);\n };\n};\n\n'use strict';\n\n\n/**\n * # Reduce\n *\n * A fast object `.reduce()` implementation.\n *\n * @param {Object} subject The object to reduce over.\n * @param {Function} fn The reducer function.\n * @param {mixed} initialValue The initial value for the reducer, defaults to subject[0].\n * @param {Object} thisContext The context for the reducer.\n * @return {mixed} The final result.\n */\nvar reduce = function fastReduceObject (subject, fn, initialValue, thisContext) {\n var keys = Object.keys(subject),\n length = keys.length,\n iterator = thisContext !== undefined ? bindInternal4(fn, thisContext) : fn,\n i, key, result;\n\n if (initialValue === undefined) {\n i = 1;\n result = subject[keys[0]];\n } else {\n i = 0;\n result = initialValue;\n }\n\n for (; i < length; i++) {\n key = keys[i];\n result = iterator(result, subject[key], key, subject);\n }\n\n return result;\n};\n\nvar styles$2 = namespace.styles;\nvar shims = namespace.shims;\n\nvar _byUnicode = {};\nvar _byLigature = {};\nvar _byOldName = {};\n\nvar build = function build() {\n var lookup = function lookup(reducer) {\n return reduce(styles$2, function (o, style, prefix) {\n o[prefix] = reduce(style, reducer, {});\n return o;\n }, {});\n };\n\n _byUnicode = lookup(function (acc, icon, iconName) {\n acc[icon[3]] = iconName;\n\n return acc;\n });\n\n _byLigature = lookup(function (acc, icon, iconName) {\n var ligatures = icon[2];\n\n acc[iconName] = iconName;\n\n ligatures.forEach(function (ligature) {\n acc[ligature] = iconName;\n });\n\n return acc;\n });\n\n var hasRegular = 'far' in styles$2;\n\n _byOldName = reduce(shims, function (acc, shim) {\n var oldName = shim[0];\n var prefix = shim[1];\n var iconName = shim[2];\n\n if (prefix === 'far' && !hasRegular) {\n prefix = 'fas';\n }\n\n acc[oldName] = {\n prefix: prefix, iconName: iconName };\n\n return acc;\n }, {});\n};\n\nbuild();\n\nfunction byUnicode(prefix, unicode) {\n return _byUnicode[prefix][unicode];\n}\n\nfunction byLigature(prefix, ligature) {\n return _byLigature[prefix][ligature];\n}\n\nfunction byOldName(name) {\n return _byOldName[name] || { prefix: null, iconName: null };\n}\n\nvar styles$1 = namespace.styles;\n\nvar emptyCanonicalIcon = function emptyCanonicalIcon() {\n return { prefix: null, iconName: null, rest: [] };\n};\n\nfunction getCanonicalIcon(values) {\n return values.reduce(function (acc, cls) {\n var iconName = getIconName(config$1.familyPrefix, cls);\n\n if (styles$1[cls]) {\n acc.prefix = cls;\n } else if (iconName) {\n var shim = acc.prefix === 'fa' ? byOldName(iconName) : {};\n\n acc.iconName = shim.iconName || iconName;\n acc.prefix = shim.prefix ||

acc.prefix;\n   } else if (cls !== config$1.replacementClass && cls.indexOf('fa-w-') !== 0) {\n acc.rest.push(cls);\n   }\n\n   return acc;\n }, emptyCanonicalIcon());\n}\n\nfunction iconFromMapping(mapping, prefix, iconName) {\n if (mapping && mapping[prefix] && mapping[prefix][iconName]) {\n   return {\n prefix: prefix,\n   iconName: iconName,\n   icon: mapping[prefix][iconName]\n   };\n }\n}\n\nfunction toHtml(abstractNodes) {\n var tag = abstractNodes.tag,\n   _abstractNodes$attrib = abstractNodes.attributes,\n attributes = _abstractNodes$attrib === undefined ? {} : _abstractNodes$attrib,\n   _abstractNodes$childr = abstractNodes.children,\n   children = _abstractNodes$childr === undefined ? [] : _abstractNodes$childr;\n\n if (typeof abstractNodes === 'string') {\n   return htmlEscape(abstractNodes);\n } else {\n   return '<' + tag + ' ' + joinAttributes(attributes) + '>' + children.map(toHtml).join('') + '</' + tag + '>';\n }\n}\n\nvar noop$1 = function noop() {};\n\nfunction isWatched(node) {\n var i2svg = node.getAttribute ? node.getAttribute(DATA_FA_I2SVG) : null;\n\n return typeof i2svg === 'string';\n}\n\nfunction getMutator() {\n if (config$1.autoReplaceSvg === true) {\n   return mutators.replace;\n }\n\n var mutator = mutators[config$1.autoReplaceSvg];\n\n return mutator || mutators.replace;\n}\n\nvar mutators = {\n replace: function replace(mutation) {\n   var node = mutation[0];\n   var abstract = mutation[1];\n   var newOuterHTML = abstract.map(function (a) {\n   return toHtml(a);\n   }).join('\\n');\n\n   if (node.parentNode && node.outerHTML) {\n   node.outerHTML = newOuterHTML + (config$1.keepOriginalSource && node.tagName.toLowerCase() !== 'svg' ? '<!-- ' + node.outerHTML + ' -->' : '');\n   } else if (node.parentNode) {\n   var newNode = document.createElement('span');\n node.parentNode.replaceChild(newNode, node);\n   newNode.outerHTML = newOuterHTML;\n   }\n },\n nest: function nest(mutation) {\n   var node = mutation[0];\n   var abstract = mutation[1];\n\n   // If we already have a replaced node we do not want to continue nesting within it.\n   // Short-circuit to the standard replacement\n   if (~classArray(node).indexOf(config$1.replacementClass)) {\n   return mutators.replace(mutation);\n   }\n\n   var forSvg = new RegExp(config$1.familyPrefix + '-.*');\n\n   delete abstract[0].attributes.style;\n   var splitClasses = abstract[0].attributes.class.split(' ').reduce(function (acc, cls) {\n   if (cls === config$1.replacementClass || cls.match(forSvg)) {\n   acc.toSvg.push(cls);\n   } else {\n   acc.toNode.push(cls);\n   }\n\n   return acc;\n   }, { toNode: [], toSvg: [] });\n\n   abstract[0].attributes.class = splitClasses.toSvg.join(' ');\n\n   var newInnerHTML = abstract.map(function (a) {\n   return toHtml(a);\n   }).join('\\n');\n   node.setAttribute('class', splitClasses.toNode.join(' '));\n   node.setAttribute(DATA_FA_I2SVG, '');\n   node.innerHTML = newInnerHTML;\n }\n};\n\nfunction perform(mutations, callback) {\n var callbackFunction = typeof callback === 'function' ? callback : noop$1;\n\n if (mutations.length === 0) {\n   callbackFunction();\n } else {\n   var frame = WINDOW.requestAnimationFrame || function (op) {\n   return op();\n   };\n\n   frame(function () {\n   var mutator = getMutator();\n   var mark = perf.begin('mutate');\n\n   mutations.map(mutator);\n\n   mark();\n callbackFunction();\n   });\n }\n}\n\nvar disabled = false;\n\nfunction disableObservation(operation) {\n disabled = true;\n operation();\n disabled = false;\n}\n\nvar mo = null;\n\nfunction observe(options) {\n if (!MUTATION_OBSERVER) return;\n\n var treeCallback = options.treeCallback,\n   nodeCallback = options.nodeCallback,\n   pseudoElementsCallback = options.pseudoElementsCallback;\n\n mo = new MUTATION_OBSERVER(function (objects) {\n   if (disabled) return;\n\n   toArray(objects).forEach(function (mutationRecord) {\n   if (mutationRecord.type === 'childList' && mutationRecord.addedNodes.length > 0 && !isWatched(mutationRecord.addedNodes[0])) {\n   if (config$1.searchPseudoElements) {\n pseudoElementsCallback(mutationRecord.target);\n   }\n\n   treeCallback(mutationRecord.target);\n   }\n\n   if (mutationRecord.type === 'attributes' && mutationRecord.target.parentNode && config$1.searchPseudoElements) {\n   pseudoElementsCallback(mutationRecord.target.parentNode);\n   }\n\n   if (mutationRecord.type === 'attributes' && isWatched(mutationRecord.target) && ~ATTRIBUTES_WATCHED_FOR_MUTATION.indexOf(mutationRecord.attributeName)) {\n   if (mutationRecord.attributeName === 'class') {\n   var _getCanonicalIcon = getCanonicalIcon(classArray(mutationRecord.target)),\n   prefix = _getCanonicalIcon.prefix,\n iconName = _getCanonicalIcon.iconName;\n\n   if (prefix) mutationRecord.target.setAttribute('data-prefix', prefix);\n   if (iconName) mutationRecord.target.setAttribute('data-icon', iconName);\n   } else {\n   nodeCallback(mutationRecord.target);\n   }\n   }\n   });\n });\n\n if (!IS_DOM) return;\n\n

```
mo.observe(DOCUMENT.getElementsByTagName('body')[0], {\n   childList: true, attributes: true, characterData:
true, subtree: true\n   });\n}\n\nfunction disconnect() {\n   if (!mo) return;\n\n   mo.disconnect();\n}\n\nvar styleParser
= function (node) {\n   var style = node.getAttribute('style');\n\n   var val = [];\n\n   if (style) {\n     val =
style.split(';').reduce(function (acc, style) {\n       var styles = style.split(':');\n       var prop = styles[0];\n       var value
= styles.slice(1);\n\n       if (prop && value.length > 0) {\n         acc[prop] = value.join(':').trim();\n       }\n\n       return
acc;\n     }, {});\n   }\n\n   return val;\n};\n\nfunction toHex(unicode) {\n   var result = '';\n\n   for (var i = 0; i <
unicode.length; i++) {\n     var hex = unicode.charCodeAt(i).toString(16);\n     result += ('000' + hex).slice(-4);\n
}\n\n   return result;\n}\n\nvar classParser = function (node) {\n   var existingPrefix = node.getAttribute('data-
prefix');\n   var existingIconName = node.getAttribute('data-icon');\n   var innerText = node.innerText !== undefined
? node.innerText.trim() : '';\n\n   var val = getCanonicalIcon(classArray(node));\n\n   if (existingPrefix &&
existingIconName) {\n     val.prefix = existingPrefix;\n     val.iconName = existingIconName;\n   }\n\n   if (val.prefix
&& innerText.length > 1) {\n     val.iconName = byLigature(val.prefix, node.innerText);\n   } else if (val.prefix &&
innerText.length === 1) {\n     val.iconName = byUnicode(val.prefix, toHex(node.innerText));\n   }\n\n   return
val;\n};\n\nvar parseTransformString = function parseTransformString(transformString) {\n   var transform = {\n
size: 16,\n   x: 0,\n   y: 0,\n   flipX: false,\n   flipY: false,\n   rotate: 0\n   };\n\n   if (!transformString) {\n     return
transform;\n   } else {\n     return transformString.toLowerCase().split(' ').reduce(function (acc, n) {\n       var parts =
n.toLowerCase().split('-');\n       var first = parts[0];\n       var rest = parts.slice(1).join('-');\n\n       if (first && rest ===
'h') {\n         acc.flipX = true;\n         return acc;\n       }\n\n       if (first && rest === 'v') {\n         acc.flipY = true;\n
return acc;\n       }\n\n       rest = parseFloat(rest);\n\n       if (isNaN(rest)) {\n         return acc;\n       }\n\n       switch
(first) {\n         case 'grow':\n           acc.size = acc.size + rest;\n           break;\n         case 'shrink':\n           acc.size =
acc.size - rest;\n           break;\n         case 'left':\n           acc.x = acc.x - rest;\n           break;\n         case 'right':\n
acc.x = acc.x + rest;\n           break;\n         case 'up':\n           acc.y = acc.y - rest;\n           break;\n         case 'down':\n
acc.y = acc.y + rest;\n           break;\n         case 'rotate':\n           acc.rotate = acc.rotate + rest;\n           break;\n
}\n\n       return acc;\n     }, transform);\n   }\n};\n\nvar transformParser = function (node) {\n   return
parseTransformString(node.getAttribute('data-fa-transform'));\n};\n\nvar symbolParser = function (node) {\n   var
symbol = node.getAttribute('data-fa-symbol');\n\n   return symbol === null ? false : symbol === '' ? true :
symbol;\n};\n\nvar attributesParser = function (node) {\n   var extraAttributes =
toArray(node.attributes).reduce(function (acc, attr) {\n     if (acc.name !== 'class' && acc.name !== 'style') {\n
acc[attr.name] = attr.value;\n     }\n     return acc;\n   }, {});\n\n   var title = node.getAttribute('title');\n\n   if
(config$1.autoA11y) {\n     if (title) {\n       extraAttributes['aria-labelledby'] = config$1.replacementClass + '-title-' +
nextUniqueId();\n     } else {\n       extraAttributes['aria-hidden'] = 'true';\n     }\n   }\n\n   return
extraAttributes;\n};\n\nvar maskParser = function (node) {\n   var mask = node.getAttribute('data-fa-mask');\n\n   if
(!mask) {\n     return emptyCanonicalIcon();\n   } else {\n     return getCanonicalIcon(mask.split(' ').map(function (i)
{\n       return i.trim();\n     }));\n   }\n};\n\nfunction parseMeta(node) {\n   var _classParser = classParser(node),\n
iconName = _classParser.iconName,\n       prefix = _classParser.prefix,\n       extraClasses = _classParser.rest;\n\n
var extraStyles = styleParser(node);\n   var transform = transformParser(node);\n   var symbol =
symbolParser(node);\n   var extraAttributes = attributesParser(node);\n   var mask = maskParser(node);\n\n   return {\n
iconName: iconName,\n     title: node.getAttribute('title'),\n     prefix: prefix,\n     transform: transform,\n     symbol:
symbol,\n     mask: mask,\n     extra: {\n       classes: extraClasses,\n       styles: extraStyles,\n       attributes:
extraAttributes\n     }\n   };\n}\n\nfunction MissingIcon(error) {\n   this.name = 'MissingIcon';\n   this.message = error
|| 'Icon unavailable';\n   this.stack = new Error().stack;\n}\n\nMissingIcon.prototype =
Object.create(Error.prototype);\nMissingIcon.prototype.constructor = MissingIcon;\n\nvar FILL = { fill:
'currentColor' };\nvar ANIMATION_BASE = {\n   attributeType: 'XML',\n   repeatCount: 'indefinite',\n   dur:
'2s'\n};\nvar RING = {\n   tag: 'path',\n   attributes: _extends({}, FILL, {\n     d: 'M156.5,447.7l-12.6,29.5c-18.7-9.5-
35.9-21.2-51.5-34.9l22.7-22.7C127.6,430.5,141.5,440,156.5,447.7z M40.6,272H8.5
c1.4,21.2,5.4,41.7,11.7,61.1L50,321.2C45.1,305.5,41.8,289,40.6,272z M40.6,240c1.4-18.8,5.2-37,11.1-54.l-29.5-
12.6 C14.7,194.3,10,216.7,8.5,240H40.6z M64.3,156.5c7.8-14.9,17.2-28.8,28.1-41.5L69.7,92.3c-13.7,15.6-
25.5,32.8-34.9,51.5 L64.3,156.5z M397,419.6c-13.9,12-29.4,22.3-46.1,30.4l11.9,29.8c20.7-9.9,39.8-22.6,56.9-
```

37.6L397,419.6z M115,92.4 c13.9-12,29.4-22.3,46.1-30.4l-11.9-29.8c-20.7,9.9-39.8,22.6-56.8,37.6L115,92.4z M447.7,355.5c-7.8,14.9-17.2,28.8-28.1,41.5 l22.7,22.7c13.7-15.6,25.5-32.9,34.9-51.5L447.7,355.5z M471.4,272c-1.4,18.8-5.2,37-11.1,54.1l29.5,12.6 c7.5-21.1,12.2-43.5,13.6-66.8H471.4z M321.2,462c-15.7,5-32.2,8.2-49.2,9.4v32.1c21.1-1.4,41.7-5.4,61.1-11.7L321.2,462z M240,471.4c-18.8-1.4-37-5.2-54.1-11.1l-12.6,29.5c21.1,7.5,43.5,12.2,66.8,13.6V471.4z M462,190.8c5,15.7,8.2,32.2,9.4,49.2h32.1 c-1.4-21.2-5.4-41.7-11.7-61.1L462,190.8z M92.4,397c-12-13.9-22.3-29.4-30.4-46.1l-29.8,11.9c9.9,20.7,22.6,39.8,37.6,56.9 L92.4,397z M272,40.6c18.8,1.4,36.9,5.2,54.1,11.1l12.6-29.5C317.7,14.7,295.3,10,272,8.5V40.6z M190.8,50 c15.7-5,32.2-8.2,49.2-9.4V8.5c-21.2,1.4-41.7,5.4-61.1,11.7L190.8,50z M442.3,92.3L419.6,115c12,13.9,22.3,29.4,30.5,46.1 l29.8-11.9C470,128.5,457.3,109.4,442.3,92.3z M397,92.4l22.7-22.7c-15.6-13.7-32.8-25.5-51.5-34.9l-12.6,29.5 C370.4,72.1,384.4,81.5,397,92.4z'\n })\n};\nvar OPACITY_ANIMATE = _extends({}, ANIMATION_BASE, {\n attributeName: 'opacity'\n});\nvar DOT = {\n tag: 'circle',\n attributes: _extends({}, FILL, {\n   cx: '256',\n   cy: '364',\n   r: '28'\n }),\n children: [{ tag: 'animate', attributes: _extends({}, ANIMATION_BASE, { attributeName: 'r', values: '28;14;28;28;14;28;' }) }, { tag: 'animate', attributes: _extends({}, OPACITY_ANIMATE, { values: '1;0;1;1;0;1;' }) }]\n};\nvar QUESTION = {\n tag: 'path',\n attributes: _extends({}, FILL, {\n   opacity: '1',\n   d: 'M263.7,312h-16c-6.6,0-12-5.4-12-12c0-71,77.4-63.9,77.4-107.8c0-20-17.8-40.2-57.4-40.2c-29.1,0-44.3,9.6-59.2,28.7 c-3.9,5-11.1,6-16.2,2.4l-13.1-9.2c-5.6-3.9-6.9-11.8-2.6-17.2c21.2-27.2,46.4-44.7,91.2-44.7c52.3,0,97.4,29.8,97.4,80.2 c0,67.6-77.4,63.5-77.4,107.8C275.7,306.6,270.3,312,263.7,312z'\n }),\n children: [{ tag: 'animate', attributes: _extends({}, OPACITY_ANIMATE, { values: '1;0;0;0;0;1;' }) }]\n};\nvar EXCLAMATION = {\n tag: 'path',\n attributes: _extends({}, FILL, {\n   opacity: '0',\n   d: 'M232.5,134.5l7,168c0.3,6.4,5.6,11.5,12,11.5h9c6.4,0,11.7-5.1,12-11.5l7-168c0.3-6.8-5.2-12.5-12-12.5h-23 C237.7,122,232.2,127.7,232.5,134.5z'\n }),\n children: [{ tag: 'animate', attributes: _extends({}, OPACITY_ANIMATE, { values: '0;0;1;1;0;0;' }) }]\n};\n\nvar missing = { tag: 'g', children: [RING, DOT, QUESTION, EXCLAMATION] };\n\nvar styles = namespace.styles;\n\nvar LAYERS_TEXT_CLASSNAME = 'fa-layers-text';\nvar FONT_FAMILY_PATTERN = /Font Awesome 5 (Solid|Regular|Light|Brands)/;\nvar STYLE_TO_PREFIX = {\n 'Solid': 'fas',\n 'Regular': 'far',\n 'Light': 'fal',\n 'Brands': 'fab'\n};\n\nfunction findIcon(iconName, prefix) {\n var val = {\n   found: false,\n   width: 512,\n   height: 512,\n   icon: missing\n };\n\n if (iconName && prefix && styles[prefix] && styles[prefix][iconName]) {\n   var icon = styles[prefix][iconName];\n   var width = icon[0];\n   var height = icon[1];\n   var vectorData = icon.slice(4);\n\n   val = {\n   found: true,\n   width: width,\n   height: height,\n   icon: { tag: 'path', attributes: { fill: 'currentColor', d: vectorData[0] } }\n   };\n } else if (iconName && prefix && !config$1.showMissingIcons) {\n   throw new MissingIcon('Icon is missing for prefix ' + prefix + ' with icon name ' + iconName);\n }\n\n return val;\n}\n\nfunction generateSvgReplacementMutation(node, nodeMeta) {\n var iconName = nodeMeta.iconName,\n   title = nodeMeta.title,\n   prefix = nodeMeta.prefix,\n   transform = nodeMeta.transform,\n   symbol = nodeMeta.symbol,\n   mask = nodeMeta.mask,\n   extra = nodeMeta.extra;\n\n\n return [node, makeInlineSvgAbstract({\n   icons: {\n   main: findIcon(iconName, prefix),\n   mask: findIcon(mask.iconName, mask.prefix)\n   },\n   prefix: prefix,\n   iconName: iconName,\n   transform: transform,\n   symbol: symbol,\n   mask: mask,\n   title: title,\n   extra: extra,\n   watchable: true\n })];\n}\n\nfunction generateLayersText(node, nodeMeta) {\n var title = nodeMeta.title,\n   transform = nodeMeta.transform,\n   extra = nodeMeta.extra;\n\n\n var width = null;\n var height = null;\n\n if (IS_IE) {\n   var computedFontSize = parseInt(getComputedStyle(node).fontSize, 10);\n   var boundingClientRect = node.getBoundingClientRect();\n   width = boundingClientRect.width / computedFontSize;\n   height = boundingClientRect.height / computedFontSize;\n }\n\n if (config$1.autoA11y && !title) {\n   extra.attributes['aria-hidden'] = 'true';\n }\n\n return [node, makeLayersTextAbstract({\n   content: node.innerHTML,\n   width: width,\n   height: height,\n   transform: transform,\n   title: title,\n   extra: extra,\n   watchable: true\n })];\n}\n\nfunction generateMutation(node) {\n var nodeMeta = parseMeta(node);\n\n if (~nodeMeta.extra.classes.indexOf(LAYERS_TEXT_CLASSNAME)) {\n   return generateLayersText(node, nodeMeta);\n } else {\n   return generateSvgReplacementMutation(node, nodeMeta);\n }\n}\n\nfunction remove(node) {\n if (typeof node.remove === 'function') {\n   node.remove();\n } else if (node &&

node.parentNode) {\n   node.parentNode.removeChild(node);\n   }\n}\n\nfunction searchPseudoElements(root) {\n   if (!IS_DOM) return;\n\n   var end = perf.begin('searchPseudoElements');\n\n   disableObservation(function () {\n   toArray(root.querySelectorAll('*')).forEach(function (node) {\n   [':before', ':after'].forEach(function (pos) {\n   var styles = WINDOW.getComputedStyle(node, pos);\n   var fontFamily = styles.getPropertyValue('font-family').match(FONT_FAMILY_PATTERN);\n   var children = toArray(node.children);\n   var pseudoElement = children.filter(function (c) {\n   return c.getAttribute(DATA_FA_PSEUDO_ELEMENT) === pos;\n   })[0];\n\n   if (pseudoElement) {\n   if (pseudoElement.nextSibling && pseudoElement.nextSibling.textContent.indexOf(DATA_FA_PSEUDO_ELEMENT) > -1) {\n   remove(pseudoElement.nextSibling);\n   }\n   remove(pseudoElement);\n   pseudoElement = null;\n   }\n\n   if (fontFamily && !pseudoElement) {\n   var content = styles.getPropertyValue('content');\n   var i = DOCUMENT.createElement('i');\n   i.setAttribute('class', '' + STYLE_TO_PREFIX[fontFamily[1]]);\n   i.setAttribute(DATA_FA_PSEUDO_ELEMENT, pos);\n   i.innerText = content.length === 3 ? content.substr(1, 1) : content;\n   if (pos === ':before') {\n   node.insertBefore(i, node.firstChild);\n   } else {\n   node.appendChild(i);\n   }\n   }\n   });\n   });\n\n   end();\n}\n\nfunction onTree(root) {\n   var callback = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : null;\n\n   if (!IS_DOM) return;\n\n   var htmlClassList = DOCUMENT.documentElement.classList;\n   var hclAdd = function hclAdd(suffix) {\n   return htmlClassList.add(HTML_CLASS_I2SVG_BASE_CLASS + '-' + suffix);\n   };\n   var hclRemove = function hclRemove(suffix) {\n   return htmlClassList.remove(HTML_CLASS_I2SVG_BASE_CLASS + '-' + suffix);\n   };\n   var prefixes = Object.keys(styles);\n   var prefixesDomQuery = ['.' + LAYERS_TEXT_CLASSNAME + ':not([' + DATA_FA_I2SVG + '])'].concat(prefixes.map(function (p) {\n   return '.' + p + ':not([' + DATA_FA_I2SVG + '])';\n   })).join(', ');\n\n   if (prefixesDomQuery.length === 0) {\n   return;\n   }\n\n   var candidates = toArray(root.querySelectorAll(prefixesDomQuery));\n\n   if (candidates.length > 0) {\n   hclAdd('pending');\n   hclRemove('complete');\n   } else {\n   return;\n   }\n\n   var mark = perf.begin('onTree');\n\n   var mutations = candidates.reduce(function (acc, node) {\n   try {\n   var mutation = generateMutation(node);\n\n   if (mutation) {\n   acc.push(mutation);\n   }\n   } catch (e) {\n   if (!PRODUCTION) {\n   if (e instanceof MissingIcon) {\n   console.error(e);\n   }\n   }\n   }\n\n   return acc;\n   }, []);\n\n   mark();\n\n   perform(mutations, function () {\n   hclAdd('active');\n   hclAdd('complete');\n   hclRemove('pending');\n\n   if (typeof callback === 'function') callback();\n   });\n}\n\nfunction onNode(node) {\n   var callback = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : null;\n\n   var mutation = generateMutation(node);\n\n   if (mutation) {\n   perform([mutation], callback);\n   }\n}\n\nvar baseStyles = \"svg:not(:root).svg-inline--fa {\\n overflow: visible; }\\n\\n.svg-inline--fa {\\n display: inline-block;\\n font-size: inherit;\\n height: 1em;\\n overflow: visible;\\n vertical-align: -.125em; }\\n .svg-inline--fa.fa-lg {\\n   vertical-align: -.225em; }\\n .svg-inline--fa.fa-w-1 {\\n   width: 0.0625em; }\\n .svg-inline--fa.fa-w-2 {\\n   width: 0.125em; }\\n .svg-inline--fa.fa-w-3 {\\n   width: 0.1875em; }\\n .svg-inline--fa.fa-w-4 {\\n   width: 0.25em; }\\n .svg-inline--fa.fa-w-5 {\\n   width: 0.3125em; }\\n .svg-inline--fa.fa-w-6 {\\n   width: 0.375em; }\\n .svg-inline--fa.fa-w-7 {\\n   width: 0.4375em; }\\n .svg-inline--fa.fa-w-8 {\\n   width: 0.5em; }\\n .svg-inline--fa.fa-w-9 {\\n   width: 0.5625em; }\\n .svg-inline--fa.fa-w-10 {\\n   width: 0.625em; }\\n .svg-inline--fa.fa-w-11 {\\n   width: 0.6875em; }\\n .svg-inline--fa.fa-w-12 {\\n   width: 0.75em; }\\n .svg-inline--fa.fa-w-13 {\\n   width: 0.8125em; }\\n .svg-inline--fa.fa-w-14 {\\n   width: 0.875em; }\\n .svg-inline--fa.fa-w-15 {\\n   width: 0.9375em; }\\n .svg-inline--fa.fa-w-16 {\\n   width: 1em; }\\n .svg-inline--fa.fa-w-17 {\\n   width: 1.0625em; }\\n .svg-inline--fa.fa-w-18 {\\n   width: 1.125em; }\\n .svg-inline--fa.fa-w-19 {\\n   width: 1.1875em; }\\n .svg-inline--fa.fa-w-20 {\\n   width: 1.25em; }\\n .svg-inline--fa.fa-pull-left {\\n   margin-right: .3em;\\n   width: auto; }\\n .svg-inline--fa.fa-pull-right {\\n   margin-left: .3em;\\n   width: auto; }\\n .svg-inline--fa.fa-border {\\n   height: 1.5em; }\\n .svg-inline--fa.fa-li {\\n   width: 2em; }\\n .svg-inline--fa.fa-fw {\\n   width: 1.25em; }\\n\\n.fa-layers svg.svg-inline--fa {\\n bottom: 0;\\n left: 0;\\n margin: auto;\\n position: absolute;\\n right: 0;\\n top: 0; }\\n\\n.fa-layers {\\n display: inline-block;\\n height: 1em;\\n position: relative;\\n text-align: center;\\n vertical-align: -.125em;\\n width: 1em; }\\n .fa-layers svg.svg-inline--fa {\\n   -webkit-transform-origin: center center;\\n   transform-origin: center center; }\\n\\n.fa-layers-text, .fa-layers-counter {\\n display: inline-block;\\n position: absolute;\\n

text-align: center; }\\n\\n.fa-layers-text {\\n left: 50%;\\n top: 50%;\\n -webkit-transform: translate(-50%, -50%);\\n   transform: translate(-50%, -50%);\\n -webkit-transform-origin: center center;\\n   transform-origin: center center; }\\n\\n.fa-layers-counter {\\n background-color: #ff253a;\\n border-radius: 1em;\\n -webkit-box-sizing: border-box;\\n   box-sizing: border-box;\\n color: #fff;\\n height: 1.5em;\\n line-height: 1;\\n max-width: 5em;\\n min-width: 1.5em;\\n overflow: hidden;\\n padding: .25em;\\n right: 0;\\n text-overflow: ellipsis;\\n top: 0;\\n -webkit-transform: scale(0.25);\\n   transform: scale(0.25);\\n -webkit-transform-origin: top right;\\n   transform-origin: top right; }\\n\\n.fa-layers-bottom-right {\\n bottom: 0;\\n right: 0;\\n top: auto;\\n -webkit-transform: scale(0.25);\\n   transform: scale(0.25);\\n -webkit-transform-origin: bottom right;\\n   transform-origin: bottom right; }\\n\\n.fa-layers-bottom-left {\\n bottom: 0;\\n left: 0;\\n right: auto;\\n top: auto;\\n -webkit-transform: scale(0.25);\\n   transform: scale(0.25);\\n -webkit-transform-origin: bottom left;\\n   transform-origin: bottom left; }\\n\\n.fa-layers-top-right {\\n right: 0;\\n top: 0;\\n -webkit-transform: scale(0.25);\\n   transform: scale(0.25);\\n -webkit-transform-origin: top right;\\n   transform-origin: top right; }\\n\\n.fa-layers-top-left {\\n left: 0;\\n right: auto;\\n top: 0;\\n -webkit-transform: scale(0.25);\\n   transform: scale(0.25);\\n -webkit-transform-origin: top left;\\n   transform-origin: top left; }\\n\\n.fa-lg {\\n font-size: 1.33333em;\\n line-height: 0.75em;\\n vertical-align: -.0667em; }\\n\\n.fa-xs {\\n font-size: .75em; }\\n\\n.fa-sm {\\n font-size: .875em; }\\n\\n.fa-1x {\\n font-size: 1em; }\\n\\n.fa-2x {\\n font-size: 2em; }\\n\\n.fa-3x {\\n font-size: 3em; }\\n\\n.fa-4x {\\n font-size: 4em; }\\n\\n.fa-5x {\\n font-size: 5em; }\\n\\n.fa-6x {\\n font-size: 6em; }\\n\\n.fa-7x {\\n font-size: 7em; }\\n\\n.fa-8x {\\n font-size: 8em; }\\n\\n.fa-9x {\\n font-size: 9em; }\\n\\n.fa-10x {\\n font-size: 10em; }\\n\\n.fa-fw {\\n text-align: center;\\n width: 1.25em; }\\n\\n.fa-ul {\\n list-style-type: none;\\n margin-left: 2.5em;\\n padding-left: 0; }\\n .fa-ul > li {\\n   position: relative; }\\n\\n.fa-li {\\n left: -2em;\\n position: absolute;\\n text-align: center;\\n width: 2em;\\n line-height: inherit; }\\n\\n.fa-border {\\n border: solid 0.08em #eee;\\n border-radius: .1em;\\n padding: .2em .25em .15em; }\\n\\n.fa-pull-left {\\n float: left; }\\n\\n.fa-pull-right {\\n float: right; }\\n\\n.fa.fa-pull-left,\\n.fas.fa-pull-left,\\n.far.fa-pull-left,\\n.fal.fa-pull-left,\\n.fab.fa-pull-left {\\n margin-right: .3em; }\\n\\n.fa.fa-pull-right,\\n.fas.fa-pull-right,\\n.far.fa-pull-right,\\n.fal.fa-pull-right,\\n.fab.fa-pull-right {\\n margin-left: .3em; }\\n\\n.fa-spin {\\n -webkit-animation: fa-spin 2s infinite linear;\\n   animation: fa-spin 2s infinite linear; }\\n\\n.fa-pulse {\\n -webkit-animation: fa-spin 1s infinite steps(8);\\n   animation: fa-spin 1s infinite steps(8); }\\n\\n@-webkit-keyframes fa-spin {\\n 0% {\\n   -webkit-transform: rotate(0deg);\\n   transform: rotate(0deg); }\\n 100% {\\n   -webkit-transform: rotate(360deg);\\n   transform: rotate(360deg); } }\\n\\n@keyframes fa-spin {\\n 0% {\\n   -webkit-transform: rotate(0deg);\\n   transform: rotate(0deg); }\\n 100% {\\n   -webkit-transform: rotate(360deg);\\n   transform: rotate(360deg); } }\\n\\n.fa-rotate-90 {\\n -ms-filter: \\\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=1)\\\\";\\n -webkit-transform: rotate(90deg);\\n   transform: rotate(90deg); }\\n\\n.fa-rotate-180 {\\n -ms-filter: \\\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=2)\\\\";\\n -webkit-transform: rotate(180deg);\\n   transform: rotate(180deg); }\\n\\n.fa-rotate-270 {\\n -ms-filter: \\\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=3)\\\\";\\n -webkit-transform: rotate(270deg);\\n   transform: rotate(270deg); }\\n\\n.fa-flip-horizontal {\\n -ms-filter: \\\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=0, mirror=1)\\\\";\\n -webkit-transform: scale(-1, 1);\\n   transform: scale(-1, 1); }\\n\\n.fa-flip-vertical {\\n -ms-filter: \\\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=2, mirror=1)\\\\";\\n -webkit-transform: scale(1, -1);\\n   transform: scale(1, -1); }\\n\\n.fa-flip-horizontal.fa-flip-vertical {\\n -ms-filter: \\\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=2, mirror=1)\\\\";\\n -webkit-transform: scale(-1, -1);\\n   transform: scale(-1, -1); }\\n\\n:root .fa-rotate-90,\\n:root .fa-rotate-180,\\n:root .fa-rotate-270,\\n:root .fa-flip-horizontal,\\n:root .fa-flip-vertical {\\n -webkit-filter: none;\\n   filter: none; }\\n\\n.fa-stack {\\n display: inline-block;\\n height: 2em;\\n position: relative;\\n width: 2em; }\\n\\n.fa-stack-1x,\\n.fa-stack-2x {\\n bottom: 0;\\n left: 0;\\n margin: auto;\\n position: absolute;\\n right: 0;\\n top: 0; }\\n\\n.svg-inline--fa.fa-stack-1x {\\n height: 1em;\\n width: 1em; }\\n\\n.svg-inline--fa.fa-stack-2x {\\n height: 2em;\\n width: 2em; }\\n\\n.fa-inverse {\\n color: #fff; }\\n\\n.sr-only {\\n border: 0;\\n clip: rect(0, 0, 0, 0);\\n height: 1px;\\n margin: -1px;\\n

overflow: hidden;\\n padding: 0;\\n position: absolute;\\n width: 1px; }\\n\\n.sr-only-focusable:active, .sr-only-focusable:focus {\\n clip: auto;\\n height: auto;\\n margin: 0;\\n overflow: visible;\\n position: static;\\n width: auto; }\\n\";\n\nvar css = function () {\n var dfp = DEFAULT_FAMILY_PREFIX;\n var drc = DEFAULT_REPLACEMENT_CLASS;\n var fp = config$1.familyPrefix;\n var rc = config$1.replacementClass;\n var s = baseStyles;\n\n if (fp !== dfp || rc !== drc) {\n   var dPatt = new RegExp('\\\\.' + dfp + '\\\\-', 'g');\n   var rPatt = new RegExp('\\\\.' + drc, 'g');\n\n   s = s.replace(dPatt, '.' + fp + '-').replace(rPatt, '.' + rc);\n }\n\n return s;\n};\n\nfunction define(prefix, icons) {\n var normalized = Object.keys(icons).reduce(function (acc, iconName) {\n   var icon = icons[iconName];\n   var expanded = !!icon.icon;\n\n   if (expanded) {\n   acc[icon.iconName] = icon.icon;\n   } else {\n   acc[iconName] = icon;\n   }\n   return acc;\n }, {});\n\n if (typeof namespace.hooks.addPack === 'function') {\n   namespace.hooks.addPack(prefix, normalized);\n } else {\n   namespace.styles[prefix] = _extends({}, namespace.styles[prefix] || {}, normalized);\n }\n\n /**\n   * Font Awesome 4 used the prefix of `fa` for all icons. With the introduction\n   * of new styles we needed to differentiate between them. Prefix `fa` is now an alias\n   * for `fas` so we'll easy the upgrade process for our users by automatically defining\n   * this as well.\n   */\n if (prefix === 'fas') {\n   define('fa', icons);\n }\n}\n\nvar Library = function () {\n function Library() {\n   classCallCheck(this, Library);\n\n   this.definitions = {};\n }\n\n createClass(Library, [{\n   key: 'add',\n   value: function add() {\n   var _this = this;\n\n   for (var _len = arguments.length, definitions = Array(_len), _key = 0; _key < _len; _key++) {\n   definitions[_key] = arguments[_key];\n   }\n\n   var additions = definitions.reduce(this._pullDefinitions, {});\n\n   Object.keys(additions).forEach(function (key) {\n   _this.definitions[key] = _extends({}, _this.definitions[key] || {}, additions[key]);\n   define(key, additions[key]);\n   });\n   }\n }, {\n   key: 'reset',\n   value: function reset() {\n   this.definitions = {};\n   }\n }, {\n   key: '_pullDefinitions',\n   value: function _pullDefinitions(additions, definition) {\n   var normalized = definition.prefix && definition.iconName && definition.icon ? { 0: definition } : definition;\n\n   Object.keys(normalized).map(function (key) {\n   var _normalized$key = normalized[key],\n   prefix = _normalized$key.prefix,\n   iconName = _normalized$key.iconName,\n   icon = _normalized$key.icon;\n\n   if (!additions[prefix]) additions[prefix] = {};\n\n   additions[prefix][iconName] = icon;\n   });\n   return additions;\n   }\n }]);\n return Library;\n}();\n\nfunction prepIcon(icon) {\n var width = icon[0];\n var height = icon[1];\n var vectorData = icon.slice(4);\n\n return {\n   found: true,\n   width: width,\n   height: height,\n   icon: { tag: 'path', attributes: { fill: 'currentColor', d: vectorData[0] } }\n };\n}\n\nvar _cssInserted = false;\n\nfunction ensureCss() {\n if (!config$1.autoAddCss) {\n   return;\n }\n\n if (!_cssInserted) {\n   insertCss(css());\n }\n\n _cssInserted = true;\n}\n\nfunction apiObject(val, abstractCreator) {\n Object.defineProperty(val, 'abstract', {\n   get: abstractCreator\n });\n\n Object.defineProperty(val, 'html', {\n   get: function get() {\n   return val.abstract.map(function (a) {\n   return toHtml(a);\n   });\n   }\n });\n\n Object.defineProperty(val, 'node', {\n   get: function get() {\n   if (!IS_DOM) return;\n\n   var container = DOCUMENT.createElement('div');\n   container.innerHTML = val.html;\n   return container.children;\n   }\n });\n\n return val;\n}\n\nfunction findIconDefinition(params) {\n var _params$prefix = params.prefix,\n   prefix = _params$prefix === undefined ? 'fa' : _params$prefix,\n   iconName = params.iconName;\n\n if (!iconName) return;\n\n return iconFromMapping(library.definitions, prefix, iconName) || iconFromMapping(namespace.styles, prefix, iconName);\n}\n\nfunction resolveIcons(next) {\n return function (maybeIconDefinition) {\n   var params = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : {};\n   var iconDefinition = (maybeIconDefinition || {}).icon ? maybeIconDefinition : findIconDefinition(maybeIconDefinition || {});\n\n   var mask = params.mask;\n\n   if (mask) {\n   mask = (mask || {}).icon ? mask : findIconDefinition(mask || {});\n   }\n\n   return next(iconDefinition, _extends({}, params, { mask: mask }));\n };\n}\n\nvar library = new Library();\n\nvar noAuto = function noAuto() {\n auto(false);\n disconnect();\n};\n\nvar dom = {\n i2svg: function i2svg() {\n   var params = arguments.length > 0 && arguments[0] !== undefined ? arguments[0] : {};\n\n   if (IS_DOM) {\n   ensureCss();\n\n   var _params$node = params.node,\n   node = _params$node === undefined ? DOCUMENT : _params$node,\n   _params$callback = params.callback,\n   callback = _params$callback === undefined ? function () {} : _params$callback;\n\n   if (config$1.searchPseudoElements)

{\n   searchPseudoElements(node);\n   }\n\n   onTree(node, callback);\n   }\n   },\n\n css: css,\n\n insertCss: function insertCss$$1() {\n   insertCss(css());\n }\n};\n\nvar parse = {\n transform: function transform(transformString) {\n   return parseTransformString(transformString);\n }\n};\n\nvar icon = resolveIcons(function (iconDefinition) {\n var params = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : {};\n var _params$transform = params.transform,\n   transform = _params$transform === undefined ? meaninglessTransform : _params$transform,\n   _params$symbol = params.symbol,\n   symbol = _params$symbol === undefined ? false : _params$symbol,\n   _params$mask = params.mask,\n   mask = _params$mask === undefined ? null : _params$mask,\n   _params$title = params.title,\n   title = _params$title === undefined ? null : _params$title,\n   _params$classes = params.classes,\n   classes = _params$classes === undefined ? [] : _params$classes,\n   _params$attributes = params.attributes,\n   attributes = _params$attributes === undefined ? {} : _params$attributes,\n   _params$styles = params.styles,\n   styles = _params$styles === undefined ? {} : _params$styles;\n\n if (!iconDefinition) return;\n\n var prefix = iconDefinition.prefix,\n   iconName = iconDefinition.iconName,\n   icon = iconDefinition.icon;\n\n return apiObject(_extends({ type: 'icon' }, iconDefinition), function () {\n   ensureCss();\n\n   if (config$1.autoA11y) {\n   if (title) {\n   attributes['aria-labelledby'] = config$1.replacementClass + '-title-' + nextUniqueId();\n   } else {\n   attributes['aria-hidden'] = 'true';\n   }\n   }\n\n   return makeInlineSvgAbstract({\n   icons: {\n   main: prepIcon(icon),\n   mask: mask ? prepIcon(mask.icon) : { found: false, width: null, height: null, icon: {} }\n   },\n   prefix: prefix,\n   iconName: iconName,\n   transform: _extends({}, meaninglessTransform, transform),\n   symbol: symbol,\n   title: title,\n   extra: {\n   attributes: attributes,\n   styles: styles,\n   classes: classes\n   }\n   });\n });\n});\n\nvar text = function text(content) {\n var params = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : {};\n var _params$transform2 = params.transform,\n   transform = _params$transform2 === undefined ? meaninglessTransform : _params$transform2,\n   _params$title2 = params.title,\n   title = _params$title2 === undefined ? null : _params$title2,\n   _params$classes2 = params.classes,\n   classes = _params$classes2 === undefined ? [] : _params$classes2,\n   _params$attributes2 = params.attributes,\n   attributes = _params$attributes2 === undefined ? {} : _params$attributes2,\n   _params$styles2 = params.styles,\n   styles = _params$styles2 === undefined ? {} : _params$styles2;\n\n return apiObject({ type: 'text', content: content }, function () {\n   ensureCss();\n\n   return makeLayersTextAbstract({\n   content: content,\n   transform: _extends({}, meaninglessTransform, transform),\n   title: title,\n   extra: {\n   attributes: attributes,\n   styles: styles,\n   classes: [config$1.familyPrefix + '-layers-text'].concat(toConsumableArray(classes))\n   }\n   });\n });\n};\n\nvar layer = function layer(assembler) {\n return apiObject({ type: 'layer' }, function () {\n   ensureCss();\n\n   var children = [];\n\n   assembler(function (args) {\n   Array.isArray(args) ? args.map(function (a) {\n   children = children.concat(a.abstract);\n   }) : children = children.concat(args.abstract);\n   });\n\n   return [{\n   tag: 'span',\n   attributes: { class: config$1.familyPrefix + '-layers' },\n   children: children\n   }];\n });\n};\n\nvar api$1 = {\n noAuto: noAuto,\n dom: dom,\n library: library,\n parse: parse,\n findIconDefinition: findIconDefinition,\n icon: icon,\n text: text,\n layer: layer\n};\n\nvar autoReplace = function autoReplace() {\n if (IS_DOM && config$1.autoReplaceSvg) api$1.dom.i2svg({ node: DOCUMENT });\n};\n\nfunction bootstrap() {\n if (IS_BROWSER) {\n   if (!WINDOW.FontAwesome) {\n   WINDOW.FontAwesome = api$1;\n   }\n\n   domready(function () {\n   if (Object.keys(namespace.styles).length > 0) {\n   autoReplace();\n   }\n\n   if (config$1.observeMutations && typeof MutationObserver === 'function') {\n   observe({\n   treeCallback: onTree,\n   nodeCallback: onNode,\n   pseudoElementsCallback: searchPseudoElements\n   });\n   }\n   });\n }\n\n namespace.hooks = _extends({}, namespace.hooks, {\n\n   addPack: function addPack(prefix, icons) {\n   namespace.styles[prefix] = _extends({}, namespace.styles[prefix] || {}, icons);\n\n   build();\n   autoReplace();\n   },\n\n   addShims: function addShims(shims) {\n   var _namespace$shims;\n\n   (_namespace$shims = namespace.shims).push.apply(_namespace$shims, toConsumableArray(shims));\n\n   build();\n   autoReplace();\n   }\n });\n}\n\nObject.defineProperty(api$1, 'config', {\n get: function get() {\n   return config$1;\n },\n\n set: function set(newConfig) {\n   update(newConfig);\n }});\n\nif (IS_DOM) bunker(bootstrap);\n\nvar config = api$1.config;\n\nexport { config, icon, noAuto, layer, text, library, dom, parse,

findIconDefinition };\nexport default api$1;\n","var isObject = require('./_is-object');\nmodule.exports = function\n (it) {\n if (!isObject(it)) throw TypeError(it + ' is not an object!');\n return it;\n};\n","/**\n * This method returns the first argument it receives.\n *\n * @static\n * @since 0.1.0\n * @memberOf _\n * @category Util\n * @param {*} value Any value.\n * @returns {*} Returns `value`.\n * @example\n *\n * var object = { 'a': 1 };\n *\n * console.log(_.identity(object) === object);\n * // => true\n */\nfunction identity(value) {\n return value;\n}\n\nmodule.exports = identity;\n","var has = require('./_has');\nvar toIObject = require('./_to-iobject');\nvar arrayIndexOf = require('./_array-includes')(false);\nvar IE_PROTO = require('./_shared-key')('IE_PROTO');\n\nmodule.exports = function (object, names) {\n var O = toIObject(object);\n var i = 0;\n var result = [];\n var key;\n for (key in O) if (key != IE_PROTO) has(O, key) && result.push(key);\n // Don't enum bug & hidden keys\n while (names.length > i) if (has(O, key = names[i++])) {\n ~arrayIndexOf(result, key) || result.push(key);\n }\n return result;\n};\n","var Symbol = require('./_Symbol'),\n arrayMap = require('./_arrayMap'),\n isArray = require('./isArray'),\n isSymbol = require('./isSymbol');\n\n/** Used as references for various `Number` constants. */\nvar INFINITY = 1 / 0;\n\n/** Used to convert symbols to primitives and strings. */\nvar symbolProto = Symbol ? Symbol.prototype : undefined,\n symbolToString = symbolProto ? symbolProto.toString : undefined;\n\n/**\n * The base implementation of `_.toString` which doesn't convert nullish\n * values to empty strings.\n *\n * @private\n * @param {*} value The value to process.\n * @returns {string} Returns the string.\n */\nfunction baseToString(value) {\n // Exit early for strings to avoid a performance hit in some environments.\n if (typeof value == 'string') {\n return value;\n }\n if (isArray(value)) {\n // Recursively convert values (susceptible to call stack limits).\n return arrayMap(value, baseToString) + '';\n }\n if (isSymbol(value)) {\n return symbolToString ? symbolToString.call(value) : '';\n }\n var result = (value + '');\n return (result == '0' && (1 / value) == -INFINITY) ? '-0' : result;\n}\n\nmodule.exports = baseToString;\n","var ListCache = require('./_ListCache'),\n Map = require('./_Map'),\n MapCache = require('./_MapCache');\n\n/** Used as the size to enable large array optimizations. */\nvar LARGE_ARRAY_SIZE = 200;\n\n/**\n * Sets the stack `key` to `value`.\n *\n * @private\n * @name set\n * @memberOf Stack\n * @param {string} key The key of the value to set.\n * @param {*} value The value to set.\n * @returns {Object} Returns the stack cache instance.\n */\nfunction stackSet(key, value) {\n var data = this.__data__;\n if (data instanceof ListCache) {\n var pairs = data.__data__;\n if (!Map || (pairs.length < LARGE_ARRAY_SIZE - 1)) {\n pairs.push([key, value]);\n this.size = ++data.size;\n return this;\n }\n data = this.__data__ = new MapCache(pairs);\n }\n data.set(key, value);\n this.size = data.size;\n return this;\n}\n\nmodule.exports = stackSet;\n","'use strict';\nObject.defineProperty(exports, '__esModule', { value: true });\nvar prefix = 'fas';\nvar iconName = 'envelope';\nvar width = 512;\nvar height = 512;\nvar ligatures = [];\nvar unicode = 'f0e0';\nvar svgPathData = 'M502.3 190.8c3.9-3.1 9.7-.2 9.7 4.7V400c0 26.5-21.5 48-48 48H48c-26.5 0-48-21.5-48-48V195.6c0-5 5.7-7.8 9.7-4.7 22.4 17.4 52.1 39.5 154.1 113.6 21.1 15.4 56.7 47.8 92.2 47.6 35.7.3 72-32.8 92.3-47.6 102-74.1 131.6-96.3 154-113.7zM256 320c23.2.4 56.6-29.2 73.4-41.4 132.7-96.3 142.8-104.7 173.4-128.7 5.8-4.5 9.2-11.5 9.2-18.9v-19c0-26.5-21.5-48-48-48H48C21.5 64 0 85.5 0 112v19c0 7.4 3.4 14.3 9.2 18.9 30.6 23.9 40.7 32.4 173.4 128.7 16.8 12.2 50.2 41.8 73.4 41.4z';\nexports.definition = {\n prefix: prefix,\n iconName: iconName,\n icon: [\n width,\n height,\n ligatures,\n unicode,\n svgPathData\n]};\n\nexports.faEnvelope = exports.definition;\nexports.prefix = prefix;\nexports.iconName = iconName;\nexports.width = width;\nexports.height = height;\nexports.ligatures = ligatures;\nexports.unicode = unicode;\nexports.svgPathData = svgPathData;","/**\n * This method returns a new empty array.\n *\n * @static\n * @memberOf _\n * @since 4.13.0\n * @category Util\n * @returns {Array} Returns the new empty array.\n * @example\n *\n * var arrays = _.times(2, _.stubArray);\n *\n * console.log(arrays);\n * // => [[], []]\n *\n * console.log(arrays[0] === arrays[1]);\n * // => false\n */\nfunction stubArray() {\n return [];\n}\n\nmodule.exports = stubArray;\n","var baseIsArguments = require('./_baseIsArguments'),\n isObjectLike = require('./isObjectLike');\n\n/** Used for built-in method references. */\nvar objectProto = Object.prototype;\n\n/** Used to check objects for own properties. */\nvar hasOwnProperty = objectProto.hasOwnProperty;\n\n/** Built-in value references. */\nvar propertyIsEnumerable = objectProto.propertyIsEnumerable;\n\n/**\n * Checks if `value` is likely an `arguments` object.\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @category Lang\n * @param {*} value The value to check.\n * @returns

{boolean} Returns `true` if `value` is an `arguments` object,\n * else `false`.\n * @example\n *\n * _.isArguments(function() { return arguments; }());\n * // => true\n *\n * _.isArguments([1, 2, 3]);\n * // => false\n */\nvar isArguments = baseIsArguments(function() { return arguments; }()) ? baseIsArguments : function(value) {\n return isObjectLike(value) && hasOwnProperty.call(value, 'callee') &&\n !propertyIsEnumerable.call(value, 'callee');\n};\n\nmodule.exports = isArguments;\n","module.exports = function (it) {\n return typeof it === 'object' ? it !== null : typeof it === 'function';\n};\n","/**\n * The base implementation of `_.sortBy` which uses `comparer` to define the\n * sort order of `array` and replaces criteria objects with their corresponding\n * values.\n *\n * @private\n * @param {Array} array The array to sort.\n * @param {Function} comparer The function to define sort order.\n * @returns {Array} Returns `array`.\n */\nfunction baseSortBy(array, comparer) {\n var length = array.length;\n\n array.sort(comparer);\n while (length--) {\n array[length] = array[length].value;\n }\n return array;\n}\n\nmodule.exports = baseSortBy;\n","export default function _classCallCheck(instance, Constructor) {\n if (!(instance instanceof Constructor)) {\n throw new TypeError(\"Cannot call a class as a function\");\n }\n}","module.exports = function (done, value) {\n return { value: value, done: !!done };\n};\n","var MapCache = require('./_MapCache'),\n setCacheAdd = require('./_setCacheAdd'),\n setCacheHas = require('./_setCacheHas');\n\n/**\n * Creates an array cache object to store unique values.\n *\n * @private\n * @constructor\n * @param {Array} [values] The values to cache.\n */\nfunction SetCache(values) {\n var index = -1,\n length = values == null ? 0 : values.length;\n\n this.__data__ = new MapCache;\n while (++index < length) {\n this.add(values[index]);\n }\n}\n\n// Add methods to `SetCache`.\nSetCache.prototype.add =\nSetCache.prototype.push = setCacheAdd;\nSetCache.prototype.has = setCacheHas;\n\nmodule.exports = SetCache;\n","module.exports = function (it) {\n if (typeof it != 'function') throw TypeError(it + ' is not a function!');\n return it;\n};\n","var root = require('./_root');\n\n/** Used to detect overreaching core-js shims. */\nvar coreJsData = root['__core-js_shared__'];\n\nmodule.exports = coreJsData;\n","/**\n * Checks if `value` is in the array cache.\n *\n * @private\n * @name has\n * @memberOf SetCache\n * @param {*} value The value to search for.\n * @returns {number} Returns `true` if `value` is found, else `false`.\n */\nfunction setCacheHas(value) {\n return this.__data__.has(value);\n}\n\nmodule.exports = setCacheHas;\n","/** Used for built-in method references. */\nvar funcProto = Function.prototype;\n\n/** Used to resolve the decompiled source of functions. */\nvar funcToString = funcProto.toString;\n\n/**\n * Converts `func` to its source code.\n *\n * @private\n * @param {Function} func The function to convert.\n * @returns {string} Returns the source code.\n */\nfunction toSource(func) {\n if (func != null) {\n try {\n return funcToString.call(func);\n } catch (e) {}\n try {\n return (func + '');\n } catch (e) {}\n }\n return '';\n}\n\nmodule.exports = toSource;\n","var redefine = require('./_redefine');\nmodule.exports = function (target, src, safe) {\n for (var key in src) redefine(target, key, src[key], safe);\n return target;\n};\n","var arrayMap = require('./_arrayMap'),\n baseIteratee = require('./_baseIteratee'),\n baseMap = require('./_baseMap'),\n isArray = require('./isArray');\n\n/**\n * Creates an array of values by running each element in `collection` thru\n * `iteratee`. The iteratee is invoked with three\n * arguments:\n * (value, index|key, collection).\n *\n * Many lodash methods are guarded to work as iteratees for\n * methods like\n * `_.every`, `_.filter`, `_.map`, `_.mapValues`, `_.reject`, and `_.some`.\n *\n * The guarded methods\n * are:\n * `ary`, `chunk`, `curry`, `curryRight`, `drop`, `dropRight`, `every`,\n * `fill`, `invert`, `parseInt`, `random`,\n * `range`, `rangeRight`, `repeat`,\n * `sampleSize`, `slice`, `some`, `sortBy`, `split`, `take`, `takeRight`,\n * `template`,\n * `trim`, `trimEnd`, `trimStart`, and `words`\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @category\n Collection\n * @param {Array|Object} collection The collection to iterate over.\n * @param {Function} [iteratee=_.identity] The function invoked per iteration.\n * @returns {Array} Returns the new mapped array.\n * @example\n *\n * function square(n) {\n * return n * n;\n * }\n *\n * _.map([4, 8], square);\n * // => [16, 64]\n *\n * _.map({ 'a': 4, 'b': 8 }, square);\n * // => [16, 64] (iteration order is not guaranteed)\n *\n * var users = [\n * { 'user': 'barney' },\n * { 'user': 'fred' }\n *];\n *\n * // The `_.property` iteratee shorthand.\n * _.map(users, 'user');\n * // => ['barney', 'fred']\n */\nfunction map(collection, iteratee) {\n var func = isArray(collection) ? arrayMap : baseMap;\n return func(collection, baseIteratee(iteratee, 3));\n}\n\nmodule.exports = map;\n","import mod from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-

loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./EmbedForm.vue?vue&type=style&index=0&id=502aea85&lang=scss&scoped=true&\"; export default mod; export * from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./EmbedForm.vue?vue&type=style&index=0&id=502aea85&lang=scss&scoped=true&\"","// Copyright Joyent, Inc. and other Node contributors.\n//\n// Permission is hereby granted, free of charge, to any person obtaining a\n// copy of this software and associated documentation files (the\n// \"Software\"), to deal in the Software without restriction, including\n// without limitation the rights to use, copy, modify, merge, publish,\n// distribute, sublicense, and/or sell copies of the Software, and to permit\n// persons to whom the Software is furnished to do so, subject to the\n// following conditions:\n//\n// The above copyright notice and this permission notice shall be included\n// in all copies or substantial portions of the Software.\n//\n// THE SOFTWARE IS PROVIDED \"AS IS\", WITHOUT WARRANTY OF ANY KIND, EXPRESS\n// OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF\n// MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN\n// NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,\n// DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR\n// OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE\n// USE OR OTHER DEALINGS IN THE SOFTWARE.\n\n// resolves . and .. elements in a path array with directory names there\n// must be no slashes, empty elements, or device names (c:\\) in the array\n// (so also no leading and trailing slashes - it does not distinguish\n// relative and absolute paths)\nfunction normalizeArray(parts, allowAboveRoot) {\n // if the path tries to go above the root, `up` ends up > 0\n var up = 0;\n for (var i = parts.length - 1; i >= 0; i--) {\n   var last = parts[i];\n   if (last === '.') {\n   parts.splice(i, 1);\n   } else if (last === '..') {\n   parts.splice(i, 1);\n   up++;\n   } else if (up) {\n   parts.splice(i, 1);\n   up--;\n   }\n }\n\n // if the path is allowed to go above the root, restore leading ..s\n if (allowAboveRoot) {\n   for (; up--; up) {\n   parts.unshift('..');\n   }\n }\n\n return parts;\n}\n\n// Split a filename into [root, dir, basename, ext], unix version\n// 'root' is just a slash, or nothing.\nvar splitPathRe =\n   /^(\\/?|)([\\s\\S]*?)((?:\\.{1,2}|[^\\/]+?|)(\\.[^.\\/]*|))(?:[\\/]*)$/;\nvar splitPath = function(filename) {\n return splitPathRe.exec(filename).slice(1);\n};\n\n// path.resolve([from ...], to)\n// posix version\nexports.resolve = function() {\n var resolvedPath = '',\n   resolvedAbsolute = false;\n\n for (var i = arguments.length - 1; i >= -1 && !resolvedAbsolute; i--) {\n   var path = (i >= 0) ? arguments[i] : process.cwd();\n\n   // Skip empty and invalid entries\n   if (typeof path !== 'string') {\n   throw new TypeError('Arguments to path.resolve must be strings');\n   } else if (!path) {\n   continue;\n   }\n\n   resolvedPath = path + '/' + resolvedPath;\n   resolvedAbsolute = path.charAt(0) === '/';\n }\n\n // At this point the path should be resolved to a full absolute path, but\n // handle relative paths to be safe (might happen when process.cwd() fails)\n\n // Normalize the path\n resolvedPath = normalizeArray(filter(resolvedPath.split('/'), function(p) {\n   return !!p;\n }), !resolvedAbsolute).join('/');\n\n return ((resolvedAbsolute ? '/' : '') + resolvedPath) || '.';\n};\n\n// path.normalize(path)\n// posix version\nexports.normalize = function(path) {\n var isAbsolute = exports.isAbsolute(path),\n   trailingSlash = substr(path, -1) === '/';\n\n // Normalize the path\n path = normalizeArray(filter(path.split('/'), function(p) {\n   return !!p;\n }), !isAbsolute).join('/');\n\n if (!path && !isAbsolute) {\n   path = '.';\n }\n if (path && trailingSlash) {\n   path += '/';\n }\n\n return (isAbsolute ? '/' : '') + path;\n};\n\n// posix version\nexports.isAbsolute = function(path) {\n return path.charAt(0) === '/';\n};\n\n// posix version\nexports.join = function() {\n var paths = Array.prototype.slice.call(arguments, 0);\n return exports.normalize(filter(paths, function(p, index) {\n   if (typeof p !== 'string') {\n   throw new TypeError('Arguments to path.join must be strings');\n   }\n   return p;\n }).join('/'));\n};\n\n\n// path.relative(from, to)\n// posix version\nexports.relative =

function(from, to) {\n from = exports.resolve(from).substr(1);\n to = exports.resolve(to).substr(1);\n\n function trim(arr) {\n   var start = 0;\n   for (; start < arr.length; start++) {\n   if (arr[start] !== '') break;\n   }\n\n   var end = arr.length - 1;\n   for (; end >= 0; end--) {\n   if (arr[end] !== '') break;\n   }\n\n   if (start > end) return [];\n   return arr.slice(start, end - start + 1);\n }\n\n var fromParts = trim(from.split('/'));\n var toParts = trim(to.split('/'));\n\n var length = Math.min(fromParts.length, toParts.length);\n var samePartsLength = length;\n for (var i = 0; i < length; i++) {\n   if (fromParts[i] !== toParts[i]) {\n   samePartsLength = i;\n   break;\n   }\n }\n\n var outputParts = [];\n for (var i = samePartsLength; i < fromParts.length; i++) {\n   outputParts.push('..');\n }\n\n outputParts = outputParts.concat(toParts.slice(samePartsLength));\n\n return outputParts.join('/');\n};\n\nexports.sep = '/';\nexports.delimiter = ':';\n\nexports.dirname = function(path) {\n var result = splitPath(path),\n   root = result[0],\n   dir = result[1];\n\n if (!root && !dir) {\n   // No dirname whatsoever\n   return '.';\n }\n\n if (dir) {\n   // It has a dirname, strip trailing slash\n   dir = dir.substr(0, dir.length - 1);\n }\n\n return root + dir;\n};\n\n\nexports.basename = function(path, ext) {\n var f = splitPath(path)[2];\n // TODO: make this comparison case-insensitive on windows?\n if (ext && f.substr(-1 * ext.length) === ext) {\n   f = f.substr(0, f.length - ext.length);\n }\n return f;\n};\n\n\nexports.extname = function(path) {\n return splitPath(path)[3];\n};\n\nfunction filter (xs, f) {\n   if (xs.filter) return xs.filter(f);\n   var res = [];\n   for (var i = 0; i < xs.length; i++) {\n   if (f(xs[i], i, xs)) res.push(xs[i]);\n   }\n   return res;\n}\n\n// String.prototype.substr - negative index don't work in IE8\nvar substr = 'ab'.substr(-1) === 'b'\n   ? function (str, start, len) { return str.substr(start, len) }\n   : function (str, start, len) {\n   if (start < 0) start = str.length + start;\n   return str.substr(start, len);\n   }\n;\n","// IE 8- don't enum bug keys\nmodule.exports = (\n 'constructor,hasOwnProperty,isPrototypeOf,propertyIsEnumerable,toLocaleString,toString,valueOf\n').split(',');\n","var hashClear = require('./_hashClear'),\n   hashDelete = require('./_hashDelete'),\n   hashGet = require('./_hashGet'),\n   hashHas = require('./_hashHas'),\n   hashSet = require('./_hashSet');\n\n/**\n * Creates a hash object.\n *\n * @private\n * @constructor\n * @param {Array} [entries] The key-value pairs to cache.\n */\nfunction Hash(entries) {\n var index = -1,\n   length = entries == null ? 0 : entries.length;\n\n this.clear();\n while (++index < length) {\n   var entry = entries[index];\n   this.set(entry[0], entry[1]);\n }\n}\n\n// Add methods to `Hash`.\nHash.prototype.clear = hashClear;\nHash.prototype['delete'] = hashDelete;\nHash.prototype.get = hashGet;\nHash.prototype.has = hashHas;\nHash.prototype.set = hashSet;\n\nmodule.exports = Hash;\n","var castPath = require('./_castPath'),\n   isArguments = require('./isArguments'),\n   isArray = require('./isArray'),\n   isIndex = require('./_isIndex'),\n   isLength = require('./isLength'),\n   toKey = require('./_toKey');\n\n/**\n * Checks if `path` exists on `object`.\n *\n * @private\n * @param {Object} object The object to query.\n * @param {Array|string} path The path to check.\n * @param {Function} hasFunc The function to check properties.\n * @returns {boolean} Returns `true` if `path` exists, else `false`.\n */\nfunction hasPath(object, path, hasFunc) {\n path = castPath(path, object);\n\n var index = -1,\n   length = path.length,\n   result = false;\n\n while (++index < length) {\n   var key = toKey(path[index]);\n   if (!(result = object != null && hasFunc(object, key))) {\n   break;\n   }\n   object = object[key];\n }\n if (result || ++index != length) {\n   return result;\n }\n length = object == null ? 0 : object.length;\n return !!length && isLength(length) && isIndex(key, length) &&\n   (isArray(object) || isArguments(object));\n}\n\nmodule.exports = hasPath;\n","var isArray = require('./isArray'),\n   isKey = require('./_isKey'),\n   stringToPath = require('./_stringToPath'),\n   toString = require('./toString');\n\n/**\n * Casts `value` to a path array if it's not one.\n *\n * @private\n * @param {*} value The value to inspect.\n * @param {Object} [object] The object to query keys on.\n * @returns {Array} Returns the cast property path array.\n */\nfunction castPath(value, object) {\n if (isArray(value)) {\n   return value;\n }\n return isKey(value, object) ? [value] : stringToPath(toString(value));\n}\n\nmodule.exports = castPath;\n","var MapCache = require('./_MapCache');\n\n/** Error message constants. */\nvar FUNC_ERROR_TEXT = 'Expected a function';\n\n/**\n * Creates a function that memoizes the result of `func`. If `resolver` is\n * provided, it determines the cache key for storing the result based on the\n * arguments provided to the memoized function. By default, the first argument\n * provided to the memoized function is used as the map cache key. The `func`\n * is invoked with the `this` binding of the memoized function.\n *\n * **Note:** The cache is exposed as the `cache` property on the memoized\n * function. Its creation may be customized by replacing the `_.memoize.Cache`\n * constructor with

one whose instances implement the\n * [`Map`](http://ecma-international.org/ecma-262/7.0/#sec-properties-of-the-map-prototype-object)\n * method interface of `clear`, `delete`, `get`, `has`, and `set`.\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @category Function\n * @param {Function} func The function to have its output memoized.\n * @param {Function} [resolver] The function to resolve the cache key.\n * @returns {Function} Returns the new memoized function.\n * @example\n *\n * var object = { 'a': 1, 'b': 2 };\n * var other = { 'c': 3, 'd': 4 };\n *\n * var values = _.memoize(_.values);\n * values(object);\n * // => [1, 2]\n *\n * values(other);\n * // => [3, 4]\n *\n * object.a = 2;\n * values(object);\n * // => [1, 2]\n *\n * // Modify the result cache.\n * values.cache.set(object, ['a', 'b']);\n * values(object);\n * // => ['a', 'b']\n *\n * // Replace `_.memoize.Cache`.\n * _.memoize.Cache = WeakMap;\n */\nfunction memoize(func, resolver) {\n if (typeof func != 'function' || (resolver != null && typeof resolver != 'function')) {\n throw new TypeError(FUNC_ERROR_TEXT);\n }\n var memoized = function() {\n var args = arguments,\n key = resolver ? resolver.apply(this, args) : args[0],\n cache = memoized.cache;\n\n if (cache.has(key)) {\n return cache.get(key);\n }\n var result = func.apply(this, args);\n memoized.cache = cache.set(key, result) || cache;\n return result;\n };\n memoized.cache = new (memoize.Cache || MapCache);\n return memoized;\n}\n\n// Expose `MapCache`.\nmemoize.Cache = MapCache;\n\nmodule.exports = memoize;\n","'use strict';\nObject.defineProperty(exports, '__esModule', { value: true });\nvar prefix = 'fas';\nvar iconName = 'times';\nvar width = 352;\nvar height = 512;\nvar ligatures = [];\nvar unicode = 'f00d';\nvar svgPathData = 'M242.72 256l100.07-100.07c12.28-12.28 12.28-32.19 0-44.48l-22.24-22.24c-12.28-12.28-32.19-12.28-44.48 0L176 189.28 75.93 89.21c-12.28-12.28-32.19-12.28-44.48 0L9.21 111.45c-12.28 12.28-12.28 32.19 0 44.48L109.28 256 9.21 356.07c-12.28 12.28-12.28 32.19 0 44.48l22.24 22.24c12.28 12.28 32.2 12.28 44.48 0L176 322.72l100.07 100.07c12.28 12.28 32.2 12.28 44.48 0l22.24-22.24c12.28-12.28 12.28-32.19 0-44.48L242.72 256z';\n\nexports.definition = {\n prefix: prefix,\n iconName: iconName,\n icon: [\n width,\n height,\n ligatures,\n unicode,\n svgPathData\n]};\n\nexports.faTimes = exports.definition;\nexports.prefix = prefix;\nexports.iconName = iconName;\nexports.width = width;\nexports.height = height;\nexports.ligatures = ligatures;\nexports.unicode = unicode;\nexports.svgPathData = svgPathData;","var baseGet = require('./_baseGet');\n\n/**\n * A specialized version of `baseProperty` which supports deep paths.\n *\n * @private\n * @param {Array|string} path The path of the property to get.\n * @returns {Function} Returns the new accessor function.\n */\nfunction basePropertyDeep(path) {\n return function(object) {\n return baseGet(object, path);\n };\n}\n\nmodule.exports = basePropertyDeep;\n","\"use strict\";\n\n// eslint-disable-next-line no-empty-function\nmodule.exports = function () {};\n","/** Used for built-in method references. */\nvar objectProto = Object.prototype;\n\n/**\n * Checks if `value` is likely a prototype object.\n *\n * @private\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is a prototype, else `false`.\n */\nfunction isPrototype(value) {\n var Ctor = value && value.constructor,\n proto = (typeof Ctor == 'function' && Ctor.prototype) || objectProto;\n\n return value === proto;\n}\n\nmodule.exports = isPrototype;\n","// 7.3.20 SpeciesConstructor(O, defaultConstructor)\nvar anObject = require('./_an-object');\nvar aFunction = require('./_a-function');\nvar SPECIES = require('./_wks')('species');\nmodule.exports = function (O, D) {\n var C = anObject(O).constructor;\n var S;\n return C === undefined || (S = anObject(C)[SPECIES]) == undefined ? D : aFunction(S);\n};\n","var arrayLikeKeys = require('./_arrayLikeKeys'),\n baseKeys = require('./_baseKeys'),\n isArrayLike = require('./isArrayLike');\n\n/**\n * Creates an array of the own enumerable property names of\n * `object`.\n *\n * **Note:** Non-object values are coerced to objects. See the\n * [ES spec](http://ecma-international.org/ecma-262/7.0/#sec-object.keys)\n * for more details.\n *\n * @static\n * @since 0.1.0\n * @memberOf _\n * @category Object\n * @param {Object} object The object to query.\n * @returns {Array} Returns the array of property names.\n * @example\n *\n * function Foo() {\n *   this.a = 1;\n *   this.b = 2;\n * }\n *\n * Foo.prototype.c = 3;\n *\n * _.keys(new Foo);\n * // => ['a', 'b'] (iteration order is not guaranteed)\n *\n * _.keys('hi');\n * // => ['0', '1']\n */\nfunction keys(object) {\n return isArrayLike(object) ? arrayLikeKeys(object) : baseKeys(object);\n}\n\nmodule.exports = keys;\n","\"use strict\";\n\nmodule.exports = function () {\n\ttry {\n\t\tObject.keys(\"primitive\");\n\t\treturn true;\n\t} catch (e) {\n\t\treturn false;\n\t}\n};\n","/**\n * Converts `map` to its key-value pairs.\n *\n * @private\n * @param {Object} map The map to convert.\n * @returns {Array}

Returns the key-value pairs.\n */\nfunction mapToArray(map) {\n var index = -1,\n   result = Array(map.size);\n\n map.forEach(function(value, key) {\n   result[++index] = [key, value];\n });\n return result;\n}\n\nmodule.exports = mapToArray;\n","'use strict';\nObject.defineProperty(exports, '__esModule', { value: true });\nvar prefix = 'fas';\nvar iconName = 'code';\nvar width = 640;\nvar height = 512;\nvar ligatures = [];\nvar unicode = 'f121';\nvar svgPathData = 'M278.9 511.5l-61-17.7c-6.4-1.8-10-8.5-8.2-14.9L346.2 8.7c1.8-6.4 8.5-10 14.9-8.2l61 17.7c6.4 1.8 10 8.5 8.2 14.9L293.8 503.3c-1.9 6.4-8.5 10.1-14.9 8.2zm-114-112.2l43.5-46.4c4.6-4.9 4.3-12.7-.8-17.2L117 256l90.6-79.7c5.1-4.5 5.5-12.3.8-17.2l-43.5-46.4c-4.5-4.8-12.1-5.1-17-.5L3.8 247.2c-5.1 4.7-5.1 12.8 0 17.5l144.1 135.1c4.9 4.6 12.5 4.4 17-.5zm327.2.6l144.1-135.1c5.1-4.7 5.1-12.8 0-17.5L492.1 112.1c-4.8-4.5-12.4-4.3-17 .5L431.6 159c-4.6 4.9-4.3 12.7.8 17.2L523 256l-90.6 79.7c-5.1 4.5-5.5 12.3-.8 17.2l43.5 46.4c4.5 4.9 12.1 5.1 17 .6z';\n\nexports.definition = {\n prefix: prefix,\n iconName: iconName,\n icon: [\n   width,\n   height,\n   ligatures,\n   unicode,\n   svgPathData\n]};\n\nexports.faCode = exports.definition;\nexports.prefix = prefix;\nexports.iconName = iconName;\nexports.width = width;\nexports.height = height;\nexports.ligatures = ligatures;\nexports.unicode = unicode;\nexports.svgPathData = svgPathData;","/**\n * The base implementation of `_.property` without support for deep paths.\n *\n * @private\n * @param {string} key The key of the property to get.\n * @returns {Function} Returns the new accessor function.\n */\nfunction baseProperty(key) {\n return function(object) {\n   return object == null ? undefined : object[key];\n };\n}\n\nmodule.exports = baseProperty;\n","var ListCache = require('./_ListCache');\n\n/**\n * Removes all key-value entries from the stack.\n *\n * @private\n * @name clear\n * @memberOf Stack\n */\nfunction stackClear() {\n this.__data__ = new ListCache;\n this.size = 0;\n}\n\nmodule.exports = stackClear;\n","/*!\n * @fileOverview Kickass library to create and place poppers near their reference elements.\n * @version 1.14.5\n * @license\n * Copyright (c) 2016 Federico Zivolo and contributors\n *\n * Permission is hereby granted, free of charge, to any person obtaining a copy\n * of this software and associated documentation files (the \"Software\"), to deal\n * in the Software without restriction, including without limitation the rights\n * to use, copy, modify, merge, publish, distribute, sublicense, and/or sell\n * copies of the Software, and to permit persons to whom the Software is\n * furnished to do so, subject to the following conditions:\n *\n * The above copyright notice and this permission notice shall be included in all\n * copies or substantial portions of the Software.\n *\n * THE SOFTWARE IS PROVIDED \"AS IS\", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR\n * IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,\n * FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE\n * AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER\n * LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,\n * OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE\n * SOFTWARE.\n */\nvar isBrowser = typeof window !== 'undefined' && typeof document !== 'undefined';\n\nvar longerTimeoutBrowsers = ['Edge', 'Trident', 'Firefox'];\nvar timeoutDuration = 0;\nfor (var i = 0; i < longerTimeoutBrowsers.length; i += 1) {\n if (isBrowser && navigator.userAgent.indexOf(longerTimeoutBrowsers[i]) >= 0) {\n   timeoutDuration = 1;\n   break;\n }\n}\n\nfunction microtaskDebounce(fn) {\n var called = false;\n return function () {\n   if (called) {\n   return;\n   }\n   called = true;\n   window.Promise.resolve().then(function () {\n   called = false;\n   fn();\n   });\n };\n}\n\nfunction taskDebounce(fn) {\n var scheduled = false;\n return function () {\n   if (!scheduled) {\n   scheduled = true;\n   setTimeout(function () {\n   scheduled = false;\n   fn();\n   }, timeoutDuration);\n   }\n };\n}\n\nvar supportsMicroTasks = isBrowser && window.Promise;\n\n/**\n* Create a debounced version of a method, that's asynchronously deferred\n* but called in the minimum time possible.\n*\n* @method\n* @memberof Popper.Utils\n* @argument {Function} fn\n* @returns {Function}\n*/\nvar debounce = supportsMicroTasks ? microtaskDebounce : taskDebounce;\n\n/**\n * Check if the given variable is a function\n * @method\n * @memberof Popper.Utils\n * @argument {Any} functionToCheck - variable to check\n * @returns {Boolean} answer to: is a function?\n */\nfunction isFunction(functionToCheck) {\n var getType = {};\n return functionToCheck && getType.toString.call(functionToCheck) === '[object Function]';\n}\n\n/**\n * Get CSS computed property of the given element\n * @method\n * @memberof Popper.Utils\n * @argument {Eement} element\n * @argument {String} property\n */\nfunction getStyleComputedProperty(element, property) {\n if

(element.nodeType !== 1) {\n   return [];\n }\n // NOTE: 1 DOM access here\n var window = element.ownerDocument.defaultView;\n var css = window.getComputedStyle(element, null);\n return property ? css[property] : css;\n}\n\n/**\n * Returns the parentNode or the host of the element\n * @method\n * @memberof Popper.Utils\n * @argument {Element} element\n * @returns {Element} parent\n */\nfunction getParentNode(element) {\n if (element.nodeName === 'HTML') {\n   return element;\n }\n return element.parentNode || element.host;\n}\n\n/**\n * Returns the scrolling parent of the given element\n * @method\n * @memberof Popper.Utils\n * @argument {Element} element\n * @returns {Element} scroll parent\n */\nfunction getScrollParent(element) {\n // Return body, `getScroll` will take care to get the correct `scrollTop` from it\n if (!element) {\n   return document.body;\n }\n\n switch (element.nodeName) {\n   case 'HTML':\n   case 'BODY':\n   return element.ownerDocument.body;\n   case '#document':\n   return element.body;\n }\n\n // Firefox want us to check `-x` and `-y` variations as well\n\n var _getStyleComputedProp = getStyleComputedProperty(element),\n   overflow = _getStyleComputedProp.overflow,\n   overflowX = _getStyleComputedProp.overflowX,\n   overflowY = _getStyleComputedProp.overflowY;\n\n if (/(auto|scroll|overlay)/.test(overflow + overflowY + overflowX)) {\n   return element;\n }\n\n return getScrollParent(getParentNode(element));\n}\n\nvar isIE11 = isBrowser && !!(window.MSInputMethodContext && document.documentMode);\nvar isIE10 = isBrowser && /MSIE 10/.test(navigator.userAgent);\n\n/**\n * Determines if the browser is Internet Explorer\n * @method\n * @memberof Popper.Utils\n * @param {Number} version to check\n * @returns {Boolean} isIE\n */\nfunction isIE(version) {\n if (version === 11) {\n   return isIE11;\n }\n if (version === 10) {\n   return isIE10;\n }\n return isIE11 || isIE10;\n}\n\n/**\n * Returns the offset parent of the given element\n * @method\n * @memberof Popper.Utils\n * @argument {Element} element\n * @returns {Element} offset parent\n */\nfunction getOffsetParent(element) {\n if (!element) {\n   return document.documentElement;\n }\n\n var noOffsetParent = isIE(10) ? document.body : null;\n\n // NOTE: 1 DOM access here\n var offsetParent = element.offsetParent || null;\n // Skip hidden elements which don't have an offsetParent\n while (offsetParent === noOffsetParent && element.nextElementSibling) {\n   offsetParent = (element = element.nextElementSibling).offsetParent;\n }\n\n var nodeName = offsetParent && offsetParent.nodeName;\n\n if (!nodeName || nodeName === 'BODY' || nodeName === 'HTML') {\n   return element ? element.ownerDocument.documentElement : document.documentElement;\n }\n\n // .offsetParent will return the closest TH, TD or TABLE in case\n // no offsetParent is present, I hate this job...\n if (['TH', 'TD', 'TABLE'].indexOf(offsetParent.nodeName) !== -1 && getStyleComputedProperty(offsetParent, 'position') === 'static') {\n   return getOffsetParent(offsetParent);\n }\n\n return offsetParent;\n}\n\nfunction isOffsetContainer(element) {\n var nodeName = element.nodeName;\n\n if (nodeName === 'BODY') {\n   return false;\n }\n return nodeName === 'HTML' || getOffsetParent(element.firstElementChild) === element;\n}\n\n/**\n * Finds the root node (document, shadowDOM root) of the given element\n * @method\n * @memberof Popper.Utils\n * @argument {Element} node\n * @returns {Element} root node\n */\nfunction getRoot(node) {\n if (node.parentNode !== null) {\n   return getRoot(node.parentNode);\n }\n\n return node;\n}\n\n/**\n * Finds the offset parent common to the two provided nodes\n * @method\n * @memberof Popper.Utils\n * @argument {Element} element1\n * @argument {Element} element2\n * @returns {Element} common offset parent\n */\nfunction findCommonOffsetParent(element1, element2) {\n // This check is needed to avoid errors in case one of the elements isn't defined for any reason\n if (!element1 || !element1.nodeType || !element2 || !element2.nodeType) {\n   return document.documentElement;\n }\n\n // Here we make sure to give as \"start\" the element that comes first in the DOM\n var order = element1.compareDocumentPosition(element2) & Node.DOCUMENT_POSITION_FOLLOWING;\n var start = order ? element1 : element2;\n var end = order ? element2 : element1;\n\n // Get common ancestor container\n var range = document.createRange();\n range.setStart(start, 0);\n range.setEnd(end, 0);\n var commonAncestorContainer = range.commonAncestorContainer;\n\n // Both nodes are inside #document\n\n if (element1 !== commonAncestorContainer && element2 !== commonAncestorContainer || start.contains(end)) {\n   if (isOffsetContainer(commonAncestorContainer)) {\n   return commonAncestorContainer;\n   }\n\n   return getOffsetParent(commonAncestorContainer);\n }\n\n // one of the nodes is inside shadowDOM, find which one\n

var element1root = getRoot(element1);\n if (element1root.host) {\n   return findCommonOffsetParent(element1root.host, element2);\n } else {\n   return findCommonOffsetParent(element1, getRoot(element2).host);\n }\n}\n\n/**\n * Gets the scroll value of the given element in the given side (top and left)\n * @method\n * @memberof Popper.Utils\n * @argument {Element} element\n * @argument {String} side `top` or `left`\n * @returns {number} amount of scrolled pixels\n */\nfunction getScroll(element) {\n var side = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : 'top';\n\n var upperSide = side === 'top' ? 'scrollTop' : 'scrollLeft';\n var nodeName = element.nodeName;\n\n if (nodeName === 'BODY' || nodeName === 'HTML') {\n   var html = element.ownerDocument.documentElement;\n   var scrollingElement = element.ownerDocument.scrollingElement || html;\n   return scrollingElement[upperSide];\n }\n\n return element[upperSide];\n}\n\n/*\n * Sum or subtract the element scroll values (left and top) from a given rect object\n * @method\n * @memberof Popper.Utils\n * @param {Object} rect - Rect object you want to change\n * @param {HTMLElement} element - The element from the function reads the scroll values\n * @param {Boolean} subtract - set to true if you want to subtract the scroll values\n * @return {Object} rect - The modifier rect object\n */\nfunction includeScroll(rect, element) {\n var subtract = arguments.length > 2 && arguments[2] !== undefined ? arguments[2] : false;\n\n var scrollTop = getScroll(element, 'top');\n var scrollLeft = getScroll(element, 'left');\n var modifier = subtract ? -1 : 1;\n rect.top += scrollTop * modifier;\n rect.bottom += scrollTop * modifier;\n rect.left += scrollLeft * modifier;\n rect.right += scrollLeft * modifier;\n return rect;\n}\n\n/*\n * Helper to detect borders of a given element\n * @method\n * @memberof Popper.Utils\n * @param {CSSStyleDeclaration} styles\n * Result of `getStyleComputedProperty` on the given element\n * @param {String} axis - `x` or `y`\n * @return {number} borders - The borders size of the given axis\n */\n\nfunction getBordersSize(styles, axis) {\n var sideA = axis === 'x' ? 'Left' : 'Top';\n var sideB = sideA === 'Left' ? 'Right' : 'Bottom';\n\n return parseFloat(styles['border' + sideA + 'Width'], 10) + parseFloat(styles['border' + sideB + 'Width'], 10);\n}\n\nfunction getSize(axis, body, html, computedStyle) {\n return Math.max(body['offset' + axis], body['scroll' + axis], html['client' + axis], html['offset' + axis], html['scroll' + axis], isIE(10) ? parseInt(html['offset' + axis]) + parseInt(computedStyle['margin' + (axis === 'Height' ? 'Top' : 'Left')]) + parseInt(computedStyle['margin' + (axis === 'Height' ? 'Bottom' : 'Right')]) : 0);\n}\n\nfunction getWindowSizes(document) {\n var body = document.body;\n var html = document.documentElement;\n var computedStyle = isIE(10) && getComputedStyle(html);\n\n return {\n height: getSize('Height', body, html, computedStyle),\n   width: getSize('Width', body, html, computedStyle)\n };\n}\n\nvar classCallCheck = function (instance, Constructor) {\n if (!(instance instanceof Constructor)) {\n throw new TypeError(\"Cannot call a class as a function\");\n }\n};\n\nvar createClass = function () {\n function defineProperties(target, props) {\n   for (var i = 0; i < props.length; i++) {\n   var descriptor = props[i];\n descriptor.enumerable = descriptor.enumerable || false;\n   descriptor.configurable = true;\n   if (\"value\" in descriptor) descriptor.writable = true;\n   Object.defineProperty(target, descriptor.key, descriptor);\n   }\n }\n\n return function (Constructor, protoProps, staticProps) {\n   if (protoProps) defineProperties(Constructor.prototype, protoProps);\n   if (staticProps) defineProperties(Constructor, staticProps);\n   return Constructor;\n };\n}();\n\n\n\n\nvar defineProperty = function (obj, key, value) {\n if (key in obj) {\n Object.defineProperty(obj, key, {\n   value: value,\n   enumerable: true,\n   configurable: true,\n   writable: true\n   });\n } else {\n   obj[key] = value;\n }\n\n return obj;\n};\n\nvar _extends = Object.assign || function (target) {\n for (var i = 1; i < arguments.length; i++) {\n   var source = arguments[i];\n\n   for (var key in source) {\n   if (Object.prototype.hasOwnProperty.call(source, key)) {\n   target[key] = source[key];\n   }\n   }\n }\n\n return target;\n};\n\n/**\n * Given element offsets, generate an output similar to getBoundingClientRect\n * @method\n * @memberof Popper.Utils\n * @argument {Object} offsets\n * @returns {Object} ClientRect like output\n */\nfunction getClientRect(offsets) {\n return _extends({}, offsets, {\n   right: offsets.left + offsets.width,\n   bottom: offsets.top + offsets.height\n });\n}\n\n/**\n * Get bounding client rect of given element\n * @method\n * @memberof Popper.Utils\n * @param {HTMLElement} element\n * @return {Object} client rect\n */\nfunction getBoundingClientRect(element) {\n var rect = {};\n\n // IE10 10 FIX: Please, don't ask, the element isn't\n // considered in DOM in some circumstances...\n // This isn't reproducible in IE10 compatibility mode of IE11\n try {\n   if (isIE(10)) {\n   rect = element.getBoundingClientRect();\n   var scrollTop =

getScroll(element, 'top');\n   var scrollLeft = getScroll(element, 'left');\n   rect.top += scrollTop;\n   rect.left += scrollLeft;\n   rect.bottom += scrollTop;\n   rect.right += scrollLeft;\n } else {\n   rect = element.getBoundingClientRect();\n }\n } catch (e) {}\n\n var result = {\n   left: rect.left,\n   top: rect.top,\n   width: rect.right - rect.left,\n   height: rect.bottom - rect.top\n };\n\n // subtract scrollbar size from sizes\n var sizes = element.nodeName === 'HTML' ? getWindowSizes(element.ownerDocument) : {};\n var width = sizes.width || element.clientWidth || result.right - result.left;\n var height = sizes.height || element.clientHeight || result.bottom - result.top;\n\n var horizScrollbar = element.offsetWidth - width;\n var vertScrollbar = element.offsetHeight - height;\n\n // if an hypothetical scrollbar is detected, we must be sure it's not a `border`\n // we make this check conditional for performance reasons\n if (horizScrollbar || vertScrollbar) {\n   var styles = getStyleComputedProperty(element);\n   horizScrollbar -= getBordersSize(styles, 'x');\n   vertScrollbar -= getBordersSize(styles, 'y');\n\n   result.width -= horizScrollbar;\n   result.height -= vertScrollbar;\n }\n\n return getClientRect(result);\n}\n\nfunction getOffsetRectRelativeToArbitraryNode(children, parent) {\n var fixedPosition = arguments.length > 2 && arguments[2] !== undefined ? arguments[2] : false;\n\n var isIE10 = isIE(10);\n var isHTML = parent.nodeName === 'HTML';\n var childrenRect = getBoundingClientRect(children);\n var parentRect = getBoundingClientRect(parent);\n var scrollParent = getScrollParent(children);\n\n var styles = getStyleComputedProperty(parent);\n var borderTopWidth = parseFloat(styles.borderTopWidth, 10);\n var borderLeftWidth = parseFloat(styles.borderLeftWidth, 10);\n\n // In cases where the parent is fixed, we must ignore negative scroll in offset calc\n if (fixedPosition && isHTML) {\n   parentRect.top = Math.max(parentRect.top, 0);\n   parentRect.left = Math.max(parentRect.left, 0);\n }\n var offsets = getClientRect({\n   top: childrenRect.top - parentRect.top - borderTopWidth,\n   left: childrenRect.left - parentRect.left - borderLeftWidth,\n   width: childrenRect.width,\n   height: childrenRect.height\n });\n offsets.marginTop = 0;\n offsets.marginLeft = 0;\n\n // Subtract margins of documentElement in case it's being used as parent\n // we do this only on HTML because it's the only element that behaves\n // differently when margins are applied to it. The margins are included in\n // the box of the documentElement, in the other cases not.\n if (!isIE10 && isHTML) {\n   var marginTop = parseFloat(styles.marginTop, 10);\n   var marginLeft = parseFloat(styles.marginLeft, 10);\n\n   offsets.top -= borderTopWidth - marginTop;\n   offsets.bottom -= borderTopWidth - marginTop;\n   offsets.left -= borderLeftWidth - marginLeft;\n   offsets.right -= borderLeftWidth - marginLeft;\n\n   // Attach marginTop and marginLeft because in some circumstances we may need them\n   offsets.marginTop = marginTop;\n   offsets.marginLeft = marginLeft;\n }\n\n if (isIE10 && !fixedPosition ? parent.contains(scrollParent) : parent === scrollParent && scrollParent.nodeName !== 'BODY') {\n   offsets = includeScroll(offsets, parent);\n }\n\n return offsets;\n}\n\nfunction getViewportOffsetRectRelativeToArtbitraryNode(element) {\n var excludeScroll = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : false;\n var html = element.ownerDocument.documentElement;\n var relativeOffset = getOffsetRectRelativeToArbitraryNode(element, html);\n var width = Math.max(html.clientWidth, window.innerWidth || 0);\n var height = Math.max(html.clientHeight, window.innerHeight || 0);\n\n var scrollTop = !excludeScroll ? getScroll(html) : 0;\n var scrollLeft = !excludeScroll ? getScroll(html, 'left') : 0;\n\n var offset = {\n   top: scrollTop - relativeOffset.top + relativeOffset.marginTop,\n   left: scrollLeft - relativeOffset.left + relativeOffset.marginLeft,\n   width: width,\n   height: height\n };\n\n return getClientRect(offset);\n}\n\n/**\n * Check if the given element is fixed or is inside a fixed parent\n * @method\n * @memberof Popper.Utils\n * @argument {Element} element\n * @argument {Element} customContainer\n * @returns {Boolean} answer to \"isFixed?\"\n */\nfunction isFixed(element) {\n var nodeName = element.nodeName;\n if (nodeName === 'BODY' || nodeName === 'HTML') {\n   return false;\n }\n if (getStyleComputedProperty(element, 'position') === 'fixed') {\n   return true;\n }\n return isFixed(getParentNode(element));\n}\n\n/**\n * Finds the first parent of an element that has a transformed property defined\n * @method\n * @memberof Popper.Utils\n * @argument {Element} element\n * @returns {Element} first transformed parent or documentElement\n */\nfunction getFixedPositionOffsetParent(element) {\n // This check is needed to avoid errors in case one of the elements isn't defined for any reason\n if (!element || !element.parentElement || isIE()) {\n   return document.documentElement;\n }\n var el = element.parentElement;\n while (el && getStyleComputedProperty(el, 'transform') === 'none') {\n   el

= el.parentElement;\n }\n return el || document.documentElement;\n}\n\n/**\n * Computed the boundaries limits and return them\n * @method\n * @memberof Popper.Utils\n * @param {HTMLElement} popper\n * @param {HTMLElement} reference\n * @param {number} padding\n * @param {HTMLElement} boundariesElement - Element used to define the boundaries\n * @param {Boolean} fixedPosition - Is in fixed position mode\n * @returns {Object} Coordinates of the boundaries\n */\nfunction getBoundaries(popper, reference, padding, boundariesElement) {\n var fixedPosition = arguments.length > 4 && arguments[4] !== undefined ? arguments[4] : false;\n\n // NOTE: 1 DOM access here\n\n var boundaries = { top: 0, left: 0 };\n var offsetParent = fixedPosition ? getFixedPositionOffsetParent(popper) : findCommonOffsetParent(popper, reference);\n\n // Handle viewport case\n if (boundariesElement === 'viewport') {\n boundaries = getViewportOffsetRectRelativeToArtbitraryNode(offsetParent, fixedPosition);\n } else {\n // Handle other cases based on DOM element used as boundaries\n var boundariesNode = void 0;\n if (boundariesElement === 'scrollParent') {\n boundariesNode = getScrollParent(getParentNode(reference));\n if (boundariesNode.nodeName === 'BODY') {\n boundariesNode = popper.ownerDocument.documentElement;\n }\n } else if (boundariesElement === 'window') {\n boundariesNode = popper.ownerDocument.documentElement;\n } else {\n boundariesNode = boundariesElement;\n }\n\n var offsets = getOffsetRectRelativeToArbitraryNode(boundariesNode, offsetParent, fixedPosition);\n\n // In case of HTML, we need a different computation\n if (boundariesNode.nodeName === 'HTML' && !isFixed(offsetParent)) {\n var _getWindowSizes = getWindowSizes(popper.ownerDocument),\n height = _getWindowSizes.height,\n width = _getWindowSizes.width;\n\n boundaries.top += offsets.top - offsets.marginTop;\n boundaries.bottom = height + offsets.top;\n boundaries.left += offsets.left - offsets.marginLeft;\n boundaries.right = width + offsets.left;\n } else {\n // for all the other DOM elements, this one is good\n boundaries = offsets;\n }\n }\n\n // Add paddings\n padding = padding || 0;\n var isPaddingNumber = typeof padding === 'number';\n boundaries.left += isPaddingNumber ? padding : padding.left || 0;\n boundaries.top += isPaddingNumber ? padding : padding.top || 0;\n boundaries.right -= isPaddingNumber ? padding : padding.right || 0;\n boundaries.bottom -= isPaddingNumber ? padding : padding.bottom || 0;\n\n return boundaries;\n}\n\nfunction getArea(_ref) {\n var width = _ref.width,\n height = _ref.height;\n\n return width * height;\n}\n\n/**\n * Utility used to transform the `auto` placement to the placement with more\n * available space.\n * @method\n * @memberof Popper.Utils\n * @argument {Object} data - The data object generated by update method\n * @argument {Object} options - Modifiers configuration and options\n * @returns {Object} The data object, properly modified\n */\nfunction computeAutoPlacement(placement, refRect, popper, reference, boundariesElement) {\n var padding = arguments.length > 5 && arguments[5] !== undefined ? arguments[5] : 0;\n\n if (placement.indexOf('auto') === -1) {\n return placement;\n }\n\n var boundaries = getBoundaries(popper, reference, padding, boundariesElement);\n\n var rects = {\n top: {\n width: boundaries.width,\n height: refRect.top - boundaries.top\n },\n right: {\n width: boundaries.right - refRect.right,\n height: boundaries.height\n },\n bottom: {\n width: boundaries.width,\n height: boundaries.bottom - refRect.bottom\n },\n left: {\n width: refRect.left - boundaries.left,\n height: boundaries.height\n }\n };\n\n var sortedAreas = Object.keys(rects).map(function (key) {\n return _extends({\n key: key\n }, rects[key], {\n area: getArea(rects[key])\n });\n }).sort(function (a, b) {\n return b.area - a.area;\n });\n\n var filteredAreas = sortedAreas.filter(function (_ref2) {\n var width = _ref2.width,\n height = _ref2.height;\n return width >= popper.clientWidth && height >= popper.clientHeight;\n });\n\n var computedPlacement = filteredAreas.length > 0 ? filteredAreas[0].key : sortedAreas[0].key;\n\n var variation = placement.split('-')[1];\n\n return computedPlacement + (variation ? '-' + variation : '');\n}\n\n/**\n * Get offsets to the reference element\n * @method\n * @memberof Popper.Utils\n * @param {Object} state\n * @param {Element} popper - the popper element\n * @param {Element} reference - the reference element (the popper will be relative to this)\n * @param {Element} fixedPosition - is in fixed position mode\n * @returns {Object} An object containing the offsets which will be applied to the popper\n */\nfunction getReferenceOffsets(state, popper, reference) {\n var fixedPosition = arguments.length > 3 && arguments[3] !== undefined ? arguments[3] : null;\n\n var commonOffsetParent = fixedPosition ? getFixedPositionOffsetParent(popper) :

findCommonOffsetParent(popper, reference);\n return getOffsetRectRelativeToArbitraryNode(reference, commonOffsetParent, fixedPosition);\n}\n\n/**\n * Get the outer sizes of the given element (offset size + margins)\n * @method\n * @memberof Popper.Utils\n * @argument {Element} element\n * @returns {Object} object containing width and height properties\n */\nfunction getOuterSizes(element) {\n var window = element.ownerDocument.defaultView;\n var styles = window.getComputedStyle(element);\n var x = parseFloat(styles.marginTop) + parseFloat(styles.marginBottom);\n var y = parseFloat(styles.marginLeft) + parseFloat(styles.marginRight);\n var result = {\n   width: element.offsetWidth + y,\n   height: element.offsetHeight + x\n };\n return result;\n}\n\n/**\n * Get the opposite placement of the given one\n * @method\n * @memberof Popper.Utils\n * @argument {String} placement\n * @returns {String} flipped placement\n */\nfunction getOppositePlacement(placement) {\n var hash = { left: 'right', right: 'left', bottom: 'top', top: 'bottom' };\n return placement.replace(/left|right|bottom|top/g, function (matched) {\n   return hash[matched];\n });\n}\n\n/**\n * Get offsets to the popper\n * @method\n * @memberof Popper.Utils\n * @param {Object} position - CSS position the Popper will get applied\n * @param {HTMLElement} popper - the popper element\n * @param {Object} referenceOffsets - the reference offsets (the popper will be relative to this)\n * @param {String} placement - one of the valid placement options\n * @returns {Object} popperOffsets - An object containing the offsets which will be applied to the popper\n */\nfunction getPopperOffsets(popper, referenceOffsets, placement) {\n placement = placement.split('-')[0];\n\n // Get popper node sizes\n var popperRect = getOuterSizes(popper);\n\n // Add position, width and height to our offsets object\n var popperOffsets = {\n   width: popperRect.width,\n   height: popperRect.height\n };\n\n // depending by the popper placement we have to compute its offsets slightly differently\n var isHoriz = ['right', 'left'].indexOf(placement) !== -1;\n var mainSide = isHoriz ? 'top' : 'left';\n var secondarySide = isHoriz ? 'left' : 'top';\n var measurement = isHoriz ? 'height' : 'width';\n var secondaryMeasurement = !isHoriz ? 'height' : 'width';\n\n popperOffsets[mainSide] = referenceOffsets[mainSide] + referenceOffsets[measurement] / 2 - popperRect[measurement] / 2;\n if (placement === secondarySide) {\n   popperOffsets[secondarySide] = referenceOffsets[secondarySide] - popperRect[secondaryMeasurement];\n } else {\n   popperOffsets[secondarySide] = referenceOffsets[getOppositePlacement(secondarySide)];\n }\n\n return popperOffsets;\n}\n\n/**\n * Mimics the `find` method of Array\n * @method\n * @memberof Popper.Utils\n * @argument {Array} arr\n * @argument prop\n * @argument value\n * @returns index or -1\n */\nfunction find(arr, check) {\n // use native find if supported\n if (Array.prototype.find) {\n   return arr.find(check);\n }\n\n // use `filter` to obtain the same behavior of `find`\n return arr.filter(check)[0];\n}\n\n/**\n * Return the index of the matching object\n * @method\n * @memberof Popper.Utils\n * @argument {Array} arr\n * @argument prop\n * @argument value\n * @returns index or -1\n */\nfunction findIndex(arr, prop, value) {\n // use native findIndex if supported\n if (Array.prototype.findIndex) {\n   return arr.findIndex(function (cur) {\n   return cur[prop] === value;\n   });\n }\n\n // use `find` + `indexOf` if `findIndex` isn't supported\n var match = find(arr, function (obj) {\n   return obj[prop] === value;\n });\n return arr.indexOf(match);\n}\n\n/**\n * Loop trough the list of modifiers and run them in order,\n * each of them will then edit the data object.\n * @method\n * @memberof Popper.Utils\n * @param {dataObject} data\n * @param {Array} modifiers\n * @param {String} ends - Optional modifier name used as stopper\n * @returns {dataObject}\n */\nfunction runModifiers(modifiers, data, ends) {\n var modifiersToRun = ends === undefined ? modifiers : modifiers.slice(0, findIndex(modifiers, 'name', ends));\n\n modifiersToRun.forEach(function (modifier) {\n   if (modifier['function']) {\n   // eslint-disable-line dot-notation\n   console.warn(`modifier.function` is deprecated, use `modifier.fn`!');\n   }\n   var fn = modifier['function'] || modifier.fn; // eslint-disable-line dot-notation\n   if (modifier.enabled && isFunction(fn)) {\n   // Add properties to offsets to make them a complete clientRect object\n   // we do this before each modifier to make sure the previous one doesn't\n   // mess with these values\n   data.offsets.popper = getClientRect(data.offsets.popper);\n   data.offsets.reference = getClientRect(data.offsets.reference);\n\n   data = fn(data, modifier);\n   }\n });\n\n return data;\n}\n\n/**\n * Updates the position of the popper, computing the new offsets and applying\n * the new style.
\n * Prefer `scheduleUpdate` over `update` because of performance reasons.\n * @method\n * @memberof Popper\n */\nfunction update() {\n // if popper is destroyed, don't perform any further update\n if

(this.state.isDestroyed) {\n   return;\n }\n\n var data = {\n   instance: this,\n   styles: {},\n   arrowStyles: {},\n   attributes: {},\n   flipped: false,\n   offsets: {}\n };\n\n // compute reference element offsets\n data.offsets.reference = getReferenceOffsets(this.state, this.popper, this.reference, this.options.positionFixed);\n\n // compute auto placement, store placement inside the data object,\n // modifiers will be able to edit `placement` if needed\n // and refer to originalPlacement to know the original value\n data.placement = computeAutoPlacement(this.options.placement, data.offsets.reference, this.popper, this.reference, this.options.modifiers.flip.boundariesElement, this.options.modifiers.flip.padding);\n\n // store the computed placement inside `originalPlacement`\n data.originalPlacement = data.placement;\n\n data.positionFixed = this.options.positionFixed;\n\n // compute the popper offsets\n data.offsets.popper = getPopperOffsets(this.popper, data.offsets.reference, data.placement);\n\n data.offsets.popper.position = this.options.positionFixed ? 'fixed' : 'absolute';\n\n // run the modifiers\n data = runModifiers(this.modifiers, data);\n\n // the first `update` will call `onCreate` callback\n // the other ones will call `onUpdate` callback\n if (!this.state.isCreated) {\n   this.state.isCreated = true;\n   this.options.onCreate(data);\n } else {\n   this.options.onUpdate(data);\n }\n}\n\n/**\n * Helper used to know if the given modifier is enabled.\n * @method\n * @memberof Popper.Utils\n * @returns {Boolean}\n */\nfunction isModifierEnabled(modifiers, modifierName) {\n return modifiers.some(function (_ref) {\n   var name = _ref.name,\n   enabled = _ref.enabled;\n   return enabled && name === modifierName;\n });\n}\n\n/**\n * Get the prefixed supported property name\n * @method\n * @memberof Popper.Utils\n * @argument {String} property (camelCase)\n * @returns {String} prefixed property (camelCase or PascalCase, depending on the vendor prefix)\n */\nfunction getSupportedPropertyName(property) {\n var prefixes = [false, 'ms', 'Webkit', 'Moz', 'O'];\n var upperProp = property.charAt(0).toUpperCase() + property.slice(1);\n\n for (var i = 0; i < prefixes.length; i++) {\n   var prefix = prefixes[i];\n   var toCheck = prefix ? '' + prefix + upperProp : property;\n   if (typeof document.body.style[toCheck] !== 'undefined') {\n   return toCheck;\n   }\n }\n return null;\n}\n\n/**\n * Destroys the popper.\n * @method\n * @memberof Popper\n */\nfunction destroy() {\n this.state.isDestroyed = true;\n\n // touch DOM only if `applyStyle` modifier is enabled\n if (isModifierEnabled(this.modifiers, 'applyStyle')) {\n   this.popper.removeAttribute('x-placement');\n   this.popper.style.position = '';\n   this.popper.style.top = '';\n   this.popper.style.left = '';\n   this.popper.style.right = '';\n   this.popper.style.bottom = '';\n   this.popper.style.willChange = '';\n   this.popper.style[getSupportedPropertyName('transform')] = '';\n }\n\n this.disableEventListeners();\n\n // remove the popper if user explicity asked for the deletion on destroy\n // do not use `remove` because IE11 doesn't support it\n if (this.options.removeOnDestroy) {\n   this.popper.parentNode.removeChild(this.popper);\n }\n return this;\n}\n\n/**\n * Get the window associated with the element\n * @argument {Element} element\n * @returns {Window}\n */\nfunction getWindow(element) {\n var ownerDocument = element.ownerDocument;\n return ownerDocument ? ownerDocument.defaultView : window;\n}\n\nfunction attachToScrollParents(scrollParent, event, callback, scrollParents) {\n var isBody = scrollParent.nodeName === 'BODY';\n var target = isBody ? scrollParent.ownerDocument.defaultView : scrollParent;\n target.addEventListener(event, callback, { passive: true });\n\n if (!isBody) {\n   attachToScrollParents(getScrollParent(target.parentNode), event, callback, scrollParents);\n }\n scrollParents.push(target);\n}\n\n/**\n * Setup needed event listeners used to update the popper position\n * @method\n * @memberof Popper.Utils\n * @private\n */\nfunction setupEventListeners(reference, options, state, updateBound) {\n // Resize event listener on window\n state.updateBound = updateBound;\n getWindow(reference).addEventListener('resize', state.updateBound, { passive: true });\n\n // Scroll event listener on scroll parents\n var scrollElement = getScrollParent(reference);\n attachToScrollParents(scrollElement, 'scroll', state.updateBound, state.scrollParents);\n state.scrollElement = scrollElement;\n state.eventsEnabled = true;\n\n return state;\n}\n\n/**\n * It will add resize/scroll events and start recalculating\n * position of the popper element when they are triggered.\n * @method\n * @memberof Popper\n */\nfunction enableEventListeners() {\n if (!this.state.eventsEnabled) {\n   this.state = setupEventListeners(this.reference, this.options, this.state, this.scheduleUpdate);\n }\n}\n\n/**\n * Remove event listeners used to update the popper position\n * @method\n * @memberof Popper.Utils\n * @private\n */\nfunction removeEventListeners(reference, state) {\n // Remove resize event listener on window\n

getWindow(reference).removeEventListener('resize', state.updateBound);\n\n // Remove scroll event listener on scroll parents\n state.scrollParents.forEach(function (target) {\n   target.removeEventListener('scroll', state.updateBound);\n });\n\n // Reset state\n state.updateBound = null;\n state.scrollParents = [];\n state.scrollElement = null;\n state.eventsEnabled = false;\n return state;\n}\n\n/**\n * It will remove resize/scroll events and won't recalculate popper position\n * when they are triggered. It also won't trigger `onUpdate` callback anymore,\n * unless you call `update` method manually.\n * @method\n * @memberof Popper\n */\nfunction disableEventListeners() {\n if (this.state.eventsEnabled) {\n   cancelAnimationFrame(this.scheduleUpdate);\n   this.state = removeEventListeners(this.reference, this.state);\n }\n}\n\n/**\n * Tells if a given input is a number\n * @method\n * @memberof Popper.Utils\n * @param {*} input to check\n * @return {Boolean}\n */\nfunction isNumeric(n) {\n return n !== '' && !isNaN(parseFloat(n)) && isFinite(n);\n}\n\n/**\n * Set the style to the given popper\n * @method\n * @memberof Popper.Utils\n * @argument {Element} element - Element to apply the style to\n * @argument {Object} styles\n * Object with a list of properties and values which will be applied to the element\n */\nfunction setStyles(element, styles) {\n Object.keys(styles).forEach(function (prop) {\n   var unit = '';\n   // add unit if the value is numeric and is one of the following\n   if (['width', 'height', 'top', 'right', 'bottom', 'left'].indexOf(prop) !== -1 && isNumeric(styles[prop])) {\n   unit = 'px';\n   }\n   element.style[prop] = styles[prop] + unit;\n });\n}\n\n/**\n * Set the attributes to the given popper\n * @method\n * @memberof Popper.Utils\n * @argument {Element} element - Element to apply the attributes to\n * @argument {Object} styles\n * Object with a list of properties and values which will be applied to the element\n */\nfunction setAttributes(element, attributes) {\n Object.keys(attributes).forEach(function (prop) {\n   var value = attributes[prop];\n   if (value !== false) {\n   element.setAttribute(prop, attributes[prop]);\n   } else {\n   element.removeAttribute(prop);\n   }\n });\n}\n\n/**\n * @function\n * @memberof Modifiers\n * @argument {Object} data - The data object generated by `update` method\n * @argument {Object} data.styles - List of style properties - values to apply to popper element\n * @argument {Object} data.attributes - List of attribute properties - values to apply to popper element\n * @argument {Object} options - Modifiers configuration and options\n * @returns {Object} The same data object\n */\nfunction applyStyle(data) {\n // any property present in `data.styles` will be applied to the popper,\n // in this way we can make the 3rd party modifiers add custom styles to it\n // Be aware, modifiers could override the properties defined in the previous\n // lines of this modifier!\n setStyles(data.instance.popper, data.styles);\n\n // any property present in `data.attributes` will be applied to the popper,\n // they will be set as HTML attributes of the element\n setAttributes(data.instance.popper, data.attributes);\n\n // if arrowElement is defined and arrowStyles has some properties\n if (data.arrowElement && Object.keys(data.arrowStyles).length) {\n   setStyles(data.arrowElement, data.arrowStyles);\n }\n\n return data;\n}\n\n/**\n * Set the x-placement attribute before everything else because it could be used\n * to add margins to the popper margins needs to be calculated to get the\n * correct popper offsets.\n * @method\n * @memberof Popper.modifiers\n * @param {HTMLElement} reference - The reference element used to position the popper\n * @param {HTMLElement} popper - The HTML element used as popper\n * @param {Object} options - Popper.js options\n */\nfunction applyStyleOnLoad(reference, popper, options, modifierOptions, state) {\n // compute reference element offsets\n var referenceOffsets = getReferenceOffsets(state, popper, reference, options.positionFixed);\n\n // compute auto placement, store placement inside the data object,\n // modifiers will be able to edit `placement` if needed\n // and refer to originalPlacement to know the original value\n var placement = computeAutoPlacement(options.placement, referenceOffsets, popper, reference, options.modifiers.flip.boundariesElement, options.modifiers.flip.padding);\n\n popper.setAttribute('x-placement', placement);\n\n // Apply `position` to popper before anything else because\n // without the position applied we can't guarantee correct computations\n setStyles(popper, { position: options.positionFixed ? 'fixed' : 'absolute' });\n\n return options;\n}\n\n/**\n * @function\n * @memberof Modifiers\n * @argument {Object} data - The data object generated by `update` method\n * @argument {Object} options - Modifiers configuration and options\n * @returns {Object} The data object, properly modified\n */\nfunction computeStyle(data, options) {\n var x = options.x,\n   y = options.y;\n var popper = data.offsets.popper;\n\n // Remove this legacy support in Popper.js v2\n\n var legacyGpuAccelerationOption = find(data.instance.modifiers, function (modifier) {\n   return

modifier.name === 'applyStyle';\n }).gpuAcceleration;\n if (legacyGpuAccelerationOption !== undefined) {\n console.warn('WARNING: `gpuAcceleration` option moved to `computeStyle` modifier and will not be supported in future versions of Popper.js!');\n }\n var gpuAcceleration = legacyGpuAccelerationOption !== undefined ? legacyGpuAccelerationOption : options.gpuAcceleration;\n\n var offsetParent = getOffsetParent(data.instance.popper);\n var offsetParentRect = getBoundingClientRect(offsetParent);\n\n // Styles\n var styles = {\n position: popper.position\n };\n\n // Avoid blurry text by using full pixel integers.\n // For pixel-perfect positioning, top/bottom prefers rounded\n // values, while left/right prefers floored values.\n var offsets = {\n left: Math.floor(popper.left),\n top: Math.round(popper.top),\n bottom: Math.round(popper.bottom),\n right: Math.floor(popper.right)\n };\n\n var sideA = x === 'bottom' ? 'top' : 'bottom';\n var sideB = y === 'right' ? 'left' : 'right';\n\n // if gpuAcceleration is set to `true` and transform is supported,\n // we use `translate3d` to apply the position to the popper we\n // automatically use the supported prefixed version if needed\n var prefixedProperty = getSupportedPropertyName('transform');\n\n // now, let's make a step back and look at this code closely (wtf?)\n // If the content of the popper grows once it's been positioned, it\n // may happen that the popper gets misplaced because of the new content\n // overflowing its reference element\n // To avoid this problem, we provide two options (x and y), which allow\n // the consumer to define the offset origin.\n // If we position a popper on top of a reference element, we can set\n // `x` to `top` to make the popper grow towards its top instead of\n // its bottom.\n var left = void 0,\n top = void 0;\n if (sideA === 'bottom') {\n // when offsetParent is <html> the positioning is relative to the bottom of the screen (excluding the scrollbar)\n // and not the bottom of the html element\n if (offsetParent.nodeName === 'HTML') {\n top = -offsetParent.clientHeight + offsets.bottom;\n } else {\n top = -offsetParentRect.height + offsets.bottom;\n }\n } else {\n top = offsets.top;\n }\n if (sideB === 'right') {\n if (offsetParent.nodeName === 'HTML') {\n left = -offsetParent.clientWidth + offsets.right;\n } else {\n left = -offsetParentRect.width + offsets.right;\n }\n } else {\n left = offsets.left;\n }\n if (gpuAcceleration && prefixedProperty) {\n styles[prefixedProperty] = 'translate3d(' + left + 'px, ' + top + 'px, 0)';\n styles[sideA] = 0;\n styles[sideB] = 0;\n styles.willChange = 'transform';\n } else {\n // othwerise, we use the standard `top`, `left`, `bottom` and `right` properties\n var invertTop = sideA === 'bottom' ? -1 : 1;\n var invertLeft = sideB === 'right' ? -1 : 1;\n styles[sideA] = top * invertTop;\n styles[sideB] = left * invertLeft;\n styles.willChange = sideA + ', ' + sideB;\n }\n\n // Attributes\n var attributes = {\n 'x-placement': data.placement\n };\n\n // Update `data` attributes, styles and arrowStyles\n data.attributes = _extends({}, attributes, data.attributes);\n data.styles = _extends({}, styles, data.styles);\n data.arrowStyles = _extends({}, data.offsets.arrow, data.arrowStyles);\n\n return data;\n}\n\n/**\n * Helper used to know if the given modifier depends from another one.
\n * It checks if the needed modifier is listed and enabled.\n * @method\n * @memberof Popper.Utils\n * @param {Array} modifiers - list of modifiers\n * @param {String} requestingName - name of requesting modifier\n * @param {String} requestedName - name of requested modifier\n * @returns {Boolean}\n */\nfunction isModifierRequired(modifiers, requestingName, requestedName) {\n var requesting = find(modifiers, function (_ref) {\n var name = _ref.name;\n return name === requestingName;\n });\n\n var isRequired = !!requesting && modifiers.some(function (modifier) {\n return modifier.name === requestedName && modifier.enabled && modifier.order < requesting.order;\n });\n\n if (!isRequired) {\n var _requesting = '`' + requestingName + '`';\n var requested = '`' + requestedName + '`';\n console.warn(requested + ' modifier is required by ' + _requesting + ' modifier in order to work, be sure to include it before ' + _requesting + '!');\n }\n return isRequired;\n}\n\n/**\n * @function\n * @memberof Modifiers\n * @argument {Object} data - The data object generated by update method\n * @argument {Object} options - Modifiers configuration and options\n * @returns {Object} The data object, properly modified\n */\nfunction arrow(data, options) {\n var _data$offsets$arrow;\n\n // arrow depends on keepTogether in order to work\n if (!isModifierRequired(data.instance.modifiers, 'arrow', 'keepTogether')) {\n return data;\n }\n\n var arrowElement = options.element;\n\n // if arrowElement is a string, suppose it's a CSS selector\n if (typeof arrowElement === 'string') {\n arrowElement = data.instance.popper.querySelector(arrowElement);\n\n // if arrowElement is not found, don't run the modifier\n if (!arrowElement) {\n return data;\n }\n } else {\n // if the arrowElement isn't a query selector we must check that the\n // provided DOM node is child of its popper node\n if

(!data.instance.popper.contains(arrowElement)) {\n   console.warn('WARNING: `arrow.element` must be child of its popper element!');\n   return data;\n   }\n }\n\n var placement = data.placement.split('-')[0];\n var _data$offsets = data.offsets,\n   popper = _data$offsets.popper,\n   reference = _data$offsets.reference;\n\n var isVertical = ['left', 'right'].indexOf(placement) !== -1;\n\n var len = isVertical ? 'height' : 'width';\n var sideCapitalized = isVertical ? 'Top' : 'Left';\n var side = sideCapitalized.toLowerCase();\n var altSide = isVertical ? 'left' : 'top';\n var opSide = isVertical ? 'bottom' : 'right';\n var arrowElementSize = getOuterSizes(arrowElement)[len];\n\n //\n // extends keepTogether behavior making sure the popper and its\n // reference have enough pixels in conjunction\n //\n\n // top/left side\n if (reference[opSide] - arrowElementSize < popper[side]) {\n   data.offsets.popper[side] -= popper[side] - (reference[opSide] - arrowElementSize);\n }\n // bottom/right side\n if (reference[side] + arrowElementSize > popper[opSide]) {\n   data.offsets.popper[side] += reference[side] + arrowElementSize - popper[opSide];\n }\n data.offsets.popper = getClientRect(data.offsets.popper);\n\n // compute center of the popper\n var center = reference[side] + reference[len] / 2 - arrowElementSize / 2;\n\n // Compute the sideValue using the updated popper offsets\n // take popper margin in account because we don't have this info available\n var css = getStyleComputedProperty(data.instance.popper);\n var popperMarginSide = parseFloat(css['margin' + sideCapitalized], 10);\n var popperBorderSide = parseFloat(css['border' + sideCapitalized + 'Width'], 10);\n var sideValue = center - data.offsets.popper[side] - popperMarginSide - popperBorderSide;\n\n // prevent arrowElement from being placed not contiguously to its popper\n sideValue = Math.max(Math.min(popper[len] - arrowElementSize, sideValue), 0);\n\n data.arrowElement = arrowElement;\n data.offsets.arrow = (_data$offsets$arrow = {}, defineProperty(_data$offsets$arrow, side, Math.round(sideValue)), defineProperty(_data$offsets$arrow, altSide, ''), _data$offsets$arrow);\n\n return data;\n}\n\n/**\n * Get the opposite placement variation of the given one\n * @method\n * @memberof Popper.Utils\n * @argument {String} placement variation\n * @returns {String} flipped placement variation\n */\nfunction getOppositeVariation(variation) {\n if (variation === 'end') {\n   return 'start';\n } else if (variation === 'start') {\n   return 'end';\n }\n return variation;\n}\n\n/**\n * List of accepted placements to use as values of the `placement`\n * option.
\n * Valid placements are:\n * - `auto`\n * - `top`\n * - `right`\n * - `bottom`\n * - `left`\n *\n * Each placement can have a variation from this list:\n * - `-start`\n * - `-end`\n *\n * Variations are interpreted easily if you think of them as the left to right\n * written languages. Horizontally (`top` and `bottom`), `start` is left and `end`\n * is right.
\n * Vertically (`left` and `right`), `start` is top and `end` is bottom.\n *\n * Some valid examples are:\n * - `top-end` (on top of reference, right aligned)\n * - `right-start` (on right of reference, top aligned)\n * - `bottom` (on bottom, centered)\n * - `auto-end` (on the side with more space available, alignment depends by placement)\n *\n * @static\n * @type {Array}\n * @enum {String}\n * @readonly\n * @method placements\n * @memberof Popper\n */\nvar placements = ['auto-start', 'auto', 'auto-end', 'top-start', 'top', 'top-end', 'right-start', 'right', 'right-end', 'bottom-end', 'bottom', 'bottom-start', 'left-end', 'left', 'left-start'];\n\n// Get rid of `auto` `auto-start` and `auto-end`\nvar validPlacements = placements.slice(3);\n\n/**\n * Given an initial placement, returns all the subsequent placements\n * clockwise (or counter-clockwise).\n *\n * @method\n * @memberof Popper.Utils\n * @argument {String} placement - A valid placement (it accepts variations)\n * @argument {Boolean} counter - Set to true to walk the placements counterclockwise\n * @returns {Array} placements including their variations\n */\nfunction clockwise(placement) {\n var counter = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : false;\n\n var index = validPlacements.indexOf(placement);\n var arr = validPlacements.slice(index + 1).concat(validPlacements.slice(0, index));\n return counter ? arr.reverse() : arr;\n}\n\nvar BEHAVIORS = {\n FLIP: 'flip',\n CLOCKWISE: 'clockwise',\n COUNTERCLOCKWISE: 'counterclockwise'\n};\n\n/**\n * @function\n * @memberof Modifiers\n * @argument {Object} data - The data object generated by update method\n * @argument {Object} options - Modifiers configuration and options\n * @returns {Object} The data object, properly modified\n */\nfunction flip(data, options) {\n // if `inner` modifier is enabled, we can't use the `flip` modifier\n if (isModifierEnabled(data.instance.modifiers, 'inner')) {\n   return data;\n }\n\n if (data.flipped && data.placement === data.originalPlacement) {\n   // seems like flip is trying to loop, probably there's not enough space on any of the flippable sides\n   return data;\n }\n\n var boundaries =

```
getBoundaries(data.instance.popper, data.instance.reference, options.padding, options.boundariesElement,
data.positionFixed);\n\n  var placement = data.placement.split('-')[0];\n  var placementOpposite =
getOppositePlacement(placement);\n  var variation = data.placement.split('-')[1] || '';\n\n  var flipOrder = [];\n\n
switch (options.behavior) {\n    case BEHAVIORS.FLIP:\n      flipOrder = [placement, placementOpposite];\n
break;\n    case BEHAVIORS.CLOCKWISE:\n      flipOrder = clockwise(placement);\n      break;\n    case
BEHAVIORS.COUNTERCLOCKWISE:\n      flipOrder = clockwise(placement, true);\n      break;\n    default:\n
flipOrder = options.behavior;\n  }\n\n  flipOrder.forEach(function (step, index) {\n    if (placement !== step ||
flipOrder.length === index + 1) {\n      return data;\n    }\n\n    placement = data.placement.split('-')[0];\n
placementOpposite = getOppositePlacement(placement);\n\n    var popperOffsets = data.offsets.popper;\n    var
refOffsets = data.offsets.reference;\n\n    // using floor because the reference offsets may contain decimals we are not
going to consider here\n    var floor = Math.floor;\n    var overlapsRef = placement === 'left' &&
floor(popperOffsets.right) > floor(refOffsets.left) || placement === 'right' && floor(popperOffsets.left) <
floor(refOffsets.right) || placement === 'top' && floor(popperOffsets.bottom) > floor(refOffsets.top) || placement
=== 'bottom' && floor(popperOffsets.top) < floor(refOffsets.bottom);\n\n    var overflowsLeft =
floor(popperOffsets.left) < floor(boundaries.left);\n    var overflowsRight = floor(popperOffsets.right) >
floor(boundaries.right);\n    var overflowsTop = floor(popperOffsets.top) < floor(boundaries.top);\n    var
overflowsBottom = floor(popperOffsets.bottom) > floor(boundaries.bottom);\n\n    var overflowsBoundaries =
placement === 'left' && overflowsLeft || placement === 'right' && overflowsRight || placement === 'top' &&
overflowsTop || placement === 'bottom' && overflowsBottom;\n\n    // flip the variation if required\n    var
isVertical = ['top', 'bottom'].indexOf(placement) !== -1;\n    var flippedVariation = !!options.flipVariations &&
(isVertical && variation === 'start' && overflowsLeft || isVertical && variation === 'end' && overflowsRight ||
!isVertical && variation === 'start' && overflowsTop || !isVertical && variation === 'end' &&
overflowsBottom);\n\n    if (overlapsRef || overflowsBoundaries || flippedVariation) {\n      // this boolean to detect
any flip loop\n      data.flipped = true;\n\n      if (overlapsRef || overflowsBoundaries) {\n        placement =
flipOrder[index + 1];\n      }\n\n      if (flippedVariation) {\n        variation = getOppositeVariation(variation);\n
}\n\n      data.placement = placement + (variation ? '-' + variation : '');\n\n      // this object contains `position`, we
want to preserve it along with\n      // any additional property we may add in the future\n      data.offsets.popper =
_extends({}, data.offsets.popper, getPopperOffsets(data.instance.popper, data.offsets.reference,
data.placement));\n\n      data = runModifiers(data.instance.modifiers, data, 'flip');\n    }\n  });\n  return
data;\n}\n\n/**\n * @function\n * @memberof Modifiers\n * @argument {Object} data - The data object generated
by update method\n * @argument {Object} options - Modifiers configuration and options\n * @returns {Object}
The data object, properly modified\n */\nfunction keepTogether(data) {\n  var _data$offsets = data.offsets,\n
popper = _data$offsets.popper,\n      reference = _data$offsets.reference;\n\n  var placement = data.placement.split('-
')[0];\n  var floor = Math.floor;\n  var isVertical = ['top', 'bottom'].indexOf(placement) !== -1;\n  var side =
isVertical ? 'right' : 'bottom';\n  var opSide = isVertical ? 'left' : 'top';\n  var measurement = isVertical ? 'width' :
'height';\n\n  if (popper[side] < floor(reference[opSide])) {\n    data.offsets.popper[opSide] =
floor(reference[opSide]) - popper[measurement];\n  }\n  if (popper[opSide] > floor(reference[side])) {\n
data.offsets.popper[opSide] = floor(reference[side]);\n  }\n\n  return data;\n}\n\n/**\n * Converts a string containing
value + unit into a px value number\n * @function\n * @memberof {modifiers~offset}\n * @private\n *
@argument {String} str - Value + unit string\n * @argument {String} measurement - `height` or `width`\n *
@argument {Object} popperOffsets\n * @argument {Object} referenceOffsets\n * @returns {Number|String}\n *
Value in pixels, or original string if no values were extracted\n */\nfunction toValue(str, measurement,
popperOffsets, referenceOffsets) {\n  // separate value from unit\n  var split = str.match(/((?:\\-
\|\\+)?\\d*\\.?\\d*)(.*)/);\n  var value = +split[1];\n  var unit = split[2];\n\n  // If it's not a number it's an operator, I
guess\n  if (!value) {\n    return str;\n  }\n\n  if (unit.indexOf('%') === 0) {\n    var element = void 0;\n    switch
(unit) {\n      case '%p':\n        element = popperOffsets;\n        break;\n      case '%':\n      case '%r':\n      default:\n
element = referenceOffsets;\n    }\n\n    var rect = getClientRect(element);\n    return rect[measurement] / 100 *
value;\n  } else if (unit === 'vh' || unit === 'vw') {\n    // if is a vh or vw, we calculate the size based on the
```

viewport\n   var size = void 0;\n   if (unit === 'vh') {\n   size = Math.max(document.documentElement.clientHeight, window.innerHeight || 0);\n   } else {\n   size = Math.max(document.documentElement.clientWidth, window.innerWidth || 0);\n   }\n   return size / 100 * value;\n } else {\n   // if is an explicit pixel unit, we get rid of the unit and keep the value\n   // if is an implicit unit, it's px, and we return just the value\n   return value;\n }\n}\n\n/**\n * Parse an `offset` string to extrapolate `x` and `y` numeric offsets.\n * @function\n * @memberof {modifiers~offset}\n * @private\n * @argument {String} offset\n * @argument {Object} popperOffsets\n * @argument {Object} referenceOffsets\n * @argument {String} basePlacement\n * @returns {Array} a two cells array with x and y offsets in numbers\n */\nfunction parseOffset(offset, popperOffsets, referenceOffsets, basePlacement) {\n var offsets = [0, 0];\n\n // Use height if placement is left or right and index is 0 otherwise use width\n // in this way the first offset will use an axis and the second one\n // will use the other one\n var useHeight = ['right', 'left'].indexOf(basePlacement) !== -1;\n\n // Split the offset string to obtain a list of values and operands\n // The regex addresses values with the plus or minus sign in front (+10, -20, etc)\n var fragments = offset.split(/(\\+|\\-)/).map(function (frag) {\n   return frag.trim();\n });\n\n // Detect if the offset string contains a pair of values or a single one\n // they could be separated by comma or space\n var divider = fragments.indexOf(find(fragments, function (frag) {\n   return frag.search(/,|\\s/) !== -1;\n }));\n\n if (fragments[divider] && fragments[divider].indexOf(',') === -1) {\n   console.warn('Offsets separated by white space(s) are deprecated, use a comma (,) instead.');\n }\n\n // If divider is found, we divide the list of values and operands to divide\n // them by ofset X and Y.\n var splitRegex = /\\s*,\\s*|\\s+/;\n var ops = divider !== -1 ? [fragments.slice(0, divider).concat([fragments[divider].split(splitRegex)[0]]), [fragments[divider].split(splitRegex)[1]].concat(fragments.slice(divider + 1))] : [fragments];\n\n // Convert the values with units to absolute pixels to allow our computations\n ops = ops.map(function (op, index) {\n   // Most of the units rely on the orientation of the popper\n   var measurement = (index === 1 ? !useHeight : useHeight) ? 'height' : 'width';\n   var mergeWithPrevious = false;\n   return op\n   // This aggregates any `+` or `-` sign that aren't considered operators\n   // e.g.: 10 + +5 => [10, +, +5]\n   .reduce(function (a, b) {\n   if (a[a.length - 1] === '' && ['+', '-'].indexOf(b) !== -1) {\n   a[a.length - 1] = b;\n   mergeWithPrevious = true;\n   return a;\n   } else if (mergeWithPrevious) {\n   a[a.length - 1] += b;\n   mergeWithPrevious = false;\n   return a;\n   } else {\n   return a.concat(b);\n   }\n   }, [])\n   // Here we convert the string values into number values (in px)\n   .map(function (str) {\n   return toValue(str, measurement, popperOffsets, referenceOffsets);\n   });\n });\n\n // Loop trough the offsets arrays and execute the operations\n ops.forEach(function (op, index) {\n   op.forEach(function (frag, index2) {\n   if (isNumeric(frag)) {\n   offsets[index] += frag * (op[index2 - 1] === '-' ? -1 : 1);\n   }\n   });\n });\n return offsets;\n}\n\n/**\n * @function\n * @memberof Modifiers\n * @argument {Object} data - The data object generated by update method\n * @argument {Object} options - Modifiers configuration and options\n * @argument {Number|String} options.offset=0\n * The offset value as described in the modifier description\n * @returns {Object} The data object, properly modified\n */\nfunction offset(data, _ref) {\n var offset = _ref.offset;\n var placement = data.placement,\n   _data$offsets = data.offsets,\n   popper = _data$offsets.popper,\n   reference = _data$offsets.reference;\n\n var basePlacement = placement.split('-')[0];\n\n var offsets = void 0;\n if (isNumeric(+offset)) {\n   offsets = [+offset, 0];\n } else {\n   offsets = parseOffset(offset, popper, reference, basePlacement);\n }\n\n if (basePlacement === 'left') {\n   popper.top += offsets[0];\n   popper.left -= offsets[1];\n } else if (basePlacement === 'right') {\n   popper.top += offsets[0];\n   popper.left += offsets[1];\n } else if (basePlacement === 'top') {\n   popper.left += offsets[0];\n   popper.top -= offsets[1];\n } else if (basePlacement === 'bottom') {\n   popper.left += offsets[0];\n   popper.top += offsets[1];\n }\n\n data.popper = popper;\n return data;\n}\n\n/**\n * @function\n * @memberof Modifiers\n * @argument {Object} data - The data object generated by `update` method\n * @argument {Object} options - Modifiers configuration and options\n * @returns {Object} The data object, properly modified\n */\nfunction preventOverflow(data, options) {\n var boundariesElement = options.boundariesElement || getOffsetParent(data.instance.popper);\n\n // If offsetParent is the reference element, we really want to\n // go one step up and use the next offsetParent as reference to\n // avoid to make this modifier completely useless and look like broken\n if (data.instance.reference === boundariesElement) {\n   boundariesElement =

getOffsetParent(boundariesElement);\n }\n\n // NOTE: DOM access here\n // resets the popper's position so that the document size can be calculated excluding\n // the size of the popper element itself\n var transformProp = getSupportedPropertyName('transform');\n var popperStyles = data.instance.popper.style; // assignment to help minification\n var top = popperStyles.top,\n left = popperStyles.left,\n transform = popperStyles[transformProp];\n\n popperStyles.top = '';\n popperStyles.left = '';\n popperStyles[transformProp] = '';\n\n var boundaries = getBoundaries(data.instance.popper, data.instance.reference, options.padding, boundariesElement, data.positionFixed);\n\n // NOTE: DOM access here\n // restores the original style properties after the offsets have been computed\n popperStyles.top = top;\n popperStyles.left = left;\n popperStyles[transformProp] = transform;\n\n options.boundaries = boundaries;\n\n var order = options.priority;\n var popper = data.offsets.popper;\n\n var check = {\n primary: function primary(placement) {\n var value = popper[placement];\n if (popper[placement] < boundaries[placement] && !options.escapeWithReference) {\n value = Math.max(popper[placement], boundaries[placement]);\n }\n return defineProperty({}, placement, value);\n },\n secondary: function secondary(placement) {\n var mainSide = placement === 'right' ? 'left' : 'top';\n var value = popper[mainSide];\n if (popper[placement] > boundaries[placement] && !options.escapeWithReference) {\n value = Math.min(popper[mainSide], boundaries[placement] - (placement === 'right' ? popper.width : popper.height));\n }\n return defineProperty({}, mainSide, value);\n }\n };\n order.forEach(function (placement) {\n var side = ['left', 'top'].indexOf(placement) !== -1 ? 'primary' : 'secondary';\n popper = _extends({}, popper, check[side](placement));\n });\n\n data.offsets.popper = popper;\n\n return data;\n}\n\n/**\n * @function\n * @memberof Modifiers\n * @argument {Object} data - The data object generated by `update` method\n * @argument {Object} options - Modifiers configuration and options\n * @returns {Object} The data object, properly modified\n */\nfunction shift(data) {\n var placement = data.placement;\n var basePlacement = placement.split('-')[0];\n var shiftvariation = placement.split('-')[1];\n\n // if shift shiftvariation is specified, run the modifier\n if (shiftvariation) {\n var _data$offsets = data.offsets,\n reference = _data$offsets.reference,\n popper = _data$offsets.popper;\n\n var isVertical = ['bottom', 'top'].indexOf(basePlacement) !== -1;\n var side = isVertical ? 'left' : 'top';\n var measurement = isVertical ? 'width' : 'height';\n\n var shiftOffsets = {\n start: defineProperty({}, side, reference[side]),\n end: defineProperty({}, side, reference[side] + reference[measurement] - popper[measurement])\n };\n\n data.offsets.popper = _extends({}, popper, shiftOffsets[shiftvariation]);\n }\n\n return data;\n}\n\n/**\n * @function\n * @memberof Modifiers\n * @argument {Object} data - The data object generated by update method\n * @argument {Object} options - Modifiers configuration and options\n * @returns {Object} The data object, properly modified\n */\nfunction hide(data) {\n if (!isModifierRequired(data.instance.modifiers, 'hide', 'preventOverflow')) {\n return data;\n }\n\n var refRect = data.offsets.reference;\n var bound = find(data.instance.modifiers, function (modifier) {\n return modifier.name === 'preventOverflow';\n }).boundaries;\n\n if (refRect.bottom < bound.top || refRect.left > bound.right || refRect.top > bound.bottom || refRect.right < bound.left) {\n // Avoid unnecessary DOM access if visibility hasn't changed\n if (data.hide === true) {\n return data;\n }\n\n data.hide = true;\n data.attributes['x-out-of-boundaries'] = '';\n } else {\n // Avoid unnecessary DOM access if visibility hasn't changed\n if (data.hide === false) {\n return data;\n }\n\n data.hide = false;\n data.attributes['x-out-of-boundaries'] = false;\n }\n\n return data;\n}\n\n/**\n * @function\n * @memberof Modifiers\n * @argument {Object} data - The data object generated by `update` method\n * @argument {Object} options - Modifiers configuration and options\n * @returns {Object} The data object, properly modified\n */\nfunction inner(data) {\n var placement = data.placement;\n var basePlacement = placement.split('-')[0];\n var _data$offsets = data.offsets,\n popper = _data$offsets.popper,\n reference = _data$offsets.reference;\n\n var isHoriz = ['left', 'right'].indexOf(basePlacement) !== -1;\n\n var subtractLength = ['top', 'left'].indexOf(basePlacement) === -1;\n\n popper[isHoriz ? 'left' : 'top'] = reference[basePlacement] - (subtractLength ? popper[isHoriz ? 'width' : 'height'] : 0);\n\n data.placement = getOppositePlacement(placement);\n data.offsets.popper = getClientRect(popper);\n\n return data;\n}\n\n/**\n * Modifier function, each modifier can have a function of this type assigned\n * to its `fn` property.
\n * These functions will be called on each update, this means that you must\n * make sure they are performant enough to avoid performance bottlenecks.\n *\n *

@function ModifierFn\n * @argument {dataObject} data - The data object generated by `update` method\n * @argument {Object} options - Modifiers configuration and options\n * @returns {dataObject} The data object, properly modified\n */\n\n/**\n * Modifiers are plugins used to alter the behavior of your poppers.
\n * Popper.js uses a set of 9 modifiers to provide all the basic functionalities\n * needed by the library.\n *\n * Usually you don't want to override the `order`, `fn` and `onLoad` props.\n * All the other properties are configurations that could be tweaked.\n * @namespace modifiers\n */\nvar modifiers = {\n /**\n * Modifier used to shift the popper on the start or end of its reference\n * element.
\n * It will read the variation of the `placement` property.
\n * It can be one either `-end` or `-start`.\n * @memberof modifiers\n * @inner\n */\n shift: {\n /** @prop {number} order=100 - Index used to define the order of execution */\n   order: 100,\n   /** @prop {Boolean} enabled=true - Whether the modifier is enabled or not */\n   enabled: true,\n   /** @prop {ModifierFn} */\n   fn: shift\n },\n\n /**\n * The `offset` modifier can shift your popper on both its axis.\n *\n * It accepts the following units:\n * - `px` or unit-less, interpreted as pixels\n * - `%` or `%r`, percentage relative to the length of the reference element\n * - `%p`, percentage relative to the length of the popper element\n * - `vw`, CSS viewport width unit\n * - `vh`, CSS viewport height unit\n *\n * For length is intended the main axis relative to the placement of the popper.
\n * This means that if the placement is `top` or `bottom`, the length will be the\n * `width`. In case of `left` or `right`, it will be the `height`.\n *\n * You can provide a single value (as `Number` or `String`), or a pair of values\n * as `String` divided by a comma or one (or more) white spaces.
\n * The latter is a deprecated method because it leads to confusion and will be\n * removed in v2.
\n * Additionally, it accepts additions and subtractions between different units.\n * Note that multiplications and divisions aren't supported.\n *\n * Valid examples are:\n * ```\n * 10\n * '10%'\n * '10, 10'\n * '10%, 10'\n * '10 + 10%'\n * '10 - 5vh + 3%'\n * '-10px + 5vh, 5px - 6%'\n * ```\n * > **NB**: If you desire to apply offsets to your poppers in a way that may make them overlap\n * > with their reference element, unfortunately, you will have to disable the `flip` modifier.\n * > You can read more on this at this [issue](https://github.com/FezVrasta/popper.js/issues/373).\n *\n * @memberof modifiers\n * @inner\n */\n offset: {\n /** @prop {number} order=200 - Index used to define the order of execution */\n   order: 200,\n   /** @prop {Boolean} enabled=true - Whether the modifier is enabled or not */\n   enabled: true,\n   /** @prop {ModifierFn} */\n   fn: offset,\n   /** @prop {Number|String} offset=0\n   * The offset value as described in the modifier description\n   */\n   offset: 0\n },\n\n /**\n * Modifier used to prevent the popper from being positioned outside the boundary.\n *\n * A scenario exists where the reference itself is not within the boundaries.
\n * We can say it has \"escaped the boundaries\" — or just \"escaped\".
\n * In this case we need to decide whether the popper should either:\n *\n * - detach from the reference and remain \"trapped\" in the boundaries, or\n * - if it should ignore the boundary and \"escape with its reference\"\n *\n * When `escapeWithReference` is set to`true` and reference is completely\n * outside its boundaries, the popper will overflow (or completely leave)\n * the boundaries in order to remain attached to the edge of the reference.\n *\n * @memberof modifiers\n * @inner\n */\n preventOverflow: {\n /** @prop {number} order=300 - Index used to define the order of execution */\n   order: 300,\n   /** @prop {Boolean} enabled=true - Whether the modifier is enabled or not */\n   enabled: true,\n   /** @prop {ModifierFn} */\n   fn: preventOverflow,\n   /**\n   * @prop {Array} [priority=['left','right','top','bottom']]\n   * Popper will try to prevent overflow following these priorities by default,\n   * then, it could overflow on the left and on top of the `boundariesElement`\n   */\n   priority: ['left', 'right', 'top', 'bottom'],\n   /**\n   * @prop {number} padding=5\n   * Amount of pixel used to define a minimum distance between the boundaries\n   * and the popper. This makes sure the popper always has a little padding\n   * between the edges of its container\n   */\n   padding: 5,\n   /**\n   * @prop {String|HTMLElement} boundariesElement='scrollParent'\n   * Boundaries used by the modifier. Can be `scrollParent`, `window`,\n   * `viewport` or any DOM element.\n   */\n   boundariesElement: 'scrollParent'\n },\n\n /**\n * Modifier used to make sure the reference and its popper stay near each other\n * without leaving any gap between the two. Especially useful when the arrow is\n * enabled and you want to ensure that it points to its reference element.\n * It cares only about the first axis. You can still have poppers with margin\n * between the popper and its reference element.\n * @memberof modifiers\n * @inner\n */\n keepTogether: {\n /** @prop {number} order=400 -

Index used to define the order of execution */\n   order: 400,\n   /** @prop {Boolean} enabled=true - Whether the modifier is enabled or not */\n   enabled: true,\n   /** @prop {ModifierFn} */\n   fn: keepTogether\n },\n\n /**\n   * This modifier is used to move the `arrowElement` of the popper to make\n   * sure it is positioned between the reference element and its popper element.\n   * It will read the outer size of the `arrowElement` node to detect how many\n   * pixels of conjunction are needed.\n   *\n   * It has no effect if no `arrowElement` is provided.\n   * @memberof modifiers\n   * @inner\n   */\n arrow: {\n   /** @prop {number} order=500 - Index used to define the order of execution */\n   order: 500,\n   /** @prop {Boolean} enabled=true - Whether the modifier is enabled or not */\n   enabled: true,\n   /** @prop {ModifierFn} */\n   fn: arrow,\n   /** @prop {String|HTMLElement} element='[x-arrow]' - Selector or node used as arrow */\n   element: '[x-arrow]'\n },\n\n /**\n   * Modifier used to flip the popper's placement when it starts to overlap its\n   * reference element.\n   *\n   * Requires the `preventOverflow` modifier before it in order to work.\n   *\n   * **NOTE:** this modifier will interrupt the current update cycle and will\n   * restart it if it detects the need to flip the placement.\n   * @memberof modifiers\n   * @inner\n   */\n flip: {\n   /** @prop {number} order=600 - Index used to define the order of execution */\n   order: 600,\n   /** @prop {Boolean} enabled=true - Whether the modifier is enabled or not */\n   enabled: true,\n   /** @prop {ModifierFn} */\n   fn: flip,\n   /**\n   * @prop {String|Array} behavior='flip'\n   * The behavior used to change the popper's placement. It can be one of\n   * `flip`, `clockwise`, `counterclockwise` or an array with a list of valid\n   * placements (with optional variations)\n   */\n   behavior: 'flip',\n   /**\n   * @prop {number} padding=5\n   * The popper will flip if it hits the edges of the `boundariesElement`\n   */\n   padding: 5,\n   /**\n   * @prop {String|HTMLElement} boundariesElement='viewport'\n   * The element which will define the boundaries of the popper position.\n   * The popper will never be placed outside of the defined boundaries\n   * (except if `keepTogether` is enabled)\n   */\n   boundariesElement: 'viewport'\n },\n\n /**\n   * Modifier used to make the popper flow toward the inner of the reference element.\n   * By default, when this modifier is disabled, the popper will be placed outside\n   * the reference element.\n   * @memberof modifiers\n   * @inner\n   */\n inner: {\n   /** @prop {number} order=700 - Index used to define the order of execution */\n   order: 700,\n   /** @prop {Boolean} enabled=false - Whether the modifier is enabled or not */\n   enabled: false,\n   /** @prop {ModifierFn} */\n   fn: inner\n },\n\n /**\n   * Modifier used to hide the popper when its reference element is outside of the\n   * popper boundaries. It will set a `x-out-of-boundaries` attribute which can\n   * be used to hide with a CSS selector the popper when its reference is\n   * out of boundaries.\n   *\n   * Requires the `preventOverflow` modifier before it in order to work.\n   * @memberof modifiers\n   * @inner\n   */\n hide: {\n   /** @prop {number} order=800 - Index used to define the order of execution */\n   order: 800,\n   /** @prop {Boolean} enabled=true - Whether the modifier is enabled or not */\n   enabled: true,\n   /** @prop {ModifierFn} */\n   fn: hide\n },\n\n /**\n   * Computes the style that will be applied to the popper element to gets\n   * properly positioned.\n   *\n   * Note that this modifier will not touch the DOM, it just prepares the styles\n   * so that `applyStyle` modifier can apply it. This separation is useful\n   * in case you need to replace `applyStyle` with a custom implementation.\n   *\n   * This modifier has `850` as `order` value to maintain backward compatibility\n   * with previous versions of Popper.js. Expect the modifiers ordering method\n   * to change in future major versions of the library.\n   *\n   * @memberof modifiers\n   * @inner\n   */\n computeStyle: {\n   /** @prop {number} order=850 - Index used to define the order of execution */\n   order: 850,\n   /** @prop {Boolean} enabled=true - Whether the modifier is enabled or not */\n   enabled: true,\n   /** @prop {ModifierFn} */\n   fn: computeStyle,\n   /**\n   * @prop {Boolean} gpuAcceleration=true\n   * If true, it uses the CSS 3D transformation to position the popper.\n   * Otherwise, it will use the `top` and `left` properties\n   */\n   gpuAcceleration: true,\n   /**\n   * @prop {string} [x='bottom']\n   * Where to anchor the X axis (`bottom` or `top`). AKA X offset origin.\n   * Change this if your popper should grow in a direction different from `bottom`\n   */\n   x: 'bottom',\n   /**\n   * @prop {string} [x='left']\n   * Where to anchor the Y axis (`left` or `right`). AKA Y offset origin.\n   * Change this if your popper should grow in a direction different from `right`\n   */\n   y: 'right'\n },\n\n /**\n   * Applies the computed styles to the popper element.\n   *\n   * All the DOM manipulations are limited to this modifier. This is useful in case\n   * you want to integrate Popper.js inside a framework or view library and you\n   * want to delegate all the DOM manipulations to it.\n   *\n   * Note that if you disable this modifier, you must make sure the

popper element\n * has its position set to `absolute` before Popper.js can do its work!\n *\n * Just disable this modifier and define your own to achieve the desired effect.\n *\n * @memberof modifiers\n * @inner\n */\n applyStyle: {\n   /** @prop {number} order=900 - Index used to define the order of execution */\n   order: 900,\n   /** @prop {Boolean} enabled=true - Whether the modifier is enabled or not */\n   enabled: true,\n   /** @prop {ModifierFn} */\n   fn: applyStyle,\n   /** @prop {Function} */\n   onLoad: applyStyleOnLoad,\n   /**\n   * @deprecated since version 1.10.0, the property moved to `computeStyle` modifier\n   * @prop {Boolean} gpuAcceleration=true\n   * If true, it uses the CSS 3D transformation to position the popper.\n   * Otherwise, it will use the `top` and `left` properties\n   */\n   gpuAcceleration: undefined\n }};\n\n/**\n * The `dataObject` is an object containing all the information used by Popper.js.\n * This object is passed to modifiers and to the `onCreate` and `onUpdate` callbacks.\n * @name dataObject\n * @property {Object} data.instance The Popper.js instance\n * @property {String} data.placement Placement applied to popper\n * @property {String} data.originalPlacement Placement originally defined on init\n * @property {Boolean} data.flipped True if popper has been flipped by flip modifier\n * @property {Boolean} data.hide True if the reference element is out of boundaries, useful to know when to hide the popper\n * @property {HTMLElement} data.arrowElement Node used as arrow by arrow modifier\n * @property {Object} data.styles Any CSS property defined here will be applied to the popper. It expects the JavaScript nomenclature (eg. `marginBottom`)\n * @property {Object} data.arrowStyles Any CSS property defined here will be applied to the popper arrow. It expects the JavaScript nomenclature (eg. `marginBottom`)\n * @property {Object} data.boundaries Offsets of the popper boundaries\n * @property {Object} data.offsets The measurements of popper, reference and arrow elements\n * @property {Object} data.offsets.popper `top`, `left`, `width`, `height` values\n * @property {Object} data.offsets.reference `top`, `left`, `width`, `height` values\n * @property {Object} data.offsets.arrow] `top` and `left` offsets, only one of them will be different from 0\n */\n\n/**\n * Default options provided to Popper.js constructor.
\n * These can be overridden using the `options` argument of Popper.js.
\n * To override an option, simply pass an object with the same\n * structure of the `options` object, as the 3rd argument. For example:\n * ```\n * new Popper(ref, pop, {\n *   modifiers: {\n *   preventOverflow: { enabled: false }\n *   }\n * })\n * ```\n * @type {Object}\n * @static\n * @memberof Popper\n */\nvar Defaults = {\n /**\n   * Popper's placement.\n   * @prop {Popper.placements} placement='bottom'\n   */\n placement: 'bottom',\n\n /**\n   * Set this to true if you want popper to position it self in 'fixed' mode\n   * @prop {Boolean} positionFixed=false\n   */\n positionFixed: false,\n\n /**\n   * Whether events (resize, scroll) are initially enabled.\n   * @prop {Boolean} eventsEnabled=true\n   */\n eventsEnabled: true,\n\n /**\n   * Set to true if you want to automatically remove the popper when\n   * you call the `destroy` method.\n   * @prop {Boolean} removeOnDestroy=false\n   */\n removeOnDestroy: false,\n\n /**\n   * Callback called when the popper is created.
\n   * By default, it is set to no-op.
\n   * Access Popper.js instance with `data.instance`.\n   * @prop {onCreate}\n   */\n onCreate: function onCreate() {},\n\n /**\n   * Callback called when the popper is updated. This callback is not called\n   * on the initialization/creation of the popper, but only on subsequent\n   * updates.
\n   * By default, it is set to no-op.
\n   * Access Popper.js instance with `data.instance`.\n   * @prop {onUpdate}\n   */\n onUpdate: function onUpdate() {},\n\n /**\n   * List of modifiers used to modify the offsets before they are applied to the popper.\n   * They provide most of the functionalities of Popper.js.\n   * @prop {modifiers}\n   */\n modifiers: modifiers\n};\n\n/**\n * @callback onCreate\n * @param {dataObject} data\n */\n\n/**\n * @callback onUpdate\n * @param {dataObject} data\n */\n\n// Utils\n// Methods\nvar Popper = function () {\n /**\n   * Creates a new Popper.js instance.\n   * @class Popper\n   * @param {HTMLElement|referenceObject} reference - The reference element used to position the popper\n   * @param {HTMLElement} popper - The HTML element used as the popper\n   * @param {Object} options - Your custom options to override the ones defined in [Defaults](#defaults)\n   * @return {Object} instance - The generated Popper.js instance\n   */\n function Popper(reference, popper) {\n   var _this = this;\n\n   var options = arguments.length > 2 && arguments[2] !== undefined ? arguments[2] : {};\n   classCallCheck(this, Popper);\n\n   this.scheduleUpdate = function () {\n   return requestAnimationFrame(_this.update);\n   };\n\n   // make update() debounced, so that it only runs at most once-per-tick\n   this.update = debounce(this.update.bind(this));\n\n   // with {} we create a new object with the options inside it\n   this.options = _extends({}, Popper.Defaults, options);\n\n

// init state\n   this.state = {\n   isDestroyed: false,\n   isCreated: false,\n   scrollParents: []\n   };\n\n   // get reference and popper elements (allow jQuery wrappers)\n   this.reference = reference && reference.jquery ? reference[0] : reference;\n   this.popper = popper && popper.jquery ? popper[0] : popper;\n\n   // Deep merge modifiers options\n   this.options.modifiers = {};\n   Object.keys(_extends({}, Popper.Defaults.modifiers, options.modifiers)).forEach(function (name) {\n   _this.options.modifiers[name] = _extends({}, Popper.Defaults.modifiers[name] || {}, options.modifiers ? options.modifiers[name] : {});\n   });\n\n   // Refactoring modifiers' list (Object => Array)\n   this.modifiers = Object.keys(this.options.modifiers).map(function (name) {\n   return _extends({\n   name: name\n   }, _this.options.modifiers[name]);\n   })\n   // sort the modifiers by order\n   .sort(function (a, b) {\n   return a.order - b.order;\n   });\n\n   // modifiers have the ability to execute arbitrary code when Popper.js get inited\n   // such code is executed in the same order of its modifier\n   // they could add new properties to their options configuration\n   // BE AWARE: don't add options to `options.modifiers.name` but to `modifierOptions`!\n   this.modifiers.forEach(function (modifierOptions) {\n   if (modifierOptions.enabled && isFunction(modifierOptions.onLoad)) {\n   modifierOptions.onLoad(_this.reference, _this.popper, _this.options, modifierOptions, _this.state);\n   }\n   });\n\n   // fire the first update to position the popper in the right place\n   this.update();\n\n   var eventsEnabled = this.options.eventsEnabled;\n   if (eventsEnabled) {\n   // setup event listeners, they will take care of update the position in specific situations\n   this.enableEventListeners();\n   }\n\n   this.state.eventsEnabled = eventsEnabled;\n }\n\n // We can't use class properties because they don't get listed in the\n // class prototype and break stuff like Sinon stubs\n\n\n createClass(Popper, [{\n   key: 'update',\n   value: function update$$1() {\n   return update.call(this);\n   }\n }, {\n   key: 'destroy',\n   value: function destroy$$1() {\n   return destroy.call(this);\n   }\n }, {\n   key: 'enableEventListeners',\n   value: function enableEventListeners$$1() {\n   return enableEventListeners.call(this);\n   }\n }, {\n   key: 'disableEventListeners',\n   value: function disableEventListeners$$1() {\n   return disableEventListeners.call(this);\n\n   /**\n   * Schedules an update. It will run on the next UI update available.\n   * @method scheduleUpdate\n   * @memberof Popper\n   */\n\n   /**\n   * Collection of utilities useful when writing custom modifiers.\n   * Starting from version 1.7, this method is available only if you\n   * include `popper-utils.js` before `popper.js`.\n   *\n   * **DEPRECATION**: This way to access PopperUtils is deprecated\n   * and will be removed in v2! Use the PopperUtils module directly instead.\n   * Due to the high instability of the methods contained in Utils, we can't\n   * guarantee them to follow semver. Use them at your own risk!\n   * @static\n   * @private\n   * @type {Object}\n   * @deprecated since version 1.8\n   * @member Utils\n   * @memberof Popper\n   */\n }]);\n

  return Popper;\n}();\n\n/**\n * The `referenceObject` is an object that provides an interface compatible with Popper.js\n * and lets you use it as replacement of a real DOM node.
\n * You can use this method to position a popper relatively to a set of coordinates\n * in case you don't have a DOM node to use as reference.\n *\n * ```\n * new Popper(referenceObject, popperNode);\n * ```\n *\n * NB: This feature isn't supported in Internet Explorer 10.\n * @name referenceObject\n * @property {Function} data.getBoundingClientRect\n * A function that returns a set of coordinates compatible with the native `getBoundingClientRect` method.\n * @property {number} data.clientWidth\n * An ES6 getter that will return the width of the virtual reference element.\n * @property {number} data.clientHeight\n * An ES6 getter that will return the height of the virtual reference element.\n */\n\nPopper.Utils = (typeof window !== 'undefined' ? window : global).PopperUtils;\nPopper.placements = placements;\nPopper.Defaults = Defaults;\n\nexport default Popper;\n//# sourceMappingURL=popper.js.map\n","\"use strict\";\n\nvar isValue = require(\"./is-value\");\n\nvar forEach = Array.prototype.forEach, create = Object.create;\n\nvar process = function (src, obj) {\n\tvar key;\n\tfor (key in src) obj[key] = src[key];\n};\n\n// eslint-disable-next-line no-unused-vars\nmodule.exports = function (opts1 /*, …options*/) {\n\tvar result = create(null);\n\tforEach.call(arguments, function (options) {\n\t\tif (!isValue(options)) return;\n\t\tprocess(Object(options), result);\n\t});\n\treturn result;\n};\n","/** Used to detect hot functions by number of calls within a span of milliseconds. */\nvar HOT_COUNT = 800,\n   HOT_SPAN = 16;\n\n/* Built-in method references for those with the same name as other `lodash` methods. */\nvar nativeNow = Date.now;\n\n/**\n * Creates a function that'll short out and invoke `identity` instead\n * of `func` when it's called `HOT_COUNT` or

more times in `HOT_SPAN`\n * milliseconds.\n *\n * @private\n * @param {Function} func The function to restrict.\n * @returns {Function} Returns the new shortable function.\n */\nfunction shortOut(func) {\n var count = 0,\n   lastCalled = 0;\n\n return function() {\n   var stamp = nativeNow(),\n   remaining = HOT_SPAN - (stamp - lastCalled);\n\n   lastCalled = stamp;\n   if (remaining > 0) {\n   if (++count >= HOT_COUNT) {\n   return arguments[0];\n   }\n   } else {\n   count = 0;\n   }\n   return func.apply(undefined, arguments);\n };\n}\n\nmodule.exports = shortOut;\n","var isSymbol = require('./isSymbol');\n\n/** Used as references for various `Number` constants. */\nvar INFINITY = 1 / 0;\n\n/**\n * Converts `value` to a string key if it's not a string or symbol.\n *\n * @private\n * @param {*} value The value to inspect.\n * @returns {string|symbol} Returns the key.\n */\nfunction toKey(value) {\n if (typeof value == 'string' || isSymbol(value)) {\n   return value;\n }\n var result = (value + '');\n return (result == '0' && (1 / value) == -INFINITY) ? '-0' : result;\n}\n\nmodule.exports = toKey;\n","'use strict';\n\nvar assign   = require('es5-ext/object/assign')\n , normalizeOpts = require('es5-ext/object/normalize-options')\n , isCallable   = require('es5-ext/object/is-callable')\n , contains   = require('es5-ext/string/#/contains')\n\n , d;\n\nd = module.exports = function (dscr, value/*, options*/) {\n\tvar c, e, w, options, desc;\n\tif ((arguments.length < 2) || (typeof dscr !== 'string')) {\n\t\toptions = value;\n\t\tvalue = dscr;\n\t\tdscr = null;\n\t} else {\n\t\toptions = arguments[2];\n\t}\n\tif (dscr == null) {\n\t\tc = w = true;\n\t\te = false;\n\t} else {\n\t\tc = contains.call(dscr, 'c');\n\t\te = contains.call(dscr, 'e');\n\t\tw = contains.call(dscr, 'w');\n\t}\n\n\tdesc = { value: value, configurable: c, enumerable: e, writable: w };\n\treturn !options ? desc : assign(normalizeOpts(options), desc);\n};\n\nd.gs = function (dscr, get, set/*, options*/) {\n\tvar c, e, options, desc;\n\tif (typeof dscr !== 'string') {\n\t\toptions = set;\n\t\tset = get;\n\t\tget = dscr;\n\t\tdscr = null;\n\t} else {\n\t\toptions = arguments[3];\n\t}\n\tif (get == null) {\n\t\tget = undefined;\n\t} else if (!isCallable(get)) {\n\t\toptions = get;\n\t\tget = set = undefined;\n\t} else if (set == null) {\n\t\tset = undefined;\n\t} else if (!isCallable(set)) {\n\t\toptions = set;\n\t\tset = undefined;\n\t}\n\tif (dscr == null) {\n\t\tc = true;\n\t\te = false;\n\t} else {\n\t\tc = contains.call(dscr, 'c');\n\t\te = contains.call(dscr, 'e');\n\t}\n\n\tdesc = { get: get, set: set, configurable: c, enumerable: e };\n\treturn !options ? desc : assign(normalizeOpts(options), desc);\n};\n","module.exports = function (it, Constructor, name, forbiddenField) {\n if (!(it instanceof Constructor) || (forbiddenField !== undefined && forbiddenField in it)) {\n   throw TypeError(name + ': incorrect invocation!');\n } return it;\n};\n","var isArray = require('./isArray'),\n   isSymbol = require('./isSymbol');\n\n/** Used to match property names within property paths. */\nvar reIsDeepProp = /\\.|\\[(?:[^[\\]]*|([\"'])(?:(?!\\1)[^\\\\]|\\\\.)*?\\1)\\]/,\n   reIsPlainProp = /^\\w*$/;\n\n/**\n * Checks if `value` is a property name and not a property path.\n *\n * @private\n * @param {*} value The value to check.\n * @param {Object} [object] The object to query keys on.\n * @returns {boolean} Returns `true` if `value` is a property name, else `false`.\n */\nfunction isKey(value, object) {\n if (isArray(value)) {\n   return false;\n }\n var type = typeof value;\n if (type == 'number' || type == 'symbol' || type == 'boolean' ||\n   value == null || isSymbol(value)) {\n   return true;\n }\n return reIsPlainProp.test(value) || !reIsDeepProp.test(value) ||\n   (object != null && value in Object(object));\n}\n\nmodule.exports = isKey;\n","\"use strict\";\n\nvar keys = require(\"../keys\")\n , value = require(\"../valid-value\")\n , max   = Math.max;\n\nmodule.exports = function (dest, src /*, …srcn*/) {\n\tvar error, i, length = max(arguments.length, 2), assign;\n\tdest = Object(value(dest));\n\tassign = function (key) {\n\t\ttry {\n\t\t\tdest[key] = src[key];\n\t\t} catch (e) {\n\t\t\tif (!error) error = e;\n\t\t}\n\t};\n\tfor (i = 1; i < length; ++i) {\n\t\tsrc = arguments[i];\n\t\tkeys(src).forEach(assign);\n\t}\n\tif (error !== undefined) throw error;\n\treturn dest;\n};\n","// 19.1.3.1 Object.assign(target, source)\nvar $export = require('./_export');\n\n$export($export.S + $export.F, 'Object', { assign: require('./_object-assign') });\n","\"use strict\";\n\nvar indexOf = String.prototype.indexOf;\n\nmodule.exports = function (searchString/*, position*/) {\n\treturn indexOf.call(this, searchString, arguments[1]) > -1;\n};\n","\"use strict\";\n\nmodule.exports = require(\"./is-implemented\")()\n\t? String.prototype.contains\n\t: require(\"./shim\");\n","var baseProperty = require('./_baseProperty'),\n   basePropertyDeep = require('./_basePropertyDeep'),\n   isKey = require('./_isKey'),\n   toKey = require('./_toKey');\n\n/**\n * Creates a function that returns the value at `path` of a given object.\n *\n * @static\n * @memberOf _\n * @since 2.4.0\n * @category Util\n * @param {Array|string} path The path of the property to get.\n * @returns {Function} Returns the new accessor function.\n * @example\n *\n * var objects = [\n *   { 'a': {

'b': 2 } },\n *   { 'a': { 'b': 1 } }\n *];\n *\n * _.map(objects, _.property('a.b'));\n * // => [2, 1]\n *\n * _.map(_.sortBy(objects, _.property(['a', 'b'])), 'a.b');\n * // => [1, 2]\n */\nfunction property(path) {\n return isKey(path) ? baseProperty(toKey(path)) : basePropertyDeep(path);\n}\n\nmodule.exports = property;\n","var document = require('./_global').document;\nmodule.exports = document && document.documentElement;\n","// This file is imported into lib/wc client bundles.\n\nif (typeof window !== 'undefined') {\n var i\n if ((i = window.document.currentScript) && (i = i.src.match(/(.+\/)[^/]+\\.js(\\?.*)?$/))) {\n   __webpack_public_path__ = i[1] // eslint-disable-line\n }\n}\n\n// Indicate to webpack that this file can be concatenated\nexport default null\n","/*!\n * vue-i18n v8.4.0 \n * (c) 2018 kazuya kawaguchi\n * Released under the MIT License.\n */\n/* */\n\n/**\n * utilities\n */\n\nfunction warn (msg, err) {\n if (typeof console !== 'undefined') {\n   console.warn('[vue-i18n] ' + msg);\n   /* istanbul ignore if */\n   if (err) {\n   console.warn(err.stack);\n   }\n }\n}\n\nfunction isObject (obj) {\n return obj !== null && typeof obj === 'object'\n}\n\nvar toString = Object.prototype.toString;\nvar OBJECT_STRING = '[object Object]';\nfunction isPlainObject (obj) {\n return toString.call(obj) === OBJECT_STRING\n}\n\nfunction isNull (val) {\n return val === null || val === undefined\n}\n\nfunction parseArgs () {\n var args = [], len = arguments.length;\n while (len--) args[len] = arguments[len];\n\n var locale = null;\n var params = null;\n if (args.length === 1) {\n   if (isObject(args[0]) || Array.isArray(args[0])) {\n   params = args[0];\n   } else if (typeof args[0] === 'string') {\n   locale = args[0];\n   }\n } else if (args.length === 2) {\n   if (typeof args[0] === 'string') {\n   locale = args[0];\n   }\n   /* istanbul ignore if */\n   if (isObject(args[1]) || Array.isArray(args[1])) {\n   params = args[1];\n   }\n }\n\n return { locale: locale, params: params }\n}\n\nfunction looseClone (obj) {\n return JSON.parse(JSON.stringify(obj))\n}\n\nfunction remove (arr, item) {\n if (arr.length) {\n   var index = arr.indexOf(item);\n   if (index > -1) {\n   return arr.splice(index, 1)\n   }\n }\n}\n\nvar hasOwnProperty = Object.prototype.hasOwnProperty;\nfunction hasOwn (obj, key) {\n return hasOwnProperty.call(obj, key)\n}\n\nfunction merge (target) {\n var arguments$1 = arguments;\n\n var output = Object(target);\n for (var i = 1; i < arguments.length; i++) {\n   var source = arguments$1[i];\n   if (source !== undefined && source !== null) {\n   var key = (void 0);\n   for (key in source) {\n   if (hasOwn(source, key)) {\n   if (isObject(source[key])) {\n   output[key] = merge(output[key], source[key]);\n   } else {\n   output[key] = source[key];\n   }\n   }\n   }\n   }\n }\n return output\n}\n\nfunction looseEqual (a, b) {\n if (a === b) { return true }\n var isObjectA = isObject(a);\n var isObjectB = isObject(b);\n if (isObjectA && isObjectB) {\n   try {\n   var isArrayA = Array.isArray(a);\n   var isArrayB = Array.isArray(b);\n   if (isArrayA && isArrayB) {\n   return a.length === b.length && a.every(function (e, i) {\n   return looseEqual(e, b[i])\n   })\n   } else if (!isArrayA && !isArrayB) {\n   var keysA = Object.keys(a);\n   var keysB = Object.keys(b);\n   return keysA.length === keysB.length && keysA.every(function (key) {\n   return looseEqual(a[key], b[key])\n   })\n   } else {\n   /* istanbul ignore next */\n   return false\n   }\n   } catch (e) {\n   /* istanbul ignore next */\n   return false\n   }\n } else if (!isObjectA && !isObjectB) {\n   return String(a) === String(b)\n } else {\n   return false\n }\n}\n\nvar canUseDateTimeFormat =\n typeof Intl !== 'undefined' && typeof Intl.DateTimeFormat !== 'undefined';\n\nvar canUseNumberFormat =\n typeof Intl !== 'undefined' && typeof Intl.NumberFormat !== 'undefined';\n\n/* */\n\nfunction extend (Vue) {\n if (!Vue.prototype.hasOwnProperty('$i18n')) {\n   // $FlowFixMe\n   Object.defineProperty(Vue.prototype, '$i18n', {\n   get: function get () { return this._i18n }\n   });\n }\n\n Vue.prototype.$t = function (key) {\n   var values = [], len = arguments.length - 1;\n   while (len-- > 0) values[len] = arguments[len + 1];\n\n   var i18n = this.$i18n;\n   return i18n._t.apply(i18n, [key, i18n.locale, i18n._getMessages(), this].concat(values))\n };\n\n Vue.prototype.$tc = function (key, choice) {\n   var values = [], len = arguments.length - 2;\n   while (len-- > 0) values[len] = arguments[len + 2];\n\n   var i18n = this.$i18n;\n   return i18n._tc.apply(i18n, [key, i18n.locale, i18n._getMessages(), this, choice].concat(values))\n };\n\n Vue.prototype.$te = function (key, locale) {\n   var i18n = this.$i18n;\n   return i18n._te(key, i18n.locale, i18n._getMessages(), locale)\n };\n\n Vue.prototype.$d = function (value) {\n   var ref;\n\n   var args = [], len = arguments.length - 1;\n   while (len-- > 0) args[len] = arguments[len + 1];\n   return (ref = this.$i18n).d.apply(ref, [value].concat(args))\n };\n\n Vue.prototype.$n = function (value) {\n   var ref;\n\n   var args = [], len = arguments.length - 1;\n   while (len-- > 0) args[len] =

arguments[len + 1];\n   return (ref = this.$i18n).n.apply(ref, [value].concat(args))\n };\n}\n\n/* */\n\nvar mixin = {\n beforeCreate: function beforeCreate () {\n   var options = this.$options;\n   options.i18n = options.i18n || (options.__i18n ? {} : null);\n\n   if (options.i18n) {\n   if (options.i18n instanceof VueI18n) {\n   // init locale messages via custom blocks\n   if (options.__i18n) {\n   try {\n   var localeMessages = {};\n options.__i18n.forEach(function (resource) {\n   localeMessages = merge(localeMessages, JSON.parse(resource));\n   });\n   Object.keys(localeMessages).forEach(function (locale) {\n options.i18n.mergeLocaleMessage(locale, localeMessages[locale]);\n   });\n   } catch (e) {\n   if (process.env.NODE_ENV !== 'production') {\n   warn(\"Cannot parse locale messages via custom blocks.\", e);\n   }\n   }\n   }\n   this._i18n = options.i18n;\n   this._i18nWatcher = this._i18n.watchI18nData();\n   this._i18n.subscribeDataChanging(this);\n   this._subscribing = true;\n   } else if (isPlainObject(options.i18n)) {\n   // component local i18n\n   if (this.$root && this.$root.$i18n && this.$root.$i18n instanceof VueI18n) {\n   options.i18n.root = this.$root;\n   options.i18n.formatter = this.$root.$i18n.formatter;\n   options.i18n.fallbackLocale = this.$root.$i18n.fallbackLocale;\n options.i18n.silentTranslationWarn = this.$root.$i18n.silentTranslationWarn;\n   }\n\n   // init locale messages via custom blocks\n   if (options.__i18n) {\n   try {\n   var localeMessages$1 = {};\n options.__i18n.forEach(function (resource) {\n   localeMessages$1 = merge(localeMessages$1, JSON.parse(resource));\n   });\n   options.i18n.messages = localeMessages$1;\n   } catch (e) {\n if (process.env.NODE_ENV !== 'production') {\n   warn(\"Cannot parse locale messages via custom blocks.\", e);\n   }\n   }\n   }\n\n   this._i18n = new VueI18n(options.i18n);\n   this._i18nWatcher = this._i18n.watchI18nData();\n   this._i18n.subscribeDataChanging(this);\n   this._subscribing = true;\n\nif (options.i18n.sync === undefined || !!options.i18n.sync) {\n   this._localeWatcher = this.$i18n.watchLocale();\n   }\n   } else {\n   if (process.env.NODE_ENV !== 'production') {\n warn(\"Cannot be interpreted 'i18n' option.\");\n   }\n   }\n   } else if (this.$root && this.$root.$i18n && this.$root.$i18n instanceof VueI18n) {\n   // root i18n\n   this._i18n = this.$root.$i18n;\n this._i18n.subscribeDataChanging(this);\n   this._subscribing = true;\n   } else if (options.parent && options.parent.$i18n && options.parent.$i18n instanceof VueI18n) {\n   // parent i18n\n   this._i18n = options.parent.$i18n;\n   this._i18n.subscribeDataChanging(this);\n   this._subscribing = true;\n   }\n },\n\n beforeDestroy: function beforeDestroy () {\n   if (!this._i18n) { return }\n\n   if (this._subscribing) {\n this._i18n.unsubscribeDataChanging(this);\n   delete this._subscribing;\n   }\n\n   if (this._i18nWatcher) {\n this._i18nWatcher();\n   delete this._i18nWatcher;\n   }\n\n   if (this._localeWatcher) {\n this._localeWatcher();\n   delete this._localeWatcher;\n   }\n\n   this._i18n = null;\n }\n};\n\n/* */\n\nvar component = {\n name: 'i18n',\n functional: true,\n props: {\n   tag: {\n   type: String,\n   default: 'span'\n   },\n   path: {\n   type: String,\n   required: true\n   },\n   locale: {\n   type: String\n   },\n   places: {\n   type: [Array, Object]\n   }\n },\n render: function render (h, ref) {\n   var props = ref.props;\n   var data = ref.data;\n   var children = ref.children;\n   var parent = ref.parent;\n\n   var i18n = parent.$i18n;\n\n   children = (children || []).filter(function (child) {\n   return child.tag || (child.text = child.text.trim())\n   });\n\n   if (!i18n) {\n   if (process.env.NODE_ENV !== 'production') {\n   warn('Cannot find VueI18n instance!');\n   }\n   return children\n   }\n\n   var path = props.path;\n   var locale = props.locale;\n\n   var params = {};\n   var places = props.places || {};\n\n   var hasPlaces = Array.isArray(places)\n   ? places.length > 0\n   : Object.keys(places).length > 0;\n\n   var everyPlace = children.every(function (child) {\n   if (child.data && child.data.attrs) {\n   var place = child.data.attrs.place;\n   return (typeof place !== 'undefined') && place !== \"\n   }\n   });\n\n   if (process.env.NODE_ENV !== 'production' && hasPlaces && children.length > 0 && !everyPlace) {\n   warn('If places prop is set, all child elements must have place prop set.');\n   }\n\n   if (Array.isArray(places)) {\n   places.forEach(function (el, i) {\n   params[i] = el;\n   });\n   } else {\n   Object.keys(places).forEach(function (key) {\n   params[key] = places[key];\n   });\n   }\n\n   children.forEach(function (child, i) {\n   var key = everyPlace\n   ? (\"\" + (child.data.attrs.place))\n   : (\"\" + i);\n   params[key] = child;\n   });\n\n   return h(props.tag, data, i18n.i(path, locale, params))\n }\n};\n\n/* */\n\nfunction bind (el, binding, vnode) {\n if (!assert(el, vnode)) { return }\n\n t(el, binding,

vnode);\n}\n\nfunction update (el, binding, vnode, oldVNode) {\n if (!assert(el, vnode)) { return }\n\n var i18n = vnode.context.$i18n;\n if (localeEqual(el, vnode) &&\n (looseEqual(binding.value, binding.oldValue) &&\n looseEqual(el._localeMessage, i18n.getLocaleMessage(i18n.locale)))) { return }\n\n t(el, binding, vnode);\n}\n\nfunction unbind (el, binding, vnode, oldVNode) {\n var vm = vnode.context;\n if (!vm) {\n warn('Vue instance does not exists in VNode context');\n return\n }\n\n el.textContent = '';\n el._vt = undefined;\n delete el['_vt'];\n el._locale = undefined;\n delete el['_locale'];\n el._localeMessage = undefined;\n delete el['_localeMessage'];\n}\n\nfunction assert (el, vnode) {\n var vm = vnode.context;\n if (!vm) {\n warn('Vue instance doest not exists in VNode context');\n return false\n }\n\n if (!vm.$i18n) {\n warn('VueI18n instance does not exists in Vue instance');\n return false\n }\n\n return true\n}\n\nfunction localeEqual (el, vnode) {\n var vm = vnode.context;\n return el._locale === vm.$i18n.locale\n}\n\nfunction t (el, binding, vnode) {\n var ref$1, ref$2;\n\n var value = binding.value;\n\n var ref = parseValue(value);\n var path = ref.path;\n var locale = ref.locale;\n var args = ref.args;\n var choice = ref.choice;\n if (!path && !locale && !args) {\n warn('value type not supported');\n return\n }\n\n if (!path) {\n warn(`path` is required in v-t directive');\n return\n }\n\n var vm = vnode.context;\n if (choice) {\n el._vt = el.textContent = (ref$1 = vm.$i18n).tc.apply(ref$1, [path, choice].concat(makeParams(locale, args)));\n } else {\n el._vt = el.textContent = (ref$2 = vm.$i18n).t.apply(ref$2, [path].concat(makeParams(locale, args)));\n }\n el._locale = vm.$i18n.locale;\n el._localeMessage = vm.$i18n.getLocaleMessage(vm.$i18n.locale);\n}\n\nfunction parseValue (value) {\n var path;\n var locale;\n var args;\n var choice;\n\n if (typeof value === 'string') {\n path = value;\n } else if (isPlainObject(value)) {\n path = value.path;\n locale = value.locale;\n args = value.args;\n choice = value.choice;\n }\n\n return { path: path, locale: locale, args: args, choice: choice }\n}\n\nfunction makeParams (locale, args) {\n var params = [];\n\n locale && params.push(locale);\n if (args && (Array.isArray(args) || isPlainObject(args))) {\n params.push(args);\n }\n\n return params\n}\n\nvar Vue;\n\nfunction install (_Vue) {\n /* istanbul ignore if */\n if (process.env.NODE_ENV !== 'production' && install.installed && _Vue === Vue) {\n warn('already installed.');\n return\n }\n install.installed = true;\n\n Vue = _Vue;\n\n var version = (Vue.version && Number(Vue.version.split('.')[0])) || -1;\n /* istanbul ignore if */\n if (process.env.NODE_ENV !== 'production' && version < 2) {\n warn(("vue-i18n (" + (install.version) + ") need to use Vue 2.0 or later (Vue: " + (Vue.version) + ").")));\n return\n }\n\n extend(Vue);\n Vue.mixin(mixin);\n Vue.directive('t', { bind: bind, update: update, unbind: unbind });\n Vue.component(component.name, component);\n\n // use simple mergeStrategies to prevent i18n instance lose '__proto__'\n var strats = Vue.config.optionMergeStrategies;\n strats.i18n = function (parentVal, childVal) {\n return childVal === undefined\n ? parentVal\n : childVal\n };\n}\n\n/* */\n\nvar BaseFormatter = function BaseFormatter () {\n this._caches = Object.create(null);\n};\n\nBaseFormatter.prototype.interpolate = function interpolate (message, values) {\n if (!values) {\n return [message]\n }\n var tokens = this._caches[message];\n if (!tokens) {\n tokens = parse(message);\n this._caches[message] = tokens;\n }\n return compile(tokens, values)\n};\n\n\nvar RE_TOKEN_LIST_VALUE = /^(?:\d)+/;\nvar RE_TOKEN_NAMED_VALUE = /^(?:\w)+/;\nfunction parse (format) {\n var tokens = [];\n var position = 0;\n\n var text = '';\n while (position < format.length) {\n var char = format[position++];\n if (char === '{') {\n if (text) {\n tokens.push({ type: 'text', value: text });\n }\n\n text = '';\n var sub = '';\n char = format[position++];\n while (char !== undefined && char !== '}') {\n sub += char;\n char = format[position++];\n }\n var isClosed = char === '}';\n\n var type = RE_TOKEN_LIST_VALUE.test(sub)\n ? 'list'\n : isClosed && RE_TOKEN_NAMED_VALUE.test(sub)\n ? 'named'\n : 'unknown';\n tokens.push({ value: sub, type: type });\n } else if (char === '%') {\n // when found rails i18n syntax, skip text capture\n if (format[(position)] !== '{') {\n text += char;\n }\n } else {\n text += char;\n }\n }\n\n text && tokens.push({ type: 'text', value: text });\n\n return tokens\n}\n\nfunction compile (tokens, values) {\n var compiled = [];\n var index = 0;\n\n var mode = Array.isArray(values)\n ? 'list'\n : isObject(values)\n ? 'named'\n : 'unknown';\n if (mode === 'unknown') { return compiled }\n\n while (index < tokens.length) {\n var token = tokens[index];\n switch (token.type) {\n case 'text':\n compiled.push(token.value);\n break\n case 'list':\n compiled.push(values[parseInt(token.value, 10)]);\n break\n case 'named':\n if (mode ===

'named') {\n   compiled.push((values)[token.value]);\n   } else {\n   if (process.env.NODE_ENV !== 'production') {\n   warn((\"Type of token '\" + (token.type) + \"' and format of value '\" + mode + \"' don't match!\"));\n   }\n   }\n   break\n   case 'unknown':\n   if (process.env.NODE_ENV !== 'production') {\n   warn(\"Detect 'unknown' type of token!\");\n   }\n   break\n }\n   index++;\n }\n\n return compiled\n}\n\n/* */\n\n/**\n * Path parser\n * - Inspired:\n *   Vue.js Path parser\n */\n\n// actions\nvar APPEND = 0;\nvar PUSH = 1;\nvar INC_SUB_PATH_DEPTH = 2;\nvar PUSH_SUB_PATH = 3;\n\n// states\nvar BEFORE_PATH = 0;\nvar IN_PATH = 1;\nvar BEFORE_IDENT = 2;\nvar IN_IDENT = 3;\nvar IN_SUB_PATH = 4;\nvar IN_SINGLE_QUOTE = 5;\nvar IN_DOUBLE_QUOTE = 6;\nvar AFTER_PATH = 7;\nvar ERROR = 8;\n\nvar pathStateMachine = [];\npathStateMachine[BEFORE_PATH] = {\n 'ws': [BEFORE_PATH],\n 'ident': [IN_IDENT, APPEND],\n '[': [IN_SUB_PATH],\n 'eof': [AFTER_PATH]\n};\npathStateMachine[IN_PATH] = {\n 'ws': [IN_PATH],\n '.': [BEFORE_IDENT],\n '[': [IN_SUB_PATH],\n 'eof': [AFTER_PATH]\n};\npathStateMachine[BEFORE_IDENT] = {\n 'ws': [BEFORE_IDENT],\n 'ident': [IN_IDENT, APPEND],\n '0': [IN_IDENT, APPEND],\n 'number': [IN_IDENT, APPEND]\n};\npathStateMachine[IN_IDENT] = {\n 'ident': [IN_IDENT, APPEND],\n '0': [IN_IDENT, APPEND],\n 'number': [IN_IDENT, APPEND],\n 'ws': [IN_PATH, PUSH],\n '.': [BEFORE_IDENT, PUSH],\n '[': [IN_SUB_PATH, PUSH],\n 'eof': [AFTER_PATH, PUSH]\n};\npathStateMachine[IN_SUB_PATH] = {\n \"'\": [IN_SINGLE_QUOTE, APPEND],\n '\"': [IN_DOUBLE_QUOTE, APPEND],\n '[': [IN_SUB_PATH, INC_SUB_PATH_DEPTH],\n ']': [IN_PATH, PUSH_SUB_PATH],\n 'eof': ERROR,\n 'else': [IN_SUB_PATH, APPEND]\n};\npathStateMachine[IN_SINGLE_QUOTE] = {\n \"'\": [IN_SUB_PATH, APPEND],\n 'eof': ERROR,\n 'else': [IN_SINGLE_QUOTE, APPEND]\n};\npathStateMachine[IN_DOUBLE_QUOTE] = {\n '\"': [IN_SUB_PATH, APPEND],\n 'eof': ERROR,\n 'else': [IN_DOUBLE_QUOTE, APPEND]\n};\n\n/**\n * Check if an expression is a literal value.\n */\n\nvar literalValueRE = /^\\s?(?:true|false|-?[\\d.]+|'[^']*'|\"[^\"]*\")\\s?$/;\nfunction isLiteral (exp) {\n return literalValueRE.test(exp)\n}\n\n/**\n * Strip quotes from a string\n */\n\nfunction stripQuotes (str) {\n var a = str.charCodeAt(0);\n var b = str.charCodeAt(str.length - 1);\n return a === b && (a === 0x22 || a === 0x27)\n   ? str.slice(1, -1)\n   : str\n}\n\n/**\n * Determine the type of a character in a keypath.\n */\n\nfunction getPathCharType (ch) {\n if (ch === undefined || ch === null) { return 'eof' }\n\n var code = ch.charCodeAt(0);\n\n switch (code) {\n   case 0x5B: // [\n   case 0x5D: //]\n   case 0x2E: // .\n   case 0x22: // \"\n   case 0x27: // '\n   return ch\n\n   case 0x5F: // _\n   case 0x24: // $\n   case 0x2D: // -\n   return 'ident'\n\n   case 0x20: // Space\n   case 0x09: // Tab\n   case 0x0A: // Newline\n   case 0x0D: // Return\n   case 0xA0: // No-break space\n   case 0xFEFF: // Byte Order Mark\n   case 0x2028: // Line Separator\n   case 0x2029: // Paragraph Separator\n   return 'ws'\n }\n\n return 'ident'\n}\n\n/**\n * Format a subPath, return its plain form if it is\n * a literal string or number. Otherwise prepend the\n * dynamic indicator (*).\n */\n\nfunction formatSubPath (path) {\n var trimmed = path.trim();\n // invalid leading 0\n if (path.charAt(0) === '0' && isNaN(path)) { return false }\n\n return isLiteral(trimmed) ? stripQuotes(trimmed) : '*' + trimmed\n}\n\n/**\n * Parse a string path into an array of segments\n */\n\nfunction parse$1 (path) {\n var keys = [];\n var index = -1;\n var mode = BEFORE_PATH;\n var subPathDepth = 0;\n var c;\n var key;\n var newChar;\n var type;\n var transition;\n var action;\n var typeMap;\n var actions = [];\n\n actions[PUSH] = function () {\n   if (key !== undefined) {\n   keys.push(key);\n   key = undefined;\n   }\n };\n\n actions[APPEND] = function () {\n   if (key === undefined) {\n   key = newChar;\n   } else {\n   key += newChar;\n   }\n };\n\n actions[INC_SUB_PATH_DEPTH] = function () {\n   actions[APPEND]();\n   subPathDepth++;\n };\n\n actions[PUSH_SUB_PATH] = function () {\n   if (subPathDepth > 0) {\n   subPathDepth--;\n   mode = IN_SUB_PATH;\n   actions[APPEND]();\n   } else {\n   subPathDepth = 0;\n   key = formatSubPath(key);\n   if (key === false) {\n   return false\n   } else {\n   actions[PUSH]();\n   }\n   }\n };\n\n function maybeUnescapeQuote () {\n   var nextChar = path[index + 1];\n   if ((mode === IN_SINGLE_QUOTE && nextChar === \"'\") ||\n   (mode === IN_DOUBLE_QUOTE && nextChar === '\"')) {\n   index++;\n   newChar = '\\' + nextChar;\n   actions[APPEND]();\n   return true\n   }\n }\n\n while (mode !== null) {\n   index++;\n   c = path[index];\n\n   if (c === '\\' && maybeUnescapeQuote()) {\n   continue\n   }\n\n   type = getPathCharType(c);\n   typeMap = pathStateMachine[mode];\n   transition =

typeMap[type] || typeMap['else'] || ERROR;\n\n   if (transition === ERROR) {\n   return // parse error\n   }\n\n
mode = transition[0];\n   action = actions[transition[1]];\n   if (action) {\n   newChar = transition[2];\n
newChar = newChar === undefined\n   ? c\n   : newChar;\n   if (action() === false) {\n   return\n   }\n
}\n\n   if (mode === AFTER_PATH) {\n   return keys\n   }\n }\n}\n\n\n\n\nvar I18nPath = function I18nPath
() {\n this._cache = Object.create(null);\n};\n\n/**\n * External parse that check for a cache hit first\n
*/\nI18nPath.prototype.parsePath = function parsePath (path) {\n var hit = this._cache[path];\n if (!hit) {\n   hit =
parse$1(path);\n   if (hit) {\n   this._cache[path] = hit;\n   }\n }\n return hit || []\n};\n\n/**\n * Get path value
from path string\n */\nI18nPath.prototype.getPathValue = function getPathValue (obj, path) {\n if (!isObject(obj)) {
return null }\n\n var paths = this.parsePath(path);\n if (paths.length === 0) {\n   return null\n } else {\n   var
length = paths.length;\n   var last = obj;\n   var i = 0;\n   while (i < length) {\n   var value = last[paths[i]];\n   if
(value === undefined) {\n   return null\n   }\n   last = value;\n   i++;\n   }\n\n   return last\n }\n};\n\n/*
*/\n\n\n\nvar numberFormatKeys = [\n 'style',\n 'currency',\n 'currencyDisplay',\n 'useGrouping',\n
'minimumIntegerDigits',\n 'minimumFractionDigits',\n 'maximumFractionDigits',\n 'minimumSignificantDigits',\n
'maximumSignificantDigits',\n 'localeMatcher',\n 'formatMatcher'\n];\nvar linkKeyMatcher = /(?:@(?:\\.[a-
z]+)?:(?:[\\w\\-_|.]+|\\(([\\w\\-_|.]+\\)))/g;\nvar linkKeyPrefixMatcher = /^@(?:\\.([a-z]+))?:/;\nvar bracketsMatcher =
/[()]/g;\nvar formatters = {\n 'upper': function (str) { return str.toLocaleUpperCase(); },\n 'lower': function (str) {
return str.toLocaleLowerCase(); }\n};\n\nvar VueI18n = function VueI18n (options) {\n var this$1 = this;\n if (
options === void 0) options = {};\n\n // Auto install if it is not done yet and `window` has `Vue`.\n // To allow
users to avoid auto-installation in some cases,\n // this code should be placed here. See #290\n /* istanbul ignore if
*/\n if (!Vue && typeof window !== 'undefined' && window.Vue) {\n   install(window.Vue);\n }\n\n var locale =
options.locale || 'en-US';\n var fallbackLocale = options.fallbackLocale || 'en-US';\n var messages =
options.messages || {};\n var dateTimeFormats = options.dateTimeFormats || {};\n var numberFormats =
options.numberFormats || {};\n\n this._vm = null;\n this._formatter = options.formatter || new BaseFormatter();\n
this._missing = options.missing || null;\n this._root = options.root || null;\n this._sync = options.sync === undefined
? true : !!options.sync;\n this._fallbackRoot = options.fallbackRoot === undefined\n   ? true\n   :
!!options.fallbackRoot;\n this._silentTranslationWarn = options.silentTranslationWarn === undefined\n   ? false\n
: !!options.silentTranslationWarn;\n this._dateTimeFormatters = {};\n this._numberFormatters = {};\n this._path =
new I18nPath();\n this._dataListeners = [];\n\n this._exist = function (message, key) {\n   if (!message || !key) {
return false }\n   return !isNull(this$1._path.getPathValue(message, key))\n };\n\n this._initVM({\n   locale:
locale,\n   fallbackLocale: fallbackLocale,\n   messages: messages,\n   dateTimeFormats: dateTimeFormats,\n
numberFormats: numberFormats\n });\n};\n\nvar prototypeAccessors = { vm: { configurable: true },messages: {
configurable: true },dateTimeFormats: { configurable: true },numberFormats: { configurable: true },locale: {
configurable: true },fallbackLocale: { configurable: true },missing: { configurable: true },formatter: { configurable:
true },silentTranslationWarn: { configurable: true } };\n\nVueI18n.prototype._initVM = function _initVM (data) {\n
var silent = Vue.config.silent;\n Vue.config.silent = true;\n this._vm = new Vue({ data: data });\n
Vue.config.silent = silent;\n};\n\nVueI18n.prototype.subscribeDataChanging = function subscribeDataChanging
(vm) {\n this._dataListeners.push(vm);\n};\n\nVueI18n.prototype.unsubscribeDataChanging = function
unsubscribeDataChanging (vm) {\n remove(this._dataListeners, vm);\n};\n\nVueI18n.prototype.watchI18nData =
function watchI18nData () {\n var self = this;\n return this._vm.$watch('$data', function () {\n   var i =
self._dataListeners.length;\n   while (i--) {\n   Vue.nextTick(function () {\n   self._dataListeners[i] &&
self._dataListeners[i].$forceUpdate();\n   });\n   }\n }, { deep: true })\n};\n\nVueI18n.prototype.watchLocale =
function watchLocale () {\n /* istanbul ignore if */\n if (!this._sync || !this._root) { return null }\n var target =
this._vm;\n return this._root.$i18n.vm.$watch('locale', function (val) {\n   target.$set(target, 'locale', val);\n
target.$forceUpdate();\n }, { immediate: true })\n};\n\nprototypeAccessors.vm.get = function () { return this._vm
};\n\nprototypeAccessors.messages.get = function () { return looseClone(this._getMessages())
};\nprototypeAccessors.dateTimeFormats.get = function () { return looseClone(this._getDateTimeFormats())
};\nprototypeAccessors.numberFormats.get = function () { return looseClone(this._getNumberFormats())
};\nprototypeAccessors.locale.get = function () { return this._vm.locale };\nprototypeAccessors.locale.set =

function (locale) {\n this._vm.$set(this._vm, 'locale', locale);\n};\n\nprototypeAccessors.fallbackLocale.get = function () { return this._vm.fallbackLocale };\nprototypeAccessors.fallbackLocale.set = function (locale) {\n this._vm.$set(this._vm, 'fallbackLocale', locale);\n};\n\nprototypeAccessors.missing.get = function () { return this._missing };\nprototypeAccessors.missing.set = function (handler) { this._missing = handler; };\n\nprototypeAccessors.formatter.get = function () { return this._formatter };\nprototypeAccessors.formatter.set = function (formatter) { this._formatter = formatter; };\n\nprototypeAccessors.silentTranslationWarn.get = function () { return this._silentTranslationWarn };\nprototypeAccessors.silentTranslationWarn.set = function (silent) { this._silentTranslationWarn = silent; };\n\nVueI18n.prototype._getMessages = function _getMessages () { return this._vm.messages };\nVueI18n.prototype._getDateTimeFormats = function _getDateTimeFormats () { return this._vm.dateTimeFormats };\nVueI18n.prototype._getNumberFormats = function _getNumberFormats () { return this._vm.numberFormats };\n\nVueI18n.prototype._warnDefault = function _warnDefault (locale, key, result, vm, values) {\n if (!isNull(result)) { return result }\n if (this._missing) {\n   var missingRet = this._missing.apply(null, [locale, key, vm, values]);\n   if (typeof missingRet === 'string') {\n   return missingRet\n   }\n } else {\n   if (process.env.NODE_ENV !== 'production' && !this._silentTranslationWarn) {\n   warn(\n   \"Cannot translate the value of keypath '\" + key + \"'. \" +\n   'Use the value of keypath as default.'\n   );\n   }\n }\n return key\n};\n\nVueI18n.prototype._isFallbackRoot = function _isFallbackRoot (val) {\n return !val && !isNull(this._root) && this._fallbackRoot\n};\n\nVueI18n.prototype._interpolate = function _interpolate (\n locale,\n message,\n key,\n host,\n interpolateMode,\n values,\n visitedLinkStack\n) {\n if (!message) { return null }\n\n var pathRet = this._path.getPathValue(message, key);\n if (Array.isArray(pathRet) || isPlainObject(pathRet)) { return pathRet }\n\n var ret;\n if (isNull(pathRet)) {\n   /* istanbul ignore else */\n   if (isPlainObject(message)) {\n   ret = message[key];\n   if (typeof ret !== 'string') {\n   if (process.env.NODE_ENV !== 'production' && !this._silentTranslationWarn) {\n   warn((\"Value of key '\" + key + \"' is not a string!\"));\n   }\n   return null\n   }\n   } else {\n   return null\n   }\n } else {\n   /* istanbul ignore else */\n   if (typeof pathRet === 'string') {\n   ret = pathRet;\n   } else {\n   if (process.env.NODE_ENV !== 'production' && !this._silentTranslationWarn) {\n   warn((\"Value of key '\" + key + \"' is not a string!\"));\n   }\n   return null\n   }\n }\n\n // Check for the existence of links within the translated string\n if (ret.indexOf('@:') >= 0 || ret.indexOf('@.') >= 0) {\n   ret = this._link(locale, message, ret, host, interpolateMode, values, visitedLinkStack);\n }\n\n return this._render(ret, interpolateMode, values)\n};\n\nVueI18n.prototype._link = function _link (\n locale,\n message,\n str,\n host,\n interpolateMode,\n values,\n visitedLinkStack\n) {\n var this$1 = this;\n\n var ret = str;\n\n // Match all the links within the local\n // We are going to replace each of\n // them with its translation\n var matches = ret.match(linkKeyMatcher);\n for (var idx in matches) {\n   // ie compatible: filter custom array\n   // prototype method\n   if (!matches.hasOwnProperty(idx)) {\n   continue\n   }\n   var link = matches[idx];\n   var linkKeyPrefixMatches = link.match(linkKeyPrefixMatcher);\n   var linkPrefix = linkKeyPrefixMatches[0];\n   var formatterName = linkKeyPrefixMatches[1];\n\n   // Remove the leading @:, @.case: and the brackets\n   var linkPlaceholder = link.replace(linkPrefix, '').replace(bracketsMatcher, '');\n\n   if (visitedLinkStack.includes(linkPlaceholder)) {\n   if (process.env.NODE_ENV !== 'production') {\n   warn((\"Circular reference found. \\\"\" + link + \"\\\" is already visited in the chain of \" + (visitedLinkStack.reverse().join(' <- '))));\n   }\n   return ret\n   }\n   visitedLinkStack.push(linkPlaceholder);\n\n   // Translate the link\n   var translated = this$1._interpolate(\n   locale, message, linkPlaceholder, host,\n   interpolateMode === 'raw' ? 'string' : interpolateMode,\n   interpolateMode === 'raw' ? undefined : values,\n   visitedLinkStack\n   );\n\n   if (this$1._isFallbackRoot(translated)) {\n   if (process.env.NODE_ENV !== 'production' && !this$1._silentTranslationWarn) {\n   warn((\"Fall back to translate the link placeholder '\" + linkPlaceholder + \"' with root locale.\"));\n   }\n   /* istanbul ignore if */\n   if (!this$1._root) { throw Error('unexpected error') }\n   var root = this$1._root.$i18n;\n   translated = root._translate(\n   root._getMessages(), root.locale, root.fallbackLocale,\n   linkPlaceholder, host, interpolateMode, values\n   );\n   }\n   translated = this$1._warnDefault(\n   locale, linkPlaceholder, translated, host,\n   Array.isArray(values) ? values : [values]\n   );\n   if (formatters.hasOwnProperty(formatterName)) {\n   translated = formatters[formatterName](translated);\n

}\n\n   visitedLinkStack.pop();\n\n   // Replace the link with the translated\n   ret = !translated ? ret : ret.replace(link, translated);\n   }\n\n   return ret\n};\n\nVueI18n.prototype._render = function _render (message, interpolateMode, values) {\n   var ret = this._formatter.interpolate(message, values);\n   // if interpolateMode is **not** 'string' ('row'),\n   // return the compiled data (e.g. ['foo', VNode, 'bar']) with formatter\n   return interpolateMode === 'string' ? ret.join('') : ret\n};\n\nVueI18n.prototype._translate = function _translate (\n   messages,\n   locale,\n   fallback,\n   key,\n   host,\n   interpolateMode,\n   args\n) {\n   var res =\n   this._interpolate(locale, messages[locale], key, host, interpolateMode, args, [key]);\n   if (!isNull(res)) { return res }\n\n   res = this._interpolate(fallback, messages[fallback], key, host, interpolateMode, args, [key]);\n   if (!isNull(res)) {\n   if (process.env.NODE_ENV !== 'production' && !this._silentTranslationWarn) {\n   warn((\"Fall back to translate the keypath '\" + key + "'\" with \"" + fallback + "'\" locale.\"));\n   }\n   return res\n   } else {\n   return null\n   }\n};\n\nVueI18n.prototype._t = function _t (key, _locale, messages, host) {\n   var ref;\n\n   var values = [], len = arguments.length - 4;\n   while (len-- > 0) values[len] = arguments[len + 4];\n   if (!key) { return '' }\n\n   var parsedArgs = parseArgs.apply(void 0, values);\n   var locale = parsedArgs.locale || _locale;\n\n   var ret = this._translate(\n   messages, locale, this.fallbackLocale, key,\n   host, 'string', parsedArgs.params\n   );\n   if (this._isFallbackRoot(ret)) {\n   if (process.env.NODE_ENV !== 'production' && !this._silentTranslationWarn) {\n   warn((\"Fall back to translate the keypath '\" + key + "'\" with root locale.\"));\n   }\n   /* istanbul ignore if */\n   if (!this._root) { throw Error('unexpected error') }\n   return (ref = this._root).$t.apply(ref, [key].concat(values))\n   } else {\n   return this._warnDefault(locale, key, ret, host, values)\n   }\n};\n\nVueI18n.prototype.t = function t (key) {\n   var ref;\n\n   var values = [], len = arguments.length - 1;\n   while (len-- > 0) values[len] = arguments[len + 1];\n   return (ref = this)._t.apply(ref, [key, this.locale, this._getMessages(), null].concat(values))\n};\n\nVueI18n.prototype._i = function _i (key, locale, messages, host, values) {\n   var ret =\n   this._translate(messages, locale, this.fallbackLocale, key, host, 'raw', values);\n   if (this._isFallbackRoot(ret)) {\n   if (process.env.NODE_ENV !== 'production' && !this._silentTranslationWarn) {\n   warn((\"Fall back to interpolate the keypath '\" + key + "'\" with root locale.\"));\n   }\n   if (!this._root) { throw Error('unexpected error') }\n   return this._root.$i18n.i(key, locale, values)\n   } else {\n   return this._warnDefault(locale, key, ret, host, [values])\n   }\n};\n\nVueI18n.prototype.i = function i (key, locale, values) {\n   /* istanbul ignore if */\n   if (!key) { return '' }\n\n   if (typeof locale !== 'string') {\n   locale = this.locale;\n   }\n\n   return this._i(key, locale, this._getMessages(), null, values)\n};\n\nVueI18n.prototype._tc = function _tc (\n   key,\n   _locale,\n   messages,\n   host,\n   choice\n) {\n   var ref;\n\n   var values = [], len = arguments.length - 5;\n   while (len-- > 0) values[len] = arguments[len + 5];\n   if (!key) { return '' }\n   if (choice === undefined) {\n   choice = 1;\n   }\n\n   var predefined = { 'count': choice, 'n': choice };\n   var parsedArgs = parseArgs.apply(void 0, values);\n   parsedArgs.params = Object.assign(predefined, parsedArgs.params);\n   values = parsedArgs.locale === null ? [parsedArgs.params] : [parsedArgs.locale, parsedArgs.params];\n   return this.fetchChoice((ref = this)._t.apply(ref, [key, _locale, messages, host].concat(values)), choice)\n};\n\nVueI18n.prototype.fetchChoice = function fetchChoice (message, choice) {\n   /* istanbul ignore if */\n   if (!message && typeof message !== 'string') { return null }\n   var choices = message.split('|');\n\n   choice = this.getChoiceIndex(choice, choices.length);\n   if (!choices[choice]) { return message }\n   return choices[choice].trim()\n};\n\n/**\n * @param choice {number} a choice index given by the input to $tc:\n `$tc('path.to.rule', choiceIndex)`\n * @param choicesLength {number} an overall amount of available choices\n * @returns a final choice index\n*/\nVueI18n.prototype.getChoiceIndex = function getChoiceIndex (choice, choicesLength) {\n   choice = Math.abs(choice);\n\n   if (choicesLength === 2) {\n   return choice\n   ? choice > 1\n   ? 1\n   : 0\n   : 1\n   }\n\n   return choice ? Math.min(choice, 2) : 0\n};\n\nVueI18n.prototype.tc = function tc (key, choice) {\n   var ref;\n\n   var values = [], len = arguments.length - 2;\n   while (len-- > 0) values[len] = arguments[len + 2];\n   return (ref = this)._tc.apply(ref, [key, this.locale, this._getMessages(), null, choice].concat(values))\n};\n\nVueI18n.prototype._te = function _te (key, locale, messages) {\n   var args = [], len = arguments.length - 3;\n   while (len-- > 0) args[len] = arguments[len + 3];\n\n   var _locale = parseArgs.apply(void 0, args).locale || locale;\n   return this._exist(messages[_locale], key)\n};\n\nVueI18n.prototype.te = function te (key, locale) {\n   return this._te(key, this.locale, this._getMessages(), locale)\n};\n\nVueI18n.prototype.getLocaleMessage = function getLocaleMessage (locale) {\n   return

looseClone(this._vm.messages[locale] || { })\n};\n\nVueI18n.prototype.setLocaleMessage = function setLocaleMessage (locale, message) {\n this._vm.$set(this._vm.messages, locale, message);\n};\n\nVueI18n.prototype.mergeLocaleMessage = function mergeLocaleMessage (locale, message) {\n this._vm.$set(this._vm.messages, locale, merge(this._vm.messages[locale] || { }, message));\n};\n\nVueI18n.prototype.getDateTimeFormat = function getDateTimeFormat (locale) {\n return looseClone(this._vm.dateTimeFormats[locale] || { })\n};\n\nVueI18n.prototype.setDateTimeFormat = function setDateTimeFormat (locale, format) {\n this._vm.$set(this._vm.dateTimeFormats, locale, format);\n};\n\nVueI18n.prototype.mergeDateTimeFormat = function mergeDateTimeFormat (locale, format) {\n this._vm.$set(this._vm.dateTimeFormats, locale, merge(this._vm.dateTimeFormats[locale] || { }, format));\n};\n\nVueI18n.prototype._localizeDateTime = function _localizeDateTime (\n value,\n locale,\n fallback,\n dateTimeFormats,\n key)\n) {\n var _locale = locale;\n var formats = dateTimeFormats[_locale];\n\n // fallback locale\n if (isNull(formats) || isNull(formats[key])) {\n   if (process.env.NODE_ENV !== 'production') {\n   warn((\"Fall back to \'" + fallback + "\'' datetime formats from \'" + locale + "\' datetime formats.\"));\n   }\n   _locale = fallback;\n   formats = dateTimeFormats[_locale];\n }\n\n if (isNull(formats) || isNull(formats[key])) {\n   return null\n } else {\n   var format = formats[key];\n   var id = _locale + \"__\" + key;\n   var formatter = this._dateTimeFormatters[id];\n   if (!formatter) {\n   formatter = this._dateTimeFormatters[id] = new Intl.DateTimeFormat(_locale, format);\n   }\n   return formatter.format(value)\n }\n};\n\nVueI18n.prototype._d = function _d (value, locale, key) {\n /* istanbul ignore if */\n if (process.env.NODE_ENV !== 'production' && !VueI18n.availabilities.dateTimeFormat) {\n   warn('Cannot format a Date value due to not supported Intl.DateTimeFormat.');\n   return "\n }\n\n if (!key) {\n   return new Intl.DateTimeFormat(locale).format(value)\n }\n\n var ret =\n   this._localizeDateTime(value, locale, this.fallbackLocale, this._getDateTimeFormats(), key);\n if (this._isFallbackRoot(ret)) {\n   if (process.env.NODE_ENV !== 'production') {\n   warn((\"Fall back to datetime localization of root: key \'" + key + "\' .\"));\n   }\n   /* istanbul ignore if */\n   if (!this._root) { throw Error('unexpected error') }\n   return this._root.$i18n.d(value, key, locale)\n } else {\n   return ret || "\n }\n};\n\nVueI18n.prototype.d = function d (value) {\n var args = [], len = arguments.length - 1;\n while (len-- > 0) args[len] = arguments[len + 1];\n\n var locale = this.locale;\n var key = null;\n\n if (args.length === 1) {\n   if (typeof args[0] === 'string') {\n   key = args[0];\n   } else if (isObject(args[0])) {\n   if (args[0].locale) {\n   locale = args[0].locale;\n   }\n   if (args[0].key) {\n   key = args[0].key;\n   }\n   }\n } else if (args.length === 2) {\n   if (typeof args[0] === 'string') {\n   key = args[0];\n   }\n   if (typeof args[1] === 'string') {\n   locale = args[1];\n   }\n }\n\n return this._d(value, locale, key)\n};\n\nVueI18n.prototype.getNumberFormat = function getNumberFormat (locale) {\n return looseClone(this._vm.numberFormats[locale] || { })\n};\n\nVueI18n.prototype.setNumberFormat = function setNumberFormat (locale, format) {\n this._vm.$set(this._vm.numberFormats, locale, format);\n};\n\nVueI18n.prototype.mergeNumberFormat = function mergeNumberFormat (locale, format) {\n this._vm.$set(this._vm.numberFormats, locale, merge(this._vm.numberFormats[locale] || { }, format));\n};\n\nVueI18n.prototype._localizeNumber = function _localizeNumber (\n value,\n locale,\n fallback,\n numberFormats,\n key,\n options\n) {\n var _locale = locale;\n var formats = numberFormats[_locale];\n\n // fallback locale\n if (isNull(formats) || isNull(formats[key])) {\n   if (process.env.NODE_ENV !== 'production') {\n   warn((\"Fall back to \'" + fallback + "\'' number formats from \'" + locale + "\' number formats.\"));\n   }\n   _locale = fallback;\n   formats = numberFormats[_locale];\n }\n\n if (isNull(formats) || isNull(formats[key])) {\n   return null\n } else {\n   var format = formats[key];\n\n   var formatter;\n   if (options) {\n   // If options specified - create one time number formatter\n   formatter = new Intl.NumberFormat(_locale, Object.assign({ }, format, options));\n   } else {\n   var id = _locale + \"__\" + key;\n   formatter = this._numberFormatters[id];\n   if (!formatter) {\n   formatter = this._numberFormatters[id] = new Intl.NumberFormat(_locale, format);\n   }\n   }\n   return formatter.format(value)\n }\n};\n\nVueI18n.prototype._n = function _n (value, locale, key, options) {\n /* istanbul ignore if */\n if (!VueI18n.availabilities.numberFormat) {\n   if (process.env.NODE_ENV !== 'production') {\n   warn('Cannot format a Number value due to not supported Intl.NumberFormat.');\n   }\n   return "\n }\n\n if (!key) {\n   var nf = !options ? new Intl.NumberFormat(locale) : new Intl.NumberFormat(locale, options);\n   return nf.format(value)\n

}\n\n var ret =\n   this._localizeNumber(value, locale, this.fallbackLocale, this._getNumberFormats(), key, options);\n if (this._isFallbackRoot(ret)) {\n   if (process.env.NODE_ENV !== 'production') {\n   warn((\"Fall back to number localization of root: key '\" + key + \"' .\"));\n   }\n   /* istanbul ignore if */\n   if (!this._root) {\n throw Error('unexpected error') }\n   return this._root.$i18n.n(value, Object.assign({}, { key: key, locale: locale }, options))\n } else {\n   return ret || \"\n }\n};\n\nVueI18n.prototype.n = function n (value) {\n   var args = [], len = arguments.length - 1;\n   while (len-- > 0) args[len] = arguments[len + 1];\n\n var locale = this.locale;\n var key = null;\n var options = null;\n\n if (args.length === 1) {\n   if (typeof args[0] === 'string') {\n   key = args[0];\n   } else if (isObject(args[0])) {\n   if (args[0].locale) {\n   locale = args[0].locale;\n   }\n   if (args[0].key) {\n   key = args[0].key;\n   }\n\n   // Filter out number format options only\n   options = Object.keys(args[0]).reduce(function (acc, key) {\n   var obj;\n\n   if (numberFormatKeys.includes(key)) {\n   return Object.assign({}, acc, (obj = {}, obj[key] = args[0][key], obj))\n   }\n   return acc\n   }, null);\n   }\n } else if (args.length === 2) {\n   if (typeof args[0] === 'string') {\n   key = args[0];\n   }\n   if (typeof args[1] === 'string') {\n   locale = args[1];\n   }\n }\n\n return this._n(value, locale, key, options)\n};\n\nObject.defineProperties(VueI18n.prototype, prototypeAccessors);\n\nVueI18n.availabilities = {\n dateTimeFormat: canUseDateTimeFormat,\n numberFormat: canUseNumberFormat\n};\nVueI18n.install = install;\nVueI18n.version = '8.4.0';\n\nexport default VueI18n;\n","import Vue from 'vue'\nimport VueI18n from 'vue-i18n'\n\nVue.use(VueI18n)\n\nfunction loadLocaleMessages () {\n const locales = require.context('./locales', true, /[A-Za-z0-9-_,\\s]+\\.json$/i)\n const messages = {}\n locales.keys().forEach(key => {\n   const matched = key.match(/([A-Za-z0-9-_]+)\\./i)\n   if (matched && matched.length > 1) {\n   const locale = matched[1]\n   messages[locale] = locales(key)\n   }\n })\n return messages\n}\n\nexport default new VueI18n({\n locale: process.env.VUE_APP_I18N_LOCALE || 'en',\n fallbackLocale: process.env.VUE_APP_I18N_FALLBACK_LOCALE || 'en',\n messages: loadLocaleMessages()\n})\n","var render = function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _vm._m(0)}\nvar staticRenderFns = [function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('div',{staticClass:\"content-placeholder\"},[_c('div',{staticClass:\"content-placeholder__wrapper\",style:({ backgroundSize: _vm.size })},_vm._l((_vm.formattedRows),function(row,r){return _c('div',{key:r,staticClass:\"content-placeholder__wrapper__row\",style:({height: row.height})},_vm._l((row.boxes),function(box,b){return _c('div',{key:b,style:(box.style)},[(box.subClass)?_c('div',{class:box.subClass}):_vm._e()])}))}))])}]\n\nexport { render, staticRenderFns }","const DEFAULT_ROWS = [\n {\n   height: '1em',\n   boxes: [[0, '50%'], ['5%', '30%'], ['5%', '10%']]\n }]\n\nexport function isFlexBasis (str) {\n return Number(str).toString() === str.toString()\n}\n\nexport function isWidth (str) {\n const cssSuffix = ['px', '%', 'em', 'rem']\n let checkState = false\n cssSuffix.forEach(suffix => {\n   if (Number(str.split(suffix)[0]) &&\n   str.split(suffix)[1] === '' &&\n   str.split(suffix).length === 2) {\n   checkState = true\n   }\n })\n return checkState\n}\n\nexport function getBoxStyle (left, width, isLast, subClass = 'box') {\n const arr = []\n if (left !== 0) {\n   if (isFlexBasis(left)) {\n arr.push({style: `flex-grow: ${left}; flex-shrink: 0; flex-basis: 0;`, subClass})\n   } else if (isWidth(left)) {\n arr.push({style: `flex-grow: 0; flex-shrink: 0; flex-basis: ${left};`, subClass})\n   }\n }\n if (isFlexBasis(width)) {\n   arr.push({style: `flex-grow: ${width}; flex-shrink: 0; flex-basis: 0;`})\n } else if (isWidth(width)) {\n arr.push({style: `flex-grow: 0; flex-shrink: 0; flex-basis: ${width};`})\n }\n if (isLast) {\n   arr.push({style: 'flex-grow: 1; flex-shrink: 0; flex-basis: 0;', subClass})\n }\n return arr\n}\n\nexport function formatRows (rows = DEFAULT_ROWS, subClass = 'box') {\n const rowArr = []\n rows.forEach(row => {\n   let boxArr = []\n   const rowObj = {}\n   // Add height\n   rowObj.height = row.height\n   // Add style\n   row.boxes.forEach((box, index) => {\n   const isLast = index === row.boxes.length - 1\n   boxArr = boxArr.concat(getBoxStyle(box[0], box[1], isLast, subClass))\n   })\n   rowObj.boxes = boxArr\n   rowArr.push(rowObj)\n })\n\n return rowArr\n}\n\nexport default {\n isFlexBasis,\n isWidth,\n getBoxStyle,\n formatRows\n}\n","<template>\n <div class=\"content-placeholder\" v-once>\n   <div class=\"content-placeholder__wrapper\" :style=\"{ backgroundSize: size }\">\n   <div class=\"content-placeholder__wrapper__row\" :style=\"{height: row.height}\" v-for=\"(row, r) in formattedRows\" :key=\"r\">\n   <div :style=\"box.style\" v-for=\"(box, b) in row.boxes\" :key=\"b\">\n

<div v-if=\"box.subClass\" :class=\"box.subClass\"></div>\n   </div>\n   </div>\n   </div>\n </div>\n</template>\n\n<script>\nimport { formatRows } from '../utils/placeholder.js'\n\n/**\n * A component to fill empty spaces with animated placeholders until content is loaded.\n */\nexport default {\n name: 'ContentPlaceholder',\n props: {\n   /**\n   * An array of lines describing a series of cell sizes and margin sizes.\n   */\n   rows: {\n   type: Array\n   },\n   /**\n   * The size of the background gradient with the elapsing effect.\n   */\n   size: {\n   type: String,\n   default: '250%'\n   }\n },\n computed: {\n   formattedRows () {\n   return formatRows(this.rows, 'content-placeholder__wrapper__row__box')\n   }\n }\n}\n\n</script>\n\n<style scoped lang=\"scss\">\n@import '../styles/lib';\n\n@keyframes placeHolderShimmer{\n 0%{\n   background-position: 100% 0\n }\n 100%{\n   background-position: -100% 0\n }\n}\n\n.content-placeholder {\n overflow: hidden;\n\n &__wrapper {\n   animation-duration: 1s;\n   animation-fill-mode: forwards;\n   animation-iteration-count: infinite;\n   animation-name: placeHolderShimmer;\n   animation-timing-function: linear;\n   background: #f6f7f8;\n   background: linear-gradient(to right, #eeeeee 8%, #dddddd 18%, #eeeeee 33%);\n   position: relative;\n\n   &__row {\n   width: 100%;\n   box-sizing: border-box;\n   display: flex;\n   flex: 0 1 auto;\n   flex-direction: row;\n   flex-wrap: wrap;\n\n   &__box {\n   box-sizing: border-box;\n   position: relative;\n   height: 100%;\n   margin-bottom: 0;\n   background-color: white;\n   overflow: hidden;\n   }\n   }\n }\n}\n</style>\n","import mod from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./ContentPlaceholder.vue?vue&type=script&lang=js&\"; export default mod; export * from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./ContentPlaceholder.vue?vue&type=script&lang=js&\"","/* globals __VUE_SSR_CONTEXT__ */\n\n// IMPORTANT: Do NOT use ES2015 features in this file (except for modules).\n// This module is a runtime utility for cleaner component module output and will\n// be included in the final webpack user bundle.\n\nexport default function normalizeComponent (\n scriptExports,\n render,\n staticRenderFns,\n functionalTemplate,\n injectStyles,\n scopeId,\n moduleIdentifier, /* server only */\n shadowMode /* vue-cli only */) {\n // Vue.extend constructor export interop\n var options = typeof scriptExports === 'function'\n   ? scriptExports.options\n   : scriptExports\n\n // render functions\n if (render) {\n   options.render = render\n   options.staticRenderFns = staticRenderFns\n   options._compiled = true\n }\n\n // functional template\n if (functionalTemplate) {\n   options.functional = true\n }\n\n // scopedId\n if (scopeId) {\n   options._scopeId = 'data-v-' + scopeId\n }\n\n var hook\n if (moduleIdentifier) { // server build\n   hook = function (context) {\n   // 2.3 injection\n   context =\n   context || // cached call\n   (this.$vnode && this.$vnode.ssrContext) || // stateful\n   (this.parent && this.parent.$vnode && this.parent.$vnode.ssrContext) // functional\n   // 2.2 with runInNewContext: true\n   if (!context && typeof __VUE_SSR_CONTEXT__ !== 'undefined') {\n   context = __VUE_SSR_CONTEXT__\n   }\n   // inject component styles\n   if (injectStyles) {\n   injectStyles.call(this, context)\n   }\n   // register component module identifier for async chunk inferrence\n   if (context && context._registeredComponents) {\n   context._registeredComponents.add(moduleIdentifier)\n   }\n   }\n   // used by ssr in case component is cached and beforeCreate\n   // never gets called\n   options._ssrRegister = hook\n } else if (injectStyles) {\n   hook = shadowMode\n   ? function () {\n   injectStyles.call(this, this.$root.$options.shadowRoot)\n   }\n   : injectStyles\n }\n\n if (hook) {\n   if (options.functional) {\n   // for template-only hot-reload because in that case the render fn doesn't\n   // go through the normalizer\n   options._injectStyles = hook\n   // register for functioal component in vue file\n   var originalRender = options.render\n   options.render = function renderWithStyleInjection (h, context) {\n   hook.call(context)\n   return originalRender(h, context)\n   }\n   } else {\n   // inject component registration as beforeCreate hook\n   var existing = options.beforeCreate\n   options.beforeCreate = existing\n   ? [].concat(existing, hook)\n   : [hook]\n   }\n }\n\n return {\n   exports: scriptExports,\n   options: options\n }\n}\n","import { render, staticRenderFns } from

\"./ContentPlaceholder.vue?vue&type=template&id=40e3a912&scoped=true&\"\nimport script from \"./ContentPlaceholder.vue?vue&type=script&lang=js&\"\nexport * from \"./ContentPlaceholder.vue?vue&type=script&lang=js&\"\nimport style0 from \"./ContentPlaceholder.vue?vue&type=style&index=0&id=40e3a912&scoped=true&lang=scss&\"\n\n\n/* normalize component */\nimport normalizer from \"!../../node_modules/vue-loader/lib/runtime/componentNormalizer.js\"\nvar component = normalizer(\n script,\n render,\n staticRenderFns,\n false,\n null,\n \"40e3a912\",\n null\n \n)\n\ncomponent.options.__file = \"ContentPlaceholder.vue\"\nexport default component.exports","var render = function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('div',{staticClass:\"donate-form container-fluid py-2\"},[(!_vm.noTitle)?_c('h2',{staticClass:\"text-uppercase font-weight-bold text-primary h5\"},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('donate-form.support'))+\"\\n \")]):_vm._e(),_vm._t(\"introduction\",[_c('p',{domProps:{\"innerHTML\":_vm._s(_vm.$t('donate-form.introduction'))}})]),_c('div',{staticClass:\"donate-form__payment mb-4\"},[_c('form',{staticClass:\"donate-form__payment__form bg-light p-4\",attrs:{\"action\":\"//checkout.fundjournalism.org/memberform\",\"method\":\"get\",\"target\":\"_blank\"}},[_c('h3',{staticClass:\"donate-form__payment__title h5 mb-4\"},[_c('strong',[_vm._v(\"\\n   \"+_vm._s(_vm.$t('donate-form.join-heading'))+\"\\n   \")])]),_c('div',[_c('span',[_vm._v(_vm._s(_vm.$t('donate-form.label'))+\" \")]),_c('label',{staticClass:\"donate-form__payment__unit input-group input-group-sm d-inline-flex\"},[_vm._m(0),_c('input',{directives:[{name:\"model\",rawName:\"v-model\",value:(_vm.amount),expression:\"amount\"}],staticClass:\"donate-form__payment__input form-control\",attrs:{\"name\":\"amount\",\"type\":\"number\",\"min\":\"0\"},domProps:{\"value\":(_vm.amount)},on:{\"change\":function($event){_vm.amountIsPristine = false},\"input\":function($event){if($event.target.composing){ return; }_vm.amount=$event.target.value}}})]),_c('span',{staticClass:\"donate-form__payment__buttons\"},[_c('button',{staticClass:\"btn btn-sm\",class:{ 'btn-primary': _vm.installmentPeriod === 'monthly' },attrs:{\"type\":\"button\"},on:{\"click\":function($event){_vm.installmentPeriod = 'monthly'}}},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('donate-form.frequency.monthly'))+\"\\n   \")]),_c('button',{staticClass:\"btn btn-sm\",class:{ 'btn-primary': _vm.installmentPeriod === 'yearly' },attrs:{\"type\":\"button\"},on:{\"click\":function($event){_vm.installmentPeriod = 'yearly'}}},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('donate-form.frequency.yearly'))+\"\\n   \")]),_c('button',{staticClass:\"btn btn-sm\",class:{ 'btn-primary': _vm.installmentPeriod === null },attrs:{\"type\":\"button\"},on:{\"click\":function($event){_vm.installmentPeriod = null}}},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('donate-form.frequency.onetime'))+\"\\n   \")])])]),(_vm.changeThe)?_c('p',{staticClass:\"mt-2\",domProps:{\"innerHTML\":_vm._s(_vm.$t('donate-form.result.sentence', { target: _vm.changeThe }))}}):_vm._e(),_c('div',{staticClass:\"mt-4\"},[_c('input',{attrs:{\"name\":\"org_id\",\"value\":\"icij\",\"type\":\"hidden\"}}),_c('input',{directives:[{name:\"model\",rawName:\"v-model\",value:(_vm.installmentPeriod),expression:\"installmentPeriod\"}],attrs:{\"name\":\"installmentPeriod\",\"type\":\"hidden\"},domProps:{\"value\":(_vm.installmentPeriod)},on:{\"input\":function($event){if($event.target.composing){ return; }_vm.installmentPeriod=$event.target.value}}}),_c('button',{staticClass:\"btn btn-primary rounded-pill text-uppercase font-weight-bold\",attrs:{\"type\":\"submit\"}},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('donate-form.submit'))+\"\\n   \")]),_c('a',{staticClass:\"donate-form__payment__image\",attrs:{\"target\":\"_blank\",\"href\":\"https://icij.org/donate\"}})])])]),_c('div',{staticClass:\"donate-form__insider\"},[_c('h2',{staticClass:\"donate-form__insider__title\"},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('donate-form.benefits.heading'))+\"\\n \")]),_c('p',[_vm._v(\"\\n   \"+_vm._s(_vm.$t('donate-form.benefits.introduction'))+\"\\n \")]),_c('div',{staticClass:\"donate-form__insider__modal__container row\"},[_c('div',{staticClass:\"col\"},[_c('h3',{staticClass:\"donate-form__insider__subtitle text-uppercase font-weight-bold text-primary h5\"},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('donate-form.benefits.impacts.conversation.heading'))+\"\\n

\")]),_c('div',{staticClass:\"Article\"},[_c('div',[_c('p',{staticClass:\"donate-form__insider__highlight text-icij font-weight-bold\"},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('donate-form.benefits.impacts.conversation.highlight'))+\"\\n   \")]),_c('ul',{staticClass:\"donate-form__insider__list\"},_vm._l((_vm.$t('donate-form.benefits.impacts.conversation.list')),function(t){return _c('li',{staticClass:\"donate-form__insider__list-item\"},[_vm._v(\"\\n   \"+_vm._s(t)+\"\\n   \")])})])])]),_c('div',{staticClass:\"col\"},[_c('h3',{staticClass:\"donate-form__insider__subtitle text-uppercase font-weight-bold text-primary h5\"},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('donate-form.benefits.impacts.rules.heading'))+\"\\n   \")]),_c('div',{staticClass:\"Article\"},[_c('div',[_c('p',{staticClass:\"donate-form__insider__highlight text-icij font-weight-bold\"},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('donate-form.benefits.impacts.rules.highlight'))+\"\\n   \")]),_c('ul',{staticClass:\"donate-form__insider__list\"},_vm._l((_vm.$t('donate-form.benefits.impacts.rules.list')),function(t){return _c('li',{staticClass:\"donate-form__insider__list-item\"},[_vm._v(\"\\n   \"+_vm._s(t)+\"\\n   \")])})])])]),_c('div',{staticClass:\"col\"},[_c('h3',{staticClass:\"donate-form__insider__subtitle text-uppercase font-weight-bold text-primary h5\"},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('donate-form.benefits.impacts.world.heading'))+\"\\n   \")]),_c('div',{staticClass:\"Article\"},[_c('div',[_c('p',{staticClass:\"donate-form__insider__highlight text-icij font-weight-bold\"},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('donate-form.benefits.impacts.world.highlight'))+\"\\n   \")]),_c('ul',{staticClass:\"donate-form__insider__list\"},_vm._l((_vm.$t('donate-form.benefits.impacts.world.list')),function(t){return _c('li',{staticClass:\"donate-form__insider__list-item\"},[_vm._v(\"\\n   \"+_vm._s(t)+\"\\n   \")])})])])])]),_c('hr',{staticClass:\"donate-form__insider__separator\"}),_c('div',{staticClass:\"donate-form__insider__more text-center\"},[_c('a',{staticClass:\"btn btn-primary rounded-pill text-uppercase font-weight-bold py-2\",attrs:{\"target\":\"_blank\",\"href\":\"https://icij.org/donate\"}},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('donate-form.benefits.more'))+\"\\n   \")])])])],2)}\nvar staticRenderFns = [function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('span',{staticClass:\"input-group-prepend\"},[_c('span',{staticClass:\"input-group-text\"},[_vm._v(\"$\")])])}]\n\nexport { render, staticRenderFns }","<template>\n <div class=\"donate-form container-fluid py-2\">\n   <h2 class=\"text-uppercase font-weight-bold text-primary h5\" v-if=\"!noTitle\">\n   {{ $t('donate-form.support') }}\n   </h2>\n   <!-- @slot Description of the form (bellow the title). -->\n   <slot name=\"introduction\">\n   <p v-html=\"$t('donate-form.introduction')\"></p>\n   </slot>\n   <div class=\"donate-form__payment mb-4\">\n   <form action=\"//checkout.fundjournalism.org/memberform\" method=\"get\" target=\"_blank\" class=\"donate-form__payment__form bg-light p-4\">\n   <h3 class=\"donate-form__payment__title h5 mb-4\">\n\n   {{ $t('donate-form.join-heading') }}\n   \n   </h3>\n   <div>\n{{ $t('donate-form.label') }} \n   <label class=\"donate-form__payment__unit input-group input-group-sm d-inline-flex\">\n   \n $\n   \n   <input class=\"donate-form__payment__input form-control\" name=\"amount\" v-model=\"amount\" @change=\"amountIsPristine = false\" type=\"number\" min=\"0\">\n   </label>\n   \n   <button type=\"button\" class=\"btn btn-sm\" :class=\"{ 'btn-primary': installmentPeriod === 'monthly' }\" @click=\"installmentPeriod = 'monthly'\">\n   {{ $t('donate-form.frequency.monthly') }}\n   </button>\n   <button type=\"button\" class=\"btn btn-sm\" :class=\"{ 'btn-primary': installmentPeriod === 'yearly' }\" @click=\"installmentPeriod = 'yearly'\">\n   {{ $t('donate-form.frequency.yearly') }}\n   </button>\n   <button type=\"button\" class=\"btn btn-sm\" :class=\"{ 'btn-primary': installmentPeriod === null }\" @click=\"installmentPeriod = null\">\n   {{ $t('donate-form.frequency.onetime') }}\n   </button>\n   \n   </div>\n   <p v-if=\"changeThe\" class=\"mt-2\" v-html=\"$t('donate-form.result.sentence', { target: changeThe })\"></p>\n   <div class=\"mt-4\">\n   <input name=\"org_id\" value=\"icij\" type=\"hidden\">\n   <input name=\"installmentPeriod\" v-model=\"installmentPeriod\"

type=\"hidden\">\n   <button type=\"submit\" class=\"btn btn-primary rounded-pill text-uppercase font-weight-bold\">\n   {{ $t('donate-form.submit') }}\n   </button>\n   \n   </div>\n   </form>\n   </div>\n   <div class=\"donate-form__insider\">\n   <h2 class=\"donate-form__insider__title\">\n   {{ $t('donate-form.benefits.heading') }}\n   </h2>\n   <p>\n   {{ $t('donate-form.benefits.introduction') }}\n   </p>\n   <div class=\"donate-form__insider__modal__container row\">\n   <div class=\"col\">\n   <h3 class=\"donate-form__insider__subtitle text-uppercase font-weight-bold text-primary h5\">\n   {{ $t('donate-form.benefits.impacts.conversation.heading') }}\n   </h3>\n   <div class=\"Article\">\n   <div>\n   <p class=\"donate-form__insider__highlight text-icij font-weight-bold\">\n{{ $t('donate-form.benefits.impacts.conversation.highlight') }}\n   </p>\n   <ul class=\"donate-form__insider__list\">\n   <li class=\"donate-form__insider__list-item\" v-for=\"t in $t('donate-form.benefits.impacts.conversation.list')\">\n   {{ t }}\n   \n \n   </div>\n   </div>\n   </div>\n   <div class=\"col\">\n   <h3 class=\"donate-form__insider__subtitle text-uppercase font-weight-bold text-primary h5\">\n   {{ $t('donate-form.benefits.impacts.rules.heading') }}\n   </h3>\n   <div class=\"Article\">\n   <div>\n   <p class=\"donate-form__insider__highlight text-icij font-weight-bold\">\n   {{ $t('donate-form.benefits.impacts.rules.highlight') }}\n   </p>\n   <ul class=\"donate-form__insider__list\">\n   <li class=\"donate-form__insider__list-item\" v-for=\"t in $t('donate-form.benefits.impacts.rules.list')\">\n   {{ t }}\n   \n   \n</div>\n   </div>\n   </div>\n   <div class=\"col\">\n   <h3 class=\"donate-form__insider__subtitle text-uppercase font-weight-bold text-primary h5\">\n   {{ $t('donate-form.benefits.impacts.world.heading') }}\n   </h3>\n   <div class=\"Article\">\n   <div>\n   <p class=\"donate-form__insider__highlight text-icij font-weight-bold\">\n   {{ $t('donate-form.benefits.impacts.world.highlight') }}\n   </p>\n   <ul class=\"donate-form__insider__list\">\n   <li class=\"donate-form__insider__list-item\" v-for=\"t in $t('donate-form.benefits.impacts.world.list')\">\n   {{ t }}\n   \n   \n</div>\n   </div>\n   </div>\n   </div>\n   <hr class=\"donate-form__insider__separator\">\n   <div class=\"donate-form__insider__more text-center\">\n   \n   {{ $t('donate-form.benefits.more') }}\n   \n   </div>\n   </div>\n </div>\n</template>\n\n<script>\n import i18n from '@/i18n'\n import keys from 'lodash/keys'\n import map from 'lodash/map'\n import sortBy from 'lodash/sortBy'\n import forEach from 'lodash/forEach'\n import config from '../config'\n\n /**\n * A form to encourage donations. We usualy put this form inside a modal\n */\n export default {\n   i18n,\n   name: 'DonateForm',\n   props: {\n   /**\n   * Title of the form.\n   */\n   noTitle: {\n   type: Boolean\n   },\n   /**\n   * Description of the form (bellow the title).\n   */\n   introduction: {\n   type: String,\n   default: () => config.get('donate-form.introduction')\n   }\n   },\n   data() {\n   return {\n   amount: 15,\n   // True if the amount wasn't changed by the user yet\n   amountIsPristine: true,\n   installmentPeriod: 'monthly',\n   labelForChange: {\n   'monthly': {\n   3: this.$t('donate-form.result.conversation'),\n   15: this.$t('donate-form.result.rules'),\n   50: this.$t('donate-form.result.world')\n   },\n   'yearly': {\n   35: this.$t('donate-form.result.conversation'),\n   180: this.$t('donate-form.result.rules'),\n   600: this.$t('donate-form.result.world')\n   }\n   }\n   }\n   },\n   watch: {\n   installmentPeriod (installmentPeriod) {\n   if (!this.amountIsPristine) {\n   return\n   }\n   if (installmentPeriod === 'monthly') {\n   this.$set(this, 'amount', 15)\n   } else {\n   this.$set(this, 'amount', 100)\n   }\n   }\n   },\n   computed: {\n   changeThe () {\n   const ranges = this.labelForChange[this.installmentPeriod || 'yearly'];\n   // Final label\n   let label = null;\n   forEach(sortBy(map(keys(ranges), Number)), amount => {\n   label = this.amount >= amount ? ranges[amount] : label;\n   });\n   return label;\n   }\n   }\n }\n</script>\n\n<style lang=\"scss\">\n @import '../styles/lib.scss';\n\n .donate-form {\n   font-size: 0.9rem;\n\n   &__payment {\n\n   & &__unit {\n   width: 120px;\n   margin-right: $spacer;\n\n   @media screen and

(max-width: $modal-lg) {\n   width: 100%;\n   flex: 0 0 100%;\n   }\n   }\n   }\n\n &__insider {\n\n   &__list {\n   padding-left: 20px;\n\n   &-item {\n   position: relative;\n   margin: 3px 0;\n   list-style: none;\n\n   &:before {\n   content: \"\\2713\";\n   position: absolute;\n   left: -16px;\n   font-size: 14px;\n   font-weight: 700;\n   color: #333;\n   font-family: $font-family-sans-serif;\n   }\n   }\n   }\n\n &__modal__container .col {\n   @media screen and (max-width: $modal-lg) {\n width: 100%;\n   flex: 0 0 100%;\n   }\n   }\n   }\n }\n</style>\n","import mod from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./DonateForm.vue?vue&type=script&lang=js&\"; export default mod; export * from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./DonateForm.vue?vue&type=script&lang=js&\"","import { render, staticRenderFns } from \"./DonateForm.vue?vue&type=template&id=4fe5468d&\"\nimport script from \"./DonateForm.vue?vue&type=script&lang=js&\"\nexport * from \"./DonateForm.vue?vue&type=script&lang=js&\"\nimport style0 from \"./DonateForm.vue?vue&type=style&index=0&lang=scss&\"\n\n\n/* normalize component */\nimport normalizer from \"!../../node_modules/vue-loader/lib/runtime/componentNormalizer.js\"\nvar component = normalizer(\n script,\n render,\n staticRenderFns,\n false,\n null,\n null,\n null\n \n)\n\ncomponent.options.__file = \"DonateForm.vue\"\nexport default component.exports","var render = function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('div',{staticClass:\"embeddable-footer p-2 text-nowrap\"},[_c('a',{staticClass:\"text-white embeddable-footer__brand\",attrs:{\"href\":_vm.homeUrl,\"target\":\"_blank\"}},[_c('img',{staticClass:\"mr-2\",attrs:{\"src\":require(\"../assets/images/icij-white@2x.png\"),\"height\":\"20\"}}),_vm._v(\"\\n \"+_vm._s(_vm.title)+\"\\n \")]),_c('div',{staticClass:\"embeddable-footer__lead small text-truncate\",domProps:{\"innerHTML\":_vm._s(_vm.lead)}}),_c('button',{staticClass:\"btn btn-link text-white btn-sm py-0 embeddable-footer__share-btn\",class:{ active: _vm.showShareOptions },on:{\"click\":function($event){_vm.showShareOptions = !_vm.showShareOptions}}},[_c('fa',{attrs:{\"icon\":\"share-alt\"}}),_c('span',{staticClass:\"sr-only\"},[_vm._v(_vm._s(_vm.$t('embeddable-footer.share')))])]),1),(_vm.showShareOptions)?_c('sharing-options',{attrs:{\"values\":_vm.sharingOptionsValues,\"direction\":\"column-reverse\",\"iframe-min-height\":_vm.iframeMinHeight,\"iframe-min-width\":_vm.iframeMinWidth}}):_vm._e()],1)}\nvar staticRenderFns = []\n\nexport { render, staticRenderFns }","/**\n * @this {Promise}\n */\nfunction finallyConstructor(callback) {\n var constructor = this.constructor;\n return this.then(\n   function(value) {\n   return constructor.resolve(callback()).then(function() {\n   return value;\n   });\n   },\n   function(reason) {\n   return constructor.resolve(callback()).then(function() {\n   return constructor.reject(reason);\n   });\n   }\n);\n}\n\nexport default finallyConstructor;\n","import promiseFinally from './finally';\n\n// Store setTimeout reference so promise-polyfill will be unaffected by\n// other code modifying setTimeout (like sinon.useFakeTimers())\nvar setTimeoutFunc = setTimeout;\n\nfunction noop() {}\n\n// Polyfill for Function.prototype.bind\nfunction bind(fn, thisArg) {\n return function() {\n   fn.apply(thisArg, arguments);\n };\n}\n\n/**\n * @constructor\n * @param {Function} fn\n */\nfunction Promise(fn) {\n if (!(this instanceof Promise))\n   throw new TypeError('Promises must be constructed via new');\n if (typeof fn !== 'function') throw new TypeError('not a function');\n /** @type {!number} */\n this._state = 0;\n /** @type {!boolean} */\n this._handled = false;\n /** @type {Promise|undefined} */\n this._value = undefined;\n /** @type {!Array<!Function>} */\n this._deferreds = [];\n\n doResolve(fn, this);\n}\n\nfunction handle(self, deferred) {\n while (self._state === 3) {\n   self = self._value;\n }\n if (self._state === 0) {\n   self._deferreds.push(deferred);\n   return;\n }\n self._handled = true;\n Promise._immediateFn(function() {\n   var cb = self._state === 1 ? deferred.onFulfilled : deferred.onRejected;\n   if (cb === null) {\n   (self._state === 1 ? resolve :

reject)(deferred.promise, self._value);\n   return;\n }\n var ret;\n try {\n   ret = cb(self._value);\n } catch (e) {\n   reject(deferred.promise, e);\n   return;\n }\n resolve(deferred.promise, ret);\n });\n}\n\nfunction resolve(self, newValue) {\n try {\n   // Promise Resolution Procedure: https://github.com/promises-aplus/promises-spec#the-promise-resolution-procedure\n   if (newValue === self)\n   throw new TypeError('A promise cannot be resolved with itself.');\n   if (\n   newValue &&\n   (typeof newValue === 'object' || typeof newValue === 'function')\n   ) {\n   var then = newValue.then;\n   if (newValue instanceof Promise) {\n   self._state = 3;\n   self._value = newValue;\n   finale(self);\n   return;\n   } else if (typeof then === 'function') {\n   doResolve(bind(then, newValue), self);\n   return;\n   }\n   }\n   self._state = 1;\n   self._value = newValue;\n   finale(self);\n } catch (e) {\n   reject(self, e);\n }\n}\n\nfunction reject(self, newValue) {\n self._state = 2;\n self._value = newValue;\n finale(self);\n}\n\nfunction finale(self) {\n if (self._state === 2 && self._deferreds.length === 0) {\n   Promise._immediateFn(function() {\n   if (!self._handled) {\n   Promise._unhandledRejectionFn(self._value);\n   }\n   });\n }\n\n for (var i = 0, len = self._deferreds.length; i < len; i++) {\n   handle(self, self._deferreds[i]);\n }\n self._deferreds = null;\n}\n\n/**\n * @constructor\n */\nfunction Handler(onFulfilled, onRejected, promise) {\n this.onFulfilled = typeof onFulfilled === 'function' ? onFulfilled : null;\n this.onRejected = typeof onRejected === 'function' ? onRejected : null;\n this.promise = promise;\n}\n\n/**\n * Take a potentially misbehaving resolver function and make sure\n * onFulfilled and onRejected are only called once.\n *\n * Makes no guarantees about asynchrony.\n */\nfunction doResolve(fn, self) {\n var done = false;\n try {\n   fn(\n   function(value) {\n   if (done) return;\n   done = true;\n   resolve(self, value);\n   },\n   function(reason) {\n   if (done) return;\n   done = true;\n   reject(self, reason);\n   }\n   );\n } catch (ex) {\n   if (done) return;\n   done = true;\n   reject(self, ex);\n }\n}\n\nPromise.prototype['catch'] = function(onRejected) {\n return this.then(null, onRejected);\n};\n\nPromise.prototype.then = function(onFulfilled, onRejected) {\n // @ts-ignore\n var prom = new this.constructor(noop);\n\n handle(this, new Handler(onFulfilled, onRejected, prom));\n return prom;\n};\n\nPromise.prototype['finally'] = promiseFinally;\n\nPromise.all = function(arr) {\n return new Promise(function(resolve, reject) {\n   if (!arr || typeof arr.length === 'undefined')\n   throw new TypeError('Promise.all accepts an array');\n   var args = Array.prototype.slice.call(arr);\n   if (args.length === 0) return resolve([]);\n   var remaining = args.length;\n\n   function res(i, val) {\n   try {\n   if (val && (typeof val === 'object' || typeof val === 'function')) {\n   var then = val.then;\n   if (typeof then === 'function') {\n   then.call(\n   val,\n   function(val) {\n   res(i, val);\n   },\n   reject\n   );\n   return;\n   }\n   }\n   args[i] = val;\n   if (--remaining === 0) {\n   resolve(args);\n   }\n   } catch (ex) {\n   reject(ex);\n   }\n   }\n\n   for (var i = 0; i < args.length; i++) {\n   res(i, args[i]);\n   }\n });\n};\n\nPromise.resolve = function(value) {\n if (value && typeof value === 'object' && value.constructor === Promise) {\n   return value;\n }\n\n return new Promise(function(resolve) {\n   resolve(value);\n });\n};\n\nPromise.reject = function(value) {\n return new Promise(function(resolve, reject) {\n   reject(value);\n });\n};\n\nPromise.race = function(values) {\n return new Promise(function(resolve, reject) {\n   for (var i = 0, len = values.length; i < len; i++) {\n   values[i].then(resolve, reject);\n   }\n });\n};\n\n// Use polyfill for setImmediate for performance gains\nPromise._immediateFn =\n (typeof setImmediate === 'function' &&\n   function(fn) {\n   setImmediate(fn);\n   }) ||\n function(fn) {\n   setTimeoutFunc(fn, 0);\n };\n\nPromise._unhandledRejectionFn = function _unhandledRejectionFn(err) {\n if (typeof console !== 'undefined' && console) {\n   console.warn('Possible Unhandled Promise Rejection:', err); // eslint-disable-line no-console\n }\n};\n\nexport default Promise;\n","import memoize from 'lodash/memoize'\nimport flatten from 'lodash/flatten'\nimport Promise from 'promise-polyfill';\n\nexport const injectAsset = memoize(function(file) {\n return new Promise(resolve => {\n   const parent = document.querySelector(\"body\") ||\ndocument.querySelector(\"head\");\n   const parts = file.split(\".\");\n   const ext = parts[parts.length-1].toLowerCase();\n   switch(ext) {\n   case \"js\":\n   var script = document.createElement('script');\n   script.setAttribute(\"type\", \"text/javascript\");\n   script.onload = resolve\n   parent.appendChild(script);\n   script.setAttribute(\"src\", file);\n   break;\n   case \"css\":\n   var css = document.createElement('link');\n   css.setAttribute(\"rel\", \"stylesheet\");\n   css.setAttribute(\"type\", \"text/css\");\n   css.onload = resolve\n

parent.appendChild(css);\n   css.setAttribute(\"href\", file);\n   break;\n   }\n   })\n})\n\nexport const injectAssets = function() {\n const files = flatten(arguments)\n return new Promise(resolve => {\n   var filesLoaded = 0;\n   var allFilesLoaded = function() {\n   if(++filesLoaded == files.length) {\n   resolve();\n   }\n   }\n   for(var i=0; i < files.length ; i++) {\n   injectAsset(files[i]).then(allFilesLoaded)\n   }\n })\n}\n","import every from 'lodash/every'\nimport { injectAssets } from './assets'\n// Will hold the pym instance once\nvar pymChild = null\n// URL parameters generated by Pym\nconst pymParams = ['initialWidth', 'childId', 'parentUrl', 'parentTitle']\n\nexport default class IframeResizer {\n constructor () {\n   this.initializer = injectAssets('//pym.nprapps.org/pym.v1.min.js').then(() => {\n   pymChild = pymChild || new window.pym.Child({ polling: 300 })\n   return pymChild\n   })\n   return this.initializer\n }\n sendHeight () {\n   this.initializer.then(pymChild => pymChild.sendHeight())\n }\n static create () {\n   return new IframeResizer()\n }\n static template(url, id = 'icij-' + Date.now().toString(32)) {\n   return [\n   `<script type=\"text/javascript\" src=\"https://pym.nprapps.org/pym.v1.min.js\"></script>`,\n   `<div id=\"${id}\"></div>`,\n   `<script>`,\n   `var icijIframe = new pym.Parent(\"${id}\", \"${IframeResizer.deletePymParams(url)}\", {})`,\n   `</script>`,\n   ].join('\\n')\n }\n static deletePymParams(href = window.location.href) {\n   const url = new URL(href);\n   // Remove all unwanted param\n   for (let param of pymParams) url.searchParams.delete(param);\n   // Rebuild the URL\n   return url.href\n }\n static isEmbedded (href = window.location.href) {\n   const url = new URL(href);\n   return every(pymParams, param => url.searchParams.has(param))\n }\n}\n","var render = function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('div',{staticClass:\"sharing-options\",style:(_vm.style)},[_c('social-sharing',_vm._b({inlineTemplate:{render:function(){var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('network',{staticClass:\"sharing-options__link\",attrs:{\"network\":\"twitter\"}},[_c('fa',{attrs:{\"icon\":['fab', 'twitter']}}),_c('span',{staticClass:\"sr-only\"},[_vm._v(\"Share on Twitter\")])],1)},staticRenderFns:[]}},'social-sharing',_vm.valuesFor('twitter'),false),_c('social-sharing',_vm._b({inlineTemplate:{render:function(){var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('network',{staticClass:\"sharing-options__link\",attrs:{\"network\":\"facebook\"}},[_c('fa',{attrs:{\"icon\":['fab', 'facebook']}}),_c('span',{staticClass:\"sr-only\"},[_vm._v(\"Share on Facebook\")])],1)},staticRenderFns:[]}},'social-sharing',_vm.valuesFor('facebook'),false),_c('social-sharing',_vm._b({inlineTemplate:{render:function(){var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('network',{staticClass:\"sharing-options__link\",attrs:{\"network\":\"linkedin\"}},[_c('fa',{attrs:{\"icon\":['fab', 'linkedin']}}),_c('span',{staticClass:\"sr-only\"},[_vm._v(\"Share on Linkedin\")])],1)},staticRenderFns:[]}},'social-sharing',_vm.valuesFor('linkedin'),false),_c('social-sharing',_vm._b({inlineTemplate:{render:function(){var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('network',{staticClass:\"sharing-options__link\",attrs:{\"network\":\"email\"}},[_c('fa',{attrs:{\"icon\":\"envelope\"}}),_c('span',{staticClass:\"sr-only\"},[_vm._v(\"Share by email\")])],1)},staticRenderFns:[]}},'social-sharing',_vm.valuesFor('email'),false),_c('div',{directives:[{name:\"show\",rawName:\"v-show\",value:(!_vm.noEmbed),expression:\"!noEmbed\"}],staticClass:\"sharing-options__link\"},[_c('a',{on:{\"click\":_vm.showEmbedForm}},[_c('fa',{attrs:{\"icon\":\"code\"}}),_c('span',{staticClass:\"sr-only\"},[_vm._v(\"Embed\")])],1)]),_c('b-modal',{ref:\"embedForm\",staticClass:\"text-dark\",attrs:{\"hide-footer\":\"\",\"title\":\"Embed on your website\"}},[_c('embed-form',{attrs:{\"no-title\":\"\",\"no-preview\":\"\",\"min-height\":_vm.iframeMinHeight,\"min-width\":_vm.iframeMinWidth}})],1)],1)}\nvar staticRenderFns = []\n\nexport { render, staticRenderFns }","var __assign=function(){return(__assign=Object.assign||function(e){for(var a,s=1,t=arguments.length;s<t;s++)for(var r in a=arguments[s])Object.prototype.hasOwnProperty.call(a,r)&&(e[r]=a[r]);return e}).apply(this,arguments)};function mergeData(){for(var e,a,s={},t=arguments.length;t--;)for(var r=0,c=Object.keys(arguments[t]);r<c.length;r++)switch(e=c[r]){case\"class\":case\"style\":case\"directives\":Array.isArray(s[e])||(s[e]=[]),s[e]=s[e].concat(arguments[t][e]);break;case\"staticClass\":if(!arguments[t][e])break;void 0===s[e]&&(s[e]=\"\"),s[e]&&(s[e]+=\"

\"),s[e]+=arguments[t][e].trim();break;case\"on\":case\"nativeOn\":s[e]||(s[e]={});for(var n=0,o=Object.keys(arguments[t][e]||{});n<o.length;n++)a=o[n],s[e][a]?s[e][a]=[].concat(s[e][a],arguments[t][e][a]):s[e][a]=arguments[t][e][a];break;case\"attrs\":case\"props\":case\"domProps\":case\"scopedSlots\":case\"staticStyle\":case\"hook\":case\"transition\":s[e]||(s[e]={}),s[e]=__assign({},arguments[t][e],s[e]);break;case\"slot\":case\"key\":case\"ref\":case\"tag\":case\"show\":case\"keepAlive\":default:s[e]||(s[e]=arguments[t][e])}return s}export{mergeData};\n//# sourceMappingURL=lib.esm.js.map\n","/**\n * Aliasing Object[method] allows the minifier to shorten methods to a single character variable,\n * as well as giving BV a chance to inject polyfills.\n * As long as we avoid\n * - import * as Object from \"utils/object\"\n * all unused exports should be removed by tree-shaking.\n */\n\n// @link https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/Object/assign\nif (typeof Object.assign !== 'function') {\n Object.assign = function (target, varArgs) {\n   // .length of function is 2\n\n   if (target == null) {\n   // TypeError if undefined or null\n   throw new TypeError('Cannot convert undefined or null to object');\n   }\n\n   var to = Object(target);\n\n   for (var index = 1; index < arguments.length; index++) {\n   var nextSource = arguments[index];\n\n   if (nextSource != null) {\n   // Skip over if undefined or null\n   for (var nextKey in nextSource) {\n   // Avoid bugs when hasOwnProperty is shadowed\n   if (Object.prototype.hasOwnProperty.call(nextSource, nextKey)) {\n   to[nextKey] = nextSource[nextKey];\n   }\n   }\n   }\n   }\n   return to;\n };\n}\n\n// @link https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/Object/is#Polyfill\nif (!Object.is) {\n Object.is = function (x, y) {\n   // SameValue algorithm\n   if (x === y) {\n   // Steps 1-5, 7-10\n   // Steps 6.b-6.e: +0 != -0\n   return x !== 0 || 1 / x === 1 / y;\n   } else {\n   // Step 6.a: NaN == NaN\n   // eslint-disable-next-line no-self-compare\n   return x !== x && y !== y;\n   }\n };\n}\n\nexport var assign = Object.assign;\nexport var getOwnPropertyNames = Object.getOwnPropertyNames;\nexport var keys = Object.keys;\nexport var defineProperties = Object.defineProperties;\nexport var defineProperty = Object.defineProperty;\nexport var freeze = Object.freeze;\nexport var getOwnPropertyDescriptor = Object.getOwnPropertyDescriptor;\nexport var getOwnPropertySymbols = Object.getOwnPropertySymbols;\nexport var getPrototypeOf = Object.getPrototypeOf;\nexport var create = Object.create;\nexport var isFrozen = Object.isFrozen;\nexport var is = Object.is;\n\nexport function readonlyDescriptor() {\n return { enumerable: true, configurable: false, writable: false };\n}","// Production steps of ECMA-262, Edition 6, 22.1.2.1\n// es6-ified by @alexsasharegan\nif (!Array.from) {\n Array.from = function () {\n   var toStr = Object.prototype.toString;\n   var isCallable = function isCallable(fn) {\n   return typeof fn === 'function' || toStr.call(fn) === '[object Function]';\n   };\n   var toInteger = function toInteger(value) {\n   var number = Number(value);\n   if (isNaN(number)) {\n   return 0;\n   }\n   if (number === 0 || !isFinite(number)) {\n   return number;\n   }\n   return (number > 0 ? 1 : -1) * Math.floor(Math.abs(number));\n   };\n   var maxSafeInteger = Math.pow(2, 53) - 1;\n   var toLength = function toLength(value) {\n   return Math.min(Math.max(toInteger(value), 0), maxSafeInteger);\n   };\n\n   // The length property of the from method is 1.\n   return function from(arrayLike /*, mapFn, thisArg */) {\n   // 1. Let C be the this value.\n   var C = this;\n\n   // 2. Let items be ToObject(arrayLike).\n   var items = Object(arrayLike);\n\n   // 3. ReturnIfAbrupt(items).\n   if (arrayLike == null) {\n   throw new TypeError('Array.from requires an array-like object - not null or undefined');\n   }\n\n   // 4. If mapfn is undefined, then let mapping be false.\n   var mapFn = arguments.length > 1 ? arguments[1] : void undefined;\n   var T = void 0;\n\n   if (typeof mapFn !== 'undefined') {\n   // 5. else\n   // 5. a If IsCallable(mapfn) is false, throw a TypeError exception.\n   if (!isCallable(mapFn)) {\n   throw new TypeError('Array.from: when provided, the second argument must be a function');\n   }\n\n   // 5. b. If thisArg was supplied, let T be thisArg; else let T be undefined.\n   if (arguments.length > 2) {\n   T = arguments[2];\n   }\n   }\n\n   // 10. Let lenValue be Get(items, \"length\").\n   // 11. Let len be ToLength(lenValue).\n   var len = toLength(items.length);\n\n   // 13. If IsConstructor(C) is true, then\n   // 13. a. Let A be the result of calling the [[Construct]] internal method\n   // of C with an argument list containing the single item len.\n   // 14. a. Else, Let A be ArrayCreate(len).\n   var A = isCallable(C) ? Object(new C(len)) : new Array(len);\n\n   // 16. Let k be 0.\n   var k = 0;\n   // 17. Repeat, while k < len… (also steps a - h)\n   var kValue = void 0;\n   while (k < len) {\n   kValue = items[k];\n   if

(mapFn) {\n   A[k] = typeof T === 'undefined' ? mapFn(kValue, k) : mapFn.call(T, kValue, k);\n   } else {\n   A[k] = kValue;\n   }\n   k += 1;\n   }\n   // 18. Let putStatus be Put(A, \"length\", len, true).\n A.length = len;\n   // 20. Return A.\n   return A;\n   }();\n}\n\n// https://tc39.github.io/ecma262/#sec-array.prototype.find\n// Needed for IE support\nif (!Array.prototype.find) {\n // eslint-disable-next-line no-extend-native\n Object.defineProperty(Array.prototype, 'find', {\n   value: function value(predicate) {\n   // 1. Let O be ? ToObject(this value).\n   if (this == null) {\n   throw new TypeError('\"this\" is null or not defined');\n   }\n\n   var o = Object(this);\n\n   // 2. Let len be ? ToLength(? Get(O, \"length\")).\n   var len = o.length >>> 0;\n\n   // 3. If IsCallable(predicate) is false, throw a TypeError exception.\n   if (typeof predicate !== 'function') {\n   throw new TypeError('predicate must be a function');\n   }\n\n   // 4. If thisArg was supplied, let T be thisArg; else let T be undefined.\n   var thisArg = arguments[1];\n\n   // 5. Let k be 0.\n   var k = 0;\n\n   // 6. Repeat, while k < len\n   while (k < len) {\n   // a. Let Pk be ! ToString(k).\n   // b. Let kValue be ? Get(O, Pk).\n   // c. Let testResult be ToBoolean(? Call(predicate, T, « kValue, k, O »)).\n   // d. If testResult is true, return kValue.\n   var kValue = o[k];\n   if (predicate.call(thisArg, kValue, k, o)) {\n   return kValue;\n   }\n   // e. Increase k by 1.\n   k++;\n   }\n\n   // 7. Return undefined.\n   return undefined;\n   }\n });\n}\n\nif (!Array.isArray) {\n Array.isArray = function (arg) {\n   return Object.prototype.toString.call(arg) === '[object Array]';\n };\n}\n\n// Static\nexport var from = Array.from;\nexport var isArray = Array.isArray;\n\n// Instance\nexport var arrayIncludes = function arrayIncludes(array, value) {\n return array.indexOf(value) !== -1;\n};\nexport var arrayFind = function arrayFind(array, fn, thisArg) {\n return array.find(fn, thisArg);\n};\nexport function concat() {\n return Array.prototype.concat.apply([], arguments);\n}","export default function identity(x) {\n return x;\n}","import { keys } from './object';\nimport { isArray } from './array';\nimport identity from './identity';\n\n/**\n * Given an array of properties or an object of property keys,\n * plucks all the values off the target object.\n * @param {{}|string[]} keysToPluck\n * @param {{}} objToPluck\n * @param {Function} transformFn\n * @return {{}}\n */\nexport default function pluckProps(keysToPluck, objToPluck) {\n var transformFn = arguments.length > 2 && arguments[2] !== undefined ? arguments[2] : identity;\n\n return (isArray(keysToPluck) ? keysToPluck.slice() : keys(keysToPluck)).reduce(function (memo, prop) {\n   // eslint-disable-next-line no-sequences\n   return memo[transformFn(prop)] = objToPluck[prop], memo;\n }, {});\n}","import { from as arrayFrom } from './array';\n\n// Determine if an element is an HTML Element\nexport var isElement = function isElement(el) {\n return el && el.nodeType === Node.ELEMENT_NODE;\n};\n\n// Determine if an HTML element is visible - Faster than CSS check\nexport var isVisible = function isVisible(el) {\n return isElement(el) && document.body.contains(el) && el.getBoundingClientRect().height > 0 && el.getBoundingClientRect().width > 0;\n};\n\n// Determine if an element is disabled\nexport var isDisabled = function isDisabled(el) {\n return !isElement(el) || el.disabled || el.classList.contains('disabled') || Boolean(el.getAttribute('disabled'));\n};\n\n// Cause/wait-for an element to reflow it's content (adjusting it's height/width)\nexport var reflow = function reflow(el) {\n // requsting an elements offsetHight will trigger a reflow of the element content\n return isElement(el) && el.offsetHeight;\n};\n\n// Select all elements matching selector. Returns [] if none found\nexport var selectAll = function selectAll(selector, root) {\n if (!isElement(root)) {\n   root = document;\n }\n return arrayFrom(root.querySelectorAll(selector));\n};\n\n// Select a single element, returns null if not found\nexport var select = function select(selector, root) {\n if (!isElement(root)) {\n   root = document;\n }\n return root.querySelector(selector) || null;\n};\n\n// Determine if an element matches a selector\nexport var matches = function matches(el, selector) {\n if (!isElement(el)) {\n   return false;\n }\n\n // https://developer.mozilla.org/en-US/docs/Web/API/Element/matches#Polyfill\n // Prefer native implementations over polyfill function\n var proto = Element.prototype;\n var Matches = proto.matches || proto.matchesSelector || proto.mozMatchesSelector || proto.msMatchesSelector || proto.oMatchesSelector || proto.webkitMatchesSelector ||\n /* istanbul ignore next */\n function (sel) {\n   var element = this;\n   var m = selectAll(sel, element.document || element.ownerDocument);\n   var i = m.length;\n   // eslint-disable-next-line no-empty\n   while (--i >= 0 && m.item(i) !== element) {}\n   return i > -1;\n };\n\n return Matches.call(el, selector);\n};\n\n// Finds closest element matching selector. Returns null if not found\nexport var closest = function closest(selector, root) {\n if (!isElement(root)) {\n   return null;\n }\n\n // https://developer.mozilla.org/en-

US/docs/Web/API/Element/closest\n // Since we dont support IE < 10, we can use the \"Matches\" version of the polyfill for speed\n // Prefer native implementation over polyfill function\n var Closest = Element.prototype.closest ||\n /* istanbul ignore next */\n function (sel) {\n var element = this;\n if (!document.documentElement.contains(element)) {\n return null;\n }\n do {\n // Use our \"patched\" matches function\n if (matches(element, sel)) {\n return element;\n }\n element = element.parentElement;\n } while (element !== null);\n return null;\n };\n\n var el = Closest.call(root, selector);\n // Emulate jQuery closest and return null if match is the passed in element (root)\n return el === root ? null : el;\n};\n\n// Get an element given an ID\nexport var getById = function getById(id) {\n return document.getElementById(/^#/.test(id) ? id.slice(1) : id) || null;\n};\n\n// Add a class to an element\nexport var addClass = function addClass(el, className) {\n if (className && isElement(el)) {\n el.classList.add(className);\n }\n};\n\n// Remove a class from an element\nexport var removeClass = function removeClass(el, className) {\n if (className && isElement(el)) {\n el.classList.remove(className);\n }\n};\n\n// Test if an element has a class\nexport var hasClass = function hasClass(el, className) {\n if (className && isElement(el)) {\n return el.classList.contains(className);\n }\n return false;\n};\n\n// Set an attribute on an element\nexport var setAttr = function setAttr(el, attr, value) {\n if (attr && isElement(el)) {\n el.setAttribute(attr, value);\n }\n};\n\n// Remove an attribute from an element\nexport var removeAttr = function removeAttr(el, attr) {\n if (attr && isElement(el)) {\n el.removeAttribute(attr);\n }\n};\n\n// Get an attribute value from an element (returns null if not found)\nexport var getAttr = function getAttr(el, attr) {\n if (attr && isElement(el)) {\n return el.getAttribute(attr);\n }\n return null;\n};\n\n// Determine if an attribute exists on an element (returns true or false, or null if element not found)\nexport var hasAttr = function hasAttr(el, attr) {\n if (attr && isElement(el)) {\n return el.hasAttribute(attr);\n }\n return null;\n};\n\n// Return the Bounding Client Rec of an element. Retruns null if not an element\nexport var getBCR = function getBCR(el) {\n return isElement(el) ? el.getBoundingClientRect() : null;\n};\n\n// Get computed style object for an element\nexport var getCS = function getCS(el) {\n return isElement(el) ? window.getComputedStyle(el) : {};\n};\n\n// Return an element's offset wrt document element\n// https://j11y.io/jquery/#v=git&fn=jQuery.fn.offset\nexport var offset = function offset(el) {\n if (isElement(el)) {\n if (!el.getClientRects().length) {\n return { top: 0, left: 0 };\n }\n var bcr = getBCR(el);\n var win = el.ownerDocument.defaultView;\n return {\n top: bcr.top + win.pageYOffset,\n left: bcr.left + win.pageXOffset\n };\n }\n};\n\n// Return an element's offset wrt to it's offsetParent\n// https://j11y.io/jquery/#v=git&fn=jQuery.fn.position\nexport var position = function position(el) {\n if (!isElement(el)) {\n return;\n }\n var parentOffset = { top: 0, left: 0 };\n var offsetSelf = void 0;\n var offsetParent = void 0;\n if (getCS(el).position === 'fixed') {\n offsetSelf = getBCR(el);\n } else {\n offsetSelf = offset(el);\n var doc = el.ownerDocument;\n offsetParent = el.offsetParent || doc.documentElement;\n while (offsetParent && (offsetParent === doc.body || offsetParent === doc.documentElement) && getCS(offsetParent).position === 'static') {\n offsetParent = offsetParent.parentNode;\n }\n if (offsetParent && offsetParent !== el && offsetParent.nodeType === Node.ELEMENT_NODE) {\n parentOffset = offset(offsetParent);\n parentOffset.top += parseFloat(getCS(offsetParent).borderTopWidth);\n parentOffset.left += parseFloat(getCS(offsetParent).borderLeftWidth);\n }\n }\n return {\n top: offsetSelf.top - parentOffset.top - parseFloat(getCS(el).marginTop),\n left: offsetSelf.left - parentOffset.left - parseFloat(getCS(el).marginLeft)\n };\n};\n\n// Attach an event listener to an element\nexport var eventOn = function eventOn(el, evtName, handler) {\n if (el && el.addEventListener) {\n el.addEventListener(evtName, handler);\n }\n};\n\n// Remove an event listener from an element\nexport var eventOff = function eventOff(el, evtName, handler) {\n if (el && el.removeEventListener) {\n el.removeEventListener(evtName, handler);\n }\n};","var _typeof = typeof Symbol === \"function\" && typeof Symbol.iterator === \"symbol\" ? function (obj) { return typeof obj; } : function (obj) { return obj && typeof Symbol === \"function\" && obj.constructor === Symbol && obj !== Symbol.prototype ? \"symbol\" : typeof obj; };\n\nimport { assign, keys } from '../../utils/object';\nimport { arrayIncludes, concat } from '../../utils/array';\nimport { mergeData } from 'vue-functional-data-merge';\n\n/**\n * The Link component is used in many other BV components.\n * As such, sharing its props makes supporting all its features easier.\n * However, some components need to modify the defaults for

their own purpose.\n * Prefer sharing a fresh copy of the props to ensure mutations\n * do not affect other component references to the props.\n *\n * https://github.com/vuejs/vue-router/blob/dev/src/components/link.js\n * @return {{}}\n */\nexport function propsFactory() {\n return {\n href: {\n type: String,\n default: null\n },\n rel: {\n type: String,\n default: null\n },\n target: {\n type: String,\n default: '_self'\n },\n active: {\n type: Boolean,\n default: false\n },\n activeClass: {\n type: String,\n default: 'active'\n },\n append: {\n type: Boolean,\n default: false\n },\n disabled: {\n type: Boolean,\n default: false\n },\n event: {\n type: [String, Array],\n default: 'click'\n },\n exact: {\n type: Boolean,\n default: false\n },\n exactActiveClass: {\n type: String,\n default: 'active'\n },\n replace: {\n type: Boolean,\n default: false\n },\n routerTag: {\n type: String,\n default: 'a'\n },\n to: {\n type: [String, Object],\n default: null\n }\n };\n}\n\nexport var props = propsFactory();\n\nexport function pickLinkProps(propsToPick) {\n var freshLinkProps = propsFactory();\n // Normalize everything to array.\n propsToPick = concat(propsToPick);\n\n return keys(freshLinkProps).reduce(function (memo, prop) {\n if (arrayIncludes(propsToPick, prop)) {\n memo[prop] = freshLinkProps[prop];\n }\n\n return memo;\n }, {});\n}\n\nexport function omitLinkProps(propsToOmit) {\n var freshLinkProps = propsFactory();\n // Normalize everything to array.\n propsToOmit = concat(propsToOmit);\n\n return keys(props).reduce(function (memo, prop) {\n if (!arrayIncludes(propsToOmit, prop)) {\n memo[prop] = freshLinkProps[prop];\n }\n\n return memo;\n }, {});\n}\n\nexport var computed = {\n linkProps: function linkProps() {\n var linkProps = {};\n var propKeys = keys(props);\n\n for (var i = 0; i < propKeys.length; i++) {\n var prop = propKeys[i];\n // Computed Vue getters are bound to the instance.\n linkProps[prop] = this[prop];\n }\n\n return linkProps;\n }\n};\n\nfunction computeTag(props, parent) {\n return Boolean(parent.$router) && props.to && !props.disabled ? 'router-link' : 'a';\n}\n\nfunction computeHref(_ref, tag) {\n var disabled = _ref.disabled,\n href = _ref.href,\n to = _ref.to;\n\n // We've already checked the parent.$router in computeTag,\n // so router-link means live router.\n // When deferring to Vue Router's router-link,\n // don't use the href attr at all.\n // Must return undefined for router-link to populate href.\n if (tag === 'router-link') return void 0;\n // If href explicitly provided\n if (href) return href;\n // Reconstruct href when `to` used, but no router\n if (to) {\n // Fallback to `to` prop (if `to` is a string)\n if (typeof to === 'string') return to;\n // Fallback to `to.path` prop (if `to` is an object)\n if (((typeof to === 'undefined' ? 'undefined' : _typeof(to)) === 'object' && typeof to.path === 'string') return to.path;\n }\n // If nothing is provided use '#'\n return '#';\n}\n\nfunction computeRel(_ref2) {\n var target = _ref2.target,\n rel = _ref2.rel;\n\n if (target === '_blank' && rel === null) {\n return 'noopener';\n }\n return rel || null;\n}\n\nfunction clickHandlerFactory(_ref3) {\n var disabled = _ref3.disabled,\n tag = _ref3.tag,\n href = _ref3.href,\n suppliedHandler = _ref3.suppliedHandler,\n parent = _ref3.parent;\n\n var isRouterLink = tag === 'router-link';\n\n return function onClick(e) {\n if (disabled && e instanceof Event) {\n // Stop event from bubbling up.\n e.stopPropagation();\n // Kill the event loop attached to this specific EventTarget.\n e.stopImmediatePropagation();\n } else {\n parent.$root.$emit('clicked::link', e);\n\n if (isRouterLink && e.target.__vue__) {\n e.target.__vue__.$emit('click', e);\n }\n if (typeof suppliedHandler === 'function') {\n suppliedHandler.apply(undefined, arguments);\n }\n }\n\n if (!isRouterLink && href === '#' || disabled) {\n // Stop scroll-to-top behavior or navigation.\n e.preventDefault();\n }\n };\n}\n\nexport default {\n functional: true,\n props: propsFactory(),\n render: function render(h, _ref4) {\n var props = _ref4.props,\n data = _ref4.data,\n parent = _ref4.parent,\n children = _ref4.children;\n\n var tag = computeTag(props, parent);\n var rel = computeRel(props);\n var href = computeHref(props, tag);\n var eventType = tag === 'router-link' ? 'nativeOn' : 'on';\n var suppliedHandler = (data[eventType] || {}).click;\n var handlers = { click: clickHandlerFactory({ tag: tag, href: href, disabled: props.disabled, suppliedHandler: suppliedHandler, parent: parent }) };\n\n var componentData = mergeData(data, {\n class: [props.active ? props.exact ? props.exactActiveClass : props.activeClass : null, { disabled: props.disabled }],\n attrs: {\n rel: rel,\n href: href,\n target: props.target,\n tabindex: props.disabled ? '-1' : data.attrs ? data.attrs.tabindex : null,\n 'aria-disabled': tag === 'a' && props.disabled ? 'true' : null\n },\n props: assign(props, { tag: props.routerTag })\n });\n\n // If href prop exists on router-link (even undefined or null) it fails working on SSR\n if (!componentData.attrs.href) {\n delete componentData.attrs.href;\n }\n\n // We want to overwrite any click

handler since our callback\n   // will invoke the supplied handler if !props.disabled\n   componentData[eventType] = assign(componentData[eventType] || { }, handlers);\n\n   return h(tag, componentData, children);\n }\n};","function _defineProperty(obj, key, value) { if (key in obj) { Object.defineProperty(obj, key, { value: value, enumerable: true, configurable: true, writable: true }); } else { obj[key] = value; } return obj; }\n\nimport { mergeData } from 'vue-functional-data-merge';\nimport pluckProps from '../../utils/pluck-props';\nimport { concat } from '../../utils/array';\nimport { assign, keys } from '../../utils/object';\nimport { addClass, removeClass } from '../../utils/dom';\nimport Link, { propsFactory as linkPropsFactory } from '../link/link';\n\nvar btnProps = {\n block: {\n   type: Boolean,\n   default: false\n },\n disabled: {\n   type: Boolean,\n   default: false\n },\n size: {\n   type: String,\n   default: null\n },\n variant: {\n   type: String,\n   default: null\n },\n type: {\n   type: String,\n   default: 'button'\n },\n pressed: {\n   // tri-state prop: true, false or null\n   // => on, off, not a toggle\n   type: Boolean,\n   default: null\n }\n};\n\nvar linkProps = linkPropsFactory();\ndelete linkProps.href.default;\ndelete linkProps.to.default;\nvar linkPropKeys = keys(linkProps);\n\nexport var props = assign(linkProps, btnProps);\n\nfunction handleFocus(evt) {\n if (evt.type === 'focusin') {\n   addClass(evt.target, 'focus');\n } else if (evt.type === 'focusout') {\n   removeClass(evt.target, 'focus');\n }\n}\n\nexport default {\n functional: true,\n props: props,\n render: function render(h, _ref) {\n   var _ref2;\n\n   var props = _ref.props,\n   data = _ref.data,\n   listeners = _ref.listeners,\n   children = _ref.children;\n   var isLink = Boolean(props.href || props.to);\n   var isToggle = typeof props.pressed === 'boolean';\n   var on = {\n   click: function click(e) {\n   if (props.disabled && e instanceof Event) {\n   e.stopPropagation();\n   e.preventDefault();\n   } else if (isToggle) {\n   // Concat will normalize the value to an array\n   // without double wrapping an array value in an array.\n   concat(listeners['update:pressed']).forEach(function (fn) {\n   if (typeof fn === 'function') {\n   fn(!props.pressed);\n   }\n   });\n   }\n   }\n   };\n\n   if (isToggle) {\n   on.focusin = handleFocus;\n   on.focusout = handleFocus;\n   }\n\n   var componentData = {\n   staticClass: 'btn',\n   class: [props.variant ? 'btn-' + props.variant : 'btn-secondary', (_ref2 = {}, _defineProperty(_ref2, 'btn-' + props.size, Boolean(props.size)), _defineProperty(_ref2, 'btn-block', props.block), _defineProperty(_ref2, 'disabled', props.disabled), _defineProperty(_ref2, 'active', props.pressed), _ref2)],\n   props: isLink ? pluckProps(linkPropKeys, props) : null,\n   attrs: {\n   type: isLink ? null : props.type,\n   disabled: isLink ? null : props.disabled,\n   // Data attribute not used for js logic,\n   // but only for BS4 style selectors.\n   'data-toggle': isToggle ? 'button' : null,\n   'aria-pressed': isToggle ? String(props.pressed) : null,\n   // Tab index is used when the component becomes a link.\n   // Links are tabable, but don't allow disabled,\n   // so we mimic that functionality by disabling tabbing.\n   tabindex: props.disabled && isLink ? '-1' : data.attrs ? data.attrs['tabindex'] : null\n   },\n   on: on\n   };\n\n   return h(isLink ? Link : 'button', mergeData(data, componentData), children);\n }\n};","function _defineProperty(obj, key, value) { if (key in obj) { Object.defineProperty(obj, key, { value: value, enumerable: true, configurable: true, writable: true }); } else { obj[key] = value; } return obj; }\n\nimport { mergeData } from 'vue-functional-data-merge';\n\nvar props = {\n disabled: {\n   type: Boolean,\n   default: false\n },\n ariaLabel: {\n   type: String,\n   default: 'Close'\n },\n textVariant: {\n   type: String,\n   default: null\n }\n};\n\nexport default {\n functional: true,\n props: props,\n render: function render(h, _ref) {\n   var props = _ref.props,\n   data = _ref.data,\n   listeners = _ref.listeners,\n   slots = _ref.slots;\n\n   var componentData = {\n   staticClass: 'close',\n   class: _defineProperty({}, 'text-' + props.textVariant, props.textVariant),\n   attrs: {\n   type: 'button',\n   disabled: props.disabled,\n   'aria-label': props.ariaLabel ? String(props.ariaLabel) : null\n   },\n   on: {\n   click: function click(e) {\n   // Ensure click on button HTML content is also disabled\n   if (props.disabled && e instanceof Event) {\n   e.stopPropagation();\n   e.preventDefault();\n   }\n   }\n   } // Careful not to override the slot with innerHTML\n\n   };if (!slots().default) {\n   componentData.domProps = { innerHTML: '×' };\n   }\n   return h('button', mergeData(data, componentData), slots().default);\n }\n};","/*\n * SSR Safe Client Side ID attribute generation\n *\n */\n\nexport default {\n props: {\n   id: {\n   type: String,\n   default: null\n   }\n },\n methods: {\n   safeId: function safeId() {\n   var suffix = arguments.length > 0 && arguments[0] !== undefined ? arguments[0] : '';\n\n   var id = this.id || this.localId_ || null;\n   if (!id) {\n   return null;\n   }\n   suffix = String(suffix).replace(/\\s+/g, '_');\n   return suffix ? id +

'_' + suffix : id;\n   }\n },\n computed: {\n   localId_: function localId_() {\n   if (!this.$isServer && !this.id && typeof this._uid !== 'undefined') {\n   return '__BVID__' + this._uid;\n   }\n   }\n }\n};","function _toConsumableArray(arr) { if (Array.isArray(arr)) { for (var i = 0, arr2 = Array(arr.length); i < arr.length; i++) { arr2[i] = arr[i]; } return arr2; } else { return Array.from(arr); } }\n\nimport { isArray } from '../utils/array';\n/**\n * Issue #569: collapse::toggle::state triggered too many times\n * @link https://github.com/bootstrap-vue/bootstrap-vue/issues/569 */\n\nvar BVRL = '__BV_root_listeners__';\n\nexport default {\n methods: {\n   /**\n   * Safely register event listeners on the root Vue node.\n   * While Vue automatically removes listeners for individual components,\n   * when a component registers a listener on root and is destroyed,\n   * this orphans a callback because the node is gone,\n   * but the root does not clear the callback.\n   *\n   * This adds a non-reactive prop to a vm on the fly\n   * in order to avoid object observation and its performance costs\n   * to something that needs no reactivity.\n   * It should be highly unlikely there are any naming collisions.\n   * @param {string} event\n   * @param {function} callback\n   * @chainable\n   */\n   listenOnRoot: function listenOnRoot(event, callback) {\n   if (!this[BVRL] || !isArray(this[BVRL])) {\n   this[BVRL] = [];\n   }\n   this[BVRL].push({ event: event, callback: callback });\n   this.$root.$on(event, callback);\n   return this;\n   },\n\n\n   /**\n   * Convenience method for calling vm.$emit on vm.$root.\n   * @param {string} event\n   * @param {*} args\n   * @chainable\n   */\n   emitOnRoot: function emitOnRoot(event) {\n   var _$root;\n\n   for (var _len = arguments.length, args = Array(_len > 1 ? _len - 1 : 0), _key = 1; _key < _len; _key++) {\n   args[_key - 1] = arguments[_key];\n   }\n\n   (_$root = this.$root).$emit.apply(_$root, [event].concat(_toConsumableArray(args)));\n   return this;\n   }\n },\n\n beforeDestroy: function beforeDestroy() {\n   if (this[BVRL] && isArray(this[BVRL])) {\n   while (this[BVRL].length > 0) {\n   // shift to process in order\n   var _BVRL$shift = this[BVRL].shift(),\n   event = _BVRL$shift.event,\n   callback = _BVRL$shift.callback;\n\n   this.$root.$off(event, callback);\n   }\n   }\n }\n};","import { assign } from './object';\nimport { isElement } from '../utils/dom';\n\n/**\n * Observe a DOM element changes, falls back to eventListener mode\n * @param {Element} el The DOM element to observe\n * @param {Function} callback callback to be called on change\n * @param {object} [opts={childList: true, subtree: true}] observe options\n * @see http://stackoverflow.com/questions/3219758 */\nexport default function observeDOM(el, callback, opts) {\n var MutationObserver = window.MutationObserver || window.WebKitMutationObserver || window.MozMutationObserver;\n var eventListenerSupported = window.addEventListener;\n\n // Handle case where we might be passed a vue instance\n el = el ? el.$el || el : null;\n /* istanbul ignore next: dificult to test in JSDOM */\n if (!isElement(el)) {\n   // We can't observe somthing that isn't an element\n   return null;\n }\n\n var obs = null;\n\n /* istanbul ignore next: dificult to test in JSDOM */\n if (MutationObserver) {\n   // Define a new observer\n   obs = new MutationObserver(function (mutations) {\n   var changed = false;\n   // A Mutation can contain several change records, so we loop through them to see what has changed.\n   // We break out of the loop early if any \"significant\" change has been detected\n   for (var i = 0; i < mutations.length && !changed; i++) {\n   // The muttion record\n   var mutation = mutations[i];\n   // Mutation Type\n   var type = mutation.type;\n   // DOM Node (could be any DOM Node type - HTMLElement, Text, comment, etc)\n   var target = mutation.target;\n   if (type === 'characterData' && target.nodeType === Node.TEXT_NODE) {\n   // We ignore nodes that are not TEXt (i.e. comments, etc) as they don't change layout\n   changed = true;\n   } else if (type === 'attributes') {\n   changed = true;\n   } else if (type === 'childList' && (mutation.addedNodes.length > 0 || mutation.removedNodes.length > 0)) {\n   // This includes HTMLElement and Text Nodes being added/removed/re-arranged\n   changed = true;\n   }\n   if (changed) {\n   // We only call the callback if a change that could affect layout/size truely happened.\n   callback();\n   }\n   }\n   });\n\n   // Have the observer observe foo for changes in children, etc\n   obs.observe(el, assign({ childList: true, subtree: true }, opts));\n } else if (eventListenerSupported) {\n   // Legacy interface. most likely not used in modern browsers\n   el.addEventListener('DOMNodeInserted', callback, false);\n   el.addEventListener('DOMNodeRemoved', callback, false);\n }\n\n // We return a reference to the observer so that obs.disconnect() can be called if necessary\n // To reduce overhead when the root element is hiiden\n return obs;\n}","/**\n * Log a warning message to the console with bootstrap-vue formatting sugar.\n * @param {string}

message\n */\n/* istanbul ignore next */\nfunction warn(message) {\n console.warn(\"[Bootstrap-Vue warn]: \" + message);\n}\n\nexport default warn;","/*\n * Key Codes (events)\n */\n\nexport default {\n SPACE: 32,\n ENTER: 13,\n ESC: 27,\n LEFT: 37,\n UP: 38,\n RIGHT: 39,\n DOWN: 40,\n PAGEUP: 33,\n PAGEDOWN: 34,\n HOME: 36,\n END: 35\n};","var _createClass = function () { function defineProperties(target, props) { for (var i = 0; i < props.length; i++) { var descriptor = props[i]; descriptor.enumerable = descriptor.enumerable || false; descriptor.configurable = true; if (\"value\" in descriptor) descriptor.writable = true; Object.defineProperty(target, descriptor.key, descriptor); } } return function (Constructor, protoProps, staticProps) { if (protoProps) defineProperties(Constructor.prototype, protoProps); if (staticProps) defineProperties(Constructor, staticProps); return Constructor; }; }();\n\nfunction _classCallCheck(instance, Constructor) { if (!(instance instanceof Constructor)) { throw new TypeError(\"Cannot call a class as a function\"); } }\n\nimport { assign, defineProperty, defineProperties, readonlyDescriptor } from '../utils/object';\n\nvar BvEvent = function () {\n function BvEvent(type) {\n var eventInit = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : {};\n\n _classCallCheck(this, BvEvent);\n\n // Start by emulating native Event constructor.\n if (!type) {\n throw new TypeError('Failed to construct \"' + this.constructor.name + '\". 1 argument required, ' + arguments.length + ' given.');\n }\n // Assign defaults first, the eventInit,\n // and the type last so it can't be overwritten.\n assign(this, BvEvent.defaults(), eventInit, { type: type });\n // Freeze some props as readonly, but leave them enumerable.\n defineProperties(this, {\n type: readonlyDescriptor(),\n cancelable: readonlyDescriptor(),\n nativeEvent: readonlyDescriptor(),\n target: readonlyDescriptor(),\n relatedTarget: readonlyDescriptor(),\n vueTarget: readonlyDescriptor()\n });\n // Create a private variable using closure scoping.\n var defaultPrevented = false;\n // Recreate preventDefault method. One way setter.\n this.preventDefault = function preventDefault() {\n if (this.cancelable) {\n defaultPrevented = true;\n }\n };\n // Create 'defaultPrevented' publicly accessible prop\n // that can only be altered by the preventDefault method.\n defineProperty(this, 'defaultPrevented', {\n enumerable: true,\n get: function get() {\n return defaultPrevented;\n }\n });\n }\n\n _createClass(BvEvent, null, [{\n key: 'defaults',\n value: function defaults() {\n return {\n type: '',\n cancelable: true,\n nativeEvent: null,\n target: null,\n relatedTarget: null,\n vueTarget: null\n };\n }\n }]);\n\n return BvEvent;\n}();\n\nexport default BvEvent;","function _defineProperty(obj, key, value) { if (key in obj) { Object.defineProperty(obj, key, { value: value, enumerable: true, configurable: true, writable: true }); } else { obj[key] = value; } return obj; }\n\nimport bBtn from '../button/button';\nimport bBtnClose from '../button/button-close';\nimport idMixin from '../../mixins/id';\nimport listenOnRootMixin from '../../mixins/listen-on-root';\nimport observeDom from '../../utils/observe-dom';\nimport warn from '../../utils/warn';\nimport KeyCodes from '../../utils/key-codes';\nimport BvEvent from '../../utils/bv-event.class';\nimport { isVisible, selectAll, select, getBCR, addClass, removeClass, hasClass, setAttr, removeAttr, getAttr, hasAttr, eventOn, eventOff } from '../../utils/dom';\n\n// Selectors for padding/margin adjustments\nvar Selector = {\n FIXED_CONTENT: '.fixed-top, .fixed-bottom, .is-fixed, .sticky-top',\n STICKY_CONTENT: '.sticky-top',\n NAVBAR_TOGGLER: '.navbar-toggler'\n\n // ObserveDom config\n};var OBSERVER_CONFIG = {\n subtree: true,\n childList: true,\n characterData: true,\n attributes: true,\n attributeFilter: ['style', 'class']\n};\n\nexport default {\n mixins: [idMixin, listenOnRootMixin],\n components: { bBtn: bBtn, bBtnClose: bBtnClose },\n render: function render(h) {\n var _this = this;\n\n var $slots = this.$slots;\n // Modal Header\n var header = h(false);\n if (!this.hideHeader) {\n var modalHeader = $slots['modal-header'];\n if (!modalHeader) {\n var closeButton = h(false);\n if (!this.hideHeaderClose) {\n closeButton = h('b-btn-close', {\n props: {\n disabled: this.is_transitioning,\n ariaLabel: this.headerCloseLabel,\n textVariant: this.headerTextVariant\n },\n on: {\n click: function click(evt) {\n _this.hide('header-close');\n }\n }\n }, [$slots['modal-header-close']]);\n }\n modalHeader = [h(this.titleTag, { class: ['modal-title'] }, [$slots['modal-title'] || this.title]), closeButton];\n }\n header = h('header', {\n ref: 'header',\n class: this.headerClasses,\n attrs: { id: this.safeId('__BV_modal_header_') }\n }, [modalHeader]);\n }\n // Modal Body\n var body = h('div', {\n ref: 'body',\n class: this.bodyClasses,\n attrs: { id: this.safeId('__BV_modal_body_') }\n }, [$slots.default]);\n // Modal Footer\n var footer = h(false);\n if

(!this.hideFooter) {\n   var modalFooter = $slots['modal-footer'];\n   if (!modalFooter) {\n   var cancelButton = h(false);\n   if (!this.okOnly) {\n   cancelButton = h('b-btn', {\n   props: {\n   variant: this.cancelVariant,\n   size: this.buttonSize,\n   disabled: this.cancelDisabled || this.busy || this.is_transitioning\n   },\n   on: {\n   click: function click(evt) {\n   _this.hide('cancel');\n   }\n   }, [$slots['modal-cancel'] || this.cancelTitle]);\n   }\n   var okButton = h('b-btn', {\n   props: {\n   variant: this.okVariant,\n   size: this.buttonSize,\n   disabled: this.okDisabled || this.busy || this.is_transitioning\n   },\n   on: {\n   click: function click(evt) {\n   _this.hide('ok');\n   }\n   }\n   }, [$slots['modal-ok'] || this.okTitle]);\n   modalFooter = [cancelButton, okButton];\n   }\n   footer = h('footer', {\n   ref: 'footer',\n   class: this.footerClasses,\n   attrs: { id: this.safeId('__BV_modal_footer_') }\n   }, [modalFooter]);\n   }\n   // Assemble Modal Content\n   var modalContent = h('div', {\n   ref: 'content',\n   class: ['modal-content'],\n   attrs: {\n   tabindex: '-1',\n   role: 'document',\n   'aria-labelledby': this.hideHeader ? null : this.safeId('__BV_modal_header_'),\n   'aria-describedby': this.safeId('__BV_modal_body_')\n   },\n   on: {\n   focusout: this.onFocusout,\n   click: function click(evt) {\n   evt.stopPropagation();\n   // https://github.com/bootstrap-vue/bootstrap-vue/issues/1528\n   _this.$root.$emit('bv::dropdown::shown');\n   }\n   }\n   }, [header, body, footer]);\n   // Modal Dialog wrapper\n   var modalDialog = h('div', { class: this.dialogClasses }, [modalContent]);\n   // Modal\n   var modal = h('div', {\n   ref: 'modal',\n   class: this.modalClasses,\n   directives: [{\n   name: 'show',\n   rawName: 'v-show',\n   value: this.is_visible,\n   expression: 'is_visible'\n   }],\n   attrs: {\n   id: this.safeId(),\n   role: 'dialog',\n   'aria-hidden': this.is_visible ? null : 'true'\n   },\n   on: {\n   click: this.onClickOut,\n   keydown: this.onEsc\n   }\n   }, [modalDialog]);\n   // Wrap modal in transition\n   modal = h('transition', {\n   props: {\n   enterClass: '',\n   enterToClass: '',\n   enterActiveClass: '',\n   leaveClass: '',\n   leaveActiveClass: '',\n   leaveToClass: ''\n   },\n   on: {\n   'before-enter': this.onBeforeEnter,\n   enter: this.onEnter,\n   'after-enter': this.onAfterEnter,\n   'before-leave': this.onBeforeLeave,\n   leave: this.onLeave,\n   'after-leave': this.onAfterLeave\n   }\n   }, [modal]);\n   // Modal Backdrop\n   var backdrop = h(false);\n   if (!this.hideBackdrop && (this.is_visible || this.is_transitioning)) {\n   backdrop = h('div', {\n   class: this.backdropClasses,\n   attrs: { id: this.safeId('__BV_modal_backdrop_') }\n   });\n   }\n   // Assemble modal and backdrop\n   var outer = h(false);\n   if (!this.is_hidden) {\n   outer = h('div', { attrs: { id: this.safeId('__BV_modal_outer_') } }, [modal, backdrop]);\n   }\n   // Wrap in DIV to maintain thi.$el reference for hide/show method aceess\n   return h('div', {}, [outer]);\n   },\n   data: function data() {\n   return {\n   is_hidden: this.lazy || false,\n   is_visible: false,\n   is_transitioning: false,\n   is_show: false,\n   is_block: false,\n   scrollbarWidth: 0,\n   isBodyOverflowing: false,\n   return_focus: this.returnFocus || null\n   };\n   },\n\n   model: {\n   prop: 'visible',\n   event: 'change'\n   },\n   props: {\n   title: {\n   type: String,\n   default: ''\n   },\n   titleTag: {\n   type: String,\n   default: 'h5'\n   },\n   size: {\n   type: String,\n   default: 'md'\n   },\n   centered: {\n   type: Boolean,\n   default: false\n   },\n   buttonSize: {\n   type: String,\n   default: ''\n   },\n   noFade: {\n   type: Boolean,\n   default: false\n   },\n   noCloseOnBackdrop: {\n   type: Boolean,\n   default: false\n   },\n   noCloseOnEsc: {\n   type: Boolean,\n   default: false\n   },\n   noEnforceFocus: {\n   type: Boolean,\n   default: false\n   },\n   headerBgVariant: {\n   type: String,\n   default: null\n   },\n   headerBorderVariant: {\n   type: String,\n   default: null\n   },\n   headerTextVariant: {\n   type: String,\n   default: null\n   },\n   headerClass: {\n   type: [String, Array],\n   default: null\n   },\n   bodyBgVariant: {\n   type: String,\n   default: null\n   },\n   bodyTextVariant: {\n   type: String,\n   default: null\n   },\n   modalClass: {\n   type: [String, Array],\n   default: null\n   },\n   bodyClass: {\n   type: [String, Array],\n   default: null\n   },\n   footerBgVariant: {\n   type: String,\n   default: null\n   },\n   footerBorderVariant: {\n   type: String,\n   default: null\n   },\n   footerTextVariant: {\n   type: String,\n   default: null\n   },\n   footerClass: {\n   type: [String, Array],\n   default: null\n   },\n   hideHeader: {\n   type: Boolean,\n   default: false\n   },\n   hideFooter: {\n   type: Boolean,\n   default: false\n   },\n   hideHeaderClose: {\n   type: Boolean,\n   default: false\n   },\n   hideBackdrop: {\n   type: Boolean,\n   default: false\n   },\n   okOnly: {\n   type: Boolean,\n   default: false\n   },\n   okDisabled: {\n   type: Boolean,\n   default: false\n   },\n   cancelDisabled: {\n   type:

Boolean,\n   default: false\n },\n visible: {\n   type: Boolean,\n   default: false\n },\n returnFocus: {\n   default: null\n },\n headerCloseLabel: {\n   type: String,\n   default: 'Close'\n },\n cancelTitle: {\n   type: String,\n   default: 'Cancel'\n },\n okTitle: {\n   type: String,\n   default: 'OK'\n },\n cancelVariant: {\n   type: String,\n   default: 'secondary'\n },\n okVariant: {\n   type: String,\n   default: 'primary'\n },\n lazy: {\n   type: Boolean,\n   default: false\n },\n busy: {\n   type: Boolean,\n   default: false\n }\n },\n computed: {\n modalClasses: function modalClasses() {\n   return ['modal', {\n   fade: !this.noFade,\n   show: this.is_show,\n   'd-block': this.is_block\n   }, this.modalClass];\n },\n dialogClasses: function dialogClasses() {\n   var _ref;\n\n   return ['modal-dialog', (_ref = {}, _defineProperty(_ref, 'modal-' + this.size, Boolean(this.size)), _defineProperty(_ref, 'modal-dialog-centered', this.centered), _ref)];\n },\n backdropClasses: function backdropClasses() {\n   return ['modal-backdrop', {\n   fade: !this.noFade,\n   show: this.is_show || this.noFade\n   }];\n },\n headerClasses: function headerClasses() {\n   var _ref2;\n\n   return ['modal-header', (_ref2 = {}, _defineProperty(_ref2, 'bg-' + this.headerBgVariant, Boolean(this.headerBgVariant)), _defineProperty(_ref2, 'text-' + this.headerTextVariant, Boolean(this.headerTextVariant)), _defineProperty(_ref2, 'border-' + this.headerBorderVariant, Boolean(this.headerBorderVariant)), _ref2), this.headerClass];\n },\n bodyClasses: function bodyClasses() {\n   var _ref3;\n\n   return ['modal-body', (_ref3 = {}, _defineProperty(_ref3, 'bg-' + this.bodyBgVariant, Boolean(this.bodyBgVariant)), _defineProperty(_ref3, 'text-' + this.bodyTextVariant, Boolean(this.bodyTextVariant)), _ref3), this.bodyClass];\n },\n footerClasses: function footerClasses() {\n   var _ref4;\n\n   return ['modal-footer', (_ref4 = {}, _defineProperty(_ref4, 'bg-' + this.footerBgVariant, Boolean(this.footerBgVariant)), _defineProperty(_ref4, 'text-' + this.footerTextVariant, Boolean(this.footerTextVariant)), _defineProperty(_ref4, 'border-' + this.footerBorderVariant, Boolean(this.footerBorderVariant)), _ref4), this.footerClass];\n }\n },\n watch: {\n visible: function visible(newVal, oldVal) {\n   if (newVal === oldVal) {\n   return;\n   }\n   this[newVal ? 'show' : 'hide']();\n }\n },\n methods: {\n // Public Methods\n show: function show() {\n   if (this.is_visible) {\n   return;\n   }\n   var showEvt = new BvEvent('show', {\n   cancelable: true,\n   vueTarget: this,\n   target: this.$refs.modal,\n   relatedTarget: null\n   });\n   this.emitEvent(showEvt);\n   if (showEvt.defaultPrevented || this.is_visible) {\n   // Don't show if canceled\n   return;\n   }\n   if (hasClass(document.body, 'modal-open')) {\n   // If another modal is already open, wait for it to close\n   this.$root.$once('bv::modal::hidden', this.doShow);\n   } else {\n   // Show the modal\n   this.doShow();\n   }\n },\n hide: function hide(trigger) {\n   if (!this.is_visible) {\n   return;\n   }\n   var hideEvt = new BvEvent('hide', {\n   cancelable: true,\n   vueTarget: this,\n   target: this.$refs.modal,\n   // this could be the trigger element/component reference\n   relatedTarget: null,\n   isOK: trigger || null,\n   trigger: trigger || null,\n   cancel: function cancel() {\n   // Backwards compatibility\n   warn('b-modal: evt.cancel() is deprecated. Please use evt.preventDefault().');\n   this.preventDefault();\n   }\n   });\n   if (trigger === 'ok') {\n   this.$emit('ok', hideEvt);\n   } else if (trigger === 'cancel') {\n   this.$emit('cancel', hideEvt);\n   }\n   this.emitEvent(hideEvt);\n   // Hide if not canceled\n   if (hideEvt.defaultPrevented || !this.is_visible) {\n   return;\n   }\n   // stop observing for content changes\n   if (this._observer) {\n   this._observer.disconnect();\n   this._observer = null;\n   }\n   this.is_visible = false;\n   this.$emit('change', false);\n },\n\n // Private method to finish showing modal\n doShow: function doShow() {\n   var _this2 = this;\n\n   // Plce modal in DOM if lazy\n   this.is_hidden = false;\n   this.$nextTick(function () {\n   // We do this in nextTick to ensure the modal is in DOM first before we show it\n   _this2.is_visible = true;\n   _this2.$emit('change', true);\n   // Observe changes in modal content and adjust if necessary\n   _this2._observer = observeDom(_this2.$refs.content, _this2.adjustDialog.bind(_this2), OBSERVER_CONFIG);\n   });\n },\n\n // Transition Handlers\n onBeforeEnter: function onBeforeEnter() {\n   this.is_transitioning = true;\n   this.checkScrollbar();\n   this.setScrollbar();\n   this.adjustDialog();\n   addClass(document.body, 'modal-open');\n   this.setResizeEvent(true);\n },\n onEnter: function onEnter() {\n   this.is_block = true;\n   this.$refs.modal.scrollTop = 0;\n },\n onAfterEnter: function onAfterEnter() {\n   var _this3 = this;\n\n   this.is_show = true;\n   this.is_transitioning = false;\n   this.$nextTick(function () {\n   _this3.focusFirst();\n   var shownEvt = new BvEvent('shown', {\n   cancelable: false,\n   vueTarget: _this3,\n   target:

_this3.$refs.modal,\n   relatedTarget: null\n   });\n   _this3.emitEvent(shownEvt);\n   });\n   },\n
onBeforeLeave: function onBeforeLeave() {\n   this.is_transitioning = true;\n   this.setResizeEvent(false);\n
},\n   onLeave: function onLeave() {\n   // Remove the 'show' class\n   this.is_show = false;\n   },\n
onAfterLeave: function onAfterLeave() {\n   var _this4 = this;\n\n   this.is_block = false;\n
this.resetAdjustments();\n   this.resetScrollbar();\n   this.is_transitioning = false;\n
removeClass(document.body, 'modal-open');\n   this.$nextTick(function () {\n   _this4.is_hidden = _this4.lazy ||
false;\n   _this4.returnFocusTo();\n   var hiddenEvt = new BvEvent('hidden', {\n   cancelable: false,\n
vueTarget: _this4,\n   target: _this4.lazy ? null : _this4.$refs.modal,\n   relatedTarget: null\n   });\n
_this4.emitEvent(hiddenEvt);\n   });\n   },\n\n   // Event emitter\n   emitEvent: function emitEvent(bvEvt) {\n
var type = bvEvt.type;\n   this.$emit(type, bvEvt);\n   this.$root.$emit('bv::modal::' + type, bvEvt);\n   },\n\n   //
UI Event Handlers\n   onClickOut: function onClickOut(evt) {\n   // If backdrop clicked, hide modal\n   if
(this.is_visible && !this.noCloseOnBackdrop) {\n   this.hide('backdrop');\n   }\n   },\n   onEsc: function
onEsc(evt) {\n   // If ESC pressed, hide modal\n   if (evt.keyCode === KeyCodes.ESC && this.is_visible &&
!this.noCloseOnEsc) {\n   this.hide('esc');\n   }\n   },\n   onFocusout: function onFocusout(evt) {\n   // If
focus leaves modal, bring it back\n   // 'focusout' Event Listener bound on content\n   var content =
this.$refs.content;\n   if (!this.noEnforceFocus && this.is_visible && content &&
!content.contains(evt.relatedTarget)) {\n   content.focus();\n   }\n   },\n\n   // Resize Listener\n
setResizeEvent: function setResizeEvent(on) {\n   var _this5 = this;\n\n   ;['resize',
'orientationchange'].forEach(function (evtName) {\n   if (on) {\n   eventOn(window, evtName,
_this5.adjustDialog);\n   } else {\n   eventOff(window, evtName, _this5.adjustDialog);\n   }\n   });\n
},\n\n   // Root Listener handlers\n   showHandler: function showHandler(id, triggerEl) {\n   if (id === this.id) {\n
this.return_focus = triggerEl || null;\n   this.show();\n   }\n   },\n   hideHandler: function hideHandler(id)
{\n   if (id === this.id) {\n   this.hide();\n   }\n   },\n   modalListener: function modalListener(bvEvt) {\n
// If another modal opens, close this one\n   if (bvEvt.vueTarget !== this) {\n   this.hide();\n   }\n   },\n\n   //
Focus control handlers\n   focusFirst: function focusFirst() {\n   // Don't try and focus if we are SSR\n   if
(typeof document === 'undefined') {\n   return;\n   }\n   var content = this.$refs.content;\n   var modal =
this.$refs.modal;\n   var activeElement = document.activeElement;\n   if (activeElement && content &&
content.contains(activeElement)) {\n   // If activeElement is child of content, no need to change focus\n   } else
if (content) {\n   if (modal) {\n   modal.scrollTop = 0;\n   }\n   // Focus the modal content wrapper\n
content.focus();\n   }\n   },\n   returnFocusTo: function returnFocusTo() {\n   // Prefer returnFocus prop over
event specified return_focus value\n   var el = this.returnFocus || this.return_focus || null;\n   if (typeof el ===
'string') {\n   // CSS Selector\n   el = select(el);\n   }\n   if (el) {\n   el = el.$el || el;\n   if
(isVisible(el)) {\n   el.focus();\n   }\n   }\n   },\n\n   // Utility methods\n   getScrollbarWidth: function
getScrollbarWidth() {\n   var scrollDiv = document.createElement('div');\n   scrollDiv.className = 'modal-
scrollbar-measure';\n   document.body.appendChild(scrollDiv);\n   this.scrollbarWidth =
scrollDiv.getBoundingClientRect().width - scrollDiv.clientWidth;\n   document.body.removeChild(scrollDiv);\n
},\n   adjustDialog: function adjustDialog() {\n   if (!this.is_visible) {\n   return;\n   }\n   var modal =
this.$refs.modal;\n   var isModalOverflowing = modal.scrollHeight > document.documentElement.clientHeight;\n
if (!this.isBodyOverflowing && isModalOverflowing) {\n   modal.style.paddingLeft = this.scrollbarWidth +
'px';\n   }\n   if (this.isBodyOverflowing && !isModalOverflowing) {\n   modal.style.paddingRight =
this.scrollbarWidth + 'px';\n   }\n   },\n   resetAdjustments: function resetAdjustments() {\n   var modal =
this.$refs.modal;\n   if (modal) {\n   modal.style.paddingLeft = '';\n   modal.style.paddingRight = '';\n   }\n
},\n   checkScrollbar: function checkScrollbar() {\n   var rect = getBCR(document.body);\n
this.isBodyOverflowing = rect.left + rect.right < window.innerWidth;\n   },\n   setScrollbar: function setScrollbar()
{\n   if (this.isBodyOverflowing) {\n   // Note: DOMNode.style.paddingRight returns the actual value or '' if not
set\n   // while $(DOMNode).css('padding-right') returns the calculated value or 0 if not set\n   var
computedStyle = window.getComputedStyle;\n   var body = document.body;\n   var scrollbarWidth =
this.scrollbarWidth;\n   // Adjust fixed content padding\n

selectAll(Selector.FIXED_CONTENT).forEach(function (el) {\n   var actualPadding = el.style.paddingRight;\n   var calculatedPadding = computedStyle(el).paddingRight || 0;\n   setAttr(el, 'data-padding-right', actualPadding);\n   el.style.paddingRight = parseFloat(calculatedPadding) + scrollbarWidth + 'px';\n   });\n   // Adjust sticky content margin\n   selectAll(Selector.STICKY_CONTENT).forEach(function (el) {\n   var actualMargin = el.style.marginRight;\n   var calculatedMargin = computedStyle(el).marginRight || 0;\n   setAttr(el, 'data-margin-right', actualMargin);\n   el.style.marginRight = parseFloat(calculatedMargin) - scrollbarWidth + 'px';\n   });\n   // Adjust navbar-toggler margin\n   selectAll(Selector.NAVBAR_TOGGLER).forEach(function (el) {\n   var actualMargin = el.style.marginRight;\n   var calculatedMargin = computedStyle(el).marginRight || 0;\n   setAttr(el, 'data-margin-right', actualMargin);\n   el.style.marginRight = parseFloat(calculatedMargin) + scrollbarWidth + 'px';\n   });\n   // Adjust body padding\n   var actualPadding = body.style.paddingRight;\n   var calculatedPadding = computedStyle(body).paddingRight;\n   setAttr(body, 'data-padding-right', actualPadding);\n   body.style.paddingRight = parseFloat(calculatedPadding) + scrollbarWidth + 'px';\n   }\n },\n resetScrollbar: function resetScrollbar() {\n   // Restore fixed content padding\n   selectAll(Selector.FIXED_CONTENT).forEach(function (el) {\n   if (hasAttr(el, 'data-padding-right')) {\n   el.style.paddingRight = getAttr(el, 'data-padding-right') || '';\n   removeAttr(el, 'data-padding-right');\n   }\n   });\n   // Restore sticky content and navbar-toggler margin\n   selectAll(Selector.STICKY_CONTENT + ', ' + Selector.NAVBAR_TOGGLER).forEach(function (el) {\n   if (hasAttr(el, 'data-margin-right')) {\n   el.style.marginRight = getAttr(el, 'data-margin-right') || '';\n   removeAttr(el, 'data-margin-right');\n   }\n   });\n   // Restore body padding\n   var body = document.body;\n   if (hasAttr(body, 'data-padding-right')) {\n   body.style.paddingRight = getAttr(body, 'data-padding-right') || '';\n   removeAttr(body, 'data-padding-right');\n   }\n }\n },\n created: function created() {\n   // create non-reactive property\n   this._observer = null;\n },\n mounted: function mounted() {\n   // Measure scrollbar\n   this.getScrollbarWidth();\n   // Listen for events from others to either open or close ourselves\n   this.listenOnRoot('bv::show::modal', this.showHandler);\n   this.listenOnRoot('bv::hide::modal', this.hideHandler);\n   // Listen for bv:modal::show events, and close ourselves if the opening modal not us\n   this.listenOnRoot('bv::modal::show', this.modalListener);\n   // Initially show modal?\n   if (this.visible === true) {\n   this.show();\n   }\n },\n beforeDestroy: function beforeDestroy() {\n   // Ensure everything is back to normal\n   if (this._observer) {\n   this._observer.disconnect();\n   this._observer = null;\n   }\n   this.setResizeEvent(false);\n   // Re-adjust body/navbar/fixed padding/margins (if needed)\n   removeClass(document.body, 'modal-open');\n   this.resetAdjustments();\n   this.resetScrollbar();\n }\n};","var render = function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('div',{staticClass:\"embed-form\"},[_c('div',{staticClass:\"container-fluid\"},[(!_vm.noTitle)?_c('h4',{staticClass:\"embed-form__heading\"},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('embed-form.heading'))+\"\\n   \")]):_vm._e(),_c('div',{staticClass:\"row\"},[_c('div',{staticClass:\"col\"},[_c('p',[_vm._v(\"\\n   \"+_vm._s(_vm.$t('embed-form.introduction'))+\"\\n   \")]),_c('textarea',{staticClass:\"form-control embed-form__code mb-2\",attrs:{\"readonly\":\"\"},domProps:{\"value\":_vm.embedCode()},on:{\"click\":_vm.selectCode}}),_c('label',{staticClass:\"custom-control custom-checkbox btn btn-sm float-left\"},[_c('input',{directives:[{name:\"model\",rawName:\"v-model\",value:(_vm.responsiveCheck),expression:\"responsiveCheck\"}],staticClass:\"custom-control-input\",attrs:{\"type\":\"checkbox\"},domProps:{\"checked\":Array.isArray(_vm.responsiveCheck)?_vm._i(_vm.responsiveCheck,null)>-1:(_vm.responsiveCheck)},on:{\"change\":function($event){var $$a=_vm.responsiveCheck,$$el=$event.target,$$c=$$el.checked?(true):(false);if(Array.isArray($$a)){var $$v=null,$$i=_vm._i($$a,$$v);if($$el.checked){$$i<0&&(_vm.responsiveCheck=$$a.concat([$$v]))}else{$$i>-1&&(_vm.responsiveCheck=$$a.slice(0,$$i).concat($$a.slice($$i+1)))}}else{_vm.responsiveCheck=$$c}}}}),_c('span',{staticClass:\"custom-control-label font-weight-bold\"},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('embed-form.responsive-optin'))+\"\\n   \")])]),_c('div',{staticClass:\"text-right\"},[_c('button',{staticClass:\"btn btn-link

btn-sm text-uppercase font-weight-bold\",on:{\"click\":_vm.copyEmbedCode}},[_c('fa',{attrs:{\"icon\":\"clipboard\"}}),_vm._v(\"\\n \"+_vm._s(_vm.$t('embed-form.copy'))+\"\\n \")],1)])])]),(!_vm.noPreview)?_c('div',{staticClass:\"col-7 d-none d-lg-block embed-form__preview\"},[_c('span',{domProps:{\"innerHTML\":_vm._s(_vm.embedCode(false))}})]):_vm._e()])])])}\nvar staticRenderFns = []\n\nexport { render, staticRenderFns }","function _typeof2(obj) { if (typeof Symbol === \"function\" && typeof Symbol.iterator === \"symbol\") { _typeof2 = function _typeof2(obj) { return typeof obj; }; } else { _typeof2 = function _typeof2(obj) { return obj && typeof Symbol === \"function\" && obj.constructor === Symbol && obj !== Symbol.prototype ? \"symbol\" : typeof obj; }; } return _typeof2(obj); }\n\nexport default function _typeof(obj) {\n if (typeof Symbol === \"function\" && _typeof2(Symbol.iterator) === \"symbol\") {\n _typeof = function _typeof(obj) {\n return _typeof2(obj);\n };\n } else {\n _typeof = function _typeof(obj) {\n return obj && typeof Symbol === \"function\" && obj.constructor === Symbol && obj !== Symbol.prototype ? \"symbol\" : _typeof2(obj);\n };\n }\n\n return _typeof(obj);\n}","import Clipboard from 'clipboard'\n\nexport function copyText (text, container) {\n return new Promise(function (resolve, reject) {\n var fakeElement = document.createElement('button')\n\n var clipboard = new Clipboard(fakeElement, {\n text: () => (text),\n action: () => ('copy'),\n container: typeof container === 'object' ? container : document.body\n })\n\n clipboard.on('success', error => {\n clipboard.destroy()\n resolve(error)\n })\n\n clipboard.on('error', error => {\n clipboard.destroy()\n reject(error)\n })\n\n fakeElement.click()\n })\n}\n","<style lang=\"scss\" scoped>\n @import '../styles/lib';\n\n .embed-form {\n font-size: 0.9rem;\n overflow: auto;\n\n .custom-control.btn {\n .custom-control-label:before, .custom-control-label:after {\n top: 50%;\n transform: translateY(-50%);\n }\n }\n\n &__heading {\n font-size: 1.1em;\n text-transform: uppercase;\n }\n\n &__code {\n height: 80px;\n }\n\n &__preview {\n border-left: 1px $gray-400 dashed;\n }\n }\n</style>\n\n<template>\n <div class=\"embed-form\">\n <div class=\"container-fluid\">\n <h4 class=\"embed-form__heading\" v-if=\"!noTitle\">\n {{ $t('embed-form.heading') }}\n </h4>\n <div class=\"row\">\n <div class=\"col\">\n <p>\n {{ $t('embed-form.introduction') }}\n </p>\n <textarea class=\"form-control embed-form__code mb-2\" readonly @click=\"selectCode\" :value=\"embedCode()\"></textarea>\n\n <label class=\"custom-control custom-checkbox btn btn-sm float-left\">\n <input type=\"checkbox\" class=\"custom-control-input\" v-model=\"responsiveCheck\">\n \n {{ $t('embed-form.responsive-optin') }}\n \n </label>\n\n <div class=\"text-right\">\n <button class=\"btn btn-link btn-sm text-uppercase font-weight-bold\" @click=\"copyEmbedCode\">\n <fa icon=\"clipboard\" />\n {{ $t('embed-form.copy') }}\n </button>\n </div>\n </div>\n <div class=\"col-7 d-none d-lg-block embed-form__preview\" v-if=\"!noPreview\">\n \n </div>\n </div>\n </div>\n </div>\n</template>\n\n<script>\n import { faClipboard } from '@fortawesome/free-solid-svg-icons/faClipboard'\n import Vue from 'vue'\n\n import i18n from '@/i18n'\n import IframeResizer from '@/utils/iframe-resizer'\n import { copyText } from '@/utils/clipboard'\n import { library } from './Fa'\n\n /**\n * Embed Form\n */\n export default {\n i18n,\n name: 'EmbedForm',\n data () {\n return {\n responsiveCheck: false\n }\n },\n beforeMount() {\n library.add(faClipboard)\n },\n components: {\n /** Prevent a bug with vue-docgen-api\n * @see https://github.com/vue-styleguidist/vue-docgen-api/issues/23\n */\n Fa: require('./Fa').default\n },\n props: {\n /**\n * Hide the form title\n */\n noTitle: {\n type: Boolean\n },\n /**\n * Hide the preview panel\n */\n noPreview: {\n type: Boolean\n },\n /**\n * Default width of the iframe code\n */\n width: {\n type: [Number, String],\n default: '100%'\n },\n /**\n * Default height of the iframe code\n */\n height: {\n type: Number,\n default: () => (window.innerHeight)\n },\n /**\n * Default minimal width of the iframe code (if extract from window\\'s size)\n */\n minWidth: {\n type: Number,\n default: 0\n },\n /**\n * Default minimal height of the iframe code (if extract from window\\'s size)\n */\n minHeight: {\n type: Number,\n default: 0\n },\n /**\n * URL of the iframe code\n */\n url: {\n type: String\n }\n },\n methods: {\n iframeCodeFor (url, width, height) {\n return

`` `<iframe width=\"${width}\" height=\"${height}\" src=\"${IframeResizer.deletePymParams(url)}\" frameborder=\"0\" allowfullscreen></iframe>`\n   },\n   pymCodeFor (url) {\n   return IframeResizer.template(url)\n   },\n   copyEmbedCode () {\n   return copyText(this.embedCode(), this.$el).then(() => {\n   this.selectCode()\n   })\n   },\n   selectCode () {\n   this.$el.querySelector('.embed-form__code').select()\n   },\n   embedCode (withPym = this.responsiveCheck) {\n   const width = isNaN(this.width) ? this.width : Math.max(this.width, this.minWidth)\n   const height = Math.max(this.height, this.minHeight)\n   return withPym ? this.pymCodeFor(this.currentUrl) : this.iframeCodeFor(this.currentUrl, width, height)\n   }\n },\n computed: {\n   currentUrl () {\n   return this.url || window.location.href\n   }\n }\n}\n</script>\n","import mod from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./EmbedForm.vue?vue&type=script&lang=js&\"; export default mod; export * from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./EmbedForm.vue?vue&type=script&lang=js&\"","import { render, staticRenderFns } from \"./EmbedForm.vue?vue&type=template&id=502aea85&scoped=true&\"\nimport script from \"./EmbedForm.vue?vue&type=script&lang=js&\"\nexport * from \"./EmbedForm.vue?vue&type=script&lang=js&\"\nimport style0 from \"./EmbedForm.vue?vue&type=style&index=0&id=502aea85&lang=scss&scoped=true&\"\n\n\n/* normalize component */\nimport normalizer from \"!../../node_modules/vue-loader/lib/runtime/componentNormalizer.js\"\nvar component = normalizer(\n script,\n render,\n staticRenderFns,\n false,\n null,\n \"502aea85\",\n null\n\n)\n\ncomponent.options.__file = \"EmbedForm.vue\"\nexport default component.exports","<template>\n <div class=\"sharing-options\" :style=\"style\">\n   <social-sharing v-bind=\"valuesFor('twitter')\" inline-template>\n   <network network=\"twitter\" class=\"sharing-options__link\">\n   <fa :icon=\"['fab', 'twitter']\" />\n   Share on Twitter\n   </network>\n   </social-sharing>\n   <social-sharing v-bind=\"valuesFor('facebook')\" inline-template>\n   <network network=\"facebook\" class=\"sharing-options__link\">\n   <fa :icon=\"['fab', 'facebook']\" />\n   Share on Facebook\n   </network>\n   </social-sharing>\n   <social-sharing v-bind=\"valuesFor('linkedin')\" inline-template>\n   <network network=\"linkedin\" class=\"sharing-options__link\">\n   <fa :icon=\"['fab', 'linkedin']\" />\n   Share on Linkedin\n   </network>\n   </social-sharing>\n   <social-sharing v-bind=\"valuesFor('email')\" inline-template>\n   <network network=\"email\" class=\"sharing-options__link\">\n   <fa icon=\"envelope\" />\n   Share by email\n   </network>\n   </social-sharing>\n   <div class=\"sharing-options__link\" v-show=\"!noEmbed\">\n   <a @click=\"showEmbedForm\">\n   <fa icon=\"code\" />\n   Embed\n   \n   </div>\n   <b-modal hide-footer ref=\"embedForm\" title=\"Embed on your website\" class=\"text-dark\">\n   <embed-form no-title no-preview :min-height=\"iframeMinHeight\" :min-width=\"iframeMinWidth\"></embed-form>\n   </b-modal>\n </div>\n</template>\n\n<script>\n import bModal from 'bootstrap-vue/es/components/modal/modal'\n import SocialSharing from 'vue-social-sharing';\n import get from 'lodash/get'\n import reduce from 'lodash/reduce'\n\n import i18n from '@/i18n'\n import { faCode } from '@fortawesome/free-solid-svg-icons/faCode'\n import { faEnvelope } from '@fortawesome/free-solid-svg-icons/faEnvelope'\n import { faTwitter } from '@fortawesome/free-brands-svg-icons/faTwitter'\n import { faFacebook } from '@fortawesome/free-brands-svg-icons/faFacebook'\n import { faLinkedin } from '@fortawesome/free-brands-svg-icons/faLinkedin'\n\n import EmbedForm from './EmbedForm.vue'\n import config from '../config'\n import IframeResizer from '../utils/iframe-resizer'\n\n import { library } from './Fa'\n\n /**\n   * SharingOptions\n   */\n export default {\n   i18n,\n   name: 'SharingOptions',\n   components: {\n   bModal,\n   EmbedForm,\n   SocialSharing,\n   /** Prevent a bug with vue-docgen-api\n   * @see https://github.com/vue-styleguidist/vue-docgen-api/issues/23\n   */\n   Fa: require('./Fa').default\n   },\n

beforeMount () {\n   library.add(faCode, faEnvelope, faTwitter, faFacebook, faLinkedin)\n   // Inject Fa components in child component\n   SocialSharing.components.Fa = require('./Fa').default\n },\n props: {\n   /**\n   * URL to be shared.\n   */\n   url: {\n   type: String,\n   default: () => config.get('sharing-options.url', null) || IframeResizer.deletePymParams()\n   },\n   /**\n   * Direction of the sharing options. Can be: row, row-reverse,\n   * column or column-reverse.\n   */\n   direction: {\n   default: 'row',\n   validator (value) {\n   return ['row', 'row-reverse', 'column', 'column-reverse'].indexOf(value) !== -1\n   }\n   },\n   /**\n   * Sharing contents wich can be genereic (title, description, etc)\n   * or specific to a network (twitter_title, facebook_description, etc).\n   */\n   values: {\n   type: Object,\n   default: () => ({})\n   },\n   /**\n   * The list of all the keys to automatlcy inject in each social button.\n   */\n   valuesKeys: {\n   default: () => ['url', 'title', 'description', 'media', 'twitter-user'],\n   type: Array\n   },\n   /**\n   * Disable embed button.\n   */\n   noEmbed: {\n   type: Boolean\n   },\n   /**\n   * Minimum height of the iframe in the embed form.\n   */\n   iframeMinHeight: {\n   type: Number\n   },\n   /**\n   * Minimum width of the iframe in the embed form.\n   */\n   iframeMinWidth: {\n   type: Number\n   },\n   /**\n   * Prevent from reading default value from the <code>meta</code>.\n   */\n   noMeta: {\n   type: Boolean\n   }\n },\n methods: {\n   showEmbedForm () {\n   this.showShareOptions = false\n   return this.$refs.embedForm.show()\n   },\n   valuesFor (network) {\n   const values = Object.assign(this.metaValues, this.values)\n   return reduce(this.valuesKeys, (res, key) => {\n   res[key] = get(values, `${network}_${key}`, values[key])\n   return res\n   }, {})\n   },\n   defaultValueFor(key, metaSelector = null) {\n   if (this.noMeta || !metaSelector) {\n   return config.get(key)\n   }\n   return get(document.head.querySelector(metaSelector), 'content', config.get(key))\n   }\n },\n computed: {\n   style () {\n   return {\n   'flex-direction': this.direction\n   }\n   },\n   metaValues () {\n   return {\n   'url': this.url,\n   'title': this.defaultValueFor('sharing-options.title'),\n   'description': this.defaultValueFor('sharing-options.description', 'meta[name=\"description]'),\n   'facebook_title': this.defaultValueFor('sharing-options.facebook_title', 'meta[property=\"og:title\"]'),\n   'facebook_description': this.defaultValueFor('sharing-options.description', 'meta[property=\"og:description\"]'),\n   'facebook_media': this.defaultValueFor('sharing-options.media', 'meta[property=\"og:image\"]'),\n   'facebook_url': this.defaultValueFor('app.home', 'meta[property=\"og:url\"]'),\n   'twitter_media': this.defaultValueFor('sharing-options.media', 'meta[name=\"twitter:image\"]'),\n   'twitter_twitter-user': this.defaultValueFor('sharing-options.twitter-user', 'meta[name=\"twitter:site\"]')\n   }\n   }\n }\n}\n</script>\n\n<style lang=\"scss\">\n@import '../styles/lib';\n@import '../styles/mixins';\n\n.sharing-options {\n display: flex;\n\n &__link {\n   display: block;\n   margin: $spacer / 4;\n   background: black;\n   height: 2.5em;\n   line-height: 2.5em;\n   width: 2.5em;\n   text-align: center;\n   font-size: 80%;\n   border-radius: 50%;\n   cursor: pointer;\n   color: white;\n   position: relative;\n\n   i {\n   position: absolute;\n   top: 50%;\n   left: 50%;\n   transform: translate(-50%, -50%);\n   }\n\n   & > a, & > button {\n   width: 100%;\n   height: 100%;\n   display: block;\n   }\n }\n}\n</style>\n","import mod from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./SharingOptions.vue?vue&type=script&lang=js&\"; export default mod; export * from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./SharingOptions.vue?vue&type=script&lang=js&\"","import { render, staticRenderFns } from \"./SharingOptions.vue?vue&type=template&id=4e36ddf6&\"\nimport script from \"./SharingOptions.vue?vue&type=script&lang=js&\"\nexport * from \"./SharingOptions.vue?vue&type=script&lang=js&\"\nimport style0 from \"./SharingOptions.vue?vue&type=style&index=0&lang=scss&\"\n\n\n/* normalize component */\nimport normalizer from \"!../../node_modules/vue-loader/lib/runtime/componentNormalizer.js\"\nvar component =

normalizer(\n script,\n render,\n staticRenderFns,\n false,\n null,\n null,\n null\n \n)\n\n\ncomponent.options.__file = \"SharingOptions.vue\"\nexport default component.exports","<template>\n <div class=\"embeddable-footer p-2 text-nowrap\">\n <a :href=\"homeUrl\" target=\"_blank\" class=\"text-white embeddable-footer__brand\">\n \n {{ title }}\n \n <div class=\"embeddable-footer__lead small text-truncate\" v-html=\"lead\"></div>\n <button class=\"btn btn-link text-white btn-sm py-0 embeddable-footer__share-btn\" @click=\"showShareOptions = !showShareOptions\" :class=\"{ active: showShareOptions }\">\n <fa icon=\"share-alt\" />\n {{ $t('embeddable-footer.share') }}\n </button>\n <sharing-options :values=\"sharingOptionsValues\" v-if=\"showShareOptions\" direction=\"column-reverse\" :iframe-min-height=\"iframeMinHeight\" :iframe-min-width=\"iframeMinWidth\"></sharing-options>\n </div>\n</template>\n\n<script>\n import { faShareAlt } from '@fortawesome/free-solid-svg-icons/faShareAlt'\n\n import i18n from '@/i18n'\n import IframeResizer from '@/utils/iframe-resizer'\n import SharingOptions from './SharingOptions'\n import config from '@/config'\n\n /**\n * EmbeddableFooter\n */\n export default {\n i18n,\n name: 'EmbeddableFooter',\n beforeMount() {\n library.add(faShareAlt)\n },\n components: {\n /** Prevent a bug with vue-docgen-api\n * @see https://github.com/vue-styleguidist/vue-docgen-api/issues/23\n */\n Fa: require('./Fa').default,\n SharingOptions\n },\n props: {\n /**\n * Title to display next to ICIJ logo.\n */\n title: {\n type: String,\n default: () => config.get('project.name')\n },\n /**\n * Lead sentence to display next to the title.\n */\n lead: {\n type: String,\n default: ''\n },\n /**\n * Minimum height for the iframe generated in the embed form.\n */\n iframeMinHeight: {\n type: Number\n },\n /**\n * Minimum width for the iframe generated in the embed form.\n */\n iframeMinWidth: {\n type: Number\n },\n /**\n * Target of the ICIJ logo and title links.\n */\n homeUrl: {\n type: String,\n default: () => config.get('app.home')\n },\n /**\n * Sharing option values to bind to the sharing-options component on the bottom-right corner.\n */\n sharingOptionsValues: {\n type: Object,\n default: () => ({})\n }\n },\n data () {\n return {\n showShareOptions: false\n }\n },\n mounted () {\n IframeResizer.create();\n }\n }\n</script>\n\n<style lang=\"scss\" scoped>\n @import '../styles/lib';\n @import '../styles/mixins';\n\n @include keyframes(slideup) {\n 0% {\n transform: translateY(100%);\n opacity:0;\n }\n\n 100% {\n transform: translateY(0%);\n opacity:1;\n }\n }\n\n .embeddable-footer {\n display: flex;\n flex-direction: row;\n align-items: center;\n\n z-index: $zindex-sticky;\n position: fixed;\n bottom: 0;\n left: 0;\n width: 100%;\n background: black;\n color: white;\n // Magic technique to have a minimum font-size (10px-ish)\n font-size: calc(10px + 1.5vh);\n\n @media screen and (min-height: 800px) {\n font-size: 1rem;\n }\n\n &__brand {\n padding-right: $spacer;\n margin-right: $spacer;\n border-right: 2px solid white;\n font-family: $headings-font-family;\n font-size: 1.1em;\n }\n\n &__lead {\n flex-grow: 1;\n min-width: 0;\n font-size: 0.9em;\n }\n\n &__share-btn {\n border:1px solid transparent;\n height: 2.5em;\n line-height: 2.5em;\n width: 2.5em;\n font-size: 80%;\n text-align: center;\n border-radius: 50%;\n\n &.active {\n border-color: white;\n }\n\n &:hover {\n background: rgba(white, .1);\n }\n }\n\n & /deep/ .sharing-options {\n position: absolute;\n bottom: 100%;\n right: 0;\n margin: $spacer * 0.25;\n\n &__link {\n opacity: 0;\n animation:slideup 200ms forwards;\n @include animation-delay-loop(0, 10, 50ms);\n }\n }\n }\n</style>\n","import mod from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./EmbeddableFooter.vue?vue&type=script&lang=js&\"; export default mod; export * from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./EmbeddableFooter.vue?vue&type=script&lang=js&\"","import { render, staticRenderFns } from \"./EmbeddableFooter.vue?vue&type=template&id=36cb84e2&scoped=true&\"\nimport script from

\"./EmbeddableFooter.vue?vue&type=script&lang=js&\"\nexport * from \"./EmbeddableFooter.vue?vue&type=script&lang=js&\"\nimport style0 from \"./EmbeddableFooter.vue?vue&type=style&index=0&id=36cb84e2&lang=scss&scoped=true&\"\n\n\n/* normalize component */\nimport normalizer from \"!../../node_modules/vue-loader/lib/runtime/componentNormalizer.js\"\nvar component = normalizer(\n script,\n render,\n staticRenderFns,\n false,\n null,\n \"36cb84e2\",\n null\n \n)\n\ncomponent.options.__file = \"EmbeddableFooter.vue\"\nexport default component.exports","var render = function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('div',{staticClass:\"follow-us\"},[_c('button',{staticClass:\"btn btn-link text-light follow-us__close\",on:{\"click\":_vm.closeSignupPopover}},[_c('fa',{attrs:{\"icon\":\"times\"}})],1),_c('sign-up-form',{staticClass:\"p-3\"}),_c('div',{staticClass:\"px-3 pb-1 text-uppercase text-muted font-weight-bold\"},[_vm._v(\"\\n \"+_vm._s(_vm.$t('follow-us-popover.heading'))+\"\\n \")]),_c('div',{staticClass:\"p-3 bg-light container-fluid text-center\"},[_c('div',{staticClass:\"row\"},[_c('div',{staticClass:\"col\"},[_c('a',{staticClass:\"d-inline-block text-primary border border-primary rounded-circle bg-white follow-us__social-btn\",attrs:{\"href\":\"https://twitter.com/icijorg\",\"target\":\"_blank\",\"title\":\"Twitter\"}},[_c('fa',{attrs:{\"icon\":['fab', 'twitter'],\"size\":\"lg\"}}),_c('span',{staticClass:\"sr-only\"},[_vm._v(\"Twitter\")])],1)]),_c('div',{staticClass:\"col\"},[_c('a',{staticClass:\"d-inline-block text-primary border border-primary rounded-circle bg-white follow-us__social-btn\",attrs:{\"href\":\"https://www.facebook.com/ICIJ.org\",\"target\":\"_blank\",\"title\":\"Facebook\"}},[_c('fa',{attrs:{\"icon\":['fab', 'facebook'],\"size\":\"lg\"}}),_c('span',{staticClass:\"sr-only\"},[_vm._v(\"Facebook\")])],1)]),_c('div',{staticClass:\"col\"},[_c('a',{staticClass:\"d-inline-block text-primary border border-primary rounded-circle bg-white follow-us__social-btn\",attrs:{\"href\":\"https://www.linkedin.com/company/1732242/\",\"target\":\"_blank\",\"title\":\"Linkedin\"}},[_c('fa',{attrs:{\"icon\":['fab', 'linkedin'],\"size\":\"lg\"}}),_c('span',{staticClass:\"sr-only\"},[_vm._v(\"Linkedin\")])],1)])])])],1)}\nvar staticRenderFns = []\n\nexport { render, staticRenderFns }","var render = function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('form',{staticClass:\"sign-up-form\",class:{ 'sign-up-form--horizontal': _vm.horizontal },on:{\"submit\":function($event){$event.preventDefault();_vm.subscribe($event)}}},[_c('fieldset',{attrs:{\"disabled\":_vm.frozen}},[(!_vm.noLabel)?_c('label',{staticClass:\"text-uppercase text-muted font-weight-bold\",attrs:{\"for\":\"input-email\"}},[_vm._v(\"\\n \"+_vm._s(_vm.$t(\"sign-up-form.label\"))+\"\\n \")]):_vm._e(),_c('div',{staticClass:\"sign-up-form__fieldset__group\",class:{ 'input-group': _vm.horizontal }},[_c('input',{directives:[{name:\"model\",rawName:\"v-model\",value:(_vm.email),expression:\"email\"}],staticClass:\"form-control\",attrs:{\"name\":\"EMAIL\",\"type\":\"text\",\"placeholder\":_vm.$t('sign-up-form.placeholder'),\"id\":\"input-email\"},domProps:{\"value\":(_vm.email)},on:{\"input\":function($event){if($event.target.composing){ return; }_vm.email=$event.target.value}}}),_c('div',{staticClass:\"sign-up-form__fieldset__group__addon\",class:{ 'input-group-append': _vm.horizontal }},[_c('button',{staticClass:\"btn btn-primary text-uppercase font-weight-bold\",attrs:{\"type\":\"submit\"}},[_vm._v(\"\\n \"+_vm._s(_vm.$t(\"sign-up-form.submit\"))+\"\\n \")])])]),_c('input',{attrs:{\"type\":\"hidden\",\"name\":\"group[9][1]\",\"value\":\"1\"}}),_c('input',{attrs:{\"type\":\"hidden\",\"name\":\"SIGNUP\"},domProps:{\"value\":_vm.tracker}}),(_vm.errorMessage)?_c('p',{staticClass:\"alert alert-danger p-2 m-0 mt-2\",domProps:{\"innerHTML\":_vm._s(_vm.errorMessage)}}):_vm._e(),(_vm.successMessage)?_c('p',{staticClass:\"alert alert-success p-2 m-0 mt-2\",domProps:{\"innerHTML\":_vm._s(_vm.successMessage)}}):_vm._e()])}\nvar staticRenderFns = []\n\nexport { render, staticRenderFns }","<template>\n <form @submit.prevent=\"subscribe($event)\" class=\"sign-up-form\" :class=\"{ 'sign-up-form--horizontal': horizontal }\">\n <fieldset :disabled=\"frozen\">\n <label class=\"text-uppercase text-muted font-weight-bold\" for=\"input-email\" v-if=\"!noLabel\">\n {{ $t(\"sign-up-form.label\") }}\n </label>\n <div class=\"sign-

up-form__fieldset__group\" :class=\"{ 'input-group': horizontal }\">\n   <input v-model=\"email\" name=\"EMAIL\" type=\"text\" class=\"form-control\" :placeholder=\"$t('sign-up-form.placeholder')\" id=\"input-email\" />\n   <div class=\"sign-up-form__fieldset__group__addon\" :class=\"{ 'input-group-append': horizontal }\">\n   <button class=\"btn btn-primary text-uppercase font-weight-bold\" type=\"submit\">\n   {{ $t(\"sign-up-form.submit\") }}\n   </button>\n   </div>\n   </div>\n </fieldset>\n <input type=\"hidden\" name=\"group[9][1]\" value=\"1\" />\n   <input type=\"hidden\" name=\"SIGNUP\" :value=\"tracker\" />\n   <p v-if=\"errorMessage\" class=\"alert alert-danger p-2 m-0 mt-2\" v-html=\"errorMessage\"></p>\n   <p v-if=\"successMessage\" class=\"alert alert-success p-2 m-0 mt-2\" v-html=\"successMessage\"></p>\n </form>\n</template>\n\n<script>\nimport $ from 'jquery'\nimport last from 'lodash/last'\nimport config from '../config'\nimport i18n from '@/i18n'\n\n/**\n * SignUpForm\n */\nexport default {\n i18n,\n name: \"SignUpForm\",\n props: {\n   /**\n   * Mailchimp URL to send the data to.\n   */\n   action: {\n   type: String,\n   default: () => config.get('signup-form.action')\n   },\n   /**\n   * Disable the main label.\n   */\n   noLabel: {\n   type: Boolean\n   },\n   /**\n   * Horizontal layout of the form.\n   */\n   horizontal: {\n   type: Boolean\n   },\n   /**\n   * Mailchimp tracker tag to identify the origin.\n   */\n   tracker: {\n   type: String,\n   default: () => config.get('signup-form.tracker')\n   }\n },\n data () {\n   return {\n   email: '',\n   frozen: false,\n   response: {},\n   errorMessage: null,\n   successMessage: null\n   };\n },\n computed: {\n   actionJsonp () {\n   return this.action.replace('/post?', '/post-json?').concat('&c=?')\n   }\n },\n methods: {\n   subscribe () {\n   this.resetMessages()\n   this.freeze()\n   // Send the data, catch the result no matter what and unfreeze the form\n   this.send().always(this.done).always(this.unfreeze)\n   },\n   send () {\n   return $.ajax({\n   type: 'POST',\n   url: this.actionJsonp,\n   data: $(this.$el).serialize(),\n   dataType: 'jsonp'\n   })\n   },\n   done (res) {\n   if (res.result === 'success') {\n   this.email = ''\n   this.successMessage = res.msg;\n   } else {\n   // Mailchimp formats errors in list\n   this.errorMessage = last((res.msg || \"Something's wrong\").split('0 -'))\n   }\n   },\n   resetMessages () {\n   this.errorMessage = null\n   this.successMessage = null\n   },\n   freeze () {\n   this.frozen = true\n   },\n   unfreeze () {\n   this.frozen = false\n   }\n }\n};\n</script>\n\n<style lang=\"scss\">\n @import '../styles/lib.scss';\n\n .sign-up-form {\n\n   .sign-up-form__fieldset__group__addon .btn {\n   font-size: 0.9em;\n   }\n\n   &:not(&--horizontal) {\n\n   .sign-up-form__fieldset__group__addon .btn {\n   display: block;\n   width: 100%;\n   }\n   }\n }\n</style>\n","import mod from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./SignUpForm.vue?vue&type=script&lang=js&\"; export default mod; export * from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./SignUpForm.vue?vue&type=script&lang=js&\"","import { render, staticRenderFns } from \"./SignUpForm.vue?vue&type=template&id=3a583f00&\"\nimport script from \"./SignUpForm.vue?vue&type=script&lang=js&\"\nexport * from \"./SignUpForm.vue?vue&type=script&lang=js&\"\nimport style0 from \"./SignUpForm.vue?vue&type=style&index=0&lang=scss&\"\n\n\n/* normalize component */\nimport normalizer from \"!../../node_modules/vue-loader/lib/runtime/componentNormalizer.js\"\nvar component = normalizer(\n script,\n render,\n staticRenderFns,\n false,\n null,\n null,\n null\n\n)\n\ncomponent.options.__file = \"SignUpForm.vue\"\nexport default component.exports","<template>\n <div class=\"follow-us\">\n   <button class=\"btn btn-link text-light follow-us__close\" @click=\"closeSignupPopover\">\n   <fa icon=\"times\" />\n   </button>\n   <sign-up-form class=\"p-3\"></sign-up-form>\n   <div class=\"px-3 pb-1 text-uppercase text-muted font-weight-bold\">\n   {{ $t('follow-us-popover.heading') }}\n   </div>\n   <div class=\"p-3 bg-light container-fluid text-center\">\n   <div class=\"row\">\n   <div class=\"col\">\n   \n   <fa :icon=\"['fab', 'twitter']\" size=\"lg\"

/>\n   Twitter\n   \n   </div>\n   <div class=\"col\">\n   \n   <fa :icon=\"['fab', 'facebook']\" size=\"lg\" />\n   Facebook\n   \n   </div>\n   <div class=\"col\">\n   \n   <fa :icon=\"['fab', 'linkedin']\" size=\"lg\" />\n   Linkedin\n   \n </div>\n   </div>\n   </div>\n </div>\n</template>\n\n<script>\n import { faTimes } from '@fortawesome/free-solid-svg-icons/faTimes'\n import { faTwitter } from '@fortawesome/free-brands-svg-icons/faTwitter'\n import { faFacebook } from '@fortawesome/free-brands-svg-icons/faFacebook'\n import { faLinkedin } from '@fortawesome/free-brands-svg-icons/faLinkedin'\n\n import i18n from '@/i18n'\n import SignUpForm from './SignUpForm.vue'\n import { library } from './Fa'\n\n /**\n * FollowUsPopover\n */\n export default {\n i18n,\n name: 'FollowUsPopover',\n components: {\n   /** Prevent a bug with vue-docgen-api\n   * @see https://github.com/vue-styleguidist/vue-docgen-api/issues/23\n   */\n   Fa: require('./Fa').default,\n   SignUpForm\n },\n beforeMount () {\n   library.add(faTimes, faTwitter, faFacebook, faLinkedin)\n },\n methods: {\n   closeSignupPopover() {\n   /**\n   * Fired when user click on the `close` button\n   *\n   * @event update:show\n   * @type {boolean}\n   */\n   this.$emit('update:show', false)\n   }\n }\n}\n</script>\n\n<style lang=\"scss\" scoped>\n @import '../styles/lib';\n\n .follow-us {\n position: relative;\n width: 300px;\n\n &__social-btn {\n   height: 46px;\n   width: 46px;\n   line-height: 46px;\n\n   i.fab {\n   line-height: inherit;\n   font-size: 1.5em;\n   }\n }\n\n &__close {\n   position: absolute;\n   right: $spacer / 2;\n   top: $spacer / 2;\n }\n }\n</style>\n","import mod from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./FollowUsPopover.vue?vue&type=script&lang=js&\"; export default mod; export * from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./FollowUsPopover.vue?vue&type=script&lang=js&\"","import { render, staticRenderFns } from \"./FollowUsPopover.vue?vue&type=template&id=440d5984&scoped=true&\"\nimport script from \"./FollowUsPopover.vue?vue&type=script&lang=js&\"\nexport * from \"./FollowUsPopover.vue?vue&type=script&lang=js&\"\nimport style0 from \"./FollowUsPopover.vue?vue&type=style&index=0&id=440d5984&lang=scss&scoped=true&\"\n\n\n/* normalize component */\nimport normalizer from \"!../../node_modules/vue-loader/lib/runtime/componentNormalizer.js\"\nvar component = normalizer(\n script,\n render,\n staticRenderFns,\n false,\n null,\n \"440d5984\",\n null\n \n)\n\ncomponent.options.__file = \"FollowUsPopover.vue\"\nexport default component.exports","var render = function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('footer',{staticClass:\"generic-footer\"},[_c('div',{staticClass:\"container\"},[_c('div',{staticClass:\"row\"},[_vm._m(0),_c('div',{staticClass:\"col-md-7\"},[_c('div',{staticClass:\"row justify-content-end\"},[_c('div',{staticClass:\"col-md-5\"},[_c('h5',{staticClass:\"text-selective-yellow text-uppercase mb-3\"},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('generic-footer.investigations'))+\"\\n   \")]),_vm._t(\"investigations\",[_vm._m(1)])],2),_c('div',{staticClass:\"col-md-4\"},[_c('h5',{staticClass:\"text-selective-yellow text-uppercase mb-3\"},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('generic-footer.follow-us'))+\"\\n   \")]),_vm._m(2)])])])]),_c('p',{staticClass:\"text-white text-md-right small mt-5\"},[_c('strong',[_vm._v(\"©\\n \"+_vm._s(_vm.year)+\" — The International Consortium of Investigative Journalists.\")]),_vm._v(\"\\n \"+_vm._s(_vm.$t('generic-footer.all-rights'))+\"\\n   \"),_c('br'),(_vm.version)?_c('span',{staticClass:\"text-muted\"},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('generic-footer.version', { version: _vm.version }))+\"\\n   \")]):_vm._e()])])])}\nvar staticRenderFns = [function () {var _vm=this;var _h=_vm.$createElement;var

```
_c=_vm._self._c||_h;return _c('div',{staticClass:\"col-md-5\"},[_c('h5',{staticClass:\"text-uppercase text-white
clearfix generic-footer__icij mb-3\"},[_c('a',{staticClass:\"generic-
footer__icij__logo\",attrs:{\"href\":\"https://icij.org\",\"target\":\"_blank\"}},[_c('img',{staticClass:\"mw-
100\",attrs:{\"src\":require(\"../assets/images/icij@2x.png\")}})]),_c('a',{staticClass:\"text-
nowrap\",attrs:{\"href\":\"https://icij.org\",\"target\":\"_blank\"}},[_vm._v(\"\\n          International Consortium
of\"),_c('br'),_vm._v(\"\\n          Investigative Journalists\\n          \")])]),_c('p',{},[_vm._v(\"\\n          1710 Rhode
Island Ave NW | 11th floor \"),_c('br'),_vm._v(\"\\n          Washington DC 20006 USA\\n
\")]),_c('p',[_c('strong',[_c('a',{staticClass:\"text-selective-
yellow\",attrs:{\"href\":\"mailto:contact@icij.org\"}},[_vm._v(\"contact@icij.org\")])])])])])},function () {var
_vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('ul',{staticClass:\"list-
unstyled\"},[_c('li',{staticClass:\"list-unstyled-
item\"},[_c('a',{attrs:{\"href\":\"https://www.icij.org/investigations/paradise-
papers/\",\"target\":\"_blank\"}},[_vm._v(\"\\n          Paradise Papers\\n
\")])]),_c('li',{staticClass:\"list-unstyled-item\"},[_c('a',{attrs:{\"href\":\"https://www.icij.org/investigations/panama-
papers/\",\"target\":\"_blank\"}},[_vm._v(\"\\n          Panama Papers\\n
\")])]),_c('li',{staticClass:\"list-unstyled-item\"},[_c('a',{attrs:{\"href\":\"https://www.icij.org/investigations/world-
bank\",\"target\":\"_blank\"}},[_vm._v(\"\\n          Evicted and Abandoned\\n
\")])]),_c('li',{staticClass:\"list-unstyled-
item\"},[_c('a',{attrs:{\"href\":\"https://www.icij.org/investigations/offshore/\",\"target\":\"_blank\"}},[_vm._v(\"\\n
          Secrecy for Sale\\n          \")])])])},function () {var _vm=this;var _h=_vm.$createElement;var
_c=_vm._self._c||_h;return _c('ul',{staticClass:\"list-unstyled\"},[_c('li',{staticClass:\"list-unstyled-
item\"},[_c('a',{attrs:{\"href\":\"https://www.facebook.com/ICIJ.org\",\"target\":\"_blank\"}},[_vm._v(\"\\n
Facebook\\n          \")])]),_c('li',{staticClass:\"list-unstyled-
item\"},[_c('a',{attrs:{\"href\":\"https://www.linkedin.com/company/1732242/\",\"target\":\"_blank\"}},[_vm._v(\"\\
n          LinkedIn\\n          \")])]),_c('li',{staticClass:\"list-unstyled-
item\"},[_c('a',{attrs:{\"href\":\"https://twitter.com/icijorg\",\"target\":\"_blank\"}},[_vm._v(\"\\n
Twitter\\n          \")])])])}]\n\nexport { render, staticRenderFns }","<template>\n  <footer class=\"generic-
footer\">\n    <div class=\"container\">\n      <div class=\"row\">\n        <div class=\"col-md-5\">\n          <h5
class=\"text-uppercase text-white clearfix generic-footer__icij mb-3\">\n            <a href=\"https://icij.org\"
target=\"_blank\" class=\"generic-footer__icij__logo\">\n              <img src=\"../assets/images/icij@2x.png\"
class=\"mw-100\" />\n            </a>\n            <a class=\"text-nowrap\" href=\"https://icij.org\" target=\"_blank\">\n
          International Consortium of<br />\n              Investigative Journalists\n            </a>\n          </h5>\n          <p
class=\"\">\n            1710 Rhode Island Ave NW | 11th floor <br />\n            Washington DC 20006 USA\n
</p>\n          <p>\n            <strong>\n              <a href=\"mailto:contact@icij.org\" class=\"text-selective-
yellow\">contact@icij.org</a>\n            </strong>\n          </p>\n        </div>\n        <div class=\"col-md-7\">\n
<div class=\"row justify-content-end\">\n          <div class=\"col-md-5\">\n            <h5 class=\"text-selective-
yellow text-uppercase mb-3\">\n              {{ $t('generic-footer.investigations') }}\n            </h5>\n            <!--
@slot List of investigations -->\n            <slot name=\"investigations\">\n              <ul class=\"list-unstyled\">\n
      <li class=\"list-unstyled-item\">\n                <a href=\"https://www.icij.org/investigations/paradise-
papers/\" target=\"_blank\">\n                  Paradise Papers\n                </a>\n              </li>\n              <li
class=\"list-unstyled-item\">\n                <a href=\"https://www.icij.org/investigations/panama-papers/\"
target=\"_blank\">\n                  Panama Papers\n                </a>\n              </li>\n              <li class=\"list-
unstyled-item\">\n                <a href=\"https://www.icij.org/investigations/world-bank\" target=\"_blank\">\n
      Evicted and Abandoned\n                </a>\n              </li>\n              <li class=\"list-unstyled-item\">\n
       <a href=\"https://www.icij.org/investigations/offshore/\" target=\"_blank\">\n                  Secrecy for
Sale\n                </a>\n              </li>\n            </ul>\n            </slot>\n          </div>\n          <div
class=\"col-md-4\">\n            <h5 class=\"text-selective-yellow text-uppercase mb-3\">\n              {{ $t('generic-
footer.follow-us') }}\n            </h5>\n            <ul class=\"list-unstyled\">\n              <li class=\"list-unstyled-
```

item\">\n   \n   Facebook\n   \n   \n   <li class=\"list-unstyled-item\">\n   \n   LinkedIn\n   \n   \n   <li class=\"list-unstyled-item\">\n   \n   Twitter\n   \n   \n   \n   </div>\n   </div>\n   </div>\n   </div>\n   <p class=\"text-white text-md-right small mt-5\">\n   © {{ year }} — The International Consortium of Investigative Journalists.\n   {{ $t('generic-footer.all-rights') }}\n
\n   \n   {{ $t('generic-footer.version', { version }) }}\n   \n   </p>\n   </div>\n </footer>\n</template>\n\n<script>\nimport i18n from '@/i18n'\n\n/**\n * GenericFooter\n */\nexport default {\n i18n,\n name: 'GenericFooter',\n props: {\n   /**\n   * Version of the app to display in the bottom-right corner of the footer\n   */\n   version: {\n   type: String\n   }\n },\n computed: {\n   year () {\n   return (new Date()).getFullYear()\n   }\n }\n}\n</script>\n\n<style lang=\"scss\" scoped>\n @import '../styles/lib';\n\n .generic-footer {\n   background: black;\n   color: #999;\n   padding:$spacer * 4 0;\n\n   @include media-breakpoint-down(md) {\n   padding: $spacer;\n   }\n\n   a {\n   color: inherit;\n   }\n\n   h5 {\n   font-family: $font-family-sans-serif;\n   font-size: 1rem;\n   }\n\n   &__icij {\n   display: flex;\n   justify-content: start;\n   align-items: center;\n\n   @include media-breakpoint-down(xs) {\n   display: block;\n   }\n\n   &__logo {\n   display: block;\n   width: 54px;\n   flex: 0 0 54px;\n   margin-right: 8px;\n\n   @include media-breakpoint-down(xs) {\n   margin-bottom: $spacer;\n   }\n   }\n   }\n }\n</style>\n","import mod from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./GenericFooter.vue?vue&type=script&lang=js&\"; export default mod; export * from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./GenericFooter.vue?vue&type=script&lang=js&\"","import { render, staticRenderFns } from \"./GenericFooter.vue?vue&type=template&id=203025b4&scoped=true&\"\nimport script from \"./GenericFooter.vue?vue&type=script&lang=js&\"\nexport * from \"./GenericFooter.vue?vue&type=script&lang=js&\"\nimport style0 from \"./GenericFooter.vue?vue&type=style&index=0&id=203025b4&lang=scss&scoped=true&\"\n\n\n/* normalize component */\nimport normalizer from \"!../../node_modules/vue-loader/lib/runtime/componentNormalizer.js\"\nvar component = normalizer(\n script,\n render,\n staticRenderFns,\n false,\n null,\n \"203025b4\",\n null\n \n)\n\ncomponent.options.__file = \"GenericFooter.vue\"\nexport default component.exports","var render = function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('div',[_c(_vm.rootElement,{tag:\"component\",staticClass:\"navbar navbar-expand-lg navbar-light imddb-header\",class:{ 'headroom--frozen': !_vm.collapseNavbar },style:({ position: _vm.position }),attrs:{\"id\":\"imddb-header\",\"data-turbolinks-permanent\":\"\",\"offset\":100,\"z-index\":1020,\"on-unpin\":_vm.closeFollowUsPopover}},[_vm._t(\"brand\",[_c('a',{staticClass:\"navbar-brand imddb-header__brand\",attrs:{\"href\":_vm.homeUrl}},[_c('img',{staticClass:\"mr-3\",attrs:{\"src\":require(\"../assets/images/icij-black@2x.png\"),\"height\":\"25\"}}),_vm._v(\"\\n \"+_vm._s(_vm.project)+\"\\n   \")])]),_c('button',{staticClass:\"navbar-toggler\",attrs:{\"type\":\"button\",\"aria-label\":\"Toggle navigation\"},on:{\"click\":_vm.toggleNavbar}},[_c('span',{staticClass:\"navbar-toggler-icon\"})]),_c('div',{staticClass:\"navbar-collapse\",class:{ collapse: _vm.collapseNavbar }},[_vm._t(\"navbar\",[_c('ul',{staticClass:\"navbar-nav mr-auto\"},[_c('b-nav-dropdown',{on:{\"show\":function($event){_vm.$root.$emit('bv::hide::popover')}}},[_c('template',{slot:\"button-content\"},[_vm._v(\"\\n   \"+_vm._s(_vm.title)+\"\\n   \")]),_vm._l((_vm.dropdownItems),function(item,$index){return _c('b-dropdown-item',_vm._b({key:$index,attrs:{\"href\":item.href}},'b-dropdown-item',{ active: !!item.active },false),[_vm._v(\"\\n

\"+_vm._s(item.label)+\"\\n   \")])})]],2)],1)]),_c('ul',{staticClass:\"navbar-nav\"},[_c('li',{staticClass:\"nav-item\"},[_c('a',{staticClass:\"nav-link\",attrs:{\"href\":\"https://www.icij.org/leak/\",\"target\":\"_blank\"}},[_vm._v(\"\\n \"+_vm._s(_vm.$t('imddb-header.navbar.leak'))+\"\\n   \")])]),_c('li',{staticClass:\"nav-item mr-lg-3\"},[_c('a',{staticClass:\"nav-link\",attrs:{\"href\":\"#\"},on:{\"click\":function($event){$event.preventDefault();_vm.$refs.donateFormModal.show()}}},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('imddb-header.navbar.support'))+\"\\n \")])]),_c('li',{staticClass:\"nav-item\"},[_c('button',{staticClass:\"btn btn-saddle-red btn-block font-weight-bold\",attrs:{\"id\":\"follow-icij\"}},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('imddb-header.navbar.follow'))+\"\\n \")]),_c('b-popover',{attrs:{\"container\":\"imddb-header\",\"target\":\"follow-icij\",\"placement\":\"bottomleft\",\"show\":_vm.showSignupPopover},on:{\"update:show\":function($event){_vm.showSignupPopover=$event}}},[_c('follow-us-popover',{attrs:{\"show\":_vm.showSignupPopover},on:{\"update:show\":function($event){_vm.showSignupPopover=$event}}})],1)],1)])]],2)],2),_c('b-modal',{ref:\"donateFormModal\",attrs:{\"hide-footer\":\"\",\"lazy\":\"\",\"size\":\"lg\"}},[_c('span',{staticClass:\"text-uppercase font-weight-bold text-primary\",attrs:{\"slot\":\"modal-title\"},slot:\"modal-title\"},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('imddb-header.navbar.support'))+\"\\n   \")]),_c('donate-form',{attrs:{\"no-title\":\"\"}})],1)],1)}\nvar staticRenderFns = []\n\nexport { render, staticRenderFns }","import { mergeData } from 'vue-functional-data-merge';\nimport Link, { propsFactory as linkPropsFactory } from '../link/link';\nexport var props = linkPropsFactory();\nexport default {\n functional: true,\n props: props,\n render: function render(h, _ref) {\n   var props = _ref.props,\n   data = _ref.data,\n   children = _ref.children;\n\n   return h(Link, mergeData(data, {\n   props: props,\n   staticClass: 'dropdown-item',\n   attrs: { role: 'menuitem' }\n   }), children);\n }\n};","export default {\n mounted: function mounted() {\n   if (typeof document !== 'undefined') {\n   document.documentElement.addEventListener('click', this._clickOutListener);\n   }\n },\n beforeDestroy: function beforeDestroy() {\n   if (typeof document !== 'undefined') {\n   document.documentElement.removeEventListener('click', this._clickOutListener);\n   }\n },\n\n methods: {\n   _clickOutListener: function _clickOutListener(e) {\n   if (!this.$el.contains(e.target)) {\n   if (this.clickOutListener) {\n   this.clickOutListener();\n   }\n   }\n   }\n};","import Popper from 'popper.js';\nimport clickoutMixin from './clickout';\nimport listenOnRootMixin from './listen-on-root';\nimport { from as arrayFrom } from '../utils/array';\nimport { assign } from '../utils/object';\nimport KeyCodes from '../utils/key-codes';\nimport BvEvent from '../utils/bv-event.class';\nimport warn from '../utils/warn';\nimport { isVisible, closest, selectAll, getAttr, eventOn, eventOff } from '../utils/dom';\n\n// Return an Array of visible items\nfunction filterVisible(els) {\n return (els || []).filter(isVisible);\n}\n\n// Dropdown item CSS selectors\n// TODO: .dropdown-form handling\nvar ITEM_SELECTOR = '.dropdown-item:not(.disabled):not([disabled])';\n\n// Popper attachment positions\nvar AttachmentMap = {\n // DropUp Left Align\n TOP: 'top-start',\n // DropUp Right Align\n TOPEND: 'top-end',\n // Dropdown left Align\n BOTTOM: 'bottom-start',\n // Dropdown Right Align\n BOTTOMEND: 'bottom-end'\n};\n\nexport default {\n mixins: [clickoutMixin, listenOnRootMixin],\n props: {\n   disabled: {\n   type: Boolean,\n   default: false\n   },\n   text: {\n   // Button label\n   type: String,\n   default: ''\n   },\n   dropup: {\n   // place on top if possible\n   type: Boolean,\n   default: false\n   },\n   right: {\n   // Right align menu (default is left align)\n   type: Boolean,\n   default: false\n   },\n   offset: {\n   // Number of pixels to offset menu, or a CSS unit value (i.e. 1px, 1rem, etc)\n   type: [Number, String],\n   default: 0\n   },\n   noFlip: {\n   // Disable auto-flipping of menu from bottom<=>top\n   type: Boolean,\n   default: false\n   },\n   popperOpts: {\n   type: Object,\n   default: function _default() {}\n   }\n },\n data:\nfunction data() {\n   return {\n   visible: false,\n   inNavbar: null,\n   visibleChangePrevented: false\n   };\n },\n created: function created() {\n   // Create non-reactive property\n   this._popper = null;\n },\n mounted:\nfunction mounted() {\n   // To keep one dropdown opened on page\n   this.listenOnRoot('bv::dropdown::shown', this.rootCloseListener);\n   // Hide when clicked on links\n   this.listenOnRoot('clicked::link', this.rootCloseListener);\n   // Use new namespaced events\n   this.listenOnRoot('bv::link::clicked', this.rootCloseListener);\n },\n\n /* istanbul ignore next: not easy to test */\n deactivated: function deactivated() {\n

// In case we are inside a `<keep-alive>`\n   this.visible = false;\n   this.setTouchStart(false);\n this.removePopper();\n   },\n\n   /* istanbul ignore next: not easy to test */\n   beforeDestroy: function beforeDestroy() {\n   this.visible = false;\n   this.setTouchStart(false);\n   this.removePopper();\n   },\n\n   watch: {\n   visible: function visible(newValue, oldValue) {\n   if (this.visibleChangePrevented) {\n   this.visibleChangePrevented = false;\n   return;\n   }\n\n   if (newValue !== oldValue) {\n   var evtName = newValue ? 'show' : 'hide';\n   var bvEvt = new BvEvent(evtName, {\n   cancelable: true,\n   vueTarget: this,\n   target: this.$refs.menu,\n   relatedTarget: null\n   });\n   this.emitEvent(bvEvt);\n   if (bvEvt.defaultPrevented) {\n   // Reset value and exit if canceled\n   this.visibleChangePrevented = true;\n   this.visible = oldValue;\n   return;\n   }\n   if (evtName === 'show') {\n   this.showMenu();\n   } else {\n this.hideMenu();\n   }\n   }\n   },\n   disabled: function disabled(newValue, oldValue) {\n   if (newValue !== oldValue && newValue && this.visible) {\n   // Hide dropdown if disabled changes to true\n   this.visible = false;\n   }\n   }\n   },\n   computed: {\n   toggler: function toggler() {\n   return this.$refs.toggle.$el || this.$refs.toggle;\n   }\n   },\n   methods: {\n   // Event emitter\n   emitEvent: function emitEvent(bvEvt) {\n   var type = bvEvt.type;\n   this.$emit(type, bvEvt);\n   this.emitOnRoot('bv::dropdown:' + type, bvEvt);\n   },\n showMenu: function showMenu() {\n   if (this.disabled) {\n   return;\n   }\n   // Ensure other menus are closed\n   this.emitOnRoot('bv::dropdown::shown', this);\n\n   // Are we in a navbar ?\n   if (this.inNavbar === null && this.isNav) {\n   this.inNavbar = Boolean(closest('.navbar', this.$el));\n   }\n\n   // Disable totally Popper.js for Dropdown in Navbar\n   /* istnbul ignore next: can't test popper in JSDOM */\n   if (!this.inNavbar) {\n   if (typeof Popper === 'undefined') {\n   warn('b-dropdown: Popper.js not found. Falling back to CSS positioning.');\n   } else {\n   // for dropup with alignment we use the parent element as popper container\n   var element = this.dropup && this.right || this.split ? this.$el : this.$refs.toggle;\n   // Make sure we have a reference to an element, not a component!\n   element = element.$el || element;\n   // Instantiate popper.js\n   this.createPopper(element);\n   }\n   }\n\n   this.setTouchStart(true);\n this.$emit('shown');\n\n   // Focus on the first item on show\n   this.$nextTick(this.focusFirstItem);\n   },\n hideMenu: function hideMenu() {\n   this.setTouchStart(false);\n   this.emitOnRoot('bv::dropdown::hidden', this);\n   this.$emit('hidden');\n   this.removePopper();\n   },\n   createPopper: function createPopper(element) {\n   this.removePopper();\n   this._popper = new Popper(element, this.$refs.menu, this.getPopperConfig());\n   },\n   removePopper: function removePopper() {\n   if (this._popper) {\n   // Ensure popper event listeners are removed cleanly\n   this._popper.destroy();\n   }\n   this._popper = null;\n   },\n   getPopperConfig /* istanbul ignore next: can't test popper in JSDOM */: function getPopperConfig() {\n   var placement = AttachmentMap.BOTTOM;\n   if (this.dropup && this.right) {\n   // dropup + right\n   placement = AttachmentMap.TOPEND;\n   } else if (this.dropup) {\n   // dropup + left\n   placement = AttachmentMap.TOP;\n   } else if (this.right) {\n   // dropdown + right\n   placement = AttachmentMap.BOTTOMEND;\n   }\n   var popperConfig = {\n   placement: placement,\n   modifiers: {\n   offset: {\n   offset: this.offset || 0\n   },\n   flip: {\n   enabled: !this.noFlip\n   }\n   }\n   };\n   if (this.boundary) {\n   popperConfig.modifiers.preventOverflow = {\n   boundariesElement: this.boundary\n   };\n   }\n   return assign(popperConfig, this.popperOpts || {});\n   },\n   setTouchStart: function setTouchStart(on) {\n   var _this = this;\n\n   /*\n   * If this is a touch-enabled device we add extra\n   * empty mouseover listeners to the body's immediate children;\n   * only needed because of broken event delegation on iOS\n   * https://www.quirksmode.org/blog/archives/2014/02/mouse_event_bub.html\n   */\n if ('ontouchstart' in document.documentElement) {\n   var children = arrayFrom(document.body.children);\n children.forEach(function (el) {\n   if (on) {\n   eventOn('mouseover', _this._noop);\n   } else {\n eventOff('mouseover', _this._noop);\n   }\n   });\n   }\n   },\n\n   /* istanbul ignore next: not easy to test */\n   _noop: function _noop() {\n   // Do nothing event handler (used in touchstart event handler)\n   },\n   rootCloseListener: function rootCloseListener(vm) {\n   if (vm !== this) {\n   this.visible = false;\n   }\n   },\n clickOutListener: function clickOutListener() {\n   this.visible = false;\n   },\n   show: function show() {\n   // Public method to show dropdown\n   if (this.disabled) {\n   return;\n   }\n   this.visible = true;\n   },\n hide: function hide() {\n   // Public method to hide dropdown\n   if (this.disabled) {\n   return;\n   }\n

this.visible = false;\n   },\n   toggle: function toggle(evt) {\n   // Called only by a button that toggles the menu\n   evt = evt || { };\n   var type = evt.type;\n   var key = evt.keyCode;\n   if (type !== 'click' && !(type === 'keydown' && (key === KeyCodes.ENTER || key === KeyCodes.SPACE || key === KeyCodes.DOWN))) {\n   // We only toggle on Click, Enter, Space, and Arrow Down\n   return;\n   }\n   if (this.disabled) {\n   this.visible = false;\n   return;\n   }\n   this.$emit('toggle', evt);\n   if (evt.defaultPrevented) {\n   // Exit if canceled\n   return;\n   }\n   evt.preventDefault();\n   evt.stopPropagation();\n   // Toggle visibility\n   this.visible = !this.visible;\n   },\n   click: function click(evt) {\n   // Calle only in split button mode, for the split button\n   if (this.disabled) {\n   this.visible = false;\n   return;\n   }\n   this.$emit('click', evt);\n   },\n\n   /* istanbul ignore next: not easy to test */\n   onKeydown: function onKeydown(evt) {\n   // Called from dropdown menu context\n   var key = evt.keyCode;\n   if (key === KeyCodes.ESC) {\n   // Close on ESC\n   this.onEsc(evt);\n   } else if (key === KeyCodes.TAB) {\n   // Close on tab out\n   this.onTab(evt);\n   } else if (key === KeyCodes.DOWN) {\n   // Down Arrow\n   this.focusNext(evt, false);\n   } else if (key === KeyCodes.UP) {\n   // Up Arrow\n   this.focusNext(evt, true);\n   }\n   },\n\n   /* istanbul ignore next: not easy to test */\n   onEsc: function onEsc(evt) {\n   if (this.visible) {\n   this.visible = false;\n   evt.preventDefault();\n   evt.stopPropagation();\n   // Return focus to original trigger button\n   this.$nextTick(this.focusToggler);\n   }\n   },\n\n   /* istanbul ignore next: not easy to test */\n   onTab: function onTab(evt) {\n   if (this.visible) {\n   // TODO: Need special handler for dealing with form inputs\n   // Tab, if in a text-like input, we should just focus next item in the dropdown\n   // Note: Inputs are in a special .dropdown-form container\n   this.visible = false;\n   }\n   },\n   onFocusOut: function onFocusOut(evt) {\n   if (this.$refs.menu.contains(evt.relatedTarget)) {\n   return;\n   }\n   this.visible = false;\n   },\n\n   /* istanbul ignore next: not easy to test */\n   onMouseOver: function onMouseOver(evt) {\n   // Focus the item on hover\n   // TODO: Special handling for inputs? Inputs are in a special .dropdown-form container\n   var item = evt.target;\n   if (item.classList.contains('dropdown-item') && !item.disabled && !item.classList.contains('disabled') && item.focus) {\n   item.focus();\n   }\n   },\n   focusNext: function focusNext(evt, up) {\n   var _this2 = this;\n\n   if (!this.visible) {\n   return;\n   }\n   evt.preventDefault();\n   evt.stopPropagation();\n   this.$nextTick(function () {\n   var items = _this2.getItems();\n   if (items.length < 1) {\n   return;\n   }\n   var index = items.indexOf(evt.target);\n   if (up && index > 0) {\n   index--;\n   } else if (!up && index < items.length - 1) {\n   index++;\n   }\n   if (index < 0) {\n   index = 0;\n   }\n   _this2.focusItem(index, items);\n   });\n   },\n   focusItem: function focusItem(idx, items) {\n   var el = items.find(function (el, i) {\n   return i === idx;\n   });\n   if (el && getAttr(el, 'tabindex') !== '-1') {\n   el.focus();\n   }\n   },\n   getItems: function getItems() {\n   // Get all items\n   return filterVisible(selectAll(ITEM_SELECTOR, this.$refs.menu));\n   },\n   getFirstItem: function getFirstItem() {\n   // Get the first non-disabled item\n   var item = this.getItems()[0];\n   return item || null;\n   },\n   focusFirstItem: function focusFirstItem() {\n   var item = this.getFirstItem();\n   if (item) {\n   this.focusItem(0, [item]);\n   }\n   },\n   focusToggler: function focusToggler() {\n   var toggler = this.toggler;\n   if (toggler && toggler.focus) {\n   toggler.focus();\n   }\n   }\n};","import idMixin from '../../mixins/id';\nimport dropdownMixin from '../../mixins/dropdown';\n\nexport default {\n mixins: [idMixin, dropdownMixin],\n render: function render(h) {\n   var button = h('a', {\n   class: this.toggleClasses,\n   ref: 'toggle',\n   attrs: {\n   href: '#',\n   id: this.safeId('_BV_button_'),\n   disabled: this.disabled,\n   'aria-haspopup': 'true',\n   'aria-expanded': this.visible ? 'true' : 'false'\n   },\n   on: {\n   click: this.toggle,\n   keydown: this.toggle // space, enter, down\n   }\n   }, [this.$slots['button-content'] || this.$slots.text || h('span', {\n   domProps: { innerHTML: this.text } })]);\n   var menu = h('div', {\n   class: this.menuClasses,\n   ref: 'menu',\n   attrs: { 'aria-labelledby': this.safeId('_BV_button_') },\n   on: {\n   mouseover: this.onMouseOver,\n   keydown: this.onKeydown // tab, up, down, esc\n   }\n   }, [this.$slots.default]);\n   return h('li', { attrs: { id: this.safeId() }, class: this.dropdownClasses }, [button, menu]);\n },\n\n computed: {\n   isNav: function isNav() {\n   // Signal to dropdown mixin that we are in a navbar\n   return true;\n   },\n   dropdownClasses: function dropdownClasses() {\n   return ['nav-item', 'b-nav-dropdown', 'dropdown', this.dropup ? 'dropup' : '', this.visible ? 'show' : ''];\n   },\n   toggleClasses: function toggleClasses() {\n   return ['nav-link', this.noCaret ? '' : 'dropdown-

toggle', this.disabled ? 'disabled' : '', this.extraToggleClasses ? this.extraToggleClasses : ''];\n   },\n   menuClasses: function menuClasses() {\n   return ['dropdown-menu', this.right ? 'dropdown-menu-right' : 'dropdown-menu-left', this.visible ? 'show' : '', this.extraMenuClasses ? this.extraMenuClasses : ''];\n   }\n },\n props: {\n   noCaret: {\n   type: Boolean,\n   default: false\n   },\n   extraToggleClasses: {\n   // Extra Toggle classes\n   type: String,\n   default: ''\n   },\n   extraMenuClasses: {\n   // Extra Menu classes\n   type: String,\n   default: ''\n   },\n   role: {\n   type: String,\n   default: 'menu'\n   }\n }\n};","var _typeof = typeof Symbol === \"function\" && typeof Symbol.iterator === \"symbol\" ? function (obj) { return typeof obj; } : function (obj) { return obj && typeof Symbol === \"function\" && obj.constructor === Symbol && obj !== Symbol.prototype ? \"symbol\" : typeof obj; };\n\nvar _createClass = function () { function defineProperties(target, props) { for (var i = 0; i < props.length; i++) { var descriptor = props[i]; descriptor.enumerable = descriptor.enumerable || false; descriptor.configurable = true; if (\"value\" in descriptor) descriptor.writable = true; Object.defineProperty(target, descriptor.key, descriptor); } } return function (Constructor, protoProps, staticProps) { if (protoProps) defineProperties(Constructor.prototype, protoProps); if (staticProps) defineProperties(Constructor, staticProps); return Constructor; }; }();\n\nfunction _classCallCheck(instance, Constructor) { if (!(instance instanceof Constructor)) { throw new TypeError(\"Cannot call a class as a function\"); } }\n\nimport Popper from 'popper.js';\nimport BvEvent from './bv-event.class';\nimport { assign } from './object';\nimport { from as arrayFrom } from './array';\nimport { closest, select, isVisible, isDisabled, getCS, addClass, removeClass, hasClass, setAttr, removeAttr, getAttr, eventOn, eventOff } from './dom';\n\nvar NAME = 'tooltip';\nvar CLASS_PREFIX = 'bs-tooltip';\nvar BSCLS_PREFIX_REGEX = new RegExp('\\\\b' + CLASS_PREFIX + '\\\\S+', 'g');\n\nvar TRANSITION_DURATION = 150;\n\n// Modal $root hidden event\nvar MODAL_CLOSE_EVENT = 'bv::modal::hidden';\n// Modal container for appending tip/popover\nvar MODAL_CLASS = '.modal-content';\n\nvar AttachmentMap = {\n   AUTO: 'auto',\n   TOP: 'top',\n   RIGHT: 'right',\n   BOTTOM: 'bottom',\n   LEFT: 'left',\n   TOPLEFT: 'top',\n   TOPRIGHT: 'top',\n   RIGHTTOP: 'right',\n   RIGHTBOTTOM: 'right',\n   BOTTOMLEFT: 'bottom',\n   BOTTOMRIGHT: 'bottom',\n   LEFTTOP: 'left',\n   LEFTBOTTOM: 'left'\n};\n\nvar OffsetMap = {\n   AUTO: 0,\n   TOPLEFT: -1,\n   TOP: 0,\n   TOPRIGHT: +1,\n   RIGHTTOP: -1,\n   RIGHT: 0,\n   RIGHTBOTTOM: +1,\n   BOTTOMLEFT: -1,\n   BOTTOM: 0,\n   BOTTOMRIGHT: +1,\n   LEFTTOP: -1,\n   LEFT: 0,\n   LEFTBOTTOM: +1\n};\n\nvar HoverState = {\n   SHOW: 'show',\n   OUT: 'out'\n};\n\nvar ClassName = {\n   FADE: 'fade',\n   SHOW: 'show'\n};\n\nvar Selector = {\n   TOOLTIP: '.tooltip',\n   TOOLTIP_INNER: '.tooltip-inner',\n   ARROW: '.arrow'\n\n   // ESLINT: Not used\n   // const Trigger = {\n   //   HOVER: 'hover',\n   //   FOCUS: 'focus',\n   //   CLICK: 'click',\n   //   BLUR: 'blur',\n   //   MANUAL: 'manual'\n   // }\n};var Defaults = {\n   animation: true,\n   template: '<div class=\"tooltip\" role=\"tooltip\">' + '<div class=\"arrow\"></div>' + '<div class=\"tooltip-inner\"></div>' + '</div>',\n   trigger: 'hover focus',\n   title: '',\n   delay: 0,\n   html: false,\n   placement: 'top',\n   offset: 0,\n   arrowPadding: 6,\n   container: false,\n   fallbackPlacement: 'flip',\n   callbacks: {},\n   boundary: 'scrollParent'\n\n   // Transition Event names\n};var TransitionEndEvents = {\n   WebkitTransition: ['webkitTransitionEnd'],\n   MozTransition: ['transitionend'],\n   OTransition: ['otransitionend', 'oTransitionEnd'],\n   transition: ['transitionend']\n\n   // Client Side Tip ID counter for aria-describedby attribute\n   // Could use Alex's uid generator util\n   // Each tooltip requires a unique client side ID\n};var NEXTID = 1;\n/* istanbul ignore next */\nfunction generateId(name) {\n   return '__BV_' + name + '_' + NEXTID++ + '__';\n}\n\n/*\n * ToolTip Class definition\n */\n/* istanbul ignore next: difficult to test in Jest/JSDOM environment */\nvar ToolTip = function () {\n   // Main constructor\n   function ToolTip(element, config, $root) {\n   _classCallCheck(this, ToolTip);\n\n   // New tooltip object\n   this.$isEnabled = true;\n   this.$fadeTimeout = null;\n   this.$hoverTimeout = null;\n   this.$visibleInterval = null;\n   this.$hoverState = '';\n   this.$activeTrigger = {};\n   this.$popper = null;\n   this.$element = element;\n   this.$tip = null;\n   this.$id = generateId(this.constructor.NAME);\n   this.$root = $root || null;\n   this.$routeWatcher = null;\n   // We use a bound version of the following handlers for root/modal listeners to maintain the 'this' context\n   this.$forceHide = this.forceHide.bind(this);\n   this.$doHide = this.doHide.bind(this);\n   this.$doShow = this.doShow.bind(this);\n   this.$doDisable = this.doDisable.bind(this);\n   this.$doEnable = this.doEnable.bind(this);\n   // Set the configuration\n   this.updateConfig(config);\n   }\n\n   // NOTE: Overridden by PopOver class\n\n\n   _createClass(ToolTip, [{\n   key: 'updateConfig',\n\n\n   // Update config\n   value: function updateConfig(config)

{\n   // Merge config into defaults. We use \"this\" here because PopOver overrides Default\n   var updatedConfig = assign({}, this.constructor.Default, config);\n\n   // Sanitize delay\n   if (config.delay && typeof config.delay === 'number') {\n   updatedConfig.delay = {\n   show: config.delay,\n   hide: config.delay\n   };\n   }\n\n   // Title for tooltip and popover\n   if (config.title && typeof config.title === 'number') {\n   updatedConfig.title = config.title.toString();\n   }\n\n   // Content only for popover\n   if (config.content && typeof config.content === 'number') {\n   updatedConfig.content = config.content.toString();\n   }\n\n   // Hide element original title if needed\n   this.fixTitle();\n   // Update the config\n   this.$config = updatedConfig;\n   // Stop/Restart listening\n   this.unListen();\n   this.listen();\n }\n\n // Destroy this instance\n\n }, {\n   key: 'destroy',\n   value: function destroy() {\n   // Stop listening to trigger events\n   this.unListen();\n   // Disable while open listeners/watchers\n   this.setWhileOpenListeners(false);\n   // Clear any timeouts\n   clearTimeout(this.$hoverTimeout);\n   this.$hoverTimeout = null;\n   clearTimeout(this.$fadeTimeout);\n   this.$fadeTimeout = null;\n   // Remove popper\n   if (this.$popper) {\n   this.$popper.destroy();\n   }\n   this.$popper = null;\n   // Remove tip from document\n   if (this.$tip && this.$tip.parentElement) {\n   this.$tip.parentElement.removeChild(this.$tip);\n   }\n   this.$tip = null;\n   // Null out other properties\n   this.$id = null;\n   this.$isEnabled = null;\n   this.$root = null;\n   this.$element = null;\n   this.$config = null;\n   this.$hoverState = null;\n   this.$activeTrigger = null;\n   this.$forceHide = null;\n   this.$doHide = null;\n   this.$doShow = null;\n   this.$doDisable = null;\n   this.$doEnable = null;\n   }\n }, {\n   key: 'enable',\n   value: function enable() {\n   // Create a non-cancelable BvEvent\n   var enabledEvt = new BvEvent('enabled', {\n   cancelable: false,\n   target: this.$element,\n   relatedTarget: null\n   });\n   this.$isEnabled = true;\n   this.emitEvent(enabledEvt);\n   }\n }, {\n   key: 'disable',\n   value: function disable() {\n   // Create a non-cancelable BvEvent\n   var disabledEvt = new BvEvent('disabled', {\n   cancelable: false,\n   target: this.$element,\n   relatedTarget: null\n   });\n   this.$isEnabled = false;\n   this.emitEvent(disabledEvt);\n   }\n\n // Click toggler\n\n }, {\n   key: 'toggle',\n   value: function toggle(event) {\n   if (!this.$isEnabled) {\n   return;\n   }\n   if (event) {\n   this.$activeTrigger.click = !this.$activeTrigger.click;\n\n   if (this.isWithActiveTrigger()) {\n   this.enter(null);\n   } else {\n   this.leave(null);\n   }\n   } else {\n   if (hasClass(this.getTipElement(), ClassName.SHOW)) {\n   this.leave(null);\n   } else {\n   this.enter(null);\n   }\n   }\n   }\n\n // Show tooltip\n\n }, {\n   key: 'show',\n   value: function show() {\n   var _this = this;\n\n   if (!document.body.contains(this.$element) || !isVisible(this.$element)) {\n   // If trigger element isn't in the DOM or is not visible\n   return;\n   }\n   // Build tooltip element (also sets this.$tip)\n   var tip = this.getTipElement();\n   this.fixTitle();\n   this.setContent(tip);\n   if (!this.isWithContent(tip)) {\n   // if No content, don't bother showing\n   this.$tip = null;\n   return;\n   }\n\n   // Set ID on tip and aria-describedby on element\n   setAttr(tip, 'id', this.$id);\n   this.addAriaDescribedby();\n\n   // Set animation on or off\n   if (this.$config.animation) {\n   addClass(tip, ClassName.FADE);\n   } else {\n   removeClass(tip, ClassName.FADE);\n   }\n\n   var placement = this.getPlacement();\n   var attachment = this.constructor.getAttachment(placement);\n   this.addAttachmentClass(attachment);\n\n   // Create a cancelable BvEvent\n   var showEvt = new BvEvent('show', {\n   cancelable: true,\n   target: this.$element,\n   relatedTarget: tip\n   });\n   this.emitEvent(showEvt);\n   if (showEvt.defaultPrevented) {\n   // Don't show if event cancelled\n   this.$tip = null;\n   return;\n   }\n\n   // Insert tooltip if needed\n   var container = this.getContainer();\n   if (!document.body.contains(tip)) {\n   container.appendChild(tip);\n   }\n\n   // Refresh popper\n   this.removePopper();\n   this.$popper = new Popper(this.$element, tip, this.getPopperConfig(placement, tip));\n\n   // Transitionend Callback\n   var complete = function complete() {\n   if (_this.$config.animation) {\n   _this.fixTransition(tip);\n   }\n   var prevHoverState = _this.$hoverState;\n   _this.$hoverState = null;\n   if (prevHoverState === HoverState.OUT) {\n   _this.leave(null);\n   }\n   // Create a non-cancelable BvEvent\n   var shownEvt = new BvEvent('shown', {\n   cancelable: false,\n   target: _this.$element,\n   relatedTarget: tip\n   });\n   _this.emitEvent(shownEvt);\n   };\n\n   // Enable while open listeners/watchers\n   this.setWhileOpenListeners(true);\n\n   // Show tip\n   addClass(tip,

ClassName.SHOW);\n\n   // Start the transition/animation\n   this.transitionOnce(tip, complete);\n   }\n\n   // handler for periodic visibility check\n\n }, {\n   key: 'visibleCheck',\n   value: function visibleCheck(on) {\n   var _this2 = this;\n\n   clearInterval(this.$visibleInterval);\n   this.$visibleInterval = null;\n   if (on) {\n   this.$visibleInterval = setInterval(function () {\n   var tip = _this2.getTipElement();\n   if (tip && !isVisible(_this2.$element) && hasClass(tip, ClassName.SHOW)) {\n   // Element is no longer visible, so force-hide the tooltip\n   _this2.forceHide();\n   }\n   }, 100);\n   }\n   }\n }, {\n   key: 'setWhileOpenListeners',\n   value: function setWhileOpenListeners(on) {\n   // Modal close events\n   this.setModalListener(on);\n   // Periodic $element visibility check\n   // For handling when tip is in <keepalive>, tabs, carousel, etc\n   this.visibleCheck(on);\n   // Route change events\n   this.setRouteWatcher(on);\n   // Ontouch start listeners\n   this.setOnTouchStartListener(on);\n   if (on && /(focus|blur)/.test(this.$config.trigger)) {\n   // If focus moves between trigger element and tip container, dont close\n   eventOn(this.$tip, 'focusout', this);\n   } else {\n   eventOff(this.$tip, 'focusout', this);\n   }\n   }\n\n   // force hide of tip (internal method)\n\n }, {\n   key: 'forceHide',\n   value: function forceHide() {\n   if (!this.$tip || !hasClass(this.$tip, ClassName.SHOW)) {\n   return;\n   }\n   // Disable while open listeners/watchers\n   this.setWhileOpenListeners(false);\n   // Clear any hover enter/leave event\n   clearTimeout(this.$hoverTimeout);\n   this.$hoverTimeout = null;\n   this.$hoverState = '';\n   // Hide the tip\n   this.hide(null, true);\n   }\n\n   // Hide tooltip\n\n }, {\n   key: 'hide',\n   value: function hide(callback, force) {\n   var _this3 = this;\n\n   var tip = this.$tip;\n   if (!tip) {\n   return;\n   }\n\n   // Create a canelable BvEvent\n   var hideEvt = new BvEvent('hide', {\n   // We disable cancelling if force is true\n   cancelable: !force,\n   target: this.$element,\n   relatedTarget: tip\n   });\n   this.emitEvent(hideEvt);\n   if (hideEvt.defaultPrevented) {\n   // Don't hide if event cancelled\n   return;\n   }\n\n   // Transitionend Callback\n   /* istanbul ignore next */\n   var complete = function complete() {\n   if (_this3.$hoverState !== HoverState.SHOW && tip.parentNode) {\n   // Remove tip from dom, and force recompile on next show\n   tip.parentNode.removeChild(tip);\n   _this3.removeAriaDescribedby();\n   _this3.removePopper();\n   _this3.$tip = null;\n   }\n   if (callback) {\n   callback();\n   }\n   // Create a non-cancelable BvEvent\n   var hiddenEvt = new BvEvent('hidden', {\n   cancelable: false,\n   target: _this3.$element,\n   relatedTarget: null\n   });\n   _this3.emitEvent(hiddenEvt);\n   };\n\n   // Disable while open listeners/watchers\n   this.setWhileOpenListeners(false);\n\n   // If forced close, disable animation\n   if (force) {\n   removeClass(tip, ClassName.FADE);\n   }\n   // Hide tip\n   removeClass(tip, ClassName.SHOW);\n\n   this.$activeTrigger.click = false;\n   this.$activeTrigger.focus = false;\n   this.$activeTrigger.hover = false;\n\n   // Start the hide transition\n   this.transitionOnce(tip, complete);\n\n   this.$hoverState = '';\n   }\n }, {\n   key: 'emitEvent',\n   value: function emitEvent(evt) {\n   var evtName = evt.type;\n   if (this.$root && this.$root.$emit) {\n   // Emit an event on $root\n   this.$root.$emit('bv::' + this.constructor.NAME + '::' + evtName, evt);\n   }\n   var callbacks = this.$config.callbacks || {};\n   if (typeof callbacks[evtName] === 'function') {\n   callbacks[evtName](evt);\n   }\n   }\n }, {\n   key: 'getContainer',\n   value: function getContainer() {\n   var container = this.$config.container;\n   var body = document.body;\n   // If we are in a modal, we append to the modal instead of body, unless a container is specified\n   return container === false ? closest(MODAL_CLASS, this.$element) || body : select(container, body) || body;\n   }\n\n   // Will be overritten by popover if needed\n\n }, {\n   key: 'addAriaDescribedby',\n   value: function addAriaDescribedby() {\n   // Add aria-describedby on trigger element, without removing any other IDs\n   var desc = getAttr(this.$element, 'aria-describedby') || '';\n   desc = desc.split(/\\s+/).concat(this.$id).join(' ').trim();\n   setAttr(this.$element, 'aria-describedby', desc);\n   }\n\n   // Will be overritten by popover if needed\n\n }, {\n   key: 'removeAriaDescribedby',\n   value: function removeAriaDescribedby() {\n   var _this4 = this;\n\n   var desc = getAttr(this.$element, 'aria-describedby') || '';\n   desc = desc.split(/\\s+/).filter(function (d) {\n   return d !== _this4.$id;\n   }).join(' ').trim();\n   if (desc) {\n   setAttr(this.$element, 'aria-describedby', desc);\n   } else {\n   removeAttr(this.$element, 'aria-describedby');\n   }\n   }\n }, {\n   key: 'removePopper',\n   value: function removePopper() {\n   if (this.$popper) {\n   this.$popper.destroy();\n   }\n   this.$popper = null;\n   }\n\n   /* istanbul ignore next */\n\n }, {\n   key: 'transitionOnce',\n   value: function transitionOnce(tip, complete)

{\n   var _this5 = this;\n\n   var transEvents = this.getTransitionEndEvents();\n   var called = false;\n   clearTimeout(this.$fadeTimeout);\n   this.$fadeTimeout = null;\n   var fnOnce = function fnOnce() {\n   if (called) {\n   return;\n   }\n   called = true;\n   clearTimeout(_this5.$fadeTimeout);\n   _this5.$fadeTimeout = null;\n   transEvents.forEach(function (evtName) {\n   eventOff(tip, evtName, fnOnce);\n   });\n   // Call complete callback\n   complete();\n   };\n   if (hasClass(tip, ClassName.FADE)) {\n   transEvents.forEach(function (evtName) {\n   eventOn(tip, evtName, fnOnce);\n   });\n   // Fallback to setTimeout\n   this.$fadeTimeout = setTimeout(fnOnce, TRANSITION_DURATION);\n   } else {\n   fnOnce();\n   }\n\n   // What transitionend event(s) to use? (returns array of event names)\n\n }, {\n   key: 'getTransitionEndEvents',\n   value: function getTransitionEndEvents() {\n   for (var name in TransitionEndEvents) {\n   if (this.$element.style[name] !== undefined) {\n   return TransitionEndEvents[name];\n   }\n   }\n   // fallback\n   return [];\n   }\n }, {\n   key: 'update',\n   value: function update() {\n   if (this.$popper !== null) {\n   this.$popper.scheduleUpdate();\n   }\n   }\n\n   // NOTE: Overridden by PopOver class\n\n }, {\n   key: 'isWithContent',\n   value: function isWithContent(tip) {\n   tip = tip || this.$tip;\n   if (!tip) {\n   return false;\n   }\n   return Boolean((select(Selector.TOOLTIP_INNER, tip) || {}).innerHTML);\n   }\n\n   // NOTE: Overridden by PopOver class\n\n }, {\n   key: 'addAttachmentClass',\n   value: function addAttachmentClass(attachment) {\n   addClass(this.getTipElement(), CLASS_PREFIX + '-' + attachment);\n   }\n }, {\n   key: 'getTipElement',\n   value: function getTipElement() {\n   if (!this.$tip) {\n   // Try and compile user supplied template, or fallback to default template\n   this.$tip = this.compileTemplate(this.$config.template) || this.compileTemplate(this.constructor.Default.template);\n   }\n   // Add tab index so tip can be focused, and to allow it to be set as relatedTargt in focusin/out events\n   this.$tip.tabIndex = -1;\n   return this.$tip;\n   }\n }, {\n   key: 'compileTemplate',\n   value: function compileTemplate(html) {\n   if (!html || typeof html !== 'string') {\n   return null;\n   }\n   var div = document.createElement('div');\n   div.innerHTML = html.trim();\n   var node = div.firstElementChild ? div.removeChild(div.firstElementChild) : null;\n   div = null;\n   return node;\n   }\n\n   // NOTE: Overridden by PopOver class\n\n }, {\n   key: 'setContent',\n   value: function setContent(tip) {\n   this.setElementContent(select(Selector.TOOLTIP_INNER, tip), this.getTitle());\n   removeClass(tip, ClassName.FADE);\n   removeClass(tip, ClassName.SHOW);\n   }\n }, {\n   key: 'setElementContent',\n   value: function setElementContent(container, content) {\n   if (!container) {\n   // If container element doesn't exist, just return\n   return;\n   }\n   var allowHtml = this.$config.html;\n   if ((typeof content === 'undefined' ? 'undefined' : _typeof(content)) === 'object' && content.nodeType) {\n   // content is a DOM node\n   if (allowHtml) {\n   if (content.parentElement !== container) {\n   container.innerHtml = '';\n   container.appendChild(content);\n   }\n   } else {\n   container.innerText = content.innerText;\n   }\n   } else {\n   // We have a plain HTML string or Text\n   container[allowHtml ? 'innerHTML' : 'innerText'] = content;\n   }\n   }\n\n   // NOTE: Overridden by PopOver class\n\n }, {\n   key: 'getTitle',\n   value: function getTitle() {\n   var title = this.$config.title || '';\n   if (typeof title === 'function') {\n   // Call the function to get the title value\n   title = title(this.$element);\n   }\n   if ((typeof title === 'undefined' ? 'undefined' : _typeof(title)) === 'object' && title.nodeType && !title.innerHTML.trim()) {\n   // We have a DOM node, but without inner content, so just return empty string\n   title = '';\n   }\n   if (typeof title === 'string') {\n   title = title.trim();\n   }\n   if (!title) {\n   // If an explicit title is not given, try element's title atributes\n   title = getAttr(this.$element, 'title') || getAttr(this.$element, 'data-original-title') || '';\n   title = title.trim();\n   }\n\n   return title;\n   }\n }, {\n   key: 'listen',\n   value: function listen() {\n   var _this6 = this;\n\n   var triggers = this.$config.trigger.trim().split(/\\s+/);\n   var el = this.$element;\n\n   // Listen for global show/hide events\n   this.setRootListener(true);\n\n   // Using 'this' as the handler will get automagically directed to this.handleEvent\n   // And maintain our binding to 'this'\n   triggers.forEach(function (trigger) {\n   if (trigger === 'click') {\n   eventOn(el, 'click', _this6);\n   } else if (trigger === 'focus') {\n   eventOn(el, 'focusin', _this6);\n   eventOn(el, 'focusout', _this6);\n   } else if (trigger === 'blur') {\n   // Used to close $tip when element looses focus\n   eventOn(el, 'focusout', _this6);\n   } else if (trigger === 'hover') {\n   eventOn(el, 'mouseenter',

_this6);\n   eventOn(el, 'mouseleave', _this6);\n   }\n   }, this);\n   }\n }, {\n   key: 'unListen',\n   value: function unListen() {\n   var _this7 = this;\n\n   var events = ['click', 'focusin', 'focusout', 'mouseenter', 'mouseleave'];\n   // Using \"this\" as the handler will get automagically directed to this.handleEvent\n   events.forEach(function (evt) {\n   eventOff(_this7.$element, evt, _this7);\n   }, this);\n\n   // Stop listening for global show/hide/enable/disable events\n   this.setRootListener(false);\n   }\n }, {\n   key: 'handleEvent',\n   value: function handleEvent(e) {\n   // This special method allows us to use \"this\" as the event handlers\n   if (isDisabled(this.$element)) {\n   // If disabled, don't do anything. Note: if tip is shown before element gets\n   // disabled, then tip not close until no longer disabled or forcefully closed.\n   return;\n   }\n   if (!this.$isEnabled) {\n   // If not enable\n   return;\n   }\n   var type = e.type;\n   var target = e.target;\n   var relatedTarget = e.relatedTarget;\n   var $element = this.$element;\n   var $tip = this.$tip;\n   if (type === 'click') {\n   this.toggle(e);\n   } else if (type === 'focusin' || type === 'mouseenter') {\n   this.enter(e);\n   } else if (type === 'focusout') {\n   // target is the element which is loosing focus\n   // And relatedTarget is the element gaining focus\n   if ($tip && $element && $element.contains(target) && $tip.contains(relatedTarget)) {\n   // If focus moves from $element to $tip, don't trigger a leave\n   return;\n   }\n   if ($tip && $element && $tip.contains(target) && $element.contains(relatedTarget)) {\n   // If focus moves from $tip to $element, don't trigger a leave\n   return;\n   }\n   if ($tip && $tip.contains(target) && $tip.contains(relatedTarget)) {\n   // If focus moves within $tip, don't trigger a leave\n   return;\n   }\n   if ($element && $element.contains(target) && $element.contains(relatedTarget)) {\n   // If focus moves within $element, don't trigger a leave\n   return;\n   }\n   // Otherwise trigger a leave\n   this.leave(e);\n   } else if (type === 'mouseleave') {\n   this.leave(e);\n   }\n   }\n\n   /* istanbul ignore next */\n\n }, {\n   key: 'setRouteWatcher',\n   value: function setRouteWatcher(on) {\n   var _this8 = this;\n\n   if (on) {\n   this.setRouteWatcher(false);\n   if (this.$root && Boolean(this.$root.$route)) {\n   this.$routeWatcher = this.$root.$watch('$route', function (newVal, oldVal) {\n   if (newVal === oldVal) {\n   return;\n   }\n   // If route has changed, we force hide the tooltip/popover\n   _this8.forceHide();\n   });\n   }\n   } else {\n   if (this.$routeWatcher) {\n   // cancel the route watcher by calling hte stored reference\n   this.$routeWatcher();\n   this.$routeWatcher = null;\n   }\n   }\n   }\n\n   /* istanbul ignore next */\n\n }, {\n   key: 'setModalListener',\n   value: function setModalListener(on) {\n   var modal = closest(MODAL_CLASS, this.$element);\n   if (!modal) {\n   // If we are not in a modal, don't worry. be happy\n   return;\n   }\n   // We can listen for modal hidden events on $root\n   if (this.$root) {\n   this.$root[on ? '$on' : '$off'](MODAL_CLOSE_EVENT, this.$forceHide);\n   }\n   }\n\n   /* istanbul ignore next */\n\n }, {\n   key: 'setRootListener',\n   value: function setRootListener(on) {\n   // Listen for global 'bv::{hide|show}::{tooltip|popover}' hide request event\n   if (this.$root) {\n   this.$root[on ? '$on' : '$off']('bv::hide::' + this.constructor.NAME, this.$doHide);\n   this.$root[on ? '$on' : '$off']('bv::show::' + this.constructor.NAME, this.$doShow);\n   this.$root[on ? '$on' : '$off']('bv::disable::' + this.constructor.NAME, this.$doDisable);\n   this.$root[on ? '$on' : '$off']('bv::enable::' + this.constructor.NAME, this.$doEnable);\n   }\n   }\n }, {\n   key: 'doHide',\n   value: function doHide(id) {\n   // Programmatically hide tooltip or popover\n   if (!id) {\n   // Close all tooltips or popovers\n   this.forceHide();\n   } else if (this.$element && this.$element.id && this.$element.id === id) {\n   // Close this specific tooltip or popover\n   this.hide();\n   }\n   }\n }, {\n   key: 'doShow',\n   value: function doShow(id) {\n   // Programmatically show tooltip or popover\n   if (!id) {\n   // Open all tooltips or popovers\n   this.show();\n   } else if (id && this.$element && this.$element.id && this.$element.id === id) {\n   // Show this specific tooltip or popover\n   this.show();\n   }\n   }\n }, {\n   key: 'doDisable',\n   value: function doDisable(id) {\n   // Programmatically disable tooltip or popover\n   if (!id) {\n   // Disable all tooltips or popovers\n   this.disable();\n   } else if (this.$element && this.$element.id && this.$element.id === id) {\n   // Disable this specific tooltip or popover\n   this.disable();\n   }\n   }\n }, {\n   key: 'doEnable',\n   value: function doEnable(id) {\n   // Programmatically enable tooltip or popover\n   if (!id) {\n   // Enable all tooltips or popovers\n   this.enable();\n   } else if (this.$element && this.$element.id && this.$element.id === id) {\n   // Enable this specific tooltip or popover\n   this.enable();\n   }\n   }\n\n   /* istanbul ignore next */\n\n }, {\n   key:

'setOnTouchStartListener',\n   value: function setOnTouchStartListener(on) {\n   var _this9 = this;\n\n   // if this is a touch-enabled device we add extra\n   // empty mouseover listeners to the body's immediate children;\n   // only needed because of broken event delegation on iOS\n   // https://www.quirksmode.org/blog/archives/2014/02/mouse_event_bub.html\n   if ('ontouchstart' in document.documentElement) {\n   arrayFrom(document.body.children).forEach(function (el) {\n   if (on) {\n   eventOn(el, 'mouseover', _this9._noop);\n   } else {\n   eventOff(el, 'mouseover', _this9._noop);\n   }\n   });\n   }\n   }\n\n   /* istanbul ignore next */\n\n }, {\n   key: '_noop',\n   value: function _noop() {\n   // Empty noop handler for ontouchstart devices\n   }\n }, {\n   key: 'fixTitle',\n   value: function fixTitle() {\n   var el = this.$element;\n   var titleType = _typeof(getAttr(el, 'data-original-title'));\n   if (getAttr(el, 'title') || titleType !== 'string') {\n   setAttr(el, 'data-original-title', getAttr(el, 'title') || '');\n   setAttr(el, 'title', '');\n   }\n   }\n\n   // Enter handler\n   /* istanbul ignore next */\n\n }, {\n   key: 'enter',\n   value: function enter(e) {\n   var _this10 = this;\n\n   if (e) {\n   this.$activeTrigger[e.type === 'focusin' ? 'focus' : 'hover'] = true;\n   }\n   if (hasClass(this.getTipElement(), ClassName.SHOW) || this.$hoverState === HoverState.SHOW) {\n   this.$hoverState = HoverState.SHOW;\n   return;\n   }\n   clearTimeout(this.$hoverTimeout);\n   this.$hoverState = HoverState.SHOW;\n   if (!this.$config.delay || !this.$config.delay.show) {\n   this.show();\n   return;\n   }\n   this.$hoverTimeout = setTimeout(function () {\n   if (_this10.$hoverState === HoverState.SHOW) {\n   _this10.show();\n   }\n   }, this.$config.delay.show);\n   }\n\n   // Leave handler\n   /* istanbul ignore next */\n\n }, {\n   key: 'leave',\n   value: function leave(e) {\n   var _this11 = this;\n\n   if (e) {\n   this.$activeTrigger[e.type === 'focusout' ? 'focus' : 'hover'] = false;\n   if (e.type === 'focusout' && /blur/.test(this.$config.trigger)) {\n   // Special case for `blur`: we clear out the other triggers\n   this.$activeTrigger.click = false;\n   this.$activeTrigger.hover = false;\n   }\n   }\n   if (this.isWithActiveTrigger()) {\n   return;\n   }\n   clearTimeout(this.$hoverTimeout);\n   this.$hoverState = HoverState.OUT;\n   if (!this.$config.delay || !this.$config.delay.hide) {\n   this.hide();\n   return;\n   }\n   this.$hoverTimeout = setTimeout(function () {\n   if (_this11.$hoverState === HoverState.OUT) {\n   _this11.hide();\n   }\n   }, this.$config.delay.hide);\n   }\n }, {\n   key: 'getPopperConfig',\n   value: function getPopperConfig(placement, tip) {\n   var _this12 = this;\n\n   return {\n   placement: this.constructor.getAttachment(placement),\n   modifiers: {\n   offset: { offset: this.getOffset(placement, tip) },\n   flip: { behavior: this.$config.fallbackPlacement },\n   arrow: { element: '.arrow' },\n   preventOverflow: { boundariesElement: this.$config.boundary }\n   },\n   onCreate: function onCreate(data) {\n   // Handle flipping arrow classes\n   if (data.originalPlacement !== data.placement) {\n   _this12.handlePopperPlacementChange(data);\n   }\n   },\n   onUpdate: function onUpdate(data) {\n   // Handle flipping arrow classes\n   _this12.handlePopperPlacementChange(data);\n   }\n   };\n   }\n }, {\n   key: 'getOffset',\n   value: function getOffset(placement, tip) {\n   if (!this.$config.offset) {\n   var arrow = select(Selector.ARROW, tip);\n   var arrowOffset = parseFloat(getCS(arrow).width) + parseFloat(this.$config.arrowPadding);\n   switch (OffsetMap[placement.toUpperCase()]) {\n   case +1:\n   return '+50%p - ' + arrowOffset + 'px';\n   case -1:\n   return '-50%p + ' + arrowOffset + 'px';\n   default:\n   return 0;\n   }\n   }\n   return this.$config.offset;\n   }\n }, {\n   key: 'getPlacement',\n   value: function getPlacement() {\n   var placement = this.$config.placement;\n   if (typeof placement === 'function') {\n   return placement.call(this, this.$tip, this.$element);\n   }\n   return placement;\n   }\n }, {\n   key: 'isWithActiveTrigger',\n   value: function isWithActiveTrigger() {\n   for (var trigger in this.$activeTrigger) {\n   if (this.$activeTrigger[trigger]) {\n   return true;\n   }\n   }\n   return false;\n   }\n\n   // NOTE: Overridden by PopOver class\n\n }, {\n   key: 'cleanTipClass',\n   value: function cleanTipClass() {\n   var tip = this.getTipElement();\n   var tabClass = tip.className.match(BSCLS_PREFIX_REGEX);\n   if (tabClass !== null && tabClass.length > 0) {\n   tabClass.forEach(function (cls) {\n   removeClass(tip, cls);\n   });\n   }\n   }\n }, {\n   key: 'handlePopperPlacementChange',\n   value: function handlePopperPlacementChange(data) {\n   this.cleanTipClass();\n   this.addAttachmentClass(this.constructor.getAttachment(data.placement));\n   }\n }, {\n   key: 'fixTransition',\n   value: function fixTransition(tip) {\n   var initConfigAnimation = this.$config.animation || false;\n   if (getAttr(tip, 'x-placement') !== null) {\n   return;\n   }\n

removeClass(tip, ClassName.FADE);\n   this.$config.animation = false;\n   this.hide();\n   this.show();\n this.$config.animation = initConfigAnimation;\n   }\n }], [{\n   key: 'getAttachment',\n   value: function getAttachment(placement) {\n   return AttachmentMap[placement.toUpperCase()];\n   }\n }, {\n   key: 'Default',\n   get: function get() {\n   return Defaults;\n   }\n\n   // NOTE: Overridden by PopOver class\n\n }, {\n   key: 'NAME',\n   get: function get() {\n   return NAME;\n   }\n }]);\n\n return ToolTip;\n}();\n\nexport default ToolTip;","var _typeof = typeof Symbol === \"function\" && typeof Symbol.iterator === \"symbol\" ? function (obj) { return typeof obj; } : function (obj) { return obj && typeof Symbol === \"function\" && obj.constructor === Symbol && obj !== Symbol.prototype ? \"symbol\" : typeof obj; };\n\nvar _createClass = function () { function defineProperties(target, props) { for (var i = 0; i < props.length; i++) { var descriptor = props[i]; descriptor.enumerable = descriptor.enumerable || false; descriptor.configurable = true; if (\"value\" in descriptor) descriptor.writable = true; Object.defineProperty(target, descriptor.key, descriptor); } } return function (Constructor, protoProps, staticProps) { if (protoProps) defineProperties(Constructor.prototype, protoProps); if (staticProps) defineProperties(Constructor, staticProps); return Constructor; }; }();\n\nfunction _classCallCheck(instance, Constructor) { if (!(instance instanceof Constructor)) { throw new TypeError(\"Cannot call a class as a function\"); } }\n\nfunction _possibleConstructorReturn(self, call) { if (!self) { throw new ReferenceError(\"this hasn't been initialised - super() hasn't been called\"); } return call && (typeof call === \"object\" || typeof call === \"function\") ? call : self; }\n\nfunction _inherits(subClass, superClass) { if (typeof superClass !== \"function\" && superClass !== null) { throw new TypeError(\"Super expression must either be null or a function, not \" + typeof superClass); } subClass.prototype = Object.create(superClass && superClass.prototype, { constructor: { value: subClass, enumerable: false, writable: true, configurable: true } }); if (superClass) Object.setPrototypeOf ? Object.setPrototypeOf(subClass, superClass) : subClass.__proto__ = superClass; }\n\nimport ToolTip from './tooltip.class';\nimport { assign } from './object';\nimport { select, addClass, removeClass, getAttr } from './dom';\n\nvar NAME = 'popover';\nvar CLASS_PREFIX = 'bs-popover';\nvar BSCLS_PREFIX_REGEX = new RegExp('\\\\b' + CLASS_PREFIX + '\\\\S+', 'g');\n\nvar Defaults = assign({}, ToolTip.Default, {\n placement: 'right',\n trigger: 'click',\n content: '',\n template: '<div class=\"popover\" role=\"tooltip\">' + '<div class=\"arrow\"></div>' + '<h3 class=\"popover-header\"></h3>' + '<div class=\"popover-body\"></div></div>'\n});\n\nvar ClassName = {\n FADE: 'fade',\n SHOW: 'show'\n};\n\nvar Selector = {\n TITLE: '.popover-header',\n CONTENT: '.popover-body'\n\n /* istanbul ignore next: dificult to test in Jest/JSDOM environment */};\n\nvar PopOver = function (_ToolTip) {\n _inherits(PopOver, _ToolTip);\n\n function PopOver() {\n   _classCallCheck(this, PopOver);\n\n   return _possibleConstructorReturn(this, (PopOver.__proto__ || Object.getPrototypeOf(PopOver)).apply(this, arguments));\n }\n\n _createClass(PopOver, [{\n   key: 'isWithContent',\n\n\n   // Method overrides\n\n   value: function isWithContent(tip) {\n   tip = tip || this.$tip;\n   if (!tip) {\n   return false;\n   }\n   var hasTitle = Boolean((select(Selector.TITLE, tip) || {}).innerHTML);\n   var hasContent = Boolean((select(Selector.CONTENT, tip) || {}).innerHTML);\n   return hasTitle || hasContent;\n   }\n }, {\n   key: 'addAttachmentClass',\n   value: function addAttachmentClass(attachment) {\n   addClass(this.getTipElement(), CLASS_PREFIX + '-' + attachment);\n   }\n }, {\n   key: 'setContent',\n   value: function setContent(tip) {\n   // we use append for html objects to maintain js events/components\n   this.setElementContent(select(Selector.TITLE, tip), this.getTitle());\n   this.setElementContent(select(Selector.CONTENT, tip), this.getContent());\n\n   removeClass(tip, ClassName.FADE);\n   removeClass(tip, ClassName.SHOW);\n   }\n\n   // This method may look identical to ToolTip version, but it uses a different RegEx defined above\n\n }, {\n   key: 'cleanTipClass',\n   value: function cleanTipClass() {\n   var tip = this.getTipElement();\n   var tabClass = tip.className.match(BSCLS_PREFIX_REGEX);\n   if (tabClass !== null && tabClass.length > 0) {\n   tabClass.forEach(function (cls) {\n   removeClass(tip, cls);\n   });\n   }\n   }\n }, {\n   key: 'getTitle',\n   value: function getTitle() {\n   var title = this.$config.title || '';\n   if (typeof title === 'function') {\n   title = title(this.$element);\n   }\n   if ((typeof title === 'undefined' ? 'undefined' : _typeof(title)) === 'object' && title.nodeType && !title.innerHTML.trim()) {\n   // We have a dom node, but without inner content, so just return an empty string\n   title = '';\n   }\n   if (typeof title === 'string') {\n   title = title.trim();\n   }\n

if (!title) {\n   // Try and grab element's title attribute\n   title = getAttr(this.$element, 'title') || getAttr(this.$element, 'data-original-title') || '';\n   title = title.trim();\n   }\n   return title;\n }\n\n   // New methods\n\n }, {\n   key: 'getContent',\n   value: function getContent() {\n   var content = this.$config.content || '';\n   if (typeof content === 'function') {\n   content = content(this.$element);\n   }\n   if ((typeof content === 'undefined' ? 'undefined' : _typeof(content)) === 'object' && content.nodeType && !content.innerHTML.trim()) {\n   // We have a dom node, but without inner content, so just return an empty string\n   content = '';\n   }\n   if (typeof content === 'string') {\n   content = content.trim();\n   }\n   return content;\n   }\n }], [{\n   key: 'Default',\n\n   // Getter overrides\n\n   get: function get() {\n   return Defaults;\n   }\n }, {\n   key: 'NAME',\n   get: function get() {\n   return NAME;\n   }\n }]);\n\n return PopOver;\n}(ToolTip);\n\nexport default PopOver;","// Polyfills for SSR\n\nvar isSSR = typeof window === 'undefined';\n\nexport var HTMLElement = isSSR ? Object : window.HTMLElement;","var _typeof = typeof Symbol === \"function\" && typeof Symbol.iterator === \"symbol\" ? function (obj) { return typeof obj; } : function (obj) { return obj && typeof Symbol === \"function\" && obj.constructor === Symbol && obj !== Symbol.prototype ? \"symbol\" : typeof obj; };\n\n/*\n * Tooltip/Popover component mixin\n * Common props\n */\nimport { isArray } from '../utils/array';\nimport { assign } from '../utils/object';\nimport { isElement, getById } from '../utils/dom';\nimport { HTMLElement } from '../utils/ssr';\nimport observeDom from '../utils/observe-dom';\n\nvar PLACEMENTS = {\n top: 'top',\n topleft: 'topleft',\n topright: 'topright',\n right: 'right',\n righttop: 'righttop',\n rightbottom: 'rightbottom',\n bottom: 'bottom',\n bottomleft: 'bottomleft',\n bottomright: 'bottomright',\n left: 'left',\n lefttop: 'lefttop',\n leftbottom: 'leftbottom',\n auto: 'auto'\n};\n\nvar OBSERVER_CONFIG = {\n subtree: true,\n childList: true,\n characterData: true,\n attributes: true,\n attributeFilter: ['class', 'style']\n};\n\nexport default {\n props: {\n   target: {\n   // String ID of element, or element/component reference\n   type: [String, Object, HTMLElement, Function]\n   },\n   delay: {\n   type: [Number, Object, String],\n   default: 0\n   },\n   offset: {\n   type: [Number, String],\n   default: 0\n   },\n   noFade: {\n   type: Boolean,\n   default: false\n   },\n   container: {\n   // String ID of container, if null body is used (default)\n   type: String,\n   default: null\n   },\n   boundary: {\n   // String: scrollParent, window, or viewport\n   // Element: element reference\n   type: [String, Object],\n   default: 'scrollParent'\n   },\n   show: {\n   type: Boolean,\n   default: false\n   },\n   disabled: {\n   type: Boolean,\n   default: false\n   }\n },\n watch: {\n   show: function show(_show, old) {\n   if (_show === old) {\n   return;\n   }\n   _show ? this.onOpen() : this.onClose();\n   },\n   disabled: function disabled(_disabled, old) {\n   if (_disabled === old) {\n   return;\n   }\n   _disabled ? this.onDisable() : this.onEnable();\n   }\n },\n created: function created() {\n   // Create non-reactive property\n   this._toolpop = null;\n   this._obs_title = null;\n   this._obs_content = null;\n },\n mounted: function mounted() {\n   var _this = this;\n\n   // We do this in a next tick to ensure DOM has rendered first\n   this.$nextTick(function () {\n   // Instantiate ToolTip/PopOver on target\n   // The createToolpop method must exist in main component\n   if (_this.createToolpop()) {\n   if (_this.disabled) {\n   // Initially disabled\n   _this.onDisable();\n   }\n   // Listen to open signals from others\n   _this.$on('open', _this.onOpen);\n   // Listen to close signals from others\n   _this.$on('close', _this.onClose);\n   // Listen to disable signals from others\n   _this.$on('disable', _this.onDisable);\n   // Listen to disable signals from others\n   _this.$on('enable', _this.onEnable);\n   // Observe content Child changes so we can notify popper of possible size change\n   _this.setObservers(true);\n   // Set intially open state\n   if (_this.show) {\n   _this.onOpen();\n   }\n   }\n   });\n },\n updated: function updated() {\n   // If content/props changes, etc\n   if (this._toolpop) {\n   this._toolpop.updateConfig(this.getConfig());\n   }\n },\n\n /* istanbul ignore next: not easy to test */\n activated: function activated() {\n   // Called when component is inside a <keep-alive> and component brought offline\n   this.setObservers(true);\n },\n\n /* istanbul ignore next: not easy to test */\n deactivated: function deactivated() {\n   // Called when component is inside a <keep-alive> and component taken offline\n   if (this._toolpop) {\n   this.setObservers(false);\n   this._toolpop.hide();\n   }\n },\n\n /* istanbul ignore next: not easy to test */\n beforeDestroy: function beforeDestroy() {\n   // Shutdown our local event listeners\n   this.$off('open', this.onOpen);\n   this.$off('close', this.onClose);\n   this.$off('disable', this.onDisable);\n   this.$off('enable', this.onEnable);\n   this.setObservers(false);\n   // bring our content back if

needed\n   this.bringItBack();\n   if (this._toolpop) {\n   this._toolpop.destroy();\n   this._toolpop = null;\n   }\n },\n\n computed: {\n   baseConfig: function baseConfig() {\n   var cont = this.container;\n   var delay = _typeof(this.delay) === 'object' ? this.delay : parseInt(this.delay, 10) || 0;\n   return {\n   // Title prop\n   title: (this.title || '').trim() || '',\n   // Contnt prop (if popover)\n   content: (this.content || '').trim() || '',\n   // Tooltip/Popover placement\n   placement: PLACEMENTS[this.placement] || 'auto',\n   // Container curently needs to be an ID with '#' prepended, if null then body is used\n   container: cont ? /^#/.test(cont) ? cont : '#' + cont : false,\n   // boundariesElement passed to popper\n   boundary: this.boundary,\n   // Show/Hide delay\n   delay: delay || 0,\n   // Offset can be css distance. if no units, pixels are assumed\n   offset: this.offset || 0,\n   // Disable fade Animation?\n   animation: !this.noFade,\n   // Open/Close Trigger(s)\n   trigger: isArray(this.triggers) ? this.triggers.join(' ') : this.triggers,\n   // Callbacks so we can trigger events on component\n   callbacks: {\n   show: this.onShow,\n   shown: this.onShown,\n   hide: this.onHide,\n   hidden: this.onHidden,\n   enabled: this.onEnabled,\n   disabled: this.onDisabled\n   }\n   };\n   }\n },\n methods: {\n   getConfig: function getConfig() {\n   var cfg = assign({}, this.baseConfig);\n   if (this.$refs.title && this.$refs.title.innerHTML.trim()) {\n   // If slot has content, it overrides 'title' prop\n   // We use the DOM node as content to allow components!\n   cfg.title = this.$refs.title;\n   cfg.html = true;\n   }\n   if (this.$refs.content && this.$refs.content.innerHTML.trim()) {\n   // If slot has content, it overrides 'content' prop\n   // We use the DOM node as content to allow components!\n   cfg.content = this.$refs.content;\n   cfg.html = true;\n   }\n   return cfg;\n   },\n   onOpen: function onOpen() {\n   if (this._toolpop) {\n   this._toolpop.show();\n   }\n   },\n   onClose: function onClose(callback) {\n   if (this._toolpop) {\n   this._toolpop.hide(callback);\n   } else if (typeof callback === 'function') {\n   callback();\n   }\n   },\n   onDisable: function onDisable() {\n   if (this._toolpop) {\n   this._toolpop.disable();\n   }\n   },\n   onEnable: function onEnable() {\n   if (this._toolpop) {\n   this._toolpop.enable();\n   }\n   },\n   updatePosition: function updatePosition() {\n   if (this._toolpop) {\n   // Instruct popper to reposition popover if necessary\n   this._toolpop.update();\n   }\n   },\n   getTarget: function getTarget() {\n   var target = this.target;\n   if (typeof target === 'function') {\n   target = target();\n   }\n   if (typeof target === 'string') {\n   // Assume ID of element\n   return getById(target);\n   } else if ((typeof target === 'undefined' ? 'undefined' : _typeof(target)) === 'object' && isElement(target.$el)) {\n   // Component reference\n   return target.$el;\n   } else if ((typeof target === 'undefined' ? 'undefined' : _typeof(target)) === 'object' && isElement(target)) {\n   // Element reference\n   return target;\n   }\n   return null;\n   },\n   onShow: function onShow(evt) {\n   this.$emit('show', evt);\n   },\n   onShown: function onShown(evt) {\n   this.setObservers(true);\n   this.$emit('update:show', true);\n   this.$emit('shown', evt);\n   },\n   onHide: function onHide(evt) {\n   this.$emit('hide', evt);\n   },\n   onHidden: function onHidden(evt) {\n   this.setObservers(false);\n   // bring our content back if needed to keep Vue happy\n   // Tooltip class will move it back to tip when shown again\n   this.bringItBack();\n   this.$emit('update:show', false);\n   this.$emit('hidden', evt);\n   },\n   onEnabled: function onEnabled(evt) {\n   if (!evt || evt.type !== 'enabled') {\n   // Prevent possible endless loop if user mistakienly fires enabled instead of enable\n   return;\n   }\n   this.$emit('update:disabled', false);\n   this.$emit('disabled');\n   },\n   onDisabled: function onDisabled(evt) {\n   if (!evt || evt.type !== 'disabled') {\n   // Prevent possible endless loop if user mistakienly fires disabled instead of disable\n   return;\n   }\n   this.$emit('update:disabled', true);\n   this.$emit('enabled');\n   },\n   bringItBack: function bringItBack() {\n   // bring our content back if needed to keep Vue happy\n   if (this.$el && this.$refs.title) {\n   this.$el.appendChild(this.$refs.title);\n   }\n   if (this.$el && this.$refs.content) {\n   this.$el.appendChild(this.$refs.content);\n   }\n   },\n\n   /* istanbul ignore next: not easy to test */\n   setObservers: function setObservers(on) {\n   if (on) {\n   if (this.$refs.title) {\n   this._obs_title = observeDom(this.$refs.title, this.updatePosition.bind(this), OBSERVER_CONFIG);\n   }\n   if (this.$refs.content) {\n   this._obs_content = observeDom(this.$refs.content, this.updatePosition.bind(this), OBSERVER_CONFIG);\n   }\n   } else {\n   if (this._obs_title) {\n   this._obs_title.disconnect();\n   this._obs_title = null;\n   }\n   if (this._obs_content) {\n   this._obs_content.disconnect();\n   this._obs_content = null;\n   }\n   }\n   }\n }\n};","import PopOver from '../../utils/popover.class';\nimport

warn from '../../utils/warn';\nimport toolpopMixin from '../../mixins/toolpop';\n\nexport default {\n mixins: [toolpopMixin],\n render: function render(h) {\n return h('div', {\n class: ['d-none'],\n style: { display: 'none' }\n },\n attrs: { 'aria-hidden': true }\n }, [h('div', { ref: 'title' }, this.$slots.title), h('div', { ref: 'content' }, this.$slots.default)]);\n },\n data: function data() {\n return {};\n },\n\n props: {\n title: {\n type: String,\n default: ''\n },\n content: {\n type: String,\n default: ''\n },\n triggers: {\n type: [String, Array],\n default: 'click'\n },\n placement: {\n type: String,\n default: 'right'\n }\n },\n methods: {\n createToolpop: function createToolpop() {\n // getTarget is in toolpop mixin\n var target = this.getTarget();\n if (target) {\n this._toolpop = new PopOver(target, this.getConfig(), this.$root);\n } else {\n this._toolpop = null;\n warn(\"b-popover: 'target' element not found!\");\n }\n return this._toolpop;\n }\n }\n};","<template>\n <div>\n <component :is=\"rootElement\" id=\"imddb-header\" data-turbolinks-permanent class=\"navbar navbar-expand-lg navbar-light imddb-header\" :offset=\"100\" :z-index=\"1020\" :on-unpin=\"closeFollowUsPopover\" :class=\"{ 'headroom--frozen': !collapseNavbar }\" :style=\"{ position: position }\">\n <!-- @slot Redefines brand -->\n <slot name=\"brand\">\n <a :href=\"homeUrl\" class=\"navbar-brand imddb-header__brand\">\n \n {{ project }}\n \n </slot>\n <button class=\"navbar-toggler\" type=\"button\" aria-label=\"Toggle navigation\" @click=\"toggleNavbar\">\n \n </button>\n <div class=\"navbar-collapse\" :class=\"{ collapse: collapseNavbar }\">\n <!-- @slot Redefines the main navbar block (containing the dropdown) -->\n <slot name=\"navbar\">\n <ul class=\"navbar-nav mr-auto\">\n <b-nav-dropdown @show=\"$root.$emit('bv::hide::popover')\">\n <template slot=\"button-content\">\n {{ title }}\n </template>\n <b-dropdown-item v-for=\"(item, $index) in dropdownItems\" :key=\"$index\" :href=\"item.href\" v-bind=\"{ active: !!item.active }\">\n {{ item.label }}\n </b-dropdown-item>\n </b-nav-dropdown>\n \n </slot>\n <ul class=\"navbar-nav\">\n <li class=\"nav-item\">\n \n {{ $t('imddb-header.navbar.leak') }}\n \n \n <li class=\"nav-item mr-lg-3\">\n <a @click.prevent=\"$refs.donateFormModal.show()\" href=\"#\" class=\"nav-link\">\n {{ $t('imddb-header.navbar.support') }}\n \n \n <li class=\"nav-item\">\n <button class=\"btn btn-saddle-red btn-block font-weight-bold\" id=\"follow-icij\">\n {{ $t('imddb-header.navbar.follow') }}\n </button>\n <b-popover container=\"imddb-header\" target=\"follow-icij\" placement=\"bottomleft\" :show.sync=\"showSignupPopover\">\n <follow-us-popover :show.sync=\"showSignupPopover\"></follow-us-popover>\n </b-popover>\n \n \n </div>\n </component>\n <b-modal hide-footer lazy ref=\"donateFormModal\" size=\"lg\">\n \n {{ $t('imddb-header.navbar.support') }}\n \n <donate-form no-title></donate-form>\n </b-modal>\n </div>\n</template>\n\n<script>\n import bDropdownItem from 'bootstrap-vue/es/components/dropdown/dropdown-item'\n import bModal from 'bootstrap-vue/es/components/modal/modal'\n import bNavDropdown from 'bootstrap-vue/es/components/nav/nav-item-dropdown'\n import bPopover from 'bootstrap-vue/es/components/popover/popover'\n\n import i18n from '@/i18n'\n import { headroom } from 'vue-headroom'\n import DonateForm from './DonateForm.vue'\n import FollowUsPopover from './FollowUsPopover.vue'\n import config from '../config'\n\n /**\n * ImddbHeader\n */\n export default {\n i18n,\n name: 'ImddbHeader',\n components: {\n bDropdownItem,\n bModal,\n bNavDropdown,\n bPopover,\n headroom,\n DonateForm,\n FollowUsPopover\n },\n props: {\n /**\n * CSS position of the header. Can be absolute, relative, static or fixed (default).\n */\n position: {\n type: String,\n default: 'fixed'\n },\n /**\n * Disable Headroom for hiding header until needed.\n */\n noHeadroom: {\n type: Boolean\n },\n /**\n * Project name, to display next to ICIJ logo\n */\n project: {\n type: String,\n default: () => config.get('project.name')\n },\n /**\n * App name, to display next to project name\n */\n title: {\n type: String,\n default: () => config.get('app.name')\n },\n /**\n * An array of objects defining dropdown items. Each item defines a label and a href.\n */\n dropdownItems: {\n

type: Array,\n   default: () => config.get('imddb-header.dropdown.items')\n   },\n   /**\n   * Target link of the ICIJ logo and project name.\n   */\n   homeUrl: {\n   type: String,\n   default: () => config.get('app.home')\n   }\n },\n data () {\n   return {\n   showSignupPopover: false,\n   collapseNavbar: true\n   }\n },\n methods: {\n   closeFollowUsPopover () {\n   this.showSignupPopover = false\n   },\n   toggleNavbar () {\n   this.collapseNavbar = !this.collapseNavbar\n   this.$root.$emit('bv::hide::popover')\n   this.$root.$emit('bv::hide::dropdwon')\n   }\n },\n computed: {\n   rootElement () {\n   return this.noHeadroom ? 'div' : 'headroom'\n   }\n }\n}\n</script>\n\n<style lang=\"scss\">\n @import '../styles/lib';\n\n .imddb-header {\n   background: rgba($mercury, 0.8);\n   box-shadow: 0 0 6px 0 rgba(#000, .1);\n   position: relative;\n   top:0;\n   width: 100%;\n   z-index: $zindex-sticky;\n\n .popover {\n   width: 100%;\n   }\n\n @include media-breakpoint-down(md) {\n   background: $mercury;\n }\n\n &.headroom {\n   will-change: transform;\n   transition: transform 200ms linear;\n\n   &--unpinned {\n   transform: translateY(-100%) !important;\n   }\n\n   &--pinned {\n   transform: translateY(0%);\n   }\n\n   &--frozen {\n   transform: translateY(0%) !important;\n   }\n }\n\n &__brand {\n   position: relative;\n   font-weight: bolder;\n   padding-right: $spacer * 1.5;\n\n   &:after {\n   content: \"\";\n   background: $body-color;\n   width: 2px;\n   height: 32px;\n   position: absolute;\n   right:0;\n   top: 50%;\n transform: translateY(-50%);\n\n   @include media-breakpoint-down(md) {\n   display: none;\n   }\n }\n   }\n\n .navbar-toggler {\n   background: $mercury;\n   position: absolute;\n   right: $spacer;\n   top: $spacer / 2;\n   margin: 0;\n   }\n\n .dropdown-item {\n   white-space: normal;\n   width: 440px;\n   max-width: 90vw;\n\n   @include media-breakpoint-down(sm) {\n   width: 100%;\n   }\n   }\n\n .dropdown .nav-link {\n\n   @include media-breakpoint-up(lg) {\n   font-size: 1.2rem;\n   font-family: $headings-font-family;\n   }\n   }\n }\n</style>\n","import mod from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./ImddbHeader.vue?vue&type=script&lang=js&\"; export default mod; export * from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./ImddbHeader.vue?vue&type=script&lang=js&\"","import { render, staticRenderFns } from \"./ImddbHeader.vue?vue&type=template&id=36e6b928&\"\nimport script from \"./ImddbHeader.vue?vue&type=script&lang=js&\"\nexport * from \"./ImddbHeader.vue?vue&type=script&lang=js&\"\nimport style0 from \"./ImddbHeader.vue?vue&type=style&index=0&lang=scss&\"\n\n\n/* normalize component */\nimport normalizer from \"!../../node_modules/vue-loader/lib/runtime/componentNormalizer.js\"\nvar component = normalizer(\n script,\n render,\n staticRenderFns,\n false,\n null,\n null,\n null\n \n)\n\ncomponent.options.__file = \"ImddbHeader.vue\"\nexport default component.exports","var render = function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('div',{attrs:{\"id\":_vm.iframeId}})}\nvar staticRenderFns = []\n\nexport { render, staticRenderFns }","<template>\n <div :id=\"iframeId\"></div>\n</template>\n\n<script>\n import { injectAssets } from '../utils/assets'\n\n var iframeUniqueIdCounter = 0;\n\n /**\n   * ResponsiveIframe\n   */\n export default {\n   name: 'ResponsiveIframe',\n   props: {\n   /**\n   * URL of the generated iframe code.\n   */\n   url: {\n   type: String,\n   required : true\n   },\n   /**\n   * Option to pass to the constructor of the pymParent instance\n   */\n   options: {\n   type: Object,\n   default: () => ({ })\n   },\n   },\n   data () {\n   return {\n   iframeId: `icij-iframe-${++iframeUniqueIdCounter}`\n   }\n   },\n   mounted () {\n   injectAssets('https://pym.nprapps.org/pym.v1.min.js').then(() => {\n   new pym.Parent(this.iframeId, this.url, this.options)\n   })\n   }\n }\n</script>\n","import mod from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./ResponsiveIframe.vue?vue&type=script&lang=js&\"; export default mod;

export * from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./ResponsiveIframe.vue?vue&type=script&lang=js&\"","import { render, staticRenderFns } from \"./ResponsiveIframe.vue?vue&type=template&id=2b5efd28&\"\nimport script from \"./ResponsiveIframe.vue?vue&type=script&lang=js&\"\nexport * from \"./ResponsiveIframe.vue?vue&type=script&lang=js&\"\n\n\n/* normalize component */\nimport normalizer from \"!../../node_modules/vue-loader/lib/runtime/componentNormalizer.js\"\nvar component = normalizer(\n script,\n render,\n staticRenderFns,\n false,\n null,\n null,\n null\n \n)\n\ncomponent.options.__file = \"ResponsiveIframe.vue\"\nexport default component.exports","<script>\nconst noop = () => (null)\n\n/**\n * SlideUpDown\n */\nexport default {\n name: 'SlideUpDown',\n props: {\n   /**\n   * Toggler property. Set to false to hide the component.\n   */\n   active: {\n   type: Boolean,\n   },\n   /**\n   * Duration of the animation.\n   */\n   duration: {\n   type: Number,\n   default: 200\n   },\n   /**\n   * HTML tag to render this component to.\n   */\n   tag: {\n   type: String,\n   default: 'div'\n   }\n },\n data () {\n   return {\n   state: 'post',\n   mounted: false,\n   scrollHeight: 0\n   }\n },\n watch: {\n   active (toggler) {\n   this.triggerSlide()\n   }\n },\n render (h) {\n   return h(this.tag, { style: this.style, ref: 'container' }, this.$slots.default)\n },\n mounted () {\n   this.deferedNextTick(() => {\n   this.mounted = true\n   this.cleanLayout()\n   this.$container.addEventListener(\"transitionend\", this.cleanLayout)\n   })\n },\n computed: {\n   stylePreTransition () {\n   return {\n   'overflow': 'hidden',\n   'transition-property': 'height',\n   'transition-duration': `${this.duration}ms`,\n   'height': this.mounted ? `${this.$container.scrollHeight}px` : 0,\n   }\n   },\n   styleActiveTransition () {\n   return {\n   'overflow': 'hidden',\n   'transition-property': 'height',\n   'transition-duration': `${this.duration}ms`,\n   'height': this.mounted ? `${this.activeHeight}px` : 'auto',\n   }\n   },\n   stylePostTransition () {\n   // Reset style when the element is active\n   return this.active ? { } : this.styleActiveTransition\n   },\n   style () {\n   switch (this.state) {\n   case 'pre': return this.stylePreTransition\n   case 'active': return this.styleActiveTransition\n   default: return this.stylePostTransition\n   }\n   },\n   activeHeight () {\n   return this.active ? this.$container.scrollHeight : 0\n   },\n $container () {\n   return this.$refs.container\n   }\n },\n methods: {\n   triggerSlide () {\n   this.state = 'pre'\n   this.scrollHeight = this.$container.scrollHeight\n   // Defered next tick to let the component render once\n   this.deferedNextTick(() => this.state = 'active')\n   },\n   cleanLayout (e = null) {\n   // This method can be triggered by animated child elements in\n   // which case, we should do anything\n   if(!e || e.target == this.$container) {\n   this.state = 'post'\n   this.deferedNextTick()\n   }\n   },\n   deferedNextTick (fn = noop) {\n   setTimeout(() => this.$nextTick(fn), 0)\n   }\n }\n}\n</script>\n","import mod from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./SlideUpDown.vue?vue&type=script&lang=js&\"; export default mod; export * from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./SlideUpDown.vue?vue&type=script&lang=js&\"","var render, staticRenderFns\nimport script from \"./SlideUpDown.vue?vue&type=script&lang=js&\"\nexport * from \"./SlideUpDown.vue?vue&type=script&lang=js&\"\n\n\n/* normalize component */\nimport normalizer from \"!../../node_modules/vue-loader/lib/runtime/componentNormalizer.js\"\nvar component = normalizer(\n script,\n render,\n staticRenderFns,\n false,\n null,\n null,\n null\n \n)\n\ncomponent.options.__file = \"SlideUpDown.vue\"\nexport default component.exports","import ContentPlaceholder from './ContentPlaceholder.vue'\nimport DonateForm from './DonateForm.vue'\nimport EmbeddableFooter from './EmbeddableFooter.vue'\nimport EmbedForm from './EmbedForm.vue'\nimport FollowUsPopover from './FollowUsPopover.vue'\nimport Fa from './Fa'\nimport GenericFooter from './GenericFooter.vue'\nimport

ImddbHeader from './ImddbHeader.vue'\nimport ResponsiveIframe from './ResponsiveIframe.vue'\nimport SharingOptions from './SharingOptions.vue'\nimport SignUpForm from './SignUpForm.vue'\nimport SlideUpDown from './SlideUpDown.vue'\n\nexport {\n ContentPlaceholder,\n DonateForm,\n EmbeddableFooter,\n EmbedForm,\n FollowUsPopover,\n Fa,\n GenericFooter,\n ImddbHeader,\n ResponsiveIframe,\n SharingOptions,\n SignUpForm,\n SlideUpDown,\n}\n","import VueI18n from 'vue-i18n'\nimport { basename, extname } from 'path'\nimport i18n from './i18n'\nexport { default as config } from './config'\nexport { default as ContentPlaceholder } from './components/ContentPlaceholder.vue'\nexport { default as DonateForm } from './components/DonateForm.vue'\nexport { default as EmbeddableFooter } from './components/EmbeddableFooter.vue'\nexport { default as EmbedForm } from './components/EmbedForm.vue'\nexport { default as FollowUsPopover } from './components/FollowUsPopover.vue'\nexport { default as Fa } from './components/Fa'\nexport { default as GenericFooter } from './components/GenericFooter.vue'\nexport { default as ImddbHeader } from './components/ImddbHeader.vue'\nexport { default as ResponsiveIframe } from './components/ResponsiveIframe.vue'\nexport { default as SharingOptions } from './components/SharingOptions.vue'\nexport { default as SignUpForm } from './components/SignUpForm.vue'\nexport { default as SlideUpDown } from './components/SlideUpDown.vue'\n\nimport * as components from './components'\n\nclass Murmur {\n static setLocaleMessage(lang, message) {\n return this.i18n.setLocaleMessage(lang, message)\n }\n static mergeLocaleMessage(lang, message) {\n return this.i18n. mergeLocaleMessage(lang, message)\n }\n static setLocale(lang) {\n return this.i18n.locale = lang\n }\n static getLocale() {\n return this.i18n.locale\n }\n static get i18n() {\n return i18n\n }\n static get config() {\n return require('./config.js').default\n }\n static get components() {\n return components\n }\n static install (Vue, options) {\n Object.keys(components).forEach(key => Vue.component(key, components[key]))\n }\n}\n\nexport default Murmur\n","import './setPublicPath'\nimport mod from '~entry'\nexport default mod\nexport * from '~entry'\n","var assocIndexOf = require('./_assocIndexOf');\n\n/**\n * Checks if a list cache value for `key` exists.\n *\n * @private\n * @name has\n * @memberOf ListCache\n * @param {string} key The key of the entry to check.\n * @returns {boolean} Returns `true` if an entry for `key` exists, else `false`.\n */\nfunction listCacheHas(key) {\n return assocIndexOf(this.__data__, key) > -1;\n}\n\nmodule.exports = listCacheHas;\n","module.exports = '\\x09\\x0A\\x0B\\x0C\\x0D\\x20\\xA0\\u1680\\u180E\\u2000\\u2001\\u2002\\u2003' +\n '\\u2004\\u2005\\u2006\\u2007\\u2008\\u2009\\u200A\\u202F\\u205F\\u3000\\u2028\\u2029\\uFEFF';\n","var baseGetTag = require('./_baseGetTag'),\n isObjectLike = require('./isObjectLike');\n\n/** `Object#toString` result references. */\nvar symbolTag = '[object Symbol]';\n\n/**\n * Checks if `value` is classified as a `Symbol` primitive or object.\n *\n * @static\n * @memberOf _\n * @since 4.0.0\n * @category Lang\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is a symbol, else `false`.\n * @example\n *\n * _.isSymbol(Symbol.iterator);\n * // => true\n *\n * _.isSymbol('abc');\n * // => false\n */\nfunction isSymbol(value) {\n return typeof value == 'symbol' ||\n (isObjectLike(value) && baseGetTag(value) == symbolTag);\n}\n\nmodule.exports = isSymbol;\n"],"sourceRoot":""}

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1062149670_1592570080.27/0/murmur-1-1-0-
tgz/package/dist/lib/@icij/murmur.umd.js.map
No license file was found, but licenses were detected in source scan.

/*!
* jQuery JavaScript Library v3.3.1
* https://jquery.com/
*
* Includes Sizzle.js

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1062149670_1592570080.27/0/murmur-1-1-0-
tgz/package/dist/lib/@icij/murmur.umd.min.js
No license file was found, but licenses were detected in source scan.

/*!

```
* jQuery JavaScript Library v3.3.1
* https://jquery.com/
*
* Includes Sizzle.js
* https://sizzlejs.com/
*
* Copyright JS Foundation and other contributors
* Released under the MIT license
* https://jquery.org/license
*
* Date: 2018-01-20T17:24Z
*/
// for more details.
/*!
* vue-headroom v0.9.0
* (c) 2016-present dalphyx <wjcbmk@gmail.com>
* Released under the MIT License.
*/
// Released under the MIT license.
/*!
* Font Awesome Free 5.5.0 by @fontawesome - https://fontawesome.com
* License - https://fontawesome.com/license/free (Icons: CC BY 4.0, Fonts: SIL OFL 1.1, Code: MIT License)
*/
/*!
* Font Awesome Free 5.0.13 by @fontawesome - https://fontawesome.com
* License - https://fontawesome.com/license (Icons: CC BY 4.0, Fonts: SIL OFL 1.1, Code: MIT License)
*/
// Permission is hereby granted, free of charge, to any person obtaining a
// copy of this software and associated documentation files (the
// "Software"), to deal in the Software without restriction, including
// without limitation the rights to use, copy, modify, merge, publish,
// distribute, sublicense, and/or sell copies of the Software, and to permit
// The above copyright notice and this permission notice shall be included
// in all copies or substantial portions of the Software.
/**
* Creates an array of the own enumerable property names of `object`.
*
* **Note:** Non-object values are coerced to objects. See the
* [ES spec](http://ecma-international.org/ecma-262/7.0/#sec-object.keys)
* for more details.
*
* @static
* @since 0.1.0
* @memberOf _
* @category Object
* @param {Object} object The object to query.
* @returns {Array} Returns the array of property names.
* @example
```

```
*
* function Foo() {
*   this.a = 1;
*   this.b = 2;
* }
*
* Foo.prototype.c = 3;
*
* _.keys(new Foo);
* // => ['a', 'b'] (iteration order is not guaranteed)
*
* _.keys('hi');
* // => ['0', '1']
*/
/**!
* @fileOverview Kickass library to create and place poppers near their reference elements.
* @version 1.14.5
* @license
* Copyright (c) 2016 Federico Zivolo and contributors
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in all
* copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.
*/
```

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1062149670_1592570080.27/0/murmur-1-1-0-
tgz/package/dist/lib/@icij/murmur.umd.js
* /opt/ws_local/PERMITS_SQL/1062149670_1592570080.27/0/murmur-1-1-0-
tgz/package/dist/lib/@icij/murmur.common.js
No license file was found, but licenses were detected in source scan.

{"version":3,"sources":["webpack://@icij/murmur/webpack/bootstrap","webpack://@icij/murmur/./node_modules/lodash/_getRawTag.js","webpack://@icij/murmur/./node_modules/core-js/modules/_iter-

define.js","webpack://@icij/murmur/./node_modules/lodash/_baseKeys.js","webpack://@icij/murmur/./node_modules/lodash/_isFlattenable.js","webpack://@icij/murmur/./node_modules/lodash/stubFalse.js","webpack://@icij/murmur/./node_modules/lodash/_arrayPush.js","webpack://@icij/murmur/./node_modules/lodash/_isStrictComparable.js","webpack://@icij/murmur/./lib/components/SharingOptions.vue?8ac0","webpack://@icij/murmur/./node_modules/core-js/modules/es7.promise.finally.js","webpack://@icij/murmur/./node_modules/lodash/_getNative.js","webpack://@icij/murmur/./node_modules/core-js/modules/_flags.js","webpack://@icij/murmur/./node_modules/lodash/isBuffer.js","webpack://@icij/murmur/./node_modules/core-js/modules/_object-keys.js","webpack://@icij/murmur/./node_modules/lodash/_baseRest.js","webpack://@icij/murmur/./lib/components/EmbeddableFooter.vue?eb4a","webpack://@icij/murmur/./node_modules/es6-symbol/is-symbol.js","webpack://@icij/murmur/./node_modules/jquery/dist/jquery.js","webpack://@icij/murmur/./lib/locales sync [A-Za-z0-9-_,\\s]+\\.json$/","webpack://@icij/murmur/./node_modules/core-js/modules/_object-gopd.js","webpack://@icij/murmur/./node_modules/lodash/_isKeyable.js","webpack://@icij/murmur/./node_modules/lodash/_castFunction.js","webpack://@icij/murmur/./node_modules/lodash/isObjectLike.js","webpack://@icij/murmur/./lib/assets/images/icij@2x.png","webpack://@icij/murmur/./node_modules/lodash/_isMasked.js","webpack://@icij/murmur/./lib/components/SignUpForm.vue?e8a9","webpack://@icij/murmur/./node_modules/core-js/modules/_object-dps.js","webpack://@icij/murmur/./node_modules/es5-ext/object/assign/is-implemented.js","webpack://@icij/murmur/./lib/components/SignUpForm.vue?4b41","webpack://@icij/murmur/./node_modules/lodash/_baseMatchesProperty.js","webpack://@icij/murmur/./node_modules/lodash/_stringToPath.js","webpack://@icij/murmur/./node_modules/es5-ext/string/#/contains/is-implemented.js","webpack://@icij/murmur/./node_modules/core-js/modules/_task.js","webpack://@icij/murmur/./node_modules/lodash/isObject.js","webpack://@icij/murmur/./node_modules/lodash/_equalByTag.js","webpack://@icij/murmur/./node_modules/es6-symbol/index.js","webpack://@icij/murmur/./node_modules/lodash/_Promise.js","webpack://@icij/murmur/./node_modules/lodash/_hashDelete.js","webpack://@icij/murmur/./node_modules/lodash/_baseEvery.js","webpack://@icij/murmur/./node_modules/core-js/modules/_iter-call.js","webpack://@icij/murmur/./node_modules/lodash/_mapCacheSet.js","webpack://@icij/murmur/./lib/components/GenericFooter.vue?5988","webpack://@icij/murmur/./node_modules/es5-ext/object/assign/index.js","webpack://@icij/murmur/./node_modules/lodash/_matchesStrictComparable.js","webpack://@icij/murmur/./node_modules/core-js/modules/_fix-re-wks.js","webpack://@icij/murmur/./node_modules/lodash/_compareMultiple.js","webpack://@icij/murmur/./node_modules/lodash/_overRest.js","webpack://@icij/murmur/./node_modules/@fortawesome/free-brands-svg-icons/faLinkedin.js","webpack://@icij/murmur/./node_modules/core-js/modules/_dom-create.js","webpack://@icij/murmur/./node_modules/lodash/_memoizeCapped.js","webpack://@icij/murmur/./node_modules/core-js/modules/_classof.js","webpack://@icij/murmur/./node_modules/lodash/_baseForOwn.js","webpack://@icij/murmur/./node_modules/lodash/_Uint8Array.js","webpack://@icij/murmur/./node_modules/lodash/_mapCacheGet.js","webpack://@icij/murmur/./node_modules/lodash/_hashSet.js","webpack://@icij/murmur/./node_modules/lodash/_baseIsArguments.js","webpack://@icij/murmur/./node_modules/core-js/modules/_object-gops.js","webpack://@icij/murmur/./node_modules/lodash/every.js","webpack://@icij/murmur/./node_modules/lodash/_baseHasIn.js","webpack://@icij/murmur/./node_modules/core-js/modules/core.get-iterator-method.js","webpack://@icij/murmur/./node_modules/core-js/modules/es6.regexp.split.js","webpack://@icij/murmur/./node_modules/lodash/_listCacheClear.js","webpack://@icij/murmur/./node_modules/lodash/_objectToString.js","webpack://@icij/murmur/./node_modules/core-js/modules/_redefine.js","webpack://@icij/murmur/./node_modules/core-js/modules/_object-create.js","webpack://@icij/murmur/./lib/components/SharingOptions.vue?c82c","webpack://@icij/murmur/./node_modules/lodash/_root.js","webpack://@icij/murmur/./node_modules/core-

js/modules/_wks.js","webpack://@icij/murmur/./node_modules/core-js/modules/_library.js","webpack://@icij/murmur/./node_modules/lodash/_arrayFilter.js","webpack://@icij/murmur/./node_modules/core-js/modules/_cof.js","webpack://@icij/murmur/./node_modules/lodash/_stackDelete.js","webpack://@icij/murmur/./node_modules/lodash/isArrayLike.js","webpack://@icij/murmur/./node_modules/core-js/modules/_invoke.js","webpack://@icij/murmur/./node_modules/core-js/modules/_hide.js","webpack://@icij/murmur/./node_modules/lodash/_getSymbols.js","webpack://@icij/murmur/./node_modules/core-js/modules/_is-array-iter.js","webpack://@icij/murmur/./node_modules/lodash/_baseIsNative.js","webpack://@icij/murmur/./node_modules/lodash/_getValue.js","webpack://@icij/murmur/./node_modules/lodash/_baseGetTag.js","webpack://@icij/murmur/./lib/components/DonateForm.vue?0ca3","webpack://@icij/murmur/./node_modules/core-js/modules/es6.regexp.flags.js","webpack://@icij/murmur/./node_modules/core-js/modules/_object-gpo.js","webpack://@icij/murmur/./node_modules/lodash/_WeakMap.js","webpack://@icij/murmur/./node_modules/lodash/_defineProperty.js","webpack://@icij/murmur/./node_modules/lodash/_getMatchData.js","webpack://@icij/murmur/./node_modules/vue-headroom/dist/vue-headroom.js","webpack://@icij/murmur/./node_modules/core-js/modules/_iter-create.js","webpack://@icij/murmur/./node_modules/lodash/_getMapData.js","webpack://@icij/murmur/./node_modules/lodash/_arraySome.js","webpack://@icij/murmur/./node_modules/lodash/_getTag.js","webpack://@icij/murmur/./node_modules/node-libs-browser/mock/process.js","webpack://@icij/murmur/./node_modules/lodash/last.js","webpack://@icij/murmur/./node_modules/core-js/modules/es6.object.keys.js","webpack://@icij/murmur/./node_modules/core-js/modules/_to-integer.js","webpack://@icij/murmur/./node_modules/core-js/modules/_property-desc.js","webpack://@icij/murmur/./node_modules/lodash/_baseEach.js","webpack://@icij/murmur/./node_modules/core-js/modules/es6.regexp.match.js","webpack://@icij/murmur/./node_modules/lodash/_hashClear.js","webpack://@icij/murmur/./node_modules/core-js/modules/_for-of.js","webpack://@icij/murmur/./node_modules/core-js/modules/_to-object.js","webpack://@icij/murmur/./node_modules/lodash/flatten.js","webpack://@icij/murmur/./lib/components/FollowUsPopover.vue?2b2c","webpack://@icij/murmur/./node_modules/lodash/_baseTimes.js","webpack://@icij/murmur/./node_modules/vue-social-sharing/dist/vue-social-sharing.common.js","webpack://@icij/murmur/./node_modules/core-js/modules/_object-pie.js","webpack://@icij/murmur/./lib/config.default.js","webpack://@icij/murmur/./lib/config.js","webpack://@icij/murmur/./node_modules/core-js/modules/es6.promise.js","webpack://@icij/murmur/./node_modules/core-js/modules/_shared.js","webpack://@icij/murmur/./node_modules/lodash/_stackHas.js","webpack://@icij/murmur/./node_modules/lodash/_nativeKeys.js","webpack://@icij/murmur/./node_modules/lodash/_freeGlobal.js","webpack://@icij/murmur/./lib/assets/images/icij-white@2x.png","webpack://@icij/murmur/./node_modules/lodash/_baseReduce.js","webpack://@icij/murmur/./node_modules/lodash/_baseFlatten.js","webpack://@icij/murmur/./node_modules/core-js/modules/_export.js","webpack://@icij/murmur/./node_modules/core-js/modules/_iter-detect.js","webpack://@icij/murmur/./node_modules/core-js/modules/_inherit-if-required.js","webpack://@icij/murmur/./node_modules/lodash/_ListCache.js","webpack://@icij/murmur/./node_modules/core-js/modules/_object-sap.js","webpack://@icij/murmur/./node_modules/lodash/_nativeCreate.js","webpack://@icij/murmur/./node_modules/core-js/modules/_shared-key.js","webpack://@icij/murmur/./node_modules/core-js/modules/_iobject.js","webpack://@icij/murmur/./node_modules/es5-ext/object/is-value.js","webpack://@icij/murmur/(webpack)/buildin/module.js","webpack://@icij/murmur/./lib/components/ImddbHeader.vue?8f10","webpack://@icij/murmur/./node_modules/lodash/_baseMatches.js","webpack://@icij/murmur/./node_modules/lodash/_baseGet.js","webpack://@icij/murmur/./node_modules/lodash/_arrayEvery.js","webpack://

@icij/murmur/./node_modules/lodash/isArray.js","webpack://@icij/murmur/./node_modules/lodash/_listCacheSet.js","webpack://@icij/murmur/./node_modules/core-js/modules/_to-iobject.js","webpack://@icij/murmur/./node_modules/core-js/modules/_has.js","webpack://@icij/murmur/./node_modules/lodash/_listCacheDelete.js","webpack://@icij/murmur/./node_modules/lodash/_baseOrderBy.js","webpack://@icij/murmur/./node_modules/core-js/modules/_to-primitive.js","webpack://@icij/murmur/./node_modules/lodash/_arrayReduce.js","webpack://@icij/murmur/./node_modules/core-js/modules/es6.regexp.to-string.js","webpack://@icij/murmur/./node_modules/@fortawesome/free-brands-svg-icons/faTwitter.js","webpack://@icij/murmur/./node_modules/lodash/forEach.js","webpack://@icij/murmur/./lib/components/ImddbHeader.vue?03a5","webpack://@icij/murmur/./lib/components/DonateForm.vue?1994","webpack://@icij/murmur/./node_modules/lodash/_arrayLikeKeys.js","webpack://@icij/murmur/./lib/components/EmbeddableFooter.vue?6be3","webpack://@icij/murmur/./node_modules/lodash/_baseFor.js","webpack://@icij/murmur/./node_modules/lodash/constant.js","webpack://@icij/murmur/./node_modules/core-js/modules/_object-assign.js","webpack://@icij/murmur/./node_modules/es5-ext/object/keys/shim.js","webpack://@icij/murmur/./node_modules/lodash/isTypedArray.js","webpack://@icij/murmur/./lib/components/ContentPlaceholder.vue?490b","webpack://@icij/murmur/./node_modules/lodash/_baseIsTypedArray.js","webpack://@icij/murmur/./node_modules/lodash/toString.js","webpack://@icij/murmur/./node_modules/core-js/modules/_global.js","webpack://@icij/murmur/./node_modules/core-js/modules/_to-absolute-index.js","webpack://@icij/murmur/./node_modules/lodash/_arrayMap.js","webpack://@icij/murmur/./node_modules/lodash/_Map.js","webpack://@icij/murmur/./node_modules/core-js/modules/_fails.js","webpack://@icij/murmur/./node_modules/lodash/_hashHas.js","webpack://@icij/murmur/./node_modules/@fortawesome/vue-fontawesome/index.js","webpack://@icij/murmur/./node_modules/core-js/modules/_set-species.js","webpack://@icij/murmur/./node_modules/lodash/_MapCache.js","webpack://@icij/murmur/./node_modules/lodash/_baseIsEqualDeep.js","webpack://@icij/murmur/./node_modules/es5-ext/object/keys/index.js","webpack://@icij/murmur/./node_modules/lodash/_mapCacheClear.js","webpack://@icij/murmur/./node_modules/lodash/_baseGetAllKeys.js","webpack://@icij/murmur/./node_modules/lodash/_Stack.js","webpack://@icij/murmur/./node_modules/lodash/_setCacheAdd.js","webpack://@icij/murmur/./node_modules/core-js/modules/_set-to-string-tag.js","webpack://@icij/murmur/./node_modules/core-js/modules/es6.function.name.js","webpack://@icij/murmur/./lib/components/GenericFooter.vue?be7f","webpack://@icij/murmur/./node_modules/lodash/_stackGet.js","webpack://@icij/murmur/./node_modules/lodash/_arrayEach.js","webpack://@icij/murmur/./node_modules/core-js/modules/_microtask.js","webpack://@icij/murmur/./node_modules/core-js/modules/_core.js","webpack://@icij/murmur/./node_modules/core-js/modules/_iterators.js","webpack://@icij/murmur/./node_modules/lodash/_apply.js","webpack://@icij/murmur/./node_modules/lodash/hasIn.js","webpack://@icij/murmur/./node_modules/core-js/modules/_object-dp.js","webpack://@icij/murmur/./node_modules/core-js/modules/_set-proto.js","webpack://@icij/murmur/external{\"commonjs\":\"vue\",\"commonjs2\":\"vue\",\"root\":\"Vue\"}","webpack://@icij/murmur/./node_modules/@fortawesome/free-brands-svg-icons/faFacebook.js","webpack://@icij/murmur/./lib/components/FollowUsPopover.vue?ccfa","webpack://@icij/murmur/./lib/components/EmbedForm.vue?b075","webpack://@icij/murmur/./lib/assets/images/icij-black@2x.png","webpack://@icij/murmur/./node_modules/core-js/modules/_object-gopn.js","webpack://@icij/murmur/./node_modules/lodash/_overArg.js","webpack://@icij/murmur/./node_modules/lodash/_mapCacheDelete.js","webpack://@icij/murmur/./node_modules/es6-symbol/polyfill.js","webpack://@icij/murmur/./node_modules/lodash/_createBaseEach.js","webpack://@icij/murmur/./node_modules/lodash/isFunction.js","webpack://@icij/murmur/./node_modules/lodash/eq.js","webpack://@icij/murmur/./node_modules/lodash/_baseIsMatch.js","webpack://@icij/murmur/./node_modules/es5-ext/object/valid-value.js","webpack://@icij/murmur/./node_modules/lodash/_baseMap.js","webpack://@icij/murmur/./node_module

s/lodash/_createBaseFor.js","webpack://@icij/murmur/./node_modules/lodash/_nodeUtil.js","webpack://@icij/murmur/./node_modules/lodash/_isIterateeCall.js","webpack://@icij/murmur/./node_modules/lodash/get.js","webpack://@icij/murmur/./node_modules/core-js/modules/_ctx.js","webpack://@icij/murmur/./node_modules/es5-ext/object/is-callable.js","webpack://@icij/murmur/./node_modules/core-js/modules/_add-to-unscopables.js","webpack://@icij/murmur/./node_modules/core-js/modules/_perform.js","webpack://@icij/murmur/./node_modules/core-js/modules/_to-length.js","webpack://@icij/murmur/./node_modules/core-js/modules/_descriptors.js","webpack://@icij/murmur/./node_modules/lodash/_Symbol.js","webpack://@icij/murmur/./node_modules/core-js/modules/_user-agent.js","webpack://@icij/murmur/./node_modules/lodash/_equalArrays.js","webpack://@icij/murmur/./node_modules/lodash/_baseSetToString.js","webpack://@icij/murmur/./node_modules/core-js/modules/es6.regexp.replace.js","webpack://@icij/murmur/./node_modules/lodash/_mapCacheHas.js","webpack://@icij/murmur/./node_modules/core-js/modules/_new-promise-capability.js","webpack://@icij/murmur/./node_modules/lodash/_getAllKeys.js","webpack://@icij/murmur/./node_modules/core-js/modules/_string-trim.js","webpack://@icij/murmur/./node_modules/core-js/modules/_is-regexp.js","webpack://@icij/murmur/./node_modules/lodash/_setToArray.js","webpack://@icij/murmur/./node_modules/core-js/modules/web.dom.iterable.js","webpack://@icij/murmur/./node_modules/lodash/_baseUnary.js","webpack://@icij/murmur/./node_modules/@fortawesome/free-solid-svg-icons/faClipboard.js","webpack://@icij/murmur/./node_modules/lodash/_equalObjects.js","webpack://@icij/murmur/./node_modules/lodash/isLength.js","webpack://@icij/murmur/./node_modules/clipboard/dist/clipboard.js","webpack://@icij/murmur/./node_modules/es6-symbol/validate-symbol.js","webpack://@icij/murmur/./node_modules/lodash/_listCacheGet.js","webpack://@icij/murmur/./node_modules/lodash/_DataView.js","webpack://@icij/murmur/./node_modules/es6-symbol/is-implemented.js","webpack://@icij/murmur/./node_modules/lodash/_baseIteratee.js","webpack://@icij/murmur/./node_modules/lodash/_hashGet.js","webpack://@icij/murmur/./node_modules/core-js/modules/_promise-resolve.js","webpack://@icij/murmur/./node_modules/core-js/modules/_defined.js","webpack://@icij/murmur/./node_modules/@babel/runtime/helpers/esm/createClass.js","webpack://@icij/murmur/./node_modules/lodash/_baseIsEqual.js","webpack://@icij/murmur/./node_modules/@fortawesome/fontawesome-svg-core/index.es.js","webpack://@icij/murmur/./lib/components/Fa.js","webpack://@icij/murmur/./node_modules/lodash/_isIndex.js","webpack://@icij/murmur/./node_modules/lodash/_setToString.js","webpack://@icij/murmur/./node_modules/core-js/modules/_array-includes.js","webpack://@icij/murmur/./node_modules/@fortawesome/free-solid-svg-icons/faShareAlt.js","webpack://@icij/murmur/./node_modules/lodash/_cacheHas.js","webpack://@icij/murmur/./node_modules/lodash/reduce.js","webpack://@icij/murmur/./node_modules/core-js/modules/es6.number.constructor.js","webpack://@icij/murmur/./lib/components/ContentPlaceholder.vue?bf2f","webpack://@icij/murmur/./node_modules/lodash/each.js","webpack://@icij/murmur/./node_modules/core-js/modules/_ie8-dom-define.js","webpack://@icij/murmur/./node_modules/lodash/sortBy.js","webpack://@icij/murmur/./node_modules/lodash/_Set.js","webpack://@icij/murmur/(webpack)/buildin/global.js","webpack://@icij/murmur/./node_modules/core-js/modules/_uid.js","webpack://@icij/murmur/./node_modules/core-js/modules/es6.array.iterator.js","webpack://@icij/murmur/./node_modules/lodash/_compareAscending.js","webpack://@icij/murmur/./node_modules/lodash/_assocIndexOf.js","webpack://@icij/murmur/./node_modules/@fortawesome/fontawesome/index.es.js","webpack://@icij/murmur/./node_modules/core-js/modules/_an-object.js","webpack://@icij/murmur/./node_modules/lodash/identity.js","webpack://@icij/murmur/./node_modules/core-js/modules/_object-keys-internal.js","webpack://@icij/murmur/./node_modules/lodash/_baseToString.js","webpack://@icij/murmur/./node_

modules/lodash/_stackSet.js","webpack://@icij/murmur/./node_modules/@fortawesome/free-solid-svg-icons/faEnvelope.js","webpack://@icij/murmur/./node_modules/lodash/stubArray.js","webpack://@icij/murmur/./node_modules/lodash/isArguments.js","webpack://@icij/murmur/./node_modules/core-js/modules/_is-object.js","webpack://@icij/murmur/./node_modules/lodash/_baseSortBy.js","webpack://@icij/murmur/./node_modules/@babel/runtime/helpers/esm/classCallCheck.js","webpack://@icij/murmur/./node_modules/core-js/modules/_iter-step.js","webpack://@icij/murmur/./node_modules/lodash/_SetCache.js","webpack://@icij/murmur/./node_modules/core-js/modules/_a-function.js","webpack://@icij/murmur/./node_modules/lodash/_coreJsData.js","webpack://@icij/murmur/./node_modules/lodash/_setCacheHas.js","webpack://@icij/murmur/./node_modules/lodash/_toSource.js","webpack://@icij/murmur/./node_modules/core-js/modules/_redefine-all.js","webpack://@icij/murmur/./node_modules/lodash/map.js","webpack://@icij/murmur/./lib/components/EmbedForm.vue?2746","webpack://@icij/murmur/./node_modules/path-browserify/index.js","webpack://@icij/murmur/./node_modules/core-js/modules/_enum-bug-keys.js","webpack://@icij/murmur/./node_modules/lodash/_Hash.js","webpack://@icij/murmur/./node_modules/lodash/_hasPath.js","webpack://@icij/murmur/./node_modules/lodash/_castPath.js","webpack://@icij/murmur/./node_modules/lodash/memoize.js","webpack://@icij/murmur/./node_modules/@fortawesome/free-solid-svg-icons/faTimes.js","webpack://@icij/murmur/./node_modules/lodash/_basePropertyDeep.js","webpack://@icij/murmur/./node_modules/es5-ext/function/noop.js","webpack://@icij/murmur/./node_modules/lodash/_isPrototype.js","webpack://@icij/murmur/./node_modules/core-js/modules/_species-constructor.js","webpack://@icij/murmur/./node_modules/lodash/keys.js","webpack://@icij/murmur/./node_modules/es5-ext/object/keys/is-implemented.js","webpack://@icij/murmur/./node_modules/lodash/_mapToArray.js","webpack://@icij/murmur/./node_modules/@fortawesome/free-solid-svg-icons/faCode.js","webpack://@icij/murmur/./node_modules/lodash/_baseProperty.js","webpack://@icij/murmur/./node_modules/lodash/_stackClear.js","webpack://@icij/murmur/./node_modules/popper.js/dist/esm/popper.js","webpack://@icij/murmur/./node_modules/es5-ext/object/normalize-options.js","webpack://@icij/murmur/./node_modules/lodash/_shortOut.js","webpack://@icij/murmur/./node_modules/lodash/_toKey.js","webpack://@icij/murmur/./node_modules/d/index.js","webpack://@icij/murmur/./node_modules/core-js/modules/_an-instance.js","webpack://@icij/murmur/./node_modules/lodash/_isKey.js","webpack://@icij/murmur/./node_modules/es5-ext/object/assign/shim.js","webpack://@icij/murmur/./node_modules/core-js/modules/es6.object.assign.js","webpack://@icij/murmur/./node_modules/es5-ext/string/#/contains/shim.js","webpack://@icij/murmur/./node_modules/es5-ext/string/#/contains/index.js","webpack://@icij/murmur/./node_modules/lodash/property.js","webpack://@icij/murmur/./node_modules/core-js/modules/_html.js","webpack://@icij/murmur/./node_modules/@vue/cli-service/lib/commands/build/setPublicPath.js","webpack://@icij/murmur/./node_modules/vue-i18n/dist/vue-i18n.esm.js","webpack://@icij/murmur/./lib/i18n.js","webpack://@icij/murmur/./lib/components/ContentPlaceholder.vue?6865","webpack://@icij/murmur/./lib/utils/placeholder.js","webpack://@icij/murmur/lib/components/ContentPlaceholder.vue","webpack://@icij/murmur/./lib/components/ContentPlaceholder.vue?01bb","webpack://@icij/murmur/./node_modules/vue-loader/lib/runtime/componentNormalizer.js","webpack://@icij/murmur/./lib/components/ContentPlaceholder.vue","webpack://@icij/murmur/./lib/components/DonateForm.vue?54f5","webpack://@icij/murmur/lib/components/DonateForm.vue","webpack://@icij/murmur/./lib/components/DonateForm.vue?1258","webpack://@icij/murmur/./lib/components/DonateForm.vue","webpack://@icij/murmur/./lib/components/EmbeddableFooter.vue?661e","webpack://@icij/murmur/./node_modules/promise-polyfill/src/finally.js","webpack://@icij/murmur/./node_modules/promise-polyfill/src/index.js","webpack://@icij/murmur/./lib/utils/assets.js","webpack://@icij/murmur/./lib/utils/iframe-

resizer.js","webpack://@icij/murmur/./lib/components/SharingOptions.vue?e2a2","webpack://@icij/murmur/./node_modules/vue-functional-data-merge/dist/lib.esm.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/object.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/array.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/identity.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/pluck-props.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/dom.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/components/link/link.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/components/button/button.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/components/button/button-close.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/mixins/id.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/mixins/listen-on-root.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/observe-dom.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/warn.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/key-codes.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/bv-event.class.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/components/modal/modal.js","webpack://@icij/murmur/./lib/components/EmbedForm.vue?d762","webpack://@icij/murmur/./node_modules/@babel/runtime/helpers/esm/typeof.js","webpack://@icij/murmur/./lib/utils/clipboard.js","webpack://@icij/murmur/lib/components/EmbedForm.vue","webpack://@icij/murmur/./lib/components/EmbedForm.vue?f085","webpack://@icij/murmur/./lib/components/EmbedForm.vue","webpack://@icij/murmur/lib/components/SharingOptions.vue","webpack://@icij/murmur/./lib/components/SharingOptions.vue?a43d","webpack://@icij/murmur/./lib/components/SharingOptions.vue","webpack://@icij/murmur/lib/components/EmbeddableFooter.vue","webpack://@icij/murmur/./lib/components/EmbeddableFooter.vue?26c8","webpack://@icij/murmur/./lib/components/EmbeddableFooter.vue","webpack://@icij/murmur/./lib/components/FollowUsPopover.vue?3c10","webpack://@icij/murmur/./lib/components/SignUpForm.vue?f5d1","webpack://@icij/murmur/lib/components/SignUpForm.vue","webpack://@icij/murmur/./lib/components/SignUpForm.vue?4ae9","webpack://@icij/murmur/./lib/components/SignUpForm.vue","webpack://@icij/murmur/lib/components/FollowUsPopover.vue","webpack://@icij/murmur/./lib/components/FollowUsPopover.vue?9bd7","webpack://@icij/murmur/./lib/components/FollowUsPopover.vue","webpack://@icij/murmur/./lib/components/GenericFooter.vue?5e9d","webpack://@icij/murmur/lib/components/GenericFooter.vue","webpack://@icij/murmur/./lib/components/GenericFooter.vue?2720","webpack://@icij/murmur/./lib/components/GenericFooter.vue","webpack://@icij/murmur/./lib/components/ImddbHeader.vue?0972","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/components/dropdown/dropdown-item.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/mixins/clickout.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/mixins/dropdown.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/components/nav/nav-item-dropdown.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/tooltip.class.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/popover.class.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/utils/ssr.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/mixins/toolpop.js","webpack://@icij/murmur/./node_modules/bootstrap-vue/es/components/popover/popover.js","webpack://@icij/murmur/lib/components/ImddbHeader.vue","webpack://@icij/murmur/./lib/components/ImddbHeader.vue?5d54","webpack://@icij/murmur/./lib/components/ImddbHeader.vue","webpack://@icij/murmur/./lib/components/ResponsiveIframe.vue?f690","webpack://@icij/murmur/lib/components/ResponsiveIframe.vue","webpack://@icij/murmur/./lib/components/ResponsiveIframe.vue?1204","webpack://@icij/murmur/./lib/components/ResponsiveIframe.vue","webpack://@icij/murmur/lib/components/SlideUpDown.vue","webpack://@icij/murmur/./lib/components/SlideUpDown.vue?0492","webpack://@icij/murmur/./lib/components/SlideUpDown.vue","webpack://@icij/murmur/./lib/components/index.js","webpack://@icij/murmur/./lib/main.js","webpack://@icij/murmur/./node_modules/@vue/cli-service/lib/commands/build/entry-

lib.js","webpack://@icij/murmur/./node_modules/lodash/_listCacheHas.js","webpack://@icij/murmur/./node_modul
es/core-js/modules/_string-
ws.js","webpack://@icij/murmur/./node_modules/lodash/isSymbol.js"],"names":["label","href","active","_VALUES
","Symbol","_SCOPES","Config","values","each","value","key","set","levels","split","length","scope","shift","join"
,"defaultValue","get","name","scopes","defaultValues","FontAwesomeIcon","Vue","use","VueI18n","loadLocaleM
essages","locales","require","messages","keys","forEach","matched","match","locale","process","fallbackLocale","
DEFAULT_ROWS","height","boxes","isFlexBasis","str","Number","toString","isWidth","cssSuffix","checkState","
suffix","getBoxStyle","left","width","isLast","subClass","arr","push","style","formatRows","rows","rowArr","row",
"boxArr","rowObj","box","index","concat","injectAsset","memoize","file","Promise","resolve","parent","document
","querySelector","parts","ext","toLowerCase","script","createElement","setAttribute","onload","appendChild","css
","injectAssets","files","flatten","arguments","filesLoaded","allFilesLoaded","i","then","pymChild","pymParams","I
frameResizer","initializer","window","pym","Child","polling","sendHeight","url","id","Date","now","deletePymPar
ams","location","URL","param","searchParams","delete","every","has","copyText","text","container","reject","fake
Element","clipboard","Clipboard","action","body","on","error","destroy","click","Murmur","lang","message","i18n
","setLocaleMessage","mergeLocaleMessage","options","Object","components","component","default"],"mappings
":";;AAAA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;A
AEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;;AAGA;AACA;;AAEA;AACA;;AAEA;AACA;AAC
A,kDAA0C,gCAAgC;AAC1E;AACA;;AAEA;AACA;AACA;AACA,gEAAwD,kBAAkB;AAC1E;AACA,yDAAi
D,cAAc;AAC/D;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,iDA
AyC,iCAAiC;AAC1E,wHAAgH,mBAAmB,EAAE;AACrI;AACA;;AAEA;AACA;AACA;AACA,mCAA2B,0BA
A0B,EAAE;AACvD,yCAAiC,eAAe;AAChD;AACA;;AAEA;AACA,8DAAsD,+DAA+D;;AAErH;AACA;;
;AAGA;AACA;;;;;;;;;AClFA,aAAa,mBAAO,CAAC,MAAW;;AAEhC;AACA;;AAEA;AACA;;AAEA;AACA;AAC
A;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAA
O;AACpB;AACA;AACA;;AAEA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA,K
AAK;AACL;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;AC7Ca;AACb,cAAc,mBAAO,CAAC,MAAY;AAClC,c
AAc,mBAAO,CAAC,MAAW;AACjC,eAAe,mBAAO,CAAC,MAAa;AACpC,WAAW,mBAAO,CAAC,MAAS;A
AC5B,gBAAgB,mBAAO,CAAC,MAAc;AACtC,kBAAkB,mBAAO,CAAC,MAAgB;AAC1C,qBAAqB,mBAAO,
CAAC,MAAsB;AACnD,qBAAqB,mBAAO,CAAC,MAAe;AAC5C,eAAe,mBAAO,CAAC,MAAQ;AAC/B,8CAA
8C;AAC9C;AACA;;AAEA,8BAA8B,aAAa;;AAE3C;AACA;AACA;AACA;AACA,yCAAyC,oCA
AoC;AAC7E,6CAA6C,oCAAoC;AACjF,KAAK,4BAA4B,oCAAoC;AACrE;AACA;AACA;AACA;AACA
;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA
,gBAAgB,mBAAmB;AACnC;AACA,kCAAkC,2BAA2B;AAC7D;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;;;;
;;;;ACpEA,kBAAkB,mBAAO,CAAC,MAAgB;AAC1C,iBAAiB,mBAAO,CAAC,MAAe;;AAExC;AACA;;AAEA;
AACA;;AAEA;AACA;AACA;AACA,WAAW,OAAO;AAClB,aAAa,MAAM;AACnB;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;AC7BA,aAAa,mBAAO,CA
AC,MAAW;AAChC,kBAAkB,mBAAO,CAAC,MAAe;AACzC,cAAc,mBAAO,CAAC,MAAW;;AAEjC;AACA;;
AAEA;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,QAAQ;AACrB;AACA;AACA;AACA;;
AAEA;;;;;;;;ACnBA;AACA;AACA;AACA;AACA;AACA;AACA,aAAa,QAAQ;AACrB;AACA;A
ACA;AACA;AACA;;AAEA;;;;;;;;ACjBA;AACA;AACA;AACA;AACA,WAAW,MAAM;AAAM;AACjB,
WAAW,MAAM;AACjB,aAAa,MAAM;AACnB;AACA;AACA;AACA;;AAEA;AACA;AACA;AAC
A;;AAEA;;;;;;;;ACnBA,eAAe,mBAAO,CAAC,MAAY;;AAEnC;AACA;AACA;AACA,WAAW,EAAE;AAC
b,aAAa,QAAQ;AACrB;AACA;AACA;AACA;;AAEA;;;;;;;;ACdA,AAAA,AAAA,AAAkgB,CAAgB,
wiBAAG,EAAC,C;;;;;;;;ACAthB,AACa;AACb,cAAc,mBAAO,CAAC,MAAW;AACjC,WAAW,mBAAO,CAAC,MAAS;A
AC5B,aAAa,mBAAO,CAAC,MAAW;AAChC,yBAAyB,mBAAO,CAAC,MAAwB;AACzD,2CAA2C;AAC3C;;AAEjD,2CAA2
C;AAC3C,8DAA8D,UAAU,EAAE;AAC1E,KAAK;AACL,AAAA,8DAA8D,SAAS,EAAE;AACzE,KAAK;AACL,AAAA,CAA
AC,EAAE;;;;;;;;ACnBH,mBAAmB,mBAAO,CAAC,MAAiB;AAC5C,eAAe,mBAAO,CAAC,MAAa;;AAEpC;AACA;AACA;AACA,WA

AW,OAAO;AAClB,WAAW,OAAO;AAClB,aAAa,EAAE;AACf;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;ACh
Ba;AACb;AACA,eAAe,mBAAO,CAAC,MAAc;AACrC;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;;;;;;;;;ACZA,yDAAW,mBAAO,CAAC,MAAS;AAC5B,gBAAgB,mBAAO,CAAC,MAAa;;AAErC;AA
CA,kBAAkB,KAA0B;;AAE5C;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AA
CA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AA
CA;AACA;AACA;;AAEA;;;;;;;;;ACrCA;AACA,YAAY,mBAAO,CAAC,MAAyB;AAC7C,kBAAkB,mBA
AO,CAAC,MAAkB;;AAE5C;AACA;;;;;;;;;ACNA,eAAe,mBAAO,CAAC,MAAY;AACnC,eAAe,mBAAO,
CAAC,MAAa;AACpC,kBAAkB,mBAAO,CAAC,MAAgB;;AAE1C;AACA;AACA;AACA,WAAW,SAAS
;AACpB,WAAW,OAAO;AAClB,aAAa,SAAS;AACtB;AACA;AACA;;AAEA;;;;;;;;;AChBA;AAAA;AAA
A;AAA4hB,CAAgB,kkBAAG,EAAC,C;;;;;;;;ACAniB;;AAEb;AACA;AACA;AACA;AACA;AACA;;;;;;;;;
ACRA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA
;;AAEA,MAAM,KAA0B;;AAEhC;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA,EAAE;AACF;AACA;;AAEA;AACA,CAAC;;AAED;AACA;AACA;A
ACA;;AAEA;;AAEA;;AAEA;;AAEA;;AAEA;;AAEA;;AAEA;;AAEA;;AAEA;;AAEA;;AAEA;;AAEA;;A
AEA;;AAEA;AACA;AACA;AACA;AACA;;;;AAGA;AACA;AACA;;;;;AAKA;AACA;AACA;AA
CA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;;
AAGA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;;;AAIA;AACA;;AAE
A;AACA;;AAEA;AACA;AACA;AACA,EAAE;;AAEF;AACA;AACA;;AAEA;;AAEA;AACA;;AAEA;A
ACA;;AAEA;AACA;AACA,EAAE;;AAEF;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA,
EAAE;;AAEF;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA,EAAE;;AAEF;AACA;AAC
A;AACA,EAAE;;AAEF;AACA;AACA;AACA,GAAG;AACH,EAAE;;AAEF;AACA;AACA,EAAE;;AAEF;AAC
A;AACA,EAAE;;AAEF;AACA;AACA,EAAE;;AAEF;AACA;AACA;AACA,EAAE;;AAEF;AACA;AAC
A,EAAE;;AAEF;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,+BAA+B;AAC/B;AACA;AACA;;
AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AAC
A;AACA;;AAEA,QAAQ,YAAY;;AAEpB;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;
AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA,MAAM;AACN;AACA;;AAEA;AACA;;AAEA;AACA,KA
AK;AACL;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;;AAEA;
AACA;AACA,EAAE;;AAEF,oBAAoB;;AAEpB;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;A
ACA;AACA;;AAEA;AACA;AACA;AACA,EAAE;;AAEF;;AAEA;AACA;AACA;;AAEA;AACA;AACA;
AACA;AACA,EAAE;;AAEF;AACA;AACA;AACA,EAAE;;AAEF;AACA;;AAEA;AACA;AACA,UAAU,YAAY;
AACtB;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;;AAEA;AACA,EAAE
;;AAEF;AACA;AACA;AACA;AACA,EAAE;;AAEF;AACA;;AAEA;AACA;AACA;AACA;AAC
A;AACA;AACA,IAAI;AACJ;AACA;AACA;;AAEA;AACA,EAAE;;AAEF;AACA;AACA,EAAE;;AAEF;AACA;
AACA;AACA;AACA;;AAEA,SAAS,SAAS;AAClB;AACA;;AAEA;;AAEA;AACA,EAAE;;AAEF;AACA
;AACA;AACA;AACA;;AAEA;AACA;AACA,SAAS,YAAY;AACrB;AACA;AACA;AACA;;AAE
A;AACA,EAAE;;AAEF;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,UAAU,YAAY;AACtB;;AA
EA;AACA;AACA;;AAEA;AACA,GAAG;AACH;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;A
ACA;AACA,EAAE;;AAEF;AACA;;AAEA;AACA;AACA;AACA,CAAC;;AAED;AACA;AACA;;AAEA;AACA;
AACA;AACA,CAAC;;AAED;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAE
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AA
EA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA,EAAE;;AAEF;AACA,aAAa;AACb;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA,SAAS,SAAS;AAClB;AACA;AACA;AACA;AACA,EAAE;;AAEF;;AAEA;;A
AEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,0BAA0
B;AAC1B;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;;
AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,
EAAE;;AAEF;AACA;;AAEA,gBAAgB,IAAI;;AAEpB;AACA;;AAEA;;AAEA;AACA;AACA,wCAAwC,IAAI;A

AC5C;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,EAAE;;AAEF;
AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA,EAA
E;;AAEF;AACA;AACA;AACA;AACA;AACA;AACA,EAAE;;AAEF;AACA;AACA;AACA,GAAG;AACH,GAA
G;AACH;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,CAAC;AACD,SAAS;;AAE
T;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;
AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AAC
A;AACA;AACA;AACA;AACA,OAAO;AACP;AACA;;AAEA;AACA,MAAM;;AAEN;AACA;AACA;AA
CA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA,KAAK;AACL;AACA;;AAEA;AACA,KAAK;A
ACL;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;
AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA,MAAM;AACN;AACA;;AAEA;AACA;AACA;AACA;AAC
A;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,MAAM;A
ACN,MAAM;AACN;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;
AACA,aAAa,yBAAyB;AACtC;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;;AAEA;AACA;AACA,WAAW,SAAS;AACpB;AACA;AACA;AACA;AACA;;AAEA;A
ACA;AACA,WAAW,SAAS;AACpB;AACA;AACA;;AAEA;AACA;AACA,EAAE;AACF;AACA,EAAE;AACF;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,WAAW,OAAO;AAClB,WAAW,SAAS
;AACpB;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA,WAAW,QAAQ;AACnB,W
AAW,QAAQ;AACnB,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAE
A;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA,WAAW,OAAO;A
 AClB;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,WAAW,OAAO;AAClB;AACA;AAC
A;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,WAAW,QAAQ,6BAA6B;AAChD;AACA;;AAEA;AACA
;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AAC
A;AACA;AACA,MAAM;AACN;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;A
AEA;;AAEA;AACA;AACA;AACA,GAAG;AACH;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA,
WAAW,SAAS;AACpB;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AAC
A;AACA;AACA,GAAG;AACH,EAAE;AACF;;AAEA;AACA;AACA,WAAW,gBAAgB;AAC3B,aAAa,uBAAuB;
AACpC;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA,WAAW,eAAe;AAC1B,aAAa,QAAQ;AACr
B;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,WAAW,eAAe;AAC1B,aAAa,OAAO;AAC
pB;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;A
ACA;;AAEA;AACA;AACA;;AAEA;AACA,GAAG;AACH;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA
;AACA;AACA;AACA;AACA;AACA,EAAE;;AAEF;AACA;;AAEA;AACA;AACA;AACA;AACA,EAAE;;AAEF;AACA
;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,EAAE;;AAEF;AACA;AACA;AACA;AACA;AACA
;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,EAAE;AACF;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AAC
A;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AA
EA;AACA;AACA;AACA;AACA;;AAEA;AACA,IAAI;AACJ;AACA;AACA,GAAG;;AAEH;AACA;AACA;AAC
A;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AA
CA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;
AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AAC
A;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AA
EA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;;AAEH;A
ACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;
AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,GAAG;AACH;;AAE
A;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,GAAG;AA
CH;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;
AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AAC

A;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;A
ACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;EAAE;AACF;AACA;AACA;AACA;AACA;AACA;;
AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA
;;AAEA;AACA;GAAG;AACH;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAE
A;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;A
ACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA
;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;;AAEA;AACA;;AAEA;AACA;AAC
A;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AA
EA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;A
ACA;AACA,WAAW,UAAU;AACrB;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAE
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AA
EA;AACA;AACA,WAAW,cAAc;AACzB;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;A
ACA;AACA;AACA,EAAE;AACF;AACA;AACA;AACA;AACA,GAAG;AACH;AACA,gCAAgC,MAAM;AACt
C;AACA;AACA;AACA,EAAE;AACF;AACA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;;AAEA;;AAEA;;A
AEA,eAAe;;AAEf,SAAS;;AAET;AACA,QAAQ,iCAAiC;AACzC,QAAQ,oBAAoB;AAC5B,QAAQ,sCAAsC;AA
C9C,QAAQ;AACR,EAAE;;AAEF;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA,GAAG;;
AAEH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA
;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA,IAAI;AACJ;AACA;;AAEA;AACA;GAAG;;AAEH;
AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA,IAAI;AACJ;AACA;AACA;AACA;;
AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,EAAE;;AAEF;;AAEA;AACA;AACA;AACA,gBAA
gB,aAAa,EAAE;AAC/B;AACA;AACA;AACA,GAAG;;AAEH;AACA;;AAEA;AACA;AACA;AACA;AACA,KA
AK;AACL,GAAG;;AAEH;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;;AAEA;;AAE
A;AACA;AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AA
CA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;A
AEA;AACA;;AAEA;;AAEA;AACA;AACA,4DAA4D;;AAE5D;AACA;AACA;AACA,yCAAyC;;AAEzC;AACA;
AACA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA,OAAO;AACP;AAC
A;AACA;AACA;AACA,6DAA6D;;AAE7D;AACA;AACA;AACA,0CAA0C;;AAE1C;AACA;AACA;AACA;;AA
EA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA,gEAAgE;;AAEhE
;AACA;AACA;AACA,6CAA6C;;AAE7C;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;A
ACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;
AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA
;AACA;AACA;AACA,MAAM;AACN;AACA;AACA;AACA;;AAEA;AACA;AACA,EAAE;;AAEF;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AA
CA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;;AAEH;A
ACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;;AAEA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA
,GAAG;;AAEH;AACA;AACA,GAAG;;AAEH;AACA;AACA,GAAG;;AAEH;AACA;AACA;;AAEA;AACA;AA
CA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA,GAAG;;AAEH;A
ACA;AACA;AACA,iEAAiE,UAAU;AAC3E,sCAAsC,2BAA2B;AACjE;AACA,gCAAgC,MAAM;AACtC;AACA
;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA,GAAG;;AAE
H;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;;AAEA;AACA;AA
CA;AACA,GAAG;;AAEH;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA,GAAG;;AAEH;AACA;AACA,G
AAG;;AAEH;AACA;AACA,UAAU,YAAY;AACtB;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA,UAAU,
YAAY;AACtB;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA,UAAU,UAAU;AACpB;AACA;AACA;AAC
A,GAAG;;AAEH;AACA;AACA,UAAU,cAAc;AACxB;AACA;AACA;AACA,GAAG;AACH;AACA;;AAEA;;AA
EA;AACA,YAAY,uEAAuE;AACnF;AACA;AACA,YAAY,4BAA4B;AACxC;AACA;;AAEA;AACA;AACA;AA

CA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,IAAI;
AACJ;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;
AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;;AAEA;AACA;AACA;AACA;AACA,QAAQ,SAAS;AACjB;AACA;AACA;AACA;;AAEA;AACA;AACA;AA
CA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;;AAEH;A
ACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,IAAI;AACJ;AA
CA;AACA,2DAA2D;;AAE3D;AACA;AACA,oFAAoF;;AAEpF;AACA;AACA,OAAO;AACP;;AAEA;AACA;AA
CA,OAAO;AACP;AACA;;AAEA,mCAAmC;AACnC;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AA
CA;;AAEA;AACA;AACA;AACA,QAAQ,SAAS;AACjB;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;A
ACA;AACA;;AAEA,QAAQ,SAAS;AACjB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;
AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AAC
A;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;A
ACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA
;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA,GAAG;AACH;AACA;AACA;AACA;AAC
A;AACA;AACA,IAAI;AACJ;AACA;AACA;AACA,EAAE;AACF;;AAEA;AACA;AACA;AACA;AACA;
AACA;;AAEA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA
;AACA;AACA;AACA,GAAG;;AAEH,QAAQ,SAAS;AACjB;AACA;AACA,GAAG;AACH;;AAEA;AAC
A;AACA;AACA,WAAW,SAAS;AACpB;AACA;AACA;AACA;AACA;AACA;AACA;AACA,uC
AAuC,iDAAiD;AACxF;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AA
EA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;A
AEA;AACA;AACA;;AAEA;AACA;AACA,iDAAiD;AACjD,UAAU,wCAAwC;AAClD;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;
AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;
AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AAC
A;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,IAAI;AACJ;AACA
;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,WAAW,gBAAgB;A
AC3B;AACA,WAAW,QAAQ;AACnB,WAAW,MAAM;AACjB,WAAW,MAAM;AACjB;AACA;AACA;AACA;
AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA,IAAI
;AACJ;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;;AAEA;AACA;AACA;AACA;AA
CA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;;
AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,CAAC;;AAED;AACA;AAC
A;AACA;AACA;AACA;AACA,CAAC;AACD;AACA;AACA;AACA;AACA,EAAE;AACF;;AAEA;AACA;AAC
A;AACA;AACA;AACA;AACA,CAAC;AACD;AACA;AACA;AACA;AACA,EAAE;AACF;;AAEA;AACA;AAC
A;AACA;AACA,CAAC;AACD;AACA;AACA;AACA;AACA;AACA;AACA;AACA,EAAE;AACF;;AAE
A;;AAEA,CAAC;;;;AAID;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;;;;AAKA;AACA;AACA;
;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;;AAGA;AACA;;AAEA,QAAQ,GAA
G;AACX;AACA;AACA;;AAEA;AACA;;;AAGA;;;;AAIA;;AAEA;;AAEA;AACA;;;;AAIA;AACA;AACA
;AACA;AACA;AACA,GAAG;AACH;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;A
ACA;;AAEA;AACA;AACA,EAAE;AACF;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,gBAAg
B,SAAS;AACzB;AACA;AACA;AACA,IAAI;AACJ;;AAEA;;AAEA,cAAc,SAAS;AACvB;AACA;;AAEA
;AACA,EAAE;AACF;AACA;AACA,EAAE;AACF;AACA;AACA,EAAE;AACF;AACA;AACA;;AAEA;AACA;

AACA;AACA;AACA;AACA;AACA;AACA;AACA,CAAC;;;AAGD;;;AAGA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA,IAAI;AACJ;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA,QAAQ;AACR;AACA;AACA;AACA;;AAEA;;AAEA;AACA,KAAK;AACL;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA,IAAI;AACJ;;AAEA;AACA;AACA,IAAI;AACJ;AACA;;AAEA;AACA,GAAG;AACH;AACA;AACA;;AAEA;AACA;AACA,GAAG;AACH;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;;;AAGA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA,UAAU,OAAO;AACjB;AACA;AACA;AACA;AACA,GAAG;AACH,EAAE;;AAEF;AACA;AACA;AA
CA;AACA;AACA;;AAEA;AACA;AACA,UAAU,OAAO;AACjB,0BAA0B,wBAAwB;;AAEID;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA,EAAE;;AAEF;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,EAAE;;AAEF;AACA;AACA;AACA;AACA;AACA,EAAE;;AAEF;AACA;AACA;AACA;AACA,CAAC;;AAED;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,EAAE;AACF;AACA;AACA,EAAE;AACF;AACA,EAAE;AACF;AACA;AACA,EAAE;AACF;AACA;AACA,EAAE;AACF;AACA;AACA,EAAE;AACF;AACA;AACA,EAAE;AACF;AACA;AACA,EAAE;AACF;AACA;AACA,EAAE;AACF,0CAA0C;AAC1C,EAAE;AACF;AACA;AACA,EAAE;AACF;AACA;AACA;;AAEA;AACA;AACA,CAAC;AACD;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;;AAEA;AAC
A;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,CAAC;AACD;;;;AAIA;AACA;AACA;AACA;AACA;AACA,EAAE;AACF;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,mBAA0mB;;AAEnB;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA,UAAU,cAAc;AACxB;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,G
AAG;;AAEH;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA
;AACA;AACA;AACA,QAAQ;;AAER;AACA;AACA;AACA,OAAO;AACP,MAAM;;AAEN;AACA;AACA;AAC
A;AACA;AACA,IAAI;;AAEJ;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA
,KAAK;AACL;AACA,IAAI;;AAEJ;AACA;AACA;AACA;AACA;AACA,IAAI;;AAEJ;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA,IAAI;AACJ;AACA;
AACA,IAAI;;AAEJ;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,IAAI;AACJ;AACA;AA
CA,IAAI;;AAEJ;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,IAAI;;AAEJ;
AACA;AACA;AACA,IAAI;;AAEJ;AACA;AACA;AACA;;AAEA;AACA;;;AAGA;AACA;AACA;
AACA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA,GAAG;AACH;;AAEA;AA
CA,GAAG;;AAEH;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,EAAE;;AAEF;AACA;AACA;A
ACA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA,KAAK;AACL;AACA,KAAK;;AAEL;
AACA;AACA;;AAEA;AACA;;AAEA,wCAAwC,sCAAsC;AAC9E,oCAAoC,uCAAuC;AAC3E,o
CAAoC,sCAAsC;AAC1E;AACA;AACA;AACA;AACA;AACA,SAAS;AACT;AACA;AACA;AAC
A;AACA,QAAQ;AACR,OAAO;AACP;AACA,MAAM;AACN,KAAK;AACL;AACA;AACA;AAC
A;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AAC
A;AACA;AACA;;AAEA;AACA,WAAW;;AAEX;AACA;;AAEA;AACA;AACA;AA
CA;AACA;AACA;AACA;;AAEA;AACA,UAAU;;AAEV;AACA;AACA;AACA;AACA;;AAEA;A
ACA;AACA;AACA,SAAS;;AAET;AACA;AACA;AACA;AACA;AACA,WAAW;;AAEX;AACA;
AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA,QAAQ;;AAER;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;A

ACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA,MAAM;AACN,KAAK;;AAEL;AACA;AACA;AACA;AAC
A;AACA,IAAI;AACJ;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AAC
A;;AAEA;AACA;AACA;AACA,MAAM;;AAEN;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;A
ACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA,oCAAoC;AACpC,qCAAqC;AACrC,oCAAoC;AACp
C;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;;AAEA;AACA;AACA;AA
CA;;AAEA;AACA;AACA,EAAE;;AAEF;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;
AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA
;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA,CA
AC;;;AAGD;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;;;;;AAKA;AACA;AACA;AAC
A,EAAE;AACF;;;;;AAKA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,GAAG;;
AAEH;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AA
EA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,CAAC;;AAED;;AAEA;AACA;AACA;A
ACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA,CAAC;;AAED;AACA;
;AAEA;AACA;AACA;;;;;AAKA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AA
CA;;AAEA;AACA,EAAE;AACF;;AAEA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AACA,I
AAI;AACJ;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA,UAAU,SAAS;AACnB;AACA;AACA;AACA;A
ACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;;AAGA;AAC
A;AACA;;AAEA;AACA;AACA;AACA;;AAEA,+BAA+B;AAC/B;AACA;AACA;AACA;AACA;;AAEA;
AACA;AACA;AACA;AACA;AACA;AACA;;;;;AAKA;AACA;AACA;;AAEA;;AAEA;;AAEA;;AAEA;A
ACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA
;AACA,KAAK;AACL;AACA;AACA;AACA,MAAM;AACN;AACA;AACA;;AAEA;AACA,EAAE;AACF;AAC
A;AACA;;AAEA;AACA;AACA;AACA;;AAEA,uBAAuB,aAAa;AACpC,GAAG;;AAEH;AACA;AACA;AACA;
AACA;AACA;AACA,EAAE;AACF;AACA;AACA;;AAEA;AACA;AACA,EAAE;AACF;;AAEA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AAC
A;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,EAAE;AACF;AACA;AACA;;AAEA;AACA;AAC
A;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;AACA,IAAI;AACJ;;AAEA;AACA;AACA;AACA;AACA;AAC
A;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,IA
AI;AACJ;AACA;AACA;AACA,EAAE;AACF;AACA;AACA;AACA;AACA;;AAEA;;;;AAIA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;;AAEA,oBAAoB,SAAS;AAC7B;;AAEA;AACA;AACA;AACA;
;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AAC
A;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,IAAI;;AAEJ;AACA;AAC
A,GAAG;AACH;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,EAAE;;AAEF;AACA;AACA,EAA
E;;AAEF;AACA;AACA,EAAE;;AAEF;AACA;AACA;AACA;AACA,EAAE;;AAEF;AACA;AACA;AACA,CAA
C;;AAED;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;
AACA;AACA;AACA,IAAI;AACJ;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;
AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AAC
A;;AAEA;AACA;AACA,IAAI;AACJ,GAAG;AACH,EAAE;;AAEF;AACA;AACA;AACA,GAAG;AACH;AACA,
CAAC;;;AAGD;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,KAAK;AACL;AAC
A;AACA;AACA;AACA,EAAE;;AAEF;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAE
A;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AA
EA;AACA;AACA;AACA,EAAE;;AAEF;AACA;AACA;AACA;AACA;AACA;AACA,IAAI;AACJ,GAAG;A
ACH;AACA,CAAC;;AAED;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;
AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA,IAAI;AACJ,EAAE;AACF;AACA;AACA;A
ACA,GAAG;AACH,EAAE;AACF;AACA;AACA,EAAE;;AAEF;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,CAAC;AACD;;AAEA;;;AAGA;;AAEA;;AAEA;AACA;AA

CA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;;;;AAKA;AACA;AACA;AACA;AACA;AACA;AACA,IAAI;AACJ;AACA;AACA,IAAI;AACJ;AACA;;AAEA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;;AAGA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA,QAAQ,gBAAgB;AACxB;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA,iBAAiB,gBAAgB;AACjC;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;ACA,EAAE;AACF;AACA;AACA,EAAE;AACF;AACA;AACA;;AAEA;AACA;AACA;AACA,IAAI;AACJ;AACA;AACA,GAAG;AACH;AACA,CAAC;AACD;;AAEA;;AAEA;;;;AAIA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;;;AAGA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA,EAAE;AACF;;AAEA,EAAE;AACF;AACA;;AAEA;AACA;AACA;;AAEA;A
ACA;;;AAGA;AACA;AACA;AACA;;AAEA,QAAQ,OAAO;AACf;AACA;AACA;AACA;AACA;AACA;;;AAGA,sBAAsB;;AAEtB;AACA;AACA;AACA;AACA;AACA;;AAEA,QAAQ,OAAO;AACf;AACA;;AAEA;;AAEA;A
ACA;;AAEA;AACA;AACA;;AAEA;AACA,IAAI;AACJ;;AAEA;AACA,IAAI;AACJ;;AAEA;AACA;AACA;AAC
A;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;A
ACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA
;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAE
A;AACA;;;AAGA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;A
ACA;AACA;;AAEA;AACA;AACA;AACA;AACA,CAAC;AACD;;;;AAIA;AACA;AACA;AACA;;AAEA;AACA
;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,EAAE,gBAAgB;AAClB;;AAEA;A
ACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA
;;AAEA;AACA;AACA;AACA,EAAE;AACF;;AAEA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA,EAAE;AACF;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AAC
A;;AAEA;AACA;AACA;AACA;AACA;AACA,EAAE;AACF;;AAEA;AACA;AACA;AACA;AACA;;AAEA,WA
AW;;AAEX;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;
AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AAC
A;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AA
EA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA,IAAI;;AAEJ;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;A
ACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,IAAI;A
ACJ;AACA;;AAEA;AACA;AACA;;AAEA,EAAE;;AAEF;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;
AACA;;AAEA,2CAA2C;AAC3C;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;A
ACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;
AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AAC
A;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,EAAE;;AAEF;;AAEA;AACA;;A
AEA;AACA;AACA,oDAAoD;AACpD;;AAEA;AACA;;AAEA,cAAc,sBAAsB;AACpC;AACA;;AAEA;;AAEA;A
ACA;AACA;;AAEA;AACA;;AAEA,yBAAyB;AACzB;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AA
CA;;AAEA;AACA;;AAEA,+DAA+D;AAC/D;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA,EAAE;;AAEF;AACA;AACA;AACA;;AAEA;AA
CA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA,UAAU,cAAc;;AAExB;AACA;A
ACA;AACA;AACA,iBAAiB,mBAAmB;AACpC;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA,0BAA0B,uCAAuC;AACjE;AACA;AACA;AACA;;AAEA;AACA;AA
CA;AACA,uBAAuB,uDAAuD;AAC9E;;AAEA;AACA,EAAE;;AAEF;AACA;AACA;AACA;;AAEA;AACA;AA
CA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;;AAEL;AACA;AACA;AA
CA;AACA;AACA,KAAK;AACL;AACA,GAAG;AACH,EAAE;;AAEF;AACA;AACA;AACA,EAAE;;AA

EF;AACA;;AAEA;AACA;AACA,GAAG;AACH;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,IAAI;AA
CJ;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA,IAAI;AACJ;AACA,GAAG;AACH;;AAE
A;AACA;AACA;AACA;AACA;AACA;AACA,IAAI;;AAEJ;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA
;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AAC
A;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA,sCAAsC;AACtC;AACA;;
AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA,EAA
E;AACF;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AA
CA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA,EAAE;AACF;AACA;;A
AEA;;AAEA;AACA;AACA;AACA,EAAE;AACF;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;
AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA,qCAAqC,cAAc;AACnD;AACA;AACA;AACA;;A
AEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA,CAAC;;AAED;AACA;AACA;
AACA;AACA;AACA,qCAAqC;AACrC;AACA;AACA;AACA;AACA;AACA;AACA,CAAC;AACD;AAC
A;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA,CAAC;;AAED;;AAEA;AACA;AACA,EAAE;AACF;AACA;AACA,EAAE;AACF;AACA;AA
CA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;A
ACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,
GAAG;AACH;AACA,CAAC;;;AAGD;;AAEA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AA
CA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA,EAAE;AACF;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAE
A;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA,2CAA2C,OAAO;AAClD;AACA;AACA;
AACA;AACA;;AAEA;AACA;AACA;AACA,8BAA8B;;AAE9B;AACA;AACA;;AAEA;AACA;AACA;;AAEA;A
ACA;AACA;;AAEA;AACA,EAAE;AACF;AACA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;
AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH
;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,UA
AU,OAAO;AACjB;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;
AACA;;AAEA;AACA;;AAEA;AACA,gBAAgB,gBAAgB;AAChC;AACA;AACA;AACA;;AAEA;;AAEA;AACA;
AACA;AACA;AACA,OAAO;AACP;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA
;AACA;AACA;;AAEA,QAAQ,+BAA+B;AACvC;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;A
ACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA,EAAE;;AAEF;AACA;AACA;AACA;;AAEA;AACA;AACA;;
AAEA;AACA;AACA;;AAEA,uCAAuC,OAAO;AAC9C;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;A
AEA,wCAAwC,OAAO;AAC/C;AACA;AACA,IAAI;AACJ;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;
;AAEA;AACA;AACA,EAAE;;AAEF;AACA;AACA;;AAEA,SAAS,qCAAqC;AAC9C;AACA;AACA;AA
CA;AACA;AACA;;AAEA;AACA,QAAQ;AACR;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;A
AEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,CAAC;;AAED;AACA;AACA;AACA,EAAE;;AAEF;A
ACA;AACA,EAAE;;AAEF;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL,GAAG;A
ACH,EAAE;;AAEF;AACA;AACA;AACA;AACA;AACA,GAAG;AACH,EAAE;;AAEF;AACA;AACA;A
ACA;AACA;AACA;AACA,GAAG;AACH,EAAE;;AAEF;AACA;AACA;AACA;AACA,GAAG;AACH,E
AAE;;AAEF;AACA;AACA;AACA;AACA,GAAG;AACH,EAAE;;AAEF;AACA;AACA;;AAEA,SAAS,8
BAA8B;AACvC;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA,EAAE;;AAEF;AACA;AACA;;AA
EA;AACA;AACA,GAAG;AACH,EAAE;;AAEF;AACA;AACA,6BAA6B;AAC7B;AACA;;AAEA;AACA;AACA;
;AAEA;AACA;AACA;;AAEA;;AAEA;AACA,YAAY,OAAO;AACnB;;AAEA;AACA;AACA;AACA;AACA;AA
CA;;AAEA;;AAEA;AACA,KAAK;AACL;;AAEA;AACA;AACA;AACA,GAAG;AACH,EAAE;;AAEF;AACA;;A
AEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA,GAAG;AACH;AACA,CAAC;;
AAED;AACA;AACA;AACA;AACA;AACA;AACA,CAAC;AACD;AACA;AACA;AACA;AACA;;AAEA,
SAAS,WAAW;AACpB;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA,CAAC;AACD;;AAEA;;AA
EA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;;;;AAIA;;AAEA;AACA;AACA;;AAEA;

AACA;AACA;AACA;;AAEA,+CAA+C,cAAc,WAAW;AACxE,mBAAmB,UAAU;AAC7B;AACA,sBAAsB,cAAc,sBAAsB,gBAAgB;AAC1E,gBAAgB,WAAW,YAAY;AACvC,cAAc;AACd;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA,EAAE;AACF,CAAC;;;AAGD;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;;;AAGA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA,kBAAkB;AAClB;AACA;AACA;;;AAGA;;AAEA;AACA;AACA;AACA;AACA;AACA,YAAY,+DAA+D;AAC3E;AACA;AACA;AACA,EAAE;;AAEF;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAACA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AAAC;AAAAA;AAAAA

Open Source Used In Crosswork Change Automation and Health Insights 4.4.0   3208

AACA;AACA;AACA;;AAEA,+CAA+C,cAAc,WAAW;AACxE,mBAAmB,UAAU;AAC7B;AACA,sBAAsB,cAA
c,sBAAsB,gBAAgB;AAC1E,gBAAgB,WAAW,YAAY;AACvC,cAAc;AACd;;AAEA;AACA;;AAEA;AACA;;AA
EA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;A
ACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA
;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA,GAAG;AACH;AAC
A;AACA;AACA,GAAG;AACH;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA,EAAE;AAC
F,CAAC;;;AAGD;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;;A
AEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;
AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;;;AAGA;;AA
EA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA,kBAAkB;AAClB;AACA;AACA;
;;AAGA;;AAEA;AACA;AACA;AACA;AACA;AACA,YAAY,+DAA+D;AAC3E;AACA;AACA;AACA,EAAE;;A
AEF;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;
AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;A
AEA,QAAQ,OAAO;;AAEf;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;
AACA,IAAI;AACJ;AACA;;AAEA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;;AAEA;AACA;AACA;
AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA
;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AAC
A;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA,EAAE;;AAEF;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA,EAAE;;AAEF;AACA;AACA,aAAa;;AAEb;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AA
CA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;
AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAE
A;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;;AAEA,GA
AG;;AAEH;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA,EAAE;;AAEF;AACA;AACA;AACA;;
AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AAC
A;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,CAAC;;A
AED;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA,OAAO;AACP;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AAC
A;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA,CAAC;;AAED;AACA;AACA;AACA;AACA;AA
CA,kBAAkB,gBAAgB;AAClC;AACA,MAAM;AACN;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AA
CA;AACA,CAAC;AACD;AACA;AACA;AACA,iBAAiB;;AAEjB;AACA;;AAEA,UAAU,OAAO;AACjB;AACA;
AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA,CAAC;;AAED;AACA;AACA;AACA,YAA
Y;AACZ;;AAEA;AACA;AACA;;AAEA,WAAW,SAAS;AACpB;AACA;;AAEA;AACA;;AAEA;AACA;A
ACA,GAAG;AACH;AACA,CAAC;;;AAGD;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA,EAAE;AACF;AACA;;AAEA;AACA;AACA;AACA,EAAE;AACF;AACA;
AACA;;AAEA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AAC
A;AACA,GAAG;AACH;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AA
CA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,IAAI;AACJ;AACA;AACA
;AACA;AACA,IAAI;AACJ;AACA;AACA;AACA
;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,EAAE;AACF
;AACA;AACA,EAAE;AACF;AACA;;AAEA;;AAEA;AACA;;;;;AAKA;AACA;AACA;AACA;;AAEA;AACA;AA
CA;AACA;AACA,GAAG;AACH;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,EAAE;A
ACF;AACA;;AAEA;AACA;AACA;AACA;AACA,WAAW;;AAEX;AACA;AACA;AACA,QAAQ,OAAO;AACf;
AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,QAAQ,gBA

AgB;AACxB;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,WAAW;AACX;AAC
A;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AA
EA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,IAAI;AACJ;GAAG;AACH;;AAEA;AACA;AACA;AAC
A;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA,KAAK;AACL;AACA;AACA;AACA;AA
CA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,IAAI;;AAEJ;AACA;AACA;AACA;AACA;A
ACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,MAAM;AACN;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;;AAE
A;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,IAAI;AACJ;iDAAiD,0BAA0B;AAC3E;;A
AEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;;AAEA;;AAEA;AACA;AACA;AACA
;AACA;AACA;AACA;AACA;AACA,IAAI;AACJ;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAE
A;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA,GAAG;AACH;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;A
ACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA,
UAAU,gBAAgB;AAC1B;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;A
ACA;AACA;AACA,GAAG;AACH;AACA;AACA,2BAA2B;AAC3B;AACA,qBAAqB;AACrB;AACA,IAAI;AAC
J;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,IAAI;AACJ;AACA;;AAEA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA,WAAW,gBAAgB;AAC3B;AACA;;AAEA,6CAA6C;AAC7C;AACA
;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA,GAAG;AACH;;AAEA;;AAEA,QAAQ,gBAAgB;AA
CxB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;
AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;;AAEA;AACA;;AAE
A;;AAEA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH,EAAE;;AAEF;AACA;AACA;AACA;AACA,GA
AG;AACH;AACA;;AAEA;AACA;AACA;;AAEA,SAAS,gBAAgB;AACzB;AACA;AACA;AACA;AACA,EAAE;
;AAEF;;AAEA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA,CAAC;;AAED;AACA;iEAAiE;AACj
E;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA,EAAE;AACF;AACA;AACA;;AAEA,IAAI;AACJ;
AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AAC
A;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA,oBAAoB,cAAc;AAClC;EAAE;A
ACF;AACA;AACA;;AAEA;AACA,iDAAiD;;AAEjD;AACA;AACA;AACA;AACA;;AAEA;AAC
A;AACA,EAAE;AACF;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AAC
A;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,IAAI;AACJ;AACA
;AACA;AACA;AACA;AACA;;AAEA,+BAA+B;SAAS;AACxC;AACA;;AAEA;AACA;AACA;AACA;AACA;;A
AEA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH,EAAE;AACF;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA
,+BAA+B;SAAS;AACxC;AACA;AACA;AACA;;AAEA;AACA,mBAAmB,gBAAgB;AACnC;AACA;AA
CA;AACA;;AAEA;AACA;AACA,GAAG;AACH;AACA,CAAC;;AAED;AACA;AACA;AACA;AACA;A
ACA;AACA,CAAC;;AAED;AACA;AACA;AACA;AACA;AACA,UAAU,kBAAkB;AAC5B,WAAW,kBAAkB;A
AC7B,cAAc;AACd,CAAC;AACD;AACA;AACA;AACA,CAAC;;AAED;AACA;AACA;AACA;AACA;;AAEA;;
AAEA,QAAQ,mBAAmB;AAC3B;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;
AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AAC
A;;AAEA;AACA;AACA;;;AAGA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;A
ACA;AACA;AACA,EAAE;AACF;;;AAGA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA
;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,CAAC;;;AAGD;AACA;;AAEA;AACA;AACA;AA
CA,EAAE;AACF;;AAEA;AACA;AACA;AACA,GAAG;AACH;AACA,CAAC;;AAED;AACA;AACA;;AAEA;A
ACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;
AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;;AAE
A;AACA;AACA,EAAE;;AAEF;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA,EAAE;;AAEF;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AA

CA;AACA;AACA,CAAC;;AAED;AACA;AACA;AACA;;AAEA;AACA;AACA,GAAG;AACH;AACA;AACA;A
ACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA
;AACA;AACA;AACA;AACA,CAAC;;;;;AAKD;AACA;;AAEA;AACA;AACA;AACA,EAAE;;AAEF;AACA;AA
CA;AACA,GAAG;AACH;AACA,CAAC;;AAED;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;;
AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAE
A;AACA,EAAE;;AAEF;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AA
EA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,EAAE;;AAEF;AACA;AACA;AA
CA;AACA,CAAC;;AAED;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;A
AEA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;
AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA
;AACA;AACA;AACA,CAAC;;;;;AAKD;AACA;AACA;AACA;AACA;AACA;;;AAGA;AACA;AACA;;AAEA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;
AACA,IAAI;AACJ;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;
AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA,EAAE;;AAEF;AACA;AACA;;AAEA
;AACA;AACA;AACA,IAAI;AACJ;;AAEA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA
;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;;AAEA;AACA,EAAE;;AAEF;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AA
CA;AACA,IAAI;AACJ;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AA
CA,MAAM;AACN;AACA;AACA;;AAEA;AACA,IAAI;AACJ;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH,EAAE;;AAEF;AA
CA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,CAAC;;;;;AAKD;;AAEA
;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AA
EA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;;
AAEA;AACA;AACA,IAAI;AACJ;AACA;;AAEA,iCAAiC;AACjC;AACA;;AAEA,IAAI;AACJ;;AAEA,IAAI;AA
CJ;AACA;AACA,KAAK;AACL;;AAEA;;AAEA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA,CAAC;;A
AED;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;
AACH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA,KAAK;AACL;AACA;;AAE
A;AACA,WAAW,SAAS;AACpB;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;A
ACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA,IAAI;;AAEJ;AACA;AACA;AACA;;AAEA;AACA;;A
AEA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA,CAAC;;AAED;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA
;AACA;AACA;AACA;AACA;AACA,CAAC;;;;;AAKD;;;AAGA;;;AAGA;AACA;AACA;AACA;;AAEA;;AAEA;
;AAEA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA,sCAAsC;AACtC;AACA;AACA;;A
AEA;;AAEA,yBAAyB;AACzB;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA,8CAA8C;A
AC9C;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA
;AACA;AACA;AACA;;AAEA;AACA,2CAA2C;AAC3C;;AAEA;AACA;AACA;AACA;AACA,UAAU,K
AAK;AACf;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;A
ACA;;AAEA;AACA,iDAAiD;AACjD;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;A
ACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;;AAEA;AACA;AAC
A;AACA;AACA;AACA;;AAEA;AACA,EAAE;;AAEF;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;;AAEA;AACA;;AAEA,CAAC;;AAED;;AAEA;AACA;AACA;AACA,GAAG;AACH,EAAE;AA
CF;AACA;AACA;AACA;AACA;AACA,CAAC;;;AAGD;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA,eAAe,qCAAqC;;AAEpD;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AAC
A;AACA;AACA;AACA,IAAI;AACJ;AACA;AACA;;AAEA;AACA;AACA;;AAEA,KAAK;AACL;AACA;AACA
;AACA;AACA,EAAE;AACF;AACA;;AAEA;;AAEA;;;;AAIA;AACA;AACA;AACA;AACA;AACA;;AAEA;AAC
A;AACA;AACA;AACA,EAAE;AACF;AACA;;AAEA;AACA;AACA;AACA;AACA;;;AAGA;AACA;AACA;AA
CA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA,IAAI;;AAEJ;AACA;AACA;A

ACA;AACA;AACA;AACA;AACA;AACA,GAAG;;AAEH,EAAE;;AAEF;AACA;AACA;AACA;;AAEA,EAAE;;
AAEF;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAE
A;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA,GAAG;;AAEH,EAAE;;AAEF;AACA;AACA;AA
CA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA,EAAE;AACF;AACA;;AAEA;AACA;A
ACA;AACA,GAAG;AACH;AACA;;AAEA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;;AAEA;AACA;
AACA;;AAEA;AACA;AACA,aAAa;AACb,KAAK;AACL;;AAEA,WAAW;AACX,GAAG;AACH;AACA,CAAC;
;;AAGD;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA,gBAAgB;;AAEhB;AACA;AACA;AACA;AACA;AACA,gBAAgB;;AAEhB,gDA
AgD;AAChD;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AAC
A;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA,KAAK;AACL;AACA;AACA;A
ACA;AACA;AACA;;AAEA;AACA;;AAEA,mBAAmB;AACnB;;AAEA;AACA;AACA;AACA;AACA;AACA;A
ACA;;AAEA;AACA;AACA;AACA,IAAI;AACJ;AACA;AACA,GAAG;AACH;AACA;;AAEA;AACA;;AAEA;A
ACA;AACA;AACA;AACA;;AAEA;AACA;AACA,wDAAwD;AACxD;AACA;AACA;AACA;AACA;;AA
EA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;A
ACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,
EAAE;;AAEF;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA
;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AAC
A,iBAAiB;;AAEjB;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;
AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;;AAEA;;AAEA;AACA,IAAI;;AAE
J;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;A
AEA;AACA,SAAS;AACT;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;A
ACA;AACA,MAAM;AACN;AACA;AACA,OAAO;AACP;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;;AAEA,SAAS;AACT;;AAEA;;AAEA;AACA;;AAEA;AACA,iBAAiB;AACjB,SAAS;;AAET;AAC
A;AACA;AACA;AACA;AACA;AACA,kDAAkD;;AAElD;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA,aAAa;AACb;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;
AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;;AAEA;AAC
A;;AAEA;AACA;;AAEA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA,EAAE;;AAEF;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;;AAE
A;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;;
AAEA;AACA,2BAA2B;;AAE3B;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;A
ACA,kCAAkC;;AAElC;AACA,sBAAsB;AACtB,2BAA2B;;AAE3B;AACA;;AAEA;AACA;AACA;;AAEA;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;;AAEL;AA
CA;AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;;AAEL;A
ACA;AACA;AACA;AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA;;AAEA;AACA;AACA,
OAAO;;AAEP;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA
;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AA
EA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;A
ACA,IAAI;;AAEJ;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;A
ACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA
;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AA
CA;AACA;AACA;;AAEA;AACA;;AAEA;AACA,GAAG;AACH;AACA;AACA;;AAEA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,s
DAAsD;AACtD;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AA
CA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA,GAAG;AACH;;AAEA;AACA;
AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,KAAK;AACL;;AAEA;AAC
A;AACA,IAAI;;AAEJ;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AAC
A;;AAEA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;A

AEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA
;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA,KAAK;AAC
L;;AAEA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA,IAAI;;AAEJ;AACA;AACA;AACA;AACA
;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA,IAAI;AACJ;AACA;;AAEA;
AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AAC
A;AACA;;AAEA;AACA,EAAE;;AAEF;AACA;AACA,EAAE;;AAEF;AACA;AACA;AACA,CAAC;;AAED;AAC
A;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GA
AG;AACH;AACA,CAAC;;;AAGD;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,E
AAE;AACF;;;AAGA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAE
A;AACA;;AAEA;AACA;AACA;;AAEA;AACA,IAAI;AACJ;;AAEA;AACA,EAAE;;AAEF;AACA;AACA;AAC
A;AACA,IAAI;AACJ;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA,IAAI;AACJ;AACA;AACA,GAAG;AACH,E
AAE;;AAEF;AACA;;AAEA;AACA;AACA,GAAG;AACH,EAAE;;AAEF;AACA;AACA;AACA,GAAG;AACH;
AACA;AACA,CAAC;;;AAGD;AACA;AACA;AACA;AACA;;;;;AAKA;AACA;AACA;AACA,EAAE;AA
CF;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;AACA,EAAE;AACF;;AAEA;AACA;;AAEA;AACA;;AAEA;A
ACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;
AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,QA
AQ;;AAER;AACA;AACA;AACA;AACA;AACA,SAAS;AACT;;AAEA;mDAAmD;AACnD;AACA;AACA;AAC
A;AACA,QAAQ;AACR;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,WAAW,uBAAuB;AAClC,
WAAW,yBAAyB;AACpC;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;A
ACA;AACA;AACA,KAAK;AACL;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA,QAAQ;AACR;AACA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA,KAAK;;AAEL;AACA;AAC
A;AACA;AACA;AACA,IAAI;;AAEJ;AACA;AACA;AACA;AACA;AACA;AACA;AACA,CAAC;;;;;AAKD;AA
CA;AACA;AACA;AACA,CAAC;;AAED;AACA;AACA;AACA;AACA;AACA,EAAE;AACF;AACA;AA
CA,EAAE;AACF;AACA;AACA;AACA;AACA;AACA,CAAC;;AAED;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA,CAAC;;AAED;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,IAAI;AA
CJ;AACA;AACA;AACA;AACA;AACA;AACA;AACA,CAAC;;;;;AAKD;AACA;;AAEA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA,CAAC;;AAED;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA
;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,GAAG;AACH;AACA;;AA
EA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;A
ACA;;AAEA;AACA;AACA;;AAEA;AACA,IAAI;AACJ;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;A
ACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA,GAAG;;AAEH;AACA;AACA;AACA,CAAC;;;;;AAKD;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA,CAAC;;;AAGD;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;
AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AAC
A;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;;;AAGA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;A
ACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA,EAAE;AACF;AACA;;AAEA;AACA;
AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;;AAEA;;AAEA;AAC
A;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA,IAAI;AACJ,GAAG;AAC
H;;AAEA;AACA;;;;;AAKA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA,CAAC;;;;;AAKD;AACA;AACA;AACA,EAAE;AACF;;;;;AAKA;AACA;AACA;AACA;AACA;;AA
EA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;A
AEA,GAAG;AACH;AACA;AACA;;AAEA;;AAEA;AACA,qDAAqD;AACrD;;AAEA;AACA;AACA;AACA;AA
CA;AACA;;AAEA;AACA;;AAEA,GAAG;AACH;AACA;AACA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;
AACA;AACA;AACA;AACA,KAAK;AACL;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AAC
A;AACA;AACA,WAAW;AACX;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,EAAE;;AA
EF;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,mBAAmB;;AAEnB;AACA;;AAEA;AACA;;AA

EA,GAAG;AACH;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,EAAE;;AAEF;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA,GAAG;AACH;AACA,CAAC;;AAED;AACA,cAAc,sDAAsD;AACpE;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA,IAAI;AACJ;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA,IAAI;AACJ;AACA;AACA,GAAG;AACH;AACA,CAAC;;AAED;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,CAAC;;;AAGD;AACA,cAAc,mCAAmC;AACjD,eAAe,6DAA6D;AAC5E;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA,IAAI;AACJ;AACA,EAAE;AACF,CAAC;;;AAGD;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,CAAC;;AAED;AACA;AACA;AACA;AACA,CAAC;;;;;AAKD;;AAEA;AACA;AACA,EAAE;AACF;AACA;AACA,EAAE;AACF;;AAEF;AACA;AACA,EAAE;AACF;;AAEA;AACA;AACA;AACA;AACA;AACA,CAAC;;AAED;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA,EAAE;AACF;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;;;;AAKA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA,KAAK,IAA0C;AAC/C,CAAC,iCAAkB,EAAE,mCAAE;AACvB;AACA,EAAE;AAAA,oGAAAE;AACJ;;;;;AAKA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;;;;;AAKA;AACA;AACA,CAAC;;;;;;;;;AASD;AACA;AACA;;;AAGA;AACA;AACA;AACA;AACA;AACA;AACA,gBAAgB;AAChB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,2B;;;;;;;;;AAScBA,UAAU;AACxB,mBAAO,CAAC,MAAe;AACvB;AACA,iBAAiB,mBAAO,CAAC,MAAkB;AAC3C;AACA,gBAAgB,mBAAO,CAAC,MAAe;AACvC;AACA,kBAAkB,mBAAO,CAAC,MAAiB;AAC3C;AACA,UAAU,mBAAO,CAAC,MAAQ;AAC1B;AACA,qBAAqB,mBAAO,CAAC,MAAmB;AAChD;;AAEA,YAAY,mBAAO,CAAC,MAAgB;AACpC;AACA;AACA;AACA,GAAG,YAAY;AACf;AACA;;;;;;;;;AAScf;AACd;AACA;AACA;AACA,WAAW,EAAE;AACb;AACA,aAAa,QAAQ;AACrB;;AAEA;;;;;;;;;ACdA,eAAe,mBAAO,CAAC,MAAkB;AACzC;AACA;AACA;AACA,KAAK;AACL;;AAEA;;;;;;;;;ACbA,eAAe,mBAAO,CAAC,MAAe;AACtC;AACA;AACA;AACA;AACA,GAAG,YAAY;AACf;AACA;;AAEA,aAAa,QAAQ;;;;;;;;;;ACd0B;AAC/C,CAAC;AAAA,oGAAAE;AACD;;;;;;;;;ACFA,eAAe,mBAAO,CAAC,MAAe;AACtC;AACA;AACA;AACA;AACA;AACA,GAAG,YAAY;AACf;AACA;;AAEA,aAAa,QAAQ;;;;;;;;;;ACb0B;AAC/C;;;;;;;;;ACDA,eAAe,mBAAO,CAAC,MAAe;AACtC;AACA;AACA;AACA;AACA,GAAG,YAAY;AACf;AACA;;AAEA,aAAa,QAAQ;;;;;;;;;;ACb0C;AAC/D;;;;;;;;;ACDA,eAAe,mBAAO,CAAC,MAAe;AACtC;AACA;AACA;AACA;AACA,GAAG,YAAY;AACf;AACA;;AAEA,aAAa,QAAQ;AACrB;AACA;AACA;AACA,KAAK;AACL,aAAa;AACb;AACA;AACA;AACA;AACA;AACA;AACA,GAAG,YAAY;AACf;AACA;;AAEA,aAAa,QAAQ;;;;;;;;;;;;;;ACPA;;AAEb;AACA;AACA,QAAQ;AACR;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,eAAe,6DAA6D;;;;;;;;;;ACd5E,eAAe,mBAAO,CAAC,MAAQ;AAC/B;AACA;AACA;AACA;AACA;AACA,KAAK,YAAY,MAAM;AACvB;AACA;AACA;AACA,GAAG,YAAY;AACf;AACA;;AAEA,aAAa,QAAQ;;;;;;;;;;;;;;AChBR;;AAEb;AACA;AACA;AACA;AACA,GAAG,YAAY;AACf;AACA;;AAEA,aAAa,QAAQ;;;;;;;;;;ACX0B;AAC/C;AACA;AACA;AACA;AACA;AACA;AACA,GAAG,YAAY;AACf;AACA;;AAEA,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA,GAAG,YAAY;AACf;AACA;;AAEA,aAAa,QAAQ;;;;;;;;;;;;;;ACXR;;AAEb;AACA;AACA;AACA;AACA,GAAG,YAAY;AACf;AACA;;AAEA,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA,GAAG,YAAY;AACf;AACA;;AAEA,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG,YAAY;AACf;AACA;;AAEA,aAAa,QAAQ;;;;;;;;;;;;;AClCR;;AAEb;AACA;AACA,QAAQ;AACR;AACA,GAAG,YAAY;AACf;AACA;;AAEA,aAAa,QAAQ;;;;;;;;;;ACXgB;AACrC,CAAC,iBAAiB,mBAAO,CAAC,MAAe;AACzC;AACA;AACA,cAAc;AACd;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA,aAAa,QAAQ;AACrB;AACA;AACA;AACA,KAAK;AACL;AACA;AACA,GAAG,YAAY;AACf;AACA;AACA;AACA;AACA;AACA;AACA,GAAG,YAAY;AACf;AACA;;AAEA,aAAa,QAAQ;;;;;;;;;;ACPb;AACR,mBAAO,CAAC,MAAQ;AAChB,aAAa,mBAAO,CAAC,MAAe;AACpC;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,MAAM,mBAAO,CAAC,MAAQ;AACtB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG,YAAY;AACf;AACA;;AAEA,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA,GAAG,YAAY;AACf;AACA;;AAEA,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,MAAM,mBAAO,CAAC,MAAQ;AACtB;AACA;AACA;AACA;AACA,GAAG,YAAY;AACf;AACA;;AAEA,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA,GAAG,YAAY;AACf;AACA;;AAEA,aAAa,QAAQ;A

ACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;;
;;;;;ACnFA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,QAAQ;AACrB;AACA;AACA,gBAAAgB;AAChB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;AC9BA,aAAa,mBAAO,CAAC,MAAW;AAChC,iBAAiB,mBAAAO,CAAC,MAAe;AACxC,SAAS,mBAAO,CAAC,MAAM;AACvB,kBAAkB,mBAAO,CAAC,MAAgB;AAC1C,iBAAiB,mBAAO,CAAC,MAAe;AACxC,iBAAiB,mBAAO,CAAC,MAAe;;AAExC;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,WAAW,OAAO;AAClB,WAAW,OAAO;AAClB,WAAW,OAAO;AAClB,WAAW,SAAS;AACpB,WAAW,SAAS;AACpB,WAAW,OAAO;AAClB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;
;;;;;;;;AC/Ga;;AAEb,iBAAiB,mBAAO,CAAC,MAAkB,eAAe,mBAAO,CAAC,MAAY;;;;;;;;ACF9E,gBAAAgB,mBAAO,CAAC,MAAc;AACtC,WAAW,mBAAO,CAAC,MAAS;;AAE5B;AACA;;;;;;;;ACNA;AACA;AACA;AACA,WAAW,OAAO;AAClB,WAAW,OAAO;AAClB,aAAa,QAAQ;AACrB;AACA;AACA;;AAEA;;;;;;;AChBA,eAAe,mBAAO,CAAC,MAAa;;AAEpC;AACA;AACA;AACA,WAAW,aAAa;AACxB,WAAW,SAAS;AACpB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;;AAEA;;;;;;;ACpBA;AACA,eAAe,mBAAO,CAAC,MAAc;AACrC;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;;;;;;;;ACXA,iBAAiB,mBAAO,CAAC,MAAe;;AAExC;AACA;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;;AAEA;;;;;;;ACrBA,uC;;;;;;ACAa;;AAEb,iBAAAiB,mBAAO,CAAC,MAAkB;AAC3C;AACA,GAAG,mBAAO,CAAC,MAAQ;;;;;;;;ACJnB;AACA;AACA;AACA,WAAW,OAAO;AAClB,WAAW,EAAE;AACb,aAAa,SAAS;AACtB;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;ACnBa;AACb,WAAW,mBAAO,CAAC,MAAS;AAC5B,eAAe,mBAAO,CAAC,MAAa;AACpC,YAAY,mBAAO,CAAC,MAAU;AAC9B,cAAc,mBAAO,CAAC,MAAY;AAClC,UAAU,mBAAO,CAAC,MAAQ;;AAE1B;AACA;AACA,WAAW,OAAO;AAClB,WAAW,OAAO;AAClB,WAAW,OAAO;AAClB,WAAW,OAAO;AAClB,gBAAAgB,qBAAAqB;AACrE;AACA;AACA,2BAAA2B,gBAAAgB;AAC3D;AACA;;;;;;;;AC3BA,uBAAAuB,mBAAO,CAAC,MAAqB;;AAEpD;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,WAAW,OAAO;AAClB,WAAW,OAAO;AAClB,WAAW,mBAAAmB;AACvB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;AC3CA,YAAAY,mBAAO,CAAC,MAAU;;AAE9B;AACA;AACA;AACA;AACA;AACA,WAAW,SAAS;AACpB,WAAW,OAAO;AAClB,WAAW,SAAS;AACpB,aAAa,SAAS;AACtB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ACnCA,uBAAAuB;AACb,8CAA8C,cAAc;AAC5D;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,kC;;;;;;AC5BA,eAAe,mBAAO,CAAC,MAAc;AACrC,eAAe,mBAAO,CAAC,MAAW;;AAElC;AACA;AACA;AACA;;;;;;;;ACNA,cAAc,mBAAO,CAAC,MAAW;;AAEjC;AACA;AACA;AACA,WAAW,SAAS;AACpB,aAAa,SAAS;AACtB;AACA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;;;;;;;;ACzBA,eAAe,mBAAO,CAAC,MAAc;AACrC,UAAU,mBAAO,CAAC,MAAQ;AAC1B,iBAAiB,2BAA2B,kBAAkB,EAAE;;AAE/C;AACA;AACA;AACA,GAAG,YAAY;AACf;;AAEA;;;;;;;;ACbA,cAAc,mBAAO,CAAC,MAAY;AAClC,WAAW,mBAAO,CAAC,MAAQ;;AAE3B;AACA;AACA;AACA,WAAW,OAAO;AAClB,WAAW,SAAS;AACpB,aAAa,OAAO;AACpB;AACA;AACA;;AAEA;;;;;;;ACfA,WAAAW,mBAAO,CAAC,MAAS;;AAE5B;AACA;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,aAAa,EAAE;AACf;AACA;AACA;AACA;;

AAEA;;;;;;;;;ACfA,mBAAmB,mBAAO,CAAC,MAAiB;;AAE5C;AACA;;AAEA;AACA;AACA;AACA;AACA;A
ACA;AACA,WAAW,OAAO;AAClB,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;AACA;
AACA;AACA;;AAEA;;;;;;;;ACtBA,iBAAiB,mBAAO,CAAC,MAAe;AACxC,mBAAmB,mBAAO,CAAC,MAAg
B;;AAE3C;AACA;;AAEA;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,QAAQ;AACrB;AACA;AA
CA;AACA;;AAEA;;;;;;;;ACjBA;;;;;;;;ACAA,iBAAiB,mBAAO,CAAC,MAAe;AACxC,gBAAgB,mBAAO,CAAC,
MAAc;AACtC,mBAAmB,mBAAO,CAAC,MAAiB;AAC5C,cAAc,mBAAO,CAAC,MAAW;AACjC,qBAAqB,mB
AAO,CAAC,MAAmB;;AAEhD;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA,WAAW,aAAa;AACxB,WAAW,SAAS;AACpB,YAAY,OAAO;AACnB,aAAa,QAAQ;A
ACrB;AACA;AACA;AACA;AACA;AACA,MAAM,+CAA+C;AACrD,MAAM;AACN;AACA;AA
CA;AACA,mBAAmB,oCAAoC;AACvD;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ACvDA;AACA;AACA;AACA;AACA,WAAW,OA
AO;AAClB,WAAW,aAAa;AACxB,aAAa,QAAQ;AACrB;AACA;AACA;;AAEA;;;;;;;;ACZA,cAAc,mBA
AO,CAAC,MAAY;AAClC,eAAe,mBAAO,CAAC,MAAQ;AAC/B,gBAAgB,mBAAO,CAAC,MAAc;AACtC,iBA
AiB,mBAAO,CAAC,MAAS;AAClC;AACA;AACA;;;;;;;;ACPA;AACA,mBAAO,CAAC,MAAe;AACvB;
AACA,iBAAiB,mBAAO,CAAC,MAAc;AACvC;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA,gDAAgD;AAChD;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA,uBAAuB,2BAA2B;AAClD,WAAW;AACX;AACA;AACA;AACA;AACA,mFAAm
F;AACnF;AACA;AACA;AACA,OAAO;AACP;AACA;AACA,GAAG;AACH;AACA;AACA;AAC
A;AACA;AACA;AACA,GAAG;AACH,CAAC;;;;;;;;ACtED;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ACZA;AACA;;AAEA;AACA;AACA;AACA;AACA;;
AAEA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;;AAEA
;;;;;;;;;ACrBA,aAAa,mBAAO,CAAC,MAAW;AAChC,WAAW,mBAAO,CAAC,MAAS;AAC5B,UAAU,mBAAO,
CAAC,MAAQ;AAC1B,UAAU,mBAAO,CAAC,MAAQ;AAC1B;AACA;;AAEA,mBAAO,CAAC,MAAS;
AACjB;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA,GAA
G;AACH;AACA,GAAG;AACH;AACA;AACA;AACA,CAAC;AACD;AACA,CAAC;;;;;;;;AC9BD;AACA,eAAe,
mBAAO,CAAC,MAAc;AACrC,UAAU,mBAAO,CAAC,MAAe;AACjC,kBAAkB,mBAAO,CAAC,MAAkB;AAC
5C,eAAe,mBAAO,CAAC,MAAe;AACtC,yBAAyB;AACzB;;AAEA;AACA;AACA;AACA,eAAe,mBAAO,CAAC
,MAAe;AACtC;AACA;AACA;AACA;AACA,EAAE,mBAAO,CAAC,MAAS;AACnB,6BAA6B;AAC7B;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA
;AACA;AACA,GAAG;AACH;AACA;;;;;;;;ACxCA,uC;;;;;;;ACAA,iBAAiB,mBAAO,CAAC,MAAe;;AAE
xC;AACA;;AAEA;AACA;;AAEA;;;;;;;;ACRA,YAAY,mBAAO,CAAC,MAAW;AAC/B,UAAU,mBAAO,CAAC,
MAAQ;AAC1B,iBAAiB,mBAAO,CAAC,MAAW;AAChC;;AAEA;AACA;AACA;AACA;;AAEA;;;;;;;;ACVA
;AACA;AACA;AACA;AACA,WAAW,MAAM;AACjB,WAAW,SAAS;AACpB,aAAa,MAAM;AA
CnB;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;
;;;;ACxBA,iBAAiB;;AAEjB;AACA;;;;;;;;ACJA;AACA;AACA;AACA;AACA;AACA,WAAW,OA
AO;AAClB,aAAa,QAAQ;AACrB;AACA;AACA;;AAEA;AACA;AACA;;AAEA;;;;;;;;ACjBA,iBAAiB,mB
AAO,CAAC,MAAc;AACvC,eAAe,mBAAO,CAAC,MAAY;;AAEnC;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;AChCA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;;;;;;;;;
ACfA,SAAS,mBAAO,CAAC,MAAc;AAC/B,iBAAiB,mBAAO,CAAC,MAAkB;AAC3C,iBAAiB,mBAAO,CAAC,
MAAgB;AACzC;AACA,CAAC;AACD;AACA;;;;;;;;;ACPA,kBAAkB,mBAAO,CAAC,MAAgB;AAC1C,g
BAAgB,mBAAO,CAAC,MAAa;;AAErC;AACA;;AAEA;AACA;;AAEA;AACA;AACA;A
ACA,WAAW,OAAO;AAClB,aAAa,MAAM;AACnB;AACA;AACA;AACA;AACA;AACA;AACA;AACA
,GAAG;AACH;;AAEA;;;;;;;;AC7BA;AACA,gBAAgB,mBAAO,CAAC,MAAc;AACtC,eAAe,mBAAO,CAAC,M
AAQ;AAC/B;;AAEA;AACA;AACA;;;;;;;;ACPA,iBAAiB,mBAAO,CAAC,MAAc;AACvC,eAAe,mBAAO,CAAC,
MAAa;AAC5B,kBAAkB,mBAAO,CAAC,MAAY;;AAEpC;AACA;AACA;AACA;AACA;AACA;AACA
;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;;AAEA;;;;;;;;AC7BA;AACA,gBAAgB,mBAAO,CAAC,
MAAc;AACtC,eAAe,mBAAO,CAAC,MAAQ;AAC/B;AACA;;AAEA;AACA;;AAEA;;;;;;;;ACPA,iBAAiB,mBA
AO,CAAC,MAAc;AACvC,eAAe,mBAAO,CAAC,MAAa;AAC5B,kBAAkB,mBAAO,CAAC,MAAY;AACpC,cA
Ac,mBAAO,CAAC,MAAY;;AAEpC;;AAEA;AACA;A

ACA;AACA,oCAAoC;;AAEpC;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;AC9CA;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,WAAW,OAAO;AAClB,aAAa,EAAE;AACf;AACA;AACA;;AAEA;;;;;;;;;ACZA,aAAa,mBAAO,CAAC,MAAW;AAChC,gBAAgB,mBAAO,CAAC,MAAc;AACtC,qBAAqB,mBAAO,CAAC,MAAmB;;AAEhD;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;AC3BA,uC;;;;;;;ACAA;AACA,IAAI,mBAAO,CAAC,MAAgB,wBAAwB,mBAAO,CAAC,MAAc;AAC1E;AACA,OAAO,mBAAO,CAAC,MAAU;AACzB,CAAC;;;;;;;;;ACJD;AACA,UAAU,mBAAO,CAAC,MAAQ;AAC1B,eAAe,mBAAO,CAAC,MAAc;AACrC,eAAe,mBAAO,CAAC,MAAe;AACtC;;AAEA;AACA;AACA;AACA;AACA,GAAG;AACH;;;;;;;;;ACZA,gBAAgB,mBAAO,CAAC,MAAc;AACtC,WAAW,mBAAO,CAAC,MAAS;;AAE5B;AACA;;AAEA;;;;;;;;;ACNA,gBAAgB,mBAAO,CAAC,MAAc;;AAEtC;AACA;AACA,WAAW,QAAQ;AACnB;AACA,GAAG;AACH,CAAC;;AAED;;;;;;;;;ACVA,yBAAyB,mBAAO,CAAC,MAAuB;AACxD,WAAW,mBAAO,CAAC,MAAQ;;AAE3B;AACA;AACA;AACA,WAAW,OAAO;AAClB,aAAa,MAAM;AACnB;AACA;AACA;;AAEA;AACA;AACA;;AAEA;;;;;;;;;ACvBA;AACA;AACA;AACA,CAAC,KAAA4D;AAC7D,CAAC,SACgC;AACjC,CAAC,CAAC,qBAAqB;;AAEtB;;AAEA;AACA,mBAAmB,YAAY,EAAE;;AAEjC;AACA;AACA;AACA;AACA,IAAI;AACJ;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,IAAI;AACJ;AACA;AACA;AACA;AACA,IAAI;AACJ;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,uBAAuB,eAAe;AACtC;AACA;AACA,cAAc;AACd,sCAAsC,UAAU;AAChD;AACA;AACA,QAAQ;AACR;AACA;AACA;AACA;AACA,MAAM;AACN;;AAEA;AACA,mBAAmB,kBAAkB;AACrC;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,cAAc;AACd;;AAEA;AACA,sBAAsB,QAAQ;AAC9B,8CAA8C,WAAW,UAAU,YAAY,SAAS,UAAU,UAAU;AAC/J;AACA;AACA;AACA;AACA;AACA;AACA,oDAAoD,gBAAgB,sBAAsB,OAAO,2BAA2B,0BAA0B,yDAAyD,2BAA2B,EAAE,EAAE,EAAE,eAAe;AAC/P,AAE/P,EAAE,EAAE,OAAO,kBAAkB,EAAE,YAAY;;AAEhN;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA,iBAAiB,oBAAoB,4BAA4B,4BAA4B,kBAAkB,mCAAmC;AAClJ,IAAI;;AAEJ;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,IAAI;;AAEJ;AACA;AACA;AACA;AACA;AACA;AACA,MAAM;;AAEN;AACA;AACA;AACA,MAAM;;AAEN;AACA;AACA;AACA,MAAM;;AAEN;AACA;AACA;AACA;AAEA;AACA;AACA;AACA;AACA;AACA,MAAM;;AAEN;AACA;AACA;AACA;AACA;AACA,MAAM;;AAEN;AACA;AACA;AACA;AAEA;AACA;AACA;AACA,IAAI;;AAEJ;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,6BAA6B,WAAW,gCAAgC;;AAEA;AACA;;AAEA;AACA,MAAM;AACN,yBAAyB;AACzB,MAAM;AACN;;AAEA;AACA,gCAAgC,aAAa;AAC7C,CAAC7C,MAAM;AACN;AACA;AACA,IAAI;;AAEJ;AACA;AACA;AACA;AACA;AACA;AACA,QAAQ;AACR;AACA;AACA;AACA,MAAM;AACN;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,QAAQ;AACR;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,MAAM;AACN;;AAEA;AACA;AACA;AACA;AACA;AACA,MAAM;AACN;AACA;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,MAAM;AACN;AACA;AACA;AAEA;AACA;AACA;AACA;AACA;AACA,MAAM;AACN

N;AACA;AACA;AACA;AACA;AACA;AACA,MAAM;AACN;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,UAAU;AACV;AACA,MAAM;AACN;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,UAAU;AACV;AACA;AACA;;AAEA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;;AAEA,CAAC;;;;;;;;;;ACnfY;AACb,aAAa,mBAAO,CAAC,MAAkB;AACvC,iBAAiB,mBAAO,CAAC,MAAkB;AAC3C,qBAAqB,mBAAO,CAAC,MAAsB;AACnD;;AAEA;AACA,mBAAO,CAAC,MAAS,qBAAqB,mBAAO,CAAC,MAAQ,4BAA4B,aAAa,EAAE;;AAEjG;AACA,qDAAqD,4BAA4B;AACjF;AACA;;;;;;;;;;ACZA,gBAAgB,mBAAO,CAAC,MAAc;;AAEtC;AACA;AACA;AACA,WAAW,OAAO;AAClB,WAAW,OAAO;AAClB,aAAa,EAAE;AACf;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;;ACjBA;AACA;AACA;AACA;AACA,WAAW,MAAM;AACjB,WAAW,SAAS;AACpB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;;ACtBA,eAAe,mBAAO,CAAC,MAAa;AACpC,UAAU,mBAAO,CAAC,MAAQ;AAC1B,iBAAiB,cAAc,mBAAO,CAAC,MAAY;AACnD,iBAAiB,cAAc,mBAAO,CAAC,MAAY;AACnD,iBAAiB,mBAAO,CAAC,MAAe;AACxC,eAAe,mBAAO,CAAC,MAAa;;AAEpC;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA,WAAW,WAAW,EAAE;AACxB,aAAa,OAAO;AACpB;AACA;AACA,+BAA+B;AAC/B;AACA,0BAA0B,mBAAO,CAAC,MAAM;AACxC,CAAC;;AAED;AACA;AACA;;;;;;;;;;AC7BA;AACA,WAAW,MAAM;AACjB,WAAW,MAAM;AACjB,WAAW,MAAM;AACjB,WAAW,MAAM;AACjB;AACA;AACA;AACA,WAAW,WAAW,MAAM;AAC5B,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;;ACnBA,eAAe,mBAAO,CAAC,MAAc;AACrC,YAAY,mBAAO,CAAC,MAAgB;;AAEpC;AACA,mBAAO,CAAC,MAAe;AACvB,qBAAqB,mBAAO,CAAC,MAAM;AACnC;AACA,WAAW,WAAW,MAAM,aAAa;AACzC,aAAa,OAAO;AACpB;;AAEA;AACA;;;;;;;;;;ACdA,UAAU,mBAAO,CAAC,MAAQ;AAC1B,WAAW,mBAAO,CAAC,MAAe;AAClC,YAAY,mBAAO,CAAC,MAAc;AAClC,eAAe,mBAAO,CAAC,MAAc;AACrC,gBAAgB,mBAAO,CAAC,MAA4B;AACpD,CAAC;;AAED;AACA;AACA;AACA;AACA,WAAW,MAAM;AACjB,WAAW,SAAS;AACpB,aAAa,QAAQ;AACrB;AACA;AACA;;;;;;;;;;ACdA,UAAU;;;;;;;;;;ACAA;AACA;AACA;AACA;AACA;AACA,WAAW,WAAW,OAAO;AAC7B,aAAa,OAAO;AACpB;AACA;AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,WAAW,OAAO;AAC7B,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,WAAW,OAAO;AAC7B,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA,KAAK;;AAEL;AACA;;AAEA;AACA;AACA;;;;;;;;;;ACnDA,eAAe,mBAAO,CAAC,MAAa;AACpC;AACA;AACA;AACA,WAAW,MAAM;AACjB,WAAW,SAAS;AACpB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;;ACfA,eAAe,mBAAO,CAAC,MAAc;AACrC,kBAAkB,mBAAO,CAAC,MAAkB;AAC5C,eAAe,mBAAO,CAAC,MAAc;AACrC,gBAAgB,mBAAO,CAAC,MAA4B;AACpD,CAAC;;AAED;AACA;AACA,WAAW,WAAW,OAAO;AAC7B,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;AACA;AACA;;;;;;;;;;ACdA;AACA,WAAW,MAAM;AACjB,WAAW,MAAM;AACjB,WAAW,MAAM;AACjB,WAAW,MAAM;AACjB,aAAa;AACb;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;;;;;;;;;;ACbA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,WAAW,MAAM;AACjB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;;ACnBA,eAAe,mBAAO,CAAC,MAAc;AACrC,kBAAkB,mBAAO,CAAC,MAAkB;AAC5C,eAAe,mBAAO,CAAC,MAAc;AACrC,gBAAgB,mBAAO,CAAC,MAA4B;AACpD,CAAC;;AAED;AACA;AACA,WAAW,WAAW,OAAO;AAC7B,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,WAAW,OAAO;AAC7B,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA,WAAW,WAAW,OAAO;AAC7B,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,WAAW,OAAO;AAC7B,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,WAAW,OAAO;AAC7B,aAAa,OAAO;AACpB;AACA;AACA;AACA,WAAW,WAAW,OAAO;AAC7B,aAAa,OAAO;AACpB;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;;

A,KAAK;;AAEL;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA,kCAAkC;;AAElC;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA,OAAO;AACP;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;+B;;;;;;;;AC5WA,cAAc;;;ACAC;AACb,iCAA+B,CAC7B,AAAEA,SAAK,EAAE,UAAT;AAAqBC,QAAI,EAAE;AAAA3B,GAD6B,EAE7B;AAAAED,SAAK,EAAE,UAAT;AAAqBC,QAAI,EAAE;AAAA3B,GAF6B,EAG7B;AAAAF6B,EAG7B;AAAAED,SAAK,EAAE,iBAAT;AAAA4BC,QAAI,EAAE;AAAAlC,GAH6B,EAI7B;AAAAH6B,EAI7B;AAAAED,SAAK,EAAE,cAAT;AAAAyBC,QAAI,EAAE;AAAA/B,GAJ6B,EAK7B;AAAyBC,QAAI,EAAE;AAAA/B,GAJ6B,EAK7B;AAAyBC,QAAI,EAAE,IAArC;AAAA2CC,UAAAM,EAAE;AAAAnD,GAL6B,EAM7B;AAAAbkB,eAAAR;AAAAHb,AAS;AAAUb,cAAAY,IAVC;AAAWb,yBAAAuB,IAXV;AAAYb,2BAAAyB,qBAAAZZ;AAAAAab,iCAA+B,MAblB;AAAAcb,2BAAAyB,IAdZ;AAAAeb,kCAAgC,SAfnB;AAAAgBb,yBAAAuB,UAhBV;AAAAiBb,wBAAAsB,4FAjBT;AAAAkBb;AAAAlBa,CAAf,E;;;;;;;ACAA;AACA;AACA;;AAEA,IAAAMC,OAAAO,GAAAGC,oBAAAM,CAAAC,QAAAD,CAAAtB;;AAACA,IAAAMC,OAAAO,GAAAGD,oBAAAM,CAAAC,QAAAD,CAAAtB;;AAAIAEMEa,;;;AACJ,oBAAA0B;AAAAA;;AAAAA,QAAAbC,MAAAa,uEAAAJ,EAAAI;;AAAAA;;AAAAxB,SAAAKJ,OAAAL,IAAAgB,EAAAhB;AAACAK,kBAAAI,CAAAC,MAAAD,EAAAC,SAAAD,UAAAC,E;AAADK,AAAA,aAAAgB,KAAAI,CAAAC,GAAAL,EAAAM;AAACA,CAAAf,UAAAe,MAAAf,GAAAF,GAAAF;AAAAE,CAAAe,IAAAf,CAAAe,MAAAf,CAAAe,MAAAf,CAAAe;;AAACA,WAAAM,IAAAP;AAAAO,CAAAD,C;;;;wBACD,AAAA,GAAAE,EAAAA,K,DAAA,K,EAAA,O;AAACf,UAAA,MAAAG,MAAA,GAAAG,FGAAG,CAAAA,KAAAJ,CAAAA,U,GAAAAV,CAAAf;;AAACA,UAAAID,MAAA,CAAAAC,E,MAAA,GAAAA,B;AAADL,Ar,aAAAAKX,OAAAL,EAAA,c,OAAA,OAAAA;AAACr,BaAAAKX,OAAAL,EAAAc;AAAAc,qBAAAK,KAAK,KAAL,CAAAW,HMAAM,CAAAC,QAAAF,EAAAX,2BL,GA3B,CAA+BC,MAAAa,CAAAC,CK,IAAA,CAAAAC,YAAAZ,CAAAA,FB,EAAAiD,R,KAAAAjD,C,AAAArB;AAACr,OAFD,MAAAE,AAAA,aAAAK,AAAAiB,aAAAZK,OAAAL,EAAAc,IAAAqBD,KAAArB;;AAADA,r,;;AAAAc,qBAAAK,KAAK,KAAL,CAAAW,HMAAM,CAAAC,Q,OAAAA,KAAA,Y,EAAAc;AAACd,UAAAiB,AAAAa,QAAAO,aAAAAC,E;;AAADrB,yBAAAyB,CAAAC,KAAAA,KL,cAAAA,HB,OAAAA,CAAAC,IB,EAAAOd,E,EAAAiC,R,KAAAAjC,C,AAAArB;AAACr,AAAA,yBAAA,GAAAE,Eb,CAAAD,MAAAC,CAAAC,ML,OAAAA,KAAA,Y,EAAAc;AAADA,b,aAAAK,AAAAA;;AAAAL,yBAAAyB,CAAAC,KAAAA,KL,cAAAA,HB,aAAAA,C,OAAAA,KAAA,Y,EAAAc;AAACd,UAAAiB,AAAAa,QAAAO,aAAAAC,E;;AAADrB,yBAAAyB,CAAAC,KAAAA;;;;;;;AAGY,gFAAAIG,EAAAA;;AAAAA,QAAAC,AAAAW,gBAAAcX,CAAAf;E;;;;;;;ACvCa;AACb,iCAAc,mBAAAO,CAAAC,MAAAY;AAACAIC,aAAAA,mBAAAO,CAAAC,MAAAW;AAACAhC,UAAAA,UAAAAU,mBAAAO,CAAAC,MAAAQ;AAAC1BB,iBAAAA,mBAAAO,CAAAC,MAAAY;AAAClBIC,aAAAA,mBAAAO,CAAAC,MAAAW;AAACjBjC,eAAAA,mBAAAO,CAAAC,MAAAc;AAACrBrC,gBAAAgB,mBAAAO,CAAAC,MAAAe;AAACvBvC,iBAAAiB,mBAAAO,CAAAC,MAAAgB;AAACzBzC,eAAAY,mBAAAO,CAAAC,MAAAW;AAACjBC,eAAAA,YAAAA,mBAAAO,CAAAC,MAAAW;AAACjBzC,iBAAAD,WAAAW,mBAAAO,CAAAC,MAAAS;AAAC5BB,UAAA,gBAAAgB,mBAAAO,CAAAC,MAAAc;AAACrBvC,UAAAA,iCAAAmB,mBAAAO,CAAAC,MAAA2B;AAACpCB,cAAA,iCAAAmB,mBAAAO,CAAAC,MAAAY;AAAClBIC,iBAAAA,mBAAAO,CAAAC,MAAAe;AAACvBvC,cAAA,qBAAAqB,mBAAAO,CAAAC,MAAAoB;AAACjDD;AAACA;AAACA;AAACA;AAACA;AAACA;AAACA,yBAAAyB;AAACzB;AAACA;;AAAAA;;AAAAA;AAACA,+CAAAE,mBAAAO,CAAAC,MAAAQ;AAACjEE,QAAA,YAAAgB,mBAAAO,CAAAC,MAAAY;AAAClBjC,QAAA,qBAAAmB,mBAAAO,CAAAC,MAAAW;AAAAhC,r;;AAAA;AACA;;AAAAA;AAAC;AAAAE;AAACF;AAACA;AAACA;AAACA;AAACA;AAACA;AAACA,yBAAAyB;AAAAzB;AAACA;AAACA;AAACA;AAACA;AAACA;AAACA;AAACA;AAACA;AAACA;AAACA;AAACA;AAACA,oCAAAoC;AAACpC;AAACA;AAACA;AAACA;AAACA,WAAAW;AAACX;AAACA,WAAAW;AAACX,SAAAS;AAACT,OAAAO;AAACP;AAACA;AAACA;AAACA,6CAAA6C;AAAC7C;AAACA;AAACA,GAAAG;AAACH;AAACA;AAACA;AAACA;AAACA;AAACA,SAAAS;AAACT,mBAAAmB,kCAAAkC;AAACrD,SAAAS;AAACT;AAACA,OAAAO;AAACP;AAACA,KAAAK;AAACL;AAACA,GAAAG;AAACH;AAACA;AAACA;AAACA;AAACA;AAAC

A;AACA;AACA;AACA,KAAK;AACL,eAAe,uCAAuC;AACtD;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA,kCAAkC;AAClC;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,kCAAk
C;AAClC;AACA;AACA;AACA;AACA,uBAAuB,0BAA0B;AACjD;AACA;AACA,SAAS;AACT;AACA;AACA,
OAAO;AACP,KAAK;AACL;AACA;AACA;AACA,GAAG;AACH,kBAAkB,yBAAyB,KAAK;AAChD;A
ACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;
AACA;AACA;AACA,iBAAiB;AACjB;wBAAwB;AACxB;gBAAgB;AAChB;oBAAoB;AACpB;wBAAwB;AACx
B;gBAAgB;AAChB;oBAAoB;AACpB;AACA,uBAAuB,mBAAO,CAAC,MAAiB;AAChD;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,GAAG;AACH;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA,0DAA0D,oBAAoB;A
AC9E,mBAAO,CAAC,MAAsB;AAC9B,mBAAO,CAAC,MAAgB;AACxB,UAAU,mBAAO,CAAC,MAAS;;AAE
3B;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,CAAC;AACD;AACA;AACA;AA
CA;AACA,CAAC;AACD,gDAAgD,mBAAO,CAAC,MAAgB;AACxE;AACA,CAAC;AACD;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA,SAAS;AACT,OAAO;AACP;AACA,KAAK;AACL;AACA;AACA,GAAG;AACH;AACA;AACA
;AACA;AACA;AACA;AACA;AACA,OAAO;AACP,KAAK;AACL;AACA;AACA,CAAC;;;;;;;;A
C7RD,WAAW,mBAAO,CAAC,MAAS;AAC5B,aAAa,mBAAO,CAAC,MAAW;AAChC;AACA,kDAAkD;;AAEl
D;AACA,qEAAqE;AACrE,CAAC;AACD;AACA,QAAQ,mBAAO,CAAC,MAAY;AAC5B;AACA,CAAC;;;;;;;;A
CXD;AACA;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,aAAa,QAAQ;AACrB;AACA;
AACA;;AAEA;;;;;;;;ACbA,cAAc,mBAAO,CAAC,MAAY;;AAElC;AACA;;AAEA;;;;;;;;ACLA;AACA;;AAEA;;;;;
;;;ACHA,iCAAiC,4uD;;;;;;;;ACAjC;AACA;AACA;AACA;AACA,WAAW,aAAa;AACxB,WAAW,SAAS;
AACpB,WAAW,EAAE;AACb,WAAW,QAAQ;AACnB;AACA,WAAW,SAAS;AACpB,aAAa,EAAE;AACf;AAC
A;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;;AAEA;;;;;;;;ACtBA,gBAAgB,mBAAO,CAAC,M
AAc;AACtC,oBAAoB,mBAAO,CAAC,MAAkB;;AAE9C;AACA;AACA;AACA,WAAW,MAAM;AACjB,
WAAW,OAAO;AAClB,WAAW,QAAQ;AACnB,WAAW,QAAQ;AACnB,WAAW,MAAM;AACjB,aAAa,MAAM
;AACnB;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,OAAO;AA
CP;AACA,KAAK;AACL;AACA;AACA;AACA;;AAEA;;;;;;;;ACrCA,aAAa,mBAAO,CAAC,MAA
W;AAChC,WAAW,mBAAO,CAAC,MAAS;AAC5B,eAAe,mBAAO,C
AAC,MAAa;AACpC,UAAU,mBAAO,CAAC,MAAQ;AAC1B;;AAEA;AACA;AACA;AACA;AACA;AA
CA,kFAAkF,uBAAuB;AACzG,iEAAiE;AACjE,+DAA+D;AAC/D;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,cAAc;AACd,cAAc;A
ACd,cAAc;AACd,cAAc;AACd,eAAe;AACf,eAAe;AACf,eAAe;AACf,gBAAgB;AAChB;;;;;;;;AC1CA,eAAe,mB
AAO,CAAC,MAAQ;AAC/B;;AAEA;AACA;AACA,iCAAiC,qBAAqB;AACtD;AACA,iCAAiC,SAAS,EAAE;AA
C5C,CAAC,YAAY;;AAEb;AACA;AACA;AACA;AACA;AACA,6BAA6B,SAAS,qBAAqB;AAC3D,iCA
AiC,aAAa;AAC9C;AACA,GAAG,YAAY;AACf;AACA;;;;;;;;ACrBA,eAAe,mBAAO,CAAC,MAAc;AACrC,qBA
AqB,mBAAO,CAAC,MAAc;AAC3C;AACA;AACA;AACA;AACA,GAAG;AACH;;;;;;;;ACRA,qBAAqB,
mBAAO,CAAC,MAAmB;AAChD,sBAAsB,mBAAO,CAAC,MAAoB;AAClD,mBAAmB,mBAAO,CAAC,MAAi
B;AAC5C,mBAAmB,mBAAO,CAAC,MAAiB;AAC5C,mBAAmB,mBAAO,CAAC,MAAiB;;AAE5C;AACA;AA
CA;AACA;AACA,WAAW,MAAM;AACjB;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;
AACA;;AAEA;;;;;;;;AC/BA;AACA,cAAc,mBAAO,CAAC,MAAW;
AACjC,WAAW,mBAAO,CAAC,MAAS;AAC5B,YAAY,mBAAO,CAAC,MAAU;AAC9B;AACA,6BAA6B;AAC
7B;AACA,qDAAqD,OAAO,EAAE;AAC9D;;;;;;;;ACTA,gBAAgB,mBAAO,CAAC,MAAc;;AAEtC;AACA
;;AAEA;;;;;;;;ACLA,aAAa,mBAAO,CAAC,MAAW;AAChC,UAAU,mBAAO,CAAC,MAAQ;AAC1B;AACA;AA
CA;;;;;;;;ACJA;AACA,UAAU,mBAAO,CAAC,MAAQ;AAC1B;AACA;AACA;;;;;;;;ACLa;;AAEb,iBAAi
B,mBAAO,CAAC,MAAkB,IAAI;;AAE/C;AACA;;;;;;;;ACNA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA,GAAG;AACH;AAC
A;AACA;;;;;;;;ACrBA;AAAA;AAAA;AAA+f,CAAgB,qiBAAG,EAAC,C;;;;;;;ACAnhB,kBAAkB,mBAA
O,CAAC,MAAgB;AAC1C,mBAAmB,mBAAO,CAAC,MAAiB;AAC5C,8BAA8B,mBAAO,CAAC,MAA4B;;AA
ElE;AACA;AACA;AACA,WAAW,OAAO;AAClB,aAAa,SAAS;AACtB;AACA;AACA;AACA;A

ACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;ACrBA,eAAe,mBAAO,CAAC,MAAa;AACpC,YAAY,mBAAO,
CAAC,MAAU;;AAE9B;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,WAAW,aAAa;AACxB,aAAa,EA
AE;AACf;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;ACvBA;AACA;AA
CA;AACA;AACA;AACA,WAAW,MAAM;AACjB,WAAW,SAAS;AACpB,aAAa,QAAQ;AACrB;AACA;AACA;
AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;ACtBA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;ACzBA,mBAAmB,mBAAO,CA
AC,MAAiB;;AAE5C;AACA;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,WAAW,EAAE;AAC
b,aAAa,OAAO;AACpB;AACA;AACA;;AAEA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AAC
A;;AAEA;;;;;;;;;ACzBA;AACA,cAAc,mBAAO,CAAC,MAAY;AAClC,cAAc,mBAAO,CAAC,MAAY;AAClC;AA
CA;AACA;;;;;;;;;ACLA,uBAAuB;AACvB;AACA;;;;;;;;;ACHA,mBAAmB,mBAAO,CAAC,MAAiB;;AAE5
C;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,aAAa,QA
AQ;AACrB;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;A
ACA;AACA;;AAEA;;;;;;;;;AClCA,eAAe,mBAAO,CAAC,MAAa;AACpC,mBAAmB,mBAAO,CAAC,MA
AiB;AAC5C,cAAc,mBAAO,CAAC,MAAY;AAClC,iBAAiB,mBAAO,CAAC,MAAe;AACxC,gBAAgB,mBAAO,
CAAC,MAAc;AACtC,sBAAsB,mBAAO,CAAC,MAAoB;AAClD,eAAe,mBAAO,CAAC,MAAY;;AAEnC;AACA
;AACA;AACA;AACA,WAAW,aAAa;AACxB,WAAW,6BAA6B;AACxC,WAAW,SAAS;AACpB,aAAa,MAAM;
AACnB;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,KAAK;AACL,YAAY;AACZ,GAAG;;AAEH;AAC
A;AACA,GAAG;AACH;;AAEA;;;;;;;;;ACjCA;AACA,eAAe,mBAAO,CAAC,MAAc;AACrC;AACA;AAC
A;AACA;AACA;AACA;;;;;;;;;ACXA;AACA;AACA;AACA;AACA,WAAW,MAA
M;AACjB,WAAW,SAAS;AACpB,WAAW,EAAE;AACb,WAAW,QAAQ;AACnB;AACA,aAAa,EAAE;AACf;A
ACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;;ACzBa;AACb,m
BAAO,CAAC,MAAoB;AAC5B,eAAe,mBAAO,CAAC,MAAc;AACrC,aAAa,mBAAO,CAAC,MAAU;AAC/B,kB
AAkB,mBAAO,CAAC,MAAgB;AAC1C;AACA;;AAEA;AACA,EAAE,mBAAO,CAAC,MAAa;AACvB;;AAEA;
AACA,IAAI,mBAAO,CAAC,MAAU,eAAe,wBAAwB,0BAA0B,YAAY,EAAE;AACrG;AACA;AACA;A
ACA,GAAG;AACH;AACA,CAAC;AACD;AACA;AACA,GAAG;AACH;;;;;;;;;;;ACxBa;AACb,8CAA8C,cAAc;A
AC5D;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,kC;;;;;;;AC5BA,gB
AAgB,mBAAO,CAAC,MAAc;AACtC,eAAe,mBAAO,CAAC,MAAa;AACpC,mBAAmB,mBAAO,CAAC,MAAiB;AAC5C,cAAc,m
BAAO,CAAC,MAAW;;AAEjC;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA,WAAW,aAAa;AACxB,WAAW,SAAS;AACpB,aAAa,aAAa;AAC1B;AACA;AACA;AA
CA;AACA,IAAI;AACJ;AACA,cAAc,iBAAiB;AAC/B;AACA,IAAI;AACJ;AACA;AACA;
AACA;;AAEA;;;;;;;;ACxCA,uC;;;;;;;ACAA;AAAA;AAAA;AAA8f,CAAgB,oiBAAG,EAAC,C;;;;;;;ACAl
hB,gBAAgB,mBAAO,CAAC,MAAc;AACtC,kBAAkB,mBAAO,CAAC,MAAe;AACzC,cAAc,mBAAO,CAAC,M
AAW;AACjC,eAAe,mBAAO,CAAC,MAAY;AACnC,cAAc,mBAAO,CAAC,MAAY;AAClC,mBAAmB,mBAAO
,CAAC,MAAgB;;AAE3C;AACA;;AAEA;AACA;AACA;AACA,WAAW,EAAE;AACb,W
AAW,QAAQ;AACnB,aAAa,MAAM;AACnB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAE
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;;AAEA;;;;;;;;AChDA,uC;;;;;;;ACAA,oBAAoB,mBAAO,CAAC,MAAkB;;AAE9C;AACA;AACA
;AACA;AACA;AACA,WAAW,OAAO;AAClB,WAAW,SAAS;AACpB,WAAW,SAAS;AACpB,aAAa,OAAO;AA
CpB;AACA;;AAEA;;;;;;;;ACfA;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa
,SAAS;AACtB;AACA,wCAAwC,SAAS;AACjD;AACA;AACA,WAAW,SAAS,GAAG,SAAS;AAChC;A
ACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;ACzBa;AACb;AACA,cAAc,mBAAO,CA
AC,MAAgB;AACtC,WAAW,mBAAO,CAAC,MAAgB;AACnC,UAAU,mBAAO,CAAC,MAAe;AACjC,eAAe,m
BAAO,CAAC,MAAc;AACrC,cAAc,mBAAO,CAAC,MAAY;AAClC;;AAEA;AACA,6BAA6B,mBAAO,CAAC,
MAAU;AAC/C;AACA;AACA;AACA;AACA;AACA,oCAAoC,UAAU,EAAE;AAChD,mBAAmB,sCAAs
C;AACzD,CAAC,qCAAqC;AACtC;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAE
A,GAAG;AACH,CAAC;;;;;;;;;ACjCY;;AAEb,cAAc,mBAAO,CAAC,MAAa;;AAEnC;;AAEA,oCAAo

C,wDAAwD;;;;;;;;;ACN5F,uBAAuB,mBAAO,CAAC,MAAqB;AACpD,gBAAgB,mBAAO,CAAC,MAAc;AACtC,eAAe,mBAAO,CAAC,MAAa;;AAEpC;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;AC1BA;AAAA;AAAA;AAA8hB,CAAgB,okBAAG,EAAC,C;;;;;;;ACAljB,iBAAiB,mBAAO,CAAC,MAAe;AACxC,eAAe,mBAAO,CAAC,MAAY;AACnC,mBAAmB,mBAAO,CAAC,MAAgB;;AAE3C;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,QAAQ;AACrB;AACA;AACA;AACA;;AAEA;;;;;;;;AC3DA,mBAAmB,mBAAO,CAAC,MAAiB;;AAE5C;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;AC3BA;AACA;AACA;AACA;AACA,yCAAyC;;;;;;;ACLzC,gBAAgB,mBAAO,CAAC,MAAe;AACvC;AACA;AACA;AACA;AACA;;;;;;;;ACNA;AACA;AACA;AACA;AACA,WAAW,MAAM;AACjB,WAAW,SAAS;AACpB,aAAa,MAAM;AACnB;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;;;;;;;;ACpBA,gBAAgB,mBAAO,CAAC,MAAc;AACtC,WAAW,mBAAO,CAAC,MAAS;;AAE5B;AACA;;AAEA;;;;;;;;ACNA,mBAAmB,mBAAO,CAAC,MAAiB;;AAE5C;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;;AAEA;;;;;;;ACtBA;AACA,CAAC,KAA4D,oBAAoB,mBAAO,CAAC,MAA0B;AACnH,CAAC,SAC8D;AAC/D;;AAEzC;;;;;;AAMA;AACA,kBAAkB,YAAY;AACb,EAAAChC;;AAEA;AACA;AACA;AACA;AACA;;AAGA;AACA;;AAAG;;AAEA;AACA,uBAAuB,KAAK;AAC5B;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA,KAAK;AACL;;AAEA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,CAAC;;;;;;;;;;;;;;AAcD;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL,GAAG;;AAEH;AACA;;AAEA;AACA;;AAEA;;;;;;;;;;;;;;;;;;;;;;;AAsBA;AACA;AACA,6CAA6C,gBAAgB;;AAE7D;AACA,GAAG;AACH;AACA;AACA;;AAEA;AACA;AACA,GAAG,IAAI;AACP;;AAEA;AACA,GAAG,IAAI;AACP;AACA,iEAAiE,aAAa;AAC9E;AACA;AACA,KAAK;AACL;AACA,GAAG;AACH;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA,wBAAwB,WAAW;AACnC;AACA;AACA,GAAG;AACH;AACA;;AAEA;AACA,kBAAkB,YAAY;AAC9B;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,uGAAuG;AACvG;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA,iCAAiC;AACjC;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,wBAAwB,wBAAwB;AAChD;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA,uGAAuG;AACvG;AACA,6CAA6C;AAC7C;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA,GAAG;AACH;AACA;AACA,GAAG,IAAI;AACP;AACA;AACA;AACA;AACA;AACA;AACA;AACA,uGAAuG;AACvG;AACA;AACA,eAAe,YAAoB;AACnC;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA,GAAG;AACH;AACA;;AAEA;AACA,kBAAkB,sBAAsB;AACxC;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,uGAAuG;AACvG;AACA;AACA;AACA;AACA;AACA;AACA,eAAe,YAAoB;AACnC;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA,eAAe,YAAoB;AACnC;AACA;AACA,uGAAuG;AACvG;AACA;AACA;AACA;AACA,eAAe,YAAoB;AACnC;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA,GAAG;AACH;;AAEA;AACA,eAAe,sBAAsB;AACrC;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,uGAAuG;AACvG;AACA;AACA;;AAEA;AACA,iEAAiE,aAAa;AAC9E;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA,GAAG;AACH;AACA;AACA;AACA;AACA,KAAK;AACL;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,wBAAwB,wBAAwB;AAChD;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,uGAAuG;AACvG;AACA;;AAEA;AACA;AACA;;AAEA;AACA,6CAA6C;AAC7C;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA;AACA,wBAAwB,wBAAwB;AAChD,uBAAuB,sBAAsB;AAC7C;AACA;AACA;AACA,KAAK,eAAe,eAAe,uBAAuB;AAC1D;AACA;AACA;AACA;AACA;;AAEA;AACA,eAAe,sBAAsB;AACrC,GAAG;AACH;AACA;AACA,6CAA6C;AAC7C;AACA,eAAe,sBAAsB;AACrC,wBAAwB,wBAAwB;AAChD;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,GAAG;AACH,eAAe,sBAAsB;AACrC;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,eAAe,sBAAsB;AACrC;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,uGAAuG;AACvG;AACA;AACA;AACA,eAAe,YAAoB;AACnC;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA,eAAe,YAAoB;AACnC,wBAAwB,wBAAwB;AAChD;AACA;AACA;AACA;AACA;AACA;AACA,uGAAuG;AACvG;AACA;AACA;AACA;AACA,eAAe,YAAoB;AACnC;AACA;AACA;AACA;AACA;AACA,uGAAuG;AACvG;AACA;AACA,eAAe,YAAoB;AACnC;AACA;AACA,6CAA6C;AAC7C;AACA,uBAAuB,wBAAwB;AAC/C;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA,KAAK;AACL;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,wBAAwB,wBAAwB;AAChD;AACA;AACA;AACA;AACA;AACA,KAAK,eAAe,uGAAuG;AAC3H;AACA,eAAe,YAAoB;AACnC;AACA;AACA;AACA;AACA;AACA,uGAAuG;AACvG;AACA

A;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA,GAAG;AACH;AACA,GAAG;AACH;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA,YAAY;AACZ;;AAEA;AACA,YAAY;AACZ;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA,yDAAyD,6BAA6B,iBAAiB;;AAEvG;AACA;AACA;;AAEA;;AAEA;;AAEA,uCAAuC;AACvC;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;;;AAGA;;AAEA,2CAA2C;AAC3C;AACA,KAAK;AACL;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;;AAEA;;AAEA,gEAAgE;;AAEhE;;;AAGA;;AAEA,uCAAuC;AACvC;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA,8CAA8C,cAAc;;AAE5D,CAAC;;;;;;;;;;AClrBY;AACb,aAAa,mBAAO,CAAC,MAAW;AAChC,SAAS,mBAAO,CAAC,MAAc;AAC/B,AAC/B,kBAAkB,mBAAO,CAAC,MAAgB;AAC1C,cAAc,mBAAO,CAAC,MAAQ;;AAE9B;AACA;AACA;AACA,sBAAsB,aAAa;AACnC,GAAG;AACH;;;;;;;;ACZA,oBAAoB,mBAAO,CAAC,MAAM;AAAkB;AAC9C,qBAAqB,mBAAO,CAAC,MAAmB;AAChD,kBAAkB,mBAAO,CAAC,MAAgB;AAC1C,kBAAkB,mBAAO,CAAC,MAAgB;;AAE1C;AACA;AACA;AACA;AACA,WAAW,MAAM;AACjB;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;;;;;;;;AC/BA,YAAY,mBAAO,CAAC,MAAU;AAC9B,kBAAkB,mBAAO,CAAC,MAAO;AACjC,iBAAiB,mBAAO,CAAC,MAAe;AACxC,mBAAmB,mBAAO,CAAC,MAAiB;AAC5C,aAAa,mBAAO,CAAC,MAAW;AAChC,cAAc,mBAAO,CAAC,MAAW;AACjC,eAAe,mBAAO,CAAC,MAAY;AACnC,mBAAmB,mBAAO,CAAC,MAAgB;;AAE3C;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,WAAW,OAAO;AAClB,WAAW,OAAO;AAClB,WAAW,SAAS;AACpB,WAAW,SAAS;AACpB,WAAW,OAAO;AAClB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;AClFa;;AAEb,iBAAiB,mBAAO,CAAC,MAAkB,oBAAoB,mBAAO,CAAC,MAAQ;;;;;;;;ACF/E,WAAW,mBAAO,CAAC,MAAS;AAC5B,gBAAgB,mBAAO,CAAC,MAAc;AACtC,UAAU,mBAAO,CAAC,MAAAW;;AAElB;AACA,WAAW,MAAM;AACjB;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ACpBA,gBAAgB,mBAAO,CAAC,MAAc;AACtC,UAAU,mBAAO,CAAC,MAAO;AACzB;AACA,WAAW,MAAM;AACjB;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ACTA,eAAe,mBAAO,CAAC,MAAa,yBAAyB,mBAAO,CAAC,MAAc;AACnF,cAAc,mBAAO,CAAC,MAAW,oBAAoB,mBAAO,CAAC,MAAiB;AAC9E,UAAU,mBAAO,CAAC,MAAO;;;;;;;;ACFzB,cAAc,mBAAO,CAAC,MAAW;AACjC,UAAU,mBAAO,CAAC,MAAO;;;;;;;;ACFzB,cAAc,mBAAO,CAAC,MAAW;AACjC,cAAc,mBAAO,CAAC,MAAW;AACjC,kBAAkB,mBAAO,CAAC,MAAgB;AAC1C,cAAc,mBAAO,CAAC,MAAW;AACjC;AACA,WAAW,MAAM;AACjB;AACA;AACA;AACA,OAAO;AACP;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;

AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA,uCAAuC,sBAAsB,EAAE;AAC/D;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;;AAEA;AACA,gBAAgB;AAChB;AACA;AACA;AACA,KAAK;AACL;AACA;;;;;;;;ACpEA,6BAA6B;AAC7B,uCAAuC;;;;;;;;ACDvC;;;;;;;;ACAA;AACA;AACA;AACA;AACA;AACA,WAAW,SAAS;AACpB,WAAW,EAAE;AACb,WAAW,MAAM;AACjB,aAAa,EAAE;AACf;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ACpBA,gBAAgB,mBAAO,CAAC,MAAc;AACtC,cAAc,mBAAO,CAAC,MAAY;;AAElC;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,WAAW,aAAa;AACxB,aAAa,QAAQ;AACrB;AACA;AACA,0BAA0B,gBAAgB,SAAS,GAAG;AACtD;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ACjCA,eAAe,mBAAO,CAAC,MAAc;AACrC,qBAAqB,mBAAO,CAAC,MAAmB;AAChD,kBAAkB,mBAAO,CAAC,MAAiB;AAC3C;;AAEA,YAAY,mBAAO,CAAC,MAAgB;AACpC;AACA;AACA,GAAG,YAAY;AACf;AACA;AACA;;;;;;;;ACfA;AACA,eAAe,mBAAO,CAAC,MAAc;AACrC,eAAe,mBAAO,CAAC,MAAc;AACrC;AACA;AACA;AACA;AACA;AACA,cAAc,mBAAO,CAAC,MAAQ,iBAAiB,mBAAO,CAAC,MAAgB;AACvE;AACA;AACA,OAAO,YAAY,cAAc;AACjC;AACA;AACA;AACA;AACA;AACA,KAAK,GAAG;AACR;AACA;;;;;;;ACxBA,gC;;;;;;;ACAa;AACb,8CAA8C,cAAc;AAC5D;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,kC;;;;;;;AC5BA;AAAA;AAAA;AAAA2hB,CAAgB,ikBAAG,EAAC,C;;;;;;ACA/iB,uC;;;;;;ACAA,iCAAiC,goE;;;;;;ACAjC;AACA,YAAY,mBAAO,CAAC,MAAyB;AAC7C,iBAAiB,mBAAO,CAAC,MAAkB;;AAE3C;AACA;AACA;;;;;;;;;;ACNA;AACA;AACA;AACA,WAAW,SAAS;AACpB,WAAW,SAAS;AACpB,aAAa,SAAS;AACtB;AACA;AACA;AACA;;AAEA;;;;;;;;ACdA,iBAAiB,mBAAO,CAAC,MAAe;;AAExC;AACA;AACA;AACA,WAAW,OAAO;AAClB,aAAa;AACrB;AACA;AACA;AACA;;AAEA;;;;;;;;ACjBA,gBAAgB;AAChB,qBAAqB,mBAAO,CAAC,MAAG;AAChC,qBAAqB,mBAAO,CAAC,MAAm;AAChD;AAAA;AAAA;AAAA;AACA;AACA;AACA;AACA;AACA,EAAE;AACF;AAAA;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA,CAAC;;AAED;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,EAAE;AACF;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,CAAC;;AAED;AACA;AACA;AACA;AACA,8BAA8B,sBAAs;AACpD;AACA,CAAC;;AAED;AACA;AACA,0BAA0B,gEAAgE,EAAE;AAC5F,yBAAyB,6BAA6B,EAAE;AACxD,CAAC;AACD;;AAEA;AACA;AACA;AACA;AACA,CAAC;AACD;;AAEA;AACA;AACA;;;;;;;;ACrEA,kBAAkB,mBAAO,CAAC,MAAe;;AAEzC;AACA;AACA;AACA,WAAW,SAAS;AACpB,WAAW,QAAQ;AACnB,aAAa,SAAS;AACtB;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;AClBA,iBAAiB,mBAAO,CAAC,MAAe;AACxC,eAAe,mBAAO,CAAC,MAAM;AAC7B;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ACpBA,eAAe,mBAAO,CAAC,MAAM;AAC7B;;AAEA;AACA;AACA;AACA,WAAW,OAAO;AAClB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;;ACpBA,YAAY,mBAAO,CAAC,MAAU;AAC9B,kBAAkB,mBAAO,CAAC,MAAe;;AAEzC;AACA;AACA;AACA,WAAW,aAAa;AACxB,WAAW,SAAS;AACpB,aAAa,MAAM;AACnB

;AACA;AACA;AACA;;AAEA;AACA;AACA,GAAG;AACH;AACA;;AAEA;;;;;;;;ACrBA;AACA;AACA;AACA;
AACA,WAAW,QAAQ;AACnB,aAAa,SAAS;AACtB;AACA;AACA;AACA;AACA;AACA;;AAEA;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ACxBA,+DAAiB,mBAAO,CAAC,MAAe;;A
AExC;AACA,kBAAkB,KAA0B;;AAE5C;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;A
ACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA,GAAG;AACH,CAAC;;AAED;;;;;;;;;AC7BA,SAAS,mBAAO,
CAAC,MAAM;AACvB,kBAAkB,mBAAO,CAAC,MAAe;AACzC,cAAc,mBAAO,CAAC,MAAY;AAClC,eAAe,
mBAAO,CAAC,MAAY;;AAEnC;AACA;AACA;AACA,WAAW,EAAE;AACb,WAAW,EAAE;AACb,W
AAW,EAAE;AACb,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;;AAEA;;;;;;;;AC7BA,cAAc,mBAAO,CAAC,MAAY;;AAElC;AACA;AACA;
AACA;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,WAAW,aAAa;AACxB,WAAW,EAAE;AA
Cb,aAAa,EAAE;AACf;AACA;AACA,iBAAiB,QAAQ,OAAO,SAAS,EAAE;AAC3C;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;AChCA;AACA,gBAAgB,mB
AAO,CAAC,MAAe;AACvC;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;;;;;;;;;ACnBA;;AAEa;;AAEb;AACA;;;;;;;;ACNA;AACA,kB
AAkB,mBAAO,CAAC,MAAAQ;AAClC;AACA,0CAA0C,mBAAO,CAAC,MAAS,6BAA6B;AACxF;AAC
A;;;;;;;;;ACNA;AACA;AACA,YAAY;AACZ,GAAG;AACH,YAAY;AACZ;AACA;;;;;;;;ACNA;AACA,gBAAgB,
mBAAO,CAAC,MAAe;AACvC;AACA,2DAA2D;AAC3D;;;;;;;;ACLA;AACA,kBAAkB,mBAAO,CAAC,
MAAU;AACpC,iCAAiC,QAAAQ,mBAAAmB,UAAU,EAAE,EAAE;AAC1E,CAAC;;;;;;;;ACHD,WAAW,mBAAO,
CAAC,MAAS;;AAE5B;AACA;;AAEA;;;;;;;;ACLA,aAAa,mBAAO,CAAC,MAAW;AAChC;;AAEA;;;;;;;;ACHA,e
AAe,mBAAO,CAAC,MAAa;AACpC,gBAAgB,mBAAO,CAAC,MAAc;AACtC,eAAe,mBAAO,CAAC,MAAa;;A
AEpC;AACA;;AAEA;AACA;AACA;AACA;AACA,WAAW,MAAM;AACjB,WAAW,MAAM;AA
CjB,WAAW,OAAO;AAClB,WAAW,SAAS;AACpB,WAAW,SAAS;AACpB,WAAW,OAAO;AAClB,aAAa,QAA
Q;AACrB;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA,WAAW;AACX;
AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
;AAEA;;;;;;;;AClFA,eAAe,mBAAO,CAAC,MAAY;AACnC,qBAAqB,mBAAO,CAAC,MAAmB;AAChD,eAAe,m
BAAO,CAAC,MAAY;;AAEnC;AACA;AACA;AACA,WAAW,SAAS;AACpB,WAAW,SAAS;AACpB,aA
Aa,SAAS;AACtB;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;;AAEA;;;;;;;;ACrBA;AAC
A,mBAAO,CAAC,MAAe;AACvB;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH,C
AAC;;;;;;;;ACXD,iBAAiB,mBAAO,CAAC,MAAe;;AAExC;AACA;AACA;AACA;AACA;AACA,WAAW
,OAAO;AAClB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;;AAEA;;;;;;;;;ACfa;AACb;AACA,gBAAgB,mBAA
O,CAAC,MAAe;;AAEvC;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;;AAEA;AA
CA;AACA;;;;;;;;;ACjBA,qBAAqB,mBAAO,CAAC,MAAmB;AAChD,iBAAiB,mBAAO,CAAC,MAAe;AACxC,W
AAW,mBAAO,CAAC,MAAQ;;AAE3B;AACA;AACA;AACA,WAAW,OAAO;AAClB,aAAa,MAAM;AA
CnB;AACA;AACA;;AAEA;;;;;;;;ACfA,cAAc,mBAAO,CAAC,MAAW;AACjC,cAAc,mBAAO,CAAC,M
AAY;AAClC,YAAY,mBAAO,CAAC,MAAU;AAC9B,aAAa,mBAAO,CAAC,MAAc;AACnC;AACA;AA
CA;;AAEA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;;AAEA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;;AAEA;;;;;;;;AC7BA,AACA,eAAe,mBAAO,CAAC,MAAc;AACrC,UAAU,m
BAAO,CAAC,MAAQ;AAC1B,YAAY,mBAAO,CAAC,MAAQ;AAC5B;AACA;AACA;AACA;;;;;;;;ACPA;AAC
A;AACA;AACA,WAAW,OAAO;AAClB,aAAa,MAAM;AACnB;AACA;AACA;;AAEA;AACA;A
ACA,GAAG;AACH;AACA;;AAEA;;;;;;;;ACjBA,iBAAiB,mBAAO,CAAC,MAAsB;AAC/C,cAAc,mBAAO,CAA
C,MAAgB;AACtC,eAAe,mBAAO,CAAC,MAAa;AACpC,aAAa,mBAAO,CAAC,MAAW;AAChC,WAAW,mBA
AO,CAAC,MAAS;AAClB,gBAAgB,mBAAO,CAAC,MAAc;AACtC,UAAU,mBAAO,CAAC,MAAQ;AAC1B;A
ACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;;AAEA,oDAAoD,wBAAwB;AAC5E;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;;;;;;;;ACzDA;AACA;AACA;AACA,WAAW,SAAS;AACpB,

aAAa,SAAS;AACtB;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;ACba;AACb,8CAA8C,cAAc;AAC5D;A
ACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,kC;;;;;;;;AC5BA,iBAAiB,mBAAO,CAAC,M
AAe;;AAExC;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,WAAW,OAA
O;AAClB,WAAW,OAAO;AAClB,WAAW,OAAO;AAClB,WAAW,SAAS;AACpB,WAAW,SAAS;AACpB,WAA
W,OAAO;AAClB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;A
AEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA
;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ACxFA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,QAAQ;AACrB;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;A
ClCA;AACA;AACA;AACA;AACA;AACA;AACA,IAAI,IAAyD;AAC7D;AACA,MAAM,EAK4B;AAClC
,CAAC;AACD,oCAAoC;AACpC;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,kDAAkD,gCAAgC;AACl
F;AACA;AACA;AACA;AACA;AACA,gEAAgE,kBAAkB;AAClF;AACA,yDAAyD,cAAc;AACvE;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,iDAAiD,iCAAiC;A
AClF,wHAAwH,mBAAmB,EAAE;AAC7I;AACA;AACA;AACA;AACA;AACA,mCAAmC,0BAA0B,EA
AE;AAC/D,yCAAyC,eAAe;AACxD;AACA;AACA;AACA;AACA,8DAA8D,+DAA+D;AAC7H;AACA;A
ACA;AACA;AACA;AACA,UAAU;AACV;AACA;AACA;;AAEA;;;AAGA,oGAAoG,mB
AAmB,EAAE,mBAAmB,8HAA8H;;AAE1Q,gCAAgC,2CAA2C,gBAAgB,kBAAkB,OAAO,2BAA2B,wDAAwD,
gCAAgC,uDAAuD,2DAA2D,EAAE,EAAE,yDAAyD,qEAAqE,6DAA6D,oBAAoB,GAAG,EAAE;;AAEjjB;;AAAE
A;;AAAEA;;AAAEA;;AAAEA,sCAAsC,uCAAuC,gBAAgB;;AAAE7F,iDAAiD,0CAA0C,0DAA0D,EA
AE;;AAAEvJ,iDAAiD,aAAa,uFAAuF,EAAE,uFAAuF;;AAAE9O,0CAA0C,+DAA+D,qGAAqG,EAAE,yEAAyE,eA
Ae,yEAAyE,EAAE,EAAE,uHAAuH;;AAAE5e;AACA;AACA;AACA;AACA;;AAEA;AACA,eAAe,2CAA2
C;AAC1D,eAAe,OAAO;AAACtB;AACA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;A
ACA,eAAe,OAAO;AAACtB;;;AAGA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;
AACA,mBAAmB,2CAA2C;AAC9D;;AAEA,KAAK;AACL;AACA;;AAEA;AACA;AACA,aAAa;AACb;;
AAEA;AACA;AACA,mBAAmB,MAAM;AACzB;;AAEA,KAAK;AACL;AACA;;AAEA;AACA;AACA;;
AAEA;AACA;AACA;AACA;AACA;AACA,aAAa;AACb;;AAEA;AACA;AACA,mBAAmB,QAA
Q;AAC3B;;AAEA,KAAK;AACL;AACA;AACA;;AAEA;AACA;AACA,mBAAmB,QAAQ;AAC3B;;AAE
A,KAAK;AACL;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA,mBAAmB,OAAO;
AAC1B;;AAEA,KAAK;AACL;;AAEA;AACA;AACA,mBAAmB,QAAQ;AAC3B;AACA;AACA;;AAEA
;AACA;;AAEA,KAAK;AACL;AACA;;AAEA;AACA;AACA;AACA;AACA,KAAK;AAC
L;AACA;;AAEA;AACA;;AAEA;AACA;AACA,aAAa;;AAEb;AACA;AACA,KAAK;;AAEL;AACA,CAA
C;;AAED;AACA;AACA,WAAW,OAAO;AAClB,WAAW,QAAQ;AACnB;;;AAGA;AACA;;AAEA;AACA;AAC
A;;AAEA;AACA;;AAEA;;AAEA,OAAO;AACP;AACA;;AAEA;;;AAGA,oGAAoG,mBAAmB,EAAE,mBAAmB,
8HAA8H;;AAE1Q,gCAAgC,2CAA2C,gBAAgB,kBAAkB,OAAO,2BAA2B,wDAAwD,gCAAgC,uDAAuD,2DAA2D,
EAAE,EAAE,yDAAyD,qEAAqE,6DAA6D,oBAAoB,GAAG,EAAE;;AAEjjB;;AAAEA;;AAAEA,sCAAsC,uCAAuC,gBAA
gB;;AAAE7F,iDAAiD,0CAA0C,0DAA0D,EAAE;;AAAEvJ;AACA;AACA;AACA;AACA;AACA,e
AAe,OAAO;AAACtB;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA,eAAe,OAAO;AAACtB;;;AAGA;
AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AAC
A;;AAEA,KAAK;AACL;AACA;AACA,aAAa;AACb;AACA;;AAEA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;;AAEA,OAAO;AACP;AACA;AACA;;AAE
A;AACA;AACA;AACA;;AAEA,KAAK;AACL;AACA;AACA;AACA;AACA;;AAE
A;AACA;AACA;AACA;;AAEA,KAAK;AACL;AACA;AACA;AACA;;AA

EA;AACA;AACA;;AAEA,KAAK;AACL;AACA;AACA;;AAEA;AACA;AACA,aAAa;AACb;AACA;;AAEA;AA
CA;;AAEA;AACA;AACA,mBAAmB,QAAQ;AAC3B;;AAEA,KAAK;AACL;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA,aAAa;AACb;;AAEA;AACA;AACA;;AAEA,KAAK;AACL;AACA;AACA;AACA;;AAE
A;AACA;;AAEA;AACA;AACA,mBAAmB,OAAO;AAC1B;;AAEA,KAAK;AACL;;;AAGA;AACA;AACA;AAC
A;AACA;AACA,KAAK;AACL;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AA
CA,oBAAoB;AACpB;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,mBAAmB,QAAQ;AAC3B;;A
AEA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA,iBAAiB;
AACjB;AACA;AACA;AACA;;AAEA;AACA;AACA,oBAAoB;AACpB;AACA;AACA;AACA;AACA,KA
AK;;AAEL;AACA,CAAC;;AAED;;AAEA,OAAO;AACP;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;
AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AAC
A;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;;;AAGA,OAAO;AACP;
AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA,kCAAkC;;AAElC;AACA;AACA;AACA,KAAK;;A
AEL;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,GAAG;;AAEH;AACA;
AACA,yCAAyC;AACzC;AACA;;AAEA,WAAW,SAAS;AACpB;AACA;;AAEA;AACA,GAAG;;AAEH;AACA,k
CAAkC;AAClC;AACA;;AAEA;AACA,wCAAwC,SAAS;AACjD;AACA;AACA;;AAEA;AACA;AACA;;
AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;;;AAGA,OAAO;AACP;AACA;;AAEA;AACA;;AAEA;AA
CA;AACA;AACA,WAAW,2CAA2C;AACtD,WAAW,OAAO;AAClB,WAAW,SAAS;AACpB,YAAY;AA
CZ;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,WAAW,
YAAY;AACvB,WAAW,OAAO;AAClB,WAAW,SAAS;AACpB,YAAY;AACZ;AACA;AACA;;AAEA;AACA;A
ACA;AACA;AACA;;AAEA;AACA;AACA;AACA,WAAW,wBAAwB;AACnC,WAAW,OAAO;A
AClB,WAAW,SAAS;AACpB,YAAY;AACZ;AACA;AACA;AACA,KAAK;;AAEL;AACA;AACA
;AACA,aAAa;AACb;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,WAAW,OAA
O;AAClB,WAAW,SAAS;AACpB,YAAY;AACZ;AACA;AACA;;AAEA;;;AAGA,OAAO;AACP;AACA;;
AAEA;AACA;AACA;AACA,WAAW,OAAO;AAClB,YAAY;AACZ;AACA;AACA;AACA;AACA;;AAE
A;AACA;AACA;AACA,WAAW,OAAO;AAClB,YAAY;AACZ;AACA;;AAEA;AACA;AACA;A
ACA;;AAEA;AACA;AACA;AACA,WAAW,OAAO;AAClB,YAAY;AACZ;AACA;AACA;AACA;;AAEA
;AACA;AACA;AACA,WAAW,OAAO;AAClB,YAAY;AACZ;AACA;;AAEA;AACA;;;AAGA,OAAO;AA
CP;AACA;;AAEA;;AAEA;AACA;AACA;AACA,WAAW,QAAQ;AACnB,WAAW,OAAO;AAClB,WAAW,OAA
O;AAClB,WAAW,SAAS;AACpB,WAAW,QAAQ;AACnB,YAAY;AACZ;AACA;AACA;;AAEA;;AAEA;AACA;
AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,WAAW,qBAAqB;AAChC,WAAW,OAAO;AAClB,
WAAW,OAAO;AAClB,WAAW,SAAS;AACpB,WAAW,QAAQ;AACnB,YAAY;AACZ;AACA;AACA;A
ACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;
AACA,KAAK;AACL;;AAEA;AACA;AACA;AACA,WAAW,QAAQ;AACnB,WAAW,OAAO;AAClB,WAAW,O
AAO;AAClB,WAAW,SAAS;AACpB,YAAY;AACZ;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA
;;AAEA;;;AAGA,OAAO;AACP;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AA
CA;AACA;;AAEA;AACA;AACA;AACA,WAAW,QAAQ;AACnB,WAAW,OAAO;AAClB,WAAW,OAAO;AACZ
;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;AAGA,OAAO;AACP;AACA,CAA
C,E;;;;;;;;ACj9BY;;AAEb,eAAe,mBAAO,CAAC,MAAa;;AAEpC;AACA;AACA;;;;;;;;ACPA,mBAAmB,m
BAAO,CAAC,MAAiB;;AAE5C;AACA;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,aAAa,EAA
E;AACf;AACA;AACA;;AAEA;AACA;;AAEA;;;;;;;;AClBA,gBAAgB,mBAAO,CAAC,MAAc;AACtC,W
AAW,mBAAO,CAAC,MAAS;;AAE5B;AACA;;AAEA;;;;;;;;ACNa;;AAEb,kBAAkB;;AAElB;AACA;AACA;AA
CA;AACA,MAAM,gBAAgB,EAAE,YAAY,cAAc;;AAElD;AACA;AACA;;AAEA;AACA;;;;;;;;AChBA,k
BAAkB,mBAAO,CAAC,MAAgB;AAC1C,0BAA0B,mBAAO,CAAC,MAAwB;AAC1D,eAAe,mBAAO,CAAC,M
AAY;AACnC,cAAc,mBAAO,CAAC,MAAW;AACjC,eAAe,mBAAO,CAAC,MAAY;;AAEnC;AACA;AA
CA;AACA,WAAW,EAAE;AACb,aAAa,SAAS;AACtB;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;AC9BA,mBAAmB,mBAAO,CAAC,
MAAiB;;AAE5C;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,W

AAW,OAAO;AAClB,aAAa,EAAE;AACf;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;
;;;AC7BA,eAAe,mBAAO,CAAC,MAAc;AACrC,eAAe,mBAAO,CAAC,MAAc;AACrC,2BAA2B,mBAAO,CAA
C,MAA2B;;AAE9D;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;;;;;;;;ACXA;AACA;AACA;AACA;AA
CA;;;;;;;;;;;ACJA;AAAA;AACA,iBAAiB,kBAAkB;AACnC;AACA;AACA;AACA;AACA;AACA;;AAEe;A
ACf;AACA;AACA;AACA,C;;;;;;;;;ACdA,sBAAsB,mBAAO,CAAC,MAAoB;AAClD,mBAAmB,mBAAO,CAAC,
MAAgB;;AAE3C;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,WAAW,EAAE;AACb,WAAW,Q
AAQ;AACnB;AACA,WAAW,SAAS;AACpB,WAAW,OAAO;AAClB,aAAa,QAAQ;AACrB;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;;;;;;;;;;;;;;AC3BA;AACA;AACA;A
ACA;;AAEA;AACA;AACA;AACA,oBAAoB;;AAEpB;AACA;AACA;AACA;AACA,CAAC;;AAED;AA
CA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA,WAAW,YAAoB;AAC/B,GAAG;AACH;AACA;AACA,CAAC;;AAE
D;AACA;;AAEA;;AAEA;AACA;AACA,CAAC;AACD;AACA,CAAC;;AAED;AACA;AACA;AACA;;AA
EA;AACA;AACA,mBAAmB,kBAAkB;AACrC;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AA
CA;AACA;AACA,CAAC;;;;AAID;AACA,iBAAiB,sBAAsB;AACvC;;AAEA;AACA;AACA;AACA;AAC
A;AACA;;AAEA;AACA;;;;AAIA;AACA;AACA;AACA;AACA;;AAEA;AACA,+CAA+C,+BAA+B;AAC
9E;;AAEA;AACA;AACA,KAAK;AACL;AACA;AACA,KAAK;AACL;AACA;AACA,OAAO;AACP;AACA;AA
CA;;AAEA;AACA;;AAEA;AACA;AACA;AACA,KAAK;AACL;AACA,KAAK;AACL;AACA;AACA,C
AAC;;AAED;AACA;AACA,6CAA6C,gBAAgB;;AAE7D;AACA,GAAG;AACH;AACA;AACA;;AAEA;;AAEA;
AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAE
A;AACA;;AAEA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA,GAAG;AACH;;AAEA;AACA;A
ACA;AACA;AACA;AACA;AACA,GAAG;AACH;;AAEA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;
AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;;;AAIA;AACA;AACA;AACA;;AAE
A;AACA;AACA;;AAEA;AACA;;AAEA,uCAAuC,QAAQ;AAC/C;AACA;AACA;AACA;AACA;;AAEA;;AAE
A;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA,wCAAwC,KAAK;AA
C7C;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA,KAAK;AACL;AACA;;
AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;;AAEA;AACA,wCAAwC,wB
AAwB,uBAAuB,sBAAsB,sBAAsB;AACnI;;AAEA;AACA,qCAAqC,AACrC;AACA,GAAG;AACH;;AAEA;AAC
A,iCAAiC;AACjC,2DAA2D,GAAG;AACH;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAE
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA,GA
AG;AACH;AACA,GAAG;AACH;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;A
ACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;;AAGA,+BAA+B,wEAAwE;;
AAEvG;AACA;AACA,2BAA2B;AAC3B;AACA,KAAK;AACL;AACA;AACA,2BAA2B;AAC3B,gBAAg
B,qCAAqC,oCAAoC,gBAAgB,GAAG;AAC5G;AACA;AACA,2BAA2B;AAC3B;AACA;AACA;A
ACA;AACA;AACA,2BAA2B;AAC3B;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,gBAA
gB,+BAA+B,aAAa,wBAAwB;AACpF;;AAEA,uBAAuB,oCAAoC,0FAA0F,cAAc;;AAEnK;AACA;AACA;AACA
;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA,iCAAiC,0E
AA0E;AAC3G;AACA,6BAA6B;AAC7B;AACA,+BAA+B;AAC/B;AACA;AACA;AACA,iCAAiC
;AACjC,SAAS;AACT,OAAO;AACP,KAAK;AACL,GAAG;AACH;AACA;;AAEA;AACA;AACA;AACA;AACA;
;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AAC
A,gDAAgD;AAChD;AACA,KAAK;AACL;;AAEA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;;AAEA;AACA;A
ACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA,GAAG;;
AAEH;AACA;AACA,2BAA2B;AAC3B;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;;AAEA;AA
CA;AACA;;AAEA,oCAAoC,4BAA4B,yEAAyE,qBAAqB;;AAE9J,wBAAwB;AACxB;AACA;AACA;AA

CA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA,GAAG;AACH;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;;AAGA,8BAA8B,6BAA6B,iBAAiB,KAAK;AACjF;AACA,GAAG;;AAEH;AACA;AACA;;AAEA,0BAA0B;;AAE1B;AACA,2CAA2C,0EAA0E;AACrH;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA,cAAc,2BAA2B,mBAAmB,qBAAqB;AACjF;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;;AAGA,8BAA8B,6BAA6B,iBAAiB,KAAK;AACjF;AACA,GAAG;;AAEH;;AAEA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA,cAAc,2BAA2B,mBAAmB,qBAAqB;AACjF;;AAEA;AACA;;AAEA;AACA,6GAA6G;AAC7G;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA,YAAY;;AAEZ;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;AAIA;AACA;AACA;AACA;AACA,YAAY,OAAO;AACnB,YAAY,SAAS;AACrB,YAAY,MAAM;AAClB,YAAY,OAAO;AACnB,YAAY,MAAM;AAClB;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA,QAAQ,YAAY;AACpB;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;;AAGA;AACA;AACA;;AAEA;AACA;AACA,2CAA2C;AAC3C;AACA,KAAK,IAAI;AACT;;AAEA;AACA;;AAEA;AACA;AACA;AACA,KAAK;;AAEL;AACA,GAAG;;AAEH;;AAEA;;AAEA;AACA;AACA,KAAK;;AAEL;AACA,GAAG;;AAEH;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA,oBAAoB;;AAEpB;AACA,GAAG,IAAI;AACP;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;AACA,8BAA8B;AAC9B;;AAEA;;;AAGA;AACA,UAAU;AACV;;AAEA;AACA;AACA;;AAEA;AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA,KAAK;AACL;;AAEA;AACA,GAAG;;AAEH;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA,2DAA2D;;AAE3D;;AAEA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA,GAAG;AACH;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,KAAK;;AAEL;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA,YAAY;AACZ;AACA;AACA;AACA;AACA;AACA;AACA,yBAAyB;AACzB;AACA,GAAG;AACH;AACA,iCAAiC;AACjC,cAAc;AACd;AACA;AACA,yBAAyB;AACzB;AACA;AACA;AACA,GAAG;AACH,cAAc,wCAAwC,mBAAmB,iCAAiC,GAAG,GAAG,GAAG,GAAG,GAAG,GAAG,GAAG,GAAG,wCAAwC,oBAAoB,YAAY,EAAE,EAAE,EAAE,EAAE,EAAE,GAAG,GAAG;AAC1N;AACA;AACA,yBAAyB;AACzB;AACA,GAAG;AACH,cAAc,wCAAwC,oBAAoB,YAAY,EAAE,EAAE,EAAE,EAAE,EAAE,GAAG,GAAG;AACtG;AACA;AACA,yBAAyB;AACzB;AACA;AACA,GAAG;AACH,cAAc,wCAAwC,oBAAoB,YAAY,EAAE,EAAE,EAAE,EAAE,EAAE,GAAG,GAAG;AACtG;;AAEA,eAAe;;AAEf;;AAEA;AACA;AACA;AACA;AACA;A

ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,aAAa,2BAA2B,yCAAyC;AACjF;AACA,GAAG;AACH;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;;AAGA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;;AAEA;AACA;AACA;AACA;;;AAGA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;;AAEA;AACA;;AAEA;AACA;AACA,GAAG;AACH;AACA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,SAAS;;AAET;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,SAAS;AACT;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA,4DAA4D;AAC5D;AACA;AACA,eAAe;AACf;AACA;AACA;AACA,aAAa;;AAEb;;AAEA;AACA;AACA,aAAa;AACb;AACA;;AAEA;AACA;AACA,aAAa;AACb;AACA;AACA,OAAO;AACP,KAAK;AACL,GAAG;;AAEH;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA,GAAG;AACH;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;;AAEA;ACA;AACA,GAAG;;AAEH;;AAEA;AACA;AACA;AACA;;AAEA;AACA,GAAG;AACH;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA,iDAAiD,sBAAsB,EAAE,qBAAqB,0BAA0B,uBAAuB,gBAAgB,sBAAsB,4BAA4B,EAAE,2BAA2B,8BAA8B,EAAE,4BAA4B,sBAAsB,EAAE,4BAA4B,qBAAqB,EAAE,4BAA4B,sBAAsB,EAAE,4BAA4B,oBAAoB,EAAE,4BAA4B,sBAAsB,EAAE,4BAA4B,qBAAqB,EAAE,4BAA4B,sBAAsB,EAAE,4BAA4B,mBAAmB,EAAE,4BAA4B,sBAAsB,EAAE,6BAA6B,qBAAqB,EAAE,6BAA6B,sBAAsB,EAAE,6BAA6B,oBAAoB,EAAE,6BAA6B,sBAAsB,EAAE,6BAA6B,qBAAqB,EAAE,6BAA6B,sBAAsB,EAAE,6BAA6B,iBAAiB,EAAE,6BAA6B,sBAAsB,EAAE,6BAA6B,qBAAqB,EAAE,6BAA6B,sBAAsB,EAAE,6BAA6B,oBAAoB,EAAE,kCAAkC,yBAAyB,kBAAkB,EAAE,mCAAmC,wBAAwB,kBAAkB,EAAE,+BAA+B,oBAAoB,EAAE,2BAA2B,iBAAiB,EAAE,2BAA2B,oBAAoB,EAAE,mCAAmC,cAAc,YAAY,iBAAiB,uBAAuB,aAAa,WAAW,EAAE,gBAAgB,0BAA0B,gBAAgB,uBAAuB,uBAAuB,4BAA4B,eAAe,EAAE,mCAAmC,8CAA8C,EAAE,yCAAyC,0BAA0B,uBAAuB,uBAAuB,EAAE,qBAAqB,cAAc,aAAa,6CAA6C,4CAA4C,EAAE,wBAAwB,8BAA8B,uBAAuB,mCAAmC,gBAAgB,kBAAkB,mBAAmB,mBAAmB,qBAAqB,qBAAqB,mBAAmB,aAAa,4BAA4B,WAAW,mCAAmC,wCAAwC,EAAE,6BAA6B,cAAc,aAAa,cAAc,mCAAmC,2CAA2C,EAAE,4BAA4B,cAAc,YAAY,gBAAgB,cAAc,mCAAmC,0CAA0C,EAAE,0BAA0B,aAAa,WAAW,mCAAmC,mCAAmC,wCAAwC,EAAE,yBAAyB,YAAY,gBAAgB,WAAW,mCAAmC,uCAAuC,EAAE,YAAY,yBAAyB,wBAAwB,6BAA6B,EAAE,YAAY,qBAAqB,EAAE,YAAY,sBAAsB,EAAE,YAAY,mBAAmB,EAAE,YAAY,mBAAmB,EAAE,YAAY,mBAAmB,EAAE,YAAY,mBAAmB,EAAE,YAAY,mBAAmB,EAAE,YAAY,mBAAmB,EAAE,YAAY,mBAAmB,EAAE,YAAY,mBAAmB,EAAE,YAAY,mBAAmB,EAAE,aAAa,oBAAoB,EAAE,YAAY,uBAAuB,kBAAkB,EAAE,YAAY,0BAA0B,oBAAoB,EAAE,iBAAiB,yBAAyB,EAAE,YAAY,eAAe,uBAAuB,uBAAuB,eAAe,yBAAyB,EAAE,gBAAgB,8BAA8B,8BAA8B,EAAE,mBAAmB,gBAAgB,EAAE,oBAAoB,iBAAiB,EAAE,sGAAsG,uBAAuB,EAAE,2GAA2G,cAAc,kDAAkD,EAAE,eAAe,oDAAoD,EAAE,gCAAgC,QAAQ,sCAAsC,EAAE,UAAU,wCAAwC,EAAE,EAAE,wBAAwB,QAAQ,sCAAsC,EAAE,UAAU,wCAAwC,EAAE,EAAE,mBAAmB,6EAA6E,EAAE,oBAAoB,6CAA6C,EAAE,oBAAoB,6EAA6E,EAAE,yBAAyB,uFAAuF,EAAE,uBAAuB,6EAA6E,EAAE,0BAA0B,uFAAuF,EAAE,6HAA6H,EAAE,eAAe,0BAA0B,gBAAgB,uBAAuB,iBAAiB,EAAE,iBAAiB,cAAc,YAAY,iBAAiB,uBAAuB,aAAa,WAAW,EAAE,gBAAgB,0BAA0B,kBAAkB,EAAE,gBAAgB,0BAA0B,iBAAiB,EAAE,gBAAgB,iBAAiB,EAAE,cAAc,cAAc,2BAA2B,gBAAgB,iBAAiB,qBAAqB,eAAe,uBAAuB,eAAe,EAAE,yDAAyD,eAAe,iBAAiB,cAAc,sBAAsB,qBAAqB,gBAAgB,EAAE;;AAEn7O;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA,KAAK;AACL;AACA;AACA,GAAG,IAAI;;AAEP;AACA;AACA,GAAG;AACH,0CAA0C,gCAAgC;AAC1E;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA,4EAA4E,aAAa;AACzF;;AAEA,kEAAkE;;AAElE;AACA,4CA

A4C,8BAA8B;AAC1E;AACA;AACA,OAAO;AACP;AACA,GAAG;AACH;AACA;AACA;AACA;AACA,GAAG
;AACH;AACA;AACA,sFAAsF,gBAAgB;;AAEtG;AACA;AACA;AACA;AACA;;;AAGA;;AAEA;AACA,OAAO;
;AAEP;AACA;AACA,GAAG;AACH;AACA,CAAC;;AAED;AACA;AACA;AACA;;AAEA;AACA;AACA;AAC
A;AACA,WAAW,2BAA2B,yCAAyC;AAC/E;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AAC
A;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA,OAAO;AACP;AACA,GAAG;;AAEH;AACA;AA
CA;;AAEA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;;AAEA;AACA;AACA;AACA;;;AAGA;;AAEA;
AACA;;AAEA;AACA;AACA;;AAEA,mDAAmD,2EAA2E;;AAE9H;;;AAGA;AACA,wBAAwB,6CAA6C;AACr
E;;AAEA,2CAA2C,WAAW,aAAa;AACnE;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;;AAEA
;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA,oEAAoE;;;AAGpE;AACA;AACA;;AAEA;AACA;
AACA,GAAG;;AAEH;;AAEA;AACA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;;;AA
GA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA,OAAO;;AAEP;AACA;AACA;AACA;AACA,O
AAO;AACP,KAAK;AACL;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,wDAAwD;AACxD;AACA,gDAAgD;;;AAGh
D;;AAEA;AACA;AACA;;;AAGA,6BAA6B,eAAe;AAC5C;;AAEA;AACA;AACA;AACA,OAAO;AACP;AACA;
AACA;;AAEA;AACA;AACA;AACA,4CAA4C,kDAAkD;AAC9F,OAAO;AACP;AACA;AACA,4BAA4B;AAC5
B;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL,GAAG;AACH,CAAC;;AAED,IAAI,aAAI;
AACR;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,yDAAyD;AACzD;AACA,iDAAiD;;;AAGjD,
oBAAoB,iCAAiC;AACrD;;AAEA;AACA;AACA,4BAA4B;AAC5B;AACA;AACA;AACA;AACA;AACA;AACA
,KAAK;AACL,GAAG;AACH;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,yDAAyD;AACzD;A
ACA,iDAAiD;;;AAGjD,oBAAoB,oCAAoC;AACxD;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA
;AACA,KAAK;AACL,GAAG;AACH;;AAEA,IAAI,cAAK;AACT,oBAAoB,gBAAgB;AACpC;;AAEA;;AAEA;A
ACA;AACA,OAAO;AACP,KAAK;;AAEL;AACA;AACA,mBAAmB,yCAAyC;AAC5D;AACA,KAAK;A
ACL,GAAG;AACH;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,QAAQ,aAAI;AACZ;A
ACA,SAAS,cAAK;AACd;AACA;;AAEA;AACA;AACA;AACA;;;AAGA,kGAAkG,2BAA2B;AAC7H;;AAEuG;;;
;;;;AC14DvG;AACA;AACeC,iGAAf,E;;;;;;;ACFA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA,
WAAW,EAAAE;AACb,WAAW,OAAO;AAClB,aAAa,QAAQ;AACrB;AACA;AACA;;AAEA;AACA;AAC
A;AACA;;AAEA;;;;;;;;ACxBA,sBAAsB,mBAAO,CAAC,MAAoB;AAClD,eAAe,mBAAO,CAAC,MAAa;;
AAEpC;AACA;AACA;AACA,WAAW,SAAS;AACpB,WAAW,SAAS;AACpB,aAAa,SAAS;AACtB;AAC
A;;AAEA;;;;;;;;ACbA;AACA;AACA,gBAAgB,mBAAO,CAAC,MAAe;AACvC,eAAe,mBAAO,CAAC,MAAc;A
ACrC,sBAAsB,mBAAO,CAAC,MAAsB;AACpD;AACA;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA,KAAK,YAAY,eAAe;AAChC;AACA,KAAK;AACL;AACA;;;;;;;;ACtBa;AA
Cb,8CAA8C,cAAc;AAC5D;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,kC;;;;;;;;AC5B
A;AACA;AACA;AACA,WAAW,OAAO;AAClB,WAAW,OAAO;AAClB,aAAa,QAAQ;AACrB;AACA;A
ACA;AACA;;AAEA;;;;;;;;ACZA,kBAAkB,mBAAO,CAAC,MAAgB;AAC1C,eAAe,mBAAO,CAAC,MAAa;AAC
pC,mBAAmB,mBAAO,CAAC,MAAiB;AAC5C,iBAAiB,mBAAO,CAAC,MAAe;AACxC,cAAc,mBAAO,CAAC,
MAAW;;AAEjC;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA,WAAW,aAAa;AACxB,WAAW,SAAS;AACpB,WAAW,EAAE;A
ACb,aAAa,EAAE;AACf;AACA;AACA;AACA;AACA,IAAI;AACJ;AACA;AACA,aAAa,yBAAyB;AACt
C;AACA;AACA,IAAI,IAAI;AACR,UAAU,8BAA8B;AACxC;AACA;AACA;;AAEA;AACA;;AAEA;;;;;;;;
;AClDa;AACb,aAAa,mBAAO,CAAC,MAAW;AAChC,UAAU,mBAAO,CAAC,MAAAQ;AAC1B,UAAU,mBAAO,
CAAC,MAAAQ;AAC1B,wBAAwB,mBAAO,CAAC,MAAAwB;AACxD,kBAAkB,mBAAO,CAAC,MAAAiB;AAC3C
,YAAY,mBAAO,CAAC,MAAAgB;AACpC,mBAAmB,mBAAO,CAAC,MAAAiB;AAC5C,iBAAiB,mBAAO,CAAC,
MAAAe;AACxC,cAAc,mBAAO,CAAC,MAAAW;;AAEjC;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA,WAAW,aAAa;AACxB,WAAW,SAAS;AACpB,WAAW,EAAAE;A
ACb,aAAa,EAAAE;AACf;AACA;AACA;AACA;AACA,IAAI;AACJ;AACA;AACA,aAAa,yBAAyB;AACtC;A
ACA;AACA,IAAI,IAAI;AACR,UAAU,8BAA8B;AACxC;;AAEA;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA,oDAAoD;AACpD,KAAK;AACL;AACA,oCAAoC,cAAc,OAAO;AACzD,qCAAqC,c
AAc,OAAO;AAC1D;AACA;AACA,oEAAoE,OAAO;AAC3E;AACA;AACA;AACA,OAAO;AACP;AAC
A,GAAG;AACH;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,0CAA0C,0BAA0B,EAAAE;AACtE;AACA;

AACA,kBAAkB,mBAAO,CAAC,MAAgB;AAC1C;AACA;AACA;AACA;AACA,2BAA2B,iBAAiB;AAC
5C;AACA;AACA;AACA;AACA;AACA,EAAE,mBAAO,CAAC,MAAa;AACvB;;;;;;;;ACpEA,uC;;;;;;;;AC
AA,iBAAiB,mBAAO,CAAC,MAAW;;;;;;;;ACApC,kBAAkB,mBAAO,CAAC,MAAgB,MAAM,mBAAO,CAAC,
MAAU;AAClE,+BAA+B,mBAAO,CAAC,MAAe,gBAAgB,mBAAmB,UAAU,EAAE,EAAE;AACvG,CAAC;;;;;;;
;ACFD,kBAAkB,mBAAO,CAAC,MAAgB;AAC1C,kBAAkB,mBAAO,CAAC,MAAgB;AAC1C,eAAe,mBAAO,C
AAC,MAAa;AACpC,qBAAqB,mBAAO,CAAC,MAAmB;;AAEhD;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA,WAAW,aAAa;AACxB,WAAW,yBAAyB;AACpC;AACA,aAAa,MAAM;AACnB;A
ACA;AACA;AACA,MAAM,8BAA8B;AACpC,MAAM,8BAA8B;AACpC,MAAM,8BAA8B;AACpC,MAAM;AA
CN;AACA;AACA,iCAAiC,eAAe,EAAE;AAClD;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA,GAAG;AACH;AACA;AACA,CAAC;;AAED;;;;;;;;AC/CA,gBAAgB,mBAAO,C
AAC,MAAc;AACtC,WAAW,mBAAO,CAAC,MAAS;;AAE5B;AACA;;AAEA;;;;;;;;ACNA;;AAEA;AACA;AAC
A;AACA,CAAC;;AAED;AACA;AACA;AACA,CAAC;AACD;AACA;AACA;;AAEA;AACA;AACA,4CAA4C;;A
AE5C;;;;;;;;ACnBA;AACA;AACA;AACA;;;;;;;;;;;ACJa;AACb,uBAAuB,mBAAO,CAAC,MAAuB;AACtD,
WAAW,mBAAO,CAAC,MAAc;AACjC,gBAAgB,mBAAO,CAAC,MAAc;AACtC,gBAAgB,mBAAO,CAAC,MA
Ae;;AAEvC;AACA;AACA;AACA,iBAAiB,mBAAO,CAAC,MAAgB;AACzC,gCAAgC;AAChC,cAAc;A
ACd,iBAAiB;AACjB;AACA,CAAC;AACD;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA,CAAC;;AAED;AACA;;AAEA;AACA;AACA;;;;;;;;ACjCA,eAAe,mBAAO,CAAC,MAAY;;AAEnC;AAC
A;AACA;AACA,WAAW,EAAE;AACb,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;AAC
A;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ACxCA,SAAS,mBAAO,CA
AC,MAAM;;AAEvB;AACA;AACA;AACA,WAAW,MAAM;AACjB,WAAW,EAAE;AACb,aAAa,OAAO
;AACpB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ACpBA,AAAA,AAA
A,AAAA,AAAA,AAAA,AAAA,AAAA,AAAA,AACA,AACA,AACA,AACA;;AAEA;AACA;AA
CA,oBAAoB;;AAEpB;AACA;AACA;AACA;AACA,CAAC;;AAED;AACA;;AAEA;AAC
A;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,WAAW,YAAoB;AAC/B,GAAG;AACH;AACA;AACA,CAAC;;AAED;AACA;;AAEA;;AAEA;AACA;AACA
,CAAC;AACD;AACA,CAAC;;AAED;AACA;AACA;AACA;;AAEA;AACA;AACA,mBAAmB,kBAAkB;
AACrC;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,CAAC;;;;AAI
D;AACA,iBAAiB,sBAAsB;AACvC;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;;;AAIA;AAC
A;AACA,6CAA6C,gBAAgB;;AAE7D;AACA,GAAG;AACH;AACA;;AAEA;AACA;;AAEA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA,CAAC;;AAED;;AAEA,0BAA0B;;AAE1B;;
AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA,GAAG;AACH;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;;A
AEA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;;AAEA;;AAEA;AACA;;AAEA
;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AAC
A;;AAEA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AA
EA;AACA;;AAEA;AACA;;AAEA,uCAAuC,QAAQ;AAC/C;AACA;AACA;AACA;AACA;;AAEA
;;AAEA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA,wCAAwC,KAAK;AAC7C;AACA
;;AAEA;AACA;;AAEA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA,KAAK;AACL;AACA;;AAEA;AAC
A;AACA;;AAEA;AACA;AACA,GAAG;AACH;AACA;;AAEA;AACA,wCAAwC,wBAAwB,uBA
AuB,sBAAsB,sBAAsB;AACnI;;AAEA;AACA,qCAAqC;AACrC;AACA,GAAG;AACH;;AAEA;AACA,iCAAiC;
AACjC,2DAA2D;AAC3D,GAAG;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA,GAAG;AACH;
AACA,GAAG;AACH;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAE
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;;AAGA,+BAA+B,wEAAwE;;AAEvG;AA
CA;AACA,2BAA2B;AAC3B;AACA,KAAK;AACL;AACA;AACA;AACA,2BAA2B;AAC3B,gBAAgB,qCAAqC,
oCAAoC,gBAAgB,GAAG;AAC5G;AACA;AACA,2BAA2B;AAC3B;AACA;AACA;AACA;AAC

A;AACA,2BAA2B;AAC3B;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA,gBAAgB,+BAA+B,aAAa,wBAAwB;AACpF;;AAEA,uBAAuB,oCAAoC,0FAA0F,cAAc;;AAEnK;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA,iCAAiC,0EAA0E;AAAC3G;AACA;AACA,6BAA6B;AAC7B;AACA;AACA,+BAA+B;AAC/B;AACA;AACA;AACA,iCAAiC;AACjC,SAAS;AACT,OAAO;AACP,KAAK;AACL,GAAG;AACH;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA,gDAAgD;AAChD;AACA,KAAK;AACL;;AAEA;AACA;AACA;AACA,GAAG;AACH;;AAEA;AACA;AACA;ACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA,4BAA4B;AAC5B,KAAK;AACL;AACA,6BAA6B;AAAe,SAAS;AACrD;AACA,KAAK;AACL,GAAG;AACH;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA,2BAA2B;AAC3B;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;;AAEA;AACA;AACA;;AAEA,oCAAoC,4BAA4B;yEAAyE,qBAAqB;;AAE9J,wBAAwB;AACxB;AACA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA,GAAG;AACH;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;;AAGA,8BAA8B,6BAA6B,iBAAiB,KAAK;AACjF;AACA,GAAG;;AAEH;AACA;;AAEA,0BAA0B;;AAE1B;AACA,2CAA2C,0EAA0E;AACrH;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA,GAAG;;AAEH;AACA,cAAc,2BAA2B,mBAAmB,qBAAqB;AACjF;;AAEA;AACA;;AAEA;AACA,+BAA+B;AAAC/G;;AAEhC;AACA;AACA;AACA;AACA;AAAC;;AAEA;AACA;AACA;AACA;;AAEA,YAAY;;AAEZ;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;AAIA;AACA;AACA;AACA;AACA,YAAY,OAAO;AACnB,YAAY,SAAS;AACrB,YAAY,MAAM;AAClB,YAAY,OAAO;AACnB,YAAY,MAAM;AAClB;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA,YAAY,QAAQ,YAAY;AAChC;AACA;;AAEA;AACA;;AAEA;AACA;;;AAGA;AACA;;AAEA;AACA;AACA,2BAA2B;AAC3B;AACA,KAAK,IAAI;AACT;;AAEA;AACA;;AAEA;AACA,GAAG;;AAEH;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA,oBAAoB;AAApB,pB;AAAEpB;AACA,GAAG,IAAI;AACP;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA,8BAA8B;AAAC9B;;AAEA;;;AAGA;AACA,UAAU;AACV;;AAEA;AACA;AACA;;AAEA;AACA;AACA,KAAK;AACL;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA,2DAA2D;AAC3D;;;AAGA;AACA;AACA,GAAG;AACH;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;;AAEL;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,GAAG;AACH;AACA;;AAEA;AACA;AACA;AACA;;AAEA;;AAEA;;AAEA;AACA;AACA,OAAO;AACP;AACA;;AAEA;AACA,KAAK,GAAG,wBAAwB;;AAEhC;;AAEA;AACA;AACA,KAAK;AACL;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA,GAAG;AACH;AACA;;AAEA;AACA;AACA;;AAEA;;AAEA;;AAEA;AACA,KAAK;AACL;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;;AAGA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA,AACT;AACA;AACA;AACA,KAAK;AACL,GAAG;;AAEH;;AAEA;AACA;AACA,GAAG;AACH;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA,KAAK;AACL;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA,KAAK;AACL;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAAAA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA,KAAK;AACL;AACA;;AAEA;AACA;;AAEA;AACA;AACA,GAAG,IAAI;;AAEP;AACA;AACA;AACA,KAAK;AACL;AACA;;AAEA;AACA;;AAEA;AACA;AACA,GAAG;AACH;AACA,KAAK;AACL;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AAAC

A;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA,YA
AY;AACZ;AACA;AACA;AACA;AACA;AACA;AACA;AACA,yBAAyB;AACzB;AACA,GAAG;AACH;AACA,i
CAAiC;AACjC;AACA,CAAC;AACD;AACA;AACA,yBAAyB;AACzB;AACA;AACA;AACA,GAAG;AACH,cA
Ac,wCAAwC,mBAAmB,iCAAiC,GAAG,GAAG,GAAG,GAAG,GAAG,GAAG,GAAG,GAAG,wCAAwC,oBAAAo
B,YAAY,EAAE,EAAE,EAAE,EAAE,EAAE,GAAG,GAAG;AAC1N;AACA;AACA;AACA,yBAAyB;AACzB;A
ACA;AACA,GAAG;AACH,cAAc,wCAAwC,oBAAAoB,YAAY,EAAE,EAAE,EAAE,EAAE,EAAE,GAAG,GAAG
;AACtG;AACA;AACA;AACA,yBAAyB;AACzB;AACA;AACA,GAAG;AACH,cAAc,wCAAwC,oBAAAoB,YAA
Y,EAAE,EAAE,EAAE,EAAE,EAAE,GAAG,GAAG;AACtG;;AAEA,eAAe;;AAEf;;AAEA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AAC
A;AACA;;AAEA;AACA;AACA;AACA;AACA,aAAa,2BAA2B,yCAAyC;AACjF;AACA,GAAG;AACH;AACA;;
AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;;AAGA;AACA;AACA;AACA;AAC
A,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;;AAEA;AACA;AA
CA;AACA;;;AAGA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;;AAEA;AACA;;AAEA;AACA;AACA,GAA
G;AACH;AACA;AACA;;AAEA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;;AAEA;AACA;;AAEA;;A
AEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,SAAS;;AAET;AACA;AACA;AACA;AACA;A
ACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,WAAW;AACX;AACA;AACA;
AACA,OAAO;AACP,KAAK;AACL,GAAG;;AAEH;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;;AAEA;;AAEA;AACA;AA
CA;AACA,GAAG;AACH;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA,KAAK;AACL;A
ACA;AACA;AACA;AACA;;AAEA;AACA,GAAG;;AAEH;;AAEA;AACA;AACA;AACA;;AAEA;AACA
,GAAG;AACH;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA,iDAAiD,sBAAAsB,EAAE,qBAAAqB,
0BAAA0B,uBAAAuB,gBAAAgB,sBAAAsB,4BAAA4B,EAAE,2BAA2B,8BAAA8B,EAAE,4BAAA4B,sBAAAsB,EAAE,4BA
A4B,qBAAAqB,EAAE,4BAAA4B,sBAAAsB,EAAE,4BAAA4B,oBAAAoB,EAAE,4BAAA4B,sBAAAsB,EAAE,4BAAA4B,qB
AAAqB,EAAE,4BAAA4B,sBAAAsB,EAAE,4BAAA4B,mBAAAmB,EAAE,4BAAA4B,sBAAAsB,EAAE,6BAAA6B,qBAAAqB
,EAAE,6BAAA6B,sBAAAsB,EAAE,6BAAA6B,oBAAAoB,EAAE,6BAAA6B,sBAAAsB,EAAE,6BAAA6B,qBAAAqB,EAAE,
6BAAA6B,sBAAAsB,EAAE,6BAAA6B,iBAAAiB,EAAE,6BAAA6B,sBAAAsB,EAAE,6BAAA6B,qBAAAqB,EAAE,6BAAA6B
,sBAAAsB,EAAE,6BAAA6B,oBAAAoB,EAAE,kCAAkC,yBAAAyB,kBAAAkB,EAAE,mCAAmC,wBAAAwB,kBAAAkB,E
AAE,+BAA+B,oBAAAoB,EAAE,2BAA2B,iBAAAiB,EAAE,2BAA2B,oBAAAoB,EAAE,mCAAmC,cAAc,YAAY,iB
AAAiB,uBAAAuB,aAAa,WAAW,EAAE,gBAAAgB,0BAAA0B,gBAAAgB,uBAAAuB,uBAAAuB,4BAAA4B,eAAe,EAAE,m
CAAmC,8CAA8C,8CAA8C,EAAE,yCAAyC,0BAAA0B,uBAAAuB,uBAAAuB,EAAE,qBAAAqB,cAAc,aAAa,6CAA6C
,6CAA6C,4CAAAC,4CAAAC,EAAE,wBAAwB,8BAAA8B,uBAAAuB,mCAAmC,mCAAmC,gBAAAgB,kBAAAkB,mB
AAAmB,mBAAAmB,qBAAAqB,qBAAAqB,mBAAAmB,aAAa,4BAAA4B,WAAW,mCAAmC,mCAAmC,wCAAwC,wCA
AwC,EAAE,6BAAA6B,cAAc,aAAa,cAAc,mCAAmC,mCAAmC,2CAA2C,2CAA2C,EAAE,4BAAA4B,cAAc,YAAY
,gBAAAgB,cAAc,mCAAmC,mCAAmC,0CAA0C,0CAA0C,EAAE,0BAAA0B,aAAa,WAAW,mCAAmC,mCAAmC,
wCAAwC,wCAAwC,EAAE,yBAAyB,YAAY,gBAAAgB,WAAW,mCAAmC,mCAAmC,uCAAuC,uCAAuC,EAAE,
YAAY,yBAAyB,wBAAAwB,6BAAA6B,EAAE,YAAY,qBAAAqB,EAAE,YAAY,sBAAAsB,EAAE,YAAY,mBAAAmB,
EAAE,YAAY,mBAAAmB,EAAE,YAAY,mBAAAmB,EAAE,YAAY,mBAAAmB,EAAE,YAAY,mBAAAmB,EAAE,Y
AAY,mBAAAmB,EAAE,YAAY,mBAAAmB,EAAE,YAAY,mBAAAmB,EAAE,YAAY,mBAAAmB,EAAE,aAAa,oBA
AoB,EAAE,YAAY,uBAAAuB,kBAAAkB,EAAE,YAAY,0BAAA0B,uBAAAuB,oBAAAoB,EAAE,iBAAAiB,yBAAyB,EA
AE,YAAY,eAAe,uBAAAuB,uBAAAuB,eAAe,yBAAyB,EAAE,gBAAAgB,8BAAA8B,wBAAAwB,8BAAA8B,EAAE,mBA
AmB,gBAAAgB,EAAE,oBAAAoB,iBAAAiB,EAAE,sGAAAsG,uBAAAuB,EAAE,2GAAA2G,sBAAAsB,EAAE,cAAc,kDA
AkD,kDAAAkD,EAAE,eAAe,oDAAoD,oDAAoD,EAAE,gCAAgC,QAAQ,sCAAAsC,sCAAAsC,EAAE,UAAU,wCAA
wC,wCAAwC,EAAE,EAAE,wBAAAwB,QAAQ,sCAAAsC,sCAAAsC,EAAE,UAAU,wCAAwC,wCAAwC,EAAE,EA
AE,mBAAmB,6EAAA6E,qCAAAqC,qCAAAqC,EAAE,oBAAAoB,6EAAA6E,sCAAAsC,sCAAAsC,EAAE,oBAAAoB,6EAA6
E,sCAAAsC,sCAAAsC,EAAE,yBAAyB,uFAAAuF,oCAAAoC,oCAAAoC,EAAE,uBAAAuB,uFAAAuF,oCAAAoC,oCAAAoC,E
AAE,0CAAA0C,uFAAAuF,qCAAAqC,qCAAAqC,EAAE,6HAAA6H,yBAAyB,yBAAyB,EAAE,eAAe,0BAAA0B,gBAAAgB
,uBAAAuB,eAAe,EAAE,iCAAiC,cAAc,YAAY,iBAAAiB,uBAAAuB,aAAa,WAAW,EAAE,iCAAiC,gBAAAgB,eAAe,E

AAE,iCAAiC,gBAAgB,eAAe,EAAE,iBAAiB,gBAAgB,EAAE,cAAc,cAAc,2BAA2B,gBAAgB,iBAAiB,qBAAqB,
eAAe,uBAAuB,eAAe,EAAE,yDAAyD,eAAe,iBAAiB,cAAc,sBAAsB,qBAAqB,gBAAgB,EAAE;;AAE56O;AAC
A;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;A
ACA;;AAEA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,GAAG,IAAI;;AAEP;AACA;AACA,GAAG;A
ACH,0CAA0C,gCAAgC;AAC1E;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;A
AEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA,4EAA4E,aAAa;AACzF;AACA;;AAE
A,kEAAkE;;AAElE;AACA,4CAA4C,8BAA8B;AAC1E;AACA,OAAO;AACP;AACA,GAAG;AACH;AACA;AA
CA;AACA;AACA,GAAG;AACH;AACA;AACA,sFAAsF,gBAAgB;;AAEtG;AACA;AACA;AACA;AACA;;;AAG
A;;AAEA;AACA,OAAO;;AAEP;AACA;AACA,GAAG;AACH;AACA,CAAC;;AAED;AACA;AACA;AACA;;AA
EA;AACA;AACA;AACA,WAAW,2BAA2B,yCAAyC;AAC/E;AACA;;AAEA;;AAEA;AACA;AACA;AA
CA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;
AACA,OAAO;AACP;AACA,GAAG;;AAEH;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,GAAG;;AAE
H;AACA;;AAEA;AACA;AACA;AACA;;;AAGA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA,mDAAmD,2EA
A2E;;AAE9H;;;AAGA;AACA,wBAAwB,6CAA6C;AACrE;;AAEA,2CAA2C,WAAW,aAAa;AACnE;AACA;;AA
EA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA,oEAAoE
;;;;AAGpE;AACA;AACA;;AAEA;AACA;AACA,GAAG;;AAEH;;AAEA;AACA;AACA;AACA;;AAEA;AACA;A
ACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA,wDAAwD;AACxD;AACA,gDAAgD;;;AAGhD;;AAEA;AACA;AACA;;;AAGA,6BAA6B,eAAe;A
AC5C;;AAEA;AACA;AACA;AACA,OAAO;AACP;AACA;AACA;;AAEA;AACA;AACA;AACA,4CAA4C,kDA
AkD;AAC9F,OAAO;AACP;AACA;AACA,4BAA4B;AAC5B;AACA;AACA;AACA;AACA;AACA;AAC
A,KAAK;AACL,GAAG;AACH,CAAC;;AAED;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A,yDAAyD;AACzD;AACA,iDAAiD;;;AAGjD,oBAAoB,iCAAiC;AACrD;;AAEA;AACA;AACA,4BAA4B;AAC5
B;AACA;AACA;AACA;AACA;AACA,KAAK;AACL,GAAG;AACH;;AAEA;AACA,oBAAoB,gBAAgB;
AACpC;;AAEA;;AAEA;AACA;AACA;AACA,OAAO;AACP,KAAK;;AAEL;AACA;AACA,mBAAmB,2CAA2C
;AAC9D;AACA,KAAK;AACL,GAAG;AACH;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;;AAEA;AACA,0DAA0D,iBAAiB;AAC3E;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AAC
A;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,SAAS;AACT;AACA,KAAK;AACL;;AAEA,+BAA+B;;A
AE/B;AACA,4CAA4C,gCAAgC;;AAE5E;AACA;AACA,KAAK;;AAEL;AACA;;AAEA;;AAEA;AACA;AACA;A
ACA,GAAG;AACH;;AAEA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA,CAAC;;AAED;;AAEA
;;AAEsF;AACvE,oEAAK,EAAC;;;;;;;;;AC5wDrB,eAAe,mBAAO,CAAC,MAAc;AACrC;AACA;AACA;;;;;;
;;;ACJA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,EAAE;AACf;AACA;
AACA,iBAAiB;AACjB;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ACpBA,UAAU,mBAAO,CAA
C,MAAQ;AACC,MAAAQ;AAC1B,gBAAgB,mBAAO,CAAC,MAAe;AACvC,mBAAmB,mBAAO,CAAC,MAAmB;AAC9C,eAAe
,mBAAO,CAAC,MAAe;;AAEtC;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;;;;;;;;AChBA,aAAa,mBAAO,CAAC,MAAW;AAChC,eAAe,mBAAO,CAAC,MAAa;AACpC,cAAc,mBAAO,
CAAC,MAAW;AACjC,eAAe,mBAAO,CAAC,MAAY;;AAEnC;AACA;AACA;;AAEA;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA;;;;;;;;ACpCA,gBAAgB,mBAAO,CAAC,MAAA
O,CAAC,MAAc;AACtC,UAAU,mBAAO,CAAC,MAAQ;AAC1B,eAAe,mBAAO,CAAC,MAAa;;AAEpC;;;AAE
A;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,WAAW,EAAE;AACb,WAAW,EAAE;Aab
;AACA;AACA;;AAEA;;;;;;;;ACjBCa;AACCb,8CAA8C,cAAc;AAC5D;AACA;AACA;AAC
A;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AAC
A;AACA;AACA,kC;;;;;;;AC5BA;AACA;AACA;AACA;AACA;AACA;AACA,aAAa,MAAAM;AACn
B;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ACtBA
,sBAAsB,mBAAO,CAAC,MAAoB;AAClD,mBAAmB,mBAAO,CAAC,MAAAgB;;AAE3C;AACA;;AAEA;AACA;;A
AEA;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,QAAQ;
AACrB;AACA;AACA;AACA,6BAA6B,kBAAkB,EAAE;AACjD;AACA;AACA;AACA,8CAA8C,

kBAAkB,EAAE;AAClE;AACA;AACA;;AAEA;;;;;;;;ACnCA;AACA;AACA;;;;;;;;ACFA;AACA;AACA;AACA;A
ACA;AACA;AACA,WAAW,MAAM;AACjB,WAAW,SAAS;AACpB,aAAa,MAAM;AACnB;AACA;AACA;;AA
EA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;ACpBA;AAAe;AACf;AACA;AACA,C;;;;;;;ACJA;
AACA,UAAU;AACV;;;;;;;;ACFA,eAAe,mBAAO,CAAC,MAAa;AACpC,kBAAkB,mBAAO,CAAC,MAAgB;AA
C1C,kBAAkB,mBAAO,CAAC,MAAgB;;AAE1C;AACA;AACA;AACA;AACA;AACA,WAAW,MAAM;
AACjB;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;;;;;;;;AC1BA
;AACA;AACA;AACA;;;;;;;;ACHA,WAAW,mBAAO,CAAC,MAAS;;AAE5B;AACA;;AAEA;;;;;;;;ACLA;AACA;
AACA;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,OAAO;AACpB;AACA;AACA;;AAEA
;;;;;;;;;ACbA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA,WAAW,SAAS;AACpB,aAAa,OAAO;
AACpB;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA,KAAK;AACL;AACA;AACA;;AAE
A;;;;;;;;;ACzBA,eAAe,mBAAO,CAAC,MAAa;AACpC;AACA;AACA;;;;;;;;;ACJA,eAAe,mBAAO,CAAC,
MAAa;AACpC,mBAAmB,mBAAO,CAAC,MAAiB;AAC5C,cAAc,mBAAO,CAAC,MAAY;AAClC,cAAc,mBAA
O,CAAC,MAAW;;AAEjC;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA,WAAW,aAAa;AACxB,WAAW,SAAS;AACpB,aAAa,MAAM;A
ACnB;AACA;AACA;AACA;AACA;AACA;AACA;AACA,UAAU,iBAAiB;AAC3B;AACA;AACA
A;AACA,MAAM,mBAAmB;AACzB,MAAM;AACN;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;;AAEA;;;;;;;;;ACpDA;AAAA;AAAA;AAAqhB,CAAgB,2jBAAG,EAAC,C;;;;;;;ACAziB;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,gCAAgC,QAAQ;AACxC;AACA;AA
CA;AACA,KAAK;AACL;AACA;AACA,KAAK;AACL;AACA;AACA;;AAEA;AACA;AACA,UAAU,M
AAM;AAChB;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA,6BAA6B,IAAI;AACjC;AACA;AAC
A;;AAEA;AACA;AACA;AACA;;AAEA,oCAAoC,8BAA8B;AAClE;;AAEA;AACA;AACA;AACA,KAA
K;AACL;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA,GAAG;;AAEH;AACA;;A
AEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;
AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA,GAAG;;;AAGA;AACA;AACA;AACA;;AAEA;AACA;AACA,UAAU,oBAAoB;AAC9B
;AACA;;AAEA;AACA,UAAU,UAAU;AACpB;AACA;;AAEA;AACA;;AAEA;AACA;AA
CA,iBAAiB,YAAY;AAC7B;AACA;AACA;AACA;;AAEA;AACA,+BAA+B,sBAAsB;AACrD;AACA;;A
AEA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA
;AACA;AACA;;AAEA;AACA;;;AAGA;AACA;AACA;AACA;AACA;AACA;AACA;;;AAGA;AACA;AA
CA;;AAEA;AACA;AACA;AACA,mBAAmB,eAAe;AAClC;AACA;AACA;;AAEA;AACA;AACA,kCAA
kC;AAClC;AACA;AACA;AACA;;;;;;;;;AC/NA;AACA;AACA;;;;;;;;ACHA,gBAAgB,mBAAO,CA
AC,MAAc;AACtC,iBAAiB,mBAAO,CAAC,MAAe;AACxC,cAAc,mBAAO,CAAC,MAAY;AAClC,cAAc,mBAA
O,CAAC,MAAY;AAClC,cAAc,mBAAO,CAAC,MAAY;;AAElC;AACA;AACA;AACA;AACA,WAAW,
MAAM;AACjB;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AAC
A;AACA;AACA;;AAEA;;;;;;;;AC/BA,eAAe,mBAAO,CAAC,MAAa;AACpC,kBAAkB,mBAAO,CAAC,MAAe;A
ACzC,cAAc,mBAAO,CAAC,MAAW;AACjC,cAAc,mBAAO,CAAC,MAAY;AAClC,eAAe,mBAAO,CAAC,MA
AY;AACnC,YAAY,mBAAO,CAAC,MAAU;;AAE9B;AACA;AACA;AACA,WAAW,OAAO;AAClB,WA
AW,aAAa;AACxB,WAAW,SAAS;AACpB,aAAa,QAAQ;AACrB;AACA;;AAEA;AACA;AACA;;AAEA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;A
CtCA,cAAc,mBAAO,CAAC,MAAW;AACjC,YAAY,mBAAO,CAAC,MAAU;AAC9B,mBAAmB,mBAAO,CAA
C,MAAiB;AAC5C,eAAe,mBAAO,CAAC,MAAY;;AAEnC;AACA;AACA;AACA,WAAW,EAAE;AACb,
WAAW,OAAO;AAClB,aAAa,MAAM;AACnB;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ACpB
A,eAAe,mBAAO,CAAC,MAAa;;AAEpC;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA,WAAW,SAAS;AACpB,WAAW,SAAS;
AACpB,aAAa,SAAS;AACtB;AACA;AACA,iBAAiB;AACjB,gBAAgB;AAChB;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;

AACA;AACA;AACA;;AAEA;AACA;;AAEA;;;;;;;;;ACxEa;AACb,8CAA8C,cAAc;AAC5D;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,kC;;;;;;;AC5BA,cAAc,mBAAO,CAAC,MAAY;;AAElC;AACA;AACA;AACA;AACA,WAAW,aAAa;AACxB,aAAa,SAAS;AACtB;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ACfa;;AAEb;AACA;;;;;;;;;;;;;;ACHA;AACA;;AAEA;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,QAAQ;AACrB;AACA;AACA;;AAEA;AACA;;AAEA;;;;;;;;ACjBA;AACA,eAAe,mBAAO,CAAC,MAAc;AACrC,gBAAgB,mBAAO,CAAC,MAAe;AACvC,cAAc,mBAAO,CAAC,MAAQ;AAC9B;AACA;AACA;;;;;;;;ACRA,oBAAoB,mBAAO,CAAC,MAAkB;AAC9C,eAAe,mBAAO,CAAC,MAAa;AACpC,kBAAkB,mBAAO,CAAC,MAAe;;AAEzC;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,aAAa,MAAM;AACnB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ACpCa;;AAEb;AACA;AACA,EAAE;AACF;AACA;;;;;;;;ACTA;AACA;AACA;AACA,WAAW,OAAO;AAClB,aAAa,MAAM;AACnB;AACA;AACA;;AAEA;AACA;AACA,GAAG;AACH;AACA;;AAEA;;;;;;;;ACjBa;AACb,8CAA8C,cAAc;AAC5D;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,kC;;;;;;AC5BA;AACA;AACA;AACA,WAAW,OAAO;AAClB,aAAa,SAAS;AACtB;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ACbA,gBAAgB,mBAAO,CAAC,MAAc;;AAEtC;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;ACdA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,eAAe,kCAAkC;AACjD;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;;AAEA;;AAEA;AACA;AACA;AACA,OAAO;AACP;AACA;;AAEA;;AAEA;AACA;AACA;AACA,aAAa,cAAc,IAAI;AAClB,aAAa,QAAQ;AACrB;AACA;AACA;AACA,cAAc,OAAO;AACrB,cAAc;AACd;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA;AACA,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,aAAa,QAAQ;AACrB;AACA;AACA,oBAAoB;AACpB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA,mBAAmB,kBAAkB;AACrC;AACA;AACA;AACA;AACA;AACA;AACA;AACA,CAA

ACnB;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA,KAAK;AACL;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA
;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AA
EA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;
AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAE
A;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;A
ACA;;AAEA;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,cAAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,c
AAc,QAAQ;AACtB,aAAa,QAAQ;AACrB;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA;;AAEA;AACA;AACA;AACA;AACA,WAAW,YAAY;AACvB,WAAW,YAAY;AACvB,WAAW,O
AAO;AAClB,WAAW,YAAY;AACvB,WAAW,QAAQ;AACnB,aAAa,OAAO;AACpB;AACA;AACA;;AAEA;;A
AEA,oBAAoB;AACpB;;AAEA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA,KAAK;AACL;AACA,KAAK;AACL;AACA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AA
CA;AACA;AACA,KAAK;AACL;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;A
ACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,cAAc,
OAAO;AACrB,cAAc,OAAO;AACrB,aAAa,OAAO;AACpB;AACA;AACA;;AAEA;AACA;AACA;;AAEA;;AAE
A;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAA
K;AACL;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,KAAK;AACL;AACA,KAAK;AACL,GAA
G;AACH;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA,GAAG;;AAEH;;AAEA;;AAEA;AACA;;AAEA;A
ACA;AACA;AACA,WAAW,OAAO;AAClB,WAAW,QAAQ;AACnB,WAAW,QAAQ;AACnB,WAAW,Q
AAQ;AACnB,aAAa,OAAO;AACpB;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA
,cAAc,QAAQ;AACtB,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,cAAc,OAAO;AACrB,aAAa,OAAO;AACpB;AACA;AACA,
cAAc;AACd;AACA;AACA,GAAG;AACH;;AAEA;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,WAA
W,YAAY;AACvB,WAAW,OAAO;AAClB,WAAW,OAAO;AAClB,aAAa,OAAO;AACpB;AACA;AACA;;AAEA
;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AAC
A;AACA,GAAG;AACH;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA,cAAc,MAAM;AACpB;AA
CA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;A
ACA,cAAc,MAAM;AACpB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;;
AAEA;AACA;AACA;AACA,GAAG;AACH;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,WAA
W;;AACtB,WAAW,MAAM;AACjB,WAAW,OAAO;AAClB,aAAa;AACb;AACA;AACA;;AAEA;AACA;AACA;
AACA;AACA;AACA,iDAAiD;AACjD;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,GAAG;;AA
EH;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;A
ACA;AACA,cAAc;AACd,mBAAmB;AACnB,kBAAkB;AAClB;AACA;AACA;;AAEA;AACA;;AAEA;AACA;A
ACA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AAC
A;AACA,GAAG;AACH;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,aAAa;AACb;AACA;AACA;;AAC
A;AACA;AACA;AACA,GAAG;AACH;;AAEA;AACA;AACA;AACA;AACA,cAAc,OAAO;AACrB,aAAa,OAA
O;AACpB;AACA;AACA;;AAEA,iBAAiB,qBAAqB;AACtC;AACA;AACA;AACA;AACA;AACA
;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AA
CA,cAAc,QAAQ;AACtB,aAAa;AACb;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,4CAA4C,gB
AAgB;;AAE5D;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA,sEAAsE,gBAAgB;;AAEtF;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA
;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;;AAEA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;A
ACA;AACA,WAAW,EAAE;AACb,YAAY;AACZ;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,c

AAc,QAAQ;AACtB,cAAc,OAAO;AACrB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA,GAAG;AACH;;AAEA;AACA;AACA;AACA;AACA,cAAc,QAAQ;AACtB,cAAc,OAAO;AACrB;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA,GAAG;AACH;;AAEA;AACA;AACA;
AACA,cAAc,OAAO;AACrB,cAAc,OAAO;AACrB,cAAc,OAAO;AACrB,cAAc,OAAO;AACrB,aAAa,OAAO;AA
CpB;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;
AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,YAAY;AACvB,WAAW,YAAY;AACvB,W
AAW,OAAO;AAClB;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA,qBAA
qB,yDAAyD;;AAE9E;AACA;;AAEA;AACA;AACA;AACA,cAAc,OAAO;AACrB,cAAc,OAAO;AACrB,aAAa,O
AAO;AACpB;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA
;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA,GAAG;AACH;AA
CA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;A
AEA;AACA,+BAA+B;AAC/B,2BAA2B;AAC3B;gCAAgC;;AAEhC;AACA;;AAEA;AACA;AACA;AACA;AAC
A;AACA,WAAW,MAAM;AACjB,WAAW,OAAO;AAClB,WAAW,OAAO;AAClB,aAAa;AACb;AACA;AACA;
AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AAC
A;;AAEA;AACA;AACA;AACA,cAAc,OAAO;AACrB,cAAc,OAAO;AACrB,aAAa,OAAO;AACpB;AACA;AAC
A;;AAEA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,GAAG;A
ACH;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;
AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA,gDAAgD;;
AAEhD;AACA;;AAEA;AACA;AACA;AACA;AACA,cAAc,OAAO;AACrB,aAAa,OAAO;AACpB;AACA;AACA
;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA,UAAU;AACV,UAAU;AACV;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AA
CA;AACA;AACA;AACA;AACA,cAAc,OAAO;AACrB,cAAc,QAAQ;AACtB,aAAa,MAAM;AACnB;AA
CA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,c
AAc,OAAO;AACrB,cAAc,OAAO;AACrB,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;;AAEA;A
ACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA
;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;;AA
EA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;
AACA;AACA;;AAEA;AACA;AACA;;AAEA;;AAEA;AACA;AACA,uCAAuC;;AAEvC;AACA;AACA,GAAG;A
ACH;AACA;;AAEA;AACA;AACA;AACA,cAAc,OAAO;AACrB,cAAc,OAAO;AACrB,aAAa,OAAO;AACpB;A
ACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;
AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA,cAAc;AACd;AACA,cAAc,OAAO;AACrB,cAAc,OAAO;A
ACrB,cAAc,OAAO;AACrB,cAAc,OAAO;AACrB,aAAa;AACb;AACA;AACA;AACA;AACA;AACA;;AA
EA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;;A
AEA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,GAAG;A
ACH;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,cAAc;AACd;AACA,cAAc,OAAO;AACrB,cA
Ac,OAAO;AACrB,cAAc,OAAO;AACrB,cAAc,OAAO;AACrB,aAAa,MAAM;AACnB;AACA;AACA;;AAEA;AA
CA;AACA;;AAEA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA,GAAG;;A
AEH;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA,OAAO;AACP;AACA;AACA;AACA,OAAO;AACP;AACA;AACA,
KAAK;AACL;AACA;AACA;AACA,KAAK;AACL,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA,
KAAK;AACL,GAAG;AACH;AACA;;AAEA;AACA;AACA;AACA,cAAc,OAAO;AACrB,cAAc,OAAO;AACrB,
cAAc,cAAc;AAC5B;AACA,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;
AACA;AACA;AACA,GAAG;AACH;AACA;;AAEA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA,GAAG

;AACH;AACA;AACA,GAAG;AACH;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA,cAAc
,OAAO;AACrB,cAAc,OAAO;AACrB,aAAa,OAAO;AACpB;AACA;AACA;;AAEA;AACA;AACA;AACA;AAC
A;AACA;;AAEA;AACA;AACA;AACA;AACA,gDAAgD;AAChD;AACA;AACA;;AAEA;AACA;AACA;;AAEA;
;AAEA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AAC
A,8BAA8B;AAC9B,KAAK;AACL;AACA;AACA;AACA;AACA;AACA,8BAA8B;AAC9B;AACA;;AAE
A;AACA;AACA,wBAAwB;AACxB,GAAG;;AAEH;;AAEA;AACA;;AAEA;AACA;AACA;AACA,cAAc,OAAO;
AACrB,cAAc,OAAO;AACrB,aAAa,OAAO;AACpB;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA
;AACA;;AAEA;AACA;AACA;;AAEA;AACA,8BAA8B;AAC9B,4BAA4B;AAC5B;;AAEA,qCAAqC;AACrC;;A
AEA;AACA;;AAEA;AACA;AACA;AACA,cAAc,OAAO;AACrB,cAAc,OAAO;AACrB,aAAa,OAAO;AACpB;A
ACA;AACA;AACA;;AAEA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;;AAEA;
AACA;AACA,GAAG;AACH;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AAC
A;AACA,cAAc,OAAO;AACrB,cAAc,OAAO;AACrB,aAAa,OAAO;AACpB;AACA;AACA;AACA;AACA;AAC
A;AACA;;AAEA;;AAEA;;AAEA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;A
ACA;AACA,cAAc,WAAW;AACzB,cAAc,OAAO;AACrB,aAAa,WAAW;AACxB;;AAEA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA,eAAe,OAAO;AACtB;AACA,eAAe,QAAQ;AACvB;AACA,eAAe,WAAW;AAC1B;AACA,GAAG;;AAEH
;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA
;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA
;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,eAAe,OAAO;AACtB;AACA,eAAe,QAAQ;
AACvB;AACA,eAAe,WAAW;AAC1B;AACA,eAAe,cAAc;AAC7B;AACA;AACA,GAAG;;AAEH;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA,eAAe,OAAO;AACtB;AACA,eAAe,QAAQ;AACvB;AACA,eAAe,WAAW;AAC1B;AACA;AAC
A,cAAc,MAAM;AACpB;AACA;AACA;AACA;AACA,cAAc,OAAO;AACrB;AACA;AACA;AAC
A;AACA;AACA,cAAc,mBAAmB;AACjC;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA,eAAe,OAAO;AACtB;AACA,eAAe,QAAQ;AACvB;AACA,eA
Ae,WAAW;AAC1B;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA,eAAe,OAAO;AACtB;AACA,eAAe,QAAQ;AACvB;AACA,eAAe,WAAW;AAC1B;AACA,eAAe,
mBAAmB;AAClC;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA,eAAe,OAAO;AACtB;AACA,eAAe,QAAQ;AACvB;AACA,eAAe,WAAW;AAC1B;AACA;A
ACA,cAAc,aAAa;AAC3B;AACA;AACA;AACA;AACA;AACA,cAAc,OAAO;AACrB;AACA;AACA;AA
CA;AACA,cAAc,mBAAmB;AACjC;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;
AACA;AACA;AACA;AACA,eAAe,OAAO;AACtB;AACA,eAAe,QAAQ;AACvB;AACA,eAAe,WAAW;
AAC1B;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A,eAAe,OAAO;AACtB;AACA,eAAe,QAAQ;AACvB;AACA,eAAe,WAAW;AAC1B;AACA,GAAG;;AAEH;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA,eAAe,OAAO;AACtB;AACA,eAAe,QAAQ;AACvB;AACA,eAAe,WAAW;AAC1B;AACA;AACA,cAAc,QA
AQ;AACtB;AACA;AACA;AACA;AACA,cAAc,OAAO;AACrB;AACA;AACA;AACA;AACA,cA
Ac,OAAO;AACrB;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,eAAe,OAAO;AACtB;AACA,eAAe,QA
AQ;AACvB;AACA,eAAe,WAAW;AAC1B;AACA,eAAe,SAAS;AACxB;AACA;AACA;AACA,cAAc,QAAQ;AA
CtB;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,cAAc,OAAO;AACrB,cAAc,OA
AO;AACrB,cAAc,OAAO;AACrB,cAAc,QAAQ;AACtB,cAAc,QAAQ;AACtB,cAAc,YAAY;AAC1B,cAAc,OAA
O;AACrB,cAAc,OAAO;AACrB,cAAc,OAAO;AACrB,cAAc,OAAO;AACrB,cAAc,OAAO;
AACrB,cAAc,OAAO;AACrB;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,yBAAyB;AA
CzB;AACA,IAAI;AACJ;AACA,UAAU;AACV;AACA;AACA;AACA;AACA;AACA,YAAY,kBAAkB;A
AC9B;AACA;;AAEA;AACA;AACA,YAAY,QAAQ;AACpB;AACA;;AAEA;AACA;AACA,YAAY,QAAQ;AAC
pB;AACA;;AAEA;AACA;AACA;AACA,YAAY,QAAQ;AACpB;AACA;;AAEA;AACA;AACA;AACA;AACA,Y
AAY;AACZ;AACA,kCAAkC;;AAElC;AACA;AACA;AACA;AACA;AACA,YAAY;AACZ;AACA,kCAA

kC;;AAElC;AACA;AACA;AACA,YAAY;AACZ;AACA;AACA;;AAEA;AACA;AACA,WAAW,WAAW;AACtB;
;AAEA;AACA;AACA,WAAW,WAAW;AACtB;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,aAAa,4BA
A4B;AACzC,aAAa,YAAY;AACzB,aAAa,OAAO;AACpB,cAAc,OAAO;AACrB;AACA;AACA;;AAEA;AACA;;
AAEA;AACA;AACA;;AAEA;AACA;;AAEA,cAAc;AACd,8BAA8B;;AAE9B;AACA;AACA;AACA;AA
CA;;AAEA;AACA;AACA;;AAEA;AACA;AACA,2BAA2B;AAC3B,iDAAiD,uCAAuC,kDAAkD;AAC1I,KAAK;
;AAEL;AACA;AACA;AACA;AACA,OAAO;AACP,KAAK;AACL;AACA;AACA;AACA,KAAK;;AAEL;AACA;
AACA;AACA;AACA;AACA;AACA;AACA,KAAK;;AAEL;AACA;;AAEA;AACA;AACA;AACA;AACA
;;AAEA;AACA;;AAEA;AACA;;;AAGA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AA
CA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;;AAEA;AACA;A
ACA;AACA;AACA;;;AAGA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,
cAAc;AACd;AACA;AACA;AACA;;AAEA,GAAG;AACH;AACA,CAAC;;AAED;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,cAAc,SAAS;AACvB;AACA,cAAc,OAAO;AACrB;A
ACA,cAAc,OAAO;AACrB;AACA;;;AAGA;AACA;AACA;;AAEe,+DAAM,EAAC;AACtB;;;;;;;;;;;ACr+Ea;;AAEb
,cAAc,mBAAAO,CAAC,MAAY;;AAElC;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AA
CA;AACA,EAAAE;AACF;AACA;;;;;;;ACnBA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AAC
A;AACA;AACA,WAAW,SAAS;AACpB,aAAa,SAAS;AACtB;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AA
CA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;;ACpCA,eAAe,mBAAAO,CAAC,MAAY;
;AAEnC;AACA;;AAEA;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,aAAa,cAAc;AAC3B;AACA;AA
CA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;;ACpBa;;AAEb,oBAAAoB,mBAAAO,CAAC,MAAAuB;AACnD,oB
AAAoB,mBAAAO,CAAC,MAAkC;AAC9D,oBAAAoB,mBAAAO,CAAC,MAA4B;AACxD,oBAAAoB,mBAAAO,
CAAC,MAA2B;;AAEvD;;AAEA;AACA;AACA;AACA;AACA;AACA,EAAAE;AACF;AACA;AACA;AACA;AAC
A,EAAAE;AACF;AACA;AACA;;AAEA,SAAS;AACT;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,EA
AAE;AACF;AACA;AACA;AACA,EAAAE;AACF;AACA,EAAAE;AACF;AACA,EAAAE;AACF;AACA;AAC
A;AACA;AACA;AACA,EAAAE;AACF;AACA;;AAEA,SAAS;AACT;AACA;;;;;;;;;AC9DA;AACA;AACA;AAC
A,GAAG;AACH;;;;;;;;ACJA,cAAc,mBAAAO,CAAC,MAAW;AACjC,eAAe,mBAAAO,CAAC,MAAY;;AA
EnC;AACA;;AAEA;AACA;AACA;AACA;AACA,WAAW,EAAE;AACb,WAAW,OAAO;AAClB,aAAa,
QAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;;AC5Ba;;AAEb,YAAY,mBAAAO,CAAC,
MAAS;AAC7B,YAAY,mBAAAO,CAAC,MAAgB;AACpC;;AAEA;AACA;AACA;AACA;AACA,YAAY,YAA
Y;AACxB;AACA;AACA;AACA;AACA;;AAEjC;0CAA0C,SAAS,mBAAAO,CAAC,MAAkB,GAAG;;;;
;;;;;;ACHnE;;AAEb;;AAEA;AACA;;;;;;;;;;ACNa;;AAEb,iBAAAiB,mBAAAO,CAAC,MAAkB;AAC3C;AACA,
GAAG,mBAAAO,CAAC,MAAQ;;;;;;;;ACJnB,mBAAAmB,mBAAAO,CAAC,MAAiB;AAC5C,uBAAAu
BAAuB,mBAAAO,CAAC,MAAqB;AACpD,YAAY,mBAAAO,CAAC,MAAU;AAC9B,YAAY,mBAAAO,C
AAC,MAAU;;AAE9B;AACA;AACA;AACA;AACA;AACA;AACA,WAAW,aAAa;AACxB,aAAa,SAAS;A
ACtB;AACA;AACA,MAAM,OAAO,SAAS,EAAE;AACxB,MAAM,OAAO,SAAS;AACtB;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;;;;;;;AC/BA,eAAe,mBAAAO,CAAC,MAAW;AAClC
;;;;;;;;;;;;;;;;;;;;;;;;ACDA;;AAEA;A
ACA,MAAM,eAAAC;AACP,OAAO,eAAAC,sCAAAsC,eAAAC,GAAAG,eAAAC;AACnD,IAAAI,qBAAAuB
,GAAG,eAAAC;AAC/B;AACA;;AAEA;AACe,sDAAAI;;;;;;;;;;;;;;;;;;;;;;;;;;;;;ACVnB;AACA;AACA;AACA;AACA;;A
AEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAE
A,IAAI,qBAAAQ;AACZ;AACA;AACA,SAAS,qBAAAQ;AACjB;;AAEA;AACA;AACA;;AAEA;AACA;AAC
A;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA,GAAG;AACH;AACA;
AACA;AACA;AACA,UAAU;AACV;;AAEA;AACA;;AAEA;AACA,iBAAAiB,sBAAAsB;AACvC;AACA;
AACA;AACA;AACA;AACA;AACA,WAAW;AACX;AACA;AACA;AACA;AACA;;AAEA;AACA,gBAAAgB;AA
ChB;AACA;AACA;AACA;AACA;AACA;AACA,SAAS;AACT,OAAO;AACP;AACA;AACA;AACA,SAAS;
AACT,OAAO;AACP;
AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,GAAG;AACH;AACA,GAAG;AACH;AACA;AACA;

;AAEA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA,4BAA4B;AAC5B,KAAK;AACL;;A
AEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;
AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAE
A;;AAEA;AACA;AACA;AACA,uDAAuD;;AAEvD;AACA;AACA;AACA;AACA;AACA;AACA;AACA,
aAAa;AACb;AACA;AACA,aAAa;AACb,WAAW;AACX,gBAAgB,KAAqC,EAAE,EAE1C;AACb;AACA;AACA
;AACA;AACA;AACA;AACA,OAAO;AACP;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA
;AACA;AACA;AACA;AACA,aAAa;AACb;AACA,WAAW;AACX,gBAAgB,KAAqC,EAAE,EAE1C;AACb;AA
CA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,OAAO;AACP,YAAY,KAAqC,EAAE,EAE1C;
AACT;AACA,KAAK;AACL;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA,
GAAG;;AAEH;AACA,sBAAsB;;AAEtB;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;A
ACA;AACA;;AAEA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;
AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,GAAG;AACH;
AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA,KAAK;;AAEL;AACA,UAAU,KAAqC,EAAE,EAE
1C;AACP;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;A
ACA,KAAK;;AAEL,QAAQ,KAAwF,EAAE,EAE7F;;AAEL;AACA;AACA;AACA,OAAO;AACP,KAAK;AACL;
AACA;AACA,OAAO;AACP;;AAEA;AACA;AACA;AACA;AACA;AACA,KAAK;;AAEL;AACA;AACA;;AAE
A;;AAEA;AACA,2BAA2B;;AAE3B;AACA;;AAEA;AACA,2BAA2B;;AAE3B;AACA;AACA;AACA,0EAA0E;;
AAE1E;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;A
ACA;AACA;AACA;;AAEA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;;AAE
A;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;;AAEA,UA
AU;AACV;;AAEA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA,IAAI;gBAAG;;AAEP,SAAS,oB
AAO;AAChB;AACA,MAAM,KAA0E,EAAE,EAG/E;AACH,EAAE,oBAAO;;AAET,EAAE,gBAAG;;AAEL,iBA
AiB,gBAAG,mBAAmB,gBAAG;AAC1C;AACA,MAAM,KAAoD,EAAE,EAGzD;;AAEH,SAAS,gBAAG;AACZ,
EAAE,gBAAG;AACL,EAAE,gBAAG,iBAAiB,6CAA6C;AACnE,EAAE,gBAAG;;AAEL;AACA,eAAe,gBAAG;
AAClB;AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;;;;AAIA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;A
ACA,mBAAmB;AACnB;AACA,qBAAqB,4BAA4B;AACjD;;AAEA;AACA;AACA;AACA,8CAA8C;AAC9C;AA
CA;AACA,gCAAgC;;AAEhC;AACA;AACA;AACA;AACA,mBAAmB,yBAAyB;AAC5C,KAAK;
AACL;AACA,mCAAmC;AACnC;AACA;AACA,KAAK;AACL;AACA;;AAEA,uBAAuB,4BAA4B;;AAE
nD;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,2BAA2B;;AAE3B;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,SAAS;AACT,cAAc,KAAqC,EAAE
,EAE1C;AACX;AACA;AACA,YAAY,KAAqC,EAAE,EAE1C;AACT;AACA;AACA;;AAEA;AA
CA;;AAEA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;
AACA;AACA;AACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;;AAE
A;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AA
CA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;A
ACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;
AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAE
A;AACA,wCAAwC;;AAExC;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA
;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AAC
A;AACA;;AAEA;AACA;AACA;AACA,8CAA8C;;AAE9C;AACA;;AAEA;AACA;AACA;;AAEA;AACA
;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AAC
A;AACA;;AAEA;AACA;AACA;AACA,KAAK;AACL;AACA;;AAEA;AACA;AACA;AACA;;AA
EA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,OAAO;AACP;AACA;AA
CA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;A
AEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;

AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;;;;;AAMA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,uBAAuB;;AAEvB;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;;;;AAIA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,2BAA2B,gCAAgC,EAAE;AAC7D,2BAA2B,gCAAgC;AAC3D;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,OAAO,gBAAG;AACV,IAAI,oBAAO;AACX;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA,2BAA2B;AAC3B;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;;AAEA,0BAA0B,MAAM,qBAAqB,YAAY,qBAAqB,mBAAmB,qBAAqB,iBAAiB,qBAAqB,UAAU,qBAAqB,kBAAkB,qBAAqB,WAAW,qBAAqB,aAAa,qBAAqB,yBAAyB,qBAAqB;;AAE1V;AACA,eAAe,gBAAG;AAClB,EAAE,gBAAG;AACL,iBAAiB,gBAAG,EAAE,aAAa;AACnC,EAAE,gBAAG;AACL;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,MAAM,gBAAG;AACT;AACA,OAAO;AACP;AACA,GAAG,GAAG,aAAa;AACnB;;AAEA;AACA;AACA,mCAAmC;AACnC;AACA;AACA;AACA,GAAG,GAAG,kBAAkB;AACxB;;AAEA,yCAAyC;;AAEzC,+CAA+C;AAC/C,sDAAsD;AACtD,oDAAoD;;AAEpD,6CAA6C;AAC7C;AACA;;AAEA,qDAAqD;AACrD;AACA;;AAEA,8CAA8C,qDAAqD,yBAAyB;;AAE9E,gDAAgD;AAChD,yDAAyD,6BAA6B;;AAEtF,4DAA4D;AAC5D,kEAAkE,sCAAsC;;AAExG,2DAA2D;AAC3D,yBAAyB;AACzB,wBAAwB;AACxB;AACA;AACA;AACA;AACA;AACA,GAAG,GAAG,QAAQ,KAAqE,EAAE,EAK1E;;AAEL;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA,iBAAiB;;AAEjB;AACA,yDAAyD;;AAEzD;AACA;AACA;AACA;AACA;AACA,YAAY;AAKE,EAAE,EAAE1E;AAClB;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;;AAEA;AACA,KAAK,AAAK;AACV,UAAU,KAAqE,EAAE,EAAE1E;AACnF;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA,UAAU,KAAqC,EAAE,EAAE1C;AACnD;AACA;;AAEA;AACA,UAAU,KAAuE,EAAE,EAAE5E;AACrF;AACA,0BAA0B;AAC1B;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,qBAAqB;;AAErB;AACA;AACA,QAAQ,KAAqE,EAAE,EAAE1E;AACjF;AACA,GAAG;AACH;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA,QAAQ,KAAqE,EAAE;AAC/E;AACA,sBAAsB;AACtB;AACA,GAAG;AACH;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,QAAQ,KAAqE,EAAE,EAAE1E;AACjF;AACA,sBAAsB;AACtB;AACA,GAAG;AACH;AACA;;AAEA;AACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,aAAa;AACb;;AAEA;AACA;AACA;AACA;;AAEA;AACA,oBAAoB;AACpB;AACA;AACA;AACA;;AAEA;AACA,yBAAyB;AACzB;;AAEA;AACA;AACA,kBAAkB;AAClB,OAAO;AACP,yBAAyB,OAAO;AAChC;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA,mDAAmD;;AAEnD;AACA;AACA,gFAAgF;;AAEhF;AACA;AACA,0DAA0D;;AAE1D;AACA;AACA,8FAA8F;;AAE9F;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,QAAQ,KAAqC,EAAE,EAAE1C;AACnD;AACA;AACA,GAAG;AACH;AACA;;AAEA;AACA;AACA,mDAAmD,MAAM,KAA+E,EAAE;AAC1I;;AAEA;AACA;AACA;AACA,QAAQ,KAAqC,EAAE,EAAE1C;AACnD;AACA,sBAAsB;AACtB;AACA,GAAG;AACH;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA,wDAAwD;;AAExD;AACA;AACA,0FAA0F;;AAE1F;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,QAAQ,KAAqC,EAAE,EAAE1C;AACnD;AACA,GAAG;;AAEH;AACA

;AACA;AACA,iEAAiE;AACjE,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAE
A;AACA;;AACA;AACA,QAAQ,KAAqC,EAAE,EAE1C;AACL;AACA;;AAEA;AACA;AACA;AACA;;AAEA;A
ACA;AACA;AACA,QAAQ,KAAqC,EAAE,EAE1C;AACL;AACA,sBAAsB;AACtB,qDAAqD,GAAG,2BAA2B;
AACnF,GAAG;AACH;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AAC
A,KAAK;AACL;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA,iCAAiC,iBAAiB;A
AClD;AACA;AACA,OAAO;AACP;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;;AAEA;
AACA;;AAEA;;AAEA;AACA;AACA;AACA,kBAAkB,oBAAO;AACzB;;AAEe,wDAAO,EAAC;;;;;;;;;AC
1kDvB;AACA;AAEAC,sDAAG,CAACC,GAAJ,CAAQC,YAAR;;AAEA,SAASC,kBAAT,GAA+B;AAC7B,MAA
MC,OAAO,GAAGC,2BAAhB;;AACA,MAAMC,QAAQ,GAAG,EAAjB;AACAF,SAAO,CAACG,IAAR,GAAeC,
OAAf,CAAuB,UAAAtB,GAAG,EAAI;AAC5B,QAAMuB,QAAQ,GAAGvB,GAAG,CAACwB,CAAC,CAACwB,q
BAAV,CAAAhB;;AAEA;AAAA,QAAAID,OAAO,IAAAIA,QAAQ,GAAAGF,OAAAC,CAAAD,CAAD,CAAtB;
AAAM,QAAAG,OAAO,GAAAGF,QAAAC,CAAAC,CAAD,CAAAtB;;AAAM,QAAAG,OAAO,GAAAGF,QAAAC,
CAAAC,CAAD,CAAAtB;;AAAM,QAAAG,OAAO,GAAAGF,QAAAC,CAAAC,CAAD,CAAAtB;;AAAM,QAAAG,O
AAO,GAAAGF,QAAAC,CAAAC,CAAD,CAAAtB,CAAY,mDAAmD,2BAA2B,EAAE,4CAA4C,iBAAiB,8D
AA8D,mBAAmB,EAAE,oCAAoC,iBAAiB,wBAAwB,2BAA2B,mBAAmB,aAAa,GAAG,KAAK;;;;;;;;;;;;;;;;;;AC
DlhB,IAAMW,YAAY,GAAG,CACnB;AACEC,QAAM,EAAE,KADV;AAEEC,OAAK,EAAE,CAAC,CAAC,CA
AD,EAAI,KAAJ,CAAD,EAAa,CAAC,IAAD,EAAO,KAAP,CAAb,EAA6B,CAAC,IAAD,EAAO,KAAP,CAA7B;
AAFT,CADmB,CAArB;AAOO,SAASC,WAAT,CAAsBC,GAAtB,EAA2B;AAChC,SAAOC,MAAM,CAACD,GA
AD,CAAN,CAAN,CAAYE,QAAZ,OAA2BF,GAAG,CAACG,QAAJ,EAAlC;AACD;;AAEM,SAASC,WAAT,GAAq
B;AAC1B,MAAMI,SAAS,GAAG,EAAlB;AAEO;AAEM,SAASC,WAAT,CAAsBC,GAAtB,EAA2B;AAChC,MA
AIC,MAAM,GAAG,EAAb;AAEgB;AAEM,SAASD,WAAT,CAAsBE,GAAtB,EAA2B;AAChC,MAAIC,MAAV,EAA
kB;AAAE,MAAIB,KAA6B,CAF7B,EAEgC;AAC9BiC,gBAAU,GAAG,IAAb;AAAG;AACd;AAAA,QAACF,GAN
D;AAAOA,SAAOA,UAAAP,EAAAAAP,KAAAO,EAAAK,KAAAO;AAAA,QAACC,GAND;AAAOA,SAAOA,UAA
AA,EAAAAAAA,KAAAA,EAAAK,KAAAA;AAAA,QAACC,GAND;AAAOA,SAAOA,UAAAA,EAAAAAAA,KAAAA,
EAAAK,KAA6B,CAF7B,EAEgC,gBAAU,GAAG,IAAb;AAAA,QAACD,GAND;AAACF,GAAD;AAAOA,MAAIZ,
MAAM,GAAGF,MAAM,CAACG,GAAD,CAAf;AAEgC,IAAAuC,IAAAuC,uEAAAP,KAAAO;AAAA,QAACK,GAAO;
AAACC,MAAIZ,MAAAA,GAAGF,MAAM,CAACG,GAAD,CAAf;AAEM,SAASD,WAAT,GAAqB;AAC1B,MAAM
I,SAAS,GAAG,EAAlB;AAEgB;AAEM,SAASK,WAAT,CAAsBC,GAAtB,EAA2B;AAChC,MAAIZ,MAAM,GAAG
F,MAAM,CAACG,GAAD,CAAf;AAEgB;AAEM,SAASD,WAAT,GAAqB;AAC1B,MAAMI,SAAS,GAAG,EAAlB;A
AEgB;AAEM,SAASK,WAAT,CAAsBC,GAAtB,EAA2B;AAChC,MAAIZ,MAAM,GAAGF,MAAM,CAACG,GAAD,
CAAf;AAEgB;AAEM,SAASD,WAAT,GAAqB;AAC1B,MAAMI,SAAS,GAAG,EAAlB;AAEgB;AAEM,SAASK,WA
AT,CAAsBC,GAAtB,EAA2B;AAChC,MAAIZ,MAAM,GAAGF,MAAM,CAACG,GAAD,CAAf;AAEgB;AAEM,SA
ASD,WAAT,GAAqB;AAC1B,MAAMI,SAAS,GAAG,EAAlB;AAEgB;AAEM,SAASK,WAAT,CAAsBC,GAAtB,EA
A2B;AAChC,MAAIZ,MAAM,GAAGF,MAAM,CAACG,GAAD,CAAf;AAEgB;AAEM,SAASD,WAAT,GAAqB;AA
C1B,MAAMI,SAAS,GAAG,EAAlB;AAEgB;AAEM,SAASK,WAAT,CAAsBC,GAAtB,EAA2B;AAChC,MAAIZ,M
AAM,GAAGF,MAAM,CAACG,GAAD,CAAf;AAEgB;AAEM,SAASD,WAAT,GAAqB;AAC1B,MAAMI,SAAS,G
AAG,EAAlB;AAEgB;AAEM,SAASK,WAAT,CAAsBC,GAAtB,EAA2B;AAChC,MAAIZ,MAAM,GAAGF,MAAM,
CAACG,GAAD,CAAf;AAEgB;AAEM,SAASD,WAAT,GAAqB;AAC1B,MAAMI,SAAS,GAAG,EAAlB;AAEgB;A
AEM,SAASK,WAAT,CAAsBC,GAAtB,EAA2B;AAChC,MAAIZ,MAAM,GAAGF,MAAM,CAACG,GAAD,CAAf;A
AEgB;AAEM,SAASD,WAAT,GAAqB;AAC1B,MAAMI,SAAS,GAAG,EAAlB;AAEgB;AAEM,SAASK,WAAT,C
AAsBC,GAAtB,EAA2B;AAChC,MAAIZ,MAAM,GAAGF,MAAM,CAACG,GAAD,CAAf;AAEgB;AACD,KAHD;A
AAIAS,UAAAM,CAACvB,GAAG,EAAf;AAEgBqB,MAAf;AACAF,UAAAM,CAACJ,IAAP,GAAegBqB,GAAG,CAA
CrB,MAApB;AACAJkB,CAAKlB;;AACAqB,aAAO,OAAAV,CAAAkB,UAAAR,OAAAV,CAAAkB,UAAC+B,GAAD,E
AAAMC,KAAN,EAAA+C,EAAA+C,EAAA+C,KAAAM,CAHD;;AAAIAS,UAAAM,CAACvB,GAAG,EAAf;AAEgB
AMAM,CAACchB,WAAW,CAACc,GAAD,CAAZ;AAAM,SAAAlB,IAAAmB,CAAAkB,EAAAA,KAAA;AAASA,GA
AG,CAACc,GAAD,EAAAMC,KAAA;AAAMC,MAAApB,CAAAkB,UAAAR,OAAV,CAAAkB,UAAAR,OAAAM,C
AHD;;AAAIAS,UAAAM,CAACvB,GAAG,EAAf;AAEgBAMAM,CAAC;AACD,KAHD;AAAIAS,UAAAM,CAACch
B,WAAW,CAACc,GAAD,CAAZ;AAAM,SAAAlB,IAAAmB,CAAAkB,EAAAA,KAAA;AAAMC,MAAApB,CAAAkB,
UAAAR;AAAA,QAACvB,GAND;AAACvB,GAAD;AAAOA,SAAOA,UAAAA,EAAAA,KAAAA,EAAAK,KAAAA;AA
AA,QAACuC,GAND;AAACch,WAAD;AAAOA,SAAOA,UAAAA,EAAAA,KAAAA,EAAAK,KAAAA;AAAA,QACDK
AHD;AAAIAS,UAAAM,CAACvB,GAAG,EAAf;AAEgB;AACD,KAHD;AAAIAS,UAAAM,CAACch,WAAW,CAAC
c,GAAD,CAAZ;AAAM,SAAAlB,IAAAmB,CAAAkB,EAAAA,KAAA;AAAMC,MAAApB,CAAAkB;AAAA,QACDKA
HD,GAHD;AAAIAS,UAAAM,CAACvB,GAAG,EAAf;AAEgB;AAAA,QACDSAAOH,MAAAP,CAAAkB;AAAAa,w
DAAO,EAAC;;;;;;;;;;;;;ACl DA;AAEA;;;;AAGA;AACA,4BADA;AAEA;AACA;;;AAGA;AACA,AADA,KAJA;
;AAOA;;;AAGA;AACA,kBADA;AAEA;AAFA;AAAiB;AACA,iBADA,2BACA;AACA;AACA;A

AHA;AAjBA,G;;AClB4U,CAAgB,oIAAG,EAAC,C;;;;;ACAhW;;AAEA;AACA;AACA;;AAEe;AACf;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA,yBAAyB;AACzB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA,qBAAqB;AACrB;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;;AC5F6G;AACvC;AACL;AACsC;;;AAGvG;AAC0F;AAC1F,IAAI,4BAAS,GAAG,kBAAU;AAC1B,EAAAE,qDAAM;AACR,EAAAE,kEAAM;AACR,EAAAE,eAAe;AACjB;AACA;AACA;;AAEA;;AAEA,4BAAS;AACM,mFAAS,Q;;ACpBxB,IAAI,8CAAM,gBAAAgB,aAAa,0BAA0B,wBAAwB,iBAAiB,+CAA+C,0BAA0B,8DAA8D,0GAA0G,UAAU,wDAAwD,cAAc,wCAAwC,aAAa,6DAA6D,sFAAsF,WAAW,kDAAkD,yLAAyL,kFAAkF,wBAAwB,aAAa,sEAAsE,gEAAgE,0CAA0C,WAAW,qBAAqB,KAAK,0BAA0B,6BAA6B,0BAA0B,4BAA4B,QAAQ,EAAAE,iCAAiC,eAAe,4CAA4C,eAAe,gCAAgC,qDAAqD,QAAQ,gBAAgB,KAAK,yBAAyB,oCAAoC,6GAA6G,oDAAoD,QAAQ,gBAAgB,KAAK,yBAAyB,mCAAmC,4GAA4G,gDAAgD,QAAQ,gBAAgB,KAAK,yBAAyB,+BAA+B,4HAA4H,0DAA0D,wBAAwB,IAAI,qBAAqB,mBAAmB,cAAc,OAAO,gDAAgD,cAAc,aAAa,4FAA4F,SAAS,2CAA2C,WAAW,gCAAgC,KAAK,yBAAyB,4BAA4B,QAAQ,EAAAE,4CAA4C,eAAe,kFAAkF,yFAAyF,iDAAiD,oDAAoD,kBAAkB,mCAAmC,WAAW,0CAA0C,mLAAmL,sBAAsB,oBAAoB,yEAAyE,+IAA+I,gBAAgB,8CAA8C,8EAA8E,mBAAmB,kBAAkB,WAAW,6FAA6F,uHAAuH,sBAAsB,oBAAoB,yEAAyE,wIAAwI,yCAAyC,wCAAwC,oBAAoB,8CAA8C,YAAY,qDAAqD,UAAU,uFAAuF,oDAAoD;AACn7L,IAAI,uDAAe,iBAAiB,aAAa,0BAA0B,wBAAwB,kBAAkB,kCAAkC,aAAa,+BAA+B,kBAAkB;;ACqHrN;AACA;AACA;AACA;AACA;AAEA;;;;AAGA;AACA,YADA;AAEA,oBAFA;AAGA;AACA;;;AAGA;AACA,AADA,KAJA;;;AAOA;;;AAGA;AACA,kBADA;AAEA;AAAA;AAAA;AAFA,GAHA;AAOA,AAPA,gBADA;AASA;AACA,4BAHA,AAIA,kCAJA;AAKA;AACA;AACA,uDADA;AAEA,iDAFA;AAGA,AAHA,SADA;AAKA;AAAA;AAAA,wDADA;AAEA,kDAFA;AAGA,AAHA;AAIA;AACA,GAArCA,GArCA,CAsCA,kBAtCA;AAuCA,EACA;AADA, AACA,OAFA,MAAA,AAGA,GAtCA;AAuCA;AAwCA;AACA;AACA,AADA,OAFA;MAEA,CAAA,AACA,OAFA,MAAA;;AAKA;AACA,2EADA,CAEA;AAFA,AAGA;;;AC1JA;AACA;AACA,G;;AChIoU;AACpU,oHAAG;AAEAC,C;;;;;ACA/P;AAC3B;AACL;AACc;;;AAGvE;AACA,IAAI,oBAAS,GAAG,kBAAU;AAC1B,EAAAE,6CAAM;AACR,EAAAE,8CAAM;AACR,EAAAE,uDAAe;AACjB;AACA;AACA;;AAEA;;AAEA,oBAAS;AACM,mFAAS,Q;;ACpBxB,IAAI,8CAAM,gBAAAgB,aAAa,0BAA0B,wBAAwB,iBAAiB,gDAAgD,0BAA0B,yDAAyD,4BAA4B,sCAAsC,YAAY,0BAA0B,mBAAmB,kBAAkB,OAAO,gDAAgD,WAAW,kBAAkB,WAAW,sFAAsF,0BAA0B,+BAA+B,gBAAgB,mEAAmE,kBAAkB,mEAAmE,aAAa,uGAAuG,uCAAuC,aAAa,0CAA0C,mIAAmI;;;;;;;;;;;;;;;;;;;ACDnB;AACA,UAAU;AACV,A;;ACAA;AACA;AACA;AACA;AACA;AACA;AACA,OAAO;AACP,KAAK;AACL;AACA;AACA,OAAO;AACP;AACA;;AAEe,kEAAkB,EAAC;;;AACnB;;AAEA;AACA;AACA,SAAS,QAAQ;AACjB;AACA;AACA;AACA,MAAM;AACN;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,MAAM;AACN;AACA;AACA;AACA;AACA;AACA;AACA,MAAM;AACN;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,QAAQ,WAAO

;AACf,OAAO;AACP;AACA;AACA;AACA,QAAQ,UAAM;AACd;AACA;AACA,GAAG;AACH;AACA;AACA,I
AAI,UAAM;AACV;AACA;;AAEA,WAAO;AACP;AACA;;AAEA,WAAO;AACP;AACA;;AAEA;AACA;AACA;
;AAEA,WAAO,wBAAwB,WAAc;;AAE7C,WAAO;AACP,aAAa,WAAO;AACpB;AACA;AACA;AACA;;
AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,eAAe;AACf;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA,OAAO;AACP;AACA;AACA;;AAEA,mBAAmB,iBAAiB;AACpC;AA
CA;AACA,GAAG;AACH;;AAEA,WAAO;AACP,kEAAkE,WAAO;AACzE;AACA;;AAEA,aAAa,WAAO;AACp
B;AACA,GAAG;AACH;;AAEA,WAAO;AACP,aAAa,WAAO;AACpB;AACA,GAAG;AACH;;AAEA,WAAO;A
ACP,aAAa,WAAO;AACpB,wCAAwC,SAAS;AACjD;AACA;AACA,GAAG;AACH;;AAEA;AACA,WAAO;AAC
P;AACA;AACA,KAAK;AACL;AACA;AACA;;AAEA,WAAO;AACP;AACA,+DAA+D;AAC/D;AACA;;
AAEe,mDAAO,EAAC;;;;AC/OvB;AACA;AACA;AAEO,IAAMS,WAAW,GAAGC,iBAAO,CAAC,UAASC,IAA
T,EAAe;AAChD,SAAO,IAAIC,GAAJ,CAAY,UAAAC,OAAO,EAAI;AAC5B,QAAMC,QAAAMC,MAAM,GAAGC,QAAQ,
CAACC,aAAT,CAAuB,MAAvB,KAAkCD,QAAQ,CAACC,aAAT,CAAuB,CAAjD;AACA,QAAMC,KAAK,GAAAL,I
AAL;AACA,QAAIC,QAAAMC,MAAM,GAAGC,QAAQ,CAACC,aAAT,CAAuB,MAAvB,KAAkCD,QAAQ,CAACC,aA
Ab;AACD;AACA,QAAIC,QAAAMC,MAAM,GAAGC,QAAQ,CAACC,aAAT,CAAuB,MAAvB,KAAkCD,QAAQ,CAAC
C,aAAb;AACD;AACA,QAAIC,QAAAMC,MAAM,GAAGC,QAAQ,CAACC,aAAT,CAAuB,MAAvB,KAAkCD,QAAQ,CA
ACAD,cAAM,CAACE,YAAP,CAAoB,MAApB,EAA4B,iBAAiB;AACpC;AACA;AACA,GAAG;AACH;;AAEA,WA
AK,KAAL;AACE,YAAc,GAAGGV,QAAAQ,CAACA,aAAT;AACA,YAAc,GAAGGV,QAAAQ,CAACAaAT;AACA,YAAcI,W
AAG,CAACAH,YAAJ,CAAiB,KAAjB,EAAwB,YAAxB;AACAG,WAAG,CAACAH,YAAJ,CAAiB,MAAjB,EAAyB
,UAAzB;AACAG,WAAG,CAACAH,YAAJ,CAAiB,MAAAJ,GAAAaV,OAAAb;AACAC,cAAM,CAACAaAT;AACA
,WAAG,CAACAACH,YAAJ,CAAiB,MAAAjB,EAAAyB;AACA,WAAG,CAACAAAYBV,OAAAhB;AACAC,cAAM,C
AACAaMBJ,MAAAnB;AACAA,cAAM,CAACAaMBJ,MAAAnB;AACAA,cAAM,CAACAACE,YAAP,CAAoB,KAAApB,K
AAApB,EAAA2BX,IAAAaB3B;AACF;;A
ACA,WAAAK,KAAAL;AACE,YAAAIc,GAAAGV,QAAAQ,CAACAM,aAAT,CAAuB,MAAvB,CAAV;AACAI,W
AAG,CAACAH,YAAJ,CAAiB,MAAjB,EAAyB,UAAzB;AACAG,WAAG,CAACAACF,MAAAJ,GAAAaV,OAAAb;AAC
AC,cAAM,cAAAM,CAACAaAT;AACAA,WAAG,CAACAACH,YAAJ,CAAiB,MAAjB,EAAyBX,IAAAzB;AACF;A
ACAA,WAAAA,KAACH,YAAAJ;AACE,YAAAIc,GAAAGV,QAAAQ,CAACAM,aAAT;AACAI,WAAG,CAACAACH,YA
AJ,CAAiB,MAAjB,EAAyBX,IAAAzB;AACF;AAAf;AAiBD,GArBM,CAAP;AAsBD,CAvBsB,CAAhB;AACD;
AACF,GAVM,C;;;;;AC7BP;CAEA;;AACA,IAAAIG,QAAQ,GAAAG,IAAAf,C,CACA;;AACA,IAAAMC,SAA
AG,CAAC,cAAD,EAAAiB,SAAAjB,EAAA4B,EAAAAyC,CAAAAlB;;IAEqBC,4B;;;AAAAA,UAA7BhB;
AACf,aAAO,IAAAIN,aAAAaOP,QAAAAP;AAAAA,UAAAAnB,2BAAAAe;AAAAAAA;;AACAA,UAAAAdD;;;6BAC
gBd;AAAA,UAAAyB,GAAA;AAAAAAA,UAAAANmG,GAAAA;AAAA,UAAAAIM;AAAAA;AAAAA;AAAAA;AAAAA,C
AxCH,IAAA,kDAAAM,gBAAAB,aAAAa,0BAAA0B,wBAAAwB,iBAAAiB,gDAAAD8BAA8B,gBAAAgB,kBAAAkB,aAA
Aa,0BAAA0B,wBAAAwB,qBAAAqB,2CAAA2C,qBAAAqB,WAAAW,OAAAO,2BAAA2B,aAAAa,sBAAAsB,mCAAAmC,
qBAAAqB,+EAAA+E,gBAAAgB,kBAAAkB,aAAAa,0BAAA0B,wBAAAwB,qBAAAqB,2CAAA2C,sBAAAsB,WAAAW,O
AAAO,4BAAA4B,aAAAaAa,sBAAAsB,oCAAAoC,qBAAAqB,gFAAAgB,gBAAAgB,kBAAAkB,aAAAa,0BAAA0B,wB

AAwB,qBAAqB,2CAA2C,mBAAmB,WAAW,OAAO,mBAAmB,aAAa,sBAAsB,iCAAiC,qBAAqB,2DAA2D,aA
Aa,wEAAwE,sCAAsC,UAAU,IAAI,2BAA2B,WAAW,OAAO,eAAe,aAAa,sBAAsB,wCAAwC,+CAA+C,kDAAk
D,mBAAmB,OAAO,+FAA+F;AAC9rE,IAAI,2DAAe;;;;;;;;;;ACDnB,wBAAwB,2CAA2C,iCAAiC,IAAI,uFAAuF,S
AAS,yBAAyB,qBAAqB,gBAAgB,oBAAoB,IAAI,yCAAyC,WAAW,mBAAmB,0GAA0G,MAAM,4CAA4C,wEA
AwE,MAAM,sCAAsC,EAAE,6CAA6C,EAAE,WAAW,4FAA4F,MAAM,qHAAqH,kBAAkB,uBAAuB,MAAM,y
GAAyG,SAA2B;AAC3jC;;;ACDA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;
AAEA;AACA;AACA;AACA;;AAEA;;AAEA,uBAAuB,0BAA0B;AACjD;;AAEA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA
;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;;AAEO,IAAI,aAAM;AACV;AACA,IAAI,W
AAI;AACR;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACP,UAAU;AACV,C;;ACpE
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AA
CA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEA,2DAA2D;AAC3D;AAC
A;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA,SAAS;AACT;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA,GAAG;AACH;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA;A
ACA;;AAEA;AACA;AACA;AACA;;AAEA,sDAAsD;AACtD;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA,GAAG;AACH;;A
AEA;AACA;AACA;AACA;AACA;;AAEA;AACO;AACA;;AAEP;AACO;AACP;AACA;AACO;AACP;AACA;A
ACO;AACP;AACA,C;;ACtJe;AACf;AACA,C;;ACFgC;AACE;AACA;;AAEIC;AACA;AACA;AACA,aAAa,UAA
U;AACvB,cAAc;AACd,WAAW,SAAS;AACpB;AACA;AACe;AACf,wFAAwF,QAAQ;;AAEhG,UAAU,OAAO,s
CAAsC,WAAI;AAC3D;AACA;AACA,GAAG,IAAI;AACP,C;;ACnB4C;;AAE5C;AACO;AACP;AACA;;AAEA;
AACO;AACP;AACA;;AAEA;AACO;AACP;AACA;;AAEA;AACO;AACP;AACA;AACA;;AAEA;AACO,IAAI,a
AAS;AACpB;AACA;AACA;AACA,SAAS,IAAS;AAClB;;AAEA;AACO,IAAI,UAAM;AACjB;AACA;A
ACA;AACA;;AAEA;AACO;AACP;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,
YAAY,aAAS;AACrB;AACA;AACA;AACA;;AAEA;AACA;;AAEA;AACO;AACP;AACA;AACA;;AAE
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA,KAAK;AACL;AACA;;AAEA;AACA;AACA;AACA;;AAEA;AACO;AACP;AACA;AACA;AA
CP;AACA;AACA;;AAEA;AACO;AACP;AACA;AACA;;AAEA;AACO;AACP;AACA;AACA;AA
CA;;AAEA;AACO;AACP;AACA;AACA;AACA;;AAEA;A
ACO;AACP;AACA;AACA;AACA;AACA;;AAEA;AACO;AACP;AACA;AACA;AACA;AACA;;AAEA;AACO;A
ACP;AACA;;AAEA;AACO;AACP;AACA;;AAEA;AACA;AACO;AACP;AACA;AACA,cAAc;AACd;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACO;AACP;AACA;AACA;AACA,sBAAsB;A
ACtB;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACO;AACP;AACA;AACA;AACA;;AAEA
;AACO;AACP;AACA;AACA;AACA,E;;AC1NA,oGAAoG,mBAAmB,EAAE,mBAAmB,8HAA8H;;AAExN;AAC
Q;AACJ;;AAEtD;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACO;AACP;AACA;AAC
A;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AAC
A;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AAC
A;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AAC
A;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AAC
A;AACA;AACA;AACA;;AAEO,IAAI,UAAK;;AAET;AACP;AACA;AACA,gBAAgB,MAAM;;AAEtB,S
AAS,WAAI;AACb,QAAQ,aAAa;AACrB;AACA;;AAEA;AACA,GAAG,IAAI;AACP;;AAEO;AACP;AACA;AAC
A,gBAAgB,MAAM;;AAEtB,SAAS,WAAI,CAAC,UAAK;AACnB,SAAS,aAAa;AACtB;AACA;;AAEA;AACA,G
AAG,IAAI;AACP;;AAEO;AACP;AACA;AACA,mBAAmB,WAAI,CAAC,UAAK;;AAE7B,mBAAmB,qBAAqB;
;AACxC;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;;AA
EA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;A

ACA;AACA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;;AAEA;AACA;AACA;
AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;;AAEe;AACf;AACA;AACA;AACA;
AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,gDAAgD;AAChD,oBAAoB,6BAA6B,mGAAmG;;A
AEpJ,wBAAwB,SAAS;AACjC,+FAA+F,2BAA2B;AAC1H;AACA;AACA;AACA;AACA;AACA;AACA,OAAO;
AACP,aAAa,aAAM,SAAS,uBAAuB;AACnD,KAAK;;AAEL;AACA;AACA;AACA;;AAEA;AACA;AACA,+BA
A+B,aAAM,+BAA+B;;AAEpE;AACA;AACA,CAAC,E;;ACpOD,2CAA2C,kBAAkB,kCAAkC,qEAAqE,EAAE,E
AAE,OAAO,kBAAkB,EAAE,YAAY;;AAEzJ;AACL;AACN;AACO;AACM;AACc;;AAEtE;AACA;AACA;AAC
A;AACA,GAAG;AACH;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA,GAAG;AACH;AACA;AAC
A;AACA,GAAG;AACH;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;;AA
EA,IAAI,gBAAS,GAAG,YAAgB;AAChC,OAAO,gBAAS;AAChB,OAAO,gBAAS;AAChB,mBAAmB,WAAI,C
AAC,gBAAS;;AAE1B,IAAI,YAAK,GAAG,aAAM,CAAC,gBAAS;;AAEnC;AACA;AACA,IAAI,QAAQ;AACZ,
GAAG;AACH,IAAI,WAAW;AACf;AACA;;AAEe;AACf;AACA,SAAS,YAAK;AACd;AACA;;AAEA;AACA;AA
CA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,SAAS;AACT;AACA;AACA,UAAU,MA
AM;AAChB;AACA;AACA,WAAW;AACX;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA
;AACA,mFAAmF;AACnF,sBAAsB,UAAU;AAChC;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA,OAAO;AACP;AACA;;AAEA,sBAAsB,SAAI,aAAa,SAAS;AAChD;AACA,CAAC,E;;AC7
GD,SAAS,2BAAe,mBAAmB,kBAAkB,kCAAkC,qEAAqE,EAAE,EAAE,OAAO,kBAAkB,EAAE,YAAY;;AAEzJ
;;AAEtD,IAAI,kBAAK;AACT;AACA;AACA,GAAG;AACH;AACA;AACA,GAAG;AACH;AAC
A;AACA;AACA;;AAEe;AACf;AACA,SAAS,kBAAK;AACd;AACA;AACA;AACA;;AAEA;AAC
A;AACA,aAAa,2BAAe,GAAG;AAC/B;AACA;AACA;AACA,OAAO;AACP;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA,MAAM;AACN,gCAAgC,oBAAoB;AACpD;AACA,uBAAuB,SA
AS;AAChC;AACA,CAAC,E;;ACnDD;AACA;AACA;;AAEe;AACf;AACA;AACA;AACA;AACA,
GAAG;AACH;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,CAAC,E;;AC/BD,kCAAkC,0BAA0B,0CAA0C,gBAAgB,OAAO,k
BAAkB,EAAE,aAAa,EAAE,OAAO,wBAAwB,EAAE;;AAExJ;AACzC;AACA;AACA;;AAEA;;AAEe;AA
Cf;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,mBAAmB,OAAO;
AAC1B,mBAAmB,SAAS;AAC5B;AACA;AACA,0BAA0B,OAAO;AACjC;AACA,uBAAuB,mCA
AmC;AAC1D;AACA,KAAK;;;AAGL;AACA;AACA,mBAAmB,OAAO;AAC1B;AACA,EAAE;AACr
B;AACA;;AAEA,wDAAwD,aAAa;AACrE;AACA;;AAEA;AACA;AACA;AACA,GAAG;;AAEH;AACA,s
BAAsB,OAAO;AAC7B;AACA;AACA;AACA;AACA;;AAEA;AACA,sBAAsB,OAAO;AAC7B;AACA;A
ACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,CAAC,E;
;AChBD,gCAAgC,2CAA2C,gBAAg
B,kBAAkB,OAAO,2BAA2B,wDAAwD,gCAAgC,uDAAuD,2DAA2D,EAAE,EAAE,yDAAyD,qEAAqE,6DAA6D
,oBAAoB,GAAG,EAAE;;AAEjjB,iDAAiD,0CAA0C,0DAA0D,EAAE;;AAExD;;AAE/F,IAAI,sBAAO;AACX;AA
CA;;AAEA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,IAAI,aAAM,uCAAuC,aAAa;AAC9D,IA
AI,gBAAgB;AACpB,YAAY,kBAAkB;AAC9B,kBAAkB,kBAAkB;AACpC,mBAAmB,mBAAmB,kBAAkB;AACrC,cAAc,k
BAAkB;AAChC,qBAAqB,kBAAkB;AACvC,iBAAiB,kBAAkB;AACnC,KAAK;AACL;AACA;AACA;A
ACA;AACA;AACA;AACA,IAAI,cAAc;AAClB;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;;A
AEH;AACA,CAAC;;AAEc,yEAAO,E;;AC/DtB,SAAS,oBAAe,mBAAmB,kBAAkB,kCAAkC,qEAAqE,EAAE,E
AAE,OAAO,kBAAkB,EAAE,YAAY;;AAE3K;AACW;AACT;AACsB;AACX;AACS;AACI;;AAEiH;;AAEl
K;AACA;AACA;AACA;;AAEA;AACA,EAAE,EAAE;AACA;AACA;AACA;AACA;AACA;AACA;AACA,qBA
Aq,kCAAkC;AACvD;AACA;AACA;AACA;AACA;AACA;AACA,SAAS;AACT;AACA,SAAS;AACT;AACA;AA
CA;AACA;AACA;AACA,KAAK;;AAEL;AACA,oBAAoB,aAAM,EAAE,iCAAiC;AAC7D,GAAG;A
ACH;AACA;AACA;;AAEA;AACA;AACA,C;;ACjEA;AACA;AACA,WAAW,OAAO;AAClB;AA
CA,SAAS,SAAI;AACb;AACA;;AAEe,wDAAI,E;;ACTnB;AACA;;AAEe;AACf;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA,CAAC,E;;AChBD,gCAAgC,2CAA2C,gBAAg
B,kBAAkB,OAAO,2BAA2B,wDAAwD,gCAAgC,uDAAuD,2DAA2D,EAAE,EAAE,yDAAyD,qEAAqE,6DAA6D,oBA
AoB,GAAG,EAAE;;AAEjjB,iDAAiD,0CAA0C,0DAA0D,EAAE;;AAExD;;AAE/F,IAAI,aAAM,uCAAuC,aAAa;AAC9D,IAAI,gBA
AgB;AACpB,YAAY,kBAAkB;AAC9B,kBAAkB,kBAAkB;AACpC,mBAAmB,mBAAmB,kBAAkB;AACrC,cAAc,kBAAkB;AACh
C,qBAAqB,kBAAkB;AACvC,iBAAiB,kBAAkB;AACnC,KAAK;AACL;AACA,CAAC;;AAEc,yEAAO,E;;AC/DtB,S
AAS,oBAAe,oBAAoB,mBAAmB,kBAAkB,kCAAkC,qEAAqE,EAAE,EAAE,OAAO,kBAAkB,EAAE,YAAY;;AAE3K;AACW;AAC
T;AACsB;AACX;AACS;AACI;;AAEiH;;AAElK;AACA,EAAE,EAAE;AACA,EAAE,EAAE;AACA;AACA;AACA;AACA;AACA;AACA;
AACA,qBAAqB,kCAAkC;AACvD;AACA;AACA;AACA;AACA;AACA;AACA,SAAS;AACT;AACA,SAAS;AACT;AAC
A;AACA;AACA;AACA;AACA,KAAK;;AAEL;AACA,oBAAoB,aAAM,EAAE,iCAAiC;AAC7D,GAAG;A
ACH;AACA;AACA;;AAEA;AACA;AACA,C;;ACjEA;AACA;AACA,WAAW,OAAO;AAClB;AACA,SAAS,SA
AI;AACb;AACA;;AAEe,wDAAI,E;;ACTnB;AACA;;AAEe;AACf;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA,CAAC,E;;AChBD,gCAAgC,2CAA2C,gBAAg
B,kBAAkB,kCAAkC,qEAAqE,EAAE,EAAE,OAAO,kBAAkB,EAAE,YAAY;;AAE3K;AACW;AACT;AAC
sB;AACX;AACS;AACI;;AAEiH;;AAElK;AACA,CAAC;;AAEc,yEAAO,E;;AC/DtB,S
AAS,oBAAe,oBAAoB,mBAAmB,kBAAkB,kCAAkC,qEAAqE,EAAE,EAAE,OAAO,kBAAkB,EAAE,YAAY;;AAE3K;AACW;AAC
W;AACT;AACsB;AACX;AACS;;AAEiH;;AAEiH;;AAElK;AACA;AACA;AACA,EAAE,EAAE;
AACA;AACA,EAAE,EAAE;AACA;AACA;AACA;AACA;AACA,C;;ACjEA;AACA,CAAC;;AAEc,yEAAO,E;;
AAEH;AACA,CAAC;;AAEc,yEAAO,E;;AC/DtB,SAAS,oBAAe,oBAAoB,mBAAmB,kBAAkB,kCAAkC,qEAAqE,EAAE,EAAE,OAAO,kBA
AkB,EAAE,YAAY;;AAE3K;AACW;AACT;AACsB;AACX;AACS;AACI;;AAEiH;;AAElK;AACA,EAAE,EAAE;
AACA;AACA;AACA;AACA;AACA;AACA;AACA,EAAE,EAAE;AACA,EAAE,EAAE;AACA;AACA;AACA;AACA,IAAI,cAA
c;AAClB;AACA,EAAE,EAAE;AACA;AACA;AACA;AACA;AACA;;AAEH;AACA,CAAC;;AAEc,yEAAO,E;;

f,WAAW,EAAO,EAAE,cAAiB;AACrC,eAAe,OAAO,aAAI,aAAa,YAAS,EAAE;AAClD;AACA;;AAEA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,aAAa;AACb;AACA;A
ACA;AACA;AACA;AACA,WAAW;AACX;AACA,yCAAyC,yBAAyB;AAClE;AACA;AACA;AACA,gB
AAgB;AAChB,OAAO;AACP;AACA;AACA;AACA;AACA,cAAc;AACd,KAAK;AACL;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,aAAa;AACb;AACA;AACA;AACA;AA
CA;AACA,WAAW;AACX;AACA;AACA;AACA;AACA;AACA,WAAW;AACX;AACA;AACA;AACA;
AACA;AACA,SAAS;AACT;AACA;AACA;AACA;AACA;AACA,gBAAgB;AAChB,OAAO;AACP;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA,OAAO;AACP;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA,KAAK;AACL;AACA,gCAAgC,4BAA4B;AAC5D;AACA;AACA;AACA;AACA
;AACA;AACA;AACA;AACA,OAAO;AACP;AACA;AACA;AACA;AACA,OAAO;AACP;AACA;AACA;AACA;
AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,OAAO;AACP;AACA;
AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA,gBAAg
B;AAChB,OAAO;AACP;AACA;AACA;AACA;AACA,wBAAwB,SAAS,uCAAuC,EAAE;AAC1E;AACA;AACA
,sBAAsB;AACtB,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA,GAAG;;AAEH;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;A
ACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;A
ACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;A
ACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;A
ACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;A
ACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;A
ACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;A
ACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;A
ACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,GAAG;AACH;AACA;A
ACA;AACA;AACA,OAAO;AACP,KAAK;AACL;AACA;;AAEA,wCAAwC,EAAE,oBAAe,kDA
AkD,oBAAe;AAC1H,KAAK;AACL;AACA;AACA;AACA,OAAO;AACP,KAAK;AACL;AACA;;AAEA,
yCAAyC,EAAE,oBAAe,sEAAsE,oBAAe,4EAA4E,oBAAe;AAC1O,KAAK;AACL;AACA;;AAEA,uCAAuC,EAA
E,oBAAe,kEAAkE,oBAAe;AACzI,KAAK;AACL;AACA;;AAEA,yCAAyC,EAAE,oBAAe,sEAAsE,oBAAe,4EA
A4E,oBAAe;AAC1O;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;
AACA;AACA;AACA;AACA;AACA,wBAAwB,cAAO;AAC/B;AACA;AACA;AACA;AACA,OAAO;AA
CP;AACA;AACA;AACA;AACA,UAAU,QAAQ;AAClB;AACA;AACA,OAAO;AACP;AACA;AA
CA,KAAK;AACL;AACA;AACA;AACA;AACA,wBAAwB,cAAO;AAC/B;AACA;AACA;AACA;AACA;
AACA;AACA;AACA,UAAU,UAAI;AACd;AACA;AACA,OAAO;AACP;AACA;AACA,OAAO;AACP;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;;
AAEL;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,2BAA2B,UAAU;AACrC,OA
AO;AACP,KAAK;;AAEL;AACA;AACA;AACA;AACA;AACA,MAAM,QAAQ;AACd;AACA,KAAK;A
ACL;AACA;AACA;AACA,KAAK;AACL;AACA;;AAEA;AACA;AACA;AACA,2BAA2B,cAAO;AAClC
;AACA;AACA;AACA,SAAS;AACT;AACA,OAAO;AACP,KAAK;AACL;AACA;AACA;AACA,KAAK;
AACL;AACA;AACA;AACA,KAAK;AACL;AACA;;AAEA;AACA;AACA;AACA,MAAM,WAAW;AAC
jB;AACA;AACA;AACA,4BAA4B,cAAO;AACnC;AACA;AACA;AACA;AACA,SAAS;AACT;AACA,OAAO;A
ACP,KAAK;;AAEL;AACA;AACA;AACA;AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA;AACA;A
ACA,KAAK;AACL;AACA;AACA,0BAA0B,SAAQ;AAClC;AACA;AACA,KAAK;AACL;AACA;AACA;
AACA;AACA;AACA;AACA,KAAK;;AAEL;AACA;;AAEA,OAAO;AACP;AACA,UAAU,OAAO;AACj
B,SAAS;AACT,UAAU,QAAQ;AAClB;AACA,OAAO;AACP,KAAK;;AAEL;AACA;AACA;AACA;AAC
A;AACA,KAAK;AACL;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA,KAA

K;;AAEL;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,OAAO;AACP;AAC
A;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA,aAAa,UAAM;AACn
B;AACA;AACA;AACA,YAAY,SAAS;AACrB;AACA;AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA,iBAAiB,MA
AM;AACvB;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA;AACA,QAAQ,aAAS;A
ACjB;AACA;AACA,UAAU,OAAO;AACjB;AACA,SAAS;AACT;AACA,QAAQ,aAAS;AACjB;AACA;AACA,U
AAU,OAAO;AACjB;AACA,SAAS;AACT;AACA,QAAQ,aAAS;AACjB;AACA;AACA,UAAU,OAAO;AACjB;A
ACA,SAAS;AACT;AACA;AACA;AACA,QAAQ,OAAO;AACf;AACA;AACA,KAAK;AACL;AACA;AACA,MA
AM,aAAS;AACf;YAAY,OAAO;AACnB;kCAAkC,OAAO;AACzC;UAAU,UAAU;AACpB;AACA,OAAO;AACP
;AACA,MAAM,aAAS;AACf;YAAY,OAAO;AACnB;iCAAiC,OAAO;AACxC;UAAU,UAAU;AACpB;AACA,OA
AO;AACP;AACA;AACA,UAAU,OAAO;AACjB;kCAAkC,OAAO;AACzC;QAAQ,UAAU;AAClB;AACA;AACA
,GAAG;AACH;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA;AACA
;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA;AACA,IAAI,
WAAW;AACf;AACA;AACA;AACA,CAAC,E;;;;;;;;;;;;;;;;;;;;;;;;;ACvuBD,IAAI,yDAAM,gBAAgB,aAAa,0BAA
0B,wBAAwB,iBAAiB,yBAAyB,YAAY,8BAA8B,0BAA0B,kCAAkC,wFAAwF,kBAAkB,YAAY,kBAAkB,yGA
AyG,wDAAwD,cAAc,WAAW,wBAAwB,KAAK,wBAAwB,cAAc,mEAAmE,cAAc,aAAa,wFAAwF,4CAA4C,kB
AAkB,WAAW,uGAAuG,KAAK,0BAA0B,+EAA+E,uBAAuB,iCAAiC,iBAAiB,+CAA+C,KAAK,yEAAyE,KAA
K,2BAA2B,aAAa,oDAAoD,sGAAsG,yBAAyB,eAAe,sEAAsE,2BAA2B,WAAW,OAAO,oBAAoB,+GAA+G,0D
AA0D,aAAa,UAAU,0CAA0C;AACx2D,IAAI,kEAAe;;;;;;;;;ACDnB,wBAAwB,2EAA2E,oCAAoC,mBAAmB,GA
AG,EAAE,OAAO,oCAAoC,8HAA8H,GAAG,EAAE,sBAAsB;;AAEpV,SAAS,aAAO;AAC/B;AACA,IAAI,aAAO
;AACX;AACA;AACA,GAAG;AACH,IAAI,aAAO;AACX;AACA;;AAEA,SAAS,aAAO;AAChB,C;;;;;;;A
CdA;AAGO,SAASK,QAAT,CAAmBC,KAAnB,EAAyBC,SAAzB,EAAoC;AACzC,SAAO,IAAI7C,OAAAJ,CAAAY,
UAAUC,OAAAV,EAAAmB6C,QAAAnB,CAAu5C,aAAT,CAAuB;AAC5C,QAAIC,QAAIC,WAAAW,CAACC
B,QAAAvB,CAAAlB;AAAEA,QAAAvB,CAACA;AAAEA,QAAIC,WAAAW,CAAC
E;AAAA,eAAAOA,KAAAP;AAAA,eAAAOA,mBAAAP,CAAAoB;AAAeAACM,iEAAAS,Q;;;;;;;;;;;;;;;;;;
;;;;;;;;;;;;;;;;ACmBxB;AACA;AACA;AAEA;AACA;AACA;AACA;AACA;AAEA;AACA;AACA
;AAEA;AAEA;;;;AAGA;AACA,YADA;AAEA,wBAFA;AAGA;AACA,uBADA;AAEA,wBAFA;AAGA,sDAHA;
;AAIA;;;AAGA;AAPA,GAHA;AAYA,aAZA,yBAYA,yBAAY,aAZA;AAaA,8IADA,CAEA;;AAFA,KAA
CA;;;AAGA;AACA,kBADA;AAEA,AAAA,AAAA;AACA;;;;AAGA;AAFA,KAAKA;;;;AAGA;AACA,oBADA;AAEA,eAFA,
qBAEA,KAFA;AAGA,qBAAEA,KAFA;AAGA;AACA,kBADA;AAEA,KA9BA;AAAA,KAAKCA;;;AAGA;
AACA,kBADA;AAAA,AA2BA;;;AAGA;AACA,oBADA;AAEA,eAFA,qBAEA,yBAAA,gBAAgA,EA
DA,EACA,KADA,EAACA;AAEA,MADA,EACA,KADA,EAAMADA;AAEA;AACA,KANA;AAAA,KAAKAINA;;;
;AAGA;AACA,oBADA;AAEA,AAAA;AAnBA,AAAA,AAAA,AAAA;AA5CA,GAApBM,CAAP;AA6CA;AAC
A,YADA;AAAA,iBAAA,yBAAA,GA
DA,EACA,KADA,EAACA;AAAE,C;;;ACwCD;AACA;AAEA;AACA;AA
CA;AAAA;;;AAGA;AACA,YADA;AAEA,mBAFA;AAGA
A,MAHA,kBAGA;AAHA;AAAA;AAAA;AAADA;AAEA,GAJA;AAKA,aALA,yBAKA,GAVA;AAWA;AAC
A;;;AAGA;AAJA,KAAA;;;AAGA;AACA,oBADA;AAAA;;;AAGA;AACA,kBADA;AAEA,KAVA;AAAA,AAAA;
;;;AAGA;AACA,oBADA;AAEA,AAAA;AAXA,GAApBAIA;AA6BA;AACA,YADA;AAAA;;;AAGA;AAC
A,oBADA;AAEA,eAFA,qBAEA,aAAgA,EADA,EACA,KADA,EAACA;AAAE,C;;;AA

FA,KAtBA;;AA0BA;;;AAGA;AACA;AAAA;AAAA,OADA;AAEA;AAFA,KA7BA;;AAiCA;;;AAGA;AACA;AA
DA,KApCA;;AAuCA;;;AAGA;AACA;AADA,KA1CA;;AA6CA;;;AAGA;AACA;AADA,KAhDA;;AAmDA;;;AA
GA;AACA;AADA;AAtDA,GAjBA;AA2EA;AACA,iBADA,2BACA;AACA;AACA;AACA,KAJA;AAKA,aALA,
qBAKA,OALA,EAKA;AACA;AACA;AACA;AACA,OAHA,EAGA,EAHA;AAIA,KAXA;AAYA,mBAZ
A,2BAYA,GAZA,EAYA;AAAA;;AACA;AACA;AACA;;AACA;AACA;AAjBA,GA3EA;AA8FA;AACA,SADA,
mBACA;AACA;AACA;AADA;AAGA,KALA;AAMA,cANA,wBAMA;AACA;AACA,uBADA;AAEA,8DAFA;A
AGA,qGAHA;AAIA,6GAJA;AAAK,sHALA;AAMA,oGANA;AAOA,mFAPA;AAQA,oGARA;AASA;AATA;AA
WA;AAlBA;AA9FA,G;;AC5DwU,CAAgB,4HAAG,EAAC,C;;;;;ACA/P;AAC3B;AACL;AACc;;;AAG3E;AAC0F;
AAC1F,IAAI,wBAAS,GAAG,kBAAU;AAC1B,EAAE,iDAAM;AACR,EAAE,kDAAM;AACR,EAAE,2DAAe;AA
CjB;AACA;AACA;;AAEA;;AAEA,wBAAS;AACM,2EAAS,Q;;;;;;;;;;;;;;;;;;;;;;;;;;;;ACJxB;AAEA;AACA;AAC
A;AACA;AAEA;AAEA;;;;AAGA;AACA,YADA;AAEA,0BAFA;AAGA,aAHA,yBAGA;AACA;AACA,GALA;A
AMA;AACA;;;AAGA,2CAJA;AAAKA;AALA,GANA;AAAaA;AACA;;;AAGA;AACA,kBADA;AAEA;AAAA;AA
AA;AAAFA,KAJA;;AAQA;;;AAGA;AACA,kBADA;AAEA;AAAFA,KAXA;;AAeA;;;AAGA;AACA;AADA,KAlB
A;;AAqBA;;;AAGA;AACA;AADA,KAxBA;;AA2BA;;;AAGA;AACA,kBADA;AAEA;AAAA;AAAFA,KA
9BA;;AAkCA;;;AAGA;AACA,kBADA;AAEA;AAAA;AAAFA,AArCA,GAbA,AAuDA,MAvDA,kBAuDA;
AACA;AACA;AAAGA,GA3DA;AA4DA,SA5DA,qBA4DA;AACA;AACA;AA9DA,G;;AC5B0U,CAAgB,g
IAAG,EAAC,C;;;;;ACAnP;AACvC;AACL;AACsC;;;AAGrG;AAC0F;
AAC1F,IAAI,0BAAS,GAAG,kBAAU;AAC1B,EAAE,mDAAM;AACR,EAAE,gEAAM;AACR,EAAE,yEAAe;AACjB;AACA;AACA;;AAEA;;AAEA,
0BAAS;AACM,+EAAS,Q;;ACpBxB,IAAI,+DAAM,gBAAgB,aAAa,0BAA0B,wBAAwB,iBAAiB,wBAAwB,eAA
e,2DAA2D,gCAAgC,WAAW,OAAO,gBAAgB,yBAAyB,kBAAkB,YAAY,mEAAmE,kFAAkF,uDAAuD,YAAY,
kBAAkB,YAAY,kBAAkB,UAAU,qHAAqH,0EAA0E,WAAW,OAAO,uCAAuC,aAAa,sBAAsB,sCAAsC,kBAAk
B,UAAU,qHAAqH,iFAAiF,WAAW,OAAO,wCAAwC,aAAa,sBAAsB,uCAAuC,kBAAkB,UAAU,qHAAqH,yFA
AyF,WAAW,OAAO,wCAAwC,aAAa,sBAAsB;AACrkD,IAAI,wEAAe;;;;;;;;;;;ACDnB,IAAI,8CAAM,gBAAgB,aA
Aa,0BAA0B,wBAAwB,kBAAkB,kCAAkC,6CAA6C,KAAK,0BAA0B,wBAAwB,wBAAwB,iBAAiB,OAAO,uBA
AuB,6BAA6B,gEAAgE,qBAAqB,wFAAwF,mDAAmD,iCAAiC,cAAc,aAAa,oEAAoE,oCAAoC,iGAAiG,WAAW
,oBAAoB,KAAK,yBAAyB,4BAA4B,QAAQ,EAAE,gCAAgC,YAAY,0DAA0D,wCAAwC,eAAe,qEAAqE,iBAAi
B,gGAAgG,OAAO,kDAAkD,cAAc,OAAO,gCAAgC,WAAW,qBAAqB,6BAA6B,wDAAwD,sCAAsC,wCAAwC,
yDAAyD,wCAAwC;AACloD,IAAI,uDAAe;;ACsBnB;AACA;AACA;AAEA;;
;;AAGA;AACA,YADA;AAEA,oBAFA;AAGA;;;AAGA;AACA,kBADA;AAEA;AAAA;AAAA;AAAFA,K
AJA;;AAQA;;;AAGA;AACA;AADA,KAXA;;AAcA;;;AAGA;AACA;AADA,KAjBA;;AAoBA;;;AAGA,k
BADA;AAEA;AAAA;AAAA;AAAFA,AAvBA,GAHA,AA4BA,GAHA,AA+BA,MA/BA,kBA+BA;AACA
;AACA,eADA;AAEA,mBAFA;AAGA,kBAHA;AAIA,wBAIA;AACA;AAAA;AAOA,GAvCA;AAwCA,
KAxCA,iBAwCA;AACA,eADA,yBACA;AACA;AACA,GAHA,eAGA,yBAHA;AAIA;AACA,GALA;AA
MA,GAxCA,GAxCA;AA+CA,AAAA,GAxCA,GAxCA;AAiDA,KAANA,GAxCA;AAAaA,AAAA,oB
AFA,CAGA;;AAAA,AAAA,KANA;AAAO,AQAPA,kBAAA,kBAAA,oBAFA,6BAFA;AAGA,oDA
HA;AAIA;AAJA,GAxCA;AAiDA,KAjDA,iBAiDA;AACA,KAAA,GAxCA;AAyDA,mBADA,yBAC
A;AACA;AACA,GAHA;AAIA,GAjDA,GAxCA;AA6DA,KAANA,GAxCA;AA8DA,KAANA,GAxCA;
AA+DA;AA/DA,GAxCA;AAyGA,KAANA,GAxCA;AA0GA,KAANA,GAxCA;AA2GA;AA3GA,GAx
CA;ACpBA,IAAI,sEAAe,iBAAiB,aAAa,0BAA0B,wBAAwB,iBAAiB,uBAAuB,WAAW,2EAA2E,UAAU,gDAA
gD,6CAA6C,YAAY,4BAA4B,MAAM,mBAAAO,C

AAC,MAA8B,GAAG,YAAY,iCAAiC,6CAA6C,0IAA0I,+JAA+J,2CAA2C,kCAAkC,qCAAqC,cAAc,aAAa,0BAA0B,wBAAwB,gBAAgB,4BAA4B,WAAW,iCAAiC,UAAU,OAAO,iFAAiF,mFAAmF,iCAAiC,UAAU,OAAO,+EAA+E,iFAAiF,iCAAiC,UAAU,OAAO,2EAA2E,yFAAyF,iCAAiC,UAAU,OAAO,0EAA0E,6EAA6E,cAAc,aAAa,0BAA0B,wBAAwB,gBAAgB,4BAA4B,WAAW,iCAAiC,UAAU,OAAO,8DAA8D,wEAAwE,iCAAiC,UAAU,OAAO,sEAAsE,wEAAwE,iCAAiC,UAAU,OAAO,wDAAwD,gEAAgE;;AC6FrgF;AAEA;;;;AAGA;AACA,YADA;AAEA,uBAFA;AAGA;AACA;;;AAGA;AACA;AADA;AAJA,GAHA;AAWA;AACA,QADA,kBACA;AACA;AACA;AAHA;AAXA,G;;ACnGuU,CAAgB,0HAAG,EAAC,C;;;;;ACAnP;AACvC;AACL;AACsC;;;AAGlG;AAC0F;AAC1F,IAAI,uBAAS,GAAG,kBAAU;AAC1B,EAAAE,gDAAM;AACR,EAAAE,6DAAM;AACR,sEAAe;AACjB;AACA;AACA;;AAEA;;AAEA,uBAAS;AACM,yEAAS,Q;;ACpBxB,IAAI,+CAAM,gBAAgB,aAAa,0BAA0B,wBAAwB,qCAAqC,uFAAuF,0CAA0C,SAAS,yBAAyB,SAAS,oHAAoH,0BAA0B,sDAAsD,oBAAoB,YAAY,0BAA0B,MAAM,mBAAO,CAAC,MAAoC,iBAAiB,uEAAuE,oCAAoC,iDAAiD,KAAK,0BAA0B,aAAa,kCAAkC,cAAc,qCAAqC,gCAAgC,4BAA4B,iCAAiC,uBAAuB,IAAI,wBAAwB,uCAAuC,iBAAiB,sBAAsB,mHAAmH,oCAAoC,kBAAkB,kBAAkB,oBAAoB,wBAAwB,0EAA0E,qBAAqB,yBAAyB,WAAW,uBAAuB,UAAU,8BAA8B,uDAAuD,kGAAkG,+BAA+B,UAAU,8BAA8B,WAAW,KAAK,yBAAyB,wBAAwB,mCAAmC,qCAAqC,uBAAuB,eAAe,mEAAmE,oBAAoB,yGAAyG,OAAO,wGAAwG,KAAK,+BAA+B,0BAA0B,OAAO,6BAA6B,KAAK,+BAA+B,kCAAkC,6BAA6B,oBAAoB,gGAAgG,OAAO,eAAe;AACtyF,IAAI,wDAAe;;;;;;ACDmC;AACgB;;AAE/D,IAAI,mBAAAK,GAAG,YAAYg;;AAAEpB;AACf;AACA,SAAS,mBAAK;AACd;AACA;AACA;;AAEA,aAAa,SAAAI,EAAAE,SAAS,AC5B;AACA,cAAc;AACd,KAAK;AACL;AACA,CAAC,E;;;;ACnBc;AACf;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;AACA;AACA,CAAC,E;;ACrB8B;AACQ;AACU;AACV;AACC;AACI;AACb;AACwD;;AAEzF;AACA,4BAA4B,SAAS;AACrC;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,wBAAwB,cAAO;AAC/B;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,+DAA+D,SAAAQ,EAAA,KAAK;;AAEpE;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;A

ACA,KAAK;;AAEL;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;A
ACA;AACA;AACA,KAAK;;AAEL;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;A
ACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,S
AAS;AACT;AACA;AACA;AACA;AACA;AACA;AACA;OAAO;AACP,KAAK;AACL;AACA;AACA;AACA,O
AAO;AACP,gBAAgB,OAAO;AACvB;AACA;AACA,KAAK;AACL;AACA;AACA,2BAA2B,aAAS;AACpC,KA
AK;AACL;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA,KAAK;AACL;AA
CA;AACA;AACA;AACA;AACA;AACA,CAAC,E;;ACpaqC;AACY;;AAEnC;AACf,WAAW,EAAO,EAA
E,QAAa;AACjC;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,OAAO;AACP;AAC
A;AACA;AACA;AACA,KAAK,mEAAmE,YAAY,uBAAuB,EAAE;AAC7G;AACA;AACA;AACA,cAAc,gDAAg
D;AAC9D;AACA;AACA;AACA,KAAK;AACL,oBAAoB,SAAS,oBAAoB,+BAA+B;AAChF,GAAG;;AA
EH;AACA;AACA;AACA,KAAK;AACL;AACA;AACA,KAAK;AACL;AACA;AACA,KAAK;AACL;AA
CA;AACA,GAAG;AACH;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KA
AK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA,CAAC,E;;ACpED,
IAAI,oBAAAO,yFAAyF,mBAAmB,EAAE,mBAAmB,8HAA8H;;AAE1Q,IAAI,yBAAY,gBAAgB,2CAA2C,gBAA
gB,kBAAkB,OAAO,2BAA2B,wDAAwD,gCAAgC,uDAAuD,2DAA2D,EAAE,EAAE,yDAAyD,qEAAqE,6DAA6
D,oBAAoB,GAAG,EAAE;;AAEjjB,SAAS,4BAAe,yBAAyB,0CAA0C,EAAE;;AAExH;AACQ;AACL;
AACU;AAC4G;;AAExJ;AACA;;AAEA;AACA;AACA;;AAEA,IAAI,2BAAa;AACjB;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;
AACA;AACA;;AAEA,IAAI,sBAAAQ;AACZ;AACA;;AAEA;AACA;AACA
;AACA;AACA;AACA;;AAEA,EAAE;AACF;AACA;AACA;AACA;AACA;AACA
;AACA;AACA;AACA,eAAe;AACf;;AAEA;AACA,EAAE;AACF;AACA;AACA;;AAEA;AACA;
AACA;AACA,EAAE;AACF;AACA;AACA;;AAEA,IAAI,qBAAAO;AACX;
AACA;AACA,IAAI,4BAAe;;AAEnB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;;AAGA,EAAE,yBAA
Y;AACd;;;AAGA;AACA;AACA,0BAA0B,aAAM,GAAG;;AAEnC;AACA;AACA;AACA;AACA;
AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;;AAEA;AACA;AACA;AACA;AAC
A;AACA;;AAEA;;AAEA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AA
CA;AACA,2BAA2B,cAAO;AAClC;AACA;AACA,OAAO;AACP;AACA;AACA,GAAG;AACH;A
ACA;AACA,4BAA4B,cAAO;AACnC;AACA;AACA,OAAO;AACP;AACA;;AAEA;;AAE
A,GAAG;AACH;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA,SAAS;AACT;AAC
A,OAAO;AACP,YAAY,QAAQ;AACpB;AACA,SAAS;AACT;AACA;AACA;;AAEA;;AAEA,GAAG;AA
CH;AACA;;AAEA,qDAAqD,SAAS;AAC9D;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA;;AAEA;AACA,MAAM,OAAO;AACb;;AAEA;AACA;AACA,QAAQ,QAAQ;AAChB,OA
AO;AACP,QAAQ,WAAW;AACnB;;AAEA;AACA;AACA;;AAEA;AACA,wBAAwB,cAAO;AAC/B;AACA;AA
CA;AACA,OAAO;AACP;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA,2BAA2B,cAAO;AAClC;AACA;AACA,SAAS;AACT;AACA;;AAEA;AACA;;AAEA,GAAG;AACH;
AACA;AACA;;AAEA;;AAEA,GAAG;AACH;AACA;;AAEA;AACA;AACA;;AAEA;AACA,wBAAwB,cAAO;AAC/B;AACA
;AACA;AACA,OAAO;AACP;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA
;AACA;AACA;AACA;AACA,4BAA4B,cAAO;AACnC;AACA;AA

CA,SAAS;AACT;AACA;;AAEA;AACA;;AAEA;AACA;AACA,QAAQ,WAAW;AACnB;AACA;AACA,MAAM,
WAAW;;AAEjB;AACA;AACA;;AAEA;AACA;;AAEA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AA
CA,mCAAmC,OAAO,uCAAuC,UAAM;AACvF;;AAEA;;AAEA,GAAG;AACH;AACA;AACA;AACA,iBAAiB,O
AAO;AACxB;AACA,MAAM,OAAO;AACb;;AAEA;;AAEA,GAAG;AACH;AACA;AACA;;AAEA,iBAAiB,OA
AO;AACxB;AACA;AACA,OAAO;AACP;AACA,QAAQ,OAAO;AACf,OAAO;AACP,QAAQ,UAAU;AAClB;A
ACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA,GAAG;AACH;AACA;
AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,UAAU
,QAAQ;AAClB,SAAS;AACT;AACA;AACA;AACA,UAAU,QAAQ;AAClB;AACA,UAAU,OAAO;AACjB,SAAS
;AACT;AACA;AACA,OAAO;AACP;AACA;AACA;;AAEA;;AAEA,GAAG;AACH;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;;AAEA;;AA
EA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA,sBAAsB,UAAM,CAAC,sBAAQ,0BAA0B;AAC/
D;;AAEA;;AAEA,GAAG;AACH;AACA;AACA,MAAM,QAAQ;AACd;AACA,GAAG;AACH;AACA;AACA;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA;;AAEA;;AAEA,GAAG;AACH;AACA;AACA,6BAA6B,UAAM,CAAC,sBAA
Q;AAC5C,MAAM,WAAW;AACjB,MAAM,WAAW;AACjB;AACA,GAAG;AACH;AACA;AACA;AAC
A;AACA;AACA;AACA,0DAA0D,oBAAO;AACjE;AACA;AACA;AACA;AACA;AACA,SAAS;AACT;A
ACA;AACA,OAAO;AACP;AACA;AACA;;AAEA;;AAEA,GAAG;AACH;AACA;AACA;AACA;
AACA;AACA;AACA,wDAAwD,oBAAO;AAC/D;AACA;AACA;AACA;AACA;AACA;AACA;AACA,g
BAAgB,OAAO,4BAA4B,OAAO;AAC1D;AACA;;AAEA;AACA;AACA,GAAG;AACH;AACA;AACA;;AAEA;A
ACA;;AAEA;AACA;;AAEA;AACA;AACA;AACA;AACA,UAAU,OAAO;AACjB,SAAS;AACT,UAAU,OAAO;
AACjB,UAAU,OAAO;AACjB,SAAS;AACT;AACA,UAAU,OAAO;AACjB,SAAS;AACT,UAAU,OAAO;AACjB
,UAAU,OAAO;AACjB;AACA,OAAO;AACP;AACA,GAAG;AACH;AACA;AACA;;AAEA;AACA;AACA;AAC
A,QAAQ,QAAQ;AAChB,OAAO;;AAEP;AACA;AACA;AACA,GAAG;AACH;AACA;AACA,UAAU,UA
AU;AACpB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA,OAAO;AACP;AACA,OAAO;AACP;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACA,OAAO;AACP;AACA;A
ACA;;AAEA;;AAEA,GAAG;AACH;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA,WAAW;AACX;AACA,OAAO;AACP;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAE
A,GAAG;AACH;AACA;AACA,kBAAkB,OAAO;AACzB;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA;;AAEA;;AAEA,GAAG;AACH;AACA;AACA,iCAAiC,UAAU,GAAG,gBAAgB;AAC9D;AACA;AA
CA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA,OAAO;AACP;AA
CA;AACA;AACA;AACA;AACA;AACA;AACA,OAAO;AACP;AACA;AA
CA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA,OAAO;AACP;AACA;AACA;AA
CA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA,OAAO;AACP;AACA;AACA;;A
AEA;;AAEA,GAAG;AACH;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA,QAAQ,IAAS;AACjB;
AACA,YAAY,OAAO;AACnB,WAAW;AACX,YAAY,QAAQ;AACpB;AACA,SAAS;AACT;AACA;;AAEA;;AA
EA,GAAG;AACH;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA,sBAAsB,oBAAO,CAAC,
OAAO;AACrC,UAAU,OAAO;AACjB,QAAQ,OAAO,4BAA4B,OAAO;AAClD,QAAQ,OAAO;AACf;AACA;;A
AEA;AACA;;AAEA,GAAG;AACH;AACA;AACA;;AAEA;AACA;AACA;AACA,UAAU,QAAQ;AAClB;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,OAAO;AACP;;AAEA;
AACA;;AAEA,GAAG;AACH;AACA;AACA;;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,OAAO;AAC
P;AACA,GAAG;AACH;AACA;AACA;;AAEA;AACA;AACA;AACA,mBAAmB,yCAAyC;AAC5D,iBAAiB,2CA
A2C;AAC5D,kBAAkB,oBAAoB;AACtC,4BAA4B;AAC5B,SAAS;AACT;AACA;AACA;AACA;AACA,S
AAS;AACT;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA,oBAAoB,UAAM
,CAAC,sBAAQ;AACnC,qCAAqC,KAAK;AAC1C;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;A

ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;;AAEA,GAAG;AACH;AACA;AACA;AACA;
AACA;AACA;AACA,UAAU,WAAW;AACrB,SAAS;AACT;AACA;AACA,GAAG;AACH;AACA;AACA;AACA
;AACA;AACA,GAAG;AACH;AACA;AACA;AACA,UAAU,OAAO;AACjB;AACA;AACA,MAAM,WAAW;AA
CjB;AACA;AACA;AACA;AACA,GAAG;AACH;AACA;AACA,aAAa,2BAAa;AAC1B;AACA,GAAG;A
ACH;AACA;AACA;AACA;;AAEA;;AAEA,GAAG;AACH;AACA;AACA;AACA;AACA,GAAG;;AAEH;AACA,
CAAC;;AAEc,uEAAO,E;;ACplCtB,IAAI,oBAAO,yFAAyF,mBAAmB,EAAE,mBAAmB,8HAA8H;;AAE1Q,IAAI
,yBAAY,gBAAgB,2CAA2C,gBAAgB,kBAAkB,OAAO,2BAA2B,wDAAwD,gCAAgC,uDAAuD,2DAA2D,EAAE
,EAAE,yDAAyD,qEAAqE,6DAA6D,oBAAoB,GAAG,EAAE;;AAEjjB,SAAS,4BAAe,yBAAyB,0CAA0C,0DAA0
D,EAAE;;AAEvJ,iDAAiD,aAAa,uFAAuF,EAAE,uFAAuF;;AAE9O,0CAA0C,+DAA+D,qGAAqG,EAAE,yEAAy
E,eAAe,yEAAyE,EAAE,EAAE,uHAAuH;;AAEtc;AACJ;AAC6B;;AAE/D,IAAI,kBAAI;AACR,IAAI,0BAAY;AA
ChB,IAAI,gCAAkB,sBAAsB,0BAAY;;AAExD,IAAI,sBAAQ,GAAG,aAAM,GAAG,EAAE,aAAO;AACjC;AAC
A;AACA;AACA,CAAC;;AAED,IAAI,uBAAS;AACb;AACA;;AAEA,IAAI,sBAAQ;AACZ;AACA
;;AAEA;AACA;AACA,IAAI,qBAAO;AACX;;AAEA;AACA,IAAI,4BAAe;;AAEnB;AACA;;AAEA,EAAE,yBAA
Y;AACd;;;AAGA;;AAEA;AACA;AACA;AACA;AACA,8BAA8B,UAAM,CAAC,sBAAQ,kBAAkB;AAC/
D,gCAAgC,UAAM,CAAC,sBAAQ,oBAAoB;AACnE;AACA;AACA,GAAG;AACH;AACA;AACA,MAAM,QAA
Q,uBAAuB,0BAAY;AACjD;AACA,GAAG;AACH;AACA;AACA,6BAA6B,UAAM,CAAC,sBAAQ;AAC
5C,6BAA6B,UAAM,CAAC,sBAAQ;;AAE5C,MAAM,WAAW,MAAM,uBAAuB;AAChC,MAAM,WAAW,MAA
M,uBAAuB;AAChC;;AAEA;;AAEA,GAAG;AACH;AACA;AACA,yCAAyC,gCAAkB;AAC3D;AACA,UAAU,WAAW;AACrB,SAAS;AACT;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;A
ACA,wDAAwD,oBAAO;AAC/D;AACA;AACA;AACA;AACA;AACA;AACA,gBAAgB,OAAO,4
BAA4B,OAAO;AAC1D;AACA;AACA;;AAEA;;AAEA,GAAG;AACH;AACA;AACA;AACA;AA
CA;AACA,0DAA0D,oBAAO;AACjE;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH
;;AAEA;;AAEA,GAAG;AACH;AACA,aAAa,sBAAQ;AACrB;AACA,GAAG;AACH;AACA,aAAa,kBAAI;AACjB;AAC
A,GAAG;;AAEH;AACA,CAAC,CAAC,aAAO;;AAEM,uEAAO,E;;ACnJtB;;AAEA;;AAEO,sD;;ACJP,IAAI,cAA
O,yFAAyF,mBAAmB,EAAE,mBAAmB,8HAA8H;;AAE1Q;AACA;AACA;AACyC;AACA;AACS;AACP;
AACG;;AAE9C;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;;AAEA,IAAI,uBAAe;AACnB;AACA;AACA;AACA;;AAEe;AACf;AACA;AAC
A,6BAA6B,WAAW;AACxC,KAAK;AACL;AACA;AACA,KAAK;AACL;AACA;AACA,KAAK;
AACL;AACA;AACA,KAAK;AACL;AACA;AACA,KAAK;AACL;AACA;AACA,KAAK;AACL;AACA;AACA,KAAK;AACL;AACA;AACA,GAAG;AACH;AACA;AACA;
AACA,GAAG;AACH;AACA;AACA;AACA,KAAK;AACL;AACA;AACA,KAAK;AACL;AACA;AACA,KAAK;AACL;AACA;AACA,KAAK;AACL;AACA;AACA,GAAG;
AACH;AACA;AACA;AACA,GAAG;AACH;;AAEA;AACA;AACA;AACA;AACA;AACA
;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA
;AACA;AACA;AACA;AACA,KAAK;AACL,GAAG;AACH;AACA;AACA;AACA;AACA,GAAG;;AAE
H;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;;AAE
H;AACA;AACA;AACA,GAAG;;AAEH;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GA
AG;;AAEH;AACA;AACA,kBAAkB,cAAO;AACzB;AACA;AACA;AACA;
AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA,iBAAiB,OAAO;AACxB;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA,GAAG;AACH;AACA,gBAA
AgB,aAAM,GAAG;AACzB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;A
ACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;A
ACL;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA,KAAK;AACL;AACA;AACA,e
AAe,OAAO;AACtB,OAAO,yDAAyD,cAAO,0BAA0B,SAAS;AAC1G;AACA;AACA,OAAO,yDAAyD,cAAO,0B
AA0B,SAAS;AAC1G;AACA;AACA;AACA,KAAK;AACL;AACA;AACA,KAAK;AACL;AACA;AACA;AACA;AACA;AACA,
KAAK;AACL;AACA;AACA;AACA;AACA;AACA;AACA,KAAK;;AAEL;

AACA;AACA;AACA;AACA,4BAA4B,UAAU,mDAAmD,uBAAe;AACxG;AACA;AACA,8BAA8B,UAAU,qDA
AqD,uBAAe;AAC5G;AACA,OAAO;AACP;AACA;AACA;AACA;AACA;AACA;AACA;AACA;
AACA;AACA,CAAC,E;;ACpU+C;AACZ;AACY;;AAEjC;AACf,WAAW,OAAY;AACvB;AACA;AACA;AACA,
cAAc,kBAAkB;AAChC,cAAc;;AACd,KAAK,aAAa,eAAe,gCAAgC,iBAAiB;AAClF,GAAG;;AACH;AACA;AAC
A,GAAG;;AAEH;AACA;AACA;AACA,KAAK;AACL;AACA;AACA;AACA,KAAK;AACL;AACA;AAC
A;AACA,KAAK;AACL;AACA;AACA;AACA,GAAG;AACH;AACA;AACA;AACA;AACA,4BA
A4B,aAAO;AACnC,OAAO;AACP;AACA,QAAQ,UAAI;AACZ;AACA;AACA;AACA,CAAC,E;;;;;;;;;;;;;;;
;;ACWD;AACA;AACA;AACA;AAEA;AACA;AACA;AACA;AAEA;;;;
AAGA;AACA,YADA;AAEA,qBAFA;AAGA;AACA,gCADA;AAEA,uBAFA;AAGA,mCAHA;AAIA,qBAJA;AA
KA,sCALA;AAMA,0BANA;AAOA;AAPA,GAHA;AAYA;AACA;;;AAGA;AACA,kBADA;AAEA;AAFA,KAJA
;;AAQA;;;AAGA;AACA;AADA,KAXA;;AAcA;;;AAGA;AACA,kBADA;AAEA;AAFA,KAjBA;;AAqBA;;;
AAqBA;;;AAGA;AACA,kBADA;AAEA;AAFA,KAxBA;;AA4BA;;;AAGA;AACA,iBADA;AAE
A;AAFA,KA/BA;;AAmCA;;;AAGA;AACA,kBADA;AAEA;AAFA,AAtCA,GAZ
A;AAuDA,MAvDA,kBAAuDA;AACA;AACA,8BADA;AAEA;AAFA,AAIA,GA5DA;AA6DA;AACA,wBADA,kC
ACA;AACA;AACA,KAHA;AAIA,gBAJA,0BAIA;AACA;AACA;AACA,AARA,GA7DA;AAuEA;AACA
,eADA,yBACA;AACA;AAAHA;AAvEA,G;;ACzEqU,CAAgB,sHAAG,EAAC,C;;;;;ACA/P;AAC3B;AACL;
AACc;;;AAGxE;AAC0F,qBAAS,GAAG,kBAAU;AAC1B,EAAE,8CAAM;AACR,EAAE,+CAAM;
AACR,EAAE,wDAAe;AACjB;AACA;AACA;;AAEA;;AAEA,qBAAS;AACM,qEAAS,Q;;ACpBxB,IAAI,
oDAAM,gBAAgB,aAAa,0BAA0B,wBAAwB,iBAAiB,OAAO,mBAAmB;AACpI,IAAI,6DAAe;;;;;;;;;;ACInB;A
AEA;AAEA;;;;AAGA;AACA,0BADA;AAEA;AAFA,KAJA;;AAQA;;;A
AGA;AACA,kBADA;AAEA;AAFA;AAXA,GAFA;AAkBA,MAlBA,kBAkBA;AACA;AACA,AA
DA,AAGA,GAtBA;AAuBA,SAvBA,qBAuBA;AAAA;;AACA;AACA;AACA,KAFA;AAGA,AA3BA,G;;ACZ0U,
CAAgB,gIAAG,EAAC,C;;ACA/P;AAC3B;AACc;;;AAG/D;AAC2F,0BAAS,GAAG,kBAAU;AAC1
B,EAAE,mDAAM;AACR,EAAE,oDAAM;AACR,EAAE,6DAAe;AACjB;AACA;AACA;;AAEA;;AAEA,0B
AAS;AACM,+EAAS,Q;;;; AClBxB,IAAI,AAAA,AAAA;AAAA,KAJA;;AAAA;;AAAA;;AAAA;AAAA;
AACA;AADA,KAJA;;AAAA;;;AAGA;AACA,kBADA;AAEA;AAFA,KAVA;;AAcA;;;AAGA;AA
CA;AADA,KAjBA;;AAqBA;AAAA,GAFA;AAAA,oBAAA,MAlBA,kBAAwBA;AACA;AACA;AAAHA;AA
AA,GAtBA;AAuBA,SAvBA,qBAuBA;AAAA;;AACA;AACA;AACA,mBADA;AAEA,oBAFA;AAGA,AA
AKA,GA9BA;AA+BA;AAAA,GADA;AAAA,GAAA,MAAA,KAAA;AAAA;;AACA;AAAA;AAAA;
AAAA;AAAA;AAAA;AAAA,KAdA;AAeA,mBAfA,6BAAeA;AAAA;;AAAAA;AAAAA,GA
A;;AAAA;AAACA;AAAAA;AAAAA;AAAA;AAAjBA;AAAjFA,G;;ACNqU,CAAgB,sHAAG,EAAC,C;;ACAzV,IAAI,k
BAAM,EAAAE,2BAAe;AACoC;AACL;;;AAG1D;;;AAAG1D;AAC0F,qBAAS,GAAG,kBAAU;AAC1B,EAAE,8CAAM;
AACR,EAAE,kBAAM;AAAKE,IAAL,CAAAU7F,MAAV,GAAmB2F,IAA1B;AAACD;;;gCACKkB;AACjB,aAAO,KAAAKE,IAAL,CAAAU7F,M
AAjB;AAACD;;;4BAAUeX,G,EAAAK2G,O,EAAAS;AACA,EAAA5BC,YAAM,CAAAA7F,MAAjB,GAAmB2F;AAACD;;;wBAAU
eX,G,EAAAK3B,O,EAAAA;AACA,EAAAwE,YAAM,CAAAA7F,MAAjB;AAAAS;;;ggA4BAUeX,G,EAAAK2G,O,EAAAeO;
AACA,CAAAKE,YAAM,CAAA7F,MAAjB;AAAAS;AAACD,GA7BA;AA+BA;AAAA;;AAACA;AAAAA;AAAAA;AAAAA;AAAAA;
AAAAA;AAAAA;AAAAA;AAAAA;AAAAA;AAAAA;;;;;;;;ACXA;AACA;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AA
CA;AACA;AACA;AACA;AAEA;;IAEMC,W;;;;;;;;;;qCACoBC,I,EAAAMC,O,EAAAAS;AACrC,aAAO,KAAAKEC,IAAL,CAAAU7F,MAAj
B,GAAmB2F;AAACD;;;uCACKDC,yBD,I,EAAAMC,O,EAAAAS;AACrC,aAAO,KAAAKEC,IAAL,CAAAU7F,MAAjB,GAAmB2F;AAAC
vC,CAAAWE,kBAAAX,CAAA8BJ,IAAA9B,EAAAoCC,OAAApC,CAAAAP;AAAD;;;8BACKgD,yBD,I,EAAAM;AACrC,KAAAKEC,IA
AL,GAAAO,KAAAAKEC,IAAL,CAAAU7F,MAAV,GAAmB2F,IAA1B;AAAjB;;;gCACKkBM;AAAjB,aAAAO,KAAAUeX,MAAL,CAAA7F,M
AAjB;AAACD;;;4BAAUeX,yBD,I,EAAAM2G,O,EAAAS;AACA,EAAA5BC,YAAM,CAAAA7F,MAAjB,GAAmB2F;AAACD;;;wBAAU
eX,yBD,I,EAAAM3B,O,EAAAA;AACA,EAAAwE,YAAM,CAAAA7F,MAAjB;AAAAS;AAACD,GA9BA;;;;;;;;;ACXA;AACA;AAC
A;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;;;;;ACXA;AACA;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AAC
A;AACA;AACA;AACA;AAEA;;IAEMC,W;;;;;;;;;;qCACoBC,I,EAAAMC,O,EAAAAS;AACrC,qCACoBOC,I,EAAAECoBC,O,EAAAAS;AAC
rC,aAAO,KAAAKEC,IAAL,CAAAU7F,MAAjB,GAAmB2F;AAACD;aAAAO,KAAAKEC,IAAL,CAAAU7F,MAAjB,GAAmB2F;AAACvC
,CAAA2BH,IAAA3B,EAAAiCC,OAAAjC,CAAAAP;AAAD;wBAAUeX,I,EAAAM3B,O,EAAAA;AACA,EAAAwE,YAAM,CAAAA7F,MAAjB;AAA
AS;AAACD,GA9BA;;;;;;;;;;;ACXA;AACA;AAEA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AAEA;;IAE
MC,W;;;;;;;;;;qCACoBC,I,EAAAMC,O,EAAAAS;AACrC,aAAO,KAAAKEC,IAAL,CAAAU7F,MAAjB,GAAmB2F;AAACD;;;uCACK
mB;AAAjB,aAAO,KAAAKEC,IAAL,CAAAU7F,MAAjB;AAACD;;;wBAACmB: AAChB,aAAAOsH,IAAP;AAACD;;;wBACKmB;AAAjB,a
AAO,KAAAU7F,MAAjB;AAACD;;;wBAAUeX,I,EAAAM2G,O,EAAAeO;AACA,CAAAKE,YAAM,CAAA7F,MAAjB;AAAAS;AAACD,GA

ClB,aAAOnG,mBAAO,CAAC,MAAD,CAAP,CAAuB0G,OAA9B;AACD;;;wBACuB;AACtB,aAAOF,0BAAP;AACD;;;;;;AAMYR,oDAAf,E;;AC/CA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAwB;AACA;AACT,mFAAG;AACI;;;;;;;;;ACHtB,mBAAmB,mBAAO,CAAC,MAAiB;;AAE5C;AACA;AACA;AACA;AACA;AACA,WAAW,OAAO;AAClB,aAAa,QAAQ;AACrB;AACA;ACA;;AAEA;;;;;;;ACfA;AACA;;;;;;;ACDA,iBAAAiB,mBAAO,CAAC,MAAe;AACxC,mBAAAmB,mBAAO,CAAC,MAAgB;;AAE3C;AACA;;AAEA;AACA;AACA;AACA;AACA,WAAW,EAAAE;AACb,aAAa,QAAAQ;AACrB;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA",
"file":"@icij/murmur.common.js","sourcesContent":[" \t// The module cache\n \tvar installedModules = {};\n\n \t// The require function\n \tfunction __webpack_require__(moduleId) {\n\n \t\t// Check if module is in cache\n \t\tif(installedModules[moduleId]) {\n \t\t\treturn installedModules[moduleId].exports;\n \t\t}\n \t\t// Create a new module (and put it into the cache)\n \t\tvar module = installedModules[moduleId] = {\n \t\t\ti: moduleId,\n \t\t\tl: false,\n \t\t\texports: {}\n \t\t};\n\n \t\t// Execute the module function\n \t\tmodules[moduleId].call(module.exports, module, module.exports, __webpack_require__);\n\n \t\t// Flag the module as loaded\n \t\tmodule.l = true;\n\n \t\t// Return the exports of the module\n \t\treturn module.exports;\n \t}\n\n\n \t// expose the modules object (__webpack_modules__)\n \t__webpack_require__.m = modules;\n\n \t// expose the module cache\n \t__webpack_require__.c = installedModules;\n\n \t// define getter function for harmony exports\n \t__webpack_require__.d = function(exports, name, getter) {\n \t\tif(!__webpack_require__.o(exports, name)) {\n \t\t\tObject.defineProperty(exports, name, { enumerable: true, get: getter });\n \t\t}\n \t};\n\n \t// define __esModule on exports\n \t__webpack_require__.r = function(exports) {\n \t\tif(typeof Symbol !== 'undefined' && Symbol.toStringTag) {\n \t\t\tObject.defineProperty(exports, Symbol.toStringTag, { value: 'Module' });\n \t\t}\n \t\tObject.defineProperty(exports, '__esModule', { value: true });\n \t};\n\n \t// create a fake namespace object\n \t// mode & 1: value is a module id, require it\n \t// mode & 2: merge all properties of value into the ns\n \t// mode & 4: return value when already ns object\n \t// mode & 8|1: behave like require\n \t__webpack_require__.t = function(value, mode) {\n \t\tif(mode & 1) value = __webpack_require__(value);\n \t\tif(mode & 8) return value;\n \t\tif((mode & 4) && typeof value === 'object' && value && value.__esModule) return value;\n \t\tvar ns = Object.create(null);\n \t\t__webpack_require__.r(ns);\n \t\tObject.defineProperty(ns, 'default', { enumerable: true, value: value });\n \t\tif(mode & 2 && typeof value != 'string') for(var key in value) __webpack_require__.d(ns, key, function(key) { return value[key]; }.bind(null, key));\n \t\treturn ns;\n \t};\n\n \t// getDefaultExport function for compatibility with non-harmony modules\n \t__webpack_require__.n = function(module) {\n \t\tvar getter = module && module.__esModule ?\n \t\t\tfunction getDefault() { return module['default']; } :\n \t\t\tfunction getModuleExports() { return module; };\n \t\t__webpack_require__.d(getter, 'a', getter);\n \t\treturn getter;\n \t};\n\n \t// Object.prototype.hasOwnProperty.call\n \t__webpack_require__.o = function(object, property) { return Object.prototype.hasOwnProperty.call(object, property); };\n\n \t// __webpack_public_path__\n \t__webpack_require__.p = \"\";\n\n\n \t// Load entry module and return exports\n \treturn __webpack_require__(__webpack_require__.s = \"fb15\");\n","var Symbol = require('./_Symbol');\n\n/** Used for built-in method references. */\nvar objectProto = Object.prototype;\n\n/** Used to check objects for own properties. */\nvar hasOwnProperty = objectProto.hasOwnProperty;\n\n/**\n * Used to resolve the\n * [`toStringTag`](http://ecma-international.org/ecma-262/7.0/#sec-object.prototype.tostring)\n * of values.\n */\nvar nativeObjectToString = objectProto.toString;\n\n/** Built-in value references. */\nvar symToStringTag = Symbol ? Symbol.toStringTag : undefined;\n\n/**\n * A specialized version of `baseGetTag` which ignores `Symbol.toStringTag` values.\n *\n * @private\n * @param {*} value The value to query.\n * @returns {string} Returns the raw `toStringTag`.\n */\nfunction getRawTag(value) {\n var isOwn = hasOwnProperty.call(value, symToStringTag),\n   tag = value[symToStringTag];\n\n try {\n   value[symToStringTag] = undefined;\n   var unmasked = true;\n } catch (e) {}\n\n var result = nativeObjectToString.call(value);\n if (unmasked) {\n   if (isOwn) {\n   value[symToStringTag] = tag;\n   } else {\n   delete value[symToStringTag];\n   }\n }\n return result;\n}\n\nmodule.exports = getRawTag;\n","'use strict';\nvar LIBRARY = require('./_library');\nvar $export = require('./_export');\nvar redefine = require('./_redefine');\nvar hide = require('./_hide');\nvar Iterators = require('./_iterators');\nvar $iterCreate = require('./_iter-create');\nvar setToStringTag = require('./_set-to-string-

tag');\nvar getPrototypeOf = require('./_object-gpo');\nvar ITERATOR = require('./_wks')('iterator');\nvar BUGGY = ![].keys && 'next' in [].keys()); // Safari has buggy iterators w/o `next`\nvar FF_ITERATOR = '@@iterator';\nvar KEYS = 'keys';\nvar VALUES = 'values';\n\nvar returnThis = function () { return this; };\n\nmodule.exports = function (Base, NAME, Constructor, next, DEFAULT, IS_SET, FORCED) {\n $iterCreate(Constructor, NAME, next);\n var getMethod = function (kind) {\n if (!BUGGY && kind in proto) return proto[kind];\n switch (kind) {\n case KEYS: return function keys() { return new Constructor(this, kind); };\n case VALUES: return function values() { return new Constructor(this, kind); };\n } return function entries() { return new Constructor(this, kind); };\n };\n var TAG = NAME + ' Iterator';\n var DEF_VALUES = DEFAULT == VALUES;\n var VALUES_BUG = false;\n var proto = Base.prototype;\n var $native = proto[ITERATOR] || proto[FF_ITERATOR] || DEFAULT && proto[DEFAULT];\n var $default = $native || getMethod(DEFAULT);\n var $entries = DEFAULT ? !DEF_VALUES ? $default : getMethod('entries') : undefined;\n var $anyNative = NAME == 'Array' ? proto.entries || $native : $native;\n var methods, key, IteratorPrototype;\n // Fix native\n if ($anyNative) {\n IteratorPrototype = getPrototypeOf($anyNative.call(new Base()));\n if (IteratorPrototype !== Object.prototype && IteratorPrototype.next) {\n // Set @@toStringTag to native iterators\n setToStringTag(IteratorPrototype, TAG, true);\n // fix for some old engines\n if (!LIBRARY && typeof IteratorPrototype[ITERATOR] != 'function') hide(IteratorPrototype, ITERATOR, returnThis);\n }\n }\n // fix Array#{values, @@iterator}.name in V8 / FF\n if (DEF_VALUES && $native && $native.name !== VALUES) {\n VALUES_BUG = true;\n $default = function values() { return $native.call(this); };\n }\n // Define iterator\n if ((!LIBRARY || FORCED) && (BUGGY || VALUES_BUG || !proto[ITERATOR])) {\n hide(proto, ITERATOR, $default);\n }\n // Plug for library\n Iterators[NAME] = $default;\n Iterators[TAG] = returnThis;\n if (DEFAULT) {\n methods = {\n values: DEF_VALUES ? $default : getMethod(VALUES),\n keys: IS_SET ? $default : getMethod(KEYS),\n entries: $entries\n };\n if (FORCED) for (key in methods) {\n if (!(key in proto)) redefine(proto, key, methods[key]);\n } else $export($export.P + $export.F * (BUGGY || VALUES_BUG), NAME, methods);\n }\n return methods;\n};\n","var isPrototype = require('./_isPrototype'),\n nativeKeys = require('./_nativeKeys');\n\n/** Used for built-in method references. */\nvar objectProto = Object.prototype;\n\n/** Used to check objects for own properties. */\nvar hasOwnProperty = objectProto.hasOwnProperty;\n\n/**\n * The base implementation of `_.keys` which doesn't treat sparse arrays as dense.\n *\n * @private\n * @param {Object} object The object to query.\n * @returns {Array} Returns the array of property names.\n */\nfunction baseKeys(object) {\n if (!isPrototype(object)) {\n return nativeKeys(object);\n }\n var result = [];\n for (var key in Object(object)) {\n if (hasOwnProperty.call(object, key) && key != 'constructor') {\n result.push(key);\n }\n }\n return result;\n}\n\nmodule.exports = baseKeys;\n","var Symbol = require('./_Symbol'),\n isArguments = require('./isArguments'),\n isArray = require('./isArray');\n\n/** Built-in value references. */\nvar spreadableSymbol = Symbol ? Symbol.isConcatSpreadable : undefined;\n\n/**\n * Checks if `value` is a flattenable `arguments` object or array.\n *\n * @private\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is flattenable, else `false`.\n */\nfunction isFlattenable(value) {\n return isArray(value) || isArguments(value) ||\n !!(spreadableSymbol && value && value[spreadableSymbol]);\n}\n\nmodule.exports = isFlattenable;\n","/**\n * This method returns `false`.\n *\n * @static\n * @memberOf _\n * @since 4.13.0\n * @category Util\n * @returns {boolean} Returns `false`.\n * @example\n *\n * _.times(2, _.stubFalse);\n * // => [false, false]\n */\nfunction stubFalse() {\n return false;\n}\n\nmodule.exports = stubFalse;\n","/**\n * Appends the elements of `values` to `array`.\n *\n * @private\n * @param {Array} array The array to modify.\n * @param {Array} values The values to append.\n * @returns {Array} Returns `array`.\n */\nfunction arrayPush(array, values) {\n var index = -1,\n length = values.length,\n offset = array.length;\n\n while (++index < length) {\n array[offset + index] = values[index];\n }\n return array;\n}\n\nmodule.exports = arrayPush;\n","var isObject = require('./isObject');\n\n/**\n * Checks if `value` is suitable for strict equality comparisons, i.e. `===`.\n *\n * @private\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` if suitable for strict\n * equality comparisons, else `false`.\n */\nfunction isStrictComparable(value) {\n return value === value && !isObject(value);\n}\n\nmodule.exports = isStrictComparable;\n","import mod from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-

oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./SharingOptions.vue?vue&type=style&index=0&lang=scss&\"; export default mod; export * from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./SharingOptions.vue?vue&type=style&index=0&lang=scss&\"","// https://github.com/tc39/proposal-promise-finally\n'use strict';\nvar $export = require('./_export');\nvar core = require('./_core');\nvar global = require('./_global');\nvar speciesConstructor = require('./_species-constructor');\nvar promiseResolve = require('./_promise-resolve');\n\n$export($export.P + $export.R, 'Promise', { 'finally': function (onFinally) {\n var C = speciesConstructor(this, core.Promise || global.Promise);\n var isFunction = typeof onFinally == 'function';\n return this.then(\n isFunction ? function (x) {\n return promiseResolve(C, onFinally()).then(function () { return x; });\n } : onFinally,\n isFunction ? function (e) {\n return promiseResolve(C, onFinally()).then(function () { throw e; });\n } : onFinally\n);\n} });\n","var baseIsNative = require('./_baseIsNative'),\n getValue = require('./_getValue');\n\n/**\n * Gets the native function at `key` of `object`.\n *\n * @private\n * @param {Object} object The object to query.\n * @param {string} key The key of the method to get.\n * @returns {*}\n Returns the function if it's native, else `undefined`.\n */\nfunction getNative(object, key) {\n var value = getValue(object, key);\n return baseIsNative(value) ? value : undefined;\n}\n\nmodule.exports = getNative;\n","'use strict';\n// 21.2.5.3 get RegExp.prototype.flags\nvar anObject = require('./_an-object');\nmodule.exports = function () {\n var that = anObject(this);\n var result = '';\n if (that.global) result += 'g';\n if (that.ignoreCase) result += 'i';\n if (that.multiline) result += 'm';\n if (that.unicode) result += 'u';\n if (that.sticky) result += 'y';\n return result;\n};\n","var root = require('./_root'),\n stubFalse = require('./stubFalse');\n\n/** Detect free variable `exports`. */\nvar freeExports = typeof exports == 'object' && exports && !exports.nodeType && exports;\n\n/** Detect free variable `module`. */\nvar freeModule = freeExports && typeof module == 'object' && module && !module.nodeType && module;\n\n/** Detect the popular CommonJS extension `module.exports`. */\nvar moduleExports = freeModule && freeModule.exports === freeExports;\n\n/** Built-in value references. */\nvar Buffer = moduleExports ? root.Buffer : undefined;\n\n/* Built-in method references for those with the same name as other `lodash` methods. */\nvar nativeIsBuffer = Buffer ? Buffer.isBuffer : undefined;\n\n/**\n * Checks if `value` is a buffer.\n *\n * @static\n * @memberOf _\n * @since 4.3.0\n * @category Lang\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is a buffer, else `false`.\n * @example\n *\n * _.isBuffer(new Buffer(2));\n * // => true\n *\n * _.isBuffer(new Uint8Array(2));\n * // => false\n */\nvar isBuffer = nativeIsBuffer || stubFalse;\n\nmodule.exports = isBuffer;\n","// 19.1.2.14 / 15.2.3.14 Object.keys(O)\nvar $keys = require('./_object-keys-internal');\nvar enumBugKeys = require('./_enum-bug-keys');\n\nmodule.exports = Object.keys || function keys(O) {\n return $keys(O, enumBugKeys);\n};\n","var identity = require('./identity'),\n overRest = require('./_overRest'),\n setToString = require('./_setToString');\n\n/**\n * The base implementation of `_.rest` which doesn't validate or coerce arguments.\n *\n * @private\n * @param {Function} func The function to apply a rest parameter to.\n * @param {number} [start=func.length-1] The start position of the rest parameter.\n * @returns {Function} Returns the new function.\n */\nfunction baseRest(func, start) {\n return setToString(overRest(func, start, identity), func + '');\n}\n\nmodule.exports = baseRest;\n","import mod from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-

options!./EmbeddableFooter.vue?vue&type=style&index=0&id=36cb84e2&lang=scss&scoped=true&\"; export default mod; export * from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./EmbeddableFooter.vue?vue&type=style&index=0&id=36cb84e2&lang=scss&scoped=true&\"","'use strict';\n\nmodule.exports = function (x) {\n\tif (!x) return false;\n\tif (typeof x === 'symbol') return true;\n\tif (!x.constructor) return false;\n\tif (x.constructor.name !== 'Symbol') return false;\n\treturn (x[x.constructor.toStringTag] === 'Symbol');\n};\n","/*!\n * jQuery JavaScript Library v3.3.1\n * https://jquery.com/\n *\n * Includes Sizzle.js\n * https://sizzlejs.com/\n *\n * Copyright JS Foundation and other contributors\n * Released under the MIT license\n * https://jquery.org/license\n *\n * Date: 2018-01-20T17:24Z\n */\n(function(global, factory) {\n\n\t"use strict";\n\n\tif (typeof module === \"object\" && typeof module.exports === \"object\") {\n\n\t\t// For CommonJS and CommonJS-like environments where a proper `window`\n\t\t// is present, execute the factory and get jQuery.\n\t\t// For environments that do not have a `window`\n\t\t// with a `document`\n\t\t// (such as Node.js), expose a factory as module.exports.\n\t\t// This accentuates the need for the creation of a real `window`.\n\t\t// e.g. var jQuery = require(\"jquery\")(window);\n\t\t// See ticket #14549 for more info.\n\t\tmodule.exports = global.document ?\n\t\t\tfactory(global, true) :\n\t\t\tfunction(w) {\n\t\t\t\tif (!w.document) {\n\t\t\t\t\tthrow new Error(\"jQuery requires a window with a document\");\n\t\t\t\t}\n\t\t\t\treturn factory(w);\n\t\t\t};\n\t} else {\n\t\tfactory(global);\n\t}\n\n// Pass this if window is not defined yet\n})(typeof window !== \"undefined\" ? window : this, function(window, noGlobal) {\n\n// Edge <= 12 - 13+, Firefox <=18 - 45+, IE 10 - 11, Safari 5.1 - 9+, iOS 6 - 9.1\n// throw exceptions when non-strict code (e.g., ASP.NET 4.5) accesses strict mode\n// arguments.callee.caller (trac-13335). But as of jQuery 3.0 (2016), strict mode should be common\n// enough that all such attempts are guarded in a try block.\n\"use strict\";\n\nvar arr = [];\n\nvar document = window.document;\n\nvar getProto = Object.getPrototypeOf;\n\nvar slice = arr.slice;\n\nvar concat = arr.concat;\n\nvar push = arr.push;\n\nvar indexOf = arr.indexOf;\n\nvar class2type = {};\n\nvar toString = class2type.toString;\n\nvar hasOwn = class2type.hasOwnProperty;\n\nvar fnToString = hasOwn.toString;\n\nvar ObjectFunctionString = fnToString.call(Object);\n\nvar support = {};\n\nvar isFunction = function isFunction(obj) {\n\n   // Support: Chrome <=57, Firefox <=52\n   // In some browsers, typeof returns \"function\" for HTML <object> elements\n   // (i.e., `typeof document.createElement( \"object\" ) === \"function\"`).\n   // We don't want to classify *any* DOM node as a function.\n   return typeof obj === \"function\" && typeof obj.nodeType !== \"number\";\n };\n\n\nvar isWindow = function isWindow(obj) {\n\t\treturn obj != null && obj === obj.window;\n\t};\n\n\n\n\n\tvar preservedScriptAttributes = {\n\t\ttype: true,\n\t\tsrc: true,\n\t\tnoModule: true\n\t};\n\n\tfunction DOMEval(code, doc, node) {\n\t\tdoc = doc || document;\n\n\t\tvar i,\n\t\t\tscript = doc.createElement(\"script\");\n\n\t\tscript.text = code;\n\t\tif (node) {\n\t\t\tfor (i in preservedScriptAttributes) {\n\t\t\t\tif (node[i]) {\n\t\t\t\t\tscript[i] = node[i];\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t\tdoc.head.appendChild(script).parentNode.removeChild(script);\n\t}\n\n\nfunction toType(obj) {\n\tif (obj == null) {\n\t\treturn obj + \"\";\n\t}\n\n\t// Support: Android <=2.3 only (functionish RegExp)\n\treturn typeof obj === \"object\" || typeof obj === \"function\" ?\n\t\tclass2type[toString.call(obj)] || \"object\" :\n\t\ttypeof obj;\n}\n/* global Symbol */\n// Defining this global in .eslintrc.json would create a danger of using the global\n// unguarded in another place, it seems safer to define global only for this module\n\n\n\nvar\n\tversion = \"3.3.1\",\n\n\t// Define a local copy of jQuery\n\tjQuery = function(selector, context) {\n\n\t\t// The jQuery object is actually just the init constructor 'enhanced'\n\t\t// Need init if jQuery is called (just allow error to be thrown if not included)\n\t\treturn new jQuery.fn.init(selector, context);\n\t},\n\n\t// Support: Android <=4.0 only\n\t// Make sure we trim BOM and NBSP\n\trtrim = /^[\\s\\uFEFF\\xA0]+|[\\s\\uFEFF\\xA0]+$/g;\n\njQuery.fn = jQuery.prototype = {\n\n\t// The current version of jQuery being used\n\tjquery: version,\n\n\tconstructor: jQuery,\n\n\t// The default length of a jQuery object is 0\n\tlength: 0,\n\n\ttoArray: function() {\n\t\treturn slice.call(this);\n\t},\n\n\t// Get the Nth element in the matched element set OR\n\t// Get the whole matched element set as a clean array\n\tget: function(num)

{\n\n\t\t// Return all the elements in a clean array\n\t\tif (num == null) {\n\t\t\treturn slice.call(this);\n\t\t}\n\n\t\t// Return just the one element from the set\n\t\treturn num < 0 ? this[num + this.length] : this[num];\n\t},\n\n\t// Take an array of elements and push it onto the stack\n\t// (returning the new matched element set)\n\tpushStack: function(elems) {\n\n\t\t// Build a new jQuery matched element set\n\t\tvar ret = jQuery.merge(this.constructor(), elems);\n\n\t\t// Add the old object onto the stack (as a reference)\n\t\tret.prevObject = this;\n\n\t\t// Return the newly-formed element set\n\t\treturn ret;\n\t},\n\n\t// Execute a callback for every element in the matched set.\n\teach: function(callback) {\n\t\treturn jQuery.each(this, callback);\n\t},\n\n\tmap: function(callback) {\n\t\treturn this.pushStack(jQuery.map(this, function(elem, i) {\n\t\t\treturn callback.call(elem, i, elem);\n\t\t}));\n\t},\n\n\tslice: function() {\n\t\treturn this.pushStack(slice.apply(this, arguments));\n\t},\n\n\tfirst: function() {\n\t\treturn this.eq(0);\n\t},\n\n\tlast: function() {\n\t\treturn this.eq(-1);\n\t},\n\n\teq: function(i) {\n\t\tvar len = this.length,\n\t\t\tj = +i + (i < 0 ? len : 0);\n\t\treturn this.pushStack(j >= 0 && j < len ? [this[j]] : []);\n\t},\n\n\tend: function() {\n\t\treturn this.prevObject || this.constructor();\n\t},\n\n\t// For internal use only.\n\t// Behaves like an Array's method, not like a jQuery method.\n\tpush: push,\n\tsort: arr.sort,\n\tsplice: arr.splice\n};\n\njQuery.extend = jQuery.fn.extend = function() {\n\tvar options, name, src, copy, copyIsArray, clone,\n\t\ttarget = arguments[0] || {},\n\t\ti = 1,\n\t\tlength = arguments.length,\n\t\tdeep = false;\n\n\t// Handle a deep copy situation\n\tif (typeof target === \"boolean\") {\n\t\tdeep = target;\n\n\t\t// Skip the boolean and the target\n\t\ttarget = arguments[i] || {};\n\t\ti++;\n\t}\n\n\t// Handle case when target is a string or something (possible in deep copy)\n\tif (typeof target !== \"object\" && !isFunction(target)) {\n\t\ttarget = {};\n\t}\n\n\t// Extend jQuery itself if only one argument is passed\n\tif (i === length) {\n\t\ttarget = this;\n\t\ti--;\n\t}\n\n\tfor (; i < length; i++) {\n\n\t\t// Only deal with non-null/undefined values\n\t\tif ((options = arguments[i]) != null) {\n\n\t\t\t// Extend the base object\n\t\t\tfor (name in options) {\n\t\t\t\tsrc = target[name];\n\t\t\t\tcopy = options[name];\n\n\t\t\t\t// Prevent never-ending loop\n\t\t\t\tif (target === copy) {\n\t\t\t\t\tcontinue;\n\t\t\t\t}\n\n\t\t\t\t// Recurse if we're merging plain objects or arrays\n\t\t\t\tif (deep && copy && (jQuery.isPlainObject(copy) ||\n\t\t\t\t\t(copyIsArray = Array.isArray(copy)))) {\n\n\t\t\t\t\tif (copyIsArray) {\n\t\t\t\t\t\tcopyIsArray = false;\n\t\t\t\t\t\tclone = src && Array.isArray(src) ? src : [];\n\t\t\t\t\t} else {\n\t\t\t\t\t\tclone = src && jQuery.isPlainObject(src) ? src : {};\n\t\t\t\t\t}\n\n\t\t\t\t\t// Never move original objects, clone them\n\t\t\t\t\ttarget[name] = jQuery.extend(deep, clone, copy);\n\n\t\t\t\t// Don't bring in undefined values\n\t\t\t\t} else if (copy !== undefined) {\n\t\t\t\t\ttarget[name] = copy;\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t}\n\n\t// Return the modified object\n\treturn target;\n};\n\njQuery.extend({\n\n\t// Unique for each copy of jQuery on the page\n\texpando: \"jQuery\" + (version + Math.random()).replace(/\D/g, \"\"),\n\n\t// Assume jQuery is ready without the ready module\n\tisReady: true,\n\n\terror: function(msg) {\n\t\tthrow new Error(msg);\n\t},\n\n\tnoop: function() {},\n\n\tisPlainObject: function(obj) {\n\t\tvar proto, Ctor;\n\n\t\t// Detect obvious negatives\n\t\t// Use toString instead of jQuery.type to catch host objects\n\t\tif (!obj || toString.call(obj) !== \"[object Object]\") {\n\t\t\treturn false;\n\t\t}\n\n\t\tproto = getProto(obj);\n\n\t\t// Objects with no prototype (e.g., `Object.create( null )`) are plain\n\t\tif (!proto) {\n\t\t\treturn true;\n\t\t}\n\n\t\t// Objects with prototype are plain iff they were constructed by a global Object function\n\t\tCtor = hasOwn.call(proto, \"constructor\") && proto.constructor;\n\t\treturn typeof Ctor === \"function\" && fnToString.call(Ctor) === ObjectFunctionString;\n\t},\n\n\tisEmptyObject: function(obj) {\n\n\t\t/* eslint-disable no-unused-vars */\n\t\t// See https://github.com/eslint/eslint/issues/6125\n\t\tvar name;\n\n\t\tfor (name in obj) {\n\t\t\treturn false;\n\t\t}\n\t\treturn true;\n\t},\n\n\t// Evaluates a script in a global context\n\tglobalEval: function(code) {\n\t\tDOMEval(code);\n\t},\n\n\teach: function(obj, callback) {\n\t\tvar length, i = 0;\n\n\t\tif (isArrayLike(obj)) {\n\t\t\tlength = obj.length;\n\t\t\tfor (; i < length; i++) {\n\t\t\t\tif (callback.call(obj[i], i, obj[i]) === false) {\n\t\t\t\t\tbreak;\n\t\t\t\t}\n\t\t\t}\n\t\t} else {\n\t\t\tfor (i in obj) {\n\t\t\t\tif (callback.call(obj[i], i, obj[i]) === false) {\n\t\t\t\t\tbreak;\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t\treturn obj;\n\t},\n\n\t// Support: Android <=4.0 only\n\ttrim: function(text) {\n\t\treturn text == null ?\n\t\t\t\"\" :\n\t\t\t(text + \"\").replace(rtrim, \"\");\n\t},\n\n\t// results is for internal usage only\n\tmakeArray: function(arr, results) {\n\t\tvar ret = results || [];\n\n\t\tif (arr != null) {\n\t\t\tif (isArrayLike(Object(arr))) {\n\t\t\t\tjQuery.merge(ret,\n\t\t\t\t\ttypeof arr === \"string\" ?\n\t\t\t\t\t[arr] : arr\n\t\t\t\t);\n\t\t\t} else {\n\t\t\t\tpush.call(ret, arr);\n\t\t\t}\n\t\t}\n\n\t\treturn ret;\n\t},\n\n\tinArray: function(elem, arr, i) {\n\t\treturn arr == null ? -1 : indexOf.call(

arr, elem, i);\n\t},\n\n\t// Support: Android <=4.0 only, PhantomJS 1 only\n\t// push.apply(_, arraylike) throws on ancient WebKit\n\tmerge: function(first, second) {\n\t\tvar len = +second.length,\n\t\t\tj = 0,\n\t\t\ti = first.length;\n\n\t\tfor (; j < len; j++) {\n\t\t\tfirst[i++] = second[j];\n\t\t}\n\n\t\tfirst.length = i;\n\n\t\treturn first;\n\t},\n\n\tgrep: function(elems, callback, invert) {\n\t\tvar callbackInverse,\n\t\t\tmatches = [],\n\t\t\ti = 0,\n\t\t\tlength = elems.length,\n\t\t\tcallbackExpect = !invert;\n\t\t\t// Go through the array, only saving the items\n\t\t\t// that pass the validator function\n\t\tfor (; i < length; i++) {\n\t\t\tcallbackInverse = !callback(elems[i], i);\n\t\t\tif (callbackInverse !== callbackExpect) {\n\t\t\t\tmatches.push(elems[i]);\n\t\t\t}\n\t\t}\n\n\t\treturn matches;\n\t},\n\n\t// arg is for internal usage only\n\tmap: function(elems, callback, arg) {\n\t\tvar length,\n\t\t\tvalue,\n\t\t\ti = 0,\n\t\t\tret = [];\n\n\t\t\t// Go through the array, translating each of the items to their new values\n\t\tif (isArrayLike(elems)) {\n\t\t\tlength = elems.length;\n\t\t\tfor (; i < length; i++) {\n\t\t\t\tvalue = callback(elems[i], i, arg);\n\n\t\t\t\tif (value != null) {\n\t\t\t\t\tret.push(value);\n\t\t\t\t}\n\t\t\t}\n\n\t\t\t// Go through every key on the object,\n\t\t} else {\n\t\t\tfor (i in elems) {\n\t\t\t\tvalue = callback(elems[i], i, arg);\n\n\t\t\t\tif (value != null) {\n\t\t\t\t\tret.push(value);\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t\t// Flatten any nested arrays\n\t\treturn concat.apply([], ret);\n\t},\n\n\t// A global GUID counter for objects\n\tguid: 1,\n\n\t// jQuery.support is not used in Core but other projects attach their\n\t// properties to it so it needs to exist.\n\tsupport: support\n});\n\nif (typeof Symbol === \"function\") {\n\tjQuery.fn[Symbol.iterator] = arr[Symbol.iterator];\n}\n\n// Populate the class2type map\njQuery.each(\"Boolean Number String Function Array Date RegExp Object Error Symbol\".split(\" \"),\nfunction(i, name) {\n\tclass2type[\"[object \" + name + \"]\"] = name.toLowerCase();\n});\n\nfunction isArrayLike(obj) {\n\n\t// Support: real iOS 8.2 only (not reproducible in simulator)\n\t// `in` check used to prevent JIT error (gh-2145)\n\t// hasOwn isn't used here due to false negatives\n\t// regarding Nodelist length in IE\n\tvar length = !!obj && \"length\" in obj && obj.length,\n\t\ttype = toType(obj);\n\n\tif (isFunction(obj) || isWindow(obj)) {\n\t\treturn false;\n\t}\n\n\treturn type === \"array\" || length === 0 ||\n\t\ttypeof length === \"number\" && length > 0 && (length - 1) in obj;\n}\nvar Sizzle =\n/*!\n * Sizzle CSS Selector Engine v2.3.3\n * https://sizzlejs.com/\n *\n * Copyright jQuery Foundation and other contributors\n * Released under the MIT license\n * http://jquery.org/license\n *\n * Date: 2016-08-08\n */\n(function(window) {\n\nvar i,\n\tsupport,\n\tExpr,\n\tgetText,\n\tisXML,\n\ttokenize,\n\tcompile,\n\tselect,\n\toutermostContext,\n\tsortInput,\n\thasDuplicate,\n\n\t// Local document vars\n\tsetDocument,\n\tdocument,\n\tdocElem,\n\tdocumentIsHTML,\n\trbuggyQSA,\n\trbuggyMatches,\n\tmatches,\n\tcontains,\n\n\t// Instance-specific data\n\texpando = \"sizzle\" + 1 * new Date(),\n\tpreferredDoc = window.document,\n\tdirruns = 0,\n\tdone = 0,\n\tclassCache = createCache(),\n\ttokenCache = createCache(),\n\tcompilerCache = createCache(),\n\tsortOrder = function(a, b) {\n\t\tif (a === b) {\n\t\t\thasDuplicate = true;\n\t\t}\n\t\treturn 0;\n\t},\n\n\t// Instance methods\n\thasOwn = ({}).hasOwnProperty,\n\tarr = [],\n\tpop = arr.pop,\n\tpush_native = arr.push,\n\tpush = arr.push,\n\tslice = arr.slice,\n\t// Use a stripped-down indexOf as it's faster than native\n\t// https://jsperf.com/thor-indexof-vs-for/5\n\tindexOf = function(list, elem) {\n\t\tvar i = 0,\n\t\t\tlen = list.length;\n\t\tfor (; i < len; i++) {\n\t\t\tif (list[i] === elem) {\n\t\t\t\treturn i;\n\t\t\t}\n\t\t}\n\t\treturn -1;\n\t},\n\n\tbooleans = \"checked|selected|async|autofocus|autoplay|controls|defer|disabled|hidden|ismap|loop|multiple|open|readonly|required|scoped\",\n\n\t// Regular expressions\n\n\t// http://www.w3.org/TR/css3-selectors/#whitespace\n\twhitespace = \"[\\\\x20\\\\t\\\\r\\\\n\\\\f]\",\n\n\t// http://www.w3.org/TR/CSS21/syndata.html#value-def-identifier\n\tidentifier = \"(?:\\\\\\\\.|[\\\\w-]|[^\\0-\\\\xa0])+\",\n\n\t// Attribute selectors: http://www.w3.org/TR/selectors/#attribute-selectors\n\tattributes = \"\\\\[\" + whitespace + \"*(\" + identifier + \")(?:\" + whitespace +\n\t\t// Operator (capture 2)\n\t\t\"*([*^$|!~]?=)\" + whitespace +\n\t\t// \"Attribute values must be CSS identifiers [capture 5] or strings [capture 3 or capture 4]\"\n\t\t\"*(?:'((?:\\\\\\\\.|[^\\\\\\\\'])*)'|\\\"((?:\\\\\\\\.|[^\\\\\\\\\"])*)\\\"|(\" + identifier + \"))|)\" + whitespace +\n\t\t\"*\\\\]\",\n\n\tpseudos = \":(\" + identifier + \")(?:\\\\((\" +\n\t\t// To reduce the number of selectors needing tokenize in the preFilter, prefer arguments:\n\t\t// 1. quoted (capture 3; capture 4 or capture 5)\n\t\t\"('((?:\\\\\\\\.|[^\\\\\\\\'])*)'|\\\"((?:\\\\\\\\.|[^\\\\\\\\\"])*)\\\")|\" +\n\t\t// 2. simple (capture 6)\n\t\t\"((?:\\\\\\\\.|[^\\\\\\\\()[\\\\]]|\" + attributes + \")*)|\" +\n\t\t// 3. anything else (capture 2)\n\t\t\".*\" +\n\t\t\")\\\\)|)\",\n\n\t// Leading and non-escaped trailing whitespace, capturing some non-whitespace characters

preceding the latter\n\trwhitespace = new RegExp(whitespace + \"+\", \"g\"),\n\trtrim = new RegExp(\"^\" + whitespace + \"+|((?:^|[^\\\\\\\\\\\\])(?:\\\\\\\\.)*)\" + whitespace + \"+$\", \"g\"),\n\n\trcomma = new RegExp(\"^\" + whitespace + \"*,\" + whitespace + \"*\"),\n\trcombinators = new RegExp(\"^\" + whitespace + \"*([>+~]|\" + whitespace + \")\" + whitespace + \"*\"),\n\trattributeQuotes = new RegExp(\"=\" + whitespace + \"*([^\\\\]'\\\"]*?)\" + whitespace + \"*\\\\]\", \"g\"),\n\n\trpseudo = new RegExp(pseudos),\n\tridentifier = new RegExp(\"^\" + identifier + \"$\"),\n\n\tmatchExpr = {\n\t\t\"ID\": new RegExp(\"^#(\" + identifier + \")\"),\n\t\t\"CLASS\": new RegExp(\"^\\\\.(\" + identifier + \")\"),\n\t\t\"TAG\": new RegExp(\"^(\" + identifier + \"|[*])\"),\n\t\t\"ATTR\": new RegExp(\"^\" + attributes),\n\t\t\"PSEUDO\": new RegExp(\"^\" + pseudos),\n\t\t\"CHILD\": new RegExp(\"^:(only|first|last|nth|nth-last)-(child|of-type)(?:\\\\(\" + whitespace +\n\t\t\t\"*(even|odd|(([+-]|)(\\\\d*)n)|)\" + whitespace + \"*(?:([+-]|)\" + whitespace +\n\t\t\t\"*(\\\\d+)|))\" + whitespace + \"*\\\\)|)\", \"i\"),\n\t\t\"bool\": new RegExp(\"^(?:\" + booleans + \")$\", \"i\"),\n\t\t// For use in libraries implementing .is()\n\t\t// We use this for POS matching in `select`\n\t\t\"needsContext\": new RegExp(\"^\" + whitespace + \"*[>+~]|:(even|odd|eq|gt|lt|nth|first|last)(?:\\\\(\" +\n\t\t\twhitespace + \"*((?:-\\\\d)?\\\\d*)\" + whitespace + \"*\\\\)|)(?=[^-]|$)\", \"i\")\n\t},\n\n\trinputs = /^(?:input|select|textarea|button)$/i,\n\trheader = /^h\\d$/i,\n\n\trnative = /^[^{]+\\{\\s*\\[native \\w/,\n\n\t// Easily-parseable/retrievable ID or TAG or CLASS selectors\n\trquickExpr = /^(?:#([\\w-]+)|(\\w+)|\\.([\\w-]+))$/,\n\n\trsibling = /[+~]/,\n\n\t// CSS escapes\n\t// http://www.w3.org/TR/CSS21/syndata.html#escaped-characters\n\trunescape = new RegExp(\"\\\\\\\\([\\\\da-f]{1,6}\" + whitespace + \"?|(\" + whitespace + \")|.)\", \"ig\"),\n\tfunescape = function(_, escaped, escapedWhitespace) {\n\t\tvar high = \"0x\" + escaped - 0x10000;\n\t\t// NaN means non-codepoint\n\t\t// Support: Firefox<24\n\t\t// Workaround erroneous numeric interpretation of +\"0x\"\n\t\treturn high !== high || escapedWhitespace ?\n\t\t\tescaped :\n\t\t\thigh < 0 ?\n\t\t\t\t// BMP codepoint\n\t\t\t\tString.fromCharCode(high + 0x10000) :\n\t\t\t\t// Supplemental Plane codepoint (surrogate pair)\n\t\t\t\tString.fromCharCode(high >> 10 | 0xD800, high & 0x3FF | 0xDC00);\n\t},\n\n\t// CSS string/identifier serialization\n\t// https://drafts.csswg.org/cssom/#common-serializing-idioms\n\trcssescape = /([\\0-\\x1f\\x7f]|^-?\\d)|^-$|[^\\0-\\x1f\\x7f-\\uFFFF\\w-]/g,\n\tfcssescape = function(ch, asCodePoint) {\n\t\tif (asCodePoint) {\n\t\t\t// U+0000 NULL becomes U+FFFD REPLACEMENT CHARACTER\n\t\t\tif (ch === \"\\0\") {\n\t\t\t\treturn \"\\uFFFD\";\n\t\t\t}\n\n\t\t\t// Control characters and (dependent upon position) numbers get escaped as code points\n\t\t\treturn ch.slice(0, -1) + \"\\\\\" + ch.charCodeAt(ch.length - 1).toString(16) + \" \";\n\t\t}\n\n\t\t// Other potentially-special ASCII characters get backslash-escaped\n\t\treturn \"\\\\\" + ch;\n\t},\n\n\t// Used for iframes\n\t// See setDocument()\n\t// Removing the function wrapper causes a \"Permission Denied\"\n\t// error in IE\n\tunloadHandler = function() {\n\t\tsetDocument();\n\t},\n\n\tdisabledAncestor = addCombinator(\n\t\tfunction(elem) {\n\t\t\treturn elem.disabled === true && (\"form\" in elem || \"label\" in elem);\n\t\t},\n\t\t{ dir: \"parentNode\", next: \"legend\" }\n\t);\n\n// Optimize for push.apply(_, NodeList)\ntry {\n\tpush.apply(\n\t\t(arr = slice.call(preferredDoc.childNodes)),\n\t\tpreferredDoc.childNodes\n\t);\n\t// Support: Android<4.0\n\t// Detect silently failing push.apply\n\tarr[preferredDoc.childNodes.length].nodeType;\n} catch (e) {\n\tpush = { apply: arr.length ?\n\n\t\t// Leverage slice if possible\n\t\tfunction(target, els) {\n\t\t\tpush_native.apply(target, slice.call(els));\n\t\t} :\n\n\t\t// Support: IE<9\n\t\t// Otherwise append directly\n\t\tfunction(target, els) {\n\t\t\tvar j = target.length,\n\t\t\t\ti = 0;\n\t\t\t// Can't trust NodeList.length\n\t\t\twhile ((target[j++] = els[i++])) {}\n\t\t\ttarget.length = j - 1;\n\t\t}\n\t};\n}\n\nfunction Sizzle(selector, context, results, seed) {\n\tvar m, i, elem, nid, match, groups, newSelector,\n\t\tnewContext = context && context.ownerDocument,\n\n\t\t// nodeType defaults to 9, since context defaults to document\n\t\tnodeType = context ? context.nodeType : 9;\n\n\tresults = results || [];\n\n\t// Return early from calls with invalid selector or context\n\tif (typeof selector !== \"string\" || !selector ||\n\t\tnodeType !== 1 && nodeType !== 9 && nodeType !== 11) {\n\n\t\treturn results;\n\t}\n\n\t// Try to shortcut find operations (as opposed to filters) in HTML documents\n\tif (!seed) {\n\n\t\tif ((context ? context.ownerDocument || context : preferredDoc) !== document) {\n\t\t\tsetDocument(context);\n\t\t}\n\t\tcontext = context || document;\n\n\t\tif (documentIsHTML) {\n\n\t\t\t// If the selector is sufficiently simple, try using a \"get*By*\" DOM method\n\t\t\t// (excepting DocumentFragment context, where the methods don't exist)\n\t\t\tif (nodeType !== 11 && (match = rquickExpr.exec(selector))) {\n\n\t\t\t\t// ID selector\n\t\t\t\tif

((m = match[1])) {\n\n\t\t\t\t\t// Document context\n\t\t\t\t\tif (nodeType === 9) {\n\t\t\t\t\t\tif ((elem = context.getElementById(m))) {\n\n\t\t\t\t\t\t\t// Support: IE, Opera, Webkit\n\t\t\t\t\t\t\t// TODO: identify versions\n\t\t\t\t\t\t\t// getElementById can match elements by name instead of ID\n\t\t\t\t\t\t\tif (elem.id === m) {\n\t\t\t\t\t\t\t\tresults.push(elem);\n\t\t\t\t\t\t\t\treturn results;\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t} else {\n\t\t\t\t\t\t\treturn results;\n\t\t\t\t\t\t}\n\n\t\t\t\t\t// Element context\n\t\t\t\t\t} else {\n\n\t\t\t\t\t\t// Support: IE, Opera, Webkit\n\t\t\t\t\t\t// TODO: identify versions\n\t\t\t\t\t\t// getElementById can match elements by name instead of ID\n\t\t\t\t\t\tif (newContext && (elem = newContext.getElementById(m)) &&\n\t\t\t\t\t\t\tcontains(context, elem) &&\n\t\t\t\t\t\t\telem.id === m) {\n\n\t\t\t\t\t\t\tresults.push(elem);\n\t\t\t\t\t\t\treturn results;\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\n\t\t\t\t// Type selector\n\t\t\t\t} else if (match[2]) {\n\t\t\t\t\tpush.apply(results, context.getElementsByTagName(selector));\n\t\t\t\t\treturn results;\n\n\t\t\t\t// Class selector\n\t\t\t\t} else if ((m = match[3]) && support.getElementsByClassName &&\n\t\t\t\t\tcontext.getElementsByClassName) {\n\n\t\t\t\t\tpush.apply(results, context.getElementsByClassName(m));\n\t\t\t\t\treturn results;\n\t\t\t\t}\n\t\t\t}\n\n\t\t\t// Take advantage of querySelectorAll\n\t\t\tif (support.qsa &&\n\t\t\t\t!compilerCache[selector + " "] &&\n\t\t\t\t(!rbuggyQSA || !rbuggyQSA.test(selector))) {\n\n\t\t\t\tif (nodeType !== 1) {\n\t\t\t\t\tnewContext = context;\n\t\t\t\t\tnewSelector = selector;\n\t\t\t\t\t// qSA looks outside Element context, which is not what we want\n\t\t\t\t\t// Thanks to Andrew Dupont for this workaround technique\n\t\t\t\t\t// Support: IE <=8\n\t\t\t\t\t// Exclude object elements\n\t\t\t\t} else if (context.nodeName.toLowerCase() !== "object") {\n\n\t\t\t\t\t// Capture the context ID, setting it first if necessary\n\t\t\t\t\tif ((nid = context.getAttribute("id"))) {\n\t\t\t\t\t\tnid = nid.replace(rcssescape, fcssescape);\n\t\t\t\t\t} else {\n\t\t\t\t\t\tcontext.setAttribute("id", (nid = expando));\n\t\t\t\t\t}\n\n\t\t\t\t\t// Prefix every selector in the list\n\t\t\t\t\tgroups = tokenize(selector);\n\t\t\t\t\ti = groups.length;\n\t\t\t\t\twhile (i--) {\n\t\t\t\t\t\tgroups[i] = "#" + nid + " " + toSelector(groups[i]);\n\t\t\t\t\t}\n\t\t\t\t\tnewSelector = groups.join(",");\n\n\t\t\t\t\t// Expand context for sibling selectors\n\t\t\t\t\tnewContext = rsibling.test(selector) && testContext(context.parentNode) ||\n\t\t\t\t\t\tcontext;\n\t\t\t\t}\n\n\t\t\t\tif (newSelector) {\n\t\t\t\t\ttry {\n\t\t\t\t\t\tpush.apply(results,\n\t\t\t\t\t\t\tnewContext.querySelectorAll(newSelector)\n\t\t\t\t\t\t);\n\t\t\t\t\t\treturn results;\n\t\t\t\t\t} catch (qsaError) {\n\t\t\t\t\t} finally {\n\t\t\t\t\t\tif (nid === expando) {\n\t\t\t\t\t\t\tcontext.removeAttribute("id");\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t}\n\n\t// All others\n\treturn select(selector.replace(rtrim, "$1"), context, results, seed);\n}\n\n/**\n * Create key-value caches of limited size\n * @returns {function(string, object)} Returns the Object data after storing it on itself with\n *\tproperty name the (space-suffixed) string and (if the cache is larger than Expr.cacheLength)\n *\tdeleting the oldest entry\n */\nfunction createCache() {\n\tvar keys = [];\n\n\tfunction cache(key, value) {\n\t\t// Use (key + " ") to avoid collision with native prototype properties (see Issue #157)\n\t\tif (keys.push(key + " ") > Expr.cacheLength) {\n\t\t\t// Only keep the most recent entries\n\t\t\tdelete cache[keys.shift()];\n\t\t}\n\t\treturn (cache[key + " "] = value);\n\t}\n\treturn cache;\n}\n\n/**\n * Mark a function for special use by Sizzle\n * @param {Function} fn The function to mark\n */\nfunction markFunction(fn) {\n\tfn[expando] = true;\n\treturn fn;\n}\n\n/**\n * Support testing using an element\n * @param {Function} fn Passed the created element and returns a boolean result\n */\nfunction assert(fn) {\n\tvar el = document.createElement("fieldset");\n\n\ttry {\n\t\treturn !!fn(el);\n\t} catch (e) {\n\t\treturn false;\n\t} finally {\n\t\t// Remove from its parent by default\n\t\tif (el.parentNode) {\n\t\t\tel.parentNode.removeChild(el);\n\t\t}\n\t\t// release memory in IE\n\t\tel = null;\n\t}\n}\n\n/**\n * Adds the same handler for all of the specified attrs\n * @param {String} attrs Pipe-separated list of attributes\n * @param {Function} handler The method that will be applied\n */\nfunction addHandle(attrs, handler) {\n\tvar arr = attrs.split("|"),\n\t\ti = arr.length;\n\n\twhile (i--) {\n\t\tExpr.attrHandle[arr[i]] = handler;\n\t}\n}\n\n/**\n * Checks document order of two siblings\n * @param {Element} a\n * @param {Element} b\n * @returns {Number} Returns less than 0 if a precedes b, greater than 0 if a follows b\n */\nfunction siblingCheck(a, b) {\n\tvar cur = b && a,\n\t\tdiff = cur && a.nodeType === 1 && b.nodeType === 1 &&\n\t\t\ta.sourceIndex - b.sourceIndex;\n\n\t// Use IE sourceIndex if available on both nodes\n\tif (diff) {\n\t\treturn diff;\n\t}\n\n\t// Check if b follows a\n\tif (cur) {\n\t\twhile ((cur = cur.nextSibling)) {\n\t\t\tif (cur === b) {\n\t\t\t\treturn -1;\n\t\t\t}\n\t\t}\n\t}\n\n\treturn a ? 1 : -1;\n}\n\n/**\n * Returns a function to use in pseudos for input types\n * @param {String} type\n */\nfunction

createInputPseudo(type) {\n\treturn function(elem) {\n\t\tvar name = elem.nodeName.toLowerCase();\n\t\treturn name === \"input\" && elem.type === type;\n\t};\n}\n\n/**\n * Returns a function to use in pseudos for buttons\n * @param {String} type\n */\nfunction createButtonPseudo(type) {\n\treturn function(elem) {\n\t\tvar name = elem.nodeName.toLowerCase();\n\t\treturn (name === \"input\" || name === \"button\") && elem.type === type;\n\t};\n}\n\n/**\n * Returns a function to use in pseudos for :enabled/:disabled\n * @param {Boolean} disabled true for :disabled; false for :enabled\n */\nfunction createDisabledPseudo(disabled) {\n\n\t// Known :disabled false positives: fieldset[disabled] > legend:nth-of-type(n+2) :can-disable\n\treturn function(elem) {\n\n\t\t// Only certain elements can match :enabled or :disabled\n\t\t// https://html.spec.whatwg.org/multipage/scripting.html#selector-enabled\n\t\t// https://html.spec.whatwg.org/multipage/scripting.html#selector-disabled\n\t\tif (\"form\" in elem) {\n\n\t\t\t// Check for inherited disabledness on relevant non-disabled elements:\n\t\t\t// * listed form-associated elements in a disabled fieldset\n\t\t\t//   https://html.spec.whatwg.org/multipage/forms.html#category-listed\n\t\t\t//   https://html.spec.whatwg.org/multipage/forms.html#concept-fe-disabled\n\t\t\t// * option elements in a disabled optgroup\n\t\t\t//   https://html.spec.whatwg.org/multipage/forms.html#concept-option-disabled\n\t\t\t// All such elements have a \"form\" property.\n\t\t\tif (elem.parentNode && elem.disabled === false) {\n\n\t\t\t\t// Option elements defer to a parent optgroup if present\n\t\t\t\tif (\"label\" in elem) {\n\t\t\t\t\tif (\"label\" in elem.parentNode) {\n\t\t\t\t\t\treturn elem.parentNode.disabled === disabled;\n\t\t\t\t\t} else {\n\t\t\t\t\t\treturn elem.disabled === disabled;\n\t\t\t\t\t}\n\t\t\t\t}\n\n\t\t\t\t// Support: IE 6 - 11\n\t\t\t\t// Use the isDisabled shortcut property to check for disabled fieldset ancestors\n\t\t\t\treturn elem.isDisabled === disabled ||\n\n\t\t\t\t\t// Where there is no isDisabled, check manually\n\t\t\t\t\t/* jshint -W018 */\n\t\t\t\t\telem.isDisabled !== !disabled &&\n\t\t\t\t\t\tdisabledAncestor(elem) === disabled;\n\t\t\t}\n\n\t\t\treturn elem.disabled === disabled;\n\n\t\t// Try to winnow out elements that can't be disabled before trusting the disabled property.\n\t\t// Some victims get caught in our net (label, legend, menu, track), but it shouldn't\n\t\t// even exist on them, let alone have a boolean value.\n\t\t} else if (\"label\" in elem) {\n\t\t\treturn elem.disabled === disabled;\n\t\t}\n\n\t\t// Remaining elements are neither :enabled nor :disabled\n\t\treturn false;\n\t};\n}\n\n/**\n * Returns a function to use in pseudos for positionals\n * @param {Function} fn\n */\nfunction createPositionalPseudo(fn) {\n\treturn markFunction(function(argument) {\n\t\targument = +argument;\n\t\treturn markFunction(function(seed, matches) {\n\t\t\tvar j,\n\t\t\t\tmatchIndexes = fn([], seed.length, argument),\n\t\t\t\ti = matchIndexes.length;\n\n\t\t\t// Match elements found at the specified indexes\n\t\t\twhile (i--) {\n\t\t\t\tif (seed[(j = matchIndexes[i])]) {\n\t\t\t\t\tseed[j] = !(matches[j] = seed[j]);\n\t\t\t\t}\n\t\t\t}\n\t\t});\n\t});\n}\n\n/**\n * Checks a node for validity as a Sizzle context\n * @param {Element|Object=} context\n * @returns {Element|Object|Boolean} The input node if acceptable, otherwise a falsy value\n */\nfunction testContext(context) {\n\treturn context && typeof context.getElementsByTagName !== \"undefined\" && context;\n}\n\n// Expose support vars for convenience\nsupport = Sizzle.support = {};\n\n/**\n * Detects XML nodes\n * @param {Element|Object} elem An element or a document\n * @returns {Boolean} True iff elem is a non-HTML XML node\n */\nisXML = Sizzle.isXML = function(elem) {\n\t// documentElement is verified for cases where it doesn't yet exist\n\t// (such as loading iframes in IE - #4833)\n\tvar documentElement = elem && (elem.ownerDocument || elem).documentElement;\n\treturn documentElement ? documentElement.nodeName !== \"HTML\" : false;\n};\n\n/**\n * Sets document-related variables once based on the current document\n * @param {Element|Object} [doc] An element or document object to use to set the document\n * @returns {Object} Returns the current document\n */\nsetDocument = Sizzle.setDocument = function(node) {\n\tvar hasCompare, subWindow,\n\t\tdoc = node ? node.ownerDocument || node : preferredDoc;\n\n\t// Return early if doc is invalid or already selected\n\tif (doc === document || doc.nodeType !== 9 || !doc.documentElement) {\n\t\treturn document;\n\t}\n\n\t// Update global variables\n\tdocument = doc;\n\tdocElem = document.documentElement;\n\tdocumentIsHTML = !isXML(document);\n\n\t// Support: IE 9-11, Edge\n\t// Accessing iframe documents after unload throws \"permission denied\" errors (jQuery #13936)\n\tif (preferredDoc !== document &&\n\t\t(subWindow = document.defaultView) && subWindow.top !== subWindow) {\n\n\t\t// Support: IE 11, Edge\n\t\tif (subWindow.addEventListener) {\n\t\t\tsubWindow.addEventListener(\"unload\", unloadHandler, false);\n\n\t\t// Support: IE 9 - 10 only\n\t\t} else if (subWindow.attachEvent)

{\n\t\t\tsubWindow.attachEvent(\"onunload\", unloadHandler);\n\t\t}\n\t}\n\n\t/* Attributes\n\t-- */\n\n\t// Support: IE<8\n\t// Verify that getAttribute really returns attributes and not properties\n\t// (excepting IE8 booleans)\n\tsupport.attributes = assert(function(el) {\n\t\tel.className = \"i\";\n\t\treturn !el.getAttribute(\"className\");\n\t});\n\n\t/* getElement(s)By*\n\t-- */\n\n\t// Check if getElementsByTagName(\"*\") returns only elements\n\tsupport.getElementsByTagName = assert(function(el) {\n\t\tel.appendChild(document.createComment(\"\"));\n\t\treturn !el.getElementsByTagName(\"*\").length;\n\t});\n\n\t// Support: IE<9\n\tsupport.getElementsByClassName = rnative.test(document.getElementsByClassName);\n\n\t// Support: IE<10\n\t// Check if getElementById returns elements by name\n\t// The broken getElementById methods don't pick up programmatically-set names,\n\t// so use a roundabout getElementsByName test\n\tsupport.getById = assert(function(el) {\n\t\tdocElem.appendChild(el).id = expando;\n\t\treturn !document.getElementsByName || !document.getElementsByName(expando).length;\n\t});\n\n\t// ID filter and find\n\tif (support.getById) {\n\t\tExpr.filter[\"ID\"] = function(id) {\n\t\t\tvar attrId = id.replace(runescape, funescape);\n\t\t\treturn function(elem) {\n\t\t\t\treturn elem.getAttribute(\"id\") === attrId;\n\t\t\t};\n\t\t};\n\t\tExpr.find[\"ID\"] = function(id, context) {\n\t\t\tif (typeof context.getElementById !== \"undefined\" && documentIsHTML) {\n\t\t\t\tvar elem = context.getElementById(id);\n\t\t\t\treturn elem ? [elem] : [];\n\t\t\t}\n\t\t};\n\t} else {\n\t\tExpr.filter[\"ID\"] = function(id) {\n\t\t\tvar attrId = id.replace(runescape, funescape);\n\t\t\treturn function(elem) {\n\t\t\t\tvar node = typeof elem.getAttributeNode !== \"undefined\" &&\n\t\t\t\t\telem.getAttributeNode(\"id\");\n\t\t\t\treturn node && node.value === attrId;\n\t\t\t};\n\t\t};\n\n\t\t// Support: IE 6 - 7 only\n\t\t// getElementById is not reliable as a find shortcut\n\t\tExpr.find[\"ID\"] = function(id, context) {\n\t\t\tif (typeof context.getElementById !== \"undefined\" && documentIsHTML) {\n\t\t\t\tvar node, i, elems,\n\t\t\t\t\telem = context.getElementById(id);\n\n\t\t\t\tif (elem) {\n\n\t\t\t\t\t// Verify the id attribute\n\t\t\t\t\tnode = elem.getAttributeNode(\"id\");\n\t\t\t\t\tif (node && node.value === id) {\n\t\t\t\t\t\treturn [elem];\n\t\t\t\t\t}\n\n\t\t\t\t\t// Fall back on getElementsByName\n\t\t\t\t\telems = context.getElementsByName(id);\n\t\t\t\t\ti = 0;\n\t\t\t\t\twhile ((elem = elems[i++])) {\n\t\t\t\t\t\tnode = elem.getAttributeNode(\"id\");\n\t\t\t\t\t\tif (node && node.value === id) {\n\t\t\t\t\t\t\treturn [elem];\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t}\n\n\t\t\t\treturn [];\n\t\t\t}\n\t\t};\n\t}\n\n\t// Tag\n\tExpr.find[\"TAG\"] = support.getElementsByTagName ?\n\t\tfunction(tag, context) {\n\t\t\tif (typeof context.getElementsByTagName !== \"undefined\") {\n\t\t\t\treturn context.getElementsByTagName(tag);\n\n\t\t\t// DocumentFragment nodes don't have gEBTN\n\t\t\t} else if (support.qsa) {\n\t\t\t\treturn context.querySelectorAll(tag);\n\t\t\t}\n\t\t} :\n\n\t\tfunction(tag, context) {\n\t\t\tvar elem,\n\t\t\t\ttmp = [],\n\t\t\t\ti = 0,\n\t\t\t\t// By happy coincidence, a (broken) gEBTN appears on DocumentFragment nodes too\n\t\t\t\tresults = context.getElementsByTagName(tag);\n\n\t\t\t// Filter out possible comments\n\t\t\tif (tag === \"*\") {\n\t\t\t\twhile ((elem = results[i++])) {\n\t\t\t\t\tif (elem.nodeType === 1) {\n\t\t\t\t\t\ttmp.push(elem);\n\t\t\t\t\t}\n\t\t\t\t}\n\n\t\t\t\treturn tmp;\n\t\t\t}\n\t\t\treturn results;\n\t\t};\n\n\t// Class\n\tExpr.find[\"CLASS\"] = support.getElementsByClassName && function(className, context) {\n\t\tif (typeof context.getElementsByClassName !== \"undefined\" && documentIsHTML) {\n\t\t\treturn context.getElementsByClassName(className);\n\t\t}\n\t};\n\n\t/* QSA/matchesSelector\n\t-- */\n\n\t// QSA and matchesSelector support\n\n\t// matchesSelector(:active) reports false when true (IE9/Opera 11.5)\n\trbuggyMatches = [];\n\n\t// qSa(:focus) reports false when true (Chrome 21)\n\t// We allow this because of a bug in IE8/9 that throws an error\n\t// whenever `document.activeElement` is accessed on an iframe\n\t// So, we allow :focus to pass through QSA all the time to avoid the IE error\n\t// See https://bugs.jquery.com/ticket/13378\n\trbuggyQSA = [];\n\n\tif ((support.qsa = rnative.test(document.querySelectorAll))) {\n\t\t// Build QSA regex\n\t\t// Regex strategy adopted from Diego Perini\n\t\tassert(function(el) {\n\t\t\t// Select is set to empty string on purpose\n\t\t\t// This is to test IE's treatment of not explicitly\n\t\t\t// setting a boolean content attribute,\n\t\t\t// since its presence should be enough\n\t\t\t// https://bugs.jquery.com/ticket/12359\n\t\t\tdocElem.appendChild(el).innerHTML = \"\" +\n\t\t\t\t\"<select id='\" + expando + \"-\\r\\\\' msallowcapture=''>\" +\n\t\t\t\t\"<option selected=''></option></select>\";\n\n\t\t\t// Support: IE8, Opera 11-12.16\n\t\t\t// Nothing should be selected when

empty strings follow ^= or $= or *=\n\t\t\t// The test attribute must be unknown in Opera but \"safe\" for WinRT\n\t\t\t// https://msdn.microsoft.com/en-us/library/ie/hh465388.aspx#attribute_section\n\t\t\tif (el.querySelectorAll(\"[msallowcapture^=]\").length) {\n\t\t\t\trbuggyQSA.push(\"[*^$]=\" + whitespace + \"*(?:\"|\\\"\\\")\");\n\t\t\t}\n\n\t\t\t// Support: IE8\n\t\t\t// Boolean attributes and \"value\" are not treated correctly\n\t\t\tif (!el.querySelectorAll(\"[selected]\").length) {\n\t\t\t\trbuggyQSA.push(\"\\\\[\" + whitespace + \"*(?:value|\" + booleans + \")\");\n\t\t\t}\n\n\t\t\t// Support: Chrome<29, Android<4.4, Safari<7.0+, iOS<7.0+, PhantomJS<1.9.8+\n\t\t\tif (!el.querySelectorAll(\"[id~=\" + expando + \"-]\").length) {\n\t\t\t\trbuggyQSA.push(\"~=\");\n\t\t\t}\n\n\t\t\t// Webkit/Opera - :checked should return selected option elements\n\t\t\t// http://www.w3.org/TR/2011/REC-css3-selectors-20110929/#checked\n\t\t\t// IE8 throws error here and will not see later tests\n\t\t\tif (!el.querySelectorAll(\":checked\").length) {\n\t\t\t\trbuggyQSA.push(\":checked\");\n\t\t\t}\n\n\t\t\t// Support: Safari 8+, iOS 8+\n\t\t\t// https://bugs.webkit.org/show_bug.cgi?id=136851\n\t\t\t// In-page `selector#id sibling-combinator selector` fails\n\t\t\tif (!el.querySelectorAll(\"a#\" + expando + \"+*\").length) {\n\t\t\t\trbuggyQSA.push(\".#.+[+~]\");\n\t\t\t}\n\t\t});\n\n\t\tassert(function(el) {\n\t\t\tel.innerHTML = \"\" +\n\t\t\t\t\"<select disabled='disabled'><option/></select>\";\n\t\t\t// Support: Windows 8 Native Apps\n\t\t\t// The type and name attributes are restricted during .innerHTML assignment\n\t\t\tvar input = document.createElement(\"input\");\n\t\t\tinput.setAttribute(\"type\", \"hidden\");\n\t\t\tel.appendChild(input).setAttribute(\"name\", \"D\");\n\n\t\t\t// Support: IE8\n\t\t\t// Enforce case-sensitivity of name attribute\n\t\t\tif (el.querySelectorAll(\"[name=d]\").length) {\n\t\t\t\trbuggyQSA.push(\"name\" + whitespace + \"*[*^$|!~]?=\");\n\t\t\t}\n\n\t\t\t// FF 3.5 - :enabled/:disabled and hidden elements (hidden elements are still enabled)\n\t\t\t// IE8 throws error here and will not see later tests\n\t\t\tif (el.querySelectorAll(\":enabled\").length !== 2) {\n\t\t\t\trbuggyQSA.push(\":enabled\", \":disabled\");\n\t\t\t}\n\n\t\t\t// Support: IE9-11+\n\t\t\t// IE's :disabled selector does not pick up the children of disabled fieldsets\n\t\t\tdocElem.appendChild(el).disabled = true;\n\t\t\tif (el.querySelectorAll(\":disabled\").length !== 2) {\n\t\t\t\trbuggyQSA.push(\":enabled\", \":disabled\");\n\t\t\t}\n\n\t\t\t// Opera 10-11 does not throw on post-comma invalid pseudos\n\t\t\tel.querySelectorAll(\"*,:x\");\n\t\t\trbuggyQSA.push(\",.*:\");\n\t\t});\n\t}\n\n\tif ((support.matchesSelector = rnative.test((matches = docElem.matches ||\n\t\tdocElem.webkitMatchesSelector ||\n\t\tdocElem.mozMatchesSelector ||\n\t\tdocElem.oMatchesSelector ||\n\t\tdocElem.msMatchesSelector)))) {\n\n\t\tassert(function(el) {\n\t\t\t// Check to see if it's possible to do matchesSelector\n\t\t\t// on a disconnected node (IE 9)\n\t\t\tsupport.disconnectedMatch = matches.call(el, \"*\");\n\n\t\t\t// This should fail with an exception\n\t\t\t// Gecko does not error, returns false instead\n\t\t\tmatches.call(el, \"[s!='']:x\");\n\t\t\trbuggyMatches.push(\"!=\", pseudos);\n\t\t});\n\t}\n\n\trbuggyQSA = rbuggyQSA.length && new RegExp(rbuggyQSA.join(\"|\"));\n\trbuggyMatches = rbuggyMatches.length && new RegExp(rbuggyMatches.join(\"|\"));\n\n\t/* Contains\n\t-- */\n\thasCompare = rnative.test(docElem.compareDocumentPosition);\n\n\t// Element contains another\n\t// Purposefully self-exclusive\n\t// As in, an element does not contain itself\n\tcontains = hasCompare || rnative.test(docElem.contains) ?\n\t\tfunction(a, b) {\n\t\t\tvar adown = a.nodeType === 9 ? a.documentElement : a,\n\t\t\t\tbup = b && b.parentNode;\n\t\t\treturn a === bup || !!(bup && bup.nodeType === 1 && (\n\t\t\t\tadown.contains ?\n\t\t\t\t\tadown.contains(bup) :\n\t\t\t\t\ta.compareDocumentPosition && a.compareDocumentPosition(bup) & 16\n\t\t\t));\n\t\t} :\n\t\tfunction(a, b) {\n\t\t\tif (b) {\n\t\t\t\twhile ((b = b.parentNode)) {\n\t\t\t\t\tif (b === a) {\n\t\t\t\t\t\treturn true;\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\t\t\treturn false;\n\t\t};\n\n\t/* Sorting\n\t-- */\n\n\t// Document order sorting\n\tsortOrder = hasCompare ?\n\tfunction(a, b) {\n\n\t\t// Flag for duplicate removal\n\t\tif (a === b) {\n\t\t\thasDuplicate = true;\n\t\t\treturn 0;\n\t\t}\n\n\t\t// Sort on method existence if only one input has compareDocumentPosition\n\t\tvar compare = !a.compareDocumentPosition - !b.compareDocumentPosition;\n\t\tif (compare) {\n\t\t\treturn compare;\n\t\t}\n\n\t\t// Calculate position if both inputs belong to the same document\n\t\tcompare = (a.ownerDocument || a) === (b.ownerDocument || b) ?\n\t\t\ta.compareDocumentPosition(b) :\n\n\t\t\t// Otherwise we know they are disconnected\n\t\t\t1;\n\n\t\t// Disconnected nodes\n\t\tif (compare & 1 ||\n\t\t\t(!support.sortDetached && b.compareDocumentPosition(a) ===

compare)) {\n\n\t\t\t// Choose the first element that is related to our preferred document\n\t\t\tif (a === document || a.ownerDocument === preferredDoc && contains(preferredDoc, a)) {\n\t\t\t\treturn -1;\n\t\t\t}\n\t\t\tif (b === document || b.ownerDocument === preferredDoc && contains(preferredDoc, b)) {\n\t\t\t\treturn 1;\n\t\t\t}\n\n\t\t\t// Maintain original order\n\t\t\treturn sortInput ?\n\t\t\t\t(indexOf(sortInput, a) - indexOf(sortInput, b)) :\n\t\t\t\t0;\n\t\t}\n\n\t\treturn compare & 4 ? -1 : 1;\n\t} :\n\tfunction(a, b) {\n\t\t// Exit early if the nodes are identical\n\t\tif (a === b) {\n\t\t\thasDuplicate = true;\n\t\t\treturn 0;\n\t\t}\n\n\t\tvar cur,\n\t\t\ti = 0,\n\t\t\taup = a.parentNode,\n\t\t\tbup = b.parentNode,\n\t\t\tap = [a],\n\t\t\tbp = [b];\n\n\t\t// Parentless nodes are either documents or disconnected\n\t\tif (!aup || !bup) {\n\t\t\treturn a === document ? -1 :\n\t\t\t\tb === document ? 1 :\n\t\t\t\taup ? -1 :\n\t\t\t\tbup ? 1 :\n\t\t\t\tsortInput ?\n\t\t\t\t(indexOf(sortInput, a) - indexOf(sortInput, b)) :\n\t\t\t\t0;\n\n\t\t// If the nodes are siblings, we can do a quick check\n\t\t} else if (aup === bup) {\n\t\t\treturn siblingCheck(a, b);\n\t\t}\n\n\t\t// Otherwise we need full lists of their ancestors for comparison\n\t\tcur = a;\n\t\twhile ((cur = cur.parentNode)) {\n\t\t\tap.unshift(cur);\n\t\t}\n\t\tcur = b;\n\t\twhile ((cur = cur.parentNode)) {\n\t\t\tbp.unshift(cur);\n\t\t}\n\n\t\t// Walk down the tree looking for a discrepancy\n\t\twhile (ap[i] === bp[i]) {\n\t\t\ti++;\n\t\t}\n\n\t\treturn i ?\n\t\t\t// Do a sibling check if the nodes have a common ancestor\n\t\t\tsiblingCheck(ap[i], bp[i]) :\n\n\t\t\t// Otherwise nodes in our document sort first\n\t\t\tap[i] === preferredDoc ? -1 :\n\t\t\tbp[i] === preferredDoc ? 1 :\n\t\t\t0;\n\t};\n\n\treturn document;\n};\n\nSizzle.matches = function(expr, elements) {\n\treturn Sizzle(expr, null, null, elements);\n};\n\nSizzle.matchesSelector = function(elem, expr) {\n\t// Set document vars if needed\n\tif ((elem.ownerDocument || elem) !== document) {\n\t\tsetDocument(elem);\n\t}\n\n\t// Make sure that attribute selectors are quoted\n\texpr = expr.replace(rattributeQuotes, \"='$1']\");\n\n\tif (support.matchesSelector && documentIsHTML &&\n\t\t!compilerCache[expr + \" \"] &&\n\t\t(!rbuggyMatches || !rbuggyMatches.test(expr)) &&\n\t\t(!rbuggyQSA || !rbuggyQSA.test(expr))) {\n\n\t\ttry {\n\t\t\tvar ret = matches.call(elem, expr);\n\n\t\t\t// IE 9's matchesSelector returns false on disconnected nodes\n\t\t\tif (ret || support.disconnectedMatch ||\n\t\t\t\t\t// As well, disconnected nodes are said to be in a document\n\t\t\t\t\t// fragment in IE 9\n\t\t\t\t\telem.document && elem.document.nodeType !== 11) {\n\t\t\t\treturn ret;\n\t\t\t}\n\t\t} catch (e) {}\n\t}\n\n\treturn Sizzle(expr, document, null, [elem]).length > 0;\n};\n\nSizzle.contains = function(context, elem) {\n\t// Set document vars if needed\n\tif ((context.ownerDocument || context) !== document) {\n\t\tsetDocument(context);\n\t}\n\treturn contains(context, elem);\n};\n\nSizzle.attr = function(elem, name) {\n\t// Set document vars if needed\n\tif ((elem.ownerDocument || elem) !== document) {\n\t\tsetDocument(elem);\n\t}\n\n\tvar fn = Expr.attrHandle[name.toLowerCase()],\n\t\t// Don't get fooled by Object.prototype properties (jQuery #13807)\n\t\tval = fn &&\n\t\t\thasOwn.call(Expr.attrHandle, name.toLowerCase()) ?\n\t\t\tfn(elem, name, !documentIsHTML) :\n\t\t\tundefined;\n\n\treturn val !== undefined ?\n\t\tval :\n\t\tsupport.attributes || !documentIsHTML ?\n\t\t\telem.getAttribute(name) :\n\t\t\t(val = elem.getAttributeNode(name)) && val.specified ?\n\t\t\t\tval.value :\n\t\t\t\tnull;\n};\n\nSizzle.escape = function(sel) {\n\treturn (sel + \"\").replace(rcssescape, fcssescape);\n};\n\nSizzle.error = function(msg) {\n\tthrow new Error(\"Syntax error, unrecognized expression: \" + msg);\n};\n\n/**\n * Document sorting and removing duplicates\n * @param {ArrayLike} results\n */\nSizzle.uniqueSort = function(results) {\n\tvar elem,\n\t\tduplicates = [],\n\t\tj = 0,\n\t\ti = 0;\n\n\t// Unless we *know* we can detect duplicates, assume their presence\n\thasDuplicate = !support.detectDuplicates;\n\tsortInput = !support.sortStable && results.slice(0);\n\tresults.sort(sortOrder);\n\n\tif (hasDuplicate) {\n\t\twhile ((elem = results[i++])) {\n\t\t\tif (elem === results[i]) {\n\t\t\t\tj = duplicates.push(i);\n\t\t\t}\n\t\t}\n\t\twhile (j--) {\n\t\t\tresults.splice(duplicates[j], 1);\n\t\t}\n\t}\n\n\t// Clear input after sorting to release objects\n\t// See https://github.com/jquery/sizzle/pull/225\n\tsortInput = null;\n\n\treturn results;\n};\n\n/**\n * Utility function for retrieving the text value of an array of DOM nodes\n * @param {Array|Element} elem\n */\ngetText = Sizzle.getText = function(elem) {\n\tvar node,\n\t\tret = \"\",\n\t\ti = 0,\n\t\tnodeType = elem.nodeType;\n\n\tif (!nodeType) {\n\t\t// If no nodeType, this is expected to be an array\n\t\twhile ((node = elem[i++])) {\n\t\t\t// Do not traverse comment nodes\n\t\t\tret += getText(node);\n\t\t}\n\t} else if (nodeType === 1 || nodeType === 9 || nodeType === 11) {\n\t\t// Use textContent for elements\n\t\t// innerText usage removed for consistency of new lines (jQuery #11153)\n\t\tif (typeof elem.textContent === \"string\") {\n\t\t\treturn elem.textContent;\n\t\t} else

{\n\t\t\t// Traverse its children\n\t\t\tfor (elem = elem.firstChild; elem; elem = elem.nextSibling) {\n\t\t\t\tret += getText(elem);\n\t\t\t}\n\t\t}\n\t} else if (nodeType === 3 || nodeType === 4) {\n\t\treturn elem.nodeValue;\n\t}\n\t// Do not include comment or processing instruction nodes\n\n\treturn ret;\n};\n\nExpr = Sizzle.selectors = {\n\n\t// Can be adjusted by the user\n\tcacheLength: 50,\n\n\tcreatePseudo: markFunction,\n\n\tmatch: matchExpr,\n\n\tattrHandle: {},\n\n\tfind: {},\n\n\trelative: {\n\t\t">": { dir: \"parentNode\", first: true },\n\t\t" ": { dir: \"parentNode\" },\n\t\t"+": { dir: \"previousSibling\", first: true },\n\t\t"~": { dir: \"previousSibling\" }\n\t},\n\n\tpreFilter: {\n\t\t\"ATTR\": function(match) {\n\t\t\tmatch[1] = match[1].replace(runescape, funescape);\n\n\t\t\t// Move the given value to match[3] whether quoted or unquoted\n\t\t\tmatch[3] = (match[3] || match[4] || match[5] || \"\").replace(runescape, funescape);\n\n\t\t\tif (match[2] === \"~=\") {\n\t\t\t\tmatch[3] = \" \" + match[3] + \" \";\n\t\t\t}\n\n\t\t\treturn match.slice(0, 4);\n\t\t},\n\n\t\t\"CHILD\": function(match) {\n\t\t\t/* matches from matchExpr[\"CHILD\"]\n\t\t\t\t1 type (only|nth|...)\n\t\t\t\t2 what (child|of-type)\n\t\t\t\t3 argument (even|odd|\\d*|\\d*n([+-]|\\d+)?|...)\n\t\t\t\t4 xn-component of xn+y argument ([+-]?\\d*n|)\n\t\t\t\t5 sign of xn-component\n\t\t\t\t6 x of xn-component\n\t\t\t\t7 sign of y-component\n\t\t\t\t8 y of y-component\n\t\t\t*/\n\t\t\tmatch[1] = match[1].toLowerCase();\n\n\t\t\tif (match[1].slice(0, 3) === \"nth\") {\n\t\t\t\t// nth-* requires argument\n\t\t\t\tif (!match[3]) {\n\t\t\t\t\tSizzle.error(match[0]);\n\t\t\t\t}\n\n\t\t\t\t// numeric x and y parameters for Expr.filter.CHILD\n\t\t\t\t// remember that false/true cast respectively to 0/1\n\t\t\t\tmatch[4] = +(match[4] ? match[5] + (match[6] || 1) : 2 * (match[3] === \"even\" || match[3] === \"odd\"));\n\t\t\t\tmatch[5] = +((match[7] + match[8]) || match[3] === \"odd\");\n\n\t\t\t\t// other types prohibit arguments\n\t\t\t} else if (match[3]) {\n\t\t\t\tSizzle.error(match[0]);\n\t\t\t}\n\n\t\t\treturn match;\n\t\t},\n\n\t\t\"PSEUDO\": function(match) {\n\t\t\tvar excess,\n\t\t\t\tunquoted = !match[6] && match[2];\n\n\t\t\tif (matchExpr[\"CHILD\"].test(match[0])) {\n\t\t\t\treturn null;\n\t\t\t}\n\n\t\t\t// Accept quoted arguments as-is\n\t\t\tif (match[3]) {\n\t\t\t\tmatch[2] = match[4] || match[5] || \"\";\n\n\t\t\t// Strip excess characters from unquoted arguments\n\t\t\t} else if (unquoted && rpseudo.test(unquoted) &&\n\t\t\t\t// Get excess from tokenize (recursively)\n\t\t\t\t(excess = tokenize(unquoted, true)) &&\n\t\t\t\t// advance to the next closing parenthesis\n\t\t\t\t(excess = unquoted.indexOf(\")\", unquoted.length - excess) - unquoted.length)) {\n\n\t\t\t\t// excess is a negative index\n\t\t\t\tmatch[0] = match[0].slice(0, excess);\n\t\t\t\tmatch[2] = unquoted.slice(0, excess);\n\t\t\t}\n\n\t\t\t// Return only captures needed by the pseudo filter method (type and argument)\n\t\t\treturn match.slice(0, 3);\n\t\t}\n\t},\n\n\tfilter: {\n\n\t\t\"TAG\": function(nodeNameSelector) {\n\t\t\tvar nodeName = nodeNameSelector.replace(runescape, funescape).toLowerCase();\n\t\t\treturn nodeNameSelector === \"*\" ?\n\t\t\t\tfunction() { return true; } :\n\t\t\t\tfunction(elem) {\n\t\t\t\t\treturn elem.nodeName && elem.nodeName.toLowerCase() === nodeName;\n\t\t\t\t};\n\t\t},\n\n\t\t\"CLASS\": function(className) {\n\t\t\tvar pattern = classCache[className + \" \"];\n\n\t\t\treturn pattern ||\n\t\t\t\t(pattern = new RegExp(\"(^|\" + whitespace + \")\" + className + \"(\" + whitespace + \"|$)\")) &&\n\t\t\t\tclassCache(className, function(elem) {\n\t\t\t\t\treturn pattern.test(typeof elem.className === \"string\" && elem.className || typeof elem.getAttribute !== \"undefined\" && elem.getAttribute(\"class\") || \"\");\n\t\t\t\t});\n\t\t},\n\n\t\t\"ATTR\": function(name, operator, check) {\n\t\t\treturn function(elem) {\n\t\t\t\tvar result = Sizzle.attr(elem, name);\n\n\t\t\t\tif (result == null) {\n\t\t\t\t\treturn operator === \"!=\";\n\t\t\t\t}\n\t\t\t\tif (!operator) {\n\t\t\t\t\treturn true;\n\t\t\t\t}\n\n\t\t\t\tresult += \"\";\n\n\t\t\t\treturn operator === \"=\" ? result === check :\n\t\t\t\t\toperator === \"!=\" ? result !== check :\n\t\t\t\t\toperator === \"^=\" ? check && result.indexOf(check) === 0 :\n\t\t\t\t\toperator === \"*=\" ? check && result.indexOf(check) > -1 :\n\t\t\t\t\toperator === \"$=\" ? check && result.slice(-check.length) === check :\n\t\t\t\t\toperator === \"~=\" ? (\" \" + result.replace(rwhitespace, \" \") + \" \").indexOf(check) > -1 :\n\t\t\t\t\toperator === \"|=\" ? result === check || result.slice(0, check.length + 1) === check + \"-\" :\n\t\t\t\t\tfalse;\n\t\t\t};\n\t\t},\n\n\t\t\"CHILD\": function(type, what, argument, first, last) {\n\t\t\tvar simple = type.slice(0, 3) !== \"nth\",\n\t\t\t\tforward = type.slice(-4) !== \"last\",\n\t\t\t\tofType = what === \"of-type\";\n\n\t\t\treturn first === 1 && last === 0 ?\n\n\t\t\t\t// Shortcut for :nth-*(n)\n\t\t\t\tfunction(elem) {\n\t\t\t\t\treturn !!elem.parentNode;\n\t\t\t\t} :\n\n\t\t\t\tfunction(elem, context, xml) {\n\t\t\t\t\tvar cache, uniqueCache, outerCache, node, nodeIndex, start,\n\t\t\t\t\t\tdir = simple !== forward ? \"nextSibling\" : \"previousSibling\",\n\t\t\t\t\t\tparent = elem.parentNode,\n\t\t\t\t\t\tname = ofType &&

elem.nodeName.toLowerCase(),\n\t\t\t\t\tuseCache = !xml && !ofType,\n\t\t\t\t\tdiff = false;\n\n\t\t\t\tif (parent) {\n\n\t\t\t\t\t// :(first|last|only)-(child|of-type)\n\t\t\t\t\tif (simple) {\n\t\t\t\t\t\twhile (dir) {\n\t\t\t\t\t\t\tnode = elem;\n\t\t\t\t\t\t\twhile ((node = node[dir])) {\n\t\t\t\t\t\t\t\tif (ofType ?\n\t\t\t\t\t\t\t\t\tnode.nodeName.toLowerCase() === name :\n\t\t\t\t\t\t\t\t\tnode.nodeType === 1) {\n\n\t\t\t\t\t\t\t\t\treturn false;\n\t\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\t// Reverse direction for :only-* (if we haven't yet done so)\n\t\t\t\t\t\t\tstart = dir = type === \"only\" && !start && \"nextSibling\";\n\t\t\t\t\t\t}\n\t\t\t\t\t\treturn true;\n\t\t\t\t\t}\n\n\t\t\t\t\tstart = [forward ? parent.firstChild : parent.lastChild];\n\n\t\t\t\t\t// non-xml :nth-child(...) stores cache data on `parent`\n\t\t\t\t\tif (forward && useCache) {\n\n\t\t\t\t\t\t// Seek `elem` from a previously-cached index\n\n\t\t\t\t\t\t// ...in a gzip-friendly way\n\t\t\t\t\t\tnode = parent;\n\t\t\t\t\t\touterCache = node[expando] || (node[expando] = {});\n\n\t\t\t\t\t\t// Support: IE <9 only\n\t\t\t\t\t\t// Defend against cloned attroperties (jQuery gh-1709)\n\t\t\t\t\t\tuniqueCache = outerCache[node.uniqueID] ||\n\t\t\t\t\t\t\t(outerCache[node.uniqueID] = {});\n\n\t\t\t\t\t\tcache = uniqueCache[type] || [];\n\t\t\t\t\t\tnodeIndex = cache[0] === dirruns && cache[1];\n\t\t\t\t\t\tdiff = nodeIndex && cache[2];\n\t\t\t\t\t\tnode = nodeIndex && parent.childNodes[nodeIndex];\n\n\t\t\t\t\t\twhile ((node = ++nodeIndex && node && node[dir] ||\n\n\t\t\t\t\t\t\t// Fallback to seeking `elem` from the start\n\t\t\t\t\t\t\t(diff = nodeIndex = 0) || start.pop())) {\n\n\t\t\t\t\t\t\t// When found, cache indexes on `parent` and break\n\t\t\t\t\t\t\tif (node.nodeType === 1 && ++diff && node === elem) {\n\t\t\t\t\t\t\t\tuniqueCache[type] = [dirruns, nodeIndex, diff];\n\t\t\t\t\t\t\t\tbreak;\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t}\n\n\t\t\t\t\t} else {\n\t\t\t\t\t\t// Use previously-cached element index if available\n\t\t\t\t\t\tif (useCache) {\n\t\t\t\t\t\t\t// ...in a gzip-friendly way\n\t\t\t\t\t\t\tnode = elem;\n\t\t\t\t\t\t\touterCache = node[expando] || (node[expando] = {});\n\n\t\t\t\t\t\t\t// Support: IE <9 only\n\t\t\t\t\t\t\t// Defend against cloned attroperties (jQuery gh-1709)\n\t\t\t\t\t\t\tuniqueCache = outerCache[node.uniqueID] ||\n\t\t\t\t\t\t\t\t(outerCache[node.uniqueID] = {});\n\n\t\t\t\t\t\t\tcache = uniqueCache[type] || [];\n\t\t\t\t\t\t\tnodeIndex = cache[0] === dirruns && cache[1];\n\t\t\t\t\t\t\tdiff = nodeIndex;\n\t\t\t\t\t\t}\n\n\t\t\t\t\t\t// xml :nth-child(...)\n\t\t\t\t\t\t// or :nth-last-child(...) or :nth(-last)?-of-type(...)\n\t\t\t\t\t\tif (diff === false) {\n\t\t\t\t\t\t\t// Use the same loop as above to seek `elem` from the start\n\t\t\t\t\t\t\twhile ((node = ++nodeIndex && node && node[dir] ||\n\t\t\t\t\t\t\t\t(diff = nodeIndex = 0) || start.pop())) {\n\n\t\t\t\t\t\t\t\tif ((ofType ?\n\t\t\t\t\t\t\t\t\tnode.nodeName.toLowerCase() === name :\n\t\t\t\t\t\t\t\t\tnode.nodeType === 1) &&\n\t\t\t\t\t\t\t\t\t++diff) {\n\n\t\t\t\t\t\t\t\t\t// Cache the index of each encountered element\n\t\t\t\t\t\t\t\t\tif (useCache) {\n\t\t\t\t\t\t\t\t\t\touterCache = node[expando] || (node[expando] = {});\n\n\t\t\t\t\t\t\t\t\t\t// Support: IE <9 only\n\t\t\t\t\t\t\t\t\t\t// Defend against cloned attroperties (jQuery gh-1709)\n\t\t\t\t\t\t\t\t\t\tuniqueCache = outerCache[node.uniqueID] ||\n\t\t\t\t\t\t\t\t\t\t\t(outerCache[node.uniqueID] = {});\n\n\t\t\t\t\t\t\t\t\t\tuniqueCache[type] = [dirruns, diff];\n\t\t\t\t\t\t\t\t\t}\n\n\t\t\t\t\t\t\t\t\tif (node === elem) {\n\t\t\t\t\t\t\t\t\t\tbreak;\n\t\t\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\n\t\t\t\t\t// Incorporate the offset, then check against cycle size\n\t\t\t\t\tdiff -= last;\n\t\t\t\t\treturn diff === first || (diff % first === 0 && diff / first >= 0);\n\t\t\t\t}\n\t\t\t};\n\t\t},\n\n\t\t"PSEUDO": function(pseudo, argument) {\n\t\t\t// pseudo-class names are case-insensitive\n\t\t\t// http://www.w3.org/TR/selectors/#pseudo-classes\n\t\t\t// Prioritize by case sensitivity in case custom pseudos are added with uppercase letters\n\t\t\t// Remember that setFilters inherits from pseudos\n\t\t\tvar args,\n\t\t\t\tfn = Expr.pseudos[pseudo] || Expr.setFilters[pseudo.toLowerCase()] ||\n\t\t\t\tSizzle.error(\"unsupported pseudo: \" + pseudo);\n\n\t\t\t// The user may use createPseudo to indicate that\n\t\t\t// arguments are needed to create the filter function\n\t\t\t// just as Sizzle does\n\t\t\tif (fn[expando]) {\n\t\t\t\treturn fn(argument);\n\t\t\t}\n\n\t\t\t// But maintain support for old signatures\n\t\t\tif (fn.length > 1) {\n\t\t\t\targs = [pseudo, pseudo, \"\", argument];\n\t\t\t\treturn Expr.setFilters.hasOwnProperty(pseudo.toLowerCase()) ?\n\t\t\t\t\tmarkFunction(function(seed, matches) {\n\t\t\t\t\t\tvar idx,\n\t\t\t\t\t\t\tmatched = fn(seed, argument),\n\t\t\t\t\t\t\ti = matched.length;\n\t\t\t\t\t\twhile (i--) {\n\t\t\t\t\t\t\tidx = indexOf(seed, matched[i]);\n\t\t\t\t\t\t\tseed[idx] = !(matches[idx] = matched[i]);\n\t\t\t\t\t\t}\n\t\t\t\t\t}) :\n\t\t\t\t\tfunction(elem) {\n\t\t\t\t\t\treturn fn(elem, 0, args);\n\t\t\t\t\t};\n\t\t\t}\n\n\t\t\treturn fn;\n\t\t}\n\t},\n\n\tpseudos: {\n\t\t// Potentially complex pseudos\n\t\t\"not\":

markFunction(function(selector) {\n\t\t\t// Trim the selector passed to compile\n\t\t\t// to avoid treating leading and trailing\n\t\t\t// spaces as combinators\n\t\t\tvar input = [],\n\t\t\t\tresults = [],\n\t\t\t\tmatcher = compile(selector.replace(rtrim, \"$1\"));\n\n\t\t\treturn matcher[expando] ?\n\t\t\tmarkFunction(function(seed, matches, context, xml) {\n\t\t\t\tvar elem,\n\t\t\t\t\tunmatched = matcher(seed, null, xml, []),\n\t\t\t\t\ti = seed.length;\n\n\t\t\t\t// Match elements unmatched by `matcher`\n\t\t\t\twhile (i--) {\n\t\t\t\t\tif ((elem = unmatched[i])) {\n\t\t\t\t\t\tseed[i] = !(matches[i] = elem);\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}) :\n\t\t\tfunction(elem, context, xml) {\n\t\t\t\tinput[0] = elem;\n\t\t\t\tmatcher(input, null, xml, results);\n\t\t\t\t// Don't keep the element (issue #299)\n\t\t\t\tinput[0] = null;\n\t\t\t\treturn !results.pop();\n\t\t\t};\n\t\t}),\n\n\t\t"has\": markFunction(function(selector) {\n\t\t\treturn function(elem) {\n\t\t\t\treturn Sizzle(selector, elem).length > 0;\n\t\t\t};\n\t\t}),\n\n\t\t"contains\": markFunction(function(text) {\n\t\t\ttext = text.replace(runescape, funescape);\n\t\t\treturn function(elem) {\n\t\t\t\treturn (elem.textContent || elem.innerText || getText(elem)).indexOf(text) > -1;\n\t\t\t};\n\t\t}),\n\n\t\t// \"Whether an element is represented by a :lang() selector\n\t\t// is based solely on the element's language value\n\t\t// being equal to the identifier C,\n\t\t// or beginning with the identifier C immediately followed by \"-\".\n\t\t// The matching of C against the element's language value is performed case-insensitively.\n\t\t// The identifier C does not have to be a valid language name.\"\n\t\t// http://www.w3.org/TR/selectors/#lang-pseudo\n\t\t"lang\": markFunction(function(lang) {\n\t\t\t// lang value must be a valid identifier\n\t\t\tif (!ridentifier.test(lang || \"\")) {\n\t\t\t\tSizzle.error(\"unsupported lang: \" + lang);\n\t\t\t}\n\t\t\tlang = lang.replace(runescape, funescape).toLowerCase();\n\t\t\treturn function(elem) {\n\t\t\t\tvar elemLang;\n\t\t\t\tdo {\n\t\t\t\t\tif ((elemLang = documentIsHTML ?\n\t\t\t\t\t\telem.lang :\n\t\t\t\t\t\telem.getAttribute(\"xml:lang\") || elem.getAttribute(\"lang\"))) {\n\n\t\t\t\t\t\telemLang = elemLang.toLowerCase();\n\t\t\t\t\t\treturn elemLang === lang || elemLang.indexOf(lang + \"-\") === 0;\n\t\t\t\t\t}\n\t\t\t\t} while ((elem = elem.parentNode) && elem.nodeType === 1);\n\t\t\t\treturn false;\n\t\t\t};\n\t\t}),\n\n\t\t// Miscellaneous\n\t\t"target\": function(elem) {\n\t\t\tvar hash = window.location && window.location.hash;\n\t\t\treturn hash && hash.slice(1) === elem.id;\n\t\t},\n\n\t\t"root\": function(elem) {\n\t\t\treturn elem === docElem;\n\t\t},\n\n\t\t"focus\": function(elem) {\n\t\t\treturn elem === document.activeElement && (!document.hasFocus || document.hasFocus()) && !!(elem.type || elem.href || ~elem.tabIndex);\n\t\t},\n\n\t\t// Boolean properties\n\t\t"enabled\": createDisabledPseudo(false),\n\t\t"disabled\": createDisabledPseudo(true),\n\n\t\t"checked\": function(elem) {\n\t\t\t// In CSS3, :checked should return both checked and selected elements\n\t\t\t// http://www.w3.org/TR/2011/REC-css3-selectors-20110929/#checked\n\t\t\tvar nodeName = elem.nodeName.toLowerCase();\n\t\t\treturn (nodeName === \"input\" && !!elem.checked) || (nodeName === \"option\" && !!elem.selected);\n\t\t},\n\n\t\t"selected\": function(elem) {\n\t\t\t// Accessing this property makes selected-by-default\n\t\t\t// options in Safari work properly\n\t\t\tif (elem.parentNode) {\n\t\t\t\telem.parentNode.selectedIndex;\n\t\t\t}\n\n\t\t\treturn elem.selected === true;\n\t\t},\n\n\t\t// Contents\n\t\t"empty\": function(elem) {\n\t\t\t// http://www.w3.org/TR/selectors/#empty-pseudo\n\t\t\t// :empty is negated by element (1) or content nodes (text: 3; cdata: 4; entity ref: 5),\n\t\t\t//   but not by others (comment: 8; processing instruction: 7; etc.)\n\t\t\t// nodeType < 6 works because attributes (2) do not appear as children\n\t\t\tfor (elem = elem.firstChild; elem; elem = elem.nextSibling) {\n\t\t\t\tif (elem.nodeType < 6) {\n\t\t\t\t\treturn false;\n\t\t\t\t}\n\t\t\t}\n\t\t\treturn true;\n\t\t},\n\n\t\t"parent\": function(elem) {\n\t\t\treturn !Expr.pseudos[\"empty\"](elem);\n\t\t},\n\n\t\t// Element/input types\n\t\t"header\": function(elem) {\n\t\t\treturn rheader.test(elem.nodeName);\n\t\t},\n\n\t\t"input\": function(elem) {\n\t\t\treturn rinputs.test(elem.nodeName);\n\t\t},\n\n\t\t"button\": function(elem) {\n\t\t\tvar name = elem.nodeName.toLowerCase();\n\t\t\treturn name === \"input\" && elem.type === \"button\" || name === \"button\";\n\t\t},\n\n\t\t"text\": function(elem) {\n\t\t\tvar attr;\n\t\t\treturn elem.nodeName.toLowerCase() === \"input\" &&\n\t\t\t\telem.type === \"text\" &&\n\n\t\t\t\t// Support: IE<8\n\t\t\t\t// New HTML5 attribute values (e.g., \"search\") appear with elem.type === \"text\"\n\t\t\t\t((attr = elem.getAttribute(\"type\")) == null || attr.toLowerCase() === \"text\");\n\t\t},\n\n\t\t// Position-in-collection\n\t\t"first\": createPositionalPseudo(function() {\n\t\t\treturn [0];\n\t\t}),\n\n\t\t"last\": createPositionalPseudo(function(matchIndexes, length) {\n\t\t\treturn [length - 1];\n\t\t}),\n\n\t\t"eq\": createPositionalPseudo(function(matchIndexes, length, argument) {\n\t\t\treturn [argument < 0 ? argument +

length : argument];\n\t\t}),\n\n\t\t\"even\": createPositionalPseudo(function(matchIndexes, length) {\n\t\t\tvar i = 0;\n\t\t\tfor (; i < length; i += 2) {\n\t\t\t\tmatchIndexes.push(i);\n\t\t\t}\n\t\t\treturn matchIndexes;\n\t\t}),\n\n\t\t\"odd\": createPositionalPseudo(function(matchIndexes, length) {\n\t\t\tvar i = 1;\n\t\t\tfor (; i < length; i += 2) {\n\t\t\t\tmatchIndexes.push(i);\n\t\t\t}\n\t\t\treturn matchIndexes;\n\t\t}),\n\n\t\t\"lt\": createPositionalPseudo(function(matchIndexes, length, argument) {\n\t\t\tvar i = argument < 0 ? argument + length : argument;\n\t\t\tfor (; --i >= 0;) {\n\t\t\t\tmatchIndexes.push(i);\n\t\t\t}\n\t\t\treturn matchIndexes;\n\t\t}),\n\n\t\t\"gt\": createPositionalPseudo(function(matchIndexes, length, argument) {\n\t\t\tvar i = argument < 0 ? argument + length : argument;\n\t\t\tfor (; ++i < length;) {\n\t\t\t\tmatchIndexes.push(i);\n\t\t\t}\n\t\t\treturn matchIndexes;\n\t\t})\n\t}\n};\n\nExpr.pseudos[\"nth\"] = Expr.pseudos[\"eq\"];\n\n// Add button/input type pseudos\nfor (i in { radio: true, checkbox: true, file: true, password: true, image: true }) {\n\tExpr.pseudos[i] = createInputPseudo(i);\n}\nfor (i in { submit: true, reset: true }) {\n\tExpr.pseudos[i] = createButtonPseudo(i);\n}\n\n// Easy API for creating new setFilters\nfunction setFilters() {}\nsetFilters.prototype = Expr.filters = Expr.pseudos;\nExpr.setFilters = new setFilters();\n\ntokenize = Sizzle.tokenize = function(selector, parseOnly) {\n\tvar matched, match, tokens, type,\n\t\tsoFar, groups, preFilters,\n\t\tcached = tokenCache[selector + \" \"];\n\n\tif (cached) {\n\t\treturn parseOnly ? 0 : cached.slice(0);\n\t}\n\n\tsoFar = selector;\n\tgroups = [];\n\tpreFilters = Expr.preFilter;\n\n\twhile (soFar) {\n\n\t\t// Comma and first run\n\t\tif (!matched || (match = rcomma.exec(soFar))) {\n\t\t\tif (match) {\n\t\t\t\t// Don't consume trailing commas as valid\n\t\t\t\tsoFar = soFar.slice(match[0].length) || soFar;\n\t\t\t}\n\t\t\tgroups.push((tokens = []));\n\t\t}\n\n\t\tmatched = false;\n\n\t\t// Combinators\n\t\tif ((match = rcombinators.exec(soFar))) {\n\t\t\tmatched = match.shift();\n\t\t\ttokens.push({\n\t\t\t\tvalue: matched,\n\t\t\t\t// Cast descendant combinators to space\n\t\t\t\ttype: match[0].replace(rtrim, \" \")\n\t\t\t});\n\t\t\tsoFar = soFar.slice(matched.length);\n\t\t}\n\n\t\t// Filters\n\t\tfor (type in Expr.filter) {\n\t\t\tif ((match = matchExpr[type].exec(soFar)) && (!preFilters[type] ||\n\t\t\t\t(match = preFilters[type](match)))) {\n\t\t\t\tmatched = match.shift();\n\t\t\t\ttokens.push({\n\t\t\t\t\tvalue: matched,\n\t\t\t\t\ttype: type,\n\t\t\t\t\tmatches: match\n\t\t\t\t});\n\t\t\t\tsoFar = soFar.slice(matched.length);\n\t\t\t}\n\t\t}\n\n\t\tif (!matched) {\n\t\t\tbreak;\n\t\t}\n\t}\n\n\t// Return the length of the invalid excess\n\t// if we're just parsing\n\t// Otherwise, throw an error or return tokens\n\treturn parseOnly ?\n\t\tsoFar.length :\n\t\tsoFar ?\n\t\tSizzle.error(selector) :\n\t\t// Cache the tokens\n\t\ttokenCache(selector, groups).slice(0);\n};\n\nfunction toSelector(tokens) {\n\tvar i = 0,\n\t\tlen = tokens.length,\n\t\tselector = \"\";\n\tfor (; i < len; i++) {\n\t\tselector += tokens[i].value;\n\t}\n\treturn selector;\n}\n\nfunction addCombinator(matcher, combinator, base) {\n\tvar dir = combinator.dir,\n\t\tskip = combinator.next,\n\t\tkey = skip || dir,\n\t\tcheckNonElements = base && key === \"parentNode\",\n\t\tdoneName = done++;\n\n\treturn combinator.first ?\n\t\t// Check against closest ancestor/preceding element\n\t\tfunction(elem, context, xml) {\n\t\t\twhile ((elem = elem[dir])) {\n\t\t\t\tif (elem.nodeType === 1 || checkNonElements) {\n\t\t\t\t\treturn matcher(elem, context, xml);\n\t\t\t\t}\n\t\t\t}\n\t\t\treturn false;\n\t\t} :\n\n\t\t// Check against all ancestor/preceding elements\n\t\tfunction(elem, context, xml) {\n\t\t\tvar oldCache, uniqueCache, outerCache,\n\t\t\t\tnewCache = [dirruns, doneName];\n\n\t\t\t// We can't set arbitrary data on XML nodes, so they don't benefit from combinator caching\n\t\t\tif (xml) {\n\t\t\t\twhile ((elem = elem[dir])) {\n\t\t\t\t\tif (elem.nodeType === 1 || checkNonElements) {\n\t\t\t\t\t\tif (matcher(elem, context, xml)) {\n\t\t\t\t\t\t\treturn true;\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t} else {\n\t\t\t\twhile ((elem = elem[dir])) {\n\t\t\t\t\tif (elem.nodeType === 1 || checkNonElements) {\n\t\t\t\t\t\touterCache = elem[expando] || (elem[expando] = {});\n\n\t\t\t\t\t\t// Support: IE <9 only\n\t\t\t\t\t\t// Defend against cloned attroperties (jQuery gh-1709)\n\t\t\t\t\t\tuniqueCache = outerCache[elem.uniqueID] || (outerCache[elem.uniqueID] = {});\n\n\t\t\t\t\t\tif (skip && skip === elem.nodeName.toLowerCase()) {\n\t\t\t\t\t\t\telem = elem[dir] || elem;\n\t\t\t\t\t\t} else if ((oldCache = uniqueCache[key]) &&\n\t\t\t\t\t\t\toldCache[0] === dirruns && oldCache[1] === doneName) {\n\n\t\t\t\t\t\t\t// Assign to newCache so results back-propagate to previous elements\n\t\t\t\t\t\t\treturn (newCache[2] = oldCache[2]);\n\t\t\t\t\t\t} else {\n\t\t\t\t\t\t\t// Reuse newcache so results back-propagate to previous elements\n\t\t\t\t\t\t\tuniqueCache[key] = newCache;\n\n\t\t\t\t\t\t\t// A match means we're done; a fail means we have to keep checking\n\t\t\t\t\t\t\tif ((newCache[2] = matcher(elem, context,

xml))) {\n\t\t\t\t\t\t\t\treturn true;\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t}\n\t\t\treturn false;\n\t\t};\n}\n\nfunction elementMatcher(matchers) {\n\treturn matchers.length > 1 ?\n\t\tfunction(elem, context, xml) {\n\t\t\tvar i = matchers.length;\n\t\t\twhile (i--) {\n\t\t\t\tif (!matchers[i](elem, context, xml)) {\n\t\t\t\t\treturn false;\n\t\t\t\t}\n\t\t\t}\n\t\t\treturn true;\n\t\t} :\n\t\tmatchers[0];\n}\n\nfunction multipleContexts(selector, contexts, results) {\n\tvar i = 0,\n\t\tlen = contexts.length;\n\tfor (; i < len; i++) {\n\t\tSizzle(selector, contexts[i], results);\n\t}\n\treturn results;\n}\n\nfunction condense(unmatched, map, filter, context, xml) {\n\tvar elem,\n\t\tnewUnmatched = [],\n\t\ti = 0,\n\t\tlen = unmatched.length,\n\t\tmapped = map != null;\n\tfor (; i < len; i++) {\n\t\tif ((elem = unmatched[i])) {\n\t\t\tif (!filter || filter(elem, context, xml)) {\n\t\t\t\tnewUnmatched.push(elem);\n\t\t\t\tif (mapped) {\n\t\t\t\t\tmap.push(i);\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t}\n\n\treturn newUnmatched;\n}\n\nfunction setMatcher(preFilter, selector, matcher, postFilter, postFinder, postSelector) {\n\tif (postFilter && !postFilter[expando]) {\n\t\tpostFilter = setMatcher(postFilter);\n\t}\n\tif (postFinder && !postFinder[expando]) {\n\t\tpostFinder = setMatcher(postFinder, postSelector);\n\t}\n\treturn markFunction(function(seed, results, context, xml) {\n\t\tvar temp, i, elem,\n\t\t\tpreMap = [],\n\t\t\tpostMap = [],\n\t\t\tpreexisting = results.length,\n\n\t\t\t// Get initial elements from seed or context\n\t\t\telems = seed || multipleContexts(selector || \"*\", context.nodeType ? [context] : context, []),\n\n\t\t\t// Prefilter to get matcher input, preserving a map for seed-results synchronization\n\t\t\tmatcherIn = preFilter && (seed || !selector) ?\n\t\t\t\tcondense(elems, preMap, preFilter, context, xml) :\n\t\t\t\telems,\n\n\t\t\tmatcherOut = matcher ?\n\t\t\t\t// If we have a postFinder, or filtered seed, or non-seed postFilter or preexisting results,\n\t\t\t\tpostFinder || (seed ? preFilter : preexisting || postFilter) ?\n\n\t\t\t\t\t// ...intermediate processing is necessary\n\t\t\t\t\t[] :\n\n\t\t\t\t\t// ...otherwise use results directly\n\t\t\t\t\tresults :\n\t\t\t\tmatcherIn;\n\n\t\t// Find primary matches\n\t\tif (matcher) {\n\t\t\tmatcher(matcherIn, matcherOut, context, xml);\n\t\t}\n\n\t\t// Apply postFilter\n\t\tif (postFilter) {\n\t\t\ttemp = condense(matcherOut, postMap);\n\t\t\tpostFilter(temp, [], context, xml);\n\n\t\t\t// Un-match failing elements by moving them back to matcherIn\n\t\t\ti = temp.length;\n\t\t\twhile (i--) {\n\t\t\t\tif ((elem = temp[i])) {\n\t\t\t\t\tmatcherOut[postMap[i]] = !(matcherIn[postMap[i]] = elem);\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t\tif (seed) {\n\t\t\tif (postFinder || preFilter) {\n\t\t\t\tif (postFinder) {\n\t\t\t\t\t// Get the final matcherOut by condensing this intermediate into postFinder contexts\n\t\t\t\t\ttemp = [];\n\t\t\t\t\ti = matcherOut.length;\n\t\t\t\t\twhile (i--) {\n\t\t\t\t\t\tif ((elem = matcherOut[i])) {\n\t\t\t\t\t\t\t// Restore matcherIn since elem is not yet a final match\n\t\t\t\t\t\t\ttemp.push((matcherIn[i] = elem));\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t\tpostFinder(null, (matcherOut = []), temp, xml);\n\t\t\t\t}\n\n\t\t\t\t// Move matched elements from seed to results to keep them synchronized\n\t\t\t\ti = matcherOut.length;\n\t\t\t\twhile (i--) {\n\t\t\t\t\tif ((elem = matcherOut[i]) &&\n\t\t\t\t\t\t(temp = postFinder ? indexOf(seed, elem) : preMap[i]) > -1) {\n\n\t\t\t\t\t\tseed[temp] = !(results[temp] = elem);\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\n\t\t// Add elements to results, through postFinder if defined\n\t\t} else {\n\t\t\tmatcherOut = condense(\n\t\t\t\tmatcherOut === results ?\n\t\t\t\t\tmatcherOut.splice(preexisting, matcherOut.length) :\n\t\t\t\t\tmatcherOut\n\t\t\t);\n\t\t\tif (postFinder) {\n\t\t\t\tpostFinder(null, results, matcherOut, xml);\n\t\t\t} else {\n\t\t\t\tpush.apply(results, matcherOut);\n\t\t\t}\n\t\t}\n\t});\n}\n\nfunction matcherFromTokens(tokens) {\n\tvar checkContext, matcher, j,\n\t\tlen = tokens.length,\n\t\tleadingRelative = Expr.relative[tokens[0].type],\n\t\timplicitRelative = leadingRelative || Expr.relative[\" \"],\n\t\ti = leadingRelative ? 1 : 0,\n\n\t\t// The foundational matcher ensures that elements are reachable from top-level context(s)\n\t\tmatchContext = addCombinator(function(elem) {\n\t\t\treturn elem === checkContext;\n\t\t}, implicitRelative, true),\n\t\tmatchAnyContext = addCombinator(function(elem) {\n\t\t\treturn indexOf(checkContext, elem) > -1;\n\t\t}, implicitRelative, true),\n\t\tmatchers = [function(elem, context, xml) {\n\t\t\tvar ret = (!leadingRelative && (xml || context !== outermostContext)) || (\n\t\t\t\t(checkContext = context).nodeType ?\n\t\t\t\t\tmatchContext(elem, context, xml) :\n\t\t\t\t\tmatchAnyContext(elem, context, xml));\n\t\t\t// Avoid hanging onto element (issue #299)\n\t\t\tcheckContext = null;\n\t\t\treturn ret;\n\t\t}];\n\n\tfor (; i < len; i++) {\n\t\tif ((matcher = Expr.relative[tokens[i].type])) {\n\t\t\tmatchers = [addCombinator(elementMatcher(matchers), matcher)];\n\t\t} else {\n\t\t\tmatcher = Expr.filter[tokens[i].type].apply(null, tokens[i].matches);\n\n\t\t\t// Return special upon seeing a positional matcher\n\t\t\tif (matcher[expando]) {\n\t\t\t\t// Find the next

relative operator (if any) for proper handling\n\t\t\t\tj = ++i;\n\t\t\t\tfor (; j < len; j++) {\n\t\t\t\t\tif (Expr.relative[tokens[j].type]) {\n\t\t\t\t\t\tbreak;\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t\treturn setMatcher(\n\t\t\t\t\ti > 1 && elementMatcher(matchers),\n\t\t\t\t\ti > 1 && toSelector(\n\t\t\t\t\t\t// If the preceding token was a descendant combinator, insert an implicit any-element `*`\n\t\t\t\t\t\ttokens.slice(0, i - 1).concat({ value: tokens[i - 2].type === \" \" ? \"*\" : \"\" })\n\t\t\t\t\t).replace(rtrim, \"$1\"),\n\t\t\t\t\tmatcher,\n\t\t\t\t\ti < j && matcherFromTokens(tokens.slice(i, j)),\n\t\t\t\t\tj < len && matcherFromTokens((tokens = tokens.slice(j))),\n\t\t\t\t\tj < len && toSelector(tokens)\n\t\t\t\t);\n\t\t\t}\n\t\t\tmatchers.push(matcher);\n\t\t}\n\t}\n\n\treturn elementMatcher(matchers);\n}\n\nfunction matcherFromGroupMatchers(elementMatchers, setMatchers) {\n\tvar bySet = setMatchers.length > 0,\n\t\tbyElement = elementMatchers.length > 0,\n\t\tsuperMatcher = function(seed, context, xml, results, outermost) {\n\t\t\tvar elem, j, matcher,\n\t\t\t\tmatchedCount = 0,\n\t\t\t\ti = \"0\",\n\t\t\t\tunmatched = seed && [],\n\t\t\t\tsetMatched = [],\n\t\t\t\tcontextBackup = outermostContext,\n\t\t\t\t// We must always have either seed elements or outermost context\n\t\t\t\telems = seed || byElement && Expr.find[\"TAG\"](\"*\", outermost),\n\t\t\t\t// Use integer dirruns iff this is the outermost matcher\n\t\t\t\tdirrunsUnique = (dirruns += contextBackup == null ? 1 : Math.random() || 0.1),\n\t\t\t\tlen = elems.length;\n\n\t\t\tif (outermost) {\n\t\t\t\toutermostContext = context === document || context || outermost;\n\t\t\t}\n\n\t\t\t// Add elements passing elementMatchers directly to results\n\t\t\t// Support: IE<9, Safari\n\t\t\t// Tolerate NodeList properties (IE: \"length\"; Safari: <number>) matching elements by id\n\t\t\tfor (; i !== len && (elem = elems[i]) != null; i++) {\n\t\t\t\tif (byElement && elem) {\n\t\t\t\t\tj = 0;\n\t\t\t\t\tif (!context && elem.ownerDocument !== document) {\n\t\t\t\t\t\tsetDocument(elem);\n\t\t\t\t\t\txml = !documentIsHTML;\n\t\t\t\t\t}\n\t\t\t\t\twhile ((matcher = elementMatchers[j++])) {\n\t\t\t\t\t\tif (matcher(elem, context || document, xml)) {\n\t\t\t\t\t\t\tresults.push(elem);\n\t\t\t\t\t\t\tbreak;\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t\tif (outermost) {\n\t\t\t\t\t\tdirruns = dirrunsUnique;\n\t\t\t\t\t}\n\t\t\t\t}\n\n\t\t\t\t// Track unmatched elements for set filters\n\t\t\t\tif (bySet) {\n\t\t\t\t\t// They will have gone through all possible matchers\n\t\t\t\t\tif ((elem = !matcher && elem)) {\n\t\t\t\t\t\tmatchedCount--;\n\t\t\t\t\t}\n\n\t\t\t\t\t// Lengthen the array for every element, matched or not\n\t\t\t\t\tif (seed) {\n\t\t\t\t\t\tunmatched.push(elem);\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\n\t\t\t// `i` is now the count of elements visited above, and adding it to `matchedCount`\n\t\t\t// makes the latter nonnegative.\n\t\t\tmatchedCount += i;\n\n\t\t\t// Apply set filters to unmatched elements\n\t\t\t// NOTE: This can be skipped if there are no unmatched elements (i.e., `matchedCount`\n\t\t\t// equals `i`), unless we didn't visit _any_ elements in the above loop because we have\n\t\t\t// no element matchers and no seed.\n\t\t\t// Incrementing an initially-string \"0\" `i` allows `i` to remain a string only in that\n\t\t\t// case, which will result in a \"00\" `matchedCount` that differs from `i` but is also\n\t\t\t// numerically zero.\n\t\t\tif (bySet && i !== matchedCount) {\n\t\t\t\tj = 0;\n\t\t\t\twhile ((matcher = setMatchers[j++])) {\n\t\t\t\t\tmatcher(unmatched, setMatched, context, xml);\n\t\t\t\t}\n\n\t\t\t\tif (seed) {\n\t\t\t\t\t// Reintegrate element matches to eliminate the need for sorting\n\t\t\t\t\tif (matchedCount > 0) {\n\t\t\t\t\t\twhile (i--) {\n\t\t\t\t\t\t\tif (!(unmatched[i] || setMatched[i])) {\n\t\t\t\t\t\t\t\tsetMatched[i] = pop.call(results);\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\n\t\t\t\t\t// Discard index placeholder values to get only actual matches\n\t\t\t\t\tsetMatched = condense(setMatched);\n\t\t\t\t}\n\n\t\t\t\t// Add matches to results\n\t\t\t\tpush.apply(results, setMatched);\n\n\t\t\t\t// Seedless set matches succeeding multiple successful matchers stipulate sorting\n\t\t\t\tif (outermost && !seed && setMatched.length > 0 &&\n\t\t\t\t\t(matchedCount + setMatchers.length) > 1) {\n\n\t\t\t\t\tSizzle.uniqueSort(results);\n\t\t\t\t}\n\t\t\t}\n\n\t\t\t// Override manipulation of globals by nested matchers\n\t\t\tif (outermost) {\n\t\t\t\tdirruns = dirrunsUnique;\n\t\t\t\toutermostContext = contextBackup;\n\t\t\t}\n\n\t\t\treturn unmatched;\n\t\t};\n\n\treturn bySet ?\n\t\tmarkFunction(superMatcher) :\n\t\tsuperMatcher;\n}\n\ncompile = Sizzle.compile = function(selector, match /* Internal Use Only */) {\n\tvar i,\n\t\tsetMatchers = [],\n\t\telementMatchers = [],\n\t\tcached = compilerCache[selector + \" \"];\n\n\tif (!cached) {\n\t\t// Generate a function of recursive functions that can be used to check each element\n\t\tif (!match) {\n\t\t\tmatch = tokenize(selector);\n\t\t}\n\t\ti = match.length;\n\t\twhile (i--) {\n\t\t\tcached = matcherFromTokens(match[i]);\n\t\t\tif (cached[expando]) {\n\t\t\t\tsetMatchers.push(cached);\n\t\t\t} else {\n\t\t\t\telementMatchers.push(cached);\n\t\t\t}\n\t\t}\n\n\t\t// Cache the compiled function\n\t\tcached = compilerCache(selector, matcherFromGroupMatchers(elementMatchers, setMatchers));\n\n\t\t// Save selector and

tokenization\n\t\tcached.selector = selector;\n\t}\n\treturn cached;\n};\n\n/**\n * A low-level selection function that works with Sizzle's compiled\n * selector functions\n * @param {String|Function} selector A selector or a pre-compiled\n * selector function built with Sizzle.compile\n * @param {Element} context\n * @param {Array} [results]\n * @param {Array} [seed] A set of elements to match against\n */\nselect = Sizzle.select = function(selector, context, results, seed) {\n\tvar i, tokens, token, type, find,\n\t\tcompiled = typeof selector === \"function\" && selector,\n\t\tmatch = !seed && tokenize((selector = compiled.selector || selector));\n\n\tresults = results || [];\n\n\t// Try to minimize operations if there is only one selector in the list and no seed\n\t// (the latter of which guarantees us context)\n\tif (match.length === 1) {\n\n\t\t// Reduce context if the leading compound selector is an ID\n\t\ttokens = match[0] = match[0].slice(0);\n\t\tif (tokens.length > 2 && (token = tokens[0]).type === \"ID\" &&\n\t\t\tcontext.nodeType === 9 && documentIsHTML && Expr.relative[tokens[1].type]) {\n\n\t\t\tcontext = (Expr.find[\"ID\"](token.matches[0].replace(runescape, funescape), context) || [])[0];\n\t\t\tif (!context) {\n\t\t\t\treturn results;\n\n\t\t\t// Precompiled matchers will still verify ancestry, so step up a level\n\t\t\t} else if (compiled) {\n\t\t\t\tcontext = context.parentNode;\n\t\t\t}\n\n\t\t\tselector = selector.slice(tokens.shift().value.length);\n\t\t}\n\n\t\t// Fetch a seed set for right-to-left matching\n\t\ti = matchExpr[\"needsContext\"].test(selector) ? 0 : tokens.length;\n\t\twhile (i--) {\n\t\t\ttoken = tokens[i];\n\n\t\t\t// Abort if we hit a combinator\n\t\t\tif (Expr.relative[(type = token.type)]) {\n\t\t\t\tbreak;\n\t\t\t}\n\t\t\tif ((find = Expr.find[type])) {\n\t\t\t\t// Search, expanding context for leading sibling combinators\n\t\t\t\tif ((seed = find(\n\t\t\t\t\ttoken.matches[0].replace(runescape, funescape),\n\t\t\t\t\trsibling.test(tokens[0].type) && testContext(context.parentNode) || context\n\t\t\t\t))) {\n\t\t\t\t\t// If seed is empty or no tokens remain, we can return early\n\t\t\t\t\ttokens.splice(i, 1);\n\t\t\t\t\tselector = seed.length && toSelector(tokens);\n\t\t\t\t\tif (!selector) {\n\t\t\t\t\t\tpush.apply(results, seed);\n\t\t\t\t\t\treturn results;\n\t\t\t\t\t}\n\n\t\t\t\t\tbreak;\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t}\n\n\t// Compile and execute a filtering function if one is not provided\n\t// Provide `match` to avoid retokenization if we modified the selector above\n\t(compiled || compile(selector, match)\n\t)(\n\t\tseed,\n\t\tcontext,\n\t\t!documentIsHTML,\n\t\tresults,\n\t\t!context || rsibling.test(selector) && testContext(context.parentNode) || context\n\t);\n\treturn results;\n};\n\n// One-time assignments\n\n// Sort stability\nsupport.sortStable = expando.split(\"\").sort(sortOrder).join(\"\") === expando;\n\n// Support: Chrome 14-35+\n// Always assume duplicates if they aren't passed to the comparison function\nsupport.detectDuplicates = !!hasDuplicate;\n\n// Initialize against the default document\nsetDocument();\n\n// Support: Webkit<537.32 - Safari 6.0.3/Chrome 25 (fixed in Chrome 27)\n// Detached nodes confoundingly follow *each other*\nsupport.sortDetached = assert(function(el) {\n\t// Should return 1, but returns 4 (following)\n\treturn el.compareDocumentPosition(document.createElement(\"fieldset\")) & 1;\n});\n\n// Support: IE<8\n// Prevent attribute/property \"interpolation\"\n// https://msdn.microsoft.com/en-us/library/ms536429%28VS.85%29.aspx\nif (!assert(function(el) {\n\tel.innerHTML = \"\";\n\treturn el.firstChild.getAttribute(\"href\") === \"#\" ;\n})) {\n\taddHandle(\"type|href|height|width\", function(elem, name, isXML) {\n\t\tif (!isXML) {\n\t\t\treturn elem.getAttribute(name, name.toLowerCase() === \"type\" ? 1 : 2);\n\t\t}\n\t});\n}\n\n// Support: IE<9\n// Use defaultValue in place of getAttribute(\"value\")\nif (!support.attributes || !assert(function(el) {\n\tel.innerHTML = \"<input/>\";\n\tel.firstChild.setAttribute(\"value\", \"\");\n\treturn el.firstChild.getAttribute(\"value\") === \"\";\n})) {\n\taddHandle(\"value\", function(elem, name, isXML) {\n\t\tif (!isXML && elem.nodeName.toLowerCase() === \"input\") {\n\t\t\treturn elem.defaultValue;\n\t\t}\n\t});\n}\n\n// Support: IE<9\n// Use getAttributeNode to fetch booleans when getAttribute lies\nif (!assert(function(el) {\n\treturn el.getAttribute(\"disabled\") == null;\n})) {\n\taddHandle(booleans, function(elem, name, isXML) {\n\t\tvar val;\n\t\tif (!isXML) {\n\t\t\treturn elem[name] === true ? name.toLowerCase() :\n\t\t\t\t\t(val = elem.getAttributeNode(name)) && val.specified ?\n\t\t\t\t\tval.value :\n\t\t\t\t\tnull;\n\t\t}\n\t});\n}\n\nreturn Sizzle;\n\n})(window);\n\n\njQuery.find = Sizzle;\njQuery.expr = Sizzle.selectors;\n\n// Deprecated\njQuery.expr[\":\"] = jQuery.expr.pseudos;\njQuery.uniqueSort = jQuery.unique = Sizzle.uniqueSort;\njQuery.text = Sizzle.getText;\njQuery.isXMLDoc = Sizzle.isXML;\njQuery.contains = Sizzle.contains;\njQuery.escapeSelector = Sizzle.escape;\n\n\n\nvar dir = function(elem, dir, until) {\n\tvar matched = [],\n\t\ttruncate = until !== undefined;\n\n\twhile ((elem = elem[dir]) && elem.nodeType !== 9)

{\n\t\tif (elem.nodeType === 1) {\n\t\t\tif (truncate && jQuery(elem).is(until)) {\n\t\t\t\tbreak;\n\t\t\t}\n\t\t\tmatched.push(elem);\n\t\t}\n\t}\n\treturn matched;\n};\n\n\nvar siblings = function(n, elem) {\n\tvar matched = [];\n\n\tfor (; n; n = n.nextSibling) {\n\t\tif (n.nodeType === 1 && n !== elem) {\n\t\t\tmatched.push(n);\n\t\t}\n\t}\n\n\treturn matched;\n};\n\n\nvar rneedsContext = jQuery.expr.match.needsContext;\n\n\n\nfunction nodeName(elem, name) {\n\n return elem.nodeName && elem.nodeName.toLowerCase() === name.toLowerCase();\n\n};\nvar rsingleTag = (/^<([a-z][^\/\0>:\\x20\t\r\n\\f]*)[\\x20\t\r\n\\f]*\/?>(?:<\/\\1>|)$/i);\n\n\n\n// Implement the identical functionality for filter and not\nfunction winnow(elements, qualifier, not) {\n\tif (isFunction(qualifier)) {\n\t\treturn jQuery.grep(elements, function(elem, i) {\n\t\t\treturn !!qualifier.call(elem, i, elem) !== not;\n\t\t});\n\t}\n\n\t// Single element\n\tif (qualifier.nodeType) {\n\t\treturn jQuery.grep(elements, function(elem) {\n\t\t\treturn (elem === qualifier) !== not;\n\t\t});\n\t}\n\n\t// Arraylike of elements (jQuery, arguments, Array)\n\tif (typeof qualifier !== \"string\") {\n\t\treturn jQuery.grep(elements, function(elem) {\n\t\t\treturn (indexOf.call(qualifier, elem) > -1) !== not;\n\t\t});\n\t}\n\n\t// Filtered directly for both simple and complex selectors\n\treturn jQuery.filter(qualifier, elements, not);\n}\n\n\njQuery.filter = function(expr, elems, not) {\n\tvar elem = elems[0];\n\n\tif (not) {\n\t\texpr = \":not(\" + expr + \")\";\n\t}\n\n\tif (elems.length === 1 && elem.nodeType === 1) {\n\t\treturn jQuery.find.matchesSelector(elem, expr) ? [elem] : [];\n\t}\n\n\treturn jQuery.find.matches(expr, jQuery.grep(elems, function(elem) {\n\t\treturn elem.nodeType === 1;\n\t}));\n};\n\njQuery.fn.extend({\n\tfind: function(selector) {\n\t\tvar i, ret,\n\t\t\tlen = this.length,\n\t\t\tself = this;\n\n\t\tif (typeof selector !== \"string\") {\n\t\t\treturn this.pushStack(jQuery(selector).filter(function() {\n\t\t\t\tfor (i = 0; i < len; i++) {\n\t\t\t\t\tif (jQuery.contains(self[i], this)) {\n\t\t\t\t\t\treturn true;\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}));\n\t\t}\n\n\t\tret = this.pushStack([]);\n\n\t\tfor (i = 0; i < len; i++) {\n\t\t\tjQuery.find(selector, self[i], ret);\n\t\t}\n\n\t\treturn len > 1 ? jQuery.uniqueSort(ret) : ret;\n\t},\n\tfilter: function(selector) {\n\t\treturn this.pushStack(winnow(this, selector || [], false));\n\t},\n\tnot: function(selector) {\n\t\treturn this.pushStack(winnow(this, selector || [], true));\n\t},\n\tis: function(selector) {\n\t\treturn !!winnow(\n\t\t\tthis,\n\t\t\t\t// If this is a positional/relative selector, check membership in the returned set\n\t\t\t\t// so $(\"p:first\").is(\"p:last\") won't return true for a doc with two \"p\".\n\t\t\ttypeof selector === \"string\" && rneedsContext.test(selector) ?\n\t\t\t\tjQuery(selector) :\n\t\t\t\tselector || [],\n\t\t\tfalse\n\t\t).length;\n\t}\n});\n\n\n// Initialize a jQuery object\n\n\n// A central reference to the root jQuery(document)\nvar rootjQuery,\n\n\t// A simple way to check for HTML strings\n\t// Prioritize #id over <tag> to avoid XSS via location.hash (#9521)\n\t// Strict HTML recognition (#11290: must start with <)\n\t// Shortcut simple #id case for speed\n\trquickExpr = /^(?:\\s*(<[\\w\\W]+>)[^>]*|#([\\w-]+))$/,\n\n\tinit = jQuery.fn.init = function(selector, context, root) {\n\t\tvar match, elem;\n\n\t\t// HANDLE: $(\"\"), $(null), $(undefined), $(false)\n\t\tif (!selector) {\n\t\t\treturn this;\n\t\t}\n\n\t\t// Method init() accepts an alternate rootjQuery\n\t\t// so migrate can support jQuery.sub (gh-2101)\n\t\troot = root || rootjQuery;\n\n\t\t// Handle HTML strings\n\t\tif (typeof selector === \"string\") {\n\t\t\tif (selector[0] === \"<\" &&\n\t\t\t\tselector[selector.length - 1] === \">\" &&\n\t\t\t\tselector.length >= 3) {\n\n\t\t\t\t// Assume that strings that start and end with <> are HTML and skip the regex check\n\t\t\t\tmatch = [null, selector, null];\n\n\t\t\t} else {\n\t\t\t\tmatch = rquickExpr.exec(selector);\n\t\t\t}\n\n\t\t\t// Match html or make sure no context is specified for #id\n\t\t\tif (match && (match[1] || !context)) {\n\n\t\t\t\t// HANDLE: $(html) -> $(array)\n\t\t\t\tif (match[1]) {\n\t\t\t\t\tcontext = context instanceof jQuery ? context[0] : context;\n\n\t\t\t\t\t// Option to run scripts is true for back-compat\n\t\t\t\t\t// Intentionally let the error be thrown if parseHTML is not present\n\t\t\t\t\tjQuery.merge(this, jQuery.parseHTML(\n\t\t\t\t\t\tmatch[1],\n\t\t\t\t\t\tcontext && context.nodeType ? context.ownerDocument || context : document,\n\t\t\t\t\t\ttrue\n\t\t\t\t\t));\n\n\t\t\t\t\t// HANDLE: $(html, props)\n\t\t\t\t\tif (rsingleTag.test(match[1]) && jQuery.isPlainObject(context)) {\n\t\t\t\t\t\tfor (match in context) {\n\n\t\t\t\t\t\t\t// Properties of context are called as methods if possible\n\t\t\t\t\t\t\tif (isFunction(this[match])) {\n\t\t\t\t\t\t\t\tthis[match](context[match]);\n\n\t\t\t\t\t\t\t// ...and otherwise set as attributes\n\t\t\t\t\t\t\t} else {\n\t\t\t\t\t\t\t\tthis.attr(match, context[match]);\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\n\t\t\t\t\treturn this;\n\n\t\t\t\t// HANDLE: $(#id)\n\t\t\t\t} else {\n\t\t\t\t\telem = document.getElementById(match[2]);\n\n\t\t\t\t\tif (elem) {\n\n\t\t\t\t\t\t// Inject the element directly into the jQuery object\n\t\t\t\t\t\tthis[0] = elem;\n\t\t\t\t\t\tthis.length = 1;\n\t\t\t\t\t}\n\t\t\t\t\treturn

this;\n\t\t\t}\n\n\t\t\t// HANDLE: $(expr, $(...))\n\t\t\t} else if (!context || context.jquery) {\n\t\t\t\treturn (context || root).find(selector);\n\n\t\t\t// HANDLE: $(expr, context)\n\t\t\t// (which is just equivalent to: $(context).find(expr)\n\t\t\t} else {\n\t\t\t\treturn this.constructor(context).find(selector);\n\t\t\t}\n\n\t\t\t// HANDLE: $(DOMElement)\n\t\t} else if (selector.nodeType) {\n\t\t\tthis[0] = selector;\n\t\t\tthis.length = 1;\n\t\t\treturn this;\n\n\t\t\t// HANDLE: $(function)\n\t\t\t// Shortcut for document ready\n\t\t} else if (isFunction(selector)) {\n\t\t\treturn root.ready !== undefined ?\n\t\t\t\troot.ready(selector) :\n\n\t\t\t\t// Execute immediately if ready is not present\n\t\t\t\tselector(jQuery);\n\t\t}\n\n\t\treturn jQuery.makeArray(selector, this);\n\t};\n\n\n// Give the init function the jQuery prototype for later instantiation\ninit.prototype = jQuery.fn;\n\n\n// Initialize central reference\nrootjQuery = jQuery(document);\n\n\nvar rparentsprev = /^(?:parents|prev(?:Until|All))/,\n\n\t// Methods guaranteed to produce a unique set when starting from a unique set\n\tguaranteedUnique = {\n\t\tchildren: true,\n\t\tcontents: true,\n\t\tnext: true,\n\t\tprev: true\n\t};\n\njQuery.fn.extend({\n\thas: function(target) {\n\t\tvar targets = jQuery(target, this),\n\t\t\tl = targets.length;\n\n\t\treturn this.filter(function() {\n\t\t\tvar i = 0;\n\t\t\tfor (; i < l; i++) {\n\t\t\t\tif (jQuery.contains(this, targets[i])) {\n\t\t\t\t\treturn true;\n\t\t\t\t}\n\t\t\t}\n\t\t});\n\t},\n\n\tclosest: function(selectors, context) {\n\t\tvar cur,\n\t\t\ti = 0,\n\t\t\tl = this.length,\n\t\t\tmatched = [],\n\t\t\ttargets = typeof selectors !== \"string\" && jQuery(selectors);\n\n\t\t// Positional selectors never match, since there's no _selection_ context\n\t\tif (!rneedsContext.test(selectors)) {\n\t\t\tfor (; i < l; i++) {\n\t\t\t\tfor (cur = this[i]; cur && cur !== context; cur = cur.parentNode) {\n\n\t\t\t\t\t// Always skip document fragments\n\t\t\t\t\tif (cur.nodeType < 11 && (targets ?\n\t\t\t\t\t\ttargets.index(cur) > -1 :\n\n\t\t\t\t\t\t// Don't pass non-elements to Sizzle\n\t\t\t\t\t\tcur.nodeType === 1 &&\n\t\t\t\t\t\t\tjQuery.find.matchesSelector(cur, selectors))) {\n\n\t\t\t\t\t\tmatched.push(cur);\n\t\t\t\t\t\tbreak;\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t\treturn this.pushStack(matched.length > 1 ? jQuery.uniqueSort(matched) : matched);\n\t},\n\n\t// Determine the position of an element within the set\n\tindex: function(elem) {\n\n\t\t// No argument, return index in parent\n\t\tif (!elem) {\n\t\t\treturn (this[0] && this[0].parentNode) ? this.first().prevAll().length : -1;\n\t\t}\n\n\t\t// Index in selector\n\t\tif (typeof elem === \"string\") {\n\t\t\treturn indexOf.call(jQuery(elem), this[0]);\n\t\t}\n\n\t\t// Locate the position of the desired element\n\t\treturn indexOf.call(this,\n\n\t\t\t// If it receives a jQuery object, the first element is used\n\t\t\telem.jquery ? elem[0] : elem);\n\t},\n\n\tadd: function(selector, context) {\n\t\treturn this.pushStack(\n\t\t\tjQuery.uniqueSort(\n\t\t\t\tjQuery.merge(this.get(), jQuery(selector, context))\n\t\t\t)\n\t\t);\n\t},\n\n\taddBack: function(selector) {\n\t\treturn this.add(selector == null ?\n\t\t\tthis.prevObject : this.prevObject.filter(selector)\n\t\t);\n\t}\n});\n\nfunction sibling(cur, dir) {\n\twhile ((cur = cur[dir]) && cur.nodeType !== 1) { }\n\treturn cur;\n}\n\njQuery.each({\n\tparent: function(elem) {\n\t\tvar parent = elem.parentNode;\n\t\treturn parent && parent.nodeType !== 11 ? parent : null;\n\t},\n\tparents: function(elem) {\n\t\treturn dir(elem, \"parentNode\");\n\t},\n\tparentsUntil: function(elem, i, until) {\n\t\treturn dir(elem, \"parentNode\", until);\n\t},\n\tnext: function(elem) {\n\t\treturn sibling(elem, \"nextSibling\");\n\t},\n\tprev: function(elem) {\n\t\treturn sibling(elem, \"previousSibling\");\n\t},\n\tnextAll: function(elem) {\n\t\treturn dir(elem, \"nextSibling\");\n\t},\n\tprevAll: function(elem) {\n\t\treturn dir(elem, \"previousSibling\");\n\t},\n\tnextUntil: function(elem, i, until) {\n\t\treturn dir(elem, \"nextSibling\", until);\n\t},\n\tprevUntil: function(elem, i, until) {\n\t\treturn dir(elem, \"previousSibling\", until);\n\t},\n\tsiblings: function(elem) {\n\t\treturn siblings((elem.parentNode || {}).firstChild, elem);\n\t},\n\tchildren: function(elem) {\n\t\treturn siblings(elem.firstChild);\n\t},\n\tcontents: function(elem) {\n   if (nodeName(elem, \"iframe\")) {\n   return elem.contentDocument;\n   }\n\n   // Support: IE 9 - 11 only, iOS 7 only, Android Browser <=4.3 only\n   // Treat the template element as a regular one in browsers that\n   // don't support it.\n   if (nodeName(elem, \"template\")) {\n   elem = elem.content || elem;\n   }\n\n   return jQuery.merge([], elem.childNodes);\n\t}\n}, function(name, fn) {\n\tjQuery.fn[name] = function(until, selector) {\n\t\tvar matched = jQuery.map(this, fn, until);\n\n\t\tif (name.slice(-5) !== \"Until\") {\n\t\t\tselector = until;\n\t\t}\n\n\t\tif (selector && typeof selector === \"string\") {\n\t\t\tmatched = jQuery.filter(selector, matched);\n\t\t}\n\n\t\tif (this.length > 1) {\n\n\t\t\t// Remove duplicates\n\t\t\tif (!guaranteedUnique[name]) {\n\t\t\t\tjQuery.uniqueSort(matched);\n\t\t\t}\n\n\t\t\t// Reverse order for parents* and prev-derivatives\n\t\t\tif (rparentsprev.test(name)) {\n\t\t\t\tmatched.reverse();\n\t\t\t}\n\t\t}\n\n\t\treturn this.pushStack(matched);\n\t};\n}

);\nvar rnothtmlwhite = (/[^\\x20\\t\\r\\n\\f]+/g);\n\n\n\n// Convert String-formatted options into Object-formatted ones\nfunction createOptions(options) {\n\tvar object = {};\n\tjQuery.each(options.match(rnothtmlwhite) || [], function(_, flag) {\n\t\tobject[flag] = true;\n\t});\n\treturn object;\n}\n\n/*\n * Create a callback list using the following parameters:\n *\n *\toptions: an optional list of space-separated options that will change how\n *\t\t\tthe callback list behaves or a more traditional option object\n *\n * By default a callback list will act like an event callback list and can be\n * \"fired\" multiple times.\n *\n * Possible options:\n *\n *\tonce:\t\t\twill ensure the callback list can only be fired once (like a Deferred)\n *\n *\tmemory:\t\t\twill keep track of previous values and will call any callback added\n *\t\t\t\tafter the list has been fired right away with the latest \"memorized\"\n *\t\t\t\tvalues (like a Deferred)\n *\n *\tunique:\t\t\twill ensure a callback can only be added once (no duplicate in the list)\n *\n *\tstopOnFalse:\tinterrupt callings when a callback returns false\n *\n */\njQuery.Callbacks = function(options) {\n\n\t// Convert options from String-formatted to Object-formatted if needed\n\t// (we check in cache first)\n\toptions = typeof options === \"string\" ?\n\t\tcreateOptions(options) :\n\t\tjQuery.extend({}, options);\n\n\tvar // Flag to know if list is currently firing\n\t\tfiring,\n\n\t\t// Last fire value for non-forgettable lists\n\t\tmemory,\n\n\t\t// Flag to know if list was already fired\n\t\tfired,\n\n\t\t// Flag to prevent firing\n\t\tlocked,\n\n\t\t// Actual callback list\n\t\tlist = [],\n\n\t\t// Queue of execution data for repeatable lists\n\t\tqueue = [],\n\n\t\t// Index of currently firing callback (modified by add/remove as needed)\n\t\tfiringIndex = -1,\n\n\t\t// Fire callbacks\n\t\tfire = function() {\n\n\t\t\t// Enforce single-firing\n\t\t\tlocked = locked || options.once;\n\n\t\t\t// Execute callbacks for all pending executions,\n\t\t\t// respecting firingIndex overrides and runtime changes\n\t\t\tfired = firing = true;\n\t\t\tfor (; queue.length; firingIndex = -1) {\n\t\t\t\tmemory = queue.shift();\n\t\t\t\twhile (++firingIndex < list.length) {\n\n\t\t\t\t\t// Run callback and check for early termination\n\t\t\t\t\tif (list[firingIndex].apply(memory[0], memory[1]) === false &&\n\t\t\t\t\t\toptions.stopOnFalse) {\n\n\t\t\t\t\t\t// Jump to end and forget the data so .add doesn't re-fire\n\t\t\t\t\t\tfiringIndex = list.length;\n\t\t\t\t\t\tmemory = false;\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\n\t\t\t// Forget the data if we're done with it\n\t\t\tif (!options.memory) {\n\t\t\t\tmemory = false;\n\t\t\t}\n\n\t\t\tfiring = false;\n\n\t\t\t// Clean up if we're done firing for good\n\t\t\tif (locked) {\n\n\t\t\t\t// Keep an empty list if we have data for future add calls\n\t\t\t\tif (memory) {\n\t\t\t\t\tlist = [];\n\n\t\t\t\t// Otherwise, this object is spent\n\t\t\t\t} else {\n\t\t\t\t\tlist = \"\";\n\t\t\t\t}\n\t\t\t}\n\t\t},\n\n\t\t// Actual Callbacks object\n\t\tself = {\n\n\t\t\t// Add a callback or a collection of callbacks to the list\n\t\t\tadd: function() {\n\t\t\t\tif (list) {\n\n\t\t\t\t\t// If we have memory from a past run, we should fire after adding\n\t\t\t\t\tif (memory && !firing) {\n\t\t\t\t\t\tfiringIndex = list.length - 1;\n\t\t\t\t\t\tqueue.push(memory);\n\t\t\t\t\t}\n\n\t\t\t\t\t(function add(args) {\n\t\t\t\t\t\tjQuery.each(args, function(_, arg) {\n\t\t\t\t\t\t\tif (isFunction(arg)) {\n\t\t\t\t\t\t\t\tif (!options.unique || !self.has(arg)) {\n\t\t\t\t\t\t\t\t\tlist.push(arg);\n\t\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\t} else if (arg && arg.length && toType(arg) !== \"string\") {\n\n\t\t\t\t\t\t\t\t// Inspect recursively\n\t\t\t\t\t\t\t\tadd(arg);\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t});\n\t\t\t\t\t})(arguments);\n\n\t\t\t\t\tif (memory && !firing) {\n\t\t\t\t\t\tfire();\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t\treturn this;\n\t\t\t},\n\n\t\t\t// Remove a callback from the list\n\t\t\tremove: function() {\n\t\t\t\tjQuery.each(arguments, function(_, arg) {\n\t\t\t\t\tvar index;\n\t\t\t\t\twhile ((index = jQuery.inArray(arg, list, index)) > -1) {\n\t\t\t\t\t\tlist.splice(index, 1);\n\n\t\t\t\t\t\t// Handle firing indexes\n\t\t\t\t\t\tif (index <= firingIndex) {\n\t\t\t\t\t\t\tfiringIndex--;\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t});\n\t\t\t\treturn this;\n\t\t\t},\n\n\t\t\t// Check if a given callback is in the list.\n\t\t\t// If no argument is given, return whether or not list has callbacks attached.\n\t\t\thas: function(fn) {\n\t\t\t\treturn fn ?\n\t\t\t\t\tjQuery.inArray(fn, list) > -1 :\n\t\t\t\t\tlist.length > 0;\n\t\t\t},\n\n\t\t\t// Remove all callbacks from the list\n\t\t\tempty: function() {\n\t\t\t\tif (list) {\n\t\t\t\t\tlist = [];\n\t\t\t\t}\n\t\t\t\treturn this;\n\t\t\t},\n\n\t\t\t// Disable .fire and .add\n\t\t\t// Abort any current/pending executions\n\t\t\t// Clear all callbacks and values\n\t\t\tdisable: function() {\n\t\t\t\tlocked = queue = [];\n\t\t\t\tlist = memory = \"\";\n\t\t\t\treturn this;\n\t\t\t},\n\t\t\tdisabled: function() {\n\t\t\t\treturn !list;\n\t\t\t},\n\n\t\t\t// Disable .fire\n\t\t\t// Also disable .add unless we have memory (since it would have no effect)\n\t\t\t// Abort any pending executions\n\t\t\tlock: function() {\n\t\t\t\tlocked = queue = [];\n\t\t\t\tif (!memory && !firing) {\n\t\t\t\t\tlist = memory = \"\";\n\t\t\t\t}\n\t\t\t\treturn this;\n\t\t\t},\n\t\t\tlocked: function() {\n\t\t\t\treturn !!locked;\n\t\t\t},\n\n\t\t\t// Call all callbacks with the given context and arguments\n\t\t\tfireWith: function(context, args) {\n\t\t\t\tif (!locked) {\n\t\t\t\t\targs = args ||

[];\n\t\t\t\targs = [context, args.slice ? args.slice() : args];\n\t\t\t\tqueue.push(args);\n\t\t\t\tif (!firing) {\n\t\t\t\t\tfire();\n\t\t\t\t\t}\n\t\t\t}\n\t\t\treturn this;\n\t\t},\n\n\t\t\t// Call all the callbacks with the given arguments\n\t\t\tfire: function() {\n\t\t\t\tself.fireWith(this, arguments);\n\t\t\t\treturn this;\n\t\t\t},\n\n\t\t\t// To know if the callbacks have already been called at least once\n\t\t\tfired: function() {\n\t\t\t\treturn !!fired;\n\t\t\t}\n\t\t};\n\n\treturn self;\n};\n\n\nfunction Identity(v) {\n\treturn v;\n}\nfunction Thrower(ex) {\n\tthrow ex;\n}\n\nfunction adoptValue(value, resolve, reject, noValue) {\n\tvar method;\n\n\ttry {\n\n\t\t// Check for promise aspect first to privilege synchronous behavior\n\t\tif (value && isFunction((method = value.promise))) {\n\t\tmethod.call(value).done(resolve).fail(reject);\n\n\t\t// Other thenables\n\t} else if (value && isFunction((method = value.then))) {\n\t\tmethod.call(value, resolve, reject);\n\n\t\t// Other non-thenables\n\t} else {\n\n\t\t\t// Control `resolve` arguments by letting Array#slice cast boolean `noValue` to integer:\n\t\t\t// * false: [value].slice(0) => resolve(value)\n\t\t\t// * true: [value].slice(1) => resolve()\n\t\t\tresolve.apply(undefined, [value].slice(noValue));\n\t}\n\n\t// For Promises/A+, convert exceptions into rejections\n\t// Since jQuery.when doesn't unwrap thenables, we can skip the extra checks appearing in\n\t// Deferred#then to conditionally suppress rejection.\n\t} catch (value) {\n\n\t\t// Support: Android 4.0 only\n\t\t// Strict mode functions invoked without .call/.apply get global-object context\n\t\treject.apply(undefined, [value]);\n\t}\n}\n\njQuery.extend({\n\n\tDeferred: function(func) {\n\t\tvar tuples = [\n\n\t\t\t\t// action, add listener, callbacks,\n\t\t\t\t// ... .then handlers, argument index, [final state]\n\t\t\t\t[\"notify\", \"progress\", jQuery.Callbacks(\"memory\"),\n\t\t\t\t\tjQuery.Callbacks(\"memory\"), 2],\n\t\t\t\t[\"resolve\", \"done\", jQuery.Callbacks(\"once memory\"),\n\t\t\t\t\tjQuery.Callbacks(\"once memory\"), 0, \"resolved\"],\n\t\t\t\t[\"reject\", \"fail\", jQuery.Callbacks(\"once memory\"),\n\t\t\t\t\tjQuery.Callbacks(\"once memory\"), 1, \"rejected\"]\n\t\t\t],\n\t\t\tstate = \"pending\",\n\t\t\tpromise = {\n\t\t\t\tstate: function() {\n\t\t\t\t\treturn state;\n\t\t\t\t},\n\t\t\t\talways: function() {\n\t\t\t\t\tdeferred.done(arguments).fail(arguments);\n\t\t\t\t\treturn this;\n\t\t\t\t},\n\t\t\t\t\"catch\": function(fn) {\n\t\t\t\t\treturn promise.then(null, fn);\n\t\t\t\t},\n\n\t\t\t\t// Keep pipe for back-compat\n\t\t\t\tpipe: function(/* fnDone, fnFail, fnProgress */) {\n\t\t\t\t\tvar fns = arguments;\n\n\t\t\t\t\treturn jQuery.Deferred(function(newDefer) {\n\t\t\t\t\t\tjQuery.each(tuples, function(i, tuple) {\n\n\t\t\t\t\t\t\t// Map tuples (progress, done, fail) to arguments (done, fail, progress)\n\t\t\t\t\t\t\tvar fn = isFunction(fns[tuple[4]]) && fns[tuple[4]];\n\n\t\t\t\t\t\t\t// deferred.progress(function() { bind to newDefer or newDefer.notify })\n\t\t\t\t\t\t\t// deferred.done(function() { bind to newDefer or newDefer.resolve })\n\t\t\t\t\t\t\t// deferred.fail(function() { bind to newDefer or newDefer.reject })\n\t\t\t\t\t\t\tdeferred[tuple[1]](function() {\n\t\t\t\t\t\t\t\tvar returned = fn && fn.apply(this, arguments);\n\t\t\t\t\t\t\t\tif (returned && isFunction(returned.promise)) {\n\t\t\t\t\t\t\t\t\treturned.promise()\n\t\t\t\t\t\t\t\t\t\t.progress(newDefer.notify)\n\t\t\t\t\t\t\t\t\t\t.done(newDefer.resolve)\n\t\t\t\t\t\t\t\t\t\t.fail(newDefer.reject);\n\t\t\t\t\t\t\t\t} else {\n\t\t\t\t\t\t\t\t\tnewDefer[tuple[0] + \"With\"](\n\t\t\t\t\t\t\t\t\t\tthis,\n\t\t\t\t\t\t\t\t\t\tfn ? [returned] : arguments\n\t\t\t\t\t\t\t\t\t);\n\t\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\t});\n\t\t\t\t\t\t});\n\t\t\t\t\t\tfns = null;\n\t\t\t\t\t}).promise();\n\t\t\t\t},\n\t\t\t\tthen: function(onFulfilled, onRejected, onProgress) {\n\t\t\t\t\tvar maxDepth = 0;\n\t\t\t\t\tfunction resolve(depth, deferred, handler, special) {\n\t\t\t\t\t\treturn function() {\n\t\t\t\t\t\t\tvar that = this,\n\t\t\t\t\t\t\t\targs = arguments,\n\t\t\t\t\t\t\t\tmightThrow = function() {\n\t\t\t\t\t\t\t\t\tvar returned, then;\n\n\t\t\t\t\t\t\t\t\t// Support: Promises/A+ section 2.3.3.3.3\n\t\t\t\t\t\t\t\t\t// https://promisesaplus.com/#point-59\n\t\t\t\t\t\t\t\t\t// Ignore double-resolution attempts\n\t\t\t\t\t\t\t\t\tif (depth < maxDepth) {\n\t\t\t\t\t\t\t\t\t\treturn;\n\t\t\t\t\t\t\t\t\t}\n\n\t\t\t\t\t\t\t\t\treturned = handler.apply(that, args);\n\n\t\t\t\t\t\t\t\t\t// Support: Promises/A+ section 2.3.1\n\t\t\t\t\t\t\t\t\t// https://promisesaplus.com/#point-48\n\t\t\t\t\t\t\t\t\tif (returned === deferred.promise()) {\n\t\t\t\t\t\t\t\t\t\tthrow new TypeError(\"Thenable self-resolution\");\n\t\t\t\t\t\t\t\t\t}\n\n\t\t\t\t\t\t\t\t\t// Support: Promises/A+ sections 2.3.3.1, 3.5\n\t\t\t\t\t\t\t\t\t// https://promisesaplus.com/#point-54\n\t\t\t\t\t\t\t\t\t// https://promisesaplus.com/#point-75\n\t\t\t\t\t\t\t\t\t// Retrieve `then` only once\n\t\t\t\t\t\t\t\t\tthen = returned &&\n\n\t\t\t\t\t\t\t\t\t\t// Support: Promises/A+ section 2.3.4\n\t\t\t\t\t\t\t\t\t\t// https://promisesaplus.com/#point-64\n\t\t\t\t\t\t\t\t\t\t// Only check objects and functions for thenability\n\t\t\t\t\t\t\t\t\t\t(typeof returned === \"object\" ||\n\t\t\t\t\t\t\t\t\t\ttypeof returned === \"function\") &&\n\t\t\t\t\t\t\t\t\t\treturned.then;\n\n\t\t\t\t\t\t\t\t\t// Handle a returned thenable\n\t\t\t\t\t\t\t\t\tif (isFunction(then))

{\n\n\t\t\t\t\t\t\t\t\t\t// Special processors (notify) just wait for resolution\n\t\t\t\t\t\t\t\t\tif (special) {\n\t\t\t\t\t\t\t\t\t\tthen.call(\n\t\t\t\t\t\t\t\t\t\t\treturned,\n\t\t\t\t\t\t\t\t\t\t\tresolve(maxDepth, deferred, Identity, special),\n\t\t\t\t\t\t\t\t\t\t\tresolve(maxDepth, deferred, Thrower, special)\n\t\t\t\t\t\t\t\t\t);\n\n\t\t\t\t\t\t\t\t\t// Normal processors (resolve) also hook into progress\n\t\t\t\t\t\t\t\t} else {\n\n\t\t\t\t\t\t\t\t\t// ...and disregard older resolution values\n\t\t\t\t\t\t\t\t\tmaxDepth++;\n\n\t\t\t\t\t\t\t\t\tthen.call(\n\t\t\t\t\t\t\t\t\t\treturned,\n\t\t\t\t\t\t\t\t\t\tresolve(maxDepth, deferred, Identity, special),\n\t\t\t\t\t\t\t\t\t\tresolve(maxDepth, deferred, Thrower, special),\n\t\t\t\t\t\t\t\t\t\tresolve(maxDepth, deferred, Identity,\n\t\t\t\t\t\t\t\t\t\t\tdeferred.notifyWith)\n\t\t\t\t\t\t\t\t\t);\n\t\t\t\t\t\t\t\t}\n\n\t\t\t\t\t\t\t// Handle all other returned values\n\t\t\t\t\t\t\t} else {\n\n\t\t\t\t\t\t\t\t// Only substitute handlers pass on context\n\t\t\t\t\t\t\t\t// and multiple values (non-spec behavior)\n\t\t\t\t\t\t\t\tif (handler !== Identity) {\n\t\t\t\t\t\t\t\t\tthat = undefined;\n\t\t\t\t\t\t\t\t\targs = [returned];\n\t\t\t\t\t\t\t\t}\n\n\t\t\t\t\t\t\t\t// Process the value(s)\n\t\t\t\t\t\t\t\t// Default process is resolve\n\t\t\t\t\t\t\t\t(special || deferred.resolveWith)(that, args);\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t},\n\n\t\t\t\t\t\t// Only normal processors (resolve) catch and reject exceptions\n\t\t\t\t\t\tprocess = special ?\n\t\t\t\t\t\t\tmightThrow :\n\t\t\t\t\t\t\tfunction() {\n\t\t\t\t\t\t\t\ttry {\n\t\t\t\t\t\t\t\t\tmightThrow();\n\t\t\t\t\t\t\t\t} catch (e) {\n\n\t\t\t\t\t\t\t\t\tif (jQuery.Deferred.exceptionHook) {\n\t\t\t\t\t\t\t\t\t\tjQuery.Deferred.exceptionHook(e,\n\t\t\t\t\t\t\t\t\t\t\tprocess.stackTrace);\n\t\t\t\t\t\t\t\t\t}\n\n\t\t\t\t\t\t\t\t\t// Support: Promises/A+ section 2.3.3.3.4.1\n\t\t\t\t\t\t\t\t\t// https://promisesaplus.com/#point-61\n\t\t\t\t\t\t\t\t\t// Ignore post-resolution exceptions\n\t\t\t\t\t\t\t\t\tif (depth + 1 >= maxDepth) {\n\n\t\t\t\t\t\t\t\t\t\t// Only substitute handlers pass on context\n\t\t\t\t\t\t\t\t\t\t// and multiple values (non-spec behavior)\n\t\t\t\t\t\t\t\t\t\tif (handler !== Thrower) {\n\t\t\t\t\t\t\t\t\t\t\tthat = undefined;\n\t\t\t\t\t\t\t\t\t\t\targs = [e];\n\t\t\t\t\t\t\t\t\t\t}\n\n\t\t\t\t\t\t\t\t\t\tdeferred.rejectWith(that, args);\n\t\t\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\t};\n\n\t\t\t\t\t\t// Support: Promises/A+ section 2.3.3.3.1\n\t\t\t\t\t\t// https://promisesaplus.com/#point-57\n\t\t\t\t\t\t// Re-resolve promises immediately to dodge false rejection from\n\t\t\t\t\t\t// subsequent errors\n\t\t\t\t\t\tif (depth) {\n\t\t\t\t\t\t\tprocess();\n\t\t\t\t\t\t} else {\n\n\t\t\t\t\t\t\t// Call an optional hook to record the stack, in case of exception\n\t\t\t\t\t\t\t// since it's otherwise lost when execution goes async\n\t\t\t\t\t\t\tif (jQuery.Deferred.getStackHook) {\n\t\t\t\t\t\t\t\tprocess.stackTrace = jQuery.Deferred.getStackHook();\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\twindow.setTimeout(process);\n\t\t\t\t\t\t}\n\t\t\t\t\t};\n\t\t\t\t}\n\n\t\t\t\treturn jQuery.Deferred(function(newDefer) {\n\n\t\t\t\t\t// progress_handlers.add(...)\n\t\t\t\t\ttuples[0][3].add(\n\t\t\t\t\t\tresolve(\n\t\t\t\t\t\t\t0,\n\t\t\t\t\t\t\tnewDefer,\n\t\t\t\t\t\t\tisFunction(onProgress) ?\n\t\t\t\t\t\t\t\tonProgress :\n\t\t\t\t\t\t\t\tIdentity,\n\t\t\t\t\t\t\tnewDefer.notifyWith\n\t\t\t\t\t\t)\n\t\t\t\t\t);\n\n\t\t\t\t\t// fulfilled_handlers.add(...)\n\t\t\t\t\ttuples[1][3].add(\n\t\t\t\t\t\tresolve(\n\t\t\t\t\t\t\t0,\n\t\t\t\t\t\t\tnewDefer,\n\t\t\t\t\t\t\tisFunction(onFulfilled) ?\n\t\t\t\t\t\t\t\tonFulfilled :\n\t\t\t\t\t\t\t\tIdentity\n\t\t\t\t\t\t)\n\t\t\t\t\t);\n\n\t\t\t\t\t// rejected_handlers.add(...)\n\t\t\t\t\ttuples[2][3].add(\n\t\t\t\t\t\tresolve(\n\t\t\t\t\t\t\t0,\n\t\t\t\t\t\t\tnewDefer,\n\t\t\t\t\t\t\tisFunction(onRejected) ?\n\t\t\t\t\t\t\t\tonRejected :\n\t\t\t\t\t\t\t\tThrower\n\t\t\t\t\t\t)\n\t\t\t\t\t);\n\t\t\t\t}).promise();\n\t\t\t},\n\n\t\t\t// Get a promise for this deferred\n\t\t\t// If obj is provided, the promise aspect is added to the object\n\t\t\tpromise: function(obj) {\n\t\t\t\treturn obj != null ? jQuery.extend(obj, promise) : promise;\n\t\t\t}\n\t\t},\n\t\tdeferred = {};\n\n\t// Add list-specific methods\n\tjQuery.each(tuples, function(i, tuple) {\n\t\tvar list = tuple[2],\n\t\t\tstateString = tuple[5];\n\n\t\t// promise.progress = list.add\n\t\t// promise.done = list.add\n\t\t// promise.fail = list.add\n\t\tpromise[tuple[1]] = list.add;\n\n\t\t// Handle state\n\t\tif (stateString) {\n\t\t\tlist.add(\n\t\t\t\tfunction() {\n\n\t\t\t\t\t// state = "resolved" (i.e., fulfilled)\n\t\t\t\t\t// state = "rejected"\n\t\t\t\t\tstate = stateString;\n\t\t\t\t},\n\n\t\t\t\t// rejected_callbacks.disable\n\t\t\t\t// fulfilled_callbacks.disable\n\t\t\t\ttuples[3 - i][2].disable,\n\n\t\t\t\t// rejected_handlers.disable\n\t\t\t\t// fulfilled_handlers.disable\n\t\t\t\ttuples[3 - i][3].disable,\n\n\t\t\t\t//

progress_callbacks.lock\n\t\t\t\t\tttuples[0][2].lock,\n\n\t\t\t\t\t// progress_handlers.lock\n\t\t\t\t\tttuples[0][3].lock\n\t\t\t\t);\n\t\t\t}\n\n\t\t\t/// progress_handlers.fire\n\t\t\t// fulfilled_handlers.fire\n\t\t\t// rejected_handlers.fire\n\t\t\tlist.add(tuple[3].fire);\n\n\t\t\t// deferred.notify = function() { deferred.notifyWith(...) }\n\t\t\t// deferred.resolve = function() { deferred.resolveWith(...) }\n\t\t\t// deferred.reject = function() { deferred.rejectWith(...) }\n\t\t\tdeferred[tuple[0]] = function() {\n\t\t\t\tdeferred[tuple[0] + \"With\"](this === deferred ? undefined : this, arguments);\n\t\t\t\treturn this;\n\t\t\t};\n\n\t\t\t// deferred.notifyWith = list.fireWith\n\t\t\t// deferred.resolveWith = list.fireWith\n\t\t\t// deferred.rejectWith = list.fireWith\n\t\t\tdeferred[tuple[0] + \"With\"] = list.fireWith;\n\t\t});\n\n\t\t// Make the deferred a promise\n\t\tpromise.promise(deferred);\n\n\t\t// Call given func if any\n\t\tif (func) {\n\t\t\tfunc.call(deferred, deferred);\n\t\t}\n\n\t\t// All done!\n\t\treturn deferred;\n\t},\n\n\t// Deferred helper\n\twhen: function(singleValue) {\n\t\tvar\n\n\t\t\t// count of uncompleted subordinates\n\t\t\tremaining = arguments.length,\n\n\t\t\t// count of unprocessed arguments\n\t\t\ti = remaining,\n\n\t\t\t// subordinate fulfillment data\n\t\t\tresolveContexts = Array(i),\n\t\t\tresolveValues = slice.call(arguments),\n\n\t\t\t// the master Deferred\n\t\t\tmaster = jQuery.Deferred(),\n\n\t\t\t// subordinate callback factory\n\t\t\tupdateFunc = function(i) {\n\t\t\t\treturn function(value) {\n\t\t\t\t\tresolveContexts[i] = this;\n\t\t\t\t\tresolveValues[i] = arguments.length > 1 ? slice.call(arguments) : value;\n\t\t\t\t\tif (!(--remaining)) {\n\t\t\t\t\t\tmaster.resolveWith(resolveContexts, resolveValues);\n\t\t\t\t\t}\n\t\t\t\t};\n\t\t\t};\n\n\t\t// Single- and empty arguments are adopted like Promise.resolve\n\t\tif (remaining <= 1) {\n\t\t\tadoptValue(singleValue, master.done(updateFunc(i)).resolve, master.reject,\n\t\t\t\t!remaining);\n\n\t\t\t// Use .then() to unwrap secondary thenables (cf. gh-3000)\n\t\t\tif (master.state() === \"pending\" ||\n\t\t\t\tisFunction(resolveValues[i] && resolveValues[i].then)) {\n\n\t\t\t\treturn master.then();\n\t\t\t}\n\t\t}\n\n\t\t// Multiple arguments are aggregated like Promise.all array elements\n\t\twhile (i--) {\n\t\t\tadoptValue(resolveValues[i], updateFunc(i), master.reject);\n\t\t}\n\n\t\treturn master.promise();\n\t}\n});\n\n\n// These usually indicate a programmer mistake during development,\n// warn about them ASAP rather than swallowing them by default.\nvar rerrorNames = /^(Eval|Internal|Range|Reference|Syntax|Type|URI)Error$/;\n\njQuery.Deferred.exceptionHook = function(error, stack) {\n\n\t// Support: IE 8 - 9 only\n\t// Console exists when dev tools are open, which can happen at any time\n\tif (window.console && window.console.warn && error && rerrorNames.test(error.name)) {\n\t\twindow.console.warn(\"jQuery.Deferred exception: \" + error.message, error.stack, stack);\n\t}\n};\n\n\n\njQuery.readyException = function(error) {\n\twindow.setTimeout(function() {\n\t\tthrow error;\n\t});\n};\n\n\n\n\n// The deferred used on DOM ready\nvar readyList = jQuery.Deferred();\n\njQuery.fn.ready = function(fn) {\n\n\treadyList\n\t\t.then(fn)\n\n\t\t// Wrap jQuery.readyException in a function so that the lookup\n\t\t// happens at the time of error handling instead of callback\n\t\t// registration.\n\t\t.catch(function(error) {\n\t\t\tjQuery.readyException(error);\n\t\t});\n\n\treturn this;\n};\n\njQuery.extend({\n\n\t// Is the DOM ready to be used? Set to true once it occurs.\n\tisReady: false,\n\n\t// A counter to track how many items to wait for before\n\t// the ready event fires. See #6781\n\treadyWait: 1,\n\n\t// Handle when the DOM is ready\n\tready: function(wait) {\n\n\t\t// Abort if there are pending holds or we're already ready\n\t\tif (wait === true ? --jQuery.readyWait : jQuery.isReady) {\n\t\t\treturn;\n\t\t}\n\n\t\t// Remember that the DOM is ready\n\t\tjQuery.isReady = true;\n\n\t\t// If a normal DOM Ready event fired, decrement, and wait if need be\n\t\tif (wait !== true && --jQuery.readyWait > 0) {\n\t\t\treturn;\n\t\t}\n\n\t\t// If there are functions bound, to execute\n\t\treadyList.resolveWith(document, [jQuery]);\n\t}\n});\n\njQuery.ready.then = readyList.then;\n\n// The ready event handler and self cleanup method\nfunction completed() {\n\tdocument.removeEventListener(\"DOMContentLoaded\", completed);\n\twindow.removeEventListener(\"load\", completed);\n\tjQuery.ready();\n}\n\n\n// Catch cases where $(document).ready() is called\n// after the browser event has already occurred.\n// Support: IE <=9 - 10 only\n// Older IE sometimes signals \"interactive\" too soon\nif (document.readyState === \"complete\" ||\n\t(document.readyState !== \"loading\" && !document.documentElement.doScroll)) {\n\n\t// Handle it asynchronously to allow scripts the opportunity to delay ready\n\twindow.setTimeout(jQuery.ready);\n\n} else {\n\n\t// Use the handy event callback\n\tdocument.addEventListener(\"DOMContentLoaded\", completed);\n\n\t// A fallback to window.onload, that will always work\n\twindow.addEventListener(\"load\", completed);\n}\n\n\n\n\n// Multifunctional method to

get and set values of a collection\n// The value/s can optionally be executed if it's a function\nvar access = function(elems, fn, key, value, chainable, emptyGet, raw) {\n\tvar i = 0,\n\t\tlen = elems.length,\n\t\tbulk = key == null;\n\n\t// Sets many values\n\tif (toType(key) === \"object\") {\n\t\tchainable = true;\n\t\tfor (i in key) {\n\t\t\taccess(elems, fn, i, key[i], true, emptyGet, raw);\n\t\t}\n\n\t// Sets one value\n\t} else if (value !== undefined) {\n\t\tchainable = true;\n\n\t\tif (!isFunction(value)) {\n\t\t\traw = true;\n\t\t}\n\n\t\tif (bulk) {\n\n\t\t\t// Bulk operations run against the entire set\n\t\t\tif (raw) {\n\t\t\t\tfn.call(elems, value);\n\t\t\t\tfn = null;\n\n\t\t\t\t// ...except when executing function values\n\t\t\t} else {\n\t\t\t\tbulk = fn;\n\t\t\t\tfn = function(elem, key, value) {\n\t\t\t\t\treturn bulk.call(jQuery(elem), value);\n\t\t\t\t};\n\t\t\t}\n\t\t}\n\n\t\tif (fn) {\n\t\t\tfor (; i < len; i++) {\n\t\t\t\tfn(\n\t\t\t\t\telems[i], key, raw ?\n\t\t\t\t\tvalue :\n\t\t\t\t\tvalue.call(elems[i], i, fn(elems[i], key))\n\t\t\t\t);\n\t\t\t}\n\t\t}\n\t}\n\n\tif (chainable) {\n\t\treturn elems;\n\t}\n\n\t// Gets\n\tif (bulk) {\n\t\treturn fn.call(elems);\n\t}\n\n\treturn len ? fn(elems[0], key) : emptyGet;\n};\n\n\n// Matches dashed string for camelizing\nvar rmsPrefix = /^-ms-/,\n\trdashAlpha = /-([a-z])/g;\n\n// Used by camelCase as callback to replace()\nfunction fcamelCase(all, letter) {\n\treturn letter.toUpperCase();\n}\n\n\n// Convert dashed to camelCase; used by the css and data modules\n// Support: IE <=9 - 11, Edge 12 - 15\n// Microsoft forgot to hump their vendor prefix (#9572)\nfunction camelCase(string) {\n\treturn string.replace(rmsPrefix, \"ms-\").replace(rdashAlpha, fcamelCase);\n}\nvar acceptData = function(owner) {\n\n\t// Accepts only:\n\t// - Node\n\t//   - Node.ELEMENT_NODE\n\t//   - Node.DOCUMENT_NODE\n\t// - Object\n\t//   - Any\n\treturn owner.nodeType === 1 || owner.nodeType === 9 || !(+owner.nodeType);\n};\n\n\n\nfunction Data() {\n\tthis.expando = jQuery.expando + Data.uid++;\n}\n\nData.uid = 1;\n\nData.prototype = {\n\n\tcache: function(owner) {\n\n\t\t// Check if the owner object already has a cache\n\t\tvar value = owner[this.expando];\n\n\t\t// If not, create one\n\t\tif (!value) {\n\t\t\tvalue = {};\n\n\t\t\t// We can accept data for non-element nodes in modern browsers,\n\t\t\t// but we should not, see #8335.\n\t\t\t// Always return an empty object.\n\t\t\tif (acceptData(owner)) {\n\n\t\t\t\t// If it is a node unlikely to be stringify-ed or looped over\n\t\t\t\t// use plain assignment\n\t\t\t\tif (owner.nodeType) {\n\t\t\t\t\towner[this.expando] = value;\n\n\t\t\t\t// Otherwise secure it in a non-enumerable property\n\t\t\t\t// configurable must be true to allow the property to be\n\t\t\t\t// deleted when data is removed\n\t\t\t\t} else {\n\t\t\t\t\tObject.defineProperty(owner, this.expando, {\n\t\t\t\t\t\tvalue: value,\n\t\t\t\t\t\tconfigurable: true\n\t\t\t\t\t});\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t\treturn value;\n\t},\n\tset: function(owner, data, value) {\n\t\tvar prop,\n\t\t\tcache = this.cache(owner);\n\n\t\t// Handle: [owner, key, value] args\n\t\t// Always use camelCase key (gh-2257)\n\t\tif (typeof data === \"string\") {\n\t\t\tcache[camelCase(data)] = value;\n\n\t\t// Handle: [owner, { properties }] args\n\t\t} else {\n\n\t\t\t// Copy the properties one-by-one to the cache object\n\t\t\tfor (prop in data) {\n\t\t\t\tcache[camelCase(prop)] = data[prop];\n\t\t\t}\n\t\t}\n\t\treturn cache;\n\t},\n\tget: function(owner, key) {\n\t\treturn key === undefined ?\n\t\t\tthis.cache(owner) :\n\n\t\t\t// Always use camelCase key (gh-2257)\n\t\t\towner[this.expando] && owner[this.expando][camelCase(key)];\n\t},\n\taccess: function(owner, key, value) {\n\n\t\t// In cases where either:\n\t\t//\n\t\t//   1. No key was specified\n\t\t//   2. A string key was specified, but no value provided\n\t\t//\n\t\t// Take the \"read\" path and allow the get method to determine\n\t\t// which value to return, respectively either:\n\t\t//\n\t\t//   1. The entire cache object\n\t\t//   2. The data stored at the key\n\t\t//\n\t\tif (key === undefined ||\n\t\t\t((key && typeof key === \"string\") && value === undefined)) {\n\t\t\treturn this.get(owner, key);\n\t\t}\n\n\t\t// When the key is not a string, or both a key and value\n\t\t// are specified, set or extend (existing objects) with either:\n\t\t//\n\t\t//   1. An object of properties\n\t\t//   2. A key and value\n\t\t//\n\t\tthis.set(owner, key, value);\n\n\t\t// Since the \"set\" path can have two possible entry points\n\t\t// return the expected data based on which path was taken[*]\n\t\treturn value !== undefined ? value : key;\n\t},\n\tremove: function(owner, key) {\n\t\tvar i,\n\t\t\tcache = owner[this.expando];\n\n\t\tif (cache === undefined) {\n\t\t\treturn;\n\t\t}\n\n\t\tif (key !== undefined) {\n\n\t\t\t// Support array or space separated string of keys\n\t\t\tif (Array.isArray(key)) {\n\n\t\t\t\t// If key is an array of keys...\n\t\t\t\t// We always set camelCase keys, so remove that.\n\t\t\t\tkey = key.map(camelCase);\n\t\t\t} else {\n\t\t\t\tkey = camelCase(key);\n\n\t\t\t\t// If a key with the spaces exists, use it.\n\t\t\t\t// Otherwise, create an array by matching non-whitespace\n\t\t\t\tkey = key in cache ?\n\t\t\t\t\t[key] :\n\t\t\t\t\t(key.match(rnothtmlwhite) || []);\n\t\t\t}\n\n\t\t\ti = key.length;\n\n\t\t\twhile (i--) {\n\t\t\t\tdelete cache[key[i]];\n\t\t\t}\n\t\t}\n\n\t\t// Remove the expando if there's

no more data\n\t\tif (key === undefined || jQuery.isEmptyObject(cache)) {\n\n\t\t\t// Support: Chrome <=35 - 45\n\t\t\t// Webkit & Blink performance suffers when deleting properties\n\t\t\t// from DOM nodes, so set to undefined instead\n\t\t\t// https://bugs.chromium.org/p/chromium/issues/detail?id=378607 (bug restricted)\n\t\t\tif (owner.nodeType) {\n\t\t\towner[this.expando] = undefined;\n\t\t\t} else {\n\t\t\tdelete owner[this.expando];\n\t\t\t}\n\t\t\t}\n\t\t},\n\thasData: function(owner) {\n\t\tvar cache = owner[this.expando];\n\t\treturn cache !== undefined && !jQuery.isEmptyObject(cache);\n\t}\n};\nvar dataPriv = new Data();\n\nvar dataUser = new Data();\n\n\n\n//\tImplementation Summary\n//\n//\t1. Enforce API surface and semantic compatibility with 1.9.x branch\n//\t2. Improve the module's maintainability by reducing the storage\n//\t\tpaths to a single mechanism.\n//\t3. Use the same single mechanism to support \"private\" and \"user\" data.\n//\t4. _Never_ expose \"private\" data to user code (TODO: Drop _data, _removeData)\n//\t5. Avoid exposing implementation details on user objects (eg. expando properties)\n//\t6. Provide a clear path for implementation upgrade to WeakMap in 2014\n\nvar rbrace = /^(?:\\{[\\w\\W]*\\}|\\[[\\w\\W]*\\])$/,\n\trmultiDash = /[A-Z]/g;\n\nfunction getData(data) {\n\tif (data === \"true\") {\n\t\treturn true;\n\t}\n\n\tif (data === \"false\") {\n\t\treturn false;\n\t}\n\n\tif (data === \"null\") {\n\t\treturn null;\n\t}\n\n\t// Only convert to a number if it doesn't change the string\n\tif (data === +data + \"\") {\n\t\treturn +data;\n\t}\n\n\tif (rbrace.test(data)) {\n\t\treturn JSON.parse(data);\n\t}\n\n\treturn data;\n}\n\nfunction dataAttr(elem, key, data) {\n\tvar name;\n\n\t// If nothing was found internally, try to fetch any\n\t// data from the HTML5 data-* attribute\n\tif (data === undefined && elem.nodeType === 1) {\n\t\tname = \"data-\" + key.replace(rmultiDash, \"-$&\").toLowerCase();\n\t\tdata = elem.getAttribute(name);\n\n\t\tif (typeof data === \"string\") {\n\t\t\ttry {\n\t\t\t\tdata = getData(data);\n\t\t\t} catch (e) {}\n\n\t\t\t// Make sure we set the data so it isn't changed later\n\t\t\tdataUser.set(elem, key, data);\n\t\t} else {\n\t\t\tdata = undefined;\n\t\t}\n\t}\n\treturn data;\n}\n\njQuery.extend({\n\thasData: function(elem) {\n\t\treturn dataUser.hasData(elem) || dataPriv.hasData(elem);\n\t},\n\n\tdata: function(elem, name, data) {\n\t\treturn dataUser.access(elem, name, data);\n\t},\n\n\tremoveData: function(elem, name) {\n\t\tdataUser.remove(elem, name);\n\t},\n\n\t// TODO: Now that all calls to _data and _removeData have been replaced\n\t// with direct calls to dataPriv methods, these can be deprecated.\n\t_data: function(elem, name, data) {\n\t\treturn dataPriv.access(elem, name, data);\n\t},\n\n\t_removeData: function(elem, name) {\n\t\tdataPriv.remove(elem, name);\n\t}\n});\n\njQuery.fn.extend({\n\tdata: function(key, value) {\n\t\tvar i, name, data,\n\t\telem = this[0],\n\t\tattrs = elem && elem.attributes;\n\n\t\t// Gets all values\n\t\tif (key === undefined) {\n\t\t\tif (this.length) {\n\t\t\t\tdata = dataUser.get(elem);\n\n\t\t\t\tif (elem.nodeType === 1 && !dataPriv.get(elem, \"hasDataAttrs\")) {\n\t\t\t\t\ti = attrs.length;\n\t\t\t\t\twhile (i--) {\n\n\t\t\t\t\t\t// Support: IE 11 only\n\t\t\t\t\t\t// The attrs elements can be null (#14894)\n\t\t\t\t\t\tif (attrs[i]) {\n\t\t\t\t\t\t\tname = attrs[i].name;\n\t\t\t\t\t\t\tif (name.indexOf(\"data-\") === 0) {\n\t\t\t\t\t\t\t\tname = camelCase(name.slice(5));\n\t\t\t\t\t\t\t\tdataAttr(elem, name, data[name]);\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t\tdataPriv.set(elem, \"hasDataAttrs\", true);\n\t\t\t\t}\n\t\t\t}\n\n\t\t\treturn data;\n\t\t}\n\n\t\t// Sets multiple values\n\t\tif (typeof key === \"object\") {\n\t\t\treturn this.each(function() {\n\t\t\t\tdataUser.set(this, key);\n\t\t\t});\n\t\t}\n\n\t\treturn access(this, function(value) {\n\t\t\tvar data;\n\n\t\t\t// The calling jQuery object (element matches) is not empty\n\t\t\t// (and therefore has an element appears at this[0]) and the\n\t\t\t// `value` parameter was not undefined. An empty jQuery object\n\t\t\t// will result in `undefined` for elem = this[0] which will\n\t\t\t// throw an exception if an attempt to read a data cache is made.\n\t\t\tif (elem && value === undefined) {\n\n\t\t\t\t// Attempt to get data from the cache\n\t\t\t\t// The key will always be camelCased in Data\n\t\t\t\tdata = dataUser.get(elem, key);\n\t\t\t\tif (data !== undefined) {\n\t\t\t\t\treturn data;\n\t\t\t\t}\n\n\t\t\t\t// Attempt to \"discover\" the data in\n\t\t\t\t// HTML5 custom data-* attrs\n\t\t\t\tdata = dataAttr(elem, key);\n\t\t\t\tif (data !== undefined) {\n\t\t\t\t\treturn data;\n\t\t\t\t}\n\n\t\t\t\t// We tried really hard, but the data doesn't exist.\n\t\t\t\treturn;\n\t\t\t}\n\n\t\t\t// Set the data...\n\t\t\tthis.each(function() {\n\n\t\t\t\t// We always store the camelCased key\n\t\t\t\tdataUser.set(this, key, value);\n\t\t\t});\n\t\t}, null, value, arguments.length > 1, null, true);\n\t},\n\n\tremoveData: function(key) {\n\t\treturn this.each(function() {\n\t\t\tdataUser.remove(this, key);\n\t\t});\n\t}\n});\n\n\njQuery.extend({\n\tqueue: function(elem, type, data) {\n\t\tvar queue;\n\n\t\tif (elem) {\n\t\t\ttype = (type || \"fx\") + \"queue\";\n\t\t\tqueue = dataPriv.get(elem, type);\n\n\t\t\t// Speed up dequeue by getting out quickly if this is just a

lookup\n\t\t\tif (data) {\n\t\t\t\tif (!queue || Array.isArray(data)) {\n\t\t\t\t\tqueue = dataPriv.access(elem, type, jQuery.makeArray(data));\n\t\t\t\t} else {\n\t\t\t\t\tqueue.push(data);\n\t\t\t\t}\n\t\t\t}\n\t\t\treturn queue || [];\n\t\t}\n\t\t},\n\n\tdequeue: function(elem, type) {\n\t\ttype = type || \"fx\";\n\n\t\tvar queue = jQuery.queue(elem, type),\n\t\t\tstartLength = queue.length,\n\t\t\tfn = queue.shift(),\n\t\t\thooks = jQuery._queueHooks(elem, type),\n\t\t\tnext = function() {\n\t\t\t\tjQuery.dequeue(elem, type);\n\t\t\t};\n\n\t\t// If the fx queue is dequeued, always remove the progress sentinel\n\t\tif (fn === \"inprogress\") {\n\t\t\tfn = queue.shift();\n\t\t\tstartLength--;\n\t\t}\n\n\t\tif (fn) {\n\n\t\t\t// Add a progress sentinel to prevent the fx queue from being\n\t\t\t// automatically dequeued\n\t\t\tif (type === \"fx\") {\n\t\t\t\tqueue.unshift(\"inprogress\");\n\t\t\t}\n\n\t\t\t// Clear up the last queue stop function\n\t\t\tdelete hooks.stop;\n\t\t\tfn.call(elem, next, hooks);\n\t\t}\n\n\t\tif (!startLength && hooks) {\n\t\t\thooks.empty.fire();\n\t\t}\n\t},\n\n\t// Not public - generate a queueHooks object, or return the current one\n\t_queueHooks: function(elem, type) {\n\t\tvar key = type + \"queueHooks\";\n\t\treturn dataPriv.get(elem, key) || dataPriv.access(elem, key, {\n\t\t\tempty: jQuery.Callbacks(\"once memory\").add(function() {\n\t\t\t\tdataPriv.remove(elem, [type + \"queue\", key]);\n\t\t\t})\n\t\t});\n\t}\n});\n\njQuery.fn.extend({\n\tqueue: function(type, data) {\n\t\tvar setter = 2;\n\n\t\tif (typeof type !== \"string\") {\n\t\t\tdata = type;\n\t\t\ttype = \"fx\";\n\t\t\tsetter--;\n\t\t}\n\n\t\tif (arguments.length < setter) {\n\t\t\treturn jQuery.queue(this[0], type);\n\t\t}\n\n\t\treturn data === undefined ?\n\t\t\tthis :\n\t\t\tthis.each(function() {\n\t\t\t\tvar queue = jQuery.queue(this, type, data);\n\n\t\t\t\t// Ensure a hooks for this queue\n\t\t\t\tjQuery._queueHooks(this, type);\n\n\t\t\t\tif (type === \"fx\" && queue[0] !== \"inprogress\") {\n\t\t\t\t\tjQuery.dequeue(this, type);\n\t\t\t\t}\n\t\t\t});\n\t},\n\tdequeue: function(type) {\n\t\treturn this.each(function() {\n\t\t\tjQuery.dequeue(this, type);\n\t\t});\n\t},\n\tclearQueue: function(type) {\n\t\treturn this.queue(type || \"fx\", []);\n\t},\n\n\t// Get a promise resolved when queues of a certain type\n\t// are emptied (fx is the type by default)\n\tpromise: function(type, obj) {\n\t\tvar tmp,\n\t\t\tcount = 1,\n\t\t\tdefer = jQuery.Deferred(),\n\t\t\telements = this,\n\t\t\ti = this.length,\n\t\t\tresolve = function() {\n\t\t\t\tif (!(--count)) {\n\t\t\t\t\tdefer.resolveWith(elements, [elements]);\n\t\t\t\t}\n\t\t\t};\n\n\t\tif (typeof type !== \"string\") {\n\t\t\tobj = type;\n\t\t\ttype = undefined;\n\t\t}\n\t\ttype = type || \"fx\";\n\n\t\twhile (i--) {\n\t\t\ttmp = dataPriv.get(elements[i], type + \"queueHooks\");\n\t\t\tif (tmp && tmp.empty) {\n\t\t\t\tcount++;\n\t\t\t\ttmp.empty.add(resolve);\n\t\t\t}\n\t\t}\n\t\tresolve();\n\t\treturn defer.promise(obj);\n\t}\n});\nvar pnum = (/[+-]?(?:\\d*\\.|)\\d+(?:[eE][+-]?\\d+|)/).source;\n\n\nvar rcssNum = new RegExp(\"^(?:([+-])=|)(\" + pnum + \")([a-z%]*)$\", \"i\");\n\n\nvar cssExpand = [\"Top\", \"Right\", \"Bottom\", \"Left\"];\n\nvar isHiddenWithinTree = function(elem, el) {\n\n\t\t// isHiddenWithinTree might be called from jQuery#filter function;\n\t\t// in that case, element will be second argument\n\t\telem = el || elem;\n\n\t\t// Inline style trumps all\n\t\treturn elem.style.display === \"none\" ||\n\t\t\telem.style.display === \"\" &&\n\n\t\t\t// Otherwise, check computed style\n\t\t\t// Support: Firefox <=43 - 45\n\t\t\t// Disconnected elements can have computed display:\n\t\t\t// none, so first confirm that elem is\n\t\t\t// in the document.\n\t\t\tjQuery.contains(elem.ownerDocument, elem) &&\n\n\t\t\tjQuery.css(elem, \"display\") === \"none\";\n\t};\n\nvar swap = function(elem, options, callback, args) {\n\tvar ret, name,\n\t\told = {};\n\n\t// Remember the old values, and insert the new ones\n\tfor (name in options) {\n\t\told[name] = elem.style[name];\n\t\telem.style[name] = options[name];\n\t}\n\n\tret = callback.apply(elem, args || []);\n\n\t// Revert the old values\n\tfor (name in options) {\n\t\telem.style[name] = old[name];\n\t}\n\n\treturn ret;\n};\n\n\n\nfunction adjustCSS(elem, prop, valueParts, tween) {\n\tvar adjusted, scale,\n\t\tmaxIterations = 20,\n\t\tcurrentValue = tween ?\n\t\t\tfunction() {\n\t\t\t\treturn tween.cur();\n\t\t\t} :\n\t\t\tfunction() {\n\t\t\t\treturn jQuery.css(elem, prop, \"\");\n\t\t\t},\n\tinitial = currentValue(),\n\tunit = valueParts && valueParts[3] || (jQuery.cssNumber[prop] ? \"\" : \"px\"),\n\n\t// Starting value computation is required for potential unit mismatches\n\tinitialInUnit = (jQuery.cssNumber[prop] || unit !== \"px\" && +initial) &&\n\t\trcssNum.exec(jQuery.css(elem, prop));\n\n\tif (initialInUnit && initialInUnit[3] !== unit) {\n\n\t\t// Support: Firefox <=54\n\t\t// Halve the iteration target value to prevent interference from CSS upper bounds (gh-2144)\n\t\tinitial = initial / 2;\n\n\t\t// Trust units reported by jQuery.css\n\t\tunit = unit || initialInUnit[3];\n\n\t\t// Iteratively approximate from a nonzero starting point\n\t\tinitialInUnit = +initial || 1;\n\n\t\twhile (maxIterations--) {\n\n\t\t\t// Evaluate and update our best guess (doubling guesses that zero out).\n\t\t\t// Finish if the scale equals or crosses 1 (making the old*new product non-positive).\n\t\t\tjQuery.style(elem, prop, initialInUnit + unit);\n\t\t\tif (

(1 - scale) * (1 - (scale = currentValue() / initial || 0.5)) <= 0) {\n\t\t\t\tmaxIterations = 0;\n\t\t\t}\n\t\t\tinitialInUnit = initialInUnit / scale;\n\n\t\t}\n\n\t\tinitialInUnit = initialInUnit * 2;\n\t\tjQuery.style(elem, prop, initialInUnit + unit);\n\n\t\t// Make sure we update the tween properties later on\n\t\tvalueParts = valueParts || [];\n\t}\n\n\tif (valueParts) {\n\t\tinitialInUnit = +initialInUnit || +initial || 0;\n\n\t\t// Apply relative offset (+=/-=) if specified\n\t\tadjusted = valueParts[1] ?\n\t\t\tinitialInUnit + (valueParts[1] + 1) * valueParts[2] :\n\t\t\t+valueParts[2];\n\t\tif (tween) {\n\t\t\ttween.unit = unit;\n\t\t\ttween.start = initialInUnit;\n\t\t\ttween.end = adjusted;\n\t\t}\n\t}\n\t\treturn adjusted;\n}\n\n\nvar defaultDisplayMap = {};\nfunction getDefaultDisplay(elem) {\n\tvar temp,\n\t\tdoc = elem.ownerDocument,\n\t\tnodeName = elem.nodeName,\n\t\tdisplay = defaultDisplayMap[nodeName];\n\n\tif (display) {\n\t\treturn display;\n\t}\n\n\ttemp = doc.body.appendChild(doc.createElement(nodeName));\n\tdisplay = jQuery.css(temp, \"display\");\n\n\ttemp.parentNode.removeChild(temp);\n\n\tif (display === \"none\") {\n\t\tdisplay = \"block\";\n\t}\n\tdefaultDisplayMap[nodeName] = display;\n\n\treturn display;\n}\n\nfunction showHide(elements, show) {\n\tvar display, elem,\n\t\tvalues = [],\n\t\tindex = 0,\n\t\tlength = elements.length;\n\n\t// Determine new display value for elements that need to change\n\tfor (; index < length; index++) {\n\t\telem = elements[index];\n\t\tif (!elem.style) {\n\t\t\tcontinue;\n\t\t}\n\n\t\tdisplay = elem.style.display;\n\t\tif (show) {\n\n\t\t\t// Since we force visibility upon cascade-hidden elements, an immediate (and slow)\n\t\t\t// check is required in this first loop unless we have a nonempty display value (either\n\t\t\t// inline or about-to-be-restored)\n\t\t\tif (display === \"none\") {\n\t\t\t\tvalues[index] = dataPriv.get(elem, \"display\") || null;\n\t\t\t\tif (!values[index]) {\n\t\t\t\t\telem.style.display = \"\";\n\t\t\t\t}\n\t\t\t}\n\t\t\tif (elem.style.display === \"\" && isHiddenWithinTree(elem)) {\n\t\t\t\tvalues[index] = getDefaultDisplay(elem);\n\t\t\t}\n\t\t} else {\n\t\t\tif (display !== \"none\") {\n\t\t\t\tvalues[index] = \"none\";\n\n\t\t\t\t// Remember what we're overwriting\n\t\t\t\tdataPriv.set(elem, \"display\", display);\n\t\t\t}\n\t\t}\n\t}\n\n\t// Set the display of the elements in a second loop to avoid constant reflow\n\tfor (index = 0; index < length; index++) {\n\t\tif (values[index] != null) {\n\t\t\telements[index].style.display = values[index];\n\t\t}\n\t}\n\n\treturn elements;\n}\n\njQuery.fn.extend({\n\tshow: function() {\n\t\treturn showHide(this, true);\n\t},\n\thide: function() {\n\t\treturn showHide(this);\n\t},\n\ttoggle: function(state) {\n\t\tif (typeof state === \"boolean\") {\n\t\t\treturn state ? this.show() : this.hide();\n\t\t}\n\n\t\treturn this.each(function() {\n\t\t\tif (isHiddenWithinTree(this)) {\n\t\t\t\tjQuery(this).show();\n\t\t\t} else {\n\t\t\t\tjQuery(this).hide();\n\t\t\t}\n\t\t});\n\t}\n});\nvar rcheckableType = (/^(?:checkbox|radio)$/i);\nvar rtagName = (/<([a-z][^\\/\\0>\\x20\\t\\r\\n\\f]+)/i);\nvar rscriptType = (/^$|^module$|\\/(?:java|ecma)script/i);\n\n\n\n// We have to close these tags to support XHTML (#13200)\nvar wrapMap = {\n\n\t// Support: IE <=9 only\n\toption: [1, \"<select multiple='multiple'>\", \"</select>\"],\n\n\t// XHTML parsers do not magically insert elements in the\n\t// same way that tag soup parsers do. So we cannot shorten\n\t// this by omitting <tbody> or other required elements.\n\tthead: [1, \"<table>\", \"</table>\"],\n\tcol: [2, \"<table><colgroup>\", \"</colgroup></table>\"],\n\ttr: [2, \"<table><tbody>\", \"</tbody></table>\"],\n\ttd: [3, \"<table><tbody><tr>\", \"</tr></tbody></table>\"],\n\n\t_default: [0, \"\", \"\"]\n};\n\n// Support: IE <=9 only\nwrapMap.optgroup = wrapMap.option;\n\nwrapMap.tbody = wrapMap.tfoot = wrapMap.colgroup = wrapMap.caption = wrapMap.thead;\nwrapMap.th = wrapMap.td;\n\nfunction getAll(context, tag) {\n\n\t// Support: IE <=9 - 11 only\n\t// Use typeof to avoid zero-argument method invocation on host objects (#15151)\n\tvar ret;\n\n\tif (typeof context.getElementsByTagName !== \"undefined\") {\n\t\tret = context.getElementsByTagName(tag || \"*\");\n\n\t} else if (typeof context.querySelectorAll !== \"undefined\") {\n\t\tret = context.querySelectorAll(tag || \"*\");\n\n\t} else {\n\t\tret = [];\n\t}\n\n\tif (tag === undefined || tag && nodeName(context, tag)) {\n\t\treturn jQuery.merge([context], ret);\n\t}\n\n\treturn ret;\n}\n\n\n// Mark scripts as having already been evaluated\nfunction setGlobalEval(elems, refElements) {\n\tvar i = 0,\n\t\tl = elems.length;\n\n\tfor (; i < l; i++) {\n\t\tdataPriv.set(\n\t\t\telems[i],\n\t\t\t\"globalEval\",\n\t\t\t!refElements || dataPriv.get(refElements[i], \"globalEval\")\n\t\t);\n\t}\n}\n\n\nvar rhtml = /<|&#?\\w+;/;\n\nfunction buildFragment(elems, context, scripts, selection, ignored) {\n\tvar elem, tmp, tag, wrap, contains, j,\n\t\tfragment = context.createDocumentFragment(),\n\t\tnodes = [],\n\t\ti = 0,\n\t\tl = elems.length;\n\n\tfor (; i < l; i++) {\n\t\telem = elems[i];\n\n\t\tif (elem || elem === 0) {\n\n\t\t\t// Add nodes directly\n\t\t\tif (toType(elem) === \"object\")

{\n\n\t\t\t\t// Support: Android <=4.0 only, PhantomJS 1 only\n\t\t\t\t// push.apply(_, arraylike) throws on ancient WebKit\n\t\t\t\tjQuery.merge(nodes, elem.nodeType ? [elem] : elem);\n\n\t\t\t// Convert non-html into a text node\n\t\t\t} else if (!rhtml.test(elem)) {\n\t\t\t\tnodes.push(context.createTextNode(elem));\n\n\t\t\t// Convert html into DOM nodes\n\t\t\t} else {\n\t\t\t\ttmp = tmp || fragment.appendChild(context.createElement(\"div\"));\n\n\t\t\t\t// Deserialize a standard representation\n\t\t\t\ttag = (rtagName.exec(elem) || [\"\", \"\"])[1].toLowerCase();\n\t\t\t\twrap = wrapMap[tag] || wrapMap._default;\n\t\t\t\ttmp.innerHTML = wrap[1] + jQuery.htmlPrefilter(elem) + wrap[2];\n\n\t\t\t\t// Descend through wrappers to the right content\n\t\t\t\tj = wrap[0];\n\t\t\t\twhile (j--) {\n\t\t\t\t\ttmp = tmp.lastChild;\n\t\t\t\t}\n\n\t\t\t\t// Support: Android <=4.0 only, PhantomJS 1 only\n\t\t\t\t// push.apply(_, arraylike) throws on ancient WebKit\n\t\t\t\tjQuery.merge(nodes, tmp.childNodes);\n\n\t\t\t\t// Remember the top-level container\n\t\t\t\ttmp = fragment.firstChild;\n\n\t\t\t\t// Ensure the created nodes are orphaned (#12392)\n\t\t\t\ttmp.textContent = \"\";\n\t\t\t}\n\t\t}\n\t}\n\n\t// Remove wrapper from fragment\n\tfragment.textContent = \"\";\n\n\ti = 0;\n\twhile ((elem = nodes[i++])) {\n\n\t\t// Skip elements already in the context collection (trac-4087)\n\t\tif (selection && jQuery.inArray(elem, selection) > -1) {\n\t\t\tif (ignored) {\n\t\t\t\tignored.push(elem);\n\t\t\t}\n\t\t\tcontinue;\n\t\t}\n\n\t\tcontains = jQuery.contains(elem.ownerDocument, elem);\n\n\t\t// Append to fragment\n\t\ttmp = getAll(fragment.appendChild(elem), \"script\");\n\n\t\t// Preserve script evaluation history\n\t\tif (contains) {\n\t\t\tsetGlobalEval(tmp);\n\t\t}\n\n\t\t// Capture executables\n\t\tif (scripts) {\n\t\t\tj = 0;\n\t\t\twhile ((elem = tmp[j++])) {\n\t\t\t\tif (rscriptType.test(elem.type || \"\")) {\n\t\t\t\t\tscripts.push(elem);\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t}\n\n\treturn fragment;\n}\n\n\n(function() {\n\tvar fragment = document.createDocumentFragment(),\n\t\tdiv = fragment.appendChild(document.createElement(\"div\")),\n\t\tinput = document.createElement(\"input\");\n\n\t// Support: Android 4.0 - 4.3 only\n\t// Check state lost if the name is set (#11217)\n\t// Support: Windows Web Apps (WWA)\n\t// `name` and `type` must use .setAttribute for WWA (#14901)\n\tinput.setAttribute(\"type\", \"radio\");\n\tinput.setAttribute(\"checked\", \"checked\");\n\tinput.setAttribute(\"name\", \"t\");\n\tdiv.appendChild(input);\n\n\t// Support: Android <=4.1 only\n\t// Older WebKit doesn't clone checked state correctly in fragments\n\tsupport.checkClone = div.cloneNode(true).cloneNode(true).lastChild.checked;\n\n\t// Support: IE <=11 only\n\t// Make sure textarea (and checkbox) defaultValue is properly cloned\n\tdiv.innerHTML = \"<textarea>x</textarea>\";\n\tsupport.noCloneChecked = !!div.cloneNode(true).lastChild.defaultValue;\n})();\nvar documentElement = document.documentElement;\n\n\n\nvar\n\trkeyEvent = /^key/,\n\trmouseEvent = /^(?:mouse|pointer|contextmenu|drag|drop)|click/,\n\trtypenamespace = /^([^.]*)(?:\\.(.+)|)/;\n\nfunction returnTrue() {\n\treturn true;\n}\n\nfunction returnFalse() {\n\treturn false;\n}\n\n// Support: IE <=9 only\n// See #13393 for more info\nfunction safeActiveElement() {\n\ttry {\n\t\treturn document.activeElement;\n\t} catch (err) { }\n}\n\nfunction on(elem, types, selector, data, fn, one) {\n\tvar origFn, type;\n\n\t// Types can be a map of types/handlers\n\tif (typeof types === \"object\") {\n\n\t\t// (types-Object, selector, data)\n\t\tif (typeof selector !== \"string\") {\n\n\t\t\t// (types-Object, data)\n\t\t\tdata = data || selector;\n\t\t\tselector = undefined;\n\t\t}\n\t\tfor (type in types) {\n\t\t\ton(elem, type, selector, data, types[type], one);\n\t\t}\n\t\treturn elem;\n\t}\n\n\tif (data == null && fn == null) {\n\n\t\t// (types, fn)\n\t\tfn = selector;\n\t\tdata = selector = undefined;\n\t} else if (fn == null) {\n\t\tif (typeof selector === \"string\") {\n\n\t\t\t// (types, selector, fn)\n\t\t\tfn = data;\n\t\t\tdata = undefined;\n\t\t} else {\n\n\t\t\t// (types, data, fn)\n\t\t\tfn = data;\n\t\t\tdata = selector;\n\t\t\tselector = undefined;\n\t\t}\n\t}\n\tif (fn === false) {\n\t\tfn = returnFalse;\n\t} else if (!fn) {\n\t\treturn elem;\n\t}\n\n\tif (one === 1) {\n\t\torigFn = fn;\n\t\tfn = function(event) {\n\n\t\t\t// Can use an empty set, since event contains the info\n\t\t\tjQuery().off(event);\n\t\t\treturn origFn.apply(this, arguments);\n\t\t};\n\n\t\t// Use same guid so caller can remove using origFn\n\t\tfn.guid = origFn.guid || (origFn.guid = jQuery.guid++);\n\t}\n\treturn elem.each(function() {\n\t\tjQuery.event.add(this, types, fn, data, selector);\n\t});\n}\n\n/*\n * Helper functions for managing events -- not part of the public interface.\n * Props to Dean Edwards' addEvent library for many of the ideas.\n */\njQuery.event = {\n\n\tglobal: {},\n\n\tadd: function(elem, types, handler, data, selector) {\n\n\t\tvar handleObjIn, eventHandle, tmp,\n\t\t\tevents, t, handleObj,\n\t\t\tspecial, handlers, type, namespaces, origType,\n\t\t\telemData = dataPriv.get(elem);\n\n\t\t// Don't attach events to noData or text/comment nodes (but allow plain objects)\n\t\tif (!elemData) {\n\t\t\treturn;\n\t\t}\n\n\t\t// Caller can pass in an object of custom data in

lieu of the handler\n\t\tif (handler.handler) {\n\t\t\thandleObjIn = handler;\n\t\t\thandler = handleObjIn.handler;\n\t\t\tselector = handleObjIn.selector;\n\t\t}\n\n\t\t// Ensure that invalid selectors throw exceptions at attach time\n\t\t// Evaluate against documentElement in case elem is a non-element node (e.g., document)\n\t\tif (selector) {\n\t\t\tjQuery.find.matchesSelector(documentElement, selector);\n\t\t}\n\n\t\t// Make sure that the handler has a unique ID, used to find/remove it later\n\t\tif (!handler.guid) {\n\t\t\thandler.guid = jQuery.guid++;\n\t\t}\n\n\t\t// Init the element's event structure and main handler, if this is the first\n\t\tif (!(events = elemData.events)) {\n\t\t\tevents = elemData.events = {};\n\t\t}\n\t\tif (!(eventHandle = elemData.handle)) {\n\t\t\teventHandle = elemData.handle = function(e) {\n\n\t\t\t\t// Discard the second event of a jQuery.event.trigger() and\n\t\t\t\t// when an event is called after a page has unloaded\n\t\t\t\treturn typeof jQuery !== \"undefined\" && jQuery.event.triggered !== e.type ?\n\t\t\t\t\tjQuery.event.dispatch.apply(elem, arguments) : undefined;\n\t\t\t};\n\t\t}\n\n\t\t// Handle multiple events separated by a space\n\t\ttypes = (types || \"\").match(rnothtmlwhite) || [\"\"];\n\t\tt = types.length;\n\t\twhile (t--) {\n\t\t\ttmp = rtypenamespace.exec(types[t]) || [];\n\t\t\ttype = origType = tmp[1];\n\t\t\tnamespaces = (tmp[2] || \"\").split(\".\").sort();\n\n\t\t\t// There *must* be a type, no attaching namespace-only handlers\n\t\t\tif (!type) {\n\t\t\t\tcontinue;\n\t\t\t}\n\n\t\t\t// If event changes its type, use the special event handlers for the changed type\n\t\t\tspecial = jQuery.event.special[type] || {};\n\n\t\t\t// If selector defined, determine special event api type, otherwise given type\n\t\t\ttype = (selector ? special.delegateType : special.bindType) || type;\n\n\t\t\t// Update special based on newly reset type\n\t\t\tspecial = jQuery.event.special[type] || {};\n\n\t\t\t// handleObj is passed to all event handlers\n\t\t\thandleObj = jQuery.extend({\n\t\t\t\ttype: type,\n\t\t\t\torigType: origType,\n\t\t\t\tdata: data,\n\t\t\t\thandler: handler,\n\t\t\t\tguid: handler.guid,\n\t\t\t\tselector: selector,\n\t\t\t\tneedsContext: selector && jQuery.expr.match.needsContext.test(selector),\n\t\t\t\tnamespace: namespaces.join(\".\")\n\t\t\t}, handleObjIn);\n\n\t\t\t// Init the event handler queue if we're the first\n\t\t\tif (!(handlers = events[type])) {\n\t\t\t\thandlers = events[type] = [];\n\t\t\t\thandlers.delegateCount = 0;\n\n\t\t\t\t// Only use addEventListener if the special events handler returns false\n\t\t\t\tif (!special.setup ||\n\t\t\t\t\tspecial.setup.call(elem, data, namespaces, eventHandle) === false) {\n\t\t\t\t\tif (elem.addEventListener) {\n\t\t\t\t\t\telem.addEventListener(type, eventHandle);\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\n\t\t\tif (special.add) {\n\t\t\t\tspecial.add.call(elem, handleObj);\n\t\t\t\tif (!handleObj.handler.guid) {\n\t\t\t\t\thandleObj.handler.guid = handler.guid;\n\t\t\t\t}\n\t\t\t}\n\n\t\t\t// Add to the element's handler list, delegates in front\n\t\t\tif (selector) {\n\t\t\t\thandlers.splice(handlers.delegateCount++, 0, handleObj);\n\t\t\t} else {\n\t\t\t\thandlers.push(handleObj);\n\t\t\t}\n\n\t\t\t// Keep track of which events have ever been used, for event optimization\n\t\t\tjQuery.event.global[type] = true;\n\t\t}\n\n\t},\n\n\t// Detach an event or set of events from an element\n\tremove: function(elem, types, handler, selector, mappedTypes) {\n\n\t\tvar j, origCount, tmp,\n\t\t\tevents, t, handleObj,\n\t\t\tspecial, handlers, type, namespaces, origType,\n\t\t\telemData = dataPriv.hasData(elem) && dataPriv.get(elem);\n\n\t\tif (!elemData || !(events = elemData.events)) {\n\t\t\treturn;\n\t\t}\n\n\t\t// Once for each type.namespace in types; type may be omitted\n\t\ttypes = (types || \"\").match(rnothtmlwhite) || [\"\"];\n\t\tt = types.length;\n\t\twhile (t--) {\n\t\t\ttmp = rtypenamespace.exec(types[t]) || [];\n\t\t\ttype = origType = tmp[1];\n\t\t\tnamespaces = (tmp[2] || \"\").split(\".\").sort();\n\n\t\t\t// Unbind all events (on this namespace, if provided) for the element\n\t\t\tif (!type) {\n\t\t\t\tfor (type in events) {\n\t\t\t\t\tjQuery.event.remove(elem, type + types[t], handler, selector, true);\n\t\t\t\t}\n\t\t\t\tcontinue;\n\t\t\t}\n\n\t\t\tspecial = jQuery.event.special[type] || {};\n\t\t\ttype = (selector ? special.delegateType : special.bindType) || type;\n\t\t\thandlers = events[type] || [];\n\t\t\ttmp = tmp[2] &&\n\t\t\t\tnew RegExp(\"(^|\\\\.)\" + namespaces.join(\"\\\\.(?:.*\\\\.|)\") + \"(\\\\.|$)\");\n\n\t\t\t// Remove matching events\n\t\t\torigCount = j = handlers.length;\n\t\t\twhile (j--) {\n\t\t\t\thandleObj = handlers[j];\n\n\t\t\t\tif ((mappedTypes || origType === handleObj.origType) &&\n\t\t\t\t\t(!handler || handler.guid === handleObj.guid) &&\n\t\t\t\t\t(!tmp || tmp.test(handleObj.namespace)) &&\n\t\t\t\t\t(!selector || selector === handleObj.selector ||\n\t\t\t\t\t\tselector === \"**\" && handleObj.selector)) {\n\t\t\t\t\thandlers.splice(j, 1);\n\n\t\t\t\t\tif (handleObj.selector) {\n\t\t\t\t\t\thandlers.delegateCount--;\n\t\t\t\t\t}\n\t\t\t\t\tif (special.remove) {\n\t\t\t\t\t\tspecial.remove.call(elem, handleObj);\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\n\t\t\t// Remove generic event handler if we removed something and no more handlers exist\n\t\t\t// (avoids potential for endless recursion during

removal of special event handlers)\n\t\t\tif (origCount && !handlers.length) {\n\t\t\t\tif (!special.teardown ||\n\t\t\t\t\tspecial.teardown.call(elem, namespaces, elemData.handle) === false) {\n\n\t\t\t\t\tjQuery.removeEvent(elem, type, elemData.handle);\n\t\t\t\t}\n\n\t\t\t\tdelete events[type];\n\t\t\t}\n\t\t}\n\n\t\t// Remove data and the expando if it's no longer used\n\t\tif (jQuery.isEmptyObject(events)) {\n\t\t\tdataPriv.remove(elem, \"handle events\");\n\t\t}\n\t},\n\n\tdispatch: function(nativeEvent) {\n\t\t// Make a writable jQuery.Event from the native event object\n\t\tvar event = jQuery.event.fix(nativeEvent);\n\n\t\tvar i, j, ret, matched, handleObj, handlerQueue,\n\t\t\targs = new Array(arguments.length),\n\t\t\thandlers = (dataPriv.get(this, \"events\") || {})[event.type] || [],\n\t\t\tspecial = jQuery.event.special[event.type] || {};\n\n\t\t// Use the fix-ed jQuery.Event rather than the (read-only) native event\n\t\targs[0] = event;\n\n\t\tfor (i = 1; i < arguments.length; i++) {\n\t\t\targs[i] = arguments[i];\n\t\t}\n\n\t\tevent.delegateTarget = this;\n\n\t\t// Call the preDispatch hook for the mapped type, and let it bail if desired\n\t\tif (special.preDispatch && special.preDispatch.call(this, event) === false) {\n\t\t\treturn;\n\t\t}\n\n\t\t// Determine handlers\n\t\thandlerQueue = jQuery.event.handlers.call(this, event, handlers);\n\n\t\t// Run delegates first; they may want to stop propagation beneath us\n\t\ti = 0;\n\t\twhile ((matched = handlerQueue[i++]) && !event.isPropagationStopped()) {\n\t\t\tevent.currentTarget = matched.elem;\n\n\t\t\tj = 0;\n\t\t\twhile ((handleObj = matched.handlers[j++]) &&\n\t\t\t\t!event.isImmediatePropagationStopped()) {\n\n\t\t\t\t// Triggered event must either 1) have no namespace, or 2) have namespace(s)\n\t\t\t\t// a subset or equal to those in the bound event (both can have no namespace).\n\t\t\t\tif (!event.rnamespace || event.rnamespace.test(handleObj.namespace)) {\n\n\t\t\t\t\tevent.handleObj = handleObj;\n\t\t\t\t\tevent.data = handleObj.data;\n\n\t\t\t\t\tret = ((jQuery.event.special[handleObj.origType] || {}).handle ||\n\t\t\t\t\t\thandleObj.handler).apply(matched.elem, args);\n\n\t\t\t\t\tif (ret !== undefined) {\n\t\t\t\t\t\tif ((event.result = ret) === false) {\n\t\t\t\t\t\t\tevent.preventDefault();\n\t\t\t\t\t\t\tevent.stopPropagation();\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t\t// Call the postDispatch hook for the mapped type\n\t\tif (special.postDispatch) {\n\t\t\tspecial.postDispatch.call(this, event);\n\t\t}\n\n\t\treturn event.result;\n\t},\n\n\thandlers: function(event, handlers) {\n\t\tvar i, handleObj, sel, matchedHandlers, matchedSelectors,\n\t\t\thandlerQueue = [],\n\t\t\tdelegateCount = handlers.delegateCount,\n\t\t\tcur = event.target;\n\n\t\t// Find delegate handlers\n\t\tif (delegateCount &&\n\n\t\t\t// Support: IE <=9\n\t\t\t// Black-hole SVG <use> instance trees (trac-13180)\n\t\t\tcur.nodeType &&\n\n\t\t\t// Support: Firefox <=42\n\t\t\t// Suppress spec-violating clicks indicating a non-primary pointer button (trac-3861)\n\t\t\t// https://www.w3.org/TR/DOM-Level-3-Events/#event-type-click\n\t\t\t// Support: IE 11 only\n\t\t\t// ...but not arrow key \"clicks\" of radio inputs, which can have `button` -1 (gh-2343)\n\t\t\t!(event.type === \"click\" && event.button >= 1)) {\n\n\t\t\tfor (; cur !== this; cur = cur.parentNode || this) {\n\n\t\t\t\t// Don't check non-elements (#13208)\n\t\t\t\t// Don't process clicks on disabled elements (#6911, #8165, #11382, #11764)\n\t\t\t\tif (cur.nodeType === 1 && !(event.type === \"click\" && cur.disabled === true)) {\n\t\t\t\t\tmatchedHandlers = [];\n\t\t\t\t\tmatchedSelectors = {};\n\t\t\t\t\tfor (i = 0; i < delegateCount; i++) {\n\t\t\t\t\t\thandleObj = handlers[i];\n\n\t\t\t\t\t\t// Don't conflict with Object.prototype properties (#13203)\n\t\t\t\t\t\tsel = handleObj.selector + \" \";\n\n\t\t\t\t\t\tif (matchedSelectors[sel] === undefined) {\n\t\t\t\t\t\t\tmatchedSelectors[sel] = handleObj.needsContext ?\n\t\t\t\t\t\t\t\tjQuery(sel, this).index(cur) > -1 :\n\t\t\t\t\t\t\t\tjQuery.find(sel, this, null, [cur]).length;\n\t\t\t\t\t\t}\n\t\t\t\t\t\tif (matchedSelectors[sel]) {\n\t\t\t\t\t\t\tmatchedHandlers.push(handleObj);\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t\tif (matchedHandlers.length) {\n\t\t\t\t\t\thandlerQueue.push({ elem: cur, handlers: matchedHandlers });\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t\t// Add the remaining (directly-bound) handlers\n\t\tcur = this;\n\t\tif (delegateCount < handlers.length) {\n\t\t\thandlerQueue.push({ elem: cur, handlers: handlers.slice(delegateCount) });\n\t\t}\n\n\t\treturn handlerQueue;\n\t},\n\n\taddProp: function(name, hook) {\n\t\tObject.defineProperty(jQuery.Event.prototype, name, {\n\t\t\tenumerable: true,\n\t\t\tconfigurable: true,\n\n\t\t\tget: isFunction(hook) ?\n\t\t\t\tfunction() {\n\t\t\t\t\tif (this.originalEvent) {\n\t\t\t\t\t\t\treturn hook(this.originalEvent);\n\t\t\t\t\t}\n\t\t\t\t} :\n\t\t\t\tfunction() {\n\t\t\t\t\tif (this.originalEvent) {\n\t\t\t\t\t\t\treturn this.originalEvent[name];\n\t\t\t\t\t}\n\t\t\t\t},\n\n\t\t\tset: function(value) {\n\t\t\t\tObject.defineProperty(this, name, {\n\t\t\t\t\tenumerable: true,\n\t\t\t\t\tconfigurable: true,\n\t\t\t\t\twritable: true,\n\t\t\t\t\tvalue: value\n\t\t\t\t});\n\t\t\t}\n\t\t});\n\t},\n\n\tfix:

function(originalEvent) {\n\t\treturn originalEvent[jQuery.expando] ?\n\t\t\toriginalEvent :\n\t\t\tnew jQuery.Event(originalEvent);\n\t},\n\n\tspecial: {\n\t\tload: {\n\n\t\t\t// Prevent triggered image.load events from bubbling to window.load\n\t\t\tnoBubble: true\n\t\t},\n\t\tfocus: {\n\n\t\t\t// Fire native event if possible so blur/focus sequence is correct\n\t\t\ttrigger: function() {\n\t\t\t\tif (this !== safeActiveElement() && this.focus) {\n\t\t\t\t\tthis.focus();\n\t\t\t\t\treturn false;\n\t\t\t\t}\n\t\t\t},\n\t\t\tdelegateType: \"focusin\"\n\t\t},\n\t\tblur: {\n\t\t\ttrigger: function() {\n\t\t\t\tif (this === safeActiveElement() && this.blur) {\n\t\t\t\t\tthis.blur();\n\t\t\t\t\treturn false;\n\t\t\t\t}\n\t\t\t},\n\t\t\tdelegateType: \"focusout\"\n\t\t},\n\t\tclick: {\n\n\t\t\t// For checkbox, fire native event so checked state will be right\n\t\t\ttrigger: function() {\n\t\t\t\tif (this.type === \"checkbox\" && this.click && nodeName(this, \"input\")) {\n\t\t\t\t\tthis.click();\n\t\t\t\t\treturn false;\n\t\t\t\t}\n\t\t\t},\n\n\t\t\t// For cross-browser consistency, don't fire native .click() on links\n\t\t\t_default: function(event) {\n\t\t\t\treturn nodeName(event.target, \"a\");\n\t\t\t}\n\t\t},\n\n\t\tbeforeunload: {\n\t\t\tpostDispatch: function(event) {\n\n\t\t\t\t// Support: Firefox 20+\n\t\t\t\t// Firefox doesn't alert if the returnValue field is not set.\n\t\t\t\tif (event.result !== undefined && event.originalEvent) {\n\t\t\t\t\tevent.originalEvent.returnValue = event.result;\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t}\n};\n\njQuery.removeEvent = function(elem, type, handle) {\n\n\t// This \"if\" is needed for plain objects\n\tif (elem.removeEventListener) {\n\t\telem.removeEventListener(type, handle);\n\t}\n};\n\njQuery.Event = function(src, props) {\n\n\t// Allow instantiation without the 'new' keyword\n\tif (!(this instanceof jQuery.Event)) {\n\t\treturn new jQuery.Event(src, props);\n\t}\n\n\t// Event object\n\tif (src && src.type) {\n\t\tthis.originalEvent = src;\n\t\tthis.type = src.type;\n\n\t\t// Events bubbling up the document may have been marked as prevented\n\t\t// by a handler lower down the tree; reflect the correct value.\n\t\tthis.isDefaultPrevented = src.defaultPrevented ||\n\t\t\t\tsrc.defaultPrevented === undefined &&\n\n\t\t\t\t// Support: Android <=2.3 only\n\t\t\t\tsrc.returnValue === false ?\n\t\t\treturnTrue :\n\t\t\treturnFalse;\n\n\t\t// Create target properties\n\t\t// Support: Safari <=6 - 7 only\n\t\t// Target should not be a text node (#504, #13143)\n\t\tthis.target = (src.target && src.target.nodeType === 3) ?\n\t\t\tsrc.target.parentNode :\n\t\t\tsrc.target;\n\n\t\tthis.currentTarget = src.currentTarget;\n\t\tthis.relatedTarget = src.relatedTarget;\n\n\t// Event type\n\t} else {\n\t\tthis.type = src;\n\t}\n\n\t// Put explicitly provided properties onto the event object\n\tif (props) {\n\t\tjQuery.extend(this, props);\n\t}\n\n\t// Create a timestamp if incoming event doesn't have one\n\tthis.timeStamp = src && src.timeStamp || Date.now();\n\n\t// Mark it as fixed\n\tthis[jQuery.expando] = true;\n};\n\n// jQuery.Event is based on DOM3 Events as specified by the ECMAScript Language Binding\n// https://www.w3.org/TR/2003/WD-DOM-Level-3-Events-20030331/ecma-script-binding.html\njQuery.Event.prototype = {\n\tconstructor: jQuery.Event,\n\tisDefaultPrevented: returnFalse,\n\tisPropagationStopped: returnFalse,\n\tisImmediatePropagationStopped: returnFalse,\n\tisSimulated: false,\n\n\tpreventDefault: function() {\n\t\tvar e = this.originalEvent;\n\n\t\tthis.isDefaultPrevented = returnTrue;\n\n\t\tif (e && !this.isSimulated) {\n\t\t\te.preventDefault();\n\t\t}\n\t},\n\tstopPropagation: function() {\n\t\tvar e = this.originalEvent;\n\n\t\tthis.isPropagationStopped = returnTrue;\n\n\t\tif (e && !this.isSimulated) {\n\t\t\te.stopPropagation();\n\t\t}\n\t},\n\tstopImmediatePropagation: function() {\n\t\tvar e = this.originalEvent;\n\n\t\tthis.isImmediatePropagationStopped = returnTrue;\n\n\t\tif (e && !this.isSimulated) {\n\t\t\te.stopImmediatePropagation();\n\t\t}\n\n\t\tthis.stopPropagation();\n\t}\n};\n\n// Includes all common event props including KeyEvent and MouseEvent specific props\njQuery.each({\n\taltKey: true,\n\tbubbles: true,\n\tcancelable: true,\n\tchangedTouches: true,\n\tctrlKey: true,\n\tdetail: true,\n\teventPhase: true,\n\tmetaKey: true,\n\tpageX: true,\n\tpageY: true,\n\tshiftKey: true,\n\tview: true,\n\t\"char\": true,\n\tcharCode: true,\n\tkey: true,\n\tkeyCode: true,\n\tbutton: true,\n\tbuttons: true,\n\tclientX: true,\n\tclientY: true,\n\toffsetX: true,\n\toffsetY: true,\n\tpointerId: true,\n\tpointerType: true,\n\tscreenX: true,\n\tscreenY: true,\n\ttargetTouches: true,\n\ttoElement: true,\n\ttouches: true,\n\n\twhich: function(event) {\n\t\tvar button = event.button;\n\n\t\t// Add which for key events\n\t\tif (event.which == null && rkeyEvent.test(event.type)) {\n\t\t\treturn event.charCode != null ? event.charCode : event.keyCode;\n\t\t}\n\n\t\t// Add which for click: 1 === left; 2 === middle; 3 === right\n\t\tif (!event.which && button !== undefined && rmouseEvent.test(event.type)) {\n\t\t\tif (button & 1) {\n\t\t\t\treturn 1;\n\t\t\t}\n\n\t\t\tif (button & 2) {\n\t\t\t\treturn 3;\n\t\t\t}\n\n\t\t\tif (button & 4) {\n\t\t\t\treturn

2;\n\t\t}\n\n\t\t\treturn 0;\n\t\t}\n\n\t\treturn event.which;\n\t}\n}, jQuery.event.addProp);\n\n// Create mouseenter/leave events using mouseover/out and event-time checks\n// so that event delegation works in jQuery.\n// Do the same for pointerenter/pointerleave and pointerover/pointerout\n//\n// Support: Safari 7 only\n// Safari sends mouseenter too often; see:\n// https://bugs.chromium.org/p/chromium/issues/detail?id=470258\n// for the description of the bug (it existed in older Chrome versions as well).\njQuery.each({\n\tmouseenter: \"mouseover\",\n\tmouseleave: \"mouseout\",\n\tpointerenter: \"pointerover\",\n\tpointerleave: \"pointerout\"\n}, function(orig, fix) {\n\tjQuery.event.special[orig] = {\n\t\tdelegateType: fix,\n\t\tbindType: fix,\n\n\t\thandle: function(event) {\n\t\t\tvar ret,\n\t\t\t\ttarget = this,\n\t\t\t\trelated = event.relatedTarget,\n\t\t\t\thandleObj = event.handleObj;\n\n\t\t\t// For mouseenter/leave call the handler if related is outside the target.\n\t\t\t// NB: No relatedTarget if the mouse left/entered the browser window\n\t\t\tif (!related || (related !== target && !jQuery.contains(target, related))) {\n\t\t\t\tevent.type = handleObj.origType;\n\t\t\t\tret = handleObj.handler.apply(this, arguments);\n\t\t\t\tevent.type = fix;\n\t\t\t}\n\t\t\treturn ret;\n\t\t}\n\t};\n});\n\njQuery.fn.extend({\n\n\ton: function(types, selector, data, fn) {\n\t\treturn on(this, types, selector, data, fn);\n\t},\n\tone: function(types, selector, data, fn) {\n\t\treturn on(this, types, selector, data, fn, 1);\n\t},\n\toff: function(types, selector, fn) {\n\t\tvar handleObj, type;\n\t\tif (types && types.preventDefault && types.handleObj) {\n\n\t\t\t// (event) dispatched jQuery.Event\n\t\t\thandleObj = types.handleObj;\n\t\t\tjQuery(types.delegateTarget).off(\n\t\t\t\thandleObj.namespace ?\n\t\t\t\t\thandleObj.origType + \".\" + handleObj.namespace :\n\t\t\t\t\thandleObj.origType,\n\t\t\t\thandleObj.selector,\n\t\t\t\thandleObj.handler\n\t\t\t);\n\t\t\treturn this;\n\t\t}\n\t\tif (typeof types === \"object\") {\n\n\t\t\t// (types-object [, selector])\n\t\t\tfor (type in types) {\n\t\t\t\tthis.off(type, selector, types[type]);\n\t\t\t}\n\t\t\treturn this;\n\t\t}\n\t\tif (selector === false || typeof selector === \"function\") {\n\n\t\t\t// (types [, fn])\n\t\t\tfn = selector;\n\t\t\tselector = undefined;\n\t\t}\n\t\tif (fn === false) {\n\t\t\tfn = returnFalse;\n\t\t}\n\t\treturn this.each(function() {\n\t\t\tjQuery.event.remove(this, types, fn, selector);\n\t\t});\n\t}\n});\n\nvar\n\n\t/* eslint-disable max-len */\n\n\t// See https://github.com/eslint/eslint/issues/3229\n\trxhtmlTag = /<(?!area|br|col|embed|hr|img|input|link|meta|param)(([a-z][^\/\0>\x20\t\r\n\f]*)[^>]*)\/>/gi,\n\n\t/* eslint-enable */\n\n\t// Support: IE <=10 - 11, Edge 12 - 13 only\n\t// In IE/Edge using regex groups here causes severe slowdowns.\n\t// See https://connect.microsoft.com/IE/feedback/details/1736512/\n\trnoInnerhtml = /<script|<style|<link/i,\n\n\t// checked=\"checked\" or checked\n\trchecked = /checked\s*(?:[^=]|=\s*.checked.)/i,\n\trcleanScript = /^\s*<!(?:\[CDATA\[|--)|(?:\]\]|--)>\s*$/g;\n\n// Prefer a tbody over its parent table for containing new rows\nfunction manipulationTarget(elem, content) {\n\tif (nodeName(elem, \"table\") &&\n\t\tnodeName(content.nodeType !== 11 ? content : content.firstChild, \"tr\")) {\n\n\t\treturn jQuery(elem).children(\"tbody\")[0] || elem;\n\t}\n\n\treturn elem;\n}\n\n// Replace/restore the type attribute of script elements for safe DOM manipulation\nfunction disableScript(elem) {\n\telem.type = (elem.getAttribute(\"type\") !== null) + \"/\" + elem.type;\n\treturn elem;\n}\nfunction restoreScript(elem) {\n\tif ((elem.type || \"\").slice(0, 5) === \"true/\") {\n\t\telem.type = elem.type.slice(5);\n\t} else {\n\t\telem.removeAttribute(\"type\");\n\t}\n\n\treturn elem;\n}\n\nfunction cloneCopyEvent(src, dest) {\n\tvar i, l, type, pdataOld, pdataCur, udataOld, udataCur, events;\n\n\tif (dest.nodeType !== 1) {\n\t\treturn;\n\t}\n\n\t// 1. Copy private data: events, handlers, etc.\n\tif (dataPriv.hasData(src)) {\n\t\tpdataOld = dataPriv.access(src);\n\t\tpdataCur = dataPriv.set(dest, pdataOld);\n\t\tevents = pdataOld.events;\n\n\t\tif (events) {\n\t\t\tdelete pdataCur.handle;\n\t\t\tpdataCur.events = {};\n\n\t\t\tfor (type in events) {\n\t\t\t\tfor (i = 0, l = events[type].length; i < l; i++) {\n\t\t\t\t\tjQuery.event.add(dest, type, events[type][i]);\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t}\n\n\t// 2. Copy user data\n\tif (dataUser.hasData(src)) {\n\t\tudataOld = dataUser.access(src);\n\t\tudataCur = jQuery.extend({}, udataOld);\n\n\t\tdataUser.set(dest, udataCur);\n\t}\n}\n\n// Fix IE bugs, see support tests\nfunction fixInput(src, dest) {\n\tvar nodeName = dest.nodeName.toLowerCase();\n\n\t// Fails to persist the checked state of a cloned checkbox or radio button.\n\tif (nodeName === \"input\" && rcheckableType.test(src.type)) {\n\t\tdest.checked = src.checked;\n\n\t// Fails to return the selected option to the default selected state when cloning options\n\t} else if (nodeName === \"input\" || nodeName === \"textarea\") {\n\t\tdest.defaultValue = src.defaultValue;\n\t}\n}\n\nfunction domManip(collection,

args, callback, ignored) {\n\n\t// Flatten any nested arrays\n\targs = concat.apply([], args);\n\n\tvar fragment, first, scripts, hasScripts, node, doc,\n\t\ti = 0,\n\t\tl = collection.length,\n\t\tiNoClone = l - 1,\n\t\tvalue = args[0],\n\t\tvalueIsFunction = isFunction(value);\n\n\t// We can't cloneNode fragments that contain checked, in WebKit\n\tif (valueIsFunction ||\n\t\t\t(l > 1 && typeof value === \"string\" &&\n\t\t\t\t!support.checkClone && rchecked.test(value))) {\n\t\treturn collection.each(function(index) {\n\t\t\tvar self = collection.eq(index);\n\t\t\tif (valueIsFunction) {\n\t\t\t\targs[0] = value.call(this, index, self.html());\n\t\t\t}\n\t\t\tdomManip(self, args, callback, ignored);\n\t\t});\n\t}\n\n\tif (l) {\n\t\tfragment = buildFragment(args, collection[0].ownerDocument, false, collection, ignored);\n\t\tfirst = fragment.firstChild;\n\n\t\tif (fragment.childNodes.length === 1) {\n\t\t\tfragment = first;\n\t\t}\n\n\t\t// Require either new content or an interest in ignored elements to invoke the callback\n\t\tif (first || ignored) {\n\t\t\tscripts = jQuery.map(getAll(fragment, \"script\"), disableScript);\n\t\t\thasScripts = scripts.length;\n\n\t\t\t// Use the original fragment for the last item\n\t\t\t// instead of the first because it can end up\n\t\t\t// being emptied incorrectly in certain situations (#8070).\n\t\t\tfor (; i < l; i++) {\n\t\t\t\tnode = fragment;\n\n\t\t\t\tif (i !== iNoClone) {\n\t\t\t\t\tnode = jQuery.clone(node, true, true);\n\n\t\t\t\t\t// Keep references to cloned scripts for later restoration\n\t\t\t\t\tif (hasScripts) {\n\n\t\t\t\t\t\t// Support: Android <=4.0 only, PhantomJS 1 only\n\t\t\t\t\t\t// push.apply(_, arraylike) throws on ancient WebKit\n\t\t\t\t\t\tjQuery.merge(scripts, getAll(node, \"script\"));\n\t\t\t\t\t}\n\t\t\t\t}\n\n\t\t\t\tcallback.call(collection[i], node, i);\n\t\t\t}\n\n\t\t\tif (hasScripts) {\n\t\t\t\tdoc = scripts[scripts.length - 1].ownerDocument;\n\n\t\t\t\t// Reenable scripts\n\t\t\t\tjQuery.map(scripts, restoreScript);\n\n\t\t\t\t// Evaluate executable scripts on first document insertion\n\t\t\t\tfor (i = 0; i < hasScripts; i++) {\n\t\t\t\t\tnode = scripts[i];\n\t\t\t\t\tif (rscriptType.test(node.type || \"\") &&\n\t\t\t\t\t\t!dataPriv.access(node, \"globalEval\") &&\n\t\t\t\t\t\tjQuery.contains(doc, node)) {\n\n\t\t\t\t\t\tif (node.src && (node.type || \"\").toLowerCase() !== \"module\") {\n\n\t\t\t\t\t\t\t// Optional AJAX dependency, but won't run scripts if not present\n\t\t\t\t\t\t\tif (jQuery._evalUrl) {\n\t\t\t\t\t\t\t\tjQuery._evalUrl(node.src);\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t} else {\n\t\t\t\t\t\t\tDOMEval(node.textContent.replace(rcleanScript, \"\"), doc, node);\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t}\n\n\treturn collection;\n}\n\nfunction remove(elem, selector, keepData) {\n\tvar node,\n\t\tnodes = selector ? jQuery.filter(selector, elem) : elem,\n\t\ti = 0;\n\n\tfor (; (node = nodes[i]) != null; i++) {\n\t\tif (!keepData && node.nodeType === 1) {\n\t\t\tjQuery.cleanData(getAll(node));\n\t\t}\n\n\t\tif (node.parentNode) {\n\t\t\tif (keepData && jQuery.contains(node.ownerDocument, node)) {\n\t\t\t\tsetGlobalEval(getAll(node, \"script\"));\n\t\t\t}\n\t\t\tnode.parentNode.removeChild(node);\n\t\t}\n\t}\n\n\treturn elem;\n}\n\njQuery.extend({\n\thtmlPrefilter: function(html) {\n\t\treturn html.replace(rxhtmlTag, \"<$1></$2>\");\n\t},\n\n\tclone: function(elem, dataAndEvents, deepDataAndEvents) {\n\t\tvar i, l, srcElements, destElements,\n\t\t\tclone = elem.cloneNode(true),\n\t\t\tinPage = jQuery.contains(elem.ownerDocument, elem);\n\n\t\t// Fix IE cloning issues\n\t\tif (!support.noCloneChecked && (elem.nodeType === 1 || elem.nodeType === 11) &&\n\t\t\t\t!jQuery.isXMLDoc(elem)) {\n\n\t\t\t// We eschew Sizzle here for performance reasons: https://jsperf.com/getall-vs-sizzle/2\n\t\t\tdestElements = getAll(clone);\n\t\t\tsrcElements = getAll(elem);\n\n\t\t\tfor (i = 0, l = srcElements.length; i < l; i++) {\n\t\t\t\tfixInput(srcElements[i], destElements[i]);\n\t\t\t}\n\t\t}\n\n\t\t// Copy the events from the original to the clone\n\t\tif (dataAndEvents) {\n\t\t\tif (deepDataAndEvents) {\n\t\t\t\tsrcElements = srcElements || getAll(elem);\n\t\t\t\tdestElements = destElements || getAll(clone);\n\n\t\t\t\tfor (i = 0, l = srcElements.length; i < l; i++) {\n\t\t\t\t\tcloneCopyEvent(srcElements[i], destElements[i]);\n\t\t\t\t}\n\t\t\t} else {\n\t\t\t\tcloneCopyEvent(elem, clone);\n\t\t\t}\n\t\t}\n\n\t\t// Preserve script evaluation history\n\t\tdestElements = getAll(clone, \"script\");\n\t\tif (destElements.length > 0) {\n\t\t\tsetGlobalEval(destElements, !inPage && getAll(elem, \"script\"));\n\t\t}\n\n\t\t// Return the cloned set\n\t\treturn clone;\n\t},\n\n\tcleanData: function(elems) {\n\t\tvar data, elem, type,\n\t\t\tspecial = jQuery.event.special,\n\t\t\ti = 0;\n\n\t\tfor (; (elem = elems[i]) !== undefined; i++) {\n\t\t\tif (acceptData(elem)) {\n\t\t\t\tif ((data = elem[dataPriv.expando])) {\n\t\t\t\t\tif (data.events) {\n\t\t\t\t\t\tfor (type in data.events) {\n\t\t\t\t\t\t\tif (special[type]) {\n\t\t\t\t\t\t\t\tjQuery.event.remove(elem, type);\n\n\t\t\t\t\t\t\t// This is a shortcut to avoid jQuery.event.remove's overhead\n\t\t\t\t\t\t\t} else {\n\t\t\t\t\t\t\t\tjQuery.removeEvent(elem, type, data.handle);\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\n\t\t\t\t\t//

Support: Chrome <=35 - 45+\n\t\t\t\t/// Assign undefined instead of using delete, see Data#remove\n\t\t\t\telem[dataPriv.expando] = undefined;\n\t\t\t\t}\n\t\t\t\tif (elem[dataUser.expando]) {\n\n\t\t\t\t\t/// Support: Chrome <=35 - 45+\n\t\t\t\t/// Assign undefined instead of using delete, see Data#remove\n\t\t\t\telem[dataUser.expando] = undefined;\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t});\n\njQuery.fn.extend({\n\tdetach: function(selector) {\n\t\treturn remove(this, selector, true);\n\t},\n\n\tremove: function(selector) {\n\t\treturn remove(this, selector);\n\t},\n\n\ttext: function(value) {\n\t\treturn access(this, function(value) {\n\t\t\treturn value === undefined ?\n\t\t\t\tjQuery.text(this) :\n\t\t\t\tthis.empty().each(function() {\n\t\t\t\t\tif (this.nodeType === 1 || this.nodeType === 11 || this.nodeType === 9) {\n\t\t\t\t\t\tthis.textContent = value;\n\t\t\t\t\t}\n\t\t\t\t});\n\t\t}, null, value, arguments.length);\n\t},\n\n\tappend: function() {\n\t\treturn domManip(this, arguments, function(elem) {\n\t\t\tif (this.nodeType === 1 || this.nodeType === 11 || this.nodeType === 9) {\n\t\t\t\tvar target = manipulationTarget(this, elem);\n\t\t\t\ttarget.appendChild(elem);\n\t\t\t}\n\t\t});\n\t},\n\n\tprepend: function() {\n\t\treturn domManip(this, arguments, function(elem) {\n\t\t\tif (this.nodeType === 1 || this.nodeType === 11 || this.nodeType === 9) {\n\t\t\t\tvar target = manipulationTarget(this, elem);\n\t\t\t\ttarget.insertBefore(elem, target.firstChild);\n\t\t\t}\n\t\t});\n\t},\n\n\tbefore: function() {\n\t\treturn domManip(this, arguments, function(elem) {\n\t\t\tif (this.parentNode) {\n\t\t\t\tthis.parentNode.insertBefore(elem, this);\n\t\t\t}\n\t\t});\n\t},\n\n\tafter: function() {\n\t\treturn domManip(this, arguments, function(elem) {\n\t\t\tif (this.parentNode) {\n\t\t\t\tthis.parentNode.insertBefore(elem, this.nextSibling);\n\t\t\t}\n\t\t});\n\t},\n\n\tempty: function() {\n\t\tvar elem,\n\t\t\ti = 0;\n\n\t\tfor (; (elem = this[i]) != null; i++) {\n\t\t\tif (elem.nodeType === 1) {\n\n\t\t\t\t/// Prevent memory leaks\n\t\t\t\tjQuery.cleanData(getAll(elem, false));\n\n\t\t\t\t/// Remove any remaining nodes\n\t\t\t\telem.textContent = \"\";\n\t\t\t}\n\t\t}\n\n\t\treturn this;\n\t},\n\n\tclone: function(dataAndEvents, deepDataAndEvents) {\n\t\tdataAndEvents = dataAndEvents == null ? false : dataAndEvents;\n\t\tdeepDataAndEvents = deepDataAndEvents == null ? dataAndEvents : deepDataAndEvents;\n\n\t\treturn this.map(function() {\n\t\t\treturn jQuery.clone(this, dataAndEvents, deepDataAndEvents);\n\t\t});\n\t},\n\n\thtml: function(value) {\n\t\treturn access(this, function(value) {\n\t\t\tvar elem = this[0] || {},\n\t\t\t\ti = 0,\n\t\t\t\tl = this.length;\n\n\t\t\tif (value === undefined && elem.nodeType === 1) {\n\t\t\t\treturn elem.innerHTML;\n\t\t\t}\n\n\t\t\t/// See if we can take a shortcut and just use innerHTML\n\t\t\tif (typeof value === \"string\" && !rnoInnerhtml.test(value) &&\n\t\t\t\t!wrapMap[(rtagName.exec(value) || [\"\", \"\"])[1].toLowerCase()]) {\n\n\t\t\t\tvalue = jQuery.htmlPrefilter(value);\n\n\t\t\t\ttry {\n\t\t\t\t\tfor (; i < l; i++) {\n\t\t\t\t\t\telem = this[i] || {};\n\n\t\t\t\t\t\t/// Remove element nodes and prevent memory leaks\n\t\t\t\t\t\tif (elem.nodeType === 1) {\n\t\t\t\t\t\t\tjQuery.cleanData(getAll(elem, false));\n\t\t\t\t\t\t\telem.innerHTML = value;\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\n\t\t\t\t\telem = 0;\n\n\t\t\t\t/// If using innerHTML throws an exception, use the fallback method\n\t\t\t\t} catch (e) {}\n\t\t\t}\n\n\t\t\tif (elem) {\n\t\t\t\tthis.empty().append(value);\n\t\t\t}\n\t\t}, null, value, arguments.length);\n\t},\n\n\treplaceWith: function() {\n\t\tvar ignored = [];\n\n\t\t/// Make the changes, replacing each non-ignored context element with the new content\n\t\treturn domManip(this, arguments, function(elem) {\n\t\t\tvar parent = this.parentNode;\n\n\t\t\tif (jQuery.inArray(this, ignored) < 0) {\n\t\t\t\tjQuery.cleanData(getAll(this));\n\t\t\t\tif (parent) {\n\t\t\t\t\tparent.replaceChild(elem, this);\n\t\t\t\t}\n\t\t\t}\n\n\t\t/// Force callback invocation\n\t\t}, ignored);\n\t}\n});\n\njQuery.each({\n\tappendTo: \"append\",\n\tprependTo: \"prepend\",\n\tinsertBefore: \"before\",\n\tinsertAfter: \"after\",\n\treplaceAll: \"replaceWith\"\n}, function(name, original) {\n\tjQuery.fn[name] = function(selector) {\n\t\tvar elems,\n\t\t\tret = [],\n\t\t\tinsert = jQuery(selector),\n\t\t\tlast = insert.length - 1,\n\t\t\ti = 0;\n\n\t\tfor (; i <= last; i++) {\n\t\t\telems = i === last ? this : this.clone(true);\n\t\t\tjQuery(insert[i])[original](elems);\n\n\t\t\t/// Support: Android <=4.0 only, PhantomJS 1 only\n\t\t\t/// .get() because push.apply(_, arraylike) throws on ancient WebKit\n\t\t\tpush.apply(ret, elems.get());\n\t\t}\n\n\t\treturn this.pushStack(ret);\n\t};\n});\nvar rnumnonpx = new RegExp(\"^(\" + pnum + \")(?!px)[a-z%]+$\", \"i\");\n\nvar getStyles = function(elem) {\n\n\t\t/// Support: IE <=11 only, Firefox <=30 (#15098, #14150)\n\t\t/// IE throws on elements created in popups\n\t\t/// FF meanwhile throws on frame elements through \"defaultView.getComputedStyle\"\n\t\tvar view = elem.ownerDocument.defaultView;\n\n\t\tif (!view || !view.opener) {\n\t\t\tview = window;\n\t\t}\n\n\t\treturn view.getComputedStyle(elem);\n\t};\n\nvar rboxStyle =

new RegExp(cssExpand.join(\"|\"), \"i\");\n\n\n\n(function() {\n\n\t// Executing both pixelPosition & boxSizingReliable tests require only one layout\n\t// so they're executed at the same time to save the second computation.\n\tfunction computeStyleTests() {\n\n\t\t// This is a singleton, we need to execute it only once\n\t\tif (!div) {\n\t\t\treturn;\n\t\t}\n\n\t\tcontainer.style.cssText = \"position:absolute;left:-11111px;width:60px;\" +\n\t\t\t\"margin-top:1px;padding:0;border:0\";\n\t\tdiv.style.cssText =\n\t\t\t\"position:relative;display:block;box-sizing:border-box;overflow:scroll;\" +\n\t\t\t\"margin:auto;border:1px;padding:1px;\" +\n\t\t\t\"width:60%;top:1%\";\n\t\tdocumentElement.appendChild(container).appendChild(div);\n\n\t\tvar divStyle = window.getComputedStyle(div);\n\t\tpixelPositionVal = divStyle.top !== \"1%\";\n\n\t\t// Support: Android 4.0 - 4.3 only, Firefox <=3 - 44\n\t\treliableMarginLeftVal = roundPixelMeasures(divStyle.marginLeft) === 12;\n\n\t\t// Support: Android 4.0 - 4.3 only, Safari <=9.1 - 10.1, iOS <=7.0 - 9.3\n\t\t// Some styles come back with percentage values, even though they shouldn't\n\t\tdiv.style.right = \"60%\";\n\t\tpixelBoxStylesVal = roundPixelMeasures(divStyle.right) === 36;\n\n\t\t// Support: IE 9 - 11 only\n\t\t// Detect misreporting of content dimensions for box-sizing:border-box elements\n\t\tboxSizingReliableVal = roundPixelMeasures(divStyle.width) === 36;\n\n\t\t// Support: IE 9 only\n\t\t// Detect overflow:scroll screwiness (gh-3699)\n\t\tdiv.style.position = \"absolute\";\n\t\tscrollboxSizeVal = div.offsetWidth === 36 || \"absolute\";\n\n\t\tdocumentElement.removeChild(container);\n\n\t\t// Nullify the div so it wouldn't be stored in the memory and\n\t\t// it will also be a sign that checks already performed\n\t\tdiv = null;\n\t}\n\n\tfunction roundPixelMeasures(measure) {\n\t\treturn Math.round(parseFloat(measure));\n\t}\n\n\tvar pixelPositionVal, boxSizingReliableVal, scrollboxSizeVal, pixelBoxStylesVal,\n\t\treliableMarginLeftVal,\n\t\tcontainer = document.createElement(\"div\"),\n\t\tdiv = document.createElement(\"div\");\n\n\t// Finish early in limited (non-browser) environments\n\tif (!div.style) {\n\t\treturn;\n\t}\n\n\t// Support: IE <=9 - 11 only\n\t// Style of cloned element affects source element cloned (#8908)\n\tdiv.style.backgroundClip = \"content-box\";\n\tdiv.cloneNode(true).style.backgroundClip = \"\";\n\tsupport.clearCloneStyle = div.style.backgroundClip === \"content-box\";\n\n\tjQuery.extend(support, {\n\t\tboxSizingReliable: function() {\n\t\t\tcomputeStyleTests();\n\t\t\treturn boxSizingReliableVal;\n\t\t},\n\t\tpixelBoxStyles: function() {\n\t\t\tcomputeStyleTests();\n\t\t\treturn pixelBoxStylesVal;\n\t\t},\n\t\tpixelPosition: function() {\n\t\t\tcomputeStyleTests();\n\t\t\treturn pixelPositionVal;\n\t\t},\n\t\treliableMarginLeft: function() {\n\t\t\tcomputeStyleTests();\n\t\t\treturn reliableMarginLeftVal;\n\t\t},\n\t\tscrollboxSize: function() {\n\t\t\tcomputeStyleTests();\n\t\t\treturn scrollboxSizeVal;\n\t\t}\n\t});\n})();\n\nfunction curCSS(elem, name, computed) {\n\tvar width, minWidth, maxWidth, ret,\n\n\t\t// Support: Firefox 51+\n\t\t// Retrieving style before computed somehow\n\t\t// fixes an issue with getting wrong values\n\t\t// on detached elements\n\t\tstyle = elem.style;\n\n\tcomputed = computed || getStyles(elem);\n\n\t// getPropertyValue is needed for:\n\t//   .css('filter') (IE 9 only, #12537)\n\t//   .css('--customProperty) (#3144)\n\tif (computed) {\n\t\tret = computed.getPropertyValue(name) || computed[name];\n\n\t\tif (ret === \"\" && !jQuery.contains(elem.ownerDocument, elem)) {\n\t\t\tret = jQuery.style(elem, name);\n\t\t}\n\n\t\t// A tribute to the \"awesome hack by Dean Edwards\"\n\t\t// Android Browser returns percentage for some values,\n\t\t// but width seems to be reliably pixels.\n\t\t// This is against the CSSOM draft spec:\n\t\t// https://drafts.csswg.org/cssom/#resolved-values\n\t\tif (!support.pixelBoxStyles() && rnumnonpx.test(ret) && rboxStyle.test(name)) {\n\n\t\t\t// Remember the original values\n\t\t\twidth = style.width;\n\t\t\tminWidth = style.minWidth;\n\t\t\tmaxWidth = style.maxWidth;\n\n\t\t\t// Put in the new values to get a computed value out\n\t\t\tstyle.minWidth = style.maxWidth = style.width = ret;\n\t\t\tret = computed.width;\n\n\t\t\t// Revert the changed values\n\t\t\tstyle.width = width;\n\t\t\tstyle.minWidth = minWidth;\n\t\t\tstyle.maxWidth = maxWidth;\n\t\t}\n\t}\n\n\treturn ret !== undefined ?\n\n\t\t// Support: IE <=9 - 11 only\n\t\t// IE returns zIndex value as an integer.\n\t\tret + \"\" :\n\t\tret;\n}\n\n\nfunction addGetHookIf(conditionFn, hookFn) {\n\n\t// Define the hook, we'll check on the first run if it's really needed.\n\treturn {\n\t\tget: function() {\n\t\t\tif (conditionFn()) {\n\n\t\t\t\t// Hook not needed (or it's not possible to use it due\n\t\t\t\t// to missing dependency), remove it.\n\t\t\t\tdelete this.get;\n\t\t\t\treturn;\n\t\t\t}\n\n\t\t\t// Hook needed; redefine it so that the support test is not executed again.\n\t\t\treturn (this.get = hookFn).apply(this, arguments);\n\t\t}\n\t};\n}\n\n\nvar\n\n\t// Swappable if display is none or starts with table\n\t// except \"table\", \"table-cell\", or \"table-caption\"\n\t// See here for display

values: https://developer.mozilla.org/en-US/docs/CSS/display\n\trdisplayswap = /^(none|table(?!-c[ea]).+)/,\n\trcustomProp = /^--/,\n\tcssShow = { position: \"absolute\", visibility: \"hidden\", display: \"block\" },\n\tcssNormalTransform = {\n\t\tletterSpacing: \"0\",\n\t\tfontWeight: \"400\"\n\t},\n\tcssPrefixes = [\"Webkit\", \"Moz\", \"ms\"],\n\temptyStyle = document.createElement(\"div\").style;\n\n// Return a css property mapped to a potentially vendor prefixed property\nfunction vendorPropName(name) {\n\n\t// Shortcut for names that are not vendor prefixed\n\tif (name in emptyStyle) {\n\t\treturn name;\n\t}\n\n\t// Check for vendor prefixed names\n\tvar capName = name[0].toUpperCase() + name.slice(1),\n\t\ti = cssPrefixes.length;\n\n\twhile (i--) {\n\t\tname = cssPrefixes[i] + capName;\n\t\tif (name in emptyStyle) {\n\t\t\treturn name;\n\t\t}\n\t}\n}\n\n// Return a property mapped along what jQuery.cssProps suggests or to\n// a vendor prefixed property.\nfunction finalPropName(name) {\n\tvar ret = jQuery.cssProps[name];\n\tif (!ret) {\n\t\tret = jQuery.cssProps[name] = vendorPropName(name) || name;\n\t}\n\treturn ret;\n}\n\nfunction setPositiveNumber(elem, value, subtract) {\n\n\t// Any relative (+/-) values have already been\n\t// normalized at this point\n\tvar matches = rcssNum.exec(value);\n\treturn matches ?\n\n\t\t// Guard against undefined \"subtract\", e.g., when used as in cssHooks\n\t\tMath.max(0, matches[2] - (subtract || 0)) + (matches[3] || \"px\") :\n\t\tvalue;\n}\n\nfunction boxModelAdjustment(elem, dimension, box, isBorderBox, styles, computedVal) {\n\tvar i = dimension === \"width\" ? 1 : 0,\n\t\textra = 0,\n\t\tdelta = 0;\n\n\t// Adjustment may not be necessary\n\tif (box === (isBorderBox ? \"border\" : \"content\")) {\n\t\treturn 0;\n\t}\n\n\tfor (; i < 4; i += 2) {\n\n\t\t// Both box models exclude margin\n\t\tif (box === \"margin\") {\n\t\t\tdelta += jQuery.css(elem, box + cssExpand[i], true, styles);\n\t\t}\n\n\t\t// If we get here with a content-box, we're seeking \"padding\" or \"border\" or \"margin\"\n\t\tif (!isBorderBox) {\n\n\t\t\t// Add padding\n\t\t\tdelta += jQuery.css(elem, \"padding\" + cssExpand[i], true, styles);\n\n\t\t\t// For \"border\" or \"margin\", add border\n\t\t\tif (box !== \"padding\") {\n\t\t\t\tdelta += jQuery.css(elem, \"border\" + cssExpand[i] + \"Width\", true, styles);\n\n\t\t\t// But still keep track of it otherwise\n\t\t\t} else {\n\t\t\t\textra += jQuery.css(elem, \"border\" + cssExpand[i] + \"Width\", true, styles);\n\t\t\t}\n\n\t\t// If we get here with a border-box (content + padding + border), we're seeking \"content\" or\n\t\t// \"padding\" or \"margin\"\n\t\t} else {\n\n\t\t\t// For \"content\", subtract padding\n\t\t\tif (box === \"content\") {\n\t\t\t\tdelta -= jQuery.css(elem, \"padding\" + cssExpand[i], true, styles);\n\t\t\t}\n\n\t\t\t// For \"content\" or \"padding\", subtract border\n\t\t\tif (box !== \"margin\") {\n\t\t\t\tdelta -= jQuery.css(elem, \"border\" + cssExpand[i] + \"Width\", true, styles);\n\t\t\t}\n\t\t}\n\t}\n\n\t// Account for positive content-box scroll gutter when requested by providing computedVal\n\tif (!isBorderBox && computedVal >= 0) {\n\n\t\t// offsetWidth/offsetHeight is a rounded sum of content, padding, scroll gutter, and border\n\t\t// Assuming integer scroll gutter, subtract the rest and round down\n\t\tdelta += Math.max(0, Math.ceil(\n\t\t\telem[\"offset\" + dimension[0].toUpperCase() + dimension.slice(1)] -\n\t\t\tcomputedVal -\n\t\t\tdelta -\n\t\t\textra -\n\t\t\t0.5\n\t\t));\n\t}\n\n\treturn delta;\n}\n\nfunction getWidthOrHeight(elem, dimension, extra) {\n\n\t// Start with computed style\n\tvar styles = getStyles(elem),\n\t\tval = curCSS(elem, dimension, styles),\n\t\tisBorderBox = jQuery.css(elem, \"boxSizing\", false, styles) === \"border-box\",\n\t\tvalueIsBorderBox = isBorderBox;\n\n\t// Support: Firefox <=54\n\t// Return a confounding non-pixel value or feign ignorance, as appropriate.\n\tif (rnumnonpx.test(val)) {\n\t\tif (!extra) {\n\t\t\treturn val;\n\t\t}\n\t\tval = \"auto\";\n\t}\n\n\t// Check for style in case a browser which returns unreliable values\n\t// for getComputedStyle silently falls back to the reliable elem.style\n\tvalueIsBorderBox = valueIsBorderBox &&\n\t\t(support.boxSizingReliable() || val === elem.style[dimension]);\n\n\t// Fall back to offsetWidth/offsetHeight when value is \"auto\"\n\t// This happens for inline elements with no explicit setting (gh-3571)\n\t// Support: Android <=4.1 - 4.3 only\n\t// Also use offsetWidth/offsetHeight for misreported inline dimensions (gh-3602)\n\tif (val === \"auto\" ||\n\t\t!parseFloat(val) && jQuery.css(elem, \"display\", false, styles) === \"inline\") {\n\n\t\tval = elem[\"offset\" + dimension[0].toUpperCase() + dimension.slice(1)];\n\n\t\t// offsetWidth/offsetHeight provide border-box values\n\t\tvalueIsBorderBox = true;\n\t}\n\n\t// Normalize \"\" and auto\n\tval = parseFloat(val) || 0;\n\n\t// Adjust for the element's box model\n\treturn (val +\n\t\tboxModelAdjustment(\n\t\t\telem,\n\t\t\tdimension,\n\t\t\textra || (isBorderBox ? \"border\" : \"content\"),\n\t\t\tvalueIsBorderBox,\n\t\t\tstyles,\n\n\t\t\t// Provide the current computed size to request scroll gutter calculation (gh-3589)\n\t\t\tval\n\t\t)\n\t) + \"px\";\n}\n\njQuery.extend({\n\n\t// Add in style property hooks for

overriding the default\n\t// behavior of getting and setting a style property\n\tcssHooks: {\n\t\topacity: {\n\t\t\tget: function(elem, computed) {\n\t\t\t\tif (computed) {\n\n\t\t\t\t\t// We should always get a number back from opacity\n\t\t\t\t\tvar ret = curCSS(elem, \"opacity\");\n\t\t\t\t\treturn ret === \"\" ? \"1\" : ret;\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t},\n\n\t// Don't automatically add \"px\" to these possibly-unitless properties\n\tcssNumber: {\n\t\t\"animationIterationCount\": true,\n\t\t\"columnCount\": true,\n\t\t\"fillOpacity\": true,\n\t\t\"flexGrow\": true,\n\t\t\"flexShrink\": true,\n\t\t\"fontWeight\": true,\n\t\t\"lineHeight\": true,\n\t\t\"opacity\": true,\n\t\t\"order\": true,\n\t\t\"orphans\": true,\n\t\t\"widows\": true,\n\t\t\"zIndex\": true,\n\t\t\"zoom\": true\n\t},\n\n\t// Add in properties whose names you wish to fix before\n\t// setting or getting the value\n\tcssProps: {},\n\n\t// Get and set the style property on a DOM Node\n\tstyle: function(elem, name, value, extra) {\n\n\t\t// Don't set styles on text and comment nodes\n\t\tif (!elem || elem.nodeType === 3 || elem.nodeType === 8 || !elem.style) {\n\t\t\treturn;\n\t\t}\n\n\t\t// Make sure that we're working with the right name\n\t\tvar ret, type, hooks,\n\t\t\torigName = camelCase(name),\n\t\t\tisCustomProp = rcustomProp.test(name),\n\t\t\tstyle = elem.style;\n\n\t\t// Make sure that we're working with the right name. We don't\n\t\t// want to query the value if it is a CSS custom property\n\t\t// since they are user-defined.\n\t\tif (!isCustomProp) {\n\t\t\tname = finalPropName(origName);\n\t\t}\n\n\t\t// Gets hook for the prefixed version, then unprefixed version\n\t\thooks = jQuery.cssHooks[name] || jQuery.cssHooks[origName];\n\n\t\t// Check if we're setting a value\n\t\tif (value !== undefined) {\n\t\t\ttype = typeof value;\n\n\t\t\t// Convert \"+=\" or \"-=\" to relative numbers (#7345)\n\t\t\tif (type === \"string\" && (ret = rcssNum.exec(value)) && ret[1]) {\n\t\t\t\tvalue = adjustCSS(elem, name, ret);\n\n\t\t\t\t// Fixes bug #9237\n\t\t\t\ttype = \"number\";\n\t\t\t}\n\n\t\t\t// Make sure that null and NaN values aren't set (#7116)\n\t\t\tif (value == null || value !== value) {\n\t\t\t\treturn;\n\t\t\t}\n\n\t\t\t// If a number was passed in, add the unit (except for certain CSS properties)\n\t\t\tif (type === \"number\") {\n\t\t\t\tvalue += ret && ret[3] || (jQuery.cssNumber[origName] ? \"\" : \"px\");\n\t\t\t}\n\n\t\t\t// background-* props affect original clone's values\n\t\t\tif (!support.clearCloneStyle && value === \"\" && name.indexOf(\"background\") === 0) {\n\t\t\t\tstyle[name] = \"inherit\";\n\t\t\t}\n\n\t\t\t// If a hook was provided, use that value, otherwise just set the\n\t\t\t// specified value\n\t\t\tif (!hooks || !(\"set\" in hooks) ||\n\t\t\t\t(value = hooks.set(elem, value, extra)) !== undefined) {\n\n\t\t\t\tif (isCustomProp) {\n\t\t\t\t\tstyle.setProperty(name, value);\n\t\t\t\t} else {\n\t\t\t\t\tstyle[name] = value;\n\t\t\t\t}\n\t\t\t}\n\n\t\t} else {\n\n\t\t\t// If a hook was provided get the non-computed value from there\n\t\t\tif (hooks && \"get\" in hooks &&\n\t\t\t\t(ret = hooks.get(elem, false, extra)) !== undefined) {\n\n\t\t\t\treturn ret;\n\t\t\t}\n\n\t\t\t// Otherwise just get the value from the style object\n\t\t\treturn style[name];\n\t\t}\n\t},\n\n\tcss: function(elem, name, extra, styles) {\n\t\tvar val, num, hooks,\n\t\t\torigName = camelCase(name),\n\t\t\tisCustomProp = rcustomProp.test(name);\n\n\t\t// Make sure that we're working with the right name. We don't\n\t\t// want to modify the value if it is a CSS custom property\n\t\t// since they are user-defined.\n\t\tif (!isCustomProp) {\n\t\t\tname = finalPropName(origName);\n\t\t}\n\n\t\t// Try prefixed name followed by the unprefixed name\n\t\thooks = jQuery.cssHooks[name] || jQuery.cssHooks[origName];\n\n\t\t// If a hook was provided get the computed value from there\n\t\tif (hooks && \"get\" in hooks) {\n\t\t\tval = hooks.get(elem, true, extra);\n\t\t}\n\n\t\t// Otherwise, if a way to get the computed value exists, use that\n\t\tif (val === undefined) {\n\t\t\tval = curCSS(elem, name, styles);\n\t\t}\n\n\t\t// Convert \"normal\" to computed value\n\t\tif (val === \"normal\" && name in cssNormalTransform) {\n\t\t\tval = cssNormalTransform[name];\n\t\t}\n\n\t\t// Make numeric if forced or a qualifier was provided and val looks numeric\n\t\tif (extra === \"\" || extra) {\n\t\t\tnum = parseFloat(val);\n\t\t\treturn extra === true || isFinite(num) ? num || 0 : val;\n\t\t}\n\n\t\treturn val;\n\t}\n});\n\njQuery.each([\"height\", \"width\"], function(i, dimension) {\n\tjQuery.cssHooks[dimension] = {\n\t\tget: function(elem, computed, extra) {\n\t\t\tif (computed) {\n\n\t\t\t\t// Certain elements can have dimension info if we invisibly show them\n\t\t\t\t// but it must have a current display style that would benefit\n\t\t\t\treturn rdisplayswap.test(jQuery.css(elem, \"display\")) &&\n\n\t\t\t\t\t// Support: Safari 8+\n\t\t\t\t\t// Table columns in Safari have non-zero offsetWidth & zero\n\t\t\t\t\t// getBoundingClientRect().width unless display is changed.\n\t\t\t\t\t// Support: IE <=11 only\n\t\t\t\t\t// Running getBoundingClientRect on a disconnected node\n\t\t\t\t\t// in IE throws an error.\n\t\t\t\t\t(!elem.getClientRects().length || !elem.getBoundingClientRect().width) ?\n\t\t\t\t\t\tswap(elem, cssShow, function() {\n\t\t\t\t\t\t\treturn

getWidthOrHeight(elem, dimension, extra);\n\t\t\t\t\t}) :\n\t\t\t\t\tgetWidthOrHeight(elem, dimension, extra);\n\t\t\t}\n\t\t},\n\t\tset: function(elem, value, extra) {\n\t\t\tvar matches,\n\t\t\t\tstyles = getStyles(elem),\n\t\t\t\tisBorderBox = jQuery.css(elem, \"boxSizing\", false, styles) === \"border-box\",\n\t\t\t\tsubtract = extra && boxModelAdjustment(\n\t\t\t\t\telem,\n\t\t\t\t\tdimension,\n\t\t\t\t\textra,\n\t\t\t\t\tisBorderBox,\n\t\t\t\t\tstyles\n\t\t\t\t);\n\t\t\t// Account for unreliable border-box dimensions by comparing offset* to computed and\n\t\t\t// faking a content-box to get border and padding (gh-3699)\n\t\t\tif (isBorderBox && support.scrollboxSize() === styles.position) {\n\t\t\t\tsubtract -= Math.ceil(\n\t\t\t\t\telem[\"offset\" + dimension[0].toUpperCase() + dimension.slice(1)] -\n\t\t\t\t\tparseFloat(styles[dimension]) -\n\t\t\t\t\tboxModelAdjustment(elem, dimension, \"border\", false, styles) -\n\t\t\t\t\t0.5\n\t\t\t\t);\n\t\t\t}\n\t\t\t// Convert to pixels if value adjustment is needed\n\t\t\tif (subtract && (matches = rcssNum.exec(value)) &&\n\t\t\t\t(matches[3] || \"px\") !== \"px\") {\n\n\t\t\t\telem.style[dimension] = value;\n\t\t\t\tvalue = jQuery.css(elem, dimension);\n\t\t\t}\n\n\t\t\treturn setPositiveNumber(elem, value, subtract);\n\t\t}\n\t};\n});\n\njQuery.cssHooks.marginLeft = addGetHookIf(support.reliableMarginLeft,\n\tfunction(elem, computed) {\n\t\tif (computed) {\n\t\t\treturn (parseFloat(curCSS(elem, \"marginLeft\")) ||\n\t\t\t\telem.getBoundingClientRect().left -\n\t\t\t\t\tswap(elem, { marginLeft: 0 }, function() {\n\t\t\t\t\t\treturn elem.getBoundingClientRect().left;\n\t\t\t\t\t})\n\t\t\t) + \"px\";\n\t\t}\n\t}\n);\n\n// These hooks are used by animate to expand properties\njQuery.each({\n\tmargin: \"\",\n\tpadding: \"\",\n\tborder: \"Width\"\n}, function(prefix, suffix) {\n\tjQuery.cssHooks[prefix + suffix] = {\n\t\texpand: function(value) {\n\t\t\tvar i = 0,\n\t\t\t\texpanded = {},\n\n\t\t\t\t// Assumes a single number if not a string\n\t\t\t\tparts = typeof value === \"string\" ? value.split(\" \") : [value];\n\t\t\tfor (; i < 4; i++) {\n\t\t\t\texpanded[prefix + cssExpand[i] + suffix] =\n\t\t\t\t\tparts[i] || parts[i - 2] || parts[0];\n\t\t\t}\n\n\t\t\treturn expanded;\n\t\t}\n\t};\n\n\tif (prefix !== \"margin\") {\n\t\tjQuery.cssHooks[prefix + suffix].set = setPositiveNumber;\n\t}\n});\n\njQuery.fn.extend({\n\tcss: function(name, value) {\n\t\treturn access(this, function(elem, name, value) {\n\t\t\tvar styles, len,\n\t\t\t\tmap = {},\n\t\t\t\ti = 0;\n\n\t\t\tif (Array.isArray(name)) {\n\t\t\t\tstyles = getStyles(elem);\n\t\t\t\tlen = name.length;\n\n\t\t\t\tfor (; i < len; i++) {\n\t\t\t\t\tmap[name[i]] = jQuery.css(elem, name[i], false, styles);\n\t\t\t\t}\n\n\t\t\t\treturn map;\n\t\t\t}\n\n\t\t\treturn value !== undefined ?\n\t\t\t\tjQuery.style(elem, name, value) :\n\t\t\t\tjQuery.css(elem, name);\n\t\t}, name, value, arguments.length > 1);\n\t}\n});\n\nfunction Tween(elem, options, prop, end, easing) {\n\treturn new Tween.prototype.init(elem, options, prop, end, easing);\n}\njQuery.Tween = Tween;\n\nTween.prototype = {\n\tconstructor: Tween,\n\tinit: function(elem, options, prop, end, easing, unit) {\n\t\tthis.elem = elem;\n\t\tthis.prop = prop;\n\t\tthis.easing = easing || jQuery.easing._default;\n\t\tthis.options = options;\n\t\tthis.start = this.now = this.cur();\n\t\tthis.end = end;\n\t\tthis.unit = unit || (jQuery.cssNumber[prop] ? \"\" : \"px\");\n\t},\n\tcur: function() {\n\t\tvar hooks = Tween.propHooks[this.prop];\n\n\t\treturn hooks && hooks.get ?\n\t\t\thooks.get(this) :\n\t\t\tTween.propHooks._default.get(this);\n\t},\n\trun: function(percent) {\n\t\tvar eased,\n\t\t\thooks = Tween.propHooks[this.prop];\n\n\t\tif (this.options.duration) {\n\t\t\tthis.pos = eased = jQuery.easing[this.easing](\n\t\t\t\tpercent, this.options.duration * percent, 0, 1, this.options.duration\n\t\t\t);\n\t\t} else {\n\t\t\tthis.pos = eased = percent;\n\t\t}\n\t\tthis.now = (this.end - this.start) * eased + this.start;\n\n\t\tif (this.options.step) {\n\t\t\tthis.options.step.call(this.elem, this.now, this);\n\t\t}\n\n\t\tif (hooks && hooks.set) {\n\t\t\thooks.set(this);\n\t\t} else {\n\t\t\tTween.propHooks._default.set(this);\n\t\t}\n\t\treturn this;\n\t}\n};\n\nTween.prototype.init.prototype = Tween.prototype;\n\nTween.propHooks = {\n\t_default: {\n\t\tget: function(tween) {\n\t\t\tvar result;\n\n\t\t\t// Use a property on the element directly when it is not a DOM element,\n\t\t\t// or when there is no matching style property that exists.\n\t\t\tif (tween.elem.nodeType !== 1 ||\n\t\t\t\ttween.elem[tween.prop] != null && tween.elem.style[tween.prop] == null) {\n\t\t\t\treturn tween.elem[tween.prop];\n\t\t\t}\n\n\t\t\t// Passing an empty string as a 3rd parameter to .css will automatically\n\t\t\t// attempt a parseFloat and fallback to a string if the parse fails.\n\t\t\t// Simple values such as \"10px\" are parsed to Float;\n\t\t\t// complex values such as \"rotate(1rad)\" are returned as-is.\n\t\t\tresult = jQuery.css(tween.elem, tween.prop, \"\");\n\n\t\t\t// Empty strings, null, undefined and \"auto\" are converted to 0.\n\t\t\treturn !result || result === \"auto\" ? 0 : result;\n\t\t},\n\t\tset: function(tween) {\n\n\t\t\t// Use step hook for back compat.\n\t\t\t//

Use cssHook if its there.\n\t\t\t// Use .style if available and use plain properties where available.\n\t\t\tif (jQuery.fx.step[tween.prop]) {\n\t\t\t\tjQuery.fx.step[tween.prop](tween);\n\t\t\t} else if (tween.elem.nodeType === 1 &&\n\t\t\t\t(tween.elem.style[jQuery.cssProps[tween.prop]] != null ||\n\t\t\t\t\tjQuery.cssHooks[tween.prop])) {\n\t\t\t\tjQuery.style(tween.elem, tween.prop, tween.now + tween.unit);\n\t\t\t} else {\n\t\t\t\ttween.elem[tween.prop] = tween.now;\n\t\t\t}\n\t\t}\n\t}\n};\n\n// Support: IE <=9 only\n// Panic based approach to setting things on disconnected nodes\nTween.propHooks.scrollTop = Tween.propHooks.scrollLeft = {\n\tset: function(tween) {\n\t\tif (tween.elem.nodeType && tween.elem.parentNode) {\n\t\t\ttween.elem[tween.prop] = tween.now;\n\t\t}\n\t}\n};\n\njQuery.easing = {\n\tlinear: function(p) {\n\t\treturn p;\n\t},\n\tswing: function(p) {\n\t\treturn 0.5 - Math.cos(p * Math.PI) / 2;\n\t},\n\t_default: \"swing\"\n};\n\njQuery.fx = Tween.prototype.init;\n\n// Back compat <1.8 extension point\njQuery.fx.step = {};\n\n\n\nvar\n\tfxNow, inProgress,\n\trfxtypes = /^(?:toggle|show|hide)$/,\n\trrun = /queueHooks$/;\n\nfunction schedule() {\n\tif (inProgress) {\n\t\tif (document.hidden === false && window.requestAnimationFrame) {\n\t\t\twindow.requestAnimationFrame(schedule);\n\t\t} else {\n\t\t\twindow.setTimeout(schedule, jQuery.fx.interval);\n\t\t}\n\n\t\tjQuery.fx.tick();\n\t}\n}\n\n// Animations created synchronously will run synchronously\nfunction createFxNow() {\n\twindow.setTimeout(function() {\n\t\tfxNow = undefined;\n\t});\n\treturn (fxNow = Date.now());\n}\n\n// Generate parameters to create a standard animation\nfunction genFx(type, includeWidth) {\n\tvar which,\n\t\ti = 0,\n\t\tattrs = { height: type };\n\t// If we include width, step value is 1 to do all cssExpand values,\n\t// otherwise step value is 2 to skip over Left and Right\n\tincludeWidth = includeWidth ? 1 : 0;\n\tfor (; i < 4; i += 2 - includeWidth) {\n\t\twhich = cssExpand[i];\n\t\tattrs[\"margin\" + which] = attrs[\"padding\" + which] = type;\n\t}\n\n\tif (includeWidth) {\n\t\tattrs.opacity = attrs.width = type;\n\t}\n\n\treturn attrs;\n}\n\nfunction createTween(value, prop, animation) {\n\tvar tween,\n\t\tcollection = (Animation.tweeners[prop] || []).concat(Animation.tweeners[\"*\"]),\n\t\tindex = 0,\n\t\tlength = collection.length;\n\tfor (; index < length; index++) {\n\t\tif ((tween = collection[index].call(animation, prop, value))) {\n\t\t\t// We're done with this property\n\t\t\treturn tween;\n\t\t}\n\t}\n}\n\nfunction defaultPrefilter(elem, props, opts) {\n\tvar prop, value, toggle, hooks, oldfire, propTween, restoreDisplay, display,\n\t\tisBox = \"width\" in props || \"height\" in props,\n\t\tanim = this,\n\t\torig = {},\n\t\tstyle = elem.style,\n\t\thidden = elem.nodeType && isHiddenWithinTree(elem),\n\t\tdataShow = dataPriv.get(elem, \"fxshow\");\n\n\t// Queue-skipping animations hijack the fx hooks\n\tif (!opts.queue) {\n\t\thooks = jQuery._queueHooks(elem, \"fx\");\n\t\tif (hooks.unqueued == null) {\n\t\t\thooks.unqueued = 0;\n\t\t\toldfire = hooks.empty.fire;\n\t\t\thooks.empty.fire = function() {\n\t\t\t\tif (!hooks.unqueued) {\n\t\t\t\t\toldfire();\n\t\t\t\t}\n\t\t\t};\n\t\t}\n\t\thooks.unqueued++;\n\n\t\tanim.always(function() {\n\n\t\t\t// Ensure the complete handler is called before this completes\n\t\t\tanim.always(function() {\n\t\t\t\thooks.unqueued--;\n\t\t\t\tif (!jQuery.queue(elem, \"fx\").length) {\n\t\t\t\t\thooks.empty.fire();\n\t\t\t\t}\n\t\t\t});\n\t\t});\n\t}\n\n\t// Detect show/hide animations\n\tfor (prop in props) {\n\t\tvalue = props[prop];\n\t\tif (rfxtypes.test(value)) {\n\t\t\tdelete props[prop];\n\t\t\ttoggle = toggle || value === \"toggle\";\n\t\t\tif (value === (hidden ? \"hide\" : \"show\")) {\n\n\t\t\t\t// Pretend to be hidden if this is a \"show\" and\n\t\t\t\t// there is still data from a stopped show/hide\n\t\t\t\tif (value === \"show\" && dataShow && dataShow[prop] !== undefined) {\n\t\t\t\t\thidden = true;\n\n\t\t\t\t// Ignore all other no-op show/hide data\n\t\t\t\t} else {\n\t\t\t\t\tcontinue;\n\t\t\t\t}\n\t\t\t}\n\t\t\torig[prop] = dataShow && dataShow[prop] || jQuery.style(elem, prop);\n\t\t}\n\t}\n\n\t// Bail out if this is a no-op like .hide().hide()\n\tpropTween = !jQuery.isEmptyObject(props);\n\tif (!propTween && jQuery.isEmptyObject(orig)) {\n\t\treturn;\n\t}\n\n\t// Restrict \"overflow\" and \"display\" styles during box animations\n\tif (isBox && elem.nodeType === 1) {\n\n\t\t// Support: IE <=9 - 11, Edge 12 - 15\n\t\t// Record all 3 overflow attributes because IE does not infer the shorthand\n\t\t// from identically-valued overflowX and overflowY and Edge just mirrors\n\t\t// the overflowX value there.\n\t\topts.overflow = [style.overflow, style.overflowX, style.overflowY];\n\n\t\t// Identify a display type, preferring old show/hide data over the CSS cascade\n\t\trestoreDisplay = dataShow && dataShow.display;\n\t\tif (restoreDisplay == null) {\n\t\t\trestoreDisplay = dataPriv.get(elem, \"display\");\n\t\t}\n\t\tdisplay = jQuery.css(elem, \"display\");\n\t\tif (display === \"none\") {\n\t\t\tif (restoreDisplay) {\n\t\t\t\tdisplay = restoreDisplay;\n\t\t\t} else {\n\n\t\t\t\t// Get nonempty value(s) by temporarily forcing

visibility\n\t\t\tshowHide([elem], true);\n\t\t\trestoreDisplay = elem.style.display || restoreDisplay;\n\t\t\tdisplay = jQuery.css(elem, \"display\");\n\t\t\tshowHide([elem]);\n\t\t\t}\n\t\t}\n\n\t\t// Animate inline elements as inline-block\n\t\tif (display === \"inline\" || display === \"inline-block\" && restoreDisplay != null) {\n\t\t\tif (jQuery.css(elem, \"float\") === \"none\") {\n\n\t\t\t\t// Restore the original display value at the end of pure show/hide animations\n\t\t\t\tif (!propTween) {\n\t\t\t\t\tanim.done(function() {\n\t\t\t\t\t\tstyle.display = restoreDisplay;\n\t\t\t\t\t});\n\t\t\t\t\tif (restoreDisplay == null) {\n\t\t\t\t\t\tdisplay = style.display;\n\t\t\t\t\t\trestoreDisplay = display === \"none\" ? \"\" : display;\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t\tstyle.display = \"inline-block\";\n\t\t\t}\n\t\t}\n\t}\n\n\tif (opts.overflow) {\n\t\tstyle.overflow = \"hidden\";\n\t\tanim.always(function() {\n\t\t\tstyle.overflow = opts.overflow[0];\n\t\t\tstyle.overflowX = opts.overflow[1];\n\t\t\tstyle.overflowY = opts.overflow[2];\n\t\t});\n\t}\n\n\t// Implement show/hide animations\n\tpropTween = false;\n\tfor (prop in orig) {\n\n\t\t// General show/hide setup for this element animation\n\t\tif (!propTween) {\n\t\t\tif (dataShow) {\n\t\t\t\tif (\"hidden\" in dataShow) {\n\t\t\t\t\thidden = dataShow.hidden;\n\t\t\t\t}\n\t\t\t} else {\n\t\t\t\tdataShow = dataPriv.access(elem, \"fxshow\", { display: restoreDisplay });\n\t\t\t}\n\n\t\t\t// Store hidden/visible for toggle so `.stop().toggle()` \"reverses\"\n\t\t\tif (toggle) {\n\t\t\t\tdataShow.hidden = !hidden;\n\t\t\t}\n\n\t\t\t// Show elements before animating them\n\t\t\tif (hidden) {\n\t\t\t\tshowHide([elem], true);\n\t\t\t}\n\n\t\t\t/* eslint-disable no-loop-func */\n\n\t\t\tanim.done(function() {\n\n\t\t\t/* eslint-enable no-loop-func */\n\n\t\t\t\t// The final step of a \"hide\" animation is actually hiding the element\n\t\t\t\tif (!hidden) {\n\t\t\t\t\tshowHide([elem]);\n\t\t\t\t}\n\t\t\t\tdataPriv.remove(elem, \"fxshow\");\n\t\t\t\tfor (prop in orig) {\n\t\t\t\t\tjQuery.style(elem, prop, orig[prop]);\n\t\t\t\t}\n\t\t\t});\n\t\t}\n\n\t\t// Per-property setup\n\t\tpropTween = createTween(hidden ? dataShow[prop] : 0, prop, anim);\n\t\tif (!(prop in dataShow)) {\n\t\t\tdataShow[prop] = propTween.start;\n\t\t\tif (hidden) {\n\t\t\t\tpropTween.end = propTween.start;\n\t\t\t\tpropTween.start = 0;\n\t\t\t}\n\t\t}\n\t}\n}\n\nfunction propFilter(props, specialEasing) {\n\tvar index, name, easing, value, hooks;\n\n\t// camelCase, specialEasing and expand cssHook pass\n\tfor (index in props) {\n\t\tname = camelCase(index);\n\t\teasing = specialEasing[name];\n\t\tvalue = props[index];\n\t\tif (Array.isArray(value)) {\n\t\t\teasing = value[1];\n\t\t\tvalue = props[index] = value[0];\n\t\t}\n\n\t\tif (index !== name) {\n\t\t\tprops[name] = value;\n\t\t\tdelete props[index];\n\t\t}\n\n\t\thooks = jQuery.cssHooks[name];\n\t\tif (hooks && \"expand\" in hooks) {\n\t\t\tvalue = hooks.expand(value);\n\t\t\tdelete props[name];\n\n\t\t\t// Not quite $.extend, this won't overwrite existing keys.\n\t\t\t// Reusing 'index' because we have the correct \"name\"\n\t\t\tfor (index in value) {\n\t\t\t\tif (!(index in props)) {\n\t\t\t\t\tprops[index] = value[index];\n\t\t\t\t\tspecialEasing[index] = easing;\n\t\t\t\t}\n\t\t\t}\n\t\t} else {\n\t\t\tspecialEasing[name] = easing;\n\t\t}\n\t}\n}\n\nfunction Animation(elem, properties, options) {\n\tvar result,\n\t\tstopped,\n\t\tindex = 0,\n\t\tlength = Animation.prefilters.length,\n\t\tdeferred = jQuery.Deferred().always(function() {\n\n\t\t\t// Don't match elem in the :animated selector\n\t\t\tdelete tick.elem;\n\t\t}),\n\t\ttick = function() {\n\t\t\tif (stopped) {\n\t\t\t\treturn false;\n\t\t\t}\n\t\t\tvar currentTime = fxNow || createFxNow(),\n\t\t\t\tremaining = Math.max(0, animation.startTime + animation.duration - currentTime),\n\n\t\t\t\t// Support: Android 2.3 only\n\t\t\t\t// Archaic crash bug won't allow us to use `1 - ( 0.5 || 0 )` (#12497)\n\t\t\t\ttemp = remaining / animation.duration || 0,\n\t\t\t\tpercent = 1 - temp,\n\t\t\t\tindex = 0,\n\t\t\t\tlength = animation.tweens.length;\n\n\t\t\tfor (; index < length; index++) {\n\t\t\t\tanimation.tweens[index].run(percent);\n\t\t\t}\n\n\t\t\tdeferred.notifyWith(elem, [animation, percent, remaining]);\n\n\t\t\t// If there's more to do, yield\n\t\t\tif (percent < 1 && length) {\n\t\t\t\treturn remaining;\n\t\t\t}\n\n\t\t\t// If this was an empty animation, synthesize a final progress notification\n\t\t\tif (!length) {\n\t\t\t\tdeferred.notifyWith(elem, [animation, 1, 0]);\n\t\t\t}\n\n\t\t\t// Resolve the animation and report its conclusion\n\t\t\tdeferred.resolveWith(elem, [animation]);\n\t\t\treturn false;\n\t\t},\n\t\tanimation = deferred.promise({\n\t\t\telem: elem,\n\t\t\tprops: jQuery.extend({}, properties),\n\t\t\topts: jQuery.extend(true, {\n\t\t\t\tspecialEasing: {},\n\t\t\t\teasing: jQuery.easing._default\n\t\t\t}, options),\n\t\t\toriginalProperties: properties,\n\t\t\toriginalOptions: options,\n\t\t\tstartTime: fxNow || createFxNow(),\n\t\t\tduration: options.duration,\n\t\t\ttweens: [],\n\t\t\tcreateTween: function(prop, end) {\n\t\t\t\tvar tween = jQuery.Tween(elem, animation.opts, prop, end,\n\t\t\t\t\t\tanimation.opts.specialEasing[prop] || animation.opts.easing);\n\t\t\t\tanimation.tweens.push(tween);\n\t\t\t\treturn tween;\n\t\t\t},\n\t\t\tstop: function(

gotoEnd) {\n\t\t\tvar index = 0,\n\n\t\t\t\t\t// If we are going to the end, we want to run all the tweens\n\t\t\t\t\t// otherwise we skip this part\n\t\t\t\t\tlength = gotoEnd ? animation.tweens.length : 0;\n\t\t\t\tif (stopped) {\n\t\t\t\t\treturn this;\n\t\t\t}\n\t\t\t\tstopped = true;\n\t\t\t\tfor (; index < length; index++) {\n\t\t\t\t\tanimation.tweens[index].run(1);\n\t\t\t}\n\n\t\t\t\t// Resolve when we played the last frame; otherwise, reject\n\t\t\t\tif (gotoEnd) {\n\t\t\t\t\tdeferred.notifyWith(elem, [animation, 1, 0]);\n\t\t\t\t\tdeferred.resolveWith(elem, [animation, gotoEnd]);\n\t\t\t\t} else {\n\t\t\t\t\tdeferred.rejectWith(elem, [animation, gotoEnd]);\n\t\t\t\t}\n\t\t\t\treturn this;\n\t\t\t}\n\t\t}),\n\t\tprops = animation.props;\n\n\tpropFilter(props, animation.opts.specialEasing);\n\n\tfor (; index < length; index++) {\n\t\tresult = Animation.prefilters[index].call(animation, elem, props, animation.opts);\n\t\tif (result) {\n\t\t\tif (isFunction(result.stop)) {\n\t\t\t\tjQuery._queueHooks(animation.elem, animation.opts.queue).stop =\n\t\t\t\t\tresult.stop.bind(result);\n\t\t}\n\t\t\treturn result;\n\t\t}\n\n\tjQuery.map(props, createTween, animation);\n\n\tif (isFunction(animation.opts.start)) {\n\t\tanimation.opts.start.call(elem, animation);\n\t}\n\n\t// Attach callbacks from options\n\tanimation\n\t\t.progress(animation.opts.progress)\n\t\t.done(animation.opts.done, animation.opts.complete)\n\t\t.fail(animation.opts.fail)\n\t\t.always(animation.opts.always);\n\n\tjQuery.fx.timer(\n\t\tjQuery.extend(tick, {\n\t\t\telem: elem,\n\t\t\tanim: animation,\n\t\t\tqueue: animation.opts.queue\n\t\t})\n\t);\n\n\treturn animation;\n}\n\njQuery.Animation = jQuery.extend(Animation, {\n\n\ttweeners: {\n\t\t"*": [function(prop, value) {\n\t\t\tvar tween = this.createTween(prop, value);\n\t\t\tadjustCSS(tween.elem, prop, rcssNum.exec(value), tween);\n\t\t\treturn tween;\n\t\t}]\n\t},\n\n\ttweener: function(props, callback) {\n\t\tif (isFunction(props)) {\n\t\t\tcallback = props;\n\t\t\tprops = ["*"];\n\t\t} else {\n\t\t\tprops = props.match(rnothtmlwhite);\n\t\t}\n\n\t\tvar prop,\n\t\t\tindex = 0,\n\t\t\tlength = props.length;\n\n\t\tfor (; index < length; index++) {\n\t\t\tprop = props[index];\n\t\t\tAnimation.tweeners[prop] = Animation.tweeners[prop] || [];\n\t\t\tAnimation.tweeners[prop].unshift(callback);\n\t\t}\n\t},\n\n\tprefilters: [defaultPrefilter],\n\n\tprefilter: function(callback, prepend) {\n\t\tif (prepend) {\n\t\t\tAnimation.prefilters.unshift(callback);\n\t\t} else {\n\t\t\tAnimation.prefilters.push(callback);\n\t\t}\n\t}\n});\n\njQuery.speed = function(speed, easing, fn) {\n\tvar opt = speed && typeof speed === "object" ? jQuery.extend({}, speed) : {\n\t\tcomplete: fn || !fn && easing ||\n\t\t\tisFunction(speed) && speed,\n\t\tduration: speed,\n\t\teasing: fn && easing || easing && !isFunction(easing) && easing\n\t};\n\n\t// Go to the end state if fx are off\n\tif (jQuery.fx.off) {\n\t\topt.duration = 0;\n\n\t} else {\n\t\tif (typeof opt.duration !== "number") {\n\t\t\tif (opt.duration in jQuery.fx.speeds) {\n\t\t\t\topt.duration = jQuery.fx.speeds[opt.duration];\n\n\t\t\t} else {\n\t\t\t\topt.duration = jQuery.fx.speeds._default;\n\t\t\t}\n\t\t}\n\t}\n\n\t// Normalize opt.queue - true/undefined/null -> "fx"\n\tif (opt.queue == null || opt.queue === true) {\n\t\topt.queue = "fx";\n\t}\n\n\t// Queueing\n\topt.old = opt.complete;\n\n\topt.complete = function() {\n\t\tif (isFunction(opt.old)) {\n\t\t\topt.old.call(this);\n\t\t}\n\n\t\tif (opt.queue) {\n\t\t\tjQuery.dequeue(this, opt.queue);\n\t\t}\n\t};\n\n\treturn opt;\n};\n\njQuery.fn.extend({\n\tfadeTo: function(speed, to, easing, callback) {\n\n\t\t// Show any hidden elements after setting opacity to 0\n\t\treturn this.filter(isHiddenWithinTree).css("opacity", 0).show()\n\n\t\t\t// Animate to the value specified\n\t\t\t.end().animate({ opacity: to }, speed, easing, callback);\n\t},\n\tanimate: function(prop, speed, easing, callback) {\n\t\tvar empty = jQuery.isEmptyObject(prop),\n\t\t\toptall = jQuery.speed(speed, easing, callback),\n\t\t\tdoAnimation = function() {\n\n\t\t\t\t// Operate on a copy of prop so per-property easing won't be lost\n\t\t\t\tvar anim = Animation(this, jQuery.extend({}, prop), optall);\n\n\t\t\t\t// Empty animations, or finishing resolves immediately\n\t\t\t\tif (empty || dataPriv.get(this, "finish")) {\n\t\t\t\t\tanim.stop(true);\n\t\t\t\t}\n\t\t\t};\n\t\t\tdoAnimation.finish = doAnimation;\n\n\t\treturn empty || optall.queue === false ?\n\t\t\tthis.each(doAnimation) :\n\t\t\tthis.queue(optall.queue, doAnimation);\n\t},\n\tstop: function(type, clearQueue, gotoEnd) {\n\t\tvar stopQueue = function(hooks) {\n\t\t\tvar stop = hooks.stop;\n\t\t\tdelete hooks.stop;\n\t\t\tstop(gotoEnd);\n\t\t};\n\n\t\tif (typeof type !== "string") {\n\t\t\tgotoEnd = clearQueue;\n\t\t\tclearQueue = type;\n\t\t\ttype = undefined;\n\t\t}\n\t\tif (clearQueue && type !== false) {\n\t\t\tthis.queue(type || "fx", []);\n\t\t}\n\n\t\treturn this.each(function() {\n\t\t\tvar dequeue = true,\n\t\t\t\tindex = type != null && type + "queueHooks",\n\t\t\t\ttimers = jQuery.timers,\n\t\t\t\tdata = dataPriv.get(this);\n\n\t\t\tif (index) {\n\t\t\t\tif (data[index] && data[index].stop) {\n\t\t\t\t\tstopQueue(data[

index]);\n\t\t\t}\n\t\t} else {\n\t\t\tfor (index in data) {\n\t\t\t\tif (data[index] && data[index].stop && rrun.test(index)) {\n\t\t\t\t\tstopQueue(data[index]);\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t\tfor (index = timers.length; index--;) {\n\t\t\tif (timers[index].elem === this &&\n\t\t\t\t(type == null || timers[index].queue === type)) {\n\n\t\t\t\ttimers[index].anim.stop(gotoEnd);\n\t\t\t\tdequeue = false;\n\t\t\t\ttimers.splice(index, 1);\n\t\t\t}\n\t\t}\n\n\t\t// Start the next in the queue if the last step wasn't forced.\n\t\t// Timers currently will call their complete callbacks, which\n\t\t// will dequeue but only if they were gotoEnd.\n\t\tif (dequeue || !gotoEnd) {\n\t\t\tjQuery.dequeue(this, type);\n\t\t}\n\t});\n},\n\tfinish: function(type) {\n\t\tif (type !== false) {\n\t\t\ttype = type || \"fx\";\n\t\t}\n\t\treturn this.each(function() {\n\t\t\tvar index,\n\t\t\t\tdata = dataPriv.get(this),\n\t\t\t\tqueue = data[type + \"queue\"],\n\t\t\t\thooks = data[type + \"queueHooks\"],\n\t\t\t\ttimers = jQuery.timers,\n\t\t\t\tlength = queue ? queue.length : 0;\n\n\t\t\t// Enable finishing flag on private data\n\t\t\tdata.finish = true;\n\n\t\t\t// Empty the queue first\n\t\t\tjQuery.queue(this, type, []);\n\n\t\t\tif (hooks && hooks.stop) {\n\t\t\t\thooks.stop.call(this, true);\n\t\t\t}\n\n\t\t\t// Look for any active animations, and finish them\n\t\t\tfor (index = timers.length; index--;) {\n\t\t\t\tif (timers[index].elem === this && timers[index].queue === type) {\n\t\t\t\t\ttimers[index].anim.stop(true);\n\t\t\t\t\ttimers.splice(index, 1);\n\t\t\t\t}\n\t\t\t}\n\n\t\t\t// Look for any animations in the old queue and finish them\n\t\t\tfor (index = 0; index < length; index++) {\n\t\t\t\tif (queue[index] && queue[index].finish) {\n\t\t\t\t\tqueue[index].finish.call(this);\n\t\t\t\t}\n\t\t\t}\n\n\t\t\t// Turn off finishing flag\n\t\t\tdelete data.finish;\n\t\t});\n\t}\n});\n\njQuery.each([\"toggle\", \"show\", \"hide\"], function(i, name) {\n\tvar cssFn = jQuery.fn[name];\n\tjQuery.fn[name] = function(speed, easing, callback) {\n\t\treturn speed == null || typeof speed === \"boolean\" ?\n\t\t\tcssFn.apply(this, arguments) :\n\t\t\tthis.animate(genFx(name, true), speed, easing, callback);\n\t};\n});\n\n// Generate shortcuts for custom animations\njQuery.each({\n\tslideDown: genFx(\"show\"),\n\tslideUp: genFx(\"hide\"),\n\tslideToggle: genFx(\"toggle\"),\n\tfadeIn: { opacity: \"show\" },\n\tfadeOut: { opacity: \"hide\" },\n\tfadeToggle: { opacity: \"toggle\" }\n}, function(name, props) {\n\tjQuery.fn[name] = function(speed, easing, callback) {\n\t\treturn this.animate(props, speed, easing, callback);\n\t};\n});\n\njQuery.timers = [];\njQuery.fx.tick = function() {\n\tvar timer,\n\t\ti = 0,\n\t\ttimers = jQuery.timers;\n\n\tfxNow = Date.now();\n\n\tfor (; i < timers.length; i++) {\n\t\ttimer = timers[i];\n\n\t\t// Run the timer and safely remove it when done (allowing for external removal)\n\t\tif (!timer() && timers[i] === timer) {\n\t\t\ttimers.splice(i--, 1);\n\t\t}\n\t}\n\n\tif (!timers.length) {\n\t\tjQuery.fx.stop();\n\t}\n\tfxNow = undefined;\n};\n\njQuery.fx.timer = function(timer) {\n\tjQuery.timers.push(timer);\n\tjQuery.fx.start();\n};\n\njQuery.fx.interval = 13;\njQuery.fx.start = function() {\n\tif (inProgress) {\n\t\treturn;\n\t}\n\n\tinProgress = true;\n\tschedule();\n};\n\njQuery.fx.stop = function() {\n\tinProgress = null;\n};\n\njQuery.fx.speeds = {\n\tslow: 600,\n\tfast: 200,\n\n\t// Default speed\n\t_default: 400\n};\n\n\n// Based off of the plugin by Clint Helfers, with permission.\n// https://web.archive.org/web/20100324014747/http://blindsignals.com/index.php/2009/07/jquery-delay/\njQuery.fn.delay = function(time, type) {\n\ttime = jQuery.fx ? jQuery.fx.speeds[time] || time : time;\n\ttype = type || \"fx\";\n\n\treturn this.queue(type, function(next, hooks) {\n\t\tvar timeout = window.setTimeout(next, time);\n\t\thooks.stop = function() {\n\t\t\twindow.clearTimeout(timeout);\n\t\t};\n\t});\n};\n\n\n(function() {\n\tvar input = document.createElement(\"input\"),\n\t\tselect = document.createElement(\"select\"),\n\t\topt = select.appendChild(document.createElement(\"option\"));\n\n\tinput.type = \"checkbox\";\n\n\t// Support: Android <=4.3 only\n\t// Default value for a checkbox should be \"on\"\n\tsupport.checkOn = input.value !== \"\";\n\n\t// Support: IE <=11 only\n\t// Must access selectedIndex to make default options select\n\tsupport.optSelected = opt.selected;\n\n\t// Support: IE <=11 only\n\t// An input loses its value after becoming a radio\n\tinput = document.createElement(\"input\");\n\tinput.value = \"t\";\n\tinput.type = \"radio\";\n\tsupport.radioValue = input.value === \"t\";\n})();\n\n\nvar boolHook,\n\tattrHandle = jQuery.expr.attrHandle;\n\njQuery.fn.extend({\n\tattr: function(name, value) {\n\t\treturn access(this, jQuery.attr, name, value, arguments.length > 1);\n\t},\n\n\tremoveAttr: function(name) {\n\t\treturn this.each(function() {\n\t\t\tjQuery.removeAttr(this, name);\n\t\t});\n\t}\n});\n\njQuery.extend({\n\tattr: function(elem, name, value) {\n\t\tvar ret, hooks,\n\t\t\tnType = elem.nodeType;\n\n\t\t// Don't get/set attributes on text, comment and attribute nodes\n\t\tif (nType === 3 || nType === 8 || nType === 2) {\n\t\t\treturn;\n\t\t}\n\n\t\t// Fallback to prop when

attributes are not supported\n\t\tif (typeof elem.getAttribute === \"undefined\") {\n\t\t\treturn jQuery.prop(elem, name, value);\n\t\t}\n\n\t\t// Attribute hooks are determined by the lowercase version\n\t\t// Grab necessary hook if one is defined\n\t\tif (nType !== 1 || !jQuery.isXMLDoc(elem)) {\n\t\t\thooks = jQuery.attrHooks[name.toLowerCase()] ||\n\t\t\t\t(jQuery.expr.match.bool.test(name) ? boolHook : undefined);\n\t\t}\n\n\t\tif (value !== undefined) {\n\t\t\tif (value === null) {\n\t\t\t\tjQuery.removeAttr(elem, name);\n\t\t\t\treturn;\n\t\t\t}\n\n\t\t\tif (hooks && \"set\" in hooks &&\n\t\t\t\t(ret = hooks.set(elem, value, name)) !== undefined) {\n\t\t\t\treturn ret;\n\t\t\t}\n\n\t\t\telem.setAttribute(name, value + \"\");\n\t\t\treturn value;\n\t\t}\n\n\t\tif (hooks && \"get\" in hooks && (ret = hooks.get(elem, name)) !== null) {\n\t\t\treturn ret;\n\t\t}\n\n\t\tret = jQuery.find.attr(elem, name);\n\n\t\t// Non-existent attributes return null, we normalize to undefined\n\t\treturn ret == null ? undefined : ret;\n\t},\n\n\tattrHooks: {\n\t\ttype: {\n\t\t\tset: function(elem, value) {\n\t\t\t\tif (!support.radioValue && value === \"radio\" &&\n\t\t\t\t\tnodeName(elem, \"input\")) {\n\t\t\t\t\tvar val = elem.value;\n\t\t\t\t\telem.setAttribute(\"type\", value);\n\t\t\t\t\tif (val) {\n\t\t\t\t\t\telem.value = val;\n\t\t\t\t\t}\n\t\t\t\t\treturn value;\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t},\n\n\tremoveAttr: function(elem, value) {\n\t\tvar name,\n\t\t\ti = 0,\n\n\t\t\t// Attribute names can contain non-HTML whitespace characters\n\t\t\t// https://html.spec.whatwg.org/multipage/syntax.html#attributes-2\n\t\t\tattrNames = value && value.match(rnothtmlwhite);\n\n\t\tif (attrNames && elem.nodeType === 1) {\n\t\t\twhile ((name = attrNames[i++])) {\n\t\t\t\telem.removeAttribute(name);\n\t\t\t}\n\t\t}\n\t}\n});\n\n// Hooks for boolean attributes\nboolHook = {\n\tset: function(elem, value, name) {\n\t\tif (value === false) {\n\n\t\t\t// Remove boolean attributes when set to false\n\t\t\tjQuery.removeAttr(elem, name);\n\t\t} else {\n\t\t\telem.setAttribute(name, name);\n\t\t}\n\t\treturn name;\n\t}\n};\n\njQuery.each(jQuery.expr.match.bool.source.match(/\\w+/g), function(i, name) {\n\tvar getter = attrHandle[name] || jQuery.find.attr;\n\n\tattrHandle[name] = function(elem, name, isXML) {\n\t\tvar ret, handle,\n\t\t\tlowercaseName = name.toLowerCase();\n\n\t\tif (!isXML) {\n\n\t\t\t// Avoid an infinite loop by temporarily removing this function from the getter\n\t\t\thandle = attrHandle[lowercaseName];\n\t\t\tattrHandle[lowercaseName] = ret;\n\t\t\tret = getter(elem, name, isXML) != null ?\n\t\t\t\tlowercaseName :\n\t\t\t\tnull;\n\t\t\tattrHandle[lowercaseName] = handle;\n\t\t}\n\t\treturn ret;\n\t};\n});\n\n\n\nvar rfocusable = /^(?:input|select|textarea|button)$/i,\n\trclickable = /^(?:a|area)$/i;\n\njQuery.fn.extend({\n\tprop: function(name, value) {\n\t\treturn access(this, jQuery.prop, name, value, arguments.length > 1);\n\t},\n\n\tremoveProp: function(name) {\n\t\treturn this.each(function() {\n\t\t\tdelete this[jQuery.propFix[name] || name];\n\t\t});\n\t}\n});\n\njQuery.extend({\n\tprop: function(elem, name, value) {\n\t\tvar ret, hooks,\n\t\t\tnType = elem.nodeType;\n\n\t\t// Don't get/set properties on text, comment and attribute nodes\n\t\tif (nType === 3 || nType === 8 || nType === 2) {\n\t\t\treturn;\n\t\t}\n\n\t\tif (nType !== 1 || !jQuery.isXMLDoc(elem)) {\n\n\t\t\t// Fix name and attach hooks\n\t\t\tname = jQuery.propFix[name] || name;\n\t\t\thooks = jQuery.propHooks[name];\n\t\t}\n\n\t\tif (value !== undefined) {\n\t\t\tif (hooks && \"set\" in hooks &&\n\t\t\t\t(ret = hooks.set(elem, value, name)) !== undefined) {\n\t\t\t\treturn ret;\n\t\t\t}\n\n\t\t\treturn (elem[name] = value);\n\t\t}\n\n\t\tif (hooks && \"get\" in hooks && (ret = hooks.get(elem, name)) !== null) {\n\t\t\treturn ret;\n\t\t}\n\n\t\treturn elem[name];\n\t},\n\n\tpropHooks: {\n\t\ttabIndex: {\n\t\t\tget: function(elem) {\n\n\t\t\t\t// Support: IE <=9 - 11 only\n\t\t\t\t// elem.tabIndex doesn't always return the\n\t\t\t\t// correct value when it hasn't been explicitly set\n\t\t\t\t// https://web.archive.org/web/20141116233347/http://fluidproject.org/blog/2008/01/09/getting-setting-and-removing-tabindex-values-with-javascript\n\t\t\t\t// Use proper attribute retrieval(#12072)\n\t\t\t\tvar tabindex = jQuery.find.attr(elem, \"tabindex\");\n\n\t\t\t\tif (tabindex) {\n\t\t\t\t\treturn parseInt(tabindex, 10);\n\t\t\t\t}\n\n\t\t\t\tif (\n\t\t\t\t\trfocusable.test(elem.nodeName) ||\n\t\t\t\t\trclickable.test(elem.nodeName) &&\n\t\t\t\t\telem.href\n\t\t\t\t) {\n\t\t\t\t\treturn 0;\n\t\t\t\t}\n\n\t\t\t\treturn -1;\n\t\t\t}\n\t\t}\n\t},\n\n\tpropFix: {\n\t\t\"for\": \"htmlFor\",\n\t\t\"class\": \"className\"\n\t}\n});\n\n// Support: IE <=11 only\n// Accessing the selectedIndex property\n// forces the browser to respect setting selected\n// on the option\n// The getter ensures a default option is selected\n// when in an optgroup\n// eslint rule \"no-unused-expressions\" is disabled for this code\n// since it considers such accessions noop\nif (!support.optSelected) {\n\tjQuery.propHooks.selected = {\n\t\tget: function(elem) {\n\n\t\t\t/* eslint no-unused-expressions: \"off\" */\n\n\t\t\tvar parent = elem.parentNode;\n\t\t\tif (parent && parent.parentNode)

{\n\t\t\tparent.parentNode.selectedIndex;\n\t\t\t}\n\t\t\treturn null;\n\t\t},\n\t\tset: function(elem) {\n\n\t\t\t/* eslint no-unused-expressions: \"off\" */\n\n\t\t\tvar parent = elem.parentNode;\n\t\t\tif (parent) {\n\t\t\t\tparent.selectedIndex;\n\n\t\t\t\tif (parent.parentNode)\n\t\t\t\t\tparent.parentNode.selectedIndex;\n\t\t\t}\n\t\t}\n\t};\n}\n\njQuery.each([\n\t"tabIndex",\n\t"readOnly",\n\t"maxLength",\n\t"cellSpacing",\n\t"cellPadding",\n\t"rowSpan",\n\t"colSpan",\n\t"useMap",\n\t"frameBorder",\n\t"contentEditable"\n], function() {\n\tjQuery.propFix[this.toLowerCase()] = this;\n});\n\n\n\n\t// Strip and collapse whitespace according to HTML spec\n\t// https://infra.spec.whatwg.org/#strip-and-collapse-ascii-whitespace\n\tfunction stripAndCollapse(value) {\n\t\tvar tokens = value.match(rnothtmlwhite) || [];\n\t\treturn tokens.join(\" \");\n\t}\n\n\nfunction getClass(elem) {\n\treturn elem.getAttribute && elem.getAttribute(\"class\") || \"\";\n}\n\nfunction classesToArray(value) {\n\tif (Array.isArray(value)) {\n\t\treturn value;\n\t}\n\tif (typeof value === \"string\") {\n\t\treturn value.match(rnothtmlwhite) || [];\n\t}\n\treturn [];\n}\n\njQuery.fn.extend({\n\taddClass: function(value) {\n\t\tvar classes, elem, cur, curValue, clazz, j, finalValue,\n\t\t\ti = 0;\n\n\t\tif (isFunction(value)) {\n\t\t\treturn this.each(function(j) {\n\t\t\t\tjQuery(this).addClass(value.call(this, j, getClass(this)));\n\t\t\t});\n\t\t}\n\n\t\tclasses = classesToArray(value);\n\n\t\tif (classes.length) {\n\t\t\twhile ((elem = this[i++])) {\n\t\t\t\tcurValue = getClass(elem);\n\t\t\t\tcur = elem.nodeType === 1 && (\" \" + stripAndCollapse(curValue) + \" \");\n\n\t\t\t\tif (cur) {\n\t\t\t\t\tj = 0;\n\t\t\t\t\twhile ((clazz = classes[j++])) {\n\t\t\t\t\t\tif (cur.indexOf(\" \" + clazz + \" \") < 0) {\n\t\t\t\t\t\t\tcur += clazz + \" \";\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\n\t\t\t\t\t// Only assign if different to avoid unneeded rendering.\n\t\t\t\t\tfinalValue = stripAndCollapse(cur);\n\t\t\t\t\tif (curValue !== finalValue) {\n\t\t\t\t\t\telem.setAttribute(\"class\", finalValue);\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t\treturn this;\n\t},\n\n\tremoveClass: function(value) {\n\t\tvar classes, elem, cur, curValue, clazz, j, finalValue,\n\t\t\ti = 0;\n\n\t\tif (isFunction(value)) {\n\t\t\treturn this.each(function(j) {\n\t\t\t\tjQuery(this).removeClass(value.call(this, j, getClass(this)));\n\t\t\t});\n\t\t}\n\n\t\tif (!arguments.length) {\n\t\t\treturn this.attr(\"class\", \"\");\n\t\t}\n\n\t\tclasses = classesToArray(value);\n\n\t\tif (classes.length) {\n\t\t\twhile ((elem = this[i++])) {\n\t\t\t\tcurValue = getClass(elem);\n\n\t\t\t\t// This expression is here for better compressibility (see addClass)\n\t\t\t\tcur = elem.nodeType === 1 && (\" \" + stripAndCollapse(curValue) + \" \");\n\n\t\t\t\tif (cur) {\n\t\t\t\t\tj = 0;\n\t\t\t\t\twhile ((clazz = classes[j++])) {\n\n\t\t\t\t\t\t// Remove *all* instances\n\t\t\t\t\t\twhile (cur.indexOf(\" \" + clazz + \" \") > -1) {\n\t\t\t\t\t\t\tcur = cur.replace(\" \" + clazz + \" \", \" \");\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\n\t\t\t\t\t// Only assign if different to avoid unneeded rendering.\n\t\t\t\t\tfinalValue = stripAndCollapse(cur);\n\t\t\t\t\tif (curValue !== finalValue) {\n\t\t\t\t\t\telem.setAttribute(\"class\", finalValue);\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t\treturn this;\n\t},\n\n\ttoggleClass: function(value, stateVal) {\n\t\tvar type = typeof value,\n\t\t\tisValidValue = type === \"string\" || Array.isArray(value);\n\n\t\tif (typeof stateVal === \"boolean\" && isValidValue) {\n\t\t\treturn stateVal ? this.addClass(value) : this.removeClass(value);\n\t\t}\n\n\t\tif (isFunction(value)) {\n\t\t\treturn this.each(function(i) {\n\t\t\t\tjQuery(this).toggleClass(\n\t\t\t\t\tvalue.call(this, i, getClass(this), stateVal),\n\t\t\t\t\tstateVal\n\t\t\t\t);\n\t\t\t});\n\t\t}\n\n\t\treturn this.each(function() {\n\t\t\tvar className, i, self, classNames;\n\n\t\t\tif (isValidValue) {\n\n\t\t\t\t// Toggle individual class names\n\t\t\t\ti = 0;\n\t\t\t\tself = jQuery(this);\n\t\t\t\tclassNames = classesToArray(value);\n\n\t\t\t\twhile ((className = classNames[i++])) {\n\n\t\t\t\t\t// Check each className given, space separated list\n\t\t\t\t\tif (self.hasClass(className)) {\n\t\t\t\t\t\tself.removeClass(className);\n\t\t\t\t\t} else {\n\t\t\t\t\t\tself.addClass(className);\n\t\t\t\t\t}\n\t\t\t\t}\n\n\t\t\t// Toggle whole class name\n\t\t\t} else if (value === undefined || type === \"boolean\") {\n\t\t\t\tclassName = getClass(this);\n\t\t\t\tif (className) {\n\n\t\t\t\t\t// Store className if set\n\t\t\t\t\tdataPriv.set(this, \"__className__\", className);\n\t\t\t\t}\n\n\t\t\t\t// If the element has a class name or if we're passed `false`,\n\t\t\t\t// then remove the whole classname (if there was one, the above saved it).\n\t\t\t\t// Otherwise bring back whatever was previously saved (if anything),\n\t\t\t\t// falling back to the empty string if nothing was stored.\n\t\t\t\tif (this.setAttribute) {\n\t\t\t\t\tthis.setAttribute(\"class\",\n\t\t\t\t\t\tclassName || value === false ?\n\t\t\t\t\t\t\t\"\" :\n\t\t\t\t\t\t\tdataPriv.get(this, \"__className__\") || \"\"\n\t\t\t\t\t);\n\t\t\t\t}\n\t\t\t}\n\t\t});\n\t},\n\n\thasClass: function(selector) {\n\t\tvar className, elem,\n\t\t\ti = 0;\n\n\t\tclassName = \" \" + selector + \" \";\n\t\twhile ((elem = this[i++])) {\n\t\t\tif (

elem.nodeType === 1 &&\n\t\t\t\t(\" \" + stripAndCollapse(getClass(elem)) + \" \").indexOf(className) > -1) {\n\t\t\t\treturn true;\n\t\t\t}\n\t\t}\n\n\t\treturn false;\n\t}\n});\n\n\n\nvar rreturn = /\\r/g;\n\njQuery.fn.extend({\n\tval: function(value) {\n\t\tvar hooks, ret, valueIsFunction,\n\t\telem = this[0];\n\n\t\tif (!arguments.length) {\n\t\t\tif (elem) {\n\t\t\t\thooks = jQuery.valHooks[elem.type] ||\n\t\t\t\t\tjQuery.valHooks[elem.nodeName.toLowerCase()];\n\n\t\t\t\tif (hooks &&\n\t\t\t\t\t\"get\" in hooks &&\n\t\t\t\t\t(ret = hooks.get(elem, \"value\")) !== undefined\n\t\t\t\t) {\n\t\t\t\t\treturn ret;\n\t\t\t\t}\n\n\t\t\t\tret = elem.value;\n\n\t\t\t\t// Handle most common string cases\n\t\t\t\tif (typeof ret === \"string\") {\n\t\t\t\t\treturn ret.replace(rreturn, \"\");\n\t\t\t\t}\n\n\t\t\t\t// Handle cases where value is null/undef or number\n\t\t\t\treturn ret == null ? \"\" : ret;\n\t\t\t}\n\n\t\t\treturn;\n\t\t}\n\n\t\tvalueIsFunction = isFunction(value);\n\n\t\treturn this.each(function(i) {\n\t\t\tvar val;\n\n\t\t\tif (this.nodeType !== 1) {\n\t\t\t\treturn;\n\t\t\t}\n\n\t\t\tif (valueIsFunction) {\n\t\t\t\tval = value.call(this, i, jQuery(this).val());\n\t\t\t} else {\n\t\t\t\tval = value;\n\t\t\t}\n\n\t\t\t// Treat null/undefined as \"\"; convert numbers to string\n\t\t\tif (val == null) {\n\t\t\t\tval = \"\";\n\t\t\t} else if (typeof val === \"number\") {\n\t\t\t\tval += \"\";\n\t\t\t} else if (Array.isArray(val)) {\n\t\t\t\tval = jQuery.map(val, function(value) {\n\t\t\t\t\treturn value == null ? \"\" : value + \"\";\n\t\t\t\t});\n\t\t\t}\n\n\t\t\thooks = jQuery.valHooks[this.type] || jQuery.valHooks[this.nodeName.toLowerCase()];\n\n\t\t\t// If set returns undefined, fall back to normal setting\n\t\t\tif (!hooks || !(\"set\" in hooks) || hooks.set(this, val, \"value\") === undefined) {\n\t\t\t\tthis.value = val;\n\t\t\t}\n\t\t});\n\t}\n});\n\njQuery.extend({\n\tvalHooks: {\n\t\toption: {\n\t\t\tget: function(elem) {\n\n\t\t\t\tvar val = jQuery.find.attr(elem, \"value\");\n\t\t\t\treturn val != null ?\n\t\t\t\t\tval :\n\n\t\t\t\t\t// Support: IE <=10 - 11 only\n\t\t\t\t\t// option.text throws exceptions (#14686, #14858)\n\t\t\t\t\t// Strip and collapse whitespace\n\t\t\t\t\t// https://html.spec.whatwg.org/#strip-and-collapse-whitespace\n\t\t\t\t\tstripAndCollapse(jQuery.text(elem));\n\t\t\t}\n\t\t},\n\t\tselect: {\n\t\t\tget: function(elem) {\n\t\t\t\tvar value, option, i,\n\t\t\t\t\toptions = elem.options,\n\t\t\t\t\tindex = elem.selectedIndex,\n\t\t\t\t\tone = elem.type === \"select-one\",\n\t\t\t\t\tvalues = one ? null : [],\n\t\t\t\t\tmax = one ? index + 1 : options.length;\n\n\t\t\t\tif (index < 0) {\n\t\t\t\t\ti = max;\n\n\t\t\t\t} else {\n\t\t\t\t\ti = one ? index : 0;\n\t\t\t\t}\n\n\t\t\t\t// Loop through all the selected options\n\t\t\t\tfor (; i < max; i++) {\n\t\t\t\t\toption = options[i];\n\n\t\t\t\t\t// Support: IE <=9 only\n\t\t\t\t\t// IE8-9 doesn't update selected after form reset (#2551)\n\t\t\t\t\tif ((option.selected || i === index) &&\n\n\t\t\t\t\t\t\t// Don't return options that are disabled or in a disabled optgroup\n\t\t\t\t\t\t\t!option.disabled &&\n\t\t\t\t\t\t\t(!option.parentNode.disabled ||\n\t\t\t\t\t\t\t\t!nodeName(option.parentNode, \"optgroup\"))) {\n\n\t\t\t\t\t\t// Get the specific value for the option\n\t\t\t\t\t\tvalue = jQuery(option).val();\n\n\t\t\t\t\t\t// We don't need an array for one selects\n\t\t\t\t\t\tif (one) {\n\t\t\t\t\t\t\treturn value;\n\t\t\t\t\t\t}\n\n\t\t\t\t\t\t// Multi-Selects return an array\n\t\t\t\t\t\tvalues.push(value);\n\t\t\t\t\t}\n\t\t\t\t}\n\n\t\t\t\treturn values;\n\t\t\t},\n\n\t\t\tset: function(elem, value) {\n\t\t\t\tvar optionSet, option,\n\t\t\t\t\toptions = elem.options,\n\t\t\t\t\tvalues = jQuery.makeArray(value),\n\t\t\t\t\ti = options.length;\n\n\t\t\t\twhile (i--) {\n\t\t\t\t\toption = options[i];\n\n\t\t\t\t\t/* eslint-disable no-cond-assign */\n\n\t\t\t\t\tif (option.selected =\n\t\t\t\t\t\tjQuery.inArray(jQuery.valHooks.option.get(option), values) > -1\n\t\t\t\t\t) {\n\t\t\t\t\t\toptionSet = true;\n\t\t\t\t\t}\n\n\t\t\t\t\t/* eslint-enable no-cond-assign */\n\t\t\t\t}\n\n\t\t\t\t// Force browsers to behave consistently when non-matching value is set\n\t\t\t\tif (!optionSet) {\n\t\t\t\t\telem.selectedIndex = -1;\n\t\t\t\t}\n\t\t\t\treturn values;\n\t\t\t}\n\t\t}\n\t}\n});\n\n// Radios and checkboxes getter/setter\njQuery.each([\"radio\", \"checkbox\"], function() {\n\tjQuery.valHooks[this] = {\n\t\tset: function(elem, value) {\n\t\t\tif (Array.isArray(value)) {\n\t\t\t\treturn (elem.checked = jQuery.inArray(jQuery(elem).val(), value) > -1);\n\t\t\t}\n\t\t}\n\t};\n\tif (!support.checkOn) {\n\t\tjQuery.valHooks[this].get = function(elem) {\n\t\t\treturn elem.getAttribute(\"value\") === null ? \"on\" : elem.value;\n\t\t};\n\t}\n});\n\n\n\n\n// Return jQuery for attributes-only inclusion\n\n\nsupport.focusin = \"onfocusin\" in window;\n\n\nvar rfocusMorph = /^(?:focusinfocus|focusoutblur)$/,\n\tstopPropagationCallback = function(e) {\n\t\te.stopPropagation();\n\t};\n\njQuery.extend(jQuery.event, {\n\n\ttrigger: function(event, data, elem, onlyHandlers) {\n\n\t\tvar i, cur, tmp, bubbleType, ontype, handle, special, lastElement,\n\t\t\teventPath = [elem || document],\n\t\t\ttype = hasOwn.call(event, \"type\") ? event.type : event,\n\t\t\tnamespaces = hasOwn.call(event, \"namespace\") ? event.namespace.split(\".\") : [];\n\n\t\tcur = lastElement = tmp = elem = elem || document;\n\n\t\t// Don't do events on text and comment nodes\n\t\tif (elem.nodeType === 3 || elem.nodeType ===

8) {\n\t\t\treturn;\n\t\t}\n\n\t\t// focus/blur morphs to focusin/out; ensure we're not firing them right now\n\t\tif (rfocusMorph.test(type + jQuery.event.triggered)) {\n\t\t\treturn;\n\t\t}\n\n\t\tif (type.indexOf(\".\") > -1) {\n\n\t\t\t// Namespaced trigger; create a regexp to match event type in handle()\n\t\t\tnamespaces = type.split(\".\");\n\t\t\ttype = namespaces.shift();\n\t\t\tnamespaces.sort();\n\t\t}\n\t\tontype = type.indexOf(\":\") < 0 && \"on\" + type;\n\t\t// Caller can pass in a jQuery.Event object, Object, or just an event type string\n\t\tevent = event[jQuery.expando] ?\n\t\t\tevent :\n\t\t\tnew jQuery.Event(type, typeof event === \"object\" && event);\n\n\t\t// Trigger bitmask: & 1 for native handlers; & 2 for jQuery (always true)\n\t\tevent.isTrigger = onlyHandlers ? 2 : 3;\n\t\tevent.namespace = namespaces.join(\".\");\n\t\tevent.rnamespace = event.namespace ?\n\t\t\tnew RegExp(\"(^|\\\\.)\" + namespaces.join(\"\\\\.(?:.*\\\\.|)\") + \"(\\\\.|$)\") :\n\t\t\tnull;\n\n\t\t// Clean up the event in case it is being reused\n\t\tevent.result = undefined;\n\t\tif (!event.target) {\n\t\t\tevent.target = elem;\n\t\t}\n\n\t\t// Clone any incoming data and prepend the event, creating the handler arg list\n\t\tdata = data == null ?\n\t\t\t[event] :\n\t\t\tjQuery.makeArray(data, [event]);\n\n\t\t// Allow special events to draw outside the lines\n\t\tspecial = jQuery.event.special[type] || {};\n\t\tif (!onlyHandlers && special.trigger && special.trigger.apply(elem, data) === false) {\n\t\t\treturn;\n\t\t}\n\n\t\t// Determine event propagation path in advance, per W3C events spec (#9951)\n\t\t// Bubble up to document, then to window; watch for a global ownerDocument var (#9724)\n\t\tif (!onlyHandlers && !special.noBubble && !isWindow(elem)) {\n\n\t\t\tbubbleType = special.delegateType || type;\n\t\t\tif (!rfocusMorph.test(bubbleType + type)) {\n\t\t\t\tcur = cur.parentNode;\n\t\t\t}\n\t\t\tfor (; cur; cur = cur.parentNode) {\n\t\t\t\teventPath.push(cur);\n\t\t\t\ttmp = cur;\n\t\t\t}\n\n\t\t\t// Only add window if we got to document (e.g., not plain obj or detached DOM)\n\t\t\tif (tmp === (elem.ownerDocument || document)) {\n\t\t\t\teventPath.push(tmp.defaultView || tmp.parentWindow || window);\n\t\t\t}\n\t\t}\n\n\t\t// Fire handlers on the event path\n\t\ti = 0;\n\t\twhile ((cur = eventPath[i++]) && !event.isPropagationStopped()) {\n\t\t\tlastElement = cur;\n\t\t\tevent.type = i > 1 ?\n\t\t\t\tbubbleType :\n\t\t\t\tspecial.bindType || type;\n\n\t\t\t// jQuery handler\n\t\t\thandle = (dataPriv.get(cur, \"events\") || {})[event.type] &&\n\t\t\t\tdataPriv.get(cur, \"handle\");\n\t\t\tif (handle) {\n\t\t\t\thandle.apply(cur, data);\n\t\t\t}\n\n\t\t\t// Native handler\n\t\t\thandle = ontype && cur[ontype];\n\t\t\tif (handle && handle.apply && acceptData(cur)) {\n\t\t\t\tevent.result = handle.apply(cur, data);\n\t\t\t\tif (event.result === false) {\n\t\t\t\t\tevent.preventDefault();\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t\tevent.type = type;\n\n\t\t// If nobody prevented the default action, do it now\n\t\tif (!onlyHandlers && !event.isDefaultPrevented()) {\n\n\t\t\tif ((!special._default ||\n\t\t\t\tspecial._default.apply(eventPath.pop(), data) === false) &&\n\t\t\t\tacceptData(elem)) {\n\n\t\t\t\t// Call a native DOM method on the target with the same name as the event.\n\t\t\t\t// Don't do default actions on window, that's where global variables be (#6170)\n\t\t\t\tif (ontype && isFunction(elem[type]) && !isWindow(elem)) {\n\n\t\t\t\t\t// Don't re-trigger an onFOO event when we call its FOO() method\n\t\t\t\t\ttmp = elem[ontype];\n\n\t\t\t\t\tif (tmp) {\n\t\t\t\t\t\telem[ontype] = null;\n\t\t\t\t\t}\n\n\t\t\t\t\t// Prevent re-triggering of the same event, since we already bubbled it above\n\t\t\t\t\tjQuery.event.triggered = type;\n\n\t\t\t\t\tif (event.isPropagationStopped()) {\n\t\t\t\t\t\tlastElement.addEventListener(type, stopPropagationCallback);\n\t\t\t\t\t}\n\n\t\t\t\t\telem[type]();\n\n\t\t\t\t\tif (event.isPropagationStopped()) {\n\t\t\t\t\t\tlastElement.removeEventListener(type, stopPropagationCallback);\n\t\t\t\t\t}\n\n\t\t\t\t\tjQuery.event.triggered = undefined;\n\n\t\t\t\t\tif (tmp) {\n\t\t\t\t\t\telem[ontype] = tmp;\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t\treturn event.result;\n\t},\n\n\t// Piggyback on a donor event to simulate a different one\n\t// Used only for `focus(in | out)` events\n\tsimulate: function(type, elem, event) {\n\t\tvar e = jQuery.extend(\n\t\t\tnew jQuery.Event(),\n\t\t\tevent,\n\t\t\t{\n\t\t\t\ttype: type,\n\t\t\t\tisSimulated: true\n\t\t\t}\n\t\t);\n\n\t\tjQuery.event.trigger(e, null, elem);\n\t}\n\n});\n\njQuery.fn.extend({\n\n\ttrigger: function(type, data) {\n\t\treturn this.each(function() {\n\t\t\tjQuery.event.trigger(type, data, this);\n\t\t});\n\t},\n\ttriggerHandler: function(type, data) {\n\t\tvar elem = this[0];\n\t\tif (elem) {\n\t\t\treturn jQuery.event.trigger(type, data, elem, true);\n\t\t}\n\t}\n});\n\n\n// Support: Firefox <=44\n// Firefox doesn't have focus(in | out) events\n// Related ticket - https://bugzilla.mozilla.org/show_bug.cgi?id=687787\n//\n// Support: Chrome <=48 - 49, Safari <=9.0 - 9.1\n// focus(in | out) events fire after focus & blur events,\n// which is spec violation - http://www.w3.org/TR/DOM-Level-3-Events/#events-focusevent-event-order\n// Related ticket -

https://bugs.chromium.org/p/chromium/issues/detail?id=449857\nif (!support.focusin) {\n\tjQuery.each({ focus: \"focusin\", blur: \"focusout\" }, function(orig, fix) {\n\n\t\t// Attach a single capturing handler on the document while someone wants focusin/focusout\n\t\tvar handler = function(event) {\n\t\t\tjQuery.event.simulate(fix, event.target, jQuery.event.fix(event));\n\t\t};\n\n\t\tjQuery.event.special[fix] = {\n\t\t\tsetup: function() {\n\t\t\t\tvar doc = this.ownerDocument || this,\n\t\t\t\t\tattaches = dataPriv.access(doc, fix);\n\n\t\t\t\tif (!attaches) {\n\t\t\t\t\tdoc.addEventListener(orig, handler, true);\n\t\t\t\t}\n\t\t\t\tdataPriv.access(doc, fix, (attaches || 0) + 1);\n\t\t\t},\n\t\t\tteardown: function() {\n\t\t\t\tvar doc = this.ownerDocument || this,\n\t\t\t\t\tattaches = dataPriv.access(doc, fix) - 1;\n\n\t\t\t\tif (!attaches) {\n\t\t\t\t\tdoc.removeEventListener(orig, handler, true);\n\t\t\t\t\tdataPriv.remove(doc, fix);\n\n\t\t\t\t} else {\n\t\t\t\t\tdataPriv.access(doc, fix, attaches);\n\t\t\t\t}\n\t\t\t}\n\t\t};\n\t});\n}\n\nvar location = window.location;\n\nvar nonce = Date.now();\n\nvar rquery = (/\\?/);\n\n\n\n// Cross-browser xml parsing\njQuery.parseXML = function(data) {\n\tvar xml;\n\tif (!data || typeof data !== \"string\") {\n\t\treturn null;\n\t}\n\n\t// Support: IE 9 - 11 only\n\t// IE throws on parseFromString with invalid input.\n\ttry {\n\t\txml = (new window.DOMParser()).parseFromString(data, \"text/xml\");\n\t} catch (e) {\n\t\txml = undefined;\n\t}\n\n\tif (!xml || xml.getElementsByTagName(\"parsererror\").length) {\n\t\tjQuery.error(\"Invalid XML: \" + data);\n\t}\n\treturn xml;\n};\n\n\nvar\n\trbracket = /\\[\\]$/,\n\trCRLF = /\\r?\\n/g,\n\trsubmitterTypes = /^(?:submit|button|image|reset|file)$/i,\n\trsubmittable = /^(?:input|select|textarea|keygen)/i;\n\nfunction buildParams(prefix, obj, traditional, add) {\n\tvar name;\n\n\tif (Array.isArray(obj)) {\n\n\t\t// Serialize array item.\n\t\tjQuery.each(obj, function(i, v) {\n\t\t\tif (traditional || rbracket.test(prefix)) {\n\n\t\t\t\t// Treat each array item as a scalar.\n\t\t\t\tadd(prefix, v);\n\n\t\t\t} else {\n\n\t\t\t\t// Item is non-scalar (array or object), encode its numeric index.\n\t\t\t\tbuildParams(\n\t\t\t\t\tprefix + \"[\" + (typeof v === \"object\" && v != null ? i : \"\") + \"]\",\n\t\t\t\t\tv,\n\t\t\t\t\ttraditional,\n\t\t\t\t\tadd\n\t\t\t\t);\n\t\t\t}\n\t\t});\n\n\t} else if (!traditional && toType(obj) === \"object\") {\n\n\t\t// Serialize object item.\n\t\tfor (name in obj) {\n\t\t\tbuildParams(prefix + \"[\" + name + \"]\", obj[name], traditional, add);\n\t\t}\n\n\t} else {\n\n\t\t// Serialize scalar item.\n\t\tadd(prefix, obj);\n\t}\n}\n\n// Serialize an array of form elements or a set of\n// key/values into a query string\njQuery.param = function(a, traditional) {\n\tvar prefix,\n\t\ts = [],\n\t\tadd = function(key, valueOrFunction) {\n\n\t\t\t// If value is a function, invoke it and use its return value\n\t\t\tvar value = isFunction(valueOrFunction) ?\n\t\t\t\tvalueOrFunction() :\n\t\t\t\tvalueOrFunction;\n\n\t\t\ts[s.length] = encodeURIComponent(key) + \"=\" +\n\t\t\t\tencodeURIComponent(value == null ? \"\" : value);\n\t\t};\n\n\t// If an array was passed in, assume that it is an array of form elements.\n\tif (Array.isArray(a) || (a.jquery && !jQuery.isPlainObject(a))) {\n\n\t\t// Serialize the form elements\n\t\tjQuery.each(a, function() {\n\t\t\tadd(this.name, this.value);\n\t\t});\n\n\t} else {\n\n\t\t// If traditional, encode the \"old\" way (the way 1.3.2 or older\n\t\t// did it), otherwise encode params recursively.\n\t\tfor (prefix in a) {\n\t\t\tbuildParams(prefix, a[prefix], traditional, add);\n\t\t}\n\t}\n\n\t// Return the resulting serialization\n\treturn s.join(\"&\");\n};\n\njQuery.fn.extend({\n\tserialize: function() {\n\t\treturn jQuery.param(this.serializeArray());\n\t},\n\tserializeArray: function() {\n\t\treturn this.map(function() {\n\n\t\t\t// Can add propHook for \"elements\" to filter or add form elements\n\t\t\tvar elements = jQuery.prop(this, \"elements\");\n\t\t\treturn elements ? jQuery.makeArray(elements) : this;\n\t\t})\n\t\t.filter(function() {\n\t\t\tvar type = this.type;\n\n\t\t\t// Use .is(\":disabled\") so that fieldset[disabled] works\n\t\t\treturn this.name && !jQuery(this).is(\":disabled\") &&\n\t\t\t\trsubmittable.test(this.nodeName) && !rsubmitterTypes.test(type) &&\n\t\t\t\t(this.checked || !rcheckableType.test(type));\n\t\t})\n\t\t.map(function(i, elem) {\n\t\t\tvar val = jQuery(this).val();\n\n\t\t\tif (val == null) {\n\t\t\t\treturn null;\n\t\t\t}\n\n\t\t\tif (Array.isArray(val)) {\n\t\t\t\treturn jQuery.map(val, function(val) {\n\t\t\t\t\treturn { name: elem.name, value: val.replace(rCRLF, \"\\r\\n\") };\n\t\t\t\t});\n\t\t\t}\n\n\t\t\treturn { name: elem.name, value: val.replace(rCRLF, \"\\r\\n\") };\n\t\t}).get();\n\t}\n}\n);\n\n\nvar\n\tr20 = /%20/g,\n\trhash = /#.*$/,\n\trantiCache = /([?&])_=[^&]*/,\n\trheaders = /^(.*?):[\\t]*([^\\r\\n]*)$/mg,\n\n\t// #7653, #8125, #8152: local protocol detection\n\trlocalProtocol = /^(?:about|app|app-storage|.+-extension|file|res|widget):$/,\n\trnoContent = /^(?:GET|HEAD)$/,\n\trprotocol = /^\\/\\//,\n\n\t/* Prefilters\n\t * 1) They are useful to introduce custom dataTypes (see ajax/jsonp.js for an example)\n\t * 2) These are called:\n\t *   - BEFORE asking for a transport\n\t *   - AFTER param serialization (s.data is a string if

s.processData is true)\n\t * 3) key is the dataType\n\t * 4) the catchall symbol \"*\" can be used\n\t * 5) execution will start with transport dataType and THEN continue down to \"*\" if needed\n\t */\n\tprefilters = {},\n\n\t/* Transports bindings\n\t * 1) key is the dataType\n\t * 2) the catchall symbol \"*\" can be used\n\t * 3) selection will start with transport dataType and THEN go to \"*\" if needed\n\t */\n\ttransports = {},\n\n\t// Avoid comment-prolog char sequence (#10098); must appease lint and evade compression\n\tallTypes = \"*/\".concat(\"*\"),\n\n\t// Anchor tag for parsing the document origin\n\toriginAnchor = document.createElement(\"a\");\n\toriginAnchor.href = location.href;\n\n// Base \"constructor\" for jQuery.ajaxPrefilter and jQuery.ajaxTransport\nfunction addToPrefiltersOrTransports(structure) {\n\n\t// dataTypeExpression is optional and defaults to \"*\"\n\treturn function(dataTypeExpression, func) {\n\n\t\tif (typeof dataTypeExpression !== \"string\") {\n\t\t\tfunc = dataTypeExpression;\n\t\t\tdataTypeExpression = \"*\";\n\t\t}\n\n\t\tvar dataType,\n\t\t\ti = 0,\n\t\t\tdataTypes = dataTypeExpression.toLowerCase().match(rnothtmlwhite) || [];\n\n\t\tif (isFunction(func)) {\n\n\t\t\t// For each dataType in the dataTypeExpression\n\t\t\twhile ((dataType = dataTypes[i++])) {\n\n\t\t\t\t// Prepend if requested\n\t\t\t\tif (dataType[0] === \"+\") {\n\t\t\t\t\tdataType = dataType.slice(1) || \"*\";\n\t\t\t\t\t(structure[dataType] = structure[dataType] || []).unshift(func);\n\n\t\t\t\t// Otherwise append\n\t\t\t\t} else {\n\t\t\t\t\t(structure[dataType] = structure[dataType] || []).push(func);\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\t};\n}\n\n// Base inspection function for prefilters and transports\nfunction inspectPrefiltersOrTransports(structure, options, originalOptions, jqXHR) {\n\n\tvar inspected = {},\n\t\tseekingTransport = (structure === transports);\n\n\tfunction inspect(dataType) {\n\t\tvar selected;\n\t\tinspected[dataType] = true;\n\t\tjQuery.each(structure[dataType] || [], function(_, prefilterOrFactory) {\n\t\t\tvar dataTypeOrTransport = prefilterOrFactory(options, originalOptions, jqXHR);\n\t\t\tif (typeof dataTypeOrTransport === \"string\" &&\n\t\t\t\t!seekingTransport && !inspected[dataTypeOrTransport]) {\n\n\t\t\t\toptions.dataTypes.unshift(dataTypeOrTransport);\n\t\t\t\tinspect(dataTypeOrTransport);\n\t\t\t\treturn false;\n\t\t\t} else if (seekingTransport) {\n\t\t\t\treturn !(selected = dataTypeOrTransport);\n\t\t\t}\n\t\t});\n\t\treturn selected;\n\t}\n\n\treturn inspect(options.dataTypes[0]) || !inspected[\"*\"] && inspect(\"*\");\n}\n\n// A special extend for ajax options\n// that takes \"flat\" options (not to be deep extended)\n// Fixes #9887\nfunction ajaxExtend(target, src) {\n\tvar key, deep,\n\t\tflatOptions = jQuery.ajaxSettings.flatOptions || {};\n\n\tfor (key in src) {\n\t\tif (src[key] !== undefined) {\n\t\t\t(flatOptions[key] ? target : (deep || (deep = {})))[key] = src[key];\n\t\t}\n\t}\n\tif (deep) {\n\t\tjQuery.extend(true, target, deep);\n\t}\n\n\treturn target;\n}\n\n/* Handles responses to an ajax request:\n * - finds the right dataType (mediates between content-type and expected dataType)\n * - returns the corresponding response\n */\nfunction ajaxHandleResponses(s, jqXHR, responses) {\n\n\tvar ct, type, finalDataType, firstDataType,\n\t\tcontents = s.contents,\n\t\tdataTypes = s.dataTypes;\n\n\t// Remove auto dataType and get content-type in the process\n\twhile (dataTypes[0] === \"*\") {\n\t\tdataTypes.shift();\n\t\tif (ct === undefined) {\n\t\t\tct = s.mimeType || jqXHR.getResponseHeader(\"Content-Type\");\n\t\t}\n\t}\n\n\t// Check if we're dealing with a known content-type\n\tif (ct) {\n\t\tfor (type in contents) {\n\t\t\tif (contents[type] && contents[type].test(ct)) {\n\t\t\t\tdataTypes.unshift(type);\n\t\t\t\tbreak;\n\t\t\t}\n\t\t}\n\t}\n\n\t// Check to see if we have a response for the expected dataType\n\tif (dataTypes[0] in responses) {\n\t\tfinalDataType = dataTypes[0];\n\t} else {\n\n\t\t// Try convertible dataTypes\n\t\tfor (type in responses) {\n\t\t\tif (!dataTypes[0] || s.converters[type + \" \" + dataTypes[0]]) {\n\t\t\t\tfinalDataType = type;\n\t\t\t\tbreak;\n\t\t\t}\n\t\t\tif (!firstDataType) {\n\t\t\t\tfirstDataType = type;\n\t\t\t}\n\t\t}\n\n\t\t// Or just use first one\n\t\tfinalDataType = finalDataType || firstDataType;\n\t}\n\n\t// If we found a dataType\n\t// We add the dataType to the list if needed\n\t// and return the corresponding response\n\tif (finalDataType) {\n\t\tif (finalDataType !== dataTypes[0]) {\n\t\t\tdataTypes.unshift(finalDataType);\n\t\t}\n\t\treturn responses[finalDataType];\n\t}\n}\n\n/* Chain conversions given the request and the original response\n * Also sets the responseXXX fields on the jqXHR instance\n */\nfunction ajaxConvert(s, response, jqXHR, isSuccess) {\n\tvar conv2, current, conv, tmp, prev,\n\t\tconverters = {},\n\n\t\t// Work with a copy of dataTypes in case we need to modify it for conversion\n\t\tdataTypes = s.dataTypes.slice();\n\n\t// Create converters map with lowercased keys\n\tif (dataTypes[1]) {\n\t\tfor (conv in s.converters) {\n\t\t\tconverters[conv.toLowerCase()] = s.converters[conv];\n\t\t}\n\t}\n\n\tcurrent = dataTypes.shift();\n\n\t// Convert to each sequential dataType\n\twhile (current)

{\n\n\t\tif (s.responseFields[current]) {\n\t\t\tjqXHR[s.responseFields[current]] = response;\n\t\t}\n\n\t\t// Apply the dataFilter if provided\n\t\tif (!prev && isSuccess && s.dataFilter) {\n\t\t\tresponse = s.dataFilter(response, s.dataType);\n\t\t}\n\n\t\tprev = current;\n\t\tcurrent = dataTypes.shift();\n\n\t\tif (current) {\n\n\t\t\t// There's only work to do if current dataType is non-auto\n\t\t\tif (current === \"*\") {\n\n\t\t\t\tcurrent = prev;\n\n\t\t\t\t// Convert response if prev dataType is non-auto and differs from current\n\t\t\t} else if (prev !== \"*\" && prev !== current) {\n\n\t\t\t\t// Seek a direct converter\n\t\t\t\tconv = converters[prev + \" \" + current] || converters[\"* \" + current];\n\n\t\t\t\t// If none found, seek a pair\n\t\t\t\tif (!conv) {\n\t\t\t\t\tfor (conv2 in converters) {\n\n\t\t\t\t\t\t// If conv2 outputs current\n\t\t\t\t\t\ttmp = conv2.split(\" \");\n\t\t\t\t\t\tif (tmp[1] === current) {\n\n\t\t\t\t\t\t\t// If prev can be converted to accepted input\n\t\t\t\t\t\t\tconv = converters[prev + \" \" + tmp[0]] ||\n\t\t\t\t\t\t\tconverters[\"* \" + tmp[0]];\n\t\t\t\t\t\t\tif (conv) {\n\n\t\t\t\t\t\t\t\t// Condense equivalence converters\n\t\t\t\t\t\t\t\tif (conv === true) {\n\t\t\t\t\t\t\t\t\tconv = converters[conv2];\n\n\t\t\t\t\t\t\t\t\t// Otherwise, insert the intermediate dataType\n\t\t\t\t\t\t\t\t} else if (converters[conv2] !== true) {\n\t\t\t\t\t\t\t\t\tcurrent = tmp[0];\n\t\t\t\t\t\t\t\t\tdataTypes.unshift(tmp[1]\n);\n\t\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\t\tbreak;\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t}\n\n\t\t\t\t// Apply converter (if not an equivalence)\n\t\t\t\tif (conv !== true) {\n\n\t\t\t\t\t// Unless errors are allowed to bubble, catch and return them\n\t\t\t\t\tif (conv && s.throws) {\n\t\t\t\t\t\tresponse = conv(response);\n\t\t\t\t\t} else {\n\t\t\t\t\t\ttry {\n\t\t\t\t\t\t\tresponse = conv(response);\n\t\t\t\t\t\t} catch (e) {\n\t\t\t\t\t\t\treturn {\n\t\t\t\t\t\t\t\tstate: \"parsererror\",\n\t\t\t\t\t\t\t\terror: conv ? e : \"No conversion from \" + prev + \" to \" + current\n\t\t\t\t\t\t\t};\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\treturn { state: \"success\", data: response };\n}\n\njQuery.extend({\n\n\t// Counter for holding the number of active queries\n\tactive: 0,\n\n\t// Last-Modified header cache for next request\n\tlastModified: {},\n\tetag: {},\n\n\tajaxSettings: {\n\t\turl: location.href,\n\t\ttype: \"GET\",\n\t\tisLocal: rlocalProtocol.test(location.protocol),\n\t\tglobal: true,\n\t\tprocessData: true,\n\t\tasync: true,\n\t\tcontentType: \"application/x-www-form-urlencoded; charset=UTF-8\",\n\n\t\t/*\n\t\ttimeout: 0,\n\t\tdata: null,\n\t\tdataType: null,\n\t\tusername: null,\n\t\tpassword: null,\n\t\tcache: null,\n\t\tthrows: false,\n\t\ttraditional: false,\n\t\theaders: {},\n\t\t*/\n\n\t\taccepts: {\n\t\t\t\"*\": allTypes,\n\t\t\ttext: \"text/plain\",\n\t\t\thtml: \"text/html\",\n\t\t\txml: \"application/xml, text/xml\",\n\t\t\tjson: \"application/json, text/javascript\"\n\t\t},\n\n\t\tcontents: {\n\t\t\txml: /\\bxml\\b/,\n\t\t\thtml: /\\bhtml/,\n\t\t\tjson: /\\bjson\\b/\n\t\t},\n\n\t\tresponseFields: {\n\t\t\txml: \"responseXML\",\n\t\t\ttext: \"responseText\",\n\t\t\tjson: \"responseJSON\"\n\t\t},\n\n\t\t// Data converters\n\t\t// Keys separate source (or catchall \"*\") and destination types with a single space\n\t\tconverters: {\n\n\t\t\t// Convert anything to text\n\t\t\t\"* text\": String,\n\n\t\t\t// Text to html (true = no transformation)\n\t\t\t\"text html\": true,\n\n\t\t\t// Evaluate text as a json expression\n\t\t\t\"text json\": JSON.parse,\n\n\t\t\t// Parse text as xml\n\t\t\t\"text xml\": jQuery.parseXML\n\t\t},\n\n\t\t// For options that shouldn't be deep extended:\n\t\t// you can add your own custom options here if\n\t\t// and when you create one that shouldn't be\n\t\t// deep extended (see ajaxExtend)\n\t\tflatOptions: {\n\t\t\turl: true,\n\t\t\tcontext: true\n\t\t}\n\t},\n\n\t// Creates a full fledged settings object into target\n\t// with both ajaxSettings and settings fields.\n\t// If target is omitted, writes into ajaxSettings.\n\tajaxSetup: function(target, settings) {\n\t\treturn settings ?\n\n\t\t\t// Building a settings object\n\t\t\tajaxExtend(ajaxExtend(target, jQuery.ajaxSettings), settings) :\n\n\t\t\t// Extending ajaxSettings\n\t\t\tajaxExtend(jQuery.ajaxSettings, target);\n\t},\n\n\tajaxPrefilter: addToPrefiltersOrTransports(prefilters),\n\tajaxTransport: addToPrefiltersOrTransports(transports),\n\n\t// Main method\n\tajax: function(url, options) {\n\n\t\t// If url is an object, simulate pre-1.5 signature\n\t\tif (typeof url === \"object\") {\n\t\t\toptions = url;\n\t\t\turl = undefined;\n\t\t}\n\n\t\t// Force options to be an object\n\t\toptions = options || {};\n\n\t\tvar transport,\n\n\t\t\t// URL without anti-cache param\n\t\t\tcacheURL,\n\n\t\t\t// Response headers\n\t\t\tresponseHeadersString,\n\t\t\tresponseHeaders,\n\n\t\t\t// timeout handle\n\t\t\ttimeoutTimer,\n\n\t\t\t// Url cleanup var\n\t\t\turlAnchor,\n\n\t\t\t// Request state (becomes false upon send and true upon completion)\n\t\t\tcompleted,\n\n\t\t\t// To know if global events are to be dispatched\n\t\t\tfireGlobals,\n\n\t\t\t// Loop variable\n\t\t\ti,\n\n\t\t\t// uncached part of the url\n\t\t\tuncached,\n\n\t\t\t// Create the final options object\n\t\t\ts = jQuery.ajaxSetup({}, options),\n\n\t\t\t// Callbacks context\n\t\t\tcallbackContext = s.context || s,\n\n\t\t\t// Context for global events is callbackContext if it is a DOM node or jQuery

collection\n\t\t\tglobalEventContext = s.context &&\n\t\t\t\t(callbackContext.nodeType || callbackContext.jquery) ?\n\t\t\t\t\tjQuery(callbackContext) :\n\t\t\t\t\tjQuery.event,\n\n\t\t\t// Deferreds\n\t\t\tdeferred = jQuery.Deferred(),\n\t\t\tcompleteDeferred = jQuery.Callbacks(\"once memory\"),\n\n\t\t\t// Status-dependent callbacks\n\t\t\tstatusCode = s.statusCode || {},\n\n\t\t\t// Headers (they are sent all at once)\n\t\t\trequestHeaders = {},\n\t\t\trequestHeadersNames = {},\n\n\t\t\t// Default abort message\n\t\t\tstrAbort = \"canceled\",\n\n\t\t\t// Fake xhr\n\t\t\tjqXHR = {\n\t\t\t\treadyState: 0,\n\n\t\t\t\t// Builds headers hashtable if needed\n\t\t\t\tgetResponseHeader: function(key) {\n\t\t\t\t\tvar match;\n\t\t\t\t\tif (completed) {\n\t\t\t\t\t\tif (!responseHeaders) {\n\t\t\t\t\t\t\tresponseHeaders = {};\n\t\t\t\t\t\t\twhile ((match = rheaders.exec(responseHeadersString))) {\n\t\t\t\t\t\t\t\tresponseHeaders[match[1].toLowerCase()] = match[2];\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t}\n\t\t\t\t\t\tmatch = responseHeaders[key.toLowerCase()];\n\t\t\t\t\t}\n\t\t\t\t\treturn match == null ? null : match;\n\t\t\t\t},\n\n\t\t\t\t// Raw string\n\t\t\t\tgetAllResponseHeaders: function() {\n\t\t\t\t\treturn completed ? responseHeadersString : null;\n\t\t\t\t},\n\n\t\t\t\t// Caches the header\n\t\t\t\tsetRequestHeader: function(name, value) {\n\t\t\t\t\tif (completed == null) {\n\t\t\t\t\t\tname = requestHeadersNames[name.toLowerCase()] =\n\t\t\t\t\t\t\trequestHeadersNames[name.toLowerCase()] || name;\n\t\t\t\t\t\trequestHeaders[name] = value;\n\t\t\t\t\t}\n\t\t\t\t\treturn this;\n\t\t\t\t},\n\n\t\t\t\t// Overrides response content-type header\n\t\t\t\toverrideMimeType: function(type) {\n\t\t\t\t\tif (completed == null) {\n\t\t\t\t\t\ts.mimeType = type;\n\t\t\t\t\t}\n\t\t\t\t\treturn this;\n\t\t\t\t},\n\n\t\t\t\t// Status-dependent callbacks\n\t\t\t\tstatusCode: function(map) {\n\t\t\t\t\tvar code;\n\t\t\t\t\tif (map) {\n\t\t\t\t\t\tif (completed) {\n\n\t\t\t\t\t\t\t// Execute the appropriate callbacks\n\t\t\t\t\t\t\tjqXHR.always(map[jqXHR.status]);\n\t\t\t\t\t\t} else {\n\n\t\t\t\t\t\t\t// Lazy-add the new callbacks in a way that preserves old ones\n\t\t\t\t\t\t\tfor (code in map) {\n\t\t\t\t\t\t\t\tstatusCode[code] = [statusCode[code], map[code]];\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t\treturn this;\n\t\t\t\t},\n\n\t\t\t\t// Cancel the request\n\t\t\t\tabort: function(statusText) {\n\t\t\t\t\tvar finalText = statusText || strAbort;\n\t\t\t\t\tif (transport) {\n\t\t\t\t\t\ttransport.abort(finalText);\n\t\t\t\t\t}\n\t\t\t\t\tdone(0, finalText);\n\t\t\t\t\treturn this;\n\t\t\t\t}\n\t\t\t};\n\n\t\t// Attach deferreds\n\t\tdeferred.promise(jqXHR);\n\n\t\t// Add protocol if not provided (prefilters might expect it)\n\t\t// Handle falsy url in the settings object (#10093: consistency with old signature)\n\t\t// We also use the url parameter if available\n\t\ts.url = ((url || s.url || location.href) + \"\")\n\t\t\t.replace(rprotocol, location.protocol + \"//\");\n\n\t\t// Alias method option to type as per ticket #12004\n\t\ts.type = options.method || options.type || s.method || s.type;\n\n\t\t// Extract dataTypes list\n\t\ts.dataTypes = (s.dataType || \"*\").toLowerCase().match(rnothtmlwhite) || [\"\"];\n\n\t\t// A cross-domain request is in order when the origin doesn't match the current origin.\n\t\tif (s.crossDomain == null) {\n\t\t\turlAnchor = document.createElement(\"a\");\n\n\t\t\t// Support: IE <=8 - 11, Edge 12 - 15\n\t\t\t// IE throws exception on accessing the href property if url is malformed,\n\t\t\t// e.g. http://example.com:80x/\n\t\t\ttry {\n\t\t\t\turlAnchor.href = s.url;\n\n\t\t\t\t// Support: IE <=8 - 11 only\n\t\t\t\t// Anchor's host property isn't correctly set when s.url is relative\n\t\t\t\turlAnchor.href = urlAnchor.href;\n\t\t\t\ts.crossDomain = originAnchor.protocol + \"//\" + originAnchor.host !==\n\t\t\t\t\turlAnchor.protocol + \"//\" + urlAnchor.host;\n\t\t\t} catch (e) {\n\n\t\t\t\t// If there is an error parsing the URL, assume it is crossDomain,\n\t\t\t\t// it can be rejected by the transport if it is invalid\n\t\t\t\ts.crossDomain = true;\n\t\t\t}\n\t\t}\n\n\t\t// Convert data if not already a string\n\t\tif (s.data && s.processData && typeof s.data !== \"string\") {\n\t\t\ts.data = jQuery.param(s.data, s.traditional);\n\t\t}\n\n\t\t// Apply prefilters\n\t\tinspectPrefiltersOrTransports(prefilters, s, options, jqXHR);\n\n\t\t// If request was aborted inside a prefilter, stop there\n\t\tif (completed) {\n\t\t\treturn jqXHR;\n\t\t}\n\n\t\t// We can fire global events as of now if asked to\n\t\t// Don't fire events if jQuery.event is undefined in an AMD-usage scenario (#15118)\n\t\tfireGlobals = jQuery.event && s.global;\n\n\t\t// Watch for a new set of requests\n\t\tif (fireGlobals && jQuery.active++ === 0) {\n\t\t\tjQuery.event.trigger(\"ajaxStart\");\n\t\t}\n\n\t\t// Uppercase the type\n\t\ts.type = s.type.toUpperCase();\n\n\t\t// Determine if request has content\n\t\ts.hasContent = !rnoContent.test(s.type);\n\n\t\t// Save the URL in case we're toying with the If-Modified-Since\n\t\t// and/or If-None-Match header later on\n\t\t// Remove hash to simplify url manipulation\n\t\tcacheURL = s.url.replace(rhash, \"\");\n\n\t\t// More options handling for requests with no content\n\t\tif (!s.hasContent) {\n\n\t\t\t// Remember the hash so we can put it back\n\t\t\tuncached = s.url.slice(cacheURL.length);\n\n\t\t\t// If data is available and should

be processed, append data to url\n\t\t\tif (s.data && (s.processData || typeof s.data === \"string\")) {\n\t\t\t\tcacheURL += (rquery.test(cacheURL) ? \"&\" : \"?\") + s.data;\n\n\t\t\t\t// #9682: remove data so that it's not used in an eventual retry\n\t\t\t\tdelete s.data;\n\t\t\t}\n\n\t\t\t// Add or update anti-cache param if needed\n\t\t\tif (s.cache === false) {\n\t\t\t\tcacheURL = cacheURL.replace(rantiCache, \"$1\");\n\t\t\t\tuncached = (rquery.test(cacheURL) ? \"&\" : \"?\") + \"_=\" + (nonce++) + uncached;\n\t\t\t}\n\n\t\t\t// Put hash and anti-cache on the URL that will be requested (gh-1732)\n\t\t\ts.url = cacheURL + uncached;\n\n\t\t\t// Change '%20' to '+' if this is encoded form body content (gh-2658)\n\t\t\t} else if (s.data && s.processData &&\n\t\t\t(s.contentType || \"\").indexOf(\"application/x-www-form-urlencoded\") === 0) {\n\t\t\ts.data = s.data.replace(r20, \"+\");\n\t\t\t}\n\n\t\t\t// Set the If-Modified-Since and/or If-None-Match header, if in ifModified mode.\n\t\t\tif (s.ifModified) {\n\t\t\t\tif (jQuery.lastModified[cacheURL]) {\n\t\t\t\t\tjqXHR.setRequestHeader(\"If-Modified-Since\", jQuery.lastModified[cacheURL]);\n\t\t\t\t}\n\t\t\t\tif (jQuery.etag[cacheURL]) {\n\t\t\t\t\tjqXHR.setRequestHeader(\"If-None-Match\", jQuery.etag[cacheURL]);\n\t\t\t\t}\n\t\t\t}\n\n\t\t\t// Set the correct header, if data is being sent\n\t\t\tif (s.data && s.hasContent && s.contentType !== false || options.contentType) {\n\t\t\t\tjqXHR.setRequestHeader(\"Content-Type\", s.contentType);\n\t\t\t}\n\n\t\t\t// Set the Accepts header for the server, depending on the dataType\n\t\t\tjqXHR.setRequestHeader(\n\t\t\t\t\"Accept\",\n\t\t\t\ts.dataTypes[0] && s.accepts[s.dataTypes[0]] ?\n\t\t\t\t\ts.accepts[s.dataTypes[0]] +\n\t\t\t\t\t\t(s.dataTypes[0] !== \"*\" ? \", \" + allTypes + \"; q=0.01\" : \"\") :\n\t\t\t\t\ts.accepts[\"*\"]\n\t\t\t);\n\n\t\t\t// Check for headers option\n\t\t\tfor (i in s.headers) {\n\t\t\t\tjqXHR.setRequestHeader(i, s.headers[i]);\n\t\t\t}\n\n\t\t\t// Allow custom headers/mimetypes and early abort\n\t\t\tif (s.beforeSend &&\n\t\t\t(s.beforeSend.call(callbackContext, jqXHR, s) === false || completed)) {\n\n\t\t\t\t// Abort if not done already and return\n\t\t\t\treturn jqXHR.abort();\n\t\t\t}\n\n\t\t\t// Aborting is no longer a cancellation\n\t\t\tstrAbort = \"abort\";\n\n\t\t\t// Install callbacks on deferreds\n\t\t\tcompleteDeferred.add(s.complete);\n\t\t\tjqXHR.done(s.success);\n\t\t\tjqXHR.fail(s.error);\n\n\t\t\t// Get transport\n\t\t\ttransport = inspectPrefiltersOrTransports(transports, s, options, jqXHR);\n\n\t\t\t// If no transport, we auto-abort\n\t\t\tif (!transport) {\n\t\t\t\tdone(-1, \"No Transport\");\n\t\t\t} else {\n\t\t\t\tjqXHR.readyState = 1;\n\n\t\t\t\t// Send global event\n\t\t\t\tif (fireGlobals) {\n\t\t\t\t\tglobalEventContext.trigger(\"ajaxSend\", [jqXHR, s]);\n\t\t\t\t}\n\n\t\t\t\t// If request was aborted inside ajaxSend, stop there\n\t\t\t\tif (completed) {\n\t\t\t\t\treturn jqXHR;\n\t\t\t\t}\n\n\t\t\t\t// Timeout\n\t\t\t\tif (s.async && s.timeout > 0) {\n\t\t\t\t\ttimeoutTimer = window.setTimeout(function() {\n\t\t\t\t\t\tjqXHR.abort(\"timeout\");\n\t\t\t\t\t}, s.timeout);\n\t\t\t\t}\n\n\t\t\t\ttry {\n\t\t\t\t\tcompleted = false;\n\t\t\t\t\ttransport.send(requestHeaders, done);\n\t\t\t\t} catch (e) {\n\n\t\t\t\t\t// Rethrow post-completion exceptions\n\t\t\t\t\tif (completed) {\n\t\t\t\t\t\tthrow e;\n\t\t\t\t\t}\n\n\t\t\t\t\t// Propagate others as results\n\t\t\t\t\tdone(-1, e);\n\t\t\t\t}\n\t\t\t}\n\n\t\t\t// Callback for when everything is done\n\t\t\tfunction done(status, nativeStatusText, responses, headers) {\n\t\t\t\tvar isSuccess, success, error, response, modified,\n\t\t\t\t\tstatusText = nativeStatusText;\n\n\t\t\t\t// Ignore repeat invocations\n\t\t\t\tif (completed) {\n\t\t\t\t\treturn;\n\t\t\t\t}\n\n\t\t\t\tcompleted = true;\n\n\t\t\t\t// Clear timeout if it exists\n\t\t\t\tif (timeoutTimer) {\n\t\t\t\t\twindow.clearTimeout(timeoutTimer);\n\t\t\t\t}\n\n\t\t\t\t// Dereference transport for early garbage collection\n\t\t\t\t// (no matter how long the jqXHR object will be used)\n\t\t\t\ttransport = undefined;\n\n\t\t\t\t// Cache response headers\n\t\t\t\tresponseHeadersString = headers || \"\";\n\n\t\t\t\t// Set readyState\n\t\t\t\tjqXHR.readyState = status > 0 ? 4 : 0;\n\n\t\t\t\t// Determine if successful\n\t\t\t\tisSuccess = status >= 200 && status < 300 || status === 304;\n\n\t\t\t\t// Get response data\n\t\t\t\tif (responses) {\n\t\t\t\t\tresponse = ajaxHandleResponses(s, jqXHR, responses);\n\t\t\t\t}\n\n\t\t\t\t// Convert no matter what (that way responseXXX fields are always set)\n\t\t\t\tresponse = ajaxConvert(s, response, jqXHR, isSuccess);\n\n\t\t\t\t// If successful, handle type chaining\n\t\t\t\tif (isSuccess) {\n\n\t\t\t\t\t// Set the If-Modified-Since and/or If-None-Match header, if in ifModified mode.\n\t\t\t\t\tif (s.ifModified) {\n\t\t\t\t\t\tmodified = jqXHR.getResponseHeader(\"Last-Modified\");\n\t\t\t\t\t\tif (modified) {\n\t\t\t\t\t\t\tjQuery.lastModified[cacheURL] = modified;\n\t\t\t\t\t\t}\n\t\t\t\t\t\tmodified = jqXHR.getResponseHeader(\"etag\");\n\t\t\t\t\t\tif (modified) {\n\t\t\t\t\t\t\tjQuery.etag[cacheURL] = modified;\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\n\t\t\t\t\t// if no content\n\t\t\t\t\tif (status === 204 || s.type === \"HEAD\") {\n\t\t\t\t\t\tstatusText = \"nocontent\";\n\n\t\t\t\t\t// if not modified\n\t\t\t\t\t} else if (status === 304) {\n\t\t\t\t\t\tstatusText = \"notmodified\";\n\n\t\t\t\t\t// If we have data, let's convert it\n\t\t\t\t\t} else {\n\t\t\t\t\t\tstatusText = response.state;\n\t\t\t\t\t\tsuccess = response.data;\n\t\t\t\t\t\terror =

response.error;\n\t\t\t\tisSuccess = !error;\n\t\t\t\t}\n\t\t\t} else {\n\n\t\t\t\t// Extract error from statusText and normalize for non-aborts\n\t\t\t\terror = statusText;\n\t\t\t\tif (status || !statusText) {\n\t\t\t\t\tstatusText = \"error\";\n\t\t\t\t\tif (status < 0) {\n\t\t\t\t\t\tstatus = 0;\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t}\n\n\t\t\t// Set data for the fake xhr object\n\t\t\tjqXHR.status = status;\n\t\t\tjqXHR.statusText = (nativeStatusText || statusText) + \"\";\n\n\t\t\t// Success/Error\n\t\t\tif (isSuccess) {\n\t\t\t\tdeferred.resolveWith(callbackContext, [success, statusText, jqXHR]);\n\t\t\t} else {\n\t\t\t\tdeferred.rejectWith(callbackContext, [jqXHR, statusText, error]);\n\t\t\t}\n\n\t\t\t// Status-dependent callbacks\n\t\t\tjqXHR.statusCode(statusCode);\n\t\t\tstatusCode = undefined;\n\n\t\t\tif (fireGlobals) {\n\t\t\t\tglobalEventContext.trigger(isSuccess ? \"ajaxSuccess\" : \"ajaxError\",\n\t\t\t\t\t[jqXHR, s, isSuccess ? success : error]);\n\t\t\t}\n\n\t\t\t// Complete\n\t\t\tcompleteDeferred.fireWith(callbackContext, [jqXHR, statusText]);\n\n\t\t\tif (fireGlobals) {\n\t\t\t\tglobalEventContext.trigger(\"ajaxComplete\", [jqXHR, s]);\n\n\t\t\t\t// Handle the global AJAX counter\n\t\t\t\tif (!(--jQuery.active)) {\n\t\t\t\t\tjQuery.event.trigger(\"ajaxStop\");\n\t\t\t\t}\n\t\t\t}\n\t\t}\n\n\t\treturn jqXHR;\n\t},\n\n\tgetJSON: function(url, data, callback) {\n\t\treturn jQuery.get(url, data, callback, \"json\");\n\t},\n\n\tgetScript: function(url, callback) {\n\t\treturn jQuery.get(url, undefined, callback, \"script\");\n\t}\n });\n\njQuery.each([\"get\", \"post\"], function(i, method) {\n\tjQuery[method] = function(url, data, callback, type) {\n\n\t\t// Shift arguments if data argument was omitted\n\t\tif (isFunction(data)) {\n\t\t\ttype = type || callback;\n\t\t\tcallback = data;\n\t\t\tdata = undefined;\n\t\t}\n\n\t\t// The url can be an options object (which then must have .url)\n\t\treturn jQuery.ajax(jQuery.extend({\n\t\t\turl: url,\n\t\t\ttype: method,\n\t\t\tdataType: type,\n\t\t\tdata: data,\n\t\t\tsuccess: callback\n\t\t}, jQuery.isPlainObject(url) && url));\n\t};\n });\n\n\njQuery._evalUrl = function(url) {\n\treturn jQuery.ajax({\n\t\turl: url,\n\n\t\t// Make this explicit, since user can override this through ajaxSetup (#11264)\n\t\ttype: \"GET\",\n\t\tdataType: \"script\",\n\t\tcache: true,\n\t\tasync: false,\n\t\tglobal: false,\n\t\t\"throws\": true\n\t});\n};\n\njQuery.fn.extend({\n\twrapAll: function(html) {\n\t\tvar wrap;\n\n\t\tif (this[0]) {\n\t\t\tif (isFunction(html)) {\n\t\t\t\thtml = html.call(this[0]);\n\t\t\t}\n\n\t\t\t// The elements to wrap the target around\n\t\t\twrap = jQuery(html, this[0].ownerDocument).eq(0).clone(true);\n\n\t\t\tif (this[0].parentNode) {\n\t\t\t\twrap.insertBefore(this[0]);\n\t\t\t}\n\n\t\t\twrap.map(function() {\n\t\t\t\tvar elem = this;\n\n\t\t\t\twhile (elem.firstElementChild) {\n\t\t\t\t\telem = elem.firstElementChild;\n\t\t\t\t}\n\n\t\t\t\treturn elem;\n\t\t\t}).append(this);\n\t\t}\n\n\t\treturn this;\n\t},\n\n\twrapInner: function(html) {\n\t\tif (isFunction(html)) {\n\t\t\treturn this.each(function(i) {\n\t\t\t\tjQuery(this).wrapInner(html.call(this, i));\n\t\t\t});\n\t\t}\n\n\t\treturn this.each(function() {\n\t\t\tvar self = jQuery(this),\n\t\t\t\tcontents = self.contents();\n\n\t\t\tif (contents.length) {\n\t\t\t\tcontents.wrapAll(html);\n\n\t\t\t} else {\n\t\t\t\tself.append(html);\n\t\t\t}\n\t\t});\n\t},\n\n\twrap: function(html) {\n\t\tvar htmlIsFunction = isFunction(html);\n\n\t\treturn this.each(function(i) {\n\t\t\tjQuery(this).wrapAll(htmlIsFunction ? html.call(this, i) : html);\n\t\t});\n\t},\n\n\tunwrap: function(selector) {\n\t\tthis.parent(selector).not(\"body\").each(function() {\n\t\t\tjQuery(this).replaceWith(this.childNodes);\n\t\t});\n\t\treturn this;\n\t}\n });\n\n\njQuery.expr.pseudos.hidden = function(elem) {\n\treturn !jQuery.expr.pseudos.visible(elem);\n};\njQuery.expr.pseudos.visible = function(elem) {\n\treturn !!(elem.offsetWidth || elem.offsetHeight || elem.getClientRects().length);\n};\n\n\n\njQuery.ajaxSettings.xhr = function() {\n\ttry {\n\t\treturn new window.XMLHttpRequest();\n\t} catch (e) {}\n};\n\nvar xhrSuccessStatus = {\n\n\t// File protocol always yields status code 0, assume 200\n\t0: 200,\n\n\t// Support: IE <=9 only\n\t// #1450: sometimes IE returns 1223 when it should be 204\n\t1223: 204\n},\n\txhrSupported = jQuery.ajaxSettings.xhr();\n\nsupport.cors = !!xhrSupported && (\"withCredentials\" in xhrSupported);\nsupport.ajax = xhrSupported = !!xhrSupported;\n\njQuery.ajaxTransport(function(options) {\n\tvar callback, errorCallback;\n\n\t// Cross domain only allowed if supported through XMLHttpRequest\n\tif (support.cors || xhrSupported && !options.crossDomain) {\n\t\treturn {\n\t\t\tsend: function(headers, complete) {\n\t\t\t\tvar i,\n\t\t\t\t\txhr = options.xhr();\n\n\t\t\t\txhr.open(\n\t\t\t\t\toptions.type,\n\t\t\t\t\toptions.url,\n\t\t\t\t\toptions.async,\n\t\t\t\t\toptions.username,\n\t\t\t\t\toptions.password\n\t\t\t\t);\n\n\t\t\t\t// Apply custom fields if provided\n\t\t\t\tif (options.xhrFields) {\n\t\t\t\t\tfor (i in options.xhrFields) {\n\t\t\t\t\t\txhr[i] = options.xhrFields[i];\n\t\t\t\t\t}\n\t\t\t\t}\n\n\t\t\t\t// Override mime type if needed\n\t\t\t\tif (options.mimeType && xhr.overrideMimeType)

{\n\t\t\t\ttxhr.overrideMimeType(options.mimeType);\n\t\t\t\t}\n\n\t\t\t\t/ X-Requested-With header\n\t\t\t\t// For cross-domain requests, seeing as conditions for a preflight are\n\t\t\t\t// akin to a jigsaw puzzle, we simply never set it to be sure.\n\t\t\t\t// (it can always be set on a per-request basis or even using ajaxSetup)\n\t\t\t\t// For same-domain requests, won't change header if already provided.\n\t\t\t\tif (!options.crossDomain && !headers[\"X-Requested-With\"]) {\n\t\t\t\theaders[\"X-Requested-With\"] = \"XMLHttpRequest\";\n\t\t\t\t}\n\n\t\t\t\t// Set headers\n\t\t\t\tfor (i in headers) {\n\t\t\t\ttxhr.setRequestHeader(i, headers[i]);\n\t\t\t\t}\n\n\t\t\t\t// Callback\n\t\t\t\tcallback = function(type) {\n\t\t\t\treturn function() {\n\t\t\t\t\tif (callback) {\n\t\t\t\t\t\tcallback = errorCallback = xhr.onload =\n\t\t\t\t\t\ttxhr.onerror = xhr.onabort = xhr.ontimeout =\n\t\t\t\t\t\ttxhr.onreadystatechange = null;\n\n\t\t\t\t\t\tif (type === \"abort\")
{\n\t\t\t\t\t\t\ttxhr.abort();\n\t\t\t\t\t\t} else if (type === \"error\") {\n\n\t\t\t\t\t\t\t// Support: IE <=9 only\n\t\t\t\t\t\t\t// On a manual native abort, IE9 throws\n\t\t\t\t\t\t\t// errors on any property access that is not readyState\n\t\t\t\t\t\t\tif (typeof xhr.status !== \"number\") {\n\t\t\t\t\t\t\t\tcomplete(0, \"error\");\n\t\t\t\t\t\t\t} else {\n\t\t\t\t\t\t\t\tcomplete(\n\n\t\t\t\t\t\t\t\t\t// File: protocol always yields status 0; see #8605, #14207\n\t\t\t\t\t\t\t\t\ttxhr.status,\n\t\t\t\t\t\t\t\t\ttxhr.statusText\n\t\t\t\t\t\t\t\t);\n\t\t\t\t\t\t\t}\n\t\t\t\t\t\t} else {\n\t\t\t\t\t\t\tcomplete(\n\t\t\t\t\t\t\t\ttxhrSuccessStatus[xhr.status] ||
xhr.status,\n\t\t\t\t\t\t\t\ttxhr.statusText,\n\n\t\t\t\t\t\t\t\t// Support: IE <=9 only\n\t\t\t\t\t\t\t\t// IE9 has no XHR2 but throws on binary (trac-11426)\n\t\t\t\t\t\t\t\t// For XHR2 non-text, let the caller handle it (gh-2498)\n\t\t\t\t\t\t\t\t(xhr.responseType || \"text\") !== \"text\" ||\n\t\t\t\t\t\t\t\t\ttypeof xhr.responseText !== \"string\" ?\n\t\t\t\t\t\t\t\t\t{ binary: xhr.response } :\n\t\t\t\t\t\t\t\t\t{ text: xhr.responseText },\n\t\t\t\t\t\t\t\ttxhr.getAllResponseHeaders()\n\t\t\t\t\t\t\t);\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t};\n\t\t\t\t};\n\n\t\t\t\t// Listen to events\n\t\t\t\ttxhr.onload = callback();\n\t\t\t\terrorCallback = xhr.onerror = xhr.ontimeout = callback(\"error\");\n\n\t\t\t\t// Support: IE 9 only\n\t\t\t\t// Use onreadystatechange to replace onabort\n\t\t\t\t// to handle uncaught aborts\n\t\t\t\tif (xhr.onabort !== undefined) {\n\t\t\t\t\ttxhr.onabort = errorCallback;\n\t\t\t\t} else
{\n\t\t\t\t\ttxhr.onreadystatechange = function() {\n\n\t\t\t\t\t\t// Check readyState before timeout as it changes\n\t\t\t\t\t\tif (xhr.readyState === 4) {\n\n\t\t\t\t\t\t\t// Allow onerror to be called first,\n\t\t\t\t\t\t\t// but that will not handle a native abort\n\t\t\t\t\t\t\t// Also, save errorCallback to a variable\n\t\t\t\t\t\t\t// as xhr.onerror cannot be accessed\n\t\t\t\t\t\t\twindow.setTimeout(function() {\n\t\t\t\t\t\t\t\tif (callback) {\n\t\t\t\t\t\t\t\t\terrorCallback();\n\t\t\t\t\t\t\t\t}\n\t\t\t\t\t\t\t});\n\t\t\t\t\t\t}\n\t\t\t\t\t};\n\t\t\t\t}\n\n\t\t\t\t// Create the abort callback\n\t\t\t\tcallback = callback(\"abort\");\n\n\t\t\t\ttry {\n\n\t\t\t\t\t// Do send the request (this may raise an exception)\n\t\t\t\t\ttxhr.send(options.hasContent && options.data || null);\n\t\t\t\t} catch (e) {\n\n\t\t\t\t\t// #14683: Only rethrow if this hasn't been notified as an error yet\n\t\t\t\t\tif (callback) {\n\t\t\t\t\t\tthrow e;\n\t\t\t\t\t}\n\t\t\t\t}\n\t\t\t},\n\n\t\t\tabort: function() {\n\t\t\t\tif (callback)
{\n\t\t\t\t\tcallback();\n\t\t\t\t}\n\t\t\t}\n\t\t};\n\t}\n});\n\n\n\n\n// Prevent auto-execution of scripts when no explicit dataType was provided (See gh-2432)\njQuery.ajaxPrefilter(function(s) {\n\tif (s.crossDomain) {\n\t\ts.contents.script = false;\n\t}\n});\n\n// Install script dataType\njQuery.ajaxSetup({\n\taccepts: {\n\t\tscript: \"text/javascript, application/javascript, \" +\n\t\t\t\"application/ecmascript, application/x-ecmascript\"\n\t},\n\tcontents: {\n\t\tscript: /\\b(?:java|ecma)script\\b/\n\t},\n\tconverters: {\n\t\t\"text script\": function(text) {\n\t\t\tjQuery.globalEval(text);\n\t\t\treturn text;\n\t\t}\n\t}\n});\n\n// Handle cache's special case and crossDomain\njQuery.ajaxPrefilter(\"script\", function(s) {\n\tif (s.cache === undefined) {\n\t\ts.cache = false;\n\t}\n\tif (s.crossDomain) {\n\t\ts.type = \"GET\";\n\t}\n});\n\n// Bind script tag hack transport\njQuery.ajaxTransport(\"script\", function(s) {\n\n\t// This transport only deals with cross domain requests\n\tif (s.crossDomain) {\n\t\tvar script, callback;\n\t\treturn {\n\t\t\tsend: function(_, complete)
{\n\t\t\t\tscript = jQuery(\"<script>\").prop({\n\t\t\t\t\tcharset: s.scriptCharset,\n\t\t\t\t\tsrc: s.url\n\t\t\t\t}).on(\n\t\t\t\t\t\"load error\",\n\t\t\t\t\tcallback = function(evt) {\n\t\t\t\t\t\tscript.remove();\n\t\t\t\t\t\tcallback = null;\n\t\t\t\t\t\tif (evt) {\n\t\t\t\t\t\t\tcomplete(evt.type === \"error\" ? 404 : 200, evt.type);\n\t\t\t\t\t\t}\n\t\t\t\t\t}\n\t\t\t\t);\n\n\t\t\t\t// Use native DOM manipulation to avoid our domManip AJAX trickery\n\t\t\t\tdocument.head.appendChild(script[0]);\n\t\t\t},\n\t\t\tabort: function() {\n\t\t\t\tif (callback) {\n\t\t\t\t\tcallback();\n\t\t\t\t}\n\t\t\t}\n\t\t};\n\t}\n});\n\n\n\n\nvar oldCallbacks = [],\n\trjsonp =

/(=)\\\?(?=&|$)|\\?\\?/;\n\n// Default jsonp settings\njQuery.ajaxSetup({\n\tjsonp: \"callback\",\n\tjsonpCallback: function() {\n\t\tvar callback = oldCallbacks.pop() || (jQuery.expando + \"_\" + (nonce++));\n\t\tthis[callback] = true;\n\t\treturn callback;\n\t}\n});\n\n// Detect, normalize options and install callbacks for jsonp requests\njQuery.ajaxPrefilter(\"json jsonp\", function(s, originalSettings, jqXHR) {\n\tvar callbackName, overwritten, responseContainer,\n\t\tjsonProp = s.jsonp !== false && (rjsonp.test(s.url) ?\n\t\t\t\"url\" :\n\t\t\ttypeof s.data === \"string\" &&\n\t\t\t\t(s.contentType || \"\")\n\t\t\t\t\t.indexOf(\"application/x-www-form-urlencoded\") === 0 &&\n\t\t\t\trjsonp.test(s.data) && \"data\"\n\t\t);\n\n\t// Handle iff the expected data type is \"jsonp\" or we have a parameter to set\n\tif (jsonProp || s.dataTypes[0] === \"jsonp\") {\n\n\t\t// Get callback name, remembering preexisting value associated with it\n\t\tcallbackName = s.jsonpCallback = isFunction(s.jsonpCallback) ?\n\t\t\ts.jsonpCallback() :\n\t\t\ts.jsonpCallback;\n\n\t\t// Insert callback into url or form data\n\t\tif (jsonProp) {\n\t\t\ts[jsonProp] = s[jsonProp].replace(rjsonp, \"$1\" + callbackName);\n\t\t} else if (s.jsonp !== false) {\n\t\t\ts.url += (rquery.test(s.url) ? \"&\" : \"?\") + s.jsonp + \"=\" + callbackName;\n\t\t}\n\n\t\t// Use data converter to retrieve json after script execution\n\t\ts.converters[\"script json\"] = function() {\n\t\t\tif (!responseContainer) {\n\t\t\t\tjQuery.error(callbackName + \" was not called\");\n\t\t\t}\n\t\t\treturn responseContainer[0];\n\t\t};\n\n\t\t// Force json dataType\n\t\ts.dataTypes[0] = \"json\";\n\n\t\t// Install callback\n\t\toverwritten = window[callbackName];\n\t\twindow[callbackName] = function() {\n\t\t\tresponseContainer = arguments;\n\t\t};\n\n\t\t// Clean-up function (fires after converters)\n\t\tjqXHR.always(function() {\n\n\t\t\t// If previous value didn't exist - remove it\n\t\t\tif (overwritten === undefined) {\n\t\t\t\tjQuery(window).removeProp(callbackName);\n\n\t\t\t// Otherwise restore preexisting value\n\t\t\t} else {\n\t\t\t\twindow[callbackName] = overwritten;\n\t\t\t}\n\n\t\t\t// Save back as free\n\t\t\tif (s[callbackName]) {\n\n\t\t\t\t// Make sure that re-using the options doesn't screw things around\n\t\t\t\ts.jsonpCallback = originalSettings.jsonpCallback;\n\n\t\t\t\t// Save the callback name for future use\n\t\t\t\toldCallbacks.push(callbackName);\n\t\t\t}\n\n\t\t\t// Call if it was a function and we have a response\n\t\t\tif (responseContainer && isFunction(overwritten)) {\n\t\t\t\toverwritten(responseContainer[0]);\n\t\t\t}\n\n\t\t\tresponseContainer = overwritten = undefined;\n\t\t});\n\n\t\t// Delegate to script\n\t\treturn \"script\";\n\t}\n});\n\n\n\n// Support: Safari 8 only\n// In Safari 8 documents created via document.implementation.createHTMLDocument\n// collapse sibling forms: the second one becomes a child of the first one.\n// Because of that, this security measure has to be disabled in Safari 8.\n// https://bugs.webkit.org/show_bug.cgi?id=137337\nsupport.createHTMLDocument = (function() {\n\tvar body = document.implementation.createHTMLDocument(\"\").body;\n\tbody.innerHTML = \"<form></form><form></form>\";\n\treturn body.childNodes.length === 2;\n})();\n\n\n// Argument \"data\" should be string of html\n// context (optional): If specified, the fragment will be created in this context,\n// defaults to document\n// keepScripts (optional): If true, will include scripts passed in the html string\njQuery.parseHTML = function(data, context, keepScripts) {\n\tif (typeof data !== \"string\") {\n\t\treturn [];\n\t}\n\tif (typeof context === \"boolean\") {\n\t\tkeepScripts = context;\n\t\tcontext = false;\n\t}\n\n\tvar base, parsed, scripts;\n\n\tif (!context) {\n\n\t\t// Stop scripts or inline event handlers from being executed immediately\n\t\t// by using document.implementation\n\t\tif (support.createHTMLDocument) {\n\t\t\tcontext = document.implementation.createHTMLDocument(\"\");\n\n\t\t\t// Set the base href for the created document\n\t\t\t// so any parsed elements with URLs\n\t\t\t// are based on the document's URL (gh-2965)\n\t\t\tbase = context.createElement(\"base\");\n\t\t\tbase.href = document.location.href;\n\t\t\tcontext.head.appendChild(base);\n\t\t} else {\n\t\t\tcontext = document;\n\t\t}\n\t}\n\n\tparsed = rsingleTag.exec(data);\n\tscripts = !keepScripts && [];\n\n\t// Single tag\n\tif (parsed) {\n\t\treturn [context.createElement(parsed[1])];\n\t}\n\n\tparsed = buildFragment([data], context, scripts);\n\n\tif (scripts && scripts.length) {\n\t\tjQuery(scripts).remove();\n\t}\n\n\treturn jQuery.merge([], parsed.childNodes);\n};\n\n\n/**\n * Load a url into a page\n */\njQuery.fn.load = function(url, params, callback) {\n\tvar selector, type, response,\n\t\tself = this,\n\t\toff = url.indexOf(\" \");\n\n\tif (off > -1) {\n\t\tselector = stripAndCollapse(url.slice(off));\n\t\turl = url.slice(0, off);\n\t}\n\n\t// If it's a function\n\tif (isFunction(params)) {\n\n\t\t// We assume that it's the callback\n\t\tcallback = params;\n\t\tparams = undefined;\n\n\t// Otherwise, build a param string\n\t} else if (params && typeof params ===

\"object\") {\n\t\ttype = \"POST\";\n\t}\n\n\t// If we have elements to modify, make the request\n\tif (self.length > 0) {\n\t\tjQuery.ajax({\n\t\t\turl: url,\n\n\t\t\t// If \"type\" variable is undefined, then \"GET\" method will be used.\n\t\t\t// Make value of this field explicit since\n\t\t\t// user can override it through ajaxSetup method\n\t\t\ttype: type || \"GET\",\n\t\t\tdataType: \"html\",\n\t\t\tdata: params\n\t\t}).done(function(responseText) {\n\n\t\t\t// Save response for use in complete callback\n\t\t\tresponse = arguments;\n\n\t\t\tself.html(selector ?\n\n\t\t\t\t// If a selector was specified, locate the right elements in a dummy div\n\t\t\t\t// Exclude scripts to avoid IE 'Permission Denied' errors\n\t\t\t\tjQuery(\"<div>\").append(jQuery.parseHTML(responseText)).find(selector) :\n\n\t\t\t\t// Otherwise use the full result\n\t\t\t\tresponseText);\n\n\t\t\t// If the request succeeds, this function gets \"data\", \"status\", \"jqXHR\"\n\t\t\t// but they are ignored because response was set above.\n\t\t// If it fails, this function gets \"jqXHR\", \"status\", \"error\"\n\t\t}).always(callback && function(jqXHR, status) {\n\t\t\tself.each(function() {\n\t\t\t\tcallback.apply(this, response || [jqXHR.responseText, status, jqXHR]);\n\t\t\t});\n\t\t});\n\t}\n\n\treturn this;\n};\n\n\n\n// Attach a bunch of functions for handling common AJAX events\njQuery.each(\n\t[\n\t\t\"ajaxStart\",\n\t\t\"ajaxStop\",\n\t\t\"ajaxComplete\",\n\t\t\"ajaxError\",\n\t\t\"ajaxSuccess\",\n\t\t\"ajaxSend\"\n\t],\n\tfunction(i, type) {\n\tjQuery.fn[type] = function(fn) {\n\t\treturn this.on(type, fn);\n\t};\n}\n);\n\n\n\n\njQuery.expr.pseudos.animated = function(elem) {\n\treturn jQuery.grep(jQuery.timers, function(fn) {\n\t\treturn elem === fn.elem;\n\t}).length;\n};\n\n\n\n\njQuery.offset = {\n\tsetOffset: function(elem, options, i) {\n\t\tvar curPosition, curLeft, curCSSTop, curTop, curOffset, curCSSLeft, calculatePosition,\n\t\t\tposition = jQuery.css(elem, \"position\"),\n\t\t\tcurElem = jQuery(elem),\n\t\t\tprops = {};\n\n\t\t// Set position first, in-case top/left are set even on static elem\n\t\tif (position === \"static\") {\n\t\t\telem.style.position = \"relative\";\n\t\t}\n\n\t\tcurOffset = curElem.offset();\n\t\tcurCSSTop = jQuery.css(elem, \"top\");\n\t\tcurCSSLeft = jQuery.css(elem, \"left\");\n\t\tcalculatePosition = (position === \"absolute\" || position === \"fixed\") &&\n\t\t\t(curCSSTop + curCSSLeft).indexOf(\"auto\") > -1;\n\n\t\t// Need to be able to calculate position if either\n\t\t// top or left is auto and position is either absolute or fixed\n\t\tif (calculatePosition) {\n\t\t\tcurPosition = curElem.position();\n\t\t\tcurTop = curPosition.top;\n\t\t\tcurLeft = curPosition.left;\n\n\t\t} else {\n\t\t\tcurTop = parseFloat(curCSSTop) || 0;\n\t\t\tcurLeft = parseFloat(curCSSLeft) || 0;\n\t\t}\n\n\t\tif (isFunction(options)) {\n\n\t\t\t// Use jQuery.extend here to allow modification of coordinates argument (gh-1848)\n\t\t\toptions = options.call(elem, i, jQuery.extend({}, curOffset));\n\t\t}\n\n\t\tif (options.top != null) {\n\t\t\tprops.top = (options.top - curOffset.top) + curTop;\n\t\t}\n\t\tif (options.left != null) {\n\t\t\tprops.left = (options.left - curOffset.left) + curLeft;\n\t\t}\n\n\t\tif (\"using\" in options) {\n\t\t\toptions.using.call(elem, props);\n\n\t\t} else {\n\t\t\tcurElem.css(props);\n\t\t}\n\t}\n};\n\njQuery.fn.extend({\n\n\t// offset() relates an element's border box to the document origin\n\toffset: function(options) {\n\n\t\t// Preserve chaining for setter\n\t\tif (arguments.length) {\n\t\t\treturn options === undefined ?\n\t\t\t\tthis :\n\t\t\t\tthis.each(function(i) {\n\t\t\t\t\tjQuery.offset.setOffset(this, options, i);\n\t\t\t\t});\n\t\t}\n\n\t\tvar rect, win,\n\t\t\telem = this[0];\n\n\t\tif (!elem) {\n\t\t\treturn;\n\t\t}\n\n\t\t// Return zeros for disconnected and hidden (display: none) elements (gh-2310)\n\t\t// Support: IE <=11 only\n\t\t// Running getBoundingClientRect on a\n\t\t// disconnected node in IE throws an error\n\t\tif (!elem.getClientRects().length) {\n\t\t\treturn { top: 0, left: 0 };\n\t\t}\n\n\t\t// Get document-relative position by adding viewport scroll to viewport-relative gBCR\n\t\trect = elem.getBoundingClientRect();\n\t\twin = elem.ownerDocument.defaultView;\n\t\treturn {\n\t\t\ttop: rect.top + win.pageYOffset,\n\t\t\tleft: rect.left + win.pageXOffset\n\t\t};\n\t},\n\n\t// position() relates an element's margin box to its offset parent's padding box\n\t// This corresponds to the behavior of CSS absolute positioning\n\tposition: function() {\n\t\tif (!this[0]) {\n\t\t\treturn;\n\t\t}\n\n\t\tvar offsetParent, offset, doc,\n\t\t\telem = this[0],\n\t\t\tparentOffset = { top: 0, left: 0 };\n\n\t\t// position:fixed elements are offset from the viewport, which itself always has zero offset\n\t\tif (jQuery.css(elem, \"position\") === \"fixed\") {\n\n\t\t\t// Assume position:fixed implies availability of getBoundingClientRect\n\t\t\toffset = elem.getBoundingClientRect();\n\n\t\t} else {\n\t\t\toffset = this.offset();\n\n\t\t\t// Account for the *real* offset parent, which can be the document or its root element\n\t\t\t// when a statically positioned element is identified\n\t\t\tdoc = elem.ownerDocument;\n\t\t\toffsetParent = elem.offsetParent || doc.documentElement;\n\t\t\twhile (offsetParent &&\n\t\t\t\t(offsetParent === doc.body ||\n\t\t\t\t\toffsetParent === doc.documentElement) &&\n\t\t\t\tjQuery.css(offsetParent, \"position\") === \"static\")

{\n\n\t\t\t\toffsetParent = offsetParent.parentNode;\n\t\t\t}\n\t\t\tif (offsetParent && offsetParent !== elem && offsetParent.nodeType === 1) {\n\n\t\t\t\t// Incorporate borders into its offset, since they are outside its content origin\n\t\t\t\tparentOffset = jQuery(offsetParent).offset();\n\t\t\t\tparentOffset.top += jQuery.css(offsetParent, \"borderTopWidth\", true);\n\t\t\t\tparentOffset.left += jQuery.css(offsetParent, \"borderLeftWidth\", true);\n\t\t\t}\n\t\t}\n\n\t// Subtract parent offsets and element margins\n\t\treturn {\n\t\t\ttop: offset.top - parentOffset.top - jQuery.css(elem, \"marginTop\", true),\n\t\t\tleft: offset.left - parentOffset.left - jQuery.css(elem, \"marginLeft\", true)\n\t\t};\n\t},\n\n\t// This method will return documentElement in the following cases:\n\t// 1) For the element inside the iframe without offsetParent, this method will return\n\t//   documentElement of the parent window\n\t// 2) For the hidden or detached element\n\t// 3) For body or html element, i.e. in case of the html node - it will return itself\n\t//\n\t// but those exceptions were never presented as a real life use-cases\n\t// and might be considered as more preferable results.\n\t//\n\t// This logic, however, is not guaranteed and can change at any point in the future\n\toffsetParent: function() {\n\t\treturn this.map(function() {\n\t\t\tvar offsetParent = this.offsetParent;\n\n\t\t\twhile (offsetParent && jQuery.css(offsetParent, \"position\") === \"static\") {\n\t\t\t\toffsetParent = offsetParent.offsetParent;\n\t\t\t}\n\n\t\t\treturn offsetParent || documentElement;\n\t\t});\n\t}\n});\n\n// Create scrollLeft and scrollTop methods\njQuery.each({ scrollLeft: \"pageXOffset\", scrollTop: \"pageYOffset\" }, function(method, prop) {\n\tvar top = \"pageYOffset\" === prop;\n\n\tjQuery.fn[method] = function(val) {\n\t\treturn access(this, function(elem, method, val) {\n\n\t\t\t// Coalesce documents and windows\n\t\t\tvar win;\n\t\t\tif (isWindow(elem)) {\n\t\t\t\twin = elem;\n\t\t\t} else if (elem.nodeType === 9) {\n\t\t\t\twin = elem.defaultView;\n\t\t\t}\n\n\t\t\tif (val === undefined) {\n\t\t\t\treturn win ? win[prop] : elem[method];\n\t\t\t}\n\n\t\t\tif (win) {\n\t\t\t\twin.scrollTo(\n\t\t\t\t\t!top ? val : win.pageXOffset,\n\t\t\t\t\ttop ? val : win.pageYOffset\n\t\t\t\t);\n\n\t\t\t} else {\n\t\t\t\telem[method] = val;\n\t\t\t}\n\t\t}, method, val, arguments.length);\n\t};\n});\n\n// Support: Safari <=7 - 9.1, Chrome <=37 - 49\n// Add the top/left cssHooks using jQuery.fn.position\n// Webkit bug: https://bugs.webkit.org/show_bug.cgi?id=29084\n// Blink bug: https://bugs.chromium.org/p/chromium/issues/detail?id=589347\n// getComputedStyle returns percent when specified for top/left/bottom/right;\n// rather than make the css module depend on the offset module, just check for it here\njQuery.each([\"top\", \"left\"], function(i, prop) {\n\tjQuery.cssHooks[prop] = addGetHookIf(support.pixelPosition,\n\t\tfunction(elem, computed) {\n\t\t\tif (computed) {\n\t\t\t\tcomputed = curCSS(elem, prop);\n\n\t\t\t\t// If curCSS returns percentage, fallback to offset\n\t\t\t\treturn rnumnonpx.test(computed) ?\n\t\t\t\t\tjQuery(elem).position()[prop] + \"px\" :\n\t\t\t\t\tcomputed;\n\t\t\t}\n\t\t}\n\t);\n});\n\n\n// Create innerHeight, innerWidth, height, width, outerHeight and outerWidth methods\njQuery.each({ Height: \"height\", Width: \"width\" }, function(name, type) {\n\tjQuery.each({ padding: \"inner\" + name, content: type, \"\": \"outer\" + name },\n\t\tfunction(defaultExtra, funcName) {\n\n\t\t// Margin is only for outerHeight, outerWidth\n\t\tjQuery.fn[funcName] = function(margin, value) {\n\t\t\tvar chainable = arguments.length && (defaultExtra || typeof margin !== \"boolean\"),\n\t\t\t\textra = defaultExtra || (margin === true || value === true ?\n\t\t\t\t\t\"margin\" : \"border\");\n\n\t\t\treturn access(this, function(elem, type, value) {\n\t\t\t\tvar doc;\n\n\t\t\t\tif (isWindow(elem)) {\n\n\t\t\t\t\t// $(window).outerWidth/Height return w/h including scrollbars (gh-1729)\n\t\t\t\t\treturn funcName.indexOf(\"outer\") === 0 ?\n\t\t\t\t\t\telem[\"inner\" + name] :\n\t\t\t\t\t\telem.document.documentElement[\"client\" + name];\n\t\t\t\t}\n\n\t\t\t\t// Get document width or height\n\t\t\t\tif (elem.nodeType === 9) {\n\t\t\t\t\tdoc = elem.documentElement;\n\n\t\t\t\t\t// Either scroll[Width/Height] or offset[Width/Height] or client[Width/Height],\n\t\t\t\t\t// whichever is greatest\n\t\t\t\t\treturn Math.max(\n\t\t\t\t\t\telem.body[\"scroll\" + name], doc[\"scroll\" + name],\n\t\t\t\t\t\telem.body[\"offset\" + name], doc[\"offset\" + name],\n\t\t\t\t\t\tdoc[\"client\" + name]\n\t\t\t\t\t);\n\t\t\t\t}\n\n\t\t\t\treturn value === undefined ?\n\n\t\t\t\t\t// Get width or height on the element, requesting but not forcing parseFloat\n\t\t\t\t\tjQuery.css(elem, type, extra) :\n\n\t\t\t\t\t// Set width or height on the element\n\t\t\t\t\tjQuery.style(elem, type, value, extra);\n\t\t\t}, type, chainable ? margin : undefined, chainable);\n\t\t};\n\t});\n});\n\n\njQuery.each((\"blur focus focusin focusout resize scroll click dblclick \" +\n\t\"mousedown mouseup mousemove mouseover mouseout mouseenter mouseleave \" +\n\t\"change select submit keydown keypress keyup contextmenu\").split(\" \"),\n\tfunction(i, name) {\n\n\t// Handle event

binding\n\tjQuery.fn[name] = function(data, fn) {\n\t\treturn arguments.length > 0 ?\n\t\t\tthis.on(name, null, data, fn) :\n\t\t\tthis.trigger(name);\n\t};\n});\n\njQuery.fn.extend({\n\thover: function(fnOver, fnOut) {\n\t\treturn this.mouseenter(fnOver).mouseleave(fnOut || fnOver);\n\t}\n});\n\n\n\n\njQuery.fn.extend({\n\n\tbind: function(types, data, fn) {\n\t\treturn this.on(types, null, data, fn);\n\t},\n\tunbind: function(types, fn) {\n\t\treturn this.off(types, null, fn);\n\t},\n\n\tdelegate: function(selector, types, data, fn) {\n\t\treturn this.on(types, selector, data, fn);\n\t},\n\tundelegate: function(selector, types, fn) {\n\n\t\t// (namespace) or (selector, types [, fn])\n\t\treturn arguments.length === 1 ?\n\t\t\tthis.off(selector, \"**\") :\n\t\t\tthis.off(types, selector || \"**\", fn);\n\t}\n});\n\n// Bind a function to a context, optionally partially applying any\n// arguments.\n// jQuery.proxy is deprecated to promote standards (specifically Function#bind)\n// However, it is not slated for removal any time soon\njQuery.proxy = function(fn, context) {\n\tvar tmp, args, proxy;\n\n\tif (typeof context === \"string\") {\n\t\ttmp = fn[context];\n\t\tcontext = fn;\n\t\tfn = tmp;\n\t}\n\n\t// Quick check to determine if target is callable, in the spec\n\t// this throws a TypeError, but we will just return undefined.\n\tif (!isFunction(fn)) {\n\t\treturn undefined;\n\t}\n\n\t// Simulated bind\n\targs = slice.call(arguments, 2);\n\tproxy = function() {\n\t\treturn fn.apply(context || this, args.concat(slice.call(arguments)));\n\t};\n\n\t// Set the guid of unique handler to the same of original handler, so it can be removed\n\tproxy.guid = fn.guid = fn.guid || jQuery.guid++;\n\n\treturn proxy;\n};\n\njQuery.holdReady = function(hold) {\n\tif (hold) {\n\t\tjQuery.readyWait++;\n\t} else {\n\t\tjQuery.ready(true);\n\t}\n};\njQuery.isArray = Array.isArray;\njQuery.parseJSON = JSON.parse;\njQuery.nodeName = nodeName;\njQuery.isFunction = isFunction;\njQuery.isWindow = isWindow;\njQuery.camelCase = camelCase;\njQuery.type = toType;\n\njQuery.now = Date.now;\n\njQuery.isNumeric = function(obj) {\n\n\t// As of jQuery 3.0, isNumeric is limited to\n\t// strings and numbers (primitives or objects)\n\t// that can be coerced to finite numbers (gh-2662)\n\tvar type = jQuery.type(obj);\n\treturn (type === \"number\" || type === \"string\") &&\n\n\t\t// parseFloat NaNs numeric-cast false positives (\"\")\n\t\t// ...but misinterprets leading-number strings, particularly hex literals (\"0x...\")\n\t\t// subtraction forces infinities to NaN\n\t\t!isNaN(obj - parseFloat(obj));\n};\n\n\n\n\n// Register as a named AMD module, since jQuery can be concatenated with other\n// files that may use define, but not via a proper concatenation script that\n// understands anonymous AMD modules. A named AMD is safest and most robust\n// way to register. Lowercase jquery is used because AMD module names are\n// derived from file names, and jQuery is normally delivered in a lowercase\n// file name. Do this after creating the global so that if an AMD module wants\n// to call noConflict to hide this version of jQuery, it will work.\n\n// Note that for maximum portability, libraries that are not jQuery should\n// declare themselves as anonymous modules, and avoid setting a global if an\n// AMD loader is present. jQuery is a special case. For more information, see\n// https://github.com/jrburke/requirejs/wiki/Updating-existing-libraries#wiki-anon\n\nif (typeof define === \"function\" && define.amd) {\n\tdefine(\"jquery\", [], function() {\n\t\treturn jQuery;\n\t});\n}\n\n\n\n\nvar\n\n\t// Map over jQuery in case of overwrite\n\t_jQuery = window.jQuery,\n\n\t// Map over the $ in case of overwrite\n\t_$ = window.$;\n\njQuery.noConflict = function(deep) {\n\tif (window.$ === jQuery) {\n\t\twindow.$ = _$;\n\t}\n\n\tif (deep && window.jQuery === jQuery) {\n\t\twindow.jQuery = _jQuery;\n\t}\n\n\treturn jQuery;\n};\n\n// Expose jQuery and $ identifiers, even in AMD\n// (#7102#comment:10, https://github.com/jquery/jquery/pull/557)\n// and CommonJS for browser emulators (#13566)\nif (!noGlobal) {\n\twindow.jQuery = window.$ = jQuery;\n}\n\n\n\n\nreturn jQuery;\n});\n","var map = {\n\t\"./en.json\": \"e847\"\n};\n\n\nfunction webpackContext(req) {\n\tvar id = webpackContextResolve(req);\n\treturn __webpack_require__(id);\n}\nfunction webpackContextResolve(req) {\n\tvar id = map[req];\n\tif(!(id + 1)) { // check for number or string\n\t\tvar e = new Error(\"Cannot find module '\" + req + \"'\");\n\t\te.code = 'MODULE_NOT_FOUND';\n\t\tthrow e;\n\t}\n\treturn id;\n}\nwebpackContext.keys = function webpackContextKeys() {\n\treturn Object.keys(map);\n};\nwebpackContext.resolve = webpackContextResolve;\nmodule.exports = webpackContext;\nwebpackContext.id = \"11b2\";","var pIE = require('./_object-pie');\nvar createDesc = require('./_property-desc');\nvar toIObject = require('./_to-iobject');\nvar toPrimitive = require('./_to-primitive');\nvar has = require('./_has');\nvar IE8_DOM_DEFINE = require('./_ie8-dom-define');\nvar gOPD = Object.getOwnPropertyDescriptor;\n\nexports.f = require('./_descriptors') ? gOPD : function

getOwnPropertyDescriptor(O, P) {\n O = toIObject(O);\n P = toPrimitive(P, true);\n if (IE8_DOM_DEFINE) try {\n   return gOPD(O, P);\n } catch (e) { /* empty */ }\n if (has(O, P)) return createDesc(!pIE.f.call(O, P), O[P]);\n};\n","/**\n * Checks if `value` is suitable for use as unique object key.\n *\n * @private\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is suitable, else `false`.\n */\nfunction isKeyable(value) {\n var type = typeof value;\n return (type == 'string' || type == 'number' || type == 'symbol' || type == 'boolean')\n   ? (value !== '__proto__')\n   : (value === null);\n}\n\nmodule.exports = isKeyable;\n","var identity = require('./identity');\n\n/**\n * Casts `value` to `identity` if it's not a function.\n *\n * @private\n * @param {*} value The value to inspect.\n * @returns {Function} Returns cast function.\n */\nfunction castFunction(value) {\n return typeof value == 'function' ? value : identity;\n}\n\nmodule.exports = castFunction;\n","/**\n * Checks if `value` is object-like. A value is object-like if it's not `null`\n * and has a `typeof` result of \"object\".\n *\n * @static\n * @memberOf _\n * @since 4.0.0\n * @category Lang\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is object-like, else `false`.\n *\n * @example\n *\n * _.isObjectLike({});\n * // => true\n *\n * _.isObjectLike([1, 2, 3]);\n * // => true\n *\n * _.isObjectLike(_.noop);\n * // => false\n *\n * _.isObjectLike(null);\n * // => false\n */\nfunction isObjectLike(value) {\n return value != null && typeof value == 'object';\n}\n\nmodule.exports = isObjectLike;\n","module.exports =

\"data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAAAJ4AAACeCAYAAADDhbN7AAAABmJLR0QA
owA6AADnOD5/AAAACXBIWXMAAAsTAAALEwEAmpwYAAAAB3RJTUUH4QgLCggYIJ85zwAAABl0R
Vh0Q29tbWVudABDcmVhdGVkIHdpdGggR0lNUFeBDhcAAAfMSURBVHja7d1dUFTnHcfx3x4W2EVSFQQFj
YUYTTJRg2NMtUo1RrCKU2sTqxl8STPWZGzTi87UWmvTzvSiM0mmrampY9J0xqlp1CQ6sWMUVbVDMI
eQGHaCMKEcLL8uIqsLssSy9ykbaZyHkiu4u7388HYhQUaOS1Prs
xMuTJGyZWeLjks9fV0q7upWb7mZZ27WKsrBw+psaREgU7vLT+bBFey3FZttf7WloV7Ooo1P8HdPzh
0GhA4YHwAMID4QGEB8ID4QGEB8IHgA4YHwAMID4QGEB8ID4QGEB8IHgA4YHgA4YHwAMID4QGE
B8ID4QGEB8IDCA+EBxeCO9W5bAsOVPcDCJnJHaUWrOeMlhr/Pg9evytXrCc4fdLmXmz9HYhQUaOS1Prs
xMuTJGyZWeLjks9fV0q7upWb7mZZl27WKsrBw+psaREgU7vLT+bBFey3lZ3ttf7WloV7OoKzwM9UpeUWuW/L
stpr/PaV/6uuU2seH9T9Z8Z8z6hqZZs/rmy5j+oBJfZkS0U7FFXXT8ZOqfvY5NR0/MeizKe7qsH2bLu3ee7Litv9V9pP1nz56ng
6GHb68tWrdWlV/cMfnTxcEmpkVMna/6BN7T1o1EmNW7zYODpsJjspyJvc5d2Xd2fHaHAHa7wvM+Gx1So/qB
8qP61xRUWDts3xy76rpec+0O1Ll1AP4f3/odyhab/9/odyhab/9/IDyA8EB5AeCA8xBf+5mKgR2ZSombt+LLt9Y9Y3H3talV3YzOMK7yfcCTk1Ys9r2
+l6vl/B4qgXhAYQHwgPhwhvq+gMBo/UJyUm21zoML8jX5/dTVbyE5zP4P4Z29gsMML8jX5/dTVbyyYG4MK7yfCTk1Ys9r2
+l6vl/B4qgXhAYQHwgPhwhvq+gMBo/UJyUm21zoML8jX5/dTVbyYE5zP4P4Z9qS5ExNtb3WlzhtN3WlzhtG1/W/vQ
HVQYL5gSl+GZ/rBTc3Jsr3VnZZndlvahG547awzhDeoRr6XFaH36A/bXnvbnEeG9bE0m25OUbr+wJ+wruRjqp
q9fns/3f2nIeXybL5Ou+uJ9cZ3Za28rNDdk5ZBQVG63391wjvRkKBKXoWeftf2+pSx45T39MCXjx9XtEijZjxge7vej
z9Wd2PTkJxRzorlypz9TbPwDK/xEXfhhSVjzaanR+smbNNmrmC1vlyvy9lGZz+mPTkE5r0xA/xEXfhSVxu2uVzlyy9lGZz+mPTkE5r0xA/\"","module.exports =

D4mwtE5xmHEYDwQHgA4YHwAMID4QGEB8IDCA+EB8IDCA+EBxAeCA8gPBAeQHggPIDwQHggPIDwQ
HgA4YHwAMID4QGEB8IDCA+EB8IDCA+EBxAeCA8gPBAeQHggPIDwEG1Oh7iGHiLL4ZD+A7kQKAsUeS
w0AAAAAElFTkSuQmCC\"","var coreJsData = require('./_coreJsData');\n\n/** Used to detect methods
masquerading as native. */\nvar maskSrcKey = (function() {\n var uid = /[^.]+$/.exec(coreJsData &&
coreJsData.keys && coreJsData.keys.IE_PROTO || '');\n return uid ? ('Symbol(src)_1.' + uid) : '';\n}());\n\n/**\n *
Checks if `func` has its source masked.\n *\n * @private\n * @param {Function} func The function to check.\n *
@returns {boolean} Returns `true` if `func` is masked, else `false`.\n */\nfunction isMasked(func) {\n return
!!maskSrcKey && (maskSrcKey in func);\n}\n\nmodule.exports = isMasked;\n","// extracted by mini-css-extract-
plugin","var dP = require('./_object-dp');\nvar anObject = require('./_an-object');\nvar getKeys = require('./_object-
keys');\n\nmodule.exports = require('./_descriptors') ? Object.defineProperties : function defineProperties(O,
Properties) {\n anObject(O);\n var keys = getKeys(Properties);\n var length = keys.length;\n var i = 0;\n var P;\n
while (length > i) dP.f(O, P = keys[i++], Properties[P]);\n return O;\n};\n","\"use strict\";\n\nmodule.exports =
function () {\n\tvar assign = Object.assign, obj;\n\tif (typeof assign !== \"function\") return false;\n\tobj = { foo:
\"raz\" };\n\tassign(obj, { bar: \"dwa\" }, { trzy: \"trzy\" });\n\treturn (obj.foo + obj.bar + obj.trzy) ===
\"razdwatrzy\";\n};\n","import mod from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-
1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-
loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-
2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-
0!../../node_modules/vue-loader/lib/index.js??vue-loader-
options!./SignUpForm.vue?vue&type=style&index=0&lang=scss&\"; export default mod; export * from \"-
!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-
loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-
loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-
2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-
0!../../node_modules/vue-loader/lib/index.js??vue-loader-
options!./SignUpForm.vue?vue&type=style&index=0&lang=scss&\"","var baseIsEqual =
require('./_baseIsEqual'),\n get = require('./get'),\n hasIn = require('./hasIn'),\n isKey = require('./_isKey'),\n
isStrictComparable = require('./_isStrictComparable'),\n matchesStrictComparable =
require('./_matchesStrictComparable'),\n toKey = require('./_toKey');\n\n/** Used to compose bitmasks for value
comparisons. */\nvar COMPARE_PARTIAL_FLAG = 1,\n COMPARE_UNORDERED_FLAG = 2;\n\n/**\n *
The base implementation of `_.matchesProperty` which doesn't clone `srcValue`.\n *\n * @private\n * @param
{string} path The path of the property to get.\n * @param {*} srcValue The value to match.\n * @returns
{Function} Returns the new spec function.\n */\nfunction baseMatchesProperty(path, srcValue) {\n if (isKey(path)
&& isStrictComparable(srcValue)) {\n return matchesStrictComparable(toKey(path), srcValue);\n }\n return
function(object) {\n var objValue = get(object, path);\n return (objValue === undefined && objValue ===
srcValue)\n ? hasIn(object, path)\n : baseIsEqual(srcValue, objValue, COMPARE_PARTIAL_FLAG |
COMPARE_UNORDERED_FLAG);\n };\n}\n\nmodule.exports = baseMatchesProperty;\n","var memoizeCapped
= require('./_memoizeCapped');\n\n/** Used to match property names within property paths. */\nvar rePropName =
/[^.[\]]+|\[(?:(-?\d+(?:\.\d+)?)|([\"'])((?:(?!\2)[^\\]|\\.)*?)\\2)\]|(?=(?:\.|\[\])(?:\.|\[\]|$))/g;\n\n/** Used to
match backslashes in property paths. */\nvar reEscapeChar = /\\(\\)?/g;\n\n/**\n * Converts `string` to a property
path array.\n *\n * @private\n * @param {string} string The string to convert.\n * @returns {Array} Returns the
property path array.\n */\nvar stringToPath = memoizeCapped(function(string) {\n var result = [];\n if
(string.charCodeAt(0) === 46 /* . */) {\n result.push('');\n }\n string.replace(rePropName, function(match,
number, quote, subString) {\n result.push(quote ? subString.replace(reEscapeChar, '$1') : (number || match));\n
});\n return result;\n});\n\nmodule.exports = stringToPath;\n","\"use strict\";\n\nvar str =
\"razdwatrzy\";\n\nmodule.exports = function () {\n\tif (typeof str.contains !== \"function\") return false;\n\treturn
(str.contains(\"dwa\") === true) && (str.contains(\"foo\") === false);\n};\n","var ctx = require('./_ctx');\nvar invoke
= require('./_invoke');\nvar html = require('./_html');\nvar cel = require('./_dom-create');\nvar global =
</machine_data_note>

require('./_global');\nvar process = global.process;\nvar setTask = global.setImmediate;\nvar clearTask = global.clearImmediate;\nvar MessageChannel = global.MessageChannel;\nvar Dispatch = global.Dispatch;\nvar counter = 0;\nvar queue = {};\nvar ONREADYSTATECHANGE = 'onreadystatechange';\nvar defer, channel, port;\nvar run = function () {\n var id = +this;\n // eslint-disable-next-line no-prototype-builtins\n if (queue.hasOwnProperty(id)) {\n   var fn = queue[id];\n   delete queue[id];\n   fn();\n }\n};\nvar listener = function (event) {\n run.call(event.data);\n};\n// Node.js 0.9+ & IE10+ has setImmediate, otherwise:\nif (!setTask || !clearTask) {\n setTask = function setImmediate(fn) {\n   var args = [];\n   var i = 1;\n   while (arguments.length > i) args.push(arguments[i++]);\n   queue[++counter] = function () {\n   // eslint-disable-next-line no-new-func\n   invoke(typeof fn == 'function' ? fn : Function(fn), args);\n   };\n   defer(counter);\n   return counter;\n };\n clearTask = function clearImmediate(id) {\n   delete queue[id];\n };\n // Node.js 0.8-\n if (require('./_cof')(process) == 'process') {\n   defer = function (id) {\n   process.nextTick(ctx(run, id, 1));\n   };\n // Sphere (JS game engine) Dispatch API\n } else if (Dispatch && Dispatch.now) {\n   defer = function (id) {\n   Dispatch.now(ctx(run, id, 1));\n   };\n // Browsers with MessageChannel, includes WebWorkers\n } else if (MessageChannel) {\n   channel = new MessageChannel();\n   port = channel.port2;\n   channel.port1.onmessage = listener;\n   defer = ctx(port.postMessage, port, 1);\n // Browsers with postMessage, skip WebWorkers\n // IE8 has postMessage, but it's sync & typeof its postMessage is 'object'\n } else if (global.addEventListener && typeof postMessage == 'function' && !global.importScripts) {\n   defer = function (id) {\n   global.postMessage(id + '', '*');\n   };\n   global.addEventListener('message', listener, false);\n // IE8-\n } else if (ONREADYSTATECHANGE in cel('script')) {\n   defer = function (id) {\n   html.appendChild(cel('script'))[ONREADYSTATECHANGE] = function () {\n   html.removeChild(this);\n   run.call(id);\n   };\n   };\n // Rest old browsers\n } else {\n   defer = function (id) {\n   setTimeout(ctx(run, id, 1), 0);\n   };\n }\n}\nmodule.exports = {\n set: setTask,\n clear: clearTask\n};\n","/**\n * Checks if `value` is the\n * [language type](http://www.ecma-international.org/ecma-262/7.0/#sec-ecmascript-language-types)\n * of `Object`. (e.g. arrays, functions, objects, regexes, `new Number(0)`, and `new String('')`)\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @category Lang\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is an object, else `false`.\n * @example\n *\n * _.isObject({});\n * // => true\n *\n * _.isObject([1, 2, 3]);\n * // => true\n *\n * _.isObject(_.noop);\n * // => true\n *\n * _.isObject(null);\n * // => false\n */\nfunction isObject(value) {\n var type = typeof value;\n return value != null && (type == 'object' || type == 'function');\n}\n\nmodule.exports = isObject;\n","var Symbol = require('./_Symbol'),\n   Uint8Array = require('./_Uint8Array'),\n   eq = require('./eq'),\n   equalArrays = require('./_equalArrays'),\n   mapToArray = require('./_mapToArray'),\n   setToArray = require('./_setToArray');\n\n/** Used to compose bitmasks for value comparisons. */\nvar COMPARE_PARTIAL_FLAG = 1,\n   COMPARE_UNORDERED_FLAG = 2;\n\n/** `Object#toString` result references. */\nvar boolTag = '[object Boolean]',\n   dateTag = '[object Date]',\n   errorTag = '[object Error]',\n   mapTag = '[object Map]',\n   numberTag = '[object Number]',\n   regexpTag = '[object RegExp]',\n   setTag = '[object Set]',\n   stringTag = '[object String]',\n   symbolTag = '[object Symbol]';\n\nvar arrayBufferTag = '[object ArrayBuffer]',\n   dataViewTag = '[object DataView]';\n\n/** Used to convert symbols to primitives and strings. */\nvar symbolProto = Symbol ? Symbol.prototype : undefined,\n   symbolValueOf = symbolProto ? symbolProto.valueOf : undefined;\n\n/**\n * A specialized version of `baseIsEqualDeep` for comparing objects of\n * the same `toStringTag`.\n *\n * **Note:** This function only supports comparing values with tags of\n * `Boolean`, `Date`, `Error`, `Number`, `RegExp`, or `String`.\n *\n * @private\n * @param {Object} object The object to compare.\n * @param {Object} other The other object to compare.\n * @param {string} tag The `toStringTag` of the objects to compare.\n * @param {number} bitmask The bitmask flags. See `baseIsEqual` for more details.\n * @param {Function} customizer The function to customize comparisons.\n * @param {Function} equalFunc The function to determine equivalents of values.\n * @param {Object} stack Tracks traversed `object` and `other` objects.\n * @returns {boolean} Returns `true` if the objects are equivalent, else `false`.\n */\nfunction equalByTag(object, other, tag, bitmask, customizer, equalFunc, stack) {\n switch (tag) {\n   case dataViewTag:\n   if ((object.byteLength != other.byteLength) ||\n   (object.byteOffset != other.byteOffset)) {\n   return false;\n   }\n   object = object.buffer;\n   other = other.buffer;\n\n   case arrayBufferTag:\n   if ((object.byteLength !=

other.byteLength) ||\n   !equalFunc(new Uint8Array(object), new Uint8Array(other))) {\n   return false;\n   }\n   return true;\n\n   case boolTag:\n   case dateTag:\n   case numberTag:\n   // Coerce booleans to `1` or `0`\n   and dates to milliseconds.\n   // Invalid dates are coerced to `NaN`.\n   return eq(+object, +other);\n\n   case errorTag:\n   return object.name == other.name && object.message == other.message;\n\n   case regexpTag:\n   case stringTag:\n   // Coerce regexes to strings and treat strings, primitives and objects,\n   // as equal. See http://www.ecma-international.org/ecma-262/7.0/#sec-regexp.prototype.tostring\n   // for more details.\n   return object == (other + ");\n\n   case mapTag:\n   var convert = mapToArray;\n\n   case setTag:\n   var isPartial = bitmask & COMPARE_PARTIAL_FLAG;\n   convert || (convert = setToArray);\n\n   if (object.size != other.size && !isPartial) {\n   return false;\n   }\n   // Assume cyclic values are equal.\n   var stacked = stack.get(object);\n   if (stacked) {\n   return stacked == other;\n   }\n   bitmask |= COMPARE_UNORDERED_FLAG;\n\n   // Recursively compare objects (susceptible to call stack limits).\n   stack.set(object, other);\n   var result = equalArrays(convert(object), convert(other), bitmask, customizer, equalFunc, stack);\n   stack['delete'](object);\n   return result;\n\n   case symbolTag:\n   if (symbolValueOf) {\n   return symbolValueOf.call(object) == symbolValueOf.call(other);\n   }\n }\n return false;\n}\n\nmodule.exports = equalByTag;\n","'use strict';\n\nmodule.exports = require('./is-implemented')() ? Symbol : require('./polyfill');\n","var getNative = require('./_getNative'),\n   root = require('./_root');\n\n/* Built-in method references that are verified to be native. */\nvar Promise = getNative(root, 'Promise');\n\nmodule.exports = Promise;\n","/**\n * Removes `key` and its value from the hash.\n *\n * @private\n * @name delete\n * @memberOf Hash\n * @param {Object} hash The hash to modify.\n * @param {string} key The key of the value to remove.\n * @returns {boolean} Returns `true` if the entry was removed, else `false`.\n */\nfunction hashDelete(key) {\n var result = this.has(key) && delete this.__data__[key];\n this.size -= result ? 1 : 0;\n return result;\n}\n\nmodule.exports = hashDelete;\n","var baseEach = require('./_baseEach');\n\n/**\n * The base implementation of `_.every` without support for iteratee shorthands.\n *\n * @private\n * @param {Array|Object} collection The collection to iterate over.\n * @param {Function} predicate The function invoked per iteration.\n * @returns {boolean} Returns `true` if all elements pass the predicate check,\n * else `false`\n */\nfunction baseEvery(collection, predicate) {\n var result = true;\n baseEach(collection, function(value, index, collection) {\n   result = !!predicate(value, index, collection);\n   return result;\n });\n return result;\n}\n\nmodule.exports = baseEvery;\n","// call something on iterator step with safe closing on error\nvar anObject = require('./_an-object');\nmodule.exports = function (iterator, fn, value, entries) {\n try {\n   return entries ? fn(anObject(value)[0], value[1]) : fn(value);\n // 7.4.6 IteratorClose(iterator, completion)\n } catch (e) {\n   var ret = iterator['return'];\n   if (ret !== undefined) anObject(ret.call(iterator));\n   throw e;\n }\n};\n","var getMapData = require('./_getMapData');\n\n/**\n * Sets the map `key` to `value`.\n *\n * @private\n * @name set\n * @memberOf MapCache\n * @param {string} key The key of the value to set.\n * @param {*} value The value to set.\n * @returns {Object} Returns the map cache instance.\n */\nfunction mapCacheSet(key, value) {\n var data = getMapData(this, key),\n   size = data.size;\n\n data.set(key, value);\n this.size += data.size == size ? 0 : 1;\n return this;\n}\n\nmodule.exports = mapCacheSet;\n","// extracted by mini-css-extract-plugin","\"use strict\";\n\nmodule.exports = require(\"./is-implemented\")()\n\t? Object.assign\n\t: require(\"./shim\");\n","/**\n * A specialized version of `matchesProperty` for source values suitable\n * for strict equality comparisons, i.e. `===`.\n *\n * @private\n * @param {string} key The key of the property to get.\n * @param {*} srcValue The value to match.\n * @returns {Function} Returns the new spec function.\n */\nfunction matchesStrictComparable(key, srcValue) {\n return function(object) {\n   if (object == null) {\n   return false;\n   }\n   return object[key] === srcValue &&\n   (srcValue !== undefined || (key in Object(object)));\n };\n}\n\nmodule.exports = matchesStrictComparable;\n","'use strict';\nvar hide = require('./_hide');\nvar redefine = require('./_redefine');\nvar fails = require('./_fails');\nvar defined = require('./_defined');\nvar wks = require('./_wks');\n\nmodule.exports = function (KEY, length, exec) {\n var SYMBOL = wks(KEY);\n var fns = exec(defined, SYMBOL, ''[KEY]);\n var strfn = fns[0];\n var rxfn = fns[1];\n if (fails(function () {\n   var O = {};\n   O[SYMBOL] = function () { return 7; };\n   return ''[KEY](O) != 7;\n })) {\n   redefine(String.prototype, KEY, strfn);\n   hide(RegExp.prototype, SYMBOL, length == 2\n   // 21.2.5.8 RegExp.prototype[@@replace](string, replaceValue)\n   // 21.2.5.11

RegExp.prototype[@@split](string, limit)\n   ? function (string, arg) { return rxfn.call(string, this, arg); }\n   // 21.2.5.6 RegExp.prototype[@@match](string)\n   // 21.2.5.9 RegExp.prototype[@@search](string)\n   : function (string) { return rxfn.call(string, this); }\n   );\n }\n};\n","var compareAscending = require('./_compareAscending');\n\n/**\n * Used by `_.orderBy` to compare multiple properties of a value to another\n * and stable sort them.\n *\n * If `orders` is unspecified, all values are sorted in ascending order. Otherwise,\n * specify an order of \"desc\" for descending or \"asc\" for ascending sort order\n * of corresponding values.\n *\n * @private\n * @param {Object} object The object to compare.\n * @param {Object} other The other object to compare.\n * @param {boolean[]|string[]} orders The order to sort by for each property.\n * @returns {number} Returns the sort order indicator for `object`.\n */\nfunction compareMultiple(object, other, orders) {\n var index = -1,\n   objCriteria = object.criteria,\n   othCriteria = other.criteria,\n   length = objCriteria.length,\n   ordersLength = orders.length;\n\n while (++index < length) {\n   var result = compareAscending(objCriteria[index], othCriteria[index]);\n   if (result) {\n   if (index >= ordersLength) {\n   return result;\n   }\n   var order = orders[index];\n   return result * (order == 'desc' ? -1 : 1);\n   }\n }\n // Fixes an `Array#sort` bug in the JS engine embedded in Adobe applications\n // that causes it, under certain circumstances, to provide the same value for\n // `object` and `other`. See https://github.com/jashkenas/underscore/pull/1247\n // for more details.\n //\n // This also ensures a stable sort in V8 and other engines.\n // See https://bugs.chromium.org/p/v8/issues/detail?id=90 for more details.\n return object.index - other.index;\n}\n\nmodule.exports = compareMultiple;\n","var apply = require('./_apply');\n\n/* Built-in method references for those with the same name as other `lodash` methods. */\nvar nativeMax = Math.max;\n\n/**\n * A specialized version of `baseRest` which transforms the rest array.\n *\n * @private\n * @param {Function} func The function to apply a rest parameter to.\n * @param {number} [start=func.length-1] The start position of the rest parameter.\n * @param {Function} transform The rest array transform.\n * @returns {Function} Returns the new function.\n */\nfunction overRest(func, start, transform) {\n start = nativeMax(start === undefined ? (func.length - 1) : start, 0);\n return function() {\n   var args = arguments,\n   index = -1,\n   length = nativeMax(args.length - start, 0),\n   array = Array(length);\n\n   while (++index < length) {\n   array[index] = args[start + index];\n   }\n   index = -1;\n   var otherArgs = Array(start + 1);\n   while (++index < start) {\n   otherArgs[index] = args[index];\n   }\n   otherArgs[start] = transform(array);\n   return apply(func, this, otherArgs);\n };\n}\n\nmodule.exports = overRest;\n","'use strict';\nObject.defineProperty(exports, '__esModule', { value: true });\nvar prefix = 'fab';\nvar iconName = 'linkedin';\nvar width = 448;\nvar height = 512;\nvar ligatures = [];\nvar unicode = 'f08c';\nvar svgPathData = 'M416 32H31.9C14.3 32 0 46.5 0 64.3v383.4C0 465.5 14.3 480 31.9 480H416c17.6 0 32-14.5 32-32.3V64.3c0-17.8-14.4-32.3-32-32.3zM135.4 416H69V202.2h66.5V416zm-33.2-243c-21.3 0-38.5-17.3-38.5-38.5S80.9 96 102.2 96c21.2 0 38.5 17.3 38.5 38.5 0 21.3-17.2 38.5-38.5 38.5zm282.1 243h-66.4V312c0-24.8-.5-56.7-34.5-56.7-34.6 0-39.9 27-39.9 54.9V416h-66.4V202.2h63.7v29.2h.9c8.9-16.8 30.6-34.5 62.9-34.5 67.2 0 79.7 44.3 79.7 101.9V416z';\nexports.definition = {\n prefix: prefix,\n iconName: iconName,\n icon: [\n   width,\n   height,\n   ligatures,\n   unicode,\n   svgPathData\n]};\n\nexports.faLinkedin = exports.definition;\nexports.prefix = prefix;\nexports.iconName = iconName;\nexports.width = width;\nexports.height = height;\nexports.ligatures = ligatures;\nexports.unicode = unicode;\nexports.svgPathData = svgPathData;","var isObject = require('./_is-object');\nvar document = require('./_global').document;\n// typeof document.createElement is 'object' in old IE\nvar is = isObject(document) && isObject(document.createElement);\nmodule.exports = function (it) {\n return is ? document.createElement(it) : {};\n};\n","var memoize = require('./memoize');\n\n/** Used as the maximum memoize cache size. */\nvar MAX_MEMOIZE_SIZE = 500;\n\n/**\n * A specialized version of `_.memoize` which clears the memoized function's\n * cache when it exceeds `MAX_MEMOIZE_SIZE`.\n *\n * @private\n * @param {Function} func The function to have its output memoized.\n * @returns {Function} Returns the new memoized function.\n */\nfunction memoizeCapped(func) {\n var result = memoize(func, function(key) {\n   if (cache.size === MAX_MEMOIZE_SIZE) {\n   cache.clear();\n   }\n   return key;\n });\n\n var cache = result.cache;\n return result;\n}\n\nmodule.exports = memoizeCapped;\n","// getting tag from 19.1.3.6 Object.prototype.toString()\nvar cof = require('./_cof');\nvar TAG = require('./_wks')('toStringTag');\n// ES3 wrong here\nvar ARG = cof(function ()

{ return arguments; }()) == 'Arguments';\n\n// fallback for IE11 Script Access Denied error\nvar tryGet = function (it, key) {\n try {\n return it[key];\n } catch (e) { /* empty */ }\n};\n\nmodule.exports = function (it) {\n var O, T, B;\n return it === undefined ? 'Undefined' : it === null ? 'Null'\n // @@toStringTag case\n : typeof (T = tryGet(O = Object(it), TAG)) == 'string' ? T\n // builtinTag case\n : ARG ? cof(O)\n // ES3 arguments fallback\n : (B = cof(O)) == 'Object' && typeof O.callee == 'function' ? 'Arguments' : B;\n};\n","var baseFor = require('./_baseFor'),\n keys = require('./keys');\n\n/**\n * The base implementation of `_.forOwn` without support for iteratee shorthands.\n *\n * @private\n * @param {Object} object The object to iterate over.\n * @param {Function} iteratee The function invoked per iteration.\n * @returns {Object} Returns `object`.\n */\nfunction baseForOwn(object, iteratee) {\n return object && baseFor(object, iteratee, keys);\n}\n\nmodule.exports = baseForOwn;\n","var root = require('./_root');\n\n/** Built-in value references. */\nvar Uint8Array = root.Uint8Array;\n\nmodule.exports = Uint8Array;\n","var getMapData = require('./_getMapData');\n\n/**\n * Gets the map value for `key`.\n *\n * @private\n * @name get\n * @memberOf MapCache\n * @param {string} key The key of the value to get.\n * @returns {*} Returns the entry value.\n */\nfunction mapCacheGet(key) {\n return getMapData(this, key).get(key);\n}\n\nmodule.exports = mapCacheGet;\n","var nativeCreate = require('./_nativeCreate');\n\n/** Used to stand-in for `undefined` hash values. */\nvar HASH_UNDEFINED = '__lodash_hash_undefined__';\n\n/**\n * Sets the hash `key` to `value`.\n *\n * @private\n * @name set\n * @memberOf Hash\n * @param {string} key The key of the value to set.\n * @param {*} value The value to set.\n * @returns {Object} Returns the hash instance.\n */\nfunction hashSet(key, value) {\n var data = this.__data__;\n this.size += this.has(key) ? 0 : 1;\n data[key] = (nativeCreate && value === undefined) ? HASH_UNDEFINED : value;\n return this;\n}\n\nmodule.exports = hashSet;\n","var baseGetTag = require('./_baseGetTag'),\n isObjectLike = require('./isObjectLike');\n\n/** `Object#toString` result references. */\nvar argsTag = '[object Arguments]';\n\n/**\n * The base implementation of `_.isArguments`.\n *\n * @private\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is an `arguments` object,\n */\nfunction baseIsArguments(value) {\n return isObjectLike(value) && baseGetTag(value) == argsTag;\n}\n\nmodule.exports = baseIsArguments;\n","exports.f = Object.getOwnPropertySymbols;\n","var arrayEvery = require('./_arrayEvery'),\n baseEvery = require('./_baseEvery'),\n baseIteratee = require('./_baseIteratee'),\n isArray = require('./isArray'),\n isIterateeCall = require('./_isIterateeCall');\n\n/**\n * Checks if `predicate` returns truthy for **all** elements of `collection`.\n * Iteration is stopped once `predicate` returns falsey. The predicate is\n * invoked with three arguments: (value, index|key, collection).\n *\n * **Note:** This method returns `true` for\n * [empty collections](https://en.wikipedia.org/wiki/Empty_set) because\n * [everything is true](https://en.wikipedia.org/wiki/Vacuous_truth) of\n * elements of empty collections.\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @category Collection\n * @param {Array|Object} collection The collection to iterate over.\n * @param {Function} [predicate=_.identity] The function invoked per iteration.\n * @param-{Object} [guard] Enables use as an iteratee for methods like `_.map`.\n * @returns {boolean} Returns `true` if all elements pass the predicate check,\n * else `false`.\n * @example\n *\n * _.every([true, 1, null, 'yes'], Boolean);\n * // => false\n *\n * var users = [\n * { 'user': 'barney', 'age': 36, 'active': false },\n * { 'user': 'fred',   'age': 40, 'active': false }\n *];\n *\n * // The `_.matches` iteratee shorthand.\n * _.every(users, { 'user': 'barney', 'active': false });\n * // => false\n *\n * // The `_.matchesProperty` iteratee shorthand.\n * _.every(users, ['active', false]);\n * // => true\n *\n * // The `_.property` iteratee shorthand.\n * _.every(users, 'active');\n * // => false\n */\nfunction every(collection, predicate, guard) {\n var func = isArray(collection) ? arrayEvery : baseEvery;\n if (guard && isIterateeCall(collection, predicate, guard)) {\n predicate = undefined;\n }\n return func(collection, baseIteratee(predicate, 3));\n}\n\nmodule.exports = every;\n","/**\n * The base implementation of `_.hasIn` without support for deep paths.\n *\n * @private\n * @param {Object} [object] The object to query.\n * @param {Array|string} key The key to check.\n * @returns {boolean} Returns `true` if `key` exists, else `false`.\n */\nfunction baseHasIn(object, key) {\n return object != null && key in Object(object);\n}\n\nmodule.exports = baseHasIn;\n","var classof = require('./_classof');\nvar ITERATOR = require('./_wks')('iterator');\nvar Iterators = require('./_iterators');\nmodule.exports = require('./_core').getIteratorMethod = function (it) {\n if (it != undefined) return it[ITERATOR]\n || it['@@iterator']\n || Iterators[classof(it)];\n};\n","// @@split logic\nrequire('./_fix-re-

wks')('split', 2, function (defined, SPLIT, $split) {\n 'use strict';\n var isRegExp = require('./_is-regexp');\n var _split = $split;\n var $push = [].push;\n var $SPLIT = 'split';\n var LENGTH = 'length';\n var LAST_INDEX = 'lastIndex';\n if (\n 'abbc'[$SPLIT](/(b)*/)[1] == 'c' ||\n 'test'[$SPLIT](/(?:)/, -1)[LENGTH] != 4 ||\n 'ab'[$SPLIT](/(?:ab)*/)[LENGTH] != 2 ||\n '.'[$SPLIT](/(.?)(.?)/)[LENGTH] != 4 ||\n '.'[$SPLIT](/()()/)[LENGTH] > 1 ||\n ''[$SPLIT](/.?/)[LENGTH]\n) {\n var NPCG = /()??/.exec('')[1] === undefined; // nonparticipating capturing group\n // based on es5-shim implementation, need to rework it\n $split = function (separator, limit) {\n var string = String(this);\n if (separator === undefined && limit === 0) return [];\n // If `separator` is not a regex, use native split\n if (!isRegExp(separator)) return _split.call(string, separator, limit);\n var output = [];\n var flags = (separator.ignoreCase ? 'i' : '') +\n (separator.multiline ? 'm' : '') +\n (separator.unicode ? 'u' : '') +\n (separator.sticky ? 'y' : '');\n var lastLastIndex = 0;\n var splitLimit = limit === undefined ? 4294967295 : limit >>> 0;\n // Make `global` and avoid `lastIndex` issues by working with a copy\n var separatorCopy = new RegExp(separator.source, flags + 'g');\n var separator2, match, lastIndex, lastLength, i;\n // Doesn't need flags gy, but they don't hurt\n if (!NPCG) separator2 = new RegExp('^' + separatorCopy.source + '$(?!\\\\s)', flags);\n while (match = separatorCopy.exec(string)) {\n // `separatorCopy.lastIndex` is not reliable cross-browser\n lastIndex = match.index + match[0][LENGTH];\n if (lastIndex > lastLastIndex) {\n output.push(string.slice(lastLastIndex, match.index));\n // Fix browsers whose `exec` methods don't consistently return `undefined` for NPCG\n // eslint-disable-next-line no-loop-func\n if (!NPCG && match[LENGTH] > 1) match[0].replace(separator2, function () {\n for (i = 1; i < arguments[LENGTH] - 2; i++) if (arguments[i] === undefined) match[i] = undefined;\n });\n if (match[LENGTH] > 1 && match.index < string[LENGTH]) $push.apply(output, match.slice(1));\n lastLength = match[0][LENGTH];\n lastLastIndex = lastIndex;\n if (output[LENGTH] >= splitLimit) break;\n }\n if (separatorCopy[LAST_INDEX] === match.index) separatorCopy[LAST_INDEX]++; // Avoid an infinite loop\n }\n if (lastLastIndex === string[LENGTH]) {\n if (lastLength || !separatorCopy.test('')) output.push('');\n } else output.push(string.slice(lastLastIndex));\n return output[LENGTH] > splitLimit ? output.slice(0, splitLimit) : output;\n };\n // Chakra, V8\n } else if ('0'[$SPLIT](undefined, 0)[LENGTH]) {\n $split = function (separator, limit) {\n return separator === undefined && limit === 0 ? [] : _split.call(this, separator, limit);\n };\n }\n // 21.1.3.17 String.prototype.split(separator, limit)\n return [function split(separator, limit) {\n var O = defined(this);\n var fn = separator == undefined ? undefined : separator[SPLIT];\n return fn !== undefined ? fn.call(separator, O, limit) : $split.call(String(O), separator, limit);\n }, $split];\n});\n","/**\n * Removes all key-value entries from the list cache.\n *\n * @private\n * @name clear\n * @memberOf ListCache\n */\nfunction listCacheClear() {\n this.__data__ = [];\n this.size = 0;\n}\n\nmodule.exports = listCacheClear;\n","/** Used for built-in method references. */\nvar objectProto = Object.prototype;\n\n/**\n * Used to resolve the\n * [`toStringTag`](http://ecma-international.org/ecma-262/7.0/#sec-object.prototype.tostring)\n * of values.\n */\nvar nativeObjectToString = objectProto.toString;\n\n/**\n * Converts `value` to a string using `Object.prototype.toString`.\n *\n * @private\n * @param {*} value The value to convert.\n * @returns {string} Returns the converted string.\n */\nfunction objectToString(value) {\n return nativeObjectToString.call(value);\n}\n\nmodule.exports = objectToString;\n","var global = require('./_global');\nvar hide = require('./_hide');\nvar has = require('./_has');\nvar SRC = require('./_uid')('src');\nvar TO_STRING = 'toString';\nvar $toString = Function[TO_STRING];\nvar TPL = ('' + $toString).split(TO_STRING);\n\nrequire('./_core').inspectSource = function (it) {\n return $toString.call(it);\n};\n\n(module.exports = function (O, key, val, safe) {\n var isFunction = typeof val == 'function';\n if (isFunction) has(val, 'name') || hide(val, 'name', key);\n if (O[key] === val) return;\n if (isFunction) has(val, SRC) || hide(val, SRC, O[key] ? '' + O[key] : TPL.join(String(key)));\n if (O === global) {\n O[key] = val;\n } else if (!safe) {\n delete O[key];\n hide(O, key, val);\n } else if (O[key]) {\n O[key] = val;\n } else {\n hide(O, key, val);\n }\n})(Function.prototype, TO_STRING, function toString() {\n return typeof this == 'function' && this[SRC] || $toString.call(this);\n});\n","// 19.1.2.2 / 15.2.3.5 Object.create(O [, Properties])\nvar

anObject = require('./_an-object');\nvar dPs = require('./_object-dps');\nvar enumBugKeys = require('./_enum-bug-keys');\nvar IE_PROTO = require('./_shared-key')('IE_PROTO');\nvar Empty = function () { /* empty */ };\nvar PROTOTYPE = 'prototype';\n\n// Create object with fake `null` prototype: use iframe Object with cleared prototype\nvar createDict = function () {\n // Thrash, waste and sodomy: IE GC bug\n var iframe = require('./_dom-create')('iframe');\n var i = enumBugKeys.length;\n var lt = '<';\n var gt = '>';\n var iframeDocument;\n iframe.style.display = 'none';\n require('./_html').appendChild(iframe);\n iframe.src = 'javascript:'; // eslint-disable-line no-script-url\n // createDict = iframe.contentWindow.Object;\n // html.removeChild(iframe);\n iframeDocument = iframe.contentWindow.document;\n iframeDocument.open();\n iframeDocument.write(lt + 'script' + gt + 'document.F=Object' + lt + '/script' + gt);\n iframeDocument.close();\n createDict = iframeDocument.F;\n while (i--) delete createDict[PROTOTYPE][enumBugKeys[i]];\n return createDict();\n};\n\nmodule.exports = Object.create || function create(O, Properties) {\n var result;\n if (O !== null) {\n   Empty[PROTOTYPE] = anObject(O);\n   result = new Empty();\n   Empty[PROTOTYPE] = null;\n   // add \"__proto__\" for Object.getPrototypeOf polyfill\n   result[IE_PROTO] = O;\n } else result = createDict();\n return Properties === undefined ? result : dPs(result, Properties);\n};\n","// extracted by mini-css-extract-plugin","var freeGlobal = require('./_freeGlobal');\n\n/** Detect free variable `self`. */\nvar freeSelf = typeof self == 'object' && self && self.Object === Object && self;\n\n/** Used as a reference to the global object. */\nvar root = freeGlobal || freeSelf || Function('return this')();\n\nmodule.exports = root;\n","var store = require('./_shared')('wks');\nvar uid = require('./_uid');\nvar Symbol = require('./_global').Symbol;\nvar USE_SYMBOL = typeof Symbol == 'function';\n\nvar $exports = module.exports = function (name) {\n return store[name] || (store[name] =\n USE_SYMBOL && Symbol[name] || (USE_SYMBOL ? Symbol : uid)('Symbol.' + name));\n};\n\n$exports.store = store;\n","module.exports = false;\n","/**\n * A specialized version of `_.filter` for arrays without support for\n * iteratee shorthands.\n *\n * @private\n * @param {Array} [array] The array to iterate over.\n * @param {Function} predicate The function invoked per iteration.\n * @returns {Array} Returns the new filtered array.\n */\nfunction arrayFilter(array, predicate) {\n var index = -1,\n   length = array == null ? 0 : array.length,\n   resIndex = 0,\n   result = [];\n\n while (++index < length) {\n   var value = array[index];\n   if (predicate(value, index, array)) {\n   result[resIndex++] = value;\n   }\n }\n return result;\n}\n\nmodule.exports = arrayFilter;\n","var toString = {}.toString;\n\nmodule.exports = function (it) {\n return toString.call(it).slice(8, -1);\n};\n","/**\n * Removes `key`\n and its value from the stack.\n *\n * @private\n * @name delete\n * @memberOf Stack\n * @param {string} key The key of the value to remove.\n * @returns {boolean} Returns `true` if the entry was removed, else `false`.\n */\nfunction stackDelete(key) {\n var data = this.__data__,\n   result = data['delete'](key);\n\n this.size = data.size;\n return result;\n}\n\nmodule.exports = stackDelete;\n","var isFunction = require('./isFunction'),\n   isLength = require('./isLength');\n\n/**\n * Checks if `value` is array-like. A value is considered array-like if it's\n * not a function and has a `value.length` that's an integer greater than or\n * equal to `0` and less than or equal to\n `Number.MAX_SAFE_INTEGER`.\n *\n * @static\n * @memberOf _\n * @since 4.0.0\n * @category Lang\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is array-like, else `false`.\n * @example\n *\n * _.isArrayLike([1, 2, 3]);\n * // => true\n *\n * _.isArrayLike(document.body.children);\n * // => true\n *\n * _.isArrayLike('abc');\n * // => true\n *\n * _.isArrayLike(_.noop);\n * // => false\n */\nfunction isArrayLike(value) {\n return value != null && isLength(value.length) && !isFunction(value);\n}\n\nmodule.exports = isArrayLike;\n","// fast apply, http://jsperf.lnkit.com/fast-apply/5\nmodule.exports = function (fn, args, that) {\n var un = that === undefined;\n switch (args.length) {\n   case 0: return un ? fn()\n   : fn.call(that);\n   case 1: return un ? fn(args[0])\n   : fn.call(that, args[0]);\n   case 2: return un ? fn(args[0], args[1])\n   : fn.call(that, args[0], args[1]);\n   case 3: return un ? fn(args[0], args[1], args[2])\n   : fn.call(that, args[0], args[1], args[2]);\n   case 4: return un ? fn(args[0], args[1], args[2], args[3])\n   : fn.call(that, args[0], args[1], args[2], args[3]);\n } return fn.apply(that, args);\n};\n","var dP = require('./_object-dp');\nvar createDesc = require('./_property-desc');\nmodule.exports = require('./_descriptors') ? function (object, key, value) {\n return dP.f(object, key, createDesc(1, value));\n} : function (object, key, value) {\n object[key] = value;\n return object;\n};\n","var arrayFilter = require('./_arrayFilter'),\n   stubArray = require('./stubArray');\n\n/** Used for built-in method

references. */\nvar objectProto = Object.prototype;\n\n/** Built-in value references. */\nvar propertyIsEnumerable = objectProto.propertyIsEnumerable;\n\n/* Built-in method references for those with the same name as other `lodash` methods. */\nvar nativeGetSymbols = Object.getOwnPropertySymbols;\n\n/**\n * Creates an array of the own enumerable symbols of `object`.\n *\n * @private\n * @param {Object} object The object to query.\n * @returns {Array} Returns the array of symbols.\n */\nvar getSymbols = !nativeGetSymbols ? stubArray : function(object) {\n if (object == null) {\n return [];\n }\n object = Object(object);\n return arrayFilter(nativeGetSymbols(object), function(symbol) {\n return propertyIsEnumerable.call(object, symbol);\n });\n};\n\nmodule.exports = getSymbols;\n","// check on default Array iterator\nvar Iterators = require('./_iterators');\nvar ITERATOR = require('./_wks')('iterator');\nvar ArrayProto = Array.prototype;\n\nmodule.exports = function (it) {\n return it !== undefined && (Iterators.Array === it || ArrayProto[ITERATOR] === it);\n};\n","var isFunction = require('./isFunction'),\n isMasked = require('./_isMasked'),\n isObject = require('./isObject'),\n toSource = require('./_toSource');\n\n/**\n * Used to match `RegExp`\n * [syntax characters](http://ecma-international.org/ecma-262/7.0/#sec-patterns).\n */\nvar reRegExpChar = /[\\\\^$.*+?()[\\]{}|]/g;\n\n/** Used to detect host constructors (Safari). */\nvar reIsHostCtor = /^\\[object .+?Constructor\\]$/;\n\n/** Used for built-in method references. */\nvar funcProto = Function.prototype,\n objectProto = Object.prototype;\n\n/** Used to resolve the decompiled source of functions. */\nvar funcToString = funcProto.toString;\n\n/** Used to check objects for own properties. */\nvar hasOwnProperty = objectProto.hasOwnProperty;\n\n/** Used to detect if a method is native. */\nvar reIsNative = RegExp('^' +\n funcToString.call(hasOwnProperty).replace(reRegExpChar, '\\\\$&')\n .replace(/hasOwnProperty|(function).*?(?=\\\\\\()| for .+?(?=\\\\\\])/g, '$1.*?') + '$');\n\n/**\n * The base implementation of `_.isNative` without bad shim checks.\n *\n * @private\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is a native function,\n * else `false`.\n */\nfunction baseIsNative(value) {\n if (!isObject(value) || isMasked(value)) {\n return false;\n }\n var pattern = isFunction(value) ? reIsNative : reIsHostCtor;\n return pattern.test(toSource(value));\n}\n\nmodule.exports = baseIsNative;\n","/**\n * Gets the value at `key` of `object`.\n *\n * @private\n * @param {Object} [object] The object to query.\n * @param {string} key The key of the property to get.\n * @returns {*} Returns the property value.\n */\nfunction getValue(object, key) {\n return object == null ? undefined : object[key];\n}\n\nmodule.exports = getValue;\n","var Symbol = require('./_Symbol'),\n getRawTag = require('./_getRawTag'),\n objectToString = require('./_objectToString');\n\n/** `Object#toString` result references. */\nvar nullTag = '[object Null]',\n undefinedTag = '[object Undefined]';\n\n/** Built-in value references. */\nvar symToStringTag = Symbol ? Symbol.toStringTag : undefined;\n\n/**\n * The base implementation of `getTag` without fallbacks for buggy environments.\n *\n * @private\n * @param {*} value The value to query.\n * @returns {string} Returns the `toStringTag`.\n */\nfunction baseGetTag(value) {\n if (value == null) {\n return value === undefined ? undefinedTag : nullTag;\n }\n return (symToStringTag && symToStringTag in Object(value))\n ? getRawTag(value)\n : objectToString(value);\n}\n\nmodule.exports = baseGetTag;\n","// extracted by mini-css-extract-plugin","// 21.2.5.3 get RegExp.prototype.flags()\nif (require('./_descriptors') && /./g.flags != 'g') require('./_object-dp').f(RegExp.prototype, 'flags', {\n configurable: true,\n get: require('./_flags')\n});\n","// 19.1.2.9 / 15.2.3.2 Object.getPrototypeOf(O)\nvar has = require('./_has');\nvar toObject = require('./_to-object');\nvar IE_PROTO = require('./_shared-key')('IE_PROTO');\nvar ObjectProto = Object.prototype;\n\nmodule.exports = Object.getPrototypeOf || function (O) {\n O = toObject(O);\n if (has(O, IE_PROTO)) return O[IE_PROTO];\n if (typeof O.constructor == 'function' && O instanceof O.constructor) {\n return O.constructor.prototype;\n } return O instanceof Object ? ObjectProto : null;\n};\n","var getNative = require('./_getNative'),\n root = require('./_root');\n\n/* Built-in method references that are verified to be native. */\nvar WeakMap = getNative(root, 'WeakMap');\n\nmodule.exports = WeakMap;\n","var getNative = require('./_getNative');\n\nvar defineProperty = (function() {\n try {\n var func = getNative(Object, 'defineProperty');\n func({}, '', {});\n return func;\n } catch (e) {}\n}());\n\nmodule.exports = defineProperty;\n","var isStrictComparable = require('./_isStrictComparable'),\n keys = require('./keys');\n\n/**\n * Gets the property names, values, and compare flags of `object`.\n *\n * @private\n * @param {Object} object The object to query.\n * @returns {Array} Returns the match data of `object`.\n */\nfunction getMatchData(object) {\n

```
var result = keys(object),\n      length = result.length;\n\n  while (length--) {\n    var key = result[length],\n      value
= object[key];\n\n    result[length] = [key, value, isStrictComparable(value)];\n  }\n  return
result;\n}\n\nmodule.exports = getMatchData;\n","/*!\n * vue-headroom v0.9.0\n * (c) 2016-present dalphyx
<wjcbmk@gmail.com>\n * Released under the MIT License.\n */\n(function (global, factory) {\n\ttypeof exports
=== 'object' && typeof module !== 'undefined' ? module.exports = factory() :\n\ttypeof define === 'function' &&
define.amd ? define(factory) :\n\t(global.vueHeadroom = factory());\n}(this, (function () { 'use strict';\n\n\tvar
commonjsGlobal = typeof window !== 'undefined' ? window : typeof global !== 'undefined' ? global : typeof self
!== 'undefined' ? self : {};\n\n\tfunction createCommonjsModule(fn, module) {\n\t\treturn module = { exports: {} },
fn(module, module.exports), module.exports;\n\t}\n\n\tvar performanceNow = createCommonjsModule(function
(module) {\n\t// Generated by CoffeeScript 1.12.2\n\t(function() {\n\t  var getNanoSeconds, hrtime, loadTime,
moduleLoadTime, nodeLoadTime, upTime;\n\n\t  if ((typeof performance !== \"undefined\" && performance !==
null) && performance.now) {\n\t    module.exports = function() {\n\t      return performance.now();\n\t    };\n\t  }
else if ((typeof process !== \"undefined\" && process !== null) && process.hrtime) {\n\t    module.exports =
function() {\n\t      return (getNanoSeconds() - nodeLoadTime) / 1e6;\n\t    };\n\t    hrtime = process.hrtime;\n\t
getNanoSeconds = function() {\n\t      var hr;\n\t      hr = hrtime();\n\t      return hr[0] * 1e9 + hr[1];\n\t    };\n\t
moduleLoadTime = getNanoSeconds();\n\t    upTime = process.uptime() * 1e9;\n\t    nodeLoadTime =
moduleLoadTime - upTime;\n\t  } else if (Date.now) {\n\t    module.exports = function() {\n\t      return Date.now() -
loadTime;\n\t    };\n\t    loadTime = Date.now();\n\t  } else {\n\t    module.exports = function() {\n\t      return new
Date().getTime() - loadTime;\n\t    };\n\t    loadTime = new Date().getTime();\n\t
}\n\n\t}).call(commonjsGlobal);\n\n\t});\n\n\tvar root = typeof window === 'undefined' ? commonjsGlobal :
window\n\t  , vendors = ['moz', 'webkit']\n\t  , suffix = 'AnimationFrame'\n\t  , raf = root['request' + suffix]\n\t  , caf
= root['cancel' + suffix] || root['cancelRequest' + suffix];\n\n\tfor(var i = 0; !raf && i < vendors.length; i++) {\n\t  raf
= root[vendors[i] + 'Request' + suffix];\n\t  caf = root[vendors[i] + 'Cancel' + suffix]\n\t      || root[vendors[i] +
'CancelRequest' + suffix];\n\t}\n\n\t// Some versions of FF have rAF but not cAF\n\tif(!raf || !caf) {\n\t  var last =
0\n\t    , id = 0\n\t    , queue = []\n\t    , frameDuration = 1000 / 60;\n\n\t  raf = function(callback) {\n\t
if(queue.length === 0) {\n\t      var _now = performanceNow()\n\t        , next = Math.max(0, frameDuration - (_now
- last));\n\t      last = next + _now;\n\t      setTimeout(function() {\n\t        var cp = queue.slice(0);\n\t        // Clear
queue here to prevent\n\t        // callbacks from appending listeners\n\t        // to the current frame's queue\n\t
queue.length = 0;\n\t        for(var i = 0; i < cp.length; i++) {\n\t          if(!cp[i].cancelled) {\n\t            try{\n\t
cp[i].callback(last);\n\t            } catch(e) {\n\t              setTimeout(function() { throw e }, 0);\n\t            }\n\t
}\n\t        }\n\t      }, Math.round(next));\n\t    }\n\t    queue.push({\n\t      handle: ++id,\n\t      callback: callback,\n\t
cancelled: false\n\t    });\n\t    return id\n\t  };\n\n\t  caf = function(handle) {\n\t    for(var i = 0; i < queue.length;
i++) {\n\t      if(queue[i].handle === handle) {\n\t        queue[i].cancelled = true;\n\t      }\n\t    }\n\t  };\n\t}\n\n\tvar
raf_1 = function(fn) {\n\t  // Wrap in a new function to prevent\n\t  // `cancel` potentially being assigned\n\t  // to the
native rAF function\n\t  return raf.call(root, fn)\n\t};\n\tvar cancel = function() {\n\t  caf.apply(root,
arguments);\n\t};\n\tvar polyfill = function(object) {\n\t  if (!object) {\n\t    object = root;\n\t  }\n\t
object.requestAnimationFrame = raf;\n\t  object.cancelAnimationFrame = caf;\n\t};\n\traf_1.cancel =
cancel;\n\traf_1.polyfill = polyfill;\n\n\tfunction checkActions(states) {\n\t  var direction = states.currentScrollY >=
states.lastScrollY ? 'down' : 'up';\n\t  var distanceScrolled = Math.abs(states.currentScrollY - states.lastScrollY);\n\t
var action; // Scrolling down and past the offset.\n\t  // Unpinned the header.\n\n\t  if (direction === 'down' &&
states.currentScrollY >= states.offset && distanceScrolled > states.downTolerance) {\n\t    action = 'unpin'; // Now,
it's time to up.\n\t    // Pin the header.\n\t  } else if (direction === 'up' && distanceScrolled > states.upTolerance ||
states.currentScrollY <= states.offset) {\n\t    action = 'pin';\n\t  }\n\n\t  return action;\n\t}\n\n\t// borrowed from
modernizr\n\t// https://github.com/Modernizr/Modernizr/blob/master/feature-detects/css/transforms3d.js\n\tfunction
supports3d() {\n\t  var div = document.createElement('div');\n\t  var ret = false;\n\t  var properties =
['perspectiveProperty', 'WebkitPerspective'];\n\n\t  for (var i = properties.length - 1; i >= 0; i--) {\n\t    ret = ret ? ret :
div.style[properties[i]] !== undefined;\n\t  }\n\n\t  if (ret) {\n\t    var st = document.createElement('style');\n\t
st.textContent = '#modernizr{width:0;height:0} @media (transform-3d),(-webkit-transform-
```

3d){#modernizr{width:7px;height:18px;margin:0;padding:0;border:0}}';\n\t document.getElementsByTagName('head')[0].appendChild(st);\n\t div.id = 'modernizr';\n\t document.body.appendChild(div);\n\t ret = div.offsetWidth === 7 && div.offsetHeight === 18;\n\t st.parentNode.removeChild(st);\n\t div.parentNode.removeChild(div);\n\t }\n\n\t return ret;\n\t}\n\n\tvar _extends = Object.assign || function (target) { for (var i = 1; i < arguments.length; i++) { var source = arguments[i]; for (var key in source) { if (Object.prototype.hasOwnProperty.call(source, key)) { target[key] = source[key]; } } } return target; };\n\n\tfunction _defineProperty(obj, key, value) { if (key in obj) { Object.defineProperty(obj, key, { value: value, enumerable: true, configurable: true, writable: true }); } else { obj[key] = value; } return obj; }\n\n\tvar defaultCls = {\n\t pinned: 'headroom--pinned',\n\t unpinned: 'headroom--unpinned',\n\t top: 'headroom--top',\n\t notTop: 'headroom--not-top',\n\t bottom: 'headroom--bottom',\n\t notBottom: 'headroom--not-bottom',\n\t initial: 'headroom'\n\t};\n\n\tvar headroom = { render: function render() {\n\t var _vm = this;var _h = _vm.$createElement;var _c = _vm._self._c || _h;return _c('div', { class: _vm.cls, style: _vm.style }, [_vm._t(\"default\")], 2);\n\t }, staticRenderFns: [],\n\t name: 'vueHeadroom',\n\n\t data: function data() {\n\t return {\n\t isTop: false,\n\t isNotTop: false,\n\t isBottom: false,\n\t isNotBottom: false,\n\t isPinned: false,\n\t isUnpinned: false,\n\t currentScrollY: 0,\n\t lastScrollY: 0,\n\t state: '',\n\t translate: 0,\n\t isSupport3d: false\n\t };\n\t },\n\n\t props: {\n\t scroller: {\n\t type: Function,\n\t default: function _default() {\n\t return window;\n\t }\n\t },\n\n\t disabled: {\n\t type: Boolean,\n\t default: false\n\t },\n\n\t upTolerance: {\n\t type: Number,\n\t default: 5\n\t },\n\n\t downTolerance: {\n\t type: Number,\n\t default: 0\n\t },\n\n\t speed: {\n\t type: Number,\n\t default: 250\n\t },\n\n\t easing: {\n\t type: String,\n\t default: 'ease-in-out'\n\t },\n\n\t zIndex: {\n\t type: Number,\n\t default: 9999\n\t },\n\n\t onPin: Function,\n\t onUnpin: Function,\n\t onTop: Function,\n\t onNotTop: Function,\n\t onBottom: Function,\n\t onNotBottom: Function,\n\n\t offset: {\n\t type: Number,\n\t default: 0\n\t },\n\n\t classes: {\n\t type: Object,\n\t default: function _default() {\n\t return defaultCls;\n\t }\n\t },\n\n\t footroom: {\n\t type: Boolean,\n\t default: false\n\t }\n\t },\n\n\t watch: {\n\t disabled: function disabled(newVal) {\n\t if (newVal) {\n\t this.scroller().removeEventListener('scroll', this._handleScroll);\n\t } else {\n\t this.scroller().addEventListener('scroll', this._handleScroll);\n\t }\n\t }\n\t },\n\n\t mounted: function mounted() {\n\t this.isSupport3d = supports3d();\n\n\t if (!this.disabled) {\n\t this.scroller().addEventListener('scroll', this._handleScroll);\n\t }\n\n\t // When headroom is mounted, call handleScroll to set initial state.\n\t this._handleScroll();\n\t },\n\t beforeDestroy: function beforeDestroy() {\n\t this.scroller().removeEventListener('scroll', this._handleScroll);\n\t },\n\n\t computed: {\n\t style: function style() {\n\t var styles = {\n\t 'position': this.isInTop ? 'fixed' : 'relative',\n\t 'top': '0',\n\t 'left': '0',\n\t 'right': '0',\n\t 'z-index': this.isInTop ? this.zIndex : 1\n\t };\n\n\t if (this.footroom) {\n\t styles = _extends({}, styles, { 'top': 'unset', 'bottom': '0' });\n\t }\n\n\t // SSR cannot detect scroll position. To prevent flash when component mounted,\n\t // just add transition styles in browser.\n\t if (!this.$isServer) {\n\t styles.transform = this.isSupport3d && !this.$isServer ? 'translate3d(0, ' + this.translate + ', 0)' : 'translateY(' + this.translate + ')';\n\t styles.transition = this.isInTop ? 'all ' + this.speed + 'ms ' + this.easing : null;\n\t }\n\n\t return styles;\n\t },\n\t clsOpts: function clsOpts() {\n\t return _extends({}, defaultCls, this.classes);\n\t },\n\t cls: function cls() {\n\t var _ref;\n\n\t var cls = this.clsOpts;\n\t return this.disabled ? {} : (_ref = {}, _defineProperty(_ref, cls.top, this.isTop), _defineProperty(_ref, cls.notTop, this.isNotTop), _defineProperty(_ref, cls.bottom, this.isBottom), _defineProperty(_ref, cls.notBottom, this.isNotBottom), _defineProperty(_ref, cls.pinned, this.isPinned), _defineProperty(_ref, cls.unpinned, this.isUnpinned), _defineProperty(_ref, cls.initial, true), _ref);\n\t },\n\n\t isInTop: function isInTop() {\n\t return this.state === 'pinned' || this.state === 'unpinned';\n\t }\n\t },\n\n\t methods: {\n\t _getViewportHeight: function _getViewportHeight() {\n\t return window.innerHeight || document.documentElement.clientHeight || document.body.clientHeight;\n\t },\n\n\t _getElementPhysicalHeight: function _getElementPhysicalHeight(elm) {\n\t return Math.max(elm.offsetHeight, elm.clientHeight);\n\t },\n\n\t _getDocumentHeight: function _getDocumentHeight() {\n\t var body = document.body;\n\t var documentElement = document.documentElement;\n\n\t return Math.max(body.scrollHeight, documentElement.scrollHeight,

body.offsetHeight, documentElement.offsetHeight, body.clientHeight, documentElement.clientHeight);\n\t   },\n\n\t   _getElementHeight: function _getElementHeight(elm) {\n\t   return Math.max(elm.scrollHeight, elm.offsetHeight, elm.clientHeight);\n\t   },\n\n\t   _getScrollerPhysicalHeight: function _getScrollerPhysicalHeight() {\n\t   var parent = this.scroller();\n\n\t   return parent === window || parent === document.body ? this._getViewportHeight() : this._getElementPhysicalHeight(parent);\n\t   },\n\t   _getScrollerHeight: function _getScrollerHeight() {\n\t   var parent = this.scroller();\n\n\t   return parent === window || parent === document.body ? this._getDocumentHeight() : this._getElementHeight(parent);\n\t   },\n\t   _isOutOfBound: function _isOutOfBound(currentScrollY) {\n\t   var pastTop = currentScrollY < 0;\n\n\t   var scrollerPhysicalHeight = this._getScrollerPhysicalHeight();\n\t   var scrollerHeight = this._getScrollerHeight();\n\n\t   var pastBottom = currentScrollY + scrollerPhysicalHeight > scrollerHeight;\n\n\t   return pastTop || pastBottom;\n\t   },\n\t   _handleScroll: function _handleScroll() {\n\t   raf_1(this.update);\n\t   },\n\t   _getScrollY: function _getScrollY() {\n\t   var top = void 0;\n\t   if (this.scroller().pageYOffset !== undefined) {\n\t   top = this.scroller().pageYOffset;\n\t   } else if (this.scroller().scrollTop !== undefined) {\n\t   top = this.scroller().scrollTop;\n\t   } else {\n\t   top = (document.documentElement || document.body.parentNode || document.body).scrollTop;\n\t   }\n\t   return top;\n\t   },\n\t   update: function update() {\n\t   this.currentScrollY = this._getScrollY();\n\n\t   if (this._isOutOfBound(this.currentScrollY)) {\n\t   return;\n\t   }\n\n\t   if (this.currentScrollY <= this.offset) {\n\t   this.top();\n\t   } else {\n\t   this.notTop();\n\t   }\n\n\t   if (this.currentScrollY + this._getViewportHeight() >= this._getScrollerHeight()) {\n\t   this.bottom();\n\t   } else {\n\t   this.notBottom();\n\t   }\n\n\t   var action = checkActions(this);\n\n\t   if (action === 'pin') {\n\t   this.pin();\n\t   } else if (action === 'unpin') {\n\t   this.unpin();\n\t   }\n\n\t   this.lastScrollY = this.currentScrollY;\n\t   },\n\t   top: function top() {\n\t   if (!this.isTop) {\n\t   this.isTop = true;\n\t   this.isNotTop = false;\n\t   this.onTop && this.onTop();\n\t   }\n\t   },\n\t   notTop: function notTop() {\n\t   if (!this.isNotTop) {\n\t   this.isTop = false;\n\t   this.isNotTop = true;\n\t   this.onNotTop && this.onNotTop();\n\t   }\n\t   },\n\t   bottom: function bottom() {\n\t   if (!this.isBottom) {\n\t   this.isBottom = true;\n\t   this.isNotBottom = false;\n\t   this.onBottom && this.onBottom();\n\t   }\n\t   },\n\t   notBottom: function notBottom() {\n\t   if (!this.isNotBottom) {\n\t   this.isNotBottom = true;\n\t   this.isBottom = false;\n\t   this.onNotBottom && this.onNotBottom();\n\t   }\n\t   },\n\t   pin: function pin() {\n\t   var _this = this;\n\n\t   if (!this.isPinned) {\n\t   this.isPinned = true;\n\t   this.isUnpinned = false;\n\t   this.onPin && this.onPin();\n\t   this.$emit('pin');\n\t   this.translate = 0;\n\t   setTimeout(function () {\n\t   _this.state = 'pinned';\n\t   }, 0);\n\t   }\n\t   },\n\t   unpin: function unpin() {\n\t   var _this2 = this;\n\n\t   if (this.isPinned || !this.isUnpinned) {\n\t   this.isUnpinned = true;\n\t   this.isPinned = false;\n\t   this.onUnpin && this.onUnpin();\n\t   this.$emit('unpin');\n\t   this.translate = this.footroom ? '100%' : '-100%';\n\t   setTimeout(function () {\n\t   _this2.state = 'unpinned';\n\t   }, 0);\n\t   }\n\t   }\n\n\t}};\n\n\tvar install = function install(Vue) {\n\n\t   if (install.installed) {\n\t   return;\n\t   }\n\n\t   Vue.component(headroom.name, headroom);\n\t};\n\n\tif (typeof window !== 'undefined' && window.Vue) {\n\t   install(window.Vue);\n\t}\n\n\tvar index = {\n\t   headroom: headroom,\n\t   install: install\n\t};\n\n\treturn index;\n\n})));\n","'use strict';\nvar create = require('./_object-create');\nvar descriptor = require('./_property-desc');\nvar setToStringTag = require('./_set-to-string-tag');\nvar IteratorPrototype = {};\n\n// 25.1.2.1.1 %IteratorPrototype%[@@iterator]()\nrequire('./_hide')(IteratorPrototype, require('./_wks')('iterator'), function () { return this; });\n\nmodule.exports = function (Constructor, NAME, next) {\n Constructor.prototype = create(IteratorPrototype, { next: descriptor(1, next) });\n setToStringTag(Constructor, NAME + ' Iterator');\n};\n","var isKeyable = require('./_isKeyable');\n\n/**\n * Gets the data for `map`.\n *\n * @private\n * @param {Object} map The map to query.\n * @param {string} key The reference key.\n * @returns {*} Returns the map data.\n */\nfunction getMapData(map, key) {\n var data = map.__data__;\n return isKeyable(key)\n   ? data[typeof key == 'string' ? 'string' : 'hash']\n   : data.map;\n}\n\nmodule.exports = getMapData;\n","/**\n * A specialized version of `_.some` for arrays without support for iteratee\n * shorthands.\n *\n * @private\n * @param {Array} [array] The array to iterate over.\n * @param {Function} predicate The function invoked per iteration.\n * @returns {boolean} Returns `true` if any element passes the predicate check,\n *

else `false`.\n */\nfunction arraySome(array, predicate) {\n var index = -1,\n   length = array == null ? 0 : array.length;\n\n while (++index < length) {\n   if (predicate(array[index], index, array)) {\n   return true;\n   }\n }\n return false;\n}\n\nmodule.exports = arraySome;\n","var DataView = require('./_DataView'),\n   Map = require('./_Map'),\n   Promise = require('./_Promise'),\n   Set = require('./_Set'),\n   WeakMap = require('./_WeakMap'),\n   baseGetTag = require('./_baseGetTag'),\n   toSource = require('./_toSource');\n\n/** `Object#toString` result references. */\nvar mapTag = '[object Map]',\n   objectTag = '[object Object]',\n   promiseTag = '[object Promise]',\n   setTag = '[object Set]',\n   weakMapTag = '[object WeakMap]';\n\nvar dataViewTag = '[object DataView]';\n\n/** Used to detect maps, sets, and weakmaps. */\nvar dataViewCtorString = toSource(DataView),\n   mapCtorString = toSource(Map),\n   promiseCtorString = toSource(Promise),\n   setCtorString = toSource(Set),\n   weakMapCtorString = toSource(WeakMap);\n\n/**\n * Gets the `toStringTag` of `value`.\n *\n * @private\n * @param {*} value The value to query.\n * @returns {string} Returns the `toStringTag`.\n */\nvar getTag = baseGetTag;\n\n// Fallback for data views, maps, sets, and weak maps in IE 11\nand promises in Node.js < 6.\nif ((DataView && getTag(new DataView(new ArrayBuffer(1))) != dataViewTag) ||\n   (Map && getTag(new Map) != mapTag) ||\n   (Promise && getTag(Promise.resolve()) != promiseTag) ||\n   (Set && getTag(new Set) != setTag) ||\n   (WeakMap && getTag(new WeakMap) != weakMapTag)) {\n getTag = function(value) {\n   var result = baseGetTag(value),\n   Ctor = result == objectTag ? value.constructor : undefined,\n   ctorString = Ctor ? toSource(Ctor) : '';\n\n   if (ctorString) {\n   switch (ctorString) {\n   case dataViewCtorString: return dataViewTag;\n   case mapCtorString: return mapTag;\n   case promiseCtorString: return promiseTag;\n   case setCtorString: return setTag;\n   case weakMapCtorString: return weakMapTag;\n   }\n   }\n   return result;\n };\n}\n\nmodule.exports = getTag;\n","exports.nextTick = function nextTick(fn) {\n\tsetTimeout(fn, 0);\n};\n\nexports.platform = exports.arch = \nexports.execPath = exports.title = 'browser';\nexports.pid = 1;\nexports.browser = true;\nexports.env = {};\nexports.argv = [];\nexports.binding = function (name) {\n\tthrow new Error('No such module. (Possibly not yet loaded)')\n};\n\n(function () {\n var cwd = '/';\n var path;\n exports.cwd = function () { return cwd };\n exports.chdir = function (dir) {\n   if (!path)\n   path = require('path');\n   cwd = path.resolve(dir, cwd);\n };\n})();\nexports.exit = exports.kill = \nexports.umask = exports.dlopen = \nexports.uptime = exports.memoryUsage = \nexports.uvCounters = function() {};\nexports.features = {};\n","/**\n * Gets the last element of `array`.\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @category Array\n * @param {Array} array The array to query.\n * @returns {*} Returns the last element of `array`.\n * @example\n *\n * _.last([1, 2, 3]);\n * // => 3\n */\nfunction last(array) {\n var length = array == null ? 0 : array.length;\n return length ? array[length - 1] : undefined;\n}\n\nmodule.exports = last;\n","// 19.1.2.14 Object.keys(O)\nvar toObject = require('./_to-object');\nvar $keys = require('./_object-keys');\n\nrequire('./_object-sap')('keys', function () {\n return function keys(it) {\n   return $keys(toObject(it));\n };\n});\n","// 7.1.4 ToInteger\nvar ceil = Math.ceil;\nvar floor = Math.floor;\nmodule.exports = function (it) {\n return isNaN(it = +it) ? 0 : (it > 0 ? floor : ceil)(it);\n};\n","module.exports = function (bitmap, value) {\n return {\n   enumerable: !(bitmap & 1),\n   configurable: !(bitmap & 2),\n   writable: !(bitmap & 4),\n   value: value\n };\n};\n","var baseForOwn = require('./_baseForOwn'),\n   createBaseEach = require('./_createBaseEach');\n\n/**\n * The base implementation of `_.forEach` without support for iteratee shorthands.\n *\n * @private\n * @param {Array|Object} collection The collection to iterate over.\n * @param {Function} iteratee The function invoked per iteration.\n * @returns {Array|Object} Returns `collection`.\n */\nvar baseEach = createBaseEach(baseForOwn);\n\nmodule.exports = baseEach;\n","// @@match logic\nrequire('./_fix-re-wks')('match', 1, function (defined, MATCH, $match) {\n // 21.1.3.11 String.prototype.match(regexp)\n return [function match(regexp) {\n   'use strict';\n   var O = defined(this);\n   var fn = regexp == undefined ? undefined : regexp[MATCH];\n   return fn !== undefined ? fn.call(regexp, O) : new RegExp(regexp)[MATCH](String(O));\n }, $match];\n});\n","var nativeCreate = require('./_nativeCreate');\n\n/**\n * Removes all key-value entries from the hash.\n *\n * @private\n * @name clear\n * @memberOf Hash\n */\nfunction hashClear() {\n this.__data__ = nativeCreate ? nativeCreate(null) : {};\n this.size = 0;\n}\n\nmodule.exports = hashClear;\n","var ctx = require('./_ctx');\nvar call = require('./_iter-call');\nvar isArrayIter = require('./_is-array-iter');\nvar anObject = require('./_an-object');\nvar toLength = require('./_to-length');\nvar getIterFn = require('./core.get-iterator-

method');\nvar BREAK = {};\nvar RETURN = {};\nvar exports = module.exports = function (iterable, entries, fn, that, ITERATOR) {\n var iterFn = ITERATOR ? function () { return iterable; } : getIterFn(iterable);\n var f = ctx(fn, that, entries ? 2 : 1);\n var index = 0;\n var length, step, iterator, result;\n if (typeof iterFn != 'function') throw TypeError(iterable + ' is not iterable!');\n // fast case for arrays with default iterator\n if (isArrayIter(iterFn)) for (length = toLength(iterable.length); length > index; index++) {\n   result = entries ? f(anObject(step = iterable[index])[0], step[1]) : f(iterable[index]);\n   if (result === BREAK || result === RETURN) return result;\n } else for (iterator = iterFn.call(iterable); !(step = iterator.next()).done;) {\n   result = call(iterator, f, step.value, entries);\n   if (result === BREAK || result === RETURN) return result;\n }\n};\nexports.BREAK = BREAK;\nexports.RETURN = RETURN;\n","// 7.1.13 ToObject(argument)\nvar defined = require('./_defined');\nmodule.exports = function (it) {\n return Object(defined(it));\n};\n","var baseFlatten = require('./_baseFlatten');\n\n/**\n * Flattens `array` a single level deep.\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @category Array\n * @param {Array} array The array to flatten.\n * @returns {Array} Returns the new flattened array.\n * @example\n *\n * _.flatten([1, [2, [3, [4]], 5]]);\n * // => [1, 2, [3, [4]], 5]\n */\nfunction flatten(array) {\n var length = array == null ? 0 : array.length;\n return length ? baseFlatten(array, 1) : [];\n}\n\nmodule.exports = flatten;\n","// extracted by mini-css-extract-plugin","/**\n * The base implementation of `_.times` without support for iteratee shorthands\n * or max array length checks.\n *\n * @private\n * @param {number} n The number of times to invoke `iteratee`.\n * @param {Function} iteratee The function invoked per iteration.\n * @returns {Array} Returns the array of results.\n */\nfunction baseTimes(n, iteratee) {\n var index = -1,\n   result = Array(n);\n\n while (++index < n) {\n   result[index] = iteratee(index);\n }\n return result;\n}\n\nmodule.exports = baseTimes;\n","/*!\n * vue-social-sharing v2.3.3 \n * (c) 2017 nicolasbeauvais\n * Released under the MIT License.\n */\n'use strict';\n\nfunction _interopDefault (ex) { return (ex && (typeof ex === 'object') && 'default' in ex) ? ex['default'] : ex; }\n\nvar Vue = _interopDefault(require('vue'));\n\nvar SocialSharingNetwork = {\n functional: true,\n\n props: {\n   network: {\n   type: String,\n   default: ''\n   }\n },\n\n render: function (createElement, context) {\n   var network = context.parent._data.baseNetworks[context.props.network];\n\n   if (!network) {\n   return console.warn((\"Network \" + (context.props.network) + \" does not exist\"));\n   }\n\n   return createElement(context.parent.networkTag, {\n   staticClass: context.data.staticClass || null,\n   staticStyle: context.data.staticStyle || null,\n   class: context.data.class || null,\n   style: context.data.style || null,\n   attrs: {\n   id: context.data.attrs.id || null,\n   'data-link': network.type === 'popup'\n   ? '#share-' + context.props.network\n   : context.parent.createSharingUrl(context.props.network),\n   'data-action': network.type === 'popup' ? null : network.action\n   },\n   on: {\n   click: network.type === 'popup' ? function () {\n   context.parent.share(context.props.network);\n   } : function () {\n   context.parent.touch(context.props.network);\n   }\n   }\n   }, context.children);\n }\n};\n\nvar email = {\"sharer\":\"mailto:?subject=@title&body=@url%0D%0A%0D%0A@description\",\"type\":\"direct\"};\nvar facebook = {\"sharer\":\"https://www.facebook.com/sharer/sharer.php?u=@url&title=@title&description=@description&quote=@quote\",\"type\":\"popup\"};\nvar googleplus = {\"sharer\":\"https://plus.google.com/share?url=@url\",\"type\":\"popup\"};\nvar line = {\"sharer\":\"http://line.me/R/msg/text/?@description%0D%0A@url\",\"type\":\"popup\"};\nvar linkedin = {\"sharer\":\"https://www.linkedin.com/shareArticle?mini=true&url=@url&title=@title&summary=@description\",\"type\":\"popup\"};\nvar odnoklassniki = {\"sharer\":\"https://connect.ok.ru/dk?st.cmd=WidgetSharePreview&st.shareUrl=@url&st.comments=@description\",\"type\":\"popup\"};\nvar pinterest = {\"sharer\":\"https://pinterest.com/pin/create/button/?url=@url&media=@media&description=@title\",\"type\":\"popup\"};\nvar reddit = {\"sharer\":\"https://www.reddit.com/submit?url=@url&title=@title\",\"type\":\"popup\"};\nvar skype = {\"sharer\":\"https://web.skype.com/share?url=@description%0D%0A@url\",\"type\":\"popup\"};\nvar telegram = {\"sharer\":\"https://t.me/share/url?url=@url&text=@description\",\"type\":\"popup\"};\nvar twitter =

{\"sharer\":\"https://twitter.com/intent/tweet?text=@title&url=@url&hashtags=@hashtags@twitteruser\",\"type\":\"popup\"};\nvar viber = {\"sharer\":\"viber://forward?text=@url @description\",\"type\":\"direct\"};\nvar vk = {\"sharer\":\"https://vk.com/share.php?url=@url&title=@title&description=@description&image=@media&noparse=true\",\"type\":\"popup\"};\nvar weibo = {\"sharer\":\"http://service.weibo.com/share/share.php?url=@url&title=@title\",\"type\":\"popup\"};\nvar whatsapp = {\"sharer\":\"whatsapp://send?text=@description%0D%0A@url\",\"type\":\"direct\",\"action\":\"share/whatsapp/share\"};\nvar sms = {\"sharer\":\"sms:?body=@url%20@description\",\"type\":\"direct\"};\nvar BaseNetworks = {\n\temail: email,\n\tfacebook: facebook,\n\tgoogleplus: googleplus,\n\tline: line,\n\tlinkedin: linkedin,\n\todnoklassniki: odnoklassniki,\n\tpinterest: pinterest,\n\treddit: reddit,\n\tskype: skype,\n\ttelegram: telegram,\n\ttwitter: twitter,\n\tviber: viber,\n\tvk: vk,\n\tweibo: weibo,\n\twhatsapp: whatsapp,\n\tsms: sms\n};\n\nvar inBrowser = typeof window !== 'undefined';\nvar $window = inBrowser ? window : null;\n\nvar SocialSharing = {\n props: {\n   /**\n   * URL to share.\n   * @var string\n   */\n   url: {\n   type: String,\n   default: inBrowser ? window.location.href : ''\n   },\n\n   /**\n   * Sharing title, if available by network.\n   * @var string\n   */\n   title: {\n   type: String,\n   default: ''\n   },\n\n   /**\n   * Sharing description, if available by network.\n   * @var string\n   */\n   description: {\n   type: String,\n   default: ''\n   },\n\n   /**\n   * Facebook quote\n   * @var string\n   */\n   quote: {\n   type: String,\n   default: ''\n   },\n\n   /**\n   * Twitter hashtags\n   * @var string\n   */\n   hashtags: {\n   type: String,\n   default: ''\n   },\n\n   /**\n   * Twitter user.\n   * @var string\n   */\n   twitterUser: {\n   type: String,\n   default: ''\n   },\n\n   /**\n   * Flag that indicates if counts should be retrieved.\n   * - NOT WORKING IN CURRENT VERSION\n   * @var mixed\n   */\n   withCounts: {\n   type: [String, Boolean],\n   default: false\n   },\n\n   /**\n   * Google plus key.\n   * @var string\n   */\n   googleKey: {\n   type: String,\n   default: undefined\n   },\n\n   /**\n   * Pinterest Media URL.\n   * Specifies the image/media to be used.\n   */\n   media: {\n   type: String,\n   default: ''\n   },\n\n   /**\n   * Network sub component tag.\n   * Default to span tag\n   */\n   networkTag: {\n   type: String,\n   default: 'span'\n   },\n\n   /**\n   * Additional or overridden networks.\n   * Default to BaseNetworks\n   */\n   networks: {\n   type: Object,\n   default: function () {\n   return {};\n   }\n   }\n },\n\n data: function data () {\n   return {\n   /**\n   * Available sharing networks.\n   * @param object\n   */\n   baseNetworks: BaseNetworks,\n\n   /**\n   * Popup settings.\n   * @param object\n   */\n   popup: {\n   status: false,\n   resizable: true,\n   toolbar: false,\n   menubar: false,\n   scrollbars: false,\n   location: false,\n   directories: false,\n   width: 626,\n   height: 436,\n   top: 0,\n   left: 0,\n   window: undefined,\n   interval: null\n   }\n   };\n },\n\n methods: {\n   /**\n   * Returns generated sharer url.\n   *\n   * @param network Social network key.\n   */\n   createSharingUrl: function createSharingUrl (network) {\n   return this.baseNetworks[network].sharer\n   .replace(/@url/g, encodeURIComponent(this.url))\n   .replace(/@title/g, encodeURIComponent(this.title))\n   .replace(/@description/g, encodeURIComponent(this.description))\n   .replace(/@quote/g, encodeURIComponent(this.quote))\n   .replace(/@hashtags/g, this.hashtags)\n   .replace(/@media/g, this.media)\n   .replace(/@twitteruser/g, this.twitterUser ? '&via=' + this.twitterUser : '');\n   },\n\n   /**\n   * Shares URL in specified network.\n   *\n   * @param string network Social network key.\n   */\n   share: function share (network) {\n   this.openSharer(network, this.createSharingUrl(network));\n\n   this.$root.$emit('social_shares_open', network, this.url);\n   this.$emit('open', network, this.url);\n   },\n\n   /**\n   * Touches network and emits click event.\n   *\n   * @param string network Social network key.\n   */\n   touch: function touch (network) {\n   window.open(this.createSharingUrl(network), '_self');\n\n   this.$root.$emit('social_shares_open', network, this.url);\n   this.$emit('open', network, this.url);\n   },\n\n   /**\n   * Opens sharer popup.\n   *\n   * @param string url Url to share.\n   */\n   openSharer: function openSharer (network, url) {\n   var this$1 = this;\n\n   // If a popup window already exist it will be replaced, trigger a close event.\n   if (this.popup.window && this.popup.interval) {\n   clearInterval(this.popup.interval);\n\n   this.popup.window.close();// Force close (for Facebook)\n   this.$root.$emit('social_shares_change', network, this.url);\n   this.$emit('change', network, this.url);\n   }\n\n   this.popup.window = window.open(\n   url,\n

'sharer',\n   'status=' + (this.popup.status ? 'yes' : 'no') +\n   ',height=' + this.popup.height +\n   ',width=' + this.popup.width +\n   ',resizable=' + (this.popup.resizable ? 'yes' : 'no') +\n   ',left=' + this.popup.left +\n ',top=' + this.popup.top +\n   ',screenX=' + this.popup.left +\n   ',screenY=' + this.popup.top +\n   ',toolbar=' + (this.popup.toolbar ? 'yes' : 'no') +\n   ',menubar=' + (this.popup.menubar ? 'yes' : 'no') +\n   ',scrollbars=' + (this.popup.scrollbars ? 'yes' : 'no') +\n   ',location=' + (this.popup.location ? 'yes' : 'no') +\n   ',directories=' + (this.popup.directories ? 'yes' : 'no')\n   );\n\n   this.popup.window.focus();\n\n   // Create an interval to detect popup closing event\n   this.popup.interval = setInterval(function () {\n   if (this$1.popup.window.closed) {\n   clearInterval(this$1.popup.interval);\n\n   this$1.popup.window = undefined;\n\n this$1.$root.$emit('social_shares_close', network, this$1.url);\n   this$1.$emit('close', network, this$1.url);\n }\n   }, 500);\n   }\n },\n\n /**\n   * Merge base networks list with user's list\n   */\n beforeMount: function beforeMount () {\n   this.baseNetworks = Vue.util.extend(this.baseNetworks, this.networks);\n },\n\n /**\n   * Sets popup default dimensions.\n   */\n mounted: function mounted () {\n   if (!inBrowser) {\n   return;\n   }\n\n /**\n   * Center the popup on dual screens\n   * http://stackoverflow.com/questions/4068373/center-a-popup-window-on-screen/32261263\n   */\n   var dualScreenLeft = $window.screenLeft !== undefined ? $window.screenLeft : screen.left;\n   var dualScreenTop = $window.screenTop !== undefined ? $window.screenTop : screen.top;\n\n   var width = $window.innerWidth ? $window.innerWidth : (document.documentElement.clientWidth ? document.documentElement.clientWidth : screen.width);\n   var height = $window.innerHeight ? $window.innerHeight : (document.documentElement.clientHeight ? document.documentElement.clientHeight : screen.height);\n\n   this.popup.left = ((width / 2) - (this.popup.width / 2)) + dualScreenLeft;\n   this.popup.top = ((height / 2) - (this.popup.height / 2)) + dualScreenTop;\n },\n\n /**\n   * Set component aliases for buttons and links.\n   */\n components: {\n   'network': SocialSharingNetwork\n }\n};\n\nSocialSharing.version = '2.3.3';\n\nSocialSharing.install = function (Vue) {\n Vue.component('social-sharing', SocialSharing);\n};\n\nif (typeof window !== 'undefined') {\n window.SocialSharing = SocialSharing;\n}\n\nmodule.exports = SocialSharing;","exports.f = {}.propertyIsEnumerable;\n","export default {\n 'imddb-header.dropdown.items': [\n   { label: 'Graphics', href: \"#/\" },\n   { label: 'Overview', href: \"#/\" },\n   { label: 'Visual overview', href: \"#/\" },\n   { label: 'Backgrounder', href: \"#/\" },\n   { label: 'About this project', href: \"#/\", active: true }\n],\n 'project.name': 'Secret Papers',\n 'app.name': 'Awesome App',\n 'app.home': './',\n 'sharing-options.url': null,\n 'sharing-options.title': 'Awesome App by ICIJ',\n 'sharing-options.description': 'null',\n 'sharing-options.media': null,\n 'sharing-options.twitter-user': 'ICIJorg',\n 'signup-form.tracker': 'EXTERNAL',\n 'signup-form.action': 'https://icij.us15.list-manage.com/subscribe/post?u=0d48a33b1c24d257734cc2a79&id=992ecfdbb2',\n 'donate-form.introduction': `ICIJ's investigations are supported by readers like you. Help keep our\n                        databases free and open to the public by joining our\n                        <strong><a target=\"_blank\" href=\"https://icij.org/donate\">ICIJ Insiders</a></strong>\n                        community.`\n}\n","import get from 'lodash/get'\nimport each from 'lodash/each'\nimport Symbol from 'es6-symbol'\nimport defaultValues from './config.default'\n\nconst _VALUES = Symbol('values')\nconst _SCOPES = Symbol('scopes')\n\nclass Config {\n constructor (values = {}) {\n   this[_VALUES] = {}\n   each(values, (value, key) => this.set(key, value))\n   return this;\n }\n set (key, value) {\n   const levels = key.split('.')\n   if (levels.length > 1) {\n   this[_VALUES][key] = this.scope(levels.shift()).set(levels.join('.'), value)\n   } else {\n   this[_VALUES][key] = value\n   }\n   return value\n }\n get (key, defaultValue) {\n   return get(this[_VALUES], key, defaultValue)\n }\n scopes () {\n   this[_SCOPES] = get(this, _SCOPES, {})\n   return this[_SCOPES]\n }\n scope (name) {\n   this.scopes[name] = get(this.scopes, name, new Config())\n   return this.scopes[name]\n }\n values () {\n   return this[_VALUES]\n }\n}\n\nexport default new Config(defaultValues)\n","'use strict';\nvar LIBRARY = require('./_library');\nvar global = require('./_global');\nvar ctx = require('./_ctx');\nvar classof = require('./_classof');\nvar $export = require('./_export');\nvar isObject = require('./_is-object');\nvar aFunction = require('./_a-function');\nvar anInstance = require('./_an-instance');\nvar forOf = require('./_for-of');\nvar speciesConstructor = require('./_species-constructor');\nvar task = require('./_task').set;\nvar microtask = require('./_microtask')();\nvar newPromiseCapabilityModule = require('./_new-promise-capability');\nvar perform = require('./_perform');\nvar

userAgent = require('./_user-agent');\nvar promiseResolve = require('./_promise-resolve');\nvar PROMISE = 'Promise';\nvar TypeError = global.TypeError;\nvar process = global.process;\nvar versions = process && process.versions;\nvar v8 = versions && versions.v8 || '';\nvar $Promise = global[PROMISE];\nvar isNode = classof(process) == 'process';\nvar empty = function () { /* empty */ };\nvar Internal, newGenericPromiseCapability, OwnPromiseCapability, Wrapper;\nvar newPromiseCapability = newGenericPromiseCapability = newPromiseCapabilityModule.f;\n\nvar USE_NATIVE = !!function () {\n try {\n // correct subclassing with @@species support\n var promise = $Promise.resolve(1);\n var FakePromise = (promise.constructor = {})[require('./_wks')('species')] = function (exec) {\n exec(empty, empty);\n };\n // unhandled rejections tracking support, NodeJS Promise without it fails @@species test\n return (isNode || typeof PromiseRejectionEvent == 'function')\n && promise.then(empty) instanceof FakePromise\n // v8 6.6 (Node 10 and Chrome 66) have a bug with resolving custom thenables\n // https://bugs.chromium.org/p/chromium/issues/detail?id=830565\n // we can't detect it synchronously, so just check versions\n && v8.indexOf('6.6') !== 0\n && userAgent.indexOf('Chrome/66') === -1;\n } catch (e) { /* empty */ }\n}();\n\n// helpers\nvar isThenable = function (it) {\n var then;\n return isObject(it) && typeof (then = it.then) == 'function' ? then : false;\n};\nvar notify = function (promise, isReject) {\n if (promise._n) return;\n promise._n = true;\n var chain = promise._c;\n microtask(function () {\n var value = promise._v;\n var ok = promise._s == 1;\n var i = 0;\n var run = function (reaction) {\n var handler = ok ? reaction.ok : reaction.fail;\n var resolve = reaction.resolve;\n var reject = reaction.reject;\n var domain = reaction.domain;\n var result, then, exited;\n try {\n if (handler) {\n if (!ok) {\n if (promise._h == 2) onHandleUnhandled(promise);\n promise._h = 1;\n }\n if (handler === true) result = value;\n else {\n if (domain) domain.enter();\n result = handler(value); // may throw\n if (domain) {\n domain.exit();\n exited = true;\n }\n }\n if (result === reaction.promise) {\n reject(TypeError('Promise-chain cycle'));\n } else if (then = isThenable(result)) {\n then.call(result, resolve, reject);\n } else resolve(result);\n } else reject(value);\n } catch (e) {\n if (domain && !exited) domain.exit();\n reject(e);\n }\n };\n while (chain.length > i) run(chain[i++]); // variable length - can't use forEach\n promise._c = [];\n promise._n = false;\n if (isReject && !promise._h) onUnhandled(promise);\n });\n};\nvar onUnhandled = function (promise) {\n task.call(global, function () {\n var value = promise._v;\n var unhandled = isUnhandled(promise);\n var result, handler, console;\n if (unhandled) {\n result = perform(function () {\n if (isNode) {\n process.emit('unhandledRejection', value, promise);\n } else if (handler = global.onunhandledrejection) {\n handler({ promise: promise, reason: value });\n } else if ((console = global.console) && console.error) {\n console.error('Unhandled promise rejection', value);\n }\n });\n // Browsers should not trigger `rejectionHandled` event if it was handled here, NodeJS - should\n promise._h = isNode || isUnhandled(promise) ? 2 : 1;\n } promise._a = undefined;\n if (unhandled && result.e) throw result.v;\n });\n};\nvar isUnhandled = function (promise) {\n return promise._h !== 1 && (promise._a || promise._c).length === 0;\n};\nvar onHandleUnhandled = function (promise) {\n task.call(global, function () {\n var handler;\n if (isNode) {\n process.emit('rejectionHandled', promise);\n } else if (handler = global.onrejectionhandled) {\n handler({ promise: promise, reason: promise._v });\n }\n });\n};\nvar $reject = function (value) {\n var promise = this;\n if (promise._d) return;\n promise._d = true;\n promise = promise._w || promise; // unwrap\n promise._v = value;\n promise._s = 2;\n if (!promise._a) promise._a = promise._c.slice();\n notify(promise, true);\n};\nvar $resolve = function (value) {\n var promise = this;\n var then;\n if (promise._d) return;\n promise._d = true;\n promise = promise._w || promise; // unwrap\n try {\n if (promise === value) throw TypeError(\"Promise can't be resolved itself\");\n if (then = isThenable(value)) {\n microtask(function () {\n var wrapper = { _w: promise, _d: false }; // wrap\n try {\n then.call(value, ctx($resolve, wrapper, 1), ctx($reject, wrapper, 1));\n } catch (e) {\n $reject.call(wrapper, e);\n }\n });\n } else {\n promise._v = value;\n promise._s = 1;\n notify(promise, false);\n }\n } catch (e) {\n $reject.call({ _w: promise, _d: false }, e); // wrap\n }\n};\n\n// constructor polyfill\nif (!USE_NATIVE) {\n // 25.4.3.1 Promise(executor)\n $Promise = function Promise(executor) {\n anInstance(this, $Promise, PROMISE, '_h');\n aFunction(executor);\n

Internal.call(this);\n   try {\n   executor(ctx($resolve, this, 1), ctx($reject, this, 1));\n   } catch (err) {\n $reject.call(this, err);\n   }\n };\n // eslint-disable-next-line no-unused-vars\n Internal = function Promise(executor) {\n   this._c = [];   // <- awaiting reactions\n   this._a = undefined;   // <- checked in isUnhandled reactions\n   this._s = 0;   // <- state\n   this._d = false;   // <- done\n   this._v = undefined;   // <- value\n   this._h = 0;   // <- rejection state, 0 - default, 1 - handled, 2 - unhandled\n   this._n = false;   // <- notify\n };\n Internal.prototype = require('./_redefine-all')($Promise.prototype, {\n   // 25.4.5.3 Promise.prototype.then(onFulfilled, onRejected)\n   then: function then(onFulfilled, onRejected) {\n   var reaction = newPromiseCapability(speciesConstructor(this, $Promise));\n   reaction.ok = typeof onFulfilled == 'function' ? onFulfilled : true;\n   reaction.fail = typeof onRejected == 'function' && onRejected;\n   reaction.domain = isNode ? process.domain : undefined;\n   this._c.push(reaction);\n   if (this._a) this._a.push(reaction);\n   if (this._s) notify(this, false);\n   return reaction.promise;\n   },\n   // 25.4.5.1 Promise.prototype.catch(onRejected)\n   'catch': function (onRejected) {\n   return this.then(undefined, onRejected);\n   }\n });\n OwnPromiseCapability = function () {\n   var promise = new Internal();\n   this.promise = promise;\n   this.resolve = ctx($resolve, promise, 1);\n   this.reject = ctx($reject, promise, 1);\n };\n newPromiseCapabilityModule.f = newPromiseCapability = function (C) {\n   return C === $Promise || C === Wrapper\n   ? new OwnPromiseCapability(C)\n   : newGenericPromiseCapability(C);\n };\n}\n\n$export($export.G + $export.W + $export.F * !USE_NATIVE, { Promise: $Promise });\nrequire('./_set-to-string-tag')($Promise, PROMISE);\nrequire('./_set-species')(PROMISE);\nWrapper = require('./_core')[PROMISE];\n\n// statics\n$export($export.S + $export.F * !USE_NATIVE, PROMISE, {\n // 25.4.4.5 Promise.reject(r)\n reject: function reject(r) {\n   var capability = newPromiseCapability(this);\n   var $$reject = capability.reject;\n $$reject(r);\n   return capability.promise;\n }\n});\n$export($export.S + $export.F * (LIBRARY || !USE_NATIVE), PROMISE, {\n // 25.4.4.6 Promise.resolve(x)\n resolve: function resolve(x) {\n   return promiseResolve(LIBRARY && this === Wrapper ? $Promise : this, x);\n }\n});\n$export($export.S + $export.F * !(USE_NATIVE && require('./_iter-detect')(function (iter) {\n $Promise.all(iter)['catch'](empty);\n})), PROMISE, {\n // 25.4.4.1 Promise.all(iterable)\n all: function all(iterable) {\n   var C = this;\n   var capability = newPromiseCapability(C);\n   var resolve = capability.resolve;\n   var reject = capability.reject;\n   var result = perform(function () {\n   var values = [];\n   var index = 0;\n   var remaining = 1;\n   forOf(iterable, false, function (promise) {\n   var $index = index++;\n   var alreadyCalled = false;\n   values.push(undefined);\n   remaining++;\n   C.resolve(promise).then(function (value) {\n   if (alreadyCalled) return;\n   alreadyCalled = true;\n   values[$index] = value;\n   --remaining || resolve(values);\n   }, reject);\n   });\n   --remaining || resolve(values);\n   });\n   if (result.e) reject(result.v);\n   return capability.promise;\n },\n // 25.4.4.4 Promise.race(iterable)\n race: function race(iterable) {\n   var C = this;\n   var capability = newPromiseCapability(C);\n   var reject = capability.reject;\n   var result = perform(function () {\n   forOf(iterable, false, function (promise) {\n   C.resolve(promise).then(capability.resolve, reject);\n   });\n   });\n   if (result.e) reject(result.v);\n   return capability.promise;\n }\n});\n","var core = require('./_core');\nvar global = require('./_global');\nvar SHARED = '__core-js_shared__';\nvar store = global[SHARED] || (global[SHARED] = {});\n\n(module.exports = function (key, value) {\n return store[key] || (store[key] = value !== undefined ? value : {});\n})('versions', []).push({\n version: core.version,\n mode: require('./_library') ? 'pure' : 'global',\n copyright: '© 2018 Denis Pushkarev (zloirock.ru)'\n});\n","/**\n * Checks if a stack value for `key` exists.\n *\n * @private\n * @name has\n * @memberOf Stack\n * @param {string} key The key of the entry to check.\n * @returns {boolean} Returns `true` if an entry for `key` exists, else `false`.\n */\nfunction stackHas(key) {\n return this.__data__.has(key);\n}\n\nmodule.exports = stackHas;\n","var overArg = require('./_overArg');\n\n/* Built-in method references for those with the same name as other `lodash` methods. */\nvar nativeKeys = overArg(Object.keys, Object);\n\nmodule.exports = nativeKeys;\n","/** Detect free variable `global` from Node.js. */\nvar freeGlobal = typeof global == 'object' && global && global.Object === Object && global;\n\nmodule.exports = freeGlobal;\n","module.exports = \"data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAAAIgAAABaCAYAAABjTB52AAAE8klEQVR4Ae3dA7D0ShDF8Wfbtm3btm3btm3btv2u7yYYz/zep3Gd923U3k1ROV51ybffM//NYaSKKWqTcFBg0DbaHk+HEo

7UtOC9jEgXQ/cReAfDHkt5OuQNIQ/pCfkjZCbwO0I3RM12UoF1wwK6eq2/DhScXN2jQ/uCPDPh/gQjHkJ3EFF
YoHe6W37m8zbP/2TJW39uyceCL4a1r7ZjZmKubVwJ/XdGtCP6QZ3KHwxTOvX4I4yznhL//T3b9r6p5uWFkj+e
MLtD749hBbmU0jXqBAQAcmu1eBvCKG4uIMrAERAoGMs8M+GUHzcCQJSYiDw7fDg3w4hXtyZAlJaIO5y8
MRPupaAlAxINgx4SpLvoWMsASkJEOgcG3xXbBgtOBwBKWADIyZZSEAiA+l7YPpTCCCXMddGBCIjbpR8O8
i1wp4XsCOn64LYMOR38NyFgTwJd4wlIVCD+qRCM+QLSFf/9ssPacijY4w4VkEhA4JvhwCfG/t9Bz+QDeEDH
YEfyioBEA5IsYe/tthzwPg8OBv5lYy8H348gIFGAuMONvdvg3SGb65WuZF9nsqSARAHirzX2vr75Xs8NDv5b+x
t5AhIDyANFHhj4G+wgBSQGkFeMg29kPKh9jWt9SEDiAPncOPiqtn7p+vZnMgISA0i7cfCljUCWN671s0oBEZB
kKVu/ZGHjWrvqAURAFjKutdEiIAIiIAIiIAIiIAIiIAIiII3Zwb9syPMVByIg8UtABERABERABERABERA
BERABERABERABERABERABERABERABERABERABERABERABERABERABERABERABERABERABERABC
RCCYiACIiACIiAQPeE4PY1ZK9oQARE380VEAEREAEREAEREAEREAEREAEREAEREAEREAH51jj4SgX/
0nJbHCACYh18HVu/dFnjWj+MA0RAHrP1dbsbgaxjXOtzFQfydlWB3GwEcr7xoA4yrvWuigNpryYQ+1+WfmTc
qLusIKsKBNpGs59vulFkIOna9t7Jgs31ah8dfMO4URtXF0gyN3Ygq0QG0jmOvbd/oZl/vgR3rr1Xz6TVBeLOsK87
WbQM/7z9LnYkd0HbqP99+QcNAm5/7D0+K8Unyuyv+yTYz3f2EgBxp4AHe34CdzwkS2XXdPhpZOgYE3pnAL
ddfkvjscedVzUg8MUw4HYC3x2CPR1jRgeSH6p3IZQzvdOXEQh0TwBum75sG7JHyJHgbw/5ydbv77ecEYAY/m
A5Xu4u64eWIV2mxWu/qURAGnOUE0iyRH2BuD1KAyQrcOeVDMiN2Vw1BdKAjrFKBuTTocG/VhIcn8LPo9
QXiLsq61EqIFlB7zTgOyPjSCFZIJJunpkAcNOYsJZCs8qervi0SjoTs5eVQ9QXiDss7lBRIVtCYEfynBeNog2TJrH+
NgTwC1wwaAYj5ZfgnC8LxMTRmzvrWGMiD0D56dtlxgBgKGBjSNcC/1SIYP4LbAz4cKutXXyDu2N9uOeIBs
Vc2PKSbgH+lnzbla3DHwE8j/9aknkDugmSRAXl6+bEtvdMMZC/7XQ/pxuCuauIzrWnI0+AOhMbswMDFzuz2su
2vO78FQL4Dd05+djWo/Bawe6L84NNlQzYMWRuSRaF3eugYM7/5rGYZgfT0XXleDbkH3GkhW0FjFmDgGrB
Q5R9j+HCoP+f1IQodQqX6BVmGZ8lGQfmGAAAAAEIFTKuSuQmCC\"","/**\n * The base implementation of

`_.reduce` and `_.reduceRight`, without support\n * for iteratee shorthands, which iterates over `collection` using
`eachFunc`.\n *\n * @private\n * @param {Array|Object} collection The collection to iterate over.\n * @param
{Function} iteratee The function invoked per iteration.\n * @param {*} accumulator The initial value.\n * @param
{boolean} initAccum Specify using the first or last element of\n * `collection` as the initial value.\n * @param
{Function} eachFunc The function to iterate over `collection`.\n * @returns {*} Returns the accumulated value.\n
*/\nfunction baseReduce(collection, iteratee, accumulator, initAccum, eachFunc) {\n eachFunc(collection,
function(value, index, collection) {\n   accumulator = initAccum\n   ? (initAccum = false, value)\n   :
iteratee(accumulator, value, index, collection);\n });\n return accumulator;\n}\n\nmodule.exports =
baseReduce;\n","var arrayPush = require('./_arrayPush'),\n   isFlattenable = require('./_isFlattenable');\n\n/**\n *
The base implementation of `_.flatten` with support for restricting flattening.\n *\n * @private\n * @param {Array}
array The array to flatten.\n * @param {number} depth The maximum recursion depth.\n * @param {boolean}
[predicate=isFlattenable] The function invoked per iteration.\n * @param {boolean} [isStrict] Restrict to values that
pass `predicate` checks.\n * @param {Array} [result=[]] The initial result value.\n * @returns {Array} Returns the
new flattened array.\n */\nfunction baseFlatten(array, depth, predicate, isStrict, result) {\n var index = -1,\n
length = array.length;\n\n predicate || (predicate = isFlattenable);\n result || (result = []);\n\n while (++index <
length) {\n   var value = array[index];\n   if (depth > 0 && predicate(value)) {\n   if (depth > 1) {\n   //
Recursively flatten arrays (susceptible to call stack limits).\n   baseFlatten(value, depth - 1, predicate, isStrict,
result);\n   } else {\n   arrayPush(result, value);\n   }\n   } else if (!isStrict) {\n   result[result.length] =
value;\n   }\n }\n return result;\n}\n\nmodule.exports = baseFlatten;\n","var global = require('./_global');\nvar core
= require('./_core');\nvar hide = require('./_hide');\nvar redefine = require('./_redefine');\nvar ctx =
require('./_ctx');\nvar PROTOTYPE = 'prototype';\n\nvar $export = function (type, name, source) {\n var
IS_FORCED = type & $export.F;\n var IS_GLOBAL = type & $export.G;\n var IS_STATIC = type &
$export.S;\n var IS_PROTO = type & $export.P;\n var IS_BIND = type & $export.B;\n var target = IS_GLOBAL
? global : IS_STATIC ? global[name] || (global[name] = {}) : (global[name] || {})[PROTOTYPE];\n var exports =
IS_GLOBAL ? core : core[name] || (core[name] = {});\n var expProto = exports[PROTOTYPE] ||
(exports[PROTOTYPE] = {});\n var key, own, out, exp;\n if (IS_GLOBAL) source = name;\n for (key in source)
{\n   // contains in native\n   own = !IS_FORCED && target && target[key] !== undefined;\n   // export native or
passed\n   out = (own ? target : source)[key];\n   // bind timers to global for call from export context\n   exp =

IS_BIND && own ? ctx(out, global) : IS_PROTO && typeof out == 'function' ? ctx(Function.call, out) : out;\n   //
extend global\n   if (target) redefine(target, key, out, type & $export.U);\n   // export\n   if (exports[key] != out)
hide(exports, key, exp);\n   if (IS_PROTO && expProto[key] != out) expProto[key] = out;\n }\n};\nglobal.core =
core;\n// type bitmap\n$export.F = 1;   // forced\n$export.G = 2;   // global\n$export.S = 4;   // static\n$export.P = 8;
// proto\n$export.B = 16; // bind\n$export.W = 32; // wrap\n$export.U = 64; // safe\n$export.R = 128; // real proto
method for `library`\nmodule.exports = $export;\n","var ITERATOR = require('./_wks')('iterator');\nvar
SAFE_CLOSING = false;\n\ntry {\n var riter = [7][ITERATOR]();\n riter['return'] = function () {
SAFE_CLOSING = true; };\n // eslint-disable-next-line no-throw-literal\n Array.from(riter, function () { throw 2;
});\n} catch (e) { /* empty */ }\n\nmodule.exports = function (exec, skipClosing) {\n if (!skipClosing &&
!SAFE_CLOSING) return false;\n var safe = false;\n try {\n   var arr = [7];\n   var iter = arr[ITERATOR]();\n
iter.next = function () { return { done: safe = true }; };\n   arr[ITERATOR] = function () { return iter; };\n
exec(arr);\n } catch (e) { /* empty */ }\n return safe;\n};\n","var isObject = require('./_is-object');\nvar
setPrototypeOf = require('./_set-proto').set;\nmodule.exports = function (that, target, C) {\n var S =
target.constructor;\n var P;\n if (S !== C && typeof S == 'function' && (P = S.prototype) !== C.prototype &&
isObject(P) && setPrototypeOf) {\n   setPrototypeOf(that, P);\n } return that;\n};\n","var listCacheClear =
require('./_listCacheClear'),\n   listCacheDelete = require('./_listCacheDelete'),\n   listCacheGet =
require('./_listCacheGet'),\n   listCacheHas = require('./_listCacheHas'),\n   listCacheSet =
require('./_listCacheSet');\n\n/**\n * Creates an list cache object.\n *\n * @private\n * @constructor\n * @param
{Array} [entries] The key-value pairs to cache.\n */\nfunction ListCache(entries) {\n var index = -1,\n   length =
entries == null ? 0 : entries.length;\n\n this.clear();\n while (++index < length) {\n   var entry = entries[index];\n
this.set(entry[0], entry[1]);\n }\n}\n\n// Add methods to `ListCache`.\nListCache.prototype.clear =
listCacheClear;\nListCache.prototype['delete'] = listCacheDelete;\nListCache.prototype.get =
listCacheGet;\nListCache.prototype.has = listCacheHas;\nListCache.prototype.set =
listCacheSet;\n\nmodule.exports = ListCache;\n","// most Object methods by ES6 should accept primitives\nvar
$export = require('./_export');\nvar core = require('./_core');\nvar fails = require('./_fails');\nmodule.exports =
function (KEY, exec) {\n var fn = (core.Object || {})[KEY] || Object[KEY];\n var exp = {};\n exp[KEY] =
exec(fn);\n $export($export.S + $export.F * fails(function () { fn(1); }), 'Object', exp);\n};\n","var getNative =
require('./_getNative');\n\n/* Built-in method references that are verified to be native. */\nvar nativeCreate =
getNative(Object, 'create');\n\nmodule.exports = nativeCreate;\n","var shared = require('./_shared')('keys');\nvar uid
= require('./_uid');\nmodule.exports = function (key) {\n return shared[key] || (shared[key] = uid(key));\n};\n","//
fallback for non-array-like ES3 and non-enumerable old V8 strings\nvar cof = require('./_cof');\n// eslint-disable-
next-line no-prototype-builtins\nmodule.exports = Object('z').propertyIsEnumerable(0) ? Object : function (it) {\n
return cof(it) == 'String' ? it.split('') : Object(it);\n};\n","\"use strict\";\n\nvar _undefined =
require(\"../function/noop\")(); // Support ES3 engines\n\nmodule.exports = function (val) {\n return (val !==
_undefined) && (val !== null);\n};\n","module.exports = function(module) {\n\tif (!module.webpackPolyfill)
{\n\t\tmodule.deprecate = function() {};\n\t\tmodule.paths = [];\n\t\t// module.parent = undefined by default\n\t\tif
(!module.children) module.children = [];\n\t\tObject.defineProperty(module, \"loaded\", {\n\t\t\tenumerable:
true,\n\t\t\tget: function() {\n\t\t\t\treturn module.l;\n\t\t\t}\n\t\t});\n\t\tObject.defineProperty(module, \"id\",
{\n\t\t\tenumerable: true,\n\t\t\tget: function() {\n\t\t\t\treturn module.i;\n\t\t\t}\n\t\t});\n\t\tmodule.webpackPolyfill =
1;\n\t}\n\treturn module;\n};\n","import mod from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--
8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-
loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-
2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-
0!../../node_modules/vue-loader/lib/index.js??vue-loader-
options!./ImddbHeader.vue?vue&type=style&index=0&lang=scss&\"; export default mod; export * from \"-
!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-
loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-
loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-

2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./ImddbHeader.vue?vue&type=style&index=0&lang=scss&\"","var baseIsMatch = require('./_baseIsMatch'),\n   getMatchData = require('./_getMatchData'),\n   matchesStrictComparable = require('./_matchesStrictComparable');\n\n/**\n * The base implementation of `_.matches` which doesn't clone `source`.\n *\n * @private\n * @param {Object} source The object of property values to match.\n * @returns {Function} Returns the new spec function.\n */\nfunction baseMatches(source) {\n var matchData = getMatchData(source);\n if (matchData.length == 1 && matchData[0][2]) {\n   return matchesStrictComparable(matchData[0][0], matchData[0][1]);\n }\n return function(object) {\n   return object === source || baseIsMatch(object, source, matchData);\n };\n}\n\nmodule.exports = baseMatches;\n","var castPath = require('./_castPath'),\n   toKey = require('./_toKey');\n\n/**\n * The base implementation of `_.get` without support for default values.\n *\n * @private\n * @param {Object} object The object to query.\n * @param {Array|string} path The path of the property to get.\n * @returns {*} Returns the resolved value.\n */\nfunction baseGet(object, path) {\n path = castPath(path, object);\n\n var index = 0,\n   length = path.length;\n\n while (object != null && index < length) {\n   object = object[toKey(path[index++])];\n }\n return (index && index == length) ? object : undefined;\n}\n\nmodule.exports = baseGet;\n","/**\n * A specialized version of `_.every` for arrays without support for\n * iteratee shorthands.\n *\n * @private\n * @param {Array} [array] The array to iterate over.\n * @param {Function} predicate The function invoked per iteration.\n * @returns {boolean} Returns `true` if all elements pass the predicate check,\n * else `false`.\n */\nfunction arrayEvery(array, predicate) {\n var index = -1,\n   length = array == null ? 0 : array.length;\n\n while (++index < length) {\n   if (!predicate(array[index], index, array)) {\n   return false;\n   }\n }\n return true;\n}\n\nmodule.exports = arrayEvery;\n","/**\n * Checks if `value` is classified as an `Array` object.\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @category Lang\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is an array, else `false`.\n * @example\n *\n * _.isArray([1, 2, 3]);\n * // => true\n *\n * _.isArray(document.body.children);\n * // => false\n *\n * _.isArray('abc');\n * // => false\n *\n * _.isArray(_.noop);\n * // => false\n */\nvar isArray = Array.isArray;\n\nmodule.exports = isArray;\n","var assocIndexOf = require('./_assocIndexOf');\n\n/**\n * Sets the list cache `key` to `value`.\n *\n * @private\n * @name set\n * @memberOf ListCache\n * @param {string} key The key of the value to set.\n * @param {*} value The value to set.\n * @returns {Object} Returns the list cache instance.\n */\nfunction listCacheSet(key, value) {\n var data = this.__data__,\n   index = assocIndexOf(data, key);\n\n if (index < 0) {\n   ++this.size;\n   data.push([key, value]);\n } else {\n   data[index][1] = value;\n }\n return this;\n}\n\nmodule.exports = listCacheSet;\n","// to indexed object, toObject with fallback for non-array-like ES3 strings\nvar IObject = require('./_iobject');\nvar defined = require('./_defined');\nmodule.exports = function (it) {\n return IObject(defined(it));\n};\n","var hasOwnProperty = {}.hasOwnProperty;\nmodule.exports = function (it, key) {\n return hasOwnProperty.call(it, key);\n};\n","var assocIndexOf = require('./_assocIndexOf');\n\n/** Used for built-in method references. */\nvar arrayProto = Array.prototype;\n\n/** Built-in value references. */\nvar splice = arrayProto.splice;\n\n/**\n * Removes `key` and its value from the list cache.\n *\n * @private\n * @name delete\n * @memberOf ListCache\n * @param {string} key The key of the value to remove.\n * @returns {boolean} Returns `true` if the entry was removed, else `false`.\n */\nfunction listCacheDelete(key) {\n var data = this.__data__,\n   index = assocIndexOf(data, key);\n\n if (index < 0) {\n   return false;\n }\n var lastIndex = data.length - 1;\n if (index == lastIndex) {\n   data.pop();\n } else {\n   splice.call(data, index, 1);\n }\n --this.size;\n return true;\n}\n\nmodule.exports = listCacheDelete;\n","var arrayMap = require('./_arrayMap'),\n   baseIteratee = require('./_baseIteratee'),\n   baseMap = require('./_baseMap'),\n   baseSortBy = require('./_baseSortBy'),\n   baseUnary = require('./_baseUnary'),\n   compareMultiple = require('./_compareMultiple'),\n   identity = require('./identity');\n\n/**\n * The base implementation of `_.orderBy` without param guards.\n *\n * @private\n * @param {Array|Object} collection The collection to iterate over.\n * @param {Function[]|Object[]|string[]} iteratees The iteratees to sort by.\n * @param {string[]} orders The sort orders of `iteratees`.\n * @returns {Array} Returns the new sorted array.\n */\nfunction baseOrderBy(collection, iteratees, orders) {\n var index = -1;\n iteratees = arrayMap(iteratees.length ? iteratees : [identity],

baseUnary(baseIteratee));\n\n var result = baseMap(collection, function(value, key, collection) {\n   var criteria = arrayMap(iteratees, function(iteratee) {\n   return iteratee(value);\n   });\n   return { 'criteria': criteria, 'index': ++index, 'value': value };\n });\n\n return baseSortBy(result, function(object, other) {\n   return compareMultiple(object, other, orders);\n });\n}\n\nmodule.exports = baseOrderBy;\n","// 7.1.1 ToPrimitive(input [, PreferredType])\nvar isObject = require('./_is-object');\n// instead of the ES6 spec version, we didn't implement @@toPrimitive case\n// and the second argument - flag - preferred type is a string\nmodule.exports = function (it, S) {\n if (!isObject(it)) return it;\n var fn, val;\n if (S && typeof (fn = it.toString) == 'function' && !isObject(val = fn.call(it))) return val;\n if (typeof (fn = it.valueOf) == 'function' && !isObject(val = fn.call(it))) return val;\n if (!S && typeof (fn = it.toString) == 'function' && !isObject(val = fn.call(it))) return val;\n throw TypeError(\"Can't convert object to primitive value\");\n};\n","/**\n * A specialized version of `_.reduce` for arrays without support for\n * iteratee shorthands.\n *\n * @private\n * @param {Array} [array] The array to iterate over.\n * @param {Function} iteratee The function invoked per iteration.\n * @param {*} [accumulator] The initial value.\n * @param {boolean} [initAccum] Specify using the first element of `array` as\n * the initial value.\n * @returns {*} Returns the accumulated value.\n */\nfunction arrayReduce(array, iteratee, accumulator, initAccum) {\n var index = -1,\n   length = array == null ? 0 : array.length;\n\n if (initAccum && length) {\n   accumulator = array[++index];\n }\n while (++index < length) {\n   accumulator = iteratee(accumulator, array[index], index, array);\n }\n return accumulator;\n}\n\nmodule.exports = arrayReduce;\n","'use strict';\nrequire('./es6.regexp.flags');\nvar anObject = require('./_an-object');\nvar $flags = require('./_flags');\nvar DESCRIPTORS = require('./_descriptors');\nvar TO_STRING = 'toString';\nvar $toString = /./[TO_STRING];\n\nvar define = function (fn) {\n require('./_redefine')(RegExp.prototype, TO_STRING, fn, true);\n};\n\n// 21.2.5.14 RegExp.prototype.toString()\nif (require('./_fails')(function () { return $toString.call({ source: 'a', flags: 'b' }) != '/a/b'; })) {\n define(function toString() {\n   var R = anObject(this);\n   return '/'.concat(R.source, '/',\n   'flags' in R ? R.flags : !DESCRIPTORS && R instanceof RegExp ? $flags.call(R) : undefined);\n });\n// FF44- RegExp#toString has a wrong name\n} else if ($toString.name != TO_STRING) {\n define(function toString() {\n   return $toString.call(this);\n });\n}\n","'use strict';\nObject.defineProperty(exports, '__esModule', { value: true });\nvar prefix = 'fab';\nvar iconName = 'twitter';\nvar width = 512;\nvar height = 512;\nvar ligatures = [];\nvar unicode = 'f099';\nvar svgPathData = 'M459.37 151.716c.325 4.548.325 9.097.325 13.645 0 138.72-105.583 298.558-298.558 298.558-59.452 0-114.68-17.219-161.137-47.106 8.447.974 16.568 1.299 25.34 1.299 49.055 0 94.213-16.568 130.274-44.832-46.132-.975-84.792-31.188-98.112-72.772 6.498.974 12.995 1.624 19.818 1.624 9.421 0 18.843-1.3 27.614-3.573-48.081-9.747-84.143-51.98-84.143-102.985v-1.299c13.969 7.797 30.214 12.67 47.431 13.319-28.264-18.843-46.781-51.005-46.781-87.391 0-19.492 5.197-37.36 14.294-52.954 51.655 63.675 129.3 105.258 216.365 109.807-1.624-7.797-2.599-15.918-2.599-24.04 0-57.828 46.782-104.934 104.934-104.934 30.213 0 57.502 12.67 76.67 33.137 23.715-4.548 46.456-13.32 66.599-25.34-7.798 24.366-24.366 44.833-46.132 57.827 21.117-2.273 41.584-8.122 60.426-16.243-14.292 20.791-32.161 39.308-52.628 54.253z';\n\nexports.definition = {\n prefix: prefix,\n iconName: iconName,\n icon: [\n   width,\n   height,\n   ligatures,\n   unicode,\n   svgPathData\n]};\n\nexports.faTwitter = exports.definition;\nexports.prefix = prefix;\nexports.iconName = iconName;\nexports.width = width;\nexports.height = height;\nexports.ligatures = ligatures;\nexports.unicode = unicode;\nexports.svgPathData = svgPathData;","var arrayEach = require('./_arrayEach'),\n   baseEach = require('./_baseEach'),\n   castFunction = require('./_castFunction'),\n   isArray = require('./isArray');\n\n/**\n * Iterates over elements of `collection` and invokes `iteratee` for each\n * element.\n * The iteratee is invoked with three arguments: (value, index|key, collection).\n * Iteratee functions may exit iteration early by explicitly returning `false`.\n *\n * **Note:** As with other \"Collections\" methods, objects\n * with a \"length\"\n * property are iterated like arrays. To avoid this behavior use `_.forIn`\n * or `_.forOwn` for object iteration.\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @alias each\n * @category Collection\n * @param {Array|Object} collection The collection to iterate over.\n * @param {Function} [iteratee=_.identity] The function invoked per iteration.\n * @returns {Array|Object} Returns `collection`.\n * @see _.forEachRight\n * @example\n *\n * _.forEach([1, 2], function(value) {\n *   console.log(value);\n * });\n * // => Logs `1` then `2`.\n *\n * _.forEach({ 'a': 1, 'b': 2 }, function(value, key) {\n *   console.log(key);\n * });\n * // => Logs 'a' then 'b'

(iteration order is not guaranteed).\n */\nfunction forEach(collection, iteratee) {\n var func = isArray(collection) ? arrayEach : baseEach;\n return func(collection, castFunction(iteratee));\n}\n\nmodule.exports = forEach;\n","// extracted by mini-css-extract-plugin","import mod from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./DonateForm.vue?vue&type=style&index=0&lang=scss&\"; export default mod; export * from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./DonateForm.vue?vue&type=style&index=0&lang=scss&\"","var baseTimes = require('./_baseTimes'),\n   isArguments = require('./isArguments'),\n   isArray = require('./isArray'),\n   isBuffer = require('./isBuffer'),\n   isIndex = require('./_isIndex'),\n   isTypedArray = require('./isTypedArray');\n\n/** Used for built-in method references. */\nvar objectProto = Object.prototype;\n\n/** Used to check objects for own properties. */\nvar hasOwnProperty = objectProto.hasOwnProperty;\n\n/**\n * Creates an array of the enumerable property names of the array-like `value`.\n *\n * @private\n * @param {*} value The value to query.\n * @param {boolean} inherited Specify returning inherited property names.\n * @returns {Array} Returns the array of property names.\n */\nfunction arrayLikeKeys(value, inherited) {\n var isArr = isArray(value),\n   isArg = !isArr && isArguments(value),\n   isBuff = !isArr && !isArg && isBuffer(value),\n   isType = !isArr && !isArg && !isBuff && isTypedArray(value),\n   skipIndexes = isArr || isArg || isBuff || isType,\n   result = skipIndexes ? baseTimes(value.length, String) : [],\n   length = result.length;\n\n for (var key in value) {\n   if ((inherited || hasOwnProperty.call(value, key)) &&\n   !(skipIndexes && (\n   // Safari 9 has enumerable `arguments.length` in strict mode.\n   key == 'length' ||\n   // Node.js 0.10 has enumerable non-index properties on buffers.\n   (isBuff && (key == 'offset' || key == 'parent')) ||\n   // PhantomJS 2 has enumerable non-index properties on typed arrays.\n   (isType && (key == 'buffer' || key == 'byteLength' || key == 'byteOffset')) ||\n   // Skip index properties.\n   isIndex(key, length)\n   ))) {\n   result.push(key);\n   }\n }\n return result;\n}\n\nmodule.exports = arrayLikeKeys;\n","// extracted by mini-css-extract-plugin","var createBaseFor = require('./_createBaseFor');\n\n/**\n * The base implementation of `baseForOwn` which iterates over `object`\n * properties returned by `keysFunc` and invokes `iteratee` for each property.\n * Iteratee functions may exit iteration early by explicitly returning `false`.\n *\n * @private\n * @param {Object} object The object to iterate over.\n * @param {Function} iteratee The function invoked per iteration.\n * @param {Function} keysFunc The function to get the keys of `object`.\n * @returns {Object} Returns `object`.\n */\nvar baseFor = createBaseFor();\n\nmodule.exports = baseFor;\n","/**\n * Creates a function that returns `value`.\n *\n * @static\n * @memberOf _\n * @since 2.4.0\n * @category Util\n * @param {*} value The value to return from the new function.\n * @returns {Function} Returns the new constant function.\n * @example\n *\n * var objects = _.times(2, _.constant({ 'a': 1 }));\n *\n * console.log(objects);\n * // => [{ 'a': 1 }, { 'a': 1 }]\n *\n * console.log(objects[0] === objects[1]);\n * // => true\n */\nfunction constant(value) {\n return function() {\n   return value;\n };\n}\n\nmodule.exports = constant;\n","'use strict';\n// 19.1.2.1 Object.assign(target, source, ...)\nvar getKeys = require('./_object-keys');\nvar gOPS = require('./_object-gops');\nvar pIE = require('./_object-pie');\nvar toObject = require('./_to-object');\nvar IObject = require('./_iobject');\nvar $assign = Object.assign;\n\n// should work with symbols and should have deterministic property order (V8 bug)\nmodule.exports = !$assign || require('./_fails')(function () {\n var A = {};\n var B = {};\n // eslint-disable-next-line no-undef\n var S = Symbol();\n var K = 'abcdefghijklmnopqrst';\n A[S] = 7;\n K.split('').forEach(function (k) { B[k] = k; });\n return $assign({}, A)[S] != 7 || Object.keys($assign({}, B)).join('') != K;\n}) ? function assign(target, source) { // eslint-disable-line no-unused-vars\n var T = toObject(target);\n var aLen = arguments.length;\n var index = 1;\n var

getSymbols = gOPS.f;\n var isEnum = pIE.f;\n while (aLen > index) {\n   var S = IObject(arguments[index++]);\n var keys = getSymbols ? getKeys(S).concat(getSymbols(S)) : getKeys(S);\n   var length = keys.length;\n   var j = 0;\n   var key;\n   while (length > j) if (isEnum.call(S, key = keys[j++])) T[key] = S[key];\n } return T;\n} : $assign;\n","\"use strict\";\n\nvar isValue = require(\"../is-value\");\n\nvar keys = Object.keys;\n\nmodule.exports = function (object) { return keys(isValue(object) ? Object(object) : object); };\n","var baseIsTypedArray = require('./_baseIsTypedArray'),\n   baseUnary = require('./_baseUnary'),\n   nodeUtil = require('./_nodeUtil');\n\n/* Node.js helper references. */\nvar nodeIsTypedArray = nodeUtil && nodeUtil.isTypedArray;\n\n/**\n * Checks if `value` is classified as a typed array.\n *\n * @static\n * @memberOf _\n * @since 3.0.0\n * @category Lang\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is a typed array, else `false`.\n * @example\n *\n * _.isTypedArray(new Uint8Array);\n * // => true\n *\n * _.isTypedArray([]);\n * // => false\n */\nvar isTypedArray = nodeIsTypedArray ? baseUnary(nodeIsTypedArray) : baseIsTypedArray;\n\nmodule.exports = isTypedArray;\n","import mod from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./ContentPlaceholder.vue?vue&type=style&index=0&id=40e3a912&scoped=true&lang=scss&\"; export default mod; export * from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./ContentPlaceholder.vue?vue&type=style&index=0&id=40e3a912&scoped=true&lang=scss&\"","","var baseGetTag = require('./_baseGetTag'),\n   isLength = require('./isLength'),\n   isObjectLike = require('./isObjectLike');\n\n/** `Object#toString` result references. */\nvar argsTag = '[object Arguments]',\n   arrayTag = '[object Array]',\n   boolTag = '[object Boolean]',\n   dateTag = '[object Date]',\n   errorTag = '[object Error]',\n   funcTag = '[object Function]',\n   mapTag = '[object Map]',\n   numberTag = '[object Number]',\n   objectTag = '[object Object]',\n   regexpTag = '[object RegExp]',\n   setTag = '[object Set]',\n   stringTag = '[object String]',\n   weakMapTag = '[object WeakMap]';\n\nvar arrayBufferTag = '[object ArrayBuffer]',\n   dataViewTag = '[object DataView]',\n   float32Tag = '[object Float32Array]',\n   float64Tag = '[object Float64Array]',\n   int8Tag = '[object Int8Array]',\n   int16Tag = '[object Int16Array]',\n   int32Tag = '[object Int32Array]',\n   uint8Tag = '[object Uint8Array]',\n   uint8ClampedTag = '[object Uint8ClampedArray]',\n   uint16Tag = '[object Uint16Array]',\n   uint32Tag = '[object Uint32Array]';\n\n/** Used to identify `toStringTag` values of typed arrays. */\nvar typedArrayTags = {};\ntypedArrayTags[float32Tag] = typedArrayTags[float64Tag] =\ntypedArrayTags[int8Tag] = typedArrayTags[int16Tag] = typedArrayTags[int32Tag] =\ntypedArrayTags[uint8Tag] = typedArrayTags[uint8ClampedTag] = typedArrayTags[uint16Tag] =\ntypedArrayTags[uint32Tag] = true;\ntypedArrayTags[argsTag] = typedArrayTags[arrayTag] =\ntypedArrayTags[arrayBufferTag] = typedArrayTags[boolTag] =\ntypedArrayTags[dataViewTag] = typedArrayTags[dateTag] =\ntypedArrayTags[errorTag] = typedArrayTags[funcTag] =\ntypedArrayTags[mapTag] = typedArrayTags[numberTag] =\ntypedArrayTags[objectTag] = typedArrayTags[regexpTag] =\ntypedArrayTags[setTag] = typedArrayTags[stringTag] =\ntypedArrayTags[weakMapTag] = false;\n\n/**\n * The base implementation of `_.isTypedArray` without Node.js optimizations.\n *\n * @private\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is a typed array, else `false`.\n */\nfunction baseIsTypedArray(value) {\n return isObjectLike(value) &&\n   isLength(value.length) && !!typedArrayTags[baseGetTag(value)];\n}\n\nmodule.exports = baseIsTypedArray;\n","var baseToString = require('./_baseToString');\n\n/**\n * Converts `value` to a string. An empty string is returned for `null`\n * and `undefined` values. The sign of `-0` is preserved.\n *\n * @static\n * @memberOf _\n * @since 4.0.0\n * @category Lang\n * @param {*} value The value to convert.\n * @returns {string} Returns the converted string.\n

* @example\n *\n * _.toString(null);\n * // => "\n *\n * _.toString(-0);\n * // => '-0'\n *\n * _.toString([1, 2, 3]);\n *
// => '1,2,3'\n */\nfunction toString(value) {\n return value == null ? '' : baseToString(value);\n}\n\nmodule.exports
= toString;\n","// https://github.com/zloirock/core-js/issues/86#issuecomment-115759028\nvar global =
module.exports = typeof window != 'undefined' && window.Math == Math\n ? window : typeof self != 'undefined'
&& self.Math == Math ? self\n // eslint-disable-next-line no-new-func\n : Function('return this')();\nif (typeof __g
== 'number') __g = global; // eslint-disable-line no-undef\n","var toInteger = require('./_to-integer');\nvar max =
Math.max;\nvar min = Math.min;\nmodule.exports = function (index, length) {\n index = toInteger(index);\n return
index < 0 ? max(index + length, 0) : min(index, length);\n};\n","/**\n * A specialized version of `_.map` for arrays
without support for iteratee\n * shorthands.\n *\n * @private\n * @param {Array} [array] The array to iterate
over.\n * @param {Function} iteratee The function invoked per iteration.\n * @returns {Array} Returns the new
mapped array.\n */\nfunction arrayMap(array, iteratee) {\n var index = -1,\n length = array == null ? 0 :
array.length,\n result = Array(length);\n\n while (++index < length) {\n result[index] = iteratee(array[index],
index, array);\n }\n return result;\n}\n\nmodule.exports = arrayMap;\n","var getNative = require('./_getNative'),\n
root = require('./_root');\n\n/* Built-in method references that are verified to be native. */\nvar Map =
getNative(root, 'Map');\n\nmodule.exports = Map;\n","module.exports = function (exec) {\n try {\n return
!!exec();\n } catch (e) {\n return true;\n }\n};\n","var nativeCreate = require('./_nativeCreate');\n\n/** Used for
built-in method references. */\nvar objectProto = Object.prototype;\n\n/** Used to check objects for own properties.
*/\nvar hasOwnProperty = objectProto.hasOwnProperty;\n\n/**\n * Checks if a hash value for `key` exists.\n *\n *
@private\n * @name has\n * @memberOf Hash\n * @param {string} key The key of the entry to check.\n *
@returns {boolean} Returns `true` if an entry for `key` exists, else `false`.\n */\nfunction hashHas(key) {\n var data
= this.__data__;\n return nativeCreate ? (data[key] !== undefined) : hasOwnProperty.call(data,
key);\n}\n\nmodule.exports = hashHas;\n","(function (global, factory) {\n\ttypeof exports === 'object' && typeof
module !== 'undefined' ? factory(exports, require('@fortawesome/fontawesome')) :\n\ttypeof define === 'function'
&& define.amd ? define(['exports', '@fortawesome/fontawesome'], factory) :\n\t(factory((global['vue-fontawesome']
= {}),global.FontAwesome));\n}(this, (function (exports,fontawesome) { 'use strict';\n\nfontawesome =
fontawesome && fontawesome.hasOwnProperty('default') ? fontawesome['default'] : fontawesome;\n\nvar
commonjsGlobal = typeof window !== 'undefined' ? window : typeof global !== 'undefined' ? global : typeof self
!== 'undefined' ? self : {};\n\n\n\n\nfunction createCommonjsModule(fn, module) {\n\treturn module = { exports:
{} }, fn(module, module.exports), module.exports;\n}\n\nvar humps = createCommonjsModule(function (module)
{\n// =========\n// = humps =\n// =========\n// Underscore-to-camelCase converter (and vice versa)\n// for
strings and object keys\n\n// humps is copyright © 2012+ Dom Christie\n// Released under the MIT
license.\n\n(function(global) {\n\n var _processKeys = function(convert, obj, options) {\n if(!_isObject(obj) ||
_isDate(obj) || _isRegExp(obj) || _isBoolean(obj) || _isFunction(obj)) {\n return obj;\n }\n\n var output,\n
i = 0,\n l = 0;\n\n if(_isArray(obj)) {\n output = [];\n for(l=obj.length; i<l; i++) {\n
output.push(_processKeys(convert, obj[i], options));\n }\n }\n else {\n output = {};\n for(var key in
obj) {\n if(Object.prototype.hasOwnProperty.call(obj, key)) {\n output[convert(key, options)] =
_processKeys(convert, obj[key], options);\n }\n }\n }\n return output;\n };\n\n // String conversion
methods\n\n var separateWords = function(string, options) {\n options = options || {};\n var separator =
options.separator || '_';\n var split = options.split || /(?=[A-Z])/;\n\n return string.split(split).join(separator);\n
};\n\n var camelize = function(string) {\n if (_isNumerical(string)) {\n return string;\n }\n string =
string.replace(/[\\-_\\s]+(.)?/g, function(match, chr) {\n return chr ? chr.toUpperCase() : '';\n });\n // Ensure 1st
char is always lowercase\n return string.substr(0, 1).toLowerCase() + string.substr(1);\n };\n\n var pascalize =
function(string) {\n var camelized = camelize(string);\n // Ensure 1st char is always uppercase\n return
camelized.substr(0, 1).toUpperCase() + camelized.substr(1);\n };\n\n var decamelize = function(string, options) {\n
return separateWords(string, options).toLowerCase();\n };\n\n // Utilities\n // Taken from Underscore.js\n\n var
toString = Object.prototype.toString;\n\n var _isFunction = function(obj) {\n return typeof(obj) === 'function';\n
};\n var _isObject = function(obj) {\n return obj === Object(obj);\n };\n var _isArray = function(obj) {\n
return toString.call(obj) == '[object Array]';\n };\n var _isDate = function(obj) {\n return toString.call(obj) ==

'[object Date]';\n };\n var _isRegExp = function(obj) {\n   return toString.call(obj) == '[object RegExp]';\n };\n var _isBoolean = function(obj) {\n   return toString.call(obj) == '[object Boolean]';\n };\n\n // Performant way to determine if obj coerces to a number\n var _isNumerical = function(obj) {\n   obj = obj - 0;\n   return obj === obj;\n };\n\n // Sets up function which handles processing keys\n // allowing the convert function to be modified by a callback\n var _processor = function(convert, options) {\n   var callback = options && 'process' in options ? options.process : options;\n\n   if(typeof(callback) !== 'function') {\n   return convert;\n   }\n\n   return function(string, options) {\n   return callback(string, convert, options);\n   }\n };\n\n var humps = {\n   camelize: camelize,\n   decamelize: decamelize,\n   pascalize: pascalize,\n   depascalize: decamelize,\n   camelizeKeys: function(object, options) {\n   return _processKeys(_processor(camelize, options), object);\n   },\n   decamelizeKeys: function(object, options) {\n   return _processKeys(_processor(decamelize, options), object, options);\n   },\n   pascalizeKeys: function(object, options) {\n   return _processKeys(_processor(pascalize, options), object);\n   },\n   depascalizeKeys: function () {\n   return this.decamelizeKeys.apply(this, arguments);\n   }\n };\n\n if (typeof undefined === 'function' && undefined.amd) {\n   undefined(humps);\n } else if ('object' !== 'undefined' && module.exports) {\n   module.exports = humps;\n } else {\n   global.humps = humps;\n }\n\n})(commonjsGlobal);\n});\n\nvar _typeof = typeof Symbol === \"function\" && typeof Symbol.iterator === \"symbol\" ? function (obj) {\n return typeof obj;} : function (obj) {\n return obj && typeof Symbol === \"function\" && obj.constructor === Symbol && obj !== Symbol.prototype ? \"symbol\" : typeof obj;};\n\n\n\n\nvar asyncGenerator = function () {\n function AwaitValue(value) {\n   this.value = value;\n }\n\n function AsyncGenerator(gen) {\n   var front, back;\n\n   function send(key, arg) {\n   return new Promise(function (resolve, reject) {\n   var request = {\n   key: key,\n   arg: arg,\n   resolve: resolve,\n   reject: reject,\n   next: null\n   };\n\n   if (back) {\n   back = back.next = request;\n   } else {\n   front = back = request;\n   resume(key, arg);\n   }\n   });\n   }\n\n   function resume(key, arg) {\n   try {\n   var result = gen[key](arg);\n   var value = result.value;\n\n   if (value instanceof AwaitValue) {\n   Promise.resolve(value.value).then(function (arg) {\n   resume(\"next\", arg);\n   }, function (arg) {\n   resume(\"throw\", arg);\n   });\n   } else {\n   settle(result.done ? \"return\" : \"normal\", result.value);\n   }\n   } catch (err) {\n   settle(\"throw\", err);\n   }\n   }\n\n   function settle(type, value) {\n   switch (type) {\n   case \"return\":\n   front.resolve({\n   value: value,\n   done: true\n   });\n   break;\n   case \"throw\":\n   front.reject(value);\n   break;\n   default:\n   front.resolve({\n   value: value,\n   done: false\n   });\n   break;\n   }\n\n   front = front.next;\n\n   if (front) {\n   resume(front.key, front.arg);\n   } else {\n   back = null;\n   }\n   }\n\n   this._invoke = send;\n\n   if (typeof gen.return !== \"function\") {\n   this.return = undefined;\n   }\n }\n\n if (typeof Symbol === \"function\" && Symbol.asyncIterator) {\n   AsyncGenerator.prototype[Symbol.asyncIterator] = function () {\n   return this;\n   };\n }\n\n AsyncGenerator.prototype.next = function (arg) {\n   return this._invoke(\"next\", arg);\n };\n\n AsyncGenerator.prototype.throw = function (arg) {\n   return this._invoke(\"throw\", arg);\n };\n\n AsyncGenerator.prototype.return = function (arg) {\n   return this._invoke(\"return\", arg);\n };\n\n return {\n   wrap: function (fn) {\n   return function () {\n   return new AsyncGenerator(fn.apply(this, arguments));\n   };\n   },\n   await: function (value) {\n   return new AwaitValue(value);\n   }\n };\n}();\n\n\n\n\n\n\n\n\n\n\nvar defineProperty = function (obj, key, value) {\n if (key in obj) {\n   Object.defineProperty(obj, key, {\n   value: value,\n   enumerable: true,\n   configurable: true,\n   writable: true\n   });\n } else {\n   obj[key] = value;\n }\n\n return obj;\n};\n\nvar _extends = Object.assign || function (target) {\n for (var i = 1; i < arguments.length; i++) {\n   var source = arguments[i];\n\n   for (var key in source) {\n   if (Object.prototype.hasOwnProperty.call(source, key)) {\n   target[key] = source[key];\n   }\n   }\n }\n\n return target;\n};\n\n\n\n\n\n\n\n\n\nvar objectWithoutProperties = function (obj, keys) {\n var target = {};\n\n for (var i in obj) {\n   if (keys.indexOf(i) >= 0) continue;\n   if (!Object.prototype.hasOwnProperty.call(obj, i)) continue;\n   target[i] = obj[i];\n }\n\n return target;\n};\n\n\n\n\n\n\n\n\n\n\n\nvar toConsumableArray = function (arr) {\n if (Array.isArray(arr)) {\n   for (var i = 0, arr2 = Array(arr.length); i < arr.length; i++) arr2[i] = arr[i];\n\n   return

arr2;\n } else {\n return Array.from(arr);\n }\n};\n\nfunction styleToObject(style) {\n return style.split(';').map(function (s) {\n return s.trim();\n }).filter(function (s) {\n return s;\n }).reduce(function (acc, pair) {\n var i = pair.indexOf(':');\n var prop = humps.camelize(pair.slice(0, i));\n var value = pair.slice(i + 1).trim();\n\n acc[prop] = value;\n\n return acc;\n }, {});\n}\n\nfunction classToObject(cls) {\n return cls.split(/\\s+/).reduce(function (acc, c) {\n acc[c] = true;\n\n return acc;\n }, {});\n}\n\nfunction combineClassObjects() {\n for (var _len = arguments.length, objs = Array(_len), _key = 0; _key < _len; _key++) {\n objs[_key] = arguments[_key];\n }\n\n return objs.reduce(function (acc, obj) {\n if (Array.isArray(obj)) {\n acc = acc.concat(obj);\n } else {\n acc.push(obj);\n }\n\n return acc;\n }, []);\n}\n\nfunction convert(h, element) {\n var props = arguments.length > 2 && arguments[2] !== undefined ? arguments[2] : {};\n var data = arguments.length > 3 && arguments[3] !== undefined ? arguments[3] : {};\n\n var children = (element.children || []).map(convert.bind(null, h));\n\n var mixins = Object.keys(element.attributes || {}).reduce(function (acc, key) {\n var val = element.attributes[key];\n\n switch (key) {\n case 'class':\n acc['class'] = classToObject(val);\n break;\n case 'style':\n acc['style'] = styleToObject(val);\n break;\n default:\n acc.attrs[key] = val;\n }\n\n return acc;\n }, { 'class': {}, style: {}, attrs: {} });\n\n var _data$class = data.class,\n dClass = _data$class === undefined ? {} : _data$class,\n _data$style = data.style,\n dStyle = _data$style === undefined ? {} : _data$style,\n _data$attrs = data.attrs,\n dAttrs = _data$attrs === undefined ? {} : _data$attrs,\n remainingData = objectWithoutProperties(data, ['class', 'style', 'attrs']);\n\n if (typeof element === 'string') {\n return element;\n } else {\n return h(element.tag, _extends({\n class: combineClassObjects(mixins.class, dClass),\n style: _extends({}, mixins.style, dStyle),\n attrs: _extends({}, mixins.attrs, dAttrs)\n }, remainingData, {\n props: props\n }), children);\n }\n}\n\nvar PRODUCTION = false;\ntry {\n PRODUCTION = process.env.NODE_ENV === 'production';\n} catch (e) { }\n\nvar log = function () {\n if (!PRODUCTION && console && typeof console.error === 'function') {\n var _console;\n\n (_console = console).error.apply(_console, arguments);\n }\n};\n\nfunction objectWithKey(key, value) {\n return Array.isArray(value) && value.length > 0 || !Array.isArray(value) && value ? defineProperty({}, key, value) : {};\n}\n\nfunction classList(props) {\n var _classes;\n\n var classes = (_classes = {\n 'fa-spin': props.spin,\n 'fa-pulse': props.pulse,\n 'fa-fw': props.fixedWidth,\n 'fa-border': props.border,\n 'fa-li': props.listItem,\n 'fa-flip-horizontal': props.flip === 'horizontal' || props.flip === 'both',\n 'fa-flip-vertical': props.flip === 'vertical' || props.flip === 'both'\n }, defineProperty(_classes, 'fa-' + props.size, props.size !== null), defineProperty(_classes, 'fa-rotate-' + props.rotation, props.rotation !== null), defineProperty(_classes, 'fa-pull-' + props.pull, props.pull !== null), _classes);\n\n return Object.keys(classes).map(function (key) {\n return classes[key] ? key : null;\n }).filter(function (key) {\n return key;\n });\n}\n\nfunction addStaticClass(to, what) {\n var val = (to || '').length === 0 ? [] : [to];\n\n return val.concat(what).join(' ');\n}\n\nfunction normalizeIconArgs(icon) {\n if (icon === null) {\n return null;\n }\n\n if ((typeof icon === 'undefined' ? 'undefined' : _typeof(icon)) === 'object' && icon.prefix && icon.iconName) {\n return icon;\n }\n\n if (Array.isArray(icon) && icon.length === 2) {\n return { prefix: icon[0], iconName: icon[1] };\n }\n\n if (typeof icon === 'string') {\n return { prefix: 'fas', iconName: icon };\n }\n}\n\nvar FontAwesomeIcon$1 = {\n name: 'FontAwesomeIcon',\n\n functional: true,\n\n props: {\n border: {\n type: Boolean,\n default: false\n },\n fixedWidth: {\n type: Boolean,\n default: false\n },\n flip: {\n type: String,\n default: null,\n validator: function validator(value) {\n return ['horizontal', 'vertical', 'both'].indexOf(value) > -1;\n }\n },\n icon: {\n type: [Object, Array, String],\n required: true\n },\n mask: {\n type: [Object, Array, String],\n default: null\n },\n listItem: {\n type: Boolean,\n default: false\n },\n pull: {\n type: String,\n default: null,\n validator: function validator(value) {\n return ['right', 'left'].indexOf(value) > -1;\n }\n },\n pulse: {\n type: Boolean,\n default: false\n },\n rotation: {\n type: Number,\n default: null,\n validator: function validator(value) {\n return [90, 180, 270].indexOf(value) > -1;\n }\n },\n size: {\n type: String,\n default: null,\n validator: function validator(value) {\n return ['lg', 'xs', 'sm', '1x', '2x', '3x', '4x', '5x', '6x', '7x', '8x', '9x', '10x'].indexOf(value) > -1;\n }\n },\n spin: {\n type: Boolean,\n default: false\n },\n transform: {\n type: [String, Object],\n default: null\n },\n symbol: {\n type: [Boolean, String],\n default: false\n }\n },\n\n render: function render(createElement, context) {\n var props = context.props;\n var

iconArgs = props.icon,\n   maskArgs = props.mask,\n   symbol = props.symbol;\n\n   var icon = normalizeIconArgs(iconArgs);\n   var classes = objectWithKey('classes', classList(props));\n   var transform = objectWithKey('transform', typeof props.transform === 'string' ? fontawesome.parse.transform(props.transform) : props.transform);\n   var mask = objectWithKey('mask', normalizeIconArgs(maskArgs));\n\n   var renderedIcon = fontawesome.icon(icon, _extends({}, classes, transform, mask, { symbol: symbol }));\n\n   if (!renderedIcon) {\n   return log('Check not find one or more icon(s)', icon, mask);\n   }\n\n   var abstract = renderedIcon.abstract;\n   var convertCurry = convert.bind(null, createElement);\n   return convertCurry(abstract[0], {}, context.data);\n }\n};\n\nvar FontAwesomeLayers = {\n name: 'FontAwesomeLayers',\n\n functional: true,\n\n props: {\n   fixedWidth: {\n   type: Boolean,\n   default: false\n   }\n },\n\n render: function render(createElement, context) {\n   var familyPrefix = fontawesome.config.familyPrefix;\n   var staticClass = context.data.staticClass;\n\n   var classes = [familyPrefix + '-layers'].concat(toConsumableArray(context.props.fixedWidth ? [familyPrefix + '-fw'] : []));\n\n   return createElement('div', _extends({}, context.data, {\n   staticClass: addStaticClass(staticClass, classes)\n   }), context.children);\n }\n};\n\nvar FontAwesomeLayersText = {\n name: 'FontAwesomeLayersText',\n\n functional: true,\n\n props: {\n   value: {\n   type: String,\n   default: ''\n   },\n   transform: {\n   type: [String, Object],\n   default: null\n   }\n },\n\n render: function render(createElement, context) {\n   var props = context.props;\n\n   var transform = objectWithKey('transform', typeof props.transform === 'string' ? fontawesome.parse.transform(props.transform) : props.transform);\n\n   var renderedText = fontawesome.text(props.value, _extends({}, transform));\n\n   var abstract = renderedText.abstract;\n\n   var convertCurry = convert.bind(null, createElement);\n   return convertCurry(abstract[0], {}, context.data);\n }\n};\n\nfontawesome.noAuto();\n\nexports['default'] = FontAwesomeIcon$1;\nexports.FontAwesomeIcon = FontAwesomeIcon$1;\nexports.FontAwesomeLayers = FontAwesomeLayers;\nexports.FontAwesomeLayersText = FontAwesomeLayersText;\n\nObject.defineProperty(exports, '__esModule', { value: true });\n\n})));\n","use strict';\nvar global = require('./_global');\nvar dP = require('./_object-dp');\nvar DESCRIPTORS = require('./_descriptors');\nvar SPECIES = require('./_wks')('species');\n\nmodule.exports = function (KEY) {\n var C = global[KEY];\n if (DESCRIPTORS && C && !C[SPECIES]) dP.f(C, SPECIES, {\n   configurable: true,\n   get: function () { return this; }\n });\n};\n","var mapCacheClear = require('./_mapCacheClear'),\n   mapCacheDelete = require('./_mapCacheDelete'),\n   mapCacheGet = require('./_mapCacheGet'),\n   mapCacheHas = require('./_mapCacheHas'),\n   mapCacheSet = require('./_mapCacheSet');\n\n/**\n * Creates a map cache object to store key-value pairs.\n *\n * @private\n * @constructor\n * @param {Array} [entries] The key-value pairs to cache.\n */\nfunction MapCache(entries) {\n var index = -1,\n   length = entries == null ? 0 : entries.length;\n\n this.clear();\n while (++index < length) {\n   var entry = entries[index];\n   this.set(entry[0], entry[1]);\n }\n}\n\n// Add methods to `MapCache`.\nMapCache.prototype.clear = mapCacheClear;\nMapCache.prototype['delete'] = mapCacheDelete;\nMapCache.prototype.get = mapCacheGet;\nMapCache.prototype.has = mapCacheHas;\nMapCache.prototype.set = mapCacheSet;\n\nmodule.exports = MapCache;\n","var Stack = require('./_Stack'),\n   equalArrays = require('./_equalArrays'),\n   equalByTag = require('./_equalByTag'),\n   equalObjects = require('./_equalObjects'),\n   getTag = require('./_getTag'),\n   isArray = require('./isArray'),\n   isBuffer = require('./isBuffer'),\n   isTypedArray = require('./isTypedArray');\n\n/** Used to compose bitmasks for value comparisons. */\nvar COMPARE_PARTIAL_FLAG = 1;\n\n/** `Object#toString` result references. */\nvar argsTag = '[object Arguments]',\n   arrayTag = '[object Array]',\n   objectTag = '[object Object]';\n\n/** Used for built-in method references. */\nvar objectProto = Object.prototype;\n\n/** Used to check objects for own properties. */\nvar hasOwnProperty = objectProto.hasOwnProperty;\n\n/**\n * A specialized version of `baseIsEqual` for arrays and objects which performs\n * deep comparisons and tracks traversed objects enabling objects with circular\n * references to be compared.\n *\n * @private\n * @param {Object} object The object to compare.\n * @param {Object} other The other object to compare.\n * @param {number} bitmask The bitmask flags. See `baseIsEqual` for more details.\n * @param {Function} customizer The function to customize comparisons.\n * @param {Function} equalFunc The function to determine equivalents of values.\n * @param {Object} [stack] Tracks traversed `object` and `other` objects.\n * @returns {boolean} Returns `true` if the objects are equivalent, else `false`.\n */\nfunction baseIsEqualDeep(object, other, bitmask, customizer, equalFunc, stack) {\n var objIsArr

= isArray(object),\n   othIsArr = isArray(other),\n   objTag = objIsArr ? arrayTag : getTag(object),\n   othTag = othIsArr ? arrayTag : getTag(other);\n\n objTag = objTag == argsTag ? objectTag : objTag;\n othTag = othTag == argsTag ? objectTag : othTag;\n\n var objIsObj = objTag == objectTag,\n   othIsObj = othTag == objectTag,\n   isSameTag = objTag == othTag;\n\n if (isSameTag && isBuffer(object)) {\n   if (!isBuffer(other)) {\n   return false;\n   }\n   objIsArr = true;\n   objIsObj = false;\n }\n if (isSameTag && !objIsObj) {\n   stack || (stack = new Stack);\n   return (objIsArr || isTypedArray(object))\n   ? equalArrays(object, other, bitmask, customizer, equalFunc, stack)\n   : equalByTag(object, other, objTag, bitmask, customizer, equalFunc, stack);\n }\n if (!(bitmask & COMPARE_PARTIAL_FLAG)) {\n   var objIsWrapped = objIsObj && hasOwnProperty.call(object, '__wrapped__'),\n   othIsWrapped = othIsObj && hasOwnProperty.call(other, '__wrapped__');\n\n   if (objIsWrapped || othIsWrapped) {\n   var objUnwrapped = objIsWrapped ? object.value() : object,\n   othUnwrapped = othIsWrapped ? other.value() : other;\n\n   stack || (stack = new Stack);\n   return equalFunc(objUnwrapped, othUnwrapped, bitmask, customizer, stack);\n   }\n }\n if (!isSameTag) {\n   return false;\n }\n stack || (stack = new Stack);\n return equalObjects(object, other, bitmask, customizer, equalFunc, stack);\n}\n\nmodule.exports = baseIsEqualDeep;\n","\"use strict\";\nmodule.exports = require(\"./is-implemented\")() ? Object.keys : require(\"./shim\");\n","var Hash = require('./_Hash'),\n   ListCache = require('./_ListCache'),\n   Map = require('./_Map');\n\n/**\n * Removes all key-value entries from the map.\n *\n * @private\n * @name clear\n * @memberOf MapCache\n */\nfunction mapCacheClear() {\n this.size = 0;\n this.__data__ = {\n   'hash': new Hash,\n   'map': new (Map || ListCache),\n   'string': new Hash\n };\n}\n\nmodule.exports = mapCacheClear;\n","var arrayPush = require('./_arrayPush'),\n   isArray = require('./isArray');\n\n/**\n * The base implementation of `getAllKeys` and `getAllKeysIn` which uses\n * `keysFunc` and `symbolsFunc` to get the enumerable property names and\n * symbols of `object`.\n *\n * @private\n * @param {Object} object The object to query.\n * @param {Function} keysFunc The function to get the keys of `object`.\n * @param {Function} symbolsFunc The function to get the symbols of `object`.\n * @returns {Array} Returns the array of property names and symbols.\n */\nfunction baseGetAllKeys(object, keysFunc, symbolsFunc) {\n var result = keysFunc(object);\n return isArray(object) ? result : arrayPush(result, symbolsFunc(object));\n}\n\nmodule.exports = baseGetAllKeys;\n","var ListCache = require('./_ListCache'),\n   stackClear = require('./_stackClear'),\n   stackDelete = require('./_stackDelete'),\n   stackGet = require('./_stackGet'),\n   stackHas = require('./_stackHas'),\n   stackSet = require('./_stackSet');\n\n/**\n * Creates a stack cache object to store key-value pairs.\n *\n * @private\n * @constructor\n * @param {Array} [entries] The key-value pairs to cache.\n */\nfunction Stack(entries) {\n var data = this.__data__ = new ListCache(entries);\n this.size = data.size;\n}\n\n// Add methods to `Stack`.\nStack.prototype.clear = stackClear;\nStack.prototype['delete'] = stackDelete;\nStack.prototype.get = stackGet;\nStack.prototype.has = stackHas;\nStack.prototype.set = stackSet;\n\nmodule.exports = Stack;\n","/** Used to stand-in for `undefined` hash values. */\nvar HASH_UNDEFINED = '__lodash_hash_undefined__';\n\n/**\n * Adds `value` to the array cache.\n *\n * @private\n * @name add\n * @memberOf SetCache\n * @alias push\n * @param {*} value The value to cache.\n * @returns {Object} Returns the cache instance.\n */\nfunction setCacheAdd(value) {\n this.__data__.set(value, HASH_UNDEFINED);\n return this;\n}\n\nmodule.exports = setCacheAdd;\n","var def = require('./_object-dp').f;\nvar has = require('./_has');\nvar TAG = require('./_wks')('toStringTag');\n\nmodule.exports = function (it, tag, stat) {\n if (it && !has(it = stat ? it : it.prototype, TAG)) def(it, TAG, { configurable: true, value: tag });\n};\n","var dP = require('./_object-dp').f;\nvar FProto = Function.prototype;\nvar nameRE = /^\\s*function ([^ (]*)/;\nvar NAME = 'name';\n\n// 19.2.4.2 name\nNAME in FProto || require('./_descriptors') && dP(FProto, NAME, {\n configurable: true,\n get: function () {\n   try {\n   return (" + this).match(nameRE)[1];\n   } catch (e) {\n   return '';\n   }\n }\n});\n","import mod from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./GenericFooter.vue?vue&type=style&index=0&id=203025b4&lang=scss&scoped=true&\"; export default

mod; export * from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./GenericFooter.vue?vue&type=style&index=0&id=203025b4&lang=scss&scoped=true&\"","/**\n * Gets the stack value for `key`.\n *\n * @private\n * @name get\n * @memberOf Stack\n * @param {string} key The key of the value to get.\n * @returns {*} Returns the entry value.\n */\nfunction stackGet(key) {\n return this.__data__.get(key);\n}\n\nmodule.exports = stackGet;\n","/**\n * A specialized version of `_.forEach` for arrays without support for\n * iteratee shorthands.\n *\n * @private\n * @param {Array} [array] The array to iterate over.\n * @param {Function} iteratee The function invoked per iteration.\n * @returns {Array} Returns `array`.\n */\nfunction arrayEach(array, iteratee) {\n var index = -1,\n   length = array == null ? 0 : array.length;\n\n while (++index < length) {\n   if (iteratee(array[index], index, array) === false) {\n   break;\n   }\n }\n return array;\n}\n\nmodule.exports = arrayEach;\n","var global = require('./_global');\nvar macrotask = require('./_task').set;\nvar Observer = global.MutationObserver || global.WebKitMutationObserver;\nvar process = global.process;\nvar Promise = global.Promise;\nvar isNode = require('./_cof')(process) == 'process';\nmodule.exports = function () {\n var head, last, notify;\n\n var flush = function () {\n   var parent, fn;\n   if (isNode && (parent = process.domain)) parent.exit();\n   while (head) {\n   fn = head.fn;\n   head = head.next;\n   try {\n   fn();\n   } catch (e) {\n   if (head) notify();\n   else last = undefined;\n   throw e;\n   }\n   } last = undefined;\n   if (parent) parent.enter();\n };\n\n // Node.js\n if (isNode) {\n   notify = function () {\n   process.nextTick(flush);\n   };\n // browsers with MutationObserver, except iOS Safari - https://github.com/zloirock/core-js/issues/339\n } else if (Observer && !(global.navigator && global.navigator.standalone)) {\n   var toggle = true;\n   var node = document.createTextNode('');\n   new Observer(flush).observe(node, { characterData: true }); // eslint-disable-line no-new\n   notify = function () {\n   node.data = toggle = !toggle;\n   };\n // environments with maybe non-completely correct, but existent Promise\n } else if (Promise && Promise.resolve) {\n   // Promise.resolve without an argument throws an error in LG WebOS 2\n   var promise = Promise.resolve(undefined);\n   notify = function () {\n   promise.then(flush);\n   };\n // for other environments - macrotask based on:\n // - setImmediate\n // - MessageChannel\n // - window.postMessag\n // - onreadystatechange\n // - setTimeout\n } else {\n   notify = function () {\n   // strange IE + webpack dev server bug - use .call(global)\n   macrotask.call(global, flush);\n   };\n }\n\n return function (fn) {\n   var task = { fn: fn, next: undefined };\n   if (last) last.next = task;\n   if (!head) {\n   head = task;\n   notify();\n   } last = task;\n };\n};\n","var core = module.exports = { version: '2.5.7' };\nif (typeof __e == 'number') __e = core; // eslint-disable-line no-undef\n","module.exports = {};\n","/**\n * A faster alternative to `Function#apply`, this function invokes `func`\n * with the `this` binding of `thisArg` and the arguments of `args`.\n *\n * @private\n * @param {Function} func The function to invoke.\n * @param {*} thisArg The `this` binding of `func`.\n * @param {Array} args The arguments to invoke `func` with.\n * @returns {*} Returns the result of `func`.\n */\nfunction apply(func, thisArg, args) {\n switch (args.length) {\n   case 0: return func.call(thisArg);\n   case 1: return func.call(thisArg, args[0]);\n   case 2: return func.call(thisArg, args[0], args[1]);\n   case 3: return func.call(thisArg, args[0], args[1], args[2]);\n }\n return func.apply(thisArg, args);\n}\n\nmodule.exports = apply;\n","var baseHasIn = require('./_baseHasIn'),\n   hasPath = require('./_hasPath');\n\n/**\n * Checks if `path` is a direct or inherited property of `object`.\n *\n * @static\n * @memberOf _\n * @since 4.0.0\n * @category Object\n * @param {Object} object The object to query.\n * @param {Array|string} path The path to check.\n * @returns {boolean} Returns `true` if `path` exists, else `false`.\n * @example\n *\n * var object = _.create({ 'a': _.create({ 'b': 2 }) });\n *\n * _.hasIn(object, 'a');\n * // => true\n *\n * _.hasIn(object, 'a.b');\n * // => true\n *\n * _.hasIn(object, ['a', 'b']);\n * // => true\n *\n * _.hasIn(object, 'b');\n * // => false\n */\nfunction hasIn(object, path) {\n return object != null && hasPath(object, path, baseHasIn);\n}\n\nmodule.exports = hasIn;\n","var anObject = require('./_an-object');\nvar IE8_DOM_DEFINE = require('./_ie8-dom-define');\nvar toPrimitive = require('./_to-primitive');\nvar dP = Object.defineProperty;\n\nexports.f = require('./_descriptors') ? Object.defineProperty : function defineProperty(O,

P, Attributes) {\n anObject(O);\n P = toPrimitive(P, true);\n anObject(Attributes);\n if (IE8_DOM_DEFINE) try {\n return dP(O, P, Attributes);\n } catch (e) { /* empty */ }\n if ('get' in Attributes || 'set' in Attributes) throw TypeError('Accessors not supported!');\n if ('value' in Attributes) O[P] = Attributes.value;\n return O;\n};\n","// Works with __proto__ only. Old v8 can't work with null proto objects.\n/* eslint-disable no-proto */\nvar isObject = require('./_is-object');\nvar anObject = require('./_an-object');\nvar check = function (O, proto) {\n anObject(O);\n if (!isObject(proto) && proto !== null) throw TypeError(proto + \": can't set as prototype!\");\n};\nmodule.exports = {\n set: Object.setPrototypeOf || ('__proto__' in {} ? // eslint-disable-line\n function (test, buggy, set) {\n try {\n set = require('./_ctx')(Function.call, require('./_object-gopd').f(Object.prototype, '__proto__').set, 2);\n set(test, []);\n buggy = !(test instanceof Array);\n } catch (e) { buggy = true; }\n return function setPrototypeOf(O, proto) {\n check(O, proto);\n if (buggy) O.__proto__ = proto;\n else set(O, proto);\n return O;\n };\n }({}, false) : undefined),\n check: check\n};\n","module.exports = require(\"vue\");","'use strict';\nObject.defineProperty(exports, '__esModule', { value: true });\nvar prefix = 'fab';\nvar iconName = 'facebook';\nvar width = 448;\nvar height = 512;\nvar ligatures = [];\nvar unicode = 'f09a';\nvar svgPathData = 'M448 56.7v398.5c0 13.7-11.1 24.7-24.7 24.7H309.1V306.5h58.2l8.7-67.6h-67v-43.2c0-19.6 5.4-32.9 33.5-32.9h35.8v-60.5c-6.2-.8-27.4-2.7-52.2-2.7-51.6 0-87 31.5-87 89.4v49.9h-58.4v67.6h58.4V480H24.7C11.1 480 0 468.9 0 455.3V56.7C0 43.1 11.1 32 24.7 32h398.5c13.7 0 24.8 11.1 24.8 24.7z';\n\nexports.definition = {\n prefix: prefix,\n iconName: iconName,\n icon: [\n width,\n height,\n ligatures,\n unicode,\n svgPathData\n]};\n\nexports.faFacebook = exports.definition;\nexports.prefix = prefix;\nexports.iconName = iconName;\nexports.width = width;\nexports.height = height;\nexports.ligatures = ligatures;\nexports.unicode = unicode;\nexports.svgPathData = svgPathData;","import mod from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./FollowUsPopover.vue?vue&type=style&index=0&id=440d5984&lang=scss&scoped=true&\"; export default mod; export * from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./FollowUsPopover.vue?vue&type=style&index=0&id=440d5984&lang=scss&scoped=true&\"","// extracted by mini-css-extract-plugin","module.exports =

\"data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAAAIgAAABaCAYAAABjTB52AAAABmJLR0QA/wD/AP+gvaeTAAAACXBIWXMAAAsTAAALEwEAmpwYAAAAB3RJTUUH4gkSEA4ZhpbLcgAABedJREFUeNrtnVtsFFUYgL+Z2d22uy0N0FKLaL1LAiJEExWjECXWNBiiUDReXgQiCAblQRMVm6BRAiQQzQmGjS+G BICJFwEymoUSwxIGK4VA3hUm61FHrZy+zxYUtSCGB7Zpk5y/xfMg/dmX/Pv2e+OWfOmkOCEJ4aLChrC K33VQs9eEdqzDTLLh0CXY+BmgCqBqjs2QYDTq8Dk8BfwH6wvofYWuj+R057vvwSpd2D1U3srhZVugrc2fVEtug OQsULXAGA9y7wJrDcRRW+idL7C5wh2ucnqOQ+dF7+ZFaUAP6HxdtAqoSYCm9Lan9bCXgzgWWt36el9y6wH4 XquNX/zfYYCzVzXJenduBPvfKdabbZ9yxP2fohoBjUXKMpzAcWg3oaWfeBMlc7kMm2PmWlVx2HB18CTPhQ2 DDLLfgD0Csg2ixEVtn3kpJa6Dlkaf5OiFegfsj0QJowWpKIPOReDeYpXY4H9H9iWhhrCCtnwJ3BJJuDmgnOM6KGc YI400A9a0Yu2RW5rk4wRJB4NWQ/NqheBkHnZ6KHMYj0zwVKDKubJyAyXgQx4sZUzTSzetw5YRfEgHmQ1 hlAuccv2QfWd8ABsFpBxYFoOrJPaPRZKKUDIuwyJIcKMGGGL7OYx8CeBe5aUJfYXfU6nFwE6mX9+km+BM yXLiYQKKkuBezSDT0NsXE6Oy3G8A7KzwVrsQeBJcg8SGP+O1W/FrLcgeaBvxz78JrBbBbM8kRMGiACBLMfMM 4zcCzcMvKvh++NQN2g34dtT8TgggRz/6E7a7oFDib7FzJ6PXBKKU+SxIkgwDNbsXvbv0P2ZnGtiuKfJIESRYYkjQF+Vszbqe/IosgAbUgUUU5JBmeYNEkGD/WGNkkGDQNhR10asa1iSCFFYgmltKMMyeChEIQ/WGTZlxEBBEEUQQQQRRRPCPkN18WR3oPbTLiCChIP0rcLe0C9C9LCCKIIIIIg3rzYh+8ep4hpKPa82307JcUyzNOE6wLIMGgwWfHQes3yyykMqiB0r16VDPufPEUQr2iu30JcUyzNOE6wLIMGgwWfHZsqZoSXrBlsvA37gAqJ2i30JJbuClTNOE6wLIMGgwWfHqes3yuryw0MqiB0r16VyZJHKenJyeOIOx0A6AJ7hYes3wyyksqiB0r16Vw5JKKenJyeOIIOJoO6wJ7h6v0JjqA0MqiB0r16XP3XphqlizNOE6wLIM4gwWfHQq2C2y0Vj6V1yyMqiB0r16XP3XphqlizNOE6wLIM4gwWfHQq2C2y0Vj6V1yyMqiB0r16XP3Xphqli
zPMvfPEUQr2iu30JcUyzNOE6LIMGgWfHQes3yykMqiB0yQRiuKZbuClenClyQoQUqiKW5Hq16VDPufs

08jxSuG2UVQKlmsBu0ID9oBtZApJ8LIpZWAo/4nKcBdN3uIbg9YEGKGvVj3aVwwW1Hfj+98H4jqlRXZVriCZF/ wcAGfCViQzqPAQc3gMdC8Fsr+Z1mzBhvs+aCma5ZzBJLNhSlHZDyoGR4EaTdgosza6CG4Fs41g70EIo9D0a1Q PhASVRAbBfYcWNAEaoGH/DYVnhjVcbBfBXcjnl4Kix0y4I2y6HJIzfZww1wOah6488AFUvm+Cpfn/zvzQfGNk Jp43mIgAQwENQpaHvQwpO/VcnYcN0CQZDNYq4EpBp6FzZD63cxWIj0S1IqrWECTCfMg56/SxWaeBGcJocX 6ySBB0jvA+tywGloDmc0htSMNJV8ZJAjA0FeAPwxJ5jCUTQtx67EaOloME+RwF0Snor9ocr5wwXkO2ltDakcW nKXn/zDsfZDUXnAmo730umcyYE+HzLYQtx4fQPoXQwUByGyCyEO5Zt5XzoIzEdyV4ZWD7TC5ofcHhr5Rlt4 FJfcBP/tU4KHcs53MtyGWYyskJsMqtwAEgdw0vBoL9tPAvqtUSBtYb0DNnZD+LcTdyocwZQKcO3mJnVUJsJT eFh3tzw+od8B5Eazd+rlesB0He1FuWt4P7IWaea67whxNXR7qYRNErviEOwLRbK6J1TLPpznoVS7wRW6LD4V kLajanvdCKvo2MmEnWBvA2QDpJlAKzvh1ibbp1bF1ElS+czmdG8ZGluUGBVdeEtgq/OaxKgFnKsGthOyQHmF SYJ0A+wRET0DdqYv71sLHqYPs+svsTPaMBFuAY2DtB/aAs6OnK+2zdRZCgdJgw5exCz+LZ2FvSupG8I3/ALz OxpMdqcQ2AAAAAElFTkSuQmCC\"","// 19.1.2.7 / 15.2.3.4 Object.getOwnPropertyNames(O)\nvar $keys =

require('./_object-keys-internal');\nvar hiddenKeys = require('./_enum-bug-keys').concat('length', 'prototype');\n\nexports.f = Object.getOwnPropertyNames || function getOwnPropertyNames(O) {\n return $keys(O, hiddenKeys);\n};\n","/**\n * Creates a unary function that invokes `func` with its argument transformed.\n *\n * @private\n * @param {Function} func The function to wrap.\n * @param {Function} transform The argument transform.\n * @returns {Function} Returns the new function.\n */\nfunction overArg(func, transform) {\n return function(arg) {\n return func(transform(arg));\n };\n}\n\nmodule.exports = overArg;\n","var getMapData = require('./_getMapData');\n\n/**\n * Removes `key` and its value from the map.\n *\n * @private\n * @name delete\n * @memberOf MapCache\n * @param {string} key The key of the value to remove.\n * @returns {boolean} Returns `true` if the entry was removed, else `false`.\n */\nfunction mapCacheDelete(key) {\n var result = getMapData(this, key)['delete'](key);\n this.size -= result ? 1 : 0;\n return result;\n}\n\nmodule.exports = mapCacheDelete;\n","// ES2015 Symbol polyfill for environments that do not (or partially) support it\n\n'use strict';\n\nvar d = require('d')\n , validateSymbol = require('./validate-symbol')\n\n , create = Object.create, defineProperties = Object.defineProperties\n , defineProperty = Object.defineProperty, objPrototype = Object.prototype\n , NativeSymbol, SymbolPolyfill, HiddenSymbol, globalSymbols = create(null)\n , isNativeSafe;\n\nif (typeof Symbol === 'function') {\n\tNativeSymbol = Symbol;\n\ttry {\n\t\tString(NativeSymbol());\n\t\tisNativeSafe = true;\n\t} catch (ignore) {}\n}\n\nvar generateName = (function () {\n\tvar created = create(null);\n\treturn function (desc) {\n\t\tvar postfix = 0, name, ie11BugWorkaround;\n\t\twhile (created[desc + (postfix || '')]) ++postfix;\n\t\tdesc += (postfix || '');\n\t\tcreated[desc] = true;\n\t\tname = '@@' + desc;\n\t\tdefineProperty(objPrototype, name, d.gs(null, function (value) {\n\t\t\t// For IE11 issue see:\n\t\t\t// https://connect.microsoft.com/IE/feedbackdetail/view/1928508/\n   ie11-broken-getters-on-dom-objects\n\t\t\t// https://github.com/medikoo/es6-symbol/issues/12\n\t\t\tif (ie11BugWorkaround) return;\n\t\t\tie11BugWorkaround = true;\n\t\t\tdefineProperty(this, name, d(value));\n\t\t\tie11BugWorkaround = false;\n\t\t}));\n\t\treturn name;\n\t};\n}());\n\n// Internal constructor (not one exposed) for creating Symbol instances.\n// This one is used to ensure that `someSymbol instanceof Symbol` always return false\nHiddenSymbol = function Symbol(description) {\n\tif (this instanceof HiddenSymbol) throw new TypeError('Symbol is not a constructor');\n\treturn SymbolPolyfill(description);\n};\n\n// Exposed `Symbol` constructor\n// (returns instances of HiddenSymbol)\nmodule.exports = SymbolPolyfill = function Symbol(description) {\n\tvar symbol;\n\tif (this instanceof Symbol) throw new TypeError('Symbol is not a constructor');\n\tif (isNativeSafe) return NativeSymbol(description);\n\tsymbol = create(HiddenSymbol.prototype);\n\tdescription = (description === undefined ? '' : String(description));\n\treturn defineProperties(symbol, {\n\t\t__description__: d('', description),\n\t\t__name__: d('', generateName(description))\n\t});\n};\ndefineProperties(SymbolPolyfill, {\n\tfor: d(function (key) {\n\t\tif (globalSymbols[key]) return globalSymbols[key];\n\t\treturn (globalSymbols[key] = SymbolPolyfill(String(key)));\n\t}),\n\tkeyFor: d(function (s) {\n\t\tvar key;\n\t\tvalidateSymbol(s);\n\t\tfor (key in globalSymbols) if (globalSymbols[key] === s) return key;\n\t}),\n\n\t// To ensure proper interoperability with other native functions (e.g. Array.from)\n\t// fallback to eventual native implementation of given symbol\n\thasInstance: d('', (NativeSymbol && NativeSymbol.hasInstance) || SymbolPolyfill('hasInstance')),\n\tisConcatSpreadable: d('', (NativeSymbol && NativeSymbol.isConcatSpreadable) ||\n\t\tSymbolPolyfill('isConcatSpreadable')),\n\titerator:

d(", (NativeSymbol && NativeSymbol.iterator) || SymbolPolyfill('iterator')),\n\tmatch: d(", (NativeSymbol && NativeSymbol.match) || SymbolPolyfill('match')),\n\treplace: d(", (NativeSymbol && NativeSymbol.replace) || SymbolPolyfill('replace')),\n\tsearch: d(", (NativeSymbol && NativeSymbol.search) || SymbolPolyfill('search')),\n\tspecies: d(", (NativeSymbol && NativeSymbol.species) || SymbolPolyfill('species')),\n\tsplit: d(", (NativeSymbol && NativeSymbol.split) || SymbolPolyfill('split')),\n\ttoPrimitive: d(", (NativeSymbol && NativeSymbol.toPrimitive) || SymbolPolyfill('toPrimitive')),\n\ttoStringTag: d(", (NativeSymbol && NativeSymbol.toStringTag) || SymbolPolyfill('toStringTag')),\n\tunscopables: d(", (NativeSymbol && NativeSymbol.unscopables) || SymbolPolyfill('unscopables'))\n});\n\n// Internal tweaks for real symbol producer\ndefineProperties(HiddenSymbol.prototype, {\n\tconstructor: d(SymbolPolyfill),\n\ttoString: d(", function () { return this.__name__; })\n});\n\n// Proper implementation of methods exposed on Symbol.prototype\n// They won't be accessible on produced symbol instances as they derive from HiddenSymbol.prototype\ndefineProperties(SymbolPolyfill.prototype, {\n\ttoString: d(function () { return 'Symbol (' + validateSymbol(this).__description__ + ')'; }),\n\tvalueOf: d(function () { return validateSymbol(this); })\n});\ndefineProperty(SymbolPolyfill.prototype, SymbolPolyfill.toPrimitive, d(", function () {\n\tvar symbol = validateSymbol(this);\n\tif (typeof symbol === 'symbol') return symbol;\n\treturn symbol.toString();\n}));\ndefineProperty(SymbolPolyfill.prototype, SymbolPolyfill.toStringTag, d('c', 'Symbol'));\n\n// Proper implementaton of toPrimitive and toStringTag for returned symbol instances\ndefineProperty(HiddenSymbol.prototype, SymbolPolyfill.toStringTag,\n\td('c', SymbolPolyfill.prototype[SymbolPolyfill.toStringTag]));\n\n// Note: It's important to define `toPrimitive` as last one, as some implementations\n// implement `toPrimitive` natively without implementing `toStringTag` (or other specified symbols)\n// And that may invoke error in definition flow:\n// See: https://github.com/medikoo/es6-symbol/issues/13#issuecomment-164146149\ndefineProperty(HiddenSymbol.prototype, SymbolPolyfill.toPrimitive,\n\td('c', SymbolPolyfill.prototype[SymbolPolyfill.toPrimitive]));\n","var isArrayLike = require('./isArrayLike');\n\n/**\n * Creates a `baseEach` or `baseEachRight` function.\n *\n * @private\n * @param {Function} eachFunc The function to iterate over a collection.\n * @param {boolean} [fromRight] Specify iterating from right to left.\n * @returns {Function} Returns the new base function.\n */\nfunction createBaseEach(eachFunc, fromRight) {\n return function(collection, iteratee) {\n   if (collection == null) {\n   return collection;\n   }\n   if (!isArrayLike(collection)) {\n   return eachFunc(collection, iteratee);\n   }\n   var length = collection.length,\n   index = fromRight ? length : -1,\n   iterable = Object(collection);\n\n   while ((fromRight ? index-- : ++index < length)) {\n   if (iteratee(iterable[index], index, iterable) === false) {\n   break;\n   }\n   }\n   return collection;\n };\n}\n\nmodule.exports = createBaseEach;\n","var baseGetTag = require('./_baseGetTag'),\n   isObject = require('./isObject');\n\n/** `Object#toString` result references. */\nvar asyncTag = '[object AsyncFunction]',\n   funcTag = '[object Function]',\n   genTag = '[object GeneratorFunction]',\n   proxyTag = '[object Proxy]';\n\n/**\n * Checks if `value` is classified as a `Function` object.\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @category Lang\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is a function, else `false`.\n * @example\n *\n * _.isFunction(_);\n * // => true\n *\n * _.isFunction(/abc/);\n * // => false\n */\nfunction isFunction(value) {\n if (!isObject(value)) {\n   return false;\n }\n // The use of `Object#toString` avoids issues with the `typeof` operator\n // in Safari 9 which returns 'object' for typed arrays and other constructors.\n var tag = baseGetTag(value);\n return tag == funcTag || tag == genTag || tag == asyncTag || tag == proxyTag;\n}\n\nmodule.exports = isFunction;\n","/**\n * Performs a\n * [`SameValueZero`](http://ecma-international.org/ecma-262/7.0/#sec-samevaluezero)\n * comparison between two values to determine if they are equivalent.\n *\n * @static\n * @memberOf _\n * @since 4.0.0\n * @category Lang\n * @param {*} value The value to compare.\n * @param {*} other The other value to compare.\n * @returns {boolean} Returns `true` if the values are equivalent, else `false`.\n * @example\n *\n * var object = { 'a': 1 };\n * var other = { 'a': 1 };\n *\n * _.eq(object, object);\n * // => true\n *\n * _.eq(object, other);\n * // => false\n *\n * _.eq('a', 'a');\n * // => true\n *\n * _.eq('a', Object('a'));\n * // => false\n *\n * _.eq(NaN, NaN);\n * // => true\n */\nfunction eq(value, other) {\n return value === other || (value !== value && other !==

other);\n}\n\nmodule.exports = eq;\n","var Stack = require('./_Stack'),\n   baseIsEqual = require('./_baseIsEqual');\n\n/** Used to compose bitmasks for value comparisons. */\nvar COMPARE_PARTIAL_FLAG = 1,\n   COMPARE_UNORDERED_FLAG = 2;\n\n/**\n * The base implementation of `_.isMatch` without support for iteratee shorthands.\n *\n * @private\n * @param {Object} object The object to inspect.\n * @param {Object} source The object of property values to match.\n * @param {Array} matchData The property names, values, and compare flags to match.\n * @param {Function} [customizer] The function to customize comparisons.\n * @returns {boolean} Returns `true` if `object` is a match, else `false`.\n */\nfunction baseIsMatch(object, source, matchData, customizer) {\n var index = matchData.length,\n   length = index,\n   noCustomizer = !customizer;\n\n if (object == null) {\n   return !length;\n }\n object = Object(object);\n while (index--) {\n   var data = matchData[index];\n   if ((noCustomizer && data[2])\n   ? data[1] !== object[data[0]]\n   : !(data[0] in object)\n   ) {\n   return false;\n   }\n }\n while (++index < length) {\n   data = matchData[index];\n   var key = data[0],\n   objValue = object[key],\n   srcValue = data[1];\n\n   if (noCustomizer && data[2]) {\n   if (objValue === undefined && !(key in object)) {\n   return false;\n   }\n   } else {\n   var stack = new Stack;\n   if (customizer) {\n   var result = customizer(objValue, srcValue, key, object, source, stack);\n   }\n   if (!(result === undefined\n   ? baseIsEqual(srcValue, objValue, COMPARE_PARTIAL_FLAG | COMPARE_UNORDERED_FLAG, customizer, stack)\n   : result\n   )) {\n   return false;\n   }\n   }\n }\n return true;\n}\n\nmodule.exports = baseIsMatch;\n","\"use strict\";\n\nvar isValue = require(\"./is-value\");\n\nmodule.exports = function (value) {\n\tif (!isValue(value)) throw new TypeError(\"Cannot use null or undefined\");\n\treturn value;\n};\n","var baseEach = require('./_baseEach'),\n   isArrayLike = require('./isArrayLike');\n\n/**\n * The base implementation of `_.map` without support for iteratee shorthands.\n *\n * @private\n * @param {Array|Object} collection The collection to iterate over.\n * @param {Function} iteratee The function invoked per iteration.\n * @returns {Array} Returns the new mapped array.\n */\nfunction baseMap(collection, iteratee) {\n var index = -1,\n   result = isArrayLike(collection) ? Array(collection.length) : [];\n\n baseEach(collection, function(value, key, collection) {\n   result[++index] = iteratee(value, key, collection);\n });\n return result;\n}\n\nmodule.exports = baseMap;\n","/**\n * Creates a base function for methods like `_.forIn` and `_.forOwn`.\n *\n * @private\n * @param {boolean} [fromRight] Specify iterating from right to left.\n * @returns {Function} Returns the new base function.\n */\nfunction createBaseFor(fromRight) {\n return function(object, iteratee, keysFunc) {\n   var index = -1,\n   iterable = Object(object),\n   props = keysFunc(object),\n   length = props.length;\n\n   while (length--) {\n   var key = props[fromRight ? length : ++index];\n   if (iteratee(iterable[key], key, iterable) === false) {\n   break;\n   }\n   }\n   return object;\n };\n}\n\nmodule.exports = createBaseFor;\n","var freeGlobal = require('./_freeGlobal');\n\n/** Detect free variable `exports`. */\nvar freeExports = typeof exports == 'object' && exports && !exports.nodeType && exports;\n\n/** Detect free variable `module`. */\nvar freeModule = freeExports && typeof module == 'object' && module && !module.nodeType && module;\n\n/** Detect the popular CommonJS extension `module.exports`. */\nvar moduleExports = freeModule && freeModule.exports === freeExports;\n\n/** Detect free variable `process` from Node.js. */\nvar freeProcess = moduleExports && freeGlobal.process;\n\n/** Used to access faster Node.js helpers. */\nvar nodeUtil = (function() {\n try {\n   // Use `util.types` for Node.js 10+.\n   var types = freeModule && freeModule.require && freeModule.require('util').types;\n\n   if (types) {\n   return types;\n   }\n\n   // Legacy `process.binding('util')` for Node.js < 10.\n   return freeProcess && freeProcess.binding && freeProcess.binding('util');\n } catch (e) {}\n}());\n\nmodule.exports = nodeUtil;\n","var eq = require('./eq'),\n   isArrayLike = require('./isArrayLike'),\n   isIndex = require('./_isIndex'),\n   isObject = require('./isObject');\n\n/**\n * Checks if the given arguments are from an iteratee call.\n *\n * @private\n * @param {*} value The potential iteratee value argument.\n * @param {*} index The potential iteratee index or key argument.\n * @param {*} object The potential iteratee object argument.\n * @returns {boolean} Returns `true` if the arguments are from an iteratee call,\n * else `false`.\n */\nfunction isIterateeCall(value, index, object) {\n if (!isObject(object)) {\n   return false;\n }\n var type = typeof index;\n if (type == 'number'\n   ? (isArrayLike(object) && isIndex(index, object.length))\n   : (type == 'string' && index in object)\n   ) {\n   return eq(object[index], value);\n }\n return false;\n}\n\nmodule.exports =

isIterateeCall;\n","var baseGet = require('./_baseGet');\n\n/**\n * Gets the value at `path` of `object`. If the resolved value is\n * `undefined`, the `defaultValue` is returned in its place.\n *\n * @static\n * @memberOf _\n * @since 3.7.0\n * @category Object\n * @param {Object} object The object to query.\n * @param {Array|string} path The path of the property to get.\n * @param {*} [defaultValue] The value returned for `undefined` resolved values.\n * @returns {*} Returns the resolved value.\n * @example\n *\n * var object = { 'a': [{ 'b': { 'c': 3 } }] };\n *\n * _.get(object, 'a[0].b.c');\n * // => 3\n *\n * _.get(object, ['a', '0', 'b', 'c']);\n * // => 3\n *\n * _.get(object, 'a.b.c', 'default');\n * // => 'default'\n */\nfunction get(object, path, defaultValue) {\n var result = object == null ? undefined : baseGet(object, path);\n return result === undefined ? defaultValue : result;\n}\n\nmodule.exports = get;\n","// optional / simple context binding\nvar aFunction = require('./_a-function');\nmodule.exports = function (fn, that, length) {\n aFunction(fn);\n if (that === undefined) return fn;\n switch (length) {\n   case 1: return function (a) {\n   return fn.call(that, a);\n   };\n   case 2: return function (a, b) {\n   return fn.call(that, a, b);\n   };\n   case 3: return function (a, b, c) {\n   return fn.call(that, a, b, c);\n   };\n }\n return function (/* ...args */) {\n   return fn.apply(that, arguments);\n };\n};\n","// Deprecated\n\n\"use strict\";\n\nmodule.exports = function (obj) {\n return typeof obj === \"function\";\n};\n","// 22.1.3.31 Array.prototype[@@unscopables]\nvar UNSCOPABLES = require('./_wks')('unscopables');\nvar ArrayProto = Array.prototype;\nif (ArrayProto[UNSCOPABLES] == undefined) require('./_hide')(ArrayProto, UNSCOPABLES, {});\nmodule.exports = function (key) {\n ArrayProto[UNSCOPABLES][key] = true;\n};\n","module.exports = function (exec) {\n try {\n   return { e: false, v: exec() };\n } catch (e) {\n   return { e: true, v: e };\n }\n};\n","// 7.1.15 ToLength\nvar toInteger = require('./_to-integer');\nvar min = Math.min;\nmodule.exports = function (it) {\n return it > 0 ? min(toInteger(it), 0x1fffffffffffff) : 0; // pow(2, 53) - 1 == 9007199254740991\n};\n","// Thank's IE8 for his funny defineProperty\nmodule.exports = !require('./_fails')(function () {\n return Object.defineProperty({}, 'a', { get: function () { return 7; } }).a != 7;\n});\n","var root = require('./_root');\n\n/** Built-in value references. */\nvar Symbol = root.Symbol;\n\nmodule.exports = Symbol;\n","var global = require('./_global');\nvar navigator = global.navigator;\n\nmodule.exports = navigator && navigator.userAgent || '';\n","var SetCache = require('./_SetCache'),\n   arraySome = require('./_arraySome'),\n   cacheHas = require('./_cacheHas');\n\n/** Used to compose bitmasks for value comparisons. */\nvar COMPARE_PARTIAL_FLAG = 1,\n   COMPARE_UNORDERED_FLAG = 2;\n\n/**\n * A specialized version of `baseIsEqualDeep` for arrays with\n * support for\n * partial deep comparisons.\n *\n * @private\n * @param {Array} array The array to compare.\n * @param {Array} other The other array to compare.\n * @param {number} bitmask The bitmask flags. See `baseIsEqual` for more details.\n * @param {Function} customizer The function to customize comparisons.\n * @param {Function} equalFunc The function to determine equivalents of values.\n * @param {Object} stack Tracks traversed `array` and `other` objects.\n * @returns {boolean} Returns `true` if the arrays are equivalent, else `false`.\n */\nfunction equalArrays(array, other, bitmask, customizer, equalFunc, stack) {\n var isPartial = bitmask & COMPARE_PARTIAL_FLAG,\n   arrLength = array.length,\n   othLength = other.length;\n\n if (arrLength != othLength && !(isPartial && othLength > arrLength)) {\n   return false;\n }\n // Assume cyclic values are equal.\n var stacked = stack.get(array);\n if (stacked && stack.get(other)) {\n   return stacked == other;\n }\n var index = -1,\n   result = true,\n   seen = (bitmask & COMPARE_UNORDERED_FLAG) ? new SetCache : undefined;\n\n stack.set(array, other);\n stack.set(other, array);\n\n // Ignore non-index properties.\n while (++index < arrLength) {\n   var arrValue = array[index],\n   othValue = other[index];\n\n   if (customizer) {\n   var compared = isPartial\n   ? customizer(othValue, arrValue, index, other, array, stack)\n   : customizer(arrValue, othValue, index, array, other, stack);\n   }\n   if (compared !== undefined) {\n   if (compared) {\n   continue;\n   }\n   result = false;\n   break;\n   }\n   // Recursively compare arrays (susceptible to call stack limits).\n   if (seen) {\n   if (!arraySome(other, function(othValue, othIndex) {\n   if (!cacheHas(seen, othIndex) &&\n   (arrValue === othValue || equalFunc(arrValue, othValue, bitmask, customizer, stack))) {\n   return seen.push(othIndex);\n   }\n   })) {\n   result = false;\n   break;\n   }\n   } else if (!(\n   arrValue === othValue ||\n   equalFunc(arrValue, othValue, bitmask, customizer, stack)\n   )) {\n   result = false;\n   break;\n   }\n }\n stack['delete'](array);\n stack['delete'](other);\n return result;\n}\n\nmodule.exports = equalArrays;\n","var constant = require('./constant'),\n

defineProperty = require('./_defineProperty'),\n   identity = require('./identity');\n\n/**\n * The base implementation of `setToString` without support for hot loop shorting.\n *\n * @private\n * @param {Function} func The function to modify.\n * @param {Function} string The `toString` result.\n * @returns {Function} Returns `func`.\n */\nvar baseSetToString = !defineProperty ? identity : function(func, string) {\n return defineProperty(func, 'toString', {\n   'configurable': true,\n   'enumerable': false,\n   'value': constant(string),\n   'writable': true\n });\n};\n\nmodule.exports = baseSetToString;\n","// @@replace logic\nrequire('./_fix-re-wks')('replace', 2, function (defined, REPLACE, $replace) {\n // 21.1.3.14 String.prototype.replace(searchValue, replaceValue)\n return [function replace(searchValue, replaceValue) {\n   'use strict';\n   var O = defined(this);\n   var fn = searchValue == undefined ? undefined : searchValue[REPLACE];\n   return fn !== undefined\n   ? fn.call(searchValue, O, replaceValue)\n   : $replace.call(String(O), searchValue, replaceValue);\n },\n $replace];\n});\n","var getMapData = require('./_getMapData');\n\n/**\n * Checks if a map value for `key` exists.\n *\n * @private\n * @name has\n * @memberOf MapCache\n * @param {string} key The key of the entry to check.\n * @returns {boolean} Returns `true` if an entry for `key` exists, else `false`.\n */\nfunction mapCacheHas(key) {\n return getMapData(this, key).has(key);\n}\n\nmodule.exports = mapCacheHas;\n","'use strict';\n// 25.4.1.5 NewPromiseCapability(C)\nvar aFunction = require('./_a-function');\n\nfunction PromiseCapability(C) {\n var resolve, reject;\n this.promise = new C(function ($$resolve, $$reject) {\n   if (resolve !== undefined || reject !== undefined) throw TypeError('Bad Promise constructor');\n   resolve = $$resolve;\n   reject = $$reject;\n });\n this.resolve = aFunction(resolve);\n this.reject = aFunction(reject);\n}\n\nmodule.exports.f = function (C) {\n return new PromiseCapability(C);\n};\n","var baseGetAllKeys = require('./_baseGetAllKeys'),\n   getSymbols = require('./_getSymbols'),\n   keys = require('./keys');\n\n/**\n * Creates an array of own enumerable property names and symbols of `object`.\n *\n * @private\n * @param {Object} object The object to query.\n * @returns {Array} Returns the array of property names and symbols.\n */\nfunction getAllKeys(object) {\n return baseGetAllKeys(object, keys, getSymbols);\n}\n\nmodule.exports = getAllKeys;\n","var $export = require('./_export');\nvar defined = require('./_defined');\nvar fails = require('./_fails');\nvar spaces = require('./_string-ws');\nvar space = '[' + spaces + ']';\nvar non = '\\u200b\\u0085';\nvar ltrim = RegExp('^' + space + space + '*');\nvar rtrim = RegExp(space + space + '*$');\n\nvar exporter = function (KEY, exec, ALIAS) {\n var exp = {};\n var FORCE = fails(function () {\n   return !!spaces[KEY]() || non[KEY]() != non;\n });\n var fn = exp[KEY] = FORCE ? exec(trim) : spaces[KEY];\n if (ALIAS) exp[ALIAS] = fn;\n $export($export.P + $export.F * FORCE, 'String', exp);\n};\n\n// 1 -> String#trimLeft\n// 2 -> String#trimRight\n// 3 -> String#trim\nvar trim = exporter.trim = function (string, TYPE) {\n string = String(defined(string));\n if (TYPE & 1) string = string.replace(ltrim, '');\n if (TYPE & 2) string = string.replace(rtrim, '');\n return string;\n};\n\nmodule.exports = exporter;\n","// 7.2.8 IsRegExp(argument)\nvar isObject = require('./_is-object');\nvar cof = require('./_cof');\nvar MATCH = require('./_wks')('match');\nmodule.exports = function (it) {\n var isRegExp;\n return isObject(it) && ((isRegExp = it[MATCH]) !== undefined ? !!isRegExp : cof(it) == 'RegExp');\n};\n","/**\n * Converts `set` to an array of its values.\n *\n * @private\n * @param {Object} set The set to convert.\n * @returns {Array} Returns the values.\n */\nfunction setToArray(set) {\n var index = -1,\n   result = Array(set.size);\n\n set.forEach(function(value) {\n   result[++index] = value;\n });\n return result;\n}\n\nmodule.exports = setToArray;\n","var $iterators = require('./es6.array.iterator');\nvar getKeys = require('./_object-keys');\nvar redefine = require('./_redefine');\nvar global = require('./_global');\nvar hide = require('./_hide');\nvar Iterators = require('./_iterators');\nvar wks = require('./_wks');\nvar ITERATOR = wks('iterator');\nvar TO_STRING_TAG = wks('toStringTag');\nvar ArrayValues = Iterators.Array;\n\nvar DOMIterables = {\n CSSRuleList: true, // TODO: Not spec compliant, should be false.\n CSSStyleDeclaration: false,\n CSSValueList: false,\n ClientRectList: false,\n DOMRectList: false,\n DOMStringList: false,\n DOMTokenList: true,\n DataTransferItemList: false,\n FileList: false,\n HTMLAllCollection: false,\n HTMLCollection: false,\n HTMLFormElement: false,\n HTMLSelectElement: false,\n MediaList: true, // TODO: Not spec compliant, should be false.\n MimeTypeArray: false,\n NamedNodeMap: false,\n NodeList: true,\n PaintRequestList: false,\n Plugin: false,\n PluginArray: false,\n SVGLengthList: false,\n SVGNumberList: false,\n SVGPathSegList: false,\n SVGPointList: false,\n

SVGStringList: false,\n SVGTransformList: false,\n SourceBufferList: false,\n StyleSheetList: true, // TODO: Not spec compliant, should be false.\n TextTrackCueList: false,\n TextTrackList: false,\n TouchList: false\n};\n\nfor (var collections = getKeys(DOMIterables), i = 0; i < collections.length; i++) {\n var NAME = collections[i];\n var explicit = DOMIterables[NAME];\n var Collection = global[NAME];\n var proto = Collection && Collection.prototype;\n var key;\n if (proto) {\n if (!proto[ITERATOR]) hide(proto, ITERATOR, ArrayValues);\n if (!proto[TO_STRING_TAG]) hide(proto, TO_STRING_TAG, NAME);\n Iterators[NAME] = ArrayValues;\n if (explicit) for (key in $iterators) if (!proto[key]) redefine(proto, key, $iterators[key], true);\n }\n}\n","/**\n * The base implementation of `_.unary` without support for storing metadata.\n *\n * @private\n * @param {Function} func The function to cap arguments for.\n * @returns {Function} Returns the new capped function.\n */\nfunction baseUnary(func) {\n return function(value) {\n return func(value);\n };\n}\n\nmodule.exports = baseUnary;\n","'use strict';\nObject.defineProperty(exports, '__esModule', { value: true });\nvar prefix = 'fas';\nvar iconName = 'clipboard';\nvar width = 384;\nvar height = 512;\nvar ligatures = [];\nvar unicode = 'f328';\nvar svgPathData = 'M384 112v352c0 26.51-21.49 48-48 48H48c-26.51 0-48-21.49-48-48V112c0-26.51 21.49-48 48-48h80c0-35.29 28.71-64 64-64s64 28.71 64 64h80c26.51 0 48 21.49 48 48zM192 40c-13.255 0-24 10.745-24 24s10.745 24 24 24 24-10.745 24-24-10.745-24-24-24m96 114v-20a6 6 0 0 0-6-6H102a6 6 0 0 0-6 6v20a6 6 0 0 0 6 6h180a6 6 0 0 0 6-6z';\nexports.definition = {\n prefix: prefix,\n iconName: iconName,\n icon: [\n width,\n height,\n ligatures,\n unicode,\n svgPathData\n]};\nexports.faClipboard = exports.definition;\nexports.prefix = prefix;\nexports.iconName = iconName;\nexports.width = width;\nexports.height = height;\nexports.ligatures = ligatures;\nexports.unicode = unicode;\nexports.svgPathData = svgPathData;","var getAllKeys = require('./_getAllKeys');\n\n/** Used to compose bitmasks for value comparisons. */\nvar COMPARE_PARTIAL_FLAG = 1;\n\n/** Used for built-in method references. */\nvar objectProto = Object.prototype;\n\n/** Used to check objects for own properties. */\nvar hasOwnProperty = objectProto.hasOwnProperty;\n\n/**\n * A specialized version of `baseIsEqualDeep` for objects with support for\n * partial deep comparisons.\n *\n * @private\n * @param {Object} object The object to compare.\n * @param {Object} other The other object to compare.\n * @param {number} bitmask The bitmask flags. See `baseIsEqual`\n * for more details.\n * @param {Function} customizer The function to customize comparisons.\n * @param {Function} equalFunc The function to determine equivalents of values.\n * @param {Object} stack Tracks traversed `object` and `other` objects.\n * @returns {boolean} Returns `true` if the objects are equivalent, else `false`.\n */\nfunction equalObjects(object, other, bitmask, customizer, equalFunc, stack) {\n var isPartial = bitmask & COMPARE_PARTIAL_FLAG,\n objProps = getAllKeys(object),\n objLength = objProps.length,\n othProps = getAllKeys(other),\n othLength = othProps.length;\n\n if (objLength != othLength && !isPartial) {\n return false;\n }\n var index = objLength;\n while (index--) {\n var key = objProps[index];\n if (!(isPartial ? key in other : hasOwnProperty.call(other, key))) {\n return false;\n }\n }\n // Assume cyclic values are equal.\n var stacked = stack.get(object);\n if (stacked && stack.get(other)) {\n return stacked == other;\n }\n var result = true;\n stack.set(object, other);\n stack.set(other, object);\n\n var skipCtor = isPartial;\n while (++index < objLength) {\n key = objProps[index];\n var objValue = object[key],\n othValue = other[key];\n\n if (customizer) {\n var compared = isPartial\n ? customizer(othValue, objValue, key, other, object, stack)\n : customizer(objValue, othValue, key, object, other, stack);\n }\n // Recursively compare objects (susceptible to call stack limits).\n if (!(compared === undefined\n ? (objValue === othValue || equalFunc(objValue, othValue, bitmask, customizer, stack))\n : compared\n)) {\n result = false;\n break;\n }\n skipCtor || (skipCtor = key == 'constructor');\n }\n if (result && !skipCtor) {\n var objCtor = object.constructor,\n othCtor = other.constructor;\n\n // Non `Object` object instances with different constructors are not equal.\n if (objCtor != othCtor &&\n ('constructor' in object && 'constructor' in other) &&\n !(typeof objCtor == 'function' && objCtor instanceof objCtor &&\n typeof othCtor == 'function' && othCtor instanceof othCtor)) {\n result = false;\n }\n }\n stack['delete'](object);\n stack['delete'](other);\n return result;\n}\n\nmodule.exports = equalObjects;\n","/** Used as references for various `Number` constants. */\nvar MAX_SAFE_INTEGER = 9007199254740991;\n\n/**\n * Checks if `value` is a valid array-like length.\n *\n * **Note:** This method is loosely based on\n * [`ToLength`](http://ecma-international.org/ecma-262/7.0/#sec-

tolength).\n *\n * @static\n * @memberOf _\n * @since 4.0.0\n * @category Lang\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is a valid length, else `false`.\n * @example\n *\n * _.isLength(3);\n * // => true\n *\n * _.isLength(Number.MIN_VALUE);\n * // => false\n *\n * _.isLength(Infinity);\n * // => false\n *\n * _.isLength('3');\n * // => false */\nfunction isLength(value) {\n return typeof value == 'number' &&\n   value > -1 && value % 1 == 0 && value <= MAX_SAFE_INTEGER;\n}\n\nmodule.exports = isLength;\n","/*!\n * clipboard.js v2.0.4\n * https://zenorocha.github.io/clipboard.js\n * \n * Licensed MIT © Zeno Rocha\n */\n(function webpackUniversalModuleDefinition(root, factory) {\n\tif(typeof exports === 'object' && typeof module === 'object')\n\t\tmodule.exports = factory();\n\telse if(typeof define === 'function' && define.amd)\n\t\tdefine([], factory);\n\telse if(typeof exports === 'object')\n\t\texports[\"ClipboardJS\"] = factory();\n\telse\n\t\troot[\"ClipboardJS\"] = factory();\n})(this, function() {\nreturn /******/ (function(modules) { // webpackBootstrap\n/******/ \t// The module cache\n/******/ \tvar installedModules = {};\n/******/\n/******/ \t// The require function\n/******/ \tfunction __webpack_require__(moduleId) {\n/******/\n/******/ \t\t// Check if module is in cache\n/******/ \t\tif(installedModules[moduleId]) {\n/******/ \t\t\treturn installedModules[moduleId].exports;\n/******/ \t\t}\n/******/ \t\t// Create a new module (and put it into the cache)\n/******/ \t\tvar module = installedModules[moduleId] = {\n/******/ \t\t\ti: moduleId,\n/******/ \t\t\tl: false,\n/******/ \t\t\texports: {}\n/******/ \t\t};\n/******/\n/******/ \t\t// Execute the module function\n/******/ \t\tmodules[moduleId].call(module.exports, module, module.exports, __webpack_require__);\n/******/\n/******/ \t\t// Flag the module as loaded\n/******/ \t\tmodule.l = true;\n/******/\n/******/ \t\t// Return the exports of the module\n/******/ \t\treturn module.exports;\n/******/ \t}\n/******/\n/******/\n/******/ \t// expose the modules object (__webpack_modules__)\n/******/ \t__webpack_require__.m = modules;\n/******/\n/******/ \t// expose the module cache\n/******/ \t__webpack_require__.c = installedModules;\n/******/\n/******/ \t// define getter function for harmony exports\n/******/ \t__webpack_require__.d = function(exports, name, getter) {\n/******/ \t\tif(!__webpack_require__.o(exports, name)) {\n/******/ \t\t\tObject.defineProperty(exports, name, { enumerable: true, get: getter });\n/******/ \t\t}\n/******/ \t};\n/******/\n/******/ \t// define __esModule on exports\n/******/ \t__webpack_require__.r = function(exports) {\n/******/ \t\tif(typeof Symbol !== 'undefined' && Symbol.toStringTag) {\n/******/ \t\t\tObject.defineProperty(exports, Symbol.toStringTag, { value: 'Module' });\n/******/ \t\t}\n/******/ \t\tObject.defineProperty(exports, '__esModule', { value: true });\n/******/ \t};\n/******/\n/******/ \t// create a fake namespace object\n/******/ \t// mode & 1: value is a module id, require it\n/******/ \t// mode & 2: merge all properties of value into the ns\n/******/ \t// mode & 4: return value when already ns object\n/******/ \t// mode & 8|1: behave like require\n/******/ \t__webpack_require__.t = function(value, mode) {\n/******/ \t\tif(mode & 1) value = __webpack_require__(value);\n/******/ \t\tif(mode & 8) return value;\n/******/ \t\tif((mode & 4) && typeof value === 'object' && value && value.__esModule) return value;\n/******/ \t\tvar ns = Object.create(null);\n/******/ \t\t__webpack_require__.r(ns);\n/******/ \t\tObject.defineProperty(ns, 'default', { enumerable: true, value: value });\n/******/ \t\tif(mode & 2 && typeof value != 'string') for(var key in value) __webpack_require__.d(ns, key, function(key) { return value[key]; }.bind(null, key));\n/******/ \t\treturn ns;\n/******/ \t};\n/******/\n/******/ \t// getDefaultExport function for compatibility with non-harmony modules\n/******/ \t__webpack_require__.n = function(module) {\n/******/ \t\tvar getter = module && module.__esModule ?\n/******/ \t\t\tfunction getDefault() { return module['default']; } :\n/******/ \t\t\tfunction getModuleExports() { return module; };\n/******/ \t\t__webpack_require__.d(getter, 'a', getter);\n/******/ \t\treturn getter;\n/******/ \t};\n/******/\n/******/ \t// Object.prototype.hasOwnProperty.call\n/******/ \t__webpack_require__.o = function(object, property) { return Object.prototype.hasOwnProperty.call(object, property); };\n/******/\n/******/ \t// __webpack_public_path__\n/******/ \t__webpack_require__.p = \"\";\n/******/\n/******/\n/******/ \t// Load entry module and return exports\n/******/ \treturn __webpack_require__(__webpack_require__.s = 0);\n/******/ })\n/**/\n/******/ ([\n/* 0 */\n/***/ (function(module, exports, __webpack_require__) {\n\n\"use strict\";\n\n\nvar _typeof = typeof Symbol === \"function\" && typeof Symbol.iterator === \"symbol\" ? function (obj) { return typeof obj; } : function (obj) {

return obj && typeof Symbol === \"function\" && obj.constructor === Symbol && obj !== Symbol.prototype ? \"symbol\" : typeof obj; };\n\nvar _createClass = function () { function defineProperties(target, props) { for (var i = 0; i < props.length; i++) { var descriptor = props[i]; descriptor.enumerable = descriptor.enumerable || false; descriptor.configurable = true; if (\"value\" in descriptor) descriptor.writable = true; Object.defineProperty(target, descriptor.key, descriptor); } } return function (Constructor, protoProps, staticProps) { if (protoProps) defineProperties(Constructor.prototype, protoProps); if (staticProps) defineProperties(Constructor, staticProps); return Constructor; }; }();\n\nvar _clipboardAction = __webpack_require__(1);\n\nvar _clipboardAction2 = _interopRequireDefault(_clipboardAction);\n\nvar _tinyEmitter = __webpack_require__(3);\n\nvar _tinyEmitter2 = _interopRequireDefault(_tinyEmitter);\n\nvar _goodListener = __webpack_require__(4);\n\nvar _goodListener2 = _interopRequireDefault(_goodListener);\n\nfunction _interopRequireDefault(obj) { return obj && obj.__esModule ? obj : { default: obj }; }\n\nfunction _classCallCheck(instance, Constructor) { if (!(instance instanceof Constructor)) { throw new TypeError(\"Cannot call a class as a function\"); } }\n\nfunction _possibleConstructorReturn(self, call) { if (!self) { throw new ReferenceError(\"this hasn't been initialised - super() hasn't been called\"); } return call && (typeof call === \"object\" || typeof call === \"function\") ? call : self; }\n\nfunction _inherits(subClass, superClass) { if (typeof superClass !== \"function\" && superClass !== null) { throw new TypeError(\"Super expression must either be null or a function, not \" + typeof superClass); } subClass.prototype = Object.create(superClass && superClass.prototype, { constructor: { value: subClass, enumerable: false, writable: true, configurable: true } }); if (superClass) Object.setPrototypeOf ? Object.setPrototypeOf(subClass, superClass) : subClass.__proto__ = superClass; }\n\n/**\n * Base class which takes one or more elements, adds event listeners to them,\n * and instantiates a new `ClipboardAction` on each click.\n */\nvar Clipboard = function (_Emitter) {\n   _inherits(Clipboard, _Emitter);\n\n   /**\n   * @param {String|HTMLElement|HTMLCollection|NodeList} trigger\n   * @param {Object} options\n   */\n   function Clipboard(trigger, options) {\n   _classCallCheck(this, Clipboard);\n\n   var _this = _possibleConstructorReturn(this, (Clipboard.__proto__ || Object.getPrototypeOf(Clipboard)).call(this));\n\n   _this.resolveOptions(options);\n   _this.listenClick(trigger);\n   return _this;\n   }\n\n   /**\n   * Defines if attributes would be resolved using internal setter functions\n   * or custom functions that were passed in the constructor.\n   * @param {Object} options\n   */\n\n\n   _createClass(Clipboard, [{\n   key: 'resolveOptions',\n   value: function resolveOptions() {\n   var options = arguments.length > 0 && arguments[0] !== undefined ? arguments[0] : {};\n   this.action = typeof options.action === 'function' ? options.action : this.defaultAction;\n   this.target = typeof options.target === 'function' ? options.target : this.defaultTarget;\n   this.text = typeof options.text === 'function' ? options.text : this.defaultText;\n   this.container = _typeof(options.container) === 'object' ? options.container : document.body;\n   }\n\n   /**\n   * Adds a click event listener to the passed trigger.\n   * @param {String|HTMLElement|HTMLCollection|NodeList} trigger\n   */\n   }, {\n   key: 'listenClick',\n   value: function listenClick(trigger) {\n   var _this2 = this;\n   this.listener = (0, _goodListener2.default)(trigger, 'click', function (e) {\n   return _this2.onClick(e);\n   });\n   }\n\n   /**\n   * Defines a new `ClipboardAction` on each click event.\n   * @param {Event} e\n   */\n   }, {\n   key: 'onClick',\n   value: function onClick(e) {\n   var trigger = e.delegateTarget || e.currentTarget;\n\n   if (this.clipboardAction) {\n   this.clipboardAction = null;\n   }\n\n   this.clipboardAction = new _clipboardAction2.default({\n   action: this.action(trigger),\n   target: this.target(trigger),\n   text: this.text(trigger),\n   container: this.container,\n   trigger: trigger,\n   emitter: this\n   });\n   }\n\n   /**\n   * Default `action` lookup function.\n   * @param {Element} trigger\n   */\n   }, {\n   key: 'defaultAction',\n   value: function defaultAction(trigger) {\n   return getAttributeValue('action', trigger);\n   }\n\n   /**\n   * Default `target` lookup function.\n   * @param {Element} trigger\n   */\n   }, {\n   key: 'defaultTarget',\n   value: function defaultTarget(trigger) {\n   var selector = getAttributeValue('target', trigger);\n\n   if (selector) {\n   return document.querySelector(selector);\n   }\n   }\n\n   /**\n   * Returns the support of the given action, or all actions if no action is\n   * given.\n   * @param {String} [action]\n

*/\n\n   }, {\n   key: 'defaultText',\n\n\n   /**\n   * Default `text` lookup function.\n   * @param {Element} trigger\n   */\n   value: function defaultText(trigger) {\n   return getAttributeValue('text', trigger);\n   }\n\n   /**\n   * Destroy lifecycle.\n   */\n\n   }, {\n   key: 'destroy',\n   value: function destroy() {\n   this.listener.destroy();\n\n   if (this.clipboardAction) {\n   this.clipboardAction.destroy();\n   this.clipboardAction = null;\n   }\n   }\n   }], [{\n   key: 'isSupported',\n   value: function isSupported() {\n   var action = arguments.length > 0 && arguments[0] !== undefined ? arguments[0] : ['copy', 'cut'];\n\n   var actions = typeof action === 'string' ? [action] : action;\n   var support = !!document.queryCommandSupported;\n\n   actions.forEach(function (action) {\n   support = support && !!document.queryCommandSupported(action);\n   });\n\n   return support;\n   }\n   }]);\n\n   return Clipboard;\n}(_tinyEmitter2.default);\n\n/**\n * Helper function to retrieve attribute value.\n * @param {String} suffix\n * @param {Element} element\n */\n\nfunction getAttributeValue(suffix, element) {\n   var attribute = 'data-clipboard-' + suffix;\n\n   if (!element.hasAttribute(attribute)) {\n   return;\n   }\n\n   return element.getAttribute(attribute);\n}\n\nmodule.exports = Clipboard;\n\n/***/ }),\n/* 1 */\n/***/ (function(module, exports, __webpack_require__) {\n\n\"use strict\";\n\n\nvar _typeof = typeof Symbol === \"function\" && typeof Symbol.iterator === \"symbol\" ? function (obj) { return typeof obj; } : function (obj) { return obj && typeof Symbol === \"function\" && obj.constructor === Symbol && obj !== Symbol.prototype ? \"symbol\" : typeof obj; };\n\nvar _createClass = function () { function defineProperties(target, props) { for (var i = 0; i < props.length; i++) { var descriptor = props[i]; descriptor.enumerable = descriptor.enumerable || false; descriptor.configurable = true; if (\"value\" in descriptor) descriptor.writable = true; Object.defineProperty(target, descriptor.key, descriptor); } } return function (Constructor, protoProps, staticProps) { if (protoProps) defineProperties(Constructor.prototype, protoProps); if (staticProps) defineProperties(Constructor, staticProps); return Constructor; }; }();\n\nvar _select = __webpack_require__(2);\n\nvar _select2 = _interopRequireDefault(_select);\n\nfunction _interopRequireDefault(obj) { return obj && obj.__esModule ? obj : { default: obj }; }\n\nfunction _classCallCheck(instance, Constructor) { if (!(instance instanceof Constructor)) { throw new TypeError(\"Cannot call a class as a function\"); } }\n\n/**\n * Inner class which performs selection from either `text` or `target`\n * properties and then executes copy or cut operations.\n */\nvar ClipboardAction = function () {\n   /**\n   * @param {Object} options\n   */\n   function ClipboardAction(options) {\n   _classCallCheck(this, ClipboardAction);\n\n   this.resolveOptions(options);\n   this.initSelection();\n   }\n\n   /**\n   * Defines base properties passed from constructor.\n   * @param {Object} options\n   */\n\n   _createClass(ClipboardAction, [{\n   key: 'resolveOptions',\n   value: function resolveOptions() {\n   var options = arguments.length > 0 && arguments[0] !== undefined ? arguments[0] : {};\n   this.action = options.action;\n   this.container = options.container;\n   this.emitter = options.emitter;\n   this.target = options.target;\n   this.text = options.text;\n   this.trigger = options.trigger;\n   this.selectedText = '';\n   }\n\n   /**\n   * Decides which selection strategy is going to be applied based\n   * on the existence of `text` and `target` properties.\n   */\n\n   }, {\n   key: 'initSelection',\n   value: function initSelection() {\n   if (this.text) {\n   this.selectFake();\n   } else if (this.target) {\n   this.selectTarget();\n   }\n   }\n\n   /**\n   * Creates a fake textarea element, sets its value from `text` property,\n   * and makes a selection on it.\n   */\n\n   }, {\n   key: 'selectFake',\n   value: function selectFake() {\n   var _this = this;\n   var isRTL = document.documentElement.getAttribute('dir') == 'rtl';\n\n   this.removeFake();\n   this.fakeHandlerCallback = function () {\n   return _this.removeFake();\n   };\n   this.fakeHandler = this.container.addEventListener('click', this.fakeHandlerCallback) || true;\n\n   this.fakeElem = document.createElement('textarea');\n   // Prevent zooming on iOS\n   this.fakeElem.style.fontSize = '12pt';\n   // Reset box model\n   this.fakeElem.style.border = '0';\n   this.fakeElem.style.padding = '0';\n   this.fakeElem.style.margin = '0';\n   // Move element out of screen horizontally\n   this.fakeElem.style.position = 'absolute';\n   this.fakeElem.style[isRTL ? 'right' : 'left'] = '-9999px';\n   // Move element to the same position vertically\n   var yPosition = window.pageYOffset || document.documentElement.scrollTop;\n   this.fakeElem.style.top = yPosition + 'px';\n\n   this.fakeElem.setAttribute('readonly', '');\n   this.fakeElem.value = this.text;\n\n

this.container.appendChild(this.fakeElem);\n\n   this.selectedText = (0, _select2.default)(this.fakeElem);\n

    this.copyText();\n   }\n\n   /**\n   * Only removes the fake element after another click event, that way\n   * a user can hit `Ctrl+C` to copy because selection still exists.\n   */\n\n   }, {\n   key: 'removeFake',\n   value: function removeFake() {\n   if (this.fakeHandler) {\n   this.container.removeEventListener('click', this.fakeHandlerCallback);\n   this.fakeHandler = null;\n   this.fakeHandlerCallback = null;\n   }\n\n   if (this.fakeElem) {\n   this.container.removeChild(this.fakeElem);\n   this.fakeElem = null;\n   }\n   }\n\n   /**\n   * Selects the content from element passed on `target` property.\n   */\n\n   }, {\n   key: 'selectTarget',\n   value: function selectTarget() {\n   this.selectedText = (0, _select2.default)(this.target);\n   this.copyText();\n   }\n\n   /**\n   * Executes the copy operation based on the current selection.\n   */\n\n   }, {\n   key: 'copyText',\n   value: function copyText() {\n   var succeeded = void 0;\n\n   try {\n   succeeded = document.execCommand(this.action);\n   } catch (err) {\n   succeeded = false;\n   }\n\n   this.handleResult(succeeded);\n   }\n\n   /**\n   * Fires an event based on the copy operation result.\n   * @param {Boolean} succeeded\n   */\n\n   }, {\n   key: 'handleResult',\n   value: function handleResult(succeeded) {\n   this.emitter.emit(succeeded ? 'success' : 'error', {\n   action: this.action,\n   text: this.selectedText,\n   trigger: this.trigger,\n   clearSelection: this.clearSelection.bind(this)\n   });\n   }\n\n   /**\n   * Moves focus away from `target` and back to the trigger, removes current selection.\n   */\n\n   }, {\n   key: 'clearSelection',\n   value: function clearSelection() {\n   if (this.trigger) {\n   this.trigger.focus();\n   }\n\n   window.getSelection().removeAllRanges();\n   }\n\n   /**\n   * Sets the `action` to be performed which can be either 'copy' or 'cut'.\n   * @param {String} action\n   */\n\n   }, {\n   key: 'destroy',\n\n\n   /**\n   * Destroy lifecycle.\n   */\n   value: function destroy() {\n   this.removeFake();\n   }\n   }, {\n   key: 'action',\n   set: function set() {\n   var action = arguments.length > 0 && arguments[0] !== undefined ? arguments[0] : 'copy';\n\n   this._action = action;\n\n   if (this._action !== 'copy' && this._action !== 'cut') {\n   throw new Error('Invalid \"action\" value, use either \"copy\" or \"cut\"');\n   }\n   }\n\n   /**\n   * Gets the `action` property.\n   * @return {String}\n   */\n   ,\n   get: function get() {\n   return this._action;\n   }\n\n   /**\n   * Sets the `target` property using an element\n   * that will be have its content copied.\n   * @param {Element} target\n   */\n   }, {\n   key: 'target',\n   set: function set(target) {\n   if (target !== undefined) {\n   if (target && (typeof target === 'undefined' ? 'undefined' : _typeof(target)) === 'object' && target.nodeType === 1) {\n   if (this.action === 'copy' && target.hasAttribute('disabled')) {\n   throw new Error('Invalid \"target\" attribute. Please use \"readonly\" instead of \"disabled\" attribute');\n   }\n\n   if (this.action === 'cut' && (target.hasAttribute('readonly') || target.hasAttribute('disabled'))) {\n   throw new Error('Invalid \"target\" attribute. You can\\'t cut text from elements with \"readonly\" or \"disabled\" attributes');\n   }\n\n   this._target = target;\n   } else {\n   throw new Error('Invalid \"target\" value, use a valid Element');\n   }\n   }\n   }\n\n   /**\n   * Gets the `target` property.\n   * @return {String|HTMLElement}\n   */\n   ,\n   get: function get() {\n   return this._target;\n   }\n   }]);\n\n   return ClipboardAction;\n}();\n\nmodule.exports = ClipboardAction;\n\n/***/ }),\n/* 2 */\n/***/ (function(module, exports) {\n\nfunction select(element) {\n   var selectedText;\n\n   if (element.nodeName === 'SELECT') {\n   element.focus();\n\n   selectedText = element.value;\n   }\n   else if (element.nodeName === 'INPUT' || element.nodeName === 'TEXTAREA') {\n   var isReadOnly = element.hasAttribute('readonly');\n\n   if (!isReadOnly) {\n   element.setAttribute('readonly', '');\n   }\n\n   element.select();\n   element.setSelectionRange(0, element.value.length);\n\n   if (!isReadOnly) {\n   element.removeAttribute('readonly');\n   }\n\n   selectedText = element.value;\n   }\n   else {\n   if (element.hasAttribute('contenteditable')) {\n   element.focus();\n   }\n\n   var selection = window.getSelection();\n   var range = document.createRange();\n\n   range.selectNodeContents(element);\n   selection.removeAllRanges();\n   selection.addRange(range);\n   selectedText = selection.toString();\n   }\n\n   return selectedText;\n}\n\nmodule.exports = select;\n\n\n/***/ }),\n/* 3 */\n/***/ (function(module, exports)

{\n\nfunction E () {\n // Keep this empty so it's easier to inherit from\n // (via https://github.com/lipsmack from https://github.com/scottcorgan/tiny-emitter/issues/3)\n}\n\nE.prototype = {\n on: function (name, callback, ctx) {\n   var e = this.e || (this.e = {});\n\n   (e[name] || (e[name] = [])).push({\n   fn: callback,\n   ctx: ctx\n   });\n\n   return this;\n },\n\n once: function (name, callback, ctx) {\n   var self = this;\n   function listener () {\n   self.off(name, listener);\n   callback.apply(ctx, arguments);\n   };\n\n   listener._ = callback\n   return this.on(name, listener, ctx);\n },\n\n emit: function (name) {\n   var data = [].slice.call(arguments, 1);\n   var evtArr = ((this.e || (this.e = {}))[name] || []).slice();\n   var i = 0;\n   var len = evtArr.length;\n\n   for (i; i < len; i++) {\n   evtArr[i].fn.apply(evtArr[i].ctx, data);\n   }\n\n   return this;\n },\n\n off: function (name, callback) {\n   var e = this.e || (this.e = {});\n   var evts = e[name];\n   var liveEvents = [];\n\n   if (evts && callback) {\n   for (var i = 0, len = evts.length; i < len; i++) {\n   if (evts[i].fn !== callback && evts[i].fn._ !== callback)\n   liveEvents.push(evts[i]);\n   }\n   }\n\n   // Remove event from queue to prevent memory leak\n   // Suggested by https://github.com/lazd\n   // Ref: https://github.com/scottcorgan/tiny-emitter/commit/c6ebfaa9bc973b33d110a84a307742b7cf94c953#commitcomment-5024910\n\n   (liveEvents.length)\n   ? e[name] = liveEvents\n   : delete e[name];\n\n   return this;\n }\n};\n\nmodule.exports = E;\n\n\n/***/ }),\n/* 4 */\n/***/ (function(module, exports, __webpack_require__) {\n\nvar is = __webpack_require__(5);\nvar delegate = __webpack_require__(6);\n\n/**\n * Validates all params and calls the right\n * listener function based on its target type.\n *\n * @param {String|HTMLElement|HTMLCollection|NodeList} target\n * @param {String} type\n * @param {Function} callback\n * @return {Object}\n */\nfunction listen(target, type, callback) {\n   if (!target && !type && !callback) {\n   throw new Error('Missing required arguments');\n   }\n\n   if (!is.string(type)) {\n   throw new TypeError('Second argument must be a String');\n   }\n\n   if (!is.fn(callback)) {\n   throw new TypeError('Third argument must be a Function');\n   }\n\n   if (is.node(target)) {\n   return listenNode(target, type, callback);\n   }\n   else if (is.nodeList(target)) {\n   return listenNodeList(target, type, callback);\n   }\n   else if (is.string(target)) {\n   return listenSelector(target, type, callback);\n   }\n   else {\n   throw new TypeError('First argument must be a String, HTMLElement, HTMLCollection, or NodeList');\n   }\n}\n\n/**\n * Adds an event listener to a HTML element\n * and returns a remove listener function.\n *\n * @param {HTMLElement} node\n * @param {String} type\n * @param {Function} callback\n * @return {Object}\n */\nfunction listenNode(node, type, callback) {\n   node.addEventListener(type, callback);\n\n   return {\n   destroy: function() {\n   node.removeEventListener(type, callback);\n   }\n   }\n}\n\n/**\n * Add an event listener to a list of HTML elements\n * and returns a remove listener function.\n *\n * @param {NodeList|HTMLCollection} nodeList\n * @param {String} type\n * @param {Function} callback\n * @return {Object}\n */\nfunction listenNodeList(nodeList, type, callback) {\n   Array.prototype.forEach.call(nodeList, function(node) {\n   node.addEventListener(type, callback);\n   });\n\n   return {\n   destroy: function() {\n   Array.prototype.forEach.call(nodeList, function(node) {\n   node.removeEventListener(type, callback);\n   });\n   }\n   }\n}\n\n/**\n * Add an event listener to a selector\n * and returns a remove listener function.\n *\n * @param {String} selector\n * @param {String} type\n * @param {Function} callback\n * @return {Object}\n */\nfunction listenSelector(selector, type, callback) {\n   return delegate(document.body, selector, type, callback);\n}\n\nmodule.exports = listen;\n\n\n/***/ }),\n/* 5 */\n/***/ (function(module, exports) {\n\n/**\n * Check if argument is a HTML element.\n *\n * @param {Object} value\n * @return {Boolean}\n */\nexports.node = function(value) {\n return value !== undefined\n   && value instanceof HTMLElement\n   && value.nodeType === 1;\n};\n\n/**\n * Check if argument is a list of HTML elements.\n *\n * @param {Object} value\n * @return {Boolean}\n */\nexports.nodeList = function(value) {\n   var type = Object.prototype.toString.call(value);\n\n   return value !== undefined\n   && (type === '[object NodeList]' || type === '[object HTMLCollection]')\n   && ('length' in value)\n   && (value.length === 0 || exports.node(value[0]));\n};\n\n/**\n * Check if argument is a string.\n *\n * @param {Object} value\n * @return {Boolean}\n */\nexports.string = function(value) {\n return typeof value === 'string'\n || value instanceof String;\n};\n\n/**\n * Check if argument is a function.\n *\n * @param {Object} value\n * @return {Boolean}\n */\nexports.fn = function(value) {\n   var type = Object.prototype.toString.call(value);\n\n   return type === '[object

Function]';\n};\n\n\n/***/ }),\n/* 6 */\n/***/ (function(module, exports, __webpack_require__) {\n\nvar closest = __webpack_require__(7);\n\n/**\n * Delegates event to a selector.\n *\n * @param {Element} element\n * @param {String} selector\n * @param {String} type\n * @param {Function} callback\n * @param {Boolean} useCapture\n * @return {Object}\n */\nfunction _delegate(element, selector, type, callback, useCapture) {\n   var listenerFn = listener.apply(this, arguments);\n\n   element.addEventListener(type, listenerFn, useCapture);\n\n   return {\n   destroy: function() {\n   element.removeEventListener(type, listenerFn, useCapture);\n   }\n   }\n}\n\n/**\n * Delegates event to a selector.\n *\n * @param {Element|String|Array} [elements]\n * @param {String} selector\n * @param {String} type\n * @param {Function} callback\n * @param {Boolean} useCapture\n * @return {Object}\n */\nfunction delegate(elements, selector, type, callback, useCapture) {\n   // Handle the regular Element usage\n   if (typeof elements.addEventListener === 'function') {\n   return _delegate.apply(null, arguments);\n   }\n\n   // Handle Element-less usage, it defaults to global delegation\n   if (typeof type === 'function') {\n   // Use `document` as the first parameter, then apply arguments\n   // This is a short way to .unshift `arguments`\n   // without running into deoptimizations\n   return _delegate.bind(null, document).apply(null, arguments);\n   }\n\n   // Handle Selector-based usage\n   if (typeof elements === 'string') {\n   elements = document.querySelectorAll(elements);\n   }\n\n   // Handle Array-like based usage\n   return Array.prototype.map.call(elements, function (element) {\n   return _delegate(element, selector, type, callback, useCapture);\n   });\n}\n\n/**\n * Finds closest match and invokes callback.\n *\n * @param {Element} element\n * @param {String} selector\n * @param {String} type\n * @param {Function} callback\n * @return {Function}\n */\nfunction listener(element, selector, type, callback) {\n   return function(e) {\n   e.delegateTarget = closest(e.target, selector);\n\n   if (e.delegateTarget) {\n   callback.call(element, e);\n   }\n   }\n}\n\nmodule.exports = delegate;\n\n\n/***/ }),\n/* 7 */\n/***/ (function(module, exports) {\n\nvar DOCUMENT_NODE_TYPE = 9;\n\n/**\n * A polyfill for Element.matches()\n */\nif (typeof Element !== 'undefined' && !Element.prototype.matches) {\n   var proto = Element.prototype;\n\n   proto.matches = proto.matchesSelector ||\n   proto.mozMatchesSelector ||\n   proto.msMatchesSelector ||\n   proto.oMatchesSelector ||\n   proto.webkitMatchesSelector;\n}\n\n/**\n * Finds the closest parent that matches a selector.\n *\n * @param {Element} element\n * @param {String} selector\n * @return {Function}\n */\nfunction closest (element, selector) {\n   while (element && element.nodeType !== DOCUMENT_NODE_TYPE) {\n   if (typeof element.matches === 'function' &&\n   element.matches(selector)) {\n   return element;\n   }\n   element = element.parentNode;\n   }\n}\n\nmodule.exports = closest;\n\n\n/***/ })\n/******/]);\n});","'use strict';\n\nvar isSymbol = require('./is-symbol');\n\nmodule.exports = function (value) {\n\tif (!isSymbol(value)) throw new TypeError(value + \" is not a symbol\");\n\treturn value;\n};\n","var assocIndexOf = require('./_assocIndexOf');\n\n/**\n * Gets the list cache value for `key`.\n *\n * @private\n * @name get\n * @memberOf ListCache\n * @param {string} key The key of the value to get.\n * @returns {*} Returns the entry value.\n */\nfunction listCacheGet(key) {\n var data = this.__data__,\n   index = assocIndexOf(data, key);\n\n return index < 0 ? undefined : data[index][1];\n}\n\nmodule.exports = listCacheGet;\n","var getNative = require('./_getNative'),\n   root = require('./_root');\n\n/* Built-in method references that are verified to be native. */\nvar DataView = getNative(root, 'DataView');\n\nmodule.exports = DataView;\n","'use strict';\n\nvar validTypes = { object: true, symbol: true };\n\nmodule.exports = function () {\n\tvar symbol;\n\tif (typeof Symbol !== 'function') return false;\n\tsymbol = Symbol('test symbol');\n\ttry { String(symbol); } catch (e) { return false; }\n\n\t// Return 'true' also for polyfills\n\tif (!validTypes[typeof Symbol.iterator]) return false;\n\tif (!validTypes[typeof Symbol.toPrimitive]) return false;\n\tif (!validTypes[typeof Symbol.toStringTag]) return false;\n\n\treturn true;\n};\n","var baseMatches = require('./_baseMatches'),\n   baseMatchesProperty = require('./_baseMatchesProperty'),\n   identity = require('./identity'),\n   isArray = require('./isArray'),\n   property = require('./property');\n\n/**\n * The base implementation of `_.iteratee`.\n *\n * @private\n * @param {*} [value=_.identity] The value to convert to an iteratee.\n * @returns {Function} Returns the iteratee.\n */\nfunction baseIteratee(value) {\n // Don't store the `typeof` result in a variable to avoid a JIT bug in Safari 9.\n // See https://bugs.webkit.org/show_bug.cgi?id=156034 for more details.\n if (typeof value == 'function') {\n   return value;\n }\n if (value == null) {\n   return identity;\n

}\n if (typeof value == 'object') {\n   return isArray(value)\n   ? baseMatchesProperty(value[0], value[1])\n   : baseMatches(value);\n }\n return property(value);\n}\n\nmodule.exports = baseIteratee;\n","var nativeCreate = require('./_nativeCreate');\n\n/** Used to stand-in for `undefined` hash values. */\nvar HASH_UNDEFINED = '__lodash_hash_undefined__';\n\n/** Used for built-in method references. */\nvar objectProto = Object.prototype;\n\n/** Used to check objects for own properties. */\nvar hasOwnProperty = objectProto.hasOwnProperty;\n\n/**\n * Gets the hash value for `key`.\n *\n * @private\n * @name get\n * @memberOf Hash\n * @param {string} key The key of the value to get.\n * @returns {*} Returns the entry value.\n */\nfunction hashGet(key) {\n var data = this.__data__;\n if (nativeCreate) {\n   var result = data[key];\n   return result === HASH_UNDEFINED ? undefined : result;\n }\n return hasOwnProperty.call(data, key) ? data[key] : undefined;\n}\n\nmodule.exports = hashGet;\n","var anObject = require('./_an-object');\nvar isObject = require('./_is-object');\nvar newPromiseCapability = require('./_new-promise-capability');\n\nmodule.exports = function (C, x) {\n anObject(C);\n if (isObject(x) && x.constructor === C) return x;\n var promiseCapability = newPromiseCapability.f(C);\n var resolve = promiseCapability.resolve;\n resolve(x);\n return promiseCapability.promise;\n};\n","// 7.2.1 RequireObjectCoercible(argument)\nmodule.exports = function (it) {\n if (it == undefined) throw TypeError(\"Can't call method on \" + it);\n return it;\n};\n","function _defineProperties(target, props) {\n for (var i = 0; i < props.length; i++) {\n   var descriptor = props[i];\n   descriptor.enumerable = descriptor.enumerable || false;\n   descriptor.configurable = true;\n   if (\"value\" in descriptor) descriptor.writable = true;\n   Object.defineProperty(target, descriptor.key, descriptor);\n }\n}\n\nexport default function _createClass(Constructor, protoProps, staticProps) {\n if (protoProps) _defineProperties(Constructor.prototype, protoProps);\n if (staticProps) _defineProperties(Constructor, staticProps);\n return Constructor;\n}","var baseIsEqualDeep = require('./_baseIsEqualDeep'),\n   isObjectLike = require('./isObjectLike');\n\n/**\n * The base implementation of `_.isEqual` which supports partial comparisons\n * and tracks traversed objects.\n *\n * @private\n * @param {*} value The value to compare.\n * @param {*} other The other value to compare.\n * @param {boolean} bitmask The bitmask flags.\n * 1 - Unordered comparison\n * 2 - Partial comparison\n * @param {Function} [customizer] The function to customize comparisons.\n * @param {Object} [stack] Tracks traversed `value` and `other` objects.\n * @returns {boolean} Returns `true` if the values are equivalent, else `false`.\n */\nfunction baseIsEqual(value, other, bitmask, customizer, stack) {\n if (value === other) {\n   return true;\n }\n if (value == null || other == null || (!isObjectLike(value) && !isObjectLike(other))) {\n   return value !== value && other !== other;\n }\n return baseIsEqualDeep(value, other, bitmask, customizer, baseIsEqual, stack);\n}\n\nmodule.exports = baseIsEqual;\n","/*!\n * Font Awesome Free 5.5.0 by @fontawesome - https://fontawesome.com\n * License - https://fontawesome.com/license/free (Icons: CC BY 4.0, Fonts: SIL OFL 1.1, Code: MIT License)\n */\nvar noop = function noop() {};\n\nvar _WINDOW = {};\nvar _DOCUMENT = {};\nvar _MUTATION_OBSERVER$1 = null;\nvar _PERFORMANCE = { mark: noop, measure: noop };\n\ntry {\n if (typeof window !== 'undefined') _WINDOW = window;\n if (typeof document !== 'undefined') _DOCUMENT = document;\n if (typeof MutationObserver !== 'undefined') _MUTATION_OBSERVER$1 = MutationObserver;\n if (typeof performance !== 'undefined') _PERFORMANCE = performance;\n} catch (e) {}\n\nvar _ref = _WINDOW.navigator || {};\nvar _ref$userAgent = _ref.userAgent;\nvar userAgent = _ref$userAgent === undefined ? '' : _ref$userAgent;\n\nvar WINDOW = _WINDOW;\nvar DOCUMENT = _DOCUMENT;\nvar MUTATION_OBSERVER = _MUTATION_OBSERVER$1;\nvar PERFORMANCE = _PERFORMANCE;\n\nvar IS_DOM = !!DOCUMENT.documentElement && !!DOCUMENT.head && typeof DOCUMENT.addEventListener === 'function' && typeof DOCUMENT.createElement === 'function';\nvar IS_IE = ~userAgent.indexOf('MSIE') || ~userAgent.indexOf('Trident/');\n\nvar NAMESPACE_IDENTIFIER = '___FONT_AWESOME___';\nvar UNITS_IN_GRID = 16;\nvar DEFAULT_FAMILY_PREFIX = 'fa';\nvar DEFAULT_REPLACEMENT_CLASS = 'svg-inline--fa';\nvar DATA_FA_I2SVG = 'data-fa-i2svg';\nvar DATA_FA_PSEUDO_ELEMENT = 'data-fa-pseudo-element';\nvar DATA_PREFIX = 'data-prefix';\nvar DATA_ICON = 'data-icon';\nvar HTML_CLASS_I2SVG_BASE_CLASS = 'fontawesome-i2svg';\nvar TAGNAMES_TO_SKIP_FOR_PSEUDOELEMENTS = ['HTML', 'HEAD', 'STYLE', 'SCRIPT'];\nvar PRODUCTION = function () {\n try {\n   return process.env.NODE_ENV === 'production';\n } catch (e) {\n

return false;\n }\n}();\n\nvar oneToTen = [1, 2, 3, 4, 5, 6, 7, 8, 9, 10];\n\nvar oneToTwenty = oneToTen.concat([11, 12, 13, 14, 15, 16, 17, 18, 19, 20]);\n\nvar ATTRIBUTES_WATCHED_FOR_MUTATION = ['class', 'data-prefix', 'data-icon', 'data-fa-transform', 'data-fa-mask'];\n\nvar RESERVED_CLASSES = ['xs', 'sm', 'lg', 'fw', 'ul', 'li', 'border', 'pull-left', 'pull-right', 'spin', 'pulse', 'rotate-90', 'rotate-180', 'rotate-270', 'flip-horizontal', 'flip-vertical', 'stack', 'stack-1x', 'stack-2x', 'inverse', 'layers', 'layers-text', 'layers-counter'].concat(oneToTen.map(function (n) {\n return n + 'x';\n})).concat(oneToTwenty.map(function (n) {\n return 'w-' + n;\n}));\n\nvar classCallCheck = function (instance, Constructor) {\n if (!(instance instanceof Constructor)) {\n throw new TypeError(\"Cannot call a class as a function\");\n }\n};\n\nvar createClass = function () {\n function defineProperties(target, props) {\n for (var i = 0; i < props.length; i++) {\n var descriptor = props[i];\n descriptor.enumerable = descriptor.enumerable || false;\n descriptor.configurable = true;\n if (\"value\" in descriptor) descriptor.writable = true;\n Object.defineProperty(target, descriptor.key, descriptor);\n }\n }\n\n return function (Constructor, protoProps, staticProps) {\n if (protoProps) defineProperties(Constructor.prototype, protoProps);\n if (staticProps) defineProperties(Constructor, staticProps);\n return Constructor;\n };\n}();\n\n\nvar _extends = Object.assign || function (target) {\n for (var i = 1; i < arguments.length; i++) {\n var source = arguments[i];\n\n for (var key in source) {\n if (Object.prototype.hasOwnProperty.call(source, key)) {\n target[key] = source[key];\n }\n }\n }\n\n return target;\n};\n\n\n\nvar slicedToArray = function () {\n function sliceIterator(arr, i) {\n var _arr = [];\n var _n = true;\n var _d = false;\n var _e = undefined;\n\n try {\n for (var _i = arr[Symbol.iterator](), _s; !(_n = (_s = _i.next()).done); _n = true) {\n _arr.push(_s.value);\n\n if (i && _arr.length === i) break;\n }\n } catch (err) {\n _d = true;\n _e = err;\n } finally {\n try {\n if (!_n && _i[\"return\"]) _i[\"return\"]();\n } finally {\n if (_d) throw _e;\n }\n }\n\n return _arr;\n }\n\n return function (arr, i) {\n if (Array.isArray(arr)) {\n return arr;\n } else if (Symbol.iterator in Object(arr)) {\n return sliceIterator(arr, i);\n } else {\n throw new TypeError(\"Invalid attempt to destructure non-iterable instance\");\n }\n };\n}();\n\nvar toConsumableArray = function (arr) {\n if (Array.isArray(arr)) {\n for (var i = 0, arr2 = Array(arr.length); i < arr.length; i++) arr2[i] = arr[i];\n\n return arr2;\n } else {\n return Array.from(arr);\n }\n};\n\nvar initial = WINDOW.FontAwesomeConfig || {};\n\nfunction getAttrConfig(attr) {\n var element = DOCUMENT.querySelector('script[' + attr + ']');\n\n if (element) {\n return element.getAttribute(attr);\n }\n}\n\nfunction coerce(val) {\n // Getting an empty string will occur if the attribute is set on the HTML tag but without a value\n // We'll assume that this is an indication that it should be toggled to true\n // For example <script data-search-pseudo-elements src=\"...\"></script>\n if (val === '') return true;\n if (val === 'false') return false;\n if (val === 'true') return true;\n return val;\n}\n\nif (DOCUMENT && typeof DOCUMENT.querySelector === 'function') {\n var attrs = [['data-family-prefix', 'familyPrefix'], ['data-replacement-class', 'replacementClass'], ['data-auto-replace-svg', 'autoReplaceSvg'], ['data-auto-add-css', 'autoAddCss'], ['data-auto-a11y', 'autoA11y'], ['data-search-pseudo-elements', 'searchPseudoElements'], ['data-observe-mutations', 'observeMutations'], ['data-keep-original-source', 'keepOriginalSource'], ['data-measure-performance', 'measurePerformance'], ['data-show-missing-icons', 'showMissingIcons']];\n\n attrs.forEach(function (_ref) {\n var _ref2 = slicedToArray(_ref, 2),\n attr = _ref2[0],\n key = _ref2[1];\n\n var val = coerce(getAttrConfig(attr));\n\n if (val !== undefined && val !== null) {\n initial[key] = val;\n }\n });\n}\n\nvar _default = _extends({\n familyPrefix: DEFAULT_FAMILY_PREFIX,\n replacementClass: DEFAULT_REPLACEMENT_CLASS,\n autoReplaceSvg: true,\n autoAddCss: true,\n autoA11y: true,\n searchPseudoElements: false,\n observeMutations: true,\n keepOriginalSource: true,\n measurePerformance: false,\n showMissingIcons: true\n}, initial);\n\nif (!_default.autoReplaceSvg) _default.observeMutations = false;\n\nvar config = _extends({}, _default);\n\nWINDOW.FontAwesomeConfig = config;\n\nvar w = WINDOW || {};\n\nif (!w[NAMESPACE_IDENTIFIER]) w[NAMESPACE_IDENTIFIER] = {};\nif (!w[NAMESPACE_IDENTIFIER].styles) w[NAMESPACE_IDENTIFIER].styles = {};\nif (!w[NAMESPACE_IDENTIFIER].hooks) w[NAMESPACE_IDENTIFIER].hooks = {};\nif (!w[NAMESPACE_IDENTIFIER].shims) w[NAMESPACE_IDENTIFIER].shims = [];\n\nvar namespace = w[NAMESPACE_IDENTIFIER];\n\nvar functions = [];\n\nvar listener = function listener() {\n DOCUMENT.removeEventListener('DOMContentLoaded', listener);\n loaded = 1;\n functions.map(function (fn)

```
{\n   return fn();\n   });\n};\n\nvar loaded = false;\n\nif (IS_DOM) {\n   loaded =
(DOCUMENT.documentElement.doScroll ? /^loaded|^c/ : /^loaded|^i|^c/).test(DOCUMENT.readyState);\n\n   if
(!loaded) DOCUMENT.addEventListener('DOMContentLoaded', listener);\n}\n\nvar domready = function (fn) {\n
if (!IS_DOM) return;\n   loaded ? setTimeout(fn, 0) : functions.push(fn);\n};\n\nvar d = UNITS_IN_GRID;\n\nvar
meaninglessTransform = {\n   size: 16,\n   x: 0,\n   y: 0,\n   rotate: 0,\n   flipX: false,\n   flipY: false\n};\n\nfunction
isReserved(name) {\n   return ~RESERVED_CLASSES.indexOf(name);\n}\n\n\nfunction insertCss(css) {\n   if
(!css || !IS_DOM) {\n      return;\n   }\n\n   var style = DOCUMENT.createElement('style');\n   style.setAttribute('type',
'text/css');\n   style.innerHTML = css;\n\n   var headChildren = DOCUMENT.head.childNodes;\n   var beforeChild =
null;\n\n   for (var i = headChildren.length - 1; i > -1; i--) {\n      var child = headChildren[i];\n      var tagName =
(child.tagName || '').toUpperCase();\n      if (['STYLE', 'LINK'].indexOf(tagName) > -1) {\n         beforeChild = child;\n
}\n   }\n\n   DOCUMENT.head.insertBefore(style, beforeChild);\n\n   return css;\n}\n\nvar idPool =
'0123456789abcdefghijklmnopqrstuvwxyzABCDEFGHIJKLMNOPQRSTUVWXYZ';\n\nfunction nextUniqueId()
{\n   var size = 12;\n   var id = '';\n   while (size-- > 0) {\n      id += idPool[Math.random() * 62 | 0];\n   }\n   return
id;\n}\n\nfunction toArray(obj) {\n   var array = [];\n\n   for (var i = (obj || []).length >>> 0; i--;) {\n      array[i] =
obj[i];\n   }\n\n   return array;\n}\n\nfunction classArray(node) {\n   if (node.classList) {\n      return
toArray(node.classList);\n   } else {\n      return (node.getAttribute('class') || '').split(' ').filter(function (i) {\n         return
i;\n      });\n   }\n}\n\nfunction getIconName(familyPrefix, cls) {\n   var parts = cls.split('-');\n   var prefix = parts[0];\n
var iconName = parts.slice(1).join('-');\n\n   if (prefix === familyPrefix && iconName !== '' &&
!isReserved(iconName)) {\n      return iconName;\n   } else {\n      return null;\n   }\n}\n\nfunction htmlEscape(str) {\n
return ('' + str).replace(/&/g, '&amp;').replace(/\"/g, '&quot;').replace(/'/g, '&#39;').replace(/</g, '&lt;').replace(/>/g,
'&gt;');\n}\n\nfunction joinAttributes(attributes) {\n   return Object.keys(attributes || {}).reduce(function (acc,
attributeName) {\n      return acc + (attributeName + '=\"' + htmlEscape(attributes[attributeName]) + '\" ');\n   },
'').trim();\n}\n\nfunction joinStyles(styles) {\n   return Object.keys(styles || {}).reduce(function (acc, styleName) {\n
return acc + (styleName + ': ' + styles[styleName] + ';');\n   }, '');\n}\n\nfunction transformIsMeaningful(transform)
{\n   return transform.size !== meaninglessTransform.size || transform.x !== meaninglessTransform.x || transform.y
!== meaninglessTransform.y || transform.rotate !== meaninglessTransform.rotate || transform.flipX ||
transform.flipY;\n}\n\nfunction transformForSvg(_ref) {\n   var transform = _ref.transform,\n      containerWidth =
_ref.containerWidth,\n      iconWidth = _ref.iconWidth;\n\n   var outer = {\n      transform: 'translate(' +
containerWidth / 2 + ' 256)'\n   };\n   var innerTranslate = 'translate(' + transform.x * 32 + ', ' + transform.y * 32 + ')
';\n   var innerScale = 'scale(' + transform.size / 16 * (transform.flipX ? -1 : 1) + ', ' + transform.size / 16 *
(transform.flipY ? -1 : 1) + ') ';\n   var innerRotate = 'rotate(' + transform.rotate + ' 0 0)';\n   var inner = {\n
transform: innerTranslate + ' ' + innerScale + ' ' + innerRotate\n   };\n   var path = {\n      transform: 'translate(' +
iconWidth / 2 * -1 + ' -256)'\n   };\n   return {\n      outer: outer,\n      inner: inner,\n      path: path\n   };\n}\n\nfunction
transformForCss(_ref2) {\n   var transform = _ref2.transform,\n      _ref2$width = _ref2.width,\n      width =
_ref2$width === undefined ? UNITS_IN_GRID : _ref2$width,\n      _ref2$height = _ref2.height,\n      height =
_ref2$height === undefined ? UNITS_IN_GRID : _ref2$height,\n      _ref2$startCentered = _ref2.startCentered,\n
startCentered = _ref2$startCentered === undefined ? false : _ref2$startCentered;\n\n   var val = '';\n\n   if
(startCentered && IS_IE) {\n      val += 'translate(' + (transform.x / d - width / 2) + 'em, ' + (transform.y / d - height /
2) + 'em) ';\n   } else if (startCentered) {\n      val += 'translate(calc(-50% + ' + transform.x / d + 'em), calc(-50% + ' +
transform.y / d + 'em)) ';\n   } else {\n      val += 'translate(' + transform.x / d + 'em, ' + transform.y / d + 'em) ';\n   }\n\n
val += 'scale(' + transform.size / d * (transform.flipX ? -1 : 1) + ', ' + transform.size / d * (transform.flipY ? -1 : 1) +
') ';\n   val += 'rotate(' + transform.rotate + 'deg) ';\n\n   return val;\n}\n\nvar ALL_SPACE = {\n   x: 0,\n   y: 0,\n
width: '100%',\n   height: '100%'\n};\n\nvar makeIconMasking = function (_ref) {\n   var children = _ref.children,\n
attributes = _ref.attributes,\n      main = _ref.main,\n      mask = _ref.mask,\n      transform = _ref.transform;\n   var
mainWidth = main.width,\n      mainPath = main.icon;\n   var maskWidth = mask.width,\n      maskPath =
mask.icon;\n\n\n   var trans = transformForSvg({ transform: transform, containerWidth: maskWidth, iconWidth:
mainWidth });\n\n   var maskRect = {\n      tag: 'rect',\n      attributes: _extends({}, ALL_SPACE, {\n         fill: 'white'\n
})\n   };\n   var maskInnerGroup = {\n      tag: 'g',\n      attributes: _extends({}, trans.inner),\n      children: [{ tag: 'path',
```

attributes: _extends({}, mainPath.attributes, trans.path, { fill: 'black' }) }]\n };\n var maskOuterGroup = {\n tag: 'g',\n attributes: _extends({}, trans.outer),\n children: [maskInnerGroup]\n };\n var maskId = 'mask-' + nextUniqueId();\n var clipId = 'clip-' + nextUniqueId();\n var maskTag = {\n tag: 'mask',\n attributes: _extends({}, ALL_SPACE, {\n id: maskId,\n maskUnits: 'userSpaceOnUse',\n maskContentUnits: 'userSpaceOnUse'\n }),\n children: [maskRect, maskOuterGroup]\n };\n var defs = {\n tag: 'defs',\n children: [{ tag: 'clipPath', attributes: { id: clipId }, children: [maskPath] }, maskTag]\n };\n\n children.push(defs, { tag: 'rect', attributes: _extends({ fill: 'currentColor', 'clip-path': 'url(#' + clipId + ')', mask: 'url(#' + maskId + ')' }, ALL_SPACE) });\n\n return {\n children: children,\n attributes: attributes\n };\n};\n\nvar makeIconStandard = function (_ref) {\n var children = _ref.children,\n attributes = _ref.attributes,\n main = _ref.main,\n transform = _ref.transform,\n styles = _ref.styles;\n\n var styleString = joinStyles(styles);\n\n if (styleString.length > 0) {\n attributes['style'] = styleString;\n }\n\n if (transformIsMeaningful(transform)) {\n var trans = transformForSvg({ transform: transform, containerWidth: main.width, iconWidth: main.width });\n children.push({\n tag: 'g',\n attributes: _extends({}, trans.outer),\n children: [{\n tag: 'g',\n attributes: _extends({}, trans.inner),\n children: [{\n tag: main.icon.tag,\n children: main.icon.children,\n attributes: _extends({}, main.icon.attributes, trans.path)\n }]\n }]\n });\n } else {\n children.push(main.icon);\n }\n\n return {\n children: children,\n attributes: attributes\n };\n};\n\nvar asIcon = function (_ref) {\n var children = _ref.children,\n main = _ref.main,\n mask = _ref.mask,\n attributes = _ref.attributes,\n styles = _ref.styles,\n transform = _ref.transform;\n\n if (transformIsMeaningful(transform) && main.found && !mask.found) {\n var width = main.width,\n height = main.height;\n var offset = {\n x: width / height / 2,\n y: 0.5\n };\n attributes['style'] = joinStyles(_extends({}, styles, {\n 'transform-origin': offset.x + transform.x / 16 + 'em ' + (offset.y + transform.y / 16) + 'em'\n }));\n }\n\n return [{\n tag: 'svg',\n attributes: attributes,\n children: children\n }];\n};\n\nvar asSymbol = function (_ref) {\n var prefix = _ref.prefix,\n iconName = _ref.iconName,\n children = _ref.children,\n attributes = _ref.attributes,\n symbol = _ref.symbol;\n var id = symbol === true ? prefix + '-' + config.familyPrefix + '-' + iconName : symbol;\n\n return [{\n tag: 'svg',\n attributes: {\n style: 'display: none;'\n },\n children: [{\n tag: 'symbol',\n attributes: _extends({}, attributes, { id: id }),\n children: children\n }]\n }];\n};\n\nfunction makeInlineSvgAbstract(params) {\n var _params$icons = params.icons,\n main = _params$icons.main,\n mask = _params$icons.mask,\n prefix = params.prefix,\n iconName = params.iconName,\n transform = params.transform,\n symbol = params.symbol,\n title = params.title,\n extra = params.extra,\n _params$watchable = params.watchable,\n watchable = _params$watchable === undefined ? false : _params$watchable;\n\n var _ref = mask.found ? mask : main,\n width = _ref.width,\n height = _ref.height;\n\n var widthClass = 'fa-w-' + Math.ceil(width / height * 16);\n var attrClass = [config.replacementClass, iconName ? config.familyPrefix + '-' + iconName : '', widthClass].filter(function (c) {\n return extra.classes.indexOf(c) === -1;\n }).concat(extra.classes).join(' ');\n\n var content = {\n children: [],\n attributes: _extends({}, extra.attributes, {\n 'data-prefix': prefix,\n 'data-icon': iconName,\n 'class': attrClass,\n 'role': 'img',\n 'xmlns': 'http://www.w3.org/2000/svg',\n 'viewBox': '0 0 ' + width + ' ' + height\n })\n };\n\n if (watchable) {\n content.attributes[DATA_FA_I2SVG] = '';\n }\n\n if (title) content.children.push({ tag: 'title', attributes: { id: content.attributes['aria-labelledby'] || 'title-' + nextUniqueId() }, children: [title] });\n\n var args = _extends({}, content, {\n prefix: prefix,\n iconName: iconName,\n main: main,\n mask: mask,\n transform: transform,\n symbol: symbol,\n styles: extra.styles\n });\n\n var _ref2 = mask.found && main.found ? makeIconMasking(args) : makeIconStandard(args),\n children = _ref2.children,\n attributes = _ref2.attributes;\n\n args.children = children;\n args.attributes = attributes;\n\n if (symbol) {\n return asSymbol(args);\n } else {\n return asIcon(args);\n }\n}\n\nfunction makeLayersTextAbstract(params) {\n var content = params.content,\n width = params.width,\n height = params.height,\n transform = params.transform,\n title = params.title,\n extra = params.extra,\n _params$watchable2 = params.watchable,\n watchable = _params$watchable2 === undefined ? false : _params$watchable2;\n\n var attributes = _extends({}, extra.attributes, title ? { 'title': title } : {}, {\n 'class': extra.classes.join(' ')\n });\n\n if (watchable) {\n attributes[DATA_FA_I2SVG] = '';\n }\n\n var styles = _extends({}, extra.styles);\n\n if

(transformIsMeaningful(transform)) {\n   styles['transform'] = transformForCss({ transform: transform, startCentered: true, width: width, height: height });\n   styles['-webkit-transform'] = styles['transform'];\n }\n\n var styleString = joinStyles(styles);\n\n if (styleString.length > 0) {\n   attributes['style'] = styleString;\n }\n\n var val = [];\n val.push({\n   tag: 'span',\n   attributes: attributes,\n   children: [content]\n });\n\n if (title) {\n   val.push({ tag: 'span', attributes: { class: 'sr-only' }, children: [title] });\n }\n\n return val;\n}\n\nfunction makeLayersCounterAbstract(params) {\n var content = params.content,\n   title = params.title,\n   extra = params.extra;\n\n\n var attributes = _extends({}, extra.attributes, title ? { 'title': title } : {}, {\n   'class': extra.classes.join(' ')\n });\n\n var styleString = joinStyles(extra.styles);\n\n if (styleString.length > 0) {\n   attributes['style'] = styleString;\n }\n\n var val = [];\n val.push({\n   tag: 'span',\n   attributes: attributes,\n   children: [content]\n });\n\n if (title) {\n   val.push({ tag: 'span', attributes: { class: 'sr-only' }, children: [title] });\n }\n\n return val;\n}\n\nvar noop$2 = function noop() {};\nvar p = config.measurePerformance && PERFORMANCE && PERFORMANCE.mark && PERFORMANCE.measure ? PERFORMANCE : { mark: noop$2, measure: noop$2 };\nvar preamble = 'FA \"5.5.0\"';\nvar begin = function begin(name) {\n p.mark(preamble + ' ' + name + ' begins');\n return function () {\n   return end(name);\n };\n};\nvar end = function end(name) {\n p.mark(preamble + ' ' + name + ' ends');\n p.measure(preamble + ' ' + name, preamble + ' ' + name + ' begins', preamble + ' ' + name + ' ends');\n};\n\nvar perf = { begin: begin, end: end };\n\n'use strict';\n\n/**\n * Internal helper to bind a function known to have 4 arguments\n * to a given context.\n */\nvar bindInternal4 = function bindInternal4 (func, thisContext) {\n return function (a, b, c, d) {\n   return func.call(thisContext, a, b, c, d);\n };\n};\n\n'use strict';\n\n\n/**\n * # Reduce\n *\n * A fast object `.reduce()` implementation.\n *\n * @param {Object}   subject   The object to reduce over.\n * @param {Function} fn   The reducer function.\n * @param {mixed}   initialValue The initial value for the reducer, defaults to subject[0].\n * @param {Object}   thisContext The context for the reducer.\n * @return {mixed}   The final result.\n */\nvar reduce = function fastReduceObject (subject, fn, initialValue, thisContext) {\n var keys = Object.keys(subject),\n   length = keys.length,\n   iterator = thisContext !== undefined ? bindInternal4(fn, thisContext) : fn,\n   i, key, result;\n\n if (initialValue === undefined) {\n   i = 1;\n   result = subject[keys[0]];\n } else {\n   i = 0;\n   result = initialValue;\n }\n\n for (; i < length; i++) {\n   key = keys[i];\n   result = iterator(result, subject[key], key, subject);\n }\n\n return result;\n};\n\nvar styles$2 = namespace.styles;\nvar shims = namespace.shims;\n\n\nvar _byUnicode = {};\nvar _byLigature = {};\nvar _byOldName = {};\nvar build = function build() {\n var lookup = function lookup(reducer) {\n   return reduce(styles$2, function (o, style, prefix) {\n   o[prefix] = reduce(style, reducer, {});\n   return o;\n   }, {});\n };\n\n _byUnicode = lookup(function (acc, icon, iconName) {\n   acc[icon[3]] = iconName;\n\n   return acc;\n });\n\n _byLigature = lookup(function (acc, icon, iconName) {\n   var ligatures = icon[2];\n\n   acc[iconName] = iconName;\n\n   ligatures.forEach(function (ligature) {\n   acc[ligature] = iconName;\n   });\n   return acc;\n });\n\n var hasRegular = 'far' in styles$2;\n\n _byOldName = reduce(shims, function (acc, shim) {\n   var oldName = shim[0];\n   var prefix = shim[1];\n   var iconName = shim[2];\n\n   if (prefix === 'far' && !hasRegular) {\n   prefix = 'fas';\n   }\n\n   acc[oldName] = {\n prefix: prefix, iconName: iconName };\n\n   return acc;\n }, {});\n};\n\nbuild();\n\nfunction byUnicode(prefix, unicode) {\n return _byUnicode[prefix][unicode];\n}\n\nfunction byLigature(prefix, ligature) {\n return _byLigature[prefix][ligature];\n}\n\nfunction byOldName(name) {\n return _byOldName[name] || { prefix: null, iconName: null };\n}\n\nvar styles$1 = namespace.styles;\n\n\nvar emptyCanonicalIcon = function emptyCanonicalIcon() {\n return { prefix: null, iconName: null, rest: [] };\n};\n\nfunction getCanonicalIcon(values) {\n return values.reduce(function (acc, cls) {\n   var iconName = getIconName(config.familyPrefix, cls);\n\n   if (styles$1[cls]) {\n   acc.prefix = cls;\n   } else if (iconName) {\n   var shim = acc.prefix === 'fa' ? byOldName(iconName) : {};\n\n   acc.iconName = shim.iconName || iconName;\n   acc.prefix = shim.prefix || acc.prefix;\n   } else if (cls !== config.replacementClass && cls.indexOf('fa-w-') !== 0) {\n   acc.rest.push(cls);\n   }\n\n   return acc;\n }, emptyCanonicalIcon());\n}\n\nfunction iconFromMapping(mapping, prefix, iconName) {\n if (mapping && mapping[prefix] && mapping[prefix][iconName]) {\n   return {\n   prefix: prefix,\n   iconName: iconName,\n   icon: mapping[prefix][iconName]\n   };\n }\n}\n\nfunction toHtml(abstractNodes) {\n var tag = abstractNodes.tag,\n   _abstractNodes$attrib = abstractNodes.attributes,\n   attributes =

_abstractNodes$attrib === undefined ? { } : _abstractNodes$attrib,\n   _abstractNodes$childr = abstractNodes.children,\n   children = _abstractNodes$childr === undefined ? [] : _abstractNodes$childr;\n\n if (typeof abstractNodes === 'string') {\n   return htmlEscape(abstractNodes);\n } else {\n   return '<' + tag + ' ' + joinAttributes(attributes) + '>' + children.map(toHtml).join('') + '</' + tag + '>';\n }\n}\n\nvar noop$1 = function noop() { };\n\nfunction isWatched(node) {\n var i2svg = node.getAttribute ? node.getAttribute(DATA_FA_I2SVG) : null;\n\n return typeof i2svg === 'string';\n}\n\nfunction getMutator() {\n if (config.autoReplaceSvg === true) {\n   return mutators.replace;\n }\n\n var mutator = mutators[config.autoReplaceSvg];\n\n return mutator || mutators.replace;\n}\n\nvar mutators = {\n replace: function replace(mutation) {\n   var node = mutation[0];\n   var abstract = mutation[1];\n   var newOuterHTML = abstract.map(function (a) {\n   return toHtml(a);\n   }).join('\\n');\n\n   if (node.parentNode && node.outerHTML) {\n   node.outerHTML = newOuterHTML + (config.keepOriginalSource && node.tagName.toLowerCase() !== 'svg' ? '<!-- ' + node.outerHTML + ' -->' : '');\n   } else if (node.parentNode) {\n   var newNode = document.createElement('span');\n   node.parentNode.replaceChild(newNode, node);\n   newNode.outerHTML = newOuterHTML;\n   }\n },\n nest: function nest(mutation) {\n   var node = mutation[0];\n   var abstract = mutation[1];\n\n   // If we already have a replaced node we do not want to continue nesting within it.\n   // Short-circuit to the standard replacement\n   if (~classArray(node).indexOf(config.replacementClass)) {\n   return mutators.replace(mutation);\n   }\n\n   var forSvg = new RegExp(config.familyPrefix + '-.*');\n\n   delete abstract[0].attributes.style;\n\n   var splitClasses = abstract[0].attributes.class.split(' ').reduce(function (acc, cls) {\n   if (cls === config.replacementClass || cls.match(forSvg)) {\n   acc.toSvg.push(cls);\n   } else {\n   acc.toNode.push(cls);\n   }\n\n   return acc;\n   }, { toNode: [], toSvg: [] });\n\n   abstract[0].attributes.class = splitClasses.toSvg.join(' ');\n\n   var newInnerHTML = abstract.map(function (a) {\n   return toHtml(a);\n   }).join('\\n');\n   node.setAttribute('class', splitClasses.toNode.join(' '));\n   node.setAttribute(DATA_FA_I2SVG, '');\n   node.innerHTML = newInnerHTML;\n }\n};\n\nfunction perform(mutations, callback) {\n var callbackFunction = typeof callback === 'function' ? callback : noop$1;\n\n if (mutations.length === 0) {\n   callbackFunction();\n } else {\n   var frame = WINDOW.requestAnimationFrame || function (op) {\n   return op();\n   };\n\n   frame(function () {\n   var mutator = getMutator();\n   var mark = perf.begin('mutate');\n   mutations.map(mutator);\n   mark();\n   callbackFunction();\n   });\n }\n}\n\nvar disabled = false;\nfunction disableObservation(operation) {\n disabled = true;\n operation();\n disabled = false;\n}\n\nvar mo = null;\nfunction observe(options) {\n if (!MUTATION_OBSERVER) {\n   return;\n }\n\n if (!config.observeMutations) {\n   return;\n }\n\n var treeCallback = options.treeCallback,\n   nodeCallback = options.nodeCallback,\n   pseudoElementsCallback = options.pseudoElementsCallback,\n   _options$observeMutat = options.observeMutationsRoot,\n   observeMutationsRoot = _options$observeMutat === undefined ? DOCUMENT.body : _options$observeMutat;\n\n mo = new MUTATION_OBSERVER(function (objects) {\n   if (disabled) return;\n\n   toArray(objects).forEach(function (mutationRecord) {\n   if (mutationRecord.type === 'childList' && mutationRecord.addedNodes.length > 0 && !isWatched(mutationRecord.addedNodes[0])) {\n   if (config.searchPseudoElements) {\n   pseudoElementsCallback(mutationRecord.target);\n   }\n\n   treeCallback(mutationRecord.target);\n   }\n\n   if (mutationRecord.type === 'attributes' && mutationRecord.target.parentNode && config.searchPseudoElements) {\n   pseudoElementsCallback(mutationRecord.target.parentNode);\n   }\n\n   if (mutationRecord.type === 'attributes' && isWatched(mutationRecord.target) && ~ATTRIBUTES_WATCHED_FOR_MUTATION.indexOf(mutationRecord.attributeName)) {\n   if (mutationRecord.attributeName === 'class') {\n   var _getCanonicalIcon = getCanonicalIcon(classArray(mutationRecord.target)),\n   prefix = _getCanonicalIcon.prefix,\n   iconName = _getCanonicalIcon.iconName;\n\n   if (prefix) mutationRecord.target.setAttribute('data-prefix', prefix);\n   if (iconName) mutationRecord.target.setAttribute('data-icon', iconName);\n   } else {\n   nodeCallback(mutationRecord.target);\n   }\n   }\n   });\n });\n\n if (!IS_DOM) return;\n\n mo.observe(observeMutationsRoot, {\n   childList: true, attributes: true, characterData: true, subtree: true\n });\n}\n\nfunction disconnect() {\n if (!mo) return;\n\n mo.disconnect();\n}\n\nvar styleParser = function (node) {\n

```
var style = node.getAttribute('style');\n\n  var val = [];\n\n  if (style) {\n    val = style.split(';').reduce(function (acc, style) {\n      var styles = style.split(':');\n      var prop = styles[0];\n      var value = styles.slice(1);\n\n      if (prop && value.length > 0) {\n        acc[prop] = value.join(':').trim();\n      }\n\n      return acc;\n    }, {});\n  }\n\n  return val;\n};\n\nfunction toHex(unicode) {\n  var result = '';\n  for (var i = 0; i < unicode.length; i++) {\n    var hex = unicode.charCodeAt(i).toString(16);\n    result += ('000' + hex).slice(-4);\n  }\n\n  return result;\n}\n\nvar classParser = function (node) {\n  var existingPrefix = node.getAttribute('data-prefix');\n  var existingIconName = node.getAttribute('data-icon');\n  var innerText = node.innerText !== undefined ? node.innerText.trim() : '';\n\n  var val = getCanonicalIcon(classArray(node));\n\n  if (existingPrefix && existingIconName) {\n    val.prefix = existingPrefix;\n    val.iconName = existingIconName;\n  }\n\n  if (val.prefix && innerText.length > 1) {\n    val.iconName = byLigature(val.prefix, node.innerText);\n  } else if (val.prefix && innerText.length === 1) {\n    val.iconName = byUnicode(val.prefix, toHex(node.innerText));\n  }\n\n  return val;\n};\n\nvar parseTransformString = function parseTransformString(transformString) {\n  var transform = {\n    size: 16,\n    x: 0,\n    y: 0,\n    flipX: false,\n    flipY: false,\n    rotate: 0\n  };\n\n  if (!transformString) {\n    return transform;\n  } else {\n    return transformString.toLowerCase().split(' ').reduce(function (acc, n) {\n      var parts = n.toLowerCase().split('-');\n      var first = parts[0];\n      var rest = parts.slice(1).join('-');\n\n      if (first && rest === 'h') {\n        acc.flipX = true;\n        return acc;\n      }\n\n      if (first && rest === 'v') {\n        acc.flipY = true;\n        return acc;\n      }\n\n      rest = parseFloat(rest);\n\n      if (isNaN(rest)) {\n        return acc;\n      }\n\n      switch (first) {\n        case 'grow':\n          acc.size = acc.size + rest;\n          break;\n        case 'shrink':\n          acc.size = acc.size - rest;\n          break;\n        case 'left':\n          acc.x = acc.x - rest;\n          break;\n        case 'right':\n          acc.x = acc.x + rest;\n          break;\n        case 'up':\n          acc.y = acc.y - rest;\n          break;\n        case 'down':\n          acc.y = acc.y + rest;\n          break;\n        case 'rotate':\n          acc.rotate = acc.rotate + rest;\n          break;\n      }\n\n      return acc;\n    }, transform);\n  }\n};\n\nvar transformParser = function (node) {\n  return parseTransformString(node.getAttribute('data-fa-transform'));\n};\n\nvar symbolParser = function (node) {\n  var symbol = node.getAttribute('data-fa-symbol');\n\n  return symbol === null ? false : symbol === '' ? true : symbol;\n};\n\nvar attributesParser = function (node) {\n  var extraAttributes = toArray(node.attributes).reduce(function (acc, attr) {\n    if (acc.name !== 'class' && acc.name !== 'style') {\n      acc[attr.name] = attr.value;\n    }\n    return acc;\n  }, {});\n\n  var title = node.getAttribute('title');\n\n  if (config.autoA11y) {\n    if (title) {\n      extraAttributes['aria-labelledby'] = config.replacementClass + '-title-' + nextUniqueId();\n    } else {\n      extraAttributes['aria-hidden'] = 'true';\n    }\n  }\n\n  return extraAttributes;\n};\n\nvar maskParser = function (node) {\n  var mask = node.getAttribute('data-fa-mask');\n\n  if (!mask) {\n    return emptyCanonicalIcon();\n  } else {\n    return getCanonicalIcon(mask.split(' ').map(function (i) {\n      return i.trim();\n    }));\n  }\n};\n\nvar blankMeta = {\n  iconName: null,\n  title: null,\n  prefix: null,\n  transform: meaninglessTransform,\n  symbol: false,\n  mask: null,\n  extra: { classes: [], styles: {}, attributes: {} }\n};\n\nfunction parseMeta(node) {\n  var _classParser = classParser(node),\n      iconName = _classParser.iconName,\n      prefix = _classParser.prefix,\n      extraClasses = _classParser.rest;\n\n  var extraStyles = styleParser(node);\n  var transform = transformParser(node);\n  var symbol = symbolParser(node);\n  var extraAttributes = attributesParser(node);\n  var mask = maskParser(node);\n\n  return {\n    iconName: iconName,\n    title: node.getAttribute('title'),\n    prefix: prefix,\n    transform: transform,\n    symbol: symbol,\n    mask: mask,\n    extra: {\n      classes: extraClasses,\n      styles: extraStyles,\n      attributes: extraAttributes\n    }\n  };\n}\n\nfunction MissingIcon(error) {\n  this.name = 'MissingIcon';\n  this.message = error || 'Icon unavailable';\n  this.stack = new Error().stack;\n}\n\nMissingIcon.prototype = Object.create(Error.prototype);\nMissingIcon.prototype.constructor = MissingIcon;\n\nvar FILL = { fill: 'currentColor' };\nvar ANIMATION_BASE = {\n  attributeType: 'XML',\n  repeatCount: 'indefinite',\n  dur: '2s'\n};\nvar RING = {\n  tag: 'path',\n  attributes: _extends({}, FILL, {\n    d: 'M156.5,447.7l-12.6,29.5c-18.7-9.5-35.9-21.2-51.5-34.9l22.7-22.7C127.6,430.5,141.5,440,156.5,447.7z M40.6,272H8.5 c1.4,21.2,5.4,41.7,11.7,61.1L50,321.2C45.1,305.5,41.8,289,40.6,272z M40.6,240c1.4-18.8,5.2-37,11.1-54.1l-29.5-12.6 C14.7,194.3,10,216.7,8.5,240H40.6z M64.3,156.5c7.8-14.9,17.2-28.8,28.1-41.5L69.7,92.3c-13.7,15.6-25.5,32.8-34.9,51.5 L64.3,156.5z M397,419.6c-13.9,12-29.4,22.3-46.1,30.4l11.9,29.8c20.7-9.9,39.8-22.6,56.9-37.6L397,419.6z M115,92.4 c13.9-12,29.4-22.3,46.1-30.4l-11.9-29.8c-
```

20.7,9.9-39.8,22.6-56.8,37.6L115,92.4z M447.7,355.5c-7.8,14.9-17.2,28.8-28.1,41.5 l22.7,22.7c13.7-15.6,25.5-32.9,34.9-51.5L447.7,355.5z M471.4,272c-1.4,18.8-5.2,37-11.1,54.1l29.5,12.6 c7.5-21.1,12.2-43.5,13.6-66.8H471.4z M321.2,462c-15.7,5-32.2,8.2-49.2,9.4v32.1c21.2-1.4,41.7-5.4,61.1-11.7L321.2,462z M240,471.4c-18.8-1.4-37-5.2-54.1-11.1l-12.6,29.5c21.1,7.5,43.5,12.2,66.8,13.6V471.4z M462,190.8c5,15.7,8.2,32.2,9.4,49.2h32.1 c-1.4-21.2-5.4-41.7-11.7-61.1L462,190.8z M92.4,397c-12-13.9-22.3-29.4-30.4-46.1l-29.8,11.9c9.9,20.7,22.6,39.8,37.6,56.9 L92.4,397z M272,40.6c18.8,1.4,36.9,5.2,54.1,11.1l12.6-29.5C317.7,14.7,295.3,10,272,8.5V40.6z M190.8,50 c15.7-5,32.2-8.2,49.2-9.4V8.5c-21.2,1.4-41.7,5.4-61.1,11.7L190.8,50z M442.3,92.3L419.6,115c12,13.9,22.3,29.4,30.5,46.1 l29.8-11.9C470,128.5,457.3,109.4,442.3,92.3z M397,92.4l22.7-22.7c-15.6-13.7-32.8-25.5-51.5-34.9l-12.6,29.5 C370.4,72.1,384.4,81.5,397,92.4z'\n })\n};\nvar OPACITY_ANIMATE = _extends({}, ANIMATION_BASE, {\n attributeName: 'opacity'\n});\nvar DOT = {\n tag: 'circle',\n attributes: _extends({}, FILL, {\n   cx: '256',\n   cy: '364',\n   r: '28'\n }),\n children: [{ tag: 'animate', attributes: _extends({}, ANIMATION_BASE, { attributeName: 'r', values: '28;14;28;28;14;28;' }) }, { tag: 'animate', attributes: _extends({}, OPACITY_ANIMATE, { values: '1;0;1;1;0;1;' }) }]\n};\nvar QUESTION = {\n tag: 'path',\n attributes: _extends({}, FILL, {\n   opacity: '1',\n   d: 'M263.7,312h-16c-6.6,0-12-5.4-12-12c0-71,77.4-63.9,77.4-107.8c0-20-17.8-40.2-57.4-40.2c-29.1,0-44.3,9.6-59.2,28.7 c-3.9,5-11.1,6-16.2,2.4l-13.1-9.2c-5.6-3.9-6.9-11.8-2.6-17.2c21.2-27.2,46.4-44.7,91.2-44.7c52.3,0,97.4,29.8,97.4,80.2 c0,67.6-77.4,63.5-77.4,107.8C275.7,306.6,270.3,312,263.7,312z'\n }),\n children: [{ tag: 'animate', attributes: _extends({}, OPACITY_ANIMATE, { values: '1;0;0;0;0;1;' }) }]\n};\nvar EXCLAMATION = {\n tag: 'path',\n attributes: _extends({}, FILL, {\n   opacity: '0',\n   d: 'M232.5,134.5l7,168c0.3,6.4,5.6,11.5,12,11.5h9c6.4,0,11.7-5.1,12-11.5l7-168c0.3-6.8-5.2-12.5-12-12.5h-23 C237.7,122,232.2,127.7,232.5,134.5z'\n }),\n children: [{ tag: 'animate', attributes: _extends({}, OPACITY_ANIMATE, { values: '0;0;1;1;0;0;' }) }]\n};\n\nvar missing = { tag: 'g', children: [RING, DOT, QUESTION, EXCLAMATION] };\n\nvar styles = namespace.styles;\n\nvar LAYERS_TEXT_CLASSNAME = 'fa-layers-text';\nvar FONT_FAMILY_PATTERN = /Font Awesome 5 (Solid|Regular|Light|Brands|Free|Pro)/;\nvar STYLE_TO_PREFIX = {\n 'Solid': 'fas',\n 'Regular': 'far',\n 'Light': 'fal',\n 'Brands': 'fab'\n};\nvar FONT_WEIGHT_TO_PREFIX = {\n '900': 'fas',\n '400': 'far',\n '300': 'fal'\n};\n\nfunction findIcon(iconName, prefix) {\n var val = {\n   found: false,\n   width: 512,\n   height: 512,\n   icon: missing\n };\n\n if (iconName && prefix && styles[prefix] && styles[prefix][iconName]) {\n   var icon = styles[prefix][iconName];\n   var width = icon[0];\n   var height = icon[1];\n   var vectorData = icon.slice(4);\n\n   val = {\n   found: true,\n   width: width,\n   height: height,\n   icon: { tag: 'path', attributes: { fill: 'currentColor', d: vectorData[0] } }\n   };\n } else if (iconName && prefix && !config.showMissingIcons) {\n   throw new MissingIcon('Icon is missing for prefix ' + prefix + ' with icon name ' + iconName);\n }\n\n return val;\n}\n\nfunction generateSvgReplacementMutation(node, nodeMeta) {\n var iconName = nodeMeta.iconName,\n   title = nodeMeta.title,\n   prefix = nodeMeta.prefix,\n   transform = nodeMeta.transform,\n   symbol = nodeMeta.symbol,\n   mask = nodeMeta.mask,\n   extra = nodeMeta.extra;\n\n return [node, makeInlineSvgAbstract({\n   icons: {\n   main: findIcon(iconName, prefix),\n   mask: findIcon(mask.iconName, mask.prefix)\n   },\n   prefix: prefix,\n   iconName: iconName,\n   transform: transform,\n   symbol: symbol,\n   mask: mask,\n   title: title,\n   extra: extra,\n   watchable: true\n })];\n}\n\nfunction generateLayersText(node, nodeMeta) {\n var title = nodeMeta.title,\n   transform = nodeMeta.transform,\n   extra = nodeMeta.extra;\n\n var width = null;\n var height = null;\n\n if (IS_IE) {\n   var computedFontSize = parseInt(getComputedStyle(node).fontSize, 10);\n   var boundingClientRect = node.getBoundingClientRect();\n   width = boundingClientRect.width / computedFontSize;\n   height = boundingClientRect.height / computedFontSize;\n }\n\n if (config.autoA11y && !title) {\n   extra.attributes['aria-hidden'] = 'true';\n }\n\n return [node, makeLayersTextAbstract({\n   content: node.innerHTML,\n   width: width,\n   height: height,\n   transform: transform,\n   title: title,\n   extra: extra,\n   watchable: true\n })];\n}\n\nfunction generateMutation(node) {\n var nodeMeta = parseMeta(node);\n\n if (~nodeMeta.extra.classes.indexOf(LAYERS_TEXT_CLASSNAME)) {\n   return generateLayersText(node, nodeMeta);\n } else {\n   return generateSvgReplacementMutation(node, nodeMeta);\n }\n}\n\nfunction

searchPseudoElements(root) {\n if (!IS_DOM) return;\n\n var end = perf.begin('searchPseudoElements');\n\n disableObservation(function () {\n toArray(root.querySelectorAll('*')).filter(function (n) {\n return n.parentNode !== document.head && !~TAGNAMES_TO_SKIP_FOR_PSEUDOELEMENTS.indexOf(n.tagName.toUpperCase()) && !n.getAttribute(DATA_FA_PSEUDO_ELEMENT) && (!n.parentNode || n.parentNode.tagName !== 'svg');\n }).forEach(function (node) {\n [':before', ':after'].forEach(function (pos) {\n var children = toArray(node.children);\n var alreadyProcessedPseudoElement = children.filter(function (c) {\n return c.getAttribute(DATA_FA_PSEUDO_ELEMENT) === pos;\n })[0];\n\n var styles = WINDOW.getComputedStyle(node, pos);\n var fontFamily = styles.getPropertyValue('font-family').match(FONT_FAMILY_PATTERN);\n var fontWeight = styles.getPropertyValue('font-weight');\n\n if (alreadyProcessedPseudoElement && !fontFamily) {\n // If we've already processed it but the current computed style does not result in a font-family,\n // that probably means that a class name that was previously present to make the icon has been\n // removed. So we now should delete the icon.\n node.removeChild(alreadyProcessedPseudoElement);\n } else if (fontFamily) {\n var content = styles.getPropertyValue('content');\n var prefix = ~['Light', 'Regular', 'Solid', 'Brands'].indexOf(fontFamily[1]) ? STYLE_TO_PREFIX[fontFamily[1]] : FONT_WEIGHT_TO_PREFIX[fontWeight];\n var iconName = byUnicode(prefix, toHex(content.length === 3 ? content.substr(1, 1) : content));\n // Only convert the pseudo element in this :before/:after position into an icon if we haven't\n // already done so with the same prefix and iconName\n if (!alreadyProcessedPseudoElement || alreadyProcessedPseudoElement.getAttribute(DATA_PREFIX) !== prefix || alreadyProcessedPseudoElement.getAttribute(DATA_ICON) !== iconName) {\n if (alreadyProcessedPseudoElement) {\n // Delete the old one, since we're replacing it with a new one\n node.removeChild(alreadyProcessedPseudoElement);\n }\n\n var extra = blankMeta.extra;\n\n extra.attributes[DATA_FA_PSEUDO_ELEMENT] = pos;\n var abstract = makeInlineSvgAbstract(_extends({}, blankMeta, {\n icons: {\n main: findIcon(iconName, prefix),\n mask: emptyCanonicalIcon()\n },\n prefix: prefix,\n iconName: iconName,\n extra: extra,\n watchable: true\n }));\n var element = DOCUMENT.createElement('svg');\n\n if (pos === ':before') {\n node.insertBefore(element, node.firstChild);\n } else {\n node.appendChild(element);\n }\n\n element.outerHTML = abstract.map(function (a) {\n return toHtml(a);\n }).join('\n');\n }\n }\n });\n });\n\n end();\n}\n\nfunction onTree(root) {\n var callback = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : null;\n\n if (!IS_DOM) return;\n\n var htmlClassList = DOCUMENT.documentElement.classList;\n var hclAdd = function hclAdd(suffix) {\n return htmlClassList.add(HTML_CLASS_I2SVG_BASE_CLASS + '-' + suffix);\n };\n var hclRemove = function hclRemove(suffix) {\n return htmlClassList.remove(HTML_CLASS_I2SVG_BASE_CLASS + '-' + suffix);\n };\n var prefixes = Object.keys(styles);\n var prefixesDomQuery = ['.' + LAYERS_TEXT_CLASSNAME + ':not([' + DATA_FA_I2SVG + '])'].concat(prefixes.map(function (p) {\n return '.' + p + ':not([' + DATA_FA_I2SVG + '])';\n })).join(', ');\n\n if (prefixesDomQuery.length === 0) {\n return;\n }\n\n var candidates = toArray(root.querySelectorAll(prefixesDomQuery));\n\n if (candidates.length > 0) {\n hclAdd('pending');\n hclRemove('complete');\n } else {\n return;\n }\n\n var mark = perf.begin('onTree');\n\n var mutations = candidates.reduce(function (acc, node) {\n try {\n var mutation = generateMutation(node);\n\n if (mutation) {\n acc.push(mutation);\n }\n } catch (e) {\n if (!PRODUCTION) {\n if (e instanceof MissingIcon) {\n console.error(e);\n }\n }\n }\n\n return acc;\n }, []);\n\n mark();\n\n perform(mutations, function () {\n hclAdd('active');\n hclAdd('complete');\n hclRemove('pending');\n\n if (typeof callback === 'function') callback();\n });\n}\n\nfunction onNode(node) {\n var callback = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : null;\n\n var mutation = generateMutation(node);\n\n if (mutation) {\n perform([mutation], callback);\n }\n}\n\nvar baseStyles = \"svg:not(:root).svg-inline--fa {\\n overflow: visible; }\\n\\n.svg-inline--fa {\\n display: inline-block;\\n font-size: inherit;\\n height: 1em;\\n overflow:

visible;\\n vertical-align: -.125em; }\\n .svg-inline--fa.fa-lg {\\n vertical-align: -.225em; }\\n .svg-inline--fa.fa-w-1 {\\n width: 0.0625em; }\\n .svg-inline--fa.fa-w-2 {\\n width: 0.125em; }\\n .svg-inline--fa.fa-w-3 {\\n width: 0.1875em; }\\n .svg-inline--fa.fa-w-4 {\\n width: 0.25em; }\\n .svg-inline--fa.fa-w-5 {\\n width: 0.3125em; }\\n .svg-inline--fa.fa-w-6 {\\n width: 0.375em; }\\n .svg-inline--fa.fa-w-7 {\\n width: 0.4375em; }\\n .svg-inline--fa.fa-w-8 {\\n width: 0.5em; }\\n .svg-inline--fa.fa-w-9 {\\n width: 0.5625em; }\\n .svg-inline--fa.fa-w-10 {\\n width: 0.625em; }\\n .svg-inline--fa.fa-w-11 {\\n width: 0.6875em; }\\n .svg-inline--fa.fa-w-12 {\\n width: 0.75em; }\\n .svg-inline--fa.fa-w-13 {\\n width: 0.8125em; }\\n .svg-inline--fa.fa-w-14 {\\n width: 0.875em; }\\n .svg-inline--fa.fa-w-15 {\\n width: 0.9375em; }\\n .svg-inline--fa.fa-w-16 {\\n width: 1em; }\\n .svg-inline--fa.fa-w-17 {\\n width: 1.0625em; }\\n .svg-inline--fa.fa-w-18 {\\n width: 1.125em; }\\n .svg-inline--fa.fa-w-19 {\\n width: 1.1875em; }\\n .svg-inline--fa.fa-w-20 {\\n width: 1.25em; }\\n .svg-inline--fa.fa-pull-left {\\n margin-right: .3em;\\n width: auto; }\\n .svg-inline--fa.fa-pull-right {\\n margin-left: .3em;\\n width: auto; }\\n .svg-inline--fa.fa-border {\\n height: 1.5em; }\\n .svg-inline--fa.fa-li {\\n width: 2em; }\\n .svg-inline--fa.fa-fw {\\n width: 1.25em; }\\n\\n.fa-layers svg.svg-inline--fa {\\n bottom: 0;\\n left: 0;\\n margin: auto;\\n position: absolute;\\n right: 0;\\n top: 0; }\\n\\n.fa-layers {\\n display: inline-block;\\n height: 1em;\\n position: relative;\\n text-align: center;\\n vertical-align: -.125em;\\n width: 1em; }\\n .fa-layers svg.svg-inline--fa {\\n -webkit-transform-origin: center center;\\n   transform-origin: center center; }\\n\\n.fa-layers-text, .fa-layers-counter {\\n display: inline-block;\\n position: absolute;\\n text-align: center; }\\n\\n.fa-layers-text {\\n left: 50%;\\n top: 50%;\\n -webkit-transform: translate(-50%, -50%);\\n   transform: translate(-50%, -50%);\\n -webkit-transform-origin: center center;\\n   transform-origin: center center; }\\n\\n.fa-layers-counter {\\n background-color: #ff253a;\\n border-radius: 1em;\\n -webkit-box-sizing: border-box;\\n   box-sizing: border-box;\\n color: #fff;\\n height: 1.5em;\\n line-height: 1;\\n max-width: 5em;\\n min-width: 1.5em;\\n overflow: hidden;\\n padding: .25em;\\n right: 0;\\n text-overflow: ellipsis;\\n top: 0;\\n -webkit-transform: scale(0.25);\\n   transform: scale(0.25);\\n -webkit-transform-origin: top right;\\n   transform-origin: top right; }\\n\\n.fa-layers-bottom-right {\\n bottom: 0;\\n right: 0;\\n top: auto;\\n -webkit-transform: scale(0.25);\\n   transform: scale(0.25);\\n -webkit-transform-origin: bottom right;\\n   transform-origin: bottom right; }\\n\\n.fa-layers-bottom-left {\\n bottom: 0;\\n left: 0;\\n right: auto;\\n top: auto;\\n -webkit-transform: scale(0.25);\\n   transform: scale(0.25);\\n -webkit-transform-origin: bottom left;\\n   transform-origin: bottom left; }\\n\\n.fa-layers-top-right {\\n right: 0;\\n top: 0;\\n -webkit-transform: scale(0.25);\\n   transform: scale(0.25);\\n -webkit-transform-origin: top right;\\n   transform-origin: top right; }\\n\\n.fa-layers-top-left {\\n left: 0;\\n right: auto;\\n top: 0;\\n -webkit-transform: scale(0.25);\\n   transform: scale(0.25);\\n -webkit-transform-origin: top left;\\n   transform-origin: top left; }\\n\\n.fa-lg {\\n font-size: 1.33333em;\\n line-height: 0.75em;\\n vertical-align: -.0667em; }\\n\\n.fa-xs {\\n font-size: .75em; }\\n\\n.fa-sm {\\n font-size: .875em; }\\n\\n.fa-1x {\\n font-size: 1em; }\\n\\n.fa-2x {\\n font-size: 2em; }\\n\\n.fa-3x {\\n font-size: 3em; }\\n\\n.fa-4x {\\n font-size: 4em; }\\n\\n.fa-5x {\\n font-size: 5em; }\\n\\n.fa-6x {\\n font-size: 6em; }\\n\\n.fa-7x {\\n font-size: 7em; }\\n\\n.fa-8x {\\n font-size: 8em; }\\n\\n.fa-9x {\\n font-size: 9em; }\\n\\n.fa-10x {\\n font-size: 10em; }\\n\\n.fa-fw {\\n text-align: center;\\n width: 1.25em; }\\n\\n.fa-ul {\\n list-style-type: none;\\n margin-left: 2.5em;\\n padding-left: 0; }\\n .fa-ul > li {\\n position: relative; }\\n\\n.fa-li {\\n left: -2em;\\n position: absolute;\\n text-align: center;\\n width: 2em;\\n line-height: inherit; }\\n\\n.fa-border {\\n border: solid 0.08em #eee;\\n border-radius: .1em;\\n padding: .2em .25em .15em; }\\n\\n.fa-pull-left {\\n float: left; }\\n\\n.fa-pull-right {\\n float: right; }\\n\\n.fa.fa-pull-left,\\n.fas.fa-pull-left,\\n.far.fa-pull-left,\\n.fal.fa-pull-left,\\n.fab.fa-pull-left {\\n margin-right: .3em; }\\n\\n.fa.fa-pull-right,\\n.fas.fa-pull-right,\\n.far.fa-pull-right,\\n.fal.fa-pull-right,\\n.fab.fa-pull-right {\\n margin-left: .3em; }\\n\\n.fa-spin {\\n -webkit-animation: fa-spin 2s infinite linear;\\n   animation: fa-spin 2s infinite linear; }\\n\\n.fa-pulse {\\n -webkit-animation: fa-spin 1s infinite steps(8);\\n   animation: fa-spin 1s infinite steps(8); }\\n\\n@-webkit-keyframes fa-spin {\\n 0% {\\n -webkit-transform: rotate(0deg);\\n   transform: rotate(0deg); }\\n 100% {\\n -webkit-transform: rotate(360deg);\\n   transform: rotate(360deg); }\\n}\\n\\n@keyframes fa-spin {\\n 0% {\\n -webkit-transform: rotate(0deg);\\n   transform: rotate(0deg); }\\n 100% {\\n -webkit-transform: rotate(360deg);\\n   transform: rotate(360deg); } }\\n\\n.fa-rotate-90 {\\n -ms-filter: \\\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=1)\\\\";\\n -webkit-transform: rotate(90deg);\\n

transform: rotate(90deg); }\\n\\n.fa-rotate-180 {\\n -ms-filter: \\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=2)\\\";\\n -webkit-transform: rotate(180deg);\\n transform: rotate(180deg); }\\n\\n.fa-rotate-270 {\\n -ms-filter: \\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=3)\\\";\\n -webkit-transform: rotate(270deg);\\n transform: rotate(270deg); }\\n\\n.fa-flip-horizontal {\\n -ms-filter: \\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=0, mirror=1)\\\";\\n -webkit-transform: scale(-1, 1);\\n transform: scale(-1, 1); }\\n\\n.fa-flip-vertical {\\n -ms-filter: \\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=2, mirror=1)\\\";\\n -webkit-transform: scale(1, -1);\\n transform: scale(1, -1); }\\n\\n.fa-flip-horizontal.fa-flip-vertical {\\n -ms-filter: \\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=2, mirror=1)\\\";\\n -webkit-transform: scale(-1, -1);\\n transform: scale(-1, -1); }\\n\\n:root .fa-rotate-90,\\n:root .fa-rotate-180,\\n:root .fa-rotate-270,\\n:root .fa-flip-horizontal,\\n:root .fa-flip-vertical {\\n -webkit-filter: none;\\n filter: none; }\\n\\n.fa-stack {\\n display: inline-block;\\n height: 2em;\\n position: relative;\\n width: 2.5em; }\\n\\n.fa-stack-1x,\\n.fa-stack-2x {\\n bottom: 0;\\n left: 0;\\n margin: auto;\\n position: absolute;\\n right: 0;\\n top: 0; }\\n\\n.svg-inline--fa.fa-stack-1x {\\n height: 1em;\\n width: 1.25em; }\\n\\n.svg-inline--fa.fa-stack-2x {\\n height: 2em;\\n width: 2.5em; }\\n\\n.fa-inverse {\\n color: #fff; }\\n\\n.sr-only {\\n border: 0;\\n clip: rect(0, 0, 0, 0);\\n height: 1px;\\n margin: -1px;\\n overflow: hidden;\\n padding: 0;\\n position: absolute;\\n width: 1px; }\\n\\n.sr-only-focusable:active, .sr-only-focusable:focus {\\n clip: auto;\\n height: auto;\\n margin: 0;\\n overflow: visible;\\n position: static;\\n width: auto; }\\n\\";\n\nvar css = function () {\n var dfp = DEFAULT_FAMILY_PREFIX;\n var drc = DEFAULT_REPLACEMENT_CLASS;\n var fp = config.familyPrefix;\n var rc = config.replacementClass;\n var s = baseStyles;\n\n if (fp !== dfp || rc !== drc) {\n var dPatt = new RegExp('\\\\.' + dfp + '\\\\-', 'g');\n var rPatt = new RegExp('\\\\.' + drc, 'g');\n s = s.replace(dPatt, '.' + fp + '-').replace(rPatt, '.' + rc);\n }\n\n return s;\n};\n\nfunction define(prefix, icons) {\n var normalized = Object.keys(icons).reduce(function (acc, iconName) {\n var icon = icons[iconName];\n var expanded = !!icon.icon;\n\n if (expanded) {\n acc[icon.iconName] = icon.icon;\n } else {\n acc[iconName] = icon;\n }\n return acc;\n }, {});\n\n if (typeof namespace.hooks.addPack === 'function') {\n namespace.hooks.addPack(prefix, normalized);\n } else {\n namespace.styles[prefix] = _extends({}, namespace.styles[prefix] || {}, normalized);\n }\n\n /**\n * Font Awesome 4 used the prefix of `fa` for all icons. With the introduction\n * of new styles we needed to differentiate between them. Prefix `fa` is now an alias\n * for `fas` so we'll easy the upgrade process for our users by automatically defining\n * this as well.\n */\n if (prefix === 'fas') {\n define('fa', icons);\n }\n}\n\nvar Library = function () {\n function Library() {\n classCallCheck(this, Library);\n\n this.definitions = {};\n }\n\n createClass(Library, [{\n key: 'add',\n value: function add() {\n var _this = this;\n\n for (var _len = arguments.length, definitions = Array(_len), _key = 0; _key < _len; _key++) {\n definitions[_key] = arguments[_key];\n }\n\n var additions = definitions.reduce(this._pullDefinitions, {});\n\n Object.keys(additions).forEach(function (key) {\n _this.definitions[key] = _extends({}, _this.definitions[key] || {}, additions[key]);\n define(key, additions[key]);\n build();\n });\n }\n }, {\n key: 'reset',\n value: function reset() {\n this.definitions = {};\n }\n }, {\n key: '_pullDefinitions',\n value: function _pullDefinitions(additions, definition) {\n var normalized = definition.prefix && definition.iconName && definition.icon ? { 0: definition } : definition;\n\n Object.keys(normalized).map(function (key) {\n var _normalized$key = normalized[key],\n prefix = _normalized$key.prefix,\n iconName = _normalized$key.iconName,\n icon = _normalized$key.icon;\n\n if (!additions[prefix]) additions[prefix] = {};\n\n additions[prefix][iconName] = icon;\n });\n\n return additions;\n }\n }]);\n return Library;\n}();\n\nfunction prepIcon(icon) {\n var width = icon[0];\n var height = icon[1];\n var vectorData = icon.slice(4);\n\n return {\n found: true,\n width: width,\n height: height,\n icon: { tag: 'path', attributes: { fill: 'currentColor', d: vectorData[0] } }\n };\n}\n\nfunction ensureCss() {\n if (config.autoAddCss && !_cssInserted) {\n insertCss(css());\n _cssInserted = true;\n }\n}\n\nfunction apiObject(val, abstractCreator) {\n Object.defineProperty(val, 'abstract', {\n get: abstractCreator\n });\n\n Object.defineProperty(val, 'html', {\n get: function get() {\n return val.abstract.map(function (a) {\n return toHtml(a);\n });\n }\n });\n\n

Object.defineProperty(val, 'node', {\n   get: function get() {\n   if (!IS_DOM) return;\n\n   var container = DOCUMENT.createElement('div');\n   container.innerHTML = val.html;\n   return container.children;\n   }\n });\n\n return val;\n}\n\nfunction findIconDefinition(params) {\n var _params$prefix = params.prefix,\n   prefix = _params$prefix === undefined ? 'fa' : _params$prefix,\n   iconName = params.iconName;\n\n\n if (!iconName) return;\n\n return iconFromMapping(library.definitions, prefix, iconName) || iconFromMapping(namespace.styles, prefix, iconName);\n}\n\nfunction resolveIcons(next) {\n return function (maybeIconDefinition) {\n   var params = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : {};\n\n   var iconDefinition = (maybeIconDefinition || {}).icon ? maybeIconDefinition : findIconDefinition(maybeIconDefinition || {});\n\n   var mask = params.mask;\n\n\n   if (mask) {\n   mask = (mask || {}).icon ? mask : findIconDefinition(mask || {});\n   }\n\n   return next(iconDefinition, _extends({}, params, { mask: mask }));\n };\n}\n\nvar library = new Library();\n\nvar noAuto = function noAuto() {\n config.autoReplaceSvg = false;\n config.observeMutations = false;\n\n disconnect();\n};\n\nvar _cssInserted = false;\nvar dom = {\n i2svg: function i2svg() {\n   var params = arguments.length > 0 && arguments[0] !== undefined ? arguments[0] : {};\n\n   if (IS_DOM) {\n   ensureCss();\n\n   var _params$node = params.node,\n   node = _params$node === undefined ? DOCUMENT : _params$node,\n   _params$callback = params.callback,\n   callback = _params$callback === undefined ? function () {} : _params$callback;\n\n\n   if (config.searchPseudoElements) {\n   searchPseudoElements(node);\n   }\n\n   onTree(node, callback);\n   }\n },\n css: css,\n\n insertCss: function insertCss$$1() {\n   if (!_cssInserted) {\n   insertCss(css());\n   _cssInserted = true;\n   }\n },\n\n watch: function watch() {\n   var params = arguments.length > 0 && arguments[0] !== undefined ? arguments[0] : {};\n   var autoReplaceSvgRoot = params.autoReplaceSvgRoot,\n   observeMutationsRoot = params.observeMutationsRoot;\n\n\n   if (config.autoReplaceSvg === false) {\n   config.autoReplaceSvg = true;\n   }\n\n   config.observeMutations = true;\n\n   domready(function () {\n   autoReplace({\n   autoReplaceSvgRoot: autoReplaceSvgRoot\n   });\n\n   observe({\n   treeCallback: onTree,\n   nodeCallback: onNode,\n   pseudoElementsCallback: searchPseudoElements,\n   observeMutationsRoot: observeMutationsRoot\n   });\n   });\n }\n};\n\nvar parse = {\n transform: function transform(transformString) {\n   return parseTransformString(transformString);\n }\n};\n\nvar icon = resolveIcons(function (iconDefinition) {\n var params = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : {};\n var _params$transform = params.transform,\n   transform = _params$transform === undefined ? meaninglessTransform : _params$transform,\n   _params$symbol = params.symbol,\n   symbol = _params$symbol === undefined ? false : _params$symbol,\n   _params$mask = params.mask,\n   mask = _params$mask === undefined ? null : _params$mask,\n   _params$title = params.title,\n   title = _params$title === undefined ? null : _params$title,\n   _params$classes = params.classes,\n   classes = _params$classes === undefined ? [] : _params$classes,\n   _params$attributes = params.attributes,\n   attributes = _params$attributes === undefined ? {} : _params$attributes,\n   _params$styles = params.styles,\n   styles = _params$styles === undefined ? {} : _params$styles;\n\n\n if (!iconDefinition) return;\n\n var prefix = iconDefinition.prefix,\n   iconName = iconDefinition.iconName,\n   icon = iconDefinition.icon;\n\n\n return apiObject(_extends({ type: 'icon' }, iconDefinition), function () {\n   ensureCss();\n\n   if (config.autoA11y) {\n   if (title) {\n   attributes['aria-labelledby'] = config.replacementClass + '-title-' + nextUniqueId();\n   } else {\n   attributes['aria-hidden'] = 'true';\n   }\n   }\n\n   return makeInlineSvgAbstract({\n   icons: {\n   main: prepIcon(icon),\n   mask: mask ? prepIcon(mask.icon) : { found: false, width: null, height: null, icon: {} }\n   },\n   prefix: prefix,\n   iconName: iconName,\n   transform: _extends({}, meaninglessTransform, transform),\n   symbol: symbol,\n   title: title,\n   extra: {\n   attributes: attributes,\n   styles: styles,\n   classes: classes\n   }\n   });\n });\n}));\n\nvar text = function text(content) {\n var params = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : {};\n var _params$transform2 = params.transform,\n   transform = _params$transform2 === undefined ? meaninglessTransform : _params$transform2,\n   _params$title2 = params.title,\n   title = _params$title2 === undefined ? null : _params$title2,\n   _params$classes2 = params.classes,\n   classes = _params$classes2 === undefined ? [] : _params$classes2,\n   _params$attributes2 = params.attributes,\n   attributes = _params$attributes2 === undefined ? {} : _params$attributes2,\n

_params$styles2 = params.styles,\n   styles = _params$styles2 === undefined ? {} : _params$styles2;\n\n\n return apiObject({ type: 'text', content: content }, function () {\n   ensureCss();\n\n   return makeLayersTextAbstract({\n   content: content,\n   transform: _extends({}, meaninglessTransform, transform),\n   title: title,\n   extra: {\n   attributes: attributes,\n   styles: styles,\n   classes: [config.familyPrefix + '-layers-text'].concat(toConsumableArray(classes))\n   }\n   });\n });\n};\n\nvar counter = function counter(content) {\n var params = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : {};\n var _params$title3 = params.title,\n   title = _params$title3 === undefined ? null : _params$title3,\n   _params$classes3 = params.classes,\n   classes = _params$classes3 === undefined ? [] : _params$classes3,\n   _params$attributes3 = params.attributes,\n   attributes = _params$attributes3 === undefined ? {} : _params$attributes3,\n   _params$styles3 = params.styles,\n   styles = _params$styles3 === undefined ? {} : _params$styles3;\n\n\n return apiObject({ type: 'counter', content: content }, function () {\n   ensureCss();\n\n   return makeLayersCounterAbstract({\n   content: content.toString(),\n   title: title,\n   extra: {\n   attributes: attributes,\n   styles: styles,\n   classes: [config.familyPrefix + '-layers-counter'].concat(toConsumableArray(classes))\n   }\n   });\n });\n};\n\nvar layer = function layer(assembler) {\n return apiObject({ type: 'layer' }, function () {\n   ensureCss();\n\n   var children = [];\n\n   assembler(function (args) {\n   Array.isArray(args) ? args.map(function (a) {\n   children = children.concat(a.abstract);\n   }) : children = children.concat(args.abstract);\n   });\n\n   return [{\n   tag: 'span',\n   attributes: { class: config.familyPrefix + '-layers' },\n   children: children\n   }];\n });\n};\n\nvar api = {\n noAuto: noAuto,\n config: config,\n dom: dom,\n library: library,\n parse: parse,\n findIconDefinition: findIconDefinition,\n icon: icon,\n text: text,\n counter: counter,\n layer: layer,\n toHtml: toHtml\n};\n\nvar autoReplace = function autoReplace() {\n var params = arguments.length > 0 && arguments[0] !== undefined ? arguments[0] : {};\n var _params$autoReplaceSv = params.autoReplaceSvgRoot,\n   autoReplaceSvgRoot = _params$autoReplaceSv === undefined ? DOCUMENT : _params$autoReplaceSv;\n\n\n if (Object.keys(namespace.styles).length > 0 && IS_DOM && config.autoReplaceSvg) api.dom.i2svg({ node: autoReplaceSvgRoot });\n};\n\nexport { icon, noAuto, config, toHtml, layer, text, counter, library, dom, parse, findIconDefinition };\n","import FontAwesomeIcon from '@fortawesome/vue-fontawesome'\nexport { library } from '@fortawesome/fontawesome-svg-core'\nexport default FontAwesomeIcon\n","/** Used as references for various `Number` constants. */\nvar MAX_SAFE_INTEGER = 9007199254740991;\n\n/** Used to detect unsigned integer values. */\nvar reIsUint = /^(?:0|[1-9]\\d*)$/;\n\n/**\n * Checks if `value` is a valid array-like index.\n *\n * @private\n * @param {*} value The value to check.\n * @param {number} [length=MAX_SAFE_INTEGER] The upper bounds of a valid index.\n * @returns {boolean} Returns `true` if `value` is a valid index, else `false`.\n */\nfunction isIndex(value, length) {\n var type = typeof value;\n length = length == null ? MAX_SAFE_INTEGER : length;\n\n return !!length &&\n   (type == 'number' ||\n   (type != 'symbol' && reIsUint.test(value))) &&\n   (value > -1 && value % 1 == 0 && value < length);\n}\n\nmodule.exports = isIndex;\n","var baseSetToString = require('./_baseSetToString'),\n   shortOut = require('./_shortOut');\n\n/**\n * Sets the `toString` method of `func` to return `string`.\n *\n * @private\n * @param {Function} func The function to modify.\n * @param {Function} string The `toString` result.\n * @returns {Function} Returns `func`.\n */\nvar setToString = shortOut(baseSetToString);\n\nmodule.exports = setToString;\n","// false -> Array#indexOf\n// true -> Array#includes\nvar toIObject = require('./_to-iobject');\nvar toLength = require('./_to-length');\nvar toAbsoluteIndex = require('./_to-absolute-index');\nmodule.exports = function (IS_INCLUDES) {\n return function ($this, el, fromIndex) {\n   var O = toIObject($this);\n   var length = toLength(O.length);\n   var index = toAbsoluteIndex(fromIndex, length);\n   var value;\n   // Array#includes uses SameValueZero equality algorithm\n   // eslint-disable-next-line no-self-compare\n   if (IS_INCLUDES && el != el) while (length > index) {\n   value = O[index++];\n   // eslint-disable-next-line no-self-compare\n   if (value != value) return true;\n   // Array#indexOf ignores holes, Array#includes - not\n   } else for (;length > index; index++) if (IS_INCLUDES || index in O) {\n   if (O[index] === el) return IS_INCLUDES || index || 0;\n   } return !IS_INCLUDES && -1;\n };\n};\n","'use strict';\nObject.defineProperty(exports, '__esModule', { value: true });\nvar prefix = 'fas';\nvar iconName = 'share-alt';\nvar width = 448;\nvar height = 512;\nvar ligatures = [];\nvar unicode = 'f1e0';\nvar svgPathData = 'M352 320c-22.608 0-43.387 7.819-59.79 20.895l-102.486-64.054a96.551

96.551 0 0 0 0-41.683l102.486-64.054C308.613 184.181 329.392 192 352 192c53.019 0 96-42.981 96-96S405.019 0 352 0s-96 42.981-96 96c0 7.158.79 14.13 2.276 20.841L155.79 180.895C139.387 167.819 118.608 160 96 160c-53.019 0-96 42.981-96 96s42.981 96 96 96c22.608 0 43.387-7.819 59.79-20.895l102.486 64.054A96.301 96.301 0 0 0 256 416c0 53.019 42.981 96 96 96s96-42.981 96-96-42.981-96-96-96z';\n\nexports.definition = {\n prefix: prefix,\n iconName: iconName,\n icon: [\n width,\n height,\n ligatures,\n unicode,\n svgPathData\n]};\n\nexports.faShareAlt = exports.definition;\nexports.prefix = prefix;\nexports.iconName = iconName;\nexports.width = width;\nexports.height = height;\nexports.ligatures = ligatures;\nexports.unicode = unicode;\nexports.svgPathData = svgPathData;","/**\n * Checks if a `cache` value for `key` exists.\n *\n * @private\n * @param {Object} cache The cache to query.\n * @param {string} key The key of the entry to check.\n * @returns {boolean} Returns `true` if an entry for `key` exists, else `false`.\n */\nfunction cacheHas(cache, key) {\n return cache.has(key);\n}\n\nmodule.exports = cacheHas;\n","var arrayReduce = require('./_arrayReduce'),\n baseEach = require('./_baseEach'),\n baseIteratee = require('./_baseIteratee'),\n baseReduce = require('./_baseReduce'),\n isArray = require('./isArray');\n\n/**\n * Reduces `collection` to a value which is the accumulated result of running\n * each element in `collection` thru `iteratee`, where each successive\n * invocation is supplied the return value of the previous. If `accumulator`\n * is not given, the first element of `collection` is used as the initial\n * value. The iteratee is invoked with four arguments:\n * (accumulator, value, index|key, collection).\n *\n * Many lodash methods are guarded to work as iteratees for methods like\n * `_.reduce`, `_.reduceRight`, and `_.transform`.\n *\n * The guarded methods are:\n * `assign`, `defaults`, `defaultsDeep`, `includes`, `merge`, `orderBy`,\n * and `sortBy`\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @category Collection\n * @param {Array|Object} collection The collection to iterate over.\n * @param {Function} [iteratee=_.identity] The function invoked per iteration.\n * @param {*} [accumulator] The initial value.\n * @returns {*} Returns the accumulated value.\n * @see _.reduceRight\n * @example\n *\n * _.reduce([1, 2], function(sum, n) {\n *   return sum + n;\n * }, 0);\n * // => 3\n *\n * _.reduce({ 'a': 1, 'b': 2, 'c': 1 }, function(result, value, key) {\n *   (result[value] || (result[value] = [])).push(key);\n *   return result;\n * }, {});\n * // => { '1': ['a', 'c'], '2': ['b'] } (iteration order is not guaranteed)\n */\nfunction reduce(collection, iteratee, accumulator) {\n var func = isArray(collection) ? arrayReduce : baseReduce,\n   initAccum = arguments.length < 3;\n\n return func(collection, baseIteratee(iteratee, 4), accumulator, initAccum, baseEach);\n}\n\nmodule.exports = reduce;\n","'use strict';\nvar global = require('./_global');\nvar has = require('./_has');\nvar cof = require('./_cof');\nvar inheritIfRequired = require('./_inherit-if-required');\nvar toPrimitive = require('./_to-primitive');\nvar fails = require('./_fails');\nvar gOPN = require('./_object-gopn').f;\nvar gOPD = require('./_object-gopd').f;\nvar dP = require('./_object-dp').f;\nvar $trim = require('./_string-trim').trim;\nvar NUMBER = 'Number';\nvar $Number = global[NUMBER];\nvar Base = $Number;\nvar proto = $Number.prototype;\n// Opera ~12 has broken Object#toString\nvar BROKEN_COF = cof(require('./_object-create')(proto)) == NUMBER;\nvar TRIM = 'trim' in String.prototype;\n\n// 7.1.3 ToNumber(argument)\nvar toNumber = function (argument) {\n var it = toPrimitive(argument, false);\n if (typeof it == 'string' && it.length > 2) {\n   it = TRIM ? it.trim() : $trim(it, 3);\n   var first = it.charCodeAt(0);\n   var third, radix, maxCode;\n   if (first === 43 || first === 45) {\n   third = it.charCodeAt(2);\n   if (third === 88 || third === 120) return NaN; // Number('+0x1') should be NaN, old V8 fix\n   } else if (first === 48) {\n   switch (it.charCodeAt(1)) {\n   case 66: case 98: radix = 2; maxCode = 49; break; // fast equal /^0b[01]+$/i\n   case 79: case 111: radix = 8; maxCode = 55; break; // fast equal /^0o[0-7]+$/i\n   default: return +it;\n   }\n   for (var digits = it.slice(2), i = 0, l = digits.length, code; i < l; i++) {\n   code = digits.charCodeAt(i);\n   // parseInt parses a string to a first unavailable symbol\n   // but ToNumber should return NaN if a string contains unavailable symbols\n   if (code < 48 || code > maxCode) return NaN;\n   }\n   return parseInt(digits, radix);\n   }\n } return +it;\n};\n\nif (!$Number(' 0o1') || !$Number('0b1') || $Number('+0x1')) {\n $Number = function Number(value) {\n   var it = arguments.length < 1 ? 0 : value;\n   var that = this;\n   return that instanceof $Number\n   // check on 1..constructor(foo) case\n   && (BROKEN_COF ? fails(function () { proto.valueOf.call(that); }) : cof(that) != NUMBER)\n   ? inheritIfRequired(new Base(toNumber(it)), that, $Number) : toNumber(it);\n };\n for (var keys = require('./_descriptors') ? gOPN(Base) : (\n   // ES3:\n   'MAX_VALUE,MIN_VALUE,NaN,NEGATIVE_INFINITY,POSITIVE_INFINITY,' +\n   // ES6 (in case, if

modules with ES6 Number statics required before):\n 'EPSILON,isFinite,isInteger,isNaN,isSafeInteger,MAX_SAFE_INTEGER,' +\n 'MIN_SAFE_INTEGER,parseFloat,parseInt,isInteger'\n).split(','), j = 0, key; keys.length > j; j++) {\n   if (has(Base, key = keys[j]) && !has($Number, key)) {\n   dP($Number, key, gOPD(Base, key));\n   }\n }\n $Number.prototype = proto;\n proto.constructor = $Number;\n require('./_redefine')(global, NUMBER, $Number);\n}\n\n","// extracted by mini-css-extract-plugin","module.exports = require('./forEach');\n","module.exports = !require('./_descriptors') && !require('./_fails')(function () {\n return Object.defineProperty(require('./_dom-create')('div'), 'a', { get: function () { return 7; } }).a != 7;\n});\n","var baseFlatten = require('./_baseFlatten'),\n   baseOrderBy = require('./_baseOrderBy'),\n   baseRest = require('./_baseRest'),\n   isIterateeCall = require('./_isIterateeCall');\n\n/**\n * Creates an array of elements, sorted in ascending order by the results of\n * running each element in a collection thru each iteratee. This method\n * performs a stable sort, that is, it preserves the original sort order of\n * equal elements. The iteratees are invoked with one argument: (value).\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @category Collection\n * @param {Array|Object} collection The collection to iterate over.\n * @param {...(Function|Function[])} [iteratees=[_.identity]]\n * The iteratees to sort by.\n * @returns {Array} Returns the new sorted array.\n * @example\n *\n * var users = [\n *   { 'user': 'fred',   'age': 48 },\n *   { 'user': 'barney', 'age': 36 },\n *   { 'user': 'fred',   'age': 40 },\n *   { 'user': 'barney', 'age': 34 }\n *];\n *\n * _.sortBy(users, [function(o) { return o.user; }]);\n * // => objects for [['barney', 36], ['barney', 34], ['fred', 48], ['fred', 40]]\n *\n * _.sortBy(users, ['user', 'age']);\n * // => objects for [['barney', 34], ['barney', 36], ['fred', 40], ['fred', 48]]\n */\nvar sortBy = baseRest(function(collection, iteratees) {\n if (collection == null) {\n   return [];\n }\n var length = iteratees.length;\n if (length > 1 && isIterateeCall(collection, iteratees[0], iteratees[1])) {\n   iteratees = [];\n } else if (length > 2 && isIterateeCall(iteratees[0], iteratees[1], iteratees[2])) {\n   iteratees = [iteratees[0]];\n }\n return baseOrderBy(collection, baseFlatten(iteratees, 1), []);\n});\n\nmodule.exports = sortBy;\n","var getNative = require('./_getNative'),\n   root = require('./_root');\n\n/* Built-in method references that are verified to be native. */\nvar Set = getNative(root, 'Set');\n\nmodule.exports = Set;\n","var g;\n\n// This works in non-strict mode\ng = (function() {\n\treturn this;\n})();\n\ntry {\n\t// This works if eval is allowed (see CSP)\n\tg = g || Function(\"return this\")() || (1, eval)(\"this\");\n} catch (e) {\n\t// This works if the window reference is available\n\tif (typeof window === \"object\") g = window;\n}\n\n// g can still be undefined, but nothing to do about it...\n// We return undefined, instead of nothing here, so it's\n// easier to handle this case. if(!global) { ...}\n\nmodule.exports = g;\n","var id = 0;\nvar px = Math.random();\nmodule.exports = function (key) {\n return 'Symbol('.concat(key === undefined ? '' : key, ')_', (++id + px).toString(36));\n};\n","'use strict';\nvar addToUnscopables = require('./_add-to-unscopables');\nvar step = require('./_iter-step');\nvar Iterators = require('./_iterators');\nvar toIObject = require('./_to-iobject');\n\n// 22.1.3.4 Array.prototype.entries()\n// 22.1.3.13 Array.prototype.keys()\n// 22.1.3.29 Array.prototype.values()\n// 22.1.3.30 Array.prototype[@@iterator]()\nmodule.exports = require('./_iter-define')(Array, 'Array', function (iterated, kind) {\n this._t = toIObject(iterated); // target\n this._i = 0;   // next index\n this._k = kind;   // kind\n// 22.1.5.2.1 %ArrayIteratorPrototype%.next()\n}, function () {\n var O = this._t;\n var kind = this._k;\n var index = this._i++;\n if (!O || index >= O.length) {\n   this._t = undefined;\n   return step(1);\n }\n if (kind == 'keys') return step(0, index);\n if (kind == 'values') return step(0, O[index]);\n return step(0, [index, O[index]]);\n}, 'values');\n\n// argumentsList[@@iterator] is %ArrayProto_values% (9.4.4.6, 9.4.4.7)\nIterators.Arguments = Iterators.Array;\n\naddToUnscopables('keys');\naddToUnscopables('values');\naddToUnscopables('entries');\n","var isSymbol = require('./isSymbol');\n\n/**\n * Compares values to sort them in ascending order.\n *\n * @private\n * @param {*} value The value to compare.\n * @param {*} other The other value to compare.\n * @returns {number} Returns the sort order indicator for `value`.\n */\nfunction compareAscending(value, other) {\n if (value !== other) {\n   var valIsDefined = value !== undefined,\n   valIsNull = value === null,\n   valIsReflexive = value === value,\n   valIsSymbol = isSymbol(value);\n\n   var othIsDefined = other !== undefined,\n   othIsNull = other === null,\n   othIsReflexive = other === other,\n   othIsSymbol = isSymbol(other);\n\n   if ((!othIsNull && !othIsSymbol && !valIsSymbol && value > other) ||\n   (valIsSymbol && othIsDefined &&

othIsReflexive && !othIsNull && !othIsSymbol) ||\n   (valIsNull && othIsDefined && othIsReflexive) ||\n (!valIsDefined && othIsReflexive) ||\n   !valIsReflexive) {\n   return 1;\n   }\n   if ((!valIsNull && !valIsSymbol && !othIsSymbol && value < other) ||\n   (othIsSymbol && valIsDefined && valIsReflexive && !valIsNull && !valIsSymbol) ||\n   (othIsNull && valIsDefined && valIsReflexive) ||\n   (!othIsDefined && valIsReflexive) ||\n   !othIsReflexive) {\n   return -1;\n   }\n }\n return 0;\n}\n\nmodule.exports = compareAscending;\n","var eq = require('./eq');\n\n/**\n * Gets the index at which the `key` is found in `array` of key-value pairs.\n *\n * @private\n * @param {Array} array The array to inspect.\n * @param {*} key The key to search for.\n * @returns {number} Returns the index of the matched value, else `-1`.\n */\nfunction assocIndexOf(array, key) {\n var length = array.length;\n while (length--) {\n   if (eq(array[length][0], key)) {\n   return length;\n   }\n }\n return -1;\n}\n\nmodule.exports = assocIndexOf;\n","/*!\n * Font Awesome Free 5.0.13 by @fontawesome - https://fontawesome.com\n * License - https://fontawesome.com/license (Icons: CC BY 4.0, Fonts: SIL OFL 1.1, Code: MIT License)\n */\nvar noop = function noop() {};\n\nvar _WINDOW = {};\nvar _DOCUMENT = {};\nvar _MUTATION_OBSERVER$1 = null;\nvar _PERFORMANCE = { mark: noop, measure: noop };\ntry {\n if (typeof window !== 'undefined') _WINDOW = window;\n if (typeof document !== 'undefined') _DOCUMENT = document;\n if (typeof MutationObserver !== 'undefined') _MUTATION_OBSERVER$1 = MutationObserver;\n if (typeof performance !== 'undefined') _PERFORMANCE = performance;\n} catch (e) {}\nvar _ref = _WINDOW.navigator || {};\nvar _ref$userAgent = _ref.userAgent;\nvar userAgent = _ref$userAgent === undefined ? '' : _ref$userAgent;\n\nvar WINDOW = _WINDOW;\nvar DOCUMENT = _DOCUMENT;\nvar MUTATION_OBSERVER = _MUTATION_OBSERVER$1;\nvar PERFORMANCE = _PERFORMANCE;\nvar IS_BROWSER = !!WINDOW.document;\nvar IS_DOM = !!DOCUMENT.documentElement && !!DOCUMENT.head && typeof DOCUMENT.addEventListener === 'function' && typeof DOCUMENT.createElement === 'function';\nvar IS_IE = ~userAgent.indexOf('MSIE') || ~userAgent.indexOf('Trident/');\n\nvar NAMESPACE_IDENTIFIER = '___FONT_AWESOME___';\nvar UNITS_IN_GRID = 16;\nvar DEFAULT_FAMILY_PREFIX = 'fa';\nvar DEFAULT_REPLACEMENT_CLASS = 'svg-inline--fa';\nvar DATA_FA_I2SVG = 'data-fa-i2svg';\nvar DATA_FA_PSEUDO_ELEMENT = 'data-fa-pseudo-element';\nvar HTML_CLASS_I2SVG_BASE_CLASS = 'fontawesome-i2svg';\n\nvar PRODUCTION = function () {\n try {\n   return process.env.NODE_ENV === 'production';\n } catch (e) {\n   return false;\n }\n}();\n\nvar oneToTen = [1, 2, 3, 4, 5, 6, 7, 8, 9, 10];\nvar oneToTwenty = oneToTen.concat([11, 12, 13, 14, 15, 16, 17, 18, 19, 20]);\n\nvar ATTRIBUTES_WATCHED_FOR_MUTATION = ['class', 'data-prefix', 'data-icon', 'data-fa-transform', 'data-fa-mask'];\n\nvar RESERVED_CLASSES = ['xs', 'sm', 'lg', 'fw', 'ul', 'li', 'border', 'pull-left', 'pull-right', 'spin', 'pulse', 'rotate-90', 'rotate-180', 'rotate-270', 'flip-horizontal', 'flip-vertical', 'stack', 'stack-1x', 'stack-2x', 'inverse', 'layers', 'layers-text', 'layers-counter'].concat(oneToTen.map(function (n) {\n return n + 'x';\n})).concat(oneToTwenty.map(function (n) {\n return 'w-' + n;\n}));\n\nvar classCallCheck = function (instance, Constructor) {\n if (!(instance instanceof Constructor)) {\n   throw new TypeError(\"Cannot call a class as a function\");\n }\n};\n\nvar createClass = function () {\n function defineProperties(target, props) {\n   for (var i = 0; i < props.length; i++) {\n   var descriptor = props[i];\n   descriptor.enumerable = descriptor.enumerable || false;\n   descriptor.configurable = true;\n   if (\"value\" in descriptor) descriptor.writable = true;\n   Object.defineProperty(target, descriptor.key, descriptor);\n   }\n }\n\n return function (Constructor, protoProps, staticProps) {\n   if (protoProps) defineProperties(Constructor.prototype, protoProps);\n   if (staticProps) defineProperties(Constructor, staticProps);\n   return Constructor;\n };\n}();\n\n\nvar _extends = Object.assign || function (target) {\n for (var i = 1; i < arguments.length; i++) {\n   var source = arguments[i];\n\n   for (var key in source) {\n   if (Object.prototype.hasOwnProperty.call(source, key)) {\n   target[key] = source[key];\n   }\n   }\n }\n\n return target;\n};\n\n\n\nvar toConsumableArray = function (arr) {\n if (Array.isArray(arr)) {\n   for (var i = 0, arr2 = Array(arr.length); i < arr.length; i++) arr2[i] = arr[i];\n\n   return arr2;\n } else {\n   return Array.from(arr);\n }\n};\n\nvar initial = WINDOW.FontAwesomeConfig || {};\nvar initialKeys = Object.keys(initial);\n\nvar _default = _extends({\n familyPrefix: DEFAULT_FAMILY_PREFIX,\n replacementClass: DEFAULT_REPLACEMENT_CLASS,\n autoReplaceSvg: true,\n autoAddCss: true,\n

autoA11y: true,\n searchPseudoElements: false,\n observeMutations: true,\n keepOriginalSource: true,\n measurePerformance: false,\n showMissingIcons: true\n}, initial);\n\nif (!_default.autoReplaceSvg) _default.observeMutations = false;\n\nvar config$1 = _extends({}, _default);\n\nWINDOW.FontAwesomeConfig = config$1;\n\nfunction update(newConfig) {\n var params = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : {};\n var _params$asNewDefault = params.asNewDefault,\n   asNewDefault = _params$asNewDefault === undefined ? false : _params$asNewDefault;\n\n var validKeys = Object.keys(config$1);\n var ok = asNewDefault ? function (k) {\n   return ~validKeys.indexOf(k) && !~initialKeys.indexOf(k);\n } : function (k) {\n   return ~validKeys.indexOf(k);\n };\n\n Object.keys(newConfig).forEach(function (configKey) {\n   if (ok(configKey)) config$1[configKey] = newConfig[configKey];\n });\n}\n\nfunction auto(value) {\n update({\n   autoReplaceSvg: value,\n   observeMutations: value\n });\n}\n\nvar w = WINDOW || {};\n\nif (!w[NAMESPACE_IDENTIFIER]) w[NAMESPACE_IDENTIFIER] = {};\nif (!w[NAMESPACE_IDENTIFIER].styles) w[NAMESPACE_IDENTIFIER].styles = {};\nif (!w[NAMESPACE_IDENTIFIER].hooks) w[NAMESPACE_IDENTIFIER].hooks = {};\nif (!w[NAMESPACE_IDENTIFIER].shims) w[NAMESPACE_IDENTIFIER].shims = [];\n\nvar namespace = w[NAMESPACE_IDENTIFIER];\n\nvar functions = [];\nvar listener = function listener() {\n DOCUMENT.removeEventListener('DOMContentLoaded', listener);\n loaded = 1;\n functions.map(function (fn) {\n   return fn();\n });\n};\n\nvar loaded = false;\n\nif (IS_DOM) {\n loaded = (DOCUMENT.documentElement.doScroll ? /^loaded|^c/ : /^loaded|^i|^c/).test(DOCUMENT.readyState);\n\n if (!loaded) DOCUMENT.addEventListener('DOMContentLoaded', listener);\n}\n\nvar domready = function (fn) {\n if (!IS_DOM) return;\n loaded ? setTimeout(fn, 0) : functions.push(fn);\n};\n\nvar d = UNITS_IN_GRID;\n\nvar meaninglessTransform = {\n size: 16,\n x: 0,\n y: 0,\n rotate: 0,\n flipX: false,\n flipY: false\n};\n\nfunction isReserved(name) {\n return ~RESERVED_CLASSES.indexOf(name);\n}\n\nfunction bunker(fn) {\n try {\n   fn();\n } catch (e) {\n   if (!PRODUCTION) {\n   throw e;\n   }\n }\n}\n\nfunction insertCss(css) {\n if (!css || !IS_DOM) {\n   return;\n }\n\n var style = DOCUMENT.createElement('style');\n style.setAttribute('type', 'text/css');\n style.innerHTML = css;\n\n var headChildren = DOCUMENT.head.childNodes;\n var beforeChild = null;\n\n for (var i = headChildren.length - 1; i > -1; i--) {\n   var child = headChildren[i];\n   var tagName = (child.tagName || '').toUpperCase();\n   if (['STYLE', 'LINK'].indexOf(tagName) > -1) {\n   beforeChild = child;\n   }\n }\n\n DOCUMENT.head.insertBefore(style, beforeChild);\n\n return css;\n}\n\nvar _uniqueId = 0;\n\nfunction nextUniqueId() {\n _uniqueId++;\n return _uniqueId;\n}\n\nfunction toArray(obj) {\n var array = [];\n\n for (var i = (obj || []).length >>> 0; i--;) {\n   array[i] = obj[i];\n }\n\n return array;\n}\n\nfunction classArray(node) {\n if (node.classList) {\n   return toArray(node.classList);\n } else {\n   return (node.getAttribute('class') || '').split(' ').filter(function (i) {\n   return i;\n   });\n }\n}\n\nfunction getIconName(familyPrefix, cls) {\n var parts = cls.split('-');\n var prefix = parts[0];\n var iconName = parts.slice(1).join('-');\n\n if (prefix === familyPrefix && iconName !== '' && !isReserved(iconName)) {\n   return iconName;\n } else {\n   return null;\n }\n}\n\nfunction htmlEscape(str) {\n return ('' + str).replace(/&/g, '&').replace(/\"/g, '"').replace(/'/g, ''').replace(/</g, '<').replace(/>/g, '>');\n}\n\nfunction joinAttributes(attributes) {\n return Object.keys(attributes || {}).reduce(function (acc, attributeName) {\n   return acc + (attributeName + '=\"' + htmlEscape(attributes[attributeName]) + '\" ');\n }, '').trim();\n}\n\nfunction joinStyles(styles) {\n return Object.keys(styles || {}).reduce(function (acc, styleName) {\n   return acc + (styleName + ': ' + styles[styleName] + ';');\n }, '');\n}\n\nfunction transformIsMeaningful(transform) {\n return transform.size !== meaninglessTransform.size || transform.x !== meaninglessTransform.x || transform.y !== meaninglessTransform.y || transform.rotate !== meaninglessTransform.rotate || transform.flipX || transform.flipY;\n}\n\nfunction transformForSvg(_ref) {\n var transform = _ref.transform,\n   containerWidth = _ref.containerWidth,\n   iconWidth = _ref.iconWidth;\n\n var outer = {\n   transform: 'translate(' + containerWidth / 2 + ' 256)'\n };\n var innerTranslate = 'translate(' + transform.x * 32 + ', ' + transform.y * 32 + ') ';\n var innerScale = 'scale(' + transform.size / 16 * (transform.flipX ? -1 : 1) + ', ' + transform.size / 16 * (transform.flipY ? -1 : 1) + ') ';\n var innerRotate = 'rotate(' + transform.rotate + ' 0 0)';\n var inner = {\n

transform: innerTranslate + ' ' + innerScale + ' ' + innerRotate\n };\n var path = {\n transform: 'translate(' + iconWidth / 2 * -1 + ' -256)'\n };\n return {\n outer: outer,\n inner: inner,\n path: path\n };\n}\n\nfunction transformForCss(_ref2) {\n var transform = _ref2.transform,\n _ref2$width = _ref2.width,\n width = _ref2$width === undefined ? UNITS_IN_GRID : _ref2$width,\n _ref2$height = _ref2.height,\n height = _ref2$height === undefined ? UNITS_IN_GRID : _ref2$height,\n _ref2$startCentered = _ref2.startCentered,\n startCentered = _ref2$startCentered === undefined ? false : _ref2$startCentered;\n\n var val = '';\n\n if (startCentered && IS_IE) {\n val += 'translate(' + (transform.x / d - width / 2) + 'em, ' + (transform.y / d - height / 2) + 'em) ';\n } else if (startCentered) {\n val += 'translate(calc(-50% + ' + transform.x / d + 'em), calc(-50% + ' + transform.y / d + 'em)) ';\n } else {\n val += 'translate(' + transform.x / d + 'em, ' + transform.y / d + 'em) ';\n }\n\n val += 'scale(' + transform.size / d * (transform.flipX ? -1 : 1) + ', ' + transform.size / d * (transform.flipY ? -1 : 1) + ') ';\n val += 'rotate(' + transform.rotate + 'deg) ';\n return val;\n}\n\nvar ALL_SPACE = {\n x: 0,\n y: 0,\n width: '100%',\n height: '100%'\n};\n\nvar makeIconMasking = function (_ref) {\n var children = _ref.children,\n attributes = _ref.attributes,\n main = _ref.main,\n mask = _ref.mask,\n transform = _ref.transform;\n var mainWidth = main.width,\n mainPath = main.icon;\n var maskWidth = mask.width,\n maskPath = mask.icon;\n\n var trans = transformForSvg({ transform: transform, containerWidth: maskWidth, iconWidth: mainWidth });\n\n var maskRect = {\n tag: 'rect',\n attributes: _extends({}, ALL_SPACE, {\n fill: 'white'\n })\n };\n var maskInnerGroup = {\n tag: 'g',\n attributes: _extends({}, trans.inner),\n children: [{ tag: 'path', attributes: _extends({}, mainPath.attributes, trans.path, { fill: 'black' }) }]\n };\n var maskOuterGroup = {\n tag: 'g',\n attributes: _extends({}, trans.outer),\n children: [maskInnerGroup]\n };\n var maskId = 'mask-' + nextUniqueId();\n var clipId = 'clip-' + nextUniqueId();\n var maskTag = {\n tag: 'mask',\n attributes: _extends({}, ALL_SPACE, {\n id: maskId,\n maskUnits: 'userSpaceOnUse',\n maskContentUnits: 'userSpaceOnUse'\n }),\n children: [maskRect, maskOuterGroup]\n };\n var defs = {\n tag: 'defs',\n children: [{ tag: 'clipPath', attributes: { id: clipId }, children: [maskPath] }, maskTag]\n };\n\n children.push(defs, {\n tag: 'rect', attributes: _extends({ fill: 'currentColor', 'clip-path': 'url(#' + clipId + ')', mask: 'url(#' + maskId + ')' }, ALL_SPACE) });\n\n return {\n children: children,\n attributes: attributes\n };\n}\n\nvar makeIconStandard = function (_ref) {\n var children = _ref.children,\n attributes = _ref.attributes,\n main = _ref.main,\n transform = _ref.transform,\n styles = _ref.styles;\n\n var styleString = joinStyles(styles);\n\n if (styleString.length > 0) {\n attributes['style'] = styleString;\n }\n\n if (transformIsMeaningful(transform)) {\n var trans = transformForSvg({ transform: transform, containerWidth: main.width, iconWidth: main.width });\n children.push({\n tag: 'g',\n attributes: _extends({}, trans.outer),\n children: [{\n tag: 'g',\n attributes: _extends({}, trans.inner),\n children: [{\n tag: main.icon.tag,\n children: main.icon.children,\n attributes: _extends({}, main.icon.attributes, trans.path)\n }]\n }]\n });\n } else {\n children.push(main.icon);\n }\n\n return {\n children: children,\n attributes: attributes\n };\n}\n\nvar asIcon = function (_ref) {\n var children = _ref.children,\n main = _ref.main,\n mask = _ref.mask,\n attributes = _ref.attributes,\n styles = _ref.styles,\n transform = _ref.transform;\n\n if (transformIsMeaningful(transform) && main.found && !mask.found) {\n var width = main.width,\n height = main.height;\n\n var offset = {\n x: width / height / 2,\n y: 0.5\n };\n attributes['style'] = joinStyles(_extends({}, styles, {\n 'transform-origin': offset.x + transform.x / 16 + 'em ' + (offset.y + transform.y / 16) + 'em'\n }));\n }\n\n return [{\n tag: 'svg',\n attributes: attributes,\n children: children\n }];\n}\n\nvar asSymbol = function (_ref) {\n var prefix = _ref.prefix,\n iconName = _ref.iconName,\n children = _ref.children,\n attributes = _ref.attributes,\n symbol = _ref.symbol;\n\n var id = symbol === true ? prefix + '-' + config$1.familyPrefix + '-' + iconName : symbol;\n\n return [{\n tag: 'svg',\n attributes: {\n style: 'display: none;'\n },\n children: [{\n tag: 'symbol',\n attributes: _extends({}, attributes, { id: id }),\n children: children\n }]\n }];\n}\n\nfunction makeInlineSvgAbstract(params) {\n var _params$icons = params.icons,\n main = _params$icons.main,\n mask = _params$icons.mask,\n prefix = params.prefix,\n iconName = params.iconName,\n transform = params.transform,\n symbol = params.symbol,\n title = params.title,\n extra = params.extra,\n _params$watchable = params.watchable,\n watchable = _params$watchable === undefined ? false : _params$watchable;\n\n var _ref = mask.found ? mask : main,\n width = _ref.width,\n

height = _ref.height;\n\n var widthClass = 'fa-w-' + Math.ceil(width / height * 16);\n var attrClass = [config$1.replacementClass, iconName ? config$1.familyPrefix + '-' + iconName : '', widthClass].concat(extra.classes).join(' ');\n var content = {\n children: [],\n attributes: _extends({}, extra.attributes, {\n 'data-prefix': prefix,\n 'data-icon': iconName,\n 'class': attrClass,\n 'role': 'img',\n 'xmlns': 'http://www.w3.org/2000/svg',\n 'viewBox': '0 0 ' + width + ' ' + height\n })\n };\n\n if (watchable) {\n content.attributes[DATA_FA_I2SVG] = '';\n }\n\n if (title) content.children.push({ tag: 'title', attributes: { id: content.attributes['aria-labelledby'] || 'title-' + nextUniqueId() }, children: [title] });\n var args = _extends({}, content, {\n prefix: prefix,\n iconName: iconName,\n main: main,\n mask: mask,\n transform: transform,\n symbol: symbol,\n styles: extra.styles\n });\n\n var _ref2 = mask.found && main.found ? makeIconMasking(args) : makeIconStandard(args),\n children = _ref2.children,\n attributes = _ref2.attributes;\n\n args.children = children;\n args.attributes = attributes;\n\n if (symbol) {\n return asSymbol(args);\n } else {\n return asIcon(args);\n }\n}\n\nfunction makeLayersTextAbstract(params) {\n var content = params.content,\n width = params.width,\n height = params.height,\n transform = params.transform,\n title = params.title,\n extra = params.extra,\n _params$watchable2 = params.watchable,\n watchable = _params$watchable2 === undefined ? false : _params$watchable2;\n\n var attributes = _extends({}, extra.attributes, title ? { 'title': title } : {}, {\n 'class': extra.classes.join(' ')\n });\n\n if (watchable) {\n attributes[DATA_FA_I2SVG] = '';\n }\n\n var styles = _extends({}, extra.styles);\n\n if (transformIsMeaningful(transform)) {\n styles['transform'] = transformForCss({ transform: transform, startCentered: true, width: width, height: height });\n styles['-webkit-transform'] = styles['transform'];\n }\n\n var styleString = joinStyles(styles);\n\n if (styleString.length > 0) {\n attributes['style'] = styleString;\n }\n\n var val = [];\n val.push({\n tag: 'span',\n attributes: attributes,\n children: [content]\n });\n\n if (title) {\n val.push({ tag: 'span', attributes: { class: 'sr-only' }, children: [title] });\n }\n\n return val;\n}\n\nvar noop$2 = function noop() {};\nvar p = config$1.measurePerformance && PERFORMANCE && PERFORMANCE.mark && PERFORMANCE.measure ? PERFORMANCE : { mark: noop$2, measure: noop$2 };\nvar preamble = 'FA \"5.0.13\"';\n\nvar begin = function begin(name) {\n p.mark(preamble + ' ' + name + ' begins');\n return function () {\n return end(name);\n };\n};\n\nvar end = function end(name) {\n p.mark(preamble + ' ' + name + ' ends');\n p.measure(preamble + ' ' + name, preamble + ' ' + name + ' begins', preamble + ' ' + name + ' ends');\n};\n\nvar perf = { begin: begin, end: end };\n\n'use strict';\n\n/**\n * Internal helper to bind a function known to have 4 arguments\n * to a given context.\n */\nvar bindInternal4 = function bindInternal4 (func, thisContext) {\n return function (a, b, c, d) {\n return func.call(thisContext, a, b, c, d);\n };\n};\n\n'use strict';\n\n/**\n * # Reduce\n *\n * A fast object `.reduce()` implementation.\n *\n * @param {Object} subject The object to reduce over.\n * @param {Function} fn The reducer function.\n * @param {mixed} initialValue The initial value for the reducer, defaults to subject[0].\n * @param {Object} thisContext The context for the reducer.\n * @return {mixed} The final result.\n */\nvar reduce = function fastReduceObject (subject, fn, initialValue, thisContext) {\n var keys = Object.keys(subject),\n length = keys.length,\n iterator = thisContext !== undefined ? bindInternal4(fn, thisContext) : fn,\n i, key, result;\n\n if (initialValue === undefined) {\n i = 1;\n result = subject[keys[0]];\n } else {\n i = 0;\n result = initialValue;\n }\n\n for (; i < length; i++) {\n key = keys[i];\n result = iterator(result, subject[key], key, subject);\n }\n\n return result;\n};\n\nvar styles$2 = namespace.styles;\nvar shims = namespace.shims;\n\n\nvar _byUnicode = {};\nvar _byLigature = {};\nvar _byOldName = {};\n\nvar build = function build() {\n var lookup = function lookup(reducer) {\n return reduce(styles$2, function (o, style, prefix) {\n o[prefix] = reduce(style, reducer, {});\n return o;\n }, {});\n };\n\n _byUnicode = lookup(function (acc, icon, iconName) {\n acc[icon[3]] = iconName;\n return acc;\n });\n\n _byLigature = lookup(function (acc, icon, iconName) {\n var ligatures = icon[2];\n\n acc[iconName] = iconName;\n\n ligatures.forEach(function (ligature) {\n acc[ligature] = iconName;\n });\n\n return acc;\n });\n\n var hasRegular = 'far' in styles$2;\n\n _byOldName = reduce(shims, function (acc, shim) {\n var oldName = shim[0];\n var prefix = shim[1];\n var iconName = shim[2];\n\n if (prefix === 'far' && !hasRegular) {\n prefix = 'fas';\n }\n\n acc[oldName] = { prefix: prefix, iconName: iconName };\n\n return acc;\n }, {});\n};\n\nbuild();\n\nfunction byUnicode(prefix, unicode) {\n return _byUnicode[prefix][unicode];\n}\n\nfunction byLigature(prefix, ligature) {\n return

_byLigature[prefix][ligature];\n}\n\nfunction byOldName(name) {\n return _byOldName[name] || { prefix: null, iconName: null };\n}\n\nvar styles$1 = namespace.styles;\n\nvar emptyCanonicalIcon = function emptyCanonicalIcon() {\n return { prefix: null, iconName: null, rest: [] };\n};\n\nfunction getCanonicalIcon(values) {\n return values.reduce(function (acc, cls) {\n   var iconName = getIconName(config$1.familyPrefix, cls);\n\n   if (styles$1[cls]) {\n   acc.prefix = cls;\n   } else if (iconName) {\n   var shim = acc.prefix === 'fa' ? byOldName(iconName) : {};\n\n   acc.iconName = shim.iconName || iconName;\n   acc.prefix = shim.prefix || acc.prefix;\n   } else if (cls !== config$1.replacementClass && cls.indexOf('fa-w-') !== 0) {\n   acc.rest.push(cls);\n   }\n\n   return acc;\n }, emptyCanonicalIcon());\n}\n\nfunction iconFromMapping(mapping, prefix, iconName) {\n if (mapping && mapping[prefix] && mapping[prefix][iconName]) {\n   return {\n   prefix: prefix,\n   iconName: iconName,\n   icon: mapping[prefix][iconName]\n   };\n }\n}\n\nfunction toHtml(abstractNodes) {\n var tag = abstractNodes.tag,\n   _abstractNodes$attrib = abstractNodes.attributes,\n   attributes = _abstractNodes$attrib === undefined ? {} : _abstractNodes$attrib,\n   _abstractNodes$childr = abstractNodes.children,\n   children = _abstractNodes$childr === undefined ? [] : _abstractNodes$childr;\n\n if (typeof abstractNodes === 'string') {\n   return htmlEscape(abstractNodes);\n } else {\n   return '<' + tag + ' ' + joinAttributes(attributes) + '>' + children.map(toHtml).join('') + '</' + tag + '>';\n }\n}\n\nvar noop$1 = function noop() {};\n\nfunction isWatched(node) {\n var i2svg = node.getAttribute ? node.getAttribute(DATA_FA_I2SVG) : null;\n\n return typeof i2svg === 'string';\n}\n\nfunction getMutator() {\n if (config$1.autoReplaceSvg === true) {\n   return mutators.replace;\n }\n\n var mutator = mutators[config$1.autoReplaceSvg];\n\n return mutator || mutators.replace;\n}\n\nvar mutators = {\n replace: function replace(mutation) {\n   var node = mutation[0];\n   var abstract = mutation[1];\n   var newOuterHTML = abstract.map(function (a) {\n   return toHtml(a);\n   }).join('\\n');\n\n   if (node.parentNode && node.outerHTML) {\n   node.outerHTML = newOuterHTML + (config$1.keepOriginalSource && node.tagName.toLowerCase() !== 'svg' ? '<!-- ' + node.outerHTML + ' -->' : '');\n   } else if (node.parentNode) {\n   var newNode = document.createElement('span');\n\n   node.parentNode.replaceChild(newNode, node);\n   newNode.outerHTML = newOuterHTML;\n   }\n },\n nest: function nest(mutation) {\n   var node = mutation[0];\n   var abstract = mutation[1];\n\n   // If we already have a replaced node we do not want to continue nesting within it.\n   // Short-circuit to the standard replacement\n   if (~classArray(node).indexOf(config$1.replacementClass)) {\n   return mutators.replace(mutation);\n   }\n\n   var forSvg = new RegExp(config$1.familyPrefix + '-.*');\n\n   delete abstract[0].attributes.style;\n\n   var splitClasses = abstract[0].attributes.class.split(' ').reduce(function (acc, cls) {\n   if (cls === config$1.replacementClass || cls.match(forSvg)) {\n   acc.toSvg.push(cls);\n   } else {\n   acc.toNode.push(cls);\n   }\n\n   return acc;\n   }, { toNode: [], toSvg: [] });\n\n   abstract[0].attributes.class = splitClasses.toSvg.join(' ');\n\n   var newInnerHTML = abstract.map(function (a) {\n   return toHtml(a);\n   }).join('\\n');\n   node.setAttribute('class', splitClasses.toNode.join(' '));\n   node.setAttribute(DATA_FA_I2SVG, '');\n   node.innerHTML = newInnerHTML;\n }\n};\n\nfunction perform(mutations, callback) {\n var callbackFunction = typeof callback === 'function' ? callback : noop$1;\n\n if (mutations.length === 0) {\n   callbackFunction();\n } else {\n   var frame = WINDOW.requestAnimationFrame || function (op) {\n   return op();\n   };\n\n   frame(function () {\n   var mutator = getMutator();\n   var mark = perf.begin('mutate');\n   mutations.map(mutator);\n\n   mark();\n\n   callbackFunction();\n   });\n }\n}\n\nvar disabled = false;\nfunction disableObservation(operation) {\n disabled = true;\n operation();\n disabled = false;\n}\n\nvar mo = null;\nfunction observe(options) {\n if (!MUTATION_OBSERVER) return;\n\n var treeCallback = options.treeCallback,\n   nodeCallback = options.nodeCallback,\n   pseudoElementsCallback = options.pseudoElementsCallback;\n\n mo = new MUTATION_OBSERVER(function (objects) {\n   if (disabled) return;\n\n   toArray(objects).forEach(function (mutationRecord) {\n   if (mutationRecord.type === 'childList' && mutationRecord.addedNodes.length > 0 && !isWatched(mutationRecord.addedNodes[0])) {\n   if (config$1.searchPseudoElements) {\n   pseudoElementsCallback(mutationRecord.target);\n   }\n\n   treeCallback(mutationRecord.target);\n   }\n\n   if (mutationRecord.type === 'attributes' && mutationRecord.target.parentNode && config$1.searchPseudoElements) {\n   pseudoElementsCallback(mutationRecord.target.parentNode);\n   }\n\n   if (mutationRecord.type === 'attributes' && isWatched(mutationRecord.target) &&

~ATTRIBUTES_WATCHED_FOR_MUTATION.indexOf(mutationRecord.attributeName)) {\n   if (mutationRecord.attributeName === 'class') {\n   var _getCanonicalIcon = getCanonicalIcon(classArray(mutationRecord.target)),\n   prefix = _getCanonicalIcon.prefix,\n   iconName = _getCanonicalIcon.iconName;\n\n   if (prefix) mutationRecord.target.setAttribute('data-prefix', prefix);\n   if (iconName) mutationRecord.target.setAttribute('data-icon', iconName);\n   } else {\n   nodeCallback(mutationRecord.target);\n   }\n   }\n   });\n });\n\n if (!IS_DOM) return;\n\n mo.observe(DOCUMENT.getElementsByTagName('body')[0], {\n   childList: true, attributes: true, characterData: true, subtree: true\n });\n}\n\nfunction disconnect() {\n if (!mo) return;\n\n mo.disconnect();\n}\n\nvar styleParser = function (node) {\n var style = node.getAttribute('style');\n\n var val = [];\n\n if (style) {\n   val = style.split(';').reduce(function (acc, style) {\n   var styles = style.split(':');\n   var prop = styles[0];\n   var value = styles.slice(1);\n\n   if (prop && value.length > 0) {\n   acc[prop] = value.join(':').trim();\n   }\n\n   return acc;\n   }, {});\n }\n\n return val;\n};\n\nfunction toHex(unicode) {\n var result = '';\n\n for (var i = 0; i < unicode.length; i++) {\n   var hex = unicode.charCodeAt(i).toString(16);\n   result += ('000' + hex).slice(-4);\n }\n\n return result;\n}\n\nvar classParser = function (node) {\n var existingPrefix = node.getAttribute('data-prefix');\n var existingIconName = node.getAttribute('data-icon');\n var innerText = node.innerText !== undefined ? node.innerText.trim() : '';\n\n var val = getCanonicalIcon(classArray(node));\n\n if (existingPrefix && existingIconName) {\n   val.prefix = existingPrefix;\n   val.iconName = existingIconName;\n }\n\n if (val.prefix && innerText.length > 1) {\n   val.iconName = byLigature(val.prefix, node.innerText);\n } else if (val.prefix && innerText.length === 1) {\n   val.iconName = byUnicode(val.prefix, toHex(node.innerText));\n }\n\n return val;\n};\n\nvar parseTransformString = function parseTransformString(transformString) {\n var transform = {\n   size: 16,\n   x: 0,\n   y: 0,\n   flipX: false,\n   flipY: false,\n   rotate: 0\n };\n\n if (!transformString) {\n   return transform;\n } else {\n   return transformString.toLowerCase().split(' ').reduce(function (acc, n) {\n   var parts = n.toLowerCase().split('-');\n   var first = parts[0];\n   var rest = parts.slice(1).join('-');\n\n   if (first && rest === 'h') {\n   acc.flipX = true;\n   return acc;\n   }\n\n   if (first && rest === 'v') {\n   acc.flipY = true;\n   return acc;\n   }\n\n   rest = parseFloat(rest);\n\n   if (isNaN(rest)) {\n   return acc;\n   }\n\n   switch (first) {\n   case 'grow':\n   acc.size = acc.size + rest;\n   break;\n   case 'shrink':\n   acc.size = acc.size - rest;\n   break;\n   case 'left':\n   acc.x = acc.x - rest;\n   break;\n   case 'right':\n   acc.x = acc.x + rest;\n   break;\n   case 'up':\n   acc.y = acc.y - rest;\n   break;\n   case 'down':\n   acc.y = acc.y + rest;\n   break;\n   case 'rotate':\n   acc.rotate = acc.rotate + rest;\n   break;\n   }\n\n   return acc;\n   }, transform);\n }\n};\n\nvar transformParser = function (node) {\n return parseTransformString(node.getAttribute('data-fa-transform'));\n};\n\nvar symbolParser = function (node) {\n var symbol = node.getAttribute('data-fa-symbol');\n\n return symbol === null ? false : symbol === '' ? true : symbol;\n};\n\nvar attributesParser = function (node) {\n var extraAttributes = toArray(node.attributes).reduce(function (acc, attr) {\n   if (acc.name !== 'class' && acc.name !== 'style') {\n   acc[attr.name] = attr.value;\n   }\n   return acc;\n }, {});\n\n var title = node.getAttribute('title');\n\n if (config$1.autoA11y) {\n   if (title) {\n   extraAttributes['aria-labelledby'] = config$1.replacementClass + '-title-' + nextUniqueId();\n   } else {\n   extraAttributes['aria-hidden'] = 'true';\n   }\n }\n\n return extraAttributes;\n};\n\nvar maskParser = function (node) {\n var mask = node.getAttribute('data-fa-mask');\n\n if (!mask) {\n   return emptyCanonicalIcon();\n } else {\n   return getCanonicalIcon(mask.split(' ').map(function (i) {\n   return i.trim();\n   }));\n }\n};\n\nfunction parseMeta(node) {\n var _classParser = classParser(node),\n   iconName = _classParser.iconName,\n   prefix = _classParser.prefix,\n   extraClasses = _classParser.rest;\n\n var extraStyles = styleParser(node);\n var transform = transformParser(node);\n var symbol = symbolParser(node);\n var extraAttributes = attributesParser(node);\n var mask = maskParser(node);\n\n return {\n   iconName: iconName,\n   title: node.getAttribute('title'),\n   prefix: prefix,\n   transform: transform,\n   symbol: symbol,\n   mask: mask,\n   extra: {\n   classes: extraClasses,\n   styles: extraStyles,\n   attributes: extraAttributes\n   }\n };\n}\n\nfunction MissingIcon(error) {\n this.name = 'MissingIcon';\n this.message = error || 'Icon unavailable';\n this.stack = new Error().stack;\n}\n\nMissingIcon.prototype = Object.create(Error.prototype);\nMissingIcon.prototype.constructor = MissingIcon;\n\nvar FILL = { fill:

'currentColor' };\nvar ANIMATION_BASE = {\n attributeType: 'XML',\n repeatCount: 'indefinite',\n dur: '2s'\n};\nvar RING = {\n tag: 'path',\n attributes: _extends({}, FILL, {\n d: 'M156.5,447.7l-12.6,29.5c-18.7-9.5-35.9-21.2-51.5-34.9l22.7-22.7C127.6,430.5,141.5,440,156.5,447.7z M40.6,272H8.5 c1.4,21.2,5.4,41.7,11.7,61.1L50,321.2C45.1,305.5,41.8,289,40.6,272z M40.6,240c1.4-18.8,5.2-37,11.1-54.1l-29.5-12.6 C14.7,194.3,10,216.7,8.5,240H40.6z M64.3,156.5c7.8-14.9,17.2-28.8,28.1-41.5L69.7,92.3c-13.7,15.6-25.5,32.8-34.9,51.5 L64.3,156.5z M397,419.6c-13.9,12-29.4,22.3-46.1,30.4l11.9,29.8c20.7-9.9,39.8-22.6,56.9-37.6L397,419.6z M115,92.4 c13.9-12,29.4-22.3,46.1-30.4l-11.9-29.8c-20.7,9.9-39.8,22.6-56.8,37.6L115,92.4z M447.7,355.5c-7.8,14.9-17.2,28.8-28.1,41.5 l22.7,22.7c13.7-15.6,25.5-32.9,34.9-51.5L447.7,355.5z M471.4,272c-1.4,18.8-5.2,37-11.1,54.1l29.5,12.6 c7.5-21.1,12.2-43.5,13.6-66.8H471.4z M321.2,462c-15.7,5-32.2,8.2-49.2,9.4v32.1c21.2-1.4,41.7-5.4,61.1-11.7L321.2,462z M240,471.4c-18.8-1.4-37-5.2-54.1-11.1l-12.6,29.5c21.1,7.5,43.5,12.2,66.8,13.6V471.4z M462,190.8c5,15.7,8.2,32.2,9.4,49.2h32.1 c-1.4-21.2-5.4-41.7-11.7-61.1L462,190.8z M92.4,397c-12-13.9-22.3-29.4-30.4-46.1l-29.8,11.9c9.9,20.7,22.6,39.8,37.6,56.9 L92.4,397z M272,40.6c18.8,1.4,36.9,5.2,54.1,11.1l12.6-29.5C317.7,14.7,295.3,10,272,8.5V40.6z M190.8,50 c15.7-5,32.2-8.2,49.2-9.4V8.5c-21.2,1.4-41.7,5.4-61.1,11.7L190.8,50z M442.3,92.3L419.6,115c12,13.9,22.3,29.4,30.5,46.1 l29.8-11.9C470,128.5,457.3,109.4,442.3,92.3z M397,92.4l22.7-22.7c-15.6-13.7-32.8-25.5-51.5-34.9l-12.6,29.5 C370.4,72.1,384.4,81.5,397,92.4z'\n })\n};\nvar OPACITY_ANIMATE = _extends({}, ANIMATION_BASE, {\n attributeName: 'opacity'\n});\nvar DOT = {\n tag: 'circle',\n attributes: _extends({}, FILL, {\n cx: '256',\n cy: '364',\n r: '28'\n }),\n children: [{ tag: 'animate', attributes: _extends({}, ANIMATION_BASE, { attributeName: 'r', values: '28;14;28;28;14;28;' }) }, { tag: 'animate', attributes: _extends({}, OPACITY_ANIMATE, { values: '1;0;1;1;0;1;' }) }]\n};\nvar QUESTION = {\n tag: 'path',\n attributes: _extends({}, FILL, {\n opacity: '1',\n d: 'M263.7,312h-16c-6.6,0-12-5.4-12-12c0-71,77.4-63.9,77.4-107.8c0-20-17.8-40.2-57.4-40.2c-29.1,0-44.3,9.6-59.2,28.7 c-3.9,5-11.1,6-16.2,2.4l-13.1-9.2c-5.6-3.9-6.9-11.8-2.6-17.2c21.2-27.2,46.4-44.7,91.2-44.7c52.3,0,97.4,29.8,97.4,80.2 c0,67.6-77.4,63.5-77.4,107.8C275.7,306.6,270.3,312,263.7,312z'\n }),\n children: [{ tag: 'animate', attributes: _extends({}, OPACITY_ANIMATE, { values: '1;0;0;0;0;1;' }) }]\n};\nvar EXCLAMATION = {\n tag: 'path',\n attributes: _extends({}, FILL, {\n opacity: '0',\n d: 'M232.5,134.5l7,168c0.3,6.4,5.6,11.5,12,11.5h9c6.4,0,11.7-5.1,12-11.5l7-168c0.3-6.8-5.2-12.5-12-12.5h-23 C237.7,122,232.2,127.7,232.5,134.5z'\n }),\n children: [{ tag: 'animate', attributes: _extends({}, OPACITY_ANIMATE, { values: '0;0;1;1;0;0;' }) }]\n};\n\nvar missing = { tag: 'g', children: [RING, DOT, QUESTION, EXCLAMATION] };\n\nvar styles = namespace.styles;\nvar LAYERS_TEXT_CLASSNAME = 'fa-layers-text';\nvar FONT_FAMILY_PATTERN = /Font Awesome 5 (Solid|Regular|Light|Brands)/;\nvar STYLE_TO_PREFIX = {\n 'Solid': 'fas',\n 'Regular': 'far',\n 'Light': 'fal',\n 'Brands': 'fab'\n};\n\nfunction findIcon(iconName, prefix) {\n var val = {\n found: false,\n width: 512,\n height: 512,\n icon: missing\n };\n\n if (iconName && prefix && styles[prefix] && styles[prefix][iconName]) {\n var icon = styles[prefix][iconName];\n var width = icon[0];\n var height = icon[1];\n var vectorData = icon.slice(4);\n\n val = {\n found: true,\n width: width,\n height: height,\n icon: { tag: 'path', attributes: { fill: 'currentColor', d: vectorData[0] } }\n };\n } else if (iconName && prefix && !config$1.showMissingIcons) {\n throw new MissingIcon('Icon is missing for prefix ' + prefix + ' with icon name ' + iconName);\n }\n\n return val;\n}\n\nfunction generateSvgReplacementMutation(node, nodeMeta) {\n var iconName = nodeMeta.iconName,\n title = nodeMeta.title,\n prefix = nodeMeta.prefix,\n transform = nodeMeta.transform,\n symbol = nodeMeta.symbol,\n mask = nodeMeta.mask,\n extra = nodeMeta.extra;\n\n return [node, makeInlineSvgAbstract({\n icons: {\n main: findIcon(iconName, prefix),\n mask: findIcon(mask.iconName, mask.prefix)\n },\n prefix: prefix,\n iconName: iconName,\n transform: transform,\n symbol: symbol,\n mask: mask,\n title: title,\n extra: extra,\n watchable: true\n })];\n}\n\nfunction generateLayersText(node, nodeMeta) {\n var title = nodeMeta.title,\n transform = nodeMeta.transform,\n extra = nodeMeta.extra;\n\n var width = null;\n var height = null;\n\n if (IS_IE) {\n var computedFontSize = parseInt(getComputedStyle(node).fontSize, 10);\n var boundingClientRect = node.getBoundingClientRect();\n width = boundingClientRect.width / computedFontSize;\n height = boundingClientRect.height / computedFontSize;\n }\n\n if (config$1.autoA11y && !title) {\n

extra.attributes['aria-hidden'] = 'true';\n }\n\n return [node, makeLayersTextAbstract({\n content: node.innerHTML,\n width: width,\n height: height,\n transform: transform,\n title: title,\n extra: extra,\n watchable: true\n })];\n}\n\nfunction generateMutation(node) {\n var nodeMeta = parseMeta(node);\n\n if (~nodeMeta.extra.classes.indexOf(LAYERS_TEXT_CLASSNAME)) {\n return generateLayersText(node, nodeMeta);\n } else {\n return generateSvgReplacementMutation(node, nodeMeta);\n }\n}\n\nfunction remove(node) {\n if (typeof node.remove === 'function') {\n node.remove();\n } else if (node && node.parentNode) {\n node.parentNode.removeChild(node);\n }\n}\n\nfunction searchPseudoElements(root) {\n if (!IS_DOM) return;\n\n var end = perf.begin('searchPseudoElements');\n\n disableObservation(function () {\n toArray(root.querySelectorAll('*')).forEach(function (node) {\n [':before', ':after'].forEach(function (pos) {\n var styles = WINDOW.getComputedStyle(node, pos);\n var fontFamily = styles.getPropertyValue('font-family').match(FONT_FAMILY_PATTERN);\n var children = toArray(node.children);\n var pseudoElement = children.filter(function (c) {\n return c.getAttribute(DATA_FA_PSEUDO_ELEMENT) === pos;\n })[0];\n\n if (pseudoElement) {\n if (pseudoElement.nextSibling && pseudoElement.nextSibling.textContent.indexOf(DATA_FA_PSEUDO_ELEMENT) > -1) {\n remove(pseudoElement.nextSibling);\n }\n remove(pseudoElement);\n pseudoElement = null;\n }\n\n if (fontFamily && !pseudoElement) {\n var content = styles.getPropertyValue('content');\n var i = DOCUMENT.createElement('i');\n i.setAttribute('class', '' + STYLE_TO_PREFIX[fontFamily[1]]);\n i.setAttribute(DATA_FA_PSEUDO_ELEMENT, pos);\n i.innerText = content.length === 3 ? content.substr(1, 1) : content;\n if (pos === ':before') {\n node.insertBefore(i, node.firstChild);\n } else {\n node.appendChild(i);\n }\n }\n });\n });\n });\n\n end();\n}\n\nfunction onTree(root) {\n var callback = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : null;\n\n if (!IS_DOM) return;\n\n var htmlClassList = DOCUMENT.documentElement.classList;\n var hclAdd = function hclAdd(suffix) {\n return htmlClassList.add(HTML_CLASS_I2SVG_BASE_CLASS + '-' + suffix);\n };\n var hclRemove = function hclRemove(suffix) {\n return htmlClassList.remove(HTML_CLASS_I2SVG_BASE_CLASS + '-' + suffix);\n };\n var prefixes = Object.keys(styles);\n var prefixesDomQuery = ['.' + LAYERS_TEXT_CLASSNAME + ':not([' + DATA_FA_I2SVG + '])'].concat(prefixes.map(function (p) {\n return '.' + p + ':not([' + DATA_FA_I2SVG + '])';\n })).join(', ');\n\n if (prefixesDomQuery.length === 0) {\n return;\n }\n\n var candidates = toArray(root.querySelectorAll(prefixesDomQuery));\n\n if (candidates.length > 0) {\n hclAdd('pending');\n hclRemove('complete');\n } else {\n return;\n }\n\n var mark = perf.begin('onTree');\n\n var mutations = candidates.reduce(function (acc, node) {\n try {\n var mutation = generateMutation(node);\n\n if (mutation) {\n acc.push(mutation);\n }\n } catch (e) {\n if (!PRODUCTION) {\n if (e instanceof MissingIcon) {\n console.error(e);\n }\n }\n }\n\n return acc;\n }, []);\n\n mark();\n\n perform(mutations, function () {\n hclAdd('active');\n hclAdd('complete');\n hclRemove('pending');\n\n if (typeof callback === 'function') callback();\n });\n}\n\nfunction onNode(node) {\n var callback = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : null;\n\n var mutation = generateMutation(node);\n\n if (mutation) {\n perform([mutation], callback);\n }\n}\n\nvar baseStyles = \"svg:not(:root).svg-inline--fa {\\n overflow: visible; }\\n\\n.svg-inline--fa {\\n display: inline-block;\\n font-size: inherit;\\n height: 1em;\\n overflow: visible;\\n vertical-align: -.125em; }\\n .svg-inline--fa.fa-lg {\\n vertical-align: -.225em; }\\n .svg-inline--fa.fa-w-1 {\\n width: 0.0625em; }\\n .svg-inline--fa.fa-w-2 {\\n width: 0.125em; }\\n .svg-inline--fa.fa-w-3 {\\n width: 0.1875em; }\\n .svg-inline--fa.fa-w-4 {\\n width: 0.25em; }\\n .svg-inline--fa.fa-w-5 {\\n width: 0.3125em; }\\n .svg-inline--fa.fa-w-6 {\\n width: 0.375em; }\\n .svg-inline--fa.fa-w-7 {\\n width: 0.4375em; }\\n .svg-inline--fa.fa-w-8 {\\n width: 0.5em; }\\n .svg-inline--fa.fa-w-9 {\\n width: 0.5625em; }\\n .svg-inline--fa.fa-w-10 {\\n width: 0.625em; }\\n .svg-inline--fa.fa-w-11 {\\n width: 0.6875em; }\\n .svg-inline--fa.fa-w-12 {\\n width: 0.75em; }\\n .svg-inline--fa.fa-w-13 {\\n width: 0.8125em; }\\n .svg-inline--fa.fa-w-14 {\\n width: 0.875em; }\\n .svg-inline--fa.fa-w-15 {\\n width: 0.9375em; }\\n .svg-inline--fa.fa-w-16 {\\n width: 1em; }\\n .svg-inline--fa.fa-w-17 {\\n width: 1.0625em; }\\n .svg-inline--fa.fa-w-18 {\\n width: 1.125em; }\\n .svg-inline--fa.fa-w-19 {\\n width: 1.1875em; }\\n .svg-inline--fa.fa-w-20 {\\n width: 1.25em; }\\n .svg-inline--fa.fa-pull-left {\\n margin-right: .3em;\\n width: auto; }\\n .svg-inline--fa.fa-

pull-right {\\n   margin-left: .3em;\\n   width: auto; }\\n .svg-inline--fa.fa-border {\\n   height: 1.5em; }\\n .svg-inline--fa.fa-li {\\n   width: 2em; }\\n .svg-inline--fa.fa-fw {\\n   width: 1.25em; }\\n\\n.fa-layers svg.svg-inline--fa {\\n   bottom: 0;\\n   left: 0;\\n   margin: auto;\\n   position: absolute;\\n   right: 0;\\n   top: 0; }\\n\\n.fa-layers {\\n   display: inline-block;\\n   height: 1em;\\n   position: relative;\\n   text-align: center;\\n   vertical-align: -.125em;\\n   width: 1em; }\\n .fa-layers svg.svg-inline--fa {\\n   -webkit-transform-origin: center center;\\n   transform-origin: center center; }\\n\\n.fa-layers-text, .fa-layers-counter {\\n   display: inline-block;\\n   position: absolute;\\n   text-align: center; }\\n\\n.fa-layers-text {\\n   left: 50%;\\n   top: 50%;\\n   -webkit-transform: translate(-50%, -50%);\\n   transform: translate(-50%, -50%);\\n   -webkit-transform-origin: center center;\\n   transform-origin: center center; }\\n\\n.fa-layers-counter {\\n   background-color: #ff253a;\\n   border-radius: 1em;\\n   -webkit-box-sizing: border-box;\\n   box-sizing: border-box;\\n   color: #fff;\\n   height: 1.5em;\\n   line-height: 1;\\n   max-width: 5em;\\n   min-width: 1.5em;\\n   overflow: hidden;\\n   padding: .25em;\\n   right: 0;\\n   text-overflow: ellipsis;\\n   top: 0;\\n   -webkit-transform: scale(0.25);\\n   transform: scale(0.25);\\n   -webkit-transform-origin: top right;\\n   transform-origin: top right; }\\n\\n.fa-layers-bottom-right {\\n   bottom: 0;\\n   right: 0;\\n   top: auto;\\n   -webkit-transform: scale(0.25);\\n   transform: scale(0.25);\\n   -webkit-transform-origin: bottom right;\\n   transform-origin: bottom right; }\\n\\n.fa-layers-bottom-left {\\n   bottom: 0;\\n   left: 0;\\n   right: auto;\\n   top: auto;\\n   -webkit-transform: scale(0.25);\\n   transform: scale(0.25);\\n   -webkit-transform-origin: bottom left;\\n   transform-origin: bottom left; }\\n\\n.fa-layers-top-right {\\n   right: 0;\\n   top: 0;\\n   -webkit-transform: scale(0.25);\\n   transform: scale(0.25);\\n   -webkit-transform-origin: top right;\\n   transform-origin: top right; }\\n\\n.fa-layers-top-left {\\n   left: 0;\\n   right: auto;\\n   top: 0;\\n   -webkit-transform: scale(0.25);\\n   transform: scale(0.25);\\n   -webkit-transform-origin: top left;\\n   transform-origin: top left; }\\n\\n.fa-lg {\\n   font-size: 1.33333em;\\n   line-height: 0.75em;\\n   vertical-align: -.0667em; }\\n\\n.fa-xs {\\n   font-size: .75em; }\\n\\n.fa-sm {\\n   font-size: .875em; }\\n\\n.fa-1x {\\n   font-size: 1em; }\\n\\n.fa-2x {\\n   font-size: 2em; }\\n\\n.fa-3x {\\n   font-size: 3em; }\\n\\n.fa-4x {\\n   font-size: 4em; }\\n\\n.fa-5x {\\n   font-size: 5em; }\\n\\n.fa-6x {\\n   font-size: 6em; }\\n\\n.fa-7x {\\n   font-size: 7em; }\\n\\n.fa-8x {\\n   font-size: 8em; }\\n\\n.fa-9x {\\n   font-size: 9em; }\\n\\n.fa-10x {\\n   font-size: 10em; }\\n\\n.fa-fw {\\n   text-align: center;\\n   width: 1.25em; }\\n\\n.fa-ul {\\n   list-style-type: none;\\n   margin-left: 2.5em;\\n   padding-left: 0; }\\n .fa-ul > li {\\n   position: relative; }\\n\\n.fa-li {\\n   left: -2em;\\n   position: absolute;\\n   text-align: center;\\n   width: 2em;\\n   line-height: inherit; }\\n\\n.fa-border {\\n   border: solid 0.08em #eee;\\n   border-radius: .1em;\\n   padding: .2em .25em .15em; }\\n\\n.fa-pull-left {\\n   float: left; }\\n\\n.fa-pull-right {\\n   float: right; }\\n\\n.fa.fa-pull-left,\\n.fas.fa-pull-left,\\n.far.fa-pull-left,\\n.fal.fa-pull-left,\\n.fab.fa-pull-left {\\n   margin-right: .3em; }\\n\\n.fa.fa-pull-right,\\n.fas.fa-pull-right,\\n.far.fa-pull-right,\\n.fal.fa-pull-right,\\n.fab.fa-pull-right {\\n   margin-left: .3em; }\\n\\n.fa-spin {\\n   -webkit-animation: fa-spin 2s infinite linear;\\n   animation: fa-spin 2s infinite linear; }\\n\\n.fa-pulse {\\n   -webkit-animation: fa-spin 1s infinite steps(8);\\n   animation: fa-spin 1s infinite steps(8); }\\n\\n@-webkit-keyframes fa-spin {\\n   0% {\\n   -webkit-transform: rotate(0deg);\\n   transform: rotate(0deg); }\\n   100% {\\n   -webkit-transform: rotate(360deg);\\n   transform: rotate(360deg); } }\\n\\n@keyframes fa-spin {\\n   0% {\\n   -webkit-transform: rotate(0deg);\\n   transform: rotate(0deg); }\\n   100% {\\n   -webkit-transform: rotate(360deg);\\n   transform: rotate(360deg); } }\\n\\n.fa-rotate-90 {\\n   -ms-filter: \\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=1)\\\";\\n   -webkit-transform: rotate(90deg);\\n   transform: rotate(90deg); }\\n\\n.fa-rotate-180 {\\n   -ms-filter: \\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=2)\\\";\\n   -webkit-transform: rotate(180deg);\\n   transform: rotate(180deg); }\\n\\n.fa-rotate-270 {\\n   -ms-filter: \\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=3)\\\";\\n   -webkit-transform: rotate(270deg);\\n   transform: rotate(270deg); }\\n\\n.fa-flip-horizontal {\\n   -ms-filter: \\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=0, mirror=1)\\\";\\n   -webkit-transform: scale(-1, 1);\\n   transform: scale(-1, 1); }\\n\\n.fa-flip-vertical {\\n   -ms-filter: \\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=2, mirror=1)\\\";\\n   -webkit-transform: scale(1, -1);\\n   transform: scale(1, -1); }\\n\\n.fa-flip-horizontal.fa-flip-vertical {\\n   -ms-filter: \\\"progid:DXImageTransform.Microsoft.BasicImage(rotation=2, mirror=1)\\\";\\n   -webkit-transform: scale(-1, -

1);\\n   transform: scale(-1, -1); }\\n\\n:root .fa-rotate-90,\\n:root .fa-rotate-180,\\n:root .fa-rotate-270,\\n:root .fa-flip-horizontal,\\n:root .fa-flip-vertical {\\n -webkit-filter: none;\\n   filter: none; }\\n\\n.fa-stack {\\n display: inline-block;\\n height: 2em;\\n position: relative;\\n width: 2em; }\\n\\n.fa-stack-1x,\\n.fa-stack-2x {\\n bottom: 0;\\n left: 0;\\n margin: auto;\\n position: absolute;\\n right: 0;\\n top: 0; }\\n\\n.svg-inline--fa.fa-stack-1x {\\n height: 1em;\\n width: 1em; }\\n\\n.svg-inline--fa.fa-stack-2x {\\n height: 2em;\\n width: 2em; }\\n\\n.fa-inverse {\\n color: #fff; }\\n\\n.sr-only {\\n border: 0;\\n clip: rect(0, 0, 0, 0);\\n height: 1px;\\n margin: -1px;\\n overflow: hidden;\\n padding: 0;\\n position: absolute;\\n width: 1px; }\\n\\n.sr-only-focusable:active, .sr-only-focusable:focus {\\n clip: auto;\\n height: auto;\\n margin: 0;\\n overflow: visible;\\n position: static;\\n width: auto; }\\n\";\nvar css = function () {\n var dfp = DEFAULT_FAMILY_PREFIX;\n var drc = DEFAULT_REPLACEMENT_CLASS;\n var fp = config$1.familyPrefix;\n var rc = config$1.replacementClass;\n var s = baseStyles;\n\n if (fp !== dfp || rc !== drc) {\n   var dPatt = new RegExp('\\\\.' + dfp + '\\\\-', 'g');\n   var rPatt = new RegExp('\\\\.' + drc, 'g');\n\n   s = s.replace(dPatt, '.' + fp + '-').replace(rPatt, '.' + rc);\n }\n\n return s;\n};\n\nfunction define(prefix, icons) {\n var normalized = Object.keys(icons).reduce(function (acc, iconName) {\n   var icon = icons[iconName];\n   var expanded = !!icon.icon;\n\n   if (expanded) {\n   acc[icon.iconName] = icon.icon;\n   } else {\n   acc[iconName] = icon;\n   }\n   return acc;\n }, {});\n\n if (typeof namespace.hooks.addPack === 'function') {\n   namespace.hooks.addPack(prefix, normalized);\n } else {\n   namespace.styles[prefix] = _extends({}, namespace.styles[prefix] || {}, normalized);\n }\n\n /**\n   * Font Awesome 4 used the prefix of `fa` for all icons. With the introduction\n   * of new styles we needed to differentiate between them. Prefix `fa` is now an alias\n   * for `fas` so we'll easy the upgrade process for our users by automatically defining\n   * this as well.\n   */\n if (prefix === 'fas') {\n   define('fa', icons);\n }\n}\n\nvar Library = function () {\n function Library() {\n   classCallCheck(this, Library);\n\n   this.definitions = {};\n }\n\n createClass(Library, [{\n   key: 'add',\n   value: function add() {\n   var _this = this;\n\n   for (var _len = arguments.length, definitions = Array(_len), _key = 0; _key < _len; _key++) {\n   definitions[_key] = arguments[_key];\n   }\n\n   var additions = definitions.reduce(this._pullDefinitions, {});\n\n   Object.keys(additions).forEach(function (key) {\n   _this.definitions[key] = _extends({}, _this.definitions[key] || {}, additions[key]);\n   define(key, additions[key]);\n   });\n   }\n }, {\n   key: 'reset',\n   value: function reset() {\n   this.definitions = {};\n   }\n }, {\n   key: '_pullDefinitions',\n   value: function _pullDefinitions(additions, definition) {\n   var normalized = definition.prefix && definition.iconName && definition.icon ? { 0: definition } : definition;\n\n   Object.keys(normalized).map(function (key) {\n   var _normalized$key = normalized[key],\n   prefix = _normalized$key.prefix,\n   iconName = _normalized$key.iconName,\n   icon = _normalized$key.icon;\n\n   if (!additions[prefix]) additions[prefix] = {};\n   additions[prefix][iconName] = icon;\n   });\n\n   return additions;\n   }\n }]);\n return Library;\n}();\n\nfunction prepIcon(icon) {\n var width = icon[0];\n var height = icon[1];\n var vectorData = icon.slice(4);\n\n return {\n   found: true,\n   width: width,\n   height: height,\n   icon: { tag: 'path', attributes: { fill: 'currentColor', d: vectorData[0] } }\n };\n}\n\nvar _cssInserted = false;\nfunction ensureCss() {\n if (!config$1.autoAddCss) {\n   return;\n }\n\n if (!_cssInserted) {\n   insertCss(css());\n }\n\n _cssInserted = true;\n}\n\nfunction apiObject(val, abstractCreator) {\n Object.defineProperty(val, 'abstract', {\n   get: abstractCreator\n });\n\n Object.defineProperty(val, 'html', {\n   get: function get() {\n   return val.abstract.map(function (a) {\n   return toHtml(a);\n   });\n   }\n });\n\n Object.defineProperty(val, 'node', {\n   get: function get() {\n   if (!IS_DOM) return;\n\n   var container = DOCUMENT.createElement('div');\n   container.innerHTML = val.html;\n   return container.children;\n   }\n });\n\n return val;\n}\n\nfunction findIconDefinition(params) {\n var _params$prefix = params.prefix,\n   prefix = _params$prefix === undefined ? 'fa' : _params$prefix,\n   iconName = params.iconName;\n\n if (!iconName) return;\n\n return iconFromMapping(library.definitions, prefix, iconName) || iconFromMapping(namespace.styles, prefix, iconName);\n}\n\nfunction resolveIcons(next) {\n return function (maybeIconDefinition) {\n   var params = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : {};\n   var iconDefinition = (maybeIconDefinition || {}).icon ? maybeIconDefinition : findIconDefinition(maybeIconDefinition || {});\n\n   var mask = params.mask;\n\n   if (mask) {\n   mask = (mask || {}).icon ? mask : findIconDefinition(mask || {});\n

}\n\n   return next(iconDefinition, _extends({}, params, { mask: mask }));\n };\n}\n\nvar library = new Library();\n\nvar noAuto = function noAuto() {\n auto(false);\n disconnect();\n};\n\nvar dom = {\n i2svg: function i2svg() {\n   var params = arguments.length > 0 && arguments[0] !== undefined ? arguments[0] : {};\n\n   if (IS_DOM) {\n   ensureCss();\n\n   var _params$node = params.node,\n   node = _params$node === undefined ? DOCUMENT : _params$node,\n   _params$callback = params.callback,\n   callback = _params$callback === undefined ? function () {} : _params$callback;\n\n\n   if (config$1.searchPseudoElements) {\n   searchPseudoElements(node);\n   }\n\n   onTree(node, callback);\n   }\n },\n css: css,\n\n insertCss: function insertCss$$1() {\n   insertCss(css());\n }\n};\n\nvar parse = {\n transform: function transform(transformString) {\n   return parseTransformString(transformString);\n }\n};\n\nvar icon = resolveIcons(function (iconDefinition) {\n var params = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : {};\n var _params$transform = params.transform,\n   transform = _params$transform === undefined ? meaninglessTransform : _params$transform,\n   _params$symbol = params.symbol,\n   symbol = _params$symbol === undefined ? false : _params$symbol,\n   _params$mask = params.mask,\n   mask = _params$mask === undefined ? null : _params$mask,\n   _params$title = params.title,\n   title = _params$title === undefined ? null : _params$title,\n   _params$classes = params.classes,\n   classes = _params$classes === undefined ? [] : _params$classes,\n   _params$attributes = params.attributes,\n   attributes = _params$attributes === undefined ? {} : _params$attributes,\n   _params$styles = params.styles,\n   styles = _params$styles === undefined ? {} : _params$styles;\n\n\n if (!iconDefinition) return;\n\n var prefix = iconDefinition.prefix,\n   iconName = iconDefinition.iconName,\n   icon = iconDefinition.icon;\n\n\n return apiObject(_extends({ type: 'icon' }, iconDefinition), function () {\n   ensureCss();\n\n   if (config$1.autoA11y) {\n   if (title) {\n   attributes['aria-labelledby'] = config$1.replacementClass + '-title-' + nextUniqueId();\n   } else {\n   attributes['aria-hidden'] = 'true';\n   }\n   }\n\n   return makeInlineSvgAbstract({\n   icons: {\n   main: prepIcon(icon),\n   mask: mask ? prepIcon(mask.icon) : { found: false, width: null, height: null, icon: {} }\n   },\n   prefix: prefix,\n   iconName: iconName,\n   transform: _extends({}, meaninglessTransform, transform),\n   symbol: symbol,\n   title: title,\n   extra: {\n   attributes: attributes,\n   styles: styles,\n   classes: classes\n   }\n   });\n });\n});\n\nvar text = function text(content) {\n var params = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : {};\n var _params$transform2 = params.transform,\n   transform = _params$transform2 === undefined ? meaninglessTransform : _params$transform2,\n   _params$title2 = params.title,\n   title = _params$title2 === undefined ? null : _params$title2,\n   _params$classes2 = params.classes,\n   classes = _params$classes2 === undefined ? [] : _params$classes2,\n   _params$attributes2 = params.attributes,\n   attributes = _params$attributes2 === undefined ? {} : _params$attributes2,\n   _params$styles2 = params.styles,\n   styles = _params$styles2 === undefined ? {} : _params$styles2;\n\n\n return apiObject({ type: 'text', content: content }, function () {\n   ensureCss();\n\n   return makeLayersTextAbstract({\n   content: content,\n   transform: _extends({}, meaninglessTransform, transform),\n   title: title,\n   extra: {\n   attributes: attributes,\n   styles: styles,\n   classes: [config$1.familyPrefix + '-layers-text'].concat(toConsumableArray(classes))\n   }\n   });\n });\n};\n\nvar layer = function layer(assembler) {\n return apiObject({ type: 'layer' }, function () {\n   ensureCss();\n\n   var children = [];\n\n   assembler(function (args) {\n   Array.isArray(args) ? args.map(function (a) {\n   children = children.concat(a.abstract);\n   }) : children = children.concat(args.abstract);\n   });\n\n   return [{\n   tag: 'span',\n   attributes: { class: config$1.familyPrefix + '-layers' },\n   children: children\n   }];\n });\n};\n\nvar api$1 = {\n noAuto: noAuto,\n dom: dom,\n library: library,\n parse: parse,\n findIconDefinition: findIconDefinition,\n icon: icon,\n text: text,\n layer: layer\n};\n\nvar autoReplace = function autoReplace() {\n if (IS_DOM && config$1.autoReplaceSvg) api$1.dom.i2svg({ node: DOCUMENT });\n};\n\nfunction bootstrap() {\n if (IS_BROWSER) {\n   if (!WINDOW.FontAwesome) {\n   WINDOW.FontAwesome = api$1;\n   }\n\n   domready(function () {\n   if (Object.keys(namespace.styles).length > 0) {\n   autoReplace();\n   }\n\n   if (config$1.observeMutations && typeof MutationObserver === 'function') {\n   observe({\n   treeCallback: onTree,\n   nodeCallback: onNode,\n   pseudoElementsCallback: searchPseudoElements\n   });\n   }\n   });\n }\n\n namespace.hooks = _extends({}, namespace.hooks, {\n\n   addPack: function addPack(prefix, icons) {\n

namespace.styles[prefix] = _extends({}, namespace.styles[prefix] || {}, icons);\n\n   build();\n   autoReplace();\n },\n\n   addShims: function addShims(shims) {\n   var _namespace$shims;\n\n   (_namespace$shims = namespace.shims).push.apply(_namespace$shims, toConsumableArray(shims));\n\n   build();\n   autoReplace();\n }\n });\n}\n\nObject.defineProperty(api$1, 'config', {\n get: function get() {\n   return config$1;\n },\n\n set: function set(newConfig) {\n   update(newConfig);\n }\n});\n\nif (IS_DOM) bunker(bootstrap);\n\nvar config = api$1.config;\n\nexport { config, icon, noAuto, layer, text, library, dom, parse, findIconDefinition };\nexport default api$1;\n","var isObject = require('./_is-object');\nmodule.exports = function (it) {\n if (!isObject(it)) throw TypeError(it + ' is not an object!');\n return it;\n};\n","/**\n * This method returns the first argument it receives.\n *\n * @static\n * @since 0.1.0\n * @memberOf _\n * @category Util\n * @param {*} value Any value.\n * @returns {*} Returns `value`.\n * @example\n *\n * var object = { 'a': 1 };\n *\n * console.log(_.identity(object) === object);\n * // => true\n */\nfunction identity(value) {\n return value;\n}\n\nmodule.exports = identity;\n","var has = require('./_has');\nvar toIObject = require('./_to-iobject');\nvar arrayIndexOf = require('./_array-includes')(false);\nvar IE_PROTO = require('./_shared-key')('IE_PROTO');\n\nmodule.exports = function (object, names) {\n var O = toIObject(object);\n var i = 0;\n var result = [];\n var key;\n for (key in O) if (key != IE_PROTO) has(O, key) && result.push(key);\n // Don't enum bug & hidden keys\n while (names.length > i) if (has(O, key = names[i++])) {\n   ~arrayIndexOf(result, key) || result.push(key);\n }\n return result;\n};\n","var Symbol = require('./_Symbol'),\n   arrayMap = require('./_arrayMap'),\n   isArray = require('./isArray'),\n   isSymbol = require('./isSymbol');\n\n/** Used as references for various `Number` constants. */\nvar INFINITY = 1 / 0;\n\n/** Used to convert symbols to primitives and strings. */\nvar symbolProto = Symbol ? Symbol.prototype : undefined,\n   symbolToString = symbolProto ? symbolProto.toString : undefined;\n\n/**\n * The base implementation of `_.toString` which doesn't convert nullish\n * values to empty strings.\n *\n * @private\n * @param {*} value The value to process.\n * @returns {string} Returns the string.\n */\nfunction baseToString(value) {\n // Exit early for strings to avoid a performance hit in some environments.\n if (typeof value == 'string') {\n   return value;\n }\n if (isArray(value)) {\n   // Recursively convert values (susceptible to call stack limits).\n   return arrayMap(value, baseToString) + '';\n }\n if (isSymbol(value)) {\n   return symbolToString ? symbolToString.call(value) : '';\n }\n var result = (value + '');\n return (result == '0' && (1 / value) == -INFINITY) ? '-0' : result;\n}\n\nmodule.exports = baseToString;\n","var ListCache = require('./_ListCache'),\n   Map = require('./_Map'),\n   MapCache = require('./_MapCache');\n\n/** Used as the size to enable large array optimizations. */\nvar LARGE_ARRAY_SIZE = 200;\n\n/**\n * Sets the stack `key` to `value`.\n *\n * @private\n * @name set\n * @memberOf Stack\n * @param {string} key The key of the value to set.\n * @param {*} value The value to set.\n * @returns {Object} Returns the stack cache instance.\n */\nfunction stackSet(key, value) {\n var data = this.__data__;\n if (data instanceof ListCache) {\n   var pairs = data.__data__;\n   if (!Map || (pairs.length < LARGE_ARRAY_SIZE - 1)) {\n   pairs.push([key, value]);\n   this.size = ++data.size;\n   return this;\n   }\n   data = this.__data__ = new MapCache(pairs);\n }\n data.set(key, value);\n this.size = data.size;\n return this;\n}\n\nmodule.exports = stackSet;\n","'use strict';\nObject.defineProperty(exports, '__esModule', { value: true });\nvar prefix = 'fas';\nvar iconName = 'envelope';\nvar width = 512;\nvar height = 512;\nvar ligatures = [];\nvar unicode = 'f0e0';\nvar svgPathData = 'M502.3 190.8c3.9-3.1 9.7-.2 9.7 4.7V400c0 26.5-21.5 48-48 48H48c-26.5 0-48-21.5-48-48V195.6c0-5 5.7-7.8 9.7-4.7 22.4 17.4 52.1 39.5 154.1 113.6 21.1 15.4 56.7 47.8 92.2 47.6 35.7.3 72-32.8 92.3-47.6 102-74.1 131.6-96.3 154-113.7zM256 320c23.2.4 56.6-29.2 73.4-41.4 132.7-96.3 142.8-104.7 173.4-128.7 5.8-4.5 9.2-11.5 9.2-18.9v-19c0-26.5-21.5-48-48-48H48C21.5 64 0 85.5 0 112v19c0 7.4 3.4 14.3 9.2 18.9 30.6 23.9 40.7 32.4 173.4 128.7 16.8 12.2 50.2 41.8 73.4 41.4z';\n\nexports.definition = {\n prefix: prefix,\n iconName: iconName,\n icon: [\n   width,\n   height,\n   ligatures,\n   unicode,\n   svgPathData\n]};\n\nexports.faEnvelope = exports.definition;\nexports.prefix = prefix;\nexports.iconName = iconName;\nexports.width = width;\nexports.height = height;\nexports.ligatures = ligatures;\nexports.unicode = unicode;\nexports.svgPathData = svgPathData;","/**\n * This method returns a new empty array.\n *\n * @static\n * @memberOf _\n * @since 4.13.0\n * @category Util\n * @returns {Array} Returns the new empty array.\n * @example\n *\n * var arrays = _.times(2, _.stubArray);\n *\n * console.log(arrays);\n * // => [[], []]\n *\n * console.log(arrays[0] === arrays[1]);\n

* // => false\n */\nfunction stubArray() {\n return [];\n}\n\nmodule.exports = stubArray;\n","var baseIsArguments = require('./_baseIsArguments'),\n   isObjectLike = require('./isObjectLike');\n\n/** Used for built-in method references. */\nvar objectProto = Object.prototype;\n\n/** Used to check objects for own properties. */\nvar hasOwnProperty = objectProto.hasOwnProperty;\n\n/** Built-in value references. */\nvar propertyIsEnumerable = objectProto.propertyIsEnumerable;\n\n/**\n * Checks if `value` is likely an `arguments` object.\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @category Lang\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is an `arguments` object,\n * else `false`.\n * @example\n *\n * _.isArguments(function() { return arguments; }());\n * // => true\n *\n * _.isArguments([1, 2, 3]);\n * // => false\n */\nvar isArguments = baseIsArguments(function() { return arguments; }()) ? baseIsArguments : function(value) {\n return isObjectLike(value) && hasOwnProperty.call(value, 'callee') &&\n   !propertyIsEnumerable.call(value, 'callee');\n};\n\nmodule.exports = isArguments;\n","module.exports = function (it) {\n return typeof it === 'object' ? it !== null : typeof it === 'function';\n};\n","/**\n * The base implementation of `\_.sortBy` which uses `comparer` to\n * define the\n * sort order of `array` and replaces criteria objects with their corresponding\n * values.\n *\n * @private\n * @param {Array} array The array to sort.\n * @param {Function} comparer The function to define sort order.\n * @returns {Array} Returns `array`.\n */\nfunction baseSortBy(array, comparer) {\n var length = array.length;\n\n array.sort(comparer);\n while (length--) {\n   array[length] = array[length].value;\n }\n return array;\n}\n\nmodule.exports = baseSortBy;\n","export default function _classCallCheck(instance, Constructor) {\n if (!(instance instanceof Constructor)) {\n   throw new TypeError(\"Cannot call a class as a function\");\n }\n}","module.exports = function (done, value) {\n return { value: value, done: !!done };\n};\n","var MapCache = require('./_MapCache'),\n   setCacheAdd = require('./_setCacheAdd'),\n   setCacheHas = require('./_setCacheHas');\n\n/**\n *\n * Creates an array cache object to store unique values.\n *\n * @private\n * @constructor\n * @param {Array} [values] The values to cache.\n */\nfunction SetCache(values) {\n var index = -1,\n   length = values == null ? 0 : values.length;\n\n this.__data__ = new MapCache;\n while (++index < length) {\n   this.add(values[index]);\n }\n}\n\n// Add methods to `SetCache`.\nSetCache.prototype.add = SetCache.prototype.push = setCacheAdd;\nSetCache.prototype.has = setCacheHas;\n\nmodule.exports = SetCache;\n","module.exports = function (it) {\n if (typeof it != 'function') throw TypeError(it + ' is not a function!');\n return it;\n};\n","var root = require('./_root');\n\n/** Used to detect overreaching core-js shims. */\nvar coreJsData = root['__core-js_shared__'];\n\nmodule.exports = coreJsData;\n","/**\n * Checks if `value` is in the array cache.\n *\n * @private\n * @name has\n * @memberOf SetCache\n * @param {*} value The value to search for.\n * @returns {number} Returns `true` if `value` is found, else `false`.\n */\nfunction setCacheHas(value) {\n return this.__data__.has(value);\n}\n\nmodule.exports = setCacheHas;\n","/** Used for built-in method references. */\nvar funcProto = Function.prototype;\n\n/** Used to resolve the decompiled source of functions. */\nvar funcToString = funcProto.toString;\n\n/**\n * Converts `func` to its source code.\n *\n * @private\n * @param {Function} func The function to convert.\n * @returns {string} Returns the source code.\n */\nfunction toSource(func) {\n if (func != null) {\n   try {\n   return funcToString.call(func);\n   } catch (e) {}\n   try {\n   return (func + '');\n   } catch (e) {}\n }\n return '';\n}\n\nmodule.exports = toSource;\n","var redefine = require('./_redefine');\nmodule.exports = function (target, src, safe) {\n for (var key in src) redefine(target, key, src[key], safe);\n return target;\n};\n","var arrayMap = require('./_arrayMap'),\n   baseIteratee = require('./_baseIteratee'),\n   baseMap = require('./_baseMap'),\n   isArray = require('./isArray');\n\n/**\n * Creates an array of values by running each element in `collection` thru\n * `iteratee`. The iteratee is invoked with three arguments:\n * (value, index|key, collection).\n *\n * Many lodash methods are guarded to work as iteratees for methods like\n * `\_.every`, `\_.filter`, `\_.map`, `\_.mapValues`, `\_.reject`, and `\_.some`.\n *\n * The guarded methods are:\n * `ary`, `chunk`, `curry`, `curryRight`, `drop`, `dropRight`, `every`,\n * `fill`, `invert`, `parseInt`, `random`,\n * `range`, `rangeRight`, `repeat`,\n * `sampleSize`, `slice`, `some`, `sortBy`, `split`, `take`, `takeRight`,\n * `template`, `trim`, `trimEnd`, `trimStart`, and `words`\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @category Collection\n * @param {Array|Object} collection The collection to iterate over.\n * @param {Function} [iteratee=_.identity] The function invoked per iteration.\n * @returns {Array} Returns the new mapped array.\n * @example\n *\n * function square(n) {\n *   return n * n;\n * }\n *\n * _.map([4, 8], square);\n * // => [16, 64]\n *\n

* _.map({ 'a': 4, 'b': 8 }, square);\n * // => [16, 64] (iteration order is not guaranteed)\n *\n * var users = [\n *   {
'user': 'barney' },\n *   { 'user': 'fred' }\n *];\n *\n * // The `_.property` iteratee shorthand.\n * _.map(users, 'user');\n
* // => ['barney', 'fred']\n */\nfunction map(collection, iteratee) {\n var func = isArray(collection) ? arrayMap :
baseMap;\n return func(collection, baseIteratee(iteratee, 3));\n}\n\nmodule.exports = map;\n","import mod from \"-
!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-0!../../node_modules/css-
loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-
loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-
2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-
0!../../node_modules/vue-loader/lib/index.js??vue-loader-
options!./EmbedForm.vue?vue&type=style&index=0&id=502aea85&lang=scss&scoped=true&\"; export default
mod; export * from \"-!../../node_modules/mini-css-extract-plugin/dist/loader.js??ref--8-oneOf-1-
0!../../node_modules/css-loader/index.js??ref--8-oneOf-1-1!../../node_modules/vue-
loader/lib/loaders/stylePostLoader.js!../../node_modules/postcss-loader/src/index.js??ref--8-oneOf-1-
2!../../node_modules/sass-loader/lib/loader.js??ref--8-oneOf-1-3!../../node_modules/cache-loader/dist/cjs.js??ref--0-
0!../../node_modules/vue-loader/lib/index.js??vue-loader-
options!./EmbedForm.vue?vue&type=style&index=0&id=502aea85&lang=scss&scoped=true&\"","// Copyright
Joyent, Inc. and other Node contributors.\n//\n// Permission is hereby granted, free of charge, to any person
obtaining a\n// copy of this software and associated documentation files (the\n// \"Software\"), to deal in the
Software without restriction, including\n// without limitation the rights to use, copy, modify, merge, publish,\n//
distribute, sublicense, and/or sell copies of the Software, and to permit\n// persons to whom the Software is
furnished to do so, subject to the\n// following conditions:\n//\n// The above copyright notice and this permission
notice shall be included\n// in all copies or substantial portions of the Software.\n//\n// THE SOFTWARE IS
PROVIDED \"AS IS\", WITHOUT WARRANTY OF ANY KIND, EXPRESS\n// OR IMPLIED, INCLUDING
BUT NOT LIMITED TO THE WARRANTIES OF\n// MERCHANTABILITY, FITNESS FOR A PARTICULAR
PURPOSE AND NONINFRINGEMENT. IN\n// NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM,\n// DAMAGES OR OTHER LIABILITY, WHETHER IN AN
ACTION OF CONTRACT, TORT OR\n// OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE\n// USE OR OTHER DEALINGS IN THE SOFTWARE.\n\n// resolves . and ..
elements in a path array with directory names there\n// must be no slashes, empty elements, or device names (c:\\) in
the array\n// (so also no leading and trailing slashes - it does not distinguish\n// relative and absolute
paths)\nfunction normalizeArray(parts, allowAboveRoot) {\n // if the path tries to go above the root, `up` ends up >
0\n var up = 0;\n for (var i = parts.length - 1; i >= 0; i--) {\n   var last = parts[i];\n   if (last === '.') {\n
parts.splice(i, 1);\n   } else if (last === '..') {\n   parts.splice(i, 1);\n   up++;\n   } else if (up) {\n   parts.splice(i,
1);\n   up--;\n   }\n }\n\n // if the path is allowed to go above the root, restore leading ..s\n if (allowAboveRoot)
{\n   for (; up--; up) {\n   parts.unshift('..');\n   }\n }\n\n return parts;\n}\n\n// Split a filename into [root, dir,
basename, ext], unix version\n// 'root' is just a slash, or nothing.\nvar splitPathRe =\n
/^(\\/?)([\\s\\S]*?)((?:\\.{1,2}|[^\\/]+?)(\\.[^.\\/]*|))(?:[\\/]*)$/;\nvar splitPath = function(filename) {\n return
splitPathRe.exec(filename).slice(1);\n};\n\n// path.resolve([from ...], to)\n// posix version\nexports.resolve =
function() {\n var resolvedPath = '',\n   resolvedAbsolute = false;\n\n for (var i = arguments.length - 1; i >= -1
&& !resolvedAbsolute; i--) {\n   var path = (i >= 0) ? arguments[i] : process.cwd();\n\n   // Skip empty and invalid
entries\n   if (typeof path !== 'string') {\n   throw new TypeError('Arguments to path.resolve must be strings');\n
} else if (!path) {\n   continue;\n   }\n\n   resolvedPath = path + '/' + resolvedPath;\n   resolvedAbsolute =
path.charAt(0) === '/';\n }\n\n // At this point the path should be resolved to a full absolute path, but\n // handle
relative paths to be safe (might happen when process.cwd() fails)\n\n // Normalize the path\n resolvedPath =
normalizeArray(filter(resolvedPath.split('/'), function(p) {\n   return !!p;\n }), !resolvedAbsolute).join('/');\n\n
return ((resolvedAbsolute ? '/' : '') + resolvedPath) || '.';\n};\n\n// path.normalize(path)\n// posix
version\nexports.normalize = function(path) {\n var isAbsolute = exports.isAbsolute(path),\n   trailingSlash =
substr(path, -1) === '/';\n\n // Normalize the path\n path = normalizeArray(filter(path.split('/'), function(p) {\n

return !!p;\n }), !isAbsolute).join('/');\n\n if (!path && !isAbsolute) {\n   path = '.';\n }\n if (path && trailingSlash) {\n   path += '/';\n }\n\n return (isAbsolute ? '/' : '') + path;\n};\n\n// posix version\nexports.isAbsolute = function(path) {\n return path.charAt(0) === '/';\n};\n\n// posix version\nexports.join = function() {\n var paths = Array.prototype.slice.call(arguments, 0);\n return exports.normalize(filter(paths, function(p, index) {\n   if (typeof p !== 'string') {\n   throw new TypeError('Arguments to path.join must be strings');\n   }\n   return p;\n }).join('/'));\n};\n\n\n// path.relative(from, to)\n// posix version\nexports.relative = function(from, to) {\n from = exports.resolve(from).substr(1);\n to = exports.resolve(to).substr(1);\n\n function trim(arr) {\n   var start = 0;\n   for (; start < arr.length; start++) {\n   if (arr[start] !== '') break;\n   }\n\n   var end = arr.length - 1;\n   for (; end >= 0; end--) {\n   if (arr[end] !== '') break;\n   }\n\n   if (start > end) return [];\n   return arr.slice(start, end - start + 1);\n }\n\n var fromParts = trim(from.split('/'));\n var toParts = trim(to.split('/'));\n\n var length = Math.min(fromParts.length, toParts.length);\n var samePartsLength = length;\n for (var i = 0; i < length; i++) {\n   if (fromParts[i] !== toParts[i]) {\n   samePartsLength = i;\n   break;\n   }\n }\n\n var outputParts = [];\n for (var i = samePartsLength; i < fromParts.length; i++) {\n   outputParts.push('..');\n }\n\n outputParts = outputParts.concat(toParts.slice(samePartsLength));\n\n return outputParts.join('/');\n};\n\nexports.sep = '/';\nexports.delimiter = ':';\n\nexports.dirname = function(path) {\n var result = splitPath(path),\n   root = result[0],\n   dir = result[1];\n\n if (!root && !dir) {\n   // No dirname whatsoever\n   return '.';\n }\n\n if (dir) {\n   // It has a dirname, strip trailing slash\n   dir = dir.substr(0, dir.length - 1);\n }\n\n return root + dir;\n};\n\n\nexports.basename = function(path, ext) {\n var f = splitPath(path)[2];\n // TODO: make this comparison case-insensitive on windows?\n if (ext && f.substr(-1 * ext.length) === ext) {\n   f = f.substr(0, f.length - ext.length);\n }\n return f;\n};\n\n\nexports.extname = function(path) {\n return splitPath(path)[3];\n};\n\nfunction filter (xs, f) {\n   if (xs.filter) return xs.filter(f);\n   var res = [];\n   for (var i = 0; i < xs.length; i++) {\n   if (f(xs[i], i, xs)) res.push(xs[i]);\n   }\n   return res;\n}\n\n\n// String.prototype.substr - negative index don't work in IE8\nvar substr = 'ab'.substr(-1) === 'b'\n   ? function (str, start, len) { return str.substr(start, len) }\n   : function (str, start, len) {\n   if (start < 0) start = str.length + start;\n   return str.substr(start, len);\n   }\n;\n","// IE 8- don't enum bug keys\nmodule.exports = (\n 'constructor,hasOwnProperty,isPrototypeOf,propertyIsEnumerable,toLocaleString,toString,valueOf'\n).split(',');\n","var hashClear = require('./_hashClear'),\n   hashDelete = require('./_hashDelete'),\n   hashGet = require('./_hashGet'),\n   hashHas = require('./_hashHas'),\n   hashSet = require('./_hashSet');\n\n/**\n * Creates a hash object.\n *\n * @private\n * @constructor\n * @param {Array} [entries] The key-value pairs to cache.\n */\nfunction Hash(entries) {\n var index = -1,\n   length = entries == null ? 0 : entries.length;\n\n this.clear();\n while (++index < length) {\n   var entry = entries[index];\n   this.set(entry[0], entry[1]);\n }\n}\n\n// Add methods to `Hash`.\nHash.prototype.clear = hashClear;\nHash.prototype['delete'] = hashDelete;\nHash.prototype.get = hashGet;\nHash.prototype.has = hashHas;\nHash.prototype.set = hashSet;\n\nmodule.exports = Hash;\n","var castPath = require('./_castPath'),\n   isArguments = require('./isArguments'),\n   isArray = require('./isArray'),\n   isIndex = require('./_isIndex'),\n   isLength = require('./isLength'),\n   toKey = require('./_toKey');\n\n/**\n * Checks if `path` exists on `object`.\n *\n * @private\n * @param {Object} object The object to query.\n * @param {Array|string} path The path to check.\n * @param {Function} hasFunc The function to check properties.\n * @returns {boolean} Returns `true` if `path` exists, else `false`.\n */\nfunction hasPath(object, path, hasFunc) {\n path = castPath(path, object);\n\n var index = -1,\n   length = path.length,\n   result = false;\n\n while (++index < length) {\n   var key = toKey(path[index]);\n   if (!(result = object != null && hasFunc(object, key))) {\n   break;\n   }\n   object = object[key];\n }\n if (result || ++index != length) {\n   return result;\n }\n length = object == null ? 0 : object.length;\n return !!length && isLength(length) && isIndex(key, length) &&\n   (isArray(object) || isArguments(object));\n}\n\nmodule.exports = hasPath;\n","var isArray = require('./isArray'),\n   isKey = require('./_isKey'),\n   stringToPath = require('./_stringToPath'),\n   toString = require('./toString');\n\n/**\n * Casts `value` to a path array if it's not one.\n *\n * @private\n * @param {*} value The value to inspect.\n * @param {Object} [object] The object to query keys on.\n * @returns {Array} Returns the cast property path array.\n */\nfunction castPath(value, object) {\n if (isArray(value)) {\n   return value;\n }\n return isKey(value, object) ? [value] : stringToPath(toString(value));\n}\n\nmodule.exports = castPath;\n","var MapCache =

require('./_MapCache');\n\n/** Error message constants. */\nvar FUNC_ERROR_TEXT = 'Expected a function';\n\n/**\n * Creates a function that memoizes the result of `func`. If `resolver` is\n * provided, it determines the cache key for storing the result based on the\n * arguments provided to the memoized function. By default, the first argument\n * provided to the memoized function is used as the map cache key. The `func`\n * is invoked with the `this` binding of the memoized function.\n *\n * **Note:** The cache is exposed as the `cache` property on the memoized\n * function. Its creation may be customized by replacing the `_.memoize.Cache`\n * constructor with one whose instances implement the\n * [`Map`](http://ecma-international.org/ecma-262/7.0/#sec-properties-of-the-map-prototype-object)\n * method interface of `clear`, `delete`, `get`, `has`, and `set`.\n *\n * @static\n * @memberOf _\n * @since 0.1.0\n * @category Function\n * @param {Function} func The function to have its output memoized.\n * @param {Function} [resolver] The function to resolve the cache key.\n * @returns {Function} Returns the new memoized function.\n * @example\n *\n * var object = { 'a': 1, 'b': 2 };\n * var other = { 'c': 3, 'd': 4 };\n *\n * var values = _.memoize(_.values);\n * values(object);\n * // => [1, 2]\n *\n * values(other);\n * // => [3, 4]\n *\n * object.a = 2;\n * values(object);\n * // => [1, 2]\n *\n * // Modify the result cache.\n * values.cache.set(object, ['a', 'b']);\n * values(object);\n * // => ['a', 'b']\n *\n * // Replace `_.memoize.Cache`.\n * _.memoize.Cache = WeakMap;\n */\nfunction memoize(func, resolver) {\n if (typeof func != 'function' || (resolver != null && typeof resolver != 'function')) {\n   throw new TypeError(FUNC_ERROR_TEXT);\n }\n var memoized = function() {\n   var args = arguments,\n   key = resolver ? resolver.apply(this, args) : args[0],\n   cache = memoized.cache;\n\n   if (cache.has(key)) {\n   return cache.get(key);\n   }\n   var result = func.apply(this, args);\n   memoized.cache = cache.set(key, result) || cache;\n   return result;\n };\n memoized.cache = new (memoize.Cache || MapCache);\n return memoized;\n}\n\n\n// Expose `MapCache`.\nmemoize.Cache = MapCache;\n\nmodule.exports = memoize;\n","use strict';\nObject.defineProperty(exports, '__esModule', { value: true });\nvar prefix = 'fas';\nvar iconName = 'times';\nvar width = 352;\nvar height = 512;\nvar ligatures = [];\nvar unicode = 'f00d';\nvar svgPathData = 'M242.72 256l100.07-100.07c12.28-12.28 12.28-32.19 0-44.48l-22.24-22.24c-12.28-12.28-32.19-12.28-44.48 0L176 189.28 75.93 89.21c-12.28-12.28-32.19-12.28-44.48 0L9.21 111.45c-12.28 12.28-12.28 32.19 0 44.48L109.28 256 9.21 356.07c-12.28 12.28-12.28 32.19 0 44.48l22.24 22.24c12.28 12.28 32.2 12.28 44.48 0L176 322.72l100.07 100.07c12.28 12.28 32.2 12.28 44.48 0l22.24-22.24c12.28-12.28 12.28-32.19 0-44.48L242.72 256z';\n\nexports.definition = {\n prefix: prefix,\n iconName: iconName,\n icon: [\n   width,\n   height,\n   ligatures,\n   unicode,\n   svgPathData\n]};\nexports.faTimes = exports.definition;\nexports.prefix = prefix;\nexports.iconName = iconName;\nexports.width = width;\nexports.height = height;\nexports.ligatures = ligatures;\nexports.unicode = unicode;\nexports.svgPathData = svgPathData;","var baseGet = require('./_baseGet');\n\n/**\n * A specialized version of `baseProperty` which supports deep paths.\n *\n * @private\n * @param {Array|string} path The path of the property to get.\n * @returns {Function} Returns the new accessor function.\n */\nfunction basePropertyDeep(path) {\n return function(object) {\n   return baseGet(object, path);\n };\n}\n\nmodule.exports = basePropertyDeep;\n","\"use strict\";\n\n// eslint-disable-next-line no-empty-function\nmodule.exports = function () {};\n","/** Used for built-in method references. */\nvar objectProto = Object.prototype;\n\n/**\n * Checks if `value` is likely a prototype object.\n *\n * @private\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is a prototype, else `false`.\n */\nfunction isPrototype(value) {\n var Ctor = value && value.constructor,\n   proto = (typeof Ctor == 'function' && Ctor.prototype) || objectProto;\n\n return value === proto;\n}\n\nmodule.exports = isPrototype;\n","// 7.3.20 SpeciesConstructor(O, defaultConstructor)\nvar anObject = require('./_an-object');\nvar aFunction = require('./_a-function');\nvar SPECIES = require('./_wks')('species');\nmodule.exports = function (O, D) {\n var C = anObject(O).constructor;\n var S;\n return C === undefined || (S = anObject(C)[SPECIES]) == undefined ? D : aFunction(S);\n};\n","var arrayLikeKeys = require('./_arrayLikeKeys'),\n   baseKeys = require('./_baseKeys'),\n   isArrayLike = require('./isArrayLike');\n\n/**\n * Creates an array of the own enumerable property names of\n * `object`.\n *\n * **Note:** Non-object values are coerced to objects. See the\n * [ES spec](http://ecma-international.org/ecma-262/7.0/#sec-object.keys)\n * for more details.\n *\n * @static\n * @since 0.1.0\n * @memberOf _\n * @category Object\n * @param {Object} object The object to query.\n * @returns {Array}

Returns the array of property names.\n * @example\n *\n * function Foo() {\n *   this.a = 1;\n *   this.b = 2;\n * }\n *\n * Foo.prototype.c = 3;\n *\n * _.keys(new Foo);\n * // => ['a', 'b'] (iteration order is not guaranteed)\n *\n * _.keys('hi');\n * // => ['0', '1']\n */\nfunction keys(object) {\n return isArrayLike(object) ? arrayLikeKeys(object) : baseKeys(object);\n}\n\nmodule.exports = keys;\n","\"use strict\";\n\nmodule.exports = function () {\n\ttry {\n\t\tObject.keys(\"primitive\");\n\t\treturn true;\n\t} catch (e) {\n\t\treturn false;\n\t}\n};\n","/**\n * Converts `map` to its key-value pairs.\n *\n * @private\n * @param {Object} map The map to convert.\n * @returns {Array} Returns the key-value pairs.\n */\nfunction mapToArray(map) {\n var index = -1,\n   result = Array(map.size);\n\n map.forEach(function(value, key) {\n   result[++index] = [key, value];\n });\n return result;\n}\n\nmodule.exports = mapToArray;\n","'use strict';\nObject.defineProperty(exports, '__esModule', { value: true });\nvar prefix = 'fas';\nvar iconName = 'code';\nvar width = 640;\nvar height = 512;\nvar ligatures = [];\nvar unicode = 'f121';\nvar svgPathData = 'M278.9 511.5l-61-17.7c-6.4-1.8-10-8.5-8.2-14.9L346.2 8.7c1.8-6.4 8.5-10 14.9-8.2l61 17.7c6.4 1.8 10 8.5 8.2 14.9L293.8 503.3c-1.9 6.4-8.5 10.1-14.9 8.2zm-114-112.2l43.5-46.4c4.6-4.9 4.3-12.7-.8-17.2L117 256l90.6-79.7c5.1-4.5 5.5-12.3.8-17.2l-43.5-46.4c-4.5-4.8-12.1-5.1-17-.5L3.8 247.2c-5.1 4.7-5.1 12.8 0 17.5l144.1 135.1c4.9 4.6 12.5 4.4 17-.5zm327.2.6l144.1-135.1c5.1-4.7 5.1-12.8 0-17.5L492.1 112.1c-4.8-4.5-12.4-4.3-17 .5L431.6 159c-4.6 4.9-4.3 12.7.8 17.2L523 256l-90.6 79.7c-5.1 4.5-5.5 12.3-.8 17.2l43.5 46.4c4.5 4.9 12.1 5.1 17 .6z';\n\nexports.definition = {\n prefix: prefix,\n iconName: iconName,\n icon: [\n   width,\n   height,\n   ligatures,\n   unicode,\n   svgPathData\n]};\n\nexports.faCode = exports.definition;\nexports.prefix = prefix;\nexports.iconName = iconName;\nexports.width = width;\nexports.height = height;\nexports.ligatures = ligatures;\nexports.unicode = unicode;\nexports.svgPathData = svgPathData;","/**\n * The base implementation of `_.property` without support for deep paths.\n *\n * @private\n * @param {string} key The key of the property to get.\n * @returns {Function} Returns the new accessor function.\n */\nfunction baseProperty(key) {\n return function(object) {\n   return object == null ? undefined : object[key];\n };\n}\n\nmodule.exports = baseProperty;\n","var ListCache = require('./_ListCache');\n\n/**\n * Removes all key-value entries from the stack.\n *\n * @private\n * @name clear\n * @memberOf Stack\n */\nfunction stackClear() {\n this.__data__ = new ListCache;\n this.size = 0;\n}\n\nmodule.exports = stackClear;\n","/**!\n * @fileOverview Kickass library to create and place poppers near their reference elements.\n * @version 1.14.5\n * @license\n * Copyright (c) 2016 Federico Zivolo and contributors\n *\n * Permission is hereby granted, free of charge, to any person obtaining a copy\n * of this software and associated documentation files (the \"Software\"), to deal\n * in the Software without restriction, including without limitation the rights\n * to use, copy, modify, merge, publish, distribute, sublicense, and/or sell\n * copies of the Software, and to permit persons to whom the Software is\n * furnished to do so, subject to the following conditions:\n *\n * The above copyright notice and this permission notice shall be included in all\n * copies or substantial portions of the Software.\n *\n * THE SOFTWARE IS PROVIDED \"AS IS\", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR\n * IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,\n * FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE\n * AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER\n * LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,\n * OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE\n * SOFTWARE.\n */\nvar isBrowser = typeof window !== 'undefined' && typeof document !== 'undefined';\n\nvar longerTimeoutBrowsers = ['Edge', 'Trident', 'Firefox'];\nvar timeoutDuration = 0;\nfor (var i = 0; i < longerTimeoutBrowsers.length; i += 1) {\n if (isBrowser && navigator.userAgent.indexOf(longerTimeoutBrowsers[i]) >= 0) {\n   timeoutDuration = 1;\n   break;\n }\n}\n\nfunction microtaskDebounce(fn) {\n var called = false;\n return function () {\n   if (called) {\n   return;\n   }\n   called = true;\n   window.Promise.resolve().then(function () {\n   called = false;\n   fn();\n   });\n };\n}\n\nfunction taskDebounce(fn) {\n var scheduled = false;\n return function () {\n   if (!scheduled) {\n   scheduled = true;\n   setTimeout(function () {\n   scheduled = false;\n   fn();\n   }, timeoutDuration);\n   }\n };\n}\n\nvar supportsMicroTasks = isBrowser && window.Promise;\n\n/**\n* Create a debounced version of a method, that's asynchronously deferred\n* but called in the minimum time possible.\n*\n* @method\n* @memberof Popper.Utils\n* @argument {Function} fn\n* @returns {Function}\n*/\nvar debounce =

supportsMicroTasks ? microtaskDebounce : taskDebounce;\n\n/**\n * Check if the given variable is a function\n * @method\n * @memberof Popper.Utils\n * @argument {Any} functionToCheck - variable to check\n * @returns {Boolean} answer to: is a function?\n */\nfunction isFunction(functionToCheck) {\n var getType = {};\n return functionToCheck && getType.toString.call(functionToCheck) === '[object Function]';\n}\n\n/**\n * Get CSS computed property of the given element\n * @method\n * @memberof Popper.Utils\n * @argument {Eement} element\n * @argument {String} property\n */\nfunction getStyleComputedProperty(element, property) {\n if (element.nodeType !== 1) {\n   return [];\n }\n // NOTE: 1 DOM access here\n var window = element.ownerDocument.defaultView;\n var css = window.getComputedStyle(element, null);\n return property ? css[property] : css;\n}\n\n/**\n * Returns the parentNode or the host of the element\n * @method\n * @memberof Popper.Utils\n * @argument {Element} element\n * @returns {Element} parent\n */\nfunction getParentNode(element) {\n if (element.nodeName === 'HTML') {\n   return element;\n }\n return element.parentNode || element.host;\n}\n\n/**\n * Returns the scrolling parent of the given element\n * @method\n * @memberof Popper.Utils\n * @argument {Element} element\n * @returns {Element} scroll parent\n */\nfunction getScrollParent(element) {\n // Return body, `getScroll` will take care to get the correct `scrollTop` from it\n if (!element) {\n   return document.body;\n }\n\n switch (element.nodeName) {\n   case 'HTML':\n   case 'BODY':\n   return element.ownerDocument.body;\n   case '#document':\n   return element.body;\n }\n\n // Firefox want us to check `-x` and `-y` variations as well\n\n var _getStyleComputedProp = getStyleComputedProperty(element),\n   overflow = _getStyleComputedProp.overflow,\n   overflowX = _getStyleComputedProp.overflowX,\n   overflowY = _getStyleComputedProp.overflowY;\n\n if (/(auto|scroll|overlay)/.test(overflow + overflowY + overflowX)) {\n   return element;\n }\n\n return getScrollParent(getParentNode(element));\n}\n\nvar isIE11 = isBrowser && !!(window.MSInputMethodContext && document.documentMode);\nvar isIE10 = isBrowser && /MSIE 10/.test(navigator.userAgent);\n\n/**\n * Determines if the browser is Internet Explorer\n * @method\n * @memberof Popper.Utils\n * @param {Number} version to check\n * @returns {Boolean} isIE\n */\nfunction isIE(version) {\n if (version === 11) {\n   return isIE11;\n }\n if (version === 10) {\n   return isIE10;\n }\n return isIE11 || isIE10;\n}\n\n/**\n * Returns the offset parent of the given element\n * @method\n * @memberof Popper.Utils\n * @argument {Element} element\n * @returns {Element} offset parent\n */\nfunction getOffsetParent(element) {\n if (!element) {\n   return document.documentElement;\n }\n\n var noOffsetParent = isIE(10) ? document.body : null;\n\n // NOTE: 1 DOM access here\n var offsetParent = element.offsetParent || null;\n // Skip hidden elements which don't have an offsetParent\n while (offsetParent === noOffsetParent && element.nextElementSibling) {\n   offsetParent = (element = element.nextElementSibling).offsetParent;\n }\n\n var nodeName = offsetParent && offsetParent.nodeName;\n\n if (!nodeName || nodeName === 'BODY' || nodeName === 'HTML') {\n   return element ? element.ownerDocument.documentElement : document.documentElement;\n }\n\n // .offsetParent will return the closest TH, TD or TABLE in case\n // no offsetParent is present, I hate this job...\n if (['TH', 'TD', 'TABLE'].indexOf(offsetParent.nodeName) !== -1 && getStyleComputedProperty(offsetParent, 'position') === 'static') {\n   return getOffsetParent(offsetParent);\n }\n\n return offsetParent;\n}\n\nfunction isOffsetContainer(element) {\n var nodeName = element.nodeName;\n\n if (nodeName === 'BODY') {\n   return false;\n }\n return nodeName === 'HTML' || getOffsetParent(element.firstElementChild) === element;\n}\n\n/**\n * Finds the root node (document, shadowDOM root) of the given element\n * @method\n * @memberof Popper.Utils\n * @argument {Element} node\n * @returns {Element} root node\n */\nfunction getRoot(node) {\n if (node.parentNode !== null) {\n   return getRoot(node.parentNode);\n }\n\n return node;\n}\n\n/**\n * Finds the offset parent common to the two provided nodes\n * @method\n * @memberof Popper.Utils\n * @argument {Element} element1\n * @argument {Element} element2\n * @returns {Element} common offset parent\n */\nfunction findCommonOffsetParent(element1, element2) {\n // This check is needed to avoid errors in case one of the elements isn't defined for any reason\n if (!element1 || !element1.nodeType || !element2 || !element2.nodeType) {\n   return document.documentElement;\n }\n\n // Here we make sure to give as \"start\" the element that comes first in the DOM\n var order = element1.compareDocumentPosition(element2) & Node.DOCUMENT_POSITION_FOLLOWING;\n var start = order ? element1 : element2;\n var end = order ?

element2 : element1;\n\n // Get common ancestor container\n var range = document.createRange();\n range.setStart(start, 0);\n range.setEnd(end, 0);\n var commonAncestorContainer = range.commonAncestorContainer;\n\n // Both nodes are inside #document\n\n if (element1 !== commonAncestorContainer && element2 !== commonAncestorContainer || start.contains(end)) {\n   if (isOffsetContainer(commonAncestorContainer)) {\n   return commonAncestorContainer;\n   }\n\n   return getOffsetParent(commonAncestorContainer);\n }\n\n // one of the nodes is inside shadowDOM, find which one\n var element1root = getRoot(element1);\n if (element1root.host) {\n   return findCommonOffsetParent(element1root.host, element2);\n } else {\n   return findCommonOffsetParent(element1, getRoot(element2).host);\n }\n}\n\n/**\n * Gets the scroll value of the given element in the given side (top and left)\n * @method\n * @memberof Popper.Utils\n * @argument {Element} element\n * @argument {String} side `top` or `left`\n * @returns {number} amount of scrolled pixels\n */\nfunction getScroll(element) {\n var side = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : 'top';\n\n var upperSide = side === 'top' ? 'scrollTop' : 'scrollLeft';\n var nodeName = element.nodeName;\n\n if (nodeName === 'BODY' || nodeName === 'HTML') {\n   var html = element.ownerDocument.documentElement;\n   var scrollingElement = element.ownerDocument.scrollingElement || html;\n   return scrollingElement[upperSide];\n }\n\n return element[upperSide];\n}\n\n/*\n * Sum or subtract the element scroll values (left and top) from a given rect object\n * @method\n * @memberof Popper.Utils\n * @param {Object} rect - Rect object you want to change\n * @param {HTMLElement} element - The element from the function reads the scroll values\n * @param {Boolean} subtract - set to true if you want to subtract the scroll values\n * @return {Object} rect - The modifier rect object\n */\nfunction includeScroll(rect, element) {\n var subtract = arguments.length > 2 && arguments[2] !== undefined ? arguments[2] : false;\n\n var scrollTop = getScroll(element, 'top');\n var scrollLeft = getScroll(element, 'left');\n var modifier = subtract ? -1 : 1;\n rect.top += scrollTop * modifier;\n rect.bottom += scrollTop * modifier;\n rect.left += scrollLeft * modifier;\n rect.right += scrollLeft * modifier;\n return rect;\n}\n\n/*\n * Helper to detect borders of a given element\n * @method\n * @memberof Popper.Utils\n * @param {CSSStyleDeclaration} styles\n * Result of `getStyleComputedProperty` on the given element\n * @param {String} axis - `x` or `y`\n * @return {number} borders - The borders size of the given axis\n */\n\nfunction getBordersSize(styles, axis) {\n var sideA = axis === 'x' ? 'Left' : 'Top';\n var sideB = sideA === 'Left' ? 'Right' : 'Bottom';\n\n return parseFloat(styles['border' + sideA + 'Width'], 10) + parseFloat(styles['border' + sideB + 'Width'], 10);\n}\n\nfunction getSize(axis, body, html, computedStyle) {\n return Math.max(body['offset' + axis], body['scroll' + axis], html['client' + axis], html['offset' + axis], html['scroll' + axis], isIE(10) ? parseInt(html['offset' + axis]) + parseInt(computedStyle['margin' + (axis === 'Height' ? 'Top' : 'Left')]) + parseInt(computedStyle['margin' + (axis === 'Height' ? 'Bottom' : 'Right')]) : 0);\n}\n\nfunction getWindowSizes(document) {\n var body = document.body;\n var html = document.documentElement;\n var computedStyle = isIE(10) && getComputedStyle(html);\n\n return {\n   height: getSize('Height', body, html, computedStyle),\n   width: getSize('Width', body, html, computedStyle)\n };\n}\n\nvar classCallCheck = function (instance, Constructor) {\n if (!(instance instanceof Constructor)) {\n   throw new TypeError(\"Cannot call a class as a function\");\n }\n};\n\nvar createClass = function () {\n function defineProperties(target, props) {\n   for (var i = 0; i < props.length; i++) {\n   var descriptor = props[i];\n   descriptor.enumerable = descriptor.enumerable || false;\n   descriptor.configurable = true;\n   if (\"value\" in descriptor) descriptor.writable = true;\n   Object.defineProperty(target, descriptor.key, descriptor);\n   }\n }\n\n return function (Constructor, protoProps, staticProps) {\n   if (protoProps) defineProperties(Constructor.prototype, protoProps);\n   if (staticProps) defineProperties(Constructor, staticProps);\n   return Constructor;\n };\n}();\n\n\n\n\n\nvar defineProperty = function (obj, key, value) {\n if (key in obj) {\n   Object.defineProperty(obj, key, {\n   value: value,\n   enumerable: true,\n   configurable: true,\n   writable: true\n   });\n } else {\n   obj[key] = value;\n }\n\n return obj;\n};\n\nvar _extends = Object.assign || function (target) {\n for (var i = 1; i < arguments.length; i++) {\n   var source = arguments[i];\n\n   for (var key in source) {\n   if (Object.prototype.hasOwnProperty.call(source, key)) {\n   target[key] = source[key];\n   }\n   }\n }\n\n return target;\n};\n\n/**\n * Given element offsets, generate an output similar to getBoundingClientRect\n * @method\n * @memberof Popper.Utils\n * @argument {Object} offsets\n * @returns {Object} ClientRect like

output\n */\nfunction getClientRect(offsets) {\n return _extends({}, offsets, {\n   right: offsets.left + offsets.width,\n   bottom: offsets.top + offsets.height\n });\n}\n\n/**\n * Get bounding client rect of given element\n * @method\n * @memberof Popper.Utils\n * @param {HTMLElement} element\n * @return {Object} client rect\n */\nfunction getBoundingClientRect(element) {\n var rect = {};\n\n // IE10 10 FIX: Please, don't ask, the element isn't\n // considered in DOM in some circumstances...\n // This isn't reproducible in IE10 compatibility mode of IE11\n try {\n   if (isIE(10)) {\n   rect = element.getBoundingClientRect();\n   var scrollTop = getScroll(element, 'top');\n   var scrollLeft = getScroll(element, 'left');\n   rect.top += scrollTop;\n   rect.left += scrollLeft;\n   rect.bottom += scrollTop;\n   rect.right += scrollLeft;\n   } else {\n   rect = element.getBoundingClientRect();\n   }\n } catch (e) {}\n\n var result = {\n   left: rect.left,\n   top: rect.top,\n   width: rect.right - rect.left,\n   height: rect.bottom - rect.top\n };\n\n // subtract scrollbar size from sizes\n var sizes = element.nodeName === 'HTML' ? getWindowSizes(element.ownerDocument) : {};\n var width = sizes.width || element.clientWidth || result.right - result.left;\n var height = sizes.height || element.clientHeight || result.bottom - result.top;\n\n var horizScrollbar = element.offsetWidth - width;\n var vertScrollbar = element.offsetHeight - height;\n\n // if an hypothetical scrollbar is detected, we must be sure it's not a `border`\n // we make this check conditional for performance reasons\n if (horizScrollbar || vertScrollbar) {\n   var styles = getStyleComputedProperty(element);\n   horizScrollbar -= getBordersSize(styles, 'x');\n   vertScrollbar -= getBordersSize(styles, 'y');\n\n   result.width -= horizScrollbar;\n   result.height -= vertScrollbar;\n }\n\n return getClientRect(result);\n}\n\nfunction getOffsetRectRelativeToArbitraryNode(children, parent) {\n var fixedPosition = arguments.length > 2 && arguments[2] !== undefined ? arguments[2] : false;\n\n var isIE10 = isIE(10);\n var isHTML = parent.nodeName === 'HTML';\n var childrenRect = getBoundingClientRect(children);\n var parentRect = getBoundingClientRect(parent);\n var scrollParent = getScrollParent(children);\n\n var styles = getStyleComputedProperty(parent);\n var borderTopWidth = parseFloat(styles.borderTopWidth, 10);\n var borderLeftWidth = parseFloat(styles.borderLeftWidth, 10);\n\n // In cases where the parent is fixed, we must ignore negative scroll in offset calc\n if (fixedPosition && isHTML) {\n   parentRect.top = Math.max(parentRect.top, 0);\n   parentRect.left = Math.max(parentRect.left, 0);\n }\n var offsets = getClientRect({\n   top: childrenRect.top - parentRect.top - borderTopWidth,\n   left: childrenRect.left - parentRect.left - borderLeftWidth,\n   width: childrenRect.width,\n   height: childrenRect.height\n });\n offsets.marginTop = 0;\n offsets.marginLeft = 0;\n\n // Subtract margins of documentElement in case it's being used as parent\n // we do this only on HTML because it's the only element that behaves\n // differently when margins are applied to it. The margins are included in\n // the box of the documentElement, in the other cases not.\n if (!isIE10 && isHTML) {\n   var marginTop = parseFloat(styles.marginTop, 10);\n   var marginLeft = parseFloat(styles.marginLeft, 10);\n\n   offsets.top -= borderTopWidth - marginTop;\n   offsets.bottom -= borderTopWidth - marginTop;\n   offsets.left -= borderLeftWidth - marginLeft;\n   offsets.right -= borderLeftWidth - marginLeft;\n\n   // Attach marginTop and marginLeft because in some circumstances we may need them\n   offsets.marginTop = marginTop;\n   offsets.marginLeft = marginLeft;\n }\n\n if (isIE10 && !fixedPosition ? parent.contains(scrollParent) : parent === scrollParent && scrollParent.nodeName !== 'BODY') {\n   offsets = includeScroll(offsets, parent);\n }\n\n return offsets;\n}\n\nfunction getViewportOffsetRectRelativeToArtbitraryNode(element) {\n var excludeScroll = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : false;\n\n var html = element.ownerDocument.documentElement;\n var relativeOffset = getOffsetRectRelativeToArbitraryNode(element, html);\n var width = Math.max(html.clientWidth, window.innerWidth || 0);\n var height = Math.max(html.clientHeight, window.innerHeight || 0);\n\n var scrollTop = !excludeScroll ? getScroll(html) : 0;\n var scrollLeft = !excludeScroll ? getScroll(html, 'left') : 0;\n\n var offset = {\n   top: scrollTop - relativeOffset.top + relativeOffset.marginTop,\n   left: scrollLeft - relativeOffset.left + relativeOffset.marginLeft,\n   width: width,\n   height: height\n };\n\n return getClientRect(offset);\n}\n\n/**\n * Check if the given element is fixed or is inside a fixed parent\n * @method\n * @memberof Popper.Utils\n * @argument {Element} element\n * @argument {Element} customContainer\n * @returns {Boolean} answer to \"isFixed?\"\n */\nfunction isFixed(element) {\n var nodeName = element.nodeName;\n if (nodeName === 'BODY' || nodeName === 'HTML') {\n   return false;\n }\n if (getStyleComputedProperty(element, 'position') ===

'fixed') {\n   return true;\n }\n return isFixed(getParentNode(element));\n}\n\n/**\n * Finds the first parent of an element that has a transformed property defined\n * @method\n * @memberof Popper.Utils\n * @argument {Element} element\n * @returns {Element} first transformed parent or documentElement */\n\nfunction getFixedPositionOffsetParent(element) {\n // This check is needed to avoid errors in case one of the elements isn't defined for any reason\n if (!element || !element.parentElement || isIE()) {\n   return document.documentElement;\n }\n var el = element.parentElement;\n while (el && getStyleComputedProperty(el, 'transform') === 'none') {\n   el = el.parentElement;\n }\n return el || document.documentElement;\n}\n\n/**\n * Computed the boundaries limits and return them\n * @method\n * @memberof Popper.Utils\n * @param {HTMLElement} popper\n * @param {HTMLElement} reference\n * @param {number} padding\n * @param {HTMLElement} boundariesElement - Element used to define the boundaries\n * @param {Boolean} fixedPosition - Is in fixed position mode\n * @returns {Object} Coordinates of the boundaries */\n\nfunction getBoundaries(popper, reference, padding, boundariesElement) {\n var fixedPosition = arguments.length > 4 && arguments[4] !== undefined ? arguments[4] : false;\n\n // NOTE: 1 DOM access here\n\n var boundaries = { top: 0, left: 0 };\n var offsetParent = fixedPosition ? getFixedPositionOffsetParent(popper) : findCommonOffsetParent(popper, reference);\n\n // Handle viewport case\n if (boundariesElement === 'viewport') {\n   boundaries = getViewportOffsetRectRelativeToArtbitraryNode(offsetParent, fixedPosition);\n } else {\n   // Handle other cases based on DOM element used as boundaries\n   var boundariesNode = void 0;\n   if (boundariesElement === 'scrollParent') {\n   boundariesNode = getScrollParent(getParentNode(reference));\n   if (boundariesNode.nodeName === 'BODY') {\n   boundariesNode = popper.ownerDocument.documentElement;\n   }\n   } else if (boundariesElement === 'window') {\n   boundariesNode = popper.ownerDocument.documentElement;\n   } else {\n   boundariesNode = boundariesElement;\n   }\n\n   var offsets = getOffsetRectRelativeToArbitraryNode(boundariesNode, offsetParent, fixedPosition);\n\n   // In case of HTML, we need a different computation\n   if (boundariesNode.nodeName === 'HTML' && !isFixed(offsetParent)) {\n   var _getWindowSizes = getWindowSizes(popper.ownerDocument),\n   height = _getWindowSizes.height,\n   width = _getWindowSizes.width;\n\n   boundaries.top += offsets.top - offsets.marginTop;\n   boundaries.bottom = height + offsets.top;\n   boundaries.left += offsets.left - offsets.marginLeft;\n   boundaries.right = width + offsets.left;\n   } else {\n   // for all the other DOM elements, this one is good\n   boundaries = offsets;\n   }\n }\n\n // Add paddings\n padding = padding || 0;\n var isPaddingNumber = typeof padding === 'number';\n boundaries.left += isPaddingNumber ? padding : padding.left || 0;\n boundaries.top += isPaddingNumber ? padding : padding.top || 0;\n boundaries.right -= isPaddingNumber ? padding : padding.right || 0;\n boundaries.bottom -= isPaddingNumber ? padding : padding.bottom || 0;\n\n return boundaries;\n}\n\nfunction getArea(_ref) {\n var width = _ref.width,\n   height = _ref.height;\n\n return width * height;\n}\n\n/**\n * Utility used to transform the `auto` placement to the placement with more\n * available space.\n * @method\n * @memberof Popper.Utils\n * @argument {Object} data - The data object generated by update method\n * @argument {Object} options - Modifiers configuration and options\n * @returns {Object} The data object, properly modified */\n\nfunction computeAutoPlacement(placement, refRect, popper, reference, boundariesElement) {\n var padding = arguments.length > 5 && arguments[5] !== undefined ? arguments[5] : 0;\n\n if (placement.indexOf('auto') === -1) {\n   return placement;\n }\n\n var boundaries = getBoundaries(popper, reference, padding, boundariesElement);\n\n var rects = {\n   top: {\n   width: boundaries.width,\n   height: refRect.top - boundaries.top\n   },\n   right: {\n   width: boundaries.right - refRect.right,\n   height: boundaries.height\n   },\n   bottom: {\n   width: boundaries.width,\n   height: boundaries.bottom - refRect.bottom\n   },\n   left: {\n   width: refRect.left - boundaries.left,\n   height: boundaries.height\n   }\n };\n\n var sortedAreas = Object.keys(rects).map(function (key) {\n   return _extends({\n   key: key\n   }, rects[key], {\n   area: getArea(rects[key])\n   });\n }).sort(function (a, b) {\n   return b.area - a.area;\n });\n\n var filteredAreas = sortedAreas.filter(function (_ref2) {\n   var width = _ref2.width,\n   height = _ref2.height;\n   return width >= popper.clientWidth && height >= popper.clientHeight;\n });\n\n var computedPlacement = filteredAreas.length > 0 ? filteredAreas[0].key : sortedAreas[0].key;\n\n var variation = placement.split('-')[1];\n\n return computedPlacement + (variation ? '-' + variation : '');\n}\n\n/**\n * Get offsets to

the reference element\n * @method\n * @memberof Popper.Utils\n * @param {Object} state\n * @param {Element} popper - the popper element\n * @param {Element} reference - the reference element (the popper will be relative to this)\n * @param {Element} fixedPosition - is in fixed position mode\n * @returns {Object} An object containing the offsets which will be applied to the popper\n */\nfunction getReferenceOffsets(state, popper, reference) {\n var fixedPosition = arguments.length > 3 && arguments[3] !== undefined ? arguments[3] : null;\n\n var commonOffsetParent = fixedPosition ? getFixedPositionOffsetParent(popper) : findCommonOffsetParent(popper, reference);\n return getOffsetRectRelativeToArbitraryNode(reference, commonOffsetParent, fixedPosition);\n}\n\n/**\n * Get the outer sizes of the given element (offset size + margins)\n * @method\n * @memberof Popper.Utils\n * @argument {Element} element\n * @returns {Object} object containing width and height properties\n */\nfunction getOuterSizes(element) {\n var window = element.ownerDocument.defaultView;\n var styles = window.getComputedStyle(element);\n var x = parseFloat(styles.marginTop) + parseFloat(styles.marginBottom);\n var y = parseFloat(styles.marginLeft) + parseFloat(styles.marginRight);\n var result = {\n   width: element.offsetWidth + y,\n   height: element.offsetHeight + x\n };\n return result;\n}\n\n/**\n * Get the opposite placement of the given one\n * @method\n * @memberof Popper.Utils\n * @argument {String} placement\n * @returns {String} flipped placement\n */\nfunction getOppositePlacement(placement) {\n var hash = { left: 'right', right: 'left', bottom: 'top', top: 'bottom' };\n return placement.replace(/left|right|bottom|top/g, function (matched) {\n   return hash[matched];\n });\n}\n\n/**\n * Get offsets to the popper\n * @method\n * @memberof Popper.Utils\n * @param {Object} position - CSS position the Popper will get applied\n * @param {HTMLElement} popper - the popper element\n * @param {Object} referenceOffsets - the reference offsets (the popper will be relative to this)\n * @param {String} placement - one of the valid placement options\n * @returns {Object} popperOffsets - An object containing the offsets which will be applied to the popper\n */\nfunction getPopperOffsets(popper, referenceOffsets, placement) {\n placement = placement.split('-')[0];\n\n // Get popper node sizes\n var popperRect = getOuterSizes(popper);\n\n // Add position, width and height to our offsets object\n var popperOffsets = {\n   width: popperRect.width,\n   height: popperRect.height\n };\n\n // depending by the popper placement we have to compute its offsets slightly differently\n var isHoriz = ['right', 'left'].indexOf(placement) !== -1;\n var mainSide = isHoriz ? 'top' : 'left';\n var secondarySide = isHoriz ? 'left' : 'top';\n var measurement = isHoriz ? 'height' : 'width';\n var secondaryMeasurement = !isHoriz ? 'height' : 'width';\n\n popperOffsets[mainSide] = referenceOffsets[mainSide] + referenceOffsets[measurement] / 2 - popperRect[measurement] / 2;\n if (placement === secondarySide) {\n   popperOffsets[secondarySide] = referenceOffsets[secondarySide] - popperRect[secondaryMeasurement];\n } else {\n   popperOffsets[secondarySide] = referenceOffsets[getOppositePlacement(secondarySide)];\n }\n\n return popperOffsets;\n}\n\n/**\n * Mimics the `find` method of Array\n * @method\n * @memberof Popper.Utils\n * @argument {Array} arr\n * @argument prop\n * @argument value\n * @returns index or -1\n */\nfunction find(arr, check) {\n // use native find if supported\n if (Array.prototype.find) {\n   return arr.find(check);\n }\n\n // use `filter` to obtain the same behavior of `find`\n return arr.filter(check)[0];\n}\n\n/**\n * Return the index of the matching object\n * @method\n * @memberof Popper.Utils\n * @argument {Array} arr\n * @argument prop\n * @argument value\n * @returns index or -1\n */\nfunction findIndex(arr, prop, value) {\n // use native findIndex if supported\n if (Array.prototype.findIndex) {\n   return arr.findIndex(function (cur) {\n   return cur[prop] === value;\n   });\n }\n\n // use `find` + `indexOf` if `findIndex` isn't supported\n var match = find(arr, function (obj) {\n   return obj[prop] === value;\n });\n return arr.indexOf(match);\n}\n\n/**\n * Loop trough the list of modifiers and run them in order,\n * each of them will then edit the data object.\n * @method\n * @memberof Popper.Utils\n * @param {dataObject} data\n * @param {Array} modifiers\n * @param {String} ends - Optional modifier name used as stopper\n * @returns {dataObject}\n */\nfunction runModifiers(modifiers, data, ends) {\n var modifiersToRun = ends === undefined ? modifiers : modifiers.slice(0, findIndex(modifiers, 'name', ends));\n\n modifiersToRun.forEach(function (modifier) {\n   if (modifier['function']) {\n   // eslint-disable-line dot-notation\n   console.warn(`modifier.function` is deprecated, use `modifier.fn`!`);\n   }\n   var fn = modifier['function'] || modifier.fn; // eslint-disable-line dot-notation\n   if (modifier.enabled && isFunction(fn)) {\n   // Add properties

to offsets to make them a complete clientRect object\n   // we do this before each modifier to make sure the previous one doesn't\n   // mess with these values\n   data.offsets.popper = getClientRect(data.offsets.popper);\n   data.offsets.reference = getClientRect(data.offsets.reference);\n\n   data = fn(data, modifier);\n   }\n });\n\n return data;\n}\n\n/**\n * Updates the position of the popper, computing the new offsets and applying\n * the new style.
\n * Prefer `scheduleUpdate` over `update` because of performance reasons.\n * @method\n * @memberof Popper\n */\nfunction update() {\n // if popper is destroyed, don't perform any further update\n if (this.state.isDestroyed) {\n   return;\n }\n\n var data = {\n   instance: this,\n   styles: {},\n   arrowStyles: {},\n   attributes: {},\n   flipped: false,\n   offsets: {}\n };\n\n // compute reference element offsets\n data.offsets.reference = getReferenceOffsets(this.state, this.popper, this.reference, this.options.positionFixed);\n\n // compute auto placement, store placement inside the data object,\n // modifiers will be able to edit `placement` if needed\n // and refer to originalPlacement to know the original value\n data.placement = computeAutoPlacement(this.options.placement, data.offsets.reference, this.popper, this.reference, this.options.modifiers.flip.boundariesElement, this.options.modifiers.flip.padding);\n\n // store the computed placement inside `originalPlacement`\n data.originalPlacement = data.placement;\n\n data.positionFixed = this.options.positionFixed;\n\n // compute the popper offsets\n data.offsets.popper = getPopperOffsets(this.popper, data.offsets.reference, data.placement);\n\n data.offsets.popper.position = this.options.positionFixed ? 'fixed' : 'absolute';\n\n // run the modifiers\n data = runModifiers(this.modifiers, data);\n\n // the first `update` will call `onCreate` callback\n // the other ones will call `onUpdate` callback\n if (!this.state.isCreated) {\n   this.state.isCreated = true;\n   this.options.onCreate(data);\n } else {\n   this.options.onUpdate(data);\n }\n}\n\n/**\n * Helper used to know if the given modifier is enabled.\n * @method\n * @memberof Popper.Utils\n * @returns {Boolean}\n */\nfunction isModifierEnabled(modifiers, modifierName) {\n return modifiers.some(function (_ref) {\n   var name = _ref.name,\n   enabled = _ref.enabled;\n   return enabled && name === modifierName;\n });\n}\n\n/**\n * Get the prefixed supported property name\n * @method\n * @memberof Popper.Utils\n * @argument {String} property (camelCase)\n * @returns {String} prefixed property (camelCase or PascalCase, depending on the vendor prefix)\n */\nfunction getSupportedPropertyName(property) {\n var prefixes = [false, 'ms', 'Webkit', 'Moz', 'O'];\n var upperProp = property.charAt(0).toUpperCase() + property.slice(1);\n\n for (var i = 0; i < prefixes.length; i++) {\n   var prefix = prefixes[i];\n   var toCheck = prefix ? '' + prefix + upperProp : property;\n   if (typeof document.body.style[toCheck] !== 'undefined') {\n   return toCheck;\n   }\n }\n return null;\n}\n\n/**\n * Destroys the popper.\n * @method\n * @memberof Popper\n */\nfunction destroy() {\n this.state.isDestroyed = true;\n\n // touch DOM only if `applyStyle` modifier is enabled\n if (isModifierEnabled(this.modifiers, 'applyStyle')) {\n   this.popper.removeAttribute('x-placement');\n   this.popper.style.position = '';\n   this.popper.style.top = '';\n   this.popper.style.left = '';\n   this.popper.style.right = '';\n   this.popper.style.bottom = '';\n   this.popper.style.willChange = '';\n   this.popper.style[getSupportedPropertyName('transform')] = '';\n }\n\n this.disableEventListeners();\n\n // remove the popper if user explicity asked for the deletion on destroy\n // do not use `remove` because IE11 doesn't support it\n if (this.options.removeOnDestroy) {\n   this.popper.parentNode.removeChild(this.popper);\n }\n return this;\n}\n\n/**\n * Get the window associated with the element\n * @argument {Element} element\n * @returns {Window}\n */\nfunction getWindow(element) {\n var ownerDocument = element.ownerDocument;\n return ownerDocument ? ownerDocument.defaultView : window;\n}\n\nfunction attachToScrollParents(scrollParent, event, callback, scrollParents) {\n var isBody = scrollParent.nodeName === 'BODY';\n var target = isBody ? scrollParent.ownerDocument.defaultView : scrollParent;\n target.addEventListener(event, callback, { passive: true });\n\n if (!isBody) {\n   attachToScrollParents(getScrollParent(target.parentNode), event, callback, scrollParents);\n }\n scrollParents.push(target);\n}\n\n/**\n * Setup needed event listeners used to update the popper position\n * @method\n * @memberof Popper.Utils\n * @private\n */\nfunction setupEventListeners(reference, options, state, updateBound) {\n // Resize event listener on window\n state.updateBound = updateBound;\n getWindow(reference).addEventListener('resize', state.updateBound, { passive: true });\n\n // Scroll event listener on scroll parents\n var scrollElement = getScrollParent(reference);\n attachToScrollParents(scrollElement, 'scroll', state.updateBound, state.scrollParents);\n state.scrollElement =

scrollElement;\n state.eventsEnabled = true;\n\n return state;\n}\n\n/**\n * It will add resize/scroll events and start recalculating\n * position of the popper element when they are triggered.\n * @method\n * @memberof Popper\n */\nfunction enableEventListeners() {\n if (!this.state.eventsEnabled) {\n   this.state = setupEventListeners(this.reference, this.options, this.state, this.scheduleUpdate);\n }\n}\n\n/**\n * Remove event listeners used to update the popper position\n * @method\n * @memberof Popper.Utils\n * @private\n */\nfunction removeEventListeners(reference, state) {\n // Remove resize event listener on window\n getWindow(reference).removeEventListener('resize', state.updateBound);\n\n // Remove scroll event listener on scroll parents\n state.scrollParents.forEach(function (target) {\n   target.removeEventListener('scroll', state.updateBound);\n });\n\n // Reset state\n state.updateBound = null;\n state.scrollParents = [];\n state.scrollElement = null;\n state.eventsEnabled = false;\n return state;\n}\n\n/**\n * It will remove resize/scroll events and won't recalculate popper position\n * when they are triggered. It also won't trigger `onUpdate` callback anymore,\n * unless you call `update` method manually.\n * @method\n * @memberof Popper\n */\nfunction disableEventListeners() {\n if (this.state.eventsEnabled) {\n   cancelAnimationFrame(this.scheduleUpdate);\n   this.state = removeEventListeners(this.reference, this.state);\n }\n}\n\n/**\n * Tells if a given input is a number\n * @method\n * @memberof Popper.Utils\n * @param {*} input to check\n * @return {Boolean}\n */\nfunction isNumeric(n) {\n return n !== '' && !isNaN(parseFloat(n)) && isFinite(n);\n}\n\n/**\n * Set the style to the given popper\n * @method\n * @memberof Popper.Utils\n * @argument {Element} element - Element to apply the style to\n * @argument {Object} styles\n * Object with a list of properties and values which will be applied to the element\n */\nfunction setStyles(element, styles) {\n Object.keys(styles).forEach(function (prop) {\n   var unit = '';\n   // add unit if the value is numeric and is one of the following\n   if (['width', 'height', 'top', 'right', 'bottom', 'left'].indexOf(prop) !== -1 && isNumeric(styles[prop])) {\n   unit = 'px';\n   }\n   element.style[prop] = styles[prop] + unit;\n });\n}\n\n/**\n * Set the attributes to the given popper\n * @method\n * @memberof Popper.Utils\n * @argument {Element} element - Element to apply the attributes to\n * @argument {Object} styles\n * Object with a list of properties and values which will be applied to the element\n */\nfunction setAttributes(element, attributes) {\n Object.keys(attributes).forEach(function (prop) {\n   var value = attributes[prop];\n   if (value !== false) {\n   element.setAttribute(prop, attributes[prop]);\n   } else {\n   element.removeAttribute(prop);\n   }\n });\n}\n\n/**\n * @function\n * @memberof Modifiers\n * @argument {Object} data - The data object generated by `update` method\n * @argument {Object} data.styles - List of style properties - values to apply to popper element\n * @argument {Object} data.attributes - List of attribute properties - values to apply to popper element\n * @argument {Object} options - Modifiers configuration and options\n * @returns {Object} The same data object\n */\nfunction applyStyle(data) {\n // any property present in `data.styles` will be applied to the popper,\n // in this way we can make the 3rd party modifiers add custom styles to it\n // Be aware, modifiers could override the properties defined in the previous\n // lines of this modifier!\n setStyles(data.instance.popper, data.styles);\n\n // any property present in `data.attributes` will be applied to the popper,\n // they will be set as HTML attributes of the element\n setAttributes(data.instance.popper, data.attributes);\n\n // if arrowElement is defined and arrowStyles has some properties\n if (data.arrowElement && Object.keys(data.arrowStyles).length) {\n   setStyles(data.arrowElement, data.arrowStyles);\n }\n\n return data;\n}\n\n/**\n * Set the x-placement attribute before everything else because it could be used\n * to add margins to the popper margins needs to be calculated to get the\n * correct popper offsets.\n * @method\n * @memberof Popper.modifiers\n * @param {HTMLElement} reference - The reference element used to position the popper\n * @param {HTMLElement} popper - The HTML element used as popper\n * @param {Object} options - Popper.js options\n */\nfunction applyStyleOnLoad(reference, popper, options, modifierOptions, state) {\n // compute reference element offsets\n var referenceOffsets = getReferenceOffsets(state, popper, reference, options.positionFixed);\n\n // compute auto placement, store placement inside the data object,\n // modifiers will be able to edit `placement` if needed\n // and refer to originalPlacement to know the original value\n var placement = computeAutoPlacement(options.placement, referenceOffsets, popper, reference, options.modifiers.flip.boundariesElement, options.modifiers.flip.padding);\n\n popper.setAttribute('x-placement', placement);\n\n // Apply `position` to popper before anything else because\n // without the position applied we

can't guarantee correct computations\n setStyles(popper, { position: options.positionFixed ? 'fixed' : 'absolute' });\n\n return options;\n}\n\n/**\n * @function\n * @memberof Modifiers\n * @argument {Object} data - The data object generated by `update` method\n * @argument {Object} options - Modifiers configuration and options\n * @returns {Object} The data object, properly modified\n */\nfunction computeStyle(data, options) {\n var x = options.x,\n   y = options.y;\n var popper = data.offsets.popper;\n\n // Remove this legacy support in Popper.js v2\n\n var legacyGpuAccelerationOption = find(data.instance.modifiers, function (modifier) {\n   return modifier.name === 'applyStyle';\n }).gpuAcceleration;\n if (legacyGpuAccelerationOption !== undefined) {\n console.warn('WARNING: `gpuAcceleration` option moved to `computeStyle` modifier and will not be supported in future versions of Popper.js!');\n }\n var gpuAcceleration = legacyGpuAccelerationOption !== undefined ? legacyGpuAccelerationOption : options.gpuAcceleration;\n\n var offsetParent = getOffsetParent(data.instance.popper);\n var offsetParentRect = getBoundingClientRect(offsetParent);\n\n // Styles\n var styles = {\n   position: popper.position\n };\n\n // Avoid blurry text by using full pixel integers.\n // For pixel-perfect positioning, top/bottom prefers rounded\n // values, while left/right prefers floored values.\n var offsets = {\n   left: Math.floor(popper.left),\n   top: Math.round(popper.top),\n   bottom: Math.round(popper.bottom),\n   right: Math.floor(popper.right)\n };\n\n var sideA = x === 'bottom' ? 'top' : 'bottom';\n var sideB = y === 'right' ? 'left' : 'right';\n\n // if gpuAcceleration is set to `true` and transform is supported,\n // we use `translate3d` to apply the position to the popper we\n // automatically use the supported prefixed version if needed\n var prefixedProperty = getSupportedPropertyName('transform');\n\n // now, let's make a step back and look at this code closely (wtf?)\n // If the content of the popper grows once it's been positioned, it\n // may happen that the popper gets misplaced because of the new content\n // overflowing its reference element\n // To avoid this problem, we provide two options (x and y), which allow\n // the consumer to define the offset origin.\n // If we position a popper on top of a reference element, we can set\n // `x` to `top` to make the popper grow towards its top instead of\n // its bottom.\n var left = void 0,\n   top = void 0;\n if (sideA === 'bottom') {\n // when offsetParent is <html> the positioning is relative to the bottom of the screen (excluding the scrollbar)\n   // and not the bottom of the html element\n   if (offsetParent.nodeName === 'HTML') {\n   top = -offsetParent.clientHeight + offsets.bottom;\n   } else {\n   top = -offsetParentRect.height + offsets.bottom;\n   }\n } else {\n   top = offsets.top;\n }\n if (sideB === 'right') {\n   if (offsetParent.nodeName === 'HTML') {\n   left = -offsetParent.clientWidth + offsets.right;\n   } else {\n   left = -offsetParentRect.width + offsets.right;\n   }\n } else {\n   left = offsets.left;\n }\n if (gpuAcceleration && prefixedProperty) {\n   styles[prefixedProperty] = 'translate3d(' + left + 'px, ' + top + 'px, 0)';\n   styles[sideA] = 0;\n   styles[sideB] = 0;\n   styles.willChange = 'transform';\n } else {\n   // othwerise, we use the standard `top`, `left`, `bottom` and `right` properties\n   var invertTop = sideA === 'bottom' ? -1 : 1;\n   var invertLeft = sideB === 'right' ? -1 : 1;\n   styles[sideA] = top * invertTop;\n   styles[sideB] = left * invertLeft;\n   styles.willChange = sideA + ', ' + sideB;\n }\n\n // Attributes\n var attributes = {\n   'x-placement': data.placement\n };\n\n // Update `data` attributes, styles and arrowStyles\n data.attributes = _extends({}, attributes, data.attributes);\n data.styles = _extends({}, styles, data.styles);\n data.arrowStyles = _extends({}, data.offsets.arrow, data.arrowStyles);\n\n return data;\n}\n\n/**\n * Helper used to know if the given modifier depends from another one.
\n * It checks if the needed modifier is listed and enabled.\n * @method\n * @memberof Popper.Utils\n * @param {Array} modifiers - list of modifiers\n * @param {String} requestingName - name of requesting modifier\n * @param {String} requestedName - name of requested modifier\n * @returns {Boolean}\n */\nfunction isModifierRequired(modifiers, requestingName, requestedName) {\n var requesting = find(modifiers, function (_ref) {\n   var name = _ref.name;\n   return name === requestingName;\n });\n\n var isRequired = !!requesting && modifiers.some(function (modifier) {\n   return modifier.name === requestedName && modifier.enabled && modifier.order < requesting.order;\n });\n\n if (!isRequired) {\n   var _requesting = '`' + requestingName + '`';\n   var requested = '`' + requestedName + '`';\n console.warn(requested + ' modifier is required by ' + _requesting + ' modifier in order to work, be sure to include it before ' + _requesting + '!');\n }\n return isRequired;\n}\n\n/**\n * @function\n * @memberof Modifiers\n * @argument {Object} data - The data object generated by update method\n * @argument {Object} options - Modifiers configuration and options\n * @returns {Object} The data object, properly modified\n */\nfunction

arrow(data, options) {\n var _data$offsets$arrow;\n\n // arrow depends on keepTogether in order to work\n if (!isModifierRequired(data.instance.modifiers, 'arrow', 'keepTogether')) {\n   return data;\n }\n\n var arrowElement = options.element;\n\n // if arrowElement is a string, suppose it's a CSS selector\n if (typeof arrowElement === 'string') {\n   arrowElement = data.instance.popper.querySelector(arrowElement);\n\n   // if arrowElement is not found, don't run the modifier\n   if (!arrowElement) {\n   return data;\n   }\n } else {\n   // if the arrowElement isn't a query selector we must check that the\n   // provided DOM node is child of its popper node\n   if (!data.instance.popper.contains(arrowElement)) {\n   console.warn('WARNING: `arrow.element` must be child of its popper element!');\n   return data;\n   }\n }\n\n var placement = data.placement.split('-')[0];\n var _data$offsets = data.offsets,\n   popper = _data$offsets.popper,\n   reference = _data$offsets.reference;\n\n var isVertical = ['left', 'right'].indexOf(placement) !== -1;\n\n var len = isVertical ? 'height' : 'width';\n var sideCapitalized = isVertical ? 'Top' : 'Left';\n var side = sideCapitalized.toLowerCase();\n var altSide = isVertical ? 'left' : 'top';\n var opSide = isVertical ? 'bottom' : 'right';\n var arrowElementSize = getOuterSizes(arrowElement)[len];\n\n //\n // extends keepTogether behavior making sure the popper and its\n // reference have enough pixels in conjunction\n //\n\n // top/left side\n if (reference[opSide] - arrowElementSize < popper[side]) {\n   data.offsets.popper[side] -= popper[side] - (reference[opSide] - arrowElementSize);\n }\n // bottom/right side\n if (reference[side] + arrowElementSize > popper[opSide]) {\n   data.offsets.popper[side] += reference[side] + arrowElementSize - popper[opSide];\n }\n data.offsets.popper = getClientRect(data.offsets.popper);\n\n // compute center of the popper\n var center = reference[side] + reference[len] / 2 - arrowElementSize / 2;\n\n // Compute the sideValue using the updated popper offsets\n // take popper margin in account because we don't have this info available\n var css = getStyleComputedProperty(data.instance.popper);\n var popperMarginSide = parseFloat(css['margin' + sideCapitalized], 10);\n var popperBorderSide = parseFloat(css['border' + sideCapitalized + 'Width'], 10);\n var sideValue = center - data.offsets.popper[side] - popperMarginSide - popperBorderSide;\n\n // prevent arrowElement from being placed not contiguously to its popper\n sideValue = Math.max(Math.min(popper[len] - arrowElementSize, sideValue), 0);\n\n data.arrowElement = arrowElement;\n data.offsets.arrow = (_data$offsets$arrow = {}, defineProperty(_data$offsets$arrow, side, Math.round(sideValue)), defineProperty(_data$offsets$arrow, altSide, ''), _data$offsets$arrow);\n\n return data;\n}\n\n\n/**\n * Get the opposite placement variation of the given one\n * @method\n * @memberof Popper.Utils\n * @argument {String} placement variation\n * @returns {String} flipped placement variation\n */\nfunction getOppositeVariation(variation) {\n if (variation === 'end') {\n   return 'start';\n } else if (variation === 'start') {\n   return 'end';\n }\n return variation;\n}\n\n\n/**\n * List of accepted placements to use as values of the `placement`\n * option.
\n * Valid placements are:\n * - `auto`\n * - `top`\n * - `right`\n * - `bottom`\n * - `left`\n *\n * Each placement can have a variation from this list:\n * - `-start`\n * - `-end`\n *\n * Variations are interpreted easily if you think of them as the left to right\n * written languages. Horizontally (`top` and `bottom`), `start` is left and `end`\n * is right.
\n * Vertically (`left` and `right`), `start` is top and `end` is bottom.\n *\n * Some valid examples are:\n * - `top-end` (on top of reference, right aligned)\n * - `right-start` (on right of reference, top aligned)\n * - `bottom` (on bottom, centered)\n * - `auto-end` (on the side with more space available, alignment depends by placement)\n *\n * @static\n * @type {Array}\n * @enum {String}\n * @readonly\n * @method placements\n * @memberof Popper\n */\nvar placements = ['auto-start', 'auto', 'auto-end', 'top-start', 'top', 'top-end', 'right-start', 'right', 'right-end', 'bottom-end', 'bottom', 'bottom-start', 'left-end', 'left', 'left-start'];\n\n// Get rid of `auto` `auto-start` and `auto-end`\nvar validPlacements = placements.slice(3);\n\n/**\n * Given an initial placement, returns all the subsequent placements\n * clockwise (or counter-clockwise).\n *\n * @method\n * @memberof Popper.Utils\n * @argument {String} placement - A valid placement (it accepts variations)\n * @argument {Boolean} counter - Set to true to walk the placements counterclockwise\n * @returns {Array} placements including their variations\n */\nfunction clockwise(placement) {\n var counter = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : false;\n\n var index = validPlacements.indexOf(placement);\n var arr = validPlacements.slice(index + 1).concat(validPlacements.slice(0, index));\n return counter ? arr.reverse() : arr;\n}\n\nvar BEHAVIORS = {\n FLIP: 'flip',\n CLOCKWISE: 'clockwise',\n COUNTERCLOCKWISE: 'counterclockwise'\n};\n\n/**\n *

@function\n * @memberof Modifiers\n * @argument {Object} data - The data object generated by update method\n * @argument {Object} options - Modifiers configuration and options\n * @returns {Object} The data object, properly modified\n */\nfunction flip(data, options) {\n // if `inner` modifier is enabled, we can't use the `flip` modifier\n if (isModifierEnabled(data.instance.modifiers, 'inner')) {\n   return data;\n }\n\n if (data.flipped && data.placement === data.originalPlacement) {\n   // seems like flip is trying to loop, probably there's not enough space on any of the flippable sides\n   return data;\n }\n\n var boundaries = getBoundaries(data.instance.popper, data.instance.reference, options.padding, options.boundariesElement, data.positionFixed);\n\n var placement = data.placement.split('-')[0];\n var placementOpposite = getOppositePlacement(placement);\n var variation = data.placement.split('-')[1] || '';\n\n var flipOrder = [];\n\n switch (options.behavior) {\n   case BEHAVIORS.FLIP:\n   flipOrder = [placement, placementOpposite];\n   break;\n   case BEHAVIORS.CLOCKWISE:\n   flipOrder = clockwise(placement);\n   break;\n   case BEHAVIORS.COUNTERCLOCKWISE:\n   flipOrder = clockwise(placement, true);\n   break;\n   default:\n   flipOrder = options.behavior;\n }\n\n flipOrder.forEach(function (step, index) {\n   if (placement !== step || flipOrder.length === index + 1) {\n   return data;\n   }\n\n   placement = data.placement.split('-')[0];\n   placementOpposite = getOppositePlacement(placement);\n\n   var popperOffsets = data.offsets.popper;\n   var refOffsets = data.offsets.reference;\n\n   // using floor because the reference offsets may contain decimals we are not going to consider here\n   var floor = Math.floor;\n   var overlapsRef = placement === 'left' && floor(popperOffsets.right) > floor(refOffsets.left) || placement === 'right' && floor(popperOffsets.left) < floor(refOffsets.right) || placement === 'top' && floor(popperOffsets.bottom) > floor(refOffsets.top) || placement === 'bottom' && floor(popperOffsets.top) < floor(refOffsets.bottom);\n\n   var overflowsLeft = floor(popperOffsets.left) < floor(boundaries.left);\n   var overflowsRight = floor(popperOffsets.right) > floor(boundaries.right);\n   var overflowsTop = floor(popperOffsets.top) < floor(boundaries.top);\n   var overflowsBottom = floor(popperOffsets.bottom) > floor(boundaries.bottom);\n\n   var overflowsBoundaries = placement === 'left' && overflowsLeft || placement === 'right' && overflowsRight || placement === 'top' && overflowsTop || placement === 'bottom' && overflowsBottom;\n\n   // flip the variation if required\n   var isVertical = ['top', 'bottom'].indexOf(placement) !== -1;\n   var flippedVariation = !!options.flipVariations && (isVertical && variation === 'start' && overflowsLeft || isVertical && variation === 'end' && overflowsRight || !isVertical && variation === 'start' && overflowsTop || !isVertical && variation === 'end' && overflowsBottom);\n\n   if (overlapsRef || overflowsBoundaries || flippedVariation) {\n   // this boolean to detect any flip loop\n   data.flipped = true;\n\n   if (overlapsRef || overflowsBoundaries) {\n   placement = flipOrder[index + 1];\n   }\n\n   if (flippedVariation) {\n   variation = getOppositeVariation(variation);\n   }\n\n   data.placement = placement + (variation ? '-' + variation : '');\n\n   // this object contains `position`, we want to preserve it along with\n   // any additional property we may add in the future\n   data.offsets.popper = _extends({}, data.offsets.popper, getPopperOffsets(data.instance.popper, data.offsets.reference, data.placement));\n\n   data = runModifiers(data.instance.modifiers, data, 'flip');\n   }\n });\n return data;\n}\n\n/**\n * @function\n * @memberof Modifiers\n * @argument {Object} data - The data object generated by update method\n * @argument {Object} options - Modifiers configuration and options\n * @returns {Object} The data object, properly modified\n */\nfunction keepTogether(data) {\n var _data$offsets = data.offsets,\n   popper = _data$offsets.popper,\n   reference = _data$offsets.reference;\n\n var placement = data.placement.split('-')[0];\n var floor = Math.floor;\n var isVertical = ['top', 'bottom'].indexOf(placement) !== -1;\n var side = isVertical ? 'right' : 'bottom';\n var opSide = isVertical ? 'left' : 'top';\n var measurement = isVertical ? 'width' : 'height';\n\n if (popper[side] < floor(reference[opSide])) {\n   data.offsets.popper[opSide] = floor(reference[opSide]) - popper[measurement];\n }\n if (popper[opSide] > floor(reference[side])) {\n   data.offsets.popper[opSide] = floor(reference[side]);\n }\n\n return data;\n}\n\n/**\n * Converts a string containing value + unit into a px value number\n * @function\n * @memberof {modifiers~offset}\n * @private\n * @argument {String} str - Value + unit string\n * @argument {String} measurement - `height` or `width`\n * @argument {Object} popperOffsets\n * @argument {Object} referenceOffsets\n * @returns {Number|String}\n * Value in pixels, or original string if no values were extracted\n */\nfunction toValue(str, measurement,

popperOffsets, referenceOffsets) {\n // separate value from unit\n var split = str.match(/((?:\\-\|\\+)?\\d*\\.?\\d*)(.*)/);\n var value = +split[1];\n var unit = split[2];\n\n // If it's not a number it's an operator, I guess\n if (!value) {\n return str;\n }\n\n if (unit.indexOf('%') === 0) {\n var element = void 0;\n switch (unit) {\n case '%p':\n element = popperOffsets;\n break;\n case '%':\n case '%r':\n default:\n element = referenceOffsets;\n }\n\n var rect = getClientRect(element);\n return rect[measurement] / 100 * value;\n } else if (unit === 'vh' || unit === 'vw') {\n // if is a vh or vw, we calculate the size based on the viewport\n var size = void 0;\n if (unit === 'vh') {\n size = Math.max(document.documentElement.clientHeight, window.innerHeight || 0);\n } else {\n size = Math.max(document.documentElement.clientWidth, window.innerWidth || 0);\n }\n return size / 100 * value;\n } else {\n // if is an explicit pixel unit, we get rid of the unit and keep the value\n // if is an implicit unit, it's px, and we return just the value\n return value;\n }\n}\n\n/**\n * Parse an `offset` string to extrapolate `x` and `y` numeric offsets.\n * @function\n * @memberof {modifiers~offset}\n * @private\n * @argument {String} offset\n * @argument {Object} popperOffsets\n * @argument {Object} referenceOffsets\n * @argument {String} basePlacement\n * @returns {Array} a two cells array with x and y offsets in numbers\n */\nfunction parseOffset(offset, popperOffsets, referenceOffsets, basePlacement) {\n var offsets = [0, 0];\n\n // Use height if placement is left or right and index is 0 otherwise use width\n // in this way the first offset will use an axis and the second one\n // will use the other one\n var useHeight = ['right', 'left'].indexOf(basePlacement) !== -1;\n\n // Split the offset string to obtain a list of values and operands\n // The regex addresses values with the plus or minus sign in front (+10, -20, etc)\n var fragments = offset.split(/(\\+|\\-)/).map(function (frag) {\n return frag.trim();\n });\n\n // Detect if the offset string contains a pair of values or a single one\n // they could be separated by comma or space\n var divider = fragments.indexOf(find(fragments, function (frag) {\n return frag.search(/,|\\s/) !== -1;\n }));\n\n if (fragments[divider] && fragments[divider].indexOf(',') === -1) {\n console.warn('Offsets separated by white space(s) are deprecated, use a comma (,) instead.');\n }\n\n // If divider is found, we divide the list of values and operands to divide\n // them by ofset X and Y.\n var splitRegex = /\\s*,\\s*|\\s+/;\n var ops = divider !== -1 ? [fragments.slice(0, divider).concat([fragments[divider].split(splitRegex)[0]]), [fragments[divider].split(splitRegex)[1]].concat(fragments.slice(divider + 1))] : [fragments];\n\n // Convert the values with units to absolute pixels to allow our computations\n ops = ops.map(function (op, index) {\n // Most of the units rely on the orientation of the popper\n var measurement = (index === 1 ? !useHeight : useHeight) ? 'height' : 'width';\n var mergeWithPrevious = false;\n return op\n // This aggregates any `+` or `-` sign that aren't considered operators\n // e.g.: 10 + +5 => [10, +, +5]\n .reduce(function (a, b) {\n if (a[a.length - 1] === '' && ['+', '-'].indexOf(b) !== -1) {\n a[a.length - 1] = b;\n mergeWithPrevious = true;\n return a;\n } else if (mergeWithPrevious) {\n a[a.length - 1] += b;\n mergeWithPrevious = false;\n return a;\n } else {\n return a.concat(b);\n }\n }, [])\n // Here we convert the string values into number values (in px)\n .map(function (str) {\n return toValue(str, measurement, popperOffsets, referenceOffsets);\n });\n });\n\n // Loop trough the offsets arrays and execute the operations\n ops.forEach(function (op, index) {\n op.forEach(function (frag, index2) {\n if (isNumeric(frag)) {\n offsets[index] += frag * (op[index2 - 1] === '-' ? -1 : 1);\n }\n });\n });\n return offsets;\n}\n\n/**\n * @function\n * @memberof Modifiers\n * @argument {Object} data - The data object generated by update method\n * @argument {Object} options - Modifiers configuration and options\n * @argument {Number|String} options.offset=0\n * The offset value as described in the modifier description\n * @returns {Object} The data object, properly modified\n */\nfunction offset(data, _ref) {\n var offset = _ref.offset;\n var placement = data.placement,\n _data$offsets = data.offsets,\n popper = _data$offsets.popper,\n reference = _data$offsets.reference;\n\n var basePlacement = placement.split('-')[0];\n\n var offsets = void 0;\n if (isNumeric(+offset)) {\n offsets = [+offset, 0];\n } else {\n offsets = parseOffset(offset, popper, reference, basePlacement);\n }\n\n if (basePlacement === 'left') {\n popper.top += offsets[0];\n popper.left -= offsets[1];\n } else if (basePlacement === 'right') {\n popper.top += offsets[0];\n popper.left += offsets[1];\n } else if (basePlacement === 'top') {\n popper.left += offsets[0];\n popper.top -= offsets[1];\n } else if (basePlacement === 'bottom') {\n popper.left += offsets[0];\n popper.top += offsets[1];\n }\n\n data.popper = popper;\n return data;\n}\n\n/**\n * @function\n * @memberof Modifiers\n *

@argument {Object} data - The data object generated by `update` method\n * @argument {Object} options - Modifiers configuration and options\n * @returns {Object} The data object, properly modified\n */\nfunction preventOverflow(data, options) {\n var boundariesElement = options.boundariesElement || getOffsetParent(data.instance.popper);\n\n // If offsetParent is the reference element, we really want to\n // go one step up and use the next offsetParent as reference to\n // avoid to make this modifier completely useless and look like broken\n if (data.instance.reference === boundariesElement) {\n   boundariesElement = getOffsetParent(boundariesElement);\n }\n\n // NOTE: DOM access here\n // resets the popper's position so that the document size can be calculated excluding\n // the size of the popper element itself\n var transformProp = getSupportedPropertyName('transform');\n var popperStyles = data.instance.popper.style; // assignment to help minification\n var top = popperStyles.top,\n   left = popperStyles.left,\n   transform = popperStyles[transformProp];\n\n popperStyles.top = '';\n popperStyles.left = '';\n popperStyles[transformProp] = '';\n\n var boundaries = getBoundaries(data.instance.popper, data.instance.reference, options.padding, boundariesElement, data.positionFixed);\n\n // NOTE: DOM access here\n // restores the original style properties after the offsets have been computed\n popperStyles.top = top;\n popperStyles.left = left;\n popperStyles[transformProp] = transform;\n\n options.boundaries = boundaries;\n\n var order = options.priority;\n var popper = data.offsets.popper;\n\n var check = {\n   primary: function primary(placement) {\n   var value = popper[placement];\n   if (popper[placement] < boundaries[placement] && !options.escapeWithReference) {\n   value = Math.max(popper[placement], boundaries[placement]);\n   }\n   return defineProperty({}, placement, value);\n   },\n   secondary: function secondary(placement) {\n   var mainSide = placement === 'right' ? 'left' : 'top';\n   var value = popper[mainSide];\n   if (popper[placement] > boundaries[placement] && !options.escapeWithReference) {\n   value = Math.min(popper[mainSide], boundaries[placement] - (placement === 'right' ? popper.width : popper.height));\n   }\n   return defineProperty({}, mainSide, value);\n   }\n };\n\n order.forEach(function (placement) {\n   var side = ['left', 'top'].indexOf(placement) !== -1 ? 'primary' : 'secondary';\n   popper = _extends({}, popper, check[side](placement));\n });\n\n data.offsets.popper = popper;\n\n return data;\n}\n\n/**\n * @function\n * @memberof Modifiers\n * @argument {Object} data - The data object generated by `update` method\n * @argument {Object} options - Modifiers configuration and options\n * @returns {Object} The data object, properly modified\n */\nfunction shift(data) {\n var placement = data.placement;\n var basePlacement = placement.split('-')[0];\n var shiftvariation = placement.split('-')[1];\n\n // if shift shiftvariation is specified, run the modifier\n if (shiftvariation) {\n   var _data$offsets = data.offsets,\n   reference = _data$offsets.reference,\n   popper = _data$offsets.popper;\n\n   var isVertical = ['bottom', 'top'].indexOf(basePlacement) !== -1;\n   var side = isVertical ? 'left' : 'top';\n   var measurement = isVertical ? 'width' : 'height';\n\n   var shiftOffsets = {\n   start: defineProperty({}, side, reference[side]),\n   end: defineProperty({}, side, reference[side] + reference[measurement] - popper[measurement])\n   };\n\n   data.offsets.popper = _extends({}, popper, shiftOffsets[shiftvariation]);\n }\n\n return data;\n}\n\n/**\n * @function\n * @memberof Modifiers\n * @argument {Object} data - The data object generated by update method\n * @argument {Object} options - Modifiers configuration and options\n * @returns {Object} The data object, properly modified\n */\nfunction hide(data) {\n if (!isModifierRequired(data.instance.modifiers, 'hide', 'preventOverflow')) {\n   return data;\n }\n\n var refRect = data.offsets.reference;\n var bound = find(data.instance.modifiers, function (modifier) {\n   return modifier.name === 'preventOverflow';\n }).boundaries;\n\n if (refRect.bottom < bound.top || refRect.left > bound.right || refRect.top > bound.bottom || refRect.right < bound.left) {\n   // Avoid unnecessary DOM access if visibility hasn't changed\n   if (data.hide === true) {\n   return data;\n   }\n\n   data.hide = true;\n   data.attributes['x-out-of-boundaries'] = '';\n } else {\n   // Avoid unnecessary DOM access if visibility hasn't changed\n   if (data.hide === false) {\n   return data;\n   }\n\n   data.hide = false;\n   data.attributes['x-out-of-boundaries'] = false;\n }\n\n return data;\n}\n\n/**\n * @function\n * @memberof Modifiers\n * @argument {Object} data - The data object generated by `update` method\n * @argument {Object} options - Modifiers configuration and options\n * @returns {Object} The data object, properly modified\n */\nfunction inner(data) {\n var placement = data.placement;\n var basePlacement = placement.split('-')[0];\n var _data$offsets = data.offsets,\n   popper = _data$offsets.popper,\n   reference =

_data$offsets.reference;\n\n var isHoriz = ['left', 'right'].indexOf(basePlacement) !== -1;\n\n var subtractLength = ['top', 'left'].indexOf(basePlacement) === -1;\n\n popper[isHoriz ? 'left' : 'top'] = reference[basePlacement] - (subtractLength ? popper[isHoriz ? 'width' : 'height'] : 0);\n\n data.placement = getOppositePlacement(placement);\n data.offsets.popper = getClientRect(popper);\n\n return data;\n}\n\n/**\n * Modifier function, each modifier can have a function of this type assigned\n * to its `fn` property.
\n * These functions will be called on each update, this means that you must\n * make sure they are performant enough to avoid performance bottlenecks.\n *\n * @function ModifierFn\n * @argument {dataObject} data - The data object generated by `update` method\n * @argument {Object} options - Modifiers configuration and options\n * @returns {dataObject} The data object, properly modified\n */\n\n/**\n * Modifiers are plugins used to alter the behavior of your poppers.
\n * Popper.js uses a set of 9 modifiers to provide all the basic functionalities\n * needed by the library.\n *\n * Usually you don't want to override the `order`, `fn` and `onLoad` props.\n * All the other properties are configurations that could be tweaked.\n * @namespace modifiers\n */\nvar modifiers = {\n /**\n   * Modifier used to shift the popper on the start or end of its reference\n   * element.
\n   * It will read the variation of the `placement` property.
\n   * It can be one either `-end` or `-start`.\n   * @memberof modifiers\n   * @inner\n   */\n shift: {\n   /** @prop {number} order=100 - Index used to define the order of execution */\n   order: 100,\n   /** @prop {Boolean} enabled=true - Whether the modifier is enabled or not */\n   enabled: true,\n   /** @prop {ModifierFn} */\n   fn: shift\n },\n\n /**\n   * The `offset` modifier can shift your popper on both its axis.\n   *\n   * It accepts the following units:\n   * - `px` or unit-less, interpreted as pixels\n   * - `%` or `%r`, percentage relative to the length of the reference element\n   * - `%p`, percentage relative to the length of the popper element\n   * - `vw`, CSS viewport width unit\n   * - `vh`, CSS viewport height unit\n   *\n   * For length is intended the main axis relative to the placement of the popper.
\n   * This means that if the placement is `top` or `bottom`, the length will be the\n   * `width`. In case of `left` or `right`, it will be the `height`.\n   *\n   * You can provide a single value (as `Number` or `String`), or a pair of values\n   * as `String` divided by a comma or one (or more) white spaces.
\n   * The latter is a deprecated method because it leads to confusion and will be\n   * removed in v2.
\n   * Additionally, it accepts additions and subtractions between different units.\n   * Note that multiplications and divisions aren't supported.\n   *\n   * Valid examples are:\n   * ```\n   * 10\n   * '10%'\n   * '10, 10'\n   * '10%, 10'\n   * '10 + 10%'\n   * '10 - 5vh + 3%'\n   * '-10px + 5vh, 5px - 6%'\n   * ```\n   * > **NB**: If you desire to apply offsets to your poppers in a way that may make them overlap\n   * > with their reference element, unfortunately, you will have to disable the `flip` modifier.\n   * > You can read more on this at this [issue](https://github.com/FezVrasta/popper.js/issues/373).\n   *\n   * @memberof modifiers\n   * @inner\n   */\n offset: {\n   /** @prop {number} order=200 - Index used to define the order of execution */\n   order: 200,\n   /** @prop {Boolean} enabled=true - Whether the modifier is enabled or not */\n   enabled: true,\n   /** @prop {ModifierFn} */\n   fn: offset,\n   /** @prop {Number|String} offset=0\n   * The offset value as described in the modifier description\n   */\n   offset: 0\n },\n\n /**\n   * Modifier used to prevent the popper from being positioned outside the boundary.\n   *\n   * A scenario exists where the reference itself is not within the boundaries.
\n   * We can say it has \"escaped the boundaries\" — or just \"escaped\".
\n   * In this case we need to decide whether the popper should either:\n   *\n   * - detach from the reference and remain \"trapped\" in the boundaries, or\n   * - if it should ignore the boundary and \"escape with its reference\"\n   *\n   * When `escapeWithReference` is set to`true` and reference is completely\n   * outside its boundaries, the popper will overflow (or completely leave)\n   * the boundaries in order to remain attached to the edge of the reference.\n   *\n   * @memberof modifiers\n   * @inner\n   */\n preventOverflow: {\n   /** @prop {number} order=300 - Index used to define the order of execution */\n   order: 300,\n   /** @prop {Boolean} enabled=true - Whether the modifier is enabled or not */\n   enabled: true,\n   /** @prop {ModifierFn} */\n   fn: preventOverflow,\n   /**\n   * @prop {Array} [priority=['left','right','top','bottom']]\n   * Popper will try to prevent overflow following these priorities by default,\n   * then, it could overflow on the left and on top of the `boundariesElement`\n   */\n   priority: ['left', 'right', 'top', 'bottom'],\n   /**\n   * @prop {number} padding=5\n   * Amount of pixel used to define a minimum distance between the boundaries\n   * and the popper. This makes sure the popper always has a little padding\n   * between the edges of its container\n   */\n   padding: 5,\n   /**\n   * @prop {String|HTMLElement}

boundariesElement='scrollParent'\n   * Boundaries used by the modifier. Can be `scrollParent`, `window`,\n   * `viewport` or any DOM element.\n   */\n   boundariesElement: 'scrollParent'\n },\n\n /**\n * Modifier used to make sure the reference and its popper stay near each other\n * without leaving any gap between the two. Especially useful when the arrow is\n * enabled and you want to ensure that it points to its reference element.\n * It cares only about the first axis. You can still have poppers with margin\n * between the popper and its reference element.\n * @memberof modifiers\n * @inner\n */\n keepTogether: {\n   /** @prop {number} order=400 - Index used to define the order of execution */\n   order: 400,\n   /** @prop {Boolean} enabled=true - Whether the modifier is enabled or not */\n   enabled: true,\n   /** @prop {ModifierFn} */\n   fn: keepTogether\n },\n\n /**\n * This modifier is used to move the `arrowElement` of the popper to make\n * sure it is positioned between the reference element and its popper element.\n * It will read the outer size of the `arrowElement` node to detect how many\n * pixels of conjunction are needed.\n *\n * It has no effect if no `arrowElement` is provided.\n * @memberof modifiers\n * @inner\n */\n arrow: {\n   /** @prop {number} order=500 - Index used to define the order of execution */\n   order: 500,\n   /** @prop {Boolean} enabled=true - Whether the modifier is enabled or not */\n   enabled: true,\n   /** @prop {ModifierFn} */\n   fn: arrow,\n   /** @prop {String|HTMLElement} element='[x-arrow]' - Selector or node used as arrow */\n   element: '[x-arrow]'\n },\n\n /**\n * Modifier used to flip the popper's placement when it starts to overlap its\n * reference element.\n *\n * Requires the `preventOverflow` modifier before it in order to work.\n *\n * **NOTE:** this modifier will interrupt the current update cycle and will\n * restart it if it detects the need to flip the placement.\n * @memberof modifiers\n * @inner\n */\n flip: {\n   /** @prop {number} order=600 - Index used to define the order of execution */\n   order: 600,\n   /** @prop {Boolean} enabled=true - Whether the modifier is enabled or not */\n   enabled: true,\n   /** @prop {ModifierFn} */\n   fn: flip,\n   /**\n   * @prop {String|Array} behavior='flip'\n   * The behavior used to change the popper's placement. It can be one of\n   * `flip`, `clockwise`, `counterclockwise` or an array with a list of valid\n   * placements (with optional variations)\n   */\n   behavior: 'flip',\n   /**\n   * @prop {number} padding=5\n   * The popper will flip if it hits the edges of the `boundariesElement`\n   */\n   padding: 5,\n   /**\n   * @prop {String|HTMLElement} boundariesElement='viewport'\n   * The element which will define the boundaries of the popper position.\n   * The popper will never be placed outside of the defined boundaries\n   * (except if `keepTogether` is enabled)\n   */\n   boundariesElement: 'viewport'\n },\n\n /**\n * Modifier used to make the popper flow toward the inner of the reference element.\n * By default, when this modifier is disabled, the popper will be placed outside\n * the reference element.\n * @memberof modifiers\n * @inner\n */\n inner: {\n   /** @prop {number} order=700 - Index used to define the order of execution */\n   order: 700,\n   /** @prop {Boolean} enabled=false - Whether the modifier is enabled or not */\n   enabled: false,\n   /** @prop {ModifierFn} */\n   fn: inner\n },\n\n /**\n * Modifier used to hide the popper when its reference element is outside of the\n * popper boundaries. It will set a `x-out-of-boundaries` attribute which can\n * be used to hide with a CSS selector the popper when its reference is\n * out of boundaries.\n *\n * Requires the `preventOverflow` modifier before it in order to work.\n * @memberof modifiers\n * @inner\n */\n hide: {\n   /** @prop {number} order=800 - Index used to define the order of execution */\n   order: 800,\n   /** @prop {Boolean} enabled=true - Whether the modifier is enabled or not */\n   enabled: true,\n   /** @prop {ModifierFn} */\n   fn: hide\n },\n\n /**\n * Computes the style that will be applied to the popper element to gets\n * properly positioned.\n *\n * Note that this modifier will not touch the DOM, it just prepares the styles\n * so that `applyStyle` modifier can apply it. This separation is useful\n * in case you need to replace `applyStyle` with a custom implementation.\n *\n * This modifier has `850` as `order` value to maintain backward compatibility\n * with previous versions of Popper.js. Expect the modifiers ordering method\n * to change in future major versions of the library.\n *\n * @memberof modifiers\n * @inner\n */\n computeStyle: {\n   /** @prop {number} order=850 - Index used to define the order of execution */\n   order: 850,\n   /** @prop {Boolean} enabled=true - Whether the modifier is enabled or not */\n   enabled: true,\n   /** @prop {ModifierFn} */\n   fn: computeStyle,\n   /**\n   * @prop {Boolean} gpuAcceleration=true\n   * If true, it uses the CSS 3D transformation to position the popper.\n   * Otherwise, it will use the `top` and `left` properties\n   */\n   gpuAcceleration: true,\n   /**\n   * @prop {string} [x='bottom']\n   * Where to anchor the X axis (`bottom` or `top`). AKA X offset origin.\n   *

Change this if your popper should grow in a direction different from `bottom`\n   */\n   x: 'bottom',\n   /**\n   * @prop {string} [x='left']\n   * Where to anchor the Y axis (`left` or `right`). AKA Y offset origin.\n   * Change this if your popper should grow in a direction different from `right`\n   */\n   y: 'right'\n },\n\n /**\n * Applies the computed styles to the popper element.\n *\n * All the DOM manipulations are limited to this modifier. This is useful in case\n * you want to integrate Popper.js inside a framework or view library and you\n * want to delegate all the DOM manipulations to it.\n *\n * Note that if you disable this modifier, you must make sure the popper element\n * has its position set to `absolute` before Popper.js can do its work!\n *\n * Just disable this modifier and define your own to achieve the desired effect.\n *\n * @memberof modifiers\n * @inner\n */\n applyStyle: {\n   /** @prop {number} order=900 - Index used to define the order of execution */\n   order: 900,\n   /** @prop {Boolean} enabled=true - Whether the modifier is enabled or not */\n   enabled: true,\n   /** @prop {ModifierFn} */\n   fn: applyStyle,\n   /** @prop {Function} */\n   onLoad: applyStyleOnLoad,\n   /**\n   * @deprecated since version 1.10.0, the property moved to `computeStyle` modifier\n   * @prop {Boolean} gpuAcceleration=true\n   * If true, it uses the CSS 3D transformation to position the popper.\n   * Otherwise, it will use the `top` and `left` properties\n   */\n   gpuAcceleration: undefined\n }\n};\n\n/**\n * The `dataObject` is an object containing all the information used by Popper.js.\n * This object is passed to modifiers and to the `onCreate` and `onUpdate` callbacks.\n * @name dataObject\n * @property {Object} data.instance The Popper.js instance\n * @property {String} data.placement Placement applied to popper\n * @property {String} data.originalPlacement Placement originally defined on init\n * @property {Boolean} data.flipped True if popper has been flipped by flip modifier\n * @property {Boolean} data.hide True if the reference element is out of boundaries, useful to know when to hide the popper\n * @property {HTMLElement} data.arrowElement Node used as arrow by arrow modifier\n * @property {Object} data.styles Any CSS property defined here will be applied to the popper. It expects the JavaScript nomenclature (eg. `marginBottom`)\n * @property {Object} data.arrowStyles Any CSS property defined here will be applied to the popper arrow. It expects the JavaScript nomenclature (eg. `marginBottom`)\n * @property {Object} data.boundaries Offsets of the popper boundaries\n * @property {Object} data.offsets The measurements of popper, reference and arrow elements\n * @property {Object} data.offsets.popper `top`, `left`, `width`, `height` values\n * @property {Object} data.offsets.reference `top`, `left`, `width`, `height` values\n * @property {Object} data.offsets.arrow] `top` and `left` offsets, only one of them will be different from 0\n */\n\n/**\n * Default options provided to Popper.js constructor.
\n * These can be overridden using the `options` argument of Popper.js.
\n * To override an option, simply pass an object with the same\n * structure of the `options` object, as the 3rd argument. For example:\n * ```\n * new Popper(ref, pop, {\n *   modifiers: {\n *   preventOverflow: { enabled: false }\n *   }\n * })\n * ```\n * @type {Object}\n * @static\n * @memberof Popper\n */\nvar Defaults = {\n /**\n * Popper's placement.\n * @prop {Popper.placements} placement='bottom'\n */\n placement: 'bottom',\n\n /**\n * Set this to true if you want popper to position it self in 'fixed' mode\n * @prop {Boolean} positionFixed=false\n */\n positionFixed: false,\n\n /**\n * Whether events (resize, scroll) are initially enabled.\n * @prop {Boolean} eventsEnabled=true\n */\n eventsEnabled: true,\n\n /**\n * Set to true if you want to automatically remove the popper when\n * you call the `destroy` method.\n * @prop {Boolean} removeOnDestroy=false\n */\n removeOnDestroy: false,\n\n /**\n * Callback called when the popper is created.
\n * By default, it is set to no-op.
\n * Access Popper.js instance with `data.instance`.\n * @prop {onCreate}\n */\n onCreate: function onCreate() {},\n\n /**\n * Callback called when the popper is updated. This callback is not called\n * on the initialization/creation of the popper, but only on subsequent\n * updates.
\n * By default, it is set to no-op.
\n * Access Popper.js instance with `data.instance`.\n * @prop {onUpdate}\n */\n onUpdate: function onUpdate() {},\n\n /**\n * List of modifiers used to modify the offsets before they are applied to the popper.\n * They provide most of the functionalities of Popper.js.\n * @prop {modifiers}\n */\n modifiers: modifiers\n};\n\n/**\n * @callback onCreate\n * @param {dataObject} data\n */\n\n/**\n * @callback onUpdate\n * @param {dataObject} data\n */\n\n// Utils\n// Methods\nvar Popper = function () {\n /**\n * Creates a new Popper.js instance.\n * @class Popper\n * @param {HTMLElement|referenceObject} reference - The reference element used to position the popper\n * @param {HTMLElement} popper - The HTML element used as the popper\n * @param {Object} options - Your custom

options to override the ones defined in [Defaults](#defaults)\n * @return {Object} instance - The generated Popper.js instance\n */\n function Popper(reference, popper) {\n   var _this = this;\n\n   var options = arguments.length > 2 && arguments[2] !== undefined ? arguments[2] : {};\n   classCallCheck(this, Popper);\n\n   this.scheduleUpdate = function () {\n   return requestAnimationFrame(_this.update);\n   };\n\n   // make update() debounced, so that it only runs at most once-per-tick\n   this.update = debounce(this.update.bind(this));\n\n   // with {} we create a new object with the options inside it\n   this.options = _extends({}, Popper.Defaults, options);\n\n   // init state\n   this.state = {\n   isDestroyed: false,\n   isCreated: false,\n   scrollParents: []\n   };\n\n   // get reference and popper elements (allow jQuery wrappers)\n   this.reference = reference && reference.jquery ? reference[0] : reference;\n   this.popper = popper && popper.jquery ? popper[0] : popper;\n\n   // Deep merge modifiers options\n   this.options.modifiers = {};\n   Object.keys(_extends({}, Popper.Defaults.modifiers, options.modifiers)).forEach(function (name) {\n   _this.options.modifiers[name] = _extends({}, Popper.Defaults.modifiers[name] || {}, options.modifiers ? options.modifiers[name] : {});\n   });\n\n   // Refactoring modifiers' list (Object => Array)\n   this.modifiers = Object.keys(this.options.modifiers).map(function (name) {\n   return _extends({\n   name: name\n   }, _this.options.modifiers[name]);\n   })\n   // sort the modifiers by order\n   .sort(function (a, b) {\n   return a.order - b.order;\n   });\n\n   // modifiers have the ability to execute arbitrary code when Popper.js get inited\n   // such code is executed in the same order of its modifier\n   // they could add new properties to their options configuration\n   // BE AWARE: don't add options to `options.modifiers.name` but to `modifierOptions`!\n   this.modifiers.forEach(function (modifierOptions) {\n   if (modifierOptions.enabled && isFunction(modifierOptions.onLoad)) {\n   modifierOptions.onLoad(_this.reference, _this.popper, _this.options, modifierOptions, _this.state);\n   }\n   });\n\n   // fire the first update to position the popper in the right place\n   this.update();\n\n   var eventsEnabled = this.options.eventsEnabled;\n   if (eventsEnabled) {\n   // setup event listeners, they will take care of update the position in specific situations\n   this.enableEventListeners();\n   }\n\n   this.state.eventsEnabled = eventsEnabled;\n }\n\n // We can't use class properties because they don't get listed in the\n // class prototype and break stuff like Sinon stubs\n\n\n createClass(Popper, [{\n   key: 'update',\n   value: function update$$1() {\n   return update.call(this);\n   }\n }, {\n   key: 'destroy',\n   value: function destroy$$1() {\n   return destroy.call(this);\n   }\n }, {\n   key: 'enableEventListeners',\n   value: function enableEventListeners$$1() {\n   return enableEventListeners.call(this);\n   }\n }, {\n   key: 'disableEventListeners',\n   value: function disableEventListeners$$1() {\n   return disableEventListeners.call(this);\n   }\n\n   /**\n   * Schedules an update. It will run on the next UI update available.\n   * @method scheduleUpdate\n   * @memberof Popper\n   */\n\n\n   /**\n   * Collection of utilities useful when writing custom modifiers.\n   * Starting from version 1.7, this method is available only if you\n   * include `popper-utils.js` before `popper.js`.\n   *\n   * **DEPRECATION**: This way to access PopperUtils is deprecated\n   * and will be removed in v2! Use the PopperUtils module directly instead.\n   * Due to the high instability of the methods contained in Utils, we can't\n   * guarantee them to follow semver. Use them at your own risk!\n   * @static\n   * @private\n   * @type {Object}\n   * @deprecated since version 1.8\n   * @member Utils\n   * @memberof Popper\n   */\n\n }]);\n return Popper;\n}();\n\n/**\n * The `referenceObject` is an object that provides an interface compatible with Popper.js\n * and lets you use it as replacement of a real DOM node.
\n * You can use this method to position a popper relatively to a set of coordinates\n * in case you don't have a DOM node to use as reference.\n *\n * ```\n * new Popper(referenceObject, popperNode);\n * ```\n *\n * NB: This feature isn't supported in Internet Explorer 10.\n * @name referenceObject\n * @property {Function} data.getBoundingClientRect\n * A function that returns a set of coordinates compatible with the native `getBoundingClientRect` method.\n * @property {number} data.clientWidth\n * An ES6 getter that will return the width of the virtual reference element.\n * @property {number} data.clientHeight\n * An ES6 getter that will return the height of the virtual reference element.\n */\n\n\nPopper.Utils = (typeof window !== 'undefined' ? window : global).PopperUtils;\nPopper.placements = placements;\nPopper.Defaults = Defaults;\n\nexport default Popper;\n//# sourceMappingURL=popper.js.map\n","\"use strict\";\n\nvar isValue = require(\"./is-value\");\n\nvar forEach = Array.prototype.forEach, create = Object.create;\n\nvar process = function (src, obj) {\n\tvar key;\n\tfor (key in src)

obj[key] = src[key];\n};\n\n// eslint-disable-next-line no-unused-vars\nmodule.exports = function (opts1 /*, …options*/) {\n\tvar result = create(null);\n\tforEach.call(arguments, function (options) {\n\t\tif (!isValue(options)) return;\n\t\tprocess(Object(options), result);\n\t});\n\treturn result;\n};\n","/** Used to detect hot functions by number of calls within a span of milliseconds. */\nvar HOT_COUNT = 800,\n   HOT_SPAN = 16;\n\n/* Built-in method references for those with the same name as other `lodash` methods. */\nvar nativeNow = Date.now;\n\n/**\n * Creates a function that'll short out and invoke `identity` instead\n * of `func` when it's called `HOT_COUNT` or more times in `HOT_SPAN`\n * milliseconds.\n *\n * @private\n * @param {Function} func The function to restrict.\n * @returns {Function} Returns the new shortable function.\n */\nfunction shortOut(func) {\n var count = 0,\n   lastCalled = 0;\n\n return function() {\n   var stamp = nativeNow(),\n   remaining = HOT_SPAN - (stamp - lastCalled);\n\n   lastCalled = stamp;\n   if (remaining > 0) {\n   if (++count >= HOT_COUNT) {\n   return arguments[0];\n   }\n   } else {\n   count = 0;\n   }\n   return func.apply(undefined, arguments);\n };\n}\n\nmodule.exports = shortOut;\n","var isSymbol = require('./isSymbol');\n\n/** Used as references for various `Number` constants. */\nvar INFINITY = 1 / 0;\n\n/**\n * Converts `value` to a string key if it's not a string or symbol.\n *\n * @private\n * @param {*} value The value to inspect.\n * @returns {string|symbol} Returns the key.\n */\nfunction toKey(value) {\n if (typeof value == 'string' || isSymbol(value)) {\n   return value;\n }\n var result = (value + '');\n return (result == '0' && (1 / value) == -INFINITY) ? '-0' : result;\n}\n\nmodule.exports = toKey;\n","'use strict';\n\nvar assign   = require('es5-ext/object/assign')\n , normalizeOpts = require('es5-ext/object/normalize-options')\n , isCallable = require('es5-ext/object/is-callable')\n , contains   = require('es5-ext/string/#/contains')\n\n , d;\n\nd = module.exports = function (dscr, value/*, options*/) {\n\tvar c, e, w, options, desc;\n\tif ((arguments.length < 2) || (typeof dscr !== 'string')) {\n\t\toptions = value;\n\t\tvalue = dscr;\n\t\tdscr = null;\n\t} else {\n\t\toptions = arguments[2];\n\t}\n\tif (dscr == null) {\n\t\tc = w = true;\n\t\te = false;\n\t} else {\n\t\tc = contains.call(dscr, 'c');\n\t\te = contains.call(dscr, 'e');\n\t\tw = contains.call(dscr, 'w');\n\t}\n\n\tdesc = { value: value, configurable: c, enumerable: e, writable: w };\n\treturn !options ? desc : assign(normalizeOpts(options), desc);\n};\n\nd.gs = function (dscr, get, set/*, options*/) {\n\tvar c, e, options, desc;\n\tif (typeof dscr !== 'string') {\n\t\toptions = set;\n\t\tset = get;\n\t\tget = dscr;\n\t\tdscr = null;\n\t} else {\n\t\toptions = arguments[3];\n\t}\n\tif (get == null) {\n\t\tget = undefined;\n\t} else if (!isCallable(get)) {\n\t\toptions = get;\n\t\tget = set = undefined;\n\t} else if (set == null) {\n\t\tset = undefined;\n\t} else if (!isCallable(set)) {\n\t\toptions = set;\n\t\tset = undefined;\n\t}\n\tif (dscr == null) {\n\t\tc = true;\n\t\te = false;\n\t} else {\n\t\tc = contains.call(dscr, 'c');\n\t\te = contains.call(dscr, 'e');\n\t}\n\n\tdesc = { get: get, set: set, configurable: c, enumerable: e };\n\treturn !options ? desc : assign(normalizeOpts(options), desc);\n};\n","module.exports = function (it, Constructor, name, forbiddenField) {\n if (!(it instanceof Constructor) || (forbiddenField !== undefined && forbiddenField in it)) {\n   throw TypeError(name + ': incorrect invocation!');\n } return it;\n};\n","var isArray = require('./isArray'),\n   isSymbol = require('./isSymbol');\n\n/** Used to match property names within property paths. */\nvar reIsDeepProp = /\\.|\\[(?:[^[\\]]*|([\"'])(?:(?!\\1)[^\\\\]|\\\\.)*?\\1)\\]/,\n   reIsPlainProp = /^\\w*$/;\n\n/**\n * Checks if `value` is a property name and not a property path.\n *\n * @private\n * @param {*} value The value to check.\n * @param {Object} [object] The object to query keys on.\n * @returns {boolean} Returns `true` if `value` is a property name, else `false`.\n */\nfunction isKey(value, object) {\n if (isArray(value)) {\n   return false;\n }\n var type = typeof value;\n if (type == 'number' || type == 'symbol' || type == 'boolean' ||\n   value == null || isSymbol(value)) {\n   return true;\n }\n return reIsPlainProp.test(value) || !reIsDeepProp.test(value) ||\n   (object != null && value in Object(object));\n}\n\nmodule.exports = isKey;\n","\"use strict\";\n\nvar keys = require(\"../keys\")\n , value = require(\"../valid-value\")\n , max   = Math.max;\n\nmodule.exports = function (dest, src /*, …srcn*/) {\n\tvar error, i, length = max(arguments.length, 2), assign;\n\tdest = Object(value(dest));\n\tassign = function (key) {\n\t\ttry {\n\t\t\tdest[key] = src[key];\n\t\t} catch (e) {\n\t\t\tif (!error) error = e;\n\t\t}\n\t};\n\tfor (i = 1; i < length; ++i) {\n\t\tsrc = arguments[i];\n\t\tkeys(src).forEach(assign);\n\t}\n\tif (error !== undefined) throw error;\n\treturn dest;\n};\n","// 19.1.3.1 Object.assign(target, source)\nvar $export = require('./_export');\n\n$export($export.S + $export.F, 'Object', { assign: require('./_object-assign') });\n","\"use strict\";\n\nvar indexOf = String.prototype.indexOf;\n\nmodule.exports = function (searchString/*, position*/) {\n\treturn indexOf.call(this,

searchString, arguments[1]) > -1;\n};\n",\"\"use strict\";\n\nmodule.exports = require(\"./is-implemented\")()\n\t? String.prototype.contains\n\t: require(\"./shim\");\n","var baseProperty = require('./_baseProperty'),\n basePropertyDeep = require('./_basePropertyDeep'),\n isKey = require('./_isKey'),\n toKey = require('./_toKey');\n\n/**\n * Creates a function that returns the value at `path` of a given object.\n *\n * @static\n * @memberOf _\n * @since 2.4.0\n * @category Util\n * @param {Array|string} path The path of the property to get.\n * @returns {Function} Returns the new accessor function.\n * @example\n *\n * var objects = [\n *   { 'a': { 'b': 2 } },\n *   { 'a': { 'b': 1 } }\n *];\n *\n * _.map(objects, _.property('a.b'));\n * // => [2, 1]\n *\n * _.map(_.sortBy(objects, _.property(['a', 'b'])), 'a.b');\n * // => [1, 2]\n */\nfunction property(path) {\n return isKey(path) ? baseProperty(toKey(path)) : basePropertyDeep(path);\n}\n\nmodule.exports = property;\n","var document = require('./_global').document;\nmodule.exports = document && document.documentElement;\n","// This file is imported into lib/wc client bundles.\n\nif (typeof window !== 'undefined') {\n var i\n if ((i = window.document.currentScript) && (i = i.src.match(/(.+\\/)[^/]+\\.js(\\?.*)?$/))) {\n   __webpack_public_path__ = i[1] // eslint-disable-line\n }\n}\n\n\n// Indicate to webpack that this file can be concatenated\nexport default null\n","/*!\n * vue-i18n v8.4.0 \n * (c) 2018 kazuya kawaguchi\n * Released under the MIT License.\n */\n\n/* */\n\n/**\n * utilities\n */\n\nfunction warn (msg, err) {\n if (typeof console !== 'undefined') {\n   console.warn('[vue-i18n] ' + msg);\n   /* istanbul ignore if */\n   if (err) {\n   console.warn(err.stack);\n   }\n }\n}\n\nfunction isObject (obj) {\n return obj !== null && typeof obj === 'object'\n}\n\nvar toString = Object.prototype.toString;\nvar OBJECT_STRING = '[object Object]';\nfunction isPlainObject (obj) {\n return toString.call(obj) === OBJECT_STRING\n}\n\nfunction isNull (val) {\n return val === null || val === undefined\n}\n\nfunction parseArgs () {\n var args = [], len = arguments.length;\n while (len--) args[len] = arguments[len];\n\n var locale = null;\n var params = null;\n if (args.length === 1) {\n   if (isObject(args[0]) || Array.isArray(args[0])) {\n   params = args[0];\n   } else if (typeof args[0] === 'string') {\n   locale = args[0];\n   }\n } else if (args.length === 2) {\n   if (typeof args[0] === 'string') {\n   locale = args[0];\n   }\n   /* istanbul ignore if */\n   if (isObject(args[1]) || Array.isArray(args[1])) {\n   params = args[1];\n   }\n }\n\n return { locale: locale, params: params }\n}\n\nfunction looseClone (obj) {\n return JSON.parse(JSON.stringify(obj))\n}\n\nfunction remove (arr, item) {\n if (arr.length) {\n   var index = arr.indexOf(item);\n   if (index > -1) {\n   return arr.splice(index, 1)\n   }\n }\n}\n\nvar hasOwnProperty = Object.prototype.hasOwnProperty;\nfunction hasOwn (obj, key) {\n return hasOwnProperty.call(obj, key)\n}\n\nfunction merge (target) {\n var arguments$1 = arguments;\n\n var output = Object(target);\n for (var i = 1; i < arguments.length; i++) {\n   var source = arguments$1[i];\n   if (source !== undefined && source !== null) {\n   var key = (void 0);\n   for (key in source) {\n   if (hasOwn(source, key)) {\n   if (isObject(source[key])) {\n   output[key] = merge(output[key], source[key]);\n   } else {\n   output[key] = source[key];\n   }\n   }\n   }\n   }\n }\n return output\n}\n\nfunction looseEqual (a, b) {\n if (a === b) { return true }\n var isObjectA = isObject(a);\n var isObjectB = isObject(b);\n if (isObjectA && isObjectB) {\n   try {\n   var isArrayA = Array.isArray(a);\n   var isArrayB = Array.isArray(b);\n   if (isArrayA && isArrayB) {\n   return a.length === b.length && a.every(function (e, i) {\n   return looseEqual(e, b[i])\n   })\n   } else if (!isArrayA && !isArrayB) {\n   var keysA = Object.keys(a);\n   var keysB = Object.keys(b);\n   return keysA.length === keysB.length && keysA.every(function (key) {\n   return looseEqual(a[key], b[key])\n   })\n   } else {\n   /* istanbul ignore next */\n   return false\n   }\n   } catch (e) {\n   /* istanbul ignore next */\n   return false\n   }\n } else if (!isObjectA && !isObjectB) {\n   return String(a) === String(b)\n } else {\n   return false\n }\n}\n\nvar canUseDateTimeFormat =\n typeof Intl !== 'undefined' && typeof Intl.DateTimeFormat !== 'undefined';\n\nvar canUseNumberFormat =\n typeof Intl !== 'undefined' && typeof Intl.NumberFormat !== 'undefined';\n\n/* */\nfunction extend (Vue) {\n if (!Vue.prototype.hasOwnProperty('$i18n')) {\n   // $FlowFixMe\n   Object.defineProperty(Vue.prototype, '$i18n', {\n   get: function get () { return this._i18n }\n   });\n }\n\n Vue.prototype.$t = function (key) {\n   var values = [], len = arguments.length - 1;\n   while (len-- > 0) values[len] = arguments[len + 1];\n\n   var i18n = this.$i18n;\n   return i18n._t.apply(i18n, [key, i18n.locale, i18n._getMessages(), this].concat(values))\n };\n\n Vue.prototype.$tc = function (key, choice) {\n   var values = [], len = arguments.length - 2;\n   while (len-- > 0)

values[len] = arguments[len + 2];\n\n   var i18n = this.$i18n;\n   return i18n._tc.apply(i18n, [key, i18n.locale, i18n._getMessages(), this, choice].concat(values))\n };\n\n Vue.prototype.$te = function (key, locale) {\n   var i18n = this.$i18n;\n   return i18n._te(key, i18n.locale, i18n._getMessages(), locale)\n };\n\n Vue.prototype.$d = function (value) {\n   var ref;\n\n   var args = [], len = arguments.length - 1;\n   while (len-- > 0) args[len] = arguments[len + 1];\n   return (ref = this.$i18n).d.apply(ref, [value].concat(args))\n };\n\n Vue.prototype.$n = function (value) {\n   var ref;\n\n   var args = [], len = arguments.length - 1;\n   while (len-- > 0) args[len] = arguments[len + 1];\n   return (ref = this.$i18n).n.apply(ref, [value].concat(args))\n };\n}\n\n/* */\n\nvar mixin = {\n beforeCreate: function beforeCreate () {\n   var options = this.$options;\n   options.i18n = options.i18n || (options.__i18n ? {} : null);\n\n   if (options.i18n) {\n   if (options.i18n instanceof VueI18n) {\n   // init locale messages via custom blocks\n   if (options.__i18n) {\n   try {\n   var localeMessages = {};\n   options.__i18n.forEach(function (resource) {\n   localeMessages = merge(localeMessages, JSON.parse(resource));\n   });\n   Object.keys(localeMessages).forEach(function (locale) {\n   options.i18n.mergeLocaleMessage(locale, localeMessages[locale]);\n   });\n   } catch (e) {\n   if (process.env.NODE_ENV !== 'production') {\n   warn(\"Cannot parse locale messages via custom blocks.\", e);\n   }\n   }\n   }\n   this._i18n = options.i18n;\n   this._i18nWatcher = this._i18n.watchI18nData();\n   this._i18n.subscribeDataChanging(this);\n   this._subscribing = true;\n   } else if (isPlainObject(options.i18n)) {\n   // component local i18n\n   if (this.$root && this.$root.$i18n && this.$root.$i18n instanceof VueI18n) {\n   options.i18n.root = this.$root;\n   options.i18n.formatter = this.$root.$i18n.formatter;\n   options.i18n.fallbackLocale = this.$root.$i18n.fallbackLocale;\n   options.i18n.silentTranslationWarn = this.$root.$i18n.silentTranslationWarn;\n   }\n\n   // init locale messages via custom blocks\n   if (options.__i18n) {\n   try {\n   var localeMessages$1 = {};\n   options.__i18n.forEach(function (resource) {\n   localeMessages$1 = merge(localeMessages$1, JSON.parse(resource));\n   });\n   options.i18n.messages = localeMessages$1;\n   } catch (e) {\n   if (process.env.NODE_ENV !== 'production') {\n   warn(\"Cannot parse locale messages via custom blocks.\", e);\n   }\n   }\n   }\n\n   this._i18n = new VueI18n(options.i18n);\n   this._i18nWatcher = this._i18n.watchI18nData();\n   this._i18n.subscribeDataChanging(this);\n   this._subscribing = true;\n\n   if (options.i18n.sync === undefined || !!options.i18n.sync) {\n   this._localeWatcher = this.$i18n.watchLocale();\n   }\n   } else {\n   if (process.env.NODE_ENV !== 'production') {\n   warn(\"Cannot be interpreted 'i18n' option.\");\n   }\n   }\n   } else if (this.$root && this.$root.$i18n && this.$root.$i18n instanceof VueI18n) {\n   // root i18n\n   this._i18n = this.$root.$i18n;\n   this._i18n.subscribeDataChanging(this);\n   this._subscribing = true;\n   } else if (options.parent && options.parent.$i18n && options.parent.$i18n instanceof VueI18n) {\n   // parent i18n\n   this._i18n = options.parent.$i18n;\n   this._i18n.subscribeDataChanging(this);\n   this._subscribing = true;\n   }\n },\n\n beforeDestroy: function beforeDestroy () {\n   if (!this._i18n) { return }\n\n   if (this._subscribing) {\n   this._i18n.unsubscribeDataChanging(this);\n   delete this._subscribing;\n   }\n\n   if (this._i18nWatcher) {\n   this._i18nWatcher();\n   delete this._i18nWatcher;\n   }\n\n   if (this._localeWatcher) {\n   this._localeWatcher();\n   delete this._localeWatcher;\n   }\n\n   this._i18n = null;\n }\n};\n\n/* */\n\nvar component = {\n name: 'i18n',\n functional: true,\n props: {\n   tag: {\n   type: String,\n   default: 'span'\n   },\n   path: {\n   type: String,\n   required: true\n   },\n   locale: {\n   type: String\n   },\n   places: {\n   type: [Array, Object]\n   }\n },\n render: function render (h, ref) {\n   var props = ref.props;\n   var data = ref.data;\n   var children = ref.children;\n   var parent = ref.parent;\n\n   var i18n = parent.$i18n;\n\n   children = (children || []).filter(function (child) {\n   return child.tag || (child.text = child.text.trim())\n   });\n\n   if (!i18n) {\n   if (process.env.NODE_ENV !== 'production') {\n   warn('Cannot find VueI18n instance!');\n   }\n   return children\n   }\n\n   var path = props.path;\n   var locale = props.locale;\n\n   var params = {};\n   var places = props.places || {};\n\n   var hasPlaces = Array.isArray(places)\n   ? places.length > 0\n   : Object.keys(places).length > 0;\n\n   var everyPlace = children.every(function (child) {\n   if (child.data && child.data.attrs) {\n   var place = child.data.attrs.place;\n   return (typeof place !== 'undefined') && place !== ''\n   }\n   });\n\n   if (process.env.NODE_ENV !== 'production' && hasPlaces && children.length > 0 &&

!everyPlace) {\n   warn('If places prop is set, all child elements must have place prop set.');\n   }\n\n   if (Array.isArray(places)) {\n   places.forEach(function (el, i) {\n   params[i] = el;\n   });\n   } else {\n   Object.keys(places).forEach(function (key) {\n   params[key] = places[key];\n   });\n   }\n\n   children.forEach(function (child, i) {\n   var key = everyPlace\n   ? (\"\" + (child.data.attrs.place))\n   : (\"\" + i);\n   params[key] = child;\n   });\n\n   return h(props.tag, data, i18n.i(path, locale, params))\n   }\n};\n\n/* */\n\nfunction bind (el, binding, vnode) {\n   if (!assert(el, vnode)) { return }\n\n   t(el, binding, vnode);\n}\n\nfunction update (el, binding, vnode, oldVNode) {\n   if (!assert(el, vnode)) { return }\n\n   var i18n = vnode.context.$i18n;\n   if (localeEqual(el, vnode) &&\n   (looseEqual(binding.value, binding.oldValue) &&\n   looseEqual(el._localeMessage, i18n.getLocaleMessage(i18n.locale)))) { return }\n\n   t(el, binding, vnode);\n}\n\nfunction unbind (el, binding, vnode, oldVNode) {\n   var vm = vnode.context;\n   if (!vm) {\n   warn('Vue instance does not exists in VNode context');\n   return\n   }\n\n   el.textContent = '';\n   el._vt = undefined;\n   delete el['_vt'];\n   el._locale = undefined;\n   delete el['_locale'];\n   el._localeMessage = undefined;\n   delete el['_localeMessage'];\n}\n\nfunction assert (el, vnode) {\n   var vm = vnode.context;\n   if (!vm) {\n   warn('Vue instance doest not exists in VNode context');\n   return false\n   }\n\n   if (!vm.$i18n) {\n   warn('VueI18n instance does not exists in Vue instance');\n   return false\n   }\n\n   return true\n}\n\nfunction localeEqual (el, vnode) {\n   var vm = vnode.context;\n   return el._locale === vm.$i18n.locale\n}\n\nfunction t (el, binding, vnode) {\n   var ref$1, ref$2;\n\n   var value = binding.value;\n\n   var ref = parseValue(value);\n   var path = ref.path;\n   var locale = ref.locale;\n   var args = ref.args;\n   var choice = ref.choice;\n   if (!path && !locale && !args) {\n   warn('value type not supported');\n   return\n   }\n\n   if (!path) {\n   warn('`path` is required in v-t directive');\n   return\n   }\n\n   var vm = vnode.context;\n   if (choice) {\n   el._vt = el.textContent = (ref$1 = vm.$i18n).tc.apply(ref$1, [path, choice].concat(makeParams(locale, args)));\n   } else {\n   el._vt = el.textContent = (ref$2 = vm.$i18n).t.apply(ref$2, [path].concat(makeParams(locale, args)));\n   }\n   el._locale = vm.$i18n.locale;\n   el._localeMessage = vm.$i18n.getLocaleMessage(vm.$i18n.locale);\n}\n\nfunction parseValue (value) {\n   var path;\n   var locale;\n   var args;\n   var choice;\n\n   if (typeof value === 'string') {\n   path = value;\n   } else if (isPlainObject(value)) {\n   path = value.path;\n   locale = value.locale;\n   args = value.args;\n   choice = value.choice;\n   }\n\n   return { path: path, locale: locale, args: args, choice: choice }\n}\n\nfunction makeParams (locale, args) {\n   var params = [];\n\n   locale && params.push(locale);\n   if (args && (Array.isArray(args) || isPlainObject(args))) {\n   params.push(args);\n   }\n\n   return params\n}\n\nvar Vue;\n\nfunction install (_Vue) {\n   /* istanbul ignore if */\n   if (process.env.NODE_ENV !== 'production' && install.installed && _Vue === Vue) {\n   warn('already installed.');\n   return\n   }\n   install.installed = true;\n\n   Vue = _Vue;\n\n   var version = (Vue.version && Number(Vue.version.split('.')[0])) || -1;\n   /* istanbul ignore if */\n   if (process.env.NODE_ENV !== 'production' && version < 2) {\n   warn((\"vue-i18n (\" + (install.version) + \") need to use Vue 2.0 or later (Vue: \" + (Vue.version) + \").\"));\n   return\n   }\n\n   extend(Vue);\n   Vue.mixin(mixin);\n   Vue.directive('t', { bind: bind, update: update, unbind: unbind });\n   Vue.component(component.name, component);\n\n   // use simple mergeStrategies to prevent i18n instance lose '__proto__'\n   var strats = Vue.config.optionMergeStrategies;\n   strats.i18n = function (parentVal, childVal) {\n   return childVal === undefined\n   ? parentVal\n   : childVal\n   };\n}\n\n/* */\n\nvar BaseFormatter = function BaseFormatter () {\n   this._caches = Object.create(null);\n};\n\nBaseFormatter.prototype.interpolate = function interpolate (message, values) {\n   if (!values) {\n   return [message]\n   }\n   var tokens = this._caches[message];\n   if (!tokens) {\n   tokens = parse(message);\n   this._caches[message] = tokens;\n   }\n   return compile(tokens, values)\n};\n\n\nvar RE_TOKEN_LIST_VALUE = /^(?:\\d)+/;\nvar RE_TOKEN_NAMED_VALUE = /^(?:\\w)+/;\nfunction parse (format) {\n   var tokens = [];\n   var position = 0;\n\n   var text = '';\n   while (position < format.length) {\n   var char = format[position++];\n   if (char === '{') {\n   if (text) {\n   tokens.push({ type: 'text', value: text });\n   }\n\n   text = '';\n   var sub = '';\n   char = format[position++];\n   while (char !== undefined && char !== '}') {\n   sub += char;\n   char = format[position++];\n   }\n   var isClosed = char === '}';\n\n   var type = RE_TOKEN_LIST_VALUE.test(sub)\n   ? 'list'\n   : isClosed && RE_TOKEN_NAMED_VALUE.test(sub)\n   ? 'named'\n   : 'unknown';\n   tokens.push({ value: sub, type: type });\n   } else if (char === '%') {\n   // when found rails i18n syntax, skip text capture\n   if

(format[(position)] !== '{') {\n   text += char;\n   }\n   } else {\n   text += char;\n   }\n   }\n\n   text &&
tokens.push({ type: 'text', value: text });\n\n   return tokens\n}\n\nfunction compile (tokens, values) {\n   var compiled
= [];\n   var index = 0;\n\n   var mode = Array.isArray(values)\n   ? 'list'\n   : isObject(values)\n   ? 'named'\n   :
'unknown';\n   if (mode === 'unknown') { return compiled }\n\n   while (index < tokens.length) {\n   var token =
tokens[index];\n   switch (token.type) {\n   case 'text':\n   compiled.push(token.value);\n   break\n   case
'list':\n   compiled.push(values[parseInt(token.value, 10)]);\n   break\n   case 'named':\n   if (mode ===
'named') {\n   compiled.push((values)[token.value]);\n   } else {\n   if (process.env.NODE_ENV !==
'production') {\n   warn((\"Type of token \" + (token.type) + \"' and format of value \" + mode + \"' don't
match!\"));\n   }\n   }\n   break\n   case 'unknown':\n   if (process.env.NODE_ENV !== 'production')
{\n   warn(\"Detect 'unknown' type of token!\");\n   }\n   break\n   }\n   index++;\n   }\n\n   return
compiled\n}\n\n/* */\n\n/**\n * Path parser\n * - Inspired:\n *   Vue.js Path parser\n */\n\n// actions\nvar
APPEND = 0;\nvar PUSH = 1;\nvar INC_SUB_PATH_DEPTH = 2;\nvar PUSH_SUB_PATH = 3;\n\n// states\nvar
BEFORE_PATH = 0;\nvar IN_PATH = 1;\nvar BEFORE_IDENT = 2;\nvar IN_IDENT = 3;\nvar IN_SUB_PATH
= 4;\nvar IN_SINGLE_QUOTE = 5;\nvar IN_DOUBLE_QUOTE = 6;\nvar AFTER_PATH = 7;\nvar ERROR =
8;\n\nvar pathStateMachine = [];\n\npathStateMachine[BEFORE_PATH] = {\n 'ws': [BEFORE_PATH],\n 'ident':
[IN_IDENT, APPEND],\n '[': [IN_SUB_PATH],\n 'eof': [AFTER_PATH]\n};\n\npathStateMachine[IN_PATH] =
{\n 'ws': [IN_PATH],\n '.': [BEFORE_IDENT],\n '[': [IN_SUB_PATH],\n 'eof':
[AFTER_PATH]\n};\n\npathStateMachine[BEFORE_IDENT] = {\n 'ws': [BEFORE_IDENT],\n 'ident':
[IN_IDENT, APPEND],\n '0': [IN_IDENT, APPEND],\n 'number': [IN_IDENT,
APPEND]\n};\n\npathStateMachine[IN_IDENT] = {\n 'ident': [IN_IDENT, APPEND],\n '0': [IN_IDENT,
APPEND],\n 'number': [IN_IDENT, APPEND],\n 'ws': [IN_PATH, PUSH],\n '.': [BEFORE_IDENT, PUSH],\n
'[': [IN_SUB_PATH, PUSH],\n 'eof': [AFTER_PATH, PUSH]\n};\n\npathStateMachine[IN_SUB_PATH] = {\n
\"'\": [IN_SINGLE_QUOTE, APPEND],\n '\"': [IN_DOUBLE_QUOTE, APPEND],\n '[': [IN_SUB_PATH,
INC_SUB_PATH_DEPTH],\n ']': [IN_PATH, PUSH_SUB_PATH],\n 'eof': ERROR,\n 'else': [IN_SUB_PATH,
APPEND]\n};\n\npathStateMachine[IN_SINGLE_QUOTE] = {\n \"'\": [IN_SUB_PATH, APPEND],\n 'eof':
ERROR,\n 'else': [IN_SINGLE_QUOTE, APPEND]\n};\n\npathStateMachine[IN_DOUBLE_QUOTE] = {\n '\"':
[IN_SUB_PATH, APPEND],\n 'eof': ERROR,\n 'else': [IN_DOUBLE_QUOTE, APPEND]\n};\n\n/**\n * Check if
an expression is a literal value.\n */\n\nvar literalValueRE = /^\\s?(?:true|false|-
?[\\d.]+|'[^']*'|\"[^\"]*\")\\s?$/;\nfunction isLiteral (exp) {\n   return literalValueRE.test(exp)\n}\n\n/**\n * Strip
quotes from a string\n */\n\nfunction stripQuotes (str) {\n   var a = str.charCodeAt(0);\n   var b =
str.charCodeAt(str.length - 1);\n   return a === b && (a === 0x22 || a === 0x27)\n   ? str.slice(1, -1)\n   :
str\n}\n\n/**\n * Determine the type of a character in a keypath.\n */\n\nfunction getPathCharType (ch) {\n   if (ch
=== undefined || ch === null) { return 'eof' }\n\n   var code = ch.charCodeAt(0);\n\n   switch (code) {\n   case 0x5B:
// [\n   case 0x5D: //]\n   case 0x2E: // .\n   case 0x22: // \"\n   case 0x27: // '\n   return ch\n\n   case 0x5F: // _\n
  case 0x24: // $\n   case 0x2D: // -\n   return 'ident'\n\n   case 0x20: // Space\n   case 0x09: // Tab\n   case 0x0A:
// Newline\n   case 0x0D: // Return\n   case 0xA0: // No-break space\n   case 0xFEFF: // Byte Order Mark\n
case 0x2028: // Line Separator\n   case 0x2029: // Paragraph Separator\n   return 'ws'\n   }\n\n   return
'ident'\n}\n\n/**\n * Format a subPath, return its plain form if it is\n * a literal string or number. Otherwise prepend
the\n * dynamic indicator (*).\n */\n\nfunction formatSubPath (path) {\n   var trimmed = path.trim();\n   // invalid
leading 0\n   if (path.charAt(0) === '0' && isNaN(path)) { return false }\n\n   return isLiteral(trimmed) ?
stripQuotes(trimmed) : '*' + trimmed\n}\n\n/**\n * Parse a string path into an array of segments\n */\n\nfunction
parse$1 (path) {\n   var keys = [];\n   var index = -1;\n   var mode = BEFORE_PATH;\n   var subPathDepth = 0;\n   var
c;\n   var key;\n   var newChar;\n   var type;\n   var transition;\n   var action;\n   var typeMap;\n   var actions = [];\n\n
actions[PUSH] = function () {\n   if (key !== undefined) {\n   keys.push(key);\n   key = undefined;\n   }\n
};\n\n   actions[APPEND] = function () {\n   if (key === undefined) {\n   key = newChar;\n   } else {\n   key +=
newChar;\n   }\n   };\n\n   actions[INC_SUB_PATH_DEPTH] = function () {\n   actions[APPEND]();\n
subPathDepth++;\n   };\n\n   actions[PUSH_SUB_PATH] = function () {\n   if (subPathDepth > 0) {\n
subPathDepth--;\n   mode = IN_SUB_PATH;\n   actions[APPEND]();\n   } else {\n   subPathDepth = 0;\n

key = formatSubPath(key);\n   if (key === false) {\n   return false\n   } else {\n   actions[PUSH]();\n   }\n }\n };\n\n function maybeUnescapeQuote () {\n   var nextChar = path[index + 1];\n   if ((mode === IN_SINGLE_QUOTE && nextChar === \"'\") ||\n   (mode === IN_DOUBLE_QUOTE && nextChar === \'"')) {\n   index++;\n   newChar = '\\\\' + nextChar;\n   actions[APPEND]();\n   return true\n   }\n }\n\n while (mode !== null) {\n   index++;\n   c = path[index];\n\n   if (c === '\\\\' && maybeUnescapeQuote()) {\n   continue\n   }\n\n   type = getPathCharType(c);\n   typeMap = pathStateMachine[mode];\n   transition = typeMap[type] || typeMap['else'] || ERROR;\n\n   if (transition === ERROR) {\n   return // parse error\n   }\n\n   mode = transition[0];\n   action = actions[transition[1]];\n   if (action) {\n   newChar = transition[2];\n   newChar = newChar === undefined\n   ? c\n   : newChar;\n   if (action() === false) {\n   return\n   }\n   }\n\n   if (mode === AFTER_PATH) {\n   return keys\n   }\n }\n}\n\n\n\n\nvar I18nPath = function I18nPath () {\n this._cache = Object.create(null);\n};\n\n/**\n * External parse that check for a cache hit first\n */\nI18nPath.prototype.parsePath = function parsePath (path) {\n var hit = this._cache[path];\n if (!hit) {\n   hit = parse$1(path);\n   if (hit) {\n   this._cache[path] = hit;\n   }\n }\n return hit || []\n};\n\n/**\n * Get path value from path string\n */\nI18nPath.prototype.getPathValue = function getPathValue (obj, path) {\n if (!isObject(obj)) { return null }\n\n var paths = this.parsePath(path);\n if (paths.length === 0) {\n   return null\n } else {\n   var length = paths.length;\n   var last = obj;\n   var i = 0;\n   while (i < length) {\n   var value = last[paths[i]];\n   if (value === undefined) {\n   return null\n   }\n   last = value;\n   i++;\n   }\n\n   return last\n }\n};\n\n/* */\n\n\n\nvar numberFormatKeys = [\n 'style',\n 'currency',\n 'currencyDisplay',\n 'useGrouping',\n 'minimumIntegerDigits',\n 'minimumFractionDigits',\n 'maximumFractionDigits',\n 'minimumSignificantDigits',\n 'maximumSignificantDigits',\n 'localeMatcher',\n 'formatMatcher'\n];\nvar linkKeyMatcher = /(?:@(?:\\.[a-z]+)?:(?:[\\w\\-_|.]+|\\(([\\w\\-_|.]+|\\))))/g;\nvar linkKeyPrefixMatcher = /^@(?:\\.([a-z]+))?:/;\nvar bracketsMatcher = /[()]/g;\nvar formatters = {\n 'upper': function (str) { return str.toLocaleUpperCase(); },\n 'lower': function (str) { return str.toLocaleLowerCase(); }\n};\n\nvar VueI18n = function VueI18n (options) {\n var this$1 = this;\n if (options === void 0) options = {};\n\n // Auto install if it is not done yet and `window` has `Vue`.\n // To allow users to avoid auto-installation in some cases,\n // this code should be placed here. See #290\n /* istanbul ignore if */\n if (!Vue && typeof window !== 'undefined' && window.Vue) {\n   install(window.Vue);\n }\n\n var locale = options.locale || 'en-US';\n var fallbackLocale = options.fallbackLocale || 'en-US';\n var messages = options.messages || {};\n var dateTimeFormats = options.dateTimeFormats || {};\n var numberFormats = options.numberFormats || {};\n\n this._vm = null;\n this._formatter = options.formatter || new BaseFormatter();\n this._missing = options.missing || null;\n this._root = options.root || null;\n this._sync = options.sync === undefined ? true : !!options.sync;\n this._fallbackRoot = options.fallbackRoot === undefined\n   ? true\n   : !!options.fallbackRoot;\n this._silentTranslationWarn = options.silentTranslationWarn === undefined\n   ? false\n   : !!options.silentTranslationWarn;\n this._dateTimeFormatters = {};\n this._numberFormatters = {};\n this._path = new I18nPath();\n this._dataListeners = [];\n\n this._exist = function (message, key) {\n   if (!message || !key) { return false }\n   return !isNull(this$1._path.getPathValue(message, key))\n };\n\n this._initVM({\n   locale: locale,\n   fallbackLocale: fallbackLocale,\n   messages: messages,\n   dateTimeFormats: dateTimeFormats,\n   numberFormats: numberFormats\n });\n};\n\nvar prototypeAccessors = { vm: { configurable: true },messages: { configurable: true },dateTimeFormats: { configurable: true },numberFormats: { configurable: true },locale: { configurable: true },fallbackLocale: { configurable: true },missing: { configurable: true },formatter: { configurable: true },silentTranslationWarn: { configurable: true } };\n\nVueI18n.prototype._initVM = function _initVM (data) {\n var silent = Vue.config.silent;\n Vue.config.silent = true;\n this._vm = new Vue({ data: data });\n Vue.config.silent = silent;\n};\n\nVueI18n.prototype.subscribeDataChanging = function subscribeDataChanging (vm) {\n this._dataListeners.push(vm);\n};\n\nVueI18n.prototype.unsubscribeDataChanging = function unsubscribeDataChanging (vm) {\n remove(this._dataListeners, vm);\n};\n\nVueI18n.prototype.watchI18nData = function watchI18nData () {\n var self = this;\n return this._vm.$watch('$data', function () {\n   var i = self._dataListeners.length;\n   while (i--) {\n   Vue.nextTick(function () {\n   self._dataListeners[i] && self._dataListeners[i].$forceUpdate();\n   });\n   }\n }, { deep: true })\n};\n\nVueI18n.prototype.watchLocale = function watchLocale () {\n /* istanbul ignore if */\n if (!this._sync || !this._root) { return null }\n var target =

this._vm;\n return this._root.$i18n.vm.$watch('locale', function (val) {\n target.$set(target, 'locale', val);\n target.$forceUpdate();\n }, { immediate: true })\n};\n\nprototypeAccessors.vm.get = function () { return this._vm };\n\nprototypeAccessors.messages.get = function () { return looseClone(this._getMessages()) };\nprototypeAccessors.dateTimeFormats.get = function () { return looseClone(this._getDateTimeFormats()) };\nprototypeAccessors.numberFormats.get = function () { return looseClone(this._getNumberFormats()) };\nprototypeAccessors.locale.get = function () { return this._vm.locale };\nprototypeAccessors.locale.set = function (locale) {\n this._vm.$set(this._vm, 'locale', locale);\n};\n\nprototypeAccessors.fallbackLocale.get = function () { return this._vm.fallbackLocale };\nprototypeAccessors.fallbackLocale.set = function (locale) {\n this._vm.$set(this._vm, 'fallbackLocale', locale);\n};\n\nprototypeAccessors.missing.get = function () { return this._missing };\nprototypeAccessors.missing.set = function (handler) { this._missing = handler; };\n\nprototypeAccessors.formatter.get = function () { return this._formatter };\nprototypeAccessors.formatter.set = function (formatter) { this._formatter = formatter; };\n\nprototypeAccessors.silentTranslationWarn.get = function () { return this._silentTranslationWarn };\nprototypeAccessors.silentTranslationWarn.set = function (silent) { this._silentTranslationWarn = silent; };\n\nVueI18n.prototype._getMessages = function _getMessages () { return this._vm.messages };\nVueI18n.prototype._getDateTimeFormats = function _getDateTimeFormats () { return this._vm.dateTimeFormats };\nVueI18n.prototype._getNumberFormats = function _getNumberFormats () { return this._vm.numberFormats };\n\nVueI18n.prototype._warnDefault = function _warnDefault (locale, key, result, vm, values) {\n if (!isNull(result)) { return result }\n if (this._missing) {\n var missingRet = this._missing.apply(null, [locale, key, vm, values]);\n if (typeof missingRet === 'string') {\n return missingRet\n }\n } else {\n if (process.env.NODE_ENV !== 'production' && !this._silentTranslationWarn) {\n warn(\n \"Cannot translate the value of keypath '\" + key + \"'. \" +\n 'Use the value of keypath as default.'\n);\n }\n }\n return key\n};\n\nVueI18n.prototype._isFallbackRoot = function _isFallbackRoot (val) {\n return !val && !isNull(this._root) && this._fallbackRoot\n};\n\nVueI18n.prototype._interpolate = function _interpolate (\n locale,\n message,\n key,\n host,\n interpolateMode,\n values,\n visitedLinkStack) {\n if (!message) { return null }\n\n var pathRet = this._path.getPathValue(message, key);\n if (Array.isArray(pathRet) || isPlainObject(pathRet)) { return pathRet }\n\n var ret;\n if (isNull(pathRet)) {\n /* istanbul ignore else */\n if (isPlainObject(message)) {\n ret = message[key];\n if (typeof ret !== 'string') {\n if (process.env.NODE_ENV !== 'production' && !this._silentTranslationWarn) {\n warn((\"Value of key '\" + key + \"' is not a string!\"));\n }\n return null\n }\n } else {\n return null\n }\n } else {\n /* istanbul ignore else */\n if (typeof pathRet === 'string') {\n ret = pathRet;\n } else {\n if (process.env.NODE_ENV !== 'production' && !this._silentTranslationWarn) {\n warn((\"Value of key '\" + key + \"' is not a string!\"));\n }\n return null\n }\n }\n\n // Check for the existence of links within the translated string\n if (ret.indexOf('@:') >= 0 || ret.indexOf('@.') >= 0) {\n ret = this._link(locale, message, ret, host, interpolateMode, values, visitedLinkStack);\n }\n\n return this._render(ret, interpolateMode, values)\n};\n\nVueI18n.prototype._link = function _link (\n locale,\n message,\n str,\n host,\n interpolateMode,\n values,\n visitedLinkStack) {\n var this$1 = this;\n\n var ret = str;\n\n // Match all the links within the local\n // We are going to replace each of\n // them with its translation\n var matches = ret.match(linkKeyMatcher);\n for (var idx in matches) {\n // ie compatible: filter custom array\n // prototype method\n if (!matches.hasOwnProperty(idx)) {\n continue\n }\n var link = matches[idx];\n var linkKeyPrefixMatches = link.match(linkKeyPrefixMatcher);\n var linkPrefix = linkKeyPrefixMatches[0];\n var formatterName = linkKeyPrefixMatches[1];\n\n // Remove the leading @:, @.case: and the brackets\n var linkPlaceholder = link.replace(linkPrefix, '').replace(bracketsMatcher, '');\n if (visitedLinkStack.includes(linkPlaceholder)) {\n if (process.env.NODE_ENV !== 'production') {\n warn((\"Circular reference found. \\\"\" + link + \"\\\" is already visited in the chain of \" + (visitedLinkStack.reverse().join(' <- '))));\n }\n return ret\n }\n visitedLinkStack.push(linkPlaceholder);\n\n // Translate the link\n var translated = this$1._interpolate(\n locale, message, linkPlaceholder, host,\n interpolateMode === 'raw' ? 'string' : interpolateMode,\n interpolateMode === 'raw' ? undefined : values,\n visitedLinkStack\n);\n\n if (this$1._isFallbackRoot(translated)) {\n if (process.env.NODE_ENV !== 'production' &&

!this$1._silentTranslationWarn) {\n   warn((\"Fall back to translate the link placeholder '\" + linkPlaceholder + \"'
with root locale.\"));\n   }\n   /* istanbul ignore if */\n   if (!this$1._root) { throw Error('unexpected error') }\n
 var root = this$1._root.$i18n;\n   translated = root._translate(\n   root._getMessages(), root.locale,\n
root.fallbackLocale,\n   linkPlaceholder, host, interpolateMode, values\n   );\n   }\n   translated =
this$1._warnDefault(\n   locale, linkPlaceholder, translated, host,\n   Array.isArray(values) ? values : [values]\n
);\n   if (formatters.hasOwnProperty(formatterName)) {\n   translated = formatters[formatterName](translated);\n
}\n\n   visitedLinkStack.pop();\n\n   // Replace the link with the translated\n   ret = !translated ? ret :
ret.replace(link, translated);\n   }\n\n   return ret\n};\n\nVueI18n.prototype._render = function _render (message,
interpolateMode, values) {\n var ret = this._formatter.interpolate(message, values);\n // if interpolateMode is
not 'string' ('row'),\n // return the compiled data (e.g. ['foo', VNode, 'bar']) with formatter\n return
interpolateMode === 'string' ? ret.join('') : ret\n};\n\nVueI18n.prototype._translate = function _translate (\n
messages,\n locale,\n fallback,\n key,\n host,\n interpolateMode,\n args\n) {\n var res =\n
this._interpolate(locale, messages[locale], key, host, interpolateMode, args, [key]);\n if (!isNull(res)) { return res
}\n\n res = this._interpolate(fallback, messages[fallback], key, host, interpolateMode, args, [key]);\n if
(!isNull(res)) {\n   if (process.env.NODE_ENV !== 'production' && !this._silentTranslationWarn) {\n
warn((\"Fall back to translate the keypath '\" + key + \"' with '\" + fallback + \"' locale.\"));\n   }\n   return res\n }
else {\n   return null\n }\n};\n\nVueI18n.prototype._t = function _t (key, _locale, messages, host) {\n   var ref;\n\n
 var values = [], len = arguments.length - 4;\n   while (len-- > 0) values[len] = arguments[len + 4];\n if (!key) {
return '' }\n\n var parsedArgs = parseArgs.apply(void 0, values);\n var locale = parsedArgs.locale || _locale;\n\n
var ret = this._translate(\n   messages, locale, this.fallbackLocale, key,\n   host, 'string', parsedArgs.params\n);\n
if (this._isFallbackRoot(ret)) {\n   if (process.env.NODE_ENV !== 'production' && !this._silentTranslationWarn)
{\n   warn((\"Fall back to translate the keypath '\" + key + \"' with root locale.\"));\n   }\n   /* istanbul ignore if
*/\n   if (!this._root) { throw Error('unexpected error') }\n   return (ref = this._root).$t.apply(ref, [key].concat(
values))\n } else {\n   return this._warnDefault(locale, key, ret, host, values)\n }\n};\n\nVueI18n.prototype.t =
function t (key) {\n   var ref;\n\n   var values = [], len = arguments.length - 1;\n   while (len-- > 0) values[len] =
arguments[len + 1];\n return (ref = this)._t.apply(ref, [key, this.locale, this._getMessages(), null].concat(values
))\n};\n\nVueI18n.prototype._i = function _i (key, locale, messages, host, values) {\n var ret =\n
this._translate(messages, locale, this.fallbackLocale, key, host, 'raw', values);\n if (this._isFallbackRoot(ret)) {\n   if
(process.env.NODE_ENV !== 'production' && !this._silentTranslationWarn) {\n   warn((\"Fall back to interpolate
the keypath '\" + key + \"' with root locale.\"));\n   }\n   if (!this._root) { throw Error('unexpected error') }\n   return
this._root.$i18n.i(key, locale, values)\n } else {\n   return this._warnDefault(locale, key, ret, host, [values])\n
}\n};\n\nVueI18n.prototype.i = function i (key, locale, values) {\n /* istanbul ignore if */\n if (!key) { return '' }\n\n
if (typeof locale !== 'string') {\n   locale = this.locale;\n }\n\n return this._i(key, locale, this._getMessages(), null,
values)\n};\n\nVueI18n.prototype._tc = function _tc (\n key,\n _locale,\n messages,\n host,\n choice\n) {\n   var
ref;\n\n   var values = [], len = arguments.length - 5;\n   while (len-- > 0) values[len] = arguments[len + 5];\n if
(!key) { return '' }\n if (choice === undefined) {\n   choice = 1;\n }\n\n var predefined = { 'count': choice, 'n':
choice };\n var parsedArgs = parseArgs.apply(void 0, values);\n parsedArgs.params = Object.assign(predefined,
parsedArgs.params);\n values = parsedArgs.locale === null ? [parsedArgs.params] : [parsedArgs.locale,
parsedArgs.params];\n return this.fetchChoice((ref = this)._t.apply(ref, [key, _locale, messages, host].concat(
values)), choice)\n};\n\nVueI18n.prototype.fetchChoice = function fetchChoice (message, choice) {\n /* istanbul
ignore if */\n if (!message && typeof message !== 'string') { return null }\n var choices = message.split('|');\n\n
choice = this.getChoiceIndex(choice, choices.length);\n if (!choices[choice]) { return message }\n return
choices[choice].trim()\n};\n\n/**\n * @param choice {number} a choice index given by the input to $tc:
`$tc('path.to.rule', choiceIndex)`\n * @param choicesLength {number} an overall amount of available choices\n *
@returns a final choice index\n*/\nVueI18n.prototype.getChoiceIndex = function getChoiceIndex (choice,
choicesLength) {\n choice = Math.abs(choice);\n\n if (choicesLength === 2) {\n   return choice\n   ? choice >
1\n   ? 1\n   : 0\n   : 1\n }\n\n return choice ? Math.min(choice, 2) : 0\n};\n\nVueI18n.prototype.tc =
function tc (key, choice) {\n   var ref;\n\n   var values = [], len = arguments.length - 2;\n   while (len-- > 0)

values[len] = arguments[len + 2];\n return (ref = this)._tc.apply(ref, [key, this.locale, this._getMessages(), null, choice].concat(values))\n};\n\nVueI18n.prototype._te = function _te (key, locale, messages) {\n var args = [], len = arguments.length - 3;\n while (len-- > 0) args[len] = arguments[len + 3];\n\n var _locale = parseArgs.apply(void 0, args).locale || locale;\n return this._exist(messages[_locale], key)\n};\n\nVueI18n.prototype.te = function te (key, locale) {\n return this._te(key, this.locale, this._getMessages(), locale)\n};\n\nVueI18n.prototype.getLocaleMessage = function getLocaleMessage (locale) {\n return looseClone(this._vm.messages[locale] || {})\n};\n\nVueI18n.prototype.setLocaleMessage = function setLocaleMessage (locale, message) {\n this._vm.$set(this._vm.messages, locale, message);\n};\n\nVueI18n.prototype.mergeLocaleMessage = function mergeLocaleMessage (locale, message) {\n this._vm.$set(this._vm.messages, locale, merge(this._vm.messages[locale] || {}, message));\n};\n\nVueI18n.prototype.getDateTimeFormat = function getDateTimeFormat (locale) {\n return looseClone(this._vm.dateTimeFormats[locale] || {})\n};\n\nVueI18n.prototype.setDateTimeFormat = function setDateTimeFormat (locale, format) {\n this._vm.$set(this._vm.dateTimeFormats, locale, format);\n};\n\nVueI18n.prototype.mergeDateTimeFormat = function mergeDateTimeFormat (locale, format) {\n this._vm.$set(this._vm.dateTimeFormats, locale, merge(this._vm.dateTimeFormats[locale] || {}, format));\n};\n\nVueI18n.prototype._localizeDateTime = function _localizeDateTime (\n value,\n locale,\n fallback,\n dateTimeFormats,\n key\n) {\n var _locale = locale;\n var formats = dateTimeFormats[_locale];\n\n // fallback locale\n if (isNull(formats) || isNull(formats[key])) {\n if (process.env.NODE_ENV !== 'production') {\n warn((\"Fall back to '\" + fallback + \"' datetime formats from '\" + locale + \"' datetime formats.\"));\n }\n _locale = fallback;\n formats = dateTimeFormats[_locale];\n }\n\n if (isNull(formats) || isNull(formats[key])) {\n return null\n } else {\n var format = formats[key];\n var id = _locale + \"__\" + key;\n var formatter = this._dateTimeFormatters[id];\n if (!formatter) {\n formatter = this._dateTimeFormatters[id] = new Intl.DateTimeFormat(_locale, format);\n }\n return formatter.format(value)\n }\n};\n\nVueI18n.prototype._d = function _d (value, locale, key) {\n /* istanbul ignore if */\n if (process.env.NODE_ENV !== 'production' && !VueI18n.availabilities.dateTimeFormat) {\n warn('Cannot format a Date value due to not supported Intl.DateTimeFormat.');\n return ''\n }\n\n if (!key) {\n return new Intl.DateTimeFormat(locale).format(value)\n }\n\n var ret =\n this._localizeDateTime(value, locale, this.fallbackLocale, this._getDateTimeFormats(), key);\n if (this._isFallbackRoot(ret)) {\n if (process.env.NODE_ENV !== 'production') {\n warn((\"Fall back to datetime localization of root: key '\" + key + \"' .\"));\n }\n /* istanbul ignore if */\n if (!this._root) { throw Error('unexpected error') }\n return this._root.$i18n.d(value, key, locale)\n } else {\n return ret || ''\n }\n};\n\nVueI18n.prototype.d = function d (value) {\n var args = [], len = arguments.length - 1;\n while (len-- > 0) args[len] = arguments[len + 1];\n\n var locale = this.locale;\n var key = null;\n\n if (args.length === 1) {\n if (typeof args[0] === 'string') {\n key = args[0];\n } else if (isObject(args[0])) {\n if (args[0].locale) {\n locale = args[0].locale;\n }\n if (args[0].key) {\n key = args[0].key;\n }\n }\n } else if (args.length === 2) {\n if (typeof args[0] === 'string') {\n key = args[0];\n }\n if (typeof args[1] === 'string') {\n locale = args[1];\n }\n }\n\n return this._d(value, locale, key)\n};\n\nVueI18n.prototype.getNumberFormat = function getNumberFormat (locale) {\n return looseClone(this._vm.numberFormats[locale] || {})\n};\n\nVueI18n.prototype.setNumberFormat = function setNumberFormat (locale, format) {\n this._vm.$set(this._vm.numberFormats, locale, format);\n};\n\nVueI18n.prototype.mergeNumberFormat = function mergeNumberFormat (locale, format) {\n this._vm.$set(this._vm.numberFormats, locale, merge(this._vm.numberFormats[locale] || {}, format));\n};\n\nVueI18n.prototype._localizeNumber = function _localizeNumber (\n value,\n locale,\n fallback,\n numberFormats,\n key,\n options\n) {\n var _locale = locale;\n var formats = numberFormats[_locale];\n\n // fallback locale\n if (isNull(formats) || isNull(formats[key])) {\n if (process.env.NODE_ENV !== 'production') {\n warn((\"Fall back to '\" + fallback + \"' number formats from '\" + locale + \"' number formats.\"));\n }\n _locale = fallback;\n formats = numberFormats[_locale];\n }\n\n if (isNull(formats) || isNull(formats[key])) {\n return null\n } else {\n var format = formats[key];\n\n var formatter;\n if (options) {\n // If options specified - create one time number formatter\n formatter = new Intl.NumberFormat(_locale, Object.assign({}, format, options));\n } else {\n var id = _locale + \"__\" + key;\n

formatter = this._numberFormatters[id];\n   if (!formatter) {\n   formatter = this._numberFormatters[id] = new Intl.NumberFormat(_locale, format);\n   }\n }\n return formatter.format(value)\n }\n};\n\nVueI18n.prototype._n = function _n (value, locale, key, options) {\n /* istanbul ignore if */\n if (!VueI18n.availabilities.numberFormat) {\n   if (process.env.NODE_ENV !== 'production') {\n   warn('Cannot format a Number value due to not supported Intl.NumberFormat.');\n   }\n   return "\n }\n\n if (!key) {\n   var nf = !options ? new Intl.NumberFormat(locale) : new Intl.NumberFormat(locale, options);\n   return nf.format(value)\n }\n\n var ret =\n   this._localizeNumber(value, locale, this.fallbackLocale, this._getNumberFormats(), key, options);\n if (this._isFallbackRoot(ret)) {\n   if (process.env.NODE_ENV !== 'production') {\n   warn(("Fall back to number localization of root: key '" + key + "' ."));\n   }\n   /* istanbul ignore if */\n   if (!this._root) { throw Error('unexpected error') }\n   return this._root.$i18n.n(value, Object.assign({}, { key: key, locale: locale }, options))\n } else {\n   return ret || "\n }\n};\n\nVueI18n.prototype.n = function n (value) {\n var args = [], len = arguments.length - 1;\n   while (len-- > 0) args[len] = arguments[len + 1];\n\n var locale = this.locale;\n var key = null;\n var options = null;\n\n if (args.length === 1) {\n   if (typeof args[0] === 'string') {\n   key = args[0];\n   } else if (isObject(args[0])) {\n   if (args[0].locale) {\n   locale = args[0].locale;\n   }\n   if (args[0].key) {\n   key = args[0].key;\n   }\n\n   // Filter out number format options only\n   options = Object.keys(args[0]).reduce(function (acc, key) {\n   var obj;\n\n   if (numberFormatKeys.includes(key)) {\n   return Object.assign({}, acc, (obj = {}, obj[key] = args[0][key], obj))\n   }\n   return acc\n   }, null);\n   }\n } else if (args.length === 2) {\n   if (typeof args[0] === 'string') {\n   key = args[0];\n   }\n   if (typeof args[1] === 'string') {\n   locale = args[1];\n   }\n }\n\n return this._n(value, locale, key, options)\n};\n\nObject.defineProperties(VueI18n.prototype, prototypeAccessors);\n\nVueI18n.availabilities = {\n dateTimeFormat: canUseDateTimeFormat,\n numberFormat: canUseNumberFormat\n};\nVueI18n.install = install;\nVueI18n.version = '8.4.0';\n\nexport default VueI18n;\n","import Vue from 'vue'\nimport VueI18n from 'vue-i18n'\n\nVue.use(VueI18n)\n\nfunction loadLocaleMessages () {\n const locales = require.context('./locales', true, /[A-Za-z0-9-_,\\s]+\\.json$/i)\n const messages = {}\n locales.keys().forEach(key => {\n   const matched = key.match(/([A-Za-z0-9-_]+)\\./i)\n   if (matched && matched.length > 1) {\n   const locale = matched[1]\n   messages[locale] = locales(key)\n   }\n })\n return messages\n}\n\nexport default new VueI18n({\n locale: process.env.VUE_APP_I18N_LOCALE || 'en',\n fallbackLocale: process.env.VUE_APP_I18N_FALLBACK_LOCALE || 'en',\n messages: loadLocaleMessages()\n})\n","var render = function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _vm._m(0)}\nvar staticRenderFns = [function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('div',{staticClass:"content-placeholder"},[_c('div',{staticClass:"content-placeholder__wrapper",style:({ backgroundSize: _vm.size })},_vm._l((_vm.formattedRows),function(row,r){return _c('div',{key:r,staticClass:"content-placeholder__wrapper__row",style:({height: row.height})},_vm._l((row.boxes),function(box,b){return _c('div',{key:b,style:(box.style)},[(box.subClass)?_c('div',{class:box.subClass}):_vm._e()])})})}))])}]\n\nexport { render, staticRenderFns }","const DEFAULT_ROWS = [\n {\n   height: '1em',\n   boxes: [[0, '50%'], ['5%', '30%'], ['5%', '10%']]\n }\n]\n\nexport function isFlexBasis (str) {\n return Number(str).toString() === str.toString()\n}\n\nexport function isWidth (str) {\n const cssSuffix = ['px', '%', 'em', 'rem']\n let checkState = false\n cssSuffix.forEach(suffix => {\n   if (Number(str.split(suffix)[0]) &&\n   str.split(suffix)[1] === " &&\n   str.split(suffix).length === 2) {\n   checkState = true\n   }\n })\n return checkState\n}\n\nexport function getBoxStyle (left, width, isLast, subClass = 'box') {\n const arr = []\n if (left !== 0) {\n   if (isFlexBasis(left)) {\n   arr.push({style: `flex-grow: ${left}; flex-shrink: 0; flex-basis: 0;`, subClass})\n   } else if (isWidth(left)) {\n   arr.push({style: `flex-grow: 0; flex-shrink: 0; flex-basis: ${left};`, subClass})\n   }\n }\n if (isFlexBasis(width)) {\n   arr.push({style: `flex-grow: ${width}; flex-shrink: 0; flex-basis: 0;`})\n } else if (isWidth(width)) {\n   arr.push({style: `flex-grow: 0; flex-shrink: 0; flex-basis: ${width};`})\n }\n if (isLast) {\n   arr.push({style: 'flex-grow: 1; flex-shrink: 0; flex-basis: 0;', subClass})\n }\n return arr\n}\n\nexport function formatRows (rows = DEFAULT_ROWS, subClass = 'box') {\n const rowArr = []\n rows.forEach(row => {\n   let boxArr = []\n   const rowObj = {}\n   // Add height\n   rowObj.height = row.height\n   // Add style\n   row.boxes.forEach((box, index)

=> {\n   const isLast = index === row.boxes.length - 1\n   boxArr = boxArr.concat(getBoxStyle(box[0], box[1], isLast, subClass))\n   })\n   rowObj.boxes = boxArr\n   rowArr.push(rowObj)\n   })\n\n   return rowArr\n}\n\nexport default {\n   isFlexBasis,\n   isWidth,\n   getBoxStyle,\n   formatRows\n}\n","<template>\n   <div class=\"content-placeholder\" v-once>\n   <div class=\"content-placeholder__wrapper\" :style=\"{ backgroundSize: size }\">\n   <div class=\"content-placeholder__wrapper__row\" :style=\"{height: row.height}\" v-for=\"(row, r) in formattedRows\" :key=\"r\">\n   <div :style=\"box.style\" v-for=\"(box, b) in row.boxes\" :key=\"b\">\n   <div v-if=\"box.subClass\" :class=\"box.subClass\"></div>\n   </div>\n   </div>\n   </div>\n</div>\n</template>\n\n<script>\nimport { formatRows } from '../utils/placeholder.js'\n\n/**\n * A component to fill empty spaces with animated placeholders until content is loaded.\n */\nexport default {\n   name: 'ContentPlaceholder',\n   props: {\n   /**\n   * An array of lines describing a series of cell sizes and margin sizes.\n   */\n   rows: {\n   type: Array\n   },\n   /**\n   * The size of the background gradient with the elapsing effect.\n   */\n   size: {\n   type: String,\n   default: '250%'\n   }\n   },\n   computed: {\n   formattedRows () {\n   return formatRows(this.rows, 'content-placeholder__wrapper__row__box')\n   }\n   }\n}\n</script>\n\n<style scoped lang=\"scss\">\n@import '../styles/lib';\n\n@keyframes placeHolderShimmer{\n   0%{\n   background-position: 100% 0\n   }\n   100%{\n   background-position: -100% 0\n   }\n}\n\n.content-placeholder {\n   overflow: hidden;\n\n   &__wrapper {\n   animation-duration: 1s;\n   animation-fill-mode: forwards;\n   animation-iteration-count: infinite;\n   animation-name: placeHolderShimmer;\n   animation-timing-function: linear;\n   background: #f6f7f8;\n   background: linear-gradient(to right, #eeeeee 8%, #dddddd 18%, #eeeeee 33%);\n   position: relative;\n\n   &__row {\n   width: 100%;\n   box-sizing: border-box;\n   display: flex;\n   flex: 0 1 auto;\n   flex-direction: row;\n   flex-wrap: wrap;\n\n   &__box {\n   box-sizing: border-box;\n   position: relative;\n   height: 100%;\n   margin-bottom: 0;\n   background-color: white;\n   overflow: hidden;\n   }\n   }\n   }\n}\n</style>\n","import mod from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./ContentPlaceholder.vue?vue&type=script&lang=js&\"; export default mod; export * from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./ContentPlaceholder.vue?vue&type=script&lang=js&\"","/* globals __VUE_SSR_CONTEXT__ */\n\n// IMPORTANT: Do NOT use ES2015 features in this file (except for modules).\n// This module is a runtime utility for cleaner component module output and will\n// be included in the final webpack user bundle.\n\nexport default function normalizeComponent (\n   scriptExports,\n   render,\n   staticRenderFns,\n   functionalTemplate,\n   injectStyles,\n   scopeId,\n   moduleIdentifier, /* server only */\n   shadowMode /* vue-cli only */) {\n   // Vue.extend constructor export interop\n   var options = typeof scriptExports === 'function'\n   ? scriptExports.options\n   : scriptExports\n\n   // render functions\n   if (render) {\n   options.render = render\n   options.staticRenderFns = staticRenderFns\n   options._compiled = true\n   }\n\n   // functional template\n   if (functionalTemplate) {\n   options.functional = true\n   }\n\n   // scopedId\n   if (scopeId) {\n   options._scopeId = 'data-v-' + scopeId\n   }\n\n   var hook\n   if (moduleIdentifier) { // server build\n   hook = function (context) {\n   // 2.3 injection\n   context =\n   context || // cached call\n   (this.$vnode && this.$vnode.ssrContext) || // stateful\n   (this.parent && this.parent.$vnode && this.parent.$vnode.ssrContext) // functional\n   // 2.2 with runInNewContext: true\n   if (!context && typeof __VUE_SSR_CONTEXT__ !== 'undefined') {\n   context = __VUE_SSR_CONTEXT__\n   }\n   // inject component styles\n   if (injectStyles) {\n   injectStyles.call(this, context)\n   }\n   // register component module identifier for async chunk inferrence\n   if (context && context._registeredComponents) {\n   context._registeredComponents.add(moduleIdentifier)\n   }\n   }\n   // used by ssr in case component is cached and beforeCreate\n   // never gets called\n   options._ssrRegister = hook\n   } else if (injectStyles) {\n   hook = shadowMode\n   ? function () { injectStyles.call(this, this.$root.$options.shadowRoot) }\n   : injectStyles\n   }\n\n   if (hook) {\n   if (options.functional) {\n   // for template-only hot-reload because in that case the render fn doesn't\n   // go

through the normalizer\n   options._injectStyles = hook\n   // register for functioal component in vue file\n   var originalRender = options.render\n   options.render = function renderWithStyleInjection (h, context) {\n   hook.call(context)\n   return originalRender(h, context)\n   }\n   } else {\n   // inject component registration as beforeCreate hook\n   var existing = options.beforeCreate\n   options.beforeCreate = existing\n   ? [].concat(existing, hook)\n   : [hook]\n   }\n }\n\n return {\n   exports: scriptExports,\n   options: options\n }\n}\n","import { render, staticRenderFns } from \"./ContentPlaceholder.vue?vue&type=template&id=40e3a912&scoped=true&\"\nimport script from \"./ContentPlaceholder.vue?vue&type=script&lang=js&\"\nexport * from \"./ContentPlaceholder.vue?vue&type=script&lang=js&\"\nimport style0 from \"./ContentPlaceholder.vue?vue&type=style&index=0&id=40e3a912&scoped=true&lang=scss&\"\n\n\n/* normalize component */\nimport normalizer from \"!../../node_modules/vue-loader/lib/runtime/componentNormalizer.js\"\nvar component = normalizer(\n script,\n render,\n staticRenderFns,\n false,\n null,\n \"40e3a912\",\n null\n \n)\n\ncomponent.options.__file = \"ContentPlaceholder.vue\"\nexport default component.exports","var render = function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('div',{staticClass:\"donate-form container-fluid py-2\"},[(!_vm.noTitle)?_c('h2',{staticClass:\"text-uppercase font-weight-bold text-primary h5\"},[_vm._v(\"\\n \"+_vm._s(_vm.$t('donate-form.support'))+\"\\n \")]):_vm._e(),_vm._t(\"introduction\",[_c('p',{domProps:{\"innerHTML\":_vm._s(_vm.$t('donate-form.introduction'))}})]),_c('div',{staticClass:\"donate-form__payment mb-4\"},[_c('form',{staticClass:\"donate-form__payment__form bg-light p-4\",attrs:{\"action\":\"//checkout.fundjournalism.org/memberform\",\"method\":\"get\",\"target\":\"_blank\"}},[_c('h3',{staticClass:\"donate-form__payment__title h5 mb-4\"},[_c('strong',[_vm._v(\"\\n \"+_vm._s(_vm.$t('donate-form.join-heading'))+\"\\n \")])]),_c('div',[_c('span',[_vm._v(_vm._s(_vm.$t('donate-form.label'))+\" \")]),_c('label',{staticClass:\"donate-form__payment__unit input-group input-group-sm d-inline-flex\"},[_vm._m(0),_c('input',{directives:[{name:\"model\",rawName:\"v-model\",value:(_vm.amount),expression:\"amount\"}],staticClass:\"donate-form__payment__input form-control\",attrs:{\"name\":\"amount\",\"type\":\"number\",\"min\":\"0\"},domProps:{\"value\":(_vm.amount)},on:{\"change\":function($event){_vm.amountIsPristine = false},\"input\":function($event){if($event.target.composing){return; }_vm.amount=$event.target.value}}})]),_c('span',{staticClass:\"donate-form__payment__buttons\"},[_c('button',{staticClass:\"btn btn-sm\",class:{ 'btn-primary': _vm.installmentPeriod === 'monthly' },attrs:{\"type\":\"button\"},on:{\"click\":function($event){_vm.installmentPeriod = 'monthly'}}},[_vm._v(\"\\n \"+_vm._s(_vm.$t('donate-form.frequency.monthly'))+\"\\n \")]),_c('button',{staticClass:\"btn btn-sm\",class:{ 'btn-primary': _vm.installmentPeriod === 'yearly' },attrs:{\"type\":\"button\"},on:{\"click\":function($event){_vm.installmentPeriod = 'yearly'}}},[_vm._v(\"\\n \"+_vm._s(_vm.$t('donate-form.frequency.yearly'))+\"\\n \")]),_c('button',{staticClass:\"btn btn-sm\",class:{ 'btn-primary': _vm.installmentPeriod === null },attrs:{\"type\":\"button\"},on:{\"click\":function($event){_vm.installmentPeriod = null}}},[_vm._v(\"\\n \"+_vm._s(_vm.$t('donate-form.frequency.onetime'))+\"\\n \")])])]),(_vm.changeThe)?_c('p',{staticClass:\"mt-2\",domProps:{\"innerHTML\":_vm._s(_vm.$t('donate-form.result.sentence', { target: _vm.changeThe }))}}):_vm._e(),_c('div',{staticClass:\"mt-4\"},[_c('input',{attrs:{\"name\":\"org_id\",\"value\":\"icij\",\"type\":\"hidden\"}}),_c('input',{directives:[{name:\"model\",rawName:\"v-model\",value:(_vm.installmentPeriod),expression:\"installmentPeriod\"}],attrs:{\"name\":\"installmentPeriod\",\"type\":\"hidden\"},domProps:{\"value\":(_vm.installmentPeriod)},on:{\"input\":function($event){if($event.target.composing){return; }_vm.installmentPeriod=$event.target.value}}}),_c('button',{staticClass:\"btn btn-primary rounded-pill text-uppercase font-weight-bold\",attrs:{\"type\":\"submit\"}},[_vm._v(\"\\n \"+_vm._s(_vm.$t('donate-form.submit'))+\"\\n \")]),_c('a',{staticClass:\"donate-form__payment__image\",attrs:{\"target\":\"_blank\",\"href\":\"https://icij.org/donate\"}})])])]),_c('div',{staticClass:\

"donate-form__insider\"},[_c('h2',{staticClass:\"donate-form__insider__title\"},[_vm._v(\"\\n \"+_vm._s(_vm.$t('donate-form.benefits.heading'))+\"\\n \")]),_c('p',[_vm._v(\"\\n \"+_vm._s(_vm.$t('donate-form.benefits.introduction'))+\"\\n \")]),_c('div',{staticClass:\"donate-form__insider__modal__container row\"},[_c('div',{staticClass:\"col\"},[_c('h3',{staticClass:\"donate-form__insider__subtitle text-uppercase font-weight-bold text-primary h5\"},[_vm._v(\"\\n \"+_vm._s(_vm.$t('donate-form.benefits.impacts.conversation.heading'))+\"\\n \")]),_c('div',{staticClass:\"Article\"},[_c('div',[_c('p',{staticClass:\"donate-form__insider__highlight text-icij font-weight-bold\"},[_vm._v(\"\\n \"+_vm._s(_vm.$t('donate-form.benefits.impacts.conversation.highlight'))+\"\\n \")]),_c('ul',{staticClass:\"donate-form__insider__list\"},_vm._l((_vm.$t('donate-form.benefits.impacts.conversation.list')),function(t){return _c('li',{staticClass:\"donate-form__insider__list-item\"},[_vm._v(\"\\n \"+_vm._s(t)+\"\\n \")])})]])]])]),_c('div',{staticClass:\"col\"},[_c('h3',{staticClass:\"donate-form__insider__subtitle text-uppercase font-weight-bold text-primary h5\"},[_vm._v(\"\\n \"+_vm._s(_vm.$t('donate-form.benefits.impacts.rules.heading'))+\"\\n \")]),_c('div',{staticClass:\"Article\"},[_c('div',[_c('p',{staticClass:\"donate-form__insider__highlight text-icij font-weight-bold\"},[_vm._v(\"\\n \"+_vm._s(_vm.$t('donate-form.benefits.impacts.rules.highlight'))+\"\\n \")]),_c('ul',{staticClass:\"donate-form__insider__list\"},_vm._l((_vm.$t('donate-form.benefits.impacts.rules.list')),function(t){return _c('li',{staticClass:\"donate-form__insider__list-item\"},[_vm._v(\"\\n \"+_vm._s(t)+\"\\n \")])})]])]])]),_c('div',{staticClass:\"col\"},[_c('h3',{staticClass:\"donate-form__insider__subtitle text-uppercase font-weight-bold text-primary h5\"},[_vm._v(\"\\n \"+_vm._s(_vm.$t('donate-form.benefits.impacts.world.heading'))+\"\\n \")]),_c('div',{staticClass:\"Article\"},[_c('div',[_c('p',{staticClass:\"donate-form__insider__highlight text-icij font-weight-bold\"},[_vm._v(\"\\n \"+_vm._s(_vm.$t('donate-form.benefits.impacts.world.highlight'))+\"\\n \")]),_c('ul',{staticClass:\"donate-form__insider__list\"},_vm._l((_vm.$t('donate-form.benefits.impacts.world.list')),function(t){return _c('li',{staticClass:\"donate-form__insider__list-item\"},[_vm._v(\"\\n \"+_vm._s(t)+\"\\n \")])})]])]])]),_c('hr',{staticClass:\"donate-form__insider__separator\"}),_c('div',{staticClass:\"donate-form__insider__more text-center\"},[_c('a',{staticClass:\"btn btn-primary rounded-pill text-uppercase font-weight-bold py-2\",attrs:{\"target\":\"_blank\",\"href\":\"https://icij.org/donate\"}},[_vm._v(\"\\n \"+_vm._s(_vm.$t('donate-form.benefits.more'))+\"\\n \")])])])],2)}\nvar staticRenderFns = [function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('span',{staticClass:\"input-group-prepend\"},[_c('span',{staticClass:\"input-group-text\"},[_vm._v(\"$\")])])}]\n\nexport { render, staticRenderFns }","<template>\n <div class=\"donate-form container-fluid py-2\">\n   <h2 class=\"text-uppercase font-weight-bold text-primary h5\" v-if=\"!noTitle\">\n   {{ $t('donate-form.support') }}\n   </h2>\n   <!-- @slot Description of the form (bellow the title). -->\n   <slot name=\"introduction\">\n   <p v-html=\"$t('donate-form.introduction')\"></p>\n   </slot>\n   <div class=\"donate-form__payment mb-4\">\n   <form action=\"//checkout.fundjournalism.org/memberform\" method=\"get\" target=\"_blank\" class=\"donate-form__payment__form bg-light p-4\">\n   <h3 class=\"donate-form__payment__title h5 mb-4\">\n   \n   {{ $t('donate-form.join-heading') }}\n   \n   </h3>\n   <div>\n   {{ $t('donate-form.label') }} \n   <label class=\"donate-form__payment__unit input-group input-group-sm d-inline-flex\">\n   \n $\n   \n   <input class=\"donate-form__payment__input form-control\" name=\"amount\" v-model=\"amount\" @change=\"amountIsPristine = false\" type=\"number\" min=\"0\">\n   </label>\n   \n   <button type=\"button\" class=\"btn btn-sm\" :class=\"{ 'btn-primary': installmentPeriod === 'monthly' }\" @click=\"installmentPeriod = 'monthly'\">\n   {{ $t('donate-form.frequency.monthly') }}\n   </button>\n   <button type=\"button\" class=\"btn btn-sm\" :class=\"{ 'btn-primary': installmentPeriod ===

'yearly' }\" @click=\"installmentPeriod = 'yearly'\">\n   {{ $t('donate-form.frequency.yearly') }}\n
</button>\n   <button type=\"button\" class=\"btn btn-sm\" :class=\"{ 'btn-primary': installmentPeriod ===
null }\" @click=\"installmentPeriod = null\">\n   {{ $t('donate-form.frequency.onetime') }}\n
</button>\n   \n   </div>\n   <p v-if=\"changeThe\" class=\"mt-2\" v-html=\"$t('donate-
form.result.sentence', { target: changeThe })\"></p>\n   <div class=\"mt-4\">\n   <input name=\"org_id\"
value=\"icij\" type=\"hidden\">\n   <input name=\"installmentPeriod\" v-model=\"installmentPeriod\"
type=\"hidden\">\n   <button type=\"submit\" class=\"btn btn-primary rounded-pill text-uppercase font-weight-
bold\">\n   {{ $t('donate-form.submit') }}\n   </button>\n   <a target=\"_blank\"
href=\"https://icij.org/donate\" class=\"donate-form__payment__image\">\n   </div>\n   </form>\n
</div>\n   <div class=\"donate-form__insider\">\n   <h2 class=\"donate-form__insider__title\">\n   {{
$t('donate-form.benefits.heading') }}\n   </h2>\n   <p>\n   {{ $t('donate-form.benefits.introduction') }}\n
</p>\n   <div class=\"donate-form__insider__modal__container row\">\n   <div class=\"col\">\n   <h3
class=\"donate-form__insider__subtitle text-uppercase font-weight-bold text-primary h5\">\n   {{
$t('donate-form.benefits.impacts.conversation.heading') }}\n   </h3>\n   <div class=\"Article\">\n
<div>\n   <p class=\"donate-form__insider__highlight text-icij font-weight-bold\">\n
{{ $t('donate-form.benefits.impacts.conversation.highlight') }}\n   </p>\n   <ul
class=\"donate-form__insider__list\">\n   <li class=\"donate-form__insider__list-item\" v-for=\"t in
$t('donate-form.benefits.impacts.conversation.list')\">\n   {{ t }}\n   \n
\n   </div>\n   </div>\n   </div>\n   <div class=\"col\">\n   <h3 class=\"donate-
form__insider__subtitle text-uppercase font-weight-bold text-primary h5\">\n   {{ $t('donate-
form.benefits.impacts.rules.heading') }}\n   </h3>\n   <div class=\"Article\">\n   <div>\n
<p class=\"donate-form__insider__highlight text-icij font-weight-bold\">\n   {{ $t('donate-
form.benefits.impacts.rules.highlight') }}\n   </p>\n   <ul class=\"donate-
form__insider__list\">\n   <li class=\"donate-form__insider__list-item\" v-for=\"t in $t('donate-
form.benefits.impacts.rules.list')\">\n   {{ t }}\n   \n   \n
</div>\n   </div>\n   </div>\n   <div class=\"col\">\n   <h3 class=\"donate-
form__insider__subtitle text-uppercase font-weight-bold text-primary h5\">\n   {{ $t('donate-
form.benefits.impacts.world.heading') }}\n   </h3>\n   <div class=\"Article\">\n   <div>\n
<p class=\"donate-form__insider__highlight text-icij font-weight-bold\">\n   {{ $t('donate-
form.benefits.impacts.world.highlight') }}\n   </p>\n   <ul class=\"donate-
form__insider__list\">\n   <li class=\"donate-form__insider__list-item\" v-for=\"t in $t('donate-
form.benefits.impacts.world.list')\">\n   {{ t }}\n   \n   \n
</div>\n   </div>\n   </div>\n   </div>\n   <hr class=\"donate-form__insider__separator\">\n   <div
class=\"donate-form__insider__more text-center\">\n   <a target=\"_blank\" href=\"https://icij.org/donate\"
class=\"btn btn-primary rounded-pill text-uppercase font-weight-bold py-2\">\n   {{ $t('donate-
form.benefits.more') }}\n   \n   </div>\n   </div>\n </div>\n</template>\n\n<script>\n import i18n from
'@/i18n'\n import keys from 'lodash/keys'\n import map from 'lodash/map'\n import sortBy from 'lodash/sortBy'\n
import forEach from 'lodash/forEach'\n import config from '../config'\n\n /**\n   * A form to encourage donations.
We usualy put this form inside a modal\n   */\n export default {\n   i18n,\n   name: 'DonateForm',\n   props: {\n
/**\n   * Title of the form.\n   */\n   noTitle: {\n   type: Boolean\n   },\n   /**\n   * Description of the
form (bellow the title).\n   */\n   introduction: {\n   type: String,\n   default: () => config.get('donate-
form.introduction')\n   }\n   },\n   data() {\n   return {\n   amount: 15,\n   // True if the amount wasn't
changed by the user yet\n   amountIsPristine: true,\n   installmentPeriod: 'monthly',\n   labelForChange: {\n
'monthly': {\n   3: this.$t('donate-form.result.conversation'),\n   15: this.$t('donate-
form.result.rules'),\n   50: this.$t('donate-form.result.world')\n   },\n   'yearly': {\n   35:
this.$t('donate-form.result.conversation'),\n   180: this.$t('donate-form.result.rules'),\n   600:
this.$t('donate-form.result.world')\n   }\n   }\n   },\n   watch: {\n   installmentPeriod
(installmentPeriod) {\n   if (!this.amountIsPristine) {\n   return\n   }\n   if (installmentPeriod ===

'monthly') {\n   this.$set(this, 'amount', 15)\n   } else {\n   this.$set(this, 'amount', 100)\n   }\n   }\n },\n   computed: {\n   changeThe () {\n   const ranges = this.labelForChange[this.installmentPeriod || 'yearly'];\n   // Final label\n   let label = null;\n   forEach(sortBy(map(keys(ranges), Number)), amount => {\n   label = this.amount >= amount ? ranges[amount] : label;\n   });\n   return label;\n   }\n   }\n }\n</script>\n\n<style lang=\"scss\">\n @import '../styles/lib.scss';\n\n .donate-form {\n   font-size: 0.9rem;\n\n   &__payment {\n\n   & &__unit {\n   width: 120px;\n   margin-right: $spacer;\n\n   @media screen and (max-width: $modal-lg) {\n   width: 100%;\n   flex: 0 0 100%;\n   }\n   }\n   }\n\n   &__insider {\n\n   &__list {\n   padding-left: 20px;\n\n   &-item {\n   position: relative;\n   margin: 3px 0;\n   list-style: none;\n\n   &:before {\n   content: \"\\2713\";\n   position: absolute;\n   left: -16px;\n   font-size: 14px;\n   font-weight: 700;\n   color: #333;\n   font-family: $font-family-sans-serif;\n   }\n   }\n   }\n\n   &__modal__container .col {\n   @media screen and (max-width: $modal-lg) {\n   width: 100%;\n   flex: 0 0 100%;\n   }\n   }\n   }\n }\n</style>\n","import mod from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./DonateForm.vue?vue&type=script&lang=js&\"; export default mod; export * from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./DonateForm.vue?vue&type=script&lang=js&\"","import { render, staticRenderFns } from \"./DonateForm.vue?vue&type=template&id=4fe5468d&\"\nimport script from \"./DonateForm.vue?vue&type=script&lang=js&\"\nexport * from \"./DonateForm.vue?vue&type=script&lang=js&\"\nimport style0 from \"./DonateForm.vue?vue&type=style&index=0&lang=scss&\"\n\n\n/* normalize component */\nimport normalizer from \"!../../node_modules/vue-loader/lib/runtime/componentNormalizer.js\"\nvar component = normalizer(\n script,\n render,\n staticRenderFns,\n false,\n null,\n null,\n null\n)\n\ncomponent.options.__file = \"DonateForm.vue\"\nexport default component.exports","var render = function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('div',{staticClass:\"embeddable-footer p-2 text-nowrap\"},[_c('a',{staticClass:\"text-white embeddable-footer__brand\",attrs:{\"href\":_vm.homeUrl,\"target\":\"_blank\"}},[_c('img',{staticClass:\"mr-2\",attrs:{\"src\":require(\"../assets/images/icij-white@2x.png\"),\"height\":\"20\"}}),_vm._v(\"\\n \"+_vm._s(_vm.title)+\"\\n \")]),_c('div',{staticClass:\"embeddable-footer__lead small text-truncate\",domProps:{\"innerHTML\":_vm._s(_vm.lead)}}),_c('button',{staticClass:\"btn btn-link text-white btn-sm py-0 embeddable-footer__share-btn\",class:{ active: _vm.showShareOptions },on:{\"click\":function($event){_vm.showShareOptions = !_vm.showShareOptions}}},[_c('fa',{attrs:{\"icon\":\"share-alt\"}}),_c('span',{staticClass:\"sr-only\"},[_vm._v(_vm._s(_vm.$t('embeddable-footer.share')))])]),1),(_vm.showShareOptions)?_c('sharing-options',{attrs:{\"values\":_vm.sharingOptionsValues,\"direction\":\"column-reverse\",\"iframe-min-height\":_vm.iframeMinHeight,\"iframe-min-width\":_vm.iframeMinWidth}}):_vm._e()],1)}\nvar staticRenderFns = []\n\nexport { render, staticRenderFns }","/**\n * @this {Promise}\n */\nfunction finallyConstructor(callback) {\n var constructor = this.constructor;\n return this.then(\n   function(value) {\n   return constructor.resolve(callback()).then(function() {\n   return value;\n   });\n   },\n   function(reason) {\n   return constructor.resolve(callback()).then(function() {\n   return constructor.reject(reason);\n   });\n   }\n);\n}\n\nexport default finallyConstructor;\n","import promiseFinally from './finally';\n\n// Store setTimeout reference so promise-polyfill will be unaffected by\n// other code modifying setTimeout (like sinon.useFakeTimers())\nvar setTimeoutFunc = setTimeout;\n\nfunction noop() {}\n\n// Polyfill for Function.prototype.bind\nfunction bind(fn, thisArg) {\n return function() {\n   fn.apply(thisArg, arguments);\n };\n}\n\n/**\n * @constructor\n * @param {Function} fn\n */\nfunction Promise(fn) {\n if (!(this instanceof Promise))\n   throw new TypeError('Promises must be constructed via new');\n if (typeof fn !== 'function') throw

new TypeError('not a function');\n /** @type {!number} */\n this._state = 0;\n /** @type {!boolean} */\n this._handled = false;\n /** @type {Promise|undefined} */\n this._value = undefined;\n /** @type {!Array<!Function>} */\n this._deferreds = [];\n\n doResolve(fn, this);\n}\n\nfunction handle(self, deferred) {\n while (self._state === 3) {\n self = self._value;\n }\n if (self._state === 0) {\n self._deferreds.push(deferred);\n return;\n }\n self._handled = true;\n Promise._immediateFn(function() {\n var cb = self._state === 1 ? deferred.onFulfilled : deferred.onRejected;\n if (cb === null) {\n (self._state === 1 ? resolve : reject)(deferred.promise, self._value);\n return;\n }\n var ret;\n try {\n ret = cb(self._value);\n } catch (e) {\n reject(deferred.promise, e);\n return;\n }\n resolve(deferred.promise, ret);\n });\n}\n\nfunction resolve(self, newValue) {\n try {\n // Promise Resolution Procedure: https://github.com/promises-aplus/promises-spec#the-promise-resolution-procedure\n if (newValue === self)\n throw new TypeError('A promise cannot be resolved with itself.');\n if (\n newValue &&\n (typeof newValue === 'object' || typeof newValue === 'function')\n) {\n var then = newValue.then;\n if (newValue instanceof Promise) {\n self._state = 3;\n self._value = newValue;\n finale(self);\n return;\n } else if (typeof then === 'function') {\n doResolve(bind(then, newValue), self);\n return;\n }\n }\n self._state = 1;\n self._value = newValue;\n finale(self);\n } catch (e) {\n reject(self, e);\n }\n}\n\nfunction reject(self, newValue) {\n self._state = 2;\n self._value = newValue;\n finale(self);\n}\n\nfunction finale(self) {\n if (self._state === 2 && self._deferreds.length === 0) {\n Promise._immediateFn(function() {\n if (!self._handled) {\n Promise._unhandledRejectionFn(self._value);\n }\n });\n }\n\n for (var i = 0, len = self._deferreds.length; i < len; i++) {\n handle(self, self._deferreds[i]);\n }\n self._deferreds = null;\n}\n\n/**\n * @constructor\n */\nfunction Handler(onFulfilled, onRejected, promise) {\n this.onFulfilled = typeof onFulfilled === 'function' ? onFulfilled : null;\n this.onRejected = typeof onRejected === 'function' ? onRejected : null;\n this.promise = promise;\n}\n\n/**\n * Take a potentially misbehaving resolver function and make sure\n * onFulfilled and onRejected are only called once.\n *\n * Makes no guarantees about asynchrony.\n */\nfunction doResolve(fn, self) {\n var done = false;\n try {\n fn(\n function(value) {\n if (done) return;\n done = true;\n resolve(self, value);\n },\n function(reason) {\n if (done) return;\n done = true;\n reject(self, reason);\n }\n);\n } catch (ex) {\n if (done) return;\n done = true;\n reject(self, ex);\n }\n}\n\nPromise.prototype['catch'] = function(onRejected) {\n return this.then(null, onRejected);\n};\n\nPromise.prototype.then = function(onFulfilled, onRejected) {\n // @ts-ignore\n var prom = new this.constructor(noop);\n\n handle(this, new Handler(onFulfilled, onRejected, prom));\n return prom;\n};\n\nPromise.prototype['finally'] = promiseFinally;\nPromise.all = function(arr) {\n return new Promise(function(resolve, reject) {\n if (!arr || typeof arr.length === 'undefined')\n throw new TypeError('Promise.all accepts an array');\n var args = Array.prototype.slice.call(arr);\n if (args.length === 0) return resolve([]);\n var remaining = args.length;\n\n function res(i, val) {\n try {\n if (val && (typeof val === 'object' || typeof val === 'function')) {\n var then = val.then;\n if (typeof then === 'function') {\n then.call(\n val,\n function(val) {\n res(i, val);\n },\n reject\n);\n return;\n }\n }\n args[i] = val;\n if (--remaining === 0) {\n resolve(args);\n }\n } catch (ex) {\n reject(ex);\n }\n }\n\n for (var i = 0; i < args.length; i++) {\n res(i, args[i]);\n }\n });\n};\n\nPromise.resolve = function(value) {\n if (value && typeof value === 'object' && value.constructor === Promise) {\n return value;\n }\n\n return new Promise(function(resolve) {\n resolve(value);\n });\n};\n\nPromise.reject = function(value) {\n return new Promise(function(resolve, reject) {\n reject(value);\n });\n};\n\nPromise.race = function(values) {\n return new Promise(function(resolve, reject) {\n for (var i = 0, len = values.length; i < len; i++) {\n values[i].then(resolve, reject);\n }\n });\n};\n\n// Use polyfill for setImmediate for performance gains\nPromise._immediateFn =\n (typeof setImmediate === 'function' &&\n function(fn) {\n setImmediate(fn);\n }) ||\n function(fn) {\n setTimeoutFunc(fn, 0);\n };\n\nPromise._unhandledRejectionFn = function _unhandledRejectionFn(err) {\n if (typeof console !== 'undefined' && console) {\n console.warn('Possible Unhandled Promise Rejection:', err); // eslint-disable-line no-console\n }\n};\n\nexport default Promise;\n","import memoize from 'lodash/memoize'\nimport flatten from 'lodash/flatten'\nimport Promise from 'promise-polyfill';\n\nexport const injectAsset = memoize(function(file) {\n

return new Promise(resolve => {\n   const parent = document.querySelector(\"body\") || document.querySelector(\"head\");\n   const parts = file.split(\".\");\n   const ext = parts[parts.length-1].toLowerCase();\n   switch(ext) {\n   case \"js\":\n   var script = document.createElement('script');\n   script.setAttribute(\"type\", \"text/javascript\");\n   script.onload = resolve\n   parent.appendChild(script);\n   script.setAttribute(\"src\", file);\n   break;\n   case \"css\":\n   var css = document.createElement('link');\n   css.setAttribute(\"rel\", \"stylesheet\");\n   css.setAttribute(\"type\", \"text/css\");\n   css.onload = resolve\n   parent.appendChild(css);\n   css.setAttribute(\"href\", file);\n   break;\n   }\n   })\n})\n\nexport const injectAssets = function() {\n   const files = flatten(arguments)\n   return new Promise(resolve => {\n   var filesLoaded = 0;\n   var allFilesLoaded = function() {\n   if(++filesLoaded == files.length) {\n   resolve();\n   }\n   }\n   for(var i=0; i < files.length ; i++) {\n   injectAsset(files[i]).then(allFilesLoaded)\n   }\n   })\n}\n","import every from 'lodash/every'\nimport { injectAssets } from './assets'\n\n// Will hold the pym instance once\nvar pymChild = null\n// URL parameters generated by Pym\nconst pymParams = ['initialWidth', 'childId', 'parentUrl', 'parentTitle']\n\nexport default class IframeResizer {\n   constructor () {\n   this.initializer = injectAssets('//pym.nprapps.org/pym.v1.min.js').then(() => {\n   pymChild = pymChild || new window.pym.Child({ polling: 300 })\n   return pymChild\n   })\n   return this.initializer\n   }\n   sendHeight () {\n   this.initializer.then(pymChild => pymChild.sendHeight())\n   }\n   static create () {\n   return new IframeResizer()\n   }\n   static template(url, id = 'icij-' + Date.now().toString(32)) {\n   return [\n   `<script type=\"text/javascript\" src=\"https://pym.nprapps.org/pym.v1.min.js\"></script>`,\n   `<div id=\"${id}\"></div>`,\n   `<script>`,\n   `var icijIframe = new pym.Parent(\"${id}\", \"${IframeResizer.deletePymParams(url)}\", {})`,\n   `</script>`,\n   ].join('\\n')\n   }\n   static deletePymParams(href = window.location.href) {\n   const url = new URL(href);\n   // Remove all unwanted param\n   for (let param of pymParams) url.searchParams.delete(param);\n   // Rebuild the URL\n   return url.href\n   }\n   static isEmbedded (href = window.location.href) {\n   const url = new URL(href);\n   return every(pymParams, param => url.searchParams.has(param))\n   }\n}\n","var render = function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('div',{staticClass:\"sharing-options\",style:(_vm.style)},[_c('social-sharing',_vm._b({inlineTemplate:{render:function(){var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('network',{staticClass:\"sharing-options__link\",attrs:{\"network\":\"twitter\"}},[_c('fa',{attrs:{\"icon\":['fab', 'twitter']}}),_c('span',{staticClass:\"sr-only\"},[_vm._v(\"Share on Twitter\")])],1)},staticRenderFns:[]}},'social-sharing',_vm.valuesFor('twitter'),false)),_c('social-sharing',_vm._b({inlineTemplate:{render:function(){var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('network',{staticClass:\"sharing-options__link\",attrs:{\"network\":\"facebook\"}},[_c('fa',{attrs:{\"icon\":['fab', 'facebook']}}),_c('span',{staticClass:\"sr-only\"},[_vm._v(\"Share on Facebook\")])],1)},staticRenderFns:[]}},'social-sharing',_vm.valuesFor('facebook'),false)),_c('social-sharing',_vm._b({inlineTemplate:{render:function(){var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('network',{staticClass:\"sharing-options__link\",attrs:{\"network\":\"linkedin\"}},[_c('fa',{attrs:{\"icon\":['fab', 'linkedin']}}),_c('span',{staticClass:\"sr-only\"},[_vm._v(\"Share on Linkedin\")])],1)},staticRenderFns:[]}},'social-sharing',_vm.valuesFor('linkedin'),false)),_c('social-sharing',_vm._b({inlineTemplate:{render:function(){var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('network',{staticClass:\"sharing-options__link\",attrs:{\"network\":\"email\"}},[_c('fa',{attrs:{\"icon\":\"envelope\"}}),_c('span',{staticClass:\"sr-only\"},[_vm._v(\"Share by email\")])],1)},staticRenderFns:[]}},'social-sharing',_vm.valuesFor('email'),false)),_c('div',{directives:[{name:\"show\",rawName:\"v-show\",value:(!_vm.noEmbed),expression:\"!noEmbed\"}],staticClass:\"sharing-options__link\"},[_c('a',{on:{\"click\":_vm.showEmbedForm}},[_c('fa',{attrs:{\"icon\":\"code\"}}),_c('span',{staticClass:\"sr-only\"},[_vm._v(\"Embed\")])],1)]),_c('b-modal',{ref:\"embedForm\",staticClass:\"text-dark\",attrs:{\"hide-footer\":\"\",\"title\":\"Embed on your website\"}},[_c('embed-form',{attrs:{\"no-title\":\"\",\"no-preview\":\"\",\"min-height\":_vm.iframeMinHeight,\"min-width\":_vm.iframeMinWidth}})],1)],1)}\nvar staticRenderFns = []\n\nexport { render, staticRenderFns }","var

__assign=function(){return(__assign=Object.assign||function(e){for(var a,s=1,t=arguments.length;s<t;s++)for(var r in a=arguments[s])Object.prototype.hasOwnProperty.call(a,r)&&(e[r]=a[r]);return e}).apply(this,arguments)};function mergeData(){for(var e,a,s={},t=arguments.length;t--;)for(var r=0,c=Object.keys(arguments[t]);r<c.length;r++)switch(e=c[r]){case\"class\":case\"style\":case\"directives\":Array.isArray(s[e])||(s[e]=[]),s[e]=s[e].concat(arguments[t][e]);break;case\"staticClass\":if(!arguments[t][e])break;void 0===s[e]&&(s[e]=\"\"),s[e]&&(s[e]+=\" \"),s[e]+=arguments[t][e].trim();break;case\"on\":case\"nativeOn\":s[e]||(s[e]={});for(var n=0,o=Object.keys(arguments[t][e]||{});n<o.length;n++)a=o[n],s[e][a]?s[e][a]=[].concat(s[e][a],arguments[t][e][a]):s[e][a]=arguments[t][e][a];break;case\"attrs\":case\"props\":case\"domProps\":case\"scopedSlots\":case\"staticStyle\":case\"hook\":case\"transition\":s[e]||(s[e]={}),s[e]=__assign({},arguments[t][e],s[e]);break;case\"slot\":case\"key\":case\"ref\":case\"tag\":case\"show\":case\"keepAlive\":default:s[e]||(s[e]=arguments[t][e])}return s}export{mergeData};\n//# sourceMappingURL=lib.esm.js.map\n","/**\n * Aliasing Object[method] allows the minifier to shorten methods to a single character variable,\n * as well as giving BV a chance to inject polyfills.\n * As long as we avoid\n * - import * as Object from \"utils/object\"\n * all unused exports should be removed by tree-shaking.\n */\n\n// @link https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/Object/assign\nif (typeof Object.assign !== 'function') {\n Object.assign = function (target, varArgs) {\n   // .length of function is 2\n\n   if (target == null) {\n   // TypeError if undefined or null\n   throw new TypeError('Cannot convert undefined or null to object');\n   }\n\n   var to = Object(target);\n\n   for (var index = 1; index < arguments.length; index++) {\n   var nextSource = arguments[index];\n\n   if (nextSource != null) {\n   // Skip over if undefined or null\n   for (var nextKey in nextSource) {\n   // Avoid bugs when hasOwnProperty is shadowed\n   if (Object.prototype.hasOwnProperty.call(nextSource, nextKey)) {\n   to[nextKey] = nextSource[nextKey];\n   }\n   }\n   }\n   }\n   return to;\n };\n}\n\n// @link https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/Object/is#Polyfill\nif (!Object.is) {\n Object.is = function (x, y) {\n   // SameValue algorithm\n   if (x === y) {\n   // Steps 1-5, 7-10\n   // Steps 6.b-6.e: +0 != -0\n   return x !== 0 || 1 / x === 1 / y;\n   } else {\n   // Step 6.a: NaN == NaN\n   // eslint-disable-next-line no-self-compare\n   return x !== x && y !== y;\n   }\n };\n}\n\nexport var assign = Object.assign;\nexport var getOwnPropertyNames = Object.getOwnPropertyNames;\nexport var keys = Object.keys;\nexport var defineProperties = Object.defineProperties;\nexport var defineProperty = Object.defineProperty;\nexport var freeze = Object.freeze;\nexport var getOwnPropertyDescriptor = Object.getOwnPropertyDescriptor;\nexport var getOwnPropertySymbols = Object.getOwnPropertySymbols;\nexport var getPrototypeOf = Object.getPrototypeOf;\nexport var create = Object.create;\nexport var isFrozen = Object.isFrozen;\nexport var is = Object.is;\n\nexport function readonlyDescriptor() {\n return { enumerable: true, configurable: false, writable: false };\n}","// Production steps of ECMA-262, Edition 6, 22.1.2.1\n// es6-ified by @alexsasharegan\nif (!Array.from) {\n Array.from = function () {\n   var toStr = Object.prototype.toString;\n   var isCallable = function isCallable(fn) {\n   return typeof fn === 'function' || toStr.call(fn) === '[object Function]';\n   };\n   var toInteger = function toInteger(value) {\n   var number = Number(value);\n   if (isNaN(number)) {\n   return 0;\n   }\n   if (number === 0 || !isFinite(number)) {\n   return number;\n   }\n   return (number > 0 ? 1 : -1) * Math.floor(Math.abs(number));\n   };\n   var maxSafeInteger = Math.pow(2, 53) - 1;\n   var toLength = function toLength(value) {\n   return Math.min(Math.max(toInteger(value), 0), maxSafeInteger);\n   };\n\n   // The length property of the from method is 1.\n   return function from(arrayLike /*, mapFn, thisArg */) {\n   // 1. Let C be the this value.\n   var C = this;\n\n   // 2. Let items be ToObject(arrayLike).\n   var items = Object(arrayLike);\n\n   // 3. ReturnIfAbrupt(items).\n   if (arrayLike == null) {\n   throw new TypeError('Array.from requires an array-like object - not null or undefined');\n   }\n\n   // 4. If mapfn is undefined, then let mapping be false.\n   var mapFn = arguments.length > 1 ? arguments[1] : void undefined;\n   var T = void 0;\n   if (typeof mapFn !== 'undefined') {\n   // 5. else\n   // 5. a If IsCallable(mapfn) is false, throw a TypeError exception.\n   if (!isCallable(mapFn)) {\n   throw new TypeError('Array.from: when provided, the second argument must be a function');\n   }\n\n   // 5. b. If thisArg was supplied, let T be thisArg; else let T be undefined.\n   if

(arguments.length > 2) {\n   T = arguments[2];\n   }\n   }\n\n   // 10. Let lenValue be Get(items, \"length\").\n   // 11. Let len be ToLength(lenValue).\n   var len = toLength(items.length);\n\n   // 13. If IsConstructor(C) is true, then\n   // 13. a. Let A be the result of calling the [[Construct]] internal method\n   // of C with an argument list containing the single item len.\n   // 14. a. Else, Let A be ArrayCreate(len).\n   var A = isCallable(C) ? Object(new C(len)) : new Array(len);\n\n   // 16. Let k be 0.\n   var k = 0;\n   // 17. Repeat, while k < len… (also steps a - h)\n   var kValue = void 0;\n   while (k < len) {\n   kValue = items[k];\n   if (mapFn) {\n   A[k] = typeof T === 'undefined' ? mapFn(kValue, k) : mapFn.call(T, kValue, k);\n   } else {\n   A[k] = kValue;\n   }\n   k += 1;\n   }\n   // 18. Let putStatus be Put(A, \"length\", len, true).\n   A.length = len;\n   // 20. Return A.\n   return A;\n };\n}();\n}\n\n// https://tc39.github.io/ecma262/#sec-array.prototype.find\n// Needed for IE support\nif (!Array.prototype.find) {\n // eslint-disable-next-line no-extend-native\n Object.defineProperty(Array.prototype, 'find', {\n   value: function value(predicate) {\n   // 1. Let O be ? ToObject(this value).\n   if (this == null) {\n   throw new TypeError('\"this\" is null or not defined');\n   }\n\n   var o = Object(this);\n\n   // 2. Let len be ? ToLength(? Get(O, \"length\")).\n   var len = o.length >>> 0;\n\n   // 3. If IsCallable(predicate) is false, throw a TypeError exception.\n   if (typeof predicate !== 'function') {\n   throw new TypeError('predicate must be a function');\n   }\n\n   // 4. If thisArg was supplied, let T be thisArg; else let T be undefined.\n   var thisArg = arguments[1];\n\n   // 5. Let k be 0.\n   var k = 0;\n\n   // 6. Repeat, while k < len\n   while (k < len) {\n   // a. Let Pk be ! ToString(k).\n   // b. Let kValue be ? Get(O, Pk).\n   // c. Let testResult be ToBoolean(? Call(predicate, T, « kValue, k, O »)).\n   // d. If testResult is true, return kValue.\n   var kValue = o[k];\n   if (predicate.call(thisArg, kValue, k, o)) {\n   return kValue;\n   }\n   // e. Increase k by 1.\n   k++;\n   }\n\n   // 7. Return undefined.\n   return undefined;\n   }\n });\n}\n\nif (!Array.isArray) {\n Array.isArray = function (arg) {\n   return Object.prototype.toString.call(arg) === '[object Array]';\n };\n}\n\n// Static\nexport var from = Array.from;\nexport var isArray = Array.isArray;\n\n// Instance\nexport var arrayIncludes = function arrayIncludes(array, value) {\n return array.indexOf(value) !== -1;\n};\nexport var arrayFind = function arrayFind(array, fn, thisArg) {\n return array.find(fn, thisArg);\n};\nexport function concat() {\n return Array.prototype.concat.apply([], arguments);\n}","export default function identity(x) {\n return x;\n}","import { keys } from './object';\nimport { isArray } from './array';\nimport identity from './identity';\n\n/**\n * Given an array of properties or an object of property keys,\n * plucks all the values off the target object.\n * @param {{}|string[]} keysToPluck\n * @param {{}} objToPluck\n * @param {Function} transformFn\n * @return {{}}\n */\nexport default function pluckProps(keysToPluck, objToPluck) {\n var transformFn = arguments.length > 2 && arguments[2] !== undefined ? arguments[2] : identity;\n\n return (isArray(keysToPluck) ? keysToPluck.slice() : keys(keysToPluck)).reduce(function (memo, prop) {\n   // eslint-disable-next-line no-sequences\n   return memo[transformFn(prop)] = objToPluck[prop], memo;\n }, {});\n}","import { from as arrayFrom } from './array';\n\n// Determine if an element is an HTML Element\nexport var isElement = function isElement(el) {\n return el && el.nodeType === Node.ELEMENT_NODE;\n};\n\n// Determine if an HTML element is visible - Faster than CSS check\nexport var isVisible = function isVisible(el) {\n return isElement(el) && document.body.contains(el) && el.getBoundingClientRect().height > 0 && el.getBoundingClientRect().width > 0;\n};\n\n// Determine if an element is disabled\nexport var isDisabled = function isDisabled(el) {\n return !isElement(el) || el.disabled || el.classList.contains('disabled') || Boolean(el.getAttribute('disabled'));\n};\n\n// Cause/wait-for an element to reflow it's content (adjusting it's height/width)\nexport var reflow = function reflow(el) {\n // requsting an elements offsetHight will trigger a reflow of the element content\n return isElement(el) && el.offsetHeight;\n};\n\n// Select all elements matching selector. Returns [] if none found\nexport var selectAll = function selectAll(selector, root) {\n if (!isElement(root)) {\n   root = document;\n }\n return arrayFrom(root.querySelectorAll(selector));\n};\n\n// Select a single element, returns null if not found\nexport var select = function select(selector, root) {\n if (!isElement(root)) {\n   root = document;\n }\n return root.querySelector(selector) || null;\n};\n\n// Determine if an element matches a selector\nexport var matches = function matches(el, selector) {\n if (!isElement(el)) {\n   return false;\n }\n\n // https://developer.mozilla.org/en-US/docs/Web/API/Element/matches#Polyfill\n // Prefer native implementations over polyfill function\n var proto = Element.prototype;\n var Matches = proto.matches || proto.matchesSelector ||

proto.mozMatchesSelector || proto.msMatchesSelector || proto.oMatchesSelector || proto.webkitMatchesSelector ||\n /* istanbul ignore next */\n function (sel) {\n   var element = this;\n   var m = selectAll(sel, element.document || element.ownerDocument);\n   var i = m.length;\n   // eslint-disable-next-line no-empty\n   while (--i >= 0 && m.item(i) !== element) {}\n   return i > -1;\n };\n\n return Matches.call(el, selector);\n};\n\n// Finds closest element matching selector. Returns null if not found\nexport var closest = function closest(selector, root) {\n if (!isElement(root)) {\n   return null;\n }\n\n // https://developer.mozilla.org/en-US/docs/Web/API/Element/closest\n // Since we dont support IE < 10, we can use the \"Matches\" version of the polyfill for speed\n // Prefer native implementation over polyfill function\n var Closest = Element.prototype.closest ||\n /* istanbul ignore next */\n function (sel) {\n   var element = this;\n   if (!document.documentElement.contains(element)) {\n   return null;\n   }\n   do {\n   // Use our \"patched\" matches function\n   if (matches(element, sel)) {\n   return element;\n   }\n   element = element.parentElement;\n   } while (element !== null);\n   return null;\n };\n\n var el = Closest.call(root, selector);\n // Emulate jQuery closest and return null if match is the passed in element (root)\n return el === root ? null : el;\n};\n\n// Get an element given an ID\nexport var getById = function getById(id) {\n return document.getElementById(/^#/.test(id) ? id.slice(1) : id) || null;\n};\n\n// Add a class to an element\nexport var addClass = function addClass(el, className) {\n if (className && isElement(el)) {\n   el.classList.add(className);\n }\n};\n\n// Remove a class from an element\nexport var removeClass = function removeClass(el, className) {\n if (className && isElement(el)) {\n   el.classList.remove(className);\n }\n};\n\n// Test if an element has a class\nexport var hasClass = function hasClass(el, className) {\n if (className && isElement(el)) {\n   return el.classList.contains(className);\n }\n return false;\n};\n\n// Set an attribute on an element\nexport var setAttr = function setAttr(el, attr, value) {\n if (attr && isElement(el)) {\n   el.setAttribute(attr, value);\n }\n};\n\n// Remove an attribute from an element\nexport var removeAttr = function removeAttr(el, attr) {\n if (attr && isElement(el)) {\n   el.removeAttribute(attr);\n }\n};\n\n// Get an attribute value from an element (returns null if not found)\nexport var getAttr = function getAttr(el, attr) {\n if (attr && isElement(el)) {\n   return el.getAttribute(attr);\n }\n return null;\n};\n\n// Determine if an attribute exists on an element (returns true or false, or null if element not found)\nexport var hasAttr = function hasAttr(el, attr) {\n if (attr && isElement(el)) {\n   return el.hasAttribute(attr);\n }\n return null;\n};\n\n// Return the Bounding Client Rec of an element. Retruns null if not an element\nexport var getBCR = function getBCR(el) {\n return isElement(el) ? el.getBoundingClientRect() : null;\n};\n\n// Get computed style object for an element\nexport var getCS = function getCS(el) {\n return isElement(el) ? window.getComputedStyle(el) : {};\n};\n\n// Return an element's offset wrt document element\n// https://j11y.io/jquery/#v=git&fn=jQuery.fn.offset\nexport var offset = function offset(el) {\n if (isElement(el)) {\n   if (!el.getClientRects().length) {\n   return { top: 0, left: 0 };\n   }\n   var bcr = getBCR(el);\n   var win = el.ownerDocument.defaultView;\n   return {\n   top: bcr.top + win.pageYOffset,\n   left: bcr.left + win.pageXOffset\n   };\n }\n};\n\n// Return an element's offset wrt to it's offsetParent\n// https://j11y.io/jquery/#v=git&fn=jQuery.fn.position\nexport var position = function position(el) {\n if (!isElement(el)) {\n   return;\n }\n var parentOffset = { top: 0, left: 0 };\n var offsetSelf = void 0;\n var offsetParent = void 0;\n if (getCS(el).position === 'fixed') {\n   offsetSelf = getBCR(el);\n } else {\n   offsetSelf = offset(el);\n   var doc = el.ownerDocument;\n   offsetParent = el.offsetParent || doc.documentElement;\n   while (offsetParent && (offsetParent === doc.body || offsetParent === doc.documentElement) && getCS(offsetParent).position === 'static') {\n   offsetParent = offsetParent.parentNode;\n   }\n   if (offsetParent && offsetParent !== el && offsetParent.nodeType === Node.ELEMENT_NODE) {\n   parentOffset = offset(offsetParent);\n   parentOffset.top += parseFloat(getCS(offsetParent).borderTopWidth);\n   parentOffset.left += parseFloat(getCS(offsetParent).borderLeftWidth);\n   }\n }\n return {\n   top: offsetSelf.top - parentOffset.top - parseFloat(getCS(el).marginTop),\n   left: offsetSelf.left - parentOffset.left - parseFloat(getCS(el).marginLeft)\n };\n};\n\n// Attach an event listener to an element\nexport var eventOn = function eventOn(el, evtName, handler) {\n if (el && el.addEventListener) {\n   el.addEventListener(evtName, handler);\n }\n};\n\n// Remove an event listener from an element\nexport var eventOff = function eventOff(el, evtName, handler) {\n if (el && el.removeEventListener) {\n   el.removeEventListener(evtName, handler);\n

}\n};",",var _typeof = typeof Symbol === \"function\" && typeof Symbol.iterator === \"symbol\" ? function (obj) { return typeof obj; } : function (obj) { return obj && typeof Symbol === \"function\" && obj.constructor === Symbol && obj !== Symbol.prototype ? \"symbol\" : typeof obj; };\n\nimport { assign, keys } from '../../utils/object';\nimport { arrayIncludes, concat } from '../../utils/array';\nimport { mergeData } from 'vue-functional-data-merge';\n\n/**\n * The Link component is used in many other BV components.\n * As such, sharing its props makes supporting all its features easier.\n * However, some components need to modify the defaults for their own purpose.\n * Prefer sharing a fresh copy of the props to ensure mutations\n * do not affect other component references to the props.\n *\n * https://github.com/vuejs/vue-router/blob/dev/src/components/link.js\n * @return {{}}\n */\nexport function propsFactory() {\n return {\n href: {\n type: String,\n default: null\n },\n rel: {\n type: String,\n default: null\n },\n target: {\n type: String,\n default: '_self'\n },\n active: {\n type: Boolean,\n default: false\n },\n activeClass: {\n type: String,\n default: 'active'\n },\n append: {\n type: Boolean,\n default: false\n },\n disabled: {\n type: Boolean,\n default: false\n },\n event: {\n type: [String, Array],\n default: 'click'\n },\n exact: {\n type: Boolean,\n default: false\n },\n exactActiveClass: {\n type: String,\n default: 'active'\n },\n replace: {\n type: Boolean,\n default: false\n },\n routerTag: {\n type: String,\n default: 'a'\n },\n to: {\n type: [String, Object],\n default: null\n }\n };\n}\n\nexport var props = propsFactory();\n\nexport function pickLinkProps(propsToPick) {\n var freshLinkProps = propsFactory();\n // Normalize everything to array.\n propsToPick = concat(propsToPick);\n\n return keys(freshLinkProps).reduce(function (memo, prop) {\n if (arrayIncludes(propsToPick, prop)) {\n memo[prop] = freshLinkProps[prop];\n }\n\n return memo;\n }, {});\n}\n\nexport function omitLinkProps(propsToOmit) {\n var freshLinkProps = propsFactory();\n // Normalize everything to array.\n propsToOmit = concat(propsToOmit);\n\n return keys(props).reduce(function (memo, prop) {\n if (!arrayIncludes(propsToOmit, prop)) {\n memo[prop] = freshLinkProps[prop];\n }\n\n return memo;\n }, {});\n}\n\nexport var computed = {\n linkProps: function linkProps() {\n var linkProps = {};\n var propKeys = keys(props);\n\n for (var i = 0; i < propKeys.length; i++) {\n var prop = propKeys[i];\n // Computed Vue getters are bound to the instance.\n linkProps[prop] = this[prop];\n }\n\n return linkProps;\n }\n};\nfunction computeTag(props, parent) {\n return Boolean(parent.$router) && props.to && !props.disabled ? 'router-link' : 'a';\n}\n\nfunction computeHref(_ref, tag) {\n var disabled = _ref.disabled,\n href = _ref.href,\n to = _ref.to;\n\n // We've already checked the parent.$router in computeTag,\n // so router-link means live router.\n // When deferring to Vue Router's router-link,\n // don't use the href attr at all.\n // Must return undefined for router-link to populate href.\n if (tag === 'router-link') return void 0;\n // If href explicitly provided\n if (href) return href;\n // Reconstruct href when `to` used, but no router\n if (to) {\n // Fallback to `to` prop (if `to` is a string)\n if (typeof to === 'string') return to;\n // Fallback to `to.path` prop (if `to` is an object)\n if ((typeof to === 'undefined' ? 'undefined' : _typeof(to)) === 'object' && typeof to.path === 'string') return to.path;\n }\n // If nothing is provided use '#'\n return '#';\n}\n\nfunction computeRel(_ref2) {\n var target = _ref2.target,\n rel = _ref2.rel;\n\n if (target === '_blank' && rel === null) {\n return 'noopener';\n }\n return rel || null;\n}\n\nfunction clickHandlerFactory(_ref3) {\n var disabled = _ref3.disabled,\n tag = _ref3.tag,\n href = _ref3.href,\n suppliedHandler = _ref3.suppliedHandler,\n parent = _ref3.parent;\n\n var isRouterLink = tag === 'router-link';\n\n return function onClick(e) {\n if (disabled && e instanceof Event) {\n // Stop event from bubbling up.\n e.stopPropagation();\n // Kill the event loop attached to this specific EventTarget.\n e.stopImmediatePropagation();\n } else {\n parent.$root.$emit('clicked::link', e);\n\n if (isRouterLink && e.target.__vue__) {\n e.target.__vue__.$emit('click', e);\n }\n if (typeof suppliedHandler === 'function') {\n suppliedHandler.apply(undefined, arguments);\n }\n }\n\n if (!isRouterLink && href === '#' || disabled) {\n // Stop scroll-to-top behavior or navigation.\n e.preventDefault();\n }\n };\n}\n\nexport default {\n functional: true,\n props: propsFactory(),\n render: function render(h, _ref4) {\n var props = _ref4.props,\n data = _ref4.data,\n parent = _ref4.parent,\n children = _ref4.children;\n\n var tag = computeTag(props, parent);\n var rel = computeRel(props);\n var href = computeHref(props, tag);\n var eventType = tag === 'router-link' ? 'nativeOn' : 'on';\n var suppliedHandler = (data[eventType] || {}).click;\n var handlers = { click: clickHandlerFactory({ tag: tag, href: href, disabled: props.disabled, suppliedHandler: suppliedHandler, parent:

parent }) };\n\n   var componentData = mergeData(data, {\n   class: [props.active ? props.exact ? props.exactActiveClass : props.activeClass : null, { disabled: props.disabled }],\n   attrs: {\n   rel: rel,\n   href: href,\n   target: props.target,\n   tabindex: props.disabled ? '-1' : data.attrs ? data.attrs.tabindex : null,\n   'aria-disabled': tag === 'a' && props.disabled ? 'true' : null\n   },\n   props: assign(props, { tag: props.routerTag })\n   });\n\n   // If href prop exists on router-link (even undefined or null) it fails working on SSR\n   if (!componentData.attrs.href) {\n   delete componentData.attrs.href;\n   }\n\n   // We want to overwrite any click handler since our callback\n   // will invoke the supplied handler if !props.disabled\n   componentData[eventType] = assign(componentData[eventType] || { }, handlers);\n\n   return h(tag, componentData, children);\n }\n};","function _defineProperty(obj, key, value) { if (key in obj) { Object.defineProperty(obj, key, { value: value, enumerable: true, configurable: true, writable: true }); } else { obj[key] = value; } return obj; }\n\nimport { mergeData } from 'vue-functional-data-merge';\nimport pluckProps from '../../utils/pluck-props';\nimport { concat } from '../../utils/array';\nimport { assign, keys } from '../../utils/object';\nimport { addClass, removeClass } from '../../utils/dom';\nimport Link, { propsFactory as linkPropsFactory } from '../link/link';\n\nvar btnProps = {\n block: {\n   type: Boolean,\n   default: false\n },\n disabled: {\n   type: Boolean,\n   default: false\n },\n size: {\n   type: String,\n   default: null\n },\n variant: {\n   type: String,\n   default: null\n },\n type: {\n   type: String,\n   default: 'button'\n },\n pressed: {\n   // tri-state prop: true, false or null\n   // => on, off, not a toggle\n   type: Boolean,\n   default: null\n }\n};\n\nvar linkProps = linkPropsFactory();\ndelete linkProps.href.default;\ndelete linkProps.to.default;\nvar linkPropKeys = keys(linkProps);\n\nexport var props = assign(linkProps, btnProps);\n\nfunction handleFocus(evt) {\n if (evt.type === 'focusin') {\n   addClass(evt.target, 'focus');\n } else if (evt.type === 'focusout') {\n   removeClass(evt.target, 'focus');\n }\n}\n\nexport default {\n functional: true,\n props: props,\n render: function render(h, _ref) {\n   var _ref2;\n\n   var props = _ref.props,\n   data = _ref.data,\n   listeners = _ref.listeners,\n   children = _ref.children;\n\n   var isLink = Boolean(props.href || props.to);\n   var isToggle = typeof props.pressed === 'boolean';\n   var on = {\n   click: function click(e) {\n   if (props.disabled && e instanceof Event) {\n   e.stopPropagation();\n   e.preventDefault();\n   } else if (isToggle) {\n   // Concat will normalize the value to an array\n   // without double wrapping an array value in an array.\n   concat(listeners['update:pressed']).forEach(function (fn) {\n   if (typeof fn === 'function') {\n   fn(!props.pressed);\n   }\n   });\n   }\n   }\n   };\n\n   if (isToggle) {\n   on.focusin = handleFocus;\n   on.focusout = handleFocus;\n   }\n\n   var componentData = {\n   staticClass: 'btn',\n   class: [props.variant ? 'btn-' + props.variant : 'btn-secondary', (_ref2 = {}, _defineProperty(_ref2, 'btn-' + props.size, Boolean(props.size)), _defineProperty(_ref2, 'btn-block', props.block), _defineProperty(_ref2, 'disabled', props.disabled), _defineProperty(_ref2, 'active', props.pressed), _ref2)],\n   props: isLink ? pluckProps(linkPropKeys, props) : null,\n   attrs: {\n   type: isLink ? null : props.type,\n   disabled: isLink ? null : props.disabled,\n   // Data attribute not used for js logic,\n   // but only for BS4 style selectors.\n   'data-toggle': isToggle ? 'button' : null,\n   'aria-pressed': isToggle ? String(props.pressed) : null,\n   // Tab index is used when the component becomes a link.\n   // Links are tabable, but don't allow disabled,\n   // so we mimic that functionality by disabling tabbing.\n   tabindex: props.disabled && isLink ? '-1' : data.attrs ? data.attrs['tabindex'] : null\n   },\n   on: on\n   };\n\n   return h(isLink ? Link : 'button', mergeData(data, componentData), children);\n }\n};","function _defineProperty(obj, key, value) { if (key in obj) { Object.defineProperty(obj, key, { value: value, enumerable: true, configurable: true, writable: true }); } else { obj[key] = value; } return obj; }\n\nimport { mergeData } from 'vue-functional-data-merge';\n\nvar props = {\n disabled: {\n   type: Boolean,\n   default: false\n },\n ariaLabel: {\n   type: String,\n   default: 'Close'\n },\n textVariant: {\n   type: String,\n   default: null\n }\n};\n\nexport default {\n functional: true,\n props: props,\n render: function render(h, _ref) {\n   var props = _ref.props,\n   data = _ref.data,\n   listeners = _ref.listeners,\n   slots = _ref.slots;\n\n   var componentData = {\n   staticClass: 'close',\n   class: _defineProperty({}, 'text-' + props.textVariant, props.textVariant),\n   attrs: {\n   type: 'button',\n   disabled: props.disabled,\n   'aria-label': props.ariaLabel ? String(props.ariaLabel) : null\n   },\n   on: {\n   click: function click(e) {\n   // Ensure click on button HTML content is also disabled\n   if (props.disabled && e instanceof Event) {\n   e.stopPropagation();\n   e.preventDefault();\n   }\n   }\n   }\n   //

Careful not to override the slot with innerHTML\n   };if (!slots().default) {\n   componentData.domProps = { innerHTML: '×' };\n   }\n   return h('button', mergeData(data, componentData), slots().default);\n }\n};","/*\n * SSR Safe Client Side ID attribute generation\n *\n */\n\nexport default {\n props: {\n   id: {\n type: String,\n   default: null\n   }\n },\n methods: {\n   safeId: function safeId() {\n   var suffix = arguments.length > 0 && arguments[0] !== undefined ? arguments[0] : '';\n\n   var id = this.id || this.localId_ || null;\n   if (!id) {\n   return null;\n   }\n   suffix = String(suffix).replace(/\\s+/g, '_');\n   return suffix ? id + '_' + suffix : id;\n   }\n },\n computed: {\n   localId_: function localId_() {\n   if (!this.$isServer && !this.id && typeof this._uid !== 'undefined') {\n   return '__BVID__' + this._uid;\n   }\n   }\n }\n};","function _toConsumableArray(arr) { if (Array.isArray(arr)) { for (var i = 0, arr2 = Array(arr.length); i < arr.length; i++) { arr2[i] = arr[i]; } return arr2; } else { return Array.from(arr); } }\n\nimport { isArray } from '../utils/array';\n/**\n * Issue #569: collapse::toggle::state triggered too many times\n * @link https://github.com/bootstrap-vue/bootstrap-vue/issues/569\n */\n\nvar BVRL = '__BV_root_listeners__';\n\nexport default {\n methods: {\n   /**\n   * Safely register event listeners on the root Vue node.\n   * While Vue automatically removes listeners for individual components,\n   * when a component registers a listener on root and is destroyed,\n   * this orphans a callback because the node is gone,\n   * but the root does not clear the callback.\n   *\n   * This adds a non-reactive prop to a vm on the fly\n   * in order to avoid object observation and its performance costs\n   * to something that needs no reactivity.\n   * It should be highly unlikely there are any naming collisions.\n   * @param {string} event\n   * @param {function} callback\n   * @chainable\n   */\n   listenOnRoot: function listenOnRoot(event, callback) {\n   if (!this[BVRL] || !isArray(this[BVRL])) {\n   this[BVRL] = [];\n   }\n   this[BVRL].push({ event: event, callback: callback });\n   this.$root.$on(event, callback);\n   return this;\n   },\n\n\n   /**\n   * Convenience method for calling vm.$emit on vm.$root.\n   * @param {string} event\n   * @param {*} args\n   * @chainable\n   */\n   emitOnRoot: function emitOnRoot(event) {\n   var _$root;\n\n   for (var _len = arguments.length, args = Array(_len > 1 ? _len - 1 : 0), _key = 1; _key < _len; _key++) {\n   args[_key - 1] = arguments[_key];\n   }\n\n   (_$root = this.$root).$emit.apply(_$root, [event].concat(_toConsumableArray(args)));\n   return this;\n   }\n },\n\n beforeDestroy: function beforeDestroy() {\n   if (this[BVRL] && isArray(this[BVRL])) {\n   while (this[BVRL].length > 0) {\n   // shift to process in order\n   var _BVRL$shift = this[BVRL].shift(),\n   event = _BVRL$shift.event,\n   callback = _BVRL$shift.callback;\n\n   this.$root.$off(event, callback);\n   }\n   }\n }\n};","import { assign } from './object';\nimport { isElement } from '../utils/dom';\n\n/**\n * Observe a DOM element changes, falls back to eventListener mode\n * @param {Element} el The DOM element to observe\n * @param {Function} callback callback to be called on change\n * @param {object} [opts={childList: true, subtree: true}] observe options\n * @see http://stackoverflow.com/questions/3219758\n */\nexport default function observeDOM(el, callback, opts) {\n var MutationObserver = window.MutationObserver || window.WebKitMutationObserver || window.MozMutationObserver;\n var eventListenerSupported = window.addEventListener;\n\n // Handle case where we might be passed a vue instance\n el = el ? el.$el || el : null;\n /* istanbul ignore next: dificult to test in JSDOM */\n if (!isElement(el)) {\n   // We can't observe somthing that isn't an element\n   return null;\n }\n\n var obs = null;\n\n /* istanbul ignore next: dificult to test in JSDOM */\n if (MutationObserver) {\n   // Define a new observer\n   obs = new MutationObserver(function (mutations) {\n   var changed = false;\n   // A Mutation can contain several change records, so we loop through them to see what has changed.\n   // We break out of the loop early if any \"significant\" change has been detected\n   for (var i = 0; i < mutations.length && !changed; i++) {\n   // The muttion record\n   var mutation = mutations[i];\n   // Mutation Type\n   var type = mutation.type;\n   // DOM Node (could be any DOM Node type - HTMLElement, Text, comment, etc)\n   var target = mutation.target;\n   if (type === 'characterData' && target.nodeType === Node.TEXT_NODE) {\n   // We ignore nodes that are not TEXt (i.e. comments, etc) as they don't change layout\n   changed = true;\n   } else if (type === 'attributes') {\n   changed = true;\n   } else if (type === 'childList' && (mutation.addedNodes.length > 0 || mutation.removedNodes.length > 0)) {\n   // This includes HTMLElement and Text Nodes being added/removed/re-arranged\n   changed = true;\n   }\n   }\n   if (changed) {\n   // We only call the callback if a change that could affect layout/size truely happened.\n   callback();\n   }\n

});\n\n   // Have the observer observe foo for changes in children, etc\n   obs.observe(el, assign({ childList: true, subtree: true }, opts));\n } else if (eventListenerSupported) {\n   // Legacy interface. most likely not used in modern browsers\n   el.addEventListener('DOMNodeInserted', callback, false);\n   el.addEventListener('DOMNodeRemoved', callback, false);\n }\n\n // We return a reference to the observer so that obs.disconnect() can be called if necessary\n // To reduce overhead when the root element is hiiden\n return obs;\n}","/**\n * Log a warning message to the console with bootstrap-vue formatting sugar.\n * @param {string} message\n */\n/* istanbul ignore next */\nfunction warn(message) {\n console.warn(\"[Bootstrap-Vue warn]: \" + message);\n}\n\nexport default warn;","/*\n * Key Codes (events)\n */\n\nexport default {\n SPACE: 32,\n ENTER: 13,\n ESC: 27,\n LEFT: 37,\n UP: 38,\n RIGHT: 39,\n DOWN: 40,\n PAGEUP: 33,\n PAGEDOWN: 34,\n HOME: 36,\n END: 35\n};","var _createClass = function () { function defineProperties(target, props) { for (var i = 0; i < props.length; i++) { var descriptor = props[i]; descriptor.enumerable = descriptor.enumerable || false; descriptor.configurable = true; if (\"value\" in descriptor) descriptor.writable = true; Object.defineProperty(target, descriptor.key, descriptor); } } return function (Constructor, protoProps, staticProps) { if (protoProps) defineProperties(Constructor.prototype, protoProps); if (staticProps) defineProperties(Constructor, staticProps); return Constructor; }; }();\n\nfunction _classCallCheck(instance, Constructor) { if (!(instance instanceof Constructor)) { throw new TypeError(\"Cannot call a class as a function\"); } }\n\nimport { assign, defineProperty, defineProperties, readonlyDescriptor } from '../utils/object';\n\nvar BvEvent = function () {\n function BvEvent(type) {\n   var eventInit = arguments.length > 1 && arguments[1] !== undefined ? arguments[1] : {};\n\n   _classCallCheck(this, BvEvent);\n\n   // Start by emulating native Event constructor.\n   if (!type) {\n   throw new TypeError('Failed to construct \\" + this.constructor.name + '\\'. 1 argument required, ' + arguments.length + ' given.');\n   }\n\n   // Assign defaults first, the eventInit,\n   // and the type last so it can't be overwritten.\n   assign(this, BvEvent.defaults(), eventInit, { type: type });\n\n   // Freeze some props as readonly, but leave them enumerable.\n   defineProperties(this, {\n   type: readonlyDescriptor(),\n   cancelable: readonlyDescriptor(),\n   nativeEvent: readonlyDescriptor(),\n   target: readonlyDescriptor(),\n   relatedTarget: readonlyDescriptor(),\n   vueTarget: readonlyDescriptor()\n   });\n\n   // Create a private variable using closure scoping.\n   var defaultPrevented = false;\n   // Recreate preventDefault method. One way setter.\n   this.preventDefault = function preventDefault() {\n   if (this.cancelable) {\n   defaultPrevented = true;\n   }\n   };\n   // Create 'defaultPrevented' publicly accessible prop\n   // that can only be altered by the preventDefault method.\n   defineProperty(this, 'defaultPrevented', {\n   enumerable: true,\n   get: function get() {\n   return defaultPrevented;\n   }\n   });\n }\n\n _createClass(BvEvent, null, [{\n   key: 'defaults',\n   value: function defaults() {\n   return {\n   type: '',\n   cancelable: true,\n   nativeEvent: null,\n   target: null,\n   relatedTarget: null,\n   vueTarget: null\n   };\n   }\n }]);\n\n return BvEvent;\n}();\n\nexport default BvEvent;","function _defineProperty(obj, key, value) { if (key in obj) { Object.defineProperty(obj, key, { value: value, enumerable: true, configurable: true, writable: true }); } else { obj[key] = value; } return obj; }\n\nimport bBtn from '../button/button';\nimport bBtnClose from '../button/button-close';\nimport idMixin from '../../mixins/id';\nimport listenOnRootMixin from '../../mixins/listen-on-root';\nimport observeDom from '../../utils/observe-dom';\nimport warn from '../../utils/warn';\nimport KeyCodes from '../../utils/key-codes';\nimport BvEvent from '../../utils/bv-event.class';\nimport { isVisible, selectAll, select, getBCR, addClass, removeClass, hasClass, setAttr, removeAttr, getAttr, hasAttr, eventOn, eventOff } from '../../utils/dom';\n\n// Selectors for padding/margin adjustments\nvar Selector = {\n FIXED_CONTENT: '.fixed-top, .fixed-bottom, .is-fixed, .sticky-top',\n STICKY_CONTENT: '.sticky-top',\n NAVBAR_TOGGLER: '.navbar-toggler'\n\n // ObserveDom config\n};var OBSERVER_CONFIG = {\n subtree: true,\n childList: true,\n characterData: true,\n attributes: true,\n attributeFilter: ['style', 'class']\n};\n\nexport default {\n mixins: [idMixin, listenOnRootMixin],\n components: { bBtn: bBtn, bBtnClose: bBtnClose },\n render: function render(h) {\n   var _this = this;\n\n   var $slots = this.$slots;\n   // Modal Header\n   var header = h(false);\n   if (!this.hideHeader) {\n   var modalHeader = $slots['modal-header'];\n   if (!modalHeader) {\n   var closeButton = h(false);\n   if (!this.hideHeaderClose) {\n   closeButton = h('b-btn-close', {\n   props: {\n   disabled: this.is_transitioning,\n   ariaLabel: this.headerCloseLabel,\n   textVariant: this.headerTextVariant\n

},\n   on: {\n   click: function click(evt) {\n   _this.hide('header-close');\n   }\n   }\n   }, [$slots['modal-header-close']]);\n   }\n   modalHeader = [h(this.titleTag, { class: ['modal-title'] },\n[$slots['modal-title'] || this.title]), closeButton];\n   }\n   header = h('header', {\n   ref: 'header',\n   class:\nthis.headerClasses,\n   attrs: { id: this.safeId('__BV_modal_header_') }\n   }, [modalHeader]);\n   }\n   //\nModal Body\n   var body = h('div', {\n   ref: 'body',\n   class: this.bodyClasses,\n   attrs: { id:\nthis.safeId('__BV_modal_body_') }\n   }, [$slots.default]);\n   // Modal Footer\n   var footer = h(false);\n   if\n(!this.hideFooter) {\n   var modalFooter = $slots['modal-footer'];\n   if (!modalFooter) {\n   var cancelButton\n= h(false);\n   if (!this.okOnly) {\n   cancelButton = h('b-btn', {\n   props: {\n   variant:\nthis.cancelVariant,\n   size: this.buttonSize,\n   disabled: this.cancelDisabled || this.busy ||\nthis.is_transitioning\n   },\n   on: {\n   click: function click(evt) {\n   _this.hide('cancel');\n   }\n   }\n   }, [$slots['modal-cancel'] || this.cancelTitle]);\n   }\n   var okButton = h('b-btn', {\n   props: {\n   variant: this.okVariant,\n   size: this.buttonSize,\n   disabled: this.okDisabled ||\nthis.busy || this.is_transitioning\n   },\n   on: {\n   click: function click(evt) {\n_this.hide('ok');\n   }\n   }\n   }, [$slots['modal-ok'] || this.okTitle]);\n   modalFooter = [cancelButton,\nokButton];\n   }\n   footer = h('footer', {\n   ref: 'footer',\n   class: this.footerClasses,\n   attrs: { id:\nthis.safeId('__BV_modal_footer_') }\n   }, [modalFooter]);\n   }\n   // Assemble Modal Content\n   var\nmodalContent = h('div', {\n   ref: 'content',\n   class: ['modal-content'],\n   attrs: {\n   tabindex: '-1',\n   role: 'document',\n   'aria-labelledby': this.hideHeader ? null : this.safeId('__BV_modal_header_'),\n   'aria-\ndescribedby': this.safeId('__BV_modal_body_')\n   },\n   on: {\n   focusout: this.onFocusout,\n   click:\nfunction click(evt) {\n   evt.stopPropagation();\n   // https://github.com/bootstrap-vue/bootstrap-\nvue/issues/1528\n   _this.$root.$emit('bv::dropdown::shown');\n   }\n   }\n   }, [header, body, footer]);\n\n// Modal Dialog wrapper\n   var modalDialog = h('div', { class: this.dialogClasses }, [modalContent]);\n   //\nModal\n   var modal = h('div', {\n   ref: 'modal',\n   class: this.modalClasses,\n   directives: [{\n   name:\n'show',\n   rawName: 'v-show',\n   value: this.is_visible,\n   expression: 'is_visible'\n   }],\n   attrs: {\n   id: this.safeId(),\n   role: 'dialog',\n   'aria-hidden': this.is_visible ? null : 'true'\n   },\n   on: {\n   click:\nthis.onClickOut,\n   keydown: this.onEsc\n   }\n   }, [modalDialog]);\n   // Wrap modal in transition\n   modal\n= h('transition', {\n   props: {\n   enterClass: '',\n   enterToClass: '',\n   enterActiveClass: '',\n   leaveClass: '',\n   leaveActiveClass: '',\n   leaveToClass: ''\n   },\n   on: {\n   'before-enter':\nthis.onBeforeEnter,\n   enter: this.onEnter,\n   'after-enter': this.onAfterEnter,\n   'before-leave':\nthis.onBeforeLeave,\n   leave: this.onLeave,\n   'after-leave': this.onAfterLeave\n   }\n   }, [modal]);\n   //\nModal Backdrop\n   var backdrop = h(false);\n   if (!this.hideBackdrop && (this.is_visible || this.is_transitioning))\n{\n   backdrop = h('div', {\n   class: this.backdropClasses,\n   attrs: { id:\nthis.safeId('__BV_modal_backdrop_') }\n   });\n   }\n   // Assemble modal and backdrop\n   var outer =\nh(false);\n   if (!this.is_hidden) {\n   outer = h('div', { attrs: { id: this.safeId('__BV_modal_outer_') } }, [modal,\nbackdrop]);\n   }\n   // Wrap in DIV to maintain thi.$el reference for hide/show method aceess\n   return h('div', {},\n[outer]);\n },\n data: function data() {\n   return {\n   is_hidden: this.lazy || false,\n   is_visible: false,\n   is_transitioning: false,\n   is_show: false,\n   is_block: false,\n   scrollbarWidth: 0,\n   isBodyOverflowing:\nfalse,\n   return_focus: this.returnFocus || null\n   };\n },\n\n model: {\n   prop: 'visible',\n   event: 'change'\n },\n props: {\n   title: {\n   type: String,\n   default: ''\n   },\n   titleTag: {\n   type: String,\n   default: 'h5'\n },\n   size: {\n   type: String,\n   default: 'md'\n   },\n   centered: {\n   type: Boolean,\n   default: false\n },\n   buttonSize: {\n   type: String,\n   default: ''\n   },\n   noFade: {\n   type: Boolean,\n   default: false\n },\n   noCloseOnBackdrop: {\n   type: Boolean,\n   default: false\n   },\n   noCloseOnEsc: {\n   type:\nBoolean,\n   default: false\n   },\n   noEnforceFocus: {\n   type: Boolean,\n   default: false\n   },\n headerBgVariant: {\n   type: String,\n   default: null\n   },\n   headerBorderVariant: {\n   type: String,\n\ndefault: null\n   },\n   headerTextVariant: {\n   type: String,\n   default: null\n   },\n   headerClass: {\n   type:\n[String, Array],\n   default: null\n   },\n   bodyBgVariant: {\n   type: String,\n   default: null\n   },\n\nbodyTextVariant: {\n   type: String,\n   default: null\n   },\n   modalClass: {\n   type: [String, Array],\n\ndefault: null\n   },\n   bodyClass: {\n   type: [String, Array],\n   default: null\n   },\n   footerBgVariant: {\n

type: String,\n   default: null\n   },\n   footerBorderVariant: {\n   type: String,\n   default: null\n   },\n
footerTextVariant: {\n   type: String,\n   default: null\n   },\n   footerClass: {\n   type: [String, Array],\n
default: null\n   },\n   hideHeader: {\n   type: Boolean,\n   default: false\n   },\n   hideFooter: {\n   type:
Boolean,\n   default: false\n   },\n   hideHeaderClose: {\n   type: Boolean,\n   default: false\n   },\n
hideBackdrop: {\n   type: Boolean,\n   default: false\n   },\n   okOnly: {\n   type: Boolean,\n   default:
false\n   },\n   okDisabled: {\n   type: Boolean,\n   default: false\n   },\n   cancelDisabled: {\n   type:
Boolean,\n   default: false\n   },\n   visible: {\n   type: Boolean,\n   default: false\n   },\n   returnFocus: {\n
default: null\n   },\n   headerCloseLabel: {\n   type: String,\n   default: 'Close'\n   },\n   cancelTitle: {\n
type: String,\n   default: 'Cancel'\n   },\n   okTitle: {\n   type: String,\n   default: 'OK'\n   },\n   cancelVariant:
{\n   type: String,\n   default: 'secondary'\n   },\n   okVariant: {\n   type: String,\n   default: 'primary'\n   },\n
 lazy: {\n   type: Boolean,\n   default: false\n   },\n   busy: {\n   type: Boolean,\n   default: false\n   }\n   },\n
computed: {\n   modalClasses: function modalClasses() {\n   return ['modal', {\n   fade: !this.noFade,\n
show: this.is_show,\n   'd-block': this.is_block\n   }, this.modalClass];\n   },\n   dialogClasses: function
dialogClasses() {\n   var _ref;\n\n   return ['modal-dialog', (_ref = {}, _defineProperty(_ref, 'modal-' + this.size,
Boolean(this.size)), _defineProperty(_ref, 'modal-dialog-centered', this.centered), _ref)];\n   },\n   backdropClasses:
function backdropClasses() {\n   return ['modal-backdrop', {\n   fade: !this.noFade,\n   show: this.is_show ||
this.noFade\n   }];\n   },\n   headerClasses: function headerClasses() {\n   var _ref2;\n\n   return ['modal-
header', (_ref2 = {}, _defineProperty(_ref2, 'bg-' + this.headerBgVariant, Boolean(this.headerBgVariant)),
_defineProperty(_ref2, 'text-' + this.headerTextVariant, Boolean(this.headerTextVariant)), _defineProperty(_ref2,
'border-' + this.headerBorderVariant, Boolean(this.headerBorderVariant)), _ref2), this.headerClass];\n   },\n
bodyClasses: function bodyClasses() {\n   var _ref3;\n\n   return ['modal-body', (_ref3 = {},
_defineProperty(_ref3, 'bg-' + this.bodyBgVariant, Boolean(this.bodyBgVariant)), _defineProperty(_ref3, 'text-' +
this.bodyTextVariant, Boolean(this.bodyTextVariant)), _ref3), this.bodyClass];\n   },\n   footerClasses: function
footerClasses() {\n   var _ref4;\n\n   return ['modal-footer', (_ref4 = {}, _defineProperty(_ref4, 'bg-' +
this.footerBgVariant, Boolean(this.footerBgVariant)), _defineProperty(_ref4, 'text-' + this.footerTextVariant,
Boolean(this.footerTextVariant)), _defineProperty(_ref4, 'border-' + this.footerBorderVariant,
Boolean(this.footerBorderVariant)), _ref4), this.footerClass];\n   }\n   },\n   watch: {\n   visible: function
visible(newVal, oldVal) {\n   if (newVal === oldVal) {\n   return;\n   }\n   this[newVal ? 'show' : 'hide']();\n
 }\n   },\n   methods: {\n   // Public Methods\n   show: function show() {\n   if (this.is_visible) {\n   return;\n
}\n   var showEvt = new BvEvent('show', {\n   cancelable: true,\n   vueTarget: this,\n   target:
this.$refs.modal,\n   relatedTarget: null\n   });\n   this.emitEvent(showEvt);\n   if (showEvt.defaultPrevented
|| this.is_visible) {\n   // Don't show if canceled\n   return;\n   }\n   if (hasClass(document.body, 'modal-
open')) {\n   // If another modal is already open, wait for it to close\n   this.$root.$once('bv::modal::hidden',
this.doShow);\n   } else {\n   // Show the modal\n   this.doShow();\n   }\n   },\n   hide: function
hide(trigger) {\n   if (!this.is_visible) {\n   return;\n   }\n   var hideEvt = new BvEvent('hide', {\n
cancelable: true,\n   vueTarget: this,\n   target: this.$refs.modal,\n   // this could be the trigger
element/component reference\n   relatedTarget: null,\n   isOK: trigger || null,\n   trigger: trigger || null,\n
cancel: function cancel() {\n   // Backwards compatibility\n   warn('b-modal: evt.cancel() is deprecated.
Please use evt.preventDefault().');\n   this.preventDefault();\n   }\n   });\n   if (trigger === 'ok') {\n
this.$emit('ok', hideEvt);\n   } else if (trigger === 'cancel') {\n   this.$emit('cancel', hideEvt);\n   }\n
this.emitEvent(hideEvt);\n   // Hide if not canceled\n   if (hideEvt.defaultPrevented || !this.is_visible) {\n
return;\n   }\n   // stop observing for content changes\n   if (this._observer) {\n
this._observer.disconnect();\n   this._observer = null;\n   }\n   this.is_visible = false;\n   this.$emit('change',
false);\n   },\n\n   // Private method to finish showing modal\n   doShow: function doShow() {\n   var _this2 =
this;\n\n   // Plce modal in DOM if lazy\n   this.is_hidden = false;\n   this.$nextTick(function () {\n   // We
do this in nextTick to ensure the modal is in DOM first before we show it\n   _this2.is_visible = true;\n
_this2.$emit('change', true);\n   // Observe changes in modal content and adjust if necessary\n
_this2._observer = observeDom(_this2.$refs.content, _this2.adjustDialog.bind(_this2), OBSERVER_CONFIG);\n

});\n   },\n\n   // Transition Handlers\n   onBeforeEnter: function onBeforeEnter() {\n   this.is_transitioning = true;\n   this.checkScrollbar();\n   this.setScrollbar();\n   this.adjustDialog();\n   addClass(document.body, 'modal-open');\n   this.setResizeEvent(true);\n   },\n   onEnter: function onEnter() {\n   this.is_block = true;\n this.$refs.modal.scrollTop = 0;\n   },\n   onAfterEnter: function onAfterEnter() {\n   var _this3 = this;\n\n this.is_show = true;\n   this.is_transitioning = false;\n   this.$nextTick(function () {\n   _this3.focusFirst();\n var shownEvt = new BvEvent('shown', {\n   cancelable: false,\n   vueTarget: _this3,\n   target: _this3.$refs.modal,\n   relatedTarget: null\n   });\n   _this3.emitEvent(shownEvt);\n   });\n   },\n onBeforeLeave: function onBeforeLeave() {\n   this.is_transitioning = true;\n   this.setResizeEvent(false);\n },\n   onLeave: function onLeave() {\n   // Remove the 'show' class\n   this.is_show = false;\n   },\n onAfterLeave: function onAfterLeave() {\n   var _this4 = this;\n\n   this.is_block = false;\n this.resetAdjustments();\n   this.resetScrollbar();\n   this.is_transitioning = false;\n removeClass(document.body, 'modal-open');\n   this.$nextTick(function () {\n   _this4.is_hidden = _this4.lazy || false;\n   _this4.returnFocusTo();\n   var hiddenEvt = new BvEvent('hidden', {\n   cancelable: false,\n vueTarget: _this4,\n   target: _this4.lazy ? null : _this4.$refs.modal,\n   relatedTarget: null\n   });\n _this4.emitEvent(hiddenEvt);\n   });\n   },\n\n   // Event emitter\n   emitEvent: function emitEvent(bvEvt) {\n var type = bvEvt.type;\n   this.$emit(type, bvEvt);\n   this.$root.$emit('bv::modal::' + type, bvEvt);\n   },\n\n   // UI Event Handlers\n   onClickOut: function onClickOut(evt) {\n   // If backdrop clicked, hide modal\n   if (this.is_visible && !this.noCloseOnBackdrop) {\n   this.hide('backdrop');\n   }\n   },\n   onEsc: function onEsc(evt) {\n   // If ESC pressed, hide modal\n   if (evt.keyCode === KeyCodes.ESC && this.is_visible && !this.noCloseOnEsc) {\n   this.hide('esc');\n   }\n   },\n   onFocusout: function onFocusout(evt) {\n   // If focus leaves modal, bring it back\n   // 'focusout' Event Listener bound on content\n   var content = this.$refs.content;\n   if (!this.noEnforceFocus && this.is_visible && content && !content.contains(evt.relatedTarget)) {\n   content.focus();\n   }\n   },\n\n   // Resize Listener\n setResizeEvent: function setResizeEvent(on) {\n   var _this5 = this;\n\n   ;['resize', 'orientationchange'].forEach(function (evtName) {\n   if (on) {\n   eventOn(window, evtName, _this5.adjustDialog);\n   } else {\n   eventOff(window, evtName, _this5.adjustDialog);\n   }\n   });\n   },\n\n   // Root Listener handlers\n   showHandler: function showHandler(id, triggerEl) {\n   if (id === this.id) {\n   this.return_focus = triggerEl || null;\n   this.show();\n   }\n   },\n   hideHandler: function hideHandler(id) {\n   if (id === this.id) {\n   this.hide();\n   }\n   },\n   modalListener: function modalListener(bvEvt) {\n // If another modal opens, close this one\n   if (bvEvt.vueTarget !== this) {\n   this.hide();\n   }\n   },\n\n   // Focus control handlers\n   focusFirst: function focusFirst() {\n   // Don't try and focus if we are SSR\n   if (typeof document === 'undefined') {\n   return;\n   }\n   var content = this.$refs.content;\n   var modal = this.$refs.modal;\n   var activeElement = document.activeElement;\n   if (activeElement && content && content.contains(activeElement)) {\n   // If activeElement is child of content, no need to change focus\n   } else if (content) {\n   if (modal) {\n   modal.scrollTop = 0;\n   }\n   // Focus the modal content wrapper\n   content.focus();\n   }\n   },\n   returnFocusTo: function returnFocusTo() {\n   // Prefer returnFocus prop over event specified return_focus value\n   var el = this.returnFocus || this.return_focus || null;\n   if (typeof el === 'string') {\n   // CSS Selector\n   el = select(el);\n   }\n   if (el) {\n   el = el.$el || el;\n   if (isVisible(el)) {\n   el.focus();\n   }\n   }\n   },\n\n   // Utility methods\n   getScrollbarWidth: function getScrollbarWidth() {\n   var scrollDiv = document.createElement('div');\n   scrollDiv.className = 'modal-scrollbar-measure';\n   document.body.appendChild(scrollDiv);\n   this.scrollbarWidth = scrollDiv.getBoundingClientRect().width - scrollDiv.clientWidth;\n   document.body.removeChild(scrollDiv);\n   },\n   adjustDialog: function adjustDialog() {\n   if (!this.is_visible) {\n   return;\n   }\n   var modal = this.$refs.modal;\n   var isModalOverflowing = modal.scrollHeight > document.documentElement.clientHeight;\n   if (!this.isBodyOverflowing && isModalOverflowing) {\n   modal.style.paddingLeft = this.scrollbarWidth + 'px';\n   }\n   if (this.isBodyOverflowing && !isModalOverflowing) {\n   modal.style.paddingRight = this.scrollbarWidth + 'px';\n   }\n   },\n   resetAdjustments: function resetAdjustments() {\n   var modal = this.$refs.modal;\n   if (modal) {\n   modal.style.paddingLeft = '';\n   modal.style.paddingRight = '';\n   }\n

},\n   checkScrollbar: function checkScrollbar() {\n   var rect = getBCR(document.body);\n this.isBodyOverflowing = rect.left + rect.right < window.innerWidth;\n   },\n   setScrollbar: function setScrollbar() {\n   if (this.isBodyOverflowing) {\n   // Note: DOMNode.style.paddingRight returns the actual value or '' if not set\n   // while $(DOMNode).css('padding-right') returns the calculated value or 0 if not set\n   var computedStyle = window.getComputedStyle;\n   var body = document.body;\n   var scrollbarWidth = this.scrollbarWidth;\n   // Adjust fixed content padding\n selectAll(Selector.FIXED_CONTENT).forEach(function (el) {\n   var actualPadding = el.style.paddingRight;\n   var calculatedPadding = computedStyle(el).paddingRight || 0;\n   setAttr(el, 'data-padding-right', actualPadding);\n   el.style.paddingRight = parseFloat(calculatedPadding) + scrollbarWidth + 'px';\n   });\n   // Adjust sticky content margin\n   selectAll(Selector.STICKY_CONTENT).forEach(function (el) {\n   var actualMargin = el.style.marginRight;\n   var calculatedMargin = computedStyle(el).marginRight || 0;\n setAttr(el, 'data-margin-right', actualMargin);\n   el.style.marginRight = parseFloat(calculatedMargin) - scrollbarWidth + 'px';\n   });\n   // Adjust navbar-toggler margin\n selectAll(Selector.NAVBAR_TOGGLER).forEach(function (el) {\n   var actualMargin = el.style.marginRight;\n   var calculatedMargin = computedStyle(el).marginRight || 0;\n   setAttr(el, 'data-margin-right', actualMargin);\n   el.style.marginRight = parseFloat(calculatedMargin) + scrollbarWidth + 'px';\n   });\n   // Adjust body padding\n   var actualPadding = body.style.paddingRight;\n   var calculatedPadding = computedStyle(body).paddingRight;\n   setAttr(body, 'data-padding-right', actualPadding);\n   body.style.paddingRight = parseFloat(calculatedPadding) + scrollbarWidth + 'px';\n   }\n   },\n   resetScrollbar: function resetScrollbar() {\n   // Restore fixed content padding\n selectAll(Selector.FIXED_CONTENT).forEach(function (el) {\n   if (hasAttr(el, 'data-padding-right')) {\n el.style.paddingRight = getAttr(el, 'data-padding-right') || '';\n   removeAttr(el, 'data-padding-right');\n   }\n });\n   // Restore sticky content and navbar-toggler margin\n   selectAll(Selector.STICKY_CONTENT + ', ' + Selector.NAVBAR_TOGGLER).forEach(function (el) {\n   if (hasAttr(el, 'data-margin-right')) {\n el.style.marginRight = getAttr(el, 'data-margin-right') || '';\n   removeAttr(el, 'data-margin-right');\n   }\n });\n   // Restore body padding\n   var body = document.body;\n   if (hasAttr(body, 'data-padding-right')) {\n body.style.paddingRight = getAttr(body, 'data-padding-right') || '';\n   removeAttr(body, 'data-padding-right');\n   }\n   }\n },\n created: function created() {\n   // create non-reactive property\n   this._observer = null;\n },\n mounted: function mounted() {\n   // Measure scrollbar\n   this.getScrollbarWidth();\n   // Listen for events from others to either open or close ourselves\n   this.listenOnRoot('bv::show::modal', this.showHandler);\n this.listenOnRoot('bv::hide::modal', this.hideHandler);\n   // Listen for bv:modal::show events, and close ourselves if the opening modal not us\n   this.listenOnRoot('bv::modal::show', this.modalListener);\n   // Initially show modal?\n   if (this.visible === true) {\n   this.show();\n   }\n },\n beforeDestroy: function beforeDestroy() {\n   // Ensure everything is back to normal\n   if (this._observer) {\n   this._observer.disconnect();\n   this._observer = null;\n   }\n   this.setResizeEvent(false);\n   // Re-adjust body/navbar/fixed padding/margins (if needed)\n removeClass(document.body, 'modal-open');\n   this.resetAdjustments();\n   this.resetScrollbar();\n }\n};","var render = function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('div',{staticClass:\"embed-form\"},[_c('div',{staticClass:\"container-fluid\"},[(!_vm.noTitle)?_c('h4',{staticClass:\"embed-form__heading\"},[_vm._v(\"\\n \"+_vm._s(_vm.$t('embed-form.heading'))+\"\\n \")]):_vm._e(),_c('div',{staticClass:\"row\"},[_c('div',{staticClass:\"col\"},[_c('p',[_vm._v(\"\\n \"+_vm._s(_vm.$t('embed-form.introduction'))+\"\\n   \")]),_c('textarea',{staticClass:\"form-control embed-form__code mb-2\",attrs:{\"readonly\":\"\"},domProps:{\"value\":_vm.embedCode()},on:{\"click\":_vm.selectCode}}),_c('label',{staticClass:\"custom-control custom-checkbox btn btn-sm float-left\"},[_c('input',{directives:[{name:\"model\",rawName:\"v-model\",value:(_vm.responsiveCheck),expression:\"responsiveCheck\"}],staticClass:\"custom-control-input\",attrs:{\"type\":\"checkbox\"},domProps:{\"checked\":Array.isArray(_vm.responsiveCheck)?_vm._i(_vm.res

ponsiveCheck,null)>-1:(_vm.responsiveCheck)},on:{\"change\":function($event){var $$a=_vm.responsiveCheck,$$el=$event.target,$$c=$$el.checked?(true):(false);if(Array.isArray($$a)){var $$v=null,$$i=_vm._i($$a,$$v);if($$el.checked){$$i<0&&(_vm.responsiveCheck=$$a.concat([$$v]))}else{$$i>-1&&(_vm.responsiveCheck=$$a.slice(0,$$i).concat($$a.slice($$i+1)))}}else{_vm.responsiveCheck=$$c}}}}),_c('span',{staticClass:\"custom-control-label font-weight-bold\"},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('embed-form.responsive-optin'))+\"\\n   \")])]),_c('div',{staticClass:\"text-right\"},[_c('button',{staticClass:\"btn btn-link btn-sm text-uppercase font-weight-bold\",on:{\"click\":_vm.copyEmbedCode}},[_c('fa',{attrs:{\"icon\":\"clipboard\"}}),_vm._v(\"\\n   \"+_vm._s(_vm.$t('embed-form.copy'))+\"\\n   \")],1)])]),(!_vm.noPreview)?_c('div',{staticClass:\"col-7 d-none d-lg-block embed-form__preview\"},[_c('span',{domProps:{\"innerHTML\":_vm._s(_vm.embedCode(false))}})]):_vm._e()])])])}\nvar staticRenderFns = []\n\nexport { render, staticRenderFns }","function _typeof2(obj) { if (typeof Symbol === \"function\" && typeof Symbol.iterator === \"symbol\") { _typeof2 = function _typeof2(obj) { return typeof obj; }; } else { _typeof2 = function _typeof2(obj) { return obj && typeof Symbol === \"function\" && obj.constructor === Symbol && obj !== Symbol.prototype ? \"symbol\" : typeof obj; }; } return _typeof2(obj); }\n\nexport default function _typeof(obj) {\n if (typeof Symbol === \"function\" && _typeof2(Symbol.iterator) === \"symbol\") {\n   _typeof = function _typeof(obj) {\n   return _typeof2(obj);\n   };\n } else {\n   _typeof = function _typeof(obj) {\n   return obj && typeof Symbol === \"function\" && obj.constructor === Symbol && obj !== Symbol.prototype ? \"symbol\" : _typeof2(obj);\n   };\n }\n\n return _typeof(obj);\n}","import Clipboard from 'clipboard'\n\nexport function copyText (text, container) {\n return new Promise(function (resolve, reject) {\n   var fakeElement = document.createElement('button')\n\n   var clipboard = new Clipboard(fakeElement, {\n   text: () => (text),\n   action: () => ('copy'),\n   container: typeof container === 'object' ? container : document.body\n   })\n\n   clipboard.on('success', error => {\n   clipboard.destroy()\n   resolve(error)\n   })\n\n   clipboard.on('error', error => {\n   clipboard.destroy()\n   reject(error)\n   })\n\n   fakeElement.click()\n })\n}\n","<style lang=\"scss\" scoped>\n @import '../styles/lib';\n\n .embed-form {\n   font-size: 0.9rem;\n   overflow: auto;\n\n   .custom-control.btn {\n   .custom-control-label:before, .custom-control-label:after {\n   top: 50%;\n   transform: translateY(-50%);\n   }\n   }\n\n   &__heading {\n   font-size: 1.1em;\n   text-transform: uppercase;\n   }\n\n   &__code {\n   height: 80px;\n   }\n\n   &__preview {\n   border-left: 1px $gray-400 dashed;\n   }\n }\n</style>\n\n<template>\n <div class=\"embed-form\">\n   <div class=\"container-fluid\">\n   <h4 class=\"embed-form__heading\" v-if=\"!noTitle\">\n   {{ $t('embed-form.heading') }}\n   </h4>\n   <div class=\"row\">\n   <div class=\"col\">\n   <p>\n   {{ $t('embed-form.introduction') }}\n   </p>\n   <textarea class=\"form-control embed-form__code mb-2\" readonly @click=\"selectCode\" :value=\"embedCode()\"></textarea>\n\n   <label class=\"custom-control custom-checkbox btn btn-sm float-left\">\n   <input type=\"checkbox\" class=\"custom-control-input\" v-model=\"responsiveCheck\">\n   \n   {{ $t('embed-form.responsive-optin') }}\n   \n   </label>\n\n   <div class=\"text-right\">\n   <button class=\"btn btn-link btn-sm text-uppercase font-weight-bold\" @click=\"copyEmbedCode\">\n   <fa icon=\"clipboard\" />\n   {{ $t('embed-form.copy') }}\n   </button>\n   </div>\n   </div>\n   <div class=\"col-7 d-none d-lg-block embed-form__preview\" v-if=\"!noPreview\">\n   \n   </div>\n   </div>\n   </div>\n </div>\n</template>\n\n<script>\n import { faClipboard } from '@fortawesome/free-solid-svg-icons/faClipboard'\n import Vue from 'vue'\n\n import i18n from '@/i18n'\n import IframeResizer from '@/utils/iframe-resizer'\n import { copyText } from '@/utils/clipboard'\n import { library } from './Fa'\n\n /**\n   * Embed Form\n   */\n export default {\n   i18n,\n   name: 'EmbedForm',\n   data () {\n   return {\n   responsiveCheck: false\n   }\n   },\n   beforeMount() {\n   library.add(faClipboard)\n   },\n   components: {\n   /** Prevent a bug with vue-docgen-api\n   * @see https://github.com/vue-styleguidist/vue-docgen-api/issues/23\n   */\n   Fa: require('./Fa').default\n   },\n   props: {\n   /**\n   * Hide the form title\n   */\n   noTitle: {\n   type: Boolean\n   },\n   /**\n   * Hide the preview panel\n   */\n   noPreview: {\n   type: Boolean\n   },\n   /**\n   * Default width of the iframe code\n   */\n   width: {\n   type:

[Number, String],\n   default: '100%'\n   },\n   /**\n   * Default height of the iframe code\n   */\n height: {\n   type: Number,\n   default: () => (window.innerHeight)\n   },\n   /**\n   * Default minimal width of the iframe code (if extract from window\\'s size)\n   */\n   minWidth: {\n   type: Number,\n default: 0\n   },\n   /**\n   * Default minimal height of the iframe code (if extract from window\\'s size)\n   */\n   minHeight: {\n   type: Number,\n   default: 0\n   },\n   /**\n   * URL of the iframe code\n   */\n   url: {\n   type: String\n   }\n   },\n   methods: {\n   iframeCodeFor (url, width, height) {\n   return `<iframe width=\"${width}\" height=\"${height}\" src=\"${IframeResizer.deletePymParams(url)}\" frameborder=\"0\" allowfullscreen></iframe>`\n   },\n   pymCodeFor (url) {\n   return IframeResizer.template(url)\n   },\n   copyEmbedCode () {\n   return copyText(this.embedCode(), this.$el).then(() => {\n   this.selectCode()\n   })\n   },\n   selectCode () {\n   this.$el.querySelector('.embed-form__code').select()\n   },\n   embedCode (withPym = this.responsiveCheck) {\n   const width = isNaN(this.width) ? this.width : Math.max(this.width, this.minWidth)\n   const height = Math.max(this.height, this.minHeight)\n   return withPym ? this.pymCodeFor(this.currentUrl) : this.iframeCodeFor(this.currentUrl, width, height)\n   }\n   },\n   computed: {\n   currentUrl () {\n   return this.url || window.location.href\n   }\n   }\n }\n</script>\n","import mod from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./EmbedForm.vue?vue&type=script&lang=js&\"; export default mod; export * from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./EmbedForm.vue?vue&type=script&lang=js&\"","import { render, staticRenderFns } from \"./EmbedForm.vue?vue&type=template&id=502aea85&scoped=true&\"\nimport script from \"./EmbedForm.vue?vue&type=script&lang=js&\"\nexport * from \"./EmbedForm.vue?vue&type=script&lang=js&\"\nimport style0 from \"./EmbedForm.vue?vue&type=style&index=0&id=502aea85&lang=scss&scoped=true&\"\n\n\n/* normalize component */\nimport normalizer from \"!../../node_modules/vue-loader/lib/runtime/componentNormalizer.js\"\nvar component = normalizer(\n script,\n render,\n staticRenderFns,\n false,\n null,\n \"502aea85\",\n null\n \n)\n\ncomponent.options.__file = \"EmbedForm.vue\"\nexport default component.exports","<template>\n <div class=\"sharing-options\" :style=\"style\">\n   <social-sharing v-bind=\"valuesFor('twitter')\" inline-template>\n   <network network=\"twitter\" class=\"sharing-options__link\">\n   <fa :icon=\"['fab', 'twitter']\" />\n   Share on Twitter\n   </network>\n   </social-sharing>\n   <social-sharing v-bind=\"valuesFor('facebook')\" inline-template>\n   <network network=\"facebook\" class=\"sharing-options__link\">\n   <fa :icon=\"['fab', 'facebook']\" />\n   Share on Facebook\n   </network>\n   </social-sharing>\n   <social-sharing v-bind=\"valuesFor('linkedin')\" inline-template>\n   <network network=\"linkedin\" class=\"sharing-options__link\">\n   <fa :icon=\"['fab', 'linkedin']\" />\n   Share on Linkedin\n   </network>\n   </social-sharing>\n   <social-sharing v-bind=\"valuesFor('email')\" inline-template>\n   <network network=\"email\" class=\"sharing-options__link\">\n   <fa icon=\"envelope\" />\n   Share by email\n   </network>\n   </social-sharing>\n   <div class=\"sharing-options__link\" v-show=\"!noEmbed\">\n   <a @click=\"showEmbedForm\">\n   <fa icon=\"code\" />\n   Embed\n   \n   </div>\n   <b-modal hide-footer ref=\"embedForm\" title=\"Embed on your website\" class=\"text-dark\">\n   <embed-form no-title no-preview :min-height=\"iframeMinHeight\" :min-width=\"iframeMinWidth\"></embed-form>\n   </b-modal>\n </div>\n</template>\n\n<script>\n import bModal from 'bootstrap-vue/es/components/modal/modal'\n import SocialSharing from 'vue-social-sharing';\n import get from 'lodash/get'\n import reduce from 'lodash/reduce'\n\n import i18n from '@/i18n'\n import { faCode } from '@fortawesome/free-solid-svg-icons/faCode'\n import { faEnvelope } from '@fortawesome/free-solid-svg-icons/faEnvelope'\n import { faTwitter } from '@fortawesome/free-brands-svg-icons/faTwitter'\n import {

faFacebook } from '@fortawesome/free-brands-svg-icons/faFacebook'\n import { faLinkedin } from '@fortawesome/free-brands-svg-icons/faLinkedin'\n\n import EmbedForm from './EmbedForm.vue'\n import config from '../config'\n import IframeResizer from '../utils/iframe-resizer'\n\n import { library } from './Fa'\n\n /**\n * SharingOptions\n */\n export default {\n i18n,\n name: 'SharingOptions',\n components: {\n bModal,\n EmbedForm,\n SocialSharing,\n /** Prevent a bug with vue-docgen-api\n * @see https://github.com/vue-styleguidist/vue-docgen-api/issues/23\n */\n Fa: require('./Fa').default\n },\n beforeMount () {\n library.add(faCode, faEnvelope, faTwitter, faFacebook, faLinkedin)\n // Inject Fa components in child component\n SocialSharing.components.Fa = require('./Fa').default\n },\n props: {\n /**\n * URL to be shared.\n */\n url: {\n type: String,\n default: () => config.get('sharing-options.url', null) || IframeResizer.deletePymParams()\n },\n /**\n * Direction of the sharing options. Can be: row, row-reverse,\n * column or column-reverse.\n */\n direction: {\n default: 'row',\n validator (value) {\n return ['row', 'row-reverse', 'column', 'column-reverse'].indexOf(value) !== -1\n }\n },\n /**\n * Sharing contents wich can be genereic (title, description, etc)\n * or specific to a network (twitter_title, facebook_description, etc).\n */\n values: {\n type: Object,\n default: () => ({})\n },\n /**\n * The list of all the keys to automatlcy inject in each social button.\n */\n valuesKeys: {\n default: () => ['url', 'title', 'description', 'media', 'twitter-user'],\n type: Array\n },\n /**\n * Disable embed button.\n */\n noEmbed: {\n type: Boolean\n },\n /**\n * Minimum height of the iframe in the embed form.\n */\n iframeMinHeight: {\n type: Number\n },\n /**\n * Minimum width of the iframe in the embed form.\n */\n iframeMinWidth: {\n type: Number\n },\n /**\n * Prevent from reading default value from the <code>meta</code>.\n */\n noMeta: {\n type: Boolean\n }\n },\n methods: {\n showEmbedForm () {\n this.showShareOptions = false\n return this.$refs.embedForm.show()\n },\n valuesFor (network) {\n const values = Object.assign(this.metaValues, this.values)\n return reduce(this.valuesKeys, (res, key) => {\n res[key] = get(values, `${network}_${key}`, values[key])\n return res\n }, {})\n },\n defaultValueFor(key, metaSelector = null) {\n if (this.noMeta || !metaSelector) {\n return config.get(key)\n }\n return get(document.head.querySelector(metaSelector), 'content', config.get(key))\n }\n },\n computed: {\n style () {\n return {\n 'flex-direction': this.direction\n }\n },\n metaValues () {\n return {\n 'url': this.url,\n 'title': this.defaultValueFor('sharing-options.title'),\n 'description': this.defaultValueFor('sharing-options.description', 'meta[name=\"description]'),\n 'facebook_title': this.defaultValueFor('sharing-options.facebook_title', 'meta[property=\"og:title\"]'),\n 'facebook_description': this.defaultValueFor('sharing-options.description', 'meta[property=\"og:description\"]'),\n 'facebook_media': this.defaultValueFor('sharing-options.media', 'meta[property=\"og:image\"]'),\n 'facebook_url': this.defaultValueFor('app.home', 'meta[property=\"og:url\"]'),\n 'twitter_media': this.defaultValueFor('sharing-options.media', 'meta[name=\"twitter:image\"]'),\n 'twitter_twitter-user': this.defaultValueFor('sharing-options.twitter-user', 'meta[name=\"twitter:site\"]')\n }\n }\n }\n }\n</script>\n\n<style lang=\"scss\">\n @import '../styles/lib';\n @import '../styles/mixins';\n\n .sharing-options {\n display: flex;\n\n &__link {\n display: block;\n margin: $spacer / 4;\n background: black;\n height: 2.5em;\n line-height: 2.5em;\n width: 2.5em;\n text-align: center;\n font-size: 80%;\n border-radius: 50%;\n cursor: pointer;\n color: white;\n position: relative;\n\n i {\n position: absolute;\n top: 50%;\n left: 50%;\n transform: translate(-50%, -50%);\n }\n\n & > a, & > button {\n width: 100%;\n height: 100%;\n display: block;\n }\n }\n }\n</style>\n","import mod from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./SharingOptions.vue?vue&type=script&lang=js&\"; export default mod; export * from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-

options!./SharingOptions.vue?vue&type=script&lang=js&\"","import { render, staticRenderFns } from \"./SharingOptions.vue?vue&type=template&id=4e36ddf6&\"\nimport script from \"./SharingOptions.vue?vue&type=script&lang=js&\"\nexport * from \"./SharingOptions.vue?vue&type=script&lang=js&\"\nimport style0 from \"./SharingOptions.vue?vue&type=style&index=0&lang=scss&\"\n\n\n/* normalize component */\nimport normalizer from \"!../../node_modules/vue-loader/lib/runtime/componentNormalizer.js\"\nvar component = normalizer(\n script,\n render,\n staticRenderFns,\n false,\n null,\n null,\n null\n\n)\n\ncomponent.options.__file = \"SharingOptions.vue\"\nexport default component.exports","<template>\n <div class=\"embeddable-footer p-2 text-nowrap\">\n <a :href=\"homeUrl\" target=\"_blank\" class=\"text-white embeddable-footer__brand\">\n \n {{ title }}\n \n <div class=\"embeddable-footer__lead small text-truncate\" v-html=\"lead\"></div>\n <button class=\"btn btn-link text-white btn-sm py-0 embeddable-footer__share-btn\" @click=\"showShareOptions = !showShareOptions\" :class=\"{ active: showShareOptions }\">\n <fa icon=\"share-alt\" />\n {{ $t('embeddable-footer.share') }}\n </button>\n <sharing-options :values=\"sharingOptionsValues\" v-if=\"showShareOptions\" direction=\"column-reverse\" :iframe-min-height=\"iframeMinHeight\" :iframe-min-width=\"iframeMinWidth\"></sharing-options>\n </div>\n</template>\n\n<script>\n import { faShareAlt } from '@fortawesome/free-solid-svg-icons/faShareAlt'\n\n import i18n from '@/i18n'\n import IframeResizer from '@/utils/iframe-resizer'\n import SharingOptions from './SharingOptions'\n import config from '@/config'\n\n import { library } from './Fa'\n\n /**\n * EmbeddableFooter\n */\n export default {\n i18n,\n name: 'EmbeddableFooter',\n beforeMount() {\n library.add(faShareAlt)\n },\n components: {\n /** Prevent a bug with vue-docgen-api\n * @see https://github.com/vue-styleguidist/vue-docgen-api/issues/23\n */\n Fa: require('./Fa').default,\n SharingOptions\n },\n props: {\n /**\n * Title to display next to ICIJ logo.\n */\n title: {\n type: String,\n default: () => config.get('project.name')\n },\n /**\n * Lead sentence to display next to the title.\n */\n lead: {\n type: String,\n default: "\n },\n /**\n * Minimum height for the iframe generated in the embed form.\n */\n iframeMinHeight: {\n type: Number\n },\n /**\n * Minimum width for the iframe generated in the embed form.\n */\n iframeMinWidth: {\n type: Number\n },\n /**\n * Target of the ICIJ logo and title links.\n */\n homeUrl: {\n type: String,\n default: () => config.get('app.home')\n },\n /**\n * Sharing option values to bind to the sharing-options component on the bottom-right corner.\n */\n sharingOptionsValues: {\n type: Object,\n default: () => ({})\n }\n },\n data () {\n return {\n showShareOptions: false\n }\n },\n mounted () {\n IframeResizer.create();\n }\n }\n</script>\n\n<style lang=\"scss\" scoped>\n @import '../styles/lib';\n @import '../styles/mixins';\n\n @include keyframes(slideup) {\n 0% {\n transform: translateY(100%);\n opacity:0;\n }\n\n 100% {\n transform: translateY(0%);\n opacity:1;\n }\n }\n\n .embeddable-footer {\n display: flex;\n flex-direction: row;\n align-items: center;\n\n z-index: $zindex-sticky;\n position: fixed;\n bottom: 0;\n left: 0;\n width: 100%;\n background: black;\n color: white;\n // Magic technique to have a minimum font-size (10px-ish)\n font-size: calc(10px + 1.5vh);\n\n @media screen and (min-height: 800px) {\n font-size: 1rem;\n }\n\n &__brand {\n padding-right: $spacer;\n margin-right: $spacer;\n border-right: 2px solid white;\n font-family: $headings-font-family;\n font-size: 1.1em;\n }\n\n &__lead {\n flex-grow: 1;\n min-width: 0;\n font-size: 0.9em;\n }\n\n &__share-btn {\n border:1px solid transparent;\n height: 2.5em;\n line-height: 2.5em;\n width: 2.5em;\n font-size: 80%;\n text-align: center;\n border-radius: 50%;\n\n &.active {\n border-color: white;\n }\n\n &:hover {\n background: rgba(white, .1);\n }\n }\n\n & /deep/ .sharing-options {\n position: absolute;\n bottom: 100%;\n right: 0;\n margin: $spacer * 0.25;\n\n &__link {\n opacity: 0;\n animation:slideup 200ms forwards;\n @include animation-delay-loop(0, 10, 50ms);\n }\n }\n }\n</style>\n","import mod from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-

options!./EmbeddableFooter.vue?vue&type=script&lang=js&\"; export default mod; export * from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./EmbeddableFooter.vue?vue&type=script&lang=js&\"","import { render, staticRenderFns } from \"./EmbeddableFooter.vue?vue&type=template&id=36cb84e2&scoped=true&\"\nimport script from \"./EmbeddableFooter.vue?vue&type=script&lang=js&\"\nexport * from \"./EmbeddableFooter.vue?vue&type=script&lang=js&\"\nimport style0 from \"./EmbeddableFooter.vue?vue&type=style&index=0&id=36cb84e2&lang=scss&scoped=true&\"\n\n\n/* normalize component */\nimport normalizer from \"!../../node_modules/vue-loader/lib/runtime/componentNormalizer.js\"\nvar component = normalizer(\n script,\n render,\n staticRenderFns,\n false,\n null,\n \"36cb84e2\",\n null\n \n)\n\ncomponent.options.__file = \"EmbeddableFooter.vue\"\nexport default component.exports","var render = function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('div',{staticClass:\"follow-us\"},[_c('button',{staticClass:\"btn btn-link text-light follow-us__close\",on:{\"click\":_vm.closeSignupPopover}},[_c('fa',{attrs:{\"icon\":\"times\"}})],1),_c('sign-up-form',{staticClass:\"p-3\"}),_c('div',{staticClass:\"px-3 pb-1 text-uppercase text-muted font-weight-bold\"},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('follow-us-popover.heading'))+\"\\n \")]),_c('div',{staticClass:\"p-3 bg-light container-fluid text-center\"},[_c('div',{staticClass:\"row\"},[_c('div',{staticClass:\"col\"},[_c('a',{staticClass:\"d-inline-block text-primary border border-primary rounded-circle bg-white follow-us__social-btn\",attrs:{\"href\":\"https://twitter.com/icijorg\",\"target\":\"_blank\",\"title\":\"Twitter\"}},[_c('fa',{attrs:{\"icon\":['fab', 'twitter'],\"size\":\"lg\"}}),_c('span',{staticClass:\"sr-only\"},[_vm._v(\"Twitter\")])],1)]),_c('div',{staticClass:\"col\"},[_c('a',{staticClass:\"d-inline-block text-primary border border-primary rounded-circle bg-white follow-us__social-btn\",attrs:{\"href\":\"https://www.facebook.com/ICIJ.org\",\"target\":\"_blank\",\"title\":\"Facebook\"}},[_c('fa',{attrs:{\"icon\":['fab', 'facebook'],\"size\":\"lg\"}}),_c('span',{staticClass:\"sr-only\"},[_vm._v(\"Facebook\")])],1)]),_c('div',{staticClass:\"col\"},[_c('a',{staticClass:\"d-inline-block text-primary border border-primary rounded-circle bg-white follow-us__social-btn\",attrs:{\"href\":\"https://www.linkedin.com/company/1732242/\",\"target\":\"_blank\",\"title\":\"Linkedin\"}},[_c('fa',{attrs:{\"icon\":['fab', 'linkedin'],\"size\":\"lg\"}}),_c('span',{staticClass:\"sr-only\"},[_vm._v(\"Linkedin\")])],1)])])])],1)}\nvar staticRenderFns = []\n\nexport { render, staticRenderFns }","var render = function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('form',{staticClass:\"sign-up-form\",class:{ 'sign-up-form--horizontal': _vm.horizontal },on:{\"submit\":function($event){$event.preventDefault();_vm.subscribe($event)}}},[_c('fieldset',{attrs:{\"disabled\":_vm.frozen}},[(!_vm.noLabel)?_c('label',{staticClass:\"text-uppercase text-muted font-weight-bold\",attrs:{\"for\":\"input-email\"}},[_vm._v(\"\\n   \"+_vm._s(_vm.$t(\"sign-up-form.label\"))+\"\\n \")]):_vm._e(),_c('div',{staticClass:\"sign-up-form__fieldset__group\",class:{ 'input-group': _vm.horizontal }},[_c('input',{directives:[{name:\"model\",rawName:\"v-model\",value:(_vm.email),expression:\"email\"}],staticClass:\"form-control\",attrs:{\"name\":\"EMAIL\",\"type\":\"text\",\"placeholder\":_vm.$t('sign-up-form.placeholder'),\"id\":\"input-email\"},domProps:{\"value\":(_vm.email)},on:{\"input\":function($event){if($event.target.composing){ return; }_vm.email=$event.target.value}}}),_c('div',{staticClass:\"sign-up-form__fieldset__group__addon\",class:{ 'input-group-append': _vm.horizontal }},[_c('button',{staticClass:\"btn btn-primary text-uppercase font-weight-bold\",attrs:{\"type\":\"submit\"}},[_vm._v(\"\\n   \"+_vm._s(_vm.$t(\"sign-up-form.submit\"))+\"\\n   \")])])]),_c('input',{attrs:{\"type\":\"hidden\",\"name\":\"group[9][1]\",\"value\":\"1\"}}),_c('input',{attrs:{\"type\":\"hidden\",\"name\":\"SIGNUP\"},domProps:{\"value\":_vm.tracker}}),(_vm.errorMessage)?_c('p',{staticClass:\"alert alert-danger p-2 m-0 mt-

2\",domProps:{\"innerHTML\":_vm._s(_vm.errorMessage)}}):_vm._e(),(_vm.successMessage)?_c('p',{staticClass:\"alert alert-success p-2 m-0 mt-2\",domProps:{\"innerHTML\":_vm._s(_vm.successMessage)}}):_vm._e()])}\nvar staticRenderFns = []\n\nexport { render, staticRenderFns }","<template>\n <form @submit.prevent=\"subscribe($event)\" class=\"sign-up-form\" :class=\"{ 'sign-up-form--horizontal': horizontal }\">\n   <fieldset :disabled=\"frozen\">\n   <label class=\"text-uppercase text-muted font-weight-bold\" for=\"input-email\" v-if=\"!noLabel\">\n   {{ $t(\"sign-up-form.label\") }}\n   </label>\n   <div class=\"sign-up-form__fieldset__group\" :class=\"{ 'input-group': horizontal }\">\n   <input v-model=\"email\" name=\"EMAIL\" type=\"text\" class=\"form-control\" :placeholder=\"$t('sign-up-form.placeholder')\" id=\"input-email\" />\n   <div class=\"sign-up-form__fieldset__group__addon\" :class=\"{ 'input-group-append': horizontal }\">\n   <button class=\"btn btn-primary text-uppercase font-weight-bold\" type=\"submit\">\n   {{ $t(\"sign-up-form.submit\") }}\n   </button>\n   </div>\n   </div>\n   </fieldset>\n   <input type=\"hidden\" name=\"group[9][1]\" value=\"1\" />\n   <input type=\"hidden\" name=\"SIGNUP\" :value=\"tracker\" />\n   <p v-if=\"errorMessage\" class=\"alert alert-danger p-2 m-0 mt-2\" v-html=\"errorMessage\"></p>\n   <p v-if=\"successMessage\" class=\"alert alert-success p-2 m-0 mt-2\" v-html=\"successMessage\"></p>\n </form>\n</template>\n\n<script>\nimport $ from 'jquery'\nimport last from 'lodash/last'\nimport config from '../config'\nimport i18n from '@/i18n'\n\n/**\n * SignUpForm\n */\nexport default {\n i18n,\n name: \"SignUpForm\",\n props: {\n   /**\n   * Mailchimp URL to send the data to.\n   */\n   action: {\n   type: String,\n   default: () => config.get('signup-form.action')\n   },\n   /**\n   * Disable the main label.\n   */\n   noLabel: {\n   type: Boolean\n   },\n   /**\n   * Horizontal layout of the form.\n   */\n   horizontal: {\n   type: Boolean\n   },\n   /**\n   * Mailchimp tracker tag to identify the origin.\n   */\n   tracker: {\n   type: String,\n   default: () => config.get('signup-form.tracker')\n   }\n },\n data () {\n   return {\n   email: '',\n   frozen: false,\n   response: {},\n   errorMessage: null,\n   successMessage: null\n   };\n },\n computed: {\n   actionJsonp () {\n   return this.action.replace('/post?', '/post-json?').concat('&c=?')\n   }\n },\n methods: {\n   subscribe () {\n   this.resetMessages()\n   this.freeze()\n   // Send the data, catch the result no matter what and unfreeze the form\n   this.send().always(this.done).always(this.unfreeze)\n   },\n   send () {\n   return $.ajax({\n   type: 'POST',\n   url: this.actionJsonp,\n   data: $(this.$el).serialize(),\n   dataType: 'jsonp'\n   })\n   },\n   done (res) {\n   if (res.result === 'success') {\n   this.email = ''\n   this.successMessage = res.msg;\n   } else {\n   // Mailchimp formats errors in list\n   this.errorMessage = last((res.msg || \"Something's wrong\").split('0 -'))\n   }\n   },\n   resetMessages () {\n   this.errorMessage = null\n   this.successMessage = null\n   },\n   freeze () {\n   this.frozen = true\n   },\n   unfreeze () {\n   this.frozen = false\n   }\n }\n};\n</script>\n\n<style lang=\"scss\">\n @import '../styles/lib.scss';\n\n .sign-up-form {\n\n   .sign-up-form__fieldset__group__addon .btn {\n   font-size: 0.9em;\n   }\n\n   &:not(&--horizontal) {\n\n   .sign-up-form__fieldset__group__addon .btn {\n   display: block;\n   width: 100%;\n   }\n   }\n }\n</style>\n","import mod from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./SignUpForm.vue?vue&type=script&lang=js&\"; export default mod; export * from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./SignUpForm.vue?vue&type=script&lang=js&\"","import { render, staticRenderFns } from \"./SignUpForm.vue?vue&type=template&id=3a583f00&\"\nimport script from \"./SignUpForm.vue?vue&type=script&lang=js&\"\nexport * from \"./SignUpForm.vue?vue&type=script&lang=js&\"\nimport style0 from \"./SignUpForm.vue?vue&type=style&index=0&lang=scss&\"\n\n\n/* normalize component */\nimport normalizer from \"!../../node_modules/vue-loader/lib/runtime/componentNormalizer.js\"\nvar component = normalizer(\n script,\n render,\n staticRenderFns,\n false,\n null,\n null,\n null\n \n)\n\ncomponent.options.__file = \"SignUpForm.vue\"\nexport default component.exports","<template>\n <div class=\"follow-us\">\n   <button

class=\"btn btn-link text-light follow-us__close\" @click=\"closeSignupPopover\">\n   <fa icon=\"times\" />\n </button>\n   <sign-up-form class=\"p-3\"></sign-up-form>\n   <div class=\"px-3 pb-1 text-uppercase text-muted font-weight-bold\">\n   {{ $t('follow-us-popover.heading') }}\n   </div>\n   <div class=\"p-3 bg-light container-fluid text-center\">\n   <div class=\"row\">\n   <div class=\"col\">\n   \n   <fa :icon=\"['fab', 'twitter']\" size=\"lg\" />\n   Twitter\n   \n   </div>\n   <div class=\"col\">\n   \n   <fa :icon=\"['fab', 'facebook']\" size=\"lg\" />\n   Facebook\n   \n   </div>\n   <div class=\"col\">\n   \n   <fa :icon=\"['fab', 'linkedin']\" size=\"lg\" />\n   Linkedin\n   \n   </div>\n   </div>\n </div>\n</template>\n\n<script>\n import { faTimes } from '@fortawesome/free-solid-svg-icons/faTimes'\n import { faTwitter } from '@fortawesome/free-brands-svg-icons/faTwitter'\n import { faFacebook } from '@fortawesome/free-brands-svg-icons/faFacebook'\n import { faLinkedin } from '@fortawesome/free-brands-svg-icons/faLinkedin'\n\n import i18n from '@/i18n'\n import SignUpForm from './SignUpForm.vue'\n import { library } from './Fa'\n\n /**\n * FollowUsPopover\n */\n export default {\n   i18n,\n   name: 'FollowUsPopover',\n   components: {\n   /** Prevent a bug with vue-docgen-api\n   * @see https://github.com/vue-styleguidist/vue-docgen-api/issues/23\n   */\n   Fa: require('./Fa').default,\n   SignUpForm\n   },\n   beforeMount () {\n   library.add(faTimes, faTwitter, faFacebook, faLinkedin)\n   },\n   methods: {\n   closeSignupPopover() {\n   /**\n   * Fired when user click on the `close` button\n   *\n   * @event update:show\n   * @type {boolean}\n   */\n   this.$emit('update:show', false)\n   }\n   }\n }\n</script>\n\n<style lang=\"scss\" scoped>\n @import '../styles/lib';\n\n .follow-us {\n   position: relative;\n   width: 300px;\n\n   &__social-btn {\n   height: 46px;\n   width: 46px;\n   line-height: 46px;\n\n   i.fab {\n   line-height: inherit;\n   font-size: 1.5em;\n   }\n   }\n\n   &__close {\n   position: absolute;\n   right: $spacer / 2;\n   top: $spacer / 2;\n   }\n }\n</style>\n","import mod from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./FollowUsPopover.vue?vue&type=script&lang=js&\"; export default mod; export * from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./FollowUsPopover.vue?vue&type=script&lang=js&\"","import { render, staticRenderFns } from \"./FollowUsPopover.vue?vue&type=template&id=440d5984&scoped=true&\"\nimport script from \"./FollowUsPopover.vue?vue&type=script&lang=js&\"\nexport * from \"./FollowUsPopover.vue?vue&type=script&lang=js&\"\nimport style0 from \"./FollowUsPopover.vue?vue&type=style&index=0&id=440d5984&lang=scss&scoped=true&\"\n\n\n/* normalize component */\nimport normalizer from \"!../../node_modules/vue-loader/lib/runtime/componentNormalizer.js\"\nvar component = normalizer(\n script,\n render,\n staticRenderFns,\n false,\n null,\n \"440d5984\",\n null\n\n)\n\ncomponent.options.__file = \"FollowUsPopover.vue\"\nexport default component.exports","var render = function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('footer',{staticClass:\"generic-footer\"},[_c('div',{staticClass:\"container\"},[_c('div',{staticClass:\"row\"},[_vm._m(0),_c('div',{staticClass:\"col-md-7\"},[_c('div',{staticClass:\"row justify-content-end\"},[_c('div',{staticClass:\"col-md-5\"},[_c('h5',{staticClass:\"text-selective-yellow text-uppercase mb-3\"},[_vm._v(\"\\n \"+_vm._s(_vm.$t('generic-footer.investigations'))+\"\\n \")]),_vm._t(\"investigations\",[_vm._m(1)])],2),_c('div',{staticClass:\"col-md-4\"},[_c('h5',{staticClass:\"text-

selective-yellow text-uppercase mb-3\"},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('generic-footer.follow-us'))+\"\\n
    \")]),_vm._m(2)])])])]),_c('p',{staticClass:\"text-white text-md-right small mt-5\"},[_c('strong',[_vm._v(\"©
\"+_vm._s(_vm.year)+\" — The International Consortium of Investigative Journalists.\")]),_vm._v(\"\\n
\"+_vm._s(_vm.$t('generic-footer.all-rights'))+\"\\n   \"),_c('br'),(_vm.version)?_c('span',{staticClass:\"text-
muted\"},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('generic-footer.version', { version: _vm.version }))+\"\\n
\")]):_vm._e()])])])}\nvar staticRenderFns = [function () {var _vm=this;var _h=_vm.$createElement;var
_c=_vm._self._c||_h;return _c('div',{staticClass:\"col-md-5\"},[_c('h5',{staticClass:\"text-uppercase text-white
clearfix generic-footer__icij mb-3\"},[_c('a',{staticClass:\"generic-
footer__icij__logo\",attrs:{\"href\":\"https://icij.org\",\"target\":\"_blank\"}},[_c('img',{staticClass:\"mw-
100\",attrs:{\"src\":require(\"../assets/images/icij@2x.png\")}})]),_c('a',{staticClass:\"text-
nowrap\",attrs:{\"href\":\"https://icij.org\",\"target\":\"_blank\"}},[_vm._v(\"\\n   International Consortium
of\"),_c('br'),_vm._v(\"\\n   Investigative Journalists\\n   \")])]),_c('p',{},[_vm._v(\"\\n   1710 Rhode
Island Ave NW | 11th floor \"),_c('br'),_vm._v(\"\\n   Washington DC 20006 USA\\n
\")]),_c('p',[_c('strong',[_c('a',{staticClass:\"text-selective-
yellow\",attrs:{\"href\":\"mailto:contact@icij.org\"}},[_vm._v(\"contact@icij.org\")])])])])])},function () {var
_vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('ul',{staticClass:\"list-
unstyled\"},[_c('li',{staticClass:\"list-unstyled-
item\"},[_c('a',{attrs:{\"href\":\"https://www.icij.org/investigations/paradise-
papers/\",\"target\":\"_blank\"}},[_vm._v(\"\\n   Paradise Papers\\n
\")])]),_c('li',{staticClass:\"list-unstyled-item\"},[_c('a',{attrs:{\"href\":\"https://www.icij.org/investigations/panama-
papers/\",\"target\":\"_blank\"}},[_vm._v(\"\\n   Panama Papers\\n
\")])]),_c('li',{staticClass:\"list-unstyled-item\"},[_c('a',{attrs:{\"href\":\"https://www.icij.org/investigations/world-
bank\",\"target\":\"_blank\"}},[_vm._v(\"\\n   Evicted and Abandoned\\n
\")])]),_c('li',{staticClass:\"list-unstyled-
item\"},[_c('a',{attrs:{\"href\":\"https://www.icij.org/investigations/offshore/\",\"target\":\"_blank\"}},[_vm._v(\"\\n
        Secrecy for Sale\\n   \")])])])},function () {var _vm=this;var _h=_vm.$createElement;var
_c=_vm._self._c||_h;return _c('ul',{staticClass:\"list-unstyled\"},[_c('li',{staticClass:\"list-unstyled-
item\"},[_c('a',{attrs:{\"href\":\"https://www.facebook.com/ICIJ.org\",\"target\":\"_blank\"}},[_vm._v(\"\\n
Facebook\\n   \")])]),_c('li',{staticClass:\"list-unstyled-
item\"},[_c('a',{attrs:{\"href\":\"https://www.linkedin.com/company/1732242/\",\"target\":\"_blank\"}},[_vm._v(\"\\
n   LinkedIn\\n   \")])]),_c('li',{staticClass:\"list-unstyled-
item\"},[_c('a',{attrs:{\"href\":\"https://twitter.com/icijorg\",\"target\":\"_blank\"}},[_vm._v(\"\\n
Twitter\\n   \")])])])}]\n\nexport { render, staticRenderFns }","<template>\n <footer class=\"generic-
footer\">\n   <div class=\"container\">\n   <div class=\"row\">\n   <div class=\"col-md-5\">\n   <h5
class=\"text-uppercase text-white clearfix generic-footer__icij mb-3\">\n   <a href=\"https://icij.org\"
target=\"_blank\" class=\"generic-footer__icij__logo\">\n   <img src=\"../assets/images/icij@2x.png\"
class=\"mw-100\" />\n   \n   \n
        International Consortium of
\n   Investigative Journalists\n   \n   </h5>\n   <p
class=\"\">\n   1710 Rhode Island Ave NW | 11th floor
\n   Washington DC 20006 USA\n
</p>\n   <p>\n   \n   <a href=\"mailto:contact@icij.org\" class=\"text-selective-
yellow\">contact@icij.org\n   \n   </p>\n   </div>\n   <div class=\"col-md-7\">\n
<div class=\"row justify-content-end\">\n   <div class=\"col-md-5\">\n   <h5 class=\"text-selective-
yellow text-uppercase mb-3\">\n   {{ $t('generic-footer.investigations') }}\n   </h5>\n   <!--
@slot List of investigations -->\n   <slot name=\"investigations\">\n   <ul class=\"list-unstyled\">\n
      <li class=\"list-unstyled-item\">\n   <a href=\"https://www.icij.org/investigations/paradise-
papers/\" target=\"_blank\">\n   Paradise Papers\n   \n   \n   <li
class=\"list-unstyled-item\">\n   <a href=\"https://www.icij.org/investigations/panama-papers/\"
target=\"_blank\">\n   Panama Papers\n   \n   \n   <li class=\"list-

unstyled-item\">\n   \n   Evicted and Abandoned\n   \n   \n   <li class=\"list-unstyled-item\">\n   \n   Secrecy for Sale\n   \n   \n   \n   </slot>\n   </div>\n   <div class=\"col-md-4\">\n   <h5 class=\"text-selective-yellow text-uppercase mb-3\">\n   {{ $t('generic-footer.follow-us') }}\n   </h5>\n   <ul class=\"list-unstyled\">\n   <li class=\"list-unstyled-item\">\n   \n   Facebook\n   \n   \n   <li class=\"list-unstyled-item\">\n   \n   LinkedIn\n   \n   \n   <li class=\"list-unstyled-item\">\n   \n   Twitter\n   \n   \n   \n   </div>\n   </div>\n   </div>\n   <p class=\"text-white text-md-right small mt-5\">\n   © {{ year }} — The International Consortium of Investigative Journalists.\n   {{ $t('generic-footer.all-rights') }}\n
\n   \n   {{ $t('generic-footer.version', { version }) }}\n   \n   </p>\n   </div>\n </footer>\n</template>\n\n<script>\nimport i18n from '@/i18n'\n\n/**\n * GenericFooter\n */\nexport default {\n i18n,\n name: 'GenericFooter',\n props: {\n   /**\n   * Version of the app to display in the bottom-right corner of the footer\n   */\n   version: {\n   type: String\n   }\n },\n computed: {\n   year () {\n   return (new Date()).getFullYear()\n   }\n }\n}\n</script>\n\n<style lang=\"scss\" scoped>\n @import '../styles/lib';\n\n .generic-footer {\n   background: black;\n   color: #999;\n   padding:$spacer * 4 0;\n\n   @include media-breakpoint-down(md) {\n   padding: $spacer;\n   }\n\n   a {\n   color: inherit;\n   }\n\n   h5 {\n   font-family: $font-family-sans-serif;\n   font-size: 1rem;\n   }\n\n   &__icij {\n   display: flex;\n   justify-content: start;\n   align-items: center;\n\n   @include media-breakpoint-down(xs) {\n   display: block;\n   }\n\n   &__logo {\n   display: block;\n   width: 54px;\n   flex: 0 0 54px;\n   margin-right: 8px;\n\n   @include media-breakpoint-down(xs) {\n   margin-bottom: $spacer;\n   }\n   }\n   }\n }\n</style>\n","import mod from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./GenericFooter.vue?vue&type=script&lang=js&\"; export default mod; export * from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./GenericFooter.vue?vue&type=script&lang=js&\"","import { render, staticRenderFns } from \"./GenericFooter.vue?vue&type=template&id=203025b4&scoped=true&\"\nimport script from \"./GenericFooter.vue?vue&type=script&lang=js&\"\nexport * from \"./GenericFooter.vue?vue&type=script&lang=js&\"\nimport style0 from \"./GenericFooter.vue?vue&type=style&index=0&id=203025b4&lang=scss&scoped=true&\"\n\n\n/* normalize component */\nimport normalizer from \"!../../node_modules/vue-loader/lib/runtime/componentNormalizer.js\"\nvar component = normalizer(\n script,\n render,\n staticRenderFns,\n false,\n null,\n \"203025b4\",\n null\n \n)\n\ncomponent.options.__file = \"GenericFooter.vue\"\nexport default component.exports","var render = function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('div',[_c(_vm.rootElement,{tag:\"component\",staticClass:\"navbar navbar-expand-lg navbar-light imddb-header\",class:{ 'headroom--frozen': !_vm.collapseNavbar },style:({ position: _vm.position }),attrs:{\"id\":\"imddb-header\",\"data-turbolinks-permanent\":\"\",\"offset\":100,\"z-index\":1020,\"on-unpin\":_vm.closeFollowUsPopover}},[_vm._t(\"brand\",[_c('a',{staticClass:\"navbar-brand imddb-header__brand\",attrs:{\"href\":_vm.homeUrl}},[_c('img',{staticClass:\"mr-3\",attrs:{\"src\":require(\"../assets/images/icij-black@2x.png\"),\"height\":\"25\"}}),_vm._v(\"\\n \"+_vm._s(_vm.project)+\"\\n   \")])]),_c('button',{staticClass:\"navbar-toggler\",attrs:{\"type\":\"button\",\"aria-label\":\"Toggle navigation\"},on:{\"click\":_vm.toggleNavbar}},[_c('span',{staticClass:\"navbar-toggler-

icon\"})]),_c('div',{staticClass:\"navbar-collapse\",class:{ collapse: _vm.collapseNavbar }},[_vm._t(\"navbar\",[_c('ul',{staticClass:\"navbar-nav mr-auto\"},[_c('b-nav-dropdown',{on:{\"show\":function($event){_vm.$root.$emit('bv::hide::popover')}}},[_c('template',{slot:\"button-content\"},[_vm._v(\"\\n   \"+_vm._s(_vm.title)+\"\\n \")]),_vm._l((_vm.dropdownItems),function(item,$index){return _c('b-dropdown-item',_vm._b({key:$index,attrs:{\"href\":item.href}},'b-dropdown-item',{ active: !!item.active },false),[_vm._v(\"\\n   \"+_vm._s(item.label)+\"\\n   \")])})],2)],1)]),_c('ul',{staticClass:\"navbar-nav\"},[_c('li',{staticClass:\"nav-item\"},[_c('a',{staticClass:\"nav-link\",attrs:{\"href\":\"https://www.icij.org/leak/\",\"target\":\"_blank\"}},[_vm._v(\"\\n \"+_vm._s(_vm.$t('imddb-header.navbar.leak'))+\"\\n   \")])]),_c('li',{staticClass:\"nav-item mr-lg-3\"},[_c('a',{staticClass:\"nav-link\",attrs:{\"href\":\"#\"},on:{\"click\":function($event){$event.preventDefault();_vm.$refs.donateFormModal.show()}}},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('imddb-header.navbar.support'))+\"\\n \")])]),_c('li',{staticClass:\"nav-item\"},[_c('button',{staticClass:\"btn btn-saddle-red btn-block font-weight-bold\",attrs:{\"id\":\"follow-icij\"}},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('imddb-header.navbar.follow'))+\"\\n \")]),_c('b-popover',{attrs:{\"container\":\"imddb-header\",\"target\":\"follow-icij\",\"placement\":\"bottomleft\",\"show\":_vm.showSignupPopover},on:{\"update:show\":function($event){_vm.showSignupPopover=$event}}},[_c('follow-us-popover',{attrs:{\"show\":_vm.showSignupPopover},on:{\"update:show\":function($event){_vm.showSignupPopover=$event}}})],1)],1)])],2)],2),_c('b-modal',{ref:\"donateFormModal\",attrs:{\"hide-footer\":\"\",\"lazy\":\"\",\"size\":\"lg\"}},[_c('span',{staticClass:\"text-uppercase font-weight-bold text-primary\",attrs:{\"slot\":\"modal-title\"},slot:\"modal-title\"},[_vm._v(\"\\n   \"+_vm._s(_vm.$t('imddb-header.navbar.support'))+\"\\n \")]),_c('donate-form',{attrs:{\"no-title\":\"\"}})],1)],1)}\nvar staticRenderFns = []\n\nexport { render, staticRenderFns }","import { mergeData } from 'vue-functional-data-merge';\nimport Link, { propsFactory as linkPropsFactory } from '../link/link';\n\nexport var props = linkPropsFactory();\n\nexport default {\n functional: true,\n props: props,\n render: function render(h, _ref) {\n   var props = _ref.props,\n   data = _ref.data,\n   children = _ref.children;\n\n   return h(Link, mergeData(data, {\n   props: props,\n   staticClass: 'dropdown-item',\n   attrs: { role: 'menuitem' }\n   }), children);\n }\n};","export default {\n mounted: function mounted() {\n   if (typeof document !== 'undefined') {\n   document.documentElement.addEventListener('click', this._clickOutListener);\n   }\n },\n beforeDestroy: function beforeDestroy() {\n   if (typeof document !== 'undefined') {\n   document.documentElement.removeEventListener('click', this._clickOutListener);\n   }\n },\n\n methods: {\n   _clickOutListener: function _clickOutListener(e) {\n   if (!this.$el.contains(e.target)) {\n   if (this.clickOutListener) {\n   this.clickOutListener();\n   }\n   }\n   }\n };","import Popper from 'popper.js';\nimport clickoutMixin from './clickout';\nimport listenOnRootMixin from './listen-on-root';\nimport { from as arrayFrom } from '../utils/array';\nimport { assign } from '../utils/object';\nimport KeyCodes from '../utils/key-codes';\nimport BvEvent from '../utils/bv-event.class';\nimport warn from '../utils/warn';\nimport { isVisible, closest, selectAll, getAttr, eventOn, eventOff } from '../utils/dom';\n\n// Return an Array of visible items\nfunction filterVisible(els) {\n return (els || []).filter(isVisible);\n}\n\n// Dropdown item CSS selectors\n// TODO: .dropdown-form handling\nvar ITEM_SELECTOR = '.dropdown-item:not(.disabled):not([disabled])';\n\n// Popper attachment positions\nvar AttachmentMap = {\n // DropUp Left Align\n TOP: 'top-start',\n // DropUp Right Align\n TOPEND: 'top-end',\n // Dropdown left Align\n BOTTOM: 'bottom-start',\n // Dropdown Right Align\n BOTTOMEND: 'bottom-end'\n};\n\nexport default {\n mixins: [clickoutMixin, listenOnRootMixin],\n props: {\n   disabled: {\n   type: Boolean,\n   default: false\n   },\n   text: {\n   // Button label\n   type: String,\n   default: ''\n   },\n   dropup: {\n   // place on top if possible\n   type: Boolean,\n   default: false\n   },\n   right: {\n   // Right align menu (default is left align)\n   type: Boolean,\n   default: false\n   },\n   offset: {\n   // Number of pixels to offset menu, or a CSS unit value (i.e. 1px, 1rem, etc)\n   type: [Number, String],\n   default: 0\n   },\n   noFlip: {\n   // Disable auto-flipping of menu from bottom<=>top\n   type: Boolean,\n   default: false\n   },\n   popperOpts: {\n   type: Object,\n   default: function _default() {}\n   },\n data:

function data() {\n   return {\n   visible: false,\n   inNavbar: null,\n   visibleChangePrevented: false\n   };\n   },\n   created: function created() {\n   // Create non-reactive property\n   this._popper = null;\n   },\n   mounted: function mounted() {\n   // To keep one dropdown opened on page\n   this.listenOnRoot('bv::dropdown::shown', this.rootCloseListener);\n   // Hide when clicked on links\n   this.listenOnRoot('clicked::link', this.rootCloseListener);\n   // Use new namespaced events\n   this.listenOnRoot('bv::link::clicked', this.rootCloseListener);\n   },\n\n   /* istanbul ignore next: not easy to test */\n   deactivated: function deactivated() {\n   // In case we are inside a `<keep-alive>`\n   this.visible = false;\n   this.setTouchStart(false);\n   this.removePopper();\n   },\n\n   /* istanbul ignore next: not easy to test */   beforeDestroy: function beforeDestroy() {\n   this.visible = false;\n   this.setTouchStart(false);\n   this.removePopper();\n   },\n\n   watch: {\n   visible: function visible(newValue, oldValue) {\n   if (this.visibleChangePrevented) {\n   this.visibleChangePrevented = false;\n   return;\n   }\n\n   if (newValue !== oldValue) {\n   var evtName = newValue ? 'show' : 'hide';\n   var bvEvt = new BvEvent(evtName, {\n   cancelable: true,\n   vueTarget: this,\n   target: this.$refs.menu,\n   relatedTarget: null\n   });\n   this.emitEvent(bvEvt);\n   if (bvEvt.defaultPrevented) {\n   // Reset value and exit if canceled\n   this.visibleChangePrevented = true;\n   this.visible = oldValue;\n   return;\n   }\n   if (evtName === 'show') {\n   this.showMenu();\n   } else {\n   this.hideMenu();\n   }\n   }\n   },\n   disabled: function disabled(newValue, oldValue) {\n   if (newValue !== oldValue && newValue && this.visible) {\n   // Hide dropdown if disabled changes to true\n   this.visible = false;\n   }\n   }\n   },\n   computed: {\n   toggler: function toggler() {\n   return this.$refs.toggle.$el || this.$refs.toggle;\n   }\n   },\n   methods: {\n   // Event emitter\n   emitEvent: function emitEvent(bvEvt) {\n   var type = bvEvt.type;\n   this.$emit(type, bvEvt);\n   this.emitOnRoot('bv::dropdown::' + type, bvEvt);\n   },\n   showMenu: function showMenu() {\n   if (this.disabled) {\n   return;\n   }\n   // Ensure other menus are closed\n   this.emitOnRoot('bv::dropdown::shown', this);\n\n   // Are we in a navbar ?\n   if (this.inNavbar === null && this.isNav) {\n   this.inNavbar = Boolean(closest('.navbar', this.$el));\n   }\n\n   // Disable totally Popper.js for Dropdown in Navbar\n   /* istnbul ignore next: can't test popper in JSDOM */   if (!this.inNavbar) {\n   if (typeof Popper === 'undefined') {\n   warn('b-dropdown: Popper.js not found. Falling back to CSS positioning.');\n   } else {\n   // for dropup with alignment we use the parent element as popper container\n   var element = this.dropup && this.right || this.split ? this.$el : this.$refs.toggle;\n   // Make sure we have a reference to an element, not a component!\n   element = element.$el || element;\n   // Instantiate popper.js\n   this.createPopper(element);\n   }\n   }\n\n   this.setTouchStart(true);\n   this.$emit('shown');\n\n   // Focus on the first item on show\n   this.$nextTick(this.focusFirstItem);\n   },\n   hideMenu: function hideMenu() {\n   this.setTouchStart(false);\n   this.emitOnRoot('bv::dropdown::hidden', this);\n   this.$emit('hidden');\n   this.removePopper();\n   },\n   createPopper: function createPopper(element) {\n   this.removePopper();\n   this._popper = new Popper(element, this.$refs.menu, this.getPopperConfig());\n   },\n   removePopper: function removePopper() {\n   if (this._popper) {\n   // Ensure popper event listeners are removed cleanly\n   this._popper.destroy();\n   }\n   this._popper = null;\n   },\n   getPopperConfig /* istanbul ignore next: can't test popper in JSDOM */: function getPopperConfig() {\n   var placement = AttachmentMap.BOTTOM;\n   if (this.dropup && this.right) {\n   // dropup + right\n   placement = AttachmentMap.TOPEND;\n   } else if (this.dropup) {\n   // dropup + left\n   placement = AttachmentMap.TOP;\n   } else if (this.right) {\n   // dropdown + right\n   placement = AttachmentMap.BOTTOMEND;\n   }\n   var popperConfig = {\n   placement: placement,\n   modifiers: {\n   offset: {\n   offset: this.offset || 0\n   },\n   flip: {\n   enabled: !this.noFlip\n   }\n   }\n   };\n   if (this.boundary) {\n   popperConfig.modifiers.preventOverflow = {\n   boundariesElement: this.boundary\n   };\n   }\n   return assign(popperConfig, this.popperOpts || {});\n   },\n   setTouchStart: function setTouchStart(on) {\n   var _this = this;\n\n   /*\n   * If this is a touch-enabled device we add extra\n   * empty mouseover listeners to the body's immediate children;\n   * only needed because of broken event delegation on iOS\n   * https://www.quirksmode.org/blog/archives/2014/02/mouse_event_bub.html\n   */\n   if ('ontouchstart' in document.documentElement) {\n   var children = arrayFrom(document.body.children);\n   children.forEach(function (el) {\n   if (on) {\n   eventOn('mouseover', _this._noop);\n   } else {\n

eventOff('mouseover', _this._noop);\n   }\n   });\n   }\n   },\n\n   /* istanbul ignore next: not easy to test */\n   _noop: function _noop() {\n   // Do nothing event handler (used in touchstart event handler)\n   },\n   rootCloseListener: function rootCloseListener(vm) {\n   if (vm !== this) {\n   this.visible = false;\n   }\n   },\n   clickOutListener: function clickOutListener() {\n   this.visible = false;\n   },   show: function show() {\n   // Public method to show dropdown\n   if (this.disabled) {\n   return;\n   }\n   this.visible = true;\n   },\n   hide: function hide() {\n   // Public method to hide dropdown\n   if (this.disabled) {\n   return;\n   }\n   this.visible = false;\n   },\n   toggle: function toggle(evt) {\n   // Called only by a button that toggles the menu\n   evt = evt || { };\n   var type = evt.type;\n   var key = evt.keyCode;\n   if (type !== 'click' && !(type === 'keydown' && (key === KeyCodes.ENTER || key === KeyCodes.SPACE || key === KeyCodes.DOWN))) {\n   // We only toggle on Click, Enter, Space, and Arrow Down\n   return;\n   }   if (this.disabled) {\n   this.visible = false;\n   return;\n   }\n   this.$emit('toggle', evt);\n   if (evt.defaultPrevented) {\n   // Exit if canceled\n   return;\n   }\n   evt.preventDefault();\n   evt.stopPropagation();\n   // Toggle visibility\n   this.visible = !this.visible;\n   },   click: function click(evt) {\n   // Calle only in split button mode, for the split button\n   if (this.disabled) {\n   this.visible = false;\n   return;\n   }\n   this.$emit('click', evt);\n   },\n\n   /* istanbul ignore next: not easy to test */\n   onKeydown: function onKeydown(evt) {\n   // Called from dropdown menu context\n   var key = evt.keyCode;\n   if (key === KeyCodes.ESC) {\n   // Close on ESC\n   this.onEsc(evt);\n   } else if (key === KeyCodes.TAB) {\n   // Close on tab out\n   this.onTab(evt);\n   } else if (key === KeyCodes.DOWN) {\n   // Down Arrow\n   this.focusNext(evt, false);\n   } else if (key === KeyCodes.UP) {\n   // Up Arrow\n   this.focusNext(evt, true);\n   }\n   },\n\n   /* istanbul ignore next: not easy to test */   onEsc: function onEsc(evt) {\n   if (this.visible) {\n   this.visible = false;\n   evt.preventDefault();\n   evt.stopPropagation();\n   // Return focus to original trigger button\n   this.$nextTick(this.focusToggler);\n   }\n   },\n\n   /* istanbul ignore next: not easy to test */   onTab: function onTab(evt) {\n   if (this.visible) {\n   // TODO: Need special handler for dealing with form inputs\n   // Tab, if in a text-like input, we should just focus next item in the dropdown\n   // Note: Inputs are in a special .dropdown-form container\n   this.visible = false;\n   }\n   },   onFocusOut: function onFocusOut(evt) {\n   if (this.$refs.menu.contains(evt.relatedTarget)) {\n   return;\n   }\n   this.visible = false;\n   },\n\n   /* istanbul ignore next: not easy to test */   onMouseOver: function onMouseOver(evt) {\n   // Focus the item on hover\n   // TODO: Special handling for inputs? Inputs are in a special .dropdown-form container\n   var item = evt.target;\n   if (item.classList.contains('dropdown-item') && !item.disabled && !item.classList.contains('disabled') && item.focus) {\n   item.focus();\n   }\n   },   focusNext: function focusNext(evt, up) {\n   var _this2 = this;\n\n   if (!this.visible) {\n   return;\n   }\n   evt.preventDefault();\n   evt.stopPropagation();\n   this.$nextTick(function () {\n   var items = _this2.getItems();\n   if (items.length < 1) {\n   return;\n   }\n   var index = items.indexOf(evt.target);\n   if (up && index > 0) {\n   index--;\n   } else if (!up && index < items.length - 1) {\n   index++;\n   }\n   if (index < 0) {\n   index = 0;\n   }\n   _this2.focusItem(index, items);\n   });\n   },\n   focusItem: function focusItem(idx, items) {\n   var el = items.find(function (el, i) {\n   return i === idx;\n   });\n   if (el && getAttr(el, 'tabindex') !== '-1') {\n   el.focus();\n   }\n   },   getItems: function getItems() {\n   // Get all items\n   return filterVisible(selectAll(ITEM_SELECTOR, this.$refs.menu));\n   },   getFirstItem: function getFirstItem() {\n   // Get the first non-disabled item\n   var item = this.getItems()[0];\n   return item || null;\n   },   focusFirstItem: function focusFirstItem() {\n   var item = this.getFirstItem();\n   if (item) {\n   this.focusItem(0, [item]);\n   }\n   },   focusToggler: function focusToggler() {\n   var toggler = this.toggler;\n   if (toggler && toggler.focus) {\n   toggler.focus();\n   }\n   }\n   }\n};","import idMixin from '../../mixins/id';\nimport dropdownMixin from '../../mixins/dropdown';\n\nexport default {\n mixins: [idMixin, dropdownMixin],\n render: function render(h) {\n   var button = h('a', {\n   class: this.toggleClasses,\n   ref: 'toggle',\n   attrs: {\n   href: '#',\n   id: this.safeId('_BV_button_'),\n   disabled: this.disabled,\n   'aria-haspopup': 'true',\n   'aria-expanded': this.visible ? 'true' : 'false'\n   },\n   on: {\n   click: this.toggle,\n   keydown: this.toggle // space, enter, down\n   }\n   }, [this.$slots['button-content'] || this.$slots.text || h('span', { domProps: { innerHTML: this.text } })]);\n   var menu = h('div', {\n   class: this.menuClasses,\n   ref: 'menu',\n

attrs: { 'aria-labelledby': this.safeId('_BV_button_') },\n   on: {\n   mouseover: this.onMouseOver,\n keydown: this.onKeydown // tab, up, down, esc\n   }\n   }, [this.$slots.default]);\n   return h('li', { attrs: { id: this.safeId() }, class: this.dropdownClasses }, [button, menu]);\n   },\n\n   computed: {\n   isNav: function isNav() {\n   // Signal to dropdown mixin that we are in a navbar\n   return true;\n   },\n   dropdownClasses: function dropdownClasses() {\n   return ['nav-item', 'b-nav-dropdown', 'dropdown', this.dropup ? 'dropup' : '', this.visible ? 'show' : ''];\n   },\n   toggleClasses: function toggleClasses() {\n   return ['nav-link', this.noCaret ? '' : 'dropdown-toggle', this.disabled ? 'disabled' : '', this.extraToggleClasses ? this.extraToggleClasses : ''];\n   },\n   menuClasses: function menuClasses() {\n   return ['dropdown-menu', this.right ? 'dropdown-menu-right' : 'dropdown-menu-left', this.visible ? 'show' : '', this.extraMenuClasses ? this.extraMenuClasses : ''];\n   }\n   },\n   props: {\n   noCaret: {\n   type: Boolean,\n   default: false\n   },\n   extraToggleClasses: {\n   // Extra Toggle classes\n   type: String,\n   default: ''\n   },\n   extraMenuClasses: {\n   // Extra Menu classes\n   type: String,\n   default: ''\n   },\n   role: {\n   type: String,\n   default: 'menu'\n   }\n   }\n};","var _typeof = typeof Symbol === \"function\" && typeof Symbol.iterator === \"symbol\" ? function (obj) { return typeof obj; } : function (obj) { return obj && typeof Symbol === \"function\" && obj.constructor === Symbol && obj !== Symbol.prototype ? \"symbol\" : typeof obj; };\n\nvar _createClass = function () { function defineProperties(target, props) { for (var i = 0; i < props.length; i++) { var descriptor = props[i]; descriptor.enumerable = descriptor.enumerable || false; descriptor.configurable = true; if (\"value\" in descriptor) descriptor.writable = true; Object.defineProperty(target, descriptor.key, descriptor); } } return function (Constructor, protoProps, staticProps) { if (protoProps) defineProperties(Constructor.prototype, protoProps); if (staticProps) defineProperties(Constructor, staticProps); return Constructor; }; }();\n\nfunction _classCallCheck(instance, Constructor) { if (!(instance instanceof Constructor)) { throw new TypeError(\"Cannot call a class as a function\"); } }\n\nimport Popper from 'popper.js';\nimport BvEvent from './bv-event.class';\nimport { assign } from './object';\nimport { from as arrayFrom } from './array';\nimport { closest, select, isVisible, isDisabled, getCS, addClass, removeClass, hasClass, setAttr, removeAttr, getAttr, eventOn, eventOff } from './dom';\n\nvar NAME = 'tooltip';\nvar CLASS_PREFIX = 'bs-tooltip';\nvar BSCLS_PREFIX_REGEX = new RegExp('\\\\b' + CLASS_PREFIX + '\\\\S+', 'g');\n\nvar TRANSITION_DURATION = 150;\n\n// Modal $root hidden event\nvar MODAL_CLOSE_EVENT = 'bv::modal::hidden';\n// Modal container for appending tip/popover\nvar MODAL_CLASS = '.modal-content';\n\nvar AttachmentMap = {\n   AUTO: 'auto',\n   TOP: 'top',\n   RIGHT: 'right',\n   BOTTOM: 'bottom',\n   LEFT: 'left',\n   TOPLEFT: 'top',\n   TOPRIGHT: 'top',\n   RIGHTTOP: 'right',\n   RIGHTBOTTOM: 'right',\n   BOTTOMLEFT: 'bottom',\n   BOTTOMRIGHT: 'bottom',\n   LEFTTOP: 'left',\n   LEFTBOTTOM: 'left'\n};\n\nvar OffsetMap = {\n   AUTO: 0,\n   TOPLEFT: -1,\n   TOP: 0,\n   TOPRIGHT: +1,\n   RIGHTTOP: -1,\n   RIGHT: 0,\n   RIGHTBOTTOM: +1,\n   BOTTOMLEFT: -1,\n   BOTTOM: 0,\n   BOTTOMRIGHT: +1,\n   LEFTTOP: -1,\n   LEFT: 0,\n   LEFTBOTTOM: +1\n};\n\nvar HoverState = {\n   SHOW: 'show',\n   OUT: 'out'\n};\n\nvar ClassName = {\n   FADE: 'fade',\n   SHOW: 'show'\n};\n\nvar Selector = {\n   TOOLTIP: '.tooltip',\n   TOOLTIP_INNER: '.tooltip-inner',\n   ARROW: '.arrow'\n\n   // ESLINT: Not used\n   // const Trigger = {\n   //   HOVER: 'hover',\n   //   FOCUS: 'focus',\n   //   CLICK: 'click',\n   //   BLUR: 'blur',\n   //   MANUAL: 'manual'\n   // }\n};var Defaults = {\n   animation: true,\n   template: '<div class=\"tooltip\" role=\"tooltip\">' + '<div class=\"arrow\"></div>' + '<div class=\"tooltip-inner\"></div>' + '</div>',\n   trigger: 'hover focus',\n   title: '',\n   delay: 0,\n   html: false,\n   placement: 'top',\n   offset: 0,\n   arrowPadding: 6,\n   container: false,\n   fallbackPlacement: 'flip',\n   callbacks: {},\n   boundary: 'scrollParent'\n\n   // Transition Event names\n};var TransitionEndEvents = {\n   WebkitTransition: ['webkitTransitionEnd'],\n   MozTransition: ['transitionend'],\n   OTransition: ['otransitionend', 'oTransitionEnd'],\n   transition: ['transitionend']\n\n   // Client Side Tip ID counter for aria-describedby attribute\n   // Could use Alex's uid generator util\n   // Each tooltip requires a unique client side ID\n};var NEXTID = 1;\n/* istanbul ignore next */\nfunction generateId(name) {\n   return '__BV_' + name + '_' + NEXTID++ + '__';\n}\n\n/*\n * ToolTip Class definition\n */\n/* istanbul ignore next: difficult to test in Jest/JSDOM environment */\nvar ToolTip = function () {\n   // Main constructor\n   function ToolTip(element, config, $root) {\n   _classCallCheck(this, ToolTip);\n\n   // New tooltip object\n   this.$isEnabled = true;\n   this.$fadeTimeout = null;\n   this.$hoverTimeout = null;\n   this.$visibleInterval = null;\n   this.$hoverState = '';\n   this.$activeTrigger = {};\n   this.$popper = null;\n   this.$element = element;\n   this.$tip = null;\n   this.$id =

generateId(this.constructor.NAME);\n   this.$root = $root || null;\n   this.$routeWatcher = null;\n   // We use a bound version of the following handlers for root/modal listeners to maintain the 'this' context\n   this.$forceHide = this.forceHide.bind(this);\n   this.$doHide = this.doHide.bind(this);\n   this.$doShow = this.doShow.bind(this);\n   this.$doDisable = this.doDisable.bind(this);\n   this.$doEnable = this.doEnable.bind(this);\n   // Set the configuration\n   this.updateConfig(config);\n }\n\n   // NOTE: Overridden by PopOver class\n\n\n   _createClass(ToolTip, [{\n   key: 'updateConfig',\n\n\n   // Update config\n   value: function updateConfig(config) {\n   // Merge config into defaults. We use \"this\" here because PopOver overrides Default\n   var updatedConfig = assign({}, this.constructor.Default, config);\n\n   // Sanitize delay\n   if (config.delay && typeof config.delay === 'number') {\n   updatedConfig.delay = {\n   show: config.delay,\n   hide: config.delay\n   };\n   }\n\n   // Title for tooltip and popover\n   if (config.title && typeof config.title === 'number') {\n   updatedConfig.title = config.title.toString();\n   }\n\n   // Content only for popover\n   if (config.content && typeof config.content === 'number') {\n   updatedConfig.content = config.content.toString();\n   }\n\n   // Hide element original title if needed\n   this.fixTitle();\n   // Update the config\n   this.$config = updatedConfig;\n   // Stop/Restart listening\n   this.unListen();\n   this.listen();\n   }\n\n   // Destroy this instance\n\n }, {\n   key: 'destroy',\n   value: function destroy() {\n   // Stop listening to trigger events\n   this.unListen();\n   // Disable while open listeners/watchers\n   this.setWhileOpenListeners(false);\n   // Clear any timeouts\n   clearTimeout(this.$hoverTimeout);\n   this.$hoverTimeout = null;\n   clearTimeout(this.$fadeTimeout);\n   this.$fadeTimeout = null;\n   // Remove popper\n   if (this.$popper) {\n   this.$popper.destroy();\n   }\n   this.$popper = null;\n   // Remove tip from document\n   if (this.$tip && this.$tip.parentElement) {\n   this.$tip.parentElement.removeChild(this.$tip);\n   }\n   this.$tip = null;\n   // Null out other properties\n   this.$id = null;\n   this.$isEnabled = null;\n   this.$root = null;\n   this.$element = null;\n   this.$config = null;\n   this.$hoverState = null;\n   this.$activeTrigger = null;\n   this.$forceHide = null;\n   this.$doHide = null;\n   this.$doShow = null;\n   this.$doDisable = null;\n   this.$doEnable = null;\n   }\n }, {\n   key: 'enable',\n   value: function enable() {\n   // Create a non-cancelable BvEvent\n   var enabledEvt = new BvEvent('enabled', {\n   cancelable: false,\n   target: this.$element,\n   relatedTarget: null\n   });\n   this.$isEnabled = true;\n   this.emitEvent(enabledEvt);\n   }\n }, {\n   key: 'disable',\n   value: function disable() {\n   // Create a non-cancelable BvEvent\n   var disabledEvt = new BvEvent('disabled', {\n   cancelable: false,\n   target: this.$element,\n   relatedTarget: null\n   });\n   this.$isEnabled = false;\n   this.emitEvent(disabledEvt);\n   }\n\n   // Click toggler\n\n }, {\n   key: 'toggle',\n   value: function toggle(event) {\n   if (!this.$isEnabled) {\n   return;\n   }\n   if (event) {\n   this.$activeTrigger.click = !this.$activeTrigger.click;\n\n   if (this.isWithActiveTrigger()) {\n   this.enter(null);\n   } else {\n   this.leave(null);\n   }\n   } else {\n   if (hasClass(this.getTipElement(), ClassName.SHOW)) {\n   this.leave(null);\n   } else {\n   this.enter(null);\n   }\n   }\n   }\n\n   // Show tooltip\n\n }, {\n   key: 'show',\n   value: function show() {\n   var _this = this;\n\n   if (!document.body.contains(this.$element) || !isVisible(this.$element)) {\n   // If trigger element isn't in the DOM or is not visible\n   return;\n   }\n   // Build tooltip element (also sets this.$tip)\n   var tip = this.getTipElement();\n   this.fixTitle();\n   this.setContent(tip);\n   if (!this.isWithContent(tip)) {\n   // if No content, don't bother showing\n   this.$tip = null;\n   return;\n   }\n\n   // Set ID on tip and aria-describedby on element\n   setAttr(tip, 'id', this.$id);\n   this.addAriaDescribedby();\n\n   // Set animation on or off\n   if (this.$config.animation) {\n   addClass(tip, ClassName.FADE);\n   } else {\n   removeClass(tip, ClassName.FADE);\n   }\n\n   var placement = this.getPlacement();\n   var attachment = this.constructor.getAttachment(placement);\n   this.addAttachmentClass(attachment);\n\n   // Create a cancelable BvEvent\n   var showEvt = new BvEvent('show', {\n   cancelable: true,\n   target: this.$element,\n   relatedTarget: tip\n   });\n   this.emitEvent(showEvt);\n   if (showEvt.defaultPrevented) {\n   // Don't show if event cancelled\n   this.$tip = null;\n   return;\n   }\n\n   // Insert tooltip if needed\n   var container = this.getContainer();\n   if (!document.body.contains(tip)) {\n   container.appendChild(tip);\n   }\n\n   // Refresh popper\n   this.removePopper();\n   this.$popper = new Popper(this.$element, tip, this.getPopperConfig(placement, tip));\n\n

// Transitionend Callback\n   var complete = function complete() {\n   if (_this.$config.animation) {\n _this.fixTransition(tip);\n   }\n   var prevHoverState = _this.$hoverState;\n   _this.$hoverState = null;\n if (prevHoverState === HoverState.OUT) {\n   _this.leave(null);\n   }\n   // Create a non-cancelable BvEvent\n   var shownEvt = new BvEvent('shown', {\n   cancelable: false,\n   target: _this.$element,\n relatedTarget: tip\n   });\n   _this.emitEvent(shownEvt);\n   };\n\n   // Enable while open listeners/watchers\n   this.setWhileOpenListeners(true);\n\n   // Show tip\n   addClass(tip, ClassName.SHOW);\n\n   // Start the transition/animation\n   this.transitionOnce(tip, complete);\n   }\n\n   // handler for periodic visibility check\n\n   }, {\n   key: 'visibleCheck',\n   value: function visibleCheck(on) {\n   var _this2 = this;\n\n   clearInterval(this.$visibleInterval);\n   this.$visibleInterval = null;\n   if (on) {\n this.$visibleInterval = setInterval(function () {\n   var tip = _this2.getTipElement();\n   if (tip && !isVisible(_this2.$element) && hasClass(tip, ClassName.SHOW)) {\n   // Element is no longer visible, so force-hide the tooltip\n   _this2.forceHide();\n   }\n   }, 100);\n   }\n   }\n   }, {\n   key: 'setWhileOpenListeners',\n   value: function setWhileOpenListeners(on) {\n   // Modal close events\n this.setModalListener(on);\n   // Periodic $element visibility check\n   // For handling when tip is in <keepalive>, tabs, carousel, etc\n   this.visibleCheck(on);\n   // Route change events\n   this.setRouteWatcher(on);\n   // Ontouch start listeners\n   this.setOnTouchStartListener(on);\n   if (on && /(focus|blur)/.test(this.$config.trigger)) {\n   // If focus moves between trigger element and tip container, dont close\n   eventOn(this.$tip, 'focusout', this);\n   } else {\n   eventOff(this.$tip, 'focusout', this);\n   }\n   }\n\n   // force hide of tip (internal method)\n\n   }, {\n   key: 'forceHide',\n   value: function forceHide() {\n   if (!this.$tip || !hasClass(this.$tip, ClassName.SHOW)) {\n   return;\n   }\n   // Disable while open listeners/watchers\n   this.setWhileOpenListeners(false);\n   // Clear any hover enter/leave event\n   clearTimeout(this.$hoverTimeout);\n   this.$hoverTimeout = null;\n   this.$hoverState = '';\n   // Hide the tip\n this.hide(null, true);\n   }\n\n   // Hide tooltip\n\n   }, {\n   key: 'hide',\n   value: function hide(callback, force) {\n   var _this3 = this;\n\n   var tip = this.$tip;\n   if (!tip) {\n   return;\n   }\n\n   // Create a canelable BvEvent\n   var hideEvt = new BvEvent('hide', {\n   // We disable cancelling if force is true\n   cancelable: !force,\n   target: this.$element,\n   relatedTarget: tip\n   });\n   this.emitEvent(hideEvt);\n   if (hideEvt.defaultPrevented) {\n   // Don't hide if event cancelled\n   return;\n   }\n\n   // Transitionend Callback\n   /* istanbul ignore next */\n   var complete = function complete() {\n   if (_this3.$hoverState !== HoverState.SHOW && tip.parentNode) {\n   // Remove tip from dom, and force recompile on next show\n tip.parentNode.removeChild(tip);\n   _this3.removeAriaDescribedby();\n   _this3.removePopper();\n _this3.$tip = null;\n   }\n   if (callback) {\n   callback();\n   }\n   // Create a non-cancelable BvEvent\n   var hiddenEvt = new BvEvent('hidden', {\n   cancelable: false,\n   target: _this3.$element,\n relatedTarget: null\n   });\n   _this3.emitEvent(hiddenEvt);\n   };\n\n   // Disable while open listeners/watchers\n   this.setWhileOpenListeners(false);\n\n   // If forced close, disable animation\n   if (force) {\n   removeClass(tip, ClassName.FADE);\n   }\n   // Hide tip\n   removeClass(tip, ClassName.SHOW);\n\n   this.$activeTrigger.click = false;\n   this.$activeTrigger.focus = false;\n   this.$activeTrigger.hover = false;\n\n   // Start the hide transition\n   this.transitionOnce(tip, complete);\n\n   this.$hoverState = '';\n   }\n   }, {\n key: 'emitEvent',\n   value: function emitEvent(evt) {\n   var evtName = evt.type;\n   if (this.$root && this.$root.$emit) {\n   // Emit an event on $root\n   this.$root.$emit('bv::' + this.constructor.NAME + '::' + evtName, evt);\n   }\n   var callbacks = this.$config.callbacks || {};\n   if (typeof callbacks[evtName] === 'function') {\n   callbacks[evtName](evt);\n   }\n   }\n   }, {\n   key: 'getContainer',\n   value: function getContainer() {\n   var container = this.$config.container;\n   var body = document.body;\n   // If we are in a modal, we append to the modal instead of body, unless a container is specified\n   return container === false ? closest(MODAL_CLASS, this.$element) || body : select(container, body) || body;\n   }\n\n   // Will be overritten by popover if needed\n\n   }, {\n   key: 'addAriaDescribedby',\n   value: function addAriaDescribedby() {\n   // Add aria-describedby on trigger element, without removing any other IDs\n   var desc = getAttr(this.$element, 'aria-describedby') || '';\n   desc = desc.split(/\\s+/).concat(this.$id).join(' ').trim();\n   setAttr(this.$element, 'aria-describedby', desc);\n   }\n\n   // Will be overritten by popover if needed\n\n   }, {\n   key:

'removeAriaDescribedby',\n   value: function removeAriaDescribedby() {\n   var _this4 = this;\n\n   var desc = getAttr(this.$element, 'aria-describedby') || ";\n   desc = desc.split(/\\s+/).filter(function (d) {\n   return d !== _this4.$id;\n   }).join(' ').trim();\n   if (desc) {\n   setAttr(this.$element, 'aria-describedby', desc);\n   } else {\n   removeAttr(this.$element, 'aria-describedby');\n   }\n   }\n }, {\n   key: 'removePopper',\n   value: function removePopper() {\n   if (this.$popper) {\n   this.$popper.destroy();\n   }\n   this.$popper = null;\n   }\n\n   /* istanbul ignore next */\n\n }, {\n   key: 'transitionOnce',\n   value: function transitionOnce(tip, complete) {\n   var _this5 = this;\n\n   var transEvents = this.getTransitionEndEvents();\n   var called = false;\n   clearTimeout(this.$fadeTimeout);\n   this.$fadeTimeout = null;\n   var fnOnce = function fnOnce() {\n   if (called) {\n   return;\n   }\n   called = true;\n   clearTimeout(_this5.$fadeTimeout);\n   _this5.$fadeTimeout = null;\n   transEvents.forEach(function (evtName) {\n   eventOff(tip, evtName, fnOnce);\n   });\n   // Call complete callback\n   complete();\n   };\n   if (hasClass(tip, ClassName.FADE)) {\n   transEvents.forEach(function (evtName) {\n   eventOn(tip, evtName, fnOnce);\n   });\n   // Fallback to setTimeout\n   this.$fadeTimeout = setTimeout(fnOnce, TRANSITION_DURATION);\n   } else {\n   fnOnce();\n   }\n   }\n\n   // What transitionend event(s) to use? (returns array of event names)\n\n }, {\n   key: 'getTransitionEndEvents',\n   value: function getTransitionEndEvents() {\n   for (var name in TransitionEndEvents) {\n   if (this.$element.style[name] !== undefined) {\n   return TransitionEndEvents[name];\n   }\n   }\n   // fallback\n   return [];\n   }\n }, {\n   key: 'update',\n   value: function update() {\n   if (this.$popper !== null) {\n   this.$popper.scheduleUpdate();\n   }\n   }\n\n   // NOTE: Overridden by PopOver class\n\n }, {\n   key: 'isWithContent',\n   value: function isWithContent(tip) {\n   tip = tip || this.$tip;\n   if (!tip) {\n   return false;\n   }\n   return Boolean((select(Selector.TOOLTIP_INNER, tip) || {}).innerHTML);\n   }\n\n   // NOTE: Overridden by PopOver class\n\n }, {\n   key: 'addAttachmentClass',\n   value: function addAttachmentClass(attachment) {\n   addClass(this.getTipElement(), CLASS_PREFIX + '-' + attachment);\n   }\n }, {\n   key: 'getTipElement',\n   value: function getTipElement() {\n   if (!this.$tip) {\n   // Try and compile user supplied template, or fallback to default template\n   this.$tip = this.compileTemplate(this.$config.template) || this.compileTemplate(this.constructor.Default.template);\n   }\n   // Add tab index so tip can be focused, and to allow it to be set as relatedTargt in focusin/out events\n   this.$tip.tabIndex = -1;\n   return this.$tip;\n   }\n }, {\n   key: 'compileTemplate',\n   value: function compileTemplate(html) {\n   if (!html || typeof html !== 'string') {\n   return null;\n   }\n   var div = document.createElement('div');\n   div.innerHTML = html.trim();\n   var node = div.firstElementChild ? div.removeChild(div.firstElementChild) : null;\n   div = null;\n   return node;\n   }\n\n   // NOTE: Overridden by PopOver class\n\n }, {\n   key: 'setContent',\n   value: function setContent(tip) {\n   this.setElementContent(select(Selector.TOOLTIP_INNER, tip), this.getTitle());\n   removeClass(tip, ClassName.FADE);\n   removeClass(tip, ClassName.SHOW);\n   }\n }, {\n   key: 'setElementContent',\n   value: function setElementContent(container, content) {\n   if (!container) {\n   // If container element doesn't exist, just return\n   return;\n   }\n   var allowHtml = this.$config.html;\n   if ((typeof content === 'undefined' ? 'undefined' : _typeof(content)) === 'object' && content.nodeType) {\n   // content is a DOM node\n   if (allowHtml) {\n   if (content.parentElement !== container) {\n   container.innerHtml = ";\n   container.appendChild(content);\n   }\n   } else {\n   container.innerText = content.innerText;\n   }\n   } else {\n   // We have a plain HTML string or Text\n   container[allowHtml ? 'innerHTML' : 'innerText'] = content;\n   }\n\n   // NOTE: Overridden by PopOver class\n\n }, {\n   key: 'getTitle',\n   value: function getTitle() {\n   var title = this.$config.title || ";\n   if (typeof title === 'function') {\n   // Call the function to get the title value\n   title = title(this.$element);\n   }\n   if ((typeof title === 'undefined' ? 'undefined' : _typeof(title)) === 'object' && title.nodeType && !title.innerHTML.trim()) {\n   // We have a DOM node, but without inner content, so just return empty string\n   title = ";\n   }\n   if (typeof title === 'string') {\n   title = title.trim();\n   }\n   if (!title) {\n   // If an explicit title is not given, try element's title atributes\n   title = getAttr(this.$element, 'title') || getAttr(this.$element, 'data-original-title') || ";\n   title = title.trim();\n   }\n\n   return title;\n   }\n }, {\n   key: 'listen',\n   value: function listen() {\n   var _this6 = this;\n\n   var triggers =

this.$config.trigger.trim().split(/\s+/);\n   var el = this.$element;\n\n   // Listen for global show/hide events\n this.setRootListener(true);\n\n   // Using 'this' as the handler will get automagically directed to this.handleEvent\n   // And maintain our binding to 'this'\n   triggers.forEach(function (trigger) {\n   if (trigger === 'click') {\n eventOn(el, 'click', _this6);\n   } else if (trigger === 'focus') {\n   eventOn(el, 'focusin', _this6);\n eventOn(el, 'focusout', _this6);\n   } else if (trigger === 'blur') {\n   // Used to close $tip when element looses focus\n   eventOn(el, 'focusout', _this6);\n   } else if (trigger === 'hover') {\n   eventOn(el, 'mouseenter', _this6);\n   eventOn(el, 'mouseleave', _this6);\n   }\n   }, this);\n }\n }, {\n   key: 'unListen',\n   value: function unListen() {\n   var _this7 = this;\n\n   var events = ['click', 'focusin', 'focusout', 'mouseenter', 'mouseleave'];\n   // Using \"this\" as the handler will get automagically directed to this.handleEvent\n   events.forEach(function (evt) {\n   eventOff(_this7.$element, evt, _this7);\n   }, this);\n\n   // Stop listening for global show/hide/enable/disable events\n   this.setRootListener(false);\n   }\n }, {\n   key: 'handleEvent',\n   value: function handleEvent(e) {\n   // This special method allows us to use \"this\" as the event handlers\n   if (isDisabled(this.$element)) {\n   // If disabled, don't do anything. Note: if tip is shown before element gets\n   // disabled, then tip not close until no longer disabled or forcefully closed.\n   return;\n   }\n   if (!this.$isEnabled) {\n   // If not enable\n   return;\n   }\n   var type = e.type;\n   var target = e.target;\n   var relatedTarget = e.relatedTarget;\n   var $element = this.$element;\n   var $tip = this.$tip;\n   if (type === 'click') {\n   this.toggle(e);\n   } else if (type === 'focusin' || type === 'mouseenter') {\n   this.enter(e);\n   } else if (type === 'focusout') {\n   // target is the element which is loosing focus\n   // And relatedTarget is the element gaining focus\n   if ($tip && $element && $element.contains(target) && $tip.contains(relatedTarget)) {\n   // If focus moves from $element to $tip, don't trigger a leave\n   return;\n   }\n   if ($tip && $element && $tip.contains(target) && $element.contains(relatedTarget)) {\n   // If focus moves from $tip to $element, don't trigger a leave\n   return;\n   }\n   if ($tip && $tip.contains(target) && $tip.contains(relatedTarget)) {\n   // If focus moves within $tip, don't trigger a leave\n   return;\n   }\n   if ($element && $element.contains(target) && $element.contains(relatedTarget)) {\n   // If focus moves within $element, don't trigger a leave\n   return;\n   }\n   // Otherwise trigger a leave\n   this.leave(e);\n   } else if (type === 'mouseleave') {\n   this.leave(e);\n   }\n   }\n\n   /* istanbul ignore next */\n }, {\n   key: 'setRouteWatcher',\n   value: function setRouteWatcher(on) {\n   var _this8 = this;\n\n   if (on) {\n   this.setRouteWatcher(false);\n   if (this.$root && Boolean(this.$root.$route)) {\n   this.$routeWatcher = this.$root.$watch('$route', function (newVal, oldVal) {\n   if (newVal === oldVal) {\n   return;\n   }\n   // If route has changed, we force hide the tooltip/popover\n   _this8.forceHide();\n   });\n   }\n   } else {\n   if (this.$routeWatcher) {\n   // cancel the route watcher by calling hte stored reference\n   this.$routeWatcher();\n   this.$routeWatcher = null;\n   }\n   }\n   }\n\n   /* istanbul ignore next */\n }, {\n   key: 'setModalListener',\n   value: function setModalListener(on) {\n   var modal = closest(MODAL_CLASS, this.$element);\n   if (!modal) {\n   // If we are not in a modal, don't worry. be happy\n   return;\n   }\n   // We can listen for modal hidden events on $root\n   if (this.$root) {\n   this.$root[on ? '$on' : '$off'](MODAL_CLOSE_EVENT, this.$forceHide);\n   }\n   }\n\n   /* istanbul ignore next */\n }, {\n   key: 'setRootListener',\n   value: function setRootListener(on) {\n   // Listen for global 'bv::{hide|show}::{tooltip|popover}' hide request event\n   if (this.$root) {\n   this.$root[on ? '$on' : '$off']('bv::hide::' + this.constructor.NAME, this.$doHide);\n   this.$root[on ? '$on' : '$off']('bv::show::' + this.constructor.NAME, this.$doShow);\n   this.$root[on ? '$on' : '$off']('bv::disable::' + this.constructor.NAME, this.$doDisable);\n   this.$root[on ? '$on' : '$off']('bv::enable::' + this.constructor.NAME, this.$doEnable);\n   }\n   }\n }, {\n   key: 'doHide',\n   value: function doHide(id) {\n   // Programmatically hide tooltip or popover\n   if (!id) {\n   // Close all tooltips or popovers\n   this.forceHide();\n   } else if (this.$element && this.$element.id && this.$element.id === id) {\n   // Close this specific tooltip or popover\n   this.hide();\n   }\n   }\n }, {\n   key: 'doShow',\n   value: function doShow(id) {\n   // Programmatically show tooltip or popover\n   if (!id) {\n   // Open all tooltips or popovers\n   this.show();\n   } else if (id && this.$element && this.$element.id && this.$element.id === id) {\n   // Show this specific tooltip or popover\n   this.show();\n   }\n   }\n }, {\n   key: 'doDisable',\n   value: function doDisable(id) {\n   // Programmatically

disable tooltip or popover\n   if (!id) {\n   // Disable all tooltips or popovers\n   this.disable();\n   } else if (this.$element && this.$element.id && this.$element.id === id) {\n   // Disable this specific tooltip or popover\n   this.disable();\n   }\n   }\n }, {\n   key: 'doEnable',\n   value: function doEnable(id) {\n   // Programmatically enable tooltip or popover\n   if (!id) {\n   // Enable all tooltips or popovers\n   this.enable();\n   } else if (this.$element && this.$element.id && this.$element.id === id) {\n   // Enable this specific tooltip or popover\n   this.enable();\n   }\n   }\n\n   /* istanbul ignore next */\n\n }, {\n   key: 'setOnTouchStartListener',\n   value: function setOnTouchStartListener(on) {\n   var _this9 = this;\n\n   // if this is a touch-enabled device we add extra\n   // empty mouseover listeners to the body's immediate children;\n   // only needed because of broken event delegation on iOS\n   // https://www.quirksmode.org/blog/archives/2014/02/mouse_event_bub.html\n   if ('ontouchstart' in document.documentElement) {\n   arrayFrom(document.body.children).forEach(function (el) {\n   if (on) {\n   eventOn(el, 'mouseover', _this9._noop);\n   } else {\n   eventOff(el, 'mouseover', _this9._noop);\n   }\n   });\n   }\n   }\n\n   /* istanbul ignore next */\n\n }, {\n   key: '_noop',\n   value: function _noop() {\n   // Empty noop handler for ontouchstart devices\n   }\n }, {\n   key: 'fixTitle',\n   value: function fixTitle() {\n   var el = this.$element;\n   var titleType = _typeof(getAttr(el, 'data-original-title'));\n   if (getAttr(el, 'title') || titleType !== 'string') {\n   setAttr(el, 'data-original-title', getAttr(el, 'title') || '');\n   setAttr(el, 'title', '');\n   }\n   }\n\n   // Enter handler\n   /* istanbul ignore next */\n\n }, {\n   key: 'enter',\n   value: function enter(e) {\n   var _this10 = this;\n\n   if (e) {\n   this.$activeTrigger[e.type === 'focusin' ? 'focus' : 'hover'] = true;\n   }\n   if (hasClass(this.getTipElement(), ClassName.SHOW) || this.$hoverState === HoverState.SHOW) {\n   this.$hoverState = HoverState.SHOW;\n   return;\n   }\n   clearTimeout(this.$hoverTimeout);\n   this.$hoverState = HoverState.SHOW;\n   if (!this.$config.delay || !this.$config.delay.show) {\n   this.show();\n   return;\n   }\n   this.$hoverTimeout = setTimeout(function () {\n   if (_this10.$hoverState === HoverState.SHOW) {\n   _this10.show();\n   }\n   }, this.$config.delay.show);\n   }\n\n   // Leave handler\n   /* istanbul ignore next */\n\n }, {\n   key: 'leave',\n   value: function leave(e) {\n   var _this11 = this;\n\n   if (e) {\n   this.$activeTrigger[e.type === 'focusout' ? 'focus' : 'hover'] = false;\n   if (e.type === 'focusout' && /blur/.test(this.$config.trigger)) {\n   // Special case for `blur`: we clear out the other triggers\n   this.$activeTrigger.click = false;\n   this.$activeTrigger.hover = false;\n   }\n   }\n   if (this.isWithActiveTrigger()) {\n   return;\n   }\n   clearTimeout(this.$hoverTimeout);\n   this.$hoverState = HoverState.OUT;\n   if (!this.$config.delay || !this.$config.delay.hide) {\n   this.hide();\n   return;\n   }\n   this.$hoverTimeout = setTimeout(function () {\n   if (_this11.$hoverState === HoverState.OUT) {\n   _this11.hide();\n   }\n   }, this.$config.delay.hide);\n   }\n }, {\n   key: 'getPopperConfig',\n   value: function getPopperConfig(placement, tip) {\n   var _this12 = this;\n\n   return {\n   placement: this.constructor.getAttachment(placement),\n   modifiers: {\n   offset: { offset: this.getOffset(placement, tip) },\n   flip: { behavior: this.$config.fallbackPlacement },\n   arrow: { element: '.arrow' },\n   preventOverflow: { boundariesElement: this.$config.boundary }\n   },\n   onCreate: function onCreate(data) {\n   // Handle flipping arrow classes\n   if (data.originalPlacement !== data.placement) {\n   _this12.handlePopperPlacementChange(data);\n   }\n   },\n   onUpdate: function onUpdate(data) {\n   // Handle flipping arrow classes\n   _this12.handlePopperPlacementChange(data);\n   }\n   };\n   }\n }, {\n   key: 'getOffset',\n   value: function getOffset(placement, tip) {\n   if (!this.$config.offset) {\n   var arrow = select(Selector.ARROW, tip);\n   var arrowOffset = parseFloat(getCS(arrow).width) + parseFloat(this.$config.arrowPadding);\n   switch (OffsetMap[placement.toUpperCase()]) {\n   case +1:\n   return '+50%p - ' + arrowOffset + 'px';\n   case -1:\n   return '-50%p + ' + arrowOffset + 'px';\n   default:\n   return 0;\n   }\n   }\n   return this.$config.offset;\n   }\n }, {\n   key: 'getPlacement',\n   value: function getPlacement() {\n   var placement = this.$config.placement;\n   if (typeof placement === 'function') {\n   return placement.call(this, this.$tip, this.$element);\n   }\n   return placement;\n   }\n }, {\n   key: 'isWithActiveTrigger',\n   value: function isWithActiveTrigger() {\n   for (var trigger in this.$activeTrigger) {\n   if (this.$activeTrigger[trigger]) {\n   return true;\n   }\n   }\n   return false;\n   }\n\n   // NOTE: Overridden by PopOver class\n\n }, {\n   key: 'cleanTipClass',\n   value: function cleanTipClass() {\n   var tip =

this.getTipElement();\n   var tabClass = tip.className.match(BSCLS_PREFIX_REGEX);\n   if (tabClass !== null && tabClass.length > 0) {\n   tabClass.forEach(function (cls) {\n   removeClass(tip, cls);\n   });\n   }\n   }\n }, {\n   key: 'handlePopperPlacementChange',\n   value: function handlePopperPlacementChange(data) {\n   this.cleanTipClass();\n   this.addAttachmentClass(this.constructor.getAttachment(data.placement));\n   }\n }, {\n   key: 'fixTransition',\n   value: function fixTransition(tip) {\n   var initConfigAnimation = this.$config.animation || false;\n   if (getAttr(tip, 'x-placement') !== null) {\n   return;\n   }\n   removeClass(tip, ClassName.FADE);\n   this.$config.animation = false;\n   this.hide();\n   this.show();\n   this.$config.animation = initConfigAnimation;\n   }\n }], [{\n   key: 'getAttachment',\n   value: function getAttachment(placement) {\n   return AttachmentMap[placement.toUpperCase()];\n   }\n }, {\n   key: 'Default',\n   get: function get() {\n   return Defaults;\n   }\n\n   // NOTE: Overridden by PopOver class\n\n }, {\n   key: 'NAME',\n   get: function get() {\n   return NAME;\n   }\n }]);\n\n return ToolTip;\n}();\n\nexport default ToolTip;","var _typeof = typeof Symbol === \"function\" && typeof Symbol.iterator === \"symbol\" ? function (obj) { return typeof obj; } : function (obj) { return obj && typeof Symbol === \"function\" && obj.constructor === Symbol && obj !== Symbol.prototype ? \"symbol\" : typeof obj; };\n\nvar _createClass = function () { function defineProperties(target, props) { for (var i = 0; i < props.length; i++) { var descriptor = props[i]; descriptor.enumerable = descriptor.enumerable || false; descriptor.configurable = true; if (\"value\" in descriptor) descriptor.writable = true; Object.defineProperty(target, descriptor.key, descriptor); } } return function (Constructor, protoProps, staticProps) { if (protoProps) defineProperties(Constructor.prototype, protoProps); if (staticProps) defineProperties(Constructor, staticProps); return Constructor; }; }();\n\nfunction _classCallCheck(instance, Constructor) { if (!(instance instanceof Constructor)) { throw new TypeError(\"Cannot call a class as a function\"); } }\n\nfunction _possibleConstructorReturn(self, call) { if (!self) { throw new ReferenceError(\"this hasn't been initialised - super() hasn't been called\"); } return call && (typeof call === \"object\" || typeof call === \"function\") ? call : self; }\n\nfunction _inherits(subClass, superClass) { if (typeof superClass !== \"function\" && superClass !== null) { throw new TypeError(\"Super expression must either be null or a function, not \" + typeof superClass); } subClass.prototype = Object.create(superClass && superClass.prototype, { constructor: { value: subClass, enumerable: false, writable: true, configurable: true } }); if (superClass) Object.setPrototypeOf ? Object.setPrototypeOf(subClass, superClass) : subClass.__proto__ = superClass; }\n\nimport ToolTip from './tooltip.class';\nimport { assign } from './object';\nimport { select, addClass, removeClass, getAttr } from './dom';\n\nvar NAME = 'popover';\nvar CLASS_PREFIX = 'bs-popover';\nvar BSCLS_PREFIX_REGEX = new RegExp('\\\\b' + CLASS_PREFIX + '\\\\S+', 'g');\n\nvar Defaults = assign({}, ToolTip.Default, {\n   placement: 'right',\n   trigger: 'click',\n   content: '',\n   template: '<div class=\"popover\" role=\"tooltip\">' + '<div class=\"arrow\"></div>' + '<h3 class=\"popover-header\"></h3>' + '<div class=\"popover-body\"></div></div>'\n});\n\nvar ClassName = {\n   FADE: 'fade',\n   SHOW: 'show'\n};\n\nvar Selector = {\n   TITLE: '.popover-header',\n   CONTENT: '.popover-body'\n\n   /* istanbul ignore next: dificult to test in Jest/JSDOM environment */\n};\n\nvar PopOver = function (_ToolTip) {\n   _inherits(PopOver, _ToolTip);\n\n   function PopOver() {\n   _classCallCheck(this, PopOver);\n\n   return _possibleConstructorReturn(this, (PopOver.__proto__ || Object.getPrototypeOf(PopOver)).apply(this, arguments));\n   }\n\n   _createClass(PopOver, [{\n   key: 'isWithContent',\n\n\n   // Method overrides\n\n   value: function isWithContent(tip) {\n   tip = tip || this.$tip;\n   if (!tip) {\n   return false;\n   }\n   var hasTitle = Boolean((select(Selector.TITLE, tip) || {}).innerHTML);\n   var hasContent = Boolean((select(Selector.CONTENT, tip) || {}).innerHTML);\n   return hasTitle || hasContent;\n   }\n }, {\n   key: 'addAttachmentClass',\n   value: function addAttachmentClass(attachment) {\n   addClass(this.getTipElement(), CLASS_PREFIX + '-' + attachment);\n   }\n }, {\n   key: 'setContent',\n   value: function setContent(tip) {\n   // we use append for html objects to maintain js events/components\n   this.setElementContent(select(Selector.TITLE, tip), this.getTitle());\n   this.setElementContent(select(Selector.CONTENT, tip), this.getContent());\n\n   removeClass(tip, ClassName.FADE);\n   removeClass(tip, ClassName.SHOW);\n   }\n\n   // This method may look identical to ToolTip version, but it uses a different RegEx defined above\n\n }, {\n   key: 'cleanTipClass',\n   value: function cleanTipClass() {\n   var tip = this.getTipElement();\n   var tabClass =

tip.className.match(BSCLS_PREFIX_REGEX);\n if (tabClass !== null && tabClass.length > 0) {\n tabClass.forEach(function (cls) {\n removeClass(tip, cls);\n });\n }\n }\n }, {\n key: 'getTitle',\n value: function getTitle() {\n var title = this.$config.title || '';\n if (typeof title === 'function') {\n title = title(this.$element);\n }\n if ((typeof title === 'undefined' ? 'undefined' : _typeof(title)) === 'object' && title.nodeType && !title.innerHTML.trim()) {\n // We have a dom node, but without inner content, so just return an empty string\n title = '';\n }\n if (typeof title === 'string') {\n title = title.trim();\n }\n if (!title) {\n // Try and grab element's title attribute\n title = getAttr(this.$element, 'title') || getAttr(this.$element, 'data-original-title') || '';\n title = title.trim();\n }\n return title;\n }\n\n // New methods\n\n }, {\n key: 'getContent',\n value: function getContent() {\n var content = this.$config.content || '';\n if (typeof content === 'function') {\n content = content(this.$element);\n }\n if ((typeof content === 'undefined' ? 'undefined' : _typeof(content)) === 'object' && content.nodeType && !content.innerHTML.trim()) {\n // We have a dom node, but without inner content, so just return an empty string\n content = '';\n }\n if (typeof content === 'string') {\n content = content.trim();\n }\n return content;\n }\n }], [{\n key: 'Default',\n\n // Getter overrides\n\n get: function get() {\n return Defaults;\n }\n }, {\n key: 'NAME',\n get: function get() {\n return NAME;\n }\n }]);\n\n return PopOver;\n}(ToolTip);\n\nexport default PopOver;","// Polyfills for SSR\n\nvar isSSR = typeof window === 'undefined';\n\nexport var HTMLElement = isSSR ? Object : window.HTMLElement;","var _typeof = typeof Symbol === \"function\" && typeof Symbol.iterator === \"symbol\" ? function (obj) { return typeof obj; } : function (obj) { return obj && typeof Symbol === \"function\" && obj.constructor === Symbol && obj !== Symbol.prototype ? \"symbol\" : typeof obj; };\n\n/*\n * Tooltip/Popover component mixin\n * Common props\n */\nimport { isArray } from '../utils/array';\nimport { assign } from '../utils/object';\nimport { isElement, getById } from '../utils/dom';\nimport { HTMLElement } from '../utils/ssr';\nimport observeDom from '../utils/observe-dom';\n\nvar PLACEMENTS = {\n top: 'top',\n topleft: 'topleft',\n topright: 'topright',\n right: 'right',\n righttop: 'righttop',\n rightbottom: 'rightbottom',\n bottom: 'bottom',\n bottomleft: 'bottomleft',\n bottomright: 'bottomright',\n left: 'left',\n lefttop: 'lefttop',\n leftbottom: 'leftbottom',\n auto: 'auto'\n};\n\nvar OBSERVER_CONFIG = {\n subtree: true,\n childList: true,\n characterData: true,\n attributes: true,\n attributeFilter: ['class', 'style']\n};\n\nexport default {\n props: {\n target: {\n // String ID of element, or element/component reference\n type: [String, Object, HTMLElement, Function]\n },\n delay: {\n type: [Number, Object, String],\n default: 0\n },\n offset: {\n type: [Number, String],\n default: 0\n },\n noFade: {\n type: Boolean,\n default: false\n },\n container: {\n // String ID of container, if null body is used (default)\n type: String,\n default: null\n },\n boundary: {\n // String: scrollParent, window, or viewport\n // Element: element reference\n type: [String, Object],\n default: 'scrollParent'\n },\n show: {\n type: Boolean,\n default: false\n },\n disabled: {\n type: Boolean,\n default: false\n }\n },\n watch: {\n show: function show(_show, old) {\n if (_show === old) {\n return;\n }\n _show ? this.onOpen() : this.onClose();\n },\n disabled: function disabled(_disabled, old) {\n if (_disabled === old) {\n return;\n }\n _disabled ? this.onDisable() : this.onEnable();\n }\n },\n created: function created() {\n // Create non-reactive property\n this._toolpop = null;\n this._obs_title = null;\n this._obs_content = null;\n },\n mounted: function mounted() {\n var _this = this;\n\n // We do this in a next tick to ensure DOM has rendered first\n this.$nextTick(function () {\n // Instantiate ToolTip/PopOver on target\n // The createToolpop method must exist in main component\n if (_this.createToolpop()) {\n if (_this.disabled) {\n // Initially disabled\n _this.onDisable();\n }\n // Listen to open signals from others\n _this.$on('open', _this.onOpen);\n // Listen to close signals from others\n _this.$on('close', _this.onClose);\n // Listen to disable signals from others\n _this.$on('disable', _this.onDisable);\n // Listen to disable signals from others\n _this.$on('enable', _this.onEnable);\n // Observe content Child changes so we can notify popper of possible size change\n _this.setObservers(true);\n // Set intially open state\n if (_this.show) {\n _this.onOpen();\n }\n }\n });\n },\n updated: function updated() {\n // If content/props changes, etc\n if (this._toolpop) {\n this._toolpop.updateConfig(this.getConfig());\n }\n },\n\n /* istanbul ignore next: not easy to test */\n activated: function activated() {\n // Called when component is inside

a <keep-alive> and component brought offline\n   this.setObservers(true);\n },\n\n /* istanbul ignore next: not easy to test */\n deactivated: function deactivated() {\n   // Called when component is inside a <keep-alive> and component taken offline\n   if (this._toolpop) {\n   this.setObservers(false);\n   this._toolpop.hide();\n   }\n },\n\n /* istanbul ignore next: not easy to test */\n beforeDestroy: function beforeDestroy() {\n   // Shutdown our local event listeners\n   this.$off('open', this.onOpen);\n   this.$off('close', this.onClose);\n   this.$off('disable', this.onDisable);\n   this.$off('enable', this.onEnable);\n   this.setObservers(false);\n   // bring our content back if needed\n   this.bringItBack();\n   if (this._toolpop) {\n   this._toolpop.destroy();\n   this._toolpop = null;\n   }\n },\n\n computed: {\n   baseConfig: function baseConfig() {\n   var cont = this.container;\n   var delay = _typeof(this.delay) === 'object' ? this.delay : parseInt(this.delay, 10) || 0;\n   return {\n   // Title prop\n   title: (this.title || '').trim() || '',\n   // Contnt prop (if popover)\n   content: (this.content || '').trim() || '',\n   // Tooltip/Popover placement\n   placement: PLACEMENTS[this.placement] || 'auto',\n   // Container curently needs to be an ID with '#' prepended, if null then body is used\n   container: cont ? /^#/.test(cont) ? cont : '#' + cont : false,\n   // boundariesElement passed to popper\n   boundary: this.boundary,\n   // Show/Hide delay\n   delay: delay || 0,\n   // Offset can be css distance. if no units, pixels are assumed\n   offset: this.offset || 0,\n   // Disable fade Animation?\n   animation: !this.noFade,\n   // Open/Close Trigger(s)\n   trigger: isArray(this.triggers) ? this.triggers.join(' ') : this.triggers,\n   // Callbacks so we can trigger events on component\n   callbacks: {\n   show: this.onShow,\n   shown: this.onShown,\n   hide: this.onHide,\n   hidden: this.onHidden,\n   enabled: this.onEnabled,\n   disabled: this.onDisabled\n   }\n   };\n   }\n },\n methods: {\n   getConfig: function getConfig() {\n   var cfg = assign({}, this.baseConfig);\n   if (this.$refs.title && this.$refs.title.innerHTML.trim()) {\n   // If slot has content, it overrides 'title' prop\n   // We use the DOM node as content to allow components!\n   cfg.title = this.$refs.title;\n   cfg.html = true;\n   }\n   if (this.$refs.content && this.$refs.content.innerHTML.trim()) {\n   // If slot has content, it overrides 'content' prop\n   // We use the DOM node as content to allow components!\n   cfg.content = this.$refs.content;\n   cfg.html = true;\n   }\n   return cfg;\n   },\n   onOpen: function onOpen() {\n   if (this._toolpop) {\n   this._toolpop.show();\n   }\n   },\n   onClose: function onClose(callback) {\n   if (this._toolpop) {\n   this._toolpop.hide(callback);\n   } else if (typeof callback === 'function') {\n   callback();\n   }\n   },\n   onDisable: function onDisable() {\n   if (this._toolpop) {\n   this._toolpop.disable();\n   }\n   },\n   onEnable: function onEnable() {\n   if (this._toolpop) {\n   this._toolpop.enable();\n   }\n   },\n   updatePosition: function updatePosition() {\n   if (this._toolpop) {\n   // Instruct popper to reposition popover if necessary\n   this._toolpop.update();\n   }\n   },\n   getTarget: function getTarget() {\n   var target = this.target;\n   if (typeof target === 'function') {\n   target = target();\n   }\n   if (typeof target === 'string') {\n   // Assume ID of element\n   return getById(target);\n   } else if ((typeof target === 'undefined' ? 'undefined' : _typeof(target)) === 'object' && isElement(target.$el)) {\n   // Component reference\n   return target.$el;\n   } else if ((typeof target === 'undefined' ? 'undefined' : _typeof(target)) === 'object' && isElement(target)) {\n   // Element reference\n   return target;\n   }\n   return null;\n   },\n   onShow: function onShow(evt) {\n   this.$emit('show', evt);\n   },\n   onShown: function onShown(evt) {\n   this.setObservers(true);\n   this.$emit('update:show', true);\n   this.$emit('shown', evt);\n   },\n   onHide: function onHide(evt) {\n   this.$emit('hide', evt);\n   },\n   onHidden: function onHidden(evt) {\n   this.setObservers(false);\n   // bring our content back if needed to keep Vue happy\n   // Tooltip class will move it back to tip when shown again\n   this.bringItBack();\n   this.$emit('update:show', false);\n   this.$emit('hidden', evt);\n   },\n   onEnabled: function onEnabled(evt) {\n   if (!evt || evt.type !== 'enabled') {\n   // Prevent possible endless loop if user mistakienly fires enabled instead of enable\n   return;\n   }\n   this.$emit('update:disabled', false);\n   this.$emit('disabled');\n   },\n   onDisabled: function onDisabled(evt) {\n   if (!evt || evt.type !== 'disabled') {\n   // Prevent possible endless loop if user mistakienly fires disabled instead of disable\n   return;\n   }\n   this.$emit('update:disabled', true);\n   this.$emit('enabled');\n   },\n   bringItBack: function bringItBack() {\n   // bring our content back if needed to keep Vue happy\n   if (this.$el && this.$refs.title) {\n   this.$el.appendChild(this.$refs.title);\n   }\n   if (this.$el && this.$refs.content) {\n   this.$el.appendChild(this.$refs.content);\n   }\n   },\n\n   /* istanbul ignore next: not easy to test */\n

setObservers: function setObservers(on) {\n   if (on) {\n   if (this.$refs.title) {\n   this._obs_title = observeDom(this.$refs.title, this.updatePosition.bind(this), OBSERVER_CONFIG);\n   }\n   if (this.$refs.content) {\n   this._obs_content = observeDom(this.$refs.content, this.updatePosition.bind(this), OBSERVER_CONFIG);\n   }\n   } else {\n   if (this._obs_title) {\n   this._obs_title.disconnect();\n   this._obs_title = null;\n   }\n   if (this._obs_content) {\n   this._obs_content.disconnect();\n   this._obs_content = null;\n   }\n   }\n }\n};","import PopOver from '../../utils/popover.class';\nimport warn from '../../utils/warn';\nimport toolpopMixin from '../../mixins/toolpop';\nexport default {\n mixins: [toolpopMixin],\n render: function render(h) {\n   return h('div', {\n   class: ['d-none'],\n   style: { display: 'none' },\n   attrs: { 'aria-hidden': true }\n   }, [h('div', { ref: 'title' }, this.$slots.title), h('div', { ref: 'content' }, this.$slots.default)]);\n },\n data: function data() {\n   return {};\n },\n\n props: {\n   title: {\n   type: String,\n   default: ''\n   },\n   content: {\n   type: String,\n   default: ''\n   },\n   triggers: {\n   type: [String, Array],\n   default: 'click'\n   },\n   placement: {\n   type: String,\n   default: 'right'\n   }\n },\n methods: {\n   createToolpop: function createToolpop() {\n   // getTarget is in toolpop mixin\n   var target = this.getTarget();\n   if (target) {\n   this._toolpop = new PopOver(target, this.getConfig(), this.$root);\n   } else {\n   this._toolpop = null;\n   warn(\"b-popover: 'target' element not found!\");\n   }\n   return this._toolpop;\n   }\n }\n};","<template>\n <div>\n   <component :is=\"rootElement\" id=\"imddb-header\" data-turbolinks-permanent class=\"navbar navbar-expand-lg navbar-light imddb-header\" :offset=\"100\" :z-index=\"1020\" :on-unpin=\"closeFollowUsPopover\" :class=\"{ 'headroom--frozen': !collapseNavbar }\" :style=\"{ position: position }\">\n   <!-- @slot Redefines brand -->\n   <slot name=\"brand\">\n   <a :href=\"homeUrl\" class=\"navbar-brand imddb-header__brand\">\n   \n   {{ project }}\n   \n   </slot>\n   <button class=\"navbar-toggler\" type=\"button\" aria-label=\"Toggle navigation\" @click=\"toggleNavbar\">\n   \n   </button>\n   <div class=\"navbar-collapse\" :class=\"{ collapse: collapseNavbar }\">\n   <!-- @slot Redefines the main navbar block (containing the dropdown) -->\n   <slot name=\"navbar\">\n   <ul class=\"navbar-nav mr-auto\">\n   <b-nav-dropdown @show=\"$root.$emit('bv::hide::popover')\">\n   <template slot=\"button-content\">\n   {{ title }}\n   </template>\n   <b-dropdown-item v-for=\"(item, $index) in dropdownItems\" :key=\"$index\" :href=\"item.href\" v-bind=\"{ active: !!item.active }\">\n   {{ item.label }}\n   </b-dropdown-item>\n   </b-nav-dropdown>\n   \n   </slot>\n   <ul class=\"navbar-nav\">\n   <li class=\"nav-item\">\n   \n   {{ $t('imddb-header.navbar.leak') }}\n   \n   \n   <li class=\"nav-item mr-lg-3\">\n   <a @click.prevent=\"$refs.donateFormModal.show()\" href=\"#\" class=\"nav-link\">\n   {{ $t('imddb-header.navbar.support') }}\n   \n   \n   <li class=\"nav-item\">\n   <button class=\"btn btn-saddle-red btn-block font-weight-bold\" id=\"follow-icij\">\n   {{ $t('imddb-header.navbar.follow') }}\n   </button>\n   <b-popover container=\"imddb-header\" target=\"follow-icij\" placement=\"bottomleft\" :show.sync=\"showSignupPopover\">\n   <follow-us-popover :show.sync=\"showSignupPopover\"></follow-us-popover>\n   </b-popover>\n   \n   \n   </div>\n   </component>\n   <b-modal hide-footer lazy ref=\"donateFormModal\" size=\"lg\">\n   \n   {{ $t('imddb-header.navbar.support') }}\n   \n   <donate-form no-title></donate-form>\n   </b-modal>\n </div>\n</template>\n\n<script>\n import bDropdownItem from 'bootstrap-vue/es/components/dropdown/dropdown-item'\n import bModal from 'bootstrap-vue/es/components/modal/modal'\n import bNavDropdown from 'bootstrap-vue/es/components/nav/nav-item-dropdown'\n import bPopover from 'bootstrap-vue/es/components/popover/popover'\n\n import i18n from '@/i18n'\n import { headroom } from 'vue-headroom'\n import DonateForm from './DonateForm.vue'\n import FollowUsPopover from './FollowUsPopover.vue'\n import config from '../config'\n\n /**\n   * ImddbHeader\n   */\n export default {\n   i18n,\n   name: 'ImddbHeader',\n   components: {\n   bDropdownItem,\n   bModal,\n   bNavDropdown,\n   bPopover,\n   headroom,\n   DonateForm,\n   FollowUsPopover\n   },\n   props: {\n   /**\n   * CSS position of the header. Can be absolute, relative, static or fixed

(default).\n   */\n   position: {\n   type: String,\n   default: 'fixed'\n   },\n   /**\n   * Disable Headroom for hiding header until needed.\n   */\n   noHeadroom: {\n   type: Boolean\n   },\n   /**\n   * Project name, to display next to ICIJ logo\n   */\n   project: {\n   type: String,\n   default: () => config.get('project.name')\n   },\n   /**\n   * App name, to display next to project name\n   */\n   title: {\n   type: String,\n   default: () => config.get('app.name')\n   },\n   /**\n   * An array of objects defining dropdown items. Each item defines a label and a href.\n   */\n   dropdownItems: {\n   type: Array,\n   default: () => config.get('imddb-header.dropdown.items')\n   },\n   /**\n   * Target link of the ICIJ logo and project name.\n   */\n   homeUrl: {\n   type: String,\n   default: () => config.get('app.home')\n   }\n },\n data () {\n   return {\n   showSignupPopover: false,\n   collapseNavbar: true\n   }\n },\n methods: {\n   closeFollowUsPopover () {\n   this.showSignupPopover = false\n   },\n   toggleNavbar () {\n   this.collapseNavbar = !this.collapseNavbar\n   this.$root.$emit('bv::hide::popover')\n   this.$root.$emit('bv::hide::dropdwon')\n   }\n },\n computed: {\n   rootElement () {\n   return this.noHeadroom ? 'div' : 'headroom'\n   }\n }\n}\n</script>\n\n<style lang=\"scss\">\n @import '../styles/lib';\n\n .imddb-header {\n   background: rgba($mercury, 0.8);\n   box-shadow: 0 0 6px 0 rgba(#000, .1);\n   position: relative;\n   top:0;\n   width: 100%;\n   z-index: $zindex-sticky;\n\n   .popover {\n   width: 100%;\n   }\n\n   @include media-breakpoint-down(md) {\n   background: $mercury;\n   }\n\n   &.headroom {\n   will-change: transform;\n   transition: transform 200ms linear;\n\n   &--unpinned {\n   transform: translateY(-100%) !important;\n   }\n\n   &--pinned {\n   transform: translateY(0%);\n   }\n\n   &--frozen {\n   transform: translateY(0%) !important;\n   }\n   }\n\n   &__brand {\n   position: relative;\n   font-weight: bolder;\n   padding-right: $spacer * 1.5;\n\n   &:after {\n   content: \"\";\n   background: $body-color;\n   width: 2px;\n   height: 32px;\n   position: absolute;\n   right:0;\n   top: 50%;\n   transform: translateY(-50%);\n\n   @include media-breakpoint-down(md) {\n   display: none;\n   }\n   }\n   }\n\n   .navbar-toggler {\n   background: $mercury;\n   position: absolute;\n   right: $spacer;\n   top: $spacer / 2;\n   margin: 0;\n   }\n\n   .dropdown-item {\n   white-space: normal;\n   width: 440px;\n   max-width: 90vw;\n\n   @include media-breakpoint-down(sm) {\n   width: 100%;\n   }\n   }\n\n   .dropdown .nav-link {\n\n   @include media-breakpoint-up(lg) {\n   font-size: 1.2rem;\n   font-family: $headings-font-family;\n   }\n   }\n }\n</style>\n","import mod from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./ImddbHeader.vue?vue&type=script&lang=js&\"; export default mod; export * from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./ImddbHeader.vue?vue&type=script&lang=js&\"","import { render, staticRenderFns } from \"./ImddbHeader.vue?vue&type=template&id=36e6b928&\"\nimport script from \"./ImddbHeader.vue?vue&type=script&lang=js&\"\nexport * from \"./ImddbHeader.vue?vue&type=script&lang=js&\"\nimport style0 from \"./ImddbHeader.vue?vue&type=style&index=0&lang=scss&\"\n\n\n/* normalize component */\nimport normalizer from \"!../../node_modules/vue-loader/lib/runtime/componentNormalizer.js\"\nvar component = normalizer(\n script,\n render,\n staticRenderFns,\n false,\n null,\n null,\n null\n \n)\n\ncomponent.options.__file = \"ImddbHeader.vue\"\nexport default component.exports","var render = function () {var _vm=this;var _h=_vm.$createElement;var _c=_vm._self._c||_h;return _c('div',{attrs:{\"id\":_vm.iframeId}})}\nvar staticRenderFns = []\n\nexport { render, staticRenderFns }","<template>\n <div :id=\"iframeId\"></div>\n</template>\n\n<script>\n import { injectAssets } from '../utils/assets'\n\n var iframeUniqueIdCounter = 0;\n\n /**\n * ResponsiveIframe\n */\n export default {\n   name: 'ResponsiveIframe',\n   props: {\n   /**\n   * URL of the generated iframe code.\n   */\n   url: {\n   type: String,\n   required : true\n   },\n   /**\n   * Option to pass to the constructor of the pymParent instance\n   */\n   options: {\n   type: Object,\n   default: () => ({ })\n   },\n   },\n   data () {\n   return {\n

iframeId: `icij-iframe-${++iframeUniqueIdCounter}`\n   }\n },\n mounted () {\n   injectAssets('https://pym.nprapps.org/pym.v1.min.js').then(() => {\n   new pym.Parent(this.iframeId, this.url, this.options)\n   })\n }\n \n</script>\n","import mod from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./ResponsiveIframe.vue?vue&type=script&lang=js&\"; export default mod; export * from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./ResponsiveIframe.vue?vue&type=script&lang=js&\"","import { render, staticRenderFns } from \"./ResponsiveIframe.vue?vue&type=template&id=2b5efd28&\"\nimport script from \"./ResponsiveIframe.vue?vue&type=script&lang=js&\"\nexport * from \"./ResponsiveIframe.vue?vue&type=script&lang=js&\"\n\n\n/* normalize component */\nimport normalizer from \"!../../node_modules/vue-loader/lib/runtime/componentNormalizer.js\"\nvar component = normalizer(\n script,\n render,\n staticRenderFns,\n false,\n null,\n null,\n null\n \n)\n\ncomponent.options.__file = \"ResponsiveIframe.vue\"\nexport default component.exports","<script>\nconst noop = () => (null)\n\n/**\n * SlideUpDown\n */\nexport default {\n name: 'SlideUpDown',\n props: {\n   /**\n   * Toggler property. Set to false to hide the component.\n   */\n   active: {\n   type: Boolean,\n   },\n   /**\n   * Duration of the animation.\n   */\n   duration: {\n   type: Number,\n   default: 200\n   },\n   /**\n   * HTML tag to render this component to.\n   */\n   tag: {\n   type: String,\n   default: 'div'\n   }\n },\n data () {\n   return {\n   state: 'post',\n   mounted: false,\n   scrollHeight: 0\n   }\n },\n watch: {\n   active (toggler) {\n   this.triggerSlide()\n   }\n },\n render (h) {\n   return h(this.tag, { style: this.style, ref: 'container' }, this.$slots.default)\n },\n mounted () {\n   this.deferedNextTick(() => {\n   this.mounted = true\n   this.cleanLayout()\n   this.$container.addEventListener(\"transitionend\", this.cleanLayout)\n   })\n },\n computed: {\n   stylePreTransition () {\n   return {\n   'overflow': 'hidden',\n   'transition-property': 'height',\n   'transition-duration': `${this.duration}ms`,\n   'height': this.mounted ? `${this.$container.scrollHeight}px` : 0,\n   }\n   },\n   styleActiveTransition () {\n   return {\n   'overflow': 'hidden',\n   'transition-property': 'height',\n   'transition-duration': `${this.duration}ms`,\n   'height': this.mounted ? `${this.activeHeight}px` : 'auto',\n   }\n   },\n   stylePostTransition () {\n   // Reset style when the element is active\n   return this.active ? { } : this.styleActiveTransition\n   },\n   style () {\n   switch (this.state) {\n   case 'pre': return this.stylePreTransition\n   case 'active': return this.styleActiveTransition\n   default: return this.stylePostTransition\n   }\n   },\n   activeHeight () {\n   return this.active ? this.$container.scrollHeight : 0\n   },\n $container () {\n   return this.$refs.container\n   }\n },\n methods: {\n   triggerSlide () {\n   this.state = 'pre'\n   this.scrollHeight = this.$container.scrollHeight\n   // Defered next tick to let the component render once\n   this.deferedNextTick(() => this.state = 'active')\n   },\n   cleanLayout (e = null) {\n   // This method can be triggered by animated child elements in\n   // which case, we should do anything\n   if(!e || e.target == this.$container) {\n   this.state = 'post'\n   this.deferedNextTick()\n   }\n   },\n   deferedNextTick (fn = noop) {\n   setTimeout(() => this.$nextTick(fn), 0)\n   }\n }\n}\n</script>\n","import mod from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./SlideUpDown.vue?vue&type=script&lang=js&\"; export default mod; export * from \"-!../../node_modules/cache-loader/dist/cjs.js??ref--12-0!../../node_modules/thread-loader/dist/cjs.js!../../node_modules/babel-loader/lib/index.js!../../node_modules/cache-loader/dist/cjs.js??ref--0-0!../../node_modules/vue-loader/lib/index.js??vue-loader-options!./SlideUpDown.vue?vue&type=script&lang=js&\"","var render, staticRenderFns\nimport script from \"./SlideUpDown.vue?vue&type=script&lang=js&\"\nexport * from \"./SlideUpDown.vue?vue&type=script&lang=js&\"\n\n\n/* normalize component */\nimport normalizer from

\"!../../node_modules/vue-loader/lib/runtime/componentNormalizer.js\"\nvar component = normalizer(\n script,\n render,\n staticRenderFns,\n false,\n null,\n null,\n null\n \n)\n\ncomponent.options.__file = \"SlideUpDown.vue\"\nexport default component.exports","import ContentPlaceholder from './ContentPlaceholder.vue'\nimport DonateForm from './DonateForm.vue'\nimport EmbeddableFooter from './EmbeddableFooter.vue'\nimport EmbedForm from './EmbedForm.vue'\nimport FollowUsPopover from './FollowUsPopover.vue'\nimport Fa from './Fa'\nimport GenericFooter from './GenericFooter.vue'\nimport ImddbHeader from './ImddbHeader.vue'\nimport ResponsiveIframe from './ResponsiveIframe.vue'\nimport SharingOptions from './SharingOptions.vue'\nimport SignUpForm from './SignUpForm.vue'\nimport SlideUpDown from './SlideUpDown.vue'\n\nexport {\n ContentPlaceholder,\n DonateForm,\n EmbeddableFooter,\n EmbedForm,\n FollowUsPopover,\n Fa,\n GenericFooter,\n ImddbHeader,\n ResponsiveIframe,\n SharingOptions,\n SignUpForm,\n SlideUpDown,\n}\n","import VueI18n from 'vue-i18n'\nimport { basename, extname } from 'path'\nimport i18n from './i18n'\nexport { default as config } from './config'\nexport { default as ContentPlaceholder } from './components/ContentPlaceholder.vue'\nexport { default as DonateForm } from './components/DonateForm.vue'\nexport { default as EmbeddableFooter } from './components/EmbeddableFooter.vue'\nexport { default as EmbedForm } from './components/EmbedForm.vue'\nexport { default as FollowUsPopover } from './components/FollowUsPopover.vue'\nexport { default as Fa } from './components/Fa'\nexport { default as GenericFooter } from './components/GenericFooter.vue'\nexport { default as ImddbHeader } from './components/ImddbHeader.vue'\nexport { default as ResponsiveIframe } from './components/ResponsiveIframe.vue'\nexport { default as SharingOptions } from './components/SharingOptions.vue'\nexport { default as SignUpForm } from './components/SignUpForm.vue'\nexport { default as SlideUpDown } from './components/SlideUpDown.vue'\n\nimport * as components from './components'\n\nclass Murmur {\n static setLocaleMessage(lang, message) {\n return this.i18n.setLocaleMessage(lang, message)\n }\n static mergeLocaleMessage(lang, message) {\n return this.i18n. mergeLocaleMessage(lang, message)\n }\n static setLocale(lang) {\n return this.i18n.locale = lang\n }\n static getLocale() {\n return this.i18n.locale\n }\n static get i18n() {\n return i18n\n }\n static get config() {\n return require('./config.js').default\n }\n static get components() {\n return components\n }\n static install (Vue, options) {\n Object.keys(components).forEach(key => Vue.component(key, components[key]))\n }\n}\n\nexport default Murmur\n","import './setPublicPath'\nimport mod from '~entry'\nexport default mod\nexport * from '~entry'\n","var assocIndexOf = require('./_assocIndexOf');\n\n/**\n * Checks if a list cache value for `key` exists.\n *\n * @private\n * @name has\n * @memberOf ListCache\n * @param {string} key The key of the entry to check.\n * @returns {boolean} Returns `true` if an entry for `key` exists, else `false`.\n */\nfunction listCacheHas(key) {\n return assocIndexOf(this.__data__, key) > -1;\n}\n\nmodule.exports = listCacheHas;\n","module.exports = \\x09\\x0A\\x0B\\x0C\\x0D\\x20\\xA0\\u1680\\u180E\\u2000\\u2001\\u2002\\u2003' +\n '\\u2004\\u2005\\u2006\\u2007\\u2008\\u2009\\u200A\\u202F\\u205F\\u3000\\u2028\\u2029\\uFEFF';\n","var baseGetTag = require('./_baseGetTag'),\n isObjectLike = require('./isObjectLike');\n\n/** `Object#toString` result references. */\nvar symbolTag = '[object Symbol]';\n\n/**\n * Checks if `value` is classified as a `Symbol` primitive or object.\n *\n * @static\n * @memberOf _\n * @since 4.0.0\n * @category Lang\n * @param {*} value The value to check.\n * @returns {boolean} Returns `true` if `value` is a symbol, else `false`.\n * @example\n *\n * _.isSymbol(Symbol.iterator);\n * // => true\n *\n * _.isSymbol('abc');\n * // => false\n */\nfunction isSymbol(value)\n{\n return typeof value == 'symbol' ||\n (isObjectLike(value) && baseGetTag(value) == symbolTag);\n}\n\nmodule.exports = isSymbol;\n"],"sourceRoot":""}

Found in path(s):
* /opt/ws_local/PERMITS_SQL/1062149670_1592570080.27/0/murmur-1-1-0-
tgz/package/dist/lib/@icij/murmur.common.js.map

1.308 libsemanage 3.0 1build2

1.308.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE
       Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
    51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

       Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

 This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

 When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

 To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

 For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide

complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

 We protect your rights with a two-step method: (1) we copyright the
library, and (2) we offer you this license, which gives you legal
permission to copy, distribute and/or modify the library.

 To protect each distributor, we want to make it very clear that
there is no warranty for the free library. Also, if the library is
modified by someone else and passed on, the recipients should know
that what they have is not the original version, so that the original
author's reputation will not be affected by problems that might be
introduced by others.

 Finally, software patents pose a constant threat to the existence of
any free program. We wish to make sure that a company cannot
effectively restrict the users of a free program by obtaining a
restrictive license from a patent holder. Therefore, we insist that
any patent license obtained for a version of the library must be
consistent with the full freedom of use specified in this license.

 Most GNU software, including some libraries, is covered by the
ordinary GNU General Public License. This license, the GNU Lesser
General Public License, applies to certain designated libraries, and
is quite different from the ordinary General Public License. We use
this license for certain libraries in order to permit linking those
libraries into non-free programs.

 When a program is linked with a library, whether statically or using
a shared library, the combination of the two is legally speaking a
combined work, a derivative of the original library. The ordinary
General Public License therefore permits such linking only if the
entire combination fits its criteria of freedom. The Lesser General
Public License permits more lax criteria for linking other code with
the library.

 We call this license the "Lesser" General Public License because it
does Less to protect the user's freedom than the ordinary General
Public License. It also provides other free software developers Less
of an advantage over competing non-free programs. These disadvantages
are the reason we use the ordinary General Public License for many
libraries. However, the Lesser license provides advantages in certain
special circumstances.

 For example, on rare occasions, there may be a special need to
encourage the widest possible use of a certain library, so that it becomes
a de-facto standard. To achieve this, non-free programs must be

allowed to use the library. A more frequent case is that a free
library does the same job as widely used non-free libraries. In this
case, there is little to gain by limiting the free library to free
software only, so we use the Lesser General Public License.

 In other cases, permission to use a particular library in non-free
programs enables a greater number of people to use a large body of
free software. For example, permission to use the GNU C Library in
non-free programs enables many more people to use the whole GNU
operating system, as well as its variant, the GNU/Linux operating
system.

 Although the Lesser General Public License is Less protective of the
users' freedom, it does ensure that the user of a program that is
linked with the Library has the freedom and the wherewithal to run
that program using a modified version of the Library.

 The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, whereas the latter must
be combined with the library in order to run.

   GNU LESSER GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License Agreement applies to any software library or other
program which contains a notice placed by the copyright holder or
other authorized party saying it may be distributed under the terms of
this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

 A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

 The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated
straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

 "Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means
all the source code for all modules it contains, plus any associated
interface definition files, plus the scripts used to control compilation

and installation of the library.

 Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running a program using the Library is not restricted, and output from
such a program is covered only if its contents constitute a work based
on the Library (independent of the use of the Library in a tool for
writing it). Whether that is true depends on what the Library does
and what the program that uses the Library does.

 1. You may copy and distribute verbatim copies of the Library's
complete source code as you receive it, in any medium, provided that
you conspicuously and appropriately publish on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact
all the notices that refer to this License and to the absence of any
warranty; and distribute a copy of this License along with the
Library.

 You may charge a fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a
fee.

 2. You may modify your copy or copies of the Library or any portion
of it, thus forming a work based on the Library, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) The modified work must itself be a software library.

  b) You must cause the files modified to carry prominent notices
  stating that you changed the files and the date of any change.

  c) You must cause the whole of the work to be licensed at no
  charge to all third parties under the terms of this License.

  d) If a facility in the modified Library refers to a function or a
  table of data to be supplied by an application program that uses
  the facility, other than as an argument passed when the facility
  is invoked, then you must make a good faith effort to ensure that,
  in the event an application does not supply such function or
  table, the facility still operates, and performs whatever part of
  its purpose remains meaningful.

  (For example, a function in a library to compute square roots has
  a purpose that is entirely well-defined independent of the
  application. Therefore, Subsection 2d requires that any
  application-supplied function or table used by this function must
  be optional: if the application does not supply it, the square

root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Library,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

 Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

 4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the

source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

  5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

  However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

  When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

  If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

  Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

  6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

  You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one

of these things:

a) Accompany the work with the complete corresponding
machine-readable source code for the Library including whatever
changes were used in the work (which must be distributed under
Sections 1 and 2 above); and, if the work is an executable linked
with the Library, with the complete machine-readable "work that
uses the Library", as object code and/or source code, so that the
user can modify the Library and then relink to produce a modified
executable containing the modified Library. (It is understood
that the user who changes the contents of definitions files in the
Library will not necessarily be able to recompile the application
to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the
Library. A suitable mechanism is one that (1) uses at run time a
copy of the library already present on the user's computer system,
rather than copying library functions into the executable, and (2)
will operate properly with a modified version of the library, if
the user installs one, as long as the modified version is
interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at
least three years, to give the same user the materials
specified in Subsection 6a, above, for a charge no more
than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy
from a designated place, offer equivalent access to copy the above
specified materials from the same place.

e) Verify that the user has already received a copy of these
materials or that you have already sent this user a copy.

 For an executable, the required form of the "work that uses the
Library" must include any data and utility programs needed for
reproducing the executable from it. However, as a special exception,
the materials to be distributed need not include anything that is
normally distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies
the executable.

 It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

  a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

  b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

 8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

 9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

 10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

 11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this

License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply,
and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

 12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

 13. The Free Software Foundation may publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

 14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,

write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

   NO WARRANTY

 15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE
LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

 16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE
LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING
RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A
FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF
SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGES.

   END OF TERMS AND CONDITIONS

    How to Apply These Terms to Your New Libraries

 If you develop a new library, and you want it to be of the greatest
possible use to the public, we recommend making it free software that
everyone can redistribute and change. You can do so by permitting
redistribution under these terms (or, alternatively, under the terms of the
ordinary General Public License).

 To apply these terms, attach the following notices to the library. It is
safest to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

  <one line to give the library's name and a brief idea of what it does.>
  Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

1.309 shadow 4.8.1-1ubuntu5.20.04.2

1.309.1 Available under license :

NOTE:
This license has been obsoleted by the change to the BSD-style copyright.
You may continue to use this license if you wish, but you are under no
obligation to do so.

(*
This document is freely plagiarised from the 'Artistic Licence',
distributed as part of the Perl v4.0 kit by Larry Wall, which is
available from most major archive sites. I stole it from CrackLib.

Id
*)

This documents purpose is to state the conditions under which this
Package (See definition below) viz: "Shadow", the Shadow Password Suite
which is held by Julianne Frances Haugh, may be copied, such that the

copyright holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

So there.

****

Definitions:

A "Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification, or segments thereof.

"Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder.

"Copyright Holder" is whoever is named in the copyright or copyrights for the package.

"You" is you, if you're thinking about copying or distributing this Package.

"Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)

"Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.

2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.

3. You may otherwise modify your copy of this Package in any way,

provided that you insert a prominent notice in each changed file stating
how and when AND WHY you changed that file, and provided that you do at
least ONE of the following:

a) place your modifications in the Public Domain or otherwise make them
Freely Available, such as by posting said modifications to Usenet or an
equivalent medium, or placing the modifications on a major archive site
such as uunet.uu.net, or by allowing the Copyright Holder to include
your modifications in the Standard Version of the Package.

b) use the modified Package only within your corporation or organization.

c) rename any non-standard executables so the names do not conflict with
standard executables, which must also be provided, and provide separate
documentation for each non-standard executable that clearly documents
how it differs from the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or
executable form, provided that you do at least ONE of the following:

a) distribute a Standard Version of the executables and library files,
together with instructions (in the manual page or equivalent) on where
to get the Standard Version.

b) accompany the distribution with the machine-readable source of the
Package with your modifications.

c) accompany any non-standard executables with their corresponding
Standard Version executables, giving the non-standard executables
non-standard names, and clearly documenting the differences in manual
pages (or equivalent), together with instructions on where to get the
Standard Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this
Package. You may charge any fee you choose for support of this Package.
YOU MAY NOT CHARGE A FEE FOR THIS PACKAGE ITSELF. However, you may
distribute this Package in aggregate with other (possibly commercial)
programs as part of a larger (possibly commercial) software distribution
provided that YOU DO NOT ADVERTISE this package as a product of your
own.

6. The name of the Copyright Holder may not be used to endorse or
promote products derived from this software without specific prior
written permission.

7. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTIBILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

GNU GENERAL PUBLIC LICENSE
   Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
                  675 Mass Ave, Cambridge, MA 02139, USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

   Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Library General Public License instead.) You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

 We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion

of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable

source code, which must be distributed under the terms of Sections
1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three
years, to give any third party, for a charge no more than your
cost of physically performing source distribution, a complete
machine-readable copy of the corresponding source code, to be
distributed under the terms of Sections 1 and 2 above on a medium
customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer
to distribute corresponding source code. (This alternative is
allowed only for noncommercial distribution and only if you
received the program in object code or executable form with such
an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering
access to copy from a designated place, then offering equivalent
access to copy the source code from the same place counts as
distribution of the source code, even though third parties are not
compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense or distribute the Program is
void, and will automatically terminate your rights under this License.
However, parties who have received copies, or rights, from you under
this License will not have their licenses terminated so long as such
parties remain in full compliance.

 5. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Program or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Program (or any work based on the
Program), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying

the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates

the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

 10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

    NO WARRANTY

 11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

 12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

    END OF TERMS AND CONDITIONS

1.310 gopkg.in-asn1-ber 1.0.0-20181015200546-f715ec2f112d

1.310.1 Available under license :

The MIT License (MIT)

Copyright (c) 2011-2015 Michael Mitton (mmitton@gmail.com)
Portions copyright (c) 2015-2016 go-asn1-ber Authors

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.311 readline 8.0-4

1.311.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software

Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed

under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion
of it, thus forming a work based on the Program, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices
  stating that you changed the files and the date of any change.

  b) You must cause any work that you distribute or publish, that in
  whole or in part contains or is derived from the Program or any
  part thereof, to be licensed as a whole at no charge to all third
  parties under the terms of this License.

  c) If the modified program normally reads commands interactively
  when run, you must cause it, when started running for such
  interactive use in the most ordinary way, to print or display an
  announcement including an appropriate copyright notice and a
  notice that there is no warranty (or else, saying that you provide
  a warranty) and that users may redistribute the program under
  these conditions, and telling the user how to view a copy of this
  License. (Exception: if the Program itself is interactive but
  does not normally print such an announcement, your work based on

the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

  a) Accompany it with the complete corresponding machine-readable
  source code, which must be distributed under the terms of Sections
  1 and 2 above on a medium customarily used for software interchange; or,

  b) Accompany it with a written offer, valid for at least three
  years, to give any third party, for a charge no more than your
  cost of physically performing source distribution, a complete
  machine-readable copy of the corresponding source code, to be
  distributed under the terms of Sections 1 and 2 above on a medium
  customarily used for software interchange; or,

  c) Accompany it with the information you received as to the offer
  to distribute corresponding source code. (This alternative is
  allowed only for noncommercial distribution and only if you
  received the program in object code or executable form with such
  an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a

special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

 5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

 7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to

refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

 8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

 10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and

of promoting the sharing and reuse of software generally.

    NO WARRANTY

 11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

 12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

    END OF TERMS AND CONDITIONS

   How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the

GNU General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program; if not, write to the Free Software
    Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

    Gnomovision version 69, Copyright (C) year name of author
    Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the program
 `Gnomovision' (which makes passes at compilers) written by James Hacker.

 <signature of Ty Coon>, 1 April 1989
 Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

 The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the

work under this License, and how to view a copy of this License. If
the interface presents a list of user commands or options, such as a
menu, a prominent item in the list meets this criterion.

  1. Source Code.

  The "source code" for a work means the preferred form of the work
for making modifications to it. "Object code" means any non-source
form of a work.

  A "Standard Interface" means an interface that either is an official
standard defined by a recognized standards body, or, in the case of
interfaces specified for a particular programming language, one that
is widely used among developers working in that language.

  The "System Libraries" of an executable work include anything, other
than the work as a whole, that (a) is included in the normal form of
packaging a Major Component, but which is not part of that Major
Component, and (b) serves only to enable use of the work with that
Major Component, or to implement a Standard Interface for which an
implementation is available to the public in source code form. A
"Major Component", in this context, means a major essential component
(kernel, window system, and so on) of the specific operating system
(if any) on which the executable work runs, or a compiler used to
produce the work, or an object code interpreter used to run it.

  The "Corresponding Source" for a work in object code form means all
the source code needed to generate, install, and (for an executable
work) run the object code and to modify the work, including scripts to
control those activities. However, it does not include the work's
System Libraries, or general-purpose tools or generally available free
programs which are used unmodified in performing those activities but
which are not part of the work. For example, Corresponding Source
includes interface definition files associated with source files for
the work, and the source code for shared libraries and dynamically
linked subprograms that the work is specifically designed to require,
such as by intimate data communication or control flow between those
subprograms and other parts of the work.

  The Corresponding Source need not include anything that users
can regenerate automatically from other parts of the Corresponding
Source.

  The Corresponding Source for a work in source code form is that
same work.

  2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey,
and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to
produce it from the Program, in the form of source code under the
terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent notices stating that you modified
it, and giving a relevant date.

b) The work must carry prominent notices stating that it is
released under this License and any conditions added under section
7. This requirement modifies the requirement in section 4 to
"keep intact all notices".

c) You must license the entire work, as a whole, under this
License to anyone who comes into possession of a copy. This
License will therefore apply, along with any applicable section 7
additional terms, to the whole of the work, and all its parts,
regardless of how they are packaged. This License gives no
permission to license the work in any other way, but it does not
invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display
Appropriate Legal Notices; however, if the Program has interactive
interfaces that do not display Appropriate Legal Notices, your
work need not make them do so.

A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms
of sections 4 and 5, provided that you also convey the
machine-readable Corresponding Source under the terms of this License,
in one of these ways:

a) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by the
Corresponding Source fixed on a durable physical medium
customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by a
written offer, valid for at least three years and valid for as
long as you offer spare parts or customer support for that product
model, to give anyone who possesses the object code either (1) a
copy of the Corresponding Source for all the software in the
product that is covered by this License, on a durable physical
medium customarily used for software interchange, for a price no
more than your reasonable cost of physically performing this
conveying of source, or (2) access to copy the
Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the
written offer to provide the Corresponding Source. This
alternative is allowed only occasionally and noncommercially, and
only if you received the object code with such an offer, in accord
with subsection 6b.

d) Convey the object code by offering access from a designated
place (gratis or for a charge), and offer equivalent access to the
Corresponding Source in the same way through the same place at no
further charge. You need not require recipients to copy the
Corresponding Source along with the object code. If the place to
copy the object code is a network server, the Corresponding Source
may be on a different server (operated by you or a third party)
that supports equivalent copying facilities, provided you maintain
clear directions next to the object code saying where to find the
Corresponding Source. Regardless of what server hosts the
Corresponding Source, you remain obligated to ensure that it is
available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided
you inform other peers where the object code and Corresponding
Source of the work are being offered to the general public at no
charge under subsection 6d.

 A separable portion of the object code, whose source code is excluded
from the Corresponding Source as a System Library, need not be
included in conveying the object code work.

 A "User Product" is either (1) a "consumer product", which means any
tangible personal property which is normally used for personal, family,
or household purposes, or (2) anything designed or sold for incorporation

into a dwelling. In determining whether a product is a consumer product,
doubtful cases shall be resolved in favor of coverage. For a particular
product received by a particular user, "normally used" refers to a
typical or common use of that class of product, regardless of the status
of the particular user or of the way in which the particular user
actually uses, or expects or is expected to use, the product. A product
is a consumer product regardless of whether the product has substantial
commercial, industrial or non-consumer uses, unless such uses represent
the only significant mode of use of the product.

 "Installation Information" for a User Product means any methods,
procedures, authorization keys, or other information required to install
and execute modified versions of a covered work in that User Product from
a modified version of its Corresponding Source. The information must
suffice to ensure that the continued functioning of the modified object
code is in no case prevented or interfered with solely because
modification has been made.

 If you convey an object code work under this section in, or with, or
specifically for use in, a User Product, and the conveying occurs as
part of a transaction in which the right of possession and use of the
User Product is transferred to the recipient in perpetuity or for a
fixed term (regardless of how the transaction is characterized), the
Corresponding Source conveyed under this section must be accompanied
by the Installation Information. But this requirement does not apply
if neither you nor any third party retains the ability to install
modified object code on the User Product (for example, the work has
been installed in ROM).

 The requirement to provide Installation Information does not include a
requirement to continue to provide support service, warranty, or updates
for a work that has been modified or installed by the recipient, or for
the User Product in which it has been modified or installed. Access to a
network may be denied when the modification itself materially and
adversely affects the operation of the network or violates the rules and
protocols for communication across the network.

 Corresponding Source conveyed, and Installation Information provided,
in accord with this section must be in a format that is publicly
documented (and with an implementation available to the public in
source code form), and must require no special password or key for
unpacking, reading or copying.

 7. Additional Terms.

 "Additional permissions" are terms that supplement the terms of this
License by making exceptions from one or more of its conditions.
Additional permissions that are applicable to the entire Program shall

be treated as though they were included in this License, to the extent
that they are valid under applicable law. If additional permissions
apply only to part of the Program, that part may be used separately
under those permissions, but the entire Program remains governed by
this License without regard to the additional permissions.

 When you convey a copy of a covered work, you may at your option
remove any additional permissions from that copy, or from any part of
it. (Additional permissions may be written to require their own
removal in certain cases when you modify the work.) You may place
additional permissions on material, added by you to a covered work,
for which you have or can give appropriate copyright permission.

 Notwithstanding any other provision of this License, for material you
add to a covered work, you may (if authorized by the copyright holders of
that material) supplement the terms of this License with terms:

  a) Disclaiming warranty or limiting liability differently from the
  terms of sections 15 and 16 of this License; or

  b) Requiring preservation of specified reasonable legal notices or
  author attributions in that material or in the Appropriate Legal
  Notices displayed by works containing it; or

  c) Prohibiting misrepresentation of the origin of that material, or
  requiring that modified versions of such material be marked in
  reasonable ways as different from the original version; or

  d) Limiting the use for publicity purposes of names of licensors or
  authors of the material; or

  e) Declining to grant rights under trademark law for use of some
  trade names, trademarks, or service marks; or

  f) Requiring indemnification of licensors and authors of that
  material by anyone who conveys the material (or modified versions of
  it) with contractual assumptions of liability to the recipient, for
  any liability that these contractual assumptions directly impose on
  those licensors and authors.

 All other non-permissive additional terms are considered "further
restrictions" within the meaning of section 10. If the Program as you
received it, or any part of it, contains a notice stating that it is
governed by this License along with a term that is a further
restriction, you may remove that term. If a license document contains
a further restriction but permits relicensing or conveying under this
License, you may add to a covered work material governed by the terms
of that license document, provided that the further restriction does

not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a

covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically
receives a license from the original licensors, to run, modify and
propagate that work, subject to this License. You are not responsible
for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an
organization, or substantially all assets of one, or subdividing an
organization, or merging organizations. If propagation of a covered
work results from an entity transaction, each party to that
transaction who receives a copy of the work also receives whatever
licenses to the work the party's predecessor in interest had or could
give under the previous paragraph, plus a right to possession of the
Corresponding Source of the work from the predecessor in interest, if
the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the
rights granted or affirmed under this License. For example, you may
not impose a license fee, royalty, or other charge for exercise of
rights granted under this License, and you may not initiate litigation
(including a cross-claim or counterclaim in a lawsuit) alleging that
any patent claim is infringed by making, using, selling, offering for
sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this
License of the Program or a work on which the Program is based. The
work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims
owned or controlled by the contributor, whether already acquired or
hereafter acquired, that would be infringed by some manner, permitted
by this License, of making, using, or selling its contributor version,
but do not include claims that would be infringed only as a
consequence of further modification of the contributor version. For
purposes of this definition, "control" includes the right to grant
patent sublicenses in a manner consistent with the requirements of
this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free
patent license under the contributor's essential patent claims, to
make, use, sell, offer for sale, import and otherwise run, modify and
propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express
agreement or commitment, however denominated, not to enforce a patent
(such as an express permission to practice a patent or covenant not to
sue for patent infringement). To "grant" such a patent license to a
party means to make such an agreement or commitment not to enforce a
patent against the party.

 If you convey a covered work, knowingly relying on a patent license,
and the Corresponding Source of the work is not available for anyone
to copy, free of charge and under the terms of this License, through a
publicly available network server or other readily accessible means,
then you must either (1) cause the Corresponding Source to be so
available, or (2) arrange to deprive yourself of the benefit of the
patent license for this particular work, or (3) arrange, in a manner
consistent with the requirements of this License, to extend the patent
license to downstream recipients. "Knowingly relying" means you have
actual knowledge that, but for the patent license, your conveying the
covered work in a country, or your recipient's use of the covered work
in a country, would infringe one or more identifiable patents in that
country that you have reason to believe are valid.

 If, pursuant to or in connection with a single transaction or
arrangement, you convey, or propagate by procuring conveyance of, a
covered work, and grant a patent license to some of the parties
receiving the covered work authorizing them to use, propagate, modify
or convey a specific copy of the covered work, then the patent license
you grant is automatically extended to all recipients of the covered
work and works based on it.

 A patent license is "discriminatory" if it does not include within
the scope of its coverage, prohibits the exercise of, or is
conditioned on the non-exercise of one or more of the rights that are
specifically granted under this License. You may not convey a covered
work if you are a party to an arrangement with a third party that is
in the business of distributing software, under which you make payment
to the third party based on the extent of your activity of conveying
the work, and under which the third party grants, to any of the
parties who would receive the covered work from you, a discriminatory
patent license (a) in connection with copies of the covered work
conveyed by you (or copies made from those copies), or (b) primarily
for and in connection with specific products or compilations that
contain the covered work, unless you entered into that arrangement,
or that patent license was granted, prior to 28 March 2007.

 Nothing in this License shall be construed as excluding or limiting
any implied license or other defenses to infringement that may
otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

 If conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot convey a
covered work so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you may
not convey it at all. For example, if you agree to terms that obligate you
to collect a royalty for further conveying from those to whom you convey
the Program, the only way you could satisfy both those terms and this
License would be to refrain entirely from conveying the Program.

 13. Use with the GNU Affero General Public License.

 Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

 14. Revised Versions of this License.

 The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

 Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

 If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

 Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

15. Disclaimer of Warranty.

 THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

 16. Limitation of Liability.

 IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE
USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD
PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES.

 17. Interpretation of Sections 15 and 16.

 If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

                END OF TERMS AND CONDITIONS

            How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation, either version 3 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

 If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

 <program> Copyright (C) <year> <name of author>
 This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
 This is free software, and you are welcome to redistribute it
 under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

 You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

 The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<http://www.gnu.org/philosophy/why-not-lgpl.html>.
@c The GNU Free Documentation License.
@center Version 1.3, 3 November 2008

@c This file is intended to be included within another document,
@c hence no sectioning command or @node.

@display
Copyright @copyright{} 2000, 2001, 2002, 2007, 2008 Free Software Foundation, Inc.
@uref{http://fsf.org/}

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.
@end display

@enumerate 0
@item
PREAMBLE

The purpose of this License is to make a manual, textbook, or other
functional and useful document @dfn{free} in the sense of freedom: to
assure everyone the effective freedom to copy and redistribute it,
with or without modifying it, either commercially or noncommercially.
Secondarily, this License preserves for the author and publisher a way
to get credit for their work, while not being considered responsible
for modifications made by others.

This License is a kind of ``copyleft'', which means that derivative
works of the document must themselves be free in the same sense. It
complements the GNU General Public License, which is a copyleft
license designed for free software.

We have designed this License in order to use it for manuals for free
software, because free software needs free documentation: a free
program should come with manuals providing the same freedoms that the
software does. But this License is not limited to software manuals;
it can be used for any textual work, regardless of subject matter or
whether it is published as a printed book. We recommend this License
principally for works whose purpose is instruction or reference.

@item
APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that
contains a notice placed by the copyright holder saying it can be
distributed under the terms of this License. Such a notice grants a
world-wide, royalty-free license, unlimited in duration, to use that
work under the conditions stated herein. The ``Document'', below,
refers to any such manual or work. Any member of the public is a
licensee, and is addressed as ``you''. You accept the license if you
copy, modify or distribute the work in a way requiring permission
under copyright law.

A ``Modified Version'' of the Document means any work containing the
Document or a portion of it, either copied verbatim, or with
modifications and/or translated into another language.

A ``Secondary Section'' is a named appendix or a front-matter section

of the Document that deals exclusively with the relationship of the
publishers or authors of the Document to the Document's overall
subject (or to related matters) and contains nothing that could fall
directly within that overall subject. (Thus, if the Document is in
part a textbook of mathematics, a Secondary Section may not explain
any mathematics.) The relationship could be a matter of historical
connection with the subject or with related matters, or of legal,
commercial, philosophical, ethical or political position regarding
them.

The ``Invariant Sections'' are certain Secondary Sections whose titles
are designated, as being those of Invariant Sections, in the notice
that says that the Document is released under this License. If a
section does not fit the above definition of Secondary then it is not
allowed to be designated as Invariant. The Document may contain zero
Invariant Sections. If the Document does not identify any Invariant
Sections then there are none.

The ``Cover Texts'' are certain short passages of text that are listed,
as Front-Cover Texts or Back-Cover Texts, in the notice that says that
the Document is released under this License. A Front-Cover Text may
be at most 5 words, and a Back-Cover Text may be at most 25 words.

A ``Transparent'' copy of the Document means a machine-readable copy,
represented in a format whose specification is available to the
general public, that is suitable for revising the document
straightforwardly with generic text editors or (for images composed of
pixels) generic paint programs or (for drawings) some widely available
drawing editor, and that is suitable for input to text formatters or
for automatic translation to a variety of formats suitable for input
to text formatters. A copy made in an otherwise Transparent file
format whose markup, or absence of markup, has been arranged to thwart
or discourage subsequent modification by readers is not Transparent.
An image format is not Transparent if used for any substantial amount
of text. A copy that is not ``Transparent'' is called ``Opaque''.

Examples of suitable formats for Transparent copies include plain
@sc{ascii} without markup, Texinfo input format, La@TeX{} input
format, @acronym{SGML} or @acronym{XML} using a publicly available
@acronym{DTD}, and standard-conforming simple @acronym{HTML},
PostScript or @acronym{PDF} designed for human modification. Examples
of transparent image formats include @acronym{PNG}, @acronym{XCF} and
@acronym{JPG}. Opaque formats include proprietary formats that can be
read and edited only by proprietary word processors, @acronym{SGML} or
@acronym{XML} for which the @acronym{DTD} and/or processing tools are
not generally available, and the machine-generated @acronym{HTML},
PostScript or @acronym{PDF} produced by some word processors for
output purposes only.

The ``Title Page'' means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, ``Title Page'' means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

The ``publisher'' means any person or entity that distributes copies of the Document to the public.

A section ``Entitled XYZ'' means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as ``Acknowledgements'', ``Dedications'', ``Endorsements'', or ``History''.) To ``Preserve the Title'' of such a section when you modify the Document means that it remains a section ``Entitled XYZ'' according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

@item
VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

@item
COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the

copies in covers that carry, clearly and legibly, all these Cover
Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on
the back cover. Both covers must also clearly and legibly identify
you as the publisher of these copies. The front cover must present
the full title with all words of the title equally prominent and
visible. You may add other material on the covers in addition.
Copying with changes limited to the covers, as long as they preserve
the title of the Document and satisfy these conditions, can be treated
as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit
legibly, you should put the first ones listed (as many as fit
reasonably) on the actual cover, and continue the rest onto adjacent
pages.

If you publish or distribute Opaque copies of the Document numbering
more than 100, you must either include a machine-readable Transparent
copy along with each Opaque copy, or state in or with each Opaque copy
a computer-network location from which the general network-using
public has access to download using public-standard network protocols
a complete Transparent copy of the Document, free of added material.
If you use the latter option, you must take reasonably prudent steps,
when you begin distribution of Opaque copies in quantity, to ensure
that this Transparent copy will remain thus accessible at the stated
location until at least one year after the last time you distribute an
Opaque copy (directly or through your agents or retailers) of that
edition to the public.

It is requested, but not required, that you contact the authors of the
Document well before redistributing any large number of copies, to give
them a chance to provide you with an updated version of the Document.

@item
MODIFICATIONS

You may copy and distribute a Modified Version of the Document under
the conditions of sections 2 and 3 above, provided that you release
the Modified Version under precisely this License, with the Modified
Version filling the role of the Document, thus licensing distribution
and modification of the Modified Version to whoever possesses a copy
of it. In addition, you must do these things in the Modified Version:

@enumerate A
@item
Use in the Title Page (and on the covers, if any) a title distinct
from that of the Document, and from those of previous versions
(which should, if there were any, be listed in the History section
of the Document). You may use the same title as a previous version

if the original publisher of that version gives permission.

@item
List on the Title Page, as authors, one or more persons or entities
responsible for authorship of the modifications in the Modified
Version, together with at least five of the principal authors of the
Document (all of its principal authors, if it has fewer than five),
unless they release you from this requirement.

@item
State on the Title page the name of the publisher of the
Modified Version, as the publisher.

@item
Preserve all the copyright notices of the Document.

@item
Add an appropriate copyright notice for your modifications
adjacent to the other copyright notices.

@item
Include, immediately after the copyright notices, a license notice
giving the public permission to use the Modified Version under the
terms of this License, in the form shown in the Addendum below.

@item
Preserve in that license notice the full lists of Invariant Sections
and required Cover Texts given in the Document's license notice.

@item
Include an unaltered copy of this License.

@item
Preserve the section Entitled ``History'', Preserve its Title, and add
to it an item stating at least the title, year, new authors, and
publisher of the Modified Version as given on the Title Page. If
there is no section Entitled ``History'' in the Document, create one
stating the title, year, authors, and publisher of the Document as
given on its Title Page, then add an item describing the Modified
Version as stated in the previous sentence.

@item
Preserve the network location, if any, given in the Document for
public access to a Transparent copy of the Document, and likewise
the network locations given in the Document for previous versions
it was based on. These may be placed in the ``History'' section.
You may omit a network location for a work that was published at
least four years before the Document itself, or if the original

publisher of the version it refers to gives permission.

@item
For any section Entitled ``Acknowledgements'' or ``Dedications'', Preserve
the Title of the section, and preserve in the section all the
substance and tone of each of the contributor acknowledgements and/or
dedications given therein.

@item
Preserve all the Invariant Sections of the Document,
unaltered in their text and in their titles. Section numbers
or the equivalent are not considered part of the section titles.

@item
Delete any section Entitled ``Endorsements''. Such a section
may not be included in the Modified Version.

@item
Do not retitle any existing section to be Entitled ``Endorsements'' or
to conflict in title with any Invariant Section.

@item
Preserve any Warranty Disclaimers.
@end enumerate

If the Modified Version includes new front-matter sections or
appendices that qualify as Secondary Sections and contain no material
copied from the Document, you may at your option designate some or all
of these sections as invariant. To do this, add their titles to the
list of Invariant Sections in the Modified Version's license notice.
These titles must be distinct from any other section titles.

You may add a section Entitled ``Endorsements'', provided it contains
nothing but endorsements of your Modified Version by various
parties---for example, statements of peer review or that the text has
been approved by an organization as the authoritative definition of a
standard.

You may add a passage of up to five words as a Front-Cover Text, and a
passage of up to 25 words as a Back-Cover Text, to the end of the list
of Cover Texts in the Modified Version. Only one passage of
Front-Cover Text and one of Back-Cover Text may be added by (or
through arrangements made by) any one entity. If the Document already
includes a cover text for the same cover, previously added by you or
by arrangement made by the same entity you are acting on behalf of,
you may not add another; but you may replace the old one, on explicit
permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

@item
COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled ``History'' in the various original documents, forming one section Entitled ``History''; likewise combine any sections Entitled ``Acknowledgements'', and any sections Entitled ``Dedications''. You must delete all sections Entitled ``Endorsements.''

@item
COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

@item
AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or

distribution medium, is called an ``aggregate'' if the copyright
resulting from the compilation is not used to limit the legal rights
of the compilation's users beyond what the individual works permit.
When the Document is included in an aggregate, this License does not
apply to the other works in the aggregate which are not themselves
derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these
copies of the Document, then if the Document is less than one half of
the entire aggregate, the Document's Cover Texts may be placed on
covers that bracket the Document within the aggregate, or the
electronic equivalent of covers if the Document is in electronic form.
Otherwise they must appear on printed covers that bracket the whole
aggregate.

@item
TRANSLATION

Translation is considered a kind of modification, so you may
distribute translations of the Document under the terms of section 4.
Replacing Invariant Sections with translations requires special
permission from their copyright holders, but you may include
translations of some or all Invariant Sections in addition to the
original versions of these Invariant Sections. You may include a
translation of this License, and all the license notices in the
Document, and any Warranty Disclaimers, provided that you also include
the original English version of this License and the original versions
of those notices and disclaimers. In case of a disagreement between
the translation and the original version of this License or a notice
or disclaimer, the original version will prevail.

If a section in the Document is Entitled ``Acknowledgements'',
``Dedications'', or ``History'', the requirement (section 4) to Preserve
its Title (section 1) will typically require changing the actual
title.

@item
TERMINATION

You may not copy, modify, sublicense, or distribute the Document
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense, or distribute it is void, and
will automatically terminate your rights under this License.

However, if you cease all violation of this License, then your license
from a particular copyright holder is reinstated (a) provisionally,
unless and until the copyright holder explicitly and finally
terminates your license, and (b) permanently, if the copyright holder

fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, receipt of a copy of some or all of the same material does not give you any rights to use it.

@item
FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See @uref{http://www.gnu.org/copyleft/}.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License ``or any later version'' applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation. If the Document specifies that a proxy can decide which future versions of this License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Document.

@item
RELICENSING

``Massive Multiauthor Collaboration Site'' (or ``MMC Site'') means any World Wide Web server that publishes copyrightable works and also provides prominent facilities for anybody to edit those works. A public wiki that anybody can edit is an example of such a server. A ``Massive Multiauthor Collaboration'' (or ``MMC'') contained in the site means any set of copyrightable works thus published on the MMC site.

``CC-BY-SA'' means the Creative Commons Attribution-Share Alike 3.0
license published by Creative Commons Corporation, a not-for-profit
corporation with a principal place of business in San Francisco,
California, as well as future copyleft versions of that license
published by that same organization.

``Incorporate'' means to publish or republish a Document, in whole or
in part, as part of another Document.

An MMC is ``eligible for relicensing'' if it is licensed under this
License, and if all works that were first published under this License
somewhere other than this MMC, and subsequently incorporated in whole
or in part into the MMC, (1) had no cover texts or invariant sections,
and (2) were thus incorporated prior to November 1, 2008.

The operator of an MMC Site may republish an MMC contained in the site
under CC-BY-SA on the same site at any time before August 1, 2009,
provided the MMC is eligible for relicensing.

@end enumerate

@page
@heading ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of
the License in the document and put the following copyright and
license notices just after the title page:

@smallexample
@group
 Copyright (C) @var{year} @var{your name}.
 Permission is granted to copy, distribute and/or modify this document
 under the terms of the GNU Free Documentation License, Version 1.3
 or any later version published by the Free Software Foundation;
 with no Invariant Sections, no Front-Cover Texts, and no Back-Cover
 Texts. A copy of the license is included in the section entitled ``GNU
 Free Documentation License''.
@end group
@end smallexample

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts,
replace the ``with@dots{}Texts.'' line with this:

@smallexample
@group
  with the Invariant Sections being @var{list their titles}, with
  the Front-Cover Texts being @var{list}, and with the Back-Cover Texts

```
      being @var{list}.
@end group
@end smallexample
```

If you have Invariant Sections without Cover Texts, or some other
combination of the three, merge those two alternatives to suit the
situation.

If your document contains nontrivial examples of program code, we
recommend releasing these examples in parallel under your choice of
free software license, such as the GNU General Public License,
to permit their use in free software.

```
@c Local Variables:
@c ispell-local-pdict: "ispell-dict"
@c End:
```

1.312 fasthttp 1.30.0

1.312.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-present Aliaksandr Valialkin, VertaMedia, Kirill Danshin, Erik Dubbelboer, FastHTTP Authors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated
documentation files (the "Software"), to deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit
persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the
Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,
INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A
PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN
AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
The MIT License (MIT)

Copyright (c) 2014 Max Riveiro

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.313 match 1.1.1

1.313.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 John Wright <johngeorge.wright@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.314 gogoprotobuf 1.3.1

1.314.1 Available under license :

Copyright (c) 2013, The GoGo Authors. All rights reserved.

Protocol Buffers for Go with Gadgets

Go support for Protocol Buffers - Google's data interchange format

Anton Povarov <anton.povarov@gmail.com>
Brian Goff <cpuguy83@gmail.com>
Clayton Coleman <ccoleman@redhat.com>
Denis Smirnov <denis.smirnov.91@gmail.com>
DongYun Kang <ceram1000@gmail.com>
Dwayne Schultz <dschultz@pivotal.io>
Georg Apitz <gapitz@pivotal.io>
Gustav Paul <gustav.paul@gmail.com>
Johan Brandhorst <johan.brandhorst@gmail.com>
John Shahid <jvshahid@gmail.com>
John Tuley <john@tuley.org>
Laurent <laurent@adyoulike.com>
Patrick Lee <patrick@dropbox.com>
Peter Edge <peter.edge@gmail.com>
Roger Johansson <rogeralsing@gmail.com>
Sam Nguyen <sam.nguyen@sendgrid.com>
Sergio Arbeo <serabe@gmail.com>
Stephen J Day <stephen.day@docker.com>
Tamir Duberstein <tamird@gmail.com>

Todd Eisenberger <teisenberger@dropbox.com>

Tormod Erevik Lea <tormodlea@gmail.com>

Vyacheslav Kim <kane@sendgrid.com>

Walter Schulze <awalterschulze@gmail.com>

1.315 facebookgo-inject 0.0.0-20180706035515-f23751cae28b

1.315.1 Available under license :

MIT License

Copyright (c) 2013-present, Facebook, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.316 go-uber-org-multierr 1.6.0

1.316.1 Available under license :

Copyright (c) 2017 Uber Technologies, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.317 jcmturner-gofork 1.0.0

1.317.1 Available under license :

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

 * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
 * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
 * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.318 urllib3 1.25.8

1.318.1 Available under license :

Contributions to the urllib3 project

Creator & Maintainer

* Andrey Petrov <andrey.petrov@shazow.net>

Contributors

In chronological order:

* victor.vde <http://code.google.com/u/victor.vde/>
 * HTTPS patch (which inspired HTTPSConnectionPool)

* erikcederstrand <http://code.google.com/u/erikcederstrand/>
 * NTLM-authenticated HTTPSConnectionPool
 * Basic-authenticated HTTPSConnectionPool (merged into make_headers)

* niphlod <niphlod@gmail.com>
 * Client-verified SSL certificates for HTTPSConnectionPool
 * Response gzip and deflate encoding support
 * Better unicode support for filepost using StringIO buffers

* btoconnor <brian@btoconnor.net>
 * Non-multipart encoding for POST requests

* p.dobrogost <http://code.google.com/u/@WBRSRlBZDhBFXQB6/>
 * Code review, PEP8 compliance, benchmark fix

* kennethreitz <me@kennethreitz.com>
 * Bugfixes, suggestions, Requests integration

* georgemarshall <https://github.com/georgemarshall>
 * Bugfixes, Improvements and Test coverage

* Thomas Kluyver <thomas@kluyver.me.uk>
 * Python 3 support

* brandon-rhodes <http://rhodesmill.org/brandon>
 * Design review, bugfixes, test coverage.

* studer <theo.studer@gmail.com>
 * IPv6 url support and test coverage

* Shivaram Lingamneni <slingamn@cs.stanford.edu>
 * Support for explicitly closing pooled connections

* hartator <hartator@gmail.com>
 * Corrected multipart behavior for params

* Thomas Weischuh <thomas@t-8ch.de>

* Support for TLS SNI
* API unification of ssl_version/cert_reqs
* SSL fingerprint and alternative hostname verification
* Bugfixes in testsuite

* Sune Kirkeby <mig@ibofobi.dk>
* Optional SNI-support for Python 2 via PyOpenSSL.

* Marc Schlaich <marc.schlaich@gmail.com>
* Various bugfixes and test improvements.

* Bryce Boe <bbzbryce@gmail.com>
* Correct six.moves conflict
* Fixed pickle support of some exceptions

* Boris Figovsky <boris.figovsky@ravellosystems.com>
* Allowed to skip SSL hostname verification

* Cory Benfield <https://lukasa.co.uk/about/>
* Stream method for Response objects.
* Return native strings in header values.
* Generate 'Host' header when using proxies.

* Jason Robinson <jaywink@basshero.org>
* Add missing WrappedSocket.fileno method in PyOpenSSL

* Audrius Butkevicius <audrius.butkevicius@elastichosts.com>
* Fixed a race condition

* Stanislav Vitkovskiy <stas.vitkovsky@gmail.com>
* Added HTTPS (CONNECT) proxy support

* Stephen Holsapple <sholsapp@gmail.com>
* Added abstraction for granular control of request fields

* Martin von Gagern <Martin.vGagern@gmx.net>
* Support for non-ASCII header parameters

* Kevin Burke <kev@inburke.com> and Pavel Kirichenko <juanych@yandex-team.ru>
* Support for separate connect and request timeouts

* Peter Waller <p@pwaller.net>
* HTTPResponse.tell() for determining amount received over the wire

* Nipunn Koorapati <nipunn1313@gmail.com>
* Ignore default ports when comparing hosts for equality

* Danilo @dbrgn <https://dbrgn.ch/>

* Disabled TLS compression by default on Python 3.2+
* Disabled TLS compression in pyopenssl contrib module
* Configurable cipher suites in pyopenssl contrib module

* Roman Bogorodskiy <roman.bogorodskiy@ericsson.com>
 * Account retries on proxy errors

* Nicolas Delaby <nicolas.delaby@ezeep.com>
 * Use the platform-specific CA certificate locations

* Josh Schneier <https://github.com/jschneier>
 * HTTPHeaderDict and associated tests and docs
 * Bugfixes, docs, test coverage

* Tahia Khan <http://tahia.tk/>
 * Added Timeout examples in docs

* Arthur Grunseid <https://grunseid.com>
 * source_address support and tests (with https://github.com/bui)

* Ian Cordasco <graffatcolmingov@gmail.com>
 * PEP8 Compliance and Linting
 * Add ability to pass socket options to an HTTP Connection

* Erik Tollerud <erik.tollerud@gmail.com>
 * Support for standard library io module.

* Krishna Prasad <kprasad.iitd@gmail.com>
 * Google App Engine documentation

* Aaron Meurer <asmeurer@gmail.com>
 * Added Url.url, which unparses a Url

* Evgeny Kapun <abacabadabacaba@gmail.com>
 * Bugfixes

* Benjamen Meyer <bm_witness@yahoo.com>
 * Security Warning Documentation update for proper capture

* Shivan Sornarajah <github@sornars.com>
 * Support for using ConnectionPool and PoolManager as context managers.

* Alex Gaynor <alex.gaynor@gmail.com>
 * Updates to the default SSL configuration

* Tomas Tomecek <ttomecek@redhat.com>
 * Implemented generator for getting chunks from chunked responses.

* tlynn <https://github.com/tlynn>
 * Respect the warning preferences at import.

* David D. Riddle <ddriddle@illinois.edu>
 * IPv6 bugfixes in testsuite

* Thea Flowers <magicalgirl@google.com>
 * App Engine environment tests.
 * Documentation re-write.

* John Krauss <https://github.com/talos>
 * Clues to debugging problems with `cryptography` dependency in docs

* Disassem <https://github.com/Disassem>
 * Fix pool-default headers not applying for url-encoded requests like GET.

* James Atherfold <jlatherfold@hotmail.com>
 * Bugfixes relating to cleanup of connections during errors.

* Christian Pedersen <https://github.com/chripede>
 * IPv6 HTTPS proxy bugfix

* Jordan Moldow <https://github.com/jmoldow>
 * Fix low-level exceptions leaking from ``HTTPResponse.stream()``.
 * Bugfix for ``ConnectionPool.urlopen(release_conn=False)``.
 * Creation of ``HTTPConnectionPool.ResponseCls``.

* Predrag Gruevski <https://github.com/obi1kenobi>
 * Made cert digest comparison use a constant-time algorithm.

* Adam Talsma <https://github.com/a-tal>
 * Bugfix to ca_cert file paths.

* Evan Meagher <https://evanmeagher.net>
 * Bugfix related to `memoryview` usage in PyOpenSSL adapter

* John Vandenberg <jayvdb@gmail.com>
 * Python 2.6 fixes; pyflakes and pep8 compliance

* Andy Caldwell <andy.m.caldwell@googlemail.com>
 * Bugfix related to reusing connections in indeterminate states.

* Ville Skytt <ville.skytta@iki.fi>
 * Logging efficiency improvements, spelling fixes, Travis config.

* Shige Takeda <smtakeda@gmail.com>
 * Started Recipes documentation and added a recipe about handling concatenated gzip data in HTTP response

* Jess Shapiro <jesse@jesseshapiro.net>
 * Various character-encoding fixes/tweaks
 * Disabling IPv6 DNS when IPv6 connections not supported

* David Foster <http://dafoster.net/>
 * Ensure order of request and response headers are preserved.

* Jeremy Cline <jeremy@jcline.org>
 * Added connection pool keys by scheme

* Aviv Palivoda <palaviv@gmail.com>
 * History list to Retry object.
 * HTTPResponse contains the last Retry object.

* Nate Prewitt <nate.prewitt@gmail.com>
 * Ensure timeouts are not booleans and greater than zero.
 * Fixed infinite loop in ``stream`` when amt=None.
 * Added length_remaining to determine remaining data to be read.
 * Added enforce_content_length to raise exception when incorrect content-length received.

* Seth Michael Larson <sethmichaellarson@protonmail.com>
 * Created selectors backport that supports PEP 475.

* Alexandre Dias <alex.dias@smarkets.com>
 * Don't retry on timeout if method not in whitelist

* Moinuddin Quadri <moin18@gmail.com>
 * Lazily load idna package

* Tom White <s6yg1ez3@mail2tor.com>
 * Made SOCKS handler differentiate socks5h from socks5 and socks4a from socks4.

* Tim Burke <tim.burke@gmail.com>
 * Stop buffering entire deflate-encoded responses.

* Tuukka Mustonen <tuukka.mustonen@gmail.com>
 * Add counter for status_forcelist retries.

* Erik Rose <erik@mozilla.com>
 * Bugfix to pyopenssl vendoring

* Wolfgang Richter <wolfgang.richter@gmail.com>
 * Bugfix related to loading full certificate chains with PyOpenSSL backend.

* Mike Miller <github@mikeage.net>
 * Logging improvements to include the HTTP(S) port when opening a new connection

* Ioannis Tziakos <mail@itziakos.gr>

* Fix ``util.selectors._fileobj_to_fd`` to accept ``long``.
* Update appveyor tox setup to use the 64bit python.

* Akamai (through Jess Shapiro) <jshapiro@akamai.com>
 * Ongoing maintenance; 2017-2018

* Dominique Leuenberger <dimstar@opensuse.org>
 * Minor fixes in the test suite

* Will Bond <will@wbond.net>
 * Add Python 2.6 support to ``contrib.securetransport``

* Aleksei Alekseev <alekseev.yeskela@gmail.com>
 * using auth info for socks proxy

* Chris Wilcox <git@crwilcox.com>
 * Improve contribution guide
 * Add ``HTTPResponse.geturl`` method to provide ``urllib2.urlopen().geturl()`` behavior

* Bruce Merry <https://www.brucemerry.org.za>
 * Fix leaking exceptions when system calls are interrupted with zero timeout

* Hugo van Kemenade <https://github.com/hugovk>
 * Drop support for EOL Python 2.6

* Tim Bell <https://github.com/timb07>
 * Bugfix for responses with Content-Type: message/* logging warnings

* Justin Bramley <https://github.com/jbramleycl>
 * Add ability to handle multiple Content-Encodings

* Katsuhiko YOSHIDA <https://github.com/kyoshidajp>
 * Remove Authorization header regardless of case when redirecting to cross-site

* James Meickle <https://permadeath.com/>
 * Improve handling of Retry-After header

* Chris Jerdonek <chris.jerdonek@gmail.com>
 * Remove a spurious TypeError from the exception chain inside
   HTTPConnectionPool._make_request(), also for BaseExceptions.

* [Your name or handle] <[email or website]>
 * [Brief summary of your changes]
MIT License

Copyright (c) 2008-2019 Andrey Petrov and contributors (see CONTRIBUTORS.txt)

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.319 charset-normalizer 2.0.7

1.319.1 Available under license :

MIT License

Copyright (c) 2019 TAHRI Ahmed R.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.320 python-pip 20.0.2

1.320.1 Available under license :

all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.
Copyright (C) 2016 Jason R Coombs <jaraco@jaraco.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
This is the MIT license

Copyright (c) 2010 ActiveState Software Inc.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,

TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2010-2020 Benjamin Peterson

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of
the Software, and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER
IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

                GNU LESSER GENERAL PUBLIC LICENSE
                    Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
    51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

            Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

 This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

 When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that

you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

 To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

 For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

 We protect your rights with a two-step method: (1) we copyright the
library, and (2) we offer you this license, which gives you legal
permission to copy, distribute and/or modify the library.

 To protect each distributor, we want to make it very clear that
there is no warranty for the free library. Also, if the library is
modified by someone else and passed on, the recipients should know
that what they have is not the original version, so that the original
author's reputation will not be affected by problems that might be
introduced by others.

 Finally, software patents pose a constant threat to the existence of
any free program. We wish to make sure that a company cannot
effectively restrict the users of a free program by obtaining a
restrictive license from a patent holder. Therefore, we insist that
any patent license obtained for a version of the library must be
consistent with the full freedom of use specified in this license.

 Most GNU software, including some libraries, is covered by the
ordinary GNU General Public License. This license, the GNU Lesser
General Public License, applies to certain designated libraries, and
is quite different from the ordinary General Public License. We use
this license for certain libraries in order to permit linking those
libraries into non-free programs.

 When a program is linked with a library, whether statically or using
a shared library, the combination of the two is legally speaking a
combined work, a derivative of the original library. The ordinary
General Public License therefore permits such linking only if the

entire combination fits its criteria of freedom. The Lesser General
Public License permits more lax criteria for linking other code with
the library.

 We call this license the "Lesser" General Public License because it
does Less to protect the user's freedom than the ordinary General
Public License. It also provides other free software developers Less
of an advantage over competing non-free programs. These disadvantages
are the reason we use the ordinary General Public License for many
libraries. However, the Lesser license provides advantages in certain
special circumstances.

 For example, on rare occasions, there may be a special need to
encourage the widest possible use of a certain library, so that it becomes
a de-facto standard. To achieve this, non-free programs must be
allowed to use the library. A more frequent case is that a free
library does the same job as widely used non-free libraries. In this
case, there is little to gain by limiting the free library to free
software only, so we use the Lesser General Public License.

 In other cases, permission to use a particular library in non-free
programs enables a greater number of people to use a large body of
free software. For example, permission to use the GNU C Library in
non-free programs enables many more people to use the whole GNU
operating system, as well as its variant, the GNU/Linux operating
system.

 Although the Lesser General Public License is Less protective of the
users' freedom, it does ensure that the user of a program that is
linked with the Library has the freedom and the wherewithal to run
that program using a modified version of the Library.

 The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, whereas the latter must
be combined with the library in order to run.

  GNU LESSER GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License Agreement applies to any software library or other
program which contains a notice placed by the copyright holder or
other authorized party saying it may be distributed under the terms of
this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

 A "library" means a collection of software functions and/or data

prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

  a) The modified work must itself be a software library.

  b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

  c) You must cause the whole of the work to be licensed at no

charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a
table of data to be supplied by an application program that uses
the facility, other than as an argument passed when the facility
is invoked, then you must make a good faith effort to ensure that,
in the event an application does not supply such function or
table, the facility still operates, and performs whatever part of
its purpose remains meaningful.

(For example, a function in a library to compute square roots has
a purpose that is entirely well-defined independent of the
application. Therefore, Subsection 2d requires that any
application-supplied function or table used by this function must
be optional: if the application does not supply it, the square
root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Library,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

 Once this change is made in a given copy, it is irreversible for

that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

 4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

 5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

 However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

 When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

 If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

 Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6,

whether or not they are linked directly with the Library itself.

  6. As an exception to the Sections above, you may also combine or
link a "work that uses the Library" with the Library to produce a
work containing portions of the Library, and distribute that work
under terms of your choice, provided that the terms permit
modification of the work for the customer's own use and reverse
engineering for debugging such modifications.

  You must give prominent notice with each copy of the work that the
Library is used in it and that the Library and its use are covered by
this License. You must supply a copy of this License. If the work
during execution displays copyright notices, you must include the
copyright notice for the Library among them, as well as a reference
directing the user to the copy of this License. Also, you must do one
of these things:

  a) Accompany the work with the complete corresponding
  machine-readable source code for the Library including whatever
  changes were used in the work (which must be distributed under
  Sections 1 and 2 above); and, if the work is an executable linked
  with the Library, with the complete machine-readable "work that
  uses the Library", as object code and/or source code, so that the
  user can modify the Library and then relink to produce a modified
  executable containing the modified Library. (It is understood
  that the user who changes the contents of definitions files in the
  Library will not necessarily be able to recompile the application
  to use the modified definitions.)

  b) Use a suitable shared library mechanism for linking with the
  Library. A suitable mechanism is one that (1) uses at run time a
  copy of the library already present on the user's computer system,
  rather than copying library functions into the executable, and (2)
  will operate properly with a modified version of the library, if
  the user installs one, as long as the modified version is
  interface-compatible with the version that the work was made with.

  c) Accompany the work with a written offer, valid for at
  least three years, to give the same user the materials
  specified in Subsection 6a, above, for a charge no more
  than the cost of performing this distribution.

  d) If distribution of the work is made by offering access to copy
  from a designated place, offer equivalent access to copy the above
  specified materials from the same place.

  e) Verify that the user has already received a copy of these
  materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE
LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE
LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING
RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A
FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF
SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest
possible use to the public, we recommend making it free software that
everyone can redistribute and change. You can do so by permitting
redistribution under these terms (or, alternatively, under the terms of the
ordinary General Public License).

 To apply these terms, attach the following notices to the library. It is
safest to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

  <one line to give the library's name and a brief idea of what it does.>
  Copyright (C) <year> <name of author>

  This library is free software; you can redistribute it and/or
  modify it under the terms of the GNU Lesser General Public
  License as published by the Free Software Foundation; either
  version 2.1 of the License, or (at your option) any later version.

  This library is distributed in the hope that it will be useful,
  but WITHOUT ANY WARRANTY; without even the implied warranty of
  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
  Lesser General Public License for more details.

  You should have received a copy of the GNU Lesser General Public
  License along with this library; if not, write to the Free Software
  Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the
 library `Frob' (a library for tweaking knobs) written by James Random Hacker.

 <signature of Ty Coon>, 1 April 1990
 Ty Coon, President of Vice

That's all there is to it!
No-notice MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is
furnished to do so.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
 list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice,
 this list of conditions and the following disclaimer in the documentation
 and/or other materials provided with the distribution.

* Neither the name of the copyright holders, nor those of its contributors
 may be used to endorse or promote products derived from this software without
 specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

   "License" shall mean the terms and conditions for use, reproduction,
   and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS
This software is made available under the terms of *either* of the licenses
found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made
under the terms of *both* these licenses.
Pylons Project Contributor Agreement
====================================

The submitter agrees by adding his or her name within the section below named
"Contributors" and submitting the resulting modified document to the
canonical shared repository location for this software project (whether
directly, as a user with "direct commit access", or via a "pull request"), he
or she is signing a contract electronically. The submitter becomes a
Contributor after a) he or she signs this document by adding their name
beneath the "Contributors" section below, and b) the resulting document is
accepted into the canonical version control repository.

Treatment of Account

Contributor will not allow anyone other than the Contributor to use his or
her username or source repository login to submit code to a Pylons Project
source repository. Should Contributor become aware of any such use,
Contributor will immediately by notifying Agendaless Consulting.
Notification must be performed by sending an email to
webmaster@agendaless.com. Until such notice is received, Contributor will be
presumed to have taken all actions made through Contributor's account. If the
Contributor has direct commit access, Agendaless Consulting will have

complete control and discretion over capabilities assigned to Contributor's
account, and may disable Contributor's account for any reason at any time.

Legal Effect of Contribution

Upon submitting a change or new work to a Pylons Project source Repository (a
"Contribution"), you agree to assign, and hereby do assign, a one-half
interest of all right, title and interest in and to copyright and other
intellectual property rights with respect to your new and original portions
of the Contribution to Agendaless Consulting. You and Agendaless Consulting
each agree that the other shall be free to exercise any and all exclusive
rights in and to the Contribution, without accounting to one another,
including without limitation, the right to license the Contribution to others
under the Repoze Public License. This agreement shall run with title to the
Contribution. Agendaless Consulting does not convey to you any right, title
or interest in or to the Program or such portions of the Contribution that
were taken from the Program. Your transmission of a submission to the Pylons
Project source Repository and marks of identification concerning the
Contribution itself constitute your intent to contribute and your assignment
of the work in accordance with the provisions of this Agreement.

License Terms

Code committed to the Pylons Project source repository (Committed Code) must
be governed by the Repoze Public License (http://repoze.org/LICENSE.txt, aka
"the RPL") or another license acceptable to Agendaless Consulting. Until
Agendaless Consulting declares in writing an acceptable license other than
the RPL, only the RPL shall be used. A list of exceptions is detailed within
the "Licensing Exceptions" section of this document, if one exists.

Representations, Warranty, and Indemnification

Contributor represents and warrants that the Committed Code does not violate
the rights of any person or entity, and that the Contributor has legal
authority to enter into this Agreement and legal authority over Contributed
Code. Further, Contributor indemnifies Agendaless Consulting against
violations.

Cryptography

Contributor understands that cryptographic code may be subject to government
regulations with which Agendaless Consulting and/or entities using Committed
Code must comply. Any code which contains any of the items listed below must
not be checked-in until Agendaless Consulting staff has been notified and has

approved such contribution in writing.

- Cryptographic capabilities or features

- Calls to cryptographic features

- User interface elements which provide context relating to cryptography

- Code which may, under casual inspection, appear to be cryptographic.

Notices

Contributor confirms that any notices required will be included in any
Committed Code.

Licensing Exceptions
====================

None.

List of Contributors
====================

The below-signed are contributors to a code repository that is part of the
project named "Translationstring". Each below-signed contributor has read,
understands and agrees to the terms above in the section within this document
entitled "Pylons Project Contributor Agreement" as of the date beside his or
her name.

Contributors

- Chris McDonough, 2011/02/16
- Wichert Akkerman, 2012/02/02
Copyright (c) 2012 by Simon Sapin.

Some rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
    notice, this list of conditions and the following disclaimer.

  * Redistributions in binary form must reproduce the above
    copyright notice, this list of conditions and the following

disclaimer in the documentation and/or other materials provided
with the distribution.

* The names of the contributors may not be used to endorse or
promote products derived from this software without specific
prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

A. HISTORY OF THE SOFTWARE
==========================

contextlib2 is a derivative of the contextlib module distributed by the PSF
as part of the Python standard library. According, it is itself redistributed
under the PSF license (reproduced in full below). As the contextlib module
was added only in Python 2.5, the licenses for earlier Python versions are
not applicable and have not been included.

Python was created in the early 1990s by Guido van Rossum at Stichting
Mathematisch Centrum (CWI, see http://www.cwi.nl) in the Netherlands
as a successor of a language called ABC. Guido remains Python's
principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for
National Research Initiatives (CNRI, see http://www.cnri.reston.va.us)
in Reston, Virginia where he released several versions of the
software.

In May 2000, Guido and the Python core development team moved to
BeOpen.com to form the BeOpen PythonLabs team. In October of the same
year, the PythonLabs team moved to Digital Creations (now Zope
Corporation, see http://www.zope.com). In 2001, the Python Software
Foundation (PSF, see http://www.python.org/psf/) was formed, a
non-profit organization created specifically to own Python-related
Intellectual Property. Zope Corporation is a sponsoring member of
the PSF.

All Python releases are Open Source (see http://www.opensource.org for
the Open Source Definition). Historically, most, but not all, Python
releases have also been GPL-compatible; the table below summarizes
the various releases that included the contextlib module.

Release	Derived from	Year	Owner	GPL-compatible? (1)
2.5	2.4	2006	PSF	yes
2.5.1	2.5	2007	PSF	yes
2.5.2	2.5.1	2008	PSF	yes
2.5.3	2.5.2	2008	PSF	yes
2.6	2.5	2008	PSF	yes
2.6.1	2.6	2008	PSF	yes
2.6.2	2.6.1	2009	PSF	yes
2.6.3	2.6.2	2009	PSF	yes
2.6.4	2.6.3	2009	PSF	yes
2.6.5	2.6.4	2010	PSF	yes
3.0	2.6	2008	PSF	yes
3.0.1	3.0	2009	PSF	yes
3.1	3.0.1	2009	PSF	yes
3.1.1	3.1	2009	PSF	yes
3.1.2	3.1.1	2010	PSF	yes
3.1.3	3.1.2	2010	PSF	yes
3.1.4	3.1.3	2011	PSF	yes
3.2	3.1	2011	PSF	yes
3.2.1	3.2	2011	PSF	yes
3.2.2	3.2.1	2011	PSF	yes
3.3	3.2	2012	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under
    the GPL. All Python licenses, unlike the GPL, let you distribute
    a modified version without making your changes open source. The
    GPL-compatible licenses make it possible to combine Python with
    other software that is released under the GPL; the others don't.

Thanks to the many outside volunteers who have worked under Guido's
direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON
===

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2
----

1. This LICENSE AGREEMENT is between the Python Software Foundation
("PSF"), and the Individual or Organization ("Licensee") accessing and
otherwise using this software ("Python") in source or binary form and
its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby
grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce,
analyze, test, perform and/or display publicly, prepare derivative works,
distribute, and otherwise use Python alone or in any derivative version,
provided, however, that PSF's License Agreement and PSF's notice of copyright,
i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010,
2011 Python Software Foundation; All Rights Reserved" are retained in Python
alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on
or incorporates Python or any part thereof, and wants to make
the derivative work available to others as provided herein, then
Licensee hereby agrees to include in any such work a brief summary of
the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS"
basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON
FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS
A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON,
OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material
breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any
relationship of agency, partnership, or joint venture between PSF and
Licensee. This License Agreement does not grant permission to use PSF
trademarks or trade name in a trademark sense to endorse or promote
products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee
agrees to be bound by the terms and conditions of this License
Agreement.
A. HISTORY OF THE SOFTWARE
==========================

Python was created in the early 1990s by Guido van Rossum at Stichting

Mathematisch Centrum (CWI, see http://www.cwi.nl) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see http://www.cnri.reston.va.us) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations (now Zope Corporation, see http://www.zope.com). In 2001, the Python Software Foundation (PSF, see http://www.python.org/psf/) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation is a sponsoring member of the PSF.

All Python releases are Open Source (see http://www.opensource.org for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.2	2.1.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2.1	2.2	2002	PSF	yes
2.2.2	2.2.1	2002	PSF	yes
2.2.3	2.2.2	2003	PSF	yes
2.3	2.2.2	2002-2003	PSF	yes
2.3.1	2.3	2002-2003	PSF	yes
2.3.2	2.3.1	2002-2003	PSF	yes
2.3.3	2.3.2	2002-2003	PSF	yes
2.3.4	2.3.3	2004	PSF	yes
2.3.5	2.3.4	2005	PSF	yes
2.4	2.3	2004	PSF	yes
2.4.1	2.4	2005	PSF	yes

2.4.2	2.4.1	2005	PSF	yes
2.4.3	2.4.2	2006	PSF	yes
2.4.4	2.4.3	2006	PSF	yes
2.5	2.4	2006	PSF	yes
2.5.1	2.5	2007	PSF	yes
2.5.2	2.5.1	2008	PSF	yes
2.5.3	2.5.2	2008	PSF	yes
2.6	2.5	2008	PSF	yes
2.6.1	2.6	2008	PSF	yes
2.6.2	2.6.1	2009	PSF	yes
2.6.3	2.6.2	2009	PSF	yes
2.6.4	2.6.3	2009	PSF	yes
2.6.5	2.6.4	2010	PSF	yes
2.7	2.6	2010	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under
   the GPL. All Python licenses, unlike the GPL, let you distribute
   a modified version without making your changes open source. The
   GPL-compatible licenses make it possible to combine Python with
   other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible,
   because its license has a choice of law clause. According to
   CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1
   is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's
direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON
===

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2
----

1. This LICENSE AGREEMENT is between the Python Software Foundation
("PSF"), and the Individual or Organization ("Licensee") accessing and
otherwise using this software ("Python") in source or binary form and
its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby
grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce,
analyze, test, perform and/or display publicly, prepare derivative works,
distribute, and otherwise use Python alone or in any derivative version,
provided, however, that PSF's License Agreement and PSF's notice of copyright,

i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010
Python Software Foundation; All Rights Reserved" are retained in Python alone or
in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on
or incorporates Python or any part thereof, and wants to make
the derivative work available to others as provided herein, then
Licensee hereby agrees to include in any such work a brief summary of
the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS"
basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON
FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS
A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON,
OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material
breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any
relationship of agency, partnership, or joint venture between PSF and
Licensee. This License Agreement does not grant permission to use PSF
trademarks or trade name in a trademark sense to endorse or promote
products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee
agrees to be bound by the terms and conditions of this License
Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an
office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the
Individual or Organization ("Licensee") accessing and otherwise using
this software in source or binary form and its associated
documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License

Agreement, BeOpen hereby grants Licensee a non-exclusive,
royalty-free, world-wide license to reproduce, analyze, test, perform
and/or display publicly, prepare derivative works, distribute, and
otherwise use the Software alone or in any derivative version,
provided, however, that the BeOpen Python License is retained in the
Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS"
basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE
SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS
AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY
DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material
breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all
respects by the law of the State of California, excluding conflict of
law provisions. Nothing in this License Agreement shall be deemed to
create any relationship of agency, partnership, or joint venture
between BeOpen and Licensee. This License Agreement does not grant
permission to use BeOpen trademarks or trade names in a trademark
sense to endorse or promote products or services of Licensee, or any
third party. As an exception, the "BeOpen Python" logos available at
http://www.pythonlabs.com/logos.html may be used according to the
permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee
agrees to be bound by the terms and conditions of this License
Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1
----

1. This LICENSE AGREEMENT is between the Corporation for National
Research Initiatives, having an office at 1895 Preston White Drive,
Reston, VA 20191 ("CNRI"), and the Individual or Organization
("Licensee") accessing and otherwise using Python 1.6.1 software in
source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI

hereby grants Licensee a nonexclusive, royalty-free, world-wide
license to reproduce, analyze, test, perform and/or display publicly,
prepare derivative works, distribute, and otherwise use Python 1.6.1
alone or in any derivative version, provided, however, that CNRI's
License Agreement and CNRI's notice of copyright, i.e., "Copyright (c)
1995-2001 Corporation for National Research Initiatives; All Rights
Reserved" are retained in Python 1.6.1 alone or in any derivative
version prepared by Licensee. Alternately, in lieu of CNRI's License
Agreement, Licensee may substitute the following text (omitting the
quotes): "Python 1.6.1 is made available subject to the terms and
conditions in CNRI's License Agreement. This Agreement together with
Python 1.6.1 may be located on the Internet using the following
unique, persistent identifier (known as a handle): 1895.22/1013. This
Agreement may also be obtained from a proxy server on the Internet
using the following URL: http://hdl.handle.net/1895.22/1013".

3. In the event Licensee prepares a derivative work that is based on
or incorporates Python 1.6.1 or any part thereof, and wants to make
the derivative work available to others as provided herein, then
Licensee hereby agrees to include in any such work a brief summary of
the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS"
basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON
1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS
A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1,
OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material
breach of its terms and conditions.

7. This License Agreement shall be governed by the federal
intellectual property law of the United States, including without
limitation the federal copyright law, and, to the extent such
U.S. federal law does not apply, by the law of the Commonwealth of
Virginia, excluding Virginia's conflict of law provisions.
Notwithstanding the foregoing, with regard to derivative works based
on Python 1.6.1 that incorporate non-separable material that was
previously distributed under the GNU General Public License (GPL), the
law of the Commonwealth of Virginia shall govern this License
Agreement only as to issues arising under or with respect to
Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this

License Agreement shall be deemed to create any relationship of
agency, partnership, or joint venture between CNRI and Licensee. This
License Agreement does not grant permission to use CNRI trademarks or
trade name in a trademark sense to endorse or promote products or
services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying,
installing or otherwise using Python 1.6.1, Licensee agrees to be
bound by the terms and conditions of this License Agreement.

   ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam,
The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the name of Stichting Mathematisch
Centrum or CWI not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior
permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE
FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
Apache License
                  Version 2.0, January 2004
            http://www.apache.org/licenses/

 TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

 1. Definitions.

   "License" shall mean the terms and conditions for use, reproduction,
   and distribution as defined by Sections 1 through 9 of this document.

   "Licensor" shall mean the copyright owner or entity authorized by
   the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,

incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "{}"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Copyright (C) 2008-2011 INADA Naoki <songofacandy@gmail.com>

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

A. HISTORY OF THE SOFTWARE
==========================

Python was created in the early 1990s by Guido van Rossum at Stichting
Mathematisch Centrum (CWI, see http://www.cwi.nl) in the Netherlands
as a successor of a language called ABC. Guido remains Python's
principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for
National Research Initiatives (CNRI, see http://www.cnri.reston.va.us)
in Reston, Virginia where he released several versions of the
software.

In May 2000, Guido and the Python core development team moved to
BeOpen.com to form the BeOpen PythonLabs team. In October of the same
year, the PythonLabs team moved to Digital Creations (now Zope
Corporation, see http://www.zope.com). In 2001, the Python Software
Foundation (PSF, see http://www.python.org/psf/) was formed, a
non-profit organization created specifically to own Python-related
Intellectual Property. Zope Corporation is a sponsoring member of
the PSF.

All Python releases are Open Source (see http://www.opensource.org for
the Open Source Definition). Historically, most, but not all, Python
releases have also been GPL-compatible; the table below summarizes
the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.2	2.1.1	2001	PSF	yes

2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2.1	2.2	2002	PSF	yes
2.2.2	2.2.1	2002	PSF	yes
2.2.3	2.2.2	2003	PSF	yes
2.3	2.2.2	2002-2003	PSF	yes
2.3.1	2.3	2002-2003	PSF	yes
2.3.2	2.3.1	2002-2003	PSF	yes
2.3.3	2.3.2	2002-2003	PSF	yes
2.3.4	2.3.3	2004	PSF	yes
2.3.5	2.3.4	2005	PSF	yes
2.4	2.3	2004	PSF	yes
2.4.1	2.4	2005	PSF	yes
2.4.2	2.4.1	2005	PSF	yes
2.4.3	2.4.2	2006	PSF	yes
2.4.4	2.4.3	2006	PSF	yes
2.5	2.4	2006	PSF	yes
2.5.1	2.5	2007	PSF	yes
2.5.2	2.5.1	2008	PSF	yes
2.5.3	2.5.2	2008	PSF	yes
2.6	2.5	2008	PSF	yes
2.6.1	2.6	2008	PSF	yes
2.6.2	2.6.1	2009	PSF	yes
2.6.3	2.6.2	2009	PSF	yes
2.6.4	2.6.3	2009	PSF	yes
2.6.5	2.6.4	2010	PSF	yes
3.0	2.6	2008	PSF	yes
3.0.1	3.0	2009	PSF	yes
3.1	3.0.1	2009	PSF	yes
3.1.1	3.1	2009	PSF	yes
3.1.2	3.1	2010	PSF	yes
3.2	3.1	2010	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under
   the GPL. All Python licenses, unlike the GPL, let you distribute
   a modified version without making your changes open source. The
   GPL-compatible licenses make it possible to combine Python with
   other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible,
   because its license has a choice of law clause. According to
   CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1
   is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's
direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

===

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2
----

1. This LICENSE AGREEMENT is between the Python Software Foundation
("PSF"), and the Individual or Organization ("Licensee") accessing and
otherwise using this software ("Python") in source or binary form and
its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby
grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce,
analyze, test, perform and/or display publicly, prepare derivative works,
distribute, and otherwise use Python alone or in any derivative version,
provided, however, that PSF's License Agreement and PSF's notice of copyright,
i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010
Python Software Foundation; All Rights Reserved" are retained in Python alone or
in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on
or incorporates Python or any part thereof, and wants to make
the derivative work available to others as provided herein, then
Licensee hereby agrees to include in any such work a brief summary of
the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS"
basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON
FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS
A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON,
OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material
breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any
relationship of agency, partnership, or joint venture between PSF and
Licensee. This License Agreement does not grant permission to use PSF
trademarks or trade name in a trademark sense to endorse or promote
products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee
agrees to be bound by the terms and conditions of this License
Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an
office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the
Individual or Organization ("Licensee") accessing and otherwise using
this software in source or binary form and its associated
documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License
Agreement, BeOpen hereby grants Licensee a non-exclusive,
royalty-free, world-wide license to reproduce, analyze, test, perform
and/or display publicly, prepare derivative works, distribute, and
otherwise use the Software alone or in any derivative version,
provided, however, that the BeOpen Python License is retained in the
Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS"
basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE
SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS
AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY
DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material
breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all
respects by the law of the State of California, excluding conflict of
law provisions. Nothing in this License Agreement shall be deemed to
create any relationship of agency, partnership, or joint venture
between BeOpen and Licensee. This License Agreement does not grant
permission to use BeOpen trademarks or trade names in a trademark
sense to endorse or promote products or services of Licensee, or any
third party. As an exception, the "BeOpen Python" logos available at

http://www.pythonlabs.com/logos.html may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1
----

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: http://hdl.handle.net/1895.22/1013".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON

1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS
A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1,
OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material
breach of its terms and conditions.

7. This License Agreement shall be governed by the federal
intellectual property law of the United States, including without
limitation the federal copyright law, and, to the extent such
U.S. federal law does not apply, by the law of the Commonwealth of
Virginia, excluding Virginia's conflict of law provisions.
Notwithstanding the foregoing, with regard to derivative works based
on Python 1.6.1 that incorporate non-separable material that was
previously distributed under the GNU General Public License (GPL), the
law of the Commonwealth of Virginia shall govern this License
Agreement only as to issues arising under or with respect to
Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this
License Agreement shall be deemed to create any relationship of
agency, partnership, or joint venture between CNRI and Licensee. This
License Agreement does not grant permission to use CNRI trademarks or
trade name in a trademark sense to endorse or promote products or
services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying,
installing or otherwise using Python 1.6.1, Licensee agrees to be
bound by the terms and conditions of this License Agreement.

    ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam,
The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the name of Stichting Mathematisch
Centrum or CWI not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior
permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND

FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE
FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
Copyright 2018 Kenneth Reitz

============
Contributors
============

* Alex Grnholm
* Alice Bevan-McGregor
* Arfrever Frehtes Taifersar Arahesis
* Christophe Combelles
* Daniel Stutzbach
* Daniel Holth
* Hanno Schlichting
* Jannis Leidel
* Jason R. Coombs
* Jim Fulton
* Jonathan Lange
* Justin Azoff
* Lennart Regebro
* Marc Abramowitz
* Martin von Lwis
* Noufal Ibrahim
* Pete Hollobon
* Philip Jenvey
* Reinout van Rees
* Robert Myers
* Stefan H. Holek
* Tarek Ziad
* Toshio Kuratomi

If you think you name is missing, please add it (alpha order by first name)

MIT License

Copyright (c) 2008-2019 Andrey Petrov and contributors (see CONTRIBUTORS.txt)

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
This packge contains a modified version of ca-bundle.crt:

ca-bundle.crt -- Bundle of CA Root Certificates

Certificate data from Mozilla as of: Thu Nov 3 19:04:19 2011#
This is a bundle of X.509 certificates of public Certificate Authorities
(CA). These were automatically extracted from Mozilla's root certificates
file (certdata.txt). This file can be found in the mozilla source tree:
http://mxr.mozilla.org/mozilla/source/security/nss/lib/ckfw/builtins/certdata.txt?raw=1#
It contains the certificates in PEM format and therefore
can be directly used with curl / libcurl / php_curl, or with
an Apache+mod_ssl webserver for SSL client authentication.
Just configure this file as the SSLCACertificateFile.#

***** BEGIN LICENSE BLOCK *****
This Source Code Form is subject to the terms of the Mozilla Public License,
v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain
one at http://mozilla.org/MPL/2.0/.

***** END LICENSE BLOCK *****
@(#) $RCSfile: certdata.txt,v $ $Revision: 1.80 $ $Date: 2011/11/03 15:11:58 $
License

 A copyright notice accompanies this license document that identifies
 the copyright holders.

 Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

1. Redistributions in source code must retain the accompanying copyright notice, this list of conditions, and the following disclaimer.

2. Redistributions in binary form must reproduce the accompanying copyright notice, this list of conditions, and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Names of the copyright holders must not be used to endorse or promote products derived from this software without prior written permission from the copyright holders.

4. If any files are modified, you must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

Disclaimer

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

argparse is (c) 2006-2009 Steven J. Bethard <steven.bethard@gmail.com>.

The argparse module was contributed to Python as of Python 2.7 and thus was licensed under the Python license. Same license applies to all files in the argparse package project.

For details about the Python License, please see doc/Python-License.txt.

History

Before (and including) argparse 1.1, the argparse package was licensed under Apache License v2.0.

After argparse 1.1, all project files from the argparse project were deleted
due to license compatibility issues between Apache License 2.0 and GNU GPL v2.

The project repository then had a clean start with some files taken from
Python 2.7.1, so definitely all files are under Python License now.
Copyright (c) 2006-2013 James Graham and other contributors

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Copyright 2015 Eric Larson

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied.

See the License for the specific language governing permissions and
limitations under the License.
============
Contributors
============

* Alex Grnholm
* Alice Bevan-McGregor
* Arfrever Frehtes Taifersar Arahesis
* Christophe Combelles

* Daniel Stutzbach
* Daniel Holth
* Dirley Rodrigues
* Donald Stufft
* Grigory Petrov
* Hanno Schlichting
* Jannis Leidel
* Jason R. Coombs
* Jim Fulton
* Jonathan Lange
* Justin Azoff
* Lennart Regebro
* Marc Abramowitz
* Martin von Lwis
* Noufal Ibrahim
* Pete Hollobon
* Phillip J. Eby
* Philip Jenvey
* Philip Thiem
* Reinout van Rees
* Robert Myers
* Stefan H. Holek
* Tarek Ziad
* Toshio Kuratomi

If you think you name is missing, please add it (alpha order by first name)

CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
This package is a modified version of cpython's ipaddress module.
It is therefore distributed under the PSF license, as follows:

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2
----

1. This LICENSE AGREEMENT is between the Python Software Foundation
("PSF"), and the Individual or Organization ("Licensee") accessing and
otherwise using this software ("Python") in source or binary form and
its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby
grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce,
analyze, test, perform and/or display publicly, prepare derivative works,
distribute, and otherwise use Python alone or in any derivative version,
provided, however, that PSF's License Agreement and PSF's notice of copyright,
i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010,
2011, 2012, 2013, 2014 Python Software Foundation; All Rights Reserved" are
retained in Python alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on
or incorporates Python or any part thereof, and wants to make
the derivative work available to others as provided herein, then
Licensee hereby agrees to include in any such work a brief summary of
the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS"
basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON
FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS
A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON,
OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material
breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any
relationship of agency, partnership, or joint venture between PSF and
Licensee. This License Agreement does not grant permission to use PSF
trademarks or trade name in a trademark sense to endorse or promote

products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee
agrees to be bound by the terms and conditions of this License
Agreement.
Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Copyright (c) 2008-2019 The pip developers (see AUTHORS.txt file)

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Copyright (c) 2008-2013 The pip developers (see AUTHORS.txt file)

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including

without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License for Bundle of CA Root Certificates (pip/cacert.pem)
==

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA
02110-1301

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and
       attribution notices from the Source form of the Work,
       excluding those notices that do not pertain to any part of
       the Derivative Works; and

   (d) If the Work includes a "NOTICE" text file as part of its
       distribution, then any Derivative Works that You distribute must
       include a readable copy of the attribution notices contained
       within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,

incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.321 sqlhooks 1.3.0

1.321.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Gustavo Chan

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.322 linkedin-goavro 2.9.7

1.322.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.323 opentracing-go 1.2.0

1.323.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A

PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "{}"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright 2016 The OpenTracing Authors

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

1.324 ansible 2.10.0

1.324.1 Available under license :

This package was debianized by Henry Graham (hzgraham) <Henry.Graham@mail.wvu.edu> on
Tue, 17 Apr 2012 12:19:47 -0400.

It was downloaded from https://github.com/ansible/ansible.git

Copyright: Henry Graham (hzgraham) <Henry.Graham@mail.wvu.edu>

License:

This package is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; version 2 dated June, 1991.

This package is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this package; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301,
USA.

On Debian systems, the complete text of the GNU General
Public License can be found in `/usr/share/common-licenses/GPL'.
bugfixes:
 - "Prevent templating unused variables for {% include %} (https://github.com/ansible/ansible/issues/68699)"
PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2
----

1. This LICENSE AGREEMENT is between the Python Software Foundation
("PSF"), and the Individual or Organization ("Licensee") accessing and
otherwise using this software ("Python") in source or binary form and
its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby
grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce,
analyze, test, perform and/or display publicly, prepare derivative works,

distribute, and otherwise use Python alone or in any derivative version,
provided, however, that PSF's License Agreement and PSF's notice of copyright,
i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010,
2011, 2012, 2013, 2014, 2015, 2016, 2017 Python Software Foundation; All Rights
Reserved" are retained in Python alone or in any derivative version prepared by
Licensee.

3. In the event Licensee prepares a derivative work that is based on
or incorporates Python or any part thereof, and wants to make
the derivative work available to others as provided herein, then
Licensee hereby agrees to include in any such work a brief summary of
the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS"
basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON
FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS
A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON,
OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material
breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any
relationship of agency, partnership, or joint venture between PSF and
Licensee. This License Agreement does not grant permission to use PSF
trademarks or trade name in a trademark sense to endorse or promote
products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee
agrees to be bound by the terms and conditions of this License
Agreement.
                    GNU GENERAL PUBLIC LICENSE
                      Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

                        Preamble

 The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

 To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you have
certain responsibilities if you distribute copies of the software, or if
you modify it: responsibilities to respect the freedom of others.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must pass on to the recipients the same
freedoms that you received. You must make sure that they, too, receive
or can get the source code. And you must show them these terms so they
know their rights.

 Developers that use the GNU GPL protect your rights with two steps:
(1) assert copyright on the software, and (2) offer you this License
giving you legal permission to copy, distribute and/or modify it.

 For the developers' and authors' protection, the GPL clearly explains
that there is no warranty for this free software. For both users' and
authors' sake, the GPL requires that modified versions be marked as
changed, so that their problems will not be attributed erroneously to
authors of previous versions.

 Some devices are designed to deny users access to install or run
modified versions of the software inside them, although the manufacturer
can do so. This is fundamentally incompatible with the aim of
protecting users' freedom to change the software. The systematic
pattern of such abuse occurs in the area of products for individuals to
use, which is precisely where it is most unacceptable. Therefore, we
have designed this version of the GPL to prohibit the practice for those
products. If such problems arise substantially in other domains, we
stand ready to extend this provision to those domains in future versions
of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the

work under this License, and how to view a copy of this License. If
the interface presents a list of user commands or options, such as a
menu, a prominent item in the list meets this criterion.

 1. Source Code.

 The "source code" for a work means the preferred form of the work
for making modifications to it. "Object code" means any non-source
form of a work.

 A "Standard Interface" means an interface that either is an official
standard defined by a recognized standards body, or, in the case of
interfaces specified for a particular programming language, one that
is widely used among developers working in that language.

 The "System Libraries" of an executable work include anything, other
than the work as a whole, that (a) is included in the normal form of
packaging a Major Component, but which is not part of that Major
Component, and (b) serves only to enable use of the work with that
Major Component, or to implement a Standard Interface for which an
implementation is available to the public in source code form. A
"Major Component", in this context, means a major essential component
(kernel, window system, and so on) of the specific operating system
(if any) on which the executable work runs, or a compiler used to
produce the work, or an object code interpreter used to run it.

 The "Corresponding Source" for a work in object code form means all
the source code needed to generate, install, and (for an executable
work) run the object code and to modify the work, including scripts to
control those activities. However, it does not include the work's
System Libraries, or general-purpose tools or generally available free
programs which are used unmodified in performing those activities but
which are not part of the work. For example, Corresponding Source
includes interface definition files associated with source files for
the work, and the source code for shared libraries and dynamically
linked subprograms that the work is specifically designed to require,
such as by intimate data communication or control flow between those
subprograms and other parts of the work.

 The Corresponding Source need not include anything that users
can regenerate automatically from other parts of the Corresponding
Source.

 The Corresponding Source for a work in source code form is that
same work.

 2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

 You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

 Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

 No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

 When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

 4. Conveying Verbatim Copies.

 You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

 A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

 A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation

into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

 "Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

 If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

 The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

 Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

 7. Additional Terms.

 "Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall

be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

 When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

 Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

  a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or

  b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

  c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

  d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

  e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

  f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

 All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does

not survive such relicensing or conveying.

 If you add terms to a covered work in accord with this section, you
must place, in the relevant source files, a statement of the
additional terms that apply to those files, or a notice indicating
where to find the applicable terms.

 Additional terms, permissive or non-permissive, may be stated in the
form of a separately written license, or stated as exceptions;
the above requirements apply either way.

 8. Termination.

 You may not propagate or modify a covered work except as expressly
provided under this License. Any attempt otherwise to propagate or
modify it is void, and will automatically terminate your rights under
this License (including any patent licenses granted under the third
paragraph of section 11).

 However, if you cease all violation of this License, then your
license from a particular copyright holder is reinstated (a)
provisionally, unless and until the copyright holder explicitly and
finally terminates your license, and (b) permanently, if the copyright
holder fails to notify you of the violation by some reasonable means
prior to 60 days after the cessation.

 Moreover, your license from a particular copyright holder is
reinstated permanently if the copyright holder notifies you of the
violation by some reasonable means, this is the first time you have
received notice of violation of this License (for any work) from that
copyright holder, and you cure the violation prior to 30 days after
your receipt of the notice.

 Termination of your rights under this section does not terminate the
licenses of parties who have received copies or rights from you under
this License. If your rights have been terminated and not permanently
reinstated, you do not qualify to receive new licenses for the same
material under section 10.

 9. Acceptance Not Required for Having Copies.

 You are not required to accept this License in order to receive or
run a copy of the Program. Ancillary propagation of a covered work
occurring solely as a consequence of using peer-to-peer transmission
to receive a copy likewise does not require acceptance. However,
nothing other than this License grants you permission to propagate or
modify any covered work. These actions infringe copyright if you do
not accept this License. Therefore, by modifying or propagating a

covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically
receives a license from the original licensors, to run, modify and
propagate that work, subject to this License. You are not responsible
for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an
organization, or substantially all assets of one, or subdividing an
organization, or merging organizations. If propagation of a covered
work results from an entity transaction, each party to that
transaction who receives a copy of the work also receives whatever
licenses to the work the party's predecessor in interest had or could
give under the previous paragraph, plus a right to possession of the
Corresponding Source of the work from the predecessor in interest, if
the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the
rights granted or affirmed under this License. For example, you may
not impose a license fee, royalty, or other charge for exercise of
rights granted under this License, and you may not initiate litigation
(including a cross-claim or counterclaim in a lawsuit) alleging that
any patent claim is infringed by making, using, selling, offering for
sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this
License of the Program or a work on which the Program is based. The
work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims
owned or controlled by the contributor, whether already acquired or
hereafter acquired, that would be infringed by some manner, permitted
by this License, of making, using, or selling its contributor version,
but do not include claims that would be infringed only as a
consequence of further modification of the contributor version. For
purposes of this definition, "control" includes the right to grant
patent sublicenses in a manner consistent with the requirements of
this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free
patent license under the contributor's essential patent claims, to
make, use, sell, offer for sale, import and otherwise run, modify and
propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

 If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

 If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

 A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

 Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

 If conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot convey a
covered work so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you may
not convey it at all. For example, if you agree to terms that obligate you
to collect a royalty for further conveying from those to whom you convey
the Program, the only way you could satisfy both those terms and this
License would be to refrain entirely from conveying the Program.

 13. Use with the GNU Affero General Public License.

 Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

 14. Revised Versions of this License.

 The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

 Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

 If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

 Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

15. Disclaimer of Warranty.

 THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

 16. Limitation of Liability.

 IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE
USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD
PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES.

 17. Interpretation of Sections 15 and 16.

 If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

                    END OF TERMS AND CONDITIONS

            How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation, either version 3 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

 If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

  <program> Copyright (C) <year> <name of author>
  This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
  This is free software, and you are welcome to redistribute it
  under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

 You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

 The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<http://www.gnu.org/philosophy/why-not-lgpl.html>.
Redistribution and use in source and binary forms, with or without modification, are permitted provided that the
following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following
disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Apache License
                    Version 2.0, January 2004
                http://www.apache.org/licenses/

  TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

  1. Definitions.

    "License" shall mean the terms and conditions for use, reproduction,
    and distribution as defined by Sections 1 through 9 of this document.

    "Licensor" shall mean the copyright owner or entity authorized by
    the copyright owner that is granting the License.

    "Legal Entity" shall mean the union of the acting entity and all
    other entities that control, are controlled by, or are under common
    control with that entity. For the purposes of this definition,
    "control" means (i) the power, direct or indirect, to cause the
    direction or management of such entity, whether by contract or
    otherwise, or (ii) ownership of fifty percent (50%) or more of the
    outstanding shares, or (iii) beneficial ownership of such entity.

    "You" (or "Your") shall mean an individual or Legal Entity
    exercising permissions granted by this License.

    "Source" form shall mean the preferred form for making modifications,
    including but not limited to software source code, documentation
    source, and configuration files.

    "Object" form shall mean any form resulting from mechanical
    transformation or translation of a Source form, including but
    not limited to compiled object code, generated documentation,
    and conversions to other media types.

    "Work" shall mean the work of authorship, whether in Source or
    Object form, made available under the License, as indicated by a
    copyright notice that is included in or attached to the work
    (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and
       attribution notices from the Source form of the Work,
       excluding those notices that do not pertain to any part of
       the Derivative Works; and

   (d) If the Work includes a "NOTICE" text file as part of its
       distribution, then any Derivative Works that You distribute must
       include a readable copy of the attribution notices contained
       within such NOTICE file, excluding those notices that do not
       pertain to any part of the Derivative Works, in at least one
       of the following places: within a NOTICE text file distributed
       as part of the Derivative Works; within the Source form or
       documentation, if provided along with the Derivative Works; or,
       within a display generated by the Derivative Works, if and
       wherever such third-party notices normally appear. The contents
       of the NOTICE file are for informational purposes only and
       do not modify the License. You may add Your own attribution
       notices within Derivative Works that You distribute, alongside
       or as an addendum to the NOTICE text from the Work, provided
       that such additional attribution notices cannot be construed
       as modifying the License.

   You may add Your own copyright statement to Your modifications and
   may provide additional or different license terms and conditions
   for use, reproduction, or distribution of Your modifications, or
   for any such Derivative Works as a whole, provided Your use,
   reproduction, and distribution of the Work otherwise complies with
   the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "{}"
replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Permission is hereby granted, free of charge, to any person obtaining a copy of this software and
associated documentation files (the "Software"), to deal in the Software without restriction,
including without limitation the rights to use, copy, modify, merge, publish, distribute,
sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial
portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,
INCLUDING BUT
NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR
PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE
FOR ANY CLAIM, DAMAGES
OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.325 go-yaml 3.0.0-20200615113413-eeeca48fe776

1.325.1 Available under license :

This project is covered by two different licenses: MIT and Apache.

MIT License

The following files were ported to Go from C files of libyaml, and thus
are still covered by their original MIT license, with the additional
copyright staring in 2011 when the project was ported over:

    apic.go emitterc.go parserc.go readerc.go scannerc.go
    writerc.go yamlh.go yamlprivateh.go

Copyright (c) 2006-2010 Kirill Simonov
Copyright (c) 2006-2011 Kirill Simonov

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

Apache License

All the remaining project files are covered by the Apache license:

Copyright (c) 2011-2019 Canonical Ltd

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

    http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Copyright 2011-2016 Canonical Ltd.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.326 stack 1.8.0

1.326.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Chris Hines

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.327 spew 1.1.1

1.327.1 Available under license :

ISC License

Copyright (c) 2012-2016 Dave Collins <dave@davec.name>

Permission to use, copy, modify, and distribute this software for any
purpose with or without fee is hereby granted, provided that the above

copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.328 goprotobuf 1.5.2

1.328.1 Available under license :

Copyright (c) 2013, The GoGo Authors. All rights reserved.

Protocol Buffers for Go with Gadgets

Go support for Protocol Buffers - Google's data interchange format

Copyright 2010 The Go Authors. All rights reserved.
https://github.com/golang/protobuf

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

   * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
   * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Anton Povarov <anton.povarov@gmail.com>

Brian Goff <cpuguy83@gmail.com>

Clayton Coleman <ccoleman@redhat.com>

Denis Smirnov <denis.smirnov.91@gmail.com>

DongYun Kang <ceram1000@gmail.com>

Dwayne Schultz <dschultz@pivotal.io>

Georg Apitz <gapitz@pivotal.io>

Gustav Paul <gustav.paul@gmail.com>

Johan Brandhorst <johan.brandhorst@gmail.com>

John Shahid <jvshahid@gmail.com>

John Tuley <john@tuley.org>

Laurent <laurent@adyoulike.com>

Patrick Lee <patrick@dropbox.com>

Peter Edge <peter.edge@gmail.com>

Roger Johansson <rogeralsing@gmail.com>

Sam Nguyen <sam.nguyen@sendgrid.com>

Sergio Arbeo <serabe@gmail.com>

Stephen J Day <stephen.day@docker.com>

Tamir Duberstein <tamird@gmail.com>

Todd Eisenberger <teisenberger@dropbox.com>

Tormod Erevik Lea <tormodlea@gmail.com>

Vyacheslav Kim <kane@sendgrid.com>

Walter Schulze <awalterschulze@gmail.com>

1.329 prometheus-procfs 0.2.0

1.329.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable

copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and
       attribution notices from the Source form of the Work,
       excluding those notices that do not pertain to any part of
       the Derivative Works; and

   (d) If the Work includes a "NOTICE" text file as part of its
       distribution, then any Derivative Works that You distribute must
       include a readable copy of the attribution notices contained
       within such NOTICE file, excluding those notices that do not
       pertain to any part of the Derivative Works, in at least one
       of the following places: within a NOTICE text file distributed
       as part of the Derivative Works; within the Source form or
       documentation, if provided along with the Derivative Works; or,
       within a display generated by the Derivative Works, if and
       wherever such third-party notices normally appear. The contents
       of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
procfs provides functions to retrieve system, kernel and process
metrics from the pseudo-filesystem proc.

Copyright 2014-2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (http://soundcloud.com/).

1.330 gokrb5 8.4.2

1.330.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or
    Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
    stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
    that You distribute, all copyright, patent, trademark, and
    attribution notices from the Source form of the Work,
    excluding those notices that do not pertain to any part of
    the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
    distribution, then any Derivative Works that You distribute must
    include a readable copy of the attribution notices contained
    within such NOTICE file, excluding those notices that do not
    pertain to any part of the Derivative Works, in at least one
    of the following places: within a NOTICE text file distributed
    as part of the Derivative Works; within the Source form or
    documentation, if provided along with the Derivative Works; or,
    within a display generated by the Derivative Works, if and
    wherever such third-party notices normally appear. The contents
    of the NOTICE file are for informational purposes only and
    do not modify the License. You may add Your own attribution
    notices within Derivative Works that You distribute, alongside
    or as an addendum to the NOTICE text from the Work, provided
    that such additional attribution notices cannot be construed
    as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "{}"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

　http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.331 influxdata-line-protocol 0.0.0-20200327222509-2487e7298839

1.331.1 Available under license :

MIT License

Copyright (c) 2018 Sebastian Czoch

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.332 go-jose 2.5.1

1.332.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.333 rainycape-unidecode 0.0.0-20150907023854-cb7f23ec59be

1.333.1 Available under license :

Copyright 2014 Rainy Cape S.L. <hello@rainycape.com>

Apache License

Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "{}"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.334 libidn 2.2.0 2

1.334.1 Available under license :

Libidn2 COPYING -- Licensing information.   -*- outline -*-
Copyright (C) 2011-2016 Simon Josefsson
See the end for copying conditions.

The source code for the C library (libidn2.a or libidn.so) are
licensed under the terms of either the GNU General Public License
version 2.0 or later (see the file COPYINGv2) or the GNU Lesser
General Public License version 3.0 or later (see the file
COPYING.LESSERv3), or both in parallel as here.

The command line tool, self tests, examples, and other auxiliary
files, are licensed under the GNU General Public License version 3.0
or later.

The license of the Unicode character data files (which are parsed into
static storage in the library) are documented in COPYING.unicode.

Other files are licensed as indicated in each file.

There may be exceptions to these general rules, see each file for
precise information.

This file is free software: you can redistribute it and/or modify it
under the terms of the GNU General Public License as published by the
Free Software Foundation, either version 3 of the License, or (at your
option) any later version.

This file is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

You should have received a copy of the GNU General Public License
along with this file. If not, see <http://www.gnu.org/licenses/>.

A. Unicode Copyright.

Copyright 1991-2016 Unicode, Inc. All rights reserved.

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files solely for informational purposes and in the creation of products supporting the Unicode Standard, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the particular set of data files known as the "Unicode Character Database" can be found in the License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page. The online code charts carry specific restrictions. All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

B. Restricted Rights Legend.

Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

C. Warranties and Disclaimers.

This publication and/or website may include technical or typographical errors or other inaccuracies . Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION C.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

D. Waiver of Damages.

In no event shall Unicode or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

E. Trademarks & Logos.

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.

The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

F. Miscellaneous.

Jurisdiction and Venue. This server is operated from a location in the State of California, United States of America. Unicode makes no representation that the materials are appropriate for use in other locations. If you access this server from other locations, you are responsible for compliance with local laws. This Agreement, all use of this site and any claims and damages resulting from use of this site are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this site shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

Modification by Unicode Unicode shall have the right to modify this Agreement at any time by posting it to this site. The user may not assign any part of this Agreement without Unicodes prior written consent.

Taxes. The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicodes net income.

Severability. If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

Entire Agreement. This Agreement constitutes the entire agreement between the parties.

EXHIBIT 1
Unicode Data Files include all data files under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/, http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

Unicode Data Files do not include PDF online code charts under the
directory http://www.unicode.org/Public/.

Software includes any source code published in the Unicode Standard
or under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/,
http://www.unicode.org/cldr/data/, http://source.icu-project.org/repos/icu/, and
http://www.unicode.org/utility/trac/browser/.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.

IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public

License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

 We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

 Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

 Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

 The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion
of it, thus forming a work based on the Program, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices
  stating that you changed the files and the date of any change.

  b) You must cause any work that you distribute or publish, that in
  whole or in part contains or is derived from the Program or any
  part thereof, to be licensed as a whole at no charge to all third
  parties under the terms of this License.

  c) If the modified program normally reads commands interactively
  when run, you must cause it, when started running for such
  interactive use in the most ordinary way, to print or display an
  announcement including an appropriate copyright notice and a
  notice that there is no warranty (or else, saying that you provide
  a warranty) and that users may redistribute the program under

these conditions, and telling the user how to view a copy of this
License. (Exception: if the Program itself is interactive but
does not normally print such an announcement, your work based on
the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

  a) Accompany it with the complete corresponding machine-readable
  source code, which must be distributed under the terms of Sections
  1 and 2 above on a medium customarily used for software interchange; or,

  b) Accompany it with a written offer, valid for at least three
  years, to give any third party, for a charge no more than your
  cost of physically performing source distribution, a complete
  machine-readable copy of the corresponding source code, to be
  distributed under the terms of Sections 1 and 2 above on a medium
  customarily used for software interchange; or,

  c) Accompany it with the information you received as to the offer
  to distribute corresponding source code. (This alternative is
  allowed only for noncommercial distribution and only if you
  received the program in object code or executable form with such
  an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source

code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

 5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

 7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent

license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

 8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

 10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free

Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

 11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

 12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the program
 `Gnomovision' (which makes passes at compilers) written by James Hacker.

 <signature of Ty Coon>, 1 April 1989
 Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we

stand ready to extend this provision to those domains in future versions
of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents.
States should not allow patents to restrict development and use of
software on general-purpose computers, but in those that do, we wish to
avoid the special danger that patents applied to a free program could
make it effectively proprietary. To prevent this, the GPL assures that
patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and
modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of
works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this
License. Each licensee is addressed as "you". "Licensees" and
"recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work
in a fashion requiring copyright permission, other than the making of an
exact copy. The resulting work is called a "modified version" of the
earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based
on the Program.

To "propagate" a work means to do anything with it that, without
permission, would make you directly or secondarily liable for
infringement under applicable copyright law, except executing it on a
computer or modifying a private copy. Propagation includes copying,
distribution (with or without modification), making available to the
public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other
parties to make or receive copies. Mere interaction with a user through
a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices"
to the extent that it includes a convenient and prominently visible
feature that (1) displays an appropriate copyright notice, and (2)

tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

 All rights granted under this License are granted for the term of
copyright on the Program, and are irrevocable provided the stated
conditions are met. This License explicitly affirms your unlimited
permission to run the unmodified Program. The output from running a
covered work is covered by this License only if the output, given its
content, constitutes a covered work. This License acknowledges your
rights of fair use or other equivalent, as provided by copyright law.

 You may make, run and propagate covered works that you do not
convey, without conditions so long as your license otherwise remains
in force. You may convey covered works to others for the sole purpose
of having them make modifications exclusively for you, or provide you
with facilities for running those works, provided that you comply with
the terms of this License in conveying all material for which you do
not control copyright. Those thus making or running the covered works
for you must do so exclusively on your behalf, under your direction
and control, on terms that prohibit them from making any copies of
your copyrighted material outside their relationship with you.

 Conveying under any other circumstances is permitted solely under
the conditions stated below. Sublicensing is not allowed; section 10
makes it unnecessary.

 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

 No covered work shall be deemed part of an effective technological
measure under any applicable law fulfilling obligations under article
11 of the WIPO copyright treaty adopted on 20 December 1996, or
similar laws prohibiting or restricting circumvention of such
measures.

 When you convey a covered work, you waive any legal power to forbid
circumvention of technological measures to the extent such circumvention
is effected by exercising rights under this License with respect to
the covered work, and you disclaim any intention to limit operation or
modification of the work as a means of enforcing, against the work's
users, your or third parties' legal rights to forbid circumvention of
technological measures.

 4. Conveying Verbatim Copies.

 You may convey verbatim copies of the Program's source code as you
receive it, in any medium, provided that you conspicuously and
appropriately publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;

keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

 You may charge any price or no price for each copy that you convey,
and you may offer support or warranty protection for a fee.

 5. Conveying Modified Source Versions.

 You may convey a work based on the Program, or the modifications to
produce it from the Program, in the form of source code under the
terms of section 4, provided that you also meet all of these conditions:

  a) The work must carry prominent notices stating that you modified
  it, and giving a relevant date.

  b) The work must carry prominent notices stating that it is
  released under this License and any conditions added under section
  7. This requirement modifies the requirement in section 4 to
  "keep intact all notices".

  c) You must license the entire work, as a whole, under this
  License to anyone who comes into possession of a copy. This
  License will therefore apply, along with any applicable section 7
  additional terms, to the whole of the work, and all its parts,
  regardless of how they are packaged. This License gives no
  permission to license the work in any other way, but it does not
  invalidate such permission if you have separately received it.

  d) If the work has interactive user interfaces, each must display
  Appropriate Legal Notices; however, if the Program has interactive
  interfaces that do not display Appropriate Legal Notices, your
  work need not make them do so.

 A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

 6. Conveying Non-Source Forms.

 You may convey a covered work in object code form under the terms
of sections 4 and 5, provided that you also convey the
machine-readable Corresponding Source under the terms of this License,

in one of these ways:

  a) Convey the object code in, or embodied in, a physical product
  (including a physical distribution medium), accompanied by the
  Corresponding Source fixed on a durable physical medium
  customarily used for software interchange.

  b) Convey the object code in, or embodied in, a physical product
  (including a physical distribution medium), accompanied by a
  written offer, valid for at least three years and valid for as
  long as you offer spare parts or customer support for that product
  model, to give anyone who possesses the object code either (1) a
  copy of the Corresponding Source for all the software in the
  product that is covered by this License, on a durable physical
  medium customarily used for software interchange, for a price no
  more than your reasonable cost of physically performing this
  conveying of source, or (2) access to copy the
  Corresponding Source from a network server at no charge.

  c) Convey individual copies of the object code with a copy of the
  written offer to provide the Corresponding Source. This
  alternative is allowed only occasionally and noncommercially, and
  only if you received the object code with such an offer, in accord
  with subsection 6b.

  d) Convey the object code by offering access from a designated
  place (gratis or for a charge), and offer equivalent access to the
  Corresponding Source in the same way through the same place at no
  further charge. You need not require recipients to copy the
  Corresponding Source along with the object code. If the place to
  copy the object code is a network server, the Corresponding Source
  may be on a different server (operated by you or a third party)
  that supports equivalent copying facilities, provided you maintain
  clear directions next to the object code saying where to find the
  Corresponding Source. Regardless of what server hosts the
  Corresponding Source, you remain obligated to ensure that it is
  available for as long as needed to satisfy these requirements.

  e) Convey the object code using peer-to-peer transmission, provided
  you inform other peers where the object code and Corresponding
  Source of the work are being offered to the general public at no
  charge under subsection 6d.

  A separable portion of the object code, whose source code is excluded
from the Corresponding Source as a System Library, need not be
included in conveying the object code work.

  A "User Product" is either (1) a "consumer product", which means any

tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

 "Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

 If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

 The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

 Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

 7. Additional Terms.

 "Additional permissions" are terms that supplement the terms of this

License by making exceptions from one or more of its conditions.
Additional permissions that are applicable to the entire Program shall
be treated as though they were included in this License, to the extent
that they are valid under applicable law. If additional permissions
apply only to part of the Program, that part may be used separately
under those permissions, but the entire Program remains governed by
this License without regard to the additional permissions.

  When you convey a copy of a covered work, you may at your option
remove any additional permissions from that copy, or from any part of
it. (Additional permissions may be written to require their own
removal in certain cases when you modify the work.) You may place
additional permissions on material, added by you to a covered work,
for which you have or can give appropriate copyright permission.

  Notwithstanding any other provision of this License, for material you
add to a covered work, you may (if authorized by the copyright holders of
that material) supplement the terms of this License with terms:

    a) Disclaiming warranty or limiting liability differently from the
    terms of sections 15 and 16 of this License; or

    b) Requiring preservation of specified reasonable legal notices or
    author attributions in that material or in the Appropriate Legal
    Notices displayed by works containing it; or

    c) Prohibiting misrepresentation of the origin of that material, or
    requiring that modified versions of such material be marked in
    reasonable ways as different from the original version; or

    d) Limiting the use for publicity purposes of names of licensors or
    authors of the material; or

    e) Declining to grant rights under trademark law for use of some
    trade names, trademarks, or service marks; or

    f) Requiring indemnification of licensors and authors of that
    material by anyone who conveys the material (or modified versions of
    it) with contractual assumptions of liability to the recipient, for
    any liability that these contractual assumptions directly impose on
    those licensors and authors.

  All other non-permissive additional terms are considered "further
restrictions" within the meaning of section 10. If the Program as you
received it, or any part of it, contains a notice stating that it is
governed by this License along with a term that is a further
restriction, you may remove that term. If a license document contains
a further restriction but permits relicensing or conveying under this

License, you may add to a covered work material governed by the terms
of that license document, provided that the further restriction does
not survive such relicensing or conveying.

 If you add terms to a covered work in accord with this section, you
must place, in the relevant source files, a statement of the
additional terms that apply to those files, or a notice indicating
where to find the applicable terms.

 Additional terms, permissive or non-permissive, may be stated in the
form of a separately written license, or stated as exceptions;
the above requirements apply either way.

 8. Termination.

 You may not propagate or modify a covered work except as expressly
provided under this License. Any attempt otherwise to propagate or
modify it is void, and will automatically terminate your rights under
this License (including any patent licenses granted under the third
paragraph of section 11).

 However, if you cease all violation of this License, then your
license from a particular copyright holder is reinstated (a)
provisionally, unless and until the copyright holder explicitly and
finally terminates your license, and (b) permanently, if the copyright
holder fails to notify you of the violation by some reasonable means
prior to 60 days after the cessation.

 Moreover, your license from a particular copyright holder is
reinstated permanently if the copyright holder notifies you of the
violation by some reasonable means, this is the first time you have
received notice of violation of this License (for any work) from that
copyright holder, and you cure the violation prior to 30 days after
your receipt of the notice.

 Termination of your rights under this section does not terminate the
licenses of parties who have received copies or rights from you under
this License. If your rights have been terminated and not permanently
reinstated, you do not qualify to receive new licenses for the same
material under section 10.

 9. Acceptance Not Required for Having Copies.

 You are not required to accept this License in order to receive or
run a copy of the Program. Ancillary propagation of a covered work
occurring solely as a consequence of using peer-to-peer transmission
to receive a copy likewise does not require acceptance. However,
nothing other than this License grants you permission to propagate or

modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

 Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

 An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

 You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

 A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

 A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

 Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and

propagate the contents of its contributor version.

 In the following three paragraphs, a "patent license" is any express
agreement or commitment, however denominated, not to enforce a patent
(such as an express permission to practice a patent or covenant not to
sue for patent infringement). To "grant" such a patent license to a
party means to make such an agreement or commitment not to enforce a
patent against the party.

 If you convey a covered work, knowingly relying on a patent license,
and the Corresponding Source of the work is not available for anyone
to copy, free of charge and under the terms of this License, through a
publicly available network server or other readily accessible means,
then you must either (1) cause the Corresponding Source to be so
available, or (2) arrange to deprive yourself of the benefit of the
patent license for this particular work, or (3) arrange, in a manner
consistent with the requirements of this License, to extend the patent
license to downstream recipients. "Knowingly relying" means you have
actual knowledge that, but for the patent license, your conveying the
covered work in a country, or your recipient's use of the covered work
in a country, would infringe one or more identifiable patents in that
country that you have reason to believe are valid.

 If, pursuant to or in connection with a single transaction or
arrangement, you convey, or propagate by procuring conveyance of, a
covered work, and grant a patent license to some of the parties
receiving the covered work authorizing them to use, propagate, modify
or convey a specific copy of the covered work, then the patent license
you grant is automatically extended to all recipients of the covered
work and works based on it.

 A patent license is "discriminatory" if it does not include within
the scope of its coverage, prohibits the exercise of, or is
conditioned on the non-exercise of one or more of the rights that are
specifically granted under this License. You may not convey a covered
work if you are a party to an arrangement with a third party that is
in the business of distributing software, under which you make payment
to the third party based on the extent of your activity of conveying
the work, and under which the third party grants, to any of the
parties who would receive the covered work from you, a discriminatory
patent license (a) in connection with copies of the covered work
conveyed by you (or copies made from those copies), or (b) primarily
for and in connection with specific products or compilations that
contain the covered work, unless you entered into that arrangement,
or that patent license was granted, prior to 28 March 2007.

 Nothing in this License shall be construed as excluding or limiting
any implied license or other defenses to infringement that may

otherwise be available to you under applicable patent law.

  12. No Surrender of Others' Freedom.

  If conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot convey a
covered work so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you may
not convey it at all. For example, if you agree to terms that obligate you
to collect a royalty for further conveying from those to whom you convey
the Program, the only way you could satisfy both those terms and this
License would be to refrain entirely from conveying the Program.

  13. Use with the GNU Affero General Public License.

  Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

  14. Revised Versions of this License.

  The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

  Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

  If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

  Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any

author or copyright holder as a result of your choosing to follow a
later version.

15. Disclaimer of Warranty.

 THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

 IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE
USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD
PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

 If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

                    END OF TERMS AND CONDITIONS

            How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation, either version 3 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

 If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

  <program> Copyright (C) <year> <name of author>
  This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
  This is free software, and you are welcome to redistribute it
  under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

 You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

 The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<http://www.gnu.org/philosophy/why-not-lgpl.html>.

GNU LESSER GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

a) under this License, provided that you make a good faith effort to

ensure that, in the event an Application does not supply the
function or data, the facility still operates, and performs
whatever part of its purpose remains meaningful, or

b) under the GNU GPL, with none of the additional permissions of
this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from
a header file that is part of the Library. You may convey such object
code under terms of your choice, provided that, if the incorporated
material is not limited to numerical parameters, data structure
layouts and accessors, or small macros, inline functions and templates
(ten or fewer lines in length), you do both of the following:

a) Give prominent notice with each copy of the object code that the
Library is used in it and that the Library and its use are
covered by this License.

b) Accompany the object code with a copy of the GNU GPL and this license
document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that,
taken together, effectively do not restrict modification of the
portions of the Library contained in the Combined Work and reverse
engineering for debugging such modifications, if you also do each of
the following:

a) Give prominent notice with each copy of the Combined Work that
the Library is used in it and that the Library and its use are
covered by this License.

b) Accompany the Combined Work with a copy of the GNU GPL and this license
document.

c) For a Combined Work that displays copyright notices during
execution, include the copyright notice for the Library among
these notices, as well as a reference directing the user to the
copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this
License, and the Corresponding Application Code in a form
suitable for, and under terms that permit, the user to

recombine or relink the Application with a modified version of
the Linked Version to produce a modified Combined Work, in the
manner specified by section 6 of the GNU GPL for conveying
Corresponding Source.

1) Use a suitable shared library mechanism for linking with the
Library. A suitable mechanism is one that (a) uses at run time
a copy of the Library already present on the user's computer
system, and (b) will operate properly with a modified version
of the Library that is interface-compatible with the Linked
Version.

e) Provide Installation Information, but only if you would otherwise
be required to provide such information under section 6 of the
GNU GPL, and only to the extent that such information is
necessary to install and execute a modified version of the
Combined Work produced by recombining or relinking the
Application with a modified version of the Linked Version. (If
you use option 4d0, the Installation Information must accompany
the Minimal Corresponding Source and Corresponding Application
Code. If you use option 4d1, you must provide the Installation
Information in the manner specified by section 6 of the GNU GPL
for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the
Library side by side in a single library together with other library
facilities that are not Applications and are not covered by this
License, and convey such a combined library under terms of your
choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based
on the Library, uncombined with any other library facilities,
conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it
is a work based on the Library, and explaining where to find the
accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions
of the GNU Lesser General Public License from time to time. Such new
versions will be similar in spirit to the present version, but may
differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the

Library as you received it specifies that a certain numbered version
of the GNU Lesser General Public License "or any later version"
applies to it, you have the option of following the terms and
conditions either of that published version or of any later version
published by the Free Software Foundation. If the Library as you
received it does not specify a version number of the GNU Lesser
General Public License, you may choose any version of the GNU Lesser
General Public License ever published by the Free Software Foundation.

 If the Library as you received it specifies that a proxy can decide
whether future versions of the GNU Lesser General Public License shall
apply, that proxy's public statement of acceptance of any version is
permanent authorization for you to choose that version for the
Library.

1.335 blackfriday 2.0.1

1.335.1 Available under license :

Blackfriday is distributed under the Simplified BSD License:

> Copyright 2011 Russ Ross
> All rights reserved.
>
> Redistribution and use in source and binary forms, with or without
> modification, are permitted provided that the following conditions
> are met:
>
> 1. Redistributions of source code must retain the above copyright
>   notice, this list of conditions and the following disclaimer.
>
> 2. Redistributions in binary form must reproduce the above
>   copyright notice, this list of conditions and the following
>   disclaimer in the documentation and/or other materials provided with
>   the distribution.
>
> THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
> "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
> LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
> FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
> COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
> INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
> BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
> LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
> CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
> LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN
> ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
> POSSIBILITY OF SUCH DAMAGE.

1.336 gopkg.in-yaml cs.revision=069779ccd92cf15d69e7fdde1c6ad db28ee6f0a6 build

1.336.1 Available under license :

Copyright 2011-2016 Canonical Ltd.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

                    Apache License
                Version 2.0, January 2004
              http://www.apache.org/licenses/

   TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

   1. Definitions.

      "License" shall mean the terms and conditions for use, reproduction,
      and distribution as defined by Sections 1 through 9 of this document.

      "Licensor" shall mean the copyright owner or entity authorized by
      the copyright owner that is granting the License.

      "Legal Entity" shall mean the union of the acting entity and all
      other entities that control, are controlled by, or are under common
      control with that entity. For the purposes of this definition,
      "control" means (i) the power, direct or indirect, to cause the
      direction or management of such entity, whether by contract or
      otherwise, or (ii) ownership of fifty percent (50%) or more of the
      outstanding shares, or (iii) beneficial ownership of such entity.

      "You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and
       attribution notices from the Source form of the Work,
       excluding those notices that do not pertain to any part of
       the Derivative Works; and

   (d) If the Work includes a "NOTICE" text file as part of its
       distribution, then any Derivative Works that You distribute must
       include a readable copy of the attribution notices contained
       within such NOTICE file, excluding those notices that do not
       pertain to any part of the Derivative Works, in at least one
       of the following places: within a NOTICE text file distributed
       as part of the Derivative Works; within the Source form or
       documentation, if provided along with the Derivative Works; or,
       within a display generated by the Derivative Works, if and
       wherever such third-party notices normally appear. The contents
       of the NOTICE file are for informational purposes only and
       do not modify the License. You may add Your own attribution
       notices within Derivative Works that You distribute, alongside
       or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "{}"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
The following files were ported to Go from C files of libyaml, and thus
are still covered by their original copyright and license:

  apic.go
  emitterc.go
  parserc.go
  readerc.go
  scannerc.go
  writerc.go
  yamlh.go
  yamlprivateh.go

Copyright (c) 2006 Kirill Simonov

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.337 gogo-googleapis 1.1.0
1.337.1 Available under license :
Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "{}"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright 2015, Google Inc
Copyright 2018, GoGo Authors

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.338 acl 2.2.53 6

1.338.1 Available under license :

Most components of the "acl" package are licensed under
Version 2.1 of the GNU Lesser General Public License (see COPYING.LGPL).

Some components (as annotated in the source) are licensed
under Version 2 of the GNU General Public License (see below),

----

  GNU GENERAL PUBLIC LICENSE
     Version 2, June 1991

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free

program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

 The precise terms and conditions for copying, distribution and
modification follow.

   GNU GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion
of it, thus forming a work based on the Program, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices
  stating that you changed the files and the date of any change.

  b) You must cause any work that you distribute or publish, that in
  whole or in part contains or is derived from the Program or any

part thereof, to be licensed as a whole at no charge to all third
parties under the terms of this License.

c) If the modified program normally reads commands interactively
when run, you must cause it, when started running for such
interactive use in the most ordinary way, to print or display an
announcement including an appropriate copyright notice and a
notice that there is no warranty (or else, saying that you provide
a warranty) and that users may redistribute the program under
these conditions, and telling the user how to view a copy of this
License. (Exception: if the Program itself is interactive but
does not normally print such an announcement, your work based on
the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable
source code, which must be distributed under the terms of Sections
1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three
years, to give any third party, for a charge no more than your
cost of physically performing source distribution, a complete
machine-readable copy of the corresponding source code, to be
distributed under the terms of Sections 1 and 2 above on a medium
customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer
to distribute corresponding source code. (This alternative is
allowed only for noncommercial distribution and only if you
received the program in object code or executable form with such
an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering
access to copy from a designated place, then offering equivalent
access to copy the source code from the same place counts as
distribution of the source code, even though third parties are not
compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense or distribute the Program is
void, and will automatically terminate your rights under this License.
However, parties who have received copies, or rights, from you under
this License will not have their licenses terminated so long as such
parties remain in full compliance.

 5. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Program or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Program (or any work based on the
Program), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the
Program), the recipient automatically receives a license from the
original licensor to copy, distribute or modify the Program subject to
these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties to
this License.

7. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Program at all. For example, if a patent
license would not permit royalty-free redistribution of the Program by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to
apply and the section as a whole is intended to apply in other
circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system, which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

 8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any

later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

  10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

    NO WARRANTY

  11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

  12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

    END OF TERMS AND CONDITIONS

   How to Apply These Terms to Your New Programs

  If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

  To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the program
 `Gnomovision' (which makes passes at compilers) written by James Hacker.

 <signature of Ty Coon>, 1 April 1989
 Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.

Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/

Files:
*
Copyright:
Copyright 2000-2008 Silicon Graphics, Inc.
Copyright 1999-2001,2007-2009 Andreas Gruenbacher
License: GPL-2+
This program is free software: you can redistribute it and/or modify it
under the terms of the GNU General Public License as published by
the Free Software Foundation, either version 2 of the License, or
(at your option) any later version.
.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.

You should have received a copy of the GNU General Public License
along with this program. If not, see <https://www.gnu.org/licenses/>.
Comment:
On Debian systems, the full text of the GNU General Public License
can be found in '/usr/share/common-licenses/GPL-2'.

Files:
exports
include/*.h
libacl/*.c
libacl/*.h
libmisc/*.c
tools/do_set.*
tools/parse.*
tools/sequence.c
tools/setfacl.c
tools/user_group.h
Copyright:
Copyright 2001-2002 Silicon Graphics, Inc.
Copyright 1999-2003,2007,2009,2011 Andreas Gruenbacher
License: LGPL-2+
This program is free software: you can redistribute it and/or modify it
under the terms of the GNU Lesser General Public License as published by
the Free Software Foundation, either version 2.1 of the License, or
(at your option) any later version.
.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU Lesser General Public License for more details.

.
You should have received a copy of the GNU Lesser General Public License
along with this program. If not, see <https://www.gnu.org/licenses/>.
Comment:
On Debian systems, the full text of the GNU Lesser General Public License
can be found in '/usr/share/common-licenses/LGPL-2.1'.
Most components of the "acl" package are licensed under
Version 2.1 of the GNU Lesser General Public License (see below).
below.

Some components (as annotated in the source) are licensed
under Version 2 of the GNU General Public License (see COPYING).

   GNU LESSER GENERAL PUBLIC LICENSE
        Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

     Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

 This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

 When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it

does Less to protect the user's freedom than the ordinary General
Public License. It also provides other free software developers Less
of an advantage over competing non-free programs. These disadvantages
are the reason we use the ordinary General Public License for many
libraries. However, the Lesser license provides advantages in certain
special circumstances.

 For example, on rare occasions, there may be a special need to
encourage the widest possible use of a certain library, so that it becomes
a de-facto standard. To achieve this, non-free programs must be
allowed to use the library. A more frequent case is that a free
library does the same job as widely used non-free libraries. In this
case, there is little to gain by limiting the free library to free
software only, so we use the Lesser General Public License.

 In other cases, permission to use a particular library in non-free
programs enables a greater number of people to use a large body of
free software. For example, permission to use the GNU C Library in
non-free programs enables many more people to use the whole GNU
operating system, as well as its variant, the GNU/Linux operating
system.

 Although the Lesser General Public License is Less protective of the
users' freedom, it does ensure that the user of a program that is
linked with the Library has the freedom and the wherewithal to run
that program using a modified version of the Library.

 The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, whereas the latter must
be combined with the library in order to run.

  GNU LESSER GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License Agreement applies to any software library or other
program which contains a notice placed by the copyright holder or
other authorized party saying it may be distributed under the terms of
this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

 A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

 The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the

Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated
straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

 "Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means
all the source code for all modules it contains, plus any associated
interface definition files, plus the scripts used to control compilation
and installation of the library.

 Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running a program using the Library is not restricted, and output from
such a program is covered only if its contents constitute a work based
on the Library (independent of the use of the Library in a tool for
writing it). Whether that is true depends on what the Library does
and what the program that uses the Library does.

 1. You may copy and distribute verbatim copies of the Library's
complete source code as you receive it, in any medium, provided that
you conspicuously and appropriately publish on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact
all the notices that refer to this License and to the absence of any
warranty; and distribute a copy of this License along with the
Library.

 You may charge a fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a
fee.

 2. You may modify your copy or copies of the Library or any portion
of it, thus forming a work based on the Library, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) The modified work must itself be a software library.

  b) You must cause the files modified to carry prominent notices
  stating that you changed the files and the date of any change.

  c) You must cause the whole of the work to be licensed at no
  charge to all third parties under the terms of this License.

  d) If a facility in the modified Library refers to a function or a
  table of data to be supplied by an application program that uses
  the facility, other than as an argument passed when the facility

is invoked, then you must make a good faith effort to ensure that,
in the event an application does not supply such function or
table, the facility still operates, and performs whatever part of
its purpose remains meaningful.

(For example, a function in a library to compute square roots has
a purpose that is entirely well-defined independent of the
application. Therefore, Subsection 2d requires that any
application-supplied function or table used by this function must
be optional: if the application does not supply it, the square
root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Library,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

 Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

 5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

 However, linking a "work that uses the Library" with the Library
creates an executable that is a derivative of the Library (because it
contains portions of the Library), rather than a "work that uses the
library". The executable is therefore covered by this License.
Section 6 states terms for distribution of such executables.

 When a "work that uses the Library" uses material from a header file
that is part of the Library, the object code for the work may be a
derivative work of the Library even though the source code is not.
Whether this is true is especially significant if the work can be
linked without the Library, or if the work is itself a library. The
threshold for this to be true is not precisely defined by law.

 If such an object file uses only numerical parameters, data
structure layouts and accessors, and small macros and small inline
functions (ten lines or less in length), then the use of the object
file is unrestricted, regardless of whether it is legally a derivative
work. (Executables containing this object code plus portions of the
Library will still fall under Section 6.)

 Otherwise, if the work is a derivative of the Library, you may
distribute the object code for the work under the terms of Section 6.
Any executables containing that work also fall under Section 6,
whether or not they are linked directly with the Library itself.

 6. As an exception to the Sections above, you may also combine or
link a "work that uses the Library" with the Library to produce a
work containing portions of the Library, and distribute that work

under terms of your choice, provided that the terms permit
modification of the work for the customer's own use and reverse
engineering for debugging such modifications.

 You must give prominent notice with each copy of the work that the
Library is used in it and that the Library and its use are covered by
this License. You must supply a copy of this License. If the work
during execution displays copyright notices, you must include the
copyright notice for the Library among them, as well as a reference
directing the user to the copy of this License. Also, you must do one
of these things:

  a) Accompany the work with the complete corresponding
  machine-readable source code for the Library including whatever
  changes were used in the work (which must be distributed under
  Sections 1 and 2 above); and, if the work is an executable linked
  with the Library, with the complete machine-readable "work that
  uses the Library", as object code and/or source code, so that the
  user can modify the Library and then relink to produce a modified
  executable containing the modified Library. (It is understood
  that the user who changes the contents of definitions files in the
  Library will not necessarily be able to recompile the application
  to use the modified definitions.)

  b) Use a suitable shared library mechanism for linking with the
  Library. A suitable mechanism is one that (1) uses at run time a
  copy of the library already present on the user's computer system,
  rather than copying library functions into the executable, and (2)
  will operate properly with a modified version of the library, if
  the user installs one, as long as the modified version is
  interface-compatible with the version that the work was made with.

  c) Accompany the work with a written offer, valid for at
  least three years, to give the same user the materials
  specified in Subsection 6a, above, for a charge no more
  than the cost of performing this distribution.

  d) If distribution of the work is made by offering access to copy
  from a designated place, offer equivalent access to copy the above
  specified materials from the same place.

  e) Verify that the user has already received a copy of these
  materials or that you have already sent this user a copy.

 For an executable, the required form of the "work that uses the
Library" must include any data and utility programs needed for
reproducing the executable from it. However, as a special exception,
the materials to be distributed need not include anything that is

normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

 It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

 7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

  a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

  b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

 8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

 9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

 10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further

restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties with
this License.

  11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply,
and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

  12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

  13. The Free Software Foundation may publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the

ordinary General Public License).

 To apply these terms, attach the following notices to the library. It is
safest to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

   <one line to give the library's name and a brief idea of what it does.>
   Copyright (C) <year> <name of author>

   This library is free software; you can redistribute it and/or
   modify it under the terms of the GNU Lesser General Public
   License as published by the Free Software Foundation; either
   version 2.1 of the License, or (at your option) any later version.

   This library is distributed in the hope that it will be useful,
   but WITHOUT ANY WARRANTY; without even the implied warranty of
   MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
   Lesser General Public License for more details.

   You should have received a copy of the GNU Lesser General Public
   License along with this library; if not, write to the Free Software
   Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the
 library `Frob' (a library for tweaking knobs) written by James Random Hacker.

 <signature of Ty Coon>, 1 April 1990
 Ty Coon, President of Vice

That's all there is to it!

1.339 textfsm 1.1.2

1.339.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or
    Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
    stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
    that You distribute, all copyright, patent, trademark, and
    attribution notices from the Source form of the Work,
    excluding those notices that do not pertain to any part of
    the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
    distribution, then any Derivative Works that You distribute must
    include a readable copy of the attribution notices contained
    within such NOTICE file, excluding those notices that do not
    pertain to any part of the Derivative Works, in at least one
    of the following places: within a NOTICE text file distributed
    as part of the Derivative Works; within the Source form or
    documentation, if provided along with the Derivative Works; or,
    within a display generated by the Derivative Works, if and
    wherever such third-party notices normally appear. The contents
    of the NOTICE file are for informational purposes only and
    do not modify the License. You may add Your own attribution
    notices within Derivative Works that You distribute, alongside
    or as an addendum to the NOTICE text from the Work, provided
    that such additional attribution notices cannot be construed
    as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.340 go-systemd 22.3.2

1.340.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and
distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright
owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities
that control, are controlled by, or are under common control with that entity.
For the purposes of this definition, "control" means (i) the power, direct or
indirect, to cause the direction or management of such entity, whether by
contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising
permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including
but not limited to software source code, documentation source, and configuration
files.

"Object" form shall mean any form resulting from mechanical transformation or
translation of a Source form, including but not limited to compiled object code,

generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a
Contribution incorporated within the Work constitutes direct or contributory
patent infringement, then any patent licenses granted to You under this License
for that Work shall terminate as of the date such litigation is filed.

4. Redistribution.

You may reproduce and distribute copies of the Work or Derivative Works thereof
in any medium, with or without modifications, and in Source or Object form,
provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of
this License; and
You must cause any modified files to carry prominent notices stating that You
changed the files; and
You must retain, in the Source form of any Derivative Works that You distribute,
all copyright, patent, trademark, and attribution notices from the Source form
of the Work, excluding those notices that do not pertain to any part of the
Derivative Works; and
If the Work includes a "NOTICE" text file as part of its distribution, then any
Derivative Works that You distribute must include a readable copy of the
attribution notices contained within such NOTICE file, excluding those notices
that do not pertain to any part of the Derivative Works, in at least one of the
following places: within a NOTICE text file distributed as part of the
Derivative Works; within the Source form or documentation, if provided along
with the Derivative Works; or, within a display generated by the Derivative
Works, if and wherever such third-party notices normally appear. The contents of
the NOTICE file are for informational purposes only and do not modify the
License. You may add Your own attribution notices within Derivative Works that
You distribute, alongside or as an addendum to the NOTICE text from the Work,
provided that such additional attribution notices cannot be construed as
modifying the License.
You may add Your own copyright statement to Your modifications and may provide
additional or different license terms and conditions for use, reproduction, or
distribution of Your modifications, or for any such Derivative Works as a whole,
provided Your use, reproduction, and distribution of the Work otherwise complies
with the conditions stated in this License.

5. Submission of Contributions.

Unless You explicitly state otherwise, any Contribution intentionally submitted
for inclusion in the Work by You to the Licensor shall be under the terms and
conditions of this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify the terms of
any separate license agreement you may have executed with Licensor regarding
such Contributions.

6. Trademarks.

This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty.

Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability.

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability.

While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also

recommend that a file or class name and description of purpose be included on
the same "printed page" as the copyright notice for easier identification within
third-party archives.

   Copyright [yyyy] [name of copyright owner]

   Licensed under the Apache License, Version 2.0 (the "License");
   you may not use this file except in compliance with the License.
   You may obtain a copy of the License at

     http://www.apache.org/licenses/LICENSE-2.0

   Unless required by applicable law or agreed to in writing, software
   distributed under the License is distributed on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
   See the License for the specific language governing permissions and
   limitations under the License.
CoreOS Project
Copyright 2018 CoreOS, Inc

This product includes software developed at CoreOS, Inc.
(http://www.coreos.com/).

1.341 go-isatty 0.0.12
1.341.1 Available under license :

1.342 jackc-pgproto 2.1.1

1.342.1 Available under license :

Copyright (c) 2019 Jack Christensen

MIT License

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.343 hashicorp-go-plugin 1.4.0

1.343.1 Available under license :

Mozilla Public License, version 2.0

1. Definitions

1.1. Contributor

   means each individual or legal entity that creates, contributes to the
   creation of, or owns Covered Software.

1.2. Contributor Version

   means the combination of the Contributions of others (if any) used by a
   Contributor and that particular Contributors Contribution.

1.3. Contribution

   means Covered Software of a particular Contributor.

1.4. Covered Software

means Source Code Form to which the initial Contributor has attached the
notice in Exhibit A, the Executable Form of such Source Code Form, and
Modifications of such Source Code Form, in each case including portions
thereof.

1.5. Incompatible With Secondary Licenses
means

a. that the initial Contributor has attached the notice described in
Exhibit B to the Covered Software; or

b. that the Covered Software was made available under the terms of version
1.1 or earlier of the License, but not also under the terms of a
Secondary License.

1.6. Executable Form

means any form of the work other than Source Code Form.

1.7. Larger Work

means a work that combines Covered Software with other material, in a separate
file or files, that is not Covered Software.

1.8. License

means this document.

1.9. Licensable

means having the right to grant, to the maximum extent possible, whether at the
time of the initial grant or subsequently, any and all of the rights conveyed by
this License.

1.10. Modifications

means any of the following:

a. any file in Source Code Form that results from an addition to, deletion
from, or modification of the contents of Covered Software; or

b. any new file in Source Code Form that contains any Covered Software.

1.11. Patent Claims of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. Secondary License

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. Source Code Form

means the form of the work preferred for making modifications.

1.14. You (or Your)

means an individual or a legal entity exercising rights under this License. For legal entities, You includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

a. under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes

such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

a. for any code that a Contributor has removed from Covered Software; or

b. for infringements caused by: (i) Your and any other third partys modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

a. such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

b. You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support,

indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6. Disclaimer of Warranty

Covered Software is provided under this License on an as is basis, without
warranty of any kind, either expressed, implied, or statutory, including,
without limitation, warranties that the Covered Software is free of defects,
merchantable, fit for a particular purpose or non-infringing. The entire
risk as to the quality and performance of the Covered Software is with You.
Should any Covered Software prove defective in any respect, You (not any
Contributor) assume the cost of any necessary servicing, repair, or
correction. This disclaimer of warranty constitutes an essential part of this
License. No use of any Covered Software is authorized under this License
except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including
negligence), contract, or otherwise, shall any Contributor, or anyone who
distributes Covered Software as permitted above, be liable to You for any
direct, indirect, special, incidental, or consequential damages of any
character including, without limitation, damages for lost profits, loss of
goodwill, work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses, even if such party shall have been
informed of the possibility of such damages. This limitation of liability
shall not apply to liability for death or personal injury resulting from such
partys negligence to the extent applicable law prohibits such limitation.
Some jurisdictions do not allow the exclusion or limitation of incidental or
consequential damages, so this exclusion and limitation may not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts of
a jurisdiction where the defendant maintains its principal place of business
and such litigation shall be governed by laws of that jurisdiction, without
reference to its conflict-of-law provisions. Nothing in this Section shall
prevent a partys ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter
hereof. If any provision of this License is held to be unenforceable, such
provision shall be reformed only to the extent necessary to make it
enforceable. Any law or regulation which provides that the language of a
contract shall be construed against the drafter shall not be used to construe
this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses
If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at http://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - Incompatible With Secondary Licenses Notice

This Source Code Form is Incompatible With Secondary Licenses, as defined by the Mozilla Public License, v. 2.0.

1.344 xxhash 2.1.1

1.344.1 Available under license :

Copyright (c) 2016 Caleb Spare

MIT License

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.345 pcre 10.34-7

1.345.1 Available under license :

PCRE2 LICENCE

Please see the file LICENCE in the PCRE2 distribution for licensing details.

End
PCRE2 LICENCE

PCRE2 is a library of functions to support regular expressions whose syntax
and semantics are as close as possible to those of the Perl 5 language.

Releases 10.00 and above of PCRE2 are distributed under the terms of the "BSD"
licence, as specified below, with one exemption for certain binary
redistributions. The documentation for PCRE2, supplied in the "doc" directory,
is distributed under the same terms as the software itself. The data in the
testdata directory is not copyrighted and is in the public domain.

The basic library functions are written in C and are freestanding. Also included in the distribution is a just-in-time compiler that can be used to optimize pattern matching. This is an optional feature that can be omitted when the library is built.

THE BASIC LIBRARY FUNCTIONS

Written by: Philip Hazel
Email local part: ph10
Email domain: cam.ac.uk

University of Cambridge Computing Service,
Cambridge, England.

PCRE2 JUST-IN-TIME COMPILATION SUPPORT

Written by: Zoltan Herczeg
Email local part: hzmester
Email domain: freemail.hu

STACK-LESS JUST-IN-TIME COMPILER

Written by: Zoltan Herczeg
Email local part: hzmester
Email domain: freemail.hu

THE "BSD" LICENCE

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

   * Redistributions of source code must retain the above copyright notices,
    this list of conditions and the following disclaimer.

   * Redistributions in binary form must reproduce the above copyright
    notices, this list of conditions and the following disclaimer in the
    documentation and/or other materials provided with the distribution.

   * Neither the name of the University of Cambridge nor the names of any
    contributors may be used to endorse or promote products derived from this
    software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

EXEMPTION FOR BINARY LIBRARY-LIKE PACKAGES

The second condition in the BSD licence (covering binary redistributions) does
not apply all the way down a chain of software. If binary package A includes
PCRE2, it must respect the condition, but if package B is software that
includes package A, the condition is not imposed on package B unless it uses
PCRE2 independently.

End
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the copyright
  notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
  derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR

IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.346 pyparsing 2.4.7
1.346.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
                     GNU GENERAL PUBLIC LICENSE
                        Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

                        Preamble

 The GNU General Public License is a free, copyleft license for
software and other kinds of works.

 The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free

software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

 To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you have
certain responsibilities if you distribute copies of the software, or if
you modify it: responsibilities to respect the freedom of others.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must pass on to the recipients the same
freedoms that you received. You must make sure that they, too, receive
or can get the source code. And you must show them these terms so they
know their rights.

 Developers that use the GNU GPL protect your rights with two steps:
(1) assert copyright on the software, and (2) offer you this License
giving you legal permission to copy, distribute and/or modify it.

 For the developers' and authors' protection, the GPL clearly explains
that there is no warranty for this free software. For both users' and
authors' sake, the GPL requires that modified versions be marked as
changed, so that their problems will not be attributed erroneously to
authors of previous versions.

 Some devices are designed to deny users access to install or run
modified versions of the software inside them, although the manufacturer
can do so. This is fundamentally incompatible with the aim of
protecting users' freedom to change the software. The systematic
pattern of such abuse occurs in the area of products for individuals to
use, which is precisely where it is most unacceptable. Therefore, we
have designed this version of the GPL to prohibit the practice for those
products. If such problems arise substantially in other domains, we
stand ready to extend this provision to those domains in future versions
of the GPL, as needed to protect the freedom of users.

 Finally, every program is threatened constantly by software patents.
States should not allow patents to restrict development and use of
software on general-purpose computers, but in those that do, we wish to
avoid the special danger that patents applied to a free program could

make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

 The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

 0. Definitions.

 "This License" refers to version 3 of the GNU General Public License.

 "Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

 "The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

 To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

 A "covered work" means either the unmodified Program or a work based on the Program.

 To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

 To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

 An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

 1. Source Code.

The "source code" for a work means the preferred form of the work
for making modifications to it. "Object code" means any non-source
form of a work.

A "Standard Interface" means an interface that either is an official
standard defined by a recognized standards body, or, in the case of
interfaces specified for a particular programming language, one that
is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other
than the work as a whole, that (a) is included in the normal form of
packaging a Major Component, but which is not part of that Major
Component, and (b) serves only to enable use of the work with that
Major Component, or to implement a Standard Interface for which an
implementation is available to the public in source code form. A
"Major Component", in this context, means a major essential component
(kernel, window system, and so on) of the specific operating system
(if any) on which the executable work runs, or a compiler used to
produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all
the source code needed to generate, install, and (for an executable
work) run the object code and to modify the work, including scripts to
control those activities. However, it does not include the work's
System Libraries, or general-purpose tools or generally available free
programs which are used unmodified in performing those activities but
which are not part of the work. For example, Corresponding Source
includes interface definition files associated with source files for
the work, and the source code for shared libraries and dynamically
linked subprograms that the work is specifically designed to require,
such as by intimate data communication or control flow between those
subprograms and other parts of the work.

The Corresponding Source need not include anything that users
can regenerate automatically from other parts of the Corresponding
Source.

The Corresponding Source for a work in source code form is that
same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of
copyright on the Program, and are irrevocable provided the stated
conditions are met. This License explicitly affirms your unlimited
permission to run the unmodified Program. The output from running a
covered work is covered by this License only if the output, given its

content, constitutes a covered work. This License acknowledges your
rights of fair use or other equivalent, as provided by copyright law.

 You may make, run and propagate covered works that you do not
convey, without conditions so long as your license otherwise remains
in force. You may convey covered works to others for the sole purpose
of having them make modifications exclusively for you, or provide you
with facilities for running those works, provided that you comply with
the terms of this License in conveying all material for which you do
not control copyright. Those thus making or running the covered works
for you must do so exclusively on your behalf, under your direction
and control, on terms that prohibit them from making any copies of
your copyrighted material outside their relationship with you.

 Conveying under any other circumstances is permitted solely under
the conditions stated below. Sublicensing is not allowed; section 10
makes it unnecessary.

 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

 No covered work shall be deemed part of an effective technological
measure under any applicable law fulfilling obligations under article
11 of the WIPO copyright treaty adopted on 20 December 1996, or
similar laws prohibiting or restricting circumvention of such
measures.

 When you convey a covered work, you waive any legal power to forbid
circumvention of technological measures to the extent such circumvention
is effected by exercising rights under this License with respect to
the covered work, and you disclaim any intention to limit operation or
modification of the work as a means of enforcing, against the work's
users, your or third parties' legal rights to forbid circumvention of
technological measures.

 4. Conveying Verbatim Copies.

 You may convey verbatim copies of the Program's source code as you
receive it, in any medium, provided that you conspicuously and
appropriately publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

 You may charge any price or no price for each copy that you convey,
and you may offer support or warranty protection for a fee.

 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to
produce it from the Program, in the form of source code under the
terms of section 4, provided that you also meet all of these conditions:

  a) The work must carry prominent notices stating that you modified
  it, and giving a relevant date.

  b) The work must carry prominent notices stating that it is
  released under this License and any conditions added under section
  7. This requirement modifies the requirement in section 4 to
  "keep intact all notices".

  c) You must license the entire work, as a whole, under this
  License to anyone who comes into possession of a copy. This
  License will therefore apply, along with any applicable section 7
  additional terms, to the whole of the work, and all its parts,
  regardless of how they are packaged. This License gives no
  permission to license the work in any other way, but it does not
  invalidate such permission if you have separately received it.

  d) If the work has interactive user interfaces, each must display
  Appropriate Legal Notices; however, if the Program has interactive
  interfaces that do not display Appropriate Legal Notices, your
  work need not make them do so.

 A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

 6. Conveying Non-Source Forms.

 You may convey a covered work in object code form under the terms
of sections 4 and 5, provided that you also convey the
machine-readable Corresponding Source under the terms of this License,
in one of these ways:

  a) Convey the object code in, or embodied in, a physical product
  (including a physical distribution medium), accompanied by the
  Corresponding Source fixed on a durable physical medium
  customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by a
written offer, valid for at least three years and valid for as
long as you offer spare parts or customer support for that product
model, to give anyone who possesses the object code either (1) a
copy of the Corresponding Source for all the software in the
product that is covered by this License, on a durable physical
medium customarily used for software interchange, for a price no
more than your reasonable cost of physically performing this
conveying of source, or (2) access to copy the
Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the
written offer to provide the Corresponding Source. This
alternative is allowed only occasionally and noncommercially, and
only if you received the object code with such an offer, in accord
with subsection 6b.

d) Convey the object code by offering access from a designated
place (gratis or for a charge), and offer equivalent access to the
Corresponding Source in the same way through the same place at no
further charge. You need not require recipients to copy the
Corresponding Source along with the object code. If the place to
copy the object code is a network server, the Corresponding Source
may be on a different server (operated by you or a third party)
that supports equivalent copying facilities, provided you maintain
clear directions next to the object code saying where to find the
Corresponding Source. Regardless of what server hosts the
Corresponding Source, you remain obligated to ensure that it is
available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided
you inform other peers where the object code and Corresponding
Source of the work are being offered to the general public at no
charge under subsection 6d.

 A separable portion of the object code, whose source code is excluded
from the Corresponding Source as a System Library, need not be
included in conveying the object code work.

 A "User Product" is either (1) a "consumer product", which means any
tangible personal property which is normally used for personal, family,
or household purposes, or (2) anything designed or sold for incorporation
into a dwelling. In determining whether a product is a consumer product,
doubtful cases shall be resolved in favor of coverage. For a particular
product received by a particular user, "normally used" refers to a
typical or common use of that class of product, regardless of the status
of the particular user or of the way in which the particular user

actually uses, or expects or is expected to use, the product. A product
is a consumer product regardless of whether the product has substantial
commercial, industrial or non-consumer uses, unless such uses represent
the only significant mode of use of the product.

"Installation Information" for a User Product means any methods,
procedures, authorization keys, or other information required to install
and execute modified versions of a covered work in that User Product from
a modified version of its Corresponding Source. The information must
suffice to ensure that the continued functioning of the modified object
code is in no case prevented or interfered with solely because
modification has been made.

If you convey an object code work under this section in, or with, or
specifically for use in, a User Product, and the conveying occurs as
part of a transaction in which the right of possession and use of the
User Product is transferred to the recipient in perpetuity or for a
fixed term (regardless of how the transaction is characterized), the
Corresponding Source conveyed under this section must be accompanied
by the Installation Information. But this requirement does not apply
if neither you nor any third party retains the ability to install
modified object code on the User Product (for example, the work has
been installed in ROM).

The requirement to provide Installation Information does not include a
requirement to continue to provide support service, warranty, or updates
for a work that has been modified or installed by the recipient, or for
the User Product in which it has been modified or installed. Access to a
network may be denied when the modification itself materially and
adversely affects the operation of the network or violates the rules and
protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided,
in accord with this section must be in a format that is publicly
documented (and with an implementation available to the public in
source code form), and must require no special password or key for
unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this
License by making exceptions from one or more of its conditions.
Additional permissions that are applicable to the entire Program shall
be treated as though they were included in this License, to the extent
that they are valid under applicable law. If additional permissions
apply only to part of the Program, that part may be used separately
under those permissions, but the entire Program remains governed by
this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option
remove any additional permissions from that copy, or from any part of
it. (Additional permissions may be written to require their own
removal in certain cases when you modify the work.) You may place
additional permissions on material, added by you to a covered work,
for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you
add to a covered work, you may (if authorized by the copyright holders of
that material) supplement the terms of this License with terms:

  a) Disclaiming warranty or limiting liability differently from the
  terms of sections 15 and 16 of this License; or

  b) Requiring preservation of specified reasonable legal notices or
  author attributions in that material or in the Appropriate Legal
  Notices displayed by works containing it; or

  c) Prohibiting misrepresentation of the origin of that material, or
  requiring that modified versions of such material be marked in
  reasonable ways as different from the original version; or

  d) Limiting the use for publicity purposes of names of licensors or
  authors of the material; or

  e) Declining to grant rights under trademark law for use of some
  trade names, trademarks, or service marks; or

  f) Requiring indemnification of licensors and authors of that
  material by anyone who conveys the material (or modified versions of
  it) with contractual assumptions of liability to the recipient, for
  any liability that these contractual assumptions directly impose on
  those licensors and authors.

All other non-permissive additional terms are considered "further
restrictions" within the meaning of section 10. If the Program as you
received it, or any part of it, contains a notice stating that it is
governed by this License along with a term that is a further
restriction, you may remove that term. If a license document contains
a further restriction but permits relicensing or conveying under this
License, you may add to a covered work material governed by the terms
of that license document, provided that the further restriction does
not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you
must place, in the relevant source files, a statement of the
additional terms that apply to those files, or a notice indicating

where to find the applicable terms.

  Additional terms, permissive or non-permissive, may be stated in the
form of a separately written license, or stated as exceptions;
the above requirements apply either way.

  8. Termination.

  You may not propagate or modify a covered work except as expressly
provided under this License. Any attempt otherwise to propagate or
modify it is void, and will automatically terminate your rights under
this License (including any patent licenses granted under the third
paragraph of section 11).

  However, if you cease all violation of this License, then your
license from a particular copyright holder is reinstated (a)
provisionally, unless and until the copyright holder explicitly and
finally terminates your license, and (b) permanently, if the copyright
holder fails to notify you of the violation by some reasonable means
prior to 60 days after the cessation.

  Moreover, your license from a particular copyright holder is
reinstated permanently if the copyright holder notifies you of the
violation by some reasonable means, this is the first time you have
received notice of violation of this License (for any work) from that
copyright holder, and you cure the violation prior to 30 days after
your receipt of the notice.

  Termination of your rights under this section does not terminate the
licenses of parties who have received copies or rights from you under
this License. If your rights have been terminated and not permanently
reinstated, you do not qualify to receive new licenses for the same
material under section 10.

  9. Acceptance Not Required for Having Copies.

  You are not required to accept this License in order to receive or
run a copy of the Program. Ancillary propagation of a covered work
occurring solely as a consequence of using peer-to-peer transmission
to receive a copy likewise does not require acceptance. However,
nothing other than this License grants you permission to propagate or
modify any covered work. These actions infringe copyright if you do
not accept this License. Therefore, by modifying or propagating a
covered work, you indicate your acceptance of this License to do so.

  10. Automatic Licensing of Downstream Recipients.

  Each time you convey a covered work, the recipient automatically

receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

 An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

 You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

 11. Patents.

 A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

 A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

 Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

 In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a

patent against the party.

 If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

 If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

 A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

 Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

 If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a

covered work so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you may
not convey it at all. For example, if you agree to terms that obligate you
to collect a royalty for further conveying from those to whom you convey
the Program, the only way you could satisfy both those terms and this
License would be to refrain entirely from conveying the Program.

  13. Use with the GNU Affero General Public License.

 Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

  14. Revised Versions of this License.

 The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

 Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

 If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

 Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

  15. Disclaimer of Warranty.

 THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT

HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

  16. Limitation of Liability.

  IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE
USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD
PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES.

  17. Interpretation of Sections 15 and 16.

  If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

                     END OF TERMS AND CONDITIONS

            How to Apply These Terms to Your New Programs

  If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

  To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software: you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation, either version 3 of the License, or
    (at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type 'show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<http://www.gnu.org/philosophy/why-not-lgpl.html>.

#Copyright (C) 2006 Tim Cera timcera@earthlink.net
#
#
This program is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License as published by the Free
Software Foundation; either version 2 of the License, or (at your option)

1.347 jackc-pgx 4.12.1-0.20210724153913-640aa07df17c

1.347.1 Available under license :

1.348 debconf 1.5.73

1.348.1 Available under license :

Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/

Files: *

Copyright: 1999-2010 Joey Hess <joeyh@debian.org>
       2003 Tomohiro KUBOTA <kubota@debian.org>
       2004-2010 Colin Watson <cjwatson@debian.org>
License: BSD-2-clause

Files: Debconf/FrontEnd/Passthrough.pm
Copyright: 2000 Randolph Chung <tausq@debian.org>
       2000-2010 Joey Hess <joeyh@debian.org>
       2005-2010 Colin Watson <cjwatson@debian.org>
License: BSD-2-clause

Files: Debconf/FrontEnd/Qt* Debconf/Element/Qt*
Copyright: 2003 Peter Rockai <mornfall@logisys.dyndns.org>
       2003-2010 Colin Watson <cjwatson@debian.org>
       2010 Sune Vuorela <sune@debian.org>
       2011 Modestas Vainius <modax@debian.org>
License: BSD-2-clause

Files: Debconf/FrontEnd/Kde.pm
Copyright: 2011 Modestas Vainius <modax@debian.org>
License: BSD-2-clause

Files: Debconf/FrontEnd/Gnome.pm
Copyright: Eric Gillespie <epg@debian.org>
License: BSD-2-clause

Files: Debconf/DbDriver/LDAP.pm
Copyright: Matthew Palmer <mjp16@ieee.uow.edu.au>
License: BSD-2-clause

Files: debconf.py
Copyright: 2002 Moshe Zadka <m@moshez.org>
       2005 Canonical Ltd.
       2005-2010 Colin Watson <cjwatson@debian.org>
License: BSD-2-clause

Files: debconf-show
Copyright: 2001-2010 Joey Hess <joeyh@debian.org>
       2003 Sylvain Ferriol <sylvain.ferriol@imag.fr>
License: BSD-2-clause

Files: debconf-get-selections debconf-set-selections
Copyright: 2003 Petter Reinholdtsen <pere@hungry.com>
License: BSD-2-clause

Files: Test/*
Copyright: 2005 Sylvain Ferriol <Sylvain.Ferriol@imag.fr>
License: BSD-2-clause

Files: debconf-apt-progress
Copyright: 2005-2010 Colin Watson <cjwatson@debian.org>
          2005-2010 Joey Hess <joeyh@debian.org>
License: BSD-2-clause

License: BSD-2-clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
.
THIS SOFTWARE IS PROVIDED BY AUTHORS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHORS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

1.349 logfmt 0.5.0

1.349.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 go-logfmt

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.350 idna 14.0.0

1.350.1 Available under license :

BSD 3-Clause License

Copyright (c) 2013-2021, Kim Davies
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this
   list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice,
   this list of conditions and the following disclaimer in the documentation
   and/or other materials provided with the distribution.

3. Neither the name of the copyright holder nor the names of its
   contributors may be used to endorse or promote products derived from
   this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.351 hostname 3.23

1.351.1 Available under license :

This package was written by Peter Tobias <tobias@et-inf.fho-emden.de>
on Thu, 16 Jan 1997 01:00:34 +0100.

License:

1.352 sarama 1.30.0

1.352.1 Available under license :

a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.353 robot-telemetry_proto 0.0.0-20210520062046-a73bb180cba4

1.353.1 Available under license :

People who have agreed to one of the CLAs and can contribute patches.
The AUTHORS file lists the copyright holders; this file
lists people. For example, Google employees are listed here
but not in AUTHORS, because Google holds the copyright.
#
https://developers.google.com/open-source/cla/individual
https://developers.google.com/open-source/cla/corporate
#
Names should be added to this file as:
Name <email address>

Paul Borman <borman@google.com>
Andrew Fort <afort@arista.com>
Rob Shakir <robjs@google.com>
                    Apache License
               Version 2.0, January 2004
             http://www.apache.org/licenses/

   TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

   1. Definitions.

      "License" shall mean the terms and conditions for use, reproduction,
      and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "{}"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Mozilla Public License, version 2.0

1. Definitions

1.1. "Contributor"

   means each individual or legal entity that creates, contributes to the
   creation of, or owns Covered Software.

1.2. "Contributor Version"

   means the combination of the Contributions of others (if any) used by a
   Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

   means Covered Software of a particular Contributor.

1.4. "Covered Software"

   means Source Code Form to which the initial Contributor has attached the
   notice in Exhibit A, the Executable Form of such Source Code Form, and
   Modifications of such Source Code Form, in each case including portions
   thereof.

1.5. "Incompatible With Secondary Licenses"
   means

   a. that the initial Contributor has attached the notice described in
      Exhibit B to the Covered Software; or

   b. that the Covered Software was made available under the terms of
      version 1.1 or earlier of the License, but not also under the terms of
      a Secondary License.

1.6. "Executable Form"

   means any form of the work other than Source Code Form.

1.7. "Larger Work"

   means a work that combines Covered Software with other material, in a
   separate file or files, that is not Covered Software.

1.8. "License"

   means this document.

1.9. "Licensable"

   means having the right to grant, to the maximum extent possible, whether
   at the time of the initial grant or subsequently, any and all of the
   rights conveyed by this License.

1.10. "Modifications"

   means any of the following:

   a. any file in Source Code Form that results from an addition to,
      deletion from, or modification of the contents of Covered Software; or

   b. any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

   means any patent claim(s), including without limitation, method,
   process, and apparatus claims, in any patent Licensable by such
   Contributor that would be infringed, but for the grant of the License,
   by the making, using, selling, offering for sale, having made, import,
   or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

   means either the GNU General Public License, Version 2.0, the GNU Lesser
   General Public License, Version 2.1, the GNU Affero General Public
   License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

   means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

   means an individual or a legal entity exercising rights under this
   License. For legal entities, "You" includes any entity that controls, is
   controlled by, or is under common control with You. For purposes of this
   definition, "control" means (a) the power, direct or indirect, to cause
   the direction or management of such entity, whether by contract or
   otherwise, or (b) ownership of more than fifty percent (50%) of the
   outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

a. under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

a. for any code that a Contributor has removed from Covered Software; or

b. for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its
Contributions are its original creation(s) or it has sufficient rights to
grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under
applicable copyright doctrines of fair use, fair dealing, or other
equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in
Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any
Modifications that You create or to which You contribute, must be under
the terms of this License. You must inform recipients that the Source
Code Form of the Covered Software is governed by the terms of this
License, and how they can obtain a copy of this License. You may not
attempt to alter or restrict the recipients' rights in the Source Code
Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

a. such Covered Software must also be made available in Source Code Form,
   as described in Section 3.1, and You must inform recipients of the
   Executable Form how they can obtain a copy of such Source Code Form by
   reasonable means in a timely manner, at a charge no more than the cost
   of distribution to the recipient; and

b. You may distribute such Executable Form under the terms of this
   License, or sublicense it under different terms, provided that the
   license for the Executable Form does not attempt to limit or alter the
   recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice,

provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor

are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6. Disclaimer of Warranty

Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such

limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary

Licenses If You choose to distribute Source Code Form that is
Incompatible With Secondary Licenses under the terms of this version of
the License, the notice described in Exhibit B of this License must be
attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the
terms of the Mozilla Public License, v.
2.0. If a copy of the MPL was not
distributed with this file, You can
obtain one at
http://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular file,
then You may include the notice in a location (such as a LICENSE file in a
relevant directory) where a recipient would be likely to look for such a
notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible
With Secondary Licenses", as defined by
the Mozilla Public License, v. 2.0.

```
/*
 * Generated by ncsc --mib2yang-std
 * Source: MIB_SOURCES_POST_PROCESSED/CISCO-IMAGE-LICENSE-MGMT-MIB.mib
 */
/*
 * This YANG module has been generated by smidump 0.5.0:
 *
 *     smidump -f yang CISCO-IMAGE-LICENSE-MGMT-MIB
 *
 * Do not edit. Edit the source file instead!
 */

module CISCO-IMAGE-LICENSE-MGMT-MIB {

 namespace "urn:ietf:params:xml:ns:yang:smiv2:CISCO-IMAGE-LICENSE-MGMT-MIB";
 prefix "cisco-image-license-mgmt-mib";

 import ENTITY-MIB {
  prefix "entity-mib";
 }

 import SNMP-FRAMEWORK-MIB {
```

```
  prefix "snmp-framework";
}

import ietf-yang-smiv2 {
 prefix "smiv2";
}
```

organization
 "Cisco Systems Inc.";

contact
 "Cisco Systems
 Customer Service
 Postal: 170 W Tasman Drive
 San Jose, CA 95134
 USA
 Tel: +1 800 553 -NETS
 E-mail: cs-snmp@cisco.com";

description
 "The MIB module for managing the running image level
 of a Cisco device. Cisco's licensing mechanism provides
 flexibility to run a device on a chosen image level.
 This mechanism is referred to as image level licensing.
 Image level licensing leverages the universal image
 based licensing solution.

 The image level licensing mechanism works as follows -

 A universal image that contains all levels of software
 packages is loaded on to the device. At boot time, the
 device determines the highest level of license and brings
 up the appropriate software features or subsystems.
 The user can configure the image level with which the
 device has to boot. The system will verify whether the
 appropriate license is available for the configured image
 level. The image level for the next boot will be determined
 based on the availability of the license. The following
 scenarios explains some use-cases of image level licensing:

 Scenario 1:
 - Customer selects advsecurityk9 based image.
 - Manufacturing installs advsecurity license on the device.
 - This device will run all features that are part of the
 base advsecurity license.
 - Customer upgrades to advipservicesk9 license.
 - The next boot level is set to advipservicesk9.
 - The device will run advsecurityk9 feature until the

next reboot. After reboot the device will run
advipservicesk9 features.

Scenario 2:
- Customer selects advipservicesk9 based image.
- Manufacturing installs advipservices and advsecurity
license on the device.
- This device will run all features that are part of the
base advipservices license.
- No upgrades available for advipservices license.

The user has to accept the End User License Agreement(EULA)
before using this MIB to configure the image level.

This MIB should be used in conjuntion with
CISCO-LICENSE-MGMT-MIB module to achieve the image level
licensing functionality.

This MIB module defines objects which provides the different
image levels supported by the device and the license required
to enable a particular image level. It also defines objects
to let the user configure the required image level. The MIB
module contains notification which will be triggered when
the user changes the image level for next boot.

The CISCO-LICENSE-MGMT-MIB module should be used to export
the EULA and to configure the required license.

This MIB module is defined generically so it can be used for
both stand-alone as well as stackable devices. The
entPhysicalIndex imported from ENTITY-MIB is used to identify
the device uniquely.";

revision 2007-10-16 {
 description
  "Initial version of this MIB module.";
}

typedef BootImageLevel {
 type binary {
  length "0..255";
 }
 description
  "This textual convention is used to define
  the image level.

  If the device is running at advipservices
  image level, then the boot image level will

```
   be 'advipservices'.";
 }

 typedef LicenseNameList {
  type binary {
   length "0..255";
  }
  description
   "This textual convention is used to define
    the list of license names. If multiple licenses
    are present then this string will contain all
    the licenses seperated by the ',' character.

    If the license required to run a device at
    advipservices image level is advipservices and
    advsecurity, then the license name list will be
    'advipservices,advsecurity'.";
 }


 container CISCO-IMAGE-LICENSE-MGMT-MIB {
  config false;

  container ciscoImageLicenseMgmtMIBObjects {
   smiv2:oid "1.3.6.1.4.1.9.9.640.1";

   leaf cilmEULAAccepted {
    type boolean;
    description
     "This object when set to TRUE means that the user has
      accepted the END USER LICENSE AGREEMENT. This object
      has to be set to TRUE by the user before using the
      objects in the cilmBootImageLevelTable to configure
      the license.";
    smiv2:defval "false";
    smiv2:max-access "read-write";
    smiv2:oid "1.3.6.1.4.1.9.9.640.1.3";
   }
  }

  container cilmNotifCntl {
   smiv2:oid "1.3.6.1.4.1.9.9.640.1.4";

   leaf cilmImageLevelChangedNotif {
    type boolean;
    description
     "Specify whether or not a notification should be
      generated on the detection of change in next boot
```

image level.

If set to TRUE, cilmBootImageLevelChanged notification
will be generated. It is the responsibility of the
management entity to ensure that the SNMP administrative
model is configured in such a way as to allow the
notification to be delivered.";
     reference
      "See also RFC3413 for explanation that notifications
       are under the ultimate control of the MIB module in
       this document.";
     smiv2:defval "false";
     smiv2:max-access "read-write";
     smiv2:oid "1.3.6.1.4.1.9.9.640.1.4.1";
    }
  }

  container cilmBootImageLevelTable {
   description
    "A table that contains the configuration information of
     current and next boot image level. This table contains
     entries for each software module running in an image
     loaded in the device. The software module is identified by
     cilmModuleName and the device is identified by
     entPhysicalIndex.";
   smiv2:oid "1.3.6.1.4.1.9.9.640.1.1";

   list cilmBootImageLevelEntry {
    key "entPhysicalIndex cilmModuleName";
    description
     "An entry in the table for each module containing the
      list of objects that define the configuration of next
      boot level. The following information is specified by
      the objects present in the table.

      - Current image level.
      - Configured image level for the next boot.
      - Actual image level for the next boot.
      - License store index for the current license.
      - License index of the current license.
      - License store index for the next boot license.
      - License index of the next boot license.";
    smiv2:oid "1.3.6.1.4.1.9.9.640.1.1.1";

    leaf entPhysicalIndex {
     type leafref {
      path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";

```
   }
 }

 leaf cilmModuleName {
  type snmp-framework:SnmpAdminString;
  description
   "This object is used as one of the two indices in
    cilmBootImageLevelTable. This object indicates the module
    name of the software package. There can be multiple
    modules in an image performing specific functionality.
    For example, in a wireless image there can be two modules
    - a base image module and a wireless module.";
  smiv2:max-access "not-accessible";
  smiv2:oid "1.3.6.1.4.1.9.9.640.1.1.1.1";
 }

 leaf cilmCurrentImageLevel {
  type cisco-image-license-mgmt-mib:BootImageLevel;
  description
   "This object indicates the current image level that
    the module is running.";
  smiv2:max-access "read-only";
  smiv2:oid "1.3.6.1.4.1.9.9.640.1.1.1.2";
 }

 leaf cilmConfiguredBootImageLevel {
  type cisco-image-license-mgmt-mib:BootImageLevel;
  description
   "This object indicates the configured image level
    of the module for the next boot.

    Note: The configured next boot image level may not
    be the actual next boot image level. The actual next
    boot image level is denoted by cilmNextBootImageLevel
    which is determined based on the license availability.";
  smiv2:max-access "read-write";
  smiv2:oid "1.3.6.1.4.1.9.9.640.1.1.1.3";
 }

 leaf cilmNextBootImageLevel {
  type cisco-image-license-mgmt-mib:BootImageLevel;
  description
   "This object indicates the next boot image level. The
    next boot image level can be different from configured
    level. The next boot image level is determined based
    on the availability of required license.";
  smiv2:max-access "read-only";
  smiv2:oid "1.3.6.1.4.1.9.9.640.1.1.1.4";
```

```
}

leaf cilmCurrentLicenseStoreIndex {
 type uint32;
 description
  "This object indicates the license store index where the
   currently used license is stored. This object has the same
   value as clmgmtLicenseStoreIndex object and uniquely
   identifies an entry in clmgmtLicenseStoreInfoTable in
   CISCO-LICENSE-MGMT-MIB.

   Note: The license store index can be '0' if no license is
   installed and device is running base image.";
 smiv2:max-access "read-only";
 smiv2:oid "1.3.6.1.4.1.9.9.640.1.1.1.5";
}

leaf cilmCurrentLicenseIndex {
 type uint32;
 description
  "This object indicates the license index of the currently used
   license. This object has the same value as clmgmtLicenseIndex and
   uniquely identifies an entry in clmgmtLicenseInfoTable in
   CISCO-LICENSE-MGMT-MIB.

   Note: The license index can be '0' if no license is
   installed and device is running base image.";
 smiv2:max-access "read-only";
 smiv2:oid "1.3.6.1.4.1.9.9.640.1.1.1.6";
}

leaf cilmNextBootLicenseStoreIndex {
 type uint32;
 description
  "This object indicates the license store index where the
   next boot license is stored. This object has the same
   value as clmgmtLicenseStoreIndex object and uniquely
   identifies an entry in clmgmtLicenseStoreInfoTable in
   CISCO-LICENSE-MGMT-MIB.

   Note: The license store index can be '0' if no license is
   installed for the next boot.";
 smiv2:max-access "read-only";
 smiv2:oid "1.3.6.1.4.1.9.9.640.1.1.1.7";
}

leaf cilmNextBootLicenseIndex {
 type uint32;
```

```
       description
        "This object indicates the license index of the next boot
         license. This object has the same value as clmgmtLicenseIndex
         and uniquely identifies an entry in clmgmtLicenseInfoTable in
         CISCO-LICENSE-MGMT-MIB.

         Note: The license index can be '0' if no license is
         installed for the next boot.";
       smiv2:max-access "read-only";
       smiv2:oid "1.3.6.1.4.1.9.9.640.1.1.1.8";
      }
     }
    }

   container cilmImageLevelToLicenseMapTable {
    description
     "This table contains the mapping between different
      image levels of each modules in the image and the
      license required to run the modules at a particular
      image level. This table can be used to identify the
      different image levels and the appropriate licenses
      required for each.";
    smiv2:oid "1.3.6.1.4.1.9.9.640.1.2";

    list cilmImageLevelToLicenseMapEntry {
     key "entPhysicalIndex cilmModuleName cilmImageLicenseMapIndex";
     description
      "An entry in the table containing the following
       information.
       - The image levels at the which the modules can be run.
       - The license required to the run a module at a
       particular image level.
       - The priority of the license.";
     smiv2:oid "1.3.6.1.4.1.9.9.640.1.2.1";

     leaf entPhysicalIndex {
      type leafref {
       path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
      }
     }

     leaf cilmModuleName {
      type leafref {
       path "/cisco-image-license-mgmt-mib:CISCO-IMAGE-LICENSE-MGMT-MIB/cisco-image-license-mgmt-
mib:cilmBootImageLevelTable/cisco-image-license-mgmt-mib:cilmBootImageLevelEntry/cisco-image-license-
mgmt-mib:cilmModuleName";
      }
```

```
    }

    leaf cilmImageLicenseMapIndex {
     type uint32;
     description
      "This is a running index used to identify an entry
       of this table.";
     smiv2:max-access "not-accessible";
     smiv2:oid "1.3.6.1.4.1.9.9.640.1.2.1.1";
    }

    leaf cilmImageLicenseImageLevel {
     type cisco-image-license-mgmt-mib:BootImageLevel;
     description
      "This object indicates the image level at which
       a module can be run. A module can be run at
       different image levels. An entry will be created
       in this table for every module and image level
       combination.";
     smiv2:max-access "read-only";
     smiv2:oid "1.3.6.1.4.1.9.9.640.1.2.1.2";
    }

    leaf cilmImageLicenseName {
     type cisco-image-license-mgmt-mib:LicenseNameList;
     description
      "This object indicates the list of licenses needed to
       be installed for the module to run at the image level
       mentioned by cilmImageLicenseImageLevel object of this
       entry.";
     smiv2:max-access "read-only";
     smiv2:oid "1.3.6.1.4.1.9.9.640.1.2.1.3";
    }

    leaf cilmImageLicensePriority {
     type uint32 {
      range "1..255";
     }
     description
      "This object indicates the priority of the image level
       mentioned by cilmImageLicenseImageLevel object of this
       entry. The image level with the highest priority license
       will be considered as the default level in the absense of
       next boot image level configuration. For example if there
       are three licenses l1, l2 and l3 in the ascending order of
       priority, then by default l1 will be the level at which the
       module will be running. If the next boot level is configured
       then the configuration will override the priority. The highest
```

```
          priority license supports a feature set which is a super set of
          all other licenses.";
        smiv2:max-access "read-only";
        smiv2:oid "1.3.6.1.4.1.9.9.640.1.2.1.4";
      }
    }
  }
}

notification cilmBootImageLevelChanged {
 description
  "This notification is triggered when next boot image level
   is changed in the management entity. The current and
   configured image level are indicated by cilmCurrentImageLevel
   and cilmConfiguredBootImageLevel objects respectively.";
  smiv2:oid "1.3.6.1.4.1.9.9.640.0.1";

  container object-1 {

    leaf entPhysicalIndex {
      type leafref {
        path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
      }
    }

    leaf cilmModuleName {
      type leafref {
        path "/cisco-image-license-mgmt-mib:CISCO-IMAGE-LICENSE-MGMT-MIB/cisco-image-license-mgmt-
mib:cilmBootImageLevelTable/cisco-image-license-mgmt-mib:cilmBootImageLevelEntry/cisco-image-license-
mgmt-mib:cilmModuleName";
      }
    }

    leaf cilmCurrentImageLevel {
      type leafref {
        path "/cisco-image-license-mgmt-mib:CISCO-IMAGE-LICENSE-MGMT-MIB/cisco-image-license-mgmt-
mib:cilmBootImageLevelTable/cisco-image-license-mgmt-mib:cilmBootImageLevelEntry/cisco-image-license-
mgmt-mib:cilmCurrentImageLevel";
      }
    }
  }

  container object-2 {

    leaf entPhysicalIndex {
      type leafref {
        path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
```

```
mib:entPhysicalIndex";
        }
      }

    leaf cilmModuleName {
      type leafref {
        path "/cisco-image-license-mgmt-mib:CISCO-IMAGE-LICENSE-MGMT-MIB/cisco-image-license-mgmt-
mib:cilmBootImageLevelTable/cisco-image-license-mgmt-mib:cilmBootImageLevelEntry/cisco-image-license-
mgmt-mib:cilmModuleName";
        }
      }

    leaf cilmConfiguredBootImageLevel {
      type leafref {
        path "/cisco-image-license-mgmt-mib:CISCO-IMAGE-LICENSE-MGMT-MIB/cisco-image-license-mgmt-
mib:cilmBootImageLevelTable/cisco-image-license-mgmt-mib:cilmBootImageLevelEntry/cisco-image-license-
mgmt-mib:cilmConfiguredBootImageLevel";
        }
      }
    }
  }

  smiv2:alias "ciscoImageLicenseMgmtMIB" {
    smiv2:oid "1.3.6.1.4.1.9.9.640";
  }

  smiv2:alias "ciscoImageLicenseMgmtMIBNotifs" {
    smiv2:oid "1.3.6.1.4.1.9.9.640.0";
  }

  smiv2:alias "ciscoImageLicenseMgmtMIBObjects" {
    smiv2:oid "1.3.6.1.4.1.9.9.640.1";
  }

  smiv2:alias "cilmNotifCntl" {
    smiv2:oid "1.3.6.1.4.1.9.9.640.1.4";
  }

  smiv2:alias "ciscoImageLicenseMgmtMIBConform" {
    smiv2:oid "1.3.6.1.4.1.9.9.640.2";
  }

  smiv2:alias "cilmModuleCompliances" {
    smiv2:oid "1.3.6.1.4.1.9.9.640.2.1";
  }

  smiv2:alias "cilmModuleGroups" {
    smiv2:oid "1.3.6.1.4.1.9.9.640.2.2";
```

}

}

```
--
-- The contents of this document are subject to change without notice.
--

JUNIPER-LICENSE-MIB DEFINITIONS ::= BEGIN

IMPORTS
  MODULE-IDENTITY, OBJECT-TYPE, Unsigned32, TimeTicks, IpAddress,
  NOTIFICATION-TYPE
    FROM SNMPv2-SMI
  jnxLicenseMibRoot
    FROM JUNIPER-SMI
  DisplayString
    FROM SNMPv2-TC;


jnxLicenseMIB      MODULE-IDENTITY
  LAST-UPDATED    "201007090000Z"
  ORGANIZATION    "Juniper Networks, Inc."
  CONTACT-INFO
      "Juniper Technical Assistance Center
       Juniper Networks, Inc.
       1194 N. Mathilda Avenue
       Sunnyvale, CA 94089
       E-mail: support@juniper.net"
  DESCRIPTION
    "Implementation of enterprise specific MIB
     for license commands and configuration."
  REVISION    "201007090000Z"    -- Jul 09, 2010
  DESCRIPTION
      "Initial version."
  ::= { jnxLicenseMibRoot  1  }


jnxLicenseNotifications    OBJECT IDENTIFIER ::= { jnxLicenseMIB  0  }
jnxLicenseObjects          OBJECT IDENTIFIER ::= { jnxLicenseMIB  1  }


jnxLicenseInstallObjects    OBJECT IDENTIFIER ::= { jnxLicenseObjects 1 }
jnxLicenseSettings          OBJECT IDENTIFIER ::= { jnxLicenseObjects 2 }


-- ***********************************************************
-- License table for installed licenses
-- ***********************************************************


jnxLicenseInstallTable   OBJECT-TYPE
  SYNTAX          SEQUENCE  OF  JnxLicenseInstallEntry
  MAX-ACCESS      not-accessible
  STATUS          current
  DESCRIPTION      "This table contains installed feature license information."
  ::= { jnxLicenseInstallObjects 1 }
```

jnxLicenseInstallEntry   OBJECT-TYPE
  SYNTAX   JnxLicenseInstallEntry
  MAX-ACCESS   not-accessible
  STATUS   current
  DESCRIPTION   "A row of giving installed feature license information."
  INDEX   { IMPLIED jnxLicenseId }
  ::= { jnxLicenseInstallTable 1 }

JnxLicenseInstallEntry ::= SEQUENCE {
  jnxLicenseId   DisplayString,
  jnxLicenseVersion   INTEGER,
  jnxLicenseDeviceId   DisplayString,
  jnxLicenseType   INTEGER,
  jnxLicenseKeys   OCTET STRING
  }

jnxLicenseId OBJECT-TYPE
  SYNTAX   DisplayString
  MAX-ACCESS   not-accessible
  STATUS   current
  DESCRIPTION   "Installed feature licenses Id."
  ::= { jnxLicenseInstallEntry 1 }

jnxLicenseVersion OBJECT-TYPE
  SYNTAX   INTEGER
  MAX-ACCESS   read-only
  STATUS   current
  DESCRIPTION   "License Version information"
  ::= { jnxLicenseInstallEntry 2 }

jnxLicenseDeviceId OBJECT-TYPE
  SYNTAX   DisplayString
  MAX-ACCESS   read-only
  STATUS   current
  DESCRIPTION   "License Device Id "
  ::= { jnxLicenseInstallEntry 3 }

jnxLicenseType OBJECT-TYPE
  SYNTAX   INTEGER { invalid(0), count-down(1), date-based(2),permanent(3) }
  MAX-ACCESS   read-only
  STATUS   current
  DESCRIPTION   "License type information"
  ::= { jnxLicenseInstallEntry 4 }

jnxLicenseKeys   OBJECT-TYPE
  SYNTAX   OCTET STRING
  MAX-ACCESS   read-only

```
    STATUS       current
    DESCRIPTION    "License Keys"
    ::= {  jnxLicenseInstallEntry 5  }


-- Feature Listing Table

jnxLicenseFeatureListTable OBJECT-TYPE
    SYNTAX        SEQUENCE  OF  JnxLicenseFeatureListEntry
    MAX-ACCESS     not-accessible
    STATUS        current
    DESCRIPTION    "list of features supporting Licensing."
    ::= { jnxLicenseInstallObjects  2 }


jnxLicenseFeatureListEntry OBJECT-TYPE
    SYNTAX        JnxLicenseFeatureListEntry
    MAX-ACCESS     not-accessible
    STATUS        current
    DESCRIPTION    "A row of licensed features."
    INDEX         {  jnxLicenseFeatureId  }
    ::= { jnxLicenseFeatureListTable 1 }


JnxLicenseFeatureListEntry ::=  SEQUENCE {
    jnxLicenseFeatureId           INTEGER,
    jnxLicenseFeatureName          DisplayString,
    jnxLicenseFeatureDescr         DisplayString,
    jnxLicenseFeatureLicenseId      DisplayString,
    jnxLicenseFeatureLicenseUsed       INTEGER,
    jnxLicenseFeatureLicenseInstalled      INTEGER,
    jnxLicenseFeatureLicenseNeeded        INTEGER
    }

jnxLicenseFeatureId OBJECT-TYPE
    SYNTAX         INTEGER
    MAX-ACCESS        not-accessible
    STATUS          current
    DESCRIPTION       "Feature Id to point an entry in this table"
    ::= { jnxLicenseFeatureListEntry 1 }

jnxLicenseFeatureName OBJECT-TYPE
    SYNTAX          DisplayString
    MAX-ACCESS         read-only
    STATUS           current
    DESCRIPTION        "Feature Name"
    ::= {  jnxLicenseFeatureListEntry 2  }

jnxLicenseFeatureDescr OBJECT-TYPE
    SYNTAX          DisplayString
    MAX-ACCESS         read-only
```

```
        STATUS          current
        DESCRIPTION         "Feature Name"
        ::= { jnxLicenseFeatureListEntry 3 }


jnxLicenseFeatureLicenseId OBJECT-TYPE
        SYNTAX          DisplayString
        MAX-ACCESS        read-only
        STATUS          current
        DESCRIPTION         "Feature License Id"
        ::= { jnxLicenseFeatureListEntry 4 }


jnxLicenseFeatureLicenseUsed    OBJECT-TYPE
        SYNTAX        INTEGER
        MAX-ACCESS    read-only
        STATUS        current
        DESCRIPTION    "Licenses Used"
        ::= { jnxLicenseFeatureListEntry 5 }


jnxLicenseFeatureLicenseInstalled OBJECT-TYPE
        SYNTAX        INTEGER
        MAX-ACCESS    read-only
        STATUS        current
        DESCRIPTION    "Licenses Installed"
        ::= { jnxLicenseFeatureListEntry 6 }


jnxLicenseFeatureLicenseNeeded    OBJECT-TYPE
        SYNTAX        INTEGER
        MAX-ACCESS    read-only
        STATUS        current
        DESCRIPTION    "Licenses Needed"
        ::= { jnxLicenseFeatureListEntry 7 }



-- ************************************************************
-- License configuration parameters
-- ************************************************************


jnxLicenseRenewBeforExpiration  OBJECT-TYPE
        SYNTAX            INTEGER
        MAX-ACCESS            read-only
        STATUS            current
        DESCRIPTION
           "License renew lead time before expiration in days."
        ::= { jnxLicenseSettings  1 }


jnxLicenseRenewInterval  OBJECT-TYPE
        SYNTAX          INTEGER
        MAX-ACCESS        read-only
```

STATUS   current
DESCRIPTION
   "License checking interval in hours."
::= { jnxLicenseSettings 2 }

jnxLicenseAutoUpdate   OBJECT-TYPE
 SYNTAX   DisplayString
 MAX-ACCESS   read-only
 STATUS   current
 DESCRIPTION
   "License auto update URL of a license server."
 ::= { jnxLicenseSettings 3 }

-- **
-- define branches for jnx license traps
-- **

jnxLicenseGraceExpired NOTIFICATION-TYPE
  OBJECTS { jnxLicenseFeatureName }
  STATUS   current
  DESCRIPTION
    "The SNMP trap that is generated when the license grace period for
     feature identified by jnxLicenseFeatureName is expired"
  ::= { jnxLicenseNotifications 1 }

jnxLicenseGraceAboutToExpire NOTIFICATION-TYPE
  OBJECTS { jnxLicenseFeatureName }
  STATUS   current
  DESCRIPTION
    "The SNMP trap that is generated when the license grace period for
     feature identified by jnxLicenseFeatureName is about to expire"
  ::= { jnxLicenseNotifications 2 }

jnxLicenseAboutToExpire NOTIFICATION-TYPE
  OBJECTS { jnxLicenseFeatureName }
  STATUS   current
  DESCRIPTION
    "The SNMP trap that is generated when the license period for
     feature identified by jnxLicenseFeatureName is about to expire"
  ::= { jnxLicenseNotifications 3 }

jnxLicenseInfringeCumulative NOTIFICATION-TYPE
  OBJECTS { jnxLicenseFeatureName }
  STATUS   current
  DESCRIPTION
    "The SNMP trap that is generated when the feature is used more

```
        times than as specified in number of licenses allowed for feature
        as identified by jnxLicenseFeatureName"
    ::= { jnxLicenseNotifications 4 }


jnxLicenseInfringeSingle NOTIFICATION-TYPE
    OBJECTS  { jnxLicenseFeatureName }
    STATUS   current
    DESCRIPTION
        "The SNMP trap that is generated when the license for feature
        identified by jnxLicenseFeatureName is not valid i.e. either expired or
        not available."
    ::= { jnxLicenseNotifications 5 }



END
/*
* Generated by ncsc --mib2yang-std
* Source: MIB_SOURCES_POST_PROCESSED/CISCO-LICENSE-MGMT-MIB.mib
*/
/*
* This YANG module has been generated by smidump 0.5.0:
*
*     smidump -f yang CISCO-LICENSE-MGMT-MIB
*
* Do not edit. Edit the source file instead!
*/

module CISCO-LICENSE-MGMT-MIB {

  namespace "urn:ietf:params:xml:ns:yang:smiv2:CISCO-LICENSE-MGMT-MIB";
  prefix "cisco-license-mgmt-mib";

  import ENTITY-MIB {
    prefix "entity-mib";
  }

  import INET-ADDRESS-MIB {
    prefix "inet-address";
  }

  import SNMP-FRAMEWORK-MIB {
    prefix "snmp-framework";
  }

  import SNMPv2-TC {
    prefix "snmpv2-tc";
  }
```

```
import ietf-yang-smiv2 {
  prefix "smiv2";
}

organization
 "Cisco Systems Inc.";

contact
 "Cisco Systems

  Customer Service


  Postal: 170 W Tasman Drive


  San Jose, CA  95134


  USA


  Tel: +1 800 553 -NETS


  E-mail: cs-snmp@cisco.com";

description
 "The MIB module for managing licenses on the system.
  The licensing mechanism provides flexibility to
  enforce licensing for various features in the system.


  The following text introduces different concepts and
  terms those are necessary to understand the MIB definition
  and to perform license management.


  UDI
     Universal Device Identifier that uniquely identifies a
     device. It comprises of product ID, version ID and serial
     number of the device.


  NODE LOCKED LICENSE:
     Node locked licenses are locked to one of the device
     identifiers in the system. For example, the license
     can be locked to the UDI value of one of the devices
     in the system. Locking a license to an UDI guarantees
     that the license will not be moved to a device with a
     different UDI.


  NON-NODE LOCKED LICENSE:
     Non-node locked licenses are not locked to any device
     identifier. They can be used on other similar devices.


  METERED LICENSE:
```

Metered licenses are valid for limited period of time and they expire after that. This period is the usage period of a license and it is not based on real time clock, but system clock.

EULA:
End User License Agreement.

EVALUATION LICENSE:
Evaluation licenses are non-node locked metered licenses which are valid only for a limited period. They are used only when there are no permanent, extension or grace period licenses for a feature. User will have to accept EULA (End User License Agreement) before using an evaluation license. Even though they are not node locked, their usage is recorded on the device.

RIGHT TO USE (RTU) LICENSE:
Right to use license is a non-node locked metered license which is in evaluation mode for a limited time after which it is converted to Right To Use (RTU) license and is valid for the lifetime of the product. User will have to accept EULA (End User License Agreement) before using this license. Even though it is not node locked, usage information is recorded on the device.

EXTENSION LICENSE:
Extension licenses are node locked metered licenses. These licenses are issued by Cisco's licensing portal. These licenses need to be installed using management interfaces on the device. User will have to accept an EULA as part of installation of extension license.

GRACE PERIOD LICENSE:
Grace period licenses are node locked metered licenses. These licenses are issued by Cisco's licensing portal as part of the permission ticket to rehost a license. These licenses are installed on the device as part of the rehost operation. User will have to accept an EULA as part of the rehost operation for this type of license. Details on permission ticket, rehost operations are provided further down in this description clause.

PERMANENT LICENSE:
Permanent licenses are node locked licenses that have no usage period associated with them. These licenses

are issued by Cisco's licensing portal. These licenses
need to be installed using management interfaces on
the device. Once these licenses are installed, they
will provide needed permission for the feature/image
across different versions.

COUNTED LICENSE:
Counted licenses limit the number of similar entities
that can use the license. For example, a counted
license when used by a feature can limit the number
of IP phones that can connect or the number of tunnels
that can be created.

UNCOUNTED LICENSE:
Uncounted licenses do not limit the number of similar
entities that can use the licenses.

License can be enforced at the image level or at the feature
level and this MIB module supports both.

IMAGE LEVEL LICENSING:
A universal image that contains all levels of
software packages is loaded on to the device. At boot
time, the device determines the highest level of license
and brings up the appropriate software features or
subsystems.

FEATURE LEVEL LICENSING:
Feature level licensing will support enforcement of
license at individual feature. Features have to check
for their licenses before enabling themselves. If it
does not have a license, the feature should disable
itself.

There is a one-to-one relationship between
a feature and a license. That is, a feature can use
only one license at a time and a license can be used
by only one feature at a time.

LICENSE LINE:
A License line is an atomic set of ASCII characters
arranged in a particular format that holds the license
for a single feature within it. A line has all the
necessary fields and attributes that make it a valid,
non-tamper able and complete license.

LICENSE FILE:
File generated by Cisco licensing portal. It is used

to install license on product. It has a user readable
part and it contains one or more license lines.

DEVICE CREDENTIALS:
Device credentials file is a document that is generated
by a licensed device. This document establishes the
identity of the device and proves that the sender/user
has/had authorized access to the device.

REHOST:
Rehost operation allows a node locked license that
is installed on a device to be installed on other
similar device. As part of rehost operation, a device
processes the permission ticket, revokes the license(s)
on the device and generates a rehost ticket as the
proof of revocation. This rehost ticket needs to be
presented to the Cisco's licensing portal to get the
license transferred on to a new similar device.

PERMISSION TICKET:
Permission ticket is a document generated by Cisco
licensing portal that allows a device to rehost its
licenses.

REHOST TICKET:
Rehost ticket is document generated by a device after
it has applied a permission ticket. The rehost ticket
is a proof of revocation.

LICENSING PORTAL:
Generates licenses, permission tickets and verifies
device credentials and rehost tickets.

This MIB module provides MIB objects to install, clear,
revoke licenses. It also provides objects to regenerate
last rehost ticket, backup all the licenses installed
on a device, generate & export EULA for licenses.

STEPS TO INSTALL A LICENSE:
To install a license, the management application
1. Retrieves device credentials of the device.
2. Communicates with Cisco's licensing portal to get
   the license file, uses device credentials to identify
   the device
3. Executes the license install action.

STEPS TO CLEAR A LICENSE:
To clear a license, the management application

1. Identifies the license to be cleared using license index.
2. Executes the license clear action.

STEPS TO REHOST A LICENSE:
   To rehost a license, the management application
   1. Retrieves device credentials of the device.
   2. Communicates with Cisco's licensing portal to get the permission ticket, uses device credentials to identify the device.
   3. Executes the processPermissionTicket action. Device revokes the license and generates rehost ticket to be submitted as proof of revocation.
   4. Retrieves device credentials of the device where the license needs to be transferred to.
   5. Submits rehost ticket as proof of revocation to Cisco's licensing portal, uses device credentials of the new device to identify the device, gets license file.
   6. Executes the license install action on the new device.

STEPS TO REGENERATE LAST REHOST TICKET:
   To regenerate last rehost ticket, the management application
   1. Retrieves device credentials of the device.
   2. Uses already obtained permission ticket or communicates with Cisco's licensing portal to get the permission ticket, uses device credentials to identify the device.
   3. Executes the regenerateLastRehostTicket action. Device generates rehost ticket to be submitted as proof of revocation.

STEPS TO BACKUP ALL LICENSES:
   To backup all licenses installed in the device, the management application
   1. Specifies the backup file path.
   2. Executes the license backup action.

STEPS TO GENERATE & EXPORT EULA:
   To install certain kind of licenses, the management application must accept EULA first. The management application can generate and export EULA for one or more licenses with out installing licenses as follows.
   1. Specifies the license file path that has licenses to be installed
   2. Specifies the EULA file path where EULA need to be

exported to
3. Executes the generate EULA action.

To support the various license actions, this MIB module
also defines MIB objects to know if a device supports
licensing, retrieve device credentials, retrieve
information on license stores in the device.

It also defines MIB objects to expose management
information associated with the licenses installed on the
device, with the licensable features in the software image.

This MIB module also defines various notifications that
will be triggered to asynchronously notify the management
application of any critical events.

This MIB module is defined generically so it can be
implemented on stand alone devices or stack of devices.
In stack of devices, one device in the stack acts as
master agent and rest are slave agents. Each device in the
stack has its own UDI. The master agent receives requests
on behalf of all the devices in the stack including itself
and delegates it to other devices as needed. It also
collects responses from other devices and sends them to
the management application. Examples of such devices include
stackable switches, devices with route processor and line
cards. On the other hand, stand alone device is a single
device and has only one UDI associated with it.

entPhysicalIndex imported from ENTITY-MIB is used to
identify the device uniquely. It is specified as the index
or one of the index for tables in this MIB as needed.";

revision 2012-04-19 {
 description
  "This version of the MIB adds support for Permanent Right to use (RTU)
  licensing. The revisions are:
  o Updated clmgmtLicenseType object to support the following new
   types of license:
   permanentRightToUse

  The new module compliance is ciscoLicenseMgmtComplianceRev1.";
}

revision 2011-04-19 {
 description
  "This version of the MIB adds support for Right to use (RTU)
   licensing. The revisions are:

o Added RTU license definition to MIB description above.
o Updated clmgmtLicenseType object to support the following new
  types of license:
  evalRightToUse
  rightToUse
o Added following objects to clmgmtLicenseInfoTable
  clmgmtLicensePeriodUsed
o Added following objects to clmgmtLicensableFeatureTable
  clmgmtFeaturePeriodUsed
o Added the following notifications
  clmgmtLicenseEvalRTUTransitionWarning
  clmgmtLicenseEvalRTUTransition
o Added the following conformance groups
  clmgmtLicenseRTUGroup
  clmgmtLicenseRTUUsageNotifGroup

The new module compliance is ciscoLicenseMgmtComplianceRev1.";
}

revision 2008-11-21 {
 description
  "This version of the MIB adds support for subscription
  licensing. Subscription licenses provide software
  enforcement for a licensed feature for a fixed calendar
  period. The revisions are:
  o Updated clmgmtLicenseType object to support the following three
    new types of licenses:
      paidSubscription
      evaluationSubscription
      extensionSubscription
  o Added following objects to clmgmtLicenseInfoTable
      clmgmtLicenseStartDate
      clmgmtLicenseEndDate
  o Added following objects to clmgmtLicensableFeatureTable
      clmgmtFeatureStartDate
      clmgmtFeatureEndDate
  o Added the following notifications
      clmgmtLicenseSubscriptionExpiryWarning
      clmgmtLicenseSubscriptionExtExpiryWarning
      clmgmtLicenseSubscriptionExpired
  o Added the following conformance groups
      clmgmtLicenseSubscriptionGroup
      clmgmtLicenseSubscriptionUsageNotifGroup
  The new module compliance is ciscoLicenseMgmtComplianceRev1.";
}

revision 2006-10-03 {
 description

```
    "Initial version of this MIB module.";
  }

  typedef ClmgmtLicenseIndex {
   type uint32 {
    range "1..4294967295";
   }
   description
    "A unique value, for each license in the managed system.
     It is not necessary to have values assigned contiguously.
     The value for each license must remain constant
     at least from one re-initialization of the entity's
     network management system to the next re-initialization";
  }

  typedef ClmgmtLicenseIndexOrZero {
   type uint32;
   description
    "This textual convention is an extension of the ClmgmtLicenseIndex
     convention.  The latter defines a greater than zero value
     used to identify a license in the managed system.  This
     extension permits the additional value of zero. The value
     zero is object-specific and must therefore be defined as
     part of the description of any object which uses this
     syntax. Examples of the usage of zero might include
     situations where license was not present or unknown.";
  }

  typedef ClmgmtLicenseTransferProtocol {
   type enumeration {
    enum "none" {
     value "1";
    }
    enum "local" {
     value "2";
    }
    enum "tftp" {
     value "3";
    }
    enum "ftp" {
     value "4";
    }
    enum "rcp" {
     value "5";
    }
    enum "http" {
     value "6";
    }
```

```
   enum "scp" {
    value "7";
   }
   enum "sftp" {
    value "8";
   }
  }
  description
   "The transfer protocol that should be used for copying files
    when performing license management. When the protocol is
    set to local(2), local file system (flash or disk) is used.
    Different agents may support different transfer protocols
    and the management application is expected to some how determine
    which protocol is supported and use.";
 }

 typedef ClmgmtLicenseActionState {
  type enumeration {
   enum "none" {
    value "1";
   }
   enum "pending" {
    value "2";
   }
   enum "inProgress" {
    value "3";
   }
   enum "successful" {
    value "4";
   }
   enum "partiallySuccessful" {
    value "5";
   }
   enum "failed" {
    value "6";
   }
  }
  description
   "The state of license action execution.

    none(1)           - action is not yet scheduled to be
                        executed.

    pending(2)        - All the required parameters for the
                        action are set and the action is
                        scheduled to be executed.

    inProgress(3)     - action execution has started and is
```

in progress.

successful(4)   - action has completed successfully.

partiallySuccessful(5) - action has completed, but was
                    partially successful. Management
                    application can query additional MIB
                    objects to know what is successful
                    and what has failed. These addtional
                    objects are listed in the
                    description of the corresponding
                    action tables.

failed(6)   - action has failed.";
}

typedef ClmgmtLicenseActionFailCause {
 type enumeration {
  enum "none" {
   value "1";
  }
  enum "generalFailure" {
   value "2";
  }
  enum "transferProtocolNotSupported" {
   value "3";
  }
  enum "fileServerNotReachable" {
   value "4";
  }
  enum "unrecognizedEntPhysicalIndex" {
   value "5";
  }
  enum "invalidLicenseFilePath" {
   value "6";
  }
  enum "invalidLicenseFile" {
   value "7";
  }
  enum "invalidLicenseLine" {
   value "8";
  }
  enum "licenseAlreadyExists" {
   value "9";
  }
  enum "licenseNotValidForDevice" {
   value "10";
  }

```
enum "invalidLicenseCount" {
 value "11";
}
enum "invalidLicensePeriod" {
 value "12";
}
enum "licenseInUse" {
 value "13";
}
enum "invalidLicenseStore" {
 value "14";
}
enum "licenseStorageFull" {
 value "15";
}
enum "invalidPermissionTicketFile" {
 value "16";
}
enum "invalidPermissionTicket" {
 value "17";
}
enum "invalidRehostTicketFile" {
 value "18";
}
enum "invalidRehostTicket" {
 value "19";
}
enum "invalidLicenseBackupFile" {
 value "20";
}
enum "licenseClearInProgress" {
 value "21";
}
enum "invalidLicenseEULAFile" {
 value "22";
}
}
description
"Reason for license action failure. Defines error codes for
all the license actions.

none(1)           - action execution has not
                   started yet. If the action
                   is completed and the action
                   is successful, then also
                   none(1) is returned to
                   indicate that there are no
                   errors.
```

generalFailure(2)   - General licensing failure.
                          This will be used for resource
                          unavailability failures.
                          Ex: Lack of memory.
transferProtocolNotSupported(3) - protocol selected is not
                          supported.
fileServerNotReachable(4) - file server is not reachable.
unrecognizedEntPhysicalIndex(5) - entPhysicalIndex is not
                          valid
invalidLicenseFilePath(6) - The license file path is not
                          accessible.
invalidLicenseFile(7)   - Contents of license file are
                          not valid.
invalidLicenseLine(8)   - License string in the license
                          file is not valid.
licenseAlreadyExists(9)   - Management application is trying
                          to install a license that already
                          exists.
licenseNotValidForDevice(10) - This license is not valid for
                          the device/entPhysicalIndex
                          specified.
invalidLicenseCount(11)   - Invalid count for this counted
                          license.
invalidLicensePeriod(12)   - Validity period is invalid for
                          this expiring license.
licenseInUse(13)   - License file is in use by a
                          feature/image.
invalidLicenseStore(14)   - License store is not valid.
licenseStorageFull(15)   - There is no more space in the
                          license storage.
invalidPermissionTicketFile(16) - The permission ticket file
                          path is not accecssible.
invalidPermissionTicket(17) - The permission ticket file
                          contents are not valid.
invalidRehostTicketFile(18) - The rehost ticket file path is
                          not accessible.
invalidRehostTicket(19)   - The rehost ticket file contents
                          are not valid.
invalidLicenseBackupFile(20) - License backup store path
                          is not accessible.
licenseClearInProgress(21) - When license clear action is
                          in progress, license backup
                          action is not permitted to
                          avoid race conditions. This
                          error code is sent back in
                          response to a license backup
                          action when a license clear
                          action is in progress or in

```
                    pending state. Try again in few
                    seconds.
        invalidLicenseEULAFile(22) -  EULA file path is not accessible.";
}



container CISCO-LICENSE-MGMT-MIB {
 config false;

 container clmgmtLicenseConfiguration {
   smiv2:oid "1.3.6.1.4.1.9.9.543.1.1";

   leaf clmgmtNextFreeLicenseActionIndex {
    type uint32 {
      range "1..4294967295";
    }
    description
      "This object contains appropriate value for
       clmgmtLicenseActionIndex that can be used to create
       an entry in clmgmtLicenseActionTable. The management application
       should read this object first and then use this as the
       value for clmgmtLicenseActionIndex to avoid collisions
       when creating entries in clmgmtLicenseActionTable.
       Following this approach does not guarantee collision free
       row creation, but will reduce the probability. The
       collision will happen if two management applications read this
       object at the same time and attempt to create an entry
       with this value at the same time. In this case, the
       management application whose request is processed after the first
       request will get an error and the process of reading this object
       and entry creation needs to be repeated.";
    smiv2:max-access "read-only";
    smiv2:oid "1.3.6.1.4.1.9.9.543.1.1.1";
   }
 }

 container clmgmtLicenseDeviceInformation {
   smiv2:oid "1.3.6.1.4.1.9.9.543.1.3";

   leaf clmgmtNextFreeDevCredExportActionIndex {
    type uint32;
    description
      "This object contains appropriate value for
       clmgmtDevCredExportActionIndex that can be used to create
       an entry in clmgmtDevCredExportActionTable. The management
       application should read this object first and then use this
       as the value for clmgmtDevCredExportActionIndex to avoid
       collisions when creating entries in
```

```
        clmgmtDevCredExportActionTable. Following this approach does
        not guarantee collision free row creation, but will reduce
        the probability. The collision will happen if two
        management applications read this object at the same time and
        attempt to create an entry with this value at the same time.
        In this case, the management application whose request is
        processed after the first request will get an error and the
        process of reading this object and entry creation needs to be
        repeated.";
      smiv2:max-access "read-only";
      smiv2:oid "1.3.6.1.4.1.9.9.543.1.3.1";
    }
  }

  container clmgmtLicenseNotifObjects {
    smiv2:oid "1.3.6.1.4.1.9.9.543.1.4";

    leaf clmgmtLicenseUsageNotifEnable {
      type boolean;
      description
        "This object indicates whether the device should generate
        the notifications related to usage of licenses. This object
        enables/disables sending following notifications:
            clmgmtLicenseExpired
            clmgmtLicenseExpiryWarning
            clmgmtLicenseUsageCountExceeded
            clmgmtLicenseUsageCountAboutToExceed
            clmgmtLicenseSubscriptionExpiryWarning
            clmgmtLicenseSubscriptionExtExpiryWarning
            clmgmtLicenseSubscriptionExpired
            clmgmtLicenseEvalRTUTransitionWarning
            clmgmtLicenseEvalRTUTransition";
      smiv2:defval "true";
      smiv2:max-access "read-write";
      smiv2:oid "1.3.6.1.4.1.9.9.543.1.4.1";
    }

    leaf clmgmtLicenseDeploymentNotifEnable {
      type boolean;
      description
        "This object indicates whether the device should generate
        notifications related to license deployment. This object
        enables/disables sending following notifications:
            clmgmtLicenseInstalled
            clmgmtLicenseCleared
            clmgmtLicenseRevoked
            clmgmtLicenseEULAAccepted";
      smiv2:defval "true";
```

```
        smiv2:max-access "read-write";
        smiv2:oid "1.3.6.1.4.1.9.9.543.1.4.2";
      }

      leaf clmgmtLicenseErrorNotifEnable {
        type boolean;
        description
          "This object indicates whether the device should generate
          notifications related to error conditions in enforcing
          licensing. This object enables/disables sending following
          notifications:
              clmgmtLicenseNotEnforced";
        smiv2:defval "true";
        smiv2:max-access "read-write";
        smiv2:oid "1.3.6.1.4.1.9.9.543.1.4.3";
      }
    }

    container clmgmtLicenseActionTable {
      description
       "A table for invoking license management actions. Management
        application must create a row in this table to trigger any of
        the license management actions. The following are different
        actions that can be executed using this table.
             1. install
             2. clear
             3. processPermissionTicket
             4. regenerateLastRehostTicket
             5. backup
             6. generateEULA

        Refer to the description of clmgmtLicenseAction for more
        information on what these actions do on the device.
        Once the request completes, the management application should
        retrieve the values of the objects of interest, and then
        delete the entry.  In order to prevent old entries from
        clogging the table, entries will be aged out, but an entry
        will never be deleted within 5 minutes of completion.";
      smiv2:oid "1.3.6.1.4.1.9.9.543.1.1.2";

      list clmgmtLicenseActionEntry {
        key "clmgmtLicenseActionIndex";
        description
         "An entry for each action that is being executed or was
          executed recently. The management application executes an
          action
          by creating this entry. This can be done in the following
          2 methods
```

1. CREATE-AND-GO method
   Management application sets clmgmtLicenseActionRowStatus to
   createAndGo(4) and all other required objects to valid
   values in a single SNMP SET request. If all the values
   are valid, the device creates the entry and executes the
   action. If the SET request fails, the entry will not be
   created.
2. CREATE-AND-WAIT method
   Management application sets clmgmtLicenseActionRowStatus to
   createAndWait(5) to create an entry. Management application
   can set all other required objects to valid
   values in more than one SNMP SET request. If SET request
   for any of the objects fails, management application can
set
   just only that object. Once all the required objects
   are set to valid values, management application triggers
action
   execution by setting clmgmtLicenseActionRowStatus to
   active(1).

To stop the action from being executed, the management
application
can delete the entry by setting clmgmtLicenseActionRowStatus
to destroy(6) when clmgmtLicenseActionState is pending(2).

The status of action execution can be known by querying
clmgmtLicenseActionState. If the action is still in
pending(2) or in inProgress(3) state, the management
application need to check back again after few seconds.
Once the action completes and status of the action is
failed(6), the reason for failure can be retrieved
from clmgmtLicenseActionFailCause. If the status of the
action is partiallySuccessful(5), results of individual
licenses can be queried from clmgmtLicenseActionResultTable.

Not all objects in the entry are needed to execute every
action. Below is the list of actions and the required
objects that are needed to be set for executing that
action.

1. Installing a license
   The following MIB objects need to be set for installing a
   license
     a. clmgmtLicenseActionTransferProtocol
     b. clmgmtLicenseServerAddressType
     c. clmgmtLicenseServerAddress
     d. clmgmtLicenseServerUsername

    e. clmgmtLicenseServerPassword

    f. clmgmtLicenseFile

    g. clmgmtLicenseStore

    h. clmgmtLicenseStopOnFailure

    i. clmgmtLicenseAcceptEULA

    j. clmgmtLicenseAction

clmgmtLicenseActionEntPhysicalIndex need not be set
explicitly for license installs. License itself identifes
the device where the license needs to be installed.

clmgmtLicenseStore need to be set to store the licenses
in a non-default license store. But, if a license file
has more than one license and licenses need to be
installed on multiple devices (for example to multiple
members with in a stack), then value of clmgmtLicenseStore
is ignored and the licenses will be installed in default
license stores of the respective devices.

2. Clearing a license
  The following MIB objects need to be set for clearing a
  license
    a. clmgmtLicenseActionEntPhysicalIndex
    b. clmgmtLicenseActionLicenseIndex
    c. clmgmtLicenseStore
    d. clmgmtLicenseAction

3. Revoking a license
  The following MIB objects need to be set for revoking a
  license
    a. clmgmtLicenseActionTransferProtocol
    b. clmgmtLicenseServerAddressType
    c. clmgmtLicenseServerAddress
    d. clmgmtLicenseServerUsername
    e. clmgmtLicenseServerPassword
    f. clmgmtLicensePermissionTicketFile
    g. clmgmtLicenseRehostTicketFile
    h. clmgmtLicenseStopOnFailure
    i. clmgmtLicenseAction

4. Regenerate last rehost ticket
  The following MIB objects need to be set for regenerating
  last rehost ticket
    a. clmgmtLicenseActionTransferProtocol
    b. clmgmtLicenseServerAddressType
    c. clmgmtLicenseServerAddress
    d. clmgmtLicenseServerUsername
    e. clmgmtLicenseServerPassword

f. clmgmtLicensePermissionTicketFile

g. clmgmtLicenseRehostTicketFile

h. clmgmtLicenseStopOnFailure

i. clmgmtLicenseAction

5. Save all licenses to a backup storage
   The following MIB objects need to be set for storing all
   licenses to a backup store
   a. clmgmtLicenseActionEntPhysicalIndex
   b. clmgmtLicenseActionTransferProtocol
   c. clmgmtLicenseServerAddressType
   d. clmgmtLicenseServerAddress
   e. clmgmtLicenseServerUsername
   f. clmgmtLicenseServerPassword
   g. clmgmtLicenseBackupFile
   h. clmgmtLicenseAction

6. Generate and export EULA if the licenses need EULA to be
   accepted for installing.
   The following MIB objects need to be set exporting required
   EULAs
   a. clmgmtLicenseActionTransferProtocol
   b. clmgmtLicenseServerAddressType
   c. clmgmtLicenseServerAddress
   d. clmgmtLicenseServerUsername
   e. clmgmtLicenseServerPassword
   f. clmgmtLicenseFile
   g. clmgmtLicenseEULAFile
   h. clmgmtLicenseAction

For any action, if clmgmtLicenseActionTransferProtocol
is set to local(2), the following objects need not be set.
   a. clmgmtLicenseServerAddressType
   b. clmgmtLicenseServerAddress
   c. clmgmtLicenseServerUsername
   d. clmgmtLicenseServerPassword

Entry can be deleted except when clmgmtLicenseAction is set
to pending(2). All entries are volatile and are cleared
on agent reset.";
smiv2:oid "1.3.6.1.4.1.9.9.543.1.1.2.1";

leaf clmgmtLicenseActionIndex {
 type uint32 {
  range "1..4294967295";
 }
 description

"This object uniquely identifies a row in
clmgmtLicenseActionTable. The management application should choose
this value by reading clmgmtNextFreeLicenseActionIndex
while creating an entry in this table. If an entry already
exists with this index, the creation of the entry will not
continue and error will be returned. The management application
should read the value of clmgmtNextFreeLicenseActionIndex
again and retry with the new value for this object.";
  smiv2:max-access "not-accessible";
  smiv2:oid "1.3.6.1.4.1.9.9.543.1.1.2.1.1";
}

leaf clmgmtLicenseActionEntPhysicalIndex {
  type entity-mib:PhysicalIndexOrZero;
  description
    "This object represents the entPhysicalIndex of the device
    where the action is being executed. This object is mainly
    used in devices where one device is acting as a master and
    rest of the devices as slaves. The master device is
    responsible for SNMP communication with the management
    application. Examples include stackable switches, devices
    with route processor and line card configuration. If this
    object is not set, the license action will be executed on
    the master device. Note: This object need not be set if
    there is a stand alone device";
  smiv2:defval "0";
  smiv2:max-access "read-write";
  smiv2:oid "1.3.6.1.4.1.9.9.543.1.1.2.1.2";
}

leaf clmgmtLicenseActionTransferProtocol {
  type cisco-license-mgmt-mib:ClmgmtLicenseTransferProtocol;
  description
    "This object represents the transfer protocol to be used
    when copying files as specified in the following objects.
    1. clmgmtLicenseFile
    2. clmgmtLicensePermissionTicketFile
    3. clmgmtLicenseRehostTicketFile
    4. clmgmtLicenseBackupFile

    Note: This object need not be set if the all the files
    required for the action are in device's local file system.";
  smiv2:defval "none";
  smiv2:max-access "read-write";
  smiv2:oid "1.3.6.1.4.1.9.9.543.1.1.2.1.3";
}

leaf clmgmtLicenseServerAddressType {

```
  type inet-address:InetAddressType;
  description
   "This object indicates the transport type of the
    address contained in clmgmtLicenseServerAddress object.
    This must be set when clmgmtLicenseActionTransferProtocol
    is not none(1) or local(2).";
  smiv2:defval "unknown";
  smiv2:max-access "read-write";
  smiv2:oid "1.3.6.1.4.1.9.9.543.1.1.2.1.4";
 }

 leaf clmgmtLicenseServerAddress {
  type inet-address:InetAddress;
  description
   "This object indicates the ip address of the server from
    which the files must be read or written to if
    clmgmtLicenseActionTransferProtocol is not none(1) or
    local(2).

    All bits as 0s or 1s for clmgmtLicenseServerAddress are not
    allowed.

    The format of this address depends on the value of the
    clmgmtLicenseServerAddressType object";
  smiv2:defval "";
  smiv2:max-access "read-write";
  smiv2:oid "1.3.6.1.4.1.9.9.543.1.1.2.1.5";
 }

 leaf clmgmtLicenseServerUsername {
  type snmp-framework:SnmpAdminString {
   length "0..96";
  }
  description
   "This object indicates the remote user name for accessing
    files via ftp, rcp, sftp or scp protocols. This object must
    be set when the clmgmtLicenseActionTransferProtocol is
    ftp(4), rcp(5), scp(7) or sftp(8). If
    clmgmtLicenseActionTransferProtocol is rcp(5), the remote
    username is sent as the server username in an rcp command
    request sent by the system to a remote rcp server.";
  smiv2:defval "";
  smiv2:max-access "read-write";
  smiv2:oid "1.3.6.1.4.1.9.9.543.1.1.2.1.6";
 }

 leaf clmgmtLicenseServerPassword {
  type snmp-framework:SnmpAdminString {
```

```
    length "0..96";
   }
   description
    "This object indicates the password used by ftp, sftp or
     scp for copying a file to/from an ftp/sftp/scp server.
     This object must be set when the
     clmgmtLicenseActionTransferProtocol is ftp(4) or scp(7)
     or sftp(8). Reading it returns a zero-length string for
     security reasons.";
   smiv2:defval "";
   smiv2:max-access "read-write";
   smiv2:oid "1.3.6.1.4.1.9.9.543.1.1.2.1.7";
  }


  leaf clmgmtLicenseFile {
   type snmp-framework:SnmpAdminString {
    length "0..255";
   }
   description
    "This object represents the location of the license file
     on the server identified by clmgmtLicenseServerAddress. This
     object MUST be set to a valid value before or concurrently
     with setting the value of the clmgmtLicenseAction object to
     install(2). For other operations, the value of this
     object is not considered, it is irrelevant.";
   smiv2:defval "";
   smiv2:max-access "read-write";
   smiv2:oid "1.3.6.1.4.1.9.9.543.1.1.2.1.8";
  }


  leaf clmgmtLicenseStore {
   type uint32;
   description
    "This object represents the clmgmtLicenseStoreIndex of the
     license store to use within the device. The license store
     can be a local disk or flash. A device can have more than
     one license stores. If this object is not set, the license
     will be stored in the default license store as exposed by
     clmgmtDefaultLicenseStore object.";
   smiv2:defval "0";
   smiv2:max-access "read-write";
   smiv2:oid "1.3.6.1.4.1.9.9.543.1.1.2.1.9";
  }


  leaf clmgmtLicenseActionLicenseIndex {
   type cisco-license-mgmt-mib:ClmgmtLicenseIndexOrZero;
   description
    "This object indicates the the license index of the license
```

```
    that is the subject of this action. This is used for
    identifying a license for performing actions specific to
    that license. This object need to be set only if
    clmgmtLicenseAction is set to clear(4). The value of this
    object is same as the clmgmtLicenseIndex object in
    clmgmtLicenseInfoEntry for license that is subject of this
    action.";
  smiv2:defval "0";
  smiv2:max-access "read-write";
  smiv2:oid "1.3.6.1.4.1.9.9.543.1.1.2.1.10";
}

leaf clmgmtLicensePermissionTicketFile {
  type snmp-framework:SnmpAdminString {
    length "0..255";
  }
  description
   "This object indicates the file name of the permission
    ticket. This object need to be set only if
    clmgmtLicenseAction is set to processPermissionTicket(4)
    or regenerateLastRehostTicket(5) actions. The permission
    ticket is obtained from Cisco licensing portal to revoke
    a license. The management application must set this object
    to valid value before invoking the action.";
  smiv2:defval "";
  smiv2:max-access "read-write";
  smiv2:oid "1.3.6.1.4.1.9.9.543.1.1.2.1.11";
}

leaf clmgmtLicenseRehostTicketFile {
  type snmp-framework:SnmpAdminString {
    length "0..255";
  }
  description
   "This object indicates the file where the rehost ticket
    generated by the device need to be exported to. The rehost
    ticket is generated as a result of processPermissionTicket
    and regenerateLastRehostTicket actions. After generating
    the rehost ticket, the device exports the rehost ticket
    contents to this file. This object need to be set only
    if clmgmtLicenseAction is set to processPermissionTicket(4)
    or regenerateLastRehostTicket(5) actions.";
  smiv2:defval "";
  smiv2:max-access "read-write";
  smiv2:oid "1.3.6.1.4.1.9.9.543.1.1.2.1.12";
}

leaf clmgmtLicenseBackupFile {
```

```
type snmp-framework:SnmpAdminString {
  length "0..255";
}
description
 "This object indicates the file where all the licenses in
  the device need to be backed up. This object need to be set
  only if clmgmtLicenseAction is set to backup(6) and the
  management application must set the value of this  object
  to valid value before invoking action.";
smiv2:defval "";
smiv2:max-access "read-write";
smiv2:oid "1.3.6.1.4.1.9.9.543.1.1.2.1.13";
}

leaf clmgmtLicenseStopOnFailure {
 type boolean;
 description
  "This object indicates whether the license action should
   stop if the action on a license fails. This object is
   applicable only if there are more than one licenses
   involved in an action.";
 smiv2:defval "false";
 smiv2:max-access "read-write";
 smiv2:oid "1.3.6.1.4.1.9.9.543.1.1.2.1.14";
}

leaf clmgmtLicenseAction {
 type enumeration {
  enum "noOp" {
   value "1";
  }
  enum "install" {
   value "2";
  }
  enum "clear" {
   value "3";
  }
  enum "processPermissionTicket" {
   value "4";
  }
  enum "regenerateLastRehostTicket" {
   value "5";
  }
  enum "backup" {
   value "6";
  }
  enum "generateEULA" {
   value "7";
```

```
        }
      }
      description
       "This object indicates the the command/action to be executed.

         Command              Remarks
         -------              -------
         noOp(1)                 No operation will be
                              performed.

         install(2)              Installs the license.

         clear(3)                Clears the license.

         processPermissionTicket(4)    Processes thee permission
                              ticket and generates and
                              exports rehost ticket.

         regenerateLastRehostTicket(5)  Generates and exports the
                              last generated rehost
                              ticket.

         backup(6)               Backs up all the licenses
                              installed currently onto a
                              backup store.

         generateEULA(7)           Checks whether the licenses
                              in the license file need EULA
                              acceptance and uploads the
                              needed EULA contents to a file.";
      smiv2:defval "noOp";
      smiv2:max-access "read-write";
      smiv2:oid "1.3.6.1.4.1.9.9.543.1.1.2.1.15";
    }

    leaf clmgmtLicenseActionState {
      type cisco-license-mgmt-mib:ClmgmtLicenseActionState;
      description
       "This object indicates the state of this license action.";
      smiv2:max-access "read-only";
      smiv2:oid "1.3.6.1.4.1.9.9.543.1.1.2.1.16";
    }

    leaf clmgmtLicenseJobQPosition {
      type uint32;
      description
       "This object represents the position of the action
        in the license action job queue that is maintained
```

internally. Only actions in pending(2) state will
be put in the queue until they are executed. By
reading this object, the management application can make
intelligent decision on whether to execute another
action that it is planning on. For example, if there
is already a license clear action in the queue in
pending(2) state, management application can choose to
defer its license back up action to a later time. This
object will return a value of 0 if the action is not in
pending(2) state.";
 smiv2:max-access "read-only";
 smiv2:oid "1.3.6.1.4.1.9.9.543.1.1.2.1.17";
}

leaf clmgmtLicenseActionFailCause {
 type cisco-license-mgmt-mib:ClmgmtLicenseActionFailCause;
 description
  "This object indicates the reason for this license action
   failure. The value of this object is valid only when
   clmgmtLicenseActionState is failed(6).";
 smiv2:max-access "read-only";
 smiv2:oid "1.3.6.1.4.1.9.9.543.1.1.2.1.18";
}

leaf clmgmtLicenseActionStorageType {
 type snmpv2-tc:StorageType;
 description
  "This object indicates the storage type for this conceptual
   row. Conceptual rows having the value 'permanent' need not
   allow write-access to any columnar objects in the row.";
 smiv2:defval "volatile";
 smiv2:max-access "read-write";
 smiv2:oid "1.3.6.1.4.1.9.9.543.1.1.2.1.19";
}

leaf clmgmtLicenseActionRowStatus {
 type snmpv2-tc:RowStatus;
 description
  "This object indicates the the status of this table entry.
   Once the entry status is set to active(1), the associated
   entry cannot be modified until the action completes
   (clmgmtLicenseConfigCommandStatus is set to a value
   other than inProgress(3)). Once the action completes
   the only operation possible after this is to delete
   the row. It is recommended that the management application
   should delete entries in this table after reading
   the result. In order to prevent old entries from
   clogging the table, entries will be aged out, but an

```
      entry will never be deleted within 5 minutes of
      completion";
    smiv2:max-access "read-write";
    smiv2:oid "1.3.6.1.4.1.9.9.543.1.1.2.1.20";
  }

  leaf clmgmtLicenseAcceptEULA {
    type boolean;
    description
     "This object indicates whether the End User License Agreement
      needed for installing the licenses is accepted.

      true(1) - EULA is read and accepted
      false(2) - EULA is not accepted

      Management application should set this object to true(1) when
      installing licenses that need EULA acceptance.";
    smiv2:defval "false";
    smiv2:max-access "read-write";
    smiv2:oid "1.3.6.1.4.1.9.9.543.1.1.2.1.21";
  }

  leaf clmgmtLicenseEULAFile {
    type snmp-framework:SnmpAdminString {
      length "0..255";
    }
    description
     "This object indicates the file where all the End User License
      Agreements (EULAs) need to be exported to. This object need to
      be set only if clmgmtLicenseAction is set to generateEULA(7) and
      the management application must set the value of this object to
      valid value before invoking action.";
    smiv2:defval "";
    smiv2:max-access "read-write";
    smiv2:oid "1.3.6.1.4.1.9.9.543.1.1.2.1.22";
  }
 }
}

container clmgmtLicenseActionResultTable {
 description
  "This table contains results of license action if the
   license action involves multiple licenses. Entries in this
   table are not created for actions where there is
   only license that is subject of the action. For
   example, if there are 3 licenses in a license file
   when executing license install action, 3 entries will
   be created in this table, one for each license.";
```

```
     smiv2:oid "1.3.6.1.4.1.9.9.543.1.1.3";

 list clmgmtLicenseActionResultEntry {
   key "clmgmtLicenseActionIndex clmgmtLicenseNumber";
   description
     "An entry in clmgmtLicenseActionResultTable. Each entry
      contains result of the action for a single license.
      These entries are created immediately after action
      execution when the action involves multiple licenses.
      These entries get automatically deleted when the
      corresponding entry in clmgmtLicenseActionTable
      is deleted.";
   smiv2:oid "1.3.6.1.4.1.9.9.543.1.1.3.1";

   leaf clmgmtLicenseActionIndex {
     type leafref {
       path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseActionTable/cisco-license-mgmt-mib:clmgmtLicenseActionEntry/cisco-license-mgmt-
mib:clmgmtLicenseActionIndex";
     }
   }

   leaf clmgmtLicenseNumber {
     type uint32 {
       range "1..4294967295";
     }
     description
       "This object indicates the sequence number of this license
        in the list of licenses on which the action is executed.
        For example, if there are 3 licenses in a license file
        when executing license install action, this object will
        have values 1, 2 and 3 respectively as ordered in the
        license file.";
     smiv2:max-access "not-accessible";
     smiv2:oid "1.3.6.1.4.1.9.9.543.1.1.3.1.1";
   }

   leaf clmgmtLicenseIndivActionState {
     type cisco-license-mgmt-mib:ClmgmtLicenseActionState;
     description
       "This object indicates the state of action on this
        individual license.";
     smiv2:max-access "read-only";
     smiv2:oid "1.3.6.1.4.1.9.9.543.1.1.3.1.2";
   }

   leaf clmgmtLicenseIndivActionFailCause {
     type cisco-license-mgmt-mib:ClmgmtLicenseActionFailCause;
```

```
       description
        "This object indicates the reason for action failure on this
         individual license";
       smiv2:max-access "read-only";
       smiv2:oid "1.3.6.1.4.1.9.9.543.1.1.3.1.3";
      }
    }
  }

  container clmgmtLicenseStoreInfoTable {
   description
    "This table contains information about all the license
     stores allocated on the device.";
    smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.1";

   list clmgmtLicenseStoreInfoEntry {
     key "entPhysicalIndex clmgmtLicenseStoreIndex";
     description
      "An entry in clmgmtLicenseStoreInfoTable. Each entry
       contains information about a license store allocated
       on the device";
      smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.1.1";

     leaf entPhysicalIndex {
       type leafref {
        path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
       }
     }

     leaf clmgmtLicenseStoreIndex {
       type uint32 {
        range "1..4294967295";
       }
       description
        "This object uniquely identifies a license store within
         the device.";
       smiv2:max-access "not-accessible";
       smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.1.1.1";
     }

     leaf clmgmtLicenseStoreName {
       type snmp-framework:SnmpAdminString {
        length "0..255";
       }
       description
        "This object indicates the name of the license store
         within the device. It is a file in device's local file
```

```
            system i.e., either on a local disk or flash or some
            other storage media. For example, the value of this
            object can be 'disk1:lic_store_1.txt' or
            'flash:lic_store_2.txt';
          smiv2:max-access "read-only";
          smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.1.1.2";
        }

        leaf clmgmtLicenseStoreTotalSize {
          type uint32;
          units "bytes";
          description
            "This object indicates the total number of bytes that are
             allocated to the license store.";
          smiv2:max-access "read-only";
          smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.1.1.3";
        }

        leaf clmgmtLicenseStoreSizeRemaining {
          type uint32;
          units "bytes";
          description
            "This object indicates the number of bytes still remaining
             to be used for new license installations in the license
             store.";
          smiv2:max-access "read-only";
          smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.1.1.4";
        }
      }
    }

    container clmgmtLicenseDeviceInfoTable {
      description
        "This table contains objects that provide licensing related
         information at the device level. Entries will exist
         only for entities that support licensing. For example,
         if it is a stand alone device and supports licensing,
         then there will be only one entry in this table. If
         it is stackable switch then there will be multiple
         entries with one entry for each device in the stack.";
      smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.2";

      list clmgmtLicenseDeviceInfoEntry {
        key "entPhysicalIndex";
        description
          "An entry in clmgmtLicenseDeviceInfoTable. Each entry
           contains device level licensing information for a device.";
        smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.2.1";
```

```
    leaf entPhysicalIndex {
     type leafref {
       path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
      }
     }

    leaf clmgmtDefaultLicenseStore {
     type uint32 {
       range "1..4294967295";
      }
     description
      "This object indicates the clmgmtLicenseStoreIndex of
       default store in the device. There will be only one
       default license store per device. If no license store
       is specified during license install, this default license
       store will be used.";
     smiv2:max-access "read-only";
     smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.2.1.1";
     }
    }
   }

  container clmgmtLicenseInfoTable {
   description
    "This table contains information about all the licenses
     installed on the device.";
   smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.3";

   list clmgmtLicenseInfoEntry {
    key "entPhysicalIndex clmgmtLicenseStoreUsed clmgmtLicenseIndex";
    description
     "An entry in clmgmtLicenseInfoTable. Each entry contains
      information about a license installed on the device. This
      entry gets created when a license is installed successfully.
      Management application can not create these entries directly, but
      will do so indirectly by executing license install action.
      Some of these entries may already exist that correspond to
      demo licenses even before management application installs any
      licenses.";
    smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.3.1";

    leaf entPhysicalIndex {
     type leafref {
       path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
      }
```

```
    }

    leaf clmgmtLicenseStoreUsed {
     type uint32 {
      range "1..4294967295";
     }
     description
      "This object represents the license store that is used for
       storing this license. This object will have the same value
       as clmgmtLicenseStoreIndex in clmgmtLicenseStoreInfoEntry
       of the license store used.";
     smiv2:max-access "not-accessible";
     smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.3.1.1";
    }

    leaf clmgmtLicenseIndex {
     type cisco-license-mgmt-mib:ClmgmtLicenseIndex;
     description
      "This object uniquely identifies a license within
       the device.";
     smiv2:max-access "not-accessible";
     smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.3.1.2";
    }

    leaf clmgmtLicenseFeatureName {
     type snmp-framework:SnmpAdminString {
      length "0..128";
     }
     description
      "This object indicates the name of the feature that is
       using or can use this license. A license can be used by
       only one feature. Examples of feature name are: 'IPBASE',
       'ADVIPSERVICE'.";
     smiv2:max-access "read-only";
     smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.3.1.3";
    }

    leaf clmgmtLicenseFeatureVersion {
     type snmp-framework:SnmpAdminString {
      length "0..128";
     }
     description
      "This object indicates the version of the feature that is
       using or can use this license. Examples of feature version
       are: '1.0', '2.0'";
     smiv2:max-access "read-only";
     smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.3.1.4";
    }
```

```
leaf clmgmtLicenseType {
 type enumeration {
  enum "demo" {
   value "1";
  }
  enum "extension" {
   value "2";
  }
  enum "gracePeriod" {
   value "3";
  }
  enum "permanent" {
   value "4";
  }
  enum "paidSubscription" {
   value "5";
  }
  enum "evaluationSubscription" {
   value "6";
  }
  enum "extensionSubscription" {
   value "7";
  }
  enum "evalRightToUse" {
   value "8";
  }
  enum "rightToUse" {
   value "9";
  }
  enum "permanentRightToUse" {
   value "10";
  }
 }
 description
  "This object identifies type of license. Licenses may have
   validity period defined in terms of time duration that the
   license is valid for or it may be defined in terms of actual
   calendar dates. Subscription licenses are licenses that have
   validity period defined in terms of calendar dates.

   demo(1)           - demo(evaluation license) license.
   extension(2)       - Extension(expiring) license.
   gracePeriod(3)     - Grace period license.
   permanent(4)       - permanent license, the license has no
                        expiry date.
   paidSubscription(5)  - Paid subscription licenses are the
   licenses
```

which are purchased by customers. These
licenses have a start date and end date
associated with them.
evaluationSubscription(6)-Evaluation subscription licenses are
the trial licenses. These licenses
are node locked and it can be obtained
only once for an UDI. They are valid
based on calendar days. These licenses
have a start date and an end date
associated with them and are issued
once per UDI.
extensionSubscription(7)- Extension subscription licenses are
similar to evaluation subscription
licenses but these licenses are issued
based on customer request. There are
no restrictions on the number of
licenses available for a UDI.
evalRightToUse(8)   - Evaluation Right to use (RTU)
license.
rightToUse(9)   - Right to use (RTU) license.
permanentRightToUse(10) ? Right To Use license right after it is configured
and is valid for the lifetime of the product.
This is a Right To Use license which is not in
evaluation mode for a limited time.";
  smiv2:max-access "read-only";
  smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.3.1.5";
}

leaf clmgmtLicenseCounted {
 type boolean;
 description
  "This object indicates whether the license is counted
  license.
   true(1) - counted license
   false(2) - uncounted license";
  smiv2:max-access "read-only";
  smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.3.1.6";
}

leaf clmgmtLicenseValidityPeriod {
 type uint32;
 units "seconds";
 description
  "This object indicates the time period the license is valid for.
  This object is applicable only if clmgmtLicenseType is demo(1),
  or extension(2) or gracePeriod(3) or evalRightToUse(8). The
  object will return 0 for other license types.";
  smiv2:max-access "read-only";

```
  smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.3.1.7";
}

leaf clmgmtLicenseValidityPeriodRemaining {
 type uint32;
 units "seconds";
 description
  "This object indicates the time period remaining before the
   license expires or transitions to rightToUse(9) license. This
   object is applicable only if clmgmtLicenseType is demo(1), or
   extension(2) or gracePeriod(3) or evalRightToUse(8). The object
   will contain 0 for other license types.";
 smiv2:max-access "read-only";
 smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.3.1.8";
}

leaf clmgmtLicenseExpiredPeriod {
 type uint32;
 units "seconds";
 description
  "This object indicates the elapsed time period since the license
   expired. This object is applicable only if clmgmtLicenseType
   is demo(1), or extension(2) or gracePeriod(3). Also, this
   value of this object will be valid only after the license
   expires. The object will return 0 for other license types
   or before the license expiry.";
 smiv2:max-access "read-only";
 smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.3.1.9";
}

leaf clmgmtLicenseMaxUsageCount {
 type uint32;
 description
  "This object indicates the maximum number of entities that
   can use this license. This object is applicable only if
   clmgmtLicenseCounted is true(1). The entity that is being
   counted can be anything and it depends on the licensable
   feature.";
 smiv2:max-access "read-only";
 smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.3.1.10";
}

leaf clmgmtLicenseUsageCountRemaining {
 type uint32;
 description
  "This object indicates the number of entities that can
   still use this license. This object is applicable only
   if clmgmtLicenseCounted is true(1).";
```

```
    smiv2:max-access "read-only";
    smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.3.1.11";
}

leaf clmgmtLicenseEULAStatus {
  type boolean;
  description
   "This object indicates whether the user accepted
    End User License Agreement for this license.

    true(1) - EULA accpeted
    false(2) - EULA not accepted";
  smiv2:max-access "read-only";
  smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.3.1.12";
}

leaf clmgmtLicenseComments {
  type snmp-framework:SnmpAdminString {
   length "0..255";
  }
  description
   "This object represents the user modifiable comments
    about the license. This object is initially populated
    with comments from the license file.";
  smiv2:max-access "read-write";
  smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.3.1.13";
}

leaf clmgmtLicenseStatus {
  type enumeration {
   enum "inactive" {
    value "1";
   }
   enum "notInUse" {
    value "2";
   }
   enum "inUse" {
    value "3";
   }
   enum "expiredInUse" {
    value "4";
   }
   enum "expiredNotInUse" {
    value "5";
   }
   enum "usageCountConsumed" {
    value "6";
   }
```

```
    }
   description
    "This object represents status of the license.

     inactive(1)        - license is installed, but
                      not active.
     notInUse(2)         - license is installed and
                      available for use.
     inUse(3)           - the license is being used (by
                      a feature).
     expiredInUse(4)     - license is expired but still
                      being held by the feature.
     expiredNotInUse(5)   - license is expired and not being
                      held by any feature.
     usageCountConsumed(6) - number of entities using this
                      licenses has reached the allowed
                      limit, no new entities are allowed
                      to use this license.";
   smiv2:max-access "read-only";
   smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.3.1.14";
  }

  leaf clmgmtLicenseStartDate {
   type snmpv2-tc:DateAndTime;
   description
    "This object indicates the start date for a subscription
     license. It is optional for subscription linceses to have a
     start date associated with them, they may only have an end
     date associated with them. This object may be applicable only
     when clmgmtLicenseType is paidSubscription(5),
     evaluationSubscription(6) or extensionSubscription (7).
     The object will contain an octet string of length 0 when it is
     not applicable.";
   smiv2:max-access "read-only";
   smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.3.1.15";
  }

  leaf clmgmtLicenseEndDate {
   type snmpv2-tc:DateAndTime;
   description
    "This object indicates the end date for a subscription license.
     This object is applicable only when clmgmtLicenseType is
     paidSubscription(5), evaluationSubscription(6) or
     extensionSubscription (7). The object will contain an octet
     string of length 0 when it is not applicable.";
   smiv2:max-access "read-only";
   smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.3.1.16";
  }
```

```
      leaf clmgmtLicensePeriodUsed {
        type uint32;
        units "seconds";
        description
          "This object indicates the time period used for the
           Right to use (RTU) licenses. This object is applicable for all
           RTU licenses.";
        smiv2:max-access "read-only";
        smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.3.1.17";
      }
    }
  }

  container clmgmtLicensableFeatureTable {
    description
      "This table contains list of licensable features in the
       image. All the licensable features will have an entry each
       in this table irrespective of whether they are using any
       licenses currently. Entries in this table are created by
       the agent one for each licensable feature in the image.
       These entries remain in the table permanently and can not
       be deleted. Management application can not create or delete
       entries from this table.";
    smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.4";

    list clmgmtLicensableFeatureEntry {
      key "entPhysicalIndex clmgmtFeatureIndex";
      description
        "An entry in clmgmtLicensableFeatureTable. Each entry represents
         a licensable feature.";
      smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.4.1";

      leaf entPhysicalIndex {
        type leafref {
          path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
        }
      }

      leaf clmgmtFeatureIndex {
        type uint32 {
          range "1..4294967295";
        }
        description
          "This object uniquely identifies a licensable feature in
           the device.";
        smiv2:max-access "not-accessible";
```

```
    smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.4.1.1";
   }

   leaf clmgmtFeatureName {
    type snmp-framework:SnmpAdminString {
     length "0..128";
    }
    description
     "This object indicates the name of the licensable feature
      in the device. Examples of feature names are: 'IPBASE',
      'ADVIPSERVICE'";
    smiv2:max-access "read-only";
    smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.4.1.2";
   }

   leaf clmgmtFeatureVersion {
    type snmp-framework:SnmpAdminString {
     length "0..32";
    }
    description
     "This object indicates the version of the licensable
      feature in the device. Examples of feature versions
      are: '1.0' or '2.0'";
    smiv2:max-access "read-only";
    smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.4.1.3";
   }

   leaf clmgmtFeatureValidityPeriodRemaining {
    type uint32;
    units "seconds";
    description
     "This object indicates the time period remaining before
      the feature's license expires or transitions. This object is
      applicable only if clmgmtLicenseType of the license used by
      this feature is demo(1), or extension(2) or gracePeriod(3) or
      evalRightToUse(8).

      The object will contain 0 if other types of license is used
      or if the feature does not use any license. If the
      feature is using multiple licenses, this period will
      represent the cumulative period remaining from all the
      licenses used by this feature.";
    smiv2:max-access "read-only";
    smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.4.1.4";
   }

   leaf clmgmtFeatureWhatIsCounted {
    type snmp-framework:SnmpAdminString {
```

```
    length "0..128";
   }
   description
    "This object represents the entity that is being counted
     by this feature. Examples of entities are IP Phones, number
     of sessions etc. This object is only applicable for
     features that use counting licenses. For other features,
     this object will return empty string.";
   smiv2:max-access "read-only";
   smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.4.1.5";
  }

  leaf clmgmtFeatureStartDate {
   type snmpv2-tc:DateAndTime;
   description
    "This object indicates the license start date of the feature.
     This object is applicable if at least one of the licenses used
     for this feature has a valid start date. The start date will
     be the earliest of the valid start dates of all the licenses
     used for this feature. If none of the licenses used for this
     feature have a valid start date then this object will contain an
     octet string of length 0.";
   smiv2:max-access "read-only";
   smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.4.1.6";
  }

  leaf clmgmtFeatureEndDate {
   type snmpv2-tc:DateAndTime;
   description
    "This object indicates the license end date of the feature.
     This object is applicable if at least one of the licenses used
     for this feature has a valid end date. The end date will
     be the latest of the valid end dates of all the licenses
     used for this feature. If none of the licenses used for this
     feature have a valid end date then this object will contain an
     octet string of length 0.";
   smiv2:max-access "read-only";
   smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.4.1.7";
  }

  leaf clmgmtFeaturePeriodUsed {
   type uint32;
   units "seconds";
   description
    "This object indicates the license period used for the feature.";
   smiv2:max-access "read-only";
   smiv2:oid "1.3.6.1.4.1.9.9.543.1.2.4.1.8";
  }
```

```
    }
}

container clmgmtDevCredExportActionTable {
 description
   "A table for triggering device credentials export action.
   Management application must create this entry to trigger the
   export of device credentials from the device to a file.

   Once the request completes, the management application should
   retrieve the values of the objects of interest, and then
   delete the entry.  In order to prevent old entries from
   clogging the table, entries will be aged out, but an entry
   will never be deleted within 5 minutes of completion.";
  smiv2:oid "1.3.6.1.4.1.9.9.543.1.3.2";

  list clmgmtDevCredExportActionEntry {
   key "clmgmtDevCredExportActionIndex";
   description
     "An entry for each device credential export action that
     is being executed or was executed recently. The management
     application triggers the export by creating an entry in this
     table. This can be done in the following 2 methods

       1. CREATE-AND-GO method
          Management application sets clmgmtDevCredExportActionStatus
          to createAndGo(4) and all other required objects to valid
          values in a single SNMP SET request. If all the values
          are valid, the device creates the entry and executes the
          action. If the SET request fails, the entry will not be
          created.
       2. CREATE-AND-WAIT method
          Management application sets clmgmtDevCredExportActionStatus to
          createAndWait(5) to create an entry. Management application
          can set all other required objects to valid
          values in more than one SNMP SET request. If SET request
          for any of the objects fails, management application can set
          just only that object. Once all the required objects
          are set to valid values, management application triggers action
          execution by setting clmgmtDevCredExportActionStatus to
          active(1).

     To stop the action from being executed, the management application
     can delete the entry by setting clmgmtDevCredExportActionStatus
     to destroy(6) when clmgmtDevCredCommandState is pending(2).

     The status of action execution can be known by querying
     clmgmtDevCredCommandState. If the action is still in
```

pending(2) or inProgress(3), the management application need to
check back again after few seconds. Once the action completes
and if status of the action is failed(6), the reason for
failure can be retrieved from clmgmtDevCredCommandFailCause.

Entry can be deleted except when clmgmtLicenseAction is set
to inProgress(3). All entries in this table are volatile
and are cleared on agent reset.";
smiv2:oid "1.3.6.1.4.1.9.9.543.1.3.2.1";

leaf clmgmtDevCredExportActionIndex {
  type uint32 {
    range "1..4294967295";
  }
  description
   "This object uniquely identifies a row in
    clmgmtDevCredExportActionTable. The management application
    chooses this value by reading
    clmgmtNextFreeDevCredExportActionIndex while creating an
    entry in this table. If an entry already exists with this
    index, the creation of the entry will not continue and
    error will be returned. The management application should
    read the value of clmgmtNextFreeDevCredExportActionIndex
    again and retry with the new value for this object.";
  smiv2:max-access "not-accessible";
  smiv2:oid "1.3.6.1.4.1.9.9.543.1.3.2.1.1";
}

leaf clmgmtDevCredEntPhysicalIndex {
  type entity-mib:PhysicalIndexOrZero;
  description
   "This object represents the entPhysicalIndex of the device
    for which the device credentials are being retrieved. This
    object is mainly used in devices where one device is acting
    as a master and rest of the devices as slaves. The master
    device is responsible for SNMP communication with the
    manager. Examples include stackable switches, devices with
    router processor and line cards.

    Note: This object need not be set if it is a stand alone
    device";
  smiv2:defval "0";
  smiv2:max-access "read-write";
  smiv2:oid "1.3.6.1.4.1.9.9.543.1.3.2.1.2";
}

leaf clmgmtDevCredTransferProtocol {
  type cisco-license-mgmt-mib:ClmgmtLicenseTransferProtocol;

```
    description
     "This object indicates the transfer protocol to be used when
      copying files as specified in the following objects.
      1. clmgmtDevCredExportFile
      .";
    smiv2:defval "none";
    smiv2:max-access "read-write";
    smiv2:oid "1.3.6.1.4.1.9.9.543.1.3.2.1.3";
  }

  leaf clmgmtDevCredServerAddressType {
    type inet-address:InetAddressType;
    description
     "This object indicates the transport type of the
      address contained in clmgmtDevCredServerAddress object.
      This must be set when clmgmtDevCredTransferProtocol
      is not none(1) or local(2).";
    smiv2:defval "unknown";
    smiv2:max-access "read-write";
    smiv2:oid "1.3.6.1.4.1.9.9.543.1.3.2.1.4";
  }

  leaf clmgmtDevCredServerAddress {
    type inet-address:InetAddress;
    description
     "This object indicates the the ip address of the server
      from which the files must be read or written to if
      clmgmtDevCredTransferProtocol is not none(1) or local(2).

      All bits as 0s or 1s for clmgmtDevCredServerAddress are not
      allowed.

      The format of this address depends on the value of the
      clmgmtDevCredServerAddressType object";
    smiv2:defval "";
    smiv2:max-access "read-write";
    smiv2:oid "1.3.6.1.4.1.9.9.543.1.3.2.1.5";
  }

  leaf clmgmtDevCredServerUsername {
    type snmp-framework:SnmpAdminString {
      length "0..96";
    }
    description
     "This object indicates the remote user name for accessing
      files via ftp, rcp, sftp or scp protocols. This object
      must be set when the clmgmtDevCredTransferProtocol is
      ftp(4), rcp(5), scp(7) or sftp(8). If
```

```
        clmgmtDevCredTransferProtocol is rcp(5), the remote
        username is sent as the server username in an rcp command
        request sent by the system to a remote rcp server.";
      smiv2:defval "";
      smiv2:max-access "read-write";
      smiv2:oid "1.3.6.1.4.1.9.9.543.1.3.2.1.6";
    }

    leaf clmgmtDevCredServerPassword {
      type snmp-framework:SnmpAdminString {
        length "0..96";
      }
      description
        "This object indicates the password used by ftp, sftp or
         scp for copying a file to/from an ftp/sftp/scp server.
         This object must be set when the
         clmgmtDevCredTransferProtocol is ftp(4) or scp(7) or
         sftp(8). Reading it returns a zero-length string for
         security reasons.";
      smiv2:defval "";
      smiv2:max-access "read-write";
      smiv2:oid "1.3.6.1.4.1.9.9.543.1.3.2.1.7";
    }

    leaf clmgmtDevCredExportFile {
      type snmp-framework:SnmpAdminString {
        length "0..255";
      }
      description
        "This object represents file where device credentials needs
         to be exported to.";
      smiv2:max-access "read-write";
      smiv2:oid "1.3.6.1.4.1.9.9.543.1.3.2.1.8";
    }

    leaf clmgmtDevCredCommand {
      type enumeration {
        enum "noOp" {
          value "1";
        }
        enum "getDeviceCredentials" {
          value "2";
        }
      }
      description
        "This object indicates the the command to be executed.

         Command                 Remarks
```

```
                 -------                     -------
      noOp(1)                   No operation will be
                               performed.


    getDeviceCredentials(2)       Exports device credentials";
  smiv2:defval "noOp";
  smiv2:max-access "read-write";
  smiv2:oid "1.3.6.1.4.1.9.9.543.1.3.2.1.9";
}


leaf clmgmtDevCredCommandState {
  type cisco-license-mgmt-mib:ClmgmtLicenseActionState;
  description
    "This object indicates the state of the action that is
     executed as a result of setting clmgmtDevCredRowStatus
     to active(1).";
  smiv2:max-access "read-only";
  smiv2:oid "1.3.6.1.4.1.9.9.543.1.3.2.1.10";
}


leaf clmgmtDevCredCommandFailCause {
  type enumeration {
    enum "none" {
      value "1";
    }
    enum "unknownError" {
      value "2";
    }
    enum "transferProtocolNotSupported" {
      value "3";
    }
    enum "fileServerNotReachable" {
      value "4";
    }
    enum "unrecognizedEntPhysicalIndex" {
      value "5";
    }
    enum "invalidFile" {
      value "6";
    }
  }
  description
    "This object indicates the the reason for device
     credentials export operation failure.

     The value of this object is valid only when
     clmgmtDevCredCommandState is failed(6).
```

```
       none(1)       - action execution has not started yet.
                        If the action is completed and the
                        action is successful, then also
                        none(1) is returned to indicate that
                        there are no errors.
       unknownError(2) - reason for failure is unknown,
                        operation failed, no operation is
                        performed
       transferProtocolNotSupported(3) - clmgmtDevCredTransferProtocol
                              given is not supported.
       fileServerNotReachable(4)      - file server is not reachable.
       unrecognizedEntPhysicalIndex(5) - entPhysicalIndex is not
                              valid
       invalidFile(6)  - The target file specified is not valid.";
      smiv2:max-access "read-only";
      smiv2:oid "1.3.6.1.4.1.9.9.543.1.3.2.1.11";
     }


    leaf clmgmtDevCredStorageType {
      type snmpv2-tc:StorageType;
      description
       "This object indicates the storage type for this conceptual
        row. Conceptual rows having the value 'permanent' need not
        allow write-access to any columnar objects in the row.";
      smiv2:defval "volatile";
      smiv2:max-access "read-write";
      smiv2:oid "1.3.6.1.4.1.9.9.543.1.3.2.1.12";
     }


    leaf clmgmtDevCredRowStatus {
      type snmpv2-tc:RowStatus;
      description
       "This object indicates the the status of this table entry.
        Once the entry status is set to active(1), the associated
        entry cannot be modified until the action completes
        (clmgmtDevCredCommandStatus is set to a value
        other than inProgress(3)). Once the action completes
        the only operation possible after this is to delete
        the row.

        clmgmtDevCredExportFile is a mandatory object to be
        set when creating this entry.";
      smiv2:max-access "read-write";
      smiv2:oid "1.3.6.1.4.1.9.9.543.1.3.2.1.13";
     }
    }
   }
  }
```

```
notification clmgmtLicenseExpired {
 description
  "This notification is sent, when a feature license
   expires. This notification will be sent continuously
   every week even after the expiry to alert the management
   application.";
  smiv2:oid "1.3.6.1.4.1.9.9.543.0.1";

  container object-1 {

   leaf entPhysicalIndex {
    type leafref {
     path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
    }
   }

   leaf clmgmtFeatureIndex {
    type leafref {
     path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureIndex";
    }
   }

   leaf clmgmtFeatureName {
    type leafref {
     path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureName";
    }
   }
  }

  container object-2 {

   leaf entPhysicalIndex {
    type leafref {
     path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
    }
   }

   leaf clmgmtFeatureIndex {
    type leafref {
     path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
```

```
mib:clmgmtFeatureIndex";
      }
    }

    leaf clmgmtFeatureVersion {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureVersion";
      }
    }
  }
}

notification clmgmtLicenseExpiryWarning {
  description
    "This notification is sent when a license is about to
     expire. This notification will go out multiple times.
     First notification goes out when expiry day is 4 weeks
     ahead, second notification when expiry day is 3 weeks
     ahead, third notification when expiry day is 2 weeks
     ahead. This notification will go out daily in the
     last week of license expiry.";
  smiv2:oid "1.3.6.1.4.1.9.9.543.0.2";

  container object-1 {

    leaf entPhysicalIndex {
      type leafref {
        path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
      }
    }

    leaf clmgmtFeatureIndex {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureIndex";
      }
    }

    leaf clmgmtFeatureName {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureName";
      }
```

```
      }
    }

  container object-2 {

    leaf entPhysicalIndex {
     type leafref {
       path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
      }
    }

    leaf clmgmtFeatureIndex {
     type leafref {
       path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureIndex";
      }
    }

    leaf clmgmtFeatureVersion {
     type leafref {
       path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureVersion";
      }
    }
  }

  container object-3 {

    leaf entPhysicalIndex {
     type leafref {
       path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
      }
    }

    leaf clmgmtFeatureIndex {
     type leafref {
       path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureIndex";
      }
    }

    leaf clmgmtFeatureValidityPeriodRemaining {
     type leafref {
```

```
    path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureValidityPeriodRemaining";
      }
    }
   }
 }

  notification clmgmtLicenseUsageCountExceeded {
   description
    "This notification is sent when clmgmtLicenseUsageCountRemaining
     has reached clmgmtLicenseMaxUsageCount for a counting license.";
   smiv2:oid "1.3.6.1.4.1.9.9.543.0.3";

   container object-1 {

    leaf entPhysicalIndex {
     type leafref {
      path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
      }
    }

    leaf clmgmtLicenseStoreUsed {
     type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseStoreUsed";
      }
    }

    leaf clmgmtLicenseIndex {
     type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseIndex";
      }
    }

    leaf clmgmtLicenseFeatureName {
     type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseFeatureName";
      }
    }
   }
```

```
container object-2 {

  leaf entPhysicalIndex {
   type leafref {
    path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
   }
  }

  leaf clmgmtLicenseStoreUsed {
   type leafref {
    path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseStoreUsed";
   }
  }

  leaf clmgmtLicenseIndex {
   type leafref {
    path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseIndex";
   }
  }

  leaf clmgmtLicenseFeatureVersion {
   type leafref {
    path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseFeatureVersion";
   }
  }
 }

 container object-3 {

  leaf entPhysicalIndex {
   type leafref {
    path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
   }
  }

  leaf clmgmtLicenseStoreUsed {
   type leafref {
    path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseStoreUsed";
```

```
        }
      }

    leaf clmgmtLicenseIndex {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseIndex";
      }
    }

    leaf clmgmtLicenseMaxUsageCount {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseMaxUsageCount";
      }
    }
  }

  container object-4 {

    leaf entPhysicalIndex {
      type leafref {
        path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
      }
    }

    leaf clmgmtFeatureIndex {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureIndex";
      }
    }

    leaf clmgmtFeatureWhatIsCounted {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureWhatIsCounted";
      }
    }
  }

  container object-5 {
```

```
    leaf entPhysicalIndex {
     type leafref {
      path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
     }
    }

    leaf clmgmtLicenseStoreUsed {
     type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseStoreUsed";
     }
    }

    leaf clmgmtLicenseIndex {
     type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseIndex";
     }
    }

    leaf clmgmtLicenseComments {
     type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseComments";
     }
    }
   }
  }

 notification clmgmtLicenseUsageCountAboutToExceed {
  description
   "This notification is sent when clmgmtLicenseUsageCountRemaining
    has reached 80% of clmgmtLicenseMaxUsageCount for a counting
    license. This is a warning notification to the management
    application that very soon the maximum count will be reached
    and after that the device will not allow new entities to
    make use of this license.";
  smiv2:oid "1.3.6.1.4.1.9.9.543.0.4";

  container object-1 {

   leaf entPhysicalIndex {
    type leafref {
     path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
```

```
mib:entPhysicalIndex";
      }
    }

    leaf clmgmtLicenseStoreUsed {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseStoreUsed";
      }
    }

    leaf clmgmtLicenseIndex {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseIndex";
      }
    }

    leaf clmgmtLicenseFeatureName {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseFeatureName";
      }
    }
  }

  container object-2 {

    leaf entPhysicalIndex {
      type leafref {
        path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
      }
    }

    leaf clmgmtLicenseStoreUsed {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseStoreUsed";
      }
    }

    leaf clmgmtLicenseIndex {
      type leafref {
```

```
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseIndex";
        }
      }

    leaf clmgmtLicenseFeatureVersion {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseFeatureVersion";
        }
      }
    }

  container object-3 {

    leaf entPhysicalIndex {
      type leafref {
        path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
        }
      }

    leaf clmgmtLicenseStoreUsed {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseStoreUsed";
        }
      }

    leaf clmgmtLicenseIndex {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseIndex";
        }
      }

    leaf clmgmtLicenseMaxUsageCount {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseMaxUsageCount";
        }
      }
    }
```

```
container object-4 {

  leaf entPhysicalIndex {
    type leafref {
      path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
    }
  }

  leaf clmgmtLicenseStoreUsed {
    type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseStoreUsed";
    }
  }

  leaf clmgmtLicenseIndex {
    type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseIndex";
    }
  }

  leaf clmgmtLicenseUsageCountRemaining {
    type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseUsageCountRemaining";
    }
  }
}

container object-5 {

  leaf entPhysicalIndex {
    type leafref {
      path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
    }
  }

  leaf clmgmtFeatureIndex {
    type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
```

```
mib:clmgmtFeatureIndex";
      }
    }

    leaf clmgmtFeatureWhatIsCounted {
     type leafref {
       path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureWhatIsCounted";
      }
    }
  }

  container object-6 {

    leaf entPhysicalIndex {
     type leafref {
       path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
      }
    }

    leaf clmgmtLicenseStoreUsed {
     type leafref {
       path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseStoreUsed";
      }
    }

    leaf clmgmtLicenseIndex {
     type leafref {
       path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseIndex";
      }
    }

    leaf clmgmtLicenseComments {
     type leafref {
       path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseComments";
      }
    }
  }
}
```

```
notification clmgmtLicenseInstalled {
  description
   "This notification is sent when a license is installed
    successfully.";
  smiv2:oid "1.3.6.1.4.1.9.9.543.0.5";

  container object-1 {

    leaf entPhysicalIndex {
      type leafref {
        path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
      }
    }

    leaf clmgmtLicenseStoreUsed {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseStoreUsed";
      }
    }

    leaf clmgmtLicenseIndex {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseIndex";
      }
    }

    leaf clmgmtLicenseFeatureName {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseFeatureName";
      }
    }
  }

  container object-2 {

    leaf entPhysicalIndex {
      type leafref {
        path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
      }
    }
```

```
leaf clmgmtLicenseStoreUsed {
  type leafref {
    path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseStoreUsed";
  }
}

leaf clmgmtLicenseIndex {
  type leafref {
    path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseIndex";
  }
}

leaf clmgmtLicenseFeatureVersion {
  type leafref {
    path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseFeatureVersion";
  }
}
}

container object-3 {

  leaf entPhysicalIndex {
    type leafref {
      path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
    }
  }

  leaf clmgmtLicenseStoreUsed {
    type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseStoreUsed";
    }
  }

  leaf clmgmtLicenseIndex {
    type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseIndex";
```

```
      }
    }

    leaf clmgmtLicenseType {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseType";
      }
    }
  }

  container object-4 {

    leaf entPhysicalIndex {
      type leafref {
        path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
      }
    }

    leaf clmgmtLicenseStoreUsed {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseStoreUsed";
      }
    }

    leaf clmgmtLicenseIndex {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseIndex";
      }
    }

    leaf clmgmtLicenseComments {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseComments";
      }
    }
  }
}

  notification clmgmtLicenseCleared {
```

```
description
 "This notification is sent when a license is cleared
  successfully.";
smiv2:oid "1.3.6.1.4.1.9.9.543.0.6";

container object-1 {

  leaf entPhysicalIndex {
    type leafref {
      path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
    }
  }

  leaf clmgmtLicenseStoreUsed {
    type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseStoreUsed";
    }
  }

  leaf clmgmtLicenseIndex {
    type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseIndex";
    }
  }

  leaf clmgmtLicenseFeatureName {
    type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseFeatureName";
    }
  }
}

container object-2 {

  leaf entPhysicalIndex {
    type leafref {
      path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
    }
  }
```

```
  leaf clmgmtLicenseStoreUsed {
    type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseStoreUsed";
    }
  }

  leaf clmgmtLicenseIndex {
    type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseIndex";
    }
  }

  leaf clmgmtLicenseFeatureVersion {
    type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseFeatureVersion";
    }
  }
}

container object-3 {

  leaf entPhysicalIndex {
    type leafref {
      path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
    }
  }

  leaf clmgmtLicenseStoreUsed {
    type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseStoreUsed";
    }
  }

  leaf clmgmtLicenseIndex {
    type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseIndex";
    }
```

```
    }

    leaf clmgmtLicenseType {
     type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseType";
     }
    }
   }

   container object-4 {

    leaf entPhysicalIndex {
     type leafref {
      path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
     }
    }

    leaf clmgmtLicenseStoreUsed {
     type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseStoreUsed";
     }
    }

    leaf clmgmtLicenseIndex {
     type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseIndex";
     }
    }

    leaf clmgmtLicenseComments {
     type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseComments";
     }
    }
   }
  }

  notification clmgmtLicenseRevoked {
   description
```

```
  "This notification is sent when a license is revoked
   successfully.";
 smiv2:oid "1.3.6.1.4.1.9.9.543.0.7";

 container object-1 {

  leaf entPhysicalIndex {
   type leafref {
    path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
    }
   }

  leaf clmgmtLicenseStoreUsed {
   type leafref {
    path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseStoreUsed";
    }
   }

  leaf clmgmtLicenseIndex {
   type leafref {
    path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseIndex";
    }
   }

  leaf clmgmtLicenseFeatureName {
   type leafref {
    path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseFeatureName";
    }
   }
  }

 container object-2 {

  leaf entPhysicalIndex {
   type leafref {
    path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
    }
   }

  leaf clmgmtLicenseStoreUsed {
```

```
    type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseStoreUsed";
    }
    }

    leaf clmgmtLicenseIndex {
     type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseIndex";
    }
    }

    leaf clmgmtLicenseFeatureVersion {
     type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseFeatureVersion";
    }
    }
  }

  container object-3 {

    leaf entPhysicalIndex {
     type leafref {
      path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
    }
    }

    leaf clmgmtLicenseStoreUsed {
     type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseStoreUsed";
    }
    }

    leaf clmgmtLicenseIndex {
     type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseIndex";
    }
    }
```

```
    leaf clmgmtLicenseType {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseType";
      }
    }
  }

  container object-4 {

    leaf entPhysicalIndex {
      type leafref {
        path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
      }
    }

    leaf clmgmtLicenseStoreUsed {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseStoreUsed";
      }
    }

    leaf clmgmtLicenseIndex {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseIndex";
      }
    }

    leaf clmgmtLicenseComments {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicenseInfoTable/cisco-license-mgmt-mib:clmgmtLicenseInfoEntry/cisco-license-mgmt-
mib:clmgmtLicenseComments";
      }
    }
  }
}

notification clmgmtLicenseEULAAccepted {
  description
    "This notification is sent when a user accepts End User
```

```
    License Agreement (EULA) for a license.";
  smiv2:oid "1.3.6.1.4.1.9.9.543.0.8";

  container object-1 {

    leaf entPhysicalIndex {
      type leafref {
        path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
      }
    }

    leaf clmgmtFeatureIndex {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureIndex";
      }
    }

    leaf clmgmtFeatureName {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureName";
      }
    }
  }

  container object-2 {

    leaf entPhysicalIndex {
      type leafref {
        path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
      }
    }

    leaf clmgmtFeatureIndex {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureIndex";
      }
    }

    leaf clmgmtFeatureVersion {
      type leafref {
```

```
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureVersion";
      }
    }
  }
}

 notification clmgmtLicenseNotEnforced {
  description
    "This notification is sent when a license does not
     exist for a feature, but the feature is a mandatory
     feature and it should run. This notification will be
     sent out periodically to indicate that there is no
     license installed for this feature and it needs to
     be done as soon as possible.";
  smiv2:oid "1.3.6.1.4.1.9.9.543.0.9";

  container object-1 {

    leaf entPhysicalIndex {
     type leafref {
      path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
      }
    }

    leaf clmgmtFeatureIndex {
     type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureIndex";
      }
    }

    leaf clmgmtFeatureName {
     type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureName";
      }
    }
  }

  container object-2 {

    leaf entPhysicalIndex {
     type leafref {
```

```
        path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
      }
    }

    leaf clmgmtFeatureIndex {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureIndex";
      }
    }

    leaf clmgmtFeatureVersion {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureVersion";
      }
    }
  }
}

notification clmgmtLicenseSubscriptionExpiryWarning {
  description
    "This notification is sent when a subscription license of a
     feature is about to expire. This notification will be sent as
     per the following schedule:
     Once a week for the last eight weeks
     Once a day for the last week
     Once a hour for the last day";
  smiv2:oid "1.3.6.1.4.1.9.9.543.0.10";

  container object-1 {

    leaf entPhysicalIndex {
      type leafref {
        path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
      }
    }

    leaf clmgmtFeatureIndex {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureIndex";
      }
```

```
    }

  leaf clmgmtFeatureName {
    type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureName";
    }
  }
}

container object-2 {

  leaf entPhysicalIndex {
    type leafref {
      path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
    }
  }

  leaf clmgmtFeatureIndex {
    type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureIndex";
    }
  }

  leaf clmgmtFeatureVersion {
    type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureVersion";
    }
  }
}

container object-3 {

  leaf entPhysicalIndex {
    type leafref {
      path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
    }
  }

  leaf clmgmtFeatureIndex {
    type leafref {
```

```
         path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureIndex";
        }
      }

      leaf clmgmtFeatureEndDate {
        type leafref {
          path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureEndDate";
        }
      }
    }
  }

  notification clmgmtLicenseSubscriptionExtExpiryWarning {
    description
      "This notification is sent when the subscription license end
       date of a feature is reached but extension period is left. This
       notification will be sent once a day after the license end date
       is reached.";
    smiv2:oid "1.3.6.1.4.1.9.9.543.0.11";

    container object-1 {

      leaf entPhysicalIndex {
        type leafref {
          path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
        }
      }

      leaf clmgmtFeatureIndex {
        type leafref {
          path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureIndex";
        }
      }

      leaf clmgmtFeatureName {
        type leafref {
          path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureName";
        }
      }
```

```
    }

  container object-2 {

    leaf entPhysicalIndex {
      type leafref {
        path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
      }
    }

    leaf clmgmtFeatureIndex {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureIndex";
      }
    }

    leaf clmgmtFeatureVersion {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureVersion";
      }
    }
  }

  container object-3 {

    leaf entPhysicalIndex {
      type leafref {
        path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
      }
    }

    leaf clmgmtFeatureIndex {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureIndex";
      }
    }

    leaf clmgmtFeatureEndDate {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
```

```
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureEndDate";
      }
    }
  }
}

notification clmgmtLicenseSubscriptionExpired {
  description
    "This notification will be sent after a subscription license
     of a feature completely expires. It will be sent once a day
     after the license has completely expired";
  smiv2:oid "1.3.6.1.4.1.9.9.543.0.12";

  container object-1 {

    leaf entPhysicalIndex {
      type leafref {
        path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
      }
    }

    leaf clmgmtFeatureIndex {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureIndex";
      }
    }

    leaf clmgmtFeatureName {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureName";
      }
    }
  }

  container object-2 {

    leaf entPhysicalIndex {
      type leafref {
        path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
      }
    }
```

```
    leaf clmgmtFeatureIndex {
     type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureIndex";
     }
    }

    leaf clmgmtFeatureVersion {
     type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureVersion";
     }
    }
   }

  container object-3 {

    leaf entPhysicalIndex {
     type leafref {
      path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
     }
    }

    leaf clmgmtFeatureIndex {
     type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureIndex";
     }
    }

    leaf clmgmtFeatureEndDate {
     type leafref {
      path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureEndDate";
     }
    }
   }
  }

 notification clmgmtLicenseEvalRTUTransitionWarning {
  description
   "This notification is sent when Evaluation to Right to use (RTU)
```

```
    license transition is about to happen. The first notification
    will be sent 10 days before the transition and second
    notification will be sent 5 days before the transition.";
  smiv2:oid "1.3.6.1.4.1.9.9.543.0.13";

  container object-1 {

    leaf entPhysicalIndex {
      type leafref {
        path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
      }
    }

    leaf clmgmtFeatureIndex {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureIndex";
      }
    }

    leaf clmgmtFeatureName {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureName";
      }
    }
  }

  container object-2 {

    leaf entPhysicalIndex {
      type leafref {
        path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
      }
    }

    leaf clmgmtFeatureIndex {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureIndex";
      }
    }
```

```
    leaf clmgmtFeatureVersion {
     type leafref {
       path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureVersion";
     }
    }
   }

  container object-3 {

    leaf entPhysicalIndex {
     type leafref {
       path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
     }
    }

    leaf clmgmtFeatureIndex {
     type leafref {
       path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureIndex";
     }
    }

    leaf clmgmtFeatureValidityPeriodRemaining {
     type leafref {
       path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureValidityPeriodRemaining";
     }
    }
   }
  }

  notification clmgmtLicenseEvalRTUTransition {
   description
     "This notification is sent, when a feature license transitions
      from a evaluation to a Right to use (RTU) license.";
   smiv2:oid "1.3.6.1.4.1.9.9.543.0.14";

   container object-1 {

    leaf entPhysicalIndex {
     type leafref {
       path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
```

```
      }
    }

    leaf clmgmtFeatureIndex {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureIndex";
      }
    }

    leaf clmgmtFeatureName {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureName";
      }
    }
  }

  container object-2 {

    leaf entPhysicalIndex {
      type leafref {
        path "/entity-mib:ENTITY-MIB/entity-mib:entPhysicalTable/entity-mib:entPhysicalEntry/entity-
mib:entPhysicalIndex";
      }
    }

    leaf clmgmtFeatureIndex {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureIndex";
      }
    }

    leaf clmgmtFeatureVersion {
      type leafref {
        path "/cisco-license-mgmt-mib:CISCO-LICENSE-MGMT-MIB/cisco-license-mgmt-
mib:clmgmtLicensableFeatureTable/cisco-license-mgmt-mib:clmgmtLicensableFeatureEntry/cisco-license-mgmt-
mib:clmgmtFeatureVersion";
      }
    }
  }
}

smiv2:alias "ciscoLicenseMgmtMIB" {
```

```
      smiv2:oid "1.3.6.1.4.1.9.9.543";
    }

    smiv2:alias "ciscoLicenseMgmtMIBNotifs" {
      smiv2:oid "1.3.6.1.4.1.9.9.543.0";
    }

    smiv2:alias "ciscoLicenseMgmtMIBObjects" {
      smiv2:oid "1.3.6.1.4.1.9.9.543.1";
    }

    smiv2:alias "clmgmtLicenseConfiguration" {
      smiv2:oid "1.3.6.1.4.1.9.9.543.1.1";
    }

    smiv2:alias "clmgmtLicenseInformation" {
      smiv2:oid "1.3.6.1.4.1.9.9.543.1.2";
    }

    smiv2:alias "clmgmtLicenseDeviceInformation" {
      smiv2:oid "1.3.6.1.4.1.9.9.543.1.3";
    }

    smiv2:alias "clmgmtLicenseNotifObjects" {
      smiv2:oid "1.3.6.1.4.1.9.9.543.1.4";
    }

    smiv2:alias "ciscoLicenseMgmtMIBConform" {
      smiv2:oid "1.3.6.1.4.1.9.9.543.2";
    }

    smiv2:alias "ciscoLicenseMgmtCompliances" {
      smiv2:oid "1.3.6.1.4.1.9.9.543.2.1";
    }

    smiv2:alias "ciscoLicenseMgmtGroups" {
      smiv2:oid "1.3.6.1.4.1.9.9.543.2.2";
    }

}
-- ****************************************************************
-- CISCO-LICENSE-MGMT-MIB.my: Cisco MIB to manage licenses on
-- Cisco devices
--
-- July 2006, Sunil Gudurvalmiki
--
-- Copyright (c) 2006, 2008, 2011-2012 by Cisco Systems Inc.
-- All rights reserved.
```

```
--
-- ******************************************************************

CISCO-LICENSE-MGMT-MIB DEFINITIONS ::= BEGIN

IMPORTS
  OBJECT-TYPE,
  MODULE-IDENTITY,
  Unsigned32,
  NOTIFICATION-TYPE
    FROM SNMPv2-SMI
  MODULE-COMPLIANCE,
  OBJECT-GROUP,
  NOTIFICATION-GROUP
    FROM SNMPv2-CONF
  TEXTUAL-CONVENTION,
  TruthValue,
  RowStatus,
  StorageType,
  DateAndTime
    FROM SNMPv2-TC
  SnmpAdminString
    FROM SNMP-FRAMEWORK-MIB
  entPhysicalIndex,
  PhysicalIndexOrZero
    FROM ENTITY-MIB
  InetAddressType,
  InetAddress
    FROM INET-ADDRESS-MIB
  ciscoMgmt
    FROM CISCO-SMI;


ciscoLicenseMgmtMIB MODULE-IDENTITY
  LAST-UPDATED    "201204190000Z"
  ORGANIZATION    "Cisco Systems Inc."
  CONTACT-INFO
      "Cisco Systems
      Customer Service

      Postal: 170 W Tasman Drive

      San Jose, CA  95134

      USA

      Tel: +1 800 553 -NETS
```

E-mail: cs-snmp@cisco.com"
DESCRIPTION
"The MIB module for managing licenses on the system.
The licensing mechanism provides flexibility to
enforce licensing for various features in the system.

The following text introduces different concepts and
terms those are necessary to understand the MIB definition
and to perform license management.

UDI
Universal Device Identifier that uniquely identifies a
device. It comprises of product ID, version ID and serial
number of the device.

NODE LOCKED LICENSE:
Node locked licenses are locked to one of the device
identifiers in the system. For example, the license
can be locked to the UDI value of one of the devices
in the system. Locking a license to an UDI guarantees
that the license will not be moved to a device with a
different UDI.

NON-NODE LOCKED LICENSE:
Non-node locked licenses are not locked to any device
identifier. They can be used on other similar devices.

METERED LICENSE:
Metered licenses are valid for limited period of time
and they expire after that. This period is the usage
period of a license and it is not based on real time
clock, but system clock.

EULA:
End User License Agreement.

EVALUATION LICENSE:
Evaluation licenses are non-node locked metered
licenses which are valid only for a limited period.
They are used only when there are no permanent,
extension or grace period licenses for a feature.
User will have to accept EULA (End User License
Agreement) before using an evaluation license. Even
though they are not node locked, their usage is
recorded on the device.

RIGHT TO USE (RTU) LICENSE:
Right to use license is a non-node locked metered

license which is in evaluation mode for a limited
time after which it is converted to Right To Use (RTU)
license and is valid for the lifetime of the product.
User will have to accept EULA (End User License Agreement)
before using this license. Even though it is not node
locked, usage information is recorded on the device.

EXTENSION LICENSE:
 Extension licenses are node locked metered licenses.
 These licenses are issued by Cisco's licensing portal.
 These licenses need to be installed using management
 interfaces on the device. User will have to accept an
 EULA as part of installation of extension license.

GRACE PERIOD LICENSE:
 Grace period licenses are node locked metered licenses.
 These licenses are issued by Cisco's licensing portal
 as part of the permission ticket to rehost a license.
 These licenses are installed on the device as part of
 the rehost operation. User will have to accept an
 EULA as part of the rehost operation for this type
 of license. Details on permission ticket, rehost
 operations are provided further down in this
 description clause.

PERMANENT LICENSE:
 Permanent licenses are node locked licenses that have
 no usage period associated with them. These licenses
 are issued by Cisco's licensing portal. These licenses
 need to be installed using management interfaces on
 the device. Once these licenses are installed, they
 will provide needed permission for the feature/image
 across different versions.

COUNTED LICENSE:
 Counted licenses limit the number of similar entities
 that can use the license. For example, a counted
 license when used by a feature can limit the number
 of IP phones that can connect or the number of tunnels
 that can be created.

UNCOUNTED LICENSE:
 Uncounted licenses do not limit the number of similar
 entities that can use the licenses.

License can be enforced at the image level or at the feature
level and this MIB module supports both.

IMAGE LEVEL LICENSING:

A universal image that contains all levels of
software packages is loaded on to the device. At boot
time, the device determines the highest level of license
and brings up the appropriate software features or
subsystems.

FEATURE LEVEL LICENSING:

Feature level licensing will support enforcement of
license at individual feature. Features have to check
for their licenses before enabling themselves. If it
does not have a license, the feature should disable
itself.

There is a one-to-one relationship between
a feature and a license. That is, a feature can use
only one license at a time and a license can be used
by only one feature at a time.

LICENSE LINE:

A License line is an atomic set of ASCII characters
arranged in a particular format that holds the license
for a single feature within it. A line has all the
necessary fields and attributes that make it a valid,
non-tamper able and complete license.

LICENSE FILE:

File generated by Cisco licensing portal. It is used
to install license on product. It has a user readable
part and it contains one or more license lines.

DEVICE CREDENTIALS:

Device credentials file is a document that is generated
by a licensed device. This document establishes the
identity of the device and proves that the sender/user
has/had authorized access to the device.

REHOST:

Rehost operation allows a node locked license that
is installed on a device to be installed on other
similar device. As part of rehost operation, a device
processes the permission ticket, revokes the license(s)
on the device and generates a rehost ticket as the
proof of revocation. This rehost ticket needs to be
presented to the Cisco's licensing portal to get the
license transferred on to a new similar device.

PERMISSION TICKET:

Permission ticket is a document generated by Cisco
licensing portal that allows a device to rehost its
licenses.

REHOST TICKET:
Rehost ticket is document generated by a device after
it has applied a permission ticket. The rehost ticket
is a proof of revocation.

LICENSING PORTAL:
Generates licenses, permission tickets and verifies
device credentials and rehost tickets.

This MIB module provides MIB objects to install, clear,
revoke licenses. It also provides objects to regenerate
last rehost ticket, backup all the licenses installed
on a device, generate & export EULA for licenses.

STEPS TO INSTALL A LICENSE:
To install a license, the management application
1. Retrieves device credentials of the device.
2. Communicates with Cisco's licensing portal to get
   the license file, uses device credentials to identify
   the device
3. Executes the license install action.

STEPS TO CLEAR A LICENSE:
To clear a license, the management application
1. Identifies the license to be cleared using license
   index.
2. Executes the license clear action.

STEPS TO REHOST A LICENSE:
To rehost a license, the management application
1. Retrieves device credentials of the device.
2. Communicates with Cisco's licensing portal to get
   the permission ticket, uses device credentials to
   identify the device.
3. Executes the processPermissionTicket action. Device
   revokes the license and generates rehost ticket to be
   submitted as proof of revocation.
4. Retrieves device credentials of the device where the
   license needs to be transferred to.
5. Submits rehost ticket as proof of revocation to
   Cisco's licensing portal, uses device credentials of
   the new device to identify the device, gets license
   file.
6. Executes the license install action on the new

device.

STEPS TO REGENERATE LAST REHOST TICKET:
   To regenerate last rehost ticket, the management
application
   1. Retrieves device credentials of the device.
   2. Uses already obtained permission ticket or
      communicates with Cisco's licensing portal to get
      the permission ticket, uses device credentials to
      identify the device.
   3. Executes the regenerateLastRehostTicket action.
      Device generates rehost ticket to be submitted as
      proof of revocation.

STEPS TO BACKUP ALL LICENSES:
   To backup all licenses installed in the device, the
   management application
   1. Specifies the backup file path.
   2. Executes the license backup action.

STEPS TO GENERATE & EXPORT EULA:
   To install certain kind of licenses, the management
   application must accept EULA first. The management
   application can generate and export EULA for one or
   more licenses with out installing licenses as follows.
   1. Specifies the license file path that has licenses to be
      installed
   2. Specifies the EULA file path where EULA need to be
      exported to
   3. Executes the generate EULA action.

To support the various license actions, this MIB module
also defines MIB objects to know if a device supports
licensing, retrieve device credentials, retrieve
information on license stores in the device.

It also defines MIB objects to expose management
information associated with the licenses installed on the
device, with the licensable features in the software image.

This MIB module also defines various notifications that
will be triggered to asynchronously notify the management
application of any critical events.

This MIB module is defined generically so it can be
implemented on stand alone devices or stack of devices.
In stack of devices, one device in the stack acts as
master agent and rest are slave agents. Each device in the

stack has its own UDI. The master agent receives requests
on behalf of all the devices in the stack including itself
and delegates it to other devices as needed. It also
collects responses from other devices and sends them to
the management application. Examples of such devices include
stackable switches, devices with route processor and line
cards. On the other hand, stand alone device is a single
device and has only one UDI associated with it.

entPhysicalIndex imported from ENTITY-MIB is used to
identify the device uniquely. It is specified as the index
or one of the index for tables in this MIB as needed."
REVISION   "201204190000Z"
DESCRIPTION
     "This version of the MIB adds support for Permanent Right to use (RTU)
     licensing. The revisions are:
     o Updated clmgmtLicenseType object to support the following new
       types of license:
       permanentRightToUse

     The new module compliance is ciscoLicenseMgmtComplianceRev1."

REVISION   "201104190000Z"
DESCRIPTION
     "This version of the MIB adds support for Right to use (RTU)
     licensing. The revisions are:
     o Added RTU license definition to MIB description above.
     o Updated clmgmtLicenseType object to support the following new
       types of license:
       evalRightToUse
       rightToUse
     o Added following objects to clmgmtLicenseInfoTable
       clmgmtLicensePeriodUsed
     o Added following objects to clmgmtLicensableFeatureTable
       clmgmtFeaturePeriodUsed
     o Added the following notifications
       clmgmtLicenseEvalRTUTransitionWarning
       clmgmtLicenseEvalRTUTransition
     o Added the following conformance groups
       clmgmtLicenseRTUGroup
       clmgmtLicenseRTUUsageNotifGroup

     The new module compliance is ciscoLicenseMgmtComplianceRev1."
REVISION   "200811210000Z"
DESCRIPTION
     "This version of the MIB adds support for subscription
     licensing. Subscription licenses provide software
     enforcement for a licensed feature for a fixed calendar

period. The revisions are:
o Updated clmgmtLicenseType object to support the following three
  new types of licenses:
    paidSubscription
    evaluationSubscription
    extensionSubscription
o Added following objects to clmgmtLicenseInfoTable
    clmgmtLicenseStartDate
    clmgmtLicenseEndDate
o Added following objects to clmgmtLicensableFeatureTable
    clmgmtFeatureStartDate
    clmgmtFeatureEndDate
o Added the following notifications
    clmgmtLicenseSubscriptionExpiryWarning
    clmgmtLicenseSubscriptionExtExpiryWarning
    clmgmtLicenseSubscriptionExpired
o Added the following conformance groups
    clmgmtLicenseSubscriptionGroup
    clmgmtLicenseSubscriptionUsageNotifGroup
The new module compliance is ciscoLicenseMgmtComplianceRev1."
REVISION   "200610030000Z"
DESCRIPTION
   "Initial version of this MIB module."
::= { ciscoMgmt 543 }

ciscoLicenseMgmtMIBNotifs OBJECT IDENTIFIER
  ::= { ciscoLicenseMgmtMIB 0 }

ciscoLicenseMgmtMIBObjects OBJECT IDENTIFIER
  ::= { ciscoLicenseMgmtMIB 1 }

ciscoLicenseMgmtMIBConform OBJECT IDENTIFIER
  ::= { ciscoLicenseMgmtMIB 2 }

clmgmtLicenseConfiguration OBJECT IDENTIFIER
  ::= { ciscoLicenseMgmtMIBObjects 1 }

clmgmtLicenseInformation OBJECT IDENTIFIER
  ::= { ciscoLicenseMgmtMIBObjects 2 }

clmgmtLicenseDeviceInformation OBJECT IDENTIFIER
  ::= { ciscoLicenseMgmtMIBObjects 3 }

clmgmtLicenseNotifObjects OBJECT IDENTIFIER
  ::= { ciscoLicenseMgmtMIBObjects 4 }

ClmgmtLicenseIndex ::= TEXTUAL-CONVENTION
  STATUS   current
  DESCRIPTION
      "A unique value, for each license in the managed system.
      It is not necessary to have values assigned contiguously.
      The value for each license must remain constant
      at least from one re-initialization of the entity's
      network management system to the next re-initialization"
  SYNTAX   Unsigned32 (1..4294967295)

ClmgmtLicenseIndexOrZero ::= TEXTUAL-CONVENTION
  STATUS   current
  DESCRIPTION
      "This textual convention is an extension of the ClmgmtLicenseIndex
      convention. The latter defines a greater than zero value
      used to identify a license in the managed system. This
      extension permits the additional value of zero. The value
      zero is object-specific and must therefore be defined as
      part of the description of any object which uses this
      syntax. Examples of the usage of zero might include
      situations where license was not present or unknown."
  SYNTAX   Unsigned32

ClmgmtLicenseTransferProtocol ::= TEXTUAL-CONVENTION
  STATUS   current
  DESCRIPTION
      "The transfer protocol that should be used for copying files
      when performing license management. When the protocol is
      set to local(2), local file system (flash or disk) is used.
      Different agents may support different transfer protocols
      and the management application is expected to some how determine
      which protocol is supported and use."
  SYNTAX   INTEGER {
              none(1),
              local(2),
              tftp(3),
              ftp(4),
              rcp(5),
              http(6),
              scp(7),
              sftp(8)
            }

ClmgmtLicenseActionState ::= TEXTUAL-CONVENTION
  STATUS   current
  DESCRIPTION
      "The state of license action execution.

none(1)   - action is not yet scheduled to be
                     executed.

pending(2)   - All the required parameters for the
                     action are set and the action is
                     scheduled to be executed.

inProgress(3)   - action execution has started and is
                     in progress.

successful(4)   - action has completed successfully.

partiallySuccessful(5) - action has completed, but was
                     partially successful. Management
                     application can query additional MIB
                     objects to know what is successful
                     and what has failed. These addtional
                     objects are listed in the
                     description of the corresponding
                     action tables.

failed(6)   - action has failed."
    SYNTAX   INTEGER {
             none(1),
             pending(2),
             inProgress(3),
             successful(4),
             partiallySuccessful(5),
             failed(6)
          }

ClmgmtLicenseActionFailCause ::= TEXTUAL-CONVENTION
    STATUS   current
    DESCRIPTION
      "Reason for license action failure. Defines error codes for
      all the license actions.

      none(1)   - action execution has not
                           started yet. If the action
                           is completed and the action
                           is successful, then also
                           none(1) is returned to
                           indicate that there are no
                           errors.
      generalFailure(2)   - General licensing failure.
                           This will be used for resource
                           unavailability failures.
                           Ex: Lack of memory.

transferProtocolNotSupported(3) - protocol selected is not
                    supported.
fileServerNotReachable(4) - file server is not reachable.
unrecognizedEntPhysicalIndex(5) - entPhysicalIndex is not
                    valid
invalidLicenseFilePath(6) - The license file path is not
                    accessible.
invalidLicenseFile(7)   - Contents of license file are
                    not valid.
invalidLicenseLine(8)   - License string in the license
                    file is not valid.
licenseAlreadyExists(9)   - Management application is trying
                    to install a license that already
                    exists.
licenseNotValidForDevice(10) - This license is not valid for
                    the device/entPhysicalIndex
                    specified.
invalidLicenseCount(11)   - Invalid count for this counted
                    license.
invalidLicensePeriod(12)   - Validity period is invalid for
                    this expiring license.
licenseInUse(13)   - License file is in use by a
                    feature/image.
invalidLicenseStore(14)   - License store is not valid.
licenseStorageFull(15)   - There is no more space in the
                    license storage.
invalidPermissionTicketFile(16) - The permission ticket file
                    path is not accecssible.
invalidPermissionTicket(17) - The permission ticket file
                    contents are not valid.
invalidRehostTicketFile(18) - The rehost ticket file path is
                    not accessible.
invalidRehostTicket(19)   - The rehost ticket file contents
                    are not valid.
invalidLicenseBackupFile(20) - License backup store path
                    is not accessible.
licenseClearInProgress(21) - When license clear action is
                    in progress, license backup
                    action is not permitted to
                    avoid race conditions. This
                    error code is sent back in
                    response to a license backup
                    action when a license clear
                    action is in progress or in
                    pending state. Try again in few
                    seconds.
invalidLicenseEULAFile(22) - EULA file path is not accessible."
SYNTAX   INTEGER {

none(1),
                    generalFailure(2),
                    transferProtocolNotSupported(3),
                    fileServerNotReachable(4),
                    unrecognizedEntPhysicalIndex(5),
                    invalidLicenseFilePath(6),
                    invalidLicenseFile(7),
                    invalidLicenseLine(8),
                    licenseAlreadyExists(9),
                    licenseNotValidForDevice(10),
                    invalidLicenseCount(11),
                    invalidLicensePeriod(12),
                    licenseInUse(13),
                    invalidLicenseStore(14),
                    licenseStorageFull(15),
                    invalidPermissionTicketFile(16),
                    invalidPermissionTicket(17),
                    invalidRehostTicketFile(18),
                    invalidRehostTicket(19),
                    invalidLicenseBackupFile(20),
                    licenseClearInProgress(21),
                    invalidLicenseEULAFile(22)
                }

clmgmtNextFreeLicenseActionIndex OBJECT-TYPE
    SYNTAX   Unsigned32 (1..4294967295)
    MAX-ACCESS   read-only
    STATUS   current
    DESCRIPTION
        "This object contains appropriate value for
        clmgmtLicenseActionIndex that can be used to create
        an entry in clmgmtLicenseActionTable. The management application
        should read this object first and then use this as the
        value for clmgmtLicenseActionIndex to avoid collisions
        when creating entries in clmgmtLicenseActionTable.
        Following this approach does not guarantee collision free
        row creation, but will reduce the probability. The
        collision will happen if two management applications read this
        object at the same time and attempt to create an entry
        with this value at the same time. In this case, the
        management application whose request is processed after the first
        request will get an error and the process of reading this object
        and entry creation needs to be repeated."
    ::= { clmgmtLicenseConfiguration 1 }
-- Table for executing license management actions.

clmgmtLicenseActionTable OBJECT-TYPE
    SYNTAX   SEQUENCE OF ClmgmtLicenseActionEntry

MAX-ACCESS   not-accessible
STATUS   current
DESCRIPTION
    "A table for invoking license management actions. Management
    application must create a row in this table to trigger any of
    the license management actions. The following are different
    actions that can be executed using this table.
        1. install
        2. clear
        3. processPermissionTicket
        4. regenerateLastRehostTicket
        5. backup
        6. generateEULA

    Refer to the description of clmgmtLicenseAction for more
    information on what these actions do on the device.
    Once the request completes, the management application should
    retrieve the values of the objects of interest, and then
    delete the entry. In order to prevent old entries from
    clogging the table, entries will be aged out, but an entry
    will never be deleted within 5 minutes of completion."
  ::= { clmgmtLicenseConfiguration 2 }

clmgmtLicenseActionEntry OBJECT-TYPE
  SYNTAX   ClmgmtLicenseActionEntry
  MAX-ACCESS   not-accessible
  STATUS   current
  DESCRIPTION
    "An entry for each action that is being executed or was
    executed recently. The management application executes an
    action
    by creating this entry. This can be done in the following
    2 methods

        1. CREATE-AND-GO method
           Management application sets clmgmtLicenseActionRowStatus to
           createAndGo(4) and all other required objects to valid
           values in a single SNMP SET request. If all the values
           are valid, the device creates the entry and executes the
           action. If the SET request fails, the entry will not be
           created.
        2. CREATE-AND-WAIT method
           Management application sets clmgmtLicenseActionRowStatus to
           createAndWait(5) to create an entry. Management application
           can set all other required objects to valid
           values in more than one SNMP SET request. If SET request
           for any of the objects fails, management application can
    set

just only that object. Once all the required objects
are set to valid values, management application triggers
action
execution by setting clmgmtLicenseActionRowStatus to
active(1).

To stop the action from being executed, the management
application
can delete the entry by setting clmgmtLicenseActionRowStatus
to destroy(6) when clmgmtLicenseActionState is pending(2).

The status of action execution can be known by querying
clmgmtLicenseActionState. If the action is still in
pending(2) or in inProgress(3) state, the management
application need to check back again after few seconds.
Once the action completes and status of the action is
failed(6), the reason for failure can be retrieved
from clmgmtLicenseActionFailCause. If the status of the
action is partiallySuccessful(5), results of individual
licenses can be queried from clmgmtLicenseActionResultTable.

Not all objects in the entry are needed to execute every
action. Below is the list of actions and the required
objects that are needed to be set for executing that
action.

1. Installing a license
   The following MIB objects need to be set for installing a
   license
     a. clmgmtLicenseActionTransferProtocol
     b. clmgmtLicenseServerAddressType
     c. clmgmtLicenseServerAddress
     d. clmgmtLicenseServerUsername
     e. clmgmtLicenseServerPassword
     f. clmgmtLicenseFile
     g. clmgmtLicenseStore
     h. clmgmtLicenseStopOnFailure
     i. clmgmtLicenseAcceptEULA
     j. clmgmtLicenseAction

   clmgmtLicenseActionEntPhysicalIndex need not be set
   explicitly for license installs. License itself identifes
   the device where the license needs to be installed.

   clmgmtLicenseStore need to be set to store the licenses
   in a non-default license store. But, if a license file
   has more than one license and licenses need to be
   installed on multiple devices (for example to multiple

members with in a stack), then value of clmgmtLicenseStore
is ignored and the licenses will be installed in default
license stores of the respective devices.

2. Clearing a license
   The following MIB objects need to be set for clearing a
   license
   a. clmgmtLicenseActionEntPhysicalIndex
   b. clmgmtLicenseActionLicenseIndex
   c. clmgmtLicenseStore
   d. clmgmtLicenseAction

3. Revoking a license
   The following MIB objects need to be set for revoking a
   license
   a. clmgmtLicenseActionTransferProtocol
   b. clmgmtLicenseServerAddressType
   c. clmgmtLicenseServerAddress
   d. clmgmtLicenseServerUsername
   e. clmgmtLicenseServerPassword
   f. clmgmtLicensePermissionTicketFile
   g. clmgmtLicenseRehostTicketFile
   h. clmgmtLicenseStopOnFailure
   i. clmgmtLicenseAction

4. Regenerate last rehost ticket
   The following MIB objects need to be set for regenerating
   last rehost ticket
   a. clmgmtLicenseActionTransferProtocol
   b. clmgmtLicenseServerAddressType
   c. clmgmtLicenseServerAddress
   d. clmgmtLicenseServerUsername
   e. clmgmtLicenseServerPassword
   f. clmgmtLicensePermissionTicketFile
   g. clmgmtLicenseRehostTicketFile
   h. clmgmtLicenseStopOnFailure
   i. clmgmtLicenseAction

5. Save all licenses to a backup storage
   The following MIB objects need to be set for storing all
   licenses to a backup store
   a. clmgmtLicenseActionEntPhysicalIndex
   b. clmgmtLicenseActionTransferProtocol
   c. clmgmtLicenseServerAddressType
   d. clmgmtLicenseServerAddress
   e. clmgmtLicenseServerUsername
   f. clmgmtLicenseServerPassword

        g. clmgmtLicenseBackupFile

        h. clmgmtLicenseAction

6. Generate and export EULA if the licenses need EULA to be
accepted for installing.
The following MIB objects need to be set exporting required
EULAs
    a. clmgmtLicenseActionTransferProtocol
    b. clmgmtLicenseServerAddressType
    c. clmgmtLicenseServerAddress
    d. clmgmtLicenseServerUsername
    e. clmgmtLicenseServerPassword
    f. clmgmtLicenseFile
    g. clmgmtLicenseEULAFile
    h. clmgmtLicenseAction

For any action, if clmgmtLicenseActionTransferProtocol
is set to local(2), the following objects need not be set.
    a. clmgmtLicenseServerAddressType
    b. clmgmtLicenseServerAddress
    c. clmgmtLicenseServerUsername
    d. clmgmtLicenseServerPassword

Entry can be deleted except when clmgmtLicenseAction is set
to pending(2). All entries are volatile and are cleared
on agent reset."
INDEX   { clmgmtLicenseActionIndex }
::= { clmgmtLicenseActionTable 1 }

ClmgmtLicenseActionEntry ::= SEQUENCE {
    clmgmtLicenseActionIndex   Unsigned32,
    clmgmtLicenseActionEntPhysicalIndex PhysicalIndexOrZero,
    clmgmtLicenseActionTransferProtocol ClmgmtLicenseTransferProtocol,
    clmgmtLicenseServerAddressType   InetAddressType,
    clmgmtLicenseServerAddress   InetAddress,
    clmgmtLicenseServerUsername   SnmpAdminString,
    clmgmtLicenseServerPassword   SnmpAdminString,
    clmgmtLicenseFile   SnmpAdminString,
    clmgmtLicenseStore   Unsigned32,
    clmgmtLicenseActionLicenseIndex   ClmgmtLicenseIndexOrZero,
    clmgmtLicensePermissionTicketFile SnmpAdminString,
    clmgmtLicenseRehostTicketFile   SnmpAdminString,
    clmgmtLicenseBackupFile   SnmpAdminString,
    clmgmtLicenseStopOnFailure   TruthValue,
    clmgmtLicenseAction   INTEGER,
    clmgmtLicenseActionState   ClmgmtLicenseActionState,
    clmgmtLicenseJobQPosition   Unsigned32,
    clmgmtLicenseActionFailCause   ClmgmtLicenseActionFailCause,

```
        clmgmtLicenseActionStorageType      StorageType,
        clmgmtLicenseActionRowStatus        RowStatus,
        clmgmtLicenseAcceptEULA             TruthValue,
        clmgmtLicenseEULAFile               SnmpAdminString
}
```

clmgmtLicenseActionIndex OBJECT-TYPE
  SYNTAX   Unsigned32 (1..4294967295)
  MAX-ACCESS   not-accessible
  STATUS   current
  DESCRIPTION
      "This object uniquely identifies a row in
      clmgmtLicenseActionTable. The management application should choose
      this value by reading clmgmtNextFreeLicenseActionIndex
      while creating an entry in this table. If an entry already
      exists with this index, the creation of the entry will not
      continue and error will be returned. The management application
      should read the value of clmgmtNextFreeLicenseActionIndex
      again and retry with the new value for this object."
  ::= { clmgmtLicenseActionEntry 1 }

clmgmtLicenseActionEntPhysicalIndex OBJECT-TYPE
  SYNTAX   PhysicalIndexOrZero
  MAX-ACCESS   read-create
  STATUS   current
  DESCRIPTION
      "This object represents the entPhysicalIndex of the device
      where the action is being executed. This object is mainly
      used in devices where one device is acting as a master and
      rest of the devices as slaves. The master device is
      responsible for SNMP communication with the management
      application. Examples include stackable switches, devices
      with route processor and line card configuration. If this
      object is not set, the license action will be executed on
      the master device. Note: This object need not be set if
      there is a stand alone device"
  DEFVAL   { 0 }
  ::= { clmgmtLicenseActionEntry 2 }

clmgmtLicenseActionTransferProtocol OBJECT-TYPE
  SYNTAX   ClmgmtLicenseTransferProtocol
  MAX-ACCESS   read-create
  STATUS   current
  DESCRIPTION
      "This object represents the transfer protocol to be used
      when copying files as specified in the following objects.
      1. clmgmtLicenseFile
      2. clmgmtLicensePermissionTicketFile

3. clmgmtLicenseRehostTicketFile

4. clmgmtLicenseBackupFile

Note: This object need not be set if the all the files
required for the action are in device's local file system."
DEFVAL   { none }
::= { clmgmtLicenseActionEntry 3 }

clmgmtLicenseServerAddressType OBJECT-TYPE
  SYNTAX   InetAddressType
  MAX-ACCESS   read-create
  STATUS   current
  DESCRIPTION
    "This object indicates the transport type of the
    address contained in clmgmtLicenseServerAddress object.
    This must be set when clmgmtLicenseActionTransferProtocol
    is not none(1) or local(2)."
  DEFVAL   { unknown }
  ::= { clmgmtLicenseActionEntry 4 }

clmgmtLicenseServerAddress OBJECT-TYPE
  SYNTAX   InetAddress
  MAX-ACCESS   read-create
  STATUS   current
  DESCRIPTION
    "This object indicates the ip address of the server from
    which the files must be read or written to if
    clmgmtLicenseActionTransferProtocol is not none(1) or
    local(2).

    All bits as 0s or 1s for clmgmtLicenseServerAddress are not
    allowed.

    The format of this address depends on the value of the
    clmgmtLicenseServerAddressType object"
  DEFVAL   { "" }
  ::= { clmgmtLicenseActionEntry 5 }

clmgmtLicenseServerUsername OBJECT-TYPE
  SYNTAX   SnmpAdminString (SIZE (0..96))
  MAX-ACCESS   read-create
  STATUS   current
  DESCRIPTION
    "This object indicates the remote user name for accessing
    files via ftp, rcp, sftp or scp protocols. This object must
    be set when the clmgmtLicenseActionTransferProtocol is
    ftp(4), rcp(5), scp(7) or sftp(8). If
    clmgmtLicenseActionTransferProtocol is rcp(5), the remote

username is sent as the server username in an rcp command

request sent by the system to a remote rcp server."

   DEFVAL   { "" }

   ::= { clmgmtLicenseActionEntry 6 }

clmgmtLicenseServerPassword OBJECT-TYPE

   SYNTAX   SnmpAdminString (SIZE (0..96))

   MAX-ACCESS   read-create

   STATUS   current

   DESCRIPTION

     "This object indicates the password used by ftp, sftp or

scp for copying a file to/from an ftp/sftp/scp server.

This object must be set when the

clmgmtLicenseActionTransferProtocol is ftp(4) or scp(7)

or sftp(8). Reading it returns a zero-length string for

security reasons."

   DEFVAL   { "" }

   ::= { clmgmtLicenseActionEntry 7 }

clmgmtLicenseFile OBJECT-TYPE

   SYNTAX   SnmpAdminString (SIZE (0..255))

   MAX-ACCESS   read-create

   STATUS   current

   DESCRIPTION

     "This object represents the location of the license file

on the server identified by clmgmtLicenseServerAddress. This

object MUST be set to a valid value before or concurrently

with setting the value of the clmgmtLicenseAction object to

install(2). For other operations, the value of this

object is not considered, it is irrelevant."

   DEFVAL   { "" }

   ::= { clmgmtLicenseActionEntry 8 }

clmgmtLicenseStore OBJECT-TYPE

   SYNTAX   Unsigned32

   MAX-ACCESS   read-create

   STATUS   current

   DESCRIPTION

     "This object represents the clmgmtLicenseStoreIndex of the

license store to use within the device. The license store

can be a local disk or flash. A device can have more than

one license stores. If this object is not set, the license

will be stored in the default license store as exposed by

clmgmtDefaultLicenseStore object."

   DEFVAL   { 0 }

   ::= { clmgmtLicenseActionEntry 9 }

clmgmtLicenseActionLicenseIndex OBJECT-TYPE

SYNTAX   ClmgmtLicenseIndexOrZero
MAX-ACCESS   read-create
STATUS   current
DESCRIPTION
   "This object indicates the the license index of the license
   that is the subject of this action. This is used for
   identifying a license for performing actions specific to
   that license. This object need to be set only if
   clmgmtLicenseAction is set to clear(4). The value of this
   object is same as the clmgmtLicenseIndex object in
   clmgmtLicenseInfoEntry for license that is subject of this
   action."
DEFVAL   { 0 }
::= { clmgmtLicenseActionEntry 10 }

clmgmtLicensePermissionTicketFile OBJECT-TYPE
   SYNTAX   SnmpAdminString (SIZE (0..255))
   MAX-ACCESS   read-create
   STATUS   current
   DESCRIPTION
      "This object indicates the file name of the permission
      ticket. This object need to be set only if
      clmgmtLicenseAction is set to processPermissionTicket(4)
      or regenerateLastRehostTicket(5) actions. The permission
      ticket is obtained from Cisco licensing portal to revoke
      a license. The management application must set this object
      to valid value before invoking the action."
   DEFVAL   { "" }
   ::= { clmgmtLicenseActionEntry 11 }

clmgmtLicenseRehostTicketFile OBJECT-TYPE
   SYNTAX   SnmpAdminString (SIZE (0..255))
   MAX-ACCESS   read-create
   STATUS   current
   DESCRIPTION
      "This object indicates the file where the rehost ticket
      generated by the device need to be exported to. The rehost
      ticket is generated as a result of processPermissionTicket
      and regenerateLastRehostTicket actions. After generating
      the rehost ticket, the device exports the rehost ticket
      contents to this file. This object need to be set only
      if clmgmtLicenseAction is set to processPermissionTicket(4)
      or regenerateLastRehostTicket(5) actions."
   DEFVAL   { "" }
   ::= { clmgmtLicenseActionEntry 12 }

clmgmtLicenseBackupFile OBJECT-TYPE
   SYNTAX   SnmpAdminString (SIZE (0..255))

MAX-ACCESS   read-create
STATUS   current
DESCRIPTION
    "This object indicates the file where all the licenses in
    the device need to be backed up. This object need to be set
    only if clmgmtLicenseAction is set to backup(6) and the
    management application must set the value of this object
    to valid value before invoking action."
DEFVAL   { "" }
::= { clmgmtLicenseActionEntry 13 }

clmgmtLicenseStopOnFailure OBJECT-TYPE
  SYNTAX   TruthValue
  MAX-ACCESS   read-create
  STATUS   current
  DESCRIPTION
    "This object indicates whether the license action should
    stop if the action on a license fails. This object is
    applicable only if there are more than one licenses
    involved in an action."
  DEFVAL   { false }
  ::= { clmgmtLicenseActionEntry 14 }

clmgmtLicenseAction OBJECT-TYPE
  SYNTAX   INTEGER {
            noOp(1),
            install(2),
            clear(3),
            processPermissionTicket(4),
            regenerateLastRehostTicket(5),
            backup(6),
            generateEULA(7)
          }
  MAX-ACCESS   read-create
  STATUS   current
  DESCRIPTION
    "This object indicates the the command/action to be executed.

    Command   Remarks
    -------   -------
    noOp(1)   No operation will be
                        performed.

    install(2)   Installs the license.

    clear(3)   Clears the license.

    processPermissionTicket(4)   Processes thee permission

ticket and generates and
exports rehost ticket.

regenerateLastRehostTicket(5) Generates and exports the
last generated rehost
ticket.

backup(6)   Backs up all the licenses
installed currently onto a
backup store.

generateEULA(7)   Checks whether the licenses
in the license file need EULA
acceptance and uploads the
needed EULA contents to a file."
    DEFVAL   { noOp }
    ::= { clmgmtLicenseActionEntry 15 }

clmgmtLicenseActionState OBJECT-TYPE
    SYNTAX   ClmgmtLicenseActionState
    MAX-ACCESS   read-only
    STATUS   current
    DESCRIPTION
        "This object indicates the state of this license action."
    ::= { clmgmtLicenseActionEntry 16 }

clmgmtLicenseJobQPosition OBJECT-TYPE
    SYNTAX   Unsigned32
    MAX-ACCESS   read-only
    STATUS   current
    DESCRIPTION
        "This object represents the position of the action
        in the license action job queue that is maintained
        internally. Only actions in pending(2) state will
        be put in the queue until they are executed. By
        reading this object, the management application can make
        intelligent decision on whether to execute another
        action that it is planning on. For example, if there
        is already a license clear action in the queue in
        pending(2) state, management application can choose to
        defer its license back up action to a later time. This
        object will return a value of 0 if the action is not in
        pending(2) state."
    ::= { clmgmtLicenseActionEntry 17 }

clmgmtLicenseActionFailCause OBJECT-TYPE
    SYNTAX   ClmgmtLicenseActionFailCause
    MAX-ACCESS   read-only

STATUS   current
DESCRIPTION
    "This object indicates the reason for this license action
    failure. The value of this object is valid only when
    clmgmtLicenseActionState is failed(6)."
 ::= { clmgmtLicenseActionEntry 18 }

clmgmtLicenseActionStorageType OBJECT-TYPE
  SYNTAX   StorageType
  MAX-ACCESS   read-create
  STATUS   current
  DESCRIPTION
    "This object indicates the storage type for this conceptual
    row. Conceptual rows having the value 'permanent' need not
    allow write-access to any columnar objects in the row."
  DEFVAL   { volatile }
 ::= { clmgmtLicenseActionEntry 19 }

clmgmtLicenseActionRowStatus OBJECT-TYPE
  SYNTAX   RowStatus
  MAX-ACCESS   read-create
  STATUS   current
  DESCRIPTION
    "This object indicates the the status of this table entry.
    Once the entry status is set to active(1), the associated
    entry cannot be modified until the action completes
    (clmgmtLicenseConfigCommandStatus is set to a value
    other than inProgress(3)). Once the action completes
    the only operation possible after this is to delete
    the row. It is recommended that the management application
    should delete entries in this table after reading
    the result. In order to prevent old entries from
    clogging the table, entries will be aged out, but an
    entry will never be deleted within 5 minutes of
    completion"
 ::= { clmgmtLicenseActionEntry 20 }

clmgmtLicenseAcceptEULA OBJECT-TYPE
  SYNTAX   TruthValue
  MAX-ACCESS   read-create
  STATUS   current
  DESCRIPTION
    "This object indicates whether the End User License Agreement
    needed for installing the licenses is accepted.

    true(1) - EULA is read and accepted
    false(2) - EULA is not accepted

Management application should set this object to true(1) when
installing licenses that need EULA acceptance."
DEFVAL   { false }
::= { clmgmtLicenseActionEntry 21 }

clmgmtLicenseEULAFile OBJECT-TYPE
SYNTAX   SnmpAdminString (SIZE (0..255))
MAX-ACCESS   read-create
STATUS   current
DESCRIPTION
"This object indicates the file where all the End User License
Agreements (EULAs) need to be exported to. This object need to
be set only if clmgmtLicenseAction is set to generateEULA(7) and
the management application must set the value of this object to
valid value before invoking action."
DEFVAL   { "" }
::= { clmgmtLicenseActionEntry 22 }

-- License action results table.

clmgmtLicenseActionResultTable OBJECT-TYPE
SYNTAX   SEQUENCE OF ClmgmtLicenseActionResultEntry
MAX-ACCESS   not-accessible
STATUS   current
DESCRIPTION
"This table contains results of license action if the
license action involves multiple licenses. Entries in this
table are not created for actions where there is
only license that is subject of the action. For
example, if there are 3 licenses in a license file
when executing license install action, 3 entries will
be created in this table, one for each license."
::= { clmgmtLicenseConfiguration 3 }

clmgmtLicenseActionResultEntry OBJECT-TYPE
SYNTAX   ClmgmtLicenseActionResultEntry
MAX-ACCESS   not-accessible
STATUS   current
DESCRIPTION
"An entry in clmgmtLicenseActionResultTable. Each entry
contains result of the action for a single license.
These entries are created immediately after action
execution when the action involves multiple licenses.
These entries get automatically deleted when the
corresponding entry in clmgmtLicenseActionTable
is deleted."
INDEX   {

```
            clmgmtLicenseActionIndex,
            clmgmtLicenseNumber
        }
    ::= { clmgmtLicenseActionResultTable 1 }


ClmgmtLicenseActionResultEntry ::= SEQUENCE {
    clmgmtLicenseNumber          Unsigned32,
    clmgmtLicenseIndivActionState    ClmgmtLicenseActionState,
    clmgmtLicenseIndivActionFailCause ClmgmtLicenseActionFailCause
}


clmgmtLicenseNumber OBJECT-TYPE
    SYNTAX       Unsigned32 (1..4294967295)
    MAX-ACCESS    not-accessible
    STATUS       current
    DESCRIPTION
        "This object indicates the sequence number of this license
        in the list of licenses on which the action is executed.
        For example, if there are 3 licenses in a license file
        when executing license install action, this object will
        have values 1, 2 and 3 respectively as ordered in the
        license file."
    ::= { clmgmtLicenseActionResultEntry 1 }


clmgmtLicenseIndivActionState OBJECT-TYPE
    SYNTAX       ClmgmtLicenseActionState
    MAX-ACCESS    read-only
    STATUS       current
    DESCRIPTION
        "This object indicates the state of action on this
        individual license."
    ::= { clmgmtLicenseActionResultEntry 2 }


clmgmtLicenseIndivActionFailCause OBJECT-TYPE
    SYNTAX       ClmgmtLicenseActionFailCause
    MAX-ACCESS    read-only
    STATUS       current
    DESCRIPTION
        "This object indicates the reason for action failure on this
        individual license"
    ::= { clmgmtLicenseActionResultEntry 3 }



-- License Store Info Table


clmgmtLicenseStoreInfoTable OBJECT-TYPE
    SYNTAX       SEQUENCE OF ClmgmtLicenseStoreInfoEntry
    MAX-ACCESS    not-accessible
```

STATUS   current
DESCRIPTION
    "This table contains information about all the license
    stores allocated on the device."
  ::= { clmgmtLicenseInformation 1 }

clmgmtLicenseStoreInfoEntry OBJECT-TYPE
  SYNTAX   ClmgmtLicenseStoreInfoEntry
  MAX-ACCESS   not-accessible
  STATUS   current
  DESCRIPTION
    "An entry in clmgmtLicenseStoreInfoTable. Each entry
    contains information about a license store allocated
    on the device"
  INDEX   {
            entPhysicalIndex,
            clmgmtLicenseStoreIndex
          }
  ::= { clmgmtLicenseStoreInfoTable 1 }

ClmgmtLicenseStoreInfoEntry ::= SEQUENCE {
    clmgmtLicenseStoreIndex   Unsigned32,
    clmgmtLicenseStoreName   SnmpAdminString,
    clmgmtLicenseStoreTotalSize   Unsigned32,
    clmgmtLicenseStoreSizeRemaining Unsigned32
}

clmgmtLicenseStoreIndex OBJECT-TYPE
  SYNTAX   Unsigned32 (1..4294967295)
  MAX-ACCESS   not-accessible
  STATUS   current
  DESCRIPTION
    "This object uniquely identifies a license store within
    the device."
  ::= { clmgmtLicenseStoreInfoEntry 1 }

clmgmtLicenseStoreName OBJECT-TYPE
  SYNTAX   SnmpAdminString (SIZE (0..255))
  MAX-ACCESS   read-only
  STATUS   current
  DESCRIPTION
    "This object indicates the name of the license store
    within the device. It is a file in device's local file
    system i.e., either on a local disk or flash or some
    other storage media. For example, the value of this
    object can be 'disk1:lic_store_1.txt' or
    'flash:lic_store_2.txt"
  ::= { clmgmtLicenseStoreInfoEntry 2 }

clmgmtLicenseStoreTotalSize OBJECT-TYPE
  SYNTAX   Unsigned32
  UNITS   "bytes"
  MAX-ACCESS   read-only
  STATUS   current
  DESCRIPTION
    "This object indicates the total number of bytes that are
    allocated to the license store."
  ::= { clmgmtLicenseStoreInfoEntry 3 }

clmgmtLicenseStoreSizeRemaining OBJECT-TYPE
  SYNTAX   Unsigned32
  UNITS   "bytes"
  MAX-ACCESS   read-only
  STATUS   current
  DESCRIPTION
    "This object indicates the number of bytes still remaining
    to be used for new license installations in the license
    store."
  ::= { clmgmtLicenseStoreInfoEntry 4 }

-- License Device Info Table

clmgmtLicenseDeviceInfoTable OBJECT-TYPE
  SYNTAX   SEQUENCE OF ClmgmtLicenseDeviceInfoEntry
  MAX-ACCESS   not-accessible
  STATUS   current
  DESCRIPTION
    "This table contains objects that provide licensing related
    information at the device level. Entries will exist
    only for entities that support licensing. For example,
    if it is a stand alone device and supports licensing,
    then there will be only one entry in this table. If
    it is stackable switch then there will be multiple
    entries with one entry for each device in the stack."
  ::= { clmgmtLicenseInformation 2 }

clmgmtLicenseDeviceInfoEntry OBJECT-TYPE
  SYNTAX   ClmgmtLicenseDeviceInfoEntry
  MAX-ACCESS   not-accessible
  STATUS   current
  DESCRIPTION
    "An entry in clmgmtLicenseDeviceInfoTable. Each entry
    contains device level licensing information for a device."
  INDEX   { entPhysicalIndex }
  ::= { clmgmtLicenseDeviceInfoTable 1 }

ClmgmtLicenseDeviceInfoEntry ::= SEQUENCE {
    clmgmtDefaultLicenseStore Unsigned32
}

clmgmtDefaultLicenseStore OBJECT-TYPE
  SYNTAX   Unsigned32 (1..4294967295)
  MAX-ACCESS   read-only
  STATUS   current
  DESCRIPTION
    "This object indicates the clmgmtLicenseStoreIndex of
    default store in the device. There will be only one
    default license store per device. If no license store
    is specified during license install, this default license
    store will be used."
  ::= { clmgmtLicenseDeviceInfoEntry 1 }

-- License Info Table

clmgmtLicenseInfoTable OBJECT-TYPE
  SYNTAX   SEQUENCE OF ClmgmtLicenseInfoEntry
  MAX-ACCESS   not-accessible
  STATUS   current
  DESCRIPTION
    "This table contains information about all the licenses
    installed on the device."
  ::= { clmgmtLicenseInformation 3 }

clmgmtLicenseInfoEntry OBJECT-TYPE
  SYNTAX   ClmgmtLicenseInfoEntry
  MAX-ACCESS   not-accessible
  STATUS   current
  DESCRIPTION
    "An entry in clmgmtLicenseInfoTable. Each entry contains
    information about a license installed on the device. This
    entry gets created when a license is installed successfully.
    Management application can not create these entries directly, but
    will do so indirectly by executing license install action.
    Some of these entries may already exist that correspond to
    demo licenses even before management application installs any
    licenses."
  INDEX   {
            entPhysicalIndex,
            clmgmtLicenseStoreUsed,
            clmgmtLicenseIndex
        }
  ::= { clmgmtLicenseInfoTable 1 }

```
ClmgmtLicenseInfoEntry ::= SEQUENCE {
    clmgmtLicenseStoreUsed          Unsigned32,
    clmgmtLicenseIndex              ClmgmtLicenseIndex,
    clmgmtLicenseFeatureName        SnmpAdminString,
    clmgmtLicenseFeatureVersion     SnmpAdminString,
    clmgmtLicenseType               INTEGER,
    clmgmtLicenseCounted            TruthValue,
    clmgmtLicenseValidityPeriod     Unsigned32,
    clmgmtLicenseValidityPeriodRemaining Unsigned32,
    clmgmtLicenseExpiredPeriod      Unsigned32,
    clmgmtLicenseMaxUsageCount      Unsigned32,
    clmgmtLicenseUsageCountRemaining    Unsigned32,
    clmgmtLicenseEULAStatus         TruthValue,
    clmgmtLicenseComments           SnmpAdminString,
    clmgmtLicenseStatus             INTEGER,
    clmgmtLicenseStartDate          DateAndTime,
    clmgmtLicenseEndDate            DateAndTime,
    clmgmtLicensePeriodUsed         Unsigned32
}

clmgmtLicenseStoreUsed OBJECT-TYPE
  SYNTAX        Unsigned32 (1..4294967295)
  MAX-ACCESS    not-accessible
  STATUS        current
  DESCRIPTION
     "This object represents the license store that is used for
      storing this license. This object will have the same value
      as clmgmtLicenseStoreIndex in clmgmtLicenseStoreInfoEntry
      of the license store used."
  ::= { clmgmtLicenseInfoEntry 1 }

clmgmtLicenseIndex OBJECT-TYPE
  SYNTAX        ClmgmtLicenseIndex
  MAX-ACCESS    not-accessible
  STATUS        current
  DESCRIPTION
     "This object uniquely identifies a license within
      the device."
  ::= { clmgmtLicenseInfoEntry 2 }

clmgmtLicenseFeatureName OBJECT-TYPE
  SYNTAX        SnmpAdminString (SIZE  (0..128))
  MAX-ACCESS    read-only
  STATUS        current
  DESCRIPTION
     "This object indicates the name of the feature that is
      using or can use this license. A license can be used by
```

only one feature. Examples of feature name are: 'IPBASE',
'ADVIPSERVICE'."
::= { clmgmtLicenseInfoEntry 3 }

clmgmtLicenseFeatureVersion OBJECT-TYPE
  SYNTAX   SnmpAdminString (SIZE (0..128))
  MAX-ACCESS   read-only
  STATUS   current
  DESCRIPTION
     "This object indicates the version of the feature that is
     using or can use this license. Examples of feature version
     are: '1.0', '2.0'"
  ::= { clmgmtLicenseInfoEntry 4 }

clmgmtLicenseType OBJECT-TYPE
  SYNTAX   INTEGER {
            demo(1),
            extension(2),
            gracePeriod(3),
            permanent(4),
            paidSubscription(5),
            evaluationSubscription(6),
            extensionSubscription(7),
            evalRightToUse(8),
            rightToUse(9),
            permanentRightToUse(10)
          }
  MAX-ACCESS   read-only
  STATUS   current
  DESCRIPTION
     "This object identifies type of license. Licenses may have
     validity period defined in terms of time duration that the
     license is valid for or it may be defined in terms of actual
     calendar dates. Subscription licenses are licenses that have
     validity period defined in terms of calendar dates.

     demo(1)   - demo(evaluation license) license.
     extension(2)   - Extension(expiring) license.
     gracePeriod(3)   - Grace period license.
     permanent(4)   - permanent license, the license has no
                  expiry date.
     paidSubscription(5)   - Paid subscription licenses are the
     licenses
                  which are purchased by customers. These
                  licenses have a start date and end date
                  associated with them.
     evaluationSubscription(6)-Evaluation subscription licenses are
                    the trial licenses. These licenses

are node locked and it can be obtained
only once for an UDI. They are valid
based on calendar days. These licenses
have a start date and an end date
associated with them and are issued
once per UDI.

extensionSubscription(7)- Extension subscription licenses are
similar to evaluation subscription
licenses but these licenses are issued
based on customer request. There are
no restrictions on the number of
licenses available for a UDI.

evalRightToUse(8)   - Evaluation Right to use (RTU)
license.

rightToUse(9)   - Right to use (RTU) license.

permanentRightToUse(10) ? Right To Use license right after it is configured
and is valid for the lifetime of the product.
This is a Right To Use license which is not in
evaluation mode for a limited time."

::= { clmgmtLicenseInfoEntry 5 }

clmgmtLicenseCounted OBJECT-TYPE
  SYNTAX   TruthValue
  MAX-ACCESS   read-only
  STATUS   current
  DESCRIPTION
    "This object indicates whether the license is counted
    license.
    true(1) - counted license
    false(2) - uncounted license"
  ::= { clmgmtLicenseInfoEntry 6 }

clmgmtLicenseValidityPeriod OBJECT-TYPE
  SYNTAX   Unsigned32
  UNITS   "seconds"
  MAX-ACCESS   read-only
  STATUS   current
  DESCRIPTION
    "This object indicates the time period the license is valid for.
    This object is applicable only if clmgmtLicenseType is demo(1),
    or extension(2) or gracePeriod(3) or evalRightToUse(8). The
    object will return 0 for other license types."
  ::= { clmgmtLicenseInfoEntry 7 }

clmgmtLicenseValidityPeriodRemaining OBJECT-TYPE
  SYNTAX   Unsigned32
  UNITS   "seconds"

MAX-ACCESS   read-only
STATUS   current
DESCRIPTION
   "This object indicates the time period remaining before the
   license expires or transitions to rightToUse(9) license. This
   object is applicable only if clmgmtLicenseType is demo(1), or
   extension(2) or gracePeriod(3) or evalRightToUse(8). The object
   will contain 0 for other license types."
 ::= { clmgmtLicenseInfoEntry 8 }

clmgmtLicenseExpiredPeriod OBJECT-TYPE
   SYNTAX   Unsigned32
   UNITS   "seconds"
   MAX-ACCESS   read-only
   STATUS   current
   DESCRIPTION
      "This object indicates the elapsed time period since the license
      expired. This object is applicable only if clmgmtLicenseType
      is demo(1), or extension(2) or gracePeriod(3). Also, this
      value of this object will be valid only after the license
      expires. The object will return 0 for other license types
      or before the license expiry."
    ::= { clmgmtLicenseInfoEntry 9 }

clmgmtLicenseMaxUsageCount OBJECT-TYPE
   SYNTAX   Unsigned32
   MAX-ACCESS   read-only
   STATUS   current
   DESCRIPTION
      "This object indicates the maximum number of entities that
      can use this license. This object is applicable only if
      clmgmtLicenseCounted is true(1). The entity that is being
      counted can be anything and it depends on the licensable
      feature."
    ::= { clmgmtLicenseInfoEntry 10 }

clmgmtLicenseUsageCountRemaining OBJECT-TYPE
   SYNTAX   Unsigned32
   MAX-ACCESS   read-only
   STATUS   current
   DESCRIPTION
      "This object indicates the number of entities that can
      still use this license. This object is applicable only
      if clmgmtLicenseCounted is true(1)."
    ::= { clmgmtLicenseInfoEntry 11 }

clmgmtLicenseEULAStatus OBJECT-TYPE
   SYNTAX   TruthValue

MAX-ACCESS   read-only
STATUS   current
DESCRIPTION
    "This object indicates whether the user accepted
    End User License Agreement for this license.

    true(1) - EULA accpeted
    false(2) - EULA not accepted"
 ::= { clmgmtLicenseInfoEntry 12 }

clmgmtLicenseComments OBJECT-TYPE
  SYNTAX   SnmpAdminString (SIZE (0..255))
  MAX-ACCESS   read-write
  STATUS   current
  DESCRIPTION
    "This object represents the user modifiable comments
    about the license. This object is initially populated
    with comments from the license file."
 ::= { clmgmtLicenseInfoEntry 13 }

clmgmtLicenseStatus OBJECT-TYPE
  SYNTAX   INTEGER {
              inactive(1),
              notInUse(2),
              inUse(3),
              expiredInUse(4),
              expiredNotInUse(5),
              usageCountConsumed(6)
          }
  MAX-ACCESS   read-only
  STATUS   current
  DESCRIPTION
    "This object represents status of the license.

    inactive(1)   - license is installed, but
                    not active.
    notInUse(2)   - license is installed and
                    available for use.
    inUse(3)   - the license is being used (by
                    a feature).
    expiredInUse(4)   - license is expired but still
                    being held by the feature.
    expiredNotInUse(5)   - license is expired and not being
                    held by any feature.
    usageCountConsumed(6) - number of entities using this
                    licenses has reached the allowed
                    limit, no new entities are allowed
                    to use this license."

::= { clmgmtLicenseInfoEntry 14 }

clmgmtLicenseStartDate OBJECT-TYPE
  SYNTAX   DateAndTime
  MAX-ACCESS   read-only
  STATUS   current
  DESCRIPTION
    "This object indicates the start date for a subscription
    license. It is optional for subscription linceses to have a
    start date associated with them, they may only have an end
    date associated with them. This object may be applicable only
    when clmgmtLicenseType is paidSubscription(5),
    evaluationSubscription(6) or extensionSubscription (7).
    The object will contain an octet string of length 0 when it is
    not applicable."
  ::= { clmgmtLicenseInfoEntry 15 }

clmgmtLicenseEndDate OBJECT-TYPE
  SYNTAX   DateAndTime
  MAX-ACCESS   read-only
  STATUS   current
  DESCRIPTION
    "This object indicates the end date for a subscription license.
    This object is applicable only when clmgmtLicenseType is
    paidSubscription(5), evaluationSubscription(6) or
    extensionSubscription (7). The object will contain an octet
    string of length 0 when it is not applicable."
  ::= { clmgmtLicenseInfoEntry 16 }

clmgmtLicensePeriodUsed OBJECT-TYPE
  SYNTAX   Unsigned32
  UNITS   "seconds"
  MAX-ACCESS   read-only
  STATUS   current
  DESCRIPTION
    "This object indicates the time period used for the
    Right to use (RTU) licenses. This object is applicable for all
    RTU licenses."
  ::= { clmgmtLicenseInfoEntry 17 }

-- Licensable features information table.

clmgmtLicensableFeatureTable OBJECT-TYPE
  SYNTAX   SEQUENCE OF ClmgmtLicensableFeatureEntry
  MAX-ACCESS   not-accessible
  STATUS   current
  DESCRIPTION

"This table contains list of licensable features in the
image. All the licensable features will have an entry each
in this table irrespective of whether they are using any
licenses currently. Entries in this table are created by
the agent one for each licensable feature in the image.
These entries remain in the table permanently and can not
be deleted. Management application can not create or delete
entries from this table."
    ::= { clmgmtLicenseInformation 4 }

clmgmtLicensableFeatureEntry OBJECT-TYPE
    SYNTAX   ClmgmtLicensableFeatureEntry
    MAX-ACCESS   not-accessible
    STATUS   current
    DESCRIPTION
        "An entry in clmgmtLicensableFeatureTable. Each entry represents
        a licensable feature."
    INDEX   {
                entPhysicalIndex,
                clmgmtFeatureIndex
            }
    ::= { clmgmtLicensableFeatureTable 1 }

ClmgmtLicensableFeatureEntry ::= SEQUENCE {
    clmgmtFeatureIndex   Unsigned32,
    clmgmtFeatureName   SnmpAdminString,
    clmgmtFeatureVersion   SnmpAdminString,
    clmgmtFeatureValidityPeriodRemaining Unsigned32,
    clmgmtFeatureWhatIsCounted   SnmpAdminString,
    clmgmtFeatureStartDate   DateAndTime,
    clmgmtFeatureEndDate   DateAndTime,
    clmgmtFeaturePeriodUsed   Unsigned32
}

clmgmtFeatureIndex OBJECT-TYPE
    SYNTAX   Unsigned32 (1..4294967295)
    MAX-ACCESS   not-accessible
    STATUS   current
    DESCRIPTION
        "This object uniquely identifies a licensable feature in
        the device."
    ::= { clmgmtLicensableFeatureEntry 1 }

clmgmtFeatureName OBJECT-TYPE
    SYNTAX   SnmpAdminString (SIZE (0..128))
    MAX-ACCESS   read-only
    STATUS   current
    DESCRIPTION

"This object indicates the name of the licensable feature
in the device. Examples of feature names are: 'IPBASE',
'ADVIPSERVICE'"
  ::= { clmgmtLicensableFeatureEntry 2 }

clmgmtFeatureVersion OBJECT-TYPE
  SYNTAX   SnmpAdminString (SIZE (0..32))
  MAX-ACCESS   read-only
  STATUS   current
  DESCRIPTION
    "This object indicates the version of the licensable
    feature in the device. Examples of feature versions
    are: '1.0' or '2.0'"
  ::= { clmgmtLicensableFeatureEntry 3 }

clmgmtFeatureValidityPeriodRemaining OBJECT-TYPE
  SYNTAX   Unsigned32
  UNITS   "seconds"
  MAX-ACCESS   read-only
  STATUS   current
  DESCRIPTION
    "This object indicates the time period remaining before
    the feature's license expires or transitions. This object is
    applicable only if clmgmtLicenseType of the license used by
    this feature is demo(1), or extension(2) or gracePeriod(3) or
    evalRightToUse(8).

    The object will contain 0 if other types of license is used
    or if the feature does not use any license. If the
    feature is using multiple licenses, this period will
    represent the cumulative period remaining from all the
    licenses used by this feature."
  ::= { clmgmtLicensableFeatureEntry 4 }

clmgmtFeatureWhatIsCounted OBJECT-TYPE
  SYNTAX   SnmpAdminString (SIZE (0..128))
  MAX-ACCESS   read-only
  STATUS   current
  DESCRIPTION
    "This object represents the entity that is being counted
    by this feature. Examples of entities are IP Phones, number
    of sessions etc. This object is only applicable for
    features that use counting licenses. For other features,
    this object will return empty string."
  ::= { clmgmtLicensableFeatureEntry 5 }

clmgmtFeatureStartDate OBJECT-TYPE
  SYNTAX   DateAndTime

MAX-ACCESS   read-only
STATUS   current
DESCRIPTION
    "This object indicates the license start date of the feature.
    This object is applicable if at least one of the licenses used
    for this feature has a valid start date. The start date will
    be the earliest of the valid start dates of all the licenses
    used for this feature. If none of the licenses used for this
    feature have a valid start date then this object will contain an
    octet string of length 0."
 ::= { clmgmtLicensableFeatureEntry 6 }

clmgmtFeatureEndDate OBJECT-TYPE
  SYNTAX   DateAndTime
  MAX-ACCESS   read-only
  STATUS   current
  DESCRIPTION
    "This object indicates the license end date of the feature.
    This object is applicable if at least one of the licenses used
    for this feature has a valid end date. The end date will
    be the latest of the valid end dates of all the licenses
    used for this feature. If none of the licenses used for this
    feature have a valid end date then this object will contain an
    octet string of length 0."
 ::= { clmgmtLicensableFeatureEntry 7 }

clmgmtFeaturePeriodUsed OBJECT-TYPE
  SYNTAX   Unsigned32
  UNITS   "seconds"
  MAX-ACCESS   read-only
  STATUS   current
  DESCRIPTION
    "This object indicates the license period used for the feature."
 ::= { clmgmtLicensableFeatureEntry 8 }

-- MIB objects for exporting device credentials

clmgmtNextFreeDevCredExportActionIndex OBJECT-TYPE
  SYNTAX   Unsigned32
  MAX-ACCESS   read-only
  STATUS   current
  DESCRIPTION
    "This object contains appropriate value for
    clmgmtDevCredExportActionIndex that can be used to create
    an entry in clmgmtDevCredExportActionTable. The management
    application should read this object first and then use this

as the value for clmgmtDevCredExportActionIndex to avoid
collisions when creating entries in
clmgmtDevCredExportActionTable. Following this approach does
not guarantee collision free row creation, but will reduce
the probability. The collision will happen if two
management applications read this object at the same time and
attempt to create an entry with this value at the same time.
In this case, the management application whose request is
processed after the first request will get an error and the
process of reading this object and entry creation needs to be
repeated."
   ::= { clmgmtLicenseDeviceInformation 1 }
-- Table for triggering action to export device credentials.

clmgmtDevCredExportActionTable OBJECT-TYPE
   SYNTAX   SEQUENCE OF ClmgmtDevCredExportActionEntry
   MAX-ACCESS   not-accessible
   STATUS   current
   DESCRIPTION
      "A table for triggering device credentials export action.
      Management application must create this entry to trigger the
      export of device credentials from the device to a file.

      Once the request completes, the management application should
      retrieve the values of the objects of interest, and then
      delete the entry. In order to prevent old entries from
      clogging the table, entries will be aged out, but an entry
      will never be deleted within 5 minutes of completion."
   ::= { clmgmtLicenseDeviceInformation 2 }

clmgmtDevCredExportActionEntry OBJECT-TYPE
   SYNTAX   ClmgmtDevCredExportActionEntry
   MAX-ACCESS   not-accessible
   STATUS   current
   DESCRIPTION
      "An entry for each device credential export action that
      is being executed or was executed recently. The management
      application triggers the export by creating an entry in this
      table. This can be done in the following 2 methods

      1. CREATE-AND-GO method
         Management application sets clmgmtDevCredExportActionStatus
         to createAndGo(4) and all other required objects to valid
         values in a single SNMP SET request. If all the values
         are valid, the device creates the entry and executes the
         action. If the SET request fails, the entry will not be
         created.
      2. CREATE-AND-WAIT method

Management application sets clmgmtDevCredExportActionStatus to
createAndWait(5) to create an entry. Management application
can set all other required objects to valid
values in more than one SNMP SET request. If SET request
for any of the objects fails, management application can set
just only that object. Once all the required objects
are set to valid values, management application triggers action
execution by setting clmgmtDevCredExportActionStatus to
active(1).

To stop the action from being executed, the management application
can delete the entry by setting clmgmtDevCredExportActionStatus
to destroy(6) when clmgmtDevCredCommandState is pending(2).

The status of action execution can be known by querying
clmgmtDevCredCommandState. If the action is still in
pending(2) or inProgress(3), the management application need to
check back again after few seconds. Once the action completes
and if status of the action is failed(6), the reason for
failure can be retrieved from clmgmtDevCredCommandFailCause.

Entry can be deleted except when clmgmtLicenseAction is set
to inProgress(3). All entries in this table are volatile
and are cleared on agent reset."
INDEX   { clmgmtDevCredExportActionIndex }
::= { clmgmtDevCredExportActionTable 1 }

ClmgmtDevCredExportActionEntry ::= SEQUENCE {
    clmgmtDevCredExportActionIndex Unsigned32,
    clmgmtDevCredEntPhysicalIndex PhysicalIndexOrZero,
    clmgmtDevCredTransferProtocol ClmgmtLicenseTransferProtocol,
    clmgmtDevCredServerAddressType InetAddressType,
    clmgmtDevCredServerAddress   InetAddress,
    clmgmtDevCredServerUsername   SnmpAdminString,
    clmgmtDevCredServerPassword   SnmpAdminString,
    clmgmtDevCredExportFile   SnmpAdminString,
    clmgmtDevCredCommand   INTEGER,
    clmgmtDevCredCommandState   ClmgmtLicenseActionState,
    clmgmtDevCredCommandFailCause INTEGER,
    clmgmtDevCredStorageType   StorageType,
    clmgmtDevCredRowStatus   RowStatus
}

clmgmtDevCredExportActionIndex OBJECT-TYPE
  SYNTAX   Unsigned32 (1..4294967295)
  MAX-ACCESS   not-accessible
  STATUS   current
  DESCRIPTION

"This object uniquely identifies a row in
clmgmtDevCredExportActionTable. The management application
chooses this value by reading
clmgmtNextFreeDevCredExportActionIndex while creating an
entry in this table. If an entry already exists with this
index, the creation of the entry will not continue and
error will be returned. The management application should
read the value of clmgmtNextFreeDevCredExportActionIndex
again and retry with the new value for this object."
::= { clmgmtDevCredExportActionEntry 1 }

clmgmtDevCredEntPhysicalIndex OBJECT-TYPE
   SYNTAX   PhysicalIndexOrZero
   MAX-ACCESS   read-create
   STATUS   current
   DESCRIPTION
      "This object represents the entPhysicalIndex of the device
      for which the device credentials are being retrieved. This
      object is mainly used in devices where one device is acting
      as a master and rest of the devices as slaves. The master
      device is responsible for SNMP communication with the
      manager. Examples include stackable switches, devices with
      router processor and line cards.

      Note: This object need not be set if it is a stand alone
      device"
   DEFVAL   { 0 }
   ::= { clmgmtDevCredExportActionEntry 2 }

clmgmtDevCredTransferProtocol OBJECT-TYPE
   SYNTAX   ClmgmtLicenseTransferProtocol
   MAX-ACCESS   read-create
   STATUS   current
   DESCRIPTION
      "This object indicates the transfer protocol to be used when
      copying files as specified in the following objects.
      1. clmgmtDevCredExportFile
      ."
   DEFVAL   { none }
   ::= { clmgmtDevCredExportActionEntry 3 }

clmgmtDevCredServerAddressType OBJECT-TYPE
   SYNTAX   InetAddressType
   MAX-ACCESS   read-create
   STATUS   current
   DESCRIPTION
      "This object indicates the transport type of the
      address contained in clmgmtDevCredServerAddress object.

This must be set when clmgmtDevCredTransferProtocol
is not none(1) or local(2)."
DEFVAL   { unknown }
::= { clmgmtDevCredExportActionEntry 4 }

clmgmtDevCredServerAddress OBJECT-TYPE
SYNTAX   InetAddress
MAX-ACCESS   read-create
STATUS   current
DESCRIPTION
"This object indicates the the ip address of the server
from which the files must be read or written to if
clmgmtDevCredTransferProtocol is not none(1) or local(2).

All bits as 0s or 1s for clmgmtDevCredServerAddress are not
allowed.

The format of this address depends on the value of the
clmgmtDevCredServerAddressType object"
DEFVAL   { "" }
::= { clmgmtDevCredExportActionEntry 5 }

clmgmtDevCredServerUsername OBJECT-TYPE
SYNTAX   SnmpAdminString (SIZE (0..96))
MAX-ACCESS   read-create
STATUS   current
DESCRIPTION
"This object indicates the remote user name for accessing
files via ftp, rcp, sftp or scp protocols. This object
must be set when the clmgmtDevCredTransferProtocol is
ftp(4), rcp(5), scp(7) or sftp(8). If
clmgmtDevCredTransferProtocol is rcp(5), the remote
username is sent as the server username in an rcp command
request sent by the system to a remote rcp server."
DEFVAL   { "" }
::= { clmgmtDevCredExportActionEntry 6 }

clmgmtDevCredServerPassword OBJECT-TYPE
SYNTAX   SnmpAdminString (SIZE (0..96))
MAX-ACCESS   read-create
STATUS   current
DESCRIPTION
"This object indicates the password used by ftp, sftp or
scp for copying a file to/from an ftp/sftp/scp server.
This object must be set when the
clmgmtDevCredTransferProtocol is ftp(4) or scp(7) or
sftp(8). Reading it returns a zero-length string for
security reasons."

```
       DEFVAL        { "" }
       ::= { clmgmtDevCredExportActionEntry 7 }


clmgmtDevCredExportFile OBJECT-TYPE
  SYNTAX        SnmpAdminString (SIZE (0..255))
  MAX-ACCESS    read-create
  STATUS        current
  DESCRIPTION
     "This object represents file where device credentials needs
     to be exported to."
   ::= { clmgmtDevCredExportActionEntry 8 }


clmgmtDevCredCommand OBJECT-TYPE
  SYNTAX        INTEGER {
              noOp(1),
              getDeviceCredentials(2)
            }
  MAX-ACCESS    read-create
  STATUS        current
  DESCRIPTION
     "This object indicates the the command to be executed.


     Command                 Remarks
     -------                 -------
     noOp(1)                 No operation will be
                        performed.


     getDeviceCredentials(2)    Exports device credentials"
  DEFVAL        { noOp }
   ::= { clmgmtDevCredExportActionEntry 9 }


clmgmtDevCredCommandState OBJECT-TYPE
  SYNTAX        ClmgmtLicenseActionState
  MAX-ACCESS    read-only
  STATUS        current
  DESCRIPTION
     "This object indicates the state of the action that is
     executed as a result of setting clmgmtDevCredRowStatus
     to active(1)."
   ::= { clmgmtDevCredExportActionEntry 10 }


clmgmtDevCredCommandFailCause OBJECT-TYPE
  SYNTAX        INTEGER {
              none(1),
              unknownError(2),
              transferProtocolNotSupported(3),
              fileServerNotReachable(4),
              unrecognizedEntPhysicalIndex(5),
```

invalidFile(6)
         }
    MAX-ACCESS   read-only
    STATUS   current
    DESCRIPTION
       "This object indicates the the reason for device
       credentials export operation failure.

       The value of this object is valid only when
       clmgmtDevCredCommandState is failed(6).

       none(1)   - action execution has not started yet.
                    If the action is completed and the
                    action is successful, then also
                    none(1) is returned to indicate that
                    there are no errors.
       unknownError(2) - reason for failure is unknown,
                    operation failed, no operation is
                    performed
       transferProtocolNotSupported(3) - clmgmtDevCredTransferProtocol
                         given is not supported.
       fileServerNotReachable(4)   - file server is not reachable.
       unrecognizedEntPhysicalIndex(5) - entPhysicalIndex is not
                         valid
       invalidFile(6) - The target file specified is not valid."
    ::= { clmgmtDevCredExportActionEntry 11 }

clmgmtDevCredStorageType OBJECT-TYPE
    SYNTAX   StorageType
    MAX-ACCESS   read-create
    STATUS   current
    DESCRIPTION
       "This object indicates the storage type for this conceptual
       row. Conceptual rows having the value 'permanent' need not
       allow write-access to any columnar objects in the row."
    DEFVAL   { volatile }
    ::= { clmgmtDevCredExportActionEntry 12 }

clmgmtDevCredRowStatus OBJECT-TYPE
    SYNTAX   RowStatus
    MAX-ACCESS   read-create
    STATUS   current
    DESCRIPTION
       "This object indicates the the status of this table entry.
       Once the entry status is set to active(1), the associated
       entry cannot be modified until the action completes
       (clmgmtDevCredCommandStatus is set to a value
       other than inProgress(3)). Once the action completes

the only operation possible after this is to delete
the row.

clmgmtDevCredExportFile is a mandatory object to be
set when creating this entry."
::= { clmgmtDevCredExportActionEntry 13 }

-- Objects for enabling/disabling notifications

clmgmtLicenseUsageNotifEnable OBJECT-TYPE
    SYNTAX   TruthValue
    MAX-ACCESS   read-write
    STATUS   current
    DESCRIPTION
        "This object indicates whether the device should generate
        the notifications related to usage of licenses. This object
        enables/disables sending following notifications:
            clmgmtLicenseExpired
            clmgmtLicenseExpiryWarning
            clmgmtLicenseUsageCountExceeded
            clmgmtLicenseUsageCountAboutToExceed
            clmgmtLicenseSubscriptionExpiryWarning
            clmgmtLicenseSubscriptionExtExpiryWarning
            clmgmtLicenseSubscriptionExpired
            clmgmtLicenseEvalRTUTransitionWarning
            clmgmtLicenseEvalRTUTransition"
    DEFVAL   { true }
    ::= { clmgmtLicenseNotifObjects 1 }

clmgmtLicenseDeploymentNotifEnable OBJECT-TYPE
    SYNTAX   TruthValue
    MAX-ACCESS   read-write
    STATUS   current
    DESCRIPTION
        "This object indicates whether the device should generate
        notifications related to license deployment. This object
        enables/disables sending following notifications:
            clmgmtLicenseInstalled
            clmgmtLicenseCleared
            clmgmtLicenseRevoked
            clmgmtLicenseEULAAccepted"
    DEFVAL   { true }
    ::= { clmgmtLicenseNotifObjects 2 }

clmgmtLicenseErrorNotifEnable OBJECT-TYPE
    SYNTAX   TruthValue

MAX-ACCESS   read-write
STATUS   current
DESCRIPTION
    "This object indicates whether the device should generate
    notifications related to error conditions in enforcing
    licensing. This object enables/disables sending following
    notifications:
        clmgmtLicenseNotEnforced"
DEFVAL   { true }
 ::= { clmgmtLicenseNotifObjects 3 }

-- Notifications

clmgmtLicenseExpired NOTIFICATION-TYPE
  OBJECTS   {
                clmgmtFeatureName,
                clmgmtFeatureVersion
            }
  STATUS   current
  DESCRIPTION
    "This notification is sent, when a feature license
    expires. This notification will be sent continuously
    every week even after the expiry to alert the management
    application."
  ::= { ciscoLicenseMgmtMIBNotifs 1 }

clmgmtLicenseExpiryWarning NOTIFICATION-TYPE
  OBJECTS   {
                clmgmtFeatureName,
                clmgmtFeatureVersion,
                clmgmtFeatureValidityPeriodRemaining
            }
  STATUS   current
  DESCRIPTION
    "This notification is sent when a license is about to
    expire. This notification will go out multiple times.
    First notification goes out when expiry day is 4 weeks
    ahead, second notification when expiry day is 3 weeks
    ahead, third notification when expiry day is 2 weeks
    ahead. This notification will go out daily in the
    last week of license expiry."
  ::= { ciscoLicenseMgmtMIBNotifs 2 }

clmgmtLicenseUsageCountExceeded NOTIFICATION-TYPE
  OBJECTS   {
                clmgmtLicenseFeatureName,
                clmgmtLicenseFeatureVersion,
                clmgmtLicenseMaxUsageCount,

```
                clmgmtFeatureWhatIsCounted,
                clmgmtLicenseComments
            }
    STATUS        current
    DESCRIPTION
        "This notification is sent when clmgmtLicenseUsageCountRemaining
        has reached clmgmtLicenseMaxUsageCount for a counting license."
    ::= { ciscoLicenseMgmtMIBNotifs 3 }


clmgmtLicenseUsageCountAboutToExceed NOTIFICATION-TYPE
    OBJECTS        {
                clmgmtLicenseFeatureName,
                clmgmtLicenseFeatureVersion,
                clmgmtLicenseMaxUsageCount,
                clmgmtLicenseUsageCountRemaining,
                clmgmtFeatureWhatIsCounted,
                clmgmtLicenseComments
            }
    STATUS        current
    DESCRIPTION
        "This notification is sent when clmgmtLicenseUsageCountRemaining
        has reached 80% of clmgmtLicenseMaxUsageCount for a counting
        license. This is a warning notification to the management
        application that very soon the maximum count will be reached
        and after that the device will not allow new entities to
        make use of this license."
    ::= { ciscoLicenseMgmtMIBNotifs 4 }


clmgmtLicenseInstalled NOTIFICATION-TYPE
    OBJECTS        {
                clmgmtLicenseFeatureName,
                clmgmtLicenseFeatureVersion,
                clmgmtLicenseType,
                clmgmtLicenseComments
            }
    STATUS        current
    DESCRIPTION
        "This notification is sent when a license is installed
        successfully."
    ::= { ciscoLicenseMgmtMIBNotifs 5 }


clmgmtLicenseCleared NOTIFICATION-TYPE
    OBJECTS        {
                clmgmtLicenseFeatureName,
                clmgmtLicenseFeatureVersion,
                clmgmtLicenseType,
                clmgmtLicenseComments
            }
```

STATUS   current
DESCRIPTION
    "This notification is sent when a license is cleared
    successfully."
  ::= { ciscoLicenseMgmtMIBNotifs 6 }

clmgmtLicenseRevoked NOTIFICATION-TYPE
  OBJECTS   {
                clmgmtLicenseFeatureName,
                clmgmtLicenseFeatureVersion,
                clmgmtLicenseType,
                clmgmtLicenseComments
            }
  STATUS   current
  DESCRIPTION
    "This notification is sent when a license is revoked
    successfully."
  ::= { ciscoLicenseMgmtMIBNotifs 7 }

clmgmtLicenseEULAAccepted NOTIFICATION-TYPE
  OBJECTS   {
                clmgmtFeatureName,
                clmgmtFeatureVersion
            }
  STATUS   current
  DESCRIPTION
    "This notification is sent when a user accepts End User
    License Agreement (EULA) for a license."
  ::= { ciscoLicenseMgmtMIBNotifs 8 }

clmgmtLicenseNotEnforced NOTIFICATION-TYPE
  OBJECTS   {
                clmgmtFeatureName,
                clmgmtFeatureVersion
            }
  STATUS   current
  DESCRIPTION
    "This notification is sent when a license does not
    exist for a feature, but the feature is a mandatory
    feature and it should run. This notification will be
    sent out periodically to indicate that there is no
    license installed for this feature and it needs to
    be done as soon as possible."
  ::= { ciscoLicenseMgmtMIBNotifs 9 }

clmgmtLicenseSubscriptionExpiryWarning NOTIFICATION-TYPE
  OBJECTS   {
                clmgmtFeatureName,

```
                clmgmtFeatureVersion,
                clmgmtFeatureEndDate
            }
    STATUS        current
    DESCRIPTION
        "This notification is sent when a subscription license of a
        feature is about to expire. This notification will be sent as
        per the following schedule:
        Once a week for the last eight weeks
        Once a day for the last week
        Once a hour for the last day"
     ::= { ciscoLicenseMgmtMIBNotifs 10 }


clmgmtLicenseSubscriptionExtExpiryWarning NOTIFICATION-TYPE
    OBJECTS        {
                clmgmtFeatureName,
                clmgmtFeatureVersion,
                clmgmtFeatureEndDate
            }
    STATUS        current
    DESCRIPTION
        "This notification is sent when the subscription license end
        date of a feature is reached but extension period is left. This
        notification will be sent once a day after the license end date
        is reached."
     ::= { ciscoLicenseMgmtMIBNotifs 11 }


clmgmtLicenseSubscriptionExpired NOTIFICATION-TYPE
    OBJECTS        {
                clmgmtFeatureName,
                clmgmtFeatureVersion,
                clmgmtFeatureEndDate
            }
    STATUS        current
    DESCRIPTION
        "This notification will be sent after a subscription license
        of a feature completely expires. It will be sent once a day
        after the license has completely expired"
     ::= { ciscoLicenseMgmtMIBNotifs 12 }


clmgmtLicenseEvalRTUTransitionWarning NOTIFICATION-TYPE
    OBJECTS        {
                clmgmtFeatureName,
                clmgmtFeatureVersion,
                clmgmtFeatureValidityPeriodRemaining
            }
    STATUS        current
    DESCRIPTION
```

"This notification is sent when Evaluation to Right to use (RTU)
license transition is about to happen. The first notification
will be sent 10 days before the transition and second
notification will be sent 5 days before the transition."
::= { ciscoLicenseMgmtMIBNotifs 13 }

clmgmtLicenseEvalRTUTransition NOTIFICATION-TYPE
  OBJECTS   {
              clmgmtFeatureName,
              clmgmtFeatureVersion
          }
  STATUS   current
  DESCRIPTION
    "This notification is sent, when a feature license transitions
    from a evaluation to a Right to use (RTU) license."
  ::= { ciscoLicenseMgmtMIBNotifs 14 }
-- Conformance

ciscoLicenseMgmtCompliances OBJECT IDENTIFIER
  ::= { ciscoLicenseMgmtMIBConform 1 }

ciscoLicenseMgmtGroups OBJECT IDENTIFIER
  ::= { ciscoLicenseMgmtMIBConform 2 }

ciscoLicenseMgmtCompliance MODULE-COMPLIANCE
  STATUS   deprecated
  DESCRIPTION
    "Compliance statement for Cisco license mgmt MIB."
  MODULE   -- this module
  MANDATORY-GROUPS {
              clmgmtLicenseDeploymentGroup,
              clmgmtLicenseDeviceInformationGroup,
              clmgmtLicenseInformationGroup,
              clmgmtLicensableFeatureInformationGroup,
              clmgmtLicenseDevCredGroup,
              clmgmtLicenseNotificationEnableGroup,
              clmgmtLicenseUsageNotifGroup,
              clmgmtLicenseDeploymentNotifGroup,
              clmgmtLicenseErrorNotifGroup
          }

  GROUP   clmgmtLicenseStoreInformationGroup
  DESCRIPTION
    "This group is mandatory for all devices where
    multiple license stores are supported."
  ::= { ciscoLicenseMgmtCompliances 1 }

ciscoLicenseMgmtComplianceRev1 MODULE-COMPLIANCE
  STATUS   current
  DESCRIPTION
    "Compliance statement for Cisco license mgmt MIB."
  MODULE   -- this module
  MANDATORY-GROUPS {
            clmgmtLicenseDeploymentGroup,
            clmgmtLicenseDeviceInformationGroup,
            clmgmtLicenseInformationGroup,
            clmgmtLicensableFeatureInformationGroup,
            clmgmtLicenseDevCredGroup,
            clmgmtLicenseNotificationEnableGroup,
            clmgmtLicenseUsageNotifGroup,
            clmgmtLicenseDeploymentNotifGroup,
            clmgmtLicenseErrorNotifGroup
          }

  GROUP   clmgmtLicenseStoreInformationGroup
  DESCRIPTION
    "This group is mandatory for all devices where
    multiple license stores are supported."

  GROUP   clmgmtLicenseSubscriptionGroup
  DESCRIPTION
    "This object group is mandatory for all devices that
    support subscription licensing."

  GROUP   clmgmtLicenseSubscriptionUsageNotifGroup
  DESCRIPTION
    "This notification group is mandatory for all devices that
    support subscription licensing."

  GROUP   clmgmtLicenseRTUGroup
  DESCRIPTION
    "This object group is mandatory for all devices that
    support Right to Use (RTU) licensing."

  GROUP   clmgmtLicenseRTUUsageNotifGroup
  DESCRIPTION
    "This notification group is mandatory for all devices that
    support Right to use (RTU) licensing."
  ::= { ciscoLicenseMgmtCompliances 2 }

-- Units of Conformance

clmgmtLicenseDeploymentGroup OBJECT-GROUP
  OBJECTS   {
            clmgmtNextFreeLicenseActionIndex,

```
            clmgmtLicenseActionEntPhysicalIndex,
            clmgmtLicenseActionTransferProtocol,
            clmgmtLicenseServerAddressType,
            clmgmtLicenseServerAddress,
            clmgmtLicenseServerUsername,
            clmgmtLicenseServerPassword,
            clmgmtLicenseFile,
            clmgmtLicenseStore,
            clmgmtLicenseActionLicenseIndex,
            clmgmtLicensePermissionTicketFile,
            clmgmtLicenseRehostTicketFile,
            clmgmtLicenseBackupFile,
            clmgmtLicenseStopOnFailure,
            clmgmtLicenseAction,
            clmgmtLicenseActionState,
            clmgmtLicenseJobQPosition,
            clmgmtLicenseActionFailCause,
            clmgmtLicenseActionStorageType,
            clmgmtLicenseActionRowStatus,
            clmgmtLicenseIndivActionState,
            clmgmtLicenseIndivActionFailCause,
            clmgmtLicenseAcceptEULA,
            clmgmtLicenseEULAFile
        }
STATUS       current
DESCRIPTION
    "A collection of objects for performing license deployment
    i.e., license installation, clear and revoke"
 ::= { ciscoLicenseMgmtGroups 1 }


clmgmtLicenseStoreInformationGroup OBJECT-GROUP
  OBJECTS       {
            clmgmtLicenseStoreName,
            clmgmtLicenseStoreTotalSize,
            clmgmtLicenseStoreSizeRemaining
        }
STATUS       current
DESCRIPTION
    "A collection of objects that provide information about
    license storages in the device."
 ::= { ciscoLicenseMgmtGroups 2 }


clmgmtLicenseDeviceInformationGroup OBJECT-GROUP
  OBJECTS       { clmgmtDefaultLicenseStore }
STATUS       current
DESCRIPTION
    "A collection of objects that provide information about
    device level licensing support information in the device."
```

```
        ::= { ciscoLicenseMgmtGroups 3 }

clmgmtLicenseInformationGroup OBJECT-GROUP
    OBJECTS        {
                clmgmtLicenseFeatureName,
                clmgmtLicenseFeatureVersion,
                clmgmtLicenseType,
                clmgmtLicenseCounted,
                clmgmtLicenseValidityPeriod,
                clmgmtLicenseValidityPeriodRemaining,
                clmgmtLicenseExpiredPeriod,
                clmgmtLicenseMaxUsageCount,
                clmgmtLicenseUsageCountRemaining,
                clmgmtLicenseEULAStatus,
                clmgmtLicenseComments,
                clmgmtLicenseStatus
            }
    STATUS        current
    DESCRIPTION
        "A collection of objects that provide information about
        licenses and its state."
    ::= { ciscoLicenseMgmtGroups 4 }

clmgmtLicensableFeatureInformationGroup OBJECT-GROUP
    OBJECTS        {
                clmgmtFeatureName,
                clmgmtFeatureVersion,
                clmgmtFeatureValidityPeriodRemaining,
                clmgmtFeatureWhatIsCounted
            }
    STATUS        current
    DESCRIPTION
        "A collection of objects that provide information about
        licensable features in the software image."
    ::= { ciscoLicenseMgmtGroups 5 }

clmgmtLicenseDevCredGroup OBJECT-GROUP
    OBJECTS        {
                clmgmtNextFreeDevCredExportActionIndex,
                clmgmtDevCredEntPhysicalIndex,
                clmgmtDevCredTransferProtocol,
                clmgmtDevCredServerAddressType,
                clmgmtDevCredServerAddress,
                clmgmtDevCredServerUsername,
                clmgmtDevCredServerPassword,
                clmgmtDevCredExportFile,
                clmgmtDevCredCommand,
                clmgmtDevCredCommandState,
```

```
                clmgmtDevCredCommandFailCause,
                clmgmtDevCredStorageType,
                clmgmtDevCredRowStatus
            }
    STATUS      current
    DESCRIPTION
        "A collection of objects for exporting device credentials
        from the device."
    ::= { ciscoLicenseMgmtGroups 6 }


clmgmtLicenseNotificationEnableGroup OBJECT-GROUP
    OBJECTS     {
                clmgmtLicenseUsageNotifEnable,
                clmgmtLicenseDeploymentNotifEnable,
                clmgmtLicenseErrorNotifEnable
            }
    STATUS      current
    DESCRIPTION
        "A collection of objects for controlling
        (enabling/disabling) license notifications to a management
        application."
    ::= { ciscoLicenseMgmtGroups 7 }


clmgmtLicenseUsageNotifGroup NOTIFICATION-GROUP
    NOTIFICATIONS   {
                clmgmtLicenseExpired,
                clmgmtLicenseExpiryWarning,
                clmgmtLicenseUsageCountExceeded,
                clmgmtLicenseUsageCountAboutToExceed
            }
    STATUS      current
    DESCRIPTION
        "A collection of notifications related to license usage."
    ::= { ciscoLicenseMgmtGroups 8 }


clmgmtLicenseDeploymentNotifGroup NOTIFICATION-GROUP
    NOTIFICATIONS   {
                clmgmtLicenseInstalled,
                clmgmtLicenseCleared,
                clmgmtLicenseRevoked,
                clmgmtLicenseEULAAccepted
            }
    STATUS      current
    DESCRIPTION
        "A collection of notifications related to license deployment."
    ::= { ciscoLicenseMgmtGroups 9 }


clmgmtLicenseErrorNotifGroup NOTIFICATION-GROUP
```

```
    NOTIFICATIONS    { clmgmtLicenseNotEnforced }
    STATUS        current
    DESCRIPTION
       "A collection of notifications related to license errors."
     ::= { ciscoLicenseMgmtGroups 10 }


clmgmtLicenseSubscriptionGroup OBJECT-GROUP
   OBJECTS        {
                  clmgmtLicenseStartDate,
                  clmgmtLicenseEndDate,
                  clmgmtFeatureStartDate,
                  clmgmtFeatureEndDate
              }
   STATUS        current
   DESCRIPTION
       "A collection of objects that provide information specific to
       subscription licenses."
     ::= { ciscoLicenseMgmtGroups 11 }


clmgmtLicenseSubscriptionUsageNotifGroup NOTIFICATION-GROUP
   NOTIFICATIONS    {
                  clmgmtLicenseSubscriptionExpiryWarning,
                  clmgmtLicenseSubscriptionExtExpiryWarning,
                  clmgmtLicenseSubscriptionExpired
              }
   STATUS        current
   DESCRIPTION
       "A collection of notifications related to usage of subscription
       licenses."
     ::= { ciscoLicenseMgmtGroups 12 }


clmgmtLicenseRTUGroup OBJECT-GROUP
   OBJECTS        {
                  clmgmtLicensePeriodUsed,
                  clmgmtFeaturePeriodUsed
              }
   STATUS        current
   DESCRIPTION
       "A collection of objects that provide information specific to
       Right to use (RTU) licenses."
     ::= { ciscoLicenseMgmtGroups 13 }


clmgmtLicenseRTUUsageNotifGroup NOTIFICATION-GROUP
   NOTIFICATIONS    {
                  clmgmtLicenseEvalRTUTransitionWarning,
                  clmgmtLicenseEvalRTUTransition
              }
   STATUS        current
```

DESCRIPTION
        "A collection of notifications related to Right to use (RTU)
        licenses."
    ::= { ciscoLicenseMgmtGroups 14 }

END

--%DNP% MLC -Edit MLC

--%DNP% MTF -TRUE MTF
-- **
-- CISCO-IMAGE-LICENSE-MGMT-MIB.my: Cisco MIB to manage image level on
-- Cisco devices.
--
-- August 2007, Ganesan Rajam
--
-- Copyright (c) 2006-2007 by Cisco Systems Inc.
-- All rights reserved.
--
-- **

CISCO-IMAGE-LICENSE-MGMT-MIB DEFINITIONS ::= BEGIN

IMPORTS
    OBJECT-TYPE,
    MODULE-IDENTITY,
    Unsigned32,
    NOTIFICATION-TYPE
        FROM SNMPv2-SMI
    MODULE-COMPLIANCE,
    OBJECT-GROUP,
    NOTIFICATION-GROUP
        FROM SNMPv2-CONF
    TEXTUAL-CONVENTION,
    TruthValue
        FROM SNMPv2-TC
    SnmpAdminString
        FROM SNMP-FRAMEWORK-MIB
    entPhysicalIndex
        FROM ENTITY-MIB
    ciscoMgmt
        FROM CISCO-SMI;

ciscoImageLicenseMgmtMIB MODULE-IDENTITY
    LAST-UPDATED   "200710160000Z"
    ORGANIZATION   "Cisco Systems Inc."

CONTACT-INFO
    "Cisco Systems

    Customer Service

    Postal: 170 W Tasman Drive

    San Jose, CA 95134

    USA

    Tel: +1 800 553 -NETS

    E-mail: cs-snmp@cisco.com"

DESCRIPTION
"The MIB module for managing the running image level
of a Cisco device. Cisco's licensing mechanism provides
flexibility to run a device on a chosen image level.
This mechanism is referred to as image level licensing.
Image level licensing leverages the universal image
based licensing solution.

The image level licensing mechanism works as follows -

A universal image that contains all levels of software
packages is loaded on to the device. At boot time, the
device determines the highest level of license and brings
up the appropriate software features or subsystems.
The user can configure the image level with which the
device has to boot. The system will verify whether the
appropriate license is available for the configured image
level. The image level for the next boot will be determined
based on the availability of the license. The following
scenarios explains some use-cases of image level licensing:

Scenario 1:
- Customer selects advsecurityk9 based image.
- Manufacturing installs advsecurity license on the device.
- This device will run all features that are part of the
base advsecurity license.
- Customer upgrades to advipservicesk9 license.
- The next boot level is set to advipservicesk9.
- The device will run advsecurityk9 feature until the
next reboot. After reboot the device will run
advipservicesk9 features.

Scenario 2:
- Customer selects advipservicesk9 based image.
- Manufacturing installs advipservices and advsecurity
license on the device.
- This device will run all features that are part of the
base advipservices license.
- No upgrades available for advipservices license.

The user has to accept the End User License Agreement(EULA)
before using this MIB to configure the image level.

This MIB should be used in conjuntion with
CISCO-LICENSE-MGMT-MIB module to achieve the image level
licensing functionality.

This MIB module defines objects which provides the different
image levels supported by the device and the license required
to enable a particular image level. It also defines objects
to let the user configure the required image level. The MIB
module contains notification which will be triggered when
the user changes the image level for next boot.

The CISCO-LICENSE-MGMT-MIB module should be used to export
the EULA and to configure the required license.

This MIB module is defined generically so it can be used for
both stand-alone as well as stackable devices. The
entPhysicalIndex imported from ENTITY-MIB is used to identify
the device uniquely."
REVISION   "200710160000Z"
DESCRIPTION
    "Initial version of this MIB module."
::= { ciscoMgmt 640 }

ciscoImageLicenseMgmtMIBNotifs OBJECT IDENTIFIER
  ::= { ciscoImageLicenseMgmtMIB 0 }

ciscoImageLicenseMgmtMIBObjects OBJECT IDENTIFIER
  ::= { ciscoImageLicenseMgmtMIB 1 }

ciscoImageLicenseMgmtMIBConform OBJECT IDENTIFIER
  ::= { ciscoImageLicenseMgmtMIB 2 }

BootImageLevel ::= TEXTUAL-CONVENTION
  STATUS   current
  DESCRIPTION
    "This textual convention is used to define
    the image level.

    If the device is running at advipservices
    image level, then the boot image level will
    be 'advipservices'."
  SYNTAX   OCTET STRING (SIZE (0..255))

LicenseNameList ::= TEXTUAL-CONVENTION
  STATUS   current
  DESCRIPTION
     "This textual convention is used to define
     the list of license names. If multiple licenses
     are present then this string will contain all
     the licenses seperated by the ',' character.

     If the license required to run a device at
     advipservices image level is advipservices and
     advsecurity, then the license name list will be
     'advipservices,advsecurity'."
  SYNTAX   OCTET STRING (SIZE (0..255))
-- Table for executing license management actions.

cilmBootImageLevelTable OBJECT-TYPE
  SYNTAX   SEQUENCE OF CilmBootImageLevelEntry
  MAX-ACCESS   not-accessible
  STATUS   current
  DESCRIPTION
     "A table that contains the configuration information of
     current and next boot image level. This table contains
     entries for each software module running in an image
     loaded in the device. The software module is identified by
     cilmModuleName and the device is identified by
     entPhysicalIndex."
  ::= { ciscoImageLicenseMgmtMIBObjects 1 }

cilmBootImageLevelEntry OBJECT-TYPE
  SYNTAX   CilmBootImageLevelEntry
  MAX-ACCESS   not-accessible
  STATUS   current
  DESCRIPTION
     "An entry in the table for each module containing the
     list of objects that define the configuration of next
     boot level. The following information is specified by
     the objects present in the table.

     - Current image level.
     - Configured image level for the next boot.
     - Actual image level for the next boot.
     - License store index for the current license.
     - License index of the current license.
     - License store index for the next boot license.
     - License index of the next boot license."
  INDEX   {
         entPhysicalIndex,
         cilmModuleName

```
            }
    ::= { cilmBootImageLevelTable 1 }


CilmBootImageLevelEntry ::= SEQUENCE {
    cilmModuleName              SnmpAdminString,
    cilmCurrentImageLevel       BootImageLevel,
    cilmConfiguredBootImageLevel  BootImageLevel,
    cilmNextBootImageLevel      BootImageLevel,
    cilmCurrentLicenseStoreIndex  Unsigned32,
    cilmCurrentLicenseIndex      Unsigned32,
    cilmNextBootLicenseStoreIndex Unsigned32,
    cilmNextBootLicenseIndex     Unsigned32
}


cilmModuleName OBJECT-TYPE
  SYNTAX       SnmpAdminString
  MAX-ACCESS    not-accessible
  STATUS       current
  DESCRIPTION
    "This object is used as one of the two indices in
    cilmBootImageLevelTable. This object indicates the module
    name of the software package. There can be multiple
    modules in an image performing specific functionality.
    For example, in a wireless image there can be two modules
    - a base image module and a wireless module."
  ::= { cilmBootImageLevelEntry 1 }


cilmCurrentImageLevel OBJECT-TYPE
  SYNTAX       BootImageLevel
  MAX-ACCESS    read-only
  STATUS       current
  DESCRIPTION
    "This object indicates the current image level that
    the module is running."
  ::= { cilmBootImageLevelEntry 2 }


cilmConfiguredBootImageLevel OBJECT-TYPE
  SYNTAX       BootImageLevel
  MAX-ACCESS    read-write
  STATUS       current
  DESCRIPTION
    "This object indicates the configured image level
    of the module for the next boot.

    Note: The configured next boot image level may not
    be the actual next boot image level. The actual next
    boot image level is denoted by cilmNextBootImageLevel
    which is determined based on the license availability."
```

::= { cilmBootImageLevelEntry 3 }

cilmNextBootImageLevel OBJECT-TYPE
  SYNTAX   BootImageLevel
  MAX-ACCESS   read-only
  STATUS   current
  DESCRIPTION
    "This object indicates the next boot image level. The
    next boot image level can be different from configured
    level. The next boot image level is determined based
    on the availability of required license."
  ::= { cilmBootImageLevelEntry 4 }

cilmCurrentLicenseStoreIndex OBJECT-TYPE
  SYNTAX   Unsigned32
  MAX-ACCESS   read-only
  STATUS   current
  DESCRIPTION
    "This object indicates the license store index where the
    currently used license is stored. This object has the same
    value as clmgmtLicenseStoreIndex object and uniquely
    identifies an entry in clmgmtLicenseStoreInfoTable in
    CISCO-LICENSE-MGMT-MIB.

    Note: The license store index can be '0' if no license is
    installed and device is running base image."
  ::= { cilmBootImageLevelEntry 5 }

cilmCurrentLicenseIndex OBJECT-TYPE
  SYNTAX   Unsigned32
  MAX-ACCESS   read-only
  STATUS   current
  DESCRIPTION
    "This object indicates the license index of the currently used
    license. This object has the same value as clmgmtLicenseIndex and
    uniquely identifies an entry in clmgmtLicenseInfoTable in
    CISCO-LICENSE-MGMT-MIB.

    Note: The license index can be '0' if no license is
    installed and device is running base image."
  ::= { cilmBootImageLevelEntry 6 }

cilmNextBootLicenseStoreIndex OBJECT-TYPE
  SYNTAX   Unsigned32
  MAX-ACCESS   read-only
  STATUS   current
  DESCRIPTION
    "This object indicates the license store index where the

next boot license is stored. This object has the same
value as clmgmtLicenseStoreIndex object and uniquely
identifies an entry in clmgmtLicenseStoreInfoTable in
CISCO-LICENSE-MGMT-MIB.

Note: The license store index can be '0' if no license is
installed for the next boot."
::= { cilmBootImageLevelEntry 7 }

cilmNextBootLicenseIndex OBJECT-TYPE
  SYNTAX   Unsigned32
  MAX-ACCESS   read-only
  STATUS   current
  DESCRIPTION
    "This object indicates the license index of the next boot
    license. This object has the same value as clmgmtLicenseIndex
    and uniquely identifies an entry in clmgmtLicenseInfoTable in
    CISCO-LICENSE-MGMT-MIB.

    Note: The license index can be '0' if no license is
    installed for the next boot."
  ::= { cilmBootImageLevelEntry 8 }

cilmImageLevelToLicenseMapTable OBJECT-TYPE
  SYNTAX   SEQUENCE OF CilmImageLevelToLicenseMapEntry
  MAX-ACCESS   not-accessible
  STATUS   current
  DESCRIPTION
    "This table contains the mapping between different
    image levels of each modules in the image and the
    license required to run the modules at a particular
    image level. This table can be used to identify the
    different image levels and the appropriate licenses
    required for each."
  ::= { ciscoImageLicenseMgmtMIBObjects 2 }

cilmImageLevelToLicenseMapEntry OBJECT-TYPE
  SYNTAX   CilmImageLevelToLicenseMapEntry
  MAX-ACCESS   not-accessible
  STATUS   current
  DESCRIPTION
    "An entry in the table containing the following
    information.
    - The image levels at the which the modules can be run.
    - The license required to the run a module at a
    particular image level.

- The priority of the license."
INDEX   {
                entPhysicalIndex,
                cilmModuleName,
                cilmImageLicenseMapIndex
            }
  ::= { cilmImageLevelToLicenseMapTable 1 }

CilmImageLevelToLicenseMapEntry ::= SEQUENCE {
    cilmImageLicenseMapIndex   Unsigned32,
    cilmImageLicenseImageLevel BootImageLevel,
    cilmImageLicenseName   LicenseNameList,
    cilmImageLicensePriority   Unsigned32
}

cilmImageLicenseMapIndex OBJECT-TYPE
  SYNTAX   Unsigned32
  MAX-ACCESS   not-accessible
  STATUS   current
  DESCRIPTION
      "This is a running index used to identify an entry
      of this table."
  ::= { cilmImageLevelToLicenseMapEntry 1 }

cilmImageLicenseImageLevel OBJECT-TYPE
  SYNTAX   BootImageLevel
  MAX-ACCESS   read-only
  STATUS   current
  DESCRIPTION
      "This object indicates the image level at which
      a module can be run. A module can be run at
      different image levels. An entry will be created
      in this table for every module and image level
      combination."
  ::= { cilmImageLevelToLicenseMapEntry 2 }

cilmImageLicenseName OBJECT-TYPE
  SYNTAX   LicenseNameList
  MAX-ACCESS   read-only
  STATUS   current
  DESCRIPTION
      "This object indicates the list of licenses needed to
      be installed for the module to run at the image level
      mentioned by cilmImageLicenseImageLevel object of this
      entry."
  ::= { cilmImageLevelToLicenseMapEntry 3 }

cilmImageLicensePriority OBJECT-TYPE

SYNTAX   Unsigned32 (1..255)
MAX-ACCESS   read-only
STATUS   current
DESCRIPTION
    "This object indicates the priority of the image level
    mentioned by cilmImageLicenseImageLevel object of this
    entry. The image level with the highest priority license
    will be considered as the default level in the absense of
    next boot image level configuration. For example if there
    are three licenses l1, l2 and l3 in the ascending order of
    priority, then by default l1 will be the level at which the
    module will be running. If the next boot level is configured
    then the configuration will override the priority. The highest
    priority license supports a feature set which is a super set of
    all other licenses."
    ::= { cilmImageLevelToLicenseMapEntry 4 }

-- Global Objects

cilmEULAAccepted OBJECT-TYPE
    SYNTAX   TruthValue
    MAX-ACCESS   read-write
    STATUS   current
    DESCRIPTION
        "This object when set to TRUE means that the user has
        accepted the END USER LICENSE AGREEMENT. This object
        has to be set to TRUE by the user before using the
        objects in the cilmBootImageLevelTable to configure
        the license."
    DEFVAL   { false }
    ::= { ciscoImageLicenseMgmtMIBObjects 3 }
-- Notification control

cilmNotifCntl OBJECT IDENTIFIER
    ::= { ciscoImageLicenseMgmtMIBObjects 4 }

cilmImageLevelChangedNotif OBJECT-TYPE
    SYNTAX   TruthValue
    MAX-ACCESS   read-write
    STATUS   current
    DESCRIPTION
        "Specify whether or not a notification should be
        generated on the detection of change in next boot
        image level.

If set to TRUE, cilmBootImageLevelChanged notification
will be generated. It is the responsibility of the
management entity to ensure that the SNMP administrative
model is configured in such a way as to allow the
notification to be delivered."
REFERENCE
"See also RFC3413 for explanation that notifications
are under the ultimate control of the MIB module in
this document."
DEFVAL   { false }
::= { cilmNotifCntl 1 }

-- Notifications

cilmBootImageLevelChanged NOTIFICATION-TYPE
OBJECTS   {
                cilmCurrentImageLevel,
                cilmConfiguredBootImageLevel
            }
STATUS   current
DESCRIPTION
"This notification is triggered when next boot image level
is changed in the management entity. The current and
configured image level are indicated by cilmCurrentImageLevel
and cilmConfiguredBootImageLevel objects respectively."
::= { ciscoImageLicenseMgmtMIBNotifs 1 }
-- Conformance

cilmModuleCompliances OBJECT IDENTIFIER
::= { ciscoImageLicenseMgmtMIBConform 1 }

cilmModuleGroups OBJECT IDENTIFIER
::= { ciscoImageLicenseMgmtMIBConform 2 }

cilmModuleCompliance MODULE-COMPLIANCE
STATUS   current
DESCRIPTION
"Compliance statement for Cisco Image level license mgmt MIB."
MODULE   -- this module
MANDATORY-GROUPS {
                cilmAdminGroup,
                cilmNotifGroup
            }

GROUP   cilmOperGroup
DESCRIPTION
"This group is mandatory for all devices where

multiple license are supported."
        ::= { cilmModuleCompliances 1 }

-- Units of Conformance

cilmAdminGroup OBJECT-GROUP
    OBJECTS   {
                cilmCurrentImageLevel,
                cilmConfiguredBootImageLevel,
                cilmNextBootImageLevel,
                cilmCurrentLicenseStoreIndex,
                cilmCurrentLicenseIndex,
                cilmNextBootLicenseStoreIndex,
                cilmNextBootLicenseIndex,
                cilmEULAAccepted,
                cilmImageLevelChangedNotif
            }
    STATUS   current
    DESCRIPTION
        "Objects for performing license set operation for setting
        next boot level."
    ::= { cilmModuleGroups 1 }

cilmOperGroup OBJECT-GROUP
    OBJECTS   {
                cilmImageLicenseImageLevel,
                cilmImageLicenseName,
                cilmImageLicensePriority
            }
    STATUS   current
    DESCRIPTION
        "Objects for getting current image level configuration data."
    ::= { cilmModuleGroups 2 }

cilmNotifGroup NOTIFICATION-GROUP
    NOTIFICATIONS   { cilmBootImageLevelChanged }
    STATUS   current
    DESCRIPTION
        "Objects for getting current image level configuration data."
    ::= { cilmModuleGroups 3 }

END

1.354 adduser 3.118ubuntu2

1.354.1 Available under license :

This package was first put together by Ian Murdock
<imurdock@debian.org> and was maintained by Steve Phillips
<sjp@cvfn.org> from sources written for the Debian Project by Ian
Murdock, Ted Hajek <tedhajek@boombox.micro.umn.edu>, and Sven Rudolph
<sr1@inf.tu-dresden.de>.

Since Nov 27 1996, it was maintained by Guy Maor <maor@debian.org>. He
rewrote most of it.

Since May 20 2000, it is maintained by Roland Bauerschmidt
<rb@debian.org>.

Since March 24 2004, it is maintained by Roland Bauerschmidt
<rb@debian.org>, and co-maintained by Marc Haber
<mh+debian-packages@zugschlus.de>

Since 23 Oct 2005, it has been maintained by Joerg Hoh <joerg@joerghoh.de>

Since June 2006, it has been maintained by Stephen Gran <sgran@debian.org>

deluser is Copyright (C) 2000 Roland Bauerschmidt <rb@debian.org>
and based on the source code of adduser.

adduser is Copyright (C) 1997, 1998, 1999 Guy Maor <maor@debian.org>.
adduser is Copyright (C) 1995 Ted Hajek <tedhajek@boombox.micro.umn.edu>
with portions Copyright (C) 1994 Debian Association, Inc.

The examples directory has been contributed by John Zaitseff, and is
GPL V2 as well.

  This program is free software; you can redistribute it and/or modify
  it under the terms of the GNU General Public License as published by
  the Free Software Foundation; either version 2 of the License, or
  (at your option) any later version.

  This program is distributed in the hope that it will be useful,
  but WITHOUT ANY WARRANTY; without even the implied warranty of
  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
  GNU General Public License for more details.

  You should have received a copy of the GNU General Public License
  along with this program; if not, write to the
  Free Software Foundation, Inc.,
  51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA.

On Debian GNU/Linux systems, the complete text of the GNU General
Public License can be found in `/usr/share/common-licenses/GPL-2'.

1.355 x-sys 0.0.0-20211216021012-1d35b9e2eb4e

1.355.1 Available under license :

This source code was written by the Go contributors.
The master list of contributors is in the main Go distribution,
visible at http://tip.golang.org/CONTRIBUTORS.
Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
  * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.356 gofpdf 1.10.1

1.356.1 Available under license :

MIT License

Copyright (c) 2017 Kurt Jung and contributors acknowledged in the documentation

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.357 lockfile 0.12.2

1.357.1 Available under license :

This is the MIT license: http://www.opensource.org/licenses/mit-license.php

Copyright (c) 2007 Skip Montanaro.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to
deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or
sell copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS
IN THE SOFTWARE.

1.358 jcmturner-dnsutils 2.0.0

1.358.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
    stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
    that You distribute, all copyright, patent, trademark, and
    attribution notices from the Source form of the Work,
    excluding those notices that do not pertain to any part of
    the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
    distribution, then any Derivative Works that You distribute must
    include a readable copy of the attribution notices contained
    within such NOTICE file, excluding those notices that do not
    pertain to any part of the Derivative Works, in at least one
    of the following places: within a NOTICE text file distributed
    as part of the Derivative Works; within the Source form or
    documentation, if provided along with the Derivative Works; or,
    within a display generated by the Derivative Works, if and
    wherever such third-party notices normally appear. The contents
    of the NOTICE file are for informational purposes only and
    do not modify the License. You may add Your own attribution
    notices within Derivative Works that You distribute, alongside
    or as an addendum to the NOTICE text from the Work, provided
    that such additional attribution notices cannot be construed
    as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.359 jaeger-client-go 2.25.0+incompatible
1.359.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

  "License" shall mean the terms and conditions for use, reproduction,
  and distribution as defined by Sections 1 through 9 of this document.

  "Licensor" shall mean the copyright owner or entity authorized by
  the copyright owner that is granting the License.

  "Legal Entity" shall mean the union of the acting entity and all
  other entities that control, are controlled by, or are under common
  control with that entity. For the purposes of this definition,
  "control" means (i) the power, direct or indirect, to cause the
  direction or management of such entity, whether by contract or
  otherwise, or (ii) ownership of fifty percent (50%) or more of the
  outstanding shares, or (iii) beneficial ownership of such entity.

  "You" (or "Your") shall mean an individual or Legal Entity
  exercising permissions granted by this License.

  "Source" form shall mean the preferred form for making modifications,
  including but not limited to software source code, documentation
  source, and configuration files.

  "Object" form shall mean any form resulting from mechanical
  transformation or translation of a Source form, including but
  not limited to compiled object code, generated documentation,
  and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

   Copyright [yyyy] [name of copyright owner]

   Licensed under the Apache License, Version 2.0 (the "License");
   you may not use this file except in compliance with the License.
   You may obtain a copy of the License at

      http://www.apache.org/licenses/LICENSE-2.0

   Unless required by applicable law or agreed to in writing, software
   distributed under the License is distributed on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
   See the License for the specific language governing permissions and
   limitations under the License.

1.360 nettle 3.5.1+really3.5.1-2ubuntu0.2
1.360.1 Available under license :
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: Nettle
Upstream-Contact: Niels Mller <nisse@lysator.liu.se>
Source: http://www.lysator.liu.se/~nisse/nettle/
Copyright: 2001-2011 Niels Mller
Some parts are Copyright the Free Software Foundation and various
people. See below and source code comments for details.
License: LGPL-2.1+
Comment:
Nettle is distributed under the GNU Lesser General Public License
(LGPL). A few of the individual files are in the public domain. To
find the current status of particular files, you have to read the
copyright notices at the top of the files.
.
A list of the supported algorithms, their origins and licenses (from
the manual):
.
AES
   The implementation of the AES cipher (also known as rijndael) is

written by Rafael Sevilla. Assembler for x86 by Rafael Sevilla and Niels Mller, Sparc assembler by Niels Mller. Released under the LGPL.

.

ARCFOUR

The implementation of the ARCFOUR (also known as RC4) cipher is written by Niels Mller. Released under the LGPL.

.

ARCTWO

The implementation of the ARCTWO (also known as RC2) cipher is written by Nikos Mavroyanopoulos and modified by Werner Koch and Simon Josefsson. Released under the LGPL.

.

BLOWFISH

The implementation of the BLOWFISH cipher is written by Werner Koch, copyright owned by the Free Software Foundation. Also hacked by Simon Josefsson and Niels Mller. Released under the LGPL.

.

CAMELLIA

The C implementation is by Nippon Telegraph and Telephone Corporation (NTT), heavily modified by Niels Mller. Assembler for x86 and x86_64 by Niels Mller. Released under the LGPL.

.

CAST128

The implementation of the CAST128 cipher is written by Steve Reid. Released into the public domain.

.

DES

The implementation of the DES cipher is written by Dana L. How, and released under the LGPL.

.

MD2

The implementation of MD2 is written by Andrew Kuchling, and hacked some by Andreas Sigfridsson and Niels Mller. Python Cryptography Toolkit license (essentially public domain).

.

MD4

This is almost the same code as for MD5 below, with modifications by Marcus Comstedt. Released into the public domain.

.

MD5

The implementation of the MD5 message digest is written by Colin Plumb. It has been hacked some more by Andrew Kuchling and Niels Mller. Released into the public domain.

.

SERPENT

The implementation of the SERPENT is based on the code in libgcrypt, copyright owned by the Free Software Foundation.

Adapted to Nettle by Simon Josefsson and heavily modified by
Niels Mller. Assembly for x86_64 by Niels Mller. Released under
the LGPL.
.

SHA1
The C implementation of the SHA1 message digest is written by Peter
Gutmann, and hacked some more by Andrew Kuchling and Niels Mller.
Released into the public domain. Assembler for x86 by Niels Mller,
released under the LGPL.
.

SHA224, SHA256, SHA384, and SHA512
Written by Niels Mller, using Peter Gutmann's SHA1 code as a
model. Released under the LGPL.
.

TWOFISH
The implementation of the TWOFISH cipher is written by Ruud de
Rooij. Released under the LGPL.
.

RSA
Written by Niels Mller, released under the LGPL. Uses the GMP
library for bignum operations.
.

DSA
Written by Niels Mller, released under the LGPL. Uses the GMP
library for bignum operations.

Files: *
Copyright: 2001-2011 Niels Mller
License: LGPL-2.1+

Files: aes-set-*
Copyright: 2000, 2001, 2002 Rafael R. Sevilla, Niels Mller
License: LGPL-2.1+

Files: arctwo*
Copyright: 2003 Nikos Mavroyanopoulos
        2004 Simon Josefsson
        2004 Free Software Foundation, Inc.
        2002, 2004 Niels Mller
License: LGPL-2.1+

Files: base64.h base64-meta.c
Copyright: 2002 Dan Egnor
        2002 Niels Mller
License: LGPL-2.1+

Files: blowfish.c
Copyright: 1998, 2001, 2002, 2003 Free Software Foundation, Inc.

2010 Simon Josefsson

License: LGPL-2.1+

Files: blowfish.h

Copyright: 1998, 2001 Free Software Foundation, Inc.

1998, 2001 Ray Dassen

1998, 2001 Niels Mller

License: LGPL-2.1+

Files: camellia-table.c camellia-crypt-internal.c

Copyright: 2006, 2007 NTT (Nippon Telegraph and Telephone Corporation)

2010 Niels Mller

License: LGPL-2.1+

Files: der2dsa.c

Copyright: 2005, 2009 Niels Mller

2009 Magnus Holmgren

License: LGPL-2.1+

Files: desCode.h descode.README desdata.c desinfo.c

Copyright: 2002 Dana L. How

License: LGPL-2+

This program is free software; you can redistribute it and/or modify

it under the terms of the GNU Library General Public License as published by

the Free Software Foundation; either version 2 of the License, or

(at your option) any later version.

.

This program is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the

GNU Library General Public License for more details.

.

You should have received a copy of the GNU Library General Public License

along with this program; if not, write to the Free Software

Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA.

.

On Debian GNU/Linux systems, the complete text of the GNU Library

General Public License, version 2, can be found in

/usr/share/common-licenses/LGPL-2.

Files: des.c des.h

Copyright: 1992 Dana L. How

1997, 2001 Niels Mller

License: LGPL-2.1+

Files: gcm.c gcm.h

Copyright: 2011 Katholieke Universiteit Leuven

2011 Niels Mller

License: LGPL-2.1+

Files: md2.c
Copyright: ? Andrew Kuchling
       2003 Andreas Sigfridsson
       2003 Niels Mller
License: LGPL-2.1+

Files: md4.c
Copyright: 2003 Marcus Comstedt
       2003 Niels Mller
License: LGPL-2.1+

Files: md5.c md5-compress.c
Copyright: Colin Plumb, Andrew Kuchling
       2001 Niels Mller
License: LGPL-2.1+

Files: memxor.c
Copyright: 1991,1993, 1995 Free Software Foundation, Inc.
       2010 Niels Mller
License: LGPL-2.1+

Files: ripemd160.c ripemd160-compress.c
Copyright: 1998, 2001, 2002, 2003 Free Software Foundation, Inc.
License: LGPL-2.1+

Files: ripemd160-meta.c ripemd160.h
Copyright: 2011 Andres Mejia
License: LGPL-2.1+

Files: serpent-encrypt.c serpent-decrypt.c serpent-set-key.c
Copyright: 1998 Ross Anderson, Eli Biham, Lars Knudsen
       2003, 2004, 2005 Free Software Foundation, Inc.
       2010, 2011 Simon Josefsson
       2011 Niels Mller
License: LGPL-2.1+

Files: sha*
Copyright: 2001, 2004 Peter Gutmann, Andrew Kuchling, Niels Mller
License: LGPL-2.1+

Files: twofish*
Copyright: 1999 Ruud de Rooij <ruud@debian.org>
       1999 J.H.M. Dassen (Ray) <jdassen@wi.LeidenUniv.nl>
       2001 Niels Mller
License: LGPL-2.1+

Files: dsa2sexp.c
Copyright: 2002, 2009 Niels Mller
        2009 Magnus Holmgren
License: LGPL-2.1+

Files: testsuite/des-compat-test.c
Copyright: 1995-1997 Eric Young (eay@cryptsoft.com)
License: other
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software
   must display the following acknowledgement:
   "This product includes cryptographic software written by
    Eric Young (eay@cryptsoft.com)"
   The word 'cryptographic' can be left out if the rouines from the library
   being used are not cryptographic related :-).
4. If you include any Windows specific code (or a derivative thereof) from
   the apps directory (application code) you must include an acknowledgement:
   "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"
.
THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

Files: tools/pkcs1-conv.c
Copyright: 2005, 2009 Niels Mller
        2009 Magnus Holmgren
License: LGPL-2.1+

Files: x86*/aes-*-internal.asm
Copyright: 2001, 2002, 2005, 2008 Rafael R. Sevilla
        2001, 2002, 2005, 2008 Niels Mller
License: LGPL-2.1+

Files: tools/getopt*
Copyright: 1987-2001 Free Software Foundation, Inc.
License: GPL-2+

Files: config.guess config.sub
Copyright: 1992-2003 Free Software Foundation, Inc.
License: GPL-2+ with Autoconf exception
As a special exception to the GNU General Public License, if you
distribute this file as part of a program that contains a
configuration script generated by Autoconf, you may include it under
the same distribution terms that you use for the rest of that program.

Files: debian/*
Copyright: none
License: public-domain
I believe that most files in debian/ hardly contains any creative
expression eligible for copyright.

Files: debian/sexp-conv.1
Copyright: 2002 Timshel Knoll <timshel@debian.org>
       2007 Magnus Holmgren
License: GPL-2
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; version 2 dated June. 1991.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA
02110-1301 USA.
.
On Debian GNU/Linux systems, the complete text of the GNU General
Public License, version 2, can be found in
/usr/share/common-licenses/GPL-2.
Comment:
This manpage was copied from the lsh-utils package. Timshel didn't
explicitly select a license for his packaging work, but I think that
it can be considered released under the same license as LSH itself.

Files: debian/pkcs1-conv.1 debian/nettle-lfib-stream.1
Copyright: 2007 Magnus Holmgren
License: GAP
Copying and distribution of this file, with or without modification,

are permitted in any medium without royalty provided the copyright
notice and this notice are preserved.

License: LGPL-2.1+
The nettle library is free software; you can redistribute it and/or modify
it under the terms of the GNU Lesser General Public License as published by
the Free Software Foundation; either version 2.1 of the License, or (at your
option) any later version.
.
The nettle library is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY
or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public
License for more details.
.
You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
.
On Debian GNU/Linux systems, the complete text of the newest version
of the GNU Lesser General Public License can be found in
/usr/share/common-licenses/LGPL.

License: GPL-2+
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.
You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA
02110-1301 USA.
.
On Debian GNU/Linux systems, the complete text of the newest version
of the GNU General Public License can be found in
/usr/share/common-licenses/GPL.

1.361 kafka-python 1.4.5

1.361.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
    stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
    that You distribute, all copyright, patent, trademark, and
    attribution notices from the Source form of the Work,
    excluding those notices that do not pertain to any part of
    the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
    distribution, then any Derivative Works that You distribute must
    include a readable copy of the attribution notices contained
    within such NOTICE file, excluding those notices that do not
    pertain to any part of the Derivative Works, in at least one
    of the following places: within a NOTICE text file distributed
    as part of the Derivative Works; within the Source form or
    documentation, if provided along with the Derivative Works; or,
    within a display generated by the Derivative Works, if and
    wherever such third-party notices normally appear. The contents
    of the NOTICE file are for informational purposes only and
    do not modify the License. You may add Your own attribution
    notices within Derivative Works that You distribute, alongside
    or as an addendum to the NOTICE text from the Work, provided
    that such additional attribution notices cannot be construed
    as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright 2015 David Arthur

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.362 kerberos 1.17-6ubuntu4.1
1.362.1 Available under license :

[NOTE: MIT has only incorporated the mechglue and spnego change, and
not the incremental propagation changes. The filenames are different
between the Sun and MIT sources. The actual MIT filenames appear in
the top-level README file. Original text of Sun's LICENSE file
follows.]

Subject to the license set forth below, Sun Microsystems, Inc. donates
the attached files to MIT for the purpose of including these
modifications and additions in future versions of the Kerberos system.

Many of the files attached are subject to licenses issued by other
entities, including OpenVision, MIT, and FundsXpress. See the
individual files, and/or related Readme files, for these licenses.

In addition Sun requires that the license set forth below be
incorporated into any future version of the Kerberos system which
contains portions of the files attached. The following files must be
listed, in the top level Readme file, as being provided subject to such
license:

cmd/krb5/iprop/iprop.x
cmd/krb5/iprop/iprop_hdr.h
cmd/krb5/kadmin/server/ipropd_svc.c
cmd/krb5/kproplog/kproplog.c
cmd/krb5/slave/kpropd_rpc.c
lib/gss_mechs/mech_krb5/et/kdb5_err.c
lib/gss_mechs/mech_spnego/mech/gssapiP_spnego.h
lib/gss_mechs/mech_spnego/mech/spnego_mech.c
lib/krb5/kadm5/kadm_host_srv_names.c
lib/krb5/kdb/kdb_convert.c
lib/krb5/kdb/kdb_hdr.h
lib/krb5/kdb/kdb_log.c
lib/krb5/kdb/kdb_log.h

lib/libgss/g_accept_sec_context.c

lib/libgss/g_acquire_cred.c

lib/libgss/g_canon_name.c

lib/libgss/g_compare_name.c

lib/libgss/g_context_time.c

lib/libgss/g_delete_sec_context.c

lib/libgss/g_dsp_name.c

lib/libgss/g_dsp_status.c

lib/libgss/g_dup_name.c

lib/libgss/g_exp_sec_context.c

lib/libgss/g_export_name.c

lib/libgss/g_glue.c

lib/libgss/g_imp_name.c

lib/libgss/g_imp_sec_context.c

lib/libgss/g_init_sec_context.c

lib/libgss/g_initialize.c

lib/libgss/g_inquire_context.c

lib/libgss/g_inquire_cred.c

lib/libgss/g_inquire_names.c

lib/libgss/g_process_context.c

lib/libgss/g_rel_buffer.c

lib/libgss/g_rel_cred.c

lib/libgss/g_rel_name.c

lib/libgss/g_rel_oid_set.c

lib/libgss/g_seal.c

lib/libgss/g_sign.c

lib/libgss/g_store_cred.c

lib/libgss/g_unseal.c

lib/libgss/g_userok.c

lib/libgss/g_utils.c

lib/libgss/g_verify.c

lib/libgss/gssd_pname_to_uid.c

uts/common/gssapi/include/gssapi_err_generic.h

uts/common/gssapi/include/mechglueP.h

Sun's License is as follows:

Copyright (c) 2004 Sun Microsystems, Inc.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included

in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
/*
* Copyright 1995 by the Massachusetts Institute of Technology.
* All Rights Reserved.
*
* Export of this software from the United States of America may
*   require a specific license from the United States Government.
*   It is the responsibility of any person or organization contemplating
*   export to obtain such a license before exporting.
*
* WITHIN THAT CONSTRAINT, permission to use, copy, modify, and
* distribute this software and its documentation for any purpose and
* without fee is hereby granted, provided that the above copyright
* notice appear in all copies and that both that copyright notice and
* this permission notice appear in supporting documentation, and that
* the name of M.I.T. not be used in advertising or publicity pertaining
* to distribution of the software without specific, written prior
* permission.  Furthermore if you modify this software you must label
* your software as modified software and not distribute it in such a
* fashion that it might be confused with the original M.I.T. software.
* M.I.T. makes no representations about the suitability of
* this software for any purpose.  It is provided "as is" without express
* or implied warranty.
*/
```

Copyright (C) 1985-2019 by the Massachusetts Institute of Technology.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright
 notice, this list of conditions and the following disclaimer in the
 documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Downloading of this software may constitute an export of cryptographic software from the United States of America that is subject to the United States Export Administration Regulations (EAR), 15 CFR 730-774. Additional laws or regulations may apply. It is the responsibility of the person or entity contemplating export to comply with all applicable export laws and regulations, including obtaining any required license from the U.S. government.

The U.S. government prohibits export of encryption source code to certain countries and individuals, including, but not limited to, the countries of Cuba, Iran, North Korea, Sudan, Syria, and residents and nationals of those countries.

Documentation components of this software distribution are licensed under a Creative Commons Attribution-ShareAlike 3.0 Unported License. (https://creativecommons.org/licenses/by-sa/3.0/)

Individual source code files are copyright MIT, Cygnus Support, Novell, OpenVision Technologies, Oracle, Red Hat, Sun Microsystems, FundsXpress, and others.

Project Athena, Athena, Athena MUSE, Discuss, Hesiod, Kerberos, Moira, and Zephyr are trademarks of the Massachusetts Institute of Technology (MIT). No commercial use of these trademarks may be made without prior written permission of MIT.

"Commercial use" means use of a name in a product or other for-profit manner. It does NOT prevent a commercial firm from referring to the MIT trademarks in order to convey information (although in doing so, recognition of their trademark status should be given).

==

The following copyright and permission notice applies to the OpenVision Kerberos Administration system located in "kadmin/create", "kadmin/dbutil", "kadmin/passwd", "kadmin/server", "lib/kadm5", and portions of "lib/rpc":

Copyright, OpenVision Technologies, Inc., 1993-1996, All Rights
Reserved

WARNING: Retrieving the OpenVision Kerberos Administration system
source code, as described below, indicates your acceptance of the
following terms. If you do not agree to the following terms, do
not retrieve the OpenVision Kerberos administration system.

You may freely use and distribute the Source Code and Object Code
compiled from it, with or without modification, but this Source
Code is provided to you "AS IS" EXCLUSIVE OF ANY WARRANTY,
INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OF MERCHANTABILITY OR
FITNESS FOR A PARTICULAR PURPOSE, OR ANY OTHER WARRANTY, WHETHER
EXPRESS OR IMPLIED. IN NO EVENT WILL OPENVISION HAVE ANY LIABILITY
FOR ANY LOST PROFITS, LOSS OF DATA OR COSTS OF PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES, OR FOR ANY SPECIAL, INDIRECT, OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THIS AGREEMENT, INCLUDING,
WITHOUT LIMITATION, THOSE RESULTING FROM THE USE OF THE SOURCE
CODE, OR THE FAILURE OF THE SOURCE CODE TO PERFORM, OR FOR ANY
OTHER REASON.

OpenVision retains all copyrights in the donated Source Code.
OpenVision also retains copyright to derivative works of the Source
Code, whether created by OpenVision or by a third party. The
OpenVision copyright notice must be preserved if derivative works
are made based on the donated Source Code.

OpenVision Technologies, Inc. has donated this Kerberos
Administration system to MIT for inclusion in the standard Kerberos
5 distribution. This donation underscores our commitment to
continuing Kerberos technology development and our gratitude for
the valuable work which has been performed by MIT and the Kerberos
community.

==

Portions contributed by Matt Crawford "crawdad@fnal.gov" were work
performed at Fermi National Accelerator Laboratory, which is
operated by Universities Research Association, Inc., under contract
DE-AC02-76CHO3000 with the U.S. Department of Energy.

==

Portions of "src/lib/crypto" have the following copyright:

Copyright (C) 1998 by the FundsXpress, INC.

All rights reserved.

Export of this software from the United States of America may
require a specific license from the United States Government.
It is the responsibility of any person or organization
contemplating export to obtain such a license before exporting.

WITHIN THAT CONSTRAINT, permission to use, copy, modify, and
distribute this software and its documentation for any purpose and
without fee is hereby granted, provided that the above copyright
notice appear in all copies and that both that copyright notice and
this permission notice appear in supporting documentation, and that
the name of FundsXpress. not be used in advertising or publicity
pertaining to distribution of the software without specific,
written prior permission. FundsXpress makes no representations
about the suitability of this software for any purpose. It is
provided "as is" without express or implied warranty.

THIS SOFTWARE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED
WARRANTIES OF MERCHANTIBILITY AND FITNESS FOR A PARTICULAR PURPOSE.

==

The implementation of the AES encryption algorithm in
"src/lib/crypto/builtin/aes" has the following copyright:

Copyright (C) 2001, Dr Brian Gladman "brg@gladman.uk.net",
Worcester, UK.
All rights reserved.

LICENSE TERMS

The free distribution and use of this software in both source and
binary form is allowed (with or without changes) provided that:

1. distributions of this source code include the above copyright
   notice, this list of conditions and the following disclaimer;

2. distributions in binary form include the above copyright
   notice, this list of conditions and the following disclaimer in
   the documentation and/or other associated materials;

3. the copyright holder's name is not used to endorse products
   built using this software without specific written permission.

DISCLAIMER

This software is provided 'as is' with no explcit or implied
warranties in respect of any properties, including, but not limited
to, correctness and fitness for purpose.

==

Portions contributed by Red Hat, including the pre-authentication
plug-in framework and the NSS crypto implementation, contain the
following copyright:

   Copyright (C) 2006 Red Hat, Inc.
   Portions copyright (C) 2006 Massachusetts Institute of Technology
   All Rights Reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

* Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above
  copyright notice, this list of conditions and the following
  disclaimer in the documentation and/or other materials provided
  with the distribution.

* Neither the name of Red Hat, Inc., nor the names of its
  contributors may be used to endorse or promote products derived
  from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

==

The bundled verto source code is subject to the following license:

Copyright 2011 Red Hat, Inc.

Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including without limitation the rights to use, copy,
modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS IN THE SOFTWARE.

===

The MS-KKDCP client implementation has the following copyright:

Copyright 2013,2014 Red Hat, Inc.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

  1. Redistributions of source code must retain the above
     copyright notice, this list of conditions and the following
     disclaimer.

  2. Redistributions in binary form must reproduce the above
     copyright notice, this list of conditions and the following
     disclaimer in the documentation and/or other materials
     provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

==

The implementations of GSSAPI mechglue in GSSAPI-SPNEGO in "src/lib/gssapi", including the following files:

lib/gssapi/generic/gssapi_err_generic.et
lib/gssapi/mechglue/g_accept_sec_context.c
lib/gssapi/mechglue/g_acquire_cred.c
lib/gssapi/mechglue/g_canon_name.c
lib/gssapi/mechglue/g_compare_name.c
lib/gssapi/mechglue/g_context_time.c
lib/gssapi/mechglue/g_delete_sec_context.c
lib/gssapi/mechglue/g_dsp_name.c
lib/gssapi/mechglue/g_dsp_status.c
lib/gssapi/mechglue/g_dup_name.c
lib/gssapi/mechglue/g_exp_sec_context.c
lib/gssapi/mechglue/g_export_name.c
lib/gssapi/mechglue/g_glue.c
lib/gssapi/mechglue/g_imp_name.c
lib/gssapi/mechglue/g_imp_sec_context.c
lib/gssapi/mechglue/g_init_sec_context.c
lib/gssapi/mechglue/g_initialize.c
lib/gssapi/mechglue/g_inquire_context.c
lib/gssapi/mechglue/g_inquire_cred.c
lib/gssapi/mechglue/g_inquire_names.c
lib/gssapi/mechglue/g_process_context.c
lib/gssapi/mechglue/g_rel_buffer.c
lib/gssapi/mechglue/g_rel_cred.c
lib/gssapi/mechglue/g_rel_name.c
lib/gssapi/mechglue/g_rel_oid_set.c
lib/gssapi/mechglue/g_seal.c
lib/gssapi/mechglue/g_sign.c
lib/gssapi/mechglue/g_store_cred.c
lib/gssapi/mechglue/g_unseal.c
lib/gssapi/mechglue/g_userok.c
lib/gssapi/mechglue/g_utils.c
lib/gssapi/mechglue/g_verify.c
lib/gssapi/mechglue/gssd_pname_to_uid.c
lib/gssapi/mechglue/mglueP.h
lib/gssapi/mechglue/oid_ops.c
lib/gssapi/spnego/gssapiP_spnego.h
lib/gssapi/spnego/spnego_mech.c

and the initial implementation of incremental propagation, including
the following new or changed files:

    include/iprop_hdr.h
    kadmin/server/ipropd_svc.c
    lib/kdb/iprop.x
    lib/kdb/kdb_convert.c
    lib/kdb/kdb_log.c
    lib/kdb/kdb_log.h
    lib/krb5/error_tables/kdb5_err.et
    kprop/kpropd_rpc.c
    kprop/kproplog.c

are subject to the following license:

    Copyright (C) 2004 Sun Microsystems, Inc.

    Permission is hereby granted, free of charge, to any person
    obtaining a copy of this software and associated documentation
    files (the "Software"), to deal in the Software without
    restriction, including without limitation the rights to use, copy,
    modify, merge, publish, distribute, sublicense, and/or sell copies
    of the Software, and to permit persons to whom the Software is
    furnished to do so, subject to the following conditions:

    The above copyright notice and this permission notice shall be
    included in all copies or substantial portions of the Software.

    THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
    EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
    MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
    NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS
    BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN
    ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
    CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
    SOFTWARE.

    ==

Kerberos V5 includes documentation and software developed at the
University of California at Berkeley, which includes this copyright
notice:

    Copyright (C) 1983 Regents of the University of California.
    All rights reserved.

    Redistribution and use in source and binary forms, with or without
    modification, are permitted provided that the following conditions

are met:

1. Redistributions of source code must retain the above
   copyright notice, this list of conditions and the following
   disclaimer.

2. Redistributions in binary form must reproduce the above
   copyright notice, this list of conditions and the following
   disclaimer in the documentation and/or other materials provided
   with the distribution.

3. Neither the name of the University nor the names of its
   contributors may be used to endorse or promote products derived
   from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS
OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

==

Portions contributed by Novell, Inc., including the LDAP database
backend, are subject to the following license:

Copyright (C) 2004-2005, Novell, Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

* Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above
  copyright notice, this list of conditions and the following
  disclaimer in the documentation and/or other materials provided
  with the distribution.

* The copyright holder's name is not used to endorse or promote
  products derived from this software without specific prior
  written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

==

Portions funded by Sandia National Laboratory and developed by the
University of Michigan's Center for Information Technology
Integration, including the PKINIT implementation, are subject to the
following license:

   COPYRIGHT (C) 2006-2007
   THE REGENTS OF THE UNIVERSITY OF MICHIGAN
   ALL RIGHTS RESERVED

  Permission is granted to use, copy, create derivative works and
  redistribute this software and such derivative works for any
  purpose, so long as the name of The University of Michigan is not
  used in any advertising or publicity pertaining to the use of
  distribution of this software without specific, written prior
  authorization. If the above copyright notice or any other
  identification of the University of Michigan is included in any
  copy of any portion of this software, then the disclaimer below
  must also be included.

  THIS SOFTWARE IS PROVIDED AS IS, WITHOUT REPRESENTATION FROM THE
  UNIVERSITY OF MICHIGAN AS TO ITS FITNESS FOR ANY PURPOSE, AND
  WITHOUT WARRANTY BY THE UNIVERSITY OF MICHIGAN OF ANY KIND, EITHER
  EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION THE IMPLIED
  WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.
  THE REGENTS OF THE UNIVERSITY OF MICHIGAN SHALL NOT BE LIABLE FOR
  ANY DAMAGES, INCLUDING SPECIAL, INDIRECT, INCIDENTAL, OR
  CONSEQUENTIAL DAMAGES, WITH RESPECT TO ANY CLAIM ARISING OUT OF OR
  IN CONNECTION WITH THE USE OF THE SOFTWARE, EVEN IF IT HAS BEEN OR
  IS HEREAFTER ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

===

The pkcs11.h file included in the PKINIT code has the following
license:

   Copyright 2006 g10 Code GmbH
   Copyright 2006 Andreas Jellinghaus

 This file is free software; as a special exception the author gives
 unlimited permission to copy and/or distribute it, with or without
 modifications, as long as this notice is preserved.

 This file is distributed in the hope that it will be useful, but
 WITHOUT ANY WARRANTY, to the extent permitted by law; without even
 the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR
 PURPOSE.

===

Portions contributed by Apple Inc. are subject to the following
license:

Copyright 2004-2008 Apple Inc. All Rights Reserved.

   Export of this software from the United States of America may
   require a specific license from the United States Government.
   It is the responsibility of any person or organization
   contemplating export to obtain such a license before exporting.

WITHIN THAT CONSTRAINT, permission to use, copy, modify, and
distribute this software and its documentation for any purpose and
without fee is hereby granted, provided that the above copyright
notice appear in all copies and that both that copyright notice and
this permission notice appear in supporting documentation, and that
the name of Apple Inc. not be used in advertising or publicity
pertaining to distribution of the software without specific,
written prior permission. Apple Inc. makes no representations
about the suitability of this software for any purpose. It is
provided "as is" without express or implied warranty.

THIS SOFTWARE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED
WARRANTIES OF MERCHANTIBILITY AND FITNESS FOR A PARTICULAR PURPOSE.

===

The implementations of UTF-8 string handling in src/util/support and

src/lib/krb5/unicode are subject to the following copyright and
permission notice:

The OpenLDAP Public License
Version 2.8, 17 August 2003

Redistribution and use of this software and associated
documentation ("Software"), with or without modification, are
permitted provided that the following conditions are met:

1. Redistributions in source form must retain copyright
   statements and notices,

2. Redistributions in binary form must reproduce applicable
   copyright statements and notices, this list of conditions, and
   the following disclaimer in the documentation and/or other
   materials provided with the distribution, and

3. Redistributions must contain a verbatim copy of this
   document.

The OpenLDAP Foundation may revise this license from time to time.
Each revision is distinguished by a version number. You may use
this Software under terms of this license revision or under the
terms of any subsequent revision of the license.

THIS SOFTWARE IS PROVIDED BY THE OPENLDAP FOUNDATION AND ITS
CONTRIBUTORS "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE OPENLDAP FOUNDATION, ITS
CONTRIBUTORS, OR THE AUTHOR(S) OR OWNER(S) OF THE SOFTWARE BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT
OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE
USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.

The names of the authors and copyright holders must not be used in
advertising or otherwise to promote the sale, use or other dealing
in this Software without specific, written prior permission. Title
to copyright in this Software shall at all times remain with
copyright holders.

OpenLDAP is a registered trademark of the OpenLDAP Foundation.

Copyright 1999-2003 The OpenLDAP Foundation, Redwood City,
California, USA. All Rights Reserved. Permission to copy and
distribute verbatim copies of this document is granted.

===

Marked test programs in src/lib/krb5/krb have the following copyright:

   Copyright (C) 2006 Kungliga Tekniska Hgskola
   (Royal Institute of Technology, Stockholm, Sweden).
   All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above
   copyright notice, this list of conditions and the following
   disclaimer.

2. Redistributions in binary form must reproduce the above
   copyright notice, this list of conditions and the following
   disclaimer in the documentation and/or other materials provided
   with the distribution.

3. Neither the name of KTH nor the names of its contributors may
   be used to endorse or promote products derived from this
   software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY KTH AND ITS CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL KTH OR ITS
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

===

The KCM Mach RPC definition file used on macOS has the following
copyright:

Copyright (C) 2009 Kungliga Tekniska Hgskola
(Royal Institute of Technology, Stockholm, Sweden).
All rights reserved.

Portions Copyright (C) 2009 Apple Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above
   copyright notice, this list of conditions and the following
   disclaimer.

2. Redistributions in binary form must reproduce the above
   copyright notice, this list of conditions and the following
   disclaimer in the documentation and/or other materials provided
   with the distribution.

3. Neither the name of the Institute nor the names of its
   contributors may be used to endorse or promote products derived
   from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE INSTITUTE AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE INSTITUTE
OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

==

Portions of the RPC implementation in src/lib/rpc and
src/include/gssrpc have the following copyright and permission notice:

Copyright (C) 2010, Oracle America, Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above
   copyright notice, this list of conditions and the following
   disclaimer.

2. Redistributions in binary form must reproduce the above
   copyright notice, this list of conditions and the following
   disclaimer in the documentation and/or other materials provided
   with the distribution.

3. Neither the name of the "Oracle America, Inc." nor the names
   of its contributors may be used to endorse or promote products
   derived from this software without specific prior written
   permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

==

Copyright (C) 2006,2007,2009 NTT (Nippon Telegraph and Telephone
Corporation). All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above
   copyright notice, this list of conditions and the following
   disclaimer as the first lines of this file unmodified.

2. Redistributions in binary form must reproduce the above
   copyright notice, this list of conditions and the following
   disclaimer in the documentation and/or other materials provided
   with the distribution.

THIS SOFTWARE IS PROVIDED BY NTT "AS IS" AND ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL NTT BE LIABLE FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

==

Copyright 2000 by Carnegie Mellon University

All Rights Reserved

Permission to use, copy, modify, and distribute this software and
its documentation for any purpose and without fee is hereby
granted, provided that the above copyright notice appear in all
copies and that both that copyright notice and this permission
notice appear in supporting documentation, and that the name of
Carnegie Mellon University not be used in advertising or publicity
pertaining to distribution of the software without specific,
written prior permission.

CARNEGIE MELLON UNIVERSITY DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS, IN NO EVENT SHALL CARNEGIE MELLON UNIVERSITY BE LIABLE
FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN
AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING
OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS
SOFTWARE.

==

Copyright (C) 2002 Naval Research Laboratory (NRL/CCS)

Permission to use, copy, modify and distribute this software and
its documentation is hereby granted, provided that both the
copyright notice and this permission notice appear in all copies of
the software, derivative works or modified versions, and any
portions thereof.

NRL ALLOWS FREE USE OF THIS SOFTWARE IN ITS "AS IS" CONDITION AND
DISCLAIMS ANY LIABILITY OF ANY KIND FOR ANY DAMAGES WHATSOEVER
RESULTING FROM THE USE OF THIS SOFTWARE.

===

Copyright (C) 1991, 1992, 1994 by Cygnus Support.

Permission to use, copy, modify, and distribute this software and
its documentation for any purpose and without fee is hereby
granted, provided that the above copyright notice appear in all
copies and that both that copyright notice and this permission
notice appear in supporting documentation. Cygnus Support makes no
representations about the suitability of this software for any
purpose. It is provided "as is" without express or implied
warranty.

===

Copyright (C) 2006 Secure Endpoints Inc.

Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including without limitation the rights to use, copy,
modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS
BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN
ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

===

Portions of the implementation of the Fortuna-like PRNG are subject to
the following notice:

   Copyright (C) 2005 Marko Kreen
   All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

Export of this software from the United States of America may
require a specific license from the United States Government. It
is the responsibility of any person or organization
contemplating export to obtain such a license before exporting.

WITHIN THAT CONSTRAINT, permission to use, copy, modify, and
distribute this software and its documentation for any purpose and
without fee is hereby granted, provided that the above copyright
notice appear in all copies and that both that copyright notice and
this permission notice appear in supporting documentation, and that
the name of Richard P. Basch, Lehman Brothers and M.I.T. not be
used in advertising or publicity pertaining to distribution of the
software without specific, written prior permission. Richard P.
Basch, Lehman Brothers and M.I.T. make no representations about the
suitability of this software for any purpose. It is provided "as
is" without express or implied warranty.

===

The following notice applies to "src/lib/krb5/krb/strptime.c" and
"src/include/k5-queue.h".

Copyright (C) 1997, 1998 The NetBSD Foundation, Inc.
All rights reserved.

This code was contributed to The NetBSD Foundation by Klaus Klein.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above
   copyright notice, this list of conditions and the following
   disclaimer.

2. Redistributions in binary form must reproduce the above
   copyright notice, this list of conditions and the following
   disclaimer in the documentation and/or other materials provided
   with the distribution.

3. All advertising materials mentioning features or use of this
   software must display the following acknowledgement:

   This product includes software developed by the NetBSD
   Foundation, Inc. and its contributors.

4. Neither the name of The NetBSD Foundation nor the names of
   its contributors may be used to endorse or promote products

derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE NETBSD FOUNDATION, INC. AND
CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE FOUNDATION OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT
OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE
USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.

==

The following notice applies to Unicode library files in
"src/lib/krb5/unicode":

   Copyright 1997, 1998, 1999 Computing Research Labs,
   New Mexico State University

   Permission is hereby granted, free of charge, to any person
   obtaining a copy of this software and associated documentation
   files (the "Software"), to deal in the Software without
   restriction, including without limitation the rights to use, copy,
   modify, merge, publish, distribute, sublicense, and/or sell copies
   of the Software, and to permit persons to whom the Software is
   furnished to do so, subject to the following conditions:

   The above copyright notice and this permission notice shall be
   included in all copies or substantial portions of the Software.

   THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
   EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
   MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
   NONINFRINGEMENT. IN NO EVENT SHALL THE COMPUTING RESEARCH LAB OR
   NEW MEXICO STATE UNIVERSITY BE LIABLE FOR ANY CLAIM, DAMAGES OR
   OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR
   OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE
   OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

==

The following notice applies to "src/util/support/strlcpy.c":

Copyright (C) 1998 Todd C. Miller "Todd.Miller@courtesan.com"

Permission to use, copy, modify, and distribute this software for
any purpose with or without fee is hereby granted, provided that
the above copyright notice and this permission notice appear in all
copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL
WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE
AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR
CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS
OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT,
NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN
CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

==

The following notice applies to "src/util/profile/argv_parse.c" and
"src/util/profile/argv_parse.h":

Copyright 1999 by Theodore Ts'o.

Permission to use, copy, modify, and distribute this software for
any purpose with or without fee is hereby granted, provided that
the above copyright notice and this permission notice appear in all
copies. THE SOFTWARE IS PROVIDED "AS IS" AND THEODORE TS'O (THE
AUTHOR) DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE,
INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN
NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT,
INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER
RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION
OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR
IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE. (Isn't
it sick that the U.S. culture of lawsuit-happy lawyers requires
this kind of disclaimer?)

==

The following notice applies to SWIG-generated code in
"src/util/profile/profile_tcl.c":

Copyright (C) 1999-2000, The University of Chicago

This file may be freely redistributed without license or fee
provided this copyright message remains intact.

==

The following notice applies to portiions of "src/lib/rpc" and "src/include/gssrpc":

Copyright (C) 2000 The Regents of the University of Michigan. All rights reserved.

Copyright (C) 2000 Dug Song "dugsong@UMICH.EDU". All rights reserved, all wrongs reversed.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name of the University nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

==

Implementations of the MD4 algorithm are subject to the following notice:

Copyright (C) 1990, RSA Data Security, Inc. All rights reserved.

License to copy and use this software is granted provided that it
is identified as the "RSA Data Security, Inc. MD4 Message Digest
Algorithm" in all material mentioning or referencing this software
or this function.

License is also granted to make and use derivative works provided
that such works are identified as "derived from the RSA Data
Security, Inc. MD4 Message Digest Algorithm" in all material
mentioning or referencing the derived work.

RSA Data Security, Inc. makes no representations concerning either
the merchantability of this software or the suitability of this
software for any particular purpose. It is provided "as is"
without express or implied warranty of any kind.

These notices must be retained in any copies of any part of this
documentation and/or software.

==

Implementations of the MD5 algorithm are subject to the following
notice:

Copyright (C) 1990, RSA Data Security, Inc. All rights reserved.

License to copy and use this software is granted provided that it
is identified as the "RSA Data Security, Inc. MD5 Message- Digest
Algorithm" in all material mentioning or referencing this software
or this function.

License is also granted to make and use derivative works provided
that such works are identified as "derived from the RSA Data
Security, Inc. MD5 Message-Digest Algorithm" in all material
mentioning or referencing the derived work.

RSA Data Security, Inc. makes no representations concerning either
the merchantability of this software or the suitability of this
software for any particular purpose. It is provided "as is"
without express or implied warranty of any kind.

These notices must be retained in any copies of any part of this
documentation and/or software.

==

The following notice applies to
"src/lib/crypto/crypto_tests/t_mddriver.c":

Copyright (C) 1990-2, RSA Data Security, Inc. Created 1990. All
rights reserved.

RSA Data Security, Inc. makes no representations concerning either
the merchantability of this software or the suitability of this
software for any particular purpose. It is provided "as is" without
express or implied warranty of any kind.

These notices must be retained in any copies of any part of this
documentation and/or software.

==

Portions of "src/lib/krb5" are subject to the following notice:

   Copyright (C) 1994 CyberSAFE Corporation.
   Copyright 1990,1991,2007,2008 by the Massachusetts
   Institute of Technology.
   All Rights Reserved.

   Export of this software from the United States of America may
   require a specific license from the United States Government. It
   is the responsibility of any person or organization
   contemplating export to obtain such a license before exporting.

WITHIN THAT CONSTRAINT, permission to use, copy, modify, and
distribute this software and its documentation for any purpose and
without fee is hereby granted, provided that the above copyright
notice appear in all copies and that both that copyright notice and
this permission notice appear in supporting documentation, and that
the name of M.I.T. not be used in advertising or publicity
pertaining to distribution of the software without specific,
written prior permission. Furthermore if you modify this software
you must label your software as modified software and not
distribute it in such a fashion that it might be confused with the
original M.I.T. software. Neither M.I.T., the Open Computing
Security Group, nor CyberSAFE Corporation make any representations
about the suitability of this software for any purpose. It is
provided "as is" without express or implied warranty.

==

Portions contributed by PADL Software are subject to the following
license:

Copyright (c) 2011, PADL Software Pty Ltd. All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above
   copyright notice, this list of conditions and the following
   disclaimer.

2. Redistributions in binary form must reproduce the above
   copyright notice, this list of conditions and the following
   disclaimer in the documentation and/or other materials provided
   with the distribution.

3. Neither the name of PADL Software nor the names of its
   contributors may be used to endorse or promote products derived
   from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY PADL SOFTWARE AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL PADL SOFTWARE
OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF
USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

===

The bundled libev source code is subject to the following license:

All files in libev are Copyright (C)2007,2008,2009 Marc Alexander
Lehmann.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

* Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above
  copyright notice, this list of conditions and the following
  disclaimer in the documentation and/or other materials provided
  with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Alternatively, the contents of this package may be used under the terms of the GNU General Public License ("GPL") version 2 or any later version, in which case the provisions of the GPL are applicable instead of the above. If you wish to allow the use of your version of this package only under the terms of the GPL and not to allow others to use your version of this file under the BSD license, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the GPL in this and the other files of this package. If you do not delete the provisions above, a recipient may use your version of this file under either the BSD or the GPL.

===

Files copied from the Intel AESNI Sample Library are subject to the following license:

Copyright (C) 2010, Intel Corporation All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

  * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

  * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

  * Neither the name of Intel Corporation nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written

permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

===

The following notice applies to "src/ccapi/common/win/OldCC/autolock.hxx":

Copyright (C) 1998 by Danilo Almeida. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above
  copyright notice, this list of conditions and the following
  disclaimer in the documentation and/or other materials provided
  with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

===

The following notice applies to portions of
"src/plugins/preauth/spake/edwards25519.c" and
"src/plugins/preauth/spake/edwards25519_tables.h":

The MIT License (MIT)

Copyright (c) 2015-2016 the fiat-crypto authors (see the AUTHORS
file).

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

==

The following notice applies to portions of
"src/plugins/preauth/spake/edwards25519.c":

Copyright (c) 2015-2016, Google Inc.

Permission to use, copy, modify, and/or distribute this software for
any purpose with or without fee is hereby granted, provided that the
above copyright notice and this permission notice appear in all
copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL
WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE
AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL
DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR
PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR

PERFORMANCE OF THIS SOFTWARE.
Copyright
=========

Copyright |copy| 1985-2019 by the Massachusetts Institute of
Technology and its contributors. All rights reserved.

See :ref:`mitK5license` for additional copyright and license
information.
.. _mitK5license:

MIT Kerberos License information
===============================

.. toctree::
   :hidden:

   copyright.rst

.. include:: notice.rst

1.363 beego 1.12.3

1.363.1 Available under license :

Copyright 2014 astaxie

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Copyright (c) 2011-2014 Dmitry Chestnykh <dmitry@codingrobots.com>

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in

all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.364 p11-kit 0.23.20-1ubuntu0.1
1.364.1 Available under license :

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

   * Redistributions of source code must retain the above
     copyright notice, this list of conditions and the
     following disclaimer.
   * Redistributions in binary form must reproduce the
     above copyright notice, this list of conditions and
     the following disclaimer in the documentation and/or
     other materials provided with the distribution.
   * The names of contributors to this software may not be
     used to endorse or promote products derived from this
     software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.365 golang 1.18.7

1.365.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "{}"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

This source code was written by the Go contributors.
The master list of contributors is in the main Go distribution,
visible at http://tip.golang.org/CONTRIBUTORS.
This is the official list of people who can contribute
(and typically have contributed) code to the Go repository.
The AUTHORS file lists the copyright holders; this file
lists people. For example, Google employees are listed here
but not in AUTHORS, because Google holds the copyright.
#
Names should be added to this file only after verifying that
the individual or the individual's organization has agreed to
the appropriate Contributor License Agreement, found here:
#
http://code.google.com/legal/individual-cla-v1.0.html
http://code.google.com/legal/corporate-cla-v1.0.html
#
The agreement for individuals can be filled out on the web.

Names should be added to this file like so:
Individual's name <submission email address>
Individual's name <submission email address> <email2> <emailN>
#
An entry with multiple email addresses specifies that the
first address should be used in the submit logs and

that the other addresses should be recognized as the
same person when interacting with Gerrit.

Please keep the list sorted.

Aamir Khan <syst3m.w0rm@gmail.com>
Aaron Beitch <aaronb@arista.com>
Aaron Bieber <deftly@gmail.com>
Aaron Cannon <cannona@fireantproductions.com>
Aaron France <aaron.l.france@gmail.com>
Aaron Jacobs <jacobsa@google.com>
Aaron Jensen <jensen.aaro@gmail.com>
Aaron Kemp <kemp.aaron@gmail.com>
Aaron Patterson <tenderlove@ruby-lang.org>
Aaron Sheah <aaronsheah@gmail.com>
Aaron Stein <aaronstein12@gmail.com>
Aaron Torres <tcboox@gmail.com>
Aaron Zinman <aaron@azinman.com>
Aarti Parikh <aarti.parikh@gmail.com>
Abdullah Al Maruf <mymail.maruf@gmail.com>
Abe Haskins <abeisgreat@abeisgreat.com>
Abhinav Gupta <abhinav.g90@gmail.com>
Adam Azarchs <adam.azarchs@10xgenomics.com>
Adam Bender <abender@google.com>
Adam Eijdenberg <adam@continusec.com>
Adam Harvey <aharvey@php.net>
Adam Kisala <adam.kisala@gmail.com>
Adam Langley <agl@golang.org>
Adam Medzinski <adam.medzinski@gmail.com>
Adam Mitha <adam.mitha@gmail.com>
Adam Shannon <adamkshannon@gmail.com>
Adam Shelton <aashelt90@gmail.com>
Adam Sindelar <adamsh@google.com>
Adam Thomason <athomason@gmail.com>
Adam Williams <pwnfactory@gmail.com>
Adam Woodbeck <adam@woodbeck.net>
Adarsh Ravichandran <adarshravichandran91@gmail.com>
Adel Rodrguez <adel.rodriguez@leftfieldlabs.com>
Adin Scannell <ascannell@google.com>
Aditya Harindar <aditya.harindar@gmail.com>
Aditya Mukerjee <dev@chimeracoder.net>
Adrian Hesketh <adrianhesketh@hushmail.com>
Adrian Nos <nos.adrian@gmail.com>
Adrian O'Grady <elpollouk@gmail.com>
Adrien Bustany <adrien-xx-google@bustany.org>
Adrien Delorme <adrien.delorme@icloud.com>
Adrien Petel <peteladrien@gmail.com>
Acio Jnior <aeciodantasjunior@gmail.com>

Aeneas Rekkas (arekkas) <aeneas@ory.am>

Afanasev Stanislav <phpprogger@gmail.com>

Agis Anastasopoulos <agis.anast@gmail.com>

Agniva De Sarker <agnivade@yahoo.co.in>

Ahmed W. Mones <oneofone@gmail.com>

Ahmet Aktrk <aakturk000@gmail.com>

Ahmet Alp Balkan <ahmetb@google.com>

Ahmet Soormally <ahmet@mangomm.co.uk>

Ahmy Yulrizka <yulrizka@gmail.com>

Ahsun Ahmed <ahmed.ahsun@gmail.com>

Aidan Coyle <packrat386@gmail.com>

Aiden Scandella <ai@uber.com>

Ainar Garipov <gugl.zadolbal@gmail.com>

Aishraj Dahal <aishraj@users.noreply.github.com>

Ajanthan Balachandran <balaajanthan@gmail.com>

Akhil Indurti <aindurti@gmail.com>

Akihiro Suda <suda.kyoto@gmail.com>

Akshat Kumar <seed@mail.nanosouffle.net>

Al Cutter <al@google.com>

Alan Braithwaite <alan@ipaddr.org>

Alan Donovan <adonovan@google.com>

Alan Shreve <alan@inconshreveable.com>

Albert Nigmatzianov <albertnigma@gmail.com>

Albert Strasheim <fullung@gmail.com>

Albert Teoh <albert.teoh@gmail.com>

Albert Yu <yukinying@gmail.com>

Alberto Bertogli <albertito@blitiri.com.ar>

Alberto Donizetti <alb.donizetti@gmail.com>

Alberto Garca Hierro <alberto@garciahierro.com> <alberto.garcia.hierro@gmail.com>

Alec Benzer <alec.benzer@gmail.com>

Alejandro Garca Montoro <alejandro.garciamontoro@gmail.com>

Aleksa Sarai <cyphar@cyphar.com>

Aleksandar Dezelin <dezelin@gmail.com>

Aleksandr Lukinykh <a.lukinykh@xsolla.com>

Aleksandr Razumov <ar@cydev.ru>

Alekseev Artem <a.artem060@gmail.com>

Aleksei Tirman <aleksei.tirman@jetbrains.com>

Alessandro Arzilli <alessandro.arzilli@gmail.com>

Alessandro Baffa <alessandro.baffa@gmail.com>

Alex A Skinner <alex@lx.lc>

Alex Brainman <alex.brainman@gmail.com>

Alex Bramley <abramley@google.com>

Alex Browne <stephenalexbrowne@gmail.com>

Alex Buchanan <buchanae@gmail.com>

Alex Carol <alex.carol.c@gmail.com>

Alex Gaynor <alex@alloy.us>

Alex Harford <alex.harford@saucelabs.com>

Alex Hays <alex.hays@leftfieldlabs.com>

Alex Jin <toalexjin@gmail.com>

Alex Kohler <alexjohnkohler@gmail.com>

Alex Myasoedov <msoedov@gmail.com>

Alex Opie <amtopie@gmail.com>

Alex Plugaru <alex@plugaru.org> <alexandru.plugaru@gmail.com>

Alex Schade <39062967+aschade92@users.noreply.github.com>

Alex Schroeder <alex@gnu.org>

Alex Sergeyev <abc@alexsergeyev.com>

Alex Tokarev <aleksator@gmail.com>

Alex Vaghin <crhyme@google.com>

Alex Zhirov <azhirov@google.com>

Alexander Demakin <alexander.demakin@gmail.com>

Alexander Dring <email@alexd.ch>

Alexander F Rdseth <alexander.rodseth@appeartv.com>

Alexander Greim <alexxx@iltempo.de>

Alexander Guz <kalimatas@gmail.com>

Alexander Kauer <alexander@affine.space>

Alexander Klauer <Alexander.Klauer@googlemail.com>

Alexander Kucherenko <alxkchr@gmail.com>

Alexander Larsson <alexander.larsson@gmail.com>

Alexander Lourier <aml@rulezz.ru>

Alexander Melentyev <alexander@melentyev.org>

Alexander Menzhinsky <amenzhinsky@gmail.com>

Alexander Morozov <lk4d4math@gmail.com>

Alexander Neumann <alexander@bumpern.de>

Alexander Nohe <alex.nohe427@gmail.com>

Alexander Orlov <alexander.orlov@loxal.net>

Alexander Pantyukhin <apantykhin@gmail.com>

Alexander Polcyn <apolcyn@google.com>

Alexander Rakoczy <alex@golang.org>

Alexander Reece <awreece@gmail.com>

Alexander Surma <surma@surmair.de>

Alexander Yastrebov <yastrebov.alex@gmail.com>

Alexander Zhavnerchik <alex.vizor@gmail.com>

Alexander Zillion <alex@alexzillion.com>

Alexander Zolotov <goldifit@gmail.com>

Alexandr Mayorskiy <a.mayorskiy@corp.mail.ru>

Alexandre Cesaro <alexandre.cesaro@gmail.com>

Alexandre Fiori <fiorix@gmail.com>

Alexandre Maari <draeron@gmail.com>

Alexandre Normand <alexandre.normand@gmail.com>

Alexandre Parentea <aubonbeurre@gmail.com>

Alexandre Viau <alexandre@alexandreviau.net>

Alexandru Mooi <brtzsnr@gmail.com>

Alexei Sholik <alcosholik@gmail.com>

Alexey Alexandrov <aalexand@google.com>

Alexey Borzenkov <snaury@gmail.com>

Alexey Naidonov <alexey.naidyonov@gmail.com>

Alexey Neganov <neganovalexey@gmail.com>

Alexey Palazhchenko <alexey.palazhchenko@gmail.com>

Alexey Semenyuk <alexsemenyuk88@gmail.com>

Alexey Vilenskiy <bynovhack@gmail.com>

Alexis Hildebrandt <surryhill@gmail.com>

Alexis Hunt <lexer@google.com>

Alexis Imperial-Legrand <ail@google.com>

Ali Farooq <ali.farooq0@pm.me>

Ali Rizvi-Santiago <arizvisa@gmail.com>

Aliaksandr Valialkin <valyala@gmail.com>

Alice Merrick <amerrick@google.com>

Alif Rachmawadi <subosito@gmail.com>

Allan Guwatudde <guwats10@gmail.com>

Allan Simon <allan.simon@supinfo.com>

Allen Li <ayatane@google.com>

Alok Menghrajani <alok.menghrajani@gmail.com>

Alwin Doss <alwindoss84@gmail.com>

Aman Gupta <aman@tmm1.net>

Amarjeet Anand <amarjeetanandsingh@gmail.com>

Amelia Downs <adowns@vmware.com>

Amir Mohammad Saied <amir@gluegadget.com>

Amit Kumar <mittalmailbox@gmail.com>

Amr Mohammed <merodiro@gmail.com>

Amrut Joshi <amrut.joshi@gmail.com>

An Long <aisk1988@gmail.com>

An Xiao <hac@zju.edu.cn>

Anand K. Mistry <anand@mistry.ninja>

Ananya Saxena <ananyasaxena1@gmail.com>

Anatol Pomozov <anatol.pomozov@gmail.com>

Anders Pearson <anders@columbia.edu>

Anderson Queiroz <contato@andersonq.eti.br>

Andr Carvalho <asantostc@gmail.com>

Andre Marianiello <andremarianiello@users.noreply.github.com>

Andr Martins <aanm90@gmail.com>

Andre Nathan <andrenth@gmail.com>

Andrea Nodari <andrea.nodari91@gmail.com>

Andrea Simonini <andrea.simonini@gmail.com>

Andrea Spadaccini <spadaccio@google.com>

Andreas Auernhammer <aead@mail.de>

Andreas Jellinghaus <andreas@ionisiert.de> <anj@google.com>

Andreas Litt <andreas.litt@gmail.com>

Andrei Enshin <b1os@bk.ru>

Andrei Gherzan <andrei@resin.io>

Andrei Korzhevskii <a.korzhevskiy@gmail.com>

Andrei Matei <andrei@cockroachlabs.com>

Andrei Tudor Clin <mail@acln.ro>

Andrei Vagin <avagin@google.com>

Andrei Vieru <euvieru@gmail.com>

Andres Erbsen <andreser@google.com>
Andres Lowrie <andres.lowrie@gmail.com>
Andrew Austin <andrewaclt@gmail.com>
Andrew Balholm <andybalholm@gmail.com>
Andrew Benton <andrewmbenton@gmail.com>
Andrew Bonventre <andybons@chromium.org>
Andrew Braunstein <awbraunstein@gmail.com>
Andrew Bursavich <abursavich@gmail.com>
Andrew Ekstedt <andrew.ekstedt@gmail.com>
Andrew Etter <andrew.etter@gmail.com>
Andrew G. Morgan <agm@google.com>
Andrew Gerrand <adg@golang.org>
Andrew Harding <andrew@spacemonkey.com>
Andrew Jackura <ajackura@google.com>
Andrew Kemm <andrewkemm@gmail.com>
Andrew LeFevre <capnspacehook@gmail.com>
Andrew Louis <alouis@digitalocean.com>
Andrew Lutomirski <andy@luto.us>
Andrew Medvedev <andrew.y.medvedev@gmail.com>
Andrew Pilloud <andrewpilloud@igneoussystems.com>
Andrew Pogrebnoy <absourd.noise@gmail.com>
Andrew Poydence <apoydence@pivotal.io>
Andrew Pritchard <awpritchard@gmail.com>
Andrew Radev <andrey.radev@gmail.com>
Andrew Skiba <skibaa@gmail.com>
Andrew Stormont <astormont@racktopsystems.com>
Andrew Stribblehill <ads@wompom.org>
Andrew Szeto <andrew@jabagawee.com>
Andrew Todd <andrew.todd@wework.com>
Andrew Wansink <wansink@uber.com>
Andrew Werner <andrew@upthere.com> <awerner32@gmail.com>
Andrew Wilkins <axwalk@gmail.com>
Andrew Williams <williams.andrew@gmail.com>
Andrew Z Allen <me@andrewzallen.com>
Andrey Bokhanko <andreybokhanko@gmail.com>
Andrey Mirtchovski <mirtchovski@gmail.com>
Andrey Petrov <andrey.petrov@shazow.net>
Andrii Soldatenko <andrii.soldatenko@gmail.com>
Andrii Soluk <isoluchok@gmail.com>
Andriy Lytvynov <lytvynov.a.v@gmail.com>
Andrzej eel <andrii.zhezhel@gmail.com>
Andy Balholm <andy@balholm.com>
Andy Davis <andy@bigandian.com>
Andy Finkenstadt <afinkenstadt@zynga.com>
Andy Lindeman <andy@lindeman.io>
Andy Maloney <asmaloney@gmail.com>
Andy Pan <panjf2000@gmail.com> <panjf2000@golangcn.org> <i@andypan.me>
Andy Walker <walkeraj@gmail.com>

Andy Wang <cbeuw.andy@gmail.com>

Andy Williams <andy@andy.xyz>

Andy Zhao <andyzhao@google.com>

Andzej Maciusovic <andzej.maciusovic@gmail.com>

Anfernee Yongkun Gui <anfernee.gui@gmail.com>

Angelo Bulfone <mbulfone@gmail.com>

Anh Hai Trinh <anh.hai.trinh@gmail.com>

Anit Gandhi <anitgandhi@gmail.com>

Ankit Goyal <ankit3goyal@gmail.com>

Anmol Sethi <anmol@aubble.com>

Annirudh Prasad <annirudh@wandb.com>

Anschel Schaffer-Cohen <anschelsc@gmail.com>

Anthony Alves <cvballa3g0@gmail.com>

Anthony Canino <anthony.canino1@gmail.com>

Anthony Eufemio <anthony.eufemio@gmail.com>

Anthony Fok <foka@debian.org>

Anthony Martin <ality@pbrane.org>

Anthony Sottile <asottile@umich.edu>

Anthony Starks <ajstarks@gmail.com>

Anthony Voutas <voutasaurus@gmail.com>

Anthony Woods <awoods@raintank.io>

Antoine GIRARD <sapk@sapk.fr>

Antoine Martin <antoine97.martin@gmail.com>

Anton Gyllenberg <anton@iki.fi>

Anton Kuklin <anton.a.kuklin@gmail.com>

Antonin Amand <antonin.amand@gmail.com>

Antonio Antelo <aantelov87@gmail.com>

Antonio Bibiano <antbbn@gmail.com>

Antonio Garcia <garcia.olais@gmail.com>

Antonio Huete Jimenez <tuxillo@quantumachine.net>

Antonio Murdaca <runcom@redhat.com>

Antonio Ojea <antonio.ojea.garcia@gmail.com>

Antonio Troina <thoeni@gmail.com>

Anze Kolar <me@akolar.com>

Aofei Sheng <aofei@aofeisheng.com>

Apisak Darakananda <pongad@gmail.com>

Aram Hvrneanu <aram@mgk.ro>

Araragi Hokuto <kanseihonbucho@protonmail.com>

Arash Bina <arash@arash.io>

Archana Ravindar <aravind5@in.ibm.com>

Arda Gl <ardaguclu@gmail.com>

Areski Belaid <areski@gmail.com>

Ariel Mashraki <ariel@mashraki.co.il>

Arkadi Pyuro <arkadi@google.com>

Arlo Breault <arlolra@gmail.com>

Arnaud Ysmal <arnaud.ysmal@gmail.com>

Arne Hormann <arnehormann@gmail.com>

Arnout Engelen <arnout@bzzt.net>

Aron Nopanen <aron.nopanen@gmail.com>

Arran Walker <arran.walker@fiveturns.org>

Artem Alekseev <artem.alekseev@intel.com>

Artem Khvastunov <artem.khvastunov@jetbrains.com>

Artem Kolin <artemkaxboy@gmail.com>

Arthur Fabre <arthur@arthurfabre.com>

Arthur Khashaev <arthur@khashaev.ru>

Artur M. Wolff <artur.m.wolff@gmail.com>

Artyom Pervukhin <artyom.pervukhin@gmail.com>

Arvindh Rajesh Tamilmani <art@a-30.net>

Ashish Bhate <ab.listsubs@gmail.com>

Ashish Gandhi <ag@ashishgandhi.org>

Asim Shankar <asimshankar@gmail.com>

Assel Meher <asselmeher@gmail.com>

Atin Malaviya <amalaviy@akamai.com>

Ato Araki <ato.araki@gmail.com>

Atsushi Toyama <atsushi.tohyama.160.333@gmail.com>

Audrey Lim <audreylh@gmail.com>

Audrius Butkevicius <audrius.butkevicius@gmail.com>

Augusto Roman <aroman@gmail.com>

Aulus Egnatius Varialus <varialus@gmail.com>

Aurlien Rainone <aurelien.rainone@gmail.com>

Aurlio A. Heckert <aurium@gmail.com>

Austin Clements <austin@google.com> <aclements@csail.mit.edu>

Avi Flax <avi@timehop.com>

Aviv Klasquin Komissar <avivklas@gmail.com>

awaw fumin <awawfumin@gmail.com>

Awn Umar <awn@cryptolosophy.io>

Axel Wagner <axel.wagner.hh@googlemail.com>

Ayan George <ayan@ayan.net>

Ayanamist Yang <ayanamist@gmail.com>

Ayke van Laethem <aykevanlaethem@gmail.com>

Aymerick Jhanne <aymerick@jehanne.org>

Ayzat Sadykov <ayzat.ziko.93@gmail.com>

Azat Kaumov <kaumov.a.r@gmail.com>

Baiju Muthukadan <baiju.m.mail@gmail.com>

Balaram Makam <bmakam.qdt@qualcommdatacenter.com>

Balazs Lecz <leczb@google.com>

Baokun Lee <nototon@gmail.com> <bk@golangcn.org>

Barnaby Keene <accounts@southcla.ws>

Bartomiej Klimczak <bartlomiej.klimczak88@gmail.com>

Bartosz Grzybowski <melkorm@gmail.com>

Bartosz Oler <brtsz@google.com>

Bassam Ojeil <bojeil@google.com>

Bastian Ike <bastian.ike@gmail.com>

Ben Burkert <ben@benburkert.com>

Ben Cartwright-Cox <Ben@Benjojo.co.uk>

Ben Eitzen <eitzenb@golang.org>

Ben Fried <ben.fried@gmail.com>

Ben Haines <bhainesva@gmail.com>

Ben Hoyt <benhoyt@gmail.com>

Ben Hutchings <ben.hutchings@essensium.com>

Ben Kraft <benkraft@khanacademy.org>

Ben Laurie <ben@links.org> <benl@google.com>

Ben Lubar <ben.lubar@gmail.com>

Ben Lynn <benlynn@gmail.com>

Ben Olive <sionide21@gmail.com>

Ben Schwartz <bemasc@google.com>

Ben Shi <powerman1st@163.com>

Ben Toews <mastahyeti@gmail.com>

Benjamin Barenblat <bbaren@google.com>

Benjamin Black <b@b3k.us>

Benjamin Cable <cable.benjamin@gmail.com>

Benjamin Hsieh <tanookiben@users.noreply.github.com>

Benjamin Peterson <benjamin@python.org>

Benjamin Prosnitz <bprosnitz@google.com>

Benjamin Wester <bwester@squareup.com>

Benjamin Wuethrich <benjamin.wuethrich@gmail.com>

Benny Siegert <bsiegert@gmail.com>

Benoit Sigoure <tsunanet@gmail.com>

Berengar Lehr <Berengar.Lehr@gmx.de>

Berkant Ipek <41230766+0xbkt@users.noreply.github.com>

Beth Brown <ecbrown@google.com>

Bharath Kumar Uppala <uppala.bharath@gmail.com>

Bharath Thiruveedula <tbharath91@gmail.com>

Bhavin Gandhi <bhavin7392@gmail.com>

Bill Neubauer <wcn@golang.org> <wcn@google.com> <bill.neubauer@gmail.com>

Bill O'Farrell <billo@ca.ibm.com>

Bill Prin <waprin@google.com>

Bill Thiede <couchmoney@gmail.com>

Bill Zissimopoulos <billziss@navimatics.com>

Billie Harold Cleek <bhcleek@gmail.com>

Billy Lynch <wlynch@google.com>

Billy Zaelani Malik <m.billyzaelani@gmail.com>

Bjrn Erik Pedersen <bjorn.erik.pedersen@gmail.com>

Bjorn Tillenius <bjorn@tillenius.me>

Bjorn Tipling <bjorn.tipling@gmail.com>

Blain Smith <rebelgeek@blainsmith.com>

Blake Gentry <blakesgentry@gmail.com>

Blake Mesdag <blakemesdag@gmail.com>

Blake Mizerany <blake.mizerany@gmail.com>

Blixt <me@blixt.nyc>

Bob Briski <rbriski@gmail.com>

Bob McNaughton <bobmcn@gmail.com>

Bob Potter <bobby.potter@gmail.com>

Bobby DeSimone <bobbydesimone@gmail.com>

Bobby Powers <bobbypowers@gmail.com>

Boqin Qin <bobbqqin@gmail.com>

Boris Nagaev <nagaev@google.com>

Borja Clemente <borja.clemente@gmail.com>

Boshi Lian <bolian@microsoft.com>

Brad Burch <brad.burch@gmail.com>

Brad Erickson <bderickson@gmail.com>

Brad Fitzpatrick <bradfitz@golang.org> <bradfitz@gmail.com>

Brad Garcia <bgarcia@golang.org>

Brad Jones <rbjones@google.com>

Brad Morgan <brad@morgabra.com>

Brad Whitaker <bwhitaker@fastly.com>

Braden Bassingthwaite <bbassingthwaite@vendasta.com>

Bradford Lamson-Scribner <brad.lamson@gmail.com>

Bradley Falzon <brad@teambrad.net>

Brady Catherman <brady@gmail.com>

Brady Sullivan <brady@bsull.com>

Branden J. Brown <zephyrtronium@gmail.com>

Brandon Bennett <bbennett@fb.com>

Brandon Gilmore <varz@google.com>

Brandon Philips <brandon@ifup.org>

Brandon Ryan <bjryan19@gmail.com>

Brave Cow <rsr715@gmail.com>

Brayden Cloud <bcloud@google.com>

Brendan Daniel Tracey <tracey.brendan@gmail.com>

Brendan O'Dea <bod@golang.org>

Brett Cannon <bcannon@gmail.com>

Brett Merrill <brett.j.merrill94@gmail.com>

Brian Dellisanti <briandellisanti@gmail.com>

Brian Downs <brian.downs@gmail.com>

Brian Falk <falk@logicparty.org>

Brian G. Merrell <bgmerrell@gmail.com>

Brian Gitonga Marete <marete@toshnix.com> <bgmarete@gmail.com> <bgm@google.com>

Brian Kennedy <btkennedy@gmail.com>

Brian Kessler <brian.m.kessler@gmail.com>

Brian Ketelsen <bketelsen@gmail.com>

Brian Slesinsky <skybrian@google.com>

Brian Smith <ohohvi@gmail.com>

Brian Starke <brian.starke@gmail.com>

Bruce Huang <helbingxxx@gmail.com>

Bryan Alexander <Kozical@msn.com>

Bryan Boreham <bjboreham@gmail.com>

Bryan C. Mills <bcmills@google.com>

Bryan Chan <bryan.chan@ca.ibm.com>

Bryan Ford <brynosaurus@gmail.com>

Bryan Heden <b.heden@gmail.com>

Bulat Gaifullin <gaifullinbf@gmail.com>

Burak Guven <bguven@gmail.com>

Caine Tighe <arctanofyourface@gmail.com>

Caio Marcelo de Oliveira Filho <caio.oliveira@intel.com>

Caleb Martinez <accounts@calebmartinez.com>

Caleb Spare <cespare@gmail.com>

Carl Chatfield <carlchatfield@gmail.com>

Carl Henrik Lunde <chlunde@ifi.uio.no>

Carl Jackson <carl@stripe.com>

Carl Johnson <me@carlmjohnson.net>

Carl Mastrangelo <notcarl@google.com>

Carl Menezes <carleeto@gmail.com>

Carl Shapiro <cshapiro@google.com> <cshapiro@golang.org>

Carlisia Campos <carlisia@grokkingtech.io>

Carlo Alberto Ferraris <cafxx@strayorange.com>

Carlos Alexandro Becker <caarlos0@gmail.com>

Carlos Amedee <carlos@golang.org>

Carlos Castillo <cookieo9@gmail.com>

Carlos Cirello <uldericofilho@gmail.com>

Carlos Eduardo <me@carlosedp.com>

Carlos Eduardo Seo <cseo@linux.vnet.ibm.com>

Carlos Iriarte <ciriarte@gmail.com>

Carlos Souza <carloshrsouza@gmail.com>

Carolyn Van Slyck <me@carolynvanslyck.com>

Carrie Bynon <cbynon@gmail.com>

Carson Hoffman <c@rsonhoffman.com>

Cary Hull <chull@google.com>

Case Nelson <case.nelson@gmail.com>

Casey Callendrello <squeed@gmail.com>

Casey Marshall <casey.marshall@gmail.com>

Catalin Nicutar <cnicutar@google.com>

Catalin Patulea <catalinp@google.com>

Cathal O'Callaghan <cathalsocallaghan@gmail.com>

Cedric Staub <cs@squareup.com>

Cezar S Espinola <cezarsa@gmail.com>

Chad Rosier <mrosier.qdt@qualcommdatacenter.com>

ChaiShushan <chaishushan@gmail.com>

Changkun Ou <hi@changkun.us>

Channing Kimble-Brown <channing@golang.org>

Chao Xu <xuchao@google.com>

Chaoqun Han <hanssccv@gmail.com>

Charles Fenwick Elliott <Charles@FenwickElliott.io>

Charles Kenney <charlesc.kenney@gmail.com>

Charles L. Dorian <cldorian@gmail.com>

Charles Lee <zombie.fml@gmail.com>

Charles Weill <weill@google.com>

Charlie Getzen <charlie@bolt.com>

Charlie Moog <moogcharlie@gmail.com>

Charlotte Brandhorst-Satzkorn <catzkorn@gmail.com>

Chauncy Cullitan <chauncyc@google.com>

Chen Zhidong <njutczd@gmail.com>

Chen Zhihan <energiehund@gmail.com>

Cheng Wang <wangchengiscool@gmail.com>

Cherry Mui <cherryyz@google.com>

Chew Choon Keat <choonkeat@gmail.com>

Chia-Chi Hsu <wuchi5457@gmail.com>

Chiawen Chen <golopot@gmail.com>

Chirag Sukhala <cchirag77@gmail.com>

Cholerae Hu <choleraehyq@gmail.com>

Chotepud Teo <AlexRouSg@users.noreply.github.com>

Chressie Himpel <chressie@google.com>

Chris Ball <chris@printf.net>

Chris Biscardi <chris@christopherbiscardi.com>

Chris Broadfoot <cbro@golang.org>

Chris Dollin <ehog.hedge@gmail.com>

Chris Farmiloe <chrisfarms@gmail.com>

Chris Hines <chris.cs.guy@gmail.com>

Chris Howey <howeyc@gmail.com>

Chris Hundt <hundt@google.com>

Chris Jones <chris@cjones.org> <chris.jones.yar@gmail.com>

Chris Kastorff <encryptio@gmail.com>

Chris Le Roy <brompwnie@users.noreply.github.com>

Chris Lennert <calennert@gmail.com>

Chris Liles <caveryliles@gmail.com>

Chris Manghane <cmang@golang.org>

Chris Marchesi <chrism@vancluevertech.com>

Chris McGee <sirnewton_01@yahoo.ca> <newton688@gmail.com>

Chris Raynor <raynor@google.com>

Chris Roche <rodaine@gmail.com>

Chris Smith <chrsmith@users.noreply.github.com>

Chris Stockton <chrisstocktonaz@gmail.com>

Chris Taylor <taylorza@gmail.com>

Chris Waldon <christopher.waldon.dev@gmail.com>

Chris Zou <chriszou@ca.ibm.com>

Christian Alexander <christian@linux.com>

Christian Couder <chriscool@tuxfamily.org>

Christian Himpel <chressie@googlemail.com> <chressie@gmail.com>

Christian Muehlhaeuser <muesli@gmail.com>

Christian Pellegrin <chri@evolware.org>

Christian R. Petrin <christianpetrin@gmail.com>

Christian Svensson <blue@cmd.nu>

Christine Hansmann <chhansmann@gmail.com>

Christoffer Buchholz <christoffer.buchholz@gmail.com>

Christoph Blecker <admin@toph.ca>

Christoph Hack <christoph@tux21b.org>

Christopher Cahoon <chris.cahoon@gmail.com>

Christopher Guiney <chris@guiney.net>

Christopher Henderson <chris@chenderson.org>

Christopher Hlubek <christopher.hlubek@networkteam.com>

Christopher Koch <chrisko@google.com>

Christopher Loessl <cloessl+github@gmail.com>

Christopher Nelson <nadiasvertex@gmail.com>

Christopher Nielsen <m4dh4tt3r@gmail.com>

Christopher Redden <christopher.redden@gmail.com>

Christopher Swenson <cswenson@google.com>

Christopher Thomas <53317512+chrisssthomas@users.noreply.github.com>

Christopher Wedgwood <cw@f00f.org>

Christos Zoulas <christos@zoulas.com> <zoulasc@gmail.com>

Christy Perez <christy@linux.vnet.ibm.com>

CL Sung <clsung@gmail.com> <cl_sung@htc.com>

Clment Chigot <clement.chigot@atos.net>

Clement Skau <clementskau@gmail.com>

Clint J. Edwards <clint.j.edwards@gmail.com>

Cody Oss <the.cody.oss@gmail.com>

Colby Ranger <cranger@google.com>

Colin Arnott <colin@urandom.co.uk>

Colin Cross <ccross@android.com>

Colin Edwards <colin@recursivepenguin.com>

Colin Kennedy <moshen.colin@gmail.com>

Colin Nelson <colnnelson@google.com>

Colin Rice <clr@google.com>

Conrad Irwin <conrad.irwin@gmail.com>

Conrad Meyer <cemeyer@cs.washington.edu>

Conrado Gouvea <conradoplg@gmail.com>

Constantin Konstantinidis <constantinkonstantinidis@gmail.com>

Corey Thomasson <cthom.lists@gmail.com>

Corne van der Plas <vdplas@gmail.com>

Cosmos Nicolaou <cnicolaou@google.com>

Costin Chirvasuta <ctin@google.com>

Craig Citro <craigcitro@google.com>

Cristian Staretu <unclejacksons@gmail.com>

Cristo Garca <cgg.code@gmail.com>

cui fliter <imcusg@gmail.com>

Cuihtlauac ALVARADO <cuihtlauac.alvarado@orange.com>

Cuong Manh Le <cuong@orijtech.com>

Curtis La Graff <curtis@lagraff.me>

Cyrill Schumacher <cyrill@schumacher.fm>

Dai Jie <gzdaijie@gmail.com>

Dai Wentao <dwt136@gmail.com>

Daisuke Fujita <dtanshi45@gmail.com>

Daisuke Suzuki <daisuzu@gmail.com>

Daker Fernandes Pinheiro <daker.fernandes.pinheiro@intel.com>

Damian Gryski <dgryski@gmail.com>

Damien Lespiau <damien.lespiau@gmail.com> <damien.lespiau@intel.com>

Damien Mathieu <42@dmathieu.com>

Damien Neil <dneil@google.com>

Damien Tournoud <damien@platform.sh>

Dan Ballard <dan@mindstab.net>

Dan Caddigan <goldcaddy77@gmail.com>

Dan Callahan <dan.callahan@gmail.com>

Dan Harrington <harringtond@google.com>

Dan Jacques <dnj@google.com>

Dan Johnson <computerdruid@google.com>

Dan McArdle <dmcardle@google.com>

Dan Peterson <dpiddy@gmail.com>

Dan Pupius <dan@medium.com>

Dan Scales <danscales@google.com>

Dan Sinclair <dan.sinclair@gmail.com>

Daniel Cohen <dcohen@gatech.edu>

Daniel Cormier <danielc@knowbe4.com>

Danil de Kok <me@danieldk.eu>

Daniel Fleischman <danielfleischman@gmail.com>

Daniel Ingram <ingramds@appstate.edu>

Daniel Johansson <dajo2002@gmail.com>

Daniel Kerwin <d.kerwin@gini.net>

Daniel Kessler <dkess@google.com>

Daniel Krech <eikeon@eikeon.com>

Daniel Kumor <rdkumor@gmail.com>

Daniel Langner <s8572327@gmail.com>

Daniel Lidn <daniel.liden.87@gmail.com>

Daniel Lublin <daniel@lublin.se>

Daniel Mangum <georgedanielmangum@gmail.com>

Daniel Marshall <daniel.marshall2@ibm.com>

Daniel Mart <mvdan@mvdan.cc>

Daniel McCarney <cpu@letsencrypt.org>

Daniel Morsing <daniel.morsing@gmail.com>

Daniel Nadasi <dnadasi@google.com>

Daniel Nephin <dnephin@gmail.com>

Daniel Ortiz Pereira da Silva <daniel.particular@gmail.com>

Daniel S. Fava <danielsfava@gmail.com>

Daniel Skinner <daniel@dasa.cc>

Daniel Speichert <daniel@speichert.pl>

Daniel Theophanes <kardianos@gmail.com>

Daniel Upton <daniel@floppy.co>

Daniela Petruzalek <daniela.petruzalek@gmail.com>

Danish Dua <danishdua@google.com>

Danish Prakash <grafitykoncept@gmail.com>

Danny Rosseau <daniel.rosseau@gmail.com>

Daria Kolistratova <daria.kolistratova@intel.com>

Darien Raymond <admin@v2ray.com>

Darren Elwood <darren@textnode.com>

Darren Grant <darren.e.grant@gmail.com>

Darren McCleary <darren.rmc@gmail.com>

Darshan Parajuli <parajulidarshan@gmail.com>

Datong Sun <dndx@idndx.com>
Dave Borowitz <dborowitz@google.com>
Dave Bort <dbort@golang.org>
Dave Cheney <dave@cheney.net>
Dave Day <djd@golang.org>
Dave Grijalva <dgrijalva@ngmoco.com>
Dave MacFarlane <driusan@gmail.com>
Dave Pifke <dave@pifke.org>
Dave Russell <forfuncsake@gmail.com>
David Anderson <danderson@google.com>
David Barnett <dbarnett@google.com>
David Benjamin <davidben@google.com>
David Black <dblack@atlassian.com>
David Bond <davidsbond93@gmail.com>
David Brophy <dave@brophy.uk>
David Brgin <676c7473@gmail.com>
David Calavera <david.calavera@gmail.com>
David Carlier <devnexen@gmail.com>
David Carter <fresco.raja@gmail.com>
David Chase <drchase@google.com>
David Covert <davidhcovert@gmail.com>
David Crawshaw <david.crawshaw@zentus.com> <crawshaw@google.com> <crawshaw@golang.org>
David du Colombier <0intro@gmail.com>
David Finkel <david.finkel@gmail.com>
David Forsythe <dforsythe@gmail.com>
David G. Andersen <dave.andersen@gmail.com>
David Glasser <glasser@meteor.com>
David Golden <david@autopragmatic.com>
David Heuschmann <heuschmann.d@gmail.com>
David Howden <dhowden@gmail.com>
David Hubbard <dsp@google.com>
David Jakob Fritz <david.jakob.fritz@gmail.com>
David Jones <dxjones@gmail.com>
David Lazar <lazard@golang.org>
David Leon Gil <coruus@gmail.com>
David McLeish <davemc@google.com>
David Ndungu <dnjuguna@gmail.com>
David NewHamlet <david@newhamlet.com>
David Presotto <presotto@gmail.com>
David Qu <davidqu12345@gmail.com>
David R. Jenni <david.r.jenni@gmail.com>
David Sansome <me@davidsansome.com>
David Stainton <dstainton415@gmail.com>
David Symonds <dsymonds@golang.org>
David Thomas <davidthomas426@gmail.com>
David Timm <dtimm@pivotal.io>
David Titarenco <david.titarenco@gmail.com>
David Tolpin <david.tolpin@gmail.com>

David Url <david@urld.io>

David Volquartz Lebech <david@lebech.info>

David Wimmer <davidlwimmer@gmail.com>

Davies Liu <davies.liu@gmail.com>

Davor Kapsa <davor.kapsa@gmail.com>

Dean Eigenmann <7621705+decanus@users.noreply.github.com>

Dean Prichard <dean.prichard@gmail.com>

Deepak Jois <deepak.jois@gmail.com>

Deepak S <deepakspavoodath@gmail.com>

Denis Bernard <db047h@gmail.com>

Denis Brandolini <denis.brandolini@gmail.com>

Denis Isaev <idenx@yandex.com>

Denis Nagorny <denis.nagorny@intel.com>

Dennis Kuhnert <mail.kuhnert@gmail.com>

Denys Honsiorovskyi <honsiorovskyi@gmail.com>

Denys Smirnov <denis.smirnov.91@gmail.com>

Derek Buitenhuis <derek.buitenhuis@gmail.com>

Derek Che <drc@yahoo-inc.com>

Derek McGowan <derek@mcgstyle.net>

Derek Parker <parkerderek86@gmail.com>

Derek Phan <derekphan94@gmail.com>

Derek Shockey <derek.shockey@gmail.com>

Dev Ojha <dojha12@gmail.com>

Dev Zhoujun <dev.zhoujun@gmail.com>

Devon H. O'Dell <devon.odell@gmail.com>

Dhaivat Pandit <dhaivatpandit@gmail.com>

Dhananjay Nakrani <dhananjayn@google.com>

Dhiru Kholia <dhiru.kholia@gmail.com>

Dhruvdutt Jadhav <dhruvdutt.jadhav@gmail.com>

Di Xiao <dixiao@google.com>

Didier Spezia <didier.06@gmail.com>

Diego Medina <fmpwizard@gmail.com>

Diego Siqueira <diego9889@gmail.com>

Dieter Plaetinck <dieter@raintank.io>

Dilyn Corner <dilyn.corner@gmail.com>

Dimitri Sokolyuk <sokolyuk@gmail.com>

Dimitri Tcaciuc <dtcaciuc@gmail.com>

Dina Garmash <dgrmsh@gmail.com>

Diogo Pinela <diogoid7400@gmail.com>

Dirk Gadsden <dirk@esherido.com>

Diwaker Gupta <diwakergupta@gmail.com>

Dmitri Goutnik <dgoutnik@gmail.com>

Dmitri Popov <operator@cv.dp-net.com>

Dmitri Shuralyov <dmitshur@golang.org> <dmitri@shuralyov.com>

Dmitrii Okunev <xaionaro@gmail.com>

Dmitriy Cherchenko <dcherchenko@gmail.com>

Dmitriy Dudkin <dudkin.dmitriy@gmail.com>

Dmitriy Shelenin <deemok@googlemail.com> <deemok@gmail.com>

Dmitriy Vyukov <dvyukov@google.com>

Dmitry Chestnykh <dchest@gmail.com>

Dmitry Doroginin <doroginin@gmail.com>

Dmitry Mottl <dmitry.mottl@gmail.com>

Dmitry Neverov <dmitry.neverov@gmail.com>

Dmitry Savintsev <dsavints@gmail.com>

Dmitry Yakunin <nonamezeil@gmail.com>

Dmytro Shynkevych <dm.shynk@gmail.com>

Doga Fincan <doga@icloud.com>

Domas Tamaauskas <puerdomus@gmail.com>

Domen Ipavec <domen@ipavec.net>

Dominic Della Valle <ddvpublic@Gmail.com>

Dominic Green <dominicgreen1@gmail.com>

Dominik Honnef <dominik.honnef@gmail.com>

Dominik Vogt <vogt@linux.vnet.ibm.com>

Don Byington <don@dbyington.com>

Donald Huang <don.hcd@gmail.com>

Dong-hee Na <donghee.na92@gmail.com>

Donovan Hide <donovanhide@gmail.com>

Doug Anderson <douga@google.com>

Doug Fawley <dfawley@google.com>

Douglas Danger Manley <doug.manley@gmail.com>

Drew Flower <drewvanstone@gmail.com>

Drew Hintz <adhintz@google.com>

Drew Richardson <drewrichardson@gmail.com>

Duco van Amstel <duco.vanamstel@gmail.com>

Duncan Holm <mail@frou.org>

Dustin Carlino <dcarlino@google.com>

Dustin Herbison <djherbis@gmail.com>

Dustin Long <dustmop@gmail.com>

Dustin Sallings <dsallings@gmail.com>

Dustin Shields-Cloues <dcloues@gmail.com>

Dustin Spicuzza <dustin.spicuzza@gmail.com>

Dvir Volk <dvir@everything.me> <dvirsky@gmail.com>

Dylan Waits <dylan@waits.io>

Ed Schouten <ed@nuxi.nl>

Edan Bedrik <3d4nb3@gmail.com>

Eddie Scholtz <escholtz@google.com>

Eden Li <eden.li@gmail.com>

Eduard Urbach <e.urbach@gmail.com>

Eduardo Ramalho <eduardo.ramalho@gmail.com>

Eduardo Villaseor <evillasrmx@gmail.com>

Edward Muller <edwardam@interlix.com>

Egon Elbre <egonelbre@gmail.com>

Ehren Kret <ehren.kret@gmail.com>

Eitan Adler <lists@eitanadler.com>

Eivind Uggedal <eivind@uggedal.com>

El Mostafa Idrassi <el.mostafa.idrassi@gmail.com>

Elbert Fliek <efliek@gmail.com>

Eldar Rakhimberdin <ibeono@gmail.com>

Elena Grahovac <elena@grahovac.me>

Eli Bendersky <eliben@google.com>

Elias Naur <mail@eliasnaur.com> <elias.naur@gmail.com>

Elliot Morrison-Reed <elliotmr@gmail.com>

Ellison Leao <ellisonleao@gmail.com>

Elvina Yakubova <elvinayakubova@gmail.com>

Emerson Lin <linyintor@gmail.com>

Emil Bektimirov <lefelys@gmail.com>

Emil Hessman <emil@hessman.se>

Emil Mursalimov <mursalimovemeel@gmail.com>

Emilien Kenler <hello@emilienkenler.com>

Emmanuel Odeke <emm.odeke@gmail.com> <odeke@ualberta.ca>

Emrecan Bati <emrecanbati@gmail.com>

Eno Compton <enocom@google.com>

Eoghan Sherry <ejsherry@gmail.com>

Eric Biggers <ebiggers@google.com>

Eric Brown <browne@vmware.com>

Eric Chiang <eric.chiang.m@gmail.com>

Eric Clark <zerohp@gmail.com>

Eric Daniels <eric@erdaniels.com>

Eric Engestrom <eric@engestrom.ch>

Eric Garrido <ekg@google.com>

Eric Koleda <ekoleda+devrel@google.com>

Eric Lagergren <ericscottlagergren@gmail.com>

Eric Milliken <emilliken@gmail.com>

Eric Pauley <eric@pauley.me>

Eric Ponce <tricokun@gmail.com>

Eric Rescorla <ekr@rtfm.com>

Eric Roshan-Eisner <eric.d.eisner@gmail.com>

Eric Rutherford <erutherford@gmail.com>

Eric Rykwalder <e.rykwalder@gmail.com>

Eric Wang <wangchaogo1990@gmail.com>

Erick Tryzelaar <etryzelaar@google.com>

Erik Aigner <aigner.erik@gmail.com>

Erik Dubbelboer <erik@dubbelboer.com>

Erik St. Martin <alakriti@gmail.com>

Erik Staab <estaab@google.com>

Erik Westrup <erik.westrup@gmail.com>

Erin Masatsugu <erin.masatsugu@gmail.com>

Ernest Chiang <ernest_chiang@htc.com>

Erwin Oegema <blablaechthema@hotmail.com>

Esko Luontola <esko.luontola@gmail.com>

Ethan Anderson <eanderson@atlassian.com>

Ethan Burns <eaburns@google.com>

Ethan Hur <ethan0311@gmail.com>

Ethan Miller <eamiller@us.ibm.com>

Ethan Reesor <ethan.reesor@gmail.com>

Euan Kemp <euank@euank.com>

Eugene Formanenko <mo4islona@gmail.com>

Eugene Kalinin <e.v.kalinin@gmail.com>

Evan Broder <evan@stripe.com>

Evan Brown <evanbrown@google.com>

Evan Digby <evandigby@gmail.com>

Evan Hicks <evan.hicks2@gmail.com>

Evan Jones <ej@evanjones.ca>

Evan Klitzke <evan@eklitzke.org>

Evan Kroske <evankroske@google.com>

Evan Martin <evan.martin@gmail.com>

Evan Phoenix <evan@phx.io>

Evan Shaw <chickencha@gmail.com>

Evgeniy Kulikov <tuxuls@gmail.com>

Evgeniy Polyakov <zbr@ioremap.net>

Ewan Chou <coocood@gmail.com>

Ewan Valentine <ewan.valentine89@gmail.com>

Eyal Posener <posener@gmail.com>

F. Talha Altnel <talhaaltinel@hotmail.com>

Fabian Wickborn <fabian@wickborn.net>

Fabian Zaremba <fabian@youremail.eu>

Fabio Falzoi <fabio.falzoi84@gmail.com>

Fabrizio Milo <mistobaan@gmail.com>

Faiyaz Ahmed <ahmedf@vmware.com>

Fan Hongjian <fan.howard@gmail.com>

Fangming Fang <fangming.fang@arm.com>

Fannie Zhang <fannie.zhang@arm.com>

Fatih Arslan <fatih@arslan.io>

Fazal Majid <majid@apsalar.com>

Fazlul Shahriar <fshahriar@gmail.com>

Federico Bond <federicobond@gmail.com>

Federico Guerinoni <guerinoni.federico@gmail.com>

Federico Simoncelli <fsimonce@redhat.com>

Fedor Indutny <fedor@indutny.com>

Fedor Korotkiy <dartslon@gmail.com>

Felipe Oliveira <felipeweb.programador@gmail.com>

Felix Bnemann <Felix.Buenemann@gmail.com>

Felix Cornelius <9767036+fcornelius@users.noreply.github.com>

Felix Geisendrfer <haimuiba@gmail.com>

Felix Kollmann <fk@konsorten.de>

Ferenc Szabo <frncmx@gmail.com>

Fernandez Ludovic <lfernandez.dev@gmail.com>

Filip Gruszczyski <gruszczy@gmail.com>

Filip Haglund <drathier@users.noreply.github.com>

Filip Stanis <fstanis@google.com>

Filippo Valsorda <filippo@golang.org> <filippo@cloudflare.com> <hi@filippo.io>

Firmansyah Adiputra <frm.adiputra@gmail.com>

Florian Forster <octo@google.com>

Florian Uekermann <florian@uekermann-online.de> <f1@uekermann-online.de>

Florian Weimer <fw@deneb.enyo.de>

Florin Papa <fpapa@google.com>

Florin Patan <florinpatan@gmail.com>

Folke Behrens <folke@google.com>

Ford Hurley <ford.hurley@gmail.com>

Forest Johnson <forest.n.johnson@gmail.com>

Francesc Campoy <campoy@golang.org>

Francesco Guardiani <francescoguard@gmail.com>

Francesco Renzi <rentziass@gmail.com>

Francisco Claude <fclaude@recoded.cl>

Francisco Rojas <francisco.rojas.gallegos@gmail.com>

Francisco Souza <franciscossouza@gmail.com>

Frank Chiarulli Jr <frank@frankchiarulli.com>

Frank Schroeder <frank.schroeder@gmail.com>

Frank Somers <fsomers@arista.com>

Frederic Guillot <frederic.guillot@gmail.com>

Frederick Kelly Mayle III <frederickmayle@gmail.com>

Frederik Ring <frederik.ring@gmail.com>

Frederik Zipp <fzipp@gmx.de>

Frediano Ziglio <freddy77@gmail.com>

Fredrik Enestad <fredrik.enestad@soundtrackyourbrand.com>

Fredrik Forsmo <fredrik.forsmo@gmail.com>

Fredrik Wallgren <fredrik.wallgren@gmail.com>

Frew Schmidt <github@frew.co>

Frithjof Schulze <schulze@math.uni-hannover.de> <sfrithjof@gmail.com>

Frits van Bommel <fvbommel@gmail.com>

Fujimoto Kyosuke <kyoro.f@gmail.com>

Fumitoshi Ukai <ukai@google.com>

G. Hussain Chinoy <ghchinoy@gmail.com>

Gaal Yahas <gaal@google.com>

Gabrel Arthr Ptursson <gabriel@system.is>

Gabriel Aszalos <gabriel.aszalos@gmail.com>

Gabriel Guzman <gabe.guzman@gmail.com>

Gabriel Nelle <tehsphinx@web.de>

Gabriel Nicolas Avellaneda <avellaneda.gabriel@gmail.com>

Gabriel Rosenhouse <rosenhouse@gmail.com>

Gabriel Russell <gabriel.russell@gmail.com>

Gabriel Vasile <gabriel.vasile0793@gmail.com>

Gareth Paul Jones <gpj@foursquare.com>

Garret Kelly <gdk@google.com>

Garrick Evans <garrick@google.com>

Garry McNulty <garrmcnu@gmail.com>

Gary Burd <gary@beagledreams.com> <gary.burd@gmail.com>

Gary Elliott <garyelliott@google.com>

Gaurav Singh <gaurav1086@gmail.com>

Gaurish Sharma <contact@gaurishsharma.com>

Gautham Thambidorai <gautham.dorai@gmail.com>

Gauthier Jolly <gauthier.jolly@gmail.com>

Gawen Arab <gawen.arab@c.zen.ly>

Geert-Johan Riemer <gjr19912@gmail.com>

Genevieve Luyt <genevieve.luyt@gmail.com>

Gengliang Wang <ltnwgl@gmail.com>

Geoff Berry <gberry.qdt@qualcommdatacenter.com>

Geoffroy Lorieux <lorieux.g@gmail.com>

Geon Kim <geon0250@gmail.com>

Georg Reinke <guelfey@gmail.com>

George Gkirtsou <ggirtsou@gmail.com>

George Hartzell <hartzell@alerce.com>

George Looshch <looshch@loosh.ch>

George Shammas <george@shamm.as> <georgyo@gmail.com>

George Tsilias <tsiliasg@gmail.com>

Gerasimos (Makis) Maropoulos <kataras2006@hotmail.com>

Gerasimos Dimitriadis <gedimitr@gmail.com>

Gergely Brautigam <skarlso777@gmail.com>

Gernot Vormayr <gvormayr@gmail.com>

Gert Cuykens <gert.cuykens@gmail.com>

Getulio Snchez <valentin2507@gmail.com>

Ghazni Nattarshah <ghazni.nattarshah@gmail.com>

Gianguido Sora` <g.sora4@gmail.com>

Gideon Jan-Wessel Redelinghuys <gjredelinghuys@gmail.com>

Giles Lean <giles.lean@pobox.com>

Giovanni Bajo <rasky@develer.com>

GitHub User @180909 (70465953) <734461790@qq.com>

GitHub User @6543 (24977596) <6543@obermui.de>

GitHub User @aca (50316549) <acadx0@gmail.com>

GitHub User @ajnirp (1688456) <ajnirp@users.noreply.github.com>

GitHub User @ajz01 (4744634) <ajzdenek@gmail.com>

GitHub User @alkesh26 (1019076) <alkesh26@gmail.com>

GitHub User @andig (184815) <cpuidle@gmx.de>

GitHub User @andrius4669 (4699695) <andrius4669@gmail.com>

GitHub User @as (8127015) <as.utf8@gmail.com>

GitHub User @bakape (7851952) <bakape@gmail.com>

GitHub User @bgadrian (830001) <aditza8@gmail.com>

GitHub User @bontequero (2674999) <bontequero@gmail.com>

GitHub User @cch123 (384546) <buaa.cch@gmail.com>

GitHub User @chainhelen (7046329) <chainhelen@gmail.com>

GitHub User @chanxuehong (3416908) <chanxuehong@gmail.com>

GitHub User @Cluas (10056928) <Cluas@live.cn>

GitHub User @cncal (23520240) <flycalvin@qq.com>

GitHub User @DQNEO (188741) <dqneoo@gmail.com>

GitHub User @Dreamacro (8615343) <chuainian@gmail.com>

GitHub User @dupoxy (1143957) <dupoxy@users.noreply.github.com>

GitHub User @EndlessCheng (7086966) <loli.con@qq.com>

GitHub User @erifan (31343225) <eric.fang@arm.com>

GitHub User @esell (9735165) <eujon.sellers@gmail.com>

GitHub User @fatedier (7346661) <fatedier@gmail.com>

GitHub User @frennkie (6499251) <mail@rhab.de>

GitHub User @geedchin (11672310) <geedchin@gmail.com>

GitHub User @GrigoriyMikhalkin (3637857) <grigoriymikhalkin@gmail.com>

GitHub User @Gusted (25481501) <williamzijl7@hotmail.com>

GitHub User @hengwu0 (41297446) <41297446+hengwu0@users.noreply.github.com>

GitHub User @hitzhangjie (3725760) <hit.zhangjie@gmail.com>

GitHub User @hkhere (33268704) <33268704+hkhere@users.noreply.github.com>

GitHub User @hopehook (7326168) <hopehook.com@gmail.com>

GitHub User @hqpko (13887251) <whaibin01@hotmail.com>

GitHub User @Illirgway (5428603) <illirgway@gmail.com>

GitHub User @itchyny (375258) <itchyny@hatena.ne.jp>

GitHub User @jinmiaoluo (39730824) <jinmiaoluo@icloud.com>

GitHub User @jopbrown (6345470) <msshane2008@gmail.com>

GitHub User @kazyshr (30496953) <kazyshr0301@gmail.com>

GitHub User @kc1212 (1093806) <kc1212@users.noreply.github.com>

GitHub User @komisan19 (18901496) <komiyama6219@gmail.com>

GitHub User @korzhao (64203902) <korzhao95@gmail.com>

GitHub User @Kropekk (13366453) <kamilkropiewnicki@gmail.com>

GitHub User @lgbgbl (65756378) <lgbgbl@qq.com>

GitHub User @lhl2617 (33488131) <l.h.lee2617@gmail.com>

GitHub User @linguohua (3434367) <lghchinaidea@gmail.com>

GitHub User @lloydchang (1329685) <lloydchang@gmail.com>

GitHub User @LotusFenn (13775899) <fenn.lotus@gmail.com>

GitHub User @luochuanhang (96416201) <chuanhangluo@gmail.com>

GitHub User @ly303550688 (11519839) <yang.liu636@gmail.com>

GitHub User @madiganz (18340029) <zacharywmadigan@gmail.com>

GitHub User @maltalex (10195391) <code@bit48.net>

GitHub User @markruler (38225900) <csu0414@gmail.com>

GitHub User @Matts966 (28551465) <Matts966@users.noreply.github.com>

GitHub User @micnncim (21333876) <micnncim@gmail.com>

GitHub User @mkishere (224617) <224617+mkishere@users.noreply.github.com>

GitHub User @nu50218 (40682920) <nu_ll@icloud.com>

GitHub User @OlgaVlPetrova (44112727) <OVPpetrova@gmail.com>

GitHub User @pierwill (19642016) <pierwill@users.noreply.github.com>

GitHub User @pityonline (438222) <pityonline@gmail.com>

GitHub User @po3rin (29445112) <abctail30@gmail.com>

GitHub User @pokutuna (57545) <popopopopokutuna@gmail.com>

GitHub User @povsister (11040951) <pov@mahou-shoujo.moe>

GitHub User @pytimer (17105586) <lixin20101023@gmail.com>

GitHub User @qcrao (7698088) <qcrao91@gmail.com>

GitHub User @ramenjuniti (32011829) <ramenjuniti@gmail.com>

GitHub User @renthraysk (30576707) <renthraysk@gmail.com>

GitHub User @roudkerk (52280478) <roudkerk@google.com>

GitHub User @saitarunreddy (21041941) <saitarunreddypalla@gmail.com>

GitHub User @SataQiu (9354727) <shidaqiu2018@gmail.com>

GitHub User @seifchen (23326132) <chenxuefeng1207@gmail.com>

GitHub User @shogo-ma (9860598) <Choroma194@gmail.com>
GitHub User @sivchari (55221074) <shibuuuu5@gmail.com>
GitHub User @skanehira (7888591) <sho19921005@gmail.com>
GitHub User @soolaugust (10558124) <soolaugust@gmail.com>
GitHub User @surechen (7249331) <surechen17@gmail.com>
GitHub User @syumai (6882878) <syumai@gmail.com>
GitHub User @tangxi666 (48145175) <tx1275044634@gmail.com>
GitHub User @tatsumack (4510569) <tatsu.mack@gmail.com>
GitHub User @tell-k (26263) <ffk2005@gmail.com>
GitHub User @tennashi (10219626) <tennashio@gmail.com>
GitHub User @uhei (2116845) <uhei@users.noreply.github.com>
GitHub User @uji (49834542) <ujiprog@gmail.com>
GitHub User @unbyte (5772358) <i@shangyes.net>
GitHub User @uropek (39370426) <uropek@gmail.com>
GitHub User @utkarsh-extc (53217283) <utkarsh.extc@gmail.com>
GitHub User @witchard (4994659) <witchard@hotmail.co.uk>
GitHub User @wmdngngng (22067700) <wangmingdong@gmail.com>
GitHub User @wolf1996 (5901874) <ksgiv37@gmail.com>
GitHub User @yah01 (12216890) <kagaminehuan@gmail.com>
GitHub User @yuanhh (1298735) <yuan415030@gmail.com>
GitHub User @zikaeroh (48577114) <zikaeroh@gmail.com>
GitHub User @ZZMarquis (7624583) <zhonglingjian3821@163.com>
Giulio Iotti <dullgiulio@gmail.com>
Giulio Micheloni <giulio.micheloni@gmail.com>
Giuseppe Valente <gvalente@arista.com>
Gleb Stepanov <glebstepanov1992@gmail.com>
Glenn Brown <glennb@google.com>
Glenn Lewis <gmlewis@google.com>
Gordon Klaus <gordon.klaus@gmail.com>
Gordon Tyler <gordon@doxxx.net>
Grace Han <hgrace503@gmail.com>
Graham King <graham4king@gmail.com>
Graham Miller <graham.miller@gmail.com>
Grant Griffiths <ggp493@gmail.com>
Green Lightning <GreenLightning.git@googlemail.com>
Greg Poirier <greg.istehbest@gmail.com>
Greg Steuck <gnezdo+github@google.com>
Greg Thelen <gthelen@google.com>
Greg Ward <greg@gerg.ca>
Grgoire Delattre <gregoire.delattre@gmail.com>
Gregory Man <man.gregory@gmail.com>
Gregory Petrosyan <gregory.petrosyan@gmail.com>
Guilherme Caruso <gui.martinscaruso@gmail.com>
Guilherme Garnier <guilherme.garnier@gmail.com>
Guilherme Goncalves <guilhermeaugustosg@gmail.com>
Guilherme Rezende <guilhermebr@gmail.com>
Guilherme Souza <32180229+gqgs@users.noreply.github.com>
Guillaume Blaquiere <guillaume.blaquiere@gmail.com>

Guillaume J. Charmes <guillaume@charmes.net>

Guillaume Sottas <guillaumesottas@gmail.com>

Gnther Noack <gnoack@google.com>

Guobiao Mei <meiguobiao@gmail.com>

Guodong Li <guodongli@google.com>

Guoliang Wang <iamwgliang@gmail.com>

Guoqi Chen <chenguoqi@loongson.cn>

Gustav Paul <gustav.paul@gmail.com>

Gustav Westling <gustav@westling.xyz>

Gustavo Franco <gustavorfranco@gmail.com>

Gustavo Niemeyer <gustavo@niemeyer.net> <n13m3y3r@gmail.com>

Gwenael Treguier <gwenn.kahz@gmail.com>

Gyu-Ho Lee <gyuhox@gmail.com>

H. brahim Gngr <igungor@gmail.com>

Hajime Hoshi <hajimehoshi@gmail.com>

Hallgrimur Gunnarsson <halg@google.com>

HAMANO Tsukasa <hamano@osstech.co.jp>

Han-Wen Nienhuys <hanwen@google.com>

Hang Qian <hangqian90@gmail.com>

Hanjun Kim <hallazzang@gmail.com>

Hanlin He <hanling.he@gmail.com>

Hanlin Shi <shihanlin9@gmail.com>

Hans Nielsen <hans@stackallocated.com>

Hao Mou <mouhao.mu@gmail.com>

Haoran Luo <haoran.luo@chaitin.com>

Haosdent Huang <haosdent@gmail.com>

Harald Nordgren <haraldnordgren@gmail.com>

Hari haran <hariharan.uno@gmail.com>

Hariharan Srinath <srinathh@gmail.com>

Harley Laue <losinggeneration@gmail.com>

Harry Moreno <morenoh149@gmail.com>

Harshavardhana <hrshvardhana@gmail.com>

Hasan Ozgan <hasan@ozgan.net>

Hasit Bhatt <hasit.p.bhatt@gmail.com>

Hauke Lffler <hloeffler@users.noreply.github.com>

Hvard Haugen <havard.haugen@gmail.com>

He Liu <liulonnie@gmail.com>

Hector Chu <hectorchu@gmail.com>

Hector Martin Cantero <hector@marcansoft.com>

Hein Khant Zaw <heinkhantzaw1@gmail.com>

Henning Schmiedehausen <henning@schmiedehausen.org>

Henrik Edwards <henrik.edwards@gmail.com>

Henrik Hodne <henrik@hodne.io>

Henrique Vicente <henriquevicente@gmail.com>

Henry Adi Sumarto <henry.adisumarto@gmail.com>

Henry Bubert <google@mindeco.de>

Henry Chang <mr.changyuheng@gmail.com>

Henry Clifford <h.a.clifford@gmail.com>

Henry Wong <liushuai.wang@elastic.co>

Herbert Georg Fischer <herbert.fischer@gmail.com>

Herbie Ong <herbie@google.com>

Heschi Kreinick <heschi@google.com>

Hidetatsu Yaginuma <ygnmhdtt@gmail.com>

Hilko Bengen <bengen@hilluzination.de>

Himanshu Kishna Srivastava <28himanshu@gmail.com>

Hiroaki Nakamura <hnakamur@gmail.com>

Hiromichi Ema <ema.hiro@gmail.com>

Hironao OTSUBO <motemen@gmail.com>

Hiroshi Ioka <hirochachacha@gmail.com>

Hitoshi Mitake <mitake.hitoshi@gmail.com>

Holden Huang <ttyh061@gmail.com>

Hong Ruiqi <hongruiqi@gmail.com>

Hongfei Tan <feilengcui008@gmail.com>

Horacio Duran <horacio.duran@gmail.com>

Horst Rutter <hhrutter@gmail.com>

Hossein Sheikh Attar <hattar@google.com>

Hossein Zolfi <hossein.zolfi@gmail.com>

Howard Zhang <howard.zhang@arm.com>

Hsin Tsao <tsao@google.com>

Hsin-Ho Yeh <yhh92u@gmail.com>

Hu Keping <hukeping@huawei.com>

Huan Du <i@huandu.me>

Hugues Bruant <hugues.bruant@gmail.com>

Huy Le <huy.dinh.le.89@gmail.com>

Hyang-Ah Hana Kim <hakim@google.com> <hyangah@gmail.com>

Hyoyoung Chang <hyoyoung@gmail.com>

Ian Cottrell <iancottrell@google.com>

Ian Davis <nospam@iandavis.com>

Ian Gudger <ian@loosescre.ws>

Ian Haken <ihaken@netflix.com>

Ian Kent <iankent85@gmail.com>

Ian Lance Taylor <iant@golang.org>

Ian Leue <ian@appboy.com>

Ian Mckay <iann0036@gmail.com>

Ian Tay <iantay@google.com>

Ian Zapolsky <ianzapolsky@gmail.com>

Ibrahim AshShohail <ibra.sho@gmail.com>

Icarus Sparry <golang@icarus.freeuk.com>

Iccha Sethi <icchasethi@gmail.com>

Ichinose Shogo <shogo82148@gmail.com>

Idora Shinatose <idora.shinatose@gmail.com>

Ignacio Hagopian <jsign.uy@gmail.com>

Igor Bernstein <igorbernstein@google.com>

Igor Bolotnikov <igor.v.bolotnikov@gmail.com>

Igor Dolzhikov <bluesriverz@gmail.com>

Igor Vashyst <ivashyst@gmail.com>

Igor Zhilianin <igor.zhilianin@gmail.com>

Ikko Ashimine <eltociear@gmail.com>

Illya Yalovyy <yalovoy@gmail.com>

Ilya Chukov <56119080+Elias506@users.noreply.github.com>

Ilya Mateyko <me@astrophena.name>

Ilya Sinelnikov <sidhmangh@gmail.com>

Ilya Tocar <ilya.tocar@intel.com>

INADA Naoki <songofacandy@gmail.com>

Inanc Gumus <m@inanc.io>

Ingo Gottwald <in.gottwald@gmail.com>

Ingo Krabbe <ikrabbe.ask@gmail.com>

Ingo Oeser <nightlyone@googlemail.com> <nightlyone@gmail.com>

Ioannis Georgoulas <geototti21@hotmail.com>

Irbe Krumina <irbekrm@gmail.com>

Irfan Sharif <irfanmahmoudsharif@gmail.com>

Irieda Noboru <irieda@gmail.com>

Isaac Ardis <isaac.ardis@gmail.com>

Isaac Wagner <ibw@isaacwagner.me>

Isfan Azhabil <isfanazhabil@gmail.com>

Iskander Sharipov <iskander.sharipov@intel.com> <quasilyte@gmail.com>

Issac Trotts <issactrotts@google.com>

Ivan Babrou <ivan@cloudflare.com>

Ivan Bertona <ivan.bertona@gmail.com>

Ivan Krasin <krasin@golang.org>

Ivan Kutuzov <arbrix@gmail.com>

Ivan Markin <sw@nogoegst.net>

Ivan Moscoso <moscoso@gmail.com>

Ivan Osadchiy <ivan.osadchii@gmail.com>

Ivan Sharavuev <shpiwan@gmail.com>

Ivan Trubach <mr.trubach@icloud.com>

Ivan Ukhov <ivan.ukhov@gmail.com>

Ivy Evans <ivy@ivyevans.net>

Jaana Burcu Dogan <jbd@google.com> <jbd@golang.org> <burcujdogan@gmail.com>

Jaap Aarts <jaap.aarts1@gmail.com>

Jack Britton <jackxbritton@gmail.com>

Jack Lindamood <jlindamo@justin.tv>

Jack You <jamesyou@google.com>

Jacob Baskin <jbaskin@google.com>

Jacob Blain Christen <dweomer5@gmail.com>

Jacob H. Haven <jacob@cloudflare.com>

Jacob Hoffman-Andrews <github@hoffman-andrews.com>

Jacob Walker <jacobwalker0814@gmail.com>

Jaden Teng <long.asyn@gmail.com>

Jae Kwon <jae@tendermint.com>

Jake B <doogie1012@gmail.com>

Jake Ciolek <jakub@ciolek.dev>

Jakob Borg <jakob@nym.se>

Jakob Weisblat <jakobw@mit.edu>

Jakub ajka <jcajka@redhat.com>

Jakub Kaczmarzyk <jakubk@mit.edu>

Jakub Ryszard Czarnowicz <j.czarnowicz@gmail.com>

Jakub Warczarek <jakub.warczarek@gmail.com>

Jamal Carvalho <jamal.a.carvalho@gmail.com>

James Aguilar <jaguilar@google.com>

James Bardin <j.bardin@gmail.com>

James Chacon <jchacon@google.com>

James Clarke <jrtc27@jrtc27.com>

James Cowgill <James.Cowgill@imgtec.com>

James Craig Burley <james-github@burleyarch.com>

James David Chalfant <james.chalfant@gmail.com>

James Eady <jmeady@google.com>

James Fennell <jpfennell@google.com>

James Fysh <james.fysh@gmail.com>

James Gray <james@james4k.com>

James Harris <mailjamesharris@gmail.com>

James Hartig <fastest963@gmail.com>

James Kasten <jdkasten@google.com>

James Lawrence <jljatone@gmail.com>

James Meneghello <rawrz0r@gmail.com>

James Myers <jfmyers9@gmail.com>

James Naftel <james.naftel@gmail.com>

James Neve <jamesoneve@gmail.com>

James Nugent <james@jen20.com>

James P. Cooper <jamespcooper@gmail.com>

James Robinson <jamesr@google.com> <jamesr.gatech@gmail.com>

James Schofield <james@shoeboxapp.com>

James Smith <jrs1995@icloud.com>

James Sweet <james.sweet88@googlemail.com>

James Toy <nil@opensesame.st>

James Treanor <jtreanor3@gmail.com>

James Tucker <raggi@google.com>

James Whitehead <jnwhiteh@gmail.com>

Jamie Beverly <jamie.r.beverly@gmail.com>

Jamie Gennis <jgennis@google.com> <jgennis@gmail.com>

Jamie Kerr <jkerr113@googlemail.com>

Jamie Liu <jamieliu@google.com>

Jamie Stackhouse <contin673@gmail.com>

Jamie Turner <jamwt@dropbox.com>

Jamie Wilkinson <jaq@spacepants.org>

Jamil Djadala <djadala@gmail.com>

Jan Berktold <jan@berktold.co>

Jan H. Hosang <jan.hosang@gmail.com>

Jan Kratochvil <jan.kratochvil@redhat.com>

Jan Lehnardt <jan@apache.org>

Jan Mercl <0xjnml@gmail.com> <befelemepeseveze@gmail.com>

Jan Newmarch <jan.newmarch@gmail.com>

Jan Pilzer <jan.pilzer@gmx.de>

Jan Steinke <jan.steinke@gmail.com>

Jan Ziak <0xe2.0x9a.0x9b@gmail.com>

Jani Monoses <jani.monoses@ubuntu.com> <jani.monoses@gmail.com>

Jannis Andrija Schnitzer <jannis@schnitzer.im>

Jared Allard <jaredallard@users.noreply.github.com>

Jared Culp <jculp14@gmail.com>

Jaroslavas Poepko <jp@webmaster.ms>

Jason A. Donenfeld <Jason@zx2c4.com>

Jason Baker <jason-baker@users.noreply.github.com>

Jason Barnett <jason.w.barnett@gmail.com>

Jason Buberel <jbuberel@google.com>

Jason Chu <jasonchujc@gmail.com>

Jason Del Ponte <delpontej@gmail.com>

Jason Hall <jasonhall@google.com>

Jason Keene <jasonkeene@gmail.com>

Jason LeBrun <jblebrun@gmail.com>

Jason Smale <jsmale@zendesk.com>

Jason Travis <infomaniac7@gmail.com>

Jason Wangsadinata <jwangsadinata@gmail.com>

Javier Kohen <jkohen@google.com>

Javier Revillas <jrevillas@massivedynamic.io>

Javier Segura <javism@gmail.com>

Jay Chen <chenjie@chenjie.info>

Jay Conrod <jayconrod@google.com>

Jay Lee <BusyJayLee@gmail.com>

Jay Taylor <outtatime@gmail.com>

Jay Weisskopf <jay@jayschwa.net>

Jean de Klerk <deklerk@google.com>

Jean-Andr Santoni <jean.andre.santoni@gmail.com>

Jean-Franois Bustarret <jf@bustarret.com>

Jean-Francois Cantin <jfcantin@gmail.com>

Jean-Hadrien Chabran <jh@chabran.fr>

Jean-Marc Eurin <jmeurin@google.com>

Jean-Nicolas Moal <jn.moal@gmail.com>

Jed Denlea <jed@fastly.com>

Jdrzej Szczepaniak <jbszczepaniak@gmail.com>

Jeet Parekh <jeetparekh96@gmail.com>

Jeevanandam M <jeeva@myjeeva.com>

Jeff (Zhefu) Jiang <jeffjiang@google.com>

Jeff Craig <jeffcraig@google.com>

Jeff Dupont <jeff.dupont@gmail.com>

Jeff Hodges <jeff@somethingsimilar.com>

Jeff Johnson <jrjohnson@google.com>

Jeff R. Allen <jra@nella.org> <jeff.allen@gmail.com>

Jeff Sickel <jas@corpus-callosum.com>

Jeff Wendling <jeff@spacemonkey.com>

Jeff Wentworth <j.wentworth@gmail.com>

Jeff Widman <jeff@jeffwidman.com>

Jeffrey H <jeffreyh192@gmail.com>

Jelte Fennema <github-tech@jeltef.nl>

Jens Frederich <jfrederich@gmail.com>

Jeremiah Harmsen <jeremiah@google.com>

Jeremy Banks <_@jeremy.ca>

Jeremy Canady <jcanady@gmail.com>

Jeremy Faller <jeremy@golang.org>

Jeremy Jackins <jeremyjackins@gmail.com>

Jeremy Jay <jeremy@pbnjay.com>

Jeremy Schlatter <jeremy.schlatter@gmail.com>

Jero Bado <tokidokitalkyou@gmail.com>

Jeroen Bobbeldijk <jerbob92@gmail.com>

Jeroen Simonetti <jeroen@simonetti.nl>

Jrme Doucet <jerdct@gmail.com>

Jerrin Shaji George <jerrinsg@gmail.com>

Jess Frazelle <me@jessfraz.com>

Jesse Szwedko <jesse.szwedko@gmail.com>

Jess Espino <jespinog@gmail.com>

Jia Zhan <jzhan@uber.com>

Jiacai Liu <jiacai2050@gmail.com>

Jiahao Lu <lujjjh@gmail.com>

Jiahua Wang <wjh180909@gmail.com>

Jianing Yu <jnyu@google.com>

Jianqiao Li <jianqiaoli@google.com>

Jiayu Yi <yijiayu@gmail.com>

Jie Ma <jienius@outlook.com>

Jihyun Yu <yjh0502@gmail.com>

Jim Cote <jfcote87@gmail.com>

Jim Kingdon <jim@bolt.me>

Jim McGrath <jimmc2@gmail.com>

Jim Minter <jminter@redhat.com>

Jimmy Frasche <soapboxcicero@gmail.com>

Jimmy Zelinskie <jimmyzelinskie@gmail.com>

Jin-wook Jeong <jeweljar@hanmail.net>

Jingcheng Zhang <diogin@gmail.com>

Jingguo Yao <yaojingguo@gmail.com>

Jingnan Si <jingnan.si@gmail.com>

Jinkun Zhang <franksnolf@gmail.com>

Jinwen Wo <wojinwen@huawei.com>

Jiong Du <londevil@gmail.com>

Jirka Dank <dnk@mail.muni.cz>

Jiulong Wang <jiulongw@gmail.com>

Joakim Sernbrant <serbaut@gmail.com>

Jochen Weber <jochen.weber80@gmail.com>

Joe Bowbeer <joe.bowbeer@gmail.com>

Joe Cortopassi <joe@joecortopassi.com>

Joe Farrell <joe2farrell@gmail.com>

Joe Harrison <joehazzers@gmail.com>

Joe Henke <joed.henke@gmail.com>

Joe Kyo <xunianzu@gmail.com>

Joe Poirier <jdpoirier@gmail.com>

Joe Richey <joerichey@google.com>

Joe Shaw <joe@joeshaw.org>

Joe Sylve <joe.sylve@gmail.com>

Joe Tsai <joetsai@digital-static.net>

Joel Courtney <euphemize@gmail.com>

Joel Ferrier <joelferrier@google.com>

Joel Sing <joel@sing.id.au> <jsing@google.com>

Jol Stemmer <jstemmer@google.com>

Joel Stemmer <stemmertech@gmail.com>

Joey Geiger <jgeiger@users.noreply.github.com>

Johan Brandhorst <johan.brandhorst@gmail.com>

Johan Euphrosine <proppy@google.com>

Johan Jansson <johan.jansson@iki.fi>

Johan Knutzen <johan@senri.se>

Johan Sageryd <j@1616.se>

Johannes Altmanninger <aclopte@gmail.com>

Johannes Huning <johannes.huning@gmail.com>

John Asmuth <jasmuth@gmail.com>

John Bampton <jbampton@gmail.com>

John Beisley <huin@google.com>

John C Barstow <jbowtie@amathaine.com>

John DeNero <denero@google.com>

John Dethridge <jcd@golang.org>

John Gibb <johngibb@gmail.com>

John Gilik <john@jgilik.com>

John Graham-Cumming <jgc@jgc.org> <jgrahamc@gmail.com>

John Howard Palevich <jack.palevich@gmail.com>

John Jago <johnjago@protonmail.com>

John Jeffery <jjeffery@sp.com.au>

John Jenkins <twodopeshaggy@gmail.com>

John Kelly <jkelly@squarespace.com>

John Leidegren <john.leidegren@gmail.com>

John McCabe <john@johnmccabe.net>

John Moore <johnkenneth.moore@gmail.com>

John Newlin <jnewlin@google.com>

John Olheiser <john.olheiser@gmail.com>

John Papandriopoulos <jpap.code@gmail.com>

John Potocny <johnp@vividcortex.com>

John R. Lenton <jlenton@gmail.com>

John Schnake <schnake.john@gmail.com>

John Shahid <jvshahid@gmail.com>

John Tuley <john@tuley.org>

John Weldon <johnweldon4@gmail.com>

Johnny Luo <johnnyluo1980@gmail.com>

Jon Chen <jchen@justin.tv>

Jon Johnson <jonjohnson@google.com>

Jonas Bernoulli <jonas@bernoul.li>

Jonathan Albrecht <jonathan.albrecht@ibm.com>

Jonathan Allie <jonallie@google.com>

Jonathan Amsterdam <jba@google.com>

Jonathan Boulle <jonathanboulle@gmail.com>

Jonathan Chen <dijonkitchen@users.noreply.github.com>

Jonathan Feinberg <feinberg@google.com>

Jonathan Gold <jgold.bg@gmail.com>

Jonathan Hseu <jhseu@google.com>

Jonathan Mark <jhmark@xenops.com> <jhmark000@gmail.com>

Jonathan Nieder <jrn@google.com>

Jonathan Pentecost <pentecostjonathan@gmail.com>

Jonathan Pittman <jmpittman@google.com> <jonathan.mark.pittman@gmail.com>

Jonathan Rudenberg <jonathan@titanous.com>

Jonathan Stacks <jonstacks13@gmail.com>

Jonathan Swinney <jswinney@amazon.com>

Jonathan Wills <runningwild@gmail.com>

Jonathon Lacher <jonathon.lacher@gmail.com>

Jongmin Kim <atomaths@gmail.com>

Joonas Kuorilehto <joneskoo@derbian.fi>

Joop Kiefte <ikojba@gmail.com> <joop@kiefte.net>

Jordan Christiansen <xordspar0@gmail.com>

Jordan Krage <jmank88@gmail.com>

Jordan Lewis <jordanthelewis@gmail.com>

Jordan Liggitt <liggitt@google.com>

Jordan Rhee <jordanrh@microsoft.com>

Jordan Rupprecht <rupprecht@google.com>

Jordi Martin <jordimartin@gmail.com>

Jorge Araya <jorgejavieran@yahoo.com.mx>

Jorge L. Fatta <jorge.fatta@auth0.com>

Jorge Troncoso <jatron@google.com>

Jos Visser <josv@google.com>

Josa Gesell <josa@gesell.me>

Jose Luis Vzquez Gonzlez <josvazg@gmail.com>

Joseph Bonneau <jcb@google.com>

Joseph Holsten <joseph@josephholsten.com>

Joseph Morag <sefim96@gmail.com>

Josh Baum <joshbaum@google.com>

Josh Bleecher Snyder <josharian@gmail.com>

Josh Chorlton <jchorlton@gmail.com>

Josh Deprez <josh.deprez@gmail.com>

Josh Goebel <dreamer3@gmail.com>

Josh Hoak <jhoak@google.com>

Josh Holland <jrh@joshh.co.uk>

Josh Rickmar <jrick@companyzero.com>

Josh Roppo <joshroppo@gmail.com>

Josh Varga <josh.varga@gmail.com>

Joshua Bezaleel Abednego <joshua.bezaleel@gmail.com>

Joshua Boelter <joshua.boelter@intel.com>

Joshua Chase <jcjoshuachase@gmail.com>

Joshua Crowgey <jcrowgey@uw.edu>

Joshua Harshman <joshgreyhat@gmail.com>

Joshua M. Clulow <josh.clulow@joyent.com>

Joshua Rubin <joshua@rubixconsulting.com>

Josselin Costanzi <josselin@costanzi.fr>

Jostein Stuhaug <js@solidsystem.no>

JP Sugarbroad <jpsugar@google.com>

JT Olds <jtolds@xnet5.com>

JT Olio <hello@jtolio.com>

Juan Carlos <juanjcsr@gmail.com>

Juan Pablo Civile <elementohb@gmail.com>

Jude Pereira <judebpereira@gmail.com>

Jukka-Pekka Kekkonen <karatepekka@gmail.com>

Julia Hansbrough <flowerhack@google.com>

Julian Kornberger <jk+github@digineo.de>

Julian Pastarmov <pastarmovj@google.com>

Julian Phillips <julian@quantumfyre.co.uk>

Julian Tibble <julian.tibble@gmail.com>

Julie Qiu <julie@golang.org>

Julien Kauffmann <julien.kauffmann@freelan.org>

Julien Salleyron <julien.salleyron@gmail.com>

Julien Schmidt <google@julienschmidt.com>

Julien Tant <julien@craftyx.fr>

Julio Montes <julio.montes@intel.com>

Jun Zhang <jim.zoumo@gmail.com>

Junchen Li <junchen.li@arm.com>

Junda Liu <junda@celer.network>

Jungho Ahn <jhahn@google.com>

Junya Hayashi <ledmonster@gmail.com>

Juraj Sukop <sukop@users.noreply.github.com>

Jure Ham <jure.ham@zemanta.com>

Justin Gracenin <jgracenin@gmail.com>

Justin Li <git@justinli.net>

Justin Nu <nuss.justin@gmail.com>

Justyn Temme <justyntemme@gmail.com>

Kai Backman <kaib@golang.org>

Kai Dong <dokia2357@gmail.com>

Kai Lke <kai@kinvolk.io>

Kai Trukenmller <ktye78@gmail.com>

Kale Blankenship <kale@lemnisys.com>

Kaleb Elwert <kelwert@atlassian.com>

Kalman Bekesi <kalmanb@google.com>

Kamal Aboul-Hosn <aboulhosn@google.com>

Kamil Chmielewski <kamil.chm@gmail.com>

Kamil Kisiel <kamil@kamilkisiel.net> <kamil.kisiel@gmail.com>

Kamil Rytarowski <krytarowski@users.noreply.github.com>

Kang Hu <hukangustc@gmail.com>

Kanta Ebihara <kantaebihara@gmail.com>

Karan Dhiman <karandhi@ca.ibm.com>

Karel Pazdera <pazderak@gmail.com>

Karoly Negyesi <chx1975@gmail.com>

Karsten Khler <karsten.koehler95@gmail.com>

Karthik Nayak <karthik.188@gmail.com>

Kashav Madan <kshvmdn@gmail.com>

Kate Manson <kate.manson@izettle.com>

Katharine Berry <ktbry@google.com>

Katie Hockman <katie@golang.org>

Kato Kazuyoshi <kato.kazuyoshi@gmail.com>

Katrina Owen <katrina.owen@gmail.com>

Kaviraj Kanagaraj <kavirajkanagaraj@gmail.com>

Kay Zhu <kayzhu@google.com>

Kazuhiro Sera <seratch@gmail.com>

KB Sriram <kbsriram@google.com>

Keegan Carruthers-Smith <keegan.csmith@gmail.com>

Kei Son <hey.calmdown@gmail.com>

Keiichi Hirobe <chalenge.akane@gmail.com>

Keiji Yoshida <keijiyoshida.mail@gmail.com>

Keisuke Kishimoto <keisuke.kishimoto@gmail.com>

Keith Ball <inflatablewoman@gmail.com>

Keith Randall <khr@golang.org>

Keith Rarick <kr@xph.us>

Kelly Heller <pestophagous@gmail.com>

Kelsey Hightower <kelsey.hightower@gmail.com>

Kelvin Foo Chuan Lyi <vmirage@gmail.com>

Kemal Elmizan <kemalelmizan@gmail.com>

Ken Friedenbach <kenliz@cruzio.com>

Ken Rockot <ken@oz.gs> <ken.rockot@gmail.com>

Ken Sedgwick <ken@bonsai.com>

Ken Thompson <ken@golang.org>

Kenichi Tsunokawa <kenichi.tsunokawa@gmail.com>

Kenji Kaneda <kenji.kaneda@gmail.com>

Kenji Yano <kenji.yano@gmail.com>

Kenneth Shaw <kenshaw@gmail.com>

Kenny Grant <kennygrant@gmail.com>

Kensei Nakada <handbomusic@gmail.com>

Kenta Mori <zoncoen@gmail.com>

Kerollos Magdy <kerolloz@yahoo.com>

Ketan Parmar <ketanbparmar@gmail.com>

Kevan Swanberg <kevswanberg@gmail.com>

Kevin Albertson <kevin.albertson@mongodb.com>

Kevin Ballard <kevin@sb.org>

Kevin Burke <kev@inburke.com>

Kvin Dunglas <dunglas@gmail.com>

Kevin Gillette <extemporalgenome@gmail.com>

Kevin Herro <kevin109104@gmail.com>

Kevin Kirsche <kev.kirsche@gmail.com>

Kevin Klues <klueska@gmail.com> <klueska@google.com>

Kevin Malachowski <chowski@google.com>

Kevin Parsons <kevpar@microsoft.com>

Kevin Ruffin <kruffin@gmail.com>

Kevin Vu <kevin.m.vu@gmail.com>

Kevin Zita <bleedgreenandgold@gmail.com>

Keyan Pishdadian <kpishdadian@gmail.com>

Keyuan Li <keyuanli123@gmail.com>

Kezhu Wang <kezhuw@gmail.com>

Khosrow Moossavi <khos2ow@gmail.com>

Kieran Colford <kieran@kcolford.com>

Kieran Gorman <kieran.j.gorman@gmail.com>

Kim Shrier <kshrier@racktopsystems.com>

Kim Yongbin <kybinz@gmail.com>

Kir Kolyshkin <kolyshkin@gmail.com>

Kirill Korotaev <kirillx@gmail.com>

Kirill Motkov <Motkov.Kirill@gmail.com>

Kirill Smelkov <kirr@nexedi.com>

Kirill Tatchihin <kirabsuir@gmail.com>

Kirk Han <kirk91.han@gmail.com>

Kirklin McDonald <kirklin.mcdonald@gmail.com>

KJ Tsanaktsidis <ktsanaktsidis@zendesk.com>

Klaus Post <klauspost@gmail.com>

Kodie Goodwin <kodiegoodwin@gmail.com>

Koichi Shiraishi <zchee.io@gmail.com>

Koki Ide <niconegoto@yahoo.co.jp>

Koki Tomoshige <tomocy.dev@gmail.com>

Komu Wairagu <komuw05@gmail.com>

Konstantin <konstantin8105@gmail.com>

Konstantin Shaposhnikov <k.shaposhnikov@gmail.com>

Koya IWAMURA <kiwamura0314@gmail.com>

Kris Kwiatkowski <kris@cloudflare.com>

Kris Nova <kris@nivenly.com>

Kris Rousey <krousey@google.com>

Krishna Birla <krishnabirla16@gmail.com>

Kristopher Watts <traetox@gmail.com>

Krzysztof Dbrowski <krzysdabro@live.com>

Kshitij Saraogi <kshitijsaraogi@gmail.com>

Kun Li <likunarmstrong@gmail.com>

Kunpei Sakai <namusyaka@gmail.com>

Kuntal Majumder <hellozee@disroot.org>

Kush Patel <kush.patel@hootsuite.com>

Kyle Consalus <consalus@gmail.com>

Kyle Isom <kyle@gokyle.net>

Kyle Jones <kyle@kyledj.com>

Kyle Lemons <kyle@kylelemons.net> <kevlar@google.com>

Kyle Nusbaum <kyle@datadog.com>

Kyle Shannon <kyle@pobox.com>

Kyle Spiers <eiais@google.com>

Kyle Wood <kyle@kylewood.cc>

Kyohei Kadota <lufia@lufia.org>

Kyrylo Silin <silin@kyrylo.org>

L Campbell <unpantsu@gmail.com>

Lai Jiangshan <eag0628@gmail.com>

Lajos Papp <lalyos@yahoo.com>

Lakshay Garg <lakshay.garg.1996@gmail.com>

Lann Martin <lannm@google.com>

Lanre Adelowo <yo@lanre.wtf>

Lapo Luchini <lapo@lapo.it>

Larry Clapp <larry@theclapp.org>

Larry Hosken <lahosken@golang.org>

Lars Jeppesen <jeppesen.lars@gmail.com>

Lars Lehtonen <lars.lehtonen@gmail.com>

Lars Wiegman <lars@namsral.com>

Larz Conwell <larzconwell@gmail.com>

Laurent Voisin <lpvoisin@gmail.com>

Laurie Clark-Michalek <laurie@qubit.com>

LE Manh Cuong <cuong.manhle.vn@gmail.com>

Lee Hinman <hinman@gmail.com>

Lee Packham <lpackham@gmail.com>

Lehner Florian <dev@der-flo.net>

Leigh McCulloch <leighmcc@gmail.com>

Leo Antunes <leo@costela.net>

Leo Rudberg <ljr@google.com>

Leon Klingele <git@leonklingele.de>

Leonard Wang <wangdeyu0907@gmail.com> <wangdeyu@golangcn.org>

Leonardo Comelli <leonardo.comelli@gmail.com>

Leonel Quinteros <leonel.quinteros@gmail.com>

Lev Shamardin <shamardin@gmail.com>

Lewin Bormann <lewin.bormann@gmail.com>

Lewis Waddicor <nemesismk2@gmail.com>

Li-Yu Yu <aaronyu@google.com>

Liam Haworth <liam@haworth.id.au>

Lily Chung <lilithkchung@gmail.com>

Lingchao Xin <douglarek@gmail.com>

Lion Yang <lion@aosc.xyz>

Liz Rice <liz@lizrice.com>

Lize Cai <lizzzcai1@gmail.com>

Lloyd Dewolf <foolswisdom@gmail.com>

Llus Batlle i Rossell <viric@viric.name>

Lorenz Bauer <lmb@cloudflare.com>

Lorenz Brun <lorenz@brun.one>

Lorenz Nickel <mail@lorenznickel.de>

Lorenzo Masini <rugginoso@develer.com>

Lorenzo Stoakes <lstoakes@gmail.com>

Louis Kruger <louisk@google.com>

Luan Santos <cfcluan@gmail.com>

Lubomir I. Ivanov <neolit123@gmail.com>

Luca Bruno <luca.bruno@coreos.com>

Luca Greco <luca.greco@alcacoop.it>

Luca Spiller <luca@stackednotion.com>

Lucas Bremgartner <lucas.bremgartner@gmail.com>

Lucas Clemente <lclemente@google.com>

Lucien Stuker <lucien.stuker@gmail.com>

Lucio De Re <lucio.dere@gmail.com>

Ludi Rehak <ludi317@gmail.com>

Luigi Riefolo <luigi.riefolo@gmail.com>

Luit van Drongelen <luitvd@gmail.com>

Luka Zakrajek <tr00.g33k@gmail.com>

Luka Zitnik <luka.zitnik@gmail.com>

Lukasz Milewski <lmmilewski@gmail.com>

Luke Champine <luke.champine@gmail.com>

Luke Curley <qpingu@gmail.com>

Luke Granger-Brown <git@lukegb.com>

Luke Shumaker <lukeshu@datawire.io>

Luke Young <bored-engineer@users.noreply.github.com>

Luna Duclos <luna.duclos@palmstonegames.com>

Luuk van Dijk <lvd@golang.org> <lvd@google.com>

Lyle Franklin <lylejfranklin@gmail.com>

Lynn Boger <laboger@linux.vnet.ibm.com>

Ma Peiqi <mapeiqi2017@gmail.com>

Maarten Bezemer <maarten.bezemer@gmail.com>

Maciej Dbski <maciejd@google.com>

Madhu Rajanna <madhupr007@gmail.com>

Magnus Hiie <magnus.hiie@gmail.com>

Mahdi Hosseini Moghaddam <seyed.mahdi.hosseini.moghaddam@ibm.com>

Maia Lee <maia.lee@leftfieldlabs.com>

Maicon Costa <maiconscosta@gmail.com>

Mak Kolybabi <mak@kolybabi.com>

Maksym Trykur <maksym.trykur@gmail.com>

Mal Curtis <mal@mal.co.nz>

Manfred Touron <m@42.am>

Manigandan Dharmalingam <manigandan.jeff@gmail.com>

Manish Goregaokar <manishsmail@gmail.com>

Manlio Perillo <manlio.perillo@gmail.com>

Manoj Dayaram <platform-dev@moovweb.com> <manoj.dayaram@moovweb.com>

Mansour Rahimi <rahimi.mnr@gmail.com>

Manu Garg <manugarg@google.com>

Manu S Ajith <neo@codingarena.in>

Manuel Mendez <mmendez534@gmail.com>

Marat Khabibullin <marat.khabibullin@jetbrains.com>
Marc Sanmiquel <marcsanmiquel@gmail.com>
Marc Weistroff <marc@weistroff.net>
Marc-Antoine Ruel <maruel@chromium.org>
Marcel Edmund Franke <marcel.edmund.franke@gmail.com>
Marcel van Lohuizen <mpvl@golang.org>
Marcelo Cantos <marcelo.cantos@gmail.com>
Marcelo E. Magallon <marcelo.magallon@gmail.com>
Marco Gazerro <gazerro@open2b.com>
Marco Hennings <marco.hennings@freiheit.com>
Marcus Weiner <marcus.weiner@gmail.com>
Marcus Willock <crazcalm@gmail.com>
Marga Manterola <marga@google.com>
Mariano Cano <mariano@smallstep.com>
Marin Bai <marin.basic02@gmail.com>
Mario Arranz <marioarranzr@gmail.com>
Marius A. Eriksen <marius@grailbio.com>
Marius Nuennerich <mnu@google.com>
Mark Adams <mark@markadams.me>
Mark Bucciarelli <mkbucc@gmail.com>
Mark Dain <mark@markdain.net>
Mark Glines <mark@glines.org>
Mark Hansen <markhansen@google.com>
Mark Harrison <marhar@google.com>
Mark Jeffery <dandare100@gmail.com>
Mark Percival <m@mdp.im>
Mark Pulford <mark@kyne.com.au>
Mark Rushakoff <mark.rushakoff@gmail.com>
Mark Ryan <mark.d.ryan@intel.com>
Mark Severson <miquella@gmail.com>
Mark Theunissen <mark.theunissen@gmail.com>
Mark Villacampa <m@markvillacampa.com>
Mark Wolfe <mark@wolfe.id.au>
Mark Zavislak <zavislak@google.com>
Marko Juhani Silokunnas <marko.silokunnas@gmail.com>
Marko Kevac <marko@kevac.org>
Marko Kungla <marko.kungla@gmail.com>
Marko Mikulicic <mkm@google.com>
Marko Mudrinic <mudrinic.mare@gmail.com>
Marko Tiikkaja <marko@joh.to>
Markus Duft <markus.duft@salomon.at>
Markus Sonderegger <marraison@gmail.com>
Markus Zimmermann <zimmski@gmail.com>
Marten Seemann <martenseemann@gmail.com>
Martin Asquino <martin.asquino@gmail.com>
Martin Bertschler <mbertschler@gmail.com>
Martin Garton <garton@gmail.com>
Martin Habbecke <marhab@google.com>

Martin Hamrle <martin.hamrle@gmail.com>

Martin Hoefling <martin.hoefling@gmx.de>

Martin Kreichgauer <martinkr@google.com>

Martin Kunc <martinkunc@users.noreply.github.com>

Martin Lindhe <martin.j.lindhe@gmail.com>

Martin Mhrmann <martin@golang.org> <moehrmann@google.com> <martisch@uos.de>

Martin Neubauer <m.ne@gmx.net>

Martin Olsen <github.com@martinolsen.net>

Martin Olsson <martin@minimum.se>

Martin Probst <martin@probst.io>

Martin Sucha <anty.sk+git@gmail.com>

Martin Tournoij <martin@arp242.net>

Martins Sipenko <martins.sipenko@gmail.com>

Martynas Budrinas <mabu@google.com>

Marvin Stenger <marvin.stenger94@gmail.com>

Marwan Sulaiman <marwan.sulaiman@work.co>

Maryan Hratson <gmarik@gmail.com>

Masahiro Furudate <masahiro.furudate@gmail.com>

Masahiro Wakame <vvakame@gmail.com>

Masaki Yoshida <yoshida.masaki@gmail.com>

Masaya Watanabe <sfbgwm30@gmail.com>

Mat Byczkowski <mbyczkowski@gmail.com>

Mat Ryer <thatmatryer@gmail.com>

Mt Gulys <mgulyas86@gmail.com>

Matej Bao <matejbaco@gmail.com>

Mateus Amin <mateus.amin@gmail.com>

Mateusz Czapliski <czapkofan@gmail.com>

Matheus Alcantara <matheusssilv97@gmail.com>

Mathias Beke <git@denbeke.be>

Mathias Hall-Andersen <mathias@hall-andersen.dk>

Mathias Leppich <mleppich@muhqu.de>

Mathieu Lonjaret <mathieu.lonjaret@gmail.com>

Mats Lidell <mats.lidell@cag.se> <mats.lidell@gmail.com>

Matt Aimonetti <mattaimonetti@gmail.com>

Matt Blair <me@matthewblair.net>

Matt Bostock <matt@mattbostock.com>

Matt Brown <mdbrown@google.com>

Matt Dee <mdee@hioscar.com>

Matt Drollette <matt@drollette.com>

Matt Harden <matt.harden@gmail.com>

Matt Jibson <matt.jibson@gmail.com>

Matt Joiner <anacrolix@gmail.com>

Matt Jones <mrjones@google.com>

Matt Juran <thepciet@gmail.com>

Matt Layher <mdlayher@gmail.com>

Matt Masurka <masurka@google.com>

Matt Pearring <broskies@google.com>

Matt Reiferson <mreiferson@gmail.com>

Matt Robenolt <matt@ydekproductions.com>
Matt Strong <mstrong1341@gmail.com>
Matt T. Proud <matt.proud@gmail.com>
Matt Williams <gh@mattyw.net> <mattyjwilliams@gmail.com>
Matthew Brennan <matty.brennan@gmail.com>
Matthew Broberg <matthewbbroberg@gmail.com>
Matthew Cottingham <mattcottingham@gmail.com>
Matthew Dempsky <mdempsky@google.com>
Matthew Denton <mdenton@skyportsystems.com>
Matthew Holt <Matthew.Holt+git@gmail.com>
Matthew Horsnell <matthew.horsnell@gmail.com>
Matthew Waters <mwwaters@gmail.com>
Matthias Dtsch <matze@mdoetsch.de>
Matthias Frei <matthias.frei@inf.ethz.ch>
Matthieu Hauglustaine <matt.hauglustaine@gmail.com>
Matthieu Olivier <olivier.matthieu@gmail.com>
Matthijs Kooijman <matthijs@stdin.nl>
Mattias Appelgren <mattias@ppelgren.se>
Mauricio Alvarado <mauricio.alvarado@leftfieldlabs.com>
Max Drosdo.www <g1ran1q@gmail.com>
Max Riveiro <kavu13@gmail.com>
Max Schmitt <max@schmitt.mx>
Max Semenik <maxsem.wiki@gmail.com>
Max Ushakov <ushmax@gmail.com>
Maxim Eryomenko <moeryomenko@gmail.com>
Maxim Khitrov <max@mxcrypt.com>
Maxim Pimenov <mpimenov@google.com>
Maxim Pugachev <pugachev.mm@gmail.com>
Maxim Ushakov <ushakov@google.com>
Maxime de Roucy <maxime.deroucy@gmail.com>
Mximo Cuadros Ortiz <mcuadros@gmail.com>
Maxwell Krohn <themax@gmail.com>
Maya Rashish <maya@NetBSD.org>
Mayank Kumar <krmayankk@gmail.com>
Mehrad Sadeghi <2012.linkinpark@gmail.com>
Meir Fischer <meirfischer@gmail.com>
Meng Zhuo <mengzhuo1203@gmail.com> <mzh@golangcn.org>
Mhd Sulhan <m.shulhan@gmail.com>
Mia Zhu <CrystalZhu1025getu@gmail.com>
Micah Stetson <micah.stetson@gmail.com>
Michael Anthony Knyszek <mknyszek@google.com>
Michael Brandenburg <mbrandenburg@bolste.com>
Michael Chaten <mchaten@gmail.com>
Michael Cook <code@mdcook.net>
Michael Darakananda <pongad@google.com>
Michael Dorner <mail@michaeldorner.de>
Michael Edwards <medwards@walledcity.ca>
Michael Elkins <michael.elkins@gmail.com>

Michael Ellis <micellis@justin.tv>

Michael Fraenkel <michael.fraenkel@gmail.com>

Michael Fromberger <michael.j.fromberger@gmail.com>

Michael Gehring <mg@ebfe.org> <gnirheg.leahcim@gmail.com>

Michael Henderson <mdhender@users.noreply.github.com>

Michael Hendricks <michael@ndrix.org>

Michael Hoisie <hoisie@gmail.com>

Michael Hudson-Doyle <michael.hudson@linaro.org>

Michael Kasch <michael.kasch@gmail.com>

Michael Kufl <golang@c.michael-kaeufl.de>

Michael Kelly <mjk@google.com>

Michal Lvesque-Dion <mlevesquedion@google.com>

Michael Lewis <mikelikespie@gmail.com>

Michael MacInnis <Michael.P.MacInnis@gmail.com>

Michael Marineau <michael.marineau@coreos.com>

Michael Matloob <matloob@google.com>

Michael McConville <momcconville@gmail.com>

Michael McGreevy <mcgreevy@golang.org>

Michael McLoughlin <mmcloughlin@gmail.com>

Michael Munday <mike.munday@ibm.com>

Michael Pearson <mipearson@gmail.com>

Michael Piatek <piatek@google.com>

Michael Pratt <mpratt@google.com>

Michael Schaller <michael@5challer.de>

Michael Schurter <michael.schurter@gmail.com>

Michael Shields <mshields@google.com>

Michael Stapelberg <michael@stapelberg.de> <mstplbrg@googlemail.com>

Michael Steinert <mike.steinert@gmail.com>

Michael T. Jones <mtj@google.com> <michael.jones@gmail.com>

Michael Teichgrber <mteichgraeber@gmx.de> <mt4swm@googlemail.com>

Michael Traver <mtraver@google.com>

Michael Vetter <g.bluehut@gmail.com>

Michael Vogt <mvo@ubuntu.com>

Michail Kargakis <mkargaki@redhat.com>

Michal Bohuslvek <mbohuslavek@gmail.com>

Michal Cierniak <cierniak@google.com>

Micha Derkacz <ziutek@lnet.pl>

Michal Franc <lam.michal.franc@gmail.com>

Michal Hruby <michal@axiom.co>

Micha owicki <mlowicki@gmail.com>

Michal Pristas <michal.pristas@gmail.com>

Michal Rostecki <mrostecki@suse.de>

Michal Stokluska <mstoklus@redhat.com>

Michalis Kargakis <michaliskargakis@gmail.com>

Michel Lespinasse <walken@google.com>

Michel Levieux <mlevieux42@gmail.com>

Michele Di Pede <michele.di.pede@gmail.com>

Mickael Kerjean <mickael.kerjean@gmail.com>

Mickey Reiss <mickeyreiss@gmail.com>

Miek Gieben <miek@miek.nl> <remigius.gieben@gmail.com>

Miguel Acero <acero@google.com>

Miguel Mendez <stxmendez@gmail.com>

Miguel Molina <hi@mvader.me>

Mihai Borobocea <MihaiBorobocea@gmail.com>

Mihai Moldovan <ionic@ionic.de>

Mihai Todor <todormihai@gmail.com>

Mihail Minaev <minaev.mike@gmail.com>

Mikael Tillenius <mikti42@gmail.com>

Mike Andrews <mra@xoba.com>

Mike Appleby <mike@app.leby.org>

Mike Danese <mikedanese@google.com>

Mike Houston <mike@kothar.net>

Mike Kabischev <kabischev@gmail.com>

Mike Rosset <mike.rosset@gmail.com>

Mike Samuel <mikesamuel@gmail.com>

Mike Solomon <msolo@gmail.com>

Mike Strosaker <strosake@us.ibm.com>

Mike Tsao <mike@sowbug.com>

Mike Wiacek <mjwiacek@google.com>

Mikhail Faraponov <11322032+moredure@users.noreply.github.com>

Mikhail Fesenko <proggga@gmail.com>

Mikhail Gusarov <dottedmag@dottedmag.net>

Mikhail Panchenko <m@mihasya.com>

Miki Tebeka <miki.tebeka@gmail.com>

Mikio Hara <mikioh.mikioh@gmail.com>

Mikkel Krautz <mikkel@krautz.dk> <krautz@gmail.com>

Mikoaj Baranowski <mikolajb@gmail.com>

Milan Knezevic <milan.knezevic@mips.com>

Milan Patel <bicelot3@gmail.com>

Milutin Jovanovic <jovanovic.milutin@gmail.com>

MinJae Kwon <mingrammer@gmail.com>

Miquel Sabat Sol <mikisabate@gmail.com>

Mirko Hansen <baaazen@gmail.com>

Miroslav Genov <mgenov@gmail.com>

Misty De Meo <mistydemeo@gmail.com>

Mohamed Attahri <mohamed@attahri.com>

Mohit Agarwal <mohit@sdf.org>

Mohit kumar Bajoria <mohitbajo36@gmail.com>

Mohit Verma <vmohit.93@gmail.com>

Momchil Velikov <momchil.velikov@gmail.com>

Monis Khan <mkhan@redhat.com>

Monty Taylor <mordred@inaugust.com>

Moritz Fain <moritz@fain.io>

Moriyoshi Koizumi <mozo@mozo.jp>

Morten Siebuhr <sbhr@sbhr.dk>

Mshe van der Sterre <moshevds@gmail.com>

Mostafa Solati <mostafa.solati@gmail.com>

Mostyn Bramley-Moore <mostyn@antipode.se>

Mrunal Patel <mrunalp@gmail.com>

Muhammad Falak R Wani <falakreyaz@gmail.com>

Muhammad Hamza Farrukh <hamzafarrukh141@gmail.com>

Muhammed Uluyol <uluyol0@gmail.com>

Muir Manders <muir@mnd.rs>

Mukesh Sharma <sharma.mukesh439@gmail.com>

Mura Li <mura_li@castech.com.tw>

Mykhailo Lesyk <mikhail@lesyk.org>

Nahum Shalman <nahamu@gmail.com>

Naman Aggarwal <aggarwal.nam@gmail.com>

Naman Gera <namangera15@gmail.com>

Nan Deng <monnand@gmail.com>

Nao Yonashiro <owan.orisano@gmail.com>

Naoki Kanatani <k12naoki@gmail.com>

Natanael Copa <ncopa@mirantis.com>

Nate Wilkinson <nathanwilk7@gmail.com>

Nathan Cantelmo <n.cantelmo@gmail.com>

Nathan Caza <mastercactapus@gmail.com>

Nathan Dias <nathan.dias@orijtech.com>

Nathan Fiscaletti <nathan.fiscaletti@vrazo.com>

Nathan Humphreys <nkhumphreys@gmail.com>

Nathan John Youngman <nj@nathany.com>

Nathan Otterness <otternes@cs.unc.edu>

Nathan P Finch <nate.finch@gmail.com>

Nathan VanBenschoten <nvanbenschoten@gmail.com>

Nathan Youngman <git@nathany.com>

Nathan(yinian) Hu <nathanhu@google.com>

Nathaniel Cook <nvcook42@gmail.com>

Naveen Kumar Sangi <naveenkumarsangi@protonmail.com>

Neeilan Selvalingam <neeilan96@gmail.com>

Neelesh Chandola <neelesh.c98@gmail.com>

Nehal J Wani <nehaljw.kkd1@gmail.com>

Neil Alexander <neilalexander@neilalexander.dev>

Neil Lyons <nwjlyons@googlemail.com>

Neuman Vong <neuman.vong@gmail.com>

Neven Sajko <nsajko@gmail.com>

Nevins Bartolomeo <nevins.bartolomeo@gmail.com>

Niall Sheridan <nsheridan@gmail.com>

Nic Day <nic.day@me.com>

Nicholas Asimov <nicholas@asimov.me>

Nicholas Katsaros <nick@nickkatsaros.com>

Nicholas Maniscalco <nicholas@maniscalco.com>

Nicholas Ng <nickng@nickng.io>

Nicholas Presta <nick@nickpresta.ca> <nick1presta@gmail.com>

Nicholas Sullivan <nicholas.sullivan@gmail.com>

Nicholas Waples <nwaples@gmail.com>

Nick Anthony <Liberatys@outlook.com>

Nick Cooper <nmvc@google.com>

Nick Craig-Wood <nick@craig-wood.com> <nickcw@gmail.com>

Nick Harper <nharper@google.com>

Nick Kubala <nkubala@google.com>

Nick Leli <nicholasleli@gmail.com>

Nick Miyake <nmiyake@users.noreply.github.com>

Nick Patavalis <nick.patavalis@gmail.com>

Nick Petroni <npetroni@cs.umd.edu>

Nick Robinson <nrobinson13@gmail.com>

Nick Sherron <nsherron90@gmail.com>

Nick Smolin <nick27surgut@gmail.com>

Nicolas BRULEZ <n.brulez@gmail.com>

Nicolas Kaiser <nikai@nikai.net>

Nicolas Owens <mischief@offblast.org>

Nicolas S. Dade <nic.dade@gmail.com>

Niek Sanders <niek.sanders@gmail.com>

Niels Widger <niels.widger@gmail.com>

Nigel Kerr <nigel.kerr@gmail.com>

Nigel Tao <nigeltao@golang.org>

Nik Nyby <nnyby@columbia.edu>

Nikhil Benesch <nikhil.benesch@gmail.com>

Nikita Gillmann <nikita@n0.is> <ng0@n0.is>

Nikita Kryuchkov <nkryuchkov10@gmail.com>

Nikita Melekhin <nimelehin@gmail.com>

Nikita Vanyasin <nikita.vanyasin@gmail.com>

Niklas Schnelle <niklas.schnelle@gmail.com>

Niko Dziemba <niko@dziemba.com>

Nikolay Turpitko <nikolay@turpitko.com>

Nikson Kanti Paul <nikson.sust@gmail.com>

Nils Larsgrd <nilsmagnus@gmail.com>

Nir Soffer <nirsof@gmail.com>

Niranjan Godbole <niranjan8192@gmail.com>

Nishanth Shanmugham <nishanth.gerrard@gmail.com>

Noah Campbell <noahcampbell@gmail.com>

Noah Goldman <noahg34@gmail.com>

Noah Santschi-Cooney <noah@santschi-cooney.ch>

Noble Johnson <noblepoly@gmail.com>

Nodir Turakulov <nodir@google.com>

Noel Georgi <git@frezbo.com>

Nooras Saba <saba@golang.org>

Norberto Lopes <nlopes.ml@gmail.com>

Norman B. Lancaster <qbradq@gmail.com>

Nuno Cruces <ncruces@users.noreply.github.com>

Obei Sideg <obei.sideg@gmail.com>

Obeyda Djeffal <djefobey@gmail.com>

Odin Ugedal <odin@ugedal.com>

Oleg Bulatov <dmage@yandex-team.ru>

Oleg Vakheta <helginet@gmail.com>

Oleku Konko <oleku.konko@gmail.com>

Oling Cat <olingcat@gmail.com>

Oliver Hookins <ohookins@gmail.com>

Oliver Powell <oliverpowell84@gmail.com>

Oliver Stenbom <ostenbom@pivotal.io>

Oliver Tan <otan@cockroachlabs.com>

Oliver Tonnhofer <olt@bogosoft.com>

Olivier Antoine <olivier.antoine@gmail.com>

Olivier Duperray <duperray.olivier@gmail.com>

Olivier Mengu <olivier.mengue@gmail.com>

Olivier Poitrey <rs@dailymotion.com>

Olivier Saingre <osaingre@gmail.com>

Olivier Wulveryck <olivier.wulveryck@gmail.com>

Omar Jarjur <ojarjur@google.com>

Onkar Jadhav <omjadhav2610@gmail.com>

Ori Bernstein <ori@eigenstate.org>

Ori Rawlings <orirawlings@gmail.com>

Oryan Moshe <iamoryanmoshe@gmail.com>

Osamu TONOMORI <osamingo@gmail.com>

Oscar Sderlund <oscar.soderlund@einride.tech>

zgr Kesim <oec-go@kesim.org>

Pablo Caderno <kaderno@gmail.com>

Pablo Lalloni <plalloni@gmail.com>

Pablo Rozas Larraondo <pablo.larraondo@anu.edu.au>

Pablo Santiago Blum de Aguiar <scorphus@gmail.com>

Padraig Kitterick <padraigkitterick@gmail.com>

Pallat Anchaleechamaikorn <yod.pallat@gmail.com>

Pan Chenglong <1004907659@qq.com>

Panos Georgiadis <pgeorgiadis@suse.de>

Pantelis Sampaziotis <psampaz@gmail.com>

Paolo Giarrusso <p.giarrusso@gmail.com>

Paolo Martini <mrtnpaolo@gmail.com>

Parker Moore <parkrmoore@gmail.com>

Parminder Singh <parmsingh101@gmail.com>

Pascal Dierich <pascal@pascaldierich.com>

Pascal S. de Kloe <pascal@quies.net>

Paschalis Tsilias <paschalis.tsilias@gmail.com>

Pasi Thkp <pasi.tahkapaa@gmail.com>

Pat Moroney <pat@pat.email>

Patrick Barker <barkerp@vmware.com>

Patrick Crosby <patrick@stathat.com>

Patrick Gavlin <pgavlin@gmail.com>

Patrick Gundlach <gundlach@speedata.de>

Patrick Higgins <patrick.allen.higgins@gmail.com>

Patrick Jones <ithuriel@google.com>

Patrick Lee <pattyshack101@gmail.com>

Patrick Mzard <patrick@mezard.eu>

Patrick Mylund Nielsen <patrick@patrickmn.com>

Patrick Pelletier <pp.pelletier@gmail.com>

Patrick Riley <pfr@google.com>

Patrick Smith <pat42smith@gmail.com>

Patrik Lundin <patrik@sigterm.se>

Patrik Nyblom <pnyb@google.com>

Paul A Querna <paul.querna@gmail.com>

Paul Borman <borman@google.com>

Paul Boyd <boyd.paul2@gmail.com>

Paul Chang <paulchang@google.com>

Paul D. Weber <x0bdev@gmail.com>

Paul Davis <43160081+Pawls@users.noreply.github.com>

Paul E. Murphy <murp@ibm.com>

Paul Forgey <paulf@tessier-ashpool.net>

Paul Hammond <paul@paulhammond.org>

Paul Hankin <paulhankin@google.com>

Paul Jolly <paul@myitcv.org.uk>

Paul Lalonde <paul.a.lalonde@gmail.com>

Paul M Furley <paul@paulfurley.com>

Paul Marks <pmarks@google.com>

Paul Meyer <paul.meyer@microsoft.com>

Paul Nasrat <pnasrat@google.com>

Paul PISCUC <paul.piscuc@gmail.com>

Paul Querna <pquerna@apache.org>

Paul Rosania <paul.rosania@gmail.com>

Paul Ruest <pruest@gmail.com>

Paul Sbarra <Sbarra.Paul@gmail.com>

Paul Smith <paulsmith@pobox.com> <paulsmith@gmail.com>

Paul Tyng <paul@paultyng.net>

Paul van Brouwershaven <paul@vanbrouwershaven.com>

Paul Wankadia <junyer@google.com>

Paulo Casaretto <pcasaretto@gmail.com>

Paulo Flabiano Smorigo <pfsmorigo@linux.vnet.ibm.com>

Paulo Gomes <paulo.gomes.uk@gmail.com>

Pavel Kositsyn <kositsyn.pa@phystech.edu>

Pavel Paulau <pavel.paulau@gmail.com>

Pavel Watson <watsonpavel@gmail.com>

Pavel Zinovkin <pavel.zinovkin@gmail.com>

Pavlo Sumkin <ymkins@gmail.com>

Pawel Knap <pawelknap88@gmail.com>

Pawel Szczur <filemon@google.com>

Pawe Szulik <pawel.szulik@intel.com>

Pedro Lopez Mareque <pedro.lopez.mareque@gmail.com>

Pei Xian Chee <luciolas1991@gmail.com>

Pei-Ming Wu <p408865@gmail.com>

Pen Tree <appletree2479@outlook.com>

Peng Gao <peng.gao.dut@gmail.com>

Percy Wegmann <ox.to.a.cart@gmail.com>

Perry Abbott <perry.j.abbott@gmail.com>

Petar Dambovaliev <petar.atanasov.1987@gmail.com>

Petar Maymounkov <petarm@gmail.com>

Peter Armitage <peter.armitage@gmail.com>

Peter Bourgon <peter@bourgon.org>

Peter Collingbourne <pcc@google.com>

Peter Conerly <pconerly@gmail.com>

Peter Dotchev <dotchev@gmail.com>

Peter Froehlich <peter.hans.froehlich@gmail.com>

Peter Gonda <pgonda@google.com>

Peter Hoyes <pahoyes@gmail.com>

Peter Kleiweg <pkleiweg@xs4all.nl>

Peter McKenzie <petermck@google.com>

Peter Moody <pmoody@uber.com>

Peter Morjan <pmorjan@gmail.com>

Peter Mundy <go.peter.90@gmail.com>

Peter Nguyen <peter@mictis.com>

Pter Surnyi <speter.go1@gmail.com>

Pter Szab <pts@google.com>

Pter Szilgyi <peterke@gmail.com>

Peter Teichman <pteichman@fastly.com>

Peter Tseng <ptseng@squareup.com>

Peter Waldschmidt <peter@waldschmidt.com>

Peter Waller <peter.waller@gmail.com>

Peter Weinberger <pjw@golang.org>

Peter Williams <pwil3058@gmail.com>

Peter Wu <pwu@cloudflare.com>

Peter Zhang <i@ddatsh.com>

Petr Jedin <petr.jediny@gmail.com>

Petrica Voicu <pvoicu@paypal.com>

Phil Pearl <philip.j.r.pearl@gmail.com>

Phil Pennock <pdp@golang.org>

Philip Brgesen <philip.borgesen@gmail.com>

Philip Brown <phil@bolthole.com>

Philip Hofer <phofer@umich.edu>

Philip K. Warren <pkwarren@gmail.com>

Philip Nelson <me@pnelson.ca>

Philipp Sauter <sauterp@protonmail.com>

Philipp Stephani <phst@google.com>

Phillip Campbell <15082+phillc@users.noreply.github.com>

Pierre Carru <pierre.carru@eshard.com>

Pierre Durand <pierredurand@gmail.com>

Pierre Prinetti <pierreprinetti@gmail.com>

Pierre Roullon <pierre.roullon@gmail.com>

Piers <google@hellopiers.pro>

Pieter Droogendijk <pieter@binky.org.uk>

Pietro Gagliardi <pietro10@mac.com>

Piyush Mishra <piyush@codeitout.com>

Plekhanov Maxim <kishtatix@gmail.com>

Poh Zi How <poh.zihow@gmail.com>

Polina Osadcha <polliosa@google.com>

Pontus Leitzler <leitzler@gmail.com>

Povilas Versockas <p.versockas@gmail.com>

Prajwal Koirala <16564273+Prajwal-Koirala@users.noreply.github.com>

Prasanga Siripala <pj@pjebs.com.au>

Prasanna Swaminathan <prasanna@mediamath.com>

Prashant Agrawal <prashant.a.vjti@gmail.com>

Prashant Varanasi <prashant@prashantv.com>

Praveen Kumar <praveen+git@kumar.in>

Pravendra Singh <hackpravj@gmail.com>

Preetam Jinka <pj@preet.am>

Pure White <wu.purewhite@gmail.com>

Qais Patankar <qaisjp@gmail.com>

Qiuxuan Zhu <ilsh1022@gmail.com>

Quan Tran <qeed.quan@gmail.com>

Quan Yong Zhai <qyzhai@gmail.com>

Quentin Perez <qperez@ocs.online.net>

Quentin Renard <contact@asticode.com>

Quentin Smith <quentin@golang.org>

Quey-Liang Kao <s101062801@m101.nthu.edu.tw>

Quim Muntal <quimmuntal@gmail.com>

Quinn Slack <sqs@sourcegraph.com>

Quinten Yearsley <qyearsley@chromium.org>

Quoc-Viet Nguyen <afelion@gmail.com>

Rabin Gaire <rabingaire20@gmail.com>

Radek Simko <radek.simko@gmail.com>

Radek Sohlich <sohlich@gmail.com>

Radu Berinde <radu@cockroachlabs.com>

Rafal Jeczalik <rjeczalik@gmail.com>

Raghavendra Nagaraj <jamdagni86@gmail.com>

Rahul Bajaj <rahulrb0509@gmail.com>

Rahul Chaudhry <rahulchaudhry@chromium.org>

Rahul Wadhwani <rahulwadhwani21@gmail.com>

Raif S. Naffah <go@naffah-raif.name>

Rajat Goel <rajat.goel2010@gmail.com>

Rajath Agasthya <rajathagasthya@gmail.com>

Rajender Reddy Kompally <rajenderreddykompally@gmail.com>

Ralph Corderoy <ralph@inputplus.co.uk>

Ramazan AYYILDIZ <rayyildiz@gmail.com>

Ramesh Dharan <dharan@google.com>

Randy Reddig <randy@alta.software>

Raph Levien <raph@google.com>

Raphael Geronimi <raphael.geronimi@gmail.com>

Raul Silvera <rsilvera@google.com>

Ravil Bikbulatov <weeellz12@gmail.com>

RaviTeja Pothana <ravi.tezu@gmail.com>

Ray Tung <rtung@thoughtworks.com>

Ray Wu <ray@liftoff.io>

Raymond Kazlauskas <raima220@gmail.com>

Rebecca Stambler <rstambler@golang.org>

Reilly Watson <reillywatson@gmail.com>

Reinaldo de Souza Jr <juniorz@gmail.com>

Remi Gillig <remigillig@gmail.com>

Rmy Oudompheng <oudomphe@phare.normalesup.org> <remyoudompheng@gmail.com>

Ren Ogaki <re.yuz77777@gmail.com>

Rens Rikkerink <Ikkerens@users.noreply.github.com>

Rhys Hiltner <rhys@justin.tv>

Ricardo Padilha <ricardospadilha@gmail.com>

Ricardo Pchevuzinske Katz <ricardo.katz@serpro.gov.br>

Ricardo Seriani <ricardo.seriani@gmail.com>

Rich Hong <hong.rich@gmail.com>

Richard Barnes <rlb@ipv.sx>

Richard Crowley <r@rcrowley.org>

Richard Dingwall <rdingwall@gmail.com>

Richard Eric Gavaletz <gavaletz@gmail.com>

Richard Gibson <richard.gibson@gmail.com>

Richard Miller <miller.research@gmail.com>

Richard Musiol <mail@richard-musiol.de> <neelance@gmail.com>

Richard Pickering <richard.pickering@hotmail.co.uk>

Richard Ulmer <codesoap@mailbox.org>

Richard Wilkes <wilkes@me.com>

Rick Arnold <rickarnoldjr@gmail.com>

Rick Hudson <rlh@golang.org>

Rick Sayre <whorfin@gmail.com>

Rijnard van Tonder <rvantonder@gmail.com>

Riku Voipio <riku.voipio@linaro.org>

Riley Avron <ra.git@posteo.net>

Risto Jaakko Saarelma <rsaarelm@gmail.com>

Rob Earhart <earhart@google.com>

Rob Findley <rfindley@google.com>

Rob Norman <rob.norman@infinitycloud.com>

Rob Phoenix <rob@robphoenix.com>

Rob Pike <r@golang.org>

Robert Ayrapetyan <robert.ayrapetyan@gmail.com>

Robert Burke <rebo@google.com>

Robert Daniel Kortschak <dan.kortschak@adelaide.edu.au> <dan@kortschak.io>

Robert Dinu <r@varp.se>

Robert Engels <rengels@ix.netcom.com>

Robert Figueiredo <robfig@gmail.com>

Robert Griesemer <gri@golang.org>

Robert Hencke <robert.hencke@gmail.com>

Robert Iannucci <iannucci@google.com>

Robert Kuska <rkuska@gmail.com>

Robert Obryk <robryk@gmail.com>

Robert Sesek <rsesek@google.com>

Robert Snedegar <roberts@google.com>

Robert Stepanek <robert.stepanek@gmail.com>

Robert van Gent <rvangent@google.com>

Robert-Andr Mauchin <zebob.m@gmail.com>

Roberto Clapis <robclap8@gmail.com>

Roberto Selbach <roberto@selbach.ca>

Robin Eklind <r.eklind.87@gmail.com>

Robin Zhong <robin@robinzhong.co>

Rodolfo Carvalho <rhcarvalho@gmail.com>

Rodolfo Rodriguez <rodolfobgibson@gmail.com>

Rodrigo Moraes de Oliveira <rodrigo.moraes@gmail.com>

Rodrigo Rafael Monti Kochenburger <divoxx@gmail.com>

Roger Pau Monn <royger@gmail.com>

Roger Peppe <rogpeppe@gmail.com>

Rohan Challa <rohan@golang.org>

Rohan Verma <rohanverma2004@gmail.com>

Rohith Ravi <entombedvirus@gmail.com>

Roi Martin <jroi.martin@gmail.com>

Roland Illig <roland.illig@gmx.de>

Roland Shoemaker <rolandshoemaker@gmail.com>

Romain Baugue <romain.baugue@elwinar.com>

Roman Budnikov <romanyx90@yandex.ru>

Roman Kollr <roman.kollar.0@gmail.com>

Roman Shchekin <mrqtros@gmail.com>

Ron Hashimoto <mail@h2so5.net>

Ron Minnich <rminnich@gmail.com>

Ronnie Ebrin <ebrin.ronnie@protonmail.com>

Ross Chater <rdchater@gmail.com>

Ross Kinsey <rossikinsey@gmail.com>

Ross Light <light@google.com> <rlight2@gmail.com>

Ross Smith II <ross@smithii.com>

Rowan Marshall <rowanajmarshall@gmail.com>

Rowan Worth <sqweek@gmail.com>

Rudi Kramer <rudi.kramer@gmail.com>

Rui Ueyama <ruiu@google.com>

Ruixin Bao <ruixin.bao@ibm.com>

Ruslan Andreev <ruslan.andreev@huawei.com>

Ruslan Nigmatullin <elessar@dropbox.com>

Russ Cox <rsc@golang.org>

Russell Haering <russellhaering@gmail.com>

Ryan Bagwell <ryanbagwell@outlook.com>

Ryan Barrett <ryanb@google.com>

Ryan Boehning <ryan.boehning@apcera.com>

Ryan Brown <ribrdb@google.com>

Ryan Canty <jrcanty@gmail.com>

Ryan Dahl <ry@tinyclouds.org>

Ryan Hitchman <hitchmanr@gmail.com>

Ryan Kohler <ryankohler@google.com>
Ryan Leung <rleungx@gmail.com>
Ryan Lower <rpjlower@gmail.com>
Ryan Roden-Corrent <ryan@rcorre.net>
Ryan Seys <ryan@ryanseys.com>
Ryan Slade <ryanslade@gmail.com>
Ryan Zhang <ryan.zhang@docker.com>
Ryoichi KATO <ryo1kato@gmail.com>
Ryoya Sekino <ryoyasekino1993@gmail.com>
Ryuji Iwata <qt.luigi@gmail.com>
Ryuma Yoshida <ryuma.y1117@gmail.com>
Ryuzo Yamamoto <ryuzo.yamamoto@gmail.com>
S.alar Onur <caglar@10ur.org>
Sabin Mihai Rapan <sabin.rapan@gmail.com>
Sad Pencil <qh06@qq.com>
Sai Cheemalapati <saicheems@google.com>
Sai Kiran Dasika <kirandasika30@gmail.com>
Sakeven Jiang <jc5930@sina.cn>
Salaheddin M. Mahmud <salah.mahmud@gmail.com>
Salmn Aljammz <s@0x65.net>
Sam Arnold <sarnold64@bloomberg.net>
Sam Boyer <tech@samboyer.org>
Sam Chen <chenxsan@gmail.com>
Sam Cross <samgcdev@gmail.com>
Sam Ding <samding@ca.ibm.com>
Sam Hug <samuel.b.hug@gmail.com>
Sam Thorogood <thorogood@google.com> <sam.thorogood@gmail.com>
Sam Whited <sam@samwhited.com>
Sam Xie <xsambundy@gmail.com>
Sameer Ajmani <sameer@golang.org> <ajmani@gmail.com>
Sami Commerot <samic@google.com>
Sami Pnknen <sami.ponkanen@gmail.com>
Samuel Kelemen <SCKelemen@users.noreply.github.com>
Samuel Tan <samueltan@google.com>
Samuele Pedroni <pedronis@lucediurna.net>
San Ye <xyesan@gmail.com>
Sander van Harmelen <sander@vanharmelen.nl>
Sanjay Menakuru <balasanjay@gmail.com>
Santhosh Kumar Tekuri <santhosh.tekuri@gmail.com>
Santiago De la Cruz <51337247+xhit@users.noreply.github.com>
Sarah Adams <shadams@google.com>
Sardorbek Pulatov <sardorbek.pulatov@outlook.com>
Sascha Brawer <sascha@brawer.ch>
Sasha Lionheart <lionhearts@google.com>
Sasha Sobol <sasha@scaledinference.com>
Satoru Kitaguchi <rule.the.fate.myfirststory@gmail.com>
Scott Barron <scott.barron@github.com>
Scott Bell <scott@sctsm.com>

Scott Cotton <scott@mindowl.com>

Scott Crunkleton <crunk1@gmail.com>

Scott Ferguson <scottwferg@gmail.com>

Scott Lawrence <bytbox@gmail.com>

Scott Mansfield <smansfield@netflix.com>

Scott Ragan <ragansa@fb.com>

Scott Schwartz <scotts@golang.org>

Scott Van Woudenberg <scottvw@google.com>

Sean Burford <sburford@google.com>

Sean Chen <oohcode@gmail.com>

Sean Chittenden <seanc@joyent.com>

Sean Christopherson <sean.j.christopherson@intel.com>

Sean Dolphin <Sean.Dolphin@kpcompass.com>

Sean Harger <sharger@google.com>

Sean Harrington <sean.harrington@leftfieldlabs.com>

Sean Hildebrand <seanwhildebrand@gmail.com>

Sean Liao <seankhliao@gmail.com>

Sean Rees <sean@erifax.org>

Sebastiaan van Stijn <github@gone.nl>

Sebastian Chlopecki <sebsebmc@gmail.com>

Sebastian Kinne <skinne@google.com>

Sebastian Schmidt <yath@google.com>

Sebastien Binet <seb.binet@gmail.com>

Sbastien Paolacci <sebastien.paolacci@gmail.com>

Sebastien Williams-Wynn <sebastien@cytora.com>

Segev Finer <segev208@gmail.com>

Seiji Takahashi <timaki.st@gmail.com>

Sergei Lemeshkin <sergeilem@gmail.com>

Sergei Skorobogatov <skorobo@rambler.ru>

Sergei Zagurskii <gvozdoder@gmail.com>

Sergey 'SnakE' Gromov <snake.scaly@gmail.com>

Sergey Arseev <sergey.arseev@intel.com>

Sergey Dobrodey <sergey.dobrodey@synesis.ru>

Sergey Frolov <sfrolov@google.com>

Sergey Glushchenko <gsserge@gmail.com>

Sergey Ivanov <ser1325@gmail.com>

Sergey Kacheev <S.Kacheev@gmail.com>

Sergey Lukjanov <me@slukjanov.name>

Sergey Mishin <sergeymishine@gmail.com>

Sergey Mudrik <sergey.mudrik@gmail.com>

Sergey Semin <gray12511@gmail.com>

Sergey Yanykin <syanykin@ozon.ru>

Sergio Luis O. B. Correia <sergio@correia.cc>

Sergiusz Bazanski <bazanski@gmail.com>

Serhat Giydiren <serhatgiydiren@gmail.com>

Serhii Aheienko <serhii.aheienko@gmail.com>

Seth Hoenig <seth.a.hoenig@gmail.com>

Seth Vargo <sethvargo@gmail.com>

Shaba Abhiram <shabarivas.abhiram@gmail.com>

Shahar Kohanim <skohanim@gmail.com>

Shailesh Suryawanshi <ss.shailesh28@gmail.com>

Shamil Garatuev <garatuev@gmail.com>

Shamim Akhtar <shamim.rhce@gmail.com>

Shane Hansen <shanemhansen@gmail.com>

Shang Jian Ding <sding3@ncsu.edu>

Shaozhen Ding <dsz0111@gmail.com>

Shaquille Que <shaquille@golang.org>

Shaquille Wyan Que <shaqqywyan@gmail.com>

Shaun Dunning <shaun.dunning@uservoice.com>

Shawn Elliott <selliott@microsoft.com>

Shawn Ledbetter <sledbetter@google.com>

Shawn Smith <shawn.p.smith@gmail.com>

Shawn Walker-Salas <shawn.walker@oracle.com>

Shenghou Ma <minux@golang.org> <minux.ma@gmail.com>

Shengjing Zhu <zsj950618@gmail.com>

Shengyu Zhang <shengyu.zhang@chaitin.com>

Shi Han Ng <shihanng@gmail.com>

ShihCheng Tu <mrtoastcheng@gmail.com>

Shijie Hao <haormj@gmail.com>

Shin Fan <shinfan@google.com>

Shinji Tanaka <shinji.tanaka@gmail.com>

Shinnosuke Sawada <6warashi9@gmail.com>

Shintaro Kaneko <kaneshin0120@gmail.com>

Shivakumar GN <shivakumar.gn@gmail.com>

Shivani Singhal <shivani.singhal2804@gmail.com>

Shivansh Rai <shivansh@freebsd.org>

Shivashis Padhi <shivashispadhi@gmail.com>

Shoshin Nikita <shoshin_nikita@fastmail.com>

Shota Sugiura <s.shota.710.3506@gmail.com>

Shubham Sharma <shubham.sha12@gmail.com>

Shuhei Takahashi <nya@chromium.org>

Shun Fan <sfan@google.com>

Silvan Jegen <s.jegen@gmail.com>

Simo Gomes Viana <simaogmv@gmail.com>

Simarpreet Singh <simar@linux.com>

Simon Drake <simondrake1990@gmail.com>

Simon Ferquel <simon.ferquel@docker.com>

Simon Frei <freisim93@gmail.com>

Simon Jefford <simon.jefford@gmail.com>

Simon Law <sfllaw@sfllaw.ca>

Simon Rawet <simon@rawet.se>

Simon Rozman <simon@rozman.si>

Simon Ser <contact@emersion.fr>

Simon Thulbourn <simon+github@thulbourn.com>

Simon Whitehead <chemnova@gmail.com>

Sina Siadat <siadat@gmail.com>

Sjoerd Siebinga <sjoerd.siebinga@gmail.com>

Sokolov Yura <funny.falcon@gmail.com>

Song Gao <song@gao.io>

Song Lim <songlim327@gmail.com>

Songjiayang <songjiayang1@gmail.com>

Songlin Jiang <hollowman@hollowman.ml>

Soojin Nam <jsunam@gmail.com>

Sren L. Hansen <soren@linux2go.dk>

Sparrow Li <liyuancylx@gmail.com>

Spencer Kocot <spencerkocot@gmail.com>

Spencer Nelson <s@spenczar.com>

Spencer Tung <spencertung@google.com>

Spenser Black <spenserblack01@gmail.com>

Spring Mc <heresy.mc@gmail.com>

Srdjan Petrovic <spetrovic@google.com>

Sridhar Venkatakrishnan <sridhar@laddoo.net>

Srinidhi Kaushik <shrinidhi.kaushik@gmail.com>

StalkR <stalkr@stalkr.net>

Stan Hu <stanhu@gmail.com>

Stan Schwertly <stan@schwertly.com>

Stanislav Afanasev <php.progger@gmail.com>

Steeve Morin <steeve.morin@gmail.com>

Stefan Baebler <sbaebler@outbrain.com>

Stefan Nilsson <snilsson@nada.kth.se> <trolleriprofessorn@gmail.com>

Stepan Shabalin <neverliberty@gmail.com>

Stephan Klatt <stephan.klatt@gmail.com>

Stephan Renatus <srenatus@chef.io>

Stephan Zuercher <zuercher@gmail.com>

Stphane Travostino <stephane.travostino@gmail.com>

Stephen Lewis <stephen@sock.org.uk>

Stephen Lu <steuhs@users.noreply.github.com>

Stephen Ma <stephenm@golang.org>

Stephen McQuay <stephen@mcquay.me>

Stephen Searles <stephens2424@gmail.com>

Stephen Weinberg <stephen@q5comm.com>

Steve Francia <spf@golang.org>

Steve Gilbert <stevegilbert23@gmail.com>

Steve LoFurno <slofurno@gmail.com>

Steve McCoy <mccoyst@gmail.com>

Steve Mynott <steve.mynott@gmail.com>

Steve Newman <snewman@google.com>

Steve Phillips <elimisteve@gmail.com>

Steve Streeting <steve@stevestreeting.com>

Steve Traut <straut@google.com>

Steven Buss <sbuss@google.com>

Steven Elliot Harris <seharris@gmail.com>

Steven Erenst <stevenerenst@gmail.com>

Steven Hartland <steven.hartland@multiplay.co.uk>

Steven Littiebrant <imgroxx@gmail.com>

Steven Maude <git@stevenmaude.co.uk>

Steven Wilkin <stevenwilkin@gmail.com>

Stuart Jansen <sjansen@buscaluz.org>

Subham Sarkar <sarkar.subhams2@gmail.com>

Sue Spence <virtuallysue@gmail.com>

Sugu Sougoumarane <ssougou@gmail.com>

Suharsh Sivakumar <suharshs@google.com>

Sukrit Handa <sukrit.handa@utoronto.ca>

Sunny <me@darkowlzz.space>

Suriyaa Sundararuban <suriyaasundararuban@gmail.com>

Suvaditya Sur <suvaditya.sur@gmail.com>

Suyash <dextrous93@gmail.com>

Suzy Mueller <suzmue@golang.org>

Sven Almgren <sven@tras.se>

Sven Blumenstein <svbl@google.com>

Sven Lee <lee1300394324@gmail.com>

Sven Taute <sven.taute@gmail.com>

Sylvain Zimmer <sylvain@sylvainzimmer.com>

Syohei YOSHIDA <syohex@gmail.com>

Szabolcs Nagy <nsz@port70.net>

Taavi Kivisik <taavi.kivisik@gmail.com>

Tad Fisher <tadfisher@gmail.com>

Tad Glines <tad.glines@gmail.com>

Tadas Valiukas <tadovas@gmail.com>

Tadeo Kondrak <me@tadeo.ca>

Taesu Pyo <pyotaesu@gmail.com>

Tai Le <letientai299@gmail.com>

Taj Khattra <taj.khattra@gmail.com>

Takashi Matsuo <tmatsuo@google.com>

Takashi Mima <tks.m1205@gmail.com>

Takayoshi Nishida <takayoshi.nishida@gmail.com>

Takeshi YAMANASHI <9.nashi@gmail.com>

Takuto Ikuta <tikuta@google.com>

Takuya Ueda <uedatakuya@gmail.com>

Tal Shprecher <tshprecher@gmail.com>

Tams Gulcsi <tgulacsi78@gmail.com>

Tamir Duberstein <tamird@gmail.com>

Tao Qingyun <qingyunha@gmail.com>

Tao Shen <shentaoskyking@gmail.com>

Tao Wang <twang2218@gmail.com>

Tarmigan Casebolt <tarmigan@gmail.com>

Taro Aoki <aizu.s1230022@gmail.com>

Taru Karttunen <taruti@taruti.net>

Tatsuhiro Tsujikawa <tatsuhiro.t@gmail.com>

Tatsuya Kaneko <m.ddotx.f@gmail.com>

Taufiq Rahman <taufiqrx8@gmail.com>

Teague Cole <tnc1443@gmail.com>

Ted Kornish <golang@tedkornish.com>

Tejasvi Nareddy <tejunareddy@gmail.com>

Terin Stock <terinjokes@gmail.com>

Terrel Shumway <gopher@shumway.us>

Tetsuo Kiso <tetsuokiso9@gmail.com>

Than McIntosh <thanm@google.com>

Thanabodee Charoenpiriyakij <wingyminus@gmail.com>

Thanatat Tamtan <acoshift@gmail.com>

The Hatsune Daishi <nao20010128@gmail.com>

Thiago Avelino <t@avelino.xxx>

Thiago Fransosi Farina <thiago.farina@gmail.com> <tfarina@chromium.org>

Thom Wiggers <thom@thomwiggers.nl>

Thomas Alan Copeland <talan.copeland@gmail.com>

Thomas Bonfort <thomas.bonfort@gmail.com>

Thomas Bouldin <inlined@google.com>

Thomas Bruyelle <thomas.bruyelle@gmail.com>

Thomas Bushnell, BSG <tbushnell@google.com>

Thomas de Zeeuw <thomasdezeeuw@gmail.com>

Thomas Desrosiers <thomasdesr@gmail.com>

Thomas Habets <habets@google.com>

Thomas Kappler <tkappler@gmail.com>

Thomas Meson <zllak@hycik.org>

Thomas Symborski <thomas.symborski@gmail.com>

Thomas Wanielista <tomwans@gmail.com>

Thorben Krueger <thorben.krueger@gmail.com>

Thordur Bjornsson <thorduri@secnorth.net>

Tiago Peczenyj <tpeczenyj@weborama.com>

Tiago Queiroz <contato@tiago.eti.br>

Tianji Wu <the729@gmail.com>

Tianon Gravi <admwiggin@gmail.com>

Tilman Dilo <tilman.dilo@gmail.com>

Tim Cooijmans <timcooijmans@gmail.com>

Tim Cooper <tim.cooper@layeh.com>

Tim Ebringer <tim.ebringer@gmail.com>

Tim Heckman <t@heckman.io>

Tim Henderson <tim.tadh@gmail.com>

Tim Hockin <thockin@google.com>

Tim King <taking@google.com>

Tim Mhlmann <muhlemmer@gmail.com>

Tim Swast <swast@google.com>

Tim Wright <tenortim@gmail.com>

Tim Xu <xiaoxubeii@gmail.com>

Timmy Douglas <timmyd983@gmail.com>

Timo Savola <timo.savola@gmail.com>

Timo Truyts <alkaloid.btx@gmail.com>

Timothy Gu <timothygu99@gmail.com>

Timothy Studd <tim@timstudd.com>

Tipp Moseley <tipp@google.com>

Tiwei Bie <tiwei.btw@antgroup.com>

Tobias Assarsson <tobias.assarsson@gmail.com>

Tobias Columbus <tobias.columbus@gmail.com> <tobias.columbus@googlemail.com>

Tobias Klauser <tklauser@distanz.ch>

Tobias Kohlbau <tobias@kohlbau.de>

Toby Burress <kurin@google.com>

Todd Kulesza <tkulesza@google.com>

Todd Neal <todd@tneal.org>

Todd Wang <toddwang@gmail.com>

Tom Anthony <git@tomanthony.co.uk>

Tom Bergan <tombergan@google.com>

Tom Freudenberg <tom.freudenberg@4commerce.de>

Tom Heng <zhm20070928@gmail.com>

Tom Lanyon <tomlanyon@google.com>

Tom Levy <tomlevy93@gmail.com>

Tom Limoncelli <tal@whatexit.org>

Tom Linford <tomlinford@gmail.com>

Tom Panton <tom@tomandtally.co.uk>

Tom Parkin <tom.parkin@gmail.com>

Tom Payne <twpayne@gmail.com>

Tom Szymanski <tgs@google.com>

Tom Thorogood <me+google@tomthorogood.co.uk>

Tom Wilkie <tom@weave.works>

Tom Zierbock <tomzierbock@gmail.com>

Tomas Dabasinskas <tomas@dabasinskas.net>

Tommy Schaefer <tommy.schaefer@teecom.com>

Tomohiro Kusumoto <zabio1192@gmail.com>

Tomoya Ishizaki <zaq1tomo@gmail.com>

Tonis Tiigi <tonistiigi@gmail.com>

Tony Reix <tony.reix@bull.net>

Tony Walker <walkert.uk@gmail.com>

Tooru Takahashi <tooru.takahashi134@gmail.com>

Tor Andersson <tor.andersson@gmail.com>

Torben Schinke <torben.schinke@neotos.de>

Tormod Erevik Lea <tormodlea@gmail.com>

Toshihiro Shiino <shiino.toshihiro@gmail.com>

Toshiki Shima <hayabusa1419@gmail.com>

Totoro W <tw19881113@gmail.com>

Travis Bischel <travis.bischel@gmail.com>

Travis Cline <travis.cline@gmail.com>

Trevor Dixon <trevordixon@gmail.com>

Trevor Strohman <trevor.strohman@gmail.com>

Trey Lawrence <lawrence.trey@gmail.com>

Trey Roessig <trey.roessig@gmail.com>

Trey Tacon <ttacon@gmail.com>

Tristan Amini <tamini01@ca.ibm.com>

Tristan Colgate <tcolgate@gmail.com>

Tristan Ooohry <ooohry@gmail.com>

Tristan Rice <rice@fn.lc>

Troels Thomsen <troels@thomsen.io>

Trong Bui <trong.buiquoc@gmail.com>

Trung Nguyen <trung.n.k@gmail.com>

Tsuji Daishiro <dram.dt.shonan@gmail.com>

Tudor Golubenco <tudor.g@gmail.com>

Tugdual Saunier <tugdual.saunier@gmail.com>

Tuo Shan <sturbo89@gmail.com> <shantuo@google.com>

Tyler Bui-Palsulich <tpalsulich@google.com>

Tyler Bunnell <tylerbunnell@gmail.com>

Tyler Treat <ttreat31@gmail.com>

Tyson Andre <tysonandre775@gmail.com>

Tzach Shabtay <tzachshabtay@gmail.com>

Tzu-Chiao Yeh <su3g4284zo6y7@gmail.com>

Tzu-Jung Lee <roylee17@currant.com>

Udalov Max <re.udalov@gmail.com>

Uddeshya Singh <singhuddeshyaofficial@gmail.com>

Ugorji Nwoke <ugorji@gmail.com>

Ulf Holm Nielsen <doktor@dyregod.dk>

Ulrich Kunitz <uli.kunitz@gmail.com>

Umang Parmar <umangjparmar@gmail.com>

Uriel Mangado <uriel@berlinblue.org>

Urvil Patel <patelurvil38@gmail.com>

Utkarsh Dixit <53217283+utkarsh-extc@users.noreply.github.com>

Uttam C Pawar <uttam.c.pawar@intel.com>

Vadim Grek <vadimprog@gmail.com>

Vadim Vygonets <unixdj@gmail.com>

Val Polouchkine <vpolouch@justin.tv>

Valentin Vidic <vvidic@valentin-vidic.from.hr>

Vaughn Iverson <vsivsi@yahoo.com>

Vee Zhang <veezhang@126.com> <vveezhang@gmail.com>

Vega Garcia Luis Alfonso <vegacom@gmail.com>

Venil Noronha <veniln@vmware.com>

Veselkov Konstantin <kostozyb@gmail.com>

Viacheslav Poturaev <vearutop@gmail.com>

Victor Chudnovsky <vchudnov@google.com>

Victor Michel <victor@optimyze.cloud>

Victor Vrantchan <vrancean+github@gmail.com>

Vignesh Ramachandra <vickyramachandra@gmail.com>

Vikas Kedia <vikask@google.com>

Ville Skytt <ville.skytta@iki.fi>

Vincent Ambo <tazjin@googlemail.com>

Vincent Batts <vbatts@hashbangbash.com> <vbatts@gmail.com>

Vincent Vanackere <vincent.vanackere@gmail.com>

Vinu Rajashekhar <vinutheraj@gmail.com>

Vish Subramanian <vish@google.com>

Vishal Dalwadi <dalwadivishal26@gmail.com>

Vishvananda Ishaya <vishvananda@gmail.com>

Visweswara R <r.visweswara@gmail.com>

Vitaly Zdanevich <zdanevich.vitaly@ya.ru>

Vitor De Mario <vitordemario@gmail.com>

Vivek Sekhar <vsekhar@google.com>

Vivek V <iamvivekv96@gmail.com>

Vivian Liang <vliang88@gmail.com>

Vlad Krasnov <vlad@cloudflare.com>

Vladimir Evgrafov <evgrafov.vladimir@gmail.com>

Vladimir Kovpak <cn007b@gmail.com>

Vladimir Kuzmin <vkuzmin@uber.com>

Vladimir Mihailenco <vladimir.webdev@gmail.com>

Vladimir Nikishenko <vova616@gmail.com>

Vladimir Stefanovic <vladimir.stefanovic@imgtec.com>

Vladimir Varankin <nek.narqo@gmail.com>

Vojtech Bocek <vbocek@gmail.com>

Volker Dobler <dr.volker.dobler@gmail.com>

Volodymyr Paprotski <vpaprots@ca.ibm.com>

Vyacheslav Pachkov <slava.pach@gmail.com>

W. Trevor King <wking@tremily.us>

Wade Simmons <wade@wades.im>

Wagner Riffel <wgrriffel@gmail.com>

Walt Della <walt@javins.net>

Walter Poupore <wpoupore@google.com>

Wander Lairson Costa <wcosta@mozilla.com>

Wang Xuerui <git@xen0n.name>

Warren Fernandes <warren.f.fernandes@gmail.com>

Wayne Ashley Berry <wayneashleyberry@gmail.com>

Wedson Almeida Filho <wedsonaf@google.com>

Weerasak Chongnguluam <singpor@gmail.com>

Wi Cngru <crvv.mail@gmail.com>

Wei Fu <fhfuwei@163.com>

Wei Guangjing <vcc.163@gmail.com>

Wei Xiao <wei.xiao@arm.com>

Wei Xikai <xykwei@gmail.com>

Weichao Tang <tevic.tt@gmail.com>

Weilu Jia <optix2000@gmail.com>

Weixie Cui <cuiweixie@gmail.com> <523516579@qq.com>

Wembley G. Leach, Jr <wembley.gl@gmail.com>

Wenlei (Frank) He <wlhe@google.com>

Wenzel Lowe <lowewenzel@gmail.com>

Wil Selwood <wselwood@gmail.com>

Wilfried Teiken <wteiken@google.com>

Will Beason <willbeason@gmail.com>

Will Chan <willchan@google.com>

Will Faught <will.faught@gmail.com>

Will Morrow <wmorrow.qdt@qualcommdatacenter.com>

Will Norris <willnorris@google.com>

Will Storey <will@summercat.com>

Willem van der Schyff <willemvds@gmail.com>

William Chan <willchan@chromium.org>

William Chang <mr.williamchang@gmail.com>

William Josephson <wjosephson@gmail.com>

William Langford <wlangfor@gmail.com>

William Orr <will@worrbase.com> <ay1244@gmail.com>

William Poussier <william.poussier@gmail.com>

Wisdom Omuya <deafgoat@gmail.com>

Wu Yunzhou <yunzhouwu@gmail.com>

Xi Ruoyao <xry23333@gmail.com>

Xia Bin <snyh@snyh.org>

Xiangdong Ji <xiangdong.ji@arm.com>

Xiaodong Liu <teaofmoli@gmail.com>

Xing Gao <18340825824@163.com>

Xing Xing <mikespook@gmail.com>

Xingqang Bai <bxq2011hust@qq.com>

Xu Fei <badgangkiller@gmail.com>

Xudong Zhang <felixmelon@gmail.com>

Xudong Zheng <7pkvm5aw@slicealias.com>

Xuyang Kang <xuyangkang@gmail.com>

Yamagishi Kazutoshi <ykzts@desire.sh>

Yan Zou <yzou@google.com>

Yang Hau <vulxj0j8j8@gmail.com>

Yang Tian <linuxty@gmail.com>

Yann Hodique <yhodique@google.com>

Yann Kerherv <yann.kerherve@gmail.com>

Yann Salan <yannsalaun1@gmail.com>

Yannic Bonenberger <contact@yannic-bonenberger.com>

Yao Zhang <lunaria21@gmail.com>

Yaron de Leeuw <jarondl@google.com>

Yaroslav Vorobiov <yar.vorobiov@gmail.com>

Yasha Bubnov <girokompass@gmail.com>

Yasser Abdolmaleki <yasser@yasser.ca>

Yasuharu Goto <matope.ono@gmail.com>

Yasuhiro Matsumoto <mattn.jp@gmail.com>

Yasutaka Shinzaki <shinzaki@yasu26.tech>

Yasuyuki Oka <yasuyk@gmail.com>

Yazen Shunnar <yazen.shunnar@gmail.com>

Yestin Sun <ylh@pdx.edu>

Yesudeep Mangalapilly <yesudeep@google.com>

Yissakhar Z. Beck <yissakhar.beck@gmail.com>

Yo-An Lin <yoanlin93@gmail.com>

Yohei Takeda <yo.tak0812@gmail.com>

Yongjian Xu <i3dmaster@gmail.com>

Yorman Arias <cixtords@gmail.com>

Yoshiyuki Kanno <nekotaroh@gmail.com> <yoshiyuki.kanno@stoic.co.jp>

Yoshiyuki Mineo <yoshiyuki.mineo@gmail.com>

Yosuke Akatsuka <yosuke.akatsuka@gmail.com>

Youfu Zhang <zhangyoufu@gmail.com>

Yu Heng Zhang <annita.zhang@cn.ibm.com>

Yu Xuan Zhang <zyxsh@cn.ibm.com>

Yu, Li-Yu <afg984@gmail.com>

Yuichi Kishimoto <yk2220s@gmail.com>

Yuichi Nishiwaki <yuichi.nishiwaki@gmail.com>

Yuji Yaginuma <yuuji.yaginuma@gmail.com>

Yuki Ito <mrno110y@gmail.com>

Yuki OKUSHI <huyuumi.dev@gmail.com>

Yuki Osaki <yuki.osaki7@gmail.com>

Yuki Yugui Sonoda <yugui@google.com>

Yukihiro Nishinaka <6elpinal@gmail.com>

YunQiang Su <syq@debian.org>

Yuntao Wang <ytcoode@gmail.com>

Yury Smolsky <yury@smolsky.by>

Yusuke Kagiwada <block.rxckin.beats@gmail.com>

Yuusei Kuwana <kuwana@kumama.org>

Yuval Pavel Zholkover <paulzhol@gmail.com>

Yves Junqueira <yvesj@google.com> <yves.junqueira@gmail.com>

Zac Bergquist <zbergquist99@gmail.com>

Zach Bintliff <zbintliff@gmail.com>

Zach Gershman <zachgersh@gmail.com>

Zach Hoffman <zrhoffman@apache.org>

Zach Jones <zachj1@gmail.com>

Zachary Amsden <zach@thundertoken.com>

Zachary Burkett <zburkett@splitcubestudios.com>

Zachary Gershman <zgershman@pivotal.io>

Zaiyang Li <zaiyangli777@gmail.com>

Zak <zrjknill@gmail.com>

Zakatell Kanda <hi@zkanda.io>

Zellyn Hunter <zellyn@squareup.com> <zellyn@gmail.com>

Zev Goldstein <zev.goldstein@gmail.com>

Zhang Boyang <zhangboyang.id@gmail.com>

Zheng Dayu <davidzheng23@gmail.com>

Zheng Xu <zheng.xu@arm.com>

Zhengyu He <hzy@google.com>

Zhi Zheng <zhi.zheng052@gmail.com>

Zhongpeng Lin <zplin@uber.com>

Zhongtao Chen <chenzhongtao@126.com>

Zhongwei Yao <zhongwei.yao@arm.com>

Zhou Guangyuan <zhouguangyuan.xian@gmail.com>

Zhou Peng <p@ctriple.cn>

Ziad Hatahet <hatahet@gmail.com>

Ziheng Liu <lzhfromustc@gmail.com>

Zizhao Zhang <btw515wolf2@gmail.com>

Zorion Arrizabalaga <zorionk@gmail.com>

Zvonimir Pavlinovic <zpavlinovic@google.com>

Zyad A. Ali <zyad.ali.me@gmail.com>

<a.maksadbek@gmail.com>

<max.faceless.frei@gmail.com>

<hagen1778@gmail.com>

<tbunyk@gmail.com>

<faxriddinjon@gmail.com>

<zs349596@gmail.com>

<bronze1man@gmail.com>

People who have agreed to one of the CLAs and can contribute patches.

The AUTHORS file lists the copyright holders; this file

lists people. For example, Google employees are listed here

but not in AUTHORS, because Google holds the copyright.

#

https://developers.google.com/open-source/cla/individual

https://developers.google.com/open-source/cla/corporate

#

Names should be added to this file as:

Name <email address>

Raul Silvera <rsilvera@google.com>

Tipp Moseley <tipp@google.com>

Hyoun Kyu Cho <netforce@google.com>

Martin Spier <spiermar@gmail.com>

Taco de Wolff <tacodewolff@gmail.com>

Andrew Hunter <andrewhhunter@gmail.com>

This source code was written by the Go contributors.

The master list of contributors is in the main Go distribution,

visible at https://tip.golang.org/CONTRIBUTORS.

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

   * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
   * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright 2009-2017 Andrea Leofreddi <a.leofreddi@vleo.net>. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY COPYRIGHT HOLDERS AND CONTRIBUTORS ``AS IS'' AND ANY EXPRESS
OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDERS OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The views and conclusions contained in the software and documentation are those of the authors and should not be interpreted as representing official policies, either expressed or implied, of Andrea Leofreddi.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
    that You distribute, all copyright, patent, trademark, and
    attribution notices from the Source form of the Work,
    excluding those notices that do not pertain to any part of
    the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
    distribution, then any Derivative Works that You distribute must
    include a readable copy of the attribution notices contained
    within such NOTICE file, excluding those notices that do not
    pertain to any part of the Derivative Works, in at least one
    of the following places: within a NOTICE text file distributed
    as part of the Derivative Works; within the Source form or
    documentation, if provided along with the Derivative Works; or,
    within a display generated by the Derivative Works, if and
    wherever such third-party notices normally appear. The contents
    of the NOTICE file are for informational purposes only and
    do not modify the License. You may add Your own attribution
    notices within Derivative Works that You distribute, alongside
    or as an addendum to the NOTICE text from the Work, provided
    that such additional attribution notices cannot be construed
    as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.366 distro 1.4.0

1.366.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "{}"

replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Thanks!

* https://github.com/andy-maier
* https://github.com/SethMichaelLarson
* https://github.com/asottile
* https://github.com/MartijnBraam
* https://github.com/funkyfuture
* https://github.com/adamjstewart
* https://github.com/xavfernandez
* https://github.com/xsuchy
* https://github.com/marcoceppi
* https://github.com/tgamblin
* https://github.com/sebix

1.367 perks 1.0.1
1.367.1 Available under license :

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion
of it, thus forming a work based on the Program, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices
  stating that you changed the files and the date of any change.

  b) You must cause any work that you distribute or publish, that in
  whole or in part contains or is derived from the Program or any
  part thereof, to be licensed as a whole at no charge to all third
  parties under the terms of this License.

  c) If the modified program normally reads commands interactively
  when run, you must cause it, when started running for such
  interactive use in the most ordinary way, to print or display an
  announcement including an appropriate copyright notice and a

notice that there is no warranty (or else, saying that you provide
a warranty) and that users may redistribute the program under
these conditions, and telling the user how to view a copy of this
License. (Exception: if the Program itself is interactive but
does not normally print such an announcement, your work based on
the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

  a) Accompany it with the complete corresponding machine-readable
  source code, which must be distributed under the terms of Sections
  1 and 2 above on a medium customarily used for software interchange; or,

  b) Accompany it with a written offer, valid for at least three
  years, to give any third party, for a charge no more than your
  cost of physically performing source distribution, a complete
  machine-readable copy of the corresponding source code, to be
  distributed under the terms of Sections 1 and 2 above on a medium
  customarily used for software interchange; or,

  c) Accompany it with the information you received as to the offer
  to distribute corresponding source code. (This alternative is
  allowed only for noncommercial distribution and only if you
  received the program in object code or executable form with such
  an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this

License and any other pertinent obligations, then as a consequence you
may not distribute the Program at all. For example, if a patent
license would not permit royalty-free redistribution of the Program by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to
apply and the section as a whole is intended to apply in other
circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system, which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

 8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

 10. If you wish to incorporate parts of the Program into other free

programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

 11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

 12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    {description}
    Copyright (C) {year} {fullname}

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or

(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the program
 `Gnomovision' (which makes passes at compilers) written by James Hacker.

 {signature of Ty Coon}, 1 April 1989
 Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.

1.368 go-difflib 1.0.0

1.368.1 Available under license :

1.369 x-net 0.0.0-20201022231255-08b38378de70

1.369.1 Available under license :

* Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
This source code was written by the Go contributors.
The master list of contributors is in the main Go distribution,
visible at http://tip.golang.org/CONTRIBUTORS.

1.370 bcrypt 3.2.0
1.370.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.371 python-setuptools 45.2.0
1.371.1 Available under license :
Copyright (C) 2016 Jason R Coombs <jaraco@jaraco.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.372 popt 1.16-14

1.372.1 Available under license :

Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: popt
Upstream-Contact: Jeff Johnson <jbj@rpm5.org>
Source: http://rpm5.org/files/popt/
Comment:
popt was originally written by Erik Troan when he was with RedHat. It's
now maintained as part of Fedora.

Files: *
Copyright: Copyright (c) 1998 Red Hat Software
       (C) 1998-2002 Red Hat, Inc.
License: X-Consortium
Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:
.
The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN
AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
.
Except as contained in this notice, the name of the X Consortium shall not be
used in advertising or otherwise to promote the sale, use or other dealings
in this Software without prior written authorization from the X Consortium.

Files: debian/*
Copyright: GNU copyright 1997 to 1999 by Joey Hess

2012, Paul Martin <pm@debian.org>

2018, Michael Jeanson <mjeanson@debian.org>

License: GPL-2+

This program is free software; you can redistribute it

and/or modify it under the terms of the GNU General Public

License as published by the Free Software Foundation; either

version 2 of the License, or (at your option) any later

version.

.

This program is distributed in the hope that it will be

useful, but WITHOUT ANY WARRANTY; without even the implied

warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR

PURPOSE. See the GNU General Public License for more

details.

.

You should have received a copy of the GNU General Public

License along with this package; if not, write to the Free

Software Foundation, Inc., 51 Franklin St, Fifth Floor,

Boston, MA 02110-1301 USA

.

On Debian systems, the full text of the GNU General Public

License version 2 can be found in the file

`/usr/share/common-licenses/GPL-2'.

1.373 opencensus 0.22.5

1.373.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
  the Work or Derivative Works thereof, You may choose to offer,
  and charge a fee for, acceptance of support, warranty, indemnity,
  or other liability obligations and/or rights consistent with this
  License. However, in accepting such obligations, You may act only
  on Your own behalf and on Your sole responsibility, not on behalf
  of any other Contributor, and only if You agree to indemnify,
  defend, and hold each Contributor harmless for any liability
  incurred by, or claims asserted against, such Contributor by reason
  of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

  To apply the Apache License to your work, attach the following
  boilerplate notice, with the fields enclosed by brackets "[]"
  replaced with your own identifying information. (Don't include
  the brackets!) The text should be enclosed in the appropriate
  comment syntax for the file format. We also recommend that a
  file or class name and description of purpose be included on the
  same "printed page" as the copyright notice for easier
  identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.374 gogoprotobuf 1.3.2

1.374.1 Available under license :

Copyright (c) 2013, The GoGo Authors. All rights reserved.

Protocol Buffers for Go with Gadgets

Go support for Protocol Buffers - Google's data interchange format

Anton Povarov <anton.povarov@gmail.com>
Brian Goff <cpuguy83@gmail.com>
Clayton Coleman <ccoleman@redhat.com>
Denis Smirnov <denis.smirnov.91@gmail.com>
DongYun Kang <ceram1000@gmail.com>
Dwayne Schultz <dschultz@pivotal.io>
Georg Apitz <gapitz@pivotal.io>
Gustav Paul <gustav.paul@gmail.com>
Johan Brandhorst <johan.brandhorst@gmail.com>
John Shahid <jvshahid@gmail.com>
John Tuley <john@tuley.org>
Laurent <laurent@adyoulike.com>
Patrick Lee <patrick@dropbox.com>
Peter Edge <peter.edge@gmail.com>
Roger Johansson <rogeralsing@gmail.com>
Sam Nguyen <sam.nguyen@sendgrid.com>
Sergio Arbeo <serabe@gmail.com>
Stephen J Day <stephen.day@docker.com>
Tamir Duberstein <tamird@gmail.com>

Todd Eisenberger <teisenberger@dropbox.com>

Tormod Erevik Lea <tormodlea@gmail.com>

Vyacheslav Kim <kane@sendgrid.com>

Walter Schulze <awalterschulze@gmail.com>

1.375 shadow 4.8.1-1ubuntu5.20.04.1

1.375.1 Available under license :

NOTE:

This license has been obsoleted by the change to the BSD-style copyright.
You may continue to use this license if you wish, but you are under no
obligation to do so.

(*
This document is freely plagiarised from the 'Artistic Licence',
distributed as part of the Perl v4.0 kit by Larry Wall, which is
available from most major archive sites. I stole it from CrackLib.

Id
*)

This documents purpose is to state the conditions under which this
Package (See definition below) viz: "Shadow", the Shadow Password Suite
which is held by Julianne Frances Haugh, may be copied, such that the
copyright holder maintains some semblance of artistic control over the
development of the package, while giving the users of the package the
right to use and distribute the Package in a more-or-less customary
fashion, plus the right to make reasonable modifications.

So there.

****

Definitions:

A "Package" refers to the collection of files distributed by the
Copyright Holder, and derivatives of that collection of files created
through textual modification, or segments thereof.

"Standard Version" refers to such a Package if it has not been modified,
or has been modified in accordance with the wishes of the Copyright
Holder.

"Copyright Holder" is whoever is named in the copyright or copyrights
for the package.

"You" is you, if you're thinking about copying or distributing this
Package.

"Reasonable copying fee" is whatever you can justify on the basis of
media cost, duplication charges, time of people involved, and so on.
(You will not be required to justify it to the Copyright Holder, but
only to the computing community at large as a market that must bear the
fee.)

"Freely Available" means that no fee is charged for the item itself,
though there may be fees involved in handling the item. It also means
that recipients of the item may redistribute it under the same
conditions they received it.

1. You may make and give away verbatim copies of the source form of the
Standard Version of this Package without restriction, provided that you
duplicate all of the original copyright notices and associated
disclaimers.

2. You may apply bug fixes, portability fixes and other modifications
derived from the Public Domain or from the Copyright Holder. A Package
modified in such a way shall still be considered the Standard Version.

3. You may otherwise modify your copy of this Package in any way,
provided that you insert a prominent notice in each changed file stating
how and when AND WHY you changed that file, and provided that you do at
least ONE of the following:

a) place your modifications in the Public Domain or otherwise make them
Freely Available, such as by posting said modifications to Usenet or an
equivalent medium, or placing the modifications on a major archive site
such as uunet.uu.net, or by allowing the Copyright Holder to include
your modifications in the Standard Version of the Package.

b) use the modified Package only within your corporation or organization.

c) rename any non-standard executables so the names do not conflict with
standard executables, which must also be provided, and provide separate
documentation for each non-standard executable that clearly documents
how it differs from the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or
executable form, provided that you do at least ONE of the following:

a) distribute a Standard Version of the executables and library files,

together with instructions (in the manual page or equivalent) on where
to get the Standard Version.

b) accompany the distribution with the machine-readable source of the
Package with your modifications.

c) accompany any non-standard executables with their corresponding
Standard Version executables, giving the non-standard executables
non-standard names, and clearly documenting the differences in manual
pages (or equivalent), together with instructions on where to get the
Standard Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this
Package. You may charge any fee you choose for support of this Package.
YOU MAY NOT CHARGE A FEE FOR THIS PACKAGE ITSELF. However, you may
distribute this Package in aggregate with other (possibly commercial)
programs as part of a larger (possibly commercial) software distribution
provided that YOU DO NOT ADVERTISE this package as a product of your
own.

6. The name of the Copyright Holder may not be used to endorse or
promote products derived from this software without specific prior
written permission.

7. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF
MERCHANTIBILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End
GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
675 Mass Ave, Cambridge, MA 02139, USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by

the GNU Library General Public License instead.) You can apply it to
your programs, too.

  When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

  To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

  For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

  We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

  Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

  Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

  The precise terms and conditions for copying, distribution and
modification follow.

    GNU GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

  0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"

means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

  b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

  c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

  a) Accompany it with the complete corresponding machine-readable
  source code, which must be distributed under the terms of Sections
  1 and 2 above on a medium customarily used for software interchange; or,

  b) Accompany it with a written offer, valid for at least three
  years, to give any third party, for a charge no more than your
  cost of physically performing source distribution, a complete
  machine-readable copy of the corresponding source code, to be
  distributed under the terms of Sections 1 and 2 above on a medium
  customarily used for software interchange; or,

  c) Accompany it with the information you received as to the offer
  to distribute corresponding source code. (This alternative is
  allowed only for noncommercial distribution and only if you
  received the program in object code or executable form with such
  an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary

form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

 5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

 7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

 8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

 10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

1.376 findutils 4.7.0 1ubuntu1
1.376.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to

your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

 To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you have
certain responsibilities if you distribute copies of the software, or if
you modify it: responsibilities to respect the freedom of others.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must pass on to the recipients the same
freedoms that you received. You must make sure that they, too, receive
or can get the source code. And you must show them these terms so they
know their rights.

 Developers that use the GNU GPL protect your rights with two steps:
(1) assert copyright on the software, and (2) offer you this License
giving you legal permission to copy, distribute and/or modify it.

 For the developers' and authors' protection, the GPL clearly explains
that there is no warranty for this free software. For both users' and
authors' sake, the GPL requires that modified versions be marked as
changed, so that their problems will not be attributed erroneously to
authors of previous versions.

 Some devices are designed to deny users access to install or run
modified versions of the software inside them, although the manufacturer
can do so. This is fundamentally incompatible with the aim of
protecting users' freedom to change the software. The systematic
pattern of such abuse occurs in the area of products for individuals to
use, which is precisely where it is most unacceptable. Therefore, we
have designed this version of the GPL to prohibit the practice for those
products. If such problems arise substantially in other domains, we
stand ready to extend this provision to those domains in future versions
of the GPL, as needed to protect the freedom of users.

 Finally, every program is threatened constantly by software patents.
States should not allow patents to restrict development and use of
software on general-purpose computers, but in those that do, we wish to
avoid the special danger that patents applied to a free program could
make it effectively proprietary. To prevent this, the GPL assures that
patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source

form of a work.

 A "Standard Interface" means an interface that either is an official
standard defined by a recognized standards body, or, in the case of
interfaces specified for a particular programming language, one that
is widely used among developers working in that language.

 The "System Libraries" of an executable work include anything, other
than the work as a whole, that (a) is included in the normal form of
packaging a Major Component, but which is not part of that Major
Component, and (b) serves only to enable use of the work with that
Major Component, or to implement a Standard Interface for which an
implementation is available to the public in source code form. A
"Major Component", in this context, means a major essential component
(kernel, window system, and so on) of the specific operating system
(if any) on which the executable work runs, or a compiler used to
produce the work, or an object code interpreter used to run it.

 The "Corresponding Source" for a work in object code form means all
the source code needed to generate, install, and (for an executable
work) run the object code and to modify the work, including scripts to
control those activities. However, it does not include the work's
System Libraries, or general-purpose tools or generally available free
programs which are used unmodified in performing those activities but
which are not part of the work. For example, Corresponding Source
includes interface definition files associated with source files for
the work, and the source code for shared libraries and dynamically
linked subprograms that the work is specifically designed to require,
such as by intimate data communication or control flow between those
subprograms and other parts of the work.

 The Corresponding Source need not include anything that users
can regenerate automatically from other parts of the Corresponding
Source.

 The Corresponding Source for a work in source code form is that
same work.

 2. Basic Permissions.

 All rights granted under this License are granted for the term of
copyright on the Program, and are irrevocable provided the stated
conditions are met. This License explicitly affirms your unlimited
permission to run the unmodified Program. The output from running a
covered work is covered by this License only if the output, given its
content, constitutes a covered work. This License acknowledges your
rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not
convey, without conditions so long as your license otherwise remains
in force. You may convey covered works to others for the sole purpose
of having them make modifications exclusively for you, or provide you
with facilities for running those works, provided that you comply with
the terms of this License in conveying all material for which you do
not control copyright. Those thus making or running the covered works
for you must do so exclusively on your behalf, under your direction
and control, on terms that prohibit them from making any copies of
your copyrighted material outside their relationship with you.

 Conveying under any other circumstances is permitted solely under
the conditions stated below. Sublicensing is not allowed; section 10
makes it unnecessary.

 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

 No covered work shall be deemed part of an effective technological
measure under any applicable law fulfilling obligations under article
11 of the WIPO copyright treaty adopted on 20 December 1996, or
similar laws prohibiting or restricting circumvention of such
measures.

 When you convey a covered work, you waive any legal power to forbid
circumvention of technological measures to the extent such circumvention
is effected by exercising rights under this License with respect to
the covered work, and you disclaim any intention to limit operation or
modification of the work as a means of enforcing, against the work's
users, your or third parties' legal rights to forbid circumvention of
technological measures.

 4. Conveying Verbatim Copies.

 You may convey verbatim copies of the Program's source code as you
receive it, in any medium, provided that you conspicuously and
appropriately publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

 You may charge any price or no price for each copy that you convey,
and you may offer support or warranty protection for a fee.

 5. Conveying Modified Source Versions.

 You may convey a work based on the Program, or the modifications to
produce it from the Program, in the form of source code under the

terms of section 4, provided that you also meet all of these conditions:

  a) The work must carry prominent notices stating that you modified
  it, and giving a relevant date.

  b) The work must carry prominent notices stating that it is
  released under this License and any conditions added under section
  7. This requirement modifies the requirement in section 4 to
  "keep intact all notices".

  c) You must license the entire work, as a whole, under this
  License to anyone who comes into possession of a copy. This
  License will therefore apply, along with any applicable section 7
  additional terms, to the whole of the work, and all its parts,
  regardless of how they are packaged. This License gives no
  permission to license the work in any other way, but it does not
  invalidate such permission if you have separately received it.

  d) If the work has interactive user interfaces, each must display
  Appropriate Legal Notices; however, if the Program has interactive
  interfaces that do not display Appropriate Legal Notices, your
  work need not make them do so.

 A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

  6. Conveying Non-Source Forms.

 You may convey a covered work in object code form under the terms
of sections 4 and 5, provided that you also convey the
machine-readable Corresponding Source under the terms of this License,
in one of these ways:

  a) Convey the object code in, or embodied in, a physical product
  (including a physical distribution medium), accompanied by the
  Corresponding Source fixed on a durable physical medium
  customarily used for software interchange.

  b) Convey the object code in, or embodied in, a physical product
  (including a physical distribution medium), accompanied by a
  written offer, valid for at least three years and valid for as

long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

 A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

 A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent

the only significant mode of use of the product.

 "Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

 If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

 The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

 Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

 7. Additional Terms.

 "Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

 When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of

it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or

b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the

form of a separately written license, or stated as exceptions;
the above requirements apply either way.

  8. Termination.

  You may not propagate or modify a covered work except as expressly
provided under this License. Any attempt otherwise to propagate or
modify it is void, and will automatically terminate your rights under
this License (including any patent licenses granted under the third
paragraph of section 11).

  However, if you cease all violation of this License, then your
license from a particular copyright holder is reinstated (a)
provisionally, unless and until the copyright holder explicitly and
finally terminates your license, and (b) permanently, if the copyright
holder fails to notify you of the violation by some reasonable means
prior to 60 days after the cessation.

  Moreover, your license from a particular copyright holder is
reinstated permanently if the copyright holder notifies you of the
violation by some reasonable means, this is the first time you have
received notice of violation of this License (for any work) from that
copyright holder, and you cure the violation prior to 30 days after
your receipt of the notice.

  Termination of your rights under this section does not terminate the
licenses of parties who have received copies or rights from you under
this License. If your rights have been terminated and not permanently
reinstated, you do not qualify to receive new licenses for the same
material under section 10.

  9. Acceptance Not Required for Having Copies.

  You are not required to accept this License in order to receive or
run a copy of the Program. Ancillary propagation of a covered work
occurring solely as a consequence of using peer-to-peer transmission
to receive a copy likewise does not require acceptance. However,
nothing other than this License grants you permission to propagate or
modify any covered work. These actions infringe copyright if you do
not accept this License. Therefore, by modifying or propagating a
covered work, you indicate your acceptance of this License to do so.

  10. Automatic Licensing of Downstream Recipients.

  Each time you convey a covered work, the recipient automatically
receives a license from the original licensors, to run, modify and
propagate that work, subject to this License. You are not responsible
for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license,

and the Corresponding Source of the work is not available for anyone
to copy, free of charge and under the terms of this License, through a
publicly available network server or other readily accessible means,
then you must either (1) cause the Corresponding Source to be so
available, or (2) arrange to deprive yourself of the benefit of the
patent license for this particular work, or (3) arrange, in a manner
consistent with the requirements of this License, to extend the patent
license to downstream recipients. "Knowingly relying" means you have
actual knowledge that, but for the patent license, your conveying the
covered work in a country, or your recipient's use of the covered work
in a country, would infringe one or more identifiable patents in that
country that you have reason to believe are valid.

 If, pursuant to or in connection with a single transaction or
arrangement, you convey, or propagate by procuring conveyance of, a
covered work, and grant a patent license to some of the parties
receiving the covered work authorizing them to use, propagate, modify
or convey a specific copy of the covered work, then the patent license
you grant is automatically extended to all recipients of the covered
work and works based on it.

 A patent license is "discriminatory" if it does not include within
the scope of its coverage, prohibits the exercise of, or is
conditioned on the non-exercise of one or more of the rights that are
specifically granted under this License. You may not convey a covered
work if you are a party to an arrangement with a third party that is
in the business of distributing software, under which you make payment
to the third party based on the extent of your activity of conveying
the work, and under which the third party grants, to any of the
parties who would receive the covered work from you, a discriminatory
patent license (a) in connection with copies of the covered work
conveyed by you (or copies made from those copies), or (b) primarily
for and in connection with specific products or compilations that
contain the covered work, unless you entered into that arrangement,
or that patent license was granted, prior to 28 March 2007.

 Nothing in this License shall be construed as excluding or limiting
any implied license or other defenses to infringement that may
otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

 If conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot convey a
covered work so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you may
not convey it at all. For example, if you agree to terms that obligate you

to collect a royalty for further conveying from those to whom you convey
the Program, the only way you could satisfy both those terms and this
License would be to refrain entirely from conveying the Program.

  13. Use with the GNU Affero General Public License.

  Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

  14. Revised Versions of this License.

  The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

  Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

  If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

  Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

  15. Disclaimer of Warranty.

  THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR

PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

 16. Limitation of Liability.

 IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE
USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD
PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES.

 17. Interpretation of Sections 15 and 16.

 If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

    END OF TERMS AND CONDITIONS

   How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software: you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation, either version 3 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

 If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

 <program> Copyright (C) <year> <name of author>
 This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
 This is free software, and you are welcome to redistribute it
 under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

 You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

 The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<http://www.gnu.org/philosophy/why-not-lgpl.html>.

1.377 facebookgo-structtag 0.0.0-20150214074306-217e25fb9691

1.377.1 Available under license :

Copyright (c) 2012 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

 * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
 * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer

in the documentation and/or other materials provided with the
distribution.

* Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.378 zstd 1.4.4+dfsg-3ubuntu0.1

1.378.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program

is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion
of it, thus forming a work based on the Program, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices
  stating that you changed the files and the date of any change.

  b) You must cause any work that you distribute or publish, that in
  whole or in part contains or is derived from the Program or any
  part thereof, to be licensed as a whole at no charge to all third
  parties under the terms of this License.

  c) If the modified program normally reads commands interactively
  when run, you must cause it, when started running for such
  interactive use in the most ordinary way, to print or display an
  announcement including an appropriate copyright notice and a
  notice that there is no warranty (or else, saying that you provide
  a warranty) and that users may redistribute the program under
  these conditions, and telling the user how to view a copy of this
  License. (Exception: if the Program itself is interactive but
  does not normally print such an announcement, your work based on
  the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

 3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

  a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

  b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

  c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense or distribute the Program is
void, and will automatically terminate your rights under this License.
However, parties who have received copies, or rights, from you under
this License will not have their licenses terminated so long as such
parties remain in full compliance.

5. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Program or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Program (or any work based on the
Program), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the
Program), the recipient automatically receives a license from the
original licensor to copy, distribute or modify the Program subject to
these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties to
this License.

7. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Program at all. For example, if a patent
license would not permit royalty-free redistribution of the Program by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to
apply and the section as a whole is intended to apply in other
circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system, which is

implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

 8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

 10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

                    NO WARRANTY

 11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE

PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

 12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License along
    with this program; if not, write to the Free Software Foundation, Inc.,
    51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.
BSD License

For Zstandard software

Copyright (c) 2016-present, Facebook, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
  list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.

* Neither the name Facebook nor the names of its contributors may be used to
  endorse or promote products derived from this software without specific
  prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

/*

* Copyright (c) 2018-present, Yann Collet, Facebook, Inc.

* All rights reserved.

*

* This source code is licensed under both the BSD-style license (found in the

* LICENSE file in the root directory of this source tree) and the GPLv2 (found

* in the COPYING file in the root directory of this source tree).

* You may select, at your option, one of the above-listed licenses.

*/

/* checkTag : validation tool for libzstd

* command :

* $ ./checkTag tag

* checkTag validates tags of following format : v[0-9].[0-9].[0-9]{any}

* The tag is then compared to zstd version number.

* They are compatible if first 3 digits are identical.

* Anything beyond that is free, and doesn't impact validation.

* Example : tag v1.8.1.2 is compatible with version 1.8.1

* When tag and version are not compatible, program exits with error code 1.

* When they are compatible, it exists with a code 0.

* checkTag is intended to be used in automated testing environment.

*/

1.379 dpkg 1.19.7ubuntu3.2

1.379.1 Available under license :

Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/

Upstream-Name: dpkg

Files: *

Copyright:

Copyright 1994 Ian Murdock <imurdock@debian.org>

Copyright 1994 Matt Welsh <mdw@sunsite.unc.edu>

Copyright 1994 Carl Streeter <streeter@cae.wisc.edu>

Copyright 1994-1999, 2008 Ian Jackson <ijackson@chiark.greenend.org.uk>

Copyright 1995 Bruce Perens <bruce@pixar.com>

Copyright 1995-1996 Erick Branderhorst <branderhorst@heel.fgg.eur.nl>

Copyright 1996 Michael Shields <shields@crosslink.net>

Copyright 1996 Klee Dienes <klee@debian.org>

Copyright 1996 Kim-Minh Kaplan <kkaplan@cdfhp3.in2p3.fr>

Copyright 1996-1998 Miquel van Smoorenburg <miquels@cistron.nl>
Copyright 1997-1998 Charles Briscoe-Smith <cpbs@debian.org>
Copyright 1997-1998 Juho Vuori <javuori@cc.helsinki.fi>
Copyright 1998 Koichi Sekido <sekido@mbox.kyoto-inet.or.jp>
Copyright 1998 Jim Van Zandt <jrv@vanzandt.mv.com>
Copyright 1998 Juan Cespedes <cespedes@debian.org>
Copyright 1998 Nils Rennebarth <nils@debian.org>
Copyright 1998 Heiko Schlittermann <hs@schlittermann.de>
Copyright 1998-1999, 2001, 2003, 2006 Martin Schulze <joey@infodrom.org>
Copyright 1999 Roderick Shertler <roderick@argon.org>
Copyright 1999 Ben Collins <bcollins@debian.org>
Copyright 1999 Richard Kettlewell <rjk@sfere.greenend.org.uk>
Copyright 1999-2001 Marcus Brinkmann <brinkmd@debian.org>
Copyright 1999-2002 Wichert Akkerman <wakkerma@debian.org>
Copyright 2001, 2007, 2010 Joey Hess <joeyh@debian.org>
Copyright 2004-2005, 2007-2008, 2010 Canonical Ltd.
Copyright 2004-2005 Scott James Remnant <scott@netsplit.com>
Copyright 2006-2008 Frank Lichtenheld <djpig@debian.org>
Copyright 2006-2015 Guillem Jover <guillem@debian.org>
Copyright 2007-2012 Raphal Hertzog <hertzog@debian.org>
Copyright 2007 Nicolas Franois <nicolas.francois@centraliens.net>
Copyright 2007 Don Armstrong <don@donarmstrong.com>
Copyright 2007 Colin Watson <cjwatson@debian.org>
Copyright 2007, 2008 Tollef Fog Heen <tfheen@err.no>
Copyright 2008 Zack Weinberg <zackw@panix.com>
Copyright 2008 Pierre Habouzit <madcoder@debian.org>
Copyright 2009 Romain Francoise <rfrancoise@debian.org>
Copyright 2009-2010 Modestas Vainius <modax@debian.org>
Copyright 2009-2011 Kees Cook <kees@debian.org>
License: GPL-2+

Files:
lib/compat/getopt*
lib/compat/gettext.h
lib/compat/obstack.*
lib/compat/strnlen.c
Copyright:
Copyright 1987-2006 Free Software Foundation, Inc.
License: GPL-2+

Files:
dselect/methods/Dselect/Ftp.pm
dselect/methods/ftp/*
Copyright:
Copyright 1996 Andy Guy <awpguy@acs.ucalgary.ca>
Copyright 1998 Martin Schulze <joey@infodrom.org>
Copyright 1999-2001, 2005-2006, 2009 Raphal Hertzog <hertzog@debian.org>
License: GPL-2

Files:

scripts/Dpkg/Gettext.pm

Copyright:

Copyright 2000 Joey Hess <joeyh@debian.org>

Copyright 2007, 2009-2010, 2012-2015 Guillem Jover <guillem@debian.org>

License: BSD-2-clause

Files:

utils/start-stop-daemon.c

Copyright:

Copyright 1999 Marek Michalkiewicz <marekm@i17linuxb.ists.pwr.wroc.pl>

Copyright 1999 Christian Schwarz <schwarz@monet.m.isar.de>

Copyright 1999 Klee Dienes <klee@debian.org>

Copyright 1999 Ben Collins <bcollins@debian.org>

Copyright 1999-2002 Wichert Akkerman <wakkerma@debian.org>

Copyright 2000-2003 Adam Heath <doogie@debian.org>

Copyright 2001 Sontri Tomo Huynh <huynh.29@osu.edu>

Copyright 2001 Andreas Schuldei <andreas@schuldei.org>

Copyright 2001 Ian Jackson <ijackson@chiark.greenend.org.uk>

Copyright 2004-2005 Scott James Remnant <keybuk@debian.org>

Copyright 2006-2014 Guillem Jover <guillem@debian.org>

Copyright 2008 Samuel Thibault <samuel.thibault@ens-lyon.org>

Copyright 2008 Andreas Phlsson <andreas.pahlsson@xcerion.com>

Copyright 2009 Chris Coulson <chrisccoulson@googlemail.com>

Copyright 2012 Carsten Hey <carsten@debian.org>

Copyright 2014 Nir Soffer <nirs@hyperms.com>

License: public-domain-s-s-d

Written by Marek Michalkiewicz <marekm@i17linuxb.ists.pwr.wroc.pl>,

public domain. Based conceptually on start-stop-daemon.pl, by Ian

Jackson <ijackson@gnu.ai.mit.edu>. May be used and distributed

freely for any purpose. Changes by Christian Schwarz

<schwarz@monet.m.isar.de>, to make output conform to the Debian

Console Message Standard, also placed in public domain. Minor

changes by Klee Dienes <klee@debian.org>, also placed in the Public

Domain.

.

Changes by Ben Collins <bcollins@debian.org>, added --chuid, --background

and --make-pidfile options, placed in public domain as well.

Files: lib/compat/md5.*

Copyright:

Copyright 1993 Colin Plumb

License: public-domain-md5

This code implements the MD5 message-digest algorithm.

The algorithm is due to Ron Rivest. This code was

written by Colin Plumb in 1993, no copyright is claimed.

This code is in the public domain; do with it what you wish.

.

Equivalent code is available from RSA Data Security, Inc.

This code has been tested against that, and is equivalent,

except that you don't need to include two pages of legalese

with every copy.

License: GPL-2+

This program is free software; you can redistribute it and/or modify

it under the terms of the GNU General Public License as published by

the Free Software Foundation; either version 2 of the License, or

(at your option) any later version.

.

This program is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the

GNU General Public License for more details.

.

You should have received a copy of the GNU General Public License

along with this program. If not, see <https://www.gnu.org/licenses/>.

Comment:

On Debian systems, the complete text of the GNU General Public License

can be found in /usr/share/common-licenses/GPL-2 or in the dpkg source

as the file COPYING.

License: GPL-2

This is free software; you can redistribute it and/or modify

it under the terms of version 2 of the GNU General Public

License version 2 as published by the Free Software Foundation.

.

This is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the

GNU General Public License for more details.

.

You should have received a copy of the GNU General Public License

along with this program. If not, see <https://www.gnu.org/licenses/>.

License: BSD-2-clause

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions

are met:

1. Redistributions of source code must retain the above copyright

   notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright

   notice, this list of conditions and the following disclaimer in the

   documentation and/or other materials provided with the distribution.

.

THIS SOFTWARE IS PROVIDED BY AUTHORS AND CONTRIBUTORS ``AS IS'' AND

ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHORS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion
of it, thus forming a work based on the Program, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices
  stating that you changed the files and the date of any change.

  b) You must cause any work that you distribute or publish, that in
  whole or in part contains or is derived from the Program or any
  part thereof, to be licensed as a whole at no charge to all third
  parties under the terms of this License.

  c) If the modified program normally reads commands interactively
  when run, you must cause it, when started running for such
  interactive use in the most ordinary way, to print or display an
  announcement including an appropriate copyright notice and a
  notice that there is no warranty (or else, saying that you provide
  a warranty) and that users may redistribute the program under
  these conditions, and telling the user how to view a copy of this
  License. (Exception: if the Program itself is interactive but
  does not normally print such an announcement, your work based on
  the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may copy and distribute the Program (or a work based on it,

under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

  a) Accompany it with the complete corresponding machine-readable
  source code, which must be distributed under the terms of Sections
  1 and 2 above on a medium customarily used for software interchange; or,

  b) Accompany it with a written offer, valid for at least three
  years, to give any third party, for a charge no more than your
  cost of physically performing source distribution, a complete
  machine-readable copy of the corresponding source code, to be
  distributed under the terms of Sections 1 and 2 above on a medium
  customarily used for software interchange; or,

  c) Accompany it with the information you received as to the offer
  to distribute corresponding source code. (This alternative is
  allowed only for noncommercial distribution and only if you
  received the program in object code or executable form with such
  an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering
access to copy from a designated place, then offering equivalent
access to copy the source code from the same place counts as
distribution of the source code, even though third parties are not
compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense or distribute the Program is
void, and will automatically terminate your rights under this License.
However, parties who have received copies, or rights, from you under
this License will not have their licenses terminated so long as such
parties remain in full compliance.

 5. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Program or its derivative works. These actions are

prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

 7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

 8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the

original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

 10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

    NO WARRANTY

 11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

 12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License along
    with this program; if not, write to the Free Software Foundation, Inc.,
    51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

    Gnomovision version 69, Copyright (C) year name of author
    Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if

necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the program
 `Gnomovision' (which makes passes at compilers) written by James Hacker.

 <signature of Ty Coon>, 1 April 1989
 Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.

1.380 go-hclog 0.14.1
1.380.1 Available under license :

MIT License

Copyright (c) 2017 HashiCorp

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.381 grafana-grafana-plugin-sdk-go 0.83.0
1.381.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
    Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
    stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
    that You distribute, all copyright, patent, trademark, and
    attribution notices from the Source form of the Work,
    excluding those notices that do not pertain to any part of
    the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
    distribution, then any Derivative Works that You distribute must
    include a readable copy of the attribution notices contained
    within such NOTICE file, excluding those notices that do not
    pertain to any part of the Derivative Works, in at least one
    of the following places: within a NOTICE text file distributed
    as part of the Derivative Works; within the Source form or
    documentation, if provided along with the Derivative Works; or,
    within a display generated by the Derivative Works, if and
    wherever such third-party notices normally appear. The contents
    of the NOTICE file are for informational purposes only and
    do not modify the License. You may add Your own attribution
    notices within Derivative Works that You distribute, alongside
    or as an addendum to the NOTICE text from the Work, provided
    that such additional attribution notices cannot be construed
    as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright 2020 Grafana Labs

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.382 packaging 19.2
1.382.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and
       attribution notices from the Source form of the Work,
       excluding those notices that do not pertain to any part of
       the Derivative Works; and

   (d) If the Work includes a "NOTICE" text file as part of its
       distribution, then any Derivative Works that You distribute must
       include a readable copy of the attribution notices contained
       within such NOTICE file, excluding those notices that do not
       pertain to any part of the Derivative Works, in at least one
       of the following places: within a NOTICE text file distributed
       as part of the Derivative Works; within the Source form or
       documentation, if provided along with the Derivative Works; or,
       within a display generated by the Derivative Works, if and
       wherever such third-party notices normally appear. The contents
       of the NOTICE file are for informational purposes only and
       do not modify the License. You may add Your own attribution
       notices within Derivative Works that You distribute, alongside
       or as an addendum to the NOTICE text from the Work, provided
       that such additional attribution notices cannot be construed
       as modifying the License.

   You may add Your own copyright statement to Your modifications and
   may provide additional or different license terms and conditions
   for use, reproduction, or distribution of Your modifications, or
   for any such Derivative Works as a whole, provided Your use,
   reproduction, and distribution of the Work otherwise complies with
   the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS
This software is made available under the terms of *either* of the licenses
found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made
under the terms of *both* these licenses.

1.383 crewjam-saml 0.4.6-0.20201227203850-bca570abb2ce

1.383.1 Available under license :

DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.384 libpsl 0.21.0-1ubuntu1
1.384.1 Available under license :

Copyright (C) 2014-2015 Tim Rhsen

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS IN THE SOFTWARE.
Copyright (C) 2014-2018 Tim Rhsen

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS IN THE SOFTWARE.

* The following License is for the source code files

 psl-make-dafsa and lookup_string_in_fixed_set.c.

// Copyright 2015 The Chromium Authors. All rights reserved.

//

// Redistribution and use in source and binary forms, with or without

// modification, are permitted provided that the following conditions are

// met:

//

//   * Redistributions of source code must retain the above copyright

// notice, this list of conditions and the following disclaimer.

//   * Redistributions in binary form must reproduce the above

// copyright notice, this list of conditions and the following disclaimer

// in the documentation and/or other materials provided with the

// distribution.

//   * Neither the name of Google Inc. nor the names of its

// contributors may be used to endorse or promote products derived from

// this software without specific prior written permission.

//

// THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

// "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

// LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

// A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT

// OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,

// SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT

// LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

// DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

// THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

// (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE

// OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.385 grpcio-tools 1.47.0

1.385.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

*

* Copyright 2020 gRPC authors.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

*   http://www.apache.org/licenses/LICENSE-2.0

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*/

Found in path(s):
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_root/include/grpc/impl/codegen/sync_abseil.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_root/include/grpcpp/test/channel_test_peer.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_root/include/grpc/support/sync_abseil.h
No license file was found, but licenses were detected in source scan.

// Copyright 2015 Google Inc. All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions are
//   * Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
//   * Redistributions in binary form must reproduce the above
// copyright notice, this list of conditions and the following disclaimer
// in the documentation and/or other materials provided with the
//   * Neither the name of Google Inc. nor the names of its
// this software without specific prior written permission.

Found in path(s):
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_map_field.cc
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/objectivec/objectivec_map_field.cc
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/objectivec/objectivec_map_field.h
No license file was found, but licenses were detected in source scan.

/*
*
* Copyright 2021 gRPC authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_root/include/grpcpp/test/client_context_test_peer.h

No license file was found, but licenses were detected in source scan.

Found in path(s):

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/stubs/stringprintf.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/stubs/platform_macros.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/stubs/stringprintf_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/stubs/stringprintf.cc

No license file was found, but licenses were detected in source scan.

Found in path(s):

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/stubs/casts.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-

1.47.0/third_party/protobuf/src/google/protobuf/compiler/ruby/ruby_generator_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/stubs/map_util.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_generator_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/objectivec/objectivec_helpers_unittest.cc

No license file was found, but licenses were detected in source scan.

// Copyright 2008 Google Inc. All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions are
//   * Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
//   * Redistributions in binary form must reproduce the above
// copyright notice, this list of conditions and the following disclaimer
// in the documentation and/or other materials provided with the
//   * Neither the name of Google Inc. nor the names of its
// this software without specific prior written permission.
// Copyright 2008 Google Inc. All Rights Reserved.

Found in path(s):
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/stubs/structurally_valid_unittest.cc

No license file was found, but licenses were detected in source scan.

// Licensed under the Apache License, Version 2.0 (the "License");
// you may not use this file except in compliance with the License.
// You may obtain a copy of the License at
//   http://www.apache.org/licenses/LICENSE-2.0
// distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/event_engine/internal/memory_allocator_impl.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/security/tls_certificate_provider.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_tools/main.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/security/binder_credentials.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/security/binder_security_policy.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/event_engine/event_engine.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_tools/test/complicated.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-

1.47.0/grpc_tools/test/simpler.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/security/authorization_policy_provider.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/ext/admin_services.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/security/tls_certificate_verifier.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/ext/orca_service.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/event_engine/port.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_tools/test/flawed.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/create_channel_binder.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/event_engine/slice_buffer.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/event_engine/memory_allocator.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_tools/test/simple.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_tools/main.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/event_engine/memory_request.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/event_engine/endpoint_config.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_tools/test/simplest.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/xds_server_builder.h

No license file was found, but licenses were detected in source scan.

/*
*
* Copyright 2017 gRPC authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

```
 *
 */
```

Found in path(s):
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_root/include/grpcpp/support/error_details.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_root/include/grpcpp/impl/codegen/byte_buffer.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_root/include/grpc/load_reporting.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_root/include/grpc/impl/codegen/sync_custom.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_root/include/grpc/support/sync_custom.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_root/include/grpc/fork.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_root/include/grpcpp/test/mock_stream.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_root/include/grpc/impl/codegen/fork.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_root/include/grpcpp/impl/channel_argument_option.h
No license file was found, but licenses were detected in source scan.

```
/*
 *
 * Copyright 2015-2016 gRPC authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 */
```

Found in path(s):
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_root/include/grpcpp/impl/codegen/completion_queue.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_root/include/grpc/grpc.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-

1.47.0/grpc_root/include/grpc/census.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_root/include/grpcpp/server_builder.h

No license file was found, but licenses were detected in source scan.

// Copyright 2009 Google Inc. All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions are
//   * Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
//   * Redistributions in binary form must reproduce the above
// copyright notice, this list of conditions and the following disclaimer
// in the documentation and/or other materials provided with the
//   * Neither the name of Google Inc. nor the names of its
// this software without specific prior written permission.

Found in path(s):
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/testing/zcgunzip.cc
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/testing/zcgzip.cc

No license file was found, but licenses were detected in source scan.

// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions are
//   * Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
//   * Redistributions in binary form must reproduce the above
// copyright notice, this list of conditions and the following disclaimer
// in the documentation and/or other materials provided with the
//   * Neither the name of Google Inc. nor the names of its
// this software without specific prior written permission.

Found in path(s):
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/stubs/mutex.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/stubs/template_util_unittest.cc
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/stubs/template_util.h

No license file was found, but licenses were detected in source scan.

/*
*
* Copyright 2018 gRPC authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");

Found in path(s):

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/call_op_set.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/codegen/proto_utils.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/interceptor_common.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/proto_buffer_writer.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/generic/async_generic_service.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/codegen/stub_options.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/server.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/call_op_set_interface.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/codegen/config_protobuf.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/support/proto_buffer_reader.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/codegen/server_interface.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/rpc_service_method.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/codegen/status.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/codegen/server_context.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/callback_common.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/support/config.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/channel.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/create_channel_posix.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/codegen/async_stream.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/create_channel.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/codegen/call_hook.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/server_context.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/codegen/core_codegen.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/support/byte_buffer.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/health_check_service_interface.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/server_initializer.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/support/thd_id.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/rpc_method.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/codegen/service_type.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/client_interceptor.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/grpc++.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/codegen/rpc_method.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/completion_queue.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/support/sync_stream.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/server_builder_option.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/support/async_stream.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/generic/generic_stub.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/test/mock_stream.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/client_unary_call.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/support/server_callback.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/support/status_code_enum.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/codegen/method_handler_impl.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/codegen/serialization_traits.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/codegen/async_unary_call.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/codegen/create_auth_context.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/alarm.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/service_type.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/server_builder_plugin.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/codegen/client_unary_call.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/server_interceptor.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/method_handler_impl.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/channel_argument_option.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/support/error_details.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/ext/health_check_service_server_builder_option.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/codegen/rpc_service_method.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/codegen/security/auth_context.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/codegen/completion_queue_tag.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/codegen/grpc_library.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/codegen/sync_stream.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/ext/server_load_reporting.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/serialization_traits.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/support/client_callback.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/support/stub_options.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/support/proto_buffer_writer.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/generic/async_generic_service.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/ext/channelz_service_plugin.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/codegen/status_code_enum.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/server_posix.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/codegen/config.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/client_context.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/codegen/client_context.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/codegen/call.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/interceptor.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/call.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/codegen/completion_queue.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/support/string_ref.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/codegen/slice.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/security/credentials.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/codegen/channel_interface.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/intercepted_channel.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/method_handler_impl.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/grpc_library.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/support/channel_arguments.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/support/status.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/support/slice.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/codegen/string_ref.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/security/auth_metadata_processor.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/ext/proto_server_reflection_plugin.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/support/async_unary_call.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/test/server_context_test_spouse.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/codegen/time.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/security/server_credentials.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/support/time.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/codegen/core_codegen_interface.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/codegen/metadata_map.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/codegen/byte_buffer.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/resource_quota.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/impl/call.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/security/auth_context.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc++/server_builder.h

No license file was found, but licenses were detected in source scan.

Found in path(s):
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/ext/call_metric_recorder.h

No license file was found, but licenses were detected in source scan.

Found in path(s):

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/testing/googletest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_tools/_proto/google/protobuf/descriptor.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/any.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_enum_lite.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/python/python_plugin_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/dynamic_message.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/util/message_differencer_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_message_field.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_parse_function_generator.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_string_field.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/unittest_proto3_arena_lite.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/repeated_ptr_field.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/util/internal/testdata/books.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/unknown_field_set.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/text_format_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_kotlin_generator.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/unittest_import_public.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_primitive_field.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-

1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_helpers.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/delimited_message_util.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/unittest_custom_options.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/type_resolver_util_test.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/objectivec/objectivec_primitive_field.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_string_field.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/io/coded_stream_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/internal/object_source.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_enum_lite.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/generated_enum_util.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_service.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/annotation_test_util.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/wire_format.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_message.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/map_test_util.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/repeated_ptr_field.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/stubs/substitute.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_primitive_field.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/struct.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/stubs/stl_util.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_generator.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/time_util.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/unittest_lite_imports_nonlite.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/internal/datapiece.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-

1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_enum_field_lite.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/io/strtod.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/map_proto2_unittest.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/util/internal/location_tracker.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/explicitly_constructed.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/unittest_enormous_descriptor.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/generated_message_tctable_impl.inc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_helpers.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/map_entry_lite.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_extension.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/util/message_differencer_unittest.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/map_test_util.inc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_extension.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_tools/_proto/google/protobuf/duration.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/util/internal/protostream_objectwriter.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/util/internal/utility.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/test_messages_proto2.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_enum.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/stubs/bytestream.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/text_format.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/unknown_field_set.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_message_field.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/python/python_generator.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/stubs/logging.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-

1.47.0/third_party/protobuf/src/google/protobuf/compiler/objectivec/objectivec_file.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_kotlin_generator.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/parse_context.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_name_resolver.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/any.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_service.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/objectivec/objectivec_oneof.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/scc.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/no_field_presence_test.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/any.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_context.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_string_field.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/metadata_test.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/internal/type_info.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/unittest_arena.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/inlined_string_field_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_repeated_primitive_field.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/ruby/ruby_generator.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_map_field.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_helpers.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_tools/_proto/google/protobuf/api.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/test_plugin.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/unittest_no_generic_services.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_primitive_field_lite.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-

1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_options.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_names.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/internal/testdata/wrappers.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/subprocess.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_generator.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/reflection_ops_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/internal/json_escaping.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/generated_enum_util.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/type.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/io/zero_copy_stream_impl.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/generated_message_bases.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/internal/json_objectwriter.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/arenastring_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_message.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_service.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/io/zero_copy_stream.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_primitive_field_lite.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/map_field.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/test_util_lite.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/field_mask_util.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/internal/testdata/maps.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_tools/_proto/google/protobuf/compiler/plugin.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/io/zero_copy_stream_impl_lite.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/internal/default_value_objectwriter.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-

1.47.0/third_party/protobuf/src/google/protobuf/unittest.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/util/internal/type_info_test_helper.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/js/js_generator.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/util/json_util.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_enum.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/io/printer.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/map_test.inc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/util/internal/json_objectwriter.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/objectivec/objectivec_enum_field.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/inlined_string_field.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/io/io_win32.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/util/field_mask_util_test.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_unittest.inc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/stubs/stringpiece_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_enum_field.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/util/internal/object_writer.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_message_field.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/util/package_info.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/message_lite.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/objectivec/objectivec_extension.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/inlined_string_field.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/repeated_field_reflection_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/stubs/stringpiece.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/wire_format_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-

1.47.0/third_party/protobuf/src/google/protobuf/field_access_listener.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/duration.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_extension.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_message_builder_lite.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/internal/error_listener.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/stubs/strutil.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_enum_field.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_parse_function_generator.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/stubs/status_macros.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/unittest_preserve_unknown_enum.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/arenastring.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_message_layout_helper.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_enum_field.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/map_lite_unittest.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_padding_optimizer.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_tools/_proto/google/protobuf/struct.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/string_member_robber.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/io/tokenizer.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/annotation_test_util.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/unittest_preserve_unknown_enum2.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/internal/protostream_objectwriter.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/reflection_ops.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/internal/default_value_objectwriter.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/internal/structured_objectwriter.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-

1.47.0/third_party/protobuf/src/google/protobuf/io/strtod.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_repeated_enum_field.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_repeated_message_field.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/unittest_mset_wire_format.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/generated_message_reflection.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/message_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/util/internal/error_listener.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/dynamic_message_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/util/internal/testdata/default_value_test.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_extension.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/package_info.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_message_field.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/stubs/int128.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/objectivec/objectivec_enum.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/unittest_proto3_lite.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_names.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/util/internal/json_escaping.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/stubs/hash.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_string_field_lite.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/arena_test_util.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/arenastring.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/util/internal/proto_writer.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/generated_message_tctable_impl.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/util/internal/testdata/oneofs.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-

1.47.0/third_party/protobuf/src/google/protobuf/util/internal/default_value_objectwriter_test.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/well_known_types_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_message.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/generated_message_util.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/internal/testdata/timestamp_duration.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/any_lite.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_message_field_lite.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/map.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_tools/_proto/google/protobuf/empty.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_field_base.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_enum_field.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_repeated_message_field.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/extension_set.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/wrappers.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_string_field_lite.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_file.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_tools/_proto/google/protobuf/timestamp.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/proto3_arena_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/plugin.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/implicit_weak_message.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/zip_writer.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/arena_impl.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/unittest_lite.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-

1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_message_builder_lite.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/internal/utility.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/arena.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/stubs/once.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/importer.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/map_type_handler.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_enum_field.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/any_test.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/objectivec/objectivec_helpers.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/type_resolver.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/php/php_generator.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_file.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/io/tokenizer.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/test_util.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/python/python_generator.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/map_field_test.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/proto3_arena_lite_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/any_test.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/test_util_lite.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/wire_format_lite.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/io/io_win32_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/field_mask_util.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/objectivec/objectivec_field.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/map_entry.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-

1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_enum.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/unittest_empty.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/arena_test_util.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/parser_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/service.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/stubs/mathutil.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_doc_comment.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/objectivec/objectivec_generator.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/message.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_field_base.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/internal/object_location_tracker.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_message_field.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/zip_writer.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/repeated_field.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/test_messages_proto3.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/io/package_info.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/stubs/statusor.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/descriptor_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/unittest_import_public_lite.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/unittest_optimize_for.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/field_mask.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/preserve_unknown_enum_test.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/io/gzip_stream.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/mock_code_generator.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-

1.47.0/third_party/protobuf/src/google/protobuf/compiler/objectivec/objectivec_primitive_field.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/lite_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/port.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/command_line_interface.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/reflection_internal.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/api.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/wire_format_lite.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/generated_message_tctable_lite.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/stubs/int128.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/map_field_inl.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_generator_factory.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/port_undef.inc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/time_util_test.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/stubs/stringpiece.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/stubs/strutil.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/plugin.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/delimited_message_util.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_shared_code_generator.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/io/coded_stream.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/unittest_mset.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/generated_message_table_driven_lite.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/descriptor_database_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/repeated_field.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/testing/googletest.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-

1.47.0/third_party/protobuf/src/google/protobuf/arena_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/objectivec/objectivec_message.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_tools/_proto/google/protobuf/any.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_message_builder.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/util/internal/protostream_objectsource.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_file.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/generated_message_tctable_full.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/util/internal/testdata/struct.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_enum_field_lite.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_generator.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/parser.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/util/type_resolver_util.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/stubs/structurally_valid.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_options.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_test_bad_identifiers.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_primitive_field.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/util/json_util_test.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/reflection_ops.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/util/internal/json_stream_parser.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_enum.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_map_field_lite.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_map_field.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/objectivec/objectivec_message.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_wrapper_field.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-

1.47.0/third_party/protobuf/src/google/protobuf/util/internal/proto_writer.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/json_format_proto3.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/unittest_lazy_dependencies_custom_option.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/package_info.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_message_lite.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/extension_set.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/generated_enum_reflection.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_source_generator_base.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_doc_comment.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_doc_comment_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/stubs/common.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_message.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_names.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_primitive_field.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/internal/protostream_objectsource_test.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/internal/testdata/default_value.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_context.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/wire_format.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_test_large_enum_value.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_options.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_generator.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/stubs/statusor.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/message_differencer.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/descriptor.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-

1.47.0/third_party/protobuf/src/google/protobuf/compiler/objectivec/objectivec_message_field.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_tools/_proto/google/protobuf/wrappers.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_extension_lite.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/internal/json_stream_parser_test.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_plugin_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/reflection_tester.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/internal/testdata/field_mask.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/internal/testdata/proto3.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/unknown_field_set_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/ruby/ruby_generator.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/generated_message_reflection.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/json_format.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_field.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/internal/constants.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/text_format.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/message_differencer.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/wire_format_unittest.inc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/php/php_generator.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/field_comparator.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/io/zero_copy_stream.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/extension_set_inl.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/objectivec/objectivec_file.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/metadata.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/main.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-

1.47.0/third_party/protobuf/src/google/protobuf/descriptor.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_primitive_field.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/unittest_proto3.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/generated_message_tctable_decl.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/has_bits.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_generator_factory.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/command_line_interface.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/unittest_proto3_optional.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/dynamic_message.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/internal/datapiece.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/mock_code_generator.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/descriptor_database.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/objectivec/objectivec_extension.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/map.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/objectivec/objectivec_generator.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/stubs/statusor_test.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_helpers.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/internal/field_mask_utility.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/reflection_tester.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/reflection.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/generated_message_util.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_enum.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/stubs/time.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/code_generator.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-

1.47.0/third_party/protobuf/src/google/protobuf/compiler/objectivec/objectivec_helpers.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/util/internal/type_info.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/unittest_lazy_dependencies_enum.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/stubs/status_test.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/util/field_comparator_test.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/generated_message_table_driven.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/util/internal/protostream_objectwriter_test.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_tools/_proto/google/protobuf/type.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/generated_message_table_driven_lite.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/empty.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_shared_code_generator.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/parse_context.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/util/internal/type_info_test_helper.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/js/well_known_types_embed.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_padding_optimizer.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/unittest_proto3_arena.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/io/zero_copy_stream_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/stubs/bytestream_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/util/internal/protostream_objectsource.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_map_field.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/objectivec/objectivec_enum_field.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/util/internal/mock_error_listener.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/unittest_no_field_presence.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/unittest_embed_optimize_for.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-

1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_reflection_class.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_field.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_file.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/objectivec/objectivec_oneof.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/generated_message_reflection_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/metadata_lite.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/code_generator.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/testing/file.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/objectivec/objectivec_message_field.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/map_field_lite.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_tools/_proto/google/protobuf/source_context.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_message.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/test_util.inc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/io/io_win32.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_helpers.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/io/zero_copy_stream_impl_lite.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/lite_arena_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/implicit_weak_message.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/proto3_lite_unittest.inc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/internal/testdata/anys.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/descriptor.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/internal/field_mask_utility.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/descriptor_database.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/port_def.inc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-

1.47.0/third_party/protobuf/src/google/protobuf/testing/file.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/timestamp.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/test_util2.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/io/tokenizer_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/source_context.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/command_line_interface_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/stubs/strutil_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/objectivec/objectivec_enum.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/map_lite_test_util.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/objectivec/objectivec_field.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/arena.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_message_field_lite.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_tools/_proto/google/protobuf/field_mask.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/util/time_util.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_repeated_enum_field.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_reflection_class.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/map_field.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/io/gzip_stream.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/util/internal/json_stream_parser.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_message_lite.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_doc_comment.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/map_lite_test_util.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_message_builder.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_field.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-

1.47.0/third_party/protobuf/src/google/protobuf/map_unittest.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_map_field.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/repeated_field_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_map_field_lite.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/util/field_comparator.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/stubs/status.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/parser.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/service.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_unittest.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/unittest_drop_unknown_fields.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/stubs/int128_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/map_test.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_enum_field.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/test_util.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_wrapper_field.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/util/json_util.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_generator.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/util/internal/json_objectwriter_test.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/extension_set_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_string_field.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/message_lite.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/stubs/common_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/subprocess.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/proto3_lite_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-

1.47.0/third_party/protobuf/src/google/protobuf/stubs/status.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_enum.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_repeated_primitive_field.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/unittest_import_lite.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/util/delimited_message_util_test.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/io/zero_copy_stream_impl.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_plugin_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_primitive_field.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_source_generator_base.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/generated_message_bases.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/message.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_message_field.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_generator.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_map_field.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/stubs/time_test.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/unittest_import.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/unittest_lazy_dependencies.proto

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_move_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_bootstrap_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_name_resolver.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/io/printer.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/generated_message_table_driven.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/compiler/importer_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/third_party/protobuf/src/google/protobuf/map_test_util_impl.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-

1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_extension_lite.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/internal/object_writer.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/io/printer_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/io/coded_stream.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/plugin.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/stubs/macros.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_service.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/stubs/port.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/csharp/csharp_message.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/stubs/bytestream.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/js/well_known_types_embed.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_field.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/internal/expecting_objectwriter.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/extension_set_heavy.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/importer.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/cpp/cpp_bootstrap_unittest.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/util/type_resolver_util.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_helpers.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/stubs/substitute.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/drop_unknown_fields_test.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/js/js_generator.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/java/java_doc_comment.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/stubs/common.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/message_unittest.inc

No license file was found, but licenses were detected in source scan.

```
/*
 *
 * Copyright 2016 gRPC authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 */
```

Found in path(s):
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/core_codegen.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/server_initializer.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/src/compiler/node_generator.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/ext/health_check_service_server_builder_option.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/grpc_library.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/rpc_service_method.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/impl/codegen/sync.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/server_posix.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/grpc_cronet.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/grpc_security_constants.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/test/server_context_test_spouse.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/status.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/impl/codegen/compression_types.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-

1.47.0/grpc_root/include/grpc/grpc_posix.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/src/compiler/php_generator.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/src/compiler/php_plugin.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/config.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/resource_quota.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/impl/codegen/gpr_types.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/server_builder_plugin.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/src/compiler/node_generator_helpers.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/channel_interface.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/impl/codegen/propagation_bits.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/src/compiler/node_generator.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/health_check_service_interface.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/src/compiler/php_generator_helpers.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/rpc_service_method.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/impl/codegen/gpr_slice.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/impl/codegen/connectivity_state.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/src/compiler/php_generator.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/status_code_enum.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/create_channel_posix.h

No license file was found, but licenses were detected in source scan.

// Licensed under the Apache License, Version 2.0 (the "License");
// you may not use this file except in compliance with the License.
// You may obtain a copy of the License at
//   http://www.apache.org/licenses/LICENSE-2.0
// distributed under the License is distributed on an "AS IS" BASIS,
// version.

Found in path(s):
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-

1.47.0/grpc_root/include/grpc/event_engine/slice.h

No license file was found, but licenses were detected in source scan.

```
/*
 *
 * Copyright 2019 gRPC authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/server_callback.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/server_callback_handlers.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/async_stream.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/client_callback.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/sync_stream.h

No license file was found, but licenses were detected in source scan.

Metadata-Version: 1.2
Name: grpcio-tools
Version: 1.47.0
Summary: Protobuf code generator for gRPC
Home-page: https://grpc.io
Author: The gRPC Authors
Author-email: grpc-io@googlegroups.com
License: Apache License 2.0
Description: gRPC Python Tools
        =================

        Package for gRPC Python tools.

        Supported Python Versions

Python >= 3.6

Installation

The gRPC Python tools package is available for Linux, Mac OS X, and Windows.

Installing From PyPI
~~~~~~~~~~~~~~~~~~~~~

If you are installing locally...

::

  $ pip install grpcio-tools

Else system wide (on Ubuntu)...

::

  $ sudo pip install grpcio-tools

If you're on Windows make sure that you installed the :code:`pip.exe` component
when you installed Python (if not go back and install it!) then invoke:

::

  $ pip.exe install grpcio-tools

Windows users may need to invoke :code:`pip.exe` from a command line ran as
administrator.

n.b. On Windows and on Mac OS X one *must* have a recent release of :code:`pip`
to retrieve the proper wheel from PyPI. Be sure to upgrade to the latest
version!

You might also need to install Cython to handle installation via the source
distribution if gRPC Python's system coverage with wheels does not happen to
include your system.

Installing From Source
~~~~~~~~~~~~~~~~~~~~~~~

Building from source requires that you have the Python headers (usually a
package named :code:`python-dev`) and Cython installed. It further requires a
GCC-like compiler to go smoothly; you can probably get it to work without
GCC-like stuff, but you may end up having a bad time.

::

    $ export REPO_ROOT=grpc # REPO_ROOT can be any directory of your choice
    $ git clone -b RELEASE_TAG_HERE https://github.com/grpc/grpc $REPO_ROOT
    $ cd $REPO_ROOT
    $ git submodule update --init

    $ cd tools/distrib/python/grpcio_tools
    $ python ../make_grpcio_tools.py

    # For the next command do `sudo pip install` if you get permission-denied errors
    $ GRPC_PYTHON_BUILD_WITH_CYTHON=1 pip install .

You cannot currently install Python from source on Windows. Things might work
out for you in MSYS2 (follow the Linux instructions), but it isn't officially
supported at the moment.

Troubleshooting
~~~~~~~~~~~~~~~

Help, I ...

* **... see a** :code:`pkg_resources.VersionConflict` **when I try to install
  grpc**

  This is likely because :code:`pip` doesn't own the offending dependency,
  which in turn is likely because your operating system's package manager owns
  it. You'll need to force the installation of the dependency:

  :code:`pip install --ignore-installed $OFFENDING_DEPENDENCY`

  For example, if you get an error like the following:

  ::

    Traceback (most recent call last):
    File "<string>", line 17, in <module>
      ...
    File "/usr/lib/python2.7/dist-packages/pkg_resources.py", line 509, in find
      raise VersionConflict(dist, req)
    pkg_resources.VersionConflict: (six 1.8.0 (/usr/lib/python2.7/dist-packages), Requirement.parse('six>=1.10'))

  You can fix it by doing:

  ::

    sudo pip install --ignore-installed six

* **... see compiler errors on some platforms when either installing from source or from the source distribution**

If you see

::

   /tmp/pip-build-U8pSsr/cython/Cython/Plex/Scanners.c:4:20: fatal error: Python.h: No such file or directory
   #include "Python.h"
                    ^
   compilation terminated.

You can fix it by installing `python-dev` package. i.e

::

   sudo apt-get install python-dev

If you see something similar to:

::

   third_party/protobuf/src/google/protobuf/stubs/mathlimits.h:173:31: note: in expansion of macro 'SIGNED_INT_MAX'
      static const Type kPosMax = SIGNED_INT_MAX(Type); \\
                           ^

And your toolchain is GCC (at the time of this writing, up through at least
GCC 6.0), this is probably a bug where GCC chokes on constant expressions
when the :code:`-fwrapv` flag is specified. You should consider setting your
environment with :code:`CFLAGS=-fno-wrapv` or using clang (:code:`CC=clang`).

Usage

Given protobuf include directories :code:`$INCLUDE`, an output directory
:code:`$OUTPUT`, and proto files :code:`$PROTO_FILES`, invoke as:

::

   $ python -m grpc_tools.protoc -I$INCLUDE --python_out=$OUTPUT --grpc_python_out=$OUTPUT $PROTO_FILES

To use as a build step in distutils-based projects, you may use the provided
command class in your :code:`setup.py`:

::

```
setuptools.setup(
  # ...
  cmdclass={
    'build_proto_modules': grpc_tools.command.BuildPackageProtos,
  }
  # ...
)
```

Invocation of the command will walk the project tree and transpile every
:code:`.proto` file into a :code:`_pb2.py` file in the same directory.

Note that this particular approach requires :code:`grpcio-tools` to be
installed on the machine before the setup script is invoked (i.e. no
combination of :code:`setup_requires` or :code:`install_requires` will provide
access to :code:`grpc_tools.command.BuildPackageProtos` if it isn't already
installed). One way to work around this can be found in our
:code:`grpcio-health-checking`
`package <https://pypi.python.org/pypi/grpcio-health-checking>`_:

::

```
  class BuildPackageProtos(setuptools.Command):
    """Command to generate project *_pb2.py modules from proto files."""
    # ...
    def run(self):
      from grpc_tools import command
      command.build_package_protos(self.distribution.package_dir[''])
```

Now including :code:`grpcio-tools` in :code:`setup_requires` will provide the
command on-setup as desired.

For more information on command classes, consult :code:`distutils` and
:code:`setuptools` documentation.

Platform: UNKNOWN
Classifier: Development Status :: 5 - Production/Stable
Classifier: Programming Language :: Python
Classifier: Programming Language :: Python :: 3
Classifier: License :: OSI Approved :: Apache Software License
Requires-Python: >=3.6

Found in path(s):
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/PKG-INFO
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpcio_tools.egg-info/PKG-INFO
No license file was found, but licenses were detected in source scan.

/* "grpc_tools/_protoc_compiler.pyx":1

* # Copyright 2020 The gRPC authors.   # <<<<<<<<<<<<<<<
* #
* # Licensed under the Apache License, Version 2.0 (the "License");
*/

Found in path(s):
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_tools/_protoc_compiler.cpp
No license file was found, but licenses were detected in source scan.

/*
*
* Copyright 2019 gRPC authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*/

Found in path(s):
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/opencensus.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/support/message_allocator.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/sync.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/test/default_reactor_test_peer.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/support/validate_service_config.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/security/tls_credentials_options.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/security/alts_context.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/delegating_channel.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/message_allocator.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-

1.47.0/grpc_root/include/grpcpp/impl/codegen/server_context.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_root/include/grpcpp/security/alts_util.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_root/src/compiler/config_protobuf.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_root/src/compiler/cpp_plugin.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_root/include/grpcpp/security/cronet_credentials.h

No license file was found, but licenses were detected in source scan.

/*
*
* Copyright 2015 gRPC authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
*/

Found in path(s):
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_root/include/grpcpp/impl/codegen/security/auth_context.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_root/include/grpcpp/impl/codegen/async_unary_call.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_root/src/compiler/python_generator.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_root/src/compiler/python_private_generator.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_root/include/grpc/support/alloc.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_root/src/compiler/cpp_plugin.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_root/include/grpc/support/sync_generic.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_root/include/grpcpp/impl/server_builder_option.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_root/include/grpcpp/support/method_handler.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/support/async_stream.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/async_generic_service.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/support/time.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/channel.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/src/compiler/ruby_generator.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/impl/codegen/atm_windows.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/metadata_map.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/call.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/support/channel_arguments.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/byte_buffer.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/serialization_traits.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/client_context.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/src/compiler/objective_c_plugin.cc
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/src/compiler/ruby_generator_helpers-inl.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/src/compiler/csharp_generator.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/time.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/support/atm_gcc_sync.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/support/port_platform.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/completion_queue_tag.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/support/slice.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/support/client_interceptor.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/src/compiler/cpp_generator.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/src/compiler/ruby_generator_string-inl.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/support/async_unary_call.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/src/compiler/config.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/compression.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/src/compiler/node_plugin.cc
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/support/atm_gcc_atomic.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/server_context.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/support/sync_stream.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/impl/codegen/port_platform.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/support/log.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/support/config.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/src/compiler/protobuf_plugin.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/impl/codegen/slice.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/rpc_method.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/server.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/service_type.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/support/atm.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/completion_queue.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/server_interface.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/create_channel.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/src/compiler/schema_interface.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/src/compiler/python_generator_helpers.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/impl/codegen/atm_gcc_sync.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/support/byte_buffer.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/support/status_code_enum.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/security/auth_metadata_processor.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/impl/codegen/grpc_types.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/client_unary_call.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/impl/codegen/sync_windows.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/support/atm_windows.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/src/compiler/objective_c_generator.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/impl/codegen/sync_generic.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/slice.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/config_protobuf.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/src/compiler/cpp_generator_helpers.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/src/compiler/python_generator.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/serialization_traits.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/proto_buffer_reader.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/byte_buffer_reader.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/support/time.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/support/workaround_list.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/support/status.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/src/compiler/objective_c_generator_helpers.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/security/server_credentials.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/support/interceptor.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/src/compiler/ruby_plugin.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/src/compiler/ruby_generator.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/support/server_interceptor.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/call_hook.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/slice_buffer.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/client_context.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/src/compiler/ruby_generator_map-inl.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/rpc_method.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/grpcpp.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/status.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/string_ref.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/security/credentials.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/src/compiler/python_plugin.cc

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/security/auth_context.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/ext/proto_server_reflection_plugin.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/support/string_util.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/client_unary_call.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/support/sync_posix.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/support/cpu.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/method_handler_impl.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/support/string_ref.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/proto_utils.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/method_handler.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/core_codegen_interface.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/impl/codegen/status.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/slice.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/support/log_windows.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/impl/codegen/log.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/stub_options.h

* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/impl/codegen/sync_posix.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/codegen/create_auth_context.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/impl/codegen/atm.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/grpc_library.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/support/sync_windows.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/support/stub_options.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/alarm.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/src/compiler/csharp_generator_helpers.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/src/compiler/csharp_plugin.cc
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/impl/codegen/byte_buffer_reader.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/src/compiler/generator_helpers.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/generic/generic_stub.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/impl/codegen/atm_gcc_atomic.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/src/compiler/objective_c_generator.cc
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/support/sync.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/src/compiler/cpp_generator.cc
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/grpc_security.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/src/compiler/csharp_generator.cc
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpcpp/impl/service_type.h
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/grpc_root/include/grpc/impl/codegen/byte_buffer.h
No license file was found, but licenses were detected in source scan.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at
http://www.apache.org/licenses/LICENSE-2.0
distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_version.py
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/_parallel_compile_patch.py
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_tools/_protoc_compiler.pyx
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_root/src/compiler/BUILD
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_tools/protoc.py
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_tools/__init__.py
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_tools/test/protoc_test.py
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-1.47.0/setup.py
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_tools/command.py
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/grpc_tools/test/BUILD.bazel
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/protoc_lib_deps.py
No license file was found, but licenses were detected in source scan.

Copyright 2009 Google Inc. All rights reserved.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
* Neither the name of Google Inc. nor the names of its
this software without specific prior written permission.

Found in path(s):
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/io/gzip_stream_unittest.sh
* /opt/cola/permits/1362038476_1660896469.918055/0/grpcio-tools-1-47-0-tar-gz/grpcio-tools-
1.47.0/third_party/protobuf/src/google/protobuf/compiler/zip_output_unittest.sh

1.386 toml 0.3.1

1.386.1 Available under license :

Copyright (c) 2013 Victor Puertas

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.387 chardet 3.0.4

1.387.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,

not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

 To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

 For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

 We protect your rights with a two-step method: (1) we copyright the
library, and (2) we offer you this license, which gives you legal
permission to copy, distribute and/or modify the library.

 To protect each distributor, we want to make it very clear that
there is no warranty for the free library. Also, if the library is
modified by someone else and passed on, the recipients should know
that what they have is not the original version, so that the original
author's reputation will not be affected by problems that might be
introduced by others.

 Finally, software patents pose a constant threat to the existence of
any free program. We wish to make sure that a company cannot
effectively restrict the users of a free program by obtaining a
restrictive license from a patent holder. Therefore, we insist that
any patent license obtained for a version of the library must be
consistent with the full freedom of use specified in this license.

 Most GNU software, including some libraries, is covered by the
ordinary GNU General Public License. This license, the GNU Lesser
General Public License, applies to certain designated libraries, and
is quite different from the ordinary General Public License. We use
this license for certain libraries in order to permit linking those
libraries into non-free programs.

 When a program is linked with a library, whether statically or using
a shared library, the combination of the two is legally speaking a
combined work, a derivative of the original library. The ordinary

General Public License therefore permits such linking only if the
entire combination fits its criteria of freedom. The Lesser General
Public License permits more lax criteria for linking other code with
the library.

 We call this license the "Lesser" General Public License because it
does Less to protect the user's freedom than the ordinary General
Public License. It also provides other free software developers Less
of an advantage over competing non-free programs. These disadvantages
are the reason we use the ordinary General Public License for many
libraries. However, the Lesser license provides advantages in certain
special circumstances.

 For example, on rare occasions, there may be a special need to
encourage the widest possible use of a certain library, so that it becomes
a de-facto standard. To achieve this, non-free programs must be
allowed to use the library. A more frequent case is that a free
library does the same job as widely used non-free libraries. In this
case, there is little to gain by limiting the free library to free
software only, so we use the Lesser General Public License.

 In other cases, permission to use a particular library in non-free
programs enables a greater number of people to use a large body of
free software. For example, permission to use the GNU C Library in
non-free programs enables many more people to use the whole GNU
operating system, as well as its variant, the GNU/Linux operating
system.

 Although the Lesser General Public License is Less protective of the
users' freedom, it does ensure that the user of a program that is
linked with the Library has the freedom and the wherewithal to run
that program using a modified version of the Library.

 The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, whereas the latter must
be combined with the library in order to run.

  GNU LESSER GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License Agreement applies to any software library or other
program which contains a notice placed by the copyright holder or
other authorized party saying it may be distributed under the terms of
this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

  a) The modified work must itself be a software library.

  b) You must cause the files modified to carry prominent notices
  stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no
charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a
table of data to be supplied by an application program that uses
the facility, other than as an argument passed when the facility
is invoked, then you must make a good faith effort to ensure that,
in the event an application does not supply such function or
table, the facility still operates, and performs whatever part of
its purpose remains meaningful.

(For example, a function in a library to compute square roots has
a purpose that is entirely well-defined independent of the
application. Therefore, Subsection 2d requires that any
application-supplied function or table used by this function must
be optional: if the application does not supply it, the square
root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Library,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

 4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

 5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

 However, linking a "work that uses the Library" with the Library
creates an executable that is a derivative of the Library (because it
contains portions of the Library), rather than a "work that uses the
library". The executable is therefore covered by this License.
Section 6 states terms for distribution of such executables.

 When a "work that uses the Library" uses material from a header file
that is part of the Library, the object code for the work may be a
derivative work of the Library even though the source code is not.
Whether this is true is especially significant if the work can be
linked without the Library, or if the work is itself a library. The
threshold for this to be true is not precisely defined by law.

 If such an object file uses only numerical parameters, data
structure layouts and accessors, and small macros and small inline
functions (ten lines or less in length), then the use of the object
file is unrestricted, regardless of whether it is legally a derivative
work. (Executables containing this object code plus portions of the
Library will still fall under Section 6.)

 Otherwise, if the work is a derivative of the Library, you may
distribute the object code for the work under the terms of Section 6.

Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

 6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

 You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

  a) Accompany the work with the complete corresponding
  machine-readable source code for the Library including whatever
  changes were used in the work (which must be distributed under
  Sections 1 and 2 above); and, if the work is an executable linked
  with the Library, with the complete machine-readable "work that
  uses the Library", as object code and/or source code, so that the
  user can modify the Library and then relink to produce a modified
  executable containing the modified Library. (It is understood
  that the user who changes the contents of definitions files in the
  Library will not necessarily be able to recompile the application
  to use the modified definitions.)

  b) Use a suitable shared library mechanism for linking with the
  Library. A suitable mechanism is one that (1) uses at run time a
  copy of the library already present on the user's computer system,
  rather than copying library functions into the executable, and (2)
  will operate properly with a modified version of the library, if
  the user installs one, as long as the modified version is
  interface-compatible with the version that the work was made with.

  c) Accompany the work with a written offer, valid for at
  least three years, to give the same user the materials
  specified in Subsection 6a, above, for a charge no more
  than the cost of performing this distribution.

  d) If distribution of the work is made by offering access to copy
  from a designated place, offer equivalent access to copy the above
  specified materials from the same place.

  e) Verify that the user has already received a copy of these

materials or that you have already sent this user a copy.

 For an executable, the required form of the "work that uses the
Library" must include any data and utility programs needed for
reproducing the executable from it. However, as a special exception,
the materials to be distributed need not include anything that is
normally distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies
the executable.

 It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.

 7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

  a) Accompany the combined library with a copy of the same work
  based on the Library, uncombined with any other library
  facilities. This must be distributed under the terms of the
  Sections above.

  b) Give prominent notice with the combined library of the fact
  that part of it is a work based on the Library, and explaining
  where to find the accompanying uncombined form of the same work.

 8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

 9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying

the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

 If you develop a new library, and you want it to be of the greatest
possible use to the public, we recommend making it free software that
everyone can redistribute and change. You can do so by permitting
redistribution under these terms (or, alternatively, under the terms of the
ordinary General Public License).

 To apply these terms, attach the following notices to the library. It is
safest to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

    <one line to give the library's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This library is free software; you can redistribute it and/or
    modify it under the terms of the GNU Lesser General Public
    License as published by the Free Software Foundation; either
    version 2.1 of the License, or (at your option) any later version.

    This library is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
    Lesser General Public License for more details.

    You should have received a copy of the GNU Lesser General Public
    License along with this library; if not, write to the Free Software
    Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the
 library `Frob' (a library for tweaking knobs) written by James Random Hacker.

 <signature of Ty Coon>, 1 April 1990
 Ty Coon, President of Vice

That's all there is to it!

1.388 google-flatbuffers 1.11.0

1.388.1 Available under license :

The code in lib/flat_buffers.dart is based on code that was releases under the
following license:

Copyright 2012, the Dart project authors. All rights reserved.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:
  * Redistributions of source code must retain the above copyright
    notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
    copyright notice, this list of conditions and the following
    disclaimer in the documentation and/or other materials provided
    with the distribution.
  * Neither the name of Google Inc. nor the names of its
    contributors may be used to endorse or promote products derived
    from this software without specific prior written permission.
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

To the extent permissible, the changes to that code and the other assets in
this package are licensed under the Apache2 license:

                    Apache License
                Version 2.0, January 2004
              http://www.apache.org/licenses/

  TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

  1. Definitions.

    "License" shall mean the terms and conditions for use, reproduction,
    and distribution as defined by Sections 1 through 9 of this document.

    "Licensor" shall mean the copyright owner or entity authorized by
    the copyright owner that is granting the License.

    "Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and
       attribution notices from the Source form of the Work,
       excluding those notices that do not pertain to any part of
       the Derivative Works; and

   (d) If the Work includes a "NOTICE" text file as part of its
       distribution, then any Derivative Works that You distribute must
       include a readable copy of the attribution notices contained
       within such NOTICE file, excluding those notices that do not
       pertain to any part of the Derivative Works, in at least one
       of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2014 Google Inc.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

1.389 jackc-puddle 1.1.3

1.389.1 Available under license :

Copyright (c) 2018 Jack Christensen

MIT License

Permission is hereby granted, free of charge, to any person obtaining

a copy of this software and associated documentation files (the

"Software"), to deal in the Software without restriction, including

without limitation the rights to use, copy, modify, merge, publish,

distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to

the following conditions:

The above copyright notice and this permission notice shall be

included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE

LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION

OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.390 file 5.38-4

1.390.1 Available under license :

Copyright (c) Ian F. Darwin 1986-1995.

Software written by Ian F. Darwin and others;

maintained 1995-present by Christos Zoulas and others.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions

are met:

1. Redistributions of source code must retain the above copyright

 notice immediately at the beginning of the file, without modification,

 this list of conditions, and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright

 notice, this list of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

$File: COPYING,v 1.2 2018/09/09 20:33:28 christos Exp $
Copyright (c) Ian F. Darwin 1986, 1987, 1989, 1990, 1991, 1992, 1994, 1995.
Software written by Ian F. Darwin and others;
maintained 1994- Christos Zoulas.

This software is not subject to any export provision of the United States
Department of Commerce, and may be exported to any country or planet.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice immediately at the beginning of the file, without modification,
   this list of conditions, and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

1.391 x-crypto 0.0.0-20220214200702-86341886e292

1.391.1 Available under license :

This source code was written by the Go contributors.
The master list of contributors is in the main Go distribution,
visible at https://tip.golang.org/CONTRIBUTORS.
Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
  * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.392 logrus 1.8.1

1.392.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Simon Eskildsen

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in

all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.393 pkg_resources 0.0.0

1.393.1 Available under license :

No license file was found, but licenses were detected in source scan.

Metadata-Version: 2.0
Name: pkg_resources
Version: 0.0.0
Summary: UNKNOWN
Home-page: UNKNOWN
Author: UNKNOWN
Author-email: UNKNOWN
License: UNKNOWN
Platform: UNKNOWN

UNKNOWN

Found in path(s):
* /opt/cola/permits/1320410882_1651537966.27/0/pkg-resources-0-0-0-dist-info-zip/inputdir/packages_extracted/wheel/103/pkg_resources-0.0.0.dist-info/METADATA

1.394 libyaml 0.2.5

1.394.1 Available under license :

Copyright (c) 2017-2020 Ingy dt Net
Copyright (c) 2006-2016 Kirill Simonov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.395 cheekybits-genny 1.0.0

1.395.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 cheekybits

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.396 nuid 1.0.1

1.396.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
   distribution, then any Derivative Works that You distribute must
   include a readable copy of the attribution notices contained
   within such NOTICE file, excluding those notices that do not
   pertain to any part of the Derivative Works, in at least one
   of the following places: within a NOTICE text file distributed
   as part of the Derivative Works; within the Source form or
   documentation, if provided along with the Derivative Works; or,
   within a display generated by the Derivative Works, if and
   wherever such third-party notices normally appear. The contents
   of the NOTICE file are for informational purposes only and
   do not modify the License. You may add Your own attribution
   notices within Derivative Works that You distribute, alongside
   or as an addendum to the NOTICE text from the Work, provided
   that such additional attribution notices cannot be construed
   as modifying the License.

   You may add Your own copyright statement to Your modifications and
   may provide additional or different license terms and conditions
   for use, reproduction, or distribution of Your modifications, or
   for any such Derivative Works as a whole, provided Your use,
   reproduction, and distribution of the Work otherwise complies with
   the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.397 tablewriter 0.0.4

1.397.1 Available under license :

Copyright (C) 2014 by Oleku Konko

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.398 pcre 10.34-7ubuntu0.1

1.398.1 Available under license :

PCRE2 LICENCE

Please see the file LICENCE in the PCRE2 distribution for licensing details.

End
PCRE2 LICENCE

PCRE2 is a library of functions to support regular expressions whose syntax
and semantics are as close as possible to those of the Perl 5 language.

Releases 10.00 and above of PCRE2 are distributed under the terms of the "BSD"
licence, as specified below, with one exemption for certain binary
redistributions. The documentation for PCRE2, supplied in the "doc" directory,
is distributed under the same terms as the software itself. The data in the
testdata directory is not copyrighted and is in the public domain.

The basic library functions are written in C and are freestanding. Also
included in the distribution is a just-in-time compiler that can be used to

optimize pattern matching. This is an optional feature that can be omitted when the library is built.

THE BASIC LIBRARY FUNCTIONS

Written by: Philip Hazel
Email local part: ph10
Email domain: cam.ac.uk

University of Cambridge Computing Service,
Cambridge, England.

Copyright (c) 1997-2019 University of Cambridge
All rights reserved.

PCRE2 JUST-IN-TIME COMPILATION SUPPORT

Written by: Zoltan Herczeg
Email local part: hzmester
Email domain: freemail.hu

Copyright(c) 2010-2019 Zoltan Herczeg
All rights reserved.

STACK-LESS JUST-IN-TIME COMPILER

Written by: Zoltan Herczeg
Email local part: hzmester
Email domain: freemail.hu

Copyright(c) 2009-2019 Zoltan Herczeg
All rights reserved.

THE "BSD" LICENCE

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

  * Redistributions of source code must retain the above copyright notices, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright
    notices, this list of conditions and the following disclaimer in the
    documentation and/or other materials provided with the distribution.

  * Neither the name of the University of Cambridge nor the names of any
    contributors may be used to endorse or promote products derived from this
    software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

EXEMPTION FOR BINARY LIBRARY-LIKE PACKAGES

The second condition in the BSD licence (covering binary redistributions) does
not apply all the way down a chain of software. If binary package A includes
PCRE2, it must respect the condition, but if package B is software that
includes package A, the condition is not imposed on package B unless it uses
PCRE2 independently.

End
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,

INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.399 klauspost-compress 1.9.7

1.399.1 Available under license :

Copyright (c) 2012 The Go Authors. All rights reserved.
Copyright (c) 2019 Klaus Post. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

   * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
   * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.400 protobuf 3.19.1

1.400.1 Available under license :

Copyright 2008 Google Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are

met:

   * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
   * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner
of the input file used when generating it. This code is not
standalone and requires a support library to be linked with it. This
support library is itself covered by the above license.

1.401 iputils 20190709-3

1.401.1 Available under license :

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the
following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following
disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote
products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

 We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and

all its terms and conditions for copying, distributing or modifying
the Program or works based on it.

  6. Each time you redistribute the Program (or any work based on the
Program), the recipient automatically receives a license from the
original licensor to copy, distribute or modify the Program subject to
these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties to
this License.

  7. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Program at all. For example, if a patent
license would not permit royalty-free redistribution of the Program by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to
apply and the section as a whole is intended to apply in other
circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system, which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

  8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among

countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

 10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

                    NO WARRANTY

 11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

 12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

                END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License along
    with this program; if not, write to the Free Software Foundation, Inc.,
    51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

    Gnomovision version 69, Copyright (C) year name of author
    Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the program

`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.
arping: GPL v2 or later
clockdiff: BSD-3
ninfod: BSD-3
ping: BSD-3
rarp: GPL v2 or later
rdisc: AS-IS, SUN MICROSYSTEMS license
tftpd: BSD-3
tracepath: GPL v2 or later
traceroute: BSD-3

Files containing license texts are available in Documentation directory.
Copyright (C) 2002 USAGI/WIDE Project.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. Neither the name of the project nor the names of its contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE PROJECT AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE PROJECT OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

1.402 gnupg 2.2.19-3ubuntu2.2

1.402.1 Available under license :

LICENSE TERMS

Copyright (c) 2000, Dimitrios Souflis
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

Neither the name of Dimitrios Souflis nor the names of the
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Here is a list with collected copyright notices. For details see the
description of each individual package. [Compiled by wk 2017-11-07]

GNUPG is

 Copyright (C) 1997-2017 Werner Koch
 Copyright (C) 1994-2017 Free Software Foundation, Inc.
 Copyright (C) 2003-2017 g10 Code GmbH
 Copyright (C) 2002 Klarlvdalens Datakonsult AB
 Copyright (C) 1995-1997, 2000-2007 Ulrich Drepper <drepper@gnu.ai.mit.edu>
 Copyright (C) 1994 X Consortium

Copycright (C) 1998 by The Internet Society.
Copyright (C) 1998-2004 The OpenLDAP Foundation
Copyright (C) 1998-2004 Kurt D. Zeilenga.
Copyright (C) 1998-2004 Net Boolean Incorporated.
Copyright (C) 2001-2004 IBM Corporation.
Copyright (C) 1999-2003 Howard Y.H. Chu.
Copyright (C) 1999-2003 Symas Corporation.
Copyright (C) 1998-2003 Hallvard B. Furuseth.
Copyright (C) 1992-1996 Regents of the University of Michigan.
Copyright (C) 2000 Dimitrios Souflis
Copyright (C) 2008,2009,2010,2012-2016 William Ahern

GnuPG is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 3 of the License, or
(at your option) any later version.

GnuPG is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY
or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public
License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, see <https://www.gnu.org/licenses/>.

LIBGCRYPT is

Copyright (C) 1989,1991-2017 Free Software Foundation, Inc.
Copyright (C) 1994 X Consortium
Copyright (C) 1996 L. Peter Deutsch
Copyright (C) 1997 Werner Koch
Copyright (C) 1998 The Internet Society
Copyright (C) 1996-1999 Peter Gutmann, Paul Kendall, and Chris Wedgwood
Copyright (C) 1996-2006 Peter Gutmann, Matt Thomlinson and Blake Coverett
Copyright (C) 2003 Nikos Mavroyanopoulos
Copyright (C) 2006-2007 NTT (Nippon Telegraph and Telephone Corporation)
Copyright (C) 2012-2017 g10 Code GmbH
Copyright (C) 2012 Simon Josefsson, Niels Mller
Copyright (c) 2012 Intel Corporation
Copyright (C) 2013 Christian Grothoff
Copyright (C) 2013-2017 Jussi Kivilinna
Copyright (C) 2013-2014 Dmitry Eremin-Solenikov
Copyright (C) 2014 Stephan Mueller
Copyright (C) 2017 Bundesamt fr Sicherheit in der Informationstechnik

Libgcrypt is free software; you can redistribute it and/or modify
it under the terms of the GNU Lesser General Public License as

published by the Free Software Foundation; either version 2.1 of
the License, or (at your option) any later version.

Libgcrypt is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this program; if not, see <http://www.gnu.org/licenses/>.

LIBGPG-ERROR is

Copyright (C) 2003-2004, 2010, 2013-2017 g10 Code GmbH

libgpg-error is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public License
as published by the Free Software Foundation; either version 2.1 of
the License, or (at your option) any later version.

libgpg-error is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License
along with this program; if not, see <http://www.gnu.org/licenses/>.

LIBASSUAN is

Copyright (C) 1992-2013 Free Software Foundation, Inc.
Copyright (C) 1994 X Consortium
Copyright (C) 2000 Werner Koch (dd9jn)
Copyright (C) 2001-2016 g10 Code GmbH
Copyright (C) 2004 Simon Josefsson

Assuan is free software; you can redistribute it and/or modify it
under the terms of the GNU Lesser General Public License as
published by the Free Software Foundation; either version 2.1 of
the License, or (at your option) any later version.

Assuan is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this program; if not, see <http://www.gnu.org/licenses/>.

LIBKSBA is

Copyright (C) 2001, 2002, 2003, 2004, 2005, 2006, 2010, 2011
         2012, 2013, 2014, 2015 g10 Code GmbH
Copyright (C) 2001, 2002, 2003, 2007 Free Software Foundation, Inc.
Copyright (C) 2000, 2001 Fabio Fiorina

The library and the header files are distributed under the following
terms (LGPLv3+/GPLv2+):

KSBA is free software; you can redistribute it and/or modify
it under the terms of either

  - the GNU Lesser General Public License as published by the Free
    Software Foundation; either version 3 of the License, or (at
    your option) any later version.

or

  - the GNU General Public License as published by the Free
    Software Foundation; either version 2 of the License, or (at
    your option) any later version.

or both in parallel, as here.

KSBA is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY
or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public
License for more details.

The other parts (e.g. manual, build system, tests) are distributed
under the following terms (GPLv3):

KSBA is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 3 of the License, or
(at your option) any later version.

KSBA is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

NPTH is

Copyright (C) 2011, 2012, 2014, 2015, 2017 g10 Code GmbH

nPth is free software; you can redistribute it and/or modify
it under the terms of the GNU Lesser General Public License as
published by the Free Software Foundation; either version 2.1 of
the License, or (at your option) any later version.

nPth is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See
the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this program; if not, see <https://www.gnu.org/licenses/>.

NTBTLS is

Copyright (C) 2006-2014 Brainspark B.V.
Copyright (C) 2014-2017 g10 Code GmbH

NTBTLS is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 3 of the License, or
(at your option) any later version.

NTBTLS is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, see <http://www.gnu.org/licenses/>.

PINENTRY is

Copyright (C) 1999 Robert Bihlmeyer <robbe@orcus.priv.at>
Copyright (C) 2001-2004, 2007-2008, 2010, 2015-2016 g10 Code GmbH
Copyright (C) 2002, 2008 Klarlvdalens Datakonsult AB (KDAB)
Copyright (C) 2004 by Albrecht Dre <albrecht.dress@arcor.de>
Copyright 2007 Ingo Klcker
Copyright (C) 2014 Serge Voilokov
Copyright (C) 2015 Daiki Ueno
Copyright (C) 2015 Daniel Kahn Gillmor <dkg@fifthhorseman.net>
Copyright 2016 Intevation GmbH

PINENTRY is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

PINENTRY is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, see <https://www.gnu.org/licenses/>.

GPGME is

Copyright (C) 1991-2013 Free Software Foundation, Inc.
Copyright (C) 2000-2001 Werner Koch
Copyright (C) 2001-2017 g10 Code GmbH
Copyright (C) 2002 Klarlvdalens Datakonsult AB
Copyright (C) 2004-2008 Igor Belyi
Copyright (C) 2002 John Goerzen
Copyright (C) 2014, 2015 Martin Albrecht
Copyright (C) 2015 Ben McGinnes
Copyright (C) 2015-2016 Bundesamt fr Sicherheit in der Informationstechnik
Copyright (C) 2016 Intevation GmbH

GPGME is free software; you can redistribute it and/or modify it
under the terms of the GNU Lesser General Public License as
published by the Free Software Foundation; either version 2.1 of
the License, or (at your option) any later version.

GPGME is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License
along with this program; if not, see <http://www.gnu.org/licenses/>.

NSIS is

Copyright 1999-2009 Nullsoft and Contributors
Copyright 2002-2008 Amir Szekely
Copyright 2003 Ramon

This license applies to everything in the NSIS package, except where otherwise noted.

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.

2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.

3. This notice may not be removed or altered from any source distribution.

The user interface used with the installer is

Copyright 2002-2009 Joost Verburg

[It is distributed along with NSIS and the same conditions as stated above apply]

TinySCHEME is part of the GnuPG package and is

Copyright (c) 2000, Dimitrios Souflis
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Dimitrios Souflis nor the names of the contributors may be used to endorse or promote products derived from

this software without specific prior written permission.

LIBDNS is part of the GnuPG package and is

ZLIB is

including commercial applications, and to alter it and redistribute it
freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not
   claim that you wrote the original software. If you use this software
   in a product, an acknowledgment in the product documentation would be
   appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be
   misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly   Mark Adler
jloup@gzip.org   madler@alumni.caltech.edu

BZIP2 is

This program, "bzip2", the associated library "libbzip2", and all
documentation, are copyright (C) 1996-2010 Julian R Seward. All
rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.

2. The origin of this software must not be misrepresented; you must
   not claim that you wrote the original software. If you use this
   software in a product, an acknowledgment in the product
   documentation would be appreciated but is not required.

3. Altered source versions must be plainly marked as such, and must
   not be misrepresented as being the original software.

4. The name of the author may not be used to endorse or promote
   products derived from this software without specific prior written
   permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS
OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,

WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

SQLITE has

been put into the public-domain by its author D. Richard Hipp:
The author disclaims copyright to this source code. In place of
a legal notice, here is a blessing:

   May you do good and not evil.
   May you find forgiveness for yourself and forgive others.
   May you share freely, never taking more than you give.
[Note that only a few files are distributed under this license.]

Creative Commons Legal Code

CC0 1.0 Universal

CREATIVE COMMONS CORPORATION IS NOT A LAW FIRM AND DOES NOT PROVIDE LEGAL SERVICES. DISTRIBUTION OF THIS DOCUMENT DOES NOT CREATE AN ATTORNEY-CLIENT RELATIONSHIP. CREATIVE COMMONS PROVIDES THIS INFORMATION ON AN "AS-IS" BASIS. CREATIVE COMMONS MAKES NO WARRANTIES REGARDING THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER, AND DISCLAIMS LIABILITY FOR DAMAGES RESULTING FROM THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER.

Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any

expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

 i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
ii. moral rights retained by the original author(s) and/or performer(s);
iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
 v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and
vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason

be judged legally invalid or ineffective under applicable law, then the
Waiver shall be preserved to the maximum extent permitted taking into
account Affirmer's express Statement of Purpose. In addition, to the
extent the Waiver is so judged Affirmer hereby grants to each affected
person a royalty-free, non transferable, non sublicensable, non exclusive,
irrevocable and unconditional license to exercise Affirmer's Copyright and
Related Rights in the Work (i) in all territories worldwide, (ii) for the
maximum duration provided by applicable law or treaty (including future
time extensions), (iii) in any current or future medium and for any number
of copies, and (iv) for any purpose whatsoever, including without
limitation commercial, advertising or promotional purposes (the
"License"). The License shall be deemed effective as of the date CC0 was
applied by Affirmer to the Work. Should any part of the License for any
reason be judged legally invalid or ineffective under applicable law, such
partial invalidity or ineffectiveness shall not invalidate the remainder
of the License, and in such case Affirmer hereby affirms that he or she
will not (i) exercise any of his or her remaining Copyright and Related
Rights in the Work or (ii) assert any associated claims and causes of
action with respect to the Work, in either case contrary to Affirmer's
express Statement of Purpose.

4. Limitations and Disclaimers.

a. No trademark or patent rights held by Affirmer are waived, abandoned,
   surrendered, licensed or otherwise affected by this document.
b. Affirmer offers the Work as-is and makes no representations or
   warranties of any kind concerning the Work, express, implied,
   statutory or otherwise, including without limitation warranties of
   title, merchantability, fitness for a particular purpose, non
   infringement, or the absence of latent or other defects, accuracy, or
   the present or absence of errors, whether or not discoverable, all to
   the greatest extent permissible under applicable law.
c. Affirmer disclaims responsibility for clearing rights of other persons
   that may apply to the Work or any use thereof, including without
   limitation any person's Copyright and Related Rights in the Work.
   Further, Affirmer disclaims responsibility for obtaining any necessary
   consents, permissions or other rights required for any use of the
   Work.
d. Affirmer understands and acknowledges that Creative Commons is not a
   party to this document and has no duty or obligation with respect to
   this CC0 or use of the Work.
[Note that only a few files are distributed under this license.]

                GNU LESSER GENERAL PUBLIC LICENSE
                    Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
  59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

 This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations
below.

 When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

 To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

 For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

 We protect your rights with a two-step method: (1) we copyright the
library, and (2) we offer you this license, which gives you legal
permission to copy, distribute and/or modify the library.

 To protect each distributor, we want to make it very clear that

there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.
^L
 Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

 Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

 When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

 We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

 For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

 In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU

operating system, as well as its variant, the GNU/Linux operating system.

 Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

 The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.
^L
                GNU LESSER GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

 A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

 The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

 "Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

 Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of

this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.
^L
 Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

 4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

 5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

 When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

 If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

 Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.
^L
 6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

 You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

  a) Accompany the work with the complete corresponding
  machine-readable source code for the Library including whatever
  changes were used in the work (which must be distributed under
  Sections 1 and 2 above); and, if the work is an executable linked
  with the Library, with the complete machine-readable "work that
  uses the Library", as object code and/or source code, so that the
  user can modify the Library and then relink to produce a modified

executable containing the modified Library. (It is understood
that the user who changes the contents of definitions files in the
Library will not necessarily be able to recompile the application
to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the
Library. A suitable mechanism is one that (1) uses at run time a
copy of the library already present on the user's computer system,
rather than copying library functions into the executable, and (2)
will operate properly with a modified version of the library, if
the user installs one, as long as the modified version is
interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least
three years, to give the same user the materials specified in
Subsection 6a, above, for a charge no more than the cost of
performing this distribution.

d) If distribution of the work is made by offering access to copy
from a designated place, offer equivalent access to copy the above
specified materials from the same place.

e) Verify that the user has already received a copy of these
materials or that you have already sent this user a copy.

 For an executable, the required form of the "work that uses the
Library" must include any data and utility programs needed for
reproducing the executable from it. However, as a special exception,
the materials to be distributed need not include anything that is
normally distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies
the executable.

 It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.
^L
 7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work

based on the Library, uncombined with any other library
facilities. This must be distributed under the terms of the
Sections above.

b) Give prominent notice with the combined library of the fact
that part of it is a work based on the Library, and explaining
where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties with
this License.
^L
11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to

apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

  12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

  13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.
^L
  14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

                    NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE
LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

 16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE
LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING
RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A
FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF
SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGES.

                    END OF TERMS AND CONDITIONS
^L
        How to Apply These Terms to Your New Libraries

 If you develop a new library, and you want it to be of the greatest
possible use to the public, we recommend making it free software that
everyone can redistribute and change. You can do so by permitting
redistribution under these terms (or, alternatively, under the terms
of the ordinary General Public License).

 To apply these terms, attach the following notices to the library.
It is safest to attach them to the start of each source file to most
effectively convey the exclusion of warranty; and each file should
have at least the "copyright" line and a pointer to where the full
notice is found.

    <one line to give the library's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This library is free software; you can redistribute it and/or
    modify it under the terms of the GNU Lesser General Public
    License as published by the Free Software Foundation; either
    version 2.1 of the License, or (at your option) any later version.

    This library is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or
your school, if any, to sign a "copyright disclaimer" for the library,
if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James
Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <https://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you

want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other
than the work as a whole, that (a) is included in the normal form of
packaging a Major Component, but which is not part of that Major
Component, and (b) serves only to enable use of the work with that
Major Component, or to implement a Standard Interface for which an
implementation is available to the public in source code form. A
"Major Component", in this context, means a major essential component
(kernel, window system, and so on) of the specific operating system
(if any) on which the executable work runs, or a compiler used to
produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all
the source code needed to generate, install, and (for an executable
work) run the object code and to modify the work, including scripts to
control those activities. However, it does not include the work's
System Libraries, or general-purpose tools or generally available free
programs which are used unmodified in performing those activities but
which are not part of the work. For example, Corresponding Source
includes interface definition files associated with source files for
the work, and the source code for shared libraries and dynamically
linked subprograms that the work is specifically designed to require,
such as by intimate data communication or control flow between those
subprograms and other parts of the work.

The Corresponding Source need not include anything that users
can regenerate automatically from other parts of the Corresponding
Source.

The Corresponding Source for a work in source code form is that
same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of
copyright on the Program, and are irrevocable provided the stated
conditions are met. This License explicitly affirms your unlimited
permission to run the unmodified Program. The output from running a
covered work is covered by this License only if the output, given its
content, constitutes a covered work. This License acknowledges your
rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not
convey, without conditions so long as your license otherwise remains
in force. You may convey covered works to others for the sole purpose
of having them make modifications exclusively for you, or provide you
with facilities for running those works, provided that you comply with
the terms of this License in conveying all material for which you do

not control copyright. Those thus making or running the covered works
for you must do so exclusively on your behalf, under your direction
and control, on terms that prohibit them from making any copies of
your copyrighted material outside their relationship with you.

 Conveying under any other circumstances is permitted solely under
the conditions stated below. Sublicensing is not allowed; section 10
makes it unnecessary.

 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

 No covered work shall be deemed part of an effective technological
measure under any applicable law fulfilling obligations under article
11 of the WIPO copyright treaty adopted on 20 December 1996, or
similar laws prohibiting or restricting circumvention of such
measures.

 When you convey a covered work, you waive any legal power to forbid
circumvention of technological measures to the extent such circumvention
is effected by exercising rights under this License with respect to
the covered work, and you disclaim any intention to limit operation or
modification of the work as a means of enforcing, against the work's
users, your or third parties' legal rights to forbid circumvention of
technological measures.

 4. Conveying Verbatim Copies.

 You may convey verbatim copies of the Program's source code as you
receive it, in any medium, provided that you conspicuously and
appropriately publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

 You may charge any price or no price for each copy that you convey,
and you may offer support or warranty protection for a fee.

 5. Conveying Modified Source Versions.

 You may convey a work based on the Program, or the modifications to
produce it from the Program, in the form of source code under the
terms of section 4, provided that you also meet all of these conditions:

  a) The work must carry prominent notices stating that you modified
  it, and giving a relevant date.

  b) The work must carry prominent notices stating that it is

released under this License and any conditions added under section
7. This requirement modifies the requirement in section 4 to
"keep intact all notices".

c) You must license the entire work, as a whole, under this
License to anyone who comes into possession of a copy. This
License will therefore apply, along with any applicable section 7
additional terms, to the whole of the work, and all its parts,
regardless of how they are packaged. This License gives no
permission to license the work in any other way, but it does not
invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display
Appropriate Legal Notices; however, if the Program has interactive
interfaces that do not display Appropriate Legal Notices, your
work need not make them do so.

 A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

 6. Conveying Non-Source Forms.

 You may convey a covered work in object code form under the terms
of sections 4 and 5, provided that you also convey the
machine-readable Corresponding Source under the terms of this License,
in one of these ways:

a) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by the
Corresponding Source fixed on a durable physical medium
customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by a
written offer, valid for at least three years and valid for as
long as you offer spare parts or customer support for that product
model, to give anyone who possesses the object code either (1) a
copy of the Corresponding Source for all the software in the
product that is covered by this License, on a durable physical
medium customarily used for software interchange, for a price no
more than your reasonable cost of physically performing this

conveying of source, or (2) access to copy the
Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the
written offer to provide the Corresponding Source. This
alternative is allowed only occasionally and noncommercially, and
only if you received the object code with such an offer, in accord
with subsection 6b.

d) Convey the object code by offering access from a designated
place (gratis or for a charge), and offer equivalent access to the
Corresponding Source in the same way through the same place at no
further charge. You need not require recipients to copy the
Corresponding Source along with the object code. If the place to
copy the object code is a network server, the Corresponding Source
may be on a different server (operated by you or a third party)
that supports equivalent copying facilities, provided you maintain
clear directions next to the object code saying where to find the
Corresponding Source. Regardless of what server hosts the
Corresponding Source, you remain obligated to ensure that it is
available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided
you inform other peers where the object code and Corresponding
Source of the work are being offered to the general public at no
charge under subsection 6d.

 A separable portion of the object code, whose source code is excluded
from the Corresponding Source as a System Library, need not be
included in conveying the object code work.

 A "User Product" is either (1) a "consumer product", which means any
tangible personal property which is normally used for personal, family,
or household purposes, or (2) anything designed or sold for incorporation
into a dwelling. In determining whether a product is a consumer product,
doubtful cases shall be resolved in favor of coverage. For a particular
product received by a particular user, "normally used" refers to a
typical or common use of that class of product, regardless of the status
of the particular user or of the way in which the particular user
actually uses, or expects or is expected to use, the product. A product
is a consumer product regardless of whether the product has substantial
commercial, industrial or non-consumer uses, unless such uses represent
the only significant mode of use of the product.

 "Installation Information" for a User Product means any methods,
procedures, authorization keys, or other information required to install
and execute modified versions of a covered work in that User Product from
a modified version of its Corresponding Source. The information must

suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you

add to a covered work, you may (if authorized by the copyright holders of
that material) supplement the terms of this License with terms:

  a) Disclaiming warranty or limiting liability differently from the
  terms of sections 15 and 16 of this License; or

  b) Requiring preservation of specified reasonable legal notices or
  author attributions in that material or in the Appropriate Legal
  Notices displayed by works containing it; or

  c) Prohibiting misrepresentation of the origin of that material, or
  requiring that modified versions of such material be marked in
  reasonable ways as different from the original version; or

  d) Limiting the use for publicity purposes of names of licensors or
  authors of the material; or

  e) Declining to grant rights under trademark law for use of some
  trade names, trademarks, or service marks; or

  f) Requiring indemnification of licensors and authors of that
  material by anyone who conveys the material (or modified versions of
  it) with contractual assumptions of liability to the recipient, for
  any liability that these contractual assumptions directly impose on
  those licensors and authors.

 All other non-permissive additional terms are considered "further
restrictions" within the meaning of section 10. If the Program as you
received it, or any part of it, contains a notice stating that it is
governed by this License along with a term that is a further
restriction, you may remove that term. If a license document contains
a further restriction but permits relicensing or conveying under this
License, you may add to a covered work material governed by the terms
of that license document, provided that the further restriction does
not survive such relicensing or conveying.

 If you add terms to a covered work in accord with this section, you
must place, in the relevant source files, a statement of the
additional terms that apply to those files, or a notice indicating
where to find the applicable terms.

 Additional terms, permissive or non-permissive, may be stated in the
form of a separately written license, or stated as exceptions;
the above requirements apply either way.

 8. Termination.

 You may not propagate or modify a covered work except as expressly

provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever

licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner

consistent with the requirements of this License, to extend the patent
license to downstream recipients. "Knowingly relying" means you have
actual knowledge that, but for the patent license, your conveying the
covered work in a country, or your recipient's use of the covered work
in a country, would infringe one or more identifiable patents in that
country that you have reason to believe are valid.

 If, pursuant to or in connection with a single transaction or
arrangement, you convey, or propagate by procuring conveyance of, a
covered work, and grant a patent license to some of the parties
receiving the covered work authorizing them to use, propagate, modify
or convey a specific copy of the covered work, then the patent license
you grant is automatically extended to all recipients of the covered
work and works based on it.

 A patent license is "discriminatory" if it does not include within
the scope of its coverage, prohibits the exercise of, or is
conditioned on the non-exercise of one or more of the rights that are
specifically granted under this License. You may not convey a covered
work if you are a party to an arrangement with a third party that is
in the business of distributing software, under which you make payment
to the third party based on the extent of your activity of conveying
the work, and under which the third party grants, to any of the
parties who would receive the covered work from you, a discriminatory
patent license (a) in connection with copies of the covered work
conveyed by you (or copies made from those copies), or (b) primarily
for and in connection with specific products or compilations that
contain the covered work, unless you entered into that arrangement,
or that patent license was granted, prior to 28 March 2007.

 Nothing in this License shall be construed as excluding or limiting
any implied license or other defenses to infringement that may
otherwise be available to you under applicable patent law.

 12. No Surrender of Others' Freedom.

 If conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot convey a
covered work so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you may
not convey it at all. For example, if you agree to terms that obligate you
to collect a royalty for further conveying from those to whom you convey
the Program, the only way you could satisfy both those terms and this
License would be to refrain entirely from conveying the Program.

 13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

 14. Revised Versions of this License.

 The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

 Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

 If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

 Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

 15. Disclaimer of Warranty.

 THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

 16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE
USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD
PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software: you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation, either version 3 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program. If not, see <https://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

 If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

  <program> Copyright (C) <year> <name of author>
  This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
  This is free software, and you are welcome to redistribute it
  under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

 You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<https://www.gnu.org/licenses/>.

 The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<https://www.gnu.org/philosophy/why-not-lgpl.html>.

                  Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for

this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

 We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

 Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

 Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

 The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

  b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

  c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based

on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

  a) Accompany it with the complete corresponding machine-readable
  source code, which must be distributed under the terms of Sections
  1 and 2 above on a medium customarily used for software interchange; or,

  b) Accompany it with a written offer, valid for at least three
  years, to give any third party, for a charge no more than your
  cost of physically performing source distribution, a complete
  machine-readable copy of the corresponding source code, to be
  distributed under the terms of Sections 1 and 2 above on a medium
  customarily used for software interchange; or,

  c) Accompany it with the information you received as to the offer
  to distribute corresponding source code. (This alternative is
  allowed only for noncommercial distribution and only if you
  received the program in object code or executable form with such
  an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering
access to copy from a designated place, then offering equivalent

access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

 5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

 7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any

patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system, which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

 8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

 10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

 11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED

OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

 12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License along
    with this program; if not, write to the Free Software Foundation, Inc.,
    51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.
[Note that only a few files are distributed under this license.]

GNU LESSER GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <https://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates
the terms and conditions of version 3 of the GNU General Public
License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser
General Public License, and the "GNU GPL" refers to version 3 of the GNU
General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or

b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object

code under terms of your choice, provided that, if the incorporated
material is not limited to numerical parameters, data structure
layouts and accessors, or small macros, inline functions and templates
(ten or fewer lines in length), you do both of the following:

  a) Give prominent notice with each copy of the object code that the
  Library is used in it and that the Library and its use are
  covered by this License.

  b) Accompany the object code with a copy of the GNU GPL and this license
  document.

 4. Combined Works.

 You may convey a Combined Work under terms of your choice that,
taken together, effectively do not restrict modification of the
portions of the Library contained in the Combined Work and reverse
engineering for debugging such modifications, if you also do each of
the following:

  a) Give prominent notice with each copy of the Combined Work that
  the Library is used in it and that the Library and its use are
  covered by this License.

  b) Accompany the Combined Work with a copy of the GNU GPL and this license
  document.

  c) For a Combined Work that displays copyright notices during
  execution, include the copyright notice for the Library among
  these notices, as well as a reference directing the user to the
  copies of the GNU GPL and this license document.

  d) Do one of the following:

    0) Convey the Minimal Corresponding Source under the terms of this
    License, and the Corresponding Application Code in a form
    suitable for, and under terms that permit, the user to
    recombine or relink the Application with a modified version of
    the Linked Version to produce a modified Combined Work, in the
    manner specified by section 6 of the GNU GPL for conveying
    Corresponding Source.

    1) Use a suitable shared library mechanism for linking with the
    Library. A suitable mechanism is one that (a) uses at run time
    a copy of the Library already present on the user's computer
    system, and (b) will operate properly with a modified version
    of the Library that is interface-compatible with the Linked
    Version.

e) Provide Installation Information, but only if you would otherwise
be required to provide such information under section 6 of the
GNU GPL, and only to the extent that such information is
necessary to install and execute a modified version of the
Combined Work produced by recombining or relinking the
Application with a modified version of the Linked Version. (If
you use option 4d0, the Installation Information must accompany
the Minimal Corresponding Source and Corresponding Application
Code. If you use option 4d1, you must provide the Installation
Information in the manner specified by section 6 of the GNU GPL
for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the
Library side by side in a single library together with other library
facilities that are not Applications and are not covered by this
License, and convey such a combined library under terms of your
choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based
on the Library, uncombined with any other library facilities,
conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it
is a work based on the Library, and explaining where to find the
accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions
of the GNU Lesser General Public License from time to time. Such new
versions will be similar in spirit to the present version, but may
differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the
Library as you received it specifies that a certain numbered version
of the GNU Lesser General Public License "or any later version"
applies to it, you have the option of following the terms and
conditions either of that published version or of any later version
published by the Free Software Foundation. If the Library as you
received it does not specify a version number of the GNU Lesser
General Public License, you may choose any version of the GNU Lesser
General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide
whether future versions of the GNU Lesser General Public License shall

apply, that proxy's public statement of acceptance of any version is
permanent authorization for you to choose that version for the
Library.
COPYING.other   -*- org -*-
#+TITLE: List of code with permissive licenses as used by GnuPG.
#+STARTUP: showall

* DNS resolver (dirmngr/dns.c)

dns.c - Recursive, Reentrant DNS Resolver.

Copyright (c) 2008, 2009, 2010, 2012-2016 William Ahern

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to permit
persons to whom the Software is furnished to do so, subject to the
following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN
NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR
OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE
USE OR OTHER DEALINGS IN THE SOFTWARE.

* TinySCHEME (tests/gpgscm/LICENSE.TinySCHEME)

Copyright (c) 2000, Dimitrios Souflis
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

Neither the name of Dimitrios Souflis nor the names of the
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.403 mawk 1.3.4.20200120 2

1.403.1 Available under license :

Upstream source http://invisible-island.net/mawk/mawk.html

Current maintainer: Thomas Dickey <dickey@invisible-island.net>

----

mawk 1.3.4 and updates, Copyright 2008-2019 by Thomas E. Dickey
 mawk 1.3.4 includes substantial work by others:
 Copyright 2009-2010 by Jonathan Nieder
 Copyright 2005 by Aleksey Cheusov
mawk 1.3.3 Nov 1996, Copyright (C) Michael D. Brennan

Mawk is distributed without warranty under the terms of
the GNU General Public License, version 2, 1991.

Files: aclocal.m4
Licence: other-BSD
Copyright: 2008-2018,2019 by Thomas E. Dickey
  Permission is hereby granted, free of charge, to any person obtaining a
  copy of this software and associated documentation files (the
  "Software"), to deal in the Software without restriction, including
  without limitation the rights to use, copy, modify, merge, publish,
  distribute, distribute with modifications, sublicense, and/or sell
  copies of the Software, and to permit persons to whom the Software is
  furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR
OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR
THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name(s) of the above copyright
holders shall not be used in advertising or otherwise to promote the
sale, use or other dealings in this Software without prior written
authorization.

Files: install-sh
Copyright: 1994 X Consortium
Licence: other-BSD
  Permission is hereby granted, free of charge, to any person obtaining a copy
  of this software and associated documentation files (the "Software"), to
  deal in the Software without restriction, including without limitation the
  rights to use, copy, modify, merge, publish, distribute, sublicense, and/or
  sell copies of the Software, and to permit persons to whom the Software is
  furnished to do so, subject to the following conditions:

  The above copyright notice and this permission notice shall be included in
  all copies or substantial portions of the Software.

  THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
  IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
  FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
  X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN
  AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNEC-
  TION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

  Except as contained in this notice, the name of the X Consortium shall not
  be used in advertising or otherwise to promote the sale, use or other deal-
  ings in this Software without prior written authorization from the X Consor-
  tium.

  FSF changes to this file are in the public domain.

  Calling this script install-sh is preferred over install.sh, to prevent
  `make' implicit rules from creating a file called install from it
  when there is no Makefile.

  This script is compatible with the BSD install script, but was written

from scratch. It can only install one file at a time, a restriction
shared with many OS's install programs.

Files: debian/*
Copyright: 2012-2019 Thomas E. Dickey
Licence: other-BSD
  Permission to use, copy, modify, and distribute this software and its
  documentation for any purpose and without fee is hereby granted,
  provided that the above copyright notice appear in all copies and that
  both that copyright notice and this permission notice appear in
  supporting documentation, and that the name of the above listed
  copyright holder(s) not be used in advertising or publicity pertaining
  to distribution of the software without specific, written prior
  permission.

  THE ABOVE LISTED COPYRIGHT HOLDER(S) DISCLAIM ALL WARRANTIES WITH REGARD
  TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY
  AND FITNESS, IN NO EVENT SHALL THE ABOVE LISTED COPYRIGHT HOLDER(S) BE
  LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
  WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
  ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF
  OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

On Debian systems, the complete text of the GNU General
Public License can be found in '/usr/share/common-licenses/GPL-2'
                GNU GENERAL PUBLIC LICENSE
                 Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

                    Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for

this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

 We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

 Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

 Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

 The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion
of it, thus forming a work based on the Program, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices
  stating that you changed the files and the date of any change.

  b) You must cause any work that you distribute or publish, that in
  whole or in part contains or is derived from the Program or any
  part thereof, to be licensed as a whole at no charge to all third
  parties under the terms of this License.

  c) If the modified program normally reads commands interactively
  when run, you must cause it, when started running for such
  interactive use in the most ordinary way, to print or display an
  announcement including an appropriate copyright notice and a
  notice that there is no warranty (or else, saying that you provide
  a warranty) and that users may redistribute the program under
  these conditions, and telling the user how to view a copy of this
  License. (Exception: if the Program itself is interactive but
  does not normally print such an announcement, your work based on
  the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based

on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

  a) Accompany it with the complete corresponding machine-readable
  source code, which must be distributed under the terms of Sections
  1 and 2 above on a medium customarily used for software interchange; or,

  b) Accompany it with a written offer, valid for at least three
  years, to give any third party, for a charge no more than your
  cost of physically performing source distribution, a complete
  machine-readable copy of the corresponding source code, to be
  distributed under the terms of Sections 1 and 2 above on a medium
  customarily used for software interchange; or,

  c) Accompany it with the information you received as to the offer
  to distribute corresponding source code. (This alternative is
  allowed only for noncommercial distribution and only if you
  received the program in object code or executable form with such
  an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering
access to copy from a designated place, then offering equivalent

access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

 5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

 7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any

patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system, which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

 8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

 10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

 11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED

OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

 12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

   <one line to give the program's name and a brief idea of what it does.>
   Copyright (C) <year> <name of author>

   This program is free software; you can redistribute it and/or modify
   it under the terms of the GNU General Public License as published by
   the Free Software Foundation; either version 2 of the License, or
   (at your option) any later version.

   This program is distributed in the hope that it will be useful,
   but WITHOUT ANY WARRANTY; without even the implied warranty of
   MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
   GNU General Public License for more details.

   You should have received a copy of the GNU General Public License along
   with this program; if not, write to the Free Software Foundation, Inc.,
   51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

   Gnomovision version 69, Copyright (C) year name of author
   Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
   This is free software, and you are welcome to redistribute it
   under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the program
 `Gnomovision' (which makes passes at compilers) written by James Hacker.

 <signature of Ty Coon>, 1 April 1989
 Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.

1.404 pierrec-lz4 2.6.1+incompatible

1.404.1 Available under license :

Copyright (c) 2015, Pierre Curto
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
 list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice,
 this list of conditions and the following disclaimer in the documentation
 and/or other materials provided with the distribution.

* Neither the name of xxHash nor the names of its
 contributors may be used to endorse or promote products derived from

this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.405 jackc-pgconn 1.11.0
1.405.1 Available under license :

Copyright (c) 2019-2021 Jack Christensen

MIT License

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.406 bzip2 1.0.8 2
1.406.1 Available under license :

This program, "bzip2", the associated library "libbzip2", and all

----

1.407 pcre 8.39-12build1

1.407.1 Available under license :

PCRE LICENCE

Please see the file LICENCE in the PCRE distribution for licensing details.

End

PCRE LICENCE

PCRE is a library of functions to support regular expressions whose syntax
and semantics are as close as possible to those of the Perl 5 language.

Release 8 of PCRE is distributed under the terms of the "BSD" licence, as
specified below. The documentation for PCRE, supplied in the "doc"
directory, is distributed under the same terms as the software itself. The data
in the testdata directory is not copyrighted and is in the public domain.

The basic library functions are written in C and are freestanding. Also
included in the distribution is a set of C++ wrapper functions, and a
just-in-time compiler that can be used to optimize pattern matching. These
are both optional features that can be omitted when the library is built.

THE BASIC LIBRARY FUNCTIONS

Written by: Philip Hazel
Email local part: ph10
Email domain: cam.ac.uk

University of Cambridge Computing Service,
Cambridge, England.

Copyright (c) 1997-2020 University of Cambridge
All rights reserved.

PCRE JUST-IN-TIME COMPILATION SUPPORT

Written by: Zoltan Herczeg
Email local part: hzmester
Email domain: freemail.hu

Copyright(c) 2010-2020 Zoltan Herczeg
All rights reserved.

STACK-LESS JUST-IN-TIME COMPILER

Written by: Zoltan Herczeg
Email local part: hzmester
Email domain: freemail.hu

THE C++ WRAPPER FUNCTIONS

Contributed by: Google Inc.

THE "BSD" LICENCE

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

  * Redistributions of source code must retain the above copyright notice,
    this list of conditions and the following disclaimer.

  * Redistributions in binary form must reproduce the above copyright
    notice, this list of conditions and the following disclaimer in the
    documentation and/or other materials provided with the distribution.

  * Neither the name of the University of Cambridge nor the name of Google
    Inc. nor the names of their contributors may be used to endorse or
    promote products derived from this software without specific prior
    written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

End
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products
   derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.408 go-colorable 0.1.8
1.408.1 Available under license :
The MIT License (MIT)

Copyright (c) 2016 Yasuhiro Matsumoto

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.409 jackc-pgx 4.15.0

1.409.1 Available under license :

Copyright (c) 2013-2021 Jack Christensen

MIT License

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.410 x-sys 0.0.0-20210823070655-63515b42dcdf

1.410.1 Available under license :

This source code was written by the Go contributors.
The master list of contributors is in the main Go distribution,
visible at http://tip.golang.org/CONTRIBUTORS.
Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

   * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.

* Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.411 gjson 1.11.0

1.411.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Josh Baker

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of
the Software, and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER
IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.412 diffutils 3.7-3

1.412.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Preamble

 The GNU General Public License is a free, copyleft license for
software and other kinds of works.

 The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

 To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you have
certain responsibilities if you distribute copies of the software, or if
you modify it: responsibilities to respect the freedom of others.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must pass on to the recipients the same
freedoms that you received. You must make sure that they, too, receive
or can get the source code. And you must show them these terms so they
know their rights.

 Developers that use the GNU GPL protect your rights with two steps:
(1) assert copyright on the software, and (2) offer you this License
giving you legal permission to copy, distribute and/or modify it.

 For the developers' and authors' protection, the GPL clearly explains
that there is no warranty for this free software. For both users' and
authors' sake, the GPL requires that modified versions be marked as
changed, so that their problems will not be attributed erroneously to
authors of previous versions.

 Some devices are designed to deny users access to install or run
modified versions of the software inside them, although the manufacturer

can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

 Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

 The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

 0. Definitions.

 "This License" refers to version 3 of the GNU General Public License.

 "Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

 "The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

 To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

 A "covered work" means either the unmodified Program or a work based on the Program.

 To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

 To "convey" a work means any kind of propagation that enables other

parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users

can regenerate automatically from other parts of the Corresponding Source.

 The Corresponding Source for a work in source code form is that same work.

 2. Basic Permissions.

 All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

 You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

 Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

 No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

 When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

 4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms
of sections 4 and 5, provided that you also convey the
machine-readable Corresponding Source under the terms of this License,
in one of these ways:

a) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by the
Corresponding Source fixed on a durable physical medium
customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by a
written offer, valid for at least three years and valid for as
long as you offer spare parts or customer support for that product
model, to give anyone who possesses the object code either (1) a
copy of the Corresponding Source for all the software in the
product that is covered by this License, on a durable physical
medium customarily used for software interchange, for a price no
more than your reasonable cost of physically performing this
conveying of source, or (2) access to copy the
Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the
written offer to provide the Corresponding Source. This
alternative is allowed only occasionally and noncommercially, and
only if you received the object code with such an offer, in accord
with subsection 6b.

d) Convey the object code by offering access from a designated
place (gratis or for a charge), and offer equivalent access to the
Corresponding Source in the same way through the same place at no
further charge. You need not require recipients to copy the
Corresponding Source along with the object code. If the place to
copy the object code is a network server, the Corresponding Source
may be on a different server (operated by you or a third party)
that supports equivalent copying facilities, provided you maintain
clear directions next to the object code saying where to find the
Corresponding Source. Regardless of what server hosts the
Corresponding Source, you remain obligated to ensure that it is
available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided
you inform other peers where the object code and Corresponding
Source of the work are being offered to the general public at no
charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in

source code form), and must require no special password or key for
unpacking, reading or copying.

 7. Additional Terms.

 "Additional permissions" are terms that supplement the terms of this
License by making exceptions from one or more of its conditions.
Additional permissions that are applicable to the entire Program shall
be treated as though they were included in this License, to the extent
that they are valid under applicable law. If additional permissions
apply only to part of the Program, that part may be used separately
under those permissions, but the entire Program remains governed by
this License without regard to the additional permissions.

 When you convey a copy of a covered work, you may at your option
remove any additional permissions from that copy, or from any part of
it. (Additional permissions may be written to require their own
removal in certain cases when you modify the work.) You may place
additional permissions on material, added by you to a covered work,
for which you have or can give appropriate copyright permission.

 Notwithstanding any other provision of this License, for material you
add to a covered work, you may (if authorized by the copyright holders of
that material) supplement the terms of this License with terms:

  a) Disclaiming warranty or limiting liability differently from the
  terms of sections 15 and 16 of this License; or

  b) Requiring preservation of specified reasonable legal notices or
  author attributions in that material or in the Appropriate Legal
  Notices displayed by works containing it; or

  c) Prohibiting misrepresentation of the origin of that material, or
  requiring that modified versions of such material be marked in
  reasonable ways as different from the original version; or

  d) Limiting the use for publicity purposes of names of licensors or
  authors of the material; or

  e) Declining to grant rights under trademark law for use of some
  trade names, trademarks, or service marks; or

  f) Requiring indemnification of licensors and authors of that
  material by anyone who conveys the material (or modified versions of
  it) with contractual assumptions of liability to the recipient, for
  any liability that these contractual assumptions directly impose on
  those licensors and authors.

All other non-permissive additional terms are considered "further
restrictions" within the meaning of section 10. If the Program as you
received it, or any part of it, contains a notice stating that it is
governed by this License along with a term that is a further
restriction, you may remove that term. If a license document contains
a further restriction but permits relicensing or conveying under this
License, you may add to a covered work material governed by the terms
of that license document, provided that the further restriction does
not survive such relicensing or conveying.

  If you add terms to a covered work in accord with this section, you
must place, in the relevant source files, a statement of the
additional terms that apply to those files, or a notice indicating
where to find the applicable terms.

  Additional terms, permissive or non-permissive, may be stated in the
form of a separately written license, or stated as exceptions;
the above requirements apply either way.

  8. Termination.

  You may not propagate or modify a covered work except as expressly
provided under this License. Any attempt otherwise to propagate or
modify it is void, and will automatically terminate your rights under
this License (including any patent licenses granted under the third
paragraph of section 11).

  However, if you cease all violation of this License, then your
license from a particular copyright holder is reinstated (a)
provisionally, unless and until the copyright holder explicitly and
finally terminates your license, and (b) permanently, if the copyright
holder fails to notify you of the violation by some reasonable means
prior to 60 days after the cessation.

  Moreover, your license from a particular copyright holder is
reinstated permanently if the copyright holder notifies you of the
violation by some reasonable means, this is the first time you have
received notice of violation of this License (for any work) from that
copyright holder, and you cure the violation prior to 30 days after
your receipt of the notice.

  Termination of your rights under this section does not terminate the
licenses of parties who have received copies or rights from you under
this License. If your rights have been terminated and not permanently
reinstated, you do not qualify to receive new licenses for the same
material under section 10.

  9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or
run a copy of the Program. Ancillary propagation of a covered work
occurring solely as a consequence of using peer-to-peer transmission
to receive a copy likewise does not require acceptance. However,
nothing other than this License grants you permission to propagate or
modify any covered work. These actions infringe copyright if you do
not accept this License. Therefore, by modifying or propagating a
covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

 Each time you convey a covered work, the recipient automatically
receives a license from the original licensors, to run, modify and
propagate that work, subject to this License. You are not responsible
for enforcing compliance by third parties with this License.

 An "entity transaction" is a transaction transferring control of an
organization, or substantially all assets of one, or subdividing an
organization, or merging organizations. If propagation of a covered
work results from an entity transaction, each party to that
transaction who receives a copy of the work also receives whatever
licenses to the work the party's predecessor in interest had or could
give under the previous paragraph, plus a right to possession of the
Corresponding Source of the work from the predecessor in interest, if
the predecessor has it or can get it with reasonable efforts.

 You may not impose any further restrictions on the exercise of the
rights granted or affirmed under this License. For example, you may
not impose a license fee, royalty, or other charge for exercise of
rights granted under this License, and you may not initiate litigation
(including a cross-claim or counterclaim in a lawsuit) alleging that
any patent claim is infringed by making, using, selling, offering for
sale, or importing the Program or any portion of it.

11. Patents.

 A "contributor" is a copyright holder who authorizes use under this
License of the Program or a work on which the Program is based. The
work thus licensed is called the contributor's "contributor version".

 A contributor's "essential patent claims" are all patent claims
owned or controlled by the contributor, whether already acquired or
hereafter acquired, that would be infringed by some manner, permitted
by this License, of making, using, or selling its contributor version,
but do not include claims that would be infringed only as a
consequence of further modification of the contributor version. For
purposes of this definition, "control" includes the right to grant

patent sublicenses in a manner consistent with the requirements of
this License.

 Each contributor grants you a non-exclusive, worldwide, royalty-free
patent license under the contributor's essential patent claims, to
make, use, sell, offer for sale, import and otherwise run, modify and
propagate the contents of its contributor version.

 In the following three paragraphs, a "patent license" is any express
agreement or commitment, however denominated, not to enforce a patent
(such as an express permission to practice a patent or covenant not to
sue for patent infringement). To "grant" such a patent license to a
party means to make such an agreement or commitment not to enforce a
patent against the party.

 If you convey a covered work, knowingly relying on a patent license,
and the Corresponding Source of the work is not available for anyone
to copy, free of charge and under the terms of this License, through a
publicly available network server or other readily accessible means,
then you must either (1) cause the Corresponding Source to be so
available, or (2) arrange to deprive yourself of the benefit of the
patent license for this particular work, or (3) arrange, in a manner
consistent with the requirements of this License, to extend the patent
license to downstream recipients. "Knowingly relying" means you have
actual knowledge that, but for the patent license, your conveying the
covered work in a country, or your recipient's use of the covered work
in a country, would infringe one or more identifiable patents in that
country that you have reason to believe are valid.

 If, pursuant to or in connection with a single transaction or
arrangement, you convey, or propagate by procuring conveyance of, a
covered work, and grant a patent license to some of the parties
receiving the covered work authorizing them to use, propagate, modify
or convey a specific copy of the covered work, then the patent license
you grant is automatically extended to all recipients of the covered
work and works based on it.

 A patent license is "discriminatory" if it does not include within
the scope of its coverage, prohibits the exercise of, or is
conditioned on the non-exercise of one or more of the rights that are
specifically granted under this License. You may not convey a covered
work if you are a party to an arrangement with a third party that is
in the business of distributing software, under which you make payment
to the third party based on the extent of your activity of conveying
the work, and under which the third party grants, to any of the
parties who would receive the covered work from you, a discriminatory
patent license (a) in connection with copies of the covered work
conveyed by you (or copies made from those copies), or (b) primarily

for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

 Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

 12. No Surrender of Others' Freedom.

 If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

 13. Use with the GNU Affero General Public License.

 Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

 14. Revised Versions of this License.

 The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

 Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

 If the Program specifies that a proxy can decide which future

versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

 Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

 15. Disclaimer of Warranty.

 THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

 16. Limitation of Liability.

 IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE
USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD
PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES.

 17. Interpretation of Sections 15 and 16.

 If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

                    END OF TERMS AND CONDITIONS

            How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software: you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation, either version 3 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

 If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

    <program> Copyright (C) <year> <name of author>
    This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

 You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

 The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<http://www.gnu.org/philosophy/why-not-lgpl.html>.

1.413 sed 4.7 1

1.413.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <https://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you have
certain responsibilities if you distribute copies of the software, or if
you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must pass on to the recipients the same
freedoms that you received. You must make sure that they, too, receive
or can get the source code. And you must show them these terms so they
know their rights.

Developers that use the GNU GPL protect your rights with two steps:
(1) assert copyright on the software, and (2) offer you this License
giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but

which are not part of the work. For example, Corresponding Source
includes interface definition files associated with source files for
the work, and the source code for shared libraries and dynamically
linked subprograms that the work is specifically designed to require,
such as by intimate data communication or control flow between those
subprograms and other parts of the work.

 The Corresponding Source need not include anything that users
can regenerate automatically from other parts of the Corresponding
Source.

 The Corresponding Source for a work in source code form is that
same work.

 2. Basic Permissions.

 All rights granted under this License are granted for the term of
copyright on the Program, and are irrevocable provided the stated
conditions are met. This License explicitly affirms your unlimited
permission to run the unmodified Program. The output from running a
covered work is covered by this License only if the output, given its
content, constitutes a covered work. This License acknowledges your
rights of fair use or other equivalent, as provided by copyright law.

 You may make, run and propagate covered works that you do not
convey, without conditions so long as your license otherwise remains
in force. You may convey covered works to others for the sole purpose
of having them make modifications exclusively for you, or provide you
with facilities for running those works, provided that you comply with
the terms of this License in conveying all material for which you do
not control copyright. Those thus making or running the covered works
for you must do so exclusively on your behalf, under your direction
and control, on terms that prohibit them from making any copies of
your copyrighted material outside their relationship with you.

 Conveying under any other circumstances is permitted solely under
the conditions stated below. Sublicensing is not allowed; section 10
makes it unnecessary.

 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

 No covered work shall be deemed part of an effective technological
measure under any applicable law fulfilling obligations under article
11 of the WIPO copyright treaty adopted on 20 December 1996, or
similar laws prohibiting or restricting circumvention of such
measures.

 When you convey a covered work, you waive any legal power to forbid

circumvention of technological measures to the extent such circumvention
is effected by exercising rights under this License with respect to
the covered work, and you disclaim any intention to limit operation or
modification of the work as a means of enforcing, against the work's
users, your or third parties' legal rights to forbid circumvention of
technological measures.

  4. Conveying Verbatim Copies.

  You may convey verbatim copies of the Program's source code as you
receive it, in any medium, provided that you conspicuously and
appropriately publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

  You may charge any price or no price for each copy that you convey,
and you may offer support or warranty protection for a fee.

  5. Conveying Modified Source Versions.

  You may convey a work based on the Program, or the modifications to
produce it from the Program, in the form of source code under the
terms of section 4, provided that you also meet all of these conditions:

    a) The work must carry prominent notices stating that you modified
    it, and giving a relevant date.

    b) The work must carry prominent notices stating that it is
    released under this License and any conditions added under section
    7. This requirement modifies the requirement in section 4 to
    "keep intact all notices".

    c) You must license the entire work, as a whole, under this
    License to anyone who comes into possession of a copy. This
    License will therefore apply, along with any applicable section 7
    additional terms, to the whole of the work, and all its parts,
    regardless of how they are packaged. This License gives no
    permission to license the work in any other way, but it does not
    invalidate such permission if you have separately received it.

    d) If the work has interactive user interfaces, each must display
    Appropriate Legal Notices; however, if the Program has interactive
    interfaces that do not display Appropriate Legal Notices, your
    work need not make them do so.

  A compilation of a covered work with other separate and independent

works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

  6. Conveying Non-Source Forms.

 You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

  a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

  b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

  c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

  d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the

Corresponding Source. Regardless of what server hosts the
Corresponding Source, you remain obligated to ensure that it is
available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided
you inform other peers where the object code and Corresponding
Source of the work are being offered to the general public at no
charge under subsection 6d.

A separable portion of the object code, whose source code is excluded
from the Corresponding Source as a System Library, need not be
included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any
tangible personal property which is normally used for personal, family,
or household purposes, or (2) anything designed or sold for incorporation
into a dwelling. In determining whether a product is a consumer product,
doubtful cases shall be resolved in favor of coverage. For a particular
product received by a particular user, "normally used" refers to a
typical or common use of that class of product, regardless of the status
of the particular user or of the way in which the particular user
actually uses, or expects or is expected to use, the product. A product
is a consumer product regardless of whether the product has substantial
commercial, industrial or non-consumer uses, unless such uses represent
the only significant mode of use of the product.

"Installation Information" for a User Product means any methods,
procedures, authorization keys, or other information required to install
and execute modified versions of a covered work in that User Product from
a modified version of its Corresponding Source. The information must
suffice to ensure that the continued functioning of the modified object
code is in no case prevented or interfered with solely because
modification has been made.

If you convey an object code work under this section in, or with, or
specifically for use in, a User Product, and the conveying occurs as
part of a transaction in which the right of possession and use of the
User Product is transferred to the recipient in perpetuity or for a
fixed term (regardless of how the transaction is characterized), the
Corresponding Source conveyed under this section must be accompanied
by the Installation Information. But this requirement does not apply
if neither you nor any third party retains the ability to install
modified object code on the User Product (for example, the work has
been installed in ROM).

The requirement to provide Installation Information does not include a
requirement to continue to provide support service, warranty, or updates
for a work that has been modified or installed by the recipient, or for

the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or

b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some

trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that
material by anyone who conveys the material (or modified versions of
it) with contractual assumptions of liability to the recipient, for
any liability that these contractual assumptions directly impose on
those licensors and authors.

All other non-permissive additional terms are considered "further
restrictions" within the meaning of section 10. If the Program as you
received it, or any part of it, contains a notice stating that it is
governed by this License along with a term that is a further
restriction, you may remove that term. If a license document contains
a further restriction but permits relicensing or conveying under this
License, you may add to a covered work material governed by the terms
of that license document, provided that the further restriction does
not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you
must place, in the relevant source files, a statement of the
additional terms that apply to those files, or a notice indicating
where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the
form of a separately written license, or stated as exceptions;
the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly
provided under this License. Any attempt otherwise to propagate or
modify it is void, and will automatically terminate your rights under
this License (including any patent licenses granted under the third
paragraph of section 11).

However, if you cease all violation of this License, then your
license from a particular copyright holder is reinstated (a)
provisionally, unless and until the copyright holder explicitly and
finally terminates your license, and (b) permanently, if the copyright
holder fails to notify you of the violation by some reasonable means
prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is
reinstated permanently if the copyright holder notifies you of the
violation by some reasonable means, this is the first time you have
received notice of violation of this License (for any work) from that
copyright holder, and you cure the violation prior to 30 days after
your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims
owned or controlled by the contributor, whether already acquired or
hereafter acquired, that would be infringed by some manner, permitted
by this License, of making, using, or selling its contributor version,
but do not include claims that would be infringed only as a
consequence of further modification of the contributor version. For
purposes of this definition, "control" includes the right to grant
patent sublicenses in a manner consistent with the requirements of
this License.

 Each contributor grants you a non-exclusive, worldwide, royalty-free
patent license under the contributor's essential patent claims, to
make, use, sell, offer for sale, import and otherwise run, modify and
propagate the contents of its contributor version.

 In the following three paragraphs, a "patent license" is any express
agreement or commitment, however denominated, not to enforce a patent
(such as an express permission to practice a patent or covenant not to
sue for patent infringement). To "grant" such a patent license to a
party means to make such an agreement or commitment not to enforce a
patent against the party.

 If you convey a covered work, knowingly relying on a patent license,
and the Corresponding Source of the work is not available for anyone
to copy, free of charge and under the terms of this License, through a
publicly available network server or other readily accessible means,
then you must either (1) cause the Corresponding Source to be so
available, or (2) arrange to deprive yourself of the benefit of the
patent license for this particular work, or (3) arrange, in a manner
consistent with the requirements of this License, to extend the patent
license to downstream recipients. "Knowingly relying" means you have
actual knowledge that, but for the patent license, your conveying the
covered work in a country, or your recipient's use of the covered work
in a country, would infringe one or more identifiable patents in that
country that you have reason to believe are valid.

 If, pursuant to or in connection with a single transaction or
arrangement, you convey, or propagate by procuring conveyance of, a
covered work, and grant a patent license to some of the parties
receiving the covered work authorizing them to use, propagate, modify
or convey a specific copy of the covered work, then the patent license
you grant is automatically extended to all recipients of the covered
work and works based on it.

 A patent license is "discriminatory" if it does not include within
the scope of its coverage, prohibits the exercise of, or is
conditioned on the non-exercise of one or more of the rights that are

specifically granted under this License. You may not convey a covered
work if you are a party to an arrangement with a third party that is
in the business of distributing software, under which you make payment
to the third party based on the extent of your activity of conveying
the work, and under which the third party grants, to any of the
parties who would receive the covered work from you, a discriminatory
patent license (a) in connection with copies of the covered work
conveyed by you (or copies made from those copies), or (b) primarily
for and in connection with specific products or compilations that
contain the covered work, unless you entered into that arrangement,
or that patent license was granted, prior to 28 March 2007.

 Nothing in this License shall be construed as excluding or limiting
any implied license or other defenses to infringement that may
otherwise be available to you under applicable patent law.

 12. No Surrender of Others' Freedom.

 If conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot convey a
covered work so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you may
not convey it at all. For example, if you agree to terms that obligate you
to collect a royalty for further conveying from those to whom you convey
the Program, the only way you could satisfy both those terms and this
License would be to refrain entirely from conveying the Program.

 13. Use with the GNU Affero General Public License.

 Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

 14. Revised Versions of this License.

 The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

 Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General

Public License "or any later version" applies to it, you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

  If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

  Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

  15. Disclaimer of Warranty.

  THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

  16. Limitation of Liability.

  IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE
USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD
PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES.

  17. Interpretation of Sections 15 and 16.

  If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software: you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation, either version 3 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program. If not, see <https://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

    <program> Copyright (C) <year> <name of author>
    This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<https://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<https://www.gnu.org/philosophy/why-not-lgpl.html>.

1.414 gomodule-redigo 2.0.0+incompatible
1.414.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.415 yamux 0.0.0-20181012175058-2f1d1f20f75d

1.415.1 Available under license :

Mozilla Public License, version 2.0

1. Definitions

1.1. "Contributor"

   means each individual or legal entity that creates, contributes to the
   creation of, or owns Covered Software.

1.2. "Contributor Version"

   means the combination of the Contributions of others (if any) used by a
   Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

   means Covered Software of a particular Contributor.

1.4. "Covered Software"

   means Source Code Form to which the initial Contributor has attached the
   notice in Exhibit A, the Executable Form of such Source Code Form, and
   Modifications of such Source Code Form, in each case including portions
   thereof.

1.5. "Incompatible With Secondary Licenses"
   means

   a. that the initial Contributor has attached the notice described in
      Exhibit B to the Covered Software; or

   b. that the Covered Software was made available under the terms of
      version 1.1 or earlier of the License, but not also under the terms of
      a Secondary License.

1.6. "Executable Form"

   means any form of the work other than Source Code Form.

1.7. "Larger Work"

   means a work that combines Covered Software with other material, in a

separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether
at the time of the initial grant or subsequently, any and all of the
rights conveyed by this License.

1.10. "Modifications"

means any of the following:

a. any file in Source Code Form that results from an addition to,
   deletion from, or modification of the contents of Covered Software; or

b. any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method,
process, and apparatus claims, in any patent Licensable by such
Contributor that would be infringed, but for the grant of the License,
by the making, using, selling, offering for sale, having made, import,
or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser
General Public License, Version 2.1, the GNU Affero General Public
License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this
License. For legal entities, "You" includes any entity that controls, is
controlled by, or is under common control with You. For purposes of this
definition, "control" means (a) the power, direct or indirect, to cause
the direction or management of such entity, whether by contract or
otherwise, or (b) ownership of more than fifty percent (50%) of the
outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

a. under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

a. for any code that a Contributor has removed from Covered Software; or

b. for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

a. such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

b. You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the

license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You
    fail to comply with any of its terms. However, if You become compliant,
    then the rights granted under this License from a particular Contributor
    are reinstated (a) provisionally, unless and until such Contributor
    explicitly and finally terminates Your grants, and (b) on an ongoing
    basis, if such Contributor fails to notify You of the non-compliance by
    some reasonable means prior to 60 days after You have come back into
    compliance. Moreover, Your grants from a particular Contributor are
    reinstated on an ongoing basis if such Contributor notifies You of the
    non-compliance by some reasonable means, this is the first time You have
    received notice of non-compliance with this License from such
    Contributor, and You become compliant prior to 30 days after Your receipt
    of the notice.

5.2. If You initiate litigation against any entity by asserting a patent
    infringement claim (excluding declaratory judgment actions,
    counter-claims, and cross-claims) alleging that a Contributor Version
    directly or indirectly infringes any patent, then the rights granted to
    You by any and all Contributors for the Covered Software under Section
    2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user
    license agreements (excluding distributors and resellers) which have been
    validly granted by You or Your distributors under this License prior to
    termination shall survive termination.

6. Disclaimer of Warranty

  Covered Software is provided under this License on an "as is" basis,
  without warranty of any kind, either expressed, implied, or statutory,
  including, without limitation, warranties that the Covered Software is free
  of defects, merchantable, fit for a particular purpose or non-infringing.
  The entire risk as to the quality and performance of the Covered Software
  is with You. Should any Covered Software prove defective in any respect,
  You (not any Contributor) assume the cost of any necessary servicing,
  repair, or correction. This disclaimer of warranty constitutes an essential
  part of this License. No use of any Covered Software is authorized under
  this License except under this disclaimer.

7. Limitation of Liability

  Under no circumstances and under no legal theory, whether tort (including
  negligence), contract, or otherwise, shall any Contributor, or anyone who
  distributes Covered Software as permitted above, be liable to You for any
  direct, indirect, special, incidental, or consequential damages of any

character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to

create a new license for such software, you may create and use a
modified version of this License if you rename the license and remove
any references to the name of the license steward (except to note that
such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary
Licenses If You choose to distribute Source Code Form that is
Incompatible With Secondary Licenses under the terms of this version of
the License, the notice described in Exhibit B of this License must be
attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the
terms of the Mozilla Public License, v.
2.0. If a copy of the MPL was not
distributed with this file, You can
obtain one at
http://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular file,
then You may include the notice in a location (such as a LICENSE file in a
relevant directory) where a recipient would be likely to look for such a
notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible
With Secondary Licenses", as defined by
the Mozilla Public License, v. 2.0.

1.416 mna-redisc 1.1.7

1.416.1 Available under license :

* Neither the name of the author nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.417 open-ldap 2.4.49+dfsg-2ubuntu1.9
1.417.1 Available under license :

Copyright 1998-2020 The OpenLDAP Foundation. All rights reserved.

COPYING RESTRICTIONS APPLY.

See COPYRIGHT and LICENSE files in the top-level directory of this
distribution (i.e., ../../COPYRIGHT and ../../LICENSE, respectively).

NeoSoft Tcl client extensions to Lightweight Directory Access Protocol.

Copyright (c) 1998-1999 NeoSoft, Inc.
All Rights Reserved.

This software may be used, modified, copied, distributed, and sold,
in both source and binary form provided that these copyrights are
retained and their terms are followed.

Under no circumstances are the authors or NeoSoft Inc. responsible
for the proper functioning of this software, nor do the authors
assume any liability for damages incurred with its use.

Redistribution and use in source and binary forms are permitted
provided that this notice is preserved and that due credit is given
to NeoSoft, Inc.

NeoSoft, Inc. may not be used to endorse or promote products derived
from this software without specific prior written permission. This
software is provided ``as is'' without express or implied warranty.

modification, are permitted provided that this notice is preserved.
The names of the copyright holders may not be used to endorse or
promote products derived from this software without their specific
prior written permission. This software is provided ``as is''
without express or implied warranty.

Portions Copyright (c) 1992-1996 Regents of the University of Michigan.
All rights reserved.

Redistribution and use in source and binary forms are permitted
provided that this notice is preserved and that due credit is given
to the University of Michigan at Ann Arbor. The name of the
University may not be used to endorse or promote products derived
from this software without specific prior written permission. This
software is provided ``as is'' without express or implied warranty.

Copyright 1998-2020 The OpenLDAP Foundation
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted only as authorized by the OpenLDAP
Public License.

A copy of this license is available in the file LICENSE in the
top-level directory of the distribution or, alternatively, at
<http://www.OpenLDAP.org/license.html>.

OpenLDAP is a registered trademark of the OpenLDAP Foundation.

Individual files and/or contributed packages may be copyright by
other parties and/or subject to additional restrictions.

This work is derived from the University of Michigan LDAP v3.3
distribution. Information concerning this software is available
at <http://www.umich.edu/~dirsvcs/ldap/ldap.html>.

This work also contains materials derived from public sources.

Additional information about OpenLDAP can be obtained at
<http://www.openldap.org/>.

Portions Copyright 1998-2012 Kurt D. Zeilenga.
Portions Copyright 1998-2006 Net Boolean Incorporated.
Portions Copyright 2001-2006 IBM Corporation.

distribution (i.e., ../../COPYRIGHT and ../../LICENSE, respectively).
The OpenLDAP Public License
 Version 2.8, 17 August 2003

Redistribution and use of this software and associated documentation
("Software"), with or without modification, are permitted provided
that the following conditions are met:

1. Redistributions in source form must retain copyright statements
   and notices,

2. Redistributions in binary form must reproduce applicable copyright
   statements and notices, this list of conditions, and the following
   disclaimer in the documentation and/or other materials provided
   with the distribution, and

3. Redistributions must contain a verbatim copy of this document.

The OpenLDAP Foundation may revise this license from time to time.
Each revision is distinguished by a version number. You may use
this Software under terms of this license revision or under the
terms of any subsequent revision of the license.

THIS SOFTWARE IS PROVIDED BY THE OPENLDAP FOUNDATION AND ITS
CONTRIBUTORS ``AS IS'' AND ANY EXPRESSED OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT
SHALL THE OPENLDAP FOUNDATION, ITS CONTRIBUTORS, OR THE AUTHOR(S)
OR OWNER(S) OF THE SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN
ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

The names of the authors and copyright holders must not be used in
advertising or otherwise to promote the sale, use or other dealing
in this Software without specific, written prior permission. Title
to copyright in this Software shall at all times remain with copyright
holders.

OpenLDAP is a registered trademark of the OpenLDAP Foundation.

Copyright 1999-2003 The OpenLDAP Foundation, Redwood City,
California, USA. All Rights Reserved. Permission to copy and
distribute verbatim copies of this document is granted.

1.418 html5lib 1.0.1

1.418.1 Available under license :

Copyright (c) 2006-2013 James Graham and other contributors

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Copyright (c) 2006-2013 James Graham, Geoffrey Sneddon, and
other contributors

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.419 go-sql-driver-mysql 1.5.0

1.419.1 Available under license :

Mozilla Public License Version 2.0

==================================

1. Definitions

1.1. "Contributor"
   means each individual or legal entity that creates, contributes to
   the creation of, or owns Covered Software.

1.2. "Contributor Version"
   means the combination of the Contributions of others (if any) used
   by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"
   means Covered Software of a particular Contributor.

1.4. "Covered Software"
   means Source Code Form to which the initial Contributor has attached
   the notice in Exhibit A, the Executable Form of such Source Code
   Form, and Modifications of such Source Code Form, in each case
   including portions thereof.

1.5. "Incompatible With Secondary Licenses"
   means

   (a) that the initial Contributor has attached the notice described
       in Exhibit B to the Covered Software; or

   (b) that the Covered Software was made available under the terms of
       version 1.1 or earlier of the License, but not also under the
       terms of a Secondary License.

1.6. "Executable Form"
   means any form of the work other than Source Code Form.

1.7. "Larger Work"
   means a work that combines Covered Software with other material, in
   a separate file or files, that is not Covered Software.

1.8. "License"
   means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"
means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor
means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"
means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"
means the form of the work preferred for making modifications.

1.14. "You" (or "Your")
means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

(a) for any code that a Contributor has removed from Covered Software; or

(b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

(c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its
Contributions are its original creation(s) or it has sufficient rights
to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under
applicable copyright doctrines of fair use, fair dealing, or other
equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted
in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any
Modifications that You create or to which You contribute, must be under
the terms of this License. You must inform recipients that the Source
Code Form of the Covered Software is governed by the terms of this
License, and how they can obtain a copy of this License. You may not
attempt to alter or restrict the recipients' rights in the Source Code
Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code
    Form, as described in Section 3.1, and You must inform recipients of
    the Executable Form how they can obtain a copy of such Source Code
    Form by reasonable means in a timely manner, at a charge no more
    than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this
    License, or sublicense it under different terms, provided that the
    license for the Executable Form does not attempt to limit or alter
    the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice,
provided that You also comply with the requirements of this License for

the Covered Software. If the Larger Work is a combination of Covered
Software with a work governed by one or more Secondary Licenses, and the
Covered Software is not Incompatible With Secondary Licenses, this
License permits You to additionally distribute such Covered Software
under the terms of such Secondary License(s), so that the recipient of
the Larger Work may, at their option, further distribute the Covered
Software under the terms of either this License or such Secondary
License(s).

3.4. Notices

You may not remove or alter the substance of any license notices
(including copyright notices, patent notices, disclaimers of warranty,
or limitations of liability) contained within the Source Code Form of
the Covered Software, except that You may alter any license notices to
the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support,
indemnity or liability obligations to one or more recipients of Covered
Software. However, You may do so only on Your own behalf, and not on
behalf of any Contributor. You must make it absolutely clear that any
such warranty, support, indemnity, or liability obligation is offered by
You alone, and You hereby agree to indemnify every Contributor for any
liability incurred by such Contributor as a result of warranty, support,
indemnity or liability terms You offer. You may include additional
disclaimers of warranty and limitations of liability specific to any
jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this
License with respect to some or all of the Covered Software due to
statute, judicial order, or regulation then You must: (a) comply with
the terms of this License to the maximum extent possible; and (b)
describe the limitations and the code they affect. Such description must
be placed in a text file included with all distributions of the Covered
Software under this License. Except to the extent prohibited by statute
or regulation, such description must be sufficiently detailed for a
recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically
if You fail to comply with any of its terms. However, if You become

compliant, then the rights granted under this License from a particular
Contributor are reinstated (a) provisionally, unless and until such
Contributor explicitly and finally terminates Your grants, and (b) on an
ongoing basis, if such Contributor fails to notify You of the
non-compliance by some reasonable means prior to 60 days after You have
come back into compliance. Moreover, Your grants from a particular
Contributor are reinstated on an ongoing basis if such Contributor
notifies You of the non-compliance by some reasonable means, this is the
first time You have received notice of non-compliance with this License
from such Contributor, and You become compliant prior to 30 days after
Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent
infringement claim (excluding declaratory judgment actions,
counter-claims, and cross-claims) alleging that a Contributor Version
directly or indirectly infringes any patent, then the rights granted to
You by any and all Contributors for the Covered Software under Section
2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all
end user license agreements (excluding distributors and resellers) which
have been validly granted by You or Your distributors under this License
prior to termination shall survive termination.

```
************************************************************************
*                                                                    *
*  6. Disclaimer of Warranty                                         *
*  -------------------------                                         *
*                                                                    *
*  Covered Software is provided under this License on an "as is"     *
*  basis, without warranty of any kind, either expressed, implied, or *
*  statutory, including, without limitation, warranties that the     *
*  Covered Software is free of defects, merchantable, fit for a      *
*  particular purpose or non-infringing. The entire risk as to the   *
*  quality and performance of the Covered Software is with You.      *
*  Should any Covered Software prove defective in any respect, You   *
*  (not any Contributor) assume the cost of any necessary servicing, *
*  repair, or correction. This disclaimer of warranty constitutes an *
*  essential part of this License. No use of any Covered Software is  *
*  authorized under this License except under this disclaimer.       *
*                                                                    *
************************************************************************

************************************************************************
*                                                                    *
*  7. Limitation of Liability                                        *
*  --------------------------                                        *
*                                                                    *
```

```
*  Under no circumstances and under no legal theory, whether tort    *
*  (including negligence), contract, or otherwise, shall any          *
*  Contributor, or anyone who distributes Covered Software as         *
*  permitted above, be liable to You for any direct, indirect,        *
*  special, incidental, or consequential damages of any character     *
*  including, without limitation, damages for lost profits, loss of   *
*  goodwill, work stoppage, computer failure or malfunction, or any    *
*  and all other commercial damages or losses, even if such party     *
*  shall have been informed of the possibility of such damages. This  *
*  limitation of liability shall not apply to liability for death or   *
*  personal injury resulting from such party's negligence to the      *
*  extent applicable law prohibits such limitation. Some              *
*  jurisdictions do not allow the exclusion or limitation of          *
*  incidental or consequential damages, so this exclusion and         *
*  limitation may not apply to You.                                   *
*                                                                     *
***********************************************************************
```

8. Litigation

Any litigation relating to this License may be brought only in the
courts of a jurisdiction where the defendant maintains its principal
place of business and such litigation shall be governed by laws of that
jurisdiction, without reference to its conflict-of-law provisions.
Nothing in this Section shall prevent a party's ability to bring
cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject
matter hereof. If any provision of this License is held to be
unenforceable, such provision shall be reformed only to the extent
necessary to make it enforceable. Any law or regulation which provides
that the language of a contract shall be construed against the drafter
shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section
10.3, no one other than the license steward has the right to modify or
publish new versions of this License. Each version will be given a
distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

 This Source Code Form is subject to the terms of the Mozilla Public
 License, v. 2.0. If a copy of the MPL was not distributed with this
 file, You can obtain one at http://mozilla.org/MPL/2.0/.

If it is not possible or desirable to put the notice in a particular
file, then You may include the notice in a location (such as a LICENSE
file in a relevant directory) where a recipient would be likely to look
for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

 This Source Code Form is "Incompatible With Secondary Licenses", as
 defined by the Mozilla Public License, v. 2.0.

1.420 jackc-pgpassfile 1.0.0

1.420.1 Available under license :

Copyright (c) 2019 Jack Christensen

MIT License

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.421 gopkg.in-yaml 2.4.0

1.421.1 Available under license :

Copyright 2011-2016 Canonical Ltd.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

<div align="center">

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

</div>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of

the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and
limitations under the License.
The following files were ported to Go from C files of libyaml, and thus
are still covered by their original copyright and license:

  apic.go
  emitterc.go
  parserc.go
  readerc.go
  scannerc.go
  writerc.go
  yamlh.go
  yamlprivateh.go

Copyright (c) 2006 Kirill Simonov

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.422 sercand-kuberesolver 2.4.0+incompatible

1.422.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of

the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright 2017 Sercan Degirmenci

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and
limitations under the License.

1.423 golang 1.15.6

1.423.1 Available under license :

Copyright 2010-2017 Mike Bostock
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
 list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice,
 this list of conditions and the following disclaimer in the documentation
 and/or other materials provided with the distribution.

* Neither the name of the author nor the names of contributors may be used to
 endorse or promote products derived from this software without specific prior
 written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a

result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "{}"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
This source code was written by the Go contributors.
The master list of contributors is in the main Go distribution,
visible at http://tip.golang.org/CONTRIBUTORS.
This is the official list of people who can contribute
(and typically have contributed) code to the Go repository.

The AUTHORS file lists the copyright holders; this file
lists people. For example, Google employees are listed here
but not in AUTHORS, because Google holds the copyright.
#
Names should be added to this file only after verifying that
the individual or the individual's organization has agreed to
the appropriate Contributor License Agreement, found here:
#
http://code.google.com/legal/individual-cla-v1.0.html
http://code.google.com/legal/corporate-cla-v1.0.html
#
The agreement for individuals can be filled out on the web.

Names should be added to this file like so:
Individual's name <submission email address>
Individual's name <submission email address> <email2> <emailN>
#
An entry with multiple email addresses specifies that the
first address should be used in the submit logs and
that the other addresses should be recognized as the
same person when interacting with Gerrit.

Please keep the list sorted.

Aamir Khan <syst3m.w0rm@gmail.com>
Aaron Beitch <aaronb@arista.com>
Aaron Bieber <deftly@gmail.com>
Aaron Cannon <cannona@fireantproductions.com>
Aaron France <aaron.l.france@gmail.com>
Aaron Jacobs <jacobsa@google.com>
Aaron Kemp <kemp.aaron@gmail.com>
Aaron Stein <aaronstein12@gmail.com>
Aaron Torres <tcboox@gmail.com>
Aaron Zinman <aaron@azinman.com>
Aarti Parikh <aarti.parikh@gmail.com>
Abdullah Al Maruf <mymail.maruf@gmail.com>
Abe Haskins <abeisgreat@abeisgreat.com>
Abhinav Gupta <abhinav.g90@gmail.com>
Adam Azarchs <adam.azarchs@10xgenomics.com>
Adam Bender <abender@google.com>
Adam Eijdenberg <adam@continusec.com>
Adam Harvey <aharvey@php.net>
Adam Kisala <adam.kisala@gmail.com>
Adam Langley <agl@golang.org>
Adam Medzinski <adam.medzinski@gmail.com>
Adam Shannon <adamkshannon@gmail.com>
Adam Shelton <aashelt90@gmail.com>
Adam Sindelar <adamsh@google.com>

Adam Thomason <athomason@gmail.com>

Adam Williams <pwnfactory@gmail.com>

Adam Woodbeck <adam@woodbeck.net>

Adarsh Ravichandran <adarshravichandran91@gmail.com>

Aditya Harindar <aditya.harindar@gmail.com>

Aditya Mukerjee <dev@chimeracoder.net>

Adrian Hesketh <adrianhesketh@hushmail.com>

Adrian Nos <nos.adrian@gmail.com>

Adrian O'Grady <elpollouk@gmail.com>

Adrien Bustany <adrien-xx-google@bustany.org>

Adrien Petel <peteladrien@gmail.com>

Acio Jnior <aeciodantasjunior@gmail.com>

Aeneas Rekkas (arekkas) <aeneas@ory.am>

Afanasev Stanislav <phpprogger@gmail.com>

Agis Anastasopoulos <agis.anast@gmail.com>

Agniva De Sarker <agnivade@yahoo.co.in>

Ahmed Wahed <oneofone@gmail.com>

Ahmet Alp Balkan <ahmetb@google.com>

Ahmet Soormally <ahmet@mangomm.co.uk>

Ahmy Yulrizka <yulrizka@gmail.com>

Ahsun Ahmed <ahmed.ahsun@gmail.com>

Aiden Scandella <ai@uber.com>

Ainar Garipov <gugl.zadolbal@gmail.com>

Aishraj Dahal <aishraj@users.noreply.github.com>

Akhil Indurti <aindurti@gmail.com>

Akihiro Suda <suda.kyoto@gmail.com>

Akshat Kumar <seed@mail.nanosouffle.net>

Al Cutter <al@google.com>

Alan Braithwaite <alan@ipaddr.org>

Alan Donovan <adonovan@google.com>

Alan Shreve <alan@inconshreveable.com>

Albert Nigmatzianov <albertnigma@gmail.com>

Albert Strasheim <fullung@gmail.com>

Albert Teoh <albert.teoh@gmail.com>

Albert Yu <yukinying@gmail.com>

Alberto Bertogli <albertito@blitiri.com.ar>

Alberto Donizetti <alb.donizetti@gmail.com>

Alberto Garca Hierro <alberto@garciahierro.com> <alberto.garcia.hierro@gmail.com>

Alec Benzer <alec.benzer@gmail.com>

Aleksa Sarai <cyphar@cyphar.com>

Aleksandar Dezelin <dezelin@gmail.com>

Aleksandr Lukinykh <a.lukinykh@xsolla.com>

Aleksandr Razumov <ar@cydev.ru>

Alekseev Artem <a.artem060@gmail.com>

Alessandro Arzilli <alessandro.arzilli@gmail.com>

Alessandro Baffa <alessandro.baffa@gmail.com>

Alex A Skinner <alex@lx.lc>

Alex Brainman <alex.brainman@gmail.com>

Alex Bramley <abramley@google.com>

Alex Browne <stephenalexbrowne@gmail.com>

Alex Buchanan <buchanae@gmail.com>

Alex Carol <alex.carol.c@gmail.com>

Alex Gaynor <alex@alloy.us>

Alex Harford <alex.harford@saucelabs.com>

Alex Jin <toalexjin@gmail.com>

Alex Kohler <alexjohnkohler@gmail.com>

Alex Myasoedov <msoedov@gmail.com>

Alex Plugaru <alex@plugaru.org> <alexandru.plugaru@gmail.com>

Alex Schroeder <alex@gnu.org>

Alex Sergeyev <abc@alexsergeyev.com>

Alex Tokarev <aleksator@gmail.com>

Alex Vaghin <crhyme@google.com>

Alex Zhirov <azhirov@google.com>

Alexander Demakin <alexander.demakin@gmail.com>

Alexander Dring <email@alexd.ch>

Alexander F Rdseth <alexander.rodseth@appeartv.com>

Alexander Guz <kalimatas@gmail.com>

Alexander Kauer <alexander@affine.space>

Alexander Kucherenko <alxkchr@gmail.com>

Alexander Larsson <alexander.larsson@gmail.com>

Alexander Lourier <aml@rulezz.ru>

Alexander Menzhinsky <amenzhinsky@gmail.com>

Alexander Morozov <lk4d4math@gmail.com>

Alexander Neumann <alexander@bumpern.de>

Alexander Orlov <alexander.orlov@loxal.net>

Alexander Pantyukhin <apantykhin@gmail.com>

Alexander Polcyn <apolcyn@google.com>

Alexander Rakoczy <alex@golang.org>

Alexander Reece <awreece@gmail.com>

Alexander Surma <surma@surmair.de>

Alexander Zhavnerchik <alex.vizor@gmail.com>

Alexander Zillion <alex@alexzillion.com>

Alexander Zolotov <goldifit@gmail.com>

Alexandr Mayorskiy <a.mayorskiy@corp.mail.ru>

Alexandre Cesaro <alexandre.cesaro@gmail.com>

Alexandre Fiori <fiorix@gmail.com>

Alexandre Maari <draeron@gmail.com>

Alexandre Normand <alexandre.normand@gmail.com>

Alexandre Parentea <aubonbeurre@gmail.com>

Alexandre Viau <alexandre@alexandreviau.net>

Alexandru Mooi <brtzsnr@gmail.com>

Alexei Sholik <alcosholik@gmail.com>

Alexey Alexandrov <aalexand@google.com>

Alexey Borzenkov <snaury@gmail.com>

Alexey Naidonov <alexey.naidyonov@gmail.com>

Alexey Neganov <neganovalexey@gmail.com>

Alexey Palazhchenko <alexey.palazhchenko@gmail.com>

Alexis Hildebrandt <surryhill@gmail.com>

Alexis Hunt <lexer@google.com>

Alexis Imperial-Legrand <ail@google.com>

Ali Rizvi-Santiago <arizvisa@gmail.com>

Aliaksandr Valialkin <valyala@gmail.com>

Alif Rachmawadi <subosito@gmail.com>

Allan Simon <allan.simon@supinfo.com>

Allen Li <ayatane@google.com>

Alok Menghrajani <alok.menghrajani@gmail.com>

Aman Gupta <aman@tmm1.net>

Amir Mohammad Saied <amir@gluegadget.com>

Amr Mohammed <merodiro@gmail.com>

Amrut Joshi <amrut.joshi@gmail.com>

An Xiao <hac@zju.edu.cn>

Anand K. Mistry <anand@mistry.ninja>

Anders Pearson <anders@columbia.edu>

Anderson Queiroz <contato@andersonq.eti.br>

Andr Carvalho <asantostc@gmail.com>

Andre Nathan <andrenth@gmail.com>

Andrea Nodari <andrea.nodari91@gmail.com>

Andrea Spadaccini <spadaccio@google.com>

Andreas Auernhammer <aead@mail.de>

Andreas Jellinghaus <andreas@ionisiert.de> <anj@google.com>

Andreas Litt <andreas.litt@gmail.com>

Andrei Enshin <b1os@bk.ru>

Andrei Gherzan <andrei@resin.io>

Andrei Korzhevskii <a.korzhevskiy@gmail.com>

Andrei Matei <andrei@cockroachlabs.com>

Andrei Tudor Clin <mail@acln.ro>

Andrei Vagin <avagin@google.com>

Andrei Vieru <euvieru@gmail.com>

Andres Erbsen <andreser@google.com>

Andres Lowrie <andres.lowrie@gmail.com>

Andrew Austin <andrewaclt@gmail.com>

Andrew Balholm <andybalholm@gmail.com>

Andrew Benton <andrewmbenton@gmail.com>

Andrew Bonventre <andybons@chromium.org>

Andrew Braunstein <awbraunstein@gmail.com>

Andrew Bursavich <abursavich@gmail.com>

Andrew Ekstedt <andrew.ekstedt@gmail.com>

Andrew Etter <andrew.etter@gmail.com>

Andrew Gerrand <adg@golang.org>

Andrew Harding <andrew@spacemonkey.com>

Andrew Jackura <ajackura@google.com>

Andrew Lutomirski <andy@luto.us>

Andrew Medvedev <andrew.y.medvedev@gmail.com>

Andrew Pilloud <andrewpilloud@igneoussystems.com>

Andrew Pogrebnoy <absourd.noise@gmail.com>

Andrew Poydence <apoydence@pivotal.io>

Andrew Pritchard <awpritchard@gmail.com>

Andrew Radev <andrey.radev@gmail.com>

Andrew Skiba <skibaa@gmail.com>

Andrew Stormont <astormont@racktopsystems.com>

Andrew Stribblehill <ads@wompom.org>

Andrew Szeto <andrew@jabagawee.com>

Andrew Todd <andrew.todd@wework.com>

Andrew Werner <andrew@upthere.com> <awerner32@gmail.com>

Andrew Wilkins <axwalk@gmail.com>

Andrew Williams <williams.andrew@gmail.com>

Andrew Z Allen <me@andrewzallen.com>

Andrey Mirtchovski <mirtchovski@gmail.com>

Andrey Petrov <andrey.petrov@shazow.net>

Andrii Soldatenko <andrii.soldatenko@gmail.com>

Andrii Soluk <isoluchok@gmail.com>

Andriy Lytvynov <lytvynov.a.v@gmail.com>

Andrzej eel <andrii.zhezhel@gmail.com>

Andy Balholm <andy@balholm.com>

Andy Davis <andy@bigandian.com>

Andy Finkenstadt <afinkenstadt@zynga.com>

Andy Lindeman <andy@lindeman.io>

Andy Maloney <asmaloney@gmail.com>

Andy Walker <walkeraj@gmail.com>

Andzej Maciusovic <andzej.maciusovic@gmail.com>

Anfernee Yongkun Gui <anfernee.gui@gmail.com>

Angelo Bulfone <mbulfone@gmail.com>

Anh Hai Trinh <anh.hai.trinh@gmail.com>

Anit Gandhi <anitgandhi@gmail.com>

Ankit Goyal <ankit3goyal@gmail.com>

Anmol Sethi <anmol@aubble.com>

Anschel Schaffer-Cohen <anschelsc@gmail.com>

Anthony Alves <cvballa3g0@gmail.com>

Anthony Canino <anthony.canino1@gmail.com>

Anthony Eufemio <anthony.eufemio@gmail.com>

Anthony Fok <foka@debian.org>

Anthony Martin <ality@pbrane.org>

Anthony Sottile <asottile@umich.edu>

Anthony Starks <ajstarks@gmail.com>

Anthony Voutas <voutasaurus@gmail.com>

Anthony Woods <awoods@raintank.io>

Antoine GIRARD <sapk@sapk.fr>

Antoine Martin <antoine97.martin@gmail.com>

Anton Gyllenberg <anton@iki.fi>

Antonin Amand <antonin.amand@gmail.com>

Antonio Antelo <aantelov87@gmail.com>

Antonio Bibiano <antbbn@gmail.com>

Antonio Huete Jimenez <tuxillo@quantumachine.net>

Antonio Murdaca <runcom@redhat.com>

Antonio Troina <thoeni@gmail.com>

Aofei Sheng <aofei@aofeisheng.com>

Apisak Darakananda <pongad@gmail.com>

Aram Hvrneanu <aram@mgk.ro>

Arash Bina <arash@arash.io>

Arda Gl <ardaguclu@gmail.com>

Areski Belaid <areski@gmail.com>

Ariel Mashraki <ariel@mashraki.co.il>

Arkadi Pyuro <arkadi@google.com>

Arlo Breault <arlolra@gmail.com>

Arnaud Ysmal <arnaud.ysmal@gmail.com>

Arne Hormann <arnehormann@gmail.com>

Arnout Engelen <arnout@bzzt.net>

Aron Nopanen <aron.nopanen@gmail.com>

Artem Alekseev <artem.alekseev@intel.com>

Artem Kolin <artemkaxboy@gmail.com>

Arthur Fabre <arthur@arthurfabre.com>

Arthur Khashaev <arthur@khashaev.ru>

Artyom Pervukhin <artyom.pervukhin@gmail.com>

Arvindh Rajesh Tamilmani <art@a-30.net>

Ashish Gandhi <ag@ashishgandhi.org>

Asim Shankar <asimshankar@gmail.com>

Atin Malaviya <amalaviy@akamai.com>

Ato Araki <ato.araki@gmail.com>

Audrey Lim <audreylh@gmail.com>

Audrius Butkevicius <audrius.butkevicius@gmail.com>

Augusto Roman <aroman@gmail.com>

Aulus Egnatius Varialus <varialus@gmail.com>

Aurlien Rainone <aurelien.rainone@gmail.com>

Austin Clements <austin@google.com> <aclements@csail.mit.edu>

Avi Flax <avi@timehop.com>

awaw fumin <awawfumin@gmail.com>

Awn Umar <awn@cryptolosophy.io>

Axel Wagner <axel.wagner.hh@googlemail.com>

Ayan George <ayan@ayan.net>

Ayanamist Yang <ayanamist@gmail.com>

Ayke van Laethem <aykevanlaethem@gmail.com>

Aymerick Jhanne <aymerick@jehanne.org>

Azat Kaumov <kaumov.a.r@gmail.com>

Baiju Muthukadan <baiju.m.mail@gmail.com>

Balaram Makam <bmakam.qdt@qualcommdatacenter.com>

Balazs Lecz <leczb@google.com>

Baokun Lee <nototon@gmail.com>

Barnaby Keene <accounts@southcla.ws>

Bartosz Grzybowski <melkorm@gmail.com>

Bartosz Oler <brtsz@google.com>

Bastian Ike <bastian.ike@gmail.com>

Ben Burkert <ben@benburkert.com>

Ben Eitzen <eitzenb@golang.org>

Ben Fried <ben.fried@gmail.com>

Ben Haines <bhainesva@gmail.com>

Ben Hoyt <benhoyt@gmail.com>

Ben Laurie <ben@links.org> <benl@google.com>

Ben Lubar <ben.lubar@gmail.com>

Ben Lynn <benlynn@gmail.com>

Ben Olive <sionide21@gmail.com>

Ben Schwartz <bemasc@google.com>

Ben Shi <powerman1st@163.com>

Ben Toews <mastahyeti@gmail.com>

Benjamin Black <b@b3k.us>

Benjamin Cable <cable.benjamin@gmail.com>

Benjamin Hsieh <tanookiben@users.noreply.github.com>

Benjamin Peterson <benjamin@python.org>

Benjamin Prosnitz <bprosnitz@google.com>

Benjamin Wester <bwester@squareup.com>

Benjamin Wuethrich <benjamin.wuethrich@gmail.com>

Benny Siegert <bsiegert@gmail.com>

Benoit Sigoure <tsunanet@gmail.com>

Berengar Lehr <Berengar.Lehr@gmx.de>

Berkant Ipek <41230766+0xbkt@users.noreply.github.com>

Bharath Thiruveedula <tbharath91@gmail.com>

Bill Neubauer <wcn@golang.org> <wcn@google.com> <bill.neubauer@gmail.com>

Bill O'Farrell <billo@ca.ibm.com>

Bill Prin <waprin@google.com>

Bill Thiede <couchmoney@gmail.com>

Bill Zissimopoulos <billziss@navimatics.com>

Billie Harold Cleek <bhcleek@gmail.com>

Billy Lynch <wlynch@google.com>

Bjrn Erik Pedersen <bjorn.erik.pedersen@gmail.com>

Bjorn Tillenius <bjorn@tillenius.me>

Bjorn Tipling <bjorn.tipling@gmail.com>

Blain Smith <rebelgeek@blainsmith.com>

Blake Gentry <blakesgentry@gmail.com>

Blake Mesdag <blakemesdag@gmail.com>

Blake Mizerany <blake.mizerany@gmail.com>

Blixt <me@blixt.nyc>

Bob Briski <rbriski@gmail.com>

Bob Potter <bobby.potter@gmail.com>

Bobby DeSimone <bobbydesimone@gmail.com>

Bobby Powers <bobbypowers@gmail.com>

Boris Nagaev <nagaev@google.com>

Borja Clemente <borja.clemente@gmail.com>

Brad Burch <brad.burch@gmail.com>

Brad Fitzpatrick <bradfitz@golang.org> <bradfitz@gmail.com>

Brad Garcia <bgarcia@golang.org>

Brad Jones <rbjones@google.com>

Brad Morgan <brad@morgabra.com>

Brad Whitaker <bwhitaker@fastly.com>

Braden Bassingthwaite <bbassingthwaite@vendasta.com>

Bradford Lamson-Scribner <brad.lamson@gmail.com>

Bradley Falzon <brad@teambrad.net>

Brady Catherman <brady@gmail.com>

Brady Sullivan <brady@bsull.com>

Brandon Bennett <bbennett@fb.com>

Brandon Gilmore <varz@google.com>

Brandon Philips <brandon@ifup.org>

Brandon Ryan <bjryan19@gmail.com>

Brendan Daniel Tracey <tracey.brendan@gmail.com>

Brendan O'Dea <bod@golang.org>

Brett Cannon <bcannon@gmail.com>

Brett Merrill <brett.j.merrill94@gmail.com>

Brian Dellisanti <briandellisanti@gmail.com>

Brian Downs <brian.downs@gmail.com>

Brian Falk <falk@logicparty.org>

Brian G. Merrell <bgmerrell@gmail.com>

Brian Gitonga Marete <marete@toshnix.com> <bgmarete@gmail.com> <bgm@google.com>

Brian Kennedy <btkennedy@gmail.com>

Brian Kessler <brian.m.kessler@gmail.com>

Brian Ketelsen <bketelsen@gmail.com>

Brian Slesinsky <skybrian@google.com>

Brian Smith <ohohvi@gmail.com>

Brian Starke <brian.starke@gmail.com>

Bryan Alexander <Kozical@msn.com>

Bryan C. Mills <bcmills@google.com>

Bryan Chan <bryan.chan@ca.ibm.com>

Bryan Ford <brynosaurus@gmail.com>

Bryan Heden <b.heden@gmail.com>

Bulat Gaifullin <gaifullinbf@gmail.com>

Burak Guven <bguven@gmail.com>

Caine Tighe <arctanofyourface@gmail.com>

Caio Marcelo de Oliveira Filho <caio.oliveira@intel.com>

Caleb Martinez <accounts@calebmartinez.com>

Caleb Spare <cespare@gmail.com>

Carl Chatfield <carlchatfield@gmail.com>

Carl Henrik Lunde <chlunde@ifi.uio.no>

Carl Jackson <carl@stripe.com>

Carl Johnson <me@carlmjohnson.net>

Carl Mastrangelo <notcarl@google.com>

Carl Shapiro <cshapiro@google.com> <cshapiro@golang.org>

Carlisia Campos <carlisia@grokkingtech.io>

Carlo Alberto Ferraris <cafxx@strayorange.com>

Carlos Amedee <carlos@golang.org>

Carlos Castillo <cookieo9@gmail.com>

Carlos Cirello <uldericofilho@gmail.com>

Carlos Eduardo <me@carlosedp.com>

Carlos Eduardo Seo <cseo@linux.vnet.ibm.com>

Carlos Souza <carloshrsouza@gmail.com>

Carolyn Van Slyck <me@carolynvanslyck.com>

Carrie Bynon <cbynon@gmail.com>

Cary Hull <chull@google.com>

Case Nelson <case.nelson@gmail.com>

Casey Callendrello <squeed@gmail.com>

Casey Marshall <casey.marshall@gmail.com>

Catalin Nicutar <cnicutar@google.com>

Catalin Patulea <catalinp@google.com>

Cedric Staub <cs@squareup.com>

Cezar S Espinola <cezarsa@gmail.com>

Chad Rosier <mrosier.qdt@qualcommdatacenter.com>

ChaiShushan <chaishushan@gmail.com>

Changkun Ou <hi@changkun.us>

Channing Kimble-Brown <channing@golang.org>

Charles Fenwick Elliott <Charles@FenwickElliott.io>

Charles Kenney <charlesc.kenney@gmail.com>

Charles L. Dorian <cldorian@gmail.com>

Charles Lee <zombie.fml@gmail.com>

Charles Weill <weill@google.com>

Chauncy Cullitan <chauncyc@google.com>

Chen Zhihan <energiehund@gmail.com>

Cherry Zhang <cherryyz@google.com>

Chew Choon Keat <choonkeat@gmail.com>

Cholerae Hu <choleraehyq@gmail.com>

Chotepud Teo <AlexRouSg@users.noreply.github.com>

Chris Ball <chris@printf.net>

Chris Biscardi <chris@christopherbiscardi.com>

Chris Broadfoot <cbro@golang.org>

Chris Dollin <ehog.hedge@gmail.com>

Chris Farmiloe <chrisfarms@gmail.com>

Chris Hines <chris.cs.guy@gmail.com>

Chris Howey <howeyc@gmail.com>

Chris Hundt <hundt@google.com>

Chris Jones <chris@cjones.org> <chris.jones.yar@gmail.com>

Chris Kastorff <encryptio@gmail.com>

Chris Lennert <calennert@gmail.com>

Chris Liles <caveryliles@gmail.com>

Chris Manghane <cmang@golang.org>

Chris Marchesi <chrism@vancluevertech.com>

Chris McGee <sirnewton_01@yahoo.ca> <newton688@gmail.com>

Chris Raynor <raynor@google.com>

Chris Roche <rodaine@gmail.com>

Chris Smith <chrsmith@users.noreply.github.com>

Chris Stockton <chrisstocktonaz@gmail.com>

Chris Zou <chriszou@ca.ibm.com>

Christian Alexander <christian@linux.com>

Christian Couder <chriscool@tuxfamily.org>

Christian Himpel <chressie@googlemail.com> <chressie@gmail.com>

Christian Muehlhaeuser <muesli@gmail.com>

Christian Pellegrin <chri@evolware.org>

Christian R. Petrin <christianpetrin@gmail.com>

Christine Hansmann <chhansmann@gmail.com>

Christoffer Buchholz <christoffer.buchholz@gmail.com>

Christoph Blecker <admin@toph.ca>

Christoph Hack <christoph@tux21b.org>

Christopher Cahoon <chris.cahoon@gmail.com>

Christopher Guiney <chris@guiney.net>

Christopher Henderson <chris@chenderson.org>

Christopher Koch <chrisko@google.com>

Christopher Loessl <cloessl+github@gmail.com>

Christopher Nelson <nadiasvertex@gmail.com>

Christopher Nielsen <m4dh4tt3r@gmail.com>

Christopher Redden <christopher.redden@gmail.com>

Christopher Swenson <cswenson@google.com>

Christopher Wedgwood <cw@f00f.org>

Christos Zoulas <christos@zoulas.com> <zoulasc@gmail.com>

Christy Perez <christy@linux.vnet.ibm.com>

CL Sung <clsung@gmail.com> <cl_sung@htc.com>

Clment Chigot <clement.chigot@atos.net>

Clement Skau <clementskau@gmail.com>

Clint J. Edwards <clint.j.edwards@gmail.com>

Cody Oss <the.cody.oss@gmail.com>

Colby Ranger <cranger@google.com>

Colin Arnott <colin@urandom.co.uk>

Colin Cross <ccross@android.com>

Colin Edwards <colin@recursivepenguin.com>

Colin Kennedy <moshen.colin@gmail.com>

Colin Nelson <colnnelson@google.com>

Colin Rice <clr@google.com>

Conrad Irwin <conrad.irwin@gmail.com>

Conrad Meyer <cemeyer@cs.washington.edu>

Conrado Gouvea <conradoplg@gmail.com>

Constantin Konstantinidis <constantinkonstantinidis@gmail.com>

Corey Thomasson <cthom.lists@gmail.com>

Cosmos Nicolaou <cnicolaou@google.com>

Costin Chirvasuta <ctin@google.com>

Craig Citro <craigcitro@google.com>

Cristian Staretu <unclejacksons@gmail.com>

Cuihtlauac ALVARADO <cuihtlauac.alvarado@orange.com>

Cyrill Schumacher <cyrill@schumacher.fm>

Daisuke Fujita <dtanshi45@gmail.com>

Daisuke Suzuki <daisuzu@gmail.com>

Daker Fernandes Pinheiro <daker.fernandes.pinheiro@intel.com>

Damian Gryski <dgryski@gmail.com>

Damien Lespiau <damien.lespiau@gmail.com> <damien.lespiau@intel.com>

Damien Mathieu <42@dmathieu.com>

Damien Neil <dneil@google.com>

Damien Tournoud <damien@platform.sh>

Dan Ballard <dan@mindstab.net>

Dan Caddigan <goldcaddy77@gmail.com>

Dan Callahan <dan.callahan@gmail.com>

Dan Harrington <harringtond@google.com>

Dan Jacques <dnj@google.com>

Dan Johnson <computerdruid@google.com>

Dan Peterson <dpiddy@gmail.com>

Dan Pupius <dan@medium.com>

Dan Scales <danscales@google.com>

Dan Sinclair <dan.sinclair@gmail.com>

Daniel Cormier <danielc@knowbe4.com>

Danil de Kok <me@danieldk.eu>

Daniel Fleischman <danielfleischman@gmail.com>

Daniel Ingram <ingramds@appstate.edu>

Daniel Johansson <dajo2002@gmail.com>

Daniel Kerwin <d.kerwin@gini.net>

Daniel Krech <eikeon@eikeon.com>

Daniel Langner <s8572327@gmail.com>

Daniel Lidn <daniel.liden.87@gmail.com>

Daniel Lublin <daniel@lublin.se>

Daniel Mart <mvdan@mvdan.cc>

Daniel Morsing <daniel.morsing@gmail.com>

Daniel Nadasi <dnadasi@google.com>

Daniel Nephin <dnephin@gmail.com>

Daniel Ortiz Pereira da Silva <daniel.particular@gmail.com>

Daniel Skinner <daniel@dasa.cc>

Daniel Speichert <daniel@speichert.pl>

Daniel Theophanes <kardianos@gmail.com>

Daniel Upton <daniel@floppy.co>

Daniela Petruzalek <daniela.petruzalek@gmail.com>

Danny Rosseau <daniel.rosseau@gmail.com>

Daria Kolistratova <daria.kolistratova@intel.com>

Darien Raymond <admin@v2ray.com>

Darren Elwood <darren@textnode.com>

Darren Grant <darren.e.grant@gmail.com>

Darren McCleary <darren.rmc@gmail.com>

Darshan Parajuli <parajulidarshan@gmail.com>

Datong Sun <dndx@idndx.com>

Dave Borowitz <dborowitz@google.com>

Dave Bort <dbort@golang.org>

Dave Cheney <dave@cheney.net>

Dave Day <djd@golang.org>
Dave Grijalva <dgrijalva@ngmoco.com>
Dave MacFarlane <driusan@gmail.com>
Dave Russell <forfuncsake@gmail.com>
David Anderson <danderson@google.com>
David Barnett <dbarnett@google.com>
David Benjamin <davidben@google.com>
David Bond <davidsbond93@gmail.com>
David Brophy <dave@brophy.uk>
David Brgin <676c7473@gmail.com>
David Calavera <david.calavera@gmail.com>
David Carlier <devnexen@gmail.com>
David Chase <drchase@google.com>
David Covert <davidhcovert@gmail.com>
David Crawshaw <david.crawshaw@zentus.com> <crawshaw@google.com> <crawshaw@golang.org>
David du Colombier <0intro@gmail.com>
David Finkel <david.finkel@gmail.com>
David Forsythe <dforsythe@gmail.com>
David G. Andersen <dave.andersen@gmail.com>
David Glasser <glasser@meteor.com>
David Heuschmann <heuschmann.d@gmail.com>
David Howden <dhowden@gmail.com>
David Hubbard <dsp@google.com>
David Jakob Fritz <david.jakob.fritz@gmail.com>
David Jones <dxjones@gmail.com>
David Lazar <lazard@golang.org>
David Leon Gil <coruus@gmail.com>
David McLeish <davemc@google.com>
David Ndungu <dnjuguna@gmail.com>
David NewHamlet <david@newhamlet.com>
David Presotto <presotto@gmail.com>
David R. Jenni <david.r.jenni@gmail.com>
David Sansome <me@davidsansome.com>
David Stainton <dstainton415@gmail.com>
David Symonds <dsymonds@golang.org>
David Thomas <davidthomas426@gmail.com>
David Timm <dtimm@pivotal.io>
David Titarenco <david.titarenco@gmail.com>
David Tolpin <david.tolpin@gmail.com>
David Url <david@urld.io>
David Volquartz Lebech <david@lebech.info>
David Wimmer <davidlwimmer@gmail.com>
Davies Liu <davies.liu@gmail.com>
Davor Kapsa <davor.kapsa@gmail.com>
Dean Prichard <dean.prichard@gmail.com>
Deepak Jois <deepak.jois@gmail.com>
Denis Bernard <db047h@gmail.com>
Denis Brandolini <denis.brandolini@gmail.com>

Denis Isaev <idenx@yandex.com>

Denis Nagorny <denis.nagorny@intel.com>

Dennis Kuhnert <mail.kuhnert@gmail.com>

Denys Honsiorovskyi <honsiorovskyi@gmail.com>

Denys Smirnov <denis.smirnov.91@gmail.com>

Derek Buitenhuis <derek.buitenhuis@gmail.com>

Derek Che <drc@yahoo-inc.com>

Derek McGowan <derek@mcgstyle.net>

Derek Parker <parkerderek86@gmail.com>

Derek Phan <derekphan94@gmail.com>

Derek Shockey <derek.shockey@gmail.com>

Dev Ojha <dojha12@gmail.com>

Dev Zhoujun <dev.zhoujun@gmail.com>

Devon H. O'Dell <devon.odell@gmail.com>

Dhaivat Pandit <dhaivatpandit@gmail.com>

Dhananjay Nakrani <dhananjayn@google.com>

Dhiru Kholia <dhiru.kholia@gmail.com>

Dhruvdutt Jadhav <dhruvdutt.jadhav@gmail.com>

Di Xiao <dixiao@google.com>

Didier Spezia <didier.06@gmail.com>

Diego Siqueira <diego9889@gmail.com>

Dieter Plaetinck <dieter@raintank.io>

Dimitri Sokolyuk <sokolyuk@gmail.com>

Dimitri Tcaciuc <dtcaciuc@gmail.com>

Dina Garmash <dgrmsh@gmail.com>

Diogo Pinela <diogoid7400@gmail.com>

Dirk Gadsden <dirk@esherido.com>

Diwaker Gupta <diwakergupta@gmail.com>

Dmitri Goutnik <dgoutnik@gmail.com>

Dmitri Popov <operator@cv.dp-net.com>

Dmitri Shuralyov <dmitshur@golang.org> <dmitri@shuralyov.com>

Dmitriy Cherchenko <dcherchenko@gmail.com>

Dmitriy Dudkin <dudkin.dmitriy@gmail.com>

Dmitriy Shelenin <deemok@googlemail.com> <deemok@gmail.com>

Dmitriy Vyukov <dvyukov@google.com>

Dmitry Chestnykh <dchest@gmail.com>

Dmitry Doroginin <doroginin@gmail.com>

Dmitry Mottl <dmitry.mottl@gmail.com>

Dmitry Neverov <dmitry.neverov@gmail.com>

Dmitry Savintsev <dsavints@gmail.com>

Dmitry Yakunin <nonamezeil@gmail.com>

Domas Tamaauskas <puerdomus@gmail.com>

Domen Ipavec <domen@ipavec.net>

Dominic Green <dominicgreen1@gmail.com>

Dominik Honnef <dominik.honnef@gmail.com>

Dominik Vogt <vogt@linux.vnet.ibm.com>

Don Byington <don@dbyington.com>

Donald Huang <don.hcd@gmail.com>

Dong-hee Na <donghee.na92@gmail.com>

Donovan Hide <donovanhide@gmail.com>

Doug Anderson <douga@google.com>

Doug Fawley <dfawley@google.com>

Douglas Danger Manley <doug.manley@gmail.com>

Drew Flower <drewvanstone@gmail.com>

Drew Hintz <adhintz@google.com>

Duco van Amstel <duco.vanamstel@gmail.com>

Duncan Holm <mail@frou.org>

Dustin Carlino <dcarlino@google.com>

Dustin Herbison <djherbis@gmail.com>

Dustin Long <dustmop@gmail.com>

Dustin Sallings <dsallings@gmail.com>

Dustin Shields-Cloues <dcloues@gmail.com>

Dvir Volk <dvir@everything.me> <dvirsky@gmail.com>

Dylan Waits <dylan@waits.io>

Edan Bedrik <3d4nb3@gmail.com>

Eddie Scholtz <escholtz@google.com>

Eden Li <eden.li@gmail.com>

Eduard Urbach <e.urbach@gmail.com>

Eduardo Ramalho <eduardo.ramalho@gmail.com>

Eduardo Villaseor <evillasrmx@gmail.com>

Edward Muller <edwardam@interlix.com>

Egon Elbre <egonelbre@gmail.com>

Ehren Kret <ehren.kret@gmail.com>

Eitan Adler <lists@eitanadler.com>

Eivind Uggedal <eivind@uggedal.com>

Elbert Fliek <efliek@gmail.com>

Eldar Rakhimberdin <ibeono@gmail.com>

Elena Grahovac <elena@grahovac.me>

Eli Bendersky <eliben@google.com>

Elias Naur <mail@eliasnaur.com> <elias.naur@gmail.com>

Elliot Morrison-Reed <elliotmr@gmail.com>

Emerson Lin <linyintor@gmail.com>

Emil Hessman <emil@hessman.se>

Emil Mursalimov <mursalimovemeel@gmail.com>

Emilien Kenler <hello@emilienkenler.com>

Emmanuel Odeke <emm.odeke@gmail.com> <odeke@ualberta.ca>

Eno Compton <enocom@google.com>

Eoghan Sherry <ejsherry@gmail.com>

Eric Biggers <ebiggers@google.com>

Eric Brown <browne@vmware.com>

Eric Chiang <eric.chiang.m@gmail.com>

Eric Clark <zerohp@gmail.com>

Eric Daniels <eric@erdaniels.com>

Eric Engestrom <eric@engestrom.ch>

Eric Garrido <ekg@google.com>

Eric Koleda <ekoleda+devrel@google.com>

Eric Lagergren <ericscottlagergren@gmail.com>

Eric Milliken <emilliken@gmail.com>

Eric Pauley <eric@pauley.me>

Eric Ponce <tricokun@gmail.com>

Eric Rescorla <ekr@rtfm.com>

Eric Roshan-Eisner <eric.d.eisner@gmail.com>

Eric Rutherford <erutherford@gmail.com>

Eric Rykwalder <e.rykwalder@gmail.com>

Erik Aigner <aigner.erik@gmail.com>

Erik Dubbelboer <erik@dubbelboer.com>

Erik St. Martin <alakriti@gmail.com>

Erik Staab <estaab@google.com>

Erik Westrup <erik.westrup@gmail.com>

Erin Masatsugu <erin.masatsugu@gmail.com>

Ernest Chiang <ernest_chiang@htc.com>

Erwin Oegema <blablaechthema@hotmail.com>

Esko Luontola <esko.luontola@gmail.com>

Ethan Burns <eaburns@google.com>

Ethan Miller <eamiller@us.ibm.com>

Euan Kemp <euank@euank.com>

Eugene Kalinin <e.v.kalinin@gmail.com>

Evan Broder <evan@stripe.com>

Evan Brown <evanbrown@google.com>

Evan Digby <evandigby@gmail.com>

Evan Hicks <evan.hicks2@gmail.com>

Evan Jones <ej@evanjones.ca>

Evan Klitzke <evan@eklitzke.org>

Evan Kroske <evankroske@google.com>

Evan Martin <evan.martin@gmail.com>

Evan Phoenix <evan@phx.io>

Evan Shaw <chickencha@gmail.com>

Evgeniy Polyakov <zbr@ioremap.net>

Ewan Chou <coocood@gmail.com>

Ewan Valentine <ewan.valentine89@gmail.com>

Eyal Posener <posener@gmail.com>

Fabian Wickborn <fabian@wickborn.net>

Fabian Zaremba <fabian@youremail.eu>

Fabrizio Milo <mistobaan@gmail.com>

Faiyaz Ahmed <ahmedf@vmware.com>

Fan Hongjian <fan.howard@gmail.com>

Fangming Fang <fangming.fang@arm.com>

Fannie Zhang <fannie.zhang@arm.com>

Fatih Arslan <fatih@arslan.io>

Fazal Majid <majid@apsalar.com>

Fazlul Shahriar <fshahriar@gmail.com>

Federico Bond <federicobond@gmail.com>

Federico Simoncelli <fsimonce@redhat.com>

Fedor Indutny <fedor@indutny.com>

Fedor Korotkiy <dartslon@gmail.com>

Felipe Oliveira <felipeweb.programador@gmail.com>

Felix Bnemann <Felix.Buenemann@gmail.com>

Felix Geisendrfer <haimuiba@gmail.com>

Felix Kollmann <fk@konsorten.de>

Filip Gruszczyski <gruszczy@gmail.com>

Filip Haglund <drathier@users.noreply.github.com>

Filip Stanis <fstanis@google.com>

Filippo Valsorda <filippo@golang.org> <filippo@cloudflare.com> <hi@filippo.io>

Firmansyah Adiputra <frm.adiputra@gmail.com>

Florian Forster <octo@google.com>

Florian Uekermann <florian@uekermann-online.de> <f1@uekermann-online.de>

Florian Weimer <fw@deneb.enyo.de>

Florin Patan <florinpatan@gmail.com>

Folke Behrens <folke@google.com>

Ford Hurley <ford.hurley@gmail.com>

Francesc Campoy <campoy@golang.org>

Francesco Renzi <rentziass@gmail.com>

Francisco Claude <fclaude@recoded.cl>

Francisco Rojas <francisco.rojas.gallegos@gmail.com>

Francisco Souza <franciscossouza@gmail.com>

Frank Schroeder <frank.schroeder@gmail.com>

Frank Somers <fsomers@arista.com>

Frederic Guillot <frederic.guillot@gmail.com>

Frederick Kelly Mayle III <frederickmayle@gmail.com>

Frederik Ring <frederik.ring@gmail.com>

Frederik Zipp <fzipp@gmx.de>

Fredrik Enestad <fredrik.enestad@soundtrackyourbrand.com>

Fredrik Forsmo <fredrik.forsmo@gmail.com>

Fredrik Wallgren <fredrik.wallgren@gmail.com>

Frew Schmidt <github@frew.co>

Frithjof Schulze <schulze@math.uni-hannover.de> <sfrithjof@gmail.com>

Frits van Bommel <fvbommel@gmail.com>

Fujimoto Kyosuke <kyoro.f@gmail.com>

Fumitoshi Ukai <ukai@google.com>

G. Hussain Chinoy <ghchinoy@gmail.com>

Gaal Yahas <gaal@google.com>

Gabrel Arthr Ptursson <gabriel@system.is>

Gabriel Aszalos <gabriel.aszalos@gmail.com>

Gabriel Guzman <gabe.guzman@gmail.com>

Gabriel Nelle <tehsphinx@web.de>

Gabriel Nicolas Avellaneda <avellaneda.gabriel@gmail.com>

Gabriel Rosenhouse <rosenhouse@gmail.com>

Gabriel Russell <gabriel.russell@gmail.com>

Gareth Paul Jones <gpj@foursquare.com>

Garret Kelly <gdk@google.com>

Garrick Evans <garrick@google.com>

Gary Burd <gary@beagledreams.com> <gary.burd@gmail.com>

Gary Elliott <garyelliott@google.com>

Gaurish Sharma <contact@gaurishsharma.com>

Gautham Thambidorai <gautham.dorai@gmail.com>

Gauthier Jolly <gauthier.jolly@gmail.com>

Geert-Johan Riemer <gjr19912@gmail.com>

Genevieve Luyt <genevieve.luyt@gmail.com>

Gengliang Wang <ltnwgl@gmail.com>

Geoff Berry <gberry.qdt@qualcommdatacenter.com>

Geoffroy Lorieux <lorieux.g@gmail.com>

Geon Kim <geon0250@gmail.com>

Georg Reinke <guelfey@gmail.com>

George Gkirtsou <ggirtsou@gmail.com>

George Hartzell <hartzell@alerce.com>

George Shammas <george@shamm.as> <georgyo@gmail.com>

Gerasimos (Makis) Maropoulos <kataras2006@hotmail.com>

Gerasimos Dimitriadis <gedimitr@gmail.com>

Gergely Brautigam <skarlso777@gmail.com>

Gernot Vormayr <gvormayr@gmail.com>

Gert Cuykens <gert.cuykens@gmail.com>

Getulio Snchez <valentin2507@gmail.com>

Ghazni Nattarshah <ghazni.nattarshah@gmail.com>

Gianguido Sora` <g.sora4@gmail.com>

Gideon Jan-Wessel Redelinghuys <gjredelinghuys@gmail.com>

Giles Lean <giles.lean@pobox.com>

Giovanni Bajo <rasky@develer.com>

GitHub User @ajnirp (1688456) <ajnirp@users.noreply.github.com>

GitHub User @ajz01 (4744634) <ajzdenek@gmail.com>

GitHub User @alkesh26 (1019076) <alkesh26@gmail.com>

GitHub User @andig (184815) <cpuidle@gmx.de>

GitHub User @andrius4669 (4699695) <andrius4669@gmail.com>

GitHub User @as (8127015) <as.utf8@gmail.com>

GitHub User @bakape (7851952) <bakape@gmail.com>

GitHub User @bgadrian (830001) <aditza8@gmail.com>

GitHub User @bontequero (2674999) <bontequero@gmail.com>

GitHub User @cch123 (384546) <buaa.cch@gmail.com>

GitHub User @chanxuehong (3416908) <chanxuehong@gmail.com>

GitHub User @DQNEO (188741) <dqneoo@gmail.com>

GitHub User @dupoxy (1143957) <dupoxy@users.noreply.github.com>

GitHub User @erifan (31343225) <eric.fang@arm.com>

GitHub User @esell (9735165) <eujon.sellers@gmail.com>

GitHub User @frennkie (6499251) <mail@rhab.de>

GitHub User @hengwu0 (41297446) <41297446+hengwu0@users.noreply.github.com>

GitHub User @itchyny (375258) <itchyny@hatena.ne.jp>

GitHub User @jinmiaoluo (39730824) <jinmiaoluo@icloud.com>

GitHub User @jopbrown (6345470) <msshane2008@gmail.com>

GitHub User @kazyshr (30496953) <kazyshr0301@gmail.com>

GitHub User @kc1212 (1093806) <kc1212@users.noreply.github.com>

GitHub User @Kropekk (13366453) <kamilkropiewnicki@gmail.com>

GitHub User @linguohua (3434367) <lghchinaidea@gmail.com>

GitHub User @LotusFenn (13775899) <fenn.lotus@gmail.com>

GitHub User @madiganz (18340029) <zacharywmadigan@gmail.com>

GitHub User @maltalex (10195391) <code@bit48.net>

GitHub User @Matts966 (28551465) <Matts966@users.noreply.github.com>

GitHub User @micnncim (21333876) <micnncim@gmail.com>

GitHub User @mkishere (224617) <224617+mkishere@users.noreply.github.com>

GitHub User @OlgaVlPetrova (44112727) <OVPpetrova@gmail.com>

GitHub User @pityonline (438222) <pityonline@gmail.com>

GitHub User @po3rin (29445112) <abctail30@gmail.com>

GitHub User @pokutuna (57545) <popopopopokutuna@gmail.com>

GitHub User @pytimer (17105586) <lixin20101023@gmail.com>

GitHub User @ramenjuniti (32011829) <ramenjuniti@gmail.com>

GitHub User @saitarunreddy (21041941) <saitarunreddypalla@gmail.com>

GitHub User @shogo-ma (9860598) <Choroma194@gmail.com>

GitHub User @skanehira (7888591) <sho19921005@gmail.com>

GitHub User @tatsumack (4510569) <tatsu.mack@gmail.com>

GitHub User @tell-k (26263) <ffk2005@gmail.com>

GitHub User @uhei (2116845) <uhei@users.noreply.github.com>

GitHub User @uropek (39370426) <uropek@gmail.com>

GitHub User @utkarsh-extc (53217283) <utkarsh.extc@gmail.com>

GitHub User @witchard (4994659) <witchard@hotmail.co.uk>

GitHub User @yah01 (12216890) <kagaminehuan@gmail.com>

GitHub User @yuanhh (1298735) <yuan415030@gmail.com>

GitHub User @zikaeroh (48577114) <zikaeroh@gmail.com>

GitHub User @ZZMarquis (7624583) <zhonglingjian3821@163.com>

Giulio Iotti <dullgiulio@gmail.com>

Giulio Micheloni <giulio.micheloni@gmail.com>

Giuseppe Valente <gvalente@arista.com>

Gleb Stepanov <glebstepanov1992@gmail.com>

Glenn Brown <glennb@google.com>

Glenn Lewis <gmlewis@google.com>

Gordon Klaus <gordon.klaus@gmail.com>

Gordon Tyler <gordon@doxxx.net>

Graham King <graham4king@gmail.com>

Graham Miller <graham.miller@gmail.com>

Grant Griffiths <ggp493@gmail.com>

Greg Poirier <greg.istehbest@gmail.com>

Greg Steuck <gnezdo+github@google.com>

Greg Thelen <gthelen@google.com>

Greg Ward <greg@gerg.ca>

Grgoire Delattre <gregoire.delattre@gmail.com>

Gregory Man <man.gregory@gmail.com>

Guilherme Caruso <gui.martinscaruso@gmail.com>

Guilherme Garnier <guilherme.garnier@gmail.com>

Guilherme Goncalves <guilhermeaugustosg@gmail.com>

Guilherme Rezende <guilhermebr@gmail.com>

Guillaume J. Charmes <guillaume@charmes.net>

Gnther Noack <gnoack@google.com>

Guobiao Mei <meiguobiao@gmail.com>

Guoliang Wang <iamwgliang@gmail.com>

Gustav Paul <gustav.paul@gmail.com>

Gustav Westling <gustav@westling.xyz>

Gustavo Franco <gustavorfranco@gmail.com>

Gustavo Niemeyer <gustavo@niemeyer.net> <n13m3y3r@gmail.com>

Gwenael Treguier <gwenn.kahz@gmail.com>

Gyu-Ho Lee <gyuhox@gmail.com>

H. brahim Gngr <igungor@gmail.com>

Hajime Hoshi <hajimehoshi@gmail.com>

Hallgrimur Gunnarsson <halg@google.com>

HAMANO Tsukasa <hamano@osstech.co.jp>

Han-Wen Nienhuys <hanwen@google.com>

Hang Qian <hangqian90@gmail.com>

Hanjun Kim <hallazzang@gmail.com>

Haosdent Huang <haosdent@gmail.com>

Harald Nordgren <haraldnordgren@gmail.com>

Hari haran <hariharan.uno@gmail.com>

Hariharan Srinath <srinathh@gmail.com>

Harley Laue <losinggeneration@gmail.com>

Harry Moreno <morenoh149@gmail.com>

Harshavardhana <hrshvardhana@gmail.com>

Hasan Ozgan <hasan@ozgan.net>

Hasit Bhatt <hasit.p.bhatt@gmail.com>

Hauke Lffler <hloeffler@users.noreply.github.com>

Hvard Haugen <havard.haugen@gmail.com>

He Liu <liulonnie@gmail.com>

Hector Chu <hectorchu@gmail.com>

Hector Martin Cantero <hector@marcansoft.com>

Henning Schmiedehausen <henning@schmiedehausen.org>

Henrik Edwards <henrik.edwards@gmail.com>

Henrik Hodne <henrik@hodne.io>

Henry Adi Sumarto <henry.adisumarto@gmail.com>

Henry Bubert <google@mindeco.de>

Henry Chang <mr.changyuheng@gmail.com>

Henry Clifford <h.a.clifford@gmail.com>

Henry Wong <liushuai.wang@elastic.co>

Herbert Georg Fischer <herbert.fischer@gmail.com>

Herbie Ong <herbie@google.com>

Heschi Kreinick <heschi@google.com>

Hidetatsu Yaginuma <ygnmhdtt@gmail.com>

Hilko Bengen <bengen@hilluzination.de>

Hiroaki Nakamura <hnakamur@gmail.com>

Hiromichi Ema <ema.hiro@gmail.com>

Hironao OTSUBO <motemen@gmail.com>

Hiroshi Ioka <hirochachacha@gmail.com>

Hitoshi Mitake <mitake.hitoshi@gmail.com>

Holden Huang <ttyh061@gmail.com>

Hong Ruiqi <hongruiqi@gmail.com>

Hongfei Tan <feilengcui008@gmail.com>

Horst Rutter <hhrutter@gmail.com>

Hossein Sheikh Attar <hattar@google.com>

Howard Zhang <howard.zhang@arm.com>

Hsin Tsao <tsao@google.com>

Hsin-Ho Yeh <yhh92u@gmail.com>

Hu Keping <hukeping@huawei.com>

Huan Du <i@huandu.me>

Hugues Bruant <hugues.bruant@gmail.com>

Huy Le <huy.dinh.le.89@gmail.com>

Hyang-Ah Hana Kim <hakim@google.com> <hyangah@gmail.com>

Ian Cottrell <iancottrell@google.com>

Ian Davis <nospam@iandavis.com>

Ian Gudger <ian@loosescre.ws>

Ian Haken <ihaken@netflix.com>

Ian Kent <iankent85@gmail.com>

Ian Lance Taylor <iant@golang.org>

Ian Leue <ian@appboy.com>

Ian Zapolsky <ianzapolsky@gmail.com>

Ibrahim AshShohail <ibra.sho@gmail.com>

Icarus Sparry <golang@icarus.freeuk.com>

Iccha Sethi <icchasethi@gmail.com>

Idora Shinatose <idora.shinatose@gmail.com>

Ignacio Hagopian <jsign.uy@gmail.com>

Igor Bernstein <igorbernstein@google.com>

Igor Dolzhikov <bluesriverz@gmail.com>

Igor Vashyst <ivashyst@gmail.com>

Igor Zhilianin <igor.zhilianin@gmail.com>

Illya Yalovyy <yalovoy@gmail.com>

Ilya Sinelnikov <sidhmangh@gmail.com>

Ilya Tocar <ilya.tocar@intel.com>

INADA Naoki <songofacandy@gmail.com>

Inanc Gumus <m@inanc.io>

Ingo Gottwald <in.gottwald@gmail.com>

Ingo Krabbe <ikrabbe.ask@gmail.com>

Ingo Oeser <nightlyone@googlemail.com> <nightlyone@gmail.com>

Ioannis Georgoulas <geototti21@hotmail.com>

Irbe Krumina <irbekrm@gmail.com>

Irfan Sharif <irfanmahmoudsharif@gmail.com>

Irieda Noboru <irieda@gmail.com>

Isaac Ardis <isaac.ardis@gmail.com>

Isaac Wagner <ibw@isaacwagner.me>

Isfan Azhabil <isfan.azhabil@tokopedia.com>

Iskander Sharipov <iskander.sharipov@intel.com> <quasilyte@gmail.com>

Issac Trotts <issactrotts@google.com>

Ivan Babrou <ivan@cloudflare.com>

Ivan Bertona <ivan.bertona@gmail.com>

Ivan Krasin <krasin@golang.org>

Ivan Kutuzov <arbrix@gmail.com>

Ivan Markin <sw@nogoegst.net>

Ivan Moscoso <moscoso@gmail.com>

Ivan Osadchiy <ivan.osadchii@gmail.com>

Ivan Sharavuev <shpiwan@gmail.com>

Ivan Trubach <mr.trubach@icloud.com>

Ivan Ukhov <ivan.ukhov@gmail.com>

Ivy Evans <ivy@ivyevans.net>

Jaana Burcu Dogan <jbd@google.com> <jbd@golang.org> <burcujdogan@gmail.com>

Jaap Aarts <jaap.aarts1@gmail.com>

Jack Britton <jackxbritton@gmail.com>

Jack Lindamood <jlindamo@justin.tv>

Jacob Baskin <jbaskin@google.com>

Jacob Blain Christen <dweomer5@gmail.com>

Jacob H. Haven <jacob@cloudflare.com>

Jacob Hoffman-Andrews <github@hoffman-andrews.com>

Jacob Walker <jacobwalker0814@gmail.com>

Jae Kwon <jae@tendermint.com>

Jake B <doogie1012@gmail.com>

Jakob Borg <jakob@nym.se>

Jakob Weisblat <jakobw@mit.edu>

Jakub ajka <jcajka@redhat.com>

Jakub Ryszard Czarnowicz <j.czarnowicz@gmail.com>

Jamal Carvalho <jamal.a.carvalho@gmail.com>

James Aguilar <jaguilar@google.com>

James Bardin <j.bardin@gmail.com>

James Chacon <jchacon@google.com>

James Clarke <jrtc27@jrtc27.com>

James Cowgill <James.Cowgill@imgtec.com>

James Craig Burley <james-github@burleyarch.com>

James David Chalfant <james.chalfant@gmail.com>

James Eady <jmeady@google.com>

James Fysh <james.fysh@gmail.com>

James Gray <james@james4k.com>

James Hartig <fastest963@gmail.com>

James Lawrence <jljatone@gmail.com>

James Meneghello <rawrz0r@gmail.com>

James Myers <jfmyers9@gmail.com>

James Neve <jamesoneve@gmail.com>

James Nugent <james@jen20.com>

James P. Cooper <jamespcooper@gmail.com>

James Robinson <jamesr@google.com> <jamesr.gatech@gmail.com>

James Schofield <james@shoeboxapp.com>

James Smith <jrs1995@icloud.com>

James Sweet <james.sweet88@googlemail.com>

James Toy <nil@opensesame.st>

James Treanor <jtreanor3@gmail.com>

James Tucker <raggi@google.com>

James Whitehead <jnwhiteh@gmail.com>

Jamie Beverly <jamie.r.beverly@gmail.com>

Jamie Gennis <jgennis@google.com> <jgennis@gmail.com>

Jamie Kerr <jkerr113@googlemail.com>

Jamie Liu <jamieliu@google.com>

Jamie Stackhouse <contin673@gmail.com>

Jamie Turner <jamwt@dropbox.com>

Jamie Wilkinson <jaq@spacepants.org>

Jamil Djadala <djadala@gmail.com>

Jan Berktold <jan@berktold.co>

Jan H. Hosang <jan.hosang@gmail.com>

Jan Kratochvil <jan.kratochvil@redhat.com>

Jan Lehnardt <jan@apache.org>

Jan Mercl <0xjnml@gmail.com> <befelemepeseveze@gmail.com>

Jan Newmarch <jan.newmarch@gmail.com>

Jan Pilzer <jan.pilzer@gmx.de>

Jan Steinke <jan.steinke@gmail.com>

Jan Ziak <0xe2.0x9a.0x9b@gmail.com>

Jani Monoses <jani.monoses@ubuntu.com> <jani.monoses@gmail.com>

Jannis Andrija Schnitzer <jannis@schnitzer.im>

Jared Culp <jculp14@gmail.com>

Jaroslavas Poepko <jp@webmaster.ms>

Jason A. Donenfeld <Jason@zx2c4.com>

Jason Baker <jason-baker@users.noreply.github.com>

Jason Barnett <jason.w.barnett@gmail.com>

Jason Buberel <jbuberel@google.com>

Jason Chu <jasonchujc@gmail.com>

Jason Del Ponte <delpontej@gmail.com>

Jason Hall <jasonhall@google.com>

Jason Keene <jasonkeene@gmail.com>

Jason LeBrun <jblebrun@gmail.com>

Jason Smale <jsmale@zendesk.com>

Jason Travis <infomaniac7@gmail.com>

Jason Wangsadinata <jwangsadinata@gmail.com>

Javier Kohen <jkohen@google.com>

Javier Revillas <jrevillas@massivedynamic.io>

Javier Segura <javism@gmail.com>

Jay Conrod <jayconrod@google.com>

Jay Taylor <outtatime@gmail.com>

Jay Weisskopf <jay@jayschwa.net>

Jean de Klerk <deklerk@google.com>

Jean-Andr Santoni <jean.andre.santoni@gmail.com>

Jean-Franois Bustarret <jf@bustarret.com>

Jean-Francois Cantin <jfcantin@gmail.com>

Jean-Marc Eurin <jmeurin@google.com>

Jean-Nicolas Moal <jn.moal@gmail.com>

Jed Denlea <jed@fastly.com>

Jdrzej Szczepaniak <jbszczepaniak@gmail.com>

Jeet Parekh <jeetparekh96@gmail.com>

Jeevanandam M <jeeva@myjeeva.com>

Jeff (Zhefu) Jiang <jeffjiang@google.com>

Jeff Craig <jeffcraig@google.com>

Jeff Dupont <jeff.dupont@gmail.com>

Jeff Hodges <jeff@somethingsimilar.com>

Jeff Johnson <jrjohnson@google.com>

Jeff R. Allen <jra@nella.org> <jeff.allen@gmail.com>

Jeff Sickel <jas@corpus-callosum.com>

Jeff Wendling <jeff@spacemonkey.com>

Jeffrey H <jeffreyh192@gmail.com>

Jelte Fennema <github-tech@jeltef.nl>

Jens Frederich <jfrederich@gmail.com>

Jeremiah Harmsen <jeremiah@google.com>

Jeremy Banks <_@jeremy.ca>

Jeremy Canady <jcanady@gmail.com>

Jeremy Faller <jeremy@golang.org>

Jeremy Jackins <jeremyjackins@gmail.com>

Jeremy Jay <jeremy@pbnjay.com>

Jeremy Schlatter <jeremy.schlatter@gmail.com>

Jeroen Bobbeldijk <jerbob92@gmail.com>

Jeroen Simonetti <jeroen@simonetti.nl>

Jerrin Shaji George <jerrinsg@gmail.com>

Jess Frazelle <me@jessfraz.com>

Jesse Szwedko <jesse.szwedko@gmail.com>

Jess Espino <jespinog@gmail.com>

Jianing Yu <jnyu@google.com>

Jianqiao Li <jianqiaoli@google.com>

Jihyun Yu <yjh0502@gmail.com>

Jim Cote <jfcote87@gmail.com>

Jim Kingdon <jim@bolt.me>

Jim McGrath <jimmc2@gmail.com>

Jim Minter <jminter@redhat.com>

Jimmy Frasche <soapboxcicero@gmail.com>

Jimmy Zelinskie <jimmyzelinskie@gmail.com>

Jin-wook Jeong <jeweljar@hanmail.net>

Jingcheng Zhang <diogin@gmail.com>

Jingguo Yao <yaojingguo@gmail.com>

Jingnan Si <jingnan.si@gmail.com>

Jinkun Zhang <franksnolf@gmail.com>

Jiong Du <londevil@gmail.com>

Jirka Dank <dnk@mail.muni.cz>

Jiulong Wang <jiulongw@gmail.com>

Joakim Sernbrant <serbaut@gmail.com>

Joe Bowbeer <joe.bowbeer@gmail.com>

Joe Cortopassi <joe@joecortopassi.com>

Joe Farrell <joe2farrell@gmail.com>

Joe Harrison <joehazzers@gmail.com>

Joe Henke <joed.henke@gmail.com>

Joe Kyo <xunianzu@gmail.com>

Joe Poirier <jdpoirier@gmail.com>

Joe Richey <joerichey@google.com>

Joe Shaw <joe@joeshaw.org>

Joe Sylve <joe.sylve@gmail.com>

Joe Tsai <joetsai@digital-static.net>

Joel Sing <joel@sing.id.au> <jsing@google.com>

Jol Stemmer <jstemmer@google.com>

Joel Stemmer <stemmertech@gmail.com>

Joey Geiger <jgeiger@users.noreply.github.com>

Johan Brandhorst <johan.brandhorst@gmail.com>

Johan Euphrosine <proppy@google.com>

Johan Jansson <johan.jansson@iki.fi>

Johan Sageryd <j@1616.se>

John Asmuth <jasmuth@gmail.com>

John Beisley <huin@google.com>

John C Barstow <jbowtie@amathaine.com>

John DeNero <denero@google.com>

John Dethridge <jcd@golang.org>

John Gibb <johngibb@gmail.com>

John Gilik <john@jgilik.com>

John Graham-Cumming <jgc@jgc.org> <jgrahamc@gmail.com>

John Howard Palevich <jack.palevich@gmail.com>

John Jeffery <jjeffery@sp.com.au>

John Jenkins <twodopeshaggy@gmail.com>

John Leidegren <john.leidegren@gmail.com>

John Moore <johnkenneth.moore@gmail.com>

John Newlin <jnewlin@google.com>

John Papandriopoulos <jpap.code@gmail.com>

John Potocny <johnp@vividcortex.com>

John R. Lenton <jlenton@gmail.com>

John Schnake <schnake.john@gmail.com>

John Shahid <jvshahid@gmail.com>

John Tuley <john@tuley.org>

John Weldon <johnweldon4@gmail.com>

Johnny Luo <johnnyluo1980@gmail.com>

Jon Chen <jchen@justin.tv>

Jonas Bernoulli <jonas@bernoul.li>

Jonathan Allie <jonallie@google.com>

Jonathan Amsterdam <jba@google.com>

Jonathan Boulle <jonathanboulle@gmail.com>

Jonathan Chen <dijonkitchen@users.noreply.github.com>

Jonathan Feinberg <feinberg@google.com>

Jonathan Gold <jgold.bg@gmail.com>

Jonathan Hseu <jhseu@google.com>

Jonathan Mark <jhmark@xenops.com> <jhmark000@gmail.com>

Jonathan Nieder <jrn@google.com>

Jonathan Pentecost <pentecostjonathan@gmail.com>

Jonathan Pittman <jmpittman@google.com> <jonathan.mark.pittman@gmail.com>

Jonathan Rudenberg <jonathan@titanous.com>

Jonathan Stacks <jonstacks13@gmail.com>

Jonathan Wills <runningwild@gmail.com>

Jonathon Lacher <jonathon.lacher@gmail.com>

Jongmin Kim <atomaths@gmail.com>

Joonas Kuorilehto <joneskoo@derbian.fi>

Joop Kiefte <ikojba@gmail.com> <joop@kiefte.net>

Jordan Krage <jmank88@gmail.com>

Jordan Lewis <jordanthelewis@gmail.com>

Jordan Liggitt <liggitt@google.com>

Jordan Rhee <jordanrh@microsoft.com>

Jordi Martin <jordimartin@gmail.com>

Jorge Araya <jorgejavieran@yahoo.com.mx>

Jorge L. Fatta <jorge.fatta@auth0.com>

Jos Visser <josv@google.com>

Josa Gesell <josa@gesell.me>

Jose Luis Vzquez Gonzlez <josvazg@gmail.com>

Joseph Bonneau <jcb@google.com>

Joseph Holsten <joseph@josephholsten.com>

Josh Bleecher Snyder <josharian@gmail.com>

Josh Chorlton <jchorlton@gmail.com>

Josh Deprez <josh.deprez@gmail.com>

Josh Goebel <dreamer3@gmail.com>

Josh Hoak <jhoak@google.com>

Josh Holland <jrh@joshh.co.uk>

Josh Roppo <joshroppo@gmail.com>

Josh Varga <josh.varga@gmail.com>

Joshua Boelter <joshua.boelter@intel.com>

Joshua Chase <jcjoshuachase@gmail.com>

Joshua M. Clulow <josh.clulow@joyent.com>

Joshua Rubin <joshua@rubixconsulting.com>

Josselin Costanzi <josselin@costanzi.fr>

Jostein Stuhaug <js@solidsystem.no>

JP Sugarbroad <jpsugar@google.com>

JT Olds <jtolds@xnet5.com>

JT Olio <hello@jtolio.com>

Juan Carlos <juanjcsr@gmail.com>

Juan Pablo Civile <elementohb@gmail.com>

Jude Pereira <judebpereira@gmail.com>

Jukka-Pekka Kekkonen <karatepekka@gmail.com>

Julia Hansbrough <flowerhack@google.com>

Julian Kornberger <jk+github@digineo.de>

Julian Pastarmov <pastarmovj@google.com>

Julian Phillips <julian@quantumfyre.co.uk>

Julian Tibble <julian.tibble@gmail.com>

Julie Qiu <julie@golang.org>

Julien Kauffmann <julien.kauffmann@freelan.org>

Julien Salleyron <julien.salleyron@gmail.com>

Julien Schmidt <google@julienschmidt.com>

Julio Montes <julio.montes@intel.com>

Jun Zhang <jim.zoumo@gmail.com>

Junda Liu <junda@celer.network>

Jungho Ahn <jhahn@google.com>

Junya Hayashi <ledmonster@gmail.com>

Juraj Sukop <sukop@users.noreply.github.com>

Jure Ham <jure.ham@zemanta.com>

Justin Gracenin <jgracenin@gmail.com>

Justin Li <git@justinli.net>

Justin Nu <nuss.justin@gmail.com>

Justyn Temme <justyntemme@gmail.com>

Kai Backman <kaib@golang.org>

Kai Dong <dokia2357@gmail.com>

Kai Trukenmller <ktye78@gmail.com>

Kale Blankenship <kale@lemnisys.com>

Kaleb Elwert <kelwert@atlassian.com>

Kalman Bekesi <kalmanb@google.com>

Kamal Aboul-Hosn <aboulhosn@google.com>

Kamil Chmielewski <kamil.chm@gmail.com>

Kamil Kisiel <kamil@kamilkisiel.net> <kamil.kisiel@gmail.com>

Kamil Rytarowski <krytarowski@users.noreply.github.com>

Kang Hu <hukangustc@gmail.com>

Kanta Ebihara <kantaebihara@gmail.com>

Karan Dhiman <karandhi@ca.ibm.com>

Karel Pazdera <pazderak@gmail.com>

Karoly Negyesi <chx1975@gmail.com>

Karsten Khler <karsten.koehler95@gmail.com>

Karthik Nayak <karthik.188@gmail.com>

Kashav Madan <kshvmdn@gmail.com>

Kate Manson <kate.manson@izettle.com>

Katharine Berry <ktbry@google.com>

Katie Hockman <katie@golang.org>

Kato Kazuyoshi <kato.kazuyoshi@gmail.com>

Katrina Owen <katrina.owen@gmail.com>

Kaviraj Kanagaraj <kavirajkanagaraj@gmail.com>

Kay Zhu <kayzhu@google.com>

Kazuhiro Sera <seratch@gmail.com>

KB Sriram <kbsriram@google.com>

Keegan Carruthers-Smith <keegan.csmith@gmail.com>

Kei Son <hey.calmdown@gmail.com>

Keiji Yoshida <keijiyoshida.mail@gmail.com>

Keisuke Kishimoto <keisuke.kishimoto@gmail.com>

Keith Ball <inflatablewoman@gmail.com>

Keith Randall <khr@golang.org>

Keith Rarick <kr@xph.us>

Kelly Heller <pestophagous@gmail.com>

Kelsey Hightower <kelsey.hightower@gmail.com>

Kelvin Foo Chuan Lyi <vmirage@gmail.com>

Ken Friedenbach <kenliz@cruzio.com>

Ken Rockot <ken@oz.gs> <ken.rockot@gmail.com>

Ken Sedgwick <ken@bonsai.com>

Ken Thompson <ken@golang.org>

Kenichi Tsunokawa <kenichi.tsunokawa@gmail.com>

Kenji Kaneda <kenji.kaneda@gmail.com>

Kenji Yano <kenji.yano@gmail.com>

Kenneth Shaw <kenshaw@gmail.com>

Kenny Grant <kennygrant@gmail.com>

Kenta Mori <zoncoen@gmail.com>

Ketan Parmar <ketanbparmar@gmail.com>

Kevan Swanberg <kevswanberg@gmail.com>

Kevin Ballard <kevin@sb.org>

Kevin Burke <kev@inburke.com>

Kvin Dunglas <dunglas@gmail.com>

Kevin Gillette <extemporalgenome@gmail.com>

Kevin Kirsche <kev.kirsche@gmail.com>

Kevin Klues <klueska@gmail.com> <klueska@google.com>

Kevin Malachowski <chowski@google.com>

Kevin Ruffin <kruffin@gmail.com>

Kevin Vu <kevin.m.vu@gmail.com>

Kevin Zita <bleedgreenandgold@gmail.com>

Kieran Colford <kieran@kcolford.com>

Kim Shrier <kshrier@racktopsystems.com>

Kim Yongbin <kybinz@gmail.com>

Kir Kolyshkin <kolyshkin@gmail.com>

Kirill Motkov <Motkov.Kirill@gmail.com>

Kirill Smelkov <kirr@nexedi.com>

Kirill Tatchihin <kirabsuir@gmail.com>

Kirk Han <kirk91.han@gmail.com>

Kirklin McDonald <kirklin.mcdonald@gmail.com>

Klaus Post <klauspost@gmail.com>

Kodie Goodwin <kodiegoodwin@gmail.com>

Koichi Shiraishi <zchee.io@gmail.com>

Koki Ide <niconegoto@yahoo.co.jp>

Koki Tomoshige <tomocy.dev@gmail.com>

Komu Wairagu <komuw05@gmail.com>

Konstantin <konstantin8105@gmail.com>

Konstantin Shaposhnikov <k.shaposhnikov@gmail.com>

Koya IWAMURA <kiwamura0314@gmail.com>

Kris Kwiatkowski <kris@cloudflare.com>

Kris Nova <kris@nivenly.com>

Kris Rousey <krousey@google.com>

Kristopher Watts <traetox@gmail.com>

Kshitij Saraogi <kshitijsaraogi@gmail.com>

Kun Li <likunarmstrong@gmail.com>

Kunpei Sakai <namusyaka@gmail.com>

Kuntal Majumder <hellozee@disroot.org>

Kyle Consalus <consalus@gmail.com>

Kyle Isom <kyle@gokyle.net>

Kyle Jones <kyle@kyledj.com>

Kyle Lemons <kyle@kylelemons.net> <kevlar@google.com>

Kyle Shannon <kyle@pobox.com>

Kyle Spiers <eiais@google.com>

Kyle Wood <kyle@kylewood.cc>

Kyohei Kadota <lufia@lufia.org>

Kyrylo Silin <silin@kyrylo.org>

L Campbell <unpantsu@gmail.com>

Lai Jiangshan <eag0628@gmail.com>

Lajos Papp <lalyos@yahoo.com>

Lakshay Garg <lakshay.garg.1996@gmail.com>

Lann Martin <lannm@google.com>

Lanre Adelowo <yo@lanre.wtf>

Larry Clapp <larry@theclapp.org>

Larry Hosken <lahosken@golang.org>

Lars Jeppesen <jeppesen.lars@gmail.com>

Lars Lehtonen <lars.lehtonen@gmail.com>

Lars Wiegman <lars@namsral.com>

Larz Conwell <larzconwell@gmail.com>

Laurent Voisin <lpvoisin@gmail.com>

Laurie Clark-Michalek <laurie@qubit.com>

LE Manh Cuong <cuong.manhle.vn@gmail.com>

Lee Hinman <hinman@gmail.com>

Lee Packham <lpackham@gmail.com>

Lehner Florian <dev@der-flo.net>

Leigh McCulloch <leighmcc@gmail.com>

Leo Antunes <leo@costela.net>

Leo Rudberg <ljr@google.com>

Leon Klingele <git@leonklingele.de>

Leonardo Comelli <leonardo.comelli@gmail.com>

Leonel Quinteros <leonel.quinteros@gmail.com>

Lev Shamardin <shamardin@gmail.com>

Lewin Bormann <lewin.bormann@gmail.com>

Lion Yang <lion@aosc.xyz>

Liz Rice <liz@lizrice.com>

Lloyd Dewolf <foolswisdom@gmail.com>

Lorenz Bauer <lmb@cloudflare.com>

Lorenz Brun <lorenz@brun.one>

Lorenz Nickel <mail@lorenznickel.de>

Lorenzo Masini <rugginoso@develer.com>

Lorenzo Stoakes <lstoakes@gmail.com>

Louis Kruger <louisk@google.com>

Luan Santos <cfcluan@gmail.com>

Lubomir I. Ivanov <neolit123@gmail.com>

Luca Bruno <luca.bruno@coreos.com>

Luca Greco <luca.greco@alcacoop.it>

Lucas Bremgartner <lucas.bremgartner@gmail.com>

Lucas Clemente <lclemente@google.com>

Lucien Stuker <lucien.stuker@gmail.com>

Lucio De Re <lucio.dere@gmail.com>

Ludi Rehak <ludi317@gmail.com>

Luigi Riefolo <luigi.riefolo@gmail.com>

Luit van Drongelen <luitvd@gmail.com>

Luka Zakrajek <tr00.g33k@gmail.com>

Luka Zitnik <luka.zitnik@gmail.com>

Lukasz Milewski <lmmilewski@gmail.com>

Luke Champine <luke.champine@gmail.com>

Luke Curley <qpingu@gmail.com>

Luke Granger-Brown <git@lukegb.com>

Luke Young <bored-engineer@users.noreply.github.com>

Luna Duclos <luna.duclos@palmstonegames.com>

Luuk van Dijk <lvd@golang.org> <lvd@google.com>

Lyle Franklin <lylejfranklin@gmail.com>

Lynn Boger <laboger@linux.vnet.ibm.com>

Ma Peiqi <mapeiqi2017@gmail.com>

Maarten Bezemer <maarten.bezemer@gmail.com>

Maciej Dbski <maciejd@google.com>

Madhu Rajanna <madhupr007@gmail.com>

Magnus Hiie <magnus.hiie@gmail.com>

Maicon Costa <maiconscosta@gmail.com>

Mak Kolybabi <mak@kolybabi.com>

Maksym Trykur <maksym.trykur@gmail.com>

Mal Curtis <mal@mal.co.nz>

Manfred Touron <m@42.am>

Manigandan Dharmalingam <manigandan.jeff@gmail.com>

Manish Goregaokar <manishsmail@gmail.com>

Manoj Dayaram <platform-dev@moovweb.com> <manoj.dayaram@moovweb.com>

Mansour Rahimi <rahimi.mnr@gmail.com>

Manu Garg <manugarg@google.com>

Manu S Ajith <neo@codingarena.in>

Manuel Mendez <mmendez534@gmail.com>

Marat Khabibullin <marat.khabibullin@jetbrains.com>

Marc Sanmiquel <marcsanmiquel@gmail.com>

Marc Weistroff <marc@weistroff.net>

Marc-Antoine Ruel <maruel@chromium.org>

Marcel Edmund Franke <marcel.edmund.franke@gmail.com>

Marcel van Lohuizen <mpvl@golang.org>

Marcelo Cantos <marcelo.cantos@gmail.com>

Marcelo E. Magallon <marcelo.magallon@gmail.com>

Marco Hennings <marco.hennings@freiheit.com>
Marcus Willock <crazcalm@gmail.com>
Marga Manterola <marga@google.com>
Mariano Cano <mariano@smallstep.com>
Marin Bai <marin.basic02@gmail.com>
Mario Arranz <marioarranzr@gmail.com>
Marius A. Eriksen <marius@grailbio.com>
Marius Nuennerich <mnu@google.com>
Mark Adams <mark@markadams.me>
Mark Bucciarelli <mkbucc@gmail.com>
Mark Glines <mark@glines.org>
Mark Harrison <marhar@google.com>
Mark Percival <m@mdp.im>
Mark Pulford <mark@kyne.com.au>
Mark Rushakoff <mark.rushakoff@gmail.com>
Mark Ryan <mark.d.ryan@intel.com>
Mark Severson <miquella@gmail.com>
Mark Theunissen <mark.theunissen@gmail.com>
Mark Villacampa <m@markvillacampa.com>
Mark Wolfe <mark@wolfe.id.au>
Mark Zavislak <zavislak@google.com>
Marko Juhani Silokunnas <marko.silokunnas@gmail.com>
Marko Kevac <marko@kevac.org>
Marko Kungla <marko.kungla@gmail.com>
Marko Mikulicic <mkm@google.com>
Marko Mudrinic <mudrinic.mare@gmail.com>
Marko Tiikkaja <marko@joh.to>
Markus Duft <markus.duft@salomon.at>
Markus Sonderegger <marraison@gmail.com>
Markus Zimmermann <zimmski@gmail.com>
Marten Seemann <martenseemann@gmail.com>
Martin Bertschler <mbertschler@gmail.com>
Martin Garton <garton@gmail.com>
Martin Habbecke <marhab@google.com>
Martin Hamrle <martin.hamrle@gmail.com>
Martin Hoefling <martin.hoefling@gmx.de>
Martin Kreichgauer <martinkr@google.com>
Martin Kunc <martinkunc@users.noreply.github.com>
Martin Lindhe <martin.j.lindhe@gmail.com>
Martin Mohrmann <moehrmann@google.com> <martisch@uos.de>
Martin Neubauer <m.ne@gmx.net>
Martin Olsen <github.com@martinolsen.net>
Martin Olsson <martin@minimum.se>
Martin Probst <martin@probst.io>
Martin Sucha <anty.sk+git@gmail.com>
Martin Tournoij <martin@arp242.net>
Martins Sipenko <martins.sipenko@gmail.com>
Martynas Budrinas <mabu@google.com>

Marvin Stenger <marvin.stenger94@gmail.com>

Marwan Sulaiman <marwan.sulaiman@work.co>

Maryan Hratson <gmarik@gmail.com>

Masahiro Furudate <masahiro.furudate@gmail.com>

Masahiro Wakame <vvakame@gmail.com>

Masaki Yoshida <yoshida.masaki@gmail.com>

Mat Byczkowski <mbyczkowski@gmail.com>

Mat Ryer <thatmatryer@gmail.com>

Mt Gulys <mgulyas86@gmail.com>

Matej Bao <matejbaco@gmail.com>

Mateus Amin <mateus.amin@gmail.com>

Mateusz Czapliski <czapkofan@gmail.com>

Mathias Beke <git@denbeke.be>

Mathias Hall-Andersen <mathias@hall-andersen.dk>

Mathias Leppich <mleppich@muhqu.de>

Mathieu Lonjaret <mathieu.lonjaret@gmail.com>

Mats Lidell <mats.lidell@cag.se> <mats.lidell@gmail.com>

Matt Aimonetti <mattaimonetti@gmail.com>

Matt Blair <me@matthewblair.net>

Matt Bostock <matt@mattbostock.com>

Matt Brown <mdbrown@google.com>

Matt Dee <mdee@hioscar.com>

Matt Drollette <matt@drollette.com>

Matt Harden <matt.harden@gmail.com>

Matt Jibson <matt.jibson@gmail.com>

Matt Joiner <anacrolix@gmail.com>

Matt Jones <mrjones@google.com>

Matt Juran <thepciet@gmail.com>

Matt Layher <mdlayher@gmail.com>

Matt Reiferson <mreiferson@gmail.com>

Matt Robenolt <matt@ydekproductions.com>

Matt Strong <mstrong1341@gmail.com>

Matt T. Proud <matt.proud@gmail.com>

Matt Williams <gh@mattyw.net> <mattyjwilliams@gmail.com>

Matthew Brennan <matty.brennan@gmail.com>

Matthew Broberg <matthewbbroberg@gmail.com>

Matthew Cottingham <mattcottingham@gmail.com>

Matthew Dempsky <mdempsky@google.com>

Matthew Denton <mdenton@skyportsystems.com>

Matthew Holt <Matthew.Holt+git@gmail.com>

Matthew Horsnell <matthew.horsnell@gmail.com>

Matthew Waters <mwwaters@gmail.com>

Matthieu Hauglustaine <matt.hauglustaine@gmail.com>

Matthieu Olivier <olivier.matthieu@gmail.com>

Matthijs Kooijman <matthijs@stdin.nl>

Max Riveiro <kavu13@gmail.com>

Max Schmitt <max@schmitt.mx>

Max Semenik <maxsem.wiki@gmail.com>

Max Ushakov <ushmax@gmail.com>

Maxim Eryomenko <moeryomenko@gmail.com>

Maxim Khitrov <max@mxcrypt.com>

Maxim Pimenov <mpimenov@google.com>

Maxim Ushakov <ushakov@google.com>

Maxime de Roucy <maxime.deroucy@gmail.com>

Mximo Cuadros Ortiz <mcuadros@gmail.com>

Maxwell Krohn <themax@gmail.com>

Maya Rashish <maya@NetBSD.org>

Mayank Kumar <krmayankk@gmail.com>

Meir Fischer <meirfischer@gmail.com>

Meng Zhuo <mengzhuo1203@gmail.com>

Mhd Sulhan <m.shulhan@gmail.com>

Micah Stetson <micah.stetson@gmail.com>

Michael Anthony Knyszek <mknyszek@google.com>

Michael Brandenburg <mbrandenburg@bolste.com>

Michael Chaten <mchaten@gmail.com>

Michael Cook <code@mdcook.net>

Michael Darakananda <pongad@google.com>

Michael Dorner <mail@michaeldorner.de>

Michael Edwards <medwards@walledcity.ca>

Michael Elkins <michael.elkins@gmail.com>

Michael Ellis <micellis@justin.tv>

Michael Fraenkel <michael.fraenkel@gmail.com>

Michael Fromberger <michael.j.fromberger@gmail.com>

Michael Gehring <mg@ebfe.org> <gnirheg.leahcim@gmail.com>

Michael Henderson <mdhender@users.noreply.github.com>

Michael Hendricks <michael@ndrix.org>

Michael Hoisie <hoisie@gmail.com>

Michael Hudson-Doyle <michael.hudson@linaro.org>

Michael Kasch <michael.kasch@gmail.com>

Michael Kufl <golang@c.michael-kaeufl.de>

Michael Kelly <mjk@google.com>

Michael Lewis <mikelikespie@gmail.com>

Michael MacInnis <Michael.P.MacInnis@gmail.com>

Michael Marineau <michael.marineau@coreos.com>

Michael Matloob <matloob@google.com>

Michael McConville <momcconville@gmail.com>

Michael McGreevy <mcgreevy@golang.org>

Michael McLoughlin <mmcloughlin@gmail.com>

Michael Munday <mike.munday@ibm.com>

Michael Pearson <mipearson@gmail.com>

Michael Piatek <piatek@google.com>

Michael Pratt <mpratt@google.com>

Michael Schaller <michael@5challer.de>

Michael Schurter <michael.schurter@gmail.com>

Michael Shields <mshields@google.com>

Michael Stapelberg <michael@stapelberg.de> <mstplbrg@googlemail.com>

Michael Steinert <mike.steinert@gmail.com>

Michael T. Jones <mtj@google.com> <michael.jones@gmail.com>

Michael Teichgrber <mteichgraeber@gmx.de> <mt4swm@googlemail.com>

Michael Traver <mtraver@google.com>

Michael Vetter <g.bluehut@gmail.com>

Michael Vogt <mvo@ubuntu.com>

Michal Bohuslvek <mbohuslavek@gmail.com>

Michal Cierniak <cierniak@google.com>

Micha Derkacz <ziutek@lnet.pl>

Michal Franc <lam.michal.franc@gmail.com>

Michal Pristas <michal.pristas@gmail.com>

Michal Rostecki <mrostecki@suse.de>

Michalis Kargakis <michaliskargakis@gmail.com>

Michel Lespinasse <walken@google.com>

Mickael Kerjean <mickael.kerjean@gmail.com>

Mickey Reiss <mickeyreiss@gmail.com>

Miek Gieben <miek@miek.nl> <remigius.gieben@gmail.com>

Miguel Mendez <stxmendez@gmail.com>

Miguel Molina <hi@mvader.me>

Mihai Borobocea <MihaiBorobocea@gmail.com>

Mihai Moldovan <ionic@ionic.de>

Mihai Todor <todormihai@gmail.com>

Mihail Minaev <minaev.mike@gmail.com>

Mikael Tillenius <mikti42@gmail.com>

Mike Andrews <mra@xoba.com>

Mike Appleby <mike@app.leby.org>

Mike Danese <mikedanese@google.com>

Mike Houston <mike@kothar.net>

Mike Kabischev <kabischev@gmail.com>

Mike Rosset <mike.rosset@gmail.com>

Mike Samuel <mikesamuel@gmail.com>

Mike Solomon <msolo@gmail.com>

Mike Strosaker <strosake@us.ibm.com>

Mike Tsao <mike@sowbug.com>

Mike Wiacek <mjwiacek@google.com>

Mikhail Fesenko <proggga@gmail.com>

Mikhail Gusarov <dottedmag@dottedmag.net>

Mikhail Panchenko <m@mihasya.com>

Miki Tebeka <miki.tebeka@gmail.com>

Mikio Hara <mikioh.mikioh@gmail.com>

Mikkel Krautz <mikkel@krautz.dk> <krautz@gmail.com>

Mikoaj Baranowski <mikolajb@gmail.com>

Milan Knezevic <milan.knezevic@mips.com>

Milutin Jovanovic <jovanovic.milutin@gmail.com>

MinJae Kwon <mingrammer@gmail.com>

Miquel Sabat Sol <mikisabate@gmail.com>

Mirko Hansen <baaazen@gmail.com>

Miroslav Genov <mgenov@gmail.com>

Misty De Meo <mistydemeo@gmail.com>

Mohit Agarwal <mohit@sdf.org>

Mohit kumar Bajoria <mohitbajo36@gmail.com>

Mohit Verma <vmohit.93@gmail.com>

Momchil Velikov <momchil.velikov@gmail.com>

Monis Khan <mkhan@redhat.com>

Monty Taylor <mordred@inaugust.com>

Moritz Fain <moritz@fain.io>

Moriyoshi Koizumi <mozo@mozo.jp>

Morten Siebuhr <sbhr@sbhr.dk>

Mshe van der Sterre <moshevds@gmail.com>

Mostyn Bramley-Moore <mostyn@antipode.se>

Mrunal Patel <mrunalp@gmail.com>

Muhammad Falak R Wani <falakreyaz@gmail.com>

Muhammed Uluyol <uluyol0@gmail.com>

Muir Manders <muir@mnd.rs>

Mura Li <mura_li@castech.com.tw>

Mykhailo Lesyk <mikhail@lesyk.org>

Nan Deng <monnand@gmail.com>

Nao Yonashiro <owan.orisano@gmail.com>

Naoki Kanatani <k12naoki@gmail.com>

Nate Wilkinson <nathanwilk7@gmail.com>

Nathan Cantelmo <n.cantelmo@gmail.com>

Nathan Caza <mastercactapus@gmail.com>

Nathan Dias <nathan.dias@orijtech.com>

Nathan Humphreys <nkhumphreys@gmail.com>

Nathan John Youngman <nj@nathany.com>

Nathan Otterness <otternes@cs.unc.edu>

Nathan P Finch <nate.finch@gmail.com>

Nathan VanBenschoten <nvanbenschoten@gmail.com>

Nathan Youngman <git@nathany.com>

Nathan(yinian) Hu <nathanhu@google.com>

Nathaniel Cook <nvcook42@gmail.com>

Naveen Kumar Sangi <naveenkumarsangi@protonmail.com>

Neelesh Chandola <neelesh.c98@gmail.com>

Neil Lyons <nwjlyons@googlemail.com>

Neuman Vong <neuman.vong@gmail.com>

Neven Sajko <nsajko@gmail.com>

Nevins Bartolomeo <nevins.bartolomeo@gmail.com>

Niall Sheridan <nsheridan@gmail.com>

Nic Day <nic.day@me.com>

Nicholas Katsaros <nick@nickkatsaros.com>

Nicholas Maniscalco <nicholas@maniscalco.com>

Nicholas Ng <nickng@nickng.io>

Nicholas Presta <nick@nickpresta.ca> <nick1presta@gmail.com>

Nicholas Sullivan <nicholas.sullivan@gmail.com>

Nicholas Waples <nwaples@gmail.com>

Nick Anthony <Liberatys@outlook.com>

Nick Cooper <nmvc@google.com>

Nick Craig-Wood <nick@craig-wood.com> <nickcw@gmail.com>

Nick Harper <nharper@google.com>

Nick Kubala <nkubala@google.com>

Nick Leli <nicholasleli@gmail.com>

Nick Miyake <nmiyake@users.noreply.github.com>

Nick Patavalis <nick.patavalis@gmail.com>

Nick Petroni <npetroni@cs.umd.edu>

Nick Robinson <nrobinson13@gmail.com>

Nick Smolin <nick27surgut@gmail.com>

Nicolas BRULEZ <n.brulez@gmail.com>

Nicolas Kaiser <nikai@nikai.net>

Nicolas Owens <mischief@offblast.org>

Nicolas S. Dade <nic.dade@gmail.com>

Niek Sanders <niek.sanders@gmail.com>

Niels Widger <niels.widger@gmail.com>

Nigel Kerr <nigel.kerr@gmail.com>

Nigel Tao <nigeltao@golang.org>

Nik Nyby <nnyby@columbia.edu>

Nikhil Benesch <nikhil.benesch@gmail.com>

Nikita Kryuchkov <nkryuchkov10@gmail.com>

Nikita Vanyasin <nikita.vanyasin@gmail.com>

Niklas Schnelle <niklas.schnelle@gmail.com>

Niko Dziemba <niko@dziemba.com>

Nikolay Turpitko <nikolay@turpitko.com>

Nils Larsgrd <nilsmagnus@gmail.com>

Nir Soffer <nirsof@gmail.com>

Niranjan Godbole <niranjan8192@gmail.com>

Nishanth Shanmugham <nishanth.gerrard@gmail.com>

Noah Campbell <noahcampbell@gmail.com>

Noble Johnson <noblepoly@gmail.com>

Nodir Turakulov <nodir@google.com>

Noel Georgi <git@frezbo.com>

Norberto Lopes <nlopes.ml@gmail.com>

Norman B. Lancaster <qbradq@gmail.com>

Nuno Cruces <ncruces@users.noreply.github.com>

Odin Ugedal <odin@ugedal.com>

Oleg Bulatov <dmage@yandex-team.ru>

Oleg Vakheta <helginet@gmail.com>

Oleku Konko <oleku.konko@gmail.com>

Oling Cat <olingcat@gmail.com>

Oliver Hookins <ohookins@gmail.com>

Oliver Powell <oliverpowell84@gmail.com>

Oliver Stenbom <ostenbom@pivotal.io>

Oliver Tonnhofer <olt@bogosoft.com>

Olivier Antoine <olivier.antoine@gmail.com>

Olivier Duperray <duperray.olivier@gmail.com>

Olivier Poitrey <rs@dailymotion.com>

Olivier Saingre <osaingre@gmail.com>

Omar Jarjur <ojarjur@google.com>

Oryan Moshe <iamoryanmoshe@gmail.com>

Osamu TONOMORI <osamingo@gmail.com>

zgr Kesim <oec-go@kesim.org>

Pablo Lalloni <plalloni@gmail.com>

Pablo Rozas Larraondo <pablo.larraondo@anu.edu.au>

Pablo Santiago Blum de Aguiar <scorphus@gmail.com>

Padraig Kitterick <padraigkitterick@gmail.com>

Pallat Anchaleechamaikorn <yod.pallat@gmail.com>

Panos Georgiadis <pgeorgiadis@suse.de>

Pantelis Sampaziotis <psampaz@gmail.com>

Paolo Giarrusso <p.giarrusso@gmail.com>

Paolo Martini <mrtnpaolo@gmail.com>

Parker Moore <parkrmoore@gmail.com>

Parminder Singh <parmsingh101@gmail.com>

Pascal Dierich <pascal@pascaldierich.com>

Pascal S. de Kloe <pascal@quies.net>

Pat Moroney <pat@pat.email>

Patrick Barker <barkerp@vmware.com>

Patrick Crosby <patrick@stathat.com>

Patrick Gavlin <pgavlin@gmail.com>

Patrick Higgins <patrick.allen.higgins@gmail.com>

Patrick Lee <pattyshack101@gmail.com>

Patrick Mzard <patrick@mezard.eu>

Patrick Mylund Nielsen <patrick@patrickmn.com>

Patrick Pelletier <pp.pelletier@gmail.com>

Patrick Riley <pfr@google.com>

Patrick Smith <pat42smith@gmail.com>

Patrik Lundin <patrik@sigterm.se>

Paul A Querna <paul.querna@gmail.com>

Paul Borman <borman@google.com>

Paul Boyd <boyd.paul2@gmail.com>

Paul Chang <paulchang@google.com>

Paul Hammond <paul@paulhammond.org>

Paul Hankin <paulhankin@google.com>

Paul Jolly <paul@myitcv.org.uk>

Paul Lalonde <paul.a.lalonde@gmail.com>

Paul M Furley <paul@paulfurley.com>

Paul Marks <pmarks@google.com>

Paul Meyer <paul.meyer@microsoft.com>

Paul Nasrat <pnasrat@google.com>

Paul PISCUC <paul.piscuc@gmail.com>

Paul Querna <pquerna@apache.org>

Paul Rosania <paul.rosania@gmail.com>

Paul Ruest <pruest@gmail.com>

Paul Sbarra <Sbarra.Paul@gmail.com>

Paul Smith <paulsmith@pobox.com> <paulsmith@gmail.com>

Paul Tyng <paul@paultyng.net>

Paul van Brouwershaven <paul@vanbrouwershaven.com>

Paul Wankadia <junyer@google.com>

Paulo Casaretto <pcasaretto@gmail.com>

Paulo Flabiano Smorigo <pfsmorigo@linux.vnet.ibm.com>

Paulo Gomes <paulo.gomes.uk@gmail.com>

Pavel Paulau <pavel.paulau@gmail.com>

Pavel Zinovkin <pavel.zinovkin@gmail.com>

Pavlo Sumkin <ymkins@gmail.com>

Pawel Knap <pawelknap88@gmail.com>

Pawel Szczur <filemon@google.com>

Percy Wegmann <ox.to.a.cart@gmail.com>

Perry Abbott <perry.j.abbott@gmail.com>

Petar Maymounkov <petarm@gmail.com>

Peter Armitage <peter.armitage@gmail.com>

Peter Bourgon <peter@bourgon.org>

Peter Collingbourne <pcc@google.com>

Peter Conerly <pconerly@gmail.com>

Peter Dotchev <dotchev@gmail.com>

Peter Froehlich <peter.hans.froehlich@gmail.com>

Peter Gonda <pgonda@google.com>

Peter Hoyes <pahoyes@gmail.com>

Peter Kleiweg <pkleiweg@xs4all.nl>

Peter McKenzie <petermck@google.com>

Peter Moody <pmoody@uber.com>

Peter Morjan <pmorjan@gmail.com>

Peter Mundy <go.peter.90@gmail.com>

Peter Nguyen <peter@mictis.com>

Pter Surnyi <speter.go1@gmail.com>

Pter Szab <pts@google.com>

Pter Szilgyi <peterke@gmail.com>

Peter Teichman <pteichman@fastly.com>

Peter Tseng <ptseng@squareup.com>

Peter Waldschmidt <peter@waldschmidt.com>

Peter Waller <peter.waller@gmail.com>

Peter Weinberger <pjw@golang.org>

Peter Williams <pwil3058@gmail.com>

Peter Wu <pwu@cloudflare.com>

Peter Zhang <i@ddatsh.com>

Petr Jedin <petr.jediny@gmail.com>

Petrica Voicu <pvoicu@paypal.com>

Phil Pearl <philip.j.r.pearl@gmail.com>

Phil Pennock <pdp@golang.org>

Philip Brgesen <philip.borgesen@gmail.com>

Philip Brown <phil@bolthole.com>

Philip Hofer <phofer@umich.edu>

Philip K. Warren <pkwarren@gmail.com>

Philip Nelson <me@pnelson.ca>

Philipp Stephani <phst@google.com>

Pierre Durand <pierredurand@gmail.com>

Pierre Prinetti <pierreprinetti@gmail.com>

Pierre Roullon <pierre.roullon@gmail.com>

Piers <google@hellopiers.pro>

Pieter Droogendijk <pieter@binky.org.uk>

Pietro Gagliardi <pietro10@mac.com>

Piyush Mishra <piyush@codeitout.com>

Plekhanov Maxim <kishtatix@gmail.com>

Pontus Leitzler <leitzler@gmail.com>

Prasanna Swaminathan <prasanna@mediamath.com>

Prashant Agrawal <prashant.a.vjti@gmail.com>

Prashant Varanasi <prashant@prashantv.com>

Pravendra Singh <hackpravj@gmail.com>

Preetam Jinka <pj@preet.am>

Pure White <wu.purewhite@gmail.com>

Qais Patankar <qaisjp@gmail.com>

Qiuxuan Zhu <ilsh1022@gmail.com>

Quan Tran <qeed.quan@gmail.com>

Quan Yong Zhai <qyzhai@gmail.com>

Quentin Perez <qperez@ocs.online.net>

Quentin Renard <contact@asticode.com>

Quentin Smith <quentin@golang.org>

Quinn Slack <sqs@sourcegraph.com>

Quinten Yearsley <qyearsley@chromium.org>

Quoc-Viet Nguyen <afelion@gmail.com>

Radek Sohlich <sohlich@gmail.com>

Radu Berinde <radu@cockroachlabs.com>

Rafal Jeczalik <rjeczalik@gmail.com>

Raghavendra Nagaraj <jamdagni86@gmail.com>

Rahul Chaudhry <rahulchaudhry@chromium.org>

Raif S. Naffah <go@naffah-raif.name>

Rajat Goel <rajat.goel2010@gmail.com>

Rajath Agasthya <rajathagasthya@gmail.com>

Rajender Reddy Kompally <rajenderreddykompally@gmail.com>

Ralph Corderoy <ralph@inputplus.co.uk>

Ramazan AYYILDIZ <rayyildiz@gmail.com>

Ramesh Dharan <dharan@google.com>

Raph Levien <raph@google.com>

Raphael Geronimi <raphael.geronimi@gmail.com>

Raul Silvera <rsilvera@google.com>

Ravil Bikbulatov <weeellz12@gmail.com>

RaviTeja Pothana <ravi.tezu@gmail.com>

Ray Tung <rtung@thoughtworks.com>

Raymond Kazlauskas <raima220@gmail.com>

Rebecca Stambler <rstambler@golang.org>

Reilly Watson <reillywatson@gmail.com>

Reinaldo de Souza Jr <juniorz@gmail.com>

Remi Gillig <remigillig@gmail.com>

Rmy Oudompheng <oudomphe@phare.normalesup.org> <remyoudompheng@gmail.com>

Rens Rikkerink <Ikkerens@users.noreply.github.com>

Rhys Hiltner <rhys@justin.tv>

Ricardo Padilha <ricardospadilha@gmail.com>

Ricardo Seriani <ricardo.seriani@gmail.com>

Richard Barnes <rlb@ipv.sx>

Richard Crowley <r@rcrowley.org>

Richard Dingwall <rdingwall@gmail.com>

Richard Eric Gavaletz <gavaletz@gmail.com>

Richard Gibson <richard.gibson@gmail.com>

Richard Miller <miller.research@gmail.com>

Richard Musiol <mail@richard-musiol.de> <neelance@gmail.com>

Rick Arnold <rickarnoldjr@gmail.com>

Rick Hudson <rlh@golang.org>

Rick Sayre <whorfin@gmail.com>

Rijnard van Tonder <rvantonder@gmail.com>

Riku Voipio <riku.voipio@linaro.org>

Risto Jaakko Saarelma <rsaarelm@gmail.com>

Rob Earhart <earhart@google.com>

Rob Findley <rfindley@google.com>

Rob Norman <rob.norman@infinitycloud.com>

Rob Phoenix <rob@robphoenix.com>

Rob Pike <r@golang.org>

Robert Ayrapetyan <robert.ayrapetyan@gmail.com>

Robert Daniel Kortschak <dan.kortschak@adelaide.edu.au> <dan@kortschak.io>

Robert Dinu <r@varp.se>

Robert Figueiredo <robfig@gmail.com>

Robert Griesemer <gri@golang.org>

Robert Hencke <robert.hencke@gmail.com>

Robert Iannucci <iannucci@google.com>

Robert Obryk <robryk@gmail.com>

Robert Sesek <rsesek@google.com>

Robert Snedegar <roberts@google.com>

Robert Stepanek <robert.stepanek@gmail.com>

Robert van Gent <rvangent@google.com>

Robert-Andr Mauchin <zebob.m@gmail.com>

Roberto Clapis <robclap8@gmail.com>

Roberto Selbach <roberto@selbach.ca>

Robin Eklind <r.eklind.87@gmail.com>

Robin Zhong <robin@robinzhong.co>

Rodolfo Carvalho <rhcarvalho@gmail.com>

Rodolfo Rodriguez <rodolfobgibson@gmail.com>

Rodrigo Moraes de Oliveira <rodrigo.moraes@gmail.com>

Rodrigo Rafael Monti Kochenburger <divoxx@gmail.com>

Roger Pau Monn <royger@gmail.com>

Roger Peppe <rogpeppe@gmail.com>

Rohan Challa <rohan@golang.org>

Rohan Verma <rohanverma2004@gmail.com>

Roland Illig <roland.illig@gmx.de>

Roland Shoemaker <rolandshoemaker@gmail.com>

Romain Baugue <romain.baugue@elwinar.com>

Roman Budnikov <romanyx90@yandex.ru>

Roman Kollr <roman.kollar.0@gmail.com>

Roman Shchekin <mrqtros@gmail.com>

Ron Hashimoto <mail@h2so5.net>

Ron Minnich <rminnich@gmail.com>

Ross Chater <rdchater@gmail.com>

Ross Light <light@google.com> <rlight2@gmail.com>

Ross Smith II <ross@smithii.com>

Rowan Marshall <rowanajmarshall@gmail.com>

Rowan Worth <sqweek@gmail.com>

Rudi Kramer <rudi.kramer@gmail.com>

Rui Ueyama <ruiu@google.com>

Ruixin Bao <ruixin.bao@ibm.com>

Ruslan Nigmatullin <elessar@dropbox.com>

Russ Cox <rsc@golang.org>

Russell Haering <russellhaering@gmail.com>

Ryan Bagwell <ryanbagwell@outlook.com>

Ryan Barrett <ryanb@google.com>

Ryan Boehning <ryan.boehning@apcera.com>

Ryan Brown <ribrdb@google.com>

Ryan Canty <jrcanty@gmail.com>

Ryan Dahl <ry@tinyclouds.org>

Ryan Hitchman <hitchmanr@gmail.com>

Ryan Lower <rpjlower@gmail.com>

Ryan Roden-Corrent <ryan@rcorre.net>

Ryan Seys <ryan@ryanseys.com>

Ryan Slade <ryanslade@gmail.com>

Ryan Zhang <ryan.zhang@docker.com>

Ryoichi KATO <ryo1kato@gmail.com>

Ryuji Iwata <qt.luigi@gmail.com>

Ryuma Yoshida <ryuma.y1117@gmail.com>

Ryuzo Yamamoto <ryuzo.yamamoto@gmail.com>

S.alar Onur <caglar@10ur.org>

Sabin Mihai Rapan <sabin.rapan@gmail.com>

Sad Pencil <qh06@qq.com>

Sai Cheemalapati <saicheems@google.com>

Sakeven Jiang <jc5930@sina.cn>

Salmn Aljammz <s@0x65.net>

Sam Arnold <sarnold64@bloomberg.net>

Sam Boyer <tech@samboyer.org>

Sam Ding <samding@ca.ibm.com>

Sam Hug <samuel.b.hug@gmail.com>

Sam Thorogood <thorogood@google.com> <sam.thorogood@gmail.com>

Sam Whited <sam@samwhited.com>

Sameer Ajmani <sameer@golang.org> <ajmani@gmail.com>
Sami Commerot <samic@google.com>
Sami Pnknen <sami.ponkanen@gmail.com>
Samuel Kelemen <SCKelemen@users.noreply.github.com>
Samuel Tan <samueltan@google.com>
Samuele Pedroni <pedronis@lucediurna.net>
Sander van Harmelen <sander@vanharmelen.nl>
Sanjay Menakuru <balasanjay@gmail.com>
Santhosh Kumar Tekuri <santhosh.tekuri@gmail.com>
Sarah Adams <shadams@google.com>
Sardorbek Pulatov <sardorbek.pulatov@outlook.com>
Sascha Brawer <sascha@brawer.ch>
Sasha Lionheart <lionhearts@google.com>
Sasha Sobol <sasha@scaledinference.com>
Scott Barron <scott.barron@github.com>
Scott Bell <scott@sctsm.com>
Scott Crunkleton <crunk1@gmail.com>
Scott Ferguson <scottwferg@gmail.com>
Scott Lawrence <bytbox@gmail.com>
Scott Mansfield <smansfield@netflix.com>
Scott Ragan <ragansa@fb.com>
Scott Schwartz <scotts@golang.org>
Scott Van Woudenberg <scottvw@google.com>
Sean Burford <sburford@google.com>
Sean Chen <oohcode@gmail.com>
Sean Chittenden <seanc@joyent.com>
Sean Christopherson <sean.j.christopherson@intel.com>
Sean Dolphin <Sean.Dolphin@kpcompass.com>
Sean Harger <sharger@google.com>
Sean Liao <seankhliao@gmail.com>
Sean Rees <sean@erifax.org>
Sebastiaan van Stijn <github@gone.nl>
Sebastian Chlopecki <sebsebmc@gmail.com>
Sebastian Kinne <skinne@google.com>
Sebastian Schmidt <yath@google.com>
Sebastien Binet <seb.binet@gmail.com>
Sbastien Paolacci <sebastien.paolacci@gmail.com>
Sebastien Williams-Wynn <sebastien@cytora.com>
Segev Finer <segev208@gmail.com>
Seiji Takahashi <timaki.st@gmail.com>
Sergei Lemeshkin <sergeilem@gmail.com>
Sergei Skorobogatov <skorobo@rambler.ru>
Sergei Zagurskii <gvozdoder@gmail.com>
Sergey 'SnakE' Gromov <snake.scaly@gmail.com>
Sergey Arseev <sergey.arseev@intel.com>
Sergey Dobrodey <sergey.dobrodey@synesis.ru>
Sergey Frolov <sfrolov@google.com>
Sergey Ivanov <ser1325@gmail.com>

Sergey Lukjanov <me@slukjanov.name>
Sergey Mishin <sergeymishine@gmail.com>
Sergey Mudrik <sergey.mudrik@gmail.com>
Sergey Semin <gray12511@gmail.com>
Sergey Yanykin <syanykin@ozon.ru>
Sergio Luis O. B. Correia <sergio@correia.cc>
Sergiusz Bazanski <bazanski@gmail.com>
Serhat Giydiren <serhatgiydiren@gmail.com>
Serhii Aheienko <serhii.aheienko@gmail.com>
Seth Hoenig <seth.a.hoenig@gmail.com>
Seth Vargo <sethvargo@gmail.com>
Shahar Kohanim <skohanim@gmail.com>
Shamil Garatuev <garatuev@gmail.com>
Shane Hansen <shanemhansen@gmail.com>
Shaozhen Ding <dsz0111@gmail.com>
Shaun Dunning <shaun.dunning@uservoice.com>
Shawn Elliott <selliott@microsoft.com>
Shawn Ledbetter <sledbetter@google.com>
Shawn Smith <shawn.p.smith@gmail.com>
Shawn Walker-Salas <shawn.walker@oracle.com>
Shenghou Ma <minux@golang.org> <minux.ma@gmail.com>
Shengjing Zhu <zsj950618@gmail.com>
Shengyu Zhang <shengyu.zhang@chaitin.com>
Shi Han Ng <shihanng@gmail.com>
Shijie Hao <haormj@gmail.com>
Shinji Tanaka <shinji.tanaka@gmail.com>
Shintaro Kaneko <kaneshin0120@gmail.com>
Shivakumar GN <shivakumar.gn@gmail.com>
Shivani Singhal <shivani.singhal2804@gmail.com>
Shivansh Rai <shivansh@freebsd.org>
Shivashis Padhi <shivashispadhi@gmail.com>
Shubham Sharma <shubham.sha12@gmail.com>
Shun Fan <sfan@google.com>
Silvan Jegen <s.jegen@gmail.com>
Simarpreet Singh <simar@linux.com>
Simon Ferquel <simon.ferquel@docker.com>
Simon Jefford <simon.jefford@gmail.com>
Simon Rawet <simon@rawet.se>
Simon Rozman <simon@rozman.si>
Simon Thulbourn <simon+github@thulbourn.com>
Simon Whitehead <chemnova@gmail.com>
Sina Siadat <siadat@gmail.com>
Sjoerd Siebinga <sjoerd.siebinga@gmail.com>
Sokolov Yura <funny.falcon@gmail.com>
Song Gao <song@gao.io>
Spencer Kocot <spencerkocot@gmail.com>
Spencer Nelson <s@spenczar.com>
Spencer Tung <spencertung@google.com>

Spring Mc <heresy.mc@gmail.com>

Srdjan Petrovic <spetrovic@google.com>

Sridhar Venkatakrishnan <sridhar@laddoo.net>

Srinidhi Kaushik <shrinidhi.kaushik@gmail.com>

StalkR <stalkr@stalkr.net>

Stan Schwertly <stan@schwertly.com>

Stanislav Afanasev <php.progger@gmail.com>

Steeve Morin <steeve.morin@gmail.com>

Stefan Baebler <sbaebler@outbrain.com>

Stefan Nilsson <snilsson@nada.kth.se> <trolleriprofessorn@gmail.com>

Stepan Shabalin <neverliberty@gmail.com>

Stephan Renatus <srenatus@chef.io>

Stephan Zuercher <zuercher@gmail.com>

Stphane Travostino <stephane.travostino@gmail.com>

Stephen Lewis <stephen@sock.org.uk>

Stephen Lu <steuhs@users.noreply.github.com>

Stephen Ma <stephenm@golang.org>

Stephen McQuay <stephen@mcquay.me>

Stephen Searles <stephens2424@gmail.com>

Stephen Weinberg <stephen@q5comm.com>

Steve Francia <spf@golang.org>

Steve Gilbert <stevegilbert23@gmail.com>

Steve LoFurno <slofurno@gmail.com>

Steve McCoy <mccoyst@gmail.com>

Steve Mynott <steve.mynott@gmail.com>

Steve Newman <snewman@google.com>

Steve Phillips <elimisteve@gmail.com>

Steve Streeting <steve@stevestreeting.com>

Steven Buss <sbuss@google.com>

Steven Elliot Harris <seharris@gmail.com>

Steven Erenst <stevenerenst@gmail.com>

Steven Hartland <steven.hartland@multiplay.co.uk>

Steven Littiebrant <imgroxx@gmail.com>

Steven Wilkin <stevenwilkin@gmail.com>

Stuart Jansen <sjansen@buscaluz.org>

Sue Spence <virtuallysue@gmail.com>

Sugu Sougoumarane <ssougou@gmail.com>

Suharsh Sivakumar <suharshs@google.com>

Sukrit Handa <sukrit.handa@utoronto.ca>

Sunny <me@darkowlzz.space>

Suriyaa Sundararuban <suriyaasundararuban@gmail.com>

Suyash <dextrous93@gmail.com>

Suzy Mueller <suzmue@golang.org>

Sven Almgren <sven@tras.se>

Sven Blumenstein <svbl@google.com>

Sven Taute <sven.taute@gmail.com>

Sylvain Zimmer <sylvain@sylvainzimmer.com>

Syohei YOSHIDA <syohex@gmail.com>

Szabolcs Nagy <nsz@port70.net>

Taavi Kivisik <taavi.kivisik@gmail.com>

Tad Fisher <tadfisher@gmail.com>

Tad Glines <tad.glines@gmail.com>

Tadas Valiukas <tadovas@gmail.com>

Taesu Pyo <pyotaesu@gmail.com>

Tai Le <letientai299@gmail.com>

Taj Khattra <taj.khattra@gmail.com>

Takashi Matsuo <tmatsuo@google.com>

Takayoshi Nishida <takayoshi.nishida@gmail.com>

Takeshi YAMANASHI <9.nashi@gmail.com>

Takuto Ikuta <tikuta@google.com>

Takuya Ueda <uedatakuya@gmail.com>

Tal Shprecher <tshprecher@gmail.com>

Tamir Duberstein <tamird@gmail.com>

Tao Qingyun <qingyunha@gmail.com>

Tao Shen <shentaoskyking@gmail.com>

Tao Wang <twang2218@gmail.com>

Tarmigan Casebolt <tarmigan@gmail.com>

Taro Aoki <aizu.s1230022@gmail.com>

Taru Karttunen <taruti@taruti.net>

Tatsuhiro Tsujikawa <tatsuhiro.t@gmail.com>

Tatsuya Kaneko <m.ddotx.f@gmail.com>

Taufiq Rahman <taufiqrx8@gmail.com>

Teague Cole <tnc1443@gmail.com>

Ted Kornish <golang@tedkornish.com>

Tejasvi Nareddy <tejunareddy@gmail.com>

Terin Stock <terinjokes@gmail.com>

Terrel Shumway <gopher@shumway.us>

Tetsuo Kiso <tetsuokiso9@gmail.com>

Than McIntosh <thanm@google.com>

Thanabodee Charoenpiriyakij <wingyminus@gmail.com>

Thanatat Tamtan <acoshift@gmail.com>

Thiago Avelino <t@avelino.xxx>

Thiago Fransosi Farina <thiago.farina@gmail.com> <tfarina@chromium.org>

Thomas Alan Copeland <talan.copeland@gmail.com>

Thomas Bonfort <thomas.bonfort@gmail.com>

Thomas Bouldin <inlined@google.com>

Thomas Bruyelle <thomas.bruyelle@gmail.com>

Thomas Bushnell, BSG <tbushnell@google.com>

Thomas de Zeeuw <thomasdezeeuw@gmail.com>

Thomas Desrosiers <thomasdesr@gmail.com>

Thomas Habets <habets@google.com>

Thomas Kappler <tkappler@gmail.com>

Thomas Meson <zllak@hycik.org>

Thomas Symborski <thomas.symborski@gmail.com>

Thomas Wanielista <tomwans@gmail.com>

Thorben Krueger <thorben.krueger@gmail.com>

Thordur Bjornsson <thorduri@secnorth.net>

Tiago Queiroz <contato@tiago.eti.br>

Tianji Wu <the729@gmail.com>

Tianon Gravi <admwiggin@gmail.com>

Tilman Dilo <tilman.dilo@gmail.com>

Tim Cooijmans <timcooijmans@gmail.com>

Tim Cooper <tim.cooper@layeh.com>

Tim Ebringer <tim.ebringer@gmail.com>

Tim Heckman <t@heckman.io>

Tim Henderson <tim.tadh@gmail.com>

Tim Hockin <thockin@google.com>

Tim Swast <swast@google.com>

Tim Wright <tenortim@gmail.com>

Tim Xu <xiaoxubeii@gmail.com>

Timo Savola <timo.savola@gmail.com>

Timo Truyts <alkaloid.btx@gmail.com>

Timothy Studd <tim@timstudd.com>

Tipp Moseley <tipp@google.com>

Tobias Assarsson <tobias.assarsson@gmail.com>

Tobias Columbus <tobias.columbus@gmail.com> <tobias.columbus@googlemail.com>

Tobias Klauser <tklauser@distanz.ch>

Toby Burress <kurin@google.com>

Todd Kulesza <tkulesza@google.com>

Todd Neal <todd@tneal.org>

Todd Wang <toddwang@gmail.com>

Tom Anthony <git@tomanthony.co.uk>

Tom Bergan <tombergan@google.com>

Tom Heng <zhm20070928@gmail.com>

Tom Lanyon <tomlanyon@google.com>

Tom Levy <tomlevy93@gmail.com>

Tom Limoncelli <tal@whatexit.org>

Tom Linford <tomlinford@gmail.com>

Tom Payne <twpayne@gmail.com>

Tom Szymanski <tgs@google.com>

Tom Thorogood <me+google@tomthorogood.co.uk>

Tom Wilkie <tom@weave.works>

Tomas Dabasinskas <tomas@dabasinskas.net>

Tommy Schaefer <tommy.schaefer@teecom.com>

Tomohiro Kusumoto <zabio1192@gmail.com>

Tomoya Ishizaki <zaq1tomo@gmail.com>

Tonis Tiigi <tonistiigi@gmail.com>

Tony Reix <tony.reix@bull.net>

Tony Walker <walkert.uk@gmail.com>

Tooru Takahashi <tooru.takahashi134@gmail.com>

Tor Andersson <tor.andersson@gmail.com>

Tormod Erevik Lea <tormodlea@gmail.com>

Toshihiro Shiino <shiino.toshihiro@gmail.com>

Toshiki Shima <hayabusa1419@gmail.com>

Totoro W <tw19881113@gmail.com>

Travis Bischel <travis.bischel@gmail.com>

Travis Cline <travis.cline@gmail.com>

Trevor Strohman <trevor.strohman@gmail.com>

Trey Lawrence <lawrence.trey@gmail.com>

Trey Roessig <trey.roessig@gmail.com>

Trey Tacon <ttacon@gmail.com>

Tristan Amini <tamini01@ca.ibm.com>

Tristan Colgate <tcolgate@gmail.com>

Tristan Ooohry <ooohry@gmail.com>

Tristan Rice <rice@fn.lc>

Troels Thomsen <troels@thomsen.io>

Trung Nguyen <trung.n.k@gmail.com>

Tudor Golubenco <tudor.g@gmail.com>

Tugdual Saunier <tugdual.saunier@gmail.com>

Tuo Shan <sturbo89@gmail.com> <shantuo@google.com>

Tyler Bui-Palsulich <tpalsulich@google.com>

Tyler Bunnell <tylerbunnell@gmail.com>

Tyler Treat <ttreat31@gmail.com>

Tzu-Jung Lee <roylee17@currant.com>

Udalov Max <re.udalov@gmail.com>

Ugorji Nwoke <ugorji@gmail.com>

Ulf Holm Nielsen <doktor@dyregod.dk>

Ulrich Kunitz <uli.kunitz@gmail.com>

Umang Parmar <umangjparmar@gmail.com>

Uriel Mangado <uriel@berlinblue.org>

Urvil Patel <patelurvil38@gmail.com>

Uttam C Pawar <uttam.c.pawar@intel.com>

Vadim Grek <vadimprog@gmail.com>

Vadim Vygonets <unixdj@gmail.com>

Val Polouchkine <vpolouch@justin.tv>

Valentin Vidic <vvidic@valentin-vidic.from.hr>

Vega Garcia Luis Alfonso <vegacom@gmail.com>

Venil Noronha <veniln@vmware.com>

Veselkov Konstantin <kostozyb@gmail.com>

Viacheslav Poturaev <vearutop@gmail.com>

Victor Chudnovsky <vchudnov@google.com>

Victor Vrantchan <vrancean+github@gmail.com>

Vignesh Ramachandra <vickyramachandra@gmail.com>

Vikas Kedia <vikask@google.com>

Ville Skytt <ville.skytta@iki.fi>

Vincent Ambo <tazjin@googlemail.com>

Vincent Batts <vbatts@hashbangbash.com> <vbatts@gmail.com>

Vincent Vanackere <vincent.vanackere@gmail.com>

Vinu Rajashekhar <vinutheraj@gmail.com>

Vish Subramanian <vish@google.com>

Vishvananda Ishaya <vishvananda@gmail.com>

Visweswara R <r.visweswara@gmail.com>

Vitaly Zdanevich <zdanevich.vitaly@ya.ru>

Vitor De Mario <vitordemario@gmail.com>

Vivek Sekhar <vsekhar@google.com>

Vlad Krasnov <vlad@cloudflare.com>

Vladimir Evgrafov <evgrafov.vladimir@gmail.com>

Vladimir Kovpak <cn007b@gmail.com>

Vladimir Kuzmin <vkuzmin@uber.com>

Vladimir Mihailenco <vladimir.webdev@gmail.com>

Vladimir Nikishenko <vova616@gmail.com>

Vladimir Stefanovic <vladimir.stefanovic@imgtec.com>

Vladimir Varankin <nek.narqo@gmail.com>

Vojtech Bocek <vbocek@gmail.com>

Volker Dobler <dr.volker.dobler@gmail.com>

Volodymyr Paprotski <vpaprots@ca.ibm.com>

W. Trevor King <wking@tremily.us>

Wade Simmons <wade@wades.im>

Wagner Riffel <wgrriffel@gmail.com>

Walter Poupore <wpoupore@google.com>

Wander Lairson Costa <wcosta@mozilla.com>

Wang Xuerui <git@xen0n.name>

Warren Fernandes <warren.f.fernandes@gmail.com>

Wayne Ashley Berry <wayneashleyberry@gmail.com>

Wedson Almeida Filho <wedsonaf@google.com>

Weerasak Chongnguluam <singpor@gmail.com>

Wi Cngru <crvv.mail@gmail.com>

Wei Fu <fhfuwei@163.com>

Wei Guangjing <vcc.163@gmail.com>

Wei Xiao <wei.xiao@arm.com>

Wei Xikai <xykwei@gmail.com>

Weichao Tang <tevic.tt@gmail.com>

Wembley G. Leach, Jr <wembley.gl@gmail.com>

Wenlei (Frank) He <wlhe@google.com>

Wenzel Lowe <lowewenzel@gmail.com>

Wil Selwood <wselwood@gmail.com>

Wilfried Teiken <wteiken@google.com>

Will Beason <willbeason@gmail.com>

Will Chan <willchan@google.com>

Will Faught <will.faught@gmail.com>

Will Morrow <wmorrow.qdt@qualcommdatacenter.com>

Will Norris <willnorris@google.com>

Will Storey <will@summercat.com>

Willem van der Schyff <willemvds@gmail.com>

William Chan <willchan@chromium.org>

William Chang <mr.williamchang@gmail.com>

William Josephson <wjosephson@gmail.com>

William Orr <will@worrbase.com> <ay1244@gmail.com>

William Poussier <william.poussier@gmail.com>

Wisdom Omuya <deafgoat@gmail.com>

Wu Yunzhou <yunzhouwu@gmail.com>

Xi Ruoyao <xry23333@gmail.com>

Xia Bin <snyh@snyh.org>

Xiangdong Ji <xiangdong.ji@arm.com>

Xing Xing <mikespook@gmail.com>

Xingqang Bai <bxq2011hust@qq.com>

Xu Fei <badgangkiller@gmail.com>

Xudong Zhang <felixmelon@gmail.com>

Xudong Zheng <7pkvm5aw@slicealias.com>

Xuyang Kang <xuyangkang@gmail.com>

Yamagishi Kazutoshi <ykzts@desire.sh>

Yan Zou <yzou@google.com>

Yang Tian <linuxty@gmail.com>

Yann Hodique <yhodique@google.com>

Yann Kerherv <yann.kerherve@gmail.com>

Yann Salan <yannsalaun1@gmail.com>

Yao Zhang <lunaria21@gmail.com>

Yaron de Leeuw <jarondl@google.com>

Yasha Bubnov <girokompass@gmail.com>

Yasser Abdolmaleki <yasser@yasser.ca>

Yasuharu Goto <matope.ono@gmail.com>

Yasuhiro Matsumoto <mattn.jp@gmail.com>

Yasuyuki Oka <yasuyk@gmail.com>

Yazen Shunnar <yazen.shunnar@gmail.com>

Yestin Sun <ylh@pdx.edu>

Yesudeep Mangalapilly <yesudeep@google.com>

Yissakhar Z. Beck <yissakhar.beck@gmail.com>

Yo-An Lin <yoanlin93@gmail.com>

Yohei Takeda <yo.tak0812@gmail.com>

Yongjian Xu <i3dmaster@gmail.com>

Yorman Arias <cixtords@gmail.com>

Yoshiyuki Kanno <nekotaroh@gmail.com> <yoshiyuki.kanno@stoic.co.jp>

Yoshiyuki Mineo <yoshiyuki.mineo@gmail.com>

Yosuke Akatsuka <yosuke.akatsuka@gmail.com>

Yu Heng Zhang <annita.zhang@cn.ibm.com>

Yu Xuan Zhang <zyxsh@cn.ibm.com>

Yuichi Nishiwaki <yuichi.nishiwaki@gmail.com>

Yuji Yaginuma <yuuji.yaginuma@gmail.com>

Yuki OKUSHI <huyuumi.dev@gmail.com>

Yuki Yugui Sonoda <yugui@google.com>

Yukihiro Nishinaka <6elpinal@gmail.com>

Yury Smolsky <yury@smolsky.by>

Yusuke Kagiwada <block.rxckin.beats@gmail.com>

Yuusei Kuwana <kuwana@kumama.org>

Yuval Pavel Zholkover <paulzhol@gmail.com>

Yves Junqueira <yvesj@google.com> <yves.junqueira@gmail.com>

Zac Bergquist <zbergquist99@gmail.com>

Zach Bintliff <zbintliff@gmail.com>

Zach Gershman <zachgersh@gmail.com>

Zach Jones <zachj1@gmail.com>

Zachary Amsden <zach@thundertoken.com>

Zachary Gershman <zgershman@pivotal.io>

Zak <zrjknill@gmail.com>

Zakatell Kanda <hi@zkanda.io>

Zellyn Hunter <zellyn@squareup.com> <zellyn@gmail.com>

Zev Goldstein <zev.goldstein@gmail.com>

Zheng Dayu <davidzheng23@gmail.com>

Zheng Xu <zheng.xu@arm.com>

Zhengyu He <hzy@google.com>

Zhongpeng Lin <zplin@uber.com>

Zhongtao Chen <chenzhongtao@126.com>

Zhongwei Yao <zhongwei.yao@arm.com>

Zhou Peng <p@ctriple.cn>

Ziad Hatahet <hatahet@gmail.com>

Ziheng Liu <lzhfromustc@gmail.com>

Zorion Arrizabalaga <zorionk@gmail.com>

 <a.maksadbek@gmail.com>

 <max.faceless.frei@gmail.com>

 <hagen1778@gmail.com>

 <tbunyk@gmail.com>

 <faxriddinjon@gmail.com>

<zs349596@gmail.com>

<bronze1man@gmail.com>

People who have agreed to one of the CLAs and can contribute patches.

The AUTHORS file lists the copyright holders; this file

lists people. For example, Google employees are listed here

but not in AUTHORS, because Google holds the copyright.

#

https://developers.google.com/open-source/cla/individual

https://developers.google.com/open-source/cla/corporate

#

Names should be added to this file as:

Name <email address>

Raul Silvera <rsilvera@google.com>

Tipp Moseley <tipp@google.com>

Hyoun Kyu Cho <netforce@google.com>

Martin Spier <spiermar@gmail.com>

Taco de Wolff <tacodewolff@gmail.com>

Andrew Hunter <andrewhhunter@gmail.com>

This source code was written by the Go contributors.

The master list of contributors is in the main Go distribution,

visible at https://tip.golang.org/CONTRIBUTORS.

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are

met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
  * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright (c) 2019 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
  * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

HOLDERS OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED
AND ON
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
IF
ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The views and conclusions contained in the software and documentation are those of the
authors and should not be interpreted as representing official policies, either expressed
or implied, of Andrea Leofreddi.

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.424 fzambia-eagle 0.0.1
1.424.1 Available under license :

MIT License

Copyright (c) 2018 Alexander Emelin

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.425 fsnotify 1.5.1

1.425.1 Available under license :

1.426 cdebconf 0.251ubuntu1

1.426.1 Available under license :

CDebConf was initially written by Randolph Chung <tausq@debian.org>

Other contributors include:
 Anthony Towns <ajt@debian.org>
 David Whedon <dwhedon@gordian.com>
 Dan Jacobowitz <dan@debian.org>
 Tollef Fog Heen <tfheen@debian.org>
 Attilio Fiandrotti <fiandro@tiscali.it>

Colin Watson <cjwatson@debian.org>
Regis Boudin <regis@debian.org>

CDebConf includes ideas and code from:
 debconf - The original, de facto, perl implementation
 (c) Joey Hess <joeyh@debian.org>
 apt - The Debian Advanced Package Tool
 (c) Jason Gunthorpe <jgg@debian.org>
 (derived portions are public domain)

CDebConf is copyrighted (c) 2000-2009 by Randolph Chung <tausq@debian.org>,
the d-i team (see above), and Canonical Ltd. under the following license:

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHORS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

1.427 gorilla 1.4.2

1.427.1 Available under license :

Copyright (c) 2013 The Gorilla WebSocket Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

 Redistributions of source code must retain the above copyright notice, this
 list of conditions and the following disclaimer.

 Redistributions in binary form must reproduce the above copyright notice,
 this list of conditions and the following disclaimer in the documentation

and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.428 golang-protobuf-extensions 1.0.1

1.428.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

1.429 selinux 3.0-1build2

1.429.1 Available under license :

This library (libselinux) is public domain software, i.e. not copyrighted.

Warranty Exclusion

You agree that this software is a
non-commercially developed program that may contain "bugs" (as that
term is used in the industry) and that it may not function as intended.
The software is licensed "as is". NSA makes no, and hereby expressly
disclaims all, warranties, express, implied, statutory, or otherwise
with respect to the software, including noninfringement and the implied
warranties of merchantability and fitness for a particular purpose.

Limitation of Liability

In no event will NSA be liable for any damages, including loss of data,
lost profits, cost of cover, or other special, incidental,

consequential, direct or indirect damages arising from the software or
the use thereof, however caused and on any theory of liability. This
limitation will apply even if NSA has been advised of the possibility
of such damage. You acknowledge that this is a reasonable allocation of
risk.

1.430 gojsonschema 1.2.0
1.430.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"

replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright 2015 xeipuuv

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.431 x-oauth2 0.0.0-20200902213428-5d25da1a8d43

1.431.1 Available under license :

This source code was written by the Go contributors.
The master list of contributors is in the main Go distribution,
visible at http://tip.golang.org/CONTRIBUTORS.
Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

   * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
   * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.432 cloud-google-com-go 0.70.0

1.432.1 Available under license :

```
// Copyright 2016 Google LLC
//
// Licensed under the Apache License, Version 2.0 (the "License");
// you may not use this file except in compliance with the License.
// You may obtain a copy of the License at
//
//     http://www.apache.org/licenses/LICENSE-2.0
//
// Unless required by applicable law or agreed to in writing, software
// distributed under the License is distributed on an "AS IS" BASIS,
// WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
// See the License for the specific language governing permissions and
// limitations under the License.

package cloud

import (
 "bytes"
 "io/ioutil"
 "os"
 "path/filepath"
 "strings"
 "testing"
)

var sentinels = []string{
 "Copyright",
 "Google",
 `Licensed under the Apache License, Version 2.0 (the "License");`,
}

func TestLicense(t *testing.T) {
 t.Parallel()
 err := filepath.Walk(".", func(path string, fi os.FileInfo, err error) error {
```

```
if err != nil {
 return err
 }

 if ext := filepath.Ext(path); ext != ".go" && ext != ".proto" {
 return nil
 }
 if strings.HasSuffix(path, ".pb.go") {
 // .pb.go files are generated from the proto files.
 // .proto files must have license headers.
 return nil
 }
 if path == "bigtable/cmd/cbt/cbtdoc.go" {
 // Automatically generated.
 return nil
 }
 if path == "cmd/go-cloud-debug-agent/internal/debug/elf/elf.go" {
 // BSD license, which is compatible, is embedded in the file.
 return nil
 }
 src, err := ioutil.ReadFile(path)
 if err != nil {
 return nil
 }
 src = src[:300] // Ensure all of the sentinel values are at the top of the file.

 // Find license
 for _, sentinel := range sentinels {
 if !bytes.Contains(src, []byte(sentinel)) {
 t.Errorf("%v: license header not present. want %q", path, sentinel)
 return nil
 }
 }

 return nil
 })
 if err != nil {
 t.Fatal(err)
 }
}
```

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and
       attribution notices from the Source form of the Work,
       excluding those notices that do not pertain to any part of

the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and
limitations under the License.

1.433 paramiko 2.11.0

1.433.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Suite 500, Boston, MA 02110-1335 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave

you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to

encourage the widest possible use of a certain library, so that it becomes
a de-facto standard. To achieve this, non-free programs must be
allowed to use the library. A more frequent case is that a free
library does the same job as widely used non-free libraries. In this
case, there is little to gain by limiting the free library to free
software only, so we use the Lesser General Public License.

 In other cases, permission to use a particular library in non-free
programs enables a greater number of people to use a large body of
free software. For example, permission to use the GNU C Library in
non-free programs enables many more people to use the whole GNU
operating system, as well as its variant, the GNU/Linux operating
system.

 Although the Lesser General Public License is Less protective of the
users' freedom, it does ensure that the user of a program that is
linked with the Library has the freedom and the wherewithal to run
that program using a modified version of the Library.

 The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, whereas the latter must
be combined with the library in order to run.

  GNU LESSER GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License Agreement applies to any software library or other
program which contains a notice placed by the copyright holder or
other authorized party saying it may be distributed under the terms of
this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

 A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

 The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated
straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

 "Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means

all the source code for all modules it contains, plus any associated
interface definition files, plus the scripts used to control compilation
and installation of the library.

 Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running a program using the Library is not restricted, and output from
such a program is covered only if its contents constitute a work based
on the Library (independent of the use of the Library in a tool for
writing it). Whether that is true depends on what the Library does
and what the program that uses the Library does.

 1. You may copy and distribute verbatim copies of the Library's
complete source code as you receive it, in any medium, provided that
you conspicuously and appropriately publish on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact
all the notices that refer to this License and to the absence of any
warranty; and distribute a copy of this License along with the
Library.

 You may charge a fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a
fee.

 2. You may modify your copy or copies of the Library or any portion
of it, thus forming a work based on the Library, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) The modified work must itself be a software library.

  b) You must cause the files modified to carry prominent notices
  stating that you changed the files and the date of any change.

  c) You must cause the whole of the work to be licensed at no
  charge to all third parties under the terms of this License.

  d) If a facility in the modified Library refers to a function or a
  table of data to be supplied by an application program that uses
  the facility, other than as an argument passed when the facility
  is invoked, then you must make a good faith effort to ensure that,
  in the event an application does not supply such function or
  table, the facility still operates, and performs whatever part of
  its purpose remains meaningful.

  (For example, a function in a library to compute square roots has
  a purpose that is entirely well-defined independent of the
  application. Therefore, Subsection 2d requires that any

application-supplied function or table used by this function must
be optional: if the application does not supply it, the square
root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Library,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

 Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

 4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

 5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

 However, linking a "work that uses the Library" with the Library
creates an executable that is a derivative of the Library (because it
contains portions of the Library), rather than a "work that uses the
library". The executable is therefore covered by this License.
Section 6 states terms for distribution of such executables.

 When a "work that uses the Library" uses material from a header file
that is part of the Library, the object code for the work may be a
derivative work of the Library even though the source code is not.
Whether this is true is especially significant if the work can be
linked without the Library, or if the work is itself a library. The
threshold for this to be true is not precisely defined by law.

 If such an object file uses only numerical parameters, data
structure layouts and accessors, and small macros and small inline
functions (ten lines or less in length), then the use of the object
file is unrestricted, regardless of whether it is legally a derivative
work. (Executables containing this object code plus portions of the
Library will still fall under Section 6.)

 Otherwise, if the work is a derivative of the Library, you may
distribute the object code for the work under the terms of Section 6.
Any executables containing that work also fall under Section 6,
whether or not they are linked directly with the Library itself.

 6. As an exception to the Sections above, you may also combine or
link a "work that uses the Library" with the Library to produce a
work containing portions of the Library, and distribute that work
under terms of your choice, provided that the terms permit
modification of the work for the customer's own use and reverse
engineering for debugging such modifications.

 You must give prominent notice with each copy of the work that the
Library is used in it and that the Library and its use are covered by
this License. You must supply a copy of this License. If the work
during execution displays copyright notices, you must include the

copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

  a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

  b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

  c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

  d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

  e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

 For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

 It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot

use both them and the Library together in an executable that you
distribute.

  7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

    a) Accompany the combined library with a copy of the same work
    based on the Library, uncombined with any other library
    facilities. This must be distributed under the terms of the
    Sections above.

    b) Give prominent notice with the combined library of the fact
    that part of it is a work based on the Library, and explaining
    where to find the accompanying uncombined form of the same work.

  8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

  9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

  10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties with
this License.

  11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not

excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply,
and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

  12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

  13. The Free Software Foundation may publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE
LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE
LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING
RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A
FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF
SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest
possible use to the public, we recommend making it free software that
everyone can redistribute and change. You can do so by permitting
redistribution under these terms (or, alternatively, under the terms of the
ordinary General Public License).

To apply these terms, attach the following notices to the library. It is
safest to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

Copyright (C) \<year\> \<name of author\>

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Suite 500, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

\<signature of Ty Coon\>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

1.434 grpcio 1.47.0
1.434.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,

incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

BSD 3-Clause License

Copyright 2016, Google Inc.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

3. Neither the name of the copyright holder nor the names of its
contributors may be used to endorse or promote products derived from this
software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.

Mozilla Public License, v. 2.0

This Source Code Form is subject to the terms of the Mozilla Public License,
v. 2.0. If a copy of the MPL was not distributed with this file, You can
obtain one at https://mozilla.org/MPL/2.0/.

1.435 gopkg-in/ldap 3.0.2

1.435.1 Available under license :

gopkg.in - versioned URLs for Go packages

Copyright (c) 2014 - Gustavo Niemeyer <gustavo@niemeyer.net>

All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this
   list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice,
   this list of conditions and the following disclaimer in the documentation
   and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.436 coreos-semver 0.3.0

1.436.1 Available under license :

CoreOS Project
Copyright 2018 CoreOS, Inc

This product includes software developed at CoreOS, Inc.
(http://www.coreos.com/).

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

   "License" shall mean the terms and conditions for use, reproduction,
   and distribution as defined by Sections 1 through 9 of this document.

   "Licensor" shall mean the copyright owner or entity authorized by
   the copyright owner that is granting the License.

   "Legal Entity" shall mean the union of the acting entity and all
   other entities that control, are controlled by, or are under common
   control with that entity. For the purposes of this definition,
   "control" means (i) the power, direct or indirect, to cause the
   direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.437 libcap 2.32-1

1.437.1 Available under license :

Unless otherwise *explicitly* stated the following text describes the
licensed conditions under which the contents of this module release
may be distributed:

Redistribution and use in source and binary forms of this module, with
or without modification, are permitted provided that the following
conditions are met:

1. Redistributions of source code must retain any existing copyright
   notice, and this entire permission notice in its entirety,
   including the disclaimer of warranties.

2. Redistributions in binary form must reproduce all prior and current
   copyright notices, this list of conditions, and the following
   disclaimer in the documentation and/or other materials provided
   with the distribution.

3. The name of any author may not be used to endorse or promote
   products derived from this software without their specific prior
   written permission.

ALTERNATIVELY, this product may be distributed under the terms of the
GNU Library General Public License, in which case the provisions of
the GNU LGPL are required INSTEAD OF the above restrictions. (This
clause is necessary due to a potential conflict between the GNU LGPL
and the restrictions contained in a BSD-style copyright.)

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR(S) BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS
OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR
TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE
USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.

Unless otherwise *explicitly* stated, the following text describes the
licensed conditions under which the contents of this libcap release
may be used and distributed:

Redistribution and use in source and binary forms of libcap, with
or without modification, are permitted provided that the following
conditions are met:

1. Redistributions of source code must retain any existing copyright
   notice, and this entire permission notice in its entirety,
   including the disclaimer of warranties.

2. Redistributions in binary form must reproduce all prior and current
   copyright notices, this list of conditions, and the following
   disclaimer in the documentation and/or other materials provided
   with the distribution.

3. The name of any author may not be used to endorse or promote
   products derived from this software without their specific prior
   written permission.

ALTERNATIVELY, this product may be distributed under the terms of the
GNU General Public License (v2.0 - see below), in which case the
provisions of the GNU GPL are required INSTEAD OF the above
restrictions. (This clause is necessary due to a potential conflict
between the GNU GPL and the restrictions contained in a BSD-style
copyright.)

THIS SOFTWARE IS PROVIDED ``AS IS'' AND ANY EXPRESS OR IMPLIED
WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE AUTHOR(S) BE LIABLE FOR ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS
OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR
TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE
USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
DAMAGE.

Full text of gpl-2.0.txt:

                    GNU GENERAL PUBLIC LICENSE
                       Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

                            Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software

Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

 We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

 Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

 Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

 The precise terms and conditions for copying, distribution and
modification follow.

           GNU GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed

under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

  1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

  2. You may modify your copy or copies of the Program or any portion
of it, thus forming a work based on the Program, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices
  stating that you changed the files and the date of any change.

  b) You must cause any work that you distribute or publish, that in
  whole or in part contains or is derived from the Program or any
  part thereof, to be licensed as a whole at no charge to all third
  parties under the terms of this License.

  c) If the modified program normally reads commands interactively
  when run, you must cause it, when started running for such
  interactive use in the most ordinary way, to print or display an
  announcement including an appropriate copyright notice and a
  notice that there is no warranty (or else, saying that you provide
  a warranty) and that users may redistribute the program under
  these conditions, and telling the user how to view a copy of this
  License. (Exception: if the Program itself is interactive but
  does not normally print such an announcement, your work based on

the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

  a) Accompany it with the complete corresponding machine-readable
  source code, which must be distributed under the terms of Sections
  1 and 2 above on a medium customarily used for software interchange; or,

  b) Accompany it with a written offer, valid for at least three
  years, to give any third party, for a charge no more than your
  cost of physically performing source distribution, a complete
  machine-readable copy of the corresponding source code, to be
  distributed under the terms of Sections 1 and 2 above on a medium
  customarily used for software interchange; or,

  c) Accompany it with the information you received as to the offer
  to distribute corresponding source code. (This alternative is
  allowed only for noncommercial distribution and only if you
  received the program in object code or executable form with such
  an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a

special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

  4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

  5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

  6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

  7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to

refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under
any particular circumstance, the balance of the section is intended to
apply and the section as a whole is intended to apply in other
circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system, which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

 8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

 10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and

of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the

GNU General Public License for more details.

You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.

1.438 golang 1.18.6

1.438.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of

the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and
limitations under the License.
Copyright 2010-2021 Mike Bostock

Permission to use, copy, modify, and/or distribute this software for any purpose
with or without fee is hereby granted, provided that the above copyright notice
and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH
REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT,
INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM
LOSS
OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF
THIS SOFTWARE.
This source code was written by the Go contributors.
The master list of contributors is in the main Go distribution,
visible at http://tip.golang.org/CONTRIBUTORS.
This is the official list of people who can contribute
(and typically have contributed) code to the Go repository.
The AUTHORS file lists the copyright holders; this file
lists people. For example, Google employees are listed here
but not in AUTHORS, because Google holds the copyright.
#
Names should be added to this file only after verifying that
the individual or the individual's organization has agreed to
the appropriate Contributor License Agreement, found here:
#
http://code.google.com/legal/individual-cla-v1.0.html
http://code.google.com/legal/corporate-cla-v1.0.html
#
The agreement for individuals can be filled out on the web.

Names should be added to this file like so:
Individual's name <submission email address>
Individual's name <submission email address> <email2> <emailN>
#
An entry with multiple email addresses specifies that the
first address should be used in the submit logs and
that the other addresses should be recognized as the
same person when interacting with Gerrit.

Please keep the list sorted.

Aamir Khan <syst3m.w0rm@gmail.com>
Aaron Beitch <aaronb@arista.com>
Aaron Bieber <deftly@gmail.com>

Aaron Cannon <cannona@fireantproductions.com>
Aaron France <aaron.l.france@gmail.com>
Aaron Jacobs <jacobsa@google.com>
Aaron Jensen <jensen.aaro@gmail.com>
Aaron Kemp <kemp.aaron@gmail.com>
Aaron Patterson <tenderlove@ruby-lang.org>
Aaron Sheah <aaronsheah@gmail.com>
Aaron Stein <aaronstein12@gmail.com>
Aaron Torres <tcboox@gmail.com>
Aaron Zinman <aaron@azinman.com>
Aarti Parikh <aarti.parikh@gmail.com>
Abdullah Al Maruf <mymail.maruf@gmail.com>
Abe Haskins <abeisgreat@abeisgreat.com>
Abhinav Gupta <abhinav.g90@gmail.com>
Adam Azarchs <adam.azarchs@10xgenomics.com>
Adam Bender <abender@google.com>
Adam Eijdenberg <adam@continusec.com>
Adam Harvey <aharvey@php.net>
Adam Kisala <adam.kisala@gmail.com>
Adam Langley <agl@golang.org>
Adam Medzinski <adam.medzinski@gmail.com>
Adam Mitha <adam.mitha@gmail.com>
Adam Shannon <adamkshannon@gmail.com>
Adam Shelton <aashelt90@gmail.com>
Adam Sindelar <adamsh@google.com>
Adam Thomason <athomason@gmail.com>
Adam Williams <pwnfactory@gmail.com>
Adam Woodbeck <adam@woodbeck.net>
Adarsh Ravichandran <adarshravichandran91@gmail.com>
Adel Rodrguez <adel.rodriguez@leftfieldlabs.com>
Adin Scannell <ascannell@google.com>
Aditya Harindar <aditya.harindar@gmail.com>
Aditya Mukerjee <dev@chimeracoder.net>
Adrian Hesketh <adrianhesketh@hushmail.com>
Adrian Nos <nos.adrian@gmail.com>
Adrian O'Grady <elpollouk@gmail.com>
Adrien Bustany <adrien-xx-google@bustany.org>
Adrien Delorme <adrien.delorme@icloud.com>
Adrien Petel <peteladrien@gmail.com>
Acio Jnior <aeciodantasjunior@gmail.com>
Aeneas Rekkas (arekkas) <aeneas@ory.am>
Afanasev Stanislav <phpprogger@gmail.com>
Agis Anastasopoulos <agis.anast@gmail.com>
Agniva De Sarker <agnivade@yahoo.co.in>
Ahmed W. Mones <oneofone@gmail.com>
Ahmet Aktrk <aakturk000@gmail.com>
Ahmet Alp Balkan <ahmetb@google.com>
Ahmet Soormally <ahmet@mangomm.co.uk>

Ahmy Yulrizka <yulrizka@gmail.com>

Ahsun Ahmed <ahmed.ahsun@gmail.com>

Aidan Coyle <packrat386@gmail.com>

Aiden Scandella <ai@uber.com>

Ainar Garipov <gugl.zadolbal@gmail.com>

Aishraj Dahal <aishraj@users.noreply.github.com>

Ajanthan Balachandran <balaajanthan@gmail.com>

Akhil Indurti <aindurti@gmail.com>

Akihiro Suda <suda.kyoto@gmail.com>

Akshat Kumar <seed@mail.nanosouffle.net>

Al Cutter <al@google.com>

Alan Braithwaite <alan@ipaddr.org>

Alan Donovan <adonovan@google.com>

Alan Shreve <alan@inconshreveable.com>

Albert Nigmatzianov <albertnigma@gmail.com>

Albert Strasheim <fullung@gmail.com>

Albert Teoh <albert.teoh@gmail.com>

Albert Yu <yukinying@gmail.com>

Alberto Bertogli <albertito@blitiri.com.ar>

Alberto Donizetti <alb.donizetti@gmail.com>

Alberto Garca Hierro <alberto@garciahierro.com> <alberto.garcia.hierro@gmail.com>

Alec Benzer <alec.benzer@gmail.com>

Alejandro Garca Montoro <alejandro.garciamontoro@gmail.com>

Aleksa Sarai <cyphar@cyphar.com>

Aleksandar Dezelin <dezelin@gmail.com>

Aleksandr Lukinykh <a.lukinykh@xsolla.com>

Aleksandr Razumov <ar@cydev.ru>

Alekseev Artem <a.artem060@gmail.com>

Aleksei Tirman <aleksei.tirman@jetbrains.com>

Alessandro Arzilli <alessandro.arzilli@gmail.com>

Alessandro Baffa <alessandro.baffa@gmail.com>

Alex A Skinner <alex@lx.lc>

Alex Brainman <alex.brainman@gmail.com>

Alex Bramley <abramley@google.com>

Alex Browne <stephenalexbrowne@gmail.com>

Alex Buchanan <buchanae@gmail.com>

Alex Carol <alex.carol.c@gmail.com>

Alex Gaynor <alex@alloy.us>

Alex Harford <alex.harford@saucelabs.com>

Alex Hays <alex.hays@leftfieldlabs.com>

Alex Jin <toalexjin@gmail.com>

Alex Kohler <alexjohnkohler@gmail.com>

Alex Myasoedov <msoedov@gmail.com>

Alex Opie <amtopie@gmail.com>

Alex Plugaru <alex@plugaru.org> <alexandru.plugaru@gmail.com>

Alex Schade <39062967+aschade92@users.noreply.github.com>

Alex Schroeder <alex@gnu.org>

Alex Sergeyev <abc@alexsergeyev.com>

Alex Tokarev <aleksator@gmail.com>

Alex Vaghin <crhyme@google.com>

Alex Zhirov <azhirov@google.com>

Alexander Demakin <alexander.demakin@gmail.com>

Alexander Dring <email@alexd.ch>

Alexander F Rdseth <alexander.rodseth@appeartv.com>

Alexander Greim <alexxx@iltempo.de>

Alexander Guz <kalimatas@gmail.com>

Alexander Kauer <alexander@affine.space>

Alexander Klauer <Alexander.Klauer@googlemail.com>

Alexander Kucherenko <alxkchr@gmail.com>

Alexander Larsson <alexander.larsson@gmail.com>

Alexander Lourier <aml@rulezz.ru>

Alexander Melentyev <alexander@melentyev.org>

Alexander Menzhinsky <amenzhinsky@gmail.com>

Alexander Morozov <lk4d4math@gmail.com>

Alexander Neumann <alexander@bumpern.de>

Alexander Nohe <alex.nohe427@gmail.com>

Alexander Orlov <alexander.orlov@loxal.net>

Alexander Pantyukhin <apantykhin@gmail.com>

Alexander Polcyn <apolcyn@google.com>

Alexander Rakoczy <alex@golang.org>

Alexander Reece <awreece@gmail.com>

Alexander Surma <surma@surmair.de>

Alexander Yastrebov <yastrebov.alex@gmail.com>

Alexander Zhavnerchik <alex.vizor@gmail.com>

Alexander Zillion <alex@alexzillion.com>

Alexander Zolotov <goldifit@gmail.com>

Alexandr Mayorskiy <a.mayorskiy@corp.mail.ru>

Alexandre Cesaro <alexandre.cesaro@gmail.com>

Alexandre Fiori <fiorix@gmail.com>

Alexandre Maari <draeron@gmail.com>

Alexandre Normand <alexandre.normand@gmail.com>

Alexandre Parentea <aubonbeurre@gmail.com>

Alexandre Viau <alexandre@alexandreviau.net>

Alexandru Mooi <brtzsnr@gmail.com>

Alexei Sholik <alcosholik@gmail.com>

Alexey Alexandrov <aalexand@google.com>

Alexey Borzenkov <snaury@gmail.com>

Alexey Naidonov <alexey.naidyonov@gmail.com>

Alexey Neganov <neganovalexey@gmail.com>

Alexey Palazhchenko <alexey.palazhchenko@gmail.com>

Alexey Semenyuk <alexsemenyuk88@gmail.com>

Alexey Vilenskiy <bynovhack@gmail.com>

Alexis Hildebrandt <surryhill@gmail.com>

Alexis Hunt <lexer@google.com>

Alexis Imperial-Legrand <ail@google.com>

Ali Farooq <ali.farooq0@pm.me>

Ali Rizvi-Santiago <arizvisa@gmail.com>

Aliaksandr Valialkin <valyala@gmail.com>

Alice Merrick <amerrick@google.com>

Alif Rachmawadi <subosito@gmail.com>

Allan Guwatudde <guwats10@gmail.com>

Allan Simon <allan.simon@supinfo.com>

Allen Li <ayatane@google.com>

Alok Menghrajani <alok.menghrajani@gmail.com>

Alwin Doss <alwindoss84@gmail.com>

Aman Gupta <aman@tmm1.net>

Amarjeet Anand <amarjeetanandsingh@gmail.com>

Amelia Downs <adowns@vmware.com>

Amir Mohammad Saied <amir@gluegadget.com>

Amit Kumar <mittalmailbox@gmail.com>

Amr Mohammed <merodiro@gmail.com>

Amrut Joshi <amrut.joshi@gmail.com>

An Long <aisk1988@gmail.com>

An Xiao <hac@zju.edu.cn>

Anand K. Mistry <anand@mistry.ninja>

Ananya Saxena <ananyasaxena1@gmail.com>

Anatol Pomozov <anatol.pomozov@gmail.com>

Anders Pearson <anders@columbia.edu>

Anderson Queiroz <contato@andersonq.eti.br>

Andr Carvalho <asantostc@gmail.com>

Andre Marianiello <andremarianiello@users.noreply.github.com>

Andr Martins <aanm90@gmail.com>

Andre Nathan <andrenth@gmail.com>

Andrea Nodari <andrea.nodari91@gmail.com>

Andrea Simonini <andrea.simonini@gmail.com>

Andrea Spadaccini <spadaccio@google.com>

Andreas Auernhammer <aead@mail.de>

Andreas Jellinghaus <andreas@ionisiert.de> <anj@google.com>

Andreas Litt <andreas.litt@gmail.com>

Andrei Enshin <b1os@bk.ru>

Andrei Gherzan <andrei@resin.io>

Andrei Korzhevskii <a.korzhevskiy@gmail.com>

Andrei Matei <andrei@cockroachlabs.com>

Andrei Tudor Clin <mail@acln.ro>

Andrei Vagin <avagin@google.com>

Andrei Vieru <euvieru@gmail.com>

Andres Erbsen <andreser@google.com>

Andres Lowrie <andres.lowrie@gmail.com>

Andrew Austin <andrewaclt@gmail.com>

Andrew Balholm <andybalholm@gmail.com>

Andrew Benton <andrewmbenton@gmail.com>

Andrew Bonventre <andybons@chromium.org>

Andrew Braunstein <awbraunstein@gmail.com>

Andrew Bursavich <abursavich@gmail.com>

Andrew Ekstedt <andrew.ekstedt@gmail.com>
Andrew Etter <andrew.etter@gmail.com>
Andrew G. Morgan <agm@google.com>
Andrew Gerrand <adg@golang.org>
Andrew Harding <andrew@spacemonkey.com>
Andrew Jackura <ajackura@google.com>
Andrew Kemm <andrewkemm@gmail.com>
Andrew LeFevre <capnspacehook@gmail.com>
Andrew Louis <alouis@digitalocean.com>
Andrew Lutomirski <andy@luto.us>
Andrew Medvedev <andrew.y.medvedev@gmail.com>
Andrew Pilloud <andrewpilloud@igneoussystems.com>
Andrew Pogrebnoy <absourd.noise@gmail.com>
Andrew Poydence <apoydence@pivotal.io>
Andrew Pritchard <awpritchard@gmail.com>
Andrew Radev <andrey.radev@gmail.com>
Andrew Skiba <skibaa@gmail.com>
Andrew Stormont <astormont@racktopsystems.com>
Andrew Stribblehill <ads@wompom.org>
Andrew Szeto <andrew@jabagawee.com>
Andrew Todd <andrew.todd@wework.com>
Andrew Wansink <wansink@uber.com>
Andrew Werner <andrew@upthere.com> <awerner32@gmail.com>
Andrew Wilkins <axwalk@gmail.com>
Andrew Williams <williams.andrew@gmail.com>
Andrew Z Allen <me@andrewzallen.com>
Andrey Bokhanko <andreybokhanko@gmail.com>
Andrey Mirtchovski <mirtchovski@gmail.com>
Andrey Petrov <andrey.petrov@shazow.net>
Andrii Soldatenko <andrii.soldatenko@gmail.com>
Andrii Soluk <isoluchok@gmail.com>
Andriy Lytvynov <lytvynov.a.v@gmail.com>
Andrzej eel <andrii.zhezhel@gmail.com>
Andy Balholm <andy@balholm.com>
Andy Davis <andy@bigandian.com>
Andy Finkenstadt <afinkenstadt@zynga.com>
Andy Lindeman <andy@lindeman.io>
Andy Maloney <asmaloney@gmail.com>
Andy Pan <panjf2000@gmail.com> <panjf2000@golangcn.org> <i@andypan.me>
Andy Walker <walkeraj@gmail.com>
Andy Wang <cbeuw.andy@gmail.com>
Andy Williams <andy@andy.xyz>
Andy Zhao <andyzhao@google.com>
Andzej Maciusovic <andzej.maciusovic@gmail.com>
Anfernee Yongkun Gui <anfernee.gui@gmail.com>
Angelo Bulfone <mbulfone@gmail.com>
Anh Hai Trinh <anh.hai.trinh@gmail.com>
Anit Gandhi <anitgandhi@gmail.com>

Ankit Goyal <ankit3goyal@gmail.com>

Anmol Sethi <anmol@aubble.com>

Annirudh Prasad <annirudh@wandb.com>

Anschel Schaffer-Cohen <anschelsc@gmail.com>

Anthony Alves <cvballa3g0@gmail.com>

Anthony Canino <anthony.canino1@gmail.com>

Anthony Eufemio <anthony.eufemio@gmail.com>

Anthony Fok <foka@debian.org>

Anthony Martin <ality@pbrane.org>

Anthony Sottile <asottile@umich.edu>

Anthony Starks <ajstarks@gmail.com>

Anthony Voutas <voutasaurus@gmail.com>

Anthony Woods <awoods@raintank.io>

Antoine GIRARD <sapk@sapk.fr>

Antoine Martin <antoine97.martin@gmail.com>

Anton Gyllenberg <anton@iki.fi>

Anton Kuklin <anton.a.kuklin@gmail.com>

Antonin Amand <antonin.amand@gmail.com>

Antonio Antelo <aantelov87@gmail.com>

Antonio Bibiano <antbbn@gmail.com>

Antonio Garcia <garcia.olais@gmail.com>

Antonio Huete Jimenez <tuxillo@quantumachine.net>

Antonio Murdaca <runcom@redhat.com>

Antonio Ojea <antonio.ojea.garcia@gmail.com>

Antonio Troina <thoeni@gmail.com>

Anze Kolar <me@akolar.com>

Aofei Sheng <aofei@aofeisheng.com>

Apisak Darakananda <pongad@gmail.com>

Aram Hvrneanu <aram@mgk.ro>

Araragi Hokuto <kanseihonbucho@protonmail.com>

Arash Bina <arash@arash.io>

Archana Ravindar <aravind5@in.ibm.com>

Arda Gl <ardaguclu@gmail.com>

Areski Belaid <areski@gmail.com>

Ariel Mashraki <ariel@mashraki.co.il>

Arkadi Pyuro <arkadi@google.com>

Arlo Breault <arlolra@gmail.com>

Arnaud Ysmal <arnaud.ysmal@gmail.com>

Arne Hormann <arnehormann@gmail.com>

Arnout Engelen <arnout@bzzt.net>

Aron Nopanen <aron.nopanen@gmail.com>

Arran Walker <arran.walker@fiveturns.org>

Artem Alekseev <artem.alekseev@intel.com>

Artem Khvastunov <artem.khvastunov@jetbrains.com>

Artem Kolin <artemkaxboy@gmail.com>

Arthur Fabre <arthur@arthurfabre.com>

Arthur Khashaev <arthur@khashaev.ru>

Artur M. Wolff <artur.m.wolff@gmail.com>

Artyom Pervukhin <artyom.pervukhin@gmail.com>

Arvindh Rajesh Tamilmani <art@a-30.net>

Ashish Bhate <ab.listsubs@gmail.com>

Ashish Gandhi <ag@ashishgandhi.org>

Asim Shankar <asimshankar@gmail.com>

Assel Meher <asselmeher@gmail.com>

Atin Malaviya <amalaviy@akamai.com>

Ato Araki <ato.araki@gmail.com>

Atsushi Toyama <atsushi.tohyama.160.333@gmail.com>

Audrey Lim <audreylh@gmail.com>

Audrius Butkevicius <audrius.butkevicius@gmail.com>

Augusto Roman <aroman@gmail.com>

Aulus Egnatius Varialus <varialus@gmail.com>

Aurlien Rainone <aurelien.rainone@gmail.com>

Aurlio A. Heckert <aurium@gmail.com>

Austin Clements <austin@google.com> <aclements@csail.mit.edu>

Avi Flax <avi@timehop.com>

Aviv Klasquin Komissar <avivklas@gmail.com>

awaw fumin <awawfumin@gmail.com>

Awn Umar <awn@cryptolosophy.io>

Axel Wagner <axel.wagner.hh@googlemail.com>

Ayan George <ayan@ayan.net>

Ayanamist Yang <ayanamist@gmail.com>

Ayke van Laethem <aykevanlaethem@gmail.com>

Aymerick Jhanne <aymerick@jehanne.org>

Ayzat Sadykov <ayzat.ziko.93@gmail.com>

Azat Kaumov <kaumov.a.r@gmail.com>

Baiju Muthukadan <baiju.m.mail@gmail.com>

Balaram Makam <bmakam.qdt@qualcommdatacenter.com>

Balazs Lecz <leczb@google.com>

Baokun Lee <nototon@gmail.com> <bk@golangcn.org>

Barnaby Keene <accounts@southcla.ws>

Bartomiej Klimczak <bartlomiej.klimczak88@gmail.com>

Bartosz Grzybowski <melkorm@gmail.com>

Bartosz Oler <brtsz@google.com>

Bassam Ojeil <bojeil@google.com>

Bastian Ike <bastian.ike@gmail.com>

Ben Burkert <ben@benburkert.com>

Ben Cartwright-Cox <Ben@Benjojo.co.uk>

Ben Eitzen <eitzenb@golang.org>

Ben Fried <ben.fried@gmail.com>

Ben Haines <bhainesva@gmail.com>

Ben Hoyt <benhoyt@gmail.com>

Ben Hutchings <ben.hutchings@essensium.com>

Ben Kraft <benkraft@khanacademy.org>

Ben Laurie <ben@links.org> <benl@google.com>

Ben Lubar <ben.lubar@gmail.com>

Ben Lynn <benlynn@gmail.com>

Ben Olive <sionide21@gmail.com>

Ben Schwartz <bemasc@google.com>

Ben Shi <powerman1st@163.com>

Ben Toews <mastahyeti@gmail.com>

Benjamin Barenblat <bbaren@google.com>

Benjamin Black <b@b3k.us>

Benjamin Cable <cable.benjamin@gmail.com>

Benjamin Hsieh <tanookiben@users.noreply.github.com>

Benjamin Peterson <benjamin@python.org>

Benjamin Prosnitz <bprosnitz@google.com>

Benjamin Wester <bwester@squareup.com>

Benjamin Wuethrich <benjamin.wuethrich@gmail.com>

Benny Siegert <bsiegert@gmail.com>

Benoit Sigoure <tsunanet@gmail.com>

Berengar Lehr <Berengar.Lehr@gmx.de>

Berkant Ipek <41230766+0xbkt@users.noreply.github.com>

Beth Brown <ecbrown@google.com>

Bharath Kumar Uppala <uppala.bharath@gmail.com>

Bharath Thiruveedula <tbharath91@gmail.com>

Bhavin Gandhi <bhavin7392@gmail.com>

Bill Neubauer <wcn@golang.org> <wcn@google.com> <bill.neubauer@gmail.com>

Bill O'Farrell <billo@ca.ibm.com>

Bill Prin <waprin@google.com>

Bill Thiede <couchmoney@gmail.com>

Bill Zissimopoulos <billziss@navimatics.com>

Billie Harold Cleek <bhcleek@gmail.com>

Billy Lynch <wlynch@google.com>

Billy Zaelani Malik <m.billyzaelani@gmail.com>

Bjrn Erik Pedersen <bjorn.erik.pedersen@gmail.com>

Bjorn Tillenius <bjorn@tillenius.me>

Bjorn Tipling <bjorn.tipling@gmail.com>

Blain Smith <rebelgeek@blainsmith.com>

Blake Gentry <blakesgentry@gmail.com>

Blake Mesdag <blakemesdag@gmail.com>

Blake Mizerany <blake.mizerany@gmail.com>

Blixt <me@blixt.nyc>

Bob Briski <rbriski@gmail.com>

Bob McNaughton <bobmcn@gmail.com>

Bob Potter <bobby.potter@gmail.com>

Bobby DeSimone <bobbydesimone@gmail.com>

Bobby Powers <bobbypowers@gmail.com>

Boqin Qin <bobbqqin@gmail.com>

Boris Nagaev <nagaev@google.com>

Borja Clemente <borja.clemente@gmail.com>

Boshi Lian <bolian@microsoft.com>

Brad Burch <brad.burch@gmail.com>

Brad Erickson <bderickson@gmail.com>

Brad Fitzpatrick <bradfitz@golang.org> <bradfitz@gmail.com>

Brad Garcia <bgarcia@golang.org>

Brad Jones <rbjones@google.com>

Brad Morgan <brad@morgabra.com>

Brad Whitaker <bwhitaker@fastly.com>

Braden Bassingthwaite <bbassingthwaite@vendasta.com>

Bradford Lamson-Scribner <brad.lamson@gmail.com>

Bradley Falzon <brad@teambrad.net>

Brady Catherman <brady@gmail.com>

Brady Sullivan <brady@bsull.com>

Branden J. Brown <zephyrtronium@gmail.com>

Brandon Bennett <bbennett@fb.com>

Brandon Gilmore <varz@google.com>

Brandon Philips <brandon@ifup.org>

Brandon Ryan <bjryan19@gmail.com>

Brave Cow <rsr715@gmail.com>

Brayden Cloud <bcloud@google.com>

Brendan Daniel Tracey <tracey.brendan@gmail.com>

Brendan O'Dea <bod@golang.org>

Brett Cannon <bcannon@gmail.com>

Brett Merrill <brett.j.merrill94@gmail.com>

Brian Dellisanti <briandellisanti@gmail.com>

Brian Downs <brian.downs@gmail.com>

Brian Falk <falk@logicparty.org>

Brian G. Merrell <bgmerrell@gmail.com>

Brian Gitonga Marete <marete@toshnix.com> <bgmarete@gmail.com> <bgm@google.com>

Brian Kennedy <btkennedy@gmail.com>

Brian Kessler <brian.m.kessler@gmail.com>

Brian Ketelsen <bketelsen@gmail.com>

Brian Slesinsky <skybrian@google.com>

Brian Smith <ohohvi@gmail.com>

Brian Starke <brian.starke@gmail.com>

Bruce Huang <helbingxxx@gmail.com>

Bryan Alexander <Kozical@msn.com>

Bryan Boreham <bjboreham@gmail.com>

Bryan C. Mills <bcmills@google.com>

Bryan Chan <bryan.chan@ca.ibm.com>

Bryan Ford <brynosaurus@gmail.com>

Bryan Heden <b.heden@gmail.com>

Bulat Gaifullin <gaifullinbf@gmail.com>

Burak Guven <bguven@gmail.com>

Caine Tighe <arctanofyourface@gmail.com>

Caio Marcelo de Oliveira Filho <caio.oliveira@intel.com>

Caleb Martinez <accounts@calebmartinez.com>

Caleb Spare <cespare@gmail.com>

Carl Chatfield <carlchatfield@gmail.com>

Carl Henrik Lunde <chlunde@ifi.uio.no>

Carl Jackson <carl@stripe.com>

Carl Johnson <me@carlmjohnson.net>

Carl Mastrangelo <notcarl@google.com>

Carl Menezes <carleeto@gmail.com>

Carl Shapiro <cshapiro@google.com> <cshapiro@golang.org>

Carlisia Campos <carlisia@grokkingtech.io>

Carlo Alberto Ferraris <cafxx@strayorange.com>

Carlos Alexandro Becker <caarlos0@gmail.com>

Carlos Amedee <carlos@golang.org>

Carlos Castillo <cookieo9@gmail.com>

Carlos Cirello <uldericofilho@gmail.com>

Carlos Eduardo <me@carlosedp.com>

Carlos Eduardo Seo <cseo@linux.vnet.ibm.com>

Carlos Iriarte <ciriarte@gmail.com>

Carlos Souza <carloshrsouza@gmail.com>

Carolyn Van Slyck <me@carolynvanslyck.com>

Carrie Bynon <cbynon@gmail.com>

Carson Hoffman <c@rsonhoffman.com>

Cary Hull <chull@google.com>

Case Nelson <case.nelson@gmail.com>

Casey Callendrello <squeed@gmail.com>

Casey Marshall <casey.marshall@gmail.com>

Catalin Nicutar <cnicutar@google.com>

Catalin Patulea <catalinp@google.com>

Cathal O'Callaghan <cathalsocallaghan@gmail.com>

Cedric Staub <cs@squareup.com>

Cezar S Espinola <cezarsa@gmail.com>

Chad Rosier <mrosier.qdt@qualcommdatacenter.com>

ChaiShushan <chaishushan@gmail.com>

Changkun Ou <hi@changkun.us>

Channing Kimble-Brown <channing@golang.org>

Chao Xu <xuchao@google.com>

Chaoqun Han <hanssccv@gmail.com>

Charles Fenwick Elliott <Charles@FenwickElliott.io>

Charles Kenney <charlesc.kenney@gmail.com>

Charles L. Dorian <cldorian@gmail.com>

Charles Lee <zombie.fml@gmail.com>

Charles Weill <weill@google.com>

Charlie Getzen <charlie@bolt.com>

Charlie Moog <moogcharlie@gmail.com>

Charlotte Brandhorst-Satzkorn <catzkorn@gmail.com>

Chauncy Cullitan <chauncyc@google.com>

Chen Zhidong <njutczd@gmail.com>

Chen Zhihan <energiehund@gmail.com>

Cheng Wang <wangchengiscool@gmail.com>

Cherry Mui <cherryyz@google.com>

Chew Choon Keat <choonkeat@gmail.com>

Chia-Chi Hsu <wuchi5457@gmail.com>

Chiawen Chen <golopot@gmail.com>

Chirag Sukhala <cchirag77@gmail.com>

Cholerae Hu <choleraehyq@gmail.com>

Chotepud Teo <AlexRouSg@users.noreply.github.com>

Chressie Himpel <chressie@google.com>

Chris Ball <chris@printf.net>

Chris Biscardi <chris@christopherbiscardi.com>

Chris Broadfoot <cbro@golang.org>

Chris Dollin <ehog.hedge@gmail.com>

Chris Farmiloe <chrisfarms@gmail.com>

Chris Hines <chris.cs.guy@gmail.com>

Chris Howey <howeyc@gmail.com>

Chris Hundt <hundt@google.com>

Chris Jones <chris@cjones.org> <chris.jones.yar@gmail.com>

Chris Kastorff <encryptio@gmail.com>

Chris Le Roy <brompwnie@users.noreply.github.com>

Chris Lennert <calennert@gmail.com>

Chris Liles <caveryliles@gmail.com>

Chris Manghane <cmang@golang.org>

Chris Marchesi <chrism@vancluevertech.com>

Chris McGee <sirnewton_01@yahoo.ca> <newton688@gmail.com>

Chris Raynor <raynor@google.com>

Chris Roche <rodaine@gmail.com>

Chris Smith <chrsmith@users.noreply.github.com>

Chris Stockton <chrisstocktonaz@gmail.com>

Chris Taylor <taylorza@gmail.com>

Chris Waldon <christopher.waldon.dev@gmail.com>

Chris Zou <chriszou@ca.ibm.com>

Christian Alexander <christian@linux.com>

Christian Couder <chriscool@tuxfamily.org>

Christian Himpel <chressie@googlemail.com> <chressie@gmail.com>

Christian Muehlhaeuser <muesli@gmail.com>

Christian Pellegrin <chri@evolware.org>

Christian R. Petrin <christianpetrin@gmail.com>

Christian Svensson <blue@cmd.nu>

Christine Hansmann <chhansmann@gmail.com>

Christoffer Buchholz <christoffer.buchholz@gmail.com>

Christoph Blecker <admin@toph.ca>

Christoph Hack <christoph@tux21b.org>

Christopher Cahoon <chris.cahoon@gmail.com>

Christopher Guiney <chris@guiney.net>

Christopher Henderson <chris@chenderson.org>

Christopher Hlubek <christopher.hlubek@networkteam.com>

Christopher Koch <chrisko@google.com>

Christopher Loessl <cloessl+github@gmail.com>

Christopher Nelson <nadiasvertex@gmail.com>

Christopher Nielsen <m4dh4tt3r@gmail.com>

Christopher Redden <christopher.redden@gmail.com>

Christopher Swenson <cswenson@google.com>

Christopher Thomas <53317512+chrissthomas@users.noreply.github.com>

Christopher Wedgwood <cw@f00f.org>

Christos Zoulas <christos@zoulas.com> <zoulasc@gmail.com>

Christy Perez <christy@linux.vnet.ibm.com>

CL Sung <clsung@gmail.com> <cl_sung@htc.com>

Clment Chigot <clement.chigot@atos.net>

Clement Skau <clementskau@gmail.com>

Clint J. Edwards <clint.j.edwards@gmail.com>

Cody Oss <the.cody.oss@gmail.com>

Colby Ranger <cranger@google.com>

Colin Arnott <colin@urandom.co.uk>

Colin Cross <ccross@android.com>

Colin Edwards <colin@recursivepenguin.com>

Colin Kennedy <moshen.colin@gmail.com>

Colin Nelson <colnnelson@google.com>

Colin Rice <clr@google.com>

Conrad Irwin <conrad.irwin@gmail.com>

Conrad Meyer <cemeyer@cs.washington.edu>

Conrado Gouvea <conradoplg@gmail.com>

Constantin Konstantinidis <constantinkonstantinidis@gmail.com>

Corey Thomasson <cthom.lists@gmail.com>

Corne van der Plas <vdplas@gmail.com>

Cosmos Nicolaou <cnicolaou@google.com>

Costin Chirvasuta <ctin@google.com>

Craig Citro <craigcitro@google.com>

Cristian Staretu <unclejacksons@gmail.com>

Cristo Garca <cgg.code@gmail.com>

cui fliter <imcusg@gmail.com>

Cuihtlauac ALVARADO <cuihtlauac.alvarado@orange.com>

Cuong Manh Le <cuong@orijtech.com>

Curtis La Graff <curtis@lagraff.me>

Cyrill Schumacher <cyrill@schumacher.fm>

Dai Jie <gzdaijie@gmail.com>

Dai Wentao <dwt136@gmail.com>

Daisuke Fujita <dtanshi45@gmail.com>

Daisuke Suzuki <daisuzu@gmail.com>

Daker Fernandes Pinheiro <daker.fernandes.pinheiro@intel.com>

Damian Gryski <dgryski@gmail.com>

Damien Lespiau <damien.lespiau@gmail.com> <damien.lespiau@intel.com>

Damien Mathieu <42@dmathieu.com>

Damien Neil <dneil@google.com>

Damien Tournoud <damien@platform.sh>

Dan Ballard <dan@mindstab.net>

Dan Caddigan <goldcaddy77@gmail.com>

Dan Callahan <dan.callahan@gmail.com>

Dan Harrington <harringtond@google.com>

Dan Jacques <dnj@google.com>

Dan Johnson <computerdruid@google.com>

Dan McArdle <dmcardle@google.com>

Dan Peterson <dpiddy@gmail.com>

Dan Pupius <dan@medium.com>

Dan Scales <danscales@google.com>

Dan Sinclair <dan.sinclair@gmail.com>

Daniel Cohen <dcohen@gatech.edu>

Daniel Cormier <danielc@knowbe4.com>

Danil de Kok <me@danieldk.eu>

Daniel Fleischman <danielfleischman@gmail.com>

Daniel Ingram <ingramds@appstate.edu>

Daniel Johansson <dajo2002@gmail.com>

Daniel Kerwin <d.kerwin@gini.net>

Daniel Kessler <dkess@google.com>

Daniel Krech <eikeon@eikeon.com>

Daniel Kumor <rdkumor@gmail.com>

Daniel Langner <s8572327@gmail.com>

Daniel Lidn <daniel.liden.87@gmail.com>

Daniel Lublin <daniel@lublin.se>

Daniel Mangum <georgedanielmangum@gmail.com>

Daniel Marshall <daniel.marshall2@ibm.com>

Daniel Mart <mvdan@mvdan.cc>

Daniel McCarney <cpu@letsencrypt.org>

Daniel Morsing <daniel.morsing@gmail.com>

Daniel Nadasi <dnadasi@google.com>

Daniel Nephin <dnephin@gmail.com>

Daniel Ortiz Pereira da Silva <daniel.particular@gmail.com>

Daniel S. Fava <danielsfava@gmail.com>

Daniel Skinner <daniel@dasa.cc>

Daniel Speichert <daniel@speichert.pl>

Daniel Theophanes <kardianos@gmail.com>

Daniel Upton <daniel@floppy.co>

Daniela Petruzalek <daniela.petruzalek@gmail.com>

Danish Dua <danishdua@google.com>

Danish Prakash <grafitykoncept@gmail.com>

Danny Rosseau <daniel.rosseau@gmail.com>

Daria Kolistratova <daria.kolistratova@intel.com>

Darien Raymond <admin@v2ray.com>

Darren Elwood <darren@textnode.com>

Darren Grant <darren.e.grant@gmail.com>

Darren McCleary <darren.rmc@gmail.com>

Darshan Parajuli <parajulidarshan@gmail.com>

Datong Sun <dndx@idndx.com>

Dave Borowitz <dborowitz@google.com>

Dave Bort <dbort@golang.org>

Dave Cheney <dave@cheney.net>

Dave Day <djd@golang.org>

Dave Grijalva <dgrijalva@ngmoco.com>

Dave MacFarlane <driusan@gmail.com>

Dave Pifke <dave@pifke.org>

Dave Russell <forfuncsake@gmail.com>

David Anderson <danderson@google.com>

David Barnett <dbarnett@google.com>

David Benjamin <davidben@google.com>

David Black <dblack@atlassian.com>

David Bond <davidsbond93@gmail.com>

David Brophy <dave@brophy.uk>

David Brgin <676c7473@gmail.com>

David Calavera <david.calavera@gmail.com>

David Carlier <devnexen@gmail.com>

David Carter <fresco.raja@gmail.com>

David Chase <drchase@google.com>

David Covert <davidhcovert@gmail.com>

David Crawshaw <david.crawshaw@zentus.com> <crawshaw@google.com> <crawshaw@golang.org>

David du Colombier <0intro@gmail.com>

David Finkel <david.finkel@gmail.com>

David Forsythe <dforsythe@gmail.com>

David G. Andersen <dave.andersen@gmail.com>

David Glasser <glasser@meteor.com>

David Golden <david@autopragmatic.com>

David Heuschmann <heuschmann.d@gmail.com>

David Howden <dhowden@gmail.com>

David Hubbard <dsp@google.com>

David Jakob Fritz <david.jakob.fritz@gmail.com>

David Jones <dxjones@gmail.com>

David Lazar <lazard@golang.org>

David Leon Gil <coruus@gmail.com>

David McLeish <davemc@google.com>

David Ndungu <dnjuguna@gmail.com>

David NewHamlet <david@newhamlet.com>

David Presotto <presotto@gmail.com>

David Qu <davidqu12345@gmail.com>

David R. Jenni <david.r.jenni@gmail.com>

David Sansome <me@davidsansome.com>

David Stainton <dstainton415@gmail.com>

David Symonds <dsymonds@golang.org>

David Thomas <davidthomas426@gmail.com>

David Timm <dtimm@pivotal.io>

David Titarenco <david.titarenco@gmail.com>

David Tolpin <david.tolpin@gmail.com>

David Url <david@urld.io>

David Volquartz Lebech <david@lebech.info>

David Wimmer <davidlwimmer@gmail.com>

Davies Liu <davies.liu@gmail.com>

Davor Kapsa <davor.kapsa@gmail.com>

Dean Eigenmann <7621705+decanus@users.noreply.github.com>

Dean Prichard <dean.prichard@gmail.com>

Deepak Jois <deepak.jois@gmail.com>

Deepak S <deepakspavoodath@gmail.com>

Denis Bernard <db047h@gmail.com>

Denis Brandolini <denis.brandolini@gmail.com>

Denis Isaev <idenx@yandex.com>

Denis Nagorny <denis.nagorny@intel.com>

Dennis Kuhnert <mail.kuhnert@gmail.com>

Denys Honsiorovskyi <honsiorovskyi@gmail.com>

Denys Smirnov <denis.smirnov.91@gmail.com>

Derek Buitenhuis <derek.buitenhuis@gmail.com>

Derek Che <drc@yahoo-inc.com>

Derek McGowan <derek@mcgstyle.net>

Derek Parker <parkerderek86@gmail.com>

Derek Phan <derekphan94@gmail.com>

Derek Shockey <derek.shockey@gmail.com>

Dev Ojha <dojha12@gmail.com>

Dev Zhoujun <dev.zhoujun@gmail.com>

Devon H. O'Dell <devon.odell@gmail.com>

Dhaivat Pandit <dhaivatpandit@gmail.com>

Dhananjay Nakrani <dhananjayn@google.com>

Dhiru Kholia <dhiru.kholia@gmail.com>

Dhruvdutt Jadhav <dhruvdutt.jadhav@gmail.com>

Di Xiao <dixiao@google.com>

Didier Spezia <didier.06@gmail.com>

Diego Medina <fmpwizard@gmail.com>

Diego Siqueira <diego9889@gmail.com>

Dieter Plaetinck <dieter@raintank.io>

Dilyn Corner <dilyn.corner@gmail.com>

Dimitri Sokolyuk <sokolyuk@gmail.com>

Dimitri Tcaciuc <dtcaciuc@gmail.com>

Dina Garmash <dgrmsh@gmail.com>

Diogo Pinela <diogoid7400@gmail.com>

Dirk Gadsden <dirk@esherido.com>

Diwaker Gupta <diwakergupta@gmail.com>

Dmitri Goutnik <dgoutnik@gmail.com>

Dmitri Popov <operator@cv.dp-net.com>

Dmitri Shuralyov <dmitshur@golang.org> <dmitri@shuralyov.com>

Dmitrii Okunev <xaionaro@gmail.com>

Dmitriy Cherchenko <dcherchenko@gmail.com>

Dmitriy Dudkin <dudkin.dmitriy@gmail.com>

Dmitriy Shelenin <deemok@googlemail.com> <deemok@gmail.com>

Dmitriy Vyukov <dvyukov@google.com>

Dmitry Chestnykh <dchest@gmail.com>

Dmitry Doroginin <doroginin@gmail.com>

Dmitry Mottl <dmitry.mottl@gmail.com>

Dmitry Neverov <dmitry.neverov@gmail.com>

Dmitry Savintsev <dsavints@gmail.com>

Dmitry Yakunin <nonamezeil@gmail.com>

Dmytro Shynkevych <dm.shynk@gmail.com>

Doga Fincan <doga@icloud.com>

Domas Tamaauskas <puerdomus@gmail.com>

Domen Ipavec <domen@ipavec.net>

Dominic Della Valle <ddvpublic@Gmail.com>

Dominic Green <dominicgreen1@gmail.com>

Dominik Honnef <dominik.honnef@gmail.com>

Dominik Vogt <vogt@linux.vnet.ibm.com>

Don Byington <don@dbyington.com>

Donald Huang <don.hcd@gmail.com>

Dong-hee Na <donghee.na92@gmail.com>

Donovan Hide <donovanhide@gmail.com>

Doug Anderson <douga@google.com>

Doug Fawley <dfawley@google.com>

Douglas Danger Manley <doug.manley@gmail.com>

Drew Flower <drewvanstone@gmail.com>

Drew Hintz <adhintz@google.com>

Drew Richardson <drewrichardson@gmail.com>

Duco van Amstel <duco.vanamstel@gmail.com>

Duncan Holm <mail@frou.org>

Dustin Carlino <dcarlino@google.com>

Dustin Herbison <djherbis@gmail.com>

Dustin Long <dustmop@gmail.com>

Dustin Sallings <dsallings@gmail.com>

Dustin Shields-Cloues <dcloues@gmail.com>

Dustin Spicuzza <dustin.spicuzza@gmail.com>

Dvir Volk <dvir@everything.me> <dvirsky@gmail.com>

Dylan Waits <dylan@waits.io>

Ed Schouten <ed@nuxi.nl>

Edan Bedrik <3d4nb3@gmail.com>

Eddie Scholtz <escholtz@google.com>

Eden Li <eden.li@gmail.com>

Eduard Urbach <e.urbach@gmail.com>

Eduardo Ramalho <eduardo.ramalho@gmail.com>

Eduardo Villaseor <evillasrmx@gmail.com>

Edward Muller <edwardam@interlix.com>

Egon Elbre <egonelbre@gmail.com>

Ehren Kret <ehren.kret@gmail.com>

Eitan Adler <lists@eitanadler.com>

Eivind Uggedal <eivind@uggedal.com>

El Mostafa Idrassi <el.mostafa.idrassi@gmail.com>

Elbert Fliek <efliek@gmail.com>

Eldar Rakhimberdin <ibeono@gmail.com>

Elena Grahovac <elena@grahovac.me>

Eli Bendersky <eliben@google.com>

Elias Naur <mail@eliasnaur.com> <elias.naur@gmail.com>

Elliot Morrison-Reed <elliotmr@gmail.com>

Ellison Leao <ellisonleao@gmail.com>

Elvina Yakubova <elvinayakubova@gmail.com>

Emerson Lin <linyintor@gmail.com>

Emil Bektimirov <lefelys@gmail.com>

Emil Hessman <emil@hessman.se>

Emil Mursalimov <mursalimovemeel@gmail.com>

Emilien Kenler <hello@emilienkenler.com>

Emmanuel Odeke <emm.odeke@gmail.com> <odeke@ualberta.ca>

Emrecan Bati <emrecanbati@gmail.com>

Eno Compton <enocom@google.com>

Eoghan Sherry <ejsherry@gmail.com>

Eric Biggers <ebiggers@google.com>

Eric Brown <browne@vmware.com>

Eric Chiang <eric.chiang.m@gmail.com>

Eric Clark <zerohp@gmail.com>

Eric Daniels <eric@erdaniels.com>

Eric Engestrom <eric@engestrom.ch>

Eric Garrido <ekg@google.com>

Eric Koleda <ekoleda+devrel@google.com>

Eric Lagergren <ericscottlagergren@gmail.com>

Eric Milliken <emilliken@gmail.com>

Eric Pauley <eric@pauley.me>

Eric Ponce <tricokun@gmail.com>

Eric Rescorla <ekr@rtfm.com>

Eric Roshan-Eisner <eric.d.eisner@gmail.com>

Eric Rutherford <erutherford@gmail.com>

Eric Rykwalder <e.rykwalder@gmail.com>

Eric Wang <wangchaogo1990@gmail.com>

Erick Tryzelaar <etryzelaar@google.com>

Erik Aigner <aigner.erik@gmail.com>

Erik Dubbelboer <erik@dubbelboer.com>

Erik St. Martin <alakriti@gmail.com>

Erik Staab <estaab@google.com>

Erik Westrup <erik.westrup@gmail.com>

Erin Masatsugu <erin.masatsugu@gmail.com>

Ernest Chiang <ernest_chiang@htc.com>

Erwin Oegema <blablaechthema@hotmail.com>

Esko Luontola <esko.luontola@gmail.com>

Ethan Anderson <eanderson@atlassian.com>

Ethan Burns <eaburns@google.com>

Ethan Hur <ethan0311@gmail.com>

Ethan Miller <eamiller@us.ibm.com>

Ethan Reesor <ethan.reesor@gmail.com>

Euan Kemp <euank@euank.com>

Eugene Formanenko <mo4islona@gmail.com>

Eugene Kalinin <e.v.kalinin@gmail.com>

Evan Broder <evan@stripe.com>

Evan Brown <evanbrown@google.com>

Evan Digby <evandigby@gmail.com>

Evan Hicks <evan.hicks2@gmail.com>

Evan Jones <ej@evanjones.ca>

Evan Klitzke <evan@eklitzke.org>

Evan Kroske <evankroske@google.com>

Evan Martin <evan.martin@gmail.com>

Evan Phoenix <evan@phx.io>

Evan Shaw <chickencha@gmail.com>

Evgeniy Kulikov <tuxuls@gmail.com>

Evgeniy Polyakov <zbr@ioremap.net>

Ewan Chou <coocood@gmail.com>

Ewan Valentine <ewan.valentine89@gmail.com>

Eyal Posener <posener@gmail.com>

F. Talha Altnel <talhaaltinel@hotmail.com>

Fabian Wickborn <fabian@wickborn.net>

Fabian Zaremba <fabian@youremail.eu>

Fabio Falzoi <fabio.falzoi84@gmail.com>

Fabrizio Milo <mistobaan@gmail.com>

Faiyaz Ahmed <ahmedf@vmware.com>

Fan Hongjian <fan.howard@gmail.com>

Fangming Fang <fangming.fang@arm.com>

Fannie Zhang <fannie.zhang@arm.com>

Fatih Arslan <fatih@arslan.io>

Fazal Majid <majid@apsalar.com>

Fazlul Shahriar <fshahriar@gmail.com>

Federico Bond <federicobond@gmail.com>

Federico Guerinoni <guerinoni.federico@gmail.com>

Federico Simoncelli <fsimonce@redhat.com>

Fedor Indutny <fedor@indutny.com>

Fedor Korotkiy <dartslon@gmail.com>

Felipe Oliveira <felipeweb.programador@gmail.com>

Felix Bnemann <Felix.Buenemann@gmail.com>

Felix Cornelius <9767036+fcornelius@users.noreply.github.com>

Felix Geisendrfer <haimuiba@gmail.com>

Felix Kollmann <fk@konsorten.de>

Ferenc Szabo <frncmx@gmail.com>

Fernandez Ludovic <lfernandez.dev@gmail.com>

Filip Gruszczyski <gruszczy@gmail.com>

Filip Haglund <drathier@users.noreply.github.com>

Filip Stanis <fstanis@google.com>

Filippo Valsorda <filippo@golang.org> <filippo@cloudflare.com> <hi@filippo.io>

Firmansyah Adiputra <frm.adiputra@gmail.com>

Florian Forster <octo@google.com>

Florian Uekermann <florian@uekermann-online.de> <f1@uekermann-online.de>

Florian Weimer <fw@deneb.enyo.de>

Florin Papa <fpapa@google.com>

Florin Patan <florinpatan@gmail.com>

Folke Behrens <folke@google.com>

Ford Hurley <ford.hurley@gmail.com>

Forest Johnson <forest.n.johnson@gmail.com>

Francesc Campoy <campoy@golang.org>

Francesco Guardiani <francescoguard@gmail.com>

Francesco Renzi <rentziass@gmail.com>

Francisco Claude <fclaude@recoded.cl>

Francisco Rojas <francisco.rojas.gallegos@gmail.com>

Francisco Souza <franciscossouza@gmail.com>

Frank Chiarulli Jr <frank@frankchiarulli.com>

Frank Schroeder <frank.schroeder@gmail.com>

Frank Somers <fsomers@arista.com>

Frederic Guillot <frederic.guillot@gmail.com>

Frederick Kelly Mayle III <frederickmayle@gmail.com>

Frederik Ring <frederik.ring@gmail.com>

Frederik Zipp <fzipp@gmx.de>

Frediano Ziglio <freddy77@gmail.com>

Fredrik Enestad <fredrik.enestad@soundtrackyourbrand.com>

Fredrik Forsmo <fredrik.forsmo@gmail.com>

Fredrik Wallgren <fredrik.wallgren@gmail.com>

Frew Schmidt <github@frew.co>

Frithjof Schulze <schulze@math.uni-hannover.de> <sfrithjof@gmail.com>

Frits van Bommel <fvbommel@gmail.com>

Fujimoto Kyosuke <kyoro.f@gmail.com>

Fumitoshi Ukai <ukai@google.com>

G. Hussain Chinoy <ghchinoy@gmail.com>

Gaal Yahas <gaal@google.com>

Gabrel Arthr Ptursson <gabriel@system.is>

Gabriel Aszalos <gabriel.aszalos@gmail.com>

Gabriel Guzman <gabe.guzman@gmail.com>

Gabriel Nelle <tehsphinx@web.de>

Gabriel Nicolas Avellaneda <avellaneda.gabriel@gmail.com>

Gabriel Rosenhouse <rosenhouse@gmail.com>

Gabriel Russell <gabriel.russell@gmail.com>

Gabriel Vasile <gabriel.vasile0793@gmail.com>

Gareth Paul Jones <gpj@foursquare.com>

Garret Kelly <gdk@google.com>

Garrick Evans <garrick@google.com>

Garry McNulty <garrmcnu@gmail.com>

Gary Burd <gary@beagledreams.com> <gary.burd@gmail.com>

Gary Elliott <garyelliott@google.com>

Gaurav Singh <gaurav1086@gmail.com>

Gaurish Sharma <contact@gaurishsharma.com>

Gautham Thambidorai <gautham.dorai@gmail.com>

Gauthier Jolly <gauthier.jolly@gmail.com>

Gawen Arab <gawen.arab@c.zen.ly>

Geert-Johan Riemer <gjr19912@gmail.com>

Genevieve Luyt <genevieve.luyt@gmail.com>

Gengliang Wang <ltnwgl@gmail.com>

Geoff Berry <gberry.qdt@qualcommdatacenter.com>

Geoffroy Lorieux <lorieux.g@gmail.com>

Geon Kim <geon0250@gmail.com>

Georg Reinke <guelfey@gmail.com>

George Gkirtsou <ggirtsou@gmail.com>

George Hartzell <hartzell@alerce.com>

George Looshch <looshch@loosh.ch>

George Shammas <george@shamm.as> <georgyo@gmail.com>

George Tsilias <tsiliasg@gmail.com>

Gerasimos (Makis) Maropoulos <kataras2006@hotmail.com>

Gerasimos Dimitriadis <gedimitr@gmail.com>

Gergely Brautigam <skarlso777@gmail.com>

Gernot Vormayr <gvormayr@gmail.com>

Gert Cuykens <gert.cuykens@gmail.com>

Getulio Snchez <valentin2507@gmail.com>

Ghazni Nattarshah <ghazni.nattarshah@gmail.com>

Gianguido Sora` <g.sora4@gmail.com>

Gideon Jan-Wessel Redelinghuys <gjredelinghuys@gmail.com>

Giles Lean <giles.lean@pobox.com>

Giovanni Bajo <rasky@develer.com>

GitHub User @180909 (70465953) <734461790@qq.com>

GitHub User @6543 (24977596) <6543@obermui.de>

GitHub User @aca (50316549) <acadx0@gmail.com>

GitHub User @ajnirp (1688456) <ajnirp@users.noreply.github.com>

GitHub User @ajz01 (4744634) <ajzdenek@gmail.com>

GitHub User @alkesh26 (1019076) <alkesh26@gmail.com>

GitHub User @andig (184815) <cpuidle@gmx.de>

GitHub User @andrius4669 (4699695) <andrius4669@gmail.com>

GitHub User @as (8127015) <as.utf8@gmail.com>

GitHub User @bakape (7851952) <bakape@gmail.com>

GitHub User @bgadrian (830001) <aditza8@gmail.com>

GitHub User @bontequero (2674999) <bontequero@gmail.com>

GitHub User @cch123 (384546) <buaa.cch@gmail.com>

GitHub User @chainhelen (7046329) <chainhelen@gmail.com>

GitHub User @chanxuehong (3416908) <chanxuehong@gmail.com>

GitHub User @Cluas (10056928) <Cluas@live.cn>

GitHub User @cncal (23520240) <flycalvin@qq.com>

GitHub User @DQNEO (188741) <dqneoo@gmail.com>

GitHub User @Dreamacro (8615343) <chuainian@gmail.com>

GitHub User @dupoxy (1143957) <dupoxy@users.noreply.github.com>

GitHub User @EndlessCheng (7086966) <loli.con@qq.com>

GitHub User @erifan (31343225) <eric.fang@arm.com>

GitHub User @esell (9735165) <eujon.sellers@gmail.com>

GitHub User @fatedier (7346661) <fatedier@gmail.com>

GitHub User @frennkie (6499251) <mail@rhab.de>

GitHub User @geedchin (11672310) <geedchin@gmail.com>

GitHub User @GrigoriyMikhalkin (3637857) <grigoriymikhalkin@gmail.com>

GitHub User @Gusted (25481501) <williamzijl7@hotmail.com>

GitHub User @hengwu0 (41297446) <41297446+hengwu0@users.noreply.github.com>

GitHub User @hitzhangjie (3725760) <hit.zhangjie@gmail.com>

GitHub User @hkhere (33268704) <33268704+hkhere@users.noreply.github.com>

GitHub User @hopehook (7326168) <hopehook.com@gmail.com>

GitHub User @hqpko (13887251) <whaibin01@hotmail.com>

GitHub User @Illirgway (5428603) <illirgway@gmail.com>

GitHub User @itchyny (375258) <itchyny@hatena.ne.jp>

GitHub User @jinmiaoluo (39730824) <jinmiaoluo@icloud.com>

GitHub User @jopbrown (6345470) <msshane2008@gmail.com>

GitHub User @kazyshr (30496953) <kazyshr0301@gmail.com>

GitHub User @kc1212 (1093806) <kc1212@users.noreply.github.com>

GitHub User @komisan19 (18901496) <komiyama6219@gmail.com>

GitHub User @korzhao (64203902) <korzhao95@gmail.com>

GitHub User @Kropekk (13366453) <kamilkropiewnicki@gmail.com>

GitHub User @lgbgbl (65756378) <lgbgbl@qq.com>

GitHub User @lhl2617 (33488131) <l.h.lee2617@gmail.com>

GitHub User @linguohua (3434367) <lghchinaidea@gmail.com>

GitHub User @lloydchang (1329685) <lloydchang@gmail.com>

GitHub User @LotusFenn (13775899) <fenn.lotus@gmail.com>

GitHub User @luochuanhang (96416201) <chuanhangluo@gmail.com>

GitHub User @ly303550688 (11519839) <yang.liu636@gmail.com>

GitHub User @madiganz (18340029) <zacharywmadigan@gmail.com>

GitHub User @maltalex (10195391) <code@bit48.net>

GitHub User @markruler (38225900) <csu0414@gmail.com>

GitHub User @Matts966 (28551465) <Matts966@users.noreply.github.com>

GitHub User @micnncim (21333876) <micnncim@gmail.com>

GitHub User @mkishere (224617) <224617+mkishere@users.noreply.github.com>

GitHub User @nu50218 (40682920) <nu_ll@icloud.com>

GitHub User @OlgaVlPetrova (44112727) <OVPpetrova@gmail.com>

GitHub User @pierwill (19642016) <pierwill@users.noreply.github.com>

GitHub User @pityonline (438222) <pityonline@gmail.com>

GitHub User @po3rin (29445112) <abctail30@gmail.com>

GitHub User @pokutuna (57545) <popopopopokutuna@gmail.com>

GitHub User @povsister (11040951) <pov@mahou-shoujo.moe>

GitHub User @pytimer (17105586) <lixin20101023@gmail.com>

GitHub User @qcrao (7698088) <qcrao91@gmail.com>

GitHub User @ramenjuniti (32011829) <ramenjuniti@gmail.com>

GitHub User @renthraysk (30576707) <renthraysk@gmail.com>

GitHub User @roudkerk (52280478) <roudkerk@google.com>

GitHub User @saitarunreddy (21041941) <saitarunreddypalla@gmail.com>

GitHub User @SataQiu (9354727) <shidaqiu2018@gmail.com>

GitHub User @seifchen (23326132) <chenxuefeng1207@gmail.com>

GitHub User @shogo-ma (9860598) <Choroma194@gmail.com>

GitHub User @sivchari (55221074) <shibuuuu5@gmail.com>

GitHub User @skanehira (7888591) <sho19921005@gmail.com>

GitHub User @soolaugust (10558124) <soolaugust@gmail.com>

GitHub User @surechen (7249331) <surechen17@gmail.com>

GitHub User @syumai (6882878) <syumai@gmail.com>

GitHub User @tangxi666 (48145175) <tx1275044634@gmail.com>

GitHub User @tatsumack (4510569) <tatsu.mack@gmail.com>

GitHub User @tell-k (26263) <ffk2005@gmail.com>

GitHub User @tennashi (10219626) <tennashio@gmail.com>

GitHub User @uhei (2116845) <uhei@users.noreply.github.com>

GitHub User @uji (49834542) <ujiprog@gmail.com>

GitHub User @unbyte (5772358) <i@shangyes.net>

GitHub User @uropek (39370426) <uropek@gmail.com>

GitHub User @utkarsh-extc (53217283) <utkarsh.extc@gmail.com>

GitHub User @witchard (4994659) <witchard@hotmail.co.uk>

GitHub User @wmdngngng (22067700) <wangmingdong@gmail.com>

GitHub User @wolf1996 (5901874) <ksgiv37@gmail.com>

GitHub User @yah01 (12216890) <kagaminehuan@gmail.com>

GitHub User @yuanhh (1298735) <yuan415030@gmail.com>

GitHub User @zikaeroh (48577114) <zikaeroh@gmail.com>

GitHub User @ZZMarquis (7624583) <zhonglingjian3821@163.com>

Giulio Iotti <dullgiulio@gmail.com>

Giulio Micheloni <giulio.micheloni@gmail.com>

Giuseppe Valente <gvalente@arista.com>

Gleb Stepanov <glebstepanov1992@gmail.com>

Glenn Brown <glennb@google.com>

Glenn Lewis <gmlewis@google.com>

Gordon Klaus <gordon.klaus@gmail.com>

Gordon Tyler <gordon@doxxx.net>

Grace Han <hgrace503@gmail.com>

Graham King <graham4king@gmail.com>

Graham Miller <graham.miller@gmail.com>

Grant Griffiths <ggp493@gmail.com>

Green Lightning <GreenLightning.git@googlemail.com>

Greg Poirier <greg.istehbest@gmail.com>

Greg Steuck <gnezdo+github@google.com>

Greg Thelen <gthelen@google.com>

Greg Ward <greg@gerg.ca>

Grgoire Delattre <gregoire.delattre@gmail.com>

Gregory Man <man.gregory@gmail.com>

Gregory Petrosyan <gregory.petrosyan@gmail.com>

Guilherme Caruso <gui.martinscaruso@gmail.com>

Guilherme Garnier <guilherme.garnier@gmail.com>

Guilherme Goncalves <guilhermeaugustosg@gmail.com>

Guilherme Rezende <guilhermebr@gmail.com>

Guilherme Souza <32180229+gqgs@users.noreply.github.com>

Guillaume Blaquiere <guillaume.blaquiere@gmail.com>

Guillaume J. Charmes <guillaume@charmes.net>

Guillaume Sottas <guillaumesottas@gmail.com>

Gnther Noack <gnoack@google.com>

Guobiao Mei <meiguobiao@gmail.com>

Guodong Li <guodongli@google.com>

Guoliang Wang <iamwgliang@gmail.com>

Guoqi Chen <chenguoqi@loongson.cn>

Gustav Paul <gustav.paul@gmail.com>

Gustav Westling <gustav@westling.xyz>

Gustavo Franco <gustavorfranco@gmail.com>

Gustavo Niemeyer <gustavo@niemeyer.net> <n13m3y3r@gmail.com>

Gwenael Treguier <gwenn.kahz@gmail.com>

Gyu-Ho Lee <gyuhox@gmail.com>

H. brahim Gngr <igungor@gmail.com>

Hajime Hoshi <hajimehoshi@gmail.com>

Hallgrimur Gunnarsson <halg@google.com>

HAMANO Tsukasa <hamano@osstech.co.jp>

Han-Wen Nienhuys <hanwen@google.com>

Hang Qian <hangqian90@gmail.com>

Hanjun Kim <hallazzang@gmail.com>

Hanlin He <hanling.he@gmail.com>

Hanlin Shi <shihanlin9@gmail.com>

Hans Nielsen <hans@stackallocated.com>

Hao Mou <mouhao.mu@gmail.com>

Haoran Luo <haoran.luo@chaitin.com>

Haosdent Huang <haosdent@gmail.com>

Harald Nordgren <haraldnordgren@gmail.com>

Hari haran <hariharan.uno@gmail.com>

Hariharan Srinath <srinathh@gmail.com>

Harley Laue <losinggeneration@gmail.com>

Harry Moreno <morenoh149@gmail.com>

Harshavardhana <hrshvardhana@gmail.com>

Hasan Ozgan <hasan@ozgan.net>

Hasit Bhatt <hasit.p.bhatt@gmail.com>

Hauke Lffler <hloeffler@users.noreply.github.com>

Hvard Haugen <havard.haugen@gmail.com>

He Liu <liulonnie@gmail.com>

Hector Chu <hectorchu@gmail.com>

Hector Martin Cantero <hector@marcansoft.com>

Hein Khant Zaw <heinkhantzaw1@gmail.com>

Henning Schmiedehausen <henning@schmiedehausen.org>

Henrik Edwards <henrik.edwards@gmail.com>

Henrik Hodne <henrik@hodne.io>

Henrique Vicente <henriquevicente@gmail.com>

Henry Adi Sumarto <henry.adisumarto@gmail.com>

Henry Bubert <google@mindeco.de>

Henry Chang <mr.changyuheng@gmail.com>

Henry Clifford <h.a.clifford@gmail.com>

Henry Wong <liushuai.wang@elastic.co>

Herbert Georg Fischer <herbert.fischer@gmail.com>

Herbie Ong <herbie@google.com>

Heschi Kreinick <heschi@google.com>

Hidetatsu Yaginuma <ygnmhdtt@gmail.com>

Hilko Bengen <bengen@hilluzination.de>

Himanshu Kishna Srivastava <28himanshu@gmail.com>

Hiroaki Nakamura <hnakamur@gmail.com>

Hiromichi Ema <ema.hiro@gmail.com>

Hironao OTSUBO <motemen@gmail.com>

Hiroshi Ioka <hirochachacha@gmail.com>

Hitoshi Mitake <mitake.hitoshi@gmail.com>

Holden Huang <ttyh061@gmail.com>

Hong Ruiqi <hongruiqi@gmail.com>

Hongfei Tan <feilengcui008@gmail.com>

Horacio Duran <horacio.duran@gmail.com>

Horst Rutter <hhrutter@gmail.com>

Hossein Sheikh Attar <hattar@google.com>

Hossein Zolfi <hossein.zolfi@gmail.com>

Howard Zhang <howard.zhang@arm.com>

Hsin Tsao <tsao@google.com>

Hsin-Ho Yeh <yhh92u@gmail.com>

Hu Keping <hukeping@huawei.com>

Huan Du <i@huandu.me>

Hugues Bruant <hugues.bruant@gmail.com>

Huy Le <huy.dinh.le.89@gmail.com>

Hyang-Ah Hana Kim <hakim@google.com> <hyangah@gmail.com>

Hyoyoung Chang <hyoyoung@gmail.com>

Ian Cottrell <iancottrell@google.com>

Ian Davis <nospam@iandavis.com>

Ian Gudger <ian@loosescre.ws>

Ian Haken <ihaken@netflix.com>

Ian Kent <iankent85@gmail.com>

Ian Lance Taylor <iant@golang.org>

Ian Leue <ian@appboy.com>

Ian Mckay <iann0036@gmail.com>

Ian Tay <iantay@google.com>

Ian Zapolsky <ianzapolsky@gmail.com>

Ibrahim AshShohail <ibra.sho@gmail.com>

Icarus Sparry <golang@icarus.freeuk.com>

Iccha Sethi <icchasethi@gmail.com>

Ichinose Shogo <shogo82148@gmail.com>

Idora Shinatose <idora.shinatose@gmail.com>

Ignacio Hagopian <jsign.uy@gmail.com>

Igor Bernstein <igorbernstein@google.com>

Igor Bolotnikov <igor.v.bolotnikov@gmail.com>

Igor Dolzhikov <bluesriverz@gmail.com>

Igor Vashyst <ivashyst@gmail.com>

Igor Zhilianin <igor.zhilianin@gmail.com>

Ikko Ashimine <eltociear@gmail.com>

Illya Yalovyy <yalovoy@gmail.com>

Ilya Chukov <56119080+Elias506@users.noreply.github.com>

Ilya Mateyko <me@astrophena.name>

Ilya Sinelnikov <sidhmangh@gmail.com>

Ilya Tocar <ilya.tocar@intel.com>

INADA Naoki <songofacandy@gmail.com>

Inanc Gumus <m@inanc.io>

Ingo Gottwald <in.gottwald@gmail.com>

Ingo Krabbe <ikrabbe.ask@gmail.com>

Ingo Oeser <nightlyone@googlemail.com> <nightlyone@gmail.com>

Ioannis Georgoulas <geototti21@hotmail.com>

Irbe Krumina <irbekrm@gmail.com>

Irfan Sharif <irfanmahmoudsharif@gmail.com>

Irieda Noboru <irieda@gmail.com>

Isaac Ardis <isaac.ardis@gmail.com>

Isaac Wagner <ibw@isaacwagner.me>

Isfan Azhabil <isfanazhabil@gmail.com>

Iskander Sharipov <iskander.sharipov@intel.com> <quasilyte@gmail.com>

Issac Trotts <issactrotts@google.com>

Ivan Babrou <ivan@cloudflare.com>

Ivan Bertona <ivan.bertona@gmail.com>

Ivan Krasin <krasin@golang.org>

Ivan Kutuzov <arbrix@gmail.com>

Ivan Markin <sw@nogoegst.net>

Ivan Moscoso <moscoso@gmail.com>

Ivan Osadchiy <ivan.osadchii@gmail.com>

Ivan Sharavuev <shpiwan@gmail.com>

Ivan Trubach <mr.trubach@icloud.com>

Ivan Ukhov <ivan.ukhov@gmail.com>

Ivy Evans <ivy@ivyevans.net>

Jaana Burcu Dogan <jbd@google.com> <jbd@golang.org> <burcujdogan@gmail.com>

Jaap Aarts <jaap.aarts1@gmail.com>

Jack Britton <jackxbritton@gmail.com>

Jack Lindamood <jlindamo@justin.tv>

Jack You <jamesyou@google.com>

Jacob Baskin <jbaskin@google.com>

Jacob Blain Christen <dweomer5@gmail.com>

Jacob H. Haven <jacob@cloudflare.com>

Jacob Hoffman-Andrews <github@hoffman-andrews.com>

Jacob Walker <jacobwalker0814@gmail.com>

Jaden Teng <long.asyn@gmail.com>

Jae Kwon <jae@tendermint.com>

Jake B <doogie1012@gmail.com>

Jake Ciolek <jakub@ciolek.dev>

Jakob Borg <jakob@nym.se>

Jakob Weisblat <jakobw@mit.edu>

Jakub ajka <jcajka@redhat.com>

Jakub Kaczmarzyk <jakubk@mit.edu>

Jakub Ryszard Czarnowicz <j.czarnowicz@gmail.com>

Jakub Warczarek <jakub.warczarek@gmail.com>

Jamal Carvalho <jamal.a.carvalho@gmail.com>

James Aguilar <jaguilar@google.com>

James Bardin <j.bardin@gmail.com>

James Chacon <jchacon@google.com>

James Clarke <jrtc27@jrtc27.com>

James Cowgill <James.Cowgill@imgtec.com>

James Craig Burley <james-github@burleyarch.com>

James David Chalfant <james.chalfant@gmail.com>

James Eady <jmeady@google.com>

James Fennell <jpfennell@google.com>

James Fysh <james.fysh@gmail.com>

James Gray <james@james4k.com>

James Harris <mailjamesharris@gmail.com>

James Hartig <fastest963@gmail.com>

James Kasten <jdkasten@google.com>

James Lawrence <jljatone@gmail.com>

James Meneghello <rawrz0r@gmail.com>

James Myers <jfmyers9@gmail.com>

James Naftel <james.naftel@gmail.com>

James Neve <jamesoneve@gmail.com>

James Nugent <james@jen20.com>

James P. Cooper <jamespcooper@gmail.com>

James Robinson <jamesr@google.com> <jamesr.gatech@gmail.com>

James Schofield <james@shoeboxapp.com>

James Smith <jrs1995@icloud.com>

James Sweet <james.sweet88@googlemail.com>

James Toy <nil@opensesame.st>

James Treanor <jtreanor3@gmail.com>

James Tucker <raggi@google.com>

James Whitehead <jnwhiteh@gmail.com>

Jamie Beverly <jamie.r.beverly@gmail.com>

Jamie Gennis <jgennis@google.com> <jgennis@gmail.com>

Jamie Kerr <jkerr113@googlemail.com>

Jamie Liu <jamieliu@google.com>

Jamie Stackhouse <contin673@gmail.com>

Jamie Turner <jamwt@dropbox.com>

Jamie Wilkinson <jaq@spacepants.org>

Jamil Djadala <djadala@gmail.com>

Jan Berktold <jan@berktold.co>

Jan H. Hosang <jan.hosang@gmail.com>

Jan Kratochvil <jan.kratochvil@redhat.com>

Jan Lehnardt <jan@apache.org>

Jan Mercl <0xjnml@gmail.com> <befelemepeseveze@gmail.com>

Jan Newmarch <jan.newmarch@gmail.com>

Jan Pilzer <jan.pilzer@gmx.de>

Jan Steinke <jan.steinke@gmail.com>

Jan Ziak <0xe2.0x9a.0x9b@gmail.com>

Jani Monoses <jani.monoses@ubuntu.com> <jani.monoses@gmail.com>

Jannis Andrija Schnitzer <jannis@schnitzer.im>

Jared Allard <jaredallard@users.noreply.github.com>

Jared Culp <jculp14@gmail.com>

Jaroslavas Poepko <jp@webmaster.ms>

Jason A. Donenfeld <Jason@zx2c4.com>
Jason Baker <jason-baker@users.noreply.github.com>
Jason Barnett <jason.w.barnett@gmail.com>
Jason Buberel <jbuberel@google.com>
Jason Chu <jasonchujc@gmail.com>
Jason Del Ponte <delpontej@gmail.com>
Jason Hall <jasonhall@google.com>
Jason Keene <jasonkeene@gmail.com>
Jason LeBrun <jblebrun@gmail.com>
Jason Smale <jsmale@zendesk.com>
Jason Travis <infomaniac7@gmail.com>
Jason Wangsadinata <jwangsadinata@gmail.com>
Javier Kohen <jkohen@google.com>
Javier Revillas <jrevillas@massivedynamic.io>
Javier Segura <javism@gmail.com>
Jay Chen <chenjie@chenjie.info>
Jay Conrod <jayconrod@google.com>
Jay Lee <BusyJayLee@gmail.com>
Jay Taylor <outtatime@gmail.com>
Jay Weisskopf <jay@jayschwa.net>
Jean de Klerk <deklerk@google.com>
Jean-Andr Santoni <jean.andre.santoni@gmail.com>
Jean-Franois Bustarret <jf@bustarret.com>
Jean-Francois Cantin <jfcantin@gmail.com>
Jean-Hadrien Chabran <jh@chabran.fr>
Jean-Marc Eurin <jmeurin@google.com>
Jean-Nicolas Moal <jn.moal@gmail.com>
Jed Denlea <jed@fastly.com>
Jdrzej Szczepaniak <jbszczepaniak@gmail.com>
Jeet Parekh <jeetparekh96@gmail.com>
Jeevanandam M <jeeva@myjeeva.com>
Jeff (Zhefu) Jiang <jeffjiang@google.com>
Jeff Craig <jeffcraig@google.com>
Jeff Dupont <jeff.dupont@gmail.com>
Jeff Hodges <jeff@somethingsimilar.com>
Jeff Johnson <jrjohnson@google.com>
Jeff R. Allen <jra@nella.org> <jeff.allen@gmail.com>
Jeff Sickel <jas@corpus-callosum.com>
Jeff Wendling <jeff@spacemonkey.com>
Jeff Wentworth <j.wentworth@gmail.com>
Jeff Widman <jeff@jeffwidman.com>
Jeffrey H <jeffreyh192@gmail.com>
Jelte Fennema <github-tech@jeltef.nl>
Jens Frederich <jfrederich@gmail.com>
Jeremiah Harmsen <jeremiah@google.com>
Jeremy Banks <_@jeremy.ca>
Jeremy Canady <jcanady@gmail.com>
Jeremy Faller <jeremy@golang.org>

Jeremy Jackins <jeremyjackins@gmail.com>

Jeremy Jay <jeremy@pbnjay.com>

Jeremy Schlatter <jeremy.schlatter@gmail.com>

Jero Bado <tokidokitalkyou@gmail.com>

Jeroen Bobbeldijk <jerbob92@gmail.com>

Jeroen Simonetti <jeroen@simonetti.nl>

Jrme Doucet <jerdct@gmail.com>

Jerrin Shaji George <jerrinsg@gmail.com>

Jess Frazelle <me@jessfraz.com>

Jesse Szwedko <jesse.szwedko@gmail.com>

Jess Espino <jespinog@gmail.com>

Jia Zhan <jzhan@uber.com>

Jiacai Liu <jiacai2050@gmail.com>

Jiahao Lu <lujjjh@gmail.com>

Jiahua Wang <wjh180909@gmail.com>

Jianing Yu <jnyu@google.com>

Jianqiao Li <jianqiaoli@google.com>

Jiayu Yi <yijiayu@gmail.com>

Jie Ma <jienius@outlook.com>

Jihyun Yu <yjh0502@gmail.com>

Jim Cote <jfcote87@gmail.com>

Jim Kingdon <jim@bolt.me>

Jim McGrath <jimmc2@gmail.com>

Jim Minter <jminter@redhat.com>

Jimmy Frasche <soapboxcicero@gmail.com>

Jimmy Zelinskie <jimmyzelinskie@gmail.com>

Jin-wook Jeong <jeweljar@hanmail.net>

Jingcheng Zhang <diogin@gmail.com>

Jingguo Yao <yaojingguo@gmail.com>

Jingnan Si <jingnan.si@gmail.com>

Jinkun Zhang <franksnolf@gmail.com>

Jinwen Wo <wojinwen@huawei.com>

Jiong Du <londevil@gmail.com>

Jirka Dank <dnk@mail.muni.cz>

Jiulong Wang <jiulongw@gmail.com>

Joakim Sernbrant <serbaut@gmail.com>

Jochen Weber <jochen.weber80@gmail.com>

Joe Bowbeer <joe.bowbeer@gmail.com>

Joe Cortopassi <joe@joecortopassi.com>

Joe Farrell <joe2farrell@gmail.com>

Joe Harrison <joehazzers@gmail.com>

Joe Henke <joed.henke@gmail.com>

Joe Kyo <xunianzu@gmail.com>

Joe Poirier <jdpoirier@gmail.com>

Joe Richey <joerichey@google.com>

Joe Shaw <joe@joeshaw.org>

Joe Sylve <joe.sylve@gmail.com>

Joe Tsai <joetsai@digital-static.net>

Joel Courtney <euphemize@gmail.com>

Joel Ferrier <joelferrier@google.com>

Joel Sing <joel@sing.id.au> <jsing@google.com>

Jol Stemmer <jstemmer@google.com>

Joel Stemmer <stemmertech@gmail.com>

Joey Geiger <jgeiger@users.noreply.github.com>

Johan Brandhorst <johan.brandhorst@gmail.com>

Johan Euphrosine <proppy@google.com>

Johan Jansson <johan.jansson@iki.fi>

Johan Knutzen <johan@senri.se>

Johan Sageryd <j@1616.se>

Johannes Altmanninger <aclopte@gmail.com>

Johannes Huning <johannes.huning@gmail.com>

John Asmuth <jasmuth@gmail.com>

John Bampton <jbampton@gmail.com>

John Beisley <huin@google.com>

John C Barstow <jbowtie@amathaine.com>

John DeNero <denero@google.com>

John Dethridge <jcd@golang.org>

John Gibb <johngibb@gmail.com>

John Gilik <john@jgilik.com>

John Graham-Cumming <jgc@jgc.org> <jgrahamc@gmail.com>

John Howard Palevich <jack.palevich@gmail.com>

John Jago <johnjago@protonmail.com>

John Jeffery <jjeffery@sp.com.au>

John Jenkins <twodopeshaggy@gmail.com>

John Kelly <jkelly@squarespace.com>

John Leidegren <john.leidegren@gmail.com>

John McCabe <john@johnmccabe.net>

John Moore <johnkenneth.moore@gmail.com>

John Newlin <jnewlin@google.com>

John Olheiser <john.olheiser@gmail.com>

John Papandriopoulos <jpap.code@gmail.com>

John Potocny <johnp@vividcortex.com>

John R. Lenton <jlenton@gmail.com>

John Schnake <schnake.john@gmail.com>

John Shahid <jvshahid@gmail.com>

John Tuley <john@tuley.org>

John Weldon <johnweldon4@gmail.com>

Johnny Luo <johnnyluo1980@gmail.com>

Jon Chen <jchen@justin.tv>

Jon Johnson <jonjohnson@google.com>

Jonas Bernoulli <jonas@bernoul.li>

Jonathan Albrecht <jonathan.albrecht@ibm.com>

Jonathan Allie <jonallie@google.com>

Jonathan Amsterdam <jba@google.com>

Jonathan Boulle <jonathanboulle@gmail.com>

Jonathan Chen <dijonkitchen@users.noreply.github.com>

Jonathan Feinberg <feinberg@google.com>

Jonathan Gold <jgold.bg@gmail.com>

Jonathan Hseu <jhseu@google.com>

Jonathan Mark <jhmark@xenops.com> <jhmark000@gmail.com>

Jonathan Nieder <jrn@google.com>

Jonathan Pentecost <pentecostjonathan@gmail.com>

Jonathan Pittman <jmpittman@google.com> <jonathan.mark.pittman@gmail.com>

Jonathan Rudenberg <jonathan@titanous.com>

Jonathan Stacks <jonstacks13@gmail.com>

Jonathan Swinney <jswinney@amazon.com>

Jonathan Wills <runningwild@gmail.com>

Jonathon Lacher <jonathon.lacher@gmail.com>

Jongmin Kim <atomaths@gmail.com>

Joonas Kuorilehto <joneskoo@derbian.fi>

Joop Kiefte <ikojba@gmail.com> <joop@kiefte.net>

Jordan Christiansen <xordspar0@gmail.com>

Jordan Krage <jmank88@gmail.com>

Jordan Lewis <jordanthelewis@gmail.com>

Jordan Liggitt <liggitt@google.com>

Jordan Rhee <jordanrh@microsoft.com>

Jordan Rupprecht <rupprecht@google.com>

Jordi Martin <jordimartin@gmail.com>

Jorge Araya <jorgejavieran@yahoo.com.mx>

Jorge L. Fatta <jorge.fatta@auth0.com>

Jorge Troncoso <jatron@google.com>

Jos Visser <josv@google.com>

Josa Gesell <josa@gesell.me>

Jose Luis Vzquez Gonzlez <josvazg@gmail.com>

Joseph Bonneau <jcb@google.com>

Joseph Holsten <joseph@josephholsten.com>

Joseph Morag <sefim96@gmail.com>

Josh Baum <joshbaum@google.com>

Josh Bleecher Snyder <josharian@gmail.com>

Josh Chorlton <jchorlton@gmail.com>

Josh Deprez <josh.deprez@gmail.com>

Josh Goebel <dreamer3@gmail.com>

Josh Hoak <jhoak@google.com>

Josh Holland <jrh@joshh.co.uk>

Josh Rickmar <jrick@companyzero.com>

Josh Roppo <joshroppo@gmail.com>

Josh Varga <josh.varga@gmail.com>

Joshua Bezaleel Abednego <joshua.bezaleel@gmail.com>

Joshua Boelter <joshua.boelter@intel.com>

Joshua Chase <jcjoshuachase@gmail.com>

Joshua Crowgey <jcrowgey@uw.edu>

Joshua Harshman <joshgreyhat@gmail.com>

Joshua M. Clulow <josh.clulow@joyent.com>

Joshua Rubin <joshua@rubixconsulting.com>

Josselin Costanzi <josselin@costanzi.fr>

Jostein Stuhaug <js@solidsystem.no>

JP Sugarbroad <jpsugar@google.com>

JT Olds <jtolds@xnet5.com>

JT Olio <hello@jtolio.com>

Juan Carlos <juanjcsr@gmail.com>

Juan Pablo Civile <elementohb@gmail.com>

Jude Pereira <judebpereira@gmail.com>

Jukka-Pekka Kekkonen <karatepekka@gmail.com>

Julia Hansbrough <flowerhack@google.com>

Julian Kornberger <jk+github@digineo.de>

Julian Pastarmov <pastarmovj@google.com>

Julian Phillips <julian@quantumfyre.co.uk>

Julian Tibble <julian.tibble@gmail.com>

Julie Qiu <julie@golang.org>

Julien Kauffmann <julien.kauffmann@freelan.org>

Julien Salleyron <julien.salleyron@gmail.com>

Julien Schmidt <google@julienschmidt.com>

Julien Tant <julien@craftyx.fr>

Julio Montes <julio.montes@intel.com>

Jun Zhang <jim.zoumo@gmail.com>

Junchen Li <junchen.li@arm.com>

Junda Liu <junda@celer.network>

Jungho Ahn <jhahn@google.com>

Junya Hayashi <ledmonster@gmail.com>

Juraj Sukop <sukop@users.noreply.github.com>

Jure Ham <jure.ham@zemanta.com>

Justin Gracenin <jgracenin@gmail.com>

Justin Li <git@justinli.net>

Justin Nu <nuss.justin@gmail.com>

Justyn Temme <justyntemme@gmail.com>

Kai Backman <kaib@golang.org>

Kai Dong <dokia2357@gmail.com>

Kai Lke <kai@kinvolk.io>

Kai Trukenmller <ktye78@gmail.com>

Kale Blankenship <kale@lemnisys.com>

Kaleb Elwert <kelwert@atlassian.com>

Kalman Bekesi <kalmanb@google.com>

Kamal Aboul-Hosn <aboulhosn@google.com>

Kamil Chmielewski <kamil.chm@gmail.com>

Kamil Kisiel <kamil@kamilkisiel.net> <kamil.kisiel@gmail.com>

Kamil Rytarowski <krytarowski@users.noreply.github.com>

Kang Hu <hukangustc@gmail.com>

Kanta Ebihara <kantaebihara@gmail.com>

Karan Dhiman <karandhi@ca.ibm.com>

Karel Pazdera <pazderak@gmail.com>

Karoly Negyesi <chx1975@gmail.com>

Karsten Khler <karsten.koehler95@gmail.com>

Karthik Nayak <karthik.188@gmail.com>

Kashav Madan <kshvmdn@gmail.com>

Kate Manson <kate.manson@izettle.com>

Katharine Berry <ktbry@google.com>

Katie Hockman <katie@golang.org>

Kato Kazuyoshi <kato.kazuyoshi@gmail.com>

Katrina Owen <katrina.owen@gmail.com>

Kaviraj Kanagaraj <kavirajkanagaraj@gmail.com>

Kay Zhu <kayzhu@google.com>

Kazuhiro Sera <seratch@gmail.com>

KB Sriram <kbsriram@google.com>

Keegan Carruthers-Smith <keegan.csmith@gmail.com>

Kei Son <hey.calmdown@gmail.com>

Keiichi Hirobe <chalenge.akane@gmail.com>

Keiji Yoshida <keijiyoshida.mail@gmail.com>

Keisuke Kishimoto <keisuke.kishimoto@gmail.com>

Keith Ball <inflatablewoman@gmail.com>

Keith Randall <khr@golang.org>

Keith Rarick <kr@xph.us>

Kelly Heller <pestophagous@gmail.com>

Kelsey Hightower <kelsey.hightower@gmail.com>

Kelvin Foo Chuan Lyi <vmirage@gmail.com>

Kemal Elmizan <kemalelmizan@gmail.com>

Ken Friedenbach <kenliz@cruzio.com>

Ken Rockot <ken@oz.gs> <ken.rockot@gmail.com>

Ken Sedgwick <ken@bonsai.com>

Ken Thompson <ken@golang.org>

Kenichi Tsunokawa <kenichi.tsunokawa@gmail.com>

Kenji Kaneda <kenji.kaneda@gmail.com>

Kenji Yano <kenji.yano@gmail.com>

Kenneth Shaw <kenshaw@gmail.com>

Kenny Grant <kennygrant@gmail.com>

Kensei Nakada <handbomusic@gmail.com>

Kenta Mori <zoncoen@gmail.com>

Kerollos Magdy <kerolloz@yahoo.com>

Ketan Parmar <ketanbparmar@gmail.com>

Kevan Swanberg <kevswanberg@gmail.com>

Kevin Albertson <kevin.albertson@mongodb.com>

Kevin Ballard <kevin@sb.org>

Kevin Burke <kev@inburke.com>

Kvin Dunglas <dunglas@gmail.com>

Kevin Gillette <extemporalgenome@gmail.com>

Kevin Herro <kevin109104@gmail.com>

Kevin Kirsche <kev.kirsche@gmail.com>

Kevin Klues <klueska@gmail.com> <klueska@google.com>

Kevin Malachowski <chowski@google.com>

Kevin Parsons <kevpar@microsoft.com>

Kevin Ruffin <kruffin@gmail.com>

Kevin Vu <kevin.m.vu@gmail.com>

Kevin Zita <bleedgreenandgold@gmail.com>

Keyan Pishdadian <kpishdadian@gmail.com>

Keyuan Li <keyuanli123@gmail.com>

Kezhu Wang <kezhuw@gmail.com>

Khosrow Moossavi <khos2ow@gmail.com>

Kieran Colford <kieran@kcolford.com>

Kieran Gorman <kieran.j.gorman@gmail.com>

Kim Shrier <kshrier@racktopsystems.com>

Kim Yongbin <kybinz@gmail.com>

Kir Kolyshkin <kolyshkin@gmail.com>

Kirill Korotaev <kirillx@gmail.com>

Kirill Motkov <Motkov.Kirill@gmail.com>

Kirill Smelkov <kirr@nexedi.com>

Kirill Tatchihin <kirabsuir@gmail.com>

Kirk Han <kirk91.han@gmail.com>

Kirklin McDonald <kirklin.mcdonald@gmail.com>

KJ Tsanaktsidis <ktsanaktsidis@zendesk.com>

Klaus Post <klauspost@gmail.com>

Kodie Goodwin <kodiegoodwin@gmail.com>

Koichi Shiraishi <zchee.io@gmail.com>

Koki Ide <niconegoto@yahoo.co.jp>

Koki Tomoshige <tomocy.dev@gmail.com>

Komu Wairagu <komuw05@gmail.com>

Konstantin <konstantin8105@gmail.com>

Konstantin Shaposhnikov <k.shaposhnikov@gmail.com>

Koya IWAMURA <kiwamura0314@gmail.com>

Kris Kwiatkowski <kris@cloudflare.com>

Kris Nova <kris@nivenly.com>

Kris Rousey <krousey@google.com>

Krishna Birla <krishnabirla16@gmail.com>

Kristopher Watts <traetox@gmail.com>

Krzysztof Dbrowski <krzysdabro@live.com>

Kshitij Saraogi <kshitijsaraogi@gmail.com>

Kun Li <likunarmstrong@gmail.com>

Kunpei Sakai <namusyaka@gmail.com>

Kuntal Majumder <hellozee@disroot.org>

Kush Patel <kush.patel@hootsuite.com>

Kyle Consalus <consalus@gmail.com>

Kyle Isom <kyle@gokyle.net>

Kyle Jones <kyle@kyledj.com>

Kyle Lemons <kyle@kylelemons.net> <kevlar@google.com>

Kyle Nusbaum <kyle@datadog.com>

Kyle Shannon <kyle@pobox.com>

Kyle Spiers <eiais@google.com>

Kyle Wood <kyle@kylewood.cc>

Kyohei Kadota <lufia@lufia.org>

Kyrylo Silin <silin@kyrylo.org>

L Campbell <unpantsu@gmail.com>

Lai Jiangshan <eag0628@gmail.com>

Lajos Papp <lalyos@yahoo.com>

Lakshay Garg <lakshay.garg.1996@gmail.com>

Lann Martin <lannm@google.com>

Lanre Adelowo <yo@lanre.wtf>

Lapo Luchini <lapo@lapo.it>

Larry Clapp <larry@theclapp.org>

Larry Hosken <lahosken@golang.org>

Lars Jeppesen <jeppesen.lars@gmail.com>

Lars Lehtonen <lars.lehtonen@gmail.com>

Lars Wiegman <lars@namsral.com>

Larz Conwell <larzconwell@gmail.com>

Laurent Voisin <lpvoisin@gmail.com>

Laurie Clark-Michalek <laurie@qubit.com>

LE Manh Cuong <cuong.manhle.vn@gmail.com>

Lee Hinman <hinman@gmail.com>

Lee Packham <lpackham@gmail.com>

Lehner Florian <dev@der-flo.net>

Leigh McCulloch <leighmcc@gmail.com>

Leo Antunes <leo@costela.net>

Leo Rudberg <ljr@google.com>

Leon Klingele <git@leonklingele.de>

Leonard Wang <wangdeyu0907@gmail.com> <wangdeyu@golangcn.org>

Leonardo Comelli <leonardo.comelli@gmail.com>

Leonel Quinteros <leonel.quinteros@gmail.com>

Lev Shamardin <shamardin@gmail.com>

Lewin Bormann <lewin.bormann@gmail.com>

Lewis Waddicor <nemesismk2@gmail.com>

Li-Yu Yu <aaronyu@google.com>

Liam Haworth <liam@haworth.id.au>

Lily Chung <lilithkchung@gmail.com>

Lingchao Xin <douglarek@gmail.com>

Lion Yang <lion@aosc.xyz>

Liz Rice <liz@lizrice.com>

Lize Cai <lizzzcai1@gmail.com>

Lloyd Dewolf <foolswisdom@gmail.com>

Llus Batlle i Rossell <viric@viric.name>

Lorenz Bauer <lmb@cloudflare.com>

Lorenz Brun <lorenz@brun.one>

Lorenz Nickel <mail@lorenznickel.de>

Lorenzo Masini <rugginoso@develer.com>

Lorenzo Stoakes <lstoakes@gmail.com>

Louis Kruger <louisk@google.com>

Luan Santos <cfcluan@gmail.com>

Lubomir I. Ivanov <neolit123@gmail.com>

Luca Bruno <luca.bruno@coreos.com>

Luca Greco <luca.greco@alcacoop.it>

Luca Spiller <luca@stackednotion.com>

Lucas Bremgartner <lucas.bremgartner@gmail.com>

Lucas Clemente <lclemente@google.com>

Lucien Stuker <lucien.stuker@gmail.com>

Lucio De Re <lucio.dere@gmail.com>

Ludi Rehak <ludi317@gmail.com>

Luigi Riefolo <luigi.riefolo@gmail.com>

Luit van Drongelen <luitvd@gmail.com>

Luka Zakrajek <tr00.g33k@gmail.com>

Luka Zitnik <luka.zitnik@gmail.com>

Lukasz Milewski <lmmilewski@gmail.com>

Luke Champine <luke.champine@gmail.com>

Luke Curley <qpingu@gmail.com>

Luke Granger-Brown <git@lukegb.com>

Luke Shumaker <lukeshu@datawire.io>

Luke Young <bored-engineer@users.noreply.github.com>

Luna Duclos <luna.duclos@palmstonegames.com>

Luuk van Dijk <lvd@golang.org> <lvd@google.com>

Lyle Franklin <lylejfranklin@gmail.com>

Lynn Boger <laboger@linux.vnet.ibm.com>

Ma Peiqi <mapeiqi2017@gmail.com>

Maarten Bezemer <maarten.bezemer@gmail.com>

Maciej Dbski <maciejd@google.com>

Madhu Rajanna <madhupr007@gmail.com>

Magnus Hiie <magnus.hiie@gmail.com>

Mahdi Hosseini Moghaddam <seyed.mahdi.hosseini.moghaddam@ibm.com>

Maia Lee <maia.lee@leftfieldlabs.com>

Maicon Costa <maiconscosta@gmail.com>

Mak Kolybabi <mak@kolybabi.com>

Maksym Trykur <maksym.trykur@gmail.com>

Mal Curtis <mal@mal.co.nz>

Manfred Touron <m@42.am>

Manigandan Dharmalingam <manigandan.jeff@gmail.com>

Manish Goregaokar <manishsmail@gmail.com>

Manlio Perillo <manlio.perillo@gmail.com>

Manoj Dayaram <platform-dev@moovweb.com> <manoj.dayaram@moovweb.com>

Mansour Rahimi <rahimi.mnr@gmail.com>

Manu Garg <manugarg@google.com>

Manu S Ajith <neo@codingarena.in>

Manuel Mendez <mmendez534@gmail.com>

Marat Khabibullin <marat.khabibullin@jetbrains.com>

Marc Sanmiquel <marcsanmiquel@gmail.com>

Marc Weistroff <marc@weistroff.net>

Marc-Antoine Ruel <maruel@chromium.org>

Marcel Edmund Franke <marcel.edmund.franke@gmail.com>

Marcel van Lohuizen <mpvl@golang.org>

Marcelo Cantos <marcelo.cantos@gmail.com>

Marcelo E. Magallon <marcelo.magallon@gmail.com>

Marco Gazerro <gazerro@open2b.com>
Marco Hennings <marco.hennings@freiheit.com>
Marcus Weiner <marcus.weiner@gmail.com>
Marcus Willock <crazcalm@gmail.com>
Marga Manterola <marga@google.com>
Mariano Cano <mariano@smallstep.com>
Marin Bai <marin.basic02@gmail.com>
Mario Arranz <marioarranzr@gmail.com>
Marius A. Eriksen <marius@grailbio.com>
Marius Nuennerich <mnu@google.com>
Mark Adams <mark@markadams.me>
Mark Bucciarelli <mkbucc@gmail.com>
Mark Dain <mark@markdain.net>
Mark Glines <mark@glines.org>
Mark Hansen <markhansen@google.com>
Mark Harrison <marhar@google.com>
Mark Jeffery <dandare100@gmail.com>
Mark Percival <m@mdp.im>
Mark Pulford <mark@kyne.com.au>
Mark Rushakoff <mark.rushakoff@gmail.com>
Mark Ryan <mark.d.ryan@intel.com>
Mark Severson <miquella@gmail.com>
Mark Theunissen <mark.theunissen@gmail.com>
Mark Villacampa <m@markvillacampa.com>
Mark Wolfe <mark@wolfe.id.au>
Mark Zavislak <zavislak@google.com>
Marko Juhani Silokunnas <marko.silokunnas@gmail.com>
Marko Kevac <marko@kevac.org>
Marko Kungla <marko.kungla@gmail.com>
Marko Mikulicic <mkm@google.com>
Marko Mudrinic <mudrinic.mare@gmail.com>
Marko Tiikkaja <marko@joh.to>
Markus Duft <markus.duft@salomon.at>
Markus Sonderegger <marraison@gmail.com>
Markus Zimmermann <zimmski@gmail.com>
Marten Seemann <martenseemann@gmail.com>
Martin Asquino <martin.asquino@gmail.com>
Martin Bertschler <mbertschler@gmail.com>
Martin Garton <garton@gmail.com>
Martin Habbecke <marhab@google.com>
Martin Hamrle <martin.hamrle@gmail.com>
Martin Hoefling <martin.hoefling@gmx.de>
Martin Kreichgauer <martinkr@google.com>
Martin Kunc <martinkunc@users.noreply.github.com>
Martin Lindhe <martin.j.lindhe@gmail.com>
Martin Mhrmann <martin@golang.org> <moehrmann@google.com> <martisch@uos.de>
Martin Neubauer <m.ne@gmx.net>
Martin Olsen <github.com@martinolsen.net>

Martin Olsson <martin@minimum.se>

Martin Probst <martin@probst.io>

Martin Sucha <anty.sk+git@gmail.com>

Martin Tournoij <martin@arp242.net>

Martins Sipenko <martins.sipenko@gmail.com>

Martynas Budrinas <mabu@google.com>

Marvin Stenger <marvin.stenger94@gmail.com>

Marwan Sulaiman <marwan.sulaiman@work.co>

Maryan Hratson <gmarik@gmail.com>

Masahiro Furudate <masahiro.furudate@gmail.com>

Masahiro Wakame <vvakame@gmail.com>

Masaki Yoshida <yoshida.masaki@gmail.com>

Masaya Watanabe <sfbgwm30@gmail.com>

Mat Byczkowski <mbyczkowski@gmail.com>

Mat Ryer <thatmatryer@gmail.com>

Mt Gulys <mgulyas86@gmail.com>

Matej Bao <matejbaco@gmail.com>

Mateus Amin <mateus.amin@gmail.com>

Mateusz Czapliski <czapkofan@gmail.com>

Matheus Alcantara <matheusssilv97@gmail.com>

Mathias Beke <git@denbeke.be>

Mathias Hall-Andersen <mathias@hall-andersen.dk>

Mathias Leppich <mleppich@muhqu.de>

Mathieu Lonjaret <mathieu.lonjaret@gmail.com>

Mats Lidell <mats.lidell@cag.se> <mats.lidell@gmail.com>

Matt Aimonetti <mattaimonetti@gmail.com>

Matt Blair <me@matthewblair.net>

Matt Bostock <matt@mattbostock.com>

Matt Brown <mdbrown@google.com>

Matt Dee <mdee@hioscar.com>

Matt Drollette <matt@drollette.com>

Matt Harden <matt.harden@gmail.com>

Matt Jibson <matt.jibson@gmail.com>

Matt Joiner <anacrolix@gmail.com>

Matt Jones <mrjones@google.com>

Matt Juran <thepciet@gmail.com>

Matt Layher <mdlayher@gmail.com>

Matt Masurka <masurka@google.com>

Matt Pearring <broskies@google.com>

Matt Reiferson <mreiferson@gmail.com>

Matt Robenolt <matt@ydekproductions.com>

Matt Strong <mstrong1341@gmail.com>

Matt T. Proud <matt.proud@gmail.com>

Matt Williams <gh@mattyw.net> <mattyjwilliams@gmail.com>

Matthew Brennan <matty.brennan@gmail.com>

Matthew Broberg <matthewbbroberg@gmail.com>

Matthew Cottingham <mattcottingham@gmail.com>

Matthew Dempsky <mdempsky@google.com>

Matthew Denton <mdenton@skyportsystems.com>
Matthew Holt <Matthew.Holt+git@gmail.com>
Matthew Horsnell <matthew.horsnell@gmail.com>
Matthew Waters <mwwaters@gmail.com>
Matthias Dtsch <matze@mdoetsch.de>
Matthias Frei <matthias.frei@inf.ethz.ch>
Matthieu Hauglustaine <matt.hauglustaine@gmail.com>
Matthieu Olivier <olivier.matthieu@gmail.com>
Matthijs Kooijman <matthijs@stdin.nl>
Mattias Appelgren <mattias@ppelgren.se>
Mauricio Alvarado <mauricio.alvarado@leftfieldlabs.com>
Max Drosdo.www <g1ran1q@gmail.com>
Max Riveiro <kavu13@gmail.com>
Max Schmitt <max@schmitt.mx>
Max Semenik <maxsem.wiki@gmail.com>
Max Ushakov <ushmax@gmail.com>
Maxim Eryomenko <moeryomenko@gmail.com>
Maxim Khitrov <max@mxcrypt.com>
Maxim Pimenov <mpimenov@google.com>
Maxim Pugachev <pugachev.mm@gmail.com>
Maxim Ushakov <ushakov@google.com>
Maxime de Roucy <maxime.deroucy@gmail.com>
Mximo Cuadros Ortiz <mcuadros@gmail.com>
Maxwell Krohn <themax@gmail.com>
Maya Rashish <maya@NetBSD.org>
Mayank Kumar <krmayankk@gmail.com>
Mehrad Sadeghi <2012.linkinpark@gmail.com>
Meir Fischer <meirfischer@gmail.com>
Meng Zhuo <mengzhuo1203@gmail.com> <mzh@golangcn.org>
Mhd Sulhan <m.shulhan@gmail.com>
Mia Zhu <CrystalZhu1025getu@gmail.com>
Micah Stetson <micah.stetson@gmail.com>
Michael Anthony Knyszek <mknyszek@google.com>
Michael Brandenburg <mbrandenburg@bolste.com>
Michael Chaten <mchaten@gmail.com>
Michael Cook <code@mdcook.net>
Michael Darakananda <pongad@google.com>
Michael Dorner <mail@michaeldorner.de>
Michael Edwards <medwards@walledcity.ca>
Michael Elkins <michael.elkins@gmail.com>
Michael Ellis <micellis@justin.tv>
Michael Fraenkel <michael.fraenkel@gmail.com>
Michael Fromberger <michael.j.fromberger@gmail.com>
Michael Gehring <mg@ebfe.org> <gnirheg.leahcim@gmail.com>
Michael Henderson <mdhender@users.noreply.github.com>
Michael Hendricks <michael@ndrix.org>
Michael Hoisie <hoisie@gmail.com>
Michael Hudson-Doyle <michael.hudson@linaro.org>

Michael Kasch <michael.kasch@gmail.com>

Michael Kufl <golang@c.michael-kaeufl.de>

Michael Kelly <mjk@google.com>

Michal Lvesque-Dion <mlevesquedion@google.com>

Michael Lewis <mikelikespie@gmail.com>

Michael MacInnis <Michael.P.MacInnis@gmail.com>

Michael Marineau <michael.marineau@coreos.com>

Michael Matloob <matloob@google.com>

Michael McConville <momcconville@gmail.com>

Michael McGreevy <mcgreevy@golang.org>

Michael McLoughlin <mmcloughlin@gmail.com>

Michael Munday <mike.munday@ibm.com>

Michael Pearson <mipearson@gmail.com>

Michael Piatek <piatek@google.com>

Michael Pratt <mpratt@google.com>

Michael Schaller <michael@5challer.de>

Michael Schurter <michael.schurter@gmail.com>

Michael Shields <mshields@google.com>

Michael Stapelberg <michael@stapelberg.de> <mstplbrg@googlemail.com>

Michael Steinert <mike.steinert@gmail.com>

Michael T. Jones <mtj@google.com> <michael.jones@gmail.com>

Michael Teichgrber <mteichgraeber@gmx.de> <mt4swm@googlemail.com>

Michael Traver <mtraver@google.com>

Michael Vetter <g.bluehut@gmail.com>

Michael Vogt <mvo@ubuntu.com>

Michail Kargakis <mkargaki@redhat.com>

Michal Bohuslvek <mbohuslavek@gmail.com>

Michal Cierniak <cierniak@google.com>

Micha Derkacz <ziutek@lnet.pl>

Michal Franc <lam.michal.franc@gmail.com>

Michal Hruby <michal@axiom.co>

Micha owicki <mlowicki@gmail.com>

Michal Pristas <michal.pristas@gmail.com>

Michal Rostecki <mrostecki@suse.de>

Michal Stokluska <mstoklus@redhat.com>

Michalis Kargakis <michaliskargakis@gmail.com>

Michel Lespinasse <walken@google.com>

Michel Levieux <mlevieux42@gmail.com>

Michele Di Pede <michele.di.pede@gmail.com>

Mickael Kerjean <mickael.kerjean@gmail.com>

Mickey Reiss <mickeyreiss@gmail.com>

Miek Gieben <miek@miek.nl> <remigius.gieben@gmail.com>

Miguel Acero <acero@google.com>

Miguel Mendez <stxmendez@gmail.com>

Miguel Molina <hi@mvader.me>

Mihai Borobocea <MihaiBorobocea@gmail.com>

Mihai Moldovan <ionic@ionic.de>

Mihai Todor <todormihai@gmail.com>

Mihail Minaev <minaev.mike@gmail.com>

Mikael Tillenius <mikti42@gmail.com>

Mike Andrews <mra@xoba.com>

Mike Appleby <mike@app.leby.org>

Mike Danese <mikedanese@google.com>

Mike Houston <mike@kothar.net>

Mike Kabischev <kabischev@gmail.com>

Mike Rosset <mike.rosset@gmail.com>

Mike Samuel <mikesamuel@gmail.com>

Mike Solomon <msolo@gmail.com>

Mike Strosaker <strosake@us.ibm.com>

Mike Tsao <mike@sowbug.com>

Mike Wiacek <mjwiacek@google.com>

Mikhail Faraponov <11322032+moredure@users.noreply.github.com>

Mikhail Fesenko <proggga@gmail.com>

Mikhail Gusarov <dottedmag@dottedmag.net>

Mikhail Panchenko <m@mihasya.com>

Miki Tebeka <miki.tebeka@gmail.com>

Mikio Hara <mikioh.mikioh@gmail.com>

Mikkel Krautz <mikkel@krautz.dk> <krautz@gmail.com>

Mikoaj Baranowski <mikolajb@gmail.com>

Milan Knezevic <milan.knezevic@mips.com>

Milan Patel <bicelot3@gmail.com>

Milutin Jovanovic <jovanovic.milutin@gmail.com>

MinJae Kwon <mingrammer@gmail.com>

Miquel Sabat Sol <mikisabate@gmail.com>

Mirko Hansen <baaazen@gmail.com>

Miroslav Genov <mgenov@gmail.com>

Misty De Meo <mistydemeo@gmail.com>

Mohamed Attahri <mohamed@attahri.com>

Mohit Agarwal <mohit@sdf.org>

Mohit kumar Bajoria <mohitbajo36@gmail.com>

Mohit Verma <vmohit.93@gmail.com>

Momchil Velikov <momchil.velikov@gmail.com>

Monis Khan <mkhan@redhat.com>

Monty Taylor <mordred@inaugust.com>

Moritz Fain <moritz@fain.io>

Moriyoshi Koizumi <mozo@mozo.jp>

Morten Siebuhr <sbhr@sbhr.dk>

Mshe van der Sterre <moshevds@gmail.com>

Mostafa Solati <mostafa.solati@gmail.com>

Mostyn Bramley-Moore <mostyn@antipode.se>

Mrunal Patel <mrunalp@gmail.com>

Muhammad Falak R Wani <falakreyaz@gmail.com>

Muhammad Hamza Farrukh <hamzafarrukh141@gmail.com>

Muhammed Uluyol <uluyol0@gmail.com>

Muir Manders <muir@mnd.rs>

Mukesh Sharma <sharma.mukesh439@gmail.com>

Mura Li <mura_li@castech.com.tw>

Mykhailo Lesyk <mikhail@lesyk.org>

Nahum Shalman <nahamu@gmail.com>

Naman Aggarwal <aggarwal.nam@gmail.com>

Naman Gera <namangera15@gmail.com>

Nan Deng <monnand@gmail.com>

Nao Yonashiro <owan.orisano@gmail.com>

Naoki Kanatani <k12naoki@gmail.com>

Natanael Copa <ncopa@mirantis.com>

Nate Wilkinson <nathanwilk7@gmail.com>

Nathan Cantelmo <n.cantelmo@gmail.com>

Nathan Caza <mastercactapus@gmail.com>

Nathan Dias <nathan.dias@orijtech.com>

Nathan Fiscaletti <nathan.fiscaletti@vrazo.com>

Nathan Humphreys <nkhumphreys@gmail.com>

Nathan John Youngman <nj@nathany.com>

Nathan Otterness <otternes@cs.unc.edu>

Nathan P Finch <nate.finch@gmail.com>

Nathan VanBenschoten <nvanbenschoten@gmail.com>

Nathan Youngman <git@nathany.com>

Nathan(yinian) Hu <nathanhu@google.com>

Nathaniel Cook <nvcook42@gmail.com>

Naveen Kumar Sangi <naveenkumarsangi@protonmail.com>

Neeilan Selvalingam <neeilan96@gmail.com>

Neelesh Chandola <neelesh.c98@gmail.com>

Nehal J Wani <nehaljw.kkd1@gmail.com>

Neil Alexander <neilalexander@neilalexander.dev>

Neil Lyons <nwjlyons@googlemail.com>

Neuman Vong <neuman.vong@gmail.com>

Neven Sajko <nsajko@gmail.com>

Nevins Bartolomeo <nevins.bartolomeo@gmail.com>

Niall Sheridan <nsheridan@gmail.com>

Nic Day <nic.day@me.com>

Nicholas Asimov <nicholas@asimov.me>

Nicholas Katsaros <nick@nickkatsaros.com>

Nicholas Maniscalco <nicholas@maniscalco.com>

Nicholas Ng <nickng@nickng.io>

Nicholas Presta <nick@nickpresta.ca> <nick1presta@gmail.com>

Nicholas Sullivan <nicholas.sullivan@gmail.com>

Nicholas Waples <nwaples@gmail.com>

Nick Anthony <Liberatys@outlook.com>

Nick Cooper <nmvc@google.com>

Nick Craig-Wood <nick@craig-wood.com> <nickcw@gmail.com>

Nick Harper <nharper@google.com>

Nick Kubala <nkubala@google.com>

Nick Leli <nicholasleli@gmail.com>

Nick Miyake <nmiyake@users.noreply.github.com>

Nick Patavalis <nick.patavalis@gmail.com>

Nick Petroni <npetroni@cs.umd.edu>

Nick Robinson <nrobinson13@gmail.com>

Nick Sherron <nsherron90@gmail.com>

Nick Smolin <nick27surgut@gmail.com>

Nicolas BRULEZ <n.brulez@gmail.com>

Nicolas Kaiser <nikai@nikai.net>

Nicolas Owens <mischief@offblast.org>

Nicolas S. Dade <nic.dade@gmail.com>

Niek Sanders <niek.sanders@gmail.com>

Niels Widger <niels.widger@gmail.com>

Nigel Kerr <nigel.kerr@gmail.com>

Nigel Tao <nigeltao@golang.org>

Nik Nyby <nnyby@columbia.edu>

Nikhil Benesch <nikhil.benesch@gmail.com>

Nikita Gillmann <nikita@n0.is> <ng0@n0.is>

Nikita Kryuchkov <nkryuchkov10@gmail.com>

Nikita Melekhin <nimelehin@gmail.com>

Nikita Vanyasin <nikita.vanyasin@gmail.com>

Niklas Schnelle <niklas.schnelle@gmail.com>

Niko Dziemba <niko@dziemba.com>

Nikolay Turpitko <nikolay@turpitko.com>

Nikson Kanti Paul <nikson.sust@gmail.com>

Nils Larsgrd <nilsmagnus@gmail.com>

Nir Soffer <nirsof@gmail.com>

Niranjan Godbole <niranjan8192@gmail.com>

Nishanth Shanmugham <nishanth.gerrard@gmail.com>

Noah Campbell <noahcampbell@gmail.com>

Noah Goldman <noahg34@gmail.com>

Noah Santschi-Cooney <noah@santschi-cooney.ch>

Noble Johnson <noblepoly@gmail.com>

Nodir Turakulov <nodir@google.com>

Noel Georgi <git@frezbo.com>

Nooras Saba <saba@golang.org>

Norberto Lopes <nlopes.ml@gmail.com>

Norman B. Lancaster <qbradq@gmail.com>

Nuno Cruces <ncruces@users.noreply.github.com>

Obei Sideg <obei.sideg@gmail.com>

Obeyda Djeffal <djefobey@gmail.com>

Odin Ugedal <odin@ugedal.com>

Oleg Bulatov <dmage@yandex-team.ru>

Oleg Vakheta <helginet@gmail.com>

Oleku Konko <oleku.konko@gmail.com>

Oling Cat <olingcat@gmail.com>

Oliver Hookins <ohookins@gmail.com>

Oliver Powell <oliverpowell84@gmail.com>

Oliver Stenbom <ostenbom@pivotal.io>

Oliver Tan <otan@cockroachlabs.com>

Oliver Tonnhofer <olt@bogosoft.com>

Olivier Antoine <olivier.antoine@gmail.com>

Olivier Duperray <duperray.olivier@gmail.com>

Olivier Mengu <olivier.mengue@gmail.com>

Olivier Poitrey <rs@dailymotion.com>

Olivier Saingre <osaingre@gmail.com>

Olivier Wulveryck <olivier.wulveryck@gmail.com>

Omar Jarjur <ojarjur@google.com>

Onkar Jadhav <omjadhav2610@gmail.com>

Ori Bernstein <ori@eigenstate.org>

Ori Rawlings <orirawlings@gmail.com>

Oryan Moshe <iamoryanmoshe@gmail.com>

Osamu TONOMORI <osamingo@gmail.com>

Oscar Sderlund <oscar.soderlund@einride.tech>

zgr Kesim <oec-go@kesim.org>

Pablo Caderno <kaderno@gmail.com>

Pablo Lalloni <plalloni@gmail.com>

Pablo Rozas Larraondo <pablo.larraondo@anu.edu.au>

Pablo Santiago Blum de Aguiar <scorphus@gmail.com>

Padraig Kitterick <padraigkitterick@gmail.com>

Pallat Anchaleechamaikorn <yod.pallat@gmail.com>

Pan Chenglong <1004907659@qq.com>

Panos Georgiadis <pgeorgiadis@suse.de>

Pantelis Sampaziotis <psampaz@gmail.com>

Paolo Giarrusso <p.giarrusso@gmail.com>

Paolo Martini <mrtnpaolo@gmail.com>

Parker Moore <parkrmoore@gmail.com>

Parminder Singh <parmsingh101@gmail.com>

Pascal Dierich <pascal@pascaldierich.com>

Pascal S. de Kloe <pascal@quies.net>

Paschalis Tsilias <paschalis.tsilias@gmail.com>

Pasi Thkp <pasi.tahkapaa@gmail.com>

Pat Moroney <pat@pat.email>

Patrick Barker <barkerp@vmware.com>

Patrick Crosby <patrick@stathat.com>

Patrick Gavlin <pgavlin@gmail.com>

Patrick Gundlach <gundlach@speedata.de>

Patrick Higgins <patrick.allen.higgins@gmail.com>

Patrick Jones <ithuriel@google.com>

Patrick Lee <pattyshack101@gmail.com>

Patrick Mzard <patrick@mezard.eu>

Patrick Mylund Nielsen <patrick@patrickmn.com>

Patrick Pelletier <pp.pelletier@gmail.com>

Patrick Riley <pfr@google.com>

Patrick Smith <pat42smith@gmail.com>

Patrik Lundin <patrik@sigterm.se>

Patrik Nyblom <pnyb@google.com>

Paul A Querna <paul.querna@gmail.com>

Paul Borman <borman@google.com>

Paul Boyd <boyd.paul2@gmail.com>

Paul Chang <paulchang@google.com>

Paul D. Weber <x0bdev@gmail.com>

Paul Davis <43160081+Pawls@users.noreply.github.com>

Paul E. Murphy <murp@ibm.com>

Paul Forgey <paulf@tessier-ashpool.net>

Paul Hammond <paul@paulhammond.org>

Paul Hankin <paulhankin@google.com>

Paul Jolly <paul@myitcv.org.uk>

Paul Lalonde <paul.a.lalonde@gmail.com>

Paul M Furley <paul@paulfurley.com>

Paul Marks <pmarks@google.com>

Paul Meyer <paul.meyer@microsoft.com>

Paul Nasrat <pnasrat@google.com>

Paul PISCUC <paul.piscuc@gmail.com>

Paul Querna <pquerna@apache.org>

Paul Rosania <paul.rosania@gmail.com>

Paul Ruest <pruest@gmail.com>

Paul Sbarra <Sbarra.Paul@gmail.com>

Paul Smith <paulsmith@pobox.com> <paulsmith@gmail.com>

Paul Tyng <paul@paultyng.net>

Paul van Brouwershaven <paul@vanbrouwershaven.com>

Paul Wankadia <junyer@google.com>

Paulo Casaretto <pcasaretto@gmail.com>

Paulo Flabiano Smorigo <pfsmorigo@linux.vnet.ibm.com>

Paulo Gomes <paulo.gomes.uk@gmail.com>

Pavel Kositsyn <kositsyn.pa@phystech.edu>

Pavel Paulau <pavel.paulau@gmail.com>

Pavel Watson <watsonpavel@gmail.com>

Pavel Zinovkin <pavel.zinovkin@gmail.com>

Pavlo Sumkin <ymkins@gmail.com>

Pawel Knap <pawelknap88@gmail.com>

Pawel Szczur <filemon@google.com>

Pawe Szulik <pawel.szulik@intel.com>

Pedro Lopez Mareque <pedro.lopez.mareque@gmail.com>

Pei Xian Chee <luciolas1991@gmail.com>

Pei-Ming Wu <p408865@gmail.com>

Pen Tree <appletree2479@outlook.com>

Peng Gao <peng.gao.dut@gmail.com>

Percy Wegmann <ox.to.a.cart@gmail.com>

Perry Abbott <perry.j.abbott@gmail.com>

Petar Dambovaliev <petar.atanasov.1987@gmail.com>

Petar Maymounkov <petarm@gmail.com>

Peter Armitage <peter.armitage@gmail.com>

Peter Bourgon <peter@bourgon.org>

Peter Collingbourne <pcc@google.com>

Peter Conerly <pconerly@gmail.com>

Peter Dotchev <dotchev@gmail.com>

Peter Froehlich <peter.hans.froehlich@gmail.com>

Peter Gonda <pgonda@google.com>

Peter Hoyes <pahoyes@gmail.com>

Peter Kleiweg <pkleiweg@xs4all.nl>

Peter McKenzie <petermck@google.com>

Peter Moody <pmoody@uber.com>

Peter Morjan <pmorjan@gmail.com>

Peter Mundy <go.peter.90@gmail.com>

Peter Nguyen <peter@mictis.com>

Pter Surnyi <speter.go1@gmail.com>

Pter Szab <pts@google.com>

Pter Szilgyi <peterke@gmail.com>

Peter Teichman <pteichman@fastly.com>

Peter Tseng <ptseng@squareup.com>

Peter Waldschmidt <peter@waldschmidt.com>

Peter Waller <peter.waller@gmail.com>

Peter Weinberger <pjw@golang.org>

Peter Williams <pwil3058@gmail.com>

Peter Wu <pwu@cloudflare.com>

Peter Zhang <i@ddatsh.com>

Petr Jedin <petr.jediny@gmail.com>

Petrica Voicu <pvoicu@paypal.com>

Phil Pearl <philip.j.r.pearl@gmail.com>

Phil Pennock <pdp@golang.org>

Philip Brgesen <philip.borgesen@gmail.com>

Philip Brown <phil@bolthole.com>

Philip Hofer <phofer@umich.edu>

Philip K. Warren <pkwarren@gmail.com>

Philip Nelson <me@pnelson.ca>

Philipp Sauter <sauterp@protonmail.com>

Philipp Stephani <phst@google.com>

Phillip Campbell <15082+phillc@users.noreply.github.com>

Pierre Carru <pierre.carru@eshard.com>

Pierre Durand <pierredurand@gmail.com>

Pierre Prinetti <pierreprinetti@gmail.com>

Pierre Roullon <pierre.roullon@gmail.com>

Piers <google@hellopiers.pro>

Pieter Droogendijk <pieter@binky.org.uk>

Pietro Gagliardi <pietro10@mac.com>

Piyush Mishra <piyush@codeitout.com>

Plekhanov Maxim <kishtatix@gmail.com>

Poh Zi How <poh.zihow@gmail.com>

Polina Osadcha <polliosa@google.com>

Pontus Leitzler <leitzler@gmail.com>

Povilas Versockas <p.versockas@gmail.com>

Prajwal Koirala <16564273+Prajwal-Koirala@users.noreply.github.com>

Prasanga Siripala <pj@pjebs.com.au>

Prasanna Swaminathan <prasanna@mediamath.com>

Prashant Agrawal <prashant.a.vjti@gmail.com>

Prashant Varanasi <prashant@prashantv.com>

Praveen Kumar <praveen+git@kumar.in>

Pravendra Singh <hackpravj@gmail.com>

Preetam Jinka <pj@preet.am>

Pure White <wu.purewhite@gmail.com>

Qais Patankar <qaisjp@gmail.com>

Qiuxuan Zhu <ilsh1022@gmail.com>

Quan Tran <qeed.quan@gmail.com>

Quan Yong Zhai <qyzhai@gmail.com>

Quentin Perez <qperez@ocs.online.net>

Quentin Renard <contact@asticode.com>

Quentin Smith <quentin@golang.org>

Quey-Liang Kao <s101062801@m101.nthu.edu.tw>

Quim Muntal <quimmuntal@gmail.com>

Quinn Slack <sqs@sourcegraph.com>

Quinten Yearsley <qyearsley@chromium.org>

Quoc-Viet Nguyen <afelion@gmail.com>

Rabin Gaire <rabingaire20@gmail.com>

Radek Simko <radek.simko@gmail.com>

Radek Sohlich <sohlich@gmail.com>

Radu Berinde <radu@cockroachlabs.com>

Rafal Jeczalik <rjeczalik@gmail.com>

Raghavendra Nagaraj <jamdagni86@gmail.com>

Rahul Bajaj <rahulrb0509@gmail.com>

Rahul Chaudhry <rahulchaudhry@chromium.org>

Rahul Wadhwani <rahulwadhwani21@gmail.com>

Raif S. Naffah <go@naffah-raif.name>

Rajat Goel <rajat.goel2010@gmail.com>

Rajath Agasthya <rajathagasthya@gmail.com>

Rajender Reddy Kompally <rajenderreddykompally@gmail.com>

Ralph Corderoy <ralph@inputplus.co.uk>

Ramazan AYYILDIZ <rayyildiz@gmail.com>

Ramesh Dharan <dharan@google.com>

Randy Reddig <randy@alta.software>

Raph Levien <raph@google.com>

Raphael Geronimi <raphael.geronimi@gmail.com>

Raul Silvera <rsilvera@google.com>

Ravil Bikbulatov <weeellz12@gmail.com>

RaviTeja Pothana <ravi.tezu@gmail.com>

Ray Tung <rtung@thoughtworks.com>

Ray Wu <ray@liftoff.io>

Raymond Kazlauskas <raima220@gmail.com>

Rebecca Stambler <rstambler@golang.org>

Reilly Watson <reillywatson@gmail.com>

Reinaldo de Souza Jr <juniorz@gmail.com>

Remi Gillig <remigillig@gmail.com>

Rmy Oudompheng <oudomphe@phare.normalesup.org> <remyoudompheng@gmail.com>

Ren Ogaki <re.yuz77777@gmail.com>

Rens Rikkerink <Ikkerens@users.noreply.github.com>

Rhys Hiltner <rhys@justin.tv>

Ricardo Padilha <ricardospadilha@gmail.com>

Ricardo Pchevuzinske Katz <ricardo.katz@serpro.gov.br>

Ricardo Seriani <ricardo.seriani@gmail.com>

Rich Hong <hong.rich@gmail.com>

Richard Barnes <rlb@ipv.sx>

Richard Crowley <r@rcrowley.org>

Richard Dingwall <rdingwall@gmail.com>

Richard Eric Gavaletz <gavaletz@gmail.com>

Richard Gibson <richard.gibson@gmail.com>

Richard Miller <miller.research@gmail.com>

Richard Musiol <mail@richard-musiol.de> <neelance@gmail.com>

Richard Pickering <richard.pickering@hotmail.co.uk>

Richard Ulmer <codesoap@mailbox.org>

Richard Wilkes <wilkes@me.com>

Rick Arnold <rickarnoldjr@gmail.com>

Rick Hudson <rlh@golang.org>

Rick Sayre <whorfin@gmail.com>

Rijnard van Tonder <rvantonder@gmail.com>

Riku Voipio <riku.voipio@linaro.org>

Riley Avron <ra.git@posteo.net>

Risto Jaakko Saarelma <rsaarelm@gmail.com>

Rob Earhart <earhart@google.com>

Rob Findley <rfindley@google.com>

Rob Norman <rob.norman@infinitycloud.com>

Rob Phoenix <rob@robphoenix.com>

Rob Pike <r@golang.org>

Robert Ayrapetyan <robert.ayrapetyan@gmail.com>

Robert Burke <rebo@google.com>

Robert Daniel Kortschak <dan.kortschak@adelaide.edu.au> <dan@kortschak.io>

Robert Dinu <r@varp.se>

Robert Engels <rengels@ix.netcom.com>

Robert Figueiredo <robfig@gmail.com>

Robert Griesemer <gri@golang.org>

Robert Hencke <robert.hencke@gmail.com>

Robert Iannucci <iannucci@google.com>

Robert Kuska <rkuska@gmail.com>

Robert Obryk <robryk@gmail.com>

Robert Sesek <rsesek@google.com>

Robert Snedegar <roberts@google.com>

Robert Stepanek <robert.stepanek@gmail.com>

Robert van Gent <rvangent@google.com>

Robert-Andr Mauchin <zebob.m@gmail.com>

Roberto Clapis <robclap8@gmail.com>

Roberto Selbach <roberto@selbach.ca>

Robin Eklind <r.eklind.87@gmail.com>

Robin Zhong <robin@robinzhong.co>

Rodolfo Carvalho <rhcarvalho@gmail.com>

Rodolfo Rodriguez <rodolfobgibson@gmail.com>

Rodrigo Moraes de Oliveira <rodrigo.moraes@gmail.com>

Rodrigo Rafael Monti Kochenburger <divoxx@gmail.com>

Roger Pau Monn <royger@gmail.com>

Roger Peppe <rogpeppe@gmail.com>

Rohan Challa <rohan@golang.org>

Rohan Verma <rohanverma2004@gmail.com>

Rohith Ravi <entombedvirus@gmail.com>

Roi Martin <jroi.martin@gmail.com>

Roland Illig <roland.illig@gmx.de>

Roland Shoemaker <rolandshoemaker@gmail.com>

Romain Baugue <romain.baugue@elwinar.com>

Roman Budnikov <romanyx90@yandex.ru>

Roman Kollr <roman.kollar.0@gmail.com>

Roman Shchekin <mrqtros@gmail.com>

Ron Hashimoto <mail@h2so5.net>

Ron Minnich <rminnich@gmail.com>

Ronnie Ebrin <ebrin.ronnie@protonmail.com>

Ross Chater <rdchater@gmail.com>

Ross Kinsey <rossikinsey@gmail.com>

Ross Light <light@google.com> <rlight2@gmail.com>

Ross Smith II <ross@smithii.com>

Rowan Marshall <rowanajmarshall@gmail.com>

Rowan Worth <sqweek@gmail.com>

Rudi Kramer <rudi.kramer@gmail.com>

Rui Ueyama <ruiu@google.com>

Ruixin Bao <ruixin.bao@ibm.com>

Ruslan Andreev <ruslan.andreev@huawei.com>

Ruslan Nigmatullin <elessar@dropbox.com>

Russ Cox <rsc@golang.org>

Russell Haering <russellhaering@gmail.com>

Ryan Bagwell <ryanbagwell@outlook.com>

Ryan Barrett <ryanb@google.com>

Ryan Boehning <ryan.boehning@apcera.com>

Ryan Brown <ribrdb@google.com>

Ryan Canty <jrcanty@gmail.com>

Ryan Dahl <ry@tinyclouds.org>

Ryan Hitchman <hitchmanr@gmail.com>

Ryan Kohler <ryankohler@google.com>

Ryan Leung <rleungx@gmail.com>

Ryan Lower <rpjlower@gmail.com>

Ryan Roden-Corrent <ryan@rcorre.net>

Ryan Seys <ryan@ryanseys.com>

Ryan Slade <ryanslade@gmail.com>

Ryan Zhang <ryan.zhang@docker.com>

Ryoichi KATO <ryo1kato@gmail.com>

Ryoya Sekino <ryoyasekino1993@gmail.com>

Ryuji Iwata <qt.luigi@gmail.com>

Ryuma Yoshida <ryuma.y1117@gmail.com>

Ryuzo Yamamoto <ryuzo.yamamoto@gmail.com>

S.alar Onur <caglar@10ur.org>

Sabin Mihai Rapan <sabin.rapan@gmail.com>

Sad Pencil <qh06@qq.com>

Sai Cheemalapati <saicheems@google.com>

Sai Kiran Dasika <kirandasika30@gmail.com>

Sakeven Jiang <jc5930@sina.cn>

Salaheddin M. Mahmud <salah.mahmud@gmail.com>

Salmn Aljammz <s@0x65.net>

Sam Arnold <sarnold64@bloomberg.net>

Sam Boyer <tech@samboyer.org>

Sam Chen <chenxsan@gmail.com>

Sam Cross <samgcdev@gmail.com>

Sam Ding <samding@ca.ibm.com>

Sam Hug <samuel.b.hug@gmail.com>

Sam Thorogood <thorogood@google.com> <sam.thorogood@gmail.com>

Sam Whited <sam@samwhited.com>

Sam Xie <xsambundy@gmail.com>

Sameer Ajmani <sameer@golang.org> <ajmani@gmail.com>

Sami Commerot <samic@google.com>

Sami Pnknen <sami.ponkanen@gmail.com>

Samuel Kelemen <SCKelemen@users.noreply.github.com>

Samuel Tan <samueltan@google.com>

Samuele Pedroni <pedronis@lucediurna.net>

San Ye <xyesan@gmail.com>

Sander van Harmelen <sander@vanharmelen.nl>

Sanjay Menakuru <balasanjay@gmail.com>

Santhosh Kumar Tekuri <santhosh.tekuri@gmail.com>

Santiago De la Cruz <51337247+xhit@users.noreply.github.com>

Sarah Adams <shadams@google.com>

Sardorbek Pulatov <sardorbek.pulatov@outlook.com>

Sascha Brawer <sascha@brawer.ch>

Sasha Lionheart <lionhearts@google.com>

Sasha Sobol <sasha@scaledinference.com>

Satoru Kitaguchi <rule.the.fate.myfirststory@gmail.com>

Scott Barron <scott.barron@github.com>

Scott Bell <scott@sctsm.com>

Scott Cotton <scott@mindowl.com>

Scott Crunkleton <crunk1@gmail.com>

Scott Ferguson <scottwferg@gmail.com>

Scott Lawrence <bytbox@gmail.com>

Scott Mansfield <smansfield@netflix.com>

Scott Ragan <ragansa@fb.com>

Scott Schwartz <scotts@golang.org>

Scott Van Woudenberg <scottvw@google.com>

Sean Burford <sburford@google.com>

Sean Chen <oohcode@gmail.com>

Sean Chittenden <seanc@joyent.com>

Sean Christopherson <sean.j.christopherson@intel.com>

Sean Dolphin <Sean.Dolphin@kpcompass.com>

Sean Harger <sharger@google.com>

Sean Harrington <sean.harrington@leftfieldlabs.com>

Sean Hildebrand <seanwhildebrand@gmail.com>

Sean Liao <seankhliao@gmail.com>

Sean Rees <sean@erifax.org>

Sebastiaan van Stijn <github@gone.nl>

Sebastian Chlopecki <sebsebmc@gmail.com>

Sebastian Kinne <skinne@google.com>

Sebastian Schmidt <yath@google.com>

Sebastien Binet <seb.binet@gmail.com>

Sbastien Paolacci <sebastien.paolacci@gmail.com>

Sebastien Williams-Wynn <sebastien@cytora.com>

Segev Finer <segev208@gmail.com>

Seiji Takahashi <timaki.st@gmail.com>

Sergei Lemeshkin <sergeilem@gmail.com>

Sergei Skorobogatov <skorobo@rambler.ru>

Sergei Zagurskii <gvozdoder@gmail.com>

Sergey 'SnakE' Gromov <snake.scaly@gmail.com>

Sergey Arseev <sergey.arseev@intel.com>

Sergey Dobrodey <sergey.dobrodey@synesis.ru>

Sergey Frolov <sfrolov@google.com>

Sergey Glushchenko <gsserge@gmail.com>

Sergey Ivanov <ser1325@gmail.com>

Sergey Kacheev <S.Kacheev@gmail.com>

Sergey Lukjanov <me@slukjanov.name>

Sergey Mishin <sergeymishine@gmail.com>

Sergey Mudrik <sergey.mudrik@gmail.com>

Sergey Semin <gray12511@gmail.com>

Sergey Yanykin <syanykin@ozon.ru>

Sergio Luis O. B. Correia <sergio@correia.cc>

Sergiusz Bazanski <bazanski@gmail.com>

Serhat Giydiren <serhatgiydiren@gmail.com>

Serhii Aheienko <serhii.aheienko@gmail.com>

Seth Hoenig <seth.a.hoenig@gmail.com>

Seth Vargo <sethvargo@gmail.com>

Shaba Abhiram <shabarivas.abhiram@gmail.com>

Shahar Kohanim <skohanim@gmail.com>

Shailesh Suryawanshi <ss.shailesh28@gmail.com>

Shamil Garatuev <garatuev@gmail.com>

Shamim Akhtar <shamim.rhce@gmail.com>

Shane Hansen <shanemhansen@gmail.com>

Shang Jian Ding <sding3@ncsu.edu>

Shaozhen Ding <dsz0111@gmail.com>

Shaquille Que <shaquille@golang.org>
Shaquille Wyan Que <shaqqywyan@gmail.com>
Shaun Dunning <shaun.dunning@uservoice.com>
Shawn Elliott <selliott@microsoft.com>
Shawn Ledbetter <sledbetter@google.com>
Shawn Smith <shawn.p.smith@gmail.com>
Shawn Walker-Salas <shawn.walker@oracle.com>
Shenghou Ma <minux@golang.org> <minux.ma@gmail.com>
Shengjing Zhu <zsj950618@gmail.com>
Shengyu Zhang <shengyu.zhang@chaitin.com>
Shi Han Ng <shihanng@gmail.com>
ShihCheng Tu <mrtoastcheng@gmail.com>
Shijie Hao <haormj@gmail.com>
Shin Fan <shinfan@google.com>
Shinji Tanaka <shinji.tanaka@gmail.com>
Shinnosuke Sawada <6warashi9@gmail.com>
Shintaro Kaneko <kaneshin0120@gmail.com>
Shivakumar GN <shivakumar.gn@gmail.com>
Shivani Singhal <shivani.singhal2804@gmail.com>
Shivansh Rai <shivansh@freebsd.org>
Shivashis Padhi <shivashispadhi@gmail.com>
Shoshin Nikita <shoshin_nikita@fastmail.com>
Shota Sugiura <s.shota.710.3506@gmail.com>
Shubham Sharma <shubham.sha12@gmail.com>
Shuhei Takahashi <nya@chromium.org>
Shun Fan <sfan@google.com>
Silvan Jegen <s.jegen@gmail.com>
Simo Gomes Viana <simaogmv@gmail.com>
Simarpreet Singh <simar@linux.com>
Simon Drake <simondrake1990@gmail.com>
Simon Ferquel <simon.ferquel@docker.com>
Simon Frei <freisim93@gmail.com>
Simon Jefford <simon.jefford@gmail.com>
Simon Law <sfllaw@sfllaw.ca>
Simon Rawet <simon@rawet.se>
Simon Rozman <simon@rozman.si>
Simon Ser <contact@emersion.fr>
Simon Thulbourn <simon+github@thulbourn.com>
Simon Whitehead <chemnova@gmail.com>
Sina Siadat <siadat@gmail.com>
Sjoerd Siebinga <sjoerd.siebinga@gmail.com>
Sokolov Yura <funny.falcon@gmail.com>
Song Gao <song@gao.io>
Song Lim <songlim327@gmail.com>
Songjiayang <songjiayang1@gmail.com>
Songlin Jiang <hollowman@hollowman.ml>
Soojin Nam <jsunam@gmail.com>
Sren L. Hansen <soren@linux2go.dk>

Sparrow Li <liyuancylx@gmail.com>

Spencer Kocot <spencerkocot@gmail.com>

Spencer Nelson <s@spenczar.com>

Spencer Tung <spencertung@google.com>

Spenser Black <spenserblack01@gmail.com>

Spring Mc <heresy.mc@gmail.com>

Srdjan Petrovic <spetrovic@google.com>

Sridhar Venkatakrishnan <sridhar@laddoo.net>

Srinidhi Kaushik <shrinidhi.kaushik@gmail.com>

StalkR <stalkr@stalkr.net>

Stan Hu <stanhu@gmail.com>

Stan Schwertly <stan@schwertly.com>

Stanislav Afanasev <php.progger@gmail.com>

Steeve Morin <steeve.morin@gmail.com>

Stefan Baebler <sbaebler@outbrain.com>

Stefan Nilsson <snilsson@nada.kth.se> <trolleriprofessorn@gmail.com>

Stepan Shabalin <neverliberty@gmail.com>

Stephan Klatt <stephan.klatt@gmail.com>

Stephan Renatus <srenatus@chef.io>

Stephan Zuercher <zuercher@gmail.com>

Stphane Travostino <stephane.travostino@gmail.com>

Stephen Lewis <stephen@sock.org.uk>

Stephen Lu <steuhs@users.noreply.github.com>

Stephen Ma <stephenm@golang.org>

Stephen McQuay <stephen@mcquay.me>

Stephen Searles <stephens2424@gmail.com>

Stephen Weinberg <stephen@q5comm.com>

Steve Francia <spf@golang.org>

Steve Gilbert <stevegilbert23@gmail.com>

Steve LoFurno <slofurno@gmail.com>

Steve McCoy <mccoyst@gmail.com>

Steve Mynott <steve.mynott@gmail.com>

Steve Newman <snewman@google.com>

Steve Phillips <elimisteve@gmail.com>

Steve Streeting <steve@stevestreeting.com>

Steve Traut <straut@google.com>

Steven Buss <sbuss@google.com>

Steven Elliot Harris <seharris@gmail.com>

Steven Erenst <stevenerenst@gmail.com>

Steven Hartland <steven.hartland@multiplay.co.uk>

Steven Littiebrant <imgroxx@gmail.com>

Steven Maude <git@stevenmaude.co.uk>

Steven Wilkin <stevenwilkin@gmail.com>

Stuart Jansen <sjansen@buscaluz.org>

Subham Sarkar <sarkar.subhams2@gmail.com>

Sue Spence <virtuallysue@gmail.com>

Sugu Sougoumarane <ssougou@gmail.com>

Suharsh Sivakumar <suharshs@google.com>

Sukrit Handa <sukrit.handa@utoronto.ca>

Sunny <me@darkowlzz.space>

Suriyaa Sundararuban <suriyaasundararuban@gmail.com>

Suvaditya Sur <suvaditya.sur@gmail.com>

Suyash <dextrous93@gmail.com>

Suzy Mueller <suzmue@golang.org>

Sven Almgren <sven@tras.se>

Sven Blumenstein <svbl@google.com>

Sven Lee <lee1300394324@gmail.com>

Sven Taute <sven.taute@gmail.com>

Sylvain Zimmer <sylvain@sylvainzimmer.com>

Syohei YOSHIDA <syohex@gmail.com>

Szabolcs Nagy <nsz@port70.net>

Taavi Kivisik <taavi.kivisik@gmail.com>

Tad Fisher <tadfisher@gmail.com>

Tad Glines <tad.glines@gmail.com>

Tadas Valiukas <tadovas@gmail.com>

Tadeo Kondrak <me@tadeo.ca>

Taesu Pyo <pyotaesu@gmail.com>

Tai Le <letientai299@gmail.com>

Taj Khattra <taj.khattra@gmail.com>

Takashi Matsuo <tmatsuo@google.com>

Takashi Mima <tks.m1205@gmail.com>

Takayoshi Nishida <takayoshi.nishida@gmail.com>

Takeshi YAMANASHI <9.nashi@gmail.com>

Takuto Ikuta <tikuta@google.com>

Takuya Ueda <uedatakuya@gmail.com>

Tal Shprecher <tshprecher@gmail.com>

Tams Gulcsi <tgulacsi78@gmail.com>

Tamir Duberstein <tamird@gmail.com>

Tao Qingyun <qingyunha@gmail.com>

Tao Shen <shentaoskyking@gmail.com>

Tao Wang <twang2218@gmail.com>

Tarmigan Casebolt <tarmigan@gmail.com>

Taro Aoki <aizu.s1230022@gmail.com>

Taru Karttunen <taruti@taruti.net>

Tatsuhiro Tsujikawa <tatsuhiro.t@gmail.com>

Tatsuya Kaneko <m.ddotx.f@gmail.com>

Taufiq Rahman <taufiqrx8@gmail.com>

Teague Cole <tnc1443@gmail.com>

Ted Kornish <golang@tedkornish.com>

Tejasvi Nareddy <tejunareddy@gmail.com>

Terin Stock <terinjokes@gmail.com>

Terrel Shumway <gopher@shumway.us>

Tetsuo Kiso <tetsuokiso9@gmail.com>

Than McIntosh <thanm@google.com>

Thanabodee Charoenpiriyakij <wingyminus@gmail.com>

Thanatat Tamtan <acoshift@gmail.com>

The Hatsune Daishi <nao20010128@gmail.com>

Thiago Avelino <t@avelino.xxx>

Thiago Fransosi Farina <thiago.farina@gmail.com> <tfarina@chromium.org>

Thom Wiggers <thom@thomwiggers.nl>

Thomas Alan Copeland <talan.copeland@gmail.com>

Thomas Bonfort <thomas.bonfort@gmail.com>

Thomas Bouldin <inlined@google.com>

Thomas Bruyelle <thomas.bruyelle@gmail.com>

Thomas Bushnell, BSG <tbushnell@google.com>

Thomas de Zeeuw <thomasdezeeuw@gmail.com>

Thomas Desrosiers <thomasdesr@gmail.com>

Thomas Habets <habets@google.com>

Thomas Kappler <tkappler@gmail.com>

Thomas Meson <zllak@hycik.org>

Thomas Symborski <thomas.symborski@gmail.com>

Thomas Wanielista <tomwans@gmail.com>

Thorben Krueger <thorben.krueger@gmail.com>

Thordur Bjornsson <thorduri@secnorth.net>

Tiago Peczenyj <tpeczenyj@weborama.com>

Tiago Queiroz <contato@tiago.eti.br>

Tianji Wu <the729@gmail.com>

Tianon Gravi <admwiggin@gmail.com>

Tilman Dilo <tilman.dilo@gmail.com>

Tim Cooijmans <timcooijmans@gmail.com>

Tim Cooper <tim.cooper@layeh.com>

Tim Ebringer <tim.ebringer@gmail.com>

Tim Heckman <t@heckman.io>

Tim Henderson <tim.tadh@gmail.com>

Tim Hockin <thockin@google.com>

Tim King <taking@google.com>

Tim Mhlmann <muhlemmer@gmail.com>

Tim Swast <swast@google.com>

Tim Wright <tenortim@gmail.com>

Tim Xu <xiaoxubeii@gmail.com>

Timmy Douglas <timmyd983@gmail.com>

Timo Savola <timo.savola@gmail.com>

Timo Truyts <alkaloid.btx@gmail.com>

Timothy Gu <timothygu99@gmail.com>

Timothy Studd <tim@timstudd.com>

Tipp Moseley <tipp@google.com>

Tiwei Bie <tiwei.btw@antgroup.com>

Tobias Assarsson <tobias.assarsson@gmail.com>

Tobias Columbus <tobias.columbus@gmail.com> <tobias.columbus@googlemail.com>

Tobias Klauser <tklauser@distanz.ch>

Tobias Kohlbau <tobias@kohlbau.de>

Toby Burress <kurin@google.com>

Todd Kulesza <tkulesza@google.com>

Todd Neal <todd@tneal.org>

Todd Wang <toddwang@gmail.com>

Tom Anthony <git@tomanthony.co.uk>

Tom Bergan <tombergan@google.com>

Tom Freudenberg <tom.freudenberg@4commerce.de>

Tom Heng <zhm20070928@gmail.com>

Tom Lanyon <tomlanyon@google.com>

Tom Levy <tomlevy93@gmail.com>

Tom Limoncelli <tal@whatexit.org>

Tom Linford <tomlinford@gmail.com>

Tom Panton <tom@tomandtally.co.uk>

Tom Parkin <tom.parkin@gmail.com>

Tom Payne <twpayne@gmail.com>

Tom Szymanski <tgs@google.com>

Tom Thorogood <me+google@tomthorogood.co.uk>

Tom Wilkie <tom@weave.works>

Tom Zierbock <tomzierbock@gmail.com>

Tomas Dabasinskas <tomas@dabasinskas.net>

Tommy Schaefer <tommy.schaefer@teecom.com>

Tomohiro Kusumoto <zabio1192@gmail.com>

Tomoya Ishizaki <zaq1tomo@gmail.com>

Tonis Tiigi <tonistiigi@gmail.com>

Tony Reix <tony.reix@bull.net>

Tony Walker <walkert.uk@gmail.com>

Tooru Takahashi <tooru.takahashi134@gmail.com>

Tor Andersson <tor.andersson@gmail.com>

Torben Schinke <torben.schinke@neotos.de>

Tormod Erevik Lea <tormodlea@gmail.com>

Toshihiro Shiino <shiino.toshihiro@gmail.com>

Toshiki Shima <hayabusa1419@gmail.com>

Totoro W <tw19881113@gmail.com>

Travis Bischel <travis.bischel@gmail.com>

Travis Cline <travis.cline@gmail.com>

Trevor Dixon <trevordixon@gmail.com>

Trevor Strohman <trevor.strohman@gmail.com>

Trey Lawrence <lawrence.trey@gmail.com>

Trey Roessig <trey.roessig@gmail.com>

Trey Tacon <ttacon@gmail.com>

Tristan Amini <tamini01@ca.ibm.com>

Tristan Colgate <tcolgate@gmail.com>

Tristan Ooohry <ooohry@gmail.com>

Tristan Rice <rice@fn.lc>

Troels Thomsen <troels@thomsen.io>

Trong Bui <trong.buiquoc@gmail.com>

Trung Nguyen <trung.n.k@gmail.com>

Tsuji Daishiro <dram.dt.shonan@gmail.com>

Tudor Golubenco <tudor.g@gmail.com>

Tugdual Saunier <tugdual.saunier@gmail.com>

Tuo Shan <sturbo89@gmail.com> <shantuo@google.com>

Tyler Bui-Palsulich <tpalsulich@google.com>

Tyler Bunnell <tylerbunnell@gmail.com>

Tyler Treat <ttreat31@gmail.com>

Tyson Andre <tysonandre775@gmail.com>

Tzach Shabtay <tzachshabtay@gmail.com>

Tzu-Chiao Yeh <su3g4284zo6y7@gmail.com>

Tzu-Jung Lee <roylee17@currant.com>

Udalov Max <re.udalov@gmail.com>

Uddeshya Singh <singhuddeshyaofficial@gmail.com>

Ugorji Nwoke <ugorji@gmail.com>

Ulf Holm Nielsen <doktor@dyregod.dk>

Ulrich Kunitz <uli.kunitz@gmail.com>

Umang Parmar <umangjparmar@gmail.com>

Uriel Mangado <uriel@berlinblue.org>

Urvil Patel <patelurvil38@gmail.com>

Utkarsh Dixit <53217283+utkarsh-extc@users.noreply.github.com>

Uttam C Pawar <uttam.c.pawar@intel.com>

Vadim Grek <vadimprog@gmail.com>

Vadim Vygonets <unixdj@gmail.com>

Val Polouchkine <vpolouch@justin.tv>

Valentin Vidic <vvidic@valentin-vidic.from.hr>

Vaughn Iverson <vsivsi@yahoo.com>

Vee Zhang <veezhang@126.com> <vveezhang@gmail.com>

Vega Garcia Luis Alfonso <vegacom@gmail.com>

Venil Noronha <veniln@vmware.com>

Veselkov Konstantin <kostozyb@gmail.com>

Viacheslav Poturaev <vearutop@gmail.com>

Victor Chudnovsky <vchudnov@google.com>

Victor Michel <victor@optimyze.cloud>

Victor Vrantchan <vrancean+github@gmail.com>

Vignesh Ramachandra <vickyramachandra@gmail.com>

Vikas Kedia <vikask@google.com>

Ville Skytt <ville.skytta@iki.fi>

Vincent Ambo <tazjin@googlemail.com>

Vincent Batts <vbatts@hashbangbash.com> <vbatts@gmail.com>

Vincent Vanackere <vincent.vanackere@gmail.com>

Vinu Rajashekhar <vinutheraj@gmail.com>

Vish Subramanian <vish@google.com>

Vishal Dalwadi <dalwadivishal26@gmail.com>

Vishvananda Ishaya <vishvananda@gmail.com>

Visweswara R <r.visweswara@gmail.com>

Vitaly Zdanevich <zdanevich.vitaly@ya.ru>

Vitor De Mario <vitordemario@gmail.com>

Vivek Sekhar <vsekhar@google.com>

Vivek V <iamvivekv96@gmail.com>

Vivian Liang <vliang88@gmail.com>

Vlad Krasnov <vlad@cloudflare.com>

Vladimir Evgrafov <evgrafov.vladimir@gmail.com>

Vladimir Kovpak <cn007b@gmail.com>

Vladimir Kuzmin <vkuzmin@uber.com>

Vladimir Mihailenco <vladimir.webdev@gmail.com>

Vladimir Nikishenko <vova616@gmail.com>

Vladimir Stefanovic <vladimir.stefanovic@imgtec.com>

Vladimir Varankin <nek.narqo@gmail.com>

Vojtech Bocek <vbocek@gmail.com>

Volker Dobler <dr.volker.dobler@gmail.com>

Volodymyr Paprotski <vpaprots@ca.ibm.com>

Vyacheslav Pachkov <slava.pach@gmail.com>

W. Trevor King <wking@tremily.us>

Wade Simmons <wade@wades.im>

Wagner Riffel <wgrriffel@gmail.com>

Walt Della <walt@javins.net>

Walter Poupore <wpoupore@google.com>

Wander Lairson Costa <wcosta@mozilla.com>

Wang Xuerui <git@xen0n.name>

Warren Fernandes <warren.f.fernandes@gmail.com>

Wayne Ashley Berry <wayneashleyberry@gmail.com>

Wedson Almeida Filho <wedsonaf@google.com>

Weerasak Chongnguluam <singpor@gmail.com>

Wi Cngru <crvv.mail@gmail.com>

Wei Fu <fhfuwei@163.com>

Wei Guangjing <vcc.163@gmail.com>

Wei Xiao <wei.xiao@arm.com>

Wei Xikai <xykwei@gmail.com>

Weichao Tang <tevic.tt@gmail.com>

Weilu Jia <optix2000@gmail.com>

Weixie Cui <cuiweixie@gmail.com> <523516579@qq.com>

Wembley G. Leach, Jr <wembley.gl@gmail.com>

Wenlei (Frank) He <wlhe@google.com>

Wenzel Lowe <lowewenzel@gmail.com>

Wil Selwood <wselwood@gmail.com>

Wilfried Teiken <wteiken@google.com>

Will Beason <willbeason@gmail.com>

Will Chan <willchan@google.com>

Will Faught <will.faught@gmail.com>

Will Morrow <wmorrow.qdt@qualcommdatacenter.com>

Will Norris <willnorris@google.com>

Will Storey <will@summercat.com>

Willem van der Schyff <willemvds@gmail.com>

William Chan <willchan@chromium.org>

William Chang <mr.williamchang@gmail.com>

William Josephson <wjosephson@gmail.com>

William Langford <wlangfor@gmail.com>

William Orr <will@worrbase.com> <ay1244@gmail.com>

William Poussier <william.poussier@gmail.com>

Wisdom Omuya <deafgoat@gmail.com>

Wu Yunzhou <yunzhouwu@gmail.com>

Xi Ruoyao <xry23333@gmail.com>

Xia Bin <snyh@snyh.org>

Xiangdong Ji <xiangdong.ji@arm.com>

Xiaodong Liu <teaofmoli@gmail.com>

Xing Gao <18340825824@163.com>

Xing Xing <mikespook@gmail.com>

Xingqang Bai <bxq2011hust@qq.com>

Xu Fei <badgangkiller@gmail.com>

Xudong Zhang <felixmelon@gmail.com>

Xudong Zheng <7pkvm5aw@slicealias.com>

Xuyang Kang <xuyangkang@gmail.com>

Yamagishi Kazutoshi <ykzts@desire.sh>

Yan Zou <yzou@google.com>

Yang Hau <vulxj0j8j8@gmail.com>

Yang Tian <linuxty@gmail.com>

Yann Hodique <yhodique@google.com>

Yann Kerherv <yann.kerherve@gmail.com>

Yann Salan <yannsalaun1@gmail.com>

Yannic Bonenberger <contact@yannic-bonenberger.com>

Yao Zhang <lunaria21@gmail.com>

Yaron de Leeuw <jarondl@google.com>

Yaroslav Vorobiov <yar.vorobiov@gmail.com>

Yasha Bubnov <girokompass@gmail.com>

Yasser Abdolmaleki <yasser@yasser.ca>

Yasuharu Goto <matope.ono@gmail.com>

Yasuhiro Matsumoto <mattn.jp@gmail.com>

Yasutaka Shinzaki <shinzaki@yasu26.tech>

Yasuyuki Oka <yasuyk@gmail.com>

Yazen Shunnar <yazen.shunnar@gmail.com>

Yestin Sun <ylh@pdx.edu>

Yesudeep Mangalapilly <yesudeep@google.com>

Yissakhar Z. Beck <yissakhar.beck@gmail.com>

Yo-An Lin <yoanlin93@gmail.com>

Yohei Takeda <yo.tak0812@gmail.com>

Yongjian Xu <i3dmaster@gmail.com>

Yorman Arias <cixtords@gmail.com>

Yoshiyuki Kanno <nekotaroh@gmail.com> <yoshiyuki.kanno@stoic.co.jp>

Yoshiyuki Mineo <yoshiyuki.mineo@gmail.com>

Yosuke Akatsuka <yosuke.akatsuka@gmail.com>

Youfu Zhang <zhangyoufu@gmail.com>

Yu Heng Zhang <annita.zhang@cn.ibm.com>

Yu Xuan Zhang <zyxsh@cn.ibm.com>

Yu, Li-Yu <afg984@gmail.com>

Yuichi Kishimoto <yk2220s@gmail.com>

Yuichi Nishiwaki <yuichi.nishiwaki@gmail.com>

Yuji Yaginuma <yuuji.yaginuma@gmail.com>

Yuki Ito <mrno110y@gmail.com>

Yuki OKUSHI <huyuumi.dev@gmail.com>

Yuki Osaki <yuki.osaki7@gmail.com>

Yuki Yugui Sonoda <yugui@google.com>

Yukihiro Nishinaka <6elpinal@gmail.com>

YunQiang Su <syq@debian.org>

Yuntao Wang <ytcoode@gmail.com>

Yury Smolsky <yury@smolsky.by>

Yusuke Kagiwada <block.rxckin.beats@gmail.com>

Yuusei Kuwana <kuwana@kumama.org>

Yuval Pavel Zholkover <paulzhol@gmail.com>

Yves Junqueira <yvesj@google.com> <yves.junqueira@gmail.com>

Zac Bergquist <zbergquist99@gmail.com>

Zach Bintliff <zbintliff@gmail.com>

Zach Gershman <zachgersh@gmail.com>

Zach Hoffman <zrhoffman@apache.org>

Zach Jones <zachj1@gmail.com>

Zachary Amsden <zach@thundertoken.com>

Zachary Burkett <zburkett@splitcubestudios.com>

Zachary Gershman <zgershman@pivotal.io>

Zaiyang Li <zaiyangli777@gmail.com>

Zak <zrjknill@gmail.com>

Zakatell Kanda <hi@zkanda.io>

Zellyn Hunter <zellyn@squareup.com> <zellyn@gmail.com>

Zev Goldstein <zev.goldstein@gmail.com>

Zhang Boyang <zhangboyang.id@gmail.com>

Zheng Dayu <davidzheng23@gmail.com>

Zheng Xu <zheng.xu@arm.com>

Zhengyu He <hzy@google.com>

Zhi Zheng <zhi.zheng052@gmail.com>

Zhongpeng Lin <zplin@uber.com>

Zhongtao Chen <chenzhongtao@126.com>

Zhongwei Yao <zhongwei.yao@arm.com>

Zhou Guangyuan <zhouguangyuan.xian@gmail.com>

Zhou Peng <p@ctriple.cn>

Ziad Hatahet <hatahet@gmail.com>

Ziheng Liu <lzhfromustc@gmail.com>

Zizhao Zhang <btw515wolf2@gmail.com>

Zorion Arrizabalaga <zorionk@gmail.com>

Zvonimir Pavlinovic <zpavlinovic@google.com>

Zyad A. Ali <zyad.ali.me@gmail.com>

 <a.maksadbek@gmail.com>

 <max.faceless.frei@gmail.com>

 <hagen1778@gmail.com>

 <tbunyk@gmail.com>

 <faxriddinjon@gmail.com>

<zs349596@gmail.com>

<bronze1man@gmail.com>

People who have agreed to one of the CLAs and can contribute patches.
The AUTHORS file lists the copyright holders; this file
lists people. For example, Google employees are listed here
but not in AUTHORS, because Google holds the copyright.
#
https://developers.google.com/open-source/cla/individual
https://developers.google.com/open-source/cla/corporate
#
Names should be added to this file as:
Name <email address>
Raul Silvera <rsilvera@google.com>
Tipp Moseley <tipp@google.com>
Hyoun Kyu Cho <netforce@google.com>
Martin Spier <spiermar@gmail.com>
Taco de Wolff <tacodewolff@gmail.com>
Andrew Hunter <andrewhhunter@gmail.com>
This source code was written by the Go contributors.
The master list of contributors is in the main Go distribution,
visible at https://tip.golang.org/CONTRIBUTORS.
Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

   * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
   * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright (c) 2019 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

  * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
  * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright (c) 2015 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

  * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
  * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright 2009-2017 Andrea Leofreddi <a.leofreddi@vleo.net>. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are
permitted provided that the following conditions are met:

  1. Redistributions of source code must retain the above copyright
     notice, this list of conditions and the following disclaimer.
  2. Redistributions in binary form must reproduce the above copyright
     notice, this list of conditions and the following disclaimer in the
     documentation and/or other materials provided with the distribution.
  3. Neither the name of the copyright holder nor the names of its
     contributors may be used to endorse or promote products derived from
     this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY COPYRIGHT HOLDERS AND CONTRIBUTORS ``AS IS'' AND ANY
EXPRESS
OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT
HOLDERS OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED
AND ON
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
IF
ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The views and conclusions contained in the software and documentation are those of the
authors and should not be interpreted as representing official policies, either expressed
or implied, of Andrea Leofreddi.

                        Apache License
                   Version 2.0, January 2004
                 http://www.apache.org/licenses/

  TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

  1. Definitions.

     "License" shall mean the terms and conditions for use, reproduction,
     and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.439 zlib 1.2.12

1.439.1 Available under license :

* zlib.h -- interface of the 'zlib' general purpose compression library
  version 1.2.12, March 11th, 2022

  Copyright (C) 1995-2022 Jean-loup Gailly and Mark Adler

  This software is provided 'as-is', without any express or implied
  warranty. In no event will the authors be held liable for any damages
  arising from the use of this software.

  Permission is granted to anyone to use this software for any purpose,
  including commercial applications, and to alter it and redistribute it
  freely, subject to the following restrictions:

  1. The origin of this software must not be misrepresented; you must not
     claim that you wrote the original software. If you use this software
     in a product, an acknowledgment in the product documentation would be
     appreciated but is not required.
  2. Altered source versions must be plainly marked as such, and must not be
     misrepresented as being the original software.
  3. This notice may not be removed or altered from any source distribution.

  Jean-loup Gailly   Mark Adler
  jloup@gzip.org   madler@alumni.caltech.edu

  The data format used by the zlib library is described by RFCs (Request for
  Comments) 1950 to 1952 in the files http://tools.ietf.org/html/rfc1950
  (zlib format), rfc1951 (deflate format) and rfc1952 (gzip format).
*/
Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization
obtaining a copy of the software and accompanying documentation covered by
this license (the "Software") to use, reproduce, display, distribute,
execute, and transmit the Software, and to prepare derivative works of the
Software, and to permit third-parties to whom the Software is furnished to
do so, all subject to the following:

The copyright notices in the Software and this entire statement, including
the above license grant, this restriction and the following disclaimer,
must be included in all copies of the Software, in whole or in part, and
all derivative works of the Software, unless such copies or derivative
works are solely in the form of machine-executable object code generated by

a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.440 prometheus-procfs 0.6.0

1.440.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

procfs provides functions to retrieve system, kernel and process
metrics from the pseudo-filesystem proc.

1.441 golang-genproto 0.0.0-20210716133855-ce7ef5c701ea

1.441.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.442 attr 2.4.48-5

1.442.1 Available under license :

Most components of the "attr" package are licensed under
Version 2.1 of the GNU Lesser General Public License (see below).
below.

Some components (as annotated in the source) are licensed
under Version 2 of the GNU General Public License (see COPYING).

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the
library, and (2) we offer you this license, which gives you legal
permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that
there is no warranty for the free library. Also, if the library is
modified by someone else and passed on, the recipients should know
that what they have is not the original version, so that the original
author's reputation will not be affected by problems that might be
introduced by others.

Finally, software patents pose a constant threat to the existence of
any free program. We wish to make sure that a company cannot
effectively restrict the users of a free program by obtaining a
restrictive license from a patent holder. Therefore, we insist that
any patent license obtained for a version of the library must be
consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the
ordinary GNU General Public License. This license, the GNU Lesser
General Public License, applies to certain designated libraries, and
is quite different from the ordinary General Public License. We use
this license for certain libraries in order to permit linking those
libraries into non-free programs.

When a program is linked with a library, whether statically or using
a shared library, the combination of the two is legally speaking a
combined work, a derivative of the original library. The ordinary
General Public License therefore permits such linking only if the
entire combination fits its criteria of freedom. The Lesser General
Public License permits more lax criteria for linking other code with
the library.

We call this license the "Lesser" General Public License because it
does Less to protect the user's freedom than the ordinary General

Public License. It also provides other free software developers Less
of an advantage over competing non-free programs. These disadvantages
are the reason we use the ordinary General Public License for many
libraries. However, the Lesser license provides advantages in certain
special circumstances.

 For example, on rare occasions, there may be a special need to
encourage the widest possible use of a certain library, so that it becomes
a de-facto standard. To achieve this, non-free programs must be
allowed to use the library. A more frequent case is that a free
library does the same job as widely used non-free libraries. In this
case, there is little to gain by limiting the free library to free
software only, so we use the Lesser General Public License.

 In other cases, permission to use a particular library in non-free
programs enables a greater number of people to use a large body of
free software. For example, permission to use the GNU C Library in
non-free programs enables many more people to use the whole GNU
operating system, as well as its variant, the GNU/Linux operating
system.

 Although the Lesser General Public License is Less protective of the
users' freedom, it does ensure that the user of a program that is
linked with the Library has the freedom and the wherewithal to run
that program using a modified version of the Library.

 The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, whereas the latter must
be combined with the library in order to run.

  GNU LESSER GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License Agreement applies to any software library or other
program which contains a notice placed by the copyright holder or
other authorized party saying it may be distributed under the terms of
this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

 A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

 The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under

copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated
straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

 "Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means
all the source code for all modules it contains, plus any associated
interface definition files, plus the scripts used to control compilation
and installation of the library.

 Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running a program using the Library is not restricted, and output from
such a program is covered only if its contents constitute a work based
on the Library (independent of the use of the Library in a tool for
writing it). Whether that is true depends on what the Library does
and what the program that uses the Library does.

 1. You may copy and distribute verbatim copies of the Library's
complete source code as you receive it, in any medium, provided that
you conspicuously and appropriately publish on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact
all the notices that refer to this License and to the absence of any
warranty; and distribute a copy of this License along with the
Library.

 You may charge a fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a
fee.

 2. You may modify your copy or copies of the Library or any portion
of it, thus forming a work based on the Library, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) The modified work must itself be a software library.

  b) You must cause the files modified to carry prominent notices
  stating that you changed the files and the date of any change.

  c) You must cause the whole of the work to be licensed at no
  charge to all third parties under the terms of this License.

  d) If a facility in the modified Library refers to a function or a
  table of data to be supplied by an application program that uses
  the facility, other than as an argument passed when the facility
  is invoked, then you must make a good faith effort to ensure that,

in the event an application does not supply such function or
table, the facility still operates, and performs whatever part of
its purpose remains meaningful.

(For example, a function in a library to compute square roots has
a purpose that is entirely well-defined independent of the
application. Therefore, Subsection 2d requires that any
application-supplied function or table used by this function must
be optional: if the application does not supply it, the square
root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Library,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do
this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

 Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

 5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

 However, linking a "work that uses the Library" with the Library
creates an executable that is a derivative of the Library (because it
contains portions of the Library), rather than a "work that uses the
library". The executable is therefore covered by this License.
Section 6 states terms for distribution of such executables.

 When a "work that uses the Library" uses material from a header file
that is part of the Library, the object code for the work may be a
derivative work of the Library even though the source code is not.
Whether this is true is especially significant if the work can be
linked without the Library, or if the work is itself a library. The
threshold for this to be true is not precisely defined by law.

 If such an object file uses only numerical parameters, data
structure layouts and accessors, and small macros and small inline
functions (ten lines or less in length), then the use of the object
file is unrestricted, regardless of whether it is legally a derivative
work. (Executables containing this object code plus portions of the
Library will still fall under Section 6.)

 Otherwise, if the work is a derivative of the Library, you may
distribute the object code for the work under the terms of Section 6.
Any executables containing that work also fall under Section 6,
whether or not they are linked directly with the Library itself.

 6. As an exception to the Sections above, you may also combine or
link a "work that uses the Library" with the Library to produce a
work containing portions of the Library, and distribute that work
under terms of your choice, provided that the terms permit

modification of the work for the customer's own use and reverse engineering for debugging such modifications.

 You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

  a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

  b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

  c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

  d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

  e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

 For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major

components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies
the executable.

 It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.

 7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

  a) Accompany the combined library with a copy of the same work
  based on the Library, uncombined with any other library
  facilities. This must be distributed under the terms of the
  Sections above.

  b) Give prominent notice with the combined library of the fact
  that part of it is a work based on the Library, and explaining
  where to find the accompanying uncombined form of the same work.

 8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

 9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

 10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.

You are not responsible for enforcing compliance by third parties with
this License.

  11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply,
and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

  12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

  13. The Free Software Foundation may publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library

specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

  14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

    NO WARRANTY

  15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE
LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

  16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE
LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING
RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A
FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF
SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGES.

    END OF TERMS AND CONDITIONS

      How to Apply These Terms to Your New Libraries

  If you develop a new library, and you want it to be of the greatest
possible use to the public, we recommend making it free software that
everyone can redistribute and change. You can do so by permitting
redistribution under these terms (or, alternatively, under the terms of the
ordinary General Public License).

To apply these terms, attach the following notices to the library. It is
safest to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

    <one line to give the library's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This library is free software; you can redistribute it and/or
    modify it under the terms of the GNU Lesser General Public
    License as published by the Free Software Foundation; either
    version 2.1 of the License, or (at your option) any later version.

    This library is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
    Lesser General Public License for more details.

    You should have received a copy of the GNU Lesser General Public
    License along with this library; if not, write to the Free Software
    Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

  Yoyodyne, Inc., hereby disclaims all copyright interest in the
  library `Frob' (a library for tweaking knobs) written by James Random Hacker.

  <signature of Ty Coon>, 1 April 1990
  Ty Coon, President of Vice

That's all there is to it!
Most components of the "attr" package are licensed under
Version 2.1 of the GNU Lesser General Public License (see COPYING.LGPL).

Some components (as annotated in the source) are licensed
under Version 2 of the GNU General Public License (see below),

----

    GNU GENERAL PUBLIC LICENSE
       Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the

program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

 The precise terms and conditions for copying, distribution and modification follow.

   GNU GENERAL PUBLIC LICENSE
 TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

  b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third

parties under the terms of this License.

c) If the modified program normally reads commands interactively
when run, you must cause it, when started running for such
interactive use in the most ordinary way, to print or display an
announcement including an appropriate copyright notice and a
notice that there is no warranty (or else, saying that you provide
a warranty) and that users may redistribute the program under
these conditions, and telling the user how to view a copy of this
License. (Exception: if the Program itself is interactive but
does not normally print such an announcement, your work based on
the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable
source code, which must be distributed under the terms of Sections
1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three
years, to give any third party, for a charge no more than your
cost of physically performing source distribution, a complete
machine-readable copy of the corresponding source code, to be
distributed under the terms of Sections 1 and 2 above on a medium
customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer
to distribute corresponding source code. (This alternative is
allowed only for noncommercial distribution and only if you
received the program in object code or executable form with such
an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering
access to copy from a designated place, then offering equivalent
access to copy the source code from the same place counts as
distribution of the source code, even though third parties are not
compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program
except as expressly provided under this License. Any attempt
otherwise to copy, modify, sublicense or distribute the Program is
void, and will automatically terminate your rights under this License.
However, parties who have received copies, or rights, from you under
this License will not have their licenses terminated so long as such
parties remain in full compliance.

5. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Program or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Program (or any work based on the
Program), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the
Program), the recipient automatically receives a license from the
original licensor to copy, distribute or modify the Program subject to
these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties to
this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

 8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions

either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

  10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

    NO WARRANTY

  11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

  12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

    END OF TERMS AND CONDITIONS

    How to Apply These Terms to Your New Programs

  If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

  To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.

1.443 glibc 2.31-0ubuntu9.7

1.443.1 Available under license :

Copyright 1992, 1993, 1994, 1997 Henry Spencer. All rights reserved.
This software is not subject to any license of the American Telephone
and Telegraph Company or of the Regents of the University of California.

Permission is granted to anyone to use this software for any purpose on
any computer system, and to alter it and redistribute it, subject
to the following restrictions:

1. The author is not responsible for the consequences of use of this
   software, no matter how awful, even if they arise from flaws in it.

2. The origin of this software must not be misrepresented, either by
   explicit claim or by omission. Since few users ever read sources,
   credits must appear in the documentation.

3. Altered versions must be plainly marked as such, and must not be
   misrepresented as being the original software. Since few users
   ever read sources, credits must appear in the documentation.

4. This notice may not be removed or altered.
                    GNU GENERAL PUBLIC LICENSE
                     Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

                       Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for

this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

 We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

 Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

 Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

 The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion
of it, thus forming a work based on the Program, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices
  stating that you changed the files and the date of any change.

  b) You must cause any work that you distribute or publish, that in
  whole or in part contains or is derived from the Program or any
  part thereof, to be licensed as a whole at no charge to all third
  parties under the terms of this License.

  c) If the modified program normally reads commands interactively
  when run, you must cause it, when started running for such
  interactive use in the most ordinary way, to print or display an
  announcement including an appropriate copyright notice and a
  notice that there is no warranty (or else, saying that you provide
  a warranty) and that users may redistribute the program under
  these conditions, and telling the user how to view a copy of this
  License. (Exception: if the Program itself is interactive but
  does not normally print such an announcement, your work based on
  the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based

on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program
with the Program (or with a work based on the Program) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may copy and distribute the Program (or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

  a) Accompany it with the complete corresponding machine-readable
  source code, which must be distributed under the terms of Sections
  1 and 2 above on a medium customarily used for software interchange; or,

  b) Accompany it with a written offer, valid for at least three
  years, to give any third party, for a charge no more than your
  cost of physically performing source distribution, a complete
  machine-readable copy of the corresponding source code, to be
  distributed under the terms of Sections 1 and 2 above on a medium
  customarily used for software interchange; or,

  c) Accompany it with the information you received as to the offer
  to distribute corresponding source code. (This alternative is
  allowed only for noncommercial distribution and only if you
  received the program in object code or executable form with such
  an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for
making modifications to it. For an executable work, complete source
code means all the source code for all modules it contains, plus any
associated interface definition files, plus the scripts used to
control compilation and installation of the executable. However, as a
special exception, the source code distributed need not include
anything that is normally distributed (in either source or binary
form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component
itself accompanies the executable.

If distribution of executable or object code is made by offering
access to copy from a designated place, then offering equivalent

access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any

patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system, which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

 8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

 10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

                    NO WARRANTY

 11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED

OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

 12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

 <one line to give the program's name and a brief idea of what it does.>
 Copyright (C) <year> <name of author>

 This program is free software; you can redistribute it and/or modify
 it under the terms of the GNU General Public License as published by
 the Free Software Foundation; either version 2 of the License, or
 (at your option) any later version.

 This program is distributed in the hope that it will be useful,
 but WITHOUT ANY WARRANTY; without even the implied warranty of
 MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
 GNU General Public License for more details.

 You should have received a copy of the GNU General Public License along
 with this program; if not, write to the Free Software Foundation, Inc.,
 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some

specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the
library, and (2) we offer you this license, which gives you legal
permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that
there is no warranty for the free library. Also, if the library is
modified by someone else and passed on, the recipients should know
that what they have is not the original version, so that the original
author's reputation will not be affected by problems that might be
introduced by others.

Finally, software patents pose a constant threat to the existence of
any free program. We wish to make sure that a company cannot
effectively restrict the users of a free program by obtaining a
restrictive license from a patent holder. Therefore, we insist that
any patent license obtained for a version of the library must be
consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the
ordinary GNU General Public License. This license, the GNU Lesser
General Public License, applies to certain designated libraries, and

is quite different from the ordinary General Public License. We use
this license for certain libraries in order to permit linking those
libraries into non-free programs.

 When a program is linked with a library, whether statically or using
a shared library, the combination of the two is legally speaking a
combined work, a derivative of the original library. The ordinary
General Public License therefore permits such linking only if the
entire combination fits its criteria of freedom. The Lesser General
Public License permits more lax criteria for linking other code with
the library.

 We call this license the "Lesser" General Public License because it
does Less to protect the user's freedom than the ordinary General
Public License. It also provides other free software developers Less
of an advantage over competing non-free programs. These disadvantages
are the reason we use the ordinary General Public License for many
libraries. However, the Lesser license provides advantages in certain
special circumstances.

 For example, on rare occasions, there may be a special need to
encourage the widest possible use of a certain library, so that it becomes
a de-facto standard. To achieve this, non-free programs must be
allowed to use the library. A more frequent case is that a free
library does the same job as widely used non-free libraries. In this
case, there is little to gain by limiting the free library to free
software only, so we use the Lesser General Public License.

 In other cases, permission to use a particular library in non-free
programs enables a greater number of people to use a large body of
free software. For example, permission to use the GNU C Library in
non-free programs enables many more people to use the whole GNU
operating system, as well as its variant, the GNU/Linux operating
system.

 Although the Lesser General Public License is Less protective of the
users' freedom, it does ensure that the user of a program that is
linked with the Library has the freedom and the wherewithal to run
that program using a modified version of the Library.

 The precise terms and conditions for copying, distribution and
modification follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The
former contains code derived from the library, whereas the latter must
be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other
program which contains a notice placed by the copyright holder or
other authorized party saying it may be distributed under the terms of
this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated
straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means
all the source code for all modules it contains, plus any associated
interface definition files, plus the scripts used to control compilation
and installation of the library.

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running a program using the Library is not restricted, and output from
such a program is covered only if its contents constitute a work based
on the Library (independent of the use of the Library in a tool for
writing it). Whether that is true depends on what the Library does
and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's
complete source code as you receive it, in any medium, provided that
you conspicuously and appropriately publish on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact
all the notices that refer to this License and to the absence of any
warranty; and distribute a copy of this License along with the
Library.

You may charge a fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a
fee.

2. You may modify your copy or copies of the Library or any portion
of it, thus forming a work based on the Library, and copy and
distribute such modifications or work under the terms of Section 1

above, provided that you also meet all of these conditions:

  a) The modified work must itself be a software library.

  b) You must cause the files modified to carry prominent notices
  stating that you changed the files and the date of any change.

  c) You must cause the whole of the work to be licensed at no
  charge to all third parties under the terms of this License.

  d) If a facility in the modified Library refers to a function or a
  table of data to be supplied by an application program that uses
  the facility, other than as an argument passed when the facility
  is invoked, then you must make a good faith effort to ensure that,
  in the event an application does not supply such function or
  table, the facility still operates, and performs whatever part of
  its purpose remains meaningful.

  (For example, a function in a library to compute square roots has
  a purpose that is entirely well-defined independent of the
  application. Therefore, Subsection 2d requires that any
  application-supplied function or table used by this function must
  be optional: if the application does not supply it, the square
  root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Library,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Library.

In addition, mere aggregation of another work not based on the Library
with the Library (or with a work based on the Library) on a volume of
a storage or distribution medium does not bring the other work under
the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public
License instead of this License to a given copy of the Library. To do

this, you must alter all the notices that refer to this License, so
that they refer to the ordinary GNU General Public License, version 2,
instead of to this License. (If a newer version than version 2 of the
ordinary GNU General Public License has appeared, then you can specify
that version instead if you wish.) Do not make any other change in
these notices.

  Once this change is made in a given copy, it is irreversible for
that copy, so the ordinary GNU General Public License applies to all
subsequent copies and derivative works made from that copy.

  This option is useful when you wish to copy part of the code of
the Library into a program that is not a library.

  4. You may copy and distribute the Library (or a portion or
derivative of it, under Section 2) in object code or executable form
under the terms of Sections 1 and 2 above provided that you accompany
it with the complete corresponding machine-readable source code, which
must be distributed under the terms of Sections 1 and 2 above on a
medium customarily used for software interchange.

  If distribution of object code is made by offering access to copy
from a designated place, then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

  5. A program that contains no derivative of any portion of the
Library, but is designed to work with the Library by being compiled or
linked with it, is called a "work that uses the Library". Such a
work, in isolation, is not a derivative work of the Library, and
therefore falls outside the scope of this License.

  However, linking a "work that uses the Library" with the Library
creates an executable that is a derivative of the Library (because it
contains portions of the Library), rather than a "work that uses the
library". The executable is therefore covered by this License.
Section 6 states terms for distribution of such executables.

  When a "work that uses the Library" uses material from a header file
that is part of the Library, the object code for the work may be a
derivative work of the Library even though the source code is not.
Whether this is true is especially significant if the work can be
linked without the Library, or if the work is itself a library. The
threshold for this to be true is not precisely defined by law.

  If such an object file uses only numerical parameters, data
structure layouts and accessors, and small macros and small inline

functions (ten lines or less in length), then the use of the object
file is unrestricted, regardless of whether it is legally a derivative
work. (Executables containing this object code plus portions of the
Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may
distribute the object code for the work under the terms of Section 6.
Any executables containing that work also fall under Section 6,
whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or
link a "work that uses the Library" with the Library to produce a
work containing portions of the Library, and distribute that work
under terms of your choice, provided that the terms permit
modification of the work for the customer's own use and reverse
engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the
Library is used in it and that the Library and its use are covered by
this License. You must supply a copy of this License. If the work
during execution displays copyright notices, you must include the
copyright notice for the Library among them, as well as a reference
directing the user to the copy of this License. Also, you must do one
of these things:

a) Accompany the work with the complete corresponding
machine-readable source code for the Library including whatever
changes were used in the work (which must be distributed under
Sections 1 and 2 above); and, if the work is an executable linked
with the Library, with the complete machine-readable "work that
uses the Library", as object code and/or source code, so that the
user can modify the Library and then relink to produce a modified
executable containing the modified Library. (It is understood
that the user who changes the contents of definitions files in the
Library will not necessarily be able to recompile the application
to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the
Library. A suitable mechanism is one that (1) uses at run time a
copy of the library already present on the user's computer system,
rather than copying library functions into the executable, and (2)
will operate properly with a modified version of the library, if
the user installs one, as long as the modified version is
interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at
least three years, to give the same user the materials
specified in Subsection 6a, above, for a charge no more

than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy
from a designated place, offer equivalent access to copy the above
specified materials from the same place.

e) Verify that the user has already received a copy of these
materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the
Library" must include any data and utility programs needed for
reproducing the executable from it. However, as a special exception,
the materials to be distributed need not include anything that is
normally distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies
the executable.

It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.

7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work
based on the Library, uncombined with any other library
facilities. This must be distributed under the terms of the
Sections above.

b) Give prominent notice with the combined library of the fact
that part of it is a work based on the Library, and explaining
where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties with
this License.

11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply,
and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system which is
implemented by public license practices. Many people have made
generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

                    NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING

RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A
FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF
SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest
possible use to the public, we recommend making it free software that
everyone can redistribute and change. You can do so by permitting
redistribution under these terms (or, alternatively, under the terms of the
ordinary General Public License).

To apply these terms, attach the following notices to the library. It is
safest to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

    <one line to give the library's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This library is free software; you can redistribute it and/or
    modify it under the terms of the GNU Lesser General Public
    License as published by the Free Software Foundation; either
    version 2.1 of the License, or (at your option) any later version.

    This library is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
    Lesser General Public License for more details.

    You should have received a copy of the GNU Lesser General Public
    License along with this library; if not, write to the Free Software
    Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the
 library `Frob' (a library for tweaking knobs) written by James Random Hacker.

 <signature of Ty Coon>, 1 April 1990
 Ty Coon, President of Vice

That's all there is to it!

This file contains the copying permission notices for various files in the
GNU C Library distribution that have copyright owners other than the Free
Software Foundation. These notices all require that a copy of the notice
be included in the accompanying documentation and be distributed with
binary distributions of the code, so be sure to include this file along
with any binary distributions derived from the GNU C Library.

All code incorporated from 4.4 BSD is distributed under the following
license:

Copyright (C) 1991 Regents of the University of California.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. [This condition was removed.]
4. Neither the name of the University nor the names of its contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

The DNS resolver code, taken from BIND 4.9.5, is copyrighted by UC
Berkeley, by Digital Equipment Corporation and by Internet Software
Consortium. The DEC portions are under the following license:

Portions Copyright (C) 1993 by Digital Equipment Corporation.

Permission to use, copy, modify, and distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies, and
that the name of Digital Equipment Corporation not be used in
advertising or publicity pertaining to distribution of the document or
software without specific, written prior permission.

THE SOFTWARE IS PROVIDED ``AS IS'' AND DIGITAL EQUIPMENT CORP.
DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL
DIGITAL EQUIPMENT CORPORATION BE LIABLE FOR ANY SPECIAL, DIRECT,
INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING
FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT,
NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION
WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The ISC portions are under the following license:

Portions Copyright (c) 1996-1999 by Internet Software Consortium.

Permission to use, copy, modify, and distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND INTERNET SOFTWARE CONSORTIUM DISCLAIMS
ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL INTERNET SOFTWARE
CONSORTIUM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL
DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR
PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS
ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS
SOFTWARE.

The Sun RPC support (from rpcsrc-4.0) is covered by the following
license:

Copyright (c) 2010, Oracle America, Inc.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

  * Redistributions of source code must retain the above copyright
    notice, this list of conditions and the following disclaimer.
  * Redistributions in binary form must reproduce the above
    copyright notice, this list of conditions and the following
    disclaimer in the documentation and/or other materials
    provided with the distribution.

* Neither the name of the "Oracle America, Inc." nor the names of its
  contributors may be used to endorse or promote products derived
  from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following CMU license covers some of the support code for Mach,
derived from Mach 3.0:

Mach Operating System
Copyright (C) 1991,1990,1989 Carnegie Mellon University
All Rights Reserved.

Permission to use, copy, modify and distribute this software and its
documentation is hereby granted, provided that both the copyright
notice and this permission notice appear in all copies of the
software, derivative works or modified versions, and any portions
thereof, and that both notices appear in supporting documentation.

CARNEGIE MELLON ALLOWS FREE USE OF THIS SOFTWARE IN ITS ``AS IS''
CONDITION. CARNEGIE MELLON DISCLAIMS ANY LIABILITY OF ANY KIND FOR
ANY DAMAGES WHATSOEVER RESULTING FROM THE USE OF THIS SOFTWARE.

Carnegie Mellon requests users of this software to return to

Software Distribution Coordinator
School of Computer Science
Carnegie Mellon University
Pittsburgh PA 15213-3890

or Software.Distribution@CS.CMU.EDU any improvements or
extensions that they make and grant Carnegie Mellon the rights to
redistribute these changes.

The file if_ppp.h is under the following CMU license:

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY CARNEGIE MELLON UNIVERSITY AND
CONTRIBUTORS ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE UNIVERSITY OR CONTRIBUTORS BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER
IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following license covers the files from Intel's "Highly Optimized
Mathematical Functions for Itanium" collection:

Intel License Agreement

Copyright (c) 2000, Intel Corporation

All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

* The name of Intel Corporation may not be used to endorse or promote
products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL INTEL OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The files inet/getnameinfo.c and sysdeps/posix/getaddrinfo.c are copyright (C) by Craig Metz and are distributed under the following license:

/* The Inner Net License, Version 2.00

 The author(s) grant permission for redistribution and use in source and binary forms, with or without modification, of the software and documentation provided that the following conditions are met:

0. If you receive a version of the software that is specifically labelled
  as not being for redistribution (check the version message and/or README),
  you are not permitted to redistribute that version of the software in any
  way or form.
1. All terms of the all other applicable copyrights and licenses must be
  followed.
2. Redistributions of source code must retain the authors' copyright
  notice(s), this list of conditions, and the following disclaimer.
3. Redistributions in binary form must reproduce the authors' copyright
  notice(s), this list of conditions, and the following disclaimer in the
  documentation and/or other materials provided with the distribution.
4. [The copyright holder has authorized the removal of this clause.]
5. Neither the name(s) of the author(s) nor the names of its contributors
  may be used to endorse or promote products derived from this software
  without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY ITS AUTHORS AND CONTRIBUTORS ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHORS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

If these license terms cause you a real problem, contact the author. */

The file sunrpc/des_impl.c is copyright Eric Young:

Copyright (C) 1992 Eric Young
Collected from libdes and modified for SECURE RPC by Martin Kuck 1994
This file is distributed under the terms of the GNU Lesser General
Public License, version 2.1 or later - see the file COPYING.LIB for details.
If you did not receive a copy of the license with this program, please
see <https://www.gnu.org/licenses/> to obtain a copy.

The file inet/rcmd.c is under a UCB copyright and the following:

Copyright (C) 1998 WIDE Project.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. Neither the name of the project nor the names of its contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE PROJECT AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE PROJECT OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

The file posix/runtests.c is copyright Tom Lord:

Copyright 1995 by Tom Lord

                 All Rights Reserved

Permission to use, copy, modify, and distribute this software and its

documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the name of the copyright holder not be
used in advertising or publicity pertaining to distribution of the
software without specific, written prior permission.

Tom Lord DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE,
INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO
EVENT SHALL TOM LORD BE LIABLE FOR ANY SPECIAL, INDIRECT OR
CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF
USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR
OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THIS SOFTWARE.

The posix/rxspencer tests are copyright Henry Spencer:

Copyright 1992, 1993, 1994, 1997 Henry Spencer. All rights reserved.
This software is not subject to any license of the American Telephone
and Telegraph Company or of the Regents of the University of California.

Permission is granted to anyone to use this software for any purpose on
any computer system, and to alter it and redistribute it, subject
to the following restrictions:

1. The author is not responsible for the consequences of use of this
   software, no matter how awful, even if they arise from flaws in it.

2. The origin of this software must not be misrepresented, either by
   explicit claim or by omission. Since few users ever read sources,
   credits must appear in the documentation.

3. Altered versions must be plainly marked as such, and must not be
   misrepresented as being the original software. Since few users
   ever read sources, credits must appear in the documentation.

4. This notice may not be removed or altered.

The file posix/PCRE.tests is copyright University of Cambridge:

Copyright (c) 1997-2003 University of Cambridge

Permission is granted to anyone to use this software for any purpose on any
computer system, and to redistribute it freely, subject to the following
restrictions:

1. This software is distributed in the hope that it will be useful,
   but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

2. The origin of this software must not be misrepresented, either by
  explicit claim or by omission. In practice, this means that if you use
  PCRE in software that you distribute to others, commercially or
  otherwise, you must put a sentence like this

   Regular expression support is provided by the PCRE library package,
   which is open source software, written by Philip Hazel, and copyright
   by the University of Cambridge, England.

  somewhere reasonably visible in your documentation and in any relevant
  files or online help data or similar. A reference to the ftp site for
  the source, that is, to

   ftp://ftp.csx.cam.ac.uk/pub/software/programming/pcre/

  should also be given in the documentation. However, this condition is not
  intended to apply to whole chains of software. If package A includes PCRE,
  it must acknowledge it, but if package B is software that includes package
  A, the condition is not imposed on package B (unless it uses PCRE
  independently).

3. Altered versions must be plainly marked as such, and must not be
  misrepresented as being the original software.

4. If PCRE is embedded in any software that is released under the GNU
  General Purpose Licence (GPL), or Lesser General Purpose Licence (LGPL),
  then the terms of that licence shall supersede any condition above with
  which it is incompatible.

Files from Sun fdlibm are copyright Sun Microsystems, Inc.:

Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

Developed at SunPro, a Sun Microsystems, Inc. business.
Permission to use, copy, modify, and distribute this
software is freely granted, provided that this notice
is preserved.

Various long double libm functions are copyright Stephen L. Moshier:

Copyright 2001 by Stephen L. Moshier <moshier@na-net.ornl.gov>

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, see
<https://www.gnu.org/licenses/>. */
UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

   Unicode Data Files include all data files under the directories
http://www.unicode.org/Public/, http://www.unicode.org/reports/, and
http://www.unicode.org/cldr/data/. Unicode Data Files do not include PDF
online code charts under the directory http://www.unicode.org/Public/.
Software includes any source code published in the Unicode Standard or under
the directories http://www.unicode.org/Public/,
http://www.unicode.org/reports/, and http://www.unicode.org/cldr/data/.

   NOTICE TO USER: Carefully read the following legal agreement. BY
DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES
("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND
AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF
YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA
FILES OR SOFTWARE.

   COPYRIGHT AND PERMISSION NOTICE

   Copyright 1991-2013 Unicode, Inc. All rights reserved. Distributed under
the Terms of Use in http://www.unicode.org/copyright.html.

   Permission is hereby granted, free of charge, to any person obtaining a
copy of the Unicode data files and any associated documentation (the "Data
Files") or Unicode software and any associated documentation (the "Software")
to deal in the Data Files or Software without restriction, including without
limitation the rights to use, copy, modify, merge, publish, distribute, and/or
sell copies of the Data Files or Software, and to permit persons to whom the
Data Files or Software are furnished to do so, provided that (a) the above
copyright notice(s) and this permission notice appear with all copies of the
Data Files or Software, (b) both the above copyright notice(s) and this
permission notice appear in associated documentation, and (c) there is clear
notice in each modified Data File or in the Software as well as in the
documentation associated with the Data File(s) or Software that the data or
software has been modified.

   THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY
KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD

PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN
THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR
PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS
ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE
DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall
not be used in advertising or otherwise to promote the sale, use or other
dealings in these Data Files or Software without prior written authorization
of the copyright holder.

1.444 mattermost-xml-roundtrip-validator 0.0.0-20201213122252-bcd7e1b9601e

1.444.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

1.445 packaging 21.2

1.445.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

   "License" shall mean the terms and conditions for use, reproduction,
   and distribution as defined by Sections 1 through 9 of this document.

   "Licensor" shall mean the copyright owner or entity authorized by
   the copyright owner that is granting the License.

   "Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and
       attribution notices from the Source form of the Work,
       excluding those notices that do not pertain to any part of
       the Derivative Works; and

   (d) If the Work includes a "NOTICE" text file as part of its
       distribution, then any Derivative Works that You distribute must
       include a readable copy of the attribution notices contained
       within such NOTICE file, excluding those notices that do not
       pertain to any part of the Derivative Works, in at least one
       of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

This software is made available under the terms of *either* of the licenses
found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made
under the terms of *both* these licenses.
Copyright (c) Donald Stufft and individual contributors.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
   this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.446 tzdata 2022c-0ubuntu0.20.04.0

1.446.1 Available under license :

Unless specified below, all files in the tz code and data (including
this LICENSE file) are in the public domain.

If the files date.c, newstrftime.3, and strftime.c are present, they
contain material derived from BSD and use the BSD 3-clause license.

1.447 alpine-baselayout 3.2.0-r22
1.447.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Create mount directories in fstab
*
* Copyright(c) 2008 Natanael Copa <natanael.copa@gmail.com>
* May be distributed under the terms of GPL-2
*
* usage: mkmntdirs [fstab]
*
*/

Found in path(s):
* /opt/cola/permits/1344947999_1657894591.0906107/0/alpine-baselayout-3-2-0-r22-tar-gz/alpine-baselayout-tar-gz/mkmntdirs.c
* /opt/cola/permits/1344947999_1657894591.0906107/0/alpine-baselayout-3-2-0-r22-tar-gz/mkmntdirs.c

1.448 xorm 0.8.1
1.448.1 Available under license :

Copyright (c) 2013 - 2015 The Xorm Authors
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
 list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice,
 this list of conditions and the following disclaimer in the documentation
 and/or other materials provided with the distribution.

* Neither the name of the {organization} nor the names of its
 contributors may be used to endorse or promote products derived from
 this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.449 ncurses 6.2 0ubuntu2

1.449.1 Available under license :

Upstream source https://invisible-island.net/ncurses/ncurses-examples.html

Current ncurses maintainer: Thomas Dickey <dickey@invisible-island.net>

Files: *
Copyright: 1998-2019,2020 Free Software Foundation, Inc.
Licence: X11

Files: aclocal.m4 package
Copyright: 2010-2019,2020 by Thomas E. Dickey
Licence: X11

  Permission is hereby granted, free of charge, to any person obtaining a
  copy of this software and associated documentation files (the
  "Software"), to deal in the Software without restriction, including
  without limitation the rights to use, copy, modify, merge, publish,
  distribute, distribute with modifications, sublicense, and/or sell
  copies of the Software, and to permit persons to whom the Software is
  furnished to do so, subject to the following conditions:

  The above copyright notice and this permission notice shall be included
  in all copies or substantial portions of the Software.

  THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
  OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
  MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
  IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
  DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR
  OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR
  THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name(s) of the above copyright
holders shall not be used in advertising or otherwise to promote the
sale, use or other dealings in this Software without prior written
authorization.

Files: install-sh
Copyright: 1994 X Consortium
Licence: X11

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to
deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or
sell copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN
AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNEC-
TION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not
be used in advertising or otherwise to promote the sale, use or other deal-
ings in this Software without prior written authorization from the X Consor-
tium.

FSF changes to this file are in the public domain.

Calling this script install-sh is preferred over install.sh, to prevent
`make' implicit rules from creating a file called install from it
when there is no Makefile.

This script is compatible with the BSD install script, but was written
from scratch. It can only install one file at a time, a restriction
shared with many OS's install programs.

On Debian systems, the complete text of the GNU General
Public License can be found in '/usr/share/common-licenses/GPL-2'

-- vile: txtmode file-encoding=utf-8
Upstream source https://invisible-island.net/ncurses/ncurses.html
This package is used for testing builds of ncurses.

Current ncurses maintainer: Thomas Dickey <dickey@invisible-island.net>

Files: *
Copyright: 1998-2019,2020 Free Software Foundation, Inc.
Licence: X11

Files: aclocal.m4 package
Copyright: 1996-2019,2020 by Thomas E. Dickey
Licence: X11

Files: doc/html/NCURSES-Programming-HOWTO.html
Copyright: 2001 by Pradeep Padala
Licence: X11

  Permission is hereby granted, free of charge, to any person obtaining a
  copy of this software and associated documentation files (the
  "Software"), to deal in the Software without restriction, including
  without limitation the rights to use, copy, modify, merge, publish,
  distribute, distribute with modifications, sublicense, and/or sell
  copies of the Software, and to permit persons to whom the Software is
  furnished to do so, subject to the following conditions:

  The above copyright notice and this permission notice shall be included
  in all copies or substantial portions of the Software.

  THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
  OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
  MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
  IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
  DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR
  OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR
  THE USE OR OTHER DEALINGS IN THE SOFTWARE.

  Except as contained in this notice, the name(s) of the above copyright
  holders shall not be used in advertising or otherwise to promote the
  sale, use or other dealings in this Software without prior written
  authorization.

Files: install-sh
Copyright: 1994 X Consortium
Licence: X11

  Permission is hereby granted, free of charge, to any person obtaining a copy
  of this software and associated documentation files (the "Software"), to
  deal in the Software without restriction, including without limitation the

rights to use, copy, modify, merge, publish, distribute, sublicense, and/or
sell copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN
AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNEC-
TION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not
be used in advertising or otherwise to promote the sale, use or other deal-
ings in this Software without prior written authorization from the X Consor-
tium.

Files: progs/tset.c ncurses/tinfo/read_termcap.c
Copyright: 1980,1991,1992,1993 The Regents of the University of California.
License: BSD

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:
1. Redistributions of source code must retain the above copyright
   notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

-- vile: txtmode file-encoding=utf-8
Upstream source https://invisible-island.net/ncurses/ncurses-examples.html

Current ncurses maintainer: Thomas Dickey <dickey@invisible-island.net>

Files: *
Copyright: 1998-2019,2020 Free Software Foundation, Inc.
Licence: X11

Files: aclocal.m4 package
Copyright: 2003-2019,2020 by Thomas E. Dickey
Licence: X11

 Permission is hereby granted, free of charge, to any person obtaining a
 copy of this software and associated documentation files (the
 "Software"), to deal in the Software without restriction, including
 without limitation the rights to use, copy, modify, merge, publish,
 distribute, distribute with modifications, sublicense, and/or sell
 copies of the Software, and to permit persons to whom the Software is
 furnished to do so, subject to the following conditions:

 The above copyright notice and this permission notice shall be included
 in all copies or substantial portions of the Software.

 THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
 OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
 MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
 IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
 DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR
 OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR
 THE USE OR OTHER DEALINGS IN THE SOFTWARE.

 Except as contained in this notice, the name(s) of the above copyright
 holders shall not be used in advertising or otherwise to promote the
 sale, use or other dealings in this Software without prior written
 authorization.

Files: install-sh
Copyright: 1994 X Consortium
Licence: X11

 Permission is hereby granted, free of charge, to any person obtaining a copy
 of this software and associated documentation files (the "Software"), to
 deal in the Software without restriction, including without limitation the
 rights to use, copy, modify, merge, publish, distribute, sublicense, and/or
 sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN
AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNEC-
TION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not
be used in advertising or otherwise to promote the sale, use or other deal-
ings in this Software without prior written authorization from the X Consor-
tium.

FSF changes to this file are in the public domain.

Calling this script install-sh is preferred over install.sh, to prevent
`make' implicit rules from creating a file called install from it
when there is no Makefile.

This script is compatible with the BSD install script, but was written
from scratch. It can only install one file at a time, a restriction
shared with many OS's install programs.

On Debian systems, the complete text of the GNU General
Public License can be found in '/usr/share/common-licenses/GPL-2'

-- vile: txtmode file-encoding=utf-8
Copyright 2018-2019,2020 Thomas E. Dickey
Copyright 1998-2017,2018 Free Software Foundation, Inc.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, distribute with modifications, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name(s) of the above copyright holders shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization.

-- vile:txtmode fc=72
-- $Id: COPYING,v 1.9 2020/02/08 13:34:12 tom Exp $

1.450 tdb 1.45.5

1.450.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

 This version of the GNU Lesser General Public License incorporates
the terms and conditions of version 3 of the GNU General Public
License, supplemented by the additional permissions listed below.

 0. Additional Definitions.

 As used herein, "this License" refers to version 3 of the GNU Lesser
General Public License, and the "GNU GPL" refers to version 3 of the
GNU General Public License.

 "The Library" refers to a covered work governed by this License,
other than an Application or a Combined Work as defined below.

 An "Application" is any work that makes use of an interface provided
by the Library, but which is not otherwise based on the Library.
Defining a subclass of a class defined by the Library is deemed a mode
of using an interface provided by the Library.

 A "Combined Work" is a work produced by combining or linking an
Application with the Library. The particular version of the Library
with which the Combined Work was made is also called the "Linked
Version".

The "Minimal Corresponding Source" for a Combined Work means the
Corresponding Source for the Combined Work, excluding any source code
for portions of the Combined Work that, considered in isolation, are
based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the
object code and/or source code for the Application, including any data
and utility programs needed for reproducing the Combined Work from the
Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License
without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a
facility refers to a function or data to be supplied by an Application
that uses the facility (other than as an argument passed when the
facility is invoked), then you may convey a copy of the modified
version:

   a) under this License, provided that you make a good faith effort
   to ensure that, in the event an Application does not supply the
   function or data, the facility still operates, and performs
   whatever part of its purpose remains meaningful, or

   b) under the GNU GPL, with none of the additional permissions of
   this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from
a header file that is part of the Library. You may convey such object
code under terms of your choice, provided that, if the incorporated
material is not limited to numerical parameters, data structure
layouts and accessors, or small macros, inline functions and templates
(ten or fewer lines in length), you do both of the following:

   a) Give prominent notice with each copy of the object code that the
   Library is used in it and that the Library and its use are
   covered by this License.

   b) Accompany the object code with a copy of the GNU GPL and this
   license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that,
taken together, effectively do not restrict modification of the
portions of the Library contained in the Combined Work and reverse
engineering for debugging such modifications, if you also do each of
the following:

a) Give prominent notice with each copy of the Combined Work that
the Library is used in it and that the Library and its use are
covered by this License.

b) Accompany the Combined Work with a copy of the GNU GPL and this
license document.

c) For a Combined Work that displays copyright notices during
execution, include the copyright notice for the Library among
these notices, as well as a reference directing the user to the
copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of
this License, and the Corresponding Application Code in a form
suitable for, and under terms that permit, the user to
recombine or relink the Application with a modified version of
the Linked Version to produce a modified Combined Work, in the
manner specified by section 6 of the GNU GPL for conveying
Corresponding Source.

1) Use a suitable shared library mechanism for linking with the
Library. A suitable mechanism is one that (a) uses at run time
a copy of the Library already present on the user's computer
system, and (b) will operate properly with a modified version
of the Library that is interface-compatible with the Linked
Version.

e) Provide Installation Information, but only if you would
otherwise be required to provide such information under section 6
of the GNU GPL, and only to the extent that such information is
necessary to install and execute a modified version of the Combined
Work produced by recombining or relinking the Application with a
modified version of the Linked Version. (If you use option 4d0, the
Installation Information must accompany the Minimal Corresponding
Source and Corresponding Application Code. If you use option 4d1,
you must provide the Installation Information in the manner
specified by section 6 of the GNU GPL for conveying Corresponding
Source.)

5. Combined Libraries.

 You may place library facilities that are a work based on the
Library side by side in a single library together with other library
facilities that are not Applications and are not covered by this
License, and convey such a combined library under terms of your
choice, if you do both of the following:

  a) Accompany the combined library with a copy of the same work
  based on the Library, uncombined with any other library facilities,
  conveyed under the terms of this License.

  b) Give prominent notice with the combined library that part of it
  is a work based on the Library, and explaining where to find the
  accompanying uncombined form of the same work.

 6. Revised Versions of the GNU Lesser General Public License.

 The Free Software Foundation may publish revised and/or new versions
of the GNU Lesser General Public License from time to time. Such new
versions will be similar in spirit to the present version, but may
differ in detail to address new problems or concerns.

 Each version is given a distinguishing version number. If the
Library as you received it specifies that a certain numbered version
of the GNU Lesser General Public License "or any later version"
applies to it, you have the option of following the terms and
conditions either of that published version or of any later version
published by the Free Software Foundation. If the Library as you
received it does not specify a version number of the GNU Lesser
General Public License, you may choose any version of the GNU Lesser
General Public License ever published by the Free Software Foundation.

 If the Library as you received it specifies that a proxy can decide
whether future versions of the GNU Lesser General Public License shall
apply, that proxy's public statement of acceptance of any version is
permanent authorization for you to choose that version for the
Library.

1.451 xz 5.2.4 1ubuntu1.1

1.451.1 Available under license :

Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: XZ Utils
Upstream-Contact:
Lasse Collin <lasse.collin@tukaani.org>
https://tukaani.org/xz/lists.html

Source:

https://tukaani.org/xz

https://git.tukaani.org/xz.git

Comment:

XZ Utils is developed and maintained upstream by Lasse Collin. Major
portions are based on code by other authors; see AUTHORS for details.
Most of the source has been put into the public domain, but some files
have not (details below).

.

This file describes the source package. The binary packages contain
some files derived from other works: for example, images in the API
documentation come from Doxygen.

License:

Different licenses apply to different files in this package. Here
is a rough summary of which licenses apply to which parts of this
package (but check the individual files to be sure!):

.

  - liblzma is in the public domain.

.

  - xz, xzdec, and lzmadec command line tools are in the public
    domain unless GNU getopt_long had to be compiled and linked
    in from the lib directory. The getopt_long code is under
    GNU LGPLv2.1+.

.

  - The scripts to grep, diff, and view compressed files have been
    adapted from gzip. These scripts and their documentation are
    under GNU GPLv2+.

.

  - All the documentation in the doc directory and most of the
    XZ Utils specific documentation files in other directories
    are in the public domain.

.

  - Translated messages are in the public domain.

.

  - The build system contains public domain files, and files that
    are under GNU GPLv2+ or GNU GPLv3+. None of these files end up
    in the binaries being built.

.

  - Test files and test code in the tests directory, and debugging
    utilities in the debug directory are in the public domain.

.

  - The extra directory may contain public domain files, and files
    that are under various free software licenses.

.

You can do whatever you want with the files that have been put into
the public domain. If you find public domain legally problematic,
take the previous sentence as a license grant. If you still find
the lack of copyright legally problematic, you have too many

lawyers.
.

As usual, this software is provided "as is", without any warranty.
.

If you copy significant amounts of public domain code from XZ Utils
into your project, acknowledging this somewhere in your software is
polite (especially if it is proprietary, non-free software), but
naturally it is not legally required. Here is an example of a good
notice to put into "about box" or into documentation:
.

   This software includes code from XZ Utils <http://tukaani.org/xz/>.
.

The following license texts are included in the following files:
  - COPYING.LGPLv2.1: GNU Lesser General Public License version 2.1
  - COPYING.GPLv2: GNU General Public License version 2
  - COPYING.GPLv3: GNU General Public License version 3
.

Note that the toolchain (compiler, linker etc.) may add some code
pieces that are copyrighted. Thus, it is possible that e.g. liblzma
binary wouldn't actually be in the public domain in its entirety
even though it contains no copyrighted code from the XZ Utils source
package.
.

If you have questions, don't hesitate to ask the author(s) for more
information.

Files: *
Copyright: 2006-2018, Lasse Collin
        1999-2008, Igor Pavlov
        2006, Ville Koskinen
        1998, Steve Reid
        2000, Wei Dai
        2003, Kevin Springle
        2009, Jonathan Nieder
        2010, Anders F Bjrklund
License: PD
This file has been put in the public domain.
You can do whatever you want with this file.
Comment:
 From: Lasse Collin <lasse.collin@tukaani.org>
 To: Jonathan Nieder <jrnieder@gmail.com>
 Subject: Re: XZ utils for Debian
 Date: Sun, 19 Jul 2009 13:28:23 +0300
 Message-Id: <200907191328.23816.lasse.collin@tukaani.org>
 .
 [...]
 .
 > AUTHORS, ChangeLog, COPYING, README, THANKS, TODO,

> dos/README, windows/README
.

COPYING says that most docs are in the public domain. Maybe that's not
clear enough, but on the other hand it looks a bit stupid to put
copyright information in tiny and relatively small docs like README.
.

I don't dare to say that _all_ XZ Utils specific docs are in the public
domain unless otherwise mentioned in the file. I'm including PDF files
generated by groff + ps2pdf, and some day I might include Doxygen-
generated HTML docs too. Those don't include any copyright notices, but
it seems likely that groff + ps2pdf or at least Doxygen put some
copyrighted content into the generated files.

Files: INSTALL NEWS PACKAGERS
windows/README-Windows.txt
windows/INSTALL-MinGW.txt
Copyright: 2009-2010, Lasse Collin
License: probably-PD
See the note on AUTHORS, README, and so on above.

Files: src/scripts/* lib/* extra/scanlzma/scanlzma.c
Copyright: 1993, Jean-loup Gailly
        1989-1994, 1996-1999, 2001-2007, Free Software Foundation, Inc.
        2006 Timo Lindfors
        2005, Charles Levert
        2005, 2009, Lasse Collin
        2009, Andrew Dudman
Other-Authors: Paul Eggert, Ulrich Drepper
License: GPL-2+

Files: src/scripts/Makefile.am src/scripts/xzless.1
Copyright: 2009, Andrew Dudman
        2009, Lasse Collin
License: PD
This file has been put in the public domain.
You can do whatever you want with this file.

Files: doc/examples/xz_pipe_comp.c doc/examples/xz_pipe_decomp.c
Copyright: 2010, Daniel Mealha Cabrita
License: PD
Not copyrighted -- provided to the public domain.

Files: lib/getopt.c lib/getopt1.c lib/getopt.in.h
Copyright: 1987-2007 Free Software Foundation, Inc.
Other-Authors: Ulrich Drepper
License: LGPL-2.1+

Files: m4/getopt.m4 m4/posix-shell.m4

Copyright: 2002-2006, 2008 Free Software Foundation, Inc.
        2007-2008 Free Software Foundation, Inc.
Other-Authors: Bruno Haible, Paul Eggert
License: permissive-fsf

Files: m4/acx_pthread.m4
Copyright: 2008, Steven G. Johnson <stevenj@alum.mit.edu>
License: Autoconf

files: m4/ax_check_capsicum.m4
Copyright: 2014, Google Inc.
        2015, Lasse Collin <lasse.collin@tukaani.org>
License: permissive-nowarranty

Files: Doxyfile.in
Copyright: 1997-2007 by Dimitri van Heesch
Origin: Doxygen 1.4.7
License: GPL-2

Files: src/liblzma/check/crc32_table_?e.h
src/liblzma/check/crc64_table_?e.h
src/liblzma/lzma/fastpos_table.c
src/liblzma/rangecoder/price_table.c
Copyright: none, automatically generated data
Generated-With:
src/liblzma/check/crc32_tablegen.c
src/liblzma/check/crc64_tablegen.c
src/liblzma/lzma/fastpos_tablegen.c
src/liblzma/rangecoder/price_tablegen.c
License: none
No copyright to license.

Files: .gitignore m4/.gitignore po/.gitignore po/LINGUAS po/POTFILES.in
Copyright: none; these are just short lists.
License: none
No copyright to license.

Files: tests/compress_prepared_bcj_*
Copyright: 2008-2009, Lasse Collin
Source-Code: tests/bcj_test.c
License: PD
This file has been put into the public domain.
You can do whatever you want with this file.
Comment:
changelog.gz (commit 975d8fd) explains:
.
Recreated the BCJ test files for x86 and SPARC. The old files
were linked with crt*.o, which are copyrighted, and thus the

old test files were not in the public domain as a whole. They
are freely distributable though, but it is better to be careful
and avoid including any copyrighted pieces in the test files.
The new files are just compiled and assembled object files,
and thus don't contain any copyrighted code.

Files: po/cs.po po/de.po po/fr.po
Copyright: 2010, Marek ernock
          2010, Andre Noll
          2011, Adrien Nader
License: PD
This file is put in the public domain.

Files: po/it.po po/pl.po
Copyright: 2009, 2010, Gruppo traduzione italiano di Ubuntu-it
          2010, Lorenzo De Liso
          2009, 2010, 2011, Milo Casagrande
          2011, Jakub Bogusz
License: PD
This file is in the public domain

Files: INSTALL.generic
Copyright: 1994, 1995, 1996, 1999, 2000, 2001, 2002, 2004, 2005,
          2006, 2007, 2008, 2009, 2010 Free Software Foundation, Inc.
License: permissive-nowarranty

Files: dos/config.h
Copyright: 1992, 1993, 1994, 1999, 2000, 2001, 2002, 2005
          Free Software Foundation, Inc.
          2007-2010, Lasse Collin
Other-Authors: Roland McGrath, Akim Demaille, Paul Eggert,
          David Mackenzie, Bruno Haible, and many others.
Origin: configure.ac from XZ Utils,
      visibility.m4 serial 1 (gettext-0.15),
      Autoconf 2.52g
License: config-h
configure.ac:
.
 # Author: Lasse Collin
 #
 # This file has been put into the public domain.
 # You can do whatever you want with this file.
.
visibility.m4:
.
 dnl Copyright (C) 2005 Free Software Foundation, Inc.
 dnl This file is free software; the Free Software Foundation
 dnl gives unlimited permission to copy and/or distribute it,

dnl with or without modifications, as long as this notice is preserved.
.

dnl From Bruno Haible.
.

comments from Autoconf 2.52g:
.

 # Copyright 1992, 1993, 1994, 1999, 2000, 2001, 2002

 # Free Software Foundation, Inc.
.

[...]
.

 # As a special exception, the Free Software Foundation gives unlimited

 # permission to copy, distribute and modify the configure scripts that

 # are the output of Autoconf. You need not follow the terms of the GNU

 # General Public License when using or distributing such scripts, even

 # though portions of the text of Autoconf appear in them. The GNU

 # General Public License (GPL) does govern all other use of the material

 # that constitutes the Autoconf program.
.

On Debian systems, the complete text of the GNU General Public

License version 2 can be found in /usr/share/common-licenses/GPL-2.

dos/config.h was generated with autoheader, which tells Autoconf to

output a script to generate a config.h file and then runs it.

Files: po/Makevars

Origin: gettext-runtime/po/Makevars (gettext-0.12)

Copyright: 2003 Free Software Foundation, Inc.

Authors: Bruno Haible

License: LGPL-2.1+

The gettext-runtime package is under the LGPL, see files intl/COPYING.LIB-2.0

and intl/COPYING.LIB-2.1.
.

On Debian systems, the complete text of intl/COPYING.LIB-2.0 from

gettext-runtime 0.12 can be found in /usr/share/common-licenses/LGPL-2

and the text of intl/COPYING.LIB-2.1 can be found in

/usr/share/common-licenses/LGPL-2.1.
.

po/Makevars consists mostly of helpful comments and does not contain a

copyright and license notice.

Files: COPYING.GPLv2 COPYING.GPLv3 COPYING.LGPLv2.1

Copyright: 1989, 1991, 1999, 2007 Free Software Foundation, Inc.

License: noderivs

Everyone is permitted to copy and distribute verbatim copies

of this license document, but changing it is not allowed.

Files: debian/*

Copyright: 2009-2012, Jonathan Nieder

License: PD-debian
The Debian packaging files are in the public domain.
You may freely use, modify, distribute, and relicense them.

License: LGPL-2.1+
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU Lesser General Public License as published by
the Free Software Foundation; either version 2.1, or (at your option)
any later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU Lesser General Public License for more details.
.
You should have received a copy of the GNU Lesser General Public License along
with this program; if not, write to the Free Software Foundation,
Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.
.
On Debian systems, the complete text of the GNU Lesser General Public
License version 2.1 can be found in /usr/share/common-licenses/LGPL-2.1.

License: GPL-2
Permission to use, copy, modify, and distribute this software and its
documentation under the terms of the GNU General Public License is
hereby granted. No representations are made about the suitability of
this software for any purpose. It is provided "as is" without express
or implied warranty. See the GNU General Public License for more
details.
.
Documents produced by doxygen are derivative works derived from the
input used in their production; they are not affected by this license.
.
On Debian systems, the complete text of the version of the GNU General
Public License distributed with Doxygen can be found in
/usr/share/common-licenses/GPL-2.

License: GPL-2+
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2, or (at your option)
any later version.
.
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
.

You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation,
Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.
.

On Debian systems, the complete text of the GNU General Public License
version 2 can be found in /usr/share/common-licenses/GPL-2.

License: Autoconf
This program is free software: you can redistribute it and/or modify it
under the terms of the GNU General Public License as published by the
Free Software Foundation, either version 3 of the License, or (at your
option) any later version.
.

This program is distributed in the hope that it will be useful, but
WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General
Public License for more details.
.

You should have received a copy of the GNU General Public License along
with this program. If not, see <http://www.gnu.org/licenses/>.
.

As a special exception, the respective Autoconf Macro's copyright owner
gives unlimited permission to copy, distribute and modify the configure
scripts that are the output of Autoconf when processing the Macro. You
need not follow the terms of the GNU General Public License when using
or distributing such scripts, even though portions of the text of the
Macro appear in them. The GNU General Public License (GPL) does govern
all other use of the material that constitutes the Autoconf Macro.
.

This special exception to the GPL applies to versions of the Autoconf
Macro released by the Autoconf Archive. When you make and distribute a
modified version of the Autoconf Macro, you may extend this special
exception to the GPL to apply to your modified version as well.
.

On Debian systems, the complete text of the GNU General Public
License version 3 can be found in /usr/share/common-licenses/GPL-3.

License: permissive-fsf
This file is free software; the Free Software Foundation
gives unlimited permission to copy and/or distribute it,
with or without modifications, as long as this notice is preserved.

License: permissive-nowarranty
Copying and distribution of this file, with or without modification,
are permitted in any medium without royalty provided the copyright
notice and this notice are preserved. This file is offered as-is,
without warranty of any kind.

XZ Utils Licensing
==================

Different licenses apply to different files in this package. Here
is a rough summary of which licenses apply to which parts of this
package (but check the individual files to be sure!):

  - liblzma is in the public domain.

  - xz, xzdec, and lzmadec command line tools are in the public
    domain unless GNU getopt_long had to be compiled and linked
    in from the lib directory. The getopt_long code is under
    GNU LGPLv2.1+.

  - The scripts to grep, diff, and view compressed files have been
    adapted from gzip. These scripts and their documentation are
    under GNU GPLv2+.

  - All the documentation in the doc directory and most of the
    XZ Utils specific documentation files in other directories
    are in the public domain.

  - Translated messages are in the public domain.

  - The build system contains public domain files, and files that
    are under GNU GPLv2+ or GNU GPLv3+. None of these files end up
    in the binaries being built.

  - Test files and test code in the tests directory, and debugging
    utilities in the debug directory are in the public domain.

  - The extra directory may contain public domain files, and files
    that are under various free software licenses.

You can do whatever you want with the files that have been put into
the public domain. If you find public domain legally problematic,
take the previous sentence as a license grant. If you still find
the lack of copyright legally problematic, you have too many
lawyers.

As usual, this software is provided "as is", without any warranty.

If you copy significant amounts of public domain code from XZ Utils
into your project, acknowledging this somewhere in your software is
polite (especially if it is proprietary, non-free software), but
naturally it is not legally required. Here is an example of a good
notice to put into "about box" or into documentation:

This software includes code from XZ Utils <https://tukaani.org/xz/>.

The following license texts are included in the following files:
  - COPYING.LGPLv2.1: GNU Lesser General Public License version 2.1
  - COPYING.GPLv2: GNU General Public License version 2
  - COPYING.GPLv3: GNU General Public License version 3

Note that the toolchain (compiler, linker etc.) may add some code
pieces that are copyrighted. Thus, it is possible that e.g. liblzma
binary wouldn't actually be in the public domain in its entirety
even though it contains no copyrighted code from the XZ Utils source
package.

If you have questions, don't hesitate to ask the author(s) for more
information.

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

  We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

  Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

  Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

  The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

  0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

  1. You may copy and distribute verbatim copies of the Program's
source code as you receive it, in any medium, provided that you

conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

 3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

  a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

  b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

  c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

 4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under

this License will not have their licenses terminated so long as such parties remain in full compliance.

 5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

 7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

 8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

 9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

 10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

 11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

 12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,

INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License along
    with this program; if not, write to the Free Software Foundation, Inc.,
    51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

    Gnomovision version 69, Copyright (C) year name of author
    Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate

parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the program
 `Gnomovision' (which makes passes at compilers) written by James Hacker.

 <signature of Ty Coon>, 1 April 1989
 Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.

<div align="center">

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

</div>

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

                    Preamble

 The GNU General Public License is a free, copyleft license for
software and other kinds of works.

 The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

 To protect your rights, we need to prevent others from denying you

these rights or asking you to surrender the rights. Therefore, you have
certain responsibilities if you distribute copies of the software, or if
you modify it: responsibilities to respect the freedom of others.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must pass on to the recipients the same
freedoms that you received. You must make sure that they, too, receive
or can get the source code. And you must show them these terms so they
know their rights.

 Developers that use the GNU GPL protect your rights with two steps:
(1) assert copyright on the software, and (2) offer you this License
giving you legal permission to copy, distribute and/or modify it.

 For the developers' and authors' protection, the GPL clearly explains
that there is no warranty for this free software. For both users' and
authors' sake, the GPL requires that modified versions be marked as
changed, so that their problems will not be attributed erroneously to
authors of previous versions.

 Some devices are designed to deny users access to install or run
modified versions of the software inside them, although the manufacturer
can do so. This is fundamentally incompatible with the aim of
protecting users' freedom to change the software. The systematic
pattern of such abuse occurs in the area of products for individuals to
use, which is precisely where it is most unacceptable. Therefore, we
have designed this version of the GPL to prohibit the practice for those
products. If such problems arise substantially in other domains, we
stand ready to extend this provision to those domains in future versions
of the GPL, as needed to protect the freedom of users.

 Finally, every program is threatened constantly by software patents.
States should not allow patents to restrict development and use of
software on general-purpose computers, but in those that do, we wish to
avoid the special danger that patents applied to a free program could
make it effectively proprietary. To prevent this, the GPL assures that
patents cannot be used to render the program non-free.

 The precise terms and conditions for copying, distribution and
modification follow.

                    TERMS AND CONDITIONS

 0. Definitions.

 "This License" refers to version 3 of the GNU General Public License.

 "Copyright" also means copyright-like laws that apply to other kinds of

works, such as semiconductor masks.

 "The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

 To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

 A "covered work" means either the unmodified Program or a work based on the Program.

 To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

 To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

 An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

 1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

 A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

 The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major

Component, and (b) serves only to enable use of the work with that
Major Component, or to implement a Standard Interface for which an
implementation is available to the public in source code form. A
"Major Component", in this context, means a major essential component
(kernel, window system, and so on) of the specific operating system
(if any) on which the executable work runs, or a compiler used to
produce the work, or an object code interpreter used to run it.

 The "Corresponding Source" for a work in object code form means all
the source code needed to generate, install, and (for an executable
work) run the object code and to modify the work, including scripts to
control those activities. However, it does not include the work's
System Libraries, or general-purpose tools or generally available free
programs which are used unmodified in performing those activities but
which are not part of the work. For example, Corresponding Source
includes interface definition files associated with source files for
the work, and the source code for shared libraries and dynamically
linked subprograms that the work is specifically designed to require,
such as by intimate data communication or control flow between those
subprograms and other parts of the work.

 The Corresponding Source need not include anything that users
can regenerate automatically from other parts of the Corresponding
Source.

 The Corresponding Source for a work in source code form is that
same work.

 2. Basic Permissions.

 All rights granted under this License are granted for the term of
copyright on the Program, and are irrevocable provided the stated
conditions are met. This License explicitly affirms your unlimited
permission to run the unmodified Program. The output from running a
covered work is covered by this License only if the output, given its
content, constitutes a covered work. This License acknowledges your
rights of fair use or other equivalent, as provided by copyright law.

 You may make, run and propagate covered works that you do not
convey, without conditions so long as your license otherwise remains
in force. You may convey covered works to others for the sole purpose
of having them make modifications exclusively for you, or provide you
with facilities for running those works, provided that you comply with
the terms of this License in conveying all material for which you do
not control copyright. Those thus making or running the covered works
for you must do so exclusively on your behalf, under your direction
and control, on terms that prohibit them from making any copies of
your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

  a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

  b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this
License to anyone who comes into possession of a copy. This
License will therefore apply, along with any applicable section 7
additional terms, to the whole of the work, and all its parts,
regardless of how they are packaged. This License gives no
permission to license the work in any other way, but it does not
invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display
Appropriate Legal Notices; however, if the Program has interactive
interfaces that do not display Appropriate Legal Notices, your
work need not make them do so.

 A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

 6. Conveying Non-Source Forms.

 You may convey a covered work in object code form under the terms
of sections 4 and 5, provided that you also convey the
machine-readable Corresponding Source under the terms of this License,
in one of these ways:

  a) Convey the object code in, or embodied in, a physical product
  (including a physical distribution medium), accompanied by the
  Corresponding Source fixed on a durable physical medium
  customarily used for software interchange.

  b) Convey the object code in, or embodied in, a physical product
  (including a physical distribution medium), accompanied by a
  written offer, valid for at least three years and valid for as
  long as you offer spare parts or customer support for that product
  model, to give anyone who possesses the object code either (1) a
  copy of the Corresponding Source for all the software in the
  product that is covered by this License, on a durable physical
  medium customarily used for software interchange, for a price no
  more than your reasonable cost of physically performing this
  conveying of source, or (2) access to copy the
  Corresponding Source from a network server at no charge.

  c) Convey individual copies of the object code with a copy of the

written offer to provide the Corresponding Source. This
alternative is allowed only occasionally and noncommercially, and
only if you received the object code with such an offer, in accord
with subsection 6b.

d) Convey the object code by offering access from a designated
place (gratis or for a charge), and offer equivalent access to the
Corresponding Source in the same way through the same place at no
further charge. You need not require recipients to copy the
Corresponding Source along with the object code. If the place to
copy the object code is a network server, the Corresponding Source
may be on a different server (operated by you or a third party)
that supports equivalent copying facilities, provided you maintain
clear directions next to the object code saying where to find the
Corresponding Source. Regardless of what server hosts the
Corresponding Source, you remain obligated to ensure that it is
available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided
you inform other peers where the object code and Corresponding
Source of the work are being offered to the general public at no
charge under subsection 6d.

 A separable portion of the object code, whose source code is excluded
from the Corresponding Source as a System Library, need not be
included in conveying the object code work.

 A "User Product" is either (1) a "consumer product", which means any
tangible personal property which is normally used for personal, family,
or household purposes, or (2) anything designed or sold for incorporation
into a dwelling. In determining whether a product is a consumer product,
doubtful cases shall be resolved in favor of coverage. For a particular
product received by a particular user, "normally used" refers to a
typical or common use of that class of product, regardless of the status
of the particular user or of the way in which the particular user
actually uses, or expects or is expected to use, the product. A product
is a consumer product regardless of whether the product has substantial
commercial, industrial or non-consumer uses, unless such uses represent
the only significant mode of use of the product.

 "Installation Information" for a User Product means any methods,
procedures, authorization keys, or other information required to install
and execute modified versions of a covered work in that User Product from
a modified version of its Corresponding Source. The information must
suffice to ensure that the continued functioning of the modified object
code is in no case prevented or interfered with solely because
modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

a) Disclaiming warranty or limiting liability differently from the

terms of sections 15 and 16 of this License; or

b) Requiring preservation of specified reasonable legal notices or
author attributions in that material or in the Appropriate Legal
Notices displayed by works containing it; or

c) Prohibiting misrepresentation of the origin of that material, or
requiring that modified versions of such material be marked in
reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or
authors of the material; or

e) Declining to grant rights under trademark law for use of some
trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that
material by anyone who conveys the material (or modified versions of
it) with contractual assumptions of liability to the recipient, for
any liability that these contractual assumptions directly impose on
those licensors and authors.

All other non-permissive additional terms are considered "further
restrictions" within the meaning of section 10. If the Program as you
received it, or any part of it, contains a notice stating that it is
governed by this License along with a term that is a further
restriction, you may remove that term. If a license document contains
a further restriction but permits relicensing or conveying under this
License, you may add to a covered work material governed by the terms
of that license document, provided that the further restriction does
not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you
must place, in the relevant source files, a statement of the
additional terms that apply to those files, or a notice indicating
where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the
form of a separately written license, or stated as exceptions;
the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly
provided under this License. Any attempt otherwise to propagate or
modify it is void, and will automatically terminate your rights under
this License (including any patent licenses granted under the third
paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the
rights granted or affirmed under this License. For example, you may
not impose a license fee, royalty, or other charge for exercise of
rights granted under this License, and you may not initiate litigation
(including a cross-claim or counterclaim in a lawsuit) alleging that
any patent claim is infringed by making, using, selling, offering for
sale, or importing the Program or any portion of it.

  11. Patents.

  A "contributor" is a copyright holder who authorizes use under this
License of the Program or a work on which the Program is based. The
work thus licensed is called the contributor's "contributor version".

  A contributor's "essential patent claims" are all patent claims
owned or controlled by the contributor, whether already acquired or
hereafter acquired, that would be infringed by some manner, permitted
by this License, of making, using, or selling its contributor version,
but do not include claims that would be infringed only as a
consequence of further modification of the contributor version. For
purposes of this definition, "control" includes the right to grant
patent sublicenses in a manner consistent with the requirements of
this License.

  Each contributor grants you a non-exclusive, worldwide, royalty-free
patent license under the contributor's essential patent claims, to
make, use, sell, offer for sale, import and otherwise run, modify and
propagate the contents of its contributor version.

  In the following three paragraphs, a "patent license" is any express
agreement or commitment, however denominated, not to enforce a patent
(such as an express permission to practice a patent or covenant not to
sue for patent infringement). To "grant" such a patent license to a
party means to make such an agreement or commitment not to enforce a
patent against the party.

  If you convey a covered work, knowingly relying on a patent license,
and the Corresponding Source of the work is not available for anyone
to copy, free of charge and under the terms of this License, through a
publicly available network server or other readily accessible means,
then you must either (1) cause the Corresponding Source to be so
available, or (2) arrange to deprive yourself of the benefit of the
patent license for this particular work, or (3) arrange, in a manner
consistent with the requirements of this License, to extend the patent
license to downstream recipients. "Knowingly relying" means you have
actual knowledge that, but for the patent license, your conveying the
covered work in a country, or your recipient's use of the covered work

in a country, would infringe one or more identifiable patents in that
country that you have reason to believe are valid.

 If, pursuant to or in connection with a single transaction or
arrangement, you convey, or propagate by procuring conveyance of, a
covered work, and grant a patent license to some of the parties
receiving the covered work authorizing them to use, propagate, modify
or convey a specific copy of the covered work, then the patent license
you grant is automatically extended to all recipients of the covered
work and works based on it.

 A patent license is "discriminatory" if it does not include within
the scope of its coverage, prohibits the exercise of, or is
conditioned on the non-exercise of one or more of the rights that are
specifically granted under this License. You may not convey a covered
work if you are a party to an arrangement with a third party that is
in the business of distributing software, under which you make payment
to the third party based on the extent of your activity of conveying
the work, and under which the third party grants, to any of the
parties who would receive the covered work from you, a discriminatory
patent license (a) in connection with copies of the covered work
conveyed by you (or copies made from those copies), or (b) primarily
for and in connection with specific products or compilations that
contain the covered work, unless you entered into that arrangement,
or that patent license was granted, prior to 28 March 2007.

 Nothing in this License shall be construed as excluding or limiting
any implied license or other defenses to infringement that may
otherwise be available to you under applicable patent law.

 12. No Surrender of Others' Freedom.

 If conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot convey a
covered work so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you may
not convey it at all. For example, if you agree to terms that obligate you
to collect a royalty for further conveying from those to whom you convey
the Program, the only way you could satisfy both those terms and this
License would be to refrain entirely from conveying the Program.

 13. Use with the GNU Affero General Public License.

 Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this

License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

  14. Revised Versions of this License.

  The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

  Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

  If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

  Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

  15. Disclaimer of Warranty.

  THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

  16. Limitation of Liability.

  IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE

USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD
PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

 If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

                      END OF TERMS AND CONDITIONS

            How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software: you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation, either version 3 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

 If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

 You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

 The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<http://www.gnu.org/philosophy/why-not-lgpl.html>.

1.452 goprotobuf 1.4.3

1.452.1 Available under license :

Copyright 2010 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

   * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
   * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
   * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT

LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This source code was written by the Go contributors.

The master list of contributors is in the main Go distribution,

visible at http://tip.golang.org/CONTRIBUTORS.

1.453 go-md2man 2.0.0-20190314233015-f79a8a8ca69d

1.453.1 Available under license :

Blackfriday is distributed under the Simplified BSD License:

> Copyright 2011 Russ Ross
> All rights reserved.
>
> Redistribution and use in source and binary forms, with or without
> modification, are permitted provided that the following conditions
> are met:
>
> 1. Redistributions of source code must retain the above copyright
>   notice, this list of conditions and the following disclaimer.
>
> 2. Redistributions in binary form must reproduce the above
>   copyright notice, this list of conditions and the following
>   disclaimer in the documentation and/or other materials provided with
>   the distribution.
>
> THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
> "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
> LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
> FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
> COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
> INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
> BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
> LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
> CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
> LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN
> ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
> POSSIBILITY OF SUCH DAMAGE.

MIT License

Copyright (c) 2015 Dmitri Shuralyov

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.
The MIT License (MIT)

Copyright (c) 2014 Brian Goff

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.454 gojsonreference 0.0.0-20180127040603-bd5ef7bd5415

1.454.1 Available under license :

Apache License
Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright 2015 xeipuuv

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.455 ply 3.11

1.455.1 Available under license :

No license file was found, but licenses were detected in source scan.

PLY (Python Lex-Yacc)   Version 3.11

[![Build Status](https://travis-ci.org/dabeaz/ply.svg?branch=master)](https://travis-ci.org/dabeaz/ply)

Copyright (C) 2001-2018
David M. Beazley (Dabeaz LLC)
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright notice,
  this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.
* Neither the name of the David Beazley or Dabeaz LLC may be used to
  endorse or promote products derived from this software without
  specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Introduction

============

PLY is a 100% Python implementation of the common parsing tools lex
and yacc. Here are a few highlights:

- PLY is very closely modeled after traditional lex/yacc.
  If you know how to use these tools in C, you will find PLY
  to be similar.

- PLY provides *very* extensive error reporting and diagnostic
  information to assist in parser construction. The original
  implementation was developed for instructional purposes. As
  a result, the system tries to identify the most common types
  of errors made by novice users.

- PLY provides full support for empty productions, error recovery,
  precedence specifiers, and moderately ambiguous grammars.

- Parsing is based on LR-parsing which is fast, memory efficient,
  better suited to large grammars, and which has a number of nice
  properties when dealing with syntax errors and other parsing problems.
  Currently, PLY builds its parsing tables using the LALR(1)
  algorithm used in yacc.

- PLY uses Python introspection features to build lexers and parsers.
  This greatly simplifies the task of parser construction since it reduces
  the number of files and eliminates the need to run a separate lex/yacc
  tool before running your program.

- PLY can be used to build parsers for "real" programming languages.
  Although it is not ultra-fast due to its Python implementation,
  PLY can be used to parse grammars consisting of several hundred
  rules (as might be found for a language like C). The lexer and LR
  parser are also reasonably efficient when parsing typically
  sized programs. People have used PLY to build parsers for
  C, C++, ADA, and other real programming languages.

How to Use
==========

PLY consists of two files : lex.py and yacc.py. These are contained
within the 'ply' directory which may also be used as a Python package.
To use PLY, simply copy the 'ply' directory to your project and import
lex and yacc from the associated 'ply' package. For example:

    import ply.lex as lex
    import ply.yacc as yacc

Alternatively, you can copy just the files lex.py and yacc.py
individually and use them as modules. For example:

    import lex
    import yacc

The file setup.py can be used to install ply using distutils.

The file doc/ply.html contains complete documentation on how to use
the system.

The example directory contains several different examples including a
PLY specification for ANSI C as given in K&R 2nd Ed.

A simple example is found at the end of this document

Requirements
============
PLY requires the use of Python 2.6 or greater. However, you should
use the latest Python release if possible. It should work on just
about any platform. PLY has been tested with both CPython and Jython.
It also seems to work with IronPython.

Resources
=========
More information about PLY can be obtained on the PLY webpage at:

    http://www.dabeaz.com/ply

For a detailed overview of parsing theory, consult the excellent
book "Compilers : Principles, Techniques, and Tools" by Aho, Sethi, and
Ullman. The topics found in "Lex & Yacc" by Levine, Mason, and Brown
may also be useful.

The GitHub page for PLY can be found at:

    https://github.com/dabeaz/ply

An old and relatively inactive discussion group for PLY is found at:

    http://groups.google.com/group/ply-hack

Acknowledgments
===============
A special thanks is in order for all of the students in CS326 who
suffered through about 25 different versions of these tools :-).

The CHANGES file acknowledges those who have contributed patches.

Elias Ioup did the first implementation of LALR(1) parsing in PLY-1.x.
Andrew Waters and Markus Schoepflin were instrumental in reporting bugs
and testing a revised LALR(1) implementation for PLY-2.0.

Special Note for PLY-3.0
========================
PLY-3.0 the first PLY release to support Python 3. However, backwards
compatibility with Python 2.6 is still preserved. PLY provides dual
Python 2/3 compatibility by restricting its implementation to a common
subset of basic language features. You should not convert PLY using
2to3--it is not necessary and may in fact break the implementation.

Example
=======

Here is a simple example showing a PLY implementation of a calculator
with variables.

```
# -----------------------------------------------------------------------------
# calc.py
#
# A simple calculator with variables.
# -----------------------------------------------------------------------------

tokens = (
    'NAME','NUMBER',
    'PLUS','MINUS','TIMES','DIVIDE','EQUALS',
    'LPAREN','RPAREN',
    )

# Tokens

t_PLUS    = r'\+'
t_MINUS   = r'-'
t_TIMES   = r'\*'
t_DIVIDE  = r'/'
t_EQUALS  = r'='
t_LPAREN  = r'\('
t_RPAREN  = r'\)'
t_NAME    = r'[a-zA-Z_][a-zA-Z0-9_]*'

def t_NUMBER(t):
    r'\d+'
    t.value = int(t.value)
    return t

# Ignored characters
```

```python
t_ignore = " \t"

def t_newline(t):
    r'\n+'
    t.lexer.lineno += t.value.count("\n")

def t_error(t):
    print("Illegal character '%s'" % t.value[0])
    t.lexer.skip(1)

# Build the lexer
import ply.lex as lex
lex.lex()

# Precedence rules for the arithmetic operators
precedence = (
    ('left','PLUS','MINUS'),
    ('left','TIMES','DIVIDE'),
    ('right','UMINUS'),
    )

# dictionary of names (for storing variables)
names = { }

def p_statement_assign(p):
    'statement : NAME EQUALS expression'
    names[p[1]] = p[3]

def p_statement_expr(p):
    'statement : expression'
    print(p[1])

def p_expression_binop(p):
    '''expression : expression PLUS expression
              | expression MINUS expression
              | expression TIMES expression
              | expression DIVIDE expression'''
    if p[2] == '+'  : p[0] = p[1] + p[3]
    elif p[2] == '-': p[0] = p[1] - p[3]
    elif p[2] == '*': p[0] = p[1] * p[3]
    elif p[2] == '/': p[0] = p[1] / p[3]

def p_expression_uminus(p):
    'expression : MINUS expression %prec UMINUS'
    p[0] = -p[2]

def p_expression_group(p):
    'expression : LPAREN expression RPAREN'
```

```
    p[0] = p[2]

  def p_expression_number(p):
    'expression : NUMBER'
    p[0] = p[1]

  def p_expression_name(p):
    'expression : NAME'
    try:
        p[0] = names[p[1]]
    except LookupError:
        print("Undefined name '%s'" % p[1])
        p[0] = 0

  def p_error(p):
    print("Syntax error at '%s'" % p.value)

  import ply.yacc as yacc
  yacc.yacc()

  while True:
    try:
        s = raw_input('calc > ')   # use input() on Python 3
    except EOFError:
        break
    yacc.parse(s)
```

Bug Reports and Patches
========================
My goal with PLY is to simply have a decent lex/yacc implementation
for Python. As a general rule, I don't spend huge amounts of time
working on it unless I receive very specific bug reports and/or
patches to fix problems. I also try to incorporate submitted feature
requests and enhancements into each new version. Please visit the PLY
github page at https://github.com/dabeaz/ply to submit issues and pull
requests. To contact me about bugs and/or new features, please send
email to dave@dabeaz.com.

-- Dave

Found in path(s):
* /opt/cola/permits/1160874329_1620411264.5/0/dabeaz-ply-3-11-0-g0f398b7-1-tar-gz/dabeaz-ply-
0f398b7/README.md
No license file was found, but licenses were detected in source scan.

This work is hereby released into the Public Domain. To view a copy of
the public domain dedication, visit

Found in path(s):

* /opt/cola/permits/1160874329_1620411264.5/0/dabeaz-ply-3-11-0-g0f398b7-1-tar-gz/dabeaz-ply-
0f398b7/example/GardenSnake/GardenSnake.py

No license file was found, but licenses were detected in source scan.

Found in path(s):

* /opt/cola/permits/1160874329_1620411264.5/0/dabeaz-ply-3-11-0-g0f398b7-1-tar-gz/dabeaz-ply-
0f398b7/ply/cpp.py

No license file was found, but licenses were detected in source scan.

Found in path(s):

* /opt/cola/permits/1160874329_1620411264.5/0/dabeaz-ply-3-11-0-g0f398b7-1-tar-gz/dabeaz-ply-
0f398b7/ply/lex.py
* /opt/cola/permits/1160874329_1620411264.5/0/dabeaz-ply-3-11-0-g0f398b7-1-tar-gz/dabeaz-ply-
0f398b7/ply/yacc.py

1.456 gax-go 2.0.5

1.456.1 Available under license :

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.457 debianutils 4.9.1

1.457.1 Available under license :

This is the Debian GNU/Linux package debianutils.

It is an original Debian package. Programs in it were maintained by
Guy Maor <maor@debian.org>, and are now maintained by Clint Adams
<schizo@debian.org>.

All its programs except savelog, and which may be
redistributed under the terms of the GNU GPL, Version 2 or later,
found on Debian systems in the file /usr/share/common-licenses/GPL.

which is in the public domain.

savelog may be redistributed under the following terms: (The rest of
this file consists of savelog's distribution terms.)

#ident "@(#)smail:RELEASE-3_2:COPYING,v 1.2 1996/06/14 18:59:10 woods Exp"

    SMAIL GENERAL PUBLIC LICENSE
      (Clarified 11 Feb 1988)

Copyright (C) 1988 Landon Curt Noll & Ronald S. Karr
Copyright (C) 1992 Ronald S. Karr
Copyleft (GNU) 1988 Landon Curt Noll & Ronald S. Karr

Everyone is permitted to copy and distribute verbatim copies
of this license, but changing it is not allowed. You can also
use this wording to make the terms for other programs.

 The license agreements of most software companies keep you at the
mercy of those companies. By contrast, our general public license is
intended to give everyone the right to share SMAIL. To make sure that
you get the rights we want you to have, we need to make restrictions

that forbid anyone to deny you these rights or to ask you to surrender
the rights. Hence this license agreement.

 Specifically, we want to make sure that you have the right to give
away copies of SMAIL, that you receive source code or else can get it
if you want it, that you can change SMAIL or use pieces of it in new
free programs, and that you know you can do these things.

 To make sure that everyone has such rights, we have to forbid you to
deprive anyone else of these rights. For example, if you distribute
copies of SMAIL, you must give the recipients all the rights that you
have. You must make sure that they, too, receive or can get the
source code. And you must tell them their rights.

 Also, for our own protection, we must make certain that everyone
finds out that there is no warranty for SMAIL. If SMAIL is modified by
someone else and passed on, we want its recipients to know that what
they have is not what we distributed, so that any problems introduced
by others will not reflect on our reputation.

 Therefore we (Landon Curt Noll and Ronald S. Karr) make the following
terms which say what you must do to be allowed to distribute or change
SMAIL.

  COPYING POLICIES

 1. You may copy and distribute verbatim copies of SMAIL source code
as you receive it, in any medium, provided that you conspicuously and
appropriately publish on each copy a valid copyright notice "Copyright
(C) 1988 Landon Curt Noll & Ronald S. Karr" (or with whatever year is
appropriate); keep intact the notices on all files that refer to this
License Agreement and to the absence of any warranty; and give any
other recipients of the SMAIL program a copy of this License
Agreement along with the program. You may charge a distribution fee
for the physical act of transferring a copy.

 2. You may modify your copy or copies of SMAIL or any portion of it,
and copy and distribute such modifications under the terms of
Paragraph 1 above, provided that you also do the following:

  a) cause the modified files to carry prominent notices stating
  that you changed the files and the date of any change; and

  b) cause the whole of any work that you distribute or publish,
  that in whole or in part contains or is a derivative of SMAIL or
  any part thereof, to be licensed at no charge to all third
  parties on terms identical to those contained in this License

Agreement (except that you may choose to grant more extensive warranty protection to some or all third parties, at your option).

c) You may charge a distribution fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

Mere aggregation of another unrelated program with this program (or its derivative) on a volume of a storage or distribution medium does not bring the other program under the scope of these terms.

3. You may copy and distribute SMAIL (or a portion or derivative of it, under Paragraph 2) in object code or executable form under the terms of Paragraphs 1 and 2 above provided that you also do one of the following:

a) accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Paragraphs 1 and 2 above; or,

b) accompany it with a written offer, valid for at least three years, to give any third party free (except for a nominal shipping charge) a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Paragraphs 1 and 2 above; or,

c) accompany it with the information you received as to where the corresponding source code may be obtained. (This alternative is allowed only for non-commercial distribution and only if you received the program in object code or executable form alone.)

For an executable file, complete source code means all the source code for all modules it contains; but, as a special exception, it need not include source code for modules which are standard libraries that accompany the operating system on which the executable file runs.

4. You may not copy, sublicense, distribute or transfer SMAIL except as expressly provided under this License Agreement. Any attempt otherwise to copy, sublicense, distribute or transfer SMAIL is void and your rights to use the program under this License agreement shall be automatically terminated. However, parties who have received computer software programs from you with this License Agreement will not have their licenses terminated so long as such parties remain in full compliance.

5. If you wish to incorporate parts of SMAIL into other free programs whose distribution conditions are different, write to Landon Curt Noll & Ronald S. Karr via the Free Software Foundation at 51 Franklin St, Fifth Floor, Boston, MA 02110-1301, USA. We have not yet worked out a simple rule that can be stated here, but we will often

permit this. We will be guided by the two goals of preserving the
free status of all derivatives of our free software and of promoting
the sharing and reuse of software.

Your comments and suggestions about our licensing policies and our
software are welcome! This contract was based on the contract made by
the Free Software Foundation. Please contact the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301,
USA, or call (617) 542-5942 for details on copylefted material in
general.

NO WARRANTY

 BECAUSE SMAIL IS LICENSED FREE OF CHARGE, WE PROVIDE ABSOLUTELY NO
WARRANTY, TO THE EXTENT PERMITTED BY APPLICABLE STATE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING, LANDON CURT NOLL & RONALD S. KARR AND/OR
OTHER PARTIES PROVIDE SMAIL "AS IS" WITHOUT WARRANTY OF ANY KIND,
EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.
THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF SMAIL IS WITH
YOU. SHOULD SMAIL PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL
NECESSARY SERVICING, REPAIR OR CORRECTION.

 IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW WILL LANDON CURT NOLL &
RONALD S. KARR AND/OR ANY OTHER PARTY WHO MAY MODIFY AND REDISTRIBUTE
SMAIL AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
LOST PROFITS, LOST MONIES, OR OTHER SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE
(INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED
INACCURATE OR LOSSES SUSTAINED BY THIRD PARTIES OR A FAILURE OF THE
PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS) SMAIL, EVEN IF YOU HAVE
BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, OR FOR ANY CLAIM BY
ANY OTHER PARTY.

1.458 lumberjack 2.0.0

1.458.1 Available under license :

Copyright (c) 2016, Michael Strong
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the
following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following
disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following

disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.459 cryptography 37.0.4

1.459.1 Available under license :

This software is made available under the terms of *either* of the licenses
found in LICENSE.APACHE or LICENSE.BSD. Contributions to cryptography are made
under the terms of *both* these licenses.

The code used in the OS random engine is derived from CPython, and is licensed
under the terms of the PSF License Agreement.
Copyright (c) Individual contributors.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,
   this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
   notice, this list of conditions and the following disclaimer in the
   documentation and/or other materials provided with the distribution.

3. Neither the name of PyCA Cryptography nor the names of its contributors
   may be used to endorse or promote products derived from this software
   without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 2.7.12 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 2.7.12 alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright 2001-2016 Python Software Foundation; All Rights Reserved" are retained in Python 2.7.12 alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 2.7.12 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 2.7.12.

4. PSF is making Python 2.7.12 available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 2.7.12 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 2.7.12 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 2.7.12, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python 2.7.12, Licensee agrees to be bound by the terms and conditions of this License Agreement.

Apache License
Version 2.0, January 2004
https://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A

PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.460 future 0.18.2-1.ph3

1.460.1 Available under license :

Copyright (c) 2010 by Armin Ronacher.

Some rights reserved.

Redistribution and use in source and binary forms of the theme, with or
without modification, are permitted provided that the following conditions
are met:

* Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above
  copyright notice, this list of conditions and the following
  disclaimer in the documentation and/or other materials provided
  with the distribution.

* The names of the contributors may not be used to endorse or
  promote products derived from this software without specific
  prior written permission.

We kindly ask you to only use these themes in an unmodified manner just
for Flask and Flask-related products, not for unrelated projects. If you
like the visual style and want to use it for your own projects, please
consider making some larger changes to the themes (such as changing
font faces, sizes, colors or margins).

THIS THEME IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS THEME, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2013-2019 Python Charmers Pty Ltd, Australia

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.461 gzip 1.10 0ubuntu4

1.461.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

 The GNU General Public License is a free, copyleft license for
software and other kinds of works.

 The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for

them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

 To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you have
certain responsibilities if you distribute copies of the software, or if
you modify it: responsibilities to respect the freedom of others.

 For example, if you distribute copies of such a program, whether
gratis or for a fee, you must pass on to the recipients the same
freedoms that you received. You must make sure that they, too, receive
or can get the source code. And you must show them these terms so they
know their rights.

 Developers that use the GNU GPL protect your rights with two steps:
(1) assert copyright on the software, and (2) offer you this License
giving you legal permission to copy, distribute and/or modify it.

 For the developers' and authors' protection, the GPL clearly explains
that there is no warranty for this free software. For both users' and
authors' sake, the GPL requires that modified versions be marked as
changed, so that their problems will not be attributed erroneously to
authors of previous versions.

 Some devices are designed to deny users access to install or run
modified versions of the software inside them, although the manufacturer
can do so. This is fundamentally incompatible with the aim of
protecting users' freedom to change the software. The systematic
pattern of such abuse occurs in the area of products for individuals to
use, which is precisely where it is most unacceptable. Therefore, we
have designed this version of the GPL to prohibit the practice for those
products. If such problems arise substantially in other domains, we
stand ready to extend this provision to those domains in future versions
of the GPL, as needed to protect the freedom of users.

 Finally, every program is threatened constantly by software patents.
States should not allow patents to restrict development and use of
software on general-purpose computers, but in those that do, we wish to
avoid the special danger that patents applied to a free program could
make it effectively proprietary. To prevent this, the GPL assures that
patents cannot be used to render the program non-free.

 The precise terms and conditions for copying, distribution and
modification follow.

                    TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of
works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this
License. Each licensee is addressed as "you". "Licensees" and
"recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work
in a fashion requiring copyright permission, other than the making of an
exact copy. The resulting work is called a "modified version" of the
earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based
on the Program.

To "propagate" a work means to do anything with it that, without
permission, would make you directly or secondarily liable for
infringement under applicable copyright law, except executing it on a
computer or modifying a private copy. Propagation includes copying,
distribution (with or without modification), making available to the
public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other
parties to make or receive copies. Mere interaction with a user through
a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices"
to the extent that it includes a convenient and prominently visible
feature that (1) displays an appropriate copyright notice, and (2)
tells the user that there is no warranty for the work (except to the
extent that warranties are provided), that licensees may convey the
work under this License, and how to view a copy of this License. If
the interface presents a list of user commands or options, such as a
menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work
for making modifications to it. "Object code" means any non-source
form of a work.

A "Standard Interface" means an interface that either is an official
standard defined by a recognized standards body, or, in the case of
interfaces specified for a particular programming language, one that

is widely used among developers working in that language.

 The "System Libraries" of an executable work include anything, other
than the work as a whole, that (a) is included in the normal form of
packaging a Major Component, but which is not part of that Major
Component, and (b) serves only to enable use of the work with that
Major Component, or to implement a Standard Interface for which an
implementation is available to the public in source code form. A
"Major Component", in this context, means a major essential component
(kernel, window system, and so on) of the specific operating system
(if any) on which the executable work runs, or a compiler used to
produce the work, or an object code interpreter used to run it.

 The "Corresponding Source" for a work in object code form means all
the source code needed to generate, install, and (for an executable
work) run the object code and to modify the work, including scripts to
control those activities. However, it does not include the work's
System Libraries, or general-purpose tools or generally available free
programs which are used unmodified in performing those activities but
which are not part of the work. For example, Corresponding Source
includes interface definition files associated with source files for
the work, and the source code for shared libraries and dynamically
linked subprograms that the work is specifically designed to require,
such as by intimate data communication or control flow between those
subprograms and other parts of the work.

 The Corresponding Source need not include anything that users
can regenerate automatically from other parts of the Corresponding
Source.

 The Corresponding Source for a work in source code form is that
same work.

 2. Basic Permissions.

 All rights granted under this License are granted for the term of
copyright on the Program, and are irrevocable provided the stated
conditions are met. This License explicitly affirms your unlimited
permission to run the unmodified Program. The output from running a
covered work is covered by this License only if the output, given its
content, constitutes a covered work. This License acknowledges your
rights of fair use or other equivalent, as provided by copyright law.

 You may make, run and propagate covered works that you do not
convey, without conditions so long as your license otherwise remains
in force. You may convey covered works to others for the sole purpose
of having them make modifications exclusively for you, or provide you
with facilities for running those works, provided that you comply with

the terms of this License in conveying all material for which you do
not control copyright. Those thus making or running the covered works
for you must do so exclusively on your behalf, under your direction
and control, on terms that prohibit them from making any copies of
your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under
the conditions stated below. Sublicensing is not allowed; section 10
makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological
measure under any applicable law fulfilling obligations under article
11 of the WIPO copyright treaty adopted on 20 December 1996, or
similar laws prohibiting or restricting circumvention of such
measures.

When you convey a covered work, you waive any legal power to forbid
circumvention of technological measures to the extent such circumvention
is effected by exercising rights under this License with respect to
the covered work, and you disclaim any intention to limit operation or
modification of the work as a means of enforcing, against the work's
users, your or third parties' legal rights to forbid circumvention of
technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you
receive it, in any medium, provided that you conspicuously and
appropriately publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey,
and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to
produce it from the Program, in the form of source code under the
terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent notices stating that you modified
it, and giving a relevant date.

b) The work must carry prominent notices stating that it is
released under this License and any conditions added under section
7. This requirement modifies the requirement in section 4 to
"keep intact all notices".

c) You must license the entire work, as a whole, under this
License to anyone who comes into possession of a copy. This
License will therefore apply, along with any applicable section 7
additional terms, to the whole of the work, and all its parts,
regardless of how they are packaged. This License gives no
permission to license the work in any other way, but it does not
invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display
Appropriate Legal Notices; however, if the Program has interactive
interfaces that do not display Appropriate Legal Notices, your
work need not make them do so.

 A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

 6. Conveying Non-Source Forms.

 You may convey a covered work in object code form under the terms
of sections 4 and 5, provided that you also convey the
machine-readable Corresponding Source under the terms of this License,
in one of these ways:

a) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by the
Corresponding Source fixed on a durable physical medium
customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product
(including a physical distribution medium), accompanied by a
written offer, valid for at least three years and valid for as
long as you offer spare parts or customer support for that product
model, to give anyone who possesses the object code either (1) a
copy of the Corresponding Source for all the software in the
product that is covered by this License, on a durable physical
medium customarily used for software interchange, for a price no

more than your reasonable cost of physically performing this
conveying of source, or (2) access to copy the
Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the
written offer to provide the Corresponding Source. This
alternative is allowed only occasionally and noncommercially, and
only if you received the object code with such an offer, in accord
with subsection 6b.

d) Convey the object code by offering access from a designated
place (gratis or for a charge), and offer equivalent access to the
Corresponding Source in the same way through the same place at no
further charge. You need not require recipients to copy the
Corresponding Source along with the object code. If the place to
copy the object code is a network server, the Corresponding Source
may be on a different server (operated by you or a third party)
that supports equivalent copying facilities, provided you maintain
clear directions next to the object code saying where to find the
Corresponding Source. Regardless of what server hosts the
Corresponding Source, you remain obligated to ensure that it is
available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided
you inform other peers where the object code and Corresponding
Source of the work are being offered to the general public at no
charge under subsection 6d.

 A separable portion of the object code, whose source code is excluded
from the Corresponding Source as a System Library, need not be
included in conveying the object code work.

 A "User Product" is either (1) a "consumer product", which means any
tangible personal property which is normally used for personal, family,
or household purposes, or (2) anything designed or sold for incorporation
into a dwelling. In determining whether a product is a consumer product,
doubtful cases shall be resolved in favor of coverage. For a particular
product received by a particular user, "normally used" refers to a
typical or common use of that class of product, regardless of the status
of the particular user or of the way in which the particular user
actually uses, or expects or is expected to use, the product. A product
is a consumer product regardless of whether the product has substantial
commercial, industrial or non-consumer uses, unless such uses represent
the only significant mode of use of the product.

 "Installation Information" for a User Product means any methods,
procedures, authorization keys, or other information required to install
and execute modified versions of a covered work in that User Product from

a modified version of its Corresponding Source. The information must
suffice to ensure that the continued functioning of the modified object
code is in no case prevented or interfered with solely because
modification has been made.

 If you convey an object code work under this section in, or with, or
specifically for use in, a User Product, and the conveying occurs as
part of a transaction in which the right of possession and use of the
User Product is transferred to the recipient in perpetuity or for a
fixed term (regardless of how the transaction is characterized), the
Corresponding Source conveyed under this section must be accompanied
by the Installation Information. But this requirement does not apply
if neither you nor any third party retains the ability to install
modified object code on the User Product (for example, the work has
been installed in ROM).

 The requirement to provide Installation Information does not include a
requirement to continue to provide support service, warranty, or updates
for a work that has been modified or installed by the recipient, or for
the User Product in which it has been modified or installed. Access to a
network may be denied when the modification itself materially and
adversely affects the operation of the network or violates the rules and
protocols for communication across the network.

 Corresponding Source conveyed, and Installation Information provided,
in accord with this section must be in a format that is publicly
documented (and with an implementation available to the public in
source code form), and must require no special password or key for
unpacking, reading or copying.

 7. Additional Terms.

 "Additional permissions" are terms that supplement the terms of this
License by making exceptions from one or more of its conditions.
Additional permissions that are applicable to the entire Program shall
be treated as though they were included in this License, to the extent
that they are valid under applicable law. If additional permissions
apply only to part of the Program, that part may be used separately
under those permissions, but the entire Program remains governed by
this License without regard to the additional permissions.

 When you convey a copy of a covered work, you may at your option
remove any additional permissions from that copy, or from any part of
it. (Additional permissions may be written to require their own
removal in certain cases when you modify the work.) You may place
additional permissions on material, added by you to a covered work,
for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you
add to a covered work, you may (if authorized by the copyright holders of
that material) supplement the terms of this License with terms:

  a) Disclaiming warranty or limiting liability differently from the
  terms of sections 15 and 16 of this License; or

  b) Requiring preservation of specified reasonable legal notices or
  author attributions in that material or in the Appropriate Legal
  Notices displayed by works containing it; or

  c) Prohibiting misrepresentation of the origin of that material, or
  requiring that modified versions of such material be marked in
  reasonable ways as different from the original version; or

  d) Limiting the use for publicity purposes of names of licensors or
  authors of the material; or

  e) Declining to grant rights under trademark law for use of some
  trade names, trademarks, or service marks; or

  f) Requiring indemnification of licensors and authors of that
  material by anyone who conveys the material (or modified versions of
  it) with contractual assumptions of liability to the recipient, for
  any liability that these contractual assumptions directly impose on
  those licensors and authors.

 All other non-permissive additional terms are considered "further
restrictions" within the meaning of section 10. If the Program as you
received it, or any part of it, contains a notice stating that it is
governed by this License along with a term that is a further
restriction, you may remove that term. If a license document contains
a further restriction but permits relicensing or conveying under this
License, you may add to a covered work material governed by the terms
of that license document, provided that the further restriction does
not survive such relicensing or conveying.

 If you add terms to a covered work in accord with this section, you
must place, in the relevant source files, a statement of the
additional terms that apply to those files, or a notice indicating
where to find the applicable terms.

 Additional terms, permissive or non-permissive, may be stated in the
form of a separately written license, or stated as exceptions;
the above requirements apply either way.

 8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that

transaction who receives a copy of the work also receives whatever
licenses to the work the party's predecessor in interest had or could
give under the previous paragraph, plus a right to possession of the
Corresponding Source of the work from the predecessor in interest, if
the predecessor has it or can get it with reasonable efforts.

 You may not impose any further restrictions on the exercise of the
rights granted or affirmed under this License. For example, you may
not impose a license fee, royalty, or other charge for exercise of
rights granted under this License, and you may not initiate litigation
(including a cross-claim or counterclaim in a lawsuit) alleging that
any patent claim is infringed by making, using, selling, offering for
sale, or importing the Program or any portion of it.

 11. Patents.

 A "contributor" is a copyright holder who authorizes use under this
License of the Program or a work on which the Program is based. The
work thus licensed is called the contributor's "contributor version".

 A contributor's "essential patent claims" are all patent claims
owned or controlled by the contributor, whether already acquired or
hereafter acquired, that would be infringed by some manner, permitted
by this License, of making, using, or selling its contributor version,
but do not include claims that would be infringed only as a
consequence of further modification of the contributor version. For
purposes of this definition, "control" includes the right to grant
patent sublicenses in a manner consistent with the requirements of
this License.

 Each contributor grants you a non-exclusive, worldwide, royalty-free
patent license under the contributor's essential patent claims, to
make, use, sell, offer for sale, import and otherwise run, modify and
propagate the contents of its contributor version.

 In the following three paragraphs, a "patent license" is any express
agreement or commitment, however denominated, not to enforce a patent
(such as an express permission to practice a patent or covenant not to
sue for patent infringement). To "grant" such a patent license to a
party means to make such an agreement or commitment not to enforce a
patent against the party.

 If you convey a covered work, knowingly relying on a patent license,
and the Corresponding Source of the work is not available for anyone
to copy, free of charge and under the terms of this License, through a
publicly available network server or other readily accessible means,
then you must either (1) cause the Corresponding Source to be so
available, or (2) arrange to deprive yourself of the benefit of the

patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

  14. Revised Versions of this License.

  The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

  Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

  If the Program specifies that a proxy can decide which future
versions of the GNU General Public License can be used, that proxy's
public statement of acceptance of a version permanently authorizes you
to choose that version for the Program.

  Later license versions may give you additional or different
permissions. However, no additional obligations are imposed on any
author or copyright holder as a result of your choosing to follow a
later version.

  15. Disclaimer of Warranty.

  THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY
APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT
HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY
OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM
IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF
ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

  16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS
THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE
USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF
DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD
PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF
SUCH DAMAGES.

 17. Interpretation of Sections 15 and 16.

 If the disclaimer of warranty and limitation of liability provided
above cannot be given local legal effect according to their terms,
reviewing courts shall apply local law that most closely approximates
an absolute waiver of all civil liability in connection with the
Program, unless a warranty or assumption of liability accompanies a
copy of the Program in return for a fee.

                    END OF TERMS AND CONDITIONS

            How to Apply These Terms to Your New Programs

 If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these terms.

 To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
state the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software: you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation, either version 3 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License
    along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

 If the program does terminal interaction, make it output a short
notice like this when it starts in an interactive mode:

   <program> Copyright (C) <year> <name of author>
   This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
   This is free software, and you are welcome to redistribute it
   under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

 You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<http://www.gnu.org/licenses/>.

 The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<http://www.gnu.org/philosophy/why-not-lgpl.html>.

1.462 mpdecimal 2.4.2-3

1.462.1 Available under license :

```
/*
* Copyright (c) 2008-2016 Stefan Krah. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in the
*    documentation and/or other materials provided with the distribution.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS "AS IS" AND
* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
```

DISTRIBUTOR NOTES
=================

The license is the standard FreeBSD Documentation License with an added clause that requires a user notice for modifications. The following modification notices are sufficient:

RST files

The modification notice may be added below the license:

  Copyright 2010-2016 Stefan Krah. All rights reserved.
  ...
  ...
  IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

  This file was modified in 2016 by DISTRIBUTOR.

HTML files

The modification notice may be added to the copyright footer:

  Copyright 2010-2016 Stefan Krah, modified 2016 by DISTRIBUTOR.

1.463 etcd-client 3.5.2

1.463.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

  "License" shall mean the terms and conditions for use, reproduction,
  and distribution as defined by Sections 1 through 9 of this document.

  "Licensor" shall mean the copyright owner or entity authorized by
  the copyright owner that is granting the License.

  "Legal Entity" shall mean the union of the acting entity and all
  other entities that control, are controlled by, or are under common
  control with that entity. For the purposes of this definition,
  "control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

   (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

   (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.464 protobuf 1.25.0

1.464.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017 The gRPC Authors

```
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*    http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1212202758_1634074081.68/0/grpc-protobuf-1-25-0-sources-1-
jar/io/grpc/protobuf/ProtoServiceDescriptorSupplier.java
* /opt/cola/permits/1212202758_1634074081.68/0/grpc-protobuf-1-25-0-sources-1-jar/io/grpc/protobuf/package-
info.java
* /opt/cola/permits/1212202758_1634074081.68/0/grpc-protobuf-1-25-0-sources-1-
jar/io/grpc/protobuf/ProtoMethodDescriptorSupplier.java
* /opt/cola/permits/1212202758_1634074081.68/0/grpc-protobuf-1-25-0-sources-1-
jar/io/grpc/protobuf/StatusProto.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2016 The gRPC Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*    http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):
* /opt/cola/permits/1212202758_1634074081.68/0/grpc-protobuf-1-25-0-sources-1-
jar/io/grpc/protobuf/ProtoFileDescriptorSupplier.java
No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2014 The gRPC Authors
```

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

*   http://www.apache.org/licenses/LICENSE-2.0

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):
* /opt/cola/permits/1212202758_1634074081.68/0/grpc-protobuf-1-25-0-sources-1-jar/io/grpc/protobuf/ProtoUtils.java

1.465 opentracing-contrib-go-grpc 0.0.0-20180928155321-4b5a12d3ff02

1.465.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a
   cross-claim or counterclaim in a lawsuit) alleging that the Work
   or a Contribution incorporated within the Work constitutes direct
   or contributory patent infringement, then any patent licenses
   granted to You under this License for that Work shall terminate
   as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
   Work or Derivative Works thereof in any medium, with or without
   modifications, and in Source or Object form, provided that You
   meet the following conditions:

   (a) You must give any other recipients of the Work or
       Derivative Works a copy of this License; and

   (b) You must cause any modified files to carry prominent notices
       stating that You changed the files; and

   (c) You must retain, in the Source form of any Derivative Works
       that You distribute, all copyright, patent, trademark, and
       attribution notices from the Source form of the Work,
       excluding those notices that do not pertain to any part of
       the Derivative Works; and

   (d) If the Work includes a "NOTICE" text file as part of its
       distribution, then any Derivative Works that You distribute must
       include a readable copy of the attribution notices contained
       within such NOTICE file, excluding those notices that do not
       pertain to any part of the Derivative Works, in at least one
       of the following places: within a NOTICE text file distributed
       as part of the Derivative Works; within the Source form or
       documentation, if provided along with the Derivative Works; or,
       within a display generated by the Derivative Works, if and
       wherever such third-party notices normally appear. The contents
       of the NOTICE file are for informational purposes only and
       do not modify the License. You may add Your own attribution
       notices within Derivative Works that You distribute, alongside
       or as an addendum to the NOTICE text from the Work, provided
       that such additional attribution notices cannot be construed

as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

  http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.466 go-grpc-prometheus 1.2.1-0.20191002090509-6af20e3a5340

1.466.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
    distribution, then any Derivative Works that You distribute must
    include a readable copy of the attribution notices contained
    within such NOTICE file, excluding those notices that do not
    pertain to any part of the Derivative Works, in at least one
    of the following places: within a NOTICE text file distributed
    as part of the Derivative Works; within the Source form or
    documentation, if provided along with the Derivative Works; or,
    within a display generated by the Derivative Works, if and
    wherever such third-party notices normally appear. The contents
    of the NOTICE file are for informational purposes only and
    do not modify the License. You may add Your own attribution
    notices within Derivative Works that You distribute, alongside
    or as an addendum to the NOTICE text from the Work, provided
    that such additional attribution notices cannot be construed
    as modifying the License.

    You may add Your own copyright statement to Your modifications and
    may provide additional or different license terms and conditions
    for use, reproduction, or distribution of Your modifications, or
    for any such Derivative Works as a whole, provided Your use,
    reproduction, and distribution of the Work otherwise complies with
    the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
   any Contribution intentionally submitted for inclusion in the Work
   by You to the Licensor shall be under the terms and conditions of
   this License, without any additional terms or conditions.
   Notwithstanding the above, nothing herein shall supersede or modify
   the terms of any separate license agreement you may have executed
   with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
   names, trademarks, service marks, or product names of the Licensor,
   except as required for reasonable and customary use in describing the
   origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
   agreed to in writing, Licensor provides the Work (and each
   Contributor provides its Contributions) on an "AS IS" BASIS,
   WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
   implied, including, without limitation, any warranties or conditions
   of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
   PARTICULAR PURPOSE. You are solely responsible for determining the
   appropriateness of using or redistributing the Work and assume any
   risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
   whether in tort (including negligence), contract, or otherwise,
   unless required by applicable law (such as deliberate and grossly
   negligent acts) or agreed to in writing, shall any Contributor be
   liable to You for damages, including any direct, indirect, special,
   incidental, or consequential damages of any character arising as a
   result of this License or out of the use or inability to use the
   Work (including but not limited to damages for loss of goodwill,
   work stoppage, computer failure or malfunction, or any and all
   other commercial damages or losses), even if such Contributor
   has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
   the Work or Derivative Works thereof, You may choose to offer,
   and charge a fee for, acceptance of support, warranty, indemnity,
   or other liability obligations and/or rights consistent with this
   License. However, in accepting such obligations, You may act only
   on Your own behalf and on Your sole responsibility, not on behalf
   of any other Contributor, and only if You agree to indemnify,
   defend, and hold each Contributor harmless for any liability
   incurred by, or claims asserted against, such Contributor by reason
   of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

   To apply the Apache License to your work, attach the following
   boilerplate notice, with the fields enclosed by brackets "[]"
   replaced with your own identifying information. (Don't include
   the brackets!) The text should be enclosed in the appropriate
   comment syntax for the file format. We also recommend that a
   file or class name and description of purpose be included on the
   same "printed page" as the copyright notice for easier
   identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and

limitations under the License.

1.467 python-setuptools 45.2.0-1

1.467.1 Available under license :

Copyright (C) 2016 Jason R Coombs <jaraco@jaraco.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.468 lz4 1.9.2 2ubuntu0.20.04.1

1.468.1 Available under license :

This repository uses 2 different licenses :
- all files in the `lib` directory use a BSD 2-Clause license
- all other files use a GPLv2 license, unless explicitly stated otherwise

Relevant license is reminded at the top of each source file,
and with presence of COPYING or LICENSE file in associated directories.

This model is selected to emphasize that
files in the `lib` directory are designed to be included into 3rd party applications,
while all other files, in `programs`, `tests` or `examples`,
receive more limited attention and support for such scenario.
LZ4 Library
Copyright (c) 2011-2016, Yann Collet
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
 list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this
 list of conditions and the following disclaimer in the documentation and/or
 other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

 The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

 When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

 To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

 We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which gives you legal permission to copy,
distribute and/or modify the software.

 Also, for each author's protection and ours, we want to make certain
that everyone understands that there is no warranty for this free
software. If the software is modified by someone else and passed on, we
want its recipients to know that what they have is not the original, so
that any problems introduced by others will not reflect on the original
authors' reputations.

 Finally, any free program is threatened constantly by software
patents. We wish to avoid the danger that redistributors of a free
program will individually obtain patent licenses, in effect making the
program proprietary. To prevent this, we have made it clear that any
patent must be licensed for everyone's free use or not licensed at all.

 The precise terms and conditions for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

 0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

 1. You may copy and distribute verbatim copies of the Program's

source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and
you may at your option offer warranty protection in exchange for a fee.

 2. You may modify your copy or copies of the Program or any portion
of it, thus forming a work based on the Program, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) You must cause the modified files to carry prominent notices
  stating that you changed the files and the date of any change.

  b) You must cause any work that you distribute or publish, that in
  whole or in part contains or is derived from the Program or any
  part thereof, to be licensed as a whole at no charge to all third
  parties under the terms of this License.

  c) If the modified program normally reads commands interactively
  when run, you must cause it, when started running for such
  interactive use in the most ordinary way, to print or display an
  announcement including an appropriate copyright notice and a
  notice that there is no warranty (or else, saying that you provide
  a warranty) and that users may redistribute the program under
  these conditions, and telling the user how to view a copy of this
  License. (Exception: if the Program itself is interactive but
  does not normally print such an announcement, your work based on
  the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Program,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Program, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License.

However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

 5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

 6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

 7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot

impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

  8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

  9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

  10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

                    NO WARRANTY

  11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

  12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR

REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

    <one line to give the program's name and a brief idea of what it does.>
    Copyright (C) <year> <name of author>

    This program is free software; you can redistribute it and/or modify
    it under the terms of the GNU General Public License as published by
    the Free Software Foundation; either version 2 of the License, or
    (at your option) any later version.

    This program is distributed in the hope that it will be useful,
    but WITHOUT ANY WARRANTY; without even the implied warranty of
    MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
    GNU General Public License for more details.

    You should have received a copy of the GNU General Public License along
    with this program; if not, write to the Free Software Foundation, Inc.,
    51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

    Gnomovision version 69, Copyright (C) year name of author
    Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
    This is free software, and you are welcome to redistribute it
    under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the program
 `Gnomovision' (which makes passes at compilers) written by James Hacker.

 <signature of Ty Coon>, 1 April 1989
 Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.

Format: http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: liblz4
Upstream-Contact: Yann Collet <Cyan4973@github.com>
Source: https://github.com/lz4/lz4

Files: *
Copyright: (C) 2011+ Yann Collet
License: GPL-2+
The full text of license: https://github.com/Cyan4973/lz4/blob/master/lib/LICENSE
Format: https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/
Upstream-Name: lz4
Source: https://github.com/Cyan4973/lz4

Files: *
Copyright: Copyright (C) 2011-2017, Yann Collet.
License: BSD-2-clause

Files: lib/*
Copyright: Copyright (C) 2011-2017, Yann Collet.
License: BSD-2-clause

Files: lib/liblz4.pc.in
Copyright: Copyright (C) 2011-2014, Yann Collet.
License: BSD-2-clause

Files: lib/lz4frame.c
    lib/lz4frame_static.h
    lib/xxhash.c
    lib/xxhash.h
Copyright: Copyright (C) 2011-2016, Yann Collet.
License: BSD-2-clause

Files: programs/*
Copyright: Copyright (C) 2011-2016, Yann Collet.
License: GPL-2+

Files: programs/lz4io.c
Copyright: Copyright (C) 2011-2017, Yann Collet.
License: GPL-2+

Files: programs/platform.h
Copyright: Copyright (C) 2016 -present, Przemyslaw Skibinski, Yann Collet
License: GPL-2+

Files: programs/util.h
Copyright: Copyright (C) 2016 -present, Przemyslaw Skibinski, Yann Collet
License: GPL-2+

Files: ./examples/printVersion.c
Copyright: Takayuki Matsuoka & Yann Collet
License: GPL-2

Files: ./examples/blockStreaming_lineByLine.c

./examples/blockStreaming_doubleBuffer.c
Copyright: Takayuki Matsuoka
License: GPL-2

Files: ./examples/HCStreaming_ringBuffer.c
    ./examples/blockStreaming_ringBuffer.c
Copyright: Yann Collet
License: GPL-2

Files: ./examples/compress_functions.c
    ./examples/simple_buffer.c
Copyright: Kyle Harper
License: BSD-2-clause

Files: debian/*
Copyright: 2013 Nobuhiro Iwamatsu <iwamatsu@debian.org>
License: GPL-2+

License: GPL-2
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; version 2 dated June, 1991.
.
On Debian systems, the complete text of version 2 of the GNU General
Public License can be found in '/usr/share/common-licenses/GPL-2'.

License: GPL-2+
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; version 2 dated June, 1991, or (at
your option) any later version.
.
On Debian systems, the complete text of version 2 of the GNU General
Public License can be found in '/usr/share/common-licenses/GPL-2'.

License: BSD-2-clause
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:
.
* Redistributions of source code must retain the above copyright notice,
  this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
  this list of conditions and the following disclaimer in the documentation
  and/or other materials provided with the distribution.
.
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT
OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.469 oklog-run 1.1.0

1.469.1 Available under license :

Apache License
Version 2.0, January 2004
http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   copyright license to reproduce, prepare Derivative Works of,
   publicly display, publicly perform, sublicense, and distribute the
   Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
   this License, each Contributor hereby grants to You a perpetual,
   worldwide, non-exclusive, no-charge, royalty-free, irrevocable
   (except as stated in this section) patent license to make, have made,
   use, offer to sell, sell, import, and otherwise transfer the Work,
   where such license applies only to those patent claims licensable
   by such Contributor that are necessarily infringed by their
   Contribution(s) alone or by combination of their Contribution(s)
   with the Work to which such Contribution(s) was submitted. If You
   institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices
stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

   http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.470 contextlib2 0.6.0

1.470.1 Available under license :

A. HISTORY OF THE SOFTWARE
==========================

contextlib2 is a derivative of the contextlib module distributed by the PSF
as part of the Python standard library. According, it is itself redistributed
under the PSF license (reproduced in full below). As the contextlib module
was added only in Python 2.5, the licenses for earlier Python versions are
not applicable and have not been included.

Python was created in the early 1990s by Guido van Rossum at Stichting
Mathematisch Centrum (CWI, see http://www.cwi.nl) in the Netherlands
as a successor of a language called ABC. Guido remains Python's
principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for
National Research Initiatives (CNRI, see http://www.cnri.reston.va.us)
in Reston, Virginia where he released several versions of the
software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations (now Zope Corporation, see http://www.zope.com). In 2001, the Python Software Foundation (PSF, see http://www.python.org/psf/) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation is a sponsoring member of the PSF.

All Python releases are Open Source (see http://www.opensource.org for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases that included the contextlib module.

Release	Derived from	Year	Owner	GPL-compatible? (1)
2.5	2.4	2006	PSF	yes
2.5.1	2.5	2007	PSF	yes
2.5.2	2.5.1	2008	PSF	yes
2.5.3	2.5.2	2008	PSF	yes
2.6	2.5	2008	PSF	yes
2.6.1	2.6	2008	PSF	yes
2.6.2	2.6.1	2009	PSF	yes
2.6.3	2.6.2	2009	PSF	yes
2.6.4	2.6.3	2009	PSF	yes
2.6.5	2.6.4	2010	PSF	yes
3.0	2.6	2008	PSF	yes
3.0.1	3.0	2009	PSF	yes
3.1	3.0.1	2009	PSF	yes
3.1.1	3.1	2009	PSF	yes
3.1.2	3.1.1	2010	PSF	yes
3.1.3	3.1.2	2010	PSF	yes
3.1.4	3.1.3	2011	PSF	yes
3.2	3.1	2011	PSF	yes
3.2.1	3.2	2011	PSF	yes
3.2.2	3.2.1	2011	PSF	yes
3.3	3.2	2012	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under
    the GPL. All Python licenses, unlike the GPL, let you distribute
    a modified version without making your changes open source. The
    GPL-compatible licenses make it possible to combine Python with
    other software that is released under the GPL; the others don't.

Thanks to the many outside volunteers who have worked under Guido's
direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON
==

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2
----

1. This LICENSE AGREEMENT is between the Python Software Foundation
("PSF"), and the Individual or Organization ("Licensee") accessing and
otherwise using this software ("Python") in source or binary form and
its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby
grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce,
analyze, test, perform and/or display publicly, prepare derivative works,
distribute, and otherwise use Python alone or in any derivative version,
provided, however, that PSF's License Agreement and PSF's notice of copyright,
i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010,
2011 Python Software Foundation; All Rights Reserved" are retained in Python
alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on
or incorporates Python or any part thereof, and wants to make
the derivative work available to others as provided herein, then
Licensee hereby agrees to include in any such work a brief summary of
the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS"
basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON
FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS
A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON,
OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material
breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any
relationship of agency, partnership, or joint venture between PSF and
Licensee. This License Agreement does not grant permission to use PSF

trademarks or trade name in a trademark sense to endorse or promote
products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee
agrees to be bound by the terms and conditions of this License
Agreement.

1.471 urllib3 1.26.6-1.ph1

1.471.1 Available under license :

MIT License

Copyright (c) 2008-2020 Andrey Petrov and contributors (see CONTRIBUTORS.txt)

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.472 nose 1.3.7

1.472.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the
library, and (2) we offer you this license, which gives you legal
permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that
there is no warranty for the free library. Also, if the library is
modified by someone else and passed on, the recipients should know
that what they have is not the original version, so that the original
author's reputation will not be affected by problems that might be
introduced by others.

Finally, software patents pose a constant threat to the existence of

any free program. We wish to make sure that a company cannot
effectively restrict the users of a free program by obtaining a
restrictive license from a patent holder. Therefore, we insist that
any patent license obtained for a version of the library must be
consistent with the full freedom of use specified in this license.

 Most GNU software, including some libraries, is covered by the
ordinary GNU General Public License. This license, the GNU Lesser
General Public License, applies to certain designated libraries, and
is quite different from the ordinary General Public License. We use
this license for certain libraries in order to permit linking those
libraries into non-free programs.

 When a program is linked with a library, whether statically or using
a shared library, the combination of the two is legally speaking a
combined work, a derivative of the original library. The ordinary
General Public License therefore permits such linking only if the
entire combination fits its criteria of freedom. The Lesser General
Public License permits more lax criteria for linking other code with
the library.

 We call this license the "Lesser" General Public License because it
does Less to protect the user's freedom than the ordinary General
Public License. It also provides other free software developers Less
of an advantage over competing non-free programs. These disadvantages
are the reason we use the ordinary General Public License for many
libraries. However, the Lesser license provides advantages in certain
special circumstances.

 For example, on rare occasions, there may be a special need to
encourage the widest possible use of a certain library, so that it becomes
a de-facto standard. To achieve this, non-free programs must be
allowed to use the library. A more frequent case is that a free
library does the same job as widely used non-free libraries. In this
case, there is little to gain by limiting the free library to free
software only, so we use the Lesser General Public License.

 In other cases, permission to use a particular library in non-free
programs enables a greater number of people to use a large body of
free software. For example, permission to use the GNU C Library in
non-free programs enables many more people to use the whole GNU
operating system, as well as its variant, the GNU/Linux operating
system.

 Although the Lesser General Public License is Less protective of the
users' freedom, it does ensure that the user of a program that is
linked with the Library has the freedom and the wherewithal to run
that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

  GNU LESSER GENERAL PUBLIC LICENSE
  TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

  0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

  A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

  The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

  "Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

  Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

  1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the

Library.

 You may charge a fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a
fee.

 2. You may modify your copy or copies of the Library or any portion
of it, thus forming a work based on the Library, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also meet all of these conditions:

  a) The modified work must itself be a software library.

  b) You must cause the files modified to carry prominent notices
  stating that you changed the files and the date of any change.

  c) You must cause the whole of the work to be licensed at no
  charge to all third parties under the terms of this License.

  d) If a facility in the modified Library refers to a function or a
  table of data to be supplied by an application program that uses
  the facility, other than as an argument passed when the facility
  is invoked, then you must make a good faith effort to ensure that,
  in the event an application does not supply such function or
  table, the facility still operates, and performs whatever part of
  its purpose remains meaningful.

  (For example, a function in a library to compute square roots has
  a purpose that is entirely well-defined independent of the
  application. Therefore, Subsection 2d requires that any
  application-supplied function or table used by this function must
  be optional: if the application does not supply it, the square
  root function must still compute square roots.)

These requirements apply to the modified work as a whole. If
identifiable sections of that work are not derived from the Library,
and can be reasonably considered independent and separate works in
themselves, then this License, and its terms, do not apply to those
sections when you distribute them as separate works. But when you
distribute the same sections as part of a whole which is a work based
on the Library, the distribution of the whole must be on the terms of
this License, whose permissions for other licensees extend to the
entire whole, and thus to each and every part regardless of who wrote
it.

Thus, it is not the intent of this section to claim rights or contest
your rights to work written entirely by you; rather, the intent is to
exercise the right to control the distribution of derivative or

collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

 3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

 Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

 This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

 4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

 If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

 5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

 However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

  a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

  b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a

copy of the library already present on the user's computer system,
rather than copying library functions into the executable, and (2)
will operate properly with a modified version of the library, if
the user installs one, as long as the modified version is
interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at
least three years, to give the same user the materials
specified in Subsection 6a, above, for a charge no more
than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy
from a designated place, offer equivalent access to copy the above
specified materials from the same place.

e) Verify that the user has already received a copy of these
materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the
Library" must include any data and utility programs needed for
reproducing the executable from it. However, as a special exception,
the materials to be distributed need not include anything that is
normally distributed (in either source or binary form) with the major
components (compiler, kernel, and so on) of the operating system on
which the executable runs, unless that component itself accompanies
the executable.

It may happen that this requirement contradicts the license
restrictions of other proprietary libraries that do not normally
accompany the operating system. Such a contradiction means you cannot
use both them and the Library together in an executable that you
distribute.

7. You may place library facilities that are a work based on the
Library side-by-side in a single library together with other library
facilities not covered by this License, and distribute such a combined
library, provided that the separate distribution of the work based on
the Library and of the other library facilities is otherwise
permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work
based on the Library, uncombined with any other library
facilities. This must be distributed under the terms of the
Sections above.

b) Give prominent notice with the combined library of the fact
that part of it is a work based on the Library, and explaining
where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute
the Library except as expressly provided under this License. Any
attempt otherwise to copy, modify, sublicense, link with, or
distribute the Library is void, and will automatically terminate your
rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses
terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not
signed it. However, nothing else grants you permission to modify or
distribute the Library or its derivative works. These actions are
prohibited by law if you do not accept this License. Therefore, by
modifying or distributing the Library (or any work based on the
Library), you indicate your acceptance of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the
Library), the recipient automatically receives a license from the
original licensor to copy, distribute, link with or modify the Library
subject to these terms and conditions. You may not impose any further
restrictions on the recipients' exercise of the rights granted herein.
You are not responsible for enforcing compliance by third parties with
this License.

11. If, as a consequence of a court judgment or allegation of patent
infringement or for any other reason (not limited to patent issues),
conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot
distribute so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent
license would not permit royalty-free redistribution of the Library by
all those who receive copies directly or indirectly through you, then
the only way you could satisfy both it and this License would be to
refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any
particular circumstance, the balance of the section is intended to apply,
and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any
patents or other property right claims or to contest validity of any
such claims; this section has the sole purpose of protecting the
integrity of the free software distribution system which is
implemented by public license practices. Many people have made

generous contributions to the wide range of software distributed
through that system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

 12. If the distribution and/or use of the Library is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Library under this License may add
an explicit geographical distribution limitation excluding those countries,
so that distribution is permitted only in or among countries not thus
excluded. In such case, this License incorporates the limitation as if
written in the body of this License.

 13. The Free Software Foundation may publish revised and/or new
versions of the Lesser General Public License from time to time.
Such new versions will be similar in spirit to the present version,
but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library
specifies a version number of this License which applies to it and
"any later version", you have the option of following the terms and
conditions either of that version or of any later version published by
the Free Software Foundation. If the Library does not specify a
license version number, you may choose any version ever published by
the Free Software Foundation.

 14. If you wish to incorporate parts of the Library into other free
programs whose distribution conditions are incompatible with these,
write to the author to ask for permission. For software which is
copyrighted by the Free Software Foundation, write to the Free
Software Foundation; we sometimes make exceptions for this. Our
decision will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

    NO WARRANTY

 15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO
WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.
EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR
OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE

LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME
THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

 16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN
WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY
AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU
FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR
CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE
LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING
RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A
FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF
SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH
DAMAGES.

  END OF TERMS AND CONDITIONS

   How to Apply These Terms to Your New Libraries

 If you develop a new library, and you want it to be of the greatest
possible use to the public, we recommend making it free software that
everyone can redistribute and change. You can do so by permitting
redistribution under these terms (or, alternatively, under the terms of the
ordinary General Public License).

 To apply these terms, attach the following notices to the library. It is
safest to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

   <one line to give the library's name and a brief idea of what it does.>
   Copyright (C) <year> <name of author>

   This library is free software; you can redistribute it and/or
   modify it under the terms of the GNU Lesser General Public
   License as published by the Free Software Foundation; either
   version 2.1 of the License, or (at your option) any later version.

   This library is distributed in the hope that it will be useful,
   but WITHOUT ANY WARRANTY; without even the implied warranty of
   MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
   Lesser General Public License for more details.

   You should have received a copy of the GNU Lesser General Public
   License along with this library; if not, write to the Free Software
   Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

 Yoyodyne, Inc., hereby disclaims all copyright interest in the
 library `Frob' (a library for tweaking knobs) written by James Random Hacker.

 <signature of Ty Coon>, 1 April 1990
 Ty Coon, President of Vice

That's all there is to it!